

**NCHS Survey Data Linked to CMS MBSF, Claims/Encounters, and Assessment Data  
Outcome and Assessment Information Set (OASIS)**

**Date Created: 29JAN2021**

**Number of Variables: 806**

Variable Name	Variable (VAR) Label	VAR Type	Range of Values <sup>1</sup>	Value Description
PATIENT_ID	NHCS Patient ID	Char	ID	Patient Identifier assigned by NCHS. Researchers requesting linked NHCS-CMS data should use PATIENT_ID.
PUBLICID	NHIS Public Use ID	Char	ID	Public-use survey participant identifier assigned by NCHS. Researchers requesting linked NHIS/LSOA II-Medicare data should use PUBLICID.
SEQN	NHANES Respondent Sequence Number	Num	ID	Public-use survey participant identifier assigned by NCHS. Researchers requesting linked NHEFS/NHANES III/NHANES-Medicare data should use SEQN.
RESNUM	NNHS Resident Record (Case) Number	Num	ID	Public-use survey participant identifier assigned by NCHS. Researchers requesting linked 2004 NNHS-Medicare data should use RESNUM.
SURVEY	Survey Name and survey year/cycle	Char		
FILE_YEAR4	Year of OASIS Assessment (YYYY)	Num	2016-2018	2016 NHCS has been linked to only 2016-2017 Medicare Data.
FACILITY_ID	Facility Internal ID	Char		This variable is needed to merge the Assessment file and Facility file.
AST_BEG_VER_DT	Assessment Beginning Version Date	Num		Date provided in SAS date (numeric) format.
AST_END_VER_DT	Assessment Correction Version Date	Num		Date provided in SAS date (numeric) format.
ASMT_EFF_DATE	Assessment Effective Date	Num		Date provided in SAS date (numeric) format.
AST_MOD_IND	Assessment Modification Indicator	Char		Missing Value
BIRTHDATE_SUBM_IND	Birthdate Submit Indicator	Char	S	The stored birth date is the complete birthdate submitted
BRANCH_IDENTIFIER	Branch Identifier	Char		

<sup>1</sup>The range of values field contain approximate values for the payment, cost, and count variables. The actual values may include extreme outliers (positive or negative). Users may wish to consider applying top or bottom coding.

**NCHS Survey Data Linked to CMS MBSF, Claims/Encounters, and Assessment Data  
Outcome and Assessment Information Set (OASIS)**

**Date Created: 29JAN2021**

**Number of Variables: 806**

Variable Name	Variable (VAR) Label	VAR Type	Range of Values <sup>1</sup>	Value Description
CALC_HIPPS_CODE	Calculated HIPPS Code	Char		
CALC_HIPPS_VERSION	Calculated HIPPS Version	Char		
CORRECTION_NUM	Correction Number	Char		
LOCK_DATE	Lock Date	Num		
RES_CHG_TIMESTAMP	Resident Data Update Timestamp	Num		
RES_MATCH_CRITERIA	Resident Matching Criteria	Char		
STATE_ID	State ID	Char		This variable is needed to merge the Assessment file and Facility file.
ST_PREPD_DT	State Prepared Date	Num		Date provided in SAS date (numeric) format.
SUBMISSION_DATE	Submission Date	Num		Date provided in SAS date (numeric) format.
SUBM_HIPPS_CODE	Submitted HIPPS Code	Char		
SUBM_HIPPS_VERSION	Submitted HIPPS Version	Char		
VERSION_CD	Version Code	Char		
VCODE2	Version Completed Code	Char		
M0010_MEDICARE_ID	(M0010) Agency Medicare Number	Char		
M0012_MEDICAID_ID	(M0012) Agency Medicaid Number	Char		

<sup>1</sup>The range of values field contain approximate values for the payment, cost, and count variables. The actual values may include extreme outliers (positive or negative). Users may wish to consider applying top or bottom coding.

**NCHS Survey Data Linked to CMS MBSF, Claims/Encounters, and Assessment Data  
Outcome and Assessment Information Set (OASIS)**

**Date Created: 29JAN2021**

**Number of Variables: 806**

Variable Name	Variable (VAR) Label	VAR Type	Range of Values <sup>1</sup>	Value Description
M0014_BRANCH_STATE	(M0014) Branch State	Char		
M0016_BRANCH_ID	(M0016) Branch Identifier Number	Char		
M0018_PHYSICIAN_ID	M0018 (M0072) Physician NPI	Char		
M0018_PHYSICIAN_UK	M0018 (M0072) Physician NPI UK	Char	0	No
			1	Yes
M0030_SOC_DT	(M0030) Start of Care Date	Num		Date provided in SAS date (numeric) format.
M0032_ROC_DT_NA	(M0032) Resumption of Care Date Not Applicable	Char		Date provided in SAS date (numeric) format.
M0032_ROC_DT	(M0032) Resumption of Care Date	Num		Date provided in SAS date (numeric) format.
M0050_PAT_ST	(M0050) Patient State	Char		
M0060_PAT_ZIP	(M0060) Patient ZIP Code	Char		
M0063_MEDICARE_NA	(M0063) No Medicare Number	Char	0	Not NA
			1	NA
M0065_MEDICAID_NA	(M0065) No Medicaid Number	Char	0	Not NA
			1	NA
M0066_PAT_BIRTH_DT	(M0066) Patient Birth Date	Num		Date provided in SAS date (numeric) format.

<sup>1</sup>The range of values field contain approximate values for the payment, cost, and count variables. The actual values may include extreme outliers (positive or negative). Users may wish to consider applying top or bottom coding.

**NCHS Survey Data Linked to CMS MBSF, Claims/Encounters, and Assessment Data  
Outcome and Assessment Information Set (OASIS)**

**Date Created: 29JAN2021**

**Number of Variables: 806**

Variable Name	Variable (VAR) Label	VAR Type	Range of Values <sup>1</sup>	Value Description
M0069_PAT_GENDER	(M0069) Gender	Char	1	Male
			2	Female
M0072_PHYSICIAN_UK	(M0072) Physician NPI UK	Char		Missing Value
M0072_PHYSICIAN_ID	(M0072) Physician NPI	Char		
M0080_ASSR_DISCIPL	(M0080) Discipline of Person Completing Assessment	Char	01	RN
			02	PT
			03	SLP/ST
			04	OT
M0090_ASMT_CPLT_DT	(M0090) Date Assessment Completed	Num		Date provided in SAS date (numeric) format.
M0100_ASSMT_REASON	(M0100) Assessment Reason	Char	01	Start of care - further visits planned
			03	Resumption of care (after inpatient stay)
			04	Recertification (follow-up) reassessment
			05	Other follow-up
			06	Transferred to an inpatient facility - patient not discharged from agency
			07	Transferred to an inpatient facility - patient discharged from agency
			08	Death at home
			09	Discharge from agency
M0102_PHYSN_ORDRD_SOCROC_DT	M0102 Physician Ordered SOC ROC	Num		Date provided in SAS date (numeric) format.

<sup>1</sup>The range of values field contain approximate values for the payment, cost, and count variables. The actual values may include extreme outliers (positive or negative). Users may wish to consider applying top or bottom coding.

**NCHS Survey Data Linked to CMS MBSF, Claims/Encounters, and Assessment Data  
Outcome and Assessment Information Set (OASIS)**

**Date Created: 29JAN2021**

**Number of Variables: 806**

Variable Name	Variable (VAR) Label	VAR Type	Range of Values <sup>1</sup>	Value Description
M0102_PHYSN_ORDRD_SOCROC_DT_NA	M0102 Physician Ordered SOC ROC - NA	Char		Date provided in SAS date (numeric) format.
M0104_PHYSN_RFRL_DT	M0104 Physician Date of Referral	Num		Date provided in SAS date (numeric) format.
M0140_ETHNIC_AI_AN	(M0140) American Indian or Alaska Native	Char		Missing Value
			0	No
			1	Yes
M0140_ETHNIC_ASIAN	(M0140) Asian	Char		Missing Value
			0	No
			1	Yes
M0140_ETHNIC_BLACK	(M0140) Black or African-American	Char		Missing Value
			0	No
			1	Yes
M0140_ETHNIC_HISP	(M0140) Hispanic or Latino	Char		Missing Value
			0	No
			1	Yes
M0140_ETHNIC_NH_PI	(M0140) Native Hawaiian or Pacific Islander	Char		Missing Value
			0	No
			1	Yes
M0140_ETHNIC_UK	(M0140) Unknown Race/Ethnicity	Char		Missing Value
M0140_ETHNIC_WHITE	(M0140) White	Char		Missing Value

<sup>1</sup>The range of values field contain approximate values for the payment, cost, and count variables. The actual values may include extreme outliers (positive or negative). Users may wish to consider applying top or bottom coding.

**NCHS Survey Data Linked to CMS MBSF, Claims/Encounters, and Assessment Data  
Outcome and Assessment Information Set (OASIS)**

**Date Created: 29JAN2021**

**Number of Variables: 806**

Variable Name	Variable (VAR) Label	VAR Type	Range of Values <sup>1</sup>	Value Description
			0	No
			1	Yes
M0150_CPY_MCAIDFFS	(M0150) Medicaid Fee-For-Service	Char	0	No
			1	Yes
M0150_CPY_MCAIDHMO	(M0150) Medicaid HMO/Managed Care	Char	0	No
			1	Yes
M0150_CPY_MCAREFFS	(M0150) Medicare Fee-For-Service	Char	0	No
			1	Yes
M0150_CPY_MCAREHMO	(M0150) Medicare HMO/Managed Care	Char	0	No
			1	Yes
M0150_CPY_NONE	(M0150) No Charge for Current Services	Char	0	No
			1	Yes
M0150_CPY_OTH_GOVT	(M0150) Other Government	Char	0	No
			1	Yes
M0150_CPY_OTHER	(M0150) Other Payment Source	Char	0	No
			1	Yes
M0150_CPY_PRIV_HMO	(M0150) Private HMO/Managed Care	Char	0	No
			1	Yes

<sup>1</sup>The range of values field contain approximate values for the payment, cost, and count variables. The actual values may include extreme outliers (positive or negative). Users may wish to consider applying top or bottom coding.

**NCHS Survey Data Linked to CMS MBSF, Claims/Encounters, and Assessment Data  
Outcome and Assessment Information Set (OASIS)**

**Date Created: 29JAN2021**

**Number of Variables: 806**

Variable Name	Variable (VAR) Label	VAR Type	Range of Values <sup>1</sup>	Value Description
M0150_CPY_PRIV_INS	(M0150) Private Insurance	Char	0	No
			1	Yes
M0150_CPY_SELFPAY	(M0150) Self-Pay	Char	0	No
			1	Yes
M0150_CPY_TITLEPGM	(M0150) Title Programs	Char	0	No
			1	Yes
M0150_CPY_UK	(M0150) Unknown Payment Source	Char		Missing Value
			0	No
M0150_CPY_WRKCOMP	(M0150) Workers Compensation	Char	0	No
			1	Yes
M0160_LTD_FIN_FOOD	(M0160) Limited Financial Factors - Food	Char		Missing Value
M0160_LTD_FIN_EXP	(M0160) Limited Financial Factors - MedicalExpenses	Char		Missing Value
M0160_LTD_FIN_SUPP	(M0160) Limited Financial Factors - Medicine/Medical Supplies	Char		Missing Value
M0160_LTD_FIN_NONE	(M0160) Limited Financial Factors - None	Char		Missing Value
M0160_LTD_FIN_OTHR	(M0160) Limited Financial Factors - Other	Char		Missing Value
M0160_LTD_FIN_RENT	(M0160) Limited Financial Factors - Rent/Utilities	Char		Missing Value

<sup>1</sup>The range of values field contain approximate values for the payment, cost, and count variables. The actual values may include extreme outliers (positive or negative). Users may wish to consider applying top or bottom coding.

**NCHS Survey Data Linked to CMS MBSF, Claims/Encounters, and Assessment Data  
Outcome and Assessment Information Set (OASIS)**

**Date Created: 29JAN2021**

**Number of Variables: 806**

Variable Name	Variable (VAR) Label	VAR Type	Range of Values <sup>1</sup>	Value Description
M0170_DC_HOSP_14_D	(M0170) Hospital	Char		Missing Value
M0170_DC_N_HM_14_D	(M0170) Nursing Home	Char		Missing Value
M0170_DC_OTHER	(M0170) Other Inpatient Facility	Char		Missing Value
M0170_NONE_14_DAYS	(M0170) Patient Not Discharged from Inpatient Facility	Char		Missing Value
M0170_DC_REHB_14_D	(M0170) Rehabilitation Facility	Char		Missing Value
M0175_DC_HSP_14_DA	(M0175) Inpatient Facility Admitted From During Past 14 Days - Hospital	Char		Missing Value
M0175_DC_NON_14_DA	(M0175) Inpatient Facility Admitted From during past 14 Days - Not Discharged from an Inpatient Facility	Char		Missing Value
M0175_DC_ONH_14_DA	(M0175) Inpatient Facility Admitted From during past 14 Days - Other Nursing Home	Char		Missing Value
M0175_DC_OTH_14_DA	(M0175) Inpatient Facility Admitted From during past 14 Days - Other	Char		Missing Value
M0175_DC_RHB_14_DA	(M0175) Inpatient Facility Admitted From during past 14 Days - Rehabilitation Facility	Char		Missing Value
M0175_DC_SNF_14_DA	(M0175) Inpatient Facility Admitted From during past 14 Days - Skilled Nursing Facility	Char		Missing Value
M0180_DSCHG_UK	(M0180) Inpatient Discharge Date Unknown	Char		Missing Value

<sup>1</sup>The range of values field contain approximate values for the payment, cost, and count variables. The actual values may include extreme outliers (positive or negative). Users may wish to consider applying top or bottom coding.



**NCHS Survey Data Linked to CMS MBSF, Claims/Encounters, and Assessment Data  
Outcome and Assessment Information Set (OASIS)**

**Date Created: 29JAN2021**

**Number of Variables: 806**

Variable Name	Variable (VAR) Label	VAR Type	Range of Values <sup>1</sup>	Value Description
M0180_INP_DSCHG_DT	(M0180) Inpatient Discharge Date	Num		Date provided in SAS date (numeric) format.
M0190_14D_INP1_ICD	(M0190) Inpatient Diagnosis and ICD Code - a	Char		
M0190_14D_INP2_ICD	(M0190) Inpatient Diagnosis and ICD Code - b	Char		
M0200_REG_CHG_14_D	(M0200) Medical/Treatment Regimen Change	Char		Missing Value
M0210_CHGREG_ICD1	(M0210) Medical Diagnosis and ICD Code - a	Char		
M0210_CHGREG_ICD2	(M0210) Medical Diagnosis and ICD Code - b	Char		
M0210_CHGREG_ICD3	(M0210) Medical Diagnosis and ICD Code - c	Char		
M0210_CHGREG_ICD4	(M0210) Medical Diagnosis and ICD Code - d	Char		
M0220_PR_DISRUPT	(M0220) Disruptive/Socially Inappropriate Behavior	Char		Unknown
M0220_PR_IMP_DCSN	(M0220) Impaired Decision Making	Char		Unknown
M0220_PR_CATH	(M0220) Indwelling/Suprapubic Catheter	Char		Unknown
M0220_PR_INTR_PAIN	(M0220) Intractable Pain	Char		Unknown
M0220_PR_MEM_LOSS	(M0220) Memory Loss to Extent Supervision Required	Char		Unknown
M0220_PR_NOCHG_14D	(M0220) No Inpatient Discharge and No Regimen Change	Char		Missing Value

<sup>1</sup>The range of values field contain approximate values for the payment, cost, and count variables. The actual values may include extreme outliers (positive or negative). Users may wish to consider applying top or bottom coding.

**NCHS Survey Data Linked to CMS MBSF, Claims/Encounters, and Assessment Data  
Outcome and Assessment Information Set (OASIS)**

Date Created: 29JAN2021

Number of Variables: 806

Variable Name	Variable (VAR) Label	VAR Type	Range of Values <sup>1</sup>	Value Description
M0220_PR_NONE	(M0220) None of the Above Regimen Change	Char		Unknown
M0220_PR_UK	(M0220) Unknown Regimen Change	Char		Missing Value
M0220_PR_UR_INCON	(M0220) Urinary Incontinence	Char		Unknown
M0230_PRI_DGN_SEV	(M0230) Primary Diagnosis Severity Rating - a	Char		Missing Value
M0230_PRI_DGN_ICD	(M0230) Primary Diagnosis and ICD Code - a	Char		
M0240_OTH_DGN1_SEV	(M0240) Other Diagnosis Severity Rating - b	Char		Missing Value
M0240_OTH_DGN2_SEV	(M0240) Other Diagnosis Severity Rating - c	Char		Missing Value
M0240_OTH_DGN3_SEV	(M0240) Other Diagnosis Severity Rating - d	Char		Missing Value
M0240_OTH_DGN4_SEV	(M0240) Other Diagnosis Severity Rating - e	Char		Missing Value
M0240_OTH_DGN5_SEV	(M0240) Other Diagnosis Severity Rating - f	Char		Missing Value
M0240_OTH_DGN1_ICD	(M0240) Other Diagnosis and ICD Code - b	Char		
M0240_OTH_DGN2_ICD	(M0240) Other Diagnosis and ICD Code - c	Char		
M0240_OTH_DGN3_ICD	(M0240) Other Diagnosis and ICD Code - d	Char		
M0240_OTH_DGN4_ICD	(M0240) Other Diagnosis and ICD Code - e	Char		
M0240_OTH_DGN5_ICD	(M0240) Other Diagnosis and ICD Code - f	Char		

<sup>1</sup>The range of values field contain approximate values for the payment, cost, and count variables. The actual values may include extreme outliers (positive or negative). Users may wish to consider applying top or bottom coding.

**NCHS Survey Data Linked to CMS MBSF, Claims/Encounters, and Assessment Data  
Outcome and Assessment Information Set (OASIS)**

**Date Created: 29JAN2021**

**Number of Variables: 806**

Variable Name	Variable (VAR) Label	VAR Type	Range of Values <sup>1</sup>	Value Description
M0245_PMT_ICD2	(M0245) Payment Diagnosis: First Secondary ICD	Char		
M0245_PMT_ICD1	(M0245) Payment Diagnosis: Primary ICD	Char		
M0250_THH_ENT_NUTR	(M0250) Enteral Nutrition	Char		Missing Value
M0250_THH_IV_INFUS	(M0250) Intravenous or Infusion Therapy	Char		Missing Value
M0250_THH_NONE_ABV	(M0250) None of the Above Therapies	Char		Missing Value
M0250_THH_PAR_NUTR	(M0250) Parenteral Nutrition	Char		Missing Value
M0260_OVRALL_PROGN	(M0260) Overall Prognosis	Char		Missing Value
M0270_REHAB_PROGN	(M0270) Rehabilitative Prognosis	Char		Missing Value
M0280_LIFE_EXPECT	(M0280) Life Expectancy	Char		Missing Value
M0290_RSK_ALCOHOL	(M0290) Alcohol Dependency	Char		Missing Value
M0290_RSK_DRUGS	(M0290) Drug Dependency	Char		Missing Value
M0290_RSK_SMOKING	(M0290) Heavy Smoking	Char		Missing Value
M0290_RSK_NONE	(M0290) None of Above High Risk Factors	Char		Missing Value
M0290_RSK_OBESITY	(M0290) Obesity	Char		Missing Value
M0290_RSK_UK	(M0290) Unknown High Risk Factors	Char		Missing Value

<sup>1</sup>The range of values field contain approximate values for the payment, cost, and count variables. The actual values may include extreme outliers (positive or negative). Users may wish to consider applying top or bottom coding.

**NCHS Survey Data Linked to CMS MBSF, Claims/Encounters, and Assessment Data  
Outcome and Assessment Information Set (OASIS)**

**Date Created: 29JAN2021**

**Number of Variables: 806**

Variable Name	Variable (VAR) Label	VAR Type	Range of Values <sup>1</sup>	Value Description
M0300_CURR_RESIDEN	(M0300) Current Residence	Char		Missing Value
M0310_STR_DOORWAYS	(M0310) Narrow or Obstructed Doorways	Char		Missing Value
M0310_STR_NONE	(M0310) No Structural Barriers	Char		Missing Value
M0310_STR_MST_ISTR	(M0310) Stairs Inside Home Must Be Used	Char		Missing Value
M0310_STR_OPT_ISTR	(M0310) Stairs Inside Home Used Optionally	Char		Missing Value
M0310_STR_OUTSTAIR	(M0310) Stairs Leading Inside Home	Char		Missing Value
M0320_SAF_HAZ_MAT	(M0320) Improperly Stored Hazardous Materials	Char		Missing Value
M0320_SAF_COOLING	(M0320) Inadequate Cooling	Char		Missing Value
M0320_SAF_FLOOR	(M0320) Inadequate Floor/Roof/Windows	Char		Missing Value
M0320_SAF_HEATING	(M0320) Inadequate Heating	Char		Missing Value
M0320_SAF_LIGHTING	(M0320) Inadequate Lighting	Char		Missing Value
M0320_SAF_RAILINGS	(M0320) Inadequate Stair Railings	Char		Missing Value
M0320_SAF_FIRE_SAF	(M0320) Lack of Fire Safety Devices	Char		Missing Value
M0320_SAF_PAINT	(M0320) Lead-Based Paint	Char		Missing Value
M0320_SAF_NONE	(M0320) No Safety Hazards	Char		Missing Value

<sup>1</sup>The range of values field contain approximate values for the payment, cost, and count variables. The actual values may include extreme outliers (positive or negative). Users may wish to consider applying top or bottom coding.

**NCHS Survey Data Linked to CMS MBSF, Claims/Encounters, and Assessment Data  
Outcome and Assessment Information Set (OASIS)**

**Date Created: 29JAN2021**

**Number of Variables: 806**

Variable Name	Variable (VAR) Label	VAR Type	Range of Values <sup>1</sup>	Value Description
M0320_SAF_OTHER	(M0320) Other Safety Hazards	Char		Missing Value
M0320_SAF_FLOORCOV	(M0320) Unsafe Floor Coverings	Char		Missing Value
M0320_SAF_APPLIANC	(M0320) Unsafe Gas/Electric Appliance	Char		Missing Value
M0330_SAN_LIVING_A	(M0330) Cluttered/Soiled Living Area	Char		Missing Value
M0330_SAN_BAD_H2O	(M0330) Contaminated Water	Char		Missing Value
M0330_SAN_SEW_DISP	(M0330) Inadequate Sewage Disposal	Char		Missing Value
M0330_SAN_FOOD_STR	(M0330) Inadequate/Improper Food Storage	Char		Missing Value
M0330_SAN_BUGS_ROD	(M0330) Insects/Rodents Present	Char		Missing Value
M0330_SAN_COOK_FAC	(M0330) No Cooking Facilities	Char		Missing Value
M0330_SAN_REFRIGER	(M0330) No Food Refrigeration	Char		Missing Value
M0330_SAN_NO_H2O	(M0330) No Running Water	Char		Missing Value
M0330_SAN_NONE	(M0330) No Sanitation Hazards	Char		Missing Value
M0330_SAN_TRASH	(M0330) No Scheduled Trash Pickup	Char		Missing Value
M0330_SAN_NO_TOILT	(M0330) No Toileting Facilities	Char		Missing Value
M0330_SAN_OTHER	(M0330) Other Sanitation Hazards	Char		Missing Value

<sup>1</sup>The range of values field contain approximate values for the payment, cost, and count variables. The actual values may include extreme outliers (positive or negative). Users may wish to consider applying top or bottom coding.

**NCHS Survey Data Linked to CMS MBSF, Claims/Encounters, and Assessment Data  
Outcome and Assessment Information Set (OASIS)**

Date Created: 29JAN2021

Number of Variables: 806

Variable Name	Variable (VAR) Label	VAR Type	Range of Values <sup>1</sup>	Value Description
M0330_SAN_OUT_TOIL	(M0330) Outdoor Toileting Facilities Only	Char		Missing Value
M0340_LIV_ALONE	(M0340) Lives Alone	Char		Missing Value
M0340_LIV_FRIEND	(M0340) Lives With Friend	Char		Missing Value
M0340_LIV_OTH_FAM	(M0340) Lives With Other Family Member	Char		Missing Value
M0340_LIV_OTHER	(M0340) Lives With Other Than Above	Char		Missing Value
M0340_LIV_PD_HELP	(M0340) Lives With Paid Help	Char		Missing Value
M0340_LIV_SPOUSE	(M0340) Lives With Spouse/Significant Other	Char		Missing Value
M0350_AP_NONE	(M0350) None of the Above Assisting Persons	Char		Missing Value
M0350_AP_PD_HELP	(M0350) Paid Help	Char		Missing Value
M0350_AP_HM_RES	(M0350) Person Residing in Home	Char		Missing Value
M0350_AP_REL_FRND	(M0350) Relatives/Friends/Neighbors Living Outside Home	Char		Missing Value
M0350_AP_UK	(M0350) Unknown Assisting Persons	Char		Missing Value
M0360_PRI_CAREGVR	(M0360) Primary Caregiver	Char		Missing Value
M0370_FREQ_PRM_AST	(M0370) Frequency Patient Receives Assistance	Char		Missing Value

<sup>1</sup>The range of values field contain approximate values for the payment, cost, and count variables. The actual values may include extreme outliers (positive or negative). Users may wish to consider applying top or bottom coding.

**NCHS Survey Data Linked to CMS MBSF, Claims/Encounters, and Assessment Data  
Outcome and Assessment Information Set (OASIS)**

Date Created: 29JAN2021

Number of Variables: 806

Variable Name	Variable (VAR) Label	VAR Type	Range of Values <sup>1</sup>	Value Description
M0380_CA_ADL	(M0380) ADL Assistance	Char		Unknown
M0380_CA_MEDICAL	(M0380) Advocates Participation in Medical Care	Char		Unknown
M0380_CA_ENVIRON	(M0380) Environmental Support	Char		Unknown
M0380_CA_FIN_LEGAL	(M0380) Financial Agent/Power of Attorney/Conservator of Finance	Char		Unknown
M0380_CA_HLTH_CARE	(M0380) Health Care Agent/Conservator of Person/Power of Attorney	Char		Unknown
M0380_CA_IADL	(M0380) IADL Assistance	Char		Unknown
M0380_CA_PSYCHSOC	(M0380) Psychosocial Support	Char		Unknown
M0380_CA_UK	(M0380) Unknown Primary Caregiver Assistance	Char		Unknown
M0390_VISION	(M0390) Vision	Char		Missing Value
M0400_HEARING	(M0400) Hearing	Char		Missing Value
M0410_SPEECH	(M0410) Speech	Char		Missing Value
M0420_FREQ_PAIN	(M0420) Frequency of Pain	Char		Missing Value
M0430_INTRACT_PAIN	(M0430) Intractable Pain	Char		Missing Value
M0440_LES_OPEN_WND	(M0440) Skin Lesion/Open Wound	Char		Missing Value

<sup>1</sup>The range of values field contain approximate values for the payment, cost, and count variables. The actual values may include extreme outliers (positive or negative). Users may wish to consider applying top or bottom coding.

**NCHS Survey Data Linked to CMS MBSF, Claims/Encounters, and Assessment Data  
Outcome and Assessment Information Set (OASIS)**

Date Created: 29JAN2021

Number of Variables: 806

Variable Name	Variable (VAR) Label	VAR Type	Range of Values <sup>1</sup>	Value Description
M0445_PRESS_ULCER	(M0445) Pressure Ulcer	Char		Missing Value
M0450_NBR_PRU_STG1	(M0450) Number Stage 1 Pressure Ulcers	Char		Missing Value
M0450_NBR_PRU_STG2	(M0450) Number Stage 2 Pressure Ulcers	Char		Missing Value
M0450_NBR_PRU_STG3	(M0450) Number Stage 3 Pressure Ulcers	Char		Missing Value
M0450_NBR_PRU_STG4	(M0450) Number Stage 4 Pressure Ulcers	Char		Missing Value
M0450_UNOBS_PRSULC	(M0450) Unobservable Pressure Ulcer	Char		Missing Value
M0460_STG_PRBL_PRU	(M0460) Stage of Most Problematic Pressure Ulcer	Char		No observable pressure ulcer
			NA	No observable pressure ulcer
M0464_STA_PRBL_PRU	(M0464) Status of Most Problematic Pressure Ulcer	Char	NA	No observable ulcer/wound
M0468_STASIS_ULCER	(M0468) Stasis Ulcer	Char		Missing Value
M0470_NBR_STAS_ULC	(M0470) Number Stasis Ulcers	Char		Missing Value
M0474_UNOBS_STAULC	(M0474) Unobservable Stasis Ulcer	Char		Missing Value
M0476_STA_PRB_STAU	(M0476) Status of Most Problematic Stasis Ulcer	Char	NA	No observable ulcer/wound
M0482_SURG_WOUND	(M0482) Surgical Wound	Char		Missing Value

<sup>1</sup>The range of values field contain approximate values for the payment, cost, and count variables. The actual values may include extreme outliers (positive or negative). Users may wish to consider applying top or bottom coding.



**NCHS Survey Data Linked to CMS MBSF, Claims/Encounters, and Assessment Data  
Outcome and Assessment Information Set (OASIS)**

**Date Created: 29JAN2021**

**Number of Variables: 806**

Variable Name	Variable (VAR) Label	VAR Type	Range of Values <sup>1</sup>	Value Description
M0484_NBR_SURGWND	(M0484) Number Surgical Wounds	Char		Missing Value
M0486_UNOBS_SRGWND	(M0486) Unobservable Surgical Wound	Char		Missing Value
M0488_STA_PRB_SWND	(M0488) Status of Most Problematic Surgical Wound	Char	NA	No observable ulcer/wound
M0490_WHEN_DYSPNIC	(M0490) Patient Dyspneic/Short of Breath	Char		Missing Value
M0500_RESPTX_AIRPR	(M0500) Continuous Positive Airway Pressure	Char		Missing Value
M0500_RESPTX_NONE	(M0500) None of the Above Respiratory Treatments	Char		Missing Value
M0500_RESPTX_OXYGN	(M0500) Oxygen	Char		Missing Value
M0500_RESPTX_VENT	(M0500) Ventilator	Char		Missing Value
M0510_UTI	(M0510) Urinary Tract Infection	Char		Patient on prophylactic treatment
			NA	Patient on prophylactic treatment
M0520_UR_INCONT	(M0520) Urinary Incontinence	Char		Missing Value
M0530_UR_INCONT_OC	(M0530) When Urinary Incontinence Occurs	Char		Missing Value
M0540_BWL_INCONT	(M0540) Bowel Incontinence Frequency	Char	NA	NA - Patient has ostomy for bowel elimination
M0550_OSTOMY	(M0550) Ostomy for Bowel Elimination	Char		Missing Value
M0560_COG_FUNCTION	(M0560) Cognitive Functioning	Char		Missing Value

<sup>1</sup>The range of values field contain approximate values for the payment, cost, and count variables. The actual values may include extreme outliers (positive or negative). Users may wish to consider applying top or bottom coding.

**NCHS Survey Data Linked to CMS MBSF, Claims/Encounters, and Assessment Data  
Outcome and Assessment Information Set (OASIS)**

Date Created: 29JAN2021

Number of Variables: 806

Variable Name	Variable (VAR) Label	VAR Type	Range of Values <sup>1</sup>	Value Description
M0570_WHEN_CONFUSD	(M0570) When Confused	Char		NA - Patient nonresponsive
M0580_WHEN_ANXIOUS	(M0580) When Anxious	Char	NA	Patient nonresponsive
M0590_DP_MOOD	(M0590) Depressed Mood	Char		Missing Value
M0590_DP_HOPELESS	(M0590) Hopelessness	Char		Missing Value
M0590_DP_NONE	(M0590) None of the Above Depressive Feelings	Char		Missing Value
M0590_DP_DEATH	(M0590) Recurrent Thoughts of Death	Char		Missing Value
M0590_DP_SENS_FAIL	(M0590) Sense of Failure/Self Reproach	Char		Missing Value
M0590_DP_SUICIDE	(M0590) Thoughts of Suicide	Char		Missing Value
M0600_BEH_SUICIDE	(M0600) A Suicide Attempt	Char		Missing Value
M0600_BEH_AGITAT	(M0600) Agitation	Char		Missing Value
M0600_BEH_DIM_INT	(M0600) Diminished Interest in Most Activities	Char		Missing Value
M0600_BEH_INDECIS	(M0600) Indecisiveness, Lack of Concentration	Char		Missing Value
M0600_BEH_NONE	(M0600) None of the Above Behaviors Observed	Char		Missing Value
M0600_BEH_APPWT_C	(M0600) Recent Change in Appetite or Weight	Char		Missing Value
M0600_BEH_SLEEP_D	(M0600) Sleep Disturbances	Char		Missing Value

<sup>1</sup>The range of values field contain approximate values for the payment, cost, and count variables. The actual values may include extreme outliers (positive or negative). Users may wish to consider applying top or bottom coding.

**NCHS Survey Data Linked to CMS MBSF, Claims/Encounters, and Assessment Data  
Outcome and Assessment Information Set (OASIS)**

Date Created: 29JAN2021

Number of Variables: 806

Variable Name	Variable (VAR) Label	VAR Type	Range of Values <sup>1</sup>	Value Description
M0610_BD_DELUSIONS	(M0610) Delusional/Hallucinatory/Paranoid Behavior	Char		Missing Value
M0610_BD_SOC_INAPP	(M0610) Disruptive/Infantile/Inappropriate Behavior	Char		Missing Value
M0610_BD_IMP_DCSN	(M0610) Impaired Decision Making	Char		Missing Value
M0610_BD_MEM_DFICT	(M0610) Memory Deficit	Char		Missing Value
M0610_BD_NONE	(M0610) None of the Above Behaviors Demonstrated	Char		Missing Value
M0610_BD_PHYSICAL	(M0610) Physical Aggression	Char		Missing Value
M0610_BD_VERBAL	(M0610) Verbal disruption	Char		Missing Value
M0620_BEH_PROB_FRQ	(M0620) Frequency of Behavior Problems	Char		Missing Value
M0630_REC_PSYCH	(M0630) Psychiatric Nursing Services	Char		Missing Value
M0640_CU_GROOMING	(M0640) Current Grooming	Char		Missing Value
M0640_PR_GROOMING	(M0640) Prior Grooming	Char		Missing Value
M0650_CU_DRESS_UPR	(M0650) Current Ability to Dress Upper Body	Char		Missing Value
M0650_PR_DRESS_UPR	(M0650) Prior Ability to Dress Upper Body	Char		Missing Value
M0660_CU_DRESS_LOW	(M0660) Current Ability to Dress Lower Body	Char		Missing Value

<sup>1</sup>The range of values field contain approximate values for the payment, cost, and count variables. The actual values may include extreme outliers (positive or negative). Users may wish to consider applying top or bottom coding.

**NCHS Survey Data Linked to CMS MBSF, Claims/Encounters, and Assessment Data  
Outcome and Assessment Information Set (OASIS)**

Date Created: 29JAN2021

Number of Variables: 806

Variable Name	Variable (VAR) Label	VAR Type	Range of Values <sup>1</sup>	Value Description
M0660_PR_DRESS_LOW	(M0660) Prior Ability to Dress Lower Body	Char		Missing Value
M0670_CU_BATHING	(M0670) Current Bathing	Char		Missing Value
M0670_PR_BATHING	(M0670) Prior Bathing	Char		Missing Value
M0680_CU_TOILETING	(M0680) Current Toileting	Char		Missing Value
M0680_PR_TOILETING	(M0680) Prior Toileting	Char		Missing Value
M0690_CU_TRANSFER	(M0690) Current Transferring	Char		Missing Value
M0690_PR_TRANSFER	(M0690) Prior Transferring	Char		Missing Value
M0700_CU_AMBULATN	(M0700) Current Ambulation/Locomotion	Char		Missing Value
M0700_PR_AMBULATN	(M0700) Prior Ambulation/Locomotion	Char		Missing Value
M0710_CU_FEEDING	(M0710) Current Feeding/Eating	Char		Missing Value
M0710_PR_FEEDING	(M0710) Prior Feeding/Eating	Char		Missing Value
M0720_CU_PREP_MEAL	(M0720) Current Preparing Light Meals	Char		Missing Value
M0720_PR_PREP_MEAL	(M0720) Prior Preparing Light Meals	Char		Missing Value
M0730_CU_TRANSPORT	(M0730) Current Transportation	Char		Missing Value
M0730_PR_TRANSPORT	(M0730) Prior Transportation	Char		Missing Value

<sup>1</sup>The range of values field contain approximate values for the payment, cost, and count variables. The actual values may include extreme outliers (positive or negative). Users may wish to consider applying top or bottom coding.

**NCHS Survey Data Linked to CMS MBSF, Claims/Encounters, and Assessment Data  
Outcome and Assessment Information Set (OASIS)**

**Date Created: 29JAN2021**

**Number of Variables: 806**

Variable Name	Variable (VAR) Label	VAR Type	Range of Values <sup>1</sup>	Value Description
M0740_CU_LAUNDRY	(M0740) Current Laundry	Char		Missing Value
M0740_PR_LAUNDRY	(M0740) Prior Laundry	Char		Missing Value
M0750_CU_HOUSEKEEP	(M0750) Current Housekeeping	Char		Missing Value
M0750_PR_HOUSEKEEP	(M0750) Prior Housekeeping	Char		Missing Value
M0760_CU_SHOPPING	(M0760) Current Shopping	Char		Missing Value
M0760_PR_SHOPPING	(M0760) Prior Shopping	Char		Missing Value
M0770_CU_PHONE_USE	(M0770) Current Ability to Use Telephone	Char	NA	NA - Patient does not have a telephone.
M0770_PR_PHONE_USE	(M0770) Prior Ability to Use Telephone	Char	NA	NA - Patient does not have a telephone.
M0780_CU_ORAL_MED	(M0780) Current Management of Oral Medications	Char	NA	NA - No oral medications prescribed.
M0780_PR_ORAL_MED	(M0780) Prior Management of Oral Medications	Char		NA - No oral medications prescribed.
M0790_CU_INHAL_MED	(M0790) Current Management of Inhalant Medications	Char		NA - No inhalant/mist medications prescribed.
M0790_PR_INHAL_MED	(M0790) Prior Management of Inhalant Medications	Char	NA	NA - No inhalant/mist medications prescribed.
M0800_CU_INJCT_MED	(M0800) Current Management of Injectable Medications	Char	NA	NA - no injectable medications prescribed.

<sup>1</sup>The range of values field contain approximate values for the payment, cost, and count variables. The actual values may include extreme outliers (positive or negative). Users may wish to consider applying top or bottom coding.

**NCHS Survey Data Linked to CMS MBSF, Claims/Encounters, and Assessment Data  
Outcome and Assessment Information Set (OASIS)**

**Date Created: 29JAN2021**

**Number of Variables: 806**

Variable Name	Variable (VAR) Label	VAR Type	Range of Values <sup>1</sup>	Value Description
M0800_PR_INJCT_MED	(M0800) Prior Management of Injectable Medications	Char		NA - no injectable medications prescribed.
M0810_PAT_MGMT_EQP	(M0810) Patient Management of Equipment	Char		Missing Value
M0820_CG_MGMT_EQP	(M0820) Caregiver Management of Equipment	Char		NA - No caregiver
			NA	NA - No caregiver
M0825_THERAPY_NEED	(M0825) Therapy Need	Char	NA	Not Applicable
M0830_EC_MD_OFF	(M0830) Doctor's Office Emergency Visit	Char		Missing Value
M0830_EC_EMER_ROOM	(M0830) Hospital Emergency Room	Char		Missing Value
M0830_EC_NONE	(M0830) No Emergent Care Services	Char		Missing Value
M0830_EC_OUTPAT	(M0830) Outpatient Department Emergency	Char		Missing Value
M0830_EC_UK	(M0830) Unknown Emergent Care	Char		Missing Value
M0840_ECR_CARDIAC	(M0840) Cardiac Problems	Char		Unknown
M0840_ECR_GI_BLEED	(M0840) GI Bleeding, Obstruction	Char		Unknown
M0840_ECR_HYPOGLYC	(M0840) Hypo/Hyperglycemia, Diabetes Out of Control	Char		Unknown
M0840_ECR_MEDICAT	(M0840) Improper Medication Administration	Char		Unknown
M0840_ECR_INJURY	(M0840) Injury Caused by Fall/Accident	Char		Unknown

<sup>1</sup>The range of values field contain approximate values for the payment, cost, and count variables. The actual values may include extreme outliers (positive or negative). Users may wish to consider applying top or bottom coding.

**NCHS Survey Data Linked to CMS MBSF, Claims/Encounters, and Assessment Data  
Outcome and Assessment Information Set (OASIS)**

Date Created: 29JAN2021

Number of Variables: 806

Variable Name	Variable (VAR) Label	VAR Type	Range of Values <sup>1</sup>	Value Description
M0840_ECR_NAUSEA	(M0840) Nausea/Dehydration/Malnutrition/Constipation/ Impaction	Char		Unknown
M0840_ECR_OTHER	(M0840) Other than Above Reasons for Emergent Care	Char		Unknown
M0840_ECR_RESP	(M0840) Respiratory Problems	Char		Unknown
M0840_ECR_UK	(M0840) Unknown Emergent Care Reason	Char		Unknown
M0840_ECR_WOUND	(M0840) Wound Infection	Char		Unknown
M0855_INPAT_FAC	(M0855) Inpatient Facility Where Admitted	Char	NA	NA - No inpatient facility admission
M0870_DSCHG_DISP	(M0870) Discharge Disposition	Char		Missing Value
M0880_AFDC_OTH_AST	(M0880) Assistance/Services Provided By Community Resources	Char		Unknown
M0880_AFDC_FAM_AST	(M0880) Assistance/Services Provided by Family/Friends	Char		Unknown
M0880_AFDC_NO_AST	(M0880) No Assistance/Services Received	Char		Unknown
M0890_HOSP_RSN	(M0890) Reason Admitted to Hospital	Char		Missing Value
M0895_HOSP_CHEMO	(M0895) Chemotherapy	Char		Unknown
M0895_HOSP_VN_PULM	(M0895) Deep Vein Thrombosis/Pulmonary Embolus	Char		Unknown

<sup>1</sup>The range of values field contain approximate values for the payment, cost, and count variables. The actual values may include extreme outliers (positive or negative). Users may wish to consider applying top or bottom coding.

**NCHS Survey Data Linked to CMS MBSF, Claims/Encounters, and Assessment Data  
Outcome and Assessment Information Set (OASIS)**

**Date Created: 29JAN2021**

**Number of Variables: 806**

Variable Name	Variable (VAR) Label	VAR Type	Range of Values <sup>1</sup>	Value Description
M0895_HOSP_CF_FLDS	(M0895) Exacerbation of CHF/Fluid Overload/Heart Failure	Char		Unknown
M0895_HOSP_GI_BLD	(M0895) GI Bleeding, Obstruction	Char		Unknown
M0895_HOS_HYPOGLYC	(M0895) Hypo/Hyperglycemia, Diabetes Out of Control	Char		Unknown
M0895_HOSP_IVC_INF	(M0895) IV Catheter-Related Infection	Char		Unknown
M0895_HOSP_MED	(M0895) Improper Medication Administration	Char		Unknown
M0895_HOSP_INJURY	(M0895) Injury Caused by Fall/Accident	Char		Unknown
M0895_HOSP_STROKE	(M0895) Myocardial Infarction/Stroke	Char		Unknown
M0895_HOSP_OTHER	(M0895) Other Than Above Reason for Hospitalization	Char		Unknown
M0895_HOSP_PSYCH	(M0895) Psychotic Episode	Char		Unknown
M0895_HOSP_RESP	(M0895) Respiratory Problems	Char		Unknown
M0895_HOSP_SURGERY	(M0895) Scheduled Surgical Procedure	Char		Unknown
M0895_HOSP_PAIN	(M0895) Uncontrolled Pain	Char		Unknown
M0895_HOSP_UR_TRCT	(M0895) Urinary Tract Infection	Char		Unknown
M0895_HOSP_WOUND	(M0895) Wound or Tube Site Infection	Char		Unknown

<sup>1</sup>The range of values field contain approximate values for the payment, cost, and count variables. The actual values may include extreme outliers (positive or negative). Users may wish to consider applying top or bottom coding.



**NCHS Survey Data Linked to CMS MBSF, Claims/Encounters, and Assessment Data  
Outcome and Assessment Information Set (OASIS)**

Date Created: 29JAN2021

Number of Variables: 806

Variable Name	Variable (VAR) Label	VAR Type	Range of Values <sup>1</sup>	Value Description
M0900_NH_HOSPICE	(M0900) Hospice Care	Char		Unknown
M0900_NH_OTHER	(M0900) Other Reason Admitted to Nursing Home	Char		Unknown
M0900_NH_PERMANENT	(M0900) Permanent Placement	Char		Unknown
M0900_NH_RESPITE	(M0900) Respite Care	Char		Unknown
M0900_NH_THERAPY	(M0900) Therapy Services	Char		Unknown
M0900_NH_UK	(M0900) Unknown Reason Admitted to Nursing Home	Char		Unknown
M0900_NH_UNSAFE_HM	(M0900) Unsafe for Care at Home	Char		Unknown
M0903_LST_HM_VISIT	(M0903) Date of Last Home Visit	Num		Date provided in SAS date (numeric) format.
M0906_DC_TR_DTH_DT	(M0906) Discharge/Transfer/Death Date	Num		Date provided in SAS date (numeric) format.
NATL_PRVDR_ID	National Provider Identifier	Char		
M0246_PMT_DGNS_ICD_A3_CD	(M0246) Case Mix Dgns for PPS Pymnt rplcd by V-Cd in M0230 A	Char		
M0246_PMT_DGNS_ICD_A4_CD	(M0246) Optional - Case Mix Diagnosis	Char		
M0246_PMT_DGNS_ICD_B3_CD	(M0246) Case Mix Dgns for PPS Pymnt rplcd by V-Cd in M0240 B	Char		

<sup>1</sup>The range of values field contain approximate values for the payment, cost, and count variables. The actual values may include extreme outliers (positive or negative). Users may wish to consider applying top or bottom coding.

**NCHS Survey Data Linked to CMS MBSF, Claims/Encounters, and Assessment Data  
Outcome and Assessment Information Set (OASIS)**

Date Created: 29JAN2021

Number of Variables: 806

Variable Name	Variable (VAR) Label	VAR Type	Range of Values <sup>1</sup>	Value Description
M0246_PMT_DGNS_ICD_B4_CD	(M0246) Optional - Case Mix Diagnosis	Char		
M0246_PMT_DGNS_ICD_C3_CD	(M0246) Case Mix Dgns for PPS Pymnt rplcd by V-Cd in M0240 C	Char		
M0246_PMT_DGNS_ICD_C4_CD	(M0246) Optional - Case Mix Diagnosis	Char		
M0246_PMT_DGNS_ICD_D3_CD	(M0246) Case Mix Dgns for PPS Pymnt rplcd by V-Cd in M0240 D	Char		
M0246_PMT_DGNS_ICD_D4_CD	(M0246) Optional - Case Mix Diagnosis	Char		
M0246_PMT_DGNS_ICD_E3_CD	(M0246) Case Mix Dgns for PPS Pymnt rplcd by V-Cd in M0240 E	Char		
M0246_PMT_DGNS_ICD_E4_CD	(M0246) Optional - Case Mix Diagnosis	Char		
M0246_PMT_DGNS_ICD_F3_CD	(M0246) Case Mix Dgns for PPS Pymnt rplcd by V-Cd in M0240 F	Char		
M0246_PMT_DGNS_ICD_F4_CD	(M0246) Optional - Case Mix Diagnosis	Char		
M0826_THRPY_NEED_NUM	(M0826) Number of therapy visits indicated for current payment episode	Char		
M0826_THRPY_NEED_NA_NUM	(M0826) Therapy visits not applicable	Char		
M1000_DC_IPPS_14_DA	M1000 Discharged Past 14 Days From IPPS	Char		Missing Value
			0	No
			1	Yes

<sup>1</sup>The range of values field contain approximate values for the payment, cost, and count variables. The actual values may include extreme outliers (positive or negative). Users may wish to consider applying top or bottom coding.

**NCHS Survey Data Linked to CMS MBSF, Claims/Encounters, and Assessment Data  
Outcome and Assessment Information Set (OASIS)**

Date Created: 29JAN2021

Number of Variables: 806

Variable Name	Variable (VAR) Label	VAR Type	Range of Values <sup>1</sup>	Value Description
M1000_DC_IRF_14_DA	M1000 Discharged Past 14 Days From IRF	Char		Missing Value
			0	No
			1	Yes
M1000_DC_LTC_14_DA	M1000 Discharged Past 14 Days From LTC	Char		Missing Value
			0	No
			1	Yes
M1000_DC_LTCH_14_DA	M1000 Discharged Past 14 Days From LTCH	Char		Missing Value
			0	No
			1	Yes
M1000_DC_OTH_14_DA	M1000 Discharged Past 14 Days From Other	Char		Missing Value
			0	No
			1	Yes
M1000_DC_PSYCH_14_DA	M1000 Discharged Past 14 Days From Psychiatric Hospital or Unit	Char		Missing Value
			0	No
			1	Yes
M1000_DC_SNF_14_DA	M1000 (M0175) Discharged Past 14 Days From SNF/TCU	Char		Missing Value
			0	No
			1	Yes
M1000_DC_NON_14_DA	M1000 (M0175) Discharged Past 14 Days - NA	Char		Missing Value

<sup>1</sup>The range of values field contain approximate values for the payment, cost, and count variables. The actual values may include extreme outliers (positive or negative). Users may wish to consider applying top or bottom coding.

**NCHS Survey Data Linked to CMS MBSF, Claims/Encounters, and Assessment Data  
Outcome and Assessment Information Set (OASIS)**

Date Created: 29JAN2021

Number of Variables: 806

Variable Name	Variable (VAR) Label	VAR Type	Range of Values <sup>1</sup>	Value Description
			0	Not NA
			1	NA
M1005_DSCHG_UK	M1005 (M0180) Most Recent Inpat Discharge Date- UK	Char		Missing Value
			0	Not Unknown
			1	Unknown
M1005_INP_DSCHG_DT	M1005 (M0180) Most Recent Inpatient Discharge Date	Num		Date provided in SAS date (numeric) format.
M1010_14D_INP1_ICD	M1010 (M0190) Inpatient Diagnosis1 ICD Code	Char		
M1010_14D_INP2_ICD	M1010 (M0190) Inpatient Diagnosis2 ICD Code	Char		
M1010_14_DAY_INP3_ICD	M1010 Inpatient Diagnosis3 ICD Code	Char		
M1010_14_DAY_INP4_ICD	M1010 Inpatient Diagnosis4 ICD Code	Char		
M1010_14_DAY_INP5_ICD	M1010 Inpatient Diagnosis5 ICD Code	Char		
M1010_14_DAY_INP6_ICD	M1010 Inpatient Diagnosis6 ICD Code	Char		
M1012_INP_NA_ICD	M1012 Inpatient ICD Procedure Code- NA	Char		
M1012_INP_UK_ICD	M1012 Inpatient ICD Procedure Code- UK	Char		Missing Value
M1012_INP_PRCDR1_ICD	M1012 Inpatient ICD Procedure1 Code	Char		

<sup>1</sup>The range of values field contain approximate values for the payment, cost, and count variables. The actual values may include extreme outliers (positive or negative). Users may wish to consider applying top or bottom coding.

**NCHS Survey Data Linked to CMS MBSF, Claims/Encounters, and Assessment Data  
Outcome and Assessment Information Set (OASIS)**

Date Created: 29JAN2021

Number of Variables: 806

Variable Name	Variable (VAR) Label	VAR Type	Range of Values <sup>1</sup>	Value Description
M1012_INP_PRCDR2_ICD	M1012 Inpatient ICD Procedure2 Code	Char		
M1012_INP_PRCDR3_ICD	M1012 Inpatient ICD Procedure3 Code	Char		
M1012_INP_PRCDR4_ICD	M1012 Inpatient ICD Procedure4 Code	Char		
M1016_CHGREG_ICD1	M1016 (M0210) Regimen Change- Diagnosis1 ICD Code	Char		
M1016_CHGREG_ICD2	M1016 (M0210) Regimen Change- Diagnosis2 ICD Code	Char		
M1016_CHGREG_ICD3	M1016 (M0210) Regimen Change- Diagnosis3 ICD Code	Char		
M1016_CHGREG_ICD4	M1016 (M0210) Regimen Change- Diagnosis4 ICD Code	Char		
M1016_CHGREG_ICD5	M1016 Regimen Change- Diagnosis5 ICD Code	Char		
M1016_CHGREG_ICD6	M1016 Regimen Change- Diagnosis6 ICD Code	Char		
M1016_CHGREG_ICD_NA	M1016 Regimen Change in Past 14 Days- NA	Char		Missing Value
M1018_PR_CATH	M1018 (M0220) Prior Condition- Catheter	Char		Missing Value
			0	No
			1	Yes
M1018_PR_DISRUPT	M1018 (M0220) Prior Condition- Disruptive Behavior	Char		Missing Value
			0	No

<sup>1</sup>The range of values field contain approximate values for the payment, cost, and count variables. The actual values may include extreme outliers (positive or negative). Users may wish to consider applying top or bottom coding.

NCHS Survey Data Linked to CMS MBSF, Claims/Encounters, and Assessment Data  
 Outcome and Assessment Information Set (OASIS)

Date Created: 29JAN2021

Number of Variables: 806

Variable Name	Variable (VAR) Label	VAR Type	Range of Values <sup>1</sup>	Value Description
			1	Yes
M1018_PR_IMP_DCSN	M1018 (M0220) Prior Condition- Impaired Decision-Making	Char		Missing Value
			0	No
			1	Yes
M1018_PR_INTR_PAIN	M1018 (M0220) Prior Condition- Intractable Pain	Char		Missing Value
			0	No
			1	Yes
M1018_PR_MEM_LOSS	M1018 (M0220) Prior Condition- Memory Loss	Char		Missing Value
			0	No
			1	Yes
M1018_PR_NOCHG_14D	M1018 (M0220) Prior Condition- NA	Char		Missing Value
			0	Not NA
			1	NA
M1018_PR_NONE	M1018 (M0220) Prior Condition- None of the Above	Char		Missing Value
			0	No
			1	Yes
M1018_PR_UK	M1018 (M0220) Prior Condition- UK	Char		Missing Value
			0	Not Unknown

<sup>1</sup>The range of values field contain approximate values for the payment, cost, and count variables. The actual values may include extreme outliers (positive or negative). Users may wish to consider applying top or bottom coding.

**NCHS Survey Data Linked to CMS MBSF, Claims/Encounters, and Assessment Data  
Outcome and Assessment Information Set (OASIS)**

Date Created: 29JAN2021

Number of Variables: 806

Variable Name	Variable (VAR) Label	VAR Type	Range of Values <sup>1</sup>	Value Description
			1	Unknown
M1018_PR_UR_INCON	M1018 (M0220) Prior Condition- Urinary Incontinence	Char		Missing Value
			0	No
			1	Yes
M1020_PRI_DGN_ICD	M1020 (M0230) Primary Diagnosis ICD Code	Char		
M1020_PRI_DGN_SEV	M1020 (M0230) Primary Diagnosis Severity	Char		Missing Value
M1022_OTH_DGN1_ICD	M1022 (M0240) Other Diagnosis1 ICD Code	Char		
M1022_OTH_DGN1_SEV	M1022 (M0240) Other Diagnosis1 Severity	Char		Missing Value
M1022_OTH_DGN2_ICD	M1022 (M0240) Other Diagnosis2 ICD Code	Char		
M1022_OTH_DGN2_SEV	M1022 (M0240) Other Diagnosis2 Severity	Char		Missing Value
M1022_OTH_DGN3_ICD	M1022 (M0240) Other Diagnosis3 ICD Code	Char		
M1022_OTH_DGN3_SEV	M1022 (M0240) Other Diagnosis3 Severity	Char		Missing Value
M1022_OTH_DGN4_ICD	M1022 (M0240) Other Diagnosis4 ICD Code	Char		
M1022_OTH_DGN4_SEV	M1022 (M0240) Other Diagnosis4 Severity	Char		Missing Value
M1022_OTH_DGN5_ICD	M1022 (M0240) Other Diagnosis5 ICD Code	Char		

<sup>1</sup>The range of values field contain approximate values for the payment, cost, and count variables. The actual values may include extreme outliers (positive or negative). Users may wish to consider applying top or bottom coding.

**NCHS Survey Data Linked to CMS MBSF, Claims/Encounters, and Assessment Data  
Outcome and Assessment Information Set (OASIS)**

**Date Created: 29JAN2021**

**Number of Variables: 806**

Variable Name	Variable (VAR) Label	VAR Type	Range of Values <sup>1</sup>	Value Description
M1022_OTH_DGNS_SEV	M1022 (M0240) Other Diagnosis5 Severity	Char		Missing Value
M1024_PMT_DGNS_ICD_A3_CD	M1024 (M0246) Case Mix Dx- Primary ICD, Col3	Char		
M1024_PMT_DGNS_ICD_A4_CD	M1024 (M0246) Case Mix Dx- Primary ICD, Col4	Char		
M1024_PMT_DGNS_ICD_B3_CD	M1024 (M0246) Case Mix Dx- Secndry ICD1, Col3	Char		
M1024_PMT_DGNS_ICD_B4_CD	M1024 (M0246) Case Mix Dx- Secndry ICD1, Col4	Char		
M1024_PMT_DGNS_ICD_C3_CD	M1024 (M0246) Case Mix Dx- Secndry ICD2, Col3	Char		
M1024_PMT_DGNS_ICD_C4_CD	M1024 (M0246) Case Mix Dx- Secndry ICD2, Col4	Char		
M1024_PMT_DGNS_ICD_D3_CD	M1024 (M0246) Case Mix Dx- Secndry ICD3, Col3	Char		
M1024_PMT_DGNS_ICD_D4_CD	M1024 (M0246) Case Mix Dx- Secndry ICD3, Col4	Char		
M1024_PMT_DGNS_ICD_E3_CD	M1024 (M0246) Case Mix Dx- Secndry ICD4, Col3	Char		
M1024_PMT_DGNS_ICD_E4_CD	M1024 (M0246) Case Mix Dx- Secndry ICD4, Col4	Char		

<sup>1</sup>The range of values field contain approximate values for the payment, cost, and count variables. The actual values may include extreme outliers (positive or negative). Users may wish to consider applying top or bottom coding.



**NCHS Survey Data Linked to CMS MBSF, Claims/Encounters, and Assessment Data  
Outcome and Assessment Information Set (OASIS)**

**Date Created: 29JAN2021**

**Number of Variables: 806**

Variable Name	Variable (VAR) Label	VAR Type	Range of Values <sup>1</sup>	Value Description
M1024_PMT_DGNS_ICD_F3_CD	M1024 (M0246) Case Mix Dx- Secndry ICD5, Col3	Char		
M1024_PMT_DGNS_ICD_F4_CD	M1024 (M0246) Case Mix Dx- Secndry ICD5, Col4	Char		
M1030_THH_ENT_NUTR	M1030 (M0250) Therapies in Home- Enteral Nutrition	Char		Missing Value
			0	No
			1	Yes
M1030_THH_IV_INFUS	M1030 (M0250) Therapies in Home- IV Infusion	Char		Missing Value
			0	No
			1	Yes
M1030_THH_NONE_ABV	M1030 (M0250) Therapies in Home- None Above	Char		Missing Value
			0	No
			1	Yes
M1030_THH_PAR_NUTR	M1030 (M0250) Therapies in Home- Parenteral Nutrition	Char		Missing Value
			0	No
			1	Yes
M1032_HOSP_RISK_RCNT_DCLN	M1032 Risk for Hosp- Decline in Mental, Emotional, Behavioral	Char		Missing Value
M1032_HOSP_RISK_FRAILTY	M1032 Risk for Hosp- Frailty Indicators	Char		Missing Value

<sup>1</sup>The range of values field contain approximate values for the payment, cost, and count variables. The actual values may include extreme outliers (positive or negative). Users may wish to consider applying top or bottom coding.

**NCHS Survey Data Linked to CMS MBSF, Claims/Encounters, and Assessment Data  
Outcome and Assessment Information Set (OASIS)**

Date Created: 29JAN2021

Number of Variables: 806

Variable Name	Variable (VAR) Label	VAR Type	Range of Values <sup>1</sup>	Value Description
M1032_HOSP_RISK_HSTRY_FALLS	M1032 Risk for Hosp- History of Falls	Char		Missing Value
M1032_HOSP_RISK_MLTPH_HOSPZTN	M1032 Risk for Hosp- More Than 1 Hospital In 12 Mo	Char		Missing Value
M1032_HOSP_RISK_NONE_ABOVE	M1032 Risk for Hosp- None of The Above	Char		Missing Value
M1032_HOSP_RISK_5PLUS_MDCTN	M1032 Risk for Hosp- Taking 5 or More Meds	Char		Missing Value
M1032_HOSP_RISK_OTHR	M1032 Risk for Hospitalization- Other	Char		Missing Value
M1034_PTNT_OVRAL_STUS	M1034 Overall Status	Char		Missing Value
			00	The patient is stable with no heightened risk(s) for serious complications and death (beyond those typical of the patient's age).
			01	The patient is temporarily facing high health risk(s) but is likely to return to being stable without heightened risk(s) for serious complications and death (beyond those typical of the patient's age).
			02	The patient is likely to remain in fragile health and have ongoing high risk(s) of serious complications and death.
			03	The patient has serious progressive conditions that could lead to death within a year.
			UK	The patient's situation is unknown or unclear.
M1036_RSK_ALCOHOL	M1036 (M0290) High Risk Factor- Alcohol Dependency	Char		Missing Value
			0	No
			1	Yes
M1036_RSK_DRUGS	M1036 (M0290) High Risk Factor- Drug Dependency	Char		Missing Value

<sup>1</sup>The range of values field contain approximate values for the payment, cost, and count variables. The actual values may include extreme outliers (positive or negative). Users may wish to consider applying top or bottom coding.

NCHS Survey Data Linked to CMS MBSF, Claims/Encounters, and Assessment Data  
 Outcome and Assessment Information Set (OASIS)

Date Created: 29JAN2021

Number of Variables: 806

Variable Name	Variable (VAR) Label	VAR Type	Range of Values <sup>1</sup>	Value Description
			0	No
			1	Yes
M1036_RSK_NONE	M1036 (M0290) High Risk Factor- None of The Above	Char		Missing Value
			0	No
			1	Yes
M1036_RSK_OBESITY	M1036 (M0290) High Risk Factor- Obesity	Char		Missing Value
			0	No
			1	Yes
M1036_RSK_SMOKING	M1036 (M0290) High Risk Factor- Smoking	Char		Missing Value
			0	No
			1	Yes
M1036_RSK_UK	M1036 (M0290) High Risk Factor- UK	Char		Missing Value
			0	Not Unknown
			1	Unknown
M1040_INFLNZ_RCVD_AGENCY	M1040 Influenza Received in Agency	Char		Does not apply because entire episode of care (SOC/ROC to Transfer/Discharge) is outside this influenza season.
			NA	Does not apply because entire episode of care (SOC/ROC to Transfer/Discharge) is outside this influenza season.
M1045_INFLNZ_RSN_NOT_RCVD	M1045 Influenza Vaccine- Reason not Received	Char		Missing Value

<sup>1</sup>The range of values field contain approximate values for the payment, cost, and count variables. The actual values may include extreme outliers (positive or negative). Users may wish to consider applying top or bottom coding.

NCHS Survey Data Linked to CMS MBSF, Claims/Encounters, and Assessment Data  
 Outcome and Assessment Information Set (OASIS)

Date Created: 29JAN2021  
 Number of Variables: 806

Variable Name	Variable (VAR) Label	VAR Type	Range of Values <sup>1</sup>	Value Description
M1050_PPV_RCVD_AGENCY	M1050 Pneumococcal Vaccine (PPV) Received in Agency	Char		Missing Value
M1055_PPV_RSN_NOT_RCVD_AGENCY	M1055 Pneumococcal Vaccine (PV)- Reason Not Received	Char		Missing Value
M1100_PTNT_LVG_STUTN	M1100 Patient Living Situation	Char		Missing Value
			01	Patient lives alone, around the clock assistance available.
			02	Patient lives alone, regular daytime assistance available.
			03	Patient lives alone, regular nighttime assistance available.
			04	Patient lives alone, occasional / short-term assistance available.
			05	Patient lives alone, no assistance available.
			06	Patient lives with other person(s) in the home, around the clock assistance available.
			07	Patient lives with other person(s) in the home, regular daytime assistance available.
			08	Patient lives with other person(s) in the home, regular nighttime assistance available.
			09	Patient lives with other person(s) in the home, occasional / short-term assistance available.
			10	Patient lives with other person(s) in the home, no assistance available.
			11	Patient lives in congregate situation (e.g., assisted living), around the clock assistance available.
			12	Patient lives in congregate situation (e.g., assisted living), regular daytime assistance available.
			13	Patient lives in congregate situation (e.g., assisted living), regular nighttime assistance available.
			14	Patient lives in congregate situation (e.g., assisted living), occasional short-term assistance available.

<sup>1</sup>The range of values field contain approximate values for the payment, cost, and count variables. The actual values may include extreme outliers (positive or negative). Users may wish to consider applying top or bottom coding.

NCHS Survey Data Linked to CMS MBSF, Claims/Encounters, and Assessment Data  
Outcome and Assessment Information Set (OASIS)

Date Created: 29JAN2021

Number of Variables: 806

Variable Name	Variable (VAR) Label	VAR Type	Range of Values <sup>1</sup>	Value Description
			15	Patient lives in congregate situation (e.g., assisted living), no assistance available.
M1200_VISION	M1200 (M0390) Vision	Char		Missing Value
			00	Normal vision; sees adequately in most situations; can see medication labels, newsprint.
			01	Partially impaired; cannot see medication labels or newsprint, but can see obstacles in path, and the surrounding layout; can count fingers at arm's length.
			02	Severely impaired; cannot locate object without hearing or touching them or patient nonresponsive.
M1210_HEARG_ABLTY	M1210 Ability To Hear	Char		Missing Value
			00	Adequate: hears normal conversation without difficulty.
			01	Mildly to Moderately Impaired: difficulty hearing in some environments or speaker may need to increase volume or speak distinctly.
			02	Severely Impaired: absence of useful hearing.
			UK	Unable to assess hearing.
M1220_UNDRSTG_VERBAL_CNTNT	M1220 Understanding Of Verbal Content	Char		Missing Value
			00	Understands: clear comprehension without cues or repetitions
			01	Usually Understands: understands most conversations, but misses some part/intent of message. Requires cues at times to understand.
			02	Sometimes Understands: understands only basic conversations or simple, direct phrases. Frequently requires cues to understand.
			03	Rarely/Never Understands
			UK	Unable to assess understanding.
M1230_SPEECH	M1230 (M0410) Speech And Oral Expression	Char		Missing Value

<sup>1</sup>The range of values field contain approximate values for the payment, cost, and count variables. The actual values may include extreme outliers (positive or negative). Users may wish to consider applying top or bottom coding.

NCHS Survey Data Linked to CMS MBSF, Claims/Encounters, and Assessment Data  
Outcome and Assessment Information Set (OASIS)

Date Created: 29JAN2021

Number of Variables: 806

Variable Name	Variable (VAR) Label	VAR Type	Range of Values <sup>1</sup>	Value Description
			00	Expresses complex ideas, feelings, and needs clearly, completely, and easily in all situations with no observable impairment.
			01	Minimal difficulty in expressing ideas and needs (may take extra time; makes occasional errors in word choice, grammar or speech intelligibility; needs minimal prompting or assistance).
			02	Expresses simple ideas or needs with moderate difficulty (needs prompting or assistance, errors in word choice, organization or speech intelligibility). Speaks in phrases or short sentences.
			03	Has severe difficulty expressing basic ideas or needs and requires maximal assistance or guessing by listener. Speech limited to single words or short phrases.
			04	Unable to express basic needs even with maximal prompting or assistance but is not comatose or unresponsive (e.g., speech is nonsensical or unintelligible).
			05	Patient unresponsive or unable to speak.
M1240_FRML_PAIN_ASMT	M1240 Formal Pain Assessment	Char		Missing Value
			00	No standardized assessment conducted
			01	Yes, and it does not indicate severe pain
			02	Yes, and it indicates severe pain
M1242_PAIN_FREQ_ACTVTY_MVMT	M1242 Frequency of Pain Interfering With Activity	Char		Missing Value
			00	Patient has no pain
			01	Patient has pain that does not interfere with activity or movement
			02	Less often than daily
			03	Daily, but not constantly
			04	All of the time
M1300_PRSR_ULCR_RISK_ASMT	M1300 Pressure Ulcer Assessment	Char		Missing Value

<sup>1</sup>The range of values field contain approximate values for the payment, cost, and count variables. The actual values may include extreme outliers (positive or negative). Users may wish to consider applying top or bottom coding.

**NCHS Survey Data Linked to CMS MBSF, Claims/Encounters, and Assessment Data  
Outcome and Assessment Information Set (OASIS)**

Date Created: 29JAN2021

Number of Variables: 806

Variable Name	Variable (VAR) Label	VAR Type	Range of Values <sup>1</sup>	Value Description
			00	No assessment conducted.
			01	Yes, based on an evaluation of clinical factors, e.g., mobility, incontinence, nutrition, etc., without use of standardized tool.
			02	Yes, using a standardized tool, validated tool (e.g., Braden, Norton, other)
M1302_RISK_OF_PRSR_ULCR	M1302 Risk of Developing Pressure Ulcers	Char		Missing Value
			0	No
			1	Yes
M1306_UNHLD_STG2_PRSR_ULCR	M1306 Unhealed Pressure Ulcer at Least Stage II	Char		Missing Value
			0	No
			1	Yes
M1307_OLDST_STG2_ONST_DT	M1307 Oldest Stage II Onset Date	Num		Date provided in SAS date (numeric) format.
M1307_OLDST_STG2_AT_DSCHRG	M1307 Status Oldst Stg 2 Pressure Ulcer At Discharge	Char		No non-epithelialized Stage II pressure ulcers are present at discharge
			01	Was present at the most recent SOC/ROC assessment
			02	Developed since the most recent SOC/ROC assessment
			NA	No non-epithelialized Stage II pressure ulcers are present at discharge
M1308_NBR_PRSULC_STG2	M1308 Number of Pressure Ulcers- Stage II	Char		
M1308_NBR_STG2_AT_SOC_ROC	M1308 Number of Pressure Ulcers- Stage II At SOC ROC	Char		

<sup>1</sup>The range of values field contain approximate values for the payment, cost, and count variables. The actual values may include extreme outliers (positive or negative). Users may wish to consider applying top or bottom coding.

**NCHS Survey Data Linked to CMS MBSF, Claims/Encounters, and Assessment Data  
Outcome and Assessment Information Set (OASIS)**

**Date Created: 29JAN2021**

**Number of Variables: 806**

Variable Name	Variable (VAR) Label	VAR Type	Range of Values <sup>1</sup>	Value Description
M1308_NBR_PRSULC_STG3	M1308 Number of Pressure Ulcers- Stage III	Char		
M1308_NBR_STG3_AT_SOC_ROC	M1308 Number of Pressure Ulcers- Stage III At SOC ROC	Char		
M1308_NBR_PRSULC_STG4	M1308 Number of Pressure Ulcers- Stage IV	Char		
M1308_NBR_STG4_AT_SOC_ROC	M1308 Number of Pressure Ulcers- Stage IV At SOC ROC	Char		
M1308_NSTG_DRSG	M1308 Number of Unstageable Pressure Ulcers Due To Non-Rmvble Dsg	Char		
M1308_NSTG_DRSG_SOC_ROC	M1308 Number of Unstageable Pressure Ulcers Non-Rmvble Dsg @ SOC ROC	Char		
M1308_NSTG_CVRG_SOC_ROC	M1308 Number of Unstageable Pressure Ulcers D/T Coverage Slough @ SOC ROC	Char		
M1308_NSTG_CVRG	M1308 Number of Unstageable Pressure Ulcers D/T Coverage By Slough/Eschar	Char		
M1308_NSTG_DEEP_TISUE	M1308 Number Unstageable Pressure Ulcers D/T Deep Tissue Injury	Char		
M1308_NSTG_DEEP_TISUE_SOC_ROC	M1308 Number Unstageable Pressure Ulcers D/T Deep Tissue Injury @ SOC ROC	Char		
M1310_PRSR_ULCR_LNGTH	M1310 Largest Pressure Ulcer Length	Char		
M1312_PRSR_ULCR_WDTH	M1312 Largest Pressure Ulcer Width	Char		

<sup>1</sup>The range of values field contain approximate values for the payment, cost, and count variables. The actual values may include extreme outliers (positive or negative). Users may wish to consider applying top or bottom coding.



NCHS Survey Data Linked to CMS MBSF, Claims/Encounters, and Assessment Data  
 Outcome and Assessment Information Set (OASIS)

Date Created: 29JAN2021

Number of Variables: 806

Variable Name	Variable (VAR) Label	VAR Type	Range of Values <sup>1</sup>	Value Description
M1314_PRSR_ULCR_DEPTH	M1314 Largest Pressure Ulcer Depth	Char		
M1320_STUS_PRBLM_PRSR_ULCR	M1320 Status Of Most Problematic Pressure Ulcer	Char		No observable pressure ulcer
			00	Newly epithelialized
			01	Fully granulating
			02	Early/partial granulation
			03	Not healing
M1322_NBR_PRU_STG1	M1322 (M0450) Current Number of Stage I Pressure Ulcers	Char		Missing Value
			00	Zero
			01	One
			02	Two
			03	Three
			04	Four or more
M1324_STG_PRBL_PRU	M1324 (M0460) Stage of Most Problematic Pressure Ulcer	Char		NA - Patient has no pressure ulcers or no stageable pressure ulcers
			01	Stage I
			02	Stage II
			03	Stage III
			04	Stage IV
			NA	NA - Patient has no pressure ulcers or no stageable pressure ulcers
M1330_STAS_ULCR_PRSNT	M1330 Stasis Ulcer Present	Char		Missing Value
			00	No

<sup>1</sup>The range of values field contain approximate values for the payment, cost, and count variables. The actual values may include extreme outliers (positive or negative). Users may wish to consider applying top or bottom coding.

NCHS Survey Data Linked to CMS MBSF, Claims/Encounters, and Assessment Data  
 Outcome and Assessment Information Set (OASIS)

Date Created: 29JAN2021

Number of Variables: 806

Variable Name	Variable (VAR) Label	VAR Type	Range of Values <sup>1</sup>	Value Description
			01	Yes, patient has BOTH observable and unobservable stasis ulcers.
			02	Yes, patient has observable stasis ulcers ONLY.
			03	Yes, patient has unobservable stasis ulcers ONLY (known but not observable due to non-removable dressing).
M1332_NUM_STAS_ULCR	M1332 Current Number of (Observable) Stasis Ulcers	Char		Missing Value
			01	One
			02	Two
			03	Three
			04	Four or more
M1334_STUS_PRBLM_STAS_ULCR	M1334 Status of Most Problematic Stasis Ulcer	Char		No observable ulcer/wound
			01	Fully granulating
			02	Early/partial granulation
			03	Not healing
M1340_SRGL_WND_PRSENT	M1340 Does This Patient Have A Surgical Wound	Char		Missing Value
			00	No
			01	Yes, patient has at least one (observable) surgical wound
			02	Surgical wound known but not observable due to non-removable dressing
M1342_STUS_PRBLM_SRGL_WND	M1342 Status of Most Problematic Surgical Wound	Char	00	Newly epithelialized
			01	Fully granulating
			02	Early/partial granulation

<sup>1</sup>The range of values field contain approximate values for the payment, cost, and count variables. The actual values may include extreme outliers (positive or negative). Users may wish to consider applying top or bottom coding.

NCHS Survey Data Linked to CMS MBSF, Claims/Encounters, and Assessment Data  
 Outcome and Assessment Information Set (OASIS)

Date Created: 29JAN2021  
 Number of Variables: 806

Variable Name	Variable (VAR) Label	VAR Type	Range of Values <sup>1</sup>	Value Description
			03	Not healing
			NA	No observable pressure ulcer
M1350_LESION_OPEN_WND	M1350 Skin Lesion Or Open Wound	Char		Missing Value
			0	No
			1	Yes
M1400_WHEN_DYSPNIC	M1400 (M0490) When Is Patient Dyspneic	Char		Missing Value
			00	Never, patient is not short of breath
			01	When walking more than 20 feet, climbing stairs
			02	With moderate exertion (e.g., while dressing, using commode or bedpan, walking distances less than 20 feet)
			03	With minimal exertion (e.g., while eating, talking, or performing other ADLs) or with agitation
			04	At rest (during day or night)
M1410_RESPTX_AIRPR	M1410 (M0500) Resprtry Treat At Home- Airway Press	Char		Missing Value
			0	No
			1	Yes
M1410_RESPTX_NONE	M1410 (M0500) Resprtry Treat At Home- None	Char		Missing Value
			0	No
			1	Yes
M1410_RESPTX_OXYGN	M1410 (M0500) Resprtry Treat At Home- Oxygen	Char		Missing Value
			0	No

<sup>1</sup>The range of values field contain approximate values for the payment, cost, and count variables. The actual values may include extreme outliers (positive or negative). Users may wish to consider applying top or bottom coding.

**NCHS Survey Data Linked to CMS MBSF, Claims/Encounters, and Assessment Data  
Outcome and Assessment Information Set (OASIS)**

Date Created: 29JAN2021

Number of Variables: 806

Variable Name	Variable (VAR) Label	VAR Type	Range of Values <sup>1</sup>	Value Description
			1	Yes
M1410_RESPTX_VENT	M1410 (M0500) Resprtry Treat At Home-Ventilator	Char		Missing Value
			0	No
			1	Yes
M1500_SYMTM_HRT_FAILR_PTNTS	M1500 Symptoms in Heart Failure Patients	Char	00	No
			01	Yes
			02	Not assessed
			NA	Patient does not have diagnosis of heart failure.
M1510_HRT_FAILR_CARE_PLAN_CHG	M1510 Heart Fail. Follow-Up: Change In Care Plan	Char		Missing Value
			0	No
			1	Yes
M1510_HRT_FAILR_CLNCL_INTRVTN	M1510 Heart Fail. Follow-Up: Clinical Intervention	Char		Missing Value
			0	No
			1	Yes
M1510_HRT_FAILR_ER_TRTMT	M1510 Heart Fail. Follow-Up: ER Treatment Advised	Char		Missing Value
			0	No
			1	Yes
M1510_HRT_FAILR_NO_ACTN	M1510 Heart Fail. Follow-Up: No Action Taken	Char		Missing Value

<sup>1</sup>The range of values field contain approximate values for the payment, cost, and count variables. The actual values may include extreme outliers (positive or negative). Users may wish to consider applying top or bottom coding.

NCHS Survey Data Linked to CMS MBSF, Claims/Encounters, and Assessment Data  
 Outcome and Assessment Information Set (OASIS)

Date Created: 29JAN2021

Number of Variables: 806

Variable Name	Variable (VAR) Label	VAR Type	Range of Values <sup>1</sup>	Value Description
			0	No
			1	Yes
M1510_HRT_FAILR_PHYSN_CNTCT	M1510 Heart Fail. Follow-Up: Physician Contacted	Char		Missing Value
			0	No
			1	Yes
M1510_HRT_FAILR_PHYSN_TRTMT	M1510 Heart Fail. Follow-Up: Physician-Ordered Treatment	Char		Missing Value
			0	No
			1	Yes
M1600_UTI	M1600 (M0510) Patient Treated For UTI Last 14 Days	Char		Patient on prophylactic treatment
			00	No
			01	Yes
			NA	Patient on prophylactic treatment
			UK	Unknown
M1610_UR_INCONT	M1610 (M0520) Urinary Incontinence Or Catheter Presence	Char		Missing Value
			00	No incontinence or catheter (includes anuria or ostomy for urinary drainage)
			01	Patient is incontinent
			02	Patient requires a urinary catheter (e.g., external, indwelling, intermittent, suprapubic)
M1615_INCNTNT_TIMING	M1615 When Does Urinary Incontinence Occur	Char		Missing Value

<sup>1</sup>The range of values field contain approximate values for the payment, cost, and count variables. The actual values may include extreme outliers (positive or negative). Users may wish to consider applying top or bottom coding.

NCHS Survey Data Linked to CMS MBSF, Claims/Encounters, and Assessment Data  
Outcome and Assessment Information Set (OASIS)

Date Created: 29JAN2021

Number of Variables: 806

Variable Name	Variable (VAR) Label	VAR Type	Range of Values <sup>1</sup>	Value Description
			00	Timed-voiding defers incontinence
			01	Occasional stress incontinence
			02	During the night only
			03	During the day only
			04	During the day and night
M1620_BWL_INCONT	M1620 (M0540) Bowel Incontinence Frequency	Char		NA - Patient has ostomy for bowel elimination
			00	Very rarely or never has bowel incontinence
			01	Less than once weekly
			02	One to three times weekly
			03	Four to six times weekly
			04	On a daily basis
			05	More often than once daily
			UK	Unknown
M1630_OSTOMY	M1630 (M0550) Ostomy For Bowel Elimination	Char		Missing Value
			00	Patient does not have an ostomy for bowel elimination
			01	Patient ostomy was not related to an inpatient stay and did not necessitate change in medical or treatment regimen
			02	The ostomy was related to an inpatient stay or did necessitate change in medical or treatment regimen.
M1700_COG_FUNCTION	M1700 (M0560) Cognitive Functioning	Char		Missing Value
			00	Alert/oriented, able to focus and shift attention, comprehends and recalls task directions independently.
			01	Requires prompting (cuing, repetition, reminders) only under stressful or unfamiliar conditions.

<sup>1</sup>The range of values field contain approximate values for the payment, cost, and count variables. The actual values may include extreme outliers (positive or negative). Users may wish to consider applying top or bottom coding.

NCHS Survey Data Linked to CMS MBSF, Claims/Encounters, and Assessment Data  
Outcome and Assessment Information Set (OASIS)

Date Created: 29JAN2021

Number of Variables: 806

Variable Name	Variable (VAR) Label	VAR Type	Range of Values <sup>1</sup>	Value Description
			02	Requires assistance and some direction in specific situations (e.g., on all tasks involving shifting of attention), or consistently requires low stimulus environment due to distractibility.
			03	Requires considerable assistance in routine situations. Is not alert and oriented or is unable to shift attention and recall directions more than half the time.
			04	Totally dependent due to disturbances such as constant disorientation, coma, persistent vegetative state, or delirium.
M1710_WHEN_CONFUSD	M1710 (M0570) When Confused	Char	00	Never
			01	In new or complex situations only
			02	On awakening or at night only
			03	During the day and evening, but not constantly
			04	Constantly
			NA	NA - Patient nonresponsive
M1720_WHEN_ANXIOUS	M1720 (M0580) When Anxious	Char		Patient nonresponsive
			00	None of the time
			01	Less often than daily
			02	Daily, but not constantly
			03	All of the time
M1730_STDZ_DPRSN_SCRNG	M1730 Depression Screening	Char		Missing Value
			00	No
			01	Yes, patient was screened using the PHQ-2? scale. (Instructions for this two-question tool: Ask patient: Over the last two weeks, how often have you been bothered by any of the following problems)
			02	Yes, with a different standardized assessment-and the patient meets criteria for further evaluation for depression.

<sup>1</sup>The range of values field contain approximate values for the payment, cost, and count variables. The actual values may include extreme outliers (positive or negative). Users may wish to consider applying top or bottom coding.

NCHS Survey Data Linked to CMS MBSF, Claims/Encounters, and Assessment Data  
 Outcome and Assessment Information Set (OASIS)

Date Created: 29JAN2021  
 Number of Variables: 806

Variable Name	Variable (VAR) Label	VAR Type	Range of Values <sup>1</sup>	Value Description
			03	Yes, patient was screened with a different standardized assessment-and the patient does not meet criteria for further evaluation for depression.
M1730_PHQ2_DPRSN	M1730 PHQ2- Feeling Down, Depressed, Or Hopeless	Char		NA/Unable to respond
			00	Not at all\0 - 1 day
			01	Several days\2 - 6 days
			02	More than half of the days\7 - 11 days
			03	Nearly every day\12 - 14 days
M1730_PHQ2_LACK_INTRST	M1730 PHQ2- Little Interest Or Pleasure In Doing Things	Char	00	Not at all\0 - 1 day
			01	Several days\2 - 6 days
			02	More than half of the days\7 - 11 days
			03	Nearly every day\12 - 14 days
			NA	NA/Unable to respond
M1740_BD_DELUSIONS	M1740 (M0610) Cog/Behavr/Psych Symp-Delusional	Char		Missing Value
			0	No
			1	Yes
M1740_BD_IMP_DCSN	M1740 (M0610) Cog/Behavr/Psych Symp-Impaired Decision	Char		Missing Value
			0	No
			1	Yes

<sup>1</sup>The range of values field contain approximate values for the payment, cost, and count variables. The actual values may include extreme outliers (positive or negative). Users may wish to consider applying top or bottom coding.



**NCHS Survey Data Linked to CMS MBSF, Claims/Encounters, and Assessment Data  
Outcome and Assessment Information Set (OASIS)**

Date Created: 29JAN2021

Number of Variables: 806

Variable Name	Variable (VAR) Label	VAR Type	Range of Values <sup>1</sup>	Value Description
M1740_BD_MEM_DFICT	M1740 (M0610) Cog/Behavr/Psych Symp- Memory Deficit	Char		Missing Value
			0	No
			1	Yes
M1740_BD_NONE	M1740 (M0610) Cog/Behavr/Psych Symp- None of The Above	Char		Missing Value
			0	No
			1	Yes
M1740_BD_PHYSICAL	M1740 (M0610) Cog/Behavr/Psych Symp- Physical Aggression	Char		Missing Value
			0	No
			1	Yes
M1740_BD_SOC_INAPP	M1740 (M0610) Cog/Behavr/Psych Symp- Socially Inapp	Char		Missing Value
			0	No
			1	Yes
M1740_BD_VERBAL	M1740 (M0610) Cog/Behavr/Psych Symp- Verbal Disruption	Char		Missing Value
			0	No
			1	Yes
M1745_BEH_PROB_FRQ	M1745 (M0620) Frequency of Disruptive Behavior Symptoms	Char		Missing Value
			00	Never
			01	Less than once a month

<sup>1</sup>The range of values field contain approximate values for the payment, cost, and count variables. The actual values may include extreme outliers (positive or negative). Users may wish to consider applying top or bottom coding.

NCHS Survey Data Linked to CMS MBSF, Claims/Encounters, and Assessment Data  
 Outcome and Assessment Information Set (OASIS)

Date Created: 29JAN2021  
 Number of Variables: 806

Variable Name	Variable (VAR) Label	VAR Type	Range of Values <sup>1</sup>	Value Description
			02	Once a month
			03	Several times each month
			04	Several times a week
			05	At least daily
M1750_REC_PSYCH	M1750 (M0630) Receives Psych Nursing Services	Char		Missing Value
			0	No
			1	Yes
M1800_CU_GROOMING	M1800 (M0640) Current Grooming	Char		Missing Value
			00	Able to groom self unaided, with or without the use of assistive devices or adapted methods
			01	Grooming utensils must be placed within reach before able to complete grooming activities
			02	Someone must assist the patient to groom self
			03	Patient depends entirely upon someone else for grooming needs
M1810_CU_DRESS_UPR	M1810 (M0650) Current Dress Upper	Char		Missing Value
			00	Able to get clothes out of closets and drawers, put them on and remove them from the upper body without assistance
			01	Able to dress upper body without assistance if clothing is laid out or handed to the patient
			02	Someone must help the patient put on upper body clothing
			03	Patient depends entirely upon another person to dress the upper body
M1820_CU_DRESS_LOW	M1820 (M0660) Current Dress Lower	Char		Missing Value

<sup>1</sup>The range of values field contain approximate values for the payment, cost, and count variables. The actual values may include extreme outliers (positive or negative). Users may wish to consider applying top or bottom coding.

Date Created: 29JAN2021

Number of Variables: 806

Variable Name	Variable (VAR) Label	VAR Type	Range of Values <sup>1</sup>	Value Description
			00	Able to obtain, put on, and remove clothing and shoes without assistance
			01	Able to dress lower body without assistance if clothing and shoes are laid out or handed to the patient
			02	Someone must help the patient put on undergarments, slacks, socks or nylons, and shoes
			03	Patient depends entirely upon another person to dress lower body
M1830_CRNT_BATHG	M1830 Current Bathing	Char		Missing Value
			00	Able to bathe self in shower or tub independently, including getting in and out of tub/shower
			01	With the use of devices, is able to bathe self in shower or tub independently including getting in and out of the tub/shower.; 02=Able to bathe in shower or tub with the intermittent assistance of another person: (a) for intermittent supervision or encouragement or reminders, OR (b) to get in and out of the shower or tub, OR (c) for washing difficult to reach areas
			02	Able to bathe in shower or tub with the intermittent assistance of another person: (a) for intermittent supervision or encouragement or reminders, OR (b) to get in and out of the shower or tub, OR (c) for washing difficult to reach areas.
			03	Able to participate in bathing self in shower or tub, but requires presence of another person throughout the bath for assistance or supervision
			04	Unable to use the shower or tub, but able to bathe self independently with or without the user of devices at the sink in chair, or on commode
			05	Unable to use the shower or tub, but able to participate in bathing self in bed, at the sink, in bedside chair, on commode, with the assistance or supervision of another person
			06	Unable to participate effectively in bathing and is bathed totally by another person
M1840_CUR_TOILTG	M1840 Toilet Transferring	Char		Missing Value

<sup>1</sup>The range of values field contain approximate values for the payment, cost, and count variables. The actual values may include extreme outliers (positive or negative). Users may wish to consider applying top or bottom coding.

NCHS Survey Data Linked to CMS MBSF, Claims/Encounters, and Assessment Data  
 Outcome and Assessment Information Set (OASIS)

Date Created: 29JAN2021

Number of Variables: 806

Variable Name	Variable (VAR) Label	VAR Type	Range of Values <sup>1</sup>	Value Description
			00	Able to get to and from the toilet independently with our without a device
			01	When reminded, assisted, or supervised by another person, able to get to and from the toilet
			02	Unable to get to and from the toilet but is able to use a bedside commode (with our without assistance)
			03	Unable to get to and from the toilet or bedside commode but is able to use a bedpan/urinal independently
			04	Is totally dependent in toileting
M1845_CUR_TOILTG_HYGN	M1845 Current Toileting Hygiene	Char		Missing Value
			00	Able to manage toileting hygiene and clothing management without assistance.
			01	Able to manage toileting hygiene and clothing management without assistance if supplies/implements are laid out for the patient.
			02	Someone must help the patient to maintain toileting hygiene and/or adjust clothing.
			03	Patient depends entirely upon another person to maintain toileting hygiene.
M1850_CUR_TRNSFRNG	M1850 Transferring	Char		Missing Value
			00	Able to independently transfer.
			01	Able to transfer with minimal human assistance or with use of an assistive device.
			02	Able to bear weight and pivot during the transfer but unable to transfer self.
			03	Unable to transfer self and is unable to bear weight or pivot when transferred by another person.
			04	Bedfast, unable to transfer but is able to turn and position self in bed.
			05	Bedfast, unable to transfer and is unable to turn and position self.

<sup>1</sup>The range of values field contain approximate values for the payment, cost, and count variables. The actual values may include extreme outliers (positive or negative). Users may wish to consider applying top or bottom coding.

NCHS Survey Data Linked to CMS MBSF, Claims/Encounters, and Assessment Data  
Outcome and Assessment Information Set (OASIS)

Date Created: 29JAN2021

Number of Variables: 806

Variable Name	Variable (VAR) Label	VAR Type	Range of Values <sup>1</sup>	Value Description
M1860_CRNT_AMBLTN	M1860 Ambulation/Locomotion	Char		Missing Value
			00	Able to independently walk on even and uneven surfaces and negotiate stairs with or without railings (specifically: needs no human assistance or assistive device)
			01	With the use of a one-handed device (for example, cane, single crutch, hemi-walker), able to independently walk on even and uneven surfaces and negotiate stars with or without railings
			02	Requires use of a two-handed device (for example, walker or crutches) to walk alone on a level surface and/or requires human supervision or assistance to negotiate stairs or steps or uneven surfaces
			03	Able to walk only with the supervision or assistance of another person at all times
			04	Chairfast, unable to ambulate but is able to wheel self independently
			05	Chairfast, unable to ambulate and is unable to wheel self
			06	Bedfast, unable to ambulate or be up in a chair
M1870_CU_FEEDING	M1870 (M0710) Current Feeding	Char		Missing Value
			00	Able to independently feed self
			01	Able to feed self independently but requires: (a) meal set-up; OR (b) intermittent assistance or supervision from another person; OR (c) a liquid, pureed or ground meat diet
			02	Unable to feed self and must be assisted or supervised throughout the meal/snack
			03	Able to take in nutrients orally and receives supplemental nutrients through a nasogastric tube or gastrostomy
			04	Unable to take in nutrients orally and is fed nutrients through a nasogastric tube or gastrostomy
			05	Unable to take in nutrients orally or by tube feeding

<sup>1</sup>The range of values field contain approximate values for the payment, cost, and count variables. The actual values may include extreme outliers (positive or negative). Users may wish to consider applying top or bottom coding.

NCHS Survey Data Linked to CMS MBSF, Claims/Encounters, and Assessment Data  
Outcome and Assessment Information Set (OASIS)

Date Created: 29JAN2021

Number of Variables: 806

Variable Name	Variable (VAR) Label	VAR Type	Range of Values <sup>1</sup>	Value Description
M1880_CU_PREP_MEAL	M1880 (M0720) Current Preparing Light Meals	Char		Missing Value
			00	(a) Able to independently plan and prepare all light meals for self or reheat delivered meals; OR (b) Is physically, cognitively, and mentally able to prepare light meals on a regular basis but has not routinely performed light meal preparation in the past (i.e., prior to this home care admission).
			01	Unable to prepare light meals on a regular basis due to physical, cognitive, or mental limitations.
			02	Unable to prepare any light meals or reheat any delivered meals.
M1890_CU_PHONE_USE	M1890 (M0770) Current Phone Use	Char		NA - Patient does not have a telephone.
			00	Able to dial numbers and answer calls appropriately and as desired.
			01	Able to use a specially adapted telephone (i.e., large numbers on the dial, teletype phone for the deaf) and call essential numbers.
			02	Able to answer the telephone and carry on a normal conversation but has difficulty with placing calls.
			03	Able to answer the telephone only some of the time or is able to carry on only a limited conversation.
			04	Unable to answer the telephone at all but can listen if assisted with equipment.
			05	Totally unable to use the telephone.
M1900_PRIOR_ADLIADL_AMBLTN	M1900 Prior Functioning ADL/IADL- Ambulation	Char	00	Independent
			01	Needed Some Help
			02	Dependent
			NA	Not Applicable
M1900_PRIOR_ADLIADL_HSEHOLD	M1900 Prior Functioning ADL/IADL - Household Tasks	Char	00	Independent
			01	Needed Some Help

<sup>1</sup>The range of values field contain approximate values for the payment, cost, and count variables. The actual values may include extreme outliers (positive or negative). Users may wish to consider applying top or bottom coding.

**NCHS Survey Data Linked to CMS MBSF, Claims/Encounters, and Assessment Data  
Outcome and Assessment Information Set (OASIS)**

Date Created: 29JAN2021

Number of Variables: 806

Variable Name	Variable (VAR) Label	VAR Type	Range of Values <sup>1</sup>	Value Description
			02	Dependent
			NA	Not Applicable
M1900_PRIOR_ADLIADL_SELF	M1900 Prior Functioning ADL/IADL- Self Care	Char	00	Independent
			01	Needed Some Help
			02	Dependent
			NA	Not Applicable
M1900_PRIOR_ADLIADL_TRNSFR	M1900 Prior Functioning ADL/IADL- Transfer	Char	00	Independent
			01	Needed Some Help
			02	Dependent
			NA	Not Applicable
M1910_MLT_FCTR_FALL_RISK_ASMT	M1910 Multi-Factor Fall Risk Assessment	Char		Missing Value
			00	No multi-factor falls risk assessment conducted.
			01	Yes, and it does not indicate a risk for falls.
			02	Yes, and it does indicate a risk for falls.
M2000_DRUG_RGMN_RVW	M2000 Drug Regimen Review	Char		Patient is not taking any medications
			00	Not assessed/reviewed
			01	No problems found during review
			02	Problems found during review
			NA	Patient is not taking any medications
M2002_MDCTN_FLWP	M2002 Medication Follow-Up	Char		Missing Value
			0	No

<sup>1</sup>The range of values field contain approximate values for the payment, cost, and count variables. The actual values may include extreme outliers (positive or negative). Users may wish to consider applying top or bottom coding.

NCHS Survey Data Linked to CMS MBSF, Claims/Encounters, and Assessment Data  
 Outcome and Assessment Information Set (OASIS)

Date Created: 29JAN2021

Number of Variables: 806

Variable Name	Variable (VAR) Label	VAR Type	Range of Values <sup>1</sup>	Value Description
			1	Yes
M2004_MDCTN_INTRVTN	M2004 Medication Intervention	Char		No clinically significant medication issues identified at the time of or at any time since the previous OASIS assessment
			00	No
			01	Yes
			NA	No clinically significant medication issues identified at the time of or at any time since the previous OASIS assessment
M2010_HIGH_RISK_DRUG_EDCTN	M2010 Patient/Caregiver High Risk Drug Educ	Char		Patient not taking any high-risk drugs OR patient/caregiver fully knowledgeable about special precautions associated with all high-risk medications
			00	No
			01	Yes
			NA	Patient not taking any high-risk drugs OR patient/caregiver fully knowledgeable about special precautions associated with all high-risk medications
M2015_DRUG_EDCTN_INTRVTN	M2015 Patient/Caregiver Drug Educ Intervention	Char		Patient not taking any drugs
			00	No
			01	Yes
			NA	Patient not taking any drugs
M2020_CRNT_MGMT_ORAL_MDCTN	M2020 Current Management Of Oral Medications	Char		No oral medications prescribed.
			00	Able to independently take the correct oral medication(s) and proper dosage(s) at the correct times.
			01	Able to take medication(s) at the correct times if: (a) individual dosages are prepared in advance by another person; OR (b) another person develops a drug diary or chart.

<sup>1</sup>The range of values field contain approximate values for the payment, cost, and count variables. The actual values may include extreme outliers (positive or negative). Users may wish to consider applying top or bottom coding.



NCHS Survey Data Linked to CMS MBSF, Claims/Encounters, and Assessment Data  
 Outcome and Assessment Information Set (OASIS)

Date Created: 29JAN2021

Number of Variables: 806

Variable Name	Variable (VAR) Label	VAR Type	Range of Values <sup>1</sup>	Value Description
			02	Able to take medication(s) at the correct times if given reminders by another person at the appropriate times.
			03	Unable to take medication unless administered by another person.
			NA	No oral medications prescribed.
M2030_CRNT_MGMT_INJCTN_MDCTN	M2030 Current Management Of Injectable Meds	Char		No injectable medications prescribed.
			00	Able to independently take the correct injectable medication(s) and proper dosage(s) at the correct times.
			01	Able to take injectable medication(s) at the correct times if: (a) individual dosages are prepared in advance by another person; OR (b) another person develops a drug diary or chart.
			02	Able to take medication(s) at the correct times if given reminders by another person at the appropriate times based on the frequency of the injection.
			03	Unable to take injectable medication unless administered by another person.
			NA	No injectable medications prescribed.
M2040_PRIOR_MGMT_INJCTN_MDCTN	M2040 Prior Medication Management- Injectable Meds	Char	00	Independent
			01	Needed Some Help
			02	Dependent
			NA	Not Applicable
M2040_PRIOR_MGMT_ORAL_MDCTN	M2040 Prior Medication Management- Oral Meds	Char		Not Applicable
			00	Independent
			01	Needed Some Help
			02	Dependent

<sup>1</sup>The range of values field contain approximate values for the payment, cost, and count variables. The actual values may include extreme outliers (positive or negative). Users may wish to consider applying top or bottom coding.

**NCHS Survey Data Linked to CMS MBSF, Claims/Encounters, and Assessment Data  
Outcome and Assessment Information Set (OASIS)**

**Date Created: 29JAN2021**

**Number of Variables: 806**

Variable Name	Variable (VAR) Label	VAR Type	Range of Values <sup>1</sup>	Value Description
M2100_CARE_TYPE_SRC_ADL	M2100 Care Management- ADL Assistance	Char		Missing Value
M2100_CARE_TYPE_SRC_ADVCY	M2100 Care Management- Advocacy Or Facilitation	Char		Missing Value
M2100_CARE_TYPE_SRC_IADL	M2100 Care Management- IADL Assistance	Char		Missing Value
M2100_CARE_TYPE_SRC_EQUIP	M2100 Care Management- Management of Equipment	Char		Missing Value
M2100_CARE_TYPE_SRC_PRCDR	M2100 Care Management- Medical Procedures/Treatments	Char		Missing Value
M2100_CARE_TYPE_SRC_MDCTN	M2100 Care Management- Medication Administration	Char		Missing Value
M2100_CARE_TYPE_SRC_SPRVSN	M2100 Care Management- Supervision and Safety	Char		Missing Value
M2110_ADL_IADL_ASTNC_FREQ	M2110 Frequency of ADL or IADL Assistance From Caregiver	Char		Missing Value
			01	At least daily
			02	Three or more times per week
			03	One to two times per week
			04	Received, but less often than weekly
			05	No assistance received
			UK	Unknown
M2200_THRPY_NEED_NA_NUM	M2200 (M0826) Therapy Need- NA	Char		Missing Value
			0	Not NA

<sup>1</sup>The range of values field contain approximate values for the payment, cost, and count variables. The actual values may include extreme outliers (positive or negative). Users may wish to consider applying top or bottom coding.

**NCHS Survey Data Linked to CMS MBSF, Claims/Encounters, and Assessment Data  
Outcome and Assessment Information Set (OASIS)**

Date Created: 29JAN2021

Number of Variables: 806

Variable Name	Variable (VAR) Label	VAR Type	Range of Values <sup>1</sup>	Value Description
			1	NA
M2200_THRPY_NEED_NUM	M2200 (M0826) Therapy Need- Number of Visits	Char		
M2250_PLAN_SMRY_FALL_PRVNT	M2250 Plan of Care Synopsis- At Risk for Falls	Char	00 01 NA	No Yes Not Applicable
M2250_PLAN_SMRY_DPRSN_INTRVTN	M2250 Plan of Care Synopsis- Depression	Char	00 01 NA	No Yes Not Applicable
M2250_PLAN_SMRY_DBTS_FT_CARE	M2250 Plan of Care Synopsis- Diabetic Foot Care	Char	00 01 NA	No Yes Not Applicable
M2250_PLAN_SMRY_PAIN_INTRVTN	M2250 Plan of Care Synopsis- Pain Intervention	Char	00 01 NA	No Yes Not Applicable
M2250_PLAN_SMRY_PTNT_SPECIF	M2250 Plan of Care Synopsis- Patient Specific	Char	00 01 NA	No Yes Not Applicable
M2250_PLAN_SMRY_PRSULC_TRTMT	M2250 Plan of Care Synopsis- Pressure Ulcer Moist Treatment	Char	00	No

<sup>1</sup>The range of values field contain approximate values for the payment, cost, and count variables. The actual values may include extreme outliers (positive or negative). Users may wish to consider applying top or bottom coding.

NCHS Survey Data Linked to CMS MBSF, Claims/Encounters, and Assessment Data  
 Outcome and Assessment Information Set (OASIS)

Date Created: 29JAN2021

Number of Variables: 806

Variable Name	Variable (VAR) Label	VAR Type	Range of Values <sup>1</sup>	Value Description
			01	Yes
			NA	Not Applicable
M2250_PLAN_SMRY_PRSULC_PRVNT	M2250 Plan of Care Synopsis- Pressure Ulcer Prevention	Char		Not Applicable
			00	No
			01	Yes
M2300_EMER_USE_AFTR_LAST_ASMT	M2300 Emergent Care Since Last OASIS	Char		Missing Value
			00	No
			01	Yes, used hospital emergency department WITHOUT hospital admission
			02	Yes, used hospital emergency department WITH hospital admission
			UK	Unknown
M2310_ECR_MENTL_BHVRL_PRBLM	M2310 Emergent Care Reason- Acute Mental/Behavioral	Char		Missing Value
			0	No
			1	Yes
M2310_ECR_CRDC_DSRTHM	M2310 Emergent Care Reason- Cardiac Dysrhythmia	Char		Missing Value
			0	No
			1	Yes
M2310_ECR_DHYDRTN_MALNTR	M2310 Emergent Care Reason- Dehydration, Malnutrition	Char		Missing Value
			0	No

<sup>1</sup>The range of values field contain approximate values for the payment, cost, and count variables. The actual values may include extreme outliers (positive or negative). Users may wish to consider applying top or bottom coding.

**NCHS Survey Data Linked to CMS MBSF, Claims/Encounters, and Assessment Data  
Outcome and Assessment Information Set (OASIS)**

Date Created: 29JAN2021

Number of Variables: 806

Variable Name	Variable (VAR) Label	VAR Type	Range of Values <sup>1</sup>	Value Description
			1	Yes
M2310_ECR_DVT_PULMNR	M2310 Emergent Care Reason- DVT, Pulmonary Embolus	Char		Missing Value
			0	No
			1	Yes
M2310_ECR_GI_PRBLM	M2310 Emergent Care Reason- GI Issues	Char		Missing Value
			0	No
			1	Yes
M2310_ECR_HRT_FAILR	M2310 Emergent Care Reason- Heart Failure	Char		Missing Value
			0	No
			1	Yes
M2310_ECR_HYPOGLYC	M2310 (M0840) Emergent Care Reason- Hypo-Hyperglycemia	Char		Missing Value
			0	No
			1	Yes
M2310_ECR_MEDICAT	M2310 (M0840) Emergent Care Reason- Improper Medication Administration	Char		Missing Value
			0	No
			1	Yes
M2310_ECR_INJRY_BY_FALL	M2310 Emergent Care Reason- Injury Caused By Fall	Char		Missing Value
			0	No

<sup>1</sup>The range of values field contain approximate values for the payment, cost, and count variables. The actual values may include extreme outliers (positive or negative). Users may wish to consider applying top or bottom coding.

NCHS Survey Data Linked to CMS MBSF, Claims/Encounters, and Assessment Data  
 Outcome and Assessment Information Set (OASIS)

Date Created: 29JAN2021

Number of Variables: 806

Variable Name	Variable (VAR) Label	VAR Type	Range of Values <sup>1</sup>	Value Description
			1	Yes
M2310_ECR_CTHTR_CMPLCTN	M2310 Emergent Care Reason- IV Catheter Infection	Char		Missing Value
			0	No
			1	Yes
M2310_ECR_MI_CHST_PAIN	M2310 Emergent Care Reason- Myocardial Infarction	Char		Missing Value
			0	No
			1	Yes
M2310_ECR_OTHR_HRT_DEASE	M2310 Emergent Care Reason- Other Heart Disease	Char		Missing Value
			0	No
			1	Yes
M2310_ECR_RSPRTRY_OTHR	M2310 Emergent Care Reason- Other Respiratory Problem	Char		Missing Value
			0	No
			1	Yes
M2310_ECR_OTHER	M2310 Emergent Care Reason- Other Than Above	Char		Missing Value
			0	No
			1	Yes
M2310_ECR_UK	M2310 (M0840) Emergent Care Reason- Reason Unknown	Char		Missing Value

<sup>1</sup>The range of values field contain approximate values for the payment, cost, and count variables. The actual values may include extreme outliers (positive or negative). Users may wish to consider applying top or bottom coding.

NCHS Survey Data Linked to CMS MBSF, Claims/Encounters, and Assessment Data  
 Outcome and Assessment Information Set (OASIS)

Date Created: 29JAN2021

Number of Variables: 806

Variable Name	Variable (VAR) Label	VAR Type	Range of Values <sup>1</sup>	Value Description
			0	Not Unknown
			1	Unknown
M2310_ECR_RSPRTRY_INFCTN	M2310 Emergent Care Reason- Respiratory Infection	Char		Missing Value
			0	No
			1	Yes
M2310_ECR_STROKE_TIA	M2310 Emergent Care Reason- Stroke (CVA) or TIA	Char		Missing Value
			0	No
			1	Yes
M2310_ECR_UNCNTLD_PAIN	M2310 Emergent Care Reason- Uncontrolled Pain	Char		Missing Value
			0	No
			1	Yes
M2310_ECR_UTI	M2310 Emergent Care Reason- Urinary Tract Infection	Char		Missing Value
			0	No
			1	Yes
M2310_ECR_WND_INFCTN_DTRORTN	M2310 Emergent Care Reason- Wound Infection or Deter	Char		Date provided in SAS date (numeric) format.
M2400_INTRVTN_SMRY_DPRSN	M2400 Intervention Synopsis- Depression Intervent	Char	00	No
			01	Yes

<sup>1</sup>The range of values field contain approximate values for the payment, cost, and count variables. The actual values may include extreme outliers (positive or negative). Users may wish to consider applying top or bottom coding.

NCHS Survey Data Linked to CMS MBSF, Claims/Encounters, and Assessment Data  
 Outcome and Assessment Information Set (OASIS)

Date Created: 29JAN2021

Number of Variables: 806

Variable Name	Variable (VAR) Label	VAR Type	Range of Values <sup>1</sup>	Value Description
			NA	Not Applicable
M2400_INTRVTN_SMRY_DBTS_FT	M2400 Intervention Synopsis- Diabetic Foot Care	Char	00	No
			01	Yes
			NA	Not Applicable
M2400_INTRVTN_SMRY_FALL_PRVNT	M2400 Intervention Synopsis- Falls Prevention	Char	00	No
			01	Yes
			NA	Not Applicable
M2400_INTRVTN_SMRY_PRSULC_WET	M2400 Intervention Synopsis- Moist Wound Treat of Pressure Ulcer	Char	00	No
			01	Yes
			NA	Not Applicable
M2400_INTRVTN_SMRY_PAIN_MNTR	M2400 Intervention Synopsis- Monitor and Mitigate Pain	Char	00	No
			01	Yes
			NA	Not Applicable
M2400_INTRVTN_SMRY_PRSULC_PRVN	M2400 Intervention Synopsis- Prevent Pressure Ulcers	Char	00	No
			01	Yes
			NA	Not Applicable
M2410_INPAT_FAC	M2410 (M0855) Inpatient Facility Admitted	Char		NA - No inpatient facility admission
			01	Hospital

<sup>1</sup>The range of values field contain approximate values for the payment, cost, and count variables. The actual values may include extreme outliers (positive or negative). Users may wish to consider applying top or bottom coding.



NCHS Survey Data Linked to CMS MBSF, Claims/Encounters, and Assessment Data  
 Outcome and Assessment Information Set (OASIS)

Date Created: 29JAN2021

Number of Variables: 806

Variable Name	Variable (VAR) Label	VAR Type	Range of Values <sup>1</sup>	Value Description
			02	Rehabilitation facility
			03	Nursing home
			04	Hospice
M2430_HOSP_MENTL_BHVRL_PRBLM	M2430 Hospital Reason- Acute Mental/Behavioral	Char		Missing Value
			0	No
			1	Yes
M2430_HOSP_CRDC_DSRTM	M2430 Hospital Reason- Cardiac Dysrhythmia	Char		Missing Value
			0	No
			1	Yes
M2430_HOSP_DHYDRTN_MALNTR	M2430 Hospital Reason- Dehydration, Malnutrition	Char		Missing Value
			0	No
			1	Yes
M2430_HOSP_VN_PULM	M2430 (M0895)Hospital Reason- DVT Pulmonary Embolus	Char		Missing Value
			0	No
			1	Yes
M2430_HOSP_GI_PRBLM	M2430 Hospital Reason- GI Issues	Char		Missing Value
			0	No
			1	Yes

<sup>1</sup>The range of values field contain approximate values for the payment, cost, and count variables. The actual values may include extreme outliers (positive or negative). Users may wish to consider applying top or bottom coding.

NCHS Survey Data Linked to CMS MBSF, Claims/Encounters, and Assessment Data  
 Outcome and Assessment Information Set (OASIS)

Date Created: 29JAN2021

Number of Variables: 806

Variable Name	Variable (VAR) Label	VAR Type	Range of Values <sup>1</sup>	Value Description
M2430_HOSP_HRT_FAILR	M2430 Hospital Reason- Heart Failure	Char		Missing Value
			0	No
			1	Yes
M2430_HOS_HYPOGLYC	M2430 Hospital Reason- (M0895) Hypo/Hyperglycemia	Char		Missing Value
			0	No
			1	Yes
M2430_HOSP_MED	M2430 Hospital Reason- (M0895) Improper Medication Administration	Char		Missing Value
			0	No
			1	Yes
M2430_HOSP_INJRY_BY_FALL	M2430 Hospital Reason- Injury Caused By Fall	Char		Missing Value
			0	No
			1	Yes
M2430_HOSP_CTHTR_CMPLCTN	M2430 Hospital Reason- IV Catheter Infection/Complication	Char		Missing Value
			0	No
			1	Yes
M2430_HOSP_MI_CHST_PAIN	M2430 Hospital Reason- Myocardial Infarction	Char		Missing Value
			0	No
			1	Yes

<sup>1</sup>The range of values field contain approximate values for the payment, cost, and count variables. The actual values may include extreme outliers (positive or negative). Users may wish to consider applying top or bottom coding.

**NCHS Survey Data Linked to CMS MBSF, Claims/Encounters, and Assessment Data  
Outcome and Assessment Information Set (OASIS)**

**Date Created: 29JAN2021**

**Number of Variables: 806**

Variable Name	Variable (VAR) Label	VAR Type	Range of Values <sup>1</sup>	Value Description
M2430_HOSP_OTHR_HRT_DEASE	M2430 Hospital Reason- Other Heart Disease	Char		Missing Value
			0	No
			1	Yes
M2430_HOSP_RSPRTRY_OTHR	M2430 Hospital Reason- Other Respiratory Problem	Char		Missing Value
			0	No
			1	Yes
M2430_HOSP_OTHER	M2430 Hospital Reason- Other Than Above	Char		Missing Value
			0	No
			1	Yes
M2430_HOSP_UK	M2430 Hospital Reason- Reason Unknown	Char		Missing Value
			0	Not Unknown
			1	Unknown
M2430_HOSP_RSPRTRY_INFCTN	M2430 Hospital Reason- Respiratory Infection	Char		Missing Value
			0	No
			1	Yes
M2430_HOSP_SCHLD_TRTMT	M2430 Hospital Reason- Scheduled Treatment Or Procedure	Char		Missing Value
			0	No
			1	Yes
M2430_HOSP_STROKE_TIA	M2430 Hospital Reason- Stroke (CVA) Or TIA	Char		Missing Value

<sup>1</sup>The range of values field contain approximate values for the payment, cost, and count variables. The actual values may include extreme outliers (positive or negative). Users may wish to consider applying top or bottom coding.

NCHS Survey Data Linked to CMS MBSF, Claims/Encounters, and Assessment Data  
 Outcome and Assessment Information Set (OASIS)

Date Created: 29JAN2021

Number of Variables: 806

Variable Name	Variable (VAR) Label	VAR Type	Range of Values <sup>1</sup>	Value Description
			0	No
			1	Yes
M2430_HOSP_PAIN	M2430 (M0895) Hospital Reason- Uncontrolled Pain	Char		Missing Value
			0	No
			1	Yes
M2430_HOSP_UR_TRCT	M2430 (M0895) Hospital Reason- Urinary Tract Infect	Char		Missing Value
			0	No
			1	Yes
M2430_HOSP_WND_INFCTN	M2430 Hospital Reason- Wound Infection/Deterioration	Char		Missing Value
			0	No
			1	Yes
M2440_NH_HOSPICE	M2440 (M0900) Nursing Home Reason- Hospice Care	Char		Missing Value
M2440_NH_OTHER	M2440 (M0900) Nursing Home Reason- Other	Char		Missing Value
M2440_NH_PERMANENT	M2440 (M0900) Nursing Home Reason- Permanent Placement	Char		Missing Value
M2440_NH_RESPITE	M2440 (M0900) Nursing Home Reason- Respite Care	Char		Missing Value

<sup>1</sup>The range of values field contain approximate values for the payment, cost, and count variables. The actual values may include extreme outliers (positive or negative). Users may wish to consider applying top or bottom coding.

**NCHS Survey Data Linked to CMS MBSF, Claims/Encounters, and Assessment Data  
Outcome and Assessment Information Set (OASIS)**

**Date Created: 29JAN2021**

**Number of Variables: 806**

Variable Name	Variable (VAR) Label	VAR Type	Range of Values <sup>1</sup>	Value Description
M2440_NH_THERAPY	M2440 (M0900) Nursing Home Reason- Therapy Services	Char		Missing Value
M2440_NH_UK	M2440 (M0900) Nursing Home Reason- Unknown	Char		Missing Value
M2440_NH_UNSAFE_HM	M2440 (M0900) Nursing Home Reason- Unsafe At Home	Char		Missing Value
TRANS_TYPE_CD	Transaction Type Code	Char		
M1011_14D_INP1_ICD	M1011 Inpatient Diagnosis1 ICD10 Code	Char		
M1011_14D_INP2_ICD	M1011 Inpatient Diagnosis2 ICD10 Code	Char		
M1011_14_DAY_INP3_ICD	M1011 Inpatient Diagnosis3 ICD10 Code	Char		
M1011_14_DAY_INP4_ICD	M1011 Inpatient Diagnosis4 ICD10 Code	Char		
M1011_14_DAY_INP5_ICD	M1011 Inpatient Diagnosis5 ICD10 Code	Char		
M1011_14_DAY_INP6_ICD	M1011 Inpatient Diagnosis6 ICD10 Code	Char		
M1011_14_DAY_ICD_NA	M1011 Inpatient Diagnosis - NA	Char		Missing Value
			0	Not NA
			1	NA
M1017_CHGREG_ICD1	M1017 (M0210) Regimen Change - Diagnosis 1 ICD-10 Code	Char		

<sup>1</sup>The range of values field contain approximate values for the payment, cost, and count variables. The actual values may include extreme outliers (positive or negative). Users may wish to consider applying top or bottom coding.

**NCHS Survey Data Linked to CMS MBSF, Claims/Encounters, and Assessment Data  
Outcome and Assessment Information Set (OASIS)**

**Date Created: 29JAN2021**

**Number of Variables: 806**

Variable Name	Variable (VAR) Label	VAR Type	Range of Values <sup>1</sup>	Value Description
M1017_CHGREG_ICD2	M1017 (M0210) Regimen Change - Diagnosis2 ICD-10 Code	Char		
M1017_CHGREG_ICD3	M1017 (M0210) Regimen Change - Diagnosis3 ICD-10 Code	Char		
M1017_CHGREG_ICD4	M1017 (M0210) Regimen Change - Diagnosis4 ICD-10 Code	Char		
M1017_CHGREG_ICD5	M1017 Regimen Change - Diagnosis5 ICD-10 Code	Char		
M1017_CHGREG_ICD6	M1017 Regimen Change - Diagnosis6 ICD-10 Code	Char		
M1017_CHGREG_ICD_NA	M1017 Regimen Change In Past 14 Days - NA	Char		Missing Value
			0	No
			1	Yes
M1021_PRI_DGN_ICD	M1021 Primary Diagnosis ICD-10 Code	Char		
M1021_PRI_DGN_SEV	M1021 Primary Diagnosis Severity	Char		Missing Value
			00	Asymptomatic, no treatment needed at this time
			01	Symptoms well controlled with current therapy
			02	Symptoms controlled with difficulty, affecting daily functioning; patient needs ongoing monitoring
			03	Symptoms poorly controlled, patient needs frequent adjustment in treatment and dose monitoring
			04	Symptoms poorly controlled, history of rehospitalizations

<sup>1</sup>The range of values field contain approximate values for the payment, cost, and count variables. The actual values may include extreme outliers (positive or negative). Users may wish to consider applying top or bottom coding.

**NCHS Survey Data Linked to CMS MBSF, Claims/Encounters, and Assessment Data  
Outcome and Assessment Information Set (OASIS)**

**Date Created: 29JAN2021  
Number of Variables: 806**

Variable Name	Variable (VAR) Label	VAR Type	Range of Values <sup>1</sup>	Value Description
M1023_OTH_DGN1_ICD	M1023 (M0240) Other Diagnosis1 ICD-10 Code	Char		
M1023_OTH_DGN1_SEV	M1023 (M0240) Other Diagnosis1 Severity	Char		Missing Value
			00	Asymptomatic, no treatment needed at this time
			01	Symptoms well controlled with current therapy
			02	Symptoms controlled with difficulty, affecting daily functioning; patient needs ongoing monitoring
			03	Symptoms poorly controlled, patient needs frequent adjustment in treatment and dose monitoring
			04	Symptoms poorly controlled, history of rehospitalizations
M1023_OTH_DGN2_ICD	M1023 (M0240) Other Diagnosis2 ICD-10 Code	Char		
M1023_OTH_DGN2_SEV	M1023 (M0240) Other Diagnosis2 Severity	Char		Missing Value
			00	Asymptomatic, no treatment needed at this time
			01	Symptoms well controlled with current therapy
			02	Symptoms controlled with difficulty, affecting daily functioning; patient needs ongoing monitoring
			03	Symptoms poorly controlled, patient needs frequent adjustment in treatment and dose monitoring
			04	Symptoms poorly controlled, history of rehospitalizations
M1023_OTH_DGN3_ICD	M1023 (M0240) Other Diagnosis3 ICD-10 Code	Char		
M1023_OTH_DGN3_SEV	M1023 (M0240) Other Diagnosis3 Severity	Char		Missing Value
			00	Asymptomatic, no treatment needed at this time
			01	Symptoms well controlled with current therapy

<sup>1</sup>The range of values field contain approximate values for the payment, cost, and count variables. The actual values may include extreme outliers (positive or negative). Users may wish to consider applying top or bottom coding.

NCHS Survey Data Linked to CMS MBSF, Claims/Encounters, and Assessment Data  
 Outcome and Assessment Information Set (OASIS)

Date Created: 29JAN2021  
 Number of Variables: 806

Variable Name	Variable (VAR) Label	VAR Type	Range of Values <sup>1</sup>	Value Description
			02	Symptoms controlled with difficulty, affecting daily functioning; patient needs ongoing monitoring
			03	Symptoms poorly controlled, patient needs frequent adjustment in treatment and dose monitoring
			04	Symptoms poorly controlled, history of rehospitalizations
M1023_OTH_DGN4_ICD	M1023 (M0240) Other Diagnosis4 ICD-10 Code	Char		
M1023_OTH_DGN4_SEV	M1023 (M0240) Other Diagnosis4 Severity	Char		Missing Value
			00	Asymptomatic, no treatment needed at this time
			01	Symptoms well controlled with current therapy
			02	Symptoms controlled with difficulty, affecting daily functioning; patient needs ongoing monitoring
			03	Symptoms poorly controlled, patient needs frequent adjustment in treatment and dose monitoring
			04	Symptoms poorly controlled, history of rehospitalizations
M1023_OTH_DGN5_ICD_I10	M1023 (M0240) Other Diagnosis5 ICD-10 Code	Char		
M1023_OTH_DGN5_SEV_I10	M1023 (M0240) Other Diagnosis5 Severity	Char		Missing Value
			00	Asymptomatic, no treatment needed at this time
			01	Symptoms well controlled with current therapy
			02	Symptoms controlled with difficulty, affecting daily functioning; patient needs ongoing monitoring
			03	Symptoms poorly controlled, patient needs frequent adjustment in treatment and dose monitoring
			04	Symptoms poorly controlled, history of rehospitalizations

<sup>1</sup>The range of values field contain approximate values for the payment, cost, and count variables. The actual values may include extreme outliers (positive or negative). Users may wish to consider applying top or bottom coding.



**NCHS Survey Data Linked to CMS MBSF, Claims/Encounters, and Assessment Data  
Outcome and Assessment Information Set (OASIS)**

**Date Created: 29JAN2021**

**Number of Variables: 806**

Variable Name	Variable (VAR) Label	VAR Type	Range of Values <sup>1</sup>	Value Description
M1025_PMT_DGNS_ICD_A3_CD	M1025 (M0246) Case Mix Dx - Primary ICD10; Col3	Char		
M1025_PMT_DGNS_ICD_A4_CD	M1025 (M0246) Case Mix Dx - Primary ICD10; Col4	Char		
M1025_PMT_DGNS_ICD_B3_CD	M1025 (M0246) Case Mix Dx - Secndry ICD10; 1, Col3	Char		
M1025_PMT_DGNS_ICD_B4_CD	M1025 (M0246) Case Mix Dx - Secndry ICD10; 1, Col4	Char		
M1025_PMT_DGNS_ICD_C3_CD	M1025 (M0246) Case Mix Dx - Secndry ICD10; 2, Col3	Char		
M1025_PMT_DGNS_ICD_C4_CD	M1025 (M0246) Case Mix Dx - Secndry ICD10; 2, Col4	Char		
M1025_PMT_DGNS_ICD_D3_CD	M1025 (M0246) Case Mix Dx - Secndry ICD10; 3, Col3	Char		
M1025_PMT_DGNS_ICD_D4_CD	M1025 (M0246) Case Mix Dx - Secndry ICD10; 3, Col4	Char		
M1025_PMT_DGNS_ICD_E3_CD	M1025 (M0246) Case Mix Dx - Secndry ICD10; 4, Col3	Char		
M1025_PMT_DGNS_ICD_E4_CD	M1025 (M0246) Case Mix Dx - Secndry ICD10; 4, Col4	Char		
M1025_PMT_DGNS_ICD_F3_CD	M1025 (M0246) Case Mix Dx - Secndry ICD10; 5, Col3	Char		

<sup>1</sup>The range of values field contain approximate values for the payment, cost, and count variables. The actual values may include extreme outliers (positive or negative). Users may wish to consider applying top or bottom coding.

NCHS Survey Data Linked to CMS MBSF, Claims/Encounters, and Assessment Data  
 Outcome and Assessment Information Set (OASIS)

Date Created: 29JAN2021

Number of Variables: 806

Variable Name	Variable (VAR) Label	VAR Type	Range of Values <sup>1</sup>	Value Description
M1025_PMT_DGNS_ICD_F4_CD	M1025 (M0246) Case Mix Dx - Secndry ICD10; 5, Col4	Char		
M1033_HOSP_RISK_HSTRY_FALLS	M1033 (M1032) Risk For Hosp - History Of Falls	Char		Missing Value
			0	No
			1	Yes
M1033_HOSP_RISK_WGHT_LOSS	M1033 Risk For Hosp - Unintentional weight loss	Char		Missing Value
			0	No
			1	Yes
M1033_HOSP_RISK_MLTPH_HOSPZTN	M1033 (M1032) Risk For Hosp - More Than 1 Hospital In 12 Mo	Char		Missing Value
			0	No
			1	Yes
M1033_HOSP_RISK_PLTPL_ER_VSTS	M1033 Risk For Hosp - 2 or More ED Visits In 6 Mo	Char		Missing Value
			0	No
			1	Yes
M1033_HOSP_RISK_RCNT_DCLN	M1033 (M1032) Risk For Hosp - Decline In Mental, Emotional, Behavioral	Char		Missing Value
			0	No
			1	Yes
M1033_HOSP_RISK_5PLUS_MDCTN	M1033 (M1032) Risk For Hosp - Taking 5 Or More Meds	Char		Missing Value

<sup>1</sup>The range of values field contain approximate values for the payment, cost, and count variables. The actual values may include extreme outliers (positive or negative). Users may wish to consider applying top or bottom coding.

NCHS Survey Data Linked to CMS MBSF, Claims/Encounters, and Assessment Data  
Outcome and Assessment Information Set (OASIS)

Date Created: 29JAN2021

Number of Variables: 806

Variable Name	Variable (VAR) Label	VAR Type	Range of Values <sup>1</sup>	Value Description
			0	No
			1	Yes
M1033_HOSP_RISK_EXHAUSTION	M1033 Risk For Hosp - Exhaustion	Char		Missing Value
			0	No
			1	Yes
M1033_HOSP_RISK_OTHR	M1033 (M1032) Risk For Hospitalization - Other	Char		Missing Value
			0	No
			1	Yes
M1033_HOSP_RISK_NONE_ABOVE	M1033 (M1032) Risk For Hosp - None Of The Above	Char		Missing Value
			0	No
			1	Yes
M1033_HOSP_RISK_CMPLY_MED_INSTR	M1033 Risk For Hosp - Reported or Observed History Of Complying With Medical Instructions	Char		Missing Value
			0	No
			1	Yes
M1041_INFLNZ_DATA_COLL_PERIOD	M1041 (M1040) Influenza Vaccine Received In Agency	Char		Missing Value
			**OTHER**	Miscoded
M1046_INFLNZ_RCVD	M1046 (M1045) Influenza Vaccine - Received	Char		Missing Value
			01	Yes; received from your agency during this episode of care (SOC/ROC to Transfer/Discharge)

<sup>1</sup>The range of values field contain approximate values for the payment, cost, and count variables. The actual values may include extreme outliers (positive or negative). Users may wish to consider applying top or bottom coding.

NCHS Survey Data Linked to CMS MBSF, Claims/Encounters, and Assessment Data  
 Outcome and Assessment Information Set (OASIS)

Date Created: 29JAN2021  
 Number of Variables: 806

Variable Name	Variable (VAR) Label	VAR Type	Range of Values <sup>1</sup>	Value Description
			02	Yes; received from your agency during a prior episode of care (SOC/ROC to Transfer/Discharge)
			03	Yes; received from another health care provider (for example, physician, pharmacist)
			04	No; patient offered and declined
			05	No; patient assessed and determined to have medical contraindication(s)
			06	No; not indicated - patient does not meet age/condition guidelines for influenza vaccine
			07	No; inability to obtain vaccine due to declared shortage
			08	No; patient did not receive the vaccine due to reasons other than those listed in responses 4 - 7
M1051_PPV_RCVD_AGENCY	M1051 (M1050) Pneumococcal Vaccine (PPV) Received In Agency	Char		Missing Value
			0	No
			1	Yes
M1056_PPV_RSN_NOT_EVER_RCVD	M1056 (M1055) Pneumococcal Vaccine (PPV) - Reason Not Received	Char		Missing Value
			01	Offered and declined
			02	Assessed and determined to have medical contraindication(s)
			03	Not indicated; patient does not meet age/condition guidelines for Pneumococcal Vaccine
			04	None of the above
M1309_NBR_STG2_AT_SOC_ROC	M1309 (M1308) Number Of Pressure Ulcers - Stage II At SOC ROC	Char		

<sup>1</sup>The range of values field contain approximate values for the payment, cost, and count variables. The actual values may include extreme outliers (positive or negative). Users may wish to consider applying top or bottom coding.

**NCHS Survey Data Linked to CMS MBSF, Claims/Encounters, and Assessment Data  
Outcome and Assessment Information Set (OASIS)**

Date Created: 29JAN2021

Number of Variables: 806

Variable Name	Variable (VAR) Label	VAR Type	Range of Values <sup>1</sup>	Value Description
M1309_NBR_STG3_AT_SOC_ROC	M1309 (M1308) Number Of Pressure Ulcers - Stage III At SOC ROC	Char		
M1309_NBR_STG4_AT_SOC_ROC	M1309 (M1308) Number Of Pressure Ulcers - Stage IV At SOC ROC	Char		
M2102_CARE_TYPE_SRC_ADL	M2102 (M2100) Care Management - ADL Assistance	Char		Missing Value
			00	No assistance needed in this area
			01	Caregiver(s) currently provides assistance
			02	Caregiver(s) need training/supportive services to provide assistance
			03	Caregiver(s) not likely to provide assistance
			04	Assistance needed, but no caregiver(s) available
M2102_CARE_TYPE_SRC_IADL	M2102 (M2100) Care Management - IADL Assistance	Char		Missing Value
			00	No assistance needed in this area
			01	Caregiver(s) currently provides assistance
			02	Caregiver(s) need training/supportive services to provide assistance
			03	Caregiver(s) not likely to provide assistance
			04	Assistance needed, but no caregiver(s) available
M2102_CARE_TYPE_SRC_MDCTN	M2102 (M2100) Care Management - Medication Administration	Char		Missing Value
			00	No assistance needed in this area
			01	Caregiver(s) currently provides assistance
			02	Caregiver(s) need training/supportive services to provide assistance
			03	Caregiver(s) not likely to provide assistance

<sup>1</sup>The range of values field contain approximate values for the payment, cost, and count variables. The actual values may include extreme outliers (positive or negative). Users may wish to consider applying top or bottom coding.

NCHS Survey Data Linked to CMS MBSF, Claims/Encounters, and Assessment Data  
 Outcome and Assessment Information Set (OASIS)

Date Created: 29JAN2021  
 Number of Variables: 806

Variable Name	Variable (VAR) Label	VAR Type	Range of Values <sup>1</sup>	Value Description
			04	Assistance needed, but no caregiver(s) available
M2102_CARE_TYPE_SRC_PRCDR	M2102 (M2100) Care Management - Medical Procedures / Treatments	Char		Missing Value
			00	No assistance needed in this area
			01	Caregiver(s) currently provides assistance
			02	Caregiver(s) need training/supportive services to provide assistance
			03	Caregiver(s) not likely to provide assistance
			04	Assistance needed, but no caregiver(s) available
M2102_CARE_ASTNC_EQUIP_CD	M2102 (M2100) Care Management - Management Of Equipment	Char		Missing Value
			00	No assistance needed in this area
			01	Caregiver(s) currently provides assistance
			02	Caregiver(s) need training/supportive services to provide assistance
			03	Caregiver(s) not likely to provide assistance
			04	Assistance needed, but no caregiver(s) available
M2102_CARE_TYPE_SRC_SPRVSN	M2102 (M2100) Care Management - Supervision And Safety	Char		Missing Value
			00	No assistance needed in this area
			01	Caregiver(s) currently provides assistance
			02	Caregiver(s) need training/supportive services to provide assistance
			03	Caregiver(s) not likely to provide assistance
			04	Assistance needed, but no caregiver(s) available

<sup>1</sup>The range of values field contain approximate values for the payment, cost, and count variables. The actual values may include extreme outliers (positive or negative). Users may wish to consider applying top or bottom coding.

NCHS Survey Data Linked to CMS MBSF, Claims/Encounters, and Assessment Data  
 Outcome and Assessment Information Set (OASIS)

Date Created: 29JAN2021

Number of Variables: 806

Variable Name	Variable (VAR) Label	VAR Type	Range of Values <sup>1</sup>	Value Description
M2102_CARE_TYPE_SRC_ADVCY	M2102 (M2100) Care Management - Advocacy Or Facilitation	Char		Missing Value
			00	No assistance needed in this area
			01	Caregiver(s) currently provides assistance
			02	Caregiver(s) need training/supportive services to provide assistance
			03	Caregiver(s) not likely to provide assistance
			04	Assistance needed, but no caregiver(s) available
M1309_NSTG_CVRG_SOC_ROC	M1309 (M1308) Number Unstageble Pressure Ulcers D/T Coverage Slough @ SOC ROC	Char		
M1511_HRT_FAILR_PHYSN_TRTMT	M1511 Heart Fail. Follow-Up: Physician-Ordered Treatment	Char		Missing Value
			0	No
			1	Yes
CALCD_CCN_NUM	Calculated CMS Certification Number (CCN)	Char		
CALCD_PTNT_AGE_NUM	Calculated Patient Age Number	Num		
GG0170C_MBLTY_DSCHRG_GOAL_CD	GG0170C Mobility - Discharge Goal - Lying to Sitting	Char		Missing Value
			**OTHER**	Miscoded
			01	Dependent - Helper does ALL of the effort. Patient does none of the effort to complete the activity. Or, the assistance of 2 or more helpers is required for the patient to complete the activity.
			02	Substantial/maximal assistance - Helper does MORE THAN HALF the effort. Helper lifts or holds trunk or limbs and provides more than half the effort.

<sup>1</sup>The range of values field contain approximate values for the payment, cost, and count variables. The actual values may include extreme outliers (positive or negative). Users may wish to consider applying top or bottom coding.

NCHS Survey Data Linked to CMS MBSF, Claims/Encounters, and Assessment Data  
 Outcome and Assessment Information Set (OASIS)

Date Created: 29JAN2021  
 Number of Variables: 806

Variable Name	Variable (VAR) Label	VAR Type	Range of Values <sup>1</sup>	Value Description
			03	Partial/moderate assistance - Helper does LESS THAN HALF the effort. Helper lifts, holds or supports trunk or limbs, but provides less than half the effort.
			04	Supervision or touching assistance - Helper provides VERBAL CUES or TOUCHING/STEADYING assistance as patient completes activity. Assistance may be provided throughout the activity or intermittently.
			05	Setup or clean-up assistance - Helper SETS UP or CLEANS UP; patient completes activity. Helper assists only prior to or following the activity.
			06	Independent - Patient completes the activity by him/herself with no assistance from a helper.
GG0170C_MBLTY_PRFMNC_CD	GG0170C Mobility - SOC/ROC Performance - Lying to Sitting	Char		Missing Value
			**OTHER**	Miscoded
			01	Dependent - Helper does ALL of the effort. Patient does none of the effort to complete the activity. Or, the assistance of 2 or more helpers is required for the patient to complete the activity.
			02	Substantial/maximal assistance - Helper does MORE THAN HALF the effort. Helper lifts or holds trunk or limbs and provides more than half the effort.
			03	Partial/moderate assistance - Helper does LESS THAN HALF the effort. Helper lifts, holds or supports trunk or limbs, but provides less than half the effort.
			04	Supervision or touching assistance - Helper provides VERBAL CUES or TOUCHING/STEADYING assistance as patient completes activity. Assistance may be provided throughout the activity or intermittently.
			05	Setup or clean-up assistance - Helper SETS UP or CLEANS UP; patient completes activity. Helper assists only prior to or following the activity.
			06	Independent - Patient completes the activity by him/herself with no assistance from a helper.
			07	Patient refused

<sup>1</sup>The range of values field contain approximate values for the payment, cost, and count variables. The actual values may include extreme outliers (positive or negative). Users may wish to consider applying top or bottom coding.



**NCHS Survey Data Linked to CMS MBSF, Claims/Encounters, and Assessment Data  
Outcome and Assessment Information Set (OASIS)**

Date Created: 29JAN2021

Number of Variables: 806

Variable Name	Variable (VAR) Label	VAR Type	Range of Values <sup>1</sup>	Value Description
			09	Not applicable
			88	Not attempted due to medical condition or safety concerns
HHA_AGENCY_ID	HHA Agency Code	Char		
HHA_ITM_SBST_CD	HHA Item Subset Code	Char		
M1028_ACTV_DGNS_DML_IND	Active Diagnosis - Diabetes Mellitus	Char		
M1028_ACTV_DGNS_IND	Active Diagnosis - PVD or PAD	Char		
M1060_HEIGHT	M1060 Height and Weight - Height (in inches)	Char		
M1060_WEIGHT	M1060 Height and Weight - Weight (in pounds)	Char		
M1311_NBR_STG2	M1311 (M1309) Number Of Unhealed Pressure Ulcers - Stage II	Char		
M1311_NBR_STG2_AT_SOC_ROC	M1311 (M1309) Number Of Unhealed Pressure Ulcers - Stage II that were present at most recent SOC/ROC	Char		
M1311_NBR_STG3	M1311 (M1309) Number Of Unhealed Pressure Ulcers - Stage III	Char		
M1311_NBR_STG3_AT_SOC_ROC	M1311 (M1309) Number Of Unhealed Pressure Ulcers - Stage III that were present at most recent SOC/ROC	Char		
M1311_NBR_STG4	M1311 (M1309) Number Of Unhealed Pressure Ulcers - Stage IV	Char		

<sup>1</sup>The range of values field contain approximate values for the payment, cost, and count variables. The actual values may include extreme outliers (positive or negative). Users may wish to consider applying top or bottom coding.

**NCHS Survey Data Linked to CMS MBSF, Claims/Encounters, and Assessment Data  
Outcome and Assessment Information Set (OASIS)**

**Date Created: 29JAN2021**

**Number of Variables: 806**

Variable Name	Variable (VAR) Label	VAR Type	Range of Values <sup>1</sup>	Value Description
M1311_NBR_STG4_AT_SOC_ROC	M1311 (M1309) Number Of Unhealed Pressure Ulcers - Stage IV that were present at most recent SOC/ROC	Char		
M1311_NSTG_CVRG	M1311 (M1309) Number Unstageable Pressure Ulcers D/T Coverage Slough and/or Eschar	Char		
M1311_NSTG_CVRG_SOC_ROC	M1311 (M1309) Number Unstageable Pressure Ulcers D/T Coverage Slough and/or Eschar that were present at most recent SOC/ROC	Char		
M1311_NSTG_DEEP_TISSUE	M1311 (M1309) Number Unstageable Pressure Ulcers D/T Deep Tissue Injury in Evolution	Char		
M1311_NSTG_DEEP_TISSUE_SOC_ROC	M1311 (M1309) Number Unstageable Pressure Ulcers D/T Deep Tissue Injury in Evolution that were present at most recent SOC/ROC	Char		
M1311_NSTG_DRSG	M1311 (M1309) Number of Unstageable Pressure Ulcers D/T Non-removeable dressing/device	Char		
M1311_NSTG_DRSG_SOC_ROC	M1311 (M1309) Number of Unstageable Pressure Ulcers D/T Non-removeable dressing that were present at most recent SOC/ROC	Char		
M1313_NBR_STG2_NOT_PRESENT	M1313 Number Of Unhealed Pressure Ulcers - Stage II that were not present or were at a lesser stage at most recent SOC/ROC	Char		
M1313_NBR_STG3_NOT_PRESENT	M1313 (M1309) Number Of Unhealed Pressure Ulcers - Stage III that were not present or were at a lesser stage at most recent SOC/ROC	Char		
M1313_NBR_STG4_NOT_PRESENT	M1313 Number Of Unhealed Pressure Ulcers - Stage IV that were not present or were at a lesser stage at most recent SOC/ROC	Char		

<sup>1</sup>The range of values field contain approximate values for the payment, cost, and count variables. The actual values may include extreme outliers (positive or negative). Users may wish to consider applying top or bottom coding.

**NCHS Survey Data Linked to CMS MBSF, Claims/Encounters, and Assessment Data  
Outcome and Assessment Information Set (OASIS)**

Date Created: 29JAN2021

Number of Variables: 806

Variable Name	Variable (VAR) Label	VAR Type	Range of Values <sup>1</sup>	Value Description
M1313_NSTG_DRSG_NOT_PRESENT	M1313 Number of Unstageable Pressure Ulcers D/T Non-removeable dressing that were not present or were at a lesser stage at most recent SOC/ROC	Char		
M1313_NSTG_CVRG_NOT_PRESENT	M1313 Number Unstageable Pressure Ulcers D/T Coverage Slough and/or Eschar that were not present or were at a lesser stage at most recent SOC/ROC	Char		
M1313_NSTG_DEEP_TISSUE_NOT_PRSNT	M1313 Number Unstageable Pressure Ulcers D/T Deep Tissue Injury in Evolution that were not present or were at a lesser stage at most recent SOC/ROC	Char		
M1501_SYMTM_HRT_FAILR_PTNTS	M1501 Symptoms In Heart Failure Patients	Char		Patient does not have diagnosis of heart failure.
			00	No
			01	Yes
			02	Not assessed
M1511_HRT_FAILR_CARE_PLAN_CHG	M1511 Heart Fail. Follow-Up: Change In Care Plan	Char		Missing Value
			0	No
			1	Yes
M1511_HRT_FAILR_CLNCL_INTRVTN	M1511 Heart Fail. Follow-Up: Clinical Intervention	Char		Missing Value
			0	No
			1	Yes

<sup>1</sup>The range of values field contain approximate values for the payment, cost, and count variables. The actual values may include extreme outliers (positive or negative). Users may wish to consider applying top or bottom coding.

NCHS Survey Data Linked to CMS MBSF, Claims/Encounters, and Assessment Data  
 Outcome and Assessment Information Set (OASIS)

Date Created: 29JAN2021  
 Number of Variables: 806

Variable Name	Variable (VAR) Label	VAR Type	Range of Values <sup>1</sup>	Value Description
M1511_HRT_FAILR_ER_TRTMT	M1511 Heart Fail. Follow-Up: ER Treatment Advised	Char		Missing Value
			0	No
			1	Yes
M1511_HRT_FAILR_NO_ACTN	M1511 Heart Fail. Follow-Up: No Action Taken	Char		Missing Value
			0	No
			1	Yes
M1511_HRT_FAILR_PHYSN_CNTCT	M1511 Heart Fail. Follow-Up: Physician Contacted	Char		Missing Value
			0	No
			1	Yes
M2001_DRUG_RGMN_RVW	M2001 Drug Regimen Review	Char		Missing Value
			**OTHER**	Miscoded
			0	No - issues found during review
			1	Yes - issues found during review
			9	NA - Patient is not taking any medications
M2003_MDCTN_FLWP	M2003 Medication Follow-Up	Char		Missing Value
			**OTHER**	Miscoded
			0	No
			1	Yes
M2005_MDCTN_INTRVTN	M2005 Medication Intervention	Char		Missing Value
			**OTHER**	Miscoded

<sup>1</sup>The range of values field contain approximate values for the payment, cost, and count variables. The actual values may include extreme outliers (positive or negative). Users may wish to consider applying top or bottom coding.

NCHS Survey Data Linked to CMS MBSF, Claims/Encounters, and Assessment Data  
 Outcome and Assessment Information Set (OASIS)

Date Created: 29JAN2021

Number of Variables: 806

Variable Name	Variable (VAR) Label	VAR Type	Range of Values <sup>1</sup>	Value Description
			0	No
			1	Yes
			9	NA - There were no potential clinically significant medication issues identified since SOC/ROC or patient is not taking any medications
M2016_DRUG_EDCTN_INTRVTN	M2016 Patient/Caregiver Drug Educ Intervention	Char		Patient not taking any drugs
			**OTHER**	Miscoded
			NA	Patient not taking any drugs
M2301_EMER_USE_AFTR_LAST_ASMT	M2301 Emergent Care Since Last OASIS	Char		Missing Value
			00	No
			01	Yes, used hospital emergency department WITHOUT hospital admission
			02	Yes, used hospital emergency department WITH hospital admission
			UK	Unknown
M2401_INTRVTN_SMRY_DBTS_FT	M2401 Intervention Synopsis - Diabetic Foot Care	Char		Patient is not diabetic or is missing lower legs due to congenital or acquired condition (bilateral amputee)
			00	No
			01	Yes
			NA	Patient is not diabetic or is missing lower legs due to congenital or acquired condition (bilateral amputee)
M2401_INTRVTN_SMRY_DPRSN	M2401 Intervention Synopsis - Depression Intervent	Char		Patient has no diagnosis of depression AND every standardized, validated depression screening conducted at or since the most recent SOC/ROC assessment indicates the patient has: 1) no symptoms of depression; or 2) has some symptoms of depression but does not meet criteria for further evaluation of depression based on screening tool used
			00	No

<sup>1</sup>The range of values field contain approximate values for the payment, cost, and count variables. The actual values may include extreme outliers (positive or negative). Users may wish to consider applying top or bottom coding.

NCHS Survey Data Linked to CMS MBSF, Claims/Encounters, and Assessment Data  
 Outcome and Assessment Information Set (OASIS)

Date Created: 29JAN2021  
 Number of Variables: 806

Variable Name	Variable (VAR) Label	VAR Type	Range of Values <sup>1</sup>	Value Description
			01	Yes
			NA	Patient has no diagnosis of depression AND every standardized, validated depression screening conducted at or since the most recent SOC/ROC assessment indicates the patient has: 1) no symptoms of depression; or 2) has some symptoms of depression but does not meet criteria for further evaluation of depression based on screening tool used
M2401_INTRVTN_SMRY_FALL_PRVNT	M2401 Intervention Synopsis - Falls Prevention	Char		Every standardized, validated multi-factor fall risk assessment conducted at or since the most recent SOC/ROC assessment indicates the patient has no risk for falls
			00	No
			01	Yes
			NA	Every standardized, validated multi-factor fall risk assessment conducted at or since the most recent SOC/ROC assessment indicates the patient has no risk for falls
M2401_INTRVTN_SMRY_PAIN_MNTR	M2401 Intervention Synopsis - Monitor And Mitigate Pain	Char		Every standardized, validated pain assessment conducted at or since the most recent SOC/ROC assessment indicates the patient has no pain
			00	No
			01	Yes
			NA	Every standardized, validated pain assessment conducted at or since the most recent SOC/ROC assessment indicates the patient has no pain
M2401_INTRVTN_SMRY_PRSULC_PRVN	M2401 Intervention Synopsis - Prevent Pressure Ulcers	Char		Every standardized, validated pressure ulcer risk assessment conducted at or since the most recent SOC/ROC assessment indicates the patient is not at risk of developing pressure ulcers
			00	No
			01	Yes

<sup>1</sup>The range of values field contain approximate values for the payment, cost, and count variables. The actual values may include extreme outliers (positive or negative). Users may wish to consider applying top or bottom coding.

**NCHS Survey Data Linked to CMS MBSF, Claims/Encounters, and Assessment Data  
Outcome and Assessment Information Set (OASIS)**

**Date Created: 29JAN2021**

**Number of Variables: 806**

Variable Name	Variable (VAR) Label	VAR Type	Range of Values <sup>1</sup>	Value Description
			NA	Every standardized, validated pressure ulcer risk assessment conducted at or since the most recent SOC/ROC assessment indicates the patient is not at risk of developing pressure ulcers
M2401_INTRVTN_SMRY_PRSULC_WET	M2401 Intervention Synopsis - Moist Wound Treat Of Pressure Ulcer	Char		Patient has no pressure ulcers OR has no pressure ulcers for which moist wound healing is indicated
			00	No
			01	Yes
			NA	Patient has no pressure ulcers OR has no pressure ulcers for which moist wound healing is indicated
SUBMSN_CMPLT_TS	Submission Complete Timestamp	Num		Date provided in SAS date (numeric) format.
M1028_ACTV_DGNS_OTHR_IND	M1028 Active Diagnoses: None of the above	Char		
GG0100A_PRIOR_SELF_CARE_IND	GG0100A Prior Functioning: Self Care	Char		Missing Value
GG0100B_PRIOR_INDR_MBLTY_IND	GG0100B Prior Functioning: Indoor Mobility (Ambulation)	Char		Missing Value
GG0100C_PRIOR_STRS_IND	GG0100C Prior Functioning: Stairs	Char		Missing Value
GG0100D_PRIOR_FNCTNL_CGNTN_IND	GG0100D Prior Functioning: Functional Cognition	Char		Missing Value
GG0110A_PRIOR_MNL_WLCHR_IND	GG0110A Prior Device: Manual Wheelchair	Char		
GG0110B_PRIOR_MTRZD_WLCHR_IND	GG0110B Prior Device: Motorized Wheelchair and/or Scooter	Char		
GG0110C_PRIOR_MCHNCL_LIFT_IND	GG0110C Prior Device: Mechanical Lift	Char		

<sup>1</sup>The range of values field contain approximate values for the payment, cost, and count variables. The actual values may include extreme outliers (positive or negative). Users may wish to consider applying top or bottom coding.

**NCHS Survey Data Linked to CMS MBSF, Claims/Encounters, and Assessment Data  
Outcome and Assessment Information Set (OASIS)**

Date Created: 29JAN2021

Number of Variables: 806

Variable Name	Variable (VAR) Label	VAR Type	Range of Values <sup>1</sup>	Value Description
GG0110D_PRIOR_WLKR_IND	GG0110D Prior Device: Walker	Char		
GG0110E_PRIOR_ORTHTCS_IND	GG0110E Prior Device: Orthotics/Prosthetics	Char		
GG0110Z_PRIOR_NONE_OF_THE_ABV	GG0110Z Prior Device: None of the Above	Char		
GG0130A1_EATG_ABILITY_STRT_CD	GG0130A1 Self Care: Eating Ability at SOC/ROC	Char		Missing Value
GG0130A2_EATG_ABILITY_GOAL_CD	GG0130A2 Self Care: Eating Goal by Discharge	Char		Missing Value
GG0130A3_EATG_ABILITY_END_CD	GG0130A3 Self Care: Eating Ability at Discharge	Char		Missing Value
GG0130A3_EATG_ABILITY_FLWP_CD	GG0130A3 Self Care: Eating Ability at Follow-Up	Char		Missing Value
GG0130B1_ORAL_HYGN_STRT_CD	GG0130B1 Self Care: Oral Hygiene Ability at SOC/ROC	Char		Missing Value
GG0130B2_ORAL_HYGN_GOAL_CD	GG0130B2 Self Care: Oral Hygiene Goal by Discharge	Char		Missing Value
GG0130B3_ORAL_HYGN_END_CD	GG0130B3 Self Care: Oral Hygiene Ability at Discharge	Char		Missing Value
GG0130B3_ORAL_HYGN_FLWP_CD	GG0130B3 Self Care: Oral Hygiene Ability at Follow-Up	Char		Missing Value
GG0130C1_TOILTG_HYGN_STRT_CD	GG0130C1 Self Care: Toileting Hygiene Ability at SOC/ROC	Char		Missing Value

<sup>1</sup>The range of values field contain approximate values for the payment, cost, and count variables. The actual values may include extreme outliers (positive or negative). Users may wish to consider applying top or bottom coding.



**NCHS Survey Data Linked to CMS MBSF, Claims/Encounters, and Assessment Data  
Outcome and Assessment Information Set (OASIS)**

**Date Created: 29JAN2021**

**Number of Variables: 806**

Variable Name	Variable (VAR) Label	VAR Type	Range of Values <sup>1</sup>	Value Description
GG0130C2_TOILTG_HYGN_GOAL_CD	GG0130C2 Self Care: Toileting Hygiene Goal by Discharge	Char		Missing Value
GG0130C3_TOILTG_HYGN_END_CD	GG0130C3 Self Care: Toileting Hygiene Ability at Discharge	Char		Missing Value
GG0130C3_TOILTG_HYGN_FLWP_CD	GG0130C3 Self Care: Toileting Hygiene Ability at Follow-Up	Char		Missing Value
GG0130E1_SHWR_BTHER_STRT_CD	GG0130E1 Self Care: Shower/Bathe Ability at SOC/ROC	Char		Missing Value
GG0130E2_SHWR_BTHER_GOAL_CD	GG0130E2 Self Care: Shower/Bathe Goal by Discharge	Char		Missing Value
GG0130E3_SHWR_BTHER_END_CD	GG0130E3 Self Care: Shower/Bathe Ability at Discharge	Char		Missing Value
GG0130F1_UPR_DRNG_STRT_CD	GG0130F1 Self Care: Upper Body Dressing Ability at SOC/ROC	Char		Missing Value
GG0130F2_UPR_DRNG_GOAL_CD	GG0130F2 Self Care: Upper Body Dressing Goal by Discharge	Char		Missing Value
GG0130F3_UPR_DRNG_END_CD	GG0130F3 Self Care: Upper Body Dressing Ability at Discharge	Char		Missing Value
GG0130G1_LWR_DRNG_STRT_CD	GG0130G1 Self Care: Lower Body Dressing Ability at SOC/ROC	Char		Missing Value
GG0130G2_LWR_DRNG_GOAL_CD	GG0130G2 Self Care: Lower Body Dressing Goal by Discharge	Char		Missing Value

<sup>1</sup>The range of values field contain approximate values for the payment, cost, and count variables. The actual values may include extreme outliers (positive or negative). Users may wish to consider applying top or bottom coding.

**NCHS Survey Data Linked to CMS MBSF, Claims/Encounters, and Assessment Data  
Outcome and Assessment Information Set (OASIS)**

**Date Created: 29JAN2021**

**Number of Variables: 806**

Variable Name	Variable (VAR) Label	VAR Type	Range of Values <sup>1</sup>	Value Description
GG0130G3_LWR_DRSNG_END_CD	GG0130G3 Self Care: Lower Body Dressing Ability at Discharge	Char		Missing Value
GG0130H1_FTWR_STRT_CD	GG0130H1 Self Care: Footwear Ability at SOC/ROC	Char		Missing Value
GG0130H2_FTWR_GOAL_CD	GG0130H2 Self Care: Footwear Goal by Discharge	Char		Missing Value
GG0130H3_FTWR_END_CD	GG0130H3 Self Care: Footwear Ability at Discharge	Char		Missing Value
GG0170A1_ROLL_STRT_CD	GG0170A1 Mobility: Roll Left Right Ability at SOC/ROC	Char		Missing Value
GG0170A2_ROLL_GOAL_CD	GG0170A2 Mobility: Roll Left Right Goal by Discharge	Char		Missing Value
GG0170A3_ROLL_END_CD	GG0170A3 Mobility: Roll Left Right Ability at Discharge	Char		Missing Value
GG0170A4_ROLL_FLWP_CD	GG0170A4 Mobility: Roll Left Right Ability at Follow-Up	Char		Missing Value
GG0170B1_SIT_STRT_CD	GG0170B1 Mobility: Sit to Lying at SOC/ROC	Char		Missing Value
GG0170B2_SIT_GOAL_CD	GG0170B2 Mobility: Sit to Lying Goal by Discharge	Char		Missing Value
GG0170B3_SIT_END_CD	GG0170B3 Mobility: Sit to Lying at Discharge	Char		Missing Value
GG0170B4_SIT_FLWP_CD	GG0170B4 Mobility: Sit to Lying at Follow-Up	Char		Missing Value

<sup>1</sup>The range of values field contain approximate values for the payment, cost, and count variables. The actual values may include extreme outliers (positive or negative). Users may wish to consider applying top or bottom coding.

**NCHS Survey Data Linked to CMS MBSF, Claims/Encounters, and Assessment Data  
Outcome and Assessment Information Set (OASIS)**

**Date Created: 29JAN2021**

**Number of Variables: 806**

Variable Name	Variable (VAR) Label	VAR Type	Range of Values <sup>1</sup>	Value Description
GG0170C3_LYNG_END_CD	GG0170C3 Mobility: Lying to Sitting at Side of Bed Ability at Discharge	Char		Missing Value
GG0170C4_LYNG_FLWP_CD	GG0170C4 Mobility: Lying to Sitting at Side of Bed Ability at Follow-Up	Char		Missing Value
GG0170D1_STND_STRT_CD	GG0170D1 Mobility: Sitting to Standing Ability at SOC/ROC	Char		Missing Value
GG0170D2_STND_GOAL_CD	GG0170D2 Mobility: Sitting to Standing Goal by Discharge	Char		Missing Value
GG0170D3_STND_END_CD	GG0170D3 Mobility: Sitting to Standing Ability at Discharge	Char		Missing Value
GG0170D4_STND_FLWP_CD	GG0170D4 Mobility: Sitting to Standing Ability at Follow-Up	Char		Missing Value
GG0170E1_CHR_TRNSFR_STRT_CD	GG0170E1 Mobility: Chair/Bed to Chair Transfer Ability at SOC/ROC	Char		Missing Value
GG0170E2_CHR_TRNSFR_GOAL_CD	GG0170E2 Mobility: Chair/Bed to Chair Transfer Goal by Discharge	Char		Missing Value
GG0170E3_CHR_TRNSFR_END_CD	GG0170E3 Mobility: Chair/Bed to Chair Transfer Ability at Discharge	Char		Missing Value
GG0170E4_CHR_TRNSFR_FLWP_CD	GG0170E4 Mobility: Chair/Bed to Chair Transfer Ability at Follow-Up	Char		Missing Value
GG0170F1_TOILT_TRNSFR_STRT_CD	GG0170F1 Mobility: Toilet Transfer Ability at SOC/ROC	Char		Missing Value

<sup>1</sup>The range of values field contain approximate values for the payment, cost, and count variables. The actual values may include extreme outliers (positive or negative). Users may wish to consider applying top or bottom coding.

**NCHS Survey Data Linked to CMS MBSF, Claims/Encounters, and Assessment Data  
Outcome and Assessment Information Set (OASIS)**

**Date Created: 29JAN2021**

**Number of Variables: 806**

Variable Name	Variable (VAR) Label	VAR Type	Range of Values <sup>1</sup>	Value Description
GG0170F2_TOILT_TRNSFR_GOAL_CD	GG0170F2 Mobility: Toilet Transfer Goal by Discharge	Char		Missing Value
GG0170F3_TOILT_TRNSFR_END_CD	GG0170F3 Mobility: Toilet Transfer Ability at Discharge	Char		Missing Value
GG0170F4_TOILT_TRNSFR_FLWP_CD	GG0170F4 Mobility: Toilet Transfer Ability at Follow-Up	Char		Missing Value
GG0170G1_CAR_TRNSFR_STRT_CD	GG0170G1 Mobility: Car transfer Ability at SOC/ROC	Char		Missing Value
GG0170G2_CAR_TRNSFR_GOAL_CD	GG0170G2 Mobility: Car transfer Goal by Discharge	Char		Missing Value
GG0170G3_CAR_TRNSFR_END_CD	GG0170G3 Mobility: Car transfer Ability at Discharge	Char		Missing Value
GG0170I1_WLK_10_FEET_STRT_CD	GG0170I1 Mobility: Ability to Walk 10 feet at SOC/ROC	Char		Missing Value
GG0170I2_WLK_10_FEET_GOAL_CD	GG0170I2 Mobility: Goal to Walk 10 feet by Discharge	Char		Missing Value
GG0170I3_WLK_10_FEET_END_CD	GG0170I3 Mobility: Ability to Walk 10 feet at Discharge	Char		Missing Value
GG0170I4_WLK_10_FEET_FLWP_CD	GG0170I4 Mobility: Ability to Walk 10 feet at Follow-Up	Char		Missing Value
GG0170J1_WLK_50_FEET_STRT_CD	GG0170J1 Mobility: Ability to Walk 50 Feet With Two Turns at SOC/ROC	Char		Missing Value

<sup>1</sup>The range of values field contain approximate values for the payment, cost, and count variables. The actual values may include extreme outliers (positive or negative). Users may wish to consider applying top or bottom coding.

**NCHS Survey Data Linked to CMS MBSF, Claims/Encounters, and Assessment Data  
Outcome and Assessment Information Set (OASIS)**

**Date Created: 29JAN2021**

**Number of Variables: 806**

Variable Name	Variable (VAR) Label	VAR Type	Range of Values <sup>1</sup>	Value Description
GG0170J2_WLK_50_FEET_GOAL_CD	GG0170J2 Mobility: Goal to Walk 50 Feet With Two Turns by Discharge	Char		Missing Value
GG0170J3_WLK_50_FEET_END_CD	GG0170J3 Mobility: Ability to Walk 50 Feet With Two Turns at Discharge	Char		Missing Value
GG0170J4_WLK_50_FEET_FLWP_CD	GG0170J4 Mobility: Ability to Walk 50 Feet With Two Turns at Follow-Up	Char		Missing Value
GG0170K1_WLK_150_FEET_STRT_CD	GG0170K1 Mobility: Ability to Walk 150 Feet at SOC/ROC	Char		Missing Value
GG0170K2_WLK_150_FEET_GOAL_CD	GG0170K2 Mobility: Goal to Walk 150 Feet by Discharge	Char		Missing Value
GG0170K3_WLK_150_FEET_END_CD	GG0170K3 Mobility: Ability to Walk 150 Feet at Discharge	Char		Missing Value
GG0170L1_WLKG_UNEVEN_STRT_CD	GG0170L1 Mobility: Ability to Walk 10 feet on uneven surface at SOC/ROC	Char		Missing Value
GG0170L2_WLKG_UNEVEN_GOAL_CD	GG0170L2 Mobility: Goal to Walk 10 feet on uneven surface by Discharge	Char		Missing Value
GG0170L3_WLKG_UNEVEN_END_CD	GG0170L3 Mobility: Ability to Walk 10 feet on uneven surface at Discharge	Char		Missing Value
GG0170L4_WLKG_UNEVEN_FLWP_CD	GG0170L4 Mobility: Ability to Walk 10 feet on uneven surface at Follow-Up	Char		Missing Value
GG0170M1_1_STP_STRT_CD	GG0170M1 Mobility: Ability to Go Up 1 step (curb) at SOC/ROC	Char		Missing Value

<sup>1</sup>The range of values field contain approximate values for the payment, cost, and count variables. The actual values may include extreme outliers (positive or negative). Users may wish to consider applying top or bottom coding.

**NCHS Survey Data Linked to CMS MBSF, Claims/Encounters, and Assessment Data  
Outcome and Assessment Information Set (OASIS)**

**Date Created: 29JAN2021**

**Number of Variables: 806**

Variable Name	Variable (VAR) Label	VAR Type	Range of Values <sup>1</sup>	Value Description
GG0170M2_1_STP_GOAL_CD	GG0170M2 Mobility: Goal to Go Up 1 step (curb) by Discharge	Char		Missing Value
GG0170M3_1_STP_END_CD	GG0170M3 Mobility: Ability to Go Up 1 step (curb) at Discharge	Char		Missing Value
GG0170M4_1_STP_FLWP_CD	GG0170M4 Mobility: Ability to Go Up 1 step (curb) at Follow-Up	Char		Missing Value
GG0170N1_4_STP_STRT_CD	GG0170N1 Mobility: Ability to Go Up 4 steps at SOC/ROC	Char		Missing Value
GG0170N2_4_STP_GOAL_CD	GG0170N2 Mobility: Goal to Go Up 4 steps by Discharge	Char		Missing Value
GG0170N3_4_STP_END_CD	GG0170N3 Mobility: Ability to Go Up 4 steps at Discharge	Char		Missing Value
GG0170N4_4_STP_FLWP_CD	GG0170N4 Mobility: Ability to Go Up 4 steps at Follow-Up	Char		Missing Value
GG0170O1_12_STP_STRT_CD	GG0170O1 Mobility: Ability to Go Up 12 steps at SOC/ROC	Char		Missing Value
GG0170O2_12_STP_GOALCD	GG0170O2 Mobility: Goal to Go Up 12 steps by Discharge	Char		Missing Value
GG0170O3_12_STP_END_CD	GG0170O3 Mobility: Ability to Go Up 12 steps at Discharge	Char		Missing Value
GG0170P1_PCKNG_UP_OBJ_STRT_CD	GG0170P1 Mobility: Ability to up Object at SOC/ROC	Char		Missing Value

<sup>1</sup>The range of values field contain approximate values for the payment, cost, and count variables. The actual values may include extreme outliers (positive or negative). Users may wish to consider applying top or bottom coding.

**NCHS Survey Data Linked to CMS MBSF, Claims/Encounters, and Assessment Data  
Outcome and Assessment Information Set (OASIS)**

**Date Created: 29JAN2021  
Number of Variables: 806**

Variable Name	Variable (VAR) Label	VAR Type	Range of Values <sup>1</sup>	Value Description
GG0170P2_PCKNG_UP_OBJ_GOAL_CD	GG0170P2 Mobility: Goal to up Object by Discharge	Char		Missing Value
GG0170P3_PCKNG_UP_OBJ_END_CD	GG0170P3 Mobility: Ability to up Object at Discharge	Char		Missing Value
GG0170Q1_WLCHR_STRT_CD	GG0170Q1 Mobility: Uses Wheelchair and/or Scooter at SOC/ROC	Char		
GG0170Q3_WLCHR_END_CD	GG0170Q3 Mobility: Uses Wheelchair and/or Scooter at Discharge	Char		
GG0170Q4_WLCHR_FLWP_CD	GG0170Q4 Mobility: Uses Wheelchair and/or Scooter at Follow-Up	Char		
GG0170R1_WHEEL_50_STRT_CD	GG0170R1 Mobility: Ability to Wheel 50 Feet With Two Turns at SOC/ROC	Char		Missing Value
GG0170R2_WHEEL_50_GOAL_CD	GG0170R2 Mobility: Goal to Wheel 50 Feet With Two Turns by Discharge	Char		Missing Value
GG0170R3_WHEEL_50_END_CD	GG0170R3 Mobility: Ability to Wheel 50 Feet With Two Turns at Discharge	Char		Missing Value
GG0170R4_WHEEL_50_FLWP_CD	GG0170R4 Mobility: Ability to Wheel 50 Feet With Two Turns at Follow-Up	Char		Missing Value
GG0170RR1_WLCHR_50_STRT_CD	GG0170RR1 Mobility: Type of Wheelchair or Scooter Used to Propel 50 Feet at SOC/	Char		Missing Value
GG0170RR3_WLCHR_50_END_CD	GG0170RR3 Mobility: Type of Wheelchair or Scooter Used to Propel 50 Feet at Disc	Char		Missing Value

<sup>1</sup>The range of values field contain approximate values for the payment, cost, and count variables. The actual values may include extreme outliers (positive or negative). Users may wish to consider applying top or bottom coding.

**NCHS Survey Data Linked to CMS MBSF, Claims/Encounters, and Assessment Data  
Outcome and Assessment Information Set (OASIS)**

**Date Created: 29JAN2021**

**Number of Variables: 806**

Variable Name	Variable (VAR) Label	VAR Type	Range of Values <sup>1</sup>	Value Description
GG0170S1_WHEEL_150_STRT_CD	GG0170S1 Mobility: Ability to Wheel at Least 150 Feet in Corridor at SOC/ROC	Char		Missing Value
GG0170S2_WHEEL_150_GOAL_CD	GG0170S2 Mobility: Goal to Wheel at Least 150 Feet by Discharge	Char		Missing Value
GG0170S3_WHEEL_150_END_CD	GG0170S3 Mobility: Ability to Wheel at Least 150 Feet in Corridor at Discharge	Char		Missing Value
GG0170SS1_WLCHR_150_STRT_IND	GG0170SS1 Mobility: Type of Wheelchair or Scooter Used to Propel 150 Feet at SOC	Char		Missing Value
GG0170SS3_WLCHR_150_END_IND	GG0170SS3 Mobility: Type of Wheelchair or Scooter Used to Propel 150 Feet at Dis	Char		Missing Value
J1800_FLS_SINCE_STRT_IND	J1800 Falls Since SOC/ROC	Char		
J1900A_FLS_NO_INJURY_IND	J1900A Number of Falls Since SOC/ROC With No Injury Code	Char		Missing Value
J1900B_FLS_INJURY_IND	J1900B Number of Falls Since SOC/ROC With Injury Except Major Code	Char		Missing Value
J1900C_FLS_MAJ_INJURY_IND	J1900C Number of Falls Since SOC/ROC With Major Injury Code	Char		Missing Value

<sup>1</sup>The range of values field contain approximate values for the payment, cost, and count variables. The actual values may include extreme outliers (positive or negative). Users may wish to consider applying top or bottom coding.