

LCWK9. Deaths, percent of total deaths, and death rates for the 15 leading causes of death: United States and each State, 2003  
 [Rates per 100,000 population.]

Rank <sup>1</sup>	Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992) and State	Number	Percent of total deaths	Rate
United States				
...	All causes	2,448,288	100.0	841.9
1	Diseases of heart (I00-I09,I11,I13,I20-I51)	685,089	28.0	235.6
2	Malignant neoplasms (C00-C97)	556,902	22.7	191.5
3	Cerebrovascular diseases (I60-I69)	157,689	6.4	54.2
4	Chronic lower respiratory diseases (J40-J47)	126,382	5.2	43.5
5	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	109,277	4.5	37.6
6	Diabetes mellitus (E10-E14)	74,219	3.0	25.5
7	Influenza and pneumonia (J10-J18)	65,163	2.7	22.4
8	Alzheimer's disease (G30)	63,457	2.6	21.8
9	Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)	42,453	1.7	14.6
10	Septicemia (A40-A41)	34,069	1.4	11.7
11	Intentional self-harm (suicide) (*U03,X60-X84,Y87.0)	31,484	1.3	10.8
12	Chronic liver disease and cirrhosis (K70,K73-K74)	27,503	1.1	9.5
13	Essential (primary) hypertension and hypertensive renal disease (I10,I12)	21,940	0.9	7.5
14	Parkinson's disease (G20-G21)	17,997	0.7	6.2
15	Assault (homicide) (*U01-*U02,X85-Y09,Y87.1)	17,732	0.7	6.1
...	All other causes (Residual)	416,932	17.0	143.4
Alabama				
...	All causes	46,716	100.0	1,038.0
1	Diseases of heart (I00-I09,I11,I13,I20-I51)	13,150	28.1	292.2
2	Malignant neoplasms (C00-C97)	9,812	21.0	218.0
3	Cerebrovascular diseases (I60-I69)	3,028	6.5	67.3
4	Chronic lower respiratory diseases (J40-J47)	2,434	5.2	54.1
5	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	2,179	4.7	48.4
6	Diabetes mellitus (E10-E14)	1,414	3.0	31.4
7	Alzheimer's disease (G30)	1,268	2.7	28.2
8	Influenza and pneumonia (J10-J18)	1,157	2.5	25.7
9	Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)	1,062	2.3	23.6
10	Septicemia (A40-A41)	854	1.8	19.0
11	Intentional self-harm (suicide) (*U03,X60-X84,Y87.0)	521	1.1	11.6
12	Chronic liver disease and cirrhosis (K70,K73-K74)	440	0.9	9.8
13	Assault (homicide) (*U01-*U02,X85-Y09,Y87.1)	434	0.9	9.6
14	Essential (primary) hypertension and hypertensive renal disease (I10,I12)	402	0.9	8.9
15	Pneumonitis due to solids and liquids (J69)	309	0.7	6.9
...	All other causes (Residual)	8,252	17.7	183.3

Source: CDC/NCHS, National Vital Statistics System

1 Rank based on number of deaths

... Category not applicable

LCWK9. Deaths, percent of total deaths, and death rates for the 15 leading causes of death: United States and each State, 2003

[Rates per 100,000 population.]

Rank <sup>1</sup>	Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992) and State	Number	Percent of total deaths	Rate
Alaska				
...	All causes	3,180	100.0	490.1
1	Malignant neoplasms (C00-C97)	735	23.1	113.3
2	Diseases of heart (I00-I09,I11,I13,I20-I51)	626	19.7	96.5
3	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	321	10.1	49.5
4	Cerebrovascular diseases (I60-I69)	185	5.8	28.5
5	Chronic lower respiratory diseases (J40-J47)	147	4.6	22.7
6	Intentional self-harm (suicide) (*U03,X60-X84,Y87.0)	124	3.9	19.1
7	Diabetes mellitus (E10-E14)	102	3.2	15.7
8	Atherosclerosis (I70)	64	2.0	9.9
9	Influenza and pneumonia (J10-J18)	60	1.9	9.2
10	Chronic liver disease and cirrhosis (K70,K73-K74)	58	1.8	8.9
11	Alzheimer's disease (G30)	56	1.8	8.6
12	Assault (homicide) (*U01-*U02,X85-Y09,Y87.1)	47	1.5	7.2
13	Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)	28	0.9	4.3
14	Septicemia (A40-A41)	22	0.7	3.4
15	Parkinson's disease (G20-G21)	19	0.6	*
15	Certain conditions originating in the perinatal period (P00-P96)	19	0.6	*
...	All other causes (Residual)	567	17.8	87.4
Arizona				
...	All causes	43,392	100.0	777.5
1	Diseases of heart (I00-I09,I11,I13,I20-I51)	10,887	25.1	195.1
2	Malignant neoplasms (C00-C97)	9,627	22.2	172.5
3	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	2,697	6.2	48.3
4	Chronic lower respiratory diseases (J40-J47)	2,560	5.9	45.9
5	Cerebrovascular diseases (I60-I69)	2,428	5.6	43.5
6	Alzheimer's disease (G30)	1,703	3.9	30.5
7	Influenza and pneumonia (J10-J18)	1,286	3.0	23.0
8	Diabetes mellitus (E10-E14)	1,153	2.7	20.7
9	Intentional self-harm (suicide) (*U03,X60-X84,Y87.0)	840	1.9	15.1
10	Chronic liver disease and cirrhosis (K70,K73-K74)	643	1.5	11.5
11	Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)	563	1.3	10.1
12	Assault (homicide) (*U01-*U02,X85-Y09,Y87.1)	498	1.1	8.9
13	Septicemia (A40-A41)	472	1.1	8.5
14	Parkinson's disease (G20-G21)	408	0.9	7.3
15	Essential (primary) hypertension and hypertensive renal disease (I10,I12)	346	0.8	6.2
...	All other causes (Residual)	7,281	16.8	130.5

Source: CDC/NCHS, National Vital Statistics System

1 Rank based on number of deaths

... Category not applicable

LCWK9. Deaths, percent of total deaths, and death rates for the 15 leading causes of death: United States and each State, 2003  
 [Rates per 100,000 population.]

Rank <sup>1</sup>	Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992) and State	Number	Percent of total deaths	Rate
Arkansas				
...	All causes	27,918	100.0	1,024.2
1	Diseases of heart (I00-I09,I11,I13,I20-I51)	7,786	27.9	285.6
2	Malignant neoplasms (C00-C97)	6,119	21.9	224.5
3	Cerebrovascular diseases (I60-I69)	2,107	7.5	77.3
4	Chronic lower respiratory diseases (J40-J47)	1,500	5.4	55.0
5	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	1,304	4.7	47.8
6	Influenza and pneumonia (J10-J18)	921	3.3	33.8
7	Diabetes mellitus (E10-E14)	884	3.2	32.4
8	Alzheimer's disease (G30)	552	2.0	20.3
9	Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)	526	1.9	19.3
10	Septicemia (A40-A41)	501	1.8	18.4
11	Intentional self-harm (suicide) (*U03,X60-X84,Y87.0)	374	1.3	13.7
12	Pneumonitis due to solids and liquids (J69)	223	0.8	8.2
13	Chronic liver disease and cirrhosis (K70,K73-K74)	220	0.8	8.1
14	Essential (primary) hypertension and hypertensive renal disease (I10,I12)	209	0.7	7.7
15	Assault (homicide) (*U01-*U02,X85-Y09,Y87.1)	195	0.7	7.2
...	All other causes (Residual)	4,497	16.1	165.0
California				
...	All causes	239,371	100.0	674.6
1	Diseases of heart (I00-I09,I11,I13,I20-I51)	68,864	28.8	194.1
2	Malignant neoplasms (C00-C97)	54,319	22.7	153.1
3	Cerebrovascular diseases (I60-I69)	17,692	7.4	49.9
4	Chronic lower respiratory diseases (J40-J47)	13,448	5.6	37.9
5	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	10,471	4.4	29.5
6	Influenza and pneumonia (J10-J18)	8,185	3.4	23.1
7	Diabetes mellitus (E10-E14)	7,093	3.0	20.0
8	Alzheimer's disease (G30)	6,585	2.8	18.6
9	Chronic liver disease and cirrhosis (K70,K73-K74)	3,833	1.6	10.8
10	Intentional self-harm (suicide) (*U03,X60-X84,Y87.0)	3,397	1.4	9.6
11	Essential (primary) hypertension and hypertensive renal disease (I10,I12)	2,586	1.1	7.3
12	Assault (homicide) (*U01-*U02,X85-Y09,Y87.1)	2,487	1.0	7.0
13	Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)	2,334	1.0	6.6
14	Parkinson's disease (G20-G21)	1,803	0.8	5.1
15	Atherosclerosis (I70)	1,532	0.6	4.3
...	All other causes (Residual)	34,742	14.5	97.9

Source: CDC/NCHS, National Vital Statistics System

1 Rank based on number of deaths

... Category not applicable

LCWK9. Deaths, percent of total deaths, and death rates for the 15 leading causes of death: United States and each State, 2003  
 [Rates per 100,000 population.]

Rank <sup>1</sup>	Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992) and State	Number	Percent of total deaths	Rate
Colorado				
...	All causes	29,506	100.0	648.4
1	Diseases of heart (I00-I09,I11,I13,I20-I51)	6,499	22.0	142.8
2	Malignant neoplasms (C00-C97)	6,417	21.7	141.0
3	Chronic lower respiratory diseases (J40-J47)	1,931	6.5	42.4
4	Cerebrovascular diseases (I60-I69)	1,813	6.1	39.8
5	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	1,806	6.1	39.7
6	Alzheimer's disease (G30)	899	3.0	19.8
7	Influenza and pneumonia (J10-J18)	810	2.7	17.8
8	Intentional self-harm (suicide) (*U03,X60-X84,Y87.0)	728	2.5	16.0
9	Diabetes mellitus (E10-E14)	708	2.4	15.6
10	Atherosclerosis (I70)	493	1.7	10.8
11	Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)	409	1.4	9.0
12	Chronic liver disease and cirrhosis (K70,K73-K74)	408	1.4	9.0
13	Septicemia (A40-A41)	319	1.1	7.0
14	Parkinson's disease (G20-G21)	279	0.9	6.1
15	Pneumonitis due to solids and liquids (J69)	245	0.8	5.4
...	All other causes (Residual)	5,742	19.5	126.2
Connecticut				
...	All causes	29,627	100.0	850.5
1	Diseases of heart (I00-I09,I11,I13,I20-I51)	8,389	28.3	240.8
2	Malignant neoplasms (C00-C97)	7,131	24.1	204.7
3	Cerebrovascular diseases (I60-I69)	1,828	6.2	52.5
4	Chronic lower respiratory diseases (J40-J47)	1,445	4.9	41.5
5	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	1,112	3.8	31.9
6	Influenza and pneumonia (J10-J18)	860	2.9	24.7
7	Diabetes mellitus (E10-E14)	665	2.2	19.1
8	Septicemia (A40-A41)	630	2.1	18.1
9	Alzheimer's disease (G30)	612	2.1	17.6
10	Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)	567	1.9	16.3
11	Pneumonitis due to solids and liquids (J69)	349	1.2	10.0
12	Chronic liver disease and cirrhosis (K70,K73-K74)	319	1.1	9.2
13	Essential (primary) hypertension and hypertensive renal disease (I10,I12)	291	1.0	8.4
14	Intentional self-harm (suicide) (*U03,X60-X84,Y87.0)	272	0.9	7.8
15	Parkinson's disease (G20-G21)	225	0.8	6.5
...	All other causes (Residual)	4,932	16.6	141.6

Source: CDC/NCHS, National Vital Statistics System

1 Rank based on number of deaths

... Category not applicable

LCWK9. Deaths, percent of total deaths, and death rates for the 15 leading causes of death: United States and each State, 2003  
 [Rates per 100,000 population.]

Rank <sup>1</sup>	Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992) and State	Number	Percent of total deaths	Rate
Delaware				
...	All causes	7,070	100.0	864.8
1	Diseases of heart (I00-I09,I11,I13,I20-I51)	2,027	28.7	248.0
2	Malignant neoplasms (C00-C97)	1,719	24.3	210.3
3	Cerebrovascular diseases (I60-I69)	407	5.8	49.8
4	Chronic lower respiratory diseases (J40-J47)	339	4.8	41.5
5	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	287	4.1	35.1
6	Diabetes mellitus (E10-E14)	239	3.4	29.2
7	Alzheimer's disease (G30)	147	2.1	18.0
8	Septicemia (A40-A41)	130	1.8	15.9
8	Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)	130	1.8	15.9
10	Influenza and pneumonia (J10-J18)	127	1.8	15.5
11	Chronic liver disease and cirrhosis (K70,K73-K74)	102	1.4	12.5
12	Intentional self-harm (suicide) (*U03,X60-X84,Y87.0)	94	1.3	11.5
13	Human immunodeficiency virus (HIV) disease (B20-B24)	80	1.1	9.8
14	Pneumonitis due to solids and liquids (J69)	78	1.1	9.5
15	Aortic aneurysm and dissection (I71)	60	0.8	7.3
15	Certain conditions originating in the perinatal period (P00-P96)	60	0.8	7.3
...	All other causes (Residual)	1,044	14.8	127.7
District of Columbia				
...	All causes	5,573	100.0	987.5
1	Diseases of heart (I00-I09,I11,I13,I20-I51)	1,630	29.2	288.8
2	Malignant neoplasms (C00-C97)	1,122	20.1	198.8
3	Cerebrovascular diseases (I60-I69)	257	4.6	45.5
4	Human immunodeficiency virus (HIV) disease (B20-B24)	243	4.4	43.1
5	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	233	4.2	41.3
6	Assault (homicide) (*U01-*U02,X85-Y09,Y87.1)	194	3.5	34.4
7	Diabetes mellitus (E10-E14)	179	3.2	31.7
8	Chronic lower respiratory diseases (J40-J47)	137	2.5	24.3
9	Septicemia (A40-A41)	109	2.0	19.3
10	Alzheimer's disease (G30)	95	1.7	16.8
11	Influenza and pneumonia (J10-J18)	87	1.6	15.4
12	Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)	81	1.5	14.4
13	Chronic liver disease and cirrhosis (K70,K73-K74)	50	0.9	8.9
14	Essential (primary) hypertension and hypertensive renal disease (I10,I12)	44	0.8	7.8
14	Certain conditions originating in the perinatal period (P00-P96)	44	0.8	7.8
...	All other causes (Residual)	1,068	19.2	189.2

Source: CDC/NCHS, National Vital Statistics System

1 Rank based on number of deaths

... Category not applicable

LCWK9. Deaths, percent of total deaths, and death rates for the 15 leading causes of death: United States and each State, 2003  
 [Rates per 100,000 population.]

Rank <sup>1</sup>	Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992) and State	Number	Percent of total deaths	Rate
Florida				
...	All causes	168,657	100.0	991.0
1	Diseases of heart (I00-I09,I11,I13,I20-I51)	48,141	28.5	282.9
2	Malignant neoplasms (C00-C97)	39,404	23.4	231.5
3	Cerebrovascular diseases (I60-I69)	9,899	5.9	58.2
4	Chronic lower respiratory diseases (J40-J47)	9,087	5.4	53.4
5	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	7,919	4.7	46.5
6	Diabetes mellitus (E10-E14)	4,762	2.8	28.0
7	Alzheimer's disease (G30)	4,316	2.6	25.4
8	Influenza and pneumonia (J10-J18)	2,996	1.8	17.6
9	Intentional self-harm (suicide) (*U03,X60-X84,Y87.0)	2,297	1.4	13.5
10	Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)	2,265	1.3	13.3
11	Chronic liver disease and cirrhosis (K70,K73-K74)	2,245	1.3	13.2
12	Septicemia (A40-A41)	1,906	1.1	11.2
13	Human immunodeficiency virus (HIV) disease (B20-B24)	1,743	1.0	10.2
14	Essential (primary) hypertension and hypertensive renal disease (I10,I12)	1,560	0.9	9.2
15	Parkinson's disease (G20-G21)	1,382	0.8	8.1
...	All other causes (Residual)	28,735	17.0	168.8
Georgia				
...	All causes	66,478	100.0	765.5
1	Diseases of heart (I00-I09,I11,I13,I20-I51)	17,188	25.9	197.9
2	Malignant neoplasms (C00-C97)	14,032	21.1	161.6
3	Cerebrovascular diseases (I60-I69)	4,301	6.5	49.5
4	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	3,528	5.3	40.6
5	Chronic lower respiratory diseases (J40-J47)	3,254	4.9	37.5
6	Diabetes mellitus (E10-E14)	1,717	2.6	19.8
7	Influenza and pneumonia (J10-J18)	1,687	2.5	19.4
8	Alzheimer's disease (G30)	1,630	2.5	18.8
9	Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)	1,471	2.2	16.9
10	Septicemia (A40-A41)	1,342	2.0	15.5
11	Intentional self-harm (suicide) (*U03,X60-X84,Y87.0)	972	1.5	11.2
12	Essential (primary) hypertension and hypertensive renal disease (I10,I12)	898	1.4	10.3
13	Assault (homicide) (*U01-*U02,X85-Y09,Y87.1)	736	1.1	8.5
14	Chronic liver disease and cirrhosis (K70,K73-K74)	680	1.0	7.8
15	Human immunodeficiency virus (HIV) disease (B20-B24)	671	1.0	7.7
...	All other causes (Residual)	12,371	18.6	142.4

Source: CDC/NCHS, National Vital Statistics System

1 Rank based on number of deaths

... Category not applicable

LCWK9. Deaths, percent of total deaths, and death rates for the 15 leading causes of death: United States and each State, 2003

[Rates per 100,000 population.]

Rank <sup>1</sup>	Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992) and State	Number	Percent of total deaths	Rate
Hawaii				
...	All causes	8,978	100.0	713.9
1	Diseases of heart (I00-I09,I11,I13,I20-I51)	2,461	27.4	195.7
2	Malignant neoplasms (C00-C97)	2,133	23.8	169.6
3	Cerebrovascular diseases (I60-I69)	752	8.4	59.8
4	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	415	4.6	33.0
5	Chronic lower respiratory diseases (J40-J47)	287	3.2	22.8
6	Influenza and pneumonia (J10-J18)	237	2.6	18.8
7	Diabetes mellitus (E10-E14)	202	2.2	16.1
8	Alzheimer's disease (G30)	161	1.8	12.8
9	Septicemia (A40-A41)	146	1.6	11.6
10	Intentional self-harm (suicide) (*U03,X60-X84,Y87.0)	131	1.5	10.4
11	Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)	123	1.4	9.8
12	Pneumonitis due to solids and liquids (J69)	117	1.3	9.3
13	Parkinson's disease (G20-G21)	103	1.1	8.2
14	Essential (primary) hypertension and hypertensive renal disease (I10,I12)	85	0.9	6.8
15	Chronic liver disease and cirrhosis (K70,K73-K74)	78	0.9	6.2
...	All other causes (Residual)	1,547	17.2	123.0
Idaho				
...	All causes	10,380	100.0	759.7
1	Diseases of heart (I00-I09,I11,I13,I20-I51)	2,566	24.7	187.8
2	Malignant neoplasms (C00-C97)	2,321	22.4	169.9
3	Cerebrovascular diseases (I60-I69)	762	7.3	55.8
4	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	605	5.8	44.3
5	Chronic lower respiratory diseases (J40-J47)	601	5.8	44.0
6	Diabetes mellitus (E10-E14)	358	3.4	26.2
7	Alzheimer's disease (G30)	355	3.4	26.0
8	Influenza and pneumonia (J10-J18)	334	3.2	24.4
9	Intentional self-harm (suicide) (*U03,X60-X84,Y87.0)	217	2.1	15.9
10	Chronic liver disease and cirrhosis (K70,K73-K74)	127	1.2	9.3
11	Parkinson's disease (G20-G21)	99	1.0	7.2
12	Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)	97	0.9	7.1
13	Essential (primary) hypertension and hypertensive renal disease (I10,I12)	84	0.8	6.1
14	Aortic aneurysm and dissection (I71)	74	0.7	5.4
15	Pneumonitis due to solids and liquids (J69)	63	0.6	4.6
...	All other causes (Residual)	1,717	16.5	125.7

Source: CDC/NCHS, National Vital Statistics System

1 Rank based on number of deaths

... Category not applicable

LCWK9. Deaths, percent of total deaths, and death rates for the 15 leading causes of death: United States and each State, 2003  
 [Rates per 100,000 population.]

Rank <sup>1</sup>	Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992) and State	Number	Percent of total deaths	Rate
Illinois				
...	All causes	105,325	100.0	832.4
1	Diseases of heart (I00-I09,I11,I13,I20-I51)	29,816	28.3	235.6
2	Malignant neoplasms (C00-C97)	24,464	23.2	193.3
3	Cerebrovascular diseases (I60-I69)	6,909	6.6	54.6
4	Chronic lower respiratory diseases (J40-J47)	4,858	4.6	38.4
5	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	3,942	3.7	31.2
6	Diabetes mellitus (E10-E14)	3,044	2.9	24.1
7	Influenza and pneumonia (J10-J18)	2,875	2.7	22.7
8	Alzheimer's disease (G30)	2,626	2.5	20.8
9	Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)	2,297	2.2	18.2
10	Septicemia (A40-A41)	2,057	2.0	16.3
11	Chronic liver disease and cirrhosis (K70,K73-K74)	1,041	1.0	8.2
12	Intentional self-harm (suicide) (*U03,X60-X84,Y87.0)	1,011	1.0	8.0
13	Assault (homicide) (*U01-*U02,X85-Y09,Y87.1)	966	0.9	7.6
14	Essential (primary) hypertension and hypertensive renal disease (I10,I12)	906	0.9	7.2
15	Pneumonitis due to solids and liquids (J69)	842	0.8	6.7
...	All other causes (Residual)	17,671	16.8	139.7
Indiana				
...	All causes	55,968	100.0	903.3
1	Diseases of heart (I00-I09,I11,I13,I20-I51)	15,467	27.6	249.6
2	Malignant neoplasms (C00-C97)	12,933	23.1	208.7
3	Cerebrovascular diseases (I60-I69)	3,627	6.5	58.5
4	Chronic lower respiratory diseases (J40-J47)	3,264	5.8	52.7
5	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	2,196	3.9	35.4
6	Diabetes mellitus (E10-E14)	1,731	3.1	27.9
7	Alzheimer's disease (G30)	1,515	2.7	24.5
8	Influenza and pneumonia (J10-J18)	1,365	2.4	22.0
9	Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)	1,235	2.2	19.9
10	Septicemia (A40-A41)	851	1.5	13.7
11	Intentional self-harm (suicide) (*U03,X60-X84,Y87.0)	736	1.3	11.9
12	Chronic liver disease and cirrhosis (K70,K73-K74)	479	0.9	7.7
13	Parkinson's disease (G20-G21)	469	0.8	7.6
14	Pneumonitis due to solids and liquids (J69)	451	0.8	7.3
15	Atherosclerosis (I70)	438	0.8	7.1
...	All other causes (Residual)	9,211	16.5	148.7

Source: CDC/NCHS, National Vital Statistics System

1 Rank based on number of deaths

... Category not applicable



LCWK9. Deaths, percent of total deaths, and death rates for the 15 leading causes of death: United States and each State, 2003  
 [Rates per 100,000 population.]

Rank <sup>1</sup>	Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992) and State	Number	Percent of total deaths	Rate
Iowa				
...	All causes	28,062	100.0	953.2
1	Diseases of heart (I00-I09,I11,I13,I20-I51)	7,840	27.9	266.3
2	Malignant neoplasms (C00-C97)	6,469	23.1	219.7
3	Cerebrovascular diseases (I60-I69)	2,081	7.4	70.7
4	Chronic lower respiratory diseases (J40-J47)	1,674	6.0	56.9
5	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	1,164	4.1	39.5
6	Influenza and pneumonia (J10-J18)	1,032	3.7	35.1
7	Alzheimer's disease (G30)	887	3.2	30.1
8	Diabetes mellitus (E10-E14)	727	2.6	24.7
9	Intentional self-harm (suicide) (*U03,X60-X84,Y87.0)	352	1.3	12.0
10	Atherosclerosis (I70)	304	1.1	10.3
11	Pneumonitis due to solids and liquids (J69)	259	0.9	8.8
12	Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)	241	0.9	8.2
13	Parkinson's disease (G20-G21)	237	0.8	8.1
14	Essential (primary) hypertension and hypertensive renal disease (I10,I12)	234	0.8	7.9
15	Septicemia (A40-A41)	210	0.7	7.1
...	All other causes (Residual)	4,351	15.5	147.8
Kansas				
...	All causes	24,593	100.0	903.0
1	Diseases of heart (I00-I09,I11,I13,I20-I51)	6,491	26.4	238.3
2	Malignant neoplasms (C00-C97)	5,332	21.7	195.8
3	Cerebrovascular diseases (I60-I69)	1,758	7.1	64.5
4	Chronic lower respiratory diseases (J40-J47)	1,443	5.9	53.0
5	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	1,089	4.4	40.0
6	Alzheimer's disease (G30)	781	3.2	28.7
7	Influenza and pneumonia (J10-J18)	694	2.8	25.5
8	Diabetes mellitus (E10-E14)	676	2.7	24.8
9	Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)	531	2.2	19.5
10	Atherosclerosis (I70)	359	1.5	13.2
11	Intentional self-harm (suicide) (*U03,X60-X84,Y87.0)	347	1.4	12.7
12	Septicemia (A40-A41)	302	1.2	11.1
13	Parkinson's disease (G20-G21)	239	1.0	8.8
14	Chronic liver disease and cirrhosis (K70,K73-K74)	204	0.8	7.5
15	Pneumonitis due to solids and liquids (J69)	195	0.8	7.2
...	All other causes (Residual)	4,152	16.9	152.5

Source: CDC/NCHS, National Vital Statistics System

1 Rank based on number of deaths

... Category not applicable

LCWK9. Deaths, percent of total deaths, and death rates for the 15 leading causes of death: United States and each State, 2003  
 [Rates per 100,000 population.]

Rank <sup>1</sup>	Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992) and State	Number	Percent of total deaths	Rate
Kentucky				
...	All causes	40,241	100.0	977.2
1	Diseases of heart (I00-I09,I11,I13,I20-I51)	11,319	28.1	274.9
2	Malignant neoplasms (C00-C97)	9,378	23.3	227.7
3	Cerebrovascular diseases (I60-I69)	2,442	6.1	59.3
4	Chronic lower respiratory diseases (J40-J47)	2,391	5.9	58.1
5	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	2,270	5.6	55.1
6	Diabetes mellitus (E10-E14)	1,296	3.2	31.5
7	Alzheimer's disease (G30)	1,072	2.7	26.0
8	Influenza and pneumonia (J10-J18)	1,033	2.6	25.1
9	Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)	838	2.1	20.4
10	Intentional self-harm (suicide) (*U03,X60-X84,Y87.0)	567	1.4	13.8
11	Septicemia (A40-A41)	565	1.4	13.7
12	Chronic liver disease and cirrhosis (K70,K73-K74)	353	0.9	8.6
13	Pneumonitis due to solids and liquids (J69)	300	0.7	7.3
14	Essential (primary) hypertension and hypertensive renal disease (I10,I12)	266	0.7	6.5
15	Parkinson's disease (G20-G21)	263	0.7	6.4
...	All other causes (Residual)	5,888	14.6	143.0
Louisiana				
...	All causes	42,719	100.0	950.1
1	Diseases of heart (I00-I09,I11,I13,I20-I51)	11,540	27.0	256.7
2	Malignant neoplasms (C00-C97)	9,533	22.3	212.0
3	Cerebrovascular diseases (I60-I69)	2,526	5.9	56.2
4	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	2,208	5.2	49.1
5	Diabetes mellitus (E10-E14)	1,740	4.1	38.7
6	Chronic lower respiratory diseases (J40-J47)	1,731	4.1	38.5
7	Alzheimer's disease (G30)	1,184	2.8	26.3
8	Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)	1,065	2.5	23.7
9	Influenza and pneumonia (J10-J18)	915	2.1	20.3
10	Septicemia (A40-A41)	816	1.9	18.1
11	Assault (homicide) (*U01-*U02,X85-Y09,Y87.1)	602	1.4	13.4
12	Intentional self-harm (suicide) (*U03,X60-X84,Y87.0)	461	1.1	10.3
13	Human immunodeficiency virus (HIV) disease (B20-B24)	392	0.9	8.7
14	Essential (primary) hypertension and hypertensive renal disease (I10,I12)	356	0.8	7.9
14	Chronic liver disease and cirrhosis (K70,K73-K74)	356	0.8	7.9
...	All other causes (Residual)	7,294	17.1	162.2

Source: CDC/NCHS, National Vital Statistics System

1 Rank based on number of deaths

... Category not applicable

LCWK9. Deaths, percent of total deaths, and death rates for the 15 leading causes of death: United States and each State, 2003  
 [Rates per 100,000 population.]

Rank <sup>1</sup>	Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992) and State	Number	Percent of total deaths	Rate
Maine				
...	All causes	12,540	100.0	960.4
1	Malignant neoplasms (C00-C97)	3,120	24.9	238.9
2	Diseases of heart (I00-I09,I11,I13,I20-I51)	3,106	24.8	237.9
3	Cerebrovascular diseases (I60-I69)	802	6.4	61.4
4	Chronic lower respiratory diseases (J40-J47)	782	6.2	59.9
5	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	516	4.1	39.5
6	Alzheimer's disease (G30)	467	3.7	35.8
7	Diabetes mellitus (E10-E14)	398	3.2	30.5
8	Influenza and pneumonia (J10-J18)	327	2.6	25.0
9	Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)	265	2.1	20.3
10	Intentional self-harm (suicide) (*U03,X60-X84,Y87.0)	137	1.1	10.5
11	Septicemia (A40-A41)	136	1.1	10.4
12	Chronic liver disease and cirrhosis (K70,K73-K74)	126	1.0	9.6
13	Aortic aneurysm and dissection (I71)	100	0.8	7.7
14	Parkinson's disease (G20-G21)	98	0.8	7.5
15	Pneumonitis due to solids and liquids (J69)	97	0.8	7.4
...	All other causes (Residual)	2,063	16.5	158.0
Maryland				
...	All causes	44,499	100.0	807.8
1	Diseases of heart (I00-I09,I11,I13,I20-I51)	12,164	27.3	220.8
2	Malignant neoplasms (C00-C97)	10,292	23.1	186.8
3	Cerebrovascular diseases (I60-I69)	2,734	6.1	49.6
4	Chronic lower respiratory diseases (J40-J47)	1,986	4.5	36.1
5	Diabetes mellitus (E10-E14)	1,454	3.3	26.4
6	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	1,432	3.2	26.0
7	Influenza and pneumonia (J10-J18)	1,175	2.6	21.3
8	Septicemia (A40-A41)	1,098	2.5	19.9
9	Alzheimer's disease (G30)	865	1.9	15.7
10	Human immunodeficiency virus (HIV) disease (B20-B24)	641	1.4	11.6
11	Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)	583	1.3	10.6
12	Assault (homicide) (*U01-*U02,X85-Y09,Y87.1)	557	1.3	10.1
13	Intentional self-harm (suicide) (*U03,X60-X84,Y87.0)	491	1.1	8.9
14	Chronic liver disease and cirrhosis (K70,K73-K74)	436	1.0	7.9
15	Pneumonitis due to solids and liquids (J69)	417	0.9	7.6
...	All other causes (Residual)	8,174	18.4	148.4

Source: CDC/NCHS, National Vital Statistics System

1 Rank based on number of deaths

... Category not applicable

LCWK9. Deaths, percent of total deaths, and death rates for the 15 leading causes of death: United States and each State, 2003  
 [Rates per 100,000 population.]

Rank <sup>1</sup>	Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992) and State	Number	Percent of total deaths	Rate
Massachusetts				
...	All causes	56,291	100.0	875.0
1	Diseases of heart (I00-I09,I11,I13,I20-I51)	14,634	26.0	227.5
2	Malignant neoplasms (C00-C97)	13,551	24.1	210.6
3	Cerebrovascular diseases (I60-I69)	3,407	6.1	53.0
4	Chronic lower respiratory diseases (J40-J47)	2,765	4.9	43.0
5	Influenza and pneumonia (J10-J18)	2,019	3.6	31.4
6	Alzheimer's disease (G30)	1,609	2.9	25.0
7	Diabetes mellitus (E10-E14)	1,424	2.5	22.1
8	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	1,421	2.5	22.1
9	Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)	1,286	2.3	20.0
10	Septicemia (A40-A41)	989	1.8	15.4
11	Chronic liver disease and cirrhosis (K70,K73-K74)	569	1.0	8.8
12	Pneumonitis due to solids and liquids (J69)	568	1.0	8.8
13	Essential (primary) hypertension and hypertensive renal disease (I10,I12)	475	0.8	7.4
14	Intentional self-harm (suicide) (*U03,X60-X84,Y87.0)	433	0.8	6.7
15	Parkinson's disease (G20-G21)	420	0.7	6.5
...	All other causes (Residual)	10,721	19.0	166.6
Michigan				
...	All causes	86,728	100.0	860.4
1	Diseases of heart (I00-I09,I11,I13,I20-I51)	26,010	30.0	258.0
2	Malignant neoplasms (C00-C97)	19,713	22.7	195.6
3	Cerebrovascular diseases (I60-I69)	5,470	6.3	54.3
4	Chronic lower respiratory diseases (J40-J47)	4,472	5.2	44.4
5	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	3,324	3.8	33.0
6	Diabetes mellitus (E10-E14)	2,640	3.0	26.2
7	Alzheimer's disease (G30)	2,133	2.5	21.2
8	Influenza and pneumonia (J10-J18)	1,941	2.2	19.3
9	Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)	1,665	1.9	16.5
10	Intentional self-harm (suicide) (*U03,X60-X84,Y87.0)	1,029	1.2	10.2
11	Chronic liver disease and cirrhosis (K70,K73-K74)	998	1.2	9.9
12	Septicemia (A40-A41)	929	1.1	9.2
13	Essential (primary) hypertension and hypertensive renal disease (I10,I12)	780	0.9	7.7
14	Parkinson's disease (G20-G21)	673	0.8	6.7
15	Assault (homicide) (*U01-*U02,X85-Y09,Y87.1)	650	0.7	6.4
...	All other causes (Residual)	14,301	16.5	141.9

Source: CDC/NCHS, National Vital Statistics System

1 Rank based on number of deaths

... Category not applicable

LCWK9. Deaths, percent of total deaths, and death rates for the 15 leading causes of death: United States and each State, 2003  
 [Rates per 100,000 population.]

Rank <sup>1</sup>	Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992) and State	Number	Percent of total deaths	Rate
Minnesota				
...	All causes	37,620	100.0	743.6
1	Malignant neoplasms (C00-C97)	9,183	24.4	181.5
2	Diseases of heart (I00-I09,I11,I13,I20-I51)	8,144	21.6	161.0
3	Cerebrovascular diseases (I60-I69)	2,550	6.8	50.4
4	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	1,912	5.1	37.8
5	Chronic lower respiratory diseases (J40-J47)	1,832	4.9	36.2
6	Diabetes mellitus (E10-E14)	1,276	3.4	25.2
7	Alzheimer's disease (G30)	1,243	3.3	24.6
8	Influenza and pneumonia (J10-J18)	858	2.3	17.0
9	Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)	654	1.7	12.9
10	Intentional self-harm (suicide) (*U03,X60-X84,Y87.0)	497	1.3	9.8
11	Essential (primary) hypertension and hypertensive renal disease (I10,I12)	486	1.3	9.6
12	Parkinson's disease (G20-G21)	399	1.1	7.9
13	Chronic liver disease and cirrhosis (K70,K73-K74)	341	0.9	6.7
14	Aortic aneurysm and dissection (I71)	303	0.8	6.0
15	Septicemia (A40-A41)	287	0.8	5.7
...	All other causes (Residual)	7,655	20.3	151.3
Mississippi				
...	All causes	28,489	100.0	988.8
1	Diseases of heart (I00-I09,I11,I13,I20-I51)	8,683	30.5	301.4
2	Malignant neoplasms (C00-C97)	5,960	20.9	206.9
3	Cerebrovascular diseases (I60-I69)	1,736	6.1	60.3
4	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	1,656	5.8	57.5
5	Chronic lower respiratory diseases (J40-J47)	1,394	4.9	48.4
6	Influenza and pneumonia (J10-J18)	758	2.7	26.3
7	Diabetes mellitus (E10-E14)	680	2.4	23.6
8	Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)	676	2.4	23.5
9	Alzheimer's disease (G30)	583	2.0	20.2
10	Septicemia (A40-A41)	537	1.9	18.6
11	Essential (primary) hypertension and hypertensive renal disease (I10,I12)	372	1.3	12.9
12	Intentional self-harm (suicide) (*U03,X60-X84,Y87.0)	336	1.2	11.7
13	Assault (homicide) (*U01-*U02,X85-Y09,Y87.1)	304	1.1	10.6
14	Chronic liver disease and cirrhosis (K70,K73-K74)	220	0.8	7.6
15	Pneumonitis due to solids and liquids (J69)	217	0.8	7.5
...	All other causes (Residual)	4,377	15.4	151.9

Source: CDC/NCHS, National Vital Statistics System

1 Rank based on number of deaths

... Category not applicable

LCWK9. Deaths, percent of total deaths, and death rates for the 15 leading causes of death: United States and each State, 2003  
 [Rates per 100,000 population.]

Rank <sup>1</sup>	Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992) and State	Number	Percent of total deaths	Rate
Missouri				
...	All causes	55,582	100.0	974.4
1	Diseases of heart (I00-I09,I11,I13,I20-I51)	16,410	29.5	287.7
2	Malignant neoplasms (C00-C97)	12,354	22.2	216.6
3	Cerebrovascular diseases (I60-I69)	3,580	6.4	62.8
4	Chronic lower respiratory diseases (J40-J47)	2,939	5.3	51.5
5	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	2,786	5.0	48.8
6	Diabetes mellitus (E10-E14)	1,666	3.0	29.2
7	Influenza and pneumonia (J10-J18)	1,604	2.9	28.1
8	Alzheimer's disease (G30)	1,293	2.3	22.7
9	Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)	1,099	2.0	19.3
10	Septicemia (A40-A41)	723	1.3	12.7
11	Intentional self-harm (suicide) (*U03,X60-X84,Y87.0)	679	1.2	11.9
12	Pneumonitis due to solids and liquids (J69)	465	0.8	8.2
13	Chronic liver disease and cirrhosis (K70,K73-K74)	429	0.8	7.5
14	Essential (primary) hypertension and hypertensive renal disease (I10,I12)	424	0.8	7.4
15	Parkinson's disease (G20-G21)	384	0.7	6.7
...	All other causes (Residual)	8,747	15.7	153.3
Montana				
...	All causes	8,467	100.0	922.7
1	Diseases of heart (I00-I09,I11,I13,I20-I51)	1,984	23.4	216.2
2	Malignant neoplasms (C00-C97)	1,847	21.8	201.3
3	Chronic lower respiratory diseases (J40-J47)	588	6.9	64.1
4	Cerebrovascular diseases (I60-I69)	576	6.8	62.8
5	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	518	6.1	56.5
6	Diabetes mellitus (E10-E14)	261	3.1	28.4
7	Influenza and pneumonia (J10-J18)	256	3.0	27.9
8	Alzheimer's disease (G30)	235	2.8	25.6
9	Intentional self-harm (suicide) (*U03,X60-X84,Y87.0)	180	2.1	19.6
10	Chronic liver disease and cirrhosis (K70,K73-K74)	111	1.3	12.1
11	Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)	101	1.2	11.0
12	Septicemia (A40-A41)	87	1.0	9.5
13	Parkinson's disease (G20-G21)	76	0.9	8.3
14	Aortic aneurysm and dissection (I71)	74	0.9	8.1
15	In situ neoplasms, benign neoplasms and neoplasms of uncertain or unknown behavior (D00-D48)	71	0.8	7.7
...	All other causes (Residual)	1,502	17.7	163.7

Source: CDC/NCHS, National Vital Statistics System

1 Rank based on number of deaths

... Category not applicable

LCWK9. Deaths, percent of total deaths, and death rates for the 15 leading causes of death: United States and each State, 2003  
 [Rates per 100,000 population.]

Rank <sup>1</sup>	Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992) and State	Number	Percent of total deaths	Rate
Nebraska				
...	All causes	15,465	100.0	889.2
1	Diseases of heart (I00-I09,I11,I13,I20-I51)	3,954	25.6	227.3
2	Malignant neoplasms (C00-C97)	3,339	21.6	192.0
3	Cerebrovascular diseases (I60-I69)	1,094	7.1	62.9
4	Chronic lower respiratory diseases (J40-J47)	894	5.8	51.4
5	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	696	4.5	40.0
6	Alzheimer's disease (G30)	461	3.0	26.5
7	Influenza and pneumonia (J10-J18)	435	2.8	25.0
8	Diabetes mellitus (E10-E14)	407	2.6	23.4
9	Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)	302	2.0	17.4
10	Essential (primary) hypertension and hypertensive renal disease (I10,I12)	189	1.2	10.9
11	Intentional self-harm (suicide) (*U03,X60-X84,Y87.0)	176	1.1	10.1
12	Septicemia (A40-A41)	151	1.0	8.7
13	Parkinson's disease (G20-G21)	146	0.9	8.4
14	Atherosclerosis (I70)	135	0.9	7.8
15	Pneumonitis due to solids and liquids (J69)	126	0.8	7.2
...	All other causes (Residual)	2,960	19.1	170.2
Nevada				
...	All causes	17,858	100.0	796.8
1	Diseases of heart (I00-I09,I11,I13,I20-I51)	4,599	25.8	205.2
2	Malignant neoplasms (C00-C97)	4,138	23.2	184.6
3	Chronic lower respiratory diseases (J40-J47)	1,173	6.6	52.3
4	Cerebrovascular diseases (I60-I69)	1,028	5.8	45.9
5	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	911	5.1	40.6
6	Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)	439	2.5	19.6
7	Intentional self-harm (suicide) (*U03,X60-X84,Y87.0)	434	2.4	19.4
8	Septicemia (A40-A41)	423	2.4	18.9
9	Influenza and pneumonia (J10-J18)	410	2.3	18.3
10	Alzheimer's disease (G30)	309	1.7	13.8
11	Diabetes mellitus (E10-E14)	301	1.7	13.4
12	Chronic liver disease and cirrhosis (K70,K73-K74)	272	1.5	12.1
13	Assault (homicide) (*U01-*U02,X85-Y09,Y87.1)	183	1.0	8.2
14	Atherosclerosis (I70)	169	0.9	7.5
15	Essential (primary) hypertension and hypertensive renal disease (I10,I12)	131	0.7	5.8
...	All other causes (Residual)	2,938	16.5	131.1

Source: CDC/NCHS, National Vital Statistics System

1 Rank based on number of deaths

... Category not applicable

LCWK9. Deaths, percent of total deaths, and death rates for the 15 leading causes of death: United States and each State, 2003  
 [Rates per 100,000 population.]

Rank <sup>1</sup>	Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992) and State	Number	Percent of total deaths	Rate
New Hampshire				
...	All causes	9,708	100.0	753.9
1	Diseases of heart (I00-I09,I11,I13,I20-I51)	2,725	28.1	211.6
2	Malignant neoplasms (C00-C97)	2,485	25.6	193.0
3	Cerebrovascular diseases (I60-I69)	536	5.5	41.6
4	Chronic lower respiratory diseases (J40-J47)	531	5.5	41.2
5	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	405	4.2	31.5
6	Diabetes mellitus (E10-E14)	300	3.1	23.3
7	Alzheimer's disease (G30)	286	2.9	22.2
8	Influenza and pneumonia (J10-J18)	204	2.1	15.8
9	Intentional self-harm (suicide) (*U03,X60-X84,Y87.0)	158	1.6	12.3
10	Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)	150	1.5	11.6
11	Chronic liver disease and cirrhosis (K70,K73-K74)	106	1.1	8.2
12	Septicemia (A40-A41)	93	1.0	7.2
13	Parkinson's disease (G20-G21)	83	0.9	6.4
14	Essential (primary) hypertension and hypertensive renal disease (I10,I12)	76	0.8	5.9
15	Aortic aneurysm and dissection (I71)	69	0.7	5.4
...	All other causes (Residual)	1,501	15.5	116.6
New Jersey				
...	All causes	73,689	100.0	853.0
1	Diseases of heart (I00-I09,I11,I13,I20-I51)	22,043	29.9	255.2
2	Malignant neoplasms (C00-C97)	17,957	24.4	207.9
3	Cerebrovascular diseases (I60-I69)	3,966	5.4	45.9
4	Chronic lower respiratory diseases (J40-J47)	2,910	3.9	33.7
5	Diabetes mellitus (E10-E14)	2,484	3.4	28.8
6	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	2,371	3.2	27.4
7	Septicemia (A40-A41)	1,904	2.6	22.0
8	Influenza and pneumonia (J10-J18)	1,823	2.5	21.1
9	Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)	1,696	2.3	19.6
10	Alzheimer's disease (G30)	1,636	2.2	18.9
11	Chronic liver disease and cirrhosis (K70,K73-K74)	774	1.1	9.0
12	Human immunodeficiency virus (HIV) disease (B20-B24)	671	0.9	7.8
13	Intentional self-harm (suicide) (*U03,X60-X84,Y87.0)	588	0.8	6.8
14	Pneumonitis due to solids and liquids (J69)	564	0.8	6.5
15	Parkinson's disease (G20-G21)	526	0.7	6.1
...	All other causes (Residual)	11,776	16.0	136.3

Source: CDC/NCHS, National Vital Statistics System

1 Rank based on number of deaths

... Category not applicable



LCWK9. Deaths, percent of total deaths, and death rates for the 15 leading causes of death: United States and each State, 2003

[Rates per 100,000 population.]

Rank <sup>1</sup>	Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992) and State	Number	Percent of total deaths	Rate
New Mexico				
...	All causes	14,805	100.0	789.8
1	Diseases of heart (I00-I09,I11,I13,I20-I51)	3,402	23.0	181.5
2	Malignant neoplasms (C00-C97)	3,103	21.0	165.5
3	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	1,227	8.3	65.5
4	Chronic lower respiratory diseases (J40-J47)	936	6.3	49.9
5	Cerebrovascular diseases (I60-I69)	770	5.2	41.1
6	Diabetes mellitus (E10-E14)	599	4.0	32.0
7	Influenza and pneumonia (J10-J18)	369	2.5	19.7
8	Alzheimer's disease (G30)	360	2.4	19.2
9	Intentional self-harm (suicide) (*U03,X60-X84,Y87.0)	343	2.3	18.3
10	Chronic liver disease and cirrhosis (K70,K73-K74)	326	2.2	17.4
11	Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)	217	1.5	11.6
12	Assault (homicide) (*U01-*U02,X85-Y09,Y87.1)	164	1.1	8.7
13	Parkinson's disease (G20-G21)	152	1.0	8.1
14	Septicemia (A40-A41)	140	0.9	7.5
15	In situ neoplasms, benign neoplasms and neoplasms of uncertain or unknown behavior (D00-D48)	105	0.7	5.6
...	All other causes (Residual)	2,592	17.5	138.3
New York				
...	All causes	155,877	100.0	812.3
1	Diseases of heart (I00-I09,I11,I13,I20-I51)	55,276	35.5	288.0
2	Malignant neoplasms (C00-C97)	36,238	23.2	188.8
3	Cerebrovascular diseases (I60-I69)	7,281	4.7	37.9
4	Chronic lower respiratory diseases (J40-J47)	6,709	4.3	35.0
5	Influenza and pneumonia (J10-J18)	5,335	3.4	27.8
6	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	4,708	3.0	24.5
7	Diabetes mellitus (E10-E14)	4,227	2.7	22.0
8	Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)	2,415	1.5	12.6
9	Septicemia (A40-A41)	2,114	1.4	11.0
10	Human immunodeficiency virus (HIV) disease (B20-B24)	1,894	1.2	9.9
11	Alzheimer's disease (G30)	1,866	1.2	9.7
12	Essential (primary) hypertension and hypertensive renal disease (I10,I12)	1,472	0.9	7.7
13	Chronic liver disease and cirrhosis (K70,K73-K74)	1,374	0.9	7.2
14	Intentional self-harm (suicide) (*U03,X60-X84,Y87.0)	1,169	0.7	6.1
15	Assault (homicide) (*U01-*U02,X85-Y09,Y87.1)	963	0.6	5.0
...	All other causes (Residual)	22,836	14.7	119.0

Source: CDC/NCHS, National Vital Statistics System

1 Rank based on number of deaths

... Category not applicable

LCWK9. Deaths, percent of total deaths, and death rates for the 15 leading causes of death: United States and each State, 2003  
 [Rates per 100,000 population.]

Rank <sup>1</sup>	Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992) and State	Number	Percent of total deaths	Rate
North Carolina				
...	All causes	73,459	100.0	873.8
1	Diseases of heart (I00-I09,I11,I13,I20-I51)	18,674	25.4	222.1
2	Malignant neoplasms (C00-C97)	16,145	22.0	192.0
3	Cerebrovascular diseases (I60-I69)	5,203	7.1	61.9
4	Chronic lower respiratory diseases (J40-J47)	3,887	5.3	46.2
5	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	3,835	5.2	45.6
6	Diabetes mellitus (E10-E14)	2,388	3.3	28.4
7	Alzheimer's disease (G30)	2,145	2.9	25.5
8	Influenza and pneumonia (J10-J18)	1,990	2.7	23.7
9	Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)	1,387	1.9	16.5
10	Septicemia (A40-A41)	1,216	1.7	14.5
11	Intentional self-harm (suicide) (*U03,X60-X84,Y87.0)	955	1.3	11.4
12	Chronic liver disease and cirrhosis (K70,K73-K74)	749	1.0	8.9
13	Pneumonitis due to solids and liquids (J69)	723	1.0	8.6
14	Essential (primary) hypertension and hypertensive renal disease (I10,I12)	702	1.0	8.3
15	Assault (homicide) (*U01-*U02,X85-Y09,Y87.1)	598	0.8	7.1
...	All other causes (Residual)	12,862	17.5	153.0
North Dakota				
...	All causes	6,090	100.0	960.8
1	Diseases of heart (I00-I09,I11,I13,I20-I51)	1,632	26.8	257.5
2	Malignant neoplasms (C00-C97)	1,334	21.9	210.5
3	Cerebrovascular diseases (I60-I69)	476	7.8	75.1
4	Alzheimer's disease (G30)	336	5.5	53.0
5	Chronic lower respiratory diseases (J40-J47)	302	5.0	47.6
6	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	282	4.6	44.5
7	Diabetes mellitus (E10-E14)	211	3.5	33.3
8	Influenza and pneumonia (J10-J18)	189	3.1	29.8
9	Intentional self-harm (suicide) (*U03,X60-X84,Y87.0)	81	1.3	12.8
10	Essential (primary) hypertension and hypertensive renal disease (I10,I12)	80	1.3	12.6
11	Chronic liver disease and cirrhosis (K70,K73-K74)	78	1.3	12.3
12	Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)	56	0.9	8.8
13	Parkinson's disease (G20-G21)	53	0.9	8.4
14	Aortic aneurysm and dissection (I71)	50	0.8	7.9
15	Pneumonitis due to solids and liquids (J69)	49	0.8	7.7
...	All other causes (Residual)	881	14.5	139.0

Source: CDC/NCHS, National Vital Statistics System

1 Rank based on number of deaths

... Category not applicable

LCWK9. Deaths, percent of total deaths, and death rates for the 15 leading causes of death: United States and each State, 2003  
 [Rates per 100,000 population.]

Rank <sup>1</sup>	Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992) and State	Number	Percent of total deaths	Rate
Ohio				
...	All causes	109,110	100.0	954.1
1	Diseases of heart (I00-I09,I11,I13,I20-I51)	30,667	28.1	268.2
2	Malignant neoplasms (C00-C97)	25,076	23.0	219.3
3	Cerebrovascular diseases (I60-I69)	6,910	6.3	60.4
4	Chronic lower respiratory diseases (J40-J47)	5,927	5.4	51.8
5	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	3,757	3.4	32.9
6	Diabetes mellitus (E10-E14)	3,731	3.4	32.6
7	Alzheimer's disease (G30)	2,902	2.7	25.4
8	Influenza and pneumonia (J10-J18)	2,330	2.1	20.4
9	Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)	2,093	1.9	18.3
10	Septicemia (A40-A41)	1,595	1.5	13.9
11	Intentional self-harm (suicide) (*U03,X60-X84,Y87.0)	1,074	1.0	9.4
12	Chronic liver disease and cirrhosis (K70,K73-K74)	1,043	1.0	9.1
13	Essential (primary) hypertension and hypertensive renal disease (I10,I12)	1,025	0.9	9.0
14	Parkinson's disease (G20-G21)	826	0.8	7.2
15	Pneumonitis due to solids and liquids (J69)	778	0.7	6.8
...	All other causes (Residual)	19,376	17.8	169.4
Oklahoma				
...	All causes	35,721	100.0	1,017.2
1	Diseases of heart (I00-I09,I11,I13,I20-I51)	11,061	31.0	315.0
2	Malignant neoplasms (C00-C97)	7,338	20.5	209.0
3	Cerebrovascular diseases (I60-I69)	2,485	7.0	70.8
4	Chronic lower respiratory diseases (J40-J47)	2,160	6.0	61.5
5	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	1,748	4.9	49.8
6	Diabetes mellitus (E10-E14)	1,104	3.1	31.4
7	Influenza and pneumonia (J10-J18)	949	2.7	27.0
8	Alzheimer's disease (G30)	794	2.2	22.6
9	Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)	566	1.6	16.1
10	Intentional self-harm (suicide) (*U03,X60-X84,Y87.0)	476	1.3	13.6
11	Septicemia (A40-A41)	456	1.3	13.0
12	Chronic liver disease and cirrhosis (K70,K73-K74)	341	1.0	9.7
13	Atherosclerosis (I70)	324	0.9	9.2
14	Pneumonitis due to solids and liquids (J69)	270	0.8	7.7
15	Essential (primary) hypertension and hypertensive renal disease (I10,I12)	269	0.8	7.7
...	All other causes (Residual)	5,380	15.1	153.2

Source: CDC/NCHS, National Vital Statistics System

1 Rank based on number of deaths

... Category not applicable

LCWK9. Deaths, percent of total deaths, and death rates for the 15 leading causes of death: United States and each State, 2003  
 [Rates per 100,000 population.]

Rank <sup>1</sup>	Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992) and State	Number	Percent of total deaths	Rate
Oregon				
...	All causes	30,912	100.0	868.4
1	Malignant neoplasms (C00-C97)	7,232	23.4	203.2
2	Diseases of heart (I00-I09,I11,I13,I20-I51)	7,049	22.8	198.0
3	Cerebrovascular diseases (I60-I69)	2,554	8.3	71.7
4	Chronic lower respiratory diseases (J40-J47)	1,819	5.9	51.1
5	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	1,401	4.5	39.4
6	Alzheimer's disease (G30)	1,157	3.7	32.5
7	Diabetes mellitus (E10-E14)	1,032	3.3	29.0
8	Influenza and pneumonia (J10-J18)	632	2.0	17.8
9	Intentional self-harm (suicide) (*U03,X60-X84,Y87.0)	592	1.9	16.6
10	Chronic liver disease and cirrhosis (K70,K73-K74)	375	1.2	10.5
11	Essential (primary) hypertension and hypertensive renal disease (I10,I12)	351	1.1	9.9
12	Parkinson's disease (G20-G21)	310	1.0	8.7
13	Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)	306	1.0	8.6
14	Atherosclerosis (I70)	206	0.7	5.8
15	Aortic aneurysm and dissection (I71)	196	0.6	5.5
...	All other causes (Residual)	5,700	18.4	160.1
Pennsylvania				
...	All causes	129,769	100.0	1,049.4
1	Diseases of heart (I00-I09,I11,I13,I20-I51)	38,075	29.3	307.9
2	Malignant neoplasms (C00-C97)	29,841	23.0	241.3
3	Cerebrovascular diseases (I60-I69)	8,261	6.4	66.8
4	Chronic lower respiratory diseases (J40-J47)	6,046	4.7	48.9
5	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	5,014	3.9	40.5
6	Diabetes mellitus (E10-E14)	3,732	2.9	30.2
7	Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)	3,013	2.3	24.4
8	Influenza and pneumonia (J10-J18)	3,010	2.3	24.3
9	Alzheimer's disease (G30)	2,952	2.3	23.9
10	Septicemia (A40-A41)	2,471	1.9	20.0
11	Intentional self-harm (suicide) (*U03,X60-X84,Y87.0)	1,340	1.0	10.8
12	Pneumonitis due to solids and liquids (J69)	1,272	1.0	10.3
13	Chronic liver disease and cirrhosis (K70,K73-K74)	1,169	0.9	9.5
14	Parkinson's disease (G20-G21)	1,005	0.8	8.1
15	Essential (primary) hypertension and hypertensive renal disease (I10,I12)	953	0.7	7.7
...	All other causes (Residual)	21,615	16.7	174.8

Source: CDC/NCHS, National Vital Statistics System

1 Rank based on number of deaths

... Category not applicable

LCWK9. Deaths, percent of total deaths, and death rates for the 15 leading causes of death: United States and each State, 2003  
 [Rates per 100,000 population.]

Rank <sup>1</sup>	Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992) and State	Number	Percent of total deaths	Rate
Rhode Island				
...	All causes	10,039	100.0	932.8
1	Diseases of heart (I00-I09,I11,I13,I20-I51)	3,011	30.0	279.8
2	Malignant neoplasms (C00-C97)	2,328	23.2	216.3
3	Cerebrovascular diseases (I60-I69)	565	5.6	52.5
4	Chronic lower respiratory diseases (J40-J47)	495	4.9	46.0
5	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	393	3.9	36.5
6	Alzheimer's disease (G30)	303	3.0	28.2
7	Influenza and pneumonia (J10-J18)	267	2.7	24.8
8	Diabetes mellitus (E10-E14)	252	2.5	23.4
9	Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)	149	1.5	13.8
10	Septicemia (A40-A41)	126	1.3	11.7
11	Chronic liver disease and cirrhosis (K70,K73-K74)	94	0.9	8.7
12	Intentional self-harm (suicide) (*U03,X60-X84,Y87.0)	84	0.8	7.8
13	Pneumonitis due to solids and liquids (J69)	76	0.8	7.1
14	In situ neoplasms, benign neoplasms and neoplasms of uncertain or unknown behavior (D00-D48)	70	0.7	6.5
15	Parkinson's disease (G20-G21)	69	0.7	6.4
...	All other causes (Residual)	1,757	17.5	163.3
South Carolina				
...	All causes	38,112	100.0	919.0
1	Diseases of heart (I00-I09,I11,I13,I20-I51)	9,510	25.0	229.3
2	Malignant neoplasms (C00-C97)	8,512	22.3	205.2
3	Cerebrovascular diseases (I60-I69)	2,748	7.2	66.3
4	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	1,941	5.1	46.8
5	Chronic lower respiratory diseases (J40-J47)	1,913	5.0	46.1
6	Diabetes mellitus (E10-E14)	1,161	3.0	28.0
7	Alzheimer's disease (G30)	1,051	2.8	25.3
8	Influenza and pneumonia (J10-J18)	907	2.4	21.9
9	Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)	797	2.1	19.2
10	Septicemia (A40-A41)	652	1.7	15.7
11	Intentional self-harm (suicide) (*U03,X60-X84,Y87.0)	476	1.2	11.5
12	Chronic liver disease and cirrhosis (K70,K73-K74)	463	1.2	11.2
13	Essential (primary) hypertension and hypertensive renal disease (I10,I12)	400	1.0	9.6
14	Pneumonitis due to solids and liquids (J69)	326	0.9	7.9
15	Assault (homicide) (*U01-*U02,X85-Y09,Y87.1)	325	0.9	7.8
...	All other causes (Residual)	6,930	18.2	167.1

Source: CDC/NCHS, National Vital Statistics System

1 Rank based on number of deaths

... Category not applicable

LCWK9. Deaths, percent of total deaths, and death rates for the 15 leading causes of death: United States and each State, 2003  
 [Rates per 100,000 population.]

Rank <sup>1</sup>	Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992) and State	Number	Percent of total deaths	Rate
South Dakota				
...	All causes	7,132	100.0	933.1
1	Diseases of heart (I00-I09,I11,I13,I20-I51)	1,943	27.2	254.2
2	Malignant neoplasms (C00-C97)	1,636	22.9	214.0
3	Cerebrovascular diseases (I60-I69)	476	6.7	62.3
4	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	406	5.7	53.1
5	Chronic lower respiratory diseases (J40-J47)	379	5.3	49.6
6	Influenza and pneumonia (J10-J18)	227	3.2	29.7
7	Diabetes mellitus (E10-E14)	203	2.8	26.6
8	Alzheimer's disease (G30)	174	2.4	22.8
9	Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)	124	1.7	16.2
10	Intentional self-harm (suicide) (*U03,X60-X84,Y87.0)	102	1.4	13.3
11	Chronic liver disease and cirrhosis (K70,K73-K74)	80	1.1	10.5
12	Septicemia (A40-A41)	71	1.0	9.3
13	Parkinson's disease (G20-G21)	56	0.8	7.3
14	Aortic aneurysm and dissection (I71)	54	0.8	7.1
15	Congenital malformations, deformations and chromosomal abnormalities (Q00-Q99)	49	0.7	6.4
...	All other causes (Residual)	1,152	16.2	150.7
Tennessee				
...	All causes	57,313	100.0	981.1
1	Diseases of heart (I00-I09,I11,I13,I20-I51)	15,919	27.8	272.5
2	Malignant neoplasms (C00-C97)	12,613	22.0	215.9
3	Cerebrovascular diseases (I60-I69)	3,883	6.8	66.5
4	Chronic lower respiratory diseases (J40-J47)	3,067	5.4	52.5
5	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	3,004	5.2	51.4
6	Diabetes mellitus (E10-E14)	1,855	3.2	31.8
7	Influenza and pneumonia (J10-J18)	1,814	3.2	31.1
8	Alzheimer's disease (G30)	1,466	2.6	25.1
9	Intentional self-harm (suicide) (*U03,X60-X84,Y87.0)	762	1.3	13.0
10	Chronic liver disease and cirrhosis (K70,K73-K74)	703	1.2	12.0
11	Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)	677	1.2	11.6
12	Septicemia (A40-A41)	625	1.1	10.7
13	Essential (primary) hypertension and hypertensive renal disease (I10,I12)	573	1.0	9.8
14	Pneumonitis due to solids and liquids (J69)	474	0.8	8.1
15	Assault (homicide) (*U01-*U02,X85-Y09,Y87.1)	438	0.8	7.5
...	All other causes (Residual)	9,440	16.5	161.6

Source: CDC/NCHS, National Vital Statistics System

1 Rank based on number of deaths

... Category not applicable

LCWK9. Deaths, percent of total deaths, and death rates for the 15 leading causes of death: United States and each State, 2003  
 [Rates per 100,000 population.]

Rank <sup>1</sup>	Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992) and State	Number	Percent of total deaths	Rate
Texas				
...	All causes	154,870	100.0	700.2
1	Diseases of heart (I00-I09,I11,I13,I20-I51)	41,779	27.0	188.9
2	Malignant neoplasms (C00-C97)	33,867	21.9	153.1
3	Cerebrovascular diseases (I60-I69)	10,303	6.7	46.6
4	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	8,425	5.4	38.1
5	Chronic lower respiratory diseases (J40-J47)	7,567	4.9	34.2
6	Diabetes mellitus (E10-E14)	5,668	3.7	25.6
7	Alzheimer's disease (G30)	4,015	2.6	18.2
8	Influenza and pneumonia (J10-J18)	3,613	2.3	16.3
9	Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)	2,678	1.7	12.1
10	Intentional self-harm (suicide) (*U03,X60-X84,Y87.0)	2,363	1.5	10.7
11	Chronic liver disease and cirrhosis (K70,K73-K74)	2,309	1.5	10.4
12	Septicemia (A40-A41)	2,259	1.5	10.2
13	Assault (homicide) (*U01-*U02,X85-Y09,Y87.1)	1,525	1.0	6.9
14	Essential (primary) hypertension and hypertensive renal disease (I10,I12)	1,324	0.9	6.0
15	Certain conditions originating in the perinatal period (P00-P96)	1,195	0.8	5.4
...	All other causes (Residual)	25,980	16.8	117.5
Utah				
...	All causes	13,412	100.0	570.4
1	Diseases of heart (I00-I09,I11,I13,I20-I51)	3,018	22.5	128.3
2	Malignant neoplasms (C00-C97)	2,444	18.2	103.9
3	Cerebrovascular diseases (I60-I69)	876	6.5	37.3
4	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	702	5.2	29.9
5	Chronic lower respiratory diseases (J40-J47)	569	4.2	24.2
6	Diabetes mellitus (E10-E14)	520	3.9	22.1
7	Influenza and pneumonia (J10-J18)	453	3.4	19.3
8	Intentional self-harm (suicide) (*U03,X60-X84,Y87.0)	336	2.5	14.3
9	Alzheimer's disease (G30)	332	2.5	14.1
10	Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)	207	1.5	8.8
11	Parkinson's disease (G20-G21)	186	1.4	7.9
12	Chronic liver disease and cirrhosis (K70,K73-K74)	121	0.9	5.1
13	Septicemia (A40-A41)	120	0.9	5.1
14	Certain conditions originating in the perinatal period (P00-P96)	114	0.8	4.8
15	Congenital malformations, deformations and chromosomal abnormalities (Q00-Q99)	111	0.8	4.7
...	All other causes (Residual)	3,303	24.6	140.5

Source: CDC/NCHS, National Vital Statistics System

1 Rank based on number of deaths

... Category not applicable

LCWK9. Deaths, percent of total deaths, and death rates for the 15 leading causes of death: United States and each State, 2003

[Rates per 100,000 population.]

Rank <sup>1</sup>	Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992) and State	Number	Percent of total deaths	Rate
Vermont				
...	All causes	5,120	100.0	827.0
1	Diseases of heart (I00-I09,I11,I13,I20-I51)	1,349	26.3	217.9
2	Malignant neoplasms (C00-C97)	1,210	23.6	195.4
3	Cerebrovascular diseases (I60-I69)	306	6.0	49.4
4	Chronic lower respiratory diseases (J40-J47)	301	5.9	48.6
5	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	235	4.6	38.0
6	Diabetes mellitus (E10-E14)	183	3.6	29.6
7	Alzheimer's disease (G30)	171	3.3	27.6
8	Influenza and pneumonia (J10-J18)	116	2.3	18.7
9	Intentional self-harm (suicide) (*U03,X60-X84,Y87.0)	83	1.6	13.4
10	Chronic liver disease and cirrhosis (K70,K73-K74)	58	1.1	9.4
11	Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)	53	1.0	8.6
12	Parkinson's disease (G20-G21)	51	1.0	8.2
13	In situ neoplasms, benign neoplasms and neoplasms of uncertain or unknown behavior (D00-D48)	37	0.7	6.0
14	Septicemia (A40-A41)	36	0.7	5.8
15	Aortic aneurysm and dissection (I71)	34	0.7	5.5
...	All other causes (Residual)	897	17.5	144.9
Virginia				
...	All causes	58,282	100.0	789.1
1	Diseases of heart (I00-I09,I11,I13,I20-I51)	14,756	25.3	199.8
2	Malignant neoplasms (C00-C97)	13,781	23.6	186.6
3	Cerebrovascular diseases (I60-I69)	3,938	6.8	53.3
4	Chronic lower respiratory diseases (J40-J47)	2,983	5.1	40.4
5	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	2,644	4.5	35.8
6	Diabetes mellitus (E10-E14)	1,587	2.7	21.5
7	Influenza and pneumonia (J10-J18)	1,559	2.7	21.1
8	Alzheimer's disease (G30)	1,466	2.5	19.8
9	Septicemia (A40-A41)	1,273	2.2	17.2
10	Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)	1,244	2.1	16.8
11	Intentional self-harm (suicide) (*U03,X60-X84,Y87.0)	808	1.4	10.9
12	Chronic liver disease and cirrhosis (K70,K73-K74)	606	1.0	8.2
13	Pneumonitis due to solids and liquids (J69)	547	0.9	7.4
14	Essential (primary) hypertension and hypertensive renal disease (I10,I12)	488	0.8	6.6
15	Assault (homicide) (*U01-*U02,X85-Y09,Y87.1)	462	0.8	6.3
...	All other causes (Residual)	10,140	17.4	137.3

Source: CDC/NCHS, National Vital Statistics System

1 Rank based on number of deaths

... Category not applicable



LCWK9. Deaths, percent of total deaths, and death rates for the 15 leading causes of death: United States and each State, 2003  
 [Rates per 100,000 population.]

Rank <sup>1</sup>	Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992) and State	Number	Percent of total deaths	Rate
Washington				
...	All causes	45,920	100.0	748.9
1	Diseases of heart (I00-I09,I11,I13,I20-I51)	11,185	24.4	182.4
2	Malignant neoplasms (C00-C97)	11,064	24.1	180.4
3	Cerebrovascular diseases (I60-I69)	3,595	7.8	58.6
4	Chronic lower respiratory diseases (J40-J47)	2,652	5.8	43.3
5	Alzheimer's disease (G30)	2,380	5.2	38.8
6	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	2,239	4.9	36.5
7	Diabetes mellitus (E10-E14)	1,509	3.3	24.6
8	Influenza and pneumonia (J10-J18)	1,086	2.4	17.7
9	Intentional self-harm (suicide) (*U03,X60-X84,Y87.0)	803	1.7	13.1
10	Chronic liver disease and cirrhosis (K70,K73-K74)	568	1.2	9.3
11	Parkinson's disease (G20-G21)	482	1.0	7.9
12	Pneumonitis due to solids and liquids (J69)	414	0.9	6.8
13	Essential (primary) hypertension and hypertensive renal disease (I10,I12)	356	0.8	5.8
14	Atherosclerosis (I70)	345	0.8	5.6
15	Septicemia (A40-A41)	339	0.7	5.5
...	All other causes (Residual)	6,903	15.0	112.6
West Virginia				
...	All causes	21,306	100.0	1,176.9
1	Diseases of heart (I00-I09,I11,I13,I20-I51)	6,186	29.0	341.7
2	Malignant neoplasms (C00-C97)	4,610	21.6	254.6
3	Cerebrovascular diseases (I60-I69)	1,309	6.1	72.3
4	Chronic lower respiratory diseases (J40-J47)	1,296	6.1	71.6
5	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	1,004	4.7	55.5
6	Diabetes mellitus (E10-E14)	807	3.8	44.6
7	Influenza and pneumonia (J10-J18)	536	2.5	29.6
8	Alzheimer's disease (G30)	470	2.2	26.0
9	Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)	458	2.1	25.3
10	Septicemia (A40-A41)	292	1.4	16.1
11	Intentional self-harm (suicide) (*U03,X60-X84,Y87.0)	266	1.2	14.7
12	Chronic liver disease and cirrhosis (K70,K73-K74)	236	1.1	13.0
13	Essential (primary) hypertension and hypertensive renal disease (I10,I12)	192	0.9	10.6
14	Aortic aneurysm and dissection (I71)	136	0.6	7.5
15	Atherosclerosis (I70)	133	0.6	7.3
...	All other causes (Residual)	3,375	15.8	186.4

Source: CDC/NCHS, National Vital Statistics System

1 Rank based on number of deaths

... Category not applicable

LCWK9. Deaths, percent of total deaths, and death rates for the 15 leading causes of death: United States and each State, 2003

[Rates per 100,000 population.]

Rank <sup>1</sup>	Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992) and State	Number	Percent of total deaths	Rate
Wisconsin				
...	All causes	46,177	100.0	843.8
1	Diseases of heart (I00-I09,I11,I13,I20-I51)	12,479	27.0	228.0
2	Malignant neoplasms (C00-C97)	10,648	23.1	194.6
3	Cerebrovascular diseases (I60-I69)	3,216	7.0	58.8
4	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	2,345	5.1	42.9
5	Chronic lower respiratory diseases (J40-J47)	2,299	5.0	42.0
6	Alzheimer's disease (G30)	1,411	3.1	25.8
7	Diabetes mellitus (E10-E14)	1,331	2.9	24.3
8	Influenza and pneumonia (J10-J18)	1,165	2.5	21.3
9	Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)	873	1.9	16.0
10	Intentional self-harm (suicide) (*U03,X60-X84,Y87.0)	647	1.4	11.8
11	Parkinson's disease (G20-G21)	435	0.9	7.9
11	Chronic liver disease and cirrhosis (K70,K73-K74)	435	0.9	7.9
13	Septicemia (A40-A41)	405	0.9	7.4
14	Essential (primary) hypertension and hypertensive renal disease (I10,I12)	380	0.8	6.9
15	Aortic aneurysm and dissection (I71)	343	0.7	6.3
...	All other causes (Residual)	7,765	16.8	141.9
Wyoming				
...	All causes	4,172	100.0	832.3
1	Diseases of heart (I00-I09,I11,I13,I20-I51)	975	23.4	194.5
2	Malignant neoplasms (C00-C97)	943	22.6	188.1
3	Chronic lower respiratory diseases (J40-J47)	278	6.7	55.5
4	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	273	6.5	54.5
5	Cerebrovascular diseases (I60-I69)	253	6.1	50.5
6	Influenza and pneumonia (J10-J18)	145	3.5	28.9
7	Alzheimer's disease (G30)	142	3.4	28.3
8	Diabetes mellitus (E10-E14)	138	3.3	27.5
9	Intentional self-harm (suicide) (*U03,X60-X84,Y87.0)	109	2.6	21.7
10	Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)	57	1.4	11.4
11	Chronic liver disease and cirrhosis (K70,K73-K74)	55	1.3	11.0
12	Septicemia (A40-A41)	41	1.0	8.2
13	Aortic aneurysm and dissection (I71)	27	0.6	5.4
14	Parkinson's disease (G20-G21)	24	0.6	4.8
14	Congenital malformations, deformations and chromosomal abnormalities (Q00-Q99)	24	0.6	4.8
...	All other causes (Residual)	688	16.5	137.3

Source: CDC/NCHS, National Vital Statistics System

1 Rank based on number of deaths

... Category not applicable