

Person with disabilities experiencing problems accessing  
NCHS birth and death tables should contact  
[nchsed@cdc.gov](mailto:nchsed@cdc.gov), or call 301-458-4688

Person with disabilities experiencing problems accessing  
NCHS birth and death tables should contact  
[nchsed@cdc.gov](mailto:nchsed@cdc.gov), or call 301-458-4688



































Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
<b>Esophagitis (K20)</b>													
All races, both sexes.....	158	12	10	19	11	12	14	9	11	15	13	12	20
Male.....	73	4	5	9	7	5	6	5	6	9	6	4	7
Female.....	85	8	5	10	4	7	8	4	5	6	7	8	13
White, both sexes.....	137	10	9	15	10	8	13	9	9	12	12	12	18
Male.....	62	2	4	8	6	4	5	5	4	8	6	4	6
Female.....	75	8	5	7	4	4	8	4	5	4	6	8	12
Black, both sexes.....	19	2	1	3	1	4	1	-	2	2	1	-	2
Male.....	10	2	1	-	1	1	1	-	2	1	-	-	1
Female.....	9	-	-	3	-	3	-	-	-	1	1	-	1
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	2	-	-	1	-	-	-	-	-	1	-	-	-
Male.....	1	-	-	1	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	-	1	-	-	-
<b>Gastroesophageal reflux disease (K21)</b>													
All races, both sexes.....	592	55	40	58	37	54	40	41	40	52	62	55	58
Male.....	258	26	18	25	18	30	16	16	19	24	19	18	29
Female.....	334	29	22	33	19	24	24	25	21	28	43	37	29
White, both sexes.....	537	53	37	49	34	47	36	34	38	49	58	47	55
Male.....	235	25	17	22	17	25	13	13	18	23	18	16	28
Female.....	302	28	20	27	17	22	23	21	20	26	40	31	27
Black, both sexes.....	40	1	3	8	2	6	2	5	1	3	3	5	1
Male.....	15	-	1	3	1	4	1	2	-	1	1	1	-
Female.....	25	1	2	5	1	2	1	3	1	2	2	4	1
American Indian 1/, both sexes.....	6	1	-	1	1	-	-	-	1	-	-	1	1
Male.....	3	1	-	-	-	-	-	-	1	-	-	-	1
Female.....	3	-	-	1	1	-	-	-	-	-	-	1	-
Asian or Pacific Islander 2/, both sexes.....	9	-	-	-	-	1	2	2	-	-	1	2	1
Male.....	5	-	-	-	-	1	2	1	-	-	-	1	-
Female.....	4	-	-	-	-	-	-	1	-	-	1	1	1

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
<b>Gastroesophageal reflux disease with esophagitis (K21.0)</b>													
All races, both sexes.....	37	4	3	4	5	4	1	5	3	3	3	1	1
Male.....	18	2	2	3	3	2	1	1	1	2	1	-	-
Female.....	19	2	1	1	2	2	-	4	2	1	2	1	1
White, both sexes.....	35	4	3	3	5	4	1	4	3	3	3	1	1
Male.....	16	2	2	2	3	2	1	-	1	2	1	-	-
Female.....	19	2	1	1	2	2	-	4	2	1	2	1	1
Black, both sexes.....	1	-	-	1	-	-	-	-	-	-	-	-	-
Male.....	1	-	-	1	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	-	-	-	-	-	-	1	-	-	-	-	-
Male.....	1	-	-	-	-	-	-	1	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
<b>Gastroesophageal reflux disease without esophagitis (K21.9)</b>													
All races, both sexes.....	555	51	37	54	32	50	39	36	37	49	59	54	57
Male.....	240	24	16	22	15	28	15	15	18	22	18	18	29
Female.....	315	27	21	32	17	22	24	21	19	27	41	36	28
White, both sexes.....	502	49	34	46	29	43	35	30	35	46	55	46	54
Male.....	219	23	15	20	14	23	12	13	17	21	17	16	28
Female.....	283	26	19	26	15	20	23	17	18	25	38	30	26
Black, both sexes.....	39	1	3	7	2	6	2	5	1	3	3	5	1
Male.....	14	-	1	2	1	4	1	2	-	1	1	1	-
Female.....	25	1	2	5	1	2	1	3	1	2	2	4	1
American Indian 1/, both sexes.....	6	1	-	1	1	-	-	-	1	-	-	1	1
Male.....	3	1	-	-	-	-	-	-	1	-	-	-	1
Female.....	3	-	-	1	1	-	-	-	-	-	-	1	-
Asian or Pacific Islander 2/, both sexes.....	8	-	-	-	-	1	2	1	-	-	1	2	1
Male.....	4	-	-	-	-	1	2	-	-	-	-	1	-
Female.....	4	-	-	-	-	-	-	1	-	-	1	1	1



Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
<b>Ulcer of esophagus (K22.1)</b>													
All races, both sexes.....	97	13	13	12	7	5	10	9	6	6	4	5	7
Male.....	59	6	10	8	5	3	6	5	3	5	1	2	5
Female.....	38	7	3	4	2	2	4	4	3	1	3	3	2
White, both sexes.....	85	12	13	11	7	5	9	7	5	4	2	5	5
Male.....	53	6	10	7	5	3	6	4	2	3	1	2	4
Female.....	32	6	3	4	2	2	3	3	3	1	1	3	1
Black, both sexes.....	10	1	-	-	-	-	1	2	1	1	2	-	2
Male.....	4	-	-	-	-	-	-	1	1	1	-	-	1
Female.....	6	1	-	-	-	-	1	1	-	-	2	-	1
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	2	-	-	1	-	-	-	-	-	1	-	-	-
Male.....	2	-	-	1	-	-	-	-	-	1	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
<b>Esophageal obstruction (K22.2)</b>													
All races, both sexes.....	269	21	20	28	20	20	23	25	14	22	19	24	33
Male.....	111	10	8	14	9	9	10	11	7	7	10	7	9
Female.....	158	11	12	14	11	11	13	14	7	15	9	17	24
White, both sexes.....	246	18	16	26	19	17	21	25	12	21	15	23	33
Male.....	97	8	6	13	8	6	9	11	6	7	8	6	9
Female.....	149	10	10	13	11	11	12	14	6	14	7	17	24
Black, both sexes.....	18	1	4	2	1	2	2	-	1	1	3	1	-
Male.....	11	1	2	1	1	2	1	-	1	-	1	1	-
Female.....	7	-	2	1	-	-	1	-	-	1	2	-	-
American Indian 1/, both sexes.....	2	1	-	-	-	1	-	-	-	-	-	-	-
Male.....	1	-	-	-	-	1	-	-	-	-	-	-	-
Female.....	1	1	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	3	1	-	-	-	-	-	-	1	-	1	-	-
Male.....	2	1	-	-	-	-	-	-	-	-	1	-	-
Female.....	1	-	-	-	-	-	-	-	1	-	-	-	-













Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
<b>Gastric ulcer, Chronic or unspecified with haemorrhage (K25.4)</b>													
All races, both sexes.....	481	44	52	43	36	45	43	33	28	34	40	43	40
Male.....	247	21	29	23	18	21	24	14	13	16	29	22	17
Female.....	234	23	23	20	18	24	19	19	15	18	11	21	23
White, both sexes.....	396	40	44	37	29	38	35	24	21	30	33	33	32
Male.....	199	20	26	20	15	19	17	10	9	12	23	16	12
Female.....	197	20	18	17	14	19	18	14	12	18	10	17	20
Black, both sexes.....	65	1	6	5	5	6	7	7	5	3	7	9	4
Male.....	40	-	3	3	2	2	6	3	4	3	6	6	2
Female.....	25	1	3	2	3	4	1	4	1	-	1	3	2
American Indian 1/, both sexes.....	4	1	-	-	-	-	1	-	-	1	-	-	1
Male.....	3	-	-	-	-	-	1	-	-	1	-	-	1
Female.....	1	1	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	16	2	2	1	2	1	-	2	2	-	-	1	3
Male.....	5	1	-	-	1	-	-	1	-	-	-	-	2
Female.....	11	1	2	1	1	1	-	1	2	-	-	1	1
<b>Gastric ulcer, Chronic or unspecified with perforation (K25.5)</b>													
All races, both sexes.....	376	35	30	24	25	34	27	25	25	38	35	38	40
Male.....	150	17	12	11	13	8	12	14	5	14	15	13	16
Female.....	226	18	18	13	12	26	15	11	20	24	20	25	24
White, both sexes.....	323	30	25	20	19	24	25	24	20	33	34	33	36
Male.....	121	16	9	8	8	6	10	13	5	11	14	9	12
Female.....	202	14	16	12	11	18	15	11	15	22	20	24	24
Black, both sexes.....	46	4	4	4	6	7	2	1	4	5	1	4	4
Male.....	26	1	2	3	5	1	2	1	-	3	1	3	4
Female.....	20	3	2	1	1	6	-	-	4	2	-	1	-
American Indian 1/, both sexes.....	1	-	1	-	-	-	-	-	-	-	-	-	-
Male.....	1	-	1	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	6	1	-	-	-	3	-	-	1	-	-	1	-
Male.....	2	-	-	-	-	1	-	-	-	-	-	1	-
Female.....	4	1	-	-	-	2	-	-	1	-	-	-	-



Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Gastric ulcer, Unspecified as acute or chronic, without haemorrhage or perforation (K25.9)													
All races, both sexes.....	139	18	11	11	13	10	8	12	10	9	10	12	15
Male.....	52	7	1	4	5	3	5	5	1	4	6	2	9
Female.....	87	11	10	7	8	7	3	7	9	5	4	10	6
White, both sexes.....	117	14	11	10	11	9	7	11	7	6	8	10	13
Male.....	45	6	1	3	4	3	5	5	1	2	5	2	8
Female.....	72	8	10	7	7	6	2	6	6	4	3	8	5
Black, both sexes.....	19	4	-	1	1	1	1	1	3	1	2	2	2
Male.....	5	1	-	1	-	-	-	-	-	1	1	-	1
Female.....	14	3	-	-	1	1	1	1	3	-	1	2	1
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	3	-	-	-	1	-	-	-	-	2	-	-	-
Male.....	2	-	-	-	1	-	-	-	-	1	-	-	-
Female.....	1	-	-	-	-	-	-	-	-	1	-	-	-
Duodenal ulcer (K26)													
All races, both sexes.....	1,246	102	96	135	104	132	100	110	93	82	100	97	95
Male.....	695	60	53	70	65	73	57	61	50	42	56	53	55
Female.....	551	42	43	65	39	59	43	49	43	40	44	44	40
White, both sexes.....	1,079	87	80	123	86	117	89	93	84	71	87	80	82
Male.....	589	49	44	65	53	63	47	50	45	37	47	45	44
Female.....	490	38	36	58	33	54	42	43	39	34	40	35	38
Black, both sexes.....	122	12	12	11	10	14	7	14	7	10	5	12	8
Male.....	81	10	7	4	7	9	7	10	4	5	4	7	7
Female.....	41	2	5	7	3	5	-	4	3	5	1	5	1
American Indian 1/, both sexes.....	2	-	2	-	-	-	-	-	-	-	-	-	-
Male.....	2	-	2	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	43	3	2	1	8	1	4	3	2	1	8	5	5
Male.....	23	1	-	1	5	1	3	1	1	-	5	1	4
Female.....	20	2	2	-	3	-	1	2	1	1	3	4	1









Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Duodenal ulcer, Chronic without haemorrhage or perforation (K26.7)													
All races, both sexes.....	2	-	-	-	-	-	1	1	-	-	-	-	-
Male.....	1	-	-	-	-	-	-	1	-	-	-	-	-
Female.....	1	-	-	-	-	-	1	-	-	-	-	-	-
White, both sexes.....	2	-	-	-	-	-	1	1	-	-	-	-	-
Male.....	1	-	-	-	-	-	-	1	-	-	-	-	-
Female.....	1	-	-	-	-	-	1	-	-	-	-	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Duodenal ulcer, Unspecified as acute or chronic, without haemorrhage or perforation (K26.9)													
All races, both sexes.....	83	5	6	7	7	11	4	12	3	5	9	11	3
Male.....	38	2	3	4	6	5	-	5	-	1	3	6	3
Female.....	45	3	3	3	1	6	4	7	3	4	6	5	-
White, both sexes.....	70	4	4	6	6	11	3	11	2	4	8	9	2
Male.....	33	1	2	4	5	5	-	5	-	1	3	5	2
Female.....	37	3	2	2	1	6	3	6	2	3	5	4	-
Black, both sexes.....	9	1	2	1	1	-	-	1	-	1	-	1	1
Male.....	5	1	1	-	1	-	-	-	-	-	-	1	1
Female.....	4	-	1	1	-	-	-	1	-	1	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	4	-	-	-	-	-	1	-	1	-	1	1	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	4	-	-	-	-	-	1	-	1	-	1	1	-



Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Peptic ulcer, site unspecified, Acute without haemorrhage or perforation (K27.3)													
All races, both sexes.....	1	-	-	1	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	1	-	-	-	-	-	-	-	-	-
White, both sexes.....	1	-	-	1	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	1	-	-	-	-	-	-	-	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Peptic ulcer, site unspecified, Chronic or unspecified with haemorrhage (K27.4)													
All races, both sexes.....	693	80	51	78	50	52	60	47	47	57	47	63	61
Male.....	336	35	32	41	27	24	24	24	23	34	19	23	30
Female.....	357	45	19	37	23	28	36	23	24	23	28	40	31
White, both sexes.....	588	70	40	71	43	42	48	37	45	45	40	52	55
Male.....	281	31	28	35	23	18	19	18	22	25	17	18	27
Female.....	307	39	12	36	20	24	29	19	23	20	23	34	28
Black, both sexes.....	74	6	9	4	6	5	9	6	1	9	5	10	4
Male.....	41	3	4	4	4	3	4	3	1	6	2	5	2
Female.....	33	3	5	-	2	2	5	3	-	3	3	5	2
American Indian 1/, both sexes.....	3	-	-	-	1	-	1	-	1	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	3	-	-	-	1	-	1	-	1	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	28	4	2	3	-	5	2	4	-	3	2	1	2
Male.....	14	1	-	2	-	3	1	3	-	3	-	-	1
Female.....	14	3	2	1	-	2	1	1	-	-	2	1	1









Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
<b>Gastrojejunal ulcer, Unspecified as acute or chronic, without haemorrhage or perforation (K28.9)</b>													
All races, both sexes.....	6	-	-	1	-	1	2	1	-	-	-	1	-
Male.....	4	-	-	-	-	1	2	1	-	-	-	-	-
Female.....	2	-	-	1	-	-	-	-	-	-	-	1	-
White, both sexes.....	5	-	-	1	-	1	2	1	-	-	-	-	-
Male.....	4	-	-	-	-	1	2	1	-	-	-	-	-
Female.....	1	-	-	1	-	-	-	-	-	-	-	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	1	-	-	-	-	-	-	-	-	-	-	1	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	-	-	-	1	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
<b>Gastritis and duodenitis (K29)</b>													
All races, both sexes.....	333	36	25	32	24	23	24	34	26	23	29	24	33
Male.....	169	19	14	13	12	17	11	14	13	14	16	12	14
Female.....	164	17	11	19	12	6	13	20	13	9	13	12	19
White, both sexes.....	290	30	23	28	21	18	22	31	24	19	24	23	27
Male.....	145	16	13	12	11	12	10	12	12	12	13	11	11
Female.....	145	14	10	16	10	6	12	19	12	7	11	12	16
Black, both sexes.....	36	5	2	4	2	3	2	3	2	2	5	-	6
Male.....	19	2	1	1	1	3	1	2	1	1	3	-	3
Female.....	17	3	1	3	1	-	1	1	1	1	2	-	3
American Indian 1/, both sexes.....	3	-	-	-	1	1	-	-	-	1	-	-	-
Male.....	2	-	-	-	-	1	-	-	-	1	-	-	-
Female.....	1	-	-	-	1	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	4	1	-	-	-	1	-	-	-	1	-	1	-
Male.....	3	1	-	-	-	1	-	-	-	-	-	1	-
Female.....	1	-	-	-	-	-	-	-	-	1	-	-	-





















Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Polyp of stomach and duodenum (K31.7)													
All races, both sexes.....	5	-	-	-	-	-	1	1	-	-	1	-	2
Male.....	1	-	-	-	-	-	1	-	-	-	-	-	-
Female.....	4	-	-	-	-	-	-	1	-	-	1	-	2
White, both sexes.....	3	-	-	-	-	-	1	-	-	-	1	-	1
Male.....	1	-	-	-	-	-	1	-	-	-	-	-	-
Female.....	2	-	-	-	-	-	-	-	-	-	1	-	1
Black, both sexes.....	1	-	-	-	-	-	-	1	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	1	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	-	-	-	-	-	-	-	-	-	-	-	1
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	-	-	-	-	1
Other specified diseases of stomach and duodenum (K31.8)													
All races, both sexes.....	276	26	27	29	19	20	22	23	19	28	25	16	22
Male.....	117	11	17	10	7	7	8	11	9	10	13	8	6
Female.....	159	15	10	19	12	13	14	12	10	18	12	8	16
White, both sexes.....	235	19	22	25	16	18	19	21	16	23	22	14	20
Male.....	93	7	13	8	6	6	6	10	9	6	11	6	5
Female.....	142	12	9	17	10	12	13	11	7	17	11	8	15
Black, both sexes.....	34	5	5	3	3	1	3	2	2	4	2	2	2
Male.....	22	3	4	1	1	1	2	1	-	4	2	2	1
Female.....	12	2	1	2	2	-	1	1	2	-	-	-	1
American Indian 1/, both sexes.....	2	1	-	-	-	-	-	-	1	-	-	-	-
Male.....	1	1	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	1	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	5	1	-	1	-	1	-	-	-	1	1	-	-
Male.....	1	-	-	1	-	-	-	-	-	-	-	-	-
Female.....	4	1	-	-	-	1	-	-	-	1	1	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
<b>Disease of stomach and duodenum, unspecified (K31.9)</b>													
All races, both sexes.....	159	12	8	10	15	14	8	14	15	8	22	14	19
Male.....	66	6	4	4	5	5	6	2	5	2	10	9	8
Female.....	93	6	4	6	10	9	2	12	10	6	12	5	11
White, both sexes.....	132	11	7	7	14	10	6	12	11	6	19	12	17
Male.....	53	5	3	3	4	4	4	2	3	1	9	8	7
Female.....	79	6	4	4	10	6	2	10	8	5	10	4	10
Black, both sexes.....	22	1	-	3	1	4	1	2	2	2	2	2	2
Male.....	9	1	-	1	1	1	1	-	-	1	1	1	1
Female.....	13	-	-	2	-	3	-	2	2	1	1	1	1
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	5	-	1	-	-	-	1	-	2	-	1	-	-
Male.....	4	-	1	-	-	-	1	-	2	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	-	-	1	-	-
<b>Acute appendicitis (K35)</b>													
All races, both sexes.....	357	32	28	36	29	35	28	26	29	28	35	33	18
Male.....	198	18	13	17	19	15	20	17	15	13	23	17	11
Female.....	159	14	15	19	10	20	8	9	14	15	12	16	7
White, both sexes.....	303	27	23	29	24	29	24	22	25	21	34	28	17
Male.....	167	15	10	15	14	11	18	14	12	11	23	14	10
Female.....	136	12	13	14	10	18	6	8	13	10	11	14	7
Black, both sexes.....	48	4	4	7	4	6	4	3	4	7	-	4	1
Male.....	28	3	2	2	4	4	2	3	3	2	-	2	1
Female.....	20	1	2	5	-	2	2	-	1	5	-	2	-
American Indian 1/, both sexes.....	1	-	-	-	1	-	-	-	-	-	-	-	-
Male.....	1	-	-	-	1	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	5	1	1	-	-	-	-	1	-	-	1	1	-
Male.....	2	-	1	-	-	-	-	-	-	-	-	1	-
Female.....	3	1	-	-	-	-	-	1	-	-	1	-	-



Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Acute appendicitis, unspecified (K35.9)													
All races, both sexes.....	58	3	3	11	2	9	-	4	2	6	6	8	4
Male.....	29	1	1	6	2	1	-	2	1	3	5	4	3
Female.....	29	2	2	5	-	8	-	2	1	3	1	4	1
White, both sexes.....	50	2	3	9	1	9	-	4	2	4	6	6	4
Male.....	26	1	1	5	1	1	-	2	1	3	5	3	3
Female.....	24	1	2	4	-	8	-	2	1	1	1	3	1
Black, both sexes.....	6	-	-	2	-	-	-	-	-	2	-	2	-
Male.....	2	-	-	1	-	-	-	-	-	-	-	1	-
Female.....	4	-	-	1	-	-	-	-	-	2	-	1	-
American Indian 1/, both sexes.....	1	-	-	-	1	-	-	-	-	-	-	-	-
Male.....	1	-	-	-	1	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	1	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	1	-	-	-	-	-	-	-	-	-	-	-
Unspecified appendicitis (K37)													
All races, both sexes.....	76	7	6	6	9	5	6	3	2	7	10	9	6
Male.....	45	4	3	4	3	3	5	2	-	6	7	5	3
Female.....	31	3	3	2	6	2	1	1	2	1	3	4	3
White, both sexes.....	65	7	6	4	8	2	3	2	1	7	10	9	6
Male.....	38	4	3	3	2	2	2	1	-	6	7	5	3
Female.....	27	3	3	1	6	-	1	1	1	1	3	4	3
Black, both sexes.....	6	-	-	1	-	1	2	1	1	-	-	-	-
Male.....	4	-	-	1	-	-	2	1	-	-	-	-	-
Female.....	2	-	-	-	-	1	-	-	1	-	-	-	-
American Indian 1/, both sexes.....	2	-	-	-	1	-	1	-	-	-	-	-	-
Male.....	2	-	-	-	1	-	1	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	3	-	-	1	-	2	-	-	-	-	-	-	-
Male.....	1	-	-	-	-	1	-	-	-	-	-	-	-
Female.....	2	-	-	1	-	1	-	-	-	-	-	-	-



















Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
<b>Umbilical hernia without obstruction or gangrene (K42.9)</b>													
All races, both sexes.....	20	3	-	4	1	1	-	-	2	2	2	3	2
Male.....	12	-	-	3	-	1	-	-	1	1	2	2	2
Female.....	8	3	-	1	1	-	-	-	1	1	-	1	-
White, both sexes.....	17	2	-	4	1	1	-	-	1	1	2	3	2
Male.....	11	-	-	3	-	1	-	-	1	-	2	2	2
Female.....	6	2	-	1	1	-	-	-	-	1	-	1	-
Black, both sexes.....	2	1	-	-	-	-	-	-	-	1	-	-	-
Male.....	1	-	-	-	-	-	-	-	-	1	-	-	-
Female.....	1	1	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	1	-	-	-	-	-	-	-	1	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	1	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
<b>Ventral hernia (K43)</b>													
All races, both sexes.....	355	33	35	25	31	38	25	27	27	26	28	29	31
Male.....	95	12	9	-	6	12	8	11	6	7	9	7	8
Female.....	260	21	26	25	25	26	17	16	21	19	19	22	23
White, both sexes.....	305	29	30	22	27	30	20	27	24	21	23	27	25
Male.....	82	11	8	-	6	8	6	11	6	5	7	7	7
Female.....	223	18	22	22	21	22	14	16	18	16	16	20	18
Black, both sexes.....	44	4	5	3	4	7	4	-	3	5	2	2	5
Male.....	11	1	1	-	-	4	1	-	-	2	1	-	1
Female.....	33	3	4	3	4	3	3	-	3	3	1	2	4
American Indian 1/, both sexes.....	4	-	-	-	-	1	-	-	-	-	2	-	1
Male.....	1	-	-	-	-	-	-	-	-	-	1	-	-
Female.....	3	-	-	-	-	1	-	-	-	-	1	-	1
Asian or Pacific Islander 2/, both sexes.....	2	-	-	-	-	-	1	-	-	-	1	-	-
Male.....	1	-	-	-	-	-	1	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	-	-	1	-	-









Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
<b>Diaphragmatic hernia without obstruction or gangrene (K44.9)</b>													
All races, both sexes.....	358	39	26	45	34	28	23	30	27	24	30	20	32
Male.....	110	16	7	13	6	9	9	7	12	7	10	5	9
Female.....	248	23	19	32	28	19	14	23	15	17	20	15	23
White, both sexes.....	339	35	26	44	32	28	21	28	25	24	29	18	29
Male.....	102	14	7	13	5	9	8	7	11	7	9	4	8
Female.....	237	21	19	31	27	19	13	21	14	17	20	14	21
Black, both sexes.....	14	4	-	1	2	-	1	1	2	-	-	1	2
Male.....	5	2	-	-	1	-	-	-	1	-	-	1	-
Female.....	9	2	-	1	1	-	1	1	1	-	-	-	2
American Indian 1/, both sexes.....	3	-	-	-	-	-	1	1	-	-	-	1	-
Male.....	1	-	-	-	-	-	1	-	-	-	-	-	-
Female.....	2	-	-	-	-	-	-	1	-	-	-	1	-
Asian or Pacific Islander 2/, both sexes.....	2	-	-	-	-	-	-	-	-	-	1	-	1
Male.....	2	-	-	-	-	-	-	-	-	-	1	-	1
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
<b>Other abdominal hernia (K45)</b>													
All races, both sexes.....	12	1	-	3	-	-	2	2	1	1	2	-	-
Male.....	3	-	-	1	-	-	-	1	-	1	-	-	-
Female.....	9	1	-	2	-	-	2	1	1	-	2	-	-
White, both sexes.....	9	-	-	3	-	-	1	1	1	1	2	-	-
Male.....	2	-	-	1	-	-	-	-	-	1	-	-	-
Female.....	7	-	-	2	-	-	1	1	1	-	2	-	-
Black, both sexes.....	1	-	-	-	-	-	-	1	-	-	-	-	-
Male.....	1	-	-	-	-	-	-	1	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	1	1	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	1	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	-	-	-	-	-	1	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	1	-	-	-	-	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
<b>Other specified abdominal hernia with obstruction, without gangrene (K45.0)</b>													
All races, both sexes.....	8	1	-	2	-	-	1	2	-	1	1	-	-
Male.....	2	-	-	-	-	-	-	1	-	1	-	-	-
Female.....	6	1	-	2	-	-	1	1	-	-	1	-	-
White, both sexes.....	6	-	-	2	-	-	1	1	-	1	1	-	-
Male.....	1	-	-	-	-	-	-	-	-	1	-	-	-
Female.....	5	-	-	2	-	-	1	1	-	-	1	-	-
Black, both sexes.....	1	-	-	-	-	-	-	1	-	-	-	-	-
Male.....	1	-	-	-	-	-	-	1	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	1	1	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	1	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
<b>Other specified abdominal hernia without obstruction or gangrene (K45.8)</b>													
All races, both sexes.....	4	-	-	1	-	-	1	-	1	-	1	-	-
Male.....	1	-	-	1	-	-	-	-	-	-	-	-	-
Female.....	3	-	-	-	-	-	1	-	1	-	1	-	-
White, both sexes.....	3	-	-	1	-	-	-	-	1	-	1	-	-
Male.....	1	-	-	1	-	-	-	-	-	-	-	-	-
Female.....	2	-	-	-	-	-	-	-	1	-	1	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	-	-	-	-	-	1	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	1	-	-	-	-	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Unspecified abdominal hernia (K46)													
All races, both sexes.....	482	35	47	40	46	45	39	38	35	26	40	41	50
Male.....	203	17	14	11	22	20	16	20	8	13	18	18	26
Female.....	279	18	33	29	24	25	23	18	27	13	22	23	24
White, both sexes.....	418	28	43	37	41	41	37	28	31	22	33	33	44
Male.....	179	14	13	10	20	18	16	15	8	12	15	13	25
Female.....	239	14	30	27	21	23	21	13	23	10	18	20	19
Black, both sexes.....	53	5	3	2	5	3	2	9	4	4	5	7	4
Male.....	20	2	1	1	2	1	-	5	-	1	3	4	-
Female.....	33	3	2	1	3	2	2	4	4	3	2	3	4
American Indian 1/, both sexes.....	6	1	-	1	-	1	-	-	-	-	1	-	2
Male.....	2	-	-	-	-	1	-	-	-	-	-	-	1
Female.....	4	1	-	1	-	-	-	-	-	-	1	-	1
Asian or Pacific Islander 2/, both sexes.....	5	1	1	-	-	-	-	1	-	-	1	1	-
Male.....	2	1	-	-	-	-	-	-	-	-	-	1	-
Female.....	3	-	1	-	-	-	-	1	-	-	1	-	-
Unspecified abdominal hernia with obstruction, without gangrene (K46.0)													
All races, both sexes.....	309	22	33	24	33	29	24	28	19	17	23	25	32
Male.....	123	11	7	8	15	12	8	14	3	9	10	8	18
Female.....	186	11	26	16	18	17	16	14	16	8	13	17	14
White, both sexes.....	267	18	31	22	29	25	22	20	18	15	20	20	27
Male.....	106	9	7	8	13	10	8	9	3	8	9	5	17
Female.....	161	9	24	14	16	15	14	11	15	7	11	15	10
Black, both sexes.....	35	2	2	1	4	3	2	8	1	2	2	5	3
Male.....	14	1	-	-	2	1	-	5	-	1	1	3	-
Female.....	21	1	2	1	2	2	2	3	1	1	1	2	3
American Indian 1/, both sexes.....	5	1	-	1	-	1	-	-	-	-	-	-	2
Male.....	2	-	-	-	-	1	-	-	-	-	-	-	1
Female.....	3	1	-	1	-	-	-	-	-	-	-	-	1
Asian or Pacific Islander 2/, both sexes.....	2	1	-	-	-	-	-	-	-	-	1	-	-
Male.....	1	1	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	-	-	1	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Unspecified abdominal hernia with gangrene (K46.1)													
All races, both sexes.....	44	5	3	6	2	2	4	3	3	3	5	5	3
Male.....	18	3	2	1	-	1	2	3	1	1	1	2	1
Female.....	26	2	1	5	2	1	2	-	2	2	4	3	2
White, both sexes.....	39	5	3	6	1	2	4	3	3	2	4	3	3
Male.....	17	3	2	1	-	1	2	3	1	1	1	1	1
Female.....	22	2	1	5	1	1	2	-	2	1	3	2	2
Black, both sexes.....	5	-	-	-	1	-	-	-	-	1	1	2	-
Male.....	1	-	-	-	-	-	-	-	-	-	-	1	-
Female.....	4	-	-	-	1	-	-	-	-	1	1	1	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Unspecified abdominal hernia without obstruction or gangrene (K46.9)													
All races, both sexes.....	129	8	11	10	11	14	11	7	13	6	12	11	15
Male.....	62	3	5	2	7	7	6	3	4	3	7	8	7
Female.....	67	5	6	8	4	7	5	4	9	3	5	3	8
White, both sexes.....	112	5	9	9	11	14	11	5	10	5	9	10	14
Male.....	56	2	4	1	7	7	6	3	4	3	5	7	7
Female.....	56	3	5	8	4	7	5	2	6	2	4	3	7
Black, both sexes.....	13	3	1	1	-	-	-	1	3	1	2	-	1
Male.....	5	1	1	1	-	-	-	-	-	-	2	-	-
Female.....	8	2	-	-	-	-	-	1	3	1	-	-	1
American Indian 1/, both sexes.....	1	-	-	-	-	-	-	-	-	-	1	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	-	-	1	-	-
Asian or Pacific Islander 2/, both sexes.....	3	-	1	-	-	-	-	1	-	-	-	1	-
Male.....	1	-	-	-	-	-	-	-	-	-	-	1	-
Female.....	2	-	1	-	-	-	-	1	-	-	-	-	-



Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Crohn's disease of large intestine (K50.1)													
All races, both sexes.....	24	3	-	3	2	5	1	3	-	1	1	1	4
Male.....	5	-	-	-	-	3	-	2	-	-	-	-	-
Female.....	19	3	-	3	2	2	1	1	-	1	1	1	4
White, both sexes.....	23	3	-	3	2	5	1	3	-	1	1	-	4
Male.....	5	-	-	-	-	3	-	2	-	-	-	-	-
Female.....	18	3	-	3	2	2	1	1	-	1	1	-	4
Black, both sexes.....	1	-	-	-	-	-	-	-	-	-	-	1	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	-	-	-	1	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Crohn's disease, unspecified (K50.9)													
All races, both sexes.....	559	57	46	53	38	43	39	39	41	49	50	50	54
Male.....	216	21	15	22	10	21	18	16	16	25	13	22	17
Female.....	343	36	31	31	28	22	21	23	25	24	37	28	37
White, both sexes.....	515	54	41	46	36	42	35	38	36	48	46	42	51
Male.....	200	20	13	20	9	21	16	15	15	25	12	19	15
Female.....	315	34	28	26	27	21	19	23	21	23	34	23	36
Black, both sexes.....	34	1	5	5	2	1	4	1	4	-	3	5	3
Male.....	12	-	2	2	1	-	2	1	1	-	-	1	2
Female.....	22	1	3	3	1	1	2	-	3	-	3	4	1
American Indian 1/, both sexes.....	3	1	-	1	-	-	-	-	-	-	-	1	-
Male.....	2	1	-	-	-	-	-	-	-	-	-	1	-
Female.....	1	-	-	1	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	7	1	-	1	-	-	-	-	1	1	1	2	-
Male.....	2	-	-	-	-	-	-	-	-	-	1	1	-
Female.....	5	1	-	1	-	-	-	-	1	1	-	1	-









Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Ulcerative colitis, unspecified (K51.9)													
All races, both sexes.....	298	21	17	30	29	29	26	18	28	31	18	20	31
Male.....	125	8	6	11	13	13	16	7	10	16	7	8	10
Female.....	173	13	11	19	16	16	10	11	18	15	11	12	21
White, both sexes.....	281	21	16	29	26	28	24	18	26	29	17	18	29
Male.....	120	8	6	11	12	12	15	7	10	16	7	6	10
Female.....	161	13	10	18	14	16	9	11	16	13	10	12	19
Black, both sexes.....	15	-	1	1	3	1	2	-	2	2	1	1	1
Male.....	4	-	-	-	1	1	1	-	-	-	-	1	-
Female.....	11	-	1	1	2	-	1	-	2	2	1	-	1
American Indian 1/, both sexes.....	1	-	-	-	-	-	-	-	-	-	-	-	1
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	-	-	-	-	1
Asian or Pacific Islander 2/, both sexes.....	1	-	-	-	-	-	-	-	-	-	-	1	-
Male.....	1	-	-	-	-	-	-	-	-	-	-	1	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Other noninfective gastroenteritis and colitis (K52)													
All races, both sexes.....	2,228	198	202	230	194	185	158	180	170	173	179	156	203
Male.....	865	76	71	88	77	74	66	65	60	78	67	61	82
Female.....	1,363	122	131	142	117	111	92	115	110	95	112	95	121
White, both sexes.....	1,933	172	189	207	166	157	133	149	147	154	155	129	175
Male.....	715	63	67	75	60	63	55	49	51	64	55	43	70
Female.....	1,218	109	122	132	106	94	78	100	96	90	100	86	105
Black, both sexes.....	238	19	11	15	20	22	21	30	19	16	19	23	23
Male.....	125	10	3	10	14	9	10	16	7	11	10	15	10
Female.....	113	9	8	5	6	13	11	14	12	5	9	8	13
American Indian 1/, both sexes.....	20	3	1	4	1	3	2	1	2	1	-	2	-
Male.....	9	2	-	2	1	-	1	-	-	1	-	2	-
Female.....	11	1	1	2	-	3	1	1	2	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	37	4	1	4	7	3	2	-	2	2	5	2	5
Male.....	16	1	1	1	2	2	-	-	2	2	2	1	2
Female.....	21	3	-	3	5	1	2	-	-	-	3	1	3



Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
<b>Other specified noninfective gastroenteritis and colitis (K52.8)</b>													
All races, both sexes.....	4	-	-	-	-	1	-	1	-	-	-	2	-
Male.....	1	-	-	-	-	-	-	-	-	-	-	1	-
Female.....	3	-	-	-	-	1	-	1	-	-	-	1	-
White, both sexes.....	4	-	-	-	-	1	-	1	-	-	-	2	-
Male.....	1	-	-	-	-	-	-	-	-	-	-	1	-
Female.....	3	-	-	-	-	1	-	1	-	-	-	1	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
<b>Noninfective gastroenteritis and colitis, unspecified (K52.9)</b>													
All races, both sexes.....	2,193	197	197	227	192	181	153	178	166	173	175	154	200
Male.....	855	76	69	86	76	73	65	65	59	78	67	60	81
Female.....	1,338	121	128	141	116	108	88	113	107	95	108	94	119
White, both sexes.....	1,899	171	184	204	164	154	128	147	143	154	151	127	172
Male.....	705	63	65	73	59	62	54	49	50	64	55	42	69
Female.....	1,194	108	119	131	105	92	74	98	93	90	96	85	103
Black, both sexes.....	237	19	11	15	20	21	21	30	19	16	19	23	23
Male.....	125	10	3	10	14	9	10	16	7	11	10	15	10
Female.....	112	9	8	5	6	12	11	14	12	5	9	8	13
American Indian 1/, both sexes.....	20	3	1	4	1	3	2	1	2	1	-	2	-
Male.....	9	2	-	2	1	-	1	-	-	1	-	2	-
Female.....	11	1	1	2	-	3	1	1	2	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	37	4	1	4	7	3	2	-	2	2	5	2	5
Male.....	16	1	1	1	2	2	-	-	2	2	2	1	2
Female.....	21	3	-	3	5	1	2	-	-	-	3	1	3

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Vascular disorders of intestine (K55)													
All races, both sexes.....	8,769	859	744	830	788	722	664	707	662	686	689	671	747
Male.....	3,022	312	250	297	282	235	208	245	225	245	233	222	268
Female.....	5,747	547	494	533	506	487	456	462	437	441	456	449	479
White, both sexes.....	7,720	753	651	729	692	636	589	629	595	601	599	597	649
Male.....	2,590	256	210	255	248	204	179	221	197	207	199	185	229
Female.....	5,130	497	441	474	444	432	410	408	398	394	400	412	420
Black, both sexes.....	845	86	72	83	80	63	61	65	54	66	72	63	80
Male.....	342	43	31	33	26	25	22	22	21	30	28	29	32
Female.....	503	43	41	50	54	38	39	43	33	36	44	34	48
American Indian 1/, both sexes.....	60	6	6	6	3	7	3	2	2	8	7	4	6
Male.....	22	5	2	3	1	-	-	-	2	3	3	2	1
Female.....	38	1	4	3	2	7	3	2	-	5	4	2	5
Asian or Pacific Islander 2/, both sexes.....	144	14	15	12	13	16	11	11	11	11	11	7	12
Male.....	68	8	7	6	7	6	7	2	5	5	3	6	6
Female.....	76	6	8	6	6	10	4	9	6	6	8	1	6
Acute vascular disorders of intestine (K55.0)													
All races, both sexes.....	2,510	292	221	231	205	208	190	194	177	199	200	178	215
Male.....	898	107	82	89	72	73	67	71	60	80	64	49	84
Female.....	1,612	185	139	142	133	135	123	123	117	119	136	129	131
White, both sexes.....	2,206	251	187	205	185	186	168	176	160	177	175	155	181
Male.....	760	84	69	73	64	64	56	66	52	73	51	38	70
Female.....	1,446	167	118	132	121	122	112	110	108	104	124	117	111
Black, both sexes.....	242	32	25	22	17	18	16	16	13	16	19	20	28
Male.....	110	17	10	12	7	7	9	5	6	6	10	9	12
Female.....	132	15	15	10	10	11	7	11	7	10	9	11	16
American Indian 1/, both sexes.....	22	4	2	-	1	1	1	1	1	3	3	2	3
Male.....	10	4	-	-	-	-	-	-	1	1	2	1	1
Female.....	12	-	2	-	1	1	1	1	-	2	1	1	2
Asian or Pacific Islander 2/, both sexes.....	40	5	7	4	2	3	5	1	3	3	3	1	3
Male.....	18	2	3	4	1	2	2	-	1	-	1	1	1
Female.....	22	3	4	-	1	1	3	1	2	3	2	-	2



Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Other vascular disorders of intestine (K55.8)													
All races, both sexes.....	3	-	-	1	-	-	-	-	-	1	-	1	-
Male.....	1	-	-	1	-	-	-	-	-	-	-	-	-
Female.....	2	-	-	-	-	-	-	-	-	1	-	1	-
White, both sexes.....	3	-	-	1	-	-	-	-	-	1	-	1	-
Male.....	1	-	-	1	-	-	-	-	-	-	-	-	-
Female.....	2	-	-	-	-	-	-	-	-	1	-	1	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Vascular disorder of intestine, unspecified (K55.9)													
All races, both sexes.....	6,057	544	500	579	572	498	462	501	465	470	473	474	519
Male.....	2,054	196	159	201	204	158	135	170	159	160	164	169	179
Female.....	4,003	348	341	378	368	340	327	331	306	310	309	305	340
White, both sexes.....	5,337	483	444	508	497	436	409	442	418	408	411	424	457
Male.....	1,772	166	134	177	178	137	117	151	140	130	144	144	154
Female.....	3,565	317	310	331	319	299	292	291	278	278	267	280	303
Black, both sexes.....	586	52	46	57	62	43	45	48	39	50	51	42	51
Male.....	223	24	20	19	19	17	13	17	14	24	17	19	20
Female.....	363	28	26	38	43	26	32	31	25	26	34	23	31
American Indian 1/, both sexes.....	36	2	4	6	2	6	2	1	1	4	3	2	3
Male.....	11	1	2	3	1	-	-	-	1	1	1	1	-
Female.....	25	1	2	3	1	6	2	1	-	3	2	1	3
Asian or Pacific Islander 2/, both sexes.....	98	7	6	8	11	13	6	10	7	8	8	6	8
Male.....	48	5	3	2	6	4	5	2	4	5	2	5	5
Female.....	50	2	3	6	5	9	1	8	3	3	6	1	3









Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
<b>Intestinal adhesions [bands] with obstruction (K56.5)</b>													
All races, both sexes.....	354	25	25	30	30	28	36	38	31	30	26	22	33
Male.....	118	4	12	9	8	11	12	10	16	10	9	10	7
Female.....	236	21	13	21	22	17	24	28	15	20	17	12	26
White, both sexes.....	305	22	22	25	25	22	29	32	28	28	24	18	30
Male.....	105	4	10	5	7	10	11	8	16	10	9	8	7
Female.....	200	18	12	20	18	12	18	24	12	18	15	10	23
Black, both sexes.....	44	3	2	5	5	6	7	6	3	1	2	2	2
Male.....	11	-	1	4	1	1	1	2	-	-	-	1	-
Female.....	33	3	1	1	4	5	6	4	3	1	2	1	2
American Indian 1/, both sexes.....	1	-	1	-	-	-	-	-	-	-	-	-	-
Male.....	1	-	1	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	4	-	-	-	-	-	-	-	-	1	-	2	1
Male.....	1	-	-	-	-	-	-	-	-	-	-	1	-
Female.....	3	-	-	-	-	-	-	-	-	1	-	1	1
<b>Other and unspecified intestinal obstruction (K56.6)</b>													
All races, both sexes.....	4,161	376	334	372	356	338	318	353	347	326	326	346	369
Male.....	1,464	135	135	134	130	109	102	124	121	124	105	118	127
Female.....	2,697	241	199	238	226	229	216	229	226	202	221	228	242
White, both sexes.....	3,642	322	283	323	318	301	274	320	308	285	287	298	323
Male.....	1,248	112	115	109	119	99	82	106	104	108	88	99	107
Female.....	2,394	210	168	214	199	202	192	214	204	177	199	199	216
Black, both sexes.....	464	49	45	47	34	34	37	32	36	35	34	40	41
Male.....	193	22	18	25	9	9	17	18	14	14	15	16	16
Female.....	271	27	27	22	25	25	20	14	22	21	19	24	25
American Indian 1/, both sexes.....	17	2	2	-	2	1	2	1	1	2	-	3	1
Male.....	7	1	1	-	1	-	1	-	1	1	-	-	1
Female.....	10	1	1	-	1	1	1	1	-	1	-	3	-
Asian or Pacific Islander 2/, both sexes.....	38	3	4	2	2	2	5	-	2	4	5	5	4
Male.....	16	-	1	-	1	1	2	-	2	1	2	3	3
Female.....	22	3	3	2	1	1	3	-	-	3	3	2	1

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Ileus, unspecified (K56.7)													
All races, both sexes.....	370	30	31	41	26	28	30	33	26	27	34	37	27
Male.....	187	16	16	22	13	13	14	21	9	15	15	18	15
Female.....	183	14	15	19	13	15	16	12	17	12	19	19	12
White, both sexes.....	315	24	24	37	23	23	23	29	25	22	31	31	23
Male.....	156	14	12	19	12	12	10	17	9	10	14	15	12
Female.....	159	10	12	18	11	11	13	12	16	12	17	16	11
Black, both sexes.....	51	6	7	3	3	4	7	4	1	5	2	5	4
Male.....	28	2	4	2	1	-	4	4	-	5	-	3	3
Female.....	23	4	3	1	2	4	3	-	1	-	2	2	1
American Indian 1/, both sexes.....	3	-	-	-	-	1	-	-	-	-	1	1	-
Male.....	2	-	-	-	-	1	-	-	-	-	1	-	-
Female.....	1	-	-	-	-	-	-	-	-	-	-	1	-
Asian or Pacific Islander 2/, both sexes.....	1	-	-	1	-	-	-	-	-	-	-	-	-
Male.....	1	-	-	1	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Diverticular disease of intestine (K57)													
All races, both sexes.....	3,152	278	291	272	286	273	240	272	265	235	241	237	262
Male.....	999	90	94	84	84	91	70	86	93	78	77	67	85
Female.....	2,153	188	197	188	202	182	170	186	172	157	164	170	177
White, both sexes.....	2,872	254	266	241	259	252	220	250	241	214	220	223	232
Male.....	903	81	86	76	78	82	62	78	84	72	66	65	73
Female.....	1,969	173	180	165	181	170	158	172	157	142	154	158	159
Black, both sexes.....	244	19	23	26	22	18	19	18	23	20	17	14	25
Male.....	79	5	7	7	6	8	7	5	8	6	9	2	9
Female.....	165	14	16	19	16	10	12	13	15	14	8	12	16
American Indian 1/, both sexes.....	5	2	-	1	-	-	-	-	-	1	-	-	1
Male.....	2	1	-	-	-	-	-	-	-	-	-	-	1
Female.....	3	1	-	1	-	-	-	-	-	1	-	-	-
Asian or Pacific Islander 2/, both sexes.....	31	3	2	4	5	3	1	4	1	-	4	-	4
Male.....	15	3	1	1	-	1	1	3	1	-	2	-	2
Female.....	16	-	1	3	5	2	-	1	-	2	-	-	2











Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
<b>Irritable bowel syndrome without diarrhea (K58.9)</b>													
All races, both sexes.....	20	4	2	1	1	-	-	3	2	1	1	5	-
Male.....	4	1	-	-	-	-	-	-	-	-	1	2	-
Female.....	16	3	2	1	1	-	-	3	2	1	-	3	-
White, both sexes.....	19	4	2	1	1	-	-	3	2	1	1	4	-
Male.....	3	1	-	-	-	-	-	-	-	-	1	1	-
Female.....	16	3	2	1	1	-	-	3	2	1	-	3	-
Black, both sexes.....	1	-	-	-	-	-	-	-	-	-	-	1	-
Male.....	1	-	-	-	-	-	-	-	-	-	-	1	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
<b>Other functional intestinal disorders (K59)</b>													
All races, both sexes.....	502	33	53	60	34	42	34	31	44	36	41	45	49
Male.....	184	13	16	26	10	15	12	10	17	12	21	15	17
Female.....	318	20	37	34	24	27	22	21	27	24	20	30	32
White, both sexes.....	443	30	50	54	28	34	31	27	37	32	37	37	46
Male.....	154	12	14	24	8	12	11	7	12	9	19	10	16
Female.....	289	18	36	30	20	22	20	20	25	23	18	27	30
Black, both sexes.....	50	2	3	5	6	8	3	4	4	3	2	8	2
Male.....	24	-	2	1	2	3	1	3	3	3	1	5	-
Female.....	26	2	1	4	4	5	2	1	1	-	1	3	2
American Indian 1/, both sexes.....	4	1	-	1	-	-	-	-	-	1	-	-	1
Male.....	3	1	-	1	-	-	-	-	-	-	-	-	1
Female.....	1	-	-	-	-	-	-	-	-	1	-	-	-
Asian or Pacific Islander 2/, both sexes.....	5	-	-	-	-	-	-	-	3	-	2	-	-
Male.....	3	-	-	-	-	-	-	-	2	-	1	-	-
Female.....	2	-	-	-	-	-	-	-	1	-	1	-	-



Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Neurogenic bowel, not elsewhere classified (K59.2)													
All races, both sexes.....	4	1	1	-	-	-	-	-	1	-	1	-	-
Male.....	3	1	1	-	-	-	-	-	1	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	-	-	1	-	-
White, both sexes.....	4	1	1	-	-	-	-	-	1	-	1	-	-
Male.....	3	1	1	-	-	-	-	-	1	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	-	-	1	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Megacolon, not elsewhere classified (K59.3)													
All races, both sexes.....	307	21	29	41	21	25	23	16	25	25	26	25	30
Male.....	145	8	13	21	9	12	9	8	11	11	16	12	15
Female.....	162	13	16	20	12	13	14	8	14	14	10	13	15
White, both sexes.....	267	19	29	37	17	21	20	13	20	21	24	18	28
Male.....	120	8	13	19	7	10	8	5	7	8	14	7	14
Female.....	147	11	16	18	10	11	12	8	13	13	10	11	14
Black, both sexes.....	34	2	-	3	4	4	3	3	3	3	1	7	1
Male.....	21	-	-	1	2	2	1	3	3	3	1	5	-
Female.....	13	2	-	2	2	2	2	-	-	-	-	2	1
American Indian 1/, both sexes.....	3	-	-	1	-	-	-	-	-	1	-	-	1
Male.....	2	-	-	1	-	-	-	-	-	-	-	-	1
Female.....	1	-	-	-	-	-	-	-	-	1	-	-	-
Asian or Pacific Islander 2/, both sexes.....	3	-	-	-	-	-	-	-	2	-	1	-	-
Male.....	2	-	-	-	-	-	-	-	1	-	1	-	-
Female.....	1	-	-	-	-	-	-	-	1	-	-	-	-







Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
<b>Rectal abscess (K61.1)</b>													
All races, both sexes.....	62	6	4	8	4	2	7	8	5	4	3	3	8
Male.....	29	3	2	4	2	1	4	4	-	3	1	2	3
Female.....	33	3	2	4	2	1	3	4	5	1	2	1	5
White, both sexes.....	50	6	4	5	4	1	5	6	5	4	1	2	7
Male.....	23	3	2	4	2	-	2	2	-	3	1	1	3
Female.....	27	3	2	1	2	1	3	4	5	1	-	1	4
Black, both sexes.....	10	-	-	3	-	1	1	2	-	-	1	1	1
Male.....	5	-	-	-	-	1	1	2	-	-	-	1	-
Female.....	5	-	-	3	-	-	-	-	-	-	1	-	1
American Indian 1/, both sexes.....	1	-	-	-	-	-	-	-	-	-	1	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	-	-	1	-	-
Asian or Pacific Islander 2/, both sexes.....	1	-	-	-	-	-	1	-	-	-	-	-	-
Male.....	1	-	-	-	-	-	1	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
<b>Other diseases of anus and rectum (K62)</b>													
All races, both sexes.....	264	26	20	29	26	22	14	22	20	30	13	21	21
Male.....	82	8	6	9	8	10	8	6	5	6	3	5	8
Female.....	182	18	14	20	18	12	6	16	15	24	10	16	13
White, both sexes.....	223	19	18	25	25	16	11	20	17	22	13	17	20
Male.....	69	5	6	9	8	7	6	5	4	6	3	3	7
Female.....	154	14	12	16	17	9	5	15	13	16	10	14	13
Black, both sexes.....	33	5	1	4	1	4	2	2	2	7	-	4	1
Male.....	10	2	-	-	-	2	1	1	1	-	-	2	1
Female.....	23	3	1	4	1	2	1	1	1	7	-	2	-
American Indian 1/, both sexes.....	3	1	-	-	-	1	1	-	-	-	-	-	-
Male.....	1	-	-	-	-	-	1	-	-	-	-	-	-
Female.....	2	1	-	-	-	1	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	5	1	1	-	-	1	-	-	1	1	-	-	-
Male.....	2	1	-	-	-	1	-	-	-	-	-	-	-
Female.....	3	-	1	-	-	-	-	-	1	1	-	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
<b>Rectal polyp (K62.1)</b>													
All races, both sexes.....	1	-	-	-	-	-	-	-	-	-	-	1	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	-	-	-	1	-
White, both sexes.....	1	-	-	-	-	-	-	-	-	-	-	1	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	-	-	-	1	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
<b>Rectal prolapse (K62.3)</b>													
All races, both sexes.....	30	4	1	1	2	3	2	3	4	1	4	1	4
Male.....	3	-	-	-	-	1	-	-	-	-	1	1	-
Female.....	27	4	1	1	2	2	2	3	4	1	3	-	4
White, both sexes.....	28	4	1	1	2	3	2	3	3	1	4	-	4
Male.....	2	-	-	-	-	1	-	-	-	-	1	-	-
Female.....	26	4	1	1	2	2	2	3	3	1	3	-	4
Black, both sexes.....	1	-	-	-	-	-	-	-	-	-	-	1	-
Male.....	1	-	-	-	-	-	-	-	-	-	-	1	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	-	-	-	-	-	-	-	1	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	1	-	-	-	-



Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Stenosis of anus and rectum (K62.4)													
All races, both sexes.....	7	-	-	-	-	2	-	1	1	3	-	-	-
Male.....	2	-	-	-	-	1	-	-	1	-	-	-	-
Female.....	5	-	-	-	-	1	-	1	-	3	-	-	-
White, both sexes.....	5	-	-	-	-	-	-	1	1	3	-	-	-
Male.....	1	-	-	-	-	-	-	-	1	-	-	-	-
Female.....	4	-	-	-	-	-	-	1	-	3	-	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	1	-	-	-	-	1	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	1	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	-	-	-	-	1	-	-	-	-	-	-	-
Male.....	1	-	-	-	-	1	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Hemorrhage of anus and rectum (K62.5)													
All races, both sexes.....	135	19	11	15	12	11	7	8	8	15	4	15	10
Male.....	46	7	2	6	5	7	5	2	2	3	1	2	4
Female.....	89	12	9	9	7	4	2	6	6	12	3	13	6
White, both sexes.....	116	15	10	14	11	9	5	7	8	11	4	12	10
Male.....	41	5	2	6	5	6	4	2	2	3	1	1	4
Female.....	75	10	8	8	6	3	1	5	6	8	3	11	6
Black, both sexes.....	16	2	1	1	1	2	2	1	-	3	-	3	-
Male.....	4	1	-	-	-	1	1	-	-	-	-	1	-
Female.....	12	1	1	1	1	1	1	1	-	3	-	2	-
American Indian 1/, both sexes.....	1	1	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	1	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	2	1	-	-	-	-	-	-	-	1	-	-	-
Male.....	1	1	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	-	1	-	-	-







Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
<b>Perforation of intestine (nontraumatic) (K63.1)</b>													
All races, both sexes.....	1,729	164	115	155	149	136	135	153	144	128	150	135	165
Male.....	641	59	49	65	56	47	56	42	52	40	58	55	62
Female.....	1,088	105	66	90	93	89	79	111	92	88	92	80	103
White, both sexes.....	1,525	138	99	136	131	120	124	138	130	112	138	112	147
Male.....	553	48	41	54	45	44	50	38	47	34	54	44	54
Female.....	972	90	58	82	86	76	74	100	83	78	84	68	93
Black, both sexes.....	170	24	13	17	15	13	9	10	10	15	8	21	15
Male.....	77	10	7	10	8	3	5	2	5	6	3	11	7
Female.....	93	14	6	7	7	10	4	8	5	9	5	10	8
American Indian 1/, both sexes.....	15	1	2	-	1	1	2	3	1	-	1	2	1
Male.....	4	-	-	-	1	-	1	1	-	-	1	-	-
Female.....	11	1	2	-	-	1	1	2	1	-	-	2	1
Asian or Pacific Islander 2/, both sexes.....	19	1	1	2	2	2	-	2	3	1	3	-	2
Male.....	7	1	1	1	2	-	-	1	-	-	-	-	1
Female.....	12	-	-	1	-	2	-	1	3	1	3	-	1
<b>Fistula of intestine (K63.2)</b>													
All races, both sexes.....	223	27	18	25	15	16	17	17	21	13	20	16	18
Male.....	67	11	1	9	6	7	3	4	8	2	4	6	6
Female.....	156	16	17	16	9	9	14	13	13	11	16	10	12
White, both sexes.....	188	21	15	20	11	14	16	13	19	11	18	14	16
Male.....	54	6	1	7	5	6	3	1	8	2	4	6	5
Female.....	134	15	14	13	6	8	13	12	11	9	14	8	11
Black, both sexes.....	32	6	3	4	4	2	1	4	2	1	2	1	2
Male.....	13	5	-	2	1	1	-	3	-	-	-	-	1
Female.....	19	1	3	2	3	1	1	1	2	1	2	1	1
American Indian 1/, both sexes.....	1	-	-	-	-	-	-	-	-	-	-	1	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	-	-	-	1	-
Asian or Pacific Islander 2/, both sexes.....	2	-	-	1	-	-	-	-	-	1	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	2	-	-	1	-	-	-	-	-	1	-	-	-





Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Disease of intestine, unspecified (K63.9)													
All races, both sexes.....	430	46	41	38	38	36	22	40	29	30	36	35	39
Male.....	197	25	18	10	17	14	15	15	15	15	24	15	14
Female.....	233	21	23	28	21	22	7	25	14	15	12	20	25
White, both sexes.....	381	42	33	33	36	35	20	37	24	24	29	31	37
Male.....	172	22	13	9	16	14	14	14	11	13	18	15	13
Female.....	209	20	20	24	20	21	6	23	13	11	11	16	24
Black, both sexes.....	42	4	7	4	2	1	2	2	4	6	6	3	1
Male.....	22	3	5	-	1	-	1	-	3	2	6	-	1
Female.....	20	1	2	4	1	1	1	2	1	4	-	3	-
American Indian 1/, both sexes.....	3	-	-	1	-	-	-	-	-	-	-	1	1
Male.....	1	-	-	1	-	-	-	-	-	-	-	-	-
Female.....	2	-	-	-	-	-	-	-	-	-	-	1	1
Asian or Pacific Islander 2/, both sexes.....	4	-	1	-	-	-	-	1	1	-	1	-	-
Male.....	2	-	-	-	-	-	-	1	1	-	-	-	-
Female.....	2	-	1	-	-	-	-	-	-	-	1	-	-
Peritonitis (K65)													
All races, both sexes.....	1,504	150	133	137	116	120	118	119	122	116	108	124	141
Male.....	636	62	53	66	45	49	46	51	52	50	53	49	60
Female.....	868	88	80	71	71	71	72	68	70	66	55	75	81
White, both sexes.....	1,274	131	115	118	99	104	100	99	105	91	91	105	116
Male.....	535	57	45	57	36	43	34	43	46	43	44	40	47
Female.....	739	74	70	61	63	61	66	56	59	48	47	65	69
Black, both sexes.....	202	19	17	16	16	15	13	15	16	22	15	17	21
Male.....	85	5	8	6	8	5	9	6	5	6	7	8	12
Female.....	117	14	9	10	8	10	4	9	11	16	8	9	9
American Indian 1/, both sexes.....	6	-	1	-	1	1	-	2	-	-	1	-	-
Male.....	4	-	-	-	1	1	-	1	-	-	1	-	-
Female.....	2	-	1	-	-	-	-	1	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	22	-	-	3	-	-	5	3	1	3	1	2	4
Male.....	12	-	-	3	-	-	3	1	1	1	1	1	1
Female.....	10	-	-	-	-	-	2	2	-	2	-	1	3



Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
<b>Acute peritonitis (K65.0)</b>													
All races, both sexes.....	580	59	47	48	37	44	43	37	52	42	49	52	70
Male.....	261	26	23	27	12	18	20	16	24	16	26	20	33
Female.....	319	33	24	21	25	26	23	21	28	26	23	32	37
White, both sexes.....	492	51	39	42	30	40	36	32	46	34	43	42	57
Male.....	221	25	19	25	8	16	15	14	22	14	21	17	25
Female.....	271	26	20	17	22	24	21	18	24	20	22	25	32
Black, both sexes.....	77	8	8	6	6	4	5	4	6	6	4	9	11
Male.....	35	1	4	2	3	2	4	2	2	2	3	3	7
Female.....	42	7	4	4	3	2	1	2	4	4	1	6	4
American Indian 1/, both sexes.....	3	-	-	-	1	-	-	1	-	-	1	-	-
Male.....	2	-	-	-	1	-	-	-	-	-	1	-	-
Female.....	1	-	-	-	-	-	-	1	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	8	-	-	-	-	-	2	-	-	2	1	1	2
Male.....	3	-	-	-	-	-	1	-	-	-	1	-	1
Female.....	5	-	-	-	-	-	1	-	-	2	-	1	1
<b>Other peritonitis (K65.8)</b>													
All races, both sexes.....	39	2	3	6	3	1	4	5	5	3	2	2	3
Male.....	20	2	1	2	3	-	2	3	3	1	1	1	1
Female.....	19	-	2	4	-	1	2	2	2	2	1	1	2
White, both sexes.....	30	2	1	5	3	1	3	3	4	3	1	1	3
Male.....	17	2	-	2	3	-	1	3	2	1	1	1	1
Female.....	13	-	1	3	-	1	2	-	2	2	-	-	2
Black, both sexes.....	6	-	2	1	-	-	-	1	-	-	1	1	-
Male.....	1	-	1	-	-	-	-	-	-	-	-	-	-
Female.....	5	-	1	1	-	-	-	1	-	-	1	1	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	3	-	-	-	-	-	1	1	1	-	-	-	-
Male.....	2	-	-	-	-	-	1	-	1	-	-	-	-
Female.....	1	-	-	-	-	-	-	1	-	-	-	-	-







Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
<b>Alcoholic liver disease (K70)</b>													
All races, both sexes.....	12,928	1,171	1,021	1,119	1,062	1,075	1,013	1,027	1,076	1,045	1,087	1,090	1,142
Male.....	9,425	854	774	807	777	803	746	751	781	719	785	785	843
Female.....	3,503	317	247	312	285	272	267	276	295	326	302	305	299
White, both sexes.....	11,205	1,019	873	970	929	928	891	897	924	889	965	930	990
Male.....	8,250	761	667	701	686	699	663	664	673	625	701	674	736
Female.....	2,955	258	206	269	243	229	228	233	251	264	264	256	254
Black, both sexes.....	1,169	108	105	100	100	97	77	90	106	109	83	97	97
Male.....	801	72	73	69	71	70	53	60	74	65	58	67	69
Female.....	368	36	32	31	29	27	24	30	32	44	25	30	28
American Indian 1/, both sexes.....	410	32	31	37	27	38	35	30	35	31	28	48	38
Male.....	258	13	24	28	14	25	23	18	23	17	17	32	24
Female.....	152	19	7	9	13	13	12	12	12	14	11	16	14
Asian or Pacific Islander 2/, both sexes.....	144	12	12	12	6	12	10	10	11	16	11	15	17
Male.....	116	8	10	9	6	9	7	9	11	12	9	12	14
Female.....	28	4	2	3	-	3	3	1	-	4	2	3	3
<b>Alcoholic fatty liver (K70.0)</b>													
All races, both sexes.....	184	9	18	11	14	25	15	9	10	19	19	24	11
Male.....	119	7	15	7	9	15	8	7	4	13	13	13	8
Female.....	65	2	3	4	5	10	7	2	6	6	6	11	3
White, both sexes.....	150	9	16	9	10	18	14	7	8	17	15	19	8
Male.....	100	7	14	6	6	12	7	5	3	11	10	12	7
Female.....	50	2	2	3	4	6	7	2	5	6	5	7	1
Black, both sexes.....	26	-	2	2	3	5	1	1	1	1	4	4	2
Male.....	17	-	1	1	3	3	1	1	1	1	3	1	1
Female.....	9	-	1	1	-	2	-	-	-	-	1	3	1
American Indian 1/, both sexes.....	7	-	-	-	1	1	-	1	1	1	-	1	1
Male.....	2	-	-	-	-	-	-	1	-	1	-	-	-
Female.....	5	-	-	-	1	1	-	-	1	-	-	1	1
Asian or Pacific Islander 2/, both sexes.....	1	-	-	-	-	1	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	1	-	-	-	-	-	-	-













Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Hepatic failure, not elsewhere classified (K72)													
All races, both sexes.....	4,035	336	317	344	340	318	324	348	328	317	353	315	395
Male.....	2,331	189	201	189	180	191	188	201	184	191	204	183	230
Female.....	1,704	147	116	155	160	127	136	147	144	126	149	132	165
White, both sexes.....	3,322	271	268	289	280	260	261	283	273	268	287	258	324
Male.....	1,932	153	172	158	148	159	151	163	156	157	167	156	192
Female.....	1,390	118	96	131	132	101	110	120	117	111	120	102	132
Black, both sexes.....	574	52	38	49	51	47	47	51	46	38	52	49	54
Male.....	316	28	23	28	27	25	24	30	22	26	31	23	29
Female.....	258	24	15	21	24	22	23	21	24	12	21	26	25
American Indian 1/, both sexes.....	64	6	3	4	3	4	10	8	6	1	6	5	8
Male.....	36	4	1	3	2	1	7	4	4	1	3	2	4
Female.....	28	2	2	1	1	3	3	4	2	-	3	3	4
Asian or Pacific Islander 2/, both sexes.....	75	7	8	2	6	7	6	6	3	10	8	3	9
Male.....	47	4	5	-	3	6	6	4	2	7	3	2	5
Female.....	28	3	3	2	3	1	-	2	1	3	5	1	4
Acute and subacute hepatic failure (K72.0)													
All races, both sexes.....	306	22	21	26	34	28	19	27	18	18	31	19	43
Male.....	145	14	9	9	20	13	13	8	8	11	14	7	19
Female.....	161	8	12	17	14	15	6	19	10	7	17	12	24
White, both sexes.....	248	19	17	23	26	23	15	20	17	16	24	17	31
Male.....	112	11	7	7	13	12	9	5	7	9	10	7	15
Female.....	136	8	10	16	13	11	6	15	10	7	14	10	16
Black, both sexes.....	43	3	3	3	6	4	2	4	1	2	5	2	8
Male.....	23	3	1	2	5	-	2	2	1	2	3	-	2
Female.....	20	-	2	1	1	4	-	2	-	-	2	2	6
American Indian 1/, both sexes.....	6	-	-	-	-	-	1	1	-	-	2	-	2
Male.....	3	-	-	-	-	-	1	-	-	-	1	-	1
Female.....	3	-	-	-	-	-	-	1	-	-	1	-	1
Asian or Pacific Islander 2/, both sexes.....	9	-	1	-	2	1	1	2	-	-	-	-	2
Male.....	7	-	1	-	2	1	1	1	-	-	-	-	1
Female.....	2	-	-	-	-	-	-	1	-	-	-	-	1

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Chronic hepatic failure (K72.1)													
All races, both sexes.....	78	7	9	8	5	3	6	4	10	4	10	8	4
Male.....	44	2	6	5	1	3	3	3	7	2	5	6	1
Female.....	34	5	3	3	4	-	3	1	3	2	5	2	3
White, both sexes.....	73	6	9	8	5	3	4	4	10	4	9	7	4
Male.....	41	2	6	5	1	3	1	3	7	2	4	6	1
Female.....	32	4	3	3	4	-	3	1	3	2	5	1	3
Black, both sexes.....	4	-	-	-	-	-	2	-	-	-	1	1	-
Male.....	3	-	-	-	-	-	2	-	-	-	1	-	-
Female.....	1	-	-	-	-	-	-	-	-	-	-	1	-
American Indian 1/, both sexes.....	1	1	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	1	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Hepatic failure, unspecified (K72.9)													
All races, both sexes.....	3,651	307	287	310	301	287	299	317	300	295	312	288	348
Male.....	2,142	173	186	175	159	175	172	190	169	178	185	170	210
Female.....	1,509	134	101	135	142	112	127	127	131	117	127	118	138
White, both sexes.....	3,001	246	242	258	249	234	242	259	246	248	254	234	289
Male.....	1,779	140	159	146	134	144	141	155	142	146	153	143	176
Female.....	1,222	106	83	112	115	90	101	104	104	102	101	91	113
Black, both sexes.....	527	49	35	46	45	43	43	47	45	36	46	46	46
Male.....	290	25	22	26	22	25	20	28	21	24	27	23	27
Female.....	237	24	13	20	23	18	23	19	24	12	19	23	19
American Indian 1/, both sexes.....	57	5	3	4	3	4	9	7	6	1	4	5	6
Male.....	33	4	1	3	2	1	6	4	4	1	2	2	3
Female.....	24	1	2	1	1	3	3	3	2	-	2	3	3
Asian or Pacific Islander 2/, both sexes.....	66	7	7	2	4	6	5	4	3	10	8	3	7
Male.....	40	4	4	-	1	5	5	3	2	7	3	2	4
Female.....	26	3	3	2	3	1	-	1	1	3	5	1	3



Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Other chronic hepatitis, not elsewhere classified (K73.8)													
All races, both sexes.....	2	1	-	1	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	2	1	-	1	-	-	-	-	-	-	-	-	-
White, both sexes.....	1	-	-	1	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	1	-	-	-	-	-	-	-	-	-
Black, both sexes.....	1	1	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	1	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Chronic hepatitis, unspecified (K73.9)													
All races, both sexes.....	82	5	9	5	5	10	6	8	7	6	8	8	5
Male.....	44	2	5	3	4	6	2	5	4	4	3	5	1
Female.....	38	3	4	2	1	4	4	3	3	2	5	3	4
White, both sexes.....	65	3	6	5	5	7	5	8	7	4	6	4	5
Male.....	37	2	4	3	4	4	2	5	4	3	2	3	1
Female.....	28	1	2	2	1	3	3	3	3	1	4	1	4
Black, both sexes.....	9	2	2	-	-	1	-	-	-	2	1	1	-
Male.....	5	-	1	-	-	1	-	-	-	1	1	1	-
Female.....	4	2	1	-	-	-	-	-	-	1	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	8	-	1	-	-	2	1	-	-	-	1	3	-
Male.....	2	-	-	-	-	1	-	-	-	-	-	1	-
Female.....	6	-	1	-	-	1	1	-	-	-	1	2	-



Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Hepatic sclerosis (K74.1)													
All races, both sexes.....	12	3	-	-	-	1	1	3	1	1	1	-	1
Male.....	7	2	-	-	-	1	-	1	1	1	-	-	1
Female.....	5	1	-	-	-	-	1	2	-	-	1	-	-
White, both sexes.....	10	3	-	-	-	-	1	2	1	1	1	-	1
Male.....	6	2	-	-	-	-	-	1	1	1	-	-	1
Female.....	4	1	-	-	-	-	1	1	-	-	1	-	-
Black, both sexes.....	2	-	-	-	-	1	-	1	-	-	-	-	-
Male.....	1	-	-	-	-	1	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	1	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Primary biliary cirrhosis (K74.3)													
All races, both sexes.....	381	41	32	38	33	28	38	26	26	36	26	24	33
Male.....	40	4	2	6	2	2	7	1	2	4	5	2	3
Female.....	341	37	30	32	31	26	31	25	24	32	21	22	30
White, both sexes.....	351	38	29	37	30	24	33	23	26	32	24	23	32
Male.....	38	3	2	6	2	2	7	1	2	4	5	1	3
Female.....	313	35	27	31	28	22	26	22	24	28	19	22	29
Black, both sexes.....	15	2	1	1	-	2	3	2	-	2	1	-	1
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	15	2	1	1	-	2	3	2	-	2	1	-	1
American Indian 1/, both sexes.....	3	-	-	-	1	-	1	-	-	1	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	3	-	-	-	1	-	1	-	-	1	-	-	-
Asian or Pacific Islander 2/, both sexes.....	12	1	2	-	2	2	1	1	-	1	1	1	-
Male.....	2	1	-	-	-	-	-	-	-	-	-	1	-
Female.....	10	-	2	-	2	2	1	1	-	1	1	-	-



Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Secondary biliary cirrhosis (K74.4)													
All races, both sexes.....	2	-	-	-	1	-	1	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	2	-	-	-	1	-	1	-	-	-	-	-	-
White, both sexes.....	2	-	-	-	1	-	1	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	2	-	-	-	1	-	1	-	-	-	-	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Biliary cirrhosis, unspecified (K74.5)													
All races, both sexes.....	104	6	10	7	5	11	5	11	12	7	8	8	14
Male.....	23	1	2	3	3	3	-	3	1	1	2	1	3
Female.....	81	5	8	4	2	8	5	8	11	6	6	7	11
White, both sexes.....	95	6	10	7	5	10	5	8	11	5	8	8	12
Male.....	21	1	2	3	3	2	-	2	1	1	2	1	3
Female.....	74	5	8	4	2	8	5	6	10	4	6	7	9
Black, both sexes.....	5	-	-	-	-	1	-	2	-	1	-	-	1
Male.....	2	-	-	-	-	1	-	1	-	-	-	-	-
Female.....	3	-	-	-	-	-	-	1	-	1	-	-	1
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	4	-	-	-	-	-	-	1	1	1	-	-	1
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	4	-	-	-	-	-	-	1	1	1	-	-	1

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Other and unspecified cirrhosis of liver (K74.6)													
All races, both sexes.....	13,986	1,179	1,179	1,269	1,166	1,156	1,100	1,137	1,151	1,088	1,153	1,145	1,263
Male.....	8,388	724	688	744	711	704	670	681	684	643	677	695	767
Female.....	5,598	455	491	525	455	452	430	456	467	445	476	450	496
White, both sexes.....	12,245	1,036	1,038	1,122	1,027	989	968	969	1,008	962	1,023	1,003	1,100
Male.....	7,318	637	611	655	621	605	582	576	595	562	605	598	671
Female.....	4,927	399	427	467	406	384	386	393	413	400	418	405	429
Black, both sexes.....	1,325	116	107	110	98	131	103	126	104	102	103	108	117
Male.....	846	71	66	65	68	78	71	79	72	65	58	77	76
Female.....	479	45	41	45	30	53	32	47	32	37	45	31	41
American Indian 1/, both sexes.....	183	12	17	17	15	17	13	22	18	7	10	13	22
Male.....	90	7	4	11	6	10	6	12	6	5	4	9	10
Female.....	93	5	13	6	9	7	7	10	12	2	6	4	12
Asian or Pacific Islander 2/, both sexes.....	233	15	17	20	26	19	16	20	21	17	17	21	24
Male.....	134	9	7	13	16	11	11	14	11	11	10	11	10
Female.....	99	6	10	7	10	8	5	6	10	6	7	10	14
Other inflammatory liver diseases (K75)													
All races, both sexes.....	843	73	67	72	80	86	54	70	53	73	80	69	66
Male.....	339	28	27	33	24	45	25	27	16	23	34	32	25
Female.....	504	45	40	39	56	41	29	43	37	50	46	37	41
White, both sexes.....	685	59	58	55	63	65	42	59	46	62	66	56	54
Male.....	278	24	23	25	19	36	20	23	13	18	32	27	18
Female.....	407	35	35	30	44	29	22	36	33	44	34	29	36
Black, both sexes.....	113	13	7	13	11	14	7	8	6	6	12	9	7
Male.....	46	4	2	7	4	6	4	3	3	3	1	4	5
Female.....	67	9	5	6	7	8	3	5	3	3	11	5	2
American Indian 1/, both sexes.....	11	-	1	1	1	2	1	1	-	1	-	2	1
Male.....	2	-	1	-	-	-	-	-	-	-	-	-	1
Female.....	9	-	-	1	1	2	1	1	-	1	-	2	-
Asian or Pacific Islander 2/, both sexes.....	34	1	1	3	5	5	4	2	1	4	2	2	4
Male.....	13	-	1	1	1	3	1	1	-	2	1	1	1
Female.....	21	1	-	2	4	2	3	1	1	2	1	1	3





Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
<b>Inflammatory liver disease, unspecified (K75.9)</b>													
All races, both sexes.....	342	28	26	32	33	36	27	26	13	26	39	36	20
Male.....	197	13	15	19	11	25	16	14	6	13	24	27	14
Female.....	145	15	11	13	22	11	11	12	7	13	15	9	6
White, both sexes.....	278	22	22	23	27	29	22	22	11	21	34	29	16
Male.....	163	11	12	14	9	21	14	13	4	9	23	22	11
Female.....	115	11	10	9	18	8	8	9	7	12	11	7	5
Black, both sexes.....	47	6	3	8	4	5	2	3	2	2	4	5	3
Male.....	27	2	2	5	2	3	1	1	2	2	1	4	2
Female.....	20	4	1	3	2	2	1	2	-	-	3	1	1
American Indian 1/, both sexes.....	2	-	-	-	-	-	-	1	-	1	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	2	-	-	-	-	-	-	1	-	1	-	-	-
Asian or Pacific Islander 2/, both sexes.....	15	-	1	1	2	2	3	-	-	2	1	2	1
Male.....	7	-	1	-	-	1	1	-	-	2	-	1	1
Female.....	8	-	-	1	2	1	2	-	-	-	1	1	-
<b>Other diseases of liver (K76)</b>													
All races, both sexes.....	4,355	376	348	375	353	363	333	341	363	354	354	392	403
Male.....	2,666	230	200	218	214	221	209	216	237	230	218	239	234
Female.....	1,689	146	148	157	139	142	124	125	126	124	136	153	169
White, both sexes.....	3,679	316	297	316	289	312	286	294	305	303	299	321	341
Male.....	2,275	197	175	186	174	201	180	183	195	202	186	200	196
Female.....	1,404	119	122	130	115	111	106	111	110	101	113	121	145
Black, both sexes.....	516	47	38	46	46	43	34	37	46	35	42	56	46
Male.....	300	26	18	25	30	15	22	26	34	21	24	33	26
Female.....	216	21	20	21	16	28	12	11	12	14	18	23	20
American Indian 1/, both sexes.....	75	7	5	3	9	4	5	4	8	10	8	4	8
Male.....	45	4	1	1	5	3	3	3	6	6	6	2	5
Female.....	30	3	4	2	4	1	2	1	2	4	2	2	3
Asian or Pacific Islander 2/, both sexes.....	85	6	8	10	9	4	8	6	4	6	5	11	8
Male.....	46	3	6	6	5	2	4	4	2	1	2	4	7
Female.....	39	3	2	4	4	2	4	2	2	5	3	7	1









Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Hepatorenal syndrome (K76.7)													
All races, both sexes.....	447	40	33	34	40	30	43	40	34	39	39	39	36
Male.....	291	25	18	21	28	20	29	28	25	22	22	29	24
Female.....	156	15	15	13	12	10	14	12	9	17	17	10	12
White, both sexes.....	380	35	25	27	30	29	38	36	28	35	35	33	29
Male.....	256	23	16	17	23	20	26	26	21	19	21	25	19
Female.....	124	12	9	10	7	9	12	10	7	16	14	8	10
Black, both sexes.....	50	5	6	6	7	1	3	3	6	1	2	5	5
Male.....	26	2	1	4	3	-	2	2	4	1	1	3	3
Female.....	24	3	5	2	4	1	1	1	2	-	1	2	2
American Indian 1/, both sexes.....	11	-	1	-	1	-	2	1	-	2	1	1	2
Male.....	7	-	-	-	1	-	1	-	-	2	-	1	2
Female.....	4	-	1	-	-	-	1	1	-	-	1	-	-
Asian or Pacific Islander 2/, both sexes.....	6	-	1	1	2	-	-	-	-	1	1	-	-
Male.....	2	-	1	-	1	-	-	-	-	-	-	-	-
Female.....	4	-	-	1	1	-	-	-	-	1	1	-	-
Other specified diseases of liver (K76.8)													
All races, both sexes.....	118	8	9	18	11	7	7	13	8	6	15	8	8
Male.....	66	3	3	9	6	4	3	7	5	6	9	4	7
Female.....	52	5	6	9	5	3	4	6	3	-	6	4	1
White, both sexes.....	96	6	7	15	8	4	7	11	7	6	14	5	6
Male.....	51	2	2	7	4	2	3	5	4	6	9	2	5
Female.....	45	4	5	8	4	2	4	6	3	-	5	3	1
Black, both sexes.....	18	2	2	3	3	3	-	-	1	-	-	2	2
Male.....	13	1	1	2	2	2	-	-	1	-	-	2	2
Female.....	5	1	1	1	1	1	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	1	-	-	-	-	-	-	1	-	-	-	-	-
Male.....	1	-	-	-	-	-	-	1	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	3	-	-	-	-	-	-	1	-	-	1	1	-
Male.....	1	-	-	-	-	-	-	1	-	-	-	-	-
Female.....	2	-	-	-	-	-	-	-	-	-	1	1	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
<b>Liver disease, unspecified (K76.9)</b>													
All races, both sexes.....	3,099	262	248	278	243	265	224	238	270	255	242	283	291
Male.....	1,980	173	158	167	151	168	148	155	177	174	161	176	172
Female.....	1,119	89	90	111	92	97	76	83	93	81	81	107	119
White, both sexes.....	2,585	213	212	234	197	228	189	207	225	215	194	225	246
Male.....	1,676	143	138	145	122	152	126	135	144	153	131	144	143
Female.....	909	70	74	89	75	76	63	72	81	62	63	81	103
Black, both sexes.....	395	37	27	33	33	30	26	25	34	30	38	48	34
Male.....	231	23	15	16	22	11	17	16	25	17	22	28	19
Female.....	164	14	12	17	11	19	9	9	9	13	16	20	15
American Indian 1/, both sexes.....	53	7	3	3	6	4	2	2	7	7	7	2	3
Male.....	34	4	1	1	3	3	1	2	6	3	6	1	3
Female.....	19	3	2	2	3	1	1	-	1	4	1	1	-
Asian or Pacific Islander 2/, both sexes.....	66	5	6	8	7	3	7	4	4	3	3	8	8
Male.....	39	3	4	5	4	2	4	2	2	1	2	3	7
Female.....	27	2	2	3	3	1	3	2	2	2	1	5	1
<b>Cholelithiasis (K80)</b>													
All races, both sexes.....	1,041	90	84	108	94	85	81	84	85	81	80	90	79
Male.....	421	42	32	36	38	32	34	35	35	35	31	36	35
Female.....	620	48	52	72	56	53	47	49	50	46	49	54	44
White, both sexes.....	883	74	67	87	82	76	70	70	75	70	68	77	67
Male.....	363	35	30	30	34	29	30	32	29	28	26	32	28
Female.....	520	39	37	57	48	47	40	38	46	42	42	45	39
Black, both sexes.....	108	12	14	14	10	8	5	7	6	8	9	7	8
Male.....	42	5	2	2	4	3	3	2	3	6	4	3	5
Female.....	66	7	12	12	6	5	2	5	3	2	5	4	3
American Indian 1/, both sexes.....	15	-	1	1	-	1	3	1	2	1	2	2	1
Male.....	5	-	-	1	-	-	-	-	2	-	1	-	1
Female.....	10	-	1	-	-	1	3	1	-	1	1	2	-
Asian or Pacific Islander 2/, both sexes.....	35	4	2	6	2	-	3	6	2	2	1	4	3
Male.....	11	2	-	3	-	-	1	1	1	1	-	1	1
Female.....	24	2	2	3	2	-	2	5	1	1	1	3	2

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
<b>Calculus of gallbladder with acute cholecystitis (K80.0)</b>													
All races, both sexes.....	94	9	11	12	10	4	5	8	7	3	6	12	7
Male.....	36	6	5	5	3	1	4	1	2	1	2	4	2
Female.....	58	3	6	7	7	3	1	7	5	2	4	8	5
White, both sexes.....	75	5	10	9	9	4	4	5	6	2	6	9	6
Male.....	28	3	5	4	2	1	4	1	2	-	2	3	1
Female.....	47	2	5	5	7	3	-	4	4	2	4	6	5
Black, both sexes.....	12	3	1	3	1	-	1	-	1	1	-	-	1
Male.....	6	2	-	1	1	-	-	-	-	1	-	-	1
Female.....	6	1	1	2	-	-	1	-	1	-	-	-	-
American Indian 1/, both sexes.....	2	-	-	-	-	-	-	1	-	-	-	1	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	2	-	-	-	-	-	-	1	-	-	-	1	-
Asian or Pacific Islander 2/, both sexes.....	5	1	-	-	-	-	-	2	-	-	-	2	-
Male.....	2	1	-	-	-	-	-	-	-	-	-	1	-
Female.....	3	-	-	-	-	-	-	2	-	-	-	1	-
<b>Calculus of gallbladder with other cholecystitis (K80.1)</b>													
All races, both sexes.....	162	16	17	16	12	12	7	18	18	7	11	11	17
Male.....	66	6	9	4	8	4	3	8	5	1	7	4	7
Female.....	96	10	8	12	4	8	4	10	13	6	4	7	10
White, both sexes.....	141	15	14	14	11	11	6	18	17	6	10	7	12
Male.....	59	6	8	3	8	4	2	8	5	1	6	3	5
Female.....	82	9	6	11	3	7	4	10	12	5	4	4	7
Black, both sexes.....	16	1	3	2	-	1	1	-	1	-	1	3	3
Male.....	7	-	1	1	-	-	1	-	-	-	1	1	2
Female.....	9	1	2	1	-	1	-	-	1	-	-	2	1
American Indian 1/, both sexes.....	1	-	-	-	-	-	-	-	-	-	-	1	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	-	-	-	1	-
Asian or Pacific Islander 2/, both sexes.....	4	-	-	-	1	-	-	-	-	1	-	-	2
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	4	-	-	-	1	-	-	-	-	1	-	-	2

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Calculus of gallbladder without cholecystitis (K80.2)													
All races, both sexes.....	597	47	41	66	54	53	57	43	43	55	49	48	41
Male.....	253	25	13	19	21	21	23	25	20	28	18	23	17
Female.....	344	22	28	47	33	32	34	18	23	27	31	25	24
White, both sexes.....	507	40	31	51	44	49	48	35	39	50	41	42	37
Male.....	220	21	12	15	18	19	20	23	17	24	15	21	15
Female.....	287	19	19	36	26	30	28	12	22	26	26	21	22
Black, both sexes.....	69	6	9	9	9	4	3	6	4	5	7	4	3
Male.....	25	3	1	-	3	2	2	2	3	4	2	2	1
Female.....	44	3	8	9	6	2	1	4	1	1	5	2	2
American Indian 1/, both sexes.....	6	-	1	1	-	-	3	-	-	-	1	-	-
Male.....	2	-	-	1	-	-	-	-	-	-	1	-	-
Female.....	4	-	1	-	-	-	3	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	15	1	-	5	1	-	3	2	-	-	-	2	1
Male.....	6	1	-	3	-	-	1	-	-	-	-	-	1
Female.....	9	-	-	2	1	-	2	2	-	-	-	2	-
Calculus of bile duct with cholangitis (K80.3)													
All races, both sexes.....	50	3	5	4	4	4	1	8	5	6	2	4	4
Male.....	21	1	2	3	2	1	-	1	3	3	1	2	2
Female.....	29	2	3	1	2	3	1	7	2	3	1	2	2
White, both sexes.....	40	2	4	4	4	3	1	6	3	5	2	4	2
Male.....	15	1	2	3	2	1	-	1	2	2	1	2	-
Female.....	25	1	2	1	2	2	1	6	2	3	1	2	2
Black, both sexes.....	3	1	-	-	-	1	-	-	-	-	-	-	1
Male.....	1	-	-	-	-	-	-	-	-	-	-	-	1
Female.....	2	1	-	-	-	1	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	2	-	-	-	-	-	-	-	1	-	-	-	1
Male.....	2	-	-	-	-	-	-	-	1	-	-	-	1
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	5	-	1	-	-	-	-	2	1	1	-	-	-
Male.....	3	-	-	-	-	-	-	1	1	1	-	-	-
Female.....	2	-	1	-	-	-	-	1	-	-	-	-	-



Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
<b>Other cholelithiasis (K80.8)</b>													
All races, both sexes.....	2	1	1	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	2	1	1	-	-	-	-	-	-	-	-	-	-
White, both sexes.....	2	1	1	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	2	1	1	-	-	-	-	-	-	-	-	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
<b>Cholecystitis (K81)</b>													
All races, both sexes.....	1,735	123	154	146	139	158	141	139	144	137	152	156	146
Male.....	821	56	73	64	68	73	69	75	68	68	71	65	71
Female.....	914	67	81	82	71	85	72	64	76	69	81	91	75
White, both sexes.....	1,514	106	137	124	123	140	126	122	124	115	136	129	132
Male.....	723	47	66	53	61	66	61	67	59	57	67	54	65
Female.....	791	59	71	71	62	74	65	55	65	58	69	75	67
Black, both sexes.....	186	12	14	18	14	15	12	17	17	17	15	23	12
Male.....	81	8	6	9	6	6	7	8	8	8	4	7	4
Female.....	105	4	8	9	8	9	5	9	9	9	11	16	8
American Indian 1/, both sexes.....	10	2	2	2	-	1	-	-	1	1	-	-	1
Male.....	5	1	1	1	-	-	-	-	-	1	-	-	1
Female.....	5	1	1	1	-	1	-	-	1	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	25	3	1	2	2	2	3	-	2	4	1	4	1
Male.....	12	-	-	1	1	1	1	-	1	2	-	4	1
Female.....	13	3	1	1	1	1	2	-	1	2	1	-	-



Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
<b>Other cholecystitis (K81.8)</b>													
All races, both sexes.....	5	-	-	1	-	1	1	1	-	-	1	-	-
Male.....	1	-	-	-	-	1	-	-	-	-	-	-	-
Female.....	4	-	-	1	-	-	1	1	-	-	1	-	-
White, both sexes.....	4	-	-	1	-	1	-	1	-	-	1	-	-
Male.....	1	-	-	-	-	1	-	-	-	-	-	-	-
Female.....	3	-	-	1	-	-	-	1	-	-	1	-	-
Black, both sexes.....	1	-	-	-	-	-	1	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	1	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
<b>Cholecystitis, unspecified (K81.9)</b>													
All races, both sexes.....	825	61	72	72	70	72	69	65	70	63	75	72	64
Male.....	374	28	36	31	35	32	31	32	27	28	32	30	32
Female.....	451	33	36	41	35	40	38	33	43	35	43	42	32
White, both sexes.....	719	49	67	60	64	62	62	56	59	55	69	58	58
Male.....	324	21	34	24	32	27	29	26	24	23	31	24	29
Female.....	395	28	33	36	32	35	33	30	35	32	38	34	29
Black, both sexes.....	86	8	4	9	6	8	5	9	10	6	5	12	4
Male.....	42	6	2	6	3	4	2	6	3	4	1	4	1
Female.....	44	2	2	3	3	4	3	3	7	2	4	8	3
American Indian 1/, both sexes.....	4	1	1	1	-	-	-	-	-	-	-	-	1
Male.....	2	1	-	-	-	-	-	-	-	-	-	-	1
Female.....	2	-	1	1	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	16	3	-	2	-	2	2	-	1	2	1	2	1
Male.....	6	-	-	1	-	1	-	-	-	1	-	2	1
Female.....	10	3	-	1	-	1	2	-	1	1	1	-	-









Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Disease of gallbladder, unspecified (K82.9)													
All races, both sexes.....	231	32	23	13	19	14	20	18	18	18	16	22	18
Male.....	90	10	7	5	8	5	5	12	8	8	5	11	6
Female.....	141	22	16	8	11	9	15	6	10	10	11	11	12
White, both sexes.....	197	27	20	10	15	13	16	17	18	14	15	16	16
Male.....	77	9	5	4	6	5	3	11	8	7	4	10	5
Female.....	120	18	15	6	9	8	13	6	10	7	11	6	11
Black, both sexes.....	28	5	3	3	4	1	3	1	-	2	1	4	1
Male.....	11	1	2	1	2	-	1	1	-	1	1	-	1
Female.....	17	4	1	2	2	1	2	-	-	1	-	4	-
American Indian 1/, both sexes.....	2	-	-	-	-	-	-	-	-	1	-	-	1
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	2	-	-	-	-	-	-	-	-	1	-	-	1
Asian or Pacific Islander 2/, both sexes.....	4	-	-	-	-	-	1	-	-	1	-	2	-
Male.....	2	-	-	-	-	-	1	-	-	-	-	1	-
Female.....	2	-	-	-	-	-	-	-	-	1	-	1	-
Other diseases of biliary tract (K83)													
All races, both sexes.....	1,121	105	87	98	97	82	89	86	90	111	89	71	116
Male.....	531	57	41	39	43	35	40	42	49	57	43	29	56
Female.....	590	48	46	59	54	47	49	44	41	54	46	42	60
White, both sexes.....	965	93	72	82	86	68	77	72	77	98	81	59	100
Male.....	450	52	28	33	40	27	36	33	42	49	37	25	48
Female.....	515	41	44	49	46	41	41	39	35	49	44	34	52
Black, both sexes.....	110	7	10	12	7	11	9	13	10	8	4	8	11
Male.....	56	2	9	5	2	7	1	8	6	4	4	2	6
Female.....	54	5	1	7	5	4	8	5	4	4	-	6	5
American Indian 1/, both sexes.....	6	-	2	1	1	-	1	-	-	-	-	1	-
Male.....	3	-	2	-	-	-	1	-	-	-	-	-	-
Female.....	3	-	-	1	1	-	-	-	-	-	-	1	-
Asian or Pacific Islander 2/, both sexes.....	40	5	3	3	3	3	2	1	3	5	4	3	5
Male.....	22	3	2	1	1	1	2	1	1	4	2	2	2
Female.....	18	2	1	2	2	2	-	-	2	1	2	1	3

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
<b>Cholangitis (K83.0)</b>													
All races, both sexes.....	656	74	51	60	58	45	55	46	47	63	43	39	75
Male.....	327	41	24	25	27	21	27	27	27	35	23	15	35
Female.....	329	33	27	35	31	24	28	19	20	28	20	24	40
White, both sexes.....	561	66	42	45	55	36	48	37	42	56	38	31	65
Male.....	279	38	16	20	26	16	23	21	24	31	20	13	31
Female.....	282	28	26	25	29	20	25	16	18	25	18	18	34
Black, both sexes.....	63	4	6	11	2	6	4	8	3	4	2	6	7
Male.....	32	1	6	4	1	4	1	5	2	2	2	1	3
Female.....	31	3	-	7	1	2	3	3	1	2	-	5	4
American Indian 1/, both sexes.....	2	-	-	1	-	-	1	-	-	-	-	-	-
Male.....	1	-	-	-	-	-	1	-	-	-	-	-	-
Female.....	1	-	-	1	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	30	4	3	3	1	3	2	1	2	3	3	2	3
Male.....	15	2	2	1	-	1	2	1	1	2	1	1	1
Female.....	15	2	1	2	1	2	-	-	1	1	2	1	2
<b>Obstruction of bile duct (K83.1)</b>													
All races, both sexes.....	415	29	32	33	32	32	29	36	39	43	43	28	39
Male.....	183	15	17	12	13	11	13	13	20	19	18	12	20
Female.....	232	14	15	21	19	21	16	23	19	24	25	16	19
White, both sexes.....	359	25	26	32	26	28	24	32	31	37	41	24	33
Male.....	153	13	12	11	11	9	13	11	16	15	16	10	16
Female.....	206	12	14	21	15	19	11	21	15	22	25	14	17
Black, both sexes.....	43	3	4	1	4	4	5	4	7	4	1	2	4
Male.....	21	1	3	1	1	2	-	2	4	2	1	1	3
Female.....	22	2	1	-	3	2	5	2	3	2	-	1	1
American Indian 1/, both sexes.....	3	-	2	-	-	-	-	-	-	-	-	1	-
Male.....	2	-	2	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	-	-	-	1	-
Asian or Pacific Islander 2/, both sexes.....	10	1	-	-	2	-	-	-	1	2	1	1	2
Male.....	7	1	-	-	1	-	-	-	-	2	1	1	1
Female.....	3	-	-	-	1	-	-	-	1	-	-	-	1





Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
<b>Acute pancreatitis (K85)</b>													
All races, both sexes.....	2,757	242	223	269	272	206	219	201	223	202	235	229	236
Male.....	1,482	140	117	144	140	108	111	109	119	110	111	134	139
Female.....	1,275	102	106	125	132	98	108	92	104	92	124	95	97
White, both sexes.....	2,338	207	193	227	219	178	189	168	190	173	204	197	193
Male.....	1,244	115	98	121	110	93	96	93	102	94	96	116	110
Female.....	1,094	92	95	106	109	85	93	75	88	79	108	81	83
Black, both sexes.....	345	28	25	29	44	27	25	26	25	25	28	29	34
Male.....	196	18	14	16	27	15	13	12	15	14	12	16	24
Female.....	149	10	11	13	17	12	12	14	10	11	16	13	10
American Indian 1/, both sexes.....	17	1	-	3	4	-	2	2	2	-	1	1	1
Male.....	7	1	-	1	1	-	1	1	-	-	1	1	-
Female.....	10	-	-	2	3	-	1	1	2	-	-	-	1
Asian or Pacific Islander 2/, both sexes.....	57	6	5	10	5	1	3	5	6	4	2	2	8
Male.....	35	6	5	6	2	-	1	3	2	2	2	1	5
Female.....	22	-	-	4	3	1	2	2	4	2	-	1	3
<b>Other diseases of pancreas (K86)</b>													
All races, both sexes.....	1,004	91	72	85	81	89	80	75	84	68	88	88	103
Male.....	577	46	46	47	42	55	42	48	50	40	54	51	56
Female.....	427	45	26	38	39	34	38	27	34	28	34	37	47
White, both sexes.....	803	66	62	68	67	68	58	62	72	54	70	71	85
Male.....	463	32	41	38	35	41	32	39	42	31	44	45	43
Female.....	340	34	21	30	32	27	26	23	30	23	26	26	42
Black, both sexes.....	184	21	10	16	14	20	18	12	12	11	18	15	17
Male.....	103	11	5	9	7	13	7	8	8	6	10	6	13
Female.....	81	10	5	7	7	7	11	4	4	5	8	9	4
American Indian 1/, both sexes.....	5	2	-	-	-	-	-	-	-	2	-	-	1
Male.....	4	2	-	-	-	-	-	-	-	2	-	-	-
Female.....	1	-	-	-	-	-	-	-	-	-	-	-	1
Asian or Pacific Islander 2/, both sexes.....	12	2	-	1	-	1	4	1	-	1	-	2	-
Male.....	7	1	-	-	-	1	3	1	-	1	-	-	-
Female.....	5	1	-	1	-	-	1	-	-	-	-	2	-



Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Alcohol-induced chronic pancreatitis (K86.0)													
All races, both sexes.....	359	29	31	30	29	38	26	26	31	31	30	31	27
Male.....	282	20	27	22	19	29	19	24	24	25	27	25	21
Female.....	77	9	4	8	10	9	7	2	7	6	3	6	6
White, both sexes.....	281	20	27	24	22	28	18	22	27	24	20	28	21
Male.....	221	13	24	18	14	22	14	21	20	19	18	23	15
Female.....	60	7	3	6	8	6	4	1	7	5	2	5	6
Black, both sexes.....	74	9	4	6	7	10	7	4	4	4	10	3	6
Male.....	57	7	3	4	5	7	4	3	4	3	9	2	6
Female.....	17	2	1	2	2	3	3	1	-	1	1	1	-
American Indian 1/, both sexes.....	2	-	-	-	-	-	-	-	-	2	-	-	-
Male.....	2	-	-	-	-	-	-	-	-	2	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	2	-	-	-	-	-	1	-	-	1	-	-	-
Male.....	2	-	-	-	-	-	1	-	-	1	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Other chronic pancreatitis (K86.1)													
All races, both sexes.....	257	21	21	24	15	26	13	15	20	13	22	34	33
Male.....	121	11	8	10	6	13	5	7	10	6	11	17	17
Female.....	136	10	13	14	9	13	8	8	10	7	11	17	16
White, both sexes.....	196	15	16	19	12	19	6	13	18	8	22	25	23
Male.....	95	9	6	9	5	8	2	6	10	4	11	14	11
Female.....	101	6	10	10	7	11	4	7	8	4	11	11	12
Black, both sexes.....	53	4	5	5	3	6	5	2	2	5	-	7	9
Male.....	23	1	2	1	1	4	2	1	-	2	-	3	6
Female.....	30	3	3	4	2	2	3	1	2	3	-	4	3
American Indian 1/, both sexes.....	1	-	-	-	-	-	-	-	-	-	-	-	1
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	-	-	-	-	1
Asian or Pacific Islander 2/, both sexes.....	7	2	-	-	-	1	2	-	-	-	-	2	-
Male.....	3	1	-	-	-	1	1	-	-	-	-	-	-
Female.....	4	1	-	-	-	-	1	-	-	-	-	2	-











Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Intestinal malabsorption, unspecified (K90.9)													
All races, both sexes.....	66	8	5	7	6	5	8	3	2	6	8	3	5
Male.....	19	-	1	4	3	2	1	-	-	2	2	2	2
Female.....	47	8	4	3	3	3	7	3	2	4	6	1	3
White, both sexes.....	57	8	5	6	5	4	6	3	1	5	6	3	5
Male.....	18	-	1	4	2	2	1	-	-	2	2	2	2
Female.....	39	8	4	2	3	2	5	3	1	3	4	1	3
Black, both sexes.....	9	-	-	1	1	1	2	-	1	1	2	-	-
Male.....	1	-	-	-	1	-	-	-	-	-	-	-	-
Female.....	8	-	-	1	-	1	2	-	1	1	2	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Other diseases of the digestive system (K92)													
All races, both sexes.....	7,714	662	742	755	664	615	556	561	551	611	623	642	732
Male.....	3,515	294	347	350	288	274	240	251	243	273	299	303	353
Female.....	4,199	368	395	405	376	341	316	310	308	338	324	339	379
White, both sexes.....	6,716	562	653	662	580	531	484	490	478	534	552	558	632
Male.....	3,030	251	302	313	249	230	208	215	214	234	258	259	297
Female.....	3,686	311	351	349	331	301	276	275	264	300	294	299	335
Black, both sexes.....	857	83	73	74	67	75	60	68	63	72	61	75	86
Male.....	406	33	34	31	26	38	26	35	25	36	37	37	48
Female.....	451	50	39	43	41	37	34	33	38	36	24	38	38
American Indian 1/, both sexes.....	39	4	3	4	5	2	3	-	7	1	5	1	4
Male.....	20	2	1	1	4	1	1	-	4	-	2	1	3
Female.....	19	2	2	3	1	1	2	-	3	1	3	-	1
Asian or Pacific Islander 2/, both sexes.....	102	13	13	15	12	7	9	3	3	4	5	8	10
Male.....	59	8	10	5	9	5	5	1	-	3	2	6	5
Female.....	43	5	3	10	3	2	4	2	3	1	3	2	5





Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
<b>Gastrointestinal hemorrhage, unspecified (K92.2)</b>													
All races, both sexes.....	7,545	650	726	742	654	600	539	550	539	597	605	626	717
Male.....	3,444	289	341	343	285	268	233	247	237	265	296	295	345
Female.....	4,101	361	385	399	369	332	306	303	302	332	309	331	372
White, both sexes.....	6,576	550	640	651	571	519	473	482	467	524	535	546	618
Male.....	2,970	246	298	306	246	225	203	212	208	229	255	253	289
Female.....	3,606	304	342	345	325	294	270	270	259	295	280	293	329
Black, both sexes.....	832	83	70	72	66	73	55	65	63	68	60	72	85
Male.....	396	33	32	31	26	37	24	34	25	33	37	36	48
Female.....	436	50	38	41	40	36	31	31	38	35	23	36	37
American Indian 1/, both sexes.....	37	4	3	4	5	1	2	-	7	1	5	1	4
Male.....	20	2	1	1	4	1	1	-	4	-	2	1	3
Female.....	17	2	2	3	1	-	1	-	3	1	3	-	1
Asian or Pacific Islander 2/, both sexes.....	100	13	13	15	12	7	9	3	2	4	5	7	10
Male.....	58	8	10	5	9	5	5	1	-	3	2	5	5
Female.....	42	5	3	10	3	2	4	2	2	1	3	2	5
<b>Other specified diseases of digestive system (K92.8)</b>													
All races, both sexes.....	44	5	5	2	2	6	5	4	1	3	3	4	4
Male.....	16	1	3	2	-	2	2	1	-	-	-	2	3
Female.....	28	4	2	-	2	4	3	3	1	3	3	2	1
White, both sexes.....	37	5	3	2	2	5	4	3	-	2	3	4	4
Male.....	13	1	1	2	-	2	1	1	-	-	-	2	3
Female.....	24	4	2	-	2	3	3	2	-	2	3	2	1
Black, both sexes.....	6	-	2	-	-	1	1	1	-	1	-	-	-
Male.....	3	-	2	-	-	-	1	-	-	-	-	-	-
Female.....	3	-	-	-	-	1	-	1	-	1	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	-	-	-	-	-	-	-	1	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	1	-	-	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Disease of digestive system, unspecified (K92.9)													
All races, both sexes.....	63	1	6	7	4	6	5	3	3	8	9	6	5
Male.....	22	-	1	3	2	2	1	1	1	5	2	2	2
Female.....	41	1	5	4	2	4	4	2	2	3	7	4	3
White, both sexes.....	53	1	5	7	4	6	4	1	3	6	8	3	5
Male.....	18	-	1	3	2	2	1	-	1	3	2	1	2
Female.....	35	1	4	4	2	4	3	1	2	3	6	2	3
Black, both sexes.....	8	-	1	-	-	-	-	2	-	2	1	2	-
Male.....	3	-	-	-	-	-	-	1	-	2	-	-	-
Female.....	5	-	1	-	-	-	-	1	-	-	1	2	-
American Indian 1/, both sexes.....	1	-	-	-	-	-	1	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	1	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	-	-	-	-	-	-	-	-	-	-	1	-
Male.....	1	-	-	-	-	-	-	-	-	-	-	1	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Staphylococcal scalded skin syndrome (L00)													
All races, both sexes.....	5	1	-	-	-	-	1	-	2	-	-	-	1
Male.....	2	-	-	-	-	-	-	-	1	-	-	-	1
Female.....	3	1	-	-	-	-	1	-	1	-	-	-	-
White, both sexes.....	3	1	-	-	-	-	-	-	2	-	-	-	-
Male.....	1	-	-	-	-	-	-	-	1	-	-	-	-
Female.....	2	1	-	-	-	-	-	-	1	-	-	-	-
Black, both sexes.....	1	-	-	-	-	-	-	-	-	-	-	-	1
Male.....	1	-	-	-	-	-	-	-	-	-	-	-	1
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	-	-	-	-	-	1	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	1	-	-	-	-	-	-























Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
<b>Pilonidal cyst without abscess (L05.9)</b>													
All races, both sexes.....	2	-	1	-	-	-	1	-	-	-	-	-	-
Male.....	1	-	1	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	1	-	-	-	-	-	-
White, both sexes.....	1	-	-	-	-	-	1	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	1	-	-	-	-	-	-
Black, both sexes.....	1	-	1	-	-	-	-	-	-	-	-	-	-
Male.....	1	-	1	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
<b>Other local infections of skin and subcutaneous tissue (L08)</b>													
All races, both sexes.....	454	34	41	39	38	44	34	33	38	31	45	30	47
Male.....	192	13	17	14	16	18	21	12	16	12	20	12	21
Female.....	262	21	24	25	22	26	13	21	22	19	25	18	26
White, both sexes.....	376	28	36	37	35	31	26	22	34	23	39	24	41
Male.....	159	11	15	13	15	12	16	7	13	9	19	11	18
Female.....	217	17	21	24	20	19	10	15	21	14	20	13	23
Black, both sexes.....	69	6	5	2	2	13	7	10	2	8	6	6	2
Male.....	26	2	2	1	-	6	4	4	2	3	1	1	-
Female.....	43	4	3	1	2	7	3	6	-	5	5	5	2
American Indian 1/, both sexes.....	3	-	-	-	1	-	-	-	1	-	-	-	1
Male.....	2	-	-	-	1	-	-	-	1	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	-	-	-	-	1
Asian or Pacific Islander 2/, both sexes.....	6	-	-	-	-	-	1	1	1	-	-	-	3
Male.....	5	-	-	-	-	-	1	1	-	-	-	-	3
Female.....	1	-	-	-	-	-	-	-	1	-	-	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
<b>Other specified local infections of skin and subcutaneous tissue (L08.8)</b>													
All races, both sexes.....	3	-	1	1	-	1	-	-	-	-	-	-	-
Male.....	1	-	1	-	-	-	-	-	-	-	-	-	-
Female.....	2	-	-	1	-	1	-	-	-	-	-	-	-
White, both sexes.....	2	-	1	1	-	-	-	-	-	-	-	-	-
Male.....	1	-	1	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	1	-	-	-	-	-	-	-	-	-
Black, both sexes.....	1	-	-	-	-	1	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	1	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
<b>Local infection of skin and subcutaneous tissue, unspecified (L08.9)</b>													
All races, both sexes.....	451	34	40	38	38	43	34	33	38	31	45	30	47
Male.....	191	13	16	14	16	18	21	12	16	12	20	12	21
Female.....	260	21	24	24	22	25	13	21	22	19	25	18	26
White, both sexes.....	374	28	35	36	35	31	26	22	34	23	39	24	41
Male.....	158	11	14	13	15	12	16	7	13	9	19	11	18
Female.....	216	17	21	23	20	19	10	15	21	14	20	13	23
Black, both sexes.....	68	6	5	2	2	12	7	10	2	8	6	6	2
Male.....	26	2	2	1	-	6	4	4	2	3	1	1	-
Female.....	42	4	3	1	2	6	3	6	-	5	5	5	2
American Indian 1/, both sexes.....	3	-	-	-	1	-	-	-	1	-	-	-	1
Male.....	2	-	-	-	1	-	-	-	1	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	-	-	-	-	1
Asian or Pacific Islander 2/, both sexes.....	6	-	-	-	-	-	1	1	1	-	-	-	3
Male.....	5	-	-	-	-	-	1	1	-	-	-	-	3
Female.....	1	-	-	-	-	-	-	-	1	-	-	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
<b>Pemphigus (L10)</b>													
All races, both sexes.....	46	4	4	4	4	3	2	7	7	2	4	3	2
Male.....	15	1	1	1	2	1	-	4	2	1	1	1	-
Female.....	31	3	3	3	2	2	2	3	5	1	3	2	2
White, both sexes.....	39	4	4	3	4	2	2	7	6	2	2	1	2
Male.....	13	1	1	1	2	1	-	4	1	1	-	1	-
Female.....	26	3	3	2	2	1	2	3	5	1	2	-	2
Black, both sexes.....	5	-	-	1	-	-	-	-	1	-	1	2	-
Male.....	2	-	-	-	-	-	-	-	1	-	1	-	-
Female.....	3	-	-	1	-	-	-	-	-	-	-	2	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	2	-	-	-	-	1	-	-	-	-	1	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	2	-	-	-	-	1	-	-	-	-	1	-	-
<b>Pemphigus vulgaris (L10.0)</b>													
All races, both sexes.....	9	1	-	1	-	1	-	2	1	1	-	1	1
Male.....	3	-	-	-	-	-	-	1	-	1	-	1	-
Female.....	6	1	-	1	-	1	-	1	1	-	-	-	1
White, both sexes.....	8	1	-	1	-	-	-	2	1	1	-	1	1
Male.....	3	-	-	-	-	-	-	1	-	1	-	1	-
Female.....	5	1	-	1	-	-	-	1	1	-	-	-	1
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	-	-	-	-	1	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	1	-	-	-	-	-	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Other pemphigus (L10.8)													
All races, both sexes.....	4	1	-	-	-	-	-	-	3	-	-	-	-
Male.....	2	-	-	-	-	-	-	-	2	-	-	-	-
Female.....	2	1	-	-	-	-	-	-	1	-	-	-	-
White, both sexes.....	3	1	-	-	-	-	-	-	2	-	-	-	-
Male.....	1	-	-	-	-	-	-	-	1	-	-	-	-
Female.....	2	1	-	-	-	-	-	-	1	-	-	-	-
Black, both sexes.....	1	-	-	-	-	-	-	-	1	-	-	-	-
Male.....	1	-	-	-	-	-	-	-	1	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Pemphigus, unspecified (L10.9)													
All races, both sexes.....	33	2	4	3	4	2	2	5	3	1	4	2	1
Male.....	10	1	1	1	2	1	-	3	-	-	1	-	-
Female.....	23	1	3	2	2	1	2	2	3	1	3	2	1
White, both sexes.....	28	2	4	2	4	2	2	5	3	1	2	-	1
Male.....	9	1	1	1	2	1	-	3	-	-	-	-	-
Female.....	19	1	3	1	2	1	2	2	3	1	2	-	1
Black, both sexes.....	4	-	-	1	-	-	-	-	-	-	1	2	-
Male.....	1	-	-	-	-	-	-	-	-	-	1	-	-
Female.....	3	-	-	1	-	-	-	-	-	-	-	2	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	-	-	-	-	-	-	-	-	-	1	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	-	-	1	-	-



Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Pemphigoid (L12)													
All races, both sexes.....	70	4	6	6	6	10	11	3	2	5	4	4	9
Male.....	26	2	2	2	3	4	5	1	1	-	2	2	2
Female.....	44	2	4	4	3	6	6	2	1	5	2	2	7
White, both sexes.....	60	4	5	5	4	9	9	2	2	4	4	4	8
Male.....	22	2	1	1	1	4	5	1	1	-	2	2	2
Female.....	38	2	4	4	3	5	4	1	1	4	2	2	6
Black, both sexes.....	8	-	1	1	1	1	2	-	-	1	-	-	1
Male.....	3	-	1	1	1	-	-	-	-	-	-	-	-
Female.....	5	-	-	-	-	1	2	-	-	1	-	-	1
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	2	-	-	-	1	-	-	1	-	-	-	-	-
Male.....	1	-	-	-	1	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	1	-	-	-	-	-
Bullous pemphigoid (L12.0)													
All races, both sexes.....	49	1	3	4	5	7	11	2	2	5	2	1	6
Male.....	14	-	2	1	2	2	5	-	1	-	-	1	-
Female.....	35	1	1	3	3	5	6	2	1	5	2	-	6
White, both sexes.....	39	1	2	3	3	6	9	1	2	4	2	1	5
Male.....	10	-	1	-	-	2	5	-	1	-	-	1	-
Female.....	29	1	1	3	3	4	4	1	1	4	2	-	5
Black, both sexes.....	8	-	1	1	1	1	2	-	-	1	-	-	1
Male.....	3	-	1	1	1	-	-	-	-	-	-	-	-
Female.....	5	-	-	-	-	1	2	-	-	1	-	-	1
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	2	-	-	-	1	-	-	1	-	-	-	-	-
Male.....	1	-	-	-	1	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	1	-	-	-	-	-



















Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
<b>Dermatitis, unspecified (L30.9)</b>													
All races, both sexes.....	11	1	1	-	-	1	2	1	-	-	1	1	3
Male.....	7	1	1	-	-	-	2	1	-	-	-	1	1
Female.....	4	-	-	-	-	1	-	-	-	-	1	-	2
White, both sexes.....	8	1	1	-	-	1	1	1	-	-	1	-	3
Male.....	4	1	1	-	-	-	-	1	-	-	-	-	1
Female.....	4	-	-	-	-	1	-	-	-	-	1	-	2
Black, both sexes.....	1	-	-	-	-	-	-	-	-	-	-	1	-
Male.....	1	-	-	-	-	-	-	-	-	-	-	1	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	2	-	-	-	-	-	2	-	-	-	-	-	-
Male.....	2	-	-	-	-	-	2	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
<b>Psoriasis (L40)</b>													
All races, both sexes.....	51	9	3	5	4	2	2	3	2	6	3	6	6
Male.....	27	4	1	3	1	1	1	1	1	5	2	4	3
Female.....	24	5	2	2	3	1	1	2	1	1	1	2	3
White, both sexes.....	40	7	3	3	2	2	2	2	1	6	2	5	5
Male.....	24	4	1	1	1	1	1	1	1	5	2	4	2
Female.....	16	3	2	2	1	1	1	1	-	1	-	1	3
Black, both sexes.....	7	2	-	-	2	-	-	1	-	-	-	1	1
Male.....	1	-	-	-	-	-	-	-	-	-	-	-	1
Female.....	6	2	-	-	2	-	-	1	-	-	-	1	-
American Indian 1/, both sexes.....	1	-	-	-	-	-	-	-	1	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	1	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	3	-	-	2	-	-	-	-	-	-	1	-	-
Male.....	2	-	-	2	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	-	-	1	-	-







Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Urticaria, unspecified (L50.9)													
All races, both sexes.....	1	-	-	-	-	1	-	-	-	-	-	-	-
Male.....	1	-	-	-	-	1	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
White, both sexes.....	1	-	-	-	-	1	-	-	-	-	-	-	-
Male.....	1	-	-	-	-	1	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Erythema multiforme (L51)													
All races, both sexes.....	103	6	7	18	8	7	11	7	7	3	7	13	9
Male.....	36	4	2	7	1	2	4	3	4	1	2	3	3
Female.....	67	2	5	11	7	5	7	4	3	2	5	10	6
White, both sexes.....	47	5	4	8	4	1	6	3	2	1	2	5	6
Male.....	20	4	2	3	1	1	2	2	-	1	2	1	1
Female.....	27	1	2	5	3	-	4	1	2	-	-	4	5
Black, both sexes.....	50	1	3	10	4	5	3	4	5	2	4	6	3
Male.....	14	-	-	4	-	1	1	1	4	-	-	1	2
Female.....	36	1	3	6	4	4	2	3	1	2	4	5	1
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	6	-	-	-	-	1	2	-	-	-	1	2	-
Male.....	2	-	-	-	-	-	1	-	-	-	-	1	-
Female.....	4	-	-	-	-	1	1	-	-	-	1	1	-

























Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
<b>Pyoderma gangrenosum (L88)</b>													
All races, both sexes.....	7	1	-	-	-	1	-	-	1	-	-	2	2
Male.....	1	-	-	-	-	-	-	-	-	-	-	1	-
Female.....	6	1	-	-	-	1	-	-	1	-	-	1	2
White, both sexes.....	6	1	-	-	-	1	-	-	-	-	-	2	2
Male.....	1	-	-	-	-	-	-	-	-	-	-	1	-
Female.....	5	1	-	-	-	1	-	-	-	-	-	1	2
Black, both sexes.....	1	-	-	-	-	-	-	-	1	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	1	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
<b>Decubitus ulcer (L89)</b>													
All races, both sexes.....	1,672	167	135	159	115	124	123	135	130	124	170	150	140
Male.....	580	46	42	56	42	47	43	44	39	50	61	62	48
Female.....	1,092	121	93	103	73	77	80	91	91	74	109	88	92
White, both sexes.....	1,148	114	93	100	78	87	86	89	92	91	111	109	98
Male.....	404	33	32	38	29	35	34	29	22	40	38	45	29
Female.....	744	81	61	62	49	52	52	60	70	51	73	64	69
Black, both sexes.....	495	47	41	58	35	35	35	45	35	32	55	39	38
Male.....	167	12	10	17	12	11	9	14	15	10	23	17	17
Female.....	328	35	31	41	23	24	26	31	20	22	32	22	21
American Indian 1/, both sexes.....	8	2	1	-	-	1	1	-	-	1	1	1	-
Male.....	1	-	-	-	-	1	-	-	-	-	-	-	-
Female.....	7	2	1	-	-	-	1	-	-	1	1	1	-
Asian or Pacific Islander 2/, both sexes.....	21	4	-	1	2	1	1	1	3	-	3	1	4
Male.....	8	1	-	1	1	-	-	1	2	-	-	-	2
Female.....	13	3	-	-	1	1	1	-	1	-	3	1	2







Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
<b>Lupus erythematosus (L93)</b>													
All races, both sexes.....	165	14	10	21	12	7	12	16	16	15	15	14	13
Male.....	22	3	2	3	1	1	1	1	2	3	3	1	1
Female.....	143	11	8	18	11	6	11	15	14	12	12	13	12
White, both sexes.....	108	10	6	14	9	3	10	8	10	10	8	11	9
Male.....	17	3	1	2	1	1	1	1	1	3	1	1	1
Female.....	91	7	5	12	8	2	9	7	9	7	7	10	8
Black, both sexes.....	49	4	3	5	2	2	2	7	6	5	6	3	4
Male.....	4	-	-	1	-	-	-	-	1	-	2	-	-
Female.....	45	4	3	4	2	2	2	7	5	5	4	3	4
American Indian 1/, both sexes.....	5	-	-	1	1	1	-	1	-	-	1	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	5	-	-	1	1	1	-	1	-	-	1	-	-
Asian or Pacific Islander 2/, both sexes.....	3	-	1	1	-	1	-	-	-	-	-	-	-
Male.....	1	-	1	-	-	-	-	-	-	-	-	-	-
Female.....	2	-	-	1	-	1	-	-	-	-	-	-	-
<b>Discoid lupus erythematosus (L93.0)</b>													
All races, both sexes.....	165	14	10	21	12	7	12	16	16	15	15	14	13
Male.....	22	3	2	3	1	1	1	1	2	3	3	1	1
Female.....	143	11	8	18	11	6	11	15	14	12	12	13	12
White, both sexes.....	108	10	6	14	9	3	10	8	10	10	8	11	9
Male.....	17	3	1	2	1	1	1	1	1	3	1	1	1
Female.....	91	7	5	12	8	2	9	7	9	7	7	10	8
Black, both sexes.....	49	4	3	5	2	2	2	7	6	5	6	3	4
Male.....	4	-	-	1	-	-	-	-	1	-	2	-	-
Female.....	45	4	3	4	2	2	2	7	5	5	4	3	4
American Indian 1/, both sexes.....	5	-	-	1	1	1	-	1	-	-	1	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	5	-	-	1	1	1	-	1	-	-	1	-	-
Asian or Pacific Islander 2/, both sexes.....	3	-	1	1	-	1	-	-	-	-	-	-	-
Male.....	1	-	1	-	-	-	-	-	-	-	-	-	-
Female.....	2	-	-	1	-	1	-	-	-	-	-	-	-





















































Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
<b>Gonarthrosis, unspecified (M17.9)</b>													
All races, both sexes.....	30	3	1	1	4	1	1	-	3	6	4	4	2
Male.....	13	1	-	-	2	-	-	-	2	2	1	3	2
Female.....	17	2	1	1	2	1	1	-	1	4	3	1	-
White, both sexes.....	23	3	-	-	4	1	-	-	2	6	3	2	2
Male.....	12	1	-	-	2	-	-	-	2	2	1	2	2
Female.....	11	2	-	-	2	1	-	-	-	4	2	-	-
Black, both sexes.....	6	-	1	1	-	-	1	-	1	-	1	1	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	6	-	1	1	-	-	1	-	1	-	1	1	-
American Indian 1/, both sexes.....	1	-	-	-	-	-	-	-	-	-	-	1	-
Male.....	1	-	-	-	-	-	-	-	-	-	-	1	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
<b>Other arthrosis (M19)</b>													
All races, both sexes.....	866	76	82	87	80	88	67	59	64	59	73	58	73
Male.....	216	16	23	18	20	21	19	17	12	16	20	12	22
Female.....	650	60	59	69	60	67	48	42	52	43	53	46	51
White, both sexes.....	804	73	77	77	73	82	62	55	58	56	71	54	66
Male.....	197	14	22	15	20	21	15	15	9	13	20	11	22
Female.....	607	59	55	62	53	61	47	40	49	43	51	43	44
Black, both sexes.....	51	2	5	9	7	4	4	3	5	2	2	2	6
Male.....	13	1	1	3	-	-	3	1	2	2	-	-	-
Female.....	38	1	4	6	7	4	1	2	3	-	2	2	6
American Indian 1/, both sexes.....	2	-	-	-	-	-	-	1	-	-	-	-	1
Male.....	1	-	-	-	-	-	-	1	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	-	-	-	-	1
Asian or Pacific Islander 2/, both sexes.....	9	1	-	1	-	2	1	-	1	1	-	2	-
Male.....	5	1	-	-	-	-	1	-	1	1	-	1	-
Female.....	4	-	-	1	-	2	-	-	-	-	-	1	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
<b>Secondary arthrosis of other joints (M19.2)</b>													
All races, both sexes.....	6	-	1	-	-	2	2	-	-	-	-	-	1
Male.....	1	-	-	-	-	1	-	-	-	-	-	-	-
Female.....	5	-	1	-	-	1	2	-	-	-	-	-	1
White, both sexes.....	5	-	1	-	-	2	2	-	-	-	-	-	-
Male.....	1	-	-	-	-	1	-	-	-	-	-	-	-
Female.....	4	-	1	-	-	1	2	-	-	-	-	-	-
Black, both sexes.....	1	-	-	-	-	-	-	-	-	-	-	-	1
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	-	-	-	-	1
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
<b>Arthrosis, unspecified (M19.9)</b>													
All races, both sexes.....	860	76	81	87	80	86	65	59	64	59	73	58	72
Male.....	215	16	23	18	20	20	19	17	12	16	20	12	22
Female.....	645	60	58	69	60	66	46	42	52	43	53	46	50
White, both sexes.....	799	73	76	77	73	80	60	55	58	56	71	54	66
Male.....	196	14	22	15	20	20	15	15	9	13	20	11	22
Female.....	603	59	54	62	53	60	45	40	49	43	51	43	44
Black, both sexes.....	50	2	5	9	7	4	4	3	5	2	2	2	5
Male.....	13	1	1	3	-	-	3	1	2	2	-	-	-
Female.....	37	1	4	6	7	4	1	2	3	-	2	2	5
American Indian 1/, both sexes.....	2	-	-	-	-	-	-	1	-	-	-	-	1
Male.....	1	-	-	-	-	-	-	1	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	-	-	-	-	1
Asian or Pacific Islander 2/, both sexes.....	9	1	-	1	-	2	1	-	1	1	-	2	-
Male.....	5	1	-	-	-	-	1	-	1	1	-	1	-
Female.....	4	-	-	1	-	2	-	-	-	-	-	1	-











Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Polyarteritis nodosa and related conditions (M30)													
All races, both sexes.....	85	6	13	9	12	1	6	9	7	6	4	5	7
Male.....	35	2	4	4	6	-	2	6	3	2	3	2	1
Female.....	50	4	9	5	6	1	4	3	4	4	1	3	6
White, both sexes.....	76	5	12	8	11	-	5	8	7	5	4	5	6
Male.....	32	2	4	4	6	-	1	5	3	2	3	2	-
Female.....	44	3	8	4	5	-	4	3	4	3	1	3	6
Black, both sexes.....	5	1	-	-	1	-	-	1	-	1	-	-	1
Male.....	2	-	-	-	-	-	-	1	-	-	-	-	1
Female.....	3	1	-	-	1	-	-	-	-	1	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	4	-	1	1	-	1	1	-	-	-	-	-	-
Male.....	1	-	-	-	-	-	1	-	-	-	-	-	-
Female.....	3	-	1	1	-	1	-	-	-	-	-	-	-
Polyarteritis nodosa (M30.0)													
All races, both sexes.....	43	3	6	5	4	1	4	5	3	2	2	3	5
Male.....	14	1	1	2	1	-	2	2	1	-	1	2	1
Female.....	29	2	5	3	3	1	2	3	2	2	1	1	4
White, both sexes.....	38	2	5	5	4	-	3	5	3	2	2	3	4
Male.....	12	1	1	2	1	-	1	2	1	-	1	2	-
Female.....	26	1	4	3	3	-	2	3	2	2	1	1	4
Black, both sexes.....	2	1	-	-	-	-	-	-	-	-	-	-	1
Male.....	1	-	-	-	-	-	-	-	-	-	-	-	1
Female.....	1	1	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	3	-	1	-	-	1	1	-	-	-	-	-	-
Male.....	1	-	-	-	-	-	1	-	-	-	-	-	-
Female.....	2	-	1	-	-	1	-	-	-	-	-	-	-













Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Systemic lupus erythematosus (M32)													
All races, both sexes.....	1,392	154	104	150	117	110	105	111	116	92	126	104	103
Male.....	186	17	9	29	14	15	17	17	14	11	17	16	10
Female.....	1,206	137	95	121	103	95	88	94	102	81	109	88	93
White, both sexes.....	854	100	59	86	71	66	60	65	74	57	78	69	69
Male.....	122	14	6	16	8	12	11	9	11	6	11	10	8
Female.....	732	86	53	70	63	54	49	56	63	51	67	59	61
Black, both sexes.....	472	48	41	59	40	37	40	39	38	31	44	31	24
Male.....	59	3	3	13	6	3	5	7	3	4	6	5	1
Female.....	413	45	38	46	34	34	35	32	35	27	38	26	23
American Indian 1/, both sexes.....	14	1	1	-	2	1	1	2	-	1	1	1	3
Male.....	1	-	-	-	-	-	1	-	-	-	-	-	-
Female.....	13	1	1	-	2	1	-	2	-	1	1	1	3
Asian or Pacific Islander 2/, both sexes.....	52	5	3	5	4	6	4	5	4	3	3	3	7
Male.....	4	-	-	-	-	-	-	1	-	1	-	1	1
Female.....	48	5	3	5	4	6	4	4	4	2	3	2	6
Systemic lupus erythematosus with organ or system involvement (M32.1)													
All races, both sexes.....	1,203	137	88	134	101	89	89	102	97	74	115	88	89
Male.....	166	17	8	27	12	14	16	14	11	10	16	12	9
Female.....	1,037	120	80	107	89	75	73	88	86	64	99	76	80
White, both sexes.....	733	89	49	74	62	53	52	59	61	45	70	60	59
Male.....	112	14	5	15	8	11	10	8	10	6	10	8	7
Female.....	621	75	44	59	54	42	42	51	51	39	60	52	52
Black, both sexes.....	413	43	36	55	35	29	33	36	32	25	42	25	22
Male.....	49	3	3	12	4	3	5	5	1	3	6	3	1
Female.....	364	40	33	43	31	26	28	31	31	22	36	22	21
American Indian 1/, both sexes.....	12	1	1	-	2	1	1	2	-	1	1	1	1
Male.....	1	-	-	-	-	-	1	-	-	-	-	-	-
Female.....	11	1	1	-	2	1	-	2	-	1	1	1	1
Asian or Pacific Islander 2/, both sexes.....	45	4	2	5	2	6	3	5	4	3	2	2	7
Male.....	4	-	-	-	-	-	-	1	-	1	-	1	1
Female.....	41	4	2	5	2	6	3	4	4	2	2	1	6

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Other forms of systemic lupus erythematosus (M32.8)													
All races, both sexes.....	1	-	-	-	-	-	1	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	1	-	-	-	-	-	-
White, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Black, both sexes.....	1	-	-	-	-	-	1	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	1	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Systemic lupus erythematosus, unspecified (M32.9)													
All races, both sexes.....	188	17	16	16	16	21	15	9	19	18	11	16	14
Male.....	20	-	1	2	2	1	1	3	3	1	1	4	1
Female.....	168	17	15	14	14	20	14	6	16	17	10	12	13
White, both sexes.....	121	11	10	12	9	13	8	6	13	12	8	9	10
Male.....	10	-	1	1	-	1	1	1	1	-	1	2	1
Female.....	111	11	9	11	9	12	7	5	12	12	7	7	9
Black, both sexes.....	58	5	5	4	5	8	6	3	6	6	2	6	2
Male.....	10	-	-	1	2	-	-	2	2	1	-	2	-
Female.....	48	5	5	3	3	8	6	1	4	5	2	4	2
American Indian 1/, both sexes.....	2	-	-	-	-	-	-	-	-	-	-	-	2
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	2	-	-	-	-	-	-	-	-	-	-	-	2
Asian or Pacific Islander 2/, both sexes.....	7	1	1	-	2	-	1	-	-	-	1	1	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	7	1	1	-	2	-	1	-	-	-	1	1	-





Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
<b>Systemic sclerosis (M34)</b>													
All races, both sexes.....	1,401	117	127	125	125	126	100	98	121	109	100	110	143
Male.....	285	24	26	29	26	26	23	22	29	16	24	19	21
Female.....	1,116	93	101	96	99	100	77	76	92	93	76	91	122
White, both sexes.....	1,124	97	103	101	98	99	80	84	94	92	80	81	115
Male.....	219	16	21	26	21	19	19	18	22	11	20	10	16
Female.....	905	81	82	75	77	80	61	66	72	81	60	71	99
Black, both sexes.....	234	18	21	20	20	22	20	12	24	15	17	26	19
Male.....	56	7	5	2	3	6	4	4	6	5	2	7	5
Female.....	178	11	16	18	17	16	16	8	18	10	15	19	14
American Indian 1/, both sexes.....	12	2	-	1	2	1	-	1	-	-	1	-	4
Male.....	2	1	-	-	1	-	-	-	-	-	-	-	-
Female.....	10	1	-	1	1	1	-	1	-	-	1	-	4
Asian or Pacific Islander 2/, both sexes.....	31	-	3	3	5	4	-	1	3	2	2	3	5
Male.....	8	-	-	1	1	1	-	-	1	-	2	2	-
Female.....	23	-	3	2	4	3	-	1	2	2	-	1	5
<b>Progressive systemic sclerosis (M34.0)</b>													
All races, both sexes.....	35	5	-	3	4	2	1	3	6	1	2	4	4
Male.....	6	1	-	-	1	-	-	1	1	-	1	-	1
Female.....	29	4	-	3	3	2	1	2	5	1	1	4	3
White, both sexes.....	25	5	-	1	4	1	1	3	2	1	1	3	3
Male.....	4	1	-	-	1	-	-	1	-	-	-	-	1
Female.....	21	4	-	1	3	1	1	2	2	1	1	3	2
Black, both sexes.....	7	-	-	2	-	1	-	-	2	-	-	1	1
Male.....	1	-	-	-	-	-	-	-	1	-	-	-	-
Female.....	6	-	-	2	-	1	-	-	1	-	-	1	1
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	3	-	-	-	-	-	-	-	2	-	1	-	-
Male.....	1	-	-	-	-	-	-	-	-	-	1	-	-
Female.....	2	-	-	-	-	-	-	-	2	-	-	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
<b>CR(E)ST syndrome (M34.1)</b>													
All races, both sexes.....	105	6	17	12	12	9	8	3	10	5	6	11	6
Male.....	11	2	2	1	2	1	1	-	1	-	-	1	-
Female.....	94	4	15	11	10	8	7	3	9	5	6	10	6
White, both sexes.....	98	4	16	11	11	9	8	3	10	5	5	11	5
Male.....	10	1	2	1	2	1	1	-	1	-	-	1	-
Female.....	88	3	14	10	9	8	7	3	9	5	5	10	5
Black, both sexes.....	5	2	1	1	1	-	-	-	-	-	-	-	-
Male.....	1	1	-	-	-	-	-	-	-	-	-	-	-
Female.....	4	1	1	1	1	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	2	-	-	-	-	-	-	-	-	-	1	-	1
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	2	-	-	-	-	-	-	-	-	-	1	-	1
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
<b>Other forms of systemic sclerosis (M34.8)</b>													
All races, both sexes.....	901	69	84	71	79	82	68	67	74	74	65	71	97
Male.....	189	14	19	16	16	18	14	17	15	12	17	16	15
Female.....	712	55	65	55	63	64	54	50	59	62	48	55	82
White, both sexes.....	720	59	69	61	61	61	52	57	57	62	53	52	76
Male.....	144	11	16	14	11	13	11	14	10	9	15	9	11
Female.....	576	48	53	47	50	48	41	43	47	53	38	43	65
Black, both sexes.....	152	8	14	8	13	16	16	8	16	10	11	16	16
Male.....	36	2	3	1	3	4	3	3	4	3	1	5	4
Female.....	116	6	11	7	10	12	13	5	12	7	10	11	12
American Indian 1/, both sexes.....	7	2	-	-	1	1	-	1	-	-	-	-	2
Male.....	2	1	-	-	1	-	-	-	-	-	-	-	-
Female.....	5	1	-	-	-	1	-	1	-	-	-	-	2
Asian or Pacific Islander 2/, both sexes.....	22	-	1	2	4	4	-	1	1	2	1	3	3
Male.....	7	-	-	1	1	1	-	-	1	-	1	2	-
Female.....	15	-	1	1	3	3	-	1	-	2	-	1	3

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
<b>Systemic sclerosis, unspecified (M34.9)</b>													
All races, both sexes.....	360	37	26	39	30	33	23	25	31	29	27	24	36
Male.....	79	7	5	12	7	7	8	4	12	4	6	2	5
Female.....	281	30	21	27	23	26	15	21	19	25	21	22	31
White, both sexes.....	281	29	18	28	22	28	19	21	25	24	21	15	31
Male.....	61	3	3	11	7	5	7	3	11	2	5	-	4
Female.....	220	26	15	17	15	23	12	18	14	22	16	15	27
Black, both sexes.....	70	8	6	9	6	5	4	4	6	5	6	9	2
Male.....	18	4	2	1	-	2	1	1	1	2	1	2	1
Female.....	52	4	4	8	6	3	3	3	5	3	5	7	1
American Indian 1/, both sexes.....	3	-	-	1	1	-	-	-	-	-	-	-	1
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	3	-	-	1	1	-	-	-	-	-	-	-	1
Asian or Pacific Islander 2/, both sexes.....	6	-	2	1	1	-	-	-	-	-	-	-	2
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	6	-	2	1	1	-	-	-	-	-	-	-	2
<b>Other systemic involvement of connective tissue (M35)</b>													
All races, both sexes.....	498	56	38	35	41	46	50	38	33	37	35	40	49
Male.....	147	11	13	9	14	14	17	16	8	12	6	10	17
Female.....	351	45	25	26	27	32	33	22	25	25	29	30	32
White, both sexes.....	391	46	27	30	37	31	42	26	22	33	29	30	38
Male.....	104	8	9	8	11	10	14	7	4	12	4	4	13
Female.....	287	38	18	22	26	21	28	19	18	21	25	26	25
Black, both sexes.....	89	9	9	4	4	14	7	11	7	4	5	10	5
Male.....	40	3	3	1	3	4	3	9	4	-	2	6	2
Female.....	49	6	6	3	1	10	4	2	3	4	3	4	3
American Indian 1/, both sexes.....	7	-	-	1	-	1	-	1	3	-	-	-	1
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	7	-	-	1	-	1	-	1	3	-	-	-	1
Asian or Pacific Islander 2/, both sexes.....	11	1	2	-	-	-	1	-	1	-	1	-	5
Male.....	3	-	1	-	-	-	-	-	-	-	-	-	2
Female.....	8	1	1	-	-	-	1	-	1	-	1	-	3





Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Behcet's disease (M35.2)													
All races, both sexes.....	8	1	-	1	1	-	2	-	-	1	1	-	1
Male.....	2	-	-	1	1	-	-	-	-	-	-	-	-
Female.....	6	1	-	-	-	-	2	-	-	1	1	-	1
White, both sexes.....	7	1	-	1	1	-	1	-	-	1	1	-	1
Male.....	2	-	-	1	1	-	-	-	-	-	-	-	-
Female.....	5	1	-	-	-	-	1	-	-	1	1	-	1
Black, both sexes.....	1	-	-	-	-	-	1	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	1	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Polymyalgia rheumatica (M35.3)													
All races, both sexes.....	93	9	6	7	13	5	12	2	8	7	8	6	10
Male.....	32	2	3	3	7	2	2	1	1	4	2	1	4
Female.....	61	7	3	4	6	3	10	1	7	3	6	5	6
White, both sexes.....	90	9	6	7	13	5	11	2	6	7	8	6	10
Male.....	31	2	3	3	7	2	1	1	1	4	2	1	4
Female.....	59	7	3	4	6	3	10	1	5	3	6	5	6
Black, both sexes.....	1	-	-	-	-	-	1	-	-	-	-	-	-
Male.....	1	-	-	-	-	-	1	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	1	-	-	-	-	-	-	-	1	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	1	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	-	-	-	-	-	-	-	1	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	1	-	-	-	-







Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Other and unspecified kyphosis (M40.2)													
All races, both sexes.....	86	14	6	6	6	5	8	11	6	7	5	5	7
Male.....	17	2	3	-	-	1	1	3	2	1	2	1	1
Female.....	69	12	3	6	6	4	7	8	4	6	3	4	6
White, both sexes.....	84	14	6	6	6	5	7	11	6	7	5	4	7
Male.....	17	2	3	-	-	1	1	3	2	1	2	1	1
Female.....	67	12	3	6	6	4	6	8	4	6	3	3	6
Black, both sexes.....	2	-	-	-	-	-	1	-	-	-	-	1	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	2	-	-	-	-	-	1	-	-	-	-	1	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Scoliosis (M41)													
All races, both sexes.....	272	36	21	39	21	20	32	27	12	20	18	13	13
Male.....	71	10	5	6	10	8	8	7	4	5	2	3	3
Female.....	201	26	16	33	11	12	24	20	8	15	16	10	10
White, both sexes.....	248	33	20	35	19	18	31	24	12	17	17	11	11
Male.....	65	9	5	6	9	8	7	6	4	4	2	3	2
Female.....	183	24	15	29	10	10	24	18	8	13	15	8	9
Black, both sexes.....	15	2	1	3	-	2	1	2	-	2	-	1	1
Male.....	4	1	-	-	-	-	1	1	-	-	-	-	1
Female.....	11	1	1	3	-	2	-	1	-	2	-	1	-
American Indian 1/, both sexes.....	3	-	-	-	1	-	-	-	-	1	1	-	-
Male.....	1	-	-	-	-	-	-	-	-	1	-	-	-
Female.....	2	-	-	-	1	-	-	-	-	-	1	-	-
Asian or Pacific Islander 2/, both sexes.....	6	1	-	1	1	-	-	1	-	-	-	1	1
Male.....	1	-	-	-	1	-	-	-	-	-	-	-	-
Female.....	5	1	-	1	-	-	-	1	-	-	-	1	1













Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
<b>Ankylosing spondylitis (M45)</b>													
All races, both sexes.....	35	2	3	3	3	2	3	2	4	2	4	5	2
Male.....	31	2	3	3	3	2	3	2	1	2	4	5	1
Female.....	4	-	-	-	-	-	-	-	3	-	-	-	1
White, both sexes.....	33	2	2	3	3	2	3	2	4	2	4	5	1
Male.....	30	2	2	3	3	2	3	2	1	2	4	5	1
Female.....	3	-	-	-	-	-	-	-	3	-	-	-	-
Black, both sexes.....	2	-	1	-	-	-	-	-	-	-	-	-	1
Male.....	1	-	1	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	-	-	-	-	1
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
<b>Other inflammatory spondylopathies (M46)</b>													
All races, both sexes.....	211	21	12	28	15	12	13	15	15	13	24	21	22
Male.....	110	15	4	11	8	7	7	8	6	8	11	11	14
Female.....	101	6	8	17	7	5	6	7	9	5	13	10	8
White, both sexes.....	175	17	10	21	11	10	11	14	13	12	20	18	18
Male.....	91	13	3	7	6	6	6	7	5	7	10	10	11
Female.....	84	4	7	14	5	4	5	7	8	5	10	8	7
Black, both sexes.....	33	4	2	7	4	2	1	1	2	-	4	3	3
Male.....	18	2	1	4	2	1	1	1	1	-	1	1	3
Female.....	15	2	1	3	2	1	-	-	1	-	3	2	-
American Indian 1/, both sexes.....	2	-	-	-	-	-	-	-	-	1	-	-	1
Male.....	1	-	-	-	-	-	-	-	-	1	-	-	-
Female.....	1	-	-	-	-	-	-	-	-	-	-	-	1
Asian or Pacific Islander 2/, both sexes.....	1	-	-	-	-	-	1	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	1	-	-	-	-	-	-









Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Other spondylopathies (M48)													
All races, both sexes.....	247	18	23	26	19	22	20	15	29	16	21	20	18
Male.....	130	9	9	12	7	12	14	8	20	5	15	11	8
Female.....	117	9	14	14	12	10	6	7	9	11	6	9	10
White, both sexes.....	210	15	19	22	18	18	14	11	26	12	19	20	16
Male.....	108	7	6	9	6	10	9	7	18	4	14	11	7
Female.....	102	8	13	13	12	8	5	4	8	8	5	9	9
Black, both sexes.....	32	3	3	3	1	3	5	4	3	4	2	-	1
Male.....	20	2	3	2	1	2	4	1	2	1	1	-	1
Female.....	12	1	-	1	-	1	1	3	1	3	1	-	-
American Indian 1/, both sexes.....	2	-	-	1	-	-	1	-	-	-	-	-	-
Male.....	2	-	-	1	-	-	1	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	3	-	1	-	-	1	-	-	-	-	-	-	1
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	3	-	1	-	-	1	-	-	-	-	-	-	1
Spinal stenosis (M48.0)													
All races, both sexes.....	184	15	18	20	12	15	14	11	19	11	18	14	17
Male.....	95	8	8	8	4	8	12	6	10	4	12	8	7
Female.....	89	7	10	12	8	7	2	5	9	7	6	6	10
White, both sexes.....	153	12	14	18	11	11	10	7	17	8	16	14	15
Male.....	78	6	5	7	3	6	8	5	9	4	11	8	6
Female.....	75	6	9	11	8	5	2	2	8	4	5	6	9
Black, both sexes.....	26	3	3	1	1	3	3	4	2	3	2	-	1
Male.....	15	2	3	-	1	2	3	1	1	-	1	-	1
Female.....	11	1	-	1	-	1	-	3	1	3	1	-	-
American Indian 1/, both sexes.....	2	-	-	1	-	-	1	-	-	-	-	-	-
Male.....	2	-	-	1	-	-	1	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	3	-	1	-	-	1	-	-	-	-	-	-	1
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	3	-	1	-	-	1	-	-	-	-	-	-	1





































































Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
<b>Neuralgia and neuritis, unspecified (M79.2)</b>													
All races, both sexes.....	1	-	-	-	-	-	-	-	1	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	1	-	-	-	-
White, both sexes.....	1	-	-	-	-	-	-	-	1	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	1	-	-	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
<b>Panniculitis, unspecified (M79.3)</b>													
All races, both sexes.....	18	-	-	-	2	3	1	2	1	2	2	3	2
Male.....	6	-	-	-	-	1	-	1	-	-	-	2	2
Female.....	12	-	-	-	2	2	1	1	1	2	2	1	-
White, both sexes.....	15	-	-	-	2	2	1	2	1	2	1	2	2
Male.....	5	-	-	-	-	1	-	1	-	-	-	1	2
Female.....	10	-	-	-	2	1	1	1	1	2	1	1	-
Black, both sexes.....	2	-	-	-	-	1	-	-	-	-	-	1	-
Male.....	1	-	-	-	-	-	-	-	-	-	-	1	-
Female.....	1	-	-	-	-	1	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	-	-	-	-	-	-	-	-	-	1	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	-	-	1	-	-





Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Soft tissue disorder, unspecified (M79.9)													
All races, both sexes.....	1	-	-	-	1	-	-	-	-	-	-	-	-
Male.....	1	-	-	-	1	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
White, both sexes.....	1	-	-	-	1	-	-	-	-	-	-	-	-
Male.....	1	-	-	-	1	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Osteoporosis with pathological fracture (M80)													
All races, both sexes.....	759	64	76	58	61	68	64	55	65	49	69	61	69
Male.....	124	17	12	9	11	11	16	8	6	12	8	9	5
Female.....	635	47	64	49	50	57	48	47	59	37	61	52	64
White, both sexes.....	734	60	75	57	61	66	62	53	63	46	66	60	65
Male.....	120	16	12	9	11	11	15	8	6	11	8	9	4
Female.....	614	44	63	48	50	55	47	45	57	35	58	51	61
Black, both sexes.....	12	1	1	-	-	-	2	1	2	2	2	-	1
Male.....	1	-	-	-	-	-	1	-	-	-	-	-	-
Female.....	11	1	1	-	-	-	1	1	2	2	2	-	1
American Indian 1/, both sexes.....	3	1	-	-	-	1	-	-	-	-	-	1	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	3	1	-	-	-	1	-	-	-	-	-	1	-
Asian or Pacific Islander 2/, both sexes.....	10	2	-	1	-	1	-	1	-	1	1	-	3
Male.....	3	1	-	-	-	-	-	-	-	1	-	-	1
Female.....	7	1	-	1	-	1	-	1	-	-	1	-	2



Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Unspecified osteoporosis with pathological fracture (M80.9)													
All races, both sexes.....	755	63	76	58	61	67	64	55	65	48	69	61	68
Male.....	124	17	12	9	11	11	16	8	6	12	8	9	5
Female.....	631	46	64	49	50	56	48	47	59	36	61	52	63
White, both sexes.....	731	60	75	57	61	65	62	53	63	45	66	60	64
Male.....	120	16	12	9	11	11	15	8	6	11	8	9	4
Female.....	611	44	63	48	50	54	47	45	57	34	58	51	60
Black, both sexes.....	11	-	1	-	-	-	2	1	2	2	2	-	1
Male.....	1	-	-	-	-	-	1	-	-	-	-	-	-
Female.....	10	-	1	-	-	-	1	1	2	2	2	-	1
American Indian 1/, both sexes.....	3	1	-	-	-	1	-	-	-	-	-	1	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	3	1	-	-	-	1	-	-	-	-	-	1	-
Asian or Pacific Islander 2/, both sexes.....	10	2	-	1	-	1	-	1	-	1	1	-	3
Male.....	3	1	-	-	-	-	-	-	-	1	-	-	1
Female.....	7	1	-	1	-	1	-	1	-	-	1	-	2
Osteoporosis without pathological fracture (M81)													
All races, both sexes.....	936	82	107	104	88	73	72	62	66	70	68	69	75
Male.....	92	11	4	10	5	8	5	6	5	11	4	13	10
Female.....	844	71	103	94	83	65	67	56	61	59	64	56	65
White, both sexes.....	906	81	105	96	87	72	70	61	63	65	67	66	73
Male.....	91	11	4	9	5	8	5	6	5	11	4	13	10
Female.....	815	70	101	87	82	64	65	55	58	54	63	53	63
Black, both sexes.....	10	-	1	2	-	1	-	1	1	1	1	1	1
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	10	-	1	2	-	1	-	1	1	1	1	1	1
American Indian 1/, both sexes.....	2	-	-	-	-	-	1	-	1	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	2	-	-	-	-	-	1	-	1	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	18	1	1	6	1	-	1	-	1	4	-	2	1
Male.....	1	-	-	1	-	-	-	-	-	-	-	-	-
Female.....	17	1	1	5	1	-	1	-	1	4	-	2	1

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
<b>Other osteoporosis (M81.8)</b>													
All races, both sexes.....	13	3	2	1	-	1	1	3	1	1	-	-	-
Male.....	2	1	-	-	-	-	-	-	-	1	-	-	-
Female.....	11	2	2	1	-	1	1	3	1	-	-	-	-
White, both sexes.....	13	3	2	1	-	1	1	3	1	1	-	-	-
Male.....	2	1	-	-	-	-	-	-	-	1	-	-	-
Female.....	11	2	2	1	-	1	1	3	1	-	-	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
<b>Osteoporosis, unspecified (M81.9)</b>													
All races, both sexes.....	923	79	105	103	88	72	71	59	65	69	68	69	75
Male.....	90	10	4	10	5	8	5	6	5	10	4	13	10
Female.....	833	69	101	93	83	64	66	53	60	59	64	56	65
White, both sexes.....	893	78	103	95	87	71	69	58	62	64	67	66	73
Male.....	89	10	4	9	5	8	5	6	5	10	4	13	10
Female.....	804	68	99	86	82	63	64	52	57	54	63	53	63
Black, both sexes.....	10	-	1	2	-	1	-	1	1	1	1	1	1
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	10	-	1	2	-	1	-	1	1	1	1	1	1
American Indian 1/, both sexes.....	2	-	-	-	-	-	1	-	1	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	2	-	-	-	-	-	1	-	1	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	18	1	1	6	1	-	1	-	1	4	-	2	1
Male.....	1	-	-	1	-	-	-	-	-	-	-	-	-
Female.....	17	1	1	5	1	-	1	-	1	4	-	2	1











Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
<b>Disorder of bone density and structure, unspecified (M85.9)</b>													
All races, both sexes.....	1	-	1	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	1	-	-	-	-	-	-	-	-	-	-
White, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Black, both sexes.....	1	-	1	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	1	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
<b>Osteomyelitis (M86)</b>													
All races, both sexes.....	1,346	115	111	126	110	111	94	106	115	104	109	115	130
Male.....	654	59	53	47	62	55	36	55	60	48	49	66	64
Female.....	692	56	58	79	48	56	58	51	55	56	60	49	66
White, both sexes.....	1,090	97	94	99	89	80	78	88	94	90	86	91	104
Male.....	543	48	48	37	51	45	32	48	51	43	39	52	49
Female.....	547	49	46	62	38	35	46	40	43	47	47	39	55
Black, both sexes.....	241	17	15	26	19	29	15	17	20	14	21	22	26
Male.....	101	10	4	9	9	10	3	6	9	5	9	12	15
Female.....	140	7	11	17	10	19	12	11	11	9	12	10	11
American Indian 1/, both sexes.....	7	-	1	-	1	1	1	1	-	-	2	-	-
Male.....	5	-	1	-	1	-	1	1	-	-	1	-	-
Female.....	2	-	-	-	-	1	-	-	-	-	1	-	-
Asian or Pacific Islander 2/, both sexes.....	8	1	1	1	1	1	-	-	1	-	-	2	-
Male.....	5	1	-	1	1	-	-	-	-	-	-	2	-
Female.....	3	-	1	-	-	1	-	-	1	-	-	-	-







































Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Other (N02.8)													
All races, both sexes.....	25	1	3	1	2	2	1	4	-	3	1	1	6
Male.....	16	1	2	-	2	2	-	3	-	2	1	1	2
Female.....	9	-	1	1	-	-	1	1	-	1	-	-	4
White, both sexes.....	19	1	3	1	1	1	1	2	-	2	1	1	5
Male.....	13	1	2	-	1	1	-	2	-	2	1	1	2
Female.....	6	-	1	1	-	-	1	-	-	-	-	-	3
Black, both sexes.....	4	-	-	-	1	-	-	2	-	1	-	-	-
Male.....	2	-	-	-	1	-	-	1	-	-	-	-	-
Female.....	2	-	-	-	-	-	-	1	-	1	-	-	-
American Indian 1/, both sexes.....	1	-	-	-	-	-	-	-	-	-	-	-	1
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	-	-	-	-	1
Asian or Pacific Islander 2/, both sexes.....	1	-	-	-	-	1	-	-	-	-	-	-	-
Male.....	1	-	-	-	-	1	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Chronic nephritic syndrome (N03)													
All races, both sexes.....	621	43	46	43	59	38	43	36	55	39	63	80	76
Male.....	321	22	19	25	30	24	22	18	30	20	29	42	40
Female.....	300	21	27	18	29	14	21	18	25	19	34	38	36
White, both sexes.....	477	37	42	32	40	32	32	27	34	24	50	65	62
Male.....	246	19	17	18	22	20	17	12	20	11	22	35	33
Female.....	231	18	25	14	18	12	15	15	14	13	28	30	29
Black, both sexes.....	129	5	2	10	19	5	11	8	18	13	12	14	12
Male.....	66	3	1	6	8	4	5	5	8	7	6	7	6
Female.....	63	2	1	4	11	1	6	3	10	6	6	7	6
American Indian 1/, both sexes.....	5	-	2	1	-	-	-	-	1	-	-	-	1
Male.....	3	-	1	1	-	-	-	-	-	-	-	-	1
Female.....	2	-	1	-	-	-	-	-	1	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	10	1	-	-	-	1	-	1	2	2	1	1	1
Male.....	6	-	-	-	-	-	-	1	2	2	1	-	-
Female.....	4	1	-	-	-	1	-	-	-	-	-	1	1

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Other (N03.8)													
All races, both sexes.....	1	-	1	-	-	-	-	-	-	-	-	-	-
Male.....	1	-	1	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
White, both sexes.....	1	-	1	-	-	-	-	-	-	-	-	-	-
Male.....	1	-	1	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Unspecified (N03.9)													
All races, both sexes.....	620	43	45	43	59	38	43	36	55	39	63	80	76
Male.....	320	22	18	25	30	24	22	18	30	20	29	42	40
Female.....	300	21	27	18	29	14	21	18	25	19	34	38	36
White, both sexes.....	476	37	41	32	40	32	32	27	34	24	50	65	62
Male.....	245	19	16	18	22	20	17	12	20	11	22	35	33
Female.....	231	18	25	14	18	12	15	15	14	13	28	30	29
Black, both sexes.....	129	5	2	10	19	5	11	8	18	13	12	14	12
Male.....	66	3	1	6	8	4	5	5	8	7	6	7	6
Female.....	63	2	1	4	11	1	6	3	10	6	6	7	6
American Indian 1/, both sexes.....	5	-	2	1	-	-	-	-	1	-	-	-	1
Male.....	3	-	1	1	-	-	-	-	-	-	-	-	1
Female.....	2	-	1	-	-	-	-	-	1	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	10	1	-	-	-	1	-	1	2	2	1	1	1
Male.....	6	-	-	-	-	-	-	1	2	2	1	-	-
Female.....	4	1	-	-	-	1	-	-	-	-	-	1	1

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
<b>Nephrotic syndrome (N04)</b>													
All races, both sexes.....	120	13	11	8	13	13	9	9	8	8	11	9	8
Male.....	61	4	6	5	6	6	2	4	6	5	5	8	4
Female.....	59	9	5	3	7	7	7	5	2	3	6	1	4
White, both sexes.....	99	10	10	6	12	10	8	8	5	7	9	8	6
Male.....	54	4	6	4	6	4	2	4	4	4	5	7	4
Female.....	45	6	4	2	6	6	6	4	1	3	4	1	2
Black, both sexes.....	16	2	1	2	-	1	1	1	3	1	1	1	2
Male.....	6	-	-	1	-	1	-	-	2	1	-	1	-
Female.....	10	2	1	1	-	-	1	1	1	-	1	-	2
American Indian 1/, both sexes.....	1	-	-	-	-	1	-	-	-	-	-	-	-
Male.....	1	-	-	-	-	1	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	4	1	-	-	1	1	-	-	-	-	1	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	4	1	-	-	1	1	-	-	-	-	1	-	-
<b>Unspecified (N04.9)</b>													
All races, both sexes.....	120	13	11	8	13	13	9	9	8	8	11	9	8
Male.....	61	4	6	5	6	6	2	4	6	5	5	8	4
Female.....	59	9	5	3	7	7	7	5	2	3	6	1	4
White, both sexes.....	99	10	10	6	12	10	8	8	5	7	9	8	6
Male.....	54	4	6	4	6	4	2	4	4	4	5	7	4
Female.....	45	6	4	2	6	6	6	4	1	3	4	1	2
Black, both sexes.....	16	2	1	2	-	1	1	1	3	1	1	1	2
Male.....	6	-	-	1	-	1	-	-	2	1	-	1	-
Female.....	10	2	1	1	-	-	1	1	1	-	1	-	2
American Indian 1/, both sexes.....	1	-	-	-	-	1	-	-	-	-	-	-	-
Male.....	1	-	-	-	-	1	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	4	1	-	-	1	1	-	-	-	-	1	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	4	1	-	-	1	1	-	-	-	-	1	-	-











Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
<b>Acute tubulo-interstitial nephritis (N10)</b>													
All races, both sexes.....	136	15	7	9	14	16	7	11	9	7	15	16	10
Male.....	37	6	3	2	4	3	-	2	-	2	5	8	2
Female.....	99	9	4	7	10	13	7	9	9	5	10	8	8
White, both sexes.....	112	12	6	6	12	11	7	11	7	7	13	12	8
Male.....	31	5	2	1	4	2	-	2	-	2	5	6	2
Female.....	81	7	4	5	8	9	7	9	7	5	8	6	6
Black, both sexes.....	22	3	1	3	2	5	-	-	2	-	2	3	1
Male.....	6	1	1	1	-	1	-	-	-	-	-	2	-
Female.....	16	2	-	2	2	4	-	-	2	-	2	1	1
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	2	-	-	-	-	-	-	-	-	-	-	1	1
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	2	-	-	-	-	-	-	-	-	-	-	1	1
<b>Chronic tubulo-interstitial nephritis (N11)</b>													
All races, both sexes.....	57	6	2	9	-	6	3	8	3	3	9	3	5
Male.....	14	1	-	1	-	1	2	2	-	-	4	1	2
Female.....	43	5	2	8	-	5	1	6	3	3	5	2	3
White, both sexes.....	50	6	2	8	-	6	1	8	3	2	7	3	4
Male.....	11	1	-	1	-	1	2	-	-	-	2	1	2
Female.....	39	5	2	7	-	5	-	6	3	2	5	2	2
Black, both sexes.....	3	-	-	1	-	-	1	-	-	-	1	-	-
Male.....	2	-	-	-	-	-	1	-	-	-	1	-	-
Female.....	1	-	-	1	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	4	-	-	-	-	-	1	-	-	1	1	-	1
Male.....	1	-	-	-	-	-	-	-	-	-	1	-	-
Female.....	3	-	-	-	-	-	1	-	-	1	-	-	1



Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Chronic tubulo-interstitial nephritis, unspecified (N11.9)													
All races, both sexes.....	47	3	2	8	-	5	2	8	3	1	8	2	5
Male.....	12	-	-	1	-	1	2	2	-	-	4	1	2
Female.....	35	3	2	7	-	4	1	6	3	1	4	1	3
White, both sexes.....	40	3	2	7	-	5	-	8	3	-	6	2	4
Male.....	9	-	-	1	-	1	-	2	-	-	2	1	2
Female.....	31	3	2	6	-	4	-	6	3	-	4	1	2
Black, both sexes.....	3	-	-	1	-	-	1	-	-	-	1	-	-
Male.....	2	-	-	-	-	-	1	-	-	-	1	-	-
Female.....	1	-	-	1	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	4	-	-	-	-	-	1	-	-	1	1	-	1
Male.....	1	-	-	-	-	-	-	-	-	-	1	-	-
Female.....	3	-	-	-	-	-	1	-	-	1	-	-	1
Tubulo-interstitial nephritis, not specified as acute or chronic (N12)													
All races, both sexes.....	539	42	55	53	45	34	38	49	42	49	51	43	38
Male.....	172	11	22	17	16	11	9	10	13	10	18	15	20
Female.....	367	31	33	36	29	23	29	39	29	39	33	28	18
White, both sexes.....	472	39	47	46	42	31	32	46	36	40	46	37	30
Male.....	152	11	21	15	14	10	8	10	12	7	17	12	15
Female.....	320	28	26	31	28	21	24	36	24	33	29	25	15
Black, both sexes.....	56	2	7	5	3	2	6	2	6	8	4	5	6
Male.....	16	-	1	1	2	1	1	-	1	2	1	2	4
Female.....	40	2	6	4	1	1	5	2	5	6	3	3	2
American Indian 1/, both sexes.....	4	-	1	-	-	1	-	1	-	1	-	-	-
Male.....	1	-	-	-	-	-	-	-	-	1	-	-	-
Female.....	3	-	1	-	-	1	-	1	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	7	1	-	2	-	-	-	-	-	-	1	1	2
Male.....	3	-	-	1	-	-	-	-	-	-	-	1	1
Female.....	4	1	-	1	-	-	-	-	-	-	1	-	1



Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Hydronephrosis with ureteral stricture, not elsewhere classified (N13.1)													
All races, both sexes.....	1	-	-	-	-	-	-	-	-	-	-	-	1
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	-	-	-	-	1
White, both sexes.....	1	-	-	-	-	-	-	-	-	-	-	-	1
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	-	-	-	-	1
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Hydronephrosis with renal and ureteral calculous obstruction (N13.2)													
All races, both sexes.....	13	1	1	-	2	3	1	2	-	-	-	1	2
Male.....	5	1	1	-	2	1	-	-	-	-	-	-	-
Female.....	8	-	-	-	-	2	1	2	-	-	-	1	2
White, both sexes.....	8	1	-	-	2	1	-	1	-	-	-	1	2
Male.....	3	1	-	-	2	-	-	-	-	-	-	-	-
Female.....	5	-	-	-	-	1	-	1	-	-	-	1	2
Black, both sexes.....	3	-	1	-	-	1	-	1	-	-	-	-	-
Male.....	1	-	1	-	-	-	-	-	-	-	-	-	-
Female.....	2	-	-	-	-	1	-	1	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	2	-	-	-	-	1	1	-	-	-	-	-	-
Male.....	1	-	-	-	-	1	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	1	-	-	-	-	-	-



















Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
<b>Acute renal failure (N17)</b>													
All races, both sexes.....	7,486	714	662	734	611	579	566	533	548	533	572	654	780
Male.....	3,381	307	303	330	291	266	282	231	256	237	250	287	341
Female.....	4,105	407	359	404	320	313	284	302	292	296	322	367	439
White, both sexes.....	6,379	612	576	622	528	497	476	463	447	448	488	549	673
Male.....	2,874	263	258	279	249	231	240	195	216	205	213	230	295
Female.....	3,505	349	318	343	279	266	236	268	231	243	275	319	378
Black, both sexes.....	1,001	99	80	96	78	73	81	61	89	78	76	90	100
Male.....	455	44	39	47	39	31	37	31	36	28	31	49	43
Female.....	546	55	41	49	39	42	44	30	53	50	45	41	57
American Indian 1/, both sexes.....	28	1	1	4	3	3	2	2	2	2	2	4	2
Male.....	12	-	1	2	2	2	1	1	-	1	1	1	-
Female.....	16	1	-	2	1	1	1	1	2	1	1	3	2
Asian or Pacific Islander 2/, both sexes.....	78	2	5	12	2	6	7	7	10	5	6	11	5
Male.....	40	-	5	2	1	2	4	4	4	3	5	7	3
Female.....	38	2	-	10	1	4	3	3	6	2	1	4	2
<b>Acute renal failure with tubular necrosis (N17.0)</b>													
All races, both sexes.....	209	21	21	11	17	18	10	14	22	19	14	18	24
Male.....	92	5	7	9	9	9	6	6	11	9	2	6	13
Female.....	117	16	14	2	8	9	4	8	11	10	12	12	11
White, both sexes.....	175	19	19	10	12	13	10	14	17	15	12	15	19
Male.....	79	5	7	8	6	7	6	6	9	8	2	4	11
Female.....	96	14	12	2	6	6	4	8	8	7	10	11	8
Black, both sexes.....	26	1	2	1	5	4	-	-	3	4	1	1	4
Male.....	10	-	-	1	3	2	-	-	1	1	-	1	1
Female.....	16	1	2	-	2	2	-	-	2	3	1	-	3
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	8	1	-	-	-	1	-	-	2	-	1	2	1
Male.....	3	-	-	-	-	-	-	-	1	-	-	1	1
Female.....	5	1	-	-	-	1	-	-	1	-	1	1	-





Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
<b>Other acute renal failure (N17.8)</b>													
All races, both sexes.....	1	-	1	-	-	-	-	-	-	-	-	-	-
Male.....	1	-	1	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
White, both sexes.....	1	-	1	-	-	-	-	-	-	-	-	-	-
Male.....	1	-	1	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
<b>Acute renal failure, unspecified (N17.9)</b>													
All races, both sexes.....	7,273	692	640	723	593	561	556	519	526	514	558	636	755
Male.....	3,287	302	295	321	282	257	276	225	245	228	248	281	327
Female.....	3,986	390	345	402	311	304	280	294	281	286	310	355	428
White, both sexes.....	6,201	592	556	612	516	484	466	449	430	433	476	534	653
Male.....	2,793	258	250	271	243	224	234	189	207	197	211	226	283
Female.....	3,408	334	306	341	273	260	232	260	223	236	265	308	370
Black, both sexes.....	974	98	78	95	72	69	81	61	86	74	75	89	96
Male.....	445	44	39	46	36	29	37	31	35	27	31	48	42
Female.....	529	54	39	49	36	40	44	30	51	47	44	41	54
American Indian 1/, both sexes.....	28	1	1	4	3	3	2	2	2	2	2	4	2
Male.....	12	-	1	2	2	2	1	1	-	1	1	1	-
Female.....	16	1	-	2	1	1	1	1	2	1	1	3	2
Asian or Pacific Islander 2/, both sexes.....	70	1	5	12	2	5	7	7	8	5	5	9	4
Male.....	37	-	5	2	1	2	4	4	3	3	5	6	2
Female.....	33	1	-	10	1	3	3	3	5	2	-	3	2

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
<b>Chronic renal failure (N18)</b>													
All races, both sexes.....	18,066	1,592	1,573	1,687	1,571	1,478	1,365	1,384	1,437	1,391	1,465	1,508	1,615
Male.....	9,069	787	784	861	802	772	689	697	710	697	739	720	811
Female.....	8,997	805	789	826	769	706	676	687	727	694	726	788	804
White, both sexes.....	13,190	1,145	1,124	1,255	1,177	1,085	986	980	1,055	1,009	1,075	1,099	1,200
Male.....	6,871	579	593	663	615	602	517	520	533	530	563	537	619
Female.....	6,319	566	531	592	562	483	469	460	522	479	512	562	581
Black, both sexes.....	4,309	387	407	383	352	334	343	350	345	335	346	372	355
Male.....	1,925	179	172	175	159	140	156	157	158	145	157	164	163
Female.....	2,384	208	235	208	193	194	187	193	187	190	189	208	192
American Indian 1/, both sexes.....	136	12	8	12	6	16	7	13	11	13	7	11	20
Male.....	57	5	3	5	5	10	1	2	3	5	3	6	9
Female.....	79	7	5	7	1	6	6	11	8	8	4	5	11
Asian or Pacific Islander 2/, both sexes.....	431	48	34	37	36	43	29	41	26	34	37	26	40
Male.....	216	24	16	18	23	20	15	18	16	17	16	13	20
Female.....	215	24	18	19	13	23	14	23	10	17	21	13	20
<b>End-stage renal disease (N18.0)</b>													
All races, both sexes.....	10,238	868	898	925	834	831	794	797	803	812	861	883	932
Male.....	5,179	440	446	490	428	423	406	403	400	396	440	432	475
Female.....	5,059	428	452	435	406	408	388	394	403	416	421	451	457
White, both sexes.....	6,855	579	573	628	589	563	510	520	541	540	586	587	639
Male.....	3,658	306	308	350	314	307	278	285	278	278	320	296	338
Female.....	3,197	273	265	278	275	256	232	235	263	262	266	291	301
Black, both sexes.....	3,040	260	299	263	225	233	258	241	239	242	250	276	254
Male.....	1,368	119	126	123	103	97	118	107	113	104	113	125	120
Female.....	1,672	141	173	140	122	136	140	134	126	138	137	151	134
American Indian 1/, both sexes.....	91	7	7	8	1	10	4	9	8	9	6	8	14
Male.....	31	3	3	3	1	5	-	1	1	3	2	5	4
Female.....	60	4	4	5	-	5	4	8	7	6	4	3	10
Asian or Pacific Islander 2/, both sexes.....	252	22	19	26	19	25	22	27	15	21	19	12	25
Male.....	122	12	9	14	10	14	10	10	8	11	5	6	13
Female.....	130	10	10	12	9	11	12	17	7	10	14	6	12

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
<b>Other chronic renal failure (N18.8)</b>													
All races, both sexes.....	238	25	21	19	25	19	14	16	21	19	12	22	25
Male.....	105	13	10	13	8	8	7	7	8	8	3	6	14
Female.....	133	12	11	6	17	11	7	9	13	11	9	16	11
White, both sexes.....	181	18	17	13	16	15	11	13	15	14	8	20	21
Male.....	80	9	9	8	3	8	5	6	6	7	2	5	12
Female.....	101	9	8	5	13	7	6	7	9	7	6	15	9
Black, both sexes.....	52	7	4	6	9	4	3	1	5	5	4	1	3
Male.....	23	4	1	5	5	-	2	-	2	1	1	1	1
Female.....	29	3	3	1	4	4	1	1	3	4	3	-	2
American Indian 1/, both sexes.....	1	-	-	-	-	-	-	-	-	-	-	-	1
Male.....	1	-	-	-	-	-	-	-	-	-	-	-	1
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	4	-	-	-	-	-	-	2	1	-	-	1	-
Male.....	1	-	-	-	-	-	-	1	-	-	-	-	-
Female.....	3	-	-	-	-	-	-	1	1	-	-	1	-
<b>Chronic renal failure, unspecified (N18.9)</b>													
All races, both sexes.....	7,590	699	654	743	712	628	557	571	613	560	592	603	658
Male.....	3,785	334	328	358	366	341	276	287	302	293	296	282	322
Female.....	3,805	365	326	385	346	287	281	284	311	267	296	321	336
White, both sexes.....	6,154	548	534	614	572	507	465	447	499	455	481	492	540
Male.....	3,133	264	276	305	298	287	234	229	249	245	241	236	269
Female.....	3,021	284	258	309	274	220	231	218	250	210	240	256	271
Black, both sexes.....	1,217	120	104	114	118	97	82	108	101	88	92	95	98
Male.....	534	56	45	47	51	43	36	50	43	40	43	38	42
Female.....	683	64	59	67	67	54	46	58	58	48	49	57	56
American Indian 1/, both sexes.....	44	5	1	4	5	6	3	4	3	4	1	3	5
Male.....	25	2	-	2	4	5	1	1	2	2	1	1	4
Female.....	19	3	1	2	1	1	2	3	1	2	-	2	1
Asian or Pacific Islander 2/, both sexes.....	175	26	15	11	17	18	7	12	10	13	18	13	15
Male.....	93	12	7	4	13	6	5	7	8	6	11	7	7
Female.....	82	14	8	7	4	12	2	5	2	7	7	6	8























Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Disorder of kidney and ureter, unspecified (N28.9)													
All races, both sexes.....	513	46	36	44	47	43	41	39	44	37	48	37	51
Male.....	286	21	19	20	29	21	27	17	25	22	27	24	34
Female.....	227	25	17	24	18	22	14	22	19	15	21	13	17
White, both sexes.....	382	32	29	35	32	35	34	29	25	27	37	29	38
Male.....	215	14	16	18	17	17	23	13	13	17	20	20	27
Female.....	167	18	13	17	15	18	11	16	12	10	17	9	11
Black, both sexes.....	118	11	6	9	14	7	5	10	17	9	10	7	13
Male.....	62	6	3	2	11	3	2	4	11	4	6	3	7
Female.....	56	5	3	7	3	4	3	6	6	5	4	4	6
American Indian 1/, both sexes.....	3	1	-	-	-	-	1	-	1	-	-	-	-
Male.....	2	1	-	-	-	-	1	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	1	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	10	2	1	-	1	1	1	-	1	1	1	1	-
Male.....	7	-	-	-	1	1	1	-	1	1	1	1	-
Female.....	3	2	1	-	-	-	-	-	-	-	-	-	-
Cystitis (N30)													
All races, both sexes.....	143	14	10	12	10	21	11	12	8	14	12	12	7
Male.....	58	6	5	2	5	12	1	6	3	7	4	5	2
Female.....	85	8	5	10	5	9	10	6	5	7	8	7	5
White, both sexes.....	124	13	9	9	9	20	9	10	5	13	10	11	6
Male.....	49	5	4	2	4	11	1	4	2	6	4	5	1
Female.....	75	8	5	7	5	9	8	6	3	7	6	6	5
Black, both sexes.....	15	1	1	3	1	1	1	2	1	1	2	-	1
Male.....	9	1	1	-	1	1	-	2	1	1	-	-	1
Female.....	6	-	-	3	-	-	1	-	-	-	2	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	4	-	-	-	-	-	1	-	2	-	-	1	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	4	-	-	-	-	-	1	-	2	-	-	1	-







Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Other cystitis (N30.8)													
All races, both sexes.....	15	1	4	1	1	4	-	1	1	-	1	-	1
Male.....	8	-	2	-	1	2	-	1	1	-	-	-	1
Female.....	7	1	2	1	-	2	-	-	-	-	1	-	-
White, both sexes.....	14	1	3	1	1	4	-	1	1	-	1	-	1
Male.....	7	-	1	-	1	2	-	1	1	-	-	-	1
Female.....	7	1	2	1	-	2	-	-	-	-	1	-	-
Black, both sexes.....	1	-	1	-	-	-	-	-	-	-	-	-	-
Male.....	1	-	1	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Cystitis, unspecified (N30.9)													
All races, both sexes.....	99	8	6	9	7	12	7	10	6	13	9	9	3
Male.....	41	4	3	2	4	7	1	4	2	7	3	4	-
Female.....	58	4	3	7	3	5	6	6	4	6	6	5	3
White, both sexes.....	83	7	6	6	6	11	5	9	3	12	7	8	3
Male.....	35	3	3	2	3	6	1	3	1	6	3	4	-
Female.....	48	4	3	4	3	5	4	6	2	6	4	4	3
Black, both sexes.....	12	1	-	3	1	1	1	1	1	1	2	-	-
Male.....	6	1	-	-	1	1	-	1	1	1	-	-	-
Female.....	6	-	-	3	-	-	1	-	-	-	2	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	4	-	-	-	-	-	1	-	2	-	-	1	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	4	-	-	-	-	-	1	-	2	-	-	1	-



Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Neuromuscular dysfunction of bladder, unspecified (N31.9)													
All races, both sexes.....	122	11	9	8	13	15	11	4	14	7	6	10	14
Male.....	62	8	5	3	7	7	7	-	6	5	3	5	6
Female.....	60	3	4	5	6	8	4	4	8	2	3	5	8
White, both sexes.....	116	11	9	7	12	15	11	4	13	7	5	9	13
Male.....	60	8	5	2	7	7	7	-	6	5	3	4	6
Female.....	56	3	4	5	5	8	4	4	7	2	2	5	7
Black, both sexes.....	5	-	-	1	-	-	-	-	1	-	1	1	1
Male.....	2	-	-	1	-	-	-	-	-	-	-	1	-
Female.....	3	-	-	-	-	-	-	-	1	-	1	-	1
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	-	-	-	1	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	1	-	-	-	-	-	-	-	-
Other disorders of bladder (N32)													
All races, both sexes.....	217	23	17	23	18	11	18	17	13	20	23	14	20
Male.....	120	16	9	13	12	4	9	8	7	11	14	4	13
Female.....	97	7	8	10	6	7	9	9	6	9	9	10	7
White, both sexes.....	197	20	15	21	17	11	17	15	11	18	23	14	15
Male.....	111	14	9	13	12	4	9	8	5	9	14	4	10
Female.....	86	6	6	8	5	7	8	7	6	9	9	10	5
Black, both sexes.....	16	2	2	2	1	-	-	2	1	1	-	-	5
Male.....	7	2	-	-	-	-	-	-	1	1	-	-	3
Female.....	9	-	2	2	1	-	-	2	-	-	-	-	2
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	4	1	-	-	-	-	1	-	1	1	-	-	-
Male.....	2	-	-	-	-	-	-	-	1	1	-	-	-
Female.....	2	1	-	-	-	-	1	-	-	-	-	-	-



Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Vesical fistula, not elsewhere classified (N32.2)													
All races, both sexes.....	7	1	-	1	-	-	2	-	-	2	1	-	-
Male.....	5	1	-	1	-	-	1	-	-	1	1	-	-
Female.....	2	-	-	-	-	-	1	-	-	1	-	-	-
White, both sexes.....	7	1	-	1	-	-	2	-	-	2	1	-	-
Male.....	5	1	-	1	-	-	1	-	-	1	1	-	-
Female.....	2	-	-	-	-	-	1	-	-	1	-	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Rupture of bladder, nontraumatic (N32.4)													
All races, both sexes.....	16	1	2	1	2	-	1	-	3	1	2	1	2
Male.....	10	1	-	1	1	-	-	-	3	-	2	1	1
Female.....	6	-	2	-	1	-	1	-	-	1	-	-	1
White, both sexes.....	10	-	1	1	2	-	-	-	1	1	2	1	1
Male.....	6	-	-	1	1	-	-	-	1	-	2	1	-
Female.....	4	-	1	-	1	-	-	-	-	1	-	-	1
Black, both sexes.....	4	1	1	-	-	-	-	-	1	-	-	-	1
Male.....	3	1	-	-	-	-	-	-	1	-	-	-	1
Female.....	1	-	1	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	2	-	-	-	-	-	1	-	1	-	-	-	-
Male.....	1	-	-	-	-	-	-	-	1	-	-	-	-
Female.....	1	-	-	-	-	-	1	-	-	-	-	-	-













Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
<b>Other disorders of urinary system (N39)</b>													
All races, both sexes.....	14,979	1,367	1,276	1,300	1,339	1,201	1,155	1,137	1,161	1,114	1,285	1,242	1,402
Male.....	4,702	440	370	385	422	394	363	336	390	375	407	378	442
Female.....	10,277	927	906	915	917	807	792	801	771	739	878	864	960
White, both sexes.....	13,084	1,187	1,096	1,142	1,165	1,070	1,016	998	1,026	964	1,118	1,080	1,222
Male.....	4,063	372	314	333	359	351	315	307	335	318	358	323	378
Female.....	9,021	815	782	809	806	719	701	691	691	646	760	757	844
Black, both sexes.....	1,612	155	160	130	154	110	117	115	113	128	134	140	156
Male.....	543	62	53	44	52	35	36	23	48	47	40	49	54
Female.....	1,069	93	107	86	102	75	81	92	65	81	94	91	102
American Indian 1/, both sexes.....	71	6	5	9	6	3	5	1	4	9	9	8	6
Male.....	27	2	-	3	5	2	2	1	1	3	4	2	2
Female.....	44	4	5	6	1	1	3	-	3	6	5	6	4
Asian or Pacific Islander 2/, both sexes.....	212	19	15	19	14	18	17	23	18	13	24	14	18
Male.....	69	4	3	5	6	6	10	5	6	7	5	4	8
Female.....	143	15	12	14	8	12	7	18	12	6	19	10	10
<b>Urinary tract infection, site not specified (N39.0)</b>													
All races, both sexes.....	14,962	1,365	1,275	1,297	1,337	1,199	1,154	1,136	1,161	1,112	1,284	1,241	1,401
Male.....	4,693	439	370	384	420	393	362	336	390	373	406	378	442
Female.....	10,269	926	905	913	917	806	792	800	771	739	878	863	959
White, both sexes.....	13,069	1,185	1,095	1,139	1,163	1,068	1,015	998	1,026	963	1,117	1,079	1,221
Male.....	4,055	371	314	332	357	350	314	307	335	317	357	323	378
Female.....	9,014	814	781	807	806	718	701	691	691	646	760	756	843
Black, both sexes.....	1,610	155	160	130	154	110	117	114	113	127	134	140	156
Male.....	542	62	53	44	52	35	36	23	48	46	40	49	54
Female.....	1,068	93	107	86	102	75	81	91	65	81	94	91	102
American Indian 1/, both sexes.....	71	6	5	9	6	3	5	1	4	9	9	8	6
Male.....	27	2	-	3	5	2	2	1	1	3	4	2	2
Female.....	44	4	5	6	1	1	3	-	3	6	5	6	4
Asian or Pacific Islander 2/, both sexes.....	212	19	15	19	14	18	17	23	18	13	24	14	18
Male.....	69	4	3	5	6	6	10	5	6	7	5	4	8
Female.....	143	15	12	14	8	12	7	18	12	6	19	10	10



















































Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
<b>Inflammatory disease of uterus, unspecified (N71.9)</b>													
All races, both sexes.....	11	2	-	2	2	-	1	1	1	-	1	-	1
Male.....	...	...	...	...	...	...	...	...	...	...	...	...	...
Female.....	11	2	-	2	2	-	1	1	1	-	1	-	1
White, both sexes.....	8	1	-	2	-	-	1	1	1	-	1	-	1
Male.....	...	...	...	...	...	...	...	...	...	...	...	...	...
Female.....	8	1	-	2	-	-	1	1	1	-	1	-	1
Black, both sexes.....	3	1	-	-	2	-	-	-	-	-	-	-	-
Male.....	...	...	...	...	...	...	...	...	...	...	...	...	...
Female.....	3	1	-	-	2	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	...	...	...	...	...	...	...	...	...	...	...	...	...
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	...	...	...	...	...	...	...	...	...	...	...	...	...
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
<b>Other female pelvic inflammatory diseases (N73)</b>													
All races, both sexes.....	84	12	7	6	9	3	8	7	9	7	5	2	9
Male.....	...	...	...	...	...	...	...	...	...	...	...	...	...
Female.....	84	12	7	6	9	3	8	7	9	7	5	2	9
White, both sexes.....	69	11	7	3	8	3	6	6	8	4	4	2	7
Male.....	...	...	...	...	...	...	...	...	...	...	...	...	...
Female.....	69	11	7	3	8	3	6	6	8	4	4	2	7
Black, both sexes.....	12	-	-	3	1	-	2	1	1	3	-	-	1
Male.....	...	...	...	...	...	...	...	...	...	...	...	...	...
Female.....	12	-	-	3	1	-	2	1	1	3	-	-	1
American Indian 1/, both sexes.....	1	1	-	-	-	-	-	-	-	-	-	-	-
Male.....	...	...	...	...	...	...	...	...	...	...	...	...	...
Female.....	1	1	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	2	-	-	-	-	-	-	-	-	-	1	-	1
Male.....	...	...	...	...	...	...	...	...	...	...	...	...	...
Female.....	2	-	-	-	-	-	-	-	-	-	1	-	1

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
<b>Acute parametritis and pelvic cellulitis (N73.0)</b>													
All races, both sexes.....	1	-	-	-	-	-	-	-	-	-	-	-	1
Male.....	...	...	...	...	...	...	...	...	...	...	...	...	...
Female.....	1	-	-	-	-	-	-	-	-	-	-	-	1
White, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	...	...	...	...	...	...	...	...	...	...	...	...	...
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Black, both sexes.....	1	-	-	-	-	-	-	-	-	-	-	-	1
Male.....	...	...	...	...	...	...	...	...	...	...	...	...	...
Female.....	1	-	-	-	-	-	-	-	-	-	-	-	1
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	...	...	...	...	...	...	...	...	...	...	...	...	...
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	...	...	...	...	...	...	...	...	...	...	...	...	...
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
<b>Chronic parametritis and pelvic cellulitis (N73.1)</b>													
All races, both sexes.....	3	1	-	-	-	-	-	-	-	-	2	-	-
Male.....	...	...	...	...	...	...	...	...	...	...	...	...	...
Female.....	3	1	-	-	-	-	-	-	-	-	2	-	-
White, both sexes.....	1	-	-	-	-	-	-	-	-	-	1	-	-
Male.....	...	...	...	...	...	...	...	...	...	...	...	...	...
Female.....	1	-	-	-	-	-	-	-	-	-	1	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	...	...	...	...	...	...	...	...	...	...	...	...	...
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	1	1	-	-	-	-	-	-	-	-	-	-	-
Male.....	...	...	...	...	...	...	...	...	...	...	...	...	...
Female.....	1	1	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	-	-	-	-	-	-	-	-	-	1	-	-
Male.....	...	...	...	...	...	...	...	...	...	...	...	...	...
Female.....	1	-	-	-	-	-	-	-	-	-	1	-	-

















Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
<b>Endometriosis of uterus (N80.0)</b>													
All races, both sexes.....	2	-	-	-	-	-	-	-	1	-	1	-	-
Male.....	...	...	...	...	...	...	...	...	...	...	...	...	...
Female.....	2	-	-	-	-	-	-	-	1	-	1	-	-
White, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	...	...	...	...	...	...	...	...	...	...	...	...	...
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Black, both sexes.....	2	-	-	-	-	-	-	-	1	-	1	-	-
Male.....	...	...	...	...	...	...	...	...	...	...	...	...	...
Female.....	2	-	-	-	-	-	-	-	1	-	1	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	...	...	...	...	...	...	...	...	...	...	...	...	...
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	...	...	...	...	...	...	...	...	...	...	...	...	...
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
<b>Female genital prolapse (N81)</b>													
All races, both sexes.....	21	2	-	1	3	3	2	3	1	3	-	1	2
Male.....	...	...	...	...	...	...	...	...	...	...	...	...	...
Female.....	21	2	-	1	3	3	2	3	1	3	-	1	2
White, both sexes.....	17	1	-	1	3	3	1	1	1	3	-	1	2
Male.....	...	...	...	...	...	...	...	...	...	...	...	...	...
Female.....	17	1	-	1	3	3	1	1	1	3	-	1	2
Black, both sexes.....	2	1	-	-	-	-	-	1	-	-	-	-	-
Male.....	...	...	...	...	...	...	...	...	...	...	...	...	...
Female.....	2	1	-	-	-	-	-	1	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	...	...	...	...	...	...	...	...	...	...	...	...	...
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	2	-	-	-	-	-	1	1	-	-	-	-	-
Male.....	...	...	...	...	...	...	...	...	...	...	...	...	...
Female.....	2	-	-	-	-	-	1	1	-	-	-	-	-































































Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Complete or unspecified, without complication (O03.9)													
All races, both sexes.....	1	-	1	-	-	-	-	-	-	-	-	-	-
Male.....	...	...	...	...	...	...	...	...	...	...	...	...	...
Female.....	1	-	1	-	-	-	-	-	-	-	-	-	-
White, both sexes.....	1	-	1	-	-	-	-	-	-	-	-	-	-
Male.....	...	...	...	...	...	...	...	...	...	...	...	...	...
Female.....	1	-	1	-	-	-	-	-	-	-	-	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	...	...	...	...	...	...	...	...	...	...	...	...	...
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	...	...	...	...	...	...	...	...	...	...	...	...	...
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	...	...	...	...	...	...	...	...	...	...	...	...	...
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Medical abortion (O04)													
All races, both sexes.....	4	1	-	-	-	-	-	1	-	1	-	1	-
Male.....	...	...	...	...	...	...	...	...	...	...	...	...	...
Female.....	4	1	-	-	-	-	-	1	-	1	-	1	-
White, both sexes.....	2	1	-	-	-	-	-	-	-	-	-	1	-
Male.....	...	...	...	...	...	...	...	...	...	...	...	...	...
Female.....	2	1	-	-	-	-	-	-	-	-	-	1	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	...	...	...	...	...	...	...	...	...	...	...	...	...
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	1	-	-	-	-	-	-	1	-	-	-	-	-
Male.....	...	...	...	...	...	...	...	...	...	...	...	...	...
Female.....	1	-	-	-	-	-	-	1	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	-	-	-	-	-	-	-	-	1	-	-	-
Male.....	...	...	...	...	...	...	...	...	...	...	...	...	...
Female.....	1	-	-	-	-	-	-	-	-	1	-	-	-



Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Complete or unspecified, complicated by genital tract and pelvic infection (O04.5)													
All races, both sexes.....	1	-	-	-	-	-	-	1	-	-	-	-	-
Male.....	...	...	...	...	...	...	...	...	...	...	...	...	...
Female.....	1	-	-	-	-	-	-	1	-	-	-	-	-
White, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	...	...	...	...	...	...	...	...	...	...	...	...	...
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	...	...	...	...	...	...	...	...	...	...	...	...	...
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	1	-	-	-	-	-	-	1	-	-	-	-	-
Male.....	...	...	...	...	...	...	...	...	...	...	...	...	...
Female.....	1	-	-	-	-	-	-	1	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	...	...	...	...	...	...	...	...	...	...	...	...	...
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Complete or unspecified, with other and unspecified complications (O04.8)													
All races, both sexes.....	3	1	-	-	-	-	-	-	-	1	-	1	-
Male.....	...	...	...	...	...	...	...	...	...	...	...	...	...
Female.....	3	1	-	-	-	-	-	-	-	1	-	1	-
White, both sexes.....	2	1	-	-	-	-	-	-	-	-	-	1	-
Male.....	...	...	...	...	...	...	...	...	...	...	...	...	...
Female.....	2	1	-	-	-	-	-	-	-	-	-	1	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	...	...	...	...	...	...	...	...	...	...	...	...	...
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	...	...	...	...	...	...	...	...	...	...	...	...	...
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	-	-	-	-	-	-	-	-	1	-	-	-
Male.....	...	...	...	...	...	...	...	...	...	...	...	...	...
Female.....	1	-	-	-	-	-	-	-	-	1	-	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
<b>Other abortion (005)</b>													
All races, both sexes.....	1	-	-	-	-	-	-	-	-	-	1	-	-
Male.....	...	...	...	...	...	...	...	...	...	...	...	...	...
Female.....	1	-	-	-	-	-	-	-	-	-	1	-	-
White, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	...	...	...	...	...	...	...	...	...	...	...	...	...
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	...	...	...	...	...	...	...	...	...	...	...	...	...
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	...	...	...	...	...	...	...	...	...	...	...	...	...
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	-	-	-	-	-	-	-	-	-	1	-	-
Male.....	...	...	...	...	...	...	...	...	...	...	...	...	...
Female.....	1	-	-	-	-	-	-	-	-	-	1	-	-
<b>Complete or unspecified, without complication (005.9)</b>													
All races, both sexes.....	1	-	-	-	-	-	-	-	-	-	1	-	-
Male.....	...	...	...	...	...	...	...	...	...	...	...	...	...
Female.....	1	-	-	-	-	-	-	-	-	-	1	-	-
White, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	...	...	...	...	...	...	...	...	...	...	...	...	...
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	...	...	...	...	...	...	...	...	...	...	...	...	...
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	...	...	...	...	...	...	...	...	...	...	...	...	...
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	-	-	-	-	-	-	-	-	-	1	-	-
Male.....	...	...	...	...	...	...	...	...	...	...	...	...	...
Female.....	1	-	-	-	-	-	-	-	-	-	1	-	-







































Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
<b>Liver disorders in pregnancy, childbirth, and the puerperium (O26.6)</b>													
All races, both sexes.....	11	1	1	1	-	2	-	-	1	-	1	3	1
Male.....	...	...	...	...	...	...	...	...	...	...	...	...	...
Female.....	11	1	1	1	-	2	-	-	1	-	1	3	1
White, both sexes.....	8	1	1	-	-	1	-	-	1	-	1	2	1
Male.....	...	...	...	...	...	...	...	...	...	...	...	...	...
Female.....	8	1	1	-	-	1	-	-	1	-	1	2	1
Black, both sexes.....	3	-	-	1	-	1	-	-	-	-	-	1	-
Male.....	...	...	...	...	...	...	...	...	...	...	...	...	...
Female.....	3	-	-	1	-	1	-	-	-	-	-	1	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	...	...	...	...	...	...	...	...	...	...	...	...	...
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	...	...	...	...	...	...	...	...	...	...	...	...	...
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
<b>Other specified pregnancy-related conditions (O26.8)</b>													
All races, both sexes.....	78	13	2	7	5	7	2	11	3	8	8	5	7
Male.....	...	...	...	...	...	...	...	...	...	...	...	...	...
Female.....	78	13	2	7	5	7	2	11	3	8	8	5	7
White, both sexes.....	53	8	2	3	4	3	2	7	2	7	8	3	4
Male.....	...	...	...	...	...	...	...	...	...	...	...	...	...
Female.....	53	8	2	3	4	3	2	7	2	7	8	3	4
Black, both sexes.....	22	4	-	3	1	4	-	3	1	1	-	2	3
Male.....	...	...	...	...	...	...	...	...	...	...	...	...	...
Female.....	22	4	-	3	1	4	-	3	1	1	-	2	3
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	...	...	...	...	...	...	...	...	...	...	...	...	...
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	3	1	-	1	-	-	-	1	-	-	-	-	-
Male.....	...	...	...	...	...	...	...	...	...	...	...	...	...
Female.....	3	1	-	1	-	-	-	1	-	-	-	-	-





























































Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Other maternal infectious and parasitic diseases complicating pregnancy, childbirth, and the puerperium (098.8)													
All races, both sexes.....	4	1	1	1	-	-	-	-	1	-	-	-	-
Male.....	...	...	...	...	...	...	...	...	...	...	...	...	...
Female.....	4	1	1	1	-	-	-	-	1	-	-	-	-
White, both sexes.....	4	1	1	1	-	-	-	-	1	-	-	-	-
Male.....	...	...	...	...	...	...	...	...	...	...	...	...	...
Female.....	4	1	1	1	-	-	-	-	1	-	-	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	...	...	...	...	...	...	...	...	...	...	...	...	...
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	...	...	...	...	...	...	...	...	...	...	...	...	...
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	...	...	...	...	...	...	...	...	...	...	...	...	...
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Other maternal diseases classifiable elsewhere but complicating pregnancy, childbirth, and the puerperium (099)													
All races, both sexes.....	152	8	10	9	11	11	11	14	13	8	15	20	22
Male.....	...	...	...	...	...	...	...	...	...	...	...	...	...
Female.....	152	8	10	9	11	11	11	14	13	8	15	20	22
White, both sexes.....	87	6	5	7	7	6	7	8	4	4	8	12	13
Male.....	...	...	...	...	...	...	...	...	...	...	...	...	...
Female.....	87	6	5	7	7	6	7	8	4	4	8	12	13
Black, both sexes.....	54	1	4	2	4	5	4	5	7	3	5	7	7
Male.....	...	...	...	...	...	...	...	...	...	...	...	...	...
Female.....	54	1	4	2	4	5	4	5	7	3	5	7	7
American Indian 1/, both sexes.....	2	-	-	-	-	-	-	-	-	-	1	1	-
Male.....	...	...	...	...	...	...	...	...	...	...	...	...	...
Female.....	2	-	-	-	-	-	-	-	-	-	1	1	-
Asian or Pacific Islander 2/, both sexes.....	9	1	1	-	-	-	-	1	2	1	1	-	2
Male.....	...	...	...	...	...	...	...	...	...	...	...	...	...
Female.....	9	1	1	-	-	-	-	1	2	1	1	-	2









Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
<b>Diseases of the digestive system complicating pregnancy, childbirth, and the puerperium (O99.6)</b>													
All races, both sexes.....	2	-	-	-	-	1	1	-	-	-	-	-	-
Male.....	...	...	...	...	...	...	...	...	...	...	...	...	...
Female.....	2	-	-	-	-	1	1	-	-	-	-	-	-
White, both sexes.....	1	-	-	-	-	-	1	-	-	-	-	-	-
Male.....	...	...	...	...	...	...	...	...	...	...	...	...	...
Female.....	1	-	-	-	-	-	1	-	-	-	-	-	-
Black, both sexes.....	1	-	-	-	-	1	-	-	-	-	-	-	-
Male.....	...	...	...	...	...	...	...	...	...	...	...	...	...
Female.....	1	-	-	-	-	1	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	...	...	...	...	...	...	...	...	...	...	...	...	...
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	...	...	...	...	...	...	...	...	...	...	...	...	...
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
<b>Other specified diseases and conditions complicating pregnancy, childbirth, and the puerperium (O99.8)</b>													
All races, both sexes.....	71	4	6	3	4	5	6	6	6	5	9	7	10
Male.....	...	...	...	...	...	...	...	...	...	...	...	...	...
Female.....	71	4	6	3	4	5	6	6	6	5	9	7	10
White, both sexes.....	43	3	2	2	3	4	4	4	1	1	6	5	8
Male.....	...	...	...	...	...	...	...	...	...	...	...	...	...
Female.....	43	3	2	2	3	4	4	4	1	1	6	5	8
Black, both sexes.....	21	-	3	1	1	1	2	2	4	3	1	2	1
Male.....	...	...	...	...	...	...	...	...	...	...	...	...	...
Female.....	21	-	3	1	1	1	2	2	4	3	1	2	1
American Indian 1/, both sexes.....	1	-	-	-	-	-	-	-	-	-	1	-	-
Male.....	...	...	...	...	...	...	...	...	...	...	...	...	...
Female.....	1	-	-	-	-	-	-	-	-	-	1	-	-
Asian or Pacific Islander 2/, both sexes.....	6	1	1	-	-	-	-	-	1	1	1	-	1
Male.....	...	...	...	...	...	...	...	...	...	...	...	...	...
Female.....	6	1	1	-	-	-	-	-	1	1	1	-	1







Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Newborn affected by maternal injury (P00.5)													
All races, both sexes.....	29	2	2	2	1	2	3	6	1	2	3	2	3
Male.....	17	1	1	1	1	1	2	4	-	-	2	1	3
Female.....	12	1	1	1	-	1	1	2	1	2	1	1	-
White, both sexes.....	26	2	1	2	1	2	3	5	1	2	2	2	3
Male.....	15	1	-	1	1	1	2	4	-	-	1	1	3
Female.....	11	1	1	1	-	1	1	1	1	2	1	1	-
Black, both sexes.....	3	-	1	-	-	-	-	1	-	-	1	-	-
Male.....	2	-	1	-	-	-	-	-	-	-	1	-	-
Female.....	1	-	-	-	-	-	-	1	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Newborn affected by other maternal conditions (P00.8)													
All races, both sexes.....	16	2	1	1	-	3	1	1	2	4	-	-	1
Male.....	5	1	-	-	-	-	-	1	1	2	-	-	-
Female.....	11	1	1	1	-	3	1	-	1	2	-	-	1
White, both sexes.....	7	1	-	-	-	1	-	1	2	1	-	-	1
Male.....	3	-	-	-	-	-	-	1	1	1	-	-	-
Female.....	4	1	-	-	-	1	-	-	1	-	-	-	1
Black, both sexes.....	8	1	1	1	-	1	1	-	-	3	-	-	-
Male.....	2	1	-	-	-	-	-	-	-	1	-	-	-
Female.....	6	-	1	1	-	1	1	-	-	2	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	-	-	-	-	1	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	1	-	-	-	-	-	-	-



Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Newborn affected by unspecified maternal condition (P00.9)													
All races, both sexes.....	2	-	2	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	2	-	2	-	-	-	-	-	-	-	-	-	-
White, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Black, both sexes.....	2	-	2	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	2	-	2	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Newborn affected by maternal complications of pregnancy (P01)													
All races, both sexes.....	1,777	151	115	163	143	176	159	151	147	133	152	135	152
Male.....	943	83	51	82	76	89	92	82	71	71	88	81	77
Female.....	834	68	64	81	67	87	67	69	76	62	64	54	75
White, both sexes.....	1,051	88	72	96	87	106	96	84	84	77	90	75	96
Male.....	557	50	30	43	42	54	63	49	41	40	50	42	53
Female.....	494	38	42	53	45	52	33	35	43	37	40	33	43
Black, both sexes.....	660	53	38	61	50	66	58	59	58	50	57	58	52
Male.....	349	27	19	37	30	32	25	26	28	29	35	38	23
Female.....	311	26	19	24	20	34	33	33	30	21	22	20	29
American Indian 1/, both sexes.....	12	3	1	1	-	-	2	2	1	-	2	-	-
Male.....	9	2	-	1	-	-	2	2	1	-	1	-	-
Female.....	3	1	1	-	-	-	-	-	-	-	1	-	-
Asian or Pacific Islander 2/, both sexes.....	54	7	4	5	6	4	3	6	4	6	3	2	4
Male.....	28	4	2	1	4	3	2	5	1	2	2	1	1
Female.....	26	3	2	4	2	1	1	1	3	4	1	1	3

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Newborn affected by incompetent cervix (P01.0)													
All races, both sexes.....	496	39	35	47	38	52	48	38	48	38	38	40	35
Male.....	258	19	17	24	17	30	27	20	23	21	20	21	19
Female.....	238	20	18	23	21	22	21	18	25	17	18	19	16
White, both sexes.....	282	21	25	27	25	26	32	18	26	19	21	18	24
Male.....	145	9	12	13	11	13	20	10	11	10	11	9	16
Female.....	137	12	13	14	14	13	12	8	15	9	10	9	8
Black, both sexes.....	194	15	9	19	10	24	16	18	20	15	16	21	11
Male.....	105	9	5	11	5	15	7	9	11	10	9	11	3
Female.....	89	6	4	8	5	9	9	9	9	5	7	10	8
American Indian 1/, both sexes.....	1	-	-	-	-	-	-	-	-	-	1	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	-	-	1	-	-
Asian or Pacific Islander 2/, both sexes.....	19	3	1	1	3	2	-	2	2	4	-	1	-
Male.....	8	1	-	-	1	2	-	1	1	1	-	1	-
Female.....	11	2	1	1	2	-	-	1	1	3	-	-	-
Newborn affected by premature rupture of membranes (P01.1)													
All races, both sexes.....	837	73	54	67	72	78	71	67	60	72	71	61	91
Male.....	432	36	24	29	45	38	39	35	29	34	42	37	44
Female.....	405	37	30	38	27	40	32	32	31	38	29	24	47
White, both sexes.....	489	46	31	42	36	54	35	34	36	45	42	34	54
Male.....	257	26	13	15	20	28	23	22	18	20	24	19	29
Female.....	232	20	18	27	16	26	12	12	18	25	18	15	25
Black, both sexes.....	321	24	21	21	33	22	34	32	21	25	29	26	33
Male.....	163	8	11	13	22	9	15	12	10	13	18	18	14
Female.....	158	16	10	8	11	13	19	20	11	12	11	8	19
American Indian 1/, both sexes.....	8	3	1	1	-	-	1	1	1	-	-	-	-
Male.....	6	2	-	1	-	-	1	1	1	-	-	-	-
Female.....	2	1	1	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	19	-	1	3	3	2	1	-	2	2	-	1	4
Male.....	6	-	-	-	3	1	-	-	-	1	-	-	1
Female.....	13	-	1	3	-	1	1	-	2	1	-	1	3







Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Newborn affected by complications of placenta, cord, and membranes (P02)													
All races, both sexes.....	1,117	88	91	102	88	110	87	101	95	81	100	92	82
Male.....	613	53	58	53	51	51	55	52	52	42	53	47	46
Female.....	504	35	33	49	37	59	32	49	43	39	47	45	36
White, both sexes.....	765	67	60	71	55	78	57	64	66	57	68	64	58
Male.....	424	41	36	41	31	39	37	34	38	30	35	29	33
Female.....	341	26	24	30	24	39	20	30	28	27	33	35	25
Black, both sexes.....	321	19	27	29	29	31	27	33	27	23	31	25	20
Male.....	174	10	20	12	17	12	15	16	13	12	18	17	12
Female.....	147	9	7	17	12	19	12	17	14	11	13	8	8
American Indian 1/, both sexes.....	7	1	-	-	1	-	1	2	-	-	-	-	2
Male.....	3	1	-	-	-	-	1	1	-	-	-	-	-
Female.....	4	-	-	-	1	-	-	1	-	-	-	-	2
Asian or Pacific Islander 2/, both sexes.....	24	1	4	2	3	1	2	2	2	1	1	3	2
Male.....	12	1	2	-	3	-	2	1	1	-	-	1	1
Female.....	12	-	2	2	-	1	-	1	1	1	1	2	1
Newborn affected by placenta previa (P02.0)													
All races, both sexes.....	15	2	1	1	-	2	-	3	3	1	-	-	2
Male.....	6	-	1	-	-	-	-	2	2	-	-	-	1
Female.....	9	2	-	1	-	2	-	1	1	1	-	-	1
White, both sexes.....	9	1	1	-	-	-	-	2	2	1	-	-	2
Male.....	5	-	1	-	-	-	-	2	1	-	-	-	1
Female.....	4	1	-	-	-	-	-	-	1	1	-	-	1
Black, both sexes.....	5	1	-	1	-	1	-	1	1	-	-	-	-
Male.....	1	-	-	-	-	-	-	-	1	-	-	-	-
Female.....	4	1	-	1	-	1	-	1	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	-	-	-	-	1	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	1	-	-	-	-	-	-	-











Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Newborn affected by abnormality of membranes, unspecified (P02.9)													
All races, both sexes.....	2	-	-	1	-	-	-	-	-	-	-	1	-
Male.....	2	-	-	1	-	-	-	-	-	-	-	1	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
White, both sexes.....	2	-	-	1	-	-	-	-	-	-	-	1	-
Male.....	2	-	-	1	-	-	-	-	-	-	-	1	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Newborn affected by other complications of labor and delivery (P03)													
All races, both sexes.....	136	16	5	15	12	7	10	18	17	13	10	6	7
Male.....	70	8	3	9	7	3	3	7	12	8	6	3	1
Female.....	66	8	2	6	5	4	7	11	5	5	4	3	6
White, both sexes.....	87	8	3	11	7	4	5	10	12	10	7	5	5
Male.....	44	2	2	7	3	2	2	3	10	5	4	3	1
Female.....	43	6	1	4	4	2	3	7	2	5	3	2	4
Black, both sexes.....	44	8	2	4	4	3	4	7	5	2	3	1	1
Male.....	24	6	1	2	3	1	1	4	2	2	2	-	-
Female.....	20	2	1	2	1	2	3	3	3	-	1	1	1
American Indian 1/, both sexes.....	1	-	-	-	-	-	-	1	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	1	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	4	-	-	-	1	-	1	-	-	1	-	-	1
Male.....	2	-	-	-	1	-	-	-	-	1	-	-	-
Female.....	2	-	-	-	-	-	1	-	-	-	-	-	1



















Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Slow fetal growth, unspecified (P05.9)													
All races, both sexes.....	74	3	7	6	6	10	4	8	7	9	4	7	3
Male.....	36	1	4	4	2	2	2	1	2	6	4	5	3
Female.....	38	2	3	2	4	8	2	7	5	3	-	2	-
White, both sexes.....	46	1	4	5	4	5	3	6	3	8	2	3	2
Male.....	26	-	2	4	1	1	2	1	2	6	2	3	2
Female.....	20	1	2	1	3	4	1	5	1	2	-	-	-
Black, both sexes.....	24	-	3	-	2	5	1	2	3	1	2	4	1
Male.....	9	-	2	-	1	1	-	-	-	-	2	2	1
Female.....	15	-	1	-	1	4	1	2	3	1	-	2	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	4	2	-	1	-	-	-	-	1	-	-	-	-
Male.....	1	1	-	-	-	-	-	-	-	-	-	-	-
Female.....	3	1	-	1	-	-	-	-	1	-	-	-	-
Disorders related to short gestation and low birthweight, not elsewhere classified (P07)													
All races, both sexes.....	4,729	334	334	384	406	432	387	449	422	380	423	400	378
Male.....	2,655	179	192	224	205	258	209	254	253	204	249	224	204
Female.....	2,074	155	142	160	201	174	178	195	169	176	174	176	174
White, both sexes.....	2,630	187	185	206	215	237	232	242	254	219	232	211	210
Male.....	1,459	92	104	120	108	145	125	141	144	114	137	118	111
Female.....	1,171	95	81	86	107	92	107	101	110	105	95	93	99
Black, both sexes.....	1,901	130	137	159	173	175	139	190	146	153	174	175	150
Male.....	1,084	79	84	91	89	100	79	104	94	84	100	99	81
Female.....	817	51	53	68	84	75	60	86	52	69	74	76	69
American Indian 1/, both sexes.....	57	4	3	9	3	6	5	6	7	7	4	2	1
Male.....	36	1	1	7	1	3	3	4	6	5	2	2	1
Female.....	21	3	2	2	2	3	2	2	1	2	2	-	-
Asian or Pacific Islander 2/, both sexes.....	141	13	9	10	15	14	11	11	15	1	13	12	17
Male.....	76	7	3	6	7	10	2	5	9	1	10	5	11
Female.....	65	6	6	4	8	4	9	6	6	-	3	7	6



Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Extreme immaturity (P07.2)													
All races, both sexes.....	3,574	265	235	281	320	333	295	333	323	303	313	288	285
Male.....	2,007	147	141	166	159	199	162	187	186	159	184	166	151
Female.....	1,567	118	94	115	161	134	133	146	137	144	129	122	134
White, both sexes.....	2,011	152	128	153	163	188	175	173	200	183	171	162	163
Male.....	1,107	74	77	89	79	115	95	99	110	93	99	90	87
Female.....	904	78	51	64	84	73	80	74	90	90	72	72	76
Black, both sexes.....	1,413	102	99	117	141	125	107	145	107	116	132	116	106
Male.....	818	67	62	70	72	71	64	80	65	63	78	72	54
Female.....	595	35	37	47	69	54	43	65	42	53	54	44	52
American Indian 1/, both sexes.....	36	3	2	2	3	6	4	5	4	4	2	-	1
Male.....	20	1	1	1	1	3	2	3	3	3	1	-	1
Female.....	16	2	1	1	2	3	2	2	1	1	1	-	-
Asian or Pacific Islander 2/, both sexes.....	114	8	6	9	13	14	9	10	12	-	8	10	15
Male.....	62	5	1	6	7	10	1	5	8	-	6	4	9
Female.....	52	3	5	3	6	4	8	5	4	-	2	6	6
Other preterm infants (P07.3)													
All races, both sexes.....	1,077	68	93	95	83	93	83	112	94	69	103	99	85
Male.....	613	32	49	57	44	55	42	66	63	41	61	52	51
Female.....	464	36	44	38	39	38	41	46	31	28	42	47	34
White, both sexes.....	579	34	52	49	51	48	53	66	53	31	57	43	42
Male.....	335	18	25	30	28	29	27	42	34	19	36	24	23
Female.....	244	16	27	19	23	19	26	24	19	12	21	19	19
Black, both sexes.....	450	28	37	38	30	45	27	44	35	34	39	52	41
Male.....	248	12	22	21	16	26	13	23	25	19	20	25	26
Female.....	202	16	15	17	14	19	14	21	10	15	19	27	15
American Indian 1/, both sexes.....	21	1	1	7	-	-	1	1	3	3	2	2	-
Male.....	16	-	-	6	-	-	1	1	3	2	1	2	-
Female.....	5	1	1	1	-	-	-	-	-	1	1	-	-
Asian or Pacific Islander 2/, both sexes.....	27	5	3	1	2	-	2	1	3	1	5	2	2
Male.....	14	2	2	-	-	-	1	-	1	1	4	1	2
Female.....	13	3	1	1	2	-	1	1	2	-	1	1	-















Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Intrauterine hypoxia (P20)													
All races, both sexes.....	119	8	11	16	6	5	11	11	15	10	11	10	5
Male.....	59	3	5	10	3	2	6	6	9	3	5	5	2
Female.....	60	5	6	6	3	3	5	5	6	7	6	5	3
White, both sexes.....	79	7	8	10	1	3	9	7	11	5	8	7	3
Male.....	40	2	3	7	-	1	5	3	7	2	5	3	2
Female.....	39	5	5	3	1	2	4	4	4	3	3	4	1
Black, both sexes.....	33	1	2	6	5	2	2	2	2	5	3	1	2
Male.....	14	1	1	3	3	1	1	2	1	1	-	-	-
Female.....	19	-	1	3	2	1	1	-	1	4	3	1	2
American Indian 1/, both sexes.....	1	-	-	-	-	-	-	-	1	-	-	-	-
Male.....	1	-	-	-	-	-	-	-	1	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	6	-	1	-	-	-	-	2	1	-	-	2	-
Male.....	4	-	1	-	-	-	-	1	-	-	-	2	-
Female.....	2	-	-	-	-	-	-	1	1	-	-	-	-
Intrauterine hypoxia, unspecified (P20.9)													
All races, both sexes.....	119	8	11	16	6	5	11	11	15	10	11	10	5
Male.....	59	3	5	10	3	2	6	6	9	3	5	5	2
Female.....	60	5	6	6	3	3	5	5	6	7	6	5	3
White, both sexes.....	79	7	8	10	1	3	9	7	11	5	8	7	3
Male.....	40	2	3	7	-	1	5	3	7	2	5	3	2
Female.....	39	5	5	3	1	2	4	4	4	3	3	4	1
Black, both sexes.....	33	1	2	6	5	2	2	2	2	5	3	1	2
Male.....	14	1	1	3	3	1	1	2	1	1	-	-	-
Female.....	19	-	1	3	2	1	1	-	1	4	3	1	2
American Indian 1/, both sexes.....	1	-	-	-	-	-	-	-	1	-	-	-	-
Male.....	1	-	-	-	-	-	-	-	1	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	6	-	1	-	-	-	-	2	1	-	-	2	-
Male.....	4	-	1	-	-	-	-	1	-	-	-	2	-
Female.....	2	-	-	-	-	-	-	1	1	-	-	-	-



Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Birth asphyxia, unspecified (P21.9)													
All races, both sexes.....	409	28	26	43	33	34	35	43	33	28	40	32	34
Male.....	239	16	17	27	16	17	21	26	23	16	23	17	20
Female.....	170	12	9	16	17	17	14	17	10	12	17	15	14
White, both sexes.....	313	24	21	33	29	27	25	33	25	20	24	24	28
Male.....	186	14	13	23	14	13	16	20	18	11	13	13	18
Female.....	127	10	8	10	15	14	9	13	7	9	11	11	10
Black, both sexes.....	83	3	3	9	4	6	8	8	7	7	16	6	6
Male.....	45	1	2	3	2	4	5	4	4	4	10	4	2
Female.....	38	2	1	6	2	2	3	4	3	3	6	2	4
American Indian 1/, both sexes.....	2	-	1	-	-	-	-	1	-	-	-	-	-
Male.....	2	-	1	-	-	-	-	1	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	11	1	1	1	-	1	2	1	1	1	-	2	-
Male.....	6	1	1	1	-	-	-	1	1	1	-	-	-
Female.....	5	-	-	-	-	1	2	-	-	-	-	2	-
Respiratory distress of newborn (P22)													
All races, both sexes.....	861	77	56	69	78	65	72	67	77	66	70	80	84
Male.....	518	42	36	40	52	40	42	44	43	39	47	47	46
Female.....	343	35	20	29	26	25	30	23	34	27	23	33	38
White, both sexes.....	535	47	31	45	48	48	40	37	43	37	47	47	65
Male.....	331	24	18	27	30	29	27	25	25	21	33	34	38
Female.....	204	23	13	18	18	19	13	12	18	16	14	13	27
Black, both sexes.....	295	26	23	19	27	15	29	27	32	28	21	30	18
Male.....	171	16	16	10	20	10	14	16	18	18	13	12	8
Female.....	124	10	7	9	7	5	15	11	14	10	8	18	10
American Indian 1/, both sexes.....	4	-	-	1	-	-	2	1	-	-	-	-	-
Male.....	3	-	-	1	-	-	1	1	-	-	-	-	-
Female.....	1	-	-	-	-	-	1	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	27	4	2	4	3	2	1	2	2	1	2	3	1
Male.....	13	2	2	2	2	1	-	2	-	-	1	1	-
Female.....	14	2	-	2	1	1	1	-	2	1	1	2	1













Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Congenital pneumonia, unspecified (P23.9)													
All races, both sexes.....	81	8	5	6	5	8	3	6	7	7	7	7	12
Male.....	40	5	3	2	2	4	1	3	4	5	4	3	4
Female.....	41	3	2	4	3	4	2	3	3	2	3	4	8
White, both sexes.....	47	5	3	4	2	3	3	3	4	3	5	4	8
Male.....	26	4	3	1	1	2	1	1	3	2	4	2	2
Female.....	21	1	-	3	1	1	2	2	1	1	1	2	6
Black, both sexes.....	31	3	2	2	2	4	-	3	3	4	2	2	4
Male.....	13	1	-	1	1	2	-	2	1	3	-	-	2
Female.....	18	2	2	1	1	2	-	1	2	1	2	2	2
American Indian 1/, both sexes.....	2	-	-	-	1	1	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	2	-	-	-	1	1	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	-	-	-	-	-	-	-	-	-	-	1	-
Male.....	1	-	-	-	-	-	-	-	-	-	-	1	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Neonatal aspiration syndromes (P24)													
All races, both sexes.....	47	4	3	3	6	7	7	6	5	1	2	2	1
Male.....	29	3	1	2	3	3	4	4	5	-	1	2	1
Female.....	18	1	2	1	3	4	3	2	-	1	1	-	-
White, both sexes.....	32	4	2	1	3	6	3	6	1	1	2	2	1
Male.....	21	3	1	1	2	3	2	4	1	-	1	2	1
Female.....	11	1	1	-	1	3	1	2	-	1	1	-	-
Black, both sexes.....	13	-	1	2	3	1	3	-	3	-	-	-	-
Male.....	7	-	-	1	1	-	2	-	3	-	-	-	-
Female.....	6	-	1	1	2	1	1	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	2	-	-	-	-	-	1	-	1	-	-	-	-
Male.....	1	-	-	-	-	-	-	-	1	-	-	-	-
Female.....	1	-	-	-	-	-	1	-	-	-	-	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Neonatal aspiration of meconium (P24.0)													
All races, both sexes.....	28	3	2	2	3	3	4	3	4	1	1	2	-
Male.....	16	2	-	2	2	-	3	1	4	-	-	2	-
Female.....	12	1	2	-	1	3	1	2	-	1	1	-	-
White, both sexes.....	19	3	1	1	1	3	2	3	1	1	1	2	-
Male.....	10	2	-	1	1	-	2	1	1	-	-	2	-
Female.....	9	1	1	-	-	3	-	2	-	1	1	-	-
Black, both sexes.....	8	-	1	1	2	-	2	-	2	-	-	-	-
Male.....	5	-	-	1	1	-	1	-	2	-	-	-	-
Female.....	3	-	1	-	1	-	1	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	-	-	-	-	-	-	-	1	-	-	-	-
Male.....	1	-	-	-	-	-	-	-	1	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Neonatal aspiration of amniotic fluid and mucus (P24.1)													
All races, both sexes.....	7	-	-	-	1	1	1	2	-	-	1	-	1
Male.....	4	-	-	-	-	-	-	2	-	-	1	-	1
Female.....	3	-	-	-	1	1	1	-	-	-	-	-	-
White, both sexes.....	4	-	-	-	-	-	-	2	-	-	1	-	1
Male.....	4	-	-	-	-	-	-	2	-	-	1	-	1
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Black, both sexes.....	2	-	-	-	1	1	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	2	-	-	-	1	1	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	-	-	-	-	-	1	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	1	-	-	-	-	-	-











Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
<b>Other conditions related to interstitial emphysema originating in the perinatal period (P25.8)</b>													
All races, both sexes.....	1	-	-	-	-	-	-	-	-	-	-	-	1
Male.....	1	-	-	-	-	-	-	-	-	-	-	-	1
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
White, both sexes.....	1	-	-	-	-	-	-	-	-	-	-	-	1
Male.....	1	-	-	-	-	-	-	-	-	-	-	-	1
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
<b>Pulmonary hemorrhage originating in the perinatal period (P26)</b>													
All races, both sexes.....	181	14	12	13	17	16	15	17	13	17	17	14	16
Male.....	114	7	8	8	8	10	10	13	8	11	10	9	12
Female.....	67	7	4	5	9	6	5	4	5	6	7	5	4
White, both sexes.....	109	7	10	5	12	11	9	11	7	11	9	9	8
Male.....	71	3	6	3	7	7	6	10	4	7	6	6	6
Female.....	38	4	4	2	5	4	3	1	3	4	3	3	2
Black, both sexes.....	64	7	2	8	4	5	5	6	5	5	4	5	8
Male.....	37	4	2	5	1	3	3	3	3	3	1	3	6
Female.....	27	3	-	3	3	2	2	3	2	2	3	2	2
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	8	-	-	-	1	-	1	-	1	1	4	-	-
Male.....	6	-	-	-	-	-	1	-	1	1	3	-	-
Female.....	2	-	-	-	1	-	-	-	-	-	1	-	-



Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Unspecified pulmonary hemorrhage originating in the perinatal period (P26.9)													
All races, both sexes.....	172	14	12	11	17	16	13	17	13	16	14	14	15
Male.....	108	7	8	7	8	10	8	13	8	11	8	9	11
Female.....	64	7	4	4	9	6	5	4	5	5	6	5	4
White, both sexes.....	104	7	10	4	12	11	8	11	7	10	8	9	7
Male.....	67	3	6	2	7	7	5	10	4	7	5	6	5
Female.....	37	4	4	2	5	4	3	1	3	3	3	3	2
Black, both sexes.....	60	7	2	7	4	5	4	6	5	5	2	5	8
Male.....	35	4	2	5	1	3	2	3	3	3	-	3	6
Female.....	25	3	-	2	3	2	2	3	2	2	2	2	2
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	8	-	-	-	1	-	1	-	1	1	4	-	-
Male.....	6	-	-	-	-	-	1	-	1	1	3	-	-
Female.....	2	-	-	-	1	-	-	-	-	-	1	-	-
Chronic respiratory disease originating in the perinatal period (P27)													
All races, both sexes.....	295	35	24	30	21	35	14	21	32	18	24	15	26
Male.....	169	24	9	15	9	24	7	15	21	10	13	9	13
Female.....	126	11	15	15	12	11	7	6	11	8	11	6	13
White, both sexes.....	146	17	13	16	11	16	6	15	13	8	13	6	12
Male.....	83	11	5	7	6	10	2	12	10	5	6	4	5
Female.....	63	6	8	9	5	6	4	3	3	3	7	2	7
Black, both sexes.....	141	17	10	13	10	19	8	5	19	10	11	9	10
Male.....	83	13	4	7	3	14	5	3	11	5	7	5	6
Female.....	58	4	6	6	7	5	3	2	8	5	4	4	4
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	8	1	1	1	-	-	-	1	-	-	-	-	4
Male.....	3	-	-	1	-	-	-	-	-	-	-	-	2
Female.....	5	1	1	-	-	-	-	1	-	-	-	-	2

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Wilson-Mikity syndrome (P27.0)													
All races, both sexes.....	1	-	-	-	-	1	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	1	-	-	-	-	-	-	-
White, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Black, both sexes.....	1	-	-	-	-	1	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	1	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Bronchopulmonary dysplasia originating in the perinatal period (P27.1)													
All races, both sexes.....	247	28	18	24	19	28	14	18	29	15	21	13	20
Male.....	141	18	5	13	8	20	7	14	18	9	11	8	10
Female.....	106	10	13	11	11	8	7	4	11	6	10	5	10
White, both sexes.....	121	12	10	13	10	12	6	13	11	7	11	6	10
Male.....	68	7	3	7	6	7	2	11	8	4	5	4	4
Female.....	53	5	7	6	4	5	4	2	3	3	6	2	6
Black, both sexes.....	119	15	7	10	9	16	8	4	18	8	10	7	7
Male.....	70	11	2	5	2	13	5	3	10	5	6	4	4
Female.....	49	4	5	5	7	3	3	1	8	3	4	3	3
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	7	1	1	1	-	-	-	1	-	-	-	-	3
Male.....	3	-	-	1	-	-	-	-	-	-	-	-	2
Female.....	4	1	1	-	-	-	-	1	-	-	-	-	1

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Unspecified chronic respiratory disease originating in the perinatal period (P27.9)													
All races, both sexes.....	47	7	6	6	2	6	-	3	3	3	3	2	6
Male.....	28	6	4	2	1	4	-	1	3	1	2	1	3
Female.....	19	1	2	4	1	2	-	2	-	2	1	1	3
White, both sexes.....	25	5	3	3	1	4	-	2	2	1	2	-	2
Male.....	15	4	2	-	-	3	-	1	2	1	1	-	1
Female.....	10	1	1	3	1	1	-	1	-	-	1	-	1
Black, both sexes.....	21	2	3	3	1	2	-	1	1	2	1	2	3
Male.....	13	2	2	2	1	1	-	-	1	-	1	1	2
Female.....	8	-	1	1	-	1	-	1	-	2	-	1	1
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	-	-	-	-	-	-	-	-	-	-	-	1
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	-	-	-	-	1
Other respiratory conditions originating in the perinatal period (P28)													
All races, both sexes.....	440	39	24	45	27	44	42	39	36	43	35	29	37
Male.....	254	24	14	26	15	26	24	19	25	27	21	14	19
Female.....	186	15	10	19	12	18	18	20	11	16	14	15	18
White, both sexes.....	307	25	15	29	20	34	30	25	19	33	27	21	29
Male.....	180	18	10	16	10	20	14	13	13	22	19	10	15
Female.....	127	7	5	13	10	14	16	12	6	11	8	11	14
Black, both sexes.....	118	12	9	14	7	10	9	11	17	8	6	7	8
Male.....	64	5	4	8	5	6	7	5	12	4	1	3	4
Female.....	54	7	5	6	2	4	2	6	5	4	5	4	4
American Indian 1/, both sexes.....	6	2	-	-	-	-	1	1	-	1	1	-	-
Male.....	3	1	-	-	-	-	1	1	-	-	-	-	-
Female.....	3	1	-	-	-	-	-	-	-	1	1	-	-
Asian or Pacific Islander 2/, both sexes.....	9	-	-	2	-	-	2	2	-	1	1	1	-
Male.....	7	-	-	2	-	-	2	-	-	1	1	1	-
Female.....	2	-	-	-	-	-	-	2	-	-	-	-	-





Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Other apnea of newborn (P28.4)													
All races, both sexes.....	17	4	-	-	-	4	1	1	2	-	4	1	-
Male.....	10	4	-	-	-	1	-	-	2	-	2	1	-
Female.....	7	-	-	-	-	3	1	1	-	-	2	-	-
White, both sexes.....	10	4	-	-	-	2	-	1	-	-	3	-	-
Male.....	6	4	-	-	-	-	-	-	-	-	2	-	-
Female.....	4	-	-	-	-	2	-	1	-	-	1	-	-
Black, both sexes.....	6	-	-	-	-	2	1	-	2	-	-	1	-
Male.....	4	-	-	-	-	1	-	-	2	-	-	1	-
Female.....	2	-	-	-	-	1	1	-	-	-	-	-	-
American Indian 1/, both sexes.....	1	-	-	-	-	-	-	-	-	-	1	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	-	-	1	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Respiratory failure of newborn (P28.5)													
All races, both sexes.....	21	1	1	3	2	1	-	3	1	2	1	2	4
Male.....	11	-	1	-	1	1	-	1	1	1	1	2	2
Female.....	10	1	-	3	1	-	-	2	-	1	-	-	2
White, both sexes.....	16	1	-	3	1	1	-	1	1	2	1	1	4
Male.....	8	-	-	1	1	-	-	1	1	1	1	1	2
Female.....	8	1	-	3	-	-	-	1	-	1	-	-	2
Black, both sexes.....	4	-	1	-	1	-	-	1	-	-	-	1	-
Male.....	3	-	1	-	-	-	-	1	-	-	-	1	-
Female.....	1	-	-	-	1	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	-	-	-	-	-	-	1	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	1	-	-	-	-	-



Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Cardiovascular disorders originating in the perinatal period (P29)													
All races, both sexes.....	971	63	88	83	89	81	92	79	83	81	66	79	87
Male.....	554	31	53	44	44	49	54	44	53	42	41	46	53
Female.....	417	32	35	39	45	32	38	35	30	39	25	33	34
White, both sexes.....	598	31	62	52	60	55	51	52	48	46	40	51	50
Male.....	328	14	36	29	29	30	27	28	35	19	22	30	29
Female.....	270	17	26	23	31	25	24	24	13	27	18	21	21
Black, both sexes.....	327	27	24	27	23	22	36	25	32	26	24	27	34
Male.....	195	15	15	12	10	15	23	16	16	18	17	16	22
Female.....	132	12	9	15	13	7	13	9	16	8	7	11	12
American Indian 1/, both sexes.....	6	-	-	-	1	-	-	1	1	2	-	-	1
Male.....	3	-	-	-	1	-	-	-	-	1	-	-	1
Female.....	3	-	-	-	-	-	-	1	1	1	-	-	-
Asian or Pacific Islander 2/, both sexes.....	40	5	2	4	5	4	5	1	2	7	2	1	2
Male.....	28	2	2	3	4	4	4	-	2	4	2	-	1
Female.....	12	3	-	1	1	-	1	1	-	3	-	1	1
Neonatal cardiac failure (P29.0)													
All races, both sexes.....	349	23	30	24	35	30	34	32	27	32	26	27	29
Male.....	197	9	22	10	15	21	21	17	15	19	19	12	17
Female.....	152	14	8	14	20	9	13	15	12	13	7	15	12
White, both sexes.....	221	13	21	15	25	19	14	22	16	23	16	20	17
Male.....	119	7	14	6	11	13	8	12	12	10	10	9	7
Female.....	102	6	7	9	14	6	6	10	4	13	6	11	10
Black, both sexes.....	114	9	7	9	9	8	19	8	11	8	9	7	10
Male.....	69	2	6	4	4	5	13	5	3	8	8	3	8
Female.....	45	7	1	5	5	3	6	3	8	-	1	4	2
American Indian 1/, both sexes.....	3	-	-	-	-	-	-	1	-	1	-	-	1
Male.....	2	-	-	-	-	-	-	-	-	1	-	-	1
Female.....	1	-	-	-	-	-	-	1	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	11	1	2	-	1	3	1	1	-	-	1	-	1
Male.....	7	-	2	-	-	3	-	-	-	-	1	-	1
Female.....	4	1	-	-	1	-	1	1	-	-	-	-	-













Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Congenital viral disease, unspecified (P35.9)													
All races, both sexes.....	5	-	1	-	-	-	-	1	1	-	-	1	1
Male.....	1	-	-	-	-	-	-	-	-	-	-	-	1
Female.....	4	-	1	-	-	-	-	1	1	-	-	1	-
White, both sexes.....	3	-	1	-	-	-	-	1	-	-	-	1	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	3	-	1	-	-	-	-	1	-	-	-	1	-
Black, both sexes.....	2	-	-	-	-	-	-	-	1	-	-	-	1
Male.....	1	-	-	-	-	-	-	-	-	-	-	-	1
Female.....	1	-	-	-	-	-	-	-	1	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Bacterial sepsis of newborn (P36)													
All races, both sexes.....	835	53	67	63	83	68	80	66	89	72	60	64	70
Male.....	479	28	41	39	44	40	46	36	54	39	37	37	38
Female.....	356	25	26	24	39	28	34	30	35	33	23	27	32
White, both sexes.....	521	27	49	45	56	41	52	39	56	43	36	32	45
Male.....	307	17	31	31	32	26	30	24	31	23	22	18	22
Female.....	214	10	18	14	24	15	22	15	25	20	14	14	23
Black, both sexes.....	273	22	16	16	23	25	23	25	28	25	22	25	23
Male.....	151	10	9	7	11	14	12	10	19	15	14	15	15
Female.....	122	12	7	9	12	11	11	15	9	10	8	10	8
American Indian 1/, both sexes.....	8	-	-	-	2	1	2	1	1	-	-	-	1
Male.....	3	-	-	-	-	-	1	1	1	-	-	-	-
Female.....	5	-	-	-	2	1	1	-	-	-	-	-	1
Asian or Pacific Islander 2/, both sexes.....	33	4	2	2	2	1	3	1	4	4	2	7	1
Male.....	18	1	1	1	1	-	3	1	3	1	1	4	1
Female.....	15	3	1	1	1	1	-	-	1	3	1	3	-





Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Sepsis of newborn due to Escherichia coli (P36.4)													
All races, both sexes.....	47	4	5	3	3	5	5	5	3	2	1	6	5
Male.....	29	3	1	3	1	3	3	3	3	1	1	4	3
Female.....	18	1	4	-	2	2	2	2	-	1	-	2	2
White, both sexes.....	26	1	2	2	1	4	3	2	2	1	1	4	3
Male.....	18	-	-	2	1	2	2	2	2	1	1	3	2
Female.....	8	1	2	-	-	2	1	-	-	-	-	1	1
Black, both sexes.....	18	2	3	1	1	1	2	2	1	1	-	2	2
Male.....	9	2	1	1	-	1	1	-	1	-	-	1	1
Female.....	9	-	2	-	1	-	1	2	-	1	-	1	1
American Indian 1/, both sexes.....	1	-	-	-	-	-	-	1	-	-	-	-	-
Male.....	1	-	-	-	-	-	-	1	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	2	1	-	-	1	-	-	-	-	-	-	-	-
Male.....	1	1	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	1	-	-	-	-	-	-	-	-
Other bacterial sepsis of newborn (P36.8)													
All races, both sexes.....	62	1	5	4	8	8	4	5	5	11	5	1	5
Male.....	40	1	5	4	3	6	1	4	4	7	1	1	3
Female.....	22	-	-	-	5	2	3	1	1	4	4	-	2
White, both sexes.....	37	1	4	3	5	5	2	3	3	5	3	-	3
Male.....	24	1	4	3	1	4	-	3	2	4	-	-	2
Female.....	13	-	-	-	4	1	2	-	1	1	3	-	1
Black, both sexes.....	19	-	1	1	3	2	-	2	2	6	2	-	-
Male.....	13	-	1	1	2	2	-	1	2	3	1	-	-
Female.....	6	-	-	-	1	-	-	1	-	3	1	-	-
American Indian 1/, both sexes.....	3	-	-	-	-	-	2	-	-	-	-	-	1
Male.....	1	-	-	-	-	-	1	-	-	-	-	-	-
Female.....	2	-	-	-	-	-	1	-	-	-	-	-	1
Asian or Pacific Islander 2/, both sexes.....	3	-	-	-	-	1	-	-	-	-	-	1	1
Male.....	2	-	-	-	-	-	-	-	-	-	-	1	1
Female.....	1	-	-	-	-	1	-	-	-	-	-	-	-



















Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
<b>Umbilical hemorrhage of newborn, unspecified (P51.9)</b>													
All races, both sexes.....	1	-	-	-	-	-	1	-	-	-	-	-	-
Male.....	1	-	-	-	-	-	1	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
White, both sexes.....	1	-	-	-	-	-	1	-	-	-	-	-	-
Male.....	1	-	-	-	-	-	1	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
<b>Intracranial nontraumatic hemorrhage of fetus and newborn (P52)</b>													
All races, both sexes.....	603	53	39	52	42	63	57	42	41	48	62	49	55
Male.....	363	34	23	28	22	37	36	26	26	32	39	33	27
Female.....	240	19	16	24	20	26	21	16	15	16	23	16	28
White, both sexes.....	422	36	29	35	29	49	39	26	26	38	44	32	39
Male.....	253	25	19	17	16	30	26	18	14	22	26	22	18
Female.....	169	11	10	18	13	19	13	8	12	16	18	10	21
Black, both sexes.....	152	11	6	13	13	12	13	15	14	10	17	12	16
Male.....	93	6	2	9	6	6	6	8	12	10	12	7	9
Female.....	59	5	4	4	7	6	7	7	2	-	5	5	7
American Indian 1/, both sexes.....	4	1	-	1	-	1	1	-	-	-	-	-	-
Male.....	2	-	-	1	-	-	1	-	-	-	-	-	-
Female.....	2	1	-	-	-	1	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	25	5	4	3	-	1	4	1	1	-	1	5	-
Male.....	15	3	2	1	-	1	3	-	-	-	1	4	-
Female.....	10	2	2	2	-	-	1	1	1	-	-	1	-



Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
<b>Unspecified intraventricular (nontraumatic) hemorrhage of newborn (P52.3)</b>													
All races, both sexes.....	384	31	28	24	30	45	40	26	32	28	37	26	37
Male.....	231	21	15	13	16	26	24	14	22	20	23	18	19
Female.....	153	10	13	11	14	19	16	12	10	8	14	8	18
White, both sexes.....	261	19	21	14	22	35	26	15	20	22	23	18	26
Male.....	160	15	13	6	12	23	16	10	12	14	13	12	14
Female.....	101	4	8	8	10	12	10	5	8	8	10	6	12
Black, both sexes.....	107	9	4	7	8	9	11	11	11	6	13	7	11
Male.....	62	5	1	5	4	3	5	4	10	6	9	5	5
Female.....	45	4	3	2	4	6	6	7	1	-	4	2	6
American Indian 1/, both sexes.....	3	-	-	1	-	1	1	-	-	-	-	-	-
Male.....	2	-	-	1	-	-	1	-	-	-	-	-	-
Female.....	1	-	-	-	-	1	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	13	3	3	2	-	-	2	-	1	-	1	1	-
Male.....	7	1	1	1	-	-	2	-	-	-	1	1	-
Female.....	6	2	2	1	-	-	-	-	1	-	-	-	-
<b>Intracerebral (nontraumatic) hemorrhage of newborn (P52.4)</b>													
All races, both sexes.....	54	7	3	5	3	3	4	3	3	6	5	9	3
Male.....	33	5	3	2	2	2	3	2	1	3	2	7	1
Female.....	21	2	-	3	1	1	1	1	2	3	3	2	2
White, both sexes.....	40	6	3	3	2	2	3	1	2	6	4	6	2
Male.....	22	4	3	1	1	1	2	1	-	3	1	5	-
Female.....	18	2	-	2	1	1	1	-	2	3	3	1	2
Black, both sexes.....	11	1	-	2	1	1	-	1	1	-	1	2	1
Male.....	9	1	-	1	1	1	-	1	1	-	1	1	1
Female.....	2	-	-	1	-	-	-	-	-	-	-	1	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	3	-	-	-	-	-	1	1	-	-	-	1	-
Male.....	2	-	-	-	-	-	1	-	-	-	-	1	-
Female.....	1	-	-	-	-	-	-	1	-	-	-	-	-





Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Other intracranial (nontraumatic) hemorrhages of newborn (P52.8)													
All races, both sexes.....	5	-	-	1	-	-	-	-	-	1	-	2	1
Male.....	4	-	-	1	-	-	-	-	-	1	-	2	-
Female.....	1	-	-	-	-	-	-	-	-	-	-	-	1
White, both sexes.....	4	-	-	1	-	-	-	-	-	-	-	2	1
Male.....	3	-	-	1	-	-	-	-	-	-	-	2	-
Female.....	1	-	-	-	-	-	-	-	-	-	-	-	1
Black, both sexes.....	1	-	-	-	-	-	-	-	-	1	-	-	-
Male.....	1	-	-	-	-	-	-	-	-	1	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Intracranial (nontraumatic) hemorrhage of newborn, unspecified (P52.9)													
All races, both sexes.....	154	14	7	22	9	14	12	11	6	13	20	12	14
Male.....	92	8	4	12	4	8	9	9	3	8	14	6	7
Female.....	62	6	3	10	5	6	3	2	3	5	6	6	7
White, both sexes.....	115	11	5	17	5	12	9	9	4	10	17	6	10
Male.....	68	6	3	9	3	6	8	7	2	5	12	3	4
Female.....	47	5	2	8	2	6	1	2	2	5	5	3	6
Black, both sexes.....	30	-	1	4	4	2	2	2	2	3	3	3	4
Male.....	19	-	-	3	1	2	1	2	1	3	2	1	3
Female.....	11	-	1	1	3	-	1	-	1	-	1	2	1
American Indian 1/, both sexes.....	1	1	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	1	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	8	2	1	1	-	-	1	-	-	-	-	3	-
Male.....	5	2	1	-	-	-	-	-	-	-	-	2	-
Female.....	3	-	-	1	-	-	1	-	-	-	-	1	-





























Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
<b>Transient neonatal neutropenia (P61.5)</b>													
All races, both sexes.....	2	-	-	-	-	-	1	1	-	-	-	-	-
Male.....	1	-	-	-	-	-	-	1	-	-	-	-	-
Female.....	1	-	-	-	-	-	1	-	-	-	-	-	-
White, both sexes.....	2	-	-	-	-	-	1	1	-	-	-	-	-
Male.....	1	-	-	-	-	-	-	1	-	-	-	-	-
Female.....	1	-	-	-	-	-	1	-	-	-	-	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
<b>Other transient neonatal disorders of coagulation (P61.6)</b>													
All races, both sexes.....	3	-	1	-	-	1	-	-	1	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	3	-	1	-	-	1	-	-	1	-	-	-	-
White, both sexes.....	2	-	1	-	-	-	-	-	1	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	2	-	1	-	-	-	-	-	1	-	-	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	-	-	-	-	1	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	1	-	-	-	-	-	-	-









Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
<b>Necrotizing enterocolitis of newborn (P77)</b>													
All races, both sexes.....	546	46	38	31	35	51	43	61	50	48	52	43	48
Male.....	316	26	21	15	21	29	29	37	26	34	28	28	22
Female.....	230	20	17	16	14	22	14	24	24	14	24	15	26
White, both sexes.....	313	26	22	15	17	28	26	40	36	31	24	23	25
Male.....	184	13	10	5	12	18	17	26	19	24	16	14	10
Female.....	129	13	12	10	5	10	9	14	17	7	8	9	15
Black, both sexes.....	207	19	14	13	16	21	14	19	11	13	26	20	21
Male.....	116	12	10	8	8	11	10	9	5	7	11	14	11
Female.....	91	7	4	5	8	10	4	10	6	6	15	6	10
American Indian 1/, both sexes.....	7	-	-	-	1	1	1	-	1	1	-	-	2
Male.....	5	-	-	-	1	1	-	-	1	1	-	-	1
Female.....	2	-	-	-	-	1	-	-	-	-	-	-	1
Asian or Pacific Islander 2/, both sexes.....	19	1	2	3	1	1	2	2	2	3	2	-	-
Male.....	11	1	1	2	-	-	1	2	1	2	1	-	-
Female.....	8	-	1	1	1	1	1	-	1	1	1	-	-
<b>Other perinatal digestive system disorders (P78)</b>													
All races, both sexes.....	79	9	4	9	1	4	12	3	7	2	12	7	9
Male.....	49	6	1	4	-	2	10	2	4	-	8	6	6
Female.....	30	3	3	5	1	2	2	1	3	2	4	1	3
White, both sexes.....	57	4	2	7	1	4	9	1	5	2	10	7	5
Male.....	39	2	1	4	-	2	7	1	3	-	8	6	5
Female.....	18	2	1	3	1	2	2	-	2	2	2	1	-
Black, both sexes.....	19	3	2	2	-	-	3	1	2	-	2	-	4
Male.....	8	2	-	-	-	-	3	1	1	-	-	-	1
Female.....	11	1	2	2	-	-	-	-	1	-	2	-	3
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	3	2	-	-	-	-	-	1	-	-	-	-	-
Male.....	2	2	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	1	-	-	-	-	-













Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Other conditions of integument specific to newborn (P83)													
All races, both sexes.....	166	14	15	12	19	12	17	12	9	13	17	10	16
Male.....	91	6	6	6	13	6	10	6	6	9	9	7	7
Female.....	75	8	9	6	6	6	7	6	3	4	8	3	9
White, both sexes.....	135	12	13	10	13	8	16	8	6	11	15	9	14
Male.....	72	5	4	6	9	5	10	3	4	7	8	6	5
Female.....	63	7	9	4	4	3	6	5	2	4	7	3	9
Black, both sexes.....	18	-	2	2	4	1	1	2	2	1	1	1	1
Male.....	13	-	2	-	3	1	-	2	1	1	1	1	1
Female.....	5	-	-	2	1	-	1	-	1	-	-	-	-
American Indian 1/, both sexes.....	4	-	-	-	1	1	-	2	-	-	-	-	-
Male.....	2	-	-	-	1	-	-	1	-	-	-	-	-
Female.....	2	-	-	-	-	1	-	1	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	9	2	-	-	1	2	-	-	1	1	1	-	1
Male.....	4	1	-	-	-	-	-	-	1	1	-	-	1
Female.....	5	1	-	-	1	2	-	-	-	-	1	-	-
Hydrops fetalis not due to hemolytic disease (P83.2)													
All races, both sexes.....	165	14	15	12	19	12	17	11	9	13	17	10	16
Male.....	90	6	6	6	13	6	10	5	6	9	9	7	7
Female.....	75	8	9	6	6	6	7	6	3	4	8	3	9
White, both sexes.....	135	12	13	10	13	8	16	8	6	11	15	9	14
Male.....	72	5	4	6	9	5	10	3	4	7	8	6	5
Female.....	63	7	9	4	4	3	6	5	2	4	7	3	9
Black, both sexes.....	17	-	2	2	4	1	1	1	2	1	1	1	1
Male.....	12	-	2	-	3	1	-	1	1	1	1	1	1
Female.....	5	-	-	2	1	-	1	-	1	-	-	-	-
American Indian 1/, both sexes.....	4	-	-	-	1	1	-	2	-	-	-	-	-
Male.....	2	-	-	-	1	-	-	1	-	-	-	-	-
Female.....	2	-	-	-	-	1	-	1	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	9	2	-	-	1	2	-	-	1	1	1	-	1
Male.....	4	1	-	-	-	-	-	-	1	1	-	-	1
Female.....	5	1	-	-	1	2	-	-	-	-	1	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Condition of integument specific to newborn, unspecified (P83.9)													
All races, both sexes.....	1	-	-	-	-	-	-	1	-	-	-	-	-
Male.....	1	-	-	-	-	-	-	1	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
White, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Black, both sexes.....	1	-	-	-	-	-	-	1	-	-	-	-	-
Male.....	1	-	-	-	-	-	-	1	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Convulsions of newborn (P90)													
All races, both sexes.....	16	2	-	1	2	3	1	-	2	-	2	3	-
Male.....	5	-	-	-	2	2	-	-	-	-	1	-	-
Female.....	11	2	-	1	-	1	1	-	2	-	1	3	-
White, both sexes.....	11	2	-	-	1	2	1	-	1	-	1	3	-
Male.....	4	-	-	-	1	2	-	-	-	-	1	-	-
Female.....	7	2	-	-	-	1	-	-	1	-	-	3	-
Black, both sexes.....	4	-	-	1	1	1	-	-	-	-	1	-	-
Male.....	1	-	-	-	1	-	-	-	-	-	-	-	-
Female.....	3	-	-	1	-	1	-	-	-	-	1	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	-	-	-	-	-	-	-	1	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	1	-	-	-	-















Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
<b>Termination of pregnancy, fetus, and newborn (P96.4)</b>													
All races, both sexes.....	45	6	6	2	3	3	4	1	6	4	3	1	6
Male.....	25	2	5	2	1	3	2	-	3	2	2	-	3
Female.....	20	4	1	-	2	-	2	1	3	2	1	1	3
White, both sexes.....	27	3	3	2	3	2	2	1	4	2	2	-	3
Male.....	13	-	2	2	1	2	1	-	2	-	2	-	1
Female.....	14	3	1	-	2	-	1	1	2	2	-	-	2
Black, both sexes.....	17	3	3	-	-	1	2	-	2	2	1	-	3
Male.....	12	2	3	-	-	1	1	-	1	2	-	-	2
Female.....	5	1	-	-	-	-	1	-	1	-	1	-	1
American Indian 1/, both sexes.....	1	-	-	-	-	-	-	-	-	-	-	1	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	-	-	-	1	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
<b>Other specified conditions originating in the perinatal period (P96.8)</b>													
All races, both sexes.....	45	5	2	6	2	3	3	3	5	4	2	4	6
Male.....	16	1	-	2	2	1	1	1	4	-	-	1	3
Female.....	29	4	2	4	-	2	2	2	1	4	2	3	3
White, both sexes.....	30	3	1	6	-	2	2	1	5	4	2	-	4
Male.....	10	1	-	2	-	-	1	-	4	-	-	-	2
Female.....	20	2	1	4	-	2	1	1	1	4	2	-	2
Black, both sexes.....	10	1	-	-	2	1	1	-	-	-	-	3	2
Male.....	5	-	-	-	2	1	-	-	-	-	-	1	1
Female.....	5	1	-	-	-	-	1	-	-	-	-	2	1
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	5	1	1	-	-	-	-	2	-	-	-	1	-
Male.....	1	-	-	-	-	-	-	1	-	-	-	-	-
Female.....	4	1	1	-	-	-	-	1	-	-	-	1	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Condition originating in the perinatal period, unspecified (P96.9)													
All races, both sexes.....	30	2	-	3	3	4	4	2	3	4	3	-	2
Male.....	13	1	-	2	1	-	2	-	1	2	3	-	1
Female.....	17	1	-	1	2	4	2	2	2	2	-	-	1
White, both sexes.....	12	1	-	-	2	1	2	-	3	-	2	-	1
Male.....	6	-	-	-	1	-	2	-	1	-	2	-	-
Female.....	6	1	-	-	1	1	-	-	2	-	-	-	1
Black, both sexes.....	16	1	-	3	1	3	2	1	-	3	1	-	1
Male.....	6	1	-	2	-	-	-	-	-	1	1	-	1
Female.....	10	-	-	1	1	3	2	1	-	2	-	-	-
American Indian 1/, both sexes.....	1	-	-	-	-	-	-	-	-	1	-	-	-
Male.....	1	-	-	-	-	-	-	-	-	1	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	-	-	-	-	-	-	1	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	1	-	-	-	-	-
Anencephaly and similar malformations (Q00)													
All races, both sexes.....	316	22	22	28	26	24	28	33	32	21	22	31	27
Male.....	149	9	7	13	13	11	11	20	16	9	15	11	14
Female.....	167	13	15	15	13	13	17	13	16	12	7	20	13
White, both sexes.....	253	18	19	19	23	21	21	24	27	20	18	26	17
Male.....	116	8	7	8	11	9	7	12	15	9	11	10	9
Female.....	137	10	12	11	12	12	14	12	12	11	7	16	8
Black, both sexes.....	48	2	1	8	3	2	4	7	5	1	2	5	8
Male.....	26	1	-	4	2	2	7	1	-	2	1	4	4
Female.....	22	1	1	4	1	-	2	-	4	1	-	4	4
American Indian 1/, both sexes.....	5	-	1	-	-	-	2	1	-	-	-	-	1
Male.....	2	-	-	-	-	-	1	1	-	-	-	-	-
Female.....	3	-	1	-	-	-	1	-	-	-	-	-	1
Asian or Pacific Islander 2/, both sexes.....	10	2	1	1	-	1	1	1	-	-	2	-	1
Male.....	5	-	-	1	-	-	1	-	-	-	2	-	1
Female.....	5	2	1	-	-	1	-	1	-	-	-	-	-











Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Congenital hydrocephalus, unspecified (Q03.9)													
All races, both sexes.....	164	19	14	16	11	13	14	17	13	10	18	7	12
Male.....	104	9	10	12	9	8	6	11	10	3	14	6	6
Female.....	60	10	4	4	2	5	8	6	3	7	4	1	6
White, both sexes.....	118	13	12	12	6	11	10	11	12	5	11	6	9
Male.....	76	7	9	9	4	7	4	6	9	2	9	6	4
Female.....	42	6	3	3	2	4	6	5	3	3	2	-	5
Black, both sexes.....	36	3	2	2	4	2	3	4	1	5	6	1	3
Male.....	21	-	1	2	4	1	1	4	1	1	4	-	2
Female.....	15	3	1	-	-	1	2	-	-	4	2	1	1
American Indian 1/, both sexes.....	3	3	-	-	-	-	-	-	-	-	-	-	-
Male.....	2	2	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	1	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	7	-	-	2	1	-	1	2	-	-	1	-	-
Male.....	5	-	-	1	1	-	1	1	-	-	1	-	-
Female.....	2	-	-	1	-	-	-	1	-	-	-	-	-
Other congenital malformations of brain (Q04)													
All races, both sexes.....	425	38	41	45	35	34	33	33	33	28	37	30	38
Male.....	211	20	21	22	21	15	13	18	19	13	17	15	17
Female.....	214	18	20	23	14	19	20	15	14	15	20	15	21
White, both sexes.....	336	30	36	39	25	27	27	27	24	18	24	24	35
Male.....	165	16	18	18	16	12	11	15	14	8	9	12	16
Female.....	171	14	18	21	9	15	16	12	10	10	15	12	19
Black, both sexes.....	67	7	2	5	5	6	5	5	8	8	10	6	-
Male.....	35	3	1	3	3	3	2	2	5	5	5	3	-
Female.....	32	4	1	2	2	3	3	3	3	3	5	3	-
American Indian 1/, both sexes.....	8	-	2	1	2	-	1	1	-	-	-	-	1
Male.....	3	-	1	1	-	-	-	1	-	-	-	-	-
Female.....	5	-	1	-	2	-	1	-	-	-	-	-	1
Asian or Pacific Islander 2/, both sexes.....	14	1	1	-	3	1	-	-	1	2	3	-	2
Male.....	8	1	1	-	2	-	-	-	-	-	3	-	1
Female.....	6	-	-	-	1	1	-	-	1	2	-	-	1



Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
<b>Congenital malformations of corpus callosum (Q04.0)</b>													
All races, both sexes.....	19	3	3	4	-	1	-	1	1	-	3	3	-
Male.....	5	-	-	2	-	-	-	-	-	-	1	2	-
Female.....	14	3	3	2	-	1	-	1	1	-	2	1	-
White, both sexes.....	18	3	3	4	-	1	-	1	1	-	2	3	-
Male.....	5	-	-	2	-	-	-	-	-	-	1	2	-
Female.....	13	3	3	2	-	1	-	1	1	-	1	1	-
Black, both sexes.....	1	-	-	-	-	-	-	-	-	-	1	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	-	-	1	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
<b>Holoprosencephaly (Q04.2)</b>													
All races, both sexes.....	123	9	7	14	6	9	16	10	9	8	15	9	11
Male.....	52	3	2	8	5	4	2	6	4	4	5	4	5
Female.....	71	6	5	6	1	5	14	4	5	4	10	5	6
White, both sexes.....	102	6	7	11	5	7	14	9	8	6	13	5	11
Male.....	43	2	2	5	5	3	2	5	3	4	5	2	5
Female.....	59	4	5	6	-	4	12	4	5	2	8	3	6
Black, both sexes.....	19	3	-	2	1	1	2	1	1	2	2	4	-
Male.....	8	1	-	2	-	1	-	1	1	-	-	2	-
Female.....	11	2	-	-	1	-	2	-	-	2	2	2	-
American Indian 1/, both sexes.....	1	-	-	1	-	-	-	-	-	-	-	-	-
Male.....	1	-	-	1	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	-	-	-	-	1	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	1	-	-	-	-	-	-	-





Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Other specified congenital malformations of brain (Q04.8)													
All races, both sexes.....	19	1	1	3	3	2	2	1	3	1	-	-	2
Male.....	11	1	1	1	1	-	1	1	3	-	-	-	2
Female.....	8	-	-	2	2	2	1	-	-	1	-	-	-
White, both sexes.....	15	1	1	3	2	2	1	1	1	1	-	-	2
Male.....	7	1	1	1	-	-	-	1	1	-	-	-	2
Female.....	8	-	-	2	2	2	1	-	-	1	-	-	-
Black, both sexes.....	3	-	-	-	-	-	1	-	2	-	-	-	-
Male.....	3	-	-	-	-	-	1	-	2	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	-	-	-	1	-	-	-	-	-	-	-	-
Male.....	1	-	-	-	1	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Congenital malformation of brain, unspecified (Q04.9)													
All races, both sexes.....	100	12	14	2	7	9	9	7	7	8	11	8	6
Male.....	57	7	9	-	5	4	5	3	5	4	7	5	3
Female.....	43	5	5	2	2	5	4	4	2	4	4	3	3
White, both sexes.....	79	10	13	2	6	7	7	7	5	3	5	8	6
Male.....	45	6	8	-	4	4	4	3	4	2	2	5	3
Female.....	34	4	5	2	2	3	3	4	1	1	3	3	3
Black, both sexes.....	14	1	-	-	1	2	1	-	2	3	4	-	-
Male.....	8	-	-	-	1	-	1	-	1	2	3	-	-
Female.....	6	1	-	-	-	2	-	-	1	1	1	-	-
American Indian 1/, both sexes.....	1	-	-	-	-	-	1	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	1	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	6	1	1	-	-	-	-	-	-	2	2	-	-
Male.....	4	1	1	-	-	-	-	-	-	-	2	-	-
Female.....	2	-	-	-	-	-	-	-	-	2	-	-	-































Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Other congenital malformations of cardiac chambers and connections (Q20.8)													
All races, both sexes.....	26	4	5	1	2	1	3	2	1	1	-	2	4
Male.....	9	2	2	-	-	1	1	1	-	1	-	-	1
Female.....	17	2	3	1	2	-	2	1	1	-	-	2	3
White, both sexes.....	24	4	4	1	2	1	3	2	1	1	-	1	4
Male.....	8	2	1	-	-	1	1	1	-	1	-	-	1
Female.....	16	2	3	1	2	-	2	1	1	-	-	1	3
Black, both sexes.....	1	-	1	-	-	-	-	-	-	-	-	-	-
Male.....	1	-	1	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	-	-	-	-	-	-	-	-	-	-	1	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	-	-	-	1	-
Congenital malformations of cardiac septa (Q21)													
All races, both sexes.....	641	62	60	51	56	51	53	55	49	50	41	55	58
Male.....	284	27	23	21	28	25	26	22	28	23	17	20	24
Female.....	357	35	37	30	28	26	27	33	21	27	24	35	34
White, both sexes.....	524	51	53	43	42	42	45	41	42	40	33	43	49
Male.....	236	23	19	19	25	23	23	14	22	18	13	15	22
Female.....	288	28	34	24	17	19	22	27	20	22	20	28	27
Black, both sexes.....	86	9	7	6	9	7	5	12	6	4	6	7	8
Male.....	36	3	4	2	3	1	2	6	5	2	3	3	2
Female.....	50	6	3	4	6	6	3	6	1	2	3	4	6
American Indian 1/, both sexes.....	8	1	-	1	1	1	1	-	1	2	-	-	-
Male.....	3	-	-	-	-	-	-	-	1	2	-	-	-
Female.....	5	1	-	1	1	1	1	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	23	1	-	1	4	1	2	2	-	4	2	5	1
Male.....	9	1	-	-	-	1	1	2	-	1	1	2	-
Female.....	14	-	-	1	4	-	1	-	-	3	1	3	1

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
<b>Ventricular septal defect (Q21.0)</b>													
All races, both sexes.....	133	10	10	14	11	14	8	9	13	11	8	8	17
Male.....	57	3	2	7	5	7	3	4	6	6	5	4	5
Female.....	76	7	8	7	6	7	5	5	7	5	3	4	12
White, both sexes.....	109	9	7	11	10	12	6	5	12	9	7	6	15
Male.....	46	3	1	6	5	6	3	-	5	5	4	3	5
Female.....	63	6	6	5	5	6	3	5	7	4	3	3	10
Black, both sexes.....	20	1	3	3	1	2	1	2	1	2	1	1	2
Male.....	9	-	1	1	-	1	-	2	1	1	1	1	-
Female.....	11	1	2	2	1	1	1	-	-	1	-	-	2
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	4	-	-	-	-	-	1	2	-	-	-	1	-
Male.....	2	-	-	-	-	-	-	2	-	-	-	-	-
Female.....	2	-	-	-	-	-	1	-	-	-	-	1	-
<b>Atrial septal defect (Q21.1)</b>													
All races, both sexes.....	196	12	23	13	17	15	22	20	12	11	11	21	19
Male.....	75	4	5	6	9	8	8	6	6	4	5	7	7
Female.....	121	8	18	7	8	7	14	14	6	7	6	14	12
White, both sexes.....	166	11	22	11	13	13	21	16	11	8	10	14	16
Male.....	61	4	5	5	7	8	8	4	5	2	4	4	5
Female.....	105	7	17	6	6	5	13	12	6	6	6	10	11
Black, both sexes.....	21	1	1	1	3	2	-	4	1	-	1	4	3
Male.....	10	-	-	1	2	-	-	2	1	-	1	1	2
Female.....	11	1	1	-	1	2	-	2	-	-	-	3	1
American Indian 1/, both sexes.....	3	-	-	1	-	-	1	-	-	1	-	-	-
Male.....	1	-	-	-	-	-	-	-	-	1	-	-	-
Female.....	2	-	-	1	-	-	1	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	6	-	-	-	1	-	-	-	-	2	-	3	-
Male.....	3	-	-	-	-	-	-	-	-	1	-	2	-
Female.....	3	-	-	-	1	-	-	-	-	1	-	1	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
<b>Atrioventricular septal defect (Q21.2)</b>													
All races, both sexes.....	58	8	4	7	5	3	4	2	5	7	5	5	3
Male.....	24	3	3	1	2	-	3	-	3	4	1	1	3
Female.....	34	5	1	6	3	3	1	2	2	3	4	4	-
White, both sexes.....	41	5	3	5	2	2	3	1	4	6	3	4	3
Male.....	19	1	2	1	2	-	3	-	3	3	-	1	3
Female.....	22	4	1	4	-	2	1	1	1	3	3	3	-
Black, both sexes.....	13	2	1	2	3	-	1	1	1	-	1	1	-
Male.....	4	2	1	-	-	-	-	-	-	-	1	-	-
Female.....	9	-	-	2	3	-	1	1	1	-	-	1	-
American Indian 1/, both sexes.....	3	1	-	-	-	1	-	-	-	1	-	-	-
Male.....	1	-	-	-	-	-	-	-	-	1	-	-	-
Female.....	2	1	-	-	-	1	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	-	-	-	-	-	-	-	-	-	1	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	-	-	1	-	-
<b>Tetralogy of Fallot (Q21.3)</b>													
All races, both sexes.....	175	20	16	12	14	12	15	17	14	12	12	16	15
Male.....	101	10	10	7	9	6	12	10	10	6	5	7	9
Female.....	74	10	6	5	5	6	3	7	4	6	7	9	6
White, both sexes.....	140	17	14	11	9	10	12	13	11	8	9	14	12
Male.....	85	9	8	7	8	5	9	8	7	5	4	6	9
Female.....	55	8	6	4	1	5	3	5	4	3	5	8	3
Black, both sexes.....	23	2	2	-	2	1	2	4	2	2	2	1	3
Male.....	11	-	2	-	1	-	2	2	2	1	-	1	-
Female.....	12	2	-	-	1	1	-	2	-	1	2	-	3
American Indian 1/, both sexes.....	2	-	-	-	1	-	-	-	1	-	-	-	-
Male.....	1	-	-	-	-	-	-	-	1	-	-	-	-
Female.....	1	-	-	-	1	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	10	1	-	1	2	1	1	-	-	2	1	1	-
Male.....	4	1	-	-	-	1	1	-	-	-	1	-	-
Female.....	6	-	-	1	2	-	-	-	-	2	-	1	-



Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Congenital malformation of cardiac septum, unspecified (Q21.9)													
All races, both sexes.....	6	-	-	-	1	-	-	-	4	-	-	1	-
Male.....	3	-	-	-	1	-	-	-	2	-	-	-	-
Female.....	3	-	-	-	-	-	-	-	2	-	-	1	-
White, both sexes.....	5	-	-	-	1	-	-	-	3	-	-	1	-
Male.....	2	-	-	-	1	-	-	-	1	-	-	-	-
Female.....	3	-	-	-	-	-	-	-	2	-	-	1	-
Black, both sexes.....	1	-	-	-	-	-	-	-	1	-	-	-	-
Male.....	1	-	-	-	-	-	-	-	1	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Congenital malformations of pulmonary and tricuspid valves (Q22)													
All races, both sexes.....	88	7	6	11	7	7	9	4	7	10	7	8	5
Male.....	44	4	5	4	5	4	5	2	2	5	4	4	-
Female.....	44	3	1	7	2	3	4	2	5	5	3	4	5
White, both sexes.....	75	6	4	8	6	6	9	4	6	8	6	8	4
Male.....	37	3	3	3	5	3	5	2	2	3	4	4	-
Female.....	38	3	1	5	1	3	4	2	4	5	2	4	4
Black, both sexes.....	9	1	1	2	1	1	-	-	-	1	1	-	1
Male.....	5	1	1	1	-	1	-	-	-	1	-	-	-
Female.....	4	-	-	1	1	-	-	-	-	-	1	-	1
American Indian 1/, both sexes.....	1	-	-	1	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	1	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	3	-	1	-	-	-	-	-	1	1	-	-	-
Male.....	2	-	1	-	-	-	-	-	-	1	-	-	-
Female.....	1	-	-	-	-	-	-	-	1	-	-	-	-



Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
<b>Congenital tricuspid stenosis (Q22.4)</b>													
All races, both sexes.....	23	3	1	3	2	3	3	1	1	2	3	-	1
Male.....	10	2	-	2	1	1	2	1	-	-	1	-	-
Female.....	13	1	1	1	1	2	1	-	1	2	2	-	1
White, both sexes.....	19	3	1	2	1	2	3	1	1	2	2	-	1
Male.....	9	2	-	2	1	-	2	1	-	-	1	-	-
Female.....	10	1	1	-	-	2	1	-	1	2	1	-	1
Black, both sexes.....	4	-	-	1	1	1	-	-	-	-	1	-	-
Male.....	1	-	-	-	-	1	-	-	-	-	-	-	-
Female.....	3	-	-	1	1	-	-	-	-	-	1	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
<b>Ebstein's anomaly (Q22.5)</b>													
All races, both sexes.....	47	1	3	7	4	3	4	1	6	5	3	6	4
Male.....	23	-	3	2	3	2	2	-	2	3	3	3	-
Female.....	24	1	-	5	1	1	2	1	4	2	-	3	4
White, both sexes.....	40	1	1	5	4	3	4	1	5	4	3	6	3
Male.....	19	-	1	1	3	2	2	-	2	2	3	3	-
Female.....	21	1	-	4	1	1	2	1	3	2	-	3	3
Black, both sexes.....	3	-	1	1	-	-	-	-	-	-	-	-	1
Male.....	2	-	1	1	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	-	-	-	-	1
American Indian 1/, both sexes.....	1	-	-	1	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	1	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	3	-	1	-	-	-	-	-	1	1	-	-	-
Male.....	2	-	1	-	-	-	-	-	-	1	-	-	-
Female.....	1	-	-	-	-	-	-	-	1	-	-	-	-





Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
<b>Congenital malformation of tricuspid valve, unspecified (Q22.9)</b>													
All races, both sexes.....	1	-	-	-	-	-	-	-	-	-	-	1	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	-	-	-	1	-
White, both sexes.....	1	-	-	-	-	-	-	-	-	-	-	1	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	-	-	-	1	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
<b>Congenital malformations of aortic and mitral valves (Q23)</b>													
All races, both sexes.....	522	34	43	47	42	44	39	44	56	30	48	44	51
Male.....	305	18	26	28	23	30	23	25	35	18	30	25	24
Female.....	217	16	17	19	19	14	16	19	21	12	18	19	27
White, both sexes.....	426	27	32	40	36	34	31	37	43	27	41	37	41
Male.....	259	14	20	26	20	25	19	21	28	16	27	21	22
Female.....	167	13	12	14	16	9	12	16	15	11	14	16	19
Black, both sexes.....	76	6	7	6	4	7	8	6	12	3	6	4	7
Male.....	35	3	3	2	1	4	4	4	6	2	3	1	2
Female.....	41	3	4	4	3	3	4	2	6	1	3	3	5
American Indian 1/, both sexes.....	2	1	-	-	-	-	-	-	-	-	1	-	-
Male.....	1	1	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	-	-	1	-	-
Asian or Pacific Islander 2/, both sexes.....	18	-	4	1	2	3	-	1	1	-	-	3	3
Male.....	10	-	3	-	2	1	-	-	1	-	-	3	-
Female.....	8	-	1	1	-	2	-	1	-	-	-	-	3







Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
<b>Other congenital malformations of heart (Q24)</b>													
All races, both sexes.....	1,467	135	122	115	143	129	115	122	105	114	122	129	116
Male.....	812	78	69	68	81	76	65	68	50	63	62	66	66
Female.....	655	57	53	47	62	53	50	54	55	51	60	63	50
White, both sexes.....	1,136	106	92	86	107	102	98	104	76	86	90	99	90
Male.....	644	65	53	53	62	58	58	58	38	44	54	49	52
Female.....	492	41	39	33	45	44	40	46	38	42	36	50	38
Black, both sexes.....	278	26	24	21	33	20	14	13	25	19	30	28	25
Male.....	141	11	12	13	17	13	6	9	10	13	8	16	13
Female.....	137	15	12	8	16	7	8	4	15	6	22	12	12
American Indian 1/, both sexes.....	15	1	2	4	1	1	2	2	-	1	1	-	-
Male.....	8	1	2	1	1	-	1	1	-	1	-	-	-
Female.....	7	-	-	3	-	1	1	1	-	-	1	-	-
Asian or Pacific Islander 2/, both sexes.....	38	2	4	4	2	6	1	3	4	8	1	2	1
Male.....	19	1	2	1	1	5	-	-	2	5	-	1	1
Female.....	19	1	2	3	1	1	1	3	2	3	1	1	-
<b>Dextrocardia (Q24.0)</b>													
All races, both sexes.....	4	-	-	-	1	-	1	-	-	1	-	1	-
Male.....	2	-	-	-	-	-	1	-	-	-	-	1	-
Female.....	2	-	-	-	1	-	-	-	-	1	-	-	-
White, both sexes.....	2	-	-	-	1	-	1	-	-	-	-	-	-
Male.....	1	-	-	-	-	-	1	-	-	-	-	-	-
Female.....	1	-	-	-	1	-	-	-	-	-	-	-	-
Black, both sexes.....	1	-	-	-	-	-	-	-	-	-	-	1	-
Male.....	1	-	-	-	-	-	-	-	-	-	-	1	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	-	-	-	-	-	-	-	-	1	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	-	1	-	-	-









Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
<b>Congenital malformation of the heart, unspecified (Q24.9)</b>													
All races, both sexes.....	1,136	105	99	89	102	109	82	94	82	84	93	103	94
Male.....	612	63	57	50	56	62	43	51	34	47	46	52	51
Female.....	524	42	42	39	46	47	39	43	48	37	47	51	43
White, both sexes.....	883	89	77	65	74	88	69	79	60	62	70	79	71
Male.....	490	55	46	37	42	49	39	44	26	33	41	39	39
Female.....	393	34	31	28	32	39	30	35	34	29	29	40	32
Black, both sexes.....	208	15	17	17	25	15	11	10	18	15	21	22	22
Male.....	99	7	8	11	12	8	4	6	6	9	5	12	11
Female.....	109	8	9	6	13	7	7	4	12	6	16	10	11
American Indian 1/, both sexes.....	11	1	1	3	1	-	1	2	-	1	1	-	-
Male.....	6	1	1	1	1	-	-	1	-	1	-	-	-
Female.....	5	-	-	2	-	-	1	1	-	-	1	-	-
Asian or Pacific Islander 2/, both sexes.....	34	-	4	4	2	6	1	3	4	6	1	2	1
Male.....	17	-	2	1	1	5	-	-	2	4	-	1	1
Female.....	17	-	2	3	1	1	1	3	2	2	1	1	-
<b>Congenital malformations of great arteries (Q25)</b>													
All races, both sexes.....	268	20	21	32	19	23	21	19	22	20	24	23	24
Male.....	152	12	12	17	7	13	11	12	15	14	13	10	16
Female.....	116	8	9	15	12	10	10	7	7	6	11	13	8
White, both sexes.....	208	14	16	26	15	16	14	14	18	17	19	18	21
Male.....	121	9	10	16	4	9	9	8	13	11	10	7	15
Female.....	87	5	6	10	11	7	5	6	5	6	9	11	6
Black, both sexes.....	54	6	4	6	3	7	6	4	4	3	4	4	3
Male.....	28	3	1	1	2	4	2	3	2	3	3	3	1
Female.....	26	3	3	5	1	3	4	1	2	-	1	1	2
American Indian 1/, both sexes.....	2	-	-	-	-	-	-	1	-	-	1	-	-
Male.....	1	-	-	-	-	-	-	1	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	-	-	1	-	-
Asian or Pacific Islander 2/, both sexes.....	4	-	1	-	1	-	1	-	-	-	-	1	-
Male.....	2	-	1	-	1	-	-	-	-	-	-	-	-
Female.....	2	-	-	-	-	-	1	-	-	-	-	1	-





Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
<b>Atresia of pulmonary artery (Q25.5)</b>													
All races, both sexes.....	40	3	3	6	4	2	3	3	4	2	3	3	4
Male.....	23	1	2	3	3	1	1	2	2	2	1	1	4
Female.....	17	2	1	3	1	1	2	1	2	-	2	2	-
White, both sexes.....	28	3	2	6	2	1	2	-	2	2	3	2	3
Male.....	15	1	2	3	1	-	1	-	1	2	1	-	3
Female.....	13	2	-	3	1	1	1	-	1	-	2	2	-
Black, both sexes.....	10	-	1	-	1	1	1	2	2	-	-	1	1
Male.....	6	-	-	-	1	1	-	1	1	-	-	1	1
Female.....	4	-	1	-	-	-	1	1	1	-	-	-	-
American Indian 1/, both sexes.....	1	-	-	-	-	-	-	1	-	-	-	-	-
Male.....	1	-	-	-	-	-	-	1	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	-	-	-	1	-	-	-	-	-	-	-	-
Male.....	1	-	-	-	1	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
<b>Stenosis of pulmonary artery (Q25.6)</b>													
All races, both sexes.....	30	-	2	5	1	3	5	4	2	2	2	2	2
Male.....	13	-	1	1	-	1	4	3	1	1	1	-	-
Female.....	17	-	1	4	1	2	1	1	1	1	1	2	2
White, both sexes.....	21	-	1	4	1	2	3	3	2	2	-	2	1
Male.....	10	-	1	1	-	1	3	2	1	1	-	-	-
Female.....	11	-	-	3	1	1	-	1	1	1	-	2	1
Black, both sexes.....	7	-	1	1	-	1	1	1	-	-	1	-	1
Male.....	3	-	-	-	-	-	1	1	-	-	1	-	-
Female.....	4	-	1	1	-	1	-	-	-	-	-	-	1
American Indian 1/, both sexes.....	1	-	-	-	-	-	-	-	-	-	1	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	-	-	1	-	-
Asian or Pacific Islander 2/, both sexes.....	1	-	-	-	-	-	1	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	1	-	-	-	-	-	-



Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
<b>Congenital malformation of great arteries, unspecified (Q25.9)</b>													
All races, both sexes.....	1	-	-	-	-	1	-	-	-	-	-	-	-
Male.....	1	-	-	-	-	1	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
White, both sexes.....	1	-	-	-	-	1	-	-	-	-	-	-	-
Male.....	1	-	-	-	-	1	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
<b>Congenital malformations of great veins (Q26)</b>													
All races, both sexes.....	57	5	3	5	4	5	5	5	3	6	8	6	2
Male.....	32	3	2	2	3	-	3	3	2	4	6	3	1
Female.....	25	2	1	3	1	5	2	2	1	2	2	3	1
White, both sexes.....	40	2	2	4	4	4	5	4	1	3	6	4	1
Male.....	26	2	2	2	3	-	3	3	1	2	5	2	1
Female.....	14	-	-	2	1	4	2	1	-	1	1	2	-
Black, both sexes.....	10	3	1	-	-	1	-	1	-	-	2	1	1
Male.....	2	1	-	-	-	-	-	-	-	-	1	-	-
Female.....	8	2	1	-	-	1	-	1	-	-	1	1	1
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	7	-	-	1	-	-	-	-	2	3	-	1	-
Male.....	4	-	-	-	-	-	-	-	1	2	-	1	-
Female.....	3	-	-	1	-	-	-	-	1	1	-	-	-









Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Other congenital malformations of peripheral vascular system (Q27)													
All races, both sexes.....	264	31	23	19	23	27	17	23	22	21	16	20	22
Male.....	127	16	11	7	12	11	8	11	13	11	7	11	9
Female.....	137	15	12	12	11	16	9	12	9	10	9	9	13
White, both sexes.....	211	26	18	12	17	22	15	18	18	16	14	17	18
Male.....	103	13	10	3	8	9	8	10	10	8	7	10	7
Female.....	108	13	8	9	9	13	7	8	8	8	7	7	11
Black, both sexes.....	41	5	4	7	5	5	1	5	3	2	-	1	3
Male.....	19	3	-	4	4	2	-	1	2	1	-	-	2
Female.....	22	2	4	3	1	3	1	4	1	1	-	1	1
American Indian 1/, both sexes.....	1	-	-	-	-	-	-	-	-	-	-	1	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	-	-	-	1	-
Asian or Pacific Islander 2/, both sexes.....	11	-	1	-	1	-	1	-	1	3	2	1	1
Male.....	5	-	1	-	-	-	-	-	1	2	-	1	-
Female.....	6	-	-	-	1	-	1	-	-	1	2	-	1
Peripheral arteriovenous malformation (Q27.3)													
All races, both sexes.....	219	25	16	16	17	23	13	18	20	19	16	19	17
Male.....	105	14	7	6	10	9	6	9	11	9	7	10	7
Female.....	114	11	9	10	7	14	7	9	9	10	9	9	10
White, both sexes.....	181	23	14	10	13	18	12	14	17	16	14	16	14
Male.....	89	13	7	3	7	7	6	8	9	8	7	9	5
Female.....	92	10	7	7	6	11	6	6	8	8	7	7	9
Black, both sexes.....	32	2	2	6	3	5	1	4	3	2	-	1	3
Male.....	15	1	-	3	3	2	-	1	2	1	-	-	2
Female.....	17	1	2	3	-	3	1	3	1	1	-	1	1
American Indian 1/, both sexes.....	1	-	-	-	-	-	-	-	-	-	-	1	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	-	-	-	1	-
Asian or Pacific Islander 2/, both sexes.....	5	-	-	-	1	-	-	-	-	1	2	1	-
Male.....	1	-	-	-	-	-	-	-	-	-	-	1	-
Female.....	4	-	-	-	1	-	-	-	-	1	2	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Other specified congenital malformations of peripheral vascular system (Q27.8)													
All races, both sexes.....	2	-	-	-	1	1	-	-	-	-	-	-	-
Male.....	1	-	-	-	-	1	-	-	-	-	-	-	-
Female.....	1	-	-	-	1	-	-	-	-	-	-	-	-
White, both sexes.....	2	-	-	-	1	1	-	-	-	-	-	-	-
Male.....	1	-	-	-	-	1	-	-	-	-	-	-	-
Female.....	1	-	-	-	1	-	-	-	-	-	-	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Congenital malformation of peripheral vascular system, unspecified (Q27.9)													
All races, both sexes.....	43	6	7	3	5	3	4	5	2	2	-	1	5
Male.....	21	2	4	1	2	1	2	2	2	2	-	1	2
Female.....	22	4	3	2	3	2	2	3	-	-	-	-	3
White, both sexes.....	28	3	4	2	3	3	3	4	1	-	-	1	4
Male.....	13	-	3	-	1	1	2	2	1	-	-	1	2
Female.....	15	3	1	2	2	2	1	2	-	-	-	-	2
Black, both sexes.....	9	3	2	1	2	-	-	1	-	-	-	-	-
Male.....	4	2	-	1	1	-	-	-	-	-	-	-	-
Female.....	5	1	2	-	1	-	-	1	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	6	-	1	-	-	-	1	-	1	2	-	-	1
Male.....	4	-	1	-	-	-	-	-	1	2	-	-	-
Female.....	2	-	-	-	-	-	1	-	-	-	-	-	1

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
<b>Other congenital malformations of circulatory system (Q28)</b>													
All races, both sexes.....	99	6	13	9	11	11	5	7	5	12	9	6	5
Male.....	46	5	7	4	3	8	3	2	3	7	2	1	1
Female.....	53	1	6	5	8	3	2	5	2	5	7	5	4
White, both sexes.....	77	6	8	8	8	10	2	4	4	11	7	5	4
Male.....	34	5	3	3	1	8	1	1	3	6	2	-	1
Female.....	43	1	5	5	7	2	1	3	1	5	5	5	3
Black, both sexes.....	16	-	3	1	3	1	1	2	-	1	2	1	1
Male.....	9	-	2	1	2	-	1	1	-	1	-	1	-
Female.....	7	-	1	-	1	1	-	1	-	-	2	-	1
American Indian 1/, both sexes.....	3	-	2	-	-	-	1	-	-	-	-	-	-
Male.....	2	-	2	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	1	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	3	-	-	-	-	-	1	1	1	-	-	-	-
Male.....	1	-	-	-	-	-	1	-	-	-	-	-	-
Female.....	2	-	-	-	-	-	-	1	1	-	-	-	-
<b>Arteriovenous malformation of precerebral vessels (Q28.0)</b>													
All races, both sexes.....	2	-	-	-	1	-	-	-	1	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	2	-	-	-	1	-	-	-	1	-	-	-	-
White, both sexes.....	1	-	-	-	1	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	1	-	-	-	-	-	-	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	-	-	-	-	-	-	-	1	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	1	-	-	-	-























Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
<b>Congenital bronchiectasis (Q33.4)</b>													
All races, both sexes.....	4	-	-	-	-	1	-	2	-	-	-	-	1
Male.....	2	-	-	-	-	1	-	1	-	-	-	-	-
Female.....	2	-	-	-	-	-	-	1	-	-	-	-	1
White, both sexes.....	4	-	-	-	-	1	-	2	-	-	-	-	1
Male.....	2	-	-	-	-	1	-	1	-	-	-	-	-
Female.....	2	-	-	-	-	-	-	1	-	-	-	-	1
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
<b>Hypoplasia and dysplasia of lung (Q33.6)</b>													
All races, both sexes.....	518	45	45	42	49	47	38	40	51	38	37	37	49
Male.....	312	34	30	25	29	23	19	27	36	22	23	20	24
Female.....	206	11	15	17	20	24	19	13	15	16	14	17	25
White, both sexes.....	377	31	33	29	37	32	30	28	40	25	25	27	40
Male.....	227	23	21	18	22	17	14	22	28	14	13	15	20
Female.....	150	8	12	11	15	15	16	6	12	11	12	12	20
Black, both sexes.....	111	10	11	13	11	12	6	8	9	8	9	7	7
Male.....	66	9	9	7	6	5	4	2	7	5	7	2	3
Female.....	45	1	2	6	5	7	2	6	2	3	2	5	4
American Indian 1/, both sexes.....	8	-	-	-	-	1	1	3	-	2	-	1	-
Male.....	5	-	-	-	-	1	-	2	-	1	-	1	-
Female.....	3	-	-	-	-	-	1	1	-	1	-	-	-
Asian or Pacific Islander 2/, both sexes.....	22	4	1	-	1	2	1	1	2	3	3	2	2
Male.....	14	2	-	-	1	-	1	1	1	2	3	2	1
Female.....	8	2	1	-	-	2	-	-	1	1	-	-	1









































Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Congenital absence, atresia, and stenosis of large intestine, part unspecified (Q42.9)													
All races, both sexes.....	1	-	1	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	1	-	-	-	-	-	-	-	-	-	-
White, both sexes.....	1	-	1	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	1	-	-	-	-	-	-	-	-	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Other congenital malformations of intestine (Q43)													
All races, both sexes.....	99	4	5	9	8	7	7	8	7	12	14	5	13
Male.....	61	2	4	6	4	3	2	4	5	9	10	3	9
Female.....	38	2	1	3	4	4	5	4	2	3	4	2	4
White, both sexes.....	69	2	2	7	5	5	5	7	6	10	6	3	11
Male.....	42	1	2	4	2	3	1	3	4	7	6	2	7
Female.....	27	1	-	3	3	2	4	4	2	3	-	1	4
Black, both sexes.....	25	-	3	2	3	1	1	1	1	2	7	2	2
Male.....	17	-	2	2	2	-	-	1	1	2	4	1	2
Female.....	8	-	1	-	1	1	1	-	-	-	3	1	-
American Indian 1/, both sexes.....	2	1	-	-	-	1	-	-	-	-	-	-	-
Male.....	1	1	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	1	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	3	1	-	-	-	-	1	-	-	-	1	-	-
Male.....	1	-	-	-	-	-	1	-	-	-	-	-	-
Female.....	2	1	-	-	-	-	-	-	-	-	1	-	-

































Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Indeterminate sex, unspecified (Q56.4)													
All races, both sexes.....	1	-	-	-	-	-	-	1	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	1	-	-	-	-	-
White, both sexes.....	1	-	-	-	-	-	-	1	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	1	-	-	-	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Renal agenesis and other reduction defects of kidney (Q60)													
All races, both sexes.....	253	18	22	15	25	24	27	19	17	21	23	21	21
Male.....	172	6	17	9	17	15	20	14	10	18	17	17	12
Female.....	81	12	5	6	8	9	7	5	7	3	6	4	9
White, both sexes.....	192	17	18	11	18	16	20	14	14	15	20	16	13
Male.....	130	6	13	7	13	11	15	11	8	12	15	13	6
Female.....	62	11	5	4	5	5	5	3	6	3	5	3	7
Black, both sexes.....	50	1	3	4	5	7	7	4	3	5	1	3	7
Male.....	35	-	3	2	3	3	5	2	2	5	1	3	6
Female.....	15	1	-	2	2	4	2	2	1	-	-	-	1
American Indian 1/, both sexes.....	2	-	-	-	-	1	-	-	-	-	-	1	-
Male.....	1	-	-	-	-	1	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	-	-	-	1	-
Asian or Pacific Islander 2/, both sexes.....	9	-	1	-	2	-	-	1	-	1	2	1	1
Male.....	6	-	1	-	1	-	-	1	-	1	1	1	-
Female.....	3	-	-	-	1	-	-	-	-	-	1	-	1

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
<b>Renal agenesis, unilateral (Q60.0)</b>													
All races, both sexes.....	6	2	-	-	1	1	-	-	-	1	1	-	-
Male.....	3	1	-	-	1	-	-	-	-	-	1	-	-
Female.....	3	1	-	-	-	1	-	-	-	1	-	-	-
White, both sexes.....	6	2	-	-	1	1	-	-	-	1	1	-	-
Male.....	3	1	-	-	1	-	-	-	-	-	1	-	-
Female.....	3	1	-	-	-	1	-	-	-	1	-	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
<b>Renal agenesis, bilateral (Q60.1)</b>													
All races, both sexes.....	21	3	-	3	2	2	1	1	1	1	2	1	4
Male.....	10	2	-	1	1	2	-	-	-	1	1	1	1
Female.....	11	1	-	2	1	-	1	1	1	-	1	-	3
White, both sexes.....	17	3	-	2	2	2	1	1	1	1	1	-	3
Male.....	9	2	-	1	1	2	-	-	-	1	1	-	1
Female.....	8	1	-	1	1	-	1	1	1	-	-	-	2
Black, both sexes.....	3	-	-	1	-	-	-	-	-	-	-	1	1
Male.....	1	-	-	-	-	-	-	-	-	-	-	1	-
Female.....	2	-	-	1	-	-	-	-	-	-	-	-	1
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	-	-	-	-	-	-	-	-	-	1	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	-	-	1	-	-



Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Potter's syndrome (Q60.6)													
All races, both sexes.....	96	10	12	6	10	12	9	6	4	6	6	8	7
Male.....	66	3	9	4	8	8	6	4	3	6	6	5	4
Female.....	30	7	3	2	2	4	3	2	1	-	-	3	3
White, both sexes.....	70	9	10	4	7	7	6	5	3	3	4	6	6
Male.....	47	3	7	3	5	5	4	4	2	3	4	4	3
Female.....	23	6	3	1	2	2	2	1	1	-	-	2	3
Black, both sexes.....	20	1	1	2	2	4	3	1	1	3	1	-	1
Male.....	14	-	1	1	2	2	2	-	1	3	1	-	1
Female.....	6	1	-	1	-	2	1	1	-	-	-	-	-
American Indian 1/, both sexes.....	2	-	-	-	-	1	-	-	-	-	-	1	-
Male.....	1	-	-	-	-	1	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	-	-	-	1	-
Asian or Pacific Islander 2/, both sexes.....	4	-	1	-	1	-	-	-	-	-	1	1	-
Male.....	4	-	1	-	1	-	-	-	-	-	1	1	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Cystic kidney disease (Q61)													
All races, both sexes.....	454	43	41	39	39	38	39	29	43	27	43	35	38
Male.....	238	24	20	17	22	17	21	11	20	17	26	22	21
Female.....	216	19	21	22	17	21	18	18	23	10	17	13	17
White, both sexes.....	382	36	36	33	35	32	31	26	36	23	36	29	29
Male.....	196	21	17	15	20	14	16	9	16	14	21	19	14
Female.....	186	15	19	18	15	18	15	17	20	9	15	10	15
Black, both sexes.....	59	5	5	5	3	6	3	3	5	4	7	6	7
Male.....	34	1	3	2	1	3	2	2	3	3	5	3	6
Female.....	25	4	2	3	2	3	1	1	2	1	2	3	1
American Indian 1/, both sexes.....	1	-	-	1	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	1	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	12	2	-	-	1	-	5	-	2	-	-	-	2
Male.....	8	2	-	-	1	-	3	-	1	-	-	-	1
Female.....	4	-	-	-	-	-	2	-	1	-	-	-	1



Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Polycystic kidney, adult type (Q61.2)													
All races, both sexes.....	17	2	1	-	1	4	-	-	2	-	1	4	2
Male.....	9	1	-	-	-	2	-	-	1	-	1	3	1
Female.....	8	1	1	-	1	2	-	-	1	-	-	1	1
White, both sexes.....	14	1	1	-	-	4	-	-	2	-	-	3	2
Male.....	8	1	-	-	-	2	-	-	1	-	1	2	1
Female.....	6	-	1	-	-	2	-	-	1	-	-	1	1
Black, both sexes.....	3	1	-	-	1	-	-	-	-	-	-	1	-
Male.....	1	-	-	-	-	-	-	-	-	-	-	1	-
Female.....	2	1	-	-	1	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Polycystic kidney, unspecified (Q61.3)													
All races, both sexes.....	358	35	38	33	31	25	31	25	29	23	32	26	30
Male.....	185	18	19	16	18	12	16	10	13	13	18	15	17
Female.....	173	17	19	17	13	13	15	15	16	10	14	11	13
White, both sexes.....	309	30	33	29	29	21	25	24	24	20	29	22	23
Male.....	157	16	16	14	17	10	12	9	11	11	15	14	12
Female.....	152	14	17	15	12	11	13	15	13	9	14	8	11
Black, both sexes.....	40	3	5	3	2	4	2	1	4	3	3	4	6
Male.....	24	-	3	2	1	2	2	1	2	2	3	1	5
Female.....	16	3	2	1	1	2	-	-	2	1	-	3	1
American Indian 1/, both sexes.....	1	-	-	1	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	1	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	8	2	-	-	-	-	4	-	1	-	-	-	1
Male.....	4	2	-	-	-	-	2	-	-	-	-	-	-
Female.....	4	-	-	-	-	-	2	-	1	-	-	-	1





























































Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Thanatophoric short stature (Q77.1)													
All races, both sexes.....	41	3	5	11	-	4	2	1	1	8	3	1	2
Male.....	28	1	5	5	-	3	1	-	1	7	3	1	1
Female.....	13	2	-	6	-	1	1	1	-	1	-	-	1
White, both sexes.....	26	2	2	6	-	4	1	1	1	5	2	1	1
Male.....	18	-	2	4	-	3	-	-	1	4	2	1	1
Female.....	8	2	-	2	-	1	1	1	-	1	-	-	-
Black, both sexes.....	12	1	3	3	-	-	1	-	-	2	1	-	1
Male.....	9	1	3	1	-	-	1	-	-	2	1	-	-
Female.....	3	-	-	2	-	-	-	-	-	-	-	-	1
American Indian 1/, both sexes.....	2	-	-	2	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	2	-	-	2	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	-	-	-	-	-	-	-	-	1	-	-	-
Male.....	1	-	-	-	-	-	-	-	-	1	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Short rib syndrome (Q77.2)													
All races, both sexes.....	10	-	-	1	-	2	2	3	1	-	-	-	1
Male.....	7	-	-	-	-	1	2	3	-	-	-	-	1
Female.....	3	-	-	1	-	1	-	-	1	-	-	-	-
White, both sexes.....	7	-	-	-	-	-	2	3	1	-	-	-	1
Male.....	6	-	-	-	-	-	2	3	-	-	-	-	1
Female.....	1	-	-	-	-	-	-	-	1	-	-	-	-
Black, both sexes.....	1	-	-	1	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	1	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	2	-	-	-	-	2	-	-	-	-	-	-	-
Male.....	1	-	-	-	-	1	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	1	-	-	-	-	-	-	-





Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
<b>Other osteochondrodysplasia with defects of growth of tubular bones and spine (Q77.8)</b>													
All races, both sexes.....	1	-	-	-	-	-	-	1	-	-	-	-	-
Male.....	1	-	-	-	-	-	-	1	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
White, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	-	-	-	-	-	-	1	-	-	-	-	-
Male.....	1	-	-	-	-	-	-	1	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
<b>Other osteochondrodysplasias (Q78)</b>													
All races, both sexes.....	110	9	10	9	9	6	8	8	13	7	11	6	14
Male.....	53	3	6	5	4	3	3	6	6	3	4	2	8
Female.....	57	6	4	4	5	3	5	2	7	4	7	4	6
White, both sexes.....	82	8	6	7	7	4	8	5	9	4	9	5	10
Male.....	33	3	3	3	2	2	3	3	3	2	3	1	5
Female.....	49	5	3	4	5	2	5	2	6	2	6	4	5
Black, both sexes.....	24	1	4	1	2	2	-	2	4	2	2	1	3
Male.....	17	-	3	1	2	1	-	2	3	1	1	1	2
Female.....	7	1	1	-	-	1	-	-	1	1	1	-	1
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	4	-	-	1	-	-	-	1	-	1	-	-	1
Male.....	3	-	-	1	-	-	-	1	-	-	-	-	1
Female.....	1	-	-	-	-	-	-	-	-	1	-	-	-







Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
<b>Osteochondrodysplasia, unspecified (Q78.9)</b>													
All races, both sexes.....	33	4	5	2	2	3	2	5	2	2	1	2	3
Male.....	11	-	3	1	1	1	-	4	1	-	-	-	-
Female.....	22	4	2	1	1	2	2	1	1	2	1	2	3
White, both sexes.....	20	3	1	1	1	2	2	2	2	-	1	2	3
Male.....	3	-	-	-	-	1	-	1	1	-	-	-	-
Female.....	17	3	1	1	1	1	2	1	1	-	1	2	3
Black, both sexes.....	10	1	4	-	1	1	-	2	-	1	-	-	-
Male.....	6	-	3	-	1	-	-	2	-	-	-	-	-
Female.....	4	1	1	-	-	1	-	-	-	1	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	3	-	-	1	-	-	-	1	-	1	-	-	-
Male.....	2	-	-	1	-	-	-	1	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	-	1	-	-	-
<b>Congenital malformations of musculoskeletal system, not elsewhere classified (Q79)</b>													
All races, both sexes.....	400	36	37	34	25	30	33	31	32	40	36	33	33
Male.....	221	20	22	19	14	19	17	15	18	21	20	19	17
Female.....	179	16	15	15	11	11	16	16	14	19	16	14	16
White, both sexes.....	310	27	31	26	20	24	26	23	23	33	25	28	24
Male.....	168	14	19	16	12	14	13	12	13	18	10	15	12
Female.....	142	13	12	10	8	10	13	11	10	15	15	13	12
Black, both sexes.....	71	7	5	7	4	5	7	6	8	7	8	3	4
Male.....	40	4	3	2	2	4	4	3	4	3	8	2	1
Female.....	31	3	2	5	2	1	3	3	4	4	-	1	3
American Indian 1/, both sexes.....	6	2	-	-	-	-	-	1	-	-	1	-	2
Male.....	5	2	-	-	-	-	-	-	-	-	1	-	2
Female.....	1	-	-	-	-	-	-	1	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	13	-	1	1	1	1	-	1	1	-	2	2	3
Male.....	8	-	-	1	-	1	-	-	1	-	1	2	2
Female.....	5	-	1	-	1	-	-	1	-	-	1	-	1





























Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
<b>Phakomatoses, not elsewhere classified (Q85)</b>													
All races, both sexes.....	142	9	11	19	14	13	6	15	12	8	9	14	12
Male.....	70	5	5	9	7	4	3	8	8	2	6	6	7
Female.....	72	4	6	10	7	9	3	7	4	6	3	8	5
White, both sexes.....	116	8	9	15	9	11	6	11	10	6	7	12	12
Male.....	55	4	4	6	4	2	3	5	7	2	6	5	7
Female.....	61	4	5	9	5	9	3	6	3	4	1	7	5
Black, both sexes.....	22	1	2	4	5	2	-	3	2	1	1	1	-
Male.....	14	1	1	3	3	2	-	2	1	-	-	1	-
Female.....	8	-	1	1	2	-	-	1	1	1	1	-	-
American Indian 1/, both sexes.....	1	-	-	-	-	-	-	-	-	-	1	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	-	-	1	-	-
Asian or Pacific Islander 2/, both sexes.....	3	-	-	-	-	-	-	1	-	1	-	1	-
Male.....	1	-	-	-	-	-	-	1	-	-	-	-	-
Female.....	2	-	-	-	-	-	-	-	-	1	-	1	-
<b>Neurofibromatosis (nonmalignant) (Q85.0)</b>													
All races, both sexes.....	91	6	6	16	9	8	4	8	11	3	4	5	11
Male.....	44	4	3	6	6	2	2	4	7	-	3	1	6
Female.....	47	2	3	10	3	6	2	4	4	3	1	4	5
White, both sexes.....	74	5	5	13	6	6	4	6	9	2	3	4	11
Male.....	35	3	3	4	4	-	2	3	6	-	3	1	6
Female.....	39	2	2	9	2	6	2	3	3	2	-	3	5
Black, both sexes.....	14	1	1	3	3	2	-	2	2	-	-	-	-
Male.....	9	1	-	2	2	2	-	1	1	-	-	-	-
Female.....	5	-	1	1	1	-	-	1	1	-	-	-	-
American Indian 1/, both sexes.....	1	-	-	-	-	-	-	-	-	-	1	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	-	-	1	-	-
Asian or Pacific Islander 2/, both sexes.....	2	-	-	-	-	-	-	-	-	1	-	1	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	2	-	-	-	-	-	-	-	-	1	-	1	-















Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Other specified congenital malformation syndromes, not elsewhere classified (Q87.8)													
All races, both sexes.....	43	3	6	2	6	4	4	4	4	2	1	3	4
Male.....	27	2	6	-	4	2	3	3	1	1	1	3	1
Female.....	16	1	-	2	2	2	1	1	3	1	-	-	3
White, both sexes.....	37	2	5	2	5	3	3	4	4	2	1	3	3
Male.....	24	1	5	-	3	2	3	3	1	1	1	3	1
Female.....	13	1	-	2	2	1	-	1	3	1	-	-	2
Black, both sexes.....	6	1	1	-	1	1	1	-	-	-	-	-	1
Male.....	3	1	1	-	1	-	-	-	-	-	-	-	-
Female.....	3	-	-	-	-	1	1	-	-	-	-	-	1
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Other congenital malformations, not elsewhere classified (Q89)													
All races, both sexes.....	657	59	53	58	61	47	53	40	56	48	54	58	70
Male.....	332	25	26	30	34	26	28	24	32	28	28	23	28
Female.....	325	34	27	28	27	21	25	16	24	20	26	35	42
White, both sexes.....	503	52	39	43	46	41	43	26	42	36	43	40	52
Male.....	252	24	18	23	25	24	25	16	25	19	20	14	19
Female.....	251	28	21	20	21	17	18	10	17	17	23	26	33
Black, both sexes.....	115	5	11	13	8	6	7	13	10	6	9	16	11
Male.....	58	1	6	6	5	2	2	8	5	6	6	8	3
Female.....	57	4	5	7	3	4	5	5	5	-	3	8	8
American Indian 1/, both sexes.....	10	1	1	-	2	-	2	-	-	2	1	1	-
Male.....	7	-	1	-	1	-	1	-	-	2	1	1	-
Female.....	3	1	-	-	1	-	1	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	29	1	2	2	5	-	1	1	4	4	1	1	7
Male.....	15	-	1	1	3	-	-	-	2	1	1	-	6
Female.....	14	1	1	1	2	-	1	1	2	3	-	1	1





Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Conjoined twins (Q89.4)													
All races, both sexes.....	14	2	-	1	2	-	-	-	2	4	2	-	1
Male.....	7	-	-	1	2	-	-	-	-	4	-	-	-
Female.....	7	2	-	-	-	-	-	-	2	-	2	-	1
White, both sexes.....	13	2	-	-	2	-	-	-	2	4	2	-	1
Male.....	6	-	-	-	2	-	-	-	-	4	-	-	-
Female.....	7	2	-	-	-	-	-	-	2	-	2	-	1
Black, both sexes.....	1	-	-	1	-	-	-	-	-	-	-	-	-
Male.....	1	-	-	1	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Multiple congenital malformations, not elsewhere classified (Q89.7)													
All races, both sexes.....	281	28	24	23	19	21	24	20	28	22	15	25	32
Male.....	148	14	12	9	11	13	12	10	21	12	8	13	13
Female.....	133	14	12	14	8	8	12	10	7	10	7	12	19
White, both sexes.....	201	23	17	16	13	16	18	12	20	17	11	15	23
Male.....	106	13	7	6	6	11	11	6	16	8	6	7	9
Female.....	95	10	10	10	7	5	7	6	4	9	5	8	14
Black, both sexes.....	63	4	5	7	3	5	5	7	7	2	4	9	5
Male.....	31	1	3	3	2	2	1	4	4	2	2	6	1
Female.....	32	3	2	4	1	3	4	3	3	-	2	3	4
American Indian 1/, both sexes.....	3	-	1	-	1	-	-	-	-	1	-	-	-
Male.....	3	-	1	-	1	-	-	-	-	1	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	14	1	1	-	2	-	1	1	1	2	-	1	4
Male.....	8	-	1	-	2	-	-	-	1	1	-	-	3
Female.....	6	1	-	-	-	-	1	1	-	1	-	1	1

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Other specified congenital malformations (Q89.8)													
All races, both sexes.....	72	6	6	5	12	3	4	4	3	5	7	5	12
Male.....	33	2	4	2	6	1	4	1	2	2	3	2	4
Female.....	39	4	2	3	6	2	-	3	1	3	4	3	8
White, both sexes.....	62	5	4	4	8	3	3	4	3	5	7	5	11
Male.....	30	2	4	1	5	1	3	1	2	2	3	2	4
Female.....	32	3	-	3	3	2	-	3	1	3	4	3	7
Black, both sexes.....	5	-	2	-	2	-	-	-	-	-	-	-	1
Male.....	1	-	-	-	1	-	-	-	-	-	-	-	-
Female.....	4	-	2	-	1	-	-	-	-	-	-	-	1
American Indian 1/, both sexes.....	3	1	-	-	1	-	1	-	-	-	-	-	-
Male.....	1	-	-	-	-	-	1	-	-	-	-	-	-
Female.....	2	1	-	-	1	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	2	-	-	1	1	-	-	-	-	-	-	-	-
Male.....	1	-	-	1	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	1	-	-	-	-	-	-	-	-
Congenital malformation, unspecified (Q89.9)													
All races, both sexes.....	245	18	21	27	25	21	19	14	18	15	25	22	20
Male.....	121	8	8	16	14	10	10	11	6	9	15	6	8
Female.....	124	10	13	11	11	11	9	3	12	6	10	16	12
White, both sexes.....	191	17	16	21	20	20	17	8	14	9	20	16	13
Male.....	95	8	5	14	11	10	9	7	6	5	11	5	4
Female.....	96	9	11	7	9	10	8	1	8	4	9	11	9
Black, both sexes.....	41	1	4	5	3	1	1	6	2	3	4	6	5
Male.....	21	-	3	2	2	-	1	4	-	3	3	1	2
Female.....	20	1	1	3	1	1	-	2	2	-	1	5	3
American Indian 1/, both sexes.....	2	-	-	-	-	-	1	-	-	1	-	-	-
Male.....	1	-	-	-	-	-	-	-	-	1	-	-	-
Female.....	1	-	-	-	-	-	1	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	11	-	1	1	2	-	-	-	2	2	1	-	2
Male.....	4	-	-	-	1	-	-	-	-	-	1	-	2
Female.....	7	-	1	1	1	-	-	-	2	2	-	-	-



Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Down's syndrome (Q90)													
All races, both sexes.....	981	100	100	97	88	75	70	62	77	62	58	100	92
Male.....	472	48	50	53	40	32	34	39	30	32	26	45	43
Female.....	509	52	50	44	48	43	36	23	47	30	32	55	49
White, both sexes.....	878	90	93	82	77	66	60	55	69	55	50	93	88
Male.....	428	44	47	46	36	28	31	35	26	28	23	42	42
Female.....	450	46	46	36	41	38	29	20	43	27	27	51	46
Black, both sexes.....	88	9	6	13	9	9	7	7	7	4	8	5	4
Male.....	37	4	3	5	4	4	2	4	3	1	3	3	1
Female.....	51	5	3	8	5	5	3	3	4	3	5	2	3
American Indian 1/, both sexes.....	3	1	-	-	-	-	-	-	-	1	-	1	-
Male.....	1	-	-	-	-	-	-	-	-	1	-	-	-
Female.....	2	1	-	-	-	-	-	-	-	-	-	1	-
Asian or Pacific Islander 2/, both sexes.....	12	-	1	2	2	-	3	-	1	2	-	1	-
Male.....	6	-	-	2	-	-	1	-	1	2	-	-	-
Female.....	6	-	1	-	2	-	2	-	-	-	-	1	-
Down's syndrome, unspecified (Q90.9)													
All races, both sexes.....	981	100	100	97	88	75	70	62	77	62	58	100	92
Male.....	472	48	50	53	40	32	34	39	30	32	26	45	43
Female.....	509	52	50	44	48	43	36	23	47	30	32	55	49
White, both sexes.....	878	90	93	82	77	66	60	55	69	55	50	93	88
Male.....	428	44	47	46	36	28	31	35	26	28	23	42	42
Female.....	450	46	46	36	41	38	29	20	43	27	27	51	46
Black, both sexes.....	88	9	6	13	9	9	7	7	7	4	8	5	4
Male.....	37	4	3	5	4	4	2	4	3	1	3	3	1
Female.....	51	5	3	8	5	5	3	3	4	3	5	2	3
American Indian 1/, both sexes.....	3	1	-	-	-	-	-	-	-	1	-	1	-
Male.....	1	-	-	-	-	-	-	-	-	1	-	-	-
Female.....	2	1	-	-	-	-	-	-	-	-	-	1	-
Asian or Pacific Islander 2/, both sexes.....	12	-	1	2	2	-	3	-	1	2	-	1	-
Male.....	6	-	-	2	-	-	1	-	1	2	-	-	-
Female.....	6	-	1	-	2	-	2	-	-	-	-	1	-































Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Other specified sex chromosome abnormalities, male phenotype (Q98.8)													
All races, both sexes.....	1	-	-	-	1	-	-	-	-	-	-	-	-
Male.....	1	-	-	-	1	-	-	-	-	-	-	-	-
Female.....	...	...	...	...	...	...	...	...	...	...	...	...	...
White, both sexes.....	1	-	-	-	1	-	-	-	-	-	-	-	-
Male.....	1	-	-	-	1	-	-	-	-	-	-	-	-
Female.....	...	...	...	...	...	...	...	...	...	...	...	...	...
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	...	...	...	...	...	...	...	...	...	...	...	...	...
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	...	...	...	...	...	...	...	...	...	...	...	...	...
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	...	...	...	...	...	...	...	...	...	...	...	...	...
Other chromosome abnormalities, not elsewhere classified (Q99)													
All races, both sexes.....	123	7	14	10	11	15	9	13	5	9	12	8	10
Male.....	66	4	9	4	7	9	4	7	3	5	5	5	4
Female.....	57	3	5	6	4	6	5	6	2	4	7	3	6
White, both sexes.....	96	6	10	7	8	11	8	11	4	8	10	5	8
Male.....	54	4	6	3	4	7	4	7	3	5	5	2	4
Female.....	42	2	4	4	4	4	4	4	1	3	5	3	4
Black, both sexes.....	21	-	3	2	3	2	1	2	1	1	2	2	2
Male.....	9	-	3	-	3	1	-	-	-	-	-	2	-
Female.....	12	-	-	2	-	1	1	2	1	1	2	-	2
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	6	1	1	1	-	2	-	-	-	-	-	1	-
Male.....	3	-	-	1	-	1	-	-	-	-	-	1	-
Female.....	3	1	1	-	-	1	-	-	-	-	-	-	-



Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
<b>Fragile X chromosome (Q99.2)</b>													
All races, both sexes.....	7	-	1	-	2	1	1	1	-	-	-	-	1
Male.....	7	-	1	-	2	1	1	1	-	-	-	-	1
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
White, both sexes.....	7	-	1	-	2	1	1	1	-	-	-	-	1
Male.....	7	-	1	-	2	1	1	1	-	-	-	-	1
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
<b>Other specified chromosome abnormalities (Q99.8)</b>													
All races, both sexes.....	34	1	3	3	4	4	2	5	2	2	3	3	2
Male.....	21	-	2	1	3	3	-	3	2	1	3	2	1
Female.....	13	1	1	2	1	1	2	2	-	1	-	1	1
White, both sexes.....	25	1	3	2	2	2	1	4	2	2	3	1	2
Male.....	16	-	2	1	1	2	-	3	2	1	3	-	1
Female.....	9	1	1	1	1	-	1	1	-	1	-	1	1
Black, both sexes.....	7	-	-	1	2	1	1	1	-	-	-	-	1
Male.....	4	-	-	-	2	1	-	-	-	-	-	1	-
Female.....	3	-	-	1	-	-	1	1	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	2	-	-	-	-	1	-	-	-	-	-	1	-
Male.....	1	-	-	-	-	-	-	-	-	-	-	1	-
Female.....	1	-	-	-	-	1	-	-	-	-	-	-	-





















Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
<b>Pleurisy (R09.1)</b>													
All races, both sexes.....	4	-	-	-	-	1	-	-	-	1	-	2	-
Male.....	3	-	-	-	-	1	-	-	-	1	-	1	-
Female.....	1	-	-	-	-	-	-	-	-	-	-	1	-
White, both sexes.....	3	-	-	-	-	-	-	-	-	1	-	2	-
Male.....	2	-	-	-	-	-	-	-	-	1	-	1	-
Female.....	1	-	-	-	-	-	-	-	-	-	-	1	-
Black, both sexes.....	1	-	-	-	-	1	-	-	-	-	-	-	-
Male.....	1	-	-	-	-	1	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
<b>Respiratory arrest (R09.2)</b>													
All races, both sexes.....	2,073	214	192	201	176	175	150	137	155	158	174	189	152
Male.....	866	75	74	96	77	84	53	51	56	73	74	84	69
Female.....	1,207	139	118	105	99	91	97	86	99	85	100	105	83
White, both sexes.....	1,753	185	161	164	144	156	124	114	135	137	132	167	134
Male.....	734	65	64	76	62	77	42	43	50	64	56	74	61
Female.....	1,019	120	97	88	82	79	82	71	85	73	76	93	73
Black, both sexes.....	260	25	30	29	26	16	20	19	15	14	33	19	14
Male.....	104	9	9	16	13	4	7	8	5	5	14	8	6
Female.....	156	16	21	13	13	12	13	11	10	9	19	11	8
American Indian 1/, both sexes.....	7	-	-	-	-	-	1	1	-	2	2	1	-
Male.....	4	-	-	-	-	-	-	-	-	2	1	1	-
Female.....	3	-	-	-	-	-	1	1	-	-	1	-	-
Asian or Pacific Islander 2/, both sexes.....	53	4	1	8	6	3	5	3	5	5	7	2	4
Male.....	24	1	1	4	2	3	4	-	1	2	3	1	2
Female.....	29	3	-	4	4	-	1	3	4	3	4	1	2



















































Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
<b>Pain, unspecified (R52.9)</b>													
All races, both sexes.....	1	-	-	-	-	-	-	-	-	-	1	-	-
Male.....	1	-	-	-	-	-	-	-	-	-	1	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
White, both sexes.....	1	-	-	-	-	-	-	-	-	-	1	-	-
Male.....	1	-	-	-	-	-	-	-	-	-	1	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
<b>Malaise and fatigue (R53)</b>													
All races, both sexes.....	1,108	108	116	115	84	89	66	81	84	98	88	77	102
Male.....	333	33	45	33	21	31	22	25	22	22	26	23	30
Female.....	775	75	71	82	63	58	44	56	62	76	62	54	72
White, both sexes.....	1,031	98	106	109	81	81	65	79	80	90	81	71	90
Male.....	302	28	40	29	20	26	22	25	22	20	23	21	26
Female.....	729	70	66	80	61	55	43	54	58	70	58	50	64
Black, both sexes.....	69	10	9	4	3	6	1	2	3	7	7	6	11
Male.....	27	5	5	3	1	3	-	-	-	2	3	2	3
Female.....	42	5	4	1	2	3	1	2	3	5	4	4	8
American Indian 1/, both sexes.....	4	-	1	2	-	1	-	-	-	-	-	-	-
Male.....	2	-	1	1	-	1	-	-	-	-	-	-	-
Female.....	2	-	1	1	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	4	-	-	-	-	1	-	-	1	1	-	-	1
Male.....	2	-	-	-	-	1	-	-	-	-	-	-	1
Female.....	2	-	-	-	-	-	-	-	1	1	-	-	-





Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Other and unspecified convulsions (R56.8)													
All races, both sexes.....	1,069	114	81	86	83	78	75	100	94	87	86	79	106
Male.....	633	71	48	53	50	48	37	62	53	54	50	46	61
Female.....	436	43	33	33	33	30	38	38	41	33	36	33	45
White, both sexes.....	755	82	51	55	65	51	59	70	68	61	62	61	70
Male.....	431	48	28	33	37	28	30	46	33	39	33	35	41
Female.....	324	34	23	22	28	23	29	24	35	22	29	26	29
Black, both sexes.....	291	31	28	31	16	23	15	28	23	25	23	18	30
Male.....	189	22	19	20	12	18	7	16	17	14	17	11	16
Female.....	102	9	9	11	4	5	8	12	6	11	6	7	14
American Indian 1/, both sexes.....	9	-	1	-	-	1	-	1	3	1	-	-	2
Male.....	6	-	-	-	-	1	-	-	3	1	-	-	1
Female.....	3	-	1	-	-	-	-	1	-	-	-	-	1
Asian or Pacific Islander 2/, both sexes.....	14	1	1	-	2	3	1	1	-	-	1	-	4
Male.....	7	1	1	-	1	1	-	-	-	-	-	-	3
Female.....	7	-	-	-	1	2	1	1	-	-	1	-	1
Shock, not elsewhere classified (R57)													
All races, both sexes.....	656	59	51	68	57	54	34	51	59	51	50	63	59
Male.....	327	27	35	38	27	28	12	24	26	27	26	28	29
Female.....	329	32	16	30	30	26	22	27	33	24	24	35	30
White, both sexes.....	523	43	44	55	42	41	30	43	44	46	38	49	48
Male.....	262	19	29	32	21	19	10	22	21	24	18	22	25
Female.....	261	24	15	23	21	22	20	21	23	22	20	27	23
Black, both sexes.....	123	15	6	13	15	11	4	6	12	5	12	14	10
Male.....	61	8	5	6	6	8	2	2	3	3	8	6	4
Female.....	62	7	1	7	9	3	2	4	9	2	4	8	6
American Indian 1/, both sexes.....	2	-	-	-	-	1	-	1	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	2	-	-	-	-	1	-	1	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	8	1	1	-	-	1	-	1	3	-	-	-	1
Male.....	4	-	1	-	-	1	-	-	2	-	-	-	-
Female.....	4	1	-	-	-	-	-	1	1	-	-	-	1

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
<b>Cardiogenic shock (R57.0)</b>													
All races, both sexes.....	341	32	23	41	24	35	19	27	31	23	26	32	28
Male.....	175	15	14	24	11	20	8	14	13	14	13	15	14
Female.....	166	17	9	17	13	15	11	13	18	9	13	17	14
White, both sexes.....	262	24	20	30	14	25	16	22	23	21	20	24	23
Male.....	139	11	12	19	8	14	6	12	10	13	8	13	13
Female.....	123	13	8	11	6	11	10	10	13	8	12	11	10
Black, both sexes.....	72	7	3	11	10	8	3	3	6	2	6	8	5
Male.....	33	4	2	5	3	5	2	2	1	1	5	2	1
Female.....	39	3	1	6	7	3	1	1	5	1	1	6	4
American Indian 1/, both sexes.....	2	-	-	-	-	1	-	1	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	2	-	-	-	-	1	-	1	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	5	1	-	-	-	1	-	1	2	-	-	-	-
Male.....	3	-	-	-	-	1	-	-	2	-	-	-	-
Female.....	2	1	-	-	-	-	-	1	-	-	-	-	-
<b>Hypovolemic shock (R57.1)</b>													
All races, both sexes.....	27	4	1	1	1	1	1	4	4	1	3	1	5
Male.....	13	3	-	-	-	-	1	1	2	1	1	-	4
Female.....	14	1	1	1	1	1	-	3	2	-	2	1	1
White, both sexes.....	21	3	1	1	1	1	1	3	3	1	2	1	3
Male.....	10	2	-	-	-	-	1	1	2	1	1	-	2
Female.....	11	1	1	1	1	1	-	2	1	-	1	1	1
Black, both sexes.....	5	1	-	-	-	-	-	1	-	-	1	-	2
Male.....	3	1	-	-	-	-	-	-	-	-	-	-	2
Female.....	2	-	-	-	-	-	-	1	-	-	1	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	-	-	-	-	-	-	-	1	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	1	-	-	-	-













Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Lack of expected normal physiological development (R62)													
All races, both sexes.....	3,141	271	282	299	231	228	240	213	249	268	277	288	295
Male.....	811	74	77	73	61	51	80	53	65	63	74	59	81
Female.....	2,330	197	205	226	170	177	160	160	184	205	203	229	214
White, both sexes.....	2,840	243	260	284	212	207	218	185	225	238	246	258	264
Male.....	716	64	65	66	54	43	71	46	57	57	65	53	75
Female.....	2,124	179	195	218	158	164	147	139	168	181	181	205	189
Black, both sexes.....	260	27	17	14	11	20	21	25	19	27	25	27	27
Male.....	78	10	9	7	3	8	8	6	4	5	7	6	5
Female.....	182	17	8	7	8	12	13	19	15	22	18	21	22
American Indian 1/, both sexes.....	13	1	-	1	3	-	-	1	1	1	3	2	-
Male.....	5	-	-	-	2	-	-	-	1	1	1	-	-
Female.....	8	1	-	1	1	-	-	1	-	-	2	2	-
Asian or Pacific Islander 2/, both sexes.....	28	-	5	-	5	1	1	2	4	2	3	1	4
Male.....	12	-	3	-	2	-	1	1	3	-	1	-	1
Female.....	16	-	2	-	3	1	-	1	1	2	2	1	3
Other lack of expected normal physiological development (R62.8)													
All races, both sexes.....	3,137	271	282	299	231	228	238	213	249	268	277	288	293
Male.....	810	74	77	73	61	51	79	53	65	63	74	59	81
Female.....	2,327	197	205	226	170	177	159	160	184	205	203	229	212
White, both sexes.....	2,838	243	260	284	212	207	217	185	225	238	246	258	263
Male.....	715	64	65	66	54	43	70	46	57	57	65	53	75
Female.....	2,123	179	195	218	158	164	147	139	168	181	181	205	188
Black, both sexes.....	258	27	17	14	11	20	20	25	19	27	25	27	26
Male.....	78	10	9	7	3	8	8	6	4	5	7	6	5
Female.....	180	17	8	7	8	12	12	19	15	22	18	21	21
American Indian 1/, both sexes.....	13	1	-	1	3	-	-	1	1	1	3	2	-
Male.....	5	-	-	-	2	-	-	-	1	1	1	-	-
Female.....	8	1	-	1	1	-	-	1	-	-	2	2	-
Asian or Pacific Islander 2/, both sexes.....	28	-	5	-	5	1	1	2	4	2	3	1	4
Male.....	12	-	3	-	2	-	1	1	3	-	1	-	1
Female.....	16	-	2	-	3	1	-	1	1	2	2	1	3





























Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
<b>Abnormal results of liver function studies (R94.5)</b>													
All races, both sexes.....	1	-	-	-	-	1	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	1	-	-	-	-	-	-	-
White, both sexes.....	1	-	-	-	-	1	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	1	-	-	-	-	-	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
<b>Sudden infant death syndrome (R95)</b>													
All races, both sexes.....	2,230	202	204	200	214	183	173	180	136	159	196	186	197
Male.....	1,372	115	118	123	146	118	104	101	86	99	124	120	118
Female.....	858	87	86	77	68	65	69	79	50	60	72	66	79
White, both sexes.....	1,493	128	134	131	150	114	110	123	92	111	138	121	141
Male.....	959	76	82	89	104	80	64	78	60	72	88	82	84
Female.....	534	52	52	42	46	34	46	45	32	39	50	39	57
Black, both sexes.....	663	68	62	60	59	63	55	50	41	46	54	56	49
Male.....	368	37	32	30	38	36	35	18	25	25	33	31	28
Female.....	295	31	30	30	21	27	20	32	16	21	21	25	21
American Indian 1/, both sexes.....	37	4	2	4	2	4	4	6	2	1	2	3	3
Male.....	20	1	-	2	2	1	1	4	-	1	2	3	3
Female.....	17	3	2	2	-	3	3	2	2	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	37	2	6	5	3	2	4	1	1	1	2	6	4
Male.....	25	1	4	2	2	1	4	1	1	1	1	4	3
Female.....	12	1	2	3	1	1	-	-	-	-	1	2	1



Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Unattended death (R98)													
All races, both sexes.....	20	3	1	2	1	-	2	3	-	3	4	1	-
Male.....	11	1	1	1	1	-	1	1	-	1	4	-	-
Female.....	9	2	-	1	-	-	1	2	-	2	-	1	-
White, both sexes.....	17	3	-	2	1	-	1	3	-	3	4	-	-
Male.....	10	1	-	1	1	-	1	1	-	1	4	-	-
Female.....	7	2	-	1	-	-	-	2	-	2	-	-	-
Black, both sexes.....	1	-	-	-	-	-	1	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	1	-	-	-	-	-	-
American Indian 1/, both sexes.....	2	-	1	-	-	-	-	-	-	-	-	1	-
Male.....	1	-	1	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	-	-	-	1	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Other ill-defined and unspecified causes of mortality (R99)													
All races, both sexes.....	14,532	1,122	1,003	1,148	1,065	1,127	1,204	1,359	1,384	1,097	1,209	1,271	1,543
Male.....	7,999	591	515	626	565	613	681	770	808	620	680	689	841
Female.....	6,533	531	488	522	500	514	523	589	576	477	529	582	702
White, both sexes.....	11,812	932	822	954	896	917	955	1,069	1,071	890	999	1,056	1,251
Male.....	6,449	492	424	520	469	484	532	610	620	496	558	559	685
Female.....	5,363	440	398	434	427	433	423	459	451	394	441	497	566
Black, both sexes.....	2,427	168	155	168	149	189	234	255	288	184	191	190	256
Male.....	1,388	90	75	96	86	116	140	140	172	108	112	117	136
Female.....	1,039	78	80	72	63	73	94	115	116	76	79	73	120
American Indian 1/, both sexes.....	114	6	9	8	10	8	6	19	8	9	6	10	15
Male.....	61	3	4	3	5	3	3	13	6	8	2	3	8
Female.....	53	3	5	5	5	5	3	6	2	1	4	7	7
Asian or Pacific Islander 2/, both sexes.....	179	16	17	18	10	13	9	16	17	14	13	15	21
Male.....	101	6	12	7	5	10	6	7	10	8	8	10	12
Female.....	78	10	5	11	5	3	3	9	7	6	5	5	9







Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Pedestrian injured in collision with two- or three-wheeled motor vehicle, unspecified whether traffic or nontraffic accident (V02.9)													
All races, both sexes.....	4	-	1	-	-	-	-	-	2	1	-	-	-
Male.....	4	-	1	-	-	-	-	-	2	1	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
White, both sexes.....	3	-	1	-	-	-	-	-	1	1	-	-	-
Male.....	3	-	1	-	-	-	-	-	1	1	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Black, both sexes.....	1	-	-	-	-	-	-	-	1	-	-	-	-
Male.....	1	-	-	-	-	-	-	-	1	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Pedestrian injured in collision with car, pick-up truck, or van (V03)													
All races, both sexes.....	2,986	270	241	220	212	192	187	241	251	289	299	301	283
Male.....	2,049	189	164	156	144	128	128	172	176	187	210	201	194
Female.....	937	81	77	64	68	64	59	69	75	102	89	100	89
White, both sexes.....	2,321	209	204	175	155	149	145	175	199	211	227	242	230
Male.....	1,586	145	137	123	105	99	97	123	141	135	158	161	162
Female.....	735	64	67	52	50	50	48	52	58	76	69	81	68
Black, both sexes.....	472	44	23	29	46	27	32	52	33	58	53	40	35
Male.....	337	32	18	23	32	17	22	41	23	41	38	29	21
Female.....	135	12	5	6	14	10	10	11	10	17	15	11	14
American Indian 1/, both sexes.....	68	5	2	6	4	7	5	6	3	9	7	9	5
Male.....	56	5	1	5	4	5	5	5	3	7	6	7	3
Female.....	12	-	1	1	-	2	-	1	-	2	1	2	2
Asian or Pacific Islander 2/, both sexes.....	125	12	12	10	7	9	5	8	16	11	12	10	13
Male.....	70	7	8	5	3	7	4	3	9	4	8	4	8
Female.....	55	5	4	5	4	2	1	5	7	7	4	6	5

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Pedestrian injured in collision with car, pick-up truck, or van, nontraffic accident (V03.0)													
All races, both sexes.....	241	12	19	12	21	20	21	25	20	23	25	20	23
Male.....	149	7	14	4	14	12	11	18	12	16	15	11	15
Female.....	92	5	5	8	7	8	10	7	8	7	10	9	8
White, both sexes.....	197	9	18	10	18	18	14	20	15	18	22	17	18
Male.....	116	6	13	3	11	10	7	14	8	11	12	10	11
Female.....	81	3	5	7	7	8	7	6	7	7	10	7	7
Black, both sexes.....	28	2	1	2	2	1	5	4	3	1	2	1	4
Male.....	21	1	1	1	2	1	2	3	3	1	2	-	4
Female.....	7	1	-	1	-	-	3	1	-	-	-	-	1
American Indian 1/, both sexes.....	8	-	-	-	1	1	1	1	-	2	-	1	1
Male.....	7	-	-	-	1	1	1	1	-	2	-	1	-
Female.....	1	-	-	-	-	-	-	-	-	-	-	-	1
Asian or Pacific Islander 2/, both sexes.....	8	1	-	-	-	-	1	-	2	2	1	1	-
Male.....	5	-	-	-	-	-	1	-	1	2	1	-	-
Female.....	3	1	-	-	-	-	-	-	1	-	-	1	-
Pedestrian injured in collision with car, pick-up truck, or van, traffic accident (V03.1)													
All races, both sexes.....	2,728	258	220	207	191	171	166	215	230	264	269	280	257
Male.....	1,887	182	149	152	130	115	117	153	164	169	190	190	176
Female.....	841	76	71	55	61	56	49	62	66	95	79	90	81
White, both sexes.....	2,110	200	184	164	137	130	131	155	183	191	202	224	209
Male.....	1,460	139	123	120	94	88	90	109	133	122	143	151	148
Female.....	650	61	61	44	43	42	41	46	50	69	59	73	61
Black, both sexes.....	442	42	22	27	44	26	27	47	30	57	50	39	31
Male.....	314	31	17	22	30	16	20	37	20	40	35	29	17
Female.....	128	11	5	5	14	10	7	10	10	17	15	10	14
American Indian 1/, both sexes.....	59	5	2	6	3	6	4	5	3	7	6	8	4
Male.....	48	5	1	5	3	4	4	4	3	5	5	6	3
Female.....	11	-	1	1	-	2	-	1	-	2	1	2	1
Asian or Pacific Islander 2/, both sexes.....	117	11	12	10	7	9	4	8	14	9	11	9	13
Male.....	65	7	8	5	3	7	3	3	8	2	7	4	8
Female.....	52	4	4	5	4	2	1	5	6	7	4	5	5



Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Pedestrian injured in collision with car, pick-up truck, or van, unspecified whether traffic or nontraffic accident (V03.9)													
All races, both sexes.....	17	-	2	1	-	1	-	1	1	2	5	1	3
Male.....	13	-	1	-	-	1	-	1	-	2	5	-	3
Female.....	4	-	1	1	-	-	-	-	1	-	-	1	-
White, both sexes.....	14	-	2	1	-	1	-	-	1	2	3	1	3
Male.....	10	-	1	-	-	1	-	-	-	2	3	-	3
Female.....	4	-	1	1	-	-	-	-	1	-	-	1	-
Black, both sexes.....	2	-	-	-	-	-	-	1	-	-	1	-	-
Male.....	2	-	-	-	-	-	-	1	-	-	1	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	1	-	-	-	-	-	-	-	-	-	1	-	-
Male.....	1	-	-	-	-	-	-	-	-	-	1	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Pedestrian injured in collision with heavy transport vehicle or bus (V04)													
All races, both sexes.....	342	37	32	33	34	33	28	21	15	23	34	22	30
Male.....	261	28	25	27	23	28	20	19	14	16	23	18	20
Female.....	81	9	7	6	11	5	8	2	1	7	11	4	10
White, both sexes.....	268	27	27	28	27	25	20	20	12	19	25	14	24
Male.....	205	20	21	22	19	20	13	18	12	14	17	12	17
Female.....	63	7	6	6	8	5	7	2	-	5	8	2	7
Black, both sexes.....	59	7	4	4	5	7	6	1	3	4	7	6	5
Male.....	47	6	3	4	3	7	5	1	2	2	6	5	3
Female.....	12	1	1	-	2	-	1	-	1	2	1	1	2
American Indian 1/, both sexes.....	2	1	-	-	-	-	1	-	-	-	-	-	-
Male.....	2	1	-	-	-	-	1	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	13	2	1	1	2	1	1	-	-	-	2	2	1
Male.....	7	1	1	1	1	1	1	-	-	-	-	1	-
Female.....	6	1	-	-	1	-	-	-	-	-	2	1	1

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Pedestrian injured in collision with heavy transport vehicle or bus, nontraffic accident (V04.0)													
All races, both sexes.....	48	4	5	4	4	3	5	2	3	6	4	4	4
Male.....	39	3	4	3	4	3	4	2	2	5	3	4	2
Female.....	9	1	1	1	-	-	1	-	1	1	-	-	2
White, both sexes.....	42	4	5	4	4	3	4	2	2	3	4	4	3
Male.....	36	3	4	3	4	3	3	2	2	3	3	4	2
Female.....	6	1	1	1	-	-	1	-	-	-	1	-	1
Black, both sexes.....	5	-	-	-	-	-	-	-	1	3	-	-	1
Male.....	2	-	-	-	-	-	-	-	-	2	-	-	-
Female.....	3	-	-	-	-	-	-	-	1	1	-	-	1
American Indian 1/, both sexes.....	1	-	-	-	-	-	1	-	-	-	-	-	-
Male.....	1	-	-	-	-	-	1	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Pedestrian injured in collision with heavy transport vehicle or bus, traffic accident (V04.1)													
All races, both sexes.....	280	33	25	28	29	30	22	16	11	15	29	18	24
Male.....	209	25	19	23	19	25	15	14	11	9	19	14	16
Female.....	71	8	6	5	10	5	7	2	-	6	10	4	8
White, both sexes.....	214	23	20	23	22	22	15	15	9	14	21	10	20
Male.....	158	17	15	18	15	17	9	13	9	9	14	8	14
Female.....	56	6	5	5	7	5	6	2	-	5	7	2	6
Black, both sexes.....	52	7	4	4	5	7	6	1	2	1	6	6	3
Male.....	43	6	3	4	3	7	5	1	2	-	5	5	2
Female.....	9	1	1	-	2	-	1	-	-	1	1	1	1
American Indian 1/, both sexes.....	1	1	-	-	-	-	-	-	-	-	-	-	-
Male.....	1	1	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	13	2	1	1	2	1	1	-	-	-	2	2	1
Male.....	7	1	1	1	1	1	1	-	-	-	-	1	-
Female.....	6	1	-	-	1	-	-	-	-	-	2	1	1

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Pedestrian injured in collision with heavy transport vehicle or bus, unspecified whether traffic or nontraffic accident (V04.9)													
All races, both sexes.....	14	-	2	1	1	-	1	3	1	2	1	-	2
Male.....	13	-	2	1	-	-	1	3	1	2	1	-	2
Female.....	1	-	-	-	1	-	-	-	-	-	-	-	-
White, both sexes.....	12	-	2	1	1	-	1	3	1	2	-	-	1
Male.....	11	-	2	1	-	-	1	3	1	2	-	-	1
Female.....	1	-	-	-	1	-	-	-	-	-	-	-	-
Black, both sexes.....	2	-	-	-	-	-	-	-	-	-	1	-	1
Male.....	2	-	-	-	-	-	-	-	-	-	1	-	1
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Pedestrian injured in collision with railway train or railway vehicle (V05)													
All races, both sexes.....	406	30	35	34	38	50	34	39	30	39	27	30	20
Male.....	336	24	30	26	30	42	29	31	28	30	25	26	15
Female.....	70	6	5	8	8	8	5	8	2	9	2	4	5
White, both sexes.....	302	24	27	25	23	39	23	29	27	32	20	18	15
Male.....	250	20	23	17	20	32	20	22	25	26	19	15	11
Female.....	52	4	4	8	3	7	3	7	2	6	1	3	4
Black, both sexes.....	76	6	4	8	12	9	7	7	1	5	6	7	4
Male.....	63	4	4	8	8	8	6	7	1	3	5	6	3
Female.....	13	2	-	-	4	1	1	-	-	2	1	1	1
American Indian 1/, both sexes.....	18	-	2	1	2	2	2	1	2	2	1	3	-
Male.....	17	-	2	1	2	2	2	1	2	1	1	3	-
Female.....	1	-	-	-	-	-	-	-	-	1	-	-	-
Asian or Pacific Islander 2/, both sexes.....	10	-	2	-	1	-	2	2	-	-	-	2	1
Male.....	6	-	1	-	-	-	1	1	-	-	-	2	1
Female.....	4	-	1	-	1	-	1	1	-	-	-	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Pedestrian injured in collision with railway train or railway vehicle, nontraffic accident (V05.0)													
All races, both sexes.....	120	6	11	12	17	16	10	11	9	12	7	3	6
Male.....	104	6	9	10	13	16	9	9	8	10	7	3	4
Female.....	16	-	2	2	4	-	1	2	1	2	-	-	2
White, both sexes.....	94	6	9	8	11	12	8	8	8	10	7	3	4
Male.....	81	6	7	6	8	12	8	6	7	8	7	3	3
Female.....	13	-	2	2	3	-	-	2	1	2	-	-	1
Black, both sexes.....	21	-	1	3	5	3	2	2	1	2	-	-	2
Male.....	18	-	1	3	4	3	1	2	1	2	-	-	1
Female.....	3	-	-	-	1	-	1	-	-	-	-	-	1
American Indian 1/, both sexes.....	5	-	1	1	1	1	-	1	-	-	-	-	-
Male.....	5	-	1	1	1	1	-	1	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Pedestrian injured in collision with railway train or railway vehicle, traffic accident (V05.1)													
All races, both sexes.....	73	11	5	7	5	8	6	7	2	8	6	2	6
Male.....	53	8	5	4	3	5	6	3	2	6	4	2	5
Female.....	20	3	-	3	2	3	-	4	-	2	2	-	1
White, both sexes.....	48	9	3	5	2	6	2	5	2	6	2	1	5
Male.....	34	7	3	2	2	3	2	2	2	5	1	1	4
Female.....	14	2	-	3	-	3	-	3	-	1	1	-	1
Black, both sexes.....	21	2	2	2	2	3	1	-	2	3	1	1	1
Male.....	17	1	2	2	1	2	3	1	-	1	2	1	1
Female.....	4	1	-	-	1	-	-	-	-	1	1	-	-
American Indian 1/, both sexes.....	1	-	-	-	-	-	-	-	-	-	1	-	-
Male.....	1	-	-	-	-	-	-	-	-	-	1	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	3	-	-	-	1	-	1	1	-	-	-	-	-
Male.....	1	-	-	-	-	-	1	-	-	-	-	-	-
Female.....	2	-	-	-	1	-	-	1	-	-	-	-	-





Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Pedestrian injured in collision with other nonmotor vehicle, unspecified whether traffic or nontraffic accident (V06.9)													
All races, both sexes.....	3	-	-	-	1	-	1	1	-	-	-	-	-
Male.....	2	-	-	-	1	-	-	1	-	-	-	-	-
Female.....	1	-	-	-	-	-	1	-	-	-	-	-	-
White, both sexes.....	2	-	-	-	-	-	1	1	-	-	-	-	-
Male.....	1	-	-	-	-	-	-	1	-	-	-	-	-
Female.....	1	-	-	-	-	-	1	-	-	-	-	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	1	-	-	-	1	-	-	-	-	-	-	-	-
Male.....	1	-	-	-	1	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Pedestrian injured in other and unspecified transport accidents (V09)													
All races, both sexes.....	2,275	183	162	169	163	157	169	194	185	211	236	217	229
Male.....	1,611	131	113	121	119	119	112	137	137	148	172	158	144
Female.....	664	52	49	48	44	38	57	57	48	63	64	59	85
White, both sexes.....	1,647	130	118	115	123	113	126	136	124	163	169	162	168
Male.....	1,148	93	82	83	91	82	85	93	90	113	121	115	100
Female.....	499	37	36	32	32	31	41	43	34	50	48	47	68
Black, both sexes.....	459	38	33	42	31	34	37	42	39	34	47	40	42
Male.....	341	27	24	30	20	29	22	34	32	25	36	31	31
Female.....	118	11	9	12	11	5	15	8	7	9	11	9	11
American Indian 1/, both sexes.....	74	6	6	5	4	6	4	6	11	6	9	8	3
Male.....	65	5	5	5	3	5	4	5	10	4	9	7	3
Female.....	9	1	1	-	1	1	-	1	1	2	-	1	-
Asian or Pacific Islander 2/, both sexes.....	95	9	5	7	5	4	2	10	11	8	11	7	16
Male.....	57	6	2	3	5	3	1	5	5	6	6	5	10
Female.....	38	3	3	4	-	1	1	5	6	2	5	2	6

## Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Pedestrian injured in nontraffic accident involving other and unspecified motor vehicles (V09.0)													
All races, both sexes.....	149	12	9	12	11	16	14	15	16	13	13	8	10
Male.....	101	8	7	6	6	11	8	10	12	9	9	7	8
Female.....	48	4	2	6	5	5	6	5	4	4	4	1	2
White, both sexes.....	122	10	8	8	8	13	9	12	15	12	12	6	9
Male.....	83	7	6	4	4	9	5	8	11	9	8	5	7
Female.....	39	3	2	4	4	4	4	4	4	3	4	1	2
Black, both sexes.....	18	2	-	3	2	3	4	2	1	-	-	-	1
Male.....	11	1	-	2	1	2	2	1	1	-	-	-	1
Female.....	7	1	-	1	1	1	2	1	-	-	-	-	-
American Indian 1/, both sexes.....	5	-	1	-	-	-	-	-	-	1	1	2	-
Male.....	4	-	1	-	-	-	-	-	-	-	1	2	-
Female.....	1	-	-	-	-	-	-	-	-	1	-	-	-
Asian or Pacific Islander 2/, both sexes.....	4	-	-	1	1	-	1	1	-	-	-	-	-
Male.....	3	-	-	-	1	-	1	1	-	-	-	-	-
Female.....	1	-	-	1	-	-	-	-	-	-	-	-	-
Pedestrian injured in unspecified nontraffic accident (V09.1)													
All races, both sexes.....	192	15	10	8	13	12	15	12	17	20	23	27	20
Male.....	130	10	8	6	10	7	10	6	14	13	19	16	11
Female.....	62	5	2	2	3	5	5	6	3	7	4	11	9
White, both sexes.....	149	12	7	3	10	9	11	9	15	16	18	23	16
Male.....	95	8	6	3	7	4	7	3	12	10	15	13	7
Female.....	54	4	1	-	3	5	4	6	3	6	3	10	9
Black, both sexes.....	32	3	3	2	2	3	4	3	1	3	4	1	3
Male.....	26	2	2	-	2	3	3	3	1	3	3	1	3
Female.....	6	1	1	2	-	-	1	-	-	-	1	-	-
American Indian 1/, both sexes.....	2	-	-	1	-	-	-	-	1	-	-	-	-
Male.....	2	-	-	1	-	-	-	-	1	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	9	-	-	2	1	-	-	-	-	1	1	3	1
Male.....	7	-	-	2	1	-	-	-	-	-	1	2	1
Female.....	2	-	-	-	-	-	-	-	-	1	-	1	-























Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Pedal cyclist injured in collision with car, pick-up truck, or van, unspecified pedal cyclist injured in traffic accident (V13.9)													
All races, both sexes.....	219	10	16	14	18	23	25	17	28	23	20	16	9
Male.....	194	10	16	12	18	19	20	17	22	19	18	15	8
Female.....	25	-	-	2	-	4	5	-	6	4	2	1	1
White, both sexes.....	175	7	16	11	10	18	23	13	24	20	16	14	3
Male.....	154	7	16	9	10	14	18	13	18	17	15	14	3
Female.....	21	-	-	2	-	4	5	-	6	3	1	-	-
Black, both sexes.....	36	3	-	2	7	3	2	4	3	3	3	1	5
Male.....	34	3	-	2	7	3	2	4	3	2	3	1	4
Female.....	2	-	-	-	-	-	-	-	-	1	-	-	1
American Indian 1/, both sexes.....	3	-	-	-	-	1	-	-	-	-	1	-	1
Male.....	2	-	-	-	-	1	-	-	-	-	-	-	1
Female.....	1	-	-	-	-	-	-	-	-	-	1	-	-
Asian or Pacific Islander 2/, both sexes.....	5	-	-	1	1	1	-	-	1	-	-	1	-
Male.....	4	-	-	1	1	1	-	-	1	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	-	-	-	1	-
Pedal cyclist injured in collision with heavy transport vehicle or bus (V14)													
All races, both sexes.....	56	2	4	3	3	6	5	5	4	10	5	3	6
Male.....	47	2	3	3	3	5	5	4	3	6	5	3	5
Female.....	9	-	1	-	-	1	-	1	1	4	-	-	1
White, both sexes.....	49	2	2	2	3	6	5	4	4	8	5	3	5
Male.....	43	2	2	2	3	5	5	4	3	5	5	3	4
Female.....	6	-	-	-	-	1	-	-	1	3	-	-	1
Black, both sexes.....	6	-	2	1	-	-	-	1	-	1	-	-	1
Male.....	4	-	1	1	-	-	-	-	-	1	-	-	1
Female.....	2	-	1	-	-	-	-	1	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	-	-	-	-	-	-	-	-	1	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	-	1	-	-	-















































































Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Motorcycle rider injured in noncollision transport accident, driver injured in traffic accident (V28.4)													
All races, both sexes.....	458	12	25	13	40	34	47	54	68	80	41	31	13
Male.....	440	12	23	13	38	31	45	52	67	75	40	31	13
Female.....	18	-	2	-	2	3	2	2	1	5	1	-	-
White, both sexes.....	415	11	22	12	35	29	41	48	59	77	40	29	12
Male.....	398	11	20	12	33	26	40	46	58	72	39	29	12
Female.....	17	-	2	-	2	3	1	2	1	5	1	-	-
Black, both sexes.....	33	1	3	1	4	4	5	4	8	1	-	1	1
Male.....	32	1	3	1	4	4	4	4	8	1	-	1	1
Female.....	1	-	-	-	-	-	1	-	-	-	-	-	-
American Indian 1/, both sexes.....	6	-	-	-	1	-	-	1	1	1	1	1	-
Male.....	6	-	-	-	1	-	-	1	1	1	1	1	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	4	-	-	-	-	1	1	1	-	1	-	-	-
Male.....	4	-	-	-	-	1	1	1	-	1	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Motorcycle rider injured in noncollision transport accident, passenger injured in traffic accident (V28.5)													
All races, both sexes.....	63	1	-	3	4	11	1	17	10	7	7	2	-
Male.....	12	-	-	1	1	2	-	4	2	1	1	-	-
Female.....	51	1	-	2	3	9	1	13	8	6	6	2	-
White, both sexes.....	56	-	-	2	3	11	1	16	9	7	5	2	-
Male.....	9	-	-	-	-	2	-	4	1	1	1	-	-
Female.....	47	-	-	2	3	9	1	12	8	6	4	2	-
Black, both sexes.....	4	1	-	1	-	-	-	1	-	-	1	-	-
Male.....	1	-	-	1	-	-	-	-	-	-	-	-	-
Female.....	3	1	-	-	-	-	-	1	-	-	1	-	-
American Indian 1/, both sexes.....	1	-	-	-	-	-	-	-	1	-	-	-	-
Male.....	1	-	-	-	-	-	-	-	1	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	2	-	-	-	1	-	-	-	-	-	1	-	-
Male.....	1	-	-	-	1	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	-	-	1	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
<b>Motorcycle rider injured in noncollision transport accident, unspecified motorcycle rider injured in traffic accident (V28.9)</b>													
All races, both sexes.....	81	2	1	4	5	8	12	15	16	4	10	3	1
Male.....	70	2	1	4	3	8	11	13	13	4	7	3	1
Female.....	11	-	-	-	2	-	1	2	3	-	3	-	-
White, both sexes.....	72	2	1	4	5	6	9	15	15	4	7	3	1
Male.....	63	2	1	4	3	6	8	13	13	4	5	3	1
Female.....	9	-	-	-	2	-	1	2	2	-	2	-	-
Black, both sexes.....	8	-	-	-	-	2	2	-	1	-	3	-	-
Male.....	6	-	-	-	-	2	2	-	-	-	2	-	-
Female.....	2	-	-	-	-	-	-	-	1	-	1	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	-	-	-	-	-	1	-	-	-	-	-	-
Male.....	1	-	-	-	-	-	1	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
<b>Motorcycle rider injured in other and unspecified transport accidents (V29)</b>													
All races, both sexes.....	1,428	43	38	75	138	134	172	181	162	192	139	94	60
Male.....	1,286	36	35	74	122	124	154	163	145	175	125	82	51
Female.....	142	7	3	1	16	10	18	18	17	17	14	12	9
White, both sexes.....	1,236	35	33	65	122	120	150	146	139	169	122	86	49
Male.....	1,105	30	30	64	107	111	132	131	123	152	108	75	42
Female.....	131	5	3	1	15	9	18	15	16	17	14	11	7
Black, both sexes.....	161	7	5	9	14	12	17	30	17	22	15	8	5
Male.....	154	6	5	9	13	11	17	28	17	22	15	7	4
Female.....	7	1	-	-	1	1	-	2	-	-	-	1	1
American Indian 1/, both sexes.....	3	-	-	-	-	-	1	-	1	-	1	-	-
Male.....	3	-	-	-	-	-	1	-	1	-	1	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	28	1	-	1	2	2	4	5	5	1	1	-	6
Male.....	24	-	-	1	2	2	4	4	4	1	1	-	5
Female.....	4	1	-	-	-	-	-	1	1	-	-	-	1































Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Car occupant injured in collision with two- or three-wheeled motor vehicle, unspecified car occupant injured in traffic accident (V42.9)													
All races, both sexes.....	8	-	1	1	1	1	-	2	-	1	1	-	-
Male.....	8	-	1	1	1	1	-	2	-	1	1	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
White, both sexes.....	6	-	-	1	1	1	-	2	-	1	-	-	-
Male.....	6	-	-	1	1	1	-	2	-	1	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Black, both sexes.....	2	-	1	-	-	-	-	-	-	-	1	-	-
Male.....	2	-	1	-	-	-	-	-	-	-	1	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Car occupant injured in collision with car, pick-up truck, or van (V43)													
All races, both sexes.....	4,596	406	354	360	389	399	364	417	382	319	429	393	384
Male.....	2,469	228	193	183	218	208	192	227	220	161	250	183	206
Female.....	2,127	178	161	177	171	191	172	190	162	158	179	210	178
White, both sexes.....	3,868	351	303	309	326	328	299	350	322	282	349	322	327
Male.....	2,075	195	164	162	180	166	162	192	184	140	206	153	171
Female.....	1,793	156	139	147	146	162	137	158	138	142	143	169	156
Black, both sexes.....	511	34	41	36	53	47	46	44	47	23	51	51	38
Male.....	276	20	25	13	31	24	21	24	29	12	28	25	24
Female.....	235	14	16	23	22	23	25	20	18	11	23	26	14
American Indian 1/, both sexes.....	74	11	5	7	3	9	7	8	2	7	5	6	4
Male.....	47	7	3	4	3	9	4	4	2	3	3	1	4
Female.....	27	4	2	3	-	-	3	4	-	4	2	5	-
Asian or Pacific Islander 2/, both sexes.....	143	10	5	8	7	15	12	15	11	7	24	14	15
Male.....	71	6	1	4	4	9	5	7	5	6	13	4	7
Female.....	72	4	4	4	3	6	7	8	6	1	11	10	8





Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Car occupant injured in collision with car, pick-up truck, or van, person injured while boarding or alighting (V43.4)													
All races, both sexes.....	3	-	-	-	-	-	-	1	1	-	1	-	-
Male.....	3	-	-	-	-	-	-	1	1	-	1	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
White, both sexes.....	3	-	-	-	-	-	-	1	1	-	1	-	-
Male.....	3	-	-	-	-	-	-	1	1	-	1	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Car occupant injured in collision with car, pick-up truck, or van, driver injured in traffic accident (V43.5)													
All races, both sexes.....	2,839	256	229	225	236	255	234	232	229	196	252	242	253
Male.....	1,634	150	127	121	143	150	130	132	149	109	160	121	142
Female.....	1,205	106	102	104	93	105	104	100	80	87	92	121	111
White, both sexes.....	2,423	225	199	198	199	206	195	198	197	171	206	206	223
Male.....	1,378	127	108	106	118	117	110	114	129	94	129	103	123
Female.....	1,045	98	91	92	81	89	85	84	68	77	77	103	100
Black, both sexes.....	308	20	25	19	31	34	32	26	24	17	30	27	23
Male.....	188	14	16	10	20	20	17	14	16	10	20	15	16
Female.....	120	6	9	9	11	14	15	12	8	7	10	12	7
American Indian 1/, both sexes.....	34	3	2	4	2	5	2	5	1	4	2	3	1
Male.....	27	3	2	3	2	5	2	3	1	2	2	1	1
Female.....	7	-	-	1	-	-	-	2	-	2	-	2	-
Asian or Pacific Islander 2/, both sexes.....	74	8	3	4	4	10	5	3	7	4	14	6	6
Male.....	41	6	1	2	3	8	1	1	3	3	9	2	2
Female.....	33	2	2	2	1	2	4	2	4	1	5	4	4





Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Car occupant injured in collision with car, pick-up truck, or van, unspecified car occupant injured in traffic accident (V43.9)													
All races, both sexes.....	349	17	18	25	33	23	30	42	32	32	37	34	26
Male.....	197	12	16	16	19	8	16	24	17	16	25	12	16
Female.....	152	5	2	9	14	15	14	18	15	16	12	22	10
White, both sexes.....	288	13	15	19	28	20	28	33	24	28	32	24	24
Male.....	169	10	13	14	17	8	15	19	13	14	21	10	15
Female.....	119	3	2	5	11	12	13	14	11	14	11	14	9
Black, both sexes.....	47	3	3	5	5	3	-	5	7	3	4	8	1
Male.....	20	1	3	1	2	-	-	4	3	1	3	1	1
Female.....	27	2	-	4	3	3	-	1	4	2	1	7	-
American Indian 1/, both sexes.....	3	1	-	-	-	-	1	-	-	-	-	1	-
Male.....	1	1	-	-	-	-	-	-	-	-	-	-	-
Female.....	2	-	-	-	-	-	1	-	-	-	-	1	-
Asian or Pacific Islander 2/, both sexes.....	11	-	-	1	-	-	1	4	1	1	1	1	1
Male.....	7	-	-	1	-	-	1	1	1	1	1	1	-
Female.....	4	-	-	-	-	-	-	3	-	-	-	-	1
Car occupant injured in collision with heavy transport vehicle or bus (V44)													
All races, both sexes.....	1,088	88	72	104	84	95	109	91	93	94	99	73	86
Male.....	639	62	44	53	55	56	59	54	52	49	54	47	54
Female.....	449	26	28	51	29	39	50	37	41	45	45	26	32
White, both sexes.....	935	72	59	96	74	84	93	77	76	83	86	63	72
Male.....	544	52	37	50	48	49	51	44	44	41	43	41	44
Female.....	391	20	22	46	26	35	42	33	32	42	43	22	28
Black, both sexes.....	126	14	10	5	10	10	12	13	15	8	11	8	10
Male.....	81	10	5	2	7	6	7	10	7	6	9	5	7
Female.....	45	4	5	3	3	4	5	3	8	2	2	3	3
American Indian 1/, both sexes.....	9	1	1	1	-	1	-	-	2	2	-	1	-
Male.....	5	-	1	-	-	1	-	-	1	1	-	1	-
Female.....	4	1	-	1	-	-	-	-	1	1	-	-	-
Asian or Pacific Islander 2/, both sexes.....	18	1	2	2	-	-	4	1	-	1	2	1	4
Male.....	9	-	1	1	-	-	1	-	-	1	2	-	3
Female.....	9	1	1	1	-	-	3	1	-	-	-	1	1

























Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Car occupant injured in collision with fixed or stationary object, driver injured in traffic accident (V47.5)													
All races, both sexes.....	2,147	190	178	181	179	198	166	202	161	154	197	189	152
Male.....	1,601	144	133	133	121	149	126	157	130	113	142	136	117
Female.....	546	46	45	48	58	49	40	45	31	41	55	53	35
White, both sexes.....	1,789	153	150	153	155	158	132	167	134	129	166	164	128
Male.....	1,320	112	112	110	105	118	100	129	104	94	120	117	99
Female.....	469	41	38	43	50	40	32	38	30	35	46	47	29
Black, both sexes.....	299	30	25	23	17	36	30	29	25	23	25	18	18
Male.....	233	26	19	19	9	28	23	23	24	17	17	15	13
Female.....	66	4	6	4	8	8	7	6	1	6	8	3	5
American Indian 1/, both sexes.....	27	3	2	3	3	2	3	3	1	1	1	3	2
Male.....	19	2	1	2	3	1	2	2	1	1	1	1	2
Female.....	8	1	1	1	-	1	1	1	-	-	-	2	-
Asian or Pacific Islander 2/, both sexes.....	32	4	1	2	4	2	1	3	1	1	5	4	4
Male.....	29	4	1	2	4	2	1	3	1	1	4	3	3
Female.....	3	-	-	-	-	-	-	-	-	-	1	1	1
Car occupant injured in collision with fixed or stationary object, passenger injured in traffic accident (V47.6)													
All races, both sexes.....	822	64	62	62	63	79	70	81	69	71	64	73	64
Male.....	505	36	37	37	37	57	42	51	43	40	40	46	39
Female.....	317	28	25	25	26	22	28	30	26	31	24	27	25
White, both sexes.....	643	46	45	53	53	61	53	67	56	56	56	56	41
Male.....	386	23	24	30	32	42	32	42	36	33	36	34	22
Female.....	257	23	21	23	21	19	21	25	20	23	20	22	19
Black, both sexes.....	135	14	11	8	10	10	15	12	9	10	5	14	17
Male.....	92	11	8	6	5	9	9	8	5	5	3	10	13
Female.....	43	3	3	2	5	1	6	4	4	5	2	4	4
American Indian 1/, both sexes.....	18	1	6	-	-	2	1	1	1	4	-	2	-
Male.....	11	-	5	-	-	2	1	-	1	1	-	1	-
Female.....	7	1	1	-	-	-	-	1	-	3	-	1	-
Asian or Pacific Islander 2/, both sexes.....	26	3	-	1	-	6	1	1	3	1	3	1	6
Male.....	16	2	-	1	-	4	-	1	1	1	1	1	4
Female.....	10	1	-	-	-	2	1	-	2	-	2	-	2

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Car occupant injured in collision with fixed or stationary object, person on outside of vehicle injured in traffic accident (V47.7)													
All races, both sexes.....	1	-	-	-	-	-	-	-	-	-	1	-	-
Male.....	1	-	-	-	-	-	-	-	-	-	1	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
White, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Black, both sexes.....	1	-	-	-	-	-	-	-	-	-	1	-	-
Male.....	1	-	-	-	-	-	-	-	-	-	1	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Car occupant injured in collision with fixed or stationary object, unspecified car occupant injured in traffic accident (V47.9)													
All races, both sexes.....	258	16	21	26	24	17	15	21	22	18	21	30	27
Male.....	189	11	18	18	18	15	9	16	17	11	17	19	20
Female.....	69	5	3	8	6	2	6	5	5	7	4	11	7
White, both sexes.....	210	11	19	22	20	12	13	17	17	16	15	23	25
Male.....	153	7	17	14	16	11	8	13	14	9	12	14	18
Female.....	57	4	2	8	4	1	5	4	3	7	3	9	7
Black, both sexes.....	42	4	2	3	3	4	2	4	5	2	4	7	2
Male.....	33	4	1	3	1	4	1	3	3	2	4	5	2
Female.....	9	-	1	-	2	-	1	1	2	-	-	2	-
American Indian 1/, both sexes.....	2	-	-	1	-	1	-	-	-	-	-	-	-
Male.....	1	-	-	1	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	1	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	4	1	-	-	1	-	-	-	-	-	2	-	-
Male.....	2	-	-	-	1	-	-	-	-	-	1	-	-
Female.....	2	1	-	-	-	-	-	-	-	-	1	-	-







Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Car occupant injured in noncollision transport accident, person injured while boarding or alighting (V48.4)													
All races, both sexes.....	16	-	3	-	2	1	2	1	2	-	3	2	-
Male.....	9	-	2	-	-	-	-	1	2	-	2	2	-
Female.....	7	-	1	-	2	1	2	-	-	-	1	-	-
White, both sexes.....	15	-	3	-	2	1	2	1	1	-	3	2	-
Male.....	8	-	2	-	-	-	-	1	1	-	2	2	-
Female.....	7	-	1	-	2	1	2	-	-	-	1	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	-	-	-	-	-	-	-	1	-	-	-	-
Male.....	1	-	-	-	-	-	-	-	1	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Car occupant injured in noncollision transport accident, driver injured in traffic accident (V48.5)													
All races, both sexes.....	1,541	118	96	106	118	157	118	147	165	124	150	130	112
Male.....	1,049	84	69	58	89	106	75	104	114	86	101	89	74
Female.....	492	34	27	48	29	51	43	43	51	38	49	41	38
White, both sexes.....	1,296	100	85	83	99	125	102	125	139	104	131	109	94
Male.....	883	70	62	47	74	83	65	89	95	74	90	74	60
Female.....	413	30	23	36	25	42	37	36	44	30	41	35	34
Black, both sexes.....	171	13	7	18	16	21	10	15	17	15	13	17	9
Male.....	117	10	5	9	12	14	8	11	14	10	7	11	6
Female.....	54	3	2	9	4	7	2	4	3	5	6	6	3
American Indian 1/, both sexes.....	46	3	1	2	1	7	4	4	6	3	4	3	8
Male.....	29	3	-	1	1	5	1	2	3	1	2	3	7
Female.....	17	-	1	1	-	2	3	2	3	2	2	-	1
Asian or Pacific Islander 2/, both sexes.....	28	2	3	3	2	4	2	3	3	2	2	1	1
Male.....	20	1	2	1	2	4	1	2	2	1	2	1	1
Female.....	8	1	1	2	-	-	1	1	1	1	-	-	-



Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Car occupant injured in noncollision transport accident, unspecified car occupant injured in traffic accident (V48.9)													
All races, both sexes.....	304	16	16	16	27	28	30	26	13	20	36	41	35
Male.....	201	8	9	12	20	21	21	17	9	11	19	30	24
Female.....	103	8	7	4	7	7	9	9	4	9	17	11	11
White, both sexes.....	245	13	9	14	22	24	25	22	9	13	32	32	30
Male.....	161	7	5	11	16	18	18	15	5	7	16	24	19
Female.....	84	6	4	3	6	6	7	7	4	6	16	8	11
Black, both sexes.....	47	3	6	2	3	2	2	4	4	4	3	9	5
Male.....	33	1	3	1	3	2	1	2	4	2	3	6	5
Female.....	14	2	3	1	-	-	1	2	-	2	-	3	-
American Indian 1/, both sexes.....	10	-	1	-	2	1	3	-	-	3	-	-	-
Male.....	6	-	1	-	1	-	2	-	-	2	-	-	-
Female.....	4	-	-	-	1	1	1	-	-	1	-	-	-
Asian or Pacific Islander 2/, both sexes.....	2	-	-	-	-	1	-	-	-	-	1	-	-
Male.....	1	-	-	-	-	1	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	-	-	1	-	-
Car occupant injured in other and unspecified transport accidents (V49)													
All races, both sexes.....	2,771	206	212	257	238	224	250	273	215	202	214	220	260
Male.....	1,693	131	130	161	149	136	161	188	115	132	133	111	146
Female.....	1,078	75	82	96	89	88	89	85	100	70	81	109	114
White, both sexes.....	2,316	169	169	207	193	184	212	227	178	175	186	194	222
Male.....	1,401	108	108	122	118	107	135	156	94	113	112	99	129
Female.....	915	61	61	85	75	77	77	71	84	62	74	95	93
Black, both sexes.....	373	32	35	43	39	33	34	35	29	22	21	22	28
Male.....	245	20	19	35	26	23	24	24	19	17	15	9	14
Female.....	128	12	16	8	13	10	10	11	10	5	6	13	14
American Indian 1/, both sexes.....	25	2	3	1	-	1	1	2	1	3	5	2	4
Male.....	17	2	2	1	-	1	-	2	-	1	4	1	3
Female.....	8	-	1	-	-	-	1	-	1	2	1	1	1
Asian or Pacific Islander 2/, both sexes.....	57	3	5	6	6	6	3	9	7	2	2	2	6
Male.....	30	1	1	3	5	5	2	6	2	1	2	2	-
Female.....	27	2	4	3	1	1	1	3	5	1	-	-	6





Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Driver (car) injured in collision with other and unspecified motor vehicles in traffic accident (V49.4)													
All races, both sexes.....	568	49	46	53	53	54	47	46	40	31	32	51	66
Male.....	348	32	36	32	33	32	31	36	18	21	21	21	35
Female.....	220	17	10	21	20	22	16	10	22	10	11	30	31
White, both sexes.....	483	44	37	43	43	44	41	38	32	28	27	44	62
Male.....	295	28	30	25	29	26	27	30	11	18	19	20	32
Female.....	188	16	7	18	14	18	14	8	21	10	8	24	30
Black, both sexes.....	62	3	5	8	8	9	5	4	7	3	3	6	1
Male.....	40	2	4	6	3	5	4	4	7	3	1	-	1
Female.....	22	1	1	2	5	4	1	-	-	-	2	6	-
American Indian 1/, both sexes.....	11	1	2	1	-	1	-	1	-	-	2	1	2
Male.....	9	1	1	1	-	1	-	1	-	-	1	1	2
Female.....	2	-	1	-	-	-	-	-	-	-	1	-	-
Asian or Pacific Islander 2/, both sexes.....	12	1	2	1	2	-	1	3	1	-	-	-	1
Male.....	4	1	1	-	1	-	-	1	-	-	-	-	-
Female.....	8	-	1	1	1	-	1	2	1	-	-	-	1
Passenger (car) injured in collision with other and unspecified motor vehicles in traffic accident (V49.5)													
All races, both sexes.....	433	40	48	50	44	24	37	41	30	30	32	29	28
Male.....	231	26	24	34	24	16	19	22	11	17	13	12	13
Female.....	202	14	24	16	20	8	18	19	19	13	19	17	15
White, both sexes.....	368	35	39	40	38	20	30	31	28	24	28	29	26
Male.....	187	22	20	25	20	13	15	15	11	14	9	12	11
Female.....	181	13	19	15	18	7	15	16	17	10	19	17	15
Black, both sexes.....	47	3	8	10	6	2	4	6	1	3	2	-	2
Male.....	33	3	4	9	4	2	2	3	-	2	2	-	2
Female.....	14	-	4	1	2	-	2	3	1	1	-	-	-
American Indian 1/, both sexes.....	5	1	-	-	-	-	1	1	-	1	1	-	-
Male.....	3	1	-	-	-	-	-	1	-	-	1	-	-
Female.....	2	-	-	-	-	-	1	-	-	1	-	-	-
Asian or Pacific Islander 2/, both sexes.....	13	1	1	-	-	2	2	3	1	2	1	-	-
Male.....	8	-	-	-	-	1	2	3	-	1	1	-	-
Female.....	5	1	1	-	-	1	-	-	1	1	-	-	-















Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Occupant of pick-up truck or van injured in collision with car, pick-up truck, or van, unspecified occupant of pick-up truck or van injured in traffic accident (V53.9)													
All races, both sexes.....	42	4	1	1	1	4	2	4	5	-	5	9	6
Male.....	31	3	1	1	1	3	2	2	4	-	4	5	5
Female.....	11	1	-	-	-	1	-	2	1	-	1	4	1
White, both sexes.....	39	4	1	1	1	4	2	4	5	-	4	7	6
Male.....	29	3	1	1	1	3	2	2	4	-	3	4	5
Female.....	10	1	-	-	-	1	-	2	1	-	1	3	1
Black, both sexes.....	3	-	-	-	-	-	-	-	-	-	1	2	-
Male.....	2	-	-	-	-	-	-	-	-	-	1	1	-
Female.....	1	-	-	-	-	-	-	-	-	-	-	1	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Occupant of pick-up truck or van injured in collision with heavy transport vehicle or bus (V54)													
All races, both sexes.....	439	42	39	32	28	37	29	35	44	27	48	32	46
Male.....	355	38	34	28	21	27	23	30	33	19	40	21	41
Female.....	84	4	5	4	7	10	6	5	11	8	8	11	5
White, both sexes.....	403	37	34	26	27	34	26	34	39	25	47	31	43
Male.....	326	33	29	24	20	25	20	29	29	18	40	21	38
Female.....	77	4	5	2	7	9	6	5	10	7	7	10	5
Black, both sexes.....	25	3	3	6	1	3	2	1	2	1	-	1	2
Male.....	21	3	3	4	1	2	2	1	2	1	-	-	2
Female.....	4	-	-	2	-	1	-	-	-	-	-	1	-
American Indian 1/, both sexes.....	7	1	2	-	-	-	-	-	3	-	-	-	1
Male.....	6	1	2	-	-	-	-	-	2	-	-	-	1
Female.....	1	-	-	-	-	-	-	-	1	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	4	1	-	-	-	-	1	-	-	1	1	-	-
Male.....	2	1	-	-	-	-	1	-	-	-	-	-	-
Female.....	2	-	-	-	-	-	-	-	-	1	1	-	-































Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Occupant of pick-up truck or van injured in noncollision transport accident, driver injured in traffic accident (V58.5)													
All races, both sexes.....	659	47	42	45	77	56	56	59	59	55	58	48	57
Male.....	565	40	30	38	67	51	52	48	50	50	47	41	51
Female.....	94	7	12	7	10	5	4	11	9	5	11	7	6
White, both sexes.....	597	44	40	39	69	51	50	50	54	48	56	42	54
Male.....	518	38	28	34	60	46	46	43	47	44	46	38	48
Female.....	79	6	12	5	9	5	4	7	7	4	10	4	6
Black, both sexes.....	33	2	1	2	4	3	6	3	3	3	-	3	3
Male.....	31	2	1	2	4	3	6	3	3	3	-	1	3
Female.....	2	-	-	-	-	-	-	-	-	-	-	2	-
American Indian 1/, both sexes.....	23	1	1	2	4	2	-	4	1	3	2	3	-
Male.....	14	-	1	1	3	2	-	1	-	3	1	2	-
Female.....	9	1	-	1	1	-	-	3	1	-	1	1	-
Asian or Pacific Islander 2/, both sexes.....	6	-	-	2	-	-	-	2	1	1	-	-	-
Male.....	2	-	-	1	-	-	-	1	-	-	-	-	-
Female.....	4	-	-	1	-	-	-	1	1	1	-	-	-
Occupant of pick-up truck or van injured in noncollision transport accident, passenger injured in traffic accident (V58.6)													
All races, both sexes.....	299	20	13	23	28	30	30	37	31	20	23	21	23
Male.....	195	10	10	15	16	14	19	27	21	14	19	16	14
Female.....	104	10	3	8	12	16	11	10	10	6	4	5	9
White, both sexes.....	257	17	9	22	27	24	29	31	23	18	21	19	17
Male.....	166	9	7	14	16	10	18	23	15	13	17	14	10
Female.....	91	8	2	8	11	14	11	8	8	5	4	5	7
Black, both sexes.....	22	2	3	1	-	2	-	1	4	1	1	1	6
Male.....	16	1	2	1	-	1	-	1	3	1	1	1	4
Female.....	6	1	1	-	-	1	-	-	1	-	-	-	2
American Indian 1/, both sexes.....	15	-	-	-	1	2	1	4	4	1	1	1	-
Male.....	11	-	-	-	-	2	1	3	3	-	1	1	-
Female.....	4	-	-	-	1	-	-	1	1	1	-	-	-
Asian or Pacific Islander 2/, both sexes.....	5	1	1	-	-	2	-	1	-	-	-	-	-
Male.....	2	-	1	-	-	1	-	-	-	-	-	-	-
Female.....	3	1	-	-	-	1	-	1	-	-	-	-	-























Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Occupant of heavy transport vehicle injured in collision with car, pick-up truck, or van, driver injured in traffic accident (V63.5)													
All races, both sexes.....	30	1	2	3	2	3	1	3	3	1	5	3	3
Male.....	26	1	2	3	2	3	1	3	2	1	3	2	3
Female.....	4	-	-	-	-	-	-	-	1	-	2	1	-
White, both sexes.....	25	-	2	3	2	2	-	3	3	1	3	3	3
Male.....	22	-	2	3	2	2	-	3	2	1	2	2	3
Female.....	3	-	-	-	-	-	-	-	1	-	1	1	-
Black, both sexes.....	3	1	-	-	-	1	-	-	-	-	1	-	-
Male.....	3	1	-	-	-	1	-	-	-	-	1	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	2	-	-	-	-	-	1	-	-	-	1	-	-
Male.....	1	-	-	-	-	-	1	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	-	-	1	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Occupant of heavy transport vehicle injured in collision with car, pick-up truck, or van, passenger injured in traffic accident (V63.6)													
All races, both sexes.....	5	-	-	1	-	-	-	-	1	2	1	-	-
Male.....	4	-	-	1	-	-	-	-	1	1	1	-	-
Female.....	1	-	-	-	-	-	-	-	-	1	-	-	-
White, both sexes.....	4	-	-	1	-	-	-	-	1	1	1	-	-
Male.....	4	-	-	1	-	-	-	-	1	1	1	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	-	-	-	-	-	-	-	-	1	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	-	1	-	-	-



































Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Passenger (heavy transport vehicle) injured in collision with other and unspecified motor vehicles in traffic accident (V69.5)													
All races, both sexes.....	5	1	1	-	-	-	2	-	-	-	1	-	-
Male.....	4	-	1	-	-	-	2	-	-	-	1	-	-
Female.....	1	1	-	-	-	-	-	-	-	-	-	-	-
White, both sexes.....	5	1	1	-	-	-	2	-	-	-	1	-	-
Male.....	4	-	1	-	-	-	2	-	-	-	1	-	-
Female.....	1	1	-	-	-	-	-	-	-	-	-	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Unspecified occupant of heavy transport vehicle injured in collision with other and unspecified motor vehicles in traffic accident (V69.6)													
All races, both sexes.....	4	-	-	-	-	1	1	-	2	-	-	-	-
Male.....	2	-	-	-	-	-	1	-	1	-	-	-	-
Female.....	2	-	-	-	-	1	-	-	1	-	-	-	-
White, both sexes.....	3	-	-	-	-	-	1	-	2	-	-	-	-
Male.....	2	-	-	-	-	-	1	-	1	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	1	-	-	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	-	-	-	-	1	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	1	-	-	-	-	-	-	-

































































Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Unspecified occupant of special construction vehicle injured in nontraffic accident (V85.9)													
All races, both sexes.....	9	3	-	-	-	-	1	2	-	1	2	-	-
Male.....	9	3	-	-	-	-	1	2	-	1	2	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
White, both sexes.....	8	3	-	-	-	-	1	1	-	1	2	-	-
Male.....	8	3	-	-	-	-	1	1	-	1	2	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	1	-	-	-	-	-	-	1	-	-	-	-	-
Male.....	1	-	-	-	-	-	-	1	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Occupant of special all-terrain or other motor vehicle designed primarily for off-road use, injured in transport accident (V86)													
All races, both sexes.....	1,040	95	84	70	70	87	93	114	112	90	79	78	68
Male.....	900	84	79	61	61	74	81	98	96	76	65	63	62
Female.....	140	11	5	9	9	13	12	16	16	14	14	15	6
White, both sexes.....	952	91	79	65	65	82	84	102	100	85	71	70	58
Male.....	821	80	75	56	56	69	72	88	85	71	59	57	53
Female.....	131	11	4	9	9	13	12	14	15	14	12	13	5
Black, both sexes.....	49	2	-	3	4	3	4	9	8	4	1	5	6
Male.....	45	2	-	3	4	3	4	8	7	4	1	4	5
Female.....	4	-	-	-	-	-	-	1	1	-	-	1	1
American Indian 1/, both sexes.....	34	2	5	2	1	2	4	3	4	1	5	2	3
Male.....	30	2	4	2	1	2	4	2	4	1	4	1	3
Female.....	4	-	1	-	-	-	-	1	-	-	1	1	-
Asian or Pacific Islander 2/, both sexes.....	5	-	-	-	-	-	1	-	-	-	2	1	1
Male.....	4	-	-	-	-	-	1	-	-	-	1	1	1
Female.....	1	-	-	-	-	-	-	-	-	-	1	-	-















Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Person injured in collision between car and bus (traffic) (V87.3)													
All races, both sexes.....	2	-	-	-	-	1	-	-	-	-	1	-	-
Male.....	1	-	-	-	-	1	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	-	-	1	-	-
White, both sexes.....	2	-	-	-	-	1	-	-	-	-	1	-	-
Male.....	1	-	-	-	-	1	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	-	-	1	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Person injured in collision between car and heavy transport vehicle (traffic) (V87.4)													
All races, both sexes.....	59	1	4	7	4	5	4	5	5	3	7	8	6
Male.....	38	1	1	6	2	3	2	4	4	3	4	4	4
Female.....	21	-	3	1	2	2	2	1	1	-	3	4	2
White, both sexes.....	52	1	4	7	4	4	3	3	5	3	6	8	4
Male.....	34	1	1	6	2	2	2	3	4	3	3	4	3
Female.....	18	-	3	1	2	2	1	-	1	-	3	4	1
Black, both sexes.....	5	-	-	-	-	1	-	2	-	-	-	-	2
Male.....	3	-	-	-	-	1	-	1	-	-	-	-	1
Female.....	2	-	-	-	-	-	-	1	-	-	-	-	1
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	2	-	-	-	-	-	1	-	-	-	1	-	-
Male.....	1	-	-	-	-	-	-	-	-	-	1	-	-
Female.....	1	-	-	-	-	-	1	-	-	-	-	-	-













Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
<b>Motor- or nonmotor-vehicle accident, type of vehicle unspecified (V89)</b>													
All races, both sexes.....	10,546	734	708	805	833	890	855	1,004	900	857	994	987	979
Male.....	7,170	497	481	559	566	618	552	685	609	569	678	671	685
Female.....	3,376	237	227	246	267	272	303	319	291	288	316	316	294
White, both sexes.....	8,837	608	590	664	703	710	710	851	751	730	873	828	819
Male.....	6,004	414	401	460	476	496	458	572	510	495	591	564	567
Female.....	2,833	194	189	204	227	214	252	279	241	235	282	264	252
Black, both sexes.....	1,291	93	97	103	97	131	115	105	117	99	91	118	125
Male.....	905	66	67	77	70	91	79	78	76	60	65	85	91
Female.....	386	27	30	26	27	40	36	27	41	39	26	33	34
American Indian 1/, both sexes.....	200	17	13	13	21	25	13	26	18	7	11	17	19
Male.....	124	10	7	9	14	16	7	17	13	3	8	8	12
Female.....	76	7	6	4	7	9	6	9	5	4	3	9	7
Asian or Pacific Islander 2/, both sexes.....	218	16	8	25	12	24	17	22	14	21	19	24	16
Male.....	137	7	6	13	6	15	8	18	10	11	14	14	15
Female.....	81	9	2	12	6	9	9	4	4	10	5	10	1
<b>Person injured in unspecified motor-vehicle accident, nontraffic (V89.0)</b>													
All races, both sexes.....	86	4	8	6	9	2	4	11	6	6	7	11	12
Male.....	59	3	4	5	8	1	3	9	5	4	4	6	7
Female.....	27	1	4	1	1	1	1	2	1	2	3	5	5
White, both sexes.....	77	4	6	5	8	2	4	10	5	4	7	10	12
Male.....	53	3	3	4	7	1	3	9	5	2	4	5	7
Female.....	24	1	3	1	1	1	1	1	-	2	3	5	5
Black, both sexes.....	7	-	2	-	1	-	-	1	-	2	-	1	-
Male.....	5	-	1	-	1	-	-	-	-	2	-	1	-
Female.....	2	-	1	-	-	-	-	1	-	-	-	-	-
American Indian 1/, both sexes.....	1	-	-	1	-	-	-	-	-	-	-	-	-
Male.....	1	-	-	1	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	-	-	-	-	-	-	-	1	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	1	-	-	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Person injured in unspecified nonmotor-vehicle accident, nontraffic (V89.1)													
All races, both sexes.....	2	-	-	1	-	-	1	-	-	-	-	-	-
Male.....	2	-	-	1	-	-	1	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
White, both sexes.....	2	-	-	1	-	-	1	-	-	-	-	-	-
Male.....	2	-	-	1	-	-	1	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Person injured in unspecified motor-vehicle accident, traffic (V89.2)													
All races, both sexes.....	10,289	714	679	780	804	875	835	985	882	842	970	966	957
Male.....	6,982	480	466	539	541	607	538	669	593	559	663	657	670
Female.....	3,307	234	213	241	263	268	297	316	289	283	307	309	287
White, both sexes.....	8,629	593	573	646	677	698	691	833	735	721	852	811	799
Male.....	5,849	402	391	445	454	487	445	556	495	490	577	553	554
Female.....	2,780	191	182	201	223	211	246	277	240	231	275	258	245
Black, both sexes.....	1,251	88	86	97	96	129	114	104	116	94	88	115	124
Male.....	879	61	62	73	69	90	78	78	75	56	64	83	90
Female.....	372	27	24	24	27	39	36	26	41	38	24	32	34
American Indian 1/, both sexes.....	196	17	13	12	20	24	13	26	18	7	11	17	18
Male.....	120	10	7	8	13	15	7	17	13	3	8	8	11
Female.....	76	7	6	4	7	9	6	9	5	4	3	9	7
Asian or Pacific Islander 2/, both sexes.....	213	16	7	25	11	24	17	22	13	20	19	23	16
Male.....	134	7	6	13	5	15	8	18	10	10	14	13	15
Female.....	79	9	1	12	6	9	9	4	3	10	5	10	1

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Person injured in unspecified vehicle accident (V89.9)													
All races, both sexes.....	169	16	21	18	20	13	15	8	12	9	17	10	10
Male.....	127	14	11	14	17	10	10	7	11	6	11	8	8
Female.....	42	2	10	4	3	3	5	1	1	3	6	2	2
White, both sexes.....	129	11	11	12	18	10	14	8	11	5	14	7	8
Male.....	100	9	7	10	15	8	9	7	10	3	10	6	6
Female.....	29	2	4	2	3	2	5	1	1	2	4	1	2
Black, both sexes.....	33	5	9	6	-	2	1	-	1	3	3	2	1
Male.....	21	5	4	4	-	1	1	-	1	2	1	1	1
Female.....	12	-	5	2	-	1	-	-	-	1	2	1	-
American Indian 1/, both sexes.....	3	-	-	-	1	1	-	-	-	-	-	-	1
Male.....	3	-	-	-	1	1	-	-	-	-	-	-	1
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	4	-	1	-	1	-	-	-	-	1	-	1	-
Male.....	3	-	-	-	1	-	-	-	-	1	-	1	-
Female.....	1	-	1	-	-	-	-	-	-	-	-	-	-
Accident to watercraft causing drowning and submersion (V90)													
All races, both sexes.....	213	11	6	13	38	20	28	24	17	16	27	1	12
Male.....	180	9	6	13	35	18	27	21	15	14	11	1	10
Female.....	33	2	-	-	3	2	1	3	2	2	16	-	2
White, both sexes.....	181	11	6	8	27	17	23	23	16	15	25	1	9
Male.....	151	9	6	8	26	16	22	20	14	13	9	1	7
Female.....	30	2	-	-	1	1	1	3	2	2	16	-	2
Black, both sexes.....	19	-	-	4	2	2	4	1	1	1	2	-	2
Male.....	19	-	-	4	2	2	4	1	1	1	2	-	2
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	6	-	-	1	4	-	1	-	-	-	-	-	-
Male.....	5	-	-	1	3	-	1	-	-	-	-	-	-
Female.....	1	-	-	-	1	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	7	-	-	-	5	1	-	-	-	-	-	-	1
Male.....	5	-	-	-	4	-	-	-	-	-	-	-	1
Female.....	2	-	-	-	1	1	-	-	-	-	-	-	-





































Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Other and unspecified water transport accidents, unspecified watercraft (V94.9)													
All races, both sexes.....	38	1	1	3	1	2	7	9	6	4	2	-	2
Male.....	28	1	1	3	1	2	5	7	4	1	2	-	1
Female.....	10	-	-	-	-	-	2	2	2	3	-	-	1
White, both sexes.....	34	1	1	2	1	2	7	9	6	3	2	-	-
Male.....	26	1	1	2	1	2	5	7	4	1	2	-	-
Female.....	8	-	-	-	-	-	2	2	2	2	-	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	2	-	-	1	-	-	-	-	-	1	-	-	-
Male.....	1	-	-	1	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	-	1	-	-	-
Asian or Pacific Islander 2/, both sexes.....	2	-	-	-	-	-	-	-	-	-	-	-	2
Male.....	1	-	-	-	-	-	-	-	-	-	-	-	1
Female.....	1	-	-	-	-	-	-	-	-	-	-	-	1
Accident to powered aircraft causing injury to occupant (V95)													
All races, both sexes.....	558	51	39	36	36	48	50	56	67	59	36	35	45
Male.....	473	45	37	26	32	41	42	48	61	47	30	31	33
Female.....	85	6	2	10	4	7	8	8	6	12	6	4	12
White, both sexes.....	545	48	38	35	35	47	48	56	65	57	36	35	45
Male.....	462	43	36	25	31	40	40	48	59	46	30	31	33
Female.....	83	5	2	10	4	7	8	8	6	11	6	4	12
Black, both sexes.....	5	2	-	-	1	1	-	-	1	-	-	-	-
Male.....	4	1	-	-	1	1	-	-	1	-	-	-	-
Female.....	1	1	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	2	-	1	-	-	-	-	-	-	1	-	-	-
Male.....	2	-	1	-	-	-	-	-	-	1	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	6	1	-	1	-	-	2	-	1	1	-	-	-
Male.....	5	1	-	1	-	-	2	-	1	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	-	1	-	-	-



Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Accident to other private fixed-wing aircraft, injuring occupant (V95.2)													
All races, both sexes.....	34	6	3	4	-	5	-	2	5	3	2	4	-
Male.....	28	5	2	2	-	4	-	2	5	2	2	4	-
Female.....	6	1	1	2	-	1	-	-	-	1	-	-	-
White, both sexes.....	34	6	3	4	-	5	-	2	5	3	2	4	-
Male.....	28	5	2	2	-	4	-	2	5	2	2	4	-
Female.....	6	1	1	2	-	1	-	-	-	1	-	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Other aircraft accidents injuring occupant (V95.8)													
All races, both sexes.....	21	-	-	-	1	3	5	3	2	5	2	-	-
Male.....	19	-	-	-	1	3	4	3	2	4	2	-	-
Female.....	2	-	-	-	-	-	1	-	-	1	-	-	-
White, both sexes.....	20	-	-	-	1	3	5	3	2	4	2	-	-
Male.....	19	-	-	-	1	3	4	3	2	4	2	-	-
Female.....	1	-	-	-	-	-	1	-	-	-	-	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	-	-	-	-	-	-	-	-	1	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	-	1	-	-	-



















Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Fall involving wheelchair (W05)													
All races, both sexes.....	356	33	19	32	35	25	33	30	40	27	31	28	23
Male.....	157	11	6	15	17	17	13	13	15	9	19	11	11
Female.....	199	22	13	17	18	8	20	17	25	18	12	17	12
White, both sexes.....	330	30	18	30	34	22	30	28	37	24	31	26	20
Male.....	146	9	6	15	16	15	12	12	13	8	19	11	10
Female.....	184	21	12	15	18	7	18	16	24	16	12	15	10
Black, both sexes.....	17	3	1	-	-	3	2	1	1	3	-	2	1
Male.....	8	2	-	-	-	2	1	1	1	1	-	-	-
Female.....	9	1	1	-	-	1	1	-	-	2	-	2	1
American Indian 1/, both sexes.....	2	-	-	-	-	-	1	-	1	-	-	-	-
Male.....	1	-	-	-	-	-	-	-	1	-	-	-	-
Female.....	1	-	-	-	-	-	1	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	7	-	-	2	1	-	-	1	1	-	-	-	2
Male.....	2	-	-	-	1	-	-	-	-	-	-	-	1
Female.....	5	-	-	2	-	-	-	1	1	-	-	-	1
Fall involving bed (W06)													
All races, both sexes.....	621	61	60	56	59	55	45	34	47	51	66	43	44
Male.....	265	21	28	17	26	22	22	15	20	27	18	24	25
Female.....	356	40	32	39	33	33	23	19	27	24	48	19	19
White, both sexes.....	563	54	57	48	56	50	41	29	40	45	62	39	42
Male.....	235	19	27	11	25	21	20	14	15	22	16	21	24
Female.....	328	35	30	37	31	29	21	15	25	23	46	18	18
Black, both sexes.....	42	6	2	6	3	3	1	2	7	4	2	4	2
Male.....	21	1	-	4	1	1	1	-	5	3	1	3	1
Female.....	21	5	2	2	2	2	-	2	2	1	1	1	1
American Indian 1/, both sexes.....	6	-	-	1	-	1	1	2	-	1	-	-	-
Male.....	2	-	-	1	-	-	-	-	-	1	-	-	-
Female.....	4	-	-	-	-	1	1	2	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	10	1	1	1	-	1	2	1	-	1	2	-	-
Male.....	7	1	1	1	-	-	1	1	-	1	1	-	-
Female.....	3	-	-	-	-	1	1	-	-	-	1	-	-





Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Fall involving playground equipment (W09)													
All races, both sexes.....	3	-	-	-	-	-	-	-	-	-	3	-	-
Male.....	2	-	-	-	-	-	-	-	-	-	2	-	-
Female.....	1	-	-	-	-	-	-	-	-	-	1	-	-
White, both sexes.....	2	-	-	-	-	-	-	-	-	-	2	-	-
Male.....	2	-	-	-	-	-	-	-	-	-	2	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Black, both sexes.....	1	-	-	-	-	-	-	-	-	-	1	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	-	-	1	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Fall on and from stairs and steps (W10)													
All races, both sexes.....	1,690	159	139	164	131	128	129	129	132	127	159	140	153
Male.....	976	102	79	95	75	75	81	68	70	82	91	75	83
Female.....	714	57	60	69	56	53	48	61	62	45	68	65	70
White, both sexes.....	1,545	154	128	153	121	114	109	114	127	111	149	128	137
Male.....	880	97	73	89	69	67	65	59	66	71	85	70	69
Female.....	665	57	55	64	52	47	44	55	61	40	64	58	68
Black, both sexes.....	100	4	8	6	7	9	13	13	3	10	8	8	11
Male.....	70	4	6	4	5	6	11	7	3	7	4	3	10
Female.....	30	-	2	2	2	3	2	6	-	3	4	5	1
American Indian 1/, both sexes.....	11	-	-	3	-	1	5	-	-	2	-	-	-
Male.....	7	-	-	2	-	-	3	-	-	2	-	-	-
Female.....	4	-	-	1	-	1	2	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	34	1	3	2	3	4	2	2	2	4	2	4	5
Male.....	19	1	-	-	1	2	2	2	1	2	2	2	4
Female.....	15	-	3	2	2	2	-	-	1	2	-	2	1







Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Other fall from one level to another (W17)													
All races, both sexes.....	495	35	33	27	30	44	49	60	57	36	53	36	35
Male.....	410	31	26	22	27	36	39	46	47	31	44	33	28
Female.....	85	4	7	5	3	8	10	14	10	5	9	3	7
White, both sexes.....	436	34	32	20	26	38	45	54	48	32	45	34	28
Male.....	365	30	25	17	24	32	37	41	39	29	38	31	22
Female.....	71	4	7	3	2	6	8	13	9	3	7	3	6
Black, both sexes.....	46	1	-	6	3	6	3	5	5	2	8	2	5
Male.....	35	1	-	4	2	4	2	5	4	1	6	2	4
Female.....	11	-	-	2	1	2	1	-	1	1	2	-	1
American Indian 1/, both sexes.....	5	-	-	1	-	-	-	1	2	1	-	-	-
Male.....	3	-	-	1	-	-	-	-	2	-	-	-	-
Female.....	2	-	-	-	-	-	-	1	-	1	-	-	-
Asian or Pacific Islander 2/, both sexes.....	8	-	1	-	1	-	1	-	2	1	-	-	2
Male.....	7	-	1	-	1	-	-	-	2	1	-	-	2
Female.....	1	-	-	-	-	-	1	-	-	-	-	-	-
Other fall on same level (W18)													
All races, both sexes.....	5,071	410	362	411	414	431	416	430	434	412	444	409	498
Male.....	2,519	197	177	201	193	230	202	204	228	207	247	196	237
Female.....	2,552	213	185	210	221	201	214	226	206	205	197	213	261
White, both sexes.....	4,644	375	323	378	386	389	376	393	400	377	409	375	463
Male.....	2,263	175	153	181	177	206	181	180	207	184	222	178	219
Female.....	2,381	200	170	197	209	183	195	213	193	193	187	197	244
Black, both sexes.....	225	18	23	18	10	23	21	20	17	22	20	24	9
Male.....	134	11	13	12	4	15	11	11	11	16	15	11	4
Female.....	91	7	10	6	6	8	10	9	6	6	5	13	5
American Indian 1/, both sexes.....	34	1	2	4	1	3	7	1	4	4	2	1	4
Male.....	17	1	2	3	-	1	4	-	2	2	1	-	1
Female.....	17	-	-	1	1	2	3	1	2	2	1	1	3
Asian or Pacific Islander 2/, both sexes.....	168	16	14	11	17	16	12	16	13	9	13	9	22
Male.....	105	10	9	5	12	8	6	13	8	5	9	7	13
Female.....	63	6	5	6	5	8	6	3	5	4	4	2	9

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Unspecified fall (W19)													
All races, both sexes.....	9,070	801	761	809	723	750	670	742	725	700	760	796	833
Male.....	4,202	387	358	366	331	339	321	326	341	331	346	353	403
Female.....	4,868	414	403	443	392	411	349	416	384	369	414	443	430
White, both sexes.....	8,398	735	717	751	672	697	623	686	658	643	704	741	771
Male.....	3,853	357	333	333	300	313	300	299	308	303	320	325	362
Female.....	4,545	378	384	418	372	384	323	387	350	340	384	416	409
Black, both sexes.....	490	46	26	39	36	45	35	49	49	42	39	41	43
Male.....	254	20	17	24	23	22	15	25	24	21	19	17	27
Female.....	236	26	9	15	13	23	20	24	25	21	20	24	16
American Indian 1/, both sexes.....	46	6	3	8	7	1	2	2	5	2	4	1	5
Male.....	25	3	3	4	1	1	-	-	2	2	4	1	4
Female.....	21	3	-	4	6	-	2	2	3	-	-	-	1
Asian or Pacific Islander 2/, both sexes.....	136	14	15	11	8	7	10	5	13	13	13	13	14
Male.....	70	7	5	5	7	3	6	2	7	5	3	10	10
Female.....	66	7	10	6	1	4	4	3	6	8	10	3	4
Struck by thrown, projected, or falling object (W20)													
All races, both sexes.....	699	57	46	59	48	75	56	63	73	56	57	59	50
Male.....	642	52	43	55	43	69	49	59	65	56	52	53	46
Female.....	57	5	3	4	5	6	7	4	8	-	5	6	4
White, both sexes.....	621	49	40	51	44	60	54	60	67	50	50	48	48
Male.....	573	45	38	47	39	56	47	56	60	50	47	43	45
Female.....	48	4	2	4	5	4	7	4	7	-	3	5	3
Black, both sexes.....	56	7	4	7	3	10	1	3	4	4	4	9	-
Male.....	53	6	4	7	3	8	1	3	4	4	4	9	-
Female.....	3	1	-	-	-	2	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	8	1	-	-	1	2	-	-	1	-	2	1	-
Male.....	6	1	-	-	1	2	-	-	1	-	1	-	-
Female.....	2	-	-	-	-	-	-	-	-	-	1	1	-
Asian or Pacific Islander 2/, both sexes.....	14	-	2	1	-	3	1	-	1	2	1	1	2
Male.....	10	-	1	1	-	3	1	-	-	2	-	1	1
Female.....	4	-	1	-	-	-	-	-	1	-	1	-	1















Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Rifle, shotgun, and larger firearm discharge (W33)													
All races, both sexes.....	104	14	6	4	10	11	4	6	6	8	9	14	12
Male.....	94	14	6	3	9	9	4	6	5	6	9	13	10
Female.....	10	-	-	1	1	2	-	-	1	2	-	1	2
White, both sexes.....	91	14	6	4	7	9	2	6	5	6	8	14	10
Male.....	84	14	6	3	7	8	2	6	4	5	8	13	8
Female.....	7	-	-	1	-	1	-	-	1	1	-	1	2
Black, both sexes.....	13	-	-	-	3	2	2	-	1	2	1	-	2
Male.....	10	-	-	-	2	1	2	-	1	1	1	-	2
Female.....	3	-	-	-	1	1	-	-	-	1	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Discharge from other and unspecified firearms (W34)													
All races, both sexes.....	578	48	40	37	40	41	51	45	56	44	48	62	66
Male.....	497	43	37	29	35	34	47	37	48	33	40	54	60
Female.....	81	5	3	8	5	7	4	8	8	11	8	8	6
White, both sexes.....	427	36	31	27	26	27	38	34	34	31	38	49	56
Male.....	364	33	29	19	24	21	35	27	30	23	31	42	50
Female.....	63	3	2	8	2	6	3	7	4	8	7	7	6
Black, both sexes.....	121	11	6	5	11	11	11	9	19	11	10	9	8
Male.....	108	9	6	5	9	11	10	8	16	8	9	9	8
Female.....	13	2	-	-	2	-	1	1	3	3	1	-	-
American Indian 1/, both sexes.....	7	1	1	2	1	-	-	-	1	1	-	-	-
Male.....	5	1	-	2	-	-	-	-	1	1	-	-	-
Female.....	2	-	1	-	1	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	23	-	2	3	2	3	2	2	2	1	-	4	2
Male.....	20	-	2	3	2	2	2	2	1	1	-	3	2
Female.....	3	-	-	-	-	1	-	-	1	-	-	1	-























Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
<b>Drowning and submersion while in swimming pool (W67)</b>													
All races, both sexes.....	511	12	11	14	25	42	88	133	91	52	18	15	10
Male.....	354	7	8	12	19	29	51	97	67	32	12	12	8
Female.....	157	5	3	2	6	13	37	36	24	20	6	3	2
White, both sexes.....	388	10	9	11	24	32	63	91	73	39	16	12	8
Male.....	263	6	6	9	18	24	35	62	55	23	10	9	6
Female.....	125	4	3	2	6	8	28	29	18	16	6	3	2
Black, both sexes.....	90	1	2	1	1	7	21	27	12	13	1	3	1
Male.....	67	-	2	1	1	4	13	24	8	9	1	3	1
Female.....	23	1	-	-	-	3	8	3	4	4	-	-	-
American Indian 1/, both sexes.....	1	-	-	-	-	-	-	-	1	-	-	-	-
Male.....	1	-	-	-	-	-	-	-	1	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	32	1	-	2	-	3	4	15	5	-	1	-	1
Male.....	23	1	-	2	-	1	3	11	3	-	1	-	1
Female.....	9	-	-	-	-	2	1	4	2	-	-	-	-
<b>Drowning and submersion following fall into swimming pool (W68)</b>													
All races, both sexes.....	96	3	5	2	6	7	16	16	16	9	4	6	6
Male.....	65	3	2	1	2	7	12	9	13	5	4	4	3
Female.....	31	-	3	1	4	-	4	7	3	4	-	2	3
White, both sexes.....	81	3	4	1	4	6	14	15	11	8	4	5	6
Male.....	54	3	2	-	2	6	10	8	9	4	4	3	3
Female.....	27	-	2	1	2	-	4	7	2	4	-	2	3
Black, both sexes.....	14	-	1	1	2	1	2	1	4	1	-	1	-
Male.....	11	-	-	1	-	1	2	1	4	1	-	1	-
Female.....	3	-	1	-	2	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	-	-	-	-	-	-	-	1	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	1	-	-	-	-





Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Other specified drowning and submersion (W73)													
All races, both sexes.....	199	17	9	20	15	18	21	36	19	15	11	10	8
Male.....	161	12	7	16	10	15	17	33	14	15	10	7	5
Female.....	38	5	2	4	5	3	4	3	5	-	1	3	3
White, both sexes.....	150	11	6	15	10	15	17	27	13	14	9	6	7
Male.....	119	8	5	12	6	12	13	25	8	14	8	4	4
Female.....	31	3	1	3	4	3	4	2	5	-	1	2	3
Black, both sexes.....	41	5	2	4	4	3	4	8	6	1	2	2	-
Male.....	38	4	2	3	4	3	4	7	6	1	2	2	-
Female.....	3	1	-	1	-	-	-	1	-	-	-	-	-
American Indian 1/, both sexes.....	5	-	-	1	1	-	-	-	-	-	-	2	1
Male.....	3	-	-	1	-	-	-	-	-	-	-	1	1
Female.....	2	-	-	-	1	-	-	-	-	-	-	1	-
Asian or Pacific Islander 2/, both sexes.....	3	1	1	-	-	-	-	1	-	-	-	-	-
Male.....	1	-	-	-	-	-	-	1	-	-	-	-	-
Female.....	2	1	1	-	-	-	-	-	-	-	-	-	-
Unspecified drowning and submersion (W74)													
All races, both sexes.....	829	25	28	53	59	90	137	149	107	70	46	35	30
Male.....	647	18	23	41	47	68	106	119	83	53	39	29	21
Female.....	182	7	5	12	12	22	31	30	24	17	7	6	9
White, both sexes.....	654	21	21	42	50	69	100	121	85	55	38	28	24
Male.....	508	15	17	32	40	49	80	94	64	42	33	25	17
Female.....	146	6	4	10	10	20	20	27	21	13	5	3	7
Black, both sexes.....	132	4	6	8	7	15	30	23	14	10	5	6	4
Male.....	107	3	5	7	6	15	23	20	12	7	3	3	3
Female.....	25	1	1	1	1	-	7	3	2	3	2	3	1
American Indian 1/, both sexes.....	18	-	1	2	1	2	1	3	4	2	-	-	2
Male.....	15	-	1	2	-	1	1	3	4	2	-	-	1
Female.....	3	-	-	-	1	-	-	-	-	-	-	-	1
Asian or Pacific Islander 2/, both sexes.....	25	-	-	1	1	4	6	2	4	3	3	1	-
Male.....	17	-	-	-	1	3	2	2	3	2	3	1	-
Female.....	8	-	-	1	-	1	4	-	1	1	-	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
<b>Accidental suffocation and strangulation in bed (W75)</b>													
All races, both sexes.....	573	50	43	49	37	58	48	59	53	51	41	43	41
Male.....	317	22	23	28	21	32	21	37	29	33	23	25	23
Female.....	256	28	20	21	16	26	27	22	24	18	18	18	18
White, both sexes.....	384	33	33	25	25	34	33	43	34	31	26	32	35
Male.....	211	15	18	11	16	19	11	27	17	21	15	20	21
Female.....	173	18	15	14	9	15	22	16	17	10	11	12	14
Black, both sexes.....	174	16	8	23	11	22	14	15	17	18	14	10	6
Male.....	98	7	4	16	5	11	9	10	11	11	8	4	2
Female.....	76	9	4	7	6	11	5	5	6	7	6	6	4
American Indian 1/, both sexes.....	8	-	1	-	1	2	-	-	1	2	1	-	-
Male.....	3	-	-	-	-	2	-	-	-	1	-	-	-
Female.....	5	-	1	-	1	-	-	-	1	1	1	-	-
Asian or Pacific Islander 2/, both sexes.....	7	1	1	1	-	-	1	1	1	-	-	1	-
Male.....	5	-	1	1	-	-	1	-	1	-	-	1	-
Female.....	2	1	-	-	-	-	-	1	-	-	-	-	-
<b>Other accidental hanging and strangulation (W76)</b>													
All races, both sexes.....	274	23	17	21	23	21	15	27	19	26	25	34	23
Male.....	227	17	12	19	18	19	14	21	17	24	22	25	19
Female.....	47	6	5	2	5	2	1	6	2	2	3	9	4
White, both sexes.....	234	18	11	17	20	18	13	23	17	24	25	26	22
Male.....	198	16	7	15	16	17	12	19	15	22	22	19	18
Female.....	36	2	4	2	4	1	1	4	2	2	3	7	4
Black, both sexes.....	25	3	5	2	3	1	1	3	2	1	-	4	-
Male.....	18	1	4	2	2	1	1	1	2	1	-	3	-
Female.....	7	2	1	-	1	-	-	2	-	-	-	1	-
American Indian 1/, both sexes.....	7	1	1	1	-	-	1	-	-	1	-	1	1
Male.....	5	-	1	1	-	-	1	-	-	1	-	-	1
Female.....	2	1	-	-	-	-	-	-	-	-	-	1	-
Asian or Pacific Islander 2/, both sexes.....	8	1	-	1	-	2	-	1	-	-	-	3	-
Male.....	6	-	-	1	-	1	-	1	-	-	-	3	-
Female.....	2	1	-	-	-	1	-	-	-	-	-	-	-



Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
<b>Inhalation and ingestion of food causing obstruction of respiratory tract (W79)</b>													
All races, both sexes.....	864	89	67	67	69	73	85	80	75	65	59	68	67
Male.....	488	55	45	38	46	40	49	38	41	39	32	29	36
Female.....	376	34	22	29	23	33	36	42	34	26	27	39	31
White, both sexes.....	769	81	58	58	63	68	78	69	68	58	52	58	58
Male.....	430	50	39	30	41	36	46	33	38	35	27	24	31
Female.....	339	31	19	28	22	32	32	36	30	23	25	34	27
Black, both sexes.....	78	8	7	8	5	5	5	8	6	5	6	8	7
Male.....	51	5	6	7	5	4	2	3	3	2	5	4	5
Female.....	27	3	1	1	-	1	3	5	3	3	1	4	2
American Indian 1/, both sexes.....	4	-	-	1	-	-	1	1	-	1	-	-	-
Male.....	3	-	-	1	-	-	1	-	-	1	-	-	-
Female.....	1	-	-	-	-	-	-	1	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	13	-	2	-	1	-	1	2	1	1	1	2	2
Male.....	4	-	-	-	-	-	-	2	-	1	-	1	-
Female.....	9	-	2	-	1	-	1	-	1	-	1	1	2
<b>Inhalation and ingestion of other objects causing obstruction of respiratory tract (W80)</b>													
All races, both sexes.....	3,189	324	287	327	264	257	248	229	228	268	241	244	272
Male.....	1,554	148	156	152	113	128	121	114	114	140	114	126	128
Female.....	1,635	176	131	175	151	129	127	115	114	128	127	118	144
White, both sexes.....	2,700	277	241	283	226	216	209	189	193	226	208	201	231
Male.....	1,313	120	132	134	102	105	103	97	95	115	101	102	107
Female.....	1,387	157	109	149	124	111	106	92	98	111	107	99	124
Black, both sexes.....	425	44	40	39	30	36	31	32	33	38	28	38	36
Male.....	207	27	21	14	8	21	13	12	17	23	13	20	18
Female.....	218	17	19	25	22	15	18	20	16	15	15	18	18
American Indian 1/, both sexes.....	14	1	2	3	1	-	3	1	1	-	-	1	1
Male.....	8	-	-	2	-	-	3	-	1	-	-	1	1
Female.....	6	1	2	1	1	-	-	1	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	50	2	4	2	7	5	5	7	1	4	5	4	4
Male.....	26	1	3	2	3	2	2	5	1	2	-	3	2
Female.....	24	1	1	-	4	3	3	2	-	2	5	1	2











Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Exposure to high and low air pressure and changes in air pressure (W94)													
All races, both sexes.....	9	1	1	1	-	1	-	-	2	-	-	2	1
Male.....	8	1	1	-	-	1	-	-	2	-	-	2	1
Female.....	1	-	-	1	-	-	-	-	-	-	-	-	-
White, both sexes.....	9	1	1	1	-	1	-	-	2	-	-	2	1
Male.....	8	1	1	-	-	1	-	-	2	-	-	2	1
Female.....	1	-	-	1	-	-	-	-	-	-	-	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Exposure to uncontrolled fire in building or structure (X00)													
All races, both sexes.....	2,617	351	233	271	239	170	139	122	141	134	197	250	370
Male.....	1,508	206	140	150	147	97	76	68	76	75	117	146	210
Female.....	1,109	145	93	121	92	73	63	54	65	59	80	104	160
White, both sexes.....	1,878	261	174	175	174	119	103	85	101	90	147	176	273
Male.....	1,078	149	103	99	104	69	57	51	53	50	84	103	156
Female.....	800	112	71	76	70	50	46	34	48	40	63	73	117
Black, both sexes.....	658	79	54	89	60	42	30	32	34	37	47	69	85
Male.....	389	52	35	46	42	23	16	13	21	24	32	39	46
Female.....	269	27	19	43	18	19	14	19	13	13	15	30	39
American Indian 1/, both sexes.....	44	8	3	4	3	4	1	4	1	1	2	4	9
Male.....	26	2	2	4	-	3	1	3	-	-	1	3	7
Female.....	18	6	1	-	3	1	-	1	1	1	1	1	2
Asian or Pacific Islander 2/, both sexes.....	37	3	2	3	2	5	5	1	5	6	1	1	3
Male.....	15	3	-	1	1	2	2	1	2	1	-	1	1
Female.....	22	-	2	2	1	3	3	-	3	5	1	-	2



Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Exposure to controlled fire, not in building or structure (X03)													
All races, both sexes.....	33	1	4	5	5	5	-	2	2	2	1	3	3
Male.....	30	1	4	5	5	3	-	2	2	2	1	2	3
Female.....	3	-	-	-	-	2	-	-	-	-	-	1	-
White, both sexes.....	28	-	4	4	5	4	-	1	2	2	1	2	3
Male.....	25	-	4	4	5	2	-	1	2	2	1	1	3
Female.....	3	-	-	-	-	2	-	-	-	-	-	1	-
Black, both sexes.....	4	1	-	1	-	1	-	-	-	-	-	1	-
Male.....	4	1	-	1	-	1	-	-	-	-	-	1	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	1	-	-	-	-	-	-	1	-	-	-	-	-
Male.....	1	-	-	-	-	-	-	1	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Exposure to ignition of highly flammable material (X04)													
All races, both sexes.....	63	2	3	11	8	7	10	1	3	5	8	4	1
Male.....	46	2	3	7	6	5	7	1	2	5	5	3	-
Female.....	17	-	-	4	2	2	3	-	1	-	3	1	1
White, both sexes.....	52	2	3	10	7	6	8	-	2	4	6	3	1
Male.....	40	2	3	6	5	4	6	-	2	4	5	3	-
Female.....	12	-	-	4	2	2	2	-	-	-	1	-	1
Black, both sexes.....	7	-	-	1	1	-	2	1	-	1	-	1	-
Male.....	5	-	-	1	1	-	1	1	-	1	-	-	-
Female.....	2	-	-	-	-	-	1	-	-	-	-	1	-
American Indian 1/, both sexes.....	3	-	-	-	-	1	-	-	1	-	1	-	-
Male.....	1	-	-	-	-	1	-	-	-	-	-	-	-
Female.....	2	-	-	-	-	-	-	-	1	-	1	-	-
Asian or Pacific Islander 2/, both sexes.....	1	-	-	-	-	-	-	-	-	-	1	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	-	-	1	-	-



Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Exposure to other specified smoke, fire, and flames (X08)													
All races, both sexes.....	44	5	3	3	5	4	4	6	3	3	3	2	3
Male.....	20	3	2	-	2	-	3	3	1	1	2	2	1
Female.....	24	2	1	3	3	4	1	3	2	2	1	-	2
White, both sexes.....	40	5	3	3	5	3	3	6	3	2	3	1	3
Male.....	18	3	2	-	2	-	2	3	1	1	2	1	1
Female.....	22	2	1	3	3	3	1	3	2	1	1	-	2
Black, both sexes.....	4	-	-	-	-	1	1	-	-	1	-	1	-
Male.....	2	-	-	-	-	-	1	-	-	-	-	1	-
Female.....	2	-	-	-	-	1	-	-	-	1	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Exposure to unspecified smoke, fire, and flames (X09)													
All races, both sexes.....	257	23	22	26	21	25	20	12	18	19	19	28	24
Male.....	170	17	12	21	12	14	14	9	13	13	14	18	13
Female.....	87	6	10	5	9	11	6	3	5	6	5	10	11
White, both sexes.....	205	19	19	22	18	17	16	8	16	16	15	19	20
Male.....	138	14	10	19	10	9	10	6	11	13	12	12	12
Female.....	67	5	9	3	8	8	6	2	5	3	3	7	8
Black, both sexes.....	43	3	2	3	3	7	3	3	2	2	3	9	3
Male.....	26	2	1	2	2	4	3	2	2	-	1	6	1
Female.....	17	1	1	1	1	3	-	1	-	2	2	3	2
American Indian 1/, both sexes.....	5	1	1	-	-	1	-	-	-	-	1	-	1
Male.....	4	1	1	-	-	1	-	-	-	-	1	-	-
Female.....	1	-	-	-	-	-	-	-	-	-	-	-	1
Asian or Pacific Islander 2/, both sexes.....	4	-	-	1	-	-	1	1	-	1	-	-	-
Male.....	2	-	-	-	-	-	1	1	-	-	-	-	-
Female.....	2	-	-	1	-	-	-	-	-	1	-	-	-















Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Contact with other specified venomous arthropods (X25)													
All races, both sexes.....	6	-	-	-	-	-	-	2	2	-	1	1	-
Male.....	6	-	-	-	-	-	-	2	2	-	1	1	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
White, both sexes.....	6	-	-	-	-	-	-	2	2	-	1	1	-
Male.....	6	-	-	-	-	-	-	2	2	-	1	1	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Exposure to excessive natural heat (X30)													
All races, both sexes.....	466	1	1	4	2	15	68	219	104	39	6	5	2
Male.....	336	1	1	4	1	11	42	156	87	23	6	3	1
Female.....	130	-	-	-	1	4	26	63	17	16	-	2	1
White, both sexes.....	348	-	1	3	2	10	55	166	69	33	5	3	1
Male.....	252	-	1	3	1	7	37	116	59	20	5	2	1
Female.....	96	-	-	-	1	3	18	50	10	13	-	1	-
Black, both sexes.....	100	-	-	1	-	5	10	46	29	6	-	2	1
Male.....	70	-	-	1	-	4	3	33	25	3	-	1	-
Female.....	30	-	-	-	-	1	7	13	4	3	-	1	1
American Indian 1/, both sexes.....	8	-	-	-	-	-	1	5	2	-	-	-	-
Male.....	7	-	-	-	-	-	1	5	1	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	1	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	10	1	-	-	-	-	2	2	4	-	1	-	-
Male.....	7	1	-	-	-	-	1	2	2	-	1	-	-
Female.....	3	-	-	-	-	-	1	-	2	-	-	-	-









Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
<b>Exposure to other and unspecified forces of nature (X39)</b>													
All races, both sexes.....	41	4	2	3	1	4	2	8	1	4	2	3	7
Male.....	29	2	2	2	1	3	1	7	-	2	2	1	6
Female.....	12	2	-	1	-	1	1	1	1	2	-	2	1
White, both sexes.....	35	3	1	3	1	4	2	8	1	3	2	3	4
Male.....	23	1	1	2	1	3	1	7	-	1	2	1	3
Female.....	12	2	-	1	-	1	1	1	1	2	-	2	1
Black, both sexes.....	2	1	-	-	-	-	-	-	-	-	-	-	1
Male.....	2	1	-	-	-	-	-	-	-	-	-	-	1
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	3	-	1	-	-	-	-	-	-	-	-	-	2
Male.....	3	-	1	-	-	-	-	-	-	-	-	-	2
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	-	-	-	-	-	-	-	-	1	-	-	-
Male.....	1	-	-	-	-	-	-	-	-	1	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
<b>Accidental poisoning by and exposure to nonopioid analgesics, antipyretics, and antirheumatics (X40)</b>													
All races, both sexes.....	226	25	20	19	20	14	17	16	17	18	21	10	29
Male.....	103	8	11	10	10	7	5	5	8	6	14	6	13
Female.....	123	17	9	9	10	7	12	11	9	12	7	4	16
White, both sexes.....	183	19	15	10	18	11	16	15	15	13	20	8	23
Male.....	83	6	8	6	9	7	4	5	8	3	13	4	10
Female.....	100	13	7	4	9	4	12	10	7	10	7	4	13
Black, both sexes.....	34	4	4	7	2	2	1	1	2	4	1	1	5
Male.....	15	1	2	3	1	-	1	-	-	2	1	1	3
Female.....	19	3	2	4	1	2	-	1	2	2	-	-	2
American Indian 1/, both sexes.....	3	1	1	-	-	-	-	-	-	1	-	-	-
Male.....	3	1	1	-	-	-	-	-	-	1	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	6	1	-	2	-	1	-	-	-	-	-	1	1
Male.....	2	-	-	1	-	-	-	-	-	-	-	1	-
Female.....	4	1	-	1	-	1	-	-	-	-	-	-	1

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Accidental poisoning by and exposure to antiepileptic, sedative-hypnotic, antiparkinsonism, and psychotropic drugs, not elsewhere classified (X41)													
All races, both sexes.....	1,496	122	107	116	117	145	125	143	153	129	127	100	112
Male.....	996	77	80	66	85	97	84	90	120	85	83	60	69
Female.....	500	45	27	50	32	48	41	53	33	44	44	40	43
White, both sexes.....	1,343	112	94	102	105	132	115	128	134	118	108	93	102
Male.....	886	74	70	56	75	87	77	80	104	77	69	55	62
Female.....	457	38	24	46	30	45	38	48	30	41	39	38	40
Black, both sexes.....	89	7	9	8	5	9	4	11	10	4	13	3	6
Male.....	62	2	7	5	4	6	3	6	8	4	10	2	5
Female.....	27	5	2	3	1	3	1	5	2	-	3	1	1
American Indian 1/, both sexes.....	27	2	1	5	2	2	2	-	4	3	2	2	2
Male.....	18	-	-	4	2	2	1	-	3	1	2	1	2
Female.....	9	2	1	1	-	-	1	-	1	2	-	1	-
Asian or Pacific Islander 2/, both sexes.....	37	1	3	1	5	2	4	4	5	4	4	2	2
Male.....	30	1	3	1	4	2	3	4	5	3	2	2	-
Female.....	7	-	-	-	1	-	1	-	-	1	2	-	2
Accidental poisoning by and exposure to narcotics and psychodysleptics [hallucinogens], not elsewhere classified (X42)													
All races, both sexes.....	11,050	847	849	973	959	933	908	940	895	931	941	892	982
Male.....	7,989	632	621	670	702	680	644	700	662	674	668	626	710
Female.....	3,061	215	228	303	257	253	264	240	233	257	273	266	272
White, both sexes.....	8,928	682	693	789	779	762	747	753	711	734	757	732	789
Male.....	6,483	510	501	548	582	566	523	562	524	523	546	529	569
Female.....	2,445	172	192	241	197	196	224	191	187	211	211	203	220
Black, both sexes.....	1,940	150	142	171	162	154	149	179	166	181	169	141	176
Male.....	1,381	113	108	113	108	103	111	132	125	140	114	87	127
Female.....	559	37	34	58	54	51	38	47	41	41	55	54	49
American Indian 1/, both sexes.....	125	11	5	8	12	11	12	6	14	11	8	15	12
Male.....	83	7	4	5	7	7	10	4	9	7	5	8	10
Female.....	42	4	1	3	5	4	2	2	5	4	3	7	2
Asian or Pacific Islander 2/, both sexes.....	57	4	9	5	6	6	-	2	4	5	7	4	5
Male.....	42	2	8	4	5	4	-	2	4	4	3	2	4
Female.....	15	2	1	1	1	2	-	-	-	1	4	2	1

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Accidental poisoning by and exposure to other drugs acting on the autonomic nervous system (X43)													
All races, both sexes.....	23	3	-	2	-	1	1	1	3	1	4	5	2
Male.....	8	1	-	-	-	1	-	-	1	-	2	1	2
Female.....	15	2	-	2	-	-	1	1	2	1	2	4	-
White, both sexes.....	18	3	-	1	-	1	1	1	3	-	3	4	1
Male.....	5	1	-	-	-	1	-	-	1	-	1	-	1
Female.....	13	2	-	1	-	-	1	1	2	-	2	4	-
Black, both sexes.....	2	-	-	1	-	-	-	-	-	-	-	-	1
Male.....	1	-	-	-	-	-	-	-	-	-	-	-	1
Female.....	1	-	-	1	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	1	-	-	-	-	-	-	-	-	-	1	-	-
Male.....	1	-	-	-	-	-	-	-	-	-	1	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	2	-	-	-	-	-	-	-	-	1	-	1	-
Male.....	1	-	-	-	-	-	-	-	-	-	-	1	-
Female.....	1	-	-	-	-	-	-	-	-	1	-	-	-
Accidental poisoning by and exposure to other and unspecified drugs, medicaments, and biological substances (X44)													
All races, both sexes.....	9,653	855	794	813	798	799	768	832	757	743	811	833	850
Male.....	5,916	529	488	512	485	492	475	499	463	451	499	498	525
Female.....	3,737	326	306	301	313	307	293	333	294	292	312	335	325
White, both sexes.....	8,729	778	745	727	716	723	701	752	666	659	739	750	773
Male.....	5,380	485	461	460	436	450	436	449	412	406	458	445	482
Female.....	3,349	293	284	267	280	273	265	303	254	253	281	305	291
Black, both sexes.....	763	64	38	70	70	62	51	64	76	71	60	76	61
Male.....	444	35	22	45	45	36	28	42	42	37	33	47	32
Female.....	319	29	16	25	25	26	23	22	34	34	27	29	29
American Indian 1/, both sexes.....	102	7	7	9	10	8	8	13	11	7	10	5	7
Male.....	53	4	3	3	3	3	5	7	6	2	6	5	6
Female.....	49	3	4	6	7	5	3	6	5	5	4	-	1
Asian or Pacific Islander 2/, both sexes.....	59	6	4	7	2	6	8	3	4	6	2	2	9
Male.....	39	5	2	4	1	3	6	1	3	6	2	1	5
Female.....	20	1	2	3	1	3	2	2	1	-	-	1	4













## Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Exposure to unspecified factor (X59)													
All races, both sexes.....	6,551	524	504	592	559	573	478	535	491	532	562	598	603
Male.....	3,022	222	208	270	288	256	209	264	225	246	273	278	283
Female.....	3,529	302	296	322	271	317	269	271	266	286	289	320	320
White, both sexes.....	5,899	488	452	513	491	518	444	476	439	479	514	549	536
Male.....	2,671	205	189	226	245	223	190	229	193	216	248	256	251
Female.....	3,228	283	263	287	246	295	254	247	246	263	266	293	285
Black, both sexes.....	527	21	43	60	59	45	31	47	45	43	37	43	53
Male.....	284	8	16	36	37	28	16	28	27	23	20	19	26
Female.....	243	13	27	24	22	17	15	19	18	20	17	24	27
American Indian 1/, both sexes.....	41	4	2	7	4	5	-	5	2	2	3	2	5
Male.....	25	3	1	4	4	3	-	3	2	2	-	-	3
Female.....	16	1	1	3	-	2	-	2	-	-	3	2	2
Asian or Pacific Islander 2/, both sexes.....	84	11	7	12	5	5	3	7	5	8	8	4	9
Male.....	42	6	2	4	2	2	3	4	3	5	5	3	3
Female.....	42	5	5	8	3	3	-	3	2	3	3	1	6
Intentional self-poisoning (suicide) by and exposure to nonopioid analgesics, antipyretics, and antirheumatics (X60)													
All races, both sexes.....	243	22	20	22	19	17	16	21	18	16	26	17	29
Male.....	95	8	7	8	10	8	7	9	6	9	7	8	8
Female.....	148	14	13	14	9	9	9	12	12	7	19	9	21
White, both sexes.....	226	20	19	22	17	16	16	17	18	16	23	15	27
Male.....	91	6	7	8	10	8	7	8	6	9	7	8	7
Female.....	135	14	12	14	7	8	9	9	12	7	16	7	20
Black, both sexes.....	10	1	1	-	1	1	-	2	-	-	2	-	2
Male.....	3	1	-	-	-	-	-	1	-	-	-	-	1
Female.....	7	-	1	-	1	1	-	1	-	-	2	-	1
American Indian 1/, both sexes.....	2	1	-	-	-	-	-	-	-	-	-	1	-
Male.....	1	1	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	-	-	-	1	-
Asian or Pacific Islander 2/, both sexes.....	5	-	-	-	1	-	-	2	-	-	1	1	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	5	-	-	-	1	-	-	2	-	-	1	1	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Intentional self-poisoning (suicide) by and exposure to antiepileptic, sedative-hypnotic, antiparkinsonism, and psychotropic drugs, not elsewhere classified (X61)													
All races, both sexes.....	930	70	64	77	69	82	72	80	87	84	84	90	71
Male.....	449	37	24	36	33	46	34	40	40	43	34	52	30
Female.....	481	33	40	41	36	36	38	40	47	41	50	38	41
White, both sexes.....	867	64	62	72	64	79	65	75	80	80	77	85	64
Male.....	423	32	24	35	31	45	32	37	39	39	32	50	27
Female.....	444	32	38	37	33	34	33	38	41	41	45	35	37
Black, both sexes.....	45	4	1	4	3	2	7	5	5	3	5	3	3
Male.....	19	3	-	1	1	1	2	3	1	3	1	2	1
Female.....	26	1	1	3	2	1	5	2	4	-	4	1	2
American Indian 1/, both sexes.....	10	2	-	-	1	-	-	-	1	-	2	1	3
Male.....	4	2	-	-	-	-	-	-	-	-	1	-	1
Female.....	6	-	-	-	1	-	-	-	1	-	1	1	2
Asian or Pacific Islander 2/, both sexes.....	8	-	1	1	1	1	-	-	1	1	-	1	1
Male.....	3	-	-	-	1	-	-	-	-	1	-	-	1
Female.....	5	-	1	1	-	1	-	-	1	-	-	1	-
Intentional self-poisoning (suicide) by and exposure to narcotics and psychodysleptics [hallucinogens], not elsewhere classified (X62)													
All races, both sexes.....	613	58	60	59	62	55	43	51	40	43	49	47	46
Male.....	332	30	35	27	31	35	21	24	21	26	30	30	22
Female.....	281	28	25	32	31	20	22	27	19	17	19	17	24
White, both sexes.....	568	53	55	57	58	48	41	46	36	42	48	38	46
Male.....	301	26	32	26	28	30	20	20	20	25	30	22	22
Female.....	267	27	23	31	30	18	21	26	16	17	18	16	24
Black, both sexes.....	30	3	3	2	1	6	1	2	3	1	1	7	-
Male.....	20	2	2	1	1	4	1	2	-	1	-	6	-
Female.....	10	1	1	1	-	2	-	-	3	-	1	1	-
American Indian 1/, both sexes.....	8	1	1	-	2	1	1	1	-	-	-	1	-
Male.....	5	1	-	-	1	1	-	1	-	-	-	1	-
Female.....	3	-	1	-	1	-	1	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	7	1	1	-	1	-	-	2	1	-	-	1	-
Male.....	6	1	1	-	1	-	-	1	1	-	-	1	-
Female.....	1	-	-	-	-	-	-	1	-	-	-	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Intentional self-poisoning (suicide) by and exposure to other drugs acting on the autonomic nervous system (X63)													
All races, both sexes.....	16	2	5	2	1	-	-	1	1	-	3	1	-
Male.....	7	-	2	1	-	-	-	1	-	-	2	1	-
Female.....	9	2	3	1	1	-	-	-	1	-	1	-	-
White, both sexes.....	15	2	5	2	1	-	-	1	1	-	2	1	-
Male.....	6	-	2	1	-	-	-	1	-	-	1	1	-
Female.....	9	2	3	1	1	-	-	-	1	-	1	-	-
Black, both sexes.....	1	-	-	-	-	-	-	-	-	-	1	-	-
Male.....	1	-	-	-	-	-	-	-	-	-	1	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Intentional self-poisoning (suicide) by and exposure to other and unspecified drugs, medicaments, and biological substances (X64)													
All races, both sexes.....	2,438	221	173	214	197	221	204	194	187	205	202	226	194
Male.....	1,082	97	88	107	89	96	91	79	84	81	81	96	93
Female.....	1,356	124	85	107	108	125	113	115	103	124	121	130	101
White, both sexes.....	2,279	211	161	201	183	214	185	174	175	193	189	210	183
Male.....	1,022	92	80	103	81	92	87	72	80	75	76	94	90
Female.....	1,257	119	81	98	102	122	98	102	95	118	113	116	93
Black, both sexes.....	96	6	9	7	8	6	13	9	8	5	7	12	6
Male.....	39	4	6	2	3	3	3	4	1	4	5	2	2
Female.....	57	2	3	5	5	3	10	5	7	1	2	10	4
American Indian 1/, both sexes.....	22	1	-	2	2	-	1	6	1	3	2	1	3
Male.....	8	-	-	1	2	-	-	2	-	2	-	-	1
Female.....	14	1	-	1	-	-	1	4	1	1	2	1	2
Asian or Pacific Islander 2/, both sexes.....	41	3	3	4	4	1	5	5	3	4	4	3	2
Male.....	13	1	2	1	3	1	1	1	3	-	-	-	-
Female.....	28	2	1	3	1	-	4	4	-	4	4	3	2





Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
<b>Intentional self-poisoning (suicide) by and exposure to other and unspecified chemicals and noxious substances (X69)</b>													
All races, both sexes.....	93	7	8	11	8	7	7	11	6	5	9	7	7
Male.....	62	6	6	8	4	4	4	7	5	5	6	5	2
Female.....	31	1	2	3	4	3	3	4	1	-	3	2	5
White, both sexes.....	78	4	8	10	6	6	5	9	4	5	9	6	6
Male.....	51	3	6	7	4	4	2	6	3	5	6	4	1
Female.....	27	1	2	3	2	2	3	3	1	-	3	2	5
Black, both sexes.....	5	1	-	1	-	-	1	1	-	-	-	-	1
Male.....	5	1	-	1	-	-	1	1	-	-	-	-	1
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	2	1	-	-	1	-	-	-	-	-	-	-	-
Male.....	1	1	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	1	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	8	1	-	-	1	1	1	1	2	-	-	1	-
Male.....	5	1	-	-	-	-	1	-	2	-	-	1	-
Female.....	3	-	-	-	1	1	-	1	-	-	-	-	-
<b>Intentional self harm (suicide) by hanging, strangulation, and suffocation (X70)</b>													
All races, both sexes.....	7,248	592	498	606	629	653	674	633	656	633	575	560	539
Male.....	5,887	489	400	494	514	529	541	514	537	528	450	457	434
Female.....	1,361	103	98	112	115	124	133	119	119	105	125	103	105
White, both sexes.....	6,268	510	439	523	544	556	590	552	575	543	485	488	463
Male.....	5,151	424	353	433	454	460	477	457	471	467	383	398	374
Female.....	1,117	86	86	90	90	96	113	95	104	76	102	90	89
Black, both sexes.....	492	47	34	42	34	51	38	40	44	53	36	37	36
Male.....	395	36	27	35	26	39	33	29	37	39	29	33	32
Female.....	97	11	7	7	8	12	5	11	7	14	7	4	4
American Indian 1/, both sexes.....	158	10	7	13	19	22	15	15	14	10	15	6	12
Male.....	124	7	4	13	16	14	10	8	14	10	12	5	11
Female.....	34	3	3	-	3	8	5	7	-	-	3	1	1
Asian or Pacific Islander 2/, both sexes.....	330	25	18	28	32	24	31	26	23	27	39	29	28
Male.....	217	22	16	13	18	16	21	20	15	12	26	21	17
Female.....	113	3	2	15	14	8	10	6	8	15	13	8	11

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
<b>Intentional self harm (suicide) by drowning and submersion (X71)</b>													
All races, both sexes.....	375	23	21	36	44	38	35	41	38	40	27	20	12
Male.....	258	15	16	24	31	25	24	30	23	29	19	13	9
Female.....	117	8	5	12	13	13	11	11	15	11	8	7	3
White, both sexes.....	288	15	17	24	37	30	29	36	24	30	22	17	7
Male.....	193	9	14	17	25	19	18	27	12	21	16	10	5
Female.....	95	6	3	7	12	11	11	9	12	9	6	7	2
Black, both sexes.....	59	4	-	7	6	5	2	4	14	6	4	3	4
Male.....	49	3	-	7	6	4	2	2	11	6	2	3	3
Female.....	10	1	-	-	-	1	-	2	3	-	2	-	1
American Indian 1/, both sexes.....	4	1	1	-	-	-	1	-	-	-	1	-	-
Male.....	4	1	1	-	-	-	1	-	-	-	1	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	24	3	3	5	1	3	3	1	-	4	-	-	1
Male.....	12	2	1	-	-	2	3	1	-	2	-	-	1
Female.....	12	1	2	5	1	1	-	-	-	2	-	-	-
<b>Intentional self harm (suicide) by handgun discharge (X72)</b>													
All races, both sexes.....	3,654	278	262	327	329	292	310	351	311	330	311	253	300
Male.....	3,129	247	222	272	281	247	258	306	268	276	264	228	260
Female.....	525	31	40	55	48	45	52	45	43	54	47	25	40
White, both sexes.....	3,408	264	247	302	307	274	290	322	292	310	285	236	279
Male.....	2,910	233	209	249	262	230	240	279	249	259	243	214	243
Female.....	498	31	38	53	45	44	50	43	43	51	42	22	36
Black, both sexes.....	178	10	11	18	17	14	15	17	14	14	19	14	15
Male.....	160	10	10	16	15	13	13	15	14	12	17	12	13
Female.....	18	-	1	2	2	1	2	2	-	2	2	2	2
American Indian 1/, both sexes.....	20	1	2	1	1	-	3	5	2	1	1	1	2
Male.....	18	1	1	1	1	-	3	5	2	1	1	1	1
Female.....	2	-	1	-	-	-	-	-	-	-	-	-	1
Asian or Pacific Islander 2/, both sexes.....	48	3	2	6	4	4	2	7	3	5	6	2	4
Male.....	41	3	2	6	3	4	2	7	3	4	3	1	3
Female.....	7	-	-	-	1	-	-	-	-	1	3	1	1

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
<b>Intentional self harm (suicide) by rifle, shotgun, and larger firearm discharge (X73)</b>													
All races, both sexes.....	2,915	242	229	261	246	268	218	262	240	229	235	231	254
Male.....	2,749	228	212	243	234	254	203	247	230	214	219	222	243
Female.....	166	14	17	18	12	14	15	15	10	15	16	9	11
White, both sexes.....	2,773	230	213	249	233	254	209	250	228	216	227	222	242
Male.....	2,615	216	197	232	221	240	194	237	219	201	211	214	233
Female.....	158	14	16	17	12	14	15	13	9	15	16	8	9
Black, both sexes.....	90	9	11	7	9	7	8	9	8	8	5	6	3
Male.....	85	9	10	6	9	7	8	7	8	8	5	5	3
Female.....	5	-	1	1	-	-	-	2	-	-	-	1	-
American Indian 1/, both sexes.....	29	1	4	4	2	2	-	1	3	4	-	1	7
Male.....	26	1	4	4	2	2	-	1	2	4	-	1	5
Female.....	3	-	-	-	-	-	-	-	1	-	-	-	2
Asian or Pacific Islander 2/, both sexes.....	23	2	1	1	2	5	1	2	1	1	3	2	2
Male.....	23	2	1	1	2	5	1	2	1	1	3	2	2
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
<b>Intentional self harm (suicide) by other and unspecified firearm discharge (X74)</b>													
All races, both sexes.....	10,433	870	828	869	891	932	870	890	868	876	892	800	847
Male.....	9,038	750	719	758	769	807	750	783	748	768	756	681	749
Female.....	1,395	120	109	111	122	125	120	107	120	108	136	119	98
White, both sexes.....	9,500	785	739	795	811	854	813	812	794	803	798	729	767
Male.....	8,205	671	639	691	698	738	701	716	679	700	675	619	678
Female.....	1,295	114	100	104	113	116	112	96	115	103	123	110	89
Black, both sexes.....	741	64	73	52	60	68	47	63	60	60	72	56	66
Male.....	666	62	64	48	54	61	40	54	56	56	64	49	58
Female.....	75	2	9	4	6	7	7	9	4	4	8	7	8
American Indian 1/, both sexes.....	114	13	8	15	15	6	5	7	9	8	14	7	7
Male.....	101	12	8	12	12	5	4	6	9	7	13	6	7
Female.....	13	1	-	3	3	1	1	1	-	1	1	1	-
Asian or Pacific Islander 2/, both sexes.....	78	8	8	7	5	4	5	8	5	5	8	8	7
Male.....	66	5	8	7	5	3	5	7	4	5	4	7	6
Female.....	12	3	-	-	-	1	-	1	1	-	4	1	1



Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
<b>Intentional self harm (suicide) by explosive material (X75)</b>													
All races, both sexes.....	4	1	1	-	1	-	1	-	-	-	-	-	-
Male.....	4	1	1	-	1	-	1	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
White, both sexes.....	4	1	1	-	1	-	1	-	-	-	-	-	-
Male.....	4	1	1	-	1	-	1	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
<b>Intentional self harm (suicide) by smoke, fire, and flames (X76)</b>													
All races, both sexes.....	160	16	9	12	12	15	14	13	15	12	15	16	11
Male.....	108	12	7	8	10	10	9	8	13	8	9	10	4
Female.....	52	4	2	4	2	5	5	5	2	4	6	6	7
White, both sexes.....	120	14	6	11	8	10	11	8	11	10	11	10	10
Male.....	80	10	5	8	7	6	6	5	9	8	6	6	4
Female.....	40	4	1	3	1	4	5	3	2	2	5	4	6
Black, both sexes.....	24	1	2	1	2	2	2	2	-	2	3	6	1
Male.....	13	1	1	-	1	1	2	1	-	-	2	4	-
Female.....	11	-	1	1	1	1	-	1	-	2	1	2	1
American Indian 1/, both sexes.....	2	-	-	-	1	-	-	-	1	-	-	-	-
Male.....	2	-	-	-	1	-	-	-	1	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	14	1	1	-	1	3	1	3	3	-	1	-	-
Male.....	13	1	1	-	1	3	1	2	3	-	1	-	-
Female.....	1	-	-	-	-	-	-	1	-	-	-	-	-





Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Intentional self harm (suicide) by other specified means (X83)													
All races, both sexes.....	150	11	5	10	15	13	11	17	16	9	21	11	11
Male.....	102	8	1	6	12	8	9	13	10	5	17	6	7
Female.....	48	3	4	4	3	5	2	4	6	4	4	5	4
White, both sexes.....	129	9	5	6	13	12	8	14	14	9	19	10	10
Male.....	86	6	1	4	11	8	6	10	9	5	15	5	6
Female.....	43	3	4	2	2	4	2	4	5	4	4	5	4
Black, both sexes.....	15	1	-	4	1	1	1	2	2	-	2	-	1
Male.....	10	1	-	2	-	-	1	2	1	-	2	-	1
Female.....	5	-	-	2	1	1	-	-	1	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	6	1	-	-	1	-	2	1	-	-	-	1	-
Male.....	6	1	-	-	1	-	2	1	-	-	-	1	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Intentional self harm (suicide) by unspecified means (X84)													
All races, both sexes.....	166	13	9	11	16	19	21	12	14	16	14	16	5
Male.....	131	11	9	9	10	16	18	9	12	12	10	14	1
Female.....	35	2	-	2	6	3	3	3	2	4	4	2	4
White, both sexes.....	145	11	8	11	13	14	20	11	13	15	12	14	3
Male.....	118	9	8	9	9	12	18	8	12	11	9	12	1
Female.....	27	2	-	2	4	2	2	3	1	4	3	2	2
Black, both sexes.....	11	1	1	-	2	3	-	-	1	-	1	1	1
Male.....	5	1	1	-	-	2	-	-	-	-	-	1	-
Female.....	6	-	-	-	2	1	-	-	1	-	1	-	1
American Indian 1/, both sexes.....	5	1	-	-	-	-	-	-	-	1	1	1	1
Male.....	4	1	-	-	-	-	-	-	-	1	1	1	-
Female.....	1	-	-	-	-	-	-	-	-	-	-	-	1
Asian or Pacific Islander 2/, both sexes.....	5	-	-	-	1	2	1	1	-	-	-	-	-
Male.....	4	-	-	-	1	2	-	1	-	-	-	-	-
Female.....	1	-	-	-	-	-	1	-	-	-	-	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Assault (homicide) by drugs, medicaments, and biological substances (X85)													
All races, both sexes.....	57	8	4	4	3	6	2	6	7	6	5	2	4
Male.....	37	7	3	3	2	2	1	4	4	1	5	2	3
Female.....	20	1	1	1	1	4	1	2	3	5	-	-	1
White, both sexes.....	43	6	1	3	2	4	2	4	6	6	4	1	4
Male.....	26	5	1	2	1	1	1	3	3	1	4	1	3
Female.....	17	1	-	1	1	3	1	1	3	5	-	-	1
Black, both sexes.....	13	2	3	1	1	2	-	1	1	-	1	1	-
Male.....	11	2	2	1	1	1	-	1	1	-	1	1	-
Female.....	2	-	1	-	-	1	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	1	-	-	-	-	-	-	1	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	1	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Assault (homicide) by gases and vapors (X88)													
All races, both sexes.....	28	1	2	1	4	3	2	-	-	5	4	4	2
Male.....	11	-	1	1	1	2	1	-	-	1	2	1	1
Female.....	17	1	1	-	3	1	1	-	-	4	2	3	1
White, both sexes.....	18	-	2	1	3	2	2	-	-	-	2	4	2
Male.....	8	-	1	1	1	1	1	-	-	-	1	1	1
Female.....	10	-	1	-	2	1	1	-	-	-	1	3	1
Black, both sexes.....	7	1	-	-	1	1	-	-	-	4	-	-	-
Male.....	2	-	-	-	-	1	-	-	-	1	-	-	-
Female.....	5	1	-	-	1	-	-	-	-	3	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	3	-	-	-	-	-	-	-	-	1	2	-	-
Male.....	1	-	-	-	-	-	-	-	-	-	1	-	-
Female.....	2	-	-	-	-	-	-	-	-	1	1	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
<b>Assault (homicide) by unspecified chemical or noxious substance (X90)</b>													
All races, both sexes.....	4	-	1	-	-	-	-	-	2	-	-	-	1
Male.....	3	-	-	-	-	-	-	-	2	-	-	-	1
Female.....	1	-	1	-	-	-	-	-	-	-	-	-	-
White, both sexes.....	2	-	1	-	-	-	-	-	1	-	-	-	-
Male.....	1	-	-	-	-	-	-	-	1	-	-	-	-
Female.....	1	-	1	-	-	-	-	-	-	-	-	-	-
Black, both sexes.....	2	-	-	-	-	-	-	-	1	-	-	-	1
Male.....	2	-	-	-	-	-	-	-	1	-	-	-	1
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
<b>Assault (homicide) by hanging, strangulation, and suffocation (X91)</b>													
All races, both sexes.....	633	34	45	42	58	47	55	61	55	57	71	50	58
Male.....	205	14	16	17	23	14	16	14	15	17	23	15	21
Female.....	428	20	29	25	35	33	39	47	40	40	48	35	37
White, both sexes.....	415	18	29	32	38	34	35	34	35	42	46	33	39
Male.....	133	10	11	10	13	10	9	6	11	13	16	10	14
Female.....	282	8	18	22	25	24	26	28	24	29	30	23	25
Black, both sexes.....	196	15	14	9	20	13	19	22	19	12	22	13	18
Male.....	67	4	5	7	10	4	7	7	4	4	6	2	7
Female.....	129	11	9	2	10	9	12	15	15	8	16	11	11
American Indian 1/, both sexes.....	11	-	1	-	-	-	1	2	1	1	1	3	1
Male.....	3	-	-	-	-	-	-	1	-	-	-	2	-
Female.....	8	-	1	-	-	-	1	1	1	1	1	1	1
Asian or Pacific Islander 2/, both sexes.....	11	1	1	1	-	-	-	3	-	2	2	1	-
Male.....	2	-	-	-	-	-	-	-	-	-	1	1	-
Female.....	9	1	1	1	-	-	-	3	-	2	1	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
<b>Assault (homicide) by drowning and submersion (X92)</b>													
All races, both sexes.....	49	3	8	3	6	8	4	2	2	2	3	6	2
Male.....	30	1	4	2	3	7	2	2	1	1	2	3	2
Female.....	19	2	4	1	3	1	2	-	1	1	1	3	-
White, both sexes.....	34	1	6	1	6	8	3	1	1	2	1	3	1
Male.....	21	-	3	1	3	7	1	1	1	1	-	2	1
Female.....	13	1	3	-	3	1	2	-	-	1	1	1	-
Black, both sexes.....	13	2	1	2	-	-	1	1	1	-	2	3	-
Male.....	8	1	1	1	-	-	1	1	-	-	2	1	-
Female.....	5	1	-	1	-	-	-	-	1	-	-	2	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	2	-	1	-	-	-	-	-	-	-	-	-	1
Male.....	1	-	-	-	-	-	-	-	-	-	-	-	1
Female.....	1	-	1	-	-	-	-	-	-	-	-	-	-
<b>Assault (homicide) by handgun discharge (X93)</b>													
All races, both sexes.....	1,074	81	69	86	95	104	87	114	112	64	86	90	86
Male.....	898	66	55	71	75	85	74	98	98	53	76	74	73
Female.....	176	15	14	15	20	19	13	16	14	11	10	16	13
White, both sexes.....	519	42	36	47	37	53	41	51	53	31	46	38	44
Male.....	394	32	27	33	22	39	31	42	43	21	39	28	37
Female.....	125	10	9	14	15	14	10	9	10	10	7	10	7
Black, both sexes.....	513	34	28	38	55	48	44	56	53	31	38	49	39
Male.....	471	30	24	37	50	43	41	51	51	31	35	43	35
Female.....	42	4	4	1	5	5	3	5	2	-	3	6	4
American Indian 1/, both sexes.....	8	2	2	-	-	-	-	-	3	-	-	1	-
Male.....	5	2	1	-	-	-	-	-	1	-	-	1	-
Female.....	3	-	1	-	-	-	-	-	2	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	34	3	3	1	3	3	2	7	3	2	2	2	3
Male.....	28	2	3	1	3	3	2	5	3	1	2	2	1
Female.....	6	1	-	-	-	-	-	2	-	1	-	-	2

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
<b>Assault (homicide) by rifle, shotgun, and larger firearm discharge (X94)</b>													
All races, both sexes.....	765	62	61	48	51	67	69	73	64	61	66	65	78
Male.....	579	52	48	31	43	44	54	52	47	51	51	50	56
Female.....	186	10	13	17	8	23	15	21	17	10	15	15	22
White, both sexes.....	496	42	44	37	42	43	44	46	42	31	47	32	46
Male.....	346	33	33	22	35	27	31	34	29	21	33	21	27
Female.....	150	9	11	15	7	16	13	12	13	10	14	11	19
Black, both sexes.....	244	17	16	11	8	21	24	24	20	29	16	28	30
Male.....	211	16	14	9	7	15	22	15	17	29	15	25	27
Female.....	33	1	2	2	1	6	2	9	3	-	1	3	3
American Indian 1/, both sexes.....	13	1	1	-	-	2	-	1	2	1	3	1	1
Male.....	12	1	1	-	-	2	-	1	1	1	3	1	1
Female.....	1	-	-	-	-	-	-	-	1	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	12	2	-	-	1	1	1	2	-	-	-	4	1
Male.....	10	2	-	-	1	-	1	2	-	-	-	3	1
Female.....	2	-	-	-	-	1	-	-	-	-	-	1	-
<b>Assault (homicide) by other and unspecified firearm discharge (X95)</b>													
All races, both sexes.....	10,513	786	717	814	823	894	925	1,044	998	846	893	866	907
Male.....	9,084	680	600	700	711	778	789	917	870	709	789	762	779
Female.....	1,429	106	117	114	112	116	136	127	128	137	104	104	128
White, both sexes.....	4,251	318	303	332	318	350	369	422	387	362	356	357	377
Male.....	3,437	271	237	262	253	284	291	353	313	277	294	300	302
Female.....	814	47	66	70	65	66	78	69	74	85	62	57	75
Black, both sexes.....	5,946	439	391	450	489	514	518	598	585	465	510	482	505
Male.....	5,385	385	346	414	446	467	467	546	534	418	469	439	454
Female.....	561	54	45	36	43	47	51	52	51	47	41	43	51
American Indian 1/, both sexes.....	96	9	5	10	4	12	14	6	5	5	9	10	7
Male.....	79	7	4	6	4	11	13	3	5	2	9	8	7
Female.....	17	2	1	4	-	1	1	3	-	3	-	2	-
Asian or Pacific Islander 2/, both sexes.....	220	20	18	22	12	18	24	18	21	14	18	17	18
Male.....	183	17	13	18	8	16	18	15	18	12	17	15	16
Female.....	37	3	5	4	4	2	6	3	3	2	1	2	2





Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
<b>Assault (homicide) by steam, hot vapors, and hot objects (X98)</b>													
All races, both sexes.....	8	-	-	-	1	2	2	1	-	-	-	-	2
Male.....	6	-	-	-	-	1	2	1	-	-	-	-	2
Female.....	2	-	-	-	1	1	-	-	-	-	-	-	-
White, both sexes.....	4	-	-	-	1	2	1	-	-	-	-	-	-
Male.....	2	-	-	-	-	1	1	-	-	-	-	-	-
Female.....	2	-	-	-	1	1	-	-	-	-	-	-	-
Black, both sexes.....	3	-	-	-	-	-	1	1	-	-	-	-	1
Male.....	3	-	-	-	-	-	1	1	-	-	-	-	1
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	-	-	-	-	-	-	-	-	-	-	-	1
Male.....	1	-	-	-	-	-	-	-	-	-	-	-	1
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
<b>Assault (homicide) by sharp object (X99)</b>													
All races, both sexes.....	2,097	171	151	169	188	186	200	179	187	182	171	165	148
Male.....	1,529	122	105	114	130	140	145	132	135	136	138	116	116
Female.....	568	49	46	55	58	46	55	47	52	46	33	49	32
White, both sexes.....	1,155	106	78	95	107	82	114	103	102	97	90	95	86
Male.....	831	76	55	62	67	62	84	80	73	65	74	69	64
Female.....	324	30	23	33	40	20	30	23	29	32	16	26	22
Black, both sexes.....	837	56	68	64	71	91	82	65	76	77	75	58	54
Male.....	626	39	47	46	57	70	59	46	55	63	60	37	47
Female.....	211	17	21	18	14	21	23	19	21	14	15	21	7
American Indian 1/, both sexes.....	41	2	2	2	5	4	3	6	1	5	5	4	2
Male.....	31	2	1	1	4	3	2	2	1	5	4	4	2
Female.....	10	-	1	1	1	1	1	4	-	-	1	-	-
Asian or Pacific Islander 2/, both sexes.....	64	7	3	8	5	9	1	5	8	3	1	8	6
Male.....	41	5	2	5	2	5	-	4	6	3	-	6	3
Female.....	23	2	1	3	3	4	1	1	2	-	1	2	3

















Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
By other specified persons (Y07.8)													
All races, both sexes.....	3	-	-	-	-	-	1	-	-	-	-	1	1
Male.....	2	-	-	-	-	-	1	-	-	-	-	-	1
Female.....	1	-	-	-	-	-	-	-	-	-	-	1	-
White, both sexes.....	3	-	-	-	-	-	1	-	-	-	-	1	1
Male.....	2	-	-	-	-	-	1	-	-	-	-	-	1
Female.....	1	-	-	-	-	-	-	-	-	-	-	1	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
By unspecified person (Y07.9)													
All races, both sexes.....	157	12	17	15	9	11	18	14	16	9	14	12	10
Male.....	84	7	8	11	4	8	10	6	9	4	4	8	5
Female.....	73	5	9	4	5	3	8	8	7	5	10	4	5
White, both sexes.....	92	9	9	7	7	6	14	10	6	3	9	6	6
Male.....	45	6	4	4	3	4	7	5	2	1	3	3	3
Female.....	47	3	5	3	4	2	7	5	4	2	6	3	3
Black, both sexes.....	56	2	6	7	2	5	4	4	9	6	4	5	2
Male.....	34	-	3	6	1	4	3	1	6	3	1	4	2
Female.....	22	2	3	1	1	1	1	3	3	3	3	1	-
American Indian 1/, both sexes.....	5	1	1	1	-	-	-	-	1	-	-	-	1
Male.....	3	1	-	1	-	-	-	-	1	-	-	-	-
Female.....	2	-	1	-	-	-	-	-	-	-	-	-	1
Asian or Pacific Islander 2/, both sexes.....	4	-	1	-	-	-	-	-	-	-	1	1	1
Male.....	2	-	1	-	-	-	-	-	-	-	-	1	-
Female.....	2	-	-	-	-	-	-	-	-	-	1	-	1

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Assault (homicide) by other specified means (Y08)													
All races, both sexes.....	311	24	29	22	26	31	18	33	34	27	30	22	15
Male.....	227	17	21	16	19	19	12	27	27	17	25	17	10
Female.....	84	7	8	6	7	12	6	6	7	10	5	5	5
White, both sexes.....	190	14	17	12	18	11	12	23	20	18	23	11	11
Male.....	138	10	11	8	13	7	7	20	15	12	19	8	8
Female.....	52	4	6	4	5	4	5	3	5	6	4	3	3
Black, both sexes.....	101	9	10	9	6	15	5	8	12	7	7	9	4
Male.....	74	6	8	8	4	9	4	6	10	4	6	7	2
Female.....	27	3	2	1	2	6	1	2	2	3	1	2	2
American Indian 1/, both sexes.....	12	1	1	-	2	2	-	1	1	2	-	2	-
Male.....	10	1	1	-	2	1	-	1	1	1	-	2	-
Female.....	2	-	-	-	-	1	-	-	-	1	-	-	-
Asian or Pacific Islander 2/, both sexes.....	8	-	1	1	-	3	1	1	1	-	-	-	-
Male.....	5	-	1	-	-	2	1	-	1	-	-	-	-
Female.....	3	-	-	1	-	1	-	1	-	-	-	-	-
Assault (homicide) by unspecified means (Y09)													
All races, both sexes.....	1,714	149	114	129	138	145	153	158	157	154	167	123	127
Male.....	1,165	106	78	83	92	101	103	108	107	108	110	87	82
Female.....	549	43	36	46	46	44	50	50	50	46	57	36	45
White, both sexes.....	1,128	94	79	85	94	90	95	110	99	107	115	78	82
Male.....	777	69	56	51	63	58	67	78	68	73	82	57	55
Female.....	351	25	23	34	31	32	28	32	31	34	33	21	27
Black, both sexes.....	478	46	29	35	36	39	45	42	54	41	42	31	38
Male.....	321	33	19	26	26	30	28	24	38	30	21	23	23
Female.....	157	13	10	9	10	9	17	18	16	11	21	8	15
American Indian 1/, both sexes.....	56	4	2	2	4	7	10	5	1	3	6	10	2
Male.....	39	2	1	2	3	7	7	5	-	2	4	4	2
Female.....	17	2	1	-	1	-	3	-	1	1	2	6	-
Asian or Pacific Islander 2/, both sexes.....	52	5	4	7	4	9	3	1	3	3	4	4	5
Male.....	28	2	2	4	-	6	1	1	1	3	3	3	2
Female.....	24	3	2	3	4	3	2	-	2	-	1	1	3







Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Poisoning by and exposure to organic solvents and halogenated hydrocarbons and their vapors, undetermined intent (Y16)													
All races, both sexes.....	13	1	1	2	1	1	1	1	1	1	1	1	1
Male.....	10	1	1	2	-	1	1	1	1	1	-	-	1
Female.....	3	-	-	-	1	-	-	-	-	-	1	1	-
White, both sexes.....	13	1	1	2	1	1	1	1	1	1	1	1	1
Male.....	10	1	1	2	-	1	1	1	1	1	-	-	1
Female.....	3	-	-	-	1	-	-	-	-	-	1	1	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Poisoning by and exposure to other gases and vapors, undetermined intent (Y17)													
All races, both sexes.....	92	6	14	8	9	5	3	7	7	7	12	4	10
Male.....	65	4	12	4	6	3	2	3	6	4	10	3	8
Female.....	27	2	2	4	3	2	1	4	1	3	2	1	2
White, both sexes.....	79	4	13	8	8	4	3	7	7	6	6	4	9
Male.....	58	3	11	4	5	3	2	3	6	4	6	3	8
Female.....	21	1	2	4	3	1	1	4	1	2	-	1	1
Black, both sexes.....	11	2	1	-	1	1	-	-	-	-	5	-	1
Male.....	6	1	1	-	1	-	-	-	-	-	3	-	-
Female.....	5	1	-	-	-	1	-	-	-	-	2	-	1
American Indian 1/, both sexes.....	1	-	-	-	-	-	-	-	-	-	1	-	-
Male.....	1	-	-	-	-	-	-	-	-	-	1	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	-	-	-	-	-	-	-	-	1	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	-	1	-	-	-







Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Rifle, shotgun, and larger firearm discharge, undetermined intent (Y23)													
All races, both sexes.....	31	2	4	1	-	2	3	3	1	4	5	1	5
Male.....	25	2	4	-	-	2	3	2	1	3	4	-	4
Female.....	6	-	-	1	-	-	-	1	-	1	1	1	1
White, both sexes.....	29	2	4	-	-	2	3	2	1	4	5	1	5
Male.....	24	2	4	-	-	2	3	1	1	3	4	-	4
Female.....	5	-	-	-	-	-	-	1	-	1	1	1	1
Black, both sexes.....	2	-	-	1	-	-	-	1	-	-	-	-	-
Male.....	1	-	-	-	-	-	-	1	-	-	-	-	-
Female.....	1	-	-	1	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Other and unspecified firearm discharge, undetermined intent (Y24)													
All races, both sexes.....	163	20	10	8	17	12	14	12	19	10	13	10	18
Male.....	134	15	9	5	17	9	8	10	16	9	10	10	16
Female.....	29	5	1	3	-	3	6	2	3	1	3	-	2
White, both sexes.....	125	11	9	7	15	10	11	8	15	8	8	7	16
Male.....	103	6	8	5	15	8	6	7	13	7	7	7	14
Female.....	22	5	1	2	-	2	5	1	2	1	1	-	2
Black, both sexes.....	30	6	1	1	2	1	3	2	4	2	4	3	1
Male.....	24	6	1	-	2	1	2	1	3	2	2	3	1
Female.....	6	-	-	1	-	-	1	1	1	-	2	-	-
American Indian 1/, both sexes.....	6	3	-	-	-	-	-	1	-	-	1	-	1
Male.....	6	3	-	-	-	-	-	1	-	-	1	-	1
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	2	-	-	-	-	1	-	1	-	-	-	-	-
Male.....	1	-	-	-	-	-	-	1	-	-	-	-	-
Female.....	1	-	-	-	-	1	-	-	-	-	-	-	-



Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Contact with blunt object, undetermined intent (Y29)													
All races, both sexes.....	5	-	-	-	3	-	-	-	2	-	-	-	-
Male.....	2	-	-	-	1	-	-	-	1	-	-	-	-
Female.....	3	-	-	-	2	-	-	-	1	-	-	-	-
White, both sexes.....	5	-	-	-	3	-	-	-	2	-	-	-	-
Male.....	2	-	-	-	1	-	-	-	1	-	-	-	-
Female.....	3	-	-	-	2	-	-	-	1	-	-	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Falling, jumping, or pushed from a high place, undetermined intent (Y30)													
All races, both sexes.....	69	7	1	6	5	7	9	6	5	9	5	6	3
Male.....	50	7	1	6	2	3	6	4	4	7	3	5	2
Female.....	19	-	-	-	3	4	3	2	1	2	2	1	1
White, both sexes.....	55	5	1	4	5	5	8	3	5	7	4	6	2
Male.....	40	5	1	4	2	2	5	3	4	6	2	5	1
Female.....	15	-	-	-	3	3	3	-	1	1	2	1	1
Black, both sexes.....	7	1	-	2	-	1	1	1	-	-	1	-	-
Male.....	7	1	-	2	-	1	1	1	-	-	1	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	1	-	-	-	-	-	-	1	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	1	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	6	1	-	-	-	1	-	1	-	2	-	-	1
Male.....	3	1	-	-	-	-	-	-	-	1	-	-	1
Female.....	3	-	-	-	-	1	-	1	-	1	-	-	-





















































































Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
<b>Keratolytics, keratoplastics, and other hair treatment drugs and preparations (Y56.4)</b>													
All races, both sexes.....	1	-	-	-	-	-	-	-	-	1	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	-	1	-	-	-
White, both sexes.....	1	-	-	-	-	-	-	-	-	1	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	-	1	-	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
<b>Other and unspecified drugs and medicaments (Y57)</b>													
All races, both sexes.....	154	6	17	18	9	11	8	13	22	16	10	12	12
Male.....	73	2	9	12	2	5	2	4	10	7	7	7	6
Female.....	81	4	8	6	7	6	6	9	12	9	3	5	6
White, both sexes.....	126	5	15	14	8	11	6	8	17	13	7	12	10
Male.....	64	1	9	11	2	5	2	1	9	6	6	7	5
Female.....	62	4	6	3	6	6	4	7	8	7	1	5	5
Black, both sexes.....	24	1	2	3	1	-	2	5	5	1	2	-	2
Male.....	7	1	-	1	-	-	-	3	1	-	-	-	1
Female.....	17	-	2	2	1	-	2	2	4	1	2	-	1
American Indian 1/, both sexes.....	1	-	-	-	-	-	-	-	-	-	1	-	-
Male.....	1	-	-	-	-	-	-	-	-	-	1	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	3	-	-	1	-	-	-	-	-	2	-	-	-
Male.....	1	-	-	-	-	-	-	-	-	1	-	-	-
Female.....	2	-	-	1	-	-	-	-	-	1	-	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
X-ray contrast media (Y57.5)													
All races, both sexes.....	13	1	1	3	-	-	-	2	1	1	2	1	1
Male.....	10	1	1	3	-	-	-	1	1	-	1	1	1
Female.....	3	-	-	-	-	-	-	1	-	1	1	-	-
White, both sexes.....	11	1	1	3	-	-	-	1	1	1	1	1	1
Male.....	10	1	1	3	-	-	-	1	1	-	1	1	1
Female.....	1	-	-	-	-	-	-	-	-	1	-	-	-
Black, both sexes.....	2	-	-	-	-	-	-	1	-	-	1	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	2	-	-	-	-	-	-	1	-	-	1	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Drug or medicament, unspecified (Y57.9)													
All races, both sexes.....	141	5	16	15	9	11	8	11	21	15	8	11	11
Male.....	63	1	8	9	2	5	2	3	9	7	6	6	5
Female.....	78	4	8	6	7	6	6	8	12	8	2	5	6
White, both sexes.....	115	4	14	11	8	11	6	7	16	12	6	11	9
Male.....	54	-	8	8	2	5	2	-	8	6	5	6	4
Female.....	61	4	6	3	6	6	4	7	8	6	1	5	5
Black, both sexes.....	22	1	2	3	1	-	2	4	5	1	1	-	2
Male.....	7	1	-	1	-	-	-	3	1	-	-	-	1
Female.....	15	-	2	2	1	-	2	1	4	1	1	-	1
American Indian 1/, both sexes.....	1	-	-	-	-	-	-	-	-	-	1	-	-
Male.....	1	-	-	-	-	-	-	-	-	-	1	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	3	-	-	1	-	-	-	-	-	2	-	-	-
Male.....	1	-	-	-	-	-	-	-	-	1	-	-	-
Female.....	2	-	-	1	-	-	-	-	-	1	-	-	-

















































Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
<b>Surgical operation with formation of external stoma (Y83.3)</b>													
All races, both sexes.....	97	12	9	11	9	8	5	10	7	6	11	6	3
Male.....	40	4	1	2	5	6	1	7	5	3	4	2	-
Female.....	57	8	8	9	4	2	4	3	2	3	7	4	3
White, both sexes.....	67	9	7	9	8	6	4	6	5	4	5	2	2
Male.....	25	3	1	2	4	5	1	4	3	1	1	-	-
Female.....	42	6	6	7	4	1	3	2	2	3	4	2	2
Black, both sexes.....	26	2	2	2	1	1	-	4	2	2	6	3	1
Male.....	13	1	-	-	1	-	-	3	2	2	3	1	-
Female.....	13	1	2	2	-	1	-	1	-	-	3	2	1
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	4	1	-	-	-	1	1	-	-	-	-	1	-
Male.....	2	-	-	-	-	1	-	-	-	-	-	1	-
Female.....	2	1	-	-	-	-	1	-	-	-	-	-	-
<b>Other reconstructive surgery (Y83.4)</b>													
All races, both sexes.....	102	7	8	11	10	11	4	5	6	6	15	11	8
Male.....	37	1	5	6	3	4	3	2	2	2	4	4	1
Female.....	65	6	3	5	7	7	1	3	4	4	11	7	7
White, both sexes.....	93	6	8	11	9	10	4	5	5	5	13	10	7
Male.....	35	1	5	6	2	4	3	2	1	2	4	4	1
Female.....	58	5	3	5	7	6	1	3	4	3	9	6	6
Black, both sexes.....	8	1	-	-	1	-	-	-	1	1	2	1	1
Male.....	2	-	-	-	1	-	-	-	1	-	-	-	-
Female.....	6	1	-	-	-	-	-	-	-	1	2	1	1
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	-	-	-	-	1	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	1	-	-	-	-	-	-	-











Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
<b>Blood-sampling (Y84.7)</b>													
All races, both sexes.....	1	-	-	-	-	-	-	-	-	-	1	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	-	-	1	-	-
White, both sexes.....	1	-	-	-	-	-	-	-	-	-	1	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	-	-	1	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
<b>Other medical procedures (Y84.8)</b>													
All races, both sexes.....	307	30	24	26	21	30	24	19	26	30	18	27	32
Male.....	148	14	10	14	11	16	11	9	10	19	7	14	13
Female.....	159	16	14	12	10	14	13	10	16	11	11	13	19
White, both sexes.....	235	24	16	23	17	24	15	17	19	23	12	20	25
Male.....	118	13	8	13	7	14	6	8	10	15	3	11	10
Female.....	117	11	8	10	10	10	9	9	9	8	9	9	15
Black, both sexes.....	70	6	7	3	4	6	9	2	6	7	6	7	7
Male.....	29	1	1	1	4	2	5	1	-	4	4	3	3
Female.....	41	5	6	2	-	4	4	1	6	3	2	4	4
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	2	-	1	-	-	-	-	-	1	-	-	-	-
Male.....	1	-	1	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	1	-	-	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Medical procedure, unspecified (Y84.9)													
All races, both sexes.....	9	-	-	1	1	2	-	1	1	1	2	-	-
Male.....	6	-	-	1	1	-	-	1	1	1	2	-	-
Female.....	3	-	-	-	-	2	-	1	-	-	-	-	-
White, both sexes.....	8	-	-	1	1	1	-	1	1	1	2	-	-
Male.....	6	-	-	1	1	-	-	1	1	1	2	-	-
Female.....	2	-	-	-	-	1	-	1	-	-	-	-	-
Black, both sexes.....	1	-	-	-	-	1	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	1	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Sequelae of transport accidents (Y85)													
All races, both sexes.....	724	72	79	59	69	84	45	62	42	67	50	42	53
Male.....	540	50	65	47	55	60	35	47	28	45	41	30	37
Female.....	184	22	14	12	14	24	10	15	14	22	9	12	16
White, both sexes.....	600	60	68	47	59	75	36	53	35	53	38	33	43
Male.....	451	44	56	37	47	53	27	42	25	36	31	23	30
Female.....	149	16	12	10	12	22	9	11	10	17	7	10	13
Black, both sexes.....	95	11	7	9	5	7	9	8	6	9	8	7	9
Male.....	67	5	7	7	4	5	8	4	2	6	7	6	6
Female.....	28	6	-	2	1	2	1	4	4	3	1	1	3
American Indian 1/, both sexes.....	14	-	2	1	2	1	-	-	1	3	2	2	-
Male.....	12	-	1	1	2	1	-	-	1	3	2	1	-
Female.....	2	-	1	-	-	-	-	-	-	-	-	1	-
Asian or Pacific Islander 2/, both sexes.....	15	1	2	2	3	1	-	1	-	2	2	-	1
Male.....	10	1	1	2	2	1	-	1	-	-	1	-	1
Female.....	5	-	1	-	1	-	-	-	-	2	1	-	-



Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Sequelae of motor-vehicle accident (Y85.0)													
All races, both sexes.....	707	70	77	58	67	83	45	60	39	65	49	42	52
Male.....	528	48	63	46	53	60	35	46	27	43	41	30	36
Female.....	179	22	14	12	14	23	10	14	12	22	8	12	16
White, both sexes.....	585	58	66	46	57	74	36	51	32	52	38	33	42
Male.....	440	42	54	36	45	53	27	41	24	35	31	23	29
Female.....	145	16	12	10	12	21	9	10	8	17	7	10	13
Black, both sexes.....	95	11	7	9	5	7	9	8	6	9	8	7	9
Male.....	67	5	7	7	4	5	8	4	2	6	7	6	6
Female.....	28	6	-	2	1	2	1	4	4	3	1	1	3
American Indian 1/, both sexes.....	13	-	2	1	2	1	-	-	1	2	2	2	-
Male.....	11	-	1	1	2	1	-	-	1	2	2	1	-
Female.....	2	-	1	-	-	-	-	-	-	-	-	1	-
Asian or Pacific Islander 2/, both sexes.....	14	1	2	2	3	1	-	1	-	2	1	-	1
Male.....	10	1	1	2	2	1	-	1	-	1	-	1	1
Female.....	4	-	1	-	1	-	-	-	-	2	-	-	-
Sequelae of other and unspecified transport accidents (Y85.9)													
All races, both sexes.....	17	2	2	1	2	1	-	2	3	2	1	-	1
Male.....	12	2	2	1	2	-	-	1	1	2	-	-	1
Female.....	5	-	-	-	-	1	-	1	2	-	1	-	-
White, both sexes.....	15	2	2	1	2	1	-	2	3	1	-	-	1
Male.....	11	2	2	1	2	-	-	1	1	1	-	-	1
Female.....	4	-	-	-	-	1	-	1	2	-	-	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	1	-	-	-	-	-	-	-	-	1	-	-	-
Male.....	1	-	-	-	-	-	-	-	-	1	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	-	-	-	-	-	-	-	-	-	1	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	-	-	1	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Sequelae of other accidents (Y86)													
All races, both sexes.....	967	106	89	98	81	88	62	78	71	66	62	82	84
Male.....	638	71	48	57	57	57	45	56	50	37	42	59	59
Female.....	329	35	41	41	24	31	17	22	21	29	20	23	25
White, both sexes.....	835	90	73	88	71	79	53	70	62	57	54	74	64
Male.....	542	61	38	52	47	50	40	48	42	31	34	55	44
Female.....	293	29	35	36	24	29	13	22	20	26	20	19	20
Black, both sexes.....	98	14	10	10	7	7	5	7	7	8	6	5	12
Male.....	70	9	6	5	7	6	4	7	6	5	6	2	7
Female.....	28	5	4	5	-	1	1	-	1	3	-	3	5
American Indian 1/, both sexes.....	13	1	1	-	1	1	1	-	1	1	1	3	2
Male.....	10	1	1	-	1	-	-	-	1	1	1	2	2
Female.....	3	-	-	-	-	1	1	-	-	-	-	1	-
Asian or Pacific Islander 2/, both sexes.....	21	1	5	-	2	1	3	1	1	-	1	-	6
Male.....	16	-	3	-	2	1	1	1	1	-	1	-	6
Female.....	5	1	2	-	-	-	2	-	-	-	-	-	-
Sequelae of intentional self harm, assault, and events of undetermined intent (Y87)													
All races, both sexes.....	345	43	30	31	29	33	29	29	18	28	23	29	23
Male.....	285	36	24	27	21	27	24	25	17	21	21	23	19
Female.....	60	7	6	4	8	6	5	4	1	7	2	6	4
White, both sexes.....	195	26	16	17	20	22	15	16	8	17	8	18	12
Male.....	159	23	12	16	15	16	13	14	8	13	6	12	11
Female.....	36	3	4	1	5	6	2	2	-	4	2	6	1
Black, both sexes.....	138	16	14	13	8	9	14	11	10	9	14	10	10
Male.....	118	13	12	10	6	9	11	9	9	7	14	10	8
Female.....	20	3	2	3	2	-	3	2	1	2	-	-	2
American Indian 1/, both sexes.....	5	-	-	-	-	1	-	1	-	1	1	1	-
Male.....	5	-	-	-	-	1	-	1	-	1	1	1	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	7	1	-	1	1	1	-	1	-	1	-	-	1
Male.....	3	-	-	1	-	1	-	1	-	-	-	-	-
Female.....	4	1	-	-	1	-	-	-	-	1	-	-	1

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Sequelae of intentional self harm (Y87.0)													
All races, both sexes.....	78	12	9	5	10	11	5	7	3	5	4	4	3
Male.....	59	10	5	5	6	8	4	6	3	3	3	3	3
Female.....	19	2	4	-	4	3	1	1	-	2	1	1	-
White, both sexes.....	68	11	6	4	10	9	5	7	3	4	3	3	3
Male.....	52	10	3	4	6	6	4	6	3	3	2	2	3
Female.....	16	1	3	-	4	3	1	1	-	1	1	1	-
Black, both sexes.....	8	-	3	1	-	1	-	-	-	1	1	1	-
Male.....	6	-	2	1	-	1	-	-	-	-	1	1	-
Female.....	2	-	1	-	-	-	-	-	-	1	-	-	-
American Indian 1/, both sexes.....	1	-	-	-	-	1	-	-	-	-	-	-	-
Male.....	1	-	-	-	-	1	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	1	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	1	-	-	-	-	-	-	-	-	-	-	-
Sequelae of assault (Y87.1)													
All races, both sexes.....	237	28	19	22	18	21	18	19	13	21	18	22	18
Male.....	203	23	17	19	15	18	17	16	13	17	17	17	14
Female.....	34	5	2	3	3	3	1	3	-	4	1	5	4
White, both sexes.....	111	13	10	11	10	12	7	7	5	11	5	12	8
Male.....	94	11	9	11	9	9	7	6	5	9	4	7	7
Female.....	17	2	1	-	1	3	-	1	-	2	1	5	1
Black, both sexes.....	117	15	9	11	7	8	11	10	8	8	12	9	9
Male.....	103	12	8	8	6	8	10	8	8	7	12	9	7
Female.....	14	3	1	3	1	-	1	2	-	1	-	-	2
American Indian 1/, both sexes.....	4	-	-	-	-	-	-	1	-	1	1	1	-
Male.....	4	-	-	-	-	-	-	1	-	1	1	1	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	5	-	-	-	1	1	-	1	-	1	-	-	1
Male.....	2	-	-	-	-	1	-	1	-	-	-	-	-
Female.....	3	-	-	-	1	-	-	-	-	1	-	-	1

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Sequelae of events of undetermined intent (Y87.2)													
All races, both sexes.....	30	3	2	4	1	1	6	3	2	2	1	3	2
Male.....	23	3	2	3	-	1	3	3	1	1	1	3	2
Female.....	7	-	-	1	1	-	3	-	1	1	-	-	-
White, both sexes.....	16	2	-	2	-	1	3	2	-	2	-	3	1
Male.....	13	2	-	1	-	1	2	2	-	1	-	3	1
Female.....	3	-	-	1	-	-	1	-	-	1	-	-	-
Black, both sexes.....	13	1	2	1	1	-	3	1	2	-	1	-	1
Male.....	9	1	2	1	-	-	1	1	1	-	1	-	1
Female.....	4	-	-	-	1	-	2	-	1	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	-	-	1	-	-	-	-	-	-	-	-	-
Male.....	1	-	-	1	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Sequelae with surgical and medical care as external cause (Y88)													
All races, both sexes.....	111	11	11	10	12	6	7	11	6	6	11	8	12
Male.....	47	6	4	3	6	2	3	5	1	1	8	2	6
Female.....	64	5	7	7	6	4	4	6	5	5	3	6	6
White, both sexes.....	93	8	10	9	10	6	6	9	6	2	11	7	9
Male.....	38	4	3	2	5	2	2	5	1	-	8	2	4
Female.....	55	4	7	7	5	4	4	4	5	2	3	5	5
Black, both sexes.....	14	3	1	1	2	-	-	2	-	3	-	1	1
Male.....	6	2	1	1	1	-	-	-	-	1	-	-	-
Female.....	8	1	-	-	1	-	-	2	-	2	-	1	1
American Indian 1/, both sexes.....	2	-	-	-	-	-	1	-	-	-	-	-	1
Male.....	2	-	-	-	-	-	1	-	-	-	-	-	1
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	2	-	-	-	-	-	-	-	-	1	-	-	1
Male.....	1	-	-	-	-	-	-	-	-	-	-	-	1
Female.....	1	-	-	-	-	-	-	-	-	1	-	-	-







Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Sequelae of unspecified external cause (Y89.9)													
All races, both sexes.....	3	-	-	1	2	-	-	-	-	-	-	-	-
Male.....	2	-	-	1	1	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	1	-	-	-	-	-	-	-	-
White, both sexes.....	3	-	-	1	2	-	-	-	-	-	-	-	-
Male.....	2	-	-	1	1	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	1	-	-	-	-	-	-	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-

- Quantity zero.  
 ... Category not applicable.  
 1/ Includes Aleuts and Eskimos.  
 2/ Includes Chinese, Filipino, Hawaiian, Japanese, and Other Asian or Pacific Islander.

Note: Complete confirmation of deaths from selected causes of death, considered to be of public health concern, were not provided by the following states-- Alabama, California, Connecticut, Florida, Illinois, Indiana, Kentucky, Louisiana, Maryland, Michigan, Missouri, Montana, Nevada, New Hampshire, New Jersey, New York, North Carolina, Ohio, Oklahoma, Pennsylvania, Rhode Island, Texas, Utah, Virginia, Washington, and West Virginia.

Source: CDC/NCHS, National Vital Statistics System, Mortality