

Person with disabilities experiencing problems accessing
NCHS birth and death tables should contact
nchsed@cdc.gov, or call 301-458-4688

Worktable Orig250F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 2005

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), Hispanic origin, race for non-Hispanic population, and sex	All ages	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Age not stated
Shigellosis and amebiasis (A03,A06)													
All origins, both sexes.....	10	-	1	2	-	-	-	1	2	2	2	-	-
Male.....	3	-	1	1	-	-	-	1	1	-	-	-	-
Female.....	7	-	1	1	-	-	-	-	1	2	2	-	-
Hispanic, both sexes.....	4	-	1	1	-	-	-	1	-	-	1	-	-
Male.....	1	-	-	-	-	-	-	1	-	-	-	-	-
Female.....	3	-	1	1	-	-	-	-	-	-	1	-	-
Non-Hispanic 1/, both sexes.....	6	-	-	1	-	-	-	-	2	2	1	-	-
Male.....	2	-	-	1	-	-	-	-	1	-	-	-	-
Female.....	4	-	-	-	-	-	-	-	1	2	1	-	-
Non-Hispanic white 2/, both sexes.....	6	-	-	1	-	-	-	-	2	2	1	-	-
Male.....	2	-	-	1	-	-	-	-	1	-	-	-	-
Female.....	4	-	-	-	-	-	-	-	1	2	1	-	-
Non-Hispanic black 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Origin not stated 3/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Certain other intestinal infections (A04,A07-A09)													
All origins, both sexes.....	5,667	10	12	10	3	11	32	104	253	829	2,070	2,333	-
Male.....	2,209	7	4	5	3	6	17	53	132	377	865	740	-
Female.....	3,458	3	8	5	-	5	15	51	121	452	1,205	1,593	-
Hispanic, both sexes.....	190	3	2	2	-	1	9	12	34	69	57	57	-
Male.....	65	2	1	1	-	1	4	-	15	25	16	16	-
Female.....	125	1	1	1	-	-	5	12	19	44	41	41	-
Non-Hispanic 1/, both sexes.....	5,469	7	10	8	3	10	30	95	241	794	1,999	2,272	-
Male.....	2,141	5	3	4	3	5	16	49	132	362	840	722	-
Female.....	3,328	2	7	4	-	5	14	46	109	432	1,159	1,550	-
Non-Hispanic white 2/, both sexes.....	5,082	3	7	6	2	8	22	77	196	719	1,874	2,168	-
Male.....	1,978	2	1	2	2	4	11	39	110	332	779	696	-
Female.....	3,104	1	6	4	-	4	11	38	86	387	1,095	1,472	-
Non-Hispanic black 2/, both sexes.....	318	3	3	2	1	1	7	16	38	64	98	85	-
Male.....	129	2	2	2	1	1	4	9	17	26	47	18	-
Female.....	189	1	1	-	-	-	3	7	21	38	51	67	-
Origin not stated 3/, both sexes.....	8	-	-	-	-	-	1	-	-	1	2	4	-
Male.....	3	-	-	-	-	-	1	-	-	-	-	2	-
Female.....	5	-	-	-	-	-	-	-	-	1	2	2	-

Worktable Orig250F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 2005

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), Hispanic origin, race for non-Hispanic population, and sex	All ages	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Age not stated
Tuberculosis (A16-A19)													
All origins, both sexes.....	648	2	3	1	18	21	38	79	91	116	165	114	-
Male.....	392	2	2	-	12	12	30	54	64	74	89	53	-
Female.....	256	-	1	1	6	9	8	25	27	42	76	61	-
Hispanic, both sexes.....	94	1	2	1	5	6	17	15	12	12	15	8	-
Male.....	66	1	2	-	2	5	13	12	10	8	9	4	-
Female.....	28	-	-	1	3	1	4	3	2	4	6	4	-
Non-Hispanic 1/, both sexes.....	551	1	1	-	13	15	21	63	78	103	150	106	-
Male.....	325	1	-	-	10	7	17	41	54	66	80	49	-
Female.....	226	-	1	-	3	8	4	22	24	37	70	57	-
Non-Hispanic white 2/, both sexes.....	283	1	-	-	4	4	8	29	34	51	82	70	-
Male.....	162	1	-	-	4	2	6	23	25	30	40	31	-
Female.....	121	-	-	-	-	2	2	6	9	21	42	39	-
Non-Hispanic black 2/, both sexes.....	150	-	1	-	6	7	10	23	27	31	29	16	-
Male.....	92	-	-	-	4	2	9	15	18	25	13	6	-
Female.....	58	-	1	-	2	5	1	8	9	6	16	10	-
Origin not stated 3/, both sexes.....	3	-	-	-	-	-	-	1	1	1	-	-	-
Male.....	1	-	-	-	-	-	-	1	-	-	-	-	-
Female.....	2	-	-	-	-	-	-	-	1	1	-	-	-
Respiratory tuberculosis (A16)													
All origins, both sexes.....	480	2	1	-	9	11	28	62	62	81	129	95	-
Male.....	291	2	1	-	4	3	23	43	46	57	68	44	-
Female.....	189	-	-	-	5	8	5	19	16	24	61	51	-
Hispanic, both sexes.....	56	1	1	-	3	1	10	11	5	8	10	6	-
Male.....	36	1	1	-	-	-	8	9	3	5	6	3	-
Female.....	20	-	-	-	3	1	2	2	2	3	4	3	-
Non-Hispanic 1/, both sexes.....	423	1	-	-	6	10	18	51	56	73	119	89	-
Male.....	255	1	-	-	4	3	15	34	43	52	62	41	-
Female.....	168	-	-	-	2	7	3	17	13	21	57	48	-
Non-Hispanic white 2/, both sexes.....	219	1	-	-	2	3	8	23	26	36	65	55	-
Male.....	127	1	-	-	2	1	6	19	22	23	29	24	-
Female.....	92	-	-	-	-	2	2	4	4	13	36	31	-
Non-Hispanic black 2/, both sexes.....	113	-	-	-	3	5	10	19	18	23	20	15	-
Male.....	71	-	-	-	2	1	9	13	12	20	9	5	-
Female.....	42	-	-	-	1	4	1	6	6	3	11	10	-
Origin not stated 3/, both sexes.....	1	-	-	-	-	-	-	-	1	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	1	-	-	-	-

Worktable Orig250F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 2005

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), Hispanic origin, race for non-Hispanic population, and sex	All ages	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Age not stated
Measles (B05)													
All origins, both sexes.....	1	-	1	-	-	-	-	-	-	-	-	-	-
Male.....	1	-	1	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Hispanic, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Non-Hispanic 1/, both sexes.....	1	-	1	-	-	-	-	-	-	-	-	-	-
Male.....	1	-	1	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Non-Hispanic white 2/, both sexes.....	1	-	1	-	-	-	-	-	-	-	-	-	-
Male.....	1	-	1	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Non-Hispanic black 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Origin not stated 3/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Viral hepatitis (B15-B19)													
All origins, both sexes.....	5,529	-	-	1	14	61	509	2,314	1,377	648	482	123	-
Male.....	3,612	-	-	1	3	34	349	1,697	977	317	193	41	-
Female.....	1,917	-	-	-	11	27	160	617	400	331	289	82	-
Hispanic, both sexes.....	795	-	-	-	-	10	114	293	202	113	48	15	-
Male.....	521	-	-	-	-	7	85	222	130	53	19	5	-
Female.....	274	-	-	-	-	3	29	71	72	60	29	10	-
Non-Hispanic 1/, both sexes.....	4,714	-	-	1	14	51	391	2,011	1,171	534	433	108	-
Male.....	3,076	-	-	1	3	27	261	1,467	843	264	174	36	-
Female.....	1,638	-	-	-	11	24	130	544	328	270	259	72	-
Non-Hispanic white 2/, both sexes.....	3,603	-	-	-	9	31	304	1,602	858	360	351	88	-
Male.....	2,413	-	-	-	2	17	208	1,187	630	189	150	30	-
Female.....	1,190	-	-	-	7	14	96	415	228	171	201	58	-
Non-Hispanic black 2/, both sexes.....	856	-	-	1	3	17	64	349	253	106	50	13	-
Male.....	518	-	-	1	-	7	38	234	171	52	13	2	-
Female.....	338	-	-	-	3	10	26	115	82	54	37	11	-
Origin not stated 3/, both sexes.....	20	-	-	-	-	-	4	10	4	1	1	-	-
Male.....	15	-	-	-	-	-	3	8	4	-	-	-	-
Female.....	5	-	-	-	-	-	1	2	-	1	1	-	-

Worktable Orig250F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 2005

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), Hispanic origin, race for non-Hispanic population, and sex	All ages	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Age not stated
Other and unspecified infectious and parasitic diseases and their sequelae (A00,A05,A20-A36,A42-A44,A48-A49,A54-A79,A81-A82,A85.0-A85.1,A85.8,A86-B04,B06-B09,B25-B49,B55-B99)													
All origins, both sexes.....	7,727	169	63	64	86	130	403	1,364	1,273	1,309	1,785	1,081	-
Male.....	4,216	100	40	29	43	80	270	933	768	711	864	378	-
Female.....	3,511	69	23	35	43	50	133	431	505	598	921	703	-
Hispanic, both sexes.....	773	33	12	11	15	35	82	207	132	113	97	36	-
Male.....	452	17	8	5	8	23	58	151	82	52	39	9	-
Female.....	321	16	4	6	7	12	24	56	50	61	58	27	-
Non-Hispanic 1/, both sexes.....	6,938	136	51	53	71	95	319	1,154	1,135	1,194	1,686	1,044	-
Male.....	3,753	83	32	24	35	57	210	780	681	658	824	369	-
Female.....	3,185	53	19	29	36	38	109	374	454	536	862	675	-
Non-Hispanic white 2/, both sexes.....	5,662	85	34	41	40	50	217	896	908	996	1,459	936	-
Male.....	3,071	52	20	16	18	30	146	627	544	562	722	334	-
Female.....	2,591	33	14	25	22	20	71	269	364	434	737	602	-
Non-Hispanic black 2/, both sexes.....	960	43	12	10	22	40	83	206	177	134	150	83	-
Male.....	514	27	7	6	11	22	54	117	108	67	70	25	-
Female.....	446	16	5	4	11	18	29	89	69	67	80	58	-
Origin not stated 3/, both sexes.....	16	-	-	-	-	-	2	3	6	2	2	1	-
Male.....	11	-	-	-	-	-	2	2	5	1	1	-	-
Female.....	5	-	-	-	-	-	-	1	1	1	1	1	-
Malignant neoplasms (C00-C97)													
All origins, both sexes.....	559,312	75	377	1,000	1,717	3,601	14,566	50,405	99,240	138,446	166,421	83,455	9
Male.....	290,422	45	217	557	1,035	1,805	6,338	25,403	54,039	76,685	87,096	37,197	5
Female.....	268,890	30	160	443	682	1,796	8,228	25,002	45,201	61,761	79,325	46,258	4
Hispanic, both sexes.....	26,156	18	80	194	323	530	1,415	3,324	4,836	6,359	6,438	2,637	2
Male.....	13,896	6	52	99	202	280	601	1,635	2,693	3,564	3,478	1,286	-
Female.....	12,260	12	28	95	121	250	814	1,689	2,143	2,795	2,960	1,351	2
Non-Hispanic 1/, both sexes.....	532,383	56	296	802	1,392	3,059	13,131	46,981	94,243	131,875	159,808	80,735	5
Male.....	276,084	39	165	455	831	1,518	5,724	23,705	51,251	72,997	83,520	35,876	3
Female.....	256,299	17	131	347	561	1,541	7,407	23,276	42,992	58,878	76,288	44,859	2
Non-Hispanic white 2/, both sexes.....	456,133	46	215	597	1,048	2,175	9,976	36,433	77,617	112,940	142,314	72,770	2
Male.....	236,659	32	118	333	628	1,103	4,480	18,574	42,128	62,528	74,456	32,278	1
Female.....	219,474	14	97	264	420	1,072	5,496	17,859	35,489	50,412	67,858	40,492	1
Non-Hispanic black 2/, both sexes.....	62,510	9	62	165	259	674	2,521	8,805	13,835	15,560	14,156	6,461	3
Male.....	32,363	6	36	98	151	313	960	4,309	7,695	8,630	7,304	2,859	2
Female.....	30,147	3	26	67	108	361	1,561	4,496	6,140	6,930	6,852	3,602	1
Origin not stated 3/, both sexes.....	773	1	1	4	2	12	20	100	161	212	175	83	2
Male.....	442	-	-	3	2	7	13	63	95	124	98	35	2
Female.....	331	1	1	1	-	5	7	37	66	88	77	48	-

Worktable Orig250F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 2005

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), Hispanic origin, race for non-Hispanic population, and sex	All ages	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Age not stated
Malignant neoplasms of lip, oral cavity and pharynx (C00-C14)													
All origins, both sexes.....	7,773	-	1	2	24	54	258	1,123	1,936	1,835	1,673	867	-
Male.....	5,273	-	-	1	16	32	188	874	1,501	1,309	999	353	-
Female.....	2,500	-	1	1	8	22	70	249	435	526	674	514	-
Hispanic, both sexes.....	314	-	-	1	3	5	11	50	84	72	76	12	-
Male.....	236	-	-	1	2	3	8	40	69	59	48	6	-
Female.....	78	-	-	-	1	2	3	10	15	13	28	6	-
Non-Hispanic 1/, both sexes.....	7,445	-	1	1	21	49	246	1,070	1,848	1,758	1,596	855	-
Male.....	5,026	-	-	-	14	29	179	831	1,430	1,246	950	347	-
Female.....	2,419	-	1	1	7	20	67	239	418	512	646	508	-
Non-Hispanic white 2/, both sexes.....	6,096	-	1	1	9	26	177	779	1,453	1,458	1,412	780	-
Male.....	4,012	-	-	-	7	16	122	602	1,112	1,015	825	313	-
Female.....	2,084	-	1	1	2	10	55	177	341	443	587	467	-
Non-Hispanic black 2/, both sexes.....	1,068	-	-	-	10	14	47	249	323	243	135	47	-
Male.....	832	-	-	-	5	9	40	200	265	191	99	23	-
Female.....	236	-	-	-	5	5	7	49	58	52	36	24	-
Origin not stated 3/, both sexes.....	14	-	-	-	-	-	-	1	3	4	5	1	-
Male.....	11	-	-	-	-	-	-	1	3	2	4	1	-
Female.....	3	-	-	-	-	-	-	-	2	1	-	-	-
Malignant neoplasm of esophagus (C15)													
All origins, both sexes.....	13,499	-	-	1	3	35	316	1,510	3,100	3,682	3,581	1,271	-
Male.....	10,611	-	-	-	3	30	263	1,302	2,619	2,977	2,679	738	-
Female.....	2,888	-	-	1	-	5	53	208	481	705	902	533	-
Hispanic, both sexes.....	481	-	-	-	-	1	12	67	103	148	106	44	-
Male.....	391	-	-	-	-	1	10	59	89	122	80	30	-
Female.....	90	-	-	-	-	-	2	8	14	26	26	14	-
Non-Hispanic 1/, both sexes.....	12,997	-	-	1	3	33	304	1,441	2,990	3,529	3,471	1,225	-
Male.....	10,203	-	-	-	3	28	253	1,241	2,524	2,850	2,598	706	-
Female.....	2,794	-	-	1	-	5	51	200	466	679	873	519	-
Non-Hispanic white 2/, both sexes.....	11,295	-	-	1	3	29	242	1,170	2,504	3,064	3,140	1,142	-
Male.....	8,969	-	-	-	3	26	206	1,042	2,147	2,500	2,375	670	-
Female.....	2,326	-	-	1	-	3	36	128	357	564	765	472	-
Non-Hispanic black 2/, both sexes.....	1,458	-	-	-	-	4	51	242	431	393	273	64	-
Male.....	1,065	-	-	-	-	2	39	182	334	294	186	28	-
Female.....	393	-	-	-	-	2	12	60	97	99	87	36	-
Origin not stated 3/, both sexes.....	21	-	-	-	-	1	-	2	7	5	4	2	-
Male.....	17	-	-	-	-	-	-	2	6	5	1	2	-
Female.....	4	-	-	-	-	-	-	-	1	-	3	-	-

Worktable Orig250F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 2005

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), Hispanic origin, race for non-Hispanic population, and sex	All ages	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Age not stated
Malignant neoplasm of stomach (C16)													
All origins, both sexes.....	11,514	-	-	-	20	115	448	1,103	1,783	2,615	3,470	1,960	-
Male.....	6,752	-	-	-	9	58	266	693	1,204	1,681	1,972	869	-
Female.....	4,762	-	-	-	11	57	182	410	579	934	1,498	1,091	-
Hispanic, both sexes.....	1,272	-	-	-	8	38	95	196	221	274	321	119	-
Male.....	744	-	-	-	3	23	52	108	137	163	197	61	-
Female.....	528	-	-	-	5	15	43	88	84	111	124	58	-
Non-Hispanic 1/, both sexes.....	10,223	-	-	-	12	77	352	903	1,559	2,335	3,146	1,839	-
Male.....	5,997	-	-	-	6	35	213	582	1,065	1,516	1,773	807	-
Female.....	4,226	-	-	-	6	42	139	321	494	819	1,373	1,032	-
Non-Hispanic white 2/, both sexes.....	7,455	-	-	-	6	33	203	584	1,084	1,674	2,397	1,474	-
Male.....	4,372	-	-	-	3	19	121	381	743	1,090	1,369	646	-
Female.....	3,083	-	-	-	3	14	82	203	341	584	1,028	828	-
Non-Hispanic black 2/, both sexes.....	1,949	-	-	-	3	23	99	226	340	463	519	276	-
Male.....	1,147	-	-	-	2	10	67	148	242	298	257	123	-
Female.....	802	-	-	-	1	13	32	78	98	165	262	153	-
Origin not stated 3/, both sexes.....	19	-	-	-	-	-	1	4	3	6	3	2	-
Male.....	11	-	-	-	-	-	1	3	2	2	2	1	-
Female.....	8	-	-	-	-	-	-	1	1	4	1	1	-
Malignant neoplasms of colon, rectum and anus (C18-C21)													
All origins, both sexes.....	53,252	1	-	4	47	305	1,297	4,343	8,153	11,792	16,254	11,054	2
Male.....	26,843	1	-	4	27	167	694	2,401	4,812	6,789	8,003	3,943	2
Female.....	26,409	-	-	-	20	138	603	1,942	3,341	5,003	8,251	7,111	-
Hispanic, both sexes.....	2,542	-	-	1	6	41	122	303	438	614	674	343	-
Male.....	1,350	-	-	1	2	17	61	172	265	356	334	142	-
Female.....	1,192	-	-	-	4	24	61	131	173	258	340	201	-
Non-Hispanic 1/, both sexes.....	50,629	1	-	3	41	264	1,172	4,030	7,703	11,157	15,557	10,700	1
Male.....	25,445	1	-	3	25	150	630	2,223	4,540	6,420	7,655	3,797	1
Female.....	25,184	-	-	-	16	114	542	1,807	3,163	4,737	7,902	6,903	-
Non-Hispanic white 2/, both sexes.....	42,479	1	-	3	30	188	875	2,989	6,068	9,253	13,529	9,543	-
Male.....	21,443	1	-	3	19	103	491	1,682	3,623	5,391	6,725	3,405	-
Female.....	21,036	-	-	-	11	85	384	1,307	2,445	3,862	6,804	6,138	-
Non-Hispanic black 2/, both sexes.....	6,804	-	-	-	10	61	239	886	1,370	1,587	1,683	967	1
Male.....	3,301	-	-	-	6	39	115	457	775	833	762	313	1
Female.....	3,503	-	-	-	4	22	124	429	595	754	921	654	-
Origin not stated 3/, both sexes.....	81	-	-	-	-	-	3	10	12	21	23	11	1
Male.....	48	-	-	-	-	-	3	6	7	13	14	4	1
Female.....	33	-	-	-	-	-	-	4	5	8	9	7	-

Worktable Orig250F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 2005

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), Hispanic origin, race for non-Hispanic population, and sex	All ages	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Age not stated
Malignant neoplasms of liver and intrahepatic bile ducts (C22)													
All origins, both sexes.....	16,076	8	21	16	30	89	380	2,515	3,438	3,747	4,176	1,655	1
Male.....	10,548	6	13	9	18	63	258	2,003	2,615	2,470	2,374	719	-
Female.....	5,528	2	8	7	12	26	122	512	823	1,277	1,802	936	1
Hispanic, both sexes.....	1,807	1	4	2	6	8	56	341	434	446	380	128	1
Male.....	1,185	-	4	1	2	4	36	272	327	277	205	57	-
Female.....	622	1	-	1	4	4	20	69	107	169	175	71	1
Non-Hispanic 1/, both sexes.....	14,236	7	17	14	24	81	322	2,167	2,993	3,296	3,791	1,524	-
Male.....	9,339	6	9	8	16	59	220	1,725	2,280	2,190	2,165	661	-
Female.....	4,897	1	8	6	8	22	102	442	713	1,106	1,626	863	-
Non-Hispanic white 2/, both sexes.....	10,950	6	15	9	13	39	190	1,485	2,132	2,547	3,188	1,326	-
Male.....	7,107	6	8	7	7	29	122	1,172	1,615	1,703	1,844	594	-
Female.....	3,843	-	7	2	6	10	68	313	517	844	1,344	732	-
Non-Hispanic black 2/, both sexes.....	2,087	1	2	3	7	27	81	483	610	436	331	106	-
Male.....	1,460	-	1	1	6	19	56	392	482	288	182	33	-
Female.....	627	1	1	2	1	8	25	91	128	148	149	73	-
Origin not stated 3/, both sexes.....	33	-	-	-	-	-	2	7	11	5	5	3	-
Male.....	24	-	-	-	-	-	2	6	8	3	4	1	-
Female.....	9	-	-	-	-	-	-	1	3	2	1	2	-
Malignant neoplasm of pancreas (C25)													
All origins, both sexes.....	32,760	-	-	2	3	64	565	2,744	5,984	8,288	10,147	4,962	1
Male.....	16,147	-	-	2	1	39	332	1,613	3,551	4,421	4,540	1,648	-
Female.....	16,613	-	-	-	2	25	233	1,131	2,433	3,867	5,607	3,314	1
Hispanic, both sexes.....	1,748	-	-	1	8	60	186	368	475	465	465	184	1
Male.....	872	-	-	1	-	5	37	113	218	239	197	62	-
Female.....	876	-	-	-	3	23	73	150	257	226	268	122	1
Non-Hispanic 1/, both sexes.....	30,976	-	-	1	3	55	505	2,556	5,609	7,801	9,675	4,771	-
Male.....	15,262	-	-	1	1	34	295	1,499	3,330	4,175	4,341	1,586	-
Female.....	15,714	-	-	-	2	21	210	1,057	2,279	3,626	5,334	3,185	-
Non-Hispanic white 2/, both sexes.....	26,366	-	-	1	1	40	393	1,981	4,617	6,597	8,481	4,255	-
Male.....	13,102	-	-	1	-	24	234	1,176	2,779	3,605	3,856	1,427	-
Female.....	13,264	-	-	-	1	16	159	805	1,838	2,992	4,625	2,828	-
Non-Hispanic black 2/, both sexes.....	3,743	-	-	-	1	11	86	482	817	991	946	409	-
Male.....	1,740	-	-	-	1	7	44	273	460	470	378	107	-
Female.....	2,003	-	-	-	-	4	42	209	357	521	568	302	-
Origin not stated 3/, both sexes.....	36	-	-	-	-	1	-	2	7	12	7	7	-
Male.....	13	-	-	-	-	-	-	1	3	7	2	-	-
Female.....	23	-	-	-	-	1	-	1	4	5	5	7	-

Worktable Orig250F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 2005

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), Hispanic origin, race for non-Hispanic population, and sex	All ages	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Age not stated
Malignant neoplasm of larynx (C22)													
All origins, both sexes.....	3,797	-	-	-	-	3	64	423	916	1,156	914	320	1
Male.....	2,983	-	-	-	-	2	47	320	752	916	693	252	1
Female.....	814	-	-	-	-	1	17	103	164	240	221	68	-
Hispanic, both sexes.....	183	-	-	-	-	-	7	24	31	52	53	16	-
Male.....	165	-	-	-	-	-	7	22	28	50	46	12	-
Female.....	18	-	-	-	-	-	-	2	3	2	7	4	-
Non-Hispanic 1/, both sexes.....	3,605	-	-	-	-	3	57	395	884	1,102	861	303	-
Male.....	2,811	-	-	-	-	2	40	295	723	865	647	239	-
Female.....	794	-	-	-	-	1	17	100	161	237	214	64	-
Non-Hispanic white 2/, both sexes.....	2,877	-	-	-	-	2	43	280	654	883	757	258	-
Male.....	2,224	-	-	-	-	1	30	211	526	687	566	203	-
Female.....	653	-	-	-	-	1	13	69	128	196	191	55	-
Non-Hispanic black 2/, both sexes.....	673	-	-	-	-	1	13	111	213	200	97	38	-
Male.....	542	-	-	-	-	1	9	80	185	161	75	31	-
Female.....	131	-	-	-	-	-	4	31	28	39	22	7	-
Origin not stated 3/, both sexes.....	9	-	-	-	-	-	-	4	1	2	-	1	1
Male.....	7	-	-	-	-	-	-	3	1	1	-	1	1
Female.....	2	-	-	-	-	-	-	1	-	1	-	-	-
Malignant neoplasms of trachea, bronchus and lung (C33-C34)													
All origins, both sexes.....	159,292	-	3	1	16	133	2,323	12,624	31,363	48,390	49,032	15,404	3
Male.....	90,187	-	3	-	9	77	1,197	7,327	18,663	28,207	27,196	7,506	2
Female.....	69,105	-	-	1	7	56	1,126	5,297	12,700	20,183	21,836	7,898	1
Hispanic, both sexes.....	4,490	-	1	-	2	15	111	407	848	1,355	1,337	414	-
Male.....	2,878	-	1	-	9	64	257	594	894	843	843	216	-
Female.....	1,612	-	-	-	2	6	47	150	254	461	494	198	-
Non-Hispanic 1/, both sexes.....	154,578	-	2	1	14	117	2,209	12,195	30,466	46,959	47,642	14,970	3
Male.....	87,168	-	2	-	9	67	1,132	7,055	18,033	27,265	26,322	7,281	2
Female.....	67,410	-	-	1	5	50	1,077	5,140	12,433	19,694	21,320	7,689	1
Non-Hispanic white 2/, both sexes.....	134,924	-	2	1	12	82	1,743	9,647	25,619	41,162	43,076	13,578	2
Male.....	75,500	-	2	-	8	49	882	5,565	14,922	23,737	23,761	6,573	1
Female.....	59,424	-	-	1	4	33	861	4,082	10,697	17,425	19,315	7,005	1
Non-Hispanic black 2/, both sexes.....	16,437	-	-	-	1	19	384	2,228	4,176	4,869	3,682	1,077	1
Male.....	9,794	-	-	-	1	11	202	1,316	2,694	2,987	2,053	529	1
Female.....	6,643	-	-	-	-	8	182	912	1,482	1,882	1,629	548	-
Origin not stated 3/, both sexes.....	224	-	-	-	-	1	3	22	49	76	53	20	-
Male.....	141	-	-	-	-	1	15	36	48	31	31	9	-
Female.....	83	-	-	-	-	-	2	7	13	28	22	11	-

Worktable Orig250F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 2005

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), Hispanic origin, race for non-Hispanic population, and sex	All ages	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Age not stated
Malignant melanoma of skin (C43)													
All origins, both sexes.....	8,345	-	1	3	40	216	524	1,197	1,575	1,748	2,031	1,010	-
Male.....	5,283	-	1	-	23	138	313	748	1,030	1,177	1,294	559	-
Female.....	3,062	-	-	3	17	78	211	449	545	571	737	451	-
Hispanic, both sexes.....	168	-	-	1	1	14	15	33	31	38	24	11	-
Male.....	105	-	-	-	1	6	9	20	23	25	15	6	-
Female.....	63	-	-	1	-	8	6	13	8	13	9	5	-
Non-Hispanic 1/, both sexes.....	8,169	-	1	2	39	202	509	1,163	1,542	1,709	2,004	998	-
Male.....	5,171	-	1	-	22	132	304	727	1,005	1,152	1,276	552	-
Female.....	2,998	-	-	2	17	70	205	436	537	557	728	446	-
Non-Hispanic white 2/, both sexes.....	7,973	-	1	34	197	491	1,137	1,498	1,677	1,967	1,967	970	-
Male.....	5,074	-	1	19	127	290	714	980	1,141	1,259	1,259	543	-
Female.....	2,899	-	-	15	70	201	423	518	536	708	708	427	-
Non-Hispanic black 2/, both sexes.....	123	-	-	1	2	3	10	13	26	19	29	20	-
Male.....	57	-	-	-	1	3	7	15	5	13	5	5	-
Female.....	66	-	-	1	1	6	2	6	11	14	16	15	-
Origin not stated 3/, both sexes.....	8	-	-	-	-	-	-	1	2	1	3	1	-
Male.....	7	-	-	-	-	-	-	1	2	-	3	1	-
Female.....	1	-	-	-	-	-	-	-	-	1	-	-	-
Malignant neoplasm of breast (C50)													
All origins, both sexes.....	41,491	1	-	-	12	356	2,497	6,232	8,646	8,113	9,382	6,252	-
Male.....	375	1	-	-	-	-	9	33	73	109	111	39	-
Female.....	41,116	-	-	-	12	356	2,488	6,199	8,573	8,004	9,271	6,213	-
Hispanic, both sexes.....	1,942	-	-	-	1	37	241	423	433	344	317	146	-
Male.....	6	-	-	-	-	-	-	1	2	1	2	-	-
Female.....	1,936	-	-	-	1	37	241	422	431	343	315	146	-
Non-Hispanic 1/, both sexes.....	39,490	1	-	-	11	319	2,256	5,798	8,201	7,755	9,050	6,099	-
Male.....	369	1	-	-	-	-	9	32	71	108	109	39	-
Female.....	39,121	-	-	-	11	319	2,247	5,766	8,130	7,647	8,941	6,060	-
Non-Hispanic white 2/, both sexes.....	32,736	1	-	-	6	200	1,553	4,227	6,573	6,594	8,073	5,509	-
Male.....	305	1	-	-	-	5	25	58	87	94	94	35	-
Female.....	32,431	-	-	-	6	200	1,548	4,202	6,515	6,507	7,979	5,474	-
Non-Hispanic black 2/, both sexes.....	5,804	-	-	-	5	103	609	1,360	1,374	998	820	535	-
Male.....	56	-	-	-	-	2	6	12	21	13	2	2	-
Female.....	5,748	-	-	-	5	103	607	1,354	1,362	977	807	533	-
Origin not stated 3/, both sexes.....	59	-	-	-	-	-	-	11	12	14	15	7	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	59	-	-	-	-	-	-	11	12	14	15	7	-

Worktable Orig250F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 2005

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), Hispanic origin, race for non-Hispanic population, and sex	All ages	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Age not stated
Malignant neoplasm of cervix uteri (C53)													
All origins, both sexes.....	3,924	-	-	-	14	168	622	958	796	575	518	273	-
Male.....
Female.....	3,924	-	-	-	14	168	622	958	796	575	518	273	-
Hispanic, both sexes.....	447	-	-	-	3	20	103	120	90	64	33	14	-
Male.....
Female.....	447	-	-	-	3	20	103	120	90	64	33	14	-
Non-Hispanic 1/, both sexes.....	3,469	-	-	-	11	147	518	837	704	509	485	258	-
Male.....
Female.....	3,469	-	-	-	11	147	518	837	704	509	485	258	-
Non-Hispanic white 2/, both sexes.....	2,538	-	-	-	7	113	369	595	506	378	367	203	-
Male.....
Female.....	2,538	-	-	-	7	113	369	595	506	378	367	203	-
Non-Hispanic black 2/, both sexes.....	776	-	-	-	4	29	132	188	156	112	106	49	-
Male.....
Female.....	776	-	-	-	4	29	132	188	156	112	106	49	-
Origin not stated 3/, both sexes.....	8	-	-	-	-	1	1	1	2	2	-	1	-
Male.....
Female.....	8	-	-	-	-	1	1	1	2	2	-	1	-
Malignant neoplasms of corpus uteri and uterus, part unspecified (C54-C55)													
All origins, both sexes.....	7,096	-	-	-	4	22	146	568	1,468	1,808	1,955	1,125	-
Male.....
Female.....	7,096	-	-	-	4	22	146	568	1,468	1,808	1,955	1,125	-
Hispanic, both sexes.....	389	-	-	-	-	2	25	65	81	103	87	26	-
Male.....
Female.....	389	-	-	-	-	2	25	65	81	103	87	26	-
Non-Hispanic 1/, both sexes.....	6,693	-	-	-	4	20	121	502	1,380	1,703	1,866	1,097	-
Male.....
Female.....	6,693	-	-	-	4	20	121	502	1,380	1,703	1,866	1,097	-
Non-Hispanic white 2/, both sexes.....	5,360	-	-	-	2	11	86	387	1,035	1,313	1,557	969	-
Male.....
Female.....	5,360	-	-	-	2	11	86	387	1,035	1,313	1,557	969	-
Non-Hispanic black 2/, both sexes.....	1,165	-	-	-	2	7	24	93	298	353	271	117	-
Male.....
Female.....	1,165	-	-	-	2	7	24	93	298	353	271	117	-
Origin not stated 3/, both sexes.....	14	-	-	-	-	-	-	1	7	2	2	2	-
Male.....
Female.....	14	-	-	-	-	-	-	1	7	2	2	2	-

Worktable Orig250F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 2005

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), Hispanic origin, race for non-Hispanic population, and sex	All ages	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Age not stated
Malignant neoplasms of kidney and renal pelvis (C64-C65)													
All origins, both sexes.....	12,517	8	16	30	17	49	294	1,277	2,514	3,143	3,510	1,659	-
Male.....	7,783	4	9	13	11	35	181	890	1,752	2,078	1,999	811	-
Female.....	4,734	4	7	17	6	14	113	387	762	1,065	1,511	848	-
Hispanic, both sexes.....	780	-	2	4	1	7	42	119	150	207	171	77	-
Male.....	482	-	1	2	1	5	25	73	106	133	99	37	-
Female.....	298	-	1	2	-	2	17	46	44	74	72	40	-
Non-Hispanic 1/, both sexes.....	11,719	8	14	25	16	42	252	1,153	2,362	2,931	3,336	1,580	-
Male.....	7,286	4	8	10	10	30	156	813	1,644	1,940	1,898	773	-
Female.....	4,433	4	6	15	6	12	96	340	718	991	1,438	807	-
Non-Hispanic white 2/, both sexes.....	10,312	7	10	18	6	17	193	956	2,036	2,598	3,032	1,439	-
Male.....	6,404	3	7	6	3	12	115	670	1,421	1,722	1,732	713	-
Female.....	3,908	4	3	12	3	5	78	286	615	876	1,300	726	-
Non-Hispanic black 2/, both sexes.....	1,141	-	2	7	10	21	48	163	270	266	241	113	-
Male.....	713	-	-	4	7	16	35	119	188	174	128	42	-
Female.....	428	-	2	3	3	5	13	44	82	92	113	71	-
Origin not stated 3/, both sexes.....	18	-	-	1	-	-	-	5	2	5	3	2	-
Male.....	15	-	-	1	-	-	-	4	2	5	2	1	-
Female.....	3	-	-	-	-	-	-	1	-	-	1	1	-
Malignant neoplasm of bladder (C67)													
All origins, both sexes.....	13,253	-	-	-	-	15	122	523	1,482	2,772	4,859	3,480	-
Male.....	9,190	-	-	-	-	9	81	358	1,115	2,072	3,436	2,119	-
Female.....	4,063	-	-	-	-	6	41	165	367	700	1,423	1,361	-
Hispanic, both sexes.....	435	-	-	-	-	1	10	22	52	107	151	92	-
Male.....	317	-	-	-	-	1	7	18	42	80	102	67	-
Female.....	118	-	-	-	-	-	3	4	10	27	49	25	-
Non-Hispanic 1/, both sexes.....	12,803	-	-	-	-	14	112	499	1,428	2,662	4,703	3,385	-
Male.....	8,861	-	-	-	-	8	74	338	1,071	1,989	3,330	2,051	-
Female.....	3,942	-	-	-	-	6	38	161	357	673	1,373	1,334	-
Non-Hispanic white 2/, both sexes.....	11,669	-	-	-	-	12	100	417	1,269	2,405	4,347	3,119	-
Male.....	8,207	-	-	-	-	7	67	295	969	1,828	3,122	1,919	-
Female.....	3,462	-	-	-	-	5	33	122	300	577	1,225	1,200	-
Non-Hispanic black 2/, both sexes.....	947	-	-	-	-	2	12	74	139	215	294	211	-
Male.....	536	-	-	-	-	1	7	39	88	131	163	107	-
Female.....	411	-	-	-	-	1	5	35	51	84	131	104	-
Origin not stated 3/, both sexes.....	15	-	-	-	-	-	-	2	2	3	5	3	-
Male.....	12	-	-	-	-	-	-	2	2	3	4	1	-
Female.....	3	-	-	-	-	-	-	-	-	-	1	2	-

Worktable Orig250F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 2005

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), Hispanic origin, race for non-Hispanic population, and sex	All ages	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Age not stated
Malignant neoplasms of meninges, brain and other parts of central nervous system (C70-C72)													
All origins, both sexes.....	13,152	18	84	324	234	379	948	1,943	2,839	2,943	2,633	807	-
Male.....	7,317	12	38	171	144	248	604	1,160	1,653	1,643	1,335	309	-
Female.....	5,835	6	46	153	90	131	344	783	1,186	1,300	1,298	498	-
Hispanic, both sexes.....	771	6	21	54	37	36	83	124	141	135	98	36	-
Male.....	431	2	9	21	23	26	54	77	84	68	54	13	-
Female.....	340	4	12	33	14	10	29	47	57	67	44	23	-
Non-Hispanic 1/, both sexes.....	12,364	12	62	270	196	340	864	1,816	2,695	2,805	2,533	771	-
Male.....	6,877	10	29	150	120	220	550	1,080	1,567	1,574	1,281	296	-
Female.....	5,487	2	33	120	76	120	314	736	1,128	1,231	1,252	475	-
Non-Hispanic white 2/, both sexes.....	11,313	9	47	208	161	293	767	1,643	2,481	2,609	2,374	721	-
Male.....	6,289	8	20	114	98	189	496	977	1,441	1,471	1,196	279	-
Female.....	5,024	1	27	94	63	104	271	666	1,040	1,138	1,178	442	-
Non-Hispanic black 2/, both sexes.....	781	3	13	48	23	28	64	136	164	146	121	35	-
Male.....	434	2	8	26	14	21	35	84	95	76	64	9	-
Female.....	347	1	5	22	9	7	29	52	69	70	57	26	-
Origin not stated 3/, both sexes.....	17	-	1	-	1	3	1	3	3	3	2	-	-
Male.....	9	-	-	-	1	2	-	3	2	1	-	-	-
Female.....	8	-	1	-	-	1	1	-	1	2	2	-	-
Malignant neoplasms of lymphoid, hematopoietic and related tissue (C81-C96)													
All origins, both sexes.....	55,028	24	128	335	655	811	1,498	3,687	7,623	12,487	18,109	9,671	-
Male.....	30,031	12	84	206	411	464	880	2,175	4,543	7,385	9,662	4,209	-
Female.....	24,997	12	44	129	244	347	618	1,512	3,080	5,102	8,447	5,462	-
Hispanic, both sexes.....	3,110	7	28	87	155	150	182	344	497	696	712	252	-
Male.....	1,719	2	20	51	105	94	111	195	269	382	374	116	-
Female.....	1,391	5	8	36	50	56	71	149	228	314	338	136	-
Non-Hispanic 1/, both sexes.....	51,861	17	100	246	499	659	1,312	3,334	7,115	11,782	17,382	9,415	-
Male.....	28,283	10	64	154	305	369	767	1,976	4,269	7,000	9,279	4,090	-
Female.....	23,578	7	36	92	194	290	545	1,358	2,846	4,782	8,103	5,325	-
Non-Hispanic white 2/, both sexes.....	45,619	14	66	186	370	434	994	2,570	5,967	10,276	15,954	8,788	-
Male.....	25,000	8	40	113	229	241	592	1,536	3,628	6,191	8,563	3,859	-
Female.....	20,619	6	26	73	141	193	402	1,034	2,339	4,085	7,391	4,929	-
Non-Hispanic black 2/, both sexes.....	4,988	3	26	44	101	180	255	618	921	1,199	1,131	510	-
Male.....	2,604	2	18	31	61	99	140	361	520	644	551	177	-
Female.....	2,384	1	8	13	40	81	115	257	401	555	580	333	-
Origin not stated 3/, both sexes.....	57	-	-	2	1	2	4	9	11	9	15	4	-
Male.....	29	-	-	1	1	1	2	4	5	3	9	3	-
Female.....	28	-	-	1	-	1	2	5	6	6	6	1	-

Worktable Orig250F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 2005

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), Hispanic origin, race for non-Hispanic population, and sex	All ages	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Age not stated
Hodgkin's disease (C81)													
All origins, both sexes.....	1,272	-	-	11	61	116	118	168	184	205	304	105	-
Male.....	684	-	-	7	27	65	71	94	121	118	131	50	-
Female.....	588	-	-	4	34	51	47	74	63	87	173	55	-
Hispanic, both sexes.....	126	-	-	4	6	11	9	18	19	29	24	6	-
Male.....	78	-	-	3	2	6	7	13	15	16	12	4	-
Female.....	48	-	-	1	4	5	2	5	4	13	12	2	-
Non-Hispanic 1/, both sexes.....	1,141	-	-	6	55	104	108	149	165	176	280	98	-
Male.....	602	-	-	4	25	58	63	80	106	102	119	45	-
Female.....	539	-	-	2	30	46	45	69	59	74	161	53	-
Non-Hispanic white 2/, both sexes.....	968	-	-	6	42	61	79	119	145	160	266	90	-
Male.....	504	-	-	4	20	31	48	63	89	92	113	44	-
Female.....	464	-	-	2	22	30	31	56	56	68	153	46	-
Non-Hispanic black 2/, both sexes.....	141	-	-	-	9	36	25	27	16	13	10	5	-
Male.....	81	-	-	-	4	22	13	14	14	8	5	1	-
Female.....	60	-	-	-	5	14	12	13	2	5	5	4	-
Origin not stated 3/, both sexes.....	5	-	-	1	-	1	1	1	-	-	-	1	-
Male.....	4	-	-	-	-	1	1	1	-	-	-	1	-
Female.....	1	-	-	1	-	-	-	-	-	-	-	-	-
Non-Hodgkin's lymphoma (C82-C85)													
All origins, both sexes.....	20,873	1	6	48	127	222	566	1,410	2,925	4,626	7,111	3,831	-
Male.....	11,131	-	2	40	90	134	365	909	1,745	2,677	3,557	1,612	-
Female.....	9,742	1	4	8	37	88	201	501	1,180	1,949	3,554	2,219	-
Hispanic, both sexes.....	1,118	-	1	4	23	34	65	122	182	257	326	104	-
Male.....	593	-	-	3	17	21	40	70	101	141	158	42	-
Female.....	525	-	1	1	6	13	25	52	81	116	168	62	-
Non-Hispanic 1/, both sexes.....	19,734	1	5	44	103	188	501	1,285	2,739	4,365	6,778	3,725	-
Male.....	10,529	-	2	37	72	113	325	838	1,642	2,535	3,396	1,569	-
Female.....	9,205	1	3	7	31	75	176	447	1,097	1,830	3,382	2,156	-
Non-Hispanic white 2/, both sexes.....	17,852	1	4	34	70	118	369	1,016	2,369	3,948	6,377	3,546	-
Male.....	9,527	-	1	27	54	68	252	662	1,430	2,310	3,220	1,503	-
Female.....	8,325	1	3	7	16	50	117	354	939	1,638	3,157	2,043	-
Non-Hispanic black 2/, both sexes.....	1,379	-	1	9	28	57	109	214	274	295	266	126	-
Male.....	744	-	1	9	15	34	60	143	163	165	111	43	-
Female.....	635	-	-	-	13	23	49	71	111	130	155	83	-
Origin not stated 3/, both sexes.....	21	-	-	-	1	-	-	3	4	4	7	2	-
Male.....	9	-	-	-	-	-	-	1	2	1	3	1	-
Female.....	12	-	-	-	-	-	-	2	2	3	4	1	-

Worktable Orig250F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 2005

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), Hispanic origin, race for non-Hispanic population, and sex	All ages	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Age not stated
Leukemia (C91-C95)													
All origins, both sexes.....	21,623	22	120	275	466	461	680	1,419	2,662	4,673	6,832	4,013	-
Male.....	12,231	11	81	159	293	257	358	762	1,649	2,902	3,957	1,802	-
Female.....	9,392	11	39	116	173	204	322	657	1,013	1,771	2,875	2,211	-
Hispanic, both sexes.....	1,272	7	25	79	125	102	97	137	166	233	206	95	-
Male.....	747	2	19	45	85	64	58	73	95	135	125	46	-
Female.....	525	5	6	34	40	38	39	64	71	98	81	49	-
Non-Hispanic 1/, both sexes.....	20,329	15	95	195	341	358	580	1,277	2,493	4,436	6,621	3,918	-
Male.....	11,471	9	62	113	208	193	299	687	1,551	2,765	3,828	1,756	-
Female.....	8,858	6	33	82	133	165	281	590	942	1,671	2,793	2,162	-
Non-Hispanic white 2/, both sexes.....	18,152	12	62	145	258	250	462	1,024	2,167	3,962	6,127	3,683	-
Male.....	10,289	7	39	82	155	140	232	558	1,366	2,495	3,546	1,669	-
Female.....	7,863	5	23	63	103	110	230	466	801	1,467	2,581	2,014	-
Non-Hispanic black 2/, both sexes.....	1,697	3	25	35	64	83	87	198	254	369	385	194	-
Male.....	902	2	17	22	42	40	48	101	143	209	211	67	-
Female.....	795	1	8	13	22	43	39	97	111	160	174	127	-
Origin not stated 3/, both sexes.....	22	-	-	1	-	1	3	5	3	4	5	-	-
Male.....	13	-	-	1	-	-	1	2	3	2	4	-	-
Female.....	9	-	-	-	-	1	2	3	-	2	1	-	-
Multiple myeloma and immunoproliferative neoplasms (C88,C90)													
All origins, both sexes.....	11,200	-	-	-	1	11	131	688	1,842	2,969	3,846	1,712	-
Male.....	5,945	-	-	-	1	8	83	409	1,021	1,678	2,006	739	-
Female.....	5,255	-	-	-	-	3	48	279	821	1,291	1,840	973	-
Hispanic, both sexes.....	588	-	-	-	1	3	10	66	128	177	156	47	-
Male.....	296	-	-	-	1	3	5	38	56	90	79	24	-
Female.....	292	-	-	-	-	-	5	28	72	87	77	23	-
Non-Hispanic 1/, both sexes.....	10,603	-	-	-	-	8	121	622	1,710	2,791	3,687	1,664	-
Male.....	5,646	-	-	-	-	5	78	371	965	1,588	1,925	714	-
Female.....	4,957	-	-	-	-	3	43	251	745	1,203	1,762	950	-
Non-Hispanic white 2/, both sexes.....	8,599	-	-	-	-	4	82	410	1,279	2,194	3,170	1,460	-
Male.....	4,649	-	-	-	-	4	58	253	739	1,286	1,674	637	-
Female.....	3,950	-	-	-	-	2	24	157	540	908	1,496	823	-
Non-Hispanic black 2/, both sexes.....	1,766	-	-	-	-	4	34	179	376	520	469	184	-
Male.....	874	-	-	-	-	3	19	103	199	260	224	66	-
Female.....	892	-	-	-	-	1	15	76	177	260	245	118	-
Origin not stated 3/, both sexes.....	9	-	-	-	-	-	-	-	4	1	3	1	-
Male.....	3	-	-	-	-	-	-	-	-	-	2	1	-
Female.....	6	-	-	-	-	-	-	-	4	1	1	-	-

Worktable Orig250F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 2005

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), Hispanic origin, race for non-Hispanic population, and sex	All ages	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Age not stated
Other and unspecified malignant neoplasms of lymphoid, hematopoietic and related tissue (C96)													
All origins, both sexes.....	60	1	2	1	-	1	3	2	10	14	16	10	-
Male.....	40	1	1	-	-	-	3	1	7	10	11	6	-
Female.....	20	-	1	1	-	1	-	1	3	4	5	4	-
Hispanic, both sexes.....	6	-	2	-	-	-	1	1	2	-	-	-	-
Male.....	5	-	1	-	-	-	1	1	2	-	-	-	-
Female.....	1	-	1	-	-	-	-	-	-	-	-	-	-
Non-Hispanic 1/, both sexes.....	54	1	-	1	-	1	2	1	8	14	16	10	-
Male.....	35	1	-	-	-	-	2	-	5	10	11	6	-
Female.....	19	-	-	1	-	1	-	1	3	4	5	4	-
Non-Hispanic white 2/, both sexes.....	48	1	-	1	-	1	2	1	7	12	14	9	-
Male.....	31	1	-	-	-	-	2	-	4	8	10	6	-
Female.....	17	-	-	1	-	1	-	1	3	4	4	3	-
Non-Hispanic black 2/, both sexes.....	5	-	-	-	-	-	-	-	-	1	2	1	-
Male.....	3	-	-	-	-	-	-	-	1	2	-	-	-
Female.....	2	-	-	-	-	-	-	-	-	-	1	1	-
Origin not stated 3/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
All other and unspecified malignant neoplasms (C17,C23-C24,C26-C31,C37-C41,C44-C49,C51-C52,C57-C60,C62-C63,C66,C68-C69,C73-C80,C97)													
All origins, both sexes.....	62,851	15	122	279	579	701	1,827	5,558	10,422	14,019	18,480	10,848	1
Male.....	32,194	9	68	151	362	440	1,001	3,111	6,002	7,687	9,137	4,226	-
Female.....	30,657	6	54	128	217	261	826	2,447	4,420	6,332	9,343	6,622	1
Hispanic, both sexes.....	3,238	4	23	43	97	135	196	343	540	737	794	326	-
Male.....	1,715	2	16	21	63	86	117	183	315	396	388	128	-
Female.....	1,523	2	7	22	34	49	79	160	225	341	406	198	-
Non-Hispanic 1/, both sexes.....	59,519	10	99	235	482	563	1,627	5,203	9,862	13,258	17,668	10,511	1
Male.....	30,420	7	52	129	299	352	881	2,918	5,674	7,277	8,738	4,093	-
Female.....	29,099	3	47	106	183	211	746	2,285	4,188	5,981	8,930	6,418	1
Non-Hispanic white 2/, both sexes.....	51,380	8	73	166	372	401	1,254	4,029	8,150	11,386	15,908	9,633	-
Male.....	26,332	5	40	89	231	258	697	2,285	4,722	6,274	7,952	3,779	-
Female.....	25,048	3	33	77	141	143	557	1,744	3,428	5,112	7,956	5,854	-
Non-Hispanic black 2/, both sexes.....	6,591	2	19	61	80	127	303	976	1,404	1,497	1,445	676	1
Male.....	3,311	2	9	36	47	75	151	526	798	808	626	233	-
Female.....	3,280	-	10	25	33	52	152	450	606	689	819	443	1
Origin not stated 3/, both sexes.....	94	1	-	1	-	3	4	12	20	24	18	11	-
Male.....	59	-	-	1	-	2	3	10	13	14	11	5	-
Female.....	35	1	-	-	-	1	1	2	7	10	7	6	-

Worktable Orig250F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 2005

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), Hispanic origin, race for non-Hispanic population, and sex	All ages	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Age not stated
In situ neoplasms, benign neoplasms and neoplasms of uncertain or unknown behavior (D00-D48)													
All origins, both sexes.....	13,710	59	52	76	93	162	368	729	1,318	2,350	4,594	3,909	-
Male.....	6,820	22	31	36	54	86	186	404	754	1,342	2,419	1,486	-
Female.....	6,890	37	21	40	39	76	182	325	564	1,008	2,175	2,423	-
Hispanic, both sexes.....	572	16	12	10	13	24	28	55	75	107	152	80	-
Male.....	306	7	7	7	8	14	11	33	44	63	82	30	-
Female.....	266	9	5	3	5	10	17	22	31	44	70	50	-
Non-Hispanic 1/, both sexes.....	13,118	42	40	66	80	138	340	673	1,241	2,240	4,434	3,824	-
Male.....	6,501	14	24	29	46	72	175	370	708	1,278	2,332	1,453	-
Female.....	6,617	28	16	37	34	66	165	303	533	962	2,102	2,371	-
Non-Hispanic white 2/, both sexes.....	11,670	28	31	47	63	105	254	524	1,034	1,958	4,062	3,564	-
Male.....	5,850	10	20	22	39	55	135	294	599	1,143	2,165	1,368	-
Female.....	5,820	18	11	25	24	50	119	230	435	815	1,897	2,196	-
Non-Hispanic black 2/, both sexes.....	1,442	12	5	14	11	27	77	123	164	225	280	204	-
Male.....	493	4	2	4	5	13	35	62	84	102	123	59	-
Female.....	649	8	3	10	6	14	42	61	80	123	157	145	-
Origin not stated 3/, both sexes.....	20	1	-	-	-	-	-	1	2	3	8	5	-
Male.....	13	1	-	-	-	-	-	1	2	1	5	3	-
Female.....	7	-	-	-	-	-	-	-	-	2	3	2	-
Anemias (D50-D64)													
All origins, both sexes.....	4,624	19	23	26	103	157	189	253	304	494	1,193	1,863	-
Male.....	1,787	13	9	14	57	85	97	108	141	224	502	537	-
Female.....	2,837	6	14	12	46	72	92	145	163	270	691	1,326	-
Hispanic, both sexes.....	184	6	4	4	7	8	7	10	9	32	47	50	-
Male.....	81	4	1	4	5	7	3	3	6	10	21	17	-
Female.....	103	2	3	-	2	1	4	7	3	22	26	33	-
Non-Hispanic 1/, both sexes.....	4,431	13	19	22	96	149	181	243	292	462	1,145	1,809	-
Male.....	1,703	9	8	10	52	78	94	105	133	214	481	519	-
Female.....	2,728	4	11	12	44	71	87	138	159	248	664	1,290	-
Non-Hispanic white 2/, both sexes.....	3,314	3	7	7	15	17	32	105	192	340	975	1,621	-
Male.....	1,208	2	3	1	5	9	14	47	89	161	408	469	-
Female.....	2,106	1	4	6	10	8	18	58	103	179	567	1,152	-
Non-Hispanic black 2/, both sexes.....	1,024	6	11	15	77	131	144	135	90	109	147	159	-
Male.....	452	6	5	9	45	69	77	58	34	47	62	40	-
Female.....	572	-	6	6	32	62	67	77	56	62	85	119	-
Origin not stated 3/, both sexes.....	9	-	-	-	-	-	1	-	3	-	1	4	-
Male.....	3	-	-	-	-	-	-	-	2	-	-	1	-
Female.....	6	-	-	-	-	-	1	-	1	-	1	3	-

Worktable Orig250F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 2005

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), Hispanic origin, race for non-Hispanic population, and sex	All ages	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Age not stated
Diabetes mellitus (E10-E14)													
All origins, both sexes.....	75,119	1	2	38	202	617	2,045	5,691	11,301	16,183	23,136	15,903	-
Male.....	36,538	-	-	15	115	372	1,270	3,467	6,570	8,505	10,701	5,523	-
Female.....	38,581	1	2	23	87	245	775	2,224	4,731	7,678	12,435	10,380	-
Hispanic, both sexes.....	6,665	-	-	3	14	69	216	632	1,168	1,670	1,947	946	-
Male.....	3,296	-	-	2	9	40	153	378	662	850	877	325	-
Female.....	3,369	-	-	1	5	29	63	254	506	820	1,070	621	-
Non-Hispanic 1/, both sexes.....	68,325	1	2	35	188	548	1,823	5,045	10,104	14,491	21,149	14,939	-
Male.....	33,178	-	-	13	106	332	1,113	3,079	5,892	7,645	9,805	5,193	-
Female.....	35,147	1	2	22	82	216	710	1,966	4,212	6,846	11,344	9,746	-
Non-Hispanic white 2/, both sexes.....	53,159	1	1	22	110	306	1,215	3,454	7,293	10,826	17,293	12,638	-
Male.....	26,365	-	-	9	64	189	760	2,179	4,384	5,941	8,302	4,537	-
Female.....	26,794	1	1	13	46	117	455	1,275	2,909	4,885	8,991	8,101	-
Non-Hispanic black 2/, both sexes.....	12,835	-	1	12	73	218	534	1,396	2,415	3,101	3,205	1,880	-
Male.....	5,666	-	-	3	39	127	307	772	1,274	1,413	1,236	495	-
Female.....	7,169	-	1	9	34	91	227	624	1,141	1,688	1,969	1,385	-
Origin not stated 3/, both sexes.....	129	-	-	-	-	-	6	14	29	22	40	18	-
Male.....	64	-	-	-	-	-	4	10	16	10	19	5	-
Female.....	65	-	-	-	-	-	2	4	13	12	21	13	-
Nutritional deficiencies (E40-E64)													
All origins, both sexes.....	3,183	5	3	4	3	19	38	118	157	353	915	1,568	-
Male.....	1,116	3	1	1	1	7	14	56	88	157	341	447	-
Female.....	2,067	2	2	3	2	12	24	62	69	196	574	1,121	-
Hispanic, both sexes.....	139	-	-	-	-	1	2	7	5	20	50	54	-
Male.....	59	-	-	-	-	1	1	3	2	12	21	19	-
Female.....	80	-	-	-	-	-	1	4	3	8	29	35	-
Non-Hispanic 1/, both sexes.....	3,034	5	3	4	3	18	36	111	152	328	862	1,512	-
Male.....	1,052	3	1	1	1	6	13	53	86	143	318	427	-
Female.....	1,982	2	2	3	2	12	23	58	66	185	544	1,085	-
Non-Hispanic white 2/, both sexes.....	2,537	2	2	3	1	10	26	81	117	260	712	1,323	-
Male.....	865	1	-	-	-	3	10	39	62	115	260	375	-
Female.....	1,672	1	2	3	1	7	16	42	55	145	452	948	-
Non-Hispanic black 2/, both sexes.....	426	3	1	1	1	7	9	28	34	58	126	158	-
Male.....	153	2	1	1	1	2	3	14	23	22	45	39	-
Female.....	273	1	-	-	-	5	6	14	11	36	81	119	-
Origin not stated 3/, both sexes.....	10	-	-	-	-	-	-	-	-	5	3	2	-
Male.....	5	-	-	-	-	-	-	-	-	2	2	1	-
Female.....	5	-	-	-	-	-	-	-	-	3	1	1	-

Worktable Orig250F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 2005

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), Hispanic origin, race for non-Hispanic population, and sex	All ages	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Age not stated
Meningitis (G00,G03)													
All origins, both sexes.....	669	57	32	26	28	32	74	118	106	74	76	45	1
Male.....	353	29	21	15	15	24	44	68	53	37	32	14	1
Female.....	316	28	11	11	13	8	30	50	53	37	44	31	-
Hispanic, both sexes.....	63	10	8	2	4	2	8	10	5	6	5	3	-
Male.....	33	5	2	-	3	2	7	8	1	2	3	-	-
Female.....	30	5	6	2	1	-	1	2	4	4	2	3	-
Non-Hispanic 1/, both sexes.....	602	47	24	24	24	30	66	105	100	68	71	42	1
Male.....	317	24	19	15	12	22	37	58	51	35	29	14	1
Female.....	285	23	5	9	12	8	29	47	49	33	42	28	-
Non-Hispanic white 2/, both sexes.....	433	26	12	16	17	18	41	76	77	54	58	37	1
Male.....	228	13	11	9	10	12	23	45	39	28	25	12	1
Female.....	205	13	1	7	7	6	18	31	38	26	33	25	-
Non-Hispanic black 2/, both sexes.....	141	17	6	7	5	11	22	28	19	13	8	5	-
Male.....	75	8	3	6	1	9	13	13	10	7	3	2	-
Female.....	66	9	3	1	4	2	9	15	9	6	5	3	-
Origin not stated 3/, both sexes.....	4	-	-	-	-	-	-	3	1	-	-	-	-
Male.....	3	-	-	-	-	-	-	2	1	-	-	-	-
Female.....	1	-	-	-	-	-	-	1	-	-	-	-	-
Parkinson's disease (G20-G21)													
All origins, both sexes.....	19,544	-	-	-	3	4	7	66	434	2,414	9,294	7,322	-
Male.....	11,247	-	-	-	3	2	3	44	275	1,596	5,658	3,666	-
Female.....	8,297	-	-	-	-	2	4	22	159	818	3,636	3,656	-
Hispanic, both sexes.....	726	-	-	-	2	-	1	7	21	119	354	222	-
Male.....	418	-	-	-	2	-	1	2	9	80	213	111	-
Female.....	308	-	-	-	-	-	-	5	12	39	141	111	-
Non-Hispanic 1/, both sexes.....	18,804	-	-	-	1	4	6	59	411	2,294	8,934	7,095	-
Male.....	10,823	-	-	-	1	2	2	42	266	1,516	5,442	3,552	-
Female.....	7,981	-	-	-	-	2	4	17	145	778	3,492	3,543	-
Non-Hispanic white 2/, both sexes.....	17,767	-	-	-	1	4	6	53	372	2,105	8,445	6,781	-
Male.....	10,232	-	-	-	1	2	2	37	241	1,392	5,164	3,393	-
Female.....	7,535	-	-	-	-	2	4	16	131	713	3,281	3,388	-
Non-Hispanic black 2/, both sexes.....	705	-	-	-	-	-	-	5	25	126	339	210	-
Male.....	409	-	-	-	-	-	-	4	15	90	196	104	-
Female.....	296	-	-	-	-	-	-	1	10	36	143	106	-
Origin not stated 3/, both sexes.....	14	-	-	-	-	-	-	-	2	1	6	5	-
Male.....	6	-	-	-	-	-	-	-	-	-	3	3	-
Female.....	8	-	-	-	-	-	-	-	2	1	3	2	-

Worktable Orig250F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 2005

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), Hispanic origin, race for non-Hispanic population, and sex	All ages	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Age not stated
Alzheimer's disease (G30)													
All origins, both sexes.....	71,599	-	-	-	-	2	10	80	648	3,813	23,139	43,906	1
Male.....	20,559	-	-	-	-	-	6	30	287	1,648	8,326	10,262	-
Female.....	51,040	-	-	-	-	2	4	50	361	2,165	14,813	33,644	1
Hispanic, both sexes.....	2,201	-	-	-	-	-	2	7	32	172	801	1,187	-
Male.....	764	-	-	-	-	-	1	1	12	82	337	331	-
Female.....	1,437	-	-	-	-	-	1	6	20	90	464	856	-
Non-Hispanic 1/, both sexes.....	69,315	-	-	-	-	2	8	73	613	3,637	22,314	42,667	1
Male.....	19,764	-	-	-	-	-	5	29	274	1,562	7,977	9,917	-
Female.....	49,551	-	-	-	-	2	3	44	339	2,075	14,337	32,750	1
Non-Hispanic white 2/, both sexes.....	63,958	-	-	-	-	2	8	66	559	3,208	20,469	39,646	-
Male.....	18,208	-	-	-	-	-	5	25	253	1,380	7,326	9,219	-
Female.....	45,750	-	-	-	-	2	3	41	306	1,828	13,143	30,427	-
Non-Hispanic black 2/, both sexes.....	4,579	-	-	-	-	-	-	5	45	390	1,579	2,559	1
Male.....	1,283	-	-	-	-	-	-	4	17	163	545	554	-
Female.....	3,296	-	-	-	-	-	-	1	28	227	1,034	2,005	1
Origin not stated 3/, both sexes.....	83	-	-	-	-	-	-	-	3	4	24	52	-
Male.....	31	-	-	-	-	-	-	-	1	4	12	14	-
Female.....	52	-	-	-	-	-	-	-	2	-	12	38	-
Major cardiovascular diseases (I00-I78)													
All origins, both sexes.....	856,030	503	217	367	1,391	4,041	15,852	46,928	79,896	124,366	256,362	326,066	41
Male.....	405,780	282	126	200	914	2,657	10,664	32,548	53,484	73,733	125,037	106,106	29
Female.....	450,250	221	91	167	477	1,384	5,188	14,380	26,412	50,633	131,325	219,960	12
Hispanic, both sexes.....	39,010	98	40	59	198	465	1,339	3,037	4,706	7,205	11,411	10,447	5
Male.....	20,368	54	27	34	127	340	970	2,167	3,106	4,206	5,673	3,659	5
Female.....	18,642	44	13	25	71	125	369	870	1,600	2,999	5,738	6,788	-
Non-Hispanic 1/, both sexes.....	815,443	405	177	306	1,192	3,570	14,479	43,746	74,953	116,875	244,492	315,216	32
Male.....	384,533	228	99	165	787	2,313	9,669	30,277	50,202	69,329	119,110	102,332	22
Female.....	430,910	177	78	141	405	1,257	4,810	13,469	24,751	47,546	125,382	212,884	10
Non-Hispanic white 2/, both sexes.....	698,139	227	101	183	733	2,124	9,763	30,953	57,249	94,862	214,270	287,655	19
Male.....	328,004	127	59	104	487	1,418	6,796	22,291	39,316	57,345	105,876	94,172	13
Female.....	370,135	100	42	79	246	706	2,967	8,662	17,933	37,517	108,394	193,483	6
Non-Hispanic black 2/, both sexes.....	99,000	148	60	101	403	1,269	4,177	11,435	15,507	18,626	24,967	22,295	12
Male.....	47,004	86	30	51	265	770	2,500	7,046	9,471	10,022	10,682	6,073	8
Female.....	51,996	62	30	50	138	499	1,677	4,389	6,036	8,604	14,285	16,222	4
Origin not stated 3/, both sexes.....	1,577	-	-	2	1	6	34	145	237	286	459	403	4
Male.....	879	-	-	1	-	4	25	104	176	198	254	115	2
Female.....	698	-	-	1	1	2	9	41	61	88	205	288	2

Worktable Orig250F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 2005

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), Hispanic origin, race for non-Hispanic population, and sex	All ages	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Age not stated
Diseases of heart (I00-I09,I11,I13,I20-I51)													
All origins, both sexes.....	652,091	358	151	252	1,119	3,249	12,688	38,103	65,208	96,729	190,693	243,504	37
Male.....	322,841	197	81	131	770	2,206	8,931	27,486	44,895	59,050	96,580	82,489	25
Female.....	329,250	161	70	121	349	1,043	3,757	10,617	20,313	37,679	94,113	161,015	12
Hispanic, both sexes.....	29,555	71	23	34	137	354	957	2,233	3,642	5,551	8,583	7,965	5
Male.....	15,900	38	17	21	91	272	733	1,679	2,492	3,316	4,398	2,838	5
Female.....	13,655	33	6	13	46	82	224	554	1,150	2,235	4,185	5,127	-
Non-Hispanic 1/, both sexes.....	621,260	287	128	217	982	2,889	11,702	35,740	61,359	90,945	181,756	235,227	28
Male.....	306,197	159	64	110	679	1,930	8,175	25,711	42,247	55,566	91,981	79,557	18
Female.....	315,063	128	64	107	303	959	3,527	10,029	19,112	35,379	89,775	155,670	10
Non-Hispanic white 2/, both sexes.....	535,101	162	70	127	604	1,742	8,153	26,135	47,744	74,716	160,084	215,545	19
Male.....	263,311	89	38	70	422	1,206	5,920	19,485	33,711	46,538	82,264	73,555	13
Female.....	271,790	73	32	57	182	536	2,233	6,650	14,033	28,178	77,820	141,990	6
Non-Hispanic black 2/, both sexes.....	73,302	104	45	75	333	1,008	3,165	8,613	11,977	13,840	18,118	16,016	8
Male.....	35,874	61	19	35	228	624	1,969	5,497	7,404	7,586	7,952	4,495	4
Female.....	37,428	43	26	40	105	384	1,196	3,116	4,573	6,254	10,166	11,521	4
Origin not stated 3/, both sexes.....	1,276	-	-	1	-	6	29	130	207	233	354	312	4
Male.....	744	-	-	-	-	4	23	96	156	168	201	94	2
Female.....	532	-	-	1	-	2	6	34	51	65	153	218	2
Acute rheumatic fever and chronic rheumatic heart diseases (I00-I09)													
All origins, both sexes.....	3,365	1	1	4	9	27	82	191	354	613	1,114	969	-
Male.....	1,044	1	-	2	7	14	38	81	141	210	326	224	-
Female.....	2,321	-	1	2	2	13	44	110	213	403	788	745	-
Hispanic, both sexes.....	162	-	-	1	-	6	8	21	25	40	41	20	-
Male.....	47	-	-	1	-	4	4	9	8	13	6	2	-
Female.....	115	-	-	-	-	2	4	12	17	27	35	18	-
Non-Hispanic 1/, both sexes.....	3,200	1	1	3	9	21	74	168	329	572	1,073	949	-
Male.....	995	1	-	1	7	10	34	71	133	196	320	222	-
Female.....	2,205	-	1	2	2	11	40	97	196	376	753	727	-
Non-Hispanic white 2/, both sexes.....	2,866	1	1	3	4	11	49	112	259	506	1,003	917	-
Male.....	878	1	-	1	2	7	24	50	108	175	299	211	-
Female.....	1,988	-	1	2	2	4	25	62	151	331	704	706	-
Non-Hispanic black 2/, both sexes.....	225	-	-	-	2	8	16	47	44	41	44	23	-
Male.....	80	-	-	-	2	2	8	18	17	12	15	6	-
Female.....	145	-	-	-	-	6	8	29	27	29	29	17	-
Origin not stated 3/, both sexes.....	3	-	-	-	-	-	-	2	-	1	-	-	-
Male.....	2	-	-	-	-	-	-	1	-	1	-	-	-
Female.....	1	-	-	-	-	-	-	1	-	-	-	-	-

Worktable Orig250F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 2005

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), Hispanic origin, race for non-Hispanic population, and sex	All ages	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Age not stated
Hypertensive heart disease (I11)													
All origins, both sexes.....	29,282	2	-	3	36	328	1,368	3,293	3,954	3,806	6,370	10,119	3
Male.....	13,219	1	-	2	24	222	958	2,278	2,649	2,147	2,570	2,365	3
Female.....	16,063	1	-	1	12	106	410	1,015	1,305	1,659	3,800	7,754	-
Hispanic, both sexes.....	1,483	-	-	1	3	34	111	209	256	218	312	339	-
Male.....	772	-	-	1	2	27	83	150	162	115	137	95	-
Female.....	711	-	-	-	1	7	28	59	94	103	175	244	-
Non-Hispanic 1/, both sexes.....	27,701	2	-	2	33	294	1,251	3,071	3,681	3,571	6,035	9,759	2
Male.....	12,389	1	-	1	22	195	870	2,119	2,473	2,018	2,423	2,265	2
Female.....	15,312	1	-	1	11	99	381	952	1,208	1,553	3,612	7,494	-
Non-Hispanic white 2/, both sexes.....	20,219	1	-	1	9	140	666	1,735	2,355	2,381	4,616	8,313	2
Male.....	8,644	1	-	1	6	106	497	1,275	1,638	1,367	1,868	1,883	2
Female.....	11,575	-	-	-	3	34	169	460	717	1,014	2,748	6,430	-
Non-Hispanic black 2/, both sexes.....	6,825	1	-	1	23	138	537	1,256	1,246	1,099	1,272	1,252	-
Male.....	3,402	-	-	-	15	76	338	785	782	591	495	320	-
Female.....	3,423	1	-	1	8	62	199	471	464	508	777	932	-
Origin not stated 3/, both sexes.....	98	-	-	-	-	-	6	13	17	17	23	21	1
Male.....	58	-	-	-	-	-	5	9	14	14	10	5	1
Female.....	40	-	-	-	-	-	1	4	3	3	13	16	-
Hypertensive heart and renal disease (I13)													
All origins, both sexes.....	3,172	-	-	-	5	33	83	189	240	426	908	1,288	-
Male.....	1,369	-	-	-	4	20	52	125	142	209	378	439	-
Female.....	1,803	-	-	-	1	13	31	64	98	217	530	849	-
Hispanic, both sexes.....	199	-	-	-	1	9	13	28	43	52	52	52	-
Male.....	96	-	-	-	1	7	10	17	17	19	25	17	-
Female.....	103	-	-	-	-	2	3	11	24	27	27	35	-
Non-Hispanic 1/, both sexes.....	2,963	-	-	-	4	32	74	174	210	380	854	1,235	-
Male.....	1,266	-	-	-	3	20	45	114	123	188	351	422	-
Female.....	1,697	-	-	-	1	12	29	60	87	192	503	813	-
Non-Hispanic white 2/, both sexes.....	1,989	-	-	-	1	6	19	50	67	195	605	1,046	-
Male.....	791	-	-	-	1	4	12	36	41	96	249	352	-
Female.....	1,198	-	-	-	-	2	7	14	26	99	356	694	-
Non-Hispanic black 2/, both sexes.....	879	-	-	-	3	25	54	121	136	168	215	157	-
Male.....	426	-	-	-	2	16	33	77	80	81	84	53	-
Female.....	453	-	-	-	1	9	21	44	56	87	131	104	-
Origin not stated 3/, both sexes.....	10	-	-	-	-	-	-	2	2	3	2	1	-
Male.....	7	-	-	-	-	-	-	1	2	2	2	-	-
Female.....	3	-	-	-	-	-	-	1	-	1	-	1	-

Worktable Orig250F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 2005

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), Hispanic origin, race for non-Hispanic population, and sex	All ages	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Age not stated
Ischemic heart diseases (I20-I25)													
All origins, both sexes.....	445,687	13	7	14	151	1,014	6,860	25,310	46,799	70,121	134,435	160,935	28
Male.....	232,115	7	4	9	121	774	5,188	19,233	33,548	44,497	71,352	57,364	18
Female.....	213,572	6	3	5	30	240	1,672	6,077	13,251	25,624	63,083	103,571	10
Hispanic, both sexes.....	21,774	1	2	4	22	99	503	1,526	2,745	4,317	6,641	5,910	4
Male.....	11,953	-	2	4	16	80	406	1,189	1,944	2,655	3,489	2,164	4
Female.....	9,821	1	-	-	6	19	97	337	801	1,662	3,152	3,746	-
Non-Hispanic 1/, both sexes.....	423,007	12	5	10	129	914	6,346	23,703	43,905	65,631	127,530	154,801	21
Male.....	219,626	7	2	5	105	693	4,773	17,980	31,494	41,719	67,707	55,128	13
Female.....	203,381	5	3	5	24	221	1,573	5,723	12,411	23,912	59,823	99,673	8
Non-Hispanic white 2/, both sexes.....	368,505	6	3	8	85	621	4,826	18,307	35,153	54,742	112,817	141,904	13
Male.....	191,862	5	-	5	74	485	3,735	14,273	25,811	35,525	60,849	51,092	8
Female.....	176,643	1	3	3	11	156	1,091	4,034	9,342	19,217	51,968	90,812	5
Non-Hispanic black 2/, both sexes.....	45,435	5	1	2	35	218	1,310	4,718	7,576	9,103	12,096	10,364	7
Male.....	22,608	2	1	-	25	160	862	3,172	4,826	5,101	5,503	2,952	4
Female.....	22,827	3	-	2	10	58	448	1,546	2,750	4,002	6,593	7,412	3
Origin not stated 3/, both sexes.....	906	-	-	-	-	1	11	81	149	173	264	224	3
Male.....	536	-	-	-	-	1	9	64	110	123	156	72	1
Female.....	370	-	-	-	-	-	2	17	39	50	108	152	2
Acute myocardial infarction (I21-I22)													
All origins, both sexes.....	151,004	11	2	7	68	392	2,734	10,070	18,553	26,674	45,449	47,041	3
Male.....	80,079	6	2	3	54	297	2,025	7,563	13,151	16,676	23,540	16,759	3
Female.....	70,925	5	-	4	14	95	709	2,507	5,402	9,998	21,909	30,282	-
Hispanic, both sexes.....	7,529	1	-	2	11	36	175	535	1,028	1,577	2,324	1,840	-
Male.....	4,145	-	-	2	7	25	127	408	707	950	1,216	703	-
Female.....	3,384	1	-	-	4	11	48	127	321	627	1,108	1,137	-
Non-Hispanic 1/, both sexes.....	143,235	10	2	5	57	356	2,558	9,500	17,481	25,052	43,068	45,143	3
Male.....	75,793	6	2	1	47	272	1,897	7,129	12,408	15,700	22,288	16,040	3
Female.....	67,442	4	-	4	10	84	661	2,371	5,073	9,352	20,780	29,103	-
Non-Hispanic white 2/, both sexes.....	124,831	5	-	3	39	244	1,989	7,626	14,459	21,282	38,105	41,077	2
Male.....	66,629	4	-	1	35	190	1,522	5,894	10,504	13,662	20,062	14,753	2
Female.....	58,202	1	-	2	4	54	467	1,732	3,955	7,620	18,043	26,324	-
Non-Hispanic black 2/, both sexes.....	15,359	4	1	2	16	94	497	1,647	2,581	3,139	4,077	3,300	1
Male.....	7,437	2	1	-	12	67	314	1,055	1,591	1,669	1,781	944	1
Female.....	7,922	2	-	2	4	27	183	592	990	1,470	2,296	2,356	-
Origin not stated 3/, both sexes.....	240	-	-	-	-	-	1	35	44	45	57	58	-
Male.....	141	-	-	-	-	-	1	26	36	26	36	16	-
Female.....	99	-	-	-	-	-	-	9	8	19	21	42	-

Worktable Orig250F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 2005

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), Hispanic origin, race for non-Hispanic population, and sex	All ages	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Age not stated
Other acute ischemic heart diseases (I24)													
All origins, both sexes.....	3,565	-	1	1	3	11	82	351	515	606	935	1,060	-
Male.....	1,823	-	-	1	2	7	59	245	371	364	450	324	-
Female.....	1,742	-	1	-	1	4	23	106	144	242	485	736	-
Hispanic, both sexes.....	90	-	-	-	1	2	11	8	19	23	25	25	-
Male.....	46	-	-	-	1	1	2	6	6	9	15	6	-
Female.....	44	-	-	-	-	-	-	5	2	10	8	19	-
Non-Hispanic 1/, both sexes.....	3,461	-	1	1	2	10	80	335	506	583	910	1,033	-
Male.....	1,769	-	-	1	1	6	57	236	364	351	435	318	-
Female.....	1,692	-	1	-	1	4	23	99	142	232	475	715	-
Non-Hispanic white 2/, both sexes.....	2,829	-	1	1	2	6	58	225	375	471	779	911	-
Male.....	1,431	-	-	1	1	3	43	176	273	284	372	278	-
Female.....	1,398	-	1	-	1	3	15	49	102	187	407	633	-
Non-Hispanic black 2/, both sexes.....	551	-	-	-	-	4	19	97	115	98	116	102	-
Male.....	292	-	-	-	-	3	12	54	79	58	56	30	-
Female.....	259	-	-	-	-	1	7	43	36	40	60	72	-
Origin not stated 3/, both sexes.....	14	-	-	-	-	-	-	5	1	4	2	2	-
Male.....	8	-	-	-	-	-	-	3	1	4	-	-	-
Female.....	6	-	-	-	-	-	-	2	-	-	2	2	-
Other forms of chronic ischemic heart disease (I20,I25)													
All origins, both sexes.....	291,118	2	4	6	80	611	4,044	14,889	27,731	42,841	88,051	112,834	25
Male.....	150,213	1	2	5	65	470	3,104	11,425	20,026	27,457	47,362	40,281	15
Female.....	140,905	1	2	1	15	141	940	3,464	7,705	15,384	40,689	72,553	10
Hispanic, both sexes.....	14,155	-	2	2	10	62	326	980	1,709	2,721	4,294	4,045	4
Male.....	7,762	-	2	2	8	54	277	775	1,231	1,696	2,258	1,455	4
Female.....	6,393	-	-	-	2	8	49	205	478	1,025	2,036	2,590	-
Non-Hispanic 1/, both sexes.....	276,311	2	2	4	70	548	3,708	13,868	25,918	39,996	83,552	108,625	18
Male.....	142,064	1	-	3	57	415	2,819	10,615	18,722	25,668	44,984	38,770	10
Female.....	134,247	1	2	1	13	133	889	3,253	7,196	14,328	38,568	69,855	8
Non-Hispanic white 2/, both sexes.....	240,845	1	2	4	44	391	2,779	10,456	20,319	32,989	73,933	99,916	11
Male.....	123,802	1	-	3	38	292	2,170	8,203	15,034	21,579	40,415	36,061	6
Female.....	117,043	-	2	1	6	99	609	2,253	5,285	11,410	33,518	63,855	5
Non-Hispanic black 2/, both sexes.....	29,525	1	-	-	19	120	794	2,974	4,880	5,866	7,903	6,962	6
Male.....	14,879	-	-	-	13	90	536	2,063	3,156	3,374	3,666	1,978	3
Female.....	14,646	1	-	-	6	30	258	911	1,724	2,492	4,237	4,984	3
Origin not stated 3/, both sexes.....	652	-	-	-	-	1	10	41	104	124	205	164	3
Male.....	387	-	-	-	-	1	8	35	73	93	120	56	1
Female.....	265	-	-	-	-	-	2	6	31	31	85	108	2

Worktable Orig250F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 2005

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), Hispanic origin, race for non-Hispanic population, and sex	All ages	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Age not stated
Atherosclerotic cardiovascular disease, so described (I25.0)													
All origins, both sexes.....	62,799	1	-	-	16	182	1,420	5,884	9,565	10,246	16,286	19,182	17
Male.....	34,453	-	-	-	15	146	1,120	4,643	7,160	6,709	8,384	6,266	10
Female.....	28,346	1	-	-	1	36	300	1,241	2,405	3,537	7,902	12,916	7
Hispanic, both sexes.....	3,491	-	-	-	4	18	111	464	691	729	830	642	2
Male.....	2,246	-	-	-	3	16	93	385	543	489	467	248	2
Female.....	1,245	-	-	-	1	2	18	79	148	240	363	394	-
Non-Hispanic 1/, both sexes.....	59,053	1	-	-	12	163	1,306	5,401	8,815	9,450	15,386	18,507	12
Male.....	32,029	-	-	-	12	129	1,024	4,241	6,570	6,167	7,876	6,003	7
Female.....	27,024	1	-	-	-	34	282	1,160	2,245	3,283	7,510	12,504	5
Non-Hispanic white 2/, both sexes.....	48,146	-	-	-	10	106	961	3,948	6,498	7,273	12,868	16,475	7
Male.....	25,849	-	-	-	10	81	782	3,191	4,948	4,791	6,621	5,422	3
Female.....	22,297	-	-	-	-	25	179	757	1,550	2,482	6,247	11,053	4
Non-Hispanic black 2/, both sexes.....	9,442	1	-	-	1	41	296	1,278	2,036	1,893	2,152	1,740	4
Male.....	5,281	-	-	-	1	33	202	901	1,404	1,203	1,059	475	3
Female.....	4,161	1	-	-	-	8	94	377	632	690	1,093	1,265	1
Origin not stated 3/, both sexes.....	255	-	-	-	-	1	3	19	59	67	70	33	3
Male.....	178	-	-	-	-	1	3	17	47	53	41	15	1
Female.....	77	-	-	-	-	-	-	2	12	14	29	18	2
All other forms of chronic ischemic heart disease (I20,I25.1-I25.9)													
All origins, both sexes.....	228,319	1	4	6	64	429	2,624	9,005	18,166	32,595	71,765	93,652	8
Male.....	115,760	1	2	5	50	324	1,984	6,782	12,866	20,748	38,978	34,015	5
Female.....	112,559	-	2	1	14	105	640	2,223	5,300	11,847	32,787	59,637	3
Hispanic, both sexes.....	10,664	-	2	2	6	44	215	516	1,018	1,992	3,464	3,403	2
Male.....	5,516	-	2	2	5	38	184	390	688	1,207	1,791	1,207	2
Female.....	5,148	-	-	-	1	6	31	126	330	785	1,673	2,196	-
Non-Hispanic 1/, both sexes.....	217,258	1	2	4	58	385	2,402	8,467	17,103	30,546	68,166	90,118	6
Male.....	110,035	1	-	3	45	286	1,795	6,374	12,152	19,501	37,108	32,767	3
Female.....	107,223	-	2	1	13	99	607	2,093	4,951	11,045	31,058	57,351	3
Non-Hispanic white 2/, both sexes.....	192,699	1	2	4	34	285	1,818	6,508	13,821	25,716	61,065	83,441	4
Male.....	97,953	1	-	3	28	211	1,388	5,012	10,086	16,788	33,794	30,639	3
Female.....	94,746	-	2	1	6	74	430	1,496	3,735	8,928	27,271	52,802	1
Non-Hispanic black 2/, both sexes.....	20,083	-	-	-	18	79	498	1,696	2,844	3,973	5,751	5,222	2
Male.....	9,598	-	-	-	12	57	334	1,162	1,752	2,171	2,607	1,503	-
Female.....	10,485	-	-	-	6	22	164	534	1,092	1,802	3,144	3,719	2
Origin not stated 3/, both sexes.....	397	-	-	-	-	-	7	22	45	57	135	131	-
Male.....	209	-	-	-	-	-	5	18	26	40	79	41	-
Female.....	188	-	-	-	-	-	2	4	19	17	56	90	-

Worktable Orig250F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 2005

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), Hispanic origin, race for non-Hispanic population, and sex	All ages	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Age not stated
Diseases of pericardium and acute myocarditis (I30-I31,I40)													
All origins, both sexes.....	864	21	17	30	34	53	84	132	110	132	155	96	-
Male.....	439	9	10	9	21	31	46	77	57	71	78	30	-
Female.....	425	12	7	21	13	22	38	55	53	61	77	66	-
Hispanic, both sexes.....	74	4	1	4	6	11	10	15	5	10	5	3	-
Male.....	40	1	1	1	3	8	5	10	2	7	2	-	-
Female.....	34	3	-	3	3	3	5	5	3	3	3	3	-
Non-Hispanic 1/, both sexes.....	789	17	16	26	28	42	74	117	105	122	149	93	-
Male.....	399	8	9	8	18	23	41	67	55	64	76	30	-
Female.....	390	9	7	18	10	19	33	50	50	58	73	63	-
Non-Hispanic white 2/, both sexes.....	591	5	3	12	20	23	51	88	77	104	125	83	-
Male.....	306	2	3	5	15	12	28	53	40	56	64	28	-
Female.....	285	3	-	7	5	11	23	35	37	48	61	55	-
Non-Hispanic black 2/, both sexes.....	161	10	11	9	5	14	17	27	25	14	21	8	-
Male.....	72	5	5	1	3	9	7	13	12	5	11	1	-
Female.....	89	5	6	8	2	5	10	14	13	9	10	7	-
Origin not stated 3/, both sexes.....	1	-	-	-	-	-	-	-	-	-	1	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	-	-	1	-	-
Heart failure (I50)													
All origins, both sexes.....	58,933	27	6	11	42	94	316	1,087	2,610	5,888	17,331	31,521	-
Male.....	23,026	14	4	5	27	61	207	653	1,509	3,069	7,804	9,673	-
Female.....	35,907	13	2	6	15	33	109	434	1,101	2,819	9,527	21,848	-
Hispanic, both sexes.....	1,721	5	1	-	3	6	16	49	106	244	551	740	-
Male.....	735	3	1	-	2	5	12	30	48	127	270	237	-
Female.....	986	2	-	-	1	1	4	19	58	117	281	503	-
Non-Hispanic 1/, both sexes.....	57,140	22	5	11	39	88	299	1,033	2,499	5,635	16,756	30,753	-
Male.....	22,255	11	3	5	25	56	194	618	1,457	2,936	7,522	9,428	-
Female.....	34,885	11	2	6	14	32	105	415	1,042	2,699	9,234	21,325	-
Non-Hispanic white 2/, both sexes.....	50,835	11	2	4	22	42	161	640	1,835	4,601	14,914	28,603	-
Male.....	19,666	5	2	1	16	28	98	391	1,083	2,415	6,774	8,853	-
Female.....	31,169	6	-	3	6	14	63	249	752	2,186	8,140	19,750	-
Non-Hispanic black 2/, both sexes.....	5,570	7	3	6	16	45	131	366	616	941	1,616	1,823	-
Male.....	2,261	4	1	3	9	28	90	212	344	465	652	453	-
Female.....	3,309	3	2	3	7	17	41	154	272	476	964	1,370	-
Origin not stated 3/, both sexes.....	72	-	-	-	-	-	1	5	5	9	24	28	-
Male.....	36	-	-	-	-	-	1	5	4	6	12	8	-
Female.....	36	-	-	-	-	-	-	-	1	3	12	20	-

Worktable Orig250F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 2005

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), Hispanic origin, race for non-Hispanic population, and sex	All ages	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Age not stated
All other forms of heart disease (I26-I28,I34-I38,I42-I49,I51)													
All origins, both sexes.....	109,579	290	120	187	834	1,672	3,817	7,728	10,943	15,509	30,052	38,421	6
Male.....	50,934	162	63	104	561	1,064	2,391	4,926	6,724	8,723	13,899	12,313	4
Female.....	58,645	128	57	83	273	608	1,426	2,802	4,219	6,786	16,153	26,108	2
Hispanic, both sexes.....	4,062	60	19	24	99	192	288	392	459	664	966	898	1
Male.....	2,199	33	13	14	64	144	207	274	299	368	460	322	1
Female.....	1,863	27	6	10	35	48	81	118	160	296	506	576	-
Non-Hispanic 1/, both sexes.....	105,333	230	101	163	735	1,475	3,518	7,309	10,451	14,815	29,046	37,485	5
Male.....	48,631	129	50	90	497	917	2,176	4,636	6,400	8,333	13,418	11,982	3
Female.....	56,702	101	51	73	238	558	1,342	2,673	4,051	6,482	15,628	25,503	2
Non-Hispanic white 2/, both sexes.....	89,226	136	61	98	460	864	2,346	5,098	7,882	12,005	25,733	34,539	4
Male.....	40,668	74	33	57	307	554	1,503	3,339	4,919	6,808	12,011	11,060	3
Female.....	48,558	62	28	41	153	310	843	1,759	2,963	5,197	13,722	23,479	1
Non-Hispanic black 2/, both sexes.....	13,981	80	30	56	247	554	1,073	2,024	2,276	2,443	2,818	2,379	1
Male.....	6,903	49	12	31	171	328	613	1,187	1,306	1,318	1,181	707	-
Female.....	7,078	31	18	25	76	226	460	837	970	1,125	1,637	1,672	1
Origin not stated 3/, both sexes.....	184	-	-	-	-	5	11	27	33	30	40	38	-
Male.....	104	-	-	-	-	3	8	16	25	22	21	9	-
Female.....	80	-	-	-	-	2	3	11	8	8	19	29	-
Essential (primary) hypertension and hypertensive renal disease (I10,I12)													
All origins, both sexes.....	24,902	2	-	3	22	84	406	1,166	1,954	3,306	7,256	10,703	-
Male.....	9,458	1	-	1	12	45	243	733	1,151	1,639	2,917	2,716	-
Female.....	15,444	1	-	2	10	39	163	433	803	1,667	4,339	7,987	-
Hispanic, both sexes.....	1,314	1	-	2	3	11	37	82	150	246	386	396	-
Male.....	547	1	-	1	3	4	27	46	69	121	162	113	-
Female.....	767	-	-	1	7	7	10	36	81	125	224	283	-
Non-Hispanic 1/, both sexes.....	23,543	1	-	1	18	73	369	1,081	1,792	3,051	6,857	10,300	-
Male.....	8,890	-	-	-	9	41	216	685	1,074	1,511	2,753	2,601	-
Female.....	14,653	1	-	1	9	32	153	396	718	1,540	4,104	7,699	-
Non-Hispanic white 2/, both sexes.....	17,949	-	-	1	6	19	160	523	1,059	1,978	5,415	8,788	-
Male.....	6,474	-	-	-	4	11	104	353	658	980	2,163	2,201	-
Female.....	11,475	-	-	1	2	8	56	170	401	998	3,252	6,587	-
Non-Hispanic black 2/, both sexes.....	4,906	1	-	-	11	51	194	527	684	948	1,226	1,264	-
Male.....	2,108	-	-	-	5	28	103	307	395	465	496	309	-
Female.....	2,798	1	-	-	6	23	91	220	289	483	730	955	-
Origin not stated 3/, both sexes.....	45	-	-	-	1	-	-	3	12	9	13	7	-
Male.....	21	-	-	-	-	-	-	2	8	7	2	2	-
Female.....	24	-	-	-	1	-	-	1	4	2	11	5	-

Worktable Orig250F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 2005

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), Hispanic origin, race for non-Hispanic population, and sex	All ages	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Age not stated
Cerebrovascular diseases (I60-I69)													
All origins, both sexes.....	143,579	126	62	95	196	546	2,260	6,381	10,028	18,839	46,859	58,183	4
Male.....	56,586	73	41	55	94	301	1,148	3,446	5,636	9,688	19,688	16,412	4
Female.....	86,993	53	21	40	102	245	1,112	2,935	4,392	9,151	27,171	41,771	-
Hispanic, both sexes.....	6,830	24	15	19	44	82	296	639	795	1,181	2,009	1,726	-
Male.....	3,188	14	8	9	25	50	177	384	458	627	880	556	-
Female.....	3,642	10	7	10	19	32	119	255	337	554	1,129	1,170	-
Non-Hispanic 1/, both sexes.....	136,548	102	47	75	152	464	1,960	5,732	9,222	17,620	44,778	56,392	4
Male.....	53,319	59	33	45	69	251	970	3,057	5,172	9,044	18,773	15,842	4
Female.....	83,229	43	14	30	83	213	990	2,675	4,050	8,576	26,005	40,550	-
Non-Hispanic white 2/, both sexes.....	115,074	56	30	45	92	274	1,158	3,461	6,351	13,674	38,830	51,103	-
Male.....	44,038	33	20	26	40	147	581	1,868	3,534	7,032	16,379	14,378	-
Female.....	71,036	23	10	19	52	127	577	1,593	2,817	6,642	22,451	36,725	-
Non-Hispanic black 2/, both sexes.....	17,378	39	14	23	51	163	683	1,986	2,420	3,194	4,691	4,110	4
Male.....	7,448	22	10	14	24	89	329	1,039	1,411	1,636	1,821	1,049	4
Female.....	9,930	17	4	9	27	74	354	947	1,009	1,558	2,870	3,061	-
Origin not stated 3/, both sexes.....	201	-	-	1	-	-	4	10	11	38	72	65	-
Male.....	79	-	-	1	-	-	1	5	6	17	35	14	-
Female.....	122	-	-	-	-	-	3	5	5	21	37	51	-
Atherosclerosis (I70)													
All origins, both sexes.....	11,841	-	1	-	2	6	31	193	440	1,008	3,387	6,773	-
Male.....	4,472	-	1	-	1	3	20	134	269	560	1,532	1,952	-
Female.....	7,369	-	-	-	1	3	11	59	171	448	1,855	4,821	-
Hispanic, both sexes.....	397	-	-	-	1	-	-	8	22	51	129	186	-
Male.....	175	-	-	-	-	-	-	3	13	31	61	67	-
Female.....	222	-	-	-	1	-	-	5	9	20	68	119	-
Non-Hispanic 1/, both sexes.....	11,431	-	1	-	1	6	31	185	417	957	3,255	6,578	-
Male.....	4,295	-	1	-	1	3	20	131	256	529	1,469	1,885	-
Female.....	7,136	-	-	-	-	3	11	54	161	428	1,786	4,693	-
Non-Hispanic white 2/, both sexes.....	10,443	-	-	-	-	5	26	140	345	806	2,959	6,162	-
Male.....	3,920	-	-	-	-	2	17	104	213	449	1,348	1,787	-
Female.....	6,523	-	-	-	-	3	9	36	132	357	1,611	4,375	-
Non-Hispanic black 2/, both sexes.....	840	-	1	-	1	1	5	38	62	130	237	365	-
Male.....	310	-	1	-	1	1	3	21	37	70	95	81	-
Female.....	530	-	-	-	-	-	2	17	25	60	142	284	-
Origin not stated 3/, both sexes.....	13	-	-	-	-	-	-	-	1	-	3	9	-
Male.....	2	-	-	-	-	-	-	-	-	-	2	-	-
Female.....	11	-	-	-	-	-	-	-	1	-	1	9	-

Worktable Orig250F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 2005

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), Hispanic origin, race for non-Hispanic population, and sex	All ages	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Age not stated
Other diseases of circulatory system (I71-I78)													
All origins, both sexes.....	23,617	17	3	17	52	156	467	1,085	2,266	4,484	8,167	6,903	-
Male.....	12,423	11	3	13	37	102	322	749	1,533	2,796	4,320	2,537	-
Female.....	11,194	6	-	4	15	54	145	336	733	1,688	3,847	4,366	-
Hispanic, both sexes.....	914	2	2	4	13	18	49	75	97	176	304	174	-
Male.....	558	1	2	3	8	14	33	55	74	111	172	85	-
Female.....	356	1	-	1	5	4	16	20	23	65	132	89	-
Non-Hispanic 1/, both sexes.....	22,661	15	1	13	39	138	417	1,008	2,163	4,302	7,846	6,719	-
Male.....	11,832	10	1	10	29	88	288	693	1,453	2,679	4,134	2,447	-
Female.....	10,829	5	-	3	10	50	129	315	710	1,623	3,712	4,272	-
Non-Hispanic white 2/, both sexes.....	19,572	9	1	10	31	84	266	694	1,750	3,688	6,982	6,057	-
Male.....	10,261	5	1	8	21	52	174	481	1,200	2,346	3,722	2,251	-
Female.....	9,311	4	-	2	10	32	92	213	550	1,342	3,260	3,806	-
Non-Hispanic black 2/, both sexes.....	2,574	4	-	3	7	46	130	271	364	514	695	540	-
Male.....	1,264	3	-	2	7	28	96	182	224	265	318	139	-
Female.....	1,310	1	-	1	-	18	34	89	140	249	377	401	-
Origin not stated 3/, both sexes.....	42	-	-	-	-	-	1	2	6	6	17	10	-
Male.....	33	-	-	-	-	-	1	1	6	6	14	5	-
Female.....	9	-	-	-	-	-	-	1	-	-	3	5	-
Aortic aneurysm and dissection (I71)													
All origins, both sexes.....	13,843	1	-	4	34	114	329	758	1,456	2,870	4,971	3,306	-
Male.....	8,168	1	-	4	26	83	265	577	1,063	1,911	2,778	1,460	-
Female.....	5,675	-	-	-	8	31	64	181	393	959	2,193	1,846	-
Hispanic, both sexes.....	477	1	-	-	9	14	33	48	63	96	145	68	-
Male.....	328	1	-	-	6	11	26	40	54	63	92	35	-
Female.....	149	-	-	-	3	3	7	8	9	33	53	33	-
Non-Hispanic 1/, both sexes.....	13,344	-	-	4	25	100	295	708	1,389	2,770	4,820	3,233	-
Male.....	7,822	-	-	4	20	72	238	536	1,005	1,844	2,681	1,422	-
Female.....	5,522	-	-	-	5	28	57	172	384	926	2,139	1,811	-
Non-Hispanic white 2/, both sexes.....	11,684	-	-	3	22	63	179	473	1,148	2,443	4,390	2,963	-
Male.....	6,877	-	-	3	17	43	141	370	849	1,659	2,472	1,323	-
Female.....	4,807	-	-	-	5	20	38	103	299	784	1,918	1,640	-
Non-Hispanic black 2/, both sexes.....	1,288	-	-	1	3	29	98	201	207	254	307	188	-
Male.....	707	-	-	1	3	21	81	140	134	132	140	55	-
Female.....	581	-	-	-	-	8	17	61	73	122	167	133	-
Origin not stated 3/, both sexes.....	22	-	-	-	-	-	1	2	4	4	6	5	-
Male.....	18	-	-	-	-	-	1	1	4	4	5	3	-
Female.....	4	-	-	-	-	-	-	1	-	-	1	2	-

Worktable Orig250F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 2005

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), Hispanic origin, race for non-Hispanic population, and sex	All ages	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Age not stated
Other diseases of arteries, arterioles and capillaries (I72-I78)													
All origins, both sexes.....	9,774	16	3	13	18	42	138	327	810	1,614	3,196	3,597	-
Male.....	4,255	10	3	9	11	19	57	172	470	885	1,542	1,077	-
Female.....	5,519	6	-	4	7	23	81	155	340	729	1,654	2,520	-
Hispanic, both sexes.....	437	1	2	4	4	4	16	27	34	80	159	106	-
Male.....	230	-	2	3	2	3	7	15	20	48	80	50	-
Female.....	207	1	-	1	2	1	9	12	14	32	79	56	-
Non-Hispanic 1/, both sexes.....	9,317	15	1	9	14	38	122	300	774	1,532	3,026	3,486	-
Male.....	4,010	10	1	6	9	16	50	157	448	835	1,453	1,025	-
Female.....	5,307	5	-	3	5	22	72	143	326	697	1,573	2,461	-
Non-Hispanic white 2/, both sexes.....	7,888	9	1	7	9	21	87	221	602	1,245	2,592	3,094	-
Male.....	3,384	5	1	5	4	9	33	111	351	687	1,250	928	-
Female.....	4,504	4	-	2	5	12	54	110	251	558	1,342	2,166	-
Non-Hispanic black 2/, both sexes.....	1,286	4	-	2	4	17	32	70	157	260	388	352	-
Male.....	557	3	-	1	4	7	15	42	90	133	178	84	-
Female.....	729	1	-	1	-	10	17	28	67	127	210	268	-
Origin not stated 3/, both sexes.....	20	-	-	-	-	-	-	-	2	2	11	5	-
Male.....	15	-	-	-	-	-	-	-	2	2	9	2	-
Female.....	5	-	-	-	-	-	-	-	-	-	2	3	-
Other disorders of circulatory system (I80-I99)													
All origins, both sexes.....	4,813	26	6	5	36	132	332	620	641	713	1,128	1,174	-
Male.....	2,156	13	3	3	15	62	164	382	381	379	446	308	-
Female.....	2,657	13	3	2	21	70	168	238	260	334	682	866	-
Hispanic, both sexes.....	281	2	2	1	3	16	38	43	36	46	59	35	-
Male.....	126	-	2	1	-	8	17	25	23	23	13	14	-
Female.....	155	2	-	-	3	8	21	18	13	23	46	21	-
Non-Hispanic 1/, both sexes.....	4,520	24	4	4	33	116	293	575	601	666	1,066	1,138	-
Male.....	2,024	13	1	2	15	54	147	356	354	356	432	294	-
Female.....	2,496	11	3	2	18	62	146	219	247	310	634	844	-
Non-Hispanic white 2/, both sexes.....	3,659	19	1	4	18	71	185	415	455	539	910	1,042	-
Male.....	1,603	11	-	2	8	33	97	262	271	284	370	265	-
Female.....	2,056	8	1	2	10	38	88	153	184	255	540	777	-
Non-Hispanic black 2/, both sexes.....	785	4	2	-	15	42	98	149	136	112	138	89	-
Male.....	380	2	-	-	7	18	44	87	76	64	57	25	-
Female.....	405	2	2	-	8	24	54	62	60	48	81	64	-
Origin not stated 3/, both sexes.....	12	-	-	-	-	-	1	2	4	1	3	1	-
Male.....	6	-	-	-	-	-	-	1	4	-	1	-	-
Female.....	6	-	-	-	-	-	1	1	-	1	2	1	-

Worktable Orig250F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 2005

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), Hispanic origin, race for non-Hispanic population, and sex	All ages	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Age not stated
Influenza and pneumonia (J10-J18)													
All origins, both sexes.....	63,001	265	110	106	172	354	934	2,183	3,422	6,623	18,563	30,267	2
Male.....	28,052	148	56	53	117	196	540	1,299	1,988	3,648	9,203	10,802	2
Female.....	34,949	117	54	53	55	158	394	884	1,434	2,975	9,360	19,465	-
Hispanic, both sexes.....	3,085	66	32	9	11	40	93	172	247	455	892	1,068	-
Male.....	1,506	37	15	7	8	26	59	110	147	250	448	399	-
Female.....	1,579	29	17	2	3	14	34	62	100	205	444	669	-
Non-Hispanic 1/, both sexes.....	59,804	197	78	96	160	313	838	2,003	3,167	6,151	17,633	29,167	1
Male.....	26,482	109	41	46	108	169	479	1,184	1,834	3,385	8,733	10,393	1
Female.....	33,322	88	37	50	52	144	359	819	1,333	2,766	8,900	18,774	-
Non-Hispanic white 2/, both sexes.....	52,431	94	46	67	123	224	593	1,449	2,457	5,022	15,638	26,717	1
Male.....	22,903	60	23	29	82	117	334	847	1,399	2,753	7,767	9,491	1
Female.....	29,528	34	23	38	41	107	259	602	1,058	2,269	7,871	17,226	-
Non-Hispanic black 2/, both sexes.....	5,716	95	28	22	31	77	214	494	603	914	1,497	1,741	-
Male.....	2,697	45	16	13	23	44	127	299	372	510	683	565	-
Female.....	3,019	50	12	9	8	33	87	195	231	404	814	1,176	-
Origin not stated 3/, both sexes.....	112	2	-	1	1	1	3	8	8	17	38	32	1
Male.....	64	2	-	-	1	1	2	5	7	13	22	10	1
Female.....	48	-	-	1	-	-	1	3	1	4	16	22	-
Influenza (J10-J11)													
All origins, both sexes.....	1,812	19	19	20	12	11	19	45	66	137	482	982	-
Male.....	657	9	10	10	6	3	11	26	37	61	192	292	-
Female.....	1,155	10	9	10	6	8	8	19	29	76	290	690	-
Hispanic, both sexes.....	55	8	6	3	-	2	-	5	2	4	10	15	-
Male.....	26	5	2	2	-	1	-	4	1	2	2	7	-
Female.....	29	3	4	1	-	1	-	1	1	2	8	8	-
Non-Hispanic 1/, both sexes.....	1,752	11	13	17	12	9	19	40	63	133	472	963	-
Male.....	631	4	8	8	6	2	11	22	36	59	190	285	-
Female.....	1,121	7	5	9	6	7	8	18	27	74	282	678	-
Non-Hispanic white 2/, both sexes.....	1,654	6	10	10	10	8	13	30	57	124	450	936	-
Male.....	585	4	7	5	4	2	8	15	31	56	181	272	-
Female.....	1,069	2	3	5	6	6	5	15	26	68	269	664	-
Non-Hispanic black 2/, both sexes.....	67	5	2	5	1	1	6	7	6	5	14	15	-
Male.....	31	-	1	3	1	-	3	5	5	2	3	8	-
Female.....	36	5	1	2	-	1	3	2	1	3	11	7	-
Origin not stated 3/, both sexes.....	5	-	-	-	-	-	-	-	1	-	-	4	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	5	-	-	-	-	-	-	-	1	-	-	4	-

Worktable Orig250F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 2005

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), Hispanic origin, race for non-Hispanic population, and sex	All ages	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Age not stated
Emphysema (J43)													
All origins, both sexes.....	14,002	2	1	-	-	8	77	444	1,677	3,749	5,400	2,643	1
Male.....	7,264	-	1	-	-	5	54	277	973	2,039	2,767	1,147	1
Female.....	6,738	2	-	-	-	3	23	167	704	1,710	2,633	1,496	-
Hispanic, both sexes.....	301	1	-	-	-	2	4	12	30	72	121	58	1
Male.....	181	-	-	-	-	2	3	5	20	51	68	31	1
Female.....	120	1	-	-	-	-	1	7	10	21	53	27	-
Non-Hispanic 1/, both sexes.....	13,678	1	1	-	-	6	72	430	1,645	3,671	5,271	2,581	-
Male.....	7,067	-	1	-	-	3	50	271	951	1,983	2,695	1,113	-
Female.....	6,611	1	-	-	-	3	22	159	694	1,688	2,576	1,468	-
Non-Hispanic white 2/, both sexes.....	12,675	-	1	-	-	4	53	353	1,492	3,404	4,930	2,438	-
Male.....	6,430	-	1	-	-	2	35	219	842	1,814	2,484	1,033	-
Female.....	6,245	-	-	-	-	2	18	134	650	1,590	2,446	1,405	-
Non-Hispanic black 2/, both sexes.....	810	1	-	-	-	2	17	69	137	221	263	100	-
Male.....	505	-	-	-	-	1	13	47	99	139	153	53	-
Female.....	305	1	-	-	-	1	4	22	38	82	110	47	-
Origin not stated 3/, both sexes.....	23	-	-	-	-	-	1	2	2	6	8	4	-
Male.....	16	-	-	-	-	-	1	1	2	5	4	3	-
Female.....	7	-	-	-	-	-	-	1	-	1	4	1	-
Asthma (J45-J46)													
All origins, both sexes.....	3,884	4	37	97	131	207	369	595	520	475	709	740	-
Male.....	1,315	1	25	61	83	101	151	215	170	150	218	140	-
Female.....	2,569	3	12	36	48	106	218	380	350	325	491	600	-
Hispanic, both sexes.....	248	2	3	14	7	17	30	33	37	38	35	32	-
Male.....	106	1	2	9	6	9	18	14	11	13	11	12	-
Female.....	142	1	1	5	1	8	12	19	26	25	24	20	-
Non-Hispanic 1/, both sexes.....	3,626	2	34	82	124	190	338	561	481	435	672	707	-
Male.....	1,205	-	23	51	77	92	133	200	159	136	206	128	-
Female.....	2,421	2	11	31	47	98	205	361	322	299	466	579	-
Non-Hispanic white 2/, both sexes.....	2,475	-	7	26	52	101	196	329	307	286	539	632	-
Male.....	743	-	3	15	32	45	73	120	100	87	156	112	-
Female.....	1,732	-	4	11	20	56	123	209	207	199	383	520	-
Non-Hispanic black 2/, both sexes.....	1,002	2	27	50	70	84	131	210	162	124	98	44	-
Male.....	403	-	20	33	44	44	56	68	54	38	38	8	-
Female.....	599	2	7	17	26	40	75	142	108	86	60	36	-
Origin not stated 3/, both sexes.....	10	-	-	1	-	-	1	1	2	2	2	1	-
Male.....	4	-	-	-	-	-	-	1	-	1	1	-	-
Female.....	6	-	-	-	-	-	1	-	2	1	1	1	-

Worktable Orig250F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 2005

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), Hispanic origin, race for non-Hispanic population, and sex	All ages	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Age not stated
Pneumonitis due to solids and liquids (J69)													
All origins, both sexes.....	17,279	17	8	13	43	66	172	476	833	1,741	5,558	8,352	-
Male.....	8,760	10	3	8	23	43	88	280	506	1,065	3,057	3,677	-
Female.....	8,519	7	5	5	20	23	84	196	327	676	2,501	4,675	-
Hispanic, both sexes.....	591	3	2	3	1	8	8	28	34	70	177	257	-
Male.....	317	2	1	2	1	7	4	19	25	36	96	124	-
Female.....	274	1	1	1	-	1	4	9	9	34	81	133	-
Non-Hispanic 1/, both sexes.....	16,660	14	6	10	41	58	164	447	797	1,666	5,370	8,087	-
Male.....	8,423	8	2	6	21	36	84	260	480	1,024	2,955	3,547	-
Female.....	8,237	6	4	4	20	22	80	187	317	642	2,415	4,540	-
Non-Hispanic white 2/, both sexes.....	14,739	10	1	6	31	45	135	354	646	1,391	4,750	7,370	-
Male.....	7,430	6	-	5	16	25	71	201	387	853	2,611	3,255	-
Female.....	7,309	4	1	1	15	20	64	153	259	538	2,139	4,115	-
Non-Hispanic black 2/, both sexes.....	1,606	3	5	3	9	12	26	86	136	232	525	569	-
Male.....	819	2	2	1	4	11	12	56	83	143	289	216	-
Female.....	787	1	3	2	5	1	14	30	53	89	236	353	-
Origin not stated 3/, both sexes.....	28	-	-	-	1	-	-	-	1	2	5	11	8
Male.....	20	-	-	-	1	-	-	-	1	1	5	6	-
Female.....	8	-	-	-	-	-	-	-	1	-	5	2	-
Other diseases of respiratory system (J00-J06,J30-J39,J67,J70-J98)													
All origins, both sexes.....	27,056	303	94	61	110	181	474	1,360	2,676	5,373	9,466	6,955	3
Male.....	13,168	187	57	33	60	91	226	737	1,486	2,974	4,787	2,529	1
Female.....	13,888	116	37	28	50	90	248	623	1,190	2,399	4,679	4,426	2
Hispanic, both sexes.....	1,591	54	16	9	20	32	47	111	209	356	494	243	-
Male.....	779	30	5	5	11	20	23	64	112	172	245	92	-
Female.....	812	24	11	4	9	12	24	47	97	184	249	151	-
Non-Hispanic 1/, both sexes.....	25,434	248	78	52	90	147	427	1,248	2,463	5,010	8,959	6,709	3
Male.....	12,369	156	52	28	49	70	203	672	1,370	2,799	4,533	2,436	1
Female.....	13,065	92	26	24	41	77	224	576	1,093	2,211	4,426	4,273	2
Non-Hispanic white 2/, both sexes.....	22,272	140	50	41	57	92	298	889	2,003	4,349	8,166	6,185	2
Male.....	10,794	86	33	21	32	46	149	487	1,111	2,477	4,131	2,220	1
Female.....	11,478	54	17	20	25	46	149	402	892	1,872	4,035	3,965	1
Non-Hispanic black 2/, both sexes.....	2,459	99	23	10	28	49	120	311	366	508	563	381	1
Male.....	1,195	66	15	6	15	21	52	156	204	246	273	141	-
Female.....	1,264	33	8	4	13	28	68	155	162	262	290	240	1
Origin not stated 3/, both sexes.....	31	1	-	-	-	2	-	1	4	7	13	3	-
Male.....	20	1	-	-	-	1	-	1	4	3	9	1	-
Female.....	11	-	-	-	-	1	-	-	-	4	4	2	-

Worktable Orig250F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 2005

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), Hispanic origin, race for non-Hispanic population, and sex	All ages	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Age not stated
Hernia (K40-K46)													
All origins, both sexes.....	1,639	43	4	2	2	5	39	83	181	210	454	616	-
Male.....	646	28	1	1	-	1	15	45	91	86	175	203	-
Female.....	993	15	3	1	2	4	24	38	90	124	279	413	-
Hispanic, both sexes.....	86	9	1	-	1	-	6	3	9	13	18	26	-
Male.....	28	3	-	-	-	-	2	1	5	5	4	8	-
Female.....	58	6	1	-	1	-	4	2	4	8	14	18	-
Non-Hispanic 1/, both sexes.....	1,553	34	3	2	1	5	33	80	172	197	436	590	-
Male.....	618	25	1	1	-	1	13	44	86	81	171	195	-
Female.....	935	9	2	1	1	4	20	36	86	116	265	395	-
Non-Hispanic white 2/, both sexes.....	1,372	26	3	1	-	4	23	62	140	169	398	546	-
Male.....	540	19	1	-	-	1	10	37	71	71	153	177	-
Female.....	832	7	2	1	-	3	13	25	69	98	245	369	-
Non-Hispanic black 2/, both sexes.....	151	5	-	1	1	1	8	16	28	25	32	34	-
Male.....	66	4	-	1	-	-	3	7	12	10	16	13	-
Female.....	85	1	-	-	1	1	5	9	16	15	16	21	-
Origin not stated 3/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Chronic liver disease and cirrhosis (K70,K73-K74)													
All origins, both sexes.....	27,530	10	1	2	23	311	2,688	7,517	7,126	5,066	3,781	1,002	3
Male.....	17,937	6	1	1	13	196	1,786	5,423	5,094	3,052	1,920	442	3
Female.....	9,593	4	-	1	10	115	902	2,094	2,032	2,014	1,861	560	-
Hispanic, both sexes.....	3,555	4	1	-	3	78	467	1,003	877	645	394	81	2
Male.....	2,561	3	1	-	3	62	369	814	664	408	206	29	2
Female.....	994	1	-	-	-	16	98	189	213	237	188	52	-
Non-Hispanic 1/, both sexes.....	23,882	6	-	2	20	232	2,207	6,480	6,226	4,408	3,379	921	1
Male.....	15,302	3	-	1	10	134	1,406	4,579	4,411	2,633	1,711	413	1
Female.....	8,580	3	-	1	10	98	801	1,901	1,815	1,775	1,668	508	-
Non-Hispanic white 2/, both sexes.....	20,428	4	-	2	12	156	1,814	5,323	5,258	3,929	3,079	851	-
Male.....	13,088	2	-	1	4	92	1,167	3,799	3,738	2,348	1,552	385	-
Female.....	7,340	2	-	1	8	64	647	1,524	1,520	1,581	1,527	466	-
Non-Hispanic black 2/, both sexes.....	2,495	2	-	4	33	234	884	751	352	190	44	44	1
Male.....	1,634	1	-	-	4	14	141	599	528	225	105	16	1
Female.....	861	1	-	-	19	93	285	223	127	85	28	28	-
Origin not stated 3/, both sexes.....	93	-	-	-	-	1	14	34	23	13	8	-	-
Male.....	74	-	-	-	-	-	11	30	19	11	3	-	-
Female.....	19	-	-	-	-	1	3	4	4	2	5	-	-

Worktable Orig250F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 2005

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), Hispanic origin, race for non-Hispanic population, and sex	All ages	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Age not stated
Alcoholic liver disease (K70)													
All origins, both sexes.....	12,928	-	-	-	7	217	1,806	4,490	3,721	1,844	747	94	2
Male.....	9,425	-	-	-	6	147	1,189	3,274	2,850	1,352	537	68	2
Female.....	3,503	-	-	-	1	70	617	1,216	871	492	210	26	-
Hispanic, both sexes.....	1,805	-	-	-	1	61	316	615	450	267	83	10	2
Male.....	1,508	-	-	-	1	50	255	514	380	225	71	10	2
Female.....	297	-	-	-	-	11	61	101	70	42	12	-	-
Non-Hispanic 1/, both sexes.....	11,067	-	-	-	6	156	1,480	3,853	3,257	1,567	664	84	-
Male.....	7,870	-	-	-	5	97	927	2,742	2,457	1,118	466	58	-
Female.....	3,197	-	-	-	1	59	553	1,111	800	449	198	26	-
Non-Hispanic white 2/, both sexes.....	9,372	-	-	-	3	105	1,204	3,229	2,785	1,368	600	78	-
Male.....	6,714	-	-	-	2	67	768	2,307	2,119	977	420	54	-
Female.....	2,658	-	-	-	1	38	436	922	666	391	180	24	-
Non-Hispanic black 2/, both sexes.....	1,154	-	-	-	2	15	149	445	342	151	45	5	-
Male.....	790	-	-	-	2	6	82	309	246	110	32	3	-
Female.....	364	-	-	-	-	9	67	136	96	41	13	2	-
Origin not stated 3/, both sexes.....	56	-	-	-	-	-	10	22	14	10	-	-	-
Male.....	47	-	-	-	-	-	7	18	13	9	-	-	-
Female.....	9	-	-	-	-	-	3	4	1	1	-	-	-
Other chronic liver disease and cirrhosis (K73-K74)													
All origins, both sexes.....	14,602	10	1	2	16	94	882	3,027	3,405	3,222	3,034	908	1
Male.....	8,512	6	1	1	7	49	597	2,149	2,244	1,700	1,383	374	1
Female.....	6,090	4	-	1	9	45	285	878	1,161	1,522	1,651	534	-
Hispanic, both sexes.....	1,750	4	1	-	2	17	151	388	427	378	311	71	-
Male.....	1,053	3	1	-	2	12	114	300	284	183	135	19	-
Female.....	697	1	-	-	-	5	37	88	143	195	176	52	-
Non-Hispanic 1/, both sexes.....	12,815	6	-	2	14	76	727	2,627	2,969	2,841	2,715	837	1
Male.....	7,432	3	-	1	5	37	479	1,837	1,954	1,515	1,245	355	1
Female.....	5,383	3	-	1	9	39	248	790	1,015	1,326	1,470	482	-
Non-Hispanic white 2/, both sexes.....	11,056	4	-	2	9	51	610	2,094	2,473	2,561	2,479	773	-
Male.....	6,374	2	-	1	2	25	399	1,492	1,619	1,371	1,132	331	-
Female.....	4,682	2	-	1	7	26	211	602	854	1,190	1,347	442	-
Non-Hispanic black 2/, both sexes.....	1,341	2	-	2	18	85	439	409	409	201	145	39	1
Male.....	844	1	-	-	2	8	59	290	282	115	73	13	1
Female.....	497	1	-	-	-	10	26	149	127	86	72	26	-
Origin not stated 3/, both sexes.....	37	-	-	-	-	1	4	12	9	3	8	-	-
Male.....	27	-	-	-	-	-	4	12	6	2	3	-	-
Female.....	10	-	-	-	-	1	-	-	3	1	5	-	-

Worktable Orig250F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 2005

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), Hispanic origin, race for non-Hispanic population, and sex	All ages	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Age not stated
Cholelithiasis and other disorders of gallbladder (K80-K82)													
All origins, both sexes.....	3,072	-	-	4	8	16	42	113	217	448	1,055	1,169	-
Male.....	1,363	-	-	1	5	8	17	59	118	271	495	389	-
Female.....	1,709	-	-	3	3	8	25	54	99	177	560	780	-
Hispanic, both sexes.....	225	-	-	1	1	2	10	16	24	45	56	70	-
Male.....	102	-	-	1	1	2	5	6	9	24	31	23	-
Female.....	123	-	-	-	-	-	5	10	15	21	25	47	-
Non-Hispanic 1/, both sexes.....	2,841	-	-	3	6	14	32	97	191	402	999	1,097	-
Male.....	1,257	-	-	-	3	6	12	53	107	246	464	366	-
Female.....	1,584	-	-	3	3	8	20	44	84	156	535	731	-
Non-Hispanic white 2/, both sexes.....	2,427	-	-	3	4	11	19	59	149	313	881	988	-
Male.....	1,087	-	-	-	2	6	8	31	85	198	422	335	-
Female.....	1,340	-	-	3	2	5	11	28	64	115	459	653	-
Non-Hispanic black 2/, both sexes.....	324	-	-	-	2	3	11	31	35	72	93	77	-
Male.....	135	-	-	-	1	-	4	17	17	38	37	21	-
Female.....	189	-	-	-	1	3	7	14	18	34	56	56	-
Origin not stated 3/, both sexes.....	6	-	-	-	1	-	-	-	2	1	-	2	-
Male.....	4	-	-	-	1	-	-	-	2	1	-	-	-
Female.....	2	-	-	-	-	-	-	-	-	-	-	2	-
Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)													
All origins, both sexes.....	43,901	159	16	23	91	285	742	2,028	4,141	7,320	14,403	14,693	-
Male.....	21,268	88	12	10	45	153	423	1,237	2,352	3,733	7,177	6,038	-
Female.....	22,633	71	4	13	46	132	319	791	1,789	3,587	7,226	8,655	-
Hispanic, both sexes.....	2,329	34	4	5	15	30	68	165	351	506	699	452	-
Male.....	1,186	18	3	1	8	16	37	112	201	244	338	208	-
Female.....	1,143	16	1	4	7	14	31	53	150	262	361	244	-
Non-Hispanic 1/, both sexes.....	41,510	124	12	17	76	254	672	1,856	3,784	6,804	13,690	14,221	-
Male.....	20,045	69	9	8	37	136	384	1,120	2,147	3,483	6,832	5,820	-
Female.....	21,465	55	3	9	39	118	288	736	1,637	3,321	6,858	8,401	-
Non-Hispanic white 2/, both sexes.....	32,492	62	9	13	45	123	333	1,059	2,317	4,846	11,298	12,387	-
Male.....	15,953	32	6	6	24	67	201	656	1,345	2,625	5,802	5,189	-
Female.....	16,539	30	3	7	21	56	132	403	972	2,221	5,496	7,198	-
Non-Hispanic black 2/, both sexes.....	8,017	57	3	3	29	120	312	745	1,340	1,744	2,090	1,574	-
Male.....	3,612	36	3	1	11	60	164	438	746	750	891	512	-
Female.....	4,405	21	-	2	18	60	148	307	594	994	1,199	1,062	-
Origin not stated 3/, both sexes.....	62	1	-	1	-	1	2	7	6	10	14	20	-
Male.....	37	1	-	-	-	1	2	5	4	6	7	10	-
Female.....	25	-	-	-	-	-	-	2	2	4	7	10	-

Worktable Orig250F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 2005

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), Hispanic origin, race for non-Hispanic population, and sex	All ages	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Age not stated
Inflammatory diseases of female pelvic organs (N70-N76)													
All origins, both sexes.....	120	-	-	-	1	5	7	13	9	23	33	29	-
Male.....
Female.....	120	-	-	-	1	5	7	13	9	23	33	29	-
Hispanic, both sexes.....	9	-	-	-	-	2	4	-	-	2	1	-	-
Male.....
Female.....	9	-	-	-	-	2	4	-	-	2	1	-	-
Non-Hispanic 1/, both sexes.....	111	-	-	-	1	3	3	13	9	21	32	29	-
Male.....
Female.....	111	-	-	-	1	3	3	13	9	21	32	29	-
Non-Hispanic white 2/, both sexes.....	89	-	-	-	-	1	2	7	7	17	30	25	-
Male.....
Female.....	89	-	-	-	-	1	2	7	7	17	30	25	-
Non-Hispanic black 2/, both sexes.....	19	-	-	-	1	1	-	6	2	3	2	4	-
Male.....
Female.....	19	-	-	-	1	1	-	6	2	3	2	4	-
Origin not stated 3/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Pregnancy, childbirth and the puerperium (O00-O99)													
All origins, both sexes.....	760	-	183	312	207	54	3	1	-	-	-
Male.....
Female.....	760	-	183	312	207	54	3	1	-	-	-
Hispanic, both sexes.....	129	-	35	60	32	2	-	-	-	-	-
Male.....
Female.....	129	-	35	60	32	2	-	-	-	-	-
Non-Hispanic 1/, both sexes.....	630	-	148	252	175	51	3	1	-	-	-
Male.....
Female.....	630	-	148	252	175	51	3	1	-	-	-
Non-Hispanic white 2/, both sexes.....	327	-	76	121	94	33	2	1	-	-	-
Male.....
Female.....	327	-	76	121	94	33	2	1	-	-	-
Non-Hispanic black 2/, both sexes.....	265	-	69	115	65	15	1	-	-	-	-
Male.....
Female.....	265	-	69	115	65	15	1	-	-	-	-
Origin not stated 3/, both sexes.....	1	-	-	-	-	1	-	-	-	-	-
Male.....
Female.....	1	-	-	-	-	1	-	-	-	-	-

Worktable Orig250F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 2005

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), Hispanic origin, race for non-Hispanic population, and sex	All ages	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Age not stated
Pregnancy with abortive outcome (000-007)													
All origins, both sexes.....	33	-	6	14	11	2	-	-	-	-	-
Male.....
Female.....	33	-	6	14	11	2	-	-	-	-	-
Hispanic, both sexes.....	2	-	1	1	-	-	-	-	-	-	-
Male.....
Female.....	2	-	1	1	-	-	-	-	-	-	-
Non-Hispanic 1/, both sexes.....	31	-	5	13	11	2	-	-	-	-	-
Male.....
Female.....	31	-	5	13	11	2	-	-	-	-	-
Non-Hispanic white 2/, both sexes.....	14	-	4	3	5	2	-	-	-	-	-
Male.....
Female.....	14	-	4	3	5	2	-	-	-	-	-
Non-Hispanic black 2/, both sexes.....	13	-	1	8	4	-	-	-	-	-	-
Male.....
Female.....	13	-	1	8	4	-	-	-	-	-	-
Origin not stated 3/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-
Male.....
Female.....	-	-	-	-	-	-	-	-	-	-	-
Other complications of pregnancy, childbirth and the puerperium (010-099)													
All origins, both sexes.....	727	-	177	298	196	52	3	1	-	-	-
Male.....
Female.....	727	-	177	298	196	52	3	1	-	-	-
Hispanic, both sexes.....	127	-	34	59	32	2	-	-	-	-	-
Male.....
Female.....	127	-	34	59	32	2	-	-	-	-	-
Non-Hispanic 1/, both sexes.....	599	-	143	239	164	49	3	1	-	-	-
Male.....
Female.....	599	-	143	239	164	49	3	1	-	-	-
Non-Hispanic white 2/, both sexes.....	313	-	72	118	89	31	2	1	-	-	-
Male.....
Female.....	313	-	72	118	89	31	2	1	-	-	-
Non-Hispanic black 2/, both sexes.....	252	-	68	107	61	15	1	-	-	-	-
Male.....
Female.....	252	-	68	107	61	15	1	-	-	-	-
Origin not stated 3/, both sexes.....	1	-	-	-	-	1	-	-	-	-	-
Male.....
Female.....	1	-	-	-	-	1	-	-	-	-	-

Worktable Orig250F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 2005

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), Hispanic origin, race for non-Hispanic population, and sex	All ages	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Age not stated
Certain conditions originating in the perinatal period (P00-P96)													
All origins, both sexes.....	14,549	14,423	58	26	18	6	6	6	2	-	1	-	3
Male.....	8,187	8,113	36	11	12	3	4	5	1	-	1	-	1
Female.....	6,362	6,310	22	15	6	3	2	1	1	-	-	-	2
Hispanic, both sexes.....	2,816	2,802	6	3	4	1	-	-	-	-	-	-	-
Male.....	1,612	1,604	2	2	3	1	-	-	-	-	-	-	-
Female.....	1,204	1,198	4	1	1	-	-	-	-	-	-	-	-
Non-Hispanic 1/, both sexes.....	11,594	11,482	52	23	14	5	6	6	2	-	1	-	3
Male.....	6,503	6,437	34	9	9	2	4	5	1	-	1	-	1
Female.....	5,091	5,045	18	14	5	3	2	1	1	-	-	-	2
Non-Hispanic white 2/, both sexes.....	6,216	6,138	29	19	12	4	5	6	2	-	1	-	-
Male.....	3,495	3,448	18	9	8	2	3	5	1	-	1	-	-
Female.....	2,721	2,690	11	10	4	2	2	1	1	-	-	-	-
Non-Hispanic black 2/, both sexes.....	4,837	4,806	23	3	2	-	1	-	-	-	-	-	2
Male.....	2,712	2,693	16	-	1	-	1	-	-	-	-	-	1
Female.....	2,125	2,113	7	3	1	-	-	-	-	-	-	-	1
Origin not stated 3/, both sexes.....	139	139	-	-	-	-	-	-	-	-	-	-	-
Male.....	72	72	-	-	-	-	-	-	-	-	-	-	-
Female.....	67	67	-	-	-	-	-	-	-	-	-	-	-
Congenital malformations, deformations and chromosomal abnormalities (Q00-Q99)													
All origins, both sexes.....	10,410	5,552	522	396	504	436	517	693	716	338	408	327	1
Male.....	5,447	2,965	264	195	326	244	272	356	370	153	191	111	-
Female.....	4,963	2,587	258	201	178	192	245	337	346	185	217	216	1
Hispanic, both sexes.....	1,896	1,382	119	85	74	52	47	51	41	17	23	5	-
Male.....	996	720	65	47	43	30	26	24	23	6	11	1	-
Female.....	900	662	54	38	31	22	21	27	18	11	12	4	-
Non-Hispanic 1/, both sexes.....	8,479	4,139	403	310	430	384	470	640	675	321	384	322	1
Male.....	4,431	2,228	199	147	283	214	246	331	347	147	179	110	-
Female.....	4,048	1,911	204	163	147	170	224	309	328	174	205	212	1
Non-Hispanic white 2/, both sexes.....	6,412	2,848	270	207	313	287	381	553	605	299	355	293	1
Male.....	3,352	1,540	139	101	210	163	195	287	310	140	169	98	-
Female.....	3,060	1,308	131	106	103	124	186	266	295	159	186	195	1
Non-Hispanic black 2/, both sexes.....	1,656	1,029	104	80	99	81	74	71	59	16	21	22	-
Male.....	856	537	46	37	63	43	43	33	31	5	9	9	-
Female.....	800	492	58	43	36	38	31	38	28	11	12	13	-
Origin not stated 3/, both sexes.....	35	31	-	1	-	-	-	2	-	-	1	-	-
Male.....	20	17	-	1	-	-	-	1	-	-	1	-	-
Female.....	15	14	-	-	-	-	-	1	-	-	-	-	-

Worktable Orig250F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 2005

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), Hispanic origin, race for non-Hispanic population, and sex	All ages	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Age not stated
Symptoms, signs and abnormal clinical and laboratory findings, not elsewhere classified (R00-R99)													
All origins, both sexes.....	31,999	3,589	233	155	775	1,178	2,052	2,831	2,199	2,390	5,088	11,436	73
Male.....	14,647	2,139	132	94	546	807	1,263	1,822	1,367	1,321	2,150	2,949	57
Female.....	17,352	1,450	101	61	229	371	789	1,009	832	1,069	2,938	8,487	16
Hispanic, both sexes.....	1,857	555	44	27	108	184	201	153	86	103	136	246	14
Male.....	1,135	328	23	17	76	153	146	119	58	60	63	80	12
Female.....	722	227	21	10	32	31	55	34	28	43	73	166	2
Non-Hispanic 1/, both sexes.....	29,884	2,999	184	125	655	986	1,829	2,638	2,085	2,272	4,922	11,166	23
Male.....	13,353	1,790	107	77	460	649	1,101	1,677	1,293	1,256	2,073	2,856	14
Female.....	16,531	1,209	77	48	195	337	728	961	792	1,016	2,849	8,310	9
Non-Hispanic white 2/, both sexes.....	24,697	1,804	109	64	479	729	1,400	2,023	1,632	1,850	4,346	10,244	17
Male.....	10,691	1,122	66	42	340	491	863	1,304	1,008	1,022	1,823	2,598	12
Female.....	14,006	682	43	22	139	238	537	719	624	828	2,523	7,646	5
Non-Hispanic black 2/, both sexes.....	4,612	1,073	62	54	156	222	381	572	414	380	511	781	6
Male.....	2,366	601	34	30	109	136	209	345	260	211	223	206	2
Female.....	2,246	472	28	24	47	86	172	227	154	169	288	575	4
Origin not stated 3/, both sexes.....	258	35	5	3	12	8	22	40	28	15	30	24	36
Male.....	159	21	2	-	10	5	16	26	16	5	14	13	31
Female.....	99	14	3	3	2	3	6	14	12	10	16	11	5
All other diseases (Residual) (D65-E07,E15-E34,E65-F99,G04-G12, G23-G25,G31-H93,K00-K22,K29-K31,K50-K66,K71-K72,K75-K76,K83-M99, N13.0-N13.5,N13.7-N13.9,N14,N15.0,N15.8-N15.9,N20-N23,N28-N39, N41-N64,N80-N98)													
All origins, both sexes.....	217,632	1,198	612	857	2,060	3,159	8,118	17,122	21,108	27,236	56,700	79,449	13
Male.....	88,869	732	352	474	1,245	1,821	4,837	10,253	11,828	13,311	23,071	20,934	11
Female.....	128,763	466	260	383	815	1,338	3,281	6,869	9,280	13,925	33,629	58,515	2
Hispanic, both sexes.....	10,250	271	146	125	291	480	851	1,209	1,249	1,420	2,120	2,082	6
Male.....	5,110	165	78	65	184	309	561	790	738	682	898	634	6
Female.....	5,140	106	68	60	107	171	290	419	511	738	1,222	1,448	-
Non-Hispanic 1/, both sexes.....	207,024	917	463	731	1,766	2,670	7,247	15,865	19,807	25,770	54,509	77,274	5
Male.....	83,561	560	271	408	1,060	1,508	4,261	9,427	11,049	12,599	22,139	20,275	4
Female.....	123,463	357	192	323	706	1,162	2,986	6,438	8,758	13,171	32,370	56,999	1
Non-Hispanic white 2/, both sexes.....	178,181	536	305	478	1,275	1,815	5,238	11,976	15,959	21,617	48,408	70,571	3
Male.....	71,058	328	180	275	797	1,086	3,238	7,332	8,987	10,621	19,668	18,544	2
Female.....	107,123	208	125	203	478	729	2,000	4,644	6,972	10,996	28,740	52,027	1
Non-Hispanic black 2/, both sexes.....	24,604	321	123	214	418	733	1,736	3,425	3,368	3,512	5,166	5,586	2
Male.....	10,478	205	74	118	222	354	857	1,824	1,787	1,665	2,044	1,326	2
Female.....	14,126	116	49	96	196	379	879	1,601	1,581	1,847	3,122	4,260	-
Origin not stated 3/, both sexes.....	358	10	3	1	3	9	20	48	52	46	71	93	2
Male.....	198	7	3	1	1	4	15	36	41	30	34	25	1
Female.....	160	3	-	-	2	5	5	12	11	16	37	68	1

Worktable Orig250F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 2005

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), Hispanic origin, race for non-Hispanic population, and sex	All ages	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Age not stated
Accidents (unintentional injuries) (V01-X59,Y85-Y86)													
All origins, both sexes.....	117,809	1,083	1,664	2,415	15,753	13,997	16,919	18,339	10,853	8,632	13,854	14,243	57
Male.....	76,375	578	1,027	1,493	11,827	10,665	12,026	13,002	7,507	5,343	7,337	5,521	49
Female.....	41,434	505	637	922	3,926	3,332	4,893	5,337	3,346	3,289	6,517	8,722	8
Hispanic, both sexes.....	11,464	172	380	370	2,670	2,302	1,920	1,455	720	520	581	359	15
Male.....	8,612	87	244	222	2,133	1,930	1,513	1,141	530	345	318	135	14
Female.....	2,852	85	136	148	537	372	407	314	190	175	263	224	1
Non-Hispanic 1/, both sexes.....	105,967	905	1,281	2,043	13,056	11,645	14,933	16,797	10,087	8,087	13,250	13,860	23
Male.....	67,494	488	781	1,271	9,674	8,696	10,468	11,795	6,942	4,980	7,005	5,377	17
Female.....	38,473	417	500	772	3,382	2,949	4,465	5,002	3,145	3,107	6,245	8,483	6
Non-Hispanic white 2/, both sexes.....	88,970	567	898	1,423	10,711	9,347	12,252	13,657	8,303	6,890	11,942	12,962	18
Male.....	56,021	303	557	886	7,942	6,966	8,585	9,562	5,649	4,232	6,311	5,014	14
Female.....	32,949	264	341	537	2,769	2,381	3,667	4,095	2,654	2,658	5,631	7,948	4
Non-Hispanic black 2/, both sexes.....	13,393	306	316	497	1,734	1,754	2,161	2,647	1,441	921	964	647	5
Male.....	9,130	168	179	312	1,301	1,332	1,521	1,897	1,071	589	518	239	3
Female.....	4,263	138	137	185	433	422	640	750	370	332	446	408	2
Origin not stated 3/, both sexes.....	378	6	3	2	27	50	66	87	46	25	23	24	19
Male.....	269	3	2	-	20	39	45	66	35	18	14	9	18
Female.....	109	3	1	2	7	11	21	21	11	7	9	15	1
Transport accidents (V01-V99,Y85)													
All origins, both sexes.....	48,441	147	646	1,547	11,288	7,638	7,295	7,101	4,918	3,353	3,168	1,329	11
Male.....	34,086	74	369	910	8,208	5,840	5,303	5,208	3,435	2,157	1,835	737	10
Female.....	14,355	73	277	637	3,080	1,798	1,992	1,893	1,483	1,196	1,333	592	1
Hispanic, both sexes.....	6,358	44	192	285	2,046	1,431	950	637	341	215	176	36	5
Male.....	4,787	21	119	168	1,588	1,177	717	479	238	152	106	17	5
Female.....	1,571	23	73	117	458	254	233	158	103	63	70	19	-
Non-Hispanic 1/, both sexes.....	41,957	103	453	1,261	9,222	6,179	6,325	6,440	4,564	3,131	2,986	1,288	5
Male.....	29,209	53	249	742	6,606	4,641	4,573	4,712	3,187	2,000	1,725	717	4
Female.....	12,748	50	204	519	2,616	1,538	1,752	1,728	1,377	1,131	1,261	571	1
Non-Hispanic white 2/, both sexes.....	34,349	59	306	930	7,475	4,749	5,081	5,302	3,869	2,692	2,681	1,201	4
Male.....	23,830	33	163	549	5,340	3,541	3,662	3,902	2,708	1,714	1,548	667	3
Female.....	10,519	26	143	381	2,135	1,208	1,419	1,400	1,161	978	1,133	534	1
Non-Hispanic black 2/, both sexes.....	5,739	36	118	259	1,296	1,079	970	891	515	315	197	62	1
Male.....	4,158	16	65	153	953	852	730	643	371	216	122	36	1
Female.....	1,581	20	53	106	343	227	240	248	144	99	75	26	-
Origin not stated 3/, both sexes.....	126	-	1	1	20	28	20	24	13	7	6	5	1
Male.....	90	-	1	-	14	22	13	17	10	5	4	3	1
Female.....	36	-	-	1	6	6	7	7	3	2	2	2	-

Worktable Orig250F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 2005

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), Hispanic origin, race for non-Hispanic population, and sex	All ages	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Age not stated
Water, air and space, and other and unspecified transport accidents and their sequelae (V90-V99,Y85)													
All origins, both sexes.....	1,857	-	2	50	188	237	337	437	326	162	93	24	1
Male.....	1,498	-	1	27	148	203	274	365	270	127	68	14	1
Female.....	359	-	1	23	40	34	63	72	56	35	25	10	-
Hispanic, both sexes.....	102	-	-	4	17	19	19	27	8	5	3	-	-
Male.....	83	-	-	2	13	18	13	23	8	3	3	-	-
Female.....	19	-	-	2	4	1	6	4	-	2	-	-	-
Non-Hispanic 1/, both sexes.....	1,751	-	2	46	171	217	318	408	318	156	90	24	1
Male.....	1,411	-	1	25	135	184	261	340	262	123	65	14	1
Female.....	340	-	1	21	36	33	57	68	56	33	25	10	-
Non-Hispanic white 2/, both sexes.....	1,532	-	2	39	141	186	276	343	292	149	81	22	1
Male.....	1,237	-	1	20	108	160	225	291	242	117	58	14	1
Female.....	295	-	1	19	33	26	51	52	50	32	23	8	-
Non-Hispanic black 2/, both sexes.....	145	-	-	4	19	18	27	48	19	4	5	1	-
Male.....	115	-	-	4	18	14	23	35	14	4	3	-	-
Female.....	30	-	-	-	1	4	4	13	5	-	2	1	-
Origin not stated 3/, both sexes.....	4	-	-	-	-	1	-	2	-	1	-	-	-
Male.....	4	-	-	-	-	1	-	2	-	1	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Nontransport accidents (W00-X59,Y86)													
All origins, both sexes.....	69,368	936	1,018	868	4,465	6,359	9,624	11,238	5,935	5,279	10,686	12,914	46
Male.....	42,289	504	658	583	3,619	4,825	6,723	7,794	4,072	3,186	5,502	4,784	39
Female.....	27,079	432	360	285	846	1,534	2,901	3,444	1,863	2,093	5,184	8,130	7
Hispanic, both sexes.....	5,106	128	188	85	624	871	970	818	379	305	405	323	10
Male.....	3,825	66	125	54	545	753	796	662	292	193	212	118	9
Female.....	1,281	62	63	31	79	118	174	156	87	112	193	205	1
Non-Hispanic 1/, both sexes.....	64,010	802	828	782	3,834	5,466	8,608	10,357	5,523	4,956	10,264	12,572	18
Male.....	38,285	435	532	529	3,068	4,055	5,895	7,083	3,755	2,980	5,280	4,660	13
Female.....	25,725	367	296	253	766	1,411	2,713	3,274	1,768	1,976	4,984	7,912	5
Non-Hispanic white 2/, both sexes.....	54,621	508	592	493	3,236	4,598	7,171	8,355	4,434	4,198	9,261	11,761	14
Male.....	32,191	270	394	337	2,602	3,425	4,923	5,660	2,941	2,518	4,763	4,347	11
Female.....	22,430	238	198	156	634	1,173	2,248	2,695	1,493	1,680	4,498	7,414	3
Non-Hispanic black 2/, both sexes.....	7,654	270	198	238	438	675	1,191	1,756	926	606	767	585	4
Male.....	4,972	152	114	159	348	480	791	1,254	700	373	396	203	2
Female.....	2,682	118	84	79	90	195	400	502	226	233	371	382	2
Origin not stated 3/, both sexes.....	252	6	2	1	7	22	46	63	33	18	17	19	18
Male.....	179	3	1	-	6	17	32	49	25	13	10	6	17
Female.....	73	3	1	1	1	5	14	14	8	5	7	13	1

Worktable Orig250F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 2005

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), Hispanic origin, race for non-Hispanic population, and sex	All ages	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Age not stated
Accidental drowning and submersion (W65-W74)													
All origins, both sexes.....	3,582	64	493	253	649	385	497	492	266	193	180	92	18
Male.....	2,818	27	336	184	588	328	410	393	218	135	121	62	16
Female.....	764	37	157	69	61	57	87	99	48	58	59	30	2
Hispanic, both sexes.....	518	15	104	29	159	77	54	34	22	9	3	4	8
Male.....	430	6	73	19	145	71	47	33	16	7	2	4	7
Female.....	88	9	31	10	14	6	7	1	6	2	1	-	1
Non-Hispanic 1/, both sexes.....	3,047	49	388	223	488	307	443	456	244	184	176	88	1
Male.....	2,375	21	263	165	441	256	363	359	202	128	119	58	-
Female.....	672	28	125	58	47	51	80	97	42	56	57	30	1
Non-Hispanic white 2/, both sexes.....	2,305	41	316	118	315	229	338	372	202	151	145	77	1
Male.....	1,763	15	215	79	285	187	270	290	163	105	101	53	-
Female.....	542	26	101	39	30	42	68	82	39	46	44	24	1
Non-Hispanic black 2/, both sexes.....	543	8	56	87	131	58	72	58	31	25	12	5	-
Male.....	463	6	36	72	122	53	62	53	29	19	8	3	-
Female.....	80	2	20	15	9	5	10	5	2	6	4	2	-
Origin not stated 3/, both sexes.....	17	-	1	1	2	1	-	2	-	-	1	-	9
Male.....	13	-	-	-	2	1	-	1	-	-	-	-	9
Female.....	4	-	1	1	-	-	-	1	-	-	1	-	-
Accidental exposure to smoke, fire and flames (X00-X09)													
All origins, both sexes.....	3,197	34	204	222	168	224	334	497	398	390	468	254	4
Male.....	1,886	16	124	125	103	137	226	325	244	224	245	113	4
Female.....	1,311	18	80	97	65	87	108	172	154	166	223	141	-
Hispanic, both sexes.....	211	6	30	17	16	25	24	24	16	19	25	8	1
Male.....	125	3	18	7	13	16	15	16	11	11	10	4	1
Female.....	86	3	12	10	3	9	9	8	5	8	15	4	-
Non-Hispanic 1/, both sexes.....	2,971	25	173	205	152	199	307	472	380	369	442	246	1
Male.....	1,751	11	105	118	90	121	210	309	231	212	234	109	1
Female.....	1,220	14	68	87	62	78	97	163	149	157	208	137	-
Non-Hispanic white 2/, both sexes.....	2,147	15	96	110	108	138	233	366	268	284	341	187	1
Male.....	1,270	6	64	68	65	89	156	237	157	160	184	83	1
Female.....	877	9	32	42	43	49	77	129	111	124	157	104	-
Non-Hispanic black 2/, both sexes.....	731	9	69	81	36	52	63	98	102	75	93	53	-
Male.....	433	5	36	44	20	27	45	70	69	46	48	23	-
Female.....	298	4	33	37	16	25	18	28	33	29	45	30	-
Origin not stated 3/, both sexes.....	15	3	1	-	-	-	3	1	2	2	1	-	2
Male.....	10	2	1	-	-	-	1	-	2	1	1	-	2
Female.....	5	1	-	-	-	-	2	1	-	1	-	-	-

Worktable Orig250F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 2005

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), Hispanic origin, race for non-Hispanic population, and sex	All ages	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Age not stated
Accidental poisoning and exposure to noxious substances (X40-X49)													
All origins, both sexes.....	23,618	20	21	51	2,484	4,386	6,729	6,983	2,007	435	317	179	6
Male.....	15,884	11	12	31	1,940	3,193	4,423	4,537	1,269	228	161	74	5
Female.....	7,734	9	9	20	544	1,193	2,306	2,446	738	207	156	105	1
Hispanic, both sexes.....	2,018	3	3	7	243	482	635	467	130	29	11	8	-
Male.....	1,603	1	2	5	197	399	505	361	106	19	5	3	-
Female.....	415	2	1	2	46	83	130	106	24	10	6	5	-
Non-Hispanic 1/, both sexes.....	21,488	17	18	44	2,236	3,889	6,064	6,472	1,864	402	306	170	6
Male.....	14,198	10	10	26	1,739	2,783	3,896	4,142	1,153	207	156	71	5
Female.....	7,290	7	8	18	497	1,106	2,168	2,330	711	195	150	99	1
Non-Hispanic white 2/, both sexes.....	18,126	9	8	32	2,071	3,398	5,151	5,269	1,448	313	267	155	5
Male.....	11,949	6	3	21	1,626	2,448	3,334	3,327	838	142	132	67	5
Female.....	6,177	3	5	11	445	950	1,817	1,942	610	171	135	88	-
Non-Hispanic black 2/, both sexes.....	2,920	7	7	9	114	388	799	1,089	390	77	29	10	1
Male.....	1,959	4	6	4	77	264	488	739	297	59	18	3	-
Female.....	961	3	1	5	37	124	311	350	93	18	11	7	1
Origin not stated 3/, both sexes.....	112	-	-	-	5	15	30	44	13	4	-	1	-
Male.....	83	-	-	-	4	11	22	34	10	2	-	-	-
Female.....	29	-	-	-	1	4	8	10	3	2	-	1	-
Other and unspecified nontransport accidents and their sequelae (W20-W31,W35-W64,W75-W99,X10-X39,X50-X59,Y86)													
All origins, both sexes.....	18,526	801	244	258	725	939	1,343	1,977	1,746	1,898	3,731	4,848	16
Male.....	10,864	443	148	180	600	793	1,081	1,554	1,260	1,178	1,897	1,718	12
Female.....	7,662	358	96	78	125	146	262	423	486	720	1,834	3,130	4
Hispanic, both sexes.....	1,200	103	44	28	120	189	164	164	98	90	110	89	1
Male.....	892	55	27	20	109	175	147	137	73	57	54	37	1
Female.....	308	48	17	8	11	14	17	27	25	33	56	52	-
Non-Hispanic 1/, both sexes.....	17,261	695	200	230	605	745	1,172	1,801	1,636	1,800	3,617	4,752	8
Male.....	9,924	387	121	160	491	614	929	1,407	1,178	1,114	1,839	1,679	5
Female.....	7,337	308	79	70	114	131	243	394	458	686	1,778	3,073	3
Non-Hispanic white 2/, both sexes.....	14,493	430	149	176	469	598	930	1,389	1,316	1,481	3,181	4,369	5
Male.....	8,217	238	95	125	387	500	751	1,093	935	924	1,615	1,551	3
Female.....	6,276	192	54	51	82	98	179	296	381	557	1,566	2,818	2
Non-Hispanic black 2/, both sexes.....	2,309	244	43	41	98	110	188	349	262	272	379	320	3
Male.....	1,400	137	23	26	77	79	137	264	201	156	194	104	2
Female.....	909	107	20	15	21	31	51	85	61	116	185	216	1
Origin not stated 3/, both sexes.....	65	3	-	-	-	5	7	12	8	8	4	7	7
Male.....	48	1	-	-	-	4	5	10	9	7	4	2	6
Female.....	17	2	-	-	-	1	2	2	3	1	-	5	1

Worktable Orig250F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 2005

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), Hispanic origin, race for non-Hispanic population, and sex	All ages	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Age not stated
Intentional self-harm (suicide) (*U03,X60-X84,Y87.0)													
All origins, both sexes.....	32,637	272	4,212	4,990	6,550	6,991	4,210	2,344	2,200	860	8
Male.....	25,907	204	3,498	4,066	5,063	5,269	3,250	1,940	1,889	721	7
Female.....	6,730	68	714	924	1,487	1,722	960	404	311	139	1
Hispanic, both sexes.....	2,188	39	553	534	472	283	142	78	64	21	2
Male.....	1,841	27	462	461	399	237	116	63	56	18	2
Female.....	347	12	91	73	73	46	26	15	8	3	-
Non-Hispanic 1/, both sexes.....	30,338	232	3,647	4,445	6,058	6,685	4,044	2,263	2,127	836	1
Male.....	23,974	176	3,026	3,595	4,649	5,014	3,115	1,874	1,825	700	-
Female.....	6,364	56	621	850	1,409	1,671	929	389	302	136	1
Non-Hispanic white 2/, both sexes.....	27,305	170	2,992	3,708	5,434	6,208	3,822	2,137	2,037	796	1
Male.....	21,605	133	2,487	2,995	4,164	4,656	2,953	1,785	1,756	676	-
Female.....	5,700	37	505	713	1,270	1,552	869	352	281	120	1
Non-Hispanic black 2/, both sexes.....	1,953	41	428	474	415	309	140	77	53	16	-
Male.....	1,592	27	375	394	333	238	106	60	45	14	-
Female.....	361	14	53	80	82	71	34	17	8	2	-
Origin not stated 3/, both sexes.....	111	1	12	11	20	23	24	3	9	3	5
Male.....	92	1	10	10	15	18	19	3	8	3	5
Female.....	19	-	2	1	5	5	5	-	1	-	-
Intentional self-harm (suicide) by discharge of firearms (X72-X74)													
All origins, both sexes.....	17,002	84	1,962	2,269	2,855	3,472	2,470	1,669	1,649	571	1
Male.....	14,916	72	1,771	1,981	2,416	2,945	2,140	1,501	1,548	542	-
Female.....	2,086	12	191	288	439	527	330	168	101	29	1
Hispanic, both sexes.....	824	6	224	203	165	100	48	33	33	12	-
Male.....	756	5	206	183	148	92	47	31	33	11	-
Female.....	68	1	18	20	17	8	1	2	-	1	-
Non-Hispanic 1/, both sexes.....	16,124	78	1,732	2,061	2,680	3,363	2,409	1,634	1,610	556	1
Male.....	14,110	67	1,560	1,794	2,260	2,844	2,080	1,468	1,509	528	-
Female.....	2,014	11	172	267	420	519	329	166	101	28	1
Non-Hispanic white 2/, both sexes.....	14,829	69	1,414	1,741	2,440	3,171	2,315	1,568	1,563	547	1
Male.....	12,947	60	1,270	1,504	2,043	2,674	1,999	1,414	1,464	519	-
Female.....	1,882	9	144	237	397	497	316	154	99	28	1
Non-Hispanic black 2/, both sexes.....	997	6	244	247	187	137	72	56	39	9	-
Male.....	901	5	227	224	170	122	61	46	37	9	-
Female.....	96	1	17	23	17	15	11	10	2	-	-
Origin not stated 3/, both sexes.....	54	-	6	5	10	9	13	2	6	3	-
Male.....	50	-	5	4	8	9	13	2	6	3	-
Female.....	4	-	1	1	2	-	-	-	-	-	-

Worktable Orig250F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 2005

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), Hispanic origin, race for non-Hispanic population, and sex	All ages	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Age not stated
Intentional self-harm (suicide) by other and unspecified means and their sequelae (*U03,X60-X71,X75-X84,Y87.0)													
All origins, both sexes.....	15,635	188	2,250	2,721	3,695	3,519	1,740	675	551	289	7
Male.....	10,991	132	1,727	2,085	2,647	2,324	1,110	439	341	179	7
Female.....	4,644	56	523	636	1,048	1,195	630	236	210	110	-
Hispanic, both sexes.....	1,364	33	329	331	307	183	94	45	31	9	2
Male.....	1,085	22	256	278	251	145	69	32	23	7	2
Female.....	279	11	73	53	56	38	25	13	8	2	-
Non-Hispanic 1/, both sexes.....	14,214	154	1,915	2,384	3,378	3,322	1,635	629	517	280	-
Male.....	9,864	109	1,466	1,801	2,389	2,170	1,035	406	316	172	-
Female.....	4,350	45	449	583	989	1,152	600	223	201	108	-
Non-Hispanic white 2/, both sexes.....	12,476	101	1,578	1,967	2,994	3,037	1,507	569	474	249	-
Male.....	8,658	73	1,217	1,491	2,121	1,982	954	371	292	157	-
Female.....	3,818	28	361	476	873	1,055	553	198	182	92	-
Non-Hispanic black 2/, both sexes.....	956	35	184	227	228	172	68	21	14	7	-
Male.....	691	22	148	170	163	116	45	14	8	5	-
Female.....	265	13	36	57	65	56	23	7	6	2	-
Origin not stated 3/, both sexes.....	57	1	6	6	10	14	11	1	3	-	5
Male.....	42	1	5	6	7	9	6	1	2	-	5
Female.....	15	-	1	-	3	5	5	-	1	-	-
Assault (homicide) (*U01-*U02,X85-Y09,Y87.1)													
All origins, both sexes.....	18,124	306	375	341	5,466	4,752	3,109	2,060	862	440	283	109	21
Male.....	14,376	173	214	204	4,765	4,008	2,317	1,579	636	282	138	44	16
Female.....	3,748	133	161	137	701	744	792	481	226	158	145	65	5
Hispanic, both sexes.....	3,520	60	82	62	1,307	1,085	520	264	71	36	23	3	7
Male.....	3,008	30	46	40	1,187	956	428	218	53	26	16	1	7
Female.....	512	30	36	22	120	129	92	46	18	10	7	2	-
Non-Hispanic 1/, both sexes.....	14,504	245	292	278	4,132	3,646	2,567	1,785	786	404	260	105	4
Male.....	11,288	143	168	164	3,555	3,033	1,870	1,352	578	256	122	43	4
Female.....	3,216	102	124	114	577	613	697	433	208	148	138	62	-
Non-Hispanic white 2/, both sexes.....	5,325	139	138	111	895	973	1,099	920	502	260	200	84	4
Male.....	3,515	82	74	61	639	664	710	664	355	151	84	27	4
Female.....	1,810	57	64	50	256	309	389	256	147	109	116	57	-
Non-Hispanic black 2/, both sexes.....	8,522	91	138	145	3,030	2,538	1,351	785	244	124	58	18	-
Male.....	7,288	51	88	93	2,750	2,270	1,075	624	193	93	37	14	-
Female.....	1,234	40	50	52	280	268	276	161	51	31	21	4	-
Origin not stated 3/, both sexes.....	100	1	1	1	27	21	22	11	5	-	-	1	10
Male.....	80	-	-	-	23	19	19	9	5	-	-	-	5
Female.....	20	1	1	1	4	2	3	2	-	-	-	1	5

Worktable Orig250F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 2005

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), Hispanic origin, race for non-Hispanic population, and sex	All ages	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Age not stated
Assault (homicide) by discharge of firearms (*U01.4,X93-X95)													
All origins, both sexes.....	12,352	6	37	187	4,499	3,780	2,010	1,097	405	201	97	24	9
Male.....	10,561	6	22	131	4,096	3,344	1,599	859	312	131	44	10	7
Female.....	1,791	-	15	56	403	436	411	238	93	70	53	14	2
Hispanic, both sexes.....	2,453	1	6	38	1,040	829	338	143	31	20	4	-	3
Male.....	2,211	1	4	30	976	755	281	118	26	15	2	-	3
Female.....	242	-	2	8	64	74	57	25	5	5	2	-	-
Non-Hispanic 1/, both sexes.....	9,835	5	31	148	3,441	2,933	1,658	947	372	181	93	24	2
Male.....	8,296	5	18	101	3,105	2,572	1,305	736	284	116	42	10	2
Female.....	1,539	-	13	47	336	361	353	211	88	65	51	14	-
Non-Hispanic white 2/, both sexes.....	2,871	3	17	51	563	633	655	489	241	120	78	19	2
Male.....	2,018	3	9	33	437	462	444	351	174	68	30	5	2
Female.....	853	-	8	18	126	171	211	138	67	52	48	14	-
Non-Hispanic black 2/, both sexes.....	6,600	2	13	86	2,726	2,216	949	426	108	54	15	5	-
Male.....	5,977	2	9	63	2,537	2,039	816	359	91	44	12	5	-
Female.....	623	-	4	23	189	177	133	67	17	10	3	-	-
Origin not stated 3/, both sexes.....	64	-	-	1	18	18	14	7	2	-	-	-	4
Male.....	54	-	-	-	15	17	13	5	2	-	-	-	2
Female.....	10	-	-	1	3	1	1	2	-	-	-	-	2
Assault (homicide) by other and unspecified means and their sequelae (*U01.0-*U01.3,*U01.5-*U01.9,*U02,X85-X92,X96-Y09,Y87.1)													
All origins, both sexes.....	5,772	300	338	154	967	972	1,099	963	457	239	186	85	12
Male.....	3,815	167	192	73	669	664	718	720	324	151	94	34	9
Female.....	1,957	133	146	81	298	308	381	243	133	88	92	51	3
Hispanic, both sexes.....	1,067	59	76	24	267	256	182	121	40	16	19	3	4
Male.....	797	29	42	10	211	201	147	100	27	11	14	1	4
Female.....	270	30	34	14	56	55	35	21	13	5	5	2	-
Non-Hispanic 1/, both sexes.....	4,669	240	261	130	691	713	909	838	414	223	167	81	2
Male.....	2,992	138	150	63	450	461	565	616	294	140	80	33	2
Female.....	1,677	102	111	67	241	252	344	222	120	83	87	48	-
Non-Hispanic white 2/, both sexes.....	2,454	136	121	60	332	340	444	431	261	140	122	65	2
Male.....	1,497	79	65	28	202	202	266	313	181	83	54	22	2
Female.....	957	57	56	32	130	138	178	118	80	57	68	43	-
Non-Hispanic black 2/, both sexes.....	1,922	89	125	59	304	322	402	359	136	70	43	13	-
Male.....	1,311	49	79	30	213	231	259	265	102	49	25	9	-
Female.....	611	40	46	29	91	91	143	94	34	21	18	4	-
Origin not stated 3/, both sexes.....	36	1	1	-	9	3	8	4	3	-	-	1	6
Male.....	26	-	-	-	8	2	6	4	3	-	-	-	3
Female.....	10	1	1	-	1	1	2	-	-	-	-	1	3

Worktable Orig250F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 2005

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), Hispanic origin, race for non-Hispanic population, and sex	All ages	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Age not stated
Legal intervention (Y35,Y89.0)													
All origins, both sexes.....	414	-	-	1	83	110	124	56	30	7	3	-	-
Male.....	401	-	-	1	82	109	119	54	28	5	3	-	-
Female.....	13	-	-	-	1	1	5	2	2	2	-	-	-
Hispanic, both sexes.....	81	-	-	-	32	24	20	3	2	-	-	-	-
Male.....	81	-	-	-	32	24	20	3	2	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Non-Hispanic 1/, both sexes.....	333	-	-	1	51	86	104	53	28	7	3	-	-
Male.....	320	-	-	1	50	85	99	51	26	5	3	-	-
Female.....	13	-	-	-	1	1	5	2	2	2	-	-	-
Non-Hispanic white 2/, both sexes.....	208	-	-	-	27	44	65	40	24	6	2	-	-
Male.....	196	-	-	-	26	43	61	38	22	4	2	-	-
Female.....	12	-	-	-	1	1	4	2	2	2	-	-	-
Non-Hispanic black 2/, both sexes.....	112	-	-	1	24	39	31	13	2	1	1	-	-
Male.....	111	-	-	1	24	39	30	13	2	1	1	-	-
Female.....	1	-	-	-	-	-	1	-	-	-	-	-	-
Origin not stated 3/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Events of undetermined intent (Y10-Y34,Y87.2,Y89.9)													
All origins, both sexes.....	4,742	104	69	64	484	742	1,194	1,314	424	157	106	74	10
Male.....	2,861	67	44	43	355	478	695	758	245	91	49	26	10
Female.....	1,881	37	25	21	129	264	499	556	179	66	57	48	-
Hispanic, both sexes.....	325	17	11	4	60	59	74	67	18	5	9	-	1
Male.....	219	9	8	2	40	44	53	39	14	4	5	-	1
Female.....	106	8	3	2	20	15	21	28	4	1	4	-	-
Non-Hispanic 1/, both sexes.....	4,388	87	58	60	423	680	1,115	1,237	403	150	97	74	4
Male.....	2,621	58	36	41	314	432	641	711	228	86	44	26	4
Female.....	1,767	29	22	19	109	248	474	526	175	64	53	48	-
Non-Hispanic white 2/, both sexes.....	3,583	52	33	43	349	570	898	1,021	341	128	79	67	2
Male.....	2,099	36	21	30	261	356	513	569	182	71	33	25	2
Female.....	1,484	16	12	13	88	214	385	452	159	57	46	42	-
Non-Hispanic black 2/, both sexes.....	675	31	22	11	55	90	188	188	50	18	13	7	2
Male.....	447	19	13	8	41	62	114	129	38	12	8	1	2
Female.....	228	12	9	3	14	28	74	59	12	6	5	6	-
Origin not stated 3/, both sexes.....	29	-	-	-	1	3	5	10	3	2	-	-	5
Male.....	21	-	-	-	1	2	1	8	3	1	-	-	5
Female.....	8	-	-	-	-	1	4	2	-	1	-	-	-

Worktable Orig250F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 2005

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), Hispanic origin, race for non-Hispanic population, and sex	All ages	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Age not stated
Discharge of firearms, undetermined intent (Y22-Y24)													
All origins, both sexes.....	221	-	3	12	77	35	28	28	23	10	3	2	-
Male.....	178	-	2	10	68	29	21	22	14	7	3	2	-
Female.....	43	-	1	2	9	6	7	6	9	3	-	-	-
Hispanic, both sexes.....	27	-	-	-	17	8	2	-	-	-	-	-	-
Male.....	21	-	-	-	13	6	2	-	-	-	-	-	-
Female.....	6	-	-	-	4	2	-	-	-	-	-	-	-
Non-Hispanic 1/, both sexes.....	192	-	3	12	60	27	26	26	23	10	3	2	-
Male.....	156	-	2	10	55	23	19	21	14	7	3	2	-
Female.....	36	-	1	2	5	4	7	5	9	3	-	-	-
Non-Hispanic white 2/, both sexes.....	148	-	-	10	42	20	20	22	21	9	2	2	-
Male.....	121	-	-	8	38	16	15	19	14	7	2	2	-
Female.....	27	-	-	2	4	5	5	3	7	2	-	-	-
Non-Hispanic black 2/, both sexes.....	36	-	2	1	16	6	5	3	2	1	-	-	-
Male.....	28	-	1	1	15	6	4	1	-	-	-	-	-
Female.....	8	-	1	-	1	-	1	2	2	1	-	-	-
Origin not stated 3/, both sexes.....	2	-	-	-	-	-	-	2	-	-	-	-	-
Male.....	1	-	-	-	-	-	-	1	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	1	-	-	-	-	-
Other and unspecified events of undetermined intent and their sequelae (Y10-Y21,Y25-Y34,Y87.2,Y89.9)													
All origins, both sexes.....	4,521	104	66	52	407	707	1,166	1,286	401	147	103	72	10
Male.....	2,683	67	42	33	287	449	674	736	231	84	46	24	10
Female.....	1,838	37	24	19	120	258	492	550	170	63	57	48	-
Hispanic, both sexes.....	298	17	11	4	43	51	72	67	18	5	9	-	1
Male.....	198	9	8	2	27	38	51	39	14	4	5	-	1
Female.....	100	8	3	2	16	13	21	28	4	1	4	-	-
Non-Hispanic 1/, both sexes.....	4,196	87	55	48	363	653	1,089	1,211	380	140	94	72	4
Male.....	2,465	58	34	31	259	409	622	690	214	79	41	24	4
Female.....	1,731	29	21	17	104	244	467	521	166	61	53	48	-
Non-Hispanic white 2/, both sexes.....	3,435	52	33	33	307	550	878	999	320	119	77	65	2
Male.....	1,978	36	21	22	223	340	498	550	168	64	31	23	2
Female.....	1,457	16	12	11	84	210	380	449	152	55	46	42	-
Non-Hispanic black 2/, both sexes.....	639	31	20	10	39	84	183	185	48	17	13	7	2
Male.....	419	19	12	7	26	56	110	128	38	12	8	1	2
Female.....	220	12	8	3	13	28	73	57	10	5	5	6	-
Origin not stated 3/, both sexes.....	27	-	-	-	1	3	5	8	3	2	-	-	5
Male.....	20	-	-	-	1	2	1	7	3	1	-	-	5
Female.....	7	-	-	-	-	1	4	1	-	1	-	-	-

Worktable Orig250F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 2005

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), Hispanic origin, race for non-Hispanic population, and sex	All ages	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Age not stated
Operations of war and their sequelae (Y36,Y89.1)													
All origins, both sexes.....	27	-	-	-	3	3	4	1	3	2	10	1	-
Male.....	27	-	-	-	3	3	4	1	3	2	10	1	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Hispanic, both sexes.....	2	-	-	-	1	-	1	-	-	-	-	-	-
Male.....	2	-	-	-	1	-	1	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Non-Hispanic 1/, both sexes.....	25	-	-	-	2	3	3	1	3	2	10	1	-
Male.....	25	-	-	-	2	3	3	1	3	2	10	1	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Non-Hispanic white 2/, both sexes.....	19	-	-	-	2	1	2	-	2	2	9	1	-
Male.....	19	-	-	-	2	1	2	-	2	2	9	1	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Non-Hispanic black 2/, both sexes.....	6	-	-	-	-	2	1	1	1	-	1	-	-
Male.....	6	-	-	-	-	2	1	1	1	-	1	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Origin not stated 3/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Complications of medical and surgical care (Y40-Y84,Y88)													
All origins, both sexes.....	2,653	19	16	16	29	70	144	287	364	487	759	462	-
Male.....	1,220	16	10	9	16	26	62	131	192	250	335	173	-
Female.....	1,433	3	6	7	13	44	82	156	172	237	424	289	-
Hispanic, both sexes.....	160	7	5	3	3	7	12	27	19	30	36	11	-
Male.....	61	5	2	1	-	3	6	9	9	12	12	2	-
Female.....	99	2	3	2	3	4	6	18	10	18	24	9	-
Non-Hispanic 1/, both sexes.....	2,484	12	11	13	26	63	132	260	344	455	719	449	-
Male.....	1,152	11	8	8	16	23	56	122	182	237	319	170	-
Female.....	1,332	1	3	5	10	40	76	138	162	218	400	279	-
Non-Hispanic white 2/, both sexes.....	2,009	4	9	11	21	47	100	178	264	347	620	408	-
Male.....	952	3	8	7	13	20	47	86	136	194	279	159	-
Female.....	1,057	1	1	4	8	27	53	92	128	153	341	249	-
Non-Hispanic black 2/, both sexes.....	428	8	2	2	4	15	29	76	75	94	89	34	-
Male.....	177	8	-	1	2	3	8	34	41	36	34	10	-
Female.....	251	-	2	1	2	12	21	42	34	58	55	24	-
Origin not stated 3/, both sexes.....	9	-	-	-	-	-	-	-	1	2	4	2	-
Male.....	7	-	-	-	-	-	-	-	1	1	4	1	-
Female.....	2	-	-	-	-	-	-	-	-	1	-	1	-

Worktable Orig250F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 2005

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), Hispanic origin, race for non-Hispanic population, and sex	All ages	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Age not stated
Alcohol-induced causes (E24.4,F10,G31.2,G62.1,G72.1,I42.6,K29.2,K70,K86.0,R78.0,X45,X65, Y15) 4/													
All origins, both sexes.....	21,634	-	-	2	149	541	3,281	7,463	5,930	2,822	1,201	236	9
Male.....	16,238	-	-	1	127	405	2,336	5,569	4,616	2,133	895	149	7
Female.....	5,396	-	-	1	22	136	945	1,894	1,314	689	306	87	2
Hispanic, both sexes.....	2,658	-	-	-	46	159	534	854	595	342	105	19	4
Male.....	2,265	-	-	-	42	137	442	727	512	294	89	18	4
Female.....	393	-	-	-	4	22	92	127	83	48	16	1	-
Non-Hispanic 1/, both sexes.....	18,877	-	-	2	103	380	2,733	6,576	5,305	2,463	1,096	216	3
Male.....	13,890	-	-	1	85	267	1,884	4,815	4,075	1,824	806	131	2
Female.....	4,987	-	-	1	18	113	849	1,761	1,230	639	290	85	1
Non-Hispanic white 2/, both sexes.....	15,729	-	-	1	73	276	2,206	5,433	4,477	2,100	967	194	2
Male.....	11,610	-	-	1	64	194	1,542	3,983	3,451	1,547	708	119	1
Female.....	4,119	-	-	-	9	82	664	1,450	1,026	553	259	75	1
Non-Hispanic black 2/, both sexes.....	2,282	-	-	-	16	46	315	848	652	286	98	20	1
Male.....	1,670	-	-	-	11	31	201	626	493	222	75	10	1
Female.....	612	-	-	-	5	15	114	222	159	64	23	10	-
Origin not stated 3/, both sexes.....	99	-	-	-	-	2	14	33	30	17	-	1	2
Male.....	83	-	-	-	-	1	10	27	29	15	-	-	1
Female.....	16	-	-	-	-	1	4	6	1	2	-	1	1
Drug-induced causes (D52.1,D59.0,D59.2,D61.1,D64.2,E06.4,E16.0,E23.1,E24.2,E27.3,E66.1, F11.0-F11.5,F11.7-F11.9,F12.0-F12.5,F12.7-F12.9,F13.0-F13.5,F13.7-F13.9, F14.0-F14.5,F14.7-F14.9,F15.0-F15.5,F15.7-F15.9,F16.0-F16.5,F16.7-F16.9, F17.0-F17.3-F17.5,F17.7-F17.9,F18.0-F18.5,F18.7-F18.9,F19.0-F19.5,F19.7-F19.9, X40-X44,X60-X64,X85Y10-Y14) 4/													
All origins, both sexes.....	33,541	35	30	51	3,095	5,730	9,333	10,041	3,240	887	706	388	5
Male.....	21,208	18	23	24	2,319	3,970	5,829	6,143	1,912	452	354	159	5
Female.....	12,333	17	7	27	776	1,760	3,504	3,898	1,328	435	352	229	-
Hispanic, both sexes.....	2,596	5	4	5	284	578	800	644	186	49	29	12	-
Male.....	1,969	1	3	2	220	462	606	478	148	29	14	6	-
Female.....	627	4	1	3	64	116	194	166	38	20	15	6	-
Non-Hispanic 1/, both sexes.....	30,809	30	26	46	2,804	5,136	8,498	9,341	3,037	834	677	375	5
Male.....	19,140	17	20	22	2,093	3,497	5,199	5,623	1,751	421	340	152	5
Female.....	11,669	13	6	24	711	1,639	3,299	3,718	1,286	413	337	223	-
Non-Hispanic white 2/, both sexes.....	26,186	20	11	33	2,600	4,490	7,221	7,634	2,473	726	619	354	5
Male.....	16,170	11	8	19	1,960	3,083	4,445	4,501	1,337	347	308	146	5
Female.....	10,016	9	3	14	640	1,407	2,776	3,133	1,136	379	311	208	-
Non-Hispanic black 2/, both sexes.....	4,019	10	14	10	136	515	1,118	1,544	526	89	42	15	-
Male.....	2,612	6	11	3	92	335	658	1,024	392	64	23	4	-
Female.....	1,407	4	3	7	44	180	460	520	134	25	19	11	-
Origin not stated 3/, both sexes.....	136	-	-	-	7	16	35	56	17	4	-	1	-
Male.....	99	-	-	-	6	11	24	42	13	2	-	1	-
Female.....	37	-	-	-	1	5	11	14	4	2	-	-	-

Worktable Orig250F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 2005

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), Hispanic origin, race for non-Hispanic population, and sex	All ages	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Age not stated
Injury by firearms (*U01.4,W32-W34,X72-X74,X93-X95,Y22-Y24,Y35.0) 4/													
All origins, both sexes.....	30,694	7	62	335	6,821	6,302	5,101	4,744	2,987	1,929	1,784	612	10
Male.....	26,657	7	42	252	6,204	5,559	4,221	3,951	2,544	1,679	1,624	567	7
Female.....	4,037	-	20	83	617	743	880	793	443	250	160	45	3
Hispanic, both sexes.....	3,469	2	7	47	1,350	1,084	529	259	82	55	39	12	3
Male.....	3,144	2	5	37	1,263	985	454	224	76	48	36	11	3
Female.....	325	-	2	10	87	99	75	35	6	7	3	1	-
Non-Hispanic 1/, both sexes.....	27,103	5	55	287	5,447	5,194	4,547	4,467	2,890	1,872	1,739	597	3
Male.....	23,406	5	37	215	4,921	4,552	3,745	3,712	2,453	1,629	1,582	553	2
Female.....	3,697	-	18	72	526	642	802	755	437	243	157	44	1
Non-Hispanic white 2/, both sexes.....	18,521	3	26	164	2,147	2,487	3,248	3,792	2,657	1,741	1,673	580	3
Male.....	15,672	3	17	128	1,868	2,066	2,614	3,137	2,256	1,524	1,521	536	2
Female.....	2,849	-	9	36	279	421	634	655	401	217	152	44	1
Non-Hispanic black 2/, both sexes.....	7,865	2	27	107	3,058	2,538	1,178	582	186	114	56	17	-
Male.....	7,122	2	19	78	2,846	2,337	1,027	496	156	93	51	17	-
Female.....	743	-	8	29	212	201	151	86	30	21	5	-	-
Origin not stated 3/, both sexes.....	122	-	-	1	24	24	25	18	15	2	6	3	4
Male.....	107	-	-	-	20	22	22	15	15	2	6	3	2
Female.....	15	-	-	1	4	2	3	3	-	-	-	-	2

- Quantity zero.

... Category not applicable.

1/ Includes races other than white and black.

2/ Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005."

3/ Includes deaths for which Hispanic origin was not reported on the death certificate.

4/ Included in selected categories.

Source: CDC/NCHS, National Vital Statistics System, Mortality.