

Person with disabilities experiencing problems accessing
NCHS birth and death tables should contact
nhsed@cdc.gov, or call 301-458-4688

Worktable Orig210F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 5-year age groups, specified Hispanic origin, race for non-Hispanic population, and sex: United States, 2005

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992),
Hispanic origin, race for non-Hispanic population, and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
All causes												
All origins, both sexes.....	2,448,017	28,440	4,756	2,837	3,765	13,703	20,531	19,568	22,357	31,420	53,365	79,383
Male.....	1,207,675	16,018	2,765	1,556	2,297	9,886	15,623	14,242	15,041	20,011	33,298	49,279
Female.....	1,240,342	12,422	1,991	1,281	1,468	3,817	4,908	5,326	7,316	11,409	20,067	30,104
Hispanic, both sexes.....	131,161	5,724	1,041	474	594	2,323	3,514	3,257	3,154	3,722	5,154	6,206
Male.....	73,788	3,192	610	258	354	1,759	2,845	2,597	2,363	2,624	3,521	4,199
Female.....	57,373	2,532	431	216	240	564	669	660	791	1,098	1,633	2,007
Mexican, both sexes.....	74,646	4,107	785	346	433	1,718	2,490	2,215	2,072	2,289	3,063	3,627
Male.....	43,409	2,295	459	184	264	1,333	2,045	1,807	1,558	1,636	2,113	2,475
Female.....	31,237	1,812	326	162	169	385	445	408	514	653	950	1,152
Puerto Rican, both sexes.....	16,099	485	62	44	55	170	276	273	343	476	689	897
Male.....	8,912	263	38	27	32	112	212	208	241	313	472	620
Female.....	7,187	222	24	17	23	58	64	65	102	163	217	277
Cuban, both sexes.....	12,525	61	9	5	4	38	45	50	70	112	194	253
Male.....	6,523	37	6	3	2	21	36	33	57	80	143	183
Female.....	6,002	24	3	2	2	17	9	17	13	32	51	70
Central and South American, both sexes.....	13,011	453	85	41	55	222	435	483	405	462	657	708
Male.....	6,825	254	47	24	29	168	365	373	313	329	435	426
Female.....	6,186	199	38	17	26	54	70	110	92	133	222	282
Other and Unknown Hispanic, both sexes.....	14,880	618	100	38	47	175	268	236	264	383	551	721
Male.....	8,119	343	60	20	27	125	187	176	194	266	358	495
Female.....	6,761	275	40	18	20	50	81	60	70	117	193	226
Non-Hispanic 1/, both sexes.....	2,312,028	22,488	3,701	2,354	3,161	11,351	16,958	16,248	19,132	27,610	48,016	72,919
Male.....	1,131,013	12,701	2,147	1,294	1,937	8,106	12,729	11,596	12,629	17,322	29,635	44,896
Female.....	1,181,015	9,787	1,554	1,060	1,224	3,245	4,229	4,652	6,503	10,288	18,381	28,023
Non-Hispanic white 2/, both sexes.....	1,967,142	13,026	2,404	1,561	2,120	7,989	11,694	10,883	12,943	19,504	35,282	54,109
Male.....	954,402	7,418	1,408	860	1,303	5,568	8,699	7,765	8,601	12,443	22,276	33,926
Female.....	1,012,740	5,608	996	701	817	2,421	2,995	3,118	4,342	7,061	13,006	20,183
Non-Hispanic black 2/, both sexes.....	289,163	8,335	1,065	645	855	2,793	4,451	4,559	5,291	6,948	10,982	16,504
Male.....	147,010	4,665	606	354	531	2,155	3,460	3,268	3,438	4,172	6,279	9,622
Female.....	142,153	3,670	459	291	324	638	991	1,291	1,853	2,776	4,703	6,882
Origin not stated 3/, both sexes.....	4,828	228	14	9	10	29	59	63	71	88	195	258
Male.....	2,874	125	8	4	6	21	49	49	49	65	142	184
Female.....	1,954	103	6	5	4	8	10	14	22	23	53	74

Worktable Orig210F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 5-year age groups, specified Hispanic origin, race for non-Hispanic population, and sex: United States, 2005

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), Hispanic origin, race for non-Hispanic population, and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
Septicemia (A40-A41)												
All origins, both sexes.....	34,136	302	85	36	45	61	87	129	182	310	530	898
Male.....	15,322	171	47	24	25	33	49	72	80	143	271	484
Female.....	18,814	131	38	12	20	28	38	57	102	167	259	414
Hispanic, both sexes.....	1,704	66	14	6	6	5	13	14	22	28	46	68
Male.....	838	37	6	3	3	3	7	11	12	11	24	41
Female.....	866	29	8	3	3	2	6	3	10	17	22	27
Mexican, both sexes.....	967	48	10	4	2	4	7	10	9	14	31	46
Male.....	492	25	4	2	-	2	3	8	6	9	18	26
Female.....	475	23	6	2	2	2	4	2	3	5	13	20
Puerto Rican, both sexes.....	258	6	1	2	2	-	4	3	7	6	8	9
Male.....	123	2	1	1	1	-	2	2	2	-	5	5
Female.....	135	4	-	1	1	-	2	1	5	6	3	4
Cuban, both sexes.....	151	-	-	-	-	-	-	-	-	-	1	3
Male.....	74	-	-	-	-	-	-	-	-	-	-	3
Female.....	77	-	-	-	-	-	-	-	-	-	1	-
Central and South American, both sexes.....	135	5	1	-	1	1	2	1	2	4	3	1
Male.....	54	5	-	-	1	1	2	1	2	1	-	-
Female.....	81	-	1	-	-	-	-	-	-	3	3	1
Other and Unknown Hispanic, both sexes.....	193	7	2	-	1	-	-	-	4	4	3	9
Male.....	95	5	1	-	1	-	-	-	2	1	1	7
Female.....	98	2	1	-	-	-	-	-	2	3	2	2
Non-Hispanic 1/, both sexes.....	32,354	236	70	30	39	56	74	115	159	280	483	827
Male.....	14,442	134	40	21	22	30	42	61	67	131	247	441
Female.....	17,912	102	30	9	17	26	32	54	92	149	236	386
Non-Hispanic white 2/, both sexes.....	25,496	100	44	18	29	30	47	66	91	172	308	533
Male.....	11,337	63	26	11	18	16	30	35	39	79	162	291
Female.....	14,159	37	18	7	11	14	17	31	52	93	146	242
Non-Hispanic black 2/, both sexes.....	6,159	125	20	11	9	20	24	44	62	99	159	275
Male.....	2,755	65	13	9	4	13	11	23	26	46	75	139
Female.....	3,404	60	7	2	5	7	13	21	36	53	84	136
Origin not stated 3/, both sexes.....	78	-	1	-	-	-	-	-	1	2	1	3
Male.....	42	-	1	-	-	-	-	-	1	1	-	2
Female.....	36	-	-	-	-	-	-	-	-	1	1	1

Worktable Orig210F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 5-year age groups, specified Hispanic origin, race for non-Hispanic population, and sex: United States, 2005

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992),
Hispanic origin, race for non-Hispanic population, and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
Viral hepatitis (B15-B19)												
All origins, both sexes.....	5,529	-	-	-	1	5	9	26	35	124	385	949
Male.....	3,612	-	-	-	1	1	2	17	17	87	262	696
Female.....	1,917	-	-	-	-	4	7	9	18	37	123	253
Hispanic, both sexes.....	795	-	-	-	-	-	-	7	3	34	80	116
Male.....	521	-	-	-	-	-	-	6	1	27	58	93
Female.....	274	-	-	-	-	-	-	1	2	7	22	23
Mexican, both sexes.....	429	-	-	-	-	-	-	4	-	22	51	71
Male.....	278	-	-	-	-	-	-	4	-	16	33	56
Female.....	151	-	-	-	-	-	-	-	-	6	18	15
Puerto Rican, both sexes.....	164	-	-	-	-	-	-	1	1	5	11	29
Male.....	125	-	-	-	-	-	-	1	1	5	10	23
Female.....	39	-	-	-	-	-	-	-	-	-	1	6
Cuban, both sexes.....	39	-	-	-	-	-	-	-	-	-	2	2
Male.....	19	-	-	-	-	-	-	-	-	-	2	2
Female.....	20	-	-	-	-	-	-	-	-	-	-	-
Central and South American, both sexes.....	57	-	-	-	-	-	-	1	-	1	3	1
Male.....	28	-	-	-	-	-	-	1	-	-	3	1
Female.....	29	-	-	-	-	-	-	-	-	1	-	-
Other and Unknown Hispanic, both sexes.....	106	-	-	-	-	-	-	1	2	6	13	13
Male.....	71	-	-	-	-	-	-	-	-	6	10	11
Female.....	35	-	-	-	-	-	-	1	2	-	3	2
Non-Hispanic 1/, both sexes.....	4,714	-	-	-	1	5	9	19	32	89	302	828
Male.....	3,076	-	-	-	1	1	2	11	16	60	201	600
Female.....	1,638	-	-	-	-	4	7	8	16	29	101	228
Non-Hispanic white 2/, both sexes.....	3,603	-	-	-	-	4	5	12	19	66	238	669
Male.....	2,413	-	-	-	-	1	1	8	9	46	162	494
Female.....	1,190	-	-	-	-	3	4	4	10	20	76	175
Non-Hispanic black 2/, both sexes.....	856	-	-	-	1	1	2	6	11	16	48	130
Male.....	518	-	-	-	1	-	-	2	5	9	29	86
Female.....	338	-	-	-	-	1	2	4	6	7	19	44
Origin not stated 3/, both sexes.....	20	-	-	-	-	-	-	-	-	1	3	5
Male.....	15	-	-	-	-	-	-	-	-	-	3	3
Female.....	5	-	-	-	-	-	-	-	-	1	-	2

Worktable Orig210F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 5-year age groups, specified Hispanic origin, race for non-Hispanic population, and sex: United States, 2005

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992),
Hispanic origin, race for non-Hispanic population, and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
Human immunodeficiency virus (HIV) disease (B20-B24)												
All origins, both sexes.....	12,543	2	2	3	10	28	131	412	906	1,693	2,670	2,546
Male.....	9,189	-	1	-	7	11	78	249	560	1,186	1,960	1,913
Female.....	3,354	2	1	3	3	17	53	163	346	507	710	633
Hispanic, both sexes.....	1,645	2	-	1	3	3	28	62	130	244	372	335
Male.....	1,309	-	-	-	1	1	22	46	96	198	298	278
Female.....	336	2	-	1	2	2	6	16	34	46	74	57
Mexican, both sexes.....	618	1	-	-	-	1	15	36	70	118	142	103
Male.....	523	-	-	-	-	-	12	26	60	108	123	90
Female.....	95	1	-	-	-	1	3	10	10	10	19	13
Puerto Rican, both sexes.....	586	-	-	-	2	1	7	4	30	66	124	136
Male.....	424	-	-	-	1	-	4	3	16	41	90	99
Female.....	162	-	-	-	1	1	3	1	14	25	34	37
Cuban, both sexes.....	78	-	-	-	-	-	-	-	2	4	10	23
Male.....	70	-	-	-	-	-	-	-	2	3	9	22
Female.....	8	-	-	-	-	-	-	-	-	1	1	1
Central and South American, both sexes.....	210	1	-	-	-	-	6	15	19	28	57	40
Male.....	171	-	-	-	-	-	6	13	11	22	51	35
Female.....	39	1	-	-	-	-	-	2	8	6	6	5
Other and Unknown Hispanic, both sexes.....	153	-	-	1	1	1	-	7	9	28	39	33
Male.....	121	-	-	-	-	1	-	4	7	24	25	32
Female.....	32	-	-	1	1	-	-	3	2	4	14	1
Non-Hispanic 1/, both sexes.....	10,813	-	2	2	7	25	103	346	772	1,443	2,272	2,197
Male.....	7,811	-	1	-	6	10	56	201	462	983	1,639	1,623
Female.....	3,002	-	1	2	1	15	47	145	310	460	633	574
Non-Hispanic white 2/, both sexes.....	3,755	-	2	-	-	3	17	65	212	469	883	774
Male.....	3,095	-	1	-	-	-	9	44	151	385	737	650
Female.....	660	-	1	-	-	3	8	21	61	84	146	124
Non-Hispanic black 2/, both sexes.....	6,908	-	-	2	6	22	86	274	550	943	1,355	1,398
Male.....	4,600	-	-	-	5	10	47	152	303	576	878	951
Female.....	2,308	-	-	2	1	12	39	122	247	367	477	447
Origin not stated 3/, both sexes.....	85	-	-	-	-	-	-	4	4	6	26	14
Male.....	69	-	-	-	-	-	-	2	2	5	23	12
Female.....	16	-	-	-	-	-	-	2	2	1	3	2

Worktable Orig210F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 5-year age groups, specified Hispanic origin, race for non-Hispanic population, and sex: United States, 2005

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), Hispanic origin, race for non-Hispanic population, and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
Malignant neoplasms (C00-C97)												
All origins, both sexes.....	559,312	75	377	485	515	731	986	1,337	2,264	4,378	10,188	19,452
Male.....	290,422	45	217	263	294	442	593	749	1,056	1,842	4,496	9,263
Female.....	268,890	30	160	222	221	289	393	588	1,208	2,536	5,692	10,189
Hispanic, both sexes.....	26,156	18	80	94	100	140	183	220	310	498	917	1,365
Male.....	13,896	6	52	47	52	89	113	126	154	204	397	651
Female.....	12,260	12	28	47	48	51	70	94	156	294	520	714
Mexican, both sexes.....	14,047	10	64	68	72	96	126	137	204	309	538	789
Male.....	7,565	4	42	30	36	60	78	77	101	128	225	378
Female.....	6,482	6	22	38	36	36	48	60	103	181	313	411
Puerto Rican, both sexes.....	3,166	-	3	11	10	9	16	20	29	53	99	168
Male.....	1,725	-	2	7	6	6	11	12	17	15	51	91
Female.....	1,441	-	1	4	4	3	5	8	12	38	48	77
Cuban, both sexes.....	2,798	-	1	1	1	-	1	2	7	17	35	67
Male.....	1,589	-	-	1	1	-	-	-	4	4	16	30
Female.....	1,209	-	1	-	-	-	1	2	3	13	19	37
Central and South American, both sexes.....	3,194	4	5	4	11	24	31	50	40	79	168	197
Male.....	1,449	1	3	3	5	16	18	30	18	39	74	81
Female.....	1,745	3	2	1	6	8	13	20	22	40	94	116
Other and Unknown Hispanic, both sexes.....	2,951	4	7	10	6	11	9	11	30	40	77	144
Male.....	1,568	1	5	6	4	7	6	7	14	18	31	71
Female.....	1,383	3	2	4	2	4	3	4	16	22	46	73
Non-Hispanic 1/, both sexes.....	532,383	56	296	389	413	590	802	1,112	1,947	3,874	9,257	18,051
Male.....	276,084	39	165	215	240	352	479	620	898	1,635	4,089	8,592
Female.....	256,299	17	131	174	173	238	323	492	1,049	2,239	5,168	9,459
Non-Hispanic white 2/, both sexes.....	456,133	46	215	288	309	452	596	776	1,399	2,890	7,086	13,796
Male.....	236,659	32	118	155	178	270	358	450	653	1,256	3,224	6,662
Female.....	219,474	14	97	133	131	182	238	326	746	1,634	3,862	7,134
Non-Hispanic black 2/, both sexes.....	62,510	9	62	79	86	101	158	256	418	765	1,756	3,540
Male.....	32,363	6	36	46	52	56	95	124	189	280	680	1,619
Female.....	30,147	3	26	33	34	45	63	132	229	485	1,076	1,921
Origin not stated 3/, both sexes.....	773	1	1	2	2	1	1	5	7	6	14	36
Male.....	442	-	-	1	2	1	1	3	4	3	10	20
Female.....	331	1	1	1	-	-	-	2	3	3	4	16

Worktable Orig210F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 5-year age groups, specified Hispanic origin, race for non-Hispanic population, and sex: United States, 2005

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), Hispanic origin, race for non-Hispanic population, and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
Malignant neoplasm of pancreas (C25)												
All origins, both sexes.....	32,760	-	-	-	2	1	2	21	43	130	435	1,003
Male.....	16,147	-	-	-	2	-	1	14	25	82	250	575
Female.....	16,613	-	-	-	-	1	1	7	18	48	185	428
Hispanic, both sexes.....	1,748	-	-	-	1	-	-	2	6	17	43	78
Male.....	872	-	-	-	1	-	-	2	3	9	28	47
Female.....	876	-	-	-	-	-	-	-	3	8	15	31
Mexican, both sexes.....	941	-	-	-	1	-	-	1	4	11	27	50
Male.....	481	-	-	-	1	-	-	1	2	4	17	34
Female.....	460	-	-	-	-	-	-	-	2	7	10	16
Puerto Rican, both sexes.....	174	-	-	-	-	-	-	-	1	-	2	11
Male.....	102	-	-	-	-	-	-	-	1	-	2	6
Female.....	72	-	-	-	-	-	-	-	-	-	-	5
Cuban, both sexes.....	194	-	-	-	-	-	-	-	-	1	4	-
Male.....	100	-	-	-	-	-	-	-	-	1	3	-
Female.....	94	-	-	-	-	-	-	-	-	-	1	-
Central and South American, both sexes.....	233	-	-	-	-	-	-	1	1	3	5	10
Male.....	84	-	-	-	-	-	-	1	-	2	4	2
Female.....	149	-	-	-	-	-	-	-	1	1	1	8
Other and Unknown Hispanic, both sexes.....	206	-	-	-	-	-	-	-	-	2	5	7
Male.....	105	-	-	-	-	-	-	-	-	2	2	5
Female.....	101	-	-	-	-	-	-	-	-	-	3	2
Non-Hispanic 1/, both sexes.....	30,976	-	-	-	1	1	2	18	37	113	392	924
Male.....	15,262	-	-	-	1	-	1	12	22	73	222	527
Female.....	15,714	-	-	-	-	1	1	6	15	40	170	397
Non-Hispanic white 2/, both sexes.....	26,366	-	-	-	1	1	-	12	28	87	306	726
Male.....	13,102	-	-	-	1	-	-	8	16	54	180	420
Female.....	13,264	-	-	-	-	1	-	4	12	33	126	306
Non-Hispanic black 2/, both sexes.....	3,743	-	-	-	-	-	1	5	6	20	66	171
Male.....	1,740	-	-	-	-	-	1	3	4	13	31	92
Female.....	2,003	-	-	-	-	-	-	2	2	7	35	79
Origin not stated 3/, both sexes.....	36	-	-	-	-	-	-	1	-	-	-	1
Male.....	13	-	-	-	-	-	-	-	-	-	-	1
Female.....	23	-	-	-	-	-	-	1	-	-	-	-

Worktable Orig210F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 5-year age groups, specified Hispanic origin, race for non-Hispanic population, and sex: United States, 2005

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), Hispanic origin, race for non-Hispanic population, and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
Malignant neoplasms of trachea, bronchus and lung (C33-C34)												
All origins, both sexes.....	159,292	-	3	1	-	4	12	39	94	441	1,882	4,596
Male.....	90,187	-	3	-	-	4	5	19	58	235	962	2,535
Female.....	69,105	-	-	1	-	-	7	20	36	206	920	2,061
Hispanic, both sexes.....	4,490	-	1	-	-	-	2	9	6	31	80	157
Male.....	2,878	-	1	-	-	-	-	5	4	22	42	93
Female.....	1,612	-	-	-	-	-	2	4	2	9	38	64
Mexican, both sexes.....	2,203	-	1	-	-	-	2	6	4	14	37	67
Male.....	1,423	-	1	-	-	-	-	3	2	11	21	41
Female.....	780	-	-	-	-	-	2	3	2	3	16	26
Puerto Rican, both sexes.....	616	-	-	-	-	-	-	1	1	3	11	39
Male.....	389	-	-	-	-	-	-	1	1	1	5	21
Female.....	227	-	-	-	-	-	-	-	-	2	6	18
Cuban, both sexes.....	645	-	-	-	-	-	-	-	-	2	4	12
Male.....	473	-	-	-	-	-	-	-	-	-	2	10
Female.....	172	-	-	-	-	-	-	-	-	2	2	2
Central and South American, both sexes.....	422	-	-	-	-	-	-	2	-	6	20	16
Male.....	249	-	-	-	-	-	-	1	-	6	9	8
Female.....	173	-	-	-	-	-	-	1	-	-	11	8
Other and Unknown Hispanic, both sexes.....	604	-	-	-	-	-	-	-	1	6	8	23
Male.....	344	-	-	-	-	-	-	-	1	4	5	13
Female.....	260	-	-	-	-	-	-	-	-	2	3	10
Non-Hispanic 1/, both sexes.....	154,578	-	2	1	-	4	10	30	87	409	1,800	4,430
Male.....	87,168	-	2	-	-	4	5	14	53	213	919	2,437
Female.....	67,410	-	-	1	-	-	5	16	34	196	881	1,993
Non-Hispanic white 2/, both sexes.....	134,924	-	2	1	-	3	9	20	62	322	1,421	3,463
Male.....	75,500	-	2	-	-	3	5	9	40	163	719	1,889
Female.....	59,424	-	-	1	-	-	4	11	22	159	702	1,574
Non-Hispanic black 2/, both sexes.....	16,437	-	-	-	-	1	-	8	11	66	318	849
Male.....	9,794	-	-	-	-	1	-	4	7	38	164	489
Female.....	6,643	-	-	-	-	-	-	4	4	28	154	360
Origin not stated 3/, both sexes.....	224	-	-	-	-	-	-	-	1	1	2	9
Male.....	141	-	-	-	-	-	-	-	1	-	1	5
Female.....	83	-	-	-	-	-	-	-	-	1	1	4

Worktable Orig210F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 5-year age groups, specified Hispanic origin, race for non-Hispanic population, and sex: United States, 2005

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), Hispanic origin, race for non-Hispanic population, and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
Malignant neoplasm of cervix uteri (C53)												
All origins, both sexes.....	3,924	-	-	-	-	1	13	39	129	235	387	492
Male.....
Female.....	3,924	-	-	-	-	1	13	39	129	235	387	492
Hispanic, both sexes.....	447	-	-	-	-	1	2	3	17	47	56	58
Male.....
Female.....	447	-	-	-	-	1	2	3	17	47	56	58
Mexican, both sexes.....	252	-	-	-	-	1	2	1	10	27	33	38
Male.....
Female.....	252	-	-	-	-	1	2	1	10	27	33	38
Puerto Rican, both sexes.....	67	-	-	-	-	-	-	1	1	10	9	3
Male.....
Female.....	67	-	-	-	-	-	-	1	1	10	9	3
Cuban, both sexes.....	23	-	-	-	-	-	-	-	-	2	-	6
Male.....
Female.....	23	-	-	-	-	-	-	-	-	2	-	6
Central and South American, both sexes.....	74	-	-	-	-	-	-	-	4	5	8	10
Male.....
Female.....	74	-	-	-	-	-	-	-	4	5	8	10
Other and Unknown Hispanic, both sexes.....	31	-	-	-	-	-	-	1	2	3	6	1
Male.....
Female.....	31	-	-	-	-	-	-	1	2	3	6	1
Non-Hispanic 1/, both sexes.....	3,469	-	-	-	-	-	11	36	111	188	330	434
Male.....
Female.....	3,469	-	-	-	-	-	11	36	111	188	330	434
Non-Hispanic white 2/, both sexes.....	2,538	-	-	-	-	-	7	24	89	135	234	298
Male.....
Female.....	2,538	-	-	-	-	-	7	24	89	135	234	298
Non-Hispanic black 2/, both sexes.....	776	-	-	-	-	-	4	9	20	44	88	112
Male.....
Female.....	776	-	-	-	-	-	4	9	20	44	88	112
Origin not stated 3/, both sexes.....	8	-	-	-	-	-	-	-	1	-	1	-
Male.....
Female.....	8	-	-	-	-	-	-	-	1	-	1	-

Worktable Orig210F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 5-year age groups, specified Hispanic origin, race for non-Hispanic population, and sex: United States, 2005

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), Hispanic origin, race for non-Hispanic population, and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
--	----------	--------------	-----------	-----------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------

Malignant neoplasms of meninges, brain and other parts of central nervous system (C70-C72)

All origins, both sexes.....	13,152	18	84	188	136	118	116	161	218	338	610	824
Male.....	7,317	12	38	92	79	77	67	113	135	209	395	477
Female.....	5,835	6	46	96	57	41	49	48	83	129	215	347
Hispanic, both sexes.....	771	6	21	32	22	20	17	21	15	35	48	46
Male.....	431	2	9	13	8	13	10	15	11	19	35	28
Female.....	340	4	12	19	14	7	7	6	4	16	13	18
Mexican, both sexes.....	436	4	18	19	13	15	12	14	11	22	27	26
Male.....	240	1	7	6	3	9	7	10	8	14	19	18
Female.....	196	3	11	13	10	6	5	4	3	8	8	8
Puerto Rican, both sexes.....	78	-	-	6	3	1	2	2	2	3	6	4
Male.....	50	-	-	4	2	1	1	2	1	1	6	1
Female.....	28	-	-	2	1	-	1	-	1	2	-	3
Cuban, both sexes.....	70	-	-	-	-	-	-	-	1	1	4	2
Male.....	34	-	-	-	-	-	-	-	1	-	3	1
Female.....	36	-	-	-	-	-	-	-	-	1	1	1
Central and South American, both sexes.....	103	1	1	2	2	2	3	3	-	6	6	9
Male.....	56	1	-	1	1	1	2	2	-	2	5	5
Female.....	47	-	1	1	1	1	1	1	-	4	1	4
Other and Unknown Hispanic, both sexes.....	84	1	2	5	4	2	-	2	1	3	5	5
Male.....	51	-	2	2	2	2	-	1	1	2	2	3
Female.....	33	1	-	3	2	-	-	1	-	1	3	2
Non-Hispanic 1/, both sexes.....	12,364	12	62	156	114	97	99	138	202	303	561	776
Male.....	6,877	10	29	79	71	63	57	97	123	190	360	447
Female.....	5,487	2	33	77	43	34	42	41	79	113	201	329
Non-Hispanic white 2/, both sexes.....	11,313	9	47	115	93	77	84	116	177	261	506	691
Male.....	6,289	8	20	56	58	50	48	81	108	167	329	400
Female.....	5,024	1	27	59	35	27	36	35	69	94	177	291
Non-Hispanic black 2/, both sexes.....	781	3	13	32	16	12	11	16	12	26	38	65
Male.....	434	2	8	16	10	6	8	14	7	14	21	37
Female.....	347	1	5	16	6	6	3	2	5	12	17	28
Origin not stated 3/, both sexes.....	17	-	1	-	-	1	-	2	1	-	1	2
Male.....	9	-	-	-	-	1	-	1	1	-	-	2
Female.....	8	-	1	-	-	-	-	1	-	-	1	-

Worktable Orig210F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 5-year age groups, specified Hispanic origin, race for non-Hispanic population, and sex: United States, 2005

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992),

Hispanic origin, race for non-Hispanic population, and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
--	----------	--------------	-----------	-----------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------

Malignant neoplasms of lymphoid, hematopoietic and related tissue (C81-C96)

All origins, both sexes.....	55,028	24	128	150	185	281	374	366	445	566	932	1,491
Male.....	30,031	12	84	94	112	174	237	219	245	322	558	870
Female.....	24,997	12	44	56	73	107	137	147	200	244	374	621
Hispanic, both sexes.....	3,110	7	28	40	47	63	92	71	79	79	103	158
Male.....	1,719	2	20	23	28	43	62	45	49	48	63	96
Female.....	1,391	5	8	17	19	20	30	26	30	31	40	62
Mexican, both sexes.....	1,711	2	21	33	39	40	66	40	51	51	61	101
Male.....	976	1	16	16	23	27	42	26	32	30	35	59
Female.....	735	1	5	17	16	13	24	14	19	21	26	42
Puerto Rican, both sexes.....	348	-	-	2	2	5	5	6	9	7	11	22
Male.....	183	-	-	2	1	3	3	4	6	4	5	14
Female.....	165	-	-	-	1	2	2	2	3	3	6	8
Cuban, both sexes.....	308	-	1	1	-	-	-	-	3	2	1	8
Male.....	156	-	-	1	-	-	-	-	-	1	1	4
Female.....	152	-	1	-	-	-	-	-	3	1	-	4
Central and South American, both sexes.....	456	2	3	2	5	13	18	23	12	13	20	17
Male.....	250	-	2	2	3	10	14	13	8	11	15	14
Female.....	206	2	1	-	2	3	4	10	4	2	5	3
Other and Unknown Hispanic, both sexes.....	287	3	3	2	1	5	3	2	4	6	10	10
Male.....	154	1	2	2	1	3	3	2	3	2	7	5
Female.....	133	2	1	-	-	2	-	-	1	4	3	5
Non-Hispanic 1/, both sexes.....	51,861	17	100	108	138	218	281	294	365	485	827	1,329
Male.....	28,283	10	64	70	84	131	174	173	196	273	494	771
Female.....	23,578	7	36	38	54	87	107	121	169	212	333	558
Non-Hispanic white 2/, both sexes.....	45,619	14	66	83	103	165	205	188	246	373	621	1,010
Male.....	25,000	8	40	49	64	102	127	114	127	213	379	585
Female.....	20,619	6	26	34	39	63	78	74	119	160	242	425
Non-Hispanic black 2/, both sexes.....	4,988	3	26	16	28	44	57	78	102	88	167	252
Male.....	2,604	2	18	15	16	23	38	39	60	48	92	152
Female.....	2,384	1	8	1	12	21	19	39	42	40	75	100
Origin not stated 3/, both sexes.....	57	-	-	2	-	-	1	1	1	2	2	4
Male.....	29	-	-	1	-	-	1	1	-	1	1	3
Female.....	28	-	-	1	-	-	-	-	1	1	1	1

Worktable Orig210F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 5-year age groups, specified Hispanic origin, race for non-Hispanic population, and sex: United States, 2005

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992),
Hispanic origin, race for non-Hispanic population, and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
Leukemia (C91-C95)												
All origins, both sexes.....	21,623	22	120	125	150	223	243	218	243	288	392	607
Male.....	12,231	11	81	76	83	131	162	132	125	152	206	327
Female.....	9,392	11	39	49	67	92	81	86	118	136	186	280
Hispanic, both sexes.....	1,272	7	25	34	45	54	71	50	52	47	50	67
Male.....	747	2	19	19	26	37	48	32	32	30	28	38
Female.....	525	5	6	15	19	17	23	18	20	17	22	29
Mexican, both sexes.....	725	2	19	28	38	37	51	30	37	35	34	45
Male.....	437	1	15	13	22	25	33	19	23	22	19	25
Female.....	288	1	4	15	16	12	18	11	14	13	15	20
Puerto Rican, both sexes.....	116	-	-	2	1	2	4	4	4	3	3	5
Male.....	67	-	-	2	-	2	3	3	3	2	-	4
Female.....	49	-	-	-	1	-	1	1	1	1	3	1
Cuban, both sexes.....	125	-	1	1	-	-	-	-	1	1	-	3
Male.....	64	-	-	1	-	-	-	-	-	1	-	-
Female.....	61	-	1	-	-	-	-	-	1	-	-	3
Central and South American, both sexes.....	191	2	2	1	5	11	13	15	7	6	6	9
Male.....	117	-	2	1	3	8	9	9	4	5	5	7
Female.....	74	2	-	-	2	3	4	6	3	1	1	2
Other and Unknown Hispanic, both sexes.....	115	3	3	2	1	4	3	1	3	2	7	5
Male.....	62	1	2	2	1	2	3	1	2	-	4	2
Female.....	53	2	1	-	-	2	-	-	1	2	3	3
Non-Hispanic 1/, both sexes.....	20,329	15	95	90	105	169	172	168	190	239	341	537
Male.....	11,471	9	62	56	57	94	114	100	93	121	178	287
Female.....	8,858	6	33	34	48	75	58	68	97	118	163	250
Non-Hispanic white 2/, both sexes.....	18,152	12	62	71	74	126	132	110	140	197	265	422
Male.....	10,289	7	39	41	41	71	84	70	70	97	135	224
Female.....	7,863	5	23	30	33	55	48	40	70	100	130	198
Non-Hispanic black 2/, both sexes.....	1,697	3	25	11	24	35	29	42	41	31	56	86
Male.....	902	2	17	10	12	18	24	21	19	18	30	48
Female.....	795	1	8	1	12	17	5	21	22	13	26	38
Origin not stated 3/, both sexes.....	22	-	-	1	-	-	-	-	1	2	1	3
Male.....	13	-	-	1	-	-	-	-	-	1	-	2
Female.....	9	-	-	-	-	-	-	-	1	1	1	1

Worktable Orig210F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 5-year age groups, specified Hispanic origin, race for non-Hispanic population, and sex: United States, 2005

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), Hispanic origin, race for non-Hispanic population, and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
--	----------	--------------	-----------	-----------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------

All other and unspecified malignant neoplasms (C17,C23-C24,C26-C31,C37-C41,C44-C49,C51-C52,C57-C60,C62-C63,C66,C68-C69,C73-C80,C97)

All origins, both sexes.....	62,851	15	122	116	163	272	307	300	401	614	1,213	2,236
Male.....	32,194	9	68	63	88	154	208	200	240	331	670	1,242
Female.....	30,657	6	54	53	75	118	99	100	161	283	543	994
Hispanic, both sexes.....	3,238	4	23	19	24	46	51	59	76	69	127	149
Male.....	1,715	2	16	9	12	28	35	38	48	39	78	71
Female.....	1,523	2	7	10	12	18	16	21	28	30	49	78
Mexican, both sexes.....	1,782	3	18	14	16	34	32	39	51	41	68	92
Male.....	954	2	12	6	7	21	26	25	28	26	42	45
Female.....	828	1	6	8	9	13	6	14	23	15	26	47
Puerto Rican, both sexes.....	367	-	2	2	4	2	9	6	4	11	19	11
Male.....	207	-	2	1	3	1	7	3	3	5	14	6
Female.....	160	-	-	1	1	1	2	3	1	6	5	5
Cuban, both sexes.....	309	-	-	-	1	-	1	-	2	3	3	9
Male.....	167	-	-	-	1	-	-	-	2	1	2	5
Female.....	142	-	-	-	-	-	1	-	-	2	1	4
Central and South American, both sexes.....	407	1	1	-	3	7	8	10	12	8	28	23
Male.....	178	-	1	-	1	5	2	7	8	4	16	9
Female.....	229	1	-	-	2	2	6	3	4	4	12	14
Other and Unknown Hispanic, both sexes.....	373	-	2	3	-	3	1	4	7	6	9	14
Male.....	209	-	1	2	-	1	-	3	7	3	4	6
Female.....	164	-	1	1	-	2	1	1	-	3	5	8
Non-Hispanic 1/, both sexes.....	59,519	10	99	97	138	226	256	240	323	544	1,083	2,085
Male.....	30,420	7	52	54	75	126	173	161	191	292	589	1,169
Female.....	29,099	3	47	43	63	100	83	79	132	252	494	916
Non-Hispanic white 2/, both sexes.....	51,380	8	73	71	95	177	195	167	234	418	836	1,589
Male.....	26,332	5	40	41	48	97	134	117	141	231	466	893
Female.....	25,048	3	33	30	47	80	61	50	93	187	370	696
Non-Hispanic black 2/, both sexes.....	6,591	2	19	23	38	31	49	58	69	98	205	409
Male.....	3,311	2	9	12	24	16	31	33	42	48	103	232
Female.....	3,280	-	10	11	14	15	18	25	27	50	102	177
Origin not stated 3/, both sexes.....	94	1	-	-	1	-	-	1	2	1	3	2
Male.....	59	-	-	-	1	-	-	1	1	-	3	2
Female.....	35	1	-	-	-	-	-	-	1	1	-	-

Worktable Orig210F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 5-year age groups, specified Hispanic origin, race for non-Hispanic population, and sex: United States, 2005

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), Hispanic origin, race for non-Hispanic population, and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
Major cardiovascular diseases (I00-I78)												
All origins, both sexes.....	856,030	503	217	165	202	489	902	1,467	2,574	5,056	10,796	18,937
Male.....	405,780	282	126	80	120	319	595	973	1,684	3,375	7,289	12,978
Female.....	450,250	221	91	85	82	170	307	494	890	1,681	3,507	5,959
Hispanic, both sexes.....	39,010	98	40	25	34	68	130	202	263	469	870	1,270
Male.....	20,368	54	27	12	22	46	81	148	192	340	630	895
Female.....	18,642	44	13	13	12	22	49	54	71	129	240	375
Mexican, both sexes.....	20,854	65	30	14	24	45	88	142	182	273	524	763
Male.....	11,270	37	19	6	15	32	51	114	133	195	387	543
Female.....	9,584	28	11	8	9	13	37	28	49	78	137	220
Puerto Rican, both sexes.....	4,970	12	3	2	4	6	13	18	25	63	110	143
Male.....	2,529	6	3	-	4	4	12	9	18	44	74	97
Female.....	2,441	6	-	2	-	2	1	9	7	19	36	46
Cuban, both sexes.....	5,108	3	-	1	-	2	1	3	10	18	41	67
Male.....	2,564	2	-	1	-	-	-	2	10	15	34	58
Female.....	2,544	1	-	-	-	2	1	1	-	3	7	9
Central and South American, both sexes.....	3,753	8	4	5	3	9	18	27	30	72	113	151
Male.....	1,770	5	2	3	-	6	13	15	22	51	79	94
Female.....	1,983	3	2	2	3	3	5	12	8	21	34	57
Other and Unknown Hispanic, both sexes.....	4,325	10	3	3	3	6	10	12	16	43	82	146
Male.....	2,235	4	3	2	3	4	5	8	9	35	56	103
Female.....	2,090	6	-	1	-	2	5	4	7	8	26	43
Non-Hispanic 1/, both sexes.....	815,443	405	177	138	168	421	771	1,261	2,309	4,579	9,900	17,612
Male.....	384,533	228	99	67	98	273	514	822	1,491	3,027	6,642	12,044
Female.....	430,910	177	78	71	70	148	257	439	818	1,552	3,258	5,568
Non-Hispanic white 2/, both sexes.....	698,139	227	101	80	103	262	471	731	1,393	2,952	6,811	12,365
Male.....	328,004	127	59	41	63	164	323	499	919	2,012	4,784	8,814
Female.....	370,135	100	42	39	40	98	148	232	474	940	2,027	3,551
Non-Hispanic black 2/, both sexes.....	99,000	148	60	48	53	141	262	471	798	1,446	2,731	4,711
Male.....	47,004	86	30	22	29	97	168	284	486	895	1,605	2,859
Female.....	51,996	62	30	26	24	44	94	187	312	551	1,126	1,852
Origin not stated 3/, both sexes.....	1,577	-	-	2	-	-	1	4	2	8	26	55
Male.....	879	-	-	1	-	-	-	3	1	8	17	39
Female.....	698	-	-	1	-	-	1	1	1	-	9	16

Worktable Orig210F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 5-year age groups, specified Hispanic origin, race for non-Hispanic population, and sex: United States, 2005

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), Hispanic origin, race for non-Hispanic population, and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
Diseases of heart (I00-I09,I11,I13,I20-I51)												
All origins, both sexes.....	652,091	358	151	106	146	389	730	1,180	2,069	4,076	8,612	15,295
Male.....	322,841	197	81	50	81	268	502	814	1,392	2,828	6,103	10,967
Female.....	329,250	161	70	56	65	121	228	366	677	1,248	2,509	4,328
Hispanic, both sexes.....	29,555	71	23	11	23	46	91	163	191	330	627	902
Male.....	15,900	38	17	5	16	35	56	124	148	254	479	674
Female.....	13,655	33	6	6	7	11	35	39	43	76	148	228
Mexican, both sexes.....	15,347	48	17	5	18	29	61	114	132	181	374	522
Male.....	8,629	27	12	2	11	24	35	95	104	141	287	395
Female.....	6,718	21	5	3	7	5	26	19	28	40	87	127
Puerto Rican, both sexes.....	3,965	7	1	1	4	5	9	15	17	53	81	104
Male.....	2,046	2	1	-	4	3	8	7	13	38	61	70
Female.....	1,919	5	-	1	-	2	1	8	4	15	20	34
Cuban, both sexes.....	4,158	2	-	-	-	1	1	3	7	13	35	55
Male.....	2,102	1	-	-	-	-	-	2	7	11	29	49
Female.....	2,056	1	-	-	-	1	1	1	-	2	6	6
Central and South American, both sexes.....	2,823	7	3	5	-	5	12	21	24	49	74	116
Male.....	1,372	5	2	3	-	4	8	14	17	35	59	78
Female.....	1,451	2	1	2	-	1	4	7	7	14	15	38
Other and Unknown Hispanic, both sexes.....	3,262	7	2	-	1	6	8	10	11	34	63	105
Male.....	1,751	3	2	-	1	4	5	6	7	29	43	82
Female.....	1,511	4	-	-	-	2	3	4	4	5	20	23
Non-Hispanic 1/, both sexes.....	621,260	287	128	94	123	343	639	1,013	1,876	3,738	7,964	14,343
Male.....	306,197	159	64	45	65	233	446	687	1,243	2,566	5,609	10,257
Female.....	315,063	128	64	49	58	110	193	326	633	1,172	2,355	4,086
Non-Hispanic white 2/, both sexes.....	535,101	162	70	53	74	216	388	600	1,142	2,470	5,683	10,430
Male.....	263,311	89	38	28	42	141	281	431	775	1,750	4,170	7,719
Female.....	271,790	73	32	25	32	75	107	169	367	720	1,513	2,711
Non-Hispanic black 2/, both sexes.....	73,302	104	45	34	41	116	217	370	638	1,142	2,023	3,511
Male.....	35,874	61	19	14	21	85	143	227	397	726	1,243	2,237
Female.....	37,428	43	26	20	20	31	74	143	241	416	780	1,274
Origin not stated 3/, both sexes.....	1,276	-	-	1	-	-	-	4	2	8	21	50
Male.....	744	-	-	-	-	-	-	3	1	8	15	36
Female.....	532	-	-	1	-	-	-	1	1	-	6	14

Worktable Orig210F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 5-year age groups, specified Hispanic origin, race for non-Hispanic population, and sex: United States, 2005

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), Hispanic origin, race for non-Hispanic population, and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
Other heart diseases (I26-I51)												
All origins, both sexes.....	170,585	342	143	96	135	357	561	767	1,080	1,639	2,656	4,023
Male.....	75,094	188	77	44	74	244	370	499	677	1,016	1,679	2,513
Female.....	95,491	154	66	52	61	113	191	268	403	623	977	1,510
Hispanic, both sexes.....	5,937	70	21	8	20	42	69	113	101	139	187	226
Male.....	3,032	38	15	2	13	32	40	84	77	106	127	156
Female.....	2,905	32	6	6	7	10	29	29	24	33	60	70
Mexican, both sexes.....	3,225	48	15	3	17	27	46	81	67	77	120	138
Male.....	1,730	27	10	-	10	23	25	68	53	61	85	98
Female.....	1,495	21	5	3	7	4	21	13	14	16	35	40
Puerto Rican, both sexes.....	686	7	1	1	2	5	5	10	9	27	19	28
Male.....	343	2	1	-	2	3	4	5	7	19	12	17
Female.....	343	5	-	1	-	2	1	5	2	8	7	11
Cuban, both sexes.....	721	2	-	-	-	1	1	2	2	3	10	12
Male.....	347	1	-	-	-	-	-	1	2	2	5	9
Female.....	374	1	-	-	-	1	1	1	-	1	5	3
Central and South American, both sexes.....	527	7	3	4	-	5	12	15	15	20	13	24
Male.....	252	5	2	2	-	4	8	9	11	14	10	17
Female.....	275	2	1	2	-	1	4	6	4	6	3	7
Other and Unknown Hispanic, both sexes.....	778	6	2	-	1	4	5	5	8	12	25	24
Male.....	360	3	2	-	1	2	3	1	4	10	15	15
Female.....	418	3	-	-	-	2	2	4	4	2	10	9
Non-Hispanic 1/, both sexes.....	164,389	272	122	87	115	315	492	651	977	1,497	2,460	3,778
Male.....	71,921	150	62	42	61	212	330	413	599	907	1,546	2,343
Female.....	92,468	122	60	45	54	103	162	238	378	590	914	1,435
Non-Hispanic white 2/, both sexes.....	141,522	154	66	47	68	197	308	387	557	935	1,658	2,580
Male.....	61,136	82	38	25	38	126	213	257	347	585	1,067	1,649
Female.....	80,386	72	28	22	30	71	95	130	210	350	591	931
Non-Hispanic black 2/, both sexes.....	19,938	98	44	33	39	107	163	243	376	510	738	1,098
Male.....	9,358	59	18	14	21	79	105	144	226	293	435	633
Female.....	10,580	39	26	19	18	28	58	99	150	217	303	465
Origin not stated 3/, both sexes.....	259	-	-	1	-	-	-	3	2	3	9	19
Male.....	141	-	-	-	-	-	-	2	1	3	6	14
Female.....	118	-	-	1	-	-	-	1	1	-	3	5

Worktable Orig210F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 5-year age groups, specified Hispanic origin, race for non-Hispanic population, and sex: United States, 2005

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), Hispanic origin, race for non-Hispanic population, and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
All other forms of heart disease (I26-I28,I34-I38,I42-I49,I51)												
All origins, both sexes.....	109,579	290	120	77	110	326	508	694	978	1,473	2,344	3,490
Male.....	50,934	162	63	37	67	224	337	454	610	918	1,473	2,194
Female.....	58,645	128	57	40	43	102	171	240	368	555	871	1,296
Hispanic, both sexes.....	4,062	60	19	7	17	37	62	102	90	128	160	196
Male.....	2,199	33	13	2	12	28	36	76	68	100	107	138
Female.....	1,863	27	6	5	5	9	26	26	22	28	53	58
Mexican, both sexes.....	2,135	43	14	3	15	23	43	72	61	71	101	116
Male.....	1,217	25	9	-	10	20	23	60	48	58	71	86
Female.....	918	18	5	3	5	3	20	12	13	13	30	30
Puerto Rican, both sexes.....	470	5	-	-	1	5	5	10	8	24	17	25
Male.....	242	1	-	-	1	3	4	5	6	17	11	15
Female.....	228	4	-	-	-	2	1	5	2	7	6	10
Cuban, both sexes.....	573	2	-	-	-	1	1	2	2	3	10	11
Male.....	286	1	-	-	-	-	-	1	2	2	5	8
Female.....	287	1	-	-	-	1	1	1	-	1	5	3
Central and South American, both sexes.....	385	5	3	4	-	4	9	13	13	18	11	22
Male.....	207	4	2	2	-	3	7	9	9	13	8	15
Female.....	178	1	1	2	-	1	2	4	4	5	3	7
Other and Unknown Hispanic, both sexes.....	499	5	2	-	1	4	4	5	6	12	21	22
Male.....	247	2	2	-	1	2	2	1	3	10	12	14
Female.....	252	3	-	-	-	2	2	4	3	2	9	8
Non-Hispanic 1/, both sexes.....	105,333	230	101	70	93	289	446	589	886	1,342	2,176	3,279
Male.....	48,631	129	50	35	55	196	301	376	541	815	1,361	2,046
Female.....	56,702	101	51	35	38	93	145	213	345	527	815	1,233
Non-Hispanic white 2/, both sexes.....	89,226	136	61	40	58	180	280	354	510	853	1,493	2,274
Male.....	40,668	74	33	22	35	116	191	238	316	534	969	1,463
Female.....	48,558	62	28	18	23	64	89	116	194	319	524	811
Non-Hispanic black 2/, both sexes.....	13,981	80	30	26	30	99	148	217	337	442	631	920
Male.....	6,903	49	12	12	19	73	98	127	201	254	359	532
Female.....	7,078	31	18	14	11	26	50	90	136	188	272	388
Origin not stated 3/, both sexes.....	184	-	-	-	-	-	-	3	2	3	8	15
Male.....	104	-	-	-	-	-	-	2	1	3	5	10
Female.....	80	-	-	-	-	-	-	1	1	-	3	5

Worktable Orig210F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 5-year age groups, specified Hispanic origin, race for non-Hispanic population, and sex: United States, 2005

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992),
Hispanic origin, race for non-Hispanic population, and sex

All Under 1-4 5-9 10-14 15-19 20-24 25-29 30-34 35-39 40-44 45-49
ages 1 year years years years years years years years years years years

Essential (primary) hypertension and hypertensive renal disease (I10,I12)

All origins, both sexes.....	24,902	2	-	2	1	7	15	29	55	118	288	504
Male.....	9,458	1	-	-	1	3	9	14	31	69	174	307
Female.....	15,444	1	-	2	-	4	6	15	24	49	114	197
Hispanic, both sexes.....	1,314	1	-	1	1	-	3	4	7	12	25	32
Male.....	547	1	-	-	1	-	3	2	2	7	20	20
Female.....	767	-	-	1	-	-	-	2	5	5	5	12
Mexican, both sexes.....	781	-	-	1	1	-	1	1	6	8	18	21
Male.....	331	-	-	-	1	-	1	1	2	4	14	13
Female.....	450	-	-	1	-	-	-	-	4	4	4	8
Puerto Rican, both sexes.....	162	1	-	-	-	-	1	1	1	1	2	6
Male.....	75	1	-	-	-	-	1	1	-	-	1	3
Female.....	87	-	-	-	-	-	-	-	1	1	1	3
Cuban, both sexes.....	129	-	-	-	-	-	-	-	-	1	1	3
Male.....	54	-	-	-	-	-	-	-	-	1	1	3
Female.....	75	-	-	-	-	-	-	-	-	-	-	-
Central and South American, both sexes.....	132	-	-	-	-	-	1	2	-	1	1	2
Male.....	45	-	-	-	-	-	1	-	-	1	1	1
Female.....	87	-	-	-	-	-	-	2	-	-	-	1
Other and Unknown Hispanic, both sexes.....	110	-	-	-	-	-	-	-	-	1	3	-
Male.....	42	-	-	-	-	-	-	-	-	1	3	-
Female.....	68	-	-	-	-	-	-	-	-	-	-	-
Non-Hispanic 1/, both sexes.....	23,543	1	-	1	-	7	11	25	48	106	263	472
Male.....	8,890	-	-	-	-	3	6	12	29	62	154	287
Female.....	14,653	1	-	1	-	4	5	13	19	44	109	185
Non-Hispanic white 2/, both sexes.....	17,949	-	-	1	-	3	3	7	12	41	119	224
Male.....	6,474	-	-	-	-	2	2	3	8	27	77	150
Female.....	11,475	-	-	1	-	1	1	4	4	14	42	74
Non-Hispanic black 2/, both sexes.....	4,906	1	-	-	-	3	8	15	36	60	134	236
Male.....	2,108	-	-	-	-	1	4	7	21	31	72	127
Female.....	2,798	1	-	-	-	2	4	8	15	29	62	109
Origin not stated 3/, both sexes.....	45	-	-	-	-	-	1	-	-	-	-	-
Male.....	21	-	-	-	-	-	-	-	-	-	-	-
Female.....	24	-	-	-	-	-	1	-	-	-	-	-

Worktable Orig210F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 5-year age groups, specified Hispanic origin, race for non-Hispanic population, and sex: United States, 2005

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), Hispanic origin, race for non-Hispanic population, and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
--	----------	--------------	-----------	-----------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------

Other diseases of respiratory system (J00-J06,J30-J39,J67,J70-J98)

All origins, both sexes.....	27,056	303	94	34	27	48	62	66	115	152	322	543
Male.....	13,168	187	57	19	14	32	28	37	54	70	156	304
Female.....	13,888	116	37	15	13	16	34	29	61	82	166	239
Hispanic, both sexes.....	1,591	54	16	5	4	10	10	14	18	14	33	46
Male.....	779	30	5	4	1	7	4	8	12	7	16	28
Female.....	812	24	11	1	3	3	6	6	6	7	17	18
Mexican, both sexes.....	881	37	9	2	4	5	5	9	10	7	15	30
Male.....	440	20	3	2	1	3	3	5	7	2	6	21
Female.....	441	17	6	-	3	2	2	4	3	5	9	9
Puerto Rican, both sexes.....	201	7	3	1	-	3	1	1	4	2	9	3
Male.....	84	3	1	1	-	2	-	1	3	2	4	1
Female.....	117	4	2	-	-	1	-	-	1	-	5	2
Cuban, both sexes.....	139	1	1	-	-	-	-	-	-	-	-	1
Male.....	67	-	-	-	-	-	-	-	-	-	-	-
Female.....	72	1	1	-	-	-	-	-	-	-	-	1
Central and South American, both sexes.....	190	6	2	1	-	1	1	1	1	4	4	8
Male.....	88	5	1	1	-	1	1	1	-	2	1	5
Female.....	102	1	1	-	-	-	-	-	1	2	3	3
Other and Unknown Hispanic, both sexes.....	180	3	1	1	-	1	3	3	3	1	5	4
Male.....	100	2	-	-	-	1	-	1	2	1	5	1
Female.....	80	1	1	1	-	-	3	2	1	-	-	3
Non-Hispanic 1/, both sexes.....	25,434	248	78	29	23	38	52	51	96	138	289	497
Male.....	12,369	156	52	15	13	25	24	28	42	63	140	276
Female.....	13,065	92	26	14	10	13	28	23	54	75	149	221
Non-Hispanic white 2/, both sexes.....	22,272	140	50	24	17	23	34	31	61	94	204	345
Male.....	10,794	86	33	10	11	17	15	20	26	47	102	194
Female.....	11,478	54	17	14	6	6	19	11	35	47	102	151
Non-Hispanic black 2/, both sexes.....	2,459	99	23	4	6	14	14	17	32	40	80	133
Male.....	1,195	66	15	4	2	8	7	7	14	15	37	68
Female.....	1,264	33	8	-	4	6	7	10	18	25	43	65
Origin not stated 3/, both sexes.....	31	1	-	-	-	-	-	1	1	-	-	-
Male.....	20	1	-	-	-	-	-	1	-	-	-	-
Female.....	11	-	-	-	-	-	-	-	1	-	-	-

Worktable Orig210F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 5-year age groups, specified Hispanic origin, race for non-Hispanic population, and sex: United States, 2005

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), Hispanic origin, race for non-Hispanic population, and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
Chronic liver disease and cirrhosis (K70,K73-K74)												
All origins, both sexes.....	27,530	10	1	1	1	4	19	75	236	719	1,969	3,376
Male.....	17,937	6	1	1	-	-	13	50	146	476	1,310	2,361
Female.....	9,593	4	-	-	1	4	6	25	90	243	659	1,015
Hispanic, both sexes.....	3,555	4	1	-	-	-	3	22	56	149	318	473
Male.....	2,561	3	1	-	-	-	3	16	46	120	249	392
Female.....	994	1	-	-	-	-	-	6	10	29	69	81
Mexican, both sexes.....	2,365	3	1	-	-	-	2	15	36	109	218	324
Male.....	1,725	2	1	-	-	-	2	9	28	91	171	263
Female.....	640	1	-	-	-	-	-	6	8	18	47	61
Puerto Rican, both sexes.....	386	-	-	-	-	-	1	-	2	5	24	65
Male.....	295	-	-	-	-	-	1	-	2	3	20	60
Female.....	91	-	-	-	-	-	-	-	-	2	4	5
Cuban, both sexes.....	113	-	-	-	-	-	-	-	-	-	2	8
Male.....	71	-	-	-	-	-	-	-	-	-	2	7
Female.....	42	-	-	-	-	-	-	-	-	-	-	1
Central and South American, both sexes.....	275	-	-	-	-	-	-	4	9	16	31	29
Male.....	177	-	-	-	-	-	-	4	8	13	26	22
Female.....	98	-	-	-	-	-	-	-	1	3	5	7
Other and Unknown Hispanic, both sexes.....	416	1	-	-	-	-	-	3	9	19	43	47
Male.....	293	1	-	-	-	-	-	3	8	13	30	40
Female.....	123	-	-	-	-	-	-	-	1	6	13	7
Non-Hispanic 1/, both sexes.....	23,882	6	-	1	1	4	16	53	179	568	1,639	2,886
Male.....	15,302	3	-	1	-	-	10	34	100	354	1,052	1,954
Female.....	8,580	3	-	-	1	4	6	19	79	214	587	932
Non-Hispanic white 2/, both sexes.....	20,428	4	-	1	1	3	9	39	117	459	1,355	2,368
Male.....	13,088	2	-	1	-	-	4	26	66	290	877	1,607
Female.....	7,340	2	-	-	1	3	5	13	51	169	478	761
Non-Hispanic black 2/, both sexes.....	2,495	2	-	-	-	-	4	4	29	56	178	392
Male.....	1,634	1	-	-	-	-	4	1	13	33	108	268
Female.....	861	1	-	-	-	-	-	3	16	23	70	124
Origin not stated 3/, both sexes.....	93	-	-	-	-	-	-	-	1	2	12	17
Male.....	74	-	-	-	-	-	-	-	-	2	9	15
Female.....	19	-	-	-	-	-	-	-	1	-	3	2

Worktable Orig210F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 5-year age groups, specified Hispanic origin, race for non-Hispanic population, and sex: United States, 2005

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), Hispanic origin, race for non-Hispanic population, and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
Other chronic liver disease and cirrhosis (K73-K74)												
All origins, both sexes.....	14,602	10	1	1	1	4	12	17	77	212	670	1,290
Male.....	8,512	6	1	1	-	-	7	7	42	140	457	895
Female.....	6,090	4	-	-	1	4	5	10	35	72	213	395
Hispanic, both sexes.....	1,750	4	1	-	-	-	2	5	12	39	112	182
Male.....	1,053	3	1	-	-	-	2	2	10	30	84	147
Female.....	697	1	-	-	-	-	-	3	2	9	28	35
Mexican, both sexes.....	1,120	3	1	-	-	-	1	5	8	28	76	114
Male.....	671	2	1	-	-	-	1	2	6	21	54	91
Female.....	449	1	-	-	-	-	-	3	2	7	22	23
Puerto Rican, both sexes.....	237	-	-	-	-	-	1	-	-	2	12	39
Male.....	171	-	-	-	-	-	1	-	-	1	12	35
Female.....	66	-	-	-	-	-	-	-	-	1	-	4
Cuban, both sexes.....	85	-	-	-	-	-	-	-	-	-	1	5
Male.....	46	-	-	-	-	-	-	-	-	-	1	4
Female.....	39	-	-	-	-	-	-	-	-	-	-	1
Central and South American, both sexes.....	117	-	-	-	-	-	-	-	1	2	9	5
Male.....	40	-	-	-	-	-	-	-	1	2	7	2
Female.....	77	-	-	-	-	-	-	-	-	-	2	3
Other and Unknown Hispanic, both sexes.....	191	1	-	-	-	-	-	-	3	7	14	19
Male.....	125	1	-	-	-	-	-	-	3	6	10	15
Female.....	66	-	-	-	-	-	-	-	-	1	4	4
Non-Hispanic 1/, both sexes.....	12,815	6	-	1	1	4	10	12	64	171	556	1,102
Male.....	7,432	3	-	1	-	-	5	5	32	108	371	742
Female.....	5,383	3	-	-	1	4	5	7	32	63	185	360
Non-Hispanic white 2/, both sexes.....	11,056	4	-	1	1	3	6	11	40	139	471	885
Male.....	6,374	2	-	1	-	-	2	5	20	87	312	599
Female.....	4,682	2	-	-	1	3	4	6	20	52	159	286
Non-Hispanic black 2/, both sexes.....	1,341	2	-	-	-	-	2	1	17	19	66	178
Male.....	844	1	-	-	-	-	2	-	8	12	47	117
Female.....	497	1	-	-	-	-	-	1	9	7	19	61
Origin not stated 3/, both sexes.....	37	-	-	-	-	-	-	-	1	2	2	6
Male.....	27	-	-	-	-	-	-	-	-	2	2	6
Female.....	10	-	-	-	-	-	-	-	1	-	-	-

Worktable Orig210F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 5-year age groups, specified Hispanic origin, race for non-Hispanic population, and sex: United States, 2005

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992),

Hispanic origin, race for non-Hispanic population, and sex	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
--	----------	--------------	-----------	-----------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------

Symptoms, signs and abnormal clinical and laboratory findings, not elsewhere classified (R00-R99)

All origins, both sexes.....	31,999	3,589	233	61	94	258	517	560	618	857	1,195	1,430
Male.....	14,647	2,139	132	29	65	174	372	397	410	534	729	912
Female.....	17,352	1,450	101	32	29	84	145	163	208	323	466	518
Hispanic, both sexes.....	1,857	555	44	11	16	32	76	84	100	98	103	79
Male.....	1,135	328	23	6	11	19	57	75	78	73	73	63
Female.....	722	227	21	5	5	13	19	9	22	25	30	16
Mexican, both sexes.....	1,102	403	33	7	10	21	49	55	54	48	46	44
Male.....	679	244	18	5	6	11	39	47	42	36	29	36
Female.....	423	159	15	2	4	10	10	8	12	12	17	8
Puerto Rican, both sexes.....	282	55	5	1	3	6	11	8	23	20	22	15
Male.....	181	34	3	-	2	4	9	8	17	14	17	14
Female.....	101	21	2	1	1	2	2	-	6	6	5	1
Cuban, both sexes.....	74	3	-	-	-	-	-	1	1	5	7	2
Male.....	40	2	-	-	-	-	-	1	1	4	5	1
Female.....	34	1	-	-	-	-	-	-	-	1	2	1
Central and South American, both sexes.....	189	31	3	2	2	3	12	16	13	18	16	11
Male.....	116	16	1	-	2	3	7	15	11	12	12	7
Female.....	73	15	2	2	-	-	5	1	2	6	4	4
Other and Unknown Hispanic, both sexes.....	210	63	3	1	1	2	4	4	9	7	12	7
Male.....	119	32	1	1	1	1	2	4	7	7	10	5
Female.....	91	31	2	-	-	1	2	-	2	-	2	2
Non-Hispanic 1/, both sexes.....	29,884	2,999	184	49	76	220	435	473	513	752	1,077	1,334
Male.....	13,353	1,790	107	23	54	150	310	320	329	455	646	837
Female.....	16,531	1,209	77	26	22	70	125	153	184	297	431	497
Non-Hispanic white 2/, both sexes.....	24,697	1,804	109	22	42	154	325	344	385	571	829	1,011
Male.....	10,691	1,122	66	10	32	109	231	237	254	351	512	650
Female.....	14,006	682	43	12	10	45	94	107	131	220	317	361
Non-Hispanic black 2/, both sexes.....	4,612	1,073	62	24	30	59	97	114	108	159	222	297
Male.....	2,366	601	34	12	18	39	70	73	63	89	120	170
Female.....	2,246	472	28	12	12	20	27	41	45	70	102	127
Origin not stated 3/, both sexes.....	258	35	5	1	2	6	6	3	5	7	15	17
Male.....	159	21	2	-	-	5	5	2	3	6	10	12
Female.....	99	14	3	1	2	1	1	1	2	1	5	5

Worktable Orig210F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 5-year age groups, specified Hispanic origin, race for non-Hispanic population, and sex: United States, 2005

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992),

Hispanic origin, race for non-Hispanic population, and sex	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
--	----------	--------------	-----------	-----------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------

All other diseases (Residual) (D65-E07,E15-E34,E65-F99,G04-G12,G23-G25,G31-H93,K00-K22,K29-K31,K50-K66,K71-K72,K75-K76,K83-M99,N13.0-N13.5,N13.7-N13.9,N14,N15.0,N15.8-N15.9,N20-N23,N28-N39,N41-N64,N80-N98)

All origins, both sexes.....	217,632	1,198	612	366	491	838	1,222	1,410	1,749	2,916	5,202	7,559
Male.....	88,869	732	352	204	270	537	708	813	1,008	1,696	3,141	4,524
Female.....	128,763	466	260	162	221	301	514	597	741	1,220	2,061	3,035
Hispanic, both sexes.....	10,250	271	146	54	71	141	150	220	260	326	525	567
Male.....	5,110	165	78	31	34	83	101	136	173	203	358	387
Female.....	5,140	106	68	23	37	58	49	84	87	123	167	180
Mexican, both sexes.....	5,719	182	104	35	48	100	105	139	165	197	307	321
Male.....	2,973	113	52	22	25	65	74	96	106	120	211	223
Female.....	2,746	69	52	13	23	35	31	43	59	77	96	98
Puerto Rican, both sexes.....	1,365	20	8	5	10	14	15	19	31	51	81	84
Male.....	699	10	6	2	4	3	10	7	19	29	55	65
Female.....	666	10	2	3	6	11	5	12	12	22	26	19
Cuban, both sexes.....	896	5	2	2	-	1	2	5	8	9	20	8
Male.....	340	2	2	1	-	-	2	2	5	6	14	3
Female.....	556	3	-	1	-	1	-	3	3	3	6	5
Central and South American, both sexes.....	838	31	12	3	8	15	13	41	33	25	48	57
Male.....	398	18	7	2	3	10	8	23	24	20	34	31
Female.....	440	13	5	1	5	5	5	18	9	5	14	26
Other and Unknown Hispanic, both sexes.....	1,432	33	20	9	5	11	15	16	23	44	69	97
Male.....	700	22	11	4	2	5	7	8	19	28	44	65
Female.....	732	11	9	5	3	6	8	8	4	16	25	32
Non-Hispanic 1/, both sexes.....	207,024	917	463	312	419	697	1,069	1,184	1,486	2,585	4,662	6,975
Male.....	83,561	560	271	173	235	454	606	674	834	1,490	2,771	4,126
Female.....	123,463	357	192	139	184	243	463	510	652	1,095	1,891	2,849
Non-Hispanic white 2/, both sexes.....	178,181	536	305	210	268	498	777	816	999	1,796	3,442	5,181
Male.....	71,058	328	180	120	155	338	459	482	604	1,097	2,141	3,175
Female.....	107,123	208	125	90	113	160	318	334	395	699	1,301	2,006
Non-Hispanic black 2/, both sexes.....	24,604	321	123	86	128	168	250	315	418	674	1,062	1,604
Male.....	10,478	205	74	46	72	98	124	158	196	321	536	844
Female.....	14,126	116	49	40	56	70	126	157	222	353	526	760
Origin not stated 3/, both sexes.....	358	10	3	-	1	-	3	6	3	5	15	17
Male.....	198	7	3	-	1	-	1	3	1	3	12	11
Female.....	160	3	-	-	-	-	2	3	2	2	3	6

Worktable Orig210F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 5-year age groups, specified Hispanic origin, race for non-Hispanic population, and sex: United States, 2005

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992),
Hispanic origin, race for non-Hispanic population, and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
--	----------	--------------	-----------	-----------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------

Accidents (unintentional injuries) (V01-X59,Y85-Y86)

All origins, both sexes.....	117,809	1,083	1,664	1,072	1,343	6,616	9,137	7,215	6,782	7,419	9,500	10,019
Male.....	76,375	578	1,027	627	866	4,645	7,182	5,622	5,043	5,347	6,679	7,057
Female.....	41,434	505	637	445	477	1,971	1,955	1,593	1,739	2,072	2,821	2,962
Hispanic, both sexes.....	11,464	172	380	182	188	1,053	1,617	1,252	1,050	961	959	818
Male.....	8,612	87	244	105	117	775	1,358	1,061	869	766	747	647
Female.....	2,852	85	136	77	71	278	259	191	181	195	212	171
Mexican, both sexes.....	7,536	128	304	148	148	782	1,164	867	693	601	596	480
Male.....	5,720	65	196	86	92	581	991	741	566	486	469	386
Female.....	1,816	63	108	62	56	201	173	126	127	115	127	94
Puerto Rican, both sexes.....	999	18	16	9	6	80	90	96	100	111	96	98
Male.....	735	10	8	7	5	57	65	81	78	96	74	77
Female.....	264	8	8	2	1	23	25	15	22	15	22	21
Cuban, both sexes.....	438	3	2	-	3	24	27	24	30	26	37	19
Male.....	321	3	1	-	1	12	23	19	27	20	34	17
Female.....	117	-	1	-	2	12	4	5	3	6	3	2
Central and South American, both sexes.....	1,324	10	28	17	16	95	211	178	139	118	117	114
Male.....	1,021	3	19	8	10	73	188	153	124	92	89	82
Female.....	303	7	9	9	6	22	23	25	15	26	28	32
Other and Unknown Hispanic, both sexes.....	1,167	13	30	8	15	72	125	87	88	105	113	107
Male.....	815	6	20	4	9	52	91	67	74	72	81	85
Female.....	352	7	10	4	6	20	34	20	14	33	32	22
Non-Hispanic 1/, both sexes.....	105,967	905	1,281	889	1,154	5,554	7,502	5,943	5,702	6,431	8,502	9,158
Male.....	67,494	488	781	522	749	3,866	5,808	4,543	4,153	4,562	5,906	6,378
Female.....	38,473	417	500	367	405	1,688	1,694	1,400	1,549	1,869	2,596	2,780
Non-Hispanic white 2/, both sexes.....	88,970	567	898	596	827	4,536	6,175	4,825	4,522	5,211	7,041	7,545
Male.....	56,021	303	557	354	532	3,134	4,808	3,687	3,279	3,687	4,898	5,238
Female.....	32,949	264	341	242	295	1,402	1,367	1,138	1,243	1,524	2,143	2,307
Non-Hispanic black 2/, both sexes.....	13,393	306	316	235	262	754	980	826	928	977	1,184	1,349
Male.....	9,130	168	179	132	180	546	755	642	690	709	812	954
Female.....	4,263	138	137	103	82	208	225	184	238	268	372	395
Origin not stated 3/, both sexes.....	378	6	3	1	1	9	18	20	30	27	39	43
Male.....	269	3	2	-	-	4	16	18	21	19	26	32
Female.....	109	3	1	1	1	5	2	2	9	8	13	11

Worktable Orig210F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 5-year age groups, specified Hispanic origin, race for non-Hispanic population, and sex: United States, 2005

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), Hispanic origin, race for non-Hispanic population, and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
Transport accidents (V01-V99,Y85)												
All origins, both sexes.....	48,441	147	646	649	898	5,128	6,160	4,109	3,529	3,415	3,880	3,778
Male.....	34,086	74	369	365	545	3,432	4,776	3,199	2,641	2,485	2,818	2,760
Female.....	14,355	73	277	284	353	1,696	1,384	910	888	930	1,062	1,018
Hispanic, both sexes.....	6,358	44	192	134	151	841	1,205	827	604	503	447	347
Male.....	4,787	21	119	78	90	596	992	691	486	379	338	265
Female.....	1,571	23	73	56	61	245	213	136	118	124	109	82
Mexican, both sexes.....	4,496	35	163	114	121	629	878	599	439	351	305	216
Male.....	3,387	16	104	67	71	441	730	504	346	267	228	169
Female.....	1,109	19	59	47	50	188	148	95	93	84	77	47
Puerto Rican, both sexes.....	371	6	5	4	3	58	65	41	37	28	22	20
Male.....	268	2	2	3	3	40	46	35	26	24	17	17
Female.....	103	4	3	1	-	18	19	6	11	4	5	3
Cuban, both sexes.....	211	-	-	-	2	14	23	18	17	15	23	10
Male.....	172	-	-	-	1	9	19	13	15	13	21	9
Female.....	39	-	-	-	1	5	4	5	2	2	2	1
Central and South American, both sexes.....	783	2	12	11	13	78	155	120	68	66	66	62
Male.....	598	2	7	5	8	61	136	100	61	45	48	41
Female.....	185	-	5	6	5	17	19	20	7	21	18	21
Other and Unknown Hispanic, both sexes.....	497	1	12	5	12	62	84	49	43	43	31	39
Male.....	362	1	6	3	7	45	61	39	38	30	24	29
Female.....	135	-	6	2	5	17	23	10	5	13	7	10
Non-Hispanic 1/, both sexes.....	41,957	103	453	515	746	4,279	4,943	3,270	2,909	2,901	3,424	3,417
Male.....	29,209	53	249	287	455	2,832	3,774	2,497	2,144	2,099	2,474	2,484
Female.....	12,748	50	204	228	291	1,447	1,169	773	765	802	950	933
Non-Hispanic white 2/, both sexes.....	34,349	59	306	375	555	3,513	3,962	2,528	2,221	2,289	2,792	2,831
Male.....	23,830	33	163	212	337	2,304	3,036	1,927	1,614	1,637	2,025	2,069
Female.....	10,519	26	143	163	218	1,209	926	601	607	652	767	762
Non-Hispanic black 2/, both sexes.....	5,739	36	118	112	147	569	727	540	539	484	486	461
Male.....	4,158	16	65	58	95	394	559	425	427	374	356	322
Female.....	1,581	20	53	54	52	175	168	115	112	110	130	139
Origin not stated 3/, both sexes.....	126	-	1	-	1	8	12	12	16	11	9	14
Male.....	90	-	1	-	-	4	10	11	11	7	6	11
Female.....	36	-	-	-	1	4	2	1	5	4	3	3

Worktable Orig210F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 5-year age groups, specified Hispanic origin, race for non-Hispanic population, and sex: United States, 2005

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992),

Hispanic origin, race for non-Hispanic population, and sex	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
Motor vehicle accidents (V02-V04,V09.0,V09.2,V12-V14,V19.0-V19.2,V19.4-V19.6,V20-V79,V80.3-V80.5,V81.0-V81.1,V82.0-V82.1,V83-V86,V87.0-V87.8,V88.0-V88.8,V89.0,V89.2)												
All origins, both sexes.....	45,343	146	617	623	824	4,967	5,941	3,926	3,313	3,175	3,573	3,430
Male.....	31,631	74	351	349	499	3,309	4,595	3,039	2,462	2,299	2,570	2,468
Female.....	13,712	72	266	274	325	1,658	1,346	887	851	876	1,003	962
Hispanic, both sexes.....	6,103	44	187	129	142	823	1,172	800	584	475	429	319
Male.....	4,570	21	115	74	85	580	962	664	467	357	324	240
Female.....	1,533	23	72	55	57	243	210	136	117	118	105	79
Mexican, both sexes.....	4,349	35	158	111	115	619	854	581	427	335	297	201
Male.....	3,262	16	100	64	67	432	709	486	335	256	222	155
Female.....	1,087	19	58	47	48	187	145	95	92	79	75	46
Puerto Rican, both sexes.....	349	6	5	4	3	57	64	40	33	24	21	17
Male.....	249	2	2	3	3	39	45	34	22	20	16	14
Female.....	100	4	3	1	-	18	19	6	11	4	5	3
Cuban, both sexes.....	199	-	-	-	2	12	23	17	16	14	21	8
Male.....	161	-	-	-	1	8	19	12	14	12	19	7
Female.....	38	-	-	-	1	4	4	5	2	2	2	1
Central and South American, both sexes.....	744	2	12	9	11	76	150	114	67	63	62	57
Male.....	564	2	7	4	7	59	131	94	60	43	45	37
Female.....	180	-	5	5	4	17	19	20	7	20	17	20
Other and Unknown Hispanic, both sexes.....	462	1	12	5	11	59	81	48	41	39	28	36
Male.....	334	1	6	3	7	42	58	38	36	26	22	27
Female.....	128	-	6	2	4	17	23	10	5	13	6	9
Non-Hispanic 1/, both sexes.....	39,125	102	429	494	681	4,136	4,757	3,116	2,715	2,689	3,137	3,100
Male.....	26,982	53	235	275	414	2,725	3,623	2,366	1,986	1,935	2,242	2,220
Female.....	12,143	49	194	219	267	1,411	1,134	750	729	754	895	880
Non-Hispanic white 2/, both sexes.....	32,002	58	289	358	502	3,398	3,822	2,408	2,065	2,112	2,550	2,580
Male.....	21,992	33	152	203	305	2,224	2,924	1,823	1,487	1,504	1,828	1,856
Female.....	10,010	25	137	155	197	1,174	898	585	578	608	722	724
Non-Hispanic black 2/, both sexes.....	5,394	36	113	108	139	555	690	518	512	458	453	409
Male.....	3,883	16	63	55	88	380	528	408	405	351	331	284
Female.....	1,511	20	50	53	51	175	162	110	107	107	122	125
Origin not stated 3/, both sexes.....	115	-	1	-	1	8	12	10	14	11	7	11
Male.....	79	-	1	-	-	4	10	9	9	7	4	8
Female.....	36	-	-	-	1	4	2	1	5	4	3	3

Worktable Orig210F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 5-year age groups, specified Hispanic origin, race for non-Hispanic population, and sex: United States, 2005

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), Hispanic origin, race for non-Hispanic population, and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
Nontransport accidents (W00-X59,Y86)												
All origins, both sexes.....	69,368	936	1,018	423	445	1,488	2,977	3,106	3,253	4,004	5,620	6,241
Male.....	42,289	504	658	262	321	1,213	2,406	2,423	2,402	2,862	3,861	4,297
Female.....	27,079	432	360	161	124	275	571	683	851	1,142	1,759	1,944
Hispanic, both sexes.....	5,106	128	188	48	37	212	412	425	446	458	512	471
Male.....	3,825	66	125	27	27	179	366	370	383	387	409	382
Female.....	1,281	62	63	21	10	33	46	55	63	71	103	89
Mexican, both sexes.....	3,040	93	141	34	27	153	286	268	254	250	291	264
Male.....	2,333	49	92	19	21	140	261	237	220	219	241	217
Female.....	707	44	49	15	6	13	25	31	34	31	50	47
Puerto Rican, both sexes.....	628	12	11	5	3	22	25	55	63	83	74	78
Male.....	467	8	6	4	2	17	19	46	52	72	57	60
Female.....	161	4	5	1	1	5	6	9	11	11	17	18
Cuban, both sexes.....	227	3	2	-	1	10	4	6	13	11	14	9
Male.....	149	3	1	-	-	3	4	6	12	7	13	8
Female.....	78	-	1	-	1	7	-	-	1	4	1	1
Central and South American, both sexes.....	541	8	16	6	3	17	56	58	71	52	51	52
Male.....	423	1	12	3	2	12	52	53	63	47	41	41
Female.....	118	7	4	3	1	5	4	5	8	5	10	11
Other and Unknown Hispanic, both sexes.....	670	12	18	3	3	10	41	38	45	62	82	68
Male.....	453	5	14	1	2	7	30	28	36	42	57	56
Female.....	217	7	4	2	1	3	11	10	9	20	25	12
Non-Hispanic 1/, both sexes.....	64,010	802	828	374	408	1,275	2,559	2,673	2,793	3,530	5,078	5,741
Male.....	38,285	435	532	235	294	1,034	2,034	2,046	2,009	2,463	3,432	3,894
Female.....	25,725	367	296	139	114	241	525	627	784	1,067	1,646	1,847
Non-Hispanic white 2/, both sexes.....	54,621	508	592	221	272	1,023	2,213	2,297	2,301	2,922	4,249	4,714
Male.....	32,191	270	394	142	195	830	1,772	1,760	1,665	2,050	2,873	3,169
Female.....	22,430	238	198	79	77	193	441	537	636	872	1,376	1,545
Non-Hispanic black 2/, both sexes.....	7,654	270	198	123	115	185	253	286	389	493	698	888
Male.....	4,972	152	114	74	85	152	196	217	263	335	456	632
Female.....	2,682	118	84	49	30	33	57	69	126	158	242	256
Origin not stated 3/, both sexes.....	252	6	2	1	-	1	6	8	14	16	30	29
Male.....	179	3	1	-	-	-	6	7	10	12	20	21
Female.....	73	3	1	1	-	1	-	1	4	4	10	8

Worktable Orig210F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 5-year age groups, specified Hispanic origin, race for non-Hispanic population, and sex: United States, 2005

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), Hispanic origin, race for non-Hispanic population, and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
Accidental exposure to smoke, fire and flames (X00-X09)												
All origins, both sexes.....	3,197	34	204	137	85	62	106	116	108	138	196	269
Male.....	1,886	16	124	77	48	40	63	74	63	93	133	168
Female.....	1,311	18	80	60	37	22	43	42	45	45	63	101
Hispanic, both sexes.....	211	6	30	11	6	4	12	14	11	6	18	12
Male.....	125	3	18	4	3	3	10	10	6	4	11	7
Female.....	86	3	12	7	3	1	2	4	5	2	7	5
Mexican, both sexes.....	134	4	21	7	4	3	7	11	5	4	11	11
Male.....	83	2	15	2	2	2	5	8	3	2	6	7
Female.....	51	2	6	5	2	1	2	3	2	2	5	4
Puerto Rican, both sexes.....	19	-	2	2	1	-	1	1	-	1	3	-
Male.....	12	-	-	2	1	-	1	1	-	1	1	-
Female.....	7	-	2	-	-	-	-	-	-	-	2	-
Cuban, both sexes.....	5	-	-	-	-	-	-	-	-	-	-	-
Male.....	1	-	-	-	-	-	-	-	-	-	-	-
Female.....	4	-	-	-	-	-	-	-	-	-	-	-
Central and South American, both sexes.....	27	-	2	1	-	1	4	1	4	1	2	1
Male.....	17	-	1	-	-	1	4	1	2	1	2	-
Female.....	10	-	1	1	-	-	-	-	2	-	-	1
Other and Unknown Hispanic, both sexes.....	26	2	5	1	1	-	-	1	2	-	2	-
Male.....	12	1	2	-	-	-	-	-	1	-	2	-
Female.....	14	1	3	1	1	-	-	1	1	-	-	-
Non-Hispanic 1/, both sexes.....	2,971	25	173	126	79	58	94	102	97	131	176	257
Male.....	1,751	11	105	73	45	37	53	64	57	89	121	161
Female.....	1,220	14	68	53	34	21	41	38	40	42	55	96
Non-Hispanic white 2/, both sexes.....	2,147	15	96	65	45	35	73	72	66	98	135	204
Male.....	1,270	6	64	42	26	24	41	45	44	67	89	130
Female.....	877	9	32	23	19	11	32	27	22	31	46	74
Non-Hispanic black 2/, both sexes.....	731	9	69	51	30	19	17	25	27	29	34	48
Male.....	433	5	36	27	17	10	10	16	11	19	26	30
Female.....	298	4	33	24	13	9	7	9	16	10	8	18
Origin not stated 3/, both sexes.....	15	3	1	-	-	-	-	-	-	1	2	-
Male.....	10	2	1	-	-	-	-	-	-	-	1	-
Female.....	5	1	-	-	-	-	-	-	-	1	1	-

Worktable Orig210F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 5-year age groups, specified Hispanic origin, race for non-Hispanic population, and sex: United States, 2005

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992),
Hispanic origin, race for non-Hispanic population, and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
--	----------	--------------	-----------	-----------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------

Accidental poisoning and exposure to noxious substances (X40-X49)

All origins, both sexes.....	23,618	20	21	17	34	637	1,847	2,124	2,262	2,830	3,899	4,096
Male.....	15,884	11	12	11	20	488	1,452	1,596	1,597	1,906	2,517	2,666
Female.....	7,734	9	9	6	14	149	395	528	665	924	1,382	1,430
Hispanic, both sexes.....	2,018	3	3	3	4	64	179	219	263	299	336	281
Male.....	1,603	1	2	2	3	46	151	184	215	245	260	215
Female.....	415	2	1	1	1	18	28	35	48	54	76	66
Mexican, both sexes.....	1,071	3	3	3	2	38	108	121	133	149	173	140
Male.....	870	1	2	2	1	33	99	105	107	128	138	106
Female.....	201	2	1	1	1	5	9	16	26	21	35	34
Puerto Rican, both sexes.....	394	-	-	-	1	7	20	42	55	68	62	65
Male.....	322	-	-	-	1	5	15	34	45	58	49	51
Female.....	72	-	-	-	-	2	5	8	10	10	13	14
Cuban, both sexes.....	56	-	-	-	-	7	4	6	11	6	5	2
Male.....	41	-	-	-	-	2	4	6	10	4	5	1
Female.....	15	-	-	-	-	5	-	-	1	2	-	1
Central and South American, both sexes.....	160	-	-	-	-	5	21	18	29	24	24	21
Male.....	128	-	-	-	-	1	17	16	25	21	18	15
Female.....	32	-	-	-	-	4	4	2	4	3	6	6
Other and Unknown Hispanic, both sexes.....	337	-	-	-	1	7	26	32	35	52	72	53
Male.....	242	-	-	-	1	5	16	23	28	34	50	42
Female.....	95	-	-	-	-	2	10	9	7	18	22	11
Non-Hispanic 1/, both sexes.....	21,488	17	18	14	30	572	1,664	1,898	1,991	2,519	3,545	3,795
Male.....	14,198	10	10	9	17	442	1,297	1,406	1,377	1,652	2,244	2,437
Female.....	7,290	7	8	5	13	130	367	492	614	867	1,301	1,358
Non-Hispanic white 2/, both sexes.....	18,126	9	8	8	24	533	1,538	1,694	1,704	2,146	3,005	3,169
Male.....	11,949	6	3	5	16	416	1,210	1,258	1,190	1,419	1,915	2,014
Female.....	6,177	3	5	3	8	117	328	436	514	727	1,090	1,155
Non-Hispanic black 2/, both sexes.....	2,920	7	7	6	3	24	90	157	231	314	485	564
Male.....	1,959	4	6	4	-	13	64	116	148	196	292	380
Female.....	961	3	1	2	3	11	26	41	83	118	193	184
Origin not stated 3/, both sexes.....	112	-	-	-	-	1	4	7	8	12	18	20
Male.....	83	-	-	-	-	-	4	6	5	9	13	14
Female.....	29	-	-	-	-	1	-	1	3	3	5	6

Worktable Orig210F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 5-year age groups, specified Hispanic origin, race for non-Hispanic population, and sex: United States, 2005

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), Hispanic origin, race for non-Hispanic population, and sex

All Under 1-4 5-9 10-14 15-19 20-24 25-29 30-34 35-39 40-44 45-49
ages 1 year years years years years years years years years years

Other and unspecified nontransport accidents and their sequelae (W20-W31,W35-W64,W75-W99,X10-X39,X50-X59,Y86)

All origins, both sexes.....	18,526	801	244	119	139	304	421	453	486	541	802	998
Male.....	10,864	443	148	76	104	247	353	386	407	447	634	790
Female.....	7,662	358	96	43	35	57	68	67	79	94	168	208
Hispanic, both sexes.....	1,200	103	44	17	11	48	72	92	97	78	86	86
Male.....	892	55	27	11	9	43	66	85	90	71	76	78
Female.....	308	48	17	6	2	5	6	7	7	7	10	8
Mexican, both sexes.....	790	78	30	11	9	36	56	62	67	51	57	53
Male.....	595	43	17	6	8	33	51	57	61	47	51	49
Female.....	195	35	13	5	1	3	5	5	6	4	6	4
Puerto Rican, both sexes.....	87	10	3	3	-	5	-	3	4	5	2	7
Male.....	55	8	2	2	-	4	-	3	4	5	2	5
Female.....	32	2	1	1	-	1	-	-	-	-	-	2
Cuban, both sexes.....	49	2	-	-	-	1	-	-	1	3	8	4
Male.....	36	2	-	-	-	-	-	-	1	2	7	4
Female.....	13	-	-	-	-	1	-	-	-	1	1	-
Central and South American, both sexes.....	157	6	6	2	1	5	8	26	23	13	14	12
Male.....	124	-	4	2	-	5	8	24	22	12	12	11
Female.....	33	6	2	-	1	-	-	2	1	1	2	1
Other and Unknown Hispanic, both sexes.....	117	7	5	1	1	1	8	1	2	6	5	10
Male.....	82	2	4	1	1	1	7	1	2	5	4	9
Female.....	35	5	1	-	-	-	1	-	-	1	1	1
Non-Hispanic 1/, both sexes.....	17,261	695	200	102	128	256	349	360	385	461	711	907
Male.....	9,924	387	121	65	95	204	287	300	314	374	555	708
Female.....	7,337	308	79	37	33	52	62	60	71	87	156	199
Non-Hispanic white 2/, both sexes.....	14,493	430	149	78	98	200	269	296	302	362	568	697
Male.....	8,217	238	95	50	75	161	226	249	251	303	448	545
Female.....	6,276	192	54	28	23	39	43	47	51	59	120	152
Non-Hispanic black 2/, both sexes.....	2,309	244	43	16	25	41	57	50	60	74	114	175
Male.....	1,400	137	23	10	16	33	44	38	41	54	83	137
Female.....	909	107	20	6	9	8	13	12	19	20	31	38
Origin not stated 3/, both sexes.....	65	3	-	-	-	-	-	1	4	2	5	5
Male.....	48	1	-	-	-	-	-	1	3	2	3	4
Female.....	17	2	-	-	-	-	-	-	1	-	2	1

Worktable Orig210F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 5-year age groups, specified Hispanic origin, race for non-Hispanic population, and sex: United States, 2005

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992),

Hispanic origin, race for non-Hispanic population, and sex	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
Intentional self-harm (suicide) (*U03,X60-X84,Y87.0)												
All origins, both sexes.....	32,637	2	270	1,613	2,599	2,377	2,613	2,893	3,657	3,764
Male.....	25,907	2	202	1,303	2,195	1,975	2,091	2,259	2,804	2,826
Female.....	6,730	-	68	310	404	402	522	634	853	938
Hispanic, both sexes.....	2,188	-	39	210	343	284	250	244	228	175
Male.....	1,841	-	27	170	292	254	207	204	195	147
Female.....	347	-	12	40	51	30	43	40	33	28
Mexican, both sexes.....	1,341	-	30	152	245	184	166	161	136	96
Male.....	1,149	-	21	129	212	170	137	135	117	80
Female.....	192	-	9	23	33	14	29	26	19	16
Puerto Rican, both sexes.....	217	-	2	14	18	26	23	23	32	26
Male.....	175	-	1	7	16	23	20	16	29	19
Female.....	42	-	1	7	2	3	3	7	3	7
Cuban, both sexes.....	140	-	-	5	3	3	3	15	15	11
Male.....	111	-	-	4	2	1	2	14	13	9
Female.....	29	-	-	1	1	2	1	1	2	2
Central and South American, both sexes.....	217	-	3	8	35	37	30	21	19	22
Male.....	177	-	2	4	31	27	25	20	16	20
Female.....	40	-	1	4	4	10	5	1	3	2
Other and Unknown Hispanic, both sexes.....	273	-	4	31	42	34	28	24	26	20
Male.....	229	-	3	26	31	33	23	19	20	19
Female.....	44	-	1	5	11	1	5	5	6	1
Non-Hispanic 1/, both sexes.....	30,338	2	230	1,399	2,248	2,088	2,357	2,641	3,417	3,576
Male.....	23,974	2	174	1,130	1,896	1,717	1,878	2,049	2,600	2,668
Female.....	6,364	-	56	269	352	371	479	592	817	908
Non-Hispanic white 2/, both sexes.....	27,305	1	169	1,160	1,832	1,698	2,010	2,338	3,096	3,313
Male.....	21,605	1	132	949	1,538	1,403	1,592	1,816	2,348	2,471
Female.....	5,700	-	37	211	294	295	418	522	748	842
Non-Hispanic black 2/, both sexes.....	1,953	1	40	145	283	249	225	197	218	167
Male.....	1,592	1	26	122	253	207	187	156	177	130
Female.....	361	-	14	23	30	42	38	41	41	37
Origin not stated 3/, both sexes.....	111	-	1	4	8	5	6	8	12	13
Male.....	92	-	1	3	7	4	6	6	9	11
Female.....	19	-	-	1	1	1	-	2	3	2

Worktable Orig210F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 5-year age groups, specified Hispanic origin, race for non-Hispanic population, and sex: United States, 2005

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), Hispanic origin, race for non-Hispanic population, and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
Intentional self-harm (suicide) by discharge of firearms (X72-X74)												
All origins, both sexes.....	17,002	-	84	738	1,224	1,125	1,144	1,246	1,609	1,804
Male.....	14,916	-	72	658	1,113	998	983	1,069	1,347	1,520
Female.....	2,086	-	12	80	111	127	161	177	262	284
Hispanic, both sexes.....	824	-	6	78	146	113	90	81	84	67
Male.....	756	-	5	70	136	105	78	76	72	63
Female.....	68	-	1	8	10	8	12	5	12	4
Mexican, both sexes.....	547	-	5	64	113	80	63	57	51	41
Male.....	501	-	4	58	104	76	54	56	42	38
Female.....	46	-	1	6	9	4	9	1	9	3
Puerto Rican, both sexes.....	59	-	-	2	6	7	5	5	12	10
Male.....	55	-	-	2	6	6	5	4	11	9
Female.....	4	-	-	-	-	1	-	1	1	1
Cuban, both sexes.....	56	-	-	-	2	-	2	9	7	1
Male.....	53	-	-	-	2	-	2	8	7	1
Female.....	3	-	-	-	-	-	-	1	-	-
Central and South American, both sexes.....	61	-	-	3	11	10	13	3	7	7
Male.....	51	-	-	2	10	7	11	2	6	7
Female.....	10	-	-	1	1	3	2	1	1	-
Other and Unknown Hispanic, both sexes.....	101	-	1	9	14	16	7	7	7	8
Male.....	96	-	1	8	14	16	6	6	6	8
Female.....	5	-	-	1	-	-	1	1	1	-
Non-Hispanic 1/, both sexes.....	16,124	-	78	658	1,074	1,008	1,053	1,161	1,519	1,732
Male.....	14,110	-	67	587	973	890	904	989	1,271	1,452
Female.....	2,014	-	11	71	101	118	149	172	248	280
Non-Hispanic white 2/, both sexes.....	14,829	-	69	549	865	839	902	1,035	1,405	1,627
Male.....	12,947	-	60	487	783	738	766	876	1,167	1,362
Female.....	1,882	-	9	62	82	101	136	159	238	265
Non-Hispanic black 2/, both sexes.....	997	-	6	79	165	131	116	95	92	74
Male.....	901	-	5	73	154	117	107	87	83	65
Female.....	96	-	1	6	11	14	9	8	9	9
Origin not stated 3/, both sexes.....	54	-	-	2	4	4	1	4	6	5
Male.....	50	-	-	1	4	3	1	4	4	5
Female.....	4	-	-	1	-	1	-	-	2	-

Worktable Orig210F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 5-year age groups, specified Hispanic origin, race for non-Hispanic population, and sex: United States, 2005

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), Hispanic origin, race for non-Hispanic population, and sex

All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
----------	--------------	-----------	-----------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------

Intentional self-harm (suicide) by other and unspecified means and their sequelae (*U03,X60-X71,X75-X84,Y87.0)

All origins, both sexes.....	15,635	2	186	875	1,375	1,252	1,469	1,647	2,048	1,960
Male.....	10,991	2	130	645	1,082	977	1,108	1,190	1,457	1,306
Female.....	4,644	-	56	230	293	275	361	457	591	654
Hispanic, both sexes.....	1,364	-	33	132	197	171	160	163	144	108
Male.....	1,085	-	22	100	156	149	129	128	123	84
Female.....	279	-	11	32	41	22	31	35	21	24
Mexican, both sexes.....	794	-	25	88	132	104	103	104	85	55
Male.....	648	-	17	71	108	94	83	79	75	42
Female.....	146	-	8	17	24	10	20	25	10	13
Puerto Rican, both sexes.....	158	-	2	12	12	19	18	18	20	16
Male.....	120	-	1	5	10	17	15	12	18	10
Female.....	38	-	1	7	2	2	3	6	2	6
Cuban, both sexes.....	84	-	-	5	1	3	1	6	8	10
Male.....	58	-	-	4	-	1	-	6	6	8
Female.....	26	-	-	1	1	2	1	-	2	2
Central and South American, both sexes.....	156	-	3	5	24	27	17	18	12	15
Male.....	126	-	2	2	21	20	14	18	10	13
Female.....	30	-	1	3	3	7	3	-	2	2
Other and Unknown Hispanic, both sexes.....	172	-	3	22	28	18	21	17	19	12
Male.....	133	-	2	18	17	17	17	13	14	11
Female.....	39	-	1	4	11	1	4	4	5	1
Non-Hispanic 1/, both sexes.....	14,214	2	152	741	1,174	1,080	1,304	1,480	1,898	1,844
Male.....	9,864	2	107	543	923	827	974	1,060	1,329	1,216
Female.....	4,350	-	45	198	251	253	330	420	569	628
Non-Hispanic white 2/, both sexes.....	12,476	1	100	611	967	859	1,108	1,303	1,691	1,686
Male.....	8,658	1	72	462	755	665	826	940	1,181	1,109
Female.....	3,818	-	28	149	212	194	282	363	510	577
Non-Hispanic black 2/, both sexes.....	956	1	34	66	118	118	109	102	126	93
Male.....	691	1	21	49	99	90	80	69	94	65
Female.....	265	-	13	17	19	28	29	33	32	28
Origin not stated 3/, both sexes.....	57	-	1	2	4	1	5	4	6	8
Male.....	42	-	1	2	3	1	5	2	5	6
Female.....	15	-	-	-	1	-	-	2	1	2

Worktable Orig210F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 5-year age groups, specified Hispanic origin, race for non-Hispanic population, and sex: United States, 2005

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992),
Hispanic origin, race for non-Hispanic population, and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
Assault (homicide) (*U01-*U02,X85-Y09,Y87.1)												
All origins, both sexes.....	18,124	306	375	121	220	2,076	3,390	2,735	2,017	1,582	1,527	1,223
Male.....	14,376	173	214	68	136	1,815	2,950	2,342	1,666	1,179	1,138	927
Female.....	3,748	133	161	53	84	261	440	393	351	403	389	296
Hispanic, both sexes.....	3,520	60	82	19	43	544	763	635	450	309	211	152
Male.....	3,008	30	46	9	31	496	691	568	388	251	177	121
Female.....	512	30	36	10	12	48	72	67	62	58	34	31
Mexican, both sexes.....	2,501	45	62	15	34	432	551	454	317	203	143	100
Male.....	2,181	22	31	6	26	405	501	412	280	168	127	84
Female.....	320	23	31	9	8	27	50	42	37	35	16	16
Puerto Rican, both sexes.....	286	3	5	2	3	26	76	52	42	30	11	14
Male.....	228	1	4	1	2	20	69	46	33	21	6	9
Female.....	58	2	1	1	1	6	7	6	9	9	5	5
Cuban, both sexes.....	73	-	1	-	-	4	8	9	7	12	6	6
Male.....	56	-	1	-	-	4	7	6	5	9	4	5
Female.....	17	-	-	-	-	-	1	3	2	3	2	1
Central and South American, both sexes.....	432	1	8	1	2	59	86	84	57	45	33	19
Male.....	369	1	5	1	1	49	80	75	49	37	27	15
Female.....	63	-	3	-	1	10	6	9	8	8	6	4
Other and Unknown Hispanic, both sexes.....	228	11	6	1	4	23	42	36	27	19	18	13
Male.....	174	6	5	1	2	18	34	29	21	16	13	8
Female.....	54	5	1	-	2	5	8	7	6	3	5	5
Non-Hispanic 1/, both sexes.....	14,504	245	292	102	176	1,523	2,609	2,087	1,559	1,266	1,301	1,064
Male.....	11,288	143	168	59	105	1,311	2,244	1,763	1,270	922	948	801
Female.....	3,216	102	124	43	71	212	365	324	289	344	353	263
Non-Hispanic white 2/, both sexes.....	5,325	139	138	49	62	335	560	516	457	490	609	549
Male.....	3,515	82	74	33	28	239	400	355	309	308	402	392
Female.....	1,810	57	64	16	34	96	160	161	148	182	207	157
Non-Hispanic black 2/, both sexes.....	8,522	91	138	44	101	1,120	1,910	1,492	1,046	725	626	471
Male.....	7,288	51	88	24	69	1,018	1,732	1,349	921	577	498	375
Female.....	1,234	40	50	20	32	102	178	143	125	148	128	96
Origin not stated 3/, both sexes.....	100	1	1	-	1	9	18	13	8	7	15	7
Male.....	80	-	-	-	-	8	15	11	8	6	13	5
Female.....	20	1	1	-	1	1	3	2	-	1	2	2

Worktable Orig210F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 5-year age groups, specified Hispanic origin, race for non-Hispanic population, and sex: United States, 2005

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992),

Hispanic origin, race for non-Hispanic population, and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
--	----------	--------------	-----------	-----------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------

Assault (homicide) by discharge of firearms (*U01.4,X93-X95)

All origins, both sexes.....	12,352	6	37	44	143	1,742	2,757	2,207	1,573	1,065	945	679
Male.....	10,561	6	22	27	104	1,584	2,512	1,978	1,366	851	748	525
Female.....	1,791	-	15	17	39	158	245	229	207	214	197	154
Hispanic, both sexes.....	2,453	1	6	7	31	457	583	490	339	206	132	94
Male.....	2,211	1	4	4	26	430	546	452	303	168	113	74
Female.....	242	-	2	3	5	27	37	38	36	38	19	20
Mexican, both sexes.....	1,815	-	4	6	26	375	429	358	247	142	101	62
Male.....	1,655	-	2	3	21	362	402	333	223	116	88	51
Female.....	160	-	2	3	5	13	27	25	24	26	13	11
Puerto Rican, both sexes.....	182	-	2	-	2	19	57	37	30	17	4	6
Male.....	158	-	2	-	2	14	54	33	27	14	2	4
Female.....	24	-	-	-	-	5	3	4	3	3	2	2
Cuban, both sexes.....	51	-	-	-	-	4	6	7	5	8	3	5
Male.....	39	-	-	-	-	4	5	5	4	5	2	4
Female.....	12	-	-	-	-	-	1	2	1	3	1	1
Central and South American, both sexes.....	268	1	-	1	1	39	61	61	37	25	18	13
Male.....	246	1	-	1	1	35	59	58	33	21	16	10
Female.....	22	-	-	-	-	4	2	3	4	4	2	3
Other and Unknown Hispanic, both sexes.....	137	-	-	-	2	20	30	27	20	14	6	8
Male.....	113	-	-	-	2	15	26	23	16	12	5	5
Female.....	24	-	-	-	-	5	4	4	4	2	1	3
Non-Hispanic 1/, both sexes.....	9,835	5	31	37	111	1,277	2,164	1,707	1,226	854	804	581
Male.....	8,296	5	18	23	78	1,146	1,959	1,517	1,055	679	626	449
Female.....	1,539	-	13	14	33	131	205	190	171	175	178	132
Non-Hispanic white 2/, both sexes.....	2,871	3	17	18	33	222	341	335	298	299	356	290
Male.....	2,018	3	9	13	20	167	270	246	216	197	247	204
Female.....	853	-	8	5	13	55	71	89	82	102	109	86
Non-Hispanic black 2/, both sexes.....	6,600	2	13	15	71	1,004	1,722	1,321	895	530	419	271
Male.....	5,977	2	9	9	54	933	1,604	1,227	812	461	355	230
Female.....	623	-	4	6	17	71	118	94	83	69	64	41
Origin not stated 3/, both sexes.....	64	-	-	-	1	8	10	10	8	5	9	4
Male.....	54	-	-	-	-	8	7	9	8	4	9	2
Female.....	10	-	-	-	1	-	3	1	-	1	-	2

Worktable Orig210F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 5-year age groups, specified Hispanic origin, race for non-Hispanic population, and sex: United States, 2005

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), Hispanic origin, race for non-Hispanic population, and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
--	----------	--------------	-----------	-----------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------

Assault (homicide) by other and unspecified means and their sequelae (*U01.0-*U01.3,*U01.5-*U01.9,*U02,X85-X92,X96-Y09,Y87.1)

All origins, both sexes.....	5,772	300	338	77	77	334	633	528	444	517	582	544
Male.....	3,815	167	192	41	32	231	438	364	300	328	390	402
Female.....	1,957	133	146	36	45	103	195	164	144	189	192	142
Hispanic, both sexes.....	1,067	59	76	12	12	87	180	145	111	103	79	58
Male.....	797	29	42	5	5	66	145	116	85	83	64	47
Female.....	270	30	34	7	7	21	35	29	26	20	15	11
Mexican, both sexes.....	686	45	58	9	8	57	122	96	70	61	42	38
Male.....	526	22	29	3	5	43	99	79	57	52	39	33
Female.....	160	23	29	6	3	14	23	17	13	9	3	5
Puerto Rican, both sexes.....	104	3	3	2	1	7	19	15	12	13	7	8
Male.....	70	1	2	1	-	6	15	13	6	7	4	5
Female.....	34	2	1	1	1	1	4	2	6	6	3	3
Cuban, both sexes.....	22	-	1	-	-	-	2	2	2	4	3	1
Male.....	17	-	1	-	-	-	2	1	1	4	2	1
Female.....	5	-	-	-	-	-	-	1	1	-	1	-
Central and South American, both sexes.....	164	-	8	-	1	20	25	23	20	20	15	6
Male.....	123	-	5	-	-	14	21	17	16	16	11	5
Female.....	41	-	3	-	1	6	4	6	4	4	4	1
Other and Unknown Hispanic, both sexes.....	91	11	6	1	2	3	12	9	7	5	12	5
Male.....	61	6	5	1	-	3	8	6	5	4	8	3
Female.....	30	5	1	-	2	-	4	3	2	1	4	2
Non-Hispanic 1/, both sexes.....	4,669	240	261	65	65	246	445	380	333	412	497	483
Male.....	2,992	138	150	36	27	165	285	246	215	243	322	352
Female.....	1,677	102	111	29	38	81	160	134	118	169	175	131
Non-Hispanic white 2/, both sexes.....	2,454	136	121	31	29	113	219	181	159	191	253	259
Male.....	1,497	79	65	20	8	72	130	109	93	111	155	188
Female.....	957	57	56	11	21	41	89	72	66	80	98	71
Non-Hispanic black 2/, both sexes.....	1,922	89	125	29	30	116	188	171	151	195	207	200
Male.....	1,311	49	79	15	15	85	128	122	109	116	143	145
Female.....	611	40	46	14	15	31	60	49	42	79	64	55
Origin not stated 3/, both sexes.....	36	1	1	-	-	1	8	3	-	2	6	3
Male.....	26	-	-	-	-	-	8	2	-	2	4	3
Female.....	10	1	1	-	-	1	-	1	-	-	2	-

Worktable Orig210F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 5-year age groups, specified Hispanic origin, race for non-Hispanic population, and sex: United States, 2005

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), Hispanic origin, race for non-Hispanic population, and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
--	----------	--------------	-----------	-----------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------

Events of undetermined intent (Y10-Y34,Y87.2,Y89.9)

All origins, both sexes.....	4,742	104	69	21	43	147	337	363	379	484	710	730
Male.....	2,861	67	44	11	32	105	250	248	230	285	410	419
Female.....	1,881	37	25	10	11	42	87	115	149	199	300	311
Hispanic, both sexes.....	325	17	11	2	2	16	44	33	26	38	36	38
Male.....	219	9	8	1	1	12	28	23	21	29	24	23
Female.....	106	8	3	1	1	4	16	10	5	9	12	15
Mexican, both sexes.....	189	12	8	2	2	8	29	26	18	19	22	17
Male.....	129	7	6	1	1	5	18	18	15	14	15	11
Female.....	60	5	2	1	1	3	11	8	3	5	7	6
Puerto Rican, both sexes.....	53	2	-	-	-	1	8	3	1	7	5	11
Male.....	34	1	-	-	-	1	4	3	1	6	2	6
Female.....	19	1	-	-	-	-	4	-	-	1	3	5
Cuban, both sexes.....	7	-	1	-	-	-	-	1	1	-	1	2
Male.....	6	-	1	-	-	-	-	1	1	-	-	2
Female.....	1	-	-	-	-	-	-	-	-	-	1	-
Central and South American, both sexes.....	29	-	2	-	-	2	4	1	3	4	3	2
Male.....	20	-	1	-	-	1	3	-	2	3	3	2
Female.....	9	-	1	-	-	1	1	1	1	1	-	-
Other and Unknown Hispanic, both sexes.....	47	3	-	-	-	5	3	2	3	8	5	6
Male.....	30	1	-	-	-	5	3	1	2	6	4	2
Female.....	17	2	-	-	-	-	-	1	1	2	1	4
Non-Hispanic 1/, both sexes.....	4,388	87	58	19	41	131	292	330	350	442	673	686
Male.....	2,621	58	36	10	31	93	221	225	207	255	386	391
Female.....	1,767	29	22	9	10	38	71	105	143	187	287	295
Non-Hispanic white 2/, both sexes.....	3,583	52	33	12	31	102	247	280	290	364	534	573
Male.....	2,099	36	21	5	25	73	188	185	171	209	304	319
Female.....	1,484	16	12	7	6	29	59	95	119	155	230	254
Non-Hispanic black 2/, both sexes.....	675	31	22	5	6	20	35	40	50	69	119	101
Male.....	447	19	13	3	5	16	25	32	30	41	73	67
Female.....	228	12	9	2	1	4	10	8	20	28	46	34
Origin not stated 3/, both sexes.....	29	-	-	-	-	-	1	-	3	4	1	6
Male.....	21	-	-	-	-	-	1	-	2	1	-	5
Female.....	8	-	-	-	-	-	-	-	1	3	1	1

Worktable Orig210F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 5-year age groups, specified Hispanic origin, race for non-Hispanic population, and sex: United States, 2005

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), Hispanic origin, race for non-Hispanic population, and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
--	----------	--------------	-----------	-----------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------

Other and unspecified events of undetermined intent and their sequelae (Y10-Y21,Y25-Y34,Y87.2,Y89.9)

All origins, both sexes.....	4,521	104	66	18	34	123	284	340	367	473	693	719
Male.....	2,683	67	42	9	24	82	205	229	220	278	396	411
Female.....	1,838	37	24	9	10	41	79	111	147	195	297	308
Hispanic, both sexes.....	298	17	11	2	2	10	33	29	22	38	34	38
Male.....	198	9	8	1	1	6	21	20	18	29	22	23
Female.....	100	8	3	1	1	4	12	9	4	9	12	15
Mexican, both sexes.....	169	12	8	2	2	5	21	23	14	19	20	17
Male.....	114	7	6	1	1	2	13	16	12	14	13	11
Female.....	55	5	2	1	1	3	8	7	2	5	7	6
Puerto Rican, both sexes.....	51	2	-	-	-	1	6	3	1	7	5	11
Male.....	33	1	-	-	-	1	3	3	1	6	2	6
Female.....	18	1	-	-	-	-	3	-	-	1	3	5
Cuban, both sexes.....	7	-	1	-	-	-	-	1	1	-	1	2
Male.....	6	-	1	-	-	-	-	1	1	-	-	2
Female.....	1	-	-	-	-	-	-	-	-	-	1	-
Central and South American, both sexes.....	29	-	2	-	-	2	4	1	3	4	3	2
Male.....	20	-	1	-	-	1	3	-	2	3	3	2
Female.....	9	-	1	-	-	1	1	1	1	1	-	-
Other and Unknown Hispanic, both sexes.....	42	3	-	-	-	2	2	1	3	8	5	6
Male.....	25	1	-	-	-	2	2	-	2	6	4	2
Female.....	17	2	-	-	-	-	-	1	1	2	1	4
Non-Hispanic 1/, both sexes.....	4,196	87	55	16	32	113	250	311	342	431	658	676
Male.....	2,465	58	34	8	23	76	183	209	200	248	374	384
Female.....	1,731	29	21	8	9	37	67	102	142	183	284	292
Non-Hispanic white 2/, both sexes.....	3,435	52	33	11	22	92	215	267	283	355	523	565
Male.....	1,978	36	21	5	17	64	159	175	165	204	294	313
Female.....	1,457	16	12	6	5	28	56	92	118	151	229	252
Non-Hispanic black 2/, both sexes.....	639	31	20	4	6	12	27	35	49	67	116	99
Male.....	419	19	12	2	5	8	18	27	29	39	71	66
Female.....	220	12	8	2	1	4	9	8	20	28	45	33
Origin not stated 3/, both sexes.....	27	-	-	-	-	-	1	-	3	4	1	5
Male.....	20	-	-	-	-	-	1	-	2	1	-	4
Female.....	7	-	-	-	-	-	-	-	1	3	1	1

Worktable Orig210F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 5-year age groups, specified Hispanic origin, race for non-Hispanic population, and sex: United States, 2005

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), Hispanic origin, race for non-Hispanic population, and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
--	----------	--------------	-----------	-----------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------

Alcohol-induced causes (E24.4,F10,G31.2,G62.1,G72.1,I42.6,K29.2,K70,K86.0,R78.0,X45,X65,Y15) 4/

All origins, both sexes.....	21,634	-	-	-	2	40	109	195	346	980	2,301	3,526
Male.....	16,238	-	-	-	1	33	94	154	251	697	1,639	2,544
Female.....	5,396	-	-	-	1	7	15	41	95	283	662	982
Hispanic, both sexes.....	2,658	-	-	-	-	17	29	60	99	189	345	429
Male.....	2,265	-	-	-	-	14	28	54	83	156	286	365
Female.....	393	-	-	-	-	3	1	6	16	33	59	64
Mexican, both sexes.....	1,740	-	-	-	-	14	17	33	64	133	227	290
Male.....	1,494	-	-	-	-	11	17	29	52	114	193	244
Female.....	246	-	-	-	-	3	-	4	12	19	34	46
Puerto Rican, both sexes.....	238	-	-	-	-	-	1	1	4	7	23	38
Male.....	206	-	-	-	-	-	1	1	4	4	18	37
Female.....	32	-	-	-	-	-	-	-	-	3	5	1
Cuban, both sexes.....	49	-	-	-	-	-	-	-	-	-	4	4
Male.....	42	-	-	-	-	-	-	-	-	-	3	3
Female.....	7	-	-	-	-	-	-	-	-	-	1	1
Central and South American, both sexes.....	269	-	-	-	-	2	7	17	20	26	42	40
Male.....	242	-	-	-	-	2	7	15	19	23	38	35
Female.....	27	-	-	-	-	-	-	2	1	3	4	5
Other and Unknown Hispanic, both sexes.....	362	-	-	-	-	1	4	9	11	23	49	57
Male.....	281	-	-	-	-	1	3	9	8	15	34	46
Female.....	81	-	-	-	-	-	1	-	3	8	15	11
Non-Hispanic 1/, both sexes.....	18,877	-	-	-	2	23	80	134	246	791	1,942	3,084
Male.....	13,890	-	-	-	1	19	66	100	167	541	1,343	2,168
Female.....	4,987	-	-	-	1	4	14	34	79	250	599	916
Non-Hispanic white 2/, both sexes.....	15,729	-	-	-	1	16	57	99	177	629	1,577	2,544
Male.....	11,610	-	-	-	1	15	49	72	122	437	1,105	1,786
Female.....	4,119	-	-	-	-	1	8	27	55	192	472	758
Non-Hispanic black 2/, both sexes.....	2,282	-	-	-	-	3	13	15	31	83	232	403
Male.....	1,670	-	-	-	-	2	9	12	19	53	148	296
Female.....	612	-	-	-	-	1	4	3	12	30	84	107
Origin not stated 3/, both sexes.....	99	-	-	-	-	-	-	1	1	-	14	13
Male.....	83	-	-	-	-	-	-	-	1	-	10	11
Female.....	16	-	-	-	-	-	-	1	-	-	4	2

Worktable Orig210F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 5-year age groups, specified Hispanic origin, race for non-Hispanic population, and sex: United States, 2005

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), Hispanic origin, race for non-Hispanic population, and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
Drug-induced causes (D52.1,D59.0,D59.2,D61.1,D64.2,E06.4,E16.0,E23.1,E24.2,E27.3,E66.1,F11.0-F11.5,F11.7-F11.9,F12.0-F12.5,F12.7-F12.9,F13.0-F13.5, F13.7-F13.9,F14.0-F14.5,F14.7-F14.9,F15.0-F15.5,F15.7-F15.9,F16.0-F16.5,F16.7- F16.9,F17.0,F17.3-F17.5,F17.7-F17.9,F18.0-F18.5,F18.7-F18.9,F19.0-F19.5,F19.7-F19.9,G21.1,G24.0,G25.1,G25.4,G25.6,G44.4,G62.0,G72.0,I95.2,J70.2-J70.4,L10.5,L27.0-L27.1,M10.2,M32.0,M80.4,M81.4,M83.5,M87.1,R78.1-R78.5,X40-X44,X60-X64,X85,Y10-Y14) 4/												
All origins, both sexes.....	33,541	35	30	14	37	787	2,308	2,700	3,030	3,846	5,487	5,797
Male.....	21,208	18	23	7	17	582	1,737	1,944	2,026	2,432	3,397	3,543
Female.....	12,333	17	7	7	20	205	571	756	1,004	1,414	2,090	2,254
Hispanic, both sexes.....	2,596	5	4	-	5	76	208	266	312	353	447	373
Male.....	1,969	1	3	-	2	52	168	217	245	270	336	279
Female.....	627	4	1	-	3	24	40	49	67	83	111	94
Mexican, both sexes.....	1,366	5	4	-	3	43	118	151	161	170	236	189
Male.....	1,061	1	3	-	1	36	103	125	122	132	183	141
Female.....	305	4	1	-	2	7	15	26	39	38	53	48
Puerto Rican, both sexes.....	537	-	-	-	1	9	27	50	67	91	89	87
Male.....	414	-	-	-	-	5	21	40	55	73	66	65
Female.....	123	-	-	-	1	4	6	10	12	18	23	22
Cuban, both sexes.....	81	-	-	-	-	4	5	8	11	7	8	9
Male.....	57	-	-	-	-	2	5	8	9	5	6	6
Female.....	24	-	-	-	-	2	-	-	2	2	2	3
Central and South American, both sexes.....	180	-	-	-	-	8	24	19	27	22	29	25
Male.....	138	-	-	-	-	2	19	16	22	19	22	18
Female.....	42	-	-	-	-	6	5	3	5	3	7	7
Other and Unknown Hispanic, both sexes.....	432	-	-	-	1	12	34	38	46	63	85	63
Male.....	299	-	-	-	1	7	20	28	37	41	59	49
Female.....	133	-	-	-	-	5	14	10	9	22	26	14
Non-Hispanic 1/, both sexes.....	30,809	30	26	14	32	710	2,094	2,427	2,709	3,477	5,021	5,395
Male.....	19,140	17	20	7	15	530	1,563	1,721	1,776	2,153	3,046	3,244
Female.....	11,669	13	6	7	17	180	531	706	933	1,324	1,975	2,151
Non-Hispanic white 2/, both sexes.....	26,186	20	11	10	23	654	1,946	2,152	2,338	2,961	4,260	4,509
Male.....	16,170	11	8	6	13	497	1,463	1,533	1,550	1,848	2,597	2,669
Female.....	10,016	9	3	4	10	157	483	619	788	1,113	1,663	1,840
Non-Hispanic black 2/, both sexes.....	4,019	10	14	4	6	33	103	209	306	436	682	801
Male.....	2,612	6	11	1	2	19	73	150	185	255	403	522
Female.....	1,407	4	3	3	4	14	30	59	121	181	279	279
Origin not stated 3/, both sexes.....	136	-	-	-	-	1	6	7	9	16	19	29
Male.....	99	-	-	-	-	-	6	6	5	9	15	20
Female.....	37	-	-	-	-	1	-	1	4	7	4	9

Worktable Orig210F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 5-year age groups, specified Hispanic origin, race for non-Hispanic population, and sex: United States, 2005

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992),

Hispanic origin, race for non-Hispanic population, and sex	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
--	----------	--------------	-----------	-----------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------

Injury by firearms (*U01.4,W32-W34,X72-X74,X93-X95,Y22-Y24,Y35.0) 4/

All origins, both sexes.....	30,694	7	62	62	273	2,623	4,198	3,461	2,841	2,440	2,661	2,572
Male.....	26,657	7	42	38	214	2,374	3,830	3,096	2,463	2,035	2,186	2,119
Female.....	4,037	-	20	24	59	249	368	365	378	405	475	453
Hispanic, both sexes.....	3,469	2	7	8	39	563	787	632	452	307	222	172
Male.....	3,144	2	5	4	33	527	736	582	403	263	191	147
Female.....	325	-	2	4	6	36	51	50	49	44	31	25
Mexican, both sexes.....	2,513	-	5	6	33	461	590	461	330	216	158	109
Male.....	2,295	-	3	3	27	441	551	428	296	188	136	94
Female.....	218	-	2	3	6	20	39	33	34	28	22	15
Puerto Rican, both sexes.....	252	-	2	-	2	23	68	46	35	22	16	17
Male.....	223	-	2	-	2	18	64	41	32	18	13	14
Female.....	29	-	-	-	-	5	4	5	3	4	3	3
Cuban, both sexes.....	108	-	-	-	-	4	8	7	7	17	10	6
Male.....	93	-	-	-	-	4	7	5	6	13	9	5
Female.....	15	-	-	-	-	-	1	2	1	4	1	1
Central and South American, both sexes.....	338	2	-	1	1	43	73	71	52	29	25	22
Male.....	306	2	-	1	1	38	70	65	46	24	22	19
Female.....	32	-	-	-	-	5	3	6	6	5	3	3
Other and Unknown Hispanic, both sexes.....	258	-	-	1	3	32	48	47	28	23	13	18
Male.....	227	-	-	-	3	26	44	43	23	20	11	15
Female.....	31	-	-	1	-	6	4	4	5	3	2	3
Non-Hispanic 1/, both sexes.....	27,103	5	55	54	233	2,050	3,397	2,815	2,379	2,123	2,424	2,390
Male.....	23,406	5	37	34	181	1,838	3,083	2,502	2,050	1,763	1,982	1,964
Female.....	3,697	-	18	20	52	212	314	313	329	360	442	426
Non-Hispanic white 2/, both sexes.....	18,521	3	26	24	140	837	1,310	1,234	1,253	1,406	1,842	1,981
Male.....	15,672	3	17	17	111	716	1,152	1,040	1,026	1,133	1,481	1,619
Female.....	2,849	-	9	7	29	121	158	194	227	273	361	362
Non-Hispanic black 2/, both sexes.....	7,865	2	27	24	83	1,125	1,933	1,483	1,055	651	527	354
Male.....	7,122	2	19	14	64	1,045	1,801	1,374	963	574	453	302
Female.....	743	-	8	10	19	80	132	109	92	77	74	52
Origin not stated 3/, both sexes.....	122	-	-	-	1	10	14	14	10	10	15	10
Male.....	107	-	-	-	-	9	11	12	10	9	13	8
Female.....	15	-	-	-	1	1	3	2	-	1	2	2

Worktable Orig210F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 5-year age groups, specified Hispanic origin, race for non-Hispanic population, and sex: United States, 2005

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), Hispanic origin, race for non-Hispanic population, and sex

50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100 years Age not
years years years years years years years years years years and over stated

All causes

All origins, both sexes.....	104,147	127,478	147,823	172,236	226,119	307,888	378,777	351,398	239,706	92,761	19,304	255
Male.....	65,193	77,988	87,441	98,412	124,395	159,114	176,121	139,812	75,026	20,972	2,986	199
Female.....	38,954	49,490	60,382	73,824	101,724	148,774	202,656	211,586	164,680	71,789	16,318	56
Hispanic, both sexes.....	7,363	7,709	8,380	9,513	11,909	14,156	14,854	11,101	7,355	2,890	712	56
Male.....	4,795	4,842	5,112	5,410	6,574	7,383	7,156	4,618	2,505	853	167	51
Female.....	2,568	2,867	3,268	4,103	5,335	6,773	7,698	6,483	4,850	2,037	545	5
Mexican, both sexes.....	4,241	4,465	4,734	5,261	6,628	7,616	7,950	5,409	3,431	1,394	346	26
Male.....	2,771	2,823	2,880	2,980	3,698	3,934	3,989	2,349	1,260	448	84	24
Female.....	1,470	1,642	1,854	2,281	2,930	3,682	3,961	3,060	2,171	946	262	2
Puerto Rican, both sexes.....	1,098	1,274	1,270	1,296	1,633	1,706	1,630	1,252	805	303	57	5
Male.....	735	797	752	761	874	875	730	485	266	85	10	4
Female.....	363	477	518	535	759	831	900	767	539	218	47	1
Cuban, both sexes.....	367	412	647	927	1,246	1,901	2,148	1,922	1,454	543	115	2
Male.....	242	282	441	577	748	1,118	1,055	822	464	144	27	2
Female.....	125	130	206	350	498	783	1,093	1,100	990	399	88	-
Central and South American, both sexes.....	829	751	825	1,019	1,080	1,241	1,228	1,030	678	243	81	-
Male.....	516	421	480	520	507	539	477	341	179	64	18	-
Female.....	313	330	345	499	573	702	751	689	499	179	63	-
Other and Unknown Hispanic, both sexes.....	828	807	904	1,010	1,322	1,692	1,898	1,488	987	407	113	23
Male.....	531	519	559	572	747	917	905	621	336	112	28	21
Female.....	297	288	345	438	575	775	993	867	651	295	85	2
Non-Hispanic 1/, both sexes.....	96,436	119,383	139,110	162,349	213,820	293,224	363,389	339,853	232,080	89,765	18,568	113
Male.....	60,148	72,867	82,100	92,752	117,581	151,423	168,702	135,017	72,441	20,098	2,815	77
Female.....	36,288	46,516	57,010	69,597	96,239	141,801	194,687	204,836	159,639	69,667	15,753	36
Non-Hispanic white 2/, both sexes.....	72,560	93,451	112,627	133,683	181,275	256,164	325,548	310,106	212,418	81,590	16,132	73
Male.....	45,934	57,313	66,916	76,971	100,546	133,639	151,969	123,778	66,543	18,092	2,382	52
Female.....	26,626	36,138	45,711	56,712	80,729	122,525	173,579	186,328	145,875	63,498	13,750	21
Non-Hispanic black 2/, both sexes.....	20,794	22,417	22,520	24,098	27,068	30,563	30,756	23,772	15,851	6,736	2,122	38
Male.....	12,324	13,447	12,949	13,198	14,105	14,530	13,193	8,526	4,367	1,466	331	24
Female.....	8,470	8,970	9,571	10,900	12,963	16,033	17,563	15,246	11,484	5,270	1,791	14
Origin not stated 3/, both sexes.....	348	386	333	374	390	508	534	444	271	106	24	86
Male.....	250	279	229	250	240	308	263	177	80	21	4	71
Female.....	98	107	104	124	150	200	271	267	191	85	20	15

Worktable Orig210F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 5-year age groups, specified Hispanic origin, race for non-Hispanic population, and sex: United States, 2005

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), Hispanic origin, race for non-Hispanic population, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

Certain other intestinal infections (A04,A07-A09)

All origins, both sexes.....	71	94	159	279	550	859	1,211	1,246	790	259	38	-
Male.....	35	44	88	137	240	388	477	439	248	45	8	-
Female.....	36	50	71	142	310	471	734	807	542	214	30	-
Hispanic, both sexes.....	5	6	6	14	20	29	40	33	19	5	-	-
Male.....	2	-	-	7	8	10	15	9	6	1	-	-
Female.....	3	6	6	7	12	19	25	24	13	4	-	-
Mexican, both sexes.....	3	3	3	7	11	13	27	11	9	3	-	-
Male.....	2	-	-	3	4	5	11	3	4	1	-	-
Female.....	1	3	3	4	7	8	16	8	5	2	-	-
Puerto Rican, both sexes.....	2	1	2	3	1	4	1	5	2	-	-	-
Male.....	-	-	-	1	-	2	1	1	-	-	-	-
Female.....	2	1	2	2	1	2	-	4	2	-	-	-
Cuban, both sexes.....	-	1	-	2	2	4	5	6	5	1	-	-
Male.....	-	-	-	1	1	2	1	4	1	-	-	-
Female.....	-	1	-	1	1	2	4	2	4	1	-	-
Central and South American, both sexes.....	-	-	1	-	4	4	5	5	1	1	-	-
Male.....	-	-	-	-	2	-	1	-	1	-	-	-
Female.....	-	-	1	-	2	4	4	5	-	1	-	-
Other and Unknown Hispanic, both sexes.....	-	1	-	2	2	4	2	6	2	-	-	-
Male.....	-	-	-	2	1	1	1	1	-	-	-	-
Female.....	-	1	-	-	1	3	1	5	2	-	-	-
Non-Hispanic 1/, both sexes.....	66	88	153	265	529	829	1,170	1,210	771	253	38	-
Male.....	33	44	88	130	232	378	462	428	242	44	8	-
Female.....	33	44	65	135	297	451	708	782	529	209	30	-
Non-Hispanic white 2/, both sexes.....	52	65	131	240	479	770	1,104	1,148	742	243	35	-
Male.....	24	32	78	122	210	351	428	413	233	42	8	-
Female.....	28	33	53	118	269	419	676	735	509	201	27	-
Non-Hispanic black 2/, both sexes.....	12	21	17	22	42	43	55	49	25	8	3	-
Male.....	8	11	6	8	18	21	26	11	6	1	-	-
Female.....	4	10	11	14	24	22	29	38	19	7	3	-
Origin not stated 3/, both sexes.....	-	-	-	-	1	1	1	3	-	1	-	-
Male.....	-	-	-	-	-	-	-	2	-	-	-	-
Female.....	-	-	-	-	1	1	1	1	-	1	-	-

Worktable Orig210F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 5-year age groups, specified Hispanic origin, race for non-Hispanic population, and sex: United States, 2005

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), Hispanic origin, race for non-Hispanic population, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
Septicemia (A40-A41)												
All origins, both sexes.....	1,313	1,822	2,090	2,602	3,471	4,715	5,911	5,125	3,138	1,098	183	3
Male.....	691	970	1,104	1,349	1,746	2,234	2,589	2,001	950	257	30	2
Female.....	622	852	986	1,253	1,725	2,481	3,322	3,124	2,188	841	153	1
Hispanic, both sexes.....	89	108	122	153	184	206	239	180	87	40	8	-
Male.....	52	63	58	75	100	104	118	66	31	11	2	-
Female.....	37	45	64	78	84	102	121	114	56	29	6	-
Mexican, both sexes.....	60	59	69	91	99	117	130	84	48	21	4	-
Male.....	37	36	32	44	59	69	59	31	17	4	1	-
Female.....	23	23	37	47	40	48	71	53	31	17	3	-
Puerto Rican, both sexes.....	16	27	21	21	33	20	34	21	12	4	1	-
Male.....	9	17	11	9	16	10	19	5	4	2	-	-
Female.....	7	10	10	12	17	10	15	16	8	2	1	-
Cuban, both sexes.....	3	3	9	16	13	25	30	28	13	5	2	-
Male.....	1	1	3	11	7	10	20	11	5	1	1	-
Female.....	2	2	6	5	6	15	10	17	8	4	1	-
Central and South American, both sexes.....	3	11	8	12	18	14	14	22	7	5	-	-
Male.....	1	4	5	3	8	4	4	9	2	1	-	-
Female.....	2	7	3	9	10	10	10	13	5	4	-	-
Other and Unknown Hispanic, both sexes.....	7	8	15	13	21	30	31	25	7	5	1	-
Male.....	4	5	7	8	10	11	16	10	3	3	-	-
Female.....	3	3	8	5	11	19	15	15	4	2	1	-
Non-Hispanic 1/, both sexes.....	1,219	1,706	1,957	2,440	3,278	4,497	5,666	4,939	3,049	1,057	175	2
Male.....	638	902	1,037	1,268	1,641	2,123	2,468	1,935	919	245	28	2
Female.....	581	804	920	1,172	1,637	2,374	3,198	3,004	2,130	812	147	-
Non-Hispanic white 2/, both sexes.....	809	1,204	1,437	1,830	2,583	3,643	4,738	4,226	2,596	867	125	-
Male.....	417	630	786	953	1,296	1,749	2,086	1,644	783	203	20	-
Female.....	392	574	651	877	1,287	1,894	2,652	2,582	1,813	664	105	-
Non-Hispanic black 2/, both sexes.....	379	455	479	545	626	747	830	624	405	172	47	2
Male.....	205	248	237	282	304	319	335	249	107	36	7	2
Female.....	174	207	242	263	322	428	495	375	298	136	40	-
Origin not stated 3/, both sexes.....	5	8	11	9	9	12	6	6	2	1	-	1
Male.....	1	5	9	6	5	7	3	-	-	1	-	-
Female.....	4	3	2	3	4	5	3	6	2	-	-	1

Worktable Orig210F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 5-year age groups, specified Hispanic origin, race for non-Hispanic population, and sex: United States, 2005

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992),
Hispanic origin, race for non-Hispanic population, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

Viral hepatitis (B15-B19)

All origins, both sexes.....	1,365	928	449	323	325	266	216	93	26	2	2	-
Male.....	1,001	687	290	164	153	103	90	30	10	-	1	-
Female.....	364	241	159	159	172	163	126	63	16	2	1	-
Hispanic, both sexes.....	177	130	72	60	53	32	16	12	3	-	-	-
Male.....	129	87	43	34	19	12	7	4	1	-	-	-
Female.....	48	43	29	26	34	20	9	8	2	-	-	-
Mexican, both sexes.....	86	59	39	35	32	14	11	4	1	-	-	-
Male.....	64	39	21	20	13	6	4	1	1	-	-	-
Female.....	22	20	18	15	19	8	7	3	-	-	-	-
Puerto Rican, both sexes.....	43	33	18	10	8	2	2	1	-	-	-	-
Male.....	36	24	13	6	3	1	1	1	-	-	-	-
Female.....	7	9	5	4	5	1	1	-	-	-	-	-
Cuban, both sexes.....	9	5	3	7	1	5	2	2	1	-	-	-
Male.....	5	2	2	3	-	-	1	2	-	-	-	-
Female.....	4	3	1	4	1	5	1	-	1	-	-	-
Central and South American, both sexes.....	11	11	7	3	6	7	-	5	1	-	-	-
Male.....	7	6	4	2	2	2	-	-	-	-	-	-
Female.....	4	5	3	1	4	5	-	5	1	-	-	-
Other and Unknown Hispanic, both sexes.....	28	22	5	5	6	4	1	-	-	-	-	-
Male.....	17	16	3	3	1	3	1	-	-	-	-	-
Female.....	11	6	2	2	5	1	-	-	-	-	-	-
Non-Hispanic 1/, both sexes.....	1,183	795	376	262	272	233	200	81	23	2	2	-
Male.....	867	597	246	130	134	91	83	26	9	-	1	-
Female.....	316	198	130	132	138	142	117	55	14	2	1	-
Non-Hispanic white 2/, both sexes.....	933	596	262	177	183	184	167	64	20	2	2	-
Male.....	693	457	173	92	97	81	69	21	8	-	1	-
Female.....	240	139	89	85	86	103	98	43	12	2	1	-
Non-Hispanic black 2/, both sexes.....	219	163	90	57	49	30	20	11	2	-	-	-
Male.....	148	114	57	28	24	5	8	2	-	-	-	-
Female.....	71	49	33	29	25	25	12	9	2	-	-	-
Origin not stated 3/, both sexes.....	5	3	1	1	-	1	-	-	-	-	-	-
Male.....	5	3	1	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	1	-	1	-	-	-	-	-	-

Worktable Orig210F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 5-year age groups, specified Hispanic origin, race for non-Hispanic population, and sex: United States, 2005

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992),

Hispanic origin, race for non-Hispanic population, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

Other and unspecified infectious and parasitic diseases and their sequelae (A00,A05,A20-A36,A42-A44,A48-A49,A54-A79,A81-A82,A85.0-A85.1,A85.8,A86-B04,B06-B09,B25-B49,B55-B99)

All origins, both sexes.....	831	682	591	601	708	893	892	587	326	139	29	-
Male.....	572	437	331	330	381	440	424	232	104	35	7	-
Female.....	259	245	260	271	327	453	468	355	222	104	22	-
Hispanic, both sexes.....	130	77	55	54	59	58	39	23	8	4	1	-
Male.....	96	52	30	27	25	25	14	6	2	1	-	-
Female.....	34	25	25	27	34	33	25	17	6	3	1	-
Mexican, both sexes.....	91	52	36	38	35	35	19	14	1	-	1	-
Male.....	70	36	22	20	13	12	6	4	-	-	-	-
Female.....	21	16	14	18	22	23	13	10	1	-	1	-
Puerto Rican, both sexes.....	14	11	4	6	3	7	5	1	1	1	-	-
Male.....	10	7	1	2	2	3	-	-	1	1	-	-
Female.....	4	4	3	4	1	4	5	1	-	-	-	-
Cuban, both sexes.....	1	1	2	2	6	4	8	3	3	3	-	-
Male.....	-	-	1	1	5	2	4	1	1	-	-	-
Female.....	1	1	1	1	1	2	4	2	2	3	-	-
Central and South American, both sexes.....	7	3	6	1	6	3	4	2	1	-	-	-
Male.....	4	1	1	-	1	2	2	-	-	-	-	-
Female.....	3	2	5	1	5	1	2	2	1	-	-	-
Other and Unknown Hispanic, both sexes.....	17	10	7	7	9	9	3	3	2	-	-	-
Male.....	12	8	5	4	4	6	2	1	-	-	-	-
Female.....	5	2	2	3	5	3	1	2	2	-	-	-
Non-Hispanic 1/, both sexes.....	699	601	534	545	649	833	853	564	317	135	28	-
Male.....	474	382	299	302	356	414	410	226	102	34	7	-
Female.....	225	219	235	243	293	419	443	338	215	101	21	-
Non-Hispanic white 2/, both sexes.....	558	484	424	460	536	708	751	500	287	125	24	-
Male.....	392	304	240	258	304	358	364	208	89	31	6	-
Female.....	166	180	184	202	232	350	387	292	198	94	18	-
Non-Hispanic black 2/, both sexes.....	112	95	82	61	73	80	70	45	26	8	4	-
Male.....	62	63	45	34	33	42	28	10	12	2	1	-
Female.....	50	32	37	27	40	38	42	35	14	6	3	-
Origin not stated 3/, both sexes.....	2	4	2	2	-	2	-	-	1	-	-	-
Male.....	2	3	2	1	-	1	-	-	-	-	-	-
Female.....	-	1	-	1	-	1	-	-	1	-	-	-

Worktable Orig210F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 5-year age groups, specified Hispanic origin, race for non-Hispanic population, and sex: United States, 2005

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992),

Hispanic origin, race for non-Hispanic population, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

Malignant neoplasms (C00-C97)

All origins, both sexes.....	30,953	44,358	54,882	63,036	75,410	85,861	80,560	52,871	23,759	6,068	757	9
Male.....	16,140	23,993	30,046	35,112	41,573	45,989	41,107	24,960	9,940	2,108	189	5
Female.....	14,813	20,365	24,836	27,924	33,837	39,872	39,453	27,911	13,819	3,960	568	4
Hispanic, both sexes.....	1,959	2,249	2,587	2,984	3,375	3,525	2,913	1,640	760	216	21	2
Male.....	984	1,240	1,453	1,677	1,887	1,905	1,573	821	360	97	8	-
Female.....	975	1,009	1,134	1,307	1,488	1,620	1,340	819	400	119	13	2
Mexican, both sexes.....	1,087	1,254	1,342	1,509	1,789	1,848	1,528	785	370	110	10	2
Male.....	542	704	750	836	1,030	1,015	849	429	192	56	3	-
Female.....	545	550	592	673	759	833	679	356	178	54	7	2
Puerto Rican, both sexes.....	241	323	408	372	408	398	314	167	88	27	2	-
Male.....	139	187	231	218	231	200	173	75	42	10	1	-
Female.....	102	136	177	154	177	198	141	92	46	17	1	-
Cuban, both sexes.....	126	174	239	372	380	515	428	259	135	34	4	-
Male.....	66	109	148	224	226	314	246	131	55	11	3	-
Female.....	60	65	91	148	154	201	182	128	80	23	1	-
Central and South American, both sexes.....	308	290	310	410	377	339	271	181	68	24	3	-
Male.....	142	122	156	209	163	151	117	62	28	11	-	-
Female.....	166	168	154	201	214	188	154	119	40	13	3	-
Other and Unknown Hispanic, both sexes.....	197	208	288	321	421	425	372	248	99	21	2	-
Male.....	95	118	168	190	237	225	188	124	43	9	1	-
Female.....	102	90	120	131	184	200	184	124	56	12	1	-
Non-Hispanic 1/, both sexes.....	28,930	42,028	52,215	59,958	71,917	82,247	77,561	51,178	22,975	5,846	736	5
Male.....	15,113	22,708	28,543	33,379	39,618	44,035	39,485	24,115	9,570	2,010	181	3
Female.....	13,817	19,320	23,672	26,579	32,299	38,212	38,076	27,063	13,405	3,836	555	2
Non-Hispanic white 2/, both sexes.....	22,637	34,030	43,587	50,729	62,211	72,762	69,552	46,235	20,733	5,179	623	2
Male.....	11,912	18,330	23,798	28,240	34,288	39,102	35,354	21,769	8,619	1,747	143	1
Female.....	10,725	15,700	19,789	22,489	27,923	33,660	34,198	24,466	12,114	3,432	480	1
Non-Hispanic black 2/, both sexes.....	5,265	6,700	7,135	7,656	7,904	7,688	6,468	3,949	1,835	578	99	3
Male.....	2,690	3,720	3,975	4,265	4,365	3,989	3,315	1,850	759	219	31	2
Female.....	2,575	2,980	3,160	3,391	3,539	3,699	3,153	2,099	1,076	359	68	1
Origin not stated 3/, both sexes.....	64	81	80	94	118	89	86	53	24	6	-	2
Male.....	43	45	50	56	68	49	49	24	10	1	-	2
Female.....	21	36	30	38	50	40	37	29	14	5	-	-

Worktable Orig210F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 5-year age groups, specified Hispanic origin, race for non-Hispanic population, and sex: United States, 2005

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992),
Hispanic origin, race for non-Hispanic population, and sex

50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100 years Age not
years years years years years years years years years years and over stated

Malignant neoplasms of lip, oral cavity and pharynx (C00-C14)

All origins, both sexes.....	698	965	971	933	902	872	801	521	257	75	14	-
Male.....	559	763	738	700	609	559	440	236	98	18	1	-
Female.....	139	202	233	233	293	313	361	285	159	57	13	-
Hispanic, both sexes.....	28	42	42	36	36	33	43	10	1	1	-	-
Male.....	24	34	35	32	27	20	28	6	-	-	-	-
Female.....	4	8	7	4	9	13	15	4	1	1	-	-
Mexican, both sexes.....	16	23	17	21	24	22	20	7	-	-	-	-
Male.....	13	17	16	19	20	14	13	4	-	-	-	-
Female.....	3	6	1	2	4	8	7	3	-	-	-	-
Puerto Rican, both sexes.....	3	7	10	7	3	6	8	-	1	-	-	-
Male.....	3	6	7	7	3	4	6	-	-	-	-	-
Female.....	-	1	3	-	-	2	2	-	1	-	-	-
Cuban, both sexes.....	1	4	7	2	5	2	6	1	-	-	-	-
Male.....	1	4	5	2	2	1	5	1	-	-	-	-
Female.....	-	-	2	-	3	1	1	-	-	-	-	-
Central and South American, both sexes.....	4	5	3	4	1	2	5	-	-	1	-	-
Male.....	3	4	3	3	-	1	3	-	-	-	-	-
Female.....	1	1	-	1	1	1	2	-	-	1	-	-
Other and Unknown Hispanic, both sexes.....	4	3	5	2	3	1	4	2	-	-	-	-
Male.....	4	3	4	1	2	-	1	1	-	-	-	-
Female.....	-	-	1	1	1	1	3	1	-	-	-	-
Non-Hispanic 1/, both sexes.....	668	920	928	894	864	839	757	511	256	74	14	-
Male.....	533	728	702	665	581	539	411	230	98	18	1	-
Female.....	135	192	226	229	283	300	346	281	158	56	13	-
Non-Hispanic white 2/, both sexes.....	495	706	747	722	736	735	677	467	234	67	12	-
Male.....	394	547	565	531	484	462	363	207	88	17	1	-
Female.....	101	159	182	191	252	273	314	260	146	50	11	-
Non-Hispanic black 2/, both sexes.....	149	166	157	137	106	78	57	29	11	5	2	-
Male.....	121	143	122	110	81	60	39	17	5	1	-	-
Female.....	28	23	35	27	25	18	18	12	6	4	2	-
Origin not stated 3/, both sexes.....	2	3	1	3	2	-	1	-	-	-	-	-
Male.....	2	1	1	3	1	-	1	-	-	-	-	-
Female.....	-	2	-	-	1	-	-	-	-	-	-	-

Worktable Orig210F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 5-year age groups, specified Hispanic origin, race for non-Hispanic population, and sex: United States, 2005

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), Hispanic origin, race for non-Hispanic population, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
Malignant neoplasm of esophagus (C15)												
All origins, both sexes.....	989	1,464	1,636	1,774	1,908	2,043	1,538	875	335	55	6	-
Male.....	866	1,245	1,374	1,470	1,507	1,546	1,133	542	171	25	-	-
Female.....	123	219	262	304	401	497	405	333	164	30	6	-
Hispanic, both sexes.....	43	48	55	80	68	65	41	28	13	3	-	-
Male.....	39	39	50	67	55	52	28	22	7	1	-	-
Female.....	4	9	5	13	13	13	13	6	6	2	-	-
Mexican, both sexes.....	25	25	21	39	32	35	22	19	6	2	-	-
Male.....	23	22	21	35	26	29	15	16	4	1	-	-
Female.....	2	3	-	4	6	6	7	3	2	1	-	-
Puerto Rican, both sexes.....	12	11	16	15	15	9	10	3	2	-	-	-
Male.....	10	7	13	12	11	7	6	2	1	-	-	-
Female.....	2	4	3	3	4	2	4	1	1	-	-	-
Cuban, both sexes.....	2	1	6	10	9	7	3	3	4	1	-	-
Male.....	2	-	5	7	8	7	2	2	1	-	-	-
Female.....	-	1	1	3	1	-	1	1	3	1	-	-
Central and South American, both sexes.	-	4	4	8	6	7	2	1	1	-	-	-
Male.....	-	4	4	6	5	5	1	-	1	-	-	-
Female.....	-	-	-	2	1	2	1	1	-	-	-	-
Other and Unknown Hispanic, both sexes.	4	7	8	8	6	7	4	2	-	-	-	-
Male.....	4	6	7	7	5	4	4	2	-	-	-	-
Female.....	-	1	1	1	1	3	-	-	-	-	-	-
Non-Hispanic 1/, both sexes.....	945	1,412	1,578	1,690	1,839	1,976	1,495	845	322	52	6	-
Male.....	826	1,203	1,321	1,399	1,451	1,494	1,104	518	164	24	-	-
Female.....	119	209	257	291	388	482	391	327	158	28	6	-
Non-Hispanic white 2/, both sexes.....	777	1,173	1,331	1,443	1,621	1,768	1,372	794	296	47	5	-
Male.....	699	1,019	1,128	1,204	1,296	1,357	1,018	492	156	22	-	-
Female.....	78	154	203	239	325	411	354	302	140	25	5	-
Non-Hispanic black 2/, both sexes.....	154	213	218	210	183	181	92	40	19	4	1	-
Male.....	118	162	172	166	128	118	68	21	6	1	-	-
Female.....	36	51	46	44	55	63	24	19	13	3	1	-
Origin not stated 3/, both sexes.....	1	4	3	4	1	2	2	2	-	-	-	-
Male.....	1	3	3	4	1	-	1	2	-	-	-	-
Female.....	-	1	-	-	-	2	1	-	-	-	-	-

Worktable Orig210F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 5-year age groups, specified Hispanic origin, race for non-Hispanic population, and sex: United States, 2005

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), Hispanic origin, race for non-Hispanic population, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
Malignant neoplasm of stomach (C16)												
All origins, both sexes.....	622	828	955	1,194	1,421	1,742	1,728	1,241	545	150	24	-
Male.....	417	557	647	775	906	1,014	958	590	229	40	10	-
Female.....	205	271	308	419	515	728	770	651	316	110	14	-
Hispanic, both sexes.....	102	112	109	119	155	174	147	77	29	11	2	-
Male.....	64	68	69	69	94	111	86	43	12	5	1	-
Female.....	38	44	40	50	61	63	61	34	17	6	1	-
Mexican, both sexes.....	64	65	59	60	82	105	91	32	16	6	1	-
Male.....	41	42	41	30	54	68	48	18	7	4	1	-
Female.....	23	23	18	30	28	37	43	14	9	2	-	-
Puerto Rican, both sexes.....	3	9	14	17	17	17	15	13	4	1	-	-
Male.....	2	8	8	13	13	10	10	7	2	-	-	-
Female.....	1	1	6	4	4	7	5	6	2	1	-	-
Cuban, both sexes.....	3	3	9	4	8	14	8	8	3	-	-	-
Male.....	1	2	6	3	4	11	6	5	1	-	-	-
Female.....	2	1	3	1	4	3	2	3	2	-	-	-
Central and South American, both sexes.....	27	26	16	27	26	23	17	12	2	3	1	-
Male.....	16	12	7	18	12	12	9	7	1	1	-	-
Female.....	11	14	9	9	14	11	8	5	1	2	1	-
Other and Unknown Hispanic, both sexes.....	5	9	11	11	22	15	16	12	4	1	-	-
Male.....	4	4	7	5	11	10	13	6	1	-	-	-
Female.....	1	5	4	6	11	5	3	6	3	1	-	-
Non-Hispanic 1/, both sexes.....	517	714	845	1,073	1,262	1,566	1,580	1,162	516	139	22	-
Male.....	350	487	578	704	812	902	871	546	217	35	9	-
Female.....	167	227	267	369	450	664	709	616	299	104	13	-
Non-Hispanic white 2/, both sexes.....	354	499	585	745	929	1,170	1,227	939	408	108	19	-
Male.....	242	347	396	489	601	688	681	434	180	23	9	-
Female.....	112	152	189	256	328	482	546	505	228	85	10	-
Non-Hispanic black 2/, both sexes.....	117	161	179	231	232	289	230	164	85	24	3	-
Male.....	78	109	133	146	152	149	108	84	30	9	-	-
Female.....	39	52	46	85	80	140	122	80	55	15	3	-
Origin not stated 3/, both sexes.....	3	2	1	2	4	2	1	2	-	-	-	-
Male.....	3	2	-	2	-	1	1	1	-	-	-	-
Female.....	-	-	1	-	4	1	-	1	-	-	-	-

Worktable Orig210F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 5-year age groups, specified Hispanic origin, race for non-Hispanic population, and sex: United States, 2005

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992),

Hispanic origin, race for non-Hispanic population, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

Malignant neoplasms of colon, rectum and anus (C18-C21)

All origins, both sexes.....	2,676	3,708	4,445	5,342	6,450	7,834	8,420	6,382	3,478	1,061	133	2
Male.....	1,489	2,182	2,630	3,195	3,594	4,108	3,895	2,521	1,113	285	24	2
Female.....	1,187	1,526	1,815	2,147	2,856	3,726	4,525	3,861	2,365	776	109	-
Hispanic, both sexes.....	181	213	225	280	334	375	299	200	111	29	3	-
Male.....	97	130	135	161	195	188	146	94	35	13	-	-
Female.....	84	83	90	119	139	187	153	106	76	16	3	-
Mexican, both sexes.....	108	136	135	118	160	184	139	90	42	14	2	-
Male.....	64	88	83	72	96	99	71	48	15	8	-	-
Female.....	44	48	52	46	64	85	68	42	27	6	2	-
Puerto Rican, both sexes.....	14	23	25	51	54	44	41	28	16	6	-	-
Male.....	7	11	11	25	31	20	15	11	5	2	-	-
Female.....	7	12	14	26	23	24	26	17	11	4	-	-
Cuban, both sexes.....	15	14	19	49	37	70	52	37	24	4	-	-
Male.....	6	9	14	29	21	37	29	14	7	3	-	-
Female.....	9	5	5	20	16	33	23	23	17	1	-	-
Central and South American, both sexes.....	24	26	30	28	29	27	26	12	14	1	1	-
Male.....	9	12	19	8	15	10	10	4	5	-	-	-
Female.....	15	14	11	20	14	17	16	8	9	1	1	-
Other and Unknown Hispanic, both sexes.....	20	14	16	34	54	50	41	33	15	4	-	-
Male.....	11	10	8	27	32	22	21	17	3	-	-	-
Female.....	9	4	8	7	22	28	20	16	12	4	-	-
Non-Hispanic 1/, both sexes.....	2,489	3,489	4,214	5,054	6,103	7,445	8,112	6,175	3,364	1,031	130	1
Male.....	1,389	2,048	2,492	3,029	3,391	3,910	3,745	2,425	1,077	271	24	1
Female.....	1,100	1,441	1,722	2,025	2,712	3,535	4,367	3,750	2,287	760	106	-
Non-Hispanic white 2/, both sexes.....	1,855	2,711	3,357	4,096	5,157	6,378	7,151	5,485	3,036	909	113	-
Male.....	1,055	1,609	2,014	2,487	2,904	3,376	3,349	2,181	966	239	19	-
Female.....	800	1,102	1,343	1,609	2,253	3,002	3,802	3,304	2,070	670	94	-
Non-Hispanic black 2/, both sexes.....	542	657	713	809	778	876	807	572	273	106	16	1
Male.....	284	373	402	442	391	434	328	194	89	26	4	1
Female.....	258	284	311	367	387	442	479	378	184	80	12	-
Origin not stated 3/, both sexes.....	6	6	6	8	13	14	9	7	3	1	-	1
Male.....	3	4	3	5	8	10	4	2	1	1	-	1
Female.....	3	2	3	3	5	4	5	5	2	-	-	-

Worktable Orig210F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 5-year age groups, specified Hispanic origin, race for non-Hispanic population, and sex: United States, 2005

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992),

Hispanic origin, race for non-Hispanic population, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

Malignant neoplasms of liver and intrahepatic bile ducts (C22)

All origins, both sexes.....	1,690	1,767	1,671	1,680	2,067	2,235	1,941	1,122	424	94	15	1
Male.....	1,347	1,404	1,211	1,144	1,326	1,333	1,041	521	173	24	1	-
Female.....	343	363	460	536	741	902	900	601	251	70	14	1
Hispanic, both sexes.....	223	233	201	202	244	226	154	87	33	7	1	1
Male.....	177	185	142	125	152	122	83	39	15	2	1	-
Female.....	46	48	59	77	92	104	71	48	18	5	-	1
Mexican, both sexes.....	120	144	125	127	140	140	84	45	28	6	1	1
Male.....	92	112	88	79	85	76	48	25	12	2	1	-
Female.....	28	32	37	48	55	64	36	20	16	4	-	1
Puerto Rican, both sexes.....	38	48	32	26	26	17	17	10	1	-	-	-
Male.....	36	42	25	18	21	7	13	2	1	-	-	-
Female.....	2	6	7	8	5	10	4	8	-	-	-	-
Cuban, both sexes.....	7	11	8	12	20	30	17	10	2	1	-	-
Male.....	6	8	7	8	16	19	6	3	-	-	-	-
Female.....	1	3	1	4	4	11	11	7	2	1	-	-
Central and South American, both sexes.....	32	10	17	25	30	22	16	8	-	-	-	-
Male.....	21	6	9	12	15	10	4	2	-	-	-	-
Female.....	11	4	8	13	15	12	12	6	-	-	-	-
Other and Unknown Hispanic, both sexes.....	26	20	19	12	28	17	20	14	2	-	-	-
Male.....	22	17	13	8	15	10	12	7	2	-	-	-
Female.....	4	3	6	4	13	7	8	7	-	-	-	-
Non-Hispanic 1/, both sexes.....	1,462	1,527	1,466	1,476	1,820	2,008	1,783	1,033	390	87	14	-
Male.....	1,165	1,214	1,066	1,018	1,172	1,210	955	482	157	22	-	-
Female.....	297	313	400	458	648	798	828	551	233	65	14	-
Non-Hispanic white 2/, both sexes.....	1,003	1,065	1,067	1,127	1,420	1,681	1,507	908	330	77	11	-
Male.....	782	839	776	777	926	1,034	810	436	137	21	-	-
Female.....	221	226	291	350	494	647	697	472	193	56	11	-
Non-Hispanic black 2/, both sexes.....	330	338	272	208	228	172	159	68	30	7	1	-
Male.....	278	284	198	148	140	100	82	23	9	1	-	-
Female.....	52	54	74	60	88	72	77	45	21	6	1	-
Origin not stated 3/, both sexes.....	5	7	4	2	3	1	4	2	1	-	-	-
Male.....	5	5	3	1	2	1	3	-	1	-	-	-
Female.....	-	2	1	1	1	-	1	2	-	-	-	-

Worktable Orig210F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 5-year age groups, specified Hispanic origin, race for non-Hispanic population, and sex: United States, 2005

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), Hispanic origin, race for non-Hispanic population, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
Malignant neoplasm of pancreas (C25)												
All origins, both sexes.....	1,741	2,724	3,260	3,811	4,477	5,158	4,989	3,203	1,400	330	29	1
Male.....	1,038	1,654	1,897	2,074	2,347	2,454	2,086	1,174	399	70	5	-
Female.....	703	1,070	1,363	1,737	2,130	2,704	2,903	2,029	1,001	260	24	1
Hispanic, both sexes.....	108	155	213	232	243	251	214	107	53	22	2	1
Male.....	66	93	125	127	112	115	82	38	15	8	1	-
Female.....	42	62	88	105	131	136	132	69	38	14	1	1
Mexican, both sexes.....	51	91	119	122	141	132	105	47	23	14	1	1
Male.....	31	55	71	68	68	52	41	22	8	6	-	-
Female.....	20	36	48	54	73	80	64	25	15	8	1	1
Puerto Rican, both sexes.....	13	18	25	20	22	25	23	8	6	-	-	-
Male.....	11	9	17	12	11	11	15	5	2	-	-	-
Female.....	2	9	8	8	11	14	8	3	4	-	-	-
Cuban, both sexes.....	6	9	12	27	34	40	26	16	14	5	-	-
Male.....	5	8	6	15	18	24	13	4	3	-	-	-
Female.....	1	1	6	12	16	16	13	12	11	5	-	-
Central and South American, both sexes.....	23	21	27	39	21	24	29	24	5	-	-	-
Male.....	10	9	15	19	3	12	5	2	-	-	-	-
Female.....	13	12	12	20	18	12	24	22	5	-	-	-
Other and Unknown Hispanic, both sexes.....	15	16	30	24	25	30	31	12	5	3	1	-
Male.....	9	12	16	13	12	16	8	5	2	2	1	-
Female.....	6	4	14	11	13	14	23	7	3	1	-	-
Non-Hispanic 1/, both sexes.....	1,632	2,566	3,043	3,578	4,223	4,901	4,774	3,092	1,345	307	27	-
Male.....	972	1,561	1,769	1,947	2,228	2,337	2,004	1,136	384	62	4	-
Female.....	660	1,005	1,274	1,631	1,995	2,564	2,770	1,956	961	245	23	-
Non-Hispanic white 2/, both sexes.....	1,255	2,083	2,534	2,993	3,604	4,254	4,227	2,771	1,194	268	22	-
Male.....	756	1,272	1,507	1,648	1,957	2,062	1,794	1,022	345	56	4	-
Female.....	499	811	1,027	1,345	1,647	2,192	2,433	1,749	849	212	18	-
Non-Hispanic black 2/, both sexes.....	311	396	421	481	510	516	430	251	122	32	4	-
Male.....	181	243	217	248	222	212	166	77	27	3	-	-
Female.....	130	153	204	233	288	304	264	174	95	29	4	-
Origin not stated 3/, both sexes.....	1	3	4	1	11	6	1	4	2	1	-	-
Male.....	-	-	3	-	7	2	-	-	-	-	-	-
Female.....	1	3	1	1	4	4	1	4	2	1	-	-

Worktable Orig210F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 5-year age groups, specified Hispanic origin, race for non-Hispanic population, and sex: United States, 2005

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992),

Hispanic origin, race for non-Hispanic population, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

Malignant neoplasms of trachea, bronchus and lung (C33-C34)

All origins, both sexes.....	8,028	12,807	18,556	22,157	26,233	27,591	21,441	11,001	3,647	701	55	3
Male.....	4,792	7,668	10,995	13,007	15,200	15,512	11,684	5,553	1,658	278	17	2
Female.....	3,236	5,139	7,561	9,150	11,033	12,079	9,757	5,448	1,989	423	38	1
Hispanic, both sexes.....	250	346	502	602	753	766	571	274	117	21	2	-
Male.....	164	237	357	400	494	481	362	144	60	12	-	-
Female.....	86	109	145	202	259	285	209	130	57	9	2	-
Mexican, both sexes.....	105	160	224	279	390	392	309	136	65	11	1	-
Male.....	69	107	161	189	254	243	199	76	37	9	-	-
Female.....	36	53	63	90	136	149	110	60	28	2	1	-
Puerto Rican, both sexes.....	43	71	97	69	94	95	57	26	8	1	-	-
Male.....	27	52	66	46	61	58	31	14	5	-	-	-
Female.....	16	19	31	23	33	37	26	12	3	1	-	-
Cuban, both sexes.....	37	45	64	106	97	120	96	41	17	3	1	-
Male.....	30	35	53	73	73	93	75	21	7	1	-	-
Female.....	7	10	11	33	24	27	21	20	10	2	1	-
Central and South American, both sexes.....	36	34	45	70	72	51	42	19	5	4	-	-
Male.....	21	20	30	47	45	27	24	9	1	1	-	-
Female.....	15	14	15	23	27	24	18	10	4	3	-	-
Other and Unknown Hispanic, both sexes.....	29	36	72	78	100	108	67	52	22	2	-	-
Male.....	17	23	47	45	61	60	33	24	10	1	-	-
Female.....	12	13	25	33	39	48	34	28	12	1	-	-
Non-Hispanic 1/, both sexes.....	7,765	12,441	18,025	21,524	25,435	26,798	20,844	10,712	3,526	679	53	3
Male.....	4,618	7,415	10,618	12,588	14,677	15,014	11,308	5,401	1,597	266	17	2
Female.....	3,147	5,026	7,407	8,936	10,758	11,784	9,536	5,311	1,929	413	36	1
Non-Hispanic white 2/, both sexes.....	6,184	10,225	15,394	18,684	22,478	24,155	18,921	9,730	3,219	587	42	2
Male.....	3,676	5,975	8,947	10,837	12,900	13,530	10,231	4,873	1,460	225	15	1
Female.....	2,508	4,250	6,447	7,847	9,578	10,625	8,690	4,857	1,759	362	27	1
Non-Hispanic black 2/, both sexes.....	1,379	1,930	2,246	2,429	2,440	2,149	1,533	745	243	79	10	1
Male.....	827	1,264	1,430	1,515	1,472	1,207	846	385	109	34	1	1
Female.....	552	666	816	914	968	942	687	360	134	45	9	-
Origin not stated 3/, both sexes.....	13	20	29	31	45	27	26	15	4	1	-	-
Male.....	10	16	20	19	29	17	14	8	1	-	-	-
Female.....	3	4	9	12	16	10	12	7	3	1	-	-

Worktable Orig210F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 5-year age groups, specified Hispanic origin, race for non-Hispanic population, and sex: United States, 2005

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), Hispanic origin, race for non-Hispanic population, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

Malignant melanoma of skin (C43)

All origins, both sexes.....	698	802	773	823	925	1,117	914	648	279	74	9	-
Male.....	450	540	490	561	616	732	562	381	156	21	1	-
Female.....	248	262	283	262	309	385	352	267	123	53	8	-
Hispanic, both sexes.....	19	18	13	15	23	14	10	5	3	2	1	-
Male.....	12	13	10	13	12	10	5	3	3	-	-	-
Female.....	7	5	3	2	11	4	5	2	-	2	1	-
Mexican, both sexes.....	11	9	6	11	15	6	6	2	-	2	-	-
Male.....	6	8	4	10	9	6	4	1	-	-	-	-
Female.....	5	1	2	1	6	-	2	1	-	2	-	-
Puerto Rican, both sexes.....	-	1	2	-	1	2	-	-	-	-	1	-
Male.....	-	-	2	-	-	2	-	-	-	-	-	-
Female.....	-	1	-	-	1	-	-	-	-	-	1	-
Cuban, both sexes.....	4	3	2	3	1	1	1	1	1	-	-	-
Male.....	3	2	1	2	1	-	1	1	1	-	-	-
Female.....	1	1	1	1	-	1	-	-	-	-	-	-
Central and South American, both sexes.....	2	1	2	-	2	2	1	-	-	-	-	-
Male.....	2	-	2	-	-	-	-	-	-	-	-	-
Female.....	-	1	-	-	2	2	1	-	-	-	-	-
Other and Unknown Hispanic, both sexes.....	2	4	1	1	4	3	2	2	2	-	-	-
Male.....	1	3	1	1	2	2	-	1	2	-	-	-
Female.....	1	1	-	-	2	1	2	1	-	-	-	-
Non-Hispanic 1/, both sexes.....	678	783	759	808	901	1,101	903	643	275	72	8	-
Male.....	437	526	479	548	604	720	556	378	152	21	1	-
Female.....	241	257	280	260	297	381	347	265	123	51	7	-
Non-Hispanic white 2/, both sexes.....	666	759	739	791	886	1,085	882	625	267	70	8	-
Male.....	434	509	471	542	599	712	547	372	151	19	1	-
Female.....	232	250	268	249	287	373	335	253	116	51	7	-
Non-Hispanic black 2/, both sexes.....	5	13	13	11	8	14	15	13	5	2	-	-
Male.....	1	9	6	4	1	7	6	2	1	2	-	-
Female.....	4	4	7	7	7	7	9	11	4	-	-	-
Origin not stated 3/, both sexes.....	1	1	1	-	1	2	1	-	1	-	-	-
Male.....	1	1	1	-	-	2	1	-	1	-	-	-
Female.....	-	-	-	-	1	-	-	-	-	-	-	-

Worktable Orig210F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 5-year age groups, specified Hispanic origin, race for non-Hispanic population, and sex: United States, 2005

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), Hispanic origin, race for non-Hispanic population, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
Malignant neoplasm of breast (C50)												
All origins, both sexes.....	3,584	4,345	4,301	3,919	4,194	4,706	4,676	3,583	1,875	683	111	-
Male.....	26	32	41	46	63	56	55	30	7	2	-	-
Female.....	3,558	4,313	4,260	3,873	4,131	4,650	4,621	3,553	1,868	681	111	-
Hispanic, both sexes.....	240	234	199	191	153	169	148	83	46	17	-	-
Male.....	1	2	-	1	-	-	2	-	-	-	-	-
Female.....	239	232	199	190	153	169	146	83	46	17	-	-
Mexican, both sexes.....	149	110	106	101	66	81	63	36	22	7	-	-
Male.....	-	1	-	-	-	-	-	-	-	-	-	-
Female.....	149	109	106	101	66	81	63	36	22	7	-	-
Puerto Rican, both sexes.....	27	35	27	17	24	27	24	12	4	1	-	-
Male.....	-	1	-	-	-	-	1	-	-	-	-	-
Female.....	27	34	27	17	24	27	23	12	4	1	-	-
Cuban, both sexes.....	11	19	22	22	20	24	32	15	8	7	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	11	19	22	22	20	24	32	15	8	7	-	-
Central and South American, both sexes.....	33	51	23	28	22	20	9	10	5	1	-	-
Male.....	-	-	-	1	-	-	-	-	-	-	-	-
Female.....	33	51	23	27	22	20	9	10	5	1	-	-
Other and Unknown Hispanic, both sexes.....	20	19	21	23	21	17	20	10	7	1	-	-
Male.....	1	-	-	-	-	-	1	-	-	-	-	-
Female.....	19	19	21	23	21	17	19	10	7	1	-	-
Non-Hispanic 1/, both sexes.....	3,339	4,104	4,097	3,722	4,033	4,530	4,520	3,497	1,825	666	111	-
Male.....	25	30	41	45	63	56	53	30	7	2	-	-
Female.....	3,314	4,074	4,056	3,677	3,970	4,474	4,467	3,467	1,818	664	111	-
Non-Hispanic white 2/, both sexes.....	2,493	3,209	3,364	3,116	3,478	3,995	4,078	3,161	1,648	605	95	-
Male.....	22	25	33	34	53	44	50	26	7	2	-	-
Female.....	2,471	3,184	3,331	3,082	3,425	3,951	4,028	3,135	1,641	603	95	-
Non-Hispanic black 2/, both sexes.....	729	779	595	526	472	446	374	299	164	60	12	-
Male.....	3	5	7	11	10	12	1	2	-	-	-	-
Female.....	726	774	588	515	462	434	373	297	164	60	12	-
Origin not stated 3/, both sexes.....	5	7	5	6	8	7	8	3	4	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	5	7	5	6	8	7	8	3	4	-	-	-

Worktable Orig210F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 5-year age groups, specified Hispanic origin, race for non-Hispanic population, and sex: United States, 2005

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), Hispanic origin, race for non-Hispanic population, and sex

50-54 years 55-59 years 60-64 years 65-69 years 70-74 years 75-79 years 80-84 years 85-89 years 90-94 years 95-99 years 100 years and over Age not stated

Malignant neoplasm of cervix uteri (C53)

All origins, both sexes.....	466	456	340	308	267	258	260	164	81	26	2	-
Male.....
Female.....	466	456	340	308	267	258	260	164	81	26	2	-
Hispanic, both sexes.....	62	50	40	32	32	17	16	8	3	3	-	-
Male.....
Female.....	62	50	40	32	32	17	16	8	3	3	-	-
Mexican, both sexes.....	35	33	14	22	17	6	8	2	1	2	-	-
Male.....
Female.....	35	33	14	22	17	6	8	2	1	2	-	-
Puerto Rican, both sexes.....	10	7	11	4	3	5	1	-	1	1	-	-
Male.....
Female.....	10	7	11	4	3	5	1	-	1	1	-	-
Cuban, both sexes.....	2	3	4	-	2	-	1	2	1	-	-	-
Male.....
Female.....	2	3	4	-	2	-	1	2	1	-	-	-
Central and South American, both sexes.....	12	6	6	4	9	5	2	3	-	-	-	-
Male.....
Female.....	12	6	6	4	9	5	2	3	-	-	-	-
Other and Unknown Hispanic, both sexes.....	3	1	5	2	1	1	4	1	-	-	-	-
Male.....
Female.....	3	1	5	2	1	1	4	1	-	-	-	-
Non-Hispanic 1/, both sexes.....	403	404	300	276	233	241	244	155	78	23	2	-
Male.....
Female.....	403	404	300	276	233	241	244	155	78	23	2	-
Non-Hispanic white 2/, both sexes.....	297	287	219	201	177	178	189	118	64	20	1	-
Male.....
Female.....	297	287	219	201	177	178	189	118	64	20	1	-
Non-Hispanic black 2/, both sexes.....	76	91	65	64	48	56	50	33	12	3	1	-
Male.....
Female.....	76	91	65	64	48	56	50	33	12	3	1	-
Origin not stated 3/, both sexes.....	1	2	-	-	2	-	-	1	-	-	-	-
Male.....
Female.....	1	2	-	-	2	-	-	1	-	-	-	-

Worktable Orig210F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 5-year age groups, specified Hispanic origin, race for non-Hispanic population, and sex: United States, 2005

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992),
Hispanic origin, race for non-Hispanic population, and sex

50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100 years Age not
years years years years years years years years years years and over stated

Malignant neoplasms of corpus uteri and uterus, part unspecified (C54-C55)

All origins, both sexes.....	360	642	826	885	923	972	983	689	352	73	11	-
Male.....
Female.....	360	642	826	885	923	972	983	689	352	73	11	-
Hispanic, both sexes.....	40	34	47	54	49	45	42	12	11	3	-	-
Male.....
Female.....	40	34	47	54	49	45	42	12	11	3	-	-
Mexican, both sexes.....	21	21	23	28	26	18	20	4	3	3	-	-
Male.....
Female.....	21	21	23	28	26	18	20	4	3	3	-	-
Puerto Rican, both sexes.....	5	6	7	6	7	6	5	-	3	-	-	-
Male.....
Female.....	5	6	7	6	7	6	5	-	3	-	-	-
Cuban, both sexes.....	4	1	3	9	3	10	9	4	1	-	-	-
Male.....
Female.....	4	1	3	9	3	10	9	4	1	-	-	-
Central and South American, both sexes.	6	4	10	9	11	9	4	2	1	-	-	-
Male.....
Female.....	6	4	10	9	11	9	4	2	1	-	-	-
Other and Unknown Hispanic, both sexes.	4	2	4	2	2	2	4	2	3	-	-	-
Male.....
Female.....	4	2	4	2	2	2	4	2	3	-	-	-
Non-Hispanic 1/, both sexes.....	319	605	775	830	873	926	940	676	341	69	11	-
Male.....
Female.....	319	605	775	830	873	926	940	676	341	69	11	-
Non-Hispanic white 2/, both sexes.....	247	468	567	635	678	741	816	592	305	62	10	-
Male.....
Female.....	247	468	567	635	678	741	816	592	305	62	10	-
Non-Hispanic black 2/, both sexes.....	56	111	187	177	176	161	110	77	34	5	1	-
Male.....
Female.....	56	111	187	177	176	161	110	77	34	5	1	-
Origin not stated 3/, both sexes.....	1	3	4	1	1	1	1	1	-	1	-	-
Male.....
Female.....	1	3	4	1	1	1	1	1	-	1	-	-

Worktable Orig210F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 5-year age groups, specified Hispanic origin, race for non-Hispanic population, and sex: United States, 2005

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), Hispanic origin, race for non-Hispanic population, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
Malignant neoplasm of ovary (C56)												
All origins, both sexes.....	1,054	1,459	1,589	1,670	1,899	2,073	1,958	1,279	537	109	15	-
Male.....
Female.....	1,054	1,459	1,589	1,670	1,899	2,073	1,958	1,279	537	109	15	-
Hispanic, both sexes.....	84	76	93	86	87	74	71	45	15	4	-	-
Male.....
Female.....	84	76	93	86	87	74	71	45	15	4	-	-
Mexican, both sexes.....	48	44	48	44	47	41	41	23	7	1	-	-
Male.....
Female.....	48	44	48	44	47	41	41	23	7	1	-	-
Puerto Rican, both sexes.....	7	3	16	9	11	8	6	6	1	2	-	-
Male.....
Female.....	7	3	16	9	11	8	6	6	1	2	-	-
Cuban, both sexes.....	7	5	7	8	6	7	4	3	2	-	-	-
Male.....
Female.....	7	5	7	8	6	7	4	3	2	-	-	-
Central and South American, both sexes.	8	13	16	16	14	10	7	7	3	1	-	-
Male.....
Female.....	8	13	16	16	14	10	7	7	3	1	-	-
Other and Unknown Hispanic, both sexes.	14	11	6	9	9	8	13	6	2	-	-	-
Male.....
Female.....	14	11	6	9	9	8	13	6	2	-	-	-
Non-Hispanic 1/, both sexes.....	970	1,381	1,496	1,583	1,811	1,997	1,887	1,234	522	105	15	-
Male.....
Female.....	970	1,381	1,496	1,583	1,811	1,997	1,887	1,234	522	105	15	-
Non-Hispanic white 2/, both sexes.....	833	1,208	1,321	1,385	1,595	1,812	1,726	1,152	478	99	14	-
Male.....
Female.....	833	1,208	1,321	1,385	1,595	1,812	1,726	1,152	478	99	14	-
Non-Hispanic black 2/, both sexes.....	97	124	137	153	171	150	128	67	40	6	1	-
Male.....
Female.....	97	124	137	153	171	150	128	67	40	6	1	-
Origin not stated 3/, both sexes.....	-	2	-	1	1	2	-	-	-	-	-	-
Male.....
Female.....	-	2	-	1	1	2	-	-	-	-	-	-

Worktable Orig210F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 5-year age groups, specified Hispanic origin, race for non-Hispanic population, and sex: United States, 2005

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992),

Hispanic origin, race for non-Hispanic population, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

Malignant neoplasms of kidney and renal pelvis (C64-C65)

All origins, both sexes.....	820	1,106	1,408	1,454	1,689	1,801	1,709	1,048	469	128	14	-
Male.....	572	781	971	976	1,102	1,064	935	569	191	49	2	-
Female.....	248	325	437	478	587	737	774	479	278	79	12	-
Hispanic, both sexes.....	73	68	82	103	104	96	75	52	21	4	-	-
Male.....	37	50	56	66	67	55	44	28	8	1	-	-
Female.....	36	18	26	37	37	41	31	24	13	3	-	-
Mexican, both sexes.....	55	55	51	69	70	67	40	31	8	2	-	-
Male.....	27	42	33	40	47	40	22	17	3	1	-	-
Female.....	28	13	18	29	23	27	18	14	5	1	-	-
Puerto Rican, both sexes.....	6	2	5	3	7	4	6	5	6	-	-	-
Male.....	4	2	3	1	4	2	5	3	3	-	-	-
Female.....	2	-	2	2	3	2	1	2	3	-	-	-
Cuban, both sexes.....	1	3	4	7	10	8	11	7	3	1	-	-
Male.....	-	2	2	6	7	7	7	4	2	-	-	-
Female.....	1	1	2	1	3	1	4	3	1	1	-	-
Central and South American, both sexes.....	5	2	8	11	6	8	4	2	-	1	-	-
Male.....	4	1	7	10	4	4	2	-	-	-	-	-
Female.....	1	1	1	1	2	4	2	2	-	1	-	-
Other and Unknown Hispanic, both sexes.....	6	6	14	13	11	9	14	7	4	-	-	-
Male.....	2	3	11	9	5	2	8	4	-	-	-	-
Female.....	4	3	3	4	6	7	6	3	4	-	-	-
Non-Hispanic 1/, both sexes.....	744	1,038	1,324	1,346	1,585	1,704	1,632	995	447	124	14	-
Male.....	532	731	913	905	1,035	1,008	890	540	183	48	2	-
Female.....	212	307	411	441	550	696	742	455	264	76	12	-
Non-Hispanic white 2/, both sexes.....	627	890	1,146	1,183	1,415	1,534	1,498	910	399	116	14	-
Male.....	445	635	786	800	922	913	819	502	165	44	2	-
Female.....	182	255	360	383	493	621	679	408	234	72	12	-
Non-Hispanic black 2/, both sexes.....	99	120	150	131	135	133	108	66	40	7	-	-
Male.....	73	82	106	82	92	72	56	25	14	3	-	-
Female.....	26	38	44	49	43	61	52	41	26	4	-	-
Origin not stated 3/, both sexes.....	3	-	2	5	-	1	2	1	1	-	-	-
Male.....	3	-	2	5	-	1	1	1	-	-	-	-
Female.....	-	-	-	-	-	-	1	-	1	-	-	-

Worktable Orig210F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 5-year age groups, specified Hispanic origin, race for non-Hispanic population, and sex: United States, 2005

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), Hispanic origin, race for non-Hispanic population, and sex

50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100 years Age not
years years years years years years years years years years and over stated

Malignant neoplasm of bladder (C67)

All origins, both sexes.....	320	601	881	1,163	1,609	2,222	2,637	2,053	1,079	311	37	-
Male.....	220	448	667	883	1,189	1,570	1,866	1,320	626	160	13	-
Female.....	100	153	214	280	420	652	771	733	453	151	24	-
Hispanic, both sexes.....	16	18	34	58	49	72	79	54	31	6	1	-
Male.....	13	14	28	40	40	47	55	39	22	6	-	-
Female.....	3	4	6	18	9	25	24	15	9	-	1	-
Mexican, both sexes.....	10	9	16	29	24	29	38	22	10	3	-	-
Male.....	10	7	13	18	20	19	26	17	8	3	-	-
Female.....	-	2	3	11	4	10	12	5	2	-	-	-
Puerto Rican, both sexes.....	3	2	5	4	3	10	8	8	6	-	-	-
Male.....	2	1	4	3	3	3	6	5	3	-	-	-
Female.....	1	1	1	1	-	7	2	3	3	-	-	-
Cuban, both sexes.....	2	4	5	13	5	15	18	8	8	1	-	-
Male.....	1	4	4	11	5	11	15	7	8	1	-	-
Female.....	1	-	1	2	-	4	3	1	-	-	-	-
Central and South American, both sexes.....	1	2	4	6	7	8	7	5	3	-	-	-
Male.....	-	1	3	4	3	5	5	3	1	-	-	-
Female.....	1	1	1	2	4	3	2	2	2	-	-	-
Other and Unknown Hispanic, both sexes.....	-	1	4	6	10	10	8	11	4	2	1	-
Male.....	-	1	4	4	9	9	3	7	2	2	-	-
Female.....	-	-	-	2	1	1	5	4	2	-	1	-
Non-Hispanic 1/, both sexes.....	302	582	846	1,105	1,557	2,148	2,555	1,998	1,047	304	36	-
Male.....	205	433	638	843	1,146	1,521	1,809	1,281	603	154	13	-
Female.....	97	149	208	262	411	627	746	717	444	150	23	-
Non-Hispanic white 2/, both sexes.....	248	510	759	990	1,415	1,966	2,381	1,844	965	280	30	-
Male.....	174	391	578	773	1,055	1,414	1,708	1,200	565	143	11	-
Female.....	74	119	181	217	360	552	673	644	400	137	19	-
Non-Hispanic black 2/, both sexes.....	47	65	74	95	120	147	147	115	71	20	5	-
Male.....	28	38	50	54	77	83	80	63	34	9	1	-
Female.....	19	27	24	41	43	64	67	52	37	11	4	-
Origin not stated 3/, both sexes.....	2	1	1	-	3	2	3	1	1	1	-	-
Male.....	2	1	1	-	3	2	2	-	1	-	-	-
Female.....	-	-	-	-	-	-	1	1	-	1	-	-

Worktable Orig210F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 5-year age groups, specified Hispanic origin, race for non-Hispanic population, and sex: United States, 2005

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), Hispanic origin, race for non-Hispanic population, and sex

50-54 years 55-59 years 60-64 years 65-69 years 70-74 years 75-79 years 80-84 years 85-89 years 90-94 years 95-99 years 100 years and over Age not stated

Malignant neoplasms of meninges, brain and other parts of central nervous system (C70-C72)

All origins, both sexes.....	1,119	1,444	1,395	1,415	1,528	1,481	1,152	553	209	40	5	-
Male.....	683	841	812	837	806	789	546	216	81	9	3	-
Female.....	436	603	583	578	722	692	606	337	128	31	2	-
Hispanic, both sexes.....	78	75	66	68	67	60	38	19	15	2	-	-
Male.....	49	43	41	37	31	32	22	8	4	1	-	-
Female.....	29	32	25	31	36	28	16	11	11	1	-	-
Mexican, both sexes.....	44	35	33	36	35	36	20	8	8	-	-	-
Male.....	29	17	20	18	17	18	13	4	2	-	-	-
Female.....	15	18	13	18	18	18	7	4	6	-	-	-
Puerto Rican, both sexes.....	10	9	7	6	7	5	2	-	2	1	-	-
Male.....	7	5	5	4	4	4	1	-	1	-	-	-
Female.....	3	4	2	2	3	1	1	-	1	1	-	-
Cuban, both sexes.....	1	11	8	12	9	10	7	1	3	-	-	-
Male.....	1	7	5	6	1	4	4	1	-	-	-	-
Female.....	-	4	3	6	8	6	3	-	3	-	-	-
Central and South American, both sexes.....	15	13	10	8	11	2	4	3	1	1	-	-
Male.....	9	8	4	4	6	2	2	-	-	1	-	-
Female.....	6	5	6	4	5	-	2	3	1	-	-	-
Other and Unknown Hispanic, both sexes.....	8	7	8	6	5	7	5	7	1	-	-	-
Male.....	3	6	7	5	3	4	2	3	1	-	-	-
Female.....	5	1	1	1	2	3	3	4	-	-	-	-
Non-Hispanic 1/, both sexes.....	1,040	1,368	1,327	1,346	1,459	1,420	1,113	534	194	38	5	-
Male.....	633	797	770	799	775	757	524	208	77	8	3	-
Female.....	407	571	557	547	684	663	589	326	117	30	2	-
Non-Hispanic white 2/, both sexes.....	952	1,252	1,229	1,249	1,360	1,324	1,050	503	182	31	5	-
Male.....	577	729	712	750	721	702	494	198	72	6	3	-
Female.....	375	523	517	499	639	622	556	305	110	25	2	-
Non-Hispanic black 2/, both sexes.....	71	94	70	70	76	76	45	23	7	5	-	-
Male.....	47	54	41	34	42	43	21	6	1	2	-	-
Female.....	24	40	29	36	34	33	24	17	6	3	-	-
Origin not stated 3/, both sexes.....	1	1	2	1	2	1	1	-	-	-	-	-
Male.....	1	1	1	1	-	-	-	-	-	-	-	-
Female.....	-	-	1	-	2	1	1	-	-	-	-	-

Worktable Orig210F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 5-year age groups, specified Hispanic origin, race for non-Hispanic population, and sex: United States, 2005

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992),

Hispanic origin, race for non-Hispanic population, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

Malignant neoplasms of lymphoid, hematopoietic and related tissue (C81-C96)

All origins, both sexes.....	2,196	3,304	4,319	5,359	7,128	8,999	9,110	6,321	2,678	598	74	-
Male.....	1,305	2,017	2,526	3,217	4,168	5,020	4,642	2,934	1,047	209	19	-
Female.....	891	1,287	1,793	2,142	2,960	3,979	4,468	3,387	1,631	389	55	-
Hispanic, both sexes.....	186	218	279	315	381	404	308	173	60	18	1	-
Male.....	99	124	145	178	204	211	163	75	34	7	-	-
Female.....	87	94	134	137	177	193	145	98	26	11	1	-
Mexican, both sexes.....	102	124	148	156	186	213	161	81	28	7	-	-
Male.....	58	73	73	92	103	117	92	41	18	2	-	-
Female.....	44	51	75	64	83	96	69	40	10	5	-	-
Puerto Rican, both sexes.....	16	28	43	42	50	42	34	15	4	5	-	-
Male.....	8	14	22	19	24	21	22	5	3	3	-	-
Female.....	8	14	21	23	26	21	12	10	1	2	-	-
Cuban, both sexes.....	9	18	31	31	49	59	41	34	18	2	-	-
Male.....	2	12	16	18	26	33	16	16	10	-	-	-
Female.....	7	6	15	13	23	26	25	18	8	2	-	-
Central and South American, both sexes.....	44	32	34	53	49	46	34	27	7	1	1	-
Male.....	25	18	19	29	19	20	16	8	3	1	-	-
Female.....	19	14	15	24	30	26	18	19	4	-	1	-
Other and Unknown Hispanic, both sexes.....	15	16	23	33	47	44	38	16	3	3	-	-
Male.....	6	7	15	20	32	20	17	5	-	1	-	-
Female.....	9	9	8	13	15	24	21	11	3	2	-	-
Non-Hispanic 1/, both sexes.....	2,005	3,080	4,035	5,037	6,745	8,589	8,793	6,145	2,618	579	73	-
Male.....	1,205	1,890	2,379	3,037	3,963	4,806	4,473	2,856	1,013	202	19	-
Female.....	800	1,190	1,656	2,000	2,782	3,783	4,320	3,289	1,605	377	54	-
Non-Hispanic white 2/, both sexes.....	1,560	2,530	3,437	4,337	5,939	7,812	8,142	5,753	2,451	524	60	-
Male.....	951	1,566	2,062	2,662	3,529	4,403	4,160	2,701	958	186	14	-
Female.....	609	964	1,375	1,675	2,410	3,409	3,982	3,052	1,493	338	46	-
Non-Hispanic black 2/, both sexes.....	366	441	480	572	627	611	520	311	135	52	12	-
Male.....	209	266	254	304	340	308	243	124	35	14	4	-
Female.....	157	175	226	268	287	303	277	187	100	38	8	-
Origin not stated 3/, both sexes.....	5	6	5	7	2	6	9	3	-	1	-	-
Male.....	1	3	2	2	1	3	6	3	-	-	-	-
Female.....	4	3	3	5	1	3	3	-	-	1	-	-

Worktable Orig210F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 5-year age groups, specified Hispanic origin, race for non-Hispanic population, and sex: United States, 2005

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), Hispanic origin, race for non-Hispanic population, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
Non-Hodgkin's lymphoma (C82-C85)												
All origins, both sexes.....	864	1,321	1,604	1,942	2,684	3,475	3,636	2,592	1,025	192	22	-
Male.....	561	816	929	1,156	1,521	1,841	1,716	1,152	393	63	4	-
Female.....	303	505	675	786	1,163	1,634	1,920	1,440	632	129	18	-
Hispanic, both sexes.....	69	79	103	107	150	177	149	69	28	6	1	-
Male.....	33	47	54	60	81	90	68	24	16	2	-	-
Female.....	36	32	49	47	69	87	81	45	12	4	1	-
Mexican, both sexes.....	38	43	55	50	73	104	81	31	14	4	-	-
Male.....	19	25	29	31	41	51	39	15	12	1	-	-
Female.....	19	18	26	19	32	53	42	16	2	3	-	-
Puerto Rican, both sexes.....	4	12	13	13	20	20	18	8	2	1	-	-
Male.....	1	8	8	5	12	11	12	1	1	1	-	-
Female.....	3	4	5	8	8	9	6	7	1	-	-	-
Cuban, both sexes.....	4	8	14	12	22	17	14	15	8	1	-	-
Male.....	-	4	6	5	8	9	4	6	3	-	-	-
Female.....	4	4	8	7	14	8	10	9	5	1	-	-
Central and South American, both sexes.....	19	10	14	20	16	18	17	9	2	-	1	-
Male.....	11	5	6	10	6	9	5	1	-	-	-	-
Female.....	8	5	8	10	10	9	12	8	2	-	1	-
Other and Unknown Hispanic, both sexes.....	4	6	7	12	19	18	19	6	2	-	-	-
Male.....	2	5	5	9	14	10	8	1	-	-	-	-
Female.....	2	1	2	3	5	8	11	5	2	-	-	-
Non-Hispanic 1/, both sexes.....	792	1,240	1,499	1,832	2,533	3,293	3,485	2,522	997	185	21	-
Male.....	527	768	874	1,096	1,439	1,749	1,647	1,127	377	61	4	-
Female.....	265	472	625	736	1,094	1,544	1,838	1,395	620	124	17	-
Non-Hispanic white 2/, both sexes.....	633	1,060	1,309	1,648	2,300	3,092	3,285	2,403	954	170	19	-
Male.....	420	662	768	993	1,317	1,660	1,560	1,084	359	57	3	-
Female.....	213	398	541	655	983	1,432	1,725	1,319	595	113	16	-
Non-Hispanic black 2/, both sexes.....	126	133	141	136	159	134	132	82	30	12	2	-
Male.....	86	83	80	74	91	58	53	30	10	2	1	-
Female.....	40	50	61	62	68	76	79	52	20	10	1	-
Origin not stated 3/, both sexes.....	3	2	2	3	1	5	2	1	-	1	-	-
Male.....	1	1	1	-	1	2	1	1	-	-	-	-
Female.....	2	1	1	3	-	3	1	-	-	1	-	-

Worktable Orig210F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 5-year age groups, specified Hispanic origin, race for non-Hispanic population, and sex: United States, 2005

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), Hispanic origin, race for non-Hispanic population, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
Leukemia (C91-C95)												
All origins, both sexes.....	812	1,133	1,529	2,010	2,663	3,390	3,442	2,457	1,187	324	45	-
Male.....	435	696	953	1,231	1,671	2,057	1,900	1,203	469	118	12	-
Female.....	377	437	576	779	992	1,333	1,542	1,254	718	206	33	-
Hispanic, both sexes.....	70	79	87	114	119	123	83	67	20	8	-	-
Male.....	35	48	47	66	69	71	54	33	10	3	-	-
Female.....	35	31	40	48	50	52	29	34	10	5	-	-
Mexican, both sexes.....	36	45	42	47	57	61	37	32	9	3	-	-
Male.....	20	29	20	28	34	38	29	18	3	1	-	-
Female.....	16	16	22	19	23	23	8	14	6	2	-	-
Puerto Rican, both sexes.....	6	10	16	20	9	11	9	5	1	1	-	-
Male.....	3	4	8	10	4	7	6	4	1	1	-	-
Female.....	3	6	8	10	5	4	3	1	-	-	-	-
Cuban, both sexes.....	4	7	10	16	18	26	17	14	5	1	-	-
Male.....	1	5	6	11	11	13	7	5	3	-	-	-
Female.....	3	2	4	5	7	13	10	9	2	1	-	-
Central and South American, both sexes.....	17	11	11	18	19	15	8	10	5	-	-	-
Male.....	8	9	7	11	9	8	5	4	3	-	-	-
Female.....	9	2	4	7	10	7	3	6	2	-	-	-
Other and Unknown Hispanic, both sexes.....	7	6	8	13	16	10	12	6	-	3	-	-
Male.....	3	1	6	6	11	5	7	2	-	1	-	-
Female.....	4	5	2	7	5	5	5	4	-	2	-	-
Non-Hispanic 1/, both sexes.....	740	1,052	1,441	1,893	2,543	3,266	3,355	2,390	1,167	316	45	-
Male.....	400	646	905	1,163	1,602	1,985	1,843	1,170	459	115	12	-
Female.....	340	406	536	730	941	1,281	1,512	1,220	708	201	33	-
Non-Hispanic white 2/, both sexes.....	602	902	1,265	1,666	2,296	2,990	3,137	2,255	1,101	291	36	-
Male.....	334	563	803	1,039	1,456	1,822	1,724	1,118	436	107	8	-
Female.....	268	339	462	627	840	1,168	1,413	1,137	665	184	28	-
Non-Hispanic black 2/, both sexes.....	112	120	134	182	187	208	177	109	52	25	8	-
Male.....	53	67	76	101	108	116	95	42	14	8	3	-
Female.....	59	53	58	81	79	92	82	67	38	17	5	-
Origin not stated 3/, both sexes.....	2	2	1	3	1	1	4	-	-	-	-	-
Male.....	-	2	1	2	-	1	3	-	-	-	-	-
Female.....	2	-	-	1	1	-	1	-	-	-	-	-

Worktable Orig210F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 5-year age groups, specified Hispanic origin, race for non-Hispanic population, and sex: United States, 2005

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992),
Hispanic origin, race for non-Hispanic population, and sex

50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100 years Age not
years years years years years years years years years years and over stated

Multiple myeloma and immunoproliferative neoplasms (C88,C90)

All origins, both sexes.....	445	754	1,088	1,301	1,668	1,962	1,884	1,193	434	78	7	-
Male.....	268	438	583	768	910	1,044	962	535	174	27	3	-
Female.....	177	316	505	533	758	918	922	658	260	51	4	-
Hispanic, both sexes.....	40	52	76	79	98	88	68	33	10	4	-	-
Male.....	25	23	33	44	46	44	35	16	6	2	-	-
Female.....	15	29	43	35	52	44	33	17	4	2	-	-
Mexican, both sexes.....	25	31	44	47	49	42	39	17	5	-	-	-
Male.....	17	14	19	26	23	26	21	7	3	-	-	-
Female.....	8	17	25	21	26	16	18	10	2	-	-	-
Puerto Rican, both sexes.....	5	6	13	9	18	9	6	2	1	3	-	-
Male.....	3	2	5	4	8	3	3	-	1	1	-	-
Female.....	2	4	8	5	10	6	3	2	-	2	-	-
Cuban, both sexes.....	-	3	5	2	7	12	8	5	3	-	-	-
Male.....	-	3	2	1	5	9	4	5	2	-	-	-
Female.....	-	-	3	1	2	3	4	-	1	-	-	-
Central and South American, both sexes.....	6	8	8	15	13	12	8	7	-	1	-	-
Male.....	4	3	5	8	4	3	5	3	-	1	-	-
Female.....	2	5	3	7	9	9	3	4	-	-	-	-
Other and Unknown Hispanic, both sexes.....	4	4	6	6	11	13	7	2	1	-	-	-
Male.....	1	1	2	5	6	3	2	1	-	-	-	-
Female.....	3	3	4	1	5	10	5	1	1	-	-	-
Non-Hispanic 1/, both sexes.....	405	700	1,010	1,221	1,570	1,874	1,813	1,159	424	74	7	-
Male.....	243	415	550	724	864	1,000	925	518	168	25	3	-
Female.....	162	285	460	497	706	874	888	641	256	49	4	-
Non-Hispanic white 2/, both sexes.....	271	494	785	938	1,256	1,584	1,586	1,026	370	59	5	-
Male.....	169	293	446	580	706	854	820	458	155	21	3	-
Female.....	102	201	339	358	550	730	766	568	215	38	2	-
Non-Hispanic black 2/, both sexes.....	116	175	201	249	271	261	208	117	50	15	2	-
Male.....	65	104	95	126	134	129	95	52	10	4	-	-
Female.....	51	71	106	123	137	132	113	65	40	11	2	-
Origin not stated 3/, both sexes.....	-	2	2	1	-	-	3	1	-	-	-	-
Male.....	-	-	-	-	-	-	2	1	-	-	-	-
Female.....	-	2	2	1	-	-	1	-	-	-	-	-

Worktable Orig210F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 5-year age groups, specified Hispanic origin, race for non-Hispanic population, and sex: United States, 2005

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), Hispanic origin, race for non-Hispanic population, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

All other and unspecified malignant neoplasms (C17,C23-C24,C26-C31,C37-C41,C44-C49,C51-C52,C57-C60,C62-C63,C66,C68-C69,C73-C80,C97)

All origins, both sexes.....	3,322	4,761	5,661	6,350	7,669	9,033	9,447	6,518	3,304	894	132	1
Male.....	1,869	2,760	3,242	3,529	4,158	4,630	4,507	2,752	1,198	254	22	-
Female.....	1,453	2,001	2,419	2,821	3,511	4,403	4,940	3,766	2,106	640	110	1
Hispanic, both sexes.....	194	249	291	337	400	414	380	205	88	29	4	-
Male.....	112	149	166	187	209	196	192	84	35	8	1	-
Female.....	82	100	125	150	191	218	188	121	53	21	3	-
Mexican, both sexes.....	110	134	154	173	225	205	209	101	47	13	3	-
Male.....	66	77	84	92	123	99	106	41	22	4	-	-
Female.....	44	57	70	81	102	106	103	60	25	9	3	-
Puerto Rican, both sexes.....	26	31	49	44	42	44	31	18	8	4	-	-
Male.....	19	18	31	26	23	19	17	8	1	-	-	-
Female.....	7	13	18	18	19	25	14	10	7	4	-	-
Cuban, both sexes.....	11	19	19	33	47	59	52	31	14	4	1	-
Male.....	5	15	16	20	27	30	23	15	3	1	1	-
Female.....	6	4	3	13	20	29	29	16	11	3	-	-
Central and South American, both sexes.....	29	34	39	49	41	39	35	27	9	4	-	-
Male.....	15	21	18	23	16	10	9	8	4	1	-	-
Female.....	14	13	21	26	25	29	26	19	5	3	-	-
Other and Unknown Hispanic, both sexes.....	18	31	30	38	45	67	53	28	10	4	-	-
Male.....	7	18	17	26	20	38	37	12	5	2	-	-
Female.....	11	13	13	12	25	29	16	16	5	2	-	-
Non-Hispanic 1/, both sexes.....	3,118	4,504	5,358	5,999	7,259	8,608	9,060	6,306	3,212	865	128	1
Male.....	1,749	2,608	3,066	3,335	3,942	4,428	4,310	2,665	1,161	246	21	-
Female.....	1,369	1,896	2,292	2,664	3,317	4,180	4,750	3,641	2,051	619	107	1
Non-Hispanic white 2/, both sexes.....	2,440	3,665	4,485	5,075	6,311	7,689	8,219	5,777	2,954	784	118	-
Male.....	1,392	2,133	2,589	2,828	3,446	4,023	3,929	2,459	1,081	219	20	-
Female.....	1,048	1,532	1,896	2,247	2,865	3,666	4,290	3,318	1,873	565	98	-
Non-Hispanic black 2/, both sexes.....	567	705	699	743	754	755	690	399	197	70	10	1
Male.....	294	408	390	412	396	320	306	154	54	24	1	-
Female.....	273	297	309	331	358	435	384	245	143	46	9	1
Origin not stated 3/, both sexes.....	10	8	12	14	10	11	7	7	4	-	-	-
Male.....	8	3	10	7	7	6	5	3	2	-	-	-
Female.....	2	5	2	7	3	5	2	4	2	-	-	-

Worktable Orig210F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 5-year age groups, specified Hispanic origin, race for non-Hispanic population, and sex: United States, 2005

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), Hispanic origin, race for non-Hispanic population, and sex

50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100 years Age not
years years years years years years years years years years and over stated

In situ neoplasms, benign neoplasms and neoplasms of uncertain or unknown behavior (D00-D48)

All origins, both sexes.....	421	579	739	966	1,384	2,068	2,526	2,231	1,262	363	53	-
Male.....	239	306	448	569	773	1,133	1,286	968	420	87	11	-
Female.....	182	273	291	397	611	935	1,240	1,263	842	276	42	-
Hispanic, both sexes.....	36	34	41	45	62	76	76	40	35	4	1	-
Male.....	22	18	26	30	33	38	44	17	12	1	-	-
Female.....	14	16	15	15	29	38	32	23	23	3	1	-
Mexican, both sexes.....	19	18	27	27	29	38	41	16	13	2	-	-
Male.....	11	9	16	17	16	17	30	5	5	-	-	-
Female.....	8	9	11	10	13	21	11	11	8	2	-	-
Puerto Rican, both sexes.....	5	6	9	6	4	9	7	5	4	-	1	-
Male.....	4	4	6	5	1	5	5	5	1	-	-	-
Female.....	1	2	3	1	3	4	2	-	3	-	1	-
Cuban, both sexes.....	1	2	1	3	5	12	6	11	5	2	-	-
Male.....	1	1	1	2	5	7	3	5	3	1	-	-
Female.....	-	1	-	1	-	5	3	6	2	1	-	-
Central and South American, both sexes.....	3	6	2	5	11	8	11	2	4	-	-	-
Male.....	1	3	1	3	3	4	5	-	1	-	-	-
Female.....	2	3	1	2	8	4	6	2	3	-	-	-
Other and Unknown Hispanic, both sexes.....	8	2	2	4	13	9	11	6	9	-	-	-
Male.....	5	1	2	3	8	5	1	2	2	-	-	-
Female.....	3	1	-	1	5	4	10	4	7	-	-	-
Non-Hispanic 1/, both sexes.....	384	544	697	920	1,320	1,988	2,446	2,189	1,225	358	52	-
Male.....	216	287	421	539	739	1,093	1,239	949	407	86	11	-
Female.....	168	257	276	381	581	895	1,207	1,240	818	272	41	-
Non-Hispanic white 2/, both sexes.....	312	457	577	796	1,162	1,800	2,262	2,044	1,148	325	47	-
Male.....	178	245	354	475	668	1,006	1,159	899	383	76	10	-
Female.....	134	212	223	321	494	794	1,103	1,145	765	249	37	-
Non-Hispanic black 2/, both sexes.....	56	70	94	98	127	142	138	116	58	26	4	-
Male.....	28	34	50	46	56	62	61	36	14	9	-	-
Female.....	28	36	44	52	71	80	77	80	44	17	4	-
Origin not stated 3/, both sexes.....	1	1	1	1	2	4	4	2	2	1	-	-
Male.....	1	1	1	-	1	2	3	2	1	-	-	-
Female.....	-	-	-	1	1	2	1	-	1	1	-	-

Worktable Orig210F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 5-year age groups, specified Hispanic origin, race for non-Hispanic population, and sex: United States, 2005

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), Hispanic origin, race for non-Hispanic population, and sex

50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100 years Age not
years years years years years years years years years years and over stated

Anemias (D50-D64)

All origins, both sexes.....	123	142	162	199	295	469	724	816	641	323	83	-
Male.....	53	63	78	92	132	198	304	275	176	79	7	-
Female.....	70	79	84	107	163	271	420	541	465	244	76	-
Hispanic, both sexes.....	5	3	6	12	20	23	24	15	24	10	1	-
Male.....	2	3	3	4	6	12	9	5	10	2	-	-
Female.....	3	-	3	8	14	11	15	10	14	8	1	-
Mexican, both sexes.....	3	2	3	9	16	14	14	6	13	5	-	-
Male.....	1	2	1	3	4	6	5	2	5	1	-	-
Female.....	2	-	2	6	12	8	9	4	8	4	-	-
Puerto Rican, both sexes.....	1	-	1	1	2	1	2	2	2	2	-	-
Male.....	-	-	1	1	1	1	-	-	2	-	-	-
Female.....	1	-	-	-	1	-	2	2	-	2	-	-
Cuban, both sexes.....	-	-	-	1	1	2	3	6	5	1	-	-
Male.....	-	-	-	-	1	1	2	3	3	-	-	-
Female.....	-	-	-	1	-	1	1	3	2	1	-	-
Central and South American, both sexes.....	1	-	1	1	-	3	1	-	1	1	-	-
Male.....	1	-	-	-	-	3	-	-	-	-	-	-
Female.....	-	-	1	1	-	-	1	-	1	1	-	-
Other and Unknown Hispanic, both sexes.....	-	1	1	-	1	3	4	1	3	1	1	-
Male.....	-	1	1	-	-	1	2	-	-	1	-	-
Female.....	-	-	-	-	1	2	2	1	3	-	1	-
Non-Hispanic 1/, both sexes.....	118	138	154	187	275	446	699	799	615	313	82	-
Male.....	51	59	74	88	126	186	295	270	165	77	7	-
Female.....	67	79	80	99	149	260	404	529	450	236	75	-
Non-Hispanic white 2/, both sexes.....	50	88	104	128	212	371	604	711	548	285	77	-
Male.....	24	38	51	58	103	154	254	242	149	71	7	-
Female.....	26	50	53	70	109	217	350	469	399	214	70	-
Non-Hispanic black 2/, both sexes.....	66	45	45	52	57	65	82	79	54	22	4	-
Male.....	27	16	18	28	19	29	33	23	12	5	-	-
Female.....	39	29	27	24	38	36	49	56	42	17	4	-
Origin not stated 3/, both sexes.....	-	1	2	-	-	-	1	2	2	-	-	-
Male.....	-	1	1	-	-	-	-	-	1	-	-	-
Female.....	-	-	1	-	-	-	1	2	1	-	-	-

Worktable Orig210F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 5-year age groups, specified Hispanic origin, race for non-Hispanic population, and sex: United States, 2005

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), Hispanic origin, race for non-Hispanic population, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
Diabetes mellitus (E10-E14)												
All origins, both sexes.....	3,458	5,150	6,151	7,260	8,923	11,218	11,918	9,313	4,910	1,455	225	-
Male.....	2,054	3,062	3,508	3,890	4,615	5,425	5,276	3,615	1,547	334	27	-
Female.....	1,404	2,088	2,643	3,370	4,308	5,793	6,642	5,698	3,363	1,121	198	-
Hispanic, both sexes.....	370	514	654	755	915	1,064	883	569	278	84	15	-
Male.....	215	291	371	387	463	493	384	221	82	21	1	-
Female.....	155	223	283	368	452	571	499	348	196	63	14	-
Mexican, both sexes.....	260	351	442	522	608	660	535	343	157	54	9	-
Male.....	143	201	252	265	307	301	233	137	47	16	1	-
Female.....	117	150	190	257	301	359	302	206	110	38	8	-
Puerto Rican, both sexes.....	44	76	76	83	107	113	97	63	45	10	-	-
Male.....	27	39	47	50	58	55	42	24	14	2	-	-
Female.....	17	37	29	33	49	58	55	39	31	8	-	-
Cuban, both sexes.....	17	12	29	40	55	101	82	65	33	7	2	-
Male.....	11	9	17	20	35	55	42	19	10	1	-	-
Female.....	6	3	12	20	20	46	40	46	23	6	2	-
Central and South American, both sexes.	20	29	45	40	54	80	59	42	14	4	2	-
Male.....	15	15	28	21	27	35	23	17	3	-	-	-
Female.....	5	14	17	19	27	45	36	25	11	4	2	-
Other and Unknown Hispanic, both sexes.	29	46	62	70	91	110	110	56	29	9	2	-
Male.....	19	27	27	31	36	47	44	24	8	2	-	-
Female.....	10	19	35	39	55	63	66	32	21	7	2	-
Non-Hispanic 1/, both sexes.....	3,081	4,619	5,485	6,492	7,999	10,132	11,017	8,734	4,625	1,370	210	-
Male.....	1,836	2,761	3,131	3,498	4,147	4,920	4,885	3,390	1,464	313	26	-
Female.....	1,245	1,858	2,354	2,994	3,852	5,212	6,132	5,344	3,161	1,057	184	-
Non-Hispanic white 2/, both sexes.....	2,123	3,278	4,015	4,747	6,079	8,114	9,179	7,434	3,884	1,162	158	-
Male.....	1,300	2,011	2,373	2,677	3,264	4,092	4,210	2,979	1,272	266	20	-
Female.....	823	1,267	1,642	2,070	2,815	4,022	4,969	4,455	2,612	896	138	-
Non-Hispanic black 2/, both sexes.....	829	1,141	1,274	1,473	1,628	1,673	1,532	1,042	606	185	47	-
Male.....	443	632	642	673	740	687	549	309	142	39	5	-
Female.....	386	509	632	800	888	986	983	733	464	146	42	-
Origin not stated 3/, both sexes.....	7	17	12	13	9	22	18	10	7	1	-	-
Male.....	3	10	6	5	5	12	7	4	1	-	-	-
Female.....	4	7	6	8	4	10	11	6	6	1	-	-

Worktable Orig210F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 5-year age groups, specified Hispanic origin, race for non-Hispanic population, and sex: United States, 2005

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), Hispanic origin, race for non-Hispanic population, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

Nutritional deficiencies (E40-E64)

All origins, both sexes.....	72	79	78	123	230	352	563	686	550	261	71	-
Male.....	32	46	42	58	99	139	202	223	154	59	11	-
Female.....	40	33	36	65	131	213	361	463	396	202	60	-
Hispanic, both sexes.....	5	2	3	7	13	16	34	18	20	10	6	-
Male.....	1	-	2	4	8	8	13	7	5	7	-	-
Female.....	4	2	1	3	5	8	21	11	15	3	6	-
Mexican, both sexes.....	3	2	2	6	8	12	23	13	14	6	2	-
Male.....	1	-	1	4	4	8	9	7	3	5	-	-
Female.....	2	2	1	2	4	4	14	6	11	1	2	-
Puerto Rican, both sexes.....	1	-	1	-	3	2	-	3	-	1	1	-
Male.....	-	-	1	-	3	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	2	-	3	-	1	1	-
Cuban, both sexes.....	-	-	-	-	-	1	5	-	1	-	1	-
Male.....	-	-	-	-	-	-	2	-	1	-	-	-
Female.....	-	-	-	-	-	1	3	-	-	-	1	-
Central and South American, both sexes.....	-	-	-	-	1	1	5	-	2	-	1	-
Male.....	-	-	-	-	1	-	2	-	1	-	-	-
Female.....	-	-	-	-	-	1	3	-	1	-	1	-
Other and Unknown Hispanic, both sexes.....	1	-	-	1	1	-	1	2	3	3	1	-
Male.....	-	-	-	-	-	-	-	-	-	2	-	-
Female.....	1	-	-	1	1	-	1	2	3	1	1	-
Non-Hispanic 1/, both sexes.....	67	77	75	115	213	335	527	666	530	251	65	-
Male.....	31	46	40	53	90	130	188	215	149	52	11	-
Female.....	36	31	35	62	123	205	339	451	381	199	54	-
Non-Hispanic white 2/, both sexes.....	49	62	55	85	175	272	440	581	477	213	52	-
Male.....	23	34	28	40	75	106	154	185	137	44	9	-
Female.....	26	28	27	45	100	166	286	396	340	169	43	-
Non-Hispanic black 2/, both sexes.....	16	14	20	26	32	52	74	67	44	36	11	-
Male.....	8	11	12	12	10	18	27	21	9	7	2	-
Female.....	8	3	8	14	22	34	47	46	35	29	9	-
Origin not stated 3/, both sexes.....	-	-	-	1	4	1	2	2	-	-	-	-
Male.....	-	-	-	1	1	1	1	1	-	-	-	-
Female.....	-	-	-	-	3	-	1	1	-	-	-	-

Worktable Orig210F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 5-year age groups, specified Hispanic origin, race for non-Hispanic population, and sex: United States, 2005

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), Hispanic origin, race for non-Hispanic population, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
Malnutrition (E40-E46)												
All origins, both sexes.....	69	76	73	119	214	340	526	652	514	242	67	-
Male.....	30	45	38	56	93	137	190	209	149	54	10	-
Female.....	39	31	35	63	121	203	336	443	365	188	57	-
Hispanic, both sexes.....	5	2	3	6	12	16	32	17	19	9	6	-
Male.....	1	-	2	4	8	8	12	6	5	7	-	-
Female.....	4	2	1	2	4	8	20	11	14	2	6	-
Mexican, both sexes.....	3	2	2	5	7	12	21	12	14	6	2	-
Male.....	1	-	1	4	4	8	8	6	3	5	-	-
Female.....	2	2	1	1	3	4	13	6	11	1	2	-
Puerto Rican, both sexes.....	1	-	1	-	3	2	-	3	-	1	1	-
Male.....	-	-	1	-	3	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	2	-	3	-	1	1	-
Cuban, both sexes.....	-	-	-	-	-	1	5	-	1	-	1	-
Male.....	-	-	-	-	-	-	2	-	1	-	-	-
Female.....	-	-	-	-	-	1	3	-	-	-	1	-
Central and South American, both sexes.	-	-	-	-	1	1	5	-	2	-	1	-
Male.....	-	-	-	-	1	-	2	-	1	-	-	-
Female.....	-	-	-	-	-	1	3	-	1	-	1	-
Other and Unknown Hispanic, both sexes.	1	-	-	1	1	-	1	2	2	2	1	-
Male.....	-	-	-	-	-	-	-	-	-	2	-	-
Female.....	1	-	-	1	1	-	1	2	2	-	1	-
Non-Hispanic 1/, both sexes.....	64	74	70	112	198	323	492	633	495	233	61	-
Male.....	29	45	36	51	84	128	177	202	144	47	10	-
Female.....	35	29	34	61	114	195	315	431	351	186	51	-
Non-Hispanic white 2/, both sexes.....	46	59	51	82	161	260	410	552	445	196	50	-
Male.....	21	33	25	38	69	104	145	173	133	39	9	-
Female.....	25	26	26	44	92	156	265	379	312	157	41	-
Non-Hispanic black 2/, both sexes.....	16	14	19	26	31	52	69	64	41	35	10	-
Male.....	8	11	11	12	10	18	25	20	8	7	1	-
Female.....	8	3	8	14	21	34	44	44	33	28	9	-
Origin not stated 3/, both sexes.....	-	-	-	1	4	1	2	2	-	-	-	-
Male.....	-	-	-	1	1	1	1	1	-	-	-	-
Female.....	-	-	-	-	3	-	1	1	-	-	-	-

Worktable Orig210F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 5-year age groups, specified Hispanic origin, race for non-Hispanic population, and sex: United States, 2005

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), Hispanic origin, race for non-Hispanic population, and sex

50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100 years Age not
years years years years years years years years years years and over stated

Parkinson's disease (G20-G21)

All origins, both sexes.....	39	135	299	685	1,729	3,724	5,570	4,624	2,163	486	49	-
Male.....	29	78	197	454	1,142	2,337	3,321	2,469	1,004	180	13	-
Female.....	10	57	102	231	587	1,387	2,249	2,155	1,159	306	36	-
Hispanic, both sexes.....	3	5	16	37	82	162	192	152	50	19	1	-
Male.....	1	3	6	21	59	98	115	87	19	5	-	-
Female.....	2	2	10	16	23	64	77	65	31	14	1	-
Mexican, both sexes.....	2	2	8	15	40	65	96	56	20	11	-	-
Male.....	1	2	3	9	30	41	60	34	8	4	-	-
Female.....	1	-	5	6	10	24	36	22	12	7	-	-
Puerto Rican, both sexes.....	1	1	5	7	11	18	19	26	3	1	-	-
Male.....	-	-	1	3	7	13	10	14	2	-	-	-
Female.....	1	1	4	4	4	5	9	12	1	1	-	-
Cuban, both sexes.....	-	-	-	5	12	38	33	28	17	2	-	-
Male.....	-	-	-	4	11	21	18	18	6	-	-	-
Female.....	-	-	-	1	1	17	15	10	11	2	-	-
Central and South American, both sexes.....	-	-	1	5	7	15	12	16	2	2	1	-
Male.....	-	-	-	2	4	7	7	4	-	-	-	-
Female.....	-	-	1	3	3	8	5	12	2	2	1	-
Other and Unknown Hispanic, both sexes.....	-	2	2	5	12	26	32	26	8	3	-	-
Male.....	-	1	2	3	7	16	20	17	3	1	-	-
Female.....	-	1	-	2	5	10	12	9	5	2	-	-
Non-Hispanic 1/, both sexes.....	36	130	281	648	1,646	3,559	5,375	4,469	2,112	467	47	-
Male.....	28	75	191	433	1,083	2,237	3,205	2,380	984	175	13	-
Female.....	8	55	90	215	563	1,322	2,170	2,089	1,128	292	34	-
Non-Hispanic white 2/, both sexes.....	32	118	254	582	1,523	3,357	5,088	4,279	2,024	440	38	-
Male.....	25	70	171	386	1,006	2,118	3,046	2,279	939	166	9	-
Female.....	7	48	83	196	517	1,239	2,042	2,000	1,085	274	29	-
Non-Hispanic black 2/, both sexes.....	3	7	18	41	85	134	205	128	54	23	5	-
Male.....	2	2	13	31	59	80	116	68	26	8	2	-
Female.....	1	5	5	10	26	54	89	60	28	15	3	-
Origin not stated 3/, both sexes.....	-	-	2	-	1	3	3	3	1	-	1	-
Male.....	-	-	-	-	-	2	1	2	1	-	-	-
Female.....	-	-	2	-	1	1	2	1	-	-	1	-

Worktable Orig210F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 5-year age groups, specified Hispanic origin, race for non-Hispanic population, and sex: United States, 2005

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), Hispanic origin, race for non-Hispanic population, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
Alzheimer's disease (G30)												
All origins, both sexes.....	60	195	453	983	2,830	7,596	15,543	19,870	16,058	6,770	1,208	1
Male.....	22	87	200	453	1,195	2,989	5,337	5,778	3,431	954	99	-
Female.....	38	108	253	530	1,635	4,607	10,206	14,092	12,627	5,816	1,109	1
Hispanic, both sexes.....	6	6	26	51	121	278	523	549	394	212	32	-
Male.....	1	2	10	20	62	128	209	186	90	49	6	-
Female.....	5	4	16	31	59	150	314	363	304	163	26	-
Mexican, both sexes.....	3	2	14	26	64	138	251	258	167	105	17	-
Male.....	-	2	7	13	32	61	103	89	39	22	4	-
Female.....	3	-	7	13	32	77	148	169	128	83	13	-
Puerto Rican, both sexes.....	1	2	7	13	14	34	55	54	37	22	-	-
Male.....	1	-	1	3	6	15	19	14	11	6	-	-
Female.....	-	2	6	10	8	19	36	40	26	16	-	-
Cuban, both sexes.....	-	-	3	8	17	55	97	129	98	49	6	-
Male.....	-	-	2	2	10	30	43	47	17	14	2	-
Female.....	-	-	1	6	7	25	54	82	81	35	4	-
Central and South American, both sexes.	1	-	1	1	8	18	35	31	26	11	3	-
Male.....	-	-	-	1	4	5	8	10	6	2	-	-
Female.....	1	-	1	-	4	13	27	21	20	9	3	-
Other and Unknown Hispanic, both sexes.	1	2	1	3	18	33	85	77	66	25	6	-
Male.....	-	-	-	1	10	17	36	26	17	5	-	-
Female.....	1	2	1	2	8	16	49	51	49	20	6	-
Non-Hispanic 1/, both sexes.....	54	188	425	930	2,707	7,310	15,004	19,298	15,646	6,549	1,174	1
Male.....	21	84	190	431	1,131	2,856	5,121	5,584	3,336	904	93	-
Female.....	33	104	235	499	1,576	4,454	9,883	13,714	12,310	5,645	1,081	1
Non-Hispanic white 2/, both sexes.....	51	173	386	816	2,392	6,618	13,851	17,994	14,574	6,047	1,031	-
Male.....	19	75	178	377	1,003	2,587	4,739	5,209	3,102	828	80	-
Female.....	32	98	208	439	1,389	4,031	9,112	12,785	11,472	5,219	951	-
Non-Hispanic black 2/, both sexes.....	3	11	34	102	288	593	986	1,094	915	415	135	1
Male.....	2	7	10	49	114	228	317	305	187	49	13	-
Female.....	1	4	24	53	174	365	669	789	728	366	122	1
Origin not stated 3/, both sexes.....	-	1	2	2	2	8	16	23	18	9	2	-
Male.....	-	1	-	2	2	5	7	8	5	1	-	-
Female.....	-	-	2	-	-	3	9	15	13	8	2	-

Worktable Orig210F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 5-year age groups, specified Hispanic origin, race for non-Hispanic population, and sex: United States, 2005

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992),

Hispanic origin, race for non-Hispanic population, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

Major cardiovascular diseases (I00-I78)

All origins, both sexes.....	27,991	36,137	43,759	52,195	72,171	107,670	148,692	153,745	115,434	46,706	10,181	41
Male.....	19,570	24,835	28,649	32,103	41,630	56,750	68,287	59,721	34,787	10,087	1,511	29
Female.....	8,421	11,302	15,110	20,092	30,541	50,920	80,405	94,024	80,647	36,619	8,670	12
Hispanic, both sexes.....	1,767	2,137	2,569	3,019	4,186	5,283	6,128	5,009	3,610	1,436	392	5
Male.....	1,272	1,442	1,664	1,821	2,385	2,801	2,872	2,017	1,172	385	85	5
Female.....	495	695	905	1,198	1,801	2,482	3,256	2,992	2,438	1,051	307	-
Mexican, both sexes.....	1,028	1,254	1,473	1,677	2,306	2,792	3,267	2,409	1,641	668	187	2
Male.....	752	839	944	1,020	1,301	1,453	1,618	1,004	576	190	39	2
Female.....	276	415	529	657	1,005	1,339	1,649	1,405	1,065	478	148	-
Puerto Rican, both sexes.....	235	352	372	455	631	682	678	584	396	152	33	1
Male.....	153	228	225	279	347	353	290	227	115	37	3	1
Female.....	82	124	147	176	284	329	388	357	281	115	30	-
Cuban, both sexes.....	106	118	220	269	498	754	950	915	779	286	66	1
Male.....	84	92	167	193	303	448	430	385	248	75	16	1
Female.....	22	26	53	76	195	306	520	530	531	211	50	-
Central and South American, both sexes.....	209	216	253	310	352	470	514	463	357	127	42	-
Male.....	147	146	158	156	184	219	193	150	86	30	11	-
Female.....	62	70	95	154	168	251	321	313	271	97	31	-
Other and Unknown Hispanic, both sexes.....	189	197	251	308	399	585	719	638	437	203	64	1
Male.....	136	137	170	173	250	328	341	251	147	53	16	1
Female.....	53	60	81	135	149	257	378	387	290	150	48	-
Non-Hispanic 1/, both sexes.....	26,134	33,877	41,076	49,019	67,856	102,169	142,323	148,529	111,690	45,220	9,777	32
Male.....	18,233	23,296	26,906	30,164	39,165	53,812	65,298	57,631	33,582	9,695	1,424	22
Female.....	7,901	10,581	14,170	18,855	28,691	48,357	77,025	90,898	78,108	35,525	8,353	10
Non-Hispanic white 2/, both sexes.....	18,588	25,321	31,928	38,903	55,959	87,724	126,546	135,473	102,433	41,225	8,524	19
Male.....	13,477	17,886	21,430	24,434	32,911	47,107	58,769	53,104	31,027	8,821	1,220	13
Female.....	5,111	7,435	10,498	14,469	23,048	40,617	67,777	82,369	71,406	32,404	7,304	6
Non-Hispanic black 2/, both sexes.....	6,724	7,544	7,963	8,604	10,022	12,079	12,888	10,491	7,446	3,265	1,093	12
Male.....	4,187	4,719	4,752	4,804	5,218	5,535	5,147	3,435	1,869	613	156	8
Female.....	2,537	2,825	3,211	3,800	4,804	6,544	7,741	7,056	5,577	2,652	937	4
Origin not stated 3/, both sexes.....	90	123	114	157	129	218	241	207	134	50	12	4
Male.....	65	97	79	118	80	137	117	73	33	7	2	2
Female.....	25	26	35	39	49	81	124	134	101	43	10	2

Worktable Orig210F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 5-year age groups, specified Hispanic origin, race for non-Hispanic population, and sex: United States, 2005

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992),

Hispanic origin, race for non-Hispanic population, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

Diseases of heart (I00-I09,I11,I13,I20-I51)

All origins, both sexes.....	22,808	29,681	35,527	41,084	55,645	80,843	109,850	113,840	86,322	35,457	7,885	37
Male.....	16,519	21,012	23,883	25,958	33,092	44,088	52,492	46,068	27,191	8,012	1,218	25
Female.....	6,289	8,669	11,644	15,126	22,553	36,755	57,358	67,772	59,131	27,445	6,667	12
Hispanic, both sexes.....	1,331	1,656	1,986	2,338	3,213	3,996	4,587	3,756	2,786	1,111	312	5
Male.....	1,005	1,167	1,325	1,449	1,867	2,183	2,215	1,545	927	297	69	5
Female.....	326	489	661	889	1,346	1,813	2,372	2,211	1,859	814	243	-
Mexican, both sexes.....	747	956	1,117	1,273	1,725	2,047	2,379	1,736	1,221	501	142	2
Male.....	575	659	754	802	1,003	1,096	1,222	756	450	144	33	2
Female.....	172	297	363	471	722	951	1,157	980	771	357	109	-
Puerto Rican, both sexes.....	185	279	303	365	511	547	532	471	321	123	30	1
Male.....	126	190	184	227	277	287	235	187	94	28	3	1
Female.....	59	89	119	138	234	260	297	284	227	95	27	-
Cuban, both sexes.....	90	102	184	218	395	610	761	741	639	245	55	1
Male.....	74	82	137	158	249	371	348	307	200	63	13	1
Female.....	16	20	47	60	146	239	413	434	439	182	42	-
Central and South American, both sexes.....	148	162	190	239	268	357	382	347	284	97	33	-
Male.....	110	118	120	123	140	176	154	108	71	21	6	-
Female.....	38	44	70	116	128	181	228	239	213	76	27	-
Other and Unknown Hispanic, both sexes.....	161	157	192	243	314	435	533	461	321	145	52	1
Male.....	120	118	130	139	198	253	256	187	112	41	14	1
Female.....	41	39	62	104	116	182	277	274	209	104	38	-
Non-Hispanic 1/, both sexes.....	21,397	27,915	33,444	38,616	52,329	76,680	105,076	109,924	83,431	34,309	7,563	28
Male.....	15,454	19,756	22,491	24,408	31,158	41,795	50,186	44,464	26,237	7,708	1,148	18
Female.....	5,943	8,159	10,953	14,208	21,171	34,885	54,890	65,460	57,194	26,601	6,415	10
Non-Hispanic white 2/, both sexes.....	15,705	21,306	26,438	31,085	43,631	66,255	93,829	100,682	76,861	31,364	6,638	19
Male.....	11,766	15,485	18,226	20,076	26,462	36,844	45,420	41,168	24,350	7,049	988	13
Female.....	3,939	5,821	8,212	11,009	17,169	29,411	48,409	59,514	52,511	24,315	5,650	6
Non-Hispanic black 2/, both sexes.....	5,102	5,832	6,145	6,460	7,380	8,844	9,274	7,484	5,308	2,417	807	8
Male.....	3,260	3,708	3,696	3,646	3,940	4,149	3,803	2,517	1,388	467	123	4
Female.....	1,842	2,124	2,449	2,814	3,440	4,695	5,471	4,967	3,920	1,950	684	4
Origin not stated 3/, both sexes.....	80	110	97	130	103	167	187	160	105	37	10	4
Male.....	60	89	67	101	67	110	91	59	27	7	1	2
Female.....	20	21	30	29	36	57	96	101	78	30	9	2

Worktable Orig210F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 5-year age groups, specified Hispanic origin, race for non-Hispanic population, and sex: United States, 2005

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), Hispanic origin, race for non-Hispanic population, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
Hypertensive heart disease (I11)												
All origins, both sexes.....	1,834	2,037	1,917	1,780	2,026	2,653	3,717	4,240	3,634	1,834	411	3
Male.....	1,268	1,393	1,256	1,062	1,085	1,226	1,344	1,262	775	281	47	3
Female.....	566	644	661	718	941	1,427	2,373	2,978	2,859	1,553	364	-
Hispanic, both sexes.....	115	122	134	94	124	156	156	154	119	54	12	-
Male.....	76	75	87	51	64	77	60	52	29	10	4	-
Female.....	39	47	47	43	60	79	96	102	90	44	8	-
Mexican, both sexes.....	63	71	62	44	57	71	72	65	57	24	5	-
Male.....	45	46	37	25	28	36	26	22	15	5	2	-
Female.....	18	25	25	19	29	35	46	43	42	19	3	-
Puerto Rican, both sexes.....	17	13	23	17	22	29	22	26	20	7	3	-
Male.....	11	7	15	8	11	13	9	11	6	-	-	-
Female.....	6	6	8	9	11	16	13	15	14	7	3	-
Cuban, both sexes.....	10	10	22	11	18	21	29	28	18	6	2	-
Male.....	6	7	15	9	9	13	10	10	5	1	1	-
Female.....	4	3	7	2	9	8	19	18	13	5	1	-
Central and South American, both sexes.....	13	19	16	13	18	20	22	17	14	9	-	-
Male.....	10	9	10	4	9	11	9	5	2	2	-	-
Female.....	3	10	6	9	9	9	13	12	12	7	-	-
Other and Unknown Hispanic, both sexes.....	12	9	11	9	9	15	11	18	10	8	2	-
Male.....	4	6	10	5	7	4	6	4	1	2	1	-
Female.....	8	3	1	4	2	11	5	14	9	6	1	-
Non-Hispanic 1/, both sexes.....	1,708	1,906	1,775	1,676	1,895	2,485	3,550	4,079	3,505	1,776	399	2
Male.....	1,185	1,309	1,164	1,001	1,017	1,142	1,281	1,207	745	270	43	2
Female.....	523	597	611	675	878	1,343	2,269	2,872	2,760	1,506	356	-
Non-Hispanic white 2/, both sexes.....	975	1,186	1,169	1,073	1,308	1,834	2,782	3,434	3,035	1,510	334	2
Male.....	712	846	792	668	699	860	1,008	996	638	214	35	2
Female.....	263	340	377	405	609	974	1,774	2,438	2,397	1,296	299	-
Non-Hispanic black 2/, both sexes.....	687	675	571	563	536	593	679	562	407	224	59	-
Male.....	440	429	353	306	285	260	235	177	91	44	8	-
Female.....	247	246	218	257	251	333	444	385	316	180	51	-
Origin not stated 3/, both sexes.....	11	9	8	10	7	12	11	7	10	4	-	1
Male.....	7	9	5	10	4	7	3	3	1	1	-	1
Female.....	4	-	3	-	3	5	8	4	9	3	-	-

Worktable Orig210F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 5-year age groups, specified Hispanic origin, race for non-Hispanic population, and sex: United States, 2005

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), Hispanic origin, race for non-Hispanic population, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

Hypertensive heart and renal disease (I13)

All origins, both sexes.....	116	111	129	183	243	373	535	581	462	211	34	-
Male.....	71	66	76	97	112	166	212	225	149	57	8	-
Female.....	45	45	53	86	131	207	323	356	313	154	26	-
Hispanic, both sexes.....	8	10	18	18	25	20	32	27	17	7	1	-
Male.....	6	7	10	10	9	13	12	11	4	2	-	-
Female.....	2	3	8	8	16	7	20	16	13	5	1	-
Mexican, both sexes.....	3	9	12	11	16	14	18	11	10	2	1	-
Male.....	3	6	8	6	8	9	7	5	2	1	-	-
Female.....	-	3	4	5	8	5	11	6	8	1	1	-
Puerto Rican, both sexes.....	2	-	1	1	5	3	3	3	1	-	-	-
Male.....	2	-	-	1	1	3	1	-	1	-	-	-
Female.....	-	-	1	-	4	-	2	3	-	-	-	-
Cuban, both sexes.....	1	-	3	1	2	1	3	4	1	1	-	-
Male.....	1	-	1	1	-	-	-	3	1	-	-	-
Female.....	-	-	2	-	2	1	3	1	-	1	-	-
Central and South American, both sexes.....	1	1	1	4	2	2	5	3	1	3	-	-
Male.....	-	1	1	1	-	1	4	2	-	1	-	-
Female.....	1	-	-	3	2	1	1	1	1	2	-	-
Other and Unknown Hispanic, both sexes.....	1	-	1	1	-	-	3	6	4	1	-	-
Male.....	-	-	-	1	-	-	-	1	-	-	-	-
Female.....	1	-	1	-	-	-	3	5	4	1	-	-
Non-Hispanic 1/, both sexes.....	108	101	109	163	217	353	501	553	445	204	33	-
Male.....	65	59	64	85	103	153	198	214	145	55	8	-
Female.....	43	42	45	78	114	200	303	339	300	149	25	-
Non-Hispanic white 2/, both sexes.....	29	32	35	74	121	237	368	458	388	176	24	-
Male.....	22	21	20	34	62	104	145	174	126	46	6	-
Female.....	7	11	15	40	59	133	223	284	262	130	18	-
Non-Hispanic black 2/, both sexes.....	77	67	69	85	83	98	117	79	48	22	8	-
Male.....	42	38	42	48	33	37	47	31	14	6	2	-
Female.....	35	29	27	37	50	61	70	48	34	16	6	-
Origin not stated 3/, both sexes.....	-	-	2	2	1	-	2	1	-	-	-	-
Male.....	-	-	2	2	-	-	2	-	-	-	-	-
Female.....	-	-	-	-	1	-	-	1	-	-	-	-

Worktable Orig210F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 5-year age groups, specified Hispanic origin, race for non-Hispanic population, and sex: United States, 2005

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992),

Hispanic origin, race for non-Hispanic population, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

Ischemic heart diseases (I20-I25)

All origins, both sexes.....	15,657	20,979	25,820	29,933	40,188	57,709	76,726	76,489	56,574	22,766	5,106	28
Male.....	11,878	15,484	18,064	19,607	24,890	32,870	38,482	32,582	18,648	5,361	773	18
Female.....	3,779	5,495	7,756	10,326	15,298	24,839	38,244	43,907	37,926	17,405	4,333	10
Hispanic, both sexes.....	956	1,238	1,507	1,807	2,510	3,088	3,553	2,782	2,072	822	234	4
Male.....	752	909	1,035	1,159	1,496	1,711	1,778	1,182	700	230	52	4
Female.....	204	329	472	648	1,014	1,377	1,775	1,600	1,372	592	182	-
Mexican, both sexes.....	529	707	857	978	1,352	1,582	1,846	1,286	882	365	105	1
Male.....	416	502	593	644	815	867	988	588	328	106	24	1
Female.....	113	205	264	334	537	715	858	698	554	259	81	-
Puerto Rican, both sexes.....	134	210	229	297	402	441	415	359	254	98	21	1
Male.....	96	153	143	190	224	229	183	143	76	24	2	1
Female.....	38	57	86	107	178	212	232	216	178	74	19	-
Cuban, both sexes.....	67	84	133	168	311	486	590	567	502	193	46	1
Male.....	58	69	103	120	200	296	274	235	155	54	12	1
Female.....	9	15	30	48	111	190	316	332	347	139	34	-
Central and South American, both sexes.....	105	117	147	191	196	263	307	268	210	71	29	-
Male.....	85	90	96	105	98	129	127	82	60	16	4	-
Female.....	20	27	51	86	98	134	180	186	150	55	25	-
Other and Unknown Hispanic, both sexes.....	121	120	141	173	249	316	395	302	224	95	33	1
Male.....	97	95	100	100	159	190	206	134	81	30	10	1
Female.....	24	25	41	73	90	126	189	168	143	65	23	-
Non-Hispanic 1/, both sexes.....	14,647	19,664	24,241	28,034	37,597	54,495	73,035	73,589	54,431	21,917	4,864	21
Male.....	11,081	14,514	16,980	18,379	23,340	31,074	36,633	31,353	17,929	5,126	720	13
Female.....	3,566	5,150	7,261	9,655	14,257	23,421	36,402	42,236	36,502	16,791	4,144	8
Non-Hispanic white 2/, both sexes.....	11,294	15,507	19,646	23,030	31,712	47,380	65,437	67,467	50,124	20,060	4,253	13
Male.....	8,803	11,733	14,078	15,428	20,097	27,589	33,260	29,132	16,630	4,712	618	8
Female.....	2,491	3,774	5,568	7,602	11,615	19,791	32,177	38,335	33,494	15,348	3,635	5
Non-Hispanic black 2/, both sexes.....	2,936	3,599	3,977	4,197	4,906	5,939	6,157	4,875	3,439	1,524	526	7
Male.....	1,955	2,359	2,467	2,427	2,674	2,859	2,644	1,656	933	289	74	4
Female.....	981	1,240	1,510	1,770	2,232	3,080	3,513	3,219	2,506	1,235	452	3
Origin not stated 3/, both sexes.....	54	77	72	92	81	126	138	118	71	27	8	3
Male.....	45	61	49	69	54	85	71	47	19	5	1	1
Female.....	9	16	23	23	27	41	67	71	52	22	7	2

Worktable Orig210F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 5-year age groups, specified Hispanic origin, race for non-Hispanic population, and sex: United States, 2005

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), Hispanic origin, race for non-Hispanic population, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
Acute myocardial infarction (I21-I22)												
All origins, both sexes.....	6,178	8,292	10,261	11,652	15,022	20,167	25,282	23,679	16,169	5,977	1,216	3
Male.....	4,624	6,083	7,068	7,520	9,156	11,281	12,259	9,779	5,352	1,447	181	3
Female.....	1,554	2,209	3,193	4,132	5,866	8,886	13,023	13,900	10,817	4,530	1,035	-
Hispanic, both sexes.....	325	459	569	635	942	1,104	1,220	923	622	231	64	-
Male.....	251	326	381	391	559	603	613	385	237	67	14	-
Female.....	74	133	188	244	383	501	607	538	385	164	50	-
Mexican, both sexes.....	204	284	337	373	552	628	680	469	284	110	34	-
Male.....	154	194	225	246	327	338	371	209	117	34	5	-
Female.....	50	90	112	127	225	290	309	260	167	76	29	-
Puerto Rican, both sexes.....	34	68	75	79	116	117	110	91	68	13	6	-
Male.....	22	46	49	42	72	60	49	30	26	2	1	-
Female.....	12	22	26	37	44	57	61	61	42	11	5	-
Cuban, both sexes.....	15	34	58	62	119	167	221	195	162	65	10	-
Male.....	13	29	42	42	72	101	98	80	54	17	4	-
Female.....	2	5	16	20	47	66	123	115	108	48	6	-
Central and South American, both sexes.....	27	30	47	63	68	66	80	80	49	19	9	-
Male.....	23	25	28	32	34	36	32	26	18	5	1	-
Female.....	4	5	19	31	34	30	48	54	31	14	8	-
Other and Unknown Hispanic, both sexes.....	45	43	52	58	87	126	129	88	59	24	5	-
Male.....	39	32	37	29	54	68	63	40	22	9	3	-
Female.....	6	11	15	29	33	58	66	48	37	15	2	-
Non-Hispanic 1/, both sexes.....	5,829	7,811	9,670	10,997	14,055	19,037	24,031	22,725	15,528	5,741	1,149	3
Male.....	4,355	5,739	6,669	7,117	8,583	10,660	11,628	9,384	5,112	1,378	166	3
Female.....	1,474	2,072	3,001	3,880	5,472	8,377	12,403	13,341	10,416	4,363	983	-
Non-Hispanic white 2/, both sexes.....	4,705	6,340	8,119	9,241	12,041	16,586	21,519	20,705	14,203	5,201	968	2
Male.....	3,630	4,762	5,742	6,146	7,516	9,512	10,550	8,661	4,702	1,256	134	2
Female.....	1,075	1,578	2,377	3,095	4,525	7,074	10,969	12,044	9,501	3,945	834	-
Non-Hispanic black 2/, both sexes.....	982	1,244	1,337	1,470	1,669	2,051	2,026	1,619	1,064	456	161	1
Male.....	615	801	790	796	873	943	838	531	299	88	26	1
Female.....	367	443	547	674	796	1,108	1,188	1,088	765	368	135	-
Origin not stated 3/, both sexes.....	24	22	22	20	25	26	31	31	19	5	3	-
Male.....	18	18	18	12	14	18	18	10	3	2	1	-
Female.....	6	4	4	8	11	8	13	21	16	3	2	-

Worktable Orig210F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 5-year age groups, specified Hispanic origin, race for non-Hispanic population, and sex: United States, 2005

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), Hispanic origin, race for non-Hispanic population, and sex

50-54 years 55-59 years 60-64 years 65-69 years 70-74 years 75-79 years 80-84 years 85-89 years 90-94 years 95-99 years 100 years and over Age not stated

Other acute ischemic heart diseases (I24)

All origins, both sexes.....	224	238	277	247	359	401	534	503	365	156	36	-
Male.....	160	174	197	161	203	221	229	179	108	30	7	-
Female.....	64	64	80	86	156	180	305	324	257	126	29	-
Hispanic, both sexes.....	4	3	5	7	12	12	11	12	9	3	1	-
Male.....	2	3	3	5	4	8	7	4	2	-	-	-
Female.....	2	-	2	2	8	4	4	8	7	3	1	-
Mexican, both sexes.....	3	3	2	3	11	7	8	10	2	1	-	-
Male.....	2	3	2	1	4	5	6	4	1	-	-	-
Female.....	1	-	-	2	7	2	2	6	1	1	-	-
Puerto Rican, both sexes.....	-	-	1	2	1	-	1	2	3	1	-	-
Male.....	-	-	1	2	-	-	1	-	1	-	-	-
Female.....	-	-	-	-	1	-	-	2	2	1	-	-
Cuban, both sexes.....	-	-	-	-	-	-	1	-	3	1	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	1	-	3	1	-	-
Central and South American, both sexes.....	-	-	1	-	-	1	1	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	1	-	-	1	1	-	-	-	-	-
Other and Unknown Hispanic, both sexes.....	1	-	1	2	-	4	-	-	1	-	1	-
Male.....	-	-	-	2	-	3	-	-	-	-	-	-
Female.....	1	-	1	-	-	1	-	-	1	-	1	-
Non-Hispanic 1/, both sexes.....	215	234	272	239	344	389	521	490	355	153	35	-
Male.....	155	170	194	155	196	213	222	175	106	30	7	-
Female.....	60	64	78	84	148	176	299	315	249	123	28	-
Non-Hispanic white 2/, both sexes.....	144	169	206	195	276	326	453	436	315	131	29	-
Male.....	114	124	149	125	159	178	194	155	92	25	6	-
Female.....	30	45	57	70	117	148	259	281	223	106	23	-
Non-Hispanic black 2/, both sexes.....	62	58	57	41	57	55	61	44	34	20	4	-
Male.....	36	41	38	27	31	31	25	15	11	4	-	-
Female.....	26	17	19	14	26	24	36	29	23	16	4	-
Origin not stated 3/, both sexes.....	5	1	-	1	3	-	2	1	1	-	-	-
Male.....	3	1	-	1	3	-	-	-	-	-	-	-
Female.....	2	-	-	-	-	-	2	1	1	-	-	-

Worktable Orig210F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 5-year age groups, specified Hispanic origin, race for non-Hispanic population, and sex: United States, 2005

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992),

Hispanic origin, race for non-Hispanic population, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

Other forms of chronic ischemic heart disease (I20,I25)

All origins, both sexes.....	9,255	12,449	15,282	18,034	24,807	37,141	50,910	52,307	40,040	16,633	3,854	25
Male.....	7,094	9,227	10,799	11,926	15,531	21,368	25,994	22,624	13,188	3,884	585	15
Female.....	2,161	3,222	4,483	6,108	9,276	15,773	24,916	29,683	26,852	12,749	3,269	10
Hispanic, both sexes.....	627	776	933	1,165	1,556	1,972	2,322	1,847	1,441	588	169	4
Male.....	499	580	651	763	933	1,100	1,158	793	461	163	38	4
Female.....	128	196	282	402	623	872	1,164	1,054	980	425	131	-
Mexican, both sexes.....	322	420	518	602	789	947	1,158	807	596	254	71	1
Male.....	260	305	366	397	484	524	611	375	210	72	19	1
Female.....	62	115	152	205	305	423	547	432	386	182	52	-
Puerto Rican, both sexes.....	100	142	153	216	285	324	304	266	183	84	15	1
Male.....	74	107	93	146	152	169	133	113	49	22	1	1
Female.....	26	35	60	70	133	155	171	153	134	62	14	-
Cuban, both sexes.....	52	50	75	106	192	319	368	372	337	127	36	1
Male.....	45	40	61	78	128	195	176	155	101	37	8	1
Female.....	7	10	14	28	64	124	192	217	236	90	28	-
Central and South American, both sexes.....	78	87	99	128	128	196	226	188	161	52	20	-
Male.....	62	65	68	73	64	93	95	56	42	11	3	-
Female.....	16	22	31	55	64	103	131	132	119	41	17	-
Other and Unknown Hispanic, both sexes.....	75	77	88	113	162	186	266	214	164	71	27	1
Male.....	58	63	63	69	105	119	143	94	59	21	7	1
Female.....	17	14	25	44	57	67	123	120	105	50	20	-
Non-Hispanic 1/, both sexes.....	8,603	11,619	14,299	16,798	23,198	35,069	48,483	50,374	38,548	16,023	3,680	18
Male.....	6,571	8,605	10,117	11,107	14,561	20,201	24,783	21,794	12,711	3,718	547	10
Female.....	2,032	3,014	4,182	5,691	8,637	14,868	23,700	28,580	25,837	12,305	3,133	8
Non-Hispanic white 2/, both sexes.....	6,445	8,998	11,321	13,594	19,395	30,468	43,465	46,326	35,606	14,728	3,256	11
Male.....	5,059	6,847	8,187	9,157	12,422	17,899	22,516	20,316	11,836	3,431	478	6
Female.....	1,386	2,151	3,134	4,437	6,973	12,569	20,949	26,010	23,770	11,297	2,778	5
Non-Hispanic black 2/, both sexes.....	1,892	2,297	2,583	2,686	3,180	3,833	4,070	3,212	2,341	1,048	361	6
Male.....	1,304	1,517	1,639	1,604	1,770	1,885	1,781	1,110	623	197	48	3
Female.....	588	780	944	1,082	1,410	1,948	2,289	2,102	1,718	851	313	3
Origin not stated 3/, both sexes.....	25	54	50	71	53	100	105	86	51	22	5	3
Male.....	24	42	31	56	37	67	53	37	16	3	-	1
Female.....	1	12	19	15	16	33	52	49	35	19	5	2

Worktable Orig210F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 5-year age groups, specified Hispanic origin, race for non-Hispanic population, and sex: United States, 2005

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), Hispanic origin, race for non-Hispanic population, and sex

50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100 years Age not
years years years years years years years years years years and over stated

Atherosclerotic cardiovascular disease, so described (I25.0)

All origins, both sexes.....	3,725	4,665	4,900	4,746	5,500	7,151	9,135	8,651	6,855	2,953	723	17
Male.....	2,941	3,580	3,580	3,224	3,485	3,961	4,423	3,451	2,059	656	100	10
Female.....	784	1,085	1,320	1,522	2,015	3,190	4,712	5,200	4,796	2,297	623	7
Hispanic, both sexes.....	290	334	357	359	370	418	412	270	240	98	34	2
Male.....	242	273	270	254	235	251	216	125	77	37	9	2
Female.....	48	61	87	105	135	167	196	145	163	61	25	-
Mexican, both sexes.....	155	187	191	193	193	213	226	138	117	49	18	-
Male.....	133	149	147	142	127	125	124	71	40	19	4	-
Female.....	22	38	44	51	66	88	102	67	77	30	14	-
Puerto Rican, both sexes.....	40	48	55	56	60	57	43	32	28	12	4	1
Male.....	30	42	38	43	34	39	20	13	6	4	1	1
Female.....	10	6	17	13	26	18	23	19	22	8	3	-
Cuban, both sexes.....	9	10	30	29	32	44	39	27	28	19	2	-
Male.....	8	9	25	21	22	30	18	12	4	9	-	-
Female.....	1	1	5	8	10	14	21	15	24	10	2	-
Central and South American, both sexes.....	39	51	41	40	33	49	38	30	29	6	3	-
Male.....	32	41	31	23	17	23	16	8	10	1	1	-
Female.....	7	10	10	17	16	26	22	22	19	5	2	-
Other and Unknown Hispanic, both sexes.....	47	38	40	41	52	55	66	43	38	12	7	1
Male.....	39	32	29	25	35	34	38	21	17	4	3	1
Female.....	8	6	11	16	17	21	28	22	21	8	4	-
Non-Hispanic 1/, both sexes.....	3,426	4,303	4,512	4,350	5,100	6,696	8,690	8,363	6,604	2,851	689	12
Male.....	2,691	3,282	3,288	2,940	3,227	3,685	4,191	3,318	1,975	619	91	7
Female.....	735	1,021	1,224	1,410	1,873	3,011	4,499	5,045	4,629	2,232	598	5
Non-Hispanic white 2/, both sexes.....	2,463	3,156	3,342	3,320	3,953	5,451	7,417	7,416	5,906	2,567	586	7
Male.....	1,992	2,474	2,474	2,272	2,519	3,045	3,576	3,002	1,783	558	79	3
Female.....	471	682	868	1,048	1,434	2,406	3,841	4,414	4,123	2,009	507	4
Non-Hispanic black 2/, both sexes.....	853	1,007	1,029	894	999	1,080	1,072	810	595	245	90	4
Male.....	608	701	703	579	624	552	507	264	155	47	9	3
Female.....	245	306	326	315	375	528	565	546	440	198	81	1
Origin not stated 3/, both sexes.....	9	28	31	37	30	37	33	18	11	4	-	3
Male.....	8	25	22	30	23	25	16	8	7	-	-	1
Female.....	1	3	9	7	7	12	17	10	4	4	-	2

Worktable Orig210F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 5-year age groups, specified Hispanic origin, race for non-Hispanic population, and sex: United States, 2005

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992),

Hispanic origin, race for non-Hispanic population, and sex

	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100 years	Age not
	years	years	years	years	years	years	years	years	years	years	and over	stated

All other forms of chronic ischemic heart disease (I20,I25.1-I25.9)

All origins, both sexes.....	5,530	7,784	10,382	13,288	19,307	29,990	41,775	43,656	33,185	13,680	3,131	8
Male.....	4,153	5,647	7,219	8,702	12,046	17,407	21,571	19,173	11,129	3,228	485	5
Female.....	1,377	2,137	3,163	4,586	7,261	12,583	20,204	24,483	22,056	10,452	2,646	3
Hispanic, both sexes.....	337	442	576	806	1,186	1,554	1,910	1,577	1,201	490	135	2
Male.....	257	307	381	509	698	849	942	668	384	126	29	2
Female.....	80	135	195	297	488	705	968	909	817	364	106	-
Mexican, both sexes.....	167	233	327	409	596	734	932	669	479	205	53	1
Male.....	127	156	219	255	357	399	487	304	170	53	15	1
Female.....	40	77	108	154	239	335	445	365	309	152	38	-
Puerto Rican, both sexes.....	60	94	98	160	225	267	261	234	155	72	11	-
Male.....	44	65	55	103	118	130	113	100	43	18	-	-
Female.....	16	29	43	57	107	137	148	134	112	54	11	-
Cuban, both sexes.....	43	40	45	77	160	275	329	345	309	108	34	1
Male.....	37	31	36	57	106	165	158	143	97	28	8	1
Female.....	6	9	9	20	54	110	171	202	212	80	26	-
Central and South American, both sexes.....	39	36	58	88	95	147	188	158	132	46	17	-
Male.....	30	24	37	50	47	70	79	48	32	10	2	-
Female.....	9	12	21	38	48	77	109	110	100	36	15	-
Other and Unknown Hispanic, both sexes.....	28	39	48	72	110	131	200	171	126	59	20	-
Male.....	19	31	34	44	70	85	105	73	42	17	4	-
Female.....	9	8	14	28	40	46	95	98	84	42	16	-
Non-Hispanic 1/, both sexes.....	5,177	7,316	9,787	12,448	18,098	28,373	39,793	42,011	31,944	13,172	2,991	6
Male.....	3,880	5,323	6,829	8,167	11,334	16,516	20,592	18,476	10,736	3,099	456	3
Female.....	1,297	1,993	2,958	4,281	6,764	11,857	19,201	23,535	21,208	10,073	2,535	3
Non-Hispanic white 2/, both sexes.....	3,982	5,842	7,979	10,274	15,442	25,017	36,048	38,910	29,700	12,161	2,670	4
Male.....	3,067	4,373	5,713	6,885	9,903	14,854	18,940	17,314	10,053	2,873	399	3
Female.....	915	1,469	2,266	3,389	5,539	10,163	17,108	21,596	19,647	9,288	2,271	1
Non-Hispanic black 2/, both sexes.....	1,039	1,290	1,554	1,792	2,181	2,753	2,998	2,402	1,746	803	271	2
Male.....	696	816	936	1,025	1,146	1,333	1,274	846	468	150	39	-
Female.....	343	474	618	767	1,035	1,420	1,724	1,556	1,278	653	232	2
Origin not stated 3/, both sexes.....	16	26	19	34	23	63	72	68	40	18	5	-
Male.....	16	17	9	26	14	42	37	29	9	3	-	-
Female.....	-	9	10	8	9	21	35	39	31	15	5	-

Worktable Orig210F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 5-year age groups, specified Hispanic origin, race for non-Hispanic population, and sex: United States, 2005

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), Hispanic origin, race for non-Hispanic population, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
Other heart diseases (I26-I51)												
All origins, both sexes.....	5,097	6,394	7,467	8,936	12,827	19,611	28,255	32,000	25,325	10,543	2,325	6
Male.....	3,256	3,995	4,420	5,101	6,886	9,674	12,280	11,868	7,540	2,299	390	4
Female.....	1,841	2,399	3,047	3,835	5,941	9,937	15,975	20,132	17,785	8,244	1,935	2
Hispanic, both sexes.....	238	273	315	402	531	707	830	779	573	227	65	1
Male.....	165	171	190	223	291	380	361	298	194	55	13	1
Female.....	73	102	125	179	240	327	469	481	379	172	52	-
Mexican, both sexes.....	146	161	179	233	287	360	437	370	271	110	31	1
Male.....	109	103	114	126	149	183	201	140	105	32	7	1
Female.....	37	58	65	107	138	177	236	230	166	78	24	-
Puerto Rican, both sexes.....	30	55	48	46	81	74	88	80	46	18	6	-
Male.....	16	30	26	27	41	42	40	33	11	4	1	-
Female.....	14	25	22	19	40	32	48	47	35	14	5	-
Cuban, both sexes.....	10	7	26	37	62	101	138	139	117	44	7	-
Male.....	7	5	18	27	39	62	64	58	39	8	-	-
Female.....	3	2	8	10	23	39	74	81	78	36	7	-
Central and South American, both sexes.....	26	24	25	30	50	72	47	59	58	14	4	-
Male.....	14	18	12	13	32	35	14	19	9	2	2	-
Female.....	12	6	13	17	18	37	33	40	49	12	2	-
Other and Unknown Hispanic, both sexes.....	26	26	37	56	51	100	120	131	81	41	17	-
Male.....	19	15	20	30	30	58	42	48	30	9	3	-
Female.....	7	11	17	26	21	42	78	83	51	32	14	-
Non-Hispanic 1/, both sexes.....	4,846	6,097	7,137	8,509	12,282	18,875	27,389	31,187	24,728	10,310	2,258	5
Male.....	3,084	3,805	4,219	4,859	6,586	9,276	11,904	11,561	7,339	2,243	377	3
Female.....	1,762	2,292	2,918	3,650	5,696	9,599	15,485	19,626	17,389	8,067	1,881	2
Non-Hispanic white 2/, both sexes.....	3,351	4,470	5,440	6,705	10,187	16,369	24,674	28,824	23,005	9,518	2,018	4
Male.....	2,202	2,832	3,281	3,875	5,500	8,149	10,850	10,744	6,881	2,063	329	3
Female.....	1,149	1,638	2,159	2,830	4,687	8,220	13,824	18,080	16,124	7,455	1,689	1
Non-Hispanic black 2/, both sexes.....	1,373	1,469	1,506	1,591	1,838	2,189	2,302	1,956	1,405	645	214	1
Male.....	812	872	827	855	946	988	867	649	348	128	39	-
Female.....	561	597	679	736	892	1,201	1,435	1,307	1,057	517	175	1
Origin not stated 3/, both sexes.....	13	24	15	25	14	29	36	34	24	6	2	-
Male.....	7	19	11	19	9	18	15	9	7	1	-	-
Female.....	6	5	4	6	5	11	21	25	17	5	2	-

Worktable Orig210F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 5-year age groups, specified Hispanic origin, race for non-Hispanic population, and sex: United States, 2005

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), Hispanic origin, race for non-Hispanic population, and sex

50-54 years 55-59 years 60-64 years 65-69 years 70-74 years 75-79 years 80-84 years 85-89 years 90-94 years 95-99 years 100 years and over Age not stated

Diseases of pericardium and acute myocarditis (I30-I31,I40)

All origins, both sexes.....	63	53	57	66	66	82	73	57	28	9	2	-
Male.....	37	26	31	34	37	45	33	21	5	4	-	-
Female.....	26	27	26	32	29	37	40	36	23	5	2	-
Hispanic, both sexes.....	7	4	1	5	5	4	1	-	1	2	-	-
Male.....	4	1	1	4	3	2	-	-	-	-	-	-
Female.....	3	3	-	1	2	2	1	-	1	2	-	-
Mexican, both sexes.....	5	2	-	2	2	3	1	-	-	-	-	-
Male.....	3	-	-	2	1	2	-	-	-	-	-	-
Female.....	2	2	-	-	1	1	1	-	-	-	-	-
Puerto Rican, both sexes.....	1	1	-	2	-	1	-	-	-	-	-	-
Male.....	1	1	-	1	-	-	-	-	-	-	-	-
Female.....	-	-	-	1	-	1	-	-	-	-	-	-
Cuban, both sexes.....	-	-	-	-	1	-	-	-	-	1	-	-
Male.....	-	-	-	-	1	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	1	-	-
Central and South American, both sexes.....	1	1	-	1	1	-	-	-	-	1	-	-
Male.....	-	-	-	1	-	-	-	-	-	-	-	-
Female.....	1	1	-	-	1	-	-	-	-	1	-	-
Other and Unknown Hispanic, both sexes.....	-	-	1	-	1	-	-	-	1	-	-	-
Male.....	-	-	1	-	1	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	1	-	-	-
Non-Hispanic 1/, both sexes.....	56	49	56	61	61	77	72	57	27	7	2	-
Male.....	33	25	30	30	34	43	33	21	5	4	-	-
Female.....	23	24	26	31	27	34	39	36	22	3	2	-
Non-Hispanic white 2/, both sexes.....	45	35	42	53	51	64	61	52	22	7	2	-
Male.....	27	20	20	26	30	35	29	20	4	4	-	-
Female.....	18	15	22	27	21	29	32	32	18	3	2	-
Non-Hispanic black 2/, both sexes.....	10	13	12	5	9	11	10	4	4	-	-	-
Male.....	5	4	8	2	3	7	4	-	1	-	-	-
Female.....	5	9	4	3	6	4	6	4	3	-	-	-
Origin not stated 3/, both sexes.....	-	-	-	-	-	1	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	1	-	-	-	-	-	-

Worktable Orig210F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 5-year age groups, specified Hispanic origin, race for non-Hispanic population, and sex: United States, 2005

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), Hispanic origin, race for non-Hispanic population, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
Heart failure (I50)												
All origins, both sexes.....	703	1,078	1,532	2,176	3,712	6,580	10,751	13,180	11,799	5,264	1,278	-
Male.....	423	641	868	1,163	1,906	3,184	4,620	4,843	3,485	1,138	207	-
Female.....	280	437	664	1,013	1,806	3,396	6,131	8,337	8,314	4,126	1,071	-
Hispanic, both sexes.....	31	50	56	104	140	235	316	326	259	119	36	-
Male.....	21	23	25	51	76	130	140	125	78	27	7	-
Female.....	10	27	31	53	64	105	176	201	181	92	29	-
Mexican, both sexes.....	20	34	35	57	83	136	197	167	151	63	22	-
Male.....	15	17	19	28	48	68	96	65	58	15	4	-
Female.....	5	17	16	29	35	68	101	102	93	48	18	-
Puerto Rican, both sexes.....	6	10	8	11	29	24	26	37	24	11	2	-
Male.....	5	2	3	5	15	16	12	18	5	1	-	-
Female.....	1	8	5	6	14	8	14	19	19	10	2	-
Cuban, both sexes.....	-	-	3	5	6	21	27	34	33	11	-	-
Male.....	-	-	2	3	4	14	10	15	7	2	-	-
Female.....	-	-	1	2	2	7	17	19	26	9	-	-
Central and South American, both sexes.....	2	2	3	9	11	14	18	22	25	8	2	-
Male.....	-	2	-	4	4	6	4	5	1	2	1	-
Female.....	2	-	3	5	7	8	14	17	24	6	1	-
Other and Unknown Hispanic, both sexes.....	3	4	7	22	11	40	48	66	26	26	10	-
Male.....	1	2	1	11	5	26	18	22	7	7	2	-
Female.....	2	2	6	11	6	14	30	44	19	19	8	-
Non-Hispanic 1/, both sexes.....	671	1,026	1,473	2,067	3,568	6,335	10,421	12,841	11,528	5,144	1,240	-
Male.....	401	617	840	1,107	1,829	3,047	4,475	4,715	3,402	1,111	200	-
Female.....	270	409	633	960	1,739	3,288	5,946	8,126	8,126	4,033	1,040	-
Non-Hispanic white 2/, both sexes.....	427	725	1,110	1,619	2,982	5,502	9,412	11,940	10,763	4,778	1,122	-
Male.....	260	441	642	875	1,540	2,669	4,105	4,439	3,201	1,032	181	-
Female.....	167	284	468	744	1,442	2,833	5,307	7,501	7,562	3,746	941	-
Non-Hispanic black 2/, both sexes.....	227	281	335	407	534	734	882	771	639	303	110	-
Male.....	132	164	180	204	261	336	316	229	155	52	17	-
Female.....	95	117	155	203	273	398	566	542	484	251	93	-
Origin not stated 3/, both sexes.....	1	2	3	5	4	10	14	13	12	1	2	-
Male.....	1	1	3	5	1	7	5	3	5	-	-	-
Female.....	-	1	-	-	3	3	9	10	7	1	2	-

Worktable Orig210F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 5-year age groups, specified Hispanic origin, race for non-Hispanic population, and sex: United States, 2005

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992),

Hispanic origin, race for non-Hispanic population, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

All other forms of heart disease (I26-I28,I34-I38,I42-I49,I51)

All origins, both sexes.....	4,238	5,161	5,782	6,582	8,927	12,772	17,280	18,659	13,454	5,264	1,044	6
Male.....	2,732	3,261	3,463	3,848	4,875	6,348	7,551	6,951	4,026	1,154	182	4
Female.....	1,506	1,900	2,319	2,734	4,052	6,424	9,729	11,708	9,428	4,110	862	2
Hispanic, both sexes.....	196	209	250	286	378	458	508	451	312	106	29	1
Male.....	136	140	159	162	206	241	219	173	115	28	6	1
Female.....	60	69	91	124	172	217	289	278	197	78	23	-
Mexican, both sexes.....	119	119	140	168	197	216	236	202	119	47	9	1
Male.....	89	82	92	90	97	111	104	75	46	17	3	1
Female.....	30	37	48	78	100	105	132	127	73	30	6	-
Puerto Rican, both sexes.....	22	40	38	33	51	48	62	43	22	7	4	-
Male.....	9	24	22	21	25	25	28	15	6	3	1	-
Female.....	13	16	16	12	26	23	34	28	16	4	3	-
Cuban, both sexes.....	10	7	22	32	55	78	110	104	84	32	7	-
Male.....	7	5	16	24	34	46	54	43	32	6	-	-
Female.....	3	2	6	8	21	32	56	61	52	26	7	-
Central and South American, both sexes.....	23	21	21	20	36	56	29	37	33	5	2	-
Male.....	14	16	11	8	26	27	10	14	8	-	1	-
Female.....	9	5	10	12	10	29	19	23	25	5	1	-
Other and Unknown Hispanic, both sexes.....	22	22	29	33	39	60	71	65	54	15	7	-
Male.....	17	13	18	19	24	32	23	26	23	2	1	-
Female.....	5	9	11	14	15	28	48	39	31	13	6	-
Non-Hispanic 1/, both sexes.....	4,030	4,931	5,520	6,276	8,539	12,296	16,750	18,187	13,130	5,153	1,015	5
Male.....	2,590	3,104	3,296	3,672	4,661	6,096	7,322	6,772	3,909	1,125	176	3
Female.....	1,440	1,827	2,224	2,604	3,878	6,200	9,428	11,415	9,221	4,028	839	2
Non-Hispanic white 2/, both sexes.....	2,824	3,659	4,223	4,952	7,053	10,659	15,074	16,740	12,179	4,727	893	4
Male.....	1,876	2,337	2,582	2,932	3,876	5,362	6,649	6,236	3,653	1,024	147	3
Female.....	948	1,322	1,641	2,020	3,177	5,297	8,425	10,504	8,526	3,703	746	1
Non-Hispanic black 2/, both sexes.....	1,104	1,138	1,138	1,157	1,286	1,424	1,394	1,173	760	342	104	1
Male.....	655	681	625	641	677	639	542	417	192	76	22	-
Female.....	449	457	513	516	609	785	852	756	568	266	82	1
Origin not stated 3/, both sexes.....	12	21	12	20	10	18	22	21	12	5	-	-
Male.....	6	17	8	14	8	11	10	6	2	1	-	-
Female.....	6	4	4	6	2	7	12	15	10	4	-	-

Worktable Orig210F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 5-year age groups, specified Hispanic origin, race for non-Hispanic population, and sex: United States, 2005

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992),
Hispanic origin, race for non-Hispanic population, and sex

50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100 years Age not
years years years years years years years years years years and over stated

Essential (primary) hypertension and hypertensive renal disease (I10,I12)

All origins, both sexes.....	662	873	1,081	1,413	1,893	3,000	4,256	4,601	3,891	1,811	400	-
Male.....	426	535	616	751	888	1,307	1,610	1,476	893	290	57	-
Female.....	236	338	465	662	1,005	1,693	2,646	3,125	2,998	1,521	343	-
Hispanic, both sexes.....	50	64	86	109	137	173	213	170	140	65	21	-
Male.....	26	29	40	62	59	71	91	55	39	14	5	-
Female.....	24	35	46	47	78	102	122	115	101	51	16	-
Mexican, both sexes.....	31	34	57	70	77	102	129	93	81	37	13	-
Male.....	15	17	24	39	28	44	61	29	27	9	2	-
Female.....	16	17	33	31	49	58	68	64	54	28	11	-
Puerto Rican, both sexes.....	3	14	12	14	27	19	19	19	12	10	-	-
Male.....	1	6	4	7	16	10	8	8	5	3	-	-
Female.....	2	8	8	7	11	9	11	11	7	7	-	-
Cuban, both sexes.....	4	4	4	8	15	15	21	28	15	6	4	-
Male.....	3	2	4	5	9	6	6	10	3	-	1	-
Female.....	1	2	-	3	6	9	15	18	12	6	3	-
Central and South American, both sexes.....	8	7	8	8	11	20	27	13	16	7	-	-
Male.....	6	2	4	6	3	5	8	3	2	2	-	-
Female.....	2	5	4	2	8	15	19	10	14	5	-	-
Other and Unknown Hispanic, both sexes.....	4	5	5	9	7	17	17	17	16	5	4	-
Male.....	1	2	4	5	3	6	8	5	2	-	2	-
Female.....	3	3	1	4	4	11	9	12	14	5	2	-
Non-Hispanic 1/, both sexes.....	609	803	989	1,299	1,752	2,822	4,035	4,430	3,749	1,742	379	-
Male.....	398	503	571	684	827	1,236	1,517	1,420	853	276	52	-
Female.....	211	300	418	615	925	1,586	2,518	3,010	2,896	1,466	327	-
Non-Hispanic white 2/, both sexes.....	299	454	605	812	1,166	2,117	3,298	3,759	3,223	1,507	299	-
Male.....	203	298	360	435	545	913	1,250	1,212	730	220	39	-
Female.....	96	156	245	377	621	1,204	2,048	2,547	2,493	1,287	260	-
Non-Hispanic black 2/, both sexes.....	291	328	356	435	513	600	626	565	431	197	71	-
Male.....	180	197	198	218	247	277	219	168	91	41	9	-
Female.....	111	131	158	217	266	323	407	397	340	156	62	-
Origin not stated 3/, both sexes.....	3	6	6	5	4	5	8	1	2	4	-	-
Male.....	2	3	5	5	2	-	2	1	1	-	-	-
Female.....	1	3	1	-	2	5	6	-	1	4	-	-

Worktable Orig210F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 5-year age groups, specified Hispanic origin, race for non-Hispanic population, and sex: United States, 2005

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), Hispanic origin, race for non-Hispanic population, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

Cerebrovascular diseases (I60-I69)

All origins, both sexes.....	3,752	4,480	5,548	7,473	11,366	18,800	28,059	28,909	20,446	7,406	1,422	4
Male.....	2,101	2,535	3,101	3,996	5,692	8,598	11,090	9,662	5,237	1,350	163	4
Female.....	1,651	1,945	2,447	3,477	5,674	10,202	16,969	19,247	15,209	6,056	1,259	-
Hispanic, both sexes.....	336	371	424	481	700	910	1,099	918	566	201	41	-
Male.....	207	210	248	254	373	423	457	334	163	51	8	-
Female.....	129	161	176	227	327	487	642	584	403	150	33	-
Mexican, both sexes.....	221	237	271	289	421	538	641	494	287	97	22	-
Male.....	143	142	148	151	218	253	283	175	85	26	2	-
Female.....	78	95	123	138	203	285	358	319	202	71	20	-
Puerto Rican, both sexes.....	41	50	44	67	77	99	96	81	55	15	2	-
Male.....	22	24	27	40	43	47	31	29	13	4	-	-
Female.....	19	26	17	27	34	52	65	52	42	11	2	-
Cuban, both sexes.....	11	9	26	31	69	101	140	119	97	28	5	-
Male.....	6	7	21	21	32	51	59	50	30	8	2	-
Female.....	5	2	5	10	37	50	81	69	67	20	3	-
Central and South American, both sexes.....	45	43	40	49	65	78	86	91	48	16	8	-
Male.....	25	22	24	21	36	27	24	34	12	4	4	-
Female.....	20	21	16	28	29	51	62	57	36	12	4	-
Other and Unknown Hispanic, both sexes.....	18	32	43	45	68	94	136	133	79	45	4	-
Male.....	11	15	28	21	44	45	60	46	23	9	-	-
Female.....	7	17	15	24	24	49	76	87	56	36	4	-
Non-Hispanic 1/, both sexes.....	3,409	4,105	5,117	6,975	10,645	17,856	26,922	27,954	19,860	7,199	1,379	4
Male.....	1,891	2,322	2,850	3,735	5,309	8,158	10,615	9,317	5,072	1,299	154	4
Female.....	1,518	1,783	2,267	3,240	5,336	9,698	16,307	18,637	14,788	5,900	1,225	-
Non-Hispanic white 2/, both sexes.....	2,078	2,733	3,618	5,228	8,446	15,084	23,746	25,299	18,067	6,548	1,189	-
Male.....	1,157	1,534	2,000	2,793	4,239	6,994	9,385	8,457	4,619	1,169	133	-
Female.....	921	1,199	1,618	2,435	4,207	8,090	14,361	16,842	13,448	5,379	1,056	-
Non-Hispanic black 2/, both sexes.....	1,148	1,178	1,242	1,412	1,782	2,201	2,490	2,038	1,400	508	164	4
Male.....	631	681	730	768	868	899	922	628	318	86	17	4
Female.....	517	497	512	644	914	1,302	1,568	1,410	1,082	422	147	-
Origin not stated 3/, both sexes.....	7	4	7	17	21	34	38	37	20	6	2	-
Male.....	3	3	3	7	10	17	18	11	2	-	1	-
Female.....	4	1	4	10	11	17	20	26	18	6	1	-

Worktable Orig210F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 5-year age groups, specified Hispanic origin, race for non-Hispanic population, and sex: United States, 2005

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), Hispanic origin, race for non-Hispanic population, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

Atherosclerosis (I70)

All origins, both sexes.....	130	167	273	397	611	1,255	2,132	2,710	2,485	1,238	340	-
Male.....	94	100	169	227	333	624	908	946	709	246	51	-
Female.....	36	67	104	170	278	631	1,224	1,764	1,776	992	289	-
Hispanic, both sexes.....	6	8	14	17	34	51	78	74	60	36	16	-
Male.....	2	4	9	12	19	27	34	36	20	9	2	-
Female.....	4	4	5	5	15	24	44	38	40	27	14	-
Mexican, both sexes.....	4	7	7	9	27	31	45	42	25	24	8	-
Male.....	2	4	3	4	16	15	19	20	8	5	1	-
Female.....	2	3	4	5	11	16	26	22	17	19	7	-
Puerto Rican, both sexes.....	-	-	2	3	1	1	8	6	4	3	1	-
Male.....	-	-	2	3	1	1	5	1	2	2	-	-
Female.....	-	-	-	-	-	-	3	5	2	1	1	-
Cuban, both sexes.....	-	-	-	2	3	6	9	9	16	3	2	-
Male.....	-	-	-	2	1	3	4	8	6	1	-	-
Female.....	-	-	-	-	2	3	5	1	10	2	2	-
Central and South American, both sexes.....	1	-	4	-	1	5	4	5	3	2	1	-
Male.....	-	-	3	-	-	3	1	1	-	-	1	-
Female.....	1	-	1	-	1	2	3	4	3	2	-	-
Other and Unknown Hispanic, both sexes.....	1	1	1	3	2	8	12	12	12	4	4	-
Male.....	-	-	1	3	1	5	5	6	4	1	-	-
Female.....	1	1	-	-	1	3	7	6	8	3	4	-
Non-Hispanic 1/, both sexes.....	124	158	259	380	577	1,202	2,053	2,632	2,422	1,200	324	-
Male.....	92	96	160	215	314	596	873	910	689	237	49	-
Female.....	32	62	99	165	263	606	1,180	1,722	1,733	963	275	-
Non-Hispanic white 2/, both sexes.....	88	130	215	318	488	1,075	1,884	2,467	2,277	1,133	285	-
Male.....	69	79	134	184	265	547	801	866	653	226	42	-
Female.....	19	51	81	134	223	528	1,083	1,601	1,624	907	243	-
Non-Hispanic black 2/, both sexes.....	30	24	38	56	74	98	139	147	122	63	33	-
Male.....	18	14	23	31	39	38	57	38	29	9	5	-
Female.....	12	10	15	25	35	60	82	109	93	54	28	-
Origin not stated 3/, both sexes.....	-	1	-	-	-	2	1	4	3	2	-	-
Male.....	-	-	-	-	-	1	1	-	-	-	-	-
Female.....	-	1	-	-	-	1	-	4	3	2	-	-

Worktable Orig210F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 5-year age groups, specified Hispanic origin, race for non-Hispanic population, and sex: United States, 2005

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), Hispanic origin, race for non-Hispanic population, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

Other diseases of circulatory system (I71-I78)

All origins, both sexes.....	639	936	1,330	1,828	2,656	3,772	4,395	3,685	2,290	794	134	-
Male.....	430	653	880	1,171	1,625	2,133	2,187	1,569	757	189	22	-
Female.....	209	283	450	657	1,031	1,639	2,208	2,116	1,533	605	112	-
Hispanic, both sexes.....	44	38	59	74	102	153	151	91	58	23	2	-
Male.....	32	32	42	44	67	97	75	47	23	14	1	-
Female.....	12	6	17	30	35	56	76	44	35	9	1	-
Mexican, both sexes.....	25	20	21	36	56	74	73	44	27	9	2	-
Male.....	17	17	15	24	36	45	33	24	6	6	1	-
Female.....	8	3	6	12	20	29	40	20	21	3	1	-
Puerto Rican, both sexes.....	6	9	11	6	15	16	23	7	4	1	-	-
Male.....	4	8	8	2	10	8	11	2	1	-	-	-
Female.....	2	1	3	4	5	8	12	5	3	1	-	-
Cuban, both sexes.....	1	3	6	10	16	22	19	18	12	4	-	-
Male.....	1	1	5	7	12	17	13	10	9	3	-	-
Female.....	-	2	1	3	4	5	6	8	3	1	-	-
Central and South American, both sexes.....	7	4	11	14	7	10	15	7	6	5	-	-
Male.....	6	4	7	6	5	8	6	4	1	3	-	-
Female.....	1	-	4	8	2	2	9	3	5	2	-	-
Other and Unknown Hispanic, both sexes.....	5	2	10	8	8	31	21	15	9	4	-	-
Male.....	4	2	7	5	4	19	12	7	6	2	-	-
Female.....	1	-	3	3	4	12	9	8	3	2	-	-
Non-Hispanic 1/, both sexes.....	595	896	1,267	1,749	2,553	3,609	4,237	3,589	2,228	770	132	-
Male.....	398	619	834	1,122	1,557	2,027	2,107	1,520	731	175	21	-
Female.....	197	277	433	627	996	1,582	2,130	2,069	1,497	595	111	-
Non-Hispanic white 2/, both sexes.....	418	698	1,052	1,460	2,228	3,193	3,789	3,266	2,005	673	113	-
Male.....	282	490	710	946	1,400	1,809	1,913	1,401	675	157	18	-
Female.....	136	208	342	514	828	1,384	1,876	1,865	1,330	516	95	-
Non-Hispanic black 2/, both sexes.....	153	182	182	241	273	336	359	257	185	80	18	-
Male.....	98	119	105	141	124	172	146	84	43	10	2	-
Female.....	55	63	77	100	149	164	213	173	142	70	16	-
Origin not stated 3/, both sexes.....	-	2	4	5	1	10	7	5	4	1	-	-
Male.....	-	2	4	5	1	9	5	2	3	-	-	-
Female.....	-	-	-	-	-	1	2	3	1	1	-	-

Worktable Orig210F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 5-year age groups, specified Hispanic origin, race for non-Hispanic population, and sex: United States, 2005

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), Hispanic origin, race for non-Hispanic population, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
Aortic aneurysm and dissection (I71)												
All origins, both sexes.....	435	578	878	1,185	1,685	2,340	2,631	2,003	1,020	257	26	-
Male.....	321	445	618	807	1,104	1,365	1,413	950	422	85	3	-
Female.....	114	133	260	378	581	975	1,218	1,053	598	172	23	-
Hispanic, both sexes.....	31	25	38	44	52	78	67	39	21	7	1	-
Male.....	25	24	30	30	33	57	35	21	9	5	-	-
Female.....	6	1	8	14	19	21	32	18	12	2	1	-
Mexican, both sexes.....	14	11	10	19	23	34	29	17	7	3	1	-
Male.....	12	11	10	15	14	24	13	7	1	2	-	-
Female.....	2	-	-	4	9	10	16	10	6	1	1	-
Puerto Rican, both sexes.....	6	7	7	2	8	6	10	1	1	-	-	-
Male.....	4	6	5	1	4	5	4	-	-	-	-	-
Female.....	2	1	2	1	4	1	6	1	1	-	-	-
Cuban, both sexes.....	1	1	6	6	10	15	14	10	8	1	-	-
Male.....	1	1	5	5	8	12	9	8	6	1	-	-
Female.....	-	-	1	1	2	3	5	2	2	-	-	-
Central and South American, both sexes.	5	4	8	12	5	4	7	5	2	2	-	-
Male.....	4	4	5	6	4	3	3	3	-	2	-	-
Female.....	1	-	3	6	1	1	4	2	2	-	-	-
Other and Unknown Hispanic, both sexes.	5	2	7	5	6	19	7	6	3	1	-	-
Male.....	4	2	5	3	3	13	6	3	2	-	-	-
Female.....	1	-	2	2	3	6	1	3	1	1	-	-
Non-Hispanic 1/, both sexes.....	404	552	837	1,138	1,632	2,258	2,562	1,960	998	250	25	-
Male.....	296	420	585	774	1,070	1,304	1,377	927	412	80	3	-
Female.....	108	132	252	364	562	954	1,185	1,033	586	170	22	-
Non-Hispanic white 2/, both sexes.....	273	445	703	973	1,470	2,048	2,342	1,805	912	222	24	-
Male.....	207	344	505	669	990	1,197	1,275	861	387	72	3	-
Female.....	66	101	198	304	480	851	1,067	944	525	150	21	-
Non-Hispanic black 2/, both sexes.....	111	98	109	131	123	152	155	110	58	19	1	-
Male.....	73	69	65	79	53	75	65	39	14	2	-	-
Female.....	38	29	44	52	70	77	90	71	44	17	1	-
Origin not stated 3/, both sexes.....	-	1	3	3	1	4	2	4	1	-	-	-
Male.....	-	1	3	3	1	4	1	2	1	-	-	-
Female.....	-	-	-	-	-	-	1	2	-	-	-	-

Worktable Orig210F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 5-year age groups, specified Hispanic origin, race for non-Hispanic population, and sex: United States, 2005

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992),
Hispanic origin, race for non-Hispanic population, and sex

50-54 years 55-59 years 60-64 years 65-69 years 70-74 years 75-79 years 80-84 years 85-89 years 90-94 years 95-99 years 100 years and over Age not stated

Other diseases of arteries, arterioles and capillaries (I72-I78)

All origins, both sexes.....	204	358	452	643	971	1,432	1,764	1,682	1,270	537	108	-
Male.....	109	208	262	364	521	768	774	619	335	104	19	-
Female.....	95	150	190	279	450	664	990	1,063	935	433	89	-
Hispanic, both sexes.....	13	13	21	30	50	75	84	52	37	16	1	-
Male.....	7	8	12	14	34	40	40	26	14	9	1	-
Female.....	6	5	9	16	16	35	44	26	23	7	-	-
Mexican, both sexes.....	11	9	11	17	33	40	44	27	20	6	1	-
Male.....	5	6	5	9	22	21	20	17	5	4	1	-
Female.....	6	3	6	8	11	19	24	10	15	2	-	-
Puerto Rican, both sexes.....	-	2	4	4	7	10	13	6	3	1	-	-
Male.....	-	2	3	1	6	3	7	2	1	-	-	-
Female.....	-	-	1	3	1	7	6	4	2	1	-	-
Cuban, both sexes.....	-	2	-	4	6	7	5	8	4	3	-	-
Male.....	-	-	-	2	4	5	4	2	3	2	-	-
Female.....	-	2	-	2	2	2	1	6	1	1	-	-
Central and South American, both sexes.....	2	-	3	2	2	6	8	2	4	3	-	-
Male.....	2	-	2	-	1	5	3	1	1	1	-	-
Female.....	-	-	1	2	1	1	5	1	3	2	-	-
Other and Unknown Hispanic, both sexes.....	-	-	3	3	2	12	14	9	6	3	-	-
Male.....	-	-	2	2	1	6	6	4	4	2	-	-
Female.....	-	-	1	1	1	6	8	5	2	1	-	-
Non-Hispanic 1/, both sexes.....	191	344	430	611	921	1,351	1,675	1,629	1,230	520	107	-
Male.....	102	199	249	348	487	723	730	593	319	95	18	-
Female.....	89	145	181	263	434	628	945	1,036	911	425	89	-
Non-Hispanic white 2/, both sexes.....	145	253	349	487	758	1,145	1,447	1,461	1,093	451	89	-
Male.....	75	146	205	277	410	612	638	540	288	85	15	-
Female.....	70	107	144	210	348	533	809	921	805	366	74	-
Non-Hispanic black 2/, both sexes.....	42	84	73	110	150	184	204	147	127	61	17	-
Male.....	25	50	40	62	71	97	81	45	29	8	2	-
Female.....	17	34	33	48	79	87	123	102	98	53	15	-
Origin not stated 3/, both sexes.....	-	1	1	2	-	6	5	1	3	1	-	-
Male.....	-	1	1	2	-	5	4	-	2	-	-	-
Female.....	-	-	-	-	-	1	1	1	1	1	-	-

Worktable Orig210F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 5-year age groups, specified Hispanic origin, race for non-Hispanic population, and sex: United States, 2005

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992),

Hispanic origin, race for non-Hispanic population, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

Other disorders of circulatory system (I80-I99)

All origins, both sexes.....	322	333	308	336	377	517	611	610	395	151	18	-
Male.....	202	197	184	188	191	207	239	180	104	24	-	-
Female.....	120	136	124	148	186	310	372	430	291	127	18	-
Hispanic, both sexes.....	17	17	19	22	24	29	30	19	11	4	1	-
Male.....	8	10	13	11	12	8	5	10	3	1	-	-
Female.....	9	7	6	11	12	21	25	9	8	3	1	-
Mexican, both sexes.....	8	7	8	10	12	17	13	10	6	3	1	-
Male.....	4	3	5	5	5	4	4	5	2	1	-	-
Female.....	4	4	3	5	7	13	9	5	4	2	1	-
Puerto Rican, both sexes.....	5	5	4	5	3	4	5	-	2	-	-	-
Male.....	2	3	3	3	1	2	-	-	1	-	-	-
Female.....	3	2	1	2	2	2	5	-	1	-	-	-
Cuban, both sexes.....	-	-	1	3	3	2	4	4	2	1	-	-
Male.....	-	-	1	1	2	-	-	2	-	-	-	-
Female.....	-	-	-	2	1	2	4	2	2	1	-	-
Central and South American, both sexes.....	3	2	5	2	4	1	5	2	1	-	-	-
Male.....	2	1	4	2	3	-	-	1	-	-	-	-
Female.....	1	1	1	-	1	1	5	1	1	-	-	-
Other and Unknown Hispanic, both sexes.....	1	3	1	2	2	5	3	3	-	-	-	-
Male.....	-	3	-	-	1	2	1	2	-	-	-	-
Female.....	1	-	1	2	1	3	2	1	-	-	-	-
Non-Hispanic 1/, both sexes.....	305	313	288	313	353	487	579	590	384	147	17	-
Male.....	194	184	170	177	179	198	234	170	101	23	-	-
Female.....	111	129	118	136	174	289	345	420	283	124	17	-
Non-Hispanic white 2/, both sexes.....	221	239	216	252	287	410	500	542	351	135	14	-
Male.....	147	144	127	142	142	170	200	156	90	19	-	-
Female.....	74	95	89	110	145	240	300	386	261	116	14	-
Non-Hispanic black 2/, both sexes.....	79	71	65	54	58	67	71	44	31	11	3	-
Male.....	43	38	38	33	31	25	32	12	9	4	-	-
Female.....	36	33	27	21	27	42	39	32	22	7	3	-
Origin not stated 3/, both sexes.....	-	3	1	1	-	1	2	1	-	-	-	-
Male.....	-	3	1	-	-	1	-	-	-	-	-	-
Female.....	-	-	-	1	-	-	2	1	-	-	-	-

Worktable Orig210F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 5-year age groups, specified Hispanic origin, race for non-Hispanic population, and sex: United States, 2005

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), Hispanic origin, race for non-Hispanic population, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

Influenza and pneumonia (J10-J18)

All origins, both sexes.....	1,228	1,522	1,900	2,486	4,137	7,123	11,440	13,109	10,979	4,937	1,242	2
Male.....	732	903	1,085	1,400	2,248	3,719	5,484	5,419	3,844	1,305	234	2
Female.....	496	619	815	1,086	1,889	3,404	5,956	7,690	7,135	3,632	1,008	-
Hispanic, both sexes.....	90	114	133	182	273	394	498	467	389	162	50	-
Male.....	58	77	70	97	153	201	247	191	142	55	11	-
Female.....	32	37	63	85	120	193	251	276	247	107	39	-
Mexican, both sexes.....	54	56	74	102	149	220	266	217	189	72	27	-
Male.....	33	37	36	56	87	107	141	92	76	28	5	-
Female.....	21	19	38	46	62	113	125	125	113	44	22	-
Puerto Rican, both sexes.....	21	29	19	30	55	62	73	65	50	22	5	-
Male.....	15	21	9	15	21	33	36	23	21	7	-	-
Female.....	6	8	10	15	34	29	37	42	29	15	5	-
Cuban, both sexes.....	2	3	11	13	19	40	51	69	58	30	2	-
Male.....	-	3	8	6	14	27	23	31	14	11	1	-
Female.....	2	-	3	7	5	13	28	38	44	19	1	-
Central and South American, both sexes.....	6	13	16	22	27	38	46	65	48	16	8	-
Male.....	5	9	11	11	18	14	16	24	13	4	2	-
Female.....	1	4	5	11	9	24	30	41	35	12	6	-
Other and Unknown Hispanic, both sexes.....	7	13	13	15	23	34	62	51	44	22	8	-
Male.....	5	7	6	9	13	20	31	21	18	5	3	-
Female.....	2	6	7	6	10	14	31	30	26	17	5	-
Non-Hispanic 1/, both sexes.....	1,136	1,403	1,764	2,296	3,855	6,714	10,919	12,628	10,576	4,772	1,191	1
Male.....	673	822	1,012	1,298	2,087	3,508	5,225	5,223	3,697	1,250	223	1
Female.....	463	581	752	998	1,768	3,206	5,694	7,405	6,879	3,522	968	-
Non-Hispanic white 2/, both sexes.....	823	1,060	1,397	1,836	3,186	5,831	9,807	11,540	9,738	4,383	1,056	1
Male.....	484	600	799	1,029	1,724	3,074	4,693	4,777	3,401	1,125	188	1
Female.....	339	460	598	807	1,462	2,757	5,114	6,763	6,337	3,258	868	-
Non-Hispanic black 2/, both sexes.....	278	301	302	384	530	684	813	774	586	270	111	-
Male.....	167	193	179	224	286	318	365	289	176	74	26	-
Female.....	111	108	123	160	244	366	448	485	410	196	85	-
Origin not stated 3/, both sexes.....	2	5	3	8	9	15	23	14	14	3	1	1
Male.....	1	4	3	5	8	10	12	5	5	-	-	1
Female.....	1	1	-	3	1	5	11	9	9	3	1	-

Worktable Orig210F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 5-year age groups, specified Hispanic origin, race for non-Hispanic population, and sex: United States, 2005

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), Hispanic origin, race for non-Hispanic population, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
Influenza (J10-J11)												
All origins, both sexes.....	27	26	40	44	93	175	307	408	337	183	54	-
Male.....	11	15	22	19	42	78	114	146	102	37	7	-
Female.....	16	11	18	25	51	97	193	262	235	146	47	-
Hispanic, both sexes.....	3	1	1	-	4	5	5	4	8	2	1	-
Male.....	2	-	1	-	2	-	2	1	5	-	1	-
Female.....	1	1	-	-	2	5	3	3	3	2	-	-
Mexican, both sexes.....	3	-	-	-	2	1	-	3	3	-	-	-
Male.....	2	-	-	-	1	-	-	1	2	-	-	-
Female.....	1	-	-	-	1	1	-	2	1	-	-	-
Puerto Rican, both sexes.....	-	-	-	-	-	1	2	1	1	1	-	-
Male.....	-	-	-	-	-	-	1	-	1	-	-	-
Female.....	-	-	-	-	-	1	1	1	-	1	-	-
Cuban, both sexes.....	-	-	1	-	-	-	-	-	1	-	-	-
Male.....	-	-	1	-	-	-	-	-	1	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Central and South American, both sexes.	-	-	-	-	-	-	1	-	-	1	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	1	-	-	1	-	-
Other and Unknown Hispanic, both sexes.	-	1	-	-	2	3	2	-	3	-	1	-
Male.....	-	-	-	-	1	-	1	-	1	-	1	-
Female.....	-	1	-	-	1	3	1	-	2	-	-	-
Non-Hispanic 1/, both sexes.....	24	24	39	44	89	170	302	403	327	181	52	-
Male.....	9	15	21	19	40	78	112	145	97	37	6	-
Female.....	15	9	18	25	49	92	190	258	230	144	46	-
Non-Hispanic white 2/, both sexes.....	19	23	34	40	84	162	288	389	319	178	50	-
Male.....	7	14	17	18	38	74	107	140	91	35	6	-
Female.....	12	9	17	22	46	88	181	249	228	143	44	-
Non-Hispanic black 2/, both sexes.....	4	1	5	2	3	5	9	6	6	2	1	-
Male.....	2	1	4	-	2	1	2	2	4	2	-	-
Female.....	2	-	1	2	1	4	7	4	2	-	1	-
Origin not stated 3/, both sexes.....	-	1	-	-	-	-	-	1	2	-	1	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	1	-	-	-	-	-	1	2	-	1	-

Worktable Orig210F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 5-year age groups, specified Hispanic origin, race for non-Hispanic population, and sex: United States, 2005

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), Hispanic origin, race for non-Hispanic population, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
Pneumonia (J12-J18)												
All origins, both sexes.....	1,201	1,496	1,860	2,442	4,044	6,948	11,133	12,701	10,642	4,754	1,188	2
Male.....	721	888	1,063	1,381	2,206	3,641	5,370	5,273	3,742	1,268	227	2
Female.....	480	608	797	1,061	1,838	3,307	5,763	7,428	6,900	3,486	961	-
Hispanic, both sexes.....	87	113	132	182	269	389	493	463	381	160	49	-
Male.....	56	77	69	97	151	201	245	190	137	55	10	-
Female.....	31	36	63	85	118	188	248	273	244	105	39	-
Mexican, both sexes.....	51	56	74	102	147	219	266	214	186	72	27	-
Male.....	31	37	36	56	86	107	141	91	74	28	5	-
Female.....	20	19	38	46	61	112	125	123	112	44	22	-
Puerto Rican, both sexes.....	21	29	19	30	55	61	71	64	49	21	5	-
Male.....	15	21	9	15	21	33	35	23	20	7	-	-
Female.....	6	8	10	15	34	28	36	41	29	14	5	-
Cuban, both sexes.....	2	3	10	13	19	40	51	69	57	30	2	-
Male.....	-	3	7	6	14	27	23	31	13	11	1	-
Female.....	2	-	3	7	5	13	28	38	44	19	1	-
Central and South American, both sexes.....	6	13	16	22	27	38	45	65	48	15	8	-
Male.....	5	9	11	11	18	14	16	24	13	4	2	-
Female.....	1	4	5	11	9	24	29	41	35	11	6	-
Other and Unknown Hispanic, both sexes.....	7	12	13	15	21	31	60	51	41	22	7	-
Male.....	5	7	6	9	12	20	30	21	17	5	2	-
Female.....	2	5	7	6	9	11	30	30	24	17	5	-
Non-Hispanic 1/, both sexes.....	1,112	1,379	1,725	2,252	3,766	6,544	10,617	12,225	10,249	4,591	1,139	1
Male.....	664	807	991	1,279	2,047	3,430	5,113	5,078	3,600	1,213	217	1
Female.....	448	572	734	973	1,719	3,114	5,504	7,147	6,649	3,378	922	-
Non-Hispanic white 2/, both sexes.....	804	1,037	1,363	1,796	3,102	5,669	9,519	11,151	9,419	4,205	1,006	1
Male.....	477	586	782	1,011	1,686	3,000	4,586	4,637	3,310	1,090	182	1
Female.....	327	451	581	785	1,416	2,669	4,933	6,514	6,109	3,115	824	-
Non-Hispanic black 2/, both sexes.....	274	300	297	382	527	679	804	768	580	268	110	-
Male.....	165	192	175	224	284	317	363	287	172	72	26	-
Female.....	109	108	122	158	243	362	441	481	408	196	84	-
Origin not stated 3/, both sexes.....	2	4	3	8	9	15	23	13	12	3	-	1
Male.....	1	4	3	5	8	10	12	5	5	-	-	1
Female.....	1	-	-	3	1	5	11	8	7	3	-	-

Worktable Orig210F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 5-year age groups, specified Hispanic origin, race for non-Hispanic population, and sex: United States, 2005

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992),

Hispanic origin, race for non-Hispanic population, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

Chronic lower respiratory diseases (J40-J47)

All origins, both sexes.....	2,522	4,672	8,075	12,016	17,894	24,501	25,832	19,338	9,809	2,923	403	4
Male.....	1,327	2,397	4,192	6,274	9,140	12,273	12,206	8,332	3,792	931	95	3
Female.....	1,195	2,275	3,883	5,742	8,754	12,228	13,626	11,006	6,017	1,992	308	1
Hispanic, both sexes.....	93	120	178	248	420	605	649	522	294	132	21	2
Male.....	53	64	116	143	238	341	360	248	116	53	6	2
Female.....	40	56	62	105	182	264	289	274	178	79	15	-
Mexican, both sexes.....	42	51	76	114	211	294	318	244	127	67	7	1
Male.....	26	28	51	71	124	161	173	123	58	36	3	1
Female.....	16	23	25	43	87	133	145	121	69	31	4	-
Puerto Rican, both sexes.....	18	33	35	45	75	85	65	60	29	12	3	-
Male.....	7	15	18	24	37	49	25	21	9	4	1	-
Female.....	11	18	17	21	38	36	40	39	20	8	2	-
Cuban, both sexes.....	8	7	21	30	53	85	101	108	55	25	4	1
Male.....	5	2	17	18	34	48	69	58	23	5	1	1
Female.....	3	5	4	12	19	37	32	50	32	20	3	-
Central and South American, both sexes.....	10	4	9	19	30	51	60	30	24	10	3	-
Male.....	6	3	8	8	12	25	29	12	7	3	-	-
Female.....	4	1	1	11	18	26	31	18	17	7	3	-
Other and Unknown Hispanic, both sexes.....	15	25	37	40	51	90	105	80	59	18	4	-
Male.....	9	16	22	22	31	58	64	34	19	5	1	-
Female.....	6	9	15	18	20	32	41	46	40	13	3	-
Non-Hispanic 1/, both sexes.....	2,421	4,536	7,880	11,742	17,447	23,858	25,145	18,787	9,504	2,788	382	1
Male.....	1,269	2,322	4,064	6,116	8,882	11,907	11,829	8,068	3,671	876	89	-
Female.....	1,152	2,214	3,816	5,626	8,565	11,951	13,316	10,719	5,833	1,912	293	1
Non-Hispanic white 2/, both sexes.....	1,970	3,931	7,127	10,694	16,130	22,260	23,681	17,744	8,947	2,581	339	1
Male.....	1,030	1,981	3,648	5,512	8,138	10,975	10,998	7,519	3,408	792	78	-
Female.....	940	1,950	3,479	5,182	7,992	11,285	12,683	10,225	5,539	1,789	261	1
Non-Hispanic black 2/, both sexes.....	408	545	650	898	1,100	1,305	1,109	755	406	157	34	-
Male.....	210	303	357	525	621	761	599	382	184	55	6	-
Female.....	198	242	293	373	479	544	510	373	222	102	28	-
Origin not stated 3/, both sexes.....	8	16	17	26	27	38	38	29	11	3	-	1
Male.....	5	11	12	15	20	25	17	16	5	2	-	1
Female.....	3	5	5	11	7	13	21	13	6	1	-	-

Worktable Orig210F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 5-year age groups, specified Hispanic origin, race for non-Hispanic population, and sex: United States, 2005

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), Hispanic origin, race for non-Hispanic population, and sex

50-54 years 55-59 years 60-64 years 65-69 years 70-74 years 75-79 years 80-84 years 85-89 years 90-94 years 95-99 years 100 years and over Age not stated

Bronchitis, chronic and unspecified (J40-J42)

All origins, both sexes.....	19	31	42	46	73	81	124	171	128	67	10	-
Male.....	13	11	24	17	35	45	55	60	39	15	3	-
Female.....	6	20	18	29	38	36	69	111	89	52	7	-
Hispanic, both sexes.....	-	-	1	1	2	4	8	7	7	5	-	-
Male.....	-	-	1	1	-	2	4	-	3	1	-	-
Female.....	-	-	-	-	2	4	7	7	4	4	-	-
Mexican, both sexes.....	-	-	1	1	2	2	4	5	4	4	-	-
Male.....	-	-	1	1	-	1	1	-	2	1	-	-
Female.....	-	-	-	-	2	1	3	5	2	3	-	-
Puerto Rican, both sexes.....	-	-	-	-	-	1	-	-	1	-	-	-
Male.....	-	-	-	-	-	1	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	1	-	-	-
Cuban, both sexes.....	-	-	-	-	-	-	1	2	1	1	-	-
Male.....	-	-	-	-	-	-	1	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	2	1	1	-	-
Central and South American, both sexes.....	-	-	-	-	-	-	2	-	-	-	-	-
Male.....	-	-	-	-	-	-	1	-	-	-	-	-
Female.....	-	-	-	-	-	-	1	-	-	-	-	-
Other and Unknown Hispanic, both sexes.....	-	-	-	-	-	1	1	-	1	-	-	-
Male.....	-	-	-	-	-	-	1	-	1	-	-	-
Female.....	-	-	-	-	-	1	-	-	-	-	-	-
Non-Hispanic 1/, both sexes.....	19	31	41	45	71	77	116	163	120	62	10	-
Male.....	13	11	23	16	35	43	51	60	36	14	3	-
Female.....	6	20	18	29	36	34	65	103	84	48	7	-
Non-Hispanic white 2/, both sexes.....	16	22	35	39	64	71	105	156	115	58	10	-
Male.....	11	9	21	12	31	38	45	55	33	12	3	-
Female.....	5	13	14	27	33	33	60	101	82	46	7	-
Non-Hispanic black 2/, both sexes.....	3	6	5	5	4	4	6	-	2	4	-	-
Male.....	2	2	2	3	3	4	3	-	2	2	-	-
Female.....	1	4	3	2	1	-	3	-	-	2	-	-
Origin not stated 3/, both sexes.....	-	-	-	-	-	-	-	1	1	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	1	1	-	-	-

Worktable Orig210F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 5-year age groups, specified Hispanic origin, race for non-Hispanic population, and sex: United States, 2005

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), Hispanic origin, race for non-Hispanic population, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
Emphysema (J43)												
All origins, both sexes.....	270	635	1,042	1,551	2,198	2,804	2,596	1,753	694	174	22	1
Male.....	156	371	602	870	1,169	1,481	1,286	796	275	64	12	1
Female.....	114	264	440	681	1,029	1,323	1,310	957	419	110	10	-
Hispanic, both sexes.....	7	16	14	29	43	64	57	36	12	9	1	1
Male.....	4	10	10	23	28	38	30	20	5	5	1	1
Female.....	3	6	4	6	15	26	27	16	7	4	-	-
Mexican, both sexes.....	5	4	3	13	20	25	22	15	3	4	1	1
Male.....	3	3	2	11	13	11	10	7	2	3	1	1
Female.....	2	1	1	2	7	14	12	8	1	1	-	-
Puerto Rican, both sexes.....	-	5	3	2	5	8	6	1	2	1	-	-
Male.....	-	4	3	2	3	4	4	-	-	1	-	-
Female.....	-	1	-	-	2	4	2	1	2	-	-	-
Cuban, both sexes.....	2	3	2	4	9	7	11	10	1	4	-	-
Male.....	1	-	2	2	6	4	6	7	1	1	-	-
Female.....	1	3	-	2	3	3	5	3	-	3	-	-
Central and South American, both sexes.....	-	-	2	3	3	12	8	2	3	-	-	-
Male.....	-	-	2	2	1	8	4	2	1	-	-	-
Female.....	-	-	-	1	2	4	4	-	2	-	-	-
Other and Unknown Hispanic, both sexes.....	-	4	4	7	6	12	10	8	3	-	-	-
Male.....	-	3	1	6	5	11	6	4	1	-	-	-
Female.....	-	1	3	1	1	1	4	4	2	-	-	-
Non-Hispanic 1/, both sexes.....	262	618	1,027	1,522	2,149	2,736	2,535	1,714	681	165	21	-
Male.....	151	360	591	847	1,136	1,441	1,254	773	270	59	11	-
Female.....	111	258	436	675	1,013	1,295	1,281	941	411	106	10	-
Non-Hispanic white 2/, both sexes.....	212	550	942	1,391	2,013	2,548	2,382	1,621	644	154	19	-
Male.....	118	311	531	763	1,051	1,334	1,150	720	249	55	9	-
Female.....	94	239	411	628	962	1,214	1,232	901	395	99	10	-
Non-Hispanic black 2/, both sexes.....	43	63	74	115	106	156	107	66	25	7	2	-
Male.....	29	46	53	75	64	88	65	35	13	3	2	-
Female.....	14	17	21	40	42	68	42	31	12	4	-	-
Origin not stated 3/, both sexes.....	1	1	1	-	6	4	4	3	1	-	-	-
Male.....	1	1	1	-	5	2	2	3	-	-	-	-
Female.....	-	-	-	-	1	2	2	-	1	-	-	-

Worktable Orig210F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 5-year age groups, specified Hispanic origin, race for non-Hispanic population, and sex: United States, 2005

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), Hispanic origin, race for non-Hispanic population, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
Asthma (J45-J46)												
All origins, both sexes.....	287	267	253	228	247	306	403	371	253	98	18	-
Male.....	115	95	75	78	72	115	103	70	49	18	3	-
Female.....	172	172	178	150	175	191	300	301	204	80	15	-
Hispanic, both sexes.....	18	20	17	17	21	17	18	19	8	3	2	-
Male.....	8	7	4	7	6	7	4	4	6	1	1	-
Female.....	10	13	13	10	15	10	14	15	2	2	1	-
Mexican, both sexes.....	4	10	6	7	7	4	6	8	6	1	-	-
Male.....	2	4	1	2	2	1	-	2	5	1	-	-
Female.....	2	6	5	5	5	3	6	6	1	-	-	-
Puerto Rican, both sexes.....	7	7	9	5	11	7	3	6	1	1	1	-
Male.....	2	1	1	3	2	4	1	1	1	-	1	-
Female.....	5	6	8	2	9	3	2	5	-	1	-	-
Cuban, both sexes.....	1	-	-	3	1	1	1	1	1	-	-	-
Male.....	1	-	-	2	-	1	-	-	-	-	-	-
Female.....	-	-	-	1	1	-	1	1	1	-	-	-
Central and South American, both sexes.....	3	2	1	2	1	2	4	2	-	-	-	-
Male.....	2	1	1	-	1	-	2	-	-	-	-	-
Female.....	1	1	-	2	-	2	2	2	-	-	-	-
Other and Unknown Hispanic, both sexes.....	3	1	1	-	1	3	4	2	-	1	1	-
Male.....	1	1	1	-	1	1	1	1	-	-	-	-
Female.....	2	-	-	-	-	2	3	1	-	1	1	-
Non-Hispanic 1/, both sexes.....	269	246	235	209	226	287	385	351	245	95	16	-
Male.....	107	88	71	70	66	107	99	66	43	17	2	-
Female.....	162	158	164	139	160	180	286	285	202	78	14	-
Non-Hispanic white 2/, both sexes.....	167	147	160	140	146	232	307	310	221	86	15	-
Male.....	73	52	48	46	41	80	76	61	34	15	2	-
Female.....	94	95	112	94	105	152	231	249	187	71	13	-
Non-Hispanic black 2/, both sexes.....	89	97	65	56	68	46	52	27	11	5	1	-
Male.....	26	35	19	18	20	21	17	5	3	-	-	-
Female.....	63	62	46	38	48	25	35	22	8	5	1	-
Origin not stated 3/, both sexes.....	-	1	1	2	-	2	-	1	-	-	-	-
Male.....	-	-	-	1	-	1	-	-	-	-	-	-
Female.....	-	1	1	1	-	1	-	1	-	-	-	-

Worktable Orig210F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 5-year age groups, specified Hispanic origin, race for non-Hispanic population, and sex: United States, 2005

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992),

Hispanic origin, race for non-Hispanic population, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

Other chronic lower respiratory diseases (J44,J47)

All origins, both sexes.....	1,946	3,739	6,738	10,191	15,376	21,310	22,709	17,043	8,734	2,584	353	3
Male.....	1,043	1,920	3,491	5,309	7,864	10,632	10,762	7,406	3,429	834	77	2
Female.....	903	1,819	3,247	4,882	7,512	10,678	11,947	9,637	5,305	1,750	276	1
Hispanic, both sexes.....	68	84	146	201	354	520	566	460	267	115	18	1
Male.....	41	47	101	112	204	294	322	224	102	46	4	1
Female.....	27	37	45	89	150	226	244	236	165	69	14	-
Mexican, both sexes.....	33	37	66	93	182	263	286	216	114	58	6	-
Male.....	21	21	47	57	109	148	162	114	49	31	2	-
Female.....	12	16	19	36	73	115	124	102	65	27	4	-
Puerto Rican, both sexes.....	11	21	23	38	59	69	56	53	25	10	2	-
Male.....	5	10	14	19	32	40	20	20	8	3	-	-
Female.....	6	11	9	19	27	29	36	33	17	7	2	-
Cuban, both sexes.....	5	4	19	23	43	77	88	95	52	20	4	1
Male.....	3	2	15	14	28	43	62	51	22	4	1	1
Female.....	2	2	4	9	15	34	26	44	30	16	3	-
Central and South American, both sexes.....	7	2	6	14	26	37	46	26	21	10	3	-
Male.....	4	2	5	6	10	17	22	10	6	3	-	-
Female.....	3	-	1	8	16	20	24	16	15	7	3	-
Other and Unknown Hispanic, both sexes.....	12	20	32	33	44	74	90	70	55	17	3	-
Male.....	8	12	20	16	25	46	56	29	17	5	1	-
Female.....	4	8	12	17	19	28	34	41	38	12	2	-
Non-Hispanic 1/, both sexes.....	1,871	3,641	6,577	9,966	15,001	20,758	22,109	16,559	8,458	2,466	335	1
Male.....	998	1,863	3,379	5,183	7,645	10,316	10,425	7,169	3,322	786	73	-
Female.....	873	1,778	3,198	4,783	7,356	10,442	11,684	9,390	5,136	1,680	262	1
Non-Hispanic white 2/, both sexes.....	1,575	3,212	5,990	9,124	13,907	19,409	20,887	15,657	7,967	2,283	295	1
Male.....	828	1,609	3,048	4,691	7,015	9,523	9,727	6,683	3,092	710	64	-
Female.....	747	1,603	2,942	4,433	6,892	9,886	11,160	8,974	4,875	1,573	231	1
Non-Hispanic black 2/, both sexes.....	273	379	506	722	922	1,099	944	662	368	141	31	-
Male.....	153	220	283	429	534	648	514	342	166	50	4	-
Female.....	120	159	223	293	388	451	430	320	202	91	27	-
Origin not stated 3/, both sexes.....	7	14	15	24	21	32	34	24	9	3	-	1
Male.....	4	10	11	14	15	22	15	13	5	2	-	1
Female.....	3	4	4	10	6	10	19	11	4	1	-	-

Worktable Orig210F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 5-year age groups, specified Hispanic origin, race for non-Hispanic population, and sex: United States, 2005

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), Hispanic origin, race for non-Hispanic population, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

Pneumonitis due to solids and liquids (J69)

All origins, both sexes.....	293	348	485	646	1,095	2,109	3,449	3,987	2,993	1,153	219	-
Male.....	176	203	303	398	667	1,193	1,864	1,989	1,264	365	59	-
Female.....	117	145	182	248	428	916	1,585	1,998	1,729	788	160	-
Hispanic, both sexes.....	15	20	14	21	49	64	113	121	81	45	10	-
Male.....	9	16	9	13	23	33	63	58	41	21	4	-
Female.....	6	4	5	8	26	31	50	63	40	24	6	-
Mexican, both sexes.....	9	15	4	9	27	32	73	67	32	25	5	-
Male.....	5	11	3	6	15	16	44	35	18	13	3	-
Female.....	4	4	1	3	12	16	29	32	14	12	2	-
Puerto Rican, both sexes.....	1	-	4	2	6	5	7	12	6	1	-	-
Male.....	1	-	1	1	2	3	4	5	4	-	-	-
Female.....	-	-	3	1	4	2	3	7	2	1	-	-
Cuban, both sexes.....	1	1	1	-	6	7	16	18	27	11	4	-
Male.....	1	1	1	-	1	4	6	3	14	5	-	-
Female.....	-	-	-	-	5	3	10	15	13	6	4	-
Central and South American, both sexes.....	2	-	2	4	5	5	4	5	8	2	1	-
Male.....	1	-	1	1	4	1	2	2	2	1	1	-
Female.....	1	-	1	3	1	4	2	3	6	1	-	-
Other and Unknown Hispanic, both sexes.....	2	4	3	6	5	15	13	19	8	6	-	-
Male.....	1	4	3	5	1	9	7	13	3	2	-	-
Female.....	1	-	-	1	4	6	6	6	5	4	-	-
Non-Hispanic 1/, both sexes.....	277	328	469	623	1,043	2,042	3,328	3,863	2,907	1,108	209	-
Male.....	166	187	293	383	641	1,159	1,796	1,929	1,219	344	55	-
Female.....	111	141	176	240	402	883	1,532	1,934	1,688	764	154	-
Non-Hispanic white 2/, both sexes.....	220	267	379	506	885	1,763	2,987	3,530	2,665	995	180	-
Male.....	129	155	232	308	545	1,000	1,611	1,770	1,132	304	49	-
Female.....	91	112	147	198	340	763	1,376	1,760	1,533	691	131	-
Non-Hispanic black 2/, both sexes.....	54	56	80	101	131	244	281	263	191	91	24	-
Male.....	36	29	54	63	80	139	150	117	66	29	4	-
Female.....	18	27	26	38	51	105	131	146	125	62	20	-
Origin not stated 3/, both sexes.....	1	-	2	2	3	3	8	3	5	-	-	-
Male.....	1	-	1	2	3	1	5	2	4	-	-	-
Female.....	-	-	1	-	-	2	3	1	1	-	-	-

Worktable Orig210F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 5-year age groups, specified Hispanic origin, race for non-Hispanic population, and sex: United States, 2005

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), Hispanic origin, race for non-Hispanic population, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

Other diseases of respiratory system (J00-J06,J30-J39,J67,J70-J98)

All origins, both sexes.....	817	1,137	1,539	2,183	3,190	4,405	5,061	3,948	2,173	710	124	3
Male.....	433	613	873	1,223	1,751	2,324	2,463	1,588	731	188	22	1
Female.....	384	524	666	960	1,439	2,081	2,598	2,360	1,442	522	102	2
Hispanic, both sexes.....	65	85	124	155	201	236	258	143	72	24	4	-
Male.....	36	44	68	82	90	121	124	59	26	7	-	-
Female.....	29	41	56	73	111	115	134	84	46	17	4	-
Mexican, both sexes.....	40	48	72	73	117	135	142	69	39	11	2	-
Male.....	19	26	37	36	57	75	75	25	15	2	-	-
Female.....	21	22	35	37	60	60	67	44	24	9	2	-
Puerto Rican, both sexes.....	8	15	18	20	22	24	31	20	6	2	1	-
Male.....	6	6	10	9	5	9	11	8	1	1	-	-
Female.....	2	9	8	11	17	15	20	12	5	1	1	-
Cuban, both sexes.....	6	2	5	13	18	23	31	24	11	3	-	-
Male.....	3	2	3	7	7	15	12	14	3	1	-	-
Female.....	3	-	2	6	11	8	19	10	8	2	-	-
Central and South American, both sexes.....	6	11	18	29	21	25	24	16	7	3	1	-
Male.....	5	3	11	19	10	3	8	7	3	1	-	-
Female.....	1	8	7	10	11	22	16	9	4	2	1	-
Other and Unknown Hispanic, both sexes.....	5	9	11	20	23	29	30	14	9	5	-	-
Male.....	3	7	7	11	11	19	18	5	4	2	-	-
Female.....	2	2	4	9	12	10	12	9	5	3	-	-
Non-Hispanic 1/, both sexes.....	751	1,050	1,413	2,026	2,984	4,159	4,800	3,804	2,100	685	120	3
Male.....	396	567	803	1,141	1,658	2,196	2,337	1,528	705	181	22	1
Female.....	355	483	610	885	1,326	1,963	2,463	2,276	1,395	504	98	2
Non-Hispanic white 2/, both sexes.....	544	834	1,169	1,720	2,629	3,732	4,434	3,516	1,936	630	103	2
Male.....	293	447	664	993	1,484	1,975	2,156	1,393	649	158	20	1
Female.....	251	387	505	727	1,145	1,757	2,278	2,123	1,287	472	83	1
Non-Hispanic black 2/, both sexes.....	178	177	189	241	267	315	248	200	125	40	16	1
Male.....	88	97	107	118	128	157	116	88	38	13	2	-
Female.....	90	80	82	123	139	158	132	112	87	27	14	1
Origin not stated 3/, both sexes.....	1	2	2	2	5	10	3	1	1	1	-	-
Male.....	1	2	2	-	3	7	2	1	-	-	-	-
Female.....	-	-	-	2	2	3	1	-	1	1	-	-

Worktable Orig210F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 5-year age groups, specified Hispanic origin, race for non-Hispanic population, and sex: United States, 2005

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), Hispanic origin, race for non-Hispanic population, and sex

50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100 years Age not
years years years years years years years years years years and over stated

Peptic ulcer (K25-K28)

All origins, both sexes.....	166	164	212	222	322	429	611	579	376	119	18	-
Male.....	118	108	136	124	181	229	283	203	124	30	3	-
Female.....	48	56	76	98	141	200	328	376	252	89	15	-
Hispanic, both sexes.....	18	6	15	11	18	24	27	26	12	1	-	-
Male.....	12	3	11	4	9	17	11	7	3	-	-	-
Female.....	6	3	4	7	9	7	16	19	9	1	-	-
Mexican, both sexes.....	10	1	10	6	13	18	17	10	5	1	-	-
Male.....	6	-	6	2	6	14	7	4	2	-	-	-
Female.....	4	1	4	4	7	4	10	6	3	1	-	-
Puerto Rican, both sexes.....	3	-	1	2	2	3	5	3	-	-	-	-
Male.....	3	-	1	2	1	1	2	1	-	-	-	-
Female.....	-	-	-	-	1	2	3	2	-	-	-	-
Cuban, both sexes.....	1	1	1	-	1	1	3	6	1	-	-	-
Male.....	1	1	1	-	-	1	1	2	-	-	-	-
Female.....	-	-	-	-	1	-	2	4	1	-	-	-
Central and South American, both sexes.....	2	2	1	-	1	1	-	5	1	-	-	-
Male.....	1	1	1	-	1	1	-	-	-	-	-	-
Female.....	1	1	-	-	-	-	-	5	1	-	-	-
Other and Unknown Hispanic, both sexes.....	2	2	2	3	1	1	2	2	5	-	-	-
Male.....	1	1	2	-	1	-	1	-	1	-	-	-
Female.....	1	1	-	3	-	1	1	2	4	-	-	-
Non-Hispanic 1/, both sexes.....	146	157	196	210	303	404	584	552	364	117	18	-
Male.....	104	104	125	119	172	211	272	196	121	30	3	-
Female.....	42	53	71	91	131	193	312	356	243	87	15	-
Non-Hispanic white 2/, both sexes.....	109	132	160	176	253	348	526	500	333	101	17	-
Male.....	75	86	103	97	143	180	252	181	109	24	2	-
Female.....	34	46	57	79	110	168	274	319	224	77	15	-
Non-Hispanic black 2/, both sexes.....	32	22	27	27	42	32	40	32	24	8	-	-
Male.....	26	18	18	17	25	18	12	10	8	3	-	-
Female.....	6	4	9	10	17	14	28	22	16	5	-	-
Origin not stated 3/, both sexes.....	2	1	1	1	1	1	-	1	-	1	-	-
Male.....	2	1	-	1	-	1	-	-	-	-	-	-
Female.....	-	-	1	-	1	-	-	1	-	1	-	-

Worktable Orig210F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 5-year age groups, specified Hispanic origin, race for non-Hispanic population, and sex: United States, 2005

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992),
Hispanic origin, race for non-Hispanic population, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

Chronic liver disease and cirrhosis (K70,K73-K74)

All origins, both sexes.....	4,141	3,995	3,131	2,569	2,497	2,208	1,573	747	221	30	4	3
Male.....	3,062	2,905	2,189	1,600	1,452	1,161	759	341	84	16	1	3
Female.....	1,079	1,090	942	969	1,045	1,047	814	406	137	14	3	-
Hispanic, both sexes.....	530	511	366	350	295	257	137	59	22	-	-	2
Male.....	422	384	280	224	184	129	77	23	6	-	-	2
Female.....	108	127	86	126	111	128	60	36	16	-	-	-
Mexican, both sexes.....	346	340	258	226	190	156	92	34	15	-	-	-
Male.....	280	257	197	142	126	80	57	15	4	-	-	-
Female.....	66	83	61	84	64	76	35	19	11	-	-	-
Puerto Rican, both sexes.....	70	63	36	36	35	36	9	4	-	-	-	-
Male.....	58	49	27	28	20	20	5	2	-	-	-	-
Female.....	12	14	9	8	15	16	4	2	-	-	-	-
Cuban, both sexes.....	6	7	11	19	17	21	12	7	3	-	-	-
Male.....	4	6	8	15	10	10	6	2	1	-	-	-
Female.....	2	1	3	4	7	11	6	5	2	-	-	-
Central and South American, both sexes.....	39	27	17	34	24	21	9	11	4	-	-	-
Male.....	30	23	12	16	10	5	3	4	1	-	-	-
Female.....	9	4	5	18	14	16	6	7	3	-	-	-
Other and Unknown Hispanic, both sexes.....	69	74	44	35	29	23	15	3	-	-	-	2
Male.....	50	49	36	23	18	14	6	-	-	-	-	2
Female.....	19	25	8	12	11	9	9	3	-	-	-	-
Non-Hispanic 1/, both sexes.....	3,594	3,472	2,754	2,214	2,194	1,945	1,434	688	199	30	4	1
Male.....	2,625	2,511	1,900	1,372	1,261	1,030	681	318	78	16	1	1
Female.....	969	961	854	842	933	915	753	370	121	14	3	-
Non-Hispanic white 2/, both sexes.....	2,955	2,936	2,322	1,950	1,979	1,762	1,317	639	186	24	2	-
Male.....	2,192	2,131	1,607	1,206	1,142	931	621	293	76	16	-	-
Female.....	763	805	715	744	837	831	696	346	110	8	2	-
Non-Hispanic black 2/, both sexes.....	492	436	315	195	157	116	74	29	8	5	2	1
Male.....	331	308	220	127	98	72	33	13	2	-	1	1
Female.....	161	128	95	68	59	44	41	16	6	5	1	-
Origin not stated 3/, both sexes.....	17	12	11	5	8	6	2	-	-	-	-	-
Male.....	15	10	9	4	7	2	1	-	-	-	-	-
Female.....	2	2	2	1	1	4	1	-	-	-	-	-

Worktable Orig210F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 5-year age groups, specified Hispanic origin, race for non-Hispanic population, and sex: United States, 2005

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), Hispanic origin, race for non-Hispanic population, and sex

50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100 years Age not
years years years years years years years years years years and over stated

Alcoholic liver disease (K70)

All origins, both sexes.....	2,404	2,156	1,565	1,047	797	478	269	76	16	2	-	2
Male.....	1,808	1,646	1,204	780	572	350	187	57	10	1	-	2
Female.....	596	510	361	267	225	128	82	19	6	1	-	-
Hispanic, both sexes.....	324	269	181	153	114	58	25	6	4	-	-	2
Male.....	269	226	154	127	98	46	25	6	4	-	-	2
Female.....	55	43	27	26	16	12	-	-	-	-	-	-
Mexican, both sexes.....	218	182	127	100	78	41	21	3	3	-	-	-
Male.....	186	158	112	80	69	33	21	3	3	-	-	-
Female.....	32	24	15	20	9	8	-	-	-	-	-	-
Puerto Rican, both sexes.....	29	27	12	14	13	8	2	1	-	-	-	-
Male.....	25	20	9	13	11	6	2	1	-	-	-	-
Female.....	4	7	3	1	2	2	-	-	-	-	-	-
Cuban, both sexes.....	2	2	5	9	3	3	-	-	-	-	-	-
Male.....	2	2	4	9	2	2	-	-	-	-	-	-
Female.....	-	-	1	-	1	1	-	-	-	-	-	-
Central and South American, both sexes.....	29	22	11	9	6	5	1	2	1	-	-	-
Male.....	23	21	10	8	6	4	1	2	1	-	-	-
Female.....	6	1	1	1	-	1	-	-	-	-	-	-
Other and Unknown Hispanic, both sexes.....	46	36	26	21	14	1	1	-	-	-	-	2
Male.....	33	25	19	17	10	1	1	-	-	-	-	2
Female.....	13	11	7	4	4	-	-	-	-	-	-	-
Non-Hispanic 1/, both sexes.....	2,069	1,879	1,378	891	676	420	244	70	12	2	-	-
Male.....	1,530	1,412	1,045	650	468	304	162	51	6	1	-	-
Female.....	539	467	333	241	208	116	82	19	6	1	-	-
Non-Hispanic white 2/, both sexes.....	1,746	1,621	1,164	773	595	377	223	65	12	1	-	-
Male.....	1,299	1,229	890	566	411	271	149	47	6	1	-	-
Female.....	447	392	274	207	184	106	74	18	6	-	-	-
Non-Hispanic black 2/, both sexes.....	231	194	148	87	64	31	14	4	-	1	-	-
Male.....	158	134	112	63	47	26	6	3	-	-	-	-
Female.....	73	60	36	24	17	5	8	1	-	1	-	-
Origin not stated 3/, both sexes.....	11	8	6	3	7	-	-	-	-	-	-	-
Male.....	9	8	5	3	6	-	-	-	-	-	-	-
Female.....	2	-	1	-	1	-	-	-	-	-	-	-

Worktable Orig210F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 5-year age groups, specified Hispanic origin, race for non-Hispanic population, and sex: United States, 2005

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), Hispanic origin, race for non-Hispanic population, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

Other chronic liver disease and cirrhosis (K73-K74)

All origins, both sexes.....	1,737	1,839	1,566	1,522	1,700	1,730	1,304	671	205	28	4	1
Male.....	1,254	1,259	985	820	880	811	572	284	74	15	1	1
Female.....	483	580	581	702	820	919	732	387	131	13	3	-
Hispanic, both sexes.....	206	242	185	197	181	199	112	53	18	-	-	-
Male.....	153	158	126	97	86	83	52	17	2	-	-	-
Female.....	53	84	59	100	95	116	60	36	16	-	-	-
Mexican, both sexes.....	128	158	131	126	112	115	71	31	12	-	-	-
Male.....	94	99	85	62	57	47	36	12	1	-	-	-
Female.....	34	59	46	64	55	68	35	19	11	-	-	-
Puerto Rican, both sexes.....	41	36	24	22	22	28	7	3	-	-	-	-
Male.....	33	29	18	15	9	14	3	1	-	-	-	-
Female.....	8	7	6	7	13	14	4	2	-	-	-	-
Cuban, both sexes.....	4	5	6	10	14	18	12	7	3	-	-	-
Male.....	2	4	4	6	8	8	6	2	1	-	-	-
Female.....	2	1	2	4	6	10	6	5	2	-	-	-
Central and South American, both sexes.....	10	5	6	25	18	16	8	9	3	-	-	-
Male.....	7	2	2	8	4	1	2	2	-	-	-	-
Female.....	3	3	4	17	14	15	6	7	3	-	-	-
Other and Unknown Hispanic, both sexes.....	23	38	18	14	15	22	14	3	-	-	-	-
Male.....	17	24	17	6	8	13	5	-	-	-	-	-
Female.....	6	14	1	8	7	9	9	3	-	-	-	-
Non-Hispanic 1/, both sexes.....	1,525	1,593	1,376	1,323	1,518	1,525	1,190	618	187	28	4	1
Male.....	1,095	1,099	855	722	793	726	519	267	72	15	1	1
Female.....	430	494	521	601	725	799	671	351	115	13	3	-
Non-Hispanic white 2/, both sexes.....	1,209	1,315	1,158	1,177	1,384	1,385	1,094	574	174	23	2	-
Male.....	893	902	717	640	731	660	472	246	70	15	-	-
Female.....	316	413	441	537	653	725	622	328	104	8	2	-
Non-Hispanic black 2/, both sexes.....	261	242	167	108	93	85	60	25	8	4	2	1
Male.....	173	174	108	64	51	46	27	10	2	-	1	1
Female.....	88	68	59	44	42	39	33	15	6	4	1	-
Origin not stated 3/, both sexes.....	6	4	5	2	1	6	2	-	-	-	-	-
Male.....	6	2	4	1	1	2	1	-	-	-	-	-
Female.....	-	2	1	1	-	4	1	-	-	-	-	-

Worktable Orig210F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 5-year age groups, specified Hispanic origin, race for non-Hispanic population, and sex: United States, 2005

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), Hispanic origin, race for non-Hispanic population, and sex

50-54 years 55-59 years 60-64 years 65-69 years 70-74 years 75-79 years 80-84 years 85-89 years 90-94 years 95-99 years 100 years and over Age not stated

Cholelithiasis and other disorders of gallbladder (K80-K82)

All origins, both sexes.....	74	95	122	170	278	428	627	585	402	152	30	-
Male.....	46	45	73	107	164	220	275	232	117	34	6	-
Female.....	28	50	49	63	114	208	352	353	285	118	24	-
Hispanic, both sexes.....	9	13	11	20	25	23	33	30	25	11	4	-
Male.....	4	5	4	12	12	12	19	9	11	2	1	-
Female.....	5	8	7	8	13	11	14	21	14	9	3	-
Mexican, both sexes.....	5	11	5	15	16	14	18	19	13	5	2	-
Male.....	1	5	2	8	7	8	12	6	5	2	-	-
Female.....	4	6	3	7	9	6	6	13	8	3	2	-
Puerto Rican, both sexes.....	1	1	3	1	3	1	4	1	3	-	-	-
Male.....	1	-	-	1	1	-	3	-	1	-	-	-
Female.....	-	1	3	-	2	1	1	1	2	-	-	-
Cuban, both sexes.....	-	-	1	1	1	2	3	3	3	4	-	-
Male.....	-	-	1	-	-	2	2	-	2	-	-	-
Female.....	-	-	-	1	1	-	1	3	1	4	-	-
Central and South American, both sexes.....	1	-	2	3	2	3	3	5	3	1	2	-
Male.....	-	-	1	3	1	1	-	2	1	-	1	-
Female.....	1	-	1	-	1	2	3	3	2	1	1	-
Other and Unknown Hispanic, both sexes.....	2	1	-	-	3	3	5	2	3	1	-	-
Male.....	2	-	-	-	3	1	2	1	2	-	-	-
Female.....	-	1	-	-	-	2	3	1	1	1	-	-
Non-Hispanic 1/, both sexes.....	65	81	110	150	252	405	594	554	377	140	26	-
Male.....	42	39	68	95	151	208	256	223	106	32	5	-
Female.....	23	42	42	55	101	197	338	331	271	108	21	-
Non-Hispanic white 2/, both sexes.....	41	61	88	108	205	352	529	499	341	123	25	-
Male.....	26	32	53	73	125	185	237	202	99	30	4	-
Female.....	15	29	35	35	80	167	292	297	242	93	21	-
Non-Hispanic black 2/, both sexes.....	18	18	17	36	36	42	51	39	26	11	1	-
Male.....	11	6	11	18	20	22	15	14	5	1	1	-
Female.....	7	12	6	18	16	20	36	25	21	10	-	-
Origin not stated 3/, both sexes.....	-	1	1	-	1	-	-	1	-	1	-	-
Male.....	-	1	1	-	1	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	1	-	1	-	-

Worktable Orig210F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 5-year age groups, specified Hispanic origin, race for non-Hispanic population, and sex: United States, 2005

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992),

Hispanic origin, race for non-Hispanic population, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)

All origins, both sexes.....	1,164	1,835	2,306	2,958	4,362	6,348	8,055	7,662	4,937	1,769	325	-
Male.....	705	1,046	1,306	1,483	2,250	3,203	3,974	3,514	1,891	550	83	-
Female.....	459	789	1,000	1,475	2,112	3,145	4,081	4,148	3,046	1,219	242	-
Hispanic, both sexes.....	92	151	200	219	287	364	335	237	151	56	8	-
Male.....	61	87	114	100	144	183	155	117	64	22	5	-
Female.....	31	64	86	119	143	181	180	120	87	34	3	-
Mexican, both sexes.....	55	103	133	131	181	230	193	123	81	30	4	-
Male.....	38	62	75	62	89	115	90	69	34	12	2	-
Female.....	17	41	58	69	92	115	103	54	47	18	2	-
Puerto Rican, both sexes.....	14	24	35	40	35	32	36	15	10	4	-	-
Male.....	9	12	22	21	19	13	19	10	3	2	-	-
Female.....	5	12	13	19	16	19	17	5	7	2	-	-
Cuban, both sexes.....	4	3	8	12	15	39	47	40	27	12	1	-
Male.....	3	2	3	5	9	23	23	16	13	4	1	-
Female.....	1	1	5	7	6	16	24	24	14	8	-	-
Central and South American, both sexes.....	7	11	10	18	25	23	25	29	12	-	1	-
Male.....	6	6	6	8	10	10	10	10	3	-	1	-
Female.....	1	5	4	10	15	13	15	19	9	-	-	-
Other and Unknown Hispanic, both sexes.....	12	10	14	18	31	40	34	30	21	10	2	-
Male.....	5	5	8	4	17	22	13	12	11	4	1	-
Female.....	7	5	6	14	14	18	21	18	10	6	1	-
Non-Hispanic 1/, both sexes.....	1,067	1,681	2,103	2,736	4,068	5,979	7,711	7,414	4,781	1,711	315	-
Male.....	641	957	1,190	1,381	2,102	3,016	3,816	3,390	1,825	527	78	-
Female.....	426	724	913	1,355	1,966	2,963	3,895	4,024	2,956	1,184	237	-
Non-Hispanic white 2/, both sexes.....	631	978	1,339	1,856	2,990	4,787	6,511	6,462	4,185	1,478	262	-
Male.....	391	554	791	1,007	1,618	2,486	3,316	3,035	1,631	459	64	-
Female.....	240	424	548	849	1,372	2,301	3,195	3,427	2,554	1,019	198	-
Non-Hispanic black 2/, both sexes.....	412	644	696	782	962	1,050	1,040	826	500	201	47	-
Male.....	235	373	373	332	418	464	427	292	154	53	13	-
Female.....	177	271	323	450	544	586	613	534	346	148	34	-
Origin not stated 3/, both sexes.....	5	3	3	3	7	5	9	11	5	2	2	-
Male.....	3	2	2	2	4	4	3	7	2	1	-	-
Female.....	2	1	1	1	3	1	6	4	3	1	2	-

Worktable Orig210F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 5-year age groups, specified Hispanic origin, race for non-Hispanic population, and sex: United States, 2005

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), Hispanic origin, race for non-Hispanic population, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
Renal failure (N17-N19)												
All origins, both sexes.....	1,127	1,779	2,246	2,897	4,268	6,203	7,899	7,475	4,838	1,740	322	-
Male.....	679	1,014	1,274	1,451	2,199	3,130	3,897	3,426	1,849	544	83	-
Female.....	448	765	972	1,446	2,069	3,073	4,002	4,049	2,989	1,196	239	-
Hispanic, both sexes.....	89	148	196	217	278	354	328	229	146	55	8	-
Male.....	59	84	112	100	138	181	153	112	62	21	5	-
Female.....	30	64	84	117	140	173	175	117	84	34	3	-
Mexican, both sexes.....	54	102	131	131	174	224	191	119	77	29	4	-
Male.....	37	61	74	62	85	114	90	67	33	11	2	-
Female.....	17	41	57	69	89	110	101	52	44	18	2	-
Puerto Rican, both sexes.....	13	22	34	39	34	32	35	14	10	4	-	-
Male.....	9	10	22	21	18	13	18	9	3	2	-	-
Female.....	4	12	12	18	16	19	17	5	7	2	-	-
Cuban, both sexes.....	4	3	8	12	15	38	45	39	27	12	1	-
Male.....	3	2	3	5	9	23	22	15	13	4	1	-
Female.....	1	1	5	7	6	15	23	24	14	8	-	-
Central and South American, both sexes.	7	11	10	17	25	21	25	28	11	-	1	-
Male.....	6	6	6	8	10	9	10	10	2	-	1	-
Female.....	1	5	4	9	15	12	15	18	9	-	-	-
Other and Unknown Hispanic, both sexes.	11	10	13	18	30	39	32	29	21	10	2	-
Male.....	4	5	7	4	16	22	13	11	11	4	1	-
Female.....	7	5	6	14	14	17	19	18	10	6	1	-
Non-Hispanic 1/, both sexes.....	1,033	1,628	2,047	2,677	3,983	5,844	7,562	7,235	4,687	1,683	312	-
Male.....	617	928	1,160	1,349	2,057	2,945	3,741	3,307	1,785	522	78	-
Female.....	416	700	887	1,328	1,926	2,899	3,821	3,928	2,902	1,161	234	-
Non-Hispanic white 2/, both sexes.....	613	942	1,294	1,813	2,926	4,672	6,385	6,308	4,102	1,458	261	-
Male.....	376	534	768	982	1,580	2,427	3,250	2,960	1,596	457	64	-
Female.....	237	408	526	831	1,346	2,245	3,135	3,348	2,506	1,001	197	-
Non-Hispanic black 2/, both sexes.....	398	628	685	772	941	1,031	1,020	803	491	194	46	-
Male.....	228	364	366	329	411	452	418	285	150	50	13	-
Female.....	170	264	319	443	530	579	602	518	341	144	33	-
Origin not stated 3/, both sexes.....	5	3	3	3	7	5	9	11	5	2	2	-
Male.....	3	2	2	2	4	4	3	7	2	1	-	-
Female.....	2	1	1	1	3	1	6	4	3	1	2	-

Worktable Orig210F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 5-year age groups, specified Hispanic origin, race for non-Hispanic population, and sex: United States, 2005

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), Hispanic origin, race for non-Hispanic population, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

Symptoms, signs and abnormal clinical and laboratory findings, not elsewhere classified (R00-R99)

All origins, both sexes.....	1,401	1,194	1,005	1,055	1,335	2,042	3,046	3,987	4,113	2,385	951	73
Male.....	910	771	596	606	715	966	1,184	1,288	1,068	461	132	57
Female.....	491	423	409	449	620	1,076	1,862	2,699	3,045	1,924	819	16
Hispanic, both sexes.....	74	44	42	50	53	61	75	77	91	49	29	14
Male.....	56	29	29	28	32	31	32	30	23	17	10	12
Female.....	18	15	13	22	21	30	43	47	68	32	19	2
Mexican, both sexes.....	38	20	19	27	31	30	35	45	38	28	17	4
Male.....	27	13	15	15	20	10	18	17	10	10	7	4
Female.....	11	7	4	12	11	20	17	28	28	18	10	-
Puerto Rican, both sexes.....	15	11	6	12	9	12	17	8	12	5	3	3
Male.....	11	6	4	7	5	8	4	3	6	1	2	2
Female.....	4	5	2	5	4	4	13	5	6	4	1	1
Cuban, both sexes.....	4	3	3	6	2	6	4	6	10	8	3	-
Male.....	2	2	3	4	2	4	-	3	2	4	-	-
Female.....	2	1	-	2	-	2	4	3	8	4	3	-
Central and South American, both sexes.....	12	4	8	3	4	2	5	4	14	4	2	-
Male.....	11	4	4	1	1	1	3	1	1	2	1	-
Female.....	1	-	4	2	3	1	2	3	13	2	1	-
Other and Unknown Hispanic, both sexes.....	5	6	6	2	7	11	14	14	17	4	4	7
Male.....	5	4	3	1	4	8	7	6	4	-	-	6
Female.....	-	2	3	1	3	3	7	8	13	4	4	1
Non-Hispanic 1/, both sexes.....	1,304	1,136	949	1,001	1,271	1,967	2,955	3,899	4,016	2,331	920	23
Male.....	840	733	560	576	680	930	1,143	1,252	1,042	441	121	14
Female.....	464	403	389	425	591	1,037	1,812	2,647	2,974	1,890	799	9
Non-Hispanic white 2/, both sexes.....	1,012	870	762	796	1,054	1,712	2,634	3,605	3,679	2,144	816	17
Male.....	654	563	445	457	565	813	1,010	1,147	949	396	106	12
Female.....	358	307	317	339	489	899	1,624	2,458	2,730	1,748	710	5
Non-Hispanic black 2/, both sexes.....	275	244	170	186	194	228	283	244	284	160	93	6
Male.....	175	154	106	108	103	107	116	83	74	38	11	2
Female.....	100	90	64	78	91	121	167	161	210	122	82	4
Origin not stated 3/, both sexes.....	23	14	14	4	11	14	16	11	6	5	2	36
Male.....	14	9	7	2	3	5	9	6	3	3	1	31
Female.....	9	5	7	2	8	9	7	5	3	2	1	5

Worktable Orig210F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 5-year age groups, specified Hispanic origin, race for non-Hispanic population, and sex: United States, 2005

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992),

Hispanic origin, race for non-Hispanic population, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

All other diseases (Residual) (D65-E07,E15-E34,E65-F99,G04-G12,G23-G25,G31-H93,K00-K22,K29-K31,K50-K66,K71-K72,K75-K76,K83-M99,N13.0-N13.5,N13.7-N13.9,N14,N15.0,N15.8-N15.9,N20-N23,N28-N39,N41-N64,N80-N98)

All origins, both sexes.....	9,563	10,462	10,646	11,714	15,522	23,212	33,488	36,147	28,274	12,381	2,647	13
Male.....	5,729	6,055	5,773	5,916	7,395	10,197	12,874	11,392	6,989	2,203	350	11
Female.....	3,834	4,407	4,873	5,798	8,127	13,015	20,614	24,755	21,285	10,178	2,297	2
Hispanic, both sexes.....	642	628	621	643	777	939	1,181	938	744	308	92	6
Male.....	403	379	359	319	363	427	471	317	221	72	24	6
Female.....	239	249	262	324	414	512	710	621	523	236	68	-
Mexican, both sexes.....	384	358	349	362	441	511	620	457	348	142	42	2
Male.....	245	219	202	181	209	225	266	161	109	33	14	2
Female.....	139	139	147	181	232	286	354	296	239	109	28	-
Puerto Rican, both sexes.....	116	124	106	86	116	115	131	113	80	32	7	1
Male.....	70	79	60	49	59	54	46	35	24	9	3	1
Female.....	46	45	46	37	57	61	85	78	56	23	4	-
Cuban, both sexes.....	20	24	41	60	64	110	162	152	134	51	16	-
Male.....	12	11	22	24	27	59	57	46	33	10	2	-
Female.....	8	13	19	36	37	51	105	106	101	41	14	-
Central and South American, both sexes.....	42	34	44	57	55	66	83	74	59	27	11	-
Male.....	27	19	27	24	18	26	32	21	15	8	1	-
Female.....	15	15	17	33	37	40	51	53	44	19	10	-
Other and Unknown Hispanic, both sexes.....	80	88	81	78	101	137	185	142	123	56	16	3
Male.....	49	51	48	41	50	63	70	54	40	12	4	3
Female.....	31	37	33	37	51	74	115	88	83	44	12	-
Non-Hispanic 1/, both sexes.....	8,890	9,801	10,006	11,050	14,720	22,241	32,268	35,169	27,496	12,057	2,552	5
Male.....	5,301	5,650	5,399	5,582	7,017	9,752	12,387	11,059	6,761	2,129	326	4
Female.....	3,589	4,151	4,607	5,468	7,703	12,489	19,881	24,110	20,735	9,928	2,226	1
Non-Hispanic white 2/, both sexes.....	6,795	7,789	8,170	9,140	12,477	19,435	28,973	32,217	25,183	10,976	2,195	3
Male.....	4,157	4,543	4,444	4,616	6,005	8,553	11,115	10,139	6,224	1,910	271	2
Female.....	2,638	3,246	3,726	4,524	6,472	10,882	17,858	22,078	18,959	9,066	1,924	1
Non-Hispanic black 2/, both sexes.....	1,821	1,768	1,600	1,606	1,906	2,382	2,784	2,441	1,913	926	306	2
Male.....	980	964	823	807	858	994	1,050	714	401	174	37	2
Female.....	841	804	777	799	1,048	1,388	1,734	1,727	1,512	752	269	-
Origin not stated 3/, both sexes.....	31	33	19	21	25	32	39	40	34	16	3	2
Male.....	25	26	15	15	15	18	16	16	7	2	-	1
Female.....	6	7	4	6	10	14	23	24	27	14	3	1

Worktable Orig210F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 5-year age groups, specified Hispanic origin, race for non-Hispanic population, and sex: United States, 2005

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992),

Hispanic origin, race for non-Hispanic population, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

Accidents (unintentional injuries) (V01-X59,Y85-Y86)

All origins, both sexes.....	8,320	6,168	4,685	4,060	4,572	6,126	7,728	7,303	4,791	1,778	371	57
Male.....	5,945	4,318	3,189	2,579	2,764	3,429	3,908	3,311	1,650	497	63	49
Female.....	2,375	1,850	1,496	1,481	1,808	2,697	3,820	3,992	3,141	1,281	308	8
Hispanic, both sexes.....	637	414	306	262	258	281	300	162	139	48	10	15
Male.....	494	309	221	178	167	161	157	69	48	16	2	14
Female.....	143	105	85	84	91	120	143	93	91	32	8	1
Mexican, both sexes.....	394	250	184	154	143	150	161	85	70	20	5	9
Male.....	302	183	138	100	96	85	79	35	26	8	-	9
Female.....	92	67	46	54	47	65	82	50	44	12	5	-
Puerto Rican, both sexes.....	69	56	29	20	30	20	26	14	12	3	-	-
Male.....	59	41	16	11	15	11	13	7	3	1	-	-
Female.....	10	15	13	9	15	9	13	7	9	2	-	-
Cuban, both sexes.....	20	19	23	24	34	26	47	23	18	6	3	-
Male.....	16	16	19	21	24	18	32	11	7	-	-	-
Female.....	4	3	4	3	10	8	15	12	11	6	3	-
Central and South American, both sexes.....	70	45	38	24	23	34	20	11	11	5	-	-
Male.....	55	34	28	16	14	16	8	4	4	1	-	-
Female.....	15	11	10	8	9	18	12	7	7	4	-	-
Other and Unknown Hispanic, both sexes.....	84	44	32	40	28	51	46	29	28	14	2	6
Male.....	62	35	20	30	18	31	25	12	8	6	2	5
Female.....	22	9	12	10	10	20	21	17	20	8	-	1
Non-Hispanic 1/, both sexes.....	7,639	5,726	4,361	3,783	4,304	5,834	7,416	7,124	4,649	1,726	361	23
Male.....	5,417	3,990	2,952	2,389	2,591	3,260	3,745	3,236	1,601	479	61	17
Female.....	2,222	1,736	1,409	1,394	1,713	2,574	3,671	3,888	3,048	1,247	300	6
Non-Hispanic white 2/, both sexes.....	6,112	4,680	3,623	3,187	3,703	5,165	6,777	6,669	4,354	1,606	333	18
Male.....	4,324	3,234	2,415	2,008	2,224	2,905	3,406	3,025	1,497	438	54	14
Female.....	1,788	1,446	1,208	1,179	1,479	2,260	3,371	3,644	2,857	1,168	279	4
Non-Hispanic black 2/, both sexes.....	1,298	877	564	465	456	511	453	312	217	95	23	5
Male.....	943	642	429	305	284	283	235	133	72	28	6	3
Female.....	355	235	135	160	172	228	218	179	145	67	17	2
Origin not stated 3/, both sexes.....	44	28	18	15	10	11	12	17	3	4	-	19
Male.....	34	19	16	12	6	8	6	6	1	2	-	18
Female.....	10	9	2	3	4	3	6	11	2	2	-	1

Worktable Orig210F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 5-year age groups, specified Hispanic origin, race for non-Hispanic population, and sex: United States, 2005

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), Hispanic origin, race for non-Hispanic population, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
Transport accidents (V01-V99,Y85)												
All origins, both sexes.....	3,323	2,803	2,115	1,741	1,612	1,703	1,465	954	322	43	10	11
Male.....	2,448	1,998	1,437	1,128	1,029	1,013	822	550	157	27	3	10
Female.....	875	805	678	613	583	690	643	404	165	16	7	1
Hispanic, both sexes.....	290	201	140	121	94	88	88	19	15	1	1	5
Male.....	214	143	95	84	68	50	56	10	6	1	-	5
Female.....	76	58	45	37	26	38	32	9	9	-	1	-
Mexican, both sexes.....	188	128	80	76	61	42	49	13	6	-	-	3
Male.....	134	92	58	55	45	23	25	7	2	-	-	3
Female.....	54	36	22	21	16	19	24	6	4	-	-	-
Puerto Rican, both sexes.....	23	18	10	7	7	6	7	2	2	-	-	-
Male.....	19	10	3	4	4	5	6	1	1	-	-	-
Female.....	4	8	7	3	3	1	1	1	1	-	-	-
Cuban, both sexes.....	8	9	11	14	14	10	15	1	6	-	1	-
Male.....	7	8	9	11	12	8	14	-	3	-	-	-
Female.....	1	1	2	3	2	2	1	1	3	-	1	-
Central and South American, both sexes.....	37	30	23	12	8	15	2	2	1	-	-	-
Male.....	28	22	17	6	4	5	1	1	-	-	-	-
Female.....	9	8	6	6	4	10	1	1	1	-	-	-
Other and Unknown Hispanic, both sexes.....	34	16	16	12	4	15	15	1	-	1	-	2
Male.....	26	11	8	8	3	9	10	1	-	1	-	2
Female.....	8	5	8	4	1	6	5	-	-	-	-	-
Non-Hispanic 1/, both sexes.....	3,023	2,595	1,969	1,616	1,515	1,613	1,373	930	307	42	9	5
Male.....	2,228	1,850	1,337	1,041	959	961	764	537	151	26	3	4
Female.....	795	745	632	575	556	652	609	393	156	16	6	1
Non-Hispanic white 2/, both sexes.....	2,471	2,204	1,665	1,387	1,305	1,417	1,264	868	285	41	7	4
Male.....	1,833	1,573	1,135	886	828	846	702	500	141	25	1	3
Female.....	638	631	530	501	477	571	562	368	144	16	6	1
Non-Hispanic black 2/, both sexes.....	430	300	215	169	146	130	67	43	16	1	2	1
Male.....	321	220	151	120	96	83	39	27	6	1	2	1
Female.....	109	80	64	49	50	47	28	16	10	-	-	-
Origin not stated 3/, both sexes.....	10	7	6	4	3	2	4	5	-	-	-	1
Male.....	6	5	5	3	2	2	2	3	-	-	-	1
Female.....	4	2	1	1	1	-	2	2	-	-	-	-

Worktable Orig210F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 5-year age groups, specified Hispanic origin, race for non-Hispanic population, and sex: United States, 2005

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), Hispanic origin, race for non-Hispanic population, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
Motor vehicle accidents (V02-V04,V09.0,V09.2,V12-V14,V19.0-V19.2,V19.4-V19.6,V20-V79,V80.3-V80.5,V81.0-V81.1,V82.0-V82.1,V83-V86,V87.0-V87.8,V88.0-V88.8,V89.0,V89.2)												
All origins, both sexes.....	2,967	2,533	1,921	1,596	1,514	1,601	1,390	915	313	42	10	6
Male.....	2,163	1,772	1,283	1,016	960	937	772	527	151	27	3	5
Female.....	804	761	638	580	554	664	618	388	162	15	7	1
Hispanic, both sexes.....	270	186	136	112	93	81	83	19	14	1	1	3
Male.....	200	129	91	78	67	44	52	10	6	1	-	3
Female.....	70	57	45	34	26	37	31	9	8	-	1	-
Mexican, both sexes.....	179	120	77	74	60	38	48	13	5	-	-	2
Male.....	127	84	55	54	44	20	25	7	2	-	-	2
Female.....	52	36	22	20	16	18	23	6	3	-	-	-
Puerto Rican, both sexes.....	19	17	10	5	7	6	7	2	2	-	-	-
Male.....	16	10	3	3	4	5	6	1	1	-	-	-
Female.....	3	7	7	2	3	1	1	1	1	-	-	-
Cuban, both sexes.....	8	9	11	13	14	10	13	1	6	-	1	-
Male.....	7	8	9	10	12	8	12	-	3	-	-	-
Female.....	1	1	2	3	2	2	1	1	3	-	1	-
Central and South American, both sexes.....	35	26	22	12	8	14	1	2	1	-	-	-
Male.....	26	18	16	6	4	4	-	1	-	-	-	-
Female.....	9	8	6	6	4	10	1	1	1	-	-	-
Other and Unknown Hispanic, both sexes.....	29	14	16	8	4	13	14	1	-	1	-	1
Male.....	24	9	8	5	3	7	9	1	-	1	-	1
Female.....	5	5	8	3	1	6	5	-	-	-	-	-
Non-Hispanic 1/, both sexes.....	2,688	2,340	1,779	1,481	1,418	1,518	1,303	891	299	41	9	2
Male.....	1,958	1,638	1,187	936	891	891	718	514	145	26	3	1
Female.....	730	702	592	545	527	627	585	377	154	15	6	1
Non-Hispanic white 2/, both sexes.....	2,205	1,973	1,498	1,269	1,219	1,333	1,203	834	277	40	7	2
Male.....	1,619	1,381	1,005	797	765	785	661	478	135	25	1	1
Female.....	586	592	493	472	454	548	542	356	142	15	6	1
Non-Hispanic black 2/, both sexes.....	379	281	202	156	140	124	62	40	16	1	2	-
Male.....	279	204	141	107	93	78	37	26	6	1	2	-
Female.....	100	77	61	49	47	46	25	14	10	-	-	-
Origin not stated 3/, both sexes.....	9	7	6	3	3	2	4	5	-	-	-	1
Male.....	5	5	5	2	2	2	2	3	-	-	-	1
Female.....	4	2	1	1	1	-	2	2	-	-	-	-

Worktable Orig210F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 5-year age groups, specified Hispanic origin, race for non-Hispanic population, and sex: United States, 2005

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), Hispanic origin, race for non-Hispanic population, and sex

50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100 years Age not
years years years years years years years years years years and over stated

Nontransport accidents (W00-X59,Y86)

All origins, both sexes.....	4,997	3,365	2,570	2,319	2,960	4,423	6,263	6,349	4,469	1,735	361	46
Male.....	3,497	2,320	1,752	1,451	1,735	2,416	3,086	2,761	1,493	470	60	39
Female.....	1,500	1,045	818	868	1,225	2,007	3,177	3,588	2,976	1,265	301	7
Hispanic, both sexes.....	347	213	166	141	164	193	212	143	124	47	9	10
Male.....	280	166	126	94	99	111	101	59	42	15	2	9
Female.....	67	47	40	47	65	82	111	84	82	32	7	1
Mexican, both sexes.....	206	122	104	78	82	108	112	72	64	20	5	6
Male.....	168	91	80	45	51	62	54	28	24	8	-	6
Female.....	38	31	24	33	31	46	58	44	40	12	5	-
Puerto Rican, both sexes.....	46	38	19	13	23	14	19	12	10	3	-	-
Male.....	40	31	13	7	11	6	7	6	2	1	-	-
Female.....	6	7	6	6	12	8	12	6	8	2	-	-
Cuban, both sexes.....	12	10	12	10	20	16	32	22	12	6	2	-
Male.....	9	8	10	10	12	10	18	11	4	-	-	-
Female.....	3	2	2	-	8	6	14	11	8	6	2	-
Central and South American, both sexes.....	33	15	15	12	15	19	18	9	10	5	-	-
Male.....	27	12	11	10	10	11	7	3	4	1	-	-
Female.....	6	3	4	2	5	8	11	6	6	4	-	-
Other and Unknown Hispanic, both sexes.....	50	28	16	28	24	36	31	28	28	13	2	4
Male.....	36	24	12	22	15	22	15	11	8	5	2	3
Female.....	14	4	4	6	9	14	16	17	20	8	-	1
Non-Hispanic 1/, both sexes.....	4,616	3,131	2,392	2,167	2,789	4,221	6,043	6,194	4,342	1,684	352	18
Male.....	3,189	2,140	1,615	1,348	1,632	2,299	2,981	2,699	1,450	453	58	13
Female.....	1,427	991	777	819	1,157	1,922	3,062	3,495	2,892	1,231	294	5
Non-Hispanic white 2/, both sexes.....	3,641	2,476	1,958	1,800	2,398	3,748	5,513	5,801	4,069	1,565	326	14
Male.....	2,491	1,661	1,280	1,122	1,396	2,059	2,704	2,525	1,356	413	53	11
Female.....	1,150	815	678	678	1,002	1,689	2,809	3,276	2,713	1,152	273	3
Non-Hispanic black 2/, both sexes.....	868	577	349	296	310	381	386	269	201	94	21	4
Male.....	622	422	278	185	188	200	196	106	66	27	4	2
Female.....	246	155	71	111	122	181	190	163	135	67	17	2
Origin not stated 3/, both sexes.....	34	21	12	11	7	9	8	12	3	4	-	18
Male.....	28	14	11	9	4	6	4	3	1	2	-	17
Female.....	6	7	1	2	3	3	4	9	2	2	-	1

Worktable Orig210F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 5-year age groups, specified Hispanic origin, race for non-Hispanic population, and sex: United States, 2005

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), Hispanic origin, race for non-Hispanic population, and sex

50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100 years Age not
years years years years years years years years years years and over stated

Falls (W00-W19)

All origins, both sexes.....	637	679	772	894	1,425	2,366	3,591	3,720	2,624	981	201	2
Male.....	490	493	530	569	815	1,277	1,774	1,623	900	247	34	2
Female.....	147	186	242	325	610	1,089	1,817	2,097	1,724	734	167	-
Hispanic, both sexes.....	56	48	64	71	85	120	134	88	88	32	6	-
Male.....	52	37	48	50	47	72	68	34	28	7	1	-
Female.....	4	11	16	21	38	48	66	54	60	25	5	-
Mexican, both sexes.....	34	30	45	36	38	66	68	42	47	14	3	-
Male.....	32	23	34	22	20	41	35	14	17	4	-	-
Female.....	2	7	11	14	18	25	33	28	30	10	3	-
Puerto Rican, both sexes.....	2	7	1	6	16	9	9	7	4	2	-	-
Male.....	2	5	-	3	9	3	5	3	-	1	-	-
Female.....	-	2	1	3	7	6	4	4	4	1	-	-
Cuban, both sexes.....	2	4	6	6	12	10	22	14	11	4	2	-
Male.....	2	3	5	6	7	7	10	7	4	-	-	-
Female.....	-	1	1	-	5	3	12	7	7	4	2	-
Central and South American, both sexes.....	12	4	6	7	8	13	12	6	5	3	-	-
Male.....	11	3	5	6	4	7	6	2	3	-	-	-
Female.....	1	1	1	1	4	6	6	4	2	3	-	-
Other and Unknown Hispanic, both sexes.....	6	3	6	16	11	22	23	19	21	9	1	-
Male.....	5	3	4	13	7	14	12	8	4	2	1	-
Female.....	1	-	2	3	4	8	11	11	17	7	-	-
Non-Hispanic 1/, both sexes.....	579	627	706	821	1,338	2,241	3,451	3,625	2,534	947	195	2
Male.....	436	454	480	517	767	1,203	1,703	1,587	872	238	33	2
Female.....	143	173	226	304	571	1,038	1,748	2,038	1,662	709	162	-
Non-Hispanic white 2/, both sexes.....	481	535	601	720	1,210	2,067	3,231	3,455	2,416	904	186	2
Male.....	364	389	404	454	701	1,127	1,580	1,502	827	224	30	2
Female.....	117	146	197	266	509	940	1,651	1,953	1,589	680	156	-
Non-Hispanic black 2/, both sexes.....	86	69	70	70	84	120	133	91	70	26	7	-
Male.....	64	50	52	45	45	53	74	35	25	5	2	-
Female.....	22	19	18	25	39	67	59	56	45	21	5	-
Origin not stated 3/, both sexes.....	2	4	2	2	2	5	6	7	2	2	-	-
Male.....	2	2	2	2	1	2	3	2	-	2	-	-
Female.....	-	2	-	-	1	3	3	5	2	-	-	-

Worktable Orig210F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 5-year age groups, specified Hispanic origin, race for non-Hispanic population, and sex: United States, 2005

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992),
Hispanic origin, race for non-Hispanic population, and sex

50-54 years 55-59 years 60-64 years 65-69 years 70-74 years 75-79 years 80-84 years 85-89 years 90-94 years 95-99 years 100 years and over Age not stated

Accidental drowning and submersion (W65-W74)

All origins, both sexes.....	213	150	116	90	103	102	78	66	18	7	1	18
Male.....	171	125	93	65	70	67	54	45	12	5	-	16
Female.....	42	25	23	25	33	35	24	21	6	2	1	2
Hispanic, both sexes.....	10	13	9	5	4	1	2	3	-	1	-	8
Male.....	10	10	6	4	3	1	1	3	-	1	-	7
Female.....	-	3	3	1	1	-	1	-	-	-	-	1
Mexican, both sexes.....	4	5	4	3	2	1	1	1	-	1	-	5
Male.....	4	3	2	2	2	1	1	1	-	1	-	5
Female.....	-	2	2	1	-	-	-	-	-	-	-	-
Puerto Rican, both sexes.....	-	3	1	-	1	-	1	-	-	-	-	-
Male.....	-	2	1	-	-	-	-	-	-	-	-	-
Female.....	-	1	-	-	1	-	1	-	-	-	-	-
Cuban, both sexes.....	3	1	2	2	1	-	-	1	-	-	-	-
Male.....	3	1	2	2	1	-	-	1	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Central and South American, both sexes.....	-	3	2	-	-	-	-	-	-	-	-	-
Male.....	-	3	1	-	-	-	-	-	-	-	-	-
Female.....	-	-	1	-	-	-	-	-	-	-	-	-
Other and Unknown Hispanic, both sexes.....	3	1	-	-	-	-	-	1	-	-	-	3
Male.....	3	1	-	-	-	-	-	1	-	-	-	2
Female.....	-	-	-	-	-	-	-	-	-	-	-	1
Non-Hispanic 1/, both sexes.....	203	137	107	85	99	101	75	63	18	6	1	1
Male.....	161	115	87	61	67	66	53	42	12	4	-	-
Female.....	42	22	20	24	32	35	22	21	6	2	1	1
Non-Hispanic white 2/, both sexes.....	165	114	88	70	81	84	61	57	15	4	1	1
Male.....	125	95	68	51	54	57	44	39	11	3	-	-
Female.....	40	19	20	19	27	27	17	18	4	1	1	1
Non-Hispanic black 2/, both sexes.....	27	17	14	12	13	8	4	3	1	1	-	-
Male.....	27	15	14	8	11	5	3	2	1	-	-	-
Female.....	-	2	-	4	2	3	1	1	-	1	-	-
Origin not stated 3/, both sexes.....	-	-	-	-	-	-	1	-	-	-	-	9
Male.....	-	-	-	-	-	-	-	-	-	-	-	9
Female.....	-	-	-	-	-	-	1	-	-	-	-	-

Worktable Orig210F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 5-year age groups, specified Hispanic origin, race for non-Hispanic population, and sex: United States, 2005

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992),

Hispanic origin, race for non-Hispanic population, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

Accidental poisoning and exposure to noxious substances (X40-X49)

All origins, both sexes.....	2,887	1,435	572	265	170	173	144	117	48	13	1	6
Male.....	1,871	916	353	140	88	100	61	51	16	7	-	5
Female.....	1,016	519	219	125	82	73	83	66	32	6	1	1
Hispanic, both sexes.....	186	88	42	20	9	4	7	7	-	-	1	-
Male.....	146	73	33	13	6	3	2	3	-	-	-	-
Female.....	40	15	9	7	3	1	5	4	-	-	1	-
Mexican, both sexes.....	106	43	23	11	6	2	3	3	-	-	1	-
Male.....	84	33	18	6	4	1	-	2	-	-	-	-
Female.....	22	10	5	5	2	1	3	1	-	-	1	-
Puerto Rican, both sexes.....	36	20	12	3	-	2	-	1	-	-	-	-
Male.....	32	19	8	2	-	2	-	1	-	-	-	-
Female.....	4	1	4	1	-	-	-	-	-	-	-	-
Cuban, both sexes.....	5	5	1	-	-	-	2	2	-	-	-	-
Male.....	3	4	1	-	-	-	1	-	-	-	-	-
Female.....	2	1	-	-	-	-	1	2	-	-	-	-
Central and South American, both sexes.....	10	4	2	-	1	-	1	-	-	-	-	-
Male.....	7	4	2	-	1	-	1	-	-	-	-	-
Female.....	3	-	-	-	-	-	-	-	-	-	-	-
Other and Unknown Hispanic, both sexes.....	29	16	4	6	2	-	1	1	-	-	-	-
Male.....	20	13	4	5	1	-	-	-	-	-	-	-
Female.....	9	3	-	1	1	-	1	1	-	-	-	-
Non-Hispanic 1/, both sexes.....	2,677	1,339	525	244	158	169	137	109	48	13	-	6
Male.....	1,705	838	315	126	81	97	59	48	16	7	-	5
Female.....	972	501	210	118	77	72	78	61	32	6	-	1
Non-Hispanic white 2/, both sexes.....	2,100	1,032	416	186	127	147	120	99	45	11	-	5
Male.....	1,313	609	229	83	59	84	48	45	16	6	-	5
Female.....	787	423	187	103	68	63	72	54	29	5	-	-
Non-Hispanic black 2/, both sexes.....	525	290	100	48	29	18	11	8	1	1	-	1
Male.....	359	216	81	38	21	11	7	2	-	1	-	-
Female.....	166	74	19	10	8	7	4	6	1	-	-	1
Origin not stated 3/, both sexes.....	24	8	5	1	3	-	-	1	-	-	-	-
Male.....	20	5	5	1	1	-	-	-	-	-	-	-
Female.....	4	3	-	-	2	-	-	1	-	-	-	-

Worktable Orig210F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 5-year age groups, specified Hispanic origin, race for non-Hispanic population, and sex: United States, 2005

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), Hispanic origin, race for non-Hispanic population, and sex

50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100 years Age not
years years years years years years years years years years and over stated

Other and unspecified nontransport accidents and their sequelae (W20-W31,W35-W64,W75-W99,X10-X39,X50-X59,Y86)

All origins, both sexes.....	979	866	880	855	1,043	1,537	2,194	2,283	1,705	705	155	16
Male.....	764	627	633	545	633	837	1,060	960	534	199	25	12
Female.....	215	239	247	310	410	700	1,134	1,323	1,171	506	130	4
Hispanic, both sexes.....	78	58	40	36	54	52	58	42	34	11	2	1
Male.....	59	41	32	22	35	30	24	18	13	5	1	1
Female.....	19	17	8	14	19	22	34	24	21	6	1	-
Mexican, both sexes.....	56	41	25	23	30	28	30	25	15	5	1	1
Male.....	42	29	21	11	21	15	13	10	6	3	-	1
Female.....	14	12	4	12	9	13	17	15	9	2	1	-
Puerto Rican, both sexes.....	4	7	4	4	4	2	9	4	6	1	-	-
Male.....	4	4	3	2	-	1	2	2	2	-	-	-
Female.....	-	3	1	2	4	1	7	2	4	1	-	-
Cuban, both sexes.....	1	-	2	2	5	5	7	5	1	2	-	-
Male.....	-	-	2	2	4	3	6	3	-	-	-	-
Female.....	1	-	-	-	1	2	1	2	1	2	-	-
Central and South American, both sexes.....	7	3	4	3	6	5	5	2	5	1	-	-
Male.....	5	2	2	3	5	4	-	1	1	1	-	-
Female.....	2	1	2	-	1	1	5	1	4	-	-	-
Other and Unknown Hispanic, both sexes.....	10	7	5	4	9	12	7	6	7	2	1	-
Male.....	8	6	4	4	5	7	3	2	4	1	1	-
Female.....	2	1	1	-	4	5	4	4	3	1	-	-
Non-Hispanic 1/, both sexes.....	894	800	836	813	987	1,482	2,135	2,237	1,670	692	153	8
Male.....	699	580	598	518	596	804	1,035	941	520	194	24	5
Female.....	195	220	238	295	391	678	1,100	1,296	1,150	498	129	3
Non-Hispanic white 2/, both sexes.....	692	634	682	669	812	1,276	1,905	2,063	1,541	629	136	5
Male.....	548	459	476	440	484	691	924	875	479	175	22	3
Female.....	144	175	206	229	328	585	981	1,188	1,062	454	114	2
Non-Hispanic black 2/, both sexes.....	174	137	125	123	149	188	191	137	111	58	14	3
Male.....	127	99	102	65	91	105	89	51	34	17	2	2
Female.....	47	38	23	58	58	83	102	86	77	41	12	1
Origin not stated 3/, both sexes.....	7	8	4	6	2	3	1	4	1	2	-	7
Male.....	6	6	3	5	2	3	1	1	1	-	-	6
Female.....	1	2	1	1	-	-	-	3	-	2	-	1

Worktable Orig210F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 5-year age groups, specified Hispanic origin, race for non-Hispanic population, and sex: United States, 2005

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), Hispanic origin, race for non-Hispanic population, and sex

50-54 years 55-59 years 60-64 years 65-69 years 70-74 years 75-79 years 80-84 years 85-89 years 90-94 years 95-99 years 100 years and over Age not stated

Intentional self-harm (suicide) (*U03,X60-X84,Y87.0)

All origins, both sexes.....	3,227	2,477	1,733	1,198	1,146	1,143	1,057	593	224	41	2	8
Male.....	2,443	1,888	1,362	973	967	994	895	497	190	33	1	7
Female.....	784	589	371	225	179	149	162	96	34	8	1	1
Hispanic, both sexes.....	108	85	57	35	43	43	21	15	6	-	-	2
Male.....	90	70	46	25	38	38	18	14	4	-	-	2
Female.....	18	15	11	10	5	5	3	1	2	-	-	-
Mexican, both sexes.....	53	31	25	16	14	15	9	5	2	-	-	1
Male.....	44	27	20	12	14	14	9	5	2	-	-	1
Female.....	9	4	5	4	-	1	-	-	-	-	-	-
Puerto Rican, both sexes.....	13	16	9	3	2	5	2	2	1	-	-	-
Male.....	12	11	8	3	2	5	1	2	-	-	-	-
Female.....	1	5	1	-	-	-	1	-	1	-	-	-
Cuban, both sexes.....	9	12	7	10	13	15	9	7	3	-	-	-
Male.....	8	10	6	4	10	13	7	6	2	-	-	-
Female.....	1	2	1	6	3	2	2	1	1	-	-	-
Central and South American, both sexes.....	13	11	7	4	4	3	-	-	-	-	-	-
Male.....	10	9	4	4	3	2	-	-	-	-	-	-
Female.....	3	2	3	-	1	1	-	-	-	-	-	-
Other and Unknown Hispanic, both sexes.....	20	15	9	2	10	5	1	1	-	-	-	1
Male.....	16	13	8	2	9	4	1	1	-	-	-	1
Female.....	4	2	1	-	1	1	-	-	-	-	-	-
Non-Hispanic 1/, both sexes.....	3,109	2,373	1,671	1,162	1,101	1,092	1,035	576	217	41	2	1
Male.....	2,346	1,803	1,312	947	927	949	876	481	185	33	1	-
Female.....	763	570	359	215	174	143	159	95	32	8	1	1
Non-Hispanic white 2/, both sexes.....	2,895	2,241	1,581	1,094	1,043	1,046	991	551	202	41	2	1
Male.....	2,185	1,706	1,247	901	884	911	845	467	175	33	1	-
Female.....	710	535	334	193	159	135	146	84	27	8	1	1
Non-Hispanic black 2/, both sexes.....	142	82	58	40	37	29	24	9	7	-	-	-
Male.....	108	62	44	28	32	26	19	7	7	-	-	-
Female.....	34	20	14	12	5	3	5	2	-	-	-	-
Origin not stated 3/, both sexes.....	10	19	5	1	2	8	1	2	1	-	-	5
Male.....	7	15	4	1	2	7	1	2	1	-	-	5
Female.....	3	4	1	-	-	1	-	-	-	-	-	-

Worktable Orig210F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 5-year age groups, specified Hispanic origin, race for non-Hispanic population, and sex: United States, 2005

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), Hispanic origin, race for non-Hispanic population, and sex

50-54 years 55-59 years 60-64 years 65-69 years 70-74 years 75-79 years 80-84 years 85-89 years 90-94 years 95-99 years 100 years and over Age not stated

Intentional self-harm (suicide) by other and unspecified means and their sequelae (*U03,X60-X71,X75-X84,Y87.0)

All origins, both sexes.....	1,559	1,079	661	371	304	259	292	189	82	17	1	7
Male.....	1,018	696	414	240	199	166	175	115	55	9	-	7
Female.....	541	383	247	131	105	93	117	74	27	8	1	-
Hispanic, both sexes.....	75	55	39	24	21	21	10	6	3	-	-	2
Male.....	61	40	29	16	16	16	7	6	1	-	-	2
Female.....	14	15	10	8	5	5	3	-	2	-	-	-
Mexican, both sexes.....	39	17	15	12	3	6	3	2	-	-	-	1
Male.....	32	13	11	9	3	5	3	2	-	-	-	1
Female.....	7	4	4	3	-	1	-	-	-	-	-	-
Puerto Rican, both sexes.....	11	13	6	2	2	3	1	2	1	-	-	-
Male.....	10	8	5	2	2	3	-	2	-	-	-	-
Female.....	1	5	1	-	-	1	-	1	-	-	-	-
Cuban, both sexes.....	5	9	6	6	7	7	6	2	2	-	-	-
Male.....	4	7	5	1	4	5	4	2	1	-	-	-
Female.....	1	2	1	5	3	2	2	-	1	-	-	-
Central and South American, both sexes.....	10	9	6	3	4	3	-	-	-	-	-	-
Male.....	8	7	3	3	3	2	-	-	-	-	-	-
Female.....	2	2	3	-	1	1	-	-	-	-	-	-
Other and Unknown Hispanic, both sexes.....	10	7	6	1	5	2	-	-	-	-	-	1
Male.....	7	5	5	1	4	1	-	-	-	-	-	1
Female.....	3	2	1	-	1	1	-	-	-	-	-	-
Non-Hispanic 1/, both sexes.....	1,478	1,016	619	347	282	235	282	183	79	17	1	-
Male.....	954	652	383	224	182	148	168	109	54	9	-	-
Female.....	524	364	236	123	100	87	114	74	25	8	1	-
Non-Hispanic white 2/, both sexes.....	1,351	936	571	310	259	215	259	161	70	17	1	-
Male.....	873	600	354	201	170	136	156	98	50	9	-	-
Female.....	478	336	217	109	89	79	103	63	20	8	1	-
Non-Hispanic black 2/, both sexes.....	79	44	24	13	8	8	6	6	1	-	-	-
Male.....	51	29	16	8	6	5	3	4	1	-	-	-
Female.....	28	15	8	5	2	3	3	2	-	-	-	-
Origin not stated 3/, both sexes.....	6	8	3	-	1	3	-	-	-	-	-	5
Male.....	3	4	2	-	1	2	-	-	-	-	-	5
Female.....	3	4	1	-	-	1	-	-	-	-	-	-

Worktable Orig210F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 5-year age groups, specified Hispanic origin, race for non-Hispanic population, and sex: United States, 2005

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992),
Hispanic origin, race for non-Hispanic population, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

Assault (homicide) (*U01-*U02,X85-Y09,Y87.1)

All origins, both sexes.....	837	510	352	233	207	164	119	73	29	6	1	21
Male.....	652	378	258	147	135	87	51	31	12	-	1	16
Female.....	185	132	94	86	72	77	68	42	17	6	-	5
Hispanic, both sexes.....	112	45	26	19	17	13	10	3	-	-	-	7
Male.....	97	32	21	16	10	10	6	1	-	-	-	7
Female.....	15	13	5	3	7	3	4	2	-	-	-	-
Mexican, both sexes.....	64	33	15	7	6	8	7	-	-	-	-	5
Male.....	58	24	12	4	5	6	5	-	-	-	-	5
Female.....	6	9	3	3	1	2	2	-	-	-	-	-
Puerto Rican, both sexes.....	8	3	4	1	5	1	-	-	-	-	-	-
Male.....	5	2	4	1	3	1	-	-	-	-	-	-
Female.....	3	1	-	-	2	-	-	-	-	-	-	-
Cuban, both sexes.....	7	2	1	5	3	1	1	-	-	-	-	-
Male.....	6	1	1	5	-	1	1	-	-	-	-	-
Female.....	1	1	-	-	3	-	-	-	-	-	-	-
Central and South American, both sexes.....	21	5	2	5	1	-	1	2	-	-	-	-
Male.....	18	3	1	5	1	-	-	1	-	-	-	-
Female.....	3	2	1	-	-	-	1	1	-	-	-	-
Other and Unknown Hispanic, both sexes.....	12	2	4	1	2	3	1	1	-	-	-	2
Male.....	10	2	3	1	1	2	-	-	-	-	-	2
Female.....	2	-	1	-	1	1	1	1	-	-	-	-
Non-Hispanic 1/, both sexes.....	721	461	325	214	190	151	109	69	29	6	1	4
Male.....	551	342	236	131	125	77	45	30	12	-	1	4
Female.....	170	119	89	83	65	74	64	39	17	6	-	-
Non-Hispanic white 2/, both sexes.....	371	290	212	133	127	115	85	56	24	4	-	4
Male.....	272	202	153	72	79	51	33	20	7	-	-	4
Female.....	99	88	59	61	48	64	52	36	17	4	-	-
Non-Hispanic black 2/, both sexes.....	314	147	97	70	54	35	23	12	3	2	1	-
Male.....	249	122	71	53	40	25	12	10	3	-	1	-
Female.....	65	25	26	17	14	10	11	2	-	2	-	-
Origin not stated 3/, both sexes.....	4	4	1	-	-	-	-	1	-	-	-	10
Male.....	4	4	1	-	-	-	-	-	-	-	-	5
Female.....	-	-	-	-	-	-	-	1	-	-	-	5

Worktable Orig210F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 5-year age groups, specified Hispanic origin, race for non-Hispanic population, and sex: United States, 2005

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), Hispanic origin, race for non-Hispanic population, and sex

50-54 years 55-59 years 60-64 years 65-69 years 70-74 years 75-79 years 80-84 years 85-89 years 90-94 years 95-99 years 100 years and over Age not stated

Assault (homicide) by other and unspecified means and their sequelae (*U01.0-*U01.3,*U01.5-*U01.9,*U02,X85-X92,X96-Y09,Y87.1)

All origins, both sexes.....	419	271	186	122	117	101	85	57	24	4	-	12
Male.....	318	191	133	79	72	55	39	25	9	-	-	9
Female.....	101	80	53	43	45	46	46	32	15	4	-	3
Hispanic, both sexes.....	63	24	16	8	8	10	9	3	-	-	-	4
Male.....	53	15	12	7	4	9	5	1	-	-	-	4
Female.....	10	9	4	1	4	1	4	2	-	-	-	-
Mexican, both sexes.....	35	15	7	4	3	7	6	-	-	-	-	3
Male.....	33	9	5	3	2	6	4	-	-	-	-	3
Female.....	2	6	2	1	1	1	2	-	-	-	-	-
Puerto Rican, both sexes.....	6	2	3	-	2	1	-	-	-	-	-	-
Male.....	4	1	3	-	1	1	-	-	-	-	-	-
Female.....	2	1	-	-	1	-	-	-	-	-	-	-
Cuban, both sexes.....	4	1	-	-	1	-	1	-	-	-	-	-
Male.....	3	1	-	-	-	-	1	-	-	-	-	-
Female.....	1	-	-	-	1	-	-	-	-	-	-	-
Central and South American, both sexes.....	13	5	2	3	-	-	1	2	-	-	-	-
Male.....	10	3	1	3	-	-	-	1	-	-	-	-
Female.....	3	2	1	-	-	-	1	1	-	-	-	-
Other and Unknown Hispanic, both sexes.....	5	1	4	1	2	2	1	1	-	-	-	1
Male.....	3	1	3	1	1	2	-	-	-	-	-	1
Female.....	2	-	1	-	1	-	1	1	-	-	-	-
Non-Hispanic 1/, both sexes.....	355	245	169	114	109	91	76	53	24	4	-	2
Male.....	264	174	120	72	68	46	34	24	9	-	-	2
Female.....	91	71	49	42	41	45	42	29	15	4	-	-
Non-Hispanic white 2/, both sexes.....	172	156	105	67	73	63	59	43	20	2	-	2
Male.....	125	107	74	38	45	28	26	17	5	-	-	2
Female.....	47	49	31	29	28	35	33	26	15	2	-	-
Non-Hispanic black 2/, both sexes.....	159	80	56	42	28	27	16	9	2	2	-	-
Male.....	120	62	40	31	18	17	8	7	2	-	-	-
Female.....	39	18	16	11	10	10	8	2	-	2	-	-
Origin not stated 3/, both sexes.....	1	2	1	-	-	-	-	1	-	-	-	6
Male.....	1	2	1	-	-	-	-	-	-	-	-	3
Female.....	-	-	-	-	-	-	-	1	-	-	-	3

Worktable Orig210F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 5-year age groups, specified Hispanic origin, race for non-Hispanic population, and sex: United States, 2005

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992),
Hispanic origin, race for non-Hispanic population, and sex

50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100 years Age not
years years years years years years years years years years and over stated

Complications of medical and surgical care (Y40-Y84,Y88)

All origins, both sexes.....	169	180	184	207	280	350	409	271	140	43	8	-
Male.....	81	89	103	110	140	143	192	118	39	16	-	-
Female.....	88	91	81	97	140	207	217	153	101	27	8	-
Hispanic, both sexes.....	16	12	7	12	18	18	18	4	5	2	-	-
Male.....	4	3	6	5	7	5	7	1	-	1	-	-
Female.....	12	9	1	7	11	13	11	3	5	1	-	-
Mexican, both sexes.....	10	10	4	9	3	9	8	1	1	2	-	-
Male.....	2	3	3	4	-	3	3	-	-	1	-	-
Female.....	8	7	1	5	3	6	5	1	1	1	-	-
Puerto Rican, both sexes.....	3	1	1	2	1	3	3	1	1	-	-	-
Male.....	2	-	1	1	1	-	-	-	-	-	-	-
Female.....	1	1	-	1	-	2	3	1	1	-	-	-
Cuban, both sexes.....	-	-	-	-	3	3	1	-	2	-	-	-
Male.....	-	-	-	-	2	1	1	-	-	-	-	-
Female.....	-	-	-	-	1	2	-	-	2	-	-	-
Central and South American, both sexes.....	2	-	1	-	4	1	3	1	-	-	-	-
Male.....	-	-	1	-	-	-	1	-	-	-	-	-
Female.....	2	-	-	-	4	1	2	1	-	-	-	-
Other and Unknown Hispanic, both sexes.....	1	1	1	1	7	2	3	1	1	-	-	-
Male.....	-	-	1	-	4	-	2	1	-	-	-	-
Female.....	1	1	-	1	3	2	1	-	1	-	-	-
Non-Hispanic 1/, both sexes.....	153	168	176	194	261	329	390	266	135	40	8	-
Male.....	77	86	96	105	132	135	184	117	39	14	-	-
Female.....	76	82	80	89	129	194	206	149	96	26	8	-
Non-Hispanic white 2/, both sexes.....	100	126	138	146	201	270	350	235	126	39	8	-
Male.....	52	63	73	87	107	114	165	108	37	14	-	-
Female.....	48	63	65	59	94	156	185	127	89	25	8	-
Non-Hispanic black 2/, both sexes.....	48	40	35	44	50	55	34	26	7	1	-	-
Male.....	23	21	20	17	19	20	14	8	2	-	-	-
Female.....	25	19	15	27	31	35	20	18	5	1	-	-
Origin not stated 3/, both sexes.....	-	-	1	1	1	3	1	1	-	1	-	-
Male.....	-	-	1	-	1	3	1	-	-	1	-	-
Female.....	-	-	-	1	-	-	-	1	-	-	-	-

Worktable Orig210F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 5-year age groups, specified Hispanic origin, race for non-Hispanic population, and sex: United States, 2005

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992),
Hispanic origin, race for non-Hispanic population, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

Alcohol-induced causes (E24.4,F10,G31.2,G62.1,G72.1,I42.6,K29.2,K70,K86.0,R78.0,X45,X65,Y15) 4/

All origins, both sexes.....	3,937	3,419	2,511	1,656	1,166	746	455	171	50	14	1	9
Male.....	3,025	2,673	1,943	1,273	860	573	322	115	25	8	1	7
Female.....	912	746	568	383	306	173	133	56	25	6	-	2
Hispanic, both sexes.....	425	349	246	200	142	73	32	14	4	1	-	4
Male.....	362	296	216	168	126	60	29	14	4	-	-	4
Female.....	63	53	30	32	16	13	3	-	-	1	-	-
Mexican, both sexes.....	276	225	157	123	91	52	27	7	3	-	-	1
Male.....	240	194	140	99	82	43	25	7	3	-	-	1
Female.....	36	31	17	24	9	9	2	-	-	-	-	-
Puerto Rican, both sexes.....	44	44	23	21	20	8	2	1	-	1	-	-
Male.....	39	36	20	19	18	6	2	1	-	-	-	-
Female.....	5	8	3	2	2	-	-	-	-	1	-	-
Cuban, both sexes.....	5	5	11	11	4	3	-	2	-	-	-	-
Male.....	4	4	10	11	3	2	-	2	-	-	-	-
Female.....	1	1	1	-	1	1	-	-	-	-	-	-
Central and South American, both sexes.....	41	25	18	14	7	6	1	2	1	-	-	-
Male.....	34	24	16	13	7	5	1	2	1	-	-	-
Female.....	7	1	2	1	-	1	-	-	-	-	-	-
Other and Unknown Hispanic, both sexes.....	59	50	37	31	20	4	2	2	-	-	-	3
Male.....	45	38	30	26	16	4	1	2	-	-	-	3
Female.....	14	12	7	5	4	-	1	-	-	-	-	-
Non-Hispanic 1/, both sexes.....	3,492	3,053	2,252	1,450	1,013	673	423	157	46	12	1	3
Male.....	2,647	2,360	1,715	1,100	724	513	293	101	21	8	1	2
Female.....	845	693	537	350	289	160	130	56	25	4	-	1
Non-Hispanic white 2/, both sexes.....	2,889	2,601	1,876	1,234	866	592	375	146	39	9	-	2
Male.....	2,197	2,019	1,432	932	615	449	259	94	19	6	-	1
Female.....	692	582	444	302	251	143	116	52	20	3	-	1
Non-Hispanic black 2/, both sexes.....	445	360	292	165	121	63	35	9	7	3	1	1
Male.....	330	269	224	129	93	53	22	5	2	2	1	1
Female.....	115	91	68	36	28	10	13	4	5	1	-	-
Origin not stated 3/, both sexes.....	20	17	13	6	11	-	-	-	-	1	-	2
Male.....	16	17	12	5	10	-	-	-	-	-	-	1
Female.....	4	-	1	1	1	-	-	-	-	1	-	1

Worktable Orig210F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 5-year age groups, specified Hispanic origin, race for non-Hispanic population, and sex: United States, 2005

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992),

Hispanic origin, race for non-Hispanic population, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

Drug-induced causes (D52.1,D59.0,D59.2,D61.1,D64.2,E06.4,E16.0,E23.1,E24.2,E27.3,E66.1,F11.0-F11.5,F11.7-F11.9,F12.0-F12.5,F12.7-F12.9,F13.0-F13.5,F13.7-F13.9,F14.0-F14.5,F14.7-F14.9,F15.0-F15.5,F15.7-F15.9,F16.0-F16.5,F16.7-F16.9,F17.0,F17.3-F17.5,F17.7-F17.9,F18.0-F18.5,F18.7-F18.9,F19.0-F19.5,F19.7-F19.9,G21.1,G24.0,G25.1,G25.4,G25.6,G44.4,G62.0,G72.0,I95.2,J70.2-J70.4,L10.5,L27.0-L27.1,M10.2,M32.0,M80.4,M81.4,M83.5,M87.1,R78.1-R78.5,X40-X44,X60-X64,X85,Y10-Y14) 4/

All origins, both sexes.....	4,244	2,228	1,012	511	376	364	342	235	106	36	11	5
Male.....	2,600	1,351	561	254	198	205	149	100	45	12	2	5
Female.....	1,644	877	451	257	178	159	193	135	61	24	9	-
Hispanic, both sexes.....	271	126	60	31	18	15	14	9	1	-	2	-
Male.....	199	100	48	18	11	8	6	5	1	-	-	-
Female.....	72	26	12	13	7	7	8	4	-	-	2	-
Mexican, both sexes.....	151	58	33	17	10	7	5	4	-	-	1	-
Male.....	116	45	26	10	6	6	2	3	-	-	-	-
Female.....	35	13	7	7	4	1	3	1	-	-	1	-
Puerto Rican, both sexes.....	58	33	15	4	-	2	3	1	-	-	-	-
Male.....	46	27	11	2	-	1	1	1	-	-	-	-
Female.....	12	6	4	2	-	1	2	-	-	-	-	-
Cuban, both sexes.....	8	5	1	3	3	2	4	2	1	-	-	-
Male.....	5	4	1	1	1	1	2	-	1	-	-	-
Female.....	3	1	-	2	2	1	2	2	-	-	-	-
Central and South American, both sexes.....	12	7	3	-	2	1	1	-	-	-	-	-
Male.....	8	6	3	-	2	-	1	-	-	-	-	-
Female.....	4	1	-	-	-	1	-	-	-	-	-	-
Other and Unknown Hispanic, both sexes.....	42	23	8	7	3	3	1	2	-	-	1	-
Male.....	24	18	7	5	2	-	-	1	-	-	-	-
Female.....	18	5	1	2	1	3	1	1	-	-	1	-
Non-Hispanic 1/, both sexes.....	3,946	2,091	946	479	355	349	328	225	105	36	9	5
Male.....	2,379	1,243	508	235	186	197	143	94	44	12	2	5
Female.....	1,567	848	438	244	169	152	185	131	61	24	7	-
Non-Hispanic white 2/, both sexes.....	3,125	1,669	804	410	316	316	303	214	98	34	8	5
Male.....	1,832	937	400	186	161	180	128	90	42	12	2	5
Female.....	1,293	732	404	224	155	136	175	124	56	22	6	-
Non-Hispanic black 2/, both sexes.....	743	398	128	54	35	25	17	9	4	1	1	-
Male.....	502	289	103	41	23	13	10	3	1	-	-	-
Female.....	241	109	25	13	12	12	7	6	3	1	1	-
Origin not stated 3/, both sexes.....	27	11	6	1	3	-	-	1	-	-	-	-
Male.....	22	8	5	1	1	-	-	1	-	-	-	-
Female.....	5	3	1	-	2	-	-	-	-	-	-	-

Worktable Orig210F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 5-year age groups, specified Hispanic origin, race for non-Hispanic population, and sex: United States, 2005

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992),

Hispanic origin, race for non-Hispanic population, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

Injury by firearms (*U01.4,W32-W34,X72-X74,X93-X95,Y22-Y24,Y35.0) 4/

All origins, both sexes.....	2,172	1,703	1,284	964	965	967	817	432	150	28	2	10
Male.....	1,832	1,434	1,110	820	859	876	748	399	141	25	2	7
Female.....	340	269	174	144	106	91	69	33	9	3	-	3
Hispanic, both sexes.....	87	54	28	23	32	26	13	9	3	-	-	3
Male.....	77	50	26	19	29	24	12	8	3	-	-	3
Female.....	10	4	2	4	3	2	1	1	-	-	-	-
Mexican, both sexes.....	44	34	18	8	14	11	8	3	2	-	-	2
Male.....	38	31	16	5	14	10	7	3	2	-	-	2
Female.....	6	3	2	3	-	1	1	-	-	-	-	-
Puerto Rican, both sexes.....	5	4	4	2	3	2	1	-	-	-	-	-
Male.....	4	4	4	2	2	2	1	-	-	-	-	-
Female.....	1	-	-	-	1	-	-	-	-	-	-	-
Cuban, both sexes.....	8	4	2	9	8	9	3	5	1	-	-	-
Male.....	8	3	2	8	6	9	3	4	1	-	-	-
Female.....	-	1	-	1	2	-	-	1	-	-	-	-
Central and South American, both sexes.....	12	2	1	3	1	-	-	-	-	-	-	-
Male.....	11	2	1	3	1	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	-	-	-	-
Other and Unknown Hispanic, both sexes.....	18	10	3	1	6	4	1	1	-	-	-	1
Male.....	16	10	3	1	6	3	1	1	-	-	-	1
Female.....	2	-	-	-	-	1	-	-	-	-	-	-
Non-Hispanic 1/, both sexes.....	2,077	1,636	1,254	940	932	936	803	421	146	28	2	3
Male.....	1,748	1,371	1,082	800	829	847	735	389	137	25	2	2
Female.....	329	265	172	140	103	89	68	32	9	3	-	1
Non-Hispanic white 2/, both sexes.....	1,811	1,499	1,158	874	867	899	774	414	137	28	1	3
Male.....	1,518	1,251	1,005	751	773	810	711	382	128	25	1	2
Female.....	293	248	153	123	94	89	63	32	9	3	-	1
Non-Hispanic black 2/, both sexes.....	228	108	78	56	58	30	26	7	9	-	1	-
Male.....	194	95	61	43	50	30	21	7	9	-	1	-
Female.....	34	13	17	13	8	-	5	-	-	-	-	-
Origin not stated 3/, both sexes.....	8	13	2	1	1	5	1	2	1	-	-	4
Male.....	7	13	2	1	1	5	1	2	1	-	-	2
Female.....	1	-	-	-	-	-	-	-	-	-	-	2

- Quantity zero.

... Category not applicable.

1/ Includes races other than white and black.

2/ Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported for California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York,

Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States, Mortality, 2005."

3/ Includes deaths for which Hispanic origin was not reported on the death certificate.

4/ Included in selected categories.

Source: CDC/NCHS, National Vital Statistics System, Mortality.