

Worktable Orig12. Death rates for 358 selected causes, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2006

[Rates per 100,000 population in specified group. Rates are based on populations enumerated as of April 1 for 2000 and estimated as of July 1 for all other years. Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to 'Detailed technical notes to the United States 2006 data-mortality']

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, and sex	All ages 1/	Under 1 year 2/	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
All causes												
All origins 3/, both sexes												
2006.....	810.4	690.7	28.4	15.2	82.2	106.3	190.2	427.5	890.9	2,062.1	5,115.0	13,253.1
2005.....	825.9	692.5	29.4	16.3	81.4	104.4	193.3	432.0	906.9	2,137.1	5,260.0	13,798.6
2004.....	816.5	685.2	29.9	16.8	80.1	102.1	193.5	427.0	910.3	2,164.6	5,275.1	13,823.5
2003.....	841.9	700.0	31.5	17.0	81.5	103.6	201.6	433.2	940.9	2,255.0	5,463.1	14,593.3
2002.....	847.3	695.0	31.2	17.4	81.4	103.6	202.9	430.1	952.4	2,314.7	5,556.9	14,828.3
2001.....	848.5	683.4	33.3	17.3	80.7	105.2	203.6	428.9	964.6	2,353.3	5,582.4	15,112.8
2000.....	854.0	736.7	32.4	18.0	79.9	101.4	198.9	425.6	992.2	2,399.1	5,666.5	15,524.4
1999.....	857.0	736.0	34.2	18.6	79.3	102.2	198.0	418.2	1,005.0	2,457.3	5,714.5	15,554.6
All origins 3/, male												
2006.....	814.8	756.3	30.5	17.6	119.3	146.8	238.7	541.0	1,110.0	2,516.2	6,177.7	14,309.1
2005.....	827.2	762.3	33.4	18.6	117.8	143.4	243.0	547.8	1,131.0	2,612.2	6,349.8	14,889.4
2004.....	817.6	753.7	32.4	19.2	114.7	139.5	243.6	543.5	1,128.8	2,644.8	6,394.3	15,031.1
2003.....	840.3	777.4	35.1	19.8	116.5	141.4	255.0	552.2	1,165.5	2,771.7	6,641.8	15,794.0
2002.....	846.6	761.5	35.2	20.0	117.3	142.2	257.5	547.5	1,184.0	2,855.3	6,760.5	16,254.5
2001.....	846.4	749.8	37.0	19.8	117.0	143.7	259.6	545.1	1,192.7	2,911.5	6,833.0	16,744.8
2000.....	853.0	806.5	35.9	20.9	114.9	138.6	255.2	542.8	1,230.7	2,979.6	6,972.6	17,501.4
1999.....	859.2	805.0	37.9	21.5	113.1	139.7	254.9	533.1	1,252.0	3,073.7	7,083.3	17,597.2
All origins 3/, female												
2006.....	806.1	622.0	26.3	12.8	42.8	64.3	141.6	317.7	687.0	1,677.9	4,388.3	12,759.0
2005.....	824.6	619.4	25.1	13.9	42.7	64.1	143.6	319.9	698.5	1,736.3	4,520.0	13,297.7
2004.....	815.4	613.4	27.3	14.3	43.6	63.5	143.5	314.3	707.4	1,761.4	4,521.8	13,280.3
2003.....	843.4	619.1	27.8	14.0	44.4	64.6	148.5	318.4	732.7	1,823.0	4,675.5	14,062.5
2002.....	848.0	625.3	27.0	14.7	43.7	64.0	148.8	316.9	738.0	1,864.7	4,757.9	14,209.6
2001.....	850.4	613.9	29.5	14.6	42.6	66.0	148.2	316.8	754.0	1,890.8	4,760.5	14,429.9
2000.....	855.0	663.4	28.7	15.0	43.1	63.5	143.2	312.5	772.2	1,921.2	4,814.7	14,719.2
1999.....	854.9	663.6	30.3	15.6	43.7	64.1	141.8	307.6	777.6	1,952.3	4,825.4	14,731.3
Hispanic, both sexes												
2006.....	300.1	590.6	26.4	14.2	80.4	81.5	134.4	310.7	657.6	1,531.0	3,745.7	9,022.8
2005.....	307.3	614.1	28.9	13.7	81.2	81.9	138.9	317.8	676.4	1,621.4	3,977.8	9,436.7
2004.....	296.2	586.9	27.3	14.4	76.5	78.2	136.7	313.5	684.0	1,607.5	3,926.7	9,483.8
2003.....	305.8	610.1	30.2	15.7	77.1	83.9	144.9	327.8	714.3	1,685.6	4,093.5	10,431.5
2002.....	302.2	592.7	29.8	15.5	77.2	79.3	145.8	321.3	719.8	1,734.1	4,143.1	10,679.0
2001.....	306.8	572.7	30.6	14.7	75.6	84.5	154.8	334.4	722.2	1,778.0	4,262.6	11,821.8
2000.....	303.8	596.3	29.6	15.7	72.8	84.6	157.6	330.2	744.4	1,803.8	4,335.9	11,822.9
1999.....	305.7	583.8	30.9	15.6	71.3	85.5	158.2	333.2	752.5	1,853.0	4,356.3	12,177.9
Hispanic, male												
2006.....	323.9	640.7	28.8	16.4	120.7	112.7	176.5	403.8	843.6	1,910.7	4,492.6	9,435.5
2005.....	334.4	670.2	33.2	15.3	120.4	115.5	182.0	417.4	875.8	2,029.4	4,856.8	10,140.5
2004.....	321.1	636.5	30.2	16.7	115.3	109.2	184.2	417.8	874.0	1,994.3	4,791.6	9,932.8
2003.....	330.7	665.5	33.8	18.4	112.9	118.1	189.8	436.4	920.8	2,115.7	4,948.5	11,029.2
2002.....	328.7	644.0	34.2	17.4	114.4	112.5	192.5	423.4	937.4	2,193.4	5,043.5	11,674.1
2001.....	332.9	624.4	33.8	16.6	111.5	118.0	206.5	443.9	923.9	2,242.6	5,258.0	12,888.3
2000.....	331.3	637.1	31.5	17.9	107.7	120.2	211.0	439.0	965.7	2,287.9	5,395.3	13,086.2
1999.....	332.6	623.4	32.9	17.8	104.1	120.6	215.1	444.4	974.8	2,368.9	5,379.2	13,485.9
Hispanic, female												
2006.....	274.6	538.3	24.0	11.8	35.2	43.1	87.1	215.3	486.5	1,222.7	3,222.9	8,803.5
2005.....	278.2	555.4	24.5	12.0	36.6	41.1	90.6	216.4	493.9	1,291.6	3,365.8	9,068.4
2004.....	269.7	535.1	24.3	12.0	31.8	40.9	88.2	208.3	511.3	1,297.2	3,329.6	9,253.0
2003.....	279.3	552.4	26.3	12.8	35.5	43.0	95.5	219.1	527.9	1,342.9	3,506.4	10,128.1
2002.....	274.0	539.1	25.3	13.5	34.1	40.0	94.9	219.8	524.3	1,368.7	3,526.4	10,186.0
2001.....	279.0	518.9	27.2	12.7	33.7	45.2	97.0	226.7	543.0	1,408.0	3,589.8	11,300.5
2000.....	274.6	553.6	27.5	13.4	31.7	43.4	100.5	223.8	548.4	1,423.2	3,624.5	11,202.8
1999.....	277.2	542.3	26.7	13.3	32.9	44.9	97.4	224.9	555.8	1,448.8	3,675.7	11,547.3

Worktable Orig12. Death rates for 358 selected causes, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2006

[Rates per 100,000 population in specified group. Rates are based on populations enumerated as of April 1 for 2000 and estimated as of July 1 for all other years. Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to 'Detailed technical notes to the United States 2006 data-mortality']

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, and sex	All ages 1/	Under 1 year 2/	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
All causes												
Non-Hispanic 4/, both sexes												
2006.....	897.1	714.6	28.9	15.5	82.3	112.1	199.5	439.7	908.7	2,099.0	5,192.4	13,450.1
2005.....	911.2	708.4	29.4	16.9	81.2	109.5	201.8	443.2	924.0	2,172.1	5,327.5	13,990.9
2004.....	899.4	705.6	30.5	17.2	80.6	107.3	201.7	437.4	926.1	2,200.1	5,340.3	13,997.7
2003.....	924.4	716.2	31.7	17.2	82.0	107.6	209.3	442.1	955.6	2,289.1	5,522.6	14,740.6
2002.....	928.8	713.0	31.4	17.8	81.9	108.4	210.3	438.8	967.2	2,347.0	5,610.8	14,958.7
2001.....	926.2	703.5	33.8	17.7	81.4	108.9	209.2	435.6	979.5	2,383.9	5,628.5	15,199.0
2000.....	929.6	760.4	32.9	18.4	80.9	104.1	202.9	431.8	1,006.5	2,427.9	5,707.6	15,619.8
1999.....	929.9	760.7	34.8	19.1	80.5	104.7	201.6	423.3	1,019.2	2,485.0	5,753.4	15,631.0
Non-Hispanic 4/, male												
2006.....	902.8	784.5	30.8	17.8	118.6	155.7	249.7	555.3	1,129.5	2,555.7	6,274.0	14,558.8
2005.....	912.6	781.7	33.3	19.4	116.9	150.2	252.9	560.5	1,148.7	2,649.4	6,428.1	15,121.2
2004.....	900.9	778.7	32.9	19.6	114.2	146.6	252.8	554.7	1,145.4	2,683.5	6,472.4	15,280.4
2003.....	922.9	798.1	35.2	20.0	116.7	146.5	264.2	561.6	1,179.8	2,808.1	6,715.9	15,984.2
2002.....	928.0	782.6	35.4	20.4	117.3	148.6	266.0	557.0	1,198.1	2,889.1	6,825.9	16,418.0
2001.....	923.6	773.2	37.6	20.4	117.5	148.5	265.2	551.6	1,207.0	2,944.1	6,888.0	16,866.3
2000.....	928.1	836.8	36.8	21.5	115.9	141.6	259.2	548.7	1,244.2	3,009.8	7,020.7	17,639.8
1999.....	932.2	834.9	38.8	22.1	114.6	142.7	258.1	537.3	1,265.6	3,102.8	7,133.0	17,710.4
Non-Hispanic 4/, female												
2006.....	891.7	641.4	26.9	13.0	44.3	68.8	150.3	328.5	703.2	1,711.4	4,453.8	12,934.8
2005.....	910.0	631.6	25.3	14.4	43.8	65.9	151.6	330.3	714.6	1,768.0	4,581.2	13,475.2
2004.....	898.0	628.9	28.1	14.7	45.7	68.1	151.5	324.5	722.2	1,792.8	4,579.4	13,433.1
2003.....	925.9	630.7	28.0	14.3	46.0	68.9	155.6	327.3	747.2	1,853.7	4,726.4	14,194.2
2002.....	929.5	640.1	27.2	15.0	45.3	68.5	155.7	325.2	753.0	1,894.4	4,805.4	14,329.1
2001.....	928.6	630.4	29.9	14.9	44.1	69.6	154.3	324.0	768.7	1,918.4	4,801.8	14,505.6
2000.....	931.0	680.1	28.8	15.2	45.0	66.8	147.7	319.2	786.8	1,947.5	4,852.4	14,802.9
1999.....	927.8	682.9	30.6	16.0	45.4	67.1	146.3	313.7	791.7	1,977.5	4,858.2	14,798.4
Non-Hispanic white, both sexes												
2006 5/.....	968.5	564.2	25.0	14.0	76.1	102.1	184.8	406.6	861.2	2,055.0	5,205.2	13,688.2
2005 5/.....	981.8	562.6	26.2	15.2	74.8	98.4	186.7	407.1	873.5	2,126.0	5,330.0	14,222.4
2004 5/.....	967.8	564.4	26.8	15.5	75.2	95.9	185.9	400.8	875.1	2,152.5	5,337.1	14,191.1
2003 5/.....	993.6	576.5	27.6	15.6	75.8	95.8	190.9	402.3	902.4	2,237.2	5,515.4	14,944.8
2002.....	997.5	575.9	27.1	16.0	75.8	95.9	191.6	400.1	912.8	2,296.1	5,596.0	15,149.1
2001.....	991.1	555.4	30.1	16.3	74.1	96.4	188.3	396.0	924.0	2,325.5	5,604.4	15,371.2
2000.....	993.2	596.5	28.5	17.1	73.6	90.1	181.0	390.5	950.2	2,366.2	5,675.4	15,799.7
1999.....	990.7	593.1	30.1	17.3	72.4	91.3	177.8	381.5	957.8	2,420.0	5,716.0	15,795.3
Non-Hispanic white, male												
2006 5/.....	962.0	621.9	26.7	16.2	107.6	141.1	233.1	515.1	1,064.0	2,490.3	6,278.3	14,841.1
2005 5/.....	970.6	625.7	29.9	17.4	105.8	134.1	236.1	517.2	1,079.6	2,584.5	6,420.4	15,401.3
2004 5/.....	957.4	625.2	29.0	17.9	104.8	130.9	235.7	510.5	1,076.4	2,617.9	6,461.5	15,489.2
2003 5/.....	979.1	647.2	30.2	18.1	105.9	129.9	243.8	513.2	1,110.5	2,738.5	6,692.2	16,234.4
2002.....	985.9	643.5	30.3	18.3	106.7	130.9	244.9	509.9	1,126.5	2,824.1	6,801.7	16,641.9
2001.....	975.6	611.6	33.7	18.6	105.1	131.5	241.6	502.6	1,138.3	2,869.4	6,851.5	17,055.3
2000.....	978.5	658.7	32.4	20.0	103.5	123.0	233.9	497.7	1,170.9	2,930.5	6,977.8	17,853.2
1999.....	979.6	658.1	33.4	19.9	100.8	124.5	230.0	483.7	1,187.4	3,023.2	7,088.0	17,871.2
Non-Hispanic white, female												
2006 5/.....	974.7	503.7	23.2	11.8	42.9	62.5	136.3	299.8	668.0	1,677.4	4,460.7	13,150.7
2005 5/.....	992.6	496.5	22.2	12.9	42.2	62.1	137.0	298.7	677.2	1,729.6	4,579.7	13,683.1
2004 5/.....	977.7	500.7	24.4	13.0	44.3	60.3	136.0	292.9	683.8	1,752.0	4,571.1	13,609.6
2003 5/.....	1,007.6	502.5	24.9	12.9	44.3	61.2	138.0	293.1	705.0	1,807.9	4,720.5	14,377.2
2002.....	1,010.6	504.8	23.8	13.6	43.8	60.3	138.3	292.1	710.5	1,846.0	4,787.9	14,504.3
2001.....	1,006.1	496.4	26.3	13.9	41.9	60.9	134.9	291.0	723.5	1,864.1	4,777.3	14,670.6
2000.....	1,007.3	530.9	24.4	13.9	42.6	56.8	129.1	285.0	742.1	1,891.0	4,819.3	14,971.7
1999.....	1,001.3	524.6	26.7	14.7	42.9	57.8	125.6	281.0	741.6	1,915.1	4,817.7	14,967.5

Worktable Orig12. Death rates for 358 selected causes, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2006

[Rates per 100,000 population in specified group. Rates are based on populations enumerated as of April 1 for 2000 and estimated as of July 1 for all other years. Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.odc.gov/nchs> and refer to 'Detailed technical notes to the United States 2006 data-mortality']

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, and sex	All ages 1/	Under 1 year 2/	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
All causes												
Non-Hispanic black, both sexes												
2006 5/.....	759.1	1,339.2	44.3	21.9	115.6	185.7	325.2	738.5	1,472.4	2,887.7	5,980.8	12,655.4
2005 5/.....	774.4	1,323.9	42.5	24.0	115.8	186.0	328.5	761.4	1,513.6	2,979.6	6,218.3	13,239.1
2004 5/.....	768.8	1,297.2	45.5	24.4	112.8	186.5	332.3	760.8	1,527.9	3,032.3	6,251.7	13,492.2
2003 5/.....	788.8	1,290.0	48.0	23.8	116.6	188.9	354.2	788.3	1,578.4	3,158.7	6,433.0	14,107.7
2002.....	792.8	1,280.3	48.4	25.3	116.9	193.9	357.8	782.0	1,592.9	3,204.8	6,584.8	14,386.7
2001.....	798.1	1,354.4	49.5	24.0	121.4	191.5	365.8	786.9	1,602.5	3,300.7	6,645.3	14,660.8
2000.....	805.5	1,477.8	51.7	25.0	123.2	194.6	365.1	802.2	1,633.9	3,378.8	6,764.3	14,837.5
1999.....	812.1	1,510.2	54.6	27.5	125.5	191.1	376.9	796.7	1,681.7	3,454.5	6,805.4	14,839.2
Non-Hispanic black, male												
2006 5/.....	815.3	1,453.3	48.2	25.8	176.9	266.0	405.6	944.2	1,935.2	3,736.8	7,520.4	13,403.1
2005 5/.....	825.7	1,451.5	47.6	27.8	177.7	264.0	407.5	969.9	1,993.8	3,814.1	7,771.1	13,978.1
2004 5/.....	818.7	1,427.6	49.5	26.9	169.4	262.1	409.3	974.9	1,998.6	3,880.2	7,813.2	14,647.3
2003 5/.....	840.6	1,427.7	55.1	27.9	176.5	266.6	440.0	1012.8	2,047.7	4,041.1	8,165.7	15,082.2
2002.....	842.3	1,369.3	55.8	29.8	177.4	274.3	445.7	1002.9	2,074.5	4,078.9	8,246.2	15,776.9
2001.....	849.7	1,484.2	55.1	28.6	186.2	267.9	456.3	1014.6	2,055.4	4,218.9	8,426.8	16,576.2
2000.....	859.5	1,623.2	56.1	29.1	187.2	270.2	462.7	1036.2	2,111.4	4,303.9	8,551.0	16,944.8
1999.....	872.8	1,650.8	61.5	33.1	191.4	267.9	479.5	1048.1	2,176.7	4,397.8	8,615.3	17,385.3
Non-Hispanic black, female												
2006 5/.....	708.0	1,220.1	40.3	17.9	52.8	111.4	254.1	562.2	1,100.2	2,281.4	5,107.2	12,350.5
2005 5/.....	727.6	1,190.8	37.2	20.0	52.6	114.1	258.5	582.4	1,127.1	2,383.1	5,338.1	12,941.6
2004 5/.....	723.4	1,161.6	41.3	21.8	55.3	117.2	264.1	577.0	1,149.9	2,427.9	5,370.3	13,035.6
2003 5/.....	741.6	1,148.9	40.7	19.6	56.0	118.0	278.4	595.7	1,201.6	2,531.2	5,454.6	13,730.3
2002.....	748.0	1,187.5	40.8	20.7	56.1	121.3	280.1	592.7	1,206.3	2,584.8	5,644.9	13,855.4
2001.....	751.2	1,217.8	43.6	19.3	56.8	122.4	285.7	591.5	1,238.2	2,653.0	5,645.1	13,951.4
2000.....	756.7	1,327.7	47.1	20.7	60.1	126.5	278.8	601.2	1,249.4	2,728.0	5,758.6	14,054.9
1999.....	757.3	1,365.4	47.4	21.8	60.5	122.1	286.4	581.7	1,285.1	2,789.2	5,792.0	13,887.7

Worktable Orig12. Death rates for 358 selected causes, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2006

[Rates per 100,000 population in specified group. Rates are based on populations enumerated as of April 1 for 2000 and estimated as of July 1 for all other years. Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to 'Detailed technical notes to the United States 2006 data-mortality']

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, and sex	All ages 1/	Under 1 year 2/	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
I. Certain infectious and parasitic diseases (A00-B99)												
All origins 3/, both sexes												
2006.....	22.4	11.6	1.1	0.4	1.1	4.2	13.2	23.9	29.2	50.4	119.8	253.9
2005.....	22.4	12.9	1.1	0.5	1.1	4.7	14.1	25.0	28.2	50.6	116.9	259.6
2004.....	22.0	11.8	1.2	0.4	1.1	5.1	15.5	24.8	28.0	49.5	113.5	249.5
2003.....	22.2	12.3	1.2	0.5	1.2	5.4	16.7	25.1	27.6	49.3	114.4	255.2
2002.....	22.2	14.4	1.1	0.6	1.2	6.2	17.5	24.9	26.1	50.7	113.4	252.8
2001.....	21.2	14.0	1.5	0.5	1.3	6.7	17.6	22.9	25.4	48.0	104.9	246.3
2000.....	21.0	13.4	1.4	0.5	1.2	7.5	17.7	22.9	24.4	45.8	103.7	256.0
1999.....	21.5	14.8	1.5	0.6	1.2	8.4	18.7	22.1	24.1	48.0	105.1	267.9
All origins 3/, male												
2006.....	23.8	12.3	1.2	0.5	1.2	4.9	17.7	33.4	37.9	56.5	133.5	276.6
2005.....	24.0	14.7	1.2	0.5	1.2	5.4	19.3	35.2	36.4	57.8	131.0	278.2
2004.....	23.7	13.8	1.1	0.4	1.3	6.0	21.0	34.9	35.8	56.6	128.1	273.1
2003.....	24.0	12.6	1.4	0.4	1.2	6.7	23.2	35.8	34.9	56.2	128.8	269.1
2002.....	24.2	14.8	1.2	0.6	1.2	7.6	24.6	36.1	33.0	58.0	130.8	270.9
2001.....	23.3	14.7	1.6	0.5	1.4	8.5	25.2	33.1	31.9	54.5	122.3	269.7
2000.....	23.0	14.1	1.5	0.5	1.3	9.5	25.4	33.7	30.8	52.7	120.5	273.0
1999.....	23.7	17.0	1.8	0.7	1.3	11.2	27.1	32.2	30.4	55.8	123.3	290.1
All origins 3/, female												
2006.....	21.0	10.9	1.0	0.4	1.1	3.5	8.6	14.7	21.1	45.2	110.4	243.3
2005.....	20.9	11.1	1.0	0.4	1.0	3.9	9.0	15.1	20.5	44.5	107.3	251.0
2004.....	20.3	8.6	1.2	0.4	1.0	4.2	9.9	15.1	20.7	43.5	105.7	238.8
2003.....	20.6	12.1	1.1	0.5	1.1	4.0	10.3	14.7	20.8	43.5	104.8	249.1
2002.....	20.2	14.0	0.9	0.5	1.1	4.7	10.4	14.1	19.7	44.6	101.9	245.0
2001.....	19.2	13.2	1.3	0.5	1.3	4.8	10.2	13.0	19.4	42.5	93.5	236.5
2000.....	19.0	12.7	1.4	0.5	1.0	5.4	10.1	12.5	18.4	40.1	92.7	249.1
1999.....	19.3	12.5	1.2	0.6	1.2	5.6	10.3	12.4	18.4	41.7	93.3	258.9
Hispanic, both sexes												
2006.....	12.2	10.6	1.0	0.4	1.2	3.5	12.4	26.6	34.8	50.5	104.7	171.0
2005.....	12.3	12.7	1.0	0.4	1.0	3.6	14.2	29.1	32.0	50.4	94.5	186.1
2004.....	12.4	10.8	1.5	0.4	0.9	3.8	15.7	29.9	33.2	48.8	99.9	185.5
2003.....	12.5	9.8	1.0	0.4	1.0	4.4	17.1	31.7	32.8	47.6	96.2	189.2
2002.....	12.7	15.0	1.0	0.5	1.1	5.1	17.7	30.3	31.7	50.1	95.6	197.9
2001.....	12.6	13.2	1.1	0.5	1.1	5.5	18.7	29.7	32.2	48.1	93.1	213.2
2000.....	12.5	14.3	1.4	0.5	1.0	6.9	19.9	30.1	31.0	44.6	93.6	185.1
1999.....	13.3	13.0	1.3	0.6	1.0	7.9	22.7	28.5	29.5	53.6	97.7	226.6
Hispanic, male												
2006.....	14.8	12.3	*	*	1.3	4.6	17.8	39.9	47.1	62.0	117.9	189.5
2005.....	14.9	13.6	1.1	*	1.2	4.7	20.4	43.3	43.0	58.6	108.6	181.8
2004.....	15.1	12.5	1.6	*	1.2	5.1	22.3	44.3	44.9	57.3	109.4	197.5
2003.....	15.5	9.5	*	*	1.1	5.8	24.0	49.6	44.7	55.9	103.2	209.3
2002.....	15.7	16.4	*	0.6	1.1	6.9	26.0	45.9	42.3	56.2	107.5	214.2
2001.....	15.6	13.4	*	0.7	1.4	7.3	26.9	45.4	45.4	56.1	110.9	205.7
2000.....	16.0	14.4	1.6	*	1.3	9.5	29.7	45.6	42.8	53.6	110.1	209.6
1999.....	16.7	14.7	1.7	*	1.1	10.8	33.8	42.5	40.9	63.7	110.0	230.8
Hispanic, female												
2006.....	9.4	8.8	1.1	*	1.0	2.3	6.5	12.9	23.6	41.1	95.4	161.2
2005.....	9.5	11.6	*	*	0.8	2.2	7.2	14.6	22.0	43.8	84.7	188.3
2004.....	9.5	9.0	1.4	*	0.6	2.1	8.4	15.4	22.6	42.0	93.4	179.3
2003.....	9.4	10.1	*	*	0.8	2.6	9.4	13.8	22.1	40.9	91.4	178.9
2002.....	9.5	13.5	*	*	1.1	3.0	8.7	14.7	22.2	45.2	87.4	189.8
2001.....	9.3	13.0	*	*	0.7	3.4	9.8	14.2	20.6	41.7	81.0	216.9
2000.....	8.9	14.1	*	*	0.8	3.8	9.4	14.9	20.5	37.5	82.5	173.1
1999.....	9.8	11.1	*	*	1.0	4.5	10.9	14.8	19.5	45.6	89.5	224.6

Worktable Orig12. Death rates for 358 selected causes, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2006

[Rates per 100,000 population in specified group. Rates are based on populations enumerated as of April 1 for 2000 and estimated as of July 1 for all other years. Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to 'Detailed technical notes to the United States 2006 data-mortality']

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, and sex	All ages 1/	Under 1 year 2/	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
I. Certain infectious and parasitic diseases (A00-B99)												
Non-Hispanic 4/, both sexes												
2006.....	24.1	11.8	1.2	0.4	1.1	4.4	13.3	23.5	28.6	50.3	120.5	257.7
2005.....	24.1	13.0	1.1	0.5	1.1	4.9	14.0	24.4	27.7	50.4	118.1	262.8
2004.....	23.5	11.8	1.1	0.4	1.2	5.4	15.3	24.1	27.4	49.4	114.0	251.9
2003.....	23.7	13.0	1.3	0.5	1.2	5.6	16.5	24.2	27.0	49.2	115.2	257.5
2002.....	23.5	14.1	1.1	0.6	1.1	6.3	17.2	24.1	25.5	50.5	114.0	254.3
2001.....	22.3	14.1	1.6	0.5	1.4	6.9	17.3	22.0	24.6	47.7	105.2	246.9
2000.....	22.0	13.0	1.5	0.5	1.2	7.5	17.2	22.0	23.7	45.6	103.7	257.7
1999.....	22.5	15.2	1.6	0.6	1.3	8.5	17.9	21.2	23.5	47.5	105.0	268.3
Non-Hispanic 4/, male												
2006.....	25.4	12.1	1.3	0.5	1.2	5.0	17.6	32.4	37.0	56.0	134.3	280.9
2005.....	25.5	15.0	1.2	0.5	1.1	5.6	18.9	34.0	35.6	57.5	132.1	283.0
2004.....	25.1	13.8	1.0	0.4	1.3	6.2	20.6	33.6	34.9	56.3	128.9	276.4
2003.....	25.3	13.4	1.5	0.4	1.2	6.8	22.9	34.1	34.0	55.9	129.9	271.4
2002.....	25.5	14.1	1.2	0.6	1.2	7.7	24.1	34.7	32.0	57.8	131.5	272.8
2001.....	24.3	15.0	1.8	0.5	1.4	8.7	24.6	31.5	30.6	54.1	122.4	272.0
2000.....	23.9	13.9	1.5	0.5	1.3	9.4	24.5	32.2	29.7	52.2	120.2	274.5
1999.....	24.5	17.5	1.8	0.7	1.3	11.2	25.9	30.7	29.3	55.1	123.3	291.3
Non-Hispanic 4/, female												
2006.....	22.8	11.5	1.0	0.4	1.1	3.7	9.0	14.9	20.8	45.4	111.1	246.9
2005.....	22.6	10.9	1.0	0.4	1.1	4.2	9.2	15.1	20.3	44.4	106.5	253.6
2004.....	21.9	9.8	1.1	0.4	1.1	4.6	10.1	15.0	20.5	43.5	104.0	240.9
2003.....	22.1	12.6	1.1	0.5	1.2	4.3	10.4	14.7	20.5	43.5	105.3	251.4
2002.....	21.7	14.1	1.0	0.6	1.1	5.0	10.5	13.9	19.4	44.5	102.4	246.3
2001.....	20.5	13.1	1.3	0.5	1.4	5.0	10.1	12.8	19.2	42.5	93.9	236.5
2000.....	20.3	12.2	1.4	0.5	1.1	5.7	10.1	12.2	18.1	40.1	92.9	250.9
1999.....	20.5	12.8	1.3	0.6	1.3	5.7	10.1	12.1	18.2	41.3	93.2	259.1
Non-Hispanic white, both sexes												
2006 5/.....	22.1	7.7	1.0	0.4	0.6	1.9	7.5	16.4	22.4	44.5	115.6	253.7
2005 5/.....	22.0	9.1	1.1	0.4	0.7	2.2	8.1	17.3	21.9	45.1	111.9	254.5
2004 5/.....	21.2	9.5	0.9	0.3	0.7	2.4	9.0	16.8	21.5	43.6	108.1	244.1
2003 5/.....	21.2	8.7	1.0	0.3	0.8	2.7	9.6	16.8	21.0	43.4	109.0	246.9
2002.....	20.8	11.4	0.9	0.5	0.7	2.9	9.9	16.4	19.6	44.4	107.1	243.2
2001.....	19.5	9.5	1.4	0.4	0.8	3.1	9.9	14.6	18.9	41.9	98.7	235.4
2000.....	19.0	9.2	1.1	0.4	0.7	3.3	10.0	14.4	18.0	39.7	95.7	244.1
1999.....	19.2	11.3	1.3	0.5	0.8	4.3	10.2	13.7	17.8	40.9	96.6	251.8
Non-Hispanic white, male												
2006 5/.....	22.6	8.1	1.2	0.4	0.7	2.4	10.8	23.3	28.3	49.3	128.4	279.3
2005 5/.....	22.5	11.0	1.1	0.4	0.7	2.7	11.8	24.4	27.6	50.7	125.1	273.8
2004 5/.....	21.8	11.2	0.9	0.3	0.7	3.0	12.9	23.8	26.6	49.2	121.9	269.4
2003 5/.....	21.7	9.2	1.1	0.3	0.8	3.5	14.2	24.0	25.7	48.6	122.7	261.2
2002.....	21.6	11.2	1.1	0.5	0.8	4.0	14.8	23.8	24.3	50.4	122.3	261.4
2001.....	20.3	10.2	1.6	0.4	0.8	4.4	15.3	21.2	22.9	46.9	114.8	258.2
2000.....	19.6	9.8	1.1	0.4	0.9	4.7	15.0	21.2	22.0	45.3	110.4	259.6
1999.....	20.0	13.8	1.5	0.5	0.9	6.2	15.7	19.8	21.3	47.1	113.6	271.2
Non-Hispanic white, female												
2006 5/.....	21.7	7.2	0.9	0.4	0.6	1.4	4.3	9.7	16.9	40.3	106.8	241.8
2005 5/.....	21.5	7.2	1.0	0.4	0.6	1.7	4.5	10.2	16.5	40.2	102.8	245.6
2004 5/.....	20.5	7.7	1.0	0.3	0.6	1.7	5.1	10.0	16.7	38.8	98.7	232.7
2003 5/.....	20.7	9.2	0.8	0.4	0.7	1.8	5.0	9.7	16.6	38.9	99.8	240.6
2002.....	20.0	11.6	0.7	0.4	0.7	1.9	5.0	9.1	15.1	39.2	97.0	235.3
2001.....	18.6	8.8	1.2	0.4	0.8	1.8	4.5	8.1	15.1	37.6	88.0	225.9
2000.....	18.3	8.5	1.2	0.4	0.5	2.0	5.0	7.6	14.2	35.0	86.0	237.8
1999.....	18.4	8.7	1.1	0.4	0.6	2.3	4.6	7.7	14.4	35.8	85.4	244.1

Worktable Orig12. Death rates for 358 selected causes, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2006

[Rates per 100,000 population in specified group. Rates are based on populations enumerated as of April 1 for 2000 and estimated as of July 1 for all other years. Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.odc.gov/nchs> and refer to 'Detailed technical notes to the United States 2006 data-mortality']

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, and sex	All ages 1/	Under 1 year 2/	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
I. Certain infectious and parasitic diseases (A00-B99)												
Non-Hispanic black, both sexes												
2006 5/.....	40.6	27.7	1.6	0.7	3.3	17.1	47.7	73.7	82.4	106.0	190.9	348.3
2005 5/.....	41.3	28.3	1.4	0.7	3.1	18.9	49.9	76.2	78.8	101.9	198.8	396.8
2004 5/.....	41.7	21.5	1.5	0.7	3.5	21.2	54.4	76.6	79.2	103.8	196.3	379.9
2003 5/.....	43.0	28.8	2.3	0.9	3.2	21.1	59.6	78.7	79.2	103.6	197.7	419.1
2002.....	44.2	24.6	1.7	0.9	3.1	25.1	63.3	81.2	75.8	108.8	206.1	417.4
2001.....	43.6	32.7	2.3	0.9	4.2	27.3	64.0	77.7	74.8	103.8	191.7	409.2
2000.....	44.3	30.7	2.5	0.8	3.5	30.9	63.9	80.4	70.5	103.9	208.1	439.8
1999.....	45.7	32.2	2.6	1.3	3.6	32.3	68.2	79.1	71.6	111.2	209.5	470.8
Non-Hispanic black, male												
2006 5/.....	47.1	27.7	1.9	0.9	3.5	19.2	61.5	102.2	118.6	126.6	229.1	355.5
2005 5/.....	48.6	30.8	1.7	0.8	3.2	21.3	65.7	109.4	112.7	131.2	233.2	431.0
2004 5/.....	49.3	23.5	*	*	3.7	23.6	71.4	109.9	114.2	131.1	237.6	413.6
2003 5/.....	51.5	32.9	2.5	0.9	3.0	25.4	80.4	114.4	113.2	132.6	238.6	461.3
2002.....	53.1	24.8	1.6	0.7	3.0	29.2	86.5	120.9	104.3	137.5	259.1	454.0
2001.....	52.7	35.4	2.8	0.9	4.1	33.9	88.4	114.4	103.3	129.5	233.5	478.2
2000.....	54.0	32.8	2.9	0.8	3.6	37.5	89.8	122.4	99.3	128.5	259.2	488.5
1999.....	56.0	34.3	3.3	1.4	3.2	41.4	96.5	121.0	101.0	140.5	254.2	536.0
Non-Hispanic black, female												
2006 5/.....	34.6	27.7	*	*	3.1	15.2	35.5	49.4	53.2	91.2	169.1	345.3
2005 5/.....	34.6	25.6	*	*	2.9	16.7	36.0	48.5	51.4	81.0	179.2	383.0
2004 5/.....	34.7	19.3	*	0.8	3.3	18.9	39.3	48.1	51.1	84.3	172.9	366.6
2003 5/.....	35.2	24.5	2.0	1.0	3.4	17.2	41.2	48.1	51.8	83.1	174.5	402.8
2002.....	36.1	24.3	1.8	1.0	3.3	21.3	42.7	47.2	52.8	88.4	176.1	403.4
2001.....	35.3	29.9	1.8	0.9	4.4	21.3	42.4	46.3	51.9	85.7	168.3	383.7
2000.....	35.5	28.5	2.2	0.8	3.5	24.9	40.9	44.3	47.3	86.7	179.4	421.7
1999.....	36.4	30.0	2.0	1.1	4.1	24.1	43.1	43.4	47.9	90.4	184.5	446.4

Worktable Orig12. Death rates for 358 selected causes, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2006

[Rates per 100,000 population in specified group. Rates are based on populations enumerated as of April 1 for 2000 and estimated as of July 1 for all other years. Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to 'Detailed technical notes to the United States 2006 data-mortality']

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, and sex	All ages 1/	Under 1 year 2/	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
Intestinal infectious diseases (A00-A09)												
Non-Hispanic 4/, both sexes												
2006.....	2.5	*	*	*	*	*	0.1	0.3	1.2	5.0	19.3	52.0
2005.....	2.2	*	*	*	*	*	0.1	0.3	0.9	4.6	16.3	46.8
2004.....	1.7	*	*	*	*	*	0.1	0.2	0.9	3.4	13.2	35.1
2003.....	1.2	*	*	*	*	*	*	0.2	0.7	2.5	9.6	25.4
2002.....	1.0	*	*	*	*	*	0.1	0.2	0.6	2.1	7.1	21.5
2001.....	0.6	*	*	*	*	*	*	0.1	0.3	1.3	4.7	13.1
2000.....	0.5	*	*	*	*	*	*	0.1	0.3	1.3	3.9	12.0
1999.....	0.5	*	*	*	*	*	*	0.1	0.2	1.0	3.4	10.7
Non-Hispanic 4/, male												
2006.....	2.0	*	*	*	*	*	*	0.3	1.3	5.0	19.0	51.4
2005.....	1.7	*	*	*	*	*	*	0.3	1.0	4.6	16.9	47.5
2004.....	1.3	*	*	*	*	*	0.1	0.2	1.0	3.3	13.2	32.7
2003.....	0.9	*	*	*	*	*	*	0.2	0.6	2.3	9.6	21.9
2002.....	0.8	*	*	*	*	*	*	0.2	0.6	2.4	7.3	21.1
2001.....	0.5	*	*	*	*	*	*	0.1	0.3	1.4	4.8	12.1
2000.....	0.4	*	*	*	*	*	*	0.1	0.3	1.3	4.2	11.6
1999.....	0.4	*	*	*	*	*	*	*	0.2	1.0	3.7	9.9
Non-Hispanic 4/, female												
2006.....	3.0	*	*	*	*	*	*	0.3	1.0	4.9	19.5	52.2
2005.....	2.6	*	*	*	*	*	*	0.2	0.8	4.6	15.9	46.5
2004.....	2.1	*	*	*	*	*	*	0.2	0.8	3.6	13.1	36.1
2003.....	1.5	*	*	*	*	*	*	0.2	0.7	2.7	9.5	27.0
2002.....	1.2	*	*	*	*	*	*	0.2	0.5	1.8	7.1	21.7
2001.....	0.7	*	*	*	*	*	*	0.1	0.4	1.3	4.6	13.5
2000.....	0.6	*	*	*	*	*	*	*	0.2	1.2	3.7	12.2
1999.....	0.5	*	*	*	*	*	*	*	0.2	1.0	3.2	11.1
Non-Hispanic white, both sexes												
2006 5/.....	2.9	*	*	*	*	*	*	0.3	1.1	5.2	20.6	55.2
2005 5/.....	2.6	*	*	*	*	*	0.1	0.3	0.9	4.9	17.3	49.8
2004 5/.....	2.0	*	*	*	*	*	0.1	0.2	0.9	3.6	13.9	37.5
2003 5/.....	1.4	*	*	*	*	*	*	0.2	0.7	2.7	10.1	26.8
2002.....	1.1	*	*	*	*	*	*	0.2	0.5	2.2	7.6	22.6
2001.....	0.7	*	*	*	*	*	*	0.1	0.3	1.4	4.9	13.8
2000.....	0.6	*	*	*	*	*	*	0.1	0.3	1.3	4.2	12.5
1999.....	0.5	*	*	*	*	*	*	*	0.2	1.1	3.5	11.4
Non-Hispanic white, male												
2006 5/.....	2.3	*	*	*	*	*	*	0.3	1.2	5.2	20.0	54.6
2005 5/.....	2.0	*	*	*	*	*	*	0.3	1.0	4.8	17.6	50.9
2004 5/.....	1.5	*	*	*	*	*	*	0.2	0.9	3.4	13.9	34.7
2003 5/.....	1.0	*	*	*	*	*	*	0.2	0.6	2.5	10.2	23.2
2002.....	0.9	*	*	*	*	*	*	0.2	0.5	2.4	7.7	22.2
2001.....	0.5	*	*	*	*	*	*	*	0.3	1.4	4.9	12.7
2000.....	0.5	*	*	*	*	*	*	*	0.3	1.4	4.4	12.1
1999.....	0.4	*	*	*	*	*	*	*	0.2	1.1	3.8	10.3
Non-Hispanic white, female												
2006 5/.....	3.6	*	*	*	*	*	*	0.3	1.0	5.2	21.0	55.5
2005 5/.....	3.1	*	*	*	*	*	*	0.2	0.7	4.9	17.0	49.3
2004 5/.....	2.4	*	*	*	*	*	*	0.2	0.9	3.8	13.9	38.7
2003 5/.....	1.8	*	*	*	*	*	*	0.1	0.7	2.9	10.0	28.4
2002.....	1.4	*	*	*	*	*	*	0.2	0.5	2.0	7.5	22.7
2001.....	0.9	*	*	*	*	*	*	0.2	0.3	1.3	4.8	14.2
2000.....	0.7	*	*	*	*	*	*	*	0.3	1.3	4.0	12.6
1999.....	0.6	*	*	*	*	*	*	*	*	1.1	3.3	11.8

Worktable Orig12. Death rates for 358 selected causes, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2006

[Rates per 100,000 population in specified group. Rates are based on populations enumerated as of April 1 for 2000 and estimated as of July 1 for all other years. Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to 'Detailed technical notes to the United States 2006 data-mortality']

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, and sex	All ages 1/	Under 1 year 2/	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
Other intestinal infectious diseases (A01-A08)												
Non-Hispanic 4/, both sexes												
2006.....	2.5	*	*	*	*	*	0.1	0.3	1.1	4.9	18.8	50.9
2005.....	2.1	*	*	*	*	*	0.1	0.3	0.9	4.5	16.0	45.7
2004.....	1.6	*	*	*	*	*	0.1	0.2	0.9	3.3	12.8	34.3
2003.....	1.2	*	*	*	*	*	*	0.2	0.6	2.5	9.3	24.6
2002.....	0.9	*	*	*	*	*	0.1	0.1	0.5	2.0	6.9	20.6
2001.....	0.6	*	*	*	*	*	*	0.1	0.3	1.3	4.5	12.7
2000.....	0.5	*	*	*	*	*	*	0.1	0.3	1.2	3.8	11.4
1999.....	0.4	*	*	*	*	*	*	0.1	0.2	0.9	3.1	10.0
Non-Hispanic 4/, male												
2006.....	1.9	*	*	*	*	*	*	0.3	1.2	5.0	18.6	50.5
2005.....	1.7	*	*	*	*	*	*	0.3	1.0	4.4	16.5	46.7
2004.....	1.3	*	*	*	*	*	0.1	0.2	0.9	3.2	12.9	32.2
2003.....	0.9	*	*	*	*	*	*	0.2	0.6	2.3	9.3	21.1
2002.....	0.7	*	*	*	*	*	*	0.2	0.5	2.2	7.0	20.3
2001.....	0.5	*	*	*	*	*	*	0.1	0.3	1.4	4.6	11.8
2000.....	0.4	*	*	*	*	*	*	*	0.3	1.3	4.0	10.6
1999.....	0.3	*	*	*	*	*	*	*	0.2	0.9	3.5	9.4
Non-Hispanic 4/, female												
2006.....	2.9	*	*	*	*	*	*	0.3	1.0	4.8	19.0	51.1
2005.....	2.5	*	*	*	*	*	*	0.2	0.7	4.6	15.6	45.3
2004.....	2.0	*	*	*	*	*	*	0.2	0.8	3.5	12.7	35.2
2003.....	1.5	*	*	*	*	*	*	0.1	0.7	2.6	9.3	26.1
2002.....	1.1	*	*	*	*	*	*	0.1	0.5	1.8	6.8	20.8
2001.....	0.7	*	*	*	*	*	*	0.1	0.4	1.2	4.4	13.0
2000.....	0.6	*	*	*	*	*	*	*	0.2	1.1	3.6	11.7
1999.....	0.5	*	*	*	*	*	*	*	*	0.9	2.8	10.3
Non-Hispanic white, both sexes												
2006 5/.....	2.9	*	*	*	*	*	*	0.3	1.1	5.1	20.1	54.2
2005 5/.....	2.5	*	*	*	*	*	0.1	0.3	0.8	4.8	16.9	48.7
2004 5/.....	1.9	*	*	*	*	*	0.1	0.2	0.9	3.5	13.5	36.6
2003 5/.....	1.4	*	*	*	*	*	*	0.2	0.7	2.6	9.8	25.8
2002.....	1.1	*	*	*	*	*	*	0.2	0.5	2.1	7.4	21.6
2001.....	0.7	*	*	*	*	*	*	0.1	0.3	1.3	4.7	13.3
2000.....	0.6	*	*	*	*	*	*	0.1	0.3	1.2	4.0	11.8
1999.....	0.5	*	*	*	*	*	*	*	0.2	0.9	3.2	10.6
Non-Hispanic white, male												
2006 5/.....	2.2	*	*	*	*	*	*	0.3	1.2	5.2	19.6	53.5
2005 5/.....	2.0	*	*	*	*	*	*	0.3	1.0	4.7	17.1	50.1
2004 5/.....	1.5	*	*	*	*	*	*	0.2	0.9	3.3	13.6	34.2
2003 5/.....	1.0	*	*	*	*	*	*	0.2	0.6	2.5	9.8	22.4
2002.....	0.8	*	*	*	*	*	*	0.2	0.5	2.3	7.5	21.3
2001.....	0.5	*	*	*	*	*	*	*	0.3	1.4	4.7	12.3
2000.....	0.5	*	*	*	*	*	*	*	0.3	1.3	4.2	11.1
1999.....	0.4	*	*	*	*	*	*	*	0.2	0.9	3.7	9.9
Non-Hispanic white, female												
2006 5/.....	3.5	*	*	*	*	*	*	0.3	1.0	5.1	20.6	54.4
2005 5/.....	3.0	*	*	*	*	*	*	0.2	0.7	4.8	16.8	48.1
2004 5/.....	2.4	*	*	*	*	*	*	0.2	0.9	3.7	13.5	37.7
2003 5/.....	1.7	*	*	*	*	*	*	0.1	0.7	2.8	9.7	27.4
2002.....	1.3	*	*	*	*	*	*	0.1	0.5	1.9	7.3	21.7
2001.....	0.8	*	*	*	*	*	*	0.1	0.3	1.3	4.7	13.7
2000.....	0.7	*	*	*	*	*	*	*	0.2	1.2	3.9	12.1
1999.....	0.6	*	*	*	*	*	*	*	*	1.0	2.9	10.9

Worktable Orig12. Death rates for 358 selected causes, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2006

[Rates per 100,000 population in specified group. Rates are based on populations enumerated as of April 1 for 2000 and estimated as of July 1 for all other years. Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to 'Detailed technical notes to the United States 2006 data-mortality']

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, and sex	All ages 1/	Under 1 year 2/	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
Intestinal infections due to other specified organisms (A04,A07-A08)												
Non-Hispanic 4/, both sexes												
2006.....	2.4	*	*	*	*	*	0.1	0.3	1.1	4.8	18.8	50.8
2005.....	2.1	*	*	*	*	*	0.1	0.2	0.8	4.5	15.9	45.6
2004.....	1.6	*	*	*	*	*	0.1	0.2	0.8	3.3	12.8	34.2
2003.....	1.2	*	*	*	*	*	*	0.2	0.6	2.4	9.2	24.3
2002.....	0.9	*	*	*	*	*	*	0.1	0.5	2.0	6.8	20.6
2001.....	0.6	*	*	*	*	*	*	0.1	0.3	1.3	4.4	12.4
2000.....	0.5	*	*	*	*	*	*	0.1	0.3	1.1	3.7	11.3
1999.....	0.4	*	*	*	*	*	*	*	0.2	0.9	3.0	9.7
Non-Hispanic 4/, male												
2006.....	1.9	*	*	*	*	*	*	0.3	1.2	4.9	18.5	50.3
2005.....	1.7	*	*	*	*	*	*	0.3	0.9	4.4	16.4	46.6
2004.....	1.2	*	*	*	*	*	*	0.2	0.9	3.1	12.8	31.9
2003.....	0.8	*	*	*	*	*	*	0.2	0.6	2.3	9.2	20.6
2002.....	0.7	*	*	*	*	*	*	0.1	0.5	2.2	6.9	20.2
2001.....	0.4	*	*	*	*	*	*	*	0.3	1.3	4.5	11.7
2000.....	0.4	*	*	*	*	*	*	*	0.3	1.2	3.9	10.5
1999.....	0.3	*	*	*	*	*	*	*	0.2	0.8	3.4	9.2
Non-Hispanic 4/, female												
2006.....	2.9	*	*	*	*	*	*	0.3	1.0	4.8	19.0	51.0
2005.....	2.5	*	*	*	*	*	*	0.2	0.7	4.5	15.5	45.2
2004.....	2.0	*	*	*	*	*	*	0.2	0.8	3.4	12.7	35.2
2003.....	1.5	*	*	*	*	*	*	0.1	0.7	2.6	9.2	26.0
2002.....	1.1	*	*	*	*	*	*	0.1	0.5	1.8	6.8	20.7
2001.....	0.7	*	*	*	*	*	*	0.1	0.4	1.2	4.3	12.7
2000.....	0.6	*	*	*	*	*	*	*	0.2	1.1	3.5	11.5
1999.....	0.5	*	*	*	*	*	*	*	*	0.9	2.7	10.0
Non-Hispanic white, both sexes												
2006 5/.....	2.9	*	*	*	*	*	*	0.3	1.1	5.1	20.1	54.0
2005 5/.....	2.5	*	*	*	*	*	0.1	0.2	0.8	4.7	16.8	48.6
2004 5/.....	1.9	*	*	*	*	*	0.1	0.2	0.9	3.5	13.5	36.5
2003 5/.....	1.3	*	*	*	*	*	*	0.1	0.6	2.6	9.7	25.6
2002.....	1.1	*	*	*	*	*	*	0.1	0.5	2.1	7.3	21.6
2001.....	0.7	*	*	*	*	*	*	0.1	0.3	1.3	4.5	13.1
2000.....	0.6	*	*	*	*	*	*	0.1	0.3	1.2	3.9	11.7
1999.....	0.5	*	*	*	*	*	*	*	0.2	0.9	3.1	10.3
Non-Hispanic white, male												
2006 5/.....	2.2	*	*	*	*	*	*	0.3	1.2	5.1	19.4	53.4
2005 5/.....	2.0	*	*	*	*	*	*	0.2	0.9	4.7	17.1	50.0
2004 5/.....	1.4	*	*	*	*	*	*	0.2	0.9	3.3	13.5	34.0
2003 5/.....	1.0	*	*	*	*	*	*	0.2	0.5	2.4	9.7	21.9
2002.....	0.8	*	*	*	*	*	*	0.1	0.5	2.3	7.3	21.2
2001.....	0.5	*	*	*	*	*	*	*	0.3	1.3	4.5	12.3
2000.....	0.4	*	*	*	*	*	*	*	0.3	1.2	4.1	11.0
1999.....	0.4	*	*	*	*	*	*	*	*	0.9	3.6	9.6
Non-Hispanic white, female												
2006 5/.....	3.5	*	*	*	*	*	*	0.3	1.0	5.1	20.5	54.3
2005 5/.....	3.0	*	*	*	*	*	*	0.2	0.7	4.8	16.6	48.0
2004 5/.....	2.4	*	*	*	*	*	*	0.2	0.9	3.7	13.5	37.6
2003 5/.....	1.7	*	*	*	*	*	*	0.1	0.7	2.8	9.7	27.2
2002.....	1.3	*	*	*	*	*	*	*	0.5	1.9	7.3	21.7
2001.....	0.8	*	*	*	*	*	*	0.1	0.3	1.3	4.6	13.4
2000.....	0.7	*	*	*	*	*	*	*	0.2	1.1	3.8	11.9
1999.....	0.6	*	*	*	*	*	*	*	*	0.9	2.8	10.6

Worktable Orig12. Death rates for 358 selected causes, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2006

[Rates per 100,000 population in specified group. Rates are based on populations enumerated as of April 1 for 2000 and estimated as of July 1 for all other years. Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to 'Detailed technical notes to the United States 2006 data-mortality']

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, and sex	All ages 1/	Under 1 year 2/	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
Diarrhea and gastroenteritis of infectious origin (A09)												
Non-Hispanic 4/, both sexes												
2006.....	0.1	*	*	*	*	*	*	*	*	*	0.5	1.1
2005.....	0.0	*	*	*	*	*	*	*	*	*	0.3	1.1
2004.....	0.0	*	*	*	*	*	*	*	*	*	0.3	0.8
2003.....	0.0	*	*	*	*	*	*	*	*	*	0.3	0.9
2002.....	0.0	*	*	*	*	*	*	*	*	*	0.2	0.9
2001.....	0.0	*	*	*	*	*	*	*	*	*	0.2	*
2000.....	0.0	*	*	*	*	*	*	*	*	*	*	0.7
1999.....	0.0	*	*	*	*	*	*	*	*	0.1	0.3	0.7
Non-Hispanic 4/, male												
2006.....	0.0	*	*	*	*	*	*	*	*	*	0.4	*
2005.....	0.0	*	*	*	*	*	*	*	*	*	0.4	*
2004.....	0.0	*	*	*	*	*	*	*	*	*	*	*
2003.....	0.0	*	*	*	*	*	*	*	*	*	*	*
2002.....	0.0	*	*	*	*	*	*	*	*	*	*	*
2001.....	*	*	*	*	*	*	*	*	*	*	*	*
2000.....	0.0	*	*	*	*	*	*	*	*	*	*	*
1999.....	0.0	*	*	*	*	*	*	*	*	*	*	*
Non-Hispanic 4/, female												
2006.....	0.1	*	*	*	*	*	*	*	*	*	0.5	1.1
2005.....	0.1	*	*	*	*	*	*	*	*	*	0.3	1.2
2004.....	0.1	*	*	*	*	*	*	*	*	*	0.4	0.9
2003.....	0.0	*	*	*	*	*	*	*	*	*	*	0.9
2002.....	0.0	*	*	*	*	*	*	*	*	*	*	0.9
2001.....	0.0	*	*	*	*	*	*	*	*	*	*	*
2000.....	0.0	*	*	*	*	*	*	*	*	*	*	*
1999.....	0.1	*	*	*	*	*	*	*	*	*	0.3	0.8
Non-Hispanic white, both sexes												
2006 5/.....	0.1	*	*	*	*	*	*	*	*	*	0.5	1.1
2005 5/.....	0.1	*	*	*	*	*	*	*	*	*	0.4	1.1
2004 5/.....	0.0	*	*	*	*	*	*	*	*	*	0.3	0.8
2003 5/.....	0.0	*	*	*	*	*	*	*	*	*	0.3	0.9
2002.....	0.0	*	*	*	*	*	*	*	*	*	0.2	1.0
2001.....	0.0	*	*	*	*	*	*	*	*	*	0.2	*
2000.....	0.0	*	*	*	*	*	*	*	*	*	*	0.7
1999.....	0.0	*	*	*	*	*	*	*	*	*	0.3	0.7
Non-Hispanic white, male												
2006 5/.....	0.0	*	*	*	*	*	*	*	*	*	0.5	*
2005 5/.....	0.0	*	*	*	*	*	*	*	*	*	0.4	*
2004 5/.....	0.0	*	*	*	*	*	*	*	*	*	*	*
2003 5/.....	0.0	*	*	*	*	*	*	*	*	*	*	*
2002.....	0.0	*	*	*	*	*	*	*	*	*	*	*
2001.....	*	*	*	*	*	*	*	*	*	*	*	*
2000.....	0.0	*	*	*	*	*	*	*	*	*	*	*
1999.....	0.0	*	*	*	*	*	*	*	*	*	*	*
Non-Hispanic white, female												
2006 5/.....	0.1	*	*	*	*	*	*	*	*	*	0.5	1.1
2005 5/.....	0.1	*	*	*	*	*	*	*	*	*	*	1.2
2004 5/.....	0.1	*	*	*	*	*	*	*	*	*	0.4	1.0
2003 5/.....	0.1	*	*	*	*	*	*	*	*	*	*	1.0
2002.....	0.1	*	*	*	*	*	*	*	*	*	*	1.0
2001.....	0.0	*	*	*	*	*	*	*	*	*	*	*
2000.....	0.0	*	*	*	*	*	*	*	*	*	*	*
1999.....	0.1	*	*	*	*	*	*	*	*	*	0.3	0.8

Worktable Orig12. Death rates for 358 selected causes, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2006

[Rates per 100,000 population in specified group. Rates are based on populations enumerated as of April 1 for 2000 and estimated as of July 1 for all other years. Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to 'Detailed technical notes to the United States 2006 data-mortality']

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, and sex	All ages 1/	Under 1 year 2/	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
Tuberculosis (A16-A19)												
Non-Hispanic 4/, both sexes												
2006.....	0.2	*	*	*	*	*	0.1	0.2	0.3	0.6	1.2	2.0
2005.....	0.2	*	*	*	*	*	0.1	0.2	0.3	0.6	1.2	2.2
2004.....	0.2	*	*	*	*	*	0.1	0.2	0.2	0.7	1.1	2.2
2003.....	0.2	*	*	*	*	*	0.1	0.2	0.3	0.6	1.6	2.2
2002.....	0.3	*	*	*	*	*	0.1	0.2	0.4	0.8	1.8	2.5
2001.....	0.3	*	*	*	*	*	0.1	0.2	0.4	0.8	1.5	2.7
2000.....	0.3	*	*	*	*	*	0.1	0.2	0.3	0.8	1.9	2.5
1999.....	0.3	*	*	*	*	*	0.1	0.2	0.5	0.9	1.9	3.9
Non-Hispanic 4/, male												
2006.....	0.3	*	*	*	*	*	0.1	0.3	0.5	0.8	1.8	2.8
2005.....	0.3	*	*	*	*	*	*	0.2	0.4	0.8	1.6	3.2
2004.....	0.3	*	*	*	*	*	0.2	0.2	0.4	1.0	1.3	3.5
2003.....	0.3	*	*	*	*	*	*	0.4	0.5	0.8	2.1	3.0
2002.....	0.3	*	*	*	*	*	0.1	0.3	0.6	1.2	2.3	3.8
2001.....	0.3	*	*	*	*	*	0.1	0.3	0.6	1.1	1.9	4.3
2000.....	0.3	*	*	*	*	*	0.1	0.4	0.5	1.0	2.6	4.3
1999.....	0.4	*	*	*	*	*	0.2	0.4	0.8	1.3	2.6	6.8
Non-Hispanic 4/, female												
2006.....	0.1	*	*	*	*	*	*	*	*	0.3	0.8	1.6
2005.....	0.2	*	*	*	*	*	0.1	0.2	0.4	1.0	1.7	1.7
2004.....	0.2	*	*	*	*	*	0.1	*	0.4	1.0	1.6	1.6
2003.....	0.2	*	*	*	*	*	*	0.1	0.2	0.4	1.3	1.8
2002.....	0.2	*	*	*	*	*	0.1	0.2	0.5	1.4	1.9	1.9
2001.....	0.2	*	*	*	*	*	0.1	0.2	0.5	1.3	2.1	2.1
2000.....	0.2	*	*	*	*	*	*	*	0.7	1.4	1.8	1.8
1999.....	0.2	*	*	*	*	*	*	0.2	0.5	1.4	2.8	2.8
Non-Hispanic white, both sexes												
2006 5/.....	0.1	*	*	*	*	*	*	0.1	0.1	0.3	0.9	1.5
2005 5/.....	0.1	*	*	*	*	*	*	0.1	0.1	0.3	0.8	1.6
2004 5/.....	0.1	*	*	*	*	*	*	0.1	0.1	0.4	0.8	1.5
2003 5/.....	0.2	*	*	*	*	*	*	0.1	0.2	0.4	1.2	1.7
2002.....	0.2	*	*	*	*	*	*	0.1	0.2	0.4	1.3	1.9
2001.....	0.2	*	*	*	*	*	0.1	0.2	0.5	1.1	2.0	2.0
2000.....	0.2	*	*	*	*	*	0.1	0.1	0.5	1.2	2.0	2.0
1999.....	0.2	*	*	*	*	*	0.1	0.3	0.6	1.3	3.0	3.0
Non-Hispanic white, male												
2006 5/.....	0.2	*	*	*	*	*	*	0.1	0.2	0.5	1.2	1.7
2005 5/.....	0.2	*	*	*	*	*	0.1	0.2	0.4	0.9	2.3	2.3
2004 5/.....	0.2	*	*	*	*	*	0.1	0.2	0.5	0.9	2.4	2.4
2003 5/.....	0.2	*	*	*	*	*	0.2	0.3	0.5	1.5	2.4	2.4
2002.....	0.2	*	*	*	*	*	0.1	0.3	0.8	1.7	2.9	2.9
2001.....	0.2	*	*	*	*	*	0.1	0.4	0.6	1.4	2.9	2.9
2000.....	0.2	*	*	*	*	*	0.2	*	0.6	1.5	3.6	3.6
1999.....	0.3	*	*	*	*	*	0.2	0.4	0.8	1.8	4.9	4.9
Non-Hispanic white, female												
2006 5/.....	0.1	*	*	*	*	*	*	*	*	0.6	1.3	1.3
2005 5/.....	0.1	*	*	*	*	*	*	*	*	0.3	0.6	1.3
2004 5/.....	0.1	*	*	*	*	*	*	*	*	0.7	1.1	1.1
2003 5/.....	0.1	*	*	*	*	*	*	*	*	0.3	1.0	1.4
2002.....	0.1	*	*	*	*	*	*	*	*	1.1	1.4	1.4
2001.....	0.2	*	*	*	*	*	*	*	*	0.4	0.9	1.7
2000.....	0.1	*	*	*	*	*	*	*	*	0.3	1.1	1.4
1999.....	0.2	*	*	*	*	*	*	*	0.3	1.0	2.2	2.2

Worktable Orig12. Death rates for 358 selected causes, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2006

[Rates per 100,000 population in specified group. Rates are based on populations enumerated as of April 1 for 2000 and estimated as of July 1 for all other years. Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to 'Detailed technical notes to the United States 2006 data-mortality']

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, and sex	All ages 1/	Under 1 year 2/	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
Respiratory tuberculosis (A16)												
Non-Hispanic 4/, both sexes												
2006.....	0.2	*	*	*	*	*	*	0.1	0.2	0.4	1.0	1.5
2005.....	0.2	*	*	*	*	*	*	0.1	0.2	0.4	1.0	1.8
2004.....	0.2	*	*	*	*	*	0.1	0.1	0.2	0.5	0.8	2.0
2003.....	0.2	*	*	*	*	*	*	0.2	0.3	0.4	1.3	1.7
2002.....	0.2	*	*	*	*	*	0.1	0.2	0.3	0.6	1.5	2.2
2001.....	0.2	*	*	*	*	*	0.1	0.1	0.3	0.6	1.2	2.4
2000.....	0.2	*	*	*	*	*	0.1	0.2	0.2	0.6	1.6	2.2
1999.....	0.3	*	*	*	*	*	0.1	0.2	0.4	0.7	1.6	3.5
Non-Hispanic 4/, male												
2006.....	0.2	*	*	*	*	*	*	0.2	0.4	0.6	1.5	2.2
2005.....	0.2	*	*	*	*	*	*	0.2	0.3	0.7	1.2	2.7
2004.....	0.2	*	*	*	*	*	0.1	0.2	0.3	0.8	1.0	3.3
2003.....	0.2	*	*	*	*	*	*	0.3	0.4	0.6	1.8	2.4
2002.....	0.3	*	*	*	*	*	0.1	0.2	0.4	0.9	1.8	3.3
2001.....	0.3	*	*	*	*	*	*	0.2	0.6	0.8	1.6	3.8
2000.....	0.3	*	*	*	*	*	0.1	0.3	0.4	0.8	2.2	3.8
1999.....	0.4	*	*	*	*	*	0.1	0.3	0.7	1.1	2.3	6.1
Non-Hispanic 4/, female												
2006.....	0.1	*	*	*	*	*	*	*	*	*	0.6	1.2
2005.....	0.1	*	*	*	*	*	*	*	*	*	0.2	0.8
2004.....	0.1	*	*	*	*	*	*	*	*	*	0.3	1.3
2003.....	0.2	*	*	*	*	*	*	0.1	0.1	0.3	1.0	1.5
2002.....	0.2	*	*	*	*	*	*	*	*	0.4	1.2	1.7
2001.....	0.2	*	*	*	*	*	*	*	*	0.4	1.0	1.8
2000.....	0.2	*	*	*	*	*	*	*	*	0.4	1.2	1.5
1999.....	0.2	*	*	*	*	*	*	*	*	0.4	1.2	2.4
Non-Hispanic white, both sexes												
2006 5/.....	0.1	*	*	*	*	*	*	0.1	0.1	0.2	0.7	1.1
2005 5/.....	0.1	*	*	*	*	*	*	0.1	0.1	0.2	0.6	1.3
2004 5/.....	0.1	*	*	*	*	*	*	0.1	0.1	0.3	0.6	1.4
2003 5/.....	0.1	*	*	*	*	*	*	0.1	0.2	0.3	1.0	1.3
2002.....	0.1	*	*	*	*	*	*	0.1	0.2	0.4	1.1	1.6
2001.....	0.1	*	*	*	*	*	*	0.1	0.2	0.3	0.9	1.7
2000.....	0.1	*	*	*	*	*	*	0.1	*	0.3	1.1	1.8
1999.....	0.2	*	*	*	*	*	*	0.1	0.2	0.5	1.1	2.8
Non-Hispanic white, male												
2006 5/.....	0.1	*	*	*	*	*	*	*	0.2	0.3	1.0	*
2005 5/.....	0.1	*	*	*	*	*	*	*	0.2	0.3	0.7	1.8
2004 5/.....	0.1	*	*	*	*	*	*	*	*	0.5	0.7	2.2
2003 5/.....	0.2	*	*	*	*	*	*	0.1	0.3	0.4	1.2	1.8
2002.....	0.2	*	*	*	*	*	*	*	0.2	0.6	1.2	2.7
2001.....	0.2	*	*	*	*	*	*	*	0.4	0.4	1.1	2.4
2000.....	0.2	*	*	*	*	*	*	0.2	*	0.5	1.3	3.2
1999.....	0.2	*	*	*	*	*	*	0.2	0.4	0.7	1.6	4.8
Non-Hispanic white, female												
2006 5/.....	0.1	*	*	*	*	*	*	*	*	*	0.5	1.0
2005 5/.....	0.1	*	*	*	*	*	*	*	*	*	0.6	1.0
2004 5/.....	0.1	*	*	*	*	*	*	*	*	*	0.5	1.0
2003 5/.....	0.1	*	*	*	*	*	*	*	*	*	0.8	1.1
2002.....	0.1	*	*	*	*	*	*	*	*	*	0.9	1.2
2001.....	0.1	*	*	*	*	*	*	*	*	0.3	0.7	1.4
2000.....	0.1	*	*	*	*	*	*	*	*	*	0.9	1.2
1999.....	0.1	*	*	*	*	*	*	*	*	0.3	0.8	1.9

Worktable Orig12. Death rates for 358 selected causes, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2006

[Rates per 100,000 population in specified group. Rates are based on populations enumerated as of April 1 for 2000 and estimated as of July 1 for all other years. Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to 'Detailed technical notes to the United States 2006 data-mortality']

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, and sex	All ages 1/	Under 1 year 2/	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
Zoonotic and other bacterial diseases (A20-A49)												
All origins 3/, both sexes												
2006.....	12.0	7.5	0.7	0.2	0.4	0.8	2.1	5.6	13.5	33.5	86.1	184.6
2005.....	12.1	8.7	0.7	0.2	0.4	0.9	2.1	5.6	13.6	34.2	85.5	194.3
2004.....	12.0	7.5	0.7	0.2	0.4	0.9	2.1	5.7	13.7	33.9	85.6	194.8
2003.....	12.3	7.9	0.7	0.2	0.5	0.9	2.2	5.6	13.9	34.2	88.7	209.5
2002.....	12.3	8.6	0.6	0.3	0.4	0.9	2.1	5.5	13.3	36.2	90.2	210.5
2001.....	11.9	8.9	0.9	0.3	0.5	0.8	2.0	5.4	13.0	34.3	85.9	213.7
2000.....	11.6	8.6	0.8	0.2	0.4	0.8	2.1	5.3	12.6	32.3	83.8	222.5
1999.....	11.7	9.1	0.8	0.3	0.5	0.8	2.0	5.0	12.1	33.2	83.9	231.2
All origins 3/, male												
2006.....	11.1	8.0	0.7	0.3	0.4	0.8	2.2	6.3	15.0	36.5	97.1	204.8
2005.....	11.1	9.7	0.7	0.3	0.5	0.8	2.1	6.1	15.0	38.3	96.3	210.8
2004.....	11.0	8.9	0.7	0.2	0.4	0.9	2.1	6.3	14.7	37.7	97.8	214.7
2003.....	11.1	8.4	0.8	0.2	0.5	0.9	2.2	6.2	15.1	38.2	99.4	223.2
2002.....	11.1	8.6	0.7	0.3	0.4	0.9	2.2	6.1	14.4	39.7	103.7	222.5
2001.....	10.8	9.5	0.9	0.3	0.5	0.8	2.2	5.9	14.1	38.4	99.9	233.5
2000.....	10.4	8.9	0.9	0.2	0.5	0.9	2.2	6.1	13.7	36.1	96.0	233.1
1999.....	10.5	10.4	0.9	0.3	0.5	0.9	2.3	5.6	13.3	37.6	97.5	246.7
All origins 3/, female												
2006.....	12.9	7.0	0.6	0.2	0.4	0.8	2.0	4.9	12.1	31.0	78.6	175.1
2005.....	13.1	7.6	0.6	0.2	0.4	0.9	2.0	5.1	12.3	30.7	78.1	186.7
2004.....	12.9	6.1	0.7	0.2	0.4	0.9	2.0	5.2	12.7	30.7	77.5	185.8
2003.....	13.5	7.5	0.5	0.3	0.5	0.8	2.2	5.1	12.8	30.8	81.5	203.5
2002.....	13.5	8.5	0.6	0.3	0.4	0.8	2.0	4.9	12.3	33.3	81.3	205.3
2001.....	12.9	8.3	0.8	0.2	0.5	0.8	1.8	4.9	12.0	30.8	76.6	205.4
2000.....	12.9	8.3	0.7	0.2	0.4	0.7	2.0	4.5	11.5	29.2	75.9	218.2
1999.....	12.9	7.7	0.7	0.3	0.4	0.8	1.8	4.5	11.1	29.7	75.0	225.0
Hispanic, both sexes												
2006.....	4.3	7.7	0.6	*	0.4	0.6	1.3	4.1	10.2	26.0	67.2	124.8
2005.....	4.3	8.8	*	*	0.3	0.5	1.2	4.1	10.4	26.6	63.1	139.9
2004.....	4.2	6.9	0.9	*	*	0.5	1.5	4.3	10.3	26.3	66.9	143.7
2003.....	4.0	6.9	*	*	0.3	0.6	1.5	4.2	9.8	23.7	64.8	157.5
2002.....	4.2	9.4	*	*	0.3	0.6	1.3	4.1	8.8	29.7	66.1	163.5
2001.....	4.0	8.3	0.8	0.3	*	0.5	1.4	4.2	8.8	26.1	65.6	178.8
2000.....	3.8	10.2	0.7	*	0.3	0.6	1.6	4.2	9.2	22.6	62.6	148.6
1999.....	4.0	7.1	*	*	*	0.6	1.7	3.6	9.1	27.6	65.0	192.2
Hispanic, male												
2006.....	4.3	8.5	*	*	*	0.5	1.4	5.2	11.7	32.1	78.7	142.1
2005.....	4.1	9.7	*	*	*	0.6	1.2	5.0	11.8	31.2	76.2	143.2
2004.....	4.0	8.6	*	*	*	0.5	1.7	5.6	10.8	28.8	72.2	152.7
2003.....	3.7	7.5	*	*	*	0.6	1.6	5.4	10.6	26.9	69.8	166.2
2002.....	4.0	9.6	*	*	*	0.7	1.7	5.5	9.5	31.5	74.7	172.3
2001.....	3.9	8.6	*	*	*	*	1.6	5.3	10.7	30.8	80.0	165.7
2000.....	3.6	9.9	*	*	*	0.7	1.8	5.2	10.5	27.0	72.8	159.2
1999.....	3.8	8.3	*	*	*	0.6	2.1	4.4	11.5	30.8	76.6	194.1
Hispanic, female												
2006.....	4.4	6.9	*	*	*	0.6	1.2	3.1	8.8	21.1	59.1	115.6
2005.....	4.4	7.9	*	*	*	*	1.3	3.2	9.2	23.0	54.0	138.2
2004.....	4.5	5.2	*	*	*	*	1.3	2.9	9.9	24.3	63.2	139.0
2003.....	4.3	6.4	*	*	*	*	1.4	3.1	9.0	21.0	61.4	153.1
2002.....	4.4	9.1	*	*	*	*	0.8	2.7	8.2	28.3	60.1	159.2
2001.....	4.2	8.0	*	*	*	*	1.2	3.2	7.1	22.5	55.9	165.2
2000.....	3.9	10.6	*	*	*	*	1.4	3.2	8.0	19.1	55.8	143.4
1999.....	4.2	6.0	*	*	*	*	1.2	2.8	7.0	25.1	57.2	191.3

Worktable Orig12. Death rates for 358 selected causes, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2006

[Rates per 100,000 population in specified group. Rates are based on populations enumerated as of April 1 for 2000 and estimated as of July 1 for all other years. Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to 'Detailed technical notes to the United States 2006 data-mortality']

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, and sex	All ages 1/	Under 1 year 2/	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
Zoonotic and other bacterial diseases (A20-A49)												
Non-Hispanic 4/, both sexes												
2006.....	13.3	7.3	0.7	0.3	0.4	0.9	2.3	5.7	13.8	34.0	87.1	187.2
2005.....	13.4	8.6	0.7	0.2	0.5	0.9	2.2	5.8	13.8	34.7	86.6	196.7
2004.....	13.2	7.5	0.6	0.2	0.5	1.0	2.2	5.9	13.9	34.4	86.5	196.8
2003.....	13.6	8.2	0.8	0.3	0.5	0.9	2.3	5.8	14.2	34.8	89.7	211.3
2002.....	13.5	8.2	0.6	0.3	0.4	0.9	2.2	5.7	13.6	36.5	91.1	211.7
2001.....	13.0	9.0	0.9	0.2	0.5	0.9	2.1	5.5	13.2	34.7	86.6	214.5
2000.....	12.7	8.1	0.8	0.2	0.4	0.8	2.1	5.3	12.8	32.8	84.4	224.4
1999.....	12.7	9.5	0.8	0.3	0.5	0.9	2.1	5.1	12.3	33.5	84.3	231.8
Non-Hispanic 4/, male												
2006.....	12.4	7.7	0.7	0.3	0.4	0.9	2.4	6.4	15.2	36.8	98.1	207.9
2005.....	12.4	9.7	0.8	0.3	0.5	0.9	2.2	6.3	15.1	38.7	97.3	214.3
2004.....	12.2	8.8	0.6	0.2	0.5	1.0	2.2	6.3	14.9	38.3	99.1	217.4
2003.....	12.3	8.6	0.9	0.2	0.5	0.9	2.3	6.2	15.3	38.8	100.8	225.4
2002.....	12.3	8.1	0.6	0.4	0.4	1.0	2.3	6.2	14.7	40.0	104.7	224.2
2001.....	11.9	9.7	1.0	0.2	0.6	0.9	2.2	5.9	14.2	38.7	100.5	236.2
2000.....	11.3	8.6	0.9	0.2	0.5	0.9	2.2	6.1	13.8	36.5	96.5	235.2
1999.....	11.4	10.9	0.9	0.3	0.5	0.9	2.3	5.6	13.3	37.9	97.9	247.8
Non-Hispanic 4/, female												
2006.....	14.2	6.9	0.6	0.2	0.4	0.8	2.1	5.1	12.4	31.7	79.6	177.6
2005.....	14.4	7.5	0.6	0.2	0.4	1.0	2.2	5.3	12.5	31.3	79.3	188.7
2004.....	14.2	6.3	0.6	0.3	0.4	1.0	2.1	5.4	12.9	31.1	78.1	187.6
2003.....	14.8	7.8	0.6	0.3	0.5	0.9	2.3	5.3	13.1	31.5	82.4	205.0
2002.....	14.8	8.3	0.6	0.3	0.4	0.9	2.1	5.2	12.6	33.5	82.1	206.4
2001.....	14.1	8.4	0.7	0.2	0.5	0.9	1.9	5.1	12.3	31.3	77.4	205.6
2000.....	14.0	7.6	0.8	0.2	0.4	0.8	2.1	4.6	11.7	29.8	76.5	220.0
1999.....	14.0	8.1	0.8	0.3	0.5	0.8	1.9	4.6	11.4	29.8	75.6	225.4
Non-Hispanic white, both sexes												
2006 5/.....	13.4	4.7	0.6	0.2	0.3	0.7	1.8	4.6	11.7	30.4	82.2	180.8
2005 5/.....	13.4	5.4	0.6	0.2	0.4	0.7	1.8	4.7	11.9	31.4	81.0	186.0
2004 5/.....	13.2	5.8	0.5	0.2	0.4	0.8	1.7	4.7	11.8	30.8	81.1	187.6
2003 5/.....	13.5	5.1	0.6	0.2	0.5	0.7	1.8	4.5	12.0	30.9	84.6	199.6
2002.....	13.5	6.6	0.6	0.3	0.4	0.7	1.8	4.6	11.3	32.5	85.0	200.1
2001.....	12.9	6.1	0.8	0.2	0.4	0.6	1.6	4.3	11.0	30.9	81.0	203.3
2000.....	12.5	5.9	0.7	0.2	0.4	0.6	1.7	4.1	10.6	28.9	77.5	211.0
1999.....	12.4	7.1	0.8	0.3	0.4	0.7	1.6	4.0	10.1	29.2	77.1	216.2
Non-Hispanic white, male												
2006 5/.....	12.4	5.0	0.7	0.3	0.3	0.7	2.0	5.1	12.7	33.2	92.8	204.2
2005 5/.....	12.2	6.5	0.7	0.3	0.4	0.7	1.8	5.0	13.0	34.7	91.4	202.5
2004 5/.....	12.1	6.8	0.5	0.2	0.4	0.8	1.8	5.1	12.6	34.2	92.8	209.7
2003 5/.....	12.1	4.9	0.8	0.2	0.5	0.7	1.9	4.9	12.9	34.3	95.0	214.3
2002.....	12.1	6.4	0.7	0.4	0.4	0.8	1.8	4.9	12.5	35.7	96.8	212.8
2001.....	11.6	6.8	1.0	0.2	0.5	0.6	1.8	4.6	11.8	34.2	94.1	223.0
2000.....	11.0	6.1	0.8	0.2	0.5	0.6	1.8	4.7	11.6	32.4	88.8	221.2
1999.....	11.0	8.4	0.8	0.2	0.5	0.7	1.7	4.3	10.6	32.8	89.6	230.9
Non-Hispanic white, female												
2006 5/.....	14.4	4.4	0.5	0.2	0.3	0.6	1.7	4.0	10.7	28.0	74.8	169.8
2005 5/.....	14.6	4.3	0.5	0.2	0.3	0.8	1.8	4.4	10.8	28.5	73.9	178.5
2004 5/.....	14.3	4.8	0.5	0.2	0.3	0.8	1.7	4.3	11.1	27.8	73.2	177.7
2003 5/.....	14.9	5.4	*	0.2	0.4	0.7	1.8	4.2	11.3	28.0	77.6	193.1
2002.....	14.8	6.8	0.5	0.2	0.4	0.7	1.8	4.2	10.2	29.8	77.1	194.6
2001.....	14.2	5.3	0.6	0.2	0.4	0.7	1.4	4.0	10.3	28.1	72.4	195.1
2000.....	13.9	5.6	0.7	0.2	0.3	0.6	1.6	3.6	9.6	26.0	70.0	206.9
1999.....	13.9	5.8	0.7	0.3	0.4	0.6	1.4	3.6	9.7	26.1	68.8	210.3

Worktable Orig12. Death rates for 358 selected causes, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2006

[Rates per 100,000 population in specified group. Rates are based on populations enumerated as of April 1 for 2000 and estimated as of July 1 for all other years. Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.odc.gov/nchs> and refer to 'Detailed technical notes to the United States 2006 data-mortality']

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, and sex	All ages 1/	Under 1 year 2/	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
Zoonotic and other bacterial diseases (A20-A49)												
Non-Hispanic black, both sexes												
2006 5/.....	16.7	17.8	0.8	0.4	0.8	1.9	5.2	14.2	33.2	72.4	157.9	299.9
2005 5/.....	17.2	21.3	0.9	0.4	0.9	2.2	5.1	14.2	32.5	70.8	164.1	350.6
2004 5/.....	16.8	14.7	1.0	*	0.9	2.2	5.0	14.4	33.6	73.7	164.5	333.3
2003 5/.....	17.5	19.8	1.3	0.4	0.8	2.1	5.5	14.9	34.4	76.1	164.3	381.7
2002.....	17.5	14.5	0.9	0.5	0.6	2.1	5.1	13.9	35.1	78.5	177.5	380.2
2001.....	17.1	21.3	1.2	*	1.0	2.1	5.0	14.4	34.3	75.3	166.8	377.1
2000.....	17.4	18.7	1.3	0.3	0.8	2.2	5.2	14.7	32.9	74.9	179.7	405.4
1999.....	17.6	20.0	0.9	0.3	0.8	2.0	5.5	14.0	32.2	78.9	178.9	430.0
Non-Hispanic black, male												
2006 5/.....	15.7	19.1	*	*	0.8	2.0	5.5	16.1	39.9	79.5	185.5	306.9
2005 5/.....	16.2	22.4	*	*	0.9	2.1	5.2	16.3	37.9	85.5	198.9	390.1
2004 5/.....	15.9	16.1	*	*	0.9	2.4	5.1	16.0	38.9	87.1	200.5	357.7
2003 5/.....	16.6	22.7	*	*	0.7	2.4	5.6	17.0	40.8	90.6	196.5	420.8
2002.....	16.2	14.8	*	*	*	2.0	5.5	15.9	38.2	90.6	220.4	408.0
2001.....	16.1	22.0	*	*	1.1	2.1	5.2	16.0	39.4	90.2	202.2	442.4
2000.....	16.1	20.5	*	*	0.9	2.6	5.3	18.0	37.0	84.7	214.4	445.0
1999.....	16.8	21.5	*	*	0.8	2.2	6.5	16.5	39.7	96.2	216.4	470.6
Non-Hispanic black, female												
2006 5/.....	17.7	16.4	*	*	0.8	1.7	5.0	12.5	27.7	67.3	142.3	297.1
2005 5/.....	18.0	20.1	*	*	0.8	2.2	4.9	12.4	28.1	60.2	150.0	334.7
2004 5/.....	17.6	13.2	*	*	0.8	2.0	4.8	13.1	29.3	64.1	144.1	323.7
2003 5/.....	18.3	16.8	*	*	0.9	1.8	5.3	13.0	29.3	65.8	146.2	366.5
2002.....	18.6	14.2	*	0.7	*	2.2	4.7	12.1	32.6	69.9	153.2	369.6
2001.....	17.9	20.5	*	*	0.9	2.1	4.9	13.0	30.3	64.8	146.9	352.9
2000.....	18.5	16.9	*	*	*	1.9	5.2	11.9	29.5	67.9	160.1	390.7
1999.....	18.3	18.6	*	*	0.8	1.9	4.6	12.0	26.2	66.7	157.9	414.8

Worktable Orig12. Death rates for 358 selected causes, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2006

[Rates per 100,000 population in specified group. Rates are based on populations enumerated as of April 1 for 2000 and estimated as of July 1 for all other years. Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to 'Detailed technical notes to the United States 2006 data-mortality']

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, and sex	All ages 1/	Under 1 year 2/	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
Septicemia (A40-A41)												
All origins 3/, both sexes												
2006.....	11.4	6.5	0.5	0.2	0.3	0.7	2.0	5.2	12.8	32.1	82.4	177.3
2005.....	11.5	7.4	0.5	0.2	0.4	0.8	1.9	5.2	12.9	32.6	81.4	187.3
2004.....	11.4	6.6	0.5	0.2	0.3	0.8	1.9	5.4	12.9	32.4	81.6	186.7
2003.....	11.7	6.9	0.5	0.2	0.4	0.8	2.1	5.3	13.1	32.6	85.0	202.5
2002.....	11.7	7.3	0.5	0.2	0.3	0.8	1.9	5.2	12.6	34.7	86.5	203.0
2001.....	11.3	7.7	0.7	0.2	0.3	0.7	1.8	5.0	12.3	32.8	82.3	205.9
2000.....	11.1	7.2	0.6	0.2	0.3	0.7	1.9	4.9	11.9	31.0	80.4	215.7
1999.....	11.0	7.5	0.6	0.2	0.3	0.7	1.8	4.6	11.4	31.2	79.4	220.7
All origins 3/, male												
2006.....	10.5	6.8	0.5	0.3	0.3	0.7	2.1	5.9	14.1	34.8	92.7	194.8
2005.....	10.5	8.1	0.6	0.2	0.4	0.7	1.9	5.6	14.2	36.3	91.4	201.9
2004.....	10.4	8.0	0.5	0.1	0.3	0.8	2.0	5.9	13.8	35.8	93.3	203.9
2003.....	10.5	7.4	0.7	0.2	0.4	0.8	2.1	5.8	14.1	36.2	95.0	213.8
2002.....	10.6	7.7	0.5	0.2	0.3	0.8	2.0	5.7	13.7	38.0	99.0	213.9
2001.....	10.2	8.4	0.8	0.2	0.4	0.7	2.0	5.4	13.2	36.7	95.5	224.3
2000.....	9.8	7.1	0.7	0.2	0.3	0.8	2.0	5.6	13.0	34.5	91.9	223.0
1999.....	9.8	9.0	0.6	0.2	0.3	0.7	2.1	5.1	12.4	35.2	91.9	233.5
All origins 3/, female												
2006.....	12.3	6.2	0.6	0.2	0.3	0.7	1.9	4.6	11.5	29.7	75.3	169.2
2005.....	12.5	6.5	0.5	0.2	0.3	0.8	1.9	4.8	11.7	29.5	74.6	180.6
2004.....	12.3	5.2	0.6	0.2	0.3	0.8	1.9	4.9	12.0	29.6	73.7	179.0
2003.....	12.9	6.5	0.4	0.2	0.4	0.8	2.0	4.8	12.2	29.5	78.3	197.5
2002.....	12.9	7.0	0.5	0.2	0.3	0.8	1.8	4.7	11.7	31.9	78.2	198.3
2001.....	12.4	7.0	0.6	0.1	0.3	0.7	1.7	4.7	11.4	29.5	73.7	198.3
2000.....	12.3	7.3	0.6	0.1	0.2	0.6	1.9	4.2	11.0	28.1	72.9	212.7
1999.....	12.2	5.8	0.5	0.2	0.3	0.6	1.6	4.1	10.5	28.0	71.3	215.5
Hispanic, both sexes												
2006.....	4.1	6.9	*	*	0.3	0.5	1.2	4.0	9.9	24.9	65.1	122.9
2005.....	4.0	7.1	*	*	*	0.5	1.2	3.7	9.7	25.5	61.0	134.8
2004.....	4.0	6.1	0.7	*	*	0.5	1.4	4.0	9.7	25.1	65.8	138.0
2003.....	3.8	5.8	*	*	*	0.5	1.5	3.9	9.1	22.1	62.0	151.8
2002.....	3.9	7.8	*	*	*	0.5	1.2	3.7	8.4	28.9	63.7	156.3
2001.....	3.7	6.1	*	*	*	0.3	1.3	3.9	8.2	25.4	62.4	171.3
2000.....	3.5	8.0	*	*	*	0.5	1.5	3.9	8.5	21.8	59.3	144.7
1999.....	3.6	5.7	*	*	*	0.4	1.5	3.1	8.0	25.6	61.7	180.3
Hispanic, male												
2006.....	4.1	7.5	*	*	*	0.5	1.2	4.9	11.3	30.5	76.5	138.7
2005.....	3.8	7.8	*	*	*	0.5	1.0	4.3	10.6	29.6	74.2	137.0
2004.....	3.8	7.8	*	*	*	*	1.6	5.2	10.3	27.2	69.7	147.1
2003.....	3.5	6.6	*	*	*	0.5	1.5	4.9	9.6	25.3	67.1	160.1
2002.....	3.7	8.0	*	*	*	0.6	1.6	5.2	9.0	30.8	72.2	164.0
2001.....	3.6	7.0	*	*	*	*	1.5	4.7	9.9	29.8	76.0	160.0
2000.....	3.4	8.4	*	*	*	0.6	1.7	5.0	10.0	26.6	70.3	157.2
1999.....	3.5	7.0	*	*	*	*	2.0	3.8	10.2	29.4	75.1	181.2
Hispanic, female												
2006.....	4.2	6.3	*	*	*	*	1.1	3.0	8.5	20.3	57.1	114.4
2005.....	4.2	6.4	*	*	*	*	1.3	3.0	8.8	22.2	51.9	133.6
2004.....	4.2	*	*	*	*	*	1.2	2.8	9.2	23.4	59.8	133.2
2003.....	4.1	5.0	*	*	*	*	1.3	2.8	8.7	19.6	58.5	147.7
2002.....	4.1	7.6	*	*	*	*	0.7	2.3	7.8	27.4	57.9	152.5
2001.....	3.9	5.2	*	*	*	*	1.1	3.1	6.6	21.9	53.2	176.9
2000.....	3.5	7.7	*	*	*	*	1.3	2.8	7.2	18.1	51.8	138.5
1999.....	3.7	*	*	*	*	*	1.0	2.4	6.1	22.5	52.7	179.9

Worktable Orig12. Death rates for 358 selected causes, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2006

[Rates per 100,000 population in specified group. Rates are based on populations enumerated as of April 1 for 2000 and estimated as of July 1 for all other years. Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to 'Detailed technical notes to the United States 2006 data-mortality']

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, and sex	All ages 1/	Under 1 year 2/	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
Septicemia (A40-A41)												
Non-Hispanic 4/, both sexes												
2006.....	12.7	6.3	0.6	0.2	0.3	0.8	2.1	5.4	13.0	32.6	83.3	179.7
2005.....	12.8	7.4	0.6	0.2	0.4	0.8	2.0	5.4	13.1	33.0	82.5	189.6
2004.....	12.5	6.7	0.5	0.2	0.4	0.9	2.0	5.5	13.1	32.9	82.5	188.7
2003.....	12.9	7.2	0.6	0.2	0.4	0.8	2.1	5.4	13.3	33.2	86.0	204.1
2002.....	12.9	7.1	0.5	0.2	0.3	0.8	2.0	5.3	12.9	34.9	87.3	204.2
2001.....	12.4	8.1	0.7	0.1	0.4	0.8	1.9	5.1	12.5	33.1	83.0	206.8
2000.....	12.1	6.9	0.7	0.2	0.3	0.7	2.0	5.0	12.1	31.4	81.0	217.5
1999.....	12.0	7.9	0.6	0.2	0.3	0.7	1.8	4.7	11.6	31.4	79.8	221.2
Non-Hispanic 4/, male												
2006.....	11.7	6.5	0.6	0.3	0.3	0.8	2.2	5.9	14.3	35.1	93.7	197.5
2005.....	11.7	8.2	0.6	0.3	0.4	0.8	2.0	5.8	14.4	36.6	92.2	205.3
2004.....	11.5	7.9	0.4	0.1	0.4	0.9	2.0	5.9	14.0	36.3	94.6	206.3
2003.....	11.6	7.6	0.8	0.2	0.4	0.9	2.1	5.8	14.3	36.8	96.2	215.9
2002.....	11.6	7.3	0.5	0.3	0.3	0.9	2.0	5.7	14.0	38.2	99.8	215.6
2001.....	11.2	8.8	0.9	0.1	0.4	0.8	2.1	5.5	13.4	37.0	96.1	226.8
2000.....	10.7	6.7	0.7	0.2	0.3	0.8	2.0	5.6	13.1	34.8	92.3	224.8
1999.....	10.7	9.4	0.6	0.2	0.4	0.8	2.1	5.2	12.5	35.4	92.2	234.5
Non-Hispanic 4/, female												
2006.....	13.6	6.2	0.5	0.2	0.4	0.7	2.0	4.8	11.8	30.4	76.2	171.4
2005.....	13.8	6.6	0.5	0.2	0.3	0.9	2.0	5.0	11.9	29.9	75.9	182.5
2004.....	13.5	5.4	0.5	0.2	0.3	0.9	2.0	5.1	12.2	30.0	74.3	180.8
2003.....	14.2	6.8	0.4	0.2	0.4	0.8	2.1	5.0	12.4	30.1	79.1	199.0
2002.....	14.1	6.8	0.5	0.2	0.3	0.8	2.0	4.9	11.9	32.1	79.0	199.3
2001.....	13.5	7.4	0.6	0.2	0.3	0.8	1.7	4.8	11.8	29.9	74.4	198.5
2000.....	13.5	7.0	0.6	0.1	0.2	0.7	1.9	4.3	11.2	28.7	73.6	214.5
1999.....	13.2	6.2	0.5	0.2	0.3	0.7	1.6	4.2	10.8	28.2	71.8	215.9
Non-Hispanic white, both sexes												
2006 5/.....	12.7	4.0	0.5	0.2	0.3	0.6	1.7	4.2	11.0	29.0	78.4	173.2
2005 5/.....	12.7	4.3	0.5	0.2	0.3	0.6	1.6	4.3	11.2	29.8	76.8	179.2
2004 5/.....	12.5	4.8	0.4	0.2	0.3	0.7	1.6	4.4	11.1	29.3	77.2	179.6
2003 5/.....	12.9	4.2	0.5	0.2	0.3	0.6	1.7	4.3	11.3	29.3	80.8	192.4
2002.....	12.9	5.5	0.5	0.2	0.3	0.7	1.6	4.3	10.7	31.0	81.3	182.6
2001.....	12.3	5.1	0.7	0.1	0.3	0.6	1.4	4.0	10.4	29.4	77.6	195.6
2000.....	11.9	4.8	0.5	0.2	0.2	0.5	1.5	3.8	10.0	27.7	74.2	204.3
1999.....	11.7	5.3	0.5	0.2	0.3	0.6	1.4	3.6	9.5	27.3	73.0	206.0
Non-Hispanic white, male												
2006 5/.....	11.7	4.1	0.5	0.2	0.2	0.6	1.8	4.8	11.9	31.5	88.5	193.3
2005 5/.....	11.5	5.3	0.6	0.2	0.3	0.6	1.6	4.6	12.3	32.7	86.2	193.6
2004 5/.....	11.4	5.7	*	0.2	0.3	0.7	1.6	4.8	11.7	32.4	88.5	198.5
2003 5/.....	11.4	3.9	0.6	0.2	0.4	0.6	1.7	4.6	12.0	32.5	90.5	204.8
2002.....	11.5	5.6	0.5	0.3	0.3	0.7	1.6	4.6	11.8	34.0	92.1	203.9
2001.....	11.0	5.8	0.9	*	0.3	0.5	1.7	4.2	11.1	32.5	89.7	213.6
2000.....	10.4	4.7	0.5	0.2	0.3	0.6	1.6	4.3	10.9	30.9	84.7	211.2
1999.....	10.2	6.7	0.5	0.2	0.3	0.7	1.5	4.0	9.9	30.5	84.6	218.1
Non-Hispanic white, female												
2006 5/.....	13.7	3.9	0.4	*	0.3	0.6	1.6	3.7	10.1	26.8	71.4	163.9
2005 5/.....	13.9	3.3	*	*	0.2	0.7	1.6	4.0	10.1	27.2	70.3	172.6
2004 5/.....	13.6	3.9	0.5	0.2	0.2	0.7	1.5	4.1	10.4	26.7	69.5	171.1
2003 5/.....	14.3	4.5	*	0.2	0.3	0.7	1.7	3.9	10.6	26.6	74.3	187.0
2002.....	14.2	5.4	*	0.2	0.3	0.6	1.7	3.9	9.7	28.5	74.0	187.7
2001.....	13.6	4.4	0.5	*	0.3	0.6	1.2	3.8	9.9	26.8	69.6	188.1
2000.....	13.4	4.8	0.6	*	*	0.5	1.5	3.3	9.2	24.9	67.2	201.6
1999.....	13.1	3.8	0.5	0.2	0.2	0.5	1.2	3.3	9.1	24.5	65.4	201.2

Worktable Orig12. Death rates for 358 selected causes, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2006

[Rates per 100,000 population in specified group. Rates are based on populations enumerated as of April 1 for 2000 and estimated as of July 1 for all other years. Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.odc.gov/nchs> and refer to 'Detailed technical notes to the United States 2006 data-mortality']

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, and sex	All ages 1/	Under 1 year 2/	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
Septicemia (A40-A41)												
Non-Hispanic black, both sexes												
2006 5/.....	16.0	15.6	*	0.3	0.6	1.6	5.0	13.4	31.6	70.2	153.3	290.9
2005 5/.....	16.5	19.9	0.8	0.3	0.7	2.0	4.7	13.4	31.5	68.2	159.9	340.8
2004 5/.....	16.1	14.2	*	*	0.7	1.9	4.6	13.6	32.2	71.4	157.9	324.7
2003 5/.....	16.8	18.8	1.0	*	0.7	2.0	5.1	14.0	32.8	74.0	160.0	373.9
2002.....	16.8	13.1	*	0.3	0.4	2.0	4.6	13.2	33.8	76.0	172.9	370.8
2001.....	16.4	20.3	0.9	*	0.7	1.9	4.8	13.7	32.6	72.8	161.9	368.6
2000.....	16.7	16.6	1.1	*	0.6	2.1	4.8	13.9	31.8	72.5	175.1	395.9
1999.....	16.6	18.6	*	*	0.6	1.6	5.1	13.2	30.8	75.3	169.8	414.2
Non-Hispanic black, male												
2006 5/.....	14.9	16.3	*	*	0.7	1.7	5.2	15.1	37.9	77.2	179.6	300.5
2005 5/.....	15.5	20.2	*	*	0.8	1.9	4.7	15.2	36.6	81.9	183.3	379.7
2004 5/.....	15.1	15.8	*	*	0.7	2.1	4.8	15.2	37.1	82.9	192.5	346.5
2003 5/.....	15.8	21.7	*	*	*	2.3	5.2	15.8	38.7	86.9	191.3	409.1
2002.....	15.5	13.9	*	*	*	1.9	5.0	15.0	36.6	87.6	213.7	399.3
2001.....	15.4	21.4	*	*	0.9	1.9	4.9	15.2	37.4	86.9	196.8	430.8
2000.....	15.3	16.4	*	*	*	2.4	4.8	16.8	35.9	81.6	208.9	432.1
1999.....	15.7	20.8	*	*	*	1.7	6.0	15.4	37.9	91.5	202.6	451.6
Non-Hispanic black, female												
2006 5/.....	17.0	14.8	*	*	0.6	1.6	4.8	12.0	26.5	65.3	138.4	287.0
2005 5/.....	17.4	19.5	*	*	0.6	2.1	4.7	11.8	27.3	58.4	146.7	325.2
2004 5/.....	17.0	12.6	*	*	0.8	1.8	4.5	12.3	28.3	63.1	139.3	316.0
2003 5/.....	17.7	15.8	*	*	0.7	1.7	5.1	12.5	28.2	64.9	142.3	360.3
2002.....	18.0	12.3	*	*	*	2.0	4.2	11.6	31.6	67.8	149.9	359.9
2001.....	17.2	19.1	*	*	*	1.9	4.7	12.5	28.8	62.8	142.4	345.6
2000.....	17.9	16.9	*	*	*	1.8	4.9	11.5	28.5	66.1	156.1	382.5
1999.....	17.4	16.4	*	*	*	1.6	4.3	11.3	25.1	63.9	151.4	400.2

Worktable Orig12. Death rates for 358 selected causes, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2006

[Rates per 100,000 population in specified group. Rates are based on populations enumerated as of April 1 for 2000 and estimated as of July 1 for all other years. Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to 'Detailed technical notes to the United States 2006 data-mortality']

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, and sex	All ages 1/	Under 1 year 2/	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	
Other zoonotic and bacterial diseases (A21-A22,A24-A32,A42-A44,A48-A49)													
Non-Hispanic 4/, both sexes													
2006.....	0.6	*	*	*	*	*	0.1	0.3	0.8	1.5	3.8	7.5	
2005.....	0.6	*	*	*	*	*	0.1	0.4	0.7	1.6	4.1	7.0	
2004.....	0.6	*	*	*	*	*	0.1	0.3	0.8	1.5	4.0	7.9	
2003.....	0.6	*	*	*	*	*	0.1	0.3	0.8	1.6	3.7	7.0	
2002.....	0.6	*	*	*	*	*	0.2	0.3	0.6	1.5	3.7	7.4	
2001.....	0.5	*	*	*	*	*	0.1	0.3	0.6	1.5	3.5	7.5	
2000.....	0.5	0.7	*	*	*	*	0.1	0.3	0.6	1.3	3.3	6.7	
1999.....	0.7	0.7	*	*	*	*	0.1	0.2	0.3	0.7	2.0	4.4	10.3
Non-Hispanic 4/, male													
2006.....	0.6	*	*	*	*	*	0.2	0.4	0.9	1.7	4.4	10.4	
2005.....	0.6	*	*	*	*	*	0.2	0.4	0.8	2.1	5.2	8.9	
2004.....	0.6	*	*	*	*	*	0.1	0.3	0.9	1.9	4.5	11.1	
2003.....	0.6	*	*	*	*	*	0.2	0.3	0.9	2.0	4.5	9.6	
2002.....	0.6	*	*	*	*	*	0.2	0.4	0.7	1.8	4.7	8.5	
2001.....	0.6	*	*	*	*	*	0.1	0.4	0.8	1.7	4.4	9.1	
2000.....	0.5	*	*	*	*	*	0.1	0.4	0.7	1.6	4.0	10.2	
1999.....	0.7	*	*	*	*	*	0.2	0.4	0.8	2.4	5.6	13.1	
Non-Hispanic 4/, female													
2006.....	0.6	*	*	*	*	*	0.3	0.6	1.3	3.3	6.2		
2005.....	0.6	*	*	*	*	*	0.3	0.6	1.3	3.4	6.1		
2004.....	0.6	*	*	*	*	*	0.1	0.3	0.7	1.1	3.7	6.4	
2003.....	0.6	*	*	*	*	*	0.2	0.6	1.3	3.1	5.9		
2002.....	0.6	*	*	*	*	*	0.1	0.2	0.5	1.3	3.1	6.9	
2001.....	0.5	*	*	*	*	*	0.1	0.2	0.5	1.2	2.9	6.8	
2000.....	0.5	*	*	*	*	*	0.1	0.2	0.5	1.0	2.8	5.3	
1999.....	0.7	*	*	*	*	*	0.2	0.3	0.5	1.6	3.6	9.1	
Non-Hispanic white, both sexes													
2006 5/.....	0.6	*	*	*	*	*	0.1	0.3	0.7	1.4	3.7	7.5	
2005 5/.....	0.7	*	*	*	*	*	0.1	0.3	0.6	1.6	4.2	6.7	
2004 5/.....	0.6	*	*	*	*	*	0.1	0.3	0.7	1.4	3.9	7.8	
2003 5/.....	0.6	*	*	*	*	*	0.1	0.2	0.7	1.6	3.7	7.1	
2002.....	0.6	*	*	*	*	*	0.1	0.3	0.6	1.4	3.6	7.3	
2001.....	0.6	*	*	*	*	*	0.1	0.3	0.5	1.3	3.4	7.4	
2000.....	0.5	*	*	*	*	*	0.1	0.3	0.5	1.2	3.2	6.5	
1999.....	0.7	*	*	*	*	*	0.2	0.3	0.6	1.8	4.0	9.8	
Non-Hispanic white, male													
2006 5/.....	0.7	*	*	*	*	*	0.1	0.3	0.8	1.6	4.3	10.9	
2005 5/.....	0.7	*	*	*	*	*	0.1	0.4	0.7	1.9	5.2	8.8	
2004 5/.....	0.6	*	*	*	*	*	0.3	0.8	1.7	4.2	11.1		
2003 5/.....	0.6	*	*	*	*	*	0.1	0.2	0.8	1.8	4.5	9.6	
2002.....	0.6	*	*	*	*	*	0.2	0.3	0.6	1.7	4.6	8.7	
2001.....	0.6	*	*	*	*	*	0.4	0.7	1.6	4.4	9.1		
2000.....	0.5	*	*	*	*	*	0.4	0.7	1.5	4.0	9.8		
1999.....	0.7	*	*	*	*	*	0.2	0.3	0.8	2.3	5.0	12.6	
Non-Hispanic white, female													
2006 5/.....	0.6	*	*	*	*	*	0.3	0.6	1.2	3.4	5.9		
2005 5/.....	0.6	*	*	*	*	*	0.3	0.6	1.2	3.5	5.8		
2004 5/.....	0.6	*	*	*	*	*	0.2	0.7	1.1	3.6	6.3		
2003 5/.....	0.6	*	*	*	*	*	0.2	0.6	1.3	3.2	6.0		
2002.....	0.6	*	*	*	*	*	0.2	0.5	1.2	3.0	6.7		
2001.....	0.5	*	*	*	*	*	0.2	0.4	1.2	2.7	6.7		
2000.....	0.5	*	*	*	*	*	0.2	0.4	1.0	2.7	5.1		
1999.....	0.7	*	*	*	*	*	0.2	0.3	0.5	1.5	3.3	8.7	

Worktable Orig12. Death rates for 358 selected causes, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2006

[Rates per 100,000 population in specified group. Rates are based on populations enumerated as of April 1 for 2000 and estimated as of July 1 for all other years. Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to 'Detailed technical notes to the United States 2006 data-mortality']

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, and sex	All ages 1/	Under 1 year 2/	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
Other zoonotic and bacterial diseases (A21-A22,A24-A32,A42-A44,A48-A49)												
Non-Hispanic black, both sexes												
2006 5/.....	0.6	*	*	*	*	*	*	0.6	1.5	2.1	4.5	9.0
2005 5/.....	0.6	*	*	*	*	*	*	0.8	1.0	2.5	4.1	9.8
2004 5/.....	0.6	*	*	*	*	*	*	0.7	1.4	2.3	6.6	8.3
2003 5/.....	0.6	*	*	*	*	*	*	0.7	1.4	2.1	4.4	7.7
2002.....	0.6	*	*	*	*	*	0.4	0.6	1.2	2.5	4.6	9.4
2001.....	0.6	*	*	*	*	*	*	0.7	1.5	2.5	4.7	8.1
2000.....	0.5	*	*	*	*	*	*	0.5	1.1	2.2	4.6	9.5
1999.....	0.8	*	*	*	*	*	*	0.8	1.4	3.5	9.0	15.8
Non-Hispanic black, male												
2006 5/.....	0.7	*	*	*	*	*	*	0.9	2.0	*	5.8	*
2005 5/.....	0.7	*	*	*	*	*	*	1.0	*	3.5	5.6	*
2004 5/.....	0.7	*	*	*	*	*	*	*	1.8	4.0	8.0	*
2003 5/.....	0.7	*	*	*	*	*	*	1.1	1.9	3.8	*	*
2002.....	0.6	*	*	*	*	*	*	*	*	3.1	6.7	*
2001.....	0.6	*	*	*	*	*	*	*	1.8	3.3	*	*
2000.....	0.6	*	*	*	*	*	*	*	*	3.1	*	*
1999.....	0.9	*	*	*	*	*	*	*	*	4.7	13.4	*
Non-Hispanic black, female												
2006 5/.....	0.6	*	*	*	*	*	*	*	1.2	2.0	3.8	10.1
2005 5/.....	0.5	*	*	*	*	*	*	*	*	*	3.2	9.6
2004 5/.....	0.6	*	*	*	*	*	*	*	*	*	5.8	*
2003 5/.....	0.4	*	*	*	*	*	*	*	*	*	3.9	*
2002.....	0.6	*	*	*	*	*	*	*	*	2.1	3.3	9.6
2001.....	0.6	*	*	*	*	*	*	*	*	*	4.5	*
2000.....	0.5	*	*	*	*	*	*	*	*	*	4.0	*
1999.....	0.8	*	*	*	*	*	*	*	*	2.7	6.5	14.7

Worktable Orig12. Death rates for 358 selected causes, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2006

[Rates per 100,000 population in specified group. Rates are based on populations enumerated as of April 1 for 2000 and estimated as of July 1 for all other years. Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to 'Detailed technical notes to the United States 2006 data-mortality']

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, and sex	All ages 1/	Under 1 year 2/	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
Viral diseases (A80-B34)												
All origins 3/, both sexes												
2006.....	6.9	2.9	0.3	0.1	0.6	3.2	10.5	17.1	12.7	8.2	7.7	7.8
2005.....	6.6	2.9	0.3	0.1	0.5	3.5	11.3	16.3	10.5	7.1	6.9	7.9
2004.....	6.8	2.9	0.3	0.1	0.6	3.9	12.5	16.2	10.3	7.0	6.5	7.8
2003.....	7.1	2.9	0.4	0.2	0.6	4.2	13.7	16.7	10.0	7.7	7.5	9.1
2002.....	7.4	4.1	0.3	0.2	0.6	5.0	14.6	17.3	9.6	7.8	7.8	10.1
2001.....	7.4	3.0	0.4	0.2	0.7	5.6	15.0	16.0	9.7	7.9	7.2	8.3
2000.....	7.5	2.9	0.4	0.2	0.6	6.4	15.0	16.3	9.4	8.0	8.1	9.6
1999.....	7.6	3.5	0.5	0.3	0.6	7.1	15.6	15.1	8.8	8.1	8.3	11.6
All origins 3/, male												
2006.....	9.6	3.0	0.3	0.1	0.7	3.8	14.8	25.5	19.4	10.4	9.1	8.1
2005.....	9.2	3.3	0.3	0.1	0.5	4.2	16.1	24.7	16.2	9.3	7.9	7.7
2004.....	9.5	3.2	0.4	0.1	0.7	4.8	17.7	24.6	15.9	9.4	7.3	9.0
2003.....	10.1	2.5	0.4	0.2	0.6	5.4	19.8	25.8	15.2	10.1	9.3	10.2
2002.....	10.6	4.6	0.4	0.1	0.6	6.3	21.3	26.9	14.5	10.0	9.6	11.7
2001.....	10.5	3.1	0.5	0.2	0.7	7.4	22.1	25.2	14.5	9.6	8.5	9.3
2000.....	10.8	2.9	0.4	0.2	0.7	8.3	22.3	25.8	14.3	9.9	10.4	10.8
1999.....	10.9	4.0	0.6	0.3	0.6	9.8	23.5	24.1	13.3	10.3	9.9	13.3
All origins 3/, female												
2006.....	4.3	2.8	*	0.1	0.6	2.5	6.3	9.0	6.6	6.3	6.8	7.7
2005.....	4.0	2.5	0.3	0.1	0.5	2.8	6.4	8.2	5.1	5.3	6.2	8.0
2004.....	4.1	2.6	0.3	0.1	0.6	3.0	7.3	8.2	5.0	5.0	6.0	7.2
2003.....	4.2	3.3	0.4	0.2	0.5	3.0	7.6	7.9	5.1	5.7	6.3	8.7
2002.....	4.4	3.6	*	0.2	0.6	3.6	7.9	7.9	5.1	6.0	6.5	9.3
2001.....	4.3	2.8	0.3	0.2	0.8	3.7	7.9	7.1	5.3	6.4	6.4	7.9
2000.....	4.4	2.9	0.4	0.2	0.6	4.5	7.7	7.1	5.0	6.4	6.6	9.1
1999.....	4.3	3.1	0.4	0.2	0.6	4.4	7.8	6.5	4.7	6.4	7.2	10.9
Hispanic, both sexes												
2006.....	6.4	2.3	*	*	0.6	2.6	10.4	21.2	20.9	16.6	14.2	11.3
2005.....	6.0	2.7	*	*	0.5	2.7	11.5	20.1	16.0	13.7	10.1	9.8
2004.....	6.3	2.4	*	*	0.5	2.9	13.0	21.2	16.7	13.2	12.3	*
2003.....	6.8	*	*	*	0.6	3.5	14.1	23.1	17.3	15.0	13.4	*
2002.....	7.0	4.0	*	*	0.6	4.0	15.3	22.9	18.1	13.0	13.2	*
2001.....	7.4	3.2	*	*	0.6	4.6	16.3	23.5	20.3	15.1	13.7	13.1
2000.....	7.7	*	*	*	0.5	5.9	17.5	24.2	18.5	16.3	17.4	*
1999.....	8.0	3.2	*	*	0.7	6.8	19.7	22.6	16.6	18.0	15.6	*
Hispanic, male												
2006.....	9.0	*	*	*	0.7	3.7	15.5	32.9	30.9	20.9	15.5	*
2005.....	8.5	*	*	*	0.7	3.6	17.3	31.4	24.2	16.8	12.7	*
2004.....	9.0	*	*	*	0.7	4.2	19.0	32.4	25.6	17.9	12.5	*
2003.....	9.7	*	*	*	0.7	4.8	20.3	37.5	26.1	18.5	14.6	*
2002.....	10.0	5.6	*	*	0.7	5.6	22.7	35.3	26.7	15.5	14.0	*
2001.....	10.4	*	*	*	0.7	6.1	24.0	37.3	29.7	16.8	15.7	*
2000.....	11.0	*	*	*	0.7	8.3	26.7	38.6	27.5	19.0	19.7	*
1999.....	11.4	*	*	*	0.7	9.6	29.8	35.2	25.5	23.1	13.0	*
Hispanic, female												
2006.....	3.6	*	*	*	*	1.3	4.7	9.2	11.8	13.2	13.3	15.0
2005.....	3.2	*	*	*	*	1.6	5.1	8.7	8.5	11.2	8.4	*
2004.....	3.4	*	*	*	*	1.4	6.3	9.8	8.5	9.5	12.1	*
2003.....	3.7	*	*	*	*	1.9	7.3	8.7	9.3	12.2	12.6	*
2002.....	3.9	*	*	*	*	2.1	7.3	10.5	10.4	10.9	12.6	*
2001.....	4.2	*	*	*	*	2.8	8.0	9.8	11.9	13.7	12.4	*
2000.....	4.1	*	*	*	*	3.1	7.6	10.2	10.6	14.3	15.8	*
1999.....	4.4	*	*	*	*	3.5	8.9	10.3	8.6	14.1	17.3	*

Worktable Orig12. Death rates for 358 selected causes, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2006

[Rates per 100,000 population in specified group. Rates are based on populations enumerated as of April 1 for 2000 and estimated as of July 1 for all other years. Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to 'Detailed technical notes to the United States 2006 data-mortality']

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, and sex	All ages 1/	Under 1 year 2/	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
Viral diseases (A80-B34)												
Non-Hispanic 4/, both sexes												
2006.....	7.0	3.1	0.3	0.1	0.6	3.3	10.5	16.5	12.0	7.5	7.3	7.7
2005.....	6.6	3.0	0.3	0.1	0.5	3.7	11.1	15.8	10.0	6.6	6.7	7.9
2004.....	6.8	3.0	0.3	0.1	0.6	4.1	12.3	15.5	9.7	6.5	6.1	7.9
2003.....	7.1	3.2	0.4	0.2	0.6	4.4	13.5	15.9	9.3	7.1	7.2	9.2
2002.....	7.4	4.0	0.4	0.2	0.6	5.1	14.3	16.5	8.8	7.4	7.5	10.1
2001.....	7.3	2.9	0.5	0.2	0.7	5.7	14.6	15.1	8.8	7.3	6.9	8.1
2000.....	7.4	3.1	0.4	0.2	0.6	6.5	14.5	15.4	8.6	7.4	7.7	9.6
1999.....	7.4	3.6	0.5	0.3	0.6	7.1	14.9	14.2	8.1	7.5	8.0	11.7
Non-Hispanic 4/, male												
2006.....	9.7	3.0	0.4	0.1	0.7	3.8	14.6	24.4	18.3	9.5	8.7	8.3
2005.....	9.3	3.4	0.3	0.1	0.5	4.3	15.7	23.8	15.4	8.7	7.6	7.6
2004.....	9.5	3.3	*	0.1	0.7	4.9	17.4	23.5	15.0	8.7	7.0	9.3
2003.....	10.1	2.8	0.4	0.2	0.6	5.5	19.5	24.3	14.2	9.4	9.0	10.1
2002.....	10.6	4.2	0.5	0.1	0.6	6.4	20.8	25.7	13.4	9.6	9.4	11.7
2001.....	10.4	3.0	0.6	0.2	0.7	7.6	21.6	23.7	13.1	9.1	8.2	9.1
2000.....	10.6	3.2	0.4	0.2	0.7	8.2	21.5	24.3	13.1	9.1	10.0	10.6
1999.....	10.7	4.1	0.6	0.3	0.6	9.8	22.4	22.7	12.2	9.4	9.7	13.4
Non-Hispanic 4/, female												
2006.....	4.4	3.2	*	0.1	0.6	2.7	6.5	8.9	6.1	5.7	6.4	7.4
2005.....	4.1	2.5	*	*	0.5	3.0	6.6	8.1	4.9	4.8	6.1	8.0
2004.....	4.2	2.6	*	0.1	0.6	3.4	7.4	7.9	4.7	4.7	5.6	7.2
2003.....	4.3	3.6	0.4	0.2	0.6	3.2	7.5	7.8	4.7	5.2	6.0	8.7
2002.....	4.4	3.8	*	0.2	0.6	3.9	7.9	7.6	4.6	5.6	6.2	9.3
2001.....	4.3	2.8	0.4	0.2	0.8	3.8	7.8	6.8	4.8	5.9	6.1	7.7
2000.....	4.4	3.0	0.4	0.2	0.6	4.7	7.6	6.8	4.5	5.9	6.2	9.1
1999.....	4.3	3.1	0.4	0.2	0.6	4.5	7.5	6.1	4.4	5.9	6.8	11.0
Non-Hispanic white, both sexes												
2006 5/.....	4.6	2.1	0.3	0.1	0.2	1.1	5.4	10.9	8.1	5.5	6.5	7.5
2005 5/.....	4.2	2.5	0.3	0.1	0.2	1.3	5.8	9.9	6.5	4.8	6.0	8.0
2004 5/.....	4.2	2.6	0.2	*	0.2	1.4	6.5	9.5	6.2	4.8	5.6	7.9
2003 5/.....	4.5	2.5	0.3	*	0.3	1.8	7.2	9.9	5.8	5.4	6.6	9.4
2002.....	4.7	3.5	0.3	0.1	0.2	2.0	7.5	10.1	5.7	5.6	6.8	10.3
2001.....	4.5	1.9	0.4	0.1	0.3	2.3	7.8	9.0	5.6	5.7	6.3	8.2
2000.....	4.6	2.1	0.2	0.2	0.2	2.6	7.9	9.2	5.5	5.8	7.2	9.6
1999.....	4.6	2.7	0.4	0.1	0.2	3.3	8.0	8.3	5.1	5.8	7.5	11.7
Non-Hispanic white, male												
2006 5/.....	6.6	2.2	*	*	0.2	1.5	8.4	16.9	12.5	6.7	7.8	8.4
2005 5/.....	6.2	2.8	*	*	0.2	1.8	9.2	15.5	10.1	6.2	6.9	7.9
2004 5/.....	6.2	2.9	*	*	0.2	2.1	10.2	15.1	9.7	6.3	6.4	9.1
2003 5/.....	6.6	2.1	*	*	0.3	2.7	11.5	15.8	9.0	6.9	8.1	10.3
2002.....	6.9	3.4	+	+	0.3	3.1	12.2	16.4	8.6	7.1	8.5	11.7
2001.....	6.7	1.9	*	*	0.3	3.6	12.9	15.0	8.4	7.1	7.5	9.4
2000.....	6.8	2.1	*	*	0.3	3.9	12.7	15.1	8.2	6.8	9.3	10.7
1999.....	6.8	3.4	0.5	0.2	0.3	5.2	13.2	13.6	7.6	7.2	9.3	12.9
Non-Hispanic white, female												
2006 5/.....	2.6	2.1	*	*	0.2	0.7	2.4	4.9	3.9	4.4	5.6	7.1
2005 5/.....	2.4	2.2	*	*	0.2	0.8	2.3	4.3	3.1	3.5	5.4	8.1
2004 5/.....	2.3	2.4	*	*	0.2	0.8	2.9	4.0	2.9	3.6	5.0	7.3
2003 5/.....	2.5	2.9	*	*	0.2	0.9	2.8	4.1	2.9	4.0	5.6	8.9
2002.....	2.5	3.6	*	*	0.2	1.0	2.8	4.0	3.0	4.4	5.7	9.7
2001.....	2.3	2.0	*	*	0.3	1.0	2.8	3.2	3.0	4.5	5.5	7.7
2000.....	2.5	2.0	+	+	0.2	1.3	3.1	3.3	3.0	4.9	5.8	9.1
1999.....	2.5	2.0	*	*	0.2	1.4	2.8	3.1	2.8	4.6	6.3	11.2

Worktable Orig12. Death rates for 358 selected causes, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2006

[Rates per 100,000 population in specified group. Rates are based on populations enumerated as of April 1 for 2000 and estimated as of July 1 for all other years. Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.odc.gov/nchs> and refer to 'Detailed technical notes to the United States 2006 data-mortality']

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, and sex	All ages 1/	Under 1 year 2/	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
Viral diseases (A80-B34)												
Non-Hispanic black, both sexes												
2006 5/.....	21.2	6.3	*	*	2.4	14.6	41.2	56.6	44.0	22.3	12.9	8.5
2005 5/.....	21.2	4.6	*	*	1.9	16.1	43.5	58.1	39.2	20.7	12.4	6.6
2004 5/.....	22.1	4.3	*	0.4	2.5	18.3	47.7	58.8	39.2	19.3	10.5	7.5
2003 5/.....	22.9	5.2	*	0.5	2.1	18.3	52.6	59.4	38.6	20.4	12.8	8.0
2002.....	24.2	5.9	*	0.4	2.3	22.1	56.4	63.4	34.0	21.7	13.7	7.6
2001.....	24.3	6.9	0.9	0.5	3.1	24.4	57.5	60.2	35.0	19.1	11.8	6.2
2000.....	24.6	7.5	1.0	0.4	2.6	27.9	56.7	62.3	32.9	20.0	12.7	8.6
1999.....	24.8	7.2	1.2	0.8	2.5	28.8	59.6	59.8	32.2	20.9	11.2	11.3
Non-Hispanic black, male												
2006 5/.....	28.6	*	*	*	2.7	16.5	54.2	82.0	71.2	34.3	19.2	*
2005 5/.....	29.2	*	*	*	2.0	18.3	58.6	87.1	65.5	32.5	15.1	*
2004 5/.....	30.2	*	*	*	2.6	20.4	63.9	88.7	65.6	31.4	12.5	*
2003 5/.....	32.0	*	*	*	2.1	22.1	72.9	91.2	64.0	32.5	17.6	*
2002.....	33.9	6.7	*	*	2.3	26.1	78.6	99.4	56.2	34.8	20.5	*
2001.....	34.0	8.0	*	*	2.7	31.2	81.0	93.6	57.0	27.1	15.9	*
2000.....	35.1	7.5	*	*	2.5	34.0	82.1	99.3	55.3	31.9	19.1	*
1999.....	35.7	7.6	*	0.9	2.1	37.6	86.8	97.9	52.9	30.5	13.1	*
Non-Hispanic black, female												
2006 5/.....	14.5	7.4	*	*	2.1	12.9	29.7	34.8	22.1	13.7	9.3	9.0
2005 5/.....	13.9	*	*	*	1.8	14.0	30.2	33.3	18.1	12.2	10.8	7.7
2004 5/.....	14.7	*	*	*	2.4	16.4	33.3	33.1	18.1	10.7	9.3	*
2003 5/.....	14.6	*	*	*	2.2	14.9	34.7	32.0	18.1	11.8	10.1	*
2002.....	15.3	*	*	*	2.3	18.5	36.9	32.7	16.2	12.4	9.8	*
2001.....	15.5	*	*	*	3.4	18.2	36.6	31.6	17.3	13.5	9.4	*
2000.....	15.2	7.4	*	*	2.7	22.4	34.3	30.6	14.8	11.7	9.0	8.7
1999.....	15.0	*	*	0.7	2.9	20.8	35.7	27.2	15.7	14.1	10.2	*

Worktable Orig12. Death rates for 358 selected causes, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2006

[Rates per 100,000 population in specified group. Rates are based on populations enumerated as of April 1 for 2000 and estimated as of July 1 for all other years. Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to 'Detailed technical notes to the United States 2006 data-mortality']

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, and sex	All ages 1/	Under 1 year 2/	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
Zoster (herpes zoster)(B02)												
Non-Hispanic 4/, both sexes												
2006.....	0.1	*	*	*	*	*	*	*	*	*	0.4	1.8
2005.....	0.1	*	*	*	*	*	*	*	*	*	0.3	1.9
2004.....	0.1	*	*	*	*	*	*	*	*	*	0.3	2.0
2003.....	0.1	*	*	*	*	*	*	*	*	*	0.3	2.3
2002.....	0.1	*	*	*	*	*	*	*	*	*	0.2	1.7
2001.....	0.0	*	*	*	*	*	*	*	*	*	0.2	1.7
2000.....	0.1	*	*	*	*	*	*	*	*	*	0.3	1.7
1999.....	0.1	*	*	*	*	*	*	*	*	*	0.4	2.1
Non-Hispanic 4/, male												
2006.....	0.1	*	*	*	*	*	*	*	*	*	0.4	1.7
2005.....	0.0	*	*	*	*	*	*	*	*	*	1.3	*
2004.....	0.0	*	*	*	*	*	*	*	*	*	2.2	*
2003.....	0.0	*	*	*	*	*	*	*	*	*	1.9	*
2002.....	0.0	*	*	*	*	*	*	*	*	*	1.5	*
2001.....	0.0	*	*	*	*	*	*	*	*	*	*	*
2000.....	0.0	*	*	*	*	*	*	*	*	*	*	*
1999.....	0.0	*	*	*	*	*	*	*	*	*	*	*
Non-Hispanic 4/, female												
2006.....	0.1	*	*	*	*	*	*	*	*	*	0.3	1.9
2005.....	0.1	*	*	*	*	*	*	*	*	*	0.4	2.1
2004.....	0.1	*	*	*	*	*	*	*	*	*	0.3	1.9
2003.....	0.1	*	*	*	*	*	*	*	*	*	*	2.5
2002.....	0.1	*	*	*	*	*	*	*	*	*	*	1.8
2001.....	0.1	*	*	*	*	*	*	*	*	*	0.3	1.9
2000.....	0.1	*	*	*	*	*	*	*	*	*	*	1.9
1999.....	0.1	*	*	*	*	*	*	*	*	*	0.4	2.4
Non-Hispanic white, both sexes												
2006 5/.....	0.1	*	*	*	*	*	*	*	*	*	0.4	1.9
2005 5/.....	0.1	*	*	*	*	*	*	*	*	*	0.3	2.0
2004 5/.....	0.1	*	*	*	*	*	*	*	*	*	0.3	2.1
2003 5/.....	0.1	*	*	*	*	*	*	*	*	*	0.3	2.5
2002.....	0.1	*	*	*	*	*	*	*	*	*	0.2	1.8
2001.....	0.1	*	*	*	*	*	*	*	*	*	0.3	1.8
2000.....	0.1	*	*	*	*	*	*	*	*	*	0.3	1.8
1999.....	0.1	*	*	*	*	*	*	*	*	*	0.4	2.3
Non-Hispanic white, male												
2006 5/.....	0.1	*	*	*	*	*	*	*	*	*	0.5	1.7
2005 5/.....	0.0	*	*	*	*	*	*	*	*	*	*	1.5
2004 5/.....	0.0	*	*	*	*	*	*	*	*	*	*	2.2
2003 5/.....	0.0	*	*	*	*	*	*	*	*	*	*	2.0
2002.....	0.0	*	*	*	*	*	*	*	*	*	*	*
2001.....	0.0	*	*	*	*	*	*	*	*	*	*	*
2000.....	0.0	*	*	*	*	*	*	*	*	*	*	*
1999.....	0.0	*	*	*	*	*	*	*	*	*	*	*
Non-Hispanic white, female												
2006 5/.....	0.1	*	*	*	*	*	*	*	*	*	0.3	2.0
2005 5/.....	0.1	*	*	*	*	*	*	*	*	*	0.4	2.2
2004 5/.....	0.1	*	*	*	*	*	*	*	*	*	0.3	2.0
2003 5/.....	0.1	*	*	*	*	*	*	*	*	*	*	2.7
2002.....	0.1	*	*	*	*	*	*	*	*	*	*	1.9
2001.....	0.1	*	*	*	*	*	*	*	*	*	0.3	2.0
2000.....	0.1	*	*	*	*	*	*	*	*	*	*	2.0
1999.....	0.1	*	*	*	*	*	*	*	*	*	0.4	2.6

Worktable Orig12. Death rates for 358 selected causes, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2006

[Rates per 100,000 population in specified group. Rates are based on populations enumerated as of April 1 for 2000 and estimated as of July 1 for all other years. Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to 'Detailed technical notes to the United States 2006 data-mortality']

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, and sex	All ages 1/	Under 1 year 2/	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
Viral hepatitis (B15-B19)												
All origins 3/, both sexes												
2006.....	2.4	*	*	*	*	0.2	1.2	6.7	6.7	4.5	4.6	3.1
2005.....	1.9	*	*	*	*	0.2	1.2	5.4	4.5	3.5	3.7	2.4
2004.....	1.8	*	*	*	*	0.2	1.4	5.3	4.3	3.4	3.6	2.7
2003.....	1.9	*	*	*	*	0.2	1.5	5.5	3.9	3.8	4.2	2.4
2002.....	2.0	*	*	*	0.1	0.2	1.6	5.8	4.0	4.2	4.6	3.9
2001.....	2.0	*	*	*	0.1	0.2	1.8	5.3	4.0	4.6	4.9	3.8
2000.....	1.9	*	*	*	*	0.2	1.7	5.0	3.7	4.6	5.3	4.0
1999.....	1.7	*	*	*	*	0.2	1.6	4.1	3.3	4.8	5.3	4.7
All origins 3/, male												
2006.....	3.2	*	*	*	*	0.2	1.7	9.9	9.9	5.0	4.6	3.0
2005.....	2.5	*	*	*	*	0.2	1.6	8.1	6.7	3.7	3.7	2.6
2004.....	2.4	*	*	*	*	0.2	1.8	8.0	6.1	4.0	3.6	3.0
2003.....	2.5	*	*	*	*	0.2	2.1	8.3	5.4	4.2	4.8	2.8
2002.....	2.7	*	*	*	*	0.3	2.3	8.9	5.5	4.5	5.3	5.0
2001.....	2.5	*	*	*	*	0.2	2.5	8.2	5.3	4.8	5.3	4.4
2000.....	2.4	*	*	*	*	0.2	2.4	7.7	5.0	4.8	6.4	5.7
1999.....	2.2	*	*	*	*	0.3	2.3	6.3	4.3	5.1	6.6	6.9
All origins 3/, female												
2006.....	1.6	*	*	*	*	0.1	0.8	3.7	3.8	4.0	4.6	3.1
2005.....	1.3	*	*	*	*	0.1	0.7	2.9	2.5	3.3	3.7	2.3
2004.....	1.3	*	*	*	*	0.1	1.0	2.7	2.5	3.0	3.5	2.5
2003.....	1.3	*	*	*	*	0.1	0.9	2.9	2.5	3.5	3.8	2.3
2002.....	1.4	*	*	*	*	0.2	1.0	2.8	2.7	3.9	4.1	3.3
2001.....	1.4	*	*	*	*	0.2	1.1	2.5	2.8	4.4	4.6	3.5
2000.....	1.4	*	*	*	*	0.2	1.1	2.4	2.6	4.5	4.7	3.3
1999.....	1.3	*	*	*	*	0.2	0.9	2.0	2.4	4.5	4.5	3.9
Hispanic, both sexes												
2006.....	2.5	*	*	*	*	*	1.6	9.4	13.0	10.8	10.2	8.6
2005.....	1.9	*	*	*	*	*	1.8	6.9	8.5	8.6	6.6	*
2004.....	1.7	*	*	*	*	*	1.8	6.8	7.7	7.0	7.5	*
2003.....	1.8	*	*	*	*	*	1.8	7.0	7.2	8.7	9.2	*
2002.....	2.0	*	*	*	*	*	1.7	8.0	8.3	8.6	10.5	*
2001.....	2.1	*	*	*	*	*	2.3	7.8	10.4	9.9	11.0	*
2000.....	2.0	*	*	*	*	*	2.5	7.0	8.6	11.1	13.0	*
1999.....	1.9	*	*	*	*	*	2.1	6.8	7.8	12.4	13.5	*
Hispanic, male												
2006.....	3.2	*	*	*	*	*	2.5	13.9	17.6	12.0	8.2	*
2005.....	2.4	*	*	*	*	*	2.5	10.3	11.4	9.0	*	*
2004.....	2.2	*	*	*	*	*	2.6	10.2	10.4	8.0	*	*
2003.....	2.3	*	*	*	*	*	2.6	10.8	10.4	7.8	7.7	*
2002.....	2.5	*	*	*	*	*	2.5	12.0	11.6	7.6	10.3	*
2001.....	2.6	*	*	*	*	*	3.1	12.2	14.2	7.0	10.3	*
2000.....	2.5	*	*	*	*	*	3.8	10.6	11.7	11.0	12.3	*
1999.....	2.3	*	*	*	*	*	3.3	10.5	9.8	13.0	*	*
Hispanic, female												
2006.....	1.8	*	*	*	*	*	*	4.7	8.7	9.7	11.5	*
2005.....	1.3	*	*	*	*	*	1.0	3.4	5.8	8.2	6.7	*
2004.....	1.2	*	*	*	*	*	0.9	3.4	5.2	6.2	9.1	*
2003.....	1.3	*	*	*	*	*	1.0	3.1	4.4	9.4	10.3	*
2002.....	1.4	*	*	*	*	*	0.9	4.0	5.4	9.4	10.7	*
2001.....	1.7	*	*	*	*	*	1.4	3.5	7.1	12.3	11.5	*
2000.....	1.5	*	*	*	*	*	1.0	3.3	5.8	11.3	13.5	*
1999.....	1.5	*	*	*	*	*	0.8	3.3	6.0	12.0	16.3	*

Worktable Orig12. Death rates for 358 selected causes, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2006

[Rates per 100,000 population in specified group. Rates are based on populations enumerated as of April 1 for 2000 and estimated as of July 1 for all other years. Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to 'Detailed technical notes to the United States 2006 data-mortality']

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, and sex	All ages 1/	Under 1 year 2/	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
Viral hepatitis (B15-B19)												
Non-Hispanic 4/, both sexes												
2006.....	2.4	*	*	*	*	0.1	1.2	6.4	6.2	3.9	4.2	2.8
2005.....	1.9	*	*	*	*	0.2	1.0	5.3	4.2	3.1	3.5	2.2
2004.....	1.8	*	*	*	*	0.2	1.3	5.2	4.0	3.2	3.3	2.6
2003.....	1.9	*	*	*	*	0.2	1.4	5.4	3.6	3.4	4.0	2.3
2002.....	2.0	*	*	*	*	0.2	1.6	5.6	3.6	3.8	4.3	3.7
2001.....	1.9	*	*	*	*	0.2	1.7	5.0	3.5	4.2	4.6	3.6
2000.....	1.9	*	*	*	*	0.2	1.6	4.8	3.3	4.2	5.0	3.8
1999.....	1.7	*	*	*	*	0.2	1.5	3.8	3.0	4.3	5.0	4.7
Non-Hispanic 4/, male												
2006.....	3.2	*	*	*	*	0.2	1.5	9.3	9.2	4.4	4.4	3.0
2005.....	2.5	*	*	*	*	0.2	1.4	7.8	6.2	3.3	3.5	2.4
2004.....	2.5	*	*	*	*	0.2	1.7	7.8	5.8	3.7	3.5	3.0
2003.....	2.5	*	*	*	*	0.2	2.0	8.0	5.0	3.9	4.7	2.7
2002.....	2.7	*	*	*	*	0.3	2.3	8.6	4.9	4.3	5.1	4.8
2001.....	2.5	*	*	*	*	0.2	2.4	7.7	4.6	4.6	5.0	4.3
2000.....	2.4	*	*	*	*	0.2	2.2	7.4	4.4	4.4	6.1	5.4
1999.....	2.2	*	*	*	*	0.2	2.2	5.9	3.9	4.7	6.4	6.8
Non-Hispanic 4/, female												
2006.....	1.6	*	*	*	*	0.1	0.8	3.6	3.4	3.5	4.2	2.7
2005.....	1.3	*	*	*	*	0.1	0.7	2.9	2.3	2.9	3.5	2.2
2004.....	1.3	*	*	*	*	0.2	1.0	2.7	2.3	2.7	3.2	2.4
2003.....	1.3	*	*	*	*	0.1	0.8	2.8	2.3	3.0	3.5	2.2
2002.....	1.4	*	*	*	*	0.2	1.0	2.7	2.4	3.5	3.8	3.2
2001.....	1.4	*	*	*	*	0.2	1.0	2.3	2.5	3.8	4.3	3.3
2000.....	1.4	*	*	*	*	0.2	1.0	2.4	2.3	4.0	4.3	3.2
1999.....	1.2	*	*	*	*	0.2	0.9	1.8	2.1	4.0	4.0	3.9
Non-Hispanic white, both sexes												
2006 5/.....	2.3	*	*	*	*	0.1	1.1	6.3	5.3	3.3	3.6	2.5
2005 5/.....	1.8	*	*	*	*	0.1	1.0	5.1	3.6	2.4	3.2	2.0
2004 5/.....	1.8	*	*	*	*	0.1	1.3	4.9	3.4	2.7	3.0	2.4
2003 5/.....	1.8	*	*	*	*	0.2	1.4	5.2	2.9	2.9	3.6	2.2
2002.....	1.9	*	*	*	*	0.2	1.6	5.3	3.0	3.3	4.1	3.5
2001.....	1.8	*	*	*	*	0.2	1.7	4.6	2.9	3.7	4.3	3.3
2000.....	1.8	*	*	*	*	0.1	1.6	4.3	2.7	3.7	4.7	3.7
1999.....	1.6	*	*	*	*	0.2	1.4	3.4	2.5	3.7	4.7	4.5
Non-Hispanic white, male												
2006 5/.....	3.1	*	*	*	*	0.2	1.4	9.3	7.9	3.7	3.9	3.1
2005 5/.....	2.5	*	*	*	*	0.1	1.4	7.7	5.5	2.8	3.4	2.2
2004 5/.....	2.4	*	*	*	*	0.1	1.7	7.4	4.8	3.2	3.2	2.7
2003 5/.....	2.4	*	*	*	*	0.2	2.0	7.7	4.2	3.4	4.2	2.7
2002.....	2.6	*	*	*	*	0.3	2.3	8.2	4.1	3.9	4.9	4.6
2001.....	2.5	*	*	*	*	0.2	2.3	7.2	4.0	4.3	5.1	4.4
2000.....	2.3	*	*	*	*	0.1	2.1	6.7	3.6	3.8	5.9	5.4
1999.....	2.1	*	*	*	*	0.2	2.1	5.2	3.4	4.3	6.4	6.5
Non-Hispanic white, female												
2006 5/.....	1.5	*	*	*	*	0.1	0.8	3.4	2.9	2.9	3.4	2.2
2005 5/.....	1.2	*	*	*	*	0.1	0.7	2.6	1.9	2.2	3.1	1.9
2004 5/.....	1.2	*	*	*	*	0.1	0.9	2.5	2.0	2.3	2.8	2.3
2003 5/.....	1.2	*	*	*	*	0.1	0.8	2.6	1.8	2.5	3.1	2.0
2002.....	1.3	*	*	*	*	0.1	0.9	2.5	2.0	2.8	3.5	3.1
2001.....	1.2	*	*	*	*	0.1	1.0	2.0	2.0	3.1	3.8	2.9
2000.....	1.3	*	*	*	*	0.1	1.0	2.0	1.8	3.6	4.0	3.1
1999.....	1.1	*	*	*	*	0.2	0.8	1.7	1.6	3.3	3.6	3.7

Worktable Orig12. Death rates for 358 selected causes, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2006

[Rates per 100,000 population in specified group. Rates are based on populations enumerated as of April 1 for 2000 and estimated as of July 1 for all other years. Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.odc.gov/nchs> and refer to 'Detailed technical notes to the United States 2006 data-mortality']

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, and sex	All ages 1/	Under 1 year 2/	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
Viral hepatitis (B15-B19)												
Non-Hispanic black, both sexes												
2006 5/.....	2.9	*	*	*	*	*	1.3	7.8	12.5	7.3	6.7	*
2005 5/.....	2.3	*	*	*	*	*	1.2	7.1	8.5	6.2	5.1	*
2004 5/.....	2.3	*	*	*	*	*	1.4	7.6	8.8	4.6	5.0	*
2003 5/.....	2.3	*	*	*	*	*	1.8	7.6	8.2	5.3	5.9	*
2002.....	2.3	*	*	*	*	0.4	2.0	8.2	7.2	6.0	5.2	*
2001.....	2.3	*	*	*	*	*	2.2	8.1	6.8	5.6	5.7	*
2000.....	2.2	*	*	*	*	0.4	2.1	8.0	5.8	5.8	6.3	*
1999.....	2.1	*	*	*	*	*	2.2	7.0	5.1	6.8	5.9	*
Non-Hispanic black, male												
2006 5/.....	3.8	*	*	*	*	*	1.7	11.1	20.0	9.3	7.5	*
2005 5/.....	2.9	*	*	*	*	*	1.5	10.3	12.9	7.3	*	*
2004 5/.....	3.1	*	*	*	*	*	1.5	11.9	14.1	6.7	*	*
2003 5/.....	3.1	*	*	*	*	*	2.4	11.7	12.1	5.9	6.1	*
2002.....	3.1	*	*	*	*	*	2.6	12.6	10.7	7.0	*	*
2001.....	2.8	*	*	*	*	*	3.0	12.0	9.0	5.0	*	*
2000.....	2.9	*	*	*	*	*	3.0	12.3	8.1	7.2	7.7	*
1999.....	2.6	*	*	*	*	*	3.1	11.8	6.3	5.7	*	*
Non-Hispanic black, female												
2006 5/.....	2.0	*	*	*	*	*	1.0	5.0	6.5	5.9	6.3	*
2005 5/.....	1.7	*	*	*	*	*	0.9	4.4	5.0	5.4	5.9	*
2004 5/.....	1.5	*	*	*	*	*	1.4	3.9	4.5	3.1	5.3	*
2003 5/.....	1.6	*	*	*	*	*	1.2	4.1	5.1	4.9	5.9	*
2002.....	1.7	*	*	*	*	*	1.5	4.4	4.4	5.2	5.3	*
2001.....	1.8	*	*	*	*	*	1.4	4.7	5.0	6.0	6.7	*
2000.....	1.6	*	*	*	*	*	1.4	4.3	3.9	4.7	5.6	*
1999.....	1.6	*	*	*	*	*	1.4	2.9	4.1	7.5	6.7	*

Worktable Orig12. Death rates for 358 selected causes, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2006

[Rates per 100,000 population in specified group. Rates are based on populations enumerated as of April 1 for 2000 and estimated as of July 1 for all other years. Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to 'Detailed technical notes to the United States 2006 data-mortality']

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, and sex	All ages 1/	Under 1 year 2/	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
Human immunodeficiency virus (HIV) disease (B20-B24)												
All origins 3/, both sexes												
2006.....	4.0	*	*	*	0.5	2.9	9.2	10.1	5.5	2.5	0.8	*
2005.....	4.2	*	*	*	0.4	3.3	9.9	10.6	5.3	2.3	0.8	*
2004.....	4.4	*	*	0.1	0.5	3.7	10.9	10.6	5.4	2.4	0.8	*
2003.....	4.7	*	*	0.1	0.4	4.0	12.0	10.9	5.4	2.4	0.7	*
2002.....	4.9	*	*	0.1	0.4	4.6	12.7	11.2	5.1	2.2	0.8	*
2001.....	5.0	*	*	0.1	0.6	5.3	13.0	10.5	5.2	2.1	0.7	*
2000.....	5.1	*	*	0.1	0.5	6.1	13.1	11.0	5.1	2.2	0.7	*
1999.....	5.3	*	*	0.2	0.2	6.8	13.8	10.7	4.8	2.2	0.6	*
All origins 3/, male												
2006.....	5.9	*	*	*	0.6	3.5	12.9	15.3	8.9	4.2	1.6	*
2005.....	6.3	*	*	*	0.4	4.0	14.3	16.4	8.8	4.1	1.4	*
2004.....	6.6	*	*	*	0.5	4.5	15.7	16.3	9.0	4.0	1.4	*
2003.....	7.1	*	*	*	0.4	5.1	17.5	17.2	9.1	4.0	1.5	*
2002.....	7.4	*	*	*	0.4	5.9	18.8	17.7	8.5	3.9	1.4	*
2001.....	7.6	*	*	0.1	0.5	7.1	19.5	16.8	8.6	3.5	1.5	*
2000.....	7.9	*	*	0.1	0.5	8.0	19.8	17.8	8.7	3.8	1.3	*
1999.....	8.2	*	*	0.2	0.5	9.5	21.0	17.5	8.3	3.8	1.0	*
All origins 3/, female												
2006.....	2.2	*	*	*	0.4	2.3	5.4	5.1	2.3	1.1	0.3	*
2005.....	2.2	*	*	*	0.3	2.6	5.6	5.1	2.0	0.9	0.4	*
2004.....	2.4	*	*	*	0.4	2.8	6.2	5.2	2.0	1.0	0.5	*
2003.....	2.4	*	*	*	0.4	2.8	6.5	4.8	2.1	1.0	0.3	*
2002.....	2.5	*	*	*	0.4	3.3	6.7	4.8	1.9	0.8	0.3	*
2001.....	2.5	*	*	*	0.6	3.5	6.7	4.4	2.0	0.9	*	*
2000.....	2.5	*	*	0.1	0.4	4.2	6.5	4.4	1.8	0.8	0.3	*
1999.....	2.5	*	*	0.2	0.5	4.1	6.7	4.1	1.6	0.8	0.3	*
Hispanic, both sexes												
2006.....	3.6	*	*	*	0.4	2.4	8.8	11.7	7.6	4.7	*	*
2005.....	3.9	*	*	*	0.4	2.5	9.6	13.0	7.2	4.3	*	*
2004.....	4.3	*	*	*	0.4	2.8	11.0	14.1	8.4	5.0	*	*
2003.....	4.7	*	*	*	0.4	3.3	12.3	15.9	9.8	5.2	*	*
2002.....	4.8	*	*	*	0.4	3.6	13.4	14.7	9.5	3.4	*	*
2001.....	5.0	*	*	*	0.5	4.4	13.9	15.5	9.2	4.5	*	*
2000.....	5.4	*	*	*	0.3	5.6	14.9	16.9	9.5	3.8	*	*
1999.....	5.8	*	*	*	0.5	6.4	17.3	15.4	8.4	4.7	*	*
Hispanic, male												
2006.....	5.6	*	*	*	3.4	12.9	18.6	12.9	7.9	*	*	*
2005.....	5.9	*	*	*	0.6	3.3	14.7	20.8	12.6	7.3	*	*
2004.....	6.4	*	*	*	4.1	16.1	22.0	14.4	8.0	*	*	*
2003.....	7.1	*	*	*	0.5	4.6	17.7	26.1	15.4	9.2	*	*
2002.....	7.2	*	*	*	5.1	20.1	23.1	15.0	6.9	*	*	*
2001.....	7.6	*	*	*	0.6	6.0	20.8	24.9	14.8	8.6	*	*
2000.....	8.2	*	*	*	7.8	22.7	27.5	15.3	7.2	*	*	*
1999.....	8.7	*	*	*	0.6	9.3	26.2	24.2	15.4	9.0	*	*
Hispanic, female												
2006.....	1.6	*	*	*	1.2	4.1	4.5	2.8	*	*	*	*
2005.....	1.6	*	*	*	1.4	4.0	5.2	2.3	*	*	*	*
2004.....	1.9	*	*	*	1.2	5.3	6.2	2.9	*	*	*	*
2003.....	2.2	*	*	*	1.8	6.3	5.6	4.6	*	*	*	*
2002.....	2.2	*	*	*	1.8	6.2	6.3	4.6	*	*	*	*
2001.....	2.3	*	*	*	2.5	6.5	6.2	4.1	*	*	*	*
2000.....	2.4	*	*	*	3.0	6.4	6.6	4.4	*	*	*	*
1999.....	2.6	*	*	*	3.2	7.9	6.7	*	*	*	*	*

Worktable Orig12. Death rates for 358 selected causes, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2006

[Rates per 100,000 population in specified group. Rates are based on populations enumerated as of April 1 for 2000 and estimated as of July 1 for all other years. Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to 'Detailed technical notes to the United States 2006 data-mortality']

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, and sex	All ages 1/	Under 1 year 2/	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
Human immunodeficiency virus (HIV) disease (B20-B24)												
Non-Hispanic 4/, both sexes												
2006.....	4.1	*	*	*	0.5	3.0	9.2	9.9	5.2	2.3	0.7	*
2005.....	4.3	*	*	*	0.4	3.5	9.9	10.3	5.1	2.2	0.7	*
2004.....	4.4	*	*	0.1	0.5	3.9	10.9	10.1	5.0	2.1	0.7	*
2003.....	4.6	*	*	0.1	0.4	4.1	11.9	10.2	5.0	2.1	0.7	*
2002.....	4.8	*	*	0.1	0.4	4.8	12.5	10.6	4.7	2.1	0.7	*
2001.....	4.9	*	*	0.1	0.6	5.4	12.7	9.9	4.8	1.9	0.6	*
2000.....	5.0	*	*	0.1	0.5	6.2	12.7	10.3	4.7	2.0	0.6	*
1999.....	5.2	*	*	0.2	0.5	6.8	13.2	10.0	4.5	2.0	0.6	*
Non-Hispanic 4/, male												
2006.....	6.0	*	*	*	0.6	3.6	12.9	14.8	8.5	3.9	1.4	*
2005.....	6.3	*	*	*	0.4	4.1	14.1	15.7	8.5	3.8	1.2	*
2004.....	6.5	*	*	*	0.5	4.6	15.5	15.5	8.5	3.6	1.2	*
2003.....	7.0	*	*	*	0.4	5.2	17.3	16.0	8.4	3.6	1.4	*
2002.....	7.3	*	*	*	0.4	6.0	18.4	16.9	7.9	3.7	1.3	*
2001.....	7.5	*	*	0.1	0.5	7.3	19.0	15.8	8.0	3.1	1.3	*
2000.....	7.7	*	*	*	0.5	7.9	19.1	16.7	8.0	3.4	1.2	*
1999.....	8.0	*	*	0.2	0.5	9.4	20.1	16.5	7.6	3.4	1.0	*
Non-Hispanic 4/, female												
2006.....	2.3	*	*	*	0.4	2.5	5.6	5.1	2.2	1.0	0.3	*
2005.....	2.3	*	*	*	0.4	2.8	5.8	5.0	2.0	0.8	0.4	*
2004.....	2.4	*	*	*	0.5	3.1	6.3	5.0	1.9	0.9	0.4	*
2003.....	2.4	*	*	*	0.4	3.0	6.5	4.7	1.9	0.9	*	*
2002.....	2.5	*	*	*	0.5	3.6	6.7	4.7	1.7	0.8	0.3	*
2001.....	2.5	*	*	*	0.7	3.6	6.6	4.2	1.8	0.9	*	*
2000.....	2.5	*	*	0.1	0.5	4.4	6.4	4.2	1.6	0.8	*	*
1999.....	2.5	*	*	0.1	0.6	4.2	6.5	3.9	1.6	0.7	0.3	*
Non-Hispanic white, both sexes												
2006 5/.....	1.8	*	*	*	0.1	0.9	4.1	4.3	2.2	1.0	0.4	*
2005 5/.....	1.9	*	*	*	0.1	1.1	4.6	4.5	2.2	0.9	0.4	*
2004 5/.....	1.9	*	*	*	0.1	1.2	5.1	4.3	2.2	0.9	0.4	*
2003 5/.....	2.1	*	*	*	0.1	1.5	5.6	4.5	2.2	0.8	0.3	*
2002.....	2.1	*	*	*	0.1	1.7	5.8	4.6	2.2	0.8	0.3	*
2001.....	2.2	*	*	*	0.1	2.1	6.0	4.2	2.1	0.7	0.3	*
2000.....	2.3	*	*	*	0.1	2.4	6.2	4.6	2.2	0.8	0.3	*
1999.....	2.4	*	*	*	0.1	3.0	6.4	4.6	2.0	0.8	0.3	*
Non-Hispanic white, male												
2006 5/.....	3.0	*	*	*	*	1.3	6.8	7.4	4.0	1.8	0.7	*
2005 5/.....	3.1	*	*	*	*	1.6	7.6	7.6	3.8	1.7	0.7	*
2004 5/.....	3.3	*	*	*	*	1.8	8.4	7.4	4.0	1.7	0.7	*
2003 5/.....	3.6	*	*	*	*	2.4	9.4	7.8	4.0	1.5	0.8	*
2002.....	3.7	*	*	*	*	2.7	9.8	8.0	4.0	1.5	0.5	*
2001.....	3.8	*	*	*	*	3.2	10.4	7.5	3.8	1.4	0.6	*
2000.....	4.0	*	*	*	0.2	3.7	10.4	8.2	4.0	1.5	0.6	*
1999.....	4.2	*	*	*	0.2	4.9	10.9	8.2	3.6	1.5	0.6	*
Non-Hispanic white, female												
2006 5/.....	0.6	*	*	*	*	0.5	1.5	1.3	0.5	0.2	*	*
2005 5/.....	0.6	*	*	*	*	0.7	1.6	1.5	0.6	*	*	*
2004 5/.....	0.6	*	*	*	*	0.6	1.8	1.3	0.4	*	*	*
2003 5/.....	0.6	*	*	*	*	0.7	1.8	1.2	0.5	0.3	*	*
2002.....	0.6	*	*	*	*	0.8	1.8	1.2	0.5	*	*	*
2001.....	0.6	*	*	*	*	0.9	1.7	1.0	0.5	*	*	*
2000.....	0.7	*	*	*	*	1.1	2.0	1.1	0.5	*	*	*
1999.....	0.7	*	*	*	*	1.2	1.9	1.1	0.4	*	*	*

Worktable Orig12. Death rates for 358 selected causes, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2006

[Rates per 100,000 population in specified group. Rates are based on populations enumerated as of April 1 for 2000 and estimated as of July 1 for all other years. Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.odc.gov/nchs> and refer to 'Detailed technical notes to the United States 2006 data-mortality']

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, and sex	All ages 1/	Under 1 year 2/	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
Human immunodeficiency virus (HIV) disease (B20-B24)												
Non-Hispanic black, both sexes												
2006 5/.....	17.9	*	*	*	2.2	14.3	39.7	48.3	30.8	14.3	4.8	*
2005 5/.....	18.5	*	*	*	1.7	15.6	42.1	50.5	30.4	14.0	5.0	*
2004 5/.....	19.4	*	*	*	2.3	17.9	46.0	50.9	29.9	13.6	4.6	*
2003 5/.....	20.1	*	*	0.5	1.9	18.1	50.5	51.3	29.9	14.4	4.7	*
2002.....	21.3	*	*	*	2.1	21.5	54.0	54.8	26.3	14.6	5.7	*
2001.....	21.6	*	*	0.4	2.8	24.0	55.0	51.9	28.0	12.8	5.3	*
2000.....	22.0	*	*	0.4	2.2	27.2	54.5	53.9	26.3	13.2	4.6	*
1999.....	22.3	*	*	0.6	2.3	28.3	57.2	52.2	26.4	13.2	3.7	*
Non-Hispanic black, male												
2006 5/.....	24.4	*	*	*	2.6	16.2	52.3	70.3	50.3	24.1	10.3	*
2005 5/.....	25.8	*	*	*	1.8	17.9	56.7	76.4	52.0	25.0	8.7	*
2004 5/.....	26.7	*	*	*	2.4	20.0	62.1	76.3	50.8	23.4	7.7	*
2003 5/.....	28.5	*	*	*	1.9	21.7	70.0	79.0	51.4	25.3	8.9	*
2002.....	30.3	*	*	*	2.0	25.5	75.6	86.2	44.8	26.6	12.3	*
2001.....	30.8	*	*	*	2.4	30.8	77.8	81.4	47.7	21.4	11.4	*
2000.....	31.7	*	*	*	2.2	33.4	79.0	86.6	46.4	23.8	8.9	*
1999.....	32.6	*	*	0.7	1.9	37.1	83.5	85.5	45.6	24.0	6.6	*
Non-Hispanic black, female												
2006 5/.....	12.1	*	*	*	1.9	12.6	28.5	29.4	15.1	7.2	*	*
2005 5/.....	11.8	*	*	*	1.6	13.4	29.2	28.3	12.9	6.1	*	*
2004 5/.....	12.8	*	*	*	2.2	15.9	31.6	29.0	13.1	6.6	*	*
2003 5/.....	12.6	*	*	*	2.0	14.8	33.2	27.6	12.6	6.6	*	*
2002.....	13.2	*	*	*	2.2	17.9	34.9	28.0	11.5	6.0	*	*
2001.....	13.3	*	*	*	3.2	17.8	34.8	26.6	12.1	6.7	*	*
2000.....	13.1	*	*	*	2.3	21.7	32.8	25.8	10.1	5.8	*	*
1999.....	13.0	*	*	*	2.8	20.3	34.1	23.8	11.0	5.6	*	*

Worktable Orig12. Death rates for 358 selected causes, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2006

[Rates per 100,000 population in specified group. Rates are based on populations enumerated as of April 1 for 2000 and estimated as of July 1 for all other years. Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to 'Detailed technical notes to the United States 2006 data-mortality']

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, and sex	All ages 1/	Under 1 year 2/	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
Human immunodeficiency virus (HIV) disease resulting in infectious and parasitic diseases (B20)												
All origins 3/, both sexes												
2006.....	1.5	*	*	*	0.2	1.2	3.4	4.0	2.0	0.7	0.2	*
2005.....	1.6	*	*	*	0.1	1.3	3.8	4.1	2.0	0.8	0.2	*
2004.....	1.7	*	*	*	0.2	1.5	4.4	4.2	1.9	0.9	0.3	*
2003.....	1.8	*	*	*	0.2	1.6	4.5	4.3	2.0	0.8	0.2	*
2002.....	1.9	*	*	*	0.2	1.9	5.1	4.5	1.9	0.7	0.2	*
2001.....	1.9	*	*	*	0.2	2.1	5.1	4.2	1.9	0.7	0.2	*
2000.....	2.0	*	*	*	0.2	2.4	5.3	4.4	1.8	0.8	0.3	*
1999.....	2.1	*	*	0.1	0.2	2.8	5.6	4.4	1.6	0.7	0.3	*
All origins 3/, male												
2006.....	2.2	*	*	*	0.2	1.5	4.8	6.0	3.2	1.2	0.4	*
2005.....	2.4	*	*	*	0.2	1.6	5.5	6.3	3.4	1.2	0.4	*
2004.....	2.6	*	*	*	0.2	1.9	6.3	6.2	3.2	1.5	0.5	*
2003.....	2.7	*	*	*	0.2	2.1	6.5	6.9	3.3	1.3	0.4	*
2002.....	2.9	*	*	*	0.2	2.3	7.5	7.2	3.0	1.3	0.5	*
2001.....	2.9	*	*	*	0.3	2.8	7.6	6.7	3.1	1.2	0.5	*
2000.....	3.1	*	*	*	0.2	3.2	7.8	7.1	2.9	1.4	0.5	*
1999.....	3.3	*	*	*	0.2	3.8	8.4	7.2	2.7	1.3	0.6	*
All origins 3/, female												
2006.....	0.9	*	*	*	0.2	0.9	2.1	2.1	0.8	0.3	*	*
2005.....	0.9	*	*	*	0.1	1.0	2.2	2.1	0.7	0.4	*	*
2004.....	1.0	*	*	*	0.2	1.2	2.4	2.2	0.7	0.4	*	*
2003.....	0.9	*	*	*	0.1	1.1	2.5	1.8	0.9	0.4	*	*
2002.....	1.0	*	*	*	0.2	1.4	2.7	1.9	0.8	0.3	*	*
2001.....	1.0	*	*	*	0.2	1.5	2.6	1.8	0.8	0.4	*	*
2000.....	1.0	*	*	*	0.2	1.6	2.8	1.7	0.7	0.2	*	*
1999.....	1.0	*	*	*	0.3	1.8	2.7	1.8	0.5	0.3	*	*
Hispanic, both sexes												
2006.....	1.6	*	*	*	*	1.2	3.7	5.5	3.4	1.8	*	*
2005.....	1.7	*	*	*	*	1.1	4.5	6.0	2.8	1.7	*	*
2004.....	1.9	*	*	*	*	1.3	5.2	5.9	3.8	2.3	*	*
2003.....	2.1	*	*	*	*	1.5	5.3	7.4	4.4	2.0	*	*
2002.....	2.2	*	*	*	*	1.7	6.1	6.4	4.6	*	*	*
2001.....	2.3	*	*	*	*	2.0	6.5	7.0	4.2	*	*	*
2000.....	2.5	*	*	*	*	2.7	7.0	7.6	3.8	*	*	*
1999.....	2.6	*	*	*	*	3.1	7.6	7.1	3.0	*	*	*
Hispanic, male												
2006.....	2.4	*	*	*	*	1.7	5.2	8.7	5.8	*	*	*
2005.....	2.7	*	*	*	*	1.6	7.0	9.6	5.2	*	*	*
2004.....	2.9	*	*	*	*	1.9	7.8	8.8	6.5	3.5	*	*
2003.....	3.2	*	*	*	*	2.1	7.8	11.9	6.5	*	*	*
2002.....	3.2	*	*	*	*	2.2	8.9	10.1	7.3	*	*	*
2001.....	3.4	*	*	*	*	2.9	9.5	11.2	6.1	*	*	*
2000.....	3.7	*	*	*	*	3.8	10.6	12.3	5.5	*	*	*
1999.....	3.8	*	*	*	*	4.2	11.1	11.0	5.6	*	*	*
Hispanic, female												
2006.....	0.8	*	*	*	*	0.6	2.0	2.3	*	*	*	*
2005.....	0.7	*	*	*	*	*	1.7	2.3	*	*	*	*
2004.....	0.9	*	*	*	*	*	2.3	2.9	*	*	*	*
2003.....	1.0	*	*	*	*	0.8	2.6	2.8	2.6	*	*	*
2002.....	1.0	*	*	*	*	1.0	2.9	2.8	2.1	*	*	*
2001.....	1.1	*	*	*	*	1.0	3.2	2.9	2.5	*	*	*
2000.....	1.2	*	*	*	*	1.4	3.2	3.0	2.3	*	*	*
1999.....	1.3	*	*	*	*	1.8	3.8	3.3	*	*	*	*

Worktable Orig12. Death rates for 358 selected causes, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2006

[Rates per 100,000 population in specified group. Rates are based on populations enumerated as of April 1 for 2000 and estimated as of July 1 for all other years. Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to 'Detailed technical notes to the United States 2006 data-mortality']

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, and sex	All ages 1/	Under 1 year 2/	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
Human immunodeficiency virus (HIV) disease resulting in infectious and parasitic diseases (B20)												
Non-Hispanic 4/, both sexes												
2006.....	1.5	*	*	*	0.2	1.2	3.4	3.8	1.8	0.6	0.2	*
2005.....	1.6	*	*	*	0.1	1.3	3.7	3.9	1.9	0.7	0.2	*
2004.....	1.7	*	*	*	0.2	1.6	4.2	3.9	1.7	0.8	0.3	*
2003.....	1.7	*	*	*	0.2	1.6	4.3	3.9	1.8	0.7	0.2	*
2002.....	1.9	*	*	*	0.2	1.9	4.9	4.2	1.7	0.7	0.2	*
2001.....	1.9	*	*	*	0.2	2.1	4.8	3.9	1.7	0.7	0.2	*
2000.....	1.9	*	*	*	0.2	2.4	5.0	4.0	1.6	0.7	0.2	*
1999.....	2.0	*	*	0.1	0.2	2.7	5.2	4.1	1.4	0.7	0.2	*
Non-Hispanic 4/, male												
2006.....	2.2	*	*	*	0.2	1.4	4.6	5.6	2.9	1.0	0.4	*
2005.....	2.3	*	*	*	0.1	1.6	5.2	5.8	3.2	1.1	*	*
2004.....	2.5	*	*	*	0.2	1.8	6.0	5.9	2.8	1.3	0.5	*
2003.....	2.6	*	*	*	0.1	2.1	6.3	6.3	3.0	1.2	*	*
2002.....	2.8	*	*	*	0.2	2.3	7.1	6.7	2.7	1.2	0.5	*
2001.....	2.8	*	*	*	0.2	2.8	7.2	6.1	2.8	1.0	0.4	*
2000.....	2.9	*	*	*	0.2	3.1	7.4	6.5	2.6	1.3	0.4	*
1999.....	3.1	*	*	*	0.2	3.6	8.0	6.7	2.4	1.2	0.5	*
Non-Hispanic 4/, female												
2006.....	0.9	*	*	*	0.2	1.0	2.1	2.0	0.8	0.3	*	*
2005.....	0.9	*	*	*	0.1	1.1	2.3	2.0	0.7	0.3	*	*
2004.....	1.0	*	*	*	0.2	1.3	2.4	2.1	0.7	0.4	*	*
2003.....	0.9	*	*	*	0.2	1.1	2.5	1.7	0.7	0.3	*	*
2002.....	1.0	*	*	*	0.2	1.5	2.7	1.8	0.7	0.3	*	*
2001.....	1.0	*	*	*	0.2	1.5	2.5	1.7	0.7	0.4	*	*
2000.....	1.0	*	*	*	0.2	1.7	2.7	1.6	0.6	0.2	*	*
1999.....	1.0	*	*	*	0.3	1.8	2.6	1.6	0.5	0.3	*	*
Non-Hispanic white, both sexes												
2006 5/.....	0.7	*	*	*	*	0.4	1.6	1.6	0.8	0.2	*	*
2005 5/.....	0.7	*	*	*	*	0.5	1.7	1.7	0.8	0.2	*	*
2004 5/.....	0.8	*	*	*	*	0.5	2.0	1.8	0.7	0.3	*	*
2003 5/.....	0.8	*	*	*	*	0.6	2.2	1.8	0.8	0.3	*	*
2002.....	0.8	*	*	*	*	0.7	2.4	1.8	0.8	0.3	*	*
2001.....	0.8	*	*	*	*	0.9	2.3	1.7	0.8	0.3	*	*
2000.....	0.9	*	*	*	0.1	0.9	2.4	1.8	0.7	0.3	*	*
1999.....	0.9	*	*	*	*	1.2	2.5	1.8	0.7	0.3	*	*
Non-Hispanic white, male												
2006 5/.....	1.1	*	*	*	*	0.5	2.6	2.7	1.3	0.4	*	*
2005 5/.....	1.1	*	*	*	*	0.7	2.7	2.7	1.5	0.3	*	*
2004 5/.....	1.3	*	*	*	*	0.7	3.3	2.9	1.3	0.6	*	*
2003 5/.....	1.3	*	*	*	*	1.0	3.6	3.0	1.3	0.5	*	*
2002.....	1.4	*	*	*	*	1.0	3.8	3.1	1.4	0.5	*	*
2001.....	1.4	*	*	*	*	1.3	3.9	3.0	1.4	0.4	*	*
2000.....	1.5	*	*	*	*	1.4	3.9	3.2	1.3	0.6	*	*
1999.....	1.6	*	*	*	*	1.8	4.2	3.2	1.2	0.5	*	*
Non-Hispanic white, female												
2006 5/.....	0.3	*	*	*	*	0.2	0.7	0.6	0.2	*	*	*
2005 5/.....	0.3	*	*	*	*	0.2	0.7	0.7	0.2	*	*	*
2004 5/.....	0.3	*	*	*	*	0.3	0.8	0.6	*	*	*	*
2003 5/.....	0.3	*	*	*	*	0.3	0.8	0.5	0.2	*	*	*
2002.....	0.3	*	*	*	*	0.4	0.9	0.5	0.3	*	*	*
2001.....	0.3	*	*	*	*	0.4	0.8	0.4	0.2	*	*	*
2000.....	0.3	*	*	*	*	0.4	0.9	0.5	0.2	*	*	*
1999.....	0.3	*	*	*	*	0.5	0.8	0.5	*	*	*	*

Worktable Orig12. Death rates for 358 selected causes, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2006

[Rates per 100,000 population in specified group. Rates are based on populations enumerated as of April 1 for 2000 and estimated as of July 1 for all other years. Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.odc.gov/nchs> and refer to 'Detailed technical notes to the United States 2006 data-mortality']

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, and sex	All ages 1/	Under 1 year 2/	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
Human immunodeficiency virus (HIV) disease resulting in infectious and parasitic diseases (B20)												
Non-Hispanic black, both sexes												
2006 5/.....	6.5	*	*	*	0.8	5.6	13.7	18.4	10.8	4.0	*	*
2005 5/.....	6.9	*	*	*	0.6	6.0	15.6	19.3	11.2	5.1	*	*
2004 5/.....	7.4	*	*	*	1.0	7.3	17.4	19.1	10.9	5.3	*	*
2003 5/.....	7.3	*	*	*	0.7	7.0	17.5	19.3	10.9	4.7	*	*
2002.....	8.2	*	*	*	0.9	8.4	20.5	22.2	9.2	4.6	*	*
2001.....	8.2	*	*	*	1.1	9.2	20.5	20.3	9.9	4.5	*	*
2000.....	8.5	*	*	*	1.0	10.6	21.7	20.6	8.8	4.6	*	*
1999.....	8.8	*	*	*	1.2	11.5	22.6	21.6	8.2	4.4	*	*
Non-Hispanic black, male												
2006 5/.....	8.7	*	*	*	0.9	6.4	17.6	26.7	17.8	6.9	*	*
2005 5/.....	9.6	*	*	*	0.6	6.5	20.8	29.0	19.1	8.8	*	*
2004 5/.....	10.0	*	*	*	1.0	7.9	23.6	27.8	18.0	8.8	*	*
2003 5/.....	10.4	*	*	*	0.7	8.6	23.9	30.8	18.7	8.1	*	*
2002.....	11.7	*	*	*	0.9	9.9	29.1	35.5	15.1	7.8	*	*
2001.....	11.6	*	*	*	1.2	11.2	29.5	31.3	16.6	7.4	*	*
2000.....	12.2	*	*	*	0.9	13.4	31.0	33.2	15.1	8.8	*	*
1999.....	12.9	*	*	*	0.8	14.5	33.5	35.2	14.2	8.1	*	*
Non-Hispanic black, female												
2006 5/.....	4.4	*	*	*	0.7	4.8	10.3	11.3	5.2	2.0	*	*
2005 5/.....	4.6	*	*	*	*	5.5	11.0	10.9	4.8	2.4	*	*
2004 5/.....	5.1	*	*	*	1.1	6.7	11.9	11.6	5.2	2.8	*	*
2003 5/.....	4.4	*	*	*	0.7	5.5	11.8	9.4	4.7	2.3	*	*
2002.....	5.0	*	*	*	0.8	7.0	13.0	10.7	4.4	2.3	*	*
2001.....	5.1	*	*	*	1.1	7.4	12.5	10.9	4.5	2.4	*	*
2000.....	5.1	*	*	*	1.1	8.1	13.4	9.7	3.8	*	*	*
1999.....	5.2	*	*	*	1.5	8.7	13.0	10.0	3.4	*	*	*

Worktable Orig12. Death rates for 358 selected causes, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2006

[Rates per 100,000 population in specified group. Rates are based on populations enumerated as of April 1 for 2000 and estimated as of July 1 for all other years. Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to 'Detailed technical notes to the United States 2006 data-mortality']

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, and sex	All ages 1/	Under 1 year 2/	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
Human immunodeficiency virus (HIV) disease resulting in malignant neoplasms (B21)												
Non-Hispanic black, both sexes												
2006 5/.....	1.0	*	*	*	*	0.6	2.0	2.6	2.2	*	*	*
2005 5/.....	1.1	*	*	*	*	1.0	2.5	2.9	2.2	1.2	*	*
2004 5/.....	1.1	*	*	*	*	0.7	2.3	2.9	2.0	1.2	*	*
2003 5/.....	1.0	*	*	*	*	0.8	2.3	2.6	2.2	*	*	*
2002.....	1.1	*	*	*	*	0.8	2.7	3.1	1.4	*	*	*
2001.....	1.1	*	*	*	*	1.2	2.7	2.5	2.5	*	*	*
2000.....	1.2	*	*	*	*	1.1	3.1	2.9	1.6	*	*	*
1999.....	1.2	*	*	*	*	1.5	3.0	2.8	1.9	*	*	*
Non-Hispanic black, male												
2006 5/.....	1.5	*	*	*	*	0.9	3.1	4.2	3.7	*	*	*
2005 5/.....	1.7	*	*	*	*	1.4	3.7	4.6	3.9	*	*	*
2004 5/.....	1.7	*	*	*	*	0.9	3.6	4.6	3.8	*	*	*
2003 5/.....	1.4	*	*	*	*	1.1	3.5	3.5	3.5	*	*	*
2002.....	1.7	*	*	*	*	0.9	4.1	5.0	2.5	*	*	*
2001.....	1.8	*	*	*	*	1.8	4.4	4.0	4.5	*	*	*
2000.....	1.9	*	*	*	*	1.6	5.1	4.9	3.2	*	*	*
1999.....	2.0	*	*	*	*	2.3	5.1	4.9	3.2	*	*	*
Non-Hispanic black, female												
2006 5/.....	0.5	*	*	*	*	*	1.1	1.2	*	*	*	*
2005 5/.....	0.6	*	*	*	*	*	1.4	1.5	*	*	*	*
2004 5/.....	0.5	*	*	*	*	*	1.2	1.4	*	*	*	*
2003 5/.....	0.6	*	*	*	*	*	1.2	1.8	*	*	*	*
2002.....	0.6	*	*	*	*	*	1.4	1.5	*	*	*	*
2001.....	0.6	*	*	*	*	*	1.1	1.3	*	*	*	*
2000.....	0.5	*	*	*	*	0.7	1.3	1.2	*	*	*	*
1999.....	0.5	*	*	*	*	0.8	1.2	1.0	*	*	*	*

Worktable Orig12. Death rates for 358 selected causes, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2006

[Rates per 100,000 population in specified group. Rates are based on populations enumerated as of April 1 for 2000 and estimated as of July 1 for all other years. Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to 'Detailed technical notes to the United States 2006 data-mortality']

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, and sex	All ages 1/	Under 1 year 2/	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
Human immunodeficiency virus (HIV) disease resulting in other specified diseases (B22)												
Non-Hispanic 4/, both sexes												
2006.....	0.4	*	*	*	*	0.3	0.9	1.0	0.6	0.3	*	*
2005.....	0.4	*	*	*	*	0.3	1.0	1.0	0.5	0.3	*	*
2004.....	0.4	*	*	*	*	0.4	1.0	1.0	0.6	0.2	*	*
2003.....	0.4	*	*	*	*	0.3	1.2	1.0	0.5	0.2	*	*
2002.....	0.5	*	*	*	*	0.5	1.1	0.9	0.5	0.2	*	*
2001.....	0.5	*	*	*	*	0.6	1.2	0.9	0.6	0.3	*	*
2000.....	0.6	*	*	*	*	0.7	1.4	1.1	0.6	0.2	*	*
1999.....	0.6	*	*	*	*	0.7	1.5	1.0	0.5	0.2	*	*
Non-Hispanic 4/, male												
2006.....	0.6	*	*	*	*	0.4	1.4	1.5	0.9	0.5	*	*
2005.....	0.6	*	*	*	*	0.3	1.4	1.6	0.8	0.6	*	*
2004.....	0.7	*	*	*	*	0.4	1.5	1.6	0.9	0.3	*	*
2003.....	0.7	*	*	*	*	0.5	1.8	1.6	0.9	0.4	*	*
2002.....	0.7	*	*	*	*	0.7	1.8	1.5	1.0	0.4	*	*
2001.....	0.8	*	*	*	*	0.8	2.0	1.5	0.9	0.4	*	*
2000.....	0.9	*	*	*	*	1.0	2.3	1.9	1.0	0.3	*	*
1999.....	0.9	*	*	*	*	1.1	2.4	1.7	0.9	0.4	*	*
Non-Hispanic 4/, female												
2006.....	0.2	*	*	*	*	0.2	0.4	0.5	0.2	*	*	*
2005.....	0.2	*	*	*	*	0.3	0.5	0.5	0.2	*	*	*
2004.....	0.2	*	*	*	*	0.3	0.5	0.4	0.2	*	*	*
2003.....	0.2	*	*	*	*	0.2	0.5	0.4	*	*	*	*
2002.....	0.2	*	*	*	*	0.4	0.5	0.4	*	*	*	*
2001.....	0.2	*	*	*	*	0.3	0.5	0.3	0.2	*	*	*
2000.....	0.2	*	*	*	*	0.4	0.6	0.4	*	*	*	*
1999.....	0.2	*	*	*	*	0.4	0.6	0.3	*	*	*	*
Non-Hispanic white, both sexes												
2006 5/.....	0.2	*	*	*	*	0.1	0.4	0.5	0.3	*	*	*
2005 5/.....	0.2	*	*	*	*	0.1	0.5	0.5	0.2	0.2	*	*
2004 5/.....	0.2	*	*	*	*	0.1	0.5	0.6	0.3	*	*	*
2003 5/.....	0.2	*	*	*	*	0.2	0.6	0.5	0.2	0.1	*	*
2002.....	0.2	*	*	*	*	0.2	0.6	0.5	0.3	*	*	*
2001.....	0.2	*	*	*	*	0.3	0.6	0.5	0.3	*	*	*
2000.....	0.3	*	*	*	*	0.3	0.9	0.6	0.3	*	*	*
1999.....	0.3	*	*	*	*	0.4	0.9	0.6	0.2	*	*	*
Non-Hispanic white, male												
2006 5/.....	0.3	*	*	*	*	*	0.8	0.8	0.5	*	*	*
2005 5/.....	0.4	*	*	*	*	*	0.9	0.9	0.4	0.4	*	*
2004 5/.....	0.4	*	*	*	*	0.2	0.9	1.0	0.5	*	*	*
2003 5/.....	0.4	*	*	*	*	0.2	1.1	1.0	0.4	*	*	*
2002.....	0.4	*	*	*	*	0.4	1.1	1.0	0.6	*	*	*
2001.....	0.4	*	*	*	*	0.4	1.1	0.9	0.5	*	*	*
2000.....	0.5	*	*	*	*	0.6	1.5	1.0	0.5	*	*	*
1999.....	0.6	*	*	*	*	0.7	1.5	1.2	0.4	*	*	*
Non-Hispanic white, female												
2006 5/.....	0.0	*	*	*	*	*	*	0.1	*	*	*	*
2005 5/.....	0.1	*	*	*	*	*	0.1	*	*	*	*	*
2004 5/.....	0.1	*	*	*	*	*	*	0.2	*	*	*	*
2003 5/.....	0.1	*	*	*	*	*	0.2	*	*	*	*	*
2002.....	0.1	*	*	*	*	*	*	*	*	*	*	*
2001.....	0.1	*	*	*	*	*	0.1	*	*	*	*	*
2000.....	0.1	*	*	*	*	*	0.2	*	*	*	*	*
1999.....	0.1	*	*	*	*	*	0.2	*	*	*	*	*

Worktable Orig12. Death rates for 358 selected causes, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2006

[Rates per 100,000 population in specified group. Rates are based on populations enumerated as of April 1 for 2000 and estimated as of July 1 for all other years. Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.odc.gov/nchs> and refer to 'Detailed technical notes to the United States 2006 data-mortality']

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, and sex	All ages 1/	Under 1 year 2/	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
Human immunodeficiency virus (HIV) disease resulting in other specified diseases (B22)												
Non-Hispanic black, both sexes												
2006 5/.....	1.7	*	*	*	*	1.3	3.7	4.7	3.2	1.7	*	*
2005 5/.....	1.7	*	*	*	*	1.2	3.9	4.7	2.9	1.5	*	*
2004 5/.....	1.7	*	*	*	*	1.5	4.0	4.5	3.0	1.2	*	*
2003 5/.....	1.7	*	*	*	*	1.4	4.5	4.3	3.1	*	*	*
2002.....	1.7	*	*	*	*	2.1	4.4	3.8	2.7	1.5	*	*
2001.....	2.0	*	*	*	*	2.3	5.0	4.0	3.0	1.8	*	*
2000.....	2.2	*	*	*	*	2.9	5.3	5.3	3.0	1.4	*	*
1999.....	2.2	*	*	*	*	2.8	6.0	4.1	3.1	1.4	*	*
Non-Hispanic black, male												
2006 5/.....	2.5	*	*	*	*	1.6	5.4	6.7	5.2	2.9	*	*
2005 5/.....	2.3	*	*	*	*	1.3	5.2	6.9	4.8	3.1	*	*
2004 5/.....	2.4	*	*	*	*	1.5	5.5	6.9	5.3	*	*	*
2003 5/.....	2.6	*	*	*	*	1.7	6.8	6.7	5.7	*	*	*
2002.....	2.5	*	*	*	*	2.4	6.5	5.9	5.1	2.9	*	*
2001.....	2.9	*	*	*	*	3.0	7.7	6.3	4.6	*	*	*
2000.....	3.3	*	*	*	*	3.7	7.8	8.9	5.7	*	*	*
1999.....	3.3	*	*	*	*	4.0	8.9	6.7	5.7	*	*	*
Non-Hispanic black, female												
2006 5/.....	1.1	*	*	*	*	1.0	2.3	3.0	1.5	*	*	*
2005 5/.....	1.1	*	*	*	*	1.1	2.7	2.8	1.5	*	*	*
2004 5/.....	1.1	*	*	*	*	1.5	2.6	2.4	*	*	*	*
2003 5/.....	0.9	*	*	*	*	1.1	2.5	2.2	*	*	*	*
2002.....	1.0	*	*	*	*	1.8	2.5	1.9	*	*	*	*
2001.....	1.2	*	*	*	*	1.6	2.7	2.1	1.6	*	*	*
2000.....	1.2	*	*	*	*	2.2	3.1	2.3	*	*	*	*
1999.....	1.2	*	*	*	*	1.6	3.3	1.8	*	*	*	*

Worktable Orig12. Death rates for 358 selected causes, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2006

[Rates per 100,000 population in specified group. Rates are based on populations enumerated as of April 1 for 2000 and estimated as of July 1 for all other years. Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to 'Detailed technical notes to the United States 2006 data-mortality']

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, and sex	All ages 1/	Under 1 year 2/	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
Human immunodeficiency virus (HIV) disease resulting in other conditions (B23)												
All origins 3/, both sexes												
2006.....	0.7	*	*	*	0.1	0.4	1.5	1.7	1.1	0.6	0.2	*
2005.....	0.7	*	*	*	0.0	0.5	1.5	1.8	1.0	0.5	0.2	*
2004.....	0.7	*	*	*	0.1	0.5	1.7	1.8	1.0	0.5	0.2	*
2003.....	1.1	*	*	*	0.1	0.9	2.7	2.7	1.4	0.7	0.2	*
2002.....	1.2	*	*	*	0.1	1.0	3.0	2.8	1.4	0.6	0.3	*
2001.....	1.2	*	*	*	0.2	1.2	3.1	2.6	1.4	0.5	0.2	*
2000.....	1.2	*	*	*	0.1	1.3	2.9	2.6	1.5	0.6	0.2	*
1999.....	1.2	*	*	*	0.1	1.4	3.0	2.6	1.4	0.7	*	*
All origins 3/, male												
2006.....	1.0	*	*	*	0.1	0.5	2.1	2.6	1.7	0.9	0.5	*
2005.....	1.0	*	*	*	*	0.5	2.1	2.7	1.7	0.8	0.4	*
2004.....	1.1	*	*	*	*	0.7	2.4	2.7	1.7	0.8	*	*
2003.....	1.6	*	*	*	*	1.0	3.8	4.1	2.2	1.1	0.4	*
2002.....	1.7	*	*	*	*	1.3	4.2	4.2	2.3	1.0	0.4	*
2001.....	1.8	*	*	*	0.1	1.5	4.4	4.1	2.3	0.9	0.4	*
2000.....	1.8	*	*	*	*	1.6	4.2	4.0	2.4	0.9	0.5	*
1999.....	1.8	*	*	*	0.1	1.9	4.3	4.1	2.3	1.2	*	*
All origins 3/, female												
2006.....	0.4	*	*	*	*	0.4	0.9	0.9	0.5	0.3	*	*
2005.....	0.4	*	*	*	*	0.4	0.9	0.9	0.4	*	*	*
2004.....	0.4	*	*	*	*	0.4	1.1	0.8	0.4	*	*	*
2003.....	0.6	*	*	*	0.1	0.7	1.7	1.4	0.5	0.3	*	*
2002.....	0.7	*	*	*	*	0.7	1.8	1.4	0.5	0.3	*	*
2001.....	0.7	*	*	*	0.2	0.9	1.9	1.3	0.5	*	*	*
2000.....	0.7	*	*	*	0.1	1.1	1.6	1.2	0.6	0.3	*	*
1999.....	0.7	*	*	*	0.1	0.9	1.8	1.1	0.5	0.2	*	*
Hispanic, both sexes												
2006.....	0.4	*	*	*	*	*	1.2	1.3	*	*	*	*
2005.....	0.5	*	*	*	*	0.3	1.1	1.9	1.1	*	*	*
2004.....	0.6	*	*	*	*	0.4	1.3	2.0	1.1	*	*	*
2003.....	1.0	*	*	*	*	0.5	2.6	3.7	2.3	*	*	*
2002.....	1.1	*	*	*	*	0.6	3.3	3.6	2.5	*	*	*
2001.....	1.2	*	*	*	*	0.9	3.2	3.9	2.3	*	*	*
2000.....	1.2	*	*	*	*	1.0	2.9	3.9	2.9	*	*	*
1999.....	1.2	*	*	*	*	1.2	3.1	3.1	2.7	*	*	*
Hispanic, male												
2006.....	0.6	*	*	*	*	*	1.8	2.0	*	*	*	*
2005.....	0.8	*	*	*	*	*	1.7	3.1	1.9	*	*	*
2004.....	0.9	*	*	*	*	0.6	1.9	3.0	1.9	*	*	*
2003.....	1.5	*	*	*	*	0.7	3.4	5.8	3.6	*	*	*
2002.....	1.6	*	*	*	*	0.7	4.8	5.6	3.6	*	*	*
2001.....	1.7	*	*	*	*	1.0	4.6	5.8	3.9	*	*	*
2000.....	1.7	*	*	*	*	1.3	4.3	6.3	4.5	*	*	*
1999.....	1.7	*	*	*	*	1.8	4.3	4.4	4.9	*	*	*
Hispanic, female												
2006.....	0.2	*	*	*	*	*	*	*	*	*	*	*
2005.....	0.2	*	*	*	*	*	*	*	*	*	*	*
2004.....	0.3	*	*	*	*	*	0.7	*	*	*	*	*
2003.....	0.6	*	*	*	*	*	1.8	1.5	*	*	*	*
2002.....	0.6	*	*	*	*	*	1.7	1.6	*	*	*	*
2001.....	0.7	*	*	*	*	0.7	1.8	1.9	*	*	*	*
2000.....	0.6	*	*	*	*	*	1.5	1.5	*	*	*	*
1999.....	0.6	*	*	*	*	*	1.8	1.9	*	*	*	*

Worktable Orig12. Death rates for 358 selected causes, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2006

[Rates per 100,000 population in specified group. Rates are based on populations enumerated as of April 1 for 2000 and estimated as of July 1 for all other years. Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to 'Detailed technical notes to the United States 2006 data-mortality']

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, and sex	All ages 1/	Under 1 year 2/	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
Human immunodeficiency virus (HIV) disease resulting in other conditions (B23)												
Non-Hispanic 4/, both sexes												
2006.....	0.8	*	*	*	0.1	0.5	1.6	1.8	1.1	0.6	0.2	*
2005.....	0.7	*	*	*	*	0.5	1.6	1.8	1.0	0.4	0.2	*
2004.....	0.8	*	*	*	0.1	0.6	1.8	1.7	1.0	0.4	0.2	*
2003.....	1.1	*	*	*	0.1	0.9	2.7	2.6	1.3	0.6	0.2	*
2002.....	1.2	*	*	*	0.1	1.1	2.9	2.6	1.3	0.6	0.2	*
2001.....	1.2	*	*	*	0.2	1.3	3.1	2.5	1.2	0.4	0.2	*
2000.....	1.2	*	*	*	0.1	1.4	2.9	2.4	1.3	0.5	0.2	*
1999.....	1.2	*	*	*	0.1	1.4	3.0	2.4	1.3	0.6	*	*
Non-Hispanic 4/, male												
2006.....	1.1	*	*	*	*	0.5	2.2	2.7	1.8	0.9	*	*
2005.....	1.1	*	*	*	*	0.6	2.1	2.7	1.6	0.7	*	*
2004.....	1.1	*	*	*	*	0.7	2.5	2.7	1.7	0.8	*	*
2003.....	1.6	*	*	*	*	1.0	3.9	3.8	2.1	0.9	0.4	*
2002.....	1.7	*	*	*	*	1.4	4.0	4.0	2.2	1.0	*	*
2001.....	1.8	*	*	*	*	1.6	4.3	3.8	2.0	0.8	0.4	*
2000.....	1.7	*	*	*	*	1.6	4.1	3.7	2.1	0.9	*	*
1999.....	1.8	*	*	*	*	1.9	4.2	3.9	2.1	1.0	*	*
Non-Hispanic 4/, female												
2006.....	0.4	*	*	*	*	0.5	1.0	1.0	0.5	0.3	*	*
2005.....	0.4	*	*	*	*	0.5	1.0	0.9	0.4	*	*	*
2004.....	0.4	*	*	*	*	0.4	1.1	0.8	0.4	*	*	*
2003.....	0.7	*	*	*	0.1	0.8	1.7	1.4	0.5	0.3	*	*
2002.....	0.7	*	*	*	*	0.8	1.8	1.4	0.5	0.3	*	*
2001.....	0.7	*	*	*	0.2	0.9	1.9	1.2	0.5	*	*	*
2000.....	0.7	*	*	*	*	1.2	1.6	1.2	0.6	0.3	*	*
1999.....	0.7	*	*	*	0.2	1.0	1.8	1.0	0.5	*	*	*
Non-Hispanic white, both sexes												
2006 5/.....	0.3	*	*	*	*	0.1	0.5	0.7	0.4	0.2	*	*
2005 5/.....	0.3	*	*	*	*	0.1	0.6	0.6	0.3	0.1	*	*
2004 5/.....	0.3	*	*	*	*	0.1	0.7	0.6	0.4	0.2	*	*
2003 5/.....	0.4	*	*	*	*	0.2	1.0	0.9	0.5	0.2	*	*
2002.....	0.4	*	*	*	*	0.3	1.1	0.9	0.4	0.2	*	*
2001.....	0.4	*	*	*	*	0.4	1.2	0.8	0.5	*	*	*
2000.....	0.5	*	*	*	*	0.4	1.2	0.9	0.5	0.2	*	*
1999.....	0.5	*	*	*	*	0.5	1.2	0.8	0.4	0.2	*	*
Non-Hispanic white, male												
2006 5/.....	0.5	*	*	*	*	*	0.8	1.3	0.8	0.3	*	*
2005 5/.....	0.4	*	*	*	*	*	0.9	1.0	0.6	*	*	*
2004 5/.....	0.5	*	*	*	*	0.2	1.1	1.0	0.7	0.4	*	*
2003 5/.....	0.7	*	*	*	*	0.3	1.7	1.5	0.9	0.3	*	*
2002.....	0.7	*	*	*	*	0.5	1.8	1.4	0.9	0.3	*	*
2001.....	0.7	*	*	*	*	0.6	1.9	1.4	0.9	*	*	*
2000.....	0.7	*	*	*	*	0.6	2.0	1.4	0.9	0.3	*	*
1999.....	0.8	*	*	*	*	0.7	2.0	1.5	0.8	0.3	*	*
Non-Hispanic white, female												
2006 5/.....	0.1	*	*	*	*	*	0.2	0.2	*	*	*	*
2005 5/.....	0.1	*	*	*	*	*	0.3	0.2	*	*	*	*
2004 5/.....	0.1	*	*	*	*	*	0.3	0.2	*	*	*	*
2003 5/.....	0.1	*	*	*	*	*	0.3	0.3	*	*	*	*
2002.....	0.1	*	*	*	*	*	0.4	0.3	*	*	*	*
2001.....	0.1	*	*	*	*	0.2	0.5	0.2	*	*	*	*
2000.....	0.2	*	*	*	*	0.3	0.5	0.3	*	*	*	*
1999.....	0.2	*	*	*	*	0.2	0.5	0.2	*	*	*	*

Worktable Orig12. Death rates for 358 selected causes, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2006

[Rates per 100,000 population in specified group. Rates are based on populations enumerated as of April 1 for 2000 and estimated as of July 1 for all other years. Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.odc.gov/nchs> and refer to 'Detailed technical notes to the United States 2006 data-mortality']

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, and sex	All ages 1/	Under 1 year 2/	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
Human immunodeficiency virus (HIV) disease resulting in other conditions (B23)												
Non-Hispanic black, both sexes												
2006 5/.....	3.6	*	*	*	0.4	2.5	7.7	9.2	7.3	4.1	*	*
2005 5/.....	3.5	*	*	*	*	2.8	7.3	9.6	6.8	2.8	*	*
2004 5/.....	3.7	*	*	*	0.3	3.0	8.5	9.8	6.5	2.6	*	*
2003 5/.....	5.5	*	*	*	0.6	4.6	13.2	14.4	8.1	4.5	*	*
2002.....	5.9	*	*	*	0.5	5.3	14.1	15.5	8.6	4.7	*	*
2001.....	5.9	*	*	*	0.7	6.1	14.6	14.6	7.8	3.4	2.2	*
2000.....	5.6	*	*	*	0.5	6.7	13.3	14.2	8.3	3.9	*	*
1999.....	5.9	*	*	*	0.6	6.9	14.6	14.6	8.3	4.4	*	*
Non-Hispanic black, male												
2006 5/.....	4.9	*	*	*	*	2.6	10.5	12.9	11.5	6.7	*	*
2005 5/.....	4.9	*	*	*	*	3.0	10.0	14.8	11.3	4.9	*	*
2004 5/.....	5.2	*	*	*	*	3.7	11.3	15.5	10.6	4.8	*	*
2003 5/.....	7.4	*	*	*	*	5.1	17.9	21.4	13.6	7.4	*	*
2002.....	8.2	*	*	*	*	6.7	19.0	23.7	14.5	8.6	*	*
2001.....	8.2	*	*	*	*	7.7	19.7	22.7	13.4	6.2	*	*
2000.....	7.9	*	*	*	*	7.8	18.7	22.3	13.7	6.9	*	*
1999.....	8.5	*	*	*	*	8.9	20.1	23.6	13.9	8.4	*	*
Non-Hispanic black, female												
2006 5/.....	2.5	*	*	*	*	2.4	5.2	6.0	3.9	2.3	*	*
2005 5/.....	2.2	*	*	*	*	2.6	4.9	5.2	3.2	*	*	*
2004 5/.....	2.3	*	*	*	*	2.4	5.9	4.9	3.2	*	*	*
2003 5/.....	3.7	*	*	*	0.7	4.2	9.0	8.4	3.6	2.5	*	*
2002.....	3.8	*	*	*	*	4.1	9.7	8.5	3.9	*	*	*
2001.....	3.7	*	*	*	1.0	4.6	10.1	7.7	3.4	*	*	*
2000.....	3.6	*	*	*	*	5.7	8.5	7.3	3.9	*	*	*
1999.....	3.6	*	*	*	0.7	5.1	9.7	6.9	3.8	*	*	*

Worktable Orig12. Death rates for 358 selected causes, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2006

[Rates per 100,000 population in specified group. Rates are based on populations enumerated as of April 1 for 2000 and estimated as of July 1 for all other years. Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to 'Detailed technical notes to the United States 2006 data-mortality']

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, and sex	All ages 1/	Under 1 year 2/	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
Unspecified human immunodeficiency virus (HIV) disease (B24)												
All origins 3/, both sexes												
2006.....	1.1	*	*	*	0.1	0.8	2.7	2.7	1.3	0.7	0.2	*
2005.....	1.2	*	*	*	0.1	1.0	2.9	2.9	1.3	0.6	0.2	*
2004.....	1.2	*	*	*	0.1	1.0	3.1	2.8	1.4	0.5	0.2	*
2003.....	1.0	*	*	*	0.1	1.0	2.8	2.2	1.1	0.5	0.2	*
2002.....	1.0	*	*	*	0.1	1.0	2.7	2.1	0.9	0.4	*	*
2001.....	1.0	*	*	*	0.1	1.1	2.7	2.0	0.8	0.4	*	*
2000.....	1.0	*	*	*	0.1	1.3	2.5	2.1	0.9	0.4	*	*
1999.....	1.0	*	*	*	0.1	1.3	2.6	1.8	0.8	0.4	*	*
All origins 3/, male												
2006.....	1.6	*	*	*	0.1	0.9	3.6	4.2	2.2	1.2	0.4	*
2005.....	1.7	*	*	*	0.1	1.2	4.1	4.4	2.1	1.0	0.4	*
2004.....	1.7	*	*	*	0.1	1.2	4.3	4.2	2.3	0.9	*	*
2003.....	1.5	*	*	*	*	1.3	4.0	3.4	1.8	0.8	*	*
2002.....	1.5	*	*	*	*	1.2	3.9	3.3	1.5	0.7	*	*
2001.....	1.5	*	*	*	*	1.5	4.0	3.4	1.4	0.7	*	*
2000.....	1.5	*	*	*	0.1	1.6	3.8	3.3	1.6	0.7	*	*
1999.....	1.5	*	*	*	*	1.8	4.0	3.0	1.5	0.7	*	*
All origins 3/, female												
2006.....	0.6	*	*	*	0.1	0.7	1.7	1.3	0.6	0.2	*	*
2005.....	0.6	*	*	*	0.1	0.8	1.6	1.4	0.5	0.2	*	*
2004.....	0.7	*	*	*	0.1	0.9	1.9	1.4	0.5	0.2	*	*
2003.....	0.5	*	*	*	0.1	0.7	1.6	1.0	0.4	0.2	*	*
2002.....	0.5	*	*	*	0.1	0.8	1.4	0.9	0.3	*	*	*
2001.....	0.5	*	*	*	0.1	0.7	1.4	0.7	0.3	*	*	*
2000.....	0.5	*	*	*	*	0.9	1.2	0.8	0.2	*	*	*
1999.....	0.5	*	*	*	*	0.8	1.3	0.7	0.3	*	*	*
Hispanic, both sexes												
2006.....	0.9	*	*	*	*	0.6	2.2	3.0	2.1	*	*	*
2005.....	0.9	*	*	*	*	0.7	2.3	3.1	1.8	*	*	*
2004.....	1.0	*	*	*	*	0.6	2.5	3.6	2.4	*	*	*
2003.....	0.8	*	*	*	*	0.7	2.1	2.2	1.5	*	*	*
2002.....	0.7	*	*	*	*	0.6	1.8	2.4	1.3	*	*	*
2001.....	0.6	*	*	*	*	0.5	1.8	2.3	*	*	*	*
2000.....	0.8	*	*	*	*	0.9	2.3	2.5	1.4	*	*	*
1999.....	1.0	*	*	*	*	1.0	3.0	2.5	1.3	*	*	*
Hispanic, male												
2006.....	1.4	*	*	*	*	0.7	3.1	4.9	3.4	*	*	*
2005.....	1.3	*	*	*	*	0.7	3.3	4.4	2.8	*	*	*
2004.....	1.5	*	*	*	*	0.8	3.6	5.7	4.0	*	*	*
2003.....	1.1	*	*	*	*	1.0	2.8	3.6	2.7	*	*	*
2002.....	1.0	*	*	*	*	0.9	2.7	3.6	*	*	*	*
2001.....	1.0	*	*	*	*	0.6	2.7	3.9	*	*	*	*
2000.....	1.2	*	*	*	*	1.1	3.6	3.9	*	*	*	*
1999.....	1.5	*	*	*	*	1.4	4.6	4.3	*	*	*	*
Hispanic, female												
2006.....	0.4	*	*	*	*	*	1.1	1.0	*	*	*	*
2005.....	0.5	*	*	*	*	*	1.1	1.7	*	*	*	*
2004.....	0.5	*	*	*	*	*	1.3	1.6	*	*	*	*
2003.....	0.4	*	*	*	*	*	1.2	*	*	*	*	*
2002.....	0.4	*	*	*	*	*	0.9	1.1	*	*	*	*
2001.....	0.3	*	*	*	*	*	0.8	*	*	*	*	*
2000.....	0.4	*	*	*	*	*	1.0	*	*	*	*	*
1999.....	0.4	*	*	*	*	*	1.3	*	*	*	*	*

Worktable Orig12. Death rates for 358 selected causes, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2006

[Rates per 100,000 population in specified group. Rates are based on populations enumerated as of April 1 for 2000 and estimated as of July 1 for all other years. Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to 'Detailed technical notes to the United States 2006 data-mortality']

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, and sex	All ages 1/	Under 1 year 2/	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
Unspecified human immunodeficiency virus (HIV) disease (B24)												
Non-Hispanic 4/, both sexes												
2006.....	1.1	*	*	*	0.1	0.9	2.7	2.6	1.3	0.6	0.2	*
2005.....	1.2	*	*	*	0.1	1.1	2.9	2.9	1.2	0.5	0.2	*
2004.....	1.2	*	*	*	0.1	1.1	3.2	2.7	1.3	0.5	0.2	*
2003.....	1.0	*	*	*	0.1	1.0	2.8	2.1	1.0	0.4	0.2	*
2002.....	1.0	*	*	*	0.1	1.1	2.8	2.1	0.8	0.4	*	*
2001.....	1.0	*	*	*	0.1	1.2	2.8	1.9	0.8	0.4	*	*
2000.....	1.0	*	*	*	0.1	1.3	2.5	2.0	0.8	0.4	*	*
1999.....	1.0	*	*	*	0.1	1.4	2.5	1.7	0.8	0.3	*	*
Non-Hispanic 4/, male												
2006.....	1.6	*	*	*	0.1	1.0	3.7	4.0	2.0	1.1	*	*
2005.....	1.8	*	*	*	*	1.3	4.2	4.4	2.0	1.0	*	*
2004.....	1.7	*	*	*	0.1	1.3	4.4	4.0	2.1	0.8	*	*
2003.....	1.6	*	*	*	*	1.3	4.1	3.3	1.7	0.7	*	*
2002.....	1.5	*	*	*	*	1.3	4.0	3.3	1.4	0.7	*	*
2001.....	1.5	*	*	*	*	1.6	4.1	3.2	1.4	0.6	*	*
2000.....	1.5	*	*	*	0.1	1.7	3.7	3.2	1.5	0.7	*	*
1999.....	1.5	*	*	*	*	1.9	3.8	2.8	1.4	0.6	*	*
Non-Hispanic 4/, female												
2006.....	0.7	*	*	*	0.1	0.8	1.8	1.3	0.5	0.2	*	*
2005.....	0.6	*	*	*	0.1	0.8	1.7	1.4	0.5	*	*	*
2004.....	0.7	*	*	*	0.1	1.0	2.0	1.4	0.5	0.2	*	*
2003.....	0.6	*	*	*	*	0.7	1.6	1.0	0.3	*	*	*
2002.....	0.5	*	*	*	0.1	0.9	1.5	0.9	0.3	*	*	*
2001.....	0.5	*	*	*	0.2	0.7	1.5	0.7	0.3	*	*	*
2000.....	0.5	*	*	*	*	1.0	1.3	0.8	0.2	*	*	*
1999.....	0.5	*	*	*	*	0.9	1.3	0.7	0.3	*	*	*
Non-Hispanic white, both sexes												
2006 5/.....	0.5	*	*	*	*	0.2	1.1	1.1	0.5	0.3	*	*
2005 5/.....	0.5	*	*	*	*	0.4	1.3	1.3	0.5	0.2	*	*
2004 5/.....	0.5	*	*	*	*	0.3	1.4	1.0	0.6	0.2	*	*
2003 5/.....	0.5	*	*	*	*	0.4	1.2	0.9	0.5	*	*	*
2002.....	0.4	*	*	*	*	0.4	1.2	0.9	0.4	0.1	*	*
2001.....	0.4	*	*	*	*	0.4	1.3	0.8	0.3	0.2	*	*
2000.....	0.4	*	*	*	*	0.5	1.1	0.8	0.4	0.1	*	*
1999.....	0.4	*	*	*	*	0.7	1.2	0.8	0.3	0.1	*	*
Non-Hispanic white, male												
2006 5/.....	0.8	*	*	*	*	0.3	1.8	1.9	1.0	0.5	*	*
2005 5/.....	0.9	*	*	*	*	0.5	2.2	2.2	0.9	0.4	*	*
2004 5/.....	0.8	*	*	*	*	0.5	2.3	1.7	1.0	0.3	*	*
2003 5/.....	0.8	*	*	*	*	0.6	2.0	1.6	0.9	*	*	*
2002.....	0.8	*	*	*	*	0.6	2.1	1.6	0.7	*	*	*
2001.....	0.8	*	*	*	*	0.7	2.3	1.5	0.6	0.4	*	*
2000.....	0.7	*	*	*	*	0.8	1.9	1.5	0.8	0.3	*	*
1999.....	0.8	*	*	*	*	1.0	2.1	1.4	0.6	0.3	*	*
Non-Hispanic white, female												
2006 5/.....	0.1	*	*	*	*	*	0.4	0.3	0.2	*	*	*
2005 5/.....	0.2	*	*	*	*	0.2	0.4	0.4	0.2	*	*	*
2004 5/.....	0.2	*	*	*	*	0.2	0.6	0.3	0.2	*	*	*
2003 5/.....	0.1	*	*	*	*	0.2	0.4	0.3	*	*	*	*
2002.....	0.1	*	*	*	*	0.2	0.3	0.2	*	*	*	*
2001.....	0.1	*	*	*	*	*	0.3	0.2	*	*	*	*
2000.....	0.1	*	*	*	*	0.2	0.4	0.2	*	*	*	*
1999.....	0.1	*	*	*	*	0.3	0.4	0.2	*	*	*	*

Worktable Orig12. Death rates for 358 selected causes, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2006

[Rates per 100,000 population in specified group. Rates are based on populations enumerated as of April 1 for 2000 and estimated as of July 1 for all other years. Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to 'Detailed technical notes to the United States 2006 data-mortality']

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, and sex	All ages 1/	Under 1 year 2/	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
Unspecified human immunodeficiency virus (HIV) disease (B24)												
Non-Hispanic black, both sexes												
2006 5/.....	5.1	*	*	*	0.7	4.3	12.5	13.3	7.4	3.8	*	*
2005 5/.....	5.2	*	*	*	0.5	4.6	12.8	13.9	7.2	3.4	*	*
2004 5/.....	5.6	*	*	*	0.6	5.4	13.8	14.6	7.5	3.3	*	*
2003 5/.....	4.6	*	*	*	0.4	4.4	13.0	10.7	5.7	3.1	*	*
2002.....	4.4	*	*	*	0.5	4.9	12.3	10.2	4.4	2.9	*	*
2001.....	4.5	*	*	*	0.6	5.2	12.2	10.4	4.8	2.2	*	*
2000.....	4.5	*	*	*	0.5	5.9	11.2	10.9	4.5	2.5	*	*
1999.....	4.2	*	*	*	0.4	5.7	11.1	9.2	4.9	2.0	*	*
Non-Hispanic black, male												
2006 5/.....	6.8	*	*	*	0.7	4.6	15.7	19.8	12.1	6.4	*	*
2005 5/.....	7.3	*	*	*	*	5.7	17.0	20.9	12.9	6.4	*	*
2004 5/.....	7.5	*	*	*	*	5.9	18.1	21.5	13.2	5.6	*	*
2003 5/.....	6.5	*	*	*	*	5.2	17.9	16.6	9.9	5.9	*	*
2002.....	6.2	*	*	*	*	5.5	16.9	16.1	7.7	5.3	*	*
2001.....	6.4	*	*	*	*	7.0	16.5	17.1	8.5	3.7	*	*
2000.....	6.5	*	*	*	*	6.9	16.5	17.4	8.8	4.5	*	*
1999.....	6.0	*	*	*	*	7.4	15.9	15.1	8.5	3.3	*	*
Non-Hispanic black, female												
2006 5/.....	3.6	*	*	*	0.8	4.0	9.6	7.8	3.5	*	*	*
2005 5/.....	3.3	*	*	*	*	3.6	9.2	7.9	2.7	*	*	*
2004 5/.....	3.8	*	*	*	*	4.9	10.0	8.7	3.0	*	*	*
2003 5/.....	2.9	*	*	*	*	3.6	8.6	5.7	2.4	*	*	*
2002.....	2.9	*	*	*	*	4.4	8.2	5.2	1.7	*	*	*
2001.....	2.8	*	*	*	0.8	3.6	8.4	4.6	1.8	*	*	*
2000.....	2.6	*	*	*	*	5.0	6.5	5.3	*	*	*	*
1999.....	2.5	*	*	*	*	4.1	6.8	4.1	2.0	*	*	*

Worktable Orig12. Death rates for 358 selected causes, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2006

[Rates per 100,000 population in specified group. Rates are based on populations enumerated as of April 1 for 2000 and estimated as of July 1 for all other years. Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to 'Detailed technical notes to the United States 2006 data-mortality']

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, and sex	All ages 1/	Under 1 year 2/	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
All other and unspecified viral diseases (A81,A85.0-A85.1,A85.8,A86-A89,B01,B04,B07-B09,B25-B34)												
Non-Hispanic 4/, both sexes												
2006.....	0.3	2.5	0.3	0.1	0.1	0.1	0.1	0.2	0.4	0.8	1.2	1.9
2005.....	0.4	2.4	0.2	0.1	0.1	0.1	0.1	0.2	0.5	0.9	1.5	2.8
2004.....	0.3	2.5	0.2	0.1	0.1	0.1	0.1	0.2	0.5	0.8	1.2	2.0
2003.....	0.4	2.3	0.4	*	0.1	0.1	0.2	0.2	0.5	1.0	1.3	2.8
2002.....	0.4	3.2	0.3	0.1	0.1	0.1	0.2	0.2	0.4	1.0	1.4	3.0
2001.....	0.3	1.9	0.4	0.1	0.1	0.1	0.2	0.2	0.4	0.9	1.0	2.2
2000.....	0.4	1.9	0.3	0.1	0.1	0.1	0.1	0.2	0.5	1.0	1.4	3.4
1999.....	0.4	2.7	0.3	0.1	0.1	0.1	0.2	0.3	0.6	0.9	1.7	4.0
Non-Hispanic 4/, male												
2006.....	0.3	2.5	0.4	*	*	*	0.2	0.2	0.5	0.8	1.5	2.2
2005.....	0.4	2.8	*	*	0.1	*	0.2	0.2	0.6	1.1	1.7	2.9
2004.....	0.3	2.8	*	*	*	*	0.1	0.2	0.6	0.9	1.5	2.4
2003.....	0.4	1.9	0.3	*	0.1	*	0.2	0.2	0.6	1.1	1.4	2.9
2002.....	0.4	3.3	0.4	*	0.1	*	0.2	0.3	0.4	1.0	1.6	2.9
2001.....	0.3	1.8	0.4	*	*	*	0.2	0.2	0.5	0.9	1.2	2.4
2000.....	0.4	2.1	*	*	0.1	*	0.1	0.2	0.6	1.2	1.8	3.1
1999.....	0.4	2.8	0.4	*	*	*	0.2	0.3	0.6	1.1	1.6	3.9
Non-Hispanic 4/, female												
2006.....	0.3	2.4	*	*	*	*	0.2	0.4	0.8	1.0	1.7	2.8
2005.....	0.4	1.9	*	*	*	*	0.2	0.4	0.8	1.3	2.8	2.8
2004.....	0.3	2.1	*	*	0.1	*	0.1	0.2	0.4	0.7	1.0	1.8
2003.....	0.4	2.8	0.4	*	*	*	0.1	0.2	0.4	0.8	1.2	2.8
2002.....	0.4	3.0	*	*	*	*	0.2	0.2	0.4	0.9	1.2	3.0
2001.....	0.3	2.0	*	*	*	*	0.1	0.2	0.4	0.9	0.9	2.1
2000.....	0.4	1.8	*	*	*	*	0.1	0.2	0.5	0.9	1.2	3.4
1999.....	0.5	2.6	*	*	*	*	0.1	0.3	0.6	0.8	1.8	4.1
Non-Hispanic white, both sexes												
2006 5/.....	0.3	1.9	0.3	0.1	0.1	*	0.1	0.2	0.4	0.9	1.3	2.0
2005 5/.....	0.4	2.0	0.3	*	0.1	*	0.1	0.2	0.5	1.1	1.4	3.1
2004 5/.....	0.3	2.2	*	*	0.1	0.1	0.1	0.2	0.5	0.8	1.3	2.1
2003 5/.....	0.4	1.8	0.3	*	0.1	0.1	0.1	0.2	0.6	1.0	1.4	3.0
2002.....	0.4	2.9	0.2	*	0.1	0.1	0.2	0.2	0.4	1.0	1.4	3.2
2001.....	0.3	1.2	0.3	0.1	0.1	*	0.1	0.2	0.5	1.0	1.1	2.4
2000.....	0.4	1.5	0.2	0.1	0.1	*	0.1	0.2	0.5	1.1	1.4	3.5
1999.....	0.4	2.3	0.3	*	*	0.1	0.1	0.3	0.6	1.0	1.8	4.2
Non-Hispanic white, male												
2006 5/.....	0.3	2.0	*	*	*	*	0.1	0.2	0.4	0.9	1.7	2.3
2005 5/.....	0.4	2.4	*	*	*	*	0.2	0.2	0.6	1.2	1.7	3.1
2004 5/.....	0.4	2.5	*	*	*	*	*	0.2	0.6	0.9	1.7	2.6
2003 5/.....	0.4	2.0	*	*	*	*	0.1	0.2	0.7	1.2	1.5	3.1
2002.....	0.4	2.6	*	*	*	*	0.2	0.2	0.4	1.1	1.7	3.1
2001.....	0.3	*	*	*	*	*	0.2	0.2	0.5	1.0	1.3	2.6
2000.....	0.4	*	*	*	*	*	0.1	0.2	0.6	1.3	1.8	3.4
1999.....	0.4	2.6	*	*	*	*	0.2	0.3	0.6	1.1	1.7	4.0
Non-Hispanic white, female												
2006 5/.....	0.3	1.9	*	*	*	*	0.2	0.4	0.9	1.0	1.8	1.8
2005 5/.....	0.4	*	*	*	*	*	0.1	0.5	0.9	1.3	3.1	3.1
2004 5/.....	0.3	2.0	*	*	*	*	0.2	0.4	0.7	1.1	1.8	1.8
2003 5/.....	0.4	2.2	*	*	*	*	0.2	0.5	0.9	1.3	2.9	2.9
2002.....	0.4	3.2	*	*	*	*	0.1	0.2	0.4	1.0	1.2	3.3
2001.....	0.3	*	*	*	*	*	0.2	0.4	1.0	0.9	2.3	2.3
2000.....	0.4	*	*	*	*	*	0.2	0.5	0.9	1.2	1.2	3.6
1999.....	0.5	2.0	*	*	*	*	0.3	0.7	0.9	1.9	1.9	4.4

Worktable Orig12. Death rates for 358 selected causes, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2006

[Rates per 100,000 population in specified group. Rates are based on populations enumerated as of April 1 for 2000 and estimated as of July 1 for all other years. Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to 'Detailed technical notes to the United States 2006 data-mortality']

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, and sex	All ages 1/	Under 1 year 2/	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
Other and unspecified infectious and parasitic diseases and their sequelae (B35-B99)												
All origins 3/, both sexes												
2006.....	1.0	0.8	*	*	0.1	0.2	0.4	0.7	1.4	3.2	5.5	8.6
2005.....	1.6	1.0	*	*	0.1	0.2	0.6	2.6	2.9	4.1	7.3	9.0
2004.....	1.5	1.0	*	*	0.1	0.2	0.7	2.4	2.8	4.4	7.1	9.7
2003.....	1.5	1.1	*	*	0.1	0.2	0.7	2.3	2.7	4.2	7.1	9.0
2002.....	1.3	1.3	*	0.1	0.1	0.3	0.6	1.7	2.2	3.7	6.4	8.3
2001.....	1.1	1.6	*	0.0	0.1	0.2	0.5	1.2	1.9	3.6	5.4	8.2
2000.....	1.0	1.3	*	0.1	0.1	0.2	0.5	1.0	1.7	3.3	5.7	9.0
1999.....	1.4	1.6	0.1	0.1	0.1	0.4	0.8	1.6	2.4	4.7	7.4	10.0
All origins 3/, male												
2006.....	1.0	0.9	*	*	*	0.2	0.5	1.0	1.7	3.8	6.6	10.3
2005.....	1.8	1.2	*	*	*	0.3	0.9	3.7	3.7	4.8	8.5	9.7
2004.....	1.8	1.3	*	*	0.1	0.2	0.9	3.5	3.8	5.1	8.4	12.9
2003.....	1.7	1.3	*	*	*	0.3	0.9	3.2	3.5	4.7	8.3	10.4
2002.....	1.5	1.5	*	*	*	0.3	0.9	2.5	2.9	4.7	7.9	11.9
2001.....	1.2	1.6	*	*	0.1	0.3	0.7	1.6	2.3	3.8	7.1	10.1
2000.....	1.1	1.5	*	*	*	0.2	0.7	1.3	2.0	4.3	6.9	12.6
1999.....	1.6	1.9	*	*	0.1	0.4	1.0	1.9	2.7	5.4	9.4	13.1
All origins 3/, female												
2006.....	0.9	*	*	*	*	0.2	0.3	0.5	1.2	2.7	4.7	7.7
2005.....	1.3	*	*	*	0.1	0.4	1.5	2.1	3.6	6.4	8.7	8.7
2004.....	1.3	*	*	*	*	0.2	0.5	1.4	2.0	3.8	6.2	8.3
2003.....	1.3	*	*	*	*	0.2	0.5	1.4	1.9	3.9	6.3	8.3
2002.....	1.0	1.2	*	*	*	0.2	0.4	0.9	1.6	2.9	5.5	6.8
2001.....	1.0	1.6	*	*	*	0.2	0.4	0.8	1.5	3.5	4.4	7.4
2000.....	0.9	1.1	*	*	*	0.2	0.3	0.7	1.5	2.5	4.9	7.6
1999.....	1.3	1.2	*	*	*	0.4	0.6	1.3	2.1	4.0	6.2	8.8
Hispanic, both sexes												
2006.....	0.5	*	*	*	*	*	0.5	0.9	1.5	3.0	4.4	*
2005.....	1.4	*	*	*	*	0.3	1.1	4.2	4.6	6.6	9.5	8.6
2004.....	1.3	*	*	*	*	*	1.1	3.9	4.9	5.4	9.3	11.9
2003.....	1.2	*	*	*	*	*	1.2	3.8	4.6	6.1	9.8	*
2002.....	1.0	*	*	*	*	0.5	0.9	2.9	3.6	4.5	7.8	*
2001.....	0.7	*	*	*	*	0.3	0.7	1.6	1.8	4.4	6.3	*
2000.....	0.7	*	*	*	*	*	0.8	1.3	2.0	3.6	6.7	13.3
1999.....	0.9	*	*	*	*	0.4	1.1	1.5	2.3	4.8	9.8	*
Hispanic, male												
2006.....	0.6	*	*	*	*	*	0.6	1.3	*	3.7	6.6	*
2005.....	1.6	*	*	*	*	*	1.5	6.0	6.1	6.8	8.4	*
2004.....	1.6	*	*	*	*	*	1.4	5.6	7.0	5.7	12.2	*
2003.....	1.5	*	*	*	*	*	1.7	5.9	6.4	6.8	9.6	*
2002.....	1.3	*	*	*	*	0.5	1.3	4.6	4.9	5.7	9.0	*
2001.....	0.9	*	*	*	*	*	1.0	2.1	2.9	5.2	*	*
2000.....	0.9	*	*	*	*	*	1.2	1.4	3.2	4.6	*	*
1999.....	0.9	*	*	*	*	*	1.5	1.6	*	5.5	12.0	*
Hispanic, female												
2006.....	0.4	*	*	*	*	*	*	*	*	*	*	*
2005.....	1.1	*	*	*	*	*	0.7	2.4	3.2	6.4	10.2	*
2004.....	1.0	*	*	*	*	*	0.7	2.2	2.9	5.3	7.4	*
2003.....	0.9	*	*	*	*	*	*	1.8	3.0	5.6	10.0	*
2002.....	0.7	*	*	*	*	*	*	1.2	2.4	3.5	7.0	*
2001.....	0.6	*	*	*	*	*	*	*	*	3.8	*	*
2000.....	0.5	*	*	*	*	*	*	*	*	*	*	*
1999.....	0.8	*	*	*	*	*	*	1.3	2.4	4.3	8.3	*

Worktable Orig12. Death rates for 358 selected causes, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2006

[Rates per 100,000 population in specified group. Rates are based on populations enumerated as of April 1 for 2000 and estimated as of July 1 for all other years. Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to 'Detailed technical notes to the United States 2006 data-mortality']

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, and sex	All ages 1/	Under 1 year 2/	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
Other and unspecified infectious and parasitic diseases and their sequelae (B35-B99)												
Non-Hispanic 4/, both sexes												
2006.....	1.0	1.0	*	*	*	0.2	0.3	0.7	1.4	3.2	5.5	8.7
2005.....	1.6	1.1	*	*	0.1	0.1	0.6	2.4	2.7	3.9	7.1	9.0
2004.....	1.6	1.0	*	*	0.1	0.2	0.7	2.2	2.7	4.3	6.9	9.6
2003.....	1.5	1.2	*	*	0.1	0.2	0.6	2.1	2.5	4.1	6.9	9.1
2002.....	1.3	1.4	*	0.1	0.1	0.2	0.6	1.6	2.1	3.7	6.3	8.3
2001.....	1.1	1.6	*	*	0.1	0.2	0.5	1.1	1.9	3.6	5.4	8.3
2000.....	1.1	1.4	*	*	0.1	0.2	0.5	1.0	1.7	3.3	5.6	8.9
1999.....	1.5	1.5	0.2	0.1	0.1	0.4	0.8	1.6	2.4	4.6	7.3	9.9
Non-Hispanic 4/, male												
2006.....	1.1	*	*	*	*	0.2	0.4	0.9	1.7	3.8	6.6	10.4
2005.....	1.8	1.4	*	*	*	0.2	0.8	3.5	3.5	4.6	8.5	10.0
2004.....	1.8	1.4	*	*	*	0.2	0.8	3.2	3.5	5.0	8.1	13.0
2003.....	1.7	1.5	*	*	*	0.3	0.8	3.0	3.2	4.5	8.2	10.5
2002.....	1.5	1.6	*	*	*	0.2	0.8	2.3	2.8	4.6	7.8	11.7
2001.....	1.2	1.8	*	*	*	0.2	0.7	1.5	2.2	3.7	7.0	10.3
2000.....	1.2	1.5	*	*	*	0.2	0.6	1.2	1.9	4.2	6.7	12.3
1999.....	1.6	1.7	*	*	*	0.4	1.0	1.9	2.7	5.4	9.3	13.3
Non-Hispanic 4/, female												
2006.....	1.0	*	*	*	*	0.2	0.3	0.5	1.2	2.7	4.8	7.9
2005.....	1.3	*	*	*	*	0.4	1.4	2.0	3.3	6.2	8.5	8.5
2004.....	1.3	*	*	*	*	0.2	0.5	1.3	1.9	3.7	6.1	8.1
2003.....	1.3	*	*	*	*	0.2	0.5	1.4	1.8	3.7	6.1	8.5
2002.....	1.1	*	*	*	*	0.2	0.4	0.9	1.5	2.9	5.4	6.8
2001.....	1.0	1.5	*	*	*	0.2	0.4	0.7	1.5	3.4	4.3	7.5
2000.....	1.0	1.4	*	*	*	0.2	0.3	0.7	1.5	2.5	4.9	7.5
1999.....	1.4	*	*	*	*	0.4	0.6	1.3	2.1	4.0	6.0	8.6
Non-Hispanic white, both sexes												
2006 5/.....	1.0	*	*	*	*	0.1	0.2	0.6	1.3	3.1	5.5	8.6
2005 5/.....	1.6	1.0	*	*	*	0.1	0.5	2.3	2.5	3.7	6.7	8.8
2004 5/.....	1.6	*	*	*	*	0.1	0.6	2.2	2.4	4.0	6.6	9.4
2003 5/.....	1.5	*	*	*	*	0.1	0.6	2.1	2.2	4.0	6.5	9.1
2002.....	1.3	1.1	*	*	*	0.1	0.5	1.4	1.8	3.6	6.2	8.2
2001.....	1.1	1.1	*	*	*	0.1	0.4	1.0	1.6	3.4	5.3	8.0
2000.....	1.1	1.0	*	*	*	0.1	0.4	0.8	1.5	3.1	5.5	8.7
1999.....	1.4	1.1	*	*	0.1	0.2	0.5	1.2	2.0	4.3	7.0	9.5
Non-Hispanic white, male												
2006 5/.....	1.1	*	*	*	*	0.3	0.8	1.5	3.8	6.5	10.4	
2005 5/.....	1.9	*	*	*	*	0.7	3.4	3.2	4.5	8.2	9.9	
2004 5/.....	1.9	*	*	*	*	0.7	3.2	3.1	4.8	7.8	13.3	
2003 5/.....	1.7	*	*	*	*	0.2	0.8	2.9	2.9	4.3	7.7	10.6
2002.....	1.5	*	*	*	*	0.7	2.1	2.4	4.5	7.6	11.7	
2001.....	1.2	*	*	*	*	0.5	1.3	2.0	3.6	6.9	10.1	
2000.....	1.1	*	*	*	*	0.5	1.1	1.7	4.0	6.3	11.7	
1999.....	1.5	*	*	*	*	0.3	0.8	1.6	2.3	5.1	8.8	12.2
Non-Hispanic white, female												
2006 5/.....	1.0	*	*	*	*	0.2	0.4	1.2	2.5	4.8	7.8	
2005 5/.....	1.3	*	*	*	*	0.3	1.2	1.8	3.0	5.8	8.4	
2004 5/.....	1.4	*	*	*	*	0.5	1.3	1.8	3.4	5.8	7.7	
2003 5/.....	1.3	*	*	*	*	0.4	1.3	1.6	3.7	5.6	8.4	
2002.....	1.1	*	*	*	*	0.3	0.7	1.3	2.8	5.3	6.7	
2001.....	1.0	*	*	*	*	0.3	0.7	1.3	3.2	4.2	7.1	
2000.....	1.0	*	*	*	*	0.2	0.6	1.3	2.4	4.9	7.4	
1999.....	1.3	*	*	*	*	0.2	0.3	0.9	1.6	3.7	5.8	8.4

Worktable Orig12. Death rates for 358 selected causes, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2006

[Rates per 100,000 population in specified group. Rates are based on populations enumerated as of April 1 for 2000 and estimated as of July 1 for all other years. Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.odc.gov/nchs> and refer to 'Detailed technical notes to the United States 2006 data-mortality']

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, and sex	All ages 1/	Under 1 year 2/	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
Other and unspecified infectious and parasitic diseases and their sequelae (B35-B99)												
Non-Hispanic black, both sexes												
2006 5/.....	1.1	*	*	*	*	0.4	0.9	1.5	2.2	4.4	6.5	11.4
2005 5/.....	1.6	*	*	*	*	0.4	1.0	2.9	4.6	4.8	8.7	10.7
2004 5/.....	1.6	*	*	*	*	0.5	1.2	2.4	4.4	5.5	9.4	13.5
2003 5/.....	1.6	*	*	*	*	0.5	1.1	3.2	4.2	4.1	9.8	9.2
2002.....	1.5	*	*	*	*	0.7	1.3	3.0	4.2	3.8	6.5	9.4
2001.....	1.3	3.9	*	*	*	0.6	1.1	2.1	3.4	5.0	5.8	11.5
2000.....	1.3	3.5	*	*	*	0.6	1.3	2.0	3.0	4.6	7.0	11.1
1999.....	2.3	3.9	*	*	*	1.3	2.5	4.2	5.1	7.6	10.2	14.5
Non-Hispanic black, male												
2006 5/.....	1.3	*	*	*	*	*	1.3	2.1	3.2	4.5	8.3	*
2005 5/.....	1.8	*	*	*	*	*	1.2	3.8	6.3	5.6	11.2	*
2004 5/.....	1.9	*	*	*	*	*	1.5	3.8	6.7	5.6	12.0	*
2003 5/.....	1.8	*	*	*	*	*	1.4	4.2	5.7	5.3	11.3	*
2002.....	1.8	*	*	*	*	0.9	1.7	4.3	6.5	5.0	7.0	*
2001.....	1.5	*	*	*	*	*	1.6	3.0	4.2	5.8	6.9	*
2000.....	1.5	*	*	*	*	*	1.7	2.7	3.9	6.4	9.9	*
1999.....	2.3	*	*	*	*	1.5	2.5	4.7	5.1	8.7	13.8	*
Non-Hispanic black, female												
2006 5/.....	1.0	*	*	*	*	*	*	1.0	1.5	4.3	5.5	10.8
2005 5/.....	1.4	*	*	*	*	*	0.7	2.1	3.3	4.2	7.3	10.0
2004 5/.....	1.3	*	*	*	*	*	0.9	1.1	2.5	5.4	7.9	13.3
2003 5/.....	1.4	*	*	*	*	*	1.0	2.4	3.1	3.2	9.0	9.1
2002.....	1.2	*	*	*	*	*	0.9	1.9	2.4	3.0	6.1	*
2001.....	1.2	*	*	*	*	*	0.7	1.3	2.8	4.5	5.2	12.0
2000.....	1.1	*	*	*	*	*	0.9	1.5	2.4	3.4	5.4	9.2
1999.....	2.3	*	*	*	*	1.2	2.5	3.8	5.1	6.9	8.2	11.5

Worktable Orig12. Death rates for 358 selected causes, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2006

[Rates per 100,000 population in specified group. Rates are based on populations enumerated as of April 1 for 2000 and estimated as of July 1 for all other years. Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to 'Detailed technical notes to the United States 2006 data-mortality']

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, and sex	All ages 1/	Under 1 year 2/	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
Mycoses (B35-B49)												
Non-Hispanic 4/, both sexes												
2006.....	0.4	0.8	*	*	*	0.1	0.2	0.3	0.5	1.3	1.7	2.4
2005.....	0.4	1.1	*	*	*	0.1	0.2	0.3	0.6	1.1	1.9	2.0
2004.....	0.4	0.9	*	*	*	0.1	0.2	0.3	0.6	1.1	2.0	2.5
2003.....	0.4	1.1	*	*	*	0.1	0.1	0.3	0.6	1.3	2.1	2.5
2002.....	0.5	1.2	*	*	*	0.1	0.2	0.4	0.7	1.4	2.4	2.5
2001.....	0.4	1.5	*	*	*	0.1	0.2	0.3	0.7	1.3	2.2	3.0
2000.....	0.5	1.4	*	*	*	0.1	0.2	0.4	0.8	1.5	2.2	3.2
1999.....	0.7	1.3	*	*	0.1	0.2	0.3	0.7	1.2	2.3	3.2	3.9
Non-Hispanic 4/, male												
2006.....	0.4	*	*	*	*	*	0.2	0.4	0.7	1.6	2.2	3.3
2005.....	0.4	1.4	*	*	*	*	0.2	0.4	0.6	1.5	2.7	2.2
2004.....	0.4	*	*	*	*	*	0.2	0.4	0.7	1.3	2.7	3.8
2003.....	0.4	1.3	*	*	*	0.1	0.2	0.3	0.8	1.3	2.8	3.5
2002.....	0.6	1.3	*	*	*	0.2	0.3	0.5	0.9	2.0	3.5	4.1
2001.....	0.5	1.6	*	*	*	*	0.2	0.4	0.8	1.4	3.0	3.9
2000.....	0.5	1.5	*	*	*	*	0.2	0.4	0.9	2.0	2.9	4.9
1999.....	0.8	1.5	*	*	*	0.2	0.4	0.7	1.4	2.8	4.5	6.8
Non-Hispanic 4/, female												
2006.....	0.3	*	*	*	*	*	0.1	0.2	0.4	1.0	1.4	1.9
2005.....	0.3	*	*	*	*	*	*	0.3	0.5	0.7	1.4	1.9
2004.....	0.3	*	*	*	*	*	0.1	0.2	0.5	1.0	1.5	1.9
2003.....	0.4	*	*	*	*	*	0.1	0.3	0.5	1.2	1.6	2.0
2002.....	0.3	*	*	*	*	*	0.1	0.2	0.5	0.9	1.7	1.8
2001.....	0.4	1.3	*	*	*	*	0.1	0.3	0.6	1.2	1.6	2.6
2000.....	0.4	*	*	*	*	*	0.1	0.3	0.7	1.1	1.7	2.4
1999.....	0.6	*	*	*	*	0.2	0.2	0.6	1.0	1.8	2.3	2.7
Non-Hispanic white, both sexes												
2006 5/.....	0.4	*	*	*	*	*	0.1	0.2	0.4	1.2	1.6	2.2
2005 5/.....	0.3	1.0	*	*	*	*	0.1	0.2	0.5	1.0	1.8	1.9
2004 5/.....	0.4	*	*	*	*	*	0.1	0.2	0.5	1.0	1.8	2.3
2003 5/.....	0.4	*	*	*	*	*	0.1	0.3	0.5	1.2	1.9	2.3
2002.....	0.4	0.9	*	*	*	*	0.1	0.3	0.6	1.3	2.3	2.4
2001.....	0.4	1.0	*	*	*	*	0.1	0.3	0.6	1.1	2.0	2.6
2000.....	0.4	1.0	*	*	*	*	0.1	0.3	0.7	1.4	2.1	2.9
1999.....	0.6	0.9	*	*	*	0.1	0.2	0.6	1.0	2.1	3.0	3.4
Non-Hispanic white, male												
2006 5/.....	0.4	*	*	*	*	*	0.1	0.3	0.5	1.6	2.1	3.3
2005 5/.....	0.4	*	*	*	*	*	0.1	0.3	0.5	1.3	2.6	2.1
2004 5/.....	0.4	*	*	*	*	*	0.1	0.3	0.6	1.2	2.4	3.9
2003 5/.....	0.4	*	*	*	*	*	0.2	0.3	0.6	1.3	2.7	3.6
2002.....	0.5	*	*	*	*	*	0.2	0.3	0.8	1.9	3.4	4.1
2001.....	0.4	*	*	*	*	*	0.1	0.4	0.7	1.1	2.8	3.5
2000.....	0.5	*	*	*	*	*	0.2	0.4	0.8	1.8	2.7	4.4
1999.....	0.7	*	*	*	*	*	0.3	0.6	1.3	2.7	4.3	5.8
Non-Hispanic white, female												
2006 5/.....	0.3	*	*	*	*	*	*	0.2	0.3	0.9	1.3	1.7
2005 5/.....	0.3	*	*	*	*	*	*	0.2	0.4	0.7	1.3	1.8
2004 5/.....	0.3	*	*	*	*	*	*	0.2	0.5	0.9	1.3	1.7
2003 5/.....	0.3	*	*	*	*	*	*	0.2	0.4	1.2	1.4	1.8
2002.....	0.3	*	*	*	*	*	*	0.2	0.4	0.9	1.6	1.7
2001.....	0.4	*	*	*	*	*	*	0.2	0.5	1.1	1.5	2.3
2000.....	0.4	*	*	*	*	*	*	0.3	0.6	1.0	1.8	2.2
1999.....	0.5	*	*	*	*	*	0.1	0.5	0.8	1.6	2.1	2.4

Worktable Orig12. Death rates for 358 selected causes, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2006

[Rates per 100,000 population in specified group. Rates are based on populations enumerated as of April 1 for 2000 and estimated as of July 1 for all other years. Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to 'Detailed technical notes to the United States 2006 data-mortality']

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, and sex	All ages 1/	Under 1 year 2/	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
Mycoses (B35-B49)												
Non-Hispanic black, both sexes												
2006 5/.....	0.6	*	*	*	*	*	0.5	0.7	1.2	2.2	3.0	*
2005 5/.....	0.5	*	*	*	*	*	0.4	0.9	1.1	1.9	2.9	*
2004 5/.....	0.6	*	*	*	*	*	0.4	0.6	1.5	1.7	4.1	*
2003 5/.....	0.6	*	*	*	*	*	0.4	0.7	1.6	1.6	3.5	*
2002.....	0.7	*	*	*	*	0.4	0.5	1.0	1.6	2.2	3.0	*
2001.....	0.7	3.8	*	*	*	*	0.4	0.7	1.6	2.8	3.6	7.2
2000.....	0.7	*	*	*	*	*	0.6	0.8	1.5	2.6	3.0	6.7
1999.....	1.0	3.5	*	*	*	0.6	0.8	1.4	2.2	4.2	5.2	9.1
Non-Hispanic black, male												
2006 5/.....	0.6	*	*	*	*	*	*	0.9	1.9	*	*	*
2005 5/.....	0.6	*	*	*	*	*	*	1.2	*	2.8	*	*
2004 5/.....	0.6	*	*	*	*	*	*	0.9	2.2	*	*	*
2003 5/.....	0.6	*	*	*	*	*	*	*	2.1	*	*	*
2002.....	0.9	*	*	*	*	*	*	1.7	2.5	3.5	*	*
2001.....	0.8	*	*	*	*	*	*	*	2.0	3.9	*	*
2000.....	0.7	*	*	*	*	*	*	1.1	*	3.3	*	*
1999.....	1.1	*	*	*	*	*	1.0	1.8	2.2	4.8	*	*
Non-Hispanic black, female												
2006 5/.....	0.5	*	*	*	*	*	*	*	*	2.3	*	*
2005 5/.....	0.5	*	*	*	*	*	*	*	*	*	*	*
2004 5/.....	0.5	*	*	*	*	*	*	*	*	*	3.5	*
2003 5/.....	0.5	*	*	*	*	*	*	*	*	*	*	*
2002.....	0.5	*	*	*	*	*	*	*	*	*	*	*
2001.....	0.6	*	*	*	*	*	*	*	*	*	*	*
2000.....	0.6	*	*	*	*	*	*	*	*	2.1	*	*
1999.....	1.0	*	*	*	*	*	*	1.1	2.2	3.7	4.7	*

Worktable Orig12. Death rates for 358 selected causes, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2006

[Rates per 100,000 population in specified group. Rates are based on populations enumerated as of April 1 for 2000 and estimated as of July 1 for all other years. Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to 'Detailed technical notes to the United States 2006 data-mortality']

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, and sex	All ages 1/	Under 1 year 2/	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
Sequelae of tuberculosis (B90)												
Non-Hispanic 4/, both sexes												
2006.....	0.0	...	*	*	*	*	*	*	*	*	*	*
2005.....	0.0	...	*	*	*	*	*	*	*	*	0.2	*
2004.....	0.0	...	*	*	*	*	*	*	*	*	0.2	0.4
2003.....	0.0	...	*	*	*	*	*	*	*	*	0.2	0.4
2002.....	0.0	...	*	*	*	*	*	*	*	*	0.3	0.9
2001.....	0.0	...	*	*	*	*	*	*	*	*	0.3	0.7
2000.....	0.0	...	*	*	*	*	*	*	*	0.1	0.4	0.5
1999.....	0.1	...	*	*	*	*	*	*	*	0.2	0.6	0.8
Non-Hispanic 4/, male												
2006.....	0.0	...	*	*	*	*	*	*	*	*	*	*
2005.....	0.0	...	*	*	*	*	*	*	*	*	*	*
2004.....	0.0	...	*	*	*	*	*	*	*	*	*	*
2003.....	0.0	...	*	*	*	*	*	*	*	*	*	*
2002.....	0.0	...	*	*	*	*	*	*	*	*	*	*
2001.....	0.0	...	*	*	*	*	*	*	*	*	0.4	*
2000.....	0.0	...	*	*	*	*	*	*	*	*	*	*
1999.....	0.1	...	*	*	*	*	*	*	*	*	0.6	*
Non-Hispanic 4/, female												
2006.....	0.0	...	*	*	*	*	*	*	*	*	*	*
2005.....	0.0	...	*	*	*	*	*	*	*	*	*	*
2004.....	0.0	...	*	*	*	*	*	*	*	*	*	*
2003.....	0.0	...	*	*	*	*	*	*	*	*	0.3	*
2002.....	0.0	...	*	*	*	*	*	*	*	*	*	0.9
2001.....	0.0	...	*	*	*	*	*	*	*	*	0.3	*
2000.....	0.0	...	*	*	*	*	*	*	*	*	0.4	*
1999.....	0.1	...	*	*	*	*	*	*	*	*	0.6	0.7
Non-Hispanic white, both sexes												
2006 5/.....	0.0	...	*	*	*	*	*	*	*	*	*	*
2005 5/.....	0.0	...	*	*	*	*	*	*	*	*	0.2	*
2004 5/.....	0.0	...	*	*	*	*	*	*	*	*	*	*
2003 5/.....	0.0	...	*	*	*	*	*	*	*	*	*	*
2002.....	0.0	...	*	*	*	*	*	*	*	*	0.2	0.9
2001.....	0.0	...	*	*	*	*	*	*	*	*	0.3	0.6
2000.....	0.0	...	*	*	*	*	*	*	*	*	0.4	*
1999.....	0.1	...	*	*	*	*	*	*	*	*	0.6	0.8
Non-Hispanic white, male												
2006 5/.....	*	...	*	*	*	*	*	*	*	*	*	*
2005 5/.....	0.0	...	*	*	*	*	*	*	*	*	*	*
2004 5/.....	0.0	...	*	*	*	*	*	*	*	*	*	*
2003 5/.....	*	...	*	*	*	*	*	*	*	*	*	*
2002.....	0.0	...	*	*	*	*	*	*	*	*	*	*
2001.....	0.0	...	*	*	*	*	*	*	*	*	*	*
2000.....	0.0	...	*	*	*	*	*	*	*	*	*	*
1999.....	0.0	...	*	*	*	*	*	*	*	*	0.5	*
Non-Hispanic white, female												
2006 5/.....	*	...	*	*	*	*	*	*	*	*	*	*
2005 5/.....	0.0	...	*	*	*	*	*	*	*	*	*	*
2004 5/.....	0.0	...	*	*	*	*	*	*	*	*	*	*
2003 5/.....	0.0	...	*	*	*	*	*	*	*	*	*	*
2002.....	0.0	...	*	*	*	*	*	*	*	*	*	1.0
2001.....	0.0	...	*	*	*	*	*	*	*	*	*	*
2000.....	0.0	...	*	*	*	*	*	*	*	*	0.4	*
1999.....	0.1	...	*	*	*	*	*	*	*	*	0.6	0.8

Worktable Orig12. Death rates for 358 selected causes, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2006

[Rates per 100,000 population in specified group. Rates are based on populations enumerated as of April 1 for 2000 and estimated as of July 1 for all other years. Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to 'Detailed technical notes to the United States 2006 data-mortality']

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, and sex	All ages 1/	Under 1 year 2/	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
Sequelae of poliomyelitis (B91)												
Non-Hispanic 4/, both sexes												
2006.....	0.1	...	*	*	*	*	*	*	0.2	0.5	1.1	1.3
2005.....	0.1	...	*	*	*	*	*	*	0.2	0.4	1.2	1.2
2004.....	0.1	...	*	*	*	*	*	*	0.1	0.5	0.9	1.4
2003.....	0.1	...	*	*	*	*	*	*	0.2	0.4	0.8	1.2
2002.....	0.1	...	*	*	*	*	*	*	0.2	0.5	0.9	1.3
2001.....	0.1	...	*	*	*	*	*	0.1	0.2	0.6	0.9	1.3
2000.....	0.1	...	*	*	*	*	*	*	0.2	0.4	0.8	1.2
1999.....	0.1	...	*	*	*	*	*	*	0.2	0.4	0.6	1.3
Non-Hispanic 4/, male												
2006.....	0.1	...	*	*	*	*	*	*	0.2	0.6	1.2	1.4
2005.....	0.1	...	*	*	*	*	*	*	0.2	0.5	1.4	*
2004.....	0.1	...	*	*	*	*	*	*	*	0.5	1.1	2.0
2003.....	0.1	...	*	*	*	*	*	*	0.2	0.5	0.9	1.5
2002.....	0.1	...	*	*	*	*	*	*	0.2	0.5	1.0	2.0
2001.....	0.1	...	*	*	*	*	*	*	0.2	0.6	1.2	1.8
2000.....	0.1	...	*	*	*	*	*	*	*	0.5	0.8	*
1999.....	0.1	...	*	*	*	*	*	*	*	0.5	0.7	*
Non-Hispanic 4/, female												
2006.....	0.1	...	*	*	*	*	*	*	0.2	0.4	1.0	1.3
2005.....	0.1	...	*	*	*	*	*	*	0.2	0.3	1.1	1.3
2004.....	0.1	...	*	*	*	*	*	*	*	0.4	0.8	1.2
2003.....	0.1	...	*	*	*	*	*	*	0.2	0.4	0.7	1.1
2002.....	0.1	...	*	*	*	*	*	*	*	0.5	0.9	1.1
2001.....	0.1	...	*	*	*	*	*	*	0.2	0.5	0.7	1.0
2000.....	0.1	...	*	*	*	*	*	*	0.2	0.4	0.8	1.1
1999.....	0.1	...	*	*	*	*	*	*	*	0.4	0.6	1.2
Non-Hispanic white, both sexes												
2006 5/.....	0.2	...	*	*	*	*	*	*	0.2	0.5	1.2	1.5
2005 5/.....	0.2	...	*	*	*	*	*	*	0.2	0.4	1.3	1.4
2004 5/.....	0.2	...	*	*	*	*	*	*	0.1	0.6	1.0	1.6
2003 5/.....	0.1	...	*	*	*	*	*	*	0.2	0.5	0.8	1.3
2002.....	0.2	...	*	*	*	*	*	*	0.2	0.6	1.0	1.5
2001.....	0.2	...	*	*	*	*	*	*	0.2	0.6	1.0	1.4
2000.....	0.1	...	*	*	*	*	*	*	0.2	0.5	0.9	1.4
1999.....	0.1	...	*	*	*	*	*	*	0.2	0.5	0.7	1.5
Non-Hispanic white, male												
2006 5/.....	0.2	...	*	*	*	*	*	*	0.2	0.6	1.3	1.5
2005 5/.....	0.2	...	*	*	*	*	*	*	0.2	0.6	1.5	*
2004 5/.....	0.2	...	*	*	*	*	*	*	*	0.6	1.3	2.2
2003 5/.....	0.1	...	*	*	*	*	*	*	0.2	0.5	1.0	1.6
2002.....	0.1	...	*	*	*	*	*	*	0.2	0.6	1.1	2.1
2001.....	0.2	...	*	*	*	*	*	*	0.2	0.6	1.3	2.0
2000.....	0.1	...	*	*	*	*	*	*	*	0.6	0.9	*
1999.....	0.1	...	*	*	*	*	*	*	*	0.5	0.8	*
Non-Hispanic white, female												
2006 5/.....	0.2	...	*	*	*	*	*	*	0.2	0.4	1.1	1.4
2005 5/.....	0.2	...	*	*	*	*	*	*	0.2	0.3	1.2	1.4
2004 5/.....	0.2	...	*	*	*	*	*	*	*	0.5	0.8	1.3
2003 5/.....	0.1	...	*	*	*	*	*	*	0.2	0.5	0.8	1.2
2002.....	0.2	...	*	*	*	*	*	*	*	0.5	1.0	1.2
2001.....	0.2	...	*	*	*	*	*	*	0.3	0.6	0.8	1.1
2000.....	0.2	...	*	*	*	*	*	*	0.2	0.4	0.9	1.3
1999.....	0.1	...	*	*	*	*	*	*	*	0.4	0.7	1.3

Worktable Orig12. Death rates for 358 selected causes, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2006

[Rates per 100,000 population in specified group. Rates are based on populations enumerated as of April 1 for 2000 and estimated as of July 1 for all other years. Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to 'Detailed technical notes to the United States 2006 data-mortality']

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, and sex	All ages 1/	Under 1 year 2/	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
All other and unspecified infectious and parasitic diseases and their sequelae (B85-B89,B92-B99)												
Non-Hispanic 4/, both sexes												
2006.....	0.4	*	*	*	*	0.1	0.1	0.3	0.6	1.2	2.5	4.5
2005.....	1.0	*	*	*	*	*	0.4	2.0	1.9	2.3	3.6	5.3
2004.....	1.0	*	*	*	*	0.1	0.4	1.8	1.8	2.4	3.6	5.1
2003.....	0.9	*	*	*	*	0.1	0.4	1.7	1.5	2.2	3.7	4.9
2002.....	0.6	*	*	*	*	*	0.3	1.1	1.1	1.5	2.5	3.5
2001.....	0.4	*	*	*	*	*	0.2	0.6	0.7	1.3	1.8	3.2
2000.....	0.4	*	*	*	*	*	0.2	0.4	0.5	0.9	1.9	3.7
1999.....	0.5	*	*	*	*	0.1	0.4	0.7	0.8	1.5	2.6	3.8
Non-Hispanic 4/, male												
2006.....	0.4	*	*	*	*	*	*	0.4	0.7	1.4	2.9	4.9
2005.....	1.2	*	*	*	*	*	0.5	2.9	2.6	2.4	3.9	5.9
2004.....	1.2	*	*	*	*	*	0.5	2.7	2.4	2.8	3.8	6.3
2003.....	1.1	*	*	*	*	*	0.5	2.5	2.0	2.4	4.2	4.9
2002.....	0.7	*	*	*	*	*	0.4	1.6	1.4	1.7	2.8	4.7
2001.....	0.5	*	*	*	*	*	0.3	0.9	0.9	1.3	2.2	3.4
2000.....	0.4	*	*	*	*	*	0.2	0.5	0.5	1.2	2.2	4.4
1999.....	0.6	*	*	*	*	*	0.4	0.9	0.9	1.6	3.2	3.7
Non-Hispanic 4/, female												
2006.....	0.4	*	*	*	*	*	*	0.2	0.5	1.1	2.2	4.3
2005.....	0.8	*	*	*	*	*	0.3	1.0	1.2	2.1	3.3	5.0
2004.....	0.8	*	*	*	*	*	0.4	1.0	1.1	2.1	3.5	4.6
2003.....	0.8	*	*	*	*	*	0.3	1.0	1.0	1.9	3.4	4.9
2002.....	0.5	*	*	*	*	*	0.2	0.5	0.7	1.3	2.3	3.0
2001.....	0.4	*	*	*	*	*	0.1	0.3	0.5	1.3	1.5	3.1
2000.....	0.3	*	*	*	*	*	0.1	0.3	0.4	0.7	1.7	3.5
1999.....	0.5	*	*	*	*	*	0.3	0.5	0.8	1.4	2.2	3.9
Non-Hispanic white, both sexes												
2006 5/.....	0.5	*	*	*	*	*	0.1	0.3	0.6	1.2	2.5	4.5
2005 5/.....	1.0	*	*	*	*	*	0.4	2.0	1.7	2.1	3.2	5.1
2004 5/.....	1.0	*	*	*	*	*	0.4	1.9	1.7	2.2	3.5	4.9
2003 5/.....	0.9	*	*	*	*	*	0.4	1.7	1.4	2.1	3.4	4.9
2002.....	0.6	*	*	*	*	*	0.3	1.0	0.9	1.4	2.5	3.4
2001.....	0.4	*	*	*	*	*	0.2	0.6	0.6	1.3	1.8	3.2
2000.....	0.4	*	*	*	*	*	0.2	0.4	0.4	0.9	1.9	3.7
1999.....	0.5	*	*	*	*	*	0.2	0.5	0.6	1.4	2.5	3.7
Non-Hispanic white, male												
2006 5/.....	0.4	*	*	*	*	*	*	0.4	0.6	1.3	2.8	4.7
2005 5/.....	1.2	*	*	*	*	*	0.5	3.1	2.4	2.3	3.5	5.8
2004 5/.....	1.2	*	*	*	*	*	0.5	2.8	2.3	2.7	3.7	6.3
2003 5/.....	1.1	*	*	*	*	*	0.5	2.5	1.9	2.3	3.8	4.8
2002.....	0.7	*	*	*	*	*	0.4	1.6	1.2	1.7	2.8	4.6
2001.....	0.5	*	*	*	*	*	0.3	0.8	0.8	1.3	2.1	3.5
2000.....	0.4	*	*	*	*	*	0.2	0.5	0.4	1.1	2.2	4.2
1999.....	0.5	*	*	*	*	*	0.3	0.7	0.7	1.5	2.9	3.7
Non-Hispanic white, female												
2006 5/.....	0.5	*	*	*	*	*	*	0.2	0.5	1.1	2.2	4.4
2005 5/.....	0.8	*	*	*	*	*	0.2	1.0	1.1	1.9	3.0	4.8
2004 5/.....	0.8	*	*	*	*	*	0.4	1.1	1.1	1.9	3.3	4.3
2003 5/.....	0.8	*	*	*	*	*	0.3	1.0	0.9	1.9	3.1	4.9
2002.....	0.5	*	*	*	*	*	0.2	0.5	0.6	1.2	2.2	2.8
2001.....	0.4	*	*	*	*	*	*	0.3	0.5	1.2	1.5	3.1
2000.....	0.3	*	*	*	*	*	*	0.2	0.3	0.8	1.6	3.5
1999.....	0.5	*	*	*	*	*	0.1	0.2	0.6	1.3	2.2	3.8

Worktable Orig12. Death rates for 358 selected causes, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2006

[Rates per 100,000 population in specified group. Rates are based on populations enumerated as of April 1 for 2000 and estimated as of July 1 for all other years. Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to 'Detailed technical notes to the United States 2006 data-mortality']

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, and sex	All ages 1/	Under 1 year 2/	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
All other and unspecified infectious and parasitic diseases and their sequelae (B85-B89,B92-B99)												
Non-Hispanic black, both sexes												
2006 5/.....	0.4	*	*	*	*	*	*	0.5	0.9	1.7	3.0	6.1
2005 5/.....	0.9	*	*	*	*	*	0.4	1.8	3.2	2.6	5.1	7.1
2004 5/.....	0.8	*	*	*	*	*	0.4	1.5	2.3	3.3	4.4	8.3
2003 5/.....	0.8	*	*	*	*	*	0.4	2.2	2.5	2.0	5.6	*
2002.....	0.6	*	*	*	*	*	0.4	1.4	2.0	*	2.9	*
2001.....	0.4	*	*	*	*	*	0.4	0.9	1.0	1.9	*	*
2000.....	0.4	*	*	*	*	*	*	0.6	1.2	1.2	2.9	*
1999.....	1.0	*	*	*	*	0.4	1.1	2.1	2.5	2.9	4.4	*
Non-Hispanic black, male												
2006 5/.....	0.5	*	*	*	*	*	*	*	*	*	*	*
2005 5/.....	1.1	*	*	*	*	*	*	2.3	4.7	*	6.2	*
2004 5/.....	1.0	*	*	*	*	*	*	2.5	3.6	3.4	*	*
2003 5/.....	1.0	*	*	*	*	*	*	3.0	3.3	*	6.6	*
2002.....	0.7	*	*	*	*	*	*	1.9	3.2	*	*	*
2001.....	0.5	*	*	*	*	*	*	1.3	*	*	*	*
2000.....	0.5	*	*	*	*	*	*	*	*	*	*	*
1999.....	1.0	*	*	*	*	*	1.0	2.0	2.5	3.3	7.2	*
Non-Hispanic black, female												
2006 5/.....	0.4	*	*	*	*	*	*	*	*	*	*	*
2005 5/.....	0.8	*	*	*	*	*	*	1.4	1.9	2.6	4.4	*
2004 5/.....	0.6	*	*	*	*	*	*	*	1.3	3.1	3.9	8.0
2003 5/.....	0.7	*	*	*	*	*	*	1.4	1.8	*	5.1	*
2002.....	0.5	*	*	*	*	*	*	0.9	*	*	*	*
2001.....	0.4	*	*	*	*	*	*	*	*	2.3	*	*
2000.....	0.3	*	*	*	*	*	*	*	*	*	*	*
1999.....	1.0	*	*	*	*	*	1.2	2.2	2.4	2.5	*	*

Worktable Orig12. Death rates for 358 selected causes, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2006

[Rates per 100,000 population in specified group. Rates are based on populations enumerated as of April 1 for 2000 and estimated as of July 1 for all other years. Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to 'Detailed technical notes to the United States 2006 data-mortality']

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, and sex	All ages 1/	Under 1 year 2/	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
II. Neoplasms (C00-D48)												
All origins 3/, both sexes												
2006.....	191.7	3.4	2.7	2.4	4.1	9.4	32.6	118.1	325.4	739.7	1,300.2	1,684.1
2005.....	193.3	3.3	2.6	2.7	4.3	9.4	34.0	120.4	331.3	755.4	1,310.0	1,714.4
2004.....	193.2	3.6	2.8	2.7	4.4	9.5	34.1	120.7	337.9	767.8	1,316.2	1,731.0
2003.....	196.2	3.4	2.8	2.8	4.2	9.8	35.7	123.8	347.4	783.1	1,339.0	1,778.8
2002.....	197.9	3.5	3.0	2.8	4.5	10.1	36.6	125.6	355.6	805.0	1,348.0	1,802.6
2001.....	199.2	2.9	3.1	2.7	4.5	10.5	37.6	128.3	361.4	816.9	1,352.8	1,848.3
2000.....	201.3	4.0	3.1	2.7	4.6	10.2	37.4	129.3	371.7	830.2	1,373.2	1,904.3
1999.....	201.8	3.3	3.1	2.7	4.7	10.4	37.9	129.4	379.3	841.6	1,368.0	1,888.7
All origins 3/, male												
2006.....	201.4	3.4	2.8	2.7	4.8	8.9	28.1	121.1	368.4	886.1	1,678.9	2,341.0
2005.....	203.6	3.2	3.0	2.9	5.0	9.3	29.7	123.5	374.6	914.8	1,695.5	2,412.0
2004.....	203.1	3.5	2.9	3.0	5.1	9.1	29.9	126.2	382.1	923.3	1,707.7	2,448.4
2003.....	206.0	3.2	3.2	3.0	4.9	9.4	31.7	129.3	391.9	947.7	1,741.5	2,515.6
2002.....	208.5	3.5	3.1	3.1	5.1	9.7	32.4	129.9	405.1	980.6	1,757.2	2,592.2
2001.....	210.1	2.8	3.3	2.8	5.3	9.7	33.4	132.4	410.7	1,002.0	1,775.3	2,721.3
2000.....	212.0	4.2	3.4	2.9	5.4	9.6	33.6	133.0	421.5	1,018.9	1,808.1	2,819.6
1999.....	213.7	3.4	3.3	2.9	5.4	10.2	34.2	133.7	434.1	1,037.8	1,813.1	2,831.4
All origins 3/, female												
2006.....	182.3	3.4	2.6	2.2	3.3	9.9	37.1	115.3	285.3	615.8	1,041.3	1,376.8
2005.....	183.4	3.3	2.3	2.4	3.5	9.5	38.4	117.3	291.0	620.8	1,048.2	1,394.0
2004.....	183.7	3.7	2.7	2.4	3.6	10.0	38.3	115.3	296.9	637.2	1,052.8	1,408.2
2003.....	186.6	3.6	2.4	2.6	3.6	10.3	39.7	118.6	306.2	645.5	1,070.0	1,453.0
2002.....	187.6	3.6	2.8	2.6	3.8	10.6	40.8	121.5	309.7	658.8	1,076.3	1,460.0
2001.....	188.7	3.0	2.9	2.6	3.7	11.3	41.8	124.4	315.9	663.5	1,075.1	1,483.0
2000.....	191.1	3.8	2.8	2.5	3.8	10.8	41.2	125.8	325.8	674.8	1,089.5	1,531.6
1999.....	190.3	3.2	2.9	2.6	4.0	10.6	41.5	125.3	328.9	681.0	1,079.0	1,508.8
Hispanic, both sexes												
2006.....	61.7	3.8	2.4	2.5	4.7	7.5	22.1	76.1	202.1	470.8	869.0	1,126.0
2005.....	62.6	3.6	2.6	2.6	4.7	7.1	22.6	79.1	206.5	489.4	903.6	1,162.4
2004.....	60.8	4.1	2.2	2.9	4.5	7.3	22.4	76.8	213.4	480.7	895.5	1,179.7
2003.....	61.8	3.2	3.2	3.1	4.4	7.5	23.3	81.8	217.8	493.9	919.0	1,283.1
2002.....	61.2	4.2	2.5	3.2	4.6	7.1	23.8	79.7	218.1	504.9	919.6	1,357.5
2001.....	62.0	*	3.2	2.8	4.4	7.5	26.3	84.3	227.1	512.8	937.0	1,421.2
2000.....	61.4	3.0	2.8	3.1	4.3	7.7	26.0	83.5	224.1	525.3	977.8	1,453.8
1999.....	61.1	3.2	2.9	3.0	4.3	7.8	25.0	86.2	228.8	531.1	949.9	1,451.6
Hispanic, male												
2006.....	62.0	*	2.7	2.5	5.4	6.4	16.5	73.2	228.9	586.0	1,128.8	1,493.1
2005.....	64.4	*	3.2	2.7	5.5	6.8	18.1	77.4	240.8	614.2	1,189.2	1,638.8
2004.....	62.4	*	1.8	3.1	5.7	6.8	19.2	79.1	243.0	595.5	1,202.1	1,566.3
2003.....	63.0	*	3.7	3.4	5.3	7.3	18.7	82.3	250.4	627.6	1,197.6	1,721.0
2002.....	62.6	*	2.4	3.3	5.4	6.5	18.9	79.9	258.0	632.6	1,222.4	1,925.9
2001.....	63.6	*	3.3	2.8	5.7	6.5	22.6	83.2	257.5	652.8	1,286.2	2,037.9
2000.....	62.6	*	3.0	3.7	4.8	7.3	20.7	80.6	256.2	660.9	1,333.0	2,136.4
1999.....	62.5	*	2.6	3.0	4.9	7.0	20.6	86.4	272.0	679.3	1,277.4	1,995.0
Hispanic, female												
2006.....	61.4	*	2.0	2.5	3.8	8.9	28.5	79.0	177.4	377.2	687.2	931.0
2005.....	60.7	4.6	1.9	2.6	3.7	7.4	27.6	80.9	175.0	388.5	704.7	913.0
2004.....	59.2	*	2.6	2.6	3.1	7.9	25.9	74.5	186.6	388.5	683.8	981.0
2003.....	60.6	*	2.6	2.7	3.4	7.7	28.4	81.3	188.2	387.4	727.6	1,060.9
2002.....	59.6	*	2.6	3.2	3.7	7.7	29.0	79.5	182.2	403.3	712.2	1,076.0
2001.....	60.2	*	3.1	2.8	3.0	8.8	30.3	85.4	200.0	402.3	699.6	1,119.8
2000.....	60.1	*	2.6	2.4	3.8	8.1	31.7	86.3	195.6	418.6	739.2	1,116.8
1999.....	59.6	*	3.3	2.9	3.6	8.7	29.7	86.0	190.6	414.9	732.0	1,189.6

Worktable Orig12. Death rates for 358 selected causes, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2006

[Rates per 100,000 population in specified group. Rates are based on populations enumerated as of April 1 for 2000 and estimated as of July 1 for all other years. Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to 'Detailed technical notes to the United States 2006 data-mortality']

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, and sex	All ages 1/	Under 1 year 2/	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
II. Neoplasms (C00-D48)												
Non-Hispanic 4/, both sexes												
2006.....	214.0	3.3	2.8	2.4	4.0	9.9	34.4	122.8	335.5	759.5	1,325.4	1,710.1
2005.....	215.0	3.1	2.7	2.7	4.2	9.9	36.0	124.7	341.3	774.4	1,332.6	1,739.1
2004.....	214.5	3.4	3.0	2.7	4.3	10.0	35.9	125.1	347.5	787.5	1,337.6	1,753.3
2003.....	217.0	3.4	2.7	2.8	4.2	10.3	37.5	127.8	357.0	801.9	1,358.4	1,796.5
2002.....	218.5	3.3	3.1	2.7	4.4	10.7	38.4	129.8	365.5	823.6	1,365.8	1,816.6
2001.....	219.2	3.0	3.1	2.7	4.5	11.0	39.0	132.1	370.9	834.9	1,368.9	1,860.1
2000.....	220.8	4.2	3.1	2.6	4.7	10.7	38.7	133.0	381.8	847.0	1,386.9	1,916.2
1999.....	220.7	3.4	3.2	2.7	4.8	10.8	39.3	132.9	389.4	858.0	1,381.5	1,899.9
Non-Hispanic 4/, male												
2006.....	226.6	3.3	2.8	2.7	4.7	9.6	30.3	126.5	379.6	907.3	1,711.3	2,384.2
2005.....	228.0	3.3	2.9	2.9	4.9	9.9	31.8	128.5	385.2	935.6	1,723.9	2,450.2
2004.....	227.1	3.3	3.2	2.9	4.9	9.6	31.7	131.1	392.4	944.9	1,733.7	2,488.3
2003.....	229.5	3.5	3.0	2.9	4.8	9.9	33.7	133.7	402.1	967.5	1,767.0	2,547.9
2002.....	231.8	3.2	3.3	3.0	5.0	10.4	34.4	134.5	415.5	1,001.3	1,779.6	2,616.1
2001.....	232.6	3.1	3.3	2.8	5.2	10.4	34.8	136.7	421.0	1,021.6	1,794.0	2,743.9
2000.....	234.0	4.4	3.4	2.8	5.5	10.1	35.2	137.3	432.4	1,037.7	1,824.3	2,841.8
1999.....	235.2	3.2	3.4	2.9	5.5	10.8	35.9	137.5	444.6	1,055.7	1,830.6	2,858.9
Non-Hispanic 4/, female												
2006.....	201.9	3.2	2.8	2.1	3.2	10.1	38.4	119.3	294.4	634.0	1,062.0	1,396.7
2005.....	202.6	2.9	2.4	2.4	3.5	9.9	40.0	121.1	300.4	638.0	1,067.3	1,414.6
2004.....	202.6	3.5	2.7	2.4	3.7	10.4	40.1	119.4	305.7	654.8	1,071.3	1,424.6
2003.....	205.1	3.4	2.3	2.6	3.6	10.8	41.2	122.0	315.0	663.1	1,085.8	1,466.4
2002.....	205.9	3.5	2.9	2.4	3.8	11.1	42.3	125.2	319.2	675.3	1,091.5	1,471.6
2001.....	206.4	3.0	2.9	2.6	3.9	11.7	43.2	127.7	324.5	679.7	1,089.9	1,492.5
2000.....	208.4	4.1	2.8	2.5	3.8	11.3	42.2	128.9	334.9	689.5	1,102.0	1,542.0
1999.....	207.0	3.5	2.9	2.5	4.0	10.9	42.7	128.4	338.4	695.7	1,090.0	1,515.9
Non-Hispanic white, both sexes												
2006 5/.....	233.0	3.5	2.8	2.4	3.9	9.6	33.1	117.7	329.2	761.3	1,335.9	1,724.7
2005 5/.....	233.5	3.2	2.7	2.7	4.2	9.4	34.9	118.8	333.4	775.6	1,341.2	1,750.4
2004 5/.....	232.8	3.7	3.1	2.6	4.2	9.7	34.4	119.0	340.7	786.8	1,342.8	1,762.5
2003 5/.....	235.3	3.7	2.7	2.7	4.2	10.0	36.0	121.1	350.4	802.2	1,360.6	1,802.1
2002.....	236.6	3.4	2.9	2.7	4.5	10.4	37.0	124.0	357.6	822.7	1,365.9	1,819.8
2001.....	236.5	3.1	3.3	2.6	4.5	10.8	37.3	126.5	363.4	830.6	1,365.1	1,860.0
2000.....	238.1	4.5	3.2	2.7	4.5	10.5	36.4	126.9	374.5	842.0	1,382.1	1,914.2
1999.....	237.2	3.1	3.4	2.6	4.6	10.6	37.3	126.6	379.8	852.1	1,374.2	1,894.6
Non-Hispanic white, male												
2006 5/.....	245.9	3.5	2.8	2.7	4.7	9.6	29.7	120.7	368.3	899.5	1,713.0	2,396.2
2005 5/.....	246.6	3.5	2.9	2.9	4.9	9.5	31.4	122.2	371.3	927.0	1,722.4	2,458.3
2004 5/.....	245.1	3.6	3.3	2.9	4.7	9.8	30.6	123.7	379.9	934.0	1,725.1	2,492.7
2003 5/.....	247.7	3.8	3.0	2.9	4.8	9.8	32.9	125.7	389.9	958.8	1,756.2	2,549.6
2002.....	249.6	3.5	3.2	2.9	5.1	10.3	33.4	127.8	400.8	992.0	1,764.1	2,613.7
2001.....	249.4	3.2	3.4	2.6	5.1	10.4	33.5	129.5	407.3	1,006.5	1,771.9	2,728.2
2000.....	250.2	4.7	3.5	2.8	5.4	10.1	33.1	129.3	417.8	1,019.5	1,800.1	2,827.2
1999.....	250.9	3.2	3.7	2.8	5.2	10.5	34.3	128.7	428.2	1,038.5	1,805.8	2,838.1
Non-Hispanic white, female												
2006 5/.....	220.6	3.6	2.7	2.1	3.1	9.5	36.5	114.7	292.0	641.5	1,074.4	1,411.6
2005 5/.....	220.8	2.8	2.4	2.5	3.5	9.3	38.3	115.4	297.2	644.7	1,078.9	1,426.6
2004 5/.....	220.9	3.7	2.9	2.3	3.6	9.6	38.1	114.3	303.4	660.1	1,082.3	1,435.4
2003 5/.....	223.3	3.5	2.5	2.5	3.6	10.3	39.2	116.6	312.9	668.0	1,093.5	1,473.1
2002.....	224.1	3.2	2.7	2.5	3.9	10.6	40.5	120.3	316.7	678.4	1,099.0	1,476.8
2001.....	224.2	3.0	3.2	2.6	3.9	11.1	41.2	123.5	321.8	681.4	1,095.3	1,498.8
2000.....	226.5	4.2	2.7	2.6	3.7	10.9	39.7	124.5	333.6	692.5	1,107.4	1,546.1
1999.....	224.0	3.1	3.1	2.4	3.9	10.6	40.2	124.5	334.2	696.1	1,091.6	1,518.3

Worktable Orig12. Death rates for 358 selected causes, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2006

[Rates per 100,000 population in specified group. Rates are based on populations enumerated as of April 1 for 2000 and estimated as of July 1 for all other years. Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.odc.gov/nchs> and refer to 'Detailed technical notes to the United States 2006 data-mortality']

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, and sex	All ages 1/	Under 1 year 2/	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
II. Neoplasms (C00-D48)												
Non-Hispanic black, both sexes												
2006 5/.....	168.7	*	2.9	2.5	4.5	12.5	47.0	176.5	455.6	902.5	1,452.5	1,763.8
2005 5/.....	170.5	3.3	2.7	2.9	4.3	13.2	47.6	182.2	471.5	919.2	1,463.9	1,820.1
2004 5/.....	170.7	*	2.8	2.9	5.3	13.2	49.5	184.1	473.5	944.9	1,497.9	1,852.1
2003 5/.....	173.0	*	2.6	3.0	4.3	13.2	51.7	192.2	486.2	954.4	1,537.8	1,926.4
2002.....	174.7	3.2	3.5	2.9	4.3	13.4	52.7	188.5	500.2	990.0	1,569.1	1,968.7
2001.....	176.0	*	2.2	3.1	4.8	13.8	53.9	190.7	500.5	1,020.1	1,591.4	2,020.2
2000.....	178.1	3.5	3.2	2.5	5.6	13.0	56.4	199.4	510.8	1,034.4	1,614.1	2,079.4
1999.....	180.2	4.4	2.6	3.0	6.1	13.2	56.5	199.4	536.9	1,049.5	1,626.0	2,086.8
Non-Hispanic black, male												
2006 5/.....	182.3	*	3.1	2.8	5.0	11.1	39.0	189.4	563.6	1,194.0	2,058.0	2,659.9
2005 5/.....	184.5	*	3.0	3.2	4.9	12.8	38.8	193.2	587.6	1,219.8	2,081.9	2,776.6
2004 5/.....	185.5	*	3.1	2.9	5.9	10.8	41.0	204.3	588.5	1,247.2	2,156.8	2,843.1
2003 5/.....	187.8	*	3.1	3.2	4.9	11.3	44.1	214.0	604.0	1,258.6	2,212.5	2,927.8
2002.....	190.7	*	3.4	3.4	4.9	12.0	45.2	204.5	629.1	1,307.9	2,286.9	3,089.3
2001.....	193.9	*	2.7	3.4	5.6	11.4	46.9	211.5	620.7	1,372.3	2,352.8	3,326.3
2000.....	198.0	*	3.3	2.9	6.7	11.0	50.8	221.8	644.4	1,402.2	2,408.7	3,366.4
1999.....	200.5	*	2.9	3.2	7.1	12.7	49.8	228.2	678.2	1,406.2	2,416.2	3,425.2
Non-Hispanic black, female												
2006 5/.....	156.3	*	2.7	2.2	3.9	13.8	54.1	165.5	368.8	694.2	1,109.0	1,398.4
2005 5/.....	157.6	*	2.4	2.5	3.7	13.6	55.4	172.9	378.1	704.3	1,113.7	1,435.1
2004 5/.....	157.2	*	2.5	2.9	4.7	15.3	56.9	166.7	381.2	729.4	1,125.9	1,460.5
2003 5/.....	159.6	*	2.2	2.7	3.8	14.9	58.4	173.5	391.7	738.1	1,156.8	1,538.5
2002.....	160.1	*	3.7	2.3	3.8	14.7	59.2	174.8	396.8	764.6	1,163.1	1,540.5
2001.....	159.8	*	*	2.7	4.0	15.9	60.1	172.8	403.7	771.6	1,163.9	1,536.5
2000.....	160.2	*	3.1	2.2	4.4	14.8	61.4	180.1	403.3	775.7	1,166.9	1,601.3
1999.....	161.8	*	2.2	2.9	5.1	13.7	62.5	174.8	423.6	797.8	1,183.5	1,586.6

Worktable Orig12. Death rates for 358 selected causes, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2006

[Rates per 100,000 population in specified group. Rates are based on populations enumerated as of April 1 for 2000 and estimated as of July 1 for all other years. Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to 'Detailed technical notes to the United States 2006 data-mortality']

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, and sex	All ages 1/	Under 1 year 2/	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
Malignant neoplasms (C00-C97)												
All origins 3/, both sexes												
2006.....	187.0	1.8	2.3	2.2	3.9	9.0	31.9	116.3	321.2	727.2	1,263.8	1,606.1
2005.....	188.7	1.8	2.3	2.5	4.1	9.0	33.2	118.6	326.9	742.7	1,274.8	1,637.7
2004.....	188.6	1.8	2.5	2.5	4.1	9.1	33.4	119.0	333.4	755.1	1,280.4	1,653.3
2003.....	191.5	1.9	2.5	2.6	4.0	9.4	35.0	122.2	343.0	770.3	1,302.5	1,698.2
2002.....	193.2	1.8	2.6	2.6	4.3	9.7	35.8	123.8	351.1	792.1	1,311.9	1,723.9
2001.....	194.4	1.6	2.7	2.5	4.3	10.1	36.8	126.5	356.5	802.8	1,315.8	1,765.6
2000.....	196.5	2.4	2.7	2.5	4.4	9.8	36.6	127.5	366.7	816.3	1,335.6	1,819.4
1999.....	197.0	1.8	2.7	2.5	4.5	10.0	37.1	127.6	374.6	827.1	1,331.5	1,805.8
All origins 3/, male												
2006.....	196.6	1.8	2.5	2.5	4.6	8.6	27.4	119.0	363.6	870.4	1,631.3	2,248.7
2005.....	198.9	2.1	2.6	2.7	4.8	8.8	28.9	121.6	369.5	899.1	1,649.7	2,319.3
2004.....	198.4	1.8	2.6	2.7	4.8	8.6	29.1	124.3	376.7	907.6	1,662.1	2,349.5
2003.....	201.3	1.7	2.8	2.8	4.6	8.9	30.8	127.4	386.8	931.7	1,695.4	2,413.8
2002.....	203.8	2.0	2.7	2.9	4.9	9.2	31.5	128.0	399.8	964.8	1,711.3	2,491.1
2001.....	205.3	1.5	2.9	2.5	5.0	9.3	32.6	130.3	405.2	984.6	1,727.1	2,613.6
2000.....	207.2	2.6	3.0	2.7	5.1	9.2	32.7	130.9	415.8	1,001.9	1,760.6	2,710.7
1999.....	208.9	1.9	2.9	2.7	5.2	9.7	33.3	131.7	428.4	1,019.4	1,767.0	2,722.2
All origins 3/, female												
2006.....	177.6	1.8	2.1	2.0	3.1	9.5	36.4	113.7	281.8	605.9	1,012.5	1,305.5
2005.....	178.8	1.5	2.0	2.2	3.3	9.1	37.5	115.8	287.4	610.9	1,020.3	1,324.6
2004.....	179.1	1.9	2.4	2.2	3.4	9.6	37.7	113.8	293.2	627.1	1,023.5	1,340.1
2003.....	182.0	2.1	2.1	2.4	3.4	9.9	39.1	117.1	302.3	635.3	1,040.1	1,381.9
2002.....	183.0	1.6	2.4	2.4	3.6	10.2	40.0	119.8	306.0	648.5	1,046.7	1,391.1
2001.....	183.9	1.8	2.5	2.4	3.5	10.9	41.0	122.7	311.5	652.2	1,045.4	1,410.7
2000.....	186.2	2.3	2.5	2.2	3.6	10.4	40.4	124.2	321.3	663.6	1,058.5	1,456.4
1999.....	185.6	1.7	2.5	2.3	3.7	10.3	40.9	123.7	325.0	669.5	1,048.5	1,436.5
Hispanic, both sexes												
2006.....	60.1	*	2.2	2.3	4.4	7.2	21.6	74.7	198.6	461.9	844.0	1,077.5
2005.....	61.3	*	2.2	2.5	4.5	6.8	22.1	77.9	203.3	481.3	882.8	1,128.1
2004.....	59.3	*	2.0	2.8	4.3	6.9	21.8	75.5	209.7	472.0	872.2	1,131.2
2003.....	60.3	*	3.0	2.9	4.1	7.1	22.9	80.7	214.7	485.2	890.1	1,234.9
2002.....	59.7	*	2.3	2.9	4.5	6.8	23.2	78.2	215.1	486.0	894.9	1,308.8
2001.....	60.5	*	2.8	2.5	4.3	7.2	25.6	82.8	223.4	504.0	913.9	1,363.7
2000.....	59.9	*	2.5	2.9	4.2	7.3	25.2	82.1	221.0	516.2	953.5	1,383.5
1999.....	59.6	*	2.5	2.7	4.1	7.4	24.4	84.9	225.1	520.5	926.8	1,399.6
Hispanic, male												
2006.....	60.4	*	2.6	2.3	5.1	6.1	16.0	71.4	224.8	574.8	1,098.4	1,440.1
2005.....	63.0	*	2.8	2.5	5.3	6.5	17.8	75.9	236.9	603.5	1,161.8	1,601.5
2004.....	60.9	*	1.6	3.0	5.5	6.4	18.6	77.4	239.0	585.8	1,174.2	1,508.8
2003.....	61.5	*	3.6	3.2	4.9	6.8	18.2	81.1	246.5	617.6	1,160.9	1,668.6
2002.....	61.2	*	2.2	2.9	5.2	6.3	18.4	78.4	254.3	622.3	1,190.8	1,869.0
2001.....	62.2	*	2.9	2.5	5.5	6.3	21.7	81.5	253.5	642.8	1,258.3	1,967.4
2000.....	61.3	*	2.9	3.5	4.5	6.9	20.1	79.4	253.1	651.2	1,306.4	2,049.7
1999.....	61.2	*	2.3	2.8	4.6	6.6	19.8	84.6	268.1	668.9	1,252.9	1,945.3
Hispanic, female												
2006.....	59.7	*	1.8	2.2	3.5	8.5	27.9	78.1	174.4	370.2	665.9	884.9
2005.....	59.5	*	1.6	2.5	3.6	7.1	27.0	79.9	172.5	382.5	688.5	880.4
2004.....	57.7	*	2.4	2.5	3.0	7.5	25.4	73.5	183.0	380.7	663.6	937.0
2003.....	59.1	*	2.4	2.6	3.2	7.4	28.0	80.2	185.9	379.7	702.1	1,014.8
2002.....	58.1	*	2.4	2.9	3.6	7.5	28.4	78.0	179.8	395.6	692.2	1,031.2
2001.....	58.7	*	2.7	2.5	2.9	8.3	29.8	84.2	196.7	394.5	681.2	1,068.6
2000.....	58.5	*	2.2	2.9	3.7	7.9	30.7	84.7	192.5	410.0	716.5	1,056.5
1999.....	58.0	*	2.7	2.6	3.5	8.3	29.4	85.1	187.2	404.3	709.8	1,136.5

Worktable Orig12. Death rates for 358 selected causes, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2006

[Rates per 100,000 population in specified group. Rates are based on populations enumerated as of April 1 for 2000 and estimated as of July 1 for all other years. Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to 'Detailed technical notes to the United States 2006 data-mortality']

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, and sex	All ages 1/	Under 1 year 2/	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
Malignant neoplasms (C00-C97)												
Non-Hispanic 4/, both sexes												
2006.....	208.7	1.8	2.3	2.2	3.8	9.5	33.7	120.9	331.3	746.7	1,288.4	1,630.6
2005.....	209.8	1.8	2.3	2.5	4.0	9.5	35.0	122.9	336.9	761.5	1,296.6	1,660.5
2004.....	209.4	1.7	2.6	2.4	4.0	9.6	35.2	123.4	342.9	774.5	1,301.1	1,674.3
2003.....	211.9	2.0	2.3	2.6	4.0	9.9	36.7	126.0	352.4	788.9	1,321.6	1,714.7
2002.....	213.4	1.7	2.6	2.5	4.2	10.3	37.6	128.0	360.9	810.5	1,329.2	1,736.8
2001.....	213.9	1.6	2.7	2.4	4.2	10.6	38.2	130.3	365.9	820.5	1,331.4	1,776.6
2000.....	215.6	2.5	2.7	2.4	4.4	10.3	37.9	131.2	376.6	832.8	1,348.9	1,831.1
1999.....	215.5	1.7	2.7	2.4	4.5	10.4	38.6	131.0	384.6	843.2	1,344.5	1,816.1
Non-Hispanic 4/, male												
2006.....	221.3	1.7	2.5	2.5	4.5	9.3	29.5	124.4	374.8	891.3	1,662.8	2,289.8
2005.....	222.8	2.4	2.6	2.7	4.7	9.4	30.8	126.5	379.9	919.5	1,677.1	2,354.9
2004.....	221.8	1.8	2.8	2.7	4.6	9.1	30.8	129.2	387.0	928.8	1,687.2	2,387.3
2003.....	224.3	1.9	2.6	2.7	4.5	9.4	32.8	131.9	396.9	951.1	1,720.2	2,444.0
2002.....	226.7	1.9	2.8	2.8	4.8	9.9	33.5	132.6	410.0	985.1	1,733.2	2,513.2
2001.....	227.2	1.6	2.9	2.5	4.9	9.9	34.0	134.6	415.3	1,003.8	1,745.1	2,634.8
2000.....	228.7	2.6	2.9	2.5	5.2	9.7	34.3	135.1	426.6	1,020.2	1,776.0	2,732.4
1999.....	229.9	1.6	3.0	2.6	5.3	10.3	35.0	135.4	438.8	1,036.8	1,783.7	2,747.5
Non-Hispanic 4/, female												
2006.....	196.7	1.9	2.2	2.0	3.0	9.7	37.7	117.5	290.8	624.0	1,032.8	1,324.2
2005.....	197.5	*	2.1	2.2	3.3	9.5	39.2	119.5	296.8	627.7	1,038.6	1,343.6
2004.....	197.5	1.6	2.4	2.2	3.4	10.0	39.5	117.8	301.9	644.5	1,041.6	1,355.6
2003.....	200.0	2.1	2.1	2.4	3.4	10.4	40.6	120.5	311.1	652.7	1,055.6	1,394.3
2002.....	200.8	1.5	2.4	2.2	3.6	10.6	41.6	123.5	315.4	664.7	1,061.5	1,401.8
2001.....	201.2	1.6	2.5	2.3	3.6	11.3	42.4	126.0	320.0	668.1	1,059.8	1,419.6
2000.....	203.1	2.4	2.6	2.2	3.6	10.9	41.4	127.3	330.3	678.1	1,070.6	1,466.6
1999.....	201.9	1.8	2.5	2.2	3.7	10.5	42.1	126.8	334.5	684.2	1,059.4	1,443.2
Non-Hispanic white, both sexes												
2006 5/.....	227.1	2.1	2.3	2.3	3.7	9.2	32.4	115.8	325.1	748.2	1,297.8	1,643.1
2005 5/.....	227.7	2.0	2.3	2.5	4.0	9.0	34.0	117.1	329.0	762.3	1,304.0	1,668.6
2004 5/.....	227.0	1.9	2.7	2.4	3.9	9.3	33.7	117.3	336.2	773.6	1,305.4	1,680.9
2003 5/.....	229.5	2.2	2.4	2.6	4.0	9.6	35.2	119.4	345.9	788.8	1,322.6	1,717.8
2002.....	230.9	1.6	2.6	2.5	4.3	10.0	36.2	122.3	353.0	809.2	1,328.4	1,737.9
2001.....	230.6	1.8	2.9	2.4	4.3	10.3	36.5	124.6	358.3	815.9	1,326.5	1,775.2
2000.....	232.2	2.6	2.8	2.4	4.3	10.1	35.6	125.1	369.3	827.7	1,342.9	1,826.6
1999.....	231.5	1.6	3.0	2.3	4.3	10.2	36.6	124.8	375.0	837.1	1,336.4	1,808.3
Non-Hispanic white, male												
2006 5/.....	239.9	1.9	2.5	2.5	4.5	9.3	28.9	118.7	363.4	883.0	1,662.9	2,300.2
2005 5/.....	240.7	2.7	2.5	2.7	4.7	9.0	30.5	120.3	366.1	910.4	1,673.7	2,358.3
2004 5/.....	239.2	2.0	2.8	2.7	4.4	9.3	29.9	121.9	374.6	917.5	1,677.3	2,387.1
2003 5/.....	241.8	2.1	2.6	2.7	4.6	9.4	31.9	123.8	384.8	942.0	1,707.8	2,441.7
2002.....	243.8	2.0	2.8	2.7	4.9	9.8	32.5	125.9	395.5	975.3	1,716.5	2,507.7
2001.....	243.4	1.7	3.1	2.4	4.9	10.0	32.6	127.3	401.7	988.2	1,721.8	2,616.8
2000.....	244.4	2.9	3.1	2.6	5.0	9.7	32.3	127.2	412.0	1,002.1	1,750.2	2,714.1
1999.....	245.1	1.7	3.3	2.6	5.0	10.1	33.5	126.7	422.3	1,019.3	1,757.7	2,721.3
Non-Hispanic white, female												
2006 5/.....	214.7	2.2	2.1	2.0	2.9	9.2	35.9	113.0	288.5	631.3	1,044.4	1,336.7
2005 5/.....	215.1	*	2.2	2.2	3.3	8.9	37.5	113.9	293.6	634.4	1,049.5	1,353.2
2004 5/.....	215.3	1.8	2.5	2.1	3.3	9.3	37.5	112.9	299.8	649.8	1,052.0	1,364.5
2003 5/.....	217.6	2.3	2.2	2.4	3.4	9.8	38.6	115.1	308.9	657.6	1,062.4	1,399.1
2002.....	218.5	*	2.3	2.3	3.6	10.3	39.9	118.7	312.8	667.7	1,068.3	1,405.4
2001.....	218.4	1.8	2.8	2.4	3.6	10.7	40.4	121.9	317.3	669.7	1,064.4	1,425.1
2000.....	220.6	2.4	2.4	2.3	3.5	10.5	39.9	123.0	328.9	681.0	1,075.3	1,466.7
1999.....	218.4	*	2.7	2.1	3.6	10.3	39.7	123.0	330.5	684.6	1,060.5	1,444.2

Worktable Orig12. Death rates for 358 selected causes, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2006

[Rates per 100,000 population in specified group. Rates are based on populations enumerated as of April 1 for 2000 and estimated as of July 1 for all other years. Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.odc.gov/nchs> and refer to 'Detailed technical notes to the United States 2006 data-mortality']

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, and sex	All ages 1/	Under 1 year 2/	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
Malignant neoplasms (C00-C97)												
Non-Hispanic black, both sexes												
2006 5/.....	165.5	*	2.5	2.2	4.1	11.9	45.8	174.0	450.1	890.6	1,420.3	1,700.4
2005 5/.....	167.4	*	2.5	2.6	4.1	12.7	46.2	179.7	466.0	906.1	1,435.5	1,764.4
2004 5/.....	167.5	*	2.5	2.6	5.0	12.4	48.3	181.8	467.2	931.9	1,465.9	1,794.3
2003 5/.....	170.0	*	2.3	2.7	4.1	12.6	50.5	189.7	480.9	941.1	1,508.2	1,867.5
2002.....	171.5	*	3.0	2.6	4.1	12.8	51.5	186.0	494.6	977.2	1,537.4	1,904.3
2001.....	172.8	*	2.0	2.7	4.4	13.4	52.8	188.7	494.5	1,005.6	1,559.5	1,947.5
2000.....	174.9	*	2.8	2.3	5.3	12.3	55.3	196.7	505.2	1,019.3	1,582.8	2,015.1
1999.....	176.9	*	2.0	2.8	5.6	12.6	55.3	196.8	530.5	1,033.6	1,592.9	2,024.0
Non-Hispanic black, male												
2006 5/.....	179.2	*	2.7	2.5	4.7	10.6	38.1	187.0	557.2	1,178.9	2,015.7	2,577.4
2005 5/.....	181.8	*	2.8	3.1	4.8	12.3	37.4	190.4	581.2	1,205.6	2,047.4	2,720.4
2004 5/.....	182.4	*	2.8	2.5	5.6	10.1	39.8	201.8	590.5	1,231.5	2,116.9	2,781.1
2003 5/.....	184.8	*	2.4	2.9	4.7	10.6	42.9	211.5	597.1	1,242.1	2,175.8	2,859.6
2002.....	187.8	*	2.7	3.1	4.6	11.7	44.3	202.3	621.8	1,293.5	2,247.6	3,008.4
2001.....	190.8	*	2.4	3.0	5.1	10.9	45.8	209.6	614.1	1,354.7	2,310.5	3,238.5
2000.....	194.9	*	2.6	2.6	6.4	10.5	49.6	219.0	637.4	1,382.7	2,372.3	3,290.1
1999.....	197.4	*	2.0	2.9	6.6	11.9	48.6	225.8	670.9	1,387.0	2,377.4	3,361.1
Non-Hispanic black, female												
2006 5/.....	153.0	*	2.4	2.0	3.4	13.2	52.7	162.8	363.9	684.6	1,082.5	1,342.7
2005 5/.....	154.3	*	2.1	2.2	3.5	13.1	54.0	170.6	373.3	692.1	1,088.7	1,379.5
2004 5/.....	153.9	*	2.2	2.7	4.4	14.5	55.8	164.6	376.3	718.3	1,098.4	1,404.3
2003 5/.....	156.5	*	2.1	2.4	3.5	14.5	57.2	170.9	387.6	727.0	1,131.2	1,483.2
2002.....	156.7	*	3.2	2.0	3.6	13.9	57.8	172.1	392.5	752.8	1,135.6	1,482.4
2001.....	156.5	*	*	2.3	3.8	15.7	59.0	170.7	398.3	759.4	1,137.8	1,469.3
2000.....	156.9	*	3.0	1.9	4.2	14.0	60.4	177.5	398.8	763.6	1,138.4	1,541.6
1999.....	158.3	*	2.0	2.7	4.8	13.3	61.3	172.0	417.9	784.2	1,153.6	1,524.4

Worktable Orig12. Death rates for 358 selected causes, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2006

[Rates per 100,000 population in specified group. Rates are based on populations enumerated as of April 1 for 2000 and estimated as of July 1 for all other years. Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to 'Detailed technical notes to the United States 2006 data-mortality']

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, and sex	All ages 1/	Under 1 year 2/	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
Malignant neoplasms of lip, oral cavity and pharynx (C00-C14)												
Non-Hispanic 4/, both sexes												
2006.....	2.9	*	*	*	*	0.1	0.7	2.8	6.0	9.7	13.7	16.5
2005.....	2.9	*	*	*	*	0.1	0.2	2.8	6.6	10.2	12.9	17.6
2004.....	3.0	*	*	*	*	0.1	0.1	3.0	6.3	10.4	13.9	18.2
2003.....	3.0	*	*	*	*	0.1	0.2	2.9	6.8	10.5	13.3	18.7
2002.....	3.0	*	*	*	*	0.1	0.2	2.9	7.1	10.7	13.7	18.7
2001.....	3.0	*	*	*	*	0.1	0.2	2.8	7.1	10.6	14.3	18.4
2000.....	2.9	*	*	*	*	0.1	0.1	3.0	6.9	10.8	13.3	19.5
1999.....	2.9	*	*	*	*	0.1	0.1	3.0	7.0	10.5	14.3	19.4
Non-Hispanic 4/, male												
2006.....	4.0	*	*	*	*	0.2	0.9	4.4	9.7	15.0	20.6	22.3
2005.....	4.1	*	*	*	*	0.2	1.0	4.4	10.6	15.7	19.1	22.8
2004.....	4.1	*	*	*	*	0.2	0.9	4.8	10.3	15.8	20.7	24.9
2003.....	4.1	*	*	*	*	0.2	1.0	4.8	10.9	16.0	19.5	27.1
2002.....	4.1	*	*	*	*	0.2	0.8	4.6	11.3	16.2	19.8	26.7
2001.....	4.1	*	*	*	*	0.2	1.0	4.6	11.6	16.2	20.6	25.8
2000.....	3.9	*	*	*	*	0.1	1.0	4.6	11.1	16.1	19.4	26.5
1999.....	4.0	*	*	*	*	0.1	0.2	4.8	11.0	15.8	21.0	27.3
Non-Hispanic 4/, female												
2006.....	1.8	*	*	*	*	*	0.4	1.2	2.6	5.3	9.1	13.8
2005.....	1.9	*	*	*	*	*	0.1	1.2	2.9	5.5	8.8	15.2
2004.....	1.9	*	*	*	*	*	0.4	1.3	2.6	5.8	9.4	15.1
2003.....	1.9	*	*	*	*	*	0.4	1.1	2.9	5.9	9.2	15.0
2002.....	1.9	*	*	*	*	*	0.4	1.2	3.2	6.1	9.7	15.3
2001.....	1.9	*	*	*	*	*	0.1	1.2	2.9	6.0	10.2	15.3
2000.....	2.0	*	*	*	*	*	0.1	1.3	3.0	6.5	9.3	16.6
1999.....	2.0	*	*	*	*	*	0.4	1.4	3.2	6.0	9.9	16.2
Non-Hispanic white, both sexes												
2006 5/.....	3.0	*	*	*	*	0.1	0.6	2.6	5.7	9.4	13.8	17.1
2005 5/.....	3.0	*	*	*	*	0.1	0.6	2.5	6.2	9.8	12.9	17.9
2004 5/.....	3.1	*	*	*	*	0.1	0.5	2.6	5.8	10.2	13.9	16.7
2003 5/.....	3.1	*	*	*	*	0.1	0.6	2.6	6.3	10.1	13.0	19.1
2002.....	3.1	*	*	*	*	0.1	0.5	2.5	6.5	10.6	13.9	18.9
2001.....	3.1	*	*	*	*	0.1	0.5	2.5	6.5	10.2	14.5	18.9
2000.....	3.0	*	*	*	*	0.1	0.6	2.5	6.1	10.4	13.3	19.8
1999.....	3.0	*	*	*	*	0.1	0.5	2.4	6.3	10.1	14.2	19.9
Non-Hispanic white, male												
2006 5/.....	4.1	*	*	*	*	*	0.8	4.1	9.0	14.1	20.4	23.0
2005 5/.....	4.1	*	*	*	*	*	0.8	3.9	9.7	14.8	18.5	22.9
2004 5/.....	4.1	*	*	*	*	*	0.2	4.0	9.4	15.0	20.4	24.8
2003 5/.....	4.1	*	*	*	*	*	0.2	4.0	9.9	14.9	18.7	27.4
2002.....	4.1	*	*	*	*	*	0.2	4.0	10.2	15.7	19.9	26.8
2001.....	4.1	*	*	*	*	*	0.2	4.0	10.4	15.3	20.5	26.4
2000.....	3.9	*	*	*	*	*	0.8	3.8	9.7	15.0	18.9	27.4
1999.....	3.9	*	*	*	*	*	0.8	3.8	9.7	15.1	20.3	27.5
Non-Hispanic white, female												
2006 5/.....	2.0	*	*	*	*	*	0.4	1.0	2.5	5.3	9.3	14.4
2005 5/.....	2.0	*	*	*	*	*	0.4	1.1	2.8	5.6	9.1	15.6
2004 5/.....	2.0	*	*	*	*	*	0.3	1.1	2.4	6.0	9.6	16.0
2003 5/.....	2.0	*	*	*	*	*	0.2	0.9	2.9	5.9	9.2	15.4
2002.....	2.1	*	*	*	*	*	0.3	1.0	2.9	6.2	9.8	15.5
2001.....	2.1	*	*	*	*	*	0.3	1.0	2.8	5.9	10.5	15.7
2000.....	2.1	*	*	*	*	*	0.4	1.2	2.8	6.5	9.6	16.8
1999.....	2.1	*	*	*	*	*	0.3	1.1	3.0	5.9	10.1	16.8

Worktable Orig12. Death rates for 358 selected causes, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2006

[Rates per 100,000 population in specified group. Rates are based on populations enumerated as of April 1 for 2000 and estimated as of July 1 for all other years. Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.odc.gov/nchs> and refer to 'Detailed technical notes to the United States 2006 data-mortality']

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, and sex	All ages 1/	Under 1 year 2/	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
Malignant neoplasms of lip, oral cavity and pharynx (C00-C14)												
Non-Hispanic black, both sexes												
2006 5/.....	2.7	*	*	*	*	*	0.8	4.4	9.7	13.9	13.8	10.1
2005 5/.....	2.9	*	*	*	*	*	0.9	5.1	10.9	14.2	13.7	12.8
2004 5/.....	3.1	*	*	*	*	*	1.3	6.2	11.4	14.1	15.3	12.7
2003 5/.....	3.0	*	*	*	*	*	1.1	5.2	11.5	15.7	15.6	15.5
2002.....	2.9	*	*	*	*	*	1.1	5.6	12.4	12.9	12.1	16.0
2001.....	3.0	*	*	*	*	*	1.3	5.3	12.9	15.7	13.9	13.1
2000.....	3.1	*	*	*	*	*	1.1	6.1	13.7	15.7	15.1	14.9
1999.....	3.3	*	*	*	*	*	1.2	7.3	13.6	15.4	16.8	14.5
Non-Hispanic black, male												
2006 5/.....	4.1	*	*	*	*	*	1.3	7.1	17.4	25.5	25.9	*
2005 5/.....	4.7	*	*	*	*	*	1.6	8.8	20.0	26.7	27.8	21.9
2004 5/.....	4.9	*	*	*	*	*	1.9	10.7	20.3	27.1	26.2	27.4
2003 5/.....	4.8	*	*	*	*	*	1.2	9.2	21.8	29.1	28.6	25.6
2002.....	4.4	*	*	*	*	*	1.6	9.8	22.5	23.0	18.8	26.3
2001.....	4.6	*	*	*	*	*	1.7	8.9	23.9	27.3	23.4	*
2000.....	4.9	*	*	*	*	*	1.8	10.7	24.7	28.6	29.0	*
1999.....	5.0	*	*	*	*	*	1.8	12.3	23.5	25.4	31.9	25.0
Non-Hispanic black, female												
2006 5/.....	1.3	*	*	*	*	*	*	2.0	3.6	5.7	6.9	8.6
2005 5/.....	1.2	*	*	*	*	*	*	1.9	3.5	5.2	5.7	9.2
2004 5/.....	1.4	*	*	*	*	*	0.9	2.3	4.3	4.8	9.2	*
2003 5/.....	1.4	*	*	*	*	*	1.1	1.8	3.3	6.2	8.3	11.6
2002.....	1.5	*	*	*	*	*	0.7	2.1	4.3	5.8	8.3	12.1
2001.....	1.5	*	*	*	*	*	0.9	2.1	4.0	7.5	8.6	10.7
2000.....	1.5	*	*	*	*	*	*	2.1	4.9	6.6	7.3	14.4
1999.....	1.7	*	*	*	*	*	0.7	3.0	5.7	8.4	8.4	10.7

Worktable Orig12. Death rates for 358 selected causes, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2006

[Rates per 100,000 population in specified group. Rates are based on populations enumerated as of April 1 for 2000 and estimated as of July 1 for all other years. Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to 'Detailed technical notes to the United States 2006 data-mortality']

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, and sex	All ages 1/	Under 1 year 2/	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
Of tongue (C01-C02)												
Non-Hispanic 4/, both sexes												
2006.....	0.7	*	*	*	*	*	0.2	0.7	1.5	2.4	3.1	3.6
2005.....	0.7	*	*	*	*	0.1	0.2	0.7	1.7	2.6	3.1	4.2
2004.....	0.7	*	*	*	*	*	0.2	0.8	1.5	2.5	2.9	4.3
2003.....	0.7	*	*	*	*	0.1	0.2	0.8	1.7	2.5	3.1	3.7
2002.....	0.7	*	*	*	*	0.1	0.2	0.7	1.8	2.5	3.3	4.0
2001.....	0.7	*	*	*	*	0.1	0.2	0.7	1.7	2.4	3.3	3.7
2000.....	0.7	*	*	*	*	0.1	0.2	0.7	1.7	2.4	3.0	4.0
1999.....	0.7	*	*	*	*	*	0.2	0.8	1.6	2.4	3.1	4.1
Non-Hispanic 4/, male												
2006.....	1.0	*	*	*	*	*	0.3	1.2	2.4	3.6	4.3	4.1
2005.....	1.0	*	*	*	*	*	0.2	1.2	2.6	4.0	4.4	4.7
2004.....	0.9	*	*	*	*	*	0.3	1.2	2.6	3.7	4.0	5.0
2003.....	1.0	*	*	*	*	*	0.3	1.2	2.6	3.7	4.3	5.0
2002.....	0.9	*	*	*	*	*	0.3	1.1	2.7	3.7	4.5	5.0
2001.....	0.9	*	*	*	*	*	0.3	1.2	2.9	3.7	4.3	4.1
2000.....	0.9	*	*	*	*	*	0.3	1.1	2.8	3.4	3.7	4.8
1999.....	0.9	*	*	*	*	*	0.3	1.2	2.4	3.8	4.5	5.4
Non-Hispanic 4/, female												
2006.....	0.5	*	*	*	*	*	0.1	0.3	0.7	1.5	2.4	3.4
2005.....	0.5	*	*	*	*	*	0.1	0.3	0.8	1.4	2.3	4.0
2004.....	0.5	*	*	*	*	*	0.2	0.4	0.6	1.5	2.2	3.9
2003.....	0.5	*	*	*	*	*	0.1	0.3	0.8	1.5	2.3	3.1
2002.....	0.5	*	*	*	*	*	*	0.3	0.9	1.5	2.5	3.6
2001.....	0.5	*	*	*	*	*	0.1	0.3	0.7	1.3	2.5	3.5
2000.....	0.5	*	*	*	*	*	0.2	0.4	0.8	1.5	2.5	3.6
1999.....	0.5	*	*	*	*	*	0.1	0.4	0.8	1.3	2.2	3.6
Non-Hispanic white, both sexes												
2006 5/.....	0.8	*	*	*	*	*	0.2	0.8	1.5	2.4	3.2	3.9
2005 5/.....	0.8	*	*	*	*	*	0.2	0.7	1.7	2.5	3.2	4.4
2004 5/.....	0.8	*	*	*	*	*	0.2	0.7	1.6	2.5	3.0	4.4
2003 5/.....	0.8	*	*	*	*	*	0.2	0.7	1.7	2.5	3.1	3.8
2002.....	0.8	*	*	*	*	*	0.2	0.6	1.7	2.5	3.5	4.0
2001.....	0.8	*	*	*	*	0.1	0.2	0.7	1.7	2.3	3.3	3.9
2000.....	0.7	*	*	*	*	*	0.2	0.7	1.6	2.4	3.1	4.2
1999.....	0.7	*	*	*	*	*	0.2	0.7	1.5	2.4	3.2	4.1
Non-Hispanic white, male												
2006 5/.....	1.1	*	*	*	*	*	0.3	1.2	2.5	3.5	4.3	4.5
2005 5/.....	1.0	*	*	*	*	*	0.2	1.1	2.5	3.8	4.3	4.8
2004 5/.....	1.0	*	*	*	*	*	0.2	1.1	2.6	3.6	4.2	5.0
2003 5/.....	1.0	*	*	*	*	*	0.3	1.2	2.6	3.6	4.2	5.1
2002.....	1.0	*	*	*	*	*	0.3	1.0	2.6	3.5	4.6	5.0
2001.....	1.0	*	*	*	*	*	0.2	1.1	2.7	3.6	4.4	4.4
2000.....	0.9	*	*	*	*	*	0.3	1.0	2.7	3.3	3.6	5.1
1999.....	0.9	*	*	*	*	*	0.3	1.0	2.2	3.7	4.6	5.5
Non-Hispanic white, female												
2006 5/.....	0.5	*	*	*	*	*	0.2	0.3	0.6	1.5	2.4	3.7
2005 5/.....	0.6	*	*	*	*	*	0.1	0.3	0.9	1.5	2.5	4.2
2004 5/.....	0.5	*	*	*	*	*	0.1	0.4	0.7	1.6	2.3	4.1
2003 5/.....	0.5	*	*	*	*	*	*	0.3	0.8	1.5	2.3	3.3
2002.....	0.6	*	*	*	*	*	*	0.3	0.9	1.6	2.7	3.6
2001.....	0.5	*	*	*	*	*	*	0.3	0.7	1.3	2.6	3.7
2000.....	0.6	*	*	*	*	*	0.2	0.4	0.7	1.5	2.7	3.8
1999.....	0.5	*	*	*	*	*	0.1	0.3	0.8	1.2	2.3	3.6

Worktable Orig12. Death rates for 358 selected causes, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2006

[Rates per 100,000 population in specified group. Rates are based on populations enumerated as of April 1 for 2000 and estimated as of July 1 for all other years. Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to 'Detailed technical notes to the United States 2006 data-mortality']

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, and sex	All ages 1/	Under 1 year 2/	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
Of pharynx (C10-C13,C14.0)												
Non-Hispanic 4/, both sexes												
2006.....	1.2	*	*	*	*	*	0.3	1.1	2.7	4.3	5.7	4.7
2005.....	1.2	*	*	*	*	*	0.3	1.1	3.0	4.4	4.9	5.1
2004.....	1.2	*	*	*	*	*	0.3	1.3	2.9	4.6	5.7	5.0
2003.....	1.2	*	*	*	*	*	0.3	1.2	3.0	4.8	5.0	6.0
2002.....	1.2	*	*	*	*	*	0.2	1.3	3.1	4.6	5.1	5.4
2001.....	1.2	*	*	*	*	*	0.3	1.3	3.2	4.6	5.6	5.9
2000.....	1.2	*	*	*	*	*	0.3	1.2	3.2	4.8	5.3	5.5
1999.....	1.2	*	*	*	*	*	0.3	1.3	3.2	4.6	5.6	5.3
Non-Hispanic 4/, male												
2006.....	1.8	*	*	*	*	*	0.4	1.8	4.5	6.8	9.6	7.6
2005.....	1.8	*	*	*	*	*	0.4	1.8	4.9	7.1	7.8	8.3
2004.....	1.8	*	*	*	*	*	0.4	2.2	4.8	7.4	9.3	8.4
2003.....	1.8	*	*	*	*	*	0.4	2.0	4.8	7.6	8.3	10.8
2002.....	1.7	*	*	*	*	*	0.3	2.1	5.0	7.2	8.2	9.5
2001.....	1.8	*	*	*	*	*	0.4	2.1	5.2	7.3	9.0	10.0
2000.....	1.8	*	*	*	*	*	0.4	2.0	5.3	7.6	8.7	9.5
1999.....	1.8	*	*	*	*	*	0.4	2.2	5.2	7.2	9.1	10.0
Non-Hispanic 4/, female												
2006.....	0.6	*	*	*	*	*	0.2	0.5	1.0	2.1	3.1	3.3
2005.....	0.6	*	*	*	*	*	0.1	0.5	1.1	2.2	3.0	3.7
2004.....	0.7	*	*	*	*	*	0.1	0.5	1.2	2.2	3.4	3.5
2003.....	0.6	*	*	*	*	*	0.1	0.4	1.2	2.4	2.9	3.9
2002.....	0.7	*	*	*	*	*	0.2	0.5	1.4	2.4	3.1	3.6
2001.....	0.7	*	*	*	*	*	0.1	0.5	1.3	2.3	3.4	4.2
2000.....	0.7	*	*	*	*	*	0.1	0.5	1.3	2.6	3.1	3.8
1999.....	0.7	*	*	*	*	*	0.1	0.5	1.4	2.6	3.3	3.4
Non-Hispanic white, both sexes												
2006 5/.....	1.2	*	*	*	*	*	0.2	0.9	2.4	3.9	5.5	4.5
2005 5/.....	1.1	*	*	*	*	*	0.2	0.9	2.6	4.1	4.6	4.9
2004 5/.....	1.2	*	*	*	*	*	0.2	1.0	2.4	4.3	5.5	5.0
2003 5/.....	1.2	*	*	*	*	*	0.2	0.9	2.6	4.4	4.7	5.8
2002.....	1.2	*	*	*	*	*	0.2	1.0	2.6	4.4	4.9	5.2
2001.....	1.2	*	*	*	*	*	0.2	0.9	2.7	4.2	5.4	5.9
2000.....	1.1	*	*	*	*	*	0.1	0.9	2.6	4.4	5.1	5.2
1999.....	1.1	*	*	*	*	*	0.2	0.9	2.7	4.3	5.2	5.4
Non-Hispanic white, male												
2006 5/.....	1.7	*	*	*	*	*	0.3	1.5	3.8	6.1	8.9	7.2
2005 5/.....	1.6	*	*	*	*	*	0.3	1.4	4.3	6.3	7.1	7.8
2004 5/.....	1.7	*	*	*	*	*	0.3	1.6	4.0	6.7	8.8	7.9
2003 5/.....	1.7	*	*	*	*	*	0.3	1.5	4.1	6.7	7.5	10.6
2002.....	1.7	*	*	*	*	*	0.2	1.6	4.2	6.8	7.8	9.2
2001.....	1.7	*	*	*	*	*	0.3	1.6	4.4	6.5	8.6	9.9
2000.....	1.6	*	*	*	*	*	0.2	1.4	4.2	6.8	8.2	9.2
1999.....	1.6	*	*	*	*	*	0.3	1.5	4.4	6.5	8.3	10.0
Non-Hispanic white, female												
2006 5/.....	0.7	*	*	*	*	*	0.4	1.0	2.0	3.2	3.3	3.3
2005 5/.....	0.7	*	*	*	*	*	0.4	1.0	2.2	3.0	3.6	3.6
2004 5/.....	0.7	*	*	*	*	*	0.4	1.0	2.1	3.3	3.7	3.7
2003 5/.....	0.7	*	*	*	*	*	0.3	1.2	2.4	2.8	3.7	3.7
2002.....	0.7	*	*	*	*	*	0.4	1.1	2.4	2.9	3.5	3.5
2001.....	0.7	*	*	*	*	*	0.3	1.1	2.3	3.3	4.3	4.3
2000.....	0.7	*	*	*	*	*	0.4	1.1	2.4	3.1	3.6	3.6
1999.....	0.7	*	*	*	*	*	0.4	1.2	2.4	3.2	3.5	3.5

Worktable Orig12. Death rates for 358 selected causes, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2006

[Rates per 100,000 population in specified group. Rates are based on populations enumerated as of April 1 for 2000 and estimated as of July 1 for all other years. Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to 'Detailed technical notes to the United States 2006 data-mortality']

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, and sex	All ages 1/	Under 1 year 2/	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
Of pharynx (C10-C13,C14.0)												
Non-Hispanic black, both sexes												
2006 5/.....	1.4	*	*	*	*	*	0.4	2.2	5.3	7.4	7.8	5.6
2005 5/.....	1.5	*	*	*	*	*	0.4	2.5	6.0	7.3	7.5	6.8
2004 5/.....	1.7	*	*	*	*	*	0.6	3.3	7.1	8.1	8.2	5.8
2003 5/.....	1.6	*	*	*	*	*	0.5	2.7	6.2	8.7	8.0	7.1
2002.....	1.5	*	*	*	*	*	0.6	2.9	6.5	6.1	6.4	7.3
2001.....	1.5	*	*	*	*	*	0.7	2.9	6.6	7.7	7.4	*
2000.....	1.7	*	*	*	*	*	0.6	2.9	7.9	8.7	8.0	7.3
1999.....	1.7	*	*	*	*	*	0.6	3.7	7.0	8.2	9.8	*
Non-Hispanic black, male												
2006 5/.....	2.4	*	*	*	*	*	*	3.8	10.1	13.7	17.0	*
2005 5/.....	2.6	*	*	*	*	*	*	4.6	11.2	14.1	16.5	*
2004 5/.....	2.8	*	*	*	*	*	0.9	5.8	12.6	15.5	14.0	*
2003 5/.....	2.7	*	*	*	*	*	*	4.9	11.9	17.1	16.2	*
2002.....	2.3	*	*	*	*	*	0.8	5.2	12.1	10.7	10.6	*
2001.....	2.4	*	*	*	*	*	1.0	4.9	12.0	14.5	12.9	*
2000.....	2.7	*	*	*	*	*	1.1	5.2	14.3	15.9	15.7	*
1999.....	2.7	*	*	*	*	*	1.0	6.7	12.1	13.7	19.4	*
Non-Hispanic black, female												
2006 5/.....	0.6	*	*	*	*	*	*	0.9	1.4	2.9	*	*
2005 5/.....	0.5	*	*	*	*	*	*	*	1.8	2.4	*	*
2004 5/.....	0.8	*	*	*	*	*	*	1.1	2.8	2.8	5.0	*
2003 5/.....	0.6	*	*	*	*	*	*	0.8	1.6	2.8	3.4	*
2002.....	0.7	*	*	*	*	*	*	0.9	2.1	2.9	4.0	*
2001.....	0.7	*	*	*	*	*	*	1.2	2.3	2.8	4.4	*
2000.....	0.7	*	*	*	*	*	*	1.0	2.8	3.7	3.6	*
1999.....	0.8	*	*	*	*	*	*	1.2	2.9	4.3	4.4	*

Worktable Orig12. Death rates for 358 selected causes, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2006

[Rates per 100,000 population in specified group. Rates are based on populations enumerated as of April 1 for 2000 and estimated as of July 1 for all other years. Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to 'Detailed technical notes to the United States 2006 data-mortality']

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, and sex	All ages 1/	Under 1 year 2/	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
Of other and unspecified sites within the lip, oral cavity and pharynx (C03-C09,C14.2-C14.8)												
Non-Hispanic 4/, both sexes												
2006.....	1.0	*	*	*	*	*	0.2	0.9	1.8	3.0	4.8	7.8
2005.....	1.0	*	*	*	*	*	0.2	0.9	1.9	3.1	4.7	7.9
2004.....	1.0	*	*	*	*	*	0.2	0.9	1.8	3.2	5.0	8.4
2003.....	1.0	*	*	*	*	*	0.2	0.9	2.1	3.0	5.0	8.8
2002.....	1.0	*	*	*	*	*	0.2	0.9	2.2	3.5	5.1	8.9
2001.....	1.0	*	*	*	*	*	0.2	0.8	2.1	3.6	5.3	8.4
2000.....	1.0	*	*	*	*	*	0.2	1.0	1.9	3.6	4.8	9.7
1999.....	1.0	*	*	*	*	*	0.2	0.9	2.1	3.3	5.5	9.7
Non-Hispanic 4/, male												
2006.....	1.3	*	*	*	*	*	0.3	1.4	2.8	4.4	6.6	9.9
2005.....	1.3	*	*	*	*	*	0.3	1.4	3.0	4.6	6.7	9.5
2004.....	1.3	*	*	*	*	*	0.3	1.4	2.9	4.6	6.9	10.9
2003.....	1.3	*	*	*	*	*	0.3	1.6	3.4	4.5	6.6	10.9
2002.....	1.3	*	*	*	*	*	0.2	1.5	3.6	5.3	6.8	11.3
2001.....	1.3	*	*	*	*	*	0.3	1.3	3.4	5.1	7.0	10.7
2000.....	1.2	*	*	*	*	*	0.3	1.5	2.9	5.0	6.7	11.5
1999.....	1.3	*	*	*	*	*	0.3	1.4	3.3	4.7	7.2	11.4
Non-Hispanic 4/, female												
2006.....	0.7	*	*	*	*	*	0.1	0.4	0.9	1.7	3.6	6.9
2005.....	0.7	*	*	*	*	*	0.1	0.4	0.9	1.8	3.4	7.2
2004.....	0.7	*	*	*	*	*	*	0.4	0.8	2.0	3.8	7.3
2003.....	0.7	*	*	*	*	*	0.1	0.3	0.9	1.8	3.9	7.8
2002.....	0.7	*	*	*	*	*	0.1	0.4	0.9	2.1	4.0	7.8
2001.....	0.8	*	*	*	*	*	0.1	0.4	0.9	2.4	4.2	7.4
2000.....	0.8	*	*	*	*	*	0.1	0.4	0.9	2.4	3.5	9.0
1999.....	0.8	*	*	*	*	*	0.1	0.5	1.1	2.2	4.3	9.0
Non-Hispanic white, both sexes												
2006 5/.....	1.1	*	*	*	*	*	0.2	0.8	1.8	3.0	5.0	8.2
2005 5/.....	1.1	*	*	*	*	*	0.2	0.9	1.9	3.1	4.9	8.2
2004 5/.....	1.1	*	*	*	*	*	0.1	0.8	1.8	3.3	5.2	8.8
2003 5/.....	1.1	*	*	*	*	*	0.2	0.9	2.0	3.1	5.0	9.1
2002.....	1.1	*	*	*	*	*	0.2	0.8	2.1	3.6	5.3	9.2
2001.....	1.1	*	*	*	*	*	0.2	0.8	2.0	3.6	5.6	8.6
2000.....	1.1	*	*	*	*	*	0.2	0.9	1.8	3.6	4.9	10.1
1999.....	1.1	*	*	*	*	*	0.2	0.8	2.0	3.3	5.6	10.1
Non-Hispanic white, male												
2006 5/.....	1.3	*	*	*	*	*	0.3	1.3	2.7	4.4	6.9	10.4
2005 5/.....	1.4	*	*	*	*	*	0.3	1.4	2.8	4.5	6.9	9.9
2004 5/.....	1.3	*	*	*	*	*	0.2	1.3	2.8	4.5	7.0	11.3
2003 5/.....	1.4	*	*	*	*	*	0.3	1.5	3.2	4.4	6.5	11.2
2002.....	1.4	*	*	*	*	*	0.2	1.4	3.4	5.3	7.1	11.7
2001.....	1.3	*	*	*	*	*	0.3	1.3	3.1	5.0	7.2	11.1
2000.....	1.3	*	*	*	*	*	0.3	1.3	2.7	4.8	6.7	12.3
1999.....	1.3	*	*	*	*	*	0.2	1.3	3.0	4.6	7.3	11.5
Non-Hispanic white, female												
2006 5/.....	0.8	*	*	*	*	*	*	0.4	0.9	1.8	3.7	7.2
2005 5/.....	0.8	*	*	*	*	*	0.1	0.4	0.9	1.9	3.5	7.5
2004 5/.....	0.8	*	*	*	*	*	*	0.3	0.8	2.2	3.9	7.7
2003 5/.....	0.8	*	*	*	*	*	*	0.3	0.9	1.9	4.0	8.2
2002.....	0.8	*	*	*	*	*	0.1	0.3	0.9	2.2	4.1	8.1
2001.....	0.9	*	*	*	*	*	*	0.4	0.9	2.4	4.5	7.5
2000.....	0.9	*	*	*	*	*	0.1	0.4	0.9	2.6	3.7	9.2
1999.....	0.9	*	*	*	*	*	*	0.4	1.0	2.2	4.5	9.5

Worktable Orig12. Death rates for 358 selected causes, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2006

[Rates per 100,000 population in specified group. Rates are based on populations enumerated as of April 1 for 2000 and estimated as of July 1 for all other years. Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to 'Detailed technical notes to the United States 2006 data-mortality']

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, and sex	All ages 1/	Under 1 year 2/	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
Of other and unspecified sites within the lip, oral cavity and pharynx (C03-C09,C14.2-C14.8)												
Non-Hispanic black, both sexes												
2006 5/.....	0.8	*	*	*	*	*	*	1.4	2.9	3.6	3.3	*
2005 5/.....	0.8	*	*	*	*	*	*	1.5	2.7	3.7	3.8	*
2004 5/.....	0.8	*	*	*	*	*	0.4	1.7	2.6	3.1	4.2	*
2003 5/.....	0.8	*	*	*	*	*	0.4	1.5	3.1	3.8	5.0	*
2002.....	0.8	*	*	*	*	*	*	1.6	3.2	3.8	4.0	6.4
2001.....	0.9	*	*	*	*	*	*	1.2	3.8	5.5	3.9	*
2000.....	0.8	*	*	*	*	*	*	1.9	3.2	4.1	4.7	*
1999.....	0.9	*	*	*	*	*	0.4	1.9	3.9	4.3	4.6	6.5
Non-Hispanic black, male												
2006 5/.....	1.1	*	*	*	*	*	*	2.2	5.0	6.0	*	*
2005 5/.....	1.1	*	*	*	*	*	*	2.1	4.7	5.9	6.2	*
2004 5/.....	1.3	*	*	*	*	*	*	3.0	4.4	5.8	7.4	*
2003 5/.....	1.3	*	*	*	*	*	*	2.6	6.0	6.5	7.2	*
2002.....	1.2	*	*	*	*	*	*	2.7	5.9	6.7	*	*
2001.....	1.3	*	*	*	*	*	*	1.9	7.0	8.5	6.6	*
2000.....	1.3	*	*	*	*	*	*	3.2	5.8	7.6	8.3	*
1999.....	1.3	*	*	*	*	*	*	2.9	6.7	6.9	7.8	*
Non-Hispanic black, female												
2006 5/.....	0.5	*	*	*	*	*	*	*	1.2	*	*	*
2005 5/.....	0.5	*	*	*	*	*	*	0.9	*	2.1	*	*
2004 5/.....	0.4	*	*	*	*	*	*	*	*	*	*	*
2003 5/.....	0.5	*	*	*	*	*	*	*	*	*	3.7	*
2002.....	0.4	*	*	*	*	*	*	*	*	*	3.5	*
2001.....	0.5	*	*	*	*	*	*	*	*	3.3	*	*
2000.....	0.5	*	*	*	*	*	*	*	*	*	*	*
1999.....	0.6	*	*	*	*	*	*	1.0	1.6	2.4	*	*

Worktable Orig12. Death rates for 358 selected causes, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2006

[Rates per 100,000 population in specified group. Rates are based on populations enumerated as of April 1 for 2000 and estimated as of July 1 for all other years. Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to 'Detailed technical notes to the United States 2006 data-mortality']

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, and sex	All ages 1/	Under 1 year 2/	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
Malignant neoplasms of digestive organs (C15-C26)												
All origins 3/, both sexes												
2006.....	44.8	*	*	*	0.2	1.6	7.0	29.5	78.6	166.3	299.7	420.0
2005.....	44.8	*	0.1	0.1	0.2	1.6	7.2	29.7	76.9	168.7	301.7	431.1
2004.....	44.7	*	0.1	*	0.3	1.5	7.1	29.3	78.5	170.4	302.9	445.3
2003.....	45.5	*	0.1	0.1	0.3	1.6	7.0	30.0	79.1	176.7	309.8	461.2
2002.....	45.7	*	0.2	0.1	0.3	1.5	7.4	29.7	80.6	181.0	311.9	467.4
2001.....	46.0	*	*	*	0.3	1.5	7.4	30.1	80.4	183.8	315.0	487.9
2000.....	46.4	*	0.2	0.1	0.2	1.5	7.2	29.6	83.1	184.4	323.9	504.9
1999.....	46.4	*	0.2	*	0.3	1.5	7.4	29.3	84.0	187.0	320.2	507.4
All origins 3/, male												
2006.....	50.2	*	*	*	0.2	1.6	8.2	38.7	106.0	217.9	380.4	499.9
2005.....	50.2	*	*	*	0.3	1.8	8.6	39.3	104.1	222.1	384.4	513.8
2004.....	49.8	*	*	*	0.4	1.7	8.5	39.5	104.7	222.9	385.0	531.7
2003.....	50.4	*	*	*	0.3	1.7	8.5	39.9	105.2	230.8	395.9	546.7
2002.....	50.7	*	0.3	*	0.3	1.8	9.1	39.7	108.1	237.5	397.9	557.9
2001.....	50.5	*	*	*	0.3	1.7	8.8	39.7	106.9	238.4	402.1	593.2
2000.....	50.8	*	*	*	0.3	1.8	8.9	39.1	109.6	239.8	413.7	614.1
1999.....	50.7	*	0.3	*	0.3	1.8	8.9	38.9	110.0	243.0	411.2	620.8
All origins 3/, female												
2006.....	39.6	*	*	*	0.3	1.5	5.9	20.6	53.2	122.7	244.5	382.6
2005.....	39.5	*	*	*	0.2	1.3	5.7	20.5	51.6	123.6	245.5	393.1
2004.....	39.8	*	*	*	0.3	1.3	5.6	19.5	54.2	126.4	247.7	406.4
2003.....	40.7	*	*	*	0.3	1.4	5.6	20.5	54.8	131.5	252.4	423.4
2002.....	40.8	*	*	*	0.3	1.3	5.7	20.1	55.2	133.9	254.9	428.1
2001.....	41.7	*	*	*	0.2	1.3	6.0	20.9	56.0	138.5	257.7	443.9
2000.....	42.3	*	*	*	0.2	1.2	5.6	20.5	58.6	138.9	265.3	460.4
1999.....	42.3	*	*	*	0.3	1.2	5.9	20.1	60.0	141.1	261.1	461.7
Hispanic, both sexes												
2006.....	19.3	*	*	*	0.4	1.5	5.9	25.9	69.6	149.5	273.6	357.2
2005.....	19.3	*	*	*	0.3	1.3	5.7	26.7	68.9	155.9	280.3	364.5
2004.....	18.7	*	*	*	*	1.4	6.2	25.2	71.4	155.5	273.3	369.1
2003.....	18.8	*	*	*	*	1.3	5.7	27.2	73.7	159.4	280.6	377.8
2002.....	18.2	*	*	*	*	1.1	6.2	24.6	70.3	162.4	273.7	420.2
2001.....	18.5	*	*	*	*	1.2	6.4	26.1	71.9	162.9	290.9	444.6
2000.....	18.2	*	*	*	*	1.2	6.6	25.4	69.6	166.3	301.4	436.6
1999.....	17.9	*	*	*	*	1.4	5.9	25.9	69.4	166.6	295.0	443.4
Hispanic, male												
2006.....	20.9	*	*	*	*	1.3	5.7	32.4	92.5	198.2	343.1	381.2
2005.....	21.2	*	*	*	*	1.2	6.1	34.2	93.6	202.9	348.4	455.8
2004.....	20.7	*	*	*	*	1.5	7.5	31.9	98.0	200.3	354.4	431.5
2003.....	20.8	*	*	*	*	1.3	6.6	36.5	96.8	208.5	361.2	409.5
2002.....	20.0	*	*	*	*	1.3	6.5	32.7	94.8	217.7	339.4	480.2
2001.....	20.0	*	*	*	*	1.1	7.3	33.7	93.5	211.9	363.5	550.4
2000.....	19.8	*	*	*	*	1.3	6.9	31.4	90.1	224.3	394.3	560.3
1999.....	19.3	*	*	*	*	1.4	6.2	33.7	90.8	214.9	377.0	528.4
Hispanic, female												
2006.....	17.6	*	*	*	*	1.6	6.2	19.2	48.5	110.0	225.1	344.5
2005.....	17.2	*	*	*	*	1.4	5.3	19.1	46.2	118.0	232.8	316.7
2004.....	16.5	*	*	*	*	1.3	4.7	18.5	47.2	119.5	217.3	337.1
2003.....	16.8	*	*	*	*	1.3	4.7	17.9	52.9	120.3	225.2	361.7
2002.....	16.4	*	*	*	*	1.0	5.8	16.5	48.3	118.5	228.8	390.4
2001.....	16.9	*	*	*	*	1.5	5.4	18.6	52.7	124.2	241.8	392.8
2000.....	16.4	*	*	*	*	1.1	6.3	19.5	51.5	120.0	239.0	375.9
1999.....	16.5	*	*	*	*	1.3	5.6	18.4	50.5	126.7	240.4	402.4

Worktable Orig12. Death rates for 358 selected causes, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2006

[Rates per 100,000 population in specified group. Rates are based on populations enumerated as of April 1 for 2000 and estimated as of July 1 for all other years. Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to 'Detailed technical notes to the United States 2006 data-mortality']

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, and sex	All ages 1/	Under 1 year 2/	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
Malignant neoplasms of digestive organs (C15-C26)												
Non-Hispanic 4/, both sexes												
2006.....	49.2	*	*	*	0.2	1.6	7.2	29.9	79.3	167.4	300.9	422.7
2005.....	49.0	*	*	*	0.2	1.6	7.4	30.0	77.4	169.4	302.6	433.8
2004.....	48.9	*	0.2	*	0.3	1.5	7.2	29.7	78.9	171.2	304.0	448.2
2003.....	49.6	*	*	*	0.3	1.6	7.2	30.2	79.3	177.6	310.8	463.8
2002.....	49.8	*	0.2	*	0.3	1.6	7.5	30.1	81.2	181.8	313.1	468.0
2001.....	50.0	*	*	*	0.3	1.6	7.5	30.4	80.9	184.6	315.5	488.5
2000.....	50.4	*	0.2	*	0.2	1.6	7.3	29.9	83.8	185.1	324.1	506.3
1999.....	50.2	*	0.2	*	0.3	1.5	7.5	29.5	84.8	187.6	320.4	508.3
Non-Hispanic 4/, male												
2006.....	55.5	*	*	*	0.2	1.7	8.6	39.3	106.9	218.9	382.3	505.6
2005.....	55.3	*	*	*	0.3	2.0	9.0	39.8	104.8	223.2	386.1	516.3
2004.....	54.7	*	*	*	0.4	1.8	8.7	40.2	105.0	224.0	386.0	536.0
2003.....	55.2	*	*	*	0.3	1.8	8.8	40.1	105.6	231.8	396.9	551.8
2002.....	55.6	*	*	*	0.4	1.8	9.4	40.3	108.7	238.3	399.8	559.8
2001.....	55.1	*	*	*	0.3	1.8	9.0	40.1	107.5	239.3	403.2	593.9
2000.....	55.3	*	*	*	0.3	1.9	9.1	39.7	110.8	240.0	413.6	615.2
1999.....	55.1	*	*	*	0.3	1.8	9.2	39.2	111.0	243.8	411.5	622.8
Non-Hispanic 4/, female												
2006.....	43.2	*	*	*	0.2	1.5	5.8	20.8	53.5	123.6	245.4	384.2
2005.....	43.0	*	*	*	0.2	1.3	5.8	20.6	52.0	123.8	246.0	396.1
2004.....	43.3	*	*	*	0.3	1.3	5.7	19.5	54.7	126.7	248.9	408.9
2003.....	44.3	*	*	*	0.3	1.4	5.7	20.7	54.8	132.1	253.4	425.1
2002.....	44.3	*	*	*	0.3	1.3	5.7	20.4	55.7	134.7	255.6	428.4
2001.....	45.1	*	*	*	0.3	1.3	6.0	21.1	56.1	139.2	257.9	444.6
2000.....	45.7	*	*	*	0.2	1.2	5.4	20.6	58.9	139.7	265.9	462.2
1999.....	45.5	*	*	*	0.3	1.2	5.9	20.2	60.6	141.5	261.3	462.5
Non-Hispanic white, both sexes												
2006 5/.....	51.8	*	*	*	0.2	1.4	6.4	27.4	74.4	161.4	293.6	418.4
2005 5/.....	51.4	*	*	*	0.2	1.4	6.8	27.3	72.3	163.0	294.8	427.9
2004 5/.....	51.3	*	*	*	0.3	1.3	6.5	27.0	73.7	163.7	297.9	442.5
2003 5/.....	52.0	*	*	*	0.3	1.4	6.4	26.8	74.0	171.1	303.9	455.9
2002.....	52.3	*	0.2	*	0.3	1.4	6.8	27.4	75.9	174.7	305.3	460.5
2001.....	52.3	*	*	*	0.2	1.4	6.7	27.6	75.6	178.9	307.1	481.5
2000.....	52.7	*	*	*	0.2	1.3	6.3	27.1	78.3	177.8	315.1	497.6
1999.....	52.5	*	0.2	*	0.2	1.3	6.6	26.8	78.8	180.7	311.5	500.1
Non-Hispanic white, male												
2006 5/.....	58.3	*	*	*	0.2	1.5	7.7	36.1	100.3	211.5	374.3	501.9
2005 5/.....	57.8	*	*	*	0.2	1.7	8.3	36.2	97.6	215.1	377.0	512.8
2004 5/.....	57.3	*	*	*	0.3	1.6	7.9	36.9	98.0	214.1	378.8	532.5
2003 5/.....	57.8	*	*	*	0.3	1.5	7.9	35.6	98.9	224.1	389.3	543.8
2002.....	58.2	*	*	*	0.3	1.6	8.5	36.7	101.7	223.8	390.8	551.6
2001.....	57.6	*	*	*	0.3	1.6	8.0	36.4	100.8	230.1	394.6	587.7
2000.....	57.6	*	*	*	0.3	1.7	8.0	35.9	103.2	231.0	403.5	605.1
1999.....	57.4	*	*	*	0.3	1.5	8.2	35.3	102.9	235.9	400.7	616.1
Non-Hispanic white, female												
2006 5/.....	45.4	*	*	*	0.2	1.3	5.1	18.7	49.7	118.0	237.6	379.4
2005 5/.....	45.2	*	*	*	0.2	1.1	5.2	18.4	48.2	118.1	238.3	389.1
2004 5/.....	45.6	*	*	*	0.2	1.1	5.0	17.2	50.6	120.4	242.8	402.2
2003 5/.....	46.4	*	*	*	0.2	1.2	4.9	18.2	50.5	125.7	246.1	417.3
2002.....	46.6	*	*	*	0.3	1.3	5.1	18.2	51.5	127.7	248.0	421.1
2001.....	47.2	*	*	*	0.2	1.2	5.4	18.9	51.8	131.9	249.2	437.3
2000.....	48.0	*	*	*	0.2	1.0	4.7	18.4	54.9	132.9	257.1	454.3
1999.....	47.8	*	*	*	0.2	1.0	5.0	18.4	56.2	134.5	253.2	453.9

Worktable Orig12. Death rates for 358 selected causes, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2006

[Rates per 100,000 population in specified group. Rates are based on populations enumerated as of April 1 for 2000 and estimated as of July 1 for all other years. Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.odc.gov/nchs> and refer to 'Detailed technical notes to the United States 2006 data-mortality']

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, and sex	All ages 1/	Under 1 year 2/	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
Malignant neoplasms of digestive organs (C15-C26)												
Non-Hispanic black, both sexes												
2006 5/.....	44.4	*	*	*	*	2.4	11.0	47.8	124.1	229.3	392.1	494.0
2005 5/.....	44.6	*	*	*	0.4	2.4	10.7	49.0	124.3	233.3	397.5	519.4
2004 5/.....	44.2	*	*	*	0.6	2.3	10.6	48.0	125.6	247.3	384.2	528.2
2003 5/.....	45.2	*	*	*	0.3	2.3	11.6	53.0	127.3	243.6	401.6	569.9
2002.....	45.1	*	*	*	0.4	2.2	11.4	49.3	129.2	255.8	412.2	571.4
2001.....	45.6	*	*	*	*	2.3	11.9	51.0	128.7	260.9	421.1	590.9
2000.....	46.1	*	*	*	*	2.4	12.1	52.4	131.8	261.4	434.5	612.8
1999.....	46.1	*	*	*	0.4	2.5	12.2	50.2	136.7	263.0	433.6	617.2
Non-Hispanic black, male												
2006 5/.....	50.2	*	*	*	*	2.8	13.3	63.9	173.5	309.2	509.1	579.1
2005 5/.....	50.4	*	*	*	*	3.1	13.0	65.9	177.4	313.2	514.7	594.7
2004 5/.....	49.3	*	*	*	0.8	2.5	12.6	64.7	172.3	337.5	495.4	578.2
2003 5/.....	50.2	*	*	*	*	2.6	14.0	73.7	173.9	325.4	505.9	663.8
2002.....	50.2	*	*	*	*	2.8	14.4	66.7	176.9	338.4	535.7	678.2
2001.....	49.7	*	*	*	*	2.7	14.6	68.2	172.5	345.0	534.1	686.1
2000.....	50.9	*	*	*	*	2.8	15.3	70.8	182.1	343.5	557.5	736.2
1999.....	51.0	*	*	*	*	3.1	14.7	70.2	188.0	341.3	573.5	717.9
Non-Hispanic black, female												
2006 5/.....	39.2	*	*	*	*	2.0	8.9	34.0	84.4	172.2	325.6	459.3
2005 5/.....	39.3	*	*	*	*	1.8	8.6	34.4	81.5	176.3	331.1	489.1
2004 5/.....	39.5	*	*	*	*	2.1	8.9	33.6	88.2	183.0	321.4	508.4
2003 5/.....	40.6	*	*	*	*	1.9	9.5	35.3	89.9	185.4	342.7	533.6
2002.....	40.5	*	*	*	*	1.6	8.8	34.4	90.9	197.3	342.4	530.5
2001.....	41.8	*	*	*	*	1.8	9.6	36.2	93.4	201.5	357.7	555.6
2000.....	41.7	*	*	*	*	2.1	9.2	36.6	91.4	203.6	365.2	566.9
1999.....	41.7	*	*	*	*	2.0	10.0	33.2	95.6	207.7	355.2	579.6

Worktable Orig12. Death rates for 358 selected causes, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2006

[Rates per 100,000 population in specified group. Rates are based on populations enumerated as of April 1 for 2000 and estimated as of July 1 for all other years. Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to 'Detailed technical notes to the United States 2006 data-mortality']

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, and sex	All ages 1/	Under 1 year 2/	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
Of esophagus (C15)												
All origins 3/, both sexes												
2006.....	4.6	*	*	*	*	0.1	0.6	3.5	10.4	19.5	26.9	25.6
2005.....	4.6	*	*	*	*	0.1	0.7	3.6	10.2	19.8	27.4	24.9
2004.....	4.4	*	*	*	*	0.1	0.7	3.4	10.3	19.2	26.7	25.8
2003.....	4.4	*	*	*	*	0.1	0.6	3.4	10.5	19.7	26.4	25.0
2002.....	4.4	*	*	*	*	*	0.7	3.5	10.4	20.2	26.6	24.6
2001.....	4.4	*	*	*	*	0.1	0.7	3.6	10.1	20.6	26.3	25.8
2000.....	4.3	*	*	*	*	0.1	0.7	3.6	10.8	20.0	25.6	25.9
1999.....	4.3	*	*	*	*	0.1	0.7	3.5	10.6	20.1	24.4	26.8
All origins 3/, male												
2006.....	7.3	*	*	*	*	0.1	1.1	6.0	18.4	34.3	48.8	48.5
2005.....	7.3	*	*	*	*	0.1	1.2	6.2	17.9	34.9	50.7	46.0
2004.....	7.0	*	*	*	*	0.1	1.1	5.9	17.9	33.4	48.8	48.5
2003.....	6.9	*	*	*	*	0.1	1.1	6.0	18.5	34.1	47.8	45.3
2002.....	6.9	*	*	*	*	*	1.1	6.0	18.2	35.6	48.3	43.4
2001.....	6.9	*	*	*	*	0.1	1.1	6.3	17.6	36.0	47.4	48.1
2000.....	6.7	*	*	*	*	0.2	1.2	6.3	18.6	34.1	45.8	47.8
1999.....	6.6	*	*	*	*	0.1	1.1	6.1	18.3	35.3	44.4	48.0
All origins 3/, female												
2006.....	2.0	*	*	*	*	*	0.2	1.1	3.0	7.0	12.0	14.9
2005.....	1.9	*	*	*	*	*	0.2	1.0	3.1	7.0	11.6	15.3
2004.....	2.0	*	*	*	*	*	0.2	1.0	3.2	7.3	11.9	15.7
2003.....	2.0	*	*	*	*	*	0.2	1.0	3.2	7.7	12.0	16.1
2002.....	2.0	*	*	*	*	*	0.2	1.0	3.2	7.4	12.2	16.5
2001.....	2.0	*	*	*	*	*	0.2	1.0	3.2	7.9	12.4	16.5
2000.....	2.1	*	*	*	*	*	0.1	1.0	3.5	8.3	12.4	17.1
1999.....	2.0	*	*	*	*	*	0.2	0.9	3.6	7.6	11.5	18.3
Hispanic, both sexes												
2006.....	1.2	*	*	*	*	*	0.3	1.5	4.9	9.9	15.9	14.9
2005.....	1.1	*	*	*	*	*	*	1.6	4.3	11.2	14.5	18.8
2004.....	1.1	*	*	*	*	*	*	1.0	4.7	10.3	15.0	18.6
2003.....	1.1	*	*	*	*	*	*	1.3	5.0	10.0	14.4	16.1
2002.....	1.1	*	*	*	*	*	0.4	1.5	4.1	10.2	15.2	23.3
2001.....	1.1	*	*	*	*	*	*	1.9	5.2	8.4	18.2	20.0
2000.....	1.1	*	*	*	*	*	*	1.2	5.0	11.1	19.4	19.9
1999.....	1.1	*	*	*	*	*	*	1.5	5.2	9.2	18.1	26.7
Hispanic, male												
2006.....	1.8	*	*	*	*	*	*	2.7	8.6	17.5	28.8	25.9
2005.....	1.8	*	*	*	*	*	*	2.7	7.8	20.7	26.7	37.4
2004.....	1.6	*	*	*	*	*	*	1.9	8.6	18.2	27.2	29.4
2003.....	1.6	*	*	*	*	*	*	2.4	8.0	17.2	28.4	*
2002.....	1.6	*	*	*	*	*	*	2.7	8.0	18.3	27.1	36.8
2001.....	1.7	*	*	*	*	*	*	3.6	8.5	16.0	30.4	41.9
2000.....	1.6	*	*	*	*	*	*	2.2	8.0	19.4	35.4	40.3
1999.....	1.7	*	*	*	*	*	*	2.7	10.2	16.3	32.6	49.6
Hispanic, female												
2006.....	0.5	*	*	*	*	*	*	*	1.5	3.7	6.9	*
2005.....	0.4	*	*	*	*	*	*	*	*	3.6	6.0	*
2004.....	0.5	*	*	*	*	*	*	*	*	4.0	6.7	*
2003.....	0.5	*	*	*	*	*	*	*	2.4	4.3	*	*
2002.....	0.4	*	*	*	*	*	*	*	*	3.6	7.0	16.6
2001.....	0.5	*	*	*	*	*	*	*	*	*	10.0	*
2000.....	0.5	*	*	*	*	*	*	*	2.2	4.6	8.6	*
1999.....	0.4	*	*	*	*	*	*	*	*	3.6	8.3	*

Worktable Orig12. Death rates for 358 selected causes, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2006

[Rates per 100,000 population in specified group. Rates are based on populations enumerated as of April 1 for 2000 and estimated as of July 1 for all other years. Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to 'Detailed technical notes to the United States 2006 data-mortality']

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, and sex	All ages 1/	Under 1 year 2/	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
Of esophagus (C15)												
Non-Hispanic 4/, both sexes												
2006.....	5.2	*	*	*	*	0.1	0.7	3.7	10.9	20.2	27.6	26.1
2005.....	5.1	*	*	*	*	0.1	0.8	3.8	10.7	20.4	28.2	25.2
2004.....	5.0	*	*	*	*	0.1	0.7	3.7	10.7	19.9	27.3	26.2
2003.....	4.9	*	*	*	*	0.1	0.7	3.7	10.9	20.4	27.0	25.4
2002.....	4.9	*	*	*	*	*	0.7	3.7	10.8	20.8	27.2	24.5
2001.....	4.9	*	*	*	*	0.1	0.7	3.7	10.4	21.3	26.6	26.0
2000.....	4.8	*	*	*	*	0.1	0.7	3.8	11.2	20.4	25.8	26.1
1999.....	4.7	*	*	*	*	0.1	0.7	3.6	11.0	20.6	24.6	26.8
Non-Hispanic 4/, male												
2006.....	8.3	*	*	*	*	0.1	1.2	6.4	19.2	35.5	50.0	49.8
2005.....	8.2	*	*	*	*	0.2	1.4	6.6	18.7	35.9	52.2	46.3
2004.....	7.9	*	*	*	*	0.2	1.2	6.3	18.6	34.5	49.9	49.4
2003.....	7.8	*	*	*	*	0.1	1.2	6.4	19.3	35.3	48.8	46.3
2002.....	7.8	*	*	*	*	*	1.2	6.3	18.9	36.6	49.3	43.5
2001.....	7.7	*	*	*	*	0.1	1.3	6.5	18.2	37.1	48.1	48.4
2000.....	7.5	*	*	*	*	0.2	1.3	6.6	19.4	34.8	46.1	47.8
1999.....	7.4	*	*	*	*	0.2	1.2	6.4	18.8	36.2	44.7	48.0
Non-Hispanic 4/, female												
2006.....	2.2	*	*	*	*	*	0.2	1.2	3.1	7.3	12.3	15.1
2005.....	2.2	*	*	*	*	*	0.3	1.0	3.2	7.2	11.9	15.5
2004.....	2.2	*	*	*	*	*	0.2	1.1	3.4	7.6	12.2	15.8
2003.....	2.2	*	*	*	*	*	0.2	1.1	3.2	7.9	12.4	16.1
2002.....	2.2	*	*	*	*	*	0.3	1.1	3.4	7.6	12.5	16.3
2001.....	2.2	*	*	*	*	*	0.3	1.1	3.2	8.2	12.5	16.7
2000.....	2.3	*	*	*	*	*	0.1	1.0	3.6	8.5	12.6	17.3
1999.....	2.2	*	*	*	*	*	0.2	0.9	3.8	7.8	11.6	18.3
Non-Hispanic white, both sexes												
2006 5/.....	5.7	*	*	*	*	0.1	0.8	3.7	10.9	20.6	28.3	27.0
2005 5/.....	5.6	*	*	*	*	0.1	0.8	3.8	10.6	20.7	28.8	26.2
2004 5/.....	5.4	*	*	*	*	0.1	0.8	3.6	10.5	19.9	27.8	26.5
2003 5/.....	5.3	*	*	*	*	0.1	0.7	3.4	10.6	20.3	27.3	26.1
2002.....	5.3	*	*	*	*	*	0.7	3.6	10.4	20.5	27.3	25.1
2001.....	5.1	*	*	*	*	0.1	0.8	3.5	9.7	20.5	26.8	26.5
2000.....	5.1	*	*	*	*	0.1	0.7	3.5	10.4	20.0	25.5	26.7
1999.....	4.9	*	*	*	*	0.1	0.7	3.3	10.2	20.0	24.4	27.2
Non-Hispanic white, male												
2006 5/.....	9.2	*	*	*	*	*	1.4	6.4	19.4	36.0	51.7	51.3
2005 5/.....	9.1	*	*	*	*	0.2	1.4	6.7	18.7	36.4	53.4	49.0
2004 5/.....	8.7	*	*	*	*	*	1.3	6.3	18.4	34.6	51.0	50.1
2003 5/.....	8.5	*	*	*	*	*	1.2	6.0	18.8	35.1	49.9	47.9
2002.....	8.4	*	*	*	*	*	1.3	6.3	18.2	36.3	49.9	44.7
2001.....	8.1	*	*	*	*	*	1.3	6.1	17.0	36.0	48.6	49.0
2000.....	8.0	*	*	*	*	0.2	1.4	6.3	18.3	34.3	45.9	49.4
1999.....	7.7	*	*	*	*	0.2	1.2	6.0	17.5	35.4	44.4	48.0
Non-Hispanic white, female												
2006 5/.....	2.3	*	*	*	*	*	0.2	1.1	2.8	7.2	12.2	15.7
2005 5/.....	2.3	*	*	*	*	*	0.2	0.8	3.0	7.1	11.8	15.8
2004 5/.....	2.3	*	*	*	*	*	0.2	0.9	3.0	7.2	12.0	16.0
2003 5/.....	2.3	*	*	*	*	*	0.2	0.9	2.8	7.7	12.0	16.5
2002.....	2.3	*	*	*	*	*	0.2	0.9	3.0	7.1	12.2	16.6
2001.....	2.3	*	*	*	*	*	0.2	1.0	2.7	7.5	12.4	17.1
2000.....	2.3	*	*	*	*	*	*	0.9	3.0	8.0	12.0	17.5
1999.....	2.2	*	*	*	*	*	0.2	0.8	3.3	7.1	11.3	18.9

Worktable Orig12. Death rates for 358 selected causes, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2006

[Rates per 100,000 population in specified group. Rates are based on populations enumerated as of April 1 for 2000 and estimated as of July 1 for all other years. Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.odc.gov/nchs> and refer to 'Detailed technical notes to the United States 2006 data-mortality']

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, and sex	All ages 1/	Under 1 year 2/	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
Of esophagus (C15)												
Non-Hispanic black, both sexes												
2006 5/.....	3.8	*	*	*	*	*	0.6	5.2	13.9	22.5	24.9	18.3
2005 5/.....	3.9	*	*	*	*	*	0.9	4.9	14.5	22.9	27.7	17.5
2004 5/.....	4.1	*	*	*	*	*	0.7	5.3	15.8	25.2	27.4	21.9
2003 5/.....	4.3	*	*	*	*	*	0.9	6.1	17.3	26.1	28.4	21.4
2002.....	4.3	*	*	*	*	*	1.0	5.2	17.7	28.9	29.9	20.6
2001.....	4.7	*	*	*	*	*	1.0	6.1	18.9	32.8	30.0	24.0
2000.....	4.7	*	*	*	*	*	0.8	6.8	20.2	28.6	34.1	22.6
1999.....	4.7	*	*	*	*	*	1.0	6.6	20.3	30.2	31.4	23.6
Non-Hispanic black, male												
2006 5/.....	5.8	*	*	*	*	*	1.0	8.4	23.2	40.6	43.1	35.7
2005 5/.....	6.0	*	*	*	*	*	1.5	8.0	25.2	41.1	52.1	26.6
2004 5/.....	6.0	*	*	*	*	*	1.0	8.5	26.0	42.2	47.6	39.6
2003 5/.....	6.5	*	*	*	*	*	1.4	10.4	29.4	45.2	46.7	38.4
2002.....	6.5	*	*	*	*	*	1.5	8.4	30.7	49.8	52.2	38.3
2001.....	7.2	*	*	*	*	*	1.6	10.5	33.0	56.2	55.5	47.4
2000.....	7.0	*	*	*	*	*	1.2	11.5	34.8	47.6	58.9	38.7
1999.....	7.2	*	*	*	*	*	1.7	11.5	35.3	51.1	57.2	49.9
Non-Hispanic black, female												
2006 5/.....	2.0	*	*	*	*	*	2.4	6.4	9.6	14.5	11.2	
2005 5/.....	2.0	*	*	*	*	*	2.3	5.9	9.9	13.8	13.8	
2004 5/.....	2.4	*	*	*	*	*	2.5	7.6	13.1	15.9	14.9	
2003 5/.....	2.4	*	*	*	*	*	2.5	7.5	12.5	18.1	14.9	
2002.....	2.4	*	*	*	*	*	2.4	7.2	14.0	17.2	13.8	
2001.....	2.4	*	*	*	*	*	2.3	7.5	16.2	15.7	15.4	
2000.....	2.6	*	*	*	*	*	2.7	8.5	15.2	20.1	16.6	
1999.....	2.4	*	*	*	*	*	2.4	8.3	15.5	17.0	13.8	

Worktable Orig12. Death rates for 358 selected causes, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2006

[Rates per 100,000 population in specified group. Rates are based on populations enumerated as of April 1 for 2000 and estimated as of July 1 for all other years. Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to 'Detailed technical notes to the United States 2006 data-mortality']

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, and sex	All ages 1/	Under 1 year 2/	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
Of stomach (C16)												
All origins 3/, both sexes												
2006.....	3.8	*	*	*	*	0.3	1.1	2.7	5.9	13.0	25.6	35.8
2005.....	3.9	*	*	*	0.0	0.3	1.0	2.6	5.9	14.0	26.6	38.5
2004.....	4.0	*	*	*	*	0.3	1.1	2.7	6.5	14.9	26.3	42.2
2003.....	4.2	*	*	*	*	0.3	1.1	3.0	6.7	15.2	27.6	43.6
2002.....	4.2	*	*	*	0.1	0.3	1.0	2.8	6.9	15.4	28.7	47.6
2001.....	4.3	*	*	*	0.1	0.3	1.0	2.9	7.0	16.5	30.2	45.4
2000.....	4.5	*	*	*	*	0.3	1.1	2.9	7.4	16.6	31.0	52.7
1999.....	4.6	*	*	*	*	0.3	1.1	3.0	7.8	17.1	31.6	50.1
All origins 3/, male												
2006.....	4.5	*	*	*	*	0.3	1.1	3.4	8.3	18.0	36.8	50.2
2005.....	4.6	*	*	*	*	0.3	1.2	3.3	8.2	19.7	37.4	54.2
2004.....	4.8	*	*	*	*	0.3	1.2	3.5	9.1	20.6	37.2	62.9
2003.....	4.9	*	*	*	*	0.3	1.2	3.8	9.5	21.9	38.4	60.0
2002.....	5.0	*	*	*	*	0.4	1.1	3.7	9.5	22.5	40.6	67.2
2001.....	5.1	*	*	*	*	0.4	1.1	3.8	10.2	23.2	43.1	62.6
2000.....	5.3	*	*	*	*	0.3	1.3	3.8	10.5	23.7	43.9	75.6
1999.....	5.5	*	*	*	*	0.4	1.3	4.2	11.0	24.2	46.5	71.3
All origins 3/, female												
2006.....	3.1	*	*	*	*	0.3	1.1	2.0	3.7	8.8	18.0	29.1
2005.....	3.2	*	*	*	*	0.3	0.8	1.9	3.7	9.2	19.3	31.2
2004.....	3.3	*	*	*	*	0.3	0.9	2.0	4.1	10.1	19.0	32.9
2003.....	3.4	*	*	*	*	0.3	1.0	2.1	4.1	9.7	20.3	36.4
2002.....	3.5	*	*	*	0.1	0.3	0.9	1.9	4.5	9.5	20.8	39.1
2001.....	3.5	*	*	*	*	0.3	0.9	2.0	4.1	10.9	21.7	38.3
2000.....	3.7	*	*	*	*	0.3	0.9	2.1	4.6	10.8	22.6	43.4
1999.....	3.7	*	*	*	*	0.3	1.0	1.9	4.9	11.3	21.9	41.6
Hispanic, both sexes												
2006.....	2.9	*	*	*	*	0.6	1.7	3.9	10.2	20.4	37.2	47.0
2005.....	3.0	*	*	*	*	0.5	1.5	4.6	9.3	20.7	44.0	50.9
2004.....	3.3	*	*	*	*	0.5	2.0	4.6	11.7	24.4	44.0	62.8
2003.....	3.1	*	*	*	*	0.5	1.6	5.1	11.4	23.8	43.6	62.7
2002.....	3.1	*	*	*	*	0.5	1.7	4.2	11.0	21.9	47.2	72.1
2001.....	3.2	*	*	*	*	0.6	1.8	5.4	11.3	26.4	45.6	63.8
2000.....	3.1	*	*	*	*	0.4	2.0	4.8	9.8	28.4	50.2	65.7
1999.....	3.1	*	*	*	*	0.6	1.7	4.1	11.7	26.2	49.8	73.7
Hispanic, male												
2006.....	3.1	*	*	*	*	0.5	1.4	4.5	13.1	27.1	49.3	55.3
2005.....	3.4	*	*	*	*	0.5	1.5	5.0	12.1	27.6	65.8	76.0
2004.....	3.6	*	*	*	*	0.5	2.0	4.7	14.8	32.0	66.9	84.1
2003.....	3.4	*	*	*	*	*	1.5	5.7	14.1	33.2	63.7	73.9
2002.....	3.4	*	*	*	*	0.7	1.5	4.7	13.7	32.9	61.6	107.1
2001.....	3.6	*	*	*	*	*	1.9	6.2	15.0	37.1	60.4	95.2
2000.....	3.6	*	*	*	*	*	2.0	5.0	13.7	43.3	70.8	98.8
1999.....	3.5	*	*	*	*	0.7	1.6	5.2	16.4	35.6	73.5	75.5
Hispanic, female												
2006.....	2.7	*	*	*	*	0.7	2.1	3.3	7.5	14.9	28.8	42.5
2005.....	2.6	*	*	*	*	*	1.4	4.2	6.8	15.2	28.8	37.8
2004.....	2.9	*	*	*	*	*	2.1	4.5	8.8	18.3	28.2	51.9
2003.....	2.8	*	*	*	*	*	1.6	4.5	9.0	16.3	29.8	57.0
2002.....	2.7	*	*	*	*	*	1.9	3.8	8.7	13.2	37.4	54.7
2001.....	2.8	*	*	*	*	0.7	1.7	4.6	8.1	18.0	35.7	48.4
2000.....	2.7	*	*	*	*	*	2.1	4.6	6.3	16.8	36.3	49.5
1999.....	2.7	*	*	*	*	*	1.8	3.0	7.6	18.8	34.0	72.8

Worktable Orig12. Death rates for 358 selected causes, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2006

[Rates per 100,000 population in specified group. Rates are based on populations enumerated as of April 1 for 2000 and estimated as of July 1 for all other years. Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to 'Detailed technical notes to the United States 2006 data-mortality']

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, and sex	All ages 1/	Under 1 year 2/	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
Of stomach (C16)												
Non-Hispanic 4/, both sexes												
2006.....	3.9	*	*	*	*	0.2	0.9	2.5	5.5	12.4	24.9	35.2
2005.....	4.0	*	*	*	*	0.2	0.9	2.4	5.6	13.5	25.5	37.8
2004.....	4.2	*	*	*	*	0.3	0.9	2.5	6.0	14.2	25.3	41.2
2003.....	4.3	*	*	*	*	0.3	1.0	2.7	6.3	14.6	26.7	42.7
2002.....	4.4	*	*	*	0.1	0.3	0.9	2.6	6.5	14.9	27.7	46.3
2001.....	4.5	*	*	*	*	0.2	0.9	2.6	6.6	15.8	29.4	44.7
2000.....	4.7	*	*	*	*	0.3	0.9	2.7	7.2	15.8	30.1	52.0
1999.....	4.7	*	*	*	*	0.3	1.0	2.9	7.5	16.5	30.8	49.2
Non-Hispanic 4/, male												
2006.....	4.8	*	*	*	*	0.2	1.0	3.3	7.9	17.3	36.0	49.9
2005.....	4.8	*	*	*	*	0.2	1.1	3.1	7.9	19.1	35.6	53.0
2004.....	5.0	*	*	*	*	0.2	1.1	3.4	8.6	19.7	35.5	61.7
2003.....	5.2	*	*	*	*	0.3	1.1	3.6	9.2	21.0	36.9	59.2
2002.....	5.3	*	*	*	*	0.3	1.0	3.6	9.1	21.7	39.4	65.0
2001.....	5.4	*	*	*	*	0.3	1.0	3.6	9.8	22.3	42.1	61.0
2000.....	5.5	*	*	*	*	0.3	1.2	3.7	10.3	22.4	42.6	74.5
1999.....	5.7	*	*	*	*	0.3	1.2	4.0	10.6	23.4	45.3	71.0
Non-Hispanic 4/, female												
2006.....	3.1	*	*	*	*	0.3	0.9	1.8	3.4	8.3	17.3	28.4
2005.....	3.3	*	*	*	*	0.3	0.7	1.6	3.4	8.7	18.7	30.9
2004.....	3.3	*	*	*	*	0.3	0.8	1.7	3.7	9.5	18.4	32.1
2003.....	3.5	*	*	*	*	0.3	0.9	1.9	3.7	9.2	19.8	35.5
2002.....	3.5	*	*	*	*	0.3	0.7	1.7	4.1	9.2	19.9	38.3
2001.....	3.6	*	*	*	*	0.2	0.8	1.7	3.7	10.4	21.0	37.9
2000.....	3.8	*	*	*	*	0.3	0.7	1.8	4.4	10.4	21.9	42.9
1999.....	3.8	*	*	*	*	0.3	0.9	1.8	4.7	10.8	21.3	40.5
Non-Hispanic white, both sexes												
2006 5/.....	3.6	*	*	*	*	0.2	0.7	2.1	4.6	10.4	21.4	31.5
2005 5/.....	3.7	*	*	*	*	0.1	0.7	1.9	4.6	11.3	22.0	33.8
2004 5/.....	3.9	*	*	*	*	0.2	0.7	2.0	4.9	11.8	22.3	37.6
2003 5/.....	4.0	*	*	*	*	0.2	0.8	2.1	5.4	12.6	23.3	37.5
2002.....	4.1	*	*	*	*	0.2	0.7	2.1	5.4	12.6	24.1	40.7
2001.....	4.2	*	*	*	*	0.2	0.7	2.1	5.6	13.5	25.8	40.0
2000.....	4.4	*	*	*	*	0.2	0.7	2.2	6.1	13.5	26.1	46.3
1999.....	4.4	*	*	*	*	0.2	0.7	2.3	6.1	14.4	27.0	43.5
Non-Hispanic white, male												
2006 5/.....	4.5	*	*	*	*	*	0.7	2.8	6.6	14.7	31.3	45.2
2005 5/.....	4.4	*	*	*	*	*	0.8	2.5	6.5	15.9	30.8	47.2
2004 5/.....	4.7	*	*	*	*	0.2	0.9	2.7	7.1	16.3	31.1	56.9
2003 5/.....	4.8	*	*	*	*	0.2	0.9	2.8	7.7	18.0	32.4	52.3
2002.....	5.0	*	*	*	*	0.2	0.9	2.9	7.9	18.6	35.0	56.0
2001.....	5.0	*	*	*	*	0.2	0.8	2.8	8.2	18.9	37.4	55.7
2000.....	5.2	*	*	*	*	0.2	0.8	3.0	8.9	19.3	37.4	67.3
1999.....	5.4	*	*	*	*	0.2	0.9	3.3	8.7	20.6	39.9	62.6
Non-Hispanic white, female												
2006 5/.....	2.8	*	*	*	*	0.2	0.6	1.4	2.7	6.7	14.5	25.2
2005 5/.....	3.0	*	*	*	*	*	0.6	1.3	2.8	7.3	15.9	27.7
2004 5/.....	3.1	*	*	*	*	0.2	0.5	1.2	2.9	8.0	16.3	28.9
2003 5/.....	3.3	*	*	*	*	0.2	0.6	1.4	3.1	8.0	17.2	31.0
2002.....	3.2	*	*	*	*	0.2	0.5	1.2	3.2	7.5	16.8	33.3
2001.....	3.4	*	*	*	*	*	0.6	1.3	3.1	9.0	18.1	33.5
2000.....	3.5	*	*	*	*	0.2	0.5	1.4	3.6	8.6	18.7	37.9
1999.....	3.5	*	*	*	*	0.2	0.6	1.4	3.7	9.1	18.6	35.9

Worktable Orig12. Death rates for 358 selected causes, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2006

[Rates per 100,000 population in specified group. Rates are based on populations enumerated as of April 1 for 2000 and estimated as of July 1 for all other years. Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.odc.gov/nchs> and refer to 'Detailed technical notes to the United States 2006 data-mortality']

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, and sex	All ages 1/	Under 1 year 2/	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
Of stomach (C16)												
Non-Hispanic black, both sexes												
2006 5/.....	5.0	*	*	*	*	0.4	1.8	4.5	11.1	24.8	52.0	68.2
2005 5/.....	5.2	*	*	*	*	0.4	1.8	4.6	11.5	27.0	52.6	75.4
2004 5/.....	5.4	*	*	*	*	0.5	1.7	5.4	12.9	30.8	50.9	71.4
2003 5/.....	5.5	*	*	*	*	0.4	1.8	5.8	12.9	27.5	55.0	86.0
2002.....	5.8	*	*	*	*	0.6	1.6	5.5	13.2	31.5	57.7	100.1
2001.....	5.8	*	*	*	*	0.5	2.2	5.5	13.1	31.0	59.1	89.3
2000.....	6.1	*	*	*	*	0.7	2.1	5.8	14.1	32.3	64.3	102.7
1999.....	6.3	*	*	*	*	0.7	2.3	6.0	16.1	31.5	65.1	103.1
Non-Hispanic black, male												
2006 5/.....	6.0	*	*	*	*	*	2.0	6.2	16.7	34.8	82.0	85.2
2005 5/.....	6.4	*	*	*	*	*	2.6	6.5	18.3	41.6	72.0	117.0
2004 5/.....	6.7	*	*	*	*	*	1.9	7.3	19.6	48.2	75.9	99.6
2003 5/.....	6.8	*	*	*	*	*	2.0	8.5	20.0	44.8	80.5	107.6
2002.....	6.9	*	*	*	*	0.8	1.9	7.9	19.5	47.3	80.9	136.7
2001.....	6.9	*	*	*	*	*	2.4	8.0	20.0	49.2	87.9	106.3
2000.....	7.2	*	*	*	*	0.8	3.0	8.1	20.9	47.0	91.0	138.6
1999.....	7.6	*	*	*	*	*	2.8	8.7	23.3	46.4	101.6	149.8
Non-Hispanic black, female												
2006 5/.....	4.1	*	*	*	*	*	1.6	2.9	6.7	17.6	35.0	61.3
2005 5/.....	4.1	*	*	*	*	*	1.1	3.0	6.0	16.5	41.6	58.6
2004 5/.....	4.3	*	*	*	*	*	1.5	3.7	7.6	18.4	36.9	60.2
2003 5/.....	4.4	*	*	*	*	*	1.6	3.5	7.3	15.2	40.6	77.6
2002.....	4.9	*	*	*	*	*	1.4	3.4	8.1	20.3	44.6	86.1
2001.....	4.7	*	*	*	*	*	2.0	3.3	7.6	18.1	43.0	83.0
2000.....	5.2	*	*	*	*	*	1.4	3.9	8.6	22.0	49.3	89.4
1999.....	5.1	*	*	*	*	*	1.9	3.7	10.2	21.0	44.6	85.7

Worktable Orig12. Death rates for 358 selected causes, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2006

[Rates per 100,000 population in specified group. Rates are based on populations enumerated as of April 1 for 2000 and estimated as of July 1 for all other years. Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to 'Detailed technical notes to the United States 2006 data-mortality']

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, and sex	All ages 1/	Under 1 year 2/	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
Of small intestine (C17)												
Non-Hispanic 4/, both sexes												
2006.....	0.4	*	*	*	*	*	0.1	0.3	0.6	1.4	2.4	2.8
2005.....	0.4	*	*	*	*	*	0.1	0.3	0.7	1.4	2.6	3.0
2004.....	0.4	*	*	*	*	*	0.1	0.3	0.7	1.5	2.4	3.1
2003.....	0.4	*	*	*	*	*	0.1	0.3	0.8	1.3	2.5	3.0
2002.....	0.4	*	*	*	*	*	0.1	0.3	0.7	1.4	2.4	2.8
2001.....	0.4	*	*	*	*	*	0.1	0.3	0.8	1.5	2.5	3.2
2000.....	0.4	*	*	*	*	*	0.1	0.3	0.8	1.5	2.5	3.0
1999.....	0.4	*	*	*	*	*	0.1	0.4	0.6	1.4	2.4	3.2
Non-Hispanic 4/, male												
2006.....	0.4	*	*	*	*	*	0.1	0.3	0.7	1.9	3.1	3.7
2005.....	0.5	*	*	*	*	*	0.1	0.3	0.8	1.9	3.3	2.9
2004.....	0.5	*	*	*	*	*	0.1	0.3	0.9	2.0	3.1	4.4
2003.....	0.4	*	*	*	*	*	*	0.3	0.9	1.7	2.7	3.5
2002.....	0.4	*	*	*	*	*	0.1	0.4	0.9	1.6	2.9	3.8
2001.....	0.4	*	*	*	*	*	0.1	0.4	0.9	1.9	3.0	4.1
2000.....	0.4	*	*	*	*	*	0.1	0.4	0.9	1.8	3.0	4.2
1999.....	0.5	*	*	*	*	*	0.1	0.5	0.9	1.7	3.3	4.3
Non-Hispanic 4/, female												
2006.....	0.4	*	*	*	*	*	*	0.2	0.6	1.1	2.0	2.4
2005.....	0.4	*	*	*	*	*	0.1	0.2	0.6	1.1	2.1	3.1
2004.....	0.4	*	*	*	*	*	0.1	0.3	0.6	1.2	1.9	2.5
2003.....	0.4	*	*	*	*	*	*	0.3	0.6	1.0	2.4	2.7
2002.....	0.4	*	*	*	*	*	*	0.2	0.5	1.3	2.1	2.4
2001.....	0.4	*	*	*	*	*	*	0.2	0.6	1.1	2.1	2.8
2000.....	0.4	*	*	*	*	*	*	0.3	0.7	1.2	2.1	2.5
1999.....	0.4	*	*	*	*	*	*	0.3	0.4	1.2	1.9	2.7
Non-Hispanic white, both sexes												
2006 5/.....	0.4	*	*	*	*	*	0.1	0.3	0.6	1.4	2.4	2.8
2005 5/.....	0.4	*	*	*	*	*	0.1	0.2	0.7	1.4	2.6	3.1
2004 5/.....	0.4	*	*	*	*	*	0.1	0.3	0.7	1.5	2.4	2.9
2003 5/.....	0.4	*	*	*	*	*	*	0.3	0.7	1.3	2.4	2.8
2002.....	0.4	*	*	*	*	*	0.1	0.3	0.6	1.4	2.3	2.7
2001.....	0.4	*	*	*	*	*	0.1	0.3	0.7	1.4	2.4	3.0
2000.....	0.4	*	*	*	*	*	0.1	0.3	0.8	1.4	2.4	3.1
1999.....	0.4	*	*	*	*	*	0.1	0.4	0.6	1.4	2.3	3.0
Non-Hispanic white, male												
2006 5/.....	0.5	*	*	*	*	*	*	0.3	0.7	1.8	3.1	3.6
2005 5/.....	0.5	*	*	*	*	*	*	0.3	0.7	1.9	3.3	3.1
2004 5/.....	0.5	*	*	*	*	*	*	0.3	0.8	1.9	3.0	4.2
2003 5/.....	0.4	*	*	*	*	*	*	0.3	0.9	1.6	2.6	3.2
2002.....	0.4	*	*	*	*	*	*	0.3	0.7	1.6	2.6	3.6
2001.....	0.4	*	*	*	*	*	0.1	0.3	0.8	1.8	2.9	3.7
2000.....	0.5	*	*	*	*	*	*	0.3	0.9	1.8	2.8	4.3
1999.....	0.5	*	*	*	*	*	*	0.5	0.8	1.7	3.1	4.3
Non-Hispanic white, female												
2006 5/.....	0.4	*	*	*	*	*	*	0.2	0.6	1.0	1.9	2.5
2005 5/.....	0.4	*	*	*	*	*	*	0.2	0.6	1.0	2.1	3.1
2004 5/.....	0.4	*	*	*	*	*	*	0.3	0.6	1.1	1.9	2.4
2003 5/.....	0.4	*	*	*	*	*	*	0.2	0.6	1.1	2.3	2.7
2002.....	0.4	*	*	*	*	*	*	0.2	0.5	1.3	2.0	2.3
2001.....	0.4	*	*	*	*	*	*	0.2	0.6	1.1	2.1	2.7
2000.....	0.4	*	*	*	*	*	*	0.2	0.7	1.1	2.1	2.5
1999.....	0.4	*	*	*	*	*	*	0.3	0.4	1.2	1.7	2.5

Worktable Orig12. Death rates for 358 selected causes, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2006

[Rates per 100,000 population in specified group. Rates are based on populations enumerated as of April 1 for 2000 and estimated as of July 1 for all other years. Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to 'Detailed technical notes to the United States 2006 data-mortality']

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, and sex	All ages 1/	Under 1 year 2/	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
Of colon, rectum and anus (C18-C21)												
All origins 3/, both sexes												
2006.....	17.9	*	*	*	0.1	0.8	3.0	10.4	27.3	61.9	122.8	207.5
2005.....	18.0	*	*	*	0.1	0.8	3.0	10.2	26.9	63.3	124.5	216.9
2004.....	18.3	*	*	*	0.1	0.7	3.0	10.3	28.2	64.7	128.9	225.6
2003.....	19.2	*	*	*	0.1	0.7	3.0	10.9	29.8	70.5	134.7	239.7
2002.....	19.7	*	*	*	0.1	0.7	3.2	11.4	31.7	73.3	137.4	241.4
2001.....	20.0	*	*	*	0.1	0.8	3.2	11.6	31.5	75.3	139.4	255.7
2000.....	20.4	*	*	*	0.1	0.7	3.0	11.2	32.7	76.7	146.0	270.4
1999.....	20.5	*	*	*	0.1	0.7	3.0	11.1	33.5	77.4	146.7	271.7
All origins 3/, male												
2006.....	18.3	*	*	*	0.1	0.8	3.2	11.6	33.0	76.8	149.5	234.6
2005.....	18.4	*	*	*	0.1	0.8	3.2	11.5	32.9	79.6	151.6	245.9
2004.....	18.6	*	*	*	0.2	0.7	3.2	11.9	34.2	80.6	156.9	254.7
2003.....	19.6	*	*	*	0.1	0.8	3.2	12.5	36.0	88.0	164.4	273.3
2002.....	20.1	*	*	*	0.2	0.8	3.6	13.0	39.4	91.3	167.4	275.1
2001.....	20.2	*	*	*	0.1	0.8	3.5	13.1	38.3	93.7	169.5	298.3
2000.....	20.6	*	*	*	0.1	0.8	3.4	12.8	39.6	95.4	179.5	315.6
1999.....	20.6	*	*	*	0.1	0.8	3.0	12.5	40.5	95.1	181.9	324.0
All origins 3/, female												
2006.....	17.5	*	*	*	0.1	0.8	2.9	9.2	22.1	49.3	104.6	194.9
2005.....	17.6	*	*	*	0.1	0.7	2.8	9.0	21.2	49.5	106.1	203.6
2004.....	18.0	*	*	*	0.1	0.6	2.9	8.7	22.7	51.4	110.0	212.5
2003.....	18.9	*	*	*	*	0.7	2.7	9.3	24.0	55.9	114.8	224.8
2002.....	19.2	*	*	*	*	0.7	2.8	9.8	24.5	58.3	117.5	226.8
2001.....	19.8	*	*	*	0.1	0.7	2.9	10.2	25.3	60.1	119.6	237.8
2000.....	20.2	*	*	*	*	0.6	2.7	9.8	26.4	61.2	124.2	251.9
1999.....	20.3	*	*	*	0.1	0.6	2.9	9.7	27.0	62.9	123.8	250.6
Hispanic, both sexes												
2006.....	6.2	*	*	*	*	0.5	2.0	7.5	20.4	45.7	93.7	142.4
2005.....	6.0	*	*	*	*	0.5	1.9	7.1	18.4	46.5	92.4	146.7
2004.....	5.9	*	*	*	*	0.6	1.9	7.2	21.2	47.5	87.5	147.5
2003.....	6.2	*	*	*	*	0.5	2.1	8.2	23.6	49.7	95.5	144.6
2002.....	6.1	*	*	*	*	0.4	2.1	7.7	23.0	51.2	95.6	165.7
2001.....	6.1	*	*	*	*	0.3	2.3	7.2	22.5	52.1	96.5	193.8
2000.....	6.0	*	*	*	*	0.5	2.3	8.4	23.1	49.2	98.2	181.1
1999.....	6.0	*	*	*	*	0.5	1.7	8.3	21.0	56.1	101.0	176.8
Hispanic, male												
2006.....	6.3	*	*	*	*	0.5	1.7	7.8	25.5	60.3	112.9	157.9
2005.....	6.1	*	*	*	*	*	1.8	8.0	23.3	60.3	111.6	176.8
2004.....	6.2	*	*	*	*	0.5	2.2	8.5	26.6	59.4	114.1	172.3
2003.....	6.6	*	*	*	*	0.5	2.3	10.0	29.8	64.8	120.4	172.4
2002.....	6.4	*	*	*	*	*	2.0	9.3	31.1	67.1	121.1	174.0
2001.....	6.2	*	*	*	*	*	2.7	7.4	28.2	66.5	116.7	257.1
2000.....	6.2	*	*	*	*	*	2.0	9.0	28.2	63.5	131.3	235.8
1999.....	6.1	*	*	*	*	*	1.5	9.1	24.1	72.7	134.0	211.4
Hispanic, female												
2006.....	6.1	*	*	*	*	*	2.3	7.2	15.8	33.7	80.3	134.2
2005.....	5.8	*	*	*	*	0.7	2.0	6.2	13.9	35.3	79.1	131.0
2004.....	5.6	*	*	*	*	0.6	1.4	5.8	16.3	38.0	69.1	134.7
2003.....	5.7	*	*	*	*	*	1.8	6.4	18.0	37.6	78.5	130.5
2002.....	5.7	*	*	*	*	*	2.1	6.1	15.7	38.6	78.1	161.6
2001.....	5.9	*	*	*	*	*	1.9	7.1	17.4	40.8	82.8	162.9
2000.....	5.8	*	*	*	*	*	2.7	7.8	18.5	38.0	75.9	154.3
1999.....	5.9	*	*	*	*	*	2.0	7.5	18.3	43.0	79.1	160.1

Worktable Orig12. Death rates for 358 selected causes, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2006

[Rates per 100,000 population in specified group. Rates are based on populations enumerated as of April 1 for 2000 and estimated as of July 1 for all other years. Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to 'Detailed technical notes to the United States 2006 data-mortality']

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, and sex	All ages 1/	Under 1 year 2/	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
Of colon, rectum and anus (C18-C21)												
Non-Hispanic 4/, both sexes												
2006.....	19.9	*	*	*	0.1	0.9	3.2	10.7	27.8	63.1	124.5	210.6
2005.....	20.0	*	*	*	0.1	0.8	3.1	10.5	27.5	64.4	126.2	220.1
2004.....	20.3	*	*	*	0.1	0.7	3.2	10.6	28.8	65.9	130.9	228.8
2003.....	21.3	*	*	*	0.1	0.8	3.1	11.1	30.2	71.9	136.5	243.2
2002.....	21.7	*	*	*	0.1	0.8	3.3	11.8	32.3	74.6	139.1	244.0
2001.....	22.0	*	*	*	0.1	0.9	3.3	12.0	32.2	76.7	141.1	257.4
2000.....	22.4	*	*	*	0.1	0.7	3.1	11.5	33.3	78.2	147.8	273.1
1999.....	22.4	*	*	*	0.1	0.7	3.1	11.3	34.3	78.5	148.1	274.3
Non-Hispanic 4/, male												
2006.....	20.4	*	*	*	0.1	0.9	3.5	12.0	33.5	77.9	151.7	238.4
2005.....	20.5	*	*	*	0.1	0.9	3.4	11.9	33.7	80.9	153.7	249.2
2004.....	20.7	*	*	*	0.2	0.8	3.3	12.3	34.8	81.9	159.1	258.5
2003.....	21.7	*	*	*	0.1	0.9	3.4	12.7	36.4	89.4	166.3	277.3
2002.....	22.3	*	*	*	0.2	0.9	3.8	13.4	39.9	92.7	169.3	279.2
2001.....	22.3	*	*	*	0.1	0.9	3.6	13.6	38.9	95.2	171.8	299.6
2000.....	22.8	*	*	*	0.1	0.8	3.6	13.1	40.3	97.2	181.3	318.6
1999.....	22.7	*	*	*	0.1	0.9	3.2	12.8	41.6	96.2	183.2	327.5
Non-Hispanic 4/, female												
2006.....	19.4	*	*	*	0.1	0.9	3.0	9.4	22.6	50.4	105.9	197.7
2005.....	19.4	*	*	*	0.1	0.7	2.9	9.3	21.8	50.5	107.6	206.8
2004.....	19.9	*	*	*	0.1	0.7	3.1	8.9	23.2	52.3	112.0	215.6
2003.....	20.9	*	*	*	0.1	0.7	2.8	9.6	24.4	57.2	116.6	228.1
2002.....	21.2	*	*	*	0.1	0.7	2.9	10.2	25.2	59.6	119.1	228.8
2001.....	21.7	*	*	*	0.1	0.8	3.0	10.5	25.9	61.3	121.0	239.9
2000.....	22.1	*	*	*	0.1	0.6	2.7	9.9	26.9	62.6	126.1	254.7
1999.....	22.2	*	*	*	0.1	0.6	3.0	9.9	27.6	63.9	125.3	253.0
Non-Hispanic white, both sexes												
2006 5/.....	21.2	*	*	*	0.1	0.8	3.0	9.9	26.3	61.3	122.0	210.5
2005 5/.....	21.2	*	*	*	0.1	0.8	3.0	9.6	25.7	62.5	124.0	218.8
2004 5/.....	21.7	*	*	*	0.1	0.7	3.0	9.8	27.3	63.8	129.4	228.5
2003 5/.....	22.7	*	*	*	0.1	0.7	2.8	10.1	28.5	69.9	135.0	242.1
2002.....	23.2	*	*	*	0.1	0.8	3.0	10.9	30.6	73.0	136.8	243.2
2001.....	23.5	*	*	*	0.1	0.8	3.1	11.1	30.6	74.7	138.5	256.9
2000.....	24.0	*	*	*	0.1	0.6	2.8	10.6	31.7	76.5	145.7	271.9
1999.....	24.0	*	*	*	0.1	0.7	2.9	10.6	32.8	76.7	145.9	273.4
Non-Hispanic white, male												
2006 5/.....	21.6	*	*	*	0.1	0.8	3.2	11.1	31.8	75.5	148.1	236.7
2005 5/.....	21.8	*	*	*	0.1	0.8	3.3	10.9	31.5	78.5	151.2	248.8
2004 5/.....	22.2	*	*	*	0.1	0.7	3.1	11.5	33.3	79.4	156.5	259.6
2003 5/.....	23.2	*	*	*	0.1	0.8	3.1	11.6	34.5	87.4	164.5	276.8
2002.....	23.8	*	*	*	0.2	0.9	3.4	12.5	38.0	91.1	165.8	277.6
2001.....	23.9	*	*	*	0.1	0.9	3.3	12.8	37.4	93.2	169.3	298.2
2000.....	24.2	*	*	*	0.1	0.8	3.2	12.2	38.2	95.1	178.4	315.8
1999.....	24.3	*	*	*	0.1	0.8	3.1	12.1	39.7	94.8	180.6	328.2
Non-Hispanic white, female												
2006 5/.....	20.7	*	*	*	0.1	0.7	2.7	8.7	21.0	49.0	103.9	198.2
2005 5/.....	20.6	*	*	*	0.1	0.7	2.6	8.3	20.2	48.6	105.2	205.1
2004 5/.....	21.3	*	*	*	0.1	0.6	2.8	8.1	21.7	50.3	110.9	214.6
2003 5/.....	22.2	*	*	*	0.1	0.7	2.5	8.5	22.8	54.9	115.0	226.8
2002.....	22.7	*	*	*	0.1	0.7	2.7	9.4	23.7	57.6	117.3	228.3
2001.....	23.1	*	*	*	0.1	0.7	2.8	9.5	24.2	59.0	118.1	239.8
2000.....	23.8	*	*	*	0.1	0.5	2.4	9.0	25.5	60.9	124.1	254.1
1999.....	23.7	*	*	*	0.1	0.6	2.7	9.0	26.2	61.5	123.2	251.5

Worktable Orig12. Death rates for 358 selected causes, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2006

[Rates per 100,000 population in specified group. Rates are based on populations enumerated as of April 1 for 2000 and estimated as of July 1 for all other years. Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.odc.gov/nchs> and refer to 'Detailed technical notes to the United States 2006 data-mortality']

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, and sex	All ages 1/	Under 1 year 2/	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
Of colon, rectum and anus (C18-C21)												
Non-Hispanic black, both sexes												
2006 5/.....	18.1	*	*	*	*	1.3	5.2	17.5	44.2	90.5	171.2	244.7
2005 5/.....	18.2	*	*	*	*	1.2	4.4	18.1	46.1	92.4	170.7	264.1
2004 5/.....	17.8	*	*	*	*	1.0	4.6	16.9	45.8	96.4	167.6	262.5
2003 5/.....	18.8	*	*	*	*	1.0	5.2	19.2	48.9	102.2	175.0	282.9
2002.....	18.9	*	*	*	*	0.7	5.1	19.0	50.5	100.6	185.9	278.3
2001.....	19.2	*	*	*	*	1.1	5.0	19.5	50.6	105.9	189.7	289.0
2000.....	19.4	*	*	*	*	1.0	5.2	20.0	51.1	106.3	192.5	312.9
1999.....	19.3	*	*	*	*	1.1	4.9	18.1	53.7	107.2	194.5	308.8
Non-Hispanic black, male												
2006 5/.....	18.9	*	*	*	*	1.3	5.7	20.5	53.0	118.6	223.6	314.3
2005 5/.....	18.5	*	*	*	*	1.5	4.5	20.2	58.5	116.4	213.6	297.8
2004 5/.....	18.0	*	*	*	*	1.1	4.7	19.5	54.7	122.8	218.8	277.4
2003 5/.....	19.0	*	*	*	*	1.0	5.4	22.4	59.9	128.2	217.0	321.8
2002.....	19.3	*	*	*	*	0.9	6.0	21.8	62.7	123.0	240.9	332.6
2001.....	19.0	*	*	*	*	1.2	5.8	21.4	59.3	130.7	229.9	352.3
2000.....	19.8	*	*	*	*	1.1	6.1	22.7	63.7	133.7	244.4	381.6
1999.....	19.2	*	*	*	*	1.2	4.8	20.6	67.0	127.8	245.8	351.8
Non-Hispanic black, female												
2006 5/.....	17.3	*	*	*	*	1.3	4.7	14.9	37.2	70.5	141.5	216.4
2005 5/.....	17.9	*	*	*	*	0.8	4.3	16.3	36.2	75.3	146.3	250.5
2004 5/.....	17.6	*	*	*	*	1.0	4.4	14.8	38.7	77.6	139.8	256.6
2003 5/.....	18.7	*	*	*	*	0.9	5.0	16.4	40.1	83.8	151.2	267.8
2002.....	18.4	*	*	*	*	*	4.3	16.7	40.7	84.7	154.9	257.5
2001.....	19.4	*	*	*	*	1.0	4.3	17.9	43.6	88.4	167.1	265.6
2000.....	19.1	*	*	*	*	1.0	4.4	17.6	40.9	87.1	163.2	287.4
1999.....	19.5	*	*	*	*	0.9	5.0	15.9	43.1	92.7	165.8	292.7

Worktable Orig12. Death rates for 358 selected causes, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2006

[Rates per 100,000 population in specified group. Rates are based on populations enumerated as of April 1 for 2000 and estimated as of July 1 for all other years. Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to 'Detailed technical notes to the United States 2006 data-mortality']

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, and sex	All ages 1/	Under 1 year 2/	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
Colon (C18)												
All origins 3/, both sexes												
2006.....	14.7	*	*	*	0.1	0.6	2.2	7.9	21.5	50.8	103.7	179.1
2005.....	14.8	*	*	*	0.1	0.6	2.2	7.7	21.2	51.8	105.7	188.1
2004.....	15.2	*	*	*	0.1	0.5	2.1	7.8	22.3	53.8	109.8	195.3
2003.....	16.1	*	*	*	0.1	0.6	2.2	8.5	23.6	59.1	115.7	208.4
2002.....	16.5	*	*	*	0.1	0.5	2.4	8.9	25.3	61.0	118.5	211.3
2001.....	16.8	*	*	*	0.1	0.6	2.4	8.9	25.7	63.5	120.1	221.6
2000.....	17.3	*	*	*	0.1	0.5	2.3	8.9	26.5	64.3	126.5	236.6
1999.....	17.4	*	*	*	0.1	0.5	2.3	8.8	27.4	65.1	127.0	238.1
All origins 3/, male												
2006.....	14.8	*	*	*	0.1	0.6	2.3	8.6	25.6	62.3	124.6	200.5
2005.....	14.9	*	*	*	0.1	0.6	2.3	8.6	25.6	64.0	127.2	212.2
2004.....	15.1	*	*	*	0.1	0.5	2.2	9.1	26.3	65.7	131.7	219.9
2003.....	16.1	*	*	*	0.1	0.6	2.4	9.6	28.0	72.9	140.1	236.1
2002.....	16.6	*	*	*	0.1	0.6	2.6	9.9	30.9	75.5	142.6	240.2
2001.....	16.7	*	*	*	*	0.6	2.6	9.9	30.6	77.7	144.4	256.7
2000.....	17.1	*	*	*	*	0.6	2.6	9.9	31.4	78.6	154.0	275.8
1999.....	17.2	*	*	*	0.1	0.6	2.3	9.8	32.7	79.2	156.1	282.2
All origins 3/, female												
2006.....	14.7	*	*	*	*	0.6	2.1	7.1	17.7	41.0	89.5	169.1
2005.....	14.8	*	*	*	*	0.6	2.1	6.9	17.0	41.6	91.1	177.0
2004.....	15.2	*	*	*	*	0.5	2.1	6.6	18.5	43.8	95.1	184.2
2003.....	16.1	*	*	*	*	0.5	2.1	7.4	19.6	47.5	99.4	196.1
2002.....	16.4	*	*	*	*	0.5	2.1	7.9	20.2	49.0	102.6	198.7
2001.....	16.9	*	*	*	0.1	0.6	2.3	8.0	21.2	51.8	104.2	206.9
2000.....	17.4	*	*	*	*	0.5	2.1	7.9	22.0	52.5	108.5	220.6
1999.....	17.5	*	*	*	*	0.5	2.3	7.9	22.5	53.5	108.2	220.4
Hispanic, both sexes												
2006.....	5.1	*	*	*	*	0.4	1.6	5.8	16.1	38.7	80.7	122.9
2005.....	4.9	*	*	*	*	0.4	1.6	5.6	14.7	38.1	78.6	126.6
2004.....	4.9	*	*	*	*	0.4	1.3	5.9	16.5	40.0	77.4	129.9
2003.....	5.1	*	*	*	*	0.3	1.4	6.3	18.4	41.8	82.4	122.8
2002.....	5.1	*	*	*	*	*	1.7	6.0	18.1	43.1	84.4	145.8
2001.....	5.0	*	*	*	*	*	1.7	5.4	18.4	43.4	81.7	172.6
2000.....	5.0	*	*	*	*	0.4	1.8	6.7	18.1	42.0	83.6	160.6
1999.....	5.0	*	*	*	*	0.4	1.4	6.9	16.6	46.8	88.3	154.3
Hispanic, male												
2006.....	5.1	*	*	*	*	0.4	1.3	5.6	19.6	50.4	94.9	128.6
2005.....	4.9	*	*	*	*	*	1.6	6.0	17.6	47.8	95.2	150.7
2004.....	5.1	*	*	*	*	*	1.5	6.9	20.0	50.4	98.7	152.7
2003.....	5.3	*	*	*	*	*	1.5	7.5	22.6	53.3	104.3	141.6
2002.....	5.3	*	*	*	*	*	1.6	7.1	23.3	56.6	108.3	153.9
2001.....	5.0	*	*	*	*	*	1.8	5.2	22.2	54.9	96.6	220.9
2000.....	5.1	*	*	*	*	*	1.6	7.2	20.9	52.3	116.0	211.6
1999.....	5.0	*	*	*	*	*	1.2	7.4	19.4	58.9	118.4	185.5
Hispanic, female												
2006.....	5.2	*	*	*	*	*	1.9	5.9	12.8	29.1	70.8	119.8
2005.....	4.9	*	*	*	*	*	1.7	5.2	12.1	30.2	67.0	114.0
2004.....	4.7	*	*	*	*	*	1.2	4.9	13.3	31.6	62.7	118.1
2003.....	4.8	*	*	*	*	*	1.3	5.1	14.7	32.6	67.4	113.3
2002.....	4.9	*	*	*	*	*	1.8	4.9	13.5	32.4	68.0	141.7
2001.....	5.1	*	*	*	*	*	1.6	5.7	14.9	34.3	71.6	148.9
2000.....	4.8	*	*	*	*	*	2.1	6.2	15.5	33.8	61.7	135.5
1999.....	5.0	*	*	*	*	*	1.7	6.5	14.2	37.3	68.3	139.3

Worktable Orig12. Death rates for 358 selected causes, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2006

[Rates per 100,000 population in specified group. Rates are based on populations enumerated as of April 1 for 2000 and estimated as of July 1 for all other years. Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to 'Detailed technical notes to the United States 2006 data-mortality']

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, and sex	All ages 1/	Under 1 year 2/	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
Colon (C18)												
Non-Hispanic 4/, both sexes												
2006.....	16.4	*	*	*	0.1	0.6	2.3	8.1	21.9	51.7	105.1	181.8
2005.....	16.5	*	*	*	0.1	0.6	2.3	7.9	21.7	52.8	107.2	190.8
2004.....	16.8	*	*	*	0.1	0.5	2.2	8.0	22.7	54.7	111.5	198.0
2003.....	17.8	*	*	*	0.1	0.6	2.4	8.7	24.0	60.2	117.2	211.5
2002.....	18.2	*	*	*	0.1	0.6	2.5	9.2	25.8	62.1	119.9	213.5
2001.....	18.5	*	*	*	0.1	0.7	2.5	9.2	26.2	64.7	121.7	222.9
2000.....	19.0	*	*	*	0.1	0.6	2.4	9.1	27.1	65.6	128.1	238.9
1999.....	19.0	*	*	*	0.1	0.6	2.4	9.0	28.1	66.0	128.2	240.4
Non-Hispanic 4/, male												
2006.....	16.5	*	*	*	0.1	0.6	2.5	9.0	26.0	63.1	126.3	204.2
2005.....	16.7	*	*	*	0.1	0.7	2.4	8.8	26.2	65.1	129.0	215.2
2004.....	16.9	*	*	*	0.1	0.5	2.3	9.3	26.8	66.7	133.4	223.0
2003.....	17.9	*	*	*	0.1	0.7	2.5	9.8	28.4	74.1	141.7	239.9
2002.....	18.4	*	*	*	0.2	0.6	2.8	10.2	31.4	76.6	144.0	243.7
2001.....	18.5	*	*	*	0.1	0.7	2.7	10.3	31.1	78.9	146.5	257.8
2000.....	18.9	*	*	*	0.1	0.6	2.7	10.1	32.1	80.1	155.3	278.2
1999.....	19.0	*	*	*	0.1	0.6	2.5	10.0	33.5	80.2	157.1	285.2
Non-Hispanic 4/, female												
2006.....	16.2	*	*	*	0.1	0.7	2.1	7.3	18.1	42.0	90.5	171.4
2005.....	16.3	*	*	*	0.1	0.6	2.2	7.0	17.4	42.4	92.4	179.7
2004.....	16.8	*	*	*	0.1	0.5	2.2	6.8	18.9	44.6	96.8	186.8
2003.....	17.8	*	*	*	0.1	0.6	2.2	7.6	19.9	48.6	100.9	199.0
2002.....	18.1	*	*	*	0.1	0.5	2.2	8.2	20.7	50.1	104.0	200.5
2001.....	18.6	*	*	*	0.1	0.6	2.4	8.2	21.6	52.9	105.4	208.4
2000.....	19.1	*	*	*	0.1	0.5	2.1	8.0	22.3	53.6	110.4	223.0
1999.....	19.0	*	*	*	0.1	0.5	2.3	8.0	23.0	54.3	109.5	222.4
Non-Hispanic white, both sexes												
2006 5/.....	17.4	*	*	*	0.1	0.6	2.1	7.4	20.4	49.8	102.8	181.7
2005 5/.....	17.5	*	*	*	0.1	0.6	2.2	7.1	19.9	50.9	104.9	189.6
2004 5/.....	17.9	*	*	*	0.1	0.5	2.1	7.3	21.3	52.5	109.6	197.7
2003 5/.....	19.0	*	*	*	0.1	0.6	2.1	7.7	22.5	58.3	115.8	210.2
2002.....	19.4	*	*	*	0.1	0.6	2.3	8.4	24.3	60.4	117.7	212.6
2001.....	19.7	*	*	*	0.1	0.6	2.3	8.4	24.6	62.6	119.0	222.4
2000.....	20.2	*	*	*	0.1	0.5	2.1	8.2	25.5	64.0	125.8	237.3
1999.....	20.3	*	*	*	0.1	0.5	2.2	8.3	26.6	64.3	126.0	239.3
Non-Hispanic white, male												
2006 5/.....	17.4	*	*	*	0.1	0.6	2.4	8.2	24.4	60.6	123.1	201.9
2005 5/.....	17.7	*	*	*	0.1	0.6	2.4	8.1	24.2	62.9	126.4	215.0
2004 5/.....	17.9	*	*	*	0.1	0.5	2.2	8.6	25.4	64.1	130.5	224.1
2003 5/.....	19.1	*	*	*	0.1	0.6	2.3	8.9	26.7	72.1	139.8	240.0
2002.....	19.5	*	*	*	0.1	0.7	2.6	9.4	29.6	74.9	140.8	241.9
2001.....	19.7	*	*	*	0.1	0.7	2.5	9.5	29.7	77.0	143.6	256.3
2000.....	20.1	*	*	*	0.1	0.6	2.4	9.4	30.3	78.4	152.3	274.5
1999.....	20.3	*	*	*	0.1	0.5	2.4	9.5	31.9	79.0	154.6	285.9
Non-Hispanic white, female												
2006 5/.....	17.3	*	*	*	0.1	0.6	1.8	6.6	16.6	40.4	88.8	172.2
2005 5/.....	17.3	*	*	*	0.1	0.6	1.9	6.1	15.9	40.5	90.2	178.0
2004 5/.....	17.9	*	*	*	0.1	0.5	2.0	6.1	17.5	42.4	95.4	185.8
2003 5/.....	18.9	*	*	*	0.1	0.5	1.9	6.6	18.5	46.4	99.6	197.0
2002.....	19.3	*	*	*	0.1	0.5	2.0	7.4	19.3	48.1	102.3	200.0
2001.....	19.7	*	*	*	0.1	0.5	2.1	7.4	19.8	50.5	102.7	208.3
2000.....	20.4	*	*	*	0.1	0.4	1.8	7.1	21.1	51.9	108.4	222.2
1999.....	20.2	*	*	*	0.1	0.5	2.0	7.1	21.6	52.0	107.4	220.7

Worktable Orig12. Death rates for 358 selected causes, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2006

[Rates per 100,000 population in specified group. Rates are based on populations enumerated as of April 1 for 2000 and estimated as of July 1 for all other years. Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.odc.gov/nchs> and refer to 'Detailed technical notes to the United States 2006 data-mortality']

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, and sex	All ages 1/	Under 1 year 2/	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
Colon (C18)												
Non-Hispanic black, both sexes												
2006 5/.....	15.3	*	*	*	*	1.0	3.9	14.2	37.4	78.4	146.3	209.7
2005 5/.....	15.5	*	*	*	*	0.8	3.4	14.6	38.9	79.1	149.8	232.7
2004 5/.....	15.2	*	*	*	*	0.6	3.2	13.5	38.7	84.5	149.1	228.5
2003 5/.....	16.1	*	*	*	*	0.7	4.1	15.7	40.8	88.9	153.9	250.2
2002.....	16.2	*	*	*	*	0.6	3.9	15.9	42.5	87.3	163.8	247.4
2001.....	16.7	*	*	*	*	0.9	4.1	16.1	43.5	93.3	167.8	252.2
2000.....	16.8	*	*	*	*	0.8	4.2	16.7	43.3	91.1	173.2	282.4
1999.....	16.8	*	*	*	*	0.9	4.0	15.3	45.9	93.0	173.0	276.4
Non-Hispanic black, male												
2006 5/.....	15.8	*	*	*	*	0.9	4.0	16.3	44.0	101.4	189.4	279.5
2005 5/.....	15.4	*	*	*	*	1.1	3.2	15.4	48.8	98.3	187.5	254.1
2004 5/.....	15.1	*	*	*	*	*	2.8	15.4	45.5	105.2	191.4	241.8
2003 5/.....	16.0	*	*	*	*	*	4.1	17.7	49.2	110.4	191.6	273.8
2002.....	16.4	*	*	*	*	*	4.5	17.5	52.2	106.1	209.8	296.5
2001.....	16.2	*	*	*	*	0.9	4.3	17.7	49.0	111.5	204.0	311.8
2000.....	16.8	*	*	*	*	*	4.7	18.4	52.8	110.3	218.8	351.1
1999.....	16.3	*	*	*	*	0.9	3.7	16.7	55.6	109.6	215.8	306.6
Non-Hispanic black, female												
2006 5/.....	14.8	*	*	*	*	1.0	3.7	12.3	32.0	62.0	121.8	181.2
2005 5/.....	15.6	*	*	*	*	*	3.6	13.9	31.0	65.4	128.4	224.0
2004 5/.....	15.3	*	*	*	*	*	3.5	11.8	33.2	69.8	125.3	223.3
2003 5/.....	16.3	*	*	*	*	*	4.1	14.0	34.1	73.6	132.6	241.0
2002.....	16.1	*	*	*	*	*	3.5	14.6	34.7	73.9	137.8	228.7
2001.....	17.1	*	*	*	*	0.9	3.9	14.7	39.1	80.5	147.4	230.1
2000.....	16.9	*	*	*	*	0.8	3.7	15.2	35.7	77.5	147.6	256.9
1999.....	17.3	*	*	*	*	0.9	4.3	14.0	38.0	81.3	149.0	265.2

Worktable Orig12. Death rates for 358 selected causes, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2006

[Rates per 100,000 population in specified group. Rates are based on populations enumerated as of April 1 for 2000 and estimated as of July 1 for all other years. Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to 'Detailed technical notes to the United States 2006 data-mortality']

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, and sex	All ages 1/	Under 1 year 2/	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
Rectosigmoid junction and rectum (C19-C20)												
All origins 3/, both sexes												
2006.....	3.0	*	*	*	*	0.2	0.7	2.3	5.3	10.5	18.1	27.0
2005.....	2.9	*	*	*	*	0.2	0.7	2.3	5.3	10.8	17.9	27.6
2004.....	2.9	*	*	*	*	0.2	0.8	2.1	5.5	10.3	18.1	29.1
2003.....	2.9	*	*	*	*	0.1	0.6	2.2	5.7	10.9	18.0	29.9
2002.....	3.0	*	*	*	*	0.2	0.7	2.2	5.9	11.7	18.0	29.0
2001.....	3.0	*	*	*	*	0.2	0.7	2.5	5.5	11.2	18.3	32.6
2000.....	3.0	*	*	*	*	0.1	0.6	2.1	5.8	11.8	18.8	32.6
1999.....	3.0	*	*	*	*	0.2	0.6	2.0	5.8	11.7	18.8	32.1
All origins 3/, male												
2006.....	3.3	*	*	*	*	0.2	0.8	2.8	7.0	14.0	24.2	32.7
2005.....	3.3	*	*	*	*	0.2	0.7	2.7	7.0	15.0	23.6	32.8
2004.....	3.3	*	*	*	*	0.2	0.9	2.6	7.4	14.3	24.5	33.5
2003.....	3.3	*	*	*	*	0.2	0.7	2.7	7.6	14.6	23.7	36.4
2002.....	3.4	*	*	*	*	0.2	0.8	2.9	8.1	15.3	24.2	33.6
2001.....	3.4	*	*	*	*	0.2	0.8	3.0	7.4	15.5	24.4	40.7
2000.....	3.4	*	*	*	*	0.2	0.7	2.6	7.8	16.3	24.8	38.9
1999.....	3.3	*	*	*	*	0.2	0.6	2.5	7.6	15.4	25.1	40.7
All origins 3/, female												
2006.....	2.6	*	*	*	*	0.2	0.7	1.8	3.8	7.6	14.0	24.3
2005.....	2.5	*	*	*	*	0.1	0.6	1.8	3.7	7.2	14.0	25.2
2004.....	2.5	*	*	*	*	0.2	0.7	1.7	3.8	7.0	13.7	27.2
2003.....	2.6	*	*	*	*	0.1	0.5	1.6	3.9	7.8	14.2	27.0
2002.....	2.6	*	*	*	*	0.2	0.5	1.7	3.8	8.7	13.9	27.0
2001.....	2.6	*	*	*	*	0.1	0.5	1.9	3.7	7.6	14.4	29.2
2000.....	2.6	*	*	*	*	0.1	0.5	1.6	4.0	8.1	14.8	30.1
1999.....	2.7	*	*	*	*	0.1	0.5	1.6	4.1	8.7	14.7	28.7
Hispanic, both sexes												
2006.....	1.0	*	*	*	*	*	0.4	1.7	4.0	6.7	12.6	18.8
2005.....	1.0	*	*	*	*	*	*	1.4	3.7	8.1	13.0	18.8
2004.....	0.9	*	*	*	*	*	0.5	1.2	4.6	7.3	9.6	16.6
2003.....	1.1	*	*	*	*	*	0.6	1.8	4.8	7.6	12.6	20.2
2002.....	0.9	*	*	*	*	*	*	1.6	4.5	7.8	10.5	18.3
2001.....	1.0	*	*	*	*	*	0.6	1.8	4.0	8.1	14.1	21.3
2000.....	1.0	*	*	*	*	*	0.4	1.7	4.7	6.9	14.0	19.9
1999.....	0.9	*	*	*	*	*	*	1.2	4.3	9.1	12.5	21.0
Hispanic, male												
2006.....	1.2	*	*	*	*	*	*	2.1	5.3	9.4	17.7	29.3
2005.....	1.2	*	*	*	*	*	*	1.9	5.6	12.4	16.0	*
2004.....	1.1	*	*	*	*	*	0.6	1.6	6.3	8.8	15.4	*
2003.....	1.3	*	*	*	*	*	0.8	2.4	6.9	11.4	15.7	*
2002.....	1.1	*	*	*	*	*	*	2.0	7.2	10.1	12.3	*
2001.....	1.2	*	*	*	*	*	0.8	2.2	6.0	11.2	20.1	*
2000.....	1.0	*	*	*	*	*	*	1.8	6.8	10.6	14.8	*
1999.....	1.0	*	*	*	*	*	*	1.7	4.7	13.8	15.6	*
Hispanic, female												
2006.....	0.8	*	*	*	*	*	*	1.2	2.8	4.5	9.1	13.2
2005.....	0.8	*	*	*	*	*	*	*	1.9	4.7	10.9	16.3
2004.....	0.8	*	*	*	*	*	*	*	3.0	6.1	5.7	15.1
2003.....	0.9	*	*	*	*	*	*	1.3	3.0	4.6	10.5	15.6
2002.....	0.8	*	*	*	*	*	*	1.1	2.0	5.9	9.3	17.4
2001.....	0.8	*	*	*	*	*	*	1.3	2.2	5.7	10.0	*
2000.....	0.9	*	*	*	*	*	*	1.5	2.9	4.0	13.5	*
1999.....	0.8	*	*	*	*	*	*	*	4.0	5.3	10.4	*

Worktable Orig12. Death rates for 358 selected causes, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2006

[Rates per 100,000 population in specified group. Rates are based on populations enumerated as of April 1 for 2000 and estimated as of July 1 for all other years. Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to 'Detailed technical notes to the United States 2006 data-mortality']

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, and sex	All ages 1/	Under 1 year 2/	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
Rectosigmoid junction and rectum (C19-C20)												
Non-Hispanic 4/, both sexes												
2006.....	3.3	*	*	*	*	0.2	0.8	2.3	5.5	10.8	18.5	27.3
2005.....	3.2	*	*	*	*	0.2	0.7	2.3	5.4	11.0	18.1	28.0
2004.....	3.2	*	*	*	*	0.2	0.8	2.2	5.6	10.5	18.5	29.7
2003.....	3.2	*	*	*	*	0.2	0.6	2.2	5.7	11.1	18.3	30.3
2002.....	3.3	*	*	*	*	0.2	0.7	2.3	6.0	11.9	18.3	29.3
2001.....	3.3	*	*	*	*	0.2	0.7	2.5	5.6	11.4	18.5	33.0
2000.....	3.3	*	*	*	*	0.1	0.6	2.2	5.9	12.1	18.9	33.0
1999.....	3.2	*	*	*	*	0.2	0.6	2.1	5.9	11.9	19.0	32.5
Non-Hispanic 4/, male												
2006.....	3.7	*	*	*	*	0.3	0.9	2.8	7.1	14.3	24.6	32.8
2005.....	3.7	*	*	*	*	0.2	0.8	2.8	7.1	15.2	24.0	33.2
2004.....	3.7	*	*	*	*	0.3	0.9	2.7	7.5	14.6	24.9	34.2
2003.....	3.6	*	*	*	*	0.2	0.7	2.8	7.6	14.8	24.1	36.6
2002.....	3.8	*	*	*	*	0.3	0.9	2.9	8.2	15.6	24.7	34.2
2001.....	3.7	*	*	*	*	0.2	0.8	3.1	7.5	15.7	24.6	40.9
2000.....	3.7	*	*	*	*	0.2	0.8	2.7	7.8	16.6	25.1	39.3
1999.....	3.6	*	*	*	*	0.2	0.7	2.6	7.8	15.5	25.4	41.2
Non-Hispanic 4/, female												
2006.....	2.9	*	*	*	*	0.2	0.7	1.9	3.9	7.8	14.3	24.8
2005.....	2.8	*	*	*	*	0.1	0.6	1.9	3.9	7.4	14.1	25.6
2004.....	2.8	*	*	*	*	0.1	0.8	1.8	3.8	7.1	14.1	27.6
2003.....	2.8	*	*	*	*	0.1	0.5	1.7	3.9	8.0	14.4	27.5
2002.....	2.9	*	*	*	*	0.2	0.6	1.7	4.0	8.8	14.1	27.2
2001.....	2.9	*	*	*	*	0.2	0.5	2.0	3.8	7.8	14.5	29.7
2000.....	2.9	*	*	*	*	0.1	0.5	1.6	4.1	8.3	14.8	30.5
1999.....	2.9	*	*	*	*	*	0.6	1.7	4.1	8.9	14.8	29.0
Non-Hispanic white, both sexes												
2006 5/.....	3.6	*	*	*	*	0.2	0.8	2.3	5.4	10.8	18.2	27.3
2005 5/.....	3.5	*	*	*	*	0.2	0.7	2.2	5.3	10.9	18.0	28.0
2004 5/.....	3.5	*	*	*	*	0.2	0.7	2.2	5.5	10.7	18.7	29.7
2003 5/.....	3.5	*	*	*	*	0.1	0.6	2.1	5.6	11.0	18.3	30.5
2002.....	3.6	*	*	*	*	0.2	0.7	2.3	5.9	12.0	18.1	29.3
2001.....	3.6	*	*	*	*	0.2	0.7	2.5	5.6	11.4	18.5	33.0
2000.....	3.5	*	*	*	*	0.1	0.6	2.1	5.7	11.9	19.0	33.5
1999.....	3.5	*	*	*	*	0.2	0.6	2.1	5.8	11.9	19.0	32.6
Non-Hispanic white, male												
2006 5/.....	4.0	*	*	*	*	0.2	0.8	2.7	7.0	14.3	24.2	33.4
2005 5/.....	4.0	*	*	*	*	0.2	0.8	2.6	6.9	15.0	24.0	33.0
2004 5/.....	4.0	*	*	*	*	0.2	0.8	2.7	7.4	14.8	25.2	34.3
2003 5/.....	3.9	*	*	*	*	0.2	0.7	2.6	7.5	14.8	24.2	36.1
2002.....	4.0	*	*	*	*	0.2	0.8	2.9	8.0	15.8	24.4	34.3
2001.....	4.0	*	*	*	*	0.2	0.8	3.1	7.3	15.6	25.0	41.1
2000.....	4.0	*	*	*	*	*	0.7	2.6	7.6	18.2	25.4	40.3
1999.....	3.9	*	*	*	*	0.2	0.6	2.4	7.6	15.4	25.3	41.2
Non-Hispanic white, female												
2006 5/.....	3.1	*	*	*	*	*	0.8	1.8	3.9	7.8	14.0	24.5
2005 5/.....	3.1	*	*	*	*	*	0.6	1.9	3.8	7.4	13.9	25.7
2004 5/.....	3.1	*	*	*	*	*	0.7	1.7	3.7	7.2	14.4	27.6
2003 5/.....	3.0	*	*	*	*	*	0.5	1.6	3.8	7.8	14.2	28.0
2002.....	3.1	*	*	*	*	0.2	0.5	1.7	3.8	8.8	13.9	27.2
2001.....	3.1	*	*	*	*	0.2	0.6	1.8	3.9	7.9	14.3	29.6
2000.....	3.1	*	*	*	*	*	0.4	1.6	4.0	8.3	14.9	30.7
1999.....	3.2	*	*	*	*	*	0.6	1.7	4.1	8.9	14.9	29.2

Worktable Orig12. Death rates for 358 selected causes, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2006

[Rates per 100,000 population in specified group. Rates are based on populations enumerated as of April 1 for 2000 and estimated as of July 1 for all other years. Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.odc.gov/nchs> and refer to 'Detailed technical notes to the United States 2006 data-mortality']

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, and sex	All ages 1/	Under 1 year 2/	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
Rectosigmoid junction and rectum (C19-C20)												
Non-Hispanic black, both sexes												
2006 5/.....	2.6	*	*	*	*	*	1.1	3.1	6.3	11.8	24.3	32.9
2005 5/.....	2.5	*	*	*	*	*	0.8	3.2	6.8	12.5	20.3	30.3
2004 5/.....	2.4	*	*	*	*	*	1.2	3.1	6.8	11.3	17.9	32.2
2003 5/.....	2.5	*	*	*	*	*	1.0	3.2	7.6	12.5	19.9	32.1
2002.....	2.5	*	*	*	*	*	1.0	2.9	7.6	12.8	21.5	30.2
2001.....	2.4	*	*	*	*	*	0.8	3.1	6.8	12.1	20.9	35.9
2000.....	2.5	*	*	*	*	*	0.9	3.0	7.4	14.7	18.3	28.9
1999.....	2.4	*	*	*	*	*	0.7	2.5	7.7	13.4	20.8	32.0
Non-Hispanic black, male												
2006 5/.....	3.0	*	*	*	*	*	1.3	4.0	8.8	16.4	34.2	33.0
2005 5/.....	2.9	*	*	*	*	*	1.0	4.5	9.5	17.6	25.8	42.8
2004 5/.....	2.8	*	*	*	*	*	1.6	3.7	8.9	16.8	27.1	32.5
2003 5/.....	2.9	*	*	*	*	*	1.1	4.3	10.5	16.9	24.5	46.9
2002.....	2.8	*	*	*	*	*	1.2	4.0	10.2	16.4	30.2	35.0
2001.....	2.8	*	*	*	*	*	1.3	3.5	9.9	18.7	24.9	39.3
2000.....	2.9	*	*	*	*	*	1.3	3.9	10.5	22.8	24.4	29.4
1999.....	2.8	*	*	*	*	*	0.8	3.5	11.1	17.7	29.7	45.2
Non-Hispanic black, female												
2006 5/.....	2.3	*	*	*	*	*	0.9	2.3	4.2	8.4	18.6	32.9
2005 5/.....	2.2	*	*	*	*	*	*	2.1	4.6	8.9	17.2	25.3
2004 5/.....	2.1	*	*	*	*	*	0.9	2.6	5.2	7.4	12.7	32.1
2003 5/.....	2.2	*	*	*	*	*	0.9	2.2	5.3	9.4	17.3	26.4
2002.....	2.2	*	*	*	*	*	0.7	2.0	5.5	10.2	16.6	28.4
2001.....	2.1	*	*	*	*	*	*	2.8	4.3	7.5	18.7	34.6
2000.....	2.0	*	*	*	*	*	*	2.2	4.9	9.1	14.9	28.8
1999.....	2.0	*	*	*	*	*	*	1.6	4.9	10.3	15.8	27.1

Worktable Orig12. Death rates for 358 selected causes, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2006

[Rates per 100,000 population in specified group. Rates are based on populations enumerated as of April 1 for 2000 and estimated as of July 1 for all other years. Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to 'Detailed technical notes to the United States 2006 data-mortality']

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, and sex	All ages 1/	Under 1 year 2/	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
Anus and anus canal (C21)												
Non-Hispanic 4/, both sexes												
2006.....	0.2	*	*	*	*	*	0.1	0.3	0.5	0.6	1.0	1.5
2005.....	0.2	*	*	*	*	*	0.1	0.3	0.5	0.7	0.9	1.2
2004.....	0.2	*	*	*	*	*	0.1	0.3	0.5	0.7	1.0	1.2
2003.....	0.2	*	*	*	*	*	0.1	0.2	0.4	0.6	1.0	1.4
2002.....	0.2	*	*	*	*	*	0.1	0.3	0.4	0.6	0.9	1.2
2001.....	0.2	*	*	*	*	*	0.1	0.2	0.4	0.6	0.9	1.5
2000.....	0.2	*	*	*	*	*	0.1	0.3	0.4	0.6	0.8	1.2
1999.....	0.2	*	*	*	*	*	0.1	0.2	0.4	0.6	0.8	1.4
Non-Hispanic 4/, male												
2006.....	0.2	*	*	*	*	*	0.1	0.2	0.4	0.6	0.7	1.4
2005.....	0.2	*	*	*	*	*	0.1	0.2	0.4	0.6	0.7	*
2004.....	0.2	*	*	*	*	*	0.1	0.2	0.5	0.6	0.7	*
2003.....	0.1	*	*	*	*	*	0.1	0.2	0.3	0.6	0.5	*
2002.....	0.2	*	*	*	*	*	0.1	0.3	0.3	0.5	0.6	*
2001.....	0.1	*	*	*	*	*	0.2	0.3	0.6	0.7	0.7	*
2000.....	0.2	*	*	*	*	*	0.2	0.4	0.5	0.8	0.8	*
1999.....	0.1	*	*	*	*	*	0.2	0.3	0.4	0.4	0.7	*
Non-Hispanic 4/, female												
2006.....	0.3	*	*	*	*	*	0.1	0.3	0.6	0.7	1.2	1.5
2005.....	0.3	*	*	*	*	*	0.3	0.5	0.7	1.1	1.1	1.4
2004.....	0.3	*	*	*	*	*	0.4	0.4	0.7	1.2	1.1	1.4
2003.....	0.3	*	*	*	*	*	0.3	0.5	0.7	1.3	1.6	1.6
2002.....	0.2	*	*	*	*	*	0.3	0.5	0.7	1.0	1.1	1.1
2001.....	0.2	*	*	*	*	*	0.1	0.3	0.4	0.6	1.1	1.7
2000.....	0.2	*	*	*	*	*	0.1	0.3	0.4	0.7	0.9	1.3
1999.....	0.2	*	*	*	*	*	0.2	0.4	0.7	1.0	1.0	1.6
Non-Hispanic white, both sexes												
2006 5/.....	0.3	*	*	*	*	*	0.1	0.3	0.5	0.7	1.0	1.5
2005 5/.....	0.2	*	*	*	*	*	0.1	0.3	0.5	0.7	1.0	1.3
2004 5/.....	0.2	*	*	*	*	*	0.1	0.3	0.5	0.7	1.0	1.1
2003 5/.....	0.2	*	*	*	*	*	0.1	0.3	0.4	0.6	0.9	1.4
2002.....	0.2	*	*	*	*	*	0.1	0.3	0.4	0.6	0.9	1.2
2001.....	0.2	*	*	*	*	*	0.1	0.2	0.4	0.6	0.9	1.5
2000.....	0.2	*	*	*	*	*	0.1	0.3	0.4	0.6	0.8	1.2
1999.....	0.2	*	*	*	*	*	0.1	0.2	0.4	0.6	0.9	1.5
Non-Hispanic white, male												
2006 5/.....	0.2	*	*	*	*	*	0.2	0.4	0.6	0.8	0.8	1.5
2005 5/.....	0.2	*	*	*	*	*	0.2	0.4	0.6	0.8	0.8	*
2004 5/.....	0.2	*	*	*	*	*	0.2	0.5	0.6	0.8	0.8	*
2003 5/.....	0.1	*	*	*	*	*	0.1	0.4	0.5	0.5	0.6	*
2002.....	0.2	*	*	*	*	*	0.3	0.3	0.5	0.6	0.6	*
2001.....	0.2	*	*	*	*	*	0.2	0.3	0.6	0.7	0.7	*
2000.....	0.2	*	*	*	*	*	0.2	0.3	0.5	0.8	0.8	*
1999.....	0.1	*	*	*	*	*	0.2	0.3	0.5	0.7	0.7	*
Non-Hispanic white, female												
2006 5/.....	0.3	*	*	*	*	*	0.1	0.3	0.6	0.8	1.1	1.5
2005 5/.....	0.3	*	*	*	*	*	0.4	0.6	0.7	1.1	1.5	1.5
2004 5/.....	0.3	*	*	*	*	*	0.4	0.5	0.7	1.2	1.2	1.1
2003 5/.....	0.3	*	*	*	*	*	0.4	0.5	0.6	1.2	1.8	1.8
2002.....	0.3	*	*	*	*	*	0.3	0.5	0.7	1.1	1.2	1.2
2001.....	0.3	*	*	*	*	*	0.1	0.3	0.5	0.7	1.1	1.8
2000.....	0.3	*	*	*	*	*	0.3	0.5	0.7	1.1	0.9	1.2
1999.....	0.2	*	*	*	*	*	0.2	0.5	0.6	1.0	1.0	1.7

Worktable Orig12. Death rates for 358 selected causes, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2006

[Rates per 100,000 population in specified group. Rates are based on populations enumerated as of April 1 for 2000 and estimated as of July 1 for all other years. Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to 'Detailed technical notes to the United States 2006 data-mortality']

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, and sex	All ages 1/	Under 1 year 2/	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
Of liver and intrahepatic bile ducts (C22)												
All origins 3/, both sexes												
2006.....	5.5	*	*	*	0.1	0.2	0.8	5.6	12.2	20.2	31.9	33.5
2005.....	5.4	*	0.1	*	0.1	0.2	0.9	5.9	11.3	20.1	32.0	32.5
2004.....	5.2	*	0.1	*	0.1	0.2	0.9	5.6	10.7	19.9	31.3	32.4
2003.....	5.1	*	0.1	*	0.1	0.2	0.9	5.4	9.9	19.8	30.7	33.4
2002.....	4.9	*	0.2	*	0.1	0.3	0.9	4.9	9.6	19.6	29.3	35.0
2001.....	4.7	*	*	*	0.1	0.2	0.9	4.8	9.3	18.8	29.0	34.1
2000.....	4.6	*	0.1	0.0	0.1	0.2	1.0	4.5	9.3	18.7	28.8	32.7
1999.....	4.4	*	0.2	*	0.1	0.2	1.0	4.1	8.8	19.0	28.0	30.6
All origins 3/, male												
2006.....	7.3	*	*	*	*	0.3	1.1	8.9	19.0	29.3	44.6	43.8
2005.....	7.2	*	*	*	*	0.3	1.2	9.6	17.9	29.0	45.0	44.8
2004.....	6.8	*	*	*	0.1	0.3	1.3	9.2	16.6	28.3	42.7	41.5
2003.....	6.6	*	*	*	0.1	0.3	1.3	8.9	14.9	27.9	44.6	47.5
2002.....	6.4	*	*	*	*	0.3	1.4	8.2	14.5	28.5	41.6	46.2
2001.....	6.1	*	*	*	*	0.2	1.3	7.7	13.9	26.8	41.0	50.3
2000.....	5.9	*	*	*	0.1	0.3	1.3	7.2	13.8	27.0	42.1	44.7
1999.....	5.6	*	0.3	*	0.1	0.2	1.4	6.5	12.9	27.5	39.0	40.1
All origins 3/, female												
2006.....	3.8	*	*	*	*	0.2	0.5	2.3	5.8	12.6	23.2	28.7
2005.....	3.7	*	*	*	*	0.1	0.6	2.4	5.2	12.6	23.2	26.8
2004.....	3.7	*	*	*	*	0.1	0.4	2.2	5.3	12.9	23.6	28.3
2003.....	3.5	*	*	*	*	0.2	0.5	2.1	5.3	13.0	21.4	27.2
2002.....	3.4	*	*	*	*	0.2	0.5	1.8	5.1	12.2	21.1	30.2
2001.....	3.4	*	*	*	*	0.2	0.4	1.9	5.0	12.1	21.1	27.2
2000.....	3.3	*	*	*	*	0.1	0.6	1.9	5.1	11.8	20.1	27.8
1999.....	3.3	*	*	*	*	0.2	0.6	1.8	5.1	11.9	20.9	26.8
Hispanic, both sexes												
2006.....	4.1	*	*	*	*	*	0.8	7.3	17.2	31.5	51.6	55.2
2005.....	4.2	*	*	*	*	*	0.9	8.0	18.2	33.8	52.1	54.8
2004.....	3.8	*	*	*	*	*	1.0	7.2	16.6	30.8	46.6	50.9
2003.....	3.8	*	*	*	*	*	0.8	7.5	16.1	32.5	49.8	51.8
2002.....	3.5	*	*	*	*	*	0.8	5.9	15.7	34.1	44.2	59.9
2001.....	3.4	*	*	*	*	*	0.8	6.7	14.1	28.8	52.1	52.5
2000.....	3.3	*	*	*	*	*	1.2	5.6	13.7	31.1	51.8	58.4
1999.....	3.2	*	*	*	*	*	0.9	5.7	13.1	31.3	49.8	53.3
Hispanic, male												
2006.....	5.2	*	*	*	*	*	1.0	11.5	27.5	45.7	69.2	62.0
2005.....	5.4	*	*	*	*	*	1.1	12.6	28.8	46.9	68.5	71.0
2004.....	4.9	*	*	*	*	*	1.6	11.2	27.5	42.3	62.9	71.4
2003.....	4.8	*	*	*	*	*	1.2	12.5	24.3	45.2	66.0	55.4
2002.....	4.5	*	*	*	*	*	1.1	9.8	24.1	48.9	59.9	75.3
2001.....	4.3	*	*	*	*	*	1.3	11.1	21.5	41.1	66.0	64.8
2000.....	4.2	*	*	*	*	*	1.7	9.1	20.5	43.9	74.7	72.6
1999.....	3.9	*	*	*	*	*	1.1	9.6	20.7	42.8	63.1	66.9
Hispanic, female												
2006.....	2.9	*	*	*	*	*	*	3.1	7.7	20.0	39.2	51.5
2005.....	3.0	*	*	*	*	*	0.7	3.3	8.6	23.1	40.7	46.3
2004.....	2.6	*	*	*	*	*	*	3.1	6.7	21.6	38.8	40.3
2003.....	2.7	*	*	*	*	*	*	2.5	8.8	22.4	38.7	50.0
2002.....	2.5	*	*	*	*	*	*	2.1	8.2	22.4	33.4	52.2
2001.....	2.5	*	*	*	*	*	*	2.3	7.6	19.1	41.4	46.5
2000.....	2.4	*	*	*	*	*	*	2.2	7.6	21.1	36.3	51.4
1999.....	2.4	*	*	*	*	*	*	1.9	6.3	22.2	40.9	46.8

Worktable Orig12. Death rates for 358 selected causes, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2006

[Rates per 100,000 population in specified group. Rates are based on populations enumerated as of April 1 for 2000 and estimated as of July 1 for all other years. Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to 'Detailed technical notes to the United States 2006 data-mortality']

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, and sex	All ages 1/	Under 1 year 2/	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
Of liver and intrahepatic bile ducts (C22)												
Non-Hispanic 4/, both sexes												
2006.....	5.8	*	*	*	0.1	0.2	0.8	5.3	11.7	19.3	30.6	32.3
2005.....	5.6	*	*	*	0.1	0.3	0.9	5.7	10.7	19.0	30.8	31.3
2004.....	5.4	*	0.2	*	0.1	0.2	0.8	5.5	10.2	19.0	30.3	31.5
2003.....	5.2	*	*	*	0.1	0.2	0.9	5.2	9.4	18.8	29.7	32.6
2002.....	5.1	*	0.2	*	0.1	0.3	0.9	4.8	9.1	18.6	28.4	33.9
2001.....	4.9	*	*	*	0.1	0.2	0.9	4.6	8.9	18.1	27.9	33.2
2000.....	4.8	*	0.2	*	0.1	0.2	0.9	4.3	8.9	17.9	27.7	31.7
1999.....	4.6	*	0.2	*	0.1	0.2	1.0	3.9	8.4	18.2	27.1	29.7
Non-Hispanic 4/, male												
2006.....	7.7	*	*	*	*	0.3	1.2	8.5	18.2	27.9	43.0	42.6
2005.....	7.5	*	*	*	*	0.4	1.2	9.2	16.9	27.6	43.5	43.4
2004.....	7.1	*	*	*	0.1	0.3	1.3	9.0	15.6	27.2	41.4	40.0
2003.....	6.9	*	*	*	*	0.3	1.3	8.4	14.1	26.6	43.5	47.1
2002.....	6.6	*	*	*	*	0.4	1.4	8.0	13.7	27.1	40.5	44.8
2001.....	6.3	*	*	*	*	0.2	1.3	7.4	13.2	25.8	39.7	49.7
2000.....	6.2	*	*	*	*	0.3	1.3	6.9	13.3	25.9	40.5	43.4
1999.....	5.8	*	*	*	0.1	0.3	1.5	6.2	12.2	26.5	37.9	38.7
Non-Hispanic 4/, female												
2006.....	3.9	*	*	*	*	0.2	0.5	2.3	5.6	12.0	22.2	27.6
2005.....	3.8	*	*	*	*	0.1	0.5	2.3	4.9	11.8	22.1	25.8
2004.....	3.8	*	*	*	*	0.2	0.4	2.1	5.2	12.1	22.7	27.7
2003.....	3.6	*	*	*	*	0.2	0.5	2.1	5.0	12.3	20.4	26.2
2002.....	3.6	*	*	*	*	0.2	0.5	1.7	4.8	11.4	20.5	29.2
2001.....	3.5	*	*	*	*	0.2	0.4	1.9	4.8	11.7	20.2	26.4
2000.....	3.4	*	*	*	*	0.1	0.6	1.9	4.9	11.2	19.4	27.0
1999.....	3.4	*	*	*	*	0.2	0.5	1.8	4.9	11.3	20.0	26.1
Non-Hispanic white, both sexes												
2006 5/.....	5.6	*	*	*	0.1	0.2	0.6	4.4	9.9	17.7	29.1	31.7
2005 5/.....	5.5	*	*	*	*	0.2	0.6	4.8	9.0	17.2	29.2	30.4
2004 5/.....	5.3	*	*	*	0.1	0.1	0.6	4.5	8.6	17.1	28.8	30.1
2003 5/.....	5.1	*	*	*	0.1	0.1	0.7	4.2	8.0	17.0	28.2	31.1
2002.....	5.0	*	*	*	*	0.2	0.7	3.9	7.7	17.0	27.4	32.6
2001.....	4.8	*	*	*	0.1	0.1	0.6	3.7	7.6	16.6	26.5	32.4
2000.....	4.6	*	*	*	*	0.1	0.6	3.4	7.5	16.2	26.5	30.8
1999.....	4.5	*	0.2	*	0.1	0.1	0.7	3.1	7.1	16.8	26.1	28.9
Non-Hispanic white, male												
2006 5/.....	7.3	*	*	*	*	0.2	0.7	7.1	14.9	25.2	41.2	42.3
2005 5/.....	7.2	*	*	*	*	0.2	0.8	7.6	14.0	24.8	41.5	43.4
2004 5/.....	6.8	*	*	*	*	0.2	0.9	7.4	12.8	24.4	40.0	38.0
2003 5/.....	6.7	*	*	*	*	*	1.0	6.7	11.9	24.3	41.6	45.0
2002.....	6.4	*	*	*	*	0.2	1.1	6.4	11.5	24.6	38.7	43.6
2001.....	6.1	*	*	*	*	*	0.9	5.9	11.2	24.2	38.0	48.9
2000.....	5.9	*	*	*	*	0.2	0.8	5.3	11.0	23.6	39.2	41.6
1999.....	5.7	*	*	*	*	*	1.1	4.8	10.2	24.6	36.7	39.0
Non-Hispanic white, female												
2006 5/.....	4.0	*	*	*	*	0.2	0.5	1.9	5.1	11.1	20.6	26.8
2005 5/.....	3.8	*	*	*	*	*	0.5	2.0	4.3	10.6	20.8	24.5
2004 5/.....	3.8	*	*	*	*	*	0.4	1.7	4.7	10.9	21.2	26.5
2003 5/.....	3.6	*	*	*	*	*	0.5	1.7	4.2	10.7	19.2	25.0
2002.....	3.6	*	*	*	*	0.2	0.4	1.4	4.2	10.4	19.9	27.8
2001.....	3.4	*	*	*	*	*	0.3	1.5	4.1	10.2	18.9	25.5
2000.....	3.4	*	*	*	*	*	0.4	1.6	4.3	10.1	18.2	26.5
1999.....	3.4	*	*	*	*	*	0.4	1.6	4.2	10.2	19.1	24.8

Worktable Orig12. Death rates for 358 selected causes, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2006

[Rates per 100,000 population in specified group. Rates are based on populations enumerated as of April 1 for 2000 and estimated as of July 1 for all other years. Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.odc.gov/nchs> and refer to 'Detailed technical notes to the United States 2006 data-mortality']

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, and sex	All ages 1/	Under 1 year 2/	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
Of liver and intrahepatic bile ducts (C22)												
Non-Hispanic black, both sexes												
2006 5/.....	5.7	*	*	*	*	0.4	1.3	9.6	22.3	24.6	33.4	31.6
2005 5/.....	5.6	*	*	*	*	0.5	1.5	9.9	20.5	25.4	33.6	28.9
2004 5/.....	5.4	*	*	*	*	0.4	1.4	9.8	17.7	26.1	34.7	36.6
2003 5/.....	5.1	*	*	*	*	0.5	1.4	10.0	16.5	23.1	31.7	41.9
2002.....	4.7	*	*	*	*	0.5	1.5	8.9	15.0	23.3	30.9	38.1
2001.....	4.6	*	*	*	*	*	1.7	8.9	15.1	21.9	32.3	35.3
2000.....	4.5	*	*	*	*	0.4	1.8	8.8	14.5	23.7	29.1	31.8
1999.....	4.3	*	*	*	*	0.4	1.7	7.4	13.4	24.6	29.7	34.9
Non-Hispanic black, male												
2006 5/.....	8.3	*	*	*	*	*	2.2	15.7	40.6	40.0	45.9	34.8
2005 5/.....	8.2	*	*	*	*	*	2.2	17.3	36.4	40.2	51.0	31.4
2004 5/.....	7.6	*	*	*	*	*	2.3	16.9	30.5	41.3	44.2	47.8
2003 5/.....	7.0	*	*	*	*	*	2.2	17.3	26.4	33.8	44.7	63.9
2002.....	6.6	*	*	*	*	*	2.3	15.4	24.4	38.2	46.3	41.6
2001.....	6.1	*	*	*	*	*	2.7	15.1	24.2	30.3	42.6	42.7
2000.....	6.3	*	*	*	*	*	2.5	15.0	24.1	37.3	40.4	48.1
1999.....	5.7	*	*	*	*	*	2.5	13.1	20.3	36.8	41.6	30.9
Non-Hispanic black, female												
2006 5/.....	3.3	*	*	*	*	*	*	4.4	7.5	13.5	26.3	30.3
2005 5/.....	3.2	*	*	*	*	*	0.9	3.5	7.8	14.8	23.7	28.0
2004 5/.....	3.4	*	*	*	*	*	*	3.7	7.4	15.2	29.3	32.1
2003 5/.....	3.3	*	*	*	*	*	*	3.6	8.6	15.5	24.3	33.4
2002.....	3.0	*	*	*	*	*	0.8	3.3	7.4	12.8	22.2	36.8
2001.....	3.3	*	*	*	*	*	0.8	3.6	7.8	16.0	26.4	32.5
2000.....	2.9	*	*	*	*	*	1.2	3.4	6.7	14.1	22.8	25.7
1999.....	3.1	*	*	*	*	*	0.9	2.5	7.9	15.9	23.1	36.4

Worktable Orig12. Death rates for 358 selected causes, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2006

[Rates per 100,000 population in specified group. Rates are based on populations enumerated as of April 1 for 2000 and estimated as of July 1 for all other years. Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to 'Detailed technical notes to the United States 2006 data-mortality']

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, and sex	All ages 1/	Under 1 year 2/	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
Liver (C22.0,C22.2-C22.9)												
All origins 3/, both sexes												
2006.....	4.3	*	*	*	0.1	0.2	0.6	4.7	9.9	15.4	23.8	23.6
2005.....	4.2	*	0.1	*	0.1	0.2	0.7	5.1	9.2	15.5	23.5	23.4
2004.....	4.0	*	0.1	*	0.1	0.2	0.6	4.9	8.5	15.2	22.9	23.2
2003.....	3.9	*	0.1	*	0.1	0.2	0.7	4.6	7.8	15.3	23.0	24.3
2002.....	3.8	*	0.2	*	0.1	0.2	0.7	4.3	7.6	15.7	22.2	24.7
2001.....	3.7	*	*	*	0.1	0.2	0.7	4.2	7.5	14.7	21.9	24.2
2000.....	3.6	*	0.1	0.0	0.1	0.2	0.8	3.8	7.5	14.8	22.1	23.4
1999.....	3.5	*	0.2	*	0.1	0.2	0.8	3.5	7.0	15.2	21.5	22.5
All origins 3/, male												
2006.....	6.1	*	*	*	*	0.2	1.0	8.0	16.4	23.7	35.4	31.8
2005.....	6.0	*	*	*	*	0.2	1.0	8.6	15.5	23.5	35.0	33.5
2004.....	5.6	*	*	*	0.1	0.2	1.1	8.4	13.9	23.2	33.1	30.6
2003.....	5.5	*	*	*	*	0.2	1.1	8.1	12.4	22.5	35.4	35.2
2002.....	5.3	*	*	*	*	0.3	1.2	7.4	12.3	24.0	32.7	34.6
2001.....	5.1	*	*	*	*	0.2	1.1	7.1	12.0	22.0	32.2	38.5
2000.....	5.0	*	*	*	*	0.2	1.2	6.4	11.9	22.4	33.7	33.9
1999.....	4.7	*	0.3	*	0.1	0.2	1.2	5.9	10.9	23.1	31.5	31.2
All origins 3/, female												
2006.....	2.6	*	*	*	*	0.1	0.3	1.6	3.8	8.3	15.8	19.8
2005.....	2.5	*	*	*	*	0.3	1.7	3.4	8.8	15.8	18.7	18.7
2004.....	2.5	*	*	*	*	*	0.2	1.5	3.4	8.6	16.1	19.8
2003.....	2.4	*	*	*	*	0.1	0.3	1.3	3.5	9.3	14.7	19.5
2002.....	2.4	*	*	*	*	0.1	0.3	1.3	3.2	8.7	15.2	20.4
2001.....	2.4	*	*	*	*	0.1	0.3	1.4	3.4	8.6	15.1	18.2
2000.....	2.3	*	*	*	*	0.1	0.4	1.3	3.5	8.5	14.4	19.1
1999.....	2.4	*	*	*	*	0.1	0.4	1.2	3.5	8.6	15.0	18.9
Hispanic, both sexes												
2006.....	3.4	*	*	*	*	*	0.6	6.1	15.0	24.9	42.7	45.0
2005.....	3.6	*	*	*	*	*	0.7	7.1	15.7	27.6	42.2	44.1
2004.....	3.2	*	*	*	*	*	0.8	6.3	14.4	24.6	39.6	41.4
2003.....	3.2	*	*	*	*	*	0.6	6.7	13.7	26.3	41.1	40.9
2002.....	3.0	*	*	*	*	*	0.7	5.6	13.2	29.1	37.4	49.9
2001.....	2.9	*	*	*	*	*	0.7	6.2	12.6	24.5	42.2	40.6
2000.....	2.8	*	*	*	*	*	1.0	4.9	11.6	25.7	43.9	51.1
1999.....	2.7	*	*	*	*	*	0.6	5.1	11.6	26.5	40.8	45.6
Hispanic, male												
2006.....	4.6	*	*	*	*	*	0.9	10.3	25.4	37.8	59.1	50.7
2005.....	4.8	*	*	*	*	*	1.0	11.9	26.6	40.8	57.5	61.0
2004.....	4.3	*	*	*	*	*	1.3	10.5	24.8	35.9	53.3	57.4
2003.....	4.2	*	*	*	*	*	1.1	11.6	22.0	38.8	57.1	43.1
2002.....	4.0	*	*	*	*	*	1.0	9.5	21.3	43.6	52.9	63.6
2001.....	3.8	*	*	*	*	*	1.1	10.6	20.4	35.9	57.2	59.0
2000.....	3.8	*	*	*	*	*	1.6	8.4	18.7	38.0	65.9	66.5
1999.....	3.6	*	*	*	*	*	0.9	9.3	19.5	38.7	53.7	58.2
Hispanic, female												
2006.....	2.1	*	*	*	*	*	*	1.8	5.4	14.4	31.2	41.9
2005.....	2.2	*	*	*	*	*	*	2.3	5.7	17.0	31.6	35.2
2004.....	1.9	*	*	*	*	*	*	2.0	5.1	15.6	30.1	33.1
2003.....	2.0	*	*	*	*	*	*	1.7	6.2	16.3	30.0	39.8
2002.....	2.0	*	*	*	*	*	*	1.8	5.9	17.6	26.7	43.1
2001.....	1.9	*	*	*	*	*	*	1.9	5.6	15.4	32.0	31.6
2000.....	1.8	*	*	*	*	*	*	1.5	5.3	16.1	29.1	43.5
1999.....	1.8	*	*	*	*	*	*	4.6	17.0	32.3	39.5	

Worktable Orig12. Death rates for 358 selected causes, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2006

[Rates per 100,000 population in specified group. Rates are based on populations enumerated as of April 1 for 2000 and estimated as of July 1 for all other years. Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to 'Detailed technical notes to the United States 2006 data-mortality']

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, and sex	All ages 1/	Under 1 year 2/	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
Liver (C22.0,C22.2-C22.9)												
Non-Hispanic 4/, both sexes												
2006.....	4.4	*	*	*	0.1	0.2	0.6	4.6	9.4	14.6	22.6	22.5
2005.....	4.3	*	*	*	0.1	0.2	0.6	4.8	8.6	14.6	22.4	22.3
2004.....	4.2	*	*	*	0.1	0.2	0.6	4.7	7.9	14.5	22.0	22.3
2003.....	4.0	*	*	*	0.1	0.2	0.7	4.4	7.3	14.5	22.0	23.6
2002.....	3.9	*	0.2	*	0.1	0.2	0.7	4.1	7.1	14.7	21.4	23.6
2001.....	3.8	*	*	*	0.1	0.2	0.7	4.0	7.1	14.0	20.9	23.5
2000.....	3.7	*	0.2	*	0.1	0.2	0.8	3.7	7.2	14.1	21.1	22.3
1999.....	3.6	*	0.2	*	0.1	0.2	0.8	3.4	6.7	14.4	20.7	21.6
Non-Hispanic 4/, male												
2006.....	6.3	*	*	*	*	0.3	1.0	7.7	15.5	22.6	33.9	30.6
2005.....	6.2	*	*	*	*	0.3	1.0	8.2	14.5	22.2	33.5	32.0
2004.....	5.8	*	*	*	0.1	0.2	1.0	8.1	13.0	22.2	31.9	29.2
2003.....	5.7	*	*	*	*	0.2	1.1	7.6	11.6	21.3	34.2	34.7
2002.....	5.5	*	*	*	*	0.3	1.2	7.2	11.5	22.6	31.6	33.2
2001.....	5.2	*	*	*	*	0.2	1.1	6.7	11.3	21.0	31.0	37.6
2000.....	5.1	*	*	*	*	0.2	1.1	6.2	11.4	21.4	32.2	32.4
1999.....	4.9	*	*	*	0.1	0.2	1.3	5.6	10.2	22.1	30.5	29.9
Non-Hispanic 4/, female												
2006.....	2.6	*	*	*	*	0.3	1.6	3.6	7.8	14.8	18.7	18.7
2005.....	2.6	*	*	*	*	0.3	1.6	3.2	8.1	14.9	17.9	17.9
2004.....	2.6	*	*	*	*	0.2	1.5	3.3	8.0	15.3	19.2	19.2
2003.....	2.5	*	*	*	*	0.1	0.3	1.3	3.3	8.7	13.9	18.7
2002.....	2.5	*	*	*	*	0.2	0.3	1.2	3.0	8.1	14.6	19.4
2001.....	2.4	*	*	*	*	0.1	0.3	1.3	3.2	8.1	14.3	17.6
2000.....	2.4	*	*	*	*	0.1	0.4	1.3	3.3	8.0	13.8	18.2
1999.....	2.4	*	*	*	*	0.1	0.4	1.2	3.4	8.1	14.3	18.3
Non-Hispanic white, both sexes												
2006 5/.....	4.2	*	*	*	0.1	0.1	0.4	3.7	7.6	12.9	21.0	21.8
2005 5/.....	4.1	*	*	*	*	0.1	0.4	4.0	7.0	12.9	21.0	21.2
2004 5/.....	3.9	*	*	*	0.1	*	0.4	3.8	6.3	12.7	20.5	20.9
2003 5/.....	3.8	*	*	*	*	*	0.5	3.4	5.9	12.8	20.5	22.1
2002.....	3.8	*	*	*	*	0.1	0.5	3.3	5.8	13.1	20.4	22.4
2001.....	3.6	*	*	*	*	0.1	0.4	3.1	5.8	12.6	19.7	22.7
2000.....	3.5	*	*	*	*	0.1	0.5	2.8	5.9	12.4	19.8	21.3
1999.....	3.4	*	0.2	*	0.1	*	0.6	2.6	5.4	13.0	19.7	20.6
Non-Hispanic white, male												
2006 5/.....	5.9	*	*	*	*	0.6	6.2	12.3	19.9	32.1	30.2	30.2
2005 5/.....	5.8	*	*	*	*	0.2	6.6	11.7	19.6	32.0	31.6	31.6
2004 5/.....	5.4	*	*	*	*	*	6.6	10.2	19.5	30.2	27.1	27.1
2003 5/.....	5.3	*	*	*	*	*	6.0	9.5	19.3	32.2	32.5	32.5
2002.....	5.2	*	*	*	*	0.8	5.6	9.4	20.3	30.1	32.0	32.0
2001.....	5.0	*	*	*	*	0.7	5.2	9.4	19.5	29.5	29.5	29.5
2000.....	4.8	*	*	*	*	0.7	4.6	9.2	19.0	30.8	30.1	30.1
1999.....	4.6	*	*	*	*	0.9	4.1	8.2	20.1	29.4	29.4	30.0
Non-Hispanic white, female												
2006 5/.....	2.5	*	*	*	*	0.2	1.2	3.1	6.9	13.3	17.9	17.9
2005 5/.....	2.5	*	*	*	*	0.3	1.3	2.6	7.1	13.5	16.5	16.5
2004 5/.....	2.5	*	*	*	*	0.2	1.1	2.7	6.8	13.9	18.0	18.0
2003 5/.....	2.3	*	*	*	*	0.2	1.0	2.5	7.3	12.6	17.5	17.5
2002.....	2.4	*	*	*	*	0.2	0.9	2.5	7.1	14.0	18.3	18.3
2001.....	2.3	*	*	*	*	0.2	1.0	2.5	6.7	13.2	16.8	16.8
2000.....	2.3	*	*	*	*	0.3	1.0	2.8	6.8	12.6	17.7	17.7
1999.....	2.3	*	*	*	*	0.3	1.0	2.7	7.0	13.3	16.9	16.9

Worktable Orig12. Death rates for 358 selected causes, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2006

[Rates per 100,000 population in specified group. Rates are based on populations enumerated as of April 1 for 2000 and estimated as of July 1 for all other years. Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.odc.gov/nchs> and refer to 'Detailed technical notes to the United States 2006 data-mortality']

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, and sex	All ages 1/	Under 1 year 2/	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
Liver (C22.0,C22.2-C22.9)												
Non-Hispanic black, both sexes												
2006 5/.....	5.0	*	*	*	*	*	1.2	8.9	20.2	19.9	26.4	25.2
2005 5/.....	4.8	*	*	*	*	0.4	1.2	9.0	18.4	20.6	25.6	23.8
2004 5/.....	4.6	*	*	*	*	0.4	1.1	9.0	16.0	21.6	27.9	29.4
2003 5/.....	4.3	*	*	*	*	0.4	1.3	8.8	14.5	18.7	25.5	33.0
2002.....	4.1	*	*	*	*	0.4	1.3	8.3	13.2	20.0	24.4	28.7
2001.....	4.0	*	*	*	*	*	1.6	8.1	13.1	18.5	26.3	27.2
2000.....	3.9	*	*	*	*	*	1.6	8.1	12.4	20.4	24.3	24.8
1999.....	3.8	*	*	*	*	*	1.4	7.0	11.8	21.3	24.6	28.8
Non-Hispanic black, male												
2006 5/.....	7.6	*	*	*	*	*	2.2	15.1	37.9	34.1	38.9	27.5
2005 5/.....	7.3	*	*	*	*	*	1.9	16.2	34.1	34.5	39.5	25.7
2004 5/.....	6.9	*	*	*	*	*	2.1	16.1	28.4	36.1	38.2	37.6
2003 5/.....	6.2	*	*	*	*	*	2.2	16.2	23.9	27.9	37.5	51.1
2002.....	6.0	*	*	*	*	*	2.1	14.8	22.7	33.2	37.2	35.0
2001.....	5.5	*	*	*	*	*	2.6	14.4	21.5	26.0	35.7	34.6
2000.....	5.7	*	*	*	*	*	2.2	14.3	22.1	33.2	34.9	42.3
1999.....	5.2	*	*	*	*	*	2.3	12.8	19.1	32.8	35.0	25.0
Non-Hispanic black, female												
2006 5/.....	2.5	*	*	*	*	*	*	3.5	6.0	9.7	19.2	24.3
2005 5/.....	2.4	*	*	*	*	*	*	2.8	5.8	10.6	17.6	23.0
2004 5/.....	2.6	*	*	*	*	*	*	2.8	6.0	11.4	22.1	26.1
2003 5/.....	2.6	*	*	*	*	*	*	2.5	6.9	12.2	18.7	26.0
2002.....	2.3	*	*	*	*	*	*	2.7	5.5	10.6	17.1	26.3
2001.....	2.6	*	*	*	*	*	*	2.7	6.4	13.3	21.1	24.4
2000.....	2.3	*	*	*	*	*	1.1	2.7	4.7	11.4	18.4	18.3
1999.....	2.5	*	*	*	*	*	*	2.1	6.0	13.1	18.7	30.2

Worktable Orig12. Death rates for 358 selected causes, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2006

[Rates per 100,000 population in specified group. Rates are based on populations enumerated as of April 1 for 2000 and estimated as of July 1 for all other years. Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to 'Detailed technical notes to the United States 2006 data-mortality']

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, and sex	All ages 1/	Under 1 year 2/	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
Intrahepatic bile duct carcinoma (C22.1)												
All origins 3/, both sexes												
2006.....	1.2	*	*	*	*	0.0	0.2	0.8	2.3	4.9	8.1	9.9
2005.....	1.2	*	*	*	*	*	0.2	0.8	2.1	4.6	8.4	9.1
2004.....	1.2	*	*	*	*	0.1	0.2	0.8	2.3	4.7	8.3	9.2
2003.....	1.1	*	*	*	*	0.1	0.2	0.8	2.1	4.5	7.7	9.1
2002.....	1.0	*	*	*	*	0.1	0.2	0.6	2.0	3.9	7.1	10.3
2001.....	1.0	*	*	*	*	*	0.2	0.6	1.8	4.1	7.1	9.9
2000.....	1.0	*	*	*	*	*	0.2	0.7	1.8	3.9	6.7	9.3
1999.....	0.9	*	*	*	*	*	0.2	0.6	1.7	3.8	6.5	8.1
All origins 3/, male												
2006.....	1.2	*	*	*	*	*	0.2	0.9	2.6	5.5	9.1	12.0
2005.....	1.2	*	*	*	*	*	0.2	0.9	2.4	5.5	10.0	11.3
2004.....	1.2	*	*	*	*	*	0.2	0.9	2.6	5.1	9.5	10.9
2003.....	1.2	*	*	*	*	*	0.2	0.8	2.5	5.4	9.2	12.4
2002.....	1.0	*	*	*	*	*	0.2	0.8	2.2	4.5	8.8	11.6
2001.....	1.0	*	*	*	*	*	0.2	0.7	1.9	4.8	8.8	11.9
2000.....	1.0	*	*	*	*	*	0.2	0.7	1.9	4.6	8.3	10.8
1999.....	0.9	*	*	*	*	*	0.2	0.6	1.9	4.4	7.5	8.9
All origins 3/, female												
2006.....	1.2	*	*	*	*	*	0.2	0.8	2.0	4.3	7.4	8.9
2005.....	1.2	*	*	*	*	*	0.2	0.7	1.8	3.9	7.4	8.1
2004.....	1.2	*	*	*	*	*	0.2	0.7	1.9	4.3	7.5	8.5
2003.....	1.1	*	*	*	*	*	0.2	0.8	1.8	3.7	6.6	7.6
2002.....	1.0	*	*	*	*	*	0.2	0.5	1.8	3.4	5.9	9.8
2001.....	1.0	*	*	*	*	*	0.1	0.5	1.6	3.6	6.0	9.0
2000.....	1.0	*	*	*	*	*	0.1	0.6	1.7	3.3	5.7	8.8
1999.....	0.9	*	*	*	*	*	0.2	0.6	1.6	3.3	5.8	7.8
Hispanic, both sexes												
2006.....	0.7	*	*	*	*	*	*	1.2	2.2	6.7	8.9	10.2
2005.....	0.7	*	*	*	*	*	*	0.8	2.6	6.1	9.9	10.7
2004.....	0.6	*	*	*	*	*	*	0.9	2.2	6.1	9.1	9.5
2003.....	0.6	*	*	*	*	*	*	0.8	2.4	6.2	8.7	10.9
2002.....	0.5	*	*	*	*	*	*	*	2.5	5.0	6.8	*
2001.....	0.5	*	*	*	*	*	*	*	1.6	4.3	9.9	*
2000.....	0.5	*	*	*	*	*	*	0.7	2.1	5.4	7.9	*
1999.....	0.5	*	*	*	*	*	*	*	1.5	4.7	9.0	*
Hispanic, male												
2006.....	0.7	*	*	*	*	*	*	1.2	2.1	7.9	10.1	*
2005.....	0.5	*	*	*	*	*	*	*	2.2	6.1	11.0	*
2004.....	0.6	*	*	*	*	*	*	*	2.7	6.4	9.7	*
2003.....	0.5	*	*	*	*	*	*	*	2.3	6.5	8.8	*
2002.....	0.4	*	*	*	*	*	*	*	2.8	5.4	*	*
2001.....	0.4	*	*	*	*	*	*	*	*	5.2	10.7	*
2000.....	0.4	*	*	*	*	*	*	*	*	5.9	*	*
1999.....	0.3	*	*	*	*	*	*	*	*	*	*	*
Hispanic, female												
2006.....	0.8	*	*	*	*	*	*	1.3	2.3	5.7	8.0	*
2005.....	0.8	*	*	*	*	*	*	0.9	2.9	6.2	9.1	*
2004.....	0.7	*	*	*	*	*	*	1.1	*	6.0	8.6	*
2003.....	0.7	*	*	*	*	*	*	*	2.6	6.0	8.7	*
2002.....	0.5	*	*	*	*	*	*	*	2.3	4.7	6.7	*
2001.....	0.6	*	*	*	*	*	*	*	*	3.6	9.4	*
2000.....	0.6	*	*	*	*	*	*	*	2.3	5.0	7.3	*
1999.....	0.6	*	*	*	*	*	*	*	*	5.2	6.7	*

Worktable Orig12. Death rates for 358 selected causes, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2006

[Rates per 100,000 population in specified group. Rates are based on populations enumerated as of April 1 for 2000 and estimated as of July 1 for all other years. Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to 'Detailed technical notes to the United States 2006 data-mortality']

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, and sex	All ages 1/	Under 1 year 2/	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
Intrahepatic bile duct carcinoma (C22.1)												
Non-Hispanic 4/, both sexes												
2006.....	1.3	*	*	*	*	*	0.2	0.8	2.3	4.7	8.1	9.8
2005.....	1.3	*	*	*	*	*	0.2	0.8	2.1	4.5	8.4	9.0
2004.....	1.3	*	*	*	*	*	0.2	0.7	2.3	4.5	8.3	9.2
2003.....	1.2	*	*	*	*	0.1	0.2	0.8	2.1	4.4	7.6	9.0
2002.....	1.1	*	*	*	*	0.1	0.2	0.7	2.0	3.9	7.1	10.3
2001.....	1.1	*	*	*	*	*	0.2	0.6	1.8	4.1	7.0	9.8
2000.....	1.0	*	*	*	*	*	0.2	0.7	1.8	3.8	6.7	9.4
1999.....	1.0	*	*	*	*	*	0.2	0.6	1.8	3.7	6.4	8.1
Non-Hispanic 4/, male												
2006.....	1.3	*	*	*	*	*	0.2	0.8	2.7	5.4	9.0	11.9
2005.....	1.3	*	*	*	*	*	0.2	1.0	2.4	5.4	9.9	11.4
2004.....	1.3	*	*	*	*	*	0.2	0.9	2.6	5.0	9.5	10.7
2003.....	1.3	*	*	*	*	*	0.2	0.8	2.5	5.3	9.3	12.4
2002.....	1.1	*	*	*	*	*	0.2	0.8	2.2	4.5	8.8	11.6
2001.....	1.1	*	*	*	*	*	0.2	0.7	2.0	4.7	8.6	12.1
2000.....	1.0	*	*	*	*	*	0.2	0.7	1.9	4.5	8.3	11.0
1999.....	1.0	*	*	*	*	*	0.2	0.6	2.0	4.4	7.4	8.8
Non-Hispanic 4/, female												
2006.....	1.3	*	*	*	*	*	0.2	0.7	2.0	4.2	7.4	8.8
2005.....	1.2	*	*	*	*	*	0.2	0.7	1.7	3.7	7.3	8.0
2004.....	1.3	*	*	*	*	*	0.2	0.6	1.9	4.1	7.5	8.5
2003.....	1.2	*	*	*	*	*	0.2	0.8	1.7	3.6	6.5	7.5
2002.....	1.1	*	*	*	*	*	0.1	0.5	1.8	3.3	5.9	9.8
2001.....	1.1	*	*	*	*	*	0.1	0.6	1.6	3.5	5.9	8.8
2000.....	1.0	*	*	*	*	*	0.1	0.6	1.6	3.2	5.6	8.8
1999.....	1.0	*	*	*	*	*	0.1	0.5	1.6	3.2	5.7	7.8
Non-Hispanic white, both sexes												
2006 5/.....	1.5	*	*	*	*	*	0.2	0.8	2.3	4.7	8.1	9.9
2005 5/.....	1.4	*	*	*	*	*	0.2	0.8	2.0	4.3	8.2	9.2
2004 5/.....	1.4	*	*	*	*	*	0.2	0.7	2.3	4.4	8.3	9.2
2003 5/.....	1.3	*	*	*	*	*	0.2	0.8	2.0	4.2	7.7	9.1
2002.....	1.2	*	*	*	*	*	0.2	0.6	1.9	3.8	7.0	10.1
2001.....	1.2	*	*	*	*	*	0.2	0.6	1.7	4.0	6.9	9.7
2000.....	1.1	*	*	*	*	*	0.1	0.7	1.7	3.8	6.7	9.6
1999.....	1.1	*	*	*	*	*	0.2	0.6	1.7	3.8	6.4	8.2
Non-Hispanic white, male												
2006 5/.....	1.4	*	*	*	*	*	0.2	0.8	2.6	5.3	9.1	12.1
2005 5/.....	1.4	*	*	*	*	*	0.2	0.9	2.4	5.2	9.5	11.8
2004 5/.....	1.4	*	*	*	*	*	0.2	0.9	2.6	4.9	9.7	10.9
2003 5/.....	1.4	*	*	*	*	*	0.2	0.7	2.4	5.1	9.4	12.4
2002.....	1.2	*	*	*	*	*	0.2	0.8	2.1	4.4	8.6	11.6
2001.....	1.2	*	*	*	*	*	0.2	0.7	1.8	4.6	8.6	12.1
2000.....	1.1	*	*	*	*	*	0.2	0.7	1.8	4.6	8.4	11.5
1999.....	1.0	*	*	*	*	*	0.2	0.6	2.0	4.5	7.2	9.1
Non-Hispanic white, female												
2006 5/.....	1.5	*	*	*	*	*	0.2	0.7	2.1	4.2	7.3	8.9
2005 5/.....	1.3	*	*	*	*	*	0.2	0.7	1.7	3.5	7.3	8.0
2004 5/.....	1.4	*	*	*	*	*	0.2	0.6	2.0	4.0	7.2	8.5
2003 5/.....	1.2	*	*	*	*	*	0.2	0.8	1.7	3.5	6.6	7.6
2002.....	1.2	*	*	*	*	*	0.1	0.5	1.7	3.4	5.9	9.5
2001.....	1.1	*	*	*	*	*	*	0.5	1.6	3.5	5.8	8.7
2000.....	1.1	*	*	*	*	*	0.1	0.6	1.6	3.2	5.6	8.8
1999.....	1.1	*	*	*	*	*	0.1	0.5	1.4	3.2	5.8	7.9

Worktable Orig12. Death rates for 358 selected causes, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2006

[Rates per 100,000 population in specified group. Rates are based on populations enumerated as of April 1 for 2000 and estimated as of July 1 for all other years. Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.odc.gov/nchs> and refer to 'Detailed technical notes to the United States 2006 data-mortality']

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, and sex	All ages 1/	Under 1 year 2/	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
Intrahepatic bile duct carcinoma (C22.1)												
Non-Hispanic black, both sexes												
2006 5/.....	0.7	*	*	*	*	*	*	0.8	2.0	4.7	7.0	6.4
2005 5/.....	0.8	*	*	*	*	*	*	0.9	2.1	4.8	8.0	*
2004 5/.....	0.7	*	*	*	*	*	*	0.8	1.7	4.4	6.8	7.2
2003 5/.....	0.8	*	*	*	*	*	*	1.1	2.0	4.4	6.1	8.9
2002.....	0.7	*	*	*	*	*	*	0.6	1.8	3.3	6.6	9.4
2001.....	0.6	*	*	*	*	*	*	0.7	2.0	3.4	5.9	8.1
2000.....	0.6	*	*	*	*	*	*	0.7	2.0	3.3	4.8	7.0
1999.....	0.5	*	*	*	*	*	*	*	1.6	3.3	5.2	*
Non-Hispanic black, male												
2006 5/.....	0.7	*	*	*	*	*	*	*	2.7	5.9	7.0	*
2005 5/.....	0.9	*	*	*	*	*	*	*	1.1	2.3	5.7	11.5
2004 5/.....	0.7	*	*	*	*	*	*	*	2.1	5.3	6.0	*
2003 5/.....	0.8	*	*	*	*	*	*	1.1	2.5	5.9	7.2	*
2002.....	0.7	*	*	*	*	*	*	*	1.8	5.0	9.1	*
2001.....	0.6	*	*	*	*	*	*	*	2.7	4.3	6.9	*
2000.....	0.6	*	*	*	*	*	*	*	2.1	4.0	*	*
1999.....	0.5	*	*	*	*	*	*	*	*	4.1	6.6	*
Non-Hispanic black, female												
2006 5/.....	0.8	*	*	*	*	*	*	0.9	1.5	3.8	7.1	*
2005 5/.....	0.8	*	*	*	*	*	*	*	1.9	4.2	6.0	*
2004 5/.....	0.8	*	*	*	*	*	*	0.8	1.5	3.9	7.2	*
2003 5/.....	0.7	*	*	*	*	*	*	1.1	1.7	3.3	5.5	*
2002.....	0.7	*	*	*	*	*	*	*	1.9	2.2	5.1	10.5
2001.....	0.7	*	*	*	*	*	*	*	*	2.7	5.4	*
2000.....	0.6	*	*	*	*	*	*	*	2.0	2.7	4.3	*
1999.....	0.6	*	*	*	*	*	*	*	1.9	2.8	4.4	*

Worktable Orig12. Death rates for 358 selected causes, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2006

[Rates per 100,000 population in specified group. Rates are based on populations enumerated as of April 1 for 2000 and estimated as of July 1 for all other years. Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to 'Detailed technical notes to the United States 2006 data-mortality']

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, and sex	All ages 1/	Under 1 year 2/	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
Of gallbladder and extrahepatic bile ducts (C23-C24)												
All origins 3/, both sexes												
2006.....	1.1	*	*	*	*	*	0.1	0.6	1.7	4.1	8.5	12.6
2005.....	1.2	*	*	*	*	*	0.1	0.6	1.8	4.4	8.6	13.1
2004.....	1.2	*	*	*	*	*	0.1	0.4	1.8	4.7	8.7	13.3
2003.....	1.2	*	*	*	*	*	0.1	0.6	1.7	4.2	9.3	14.3
2002.....	1.2	*	*	*	*	*	0.1	0.6	1.7	4.6	8.9	14.5
2001.....	1.3	*	*	*	*	*	0.2	0.6	1.8	4.8	9.9	15.8
2000.....	1.3	*	*	*	*	*	0.1	0.6	2.0	5.3	10.0	16.0
1999.....	1.3	*	*	*	*	*	0.1	0.6	2.0	5.1	10.0	16.2
All origins 3/, male												
2006.....	0.9	*	*	*	*	*	*	0.4	1.5	3.7	7.9	12.0
2005.....	0.9	*	*	*	*	*	0.1	0.4	1.6	3.7	7.9	12.3
2004.....	0.9	*	*	*	*	*	*	0.3	1.4	4.1	8.6	12.9
2003.....	0.9	*	*	*	*	*	0.1	0.5	1.5	4.2	8.5	14.1
2002.....	0.9	*	*	*	*	*	0.1	0.4	1.4	4.3	8.5	15.0
2001.....	1.0	*	*	*	*	*	0.1	0.5	1.4	4.0	9.9	15.8
2000.....	1.0	*	*	*	*	*	0.1	0.4	1.6	5.0	9.5	15.8
1999.....	1.0	*	*	*	*	*	0.1	0.5	1.6	4.5	9.3	15.2
All origins 3/, female												
2006.....	1.4	*	*	*	*	*	0.2	0.7	2.0	4.5	8.9	13.0
2005.....	1.5	*	*	*	*	*	0.1	0.7	2.0	5.0	9.2	13.5
2004.....	1.4	*	*	*	*	*	0.1	0.5	2.1	5.2	8.8	13.5
2003.....	1.4	*	*	*	*	*	0.1	0.7	2.0	4.3	9.8	14.4
2002.....	1.4	*	*	*	*	*	0.2	0.8	1.9	4.9	9.2	14.3
2001.....	1.6	*	*	*	*	*	0.2	0.7	2.1	5.5	9.9	15.8
2000.....	1.6	*	*	*	*	*	0.1	0.8	2.3	5.5	10.4	16.0
1999.....	1.6	*	*	*	*	*	0.2	0.7	2.4	5.5	10.5	16.7
Hispanic, both sexes												
2006.....	0.7	*	*	*	*	*	*	0.9	2.3	6.3	10.7	12.5
2005.....	0.7	*	*	*	*	*	*	0.9	2.3	6.1	10.8	11.1
2004.....	0.7	*	*	*	*	*	*	0.7	2.1	5.8	10.7	14.3
2003.....	0.6	*	*	*	*	*	*	0.6	2.3	5.6	11.9	13.0
2002.....	0.7	*	*	*	*	*	*	1.0	2.0	8.0	12.5	13.3
2001.....	0.8	*	*	*	*	*	*	0.9	3.1	8.5	12.3	20.6
2000.....	0.8	*	*	*	*	*	*	0.9	3.4	6.5	16.4	18.6
1999.....	0.9	*	*	*	*	*	*	1.1	3.7	8.3	14.2	21.7
Hispanic, male												
2006.....	0.4	*	*	*	*	*	*	*	*	5.5	7.9	*
2005.....	0.4	*	*	*	*	*	*	*	*	4.4	7.7	*
2004.....	0.5	*	*	*	*	*	*	*	2.0	4.8	10.0	*
2003.....	0.4	*	*	*	*	*	*	*	*	5.2	10.7	*
2002.....	0.5	*	*	*	*	*	*	*	*	6.5	10.7	*
2001.....	0.6	*	*	*	*	*	*	*	2.3	7.0	13.4	*
2000.....	0.5	*	*	*	*	*	*	*	*	5.5	12.8	*
1999.....	0.4	*	*	*	*	*	*	*	*	*	10.9	*
Hispanic, female												
2006.....	1.0	*	*	*	*	*	*	1.3	3.1	7.0	12.6	14.4
2005.....	1.0	*	*	*	*	*	*	1.3	2.8	7.4	13.0	*
2004.....	0.8	*	*	*	*	*	*	1.1	2.2	6.7	11.1	15.1
2003.....	0.8	*	*	*	*	*	*	*	3.0	5.9	12.6	16.4
2002.....	1.0	*	*	*	*	*	*	1.4	2.8	9.1	13.8	*
2001.....	1.1	*	*	*	*	*	*	1.3	3.9	9.8	11.5	25.1
2000.....	1.1	*	*	*	*	*	*	1.4	4.9	7.3	19.8	*
1999.....	1.3	*	*	*	*	*	*	1.7	5.1	11.7	16.3	22.9

Worktable Orig12. Death rates for 358 selected causes, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2006

[Rates per 100,000 population in specified group. Rates are based on populations enumerated as of April 1 for 2000 and estimated as of July 1 for all other years. Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to 'Detailed technical notes to the United States 2006 data-mortality']

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, and sex	All ages 1/	Under 1 year 2/	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
Of gallbladder and extrahepatic bile ducts (C23-C24)												
Non-Hispanic 4/, both sexes												
2006.....	1.2	*	*	*	*	*	0.1	0.5	1.7	3.9	8.4	12.6
2005.....	1.2	*	*	*	*	*	0.1	0.5	1.7	4.3	8.5	13.2
2004.....	1.2	*	*	*	*	*	0.1	0.4	1.7	4.6	8.6	13.3
2003.....	1.3	*	*	*	*	*	0.1	0.6	1.7	4.1	9.1	14.3
2002.....	1.2	*	*	*	*	*	0.1	0.6	1.6	4.4	8.7	14.5
2001.....	1.3	*	*	*	*	*	0.1	0.6	1.7	4.6	9.8	15.6
2000.....	1.4	*	*	*	*	*	0.1	0.6	1.8	5.2	9.7	15.8
1999.....	1.3	*	*	*	*	*	0.1	0.5	1.9	4.9	9.8	16.0
Non-Hispanic 4/, male												
2006.....	0.9	*	*	*	*	*	*	0.4	1.5	3.5	7.9	12.1
2005.....	1.0	*	*	*	*	*	*	0.5	1.5	3.6	7.9	12.3
2004.....	1.0	*	*	*	*	*	*	0.3	1.4	4.0	8.6	12.9
2003.....	1.0	*	*	*	*	*	*	0.5	1.4	4.1	8.3	14.4
2002.....	1.0	*	*	*	*	*	0.1	0.4	1.4	4.2	8.4	14.7
2001.....	1.0	*	*	*	*	*	0.1	0.5	1.4	3.8	9.7	16.0
2000.....	1.1	*	*	*	*	*	0.1	0.5	1.6	4.9	9.3	15.6
1999.....	1.0	*	*	*	*	*	0.1	0.5	1.6	4.6	9.2	15.0
Non-Hispanic 4/, female												
2006.....	1.5	*	*	*	*	*	0.2	0.6	1.9	4.3	8.7	12.9
2005.....	1.5	*	*	*	*	*	0.1	0.6	1.9	4.8	9.0	13.6
2004.....	1.5	*	*	*	*	*	0.1	0.4	2.1	5.0	8.7	13.4
2003.....	1.5	*	*	*	*	*	*	0.7	1.9	4.1	9.6	14.3
2002.....	1.5	*	*	*	*	*	0.1	0.7	1.8	4.6	9.0	14.4
2001.....	1.6	*	*	*	*	*	0.2	0.7	2.0	5.2	9.8	15.4
2000.....	1.7	*	*	*	*	*	0.1	0.8	2.1	5.4	10.0	15.9
1999.....	1.6	*	*	*	*	*	0.1	0.6	2.2	5.1	10.2	16.4
Non-Hispanic white, both sexes												
2006 5/.....	1.3	*	*	*	*	*	0.1	0.5	1.7	3.9	8.2	12.6
2005 5/.....	1.3	*	*	*	*	*	0.1	0.5	1.7	4.2	8.3	13.1
2004 5/.....	1.3	*	*	*	*	*	0.1	0.4	1.6	4.4	8.5	13.4
2003 5/.....	1.4	*	*	*	*	*	0.1	0.5	1.7	4.1	9.0	14.4
2002.....	1.3	*	*	*	*	*	0.1	0.5	1.6	4.3	8.6	14.5
2001.....	1.4	*	*	*	*	*	0.1	0.6	1.6	4.4	9.8	15.5
2000.....	1.5	*	*	*	*	*	0.1	0.6	1.8	5.1	9.8	16.2
1999.....	1.5	*	*	*	*	*	0.1	0.5	1.9	4.8	9.6	16.1
Non-Hispanic white, male												
2006 5/.....	1.0	*	*	*	*	*	*	0.4	1.5	3.6	7.5	12.5
2005 5/.....	1.0	*	*	*	*	*	*	0.4	1.5	3.6	7.4	12.1
2004 5/.....	1.0	*	*	*	*	*	*	0.4	1.3	3.8	8.4	13.2
2003 5/.....	1.1	*	*	*	*	*	*	0.4	1.4	4.2	8.2	14.8
2002.....	1.1	*	*	*	*	*	*	0.3	1.4	4.1	8.3	15.0
2001.....	1.1	*	*	*	*	*	*	0.5	1.4	3.7	9.6	15.6
2000.....	1.2	*	*	*	*	*	0.1	0.5	1.6	4.9	9.5	16.1
1999.....	1.1	*	*	*	*	*	0.1	0.4	1.6	4.4	9.3	15.8
Non-Hispanic white, female												
2006 5/.....	1.6	*	*	*	*	*	*	0.5	1.8	4.1	8.6	12.7
2005 5/.....	1.6	*	*	*	*	*	*	0.5	1.8	4.7	8.9	13.5
2004 5/.....	1.6	*	*	*	*	*	*	0.4	2.0	4.8	8.5	13.5
2003 5/.....	1.6	*	*	*	*	*	*	0.6	1.9	4.1	9.5	14.3
2002.....	1.6	*	*	*	*	*	0.1	0.7	1.8	4.5	8.8	14.4
2001.....	1.7	*	*	*	*	*	0.1	0.7	1.9	4.9	9.9	15.5
2000.....	1.8	*	*	*	*	*	0.1	0.7	2.0	5.3	10.1	16.2
1999.....	1.8	*	*	*	*	*	*	0.6	2.1	5.1	9.9	16.3

Worktable Orig12. Death rates for 358 selected causes, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2006

[Rates per 100,000 population in specified group. Rates are based on populations enumerated as of April 1 for 2000 and estimated as of July 1 for all other years. Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to 'Detailed technical notes to the United States 2006 data-mortality']

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, and sex	All ages 1/	Under 1 year 2/	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
Of gallbladder and extrahepatic bile ducts (C23-C24)												
Non-Hispanic black, both sexes												
2006 5/.....	0.9	*	*	*	*	*	*	0.8	2.0	4.2	10.6	10.1
2005 5/.....	0.9	*	*	*	*	*	*	0.9	2.0	4.5	10.9	13.7
2004 5/.....	0.8	*	*	*	*	*	*	*	2.3	5.5	8.9	11.2
2003 5/.....	0.8	*	*	*	*	*	*	0.8	1.5	3.9	9.3	12.5
2002.....	0.9	*	*	*	*	*	*	0.9	2.3	5.2	9.5	13.9
2001.....	0.9	*	*	*	*	*	*	0.7	2.1	5.8	8.8	15.9
2000.....	0.8	*	*	*	*	*	*	0.8	2.0	5.9	7.8	11.4
1999.....	0.9	*	*	*	*	*	*	0.7	2.2	5.3	10.1	12.0
Non-Hispanic black, male												
2006 5/.....	0.6	*	*	*	*	*	*	*	*	2.7	12.0	*
2005 5/.....	0.7	*	*	*	*	*	*	*	1.7	3.9	11.5	*
2004 5/.....	0.5	*	*	*	*	*	*	*	1.7	4.6	9.4	*
2003 5/.....	0.5	*	*	*	*	*	*	*	*	3.3	7.8	*
2002.....	0.6	*	*	*	*	*	*	*	1.9	4.5	7.9	*
2001.....	0.6	*	*	*	*	*	*	*	*	4.6	9.3	*
2000.....	0.5	*	*	*	*	*	*	*	*	4.8	6.8	*
1999.....	0.6	*	*	*	*	*	*	*	*	5.3	9.1	*
Non-Hispanic black, female												
2006 5/.....	1.1	*	*	*	*	*	*	1.0	2.4	5.3	9.8	12.0
2005 5/.....	1.1	*	*	*	*	*	*	1.0	2.2	5.0	10.5	13.8
2004 5/.....	1.1	*	*	*	*	*	*	*	2.8	6.2	8.5	14.1
2003 5/.....	1.0	*	*	*	*	*	*	1.0	1.6	4.3	10.1	14.4
2002.....	1.2	*	*	*	*	*	*	1.2	2.7	5.7	10.4	15.9
2001.....	1.2	*	*	*	*	*	*	1.0	2.6	6.6	8.6	16.3
2000.....	1.1	*	*	*	*	*	*	1.3	2.5	6.6	8.3	12.2
1999.....	1.1	*	*	*	*	*	*	*	2.8	5.3	10.7	15.1

Worktable Orig12. Death rates for 358 selected causes, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2006

[Rates per 100,000 population in specified group. Rates are based on populations enumerated as of April 1 for 2000 and estimated as of July 1 for all other years. Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to 'Detailed technical notes to the United States 2006 data-mortality']

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, and sex	All ages 1/	Under 1 year 2/	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
Of pancreas (C25)												
All origins 3/, both sexes												
2006.....	11.2	*	*	*	*	0.1	1.2	6.3	19.9	44.8	78.6	96.9
2005.....	11.1	*	*	*	*	0.2	1.3	6.5	19.7	44.5	77.7	97.4
2004.....	10.8	*	*	*	*	0.2	1.2	6.3	19.8	44.3	76.0	97.7
2003.....	10.6	*	*	*	*	0.2	1.2	6.2	19.1	44.2	75.4	95.2
2002.....	10.5	*	*	*	*	0.1	1.3	6.1	19.2	44.8	75.0	94.5
2001.....	10.5	*	*	*	*	0.1	1.3	6.1	19.2	44.5	74.1	100.1
2000.....	10.4	*	*	*	*	0.1	1.2	6.3	19.4	44.1	76.5	96.4
1999.....	10.4	*	*	*	*	0.1	1.3	6.4	19.8	45.0	73.1	99.7
All origins 3/, male												
2006.....	11.2	*	*	*	*	0.1	1.4	7.8	24.5	52.3	86.2	102.1
2005.....	11.1	*	*	*	*	0.2	1.5	7.7	24.3	51.8	86.0	102.8
2004.....	10.9	*	*	*	*	0.2	1.5	8.1	24.1	52.6	84.6	102.0
2003.....	10.5	*	*	*	*	0.2	1.5	7.7	23.1	50.9	85.4	95.6
2002.....	10.5	*	*	*	*	0.1	1.6	7.8	23.6	51.4	84.0	100.9
2001.....	10.3	*	*	*	*	0.1	1.4	7.6	23.6	50.8	84.0	105.1
2000.....	10.3	*	*	*	*	0.2	1.4	8.0	23.6	50.4	85.9	102.9
1999.....	10.4	*	*	*	*	0.2	1.6	8.3	23.9	52.4	81.8	107.5
All origins 3/, female												
2006.....	11.1	*	*	*	*	0.1	0.9	4.9	15.7	38.4	73.4	94.4
2005.....	11.0	*	*	*	*	0.1	1.1	5.2	15.5	38.2	72.1	94.9
2004.....	10.7	*	*	*	*	0.1	0.9	4.7	15.8	37.3	70.1	95.8
2003.....	10.6	*	*	*	*	0.1	1.0	4.8	15.3	38.6	68.8	95.0
2002.....	10.5	*	*	*	*	*	1.0	4.4	15.1	39.3	69.1	91.7
2001.....	10.6	*	*	*	*	0.1	1.1	4.7	15.2	39.4	67.6	98.1
2000.....	10.5	*	*	*	*	0.1	1.0	4.6	15.5	38.8	70.4	93.8
1999.....	10.5	*	*	*	*	0.1	1.0	4.7	16.0	39.0	67.4	96.6
Hispanic, both sexes												
2006.....	3.9	*	*	*	*	*	0.7	4.3	13.8	33.7	59.9	77.1
2005.....	4.1	*	*	*	*	*	0.9	4.4	15.5	36.0	63.8	78.7
2004.....	3.8	*	*	*	*	*	0.7	4.1	14.4	35.3	62.8	69.9
2003.....	3.7	*	*	*	*	*	0.8	4.1	14.4	35.1	60.3	79.8
2002.....	3.5	*	*	*	*	*	0.9	4.0	13.8	34.7	55.5	79.3
2001.....	3.6	*	*	*	*	*	0.8	3.7	14.2	36.9	61.3	83.8
2000.....	3.5	*	*	*	*	*	0.7	4.1	13.7	36.9	61.8	82.9
1999.....	3.3	*	*	*	*	*	0.9	4.6	13.3	32.6	56.7	84.2
Hispanic, male												
2006.....	3.8	*	*	*	*	*	0.8	5.0	15.4	39.7	68.9	65.4
2005.....	4.0	*	*	*	*	*	1.1	5.2	19.2	40.5	65.8	77.2
2004.....	3.7	*	*	*	*	*	1.0	4.7	17.4	42.4	68.3	57.4
2003.....	3.6	*	*	*	*	*	1.0	5.0	17.8	40.0	67.1	70.8
2002.....	3.3	*	*	*	*	*	1.2	5.3	15.7	40.9	55.8	60.2
2001.....	3.4	*	*	*	*	*	0.9	4.3	16.2	42.3	66.9	62.9
2000.....	3.4	*	*	*	*	*	0.8	5.2	16.6	45.2	62.9	80.6
1999.....	3.2	*	*	*	*	*	1.2	5.7	15.2	40.0	56.3	86.3
Hispanic, female												
2006.....	4.1	*	*	*	*	*	*	3.7	12.3	28.9	53.6	83.3
2005.....	4.2	*	*	*	*	*	0.8	3.5	12.1	32.3	62.3	79.5
2004.....	3.9	*	*	*	*	*	*	3.5	11.8	29.5	59.0	76.3
2003.....	3.8	*	*	*	*	*	*	3.2	11.3	31.2	55.6	84.4
2002.....	3.7	*	*	*	*	*	*	2.8	12.1	29.8	55.4	88.7
2001.....	3.9	*	*	*	*	*	0.8	3.2	12.5	32.6	56.2	94.0
2000.....	3.6	*	*	*	*	*	*	3.0	11.1	30.4	61.1	84.1
1999.....	3.5	*	*	*	*	*	*	3.5	11.6	26.8	56.9	83.2

Worktable Orig12. Death rates for 358 selected causes, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2006

[Rates per 100,000 population in specified group. Rates are based on populations enumerated as of April 1 for 2000 and estimated as of July 1 for all other years. Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to 'Detailed technical notes to the United States 2006 data-mortality']

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, and sex	All ages 1/	Under 1 year 2/	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
Of pancreas (C25)												
Non-Hispanic 4/, both sexes												
2006.....	12.4	*	*	*	*	0.1	1.2	6.5	20.4	45.6	79.7	97.7
2005.....	12.2	*	*	*	*	0.2	1.3	6.7	20.0	45.0	78.5	98.1
2004.....	11.9	*	*	*	*	0.2	1.3	6.6	20.2	44.9	76.5	98.9
2003.....	11.7	*	*	*	*	0.2	1.3	6.4	19.4	44.8	76.1	95.7
2002.....	11.6	*	*	*	*	0.1	1.4	6.3	19.6	45.4	75.8	94.9
2001.....	11.5	*	*	*	*	0.1	1.3	6.4	19.6	44.9	74.6	100.6
2000.....	11.4	*	*	*	*	0.1	1.3	6.5	19.8	44.4	77.0	96.6
1999.....	11.4	*	*	*	*	0.1	1.4	6.6	20.2	45.6	73.5	100.1
Non-Hispanic 4/, male												
2006.....	12.6	*	*	*	*	*	1.5	8.1	25.3	53.2	87.1	104.0
2005.....	12.3	*	*	*	*	0.2	1.6	8.0	24.7	52.6	87.2	104.1
2004.....	12.1	*	*	*	*	0.2	1.6	8.4	24.6	53.2	85.4	104.1
2003.....	11.7	*	*	*	*	0.2	1.6	8.0	23.5	51.6	86.2	96.5
2002.....	11.7	*	*	*	*	0.1	1.7	8.0	24.1	52.1	85.3	102.4
2001.....	11.4	*	*	*	*	0.2	1.5	7.9	24.2	51.2	84.6	106.4
2000.....	11.3	*	*	*	*	0.2	1.5	8.3	24.1	50.7	86.7	103.5
1999.....	11.4	*	*	*	*	0.2	1.7	8.4	24.4	52.9	82.7	108.2
Non-Hispanic 4/, female												
2006.....	12.3	*	*	*	*	0.1	1.0	5.0	16.0	39.1	74.6	94.8
2005.....	12.1	*	*	*	*	0.1	1.1	5.4	15.7	39.7	72.6	95.4
2004.....	11.8	*	*	*	*	*	1.0	4.8	16.1	37.9	70.6	96.5
2003.....	11.6	*	*	*	*	0.1	1.0	4.9	15.6	39.1	69.3	95.3
2002.....	11.5	*	*	*	*	*	1.1	4.6	15.4	39.8	69.5	91.7
2001.....	11.5	*	*	*	*	0.1	1.2	4.9	15.4	39.8	68.0	98.2
2000.....	11.4	*	*	*	*	*	1.0	4.7	15.8	39.2	70.6	93.8
1999.....	11.4	*	*	*	*	*	1.0	4.8	16.4	39.6	67.6	96.8
Non-Hispanic white, both sexes												
2006 5/.....	13.4	*	*	*	*	0.1	1.2	6.3	20.0	44.9	79.5	96.9
2005 5/.....	13.2	*	*	*	*	0.2	1.3	6.4	19.6	44.5	77.7	97.6
2004 5/.....	12.8	*	*	*	*	0.2	1.2	6.3	19.5	44.0	76.1	98.1
2003 5/.....	12.5	*	*	*	*	0.2	1.2	6.0	18.7	44.1	75.4	94.9
2002.....	12.4	*	*	*	*	0.1	1.4	6.0	19.0	44.3	75.1	94.6
2001.....	12.3	*	*	*	*	0.1	1.3	6.1	19.3	44.1	73.7	99.4
2000.....	12.2	*	*	*	*	0.2	1.2	6.3	19.2	43.4	75.7	94.7
1999.....	12.1	*	*	*	*	0.1	1.3	6.3	19.5	44.7	72.1	98.9
Non-Hispanic white, male												
2006 5/.....	13.7	*	*	*	*	*	1.5	7.9	24.8	53.0	88.0	105.3
2005 5/.....	13.3	*	*	*	*	0.2	1.6	7.6	24.2	52.5	86.7	104.3
2004 5/.....	13.1	*	*	*	*	0.2	1.5	8.1	23.8	52.0	85.8	105.0
2003 5/.....	12.6	*	*	*	*	0.2	1.5	7.5	22.8	51.4	86.0	96.8
2002.....	12.6	*	*	*	*	*	1.7	7.7	23.5	51.2	85.4	102.9
2001.....	12.4	*	*	*	*	0.2	1.5	7.7	24.0	50.3	84.5	108.0
2000.....	12.2	*	*	*	*	0.2	1.5	8.0	23.4	50.0	86.1	103.0
1999.....	12.1	*	*	*	*	0.2	1.6	8.0	23.4	52.1	81.6	108.1
Non-Hispanic white, female												
2006 5/.....	13.1	*	*	*	*	*	0.9	4.7	15.4	38.0	73.6	93.0
2005 5/.....	13.0	*	*	*	*	*	1.1	5.1	15.2	37.7	71.5	94.5
2004 5/.....	12.6	*	*	*	*	*	0.9	4.5	15.4	37.1	69.5	95.1
2003 5/.....	12.4	*	*	*	*	*	1.0	4.6	14.8	38.0	68.1	94.0
2002.....	12.2	*	*	*	*	*	1.1	4.3	14.7	38.3	68.1	91.0
2001.....	12.3	*	*	*	*	*	1.2	4.6	14.9	38.8	66.6	95.8
2000.....	12.2	*	*	*	*	*	1.0	4.5	15.3	37.9	68.9	91.4
1999.....	12.1	*	*	*	*	*	1.0	4.7	15.7	38.5	65.9	95.2

Worktable Orig12. Death rates for 358 selected causes, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2006

[Rates per 100,000 population in specified group. Rates are based on populations enumerated as of April 1 for 2000 and estimated as of July 1 for all other years. Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.odc.gov/nchs> and refer to 'Detailed technical notes to the United States 2006 data-mortality']

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, and sex	All ages 1/	Under 1 year 2/	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
Of pancreas (C25)												
Non-Hispanic black, both sexes												
2006 5/.....	10.2	*	*	*	*	*	1.6	9.4	28.5	58.4	93.1	114.7
2005 5/.....	10.0	*	*	*	*	*	1.6	9.8	27.5	57.7	95.9	111.7
2004 5/.....	9.8	*	*	*	*	*	1.7	9.5	28.8	59.0	89.1	115.1
2003 5/.....	9.8	*	*	*	*	*	1.9	10.3	27.7	57.5	94.0	113.3
2002.....	9.6	*	*	*	*	*	1.8	8.9	28.3	61.7	90.9	108.3
2001.....	9.4	*	*	*	*	*	1.6	9.2	25.9	59.0	93.3	122.0
2000.....	9.7	*	*	*	*	*	1.7	9.2	27.9	60.0	98.9	121.2
1999.....	9.7	*	*	*	*	*	2.0	9.9	28.8	60.4	95.0	119.0
Non-Hispanic black, male												
2006 5/.....	9.7	*	*	*	*	*	2.0	11.5	36.2	67.3	93.4	92.5
2005 5/.....	9.8	*	*	*	*	*	1.7	12.1	34.7	65.7	106.0	101.8
2004 5/.....	9.8	*	*	*	*	*	2.1	11.6	36.5	73.8	91.3	102.6
2003 5/.....	9.6	*	*	*	*	*	2.5	13.6	33.7	64.8	99.0	106.5
2002.....	9.3	*	*	*	*	*	2.2	11.6	34.9	69.5	97.3	102.8
2001.....	8.9	*	*	*	*	*	1.8	11.4	30.8	68.2	100.5	100.5
2000.....	9.3	*	*	*	*	*	2.1	12.1	34.6	66.9	108.0	110.4
1999.....	9.7	*	*	*	*	*	2.4	13.6	37.4	68.7	107.6	115.3
Non-Hispanic black, female												
2006 5/.....	10.6	*	*	*	*	*	1.3	7.5	22.4	52.1	92.9	123.7
2005 5/.....	10.3	*	*	*	*	*	1.5	7.9	21.7	52.0	90.2	115.7
2004 5/.....	9.9	*	*	*	*	*	1.2	7.7	22.6	48.5	87.9	120.1
2003 5/.....	10.0	*	*	*	*	*	1.3	7.4	22.8	52.4	91.3	116.0
2002.....	9.8	*	*	*	*	*	1.5	6.5	23.0	56.2	87.2	110.4
2001.....	9.9	*	*	*	*	*	1.4	7.3	21.9	52.4	89.3	130.0
2000.....	10.0	*	*	*	*	*	1.5	6.8	22.5	55.1	93.8	125.2
1999.....	9.7	*	*	*	*	*	1.7	6.7	21.9	54.6	87.9	120.4

Worktable Orig12. Death rates for 358 selected causes, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2006

[Rates per 100,000 population in specified group. Rates are based on populations enumerated as of April 1 for 2000 and estimated as of July 1 for all other years. Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to 'Detailed technical notes to the United States 2006 data-mortality']

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, and sex	All ages 1/	Under 1 year 2/	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
Of other and ill-defined digestive organs (C26)												
Non-Hispanic 4/, both sexes												
2006.....	0.4	*	*	*	*	*	*	0.2	0.6	1.3	2.9	5.2
2005.....	0.4	*	*	*	*	*	0.1	0.2	0.5	1.3	2.3	5.0
2004.....	0.4	*	*	*	*	*	0.1	0.2	0.5	1.3	2.6	5.2
2003.....	0.5	*	*	*	*	*	*	0.2	0.6	1.7	3.4	7.0
2002.....	0.5	*	*	*	*	*	0.1	0.2	0.6	1.7	3.7	7.0
2001.....	0.5	*	*	*	*	*	0.1	0.2	0.7	1.8	3.7	7.8
2000.....	0.5	*	*	*	*	*	0.1	0.2	0.8	1.7	3.5	7.9
1999.....	0.6	*	*	*	*	*	0.1	0.3	0.8	2.0	4.0	9.1
Non-Hispanic 4/, male												
2006.....	0.4	*	*	*	*	*	*	0.2	0.7	1.7	3.5	5.1
2005.....	0.4	*	*	*	*	*	*	0.2	0.6	1.7	2.8	5.1
2004.....	0.4	*	*	*	*	*	*	0.2	0.6	1.5	3.1	5.2
2003.....	0.5	*	*	*	*	*	*	0.2	0.8	2.1	4.1	7.4
2002.....	0.5	*	*	*	*	*	*	0.2	0.7	2.3	4.8	6.5
2001.....	0.5	*	*	*	*	*	0.3	0.9	2.1	4.2	4.2	8.7
2000.....	0.5	*	*	*	*	*	0.2	1.0	2.3	4.1	7.5	
1999.....	0.6	*	*	*	*	*	0.1	0.4	1.0	2.3	5.1	10.2
Non-Hispanic 4/, female												
2006.....	0.4	*	*	*	*	*	*	0.2	0.4	1.1	2.4	5.2
2005.....	0.4	*	*	*	*	*	0.1	0.3	1.0	2.0	4.9	
2004.....	0.4	*	*	*	*	*	0.2	0.5	1.0	2.3	5.2	
2003.....	0.5	*	*	*	*	*	*	0.2	0.4	1.3	2.9	6.8
2002.....	0.5	*	*	*	*	*	0.1	0.5	1.1	3.0	7.3	
2001.....	0.6	*	*	*	*	*	0.1	0.5	1.5	3.3	7.4	
2000.....	0.5	*	*	*	*	*	0.2	0.6	1.2	3.1	8.0	
1999.....	0.6	*	*	*	*	*	0.2	0.5	1.7	3.3	8.7	
Non-Hispanic white, both sexes												
2006 5/.....	0.5	*	*	*	*	*	*	0.2	0.5	1.3	2.8	5.3
2005 5/.....	0.4	*	*	*	*	*	*	0.2	0.4	1.3	2.3	5.0
2004 5/.....	0.4	*	*	*	*	*	*	0.1	0.5	1.2	2.7	5.4
2003 5/.....	0.5	*	*	*	*	*	*	0.2	0.6	1.7	3.3	7.0
2002.....	0.6	*	*	*	*	*	*	0.2	0.6	1.6	3.8	7.1
2001.....	0.6	*	*	*	*	*	*	0.2	0.6	1.7	3.6	7.7
2000.....	0.6	*	*	*	*	*	*	0.2	0.8	1.6	3.4	7.9
1999.....	0.7	*	*	*	*	*	0.1	0.2	0.7	2.0	4.1	9.1
Non-Hispanic white, male												
2006 5/.....	0.5	*	*	*	*	*	*	0.2	0.6	1.7	3.4	4.9
2005 5/.....	0.4	*	*	*	*	*	*	0.2	0.6	1.6	2.7	5.0
2004 5/.....	0.4	*	*	*	*	*	*	0.2	0.6	1.5	3.0	5.5
2003 5/.....	0.5	*	*	*	*	*	*	0.2	0.8	2.1	4.0	7.1
2002.....	0.6	*	*	*	*	*	*	0.2	0.7	2.2	4.8	6.3
2001.....	0.6	*	*	*	*	*	*	0.3	0.9	2.1	4.2	8.5
2000.....	0.6	*	*	*	*	*	*	0.3	1.0	2.1	4.2	7.6
1999.....	0.7	*	*	*	*	*	0.1	0.3	0.9	2.2	5.2	10.0
Non-Hispanic white, female												
2006 5/.....	0.5	*	*	*	*	*	*	0.2	0.4	1.0	2.4	5.4
2005 5/.....	0.4	*	*	*	*	*	*	0.1	0.3	1.0	2.1	5.0
2004 5/.....	0.5	*	*	*	*	*	*	0.1	0.4	0.9	2.4	5.3
2003 5/.....	0.5	*	*	*	*	*	*	*	0.4	1.3	2.8	7.0
2002.....	0.6	*	*	*	*	*	*	*	0.5	1.0	3.0	7.4
2001.....	0.6	*	*	*	*	*	*	*	0.4	1.5	3.2	7.4
2000.....	0.6	*	*	*	*	*	*	0.2	0.5	1.1	3.0	8.0
1999.....	0.7	*	*	*	*	*	*	0.1	0.5	1.8	3.4	8.7

Worktable Orig12. Death rates for 358 selected causes, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2006

[Rates per 100,000 population in specified group. Rates are based on populations enumerated as of April 1 for 2000 and estimated as of July 1 for all other years. Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to 'Detailed technical notes to the United States 2006 data-mortality']

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, and sex	All ages 1/	Under 1 year 2/	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
Malignant neoplasms of respiratory and intrathoracic organs (C30-C39)												
All origins 3/, both sexes												
2006.....	54.6	*	*	*	0.1	0.4	4.9	30.5	102.8	259.8	382.4	309.1
2005.....	55.3	*	*	*	0.1	0.4	5.6	31.0	106.9	266.9	384.3	311.0
2004.....	55.4	*	*	*	0.1	0.4	5.8	31.3	110.7	272.3	382.0	306.3
2003.....	56.0	*	*	*	0.1	0.4	5.9	31.6	115.0	276.6	386.7	307.9
2002.....	56.3	*	*	*	0.1	0.5	6.3	31.7	119.3	282.1	386.9	305.1
2001.....	56.5	*	*	*	0.1	0.5	6.6	32.2	121.9	287.3	380.6	312.2
2000.....	57.0	*	*	*	0.1	0.6	6.4	33.0	126.7	291.9	380.7	310.8
1999.....	56.2	*	*	*	0.1	0.5	6.4	32.7	127.9	289.4	371.2	306.6
All origins 3/, male												
2006.....	62.9	*	*	*	*	0.5	5.1	35.8	127.5	330.2	525.4	475.2
2005.....	64.2	*	*	*	*	0.5	5.9	37.0	133.5	342.7	530.4	466.7
2004.....	64.4	*	*	*	0.1	0.5	6.2	37.9	137.8	349.2	532.5	485.7
2003.....	65.4	*	*	*	0.1	0.5	6.5	38.6	143.3	358.8	541.5	493.3
2002.....	66.1	*	*	*	0.2	0.6	6.6	38.8	150.7	367.5	544.9	498.8
2001.....	67.2	*	*	*	0.1	0.4	7.2	39.7	154.0	382.6	546.1	534.1
2000.....	68.1	*	*	*	0.1	0.6	7.3	40.7	161.1	390.8	550.4	541.7
1999.....	68.0	*	*	*	*	0.6	7.1	40.6	165.3	390.0	544.0	550.6
All origins 3/, female												
2006.....	46.5	*	*	*	0.1	0.4	4.7	25.3	79.8	200.2	284.6	231.3
2005.....	46.8	*	*	*	*	0.3	5.3	25.2	82.1	202.9	285.0	230.3
2004.....	46.7	*	*	*	*	0.3	5.4	24.9	85.5	207.8	280.7	225.6
2003.....	46.9	*	*	*	*	0.4	5.3	24.9	88.8	207.9	283.2	225.9
2002.....	46.8	*	*	*	*	0.4	6.0	24.9	90.3	211.1	282.0	221.1
2001.....	46.1	*	*	*	*	0.5	5.9	25.0	92.3	208.3	271.8	219.3
2000.....	46.2	*	*	*	*	0.5	5.5	25.6	94.9	210.4	270.0	216.8
1999.....	45.0	*	*	*	*	0.5	5.7	25.1	93.4	207.0	258.9	208.3
Hispanic, both sexes												
2006.....	10.4	*	*	*	*	*	1.6	9.2	33.3	102.8	175.9	168.2
2005.....	11.1	*	*	*	*	0.3	1.9	10.3	37.3	107.6	191.7	187.4
2004.....	10.8	*	*	*	*	0.4	1.5	10.2	37.7	108.2	187.3	202.2
2003.....	10.9	*	*	*	*	0.3	1.7	11.0	41.0	110.1	191.1	198.0
2002.....	11.0	*	*	*	*	0.4	1.8	10.8	43.3	115.7	191.0	199.0
2001.....	10.9	*	*	*	*	*	2.1	11.6	49.6	114.7	190.1	210.7
2000.....	10.9	*	*	*	*	0.3	1.9	11.6	41.7	116.0	206.6	222.3
1999.....	11.1	*	*	*	*	0.4	2.2	11.5	46.5	118.8	197.7	240.6
Hispanic, male												
2006.....	12.8	*	*	*	*	*	1.7	11.6	48.3	147.8	270.6	281.9
2005.....	14.0	*	*	*	*	*	2.2	13.2	55.3	161.4	298.6	286.4
2004.....	13.7	*	*	*	*	*	1.9	13.9	54.4	163.6	296.9	305.4
2003.....	13.7	*	*	*	*	*	1.8	14.0	60.7	170.5	291.1	312.5
2002.....	14.0	*	*	*	*	*	1.9	14.0	65.3	170.1	312.7	321.3
2001.....	14.1	*	*	*	*	*	2.7	15.7	64.0	175.9	307.6	356.2
2000.....	14.1	*	*	*	*	*	2.3	16.1	63.1	178.4	343.2	391.0
1999.....	14.6	*	*	*	*	*	2.6	16.2	72.2	186.5	333.2	396.8
Hispanic, female												
2006.....	7.7	*	*	*	*	*	1.6	6.7	19.6	66.3	109.5	107.8
2005.....	8.0	*	*	*	*	*	1.6	7.3	20.9	64.2	117.2	135.6
2004.....	7.7	*	*	*	*	*	1.1	6.4	22.6	63.7	111.6	149.1
2003.....	7.9	*	*	*	*	*	1.5	8.0	23.2	61.9	122.5	139.8
2002.....	7.9	*	*	*	*	*	1.8	7.6	23.7	72.4	107.6	138.4
2001.....	7.6	*	*	*	*	*	1.6	7.6	25.6	66.5	110.6	139.6
2000.....	7.4	*	*	*	*	*	1.4	7.3	22.7	68.5	114.9	139.5
1999.....	7.4	*	*	*	*	*	1.8	7.0	23.7	65.7	107.5	165.3

Worktable Orig12. Death rates for 358 selected causes, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2006

[Rates per 100,000 population in specified group. Rates are based on populations enumerated as of April 1 for 2000 and estimated as of July 1 for all other years. Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to 'Detailed technical notes to the United States 2006 data-mortality']

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, and sex	All ages 1/	Under 1 year 2/	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
Malignant neoplasms of respiratory and intrathoracic organs (C30-C39)												
Non-Hispanic 4/, both sexes												
2006.....	62.2	*	*	*	0.1	0.5	5.5	32.9	108.6	271.7	394.8	315.5
2005.....	62.7	*	*	*	0.1	0.4	6.2	33.2	112.6	278.6	395.3	316.5
2004.....	62.6	*	*	*	0.1	0.4	6.4	33.5	116.4	283.8	392.2	310.4
2003.....	63.0	*	*	*	0.1	0.5	6.5	33.7	120.7	287.8	396.1	312.0
2002.....	63.2	*	*	*	0.1	0.5	7.0	33.7	125.1	292.9	395.6	308.8
2001.....	63.1	*	*	*	0.1	0.5	7.1	34.0	127.7	298.1	388.6	315.2
2000.....	63.4	*	*	*	0.1	0.6	7.0	34.8	132.7	302.0	387.4	313.2
1999.....	62.3	*	*	*	0.1	0.5	6.9	34.4	133.5	298.7	377.3	308.2
Non-Hispanic 4/, male												
2006.....	72.0	*	*	*	*	0.6	5.8	38.6	134.1	343.5	540.8	484.7
2005.....	73.0	*	*	*	*	0.5	6.5	39.6	139.8	355.5	543.7	496.6
2004.....	73.0	*	*	*	*	0.5	6.9	40.4	144.3	361.6	544.9	493.7
2003.....	73.9	*	*	*	0.1	0.5	7.3	41.1	149.5	370.8	553.6	501.2
2002.....	74.5	*	*	*	0.2	0.6	7.4	41.2	157.0	379.8	555.2	505.7
2001.....	75.4	*	*	*	*	0.5	7.8	41.8	160.3	395.1	556.1	540.1
2000.....	76.1	*	*	*	0.1	0.7	8.0	42.8	167.8	402.7	558.2	546.6
1999.....	75.5	*	*	*	*	0.6	7.6	42.6	171.6	400.6	551.2	555.5
Non-Hispanic 4/, female												
2006.....	52.8	*	*	*	*	0.4	5.2	27.4	85.0	210.7	295.1	236.8
2005.....	52.8	*	*	*	*	0.4	5.9	27.1	87.9	213.4	294.6	234.3
2004.....	52.6	*	*	*	*	0.3	6.0	26.7	90.6	218.3	289.5	228.5
2003.....	52.7	*	*	*	*	0.4	5.8	26.5	94.0	218.2	291.1	228.9
2002.....	52.4	*	*	*	*	0.4	6.6	26.5	95.5	220.4	289.8	223.9
2001.....	51.5	*	*	*	*	0.5	6.5	26.5	97.5	217.4	278.7	221.7
2000.....	51.3	*	*	*	*	0.5	6.0	27.2	100.3	218.9	276.1	218.8
1999.....	49.8	*	*	*	*	0.5	6.1	26.6	98.4	215.1	264.4	209.2
Non-Hispanic white, both sexes												
2006 5/.....	68.8	*	*	*	*	0.5	5.4	31.6	108.7	278.0	403.8	321.5
2005 5/.....	69.1	*	*	*	*	0.4	6.3	32.2	111.9	284.8	403.3	319.6
2004 5/.....	68.9	*	*	*	*	0.4	6.4	32.2	116.1	289.7	397.6	315.0
2003 5/.....	69.3	*	*	*	*	0.1	6.5	32.2	120.8	293.6	401.1	315.5
2002.....	69.5	*	*	*	0.1	0.5	6.8	32.4	124.3	298.9	401.4	312.8
2001.....	69.2	*	*	*	*	0.5	7.0	32.7	128.0	302.4	391.9	317.9
2000.....	69.3	*	*	*	0.1	0.6	6.5	33.2	132.9	305.4	391.3	315.7
1999.....	67.8	*	*	*	*	0.6	6.5	32.8	133.0	301.2	379.3	309.6
Non-Hispanic white, male												
2006 5/.....	78.5	*	*	*	*	0.5	5.6	36.3	130.5	344.0	546.1	491.6
2005 5/.....	79.5	*	*	*	*	0.5	6.4	37.8	135.0	356.7	549.1	498.0
2004 5/.....	79.1	*	*	*	*	0.5	6.6	37.7	139.8	362.2	545.0	498.7
2003 5/.....	80.0	*	*	*	*	0.6	7.0	38.4	145.4	371.0	552.4	504.2
2002.....	80.6	*	*	*	*	0.6	6.9	38.4	151.7	380.6	554.8	510.5
2001.....	81.2	*	*	*	*	0.5	7.4	38.9	156.7	392.7	552.1	541.6
2000.....	81.8	*	*	*	*	0.7	7.1	39.5	163.8	399.3	555.4	548.0
1999.....	80.9	*	*	*	*	0.6	7.1	39.2	166.8	396.5	547.1	556.6
Non-Hispanic white, female												
2006 5/.....	59.4	*	*	*	*	0.4	5.2	27.0	87.9	220.7	305.0	242.2
2005 5/.....	59.2	*	*	*	*	0.3	6.1	26.7	89.9	222.6	303.1	237.9
2004 5/.....	59.0	*	*	*	*	0.3	6.1	26.9	93.6	227.4	297.2	232.8
2003 5/.....	59.0	*	*	*	*	0.4	5.9	26.1	97.4	227.3	299.0	232.5
2002.....	58.8	*	*	*	*	0.4	6.7	26.5	98.4	229.3	298.6	227.5
2001.....	57.6	*	*	*	*	0.5	6.5	26.7	100.9	225.7	285.7	224.8
2000.....	57.3	*	*	*	*	0.5	5.9	27.1	103.7	226.2	283.5	222.1
1999.....	55.2	*	*	*	*	0.5	6.0	26.5	101.2	221.5	269.5	211.0

Worktable Orig12. Death rates for 358 selected causes, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2006

[Rates per 100,000 population in specified group. Rates are based on populations enumerated as of April 1 for 2000 and estimated as of July 1 for all other years. Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.odc.gov/nchs> and refer to 'Detailed technical notes to the United States 2006 data-mortality']

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, and sex	All ages 1/	Under 1 year 2/	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
Malignant neoplasms of respiratory and intrathoracic organs (C30-C39)												
Non-Hispanic black, both sexes												
2006 5/.....	45.3	*	*	*	*	0.7	6.9	48.8	137.9	290.0	382.3	277.9
2005 5/.....	46.1	*	*	*	*	0.5	7.5	48.1	148.7	296.5	385.1	306.7
2004 5/.....	46.2	*	*	*	*	0.5	8.4	49.3	151.5	297.0	403.6	291.6
2003 5/.....	46.7	*	*	*	*	0.5	8.4	51.4	155.8	306.8	403.8	296.0
2002.....	46.9	*	*	*	*	0.6	9.7	51.3	164.0	311.6	400.6	280.7
2001.....	46.8	*	*	*	*	*	9.9	50.9	158.3	324.7	404.8	291.2
2000.....	47.8	*	*	*	*	0.7	11.1	54.9	165.3	334.4	395.7	298.9
1999.....	47.8	*	*	*	*	0.5	10.5	55.0	170.9	330.9	402.3	303.3
Non-Hispanic black, male												
2006 5/.....	57.2	*	*	*	*	0.8	7.7	62.9	201.0	433.9	598.1	467.3
2005 5/.....	58.4	*	*	*	*	*	8.5	62.2	218.8	441.2	598.5	535.7
2004 5/.....	59.6	*	*	*	*	*	9.6	69.1	224.7	441.2	647.7	515.2
2003 5/.....	60.7	*	*	*	*	*	10.3	70.2	230.1	461.4	665.4	538.0
2002.....	61.6	*	*	*	*	0.8	12.0	71.6	244.1	473.3	665.6	504.3
2001.....	62.7	*	*	*	*	*	12.1	73.2	234.1	509.3	698.0	574.0
2000.....	64.2	*	*	*	*	*	14.8	78.2	246.3	521.9	680.3	589.4
1999.....	64.5	*	*	*	*	*	13.0	79.8	259.6	514.6	689.2	606.1
Non-Hispanic black, female												
2006 5/.....	34.4	*	*	*	*	*	6.2	36.8	87.2	187.2	259.8	200.7
2005 5/.....	34.9	*	*	*	*	*	6.6	36.0	92.3	193.0	264.2	214.5
2004 5/.....	34.0	*	*	*	*	*	7.3	32.3	92.8	194.2	265.8	203.2
2003 5/.....	34.0	*	*	*	*	*	6.8	35.3	96.1	198.9	256.0	202.2
2002.....	33.5	*	*	*	*	*	7.7	33.9	99.7	198.8	250.7	195.2
2001.....	32.3	*	*	*	*	*	7.9	31.7	97.4	194.5	240.2	186.5
2000.....	32.9	*	*	*	*	*	7.9	35.0	100.2	202.4	235.5	191.0
1999.....	32.7	*	*	*	*	*	8.2	33.7	99.8	201.2	241.6	190.1

Worktable Orig12. Death rates for 358 selected causes, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2006

[Rates per 100,000 population in specified group. Rates are based on populations enumerated as of April 1 for 2000 and estimated as of July 1 for all other years. Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to 'Detailed technical notes to the United States 2006 data-mortality']

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, and sex	All ages 1/	Under 1 year 2/	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
Of nasal cavity, middle ear and accessory sinuses (C30-C31)												
Non-Hispanic 4/, both sexes												
2006.....	0.2	*	*	*	*	*	0.1	0.1	0.3	0.4	0.8	1.1
2005.....	0.2	*	*	*	*	*	0.1	0.2	0.3	0.5	0.9	1.4
2004.....	0.2	*	*	*	*	*	0.1	0.1	0.3	0.6	0.9	1.4
2003.....	0.2	*	*	*	*	*	0.1	0.1	0.3	0.6	0.9	1.2
2002.....	0.2	*	*	*	*	*	0.1	0.2	0.3	0.6	0.8	1.2
2001.....	0.2	*	*	*	*	*	0.1	0.2	0.3	0.5	1.1	1.6
2000.....	0.2	*	*	*	*	*	0.1	0.1	0.3	0.5	0.8	1.2
1999.....	0.2	*	*	*	*	*	0.1	0.2	0.3	0.6	0.9	1.5
Non-Hispanic 4/, male												
2006.....	0.2	*	*	*	*	*	*	0.2	0.4	0.5	0.9	1.3
2005.....	0.2	*	*	*	*	*	*	0.3	0.5	0.7	1.3	1.7
2004.....	0.2	*	*	*	*	*	*	0.2	0.4	0.8	1.2	1.9
2003.....	0.2	*	*	*	*	*	*	0.2	0.4	0.8	1.4	*
2002.....	0.2	*	*	*	*	*	*	0.2	0.5	0.9	1.0	1.7
2001.....	0.2	*	*	*	*	*	*	0.2	0.5	0.6	1.3	1.8
2000.....	0.2	*	*	*	*	*	0.1	0.2	0.5	0.8	1.1	*
1999.....	0.2	*	*	*	*	*	*	0.3	0.5	0.7	1.2	1.7
Non-Hispanic 4/, female												
2006.....	0.1	*	*	*	*	*	*	0.1	0.2	0.4	0.8	1.0
2005.....	0.1	*	*	*	*	*	*	0.1	0.4	0.7	1.2	1.2
2004.....	0.1	*	*	*	*	*	*	0.1	0.2	0.4	0.7	1.2
2003.....	0.1	*	*	*	*	*	*	*	0.1	0.3	0.7	1.2
2002.....	0.1	*	*	*	*	*	*	*	0.2	0.3	0.7	1.0
2001.....	0.2	*	*	*	*	*	*	*	0.2	0.4	0.9	1.6
2000.....	0.1	*	*	*	*	*	*	*	0.2	0.3	0.6	1.1
1999.....	0.2	*	*	*	*	*	*	*	*	0.5	0.7	1.4
Non-Hispanic white, both sexes												
2006 5/.....	0.2	*	*	*	*	*	*	0.1	0.3	0.4	0.9	1.1
2005 5/.....	0.2	*	*	*	*	*	0.1	0.2	0.3	0.5	0.9	1.3
2004 5/.....	0.2	*	*	*	*	*	0.1	0.1	0.3	0.6	0.9	1.4
2003 5/.....	0.2	*	*	*	*	*	0.1	0.2	0.3	0.5	0.9	1.3
2002.....	0.2	*	*	*	*	*	*	0.2	0.3	0.6	0.9	1.3
2001.....	0.2	*	*	*	*	*	*	0.2	0.3	0.5	1.1	1.7
2000.....	0.2	*	*	*	*	*	0.1	0.1	0.3	0.5	0.8	1.3
1999.....	0.2	*	*	*	*	*	0.1	0.2	0.3	0.6	0.9	1.5
Non-Hispanic white, male												
2006 5/.....	0.2	*	*	*	*	*	*	0.2	0.4	0.5	0.9	1.4
2005 5/.....	0.2	*	*	*	*	*	*	0.2	0.4	0.7	1.3	1.7
2004 5/.....	0.2	*	*	*	*	*	*	0.1	0.4	0.7	1.2	1.9
2003 5/.....	0.2	*	*	*	*	*	*	0.2	0.4	0.8	1.3	*
2002.....	0.2	*	*	*	*	*	*	0.3	0.5	0.8	1.1	1.8
2001.....	0.2	*	*	*	*	*	*	0.2	0.5	0.6	1.3	1.8
2000.....	0.2	*	*	*	*	*	*	0.2	0.4	0.8	1.2	*
1999.....	0.2	*	*	*	*	*	*	0.3	0.4	0.7	1.2	1.9
Non-Hispanic white, female												
2006 5/.....	0.2	*	*	*	*	*	*	*	0.2	0.4	0.8	1.0
2005 5/.....	0.1	*	*	*	*	*	*	*	*	0.4	0.7	1.2
2004 5/.....	0.2	*	*	*	*	*	*	*	*	0.4	0.7	1.2
2003 5/.....	0.1	*	*	*	*	*	*	*	*	0.4	0.7	1.2
2002.....	0.1	*	*	*	*	*	*	*	*	0.3	0.8	1.0
2001.....	0.2	*	*	*	*	*	*	*	0.2	0.4	0.9	1.7
2000.....	0.1	*	*	*	*	*	*	*	*	0.3	0.6	1.2
1999.....	0.2	*	*	*	*	*	*	*	*	0.5	0.8	1.4

Worktable Orig12. Death rates for 358 selected causes, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2006

[Rates per 100,000 population in specified group. Rates are based on populations enumerated as of April 1 for 2000 and estimated as of July 1 for all other years. Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to 'Detailed technical notes to the United States 2006 data-mortality']

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, and sex	All ages 1/	Under 1 year 2/	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
Of larynx (C32)												
Non-Hispanic 4/, both sexes												
2006.....	1.4	*	*	*	*	*	0.2	1.1	3.2	5.8	7.1	6.3
2005.....	1.4	*	*	*	*	*	0.2	1.0	3.2	6.4	7.0	6.2
2004.....	1.4	*	*	*	*	*	0.2	1.1	3.3	5.7	6.6	6.5
2003.....	1.4	*	*	*	*	*	0.2	1.1	3.5	6.3	6.9	6.5
2002.....	1.4	*	*	*	*	*	0.2	1.1	3.5	6.0	7.7	5.4
2001.....	1.5	*	*	*	*	*	0.2	1.1	3.7	6.4	7.3	6.7
2000.....	1.5	*	*	*	*	*	0.1	1.2	3.7	6.7	8.1	6.5
1999.....	1.5	*	*	*	*	*	0.2	1.1	3.9	6.8	7.2	6.8
Non-Hispanic 4/, male												
2006.....	2.3	*	*	*	*	*	0.2	1.8	5.3	10.0	13.3	14.7
2005.....	2.3	*	*	*	*	*	0.2	1.6	5.4	10.9	13.0	15.7
2004.....	2.2	*	*	*	*	*	0.2	1.9	5.5	10.0	12.8	15.6
2003.....	2.3	*	*	*	*	*	0.3	1.8	5.9	10.9	13.7	15.0
2002.....	2.3	*	*	*	*	*	0.3	1.9	5.9	10.1	15.0	13.2
2001.....	2.4	*	*	*	*	*	0.3	1.9	6.1	11.1	14.3	18.4
2000.....	2.4	*	*	*	*	*	0.2	1.9	6.4	11.5	15.7	17.3
1999.....	2.4	*	*	*	*	*	0.3	1.9	6.6	11.4	14.0	17.3
Non-Hispanic 4/, female												
2006.....	0.6	*	*	*	*	*	0.4	1.3	2.3	2.9	2.4	2.4
2005.....	0.6	*	*	*	*	*	0.5	1.1	2.5	2.9	1.9	1.9
2004.....	0.6	*	*	*	*	*	0.4	1.3	2.1	2.4	2.5	2.5
2003.....	0.6	*	*	*	*	*	0.3	1.3	2.5	2.4	2.7	2.7
2002.....	0.6	*	*	*	*	*	0.4	1.3	2.6	2.9	2.1	2.1
2001.....	0.6	*	*	*	*	*	0.1	0.4	1.4	2.6	2.7	1.8
2000.....	0.6	*	*	*	*	*	0.5	1.2	2.8	3.1	2.1	2.1
1999.....	0.6	*	*	*	*	*	0.3	1.4	3.0	2.8	2.8	2.6
Non-Hispanic white, both sexes												
2006 5/.....	1.5	*	*	*	*	*	0.1	1.0	3.0	5.5	7.0	6.2
2005 5/.....	1.4	*	*	*	*	*	0.1	0.9	2.8	6.0	6.9	5.9
2004 5/.....	1.4	*	*	*	*	*	0.1	1.0	3.0	5.4	6.3	6.4
2003 5/.....	1.4	*	*	*	*	*	0.2	0.9	3.2	6.0	6.6	6.1
2002.....	1.4	*	*	*	*	*	0.1	0.9	3.1	5.8	7.3	5.5
2001.....	1.5	*	*	*	*	*	0.2	0.9	3.3	6.0	6.9	6.5
2000.....	1.5	*	*	*	*	*	0.1	1.0	3.2	6.2	7.7	6.5
1999.....	1.5	*	*	*	*	*	0.1	0.9	3.5	6.4	7.1	6.5
Non-Hispanic white, male												
2006 5/.....	2.3	*	*	*	*	*	0.2	1.5	4.9	9.1	12.8	14.5
2005 5/.....	2.3	*	*	*	*	*	0.2	1.4	4.6	10.0	12.7	14.8
2004 5/.....	2.2	*	*	*	*	*	0.2	1.6	4.9	9.4	12.1	15.0
2003 5/.....	2.3	*	*	*	*	*	0.3	1.5	5.2	9.9	12.8	14.1
2002.....	2.3	*	*	*	*	*	0.2	1.5	5.1	9.5	14.2	13.3
2001.....	2.3	*	*	*	*	*	0.3	1.5	5.5	10.2	13.3	18.3
2000.....	2.4	*	*	*	*	*	0.2	1.5	5.4	10.5	15.0	17.4
1999.....	2.3	*	*	*	*	*	0.2	1.6	5.8	10.7	13.6	16.0
Non-Hispanic white, female												
2006 5/.....	0.7	*	*	*	*	*	0.4	1.2	2.4	3.0	2.3	2.3
2005 5/.....	0.6	*	*	*	*	*	0.4	1.1	2.5	3.0	1.8	1.8
2004 5/.....	0.6	*	*	*	*	*	0.4	1.3	2.0	2.4	2.5	2.5
2003 5/.....	0.6	*	*	*	*	*	0.3	1.2	2.5	2.4	2.6	2.6
2002.....	0.6	*	*	*	*	*	0.3	1.3	2.6	2.7	2.2	2.2
2001.....	0.6	*	*	*	*	*	0.3	1.2	2.4	2.7	1.6	1.6
2000.....	0.6	*	*	*	*	*	0.4	1.1	2.6	3.0	2.1	2.1
1999.....	0.7	*	*	*	*	*	0.3	1.3	2.9	2.9	2.9	2.7

Worktable Orig12. Death rates for 358 selected causes, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2006

[Rates per 100,000 population in specified group. Rates are based on populations enumerated as of April 1 for 2000 and estimated as of July 1 for all other years. Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.odc.gov/nchs> and refer to 'Detailed technical notes to the United States 2006 data-mortality']

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, and sex	All ages 1/	Under 1 year 2/	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
Of larynx (C32)												
Non-Hispanic black, both sexes												
2006 5/.....	1.7	*	*	*	*	*	*	2.2	6.0	10.6	10.2	8.2
2005 5/.....	1.8	*	*	*	*	*	*	2.3	7.2	11.6	9.8	10.4
2004 5/.....	1.7	*	*	*	*	*	*	2.3	6.6	10.3	11.4	8.1
2003 5/.....	1.9	*	*	*	*	*	*	2.6	7.7	11.6	11.9	11.3
2002.....	1.9	*	*	*	*	*	0.5	2.7	7.7	10.6	13.9	*
2001.....	1.9	*	*	*	*	*	0.4	2.9	7.9	11.5	12.0	8.4
2000.....	2.0	*	*	*	*	*	*	2.9	9.2	12.9	14.3	7.0
1999.....	1.9	*	*	*	*	*	0.6	3.0	8.7	11.7	10.0	8.4
Non-Hispanic black, male												
2006 5/.....	2.8	*	*	*	*	*	*	4.0	10.8	21.2	22.5	19.2
2005 5/.....	3.0	*	*	*	*	*	*	3.5	14.0	22.5	21.0	29.5
2004 5/.....	2.9	*	*	*	*	*	*	4.3	12.6	20.2	25.4	23.4
2003 5/.....	3.3	*	*	*	*	*	*	4.6	14.0	24.0	28.3	27.7
2002.....	3.1	*	*	*	*	*	0.8	4.6	15.1	19.8	28.6	*
2001.....	3.1	*	*	*	*	*	*	5.2	14.2	21.4	28.2	*
2000.....	3.4	*	*	*	*	*	*	5.2	17.5	24.6	29.0	*
1999.....	3.2	*	*	*	*	*	1.0	5.3	16.3	22.1	22.5	25.0
Non-Hispanic black, female												
2006 5/.....	0.6	*	*	*	*	*	*	*	2.1	3.0	3.2	*
2005 5/.....	0.7	*	*	*	*	*	*	1.2	1.7	3.9	3.5	*
2004 5/.....	0.6	*	*	*	*	*	*	*	1.7	3.1	3.5	*
2003 5/.....	0.6	*	*	*	*	*	*	0.8	2.6	2.8	*	*
2002.....	0.7	*	*	*	*	*	*	1.1	1.8	4.1	5.0	*
2001.....	0.7	*	*	*	*	*	*	*	2.9	4.6	*	*
2000.....	0.8	*	*	*	*	*	*	1.0	2.4	4.7	6.1	*
1999.....	0.7	*	*	*	*	*	*	0.9	2.7	4.3	*	*

Worktable Orig12. Death rates for 358 selected causes, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2006

[Rates per 100,000 population in specified group. Rates are based on populations enumerated as of April 1 for 2000 and estimated as of July 1 for all other years. Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to 'Detailed technical notes to the United States 2006 data-mortality']

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, and sex	All ages 1/	Under 1 year 2/	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
Of trachea, bronchus and lung (C33-C34)												
All origins 3/, both sexes												
2006.....	53.0	*	*	*	0.1	0.4	4.6	29.1	99.1	253.1	373.5	300.5
2005.....	53.7	*	*	*	*	0.3	5.3	29.7	103.3	259.6	375.6	302.3
2004.....	53.8	*	*	*	0.1	0.4	5.5	29.9	106.9	265.5	373.6	297.5
2003.....	54.4	*	*	*	0.1	0.4	5.6	30.3	111.0	269.3	377.8	298.9
2002.....	54.7	*	*	*	0.1	0.4	6.0	30.3	115.3	275.0	377.6	297.2
2001.....	54.8	*	*	*	0.1	0.4	6.2	30.7	117.7	279.7	371.4	302.7
2000.....	55.3	*	*	*	0.1	0.5	6.1	31.6	122.4	284.2	370.8	302.1
1999.....	54.5	*	*	*	0.1	0.4	6.0	31.3	123.4	281.5	362.1	297.0
All origins 3/, male												
2006.....	60.5	*	*	*	*	0.4	4.7	33.8	121.6	319.4	509.9	457.7
2005.....	61.8	*	*	*	*	0.4	5.5	35.1	127.6	330.7	515.1	468.0
2004.....	62.0	*	*	*	*	0.4	5.8	35.8	131.7	337.6	517.3	466.8
2003.....	62.9	*	*	*	*	0.4	6.1	36.5	136.7	346.6	525.1	475.1
2002.....	63.7	*	*	*	*	0.4	6.2	36.6	144.0	355.9	527.9	482.2
2001.....	64.7	*	*	*	*	0.4	6.7	37.4	147.1	370.0	529.5	512.4
2000.....	65.5	*	*	*	*	0.5	6.9	38.5	154.0	377.9	532.2	521.2
1999.....	65.4	*	*	*	*	0.5	6.6	38.2	158.0	377.2	527.6	529.2
All origins 3/, female												
2006.....	45.7	*	*	*	*	0.4	4.5	24.6	78.2	197.0	280.3	226.9
2005.....	45.9	*	*	*	*	0.3	5.1	24.5	80.7	199.6	280.9	226.2
2004.....	45.9	*	*	*	*	0.3	5.2	24.2	83.9	205.0	277.0	221.3
2003.....	46.1	*	*	*	*	0.4	5.1	24.4	87.1	204.8	279.4	221.0
2002.....	46.0	*	*	*	*	0.4	5.8	24.3	88.8	207.7	277.8	217.0
2001.....	45.3	*	*	*	*	0.4	5.7	24.3	90.5	204.9	267.5	215.0
2000.....	45.4	*	*	*	*	0.5	5.3	25.0	93.3	206.9	265.6	212.8
1999.....	44.1	*	*	*	*	0.4	5.5	24.6	91.5	203.1	254.5	203.5
Hispanic, both sexes												
2006.....	9.8	*	*	*	*	*	1.5	8.4	31.3	98.8	167.9	160.8
2005.....	10.5	*	*	*	*	*	1.7	9.5	35.7	102.6	183.3	177.1
2004.....	10.2	*	*	*	*	0.3	1.4	9.4	35.4	102.6	178.7	193.1
2003.....	10.4	*	*	*	*	0.3	1.6	10.2	38.1	105.8	183.8	189.2
2002.....	10.4	*	*	*	*	0.4	1.5	9.9	40.9	110.4	183.7	189.0
2001.....	10.3	*	*	*	*	*	1.9	10.7	41.0	108.3	182.3	200.7
2000.....	10.3	*	*	*	*	*	1.8	10.9	39.3	110.6	198.7	213.7
1999.....	10.4	*	*	*	*	*	2.0	10.4	44.2	112.9	187.7	227.3
Hispanic, male												
2006.....	12.0	*	*	*	*	*	1.5	10.5	44.8	140.1	254.2	263.9
2005.....	13.0	*	*	*	*	*	1.9	11.9	52.3	151.4	281.6	269.0
2004.....	12.7	*	*	*	*	*	1.7	12.6	50.0	151.7	279.7	287.2
2003.....	12.8	*	*	*	*	*	1.7	12.6	55.4	161.8	277.3	290.9
2002.....	13.1	*	*	*	*	*	1.5	12.6	60.7	161.7	299.1	307.9
2001.....	13.1	*	*	*	*	*	2.4	14.2	59.5	163.7	293.8	335.2
2000.....	13.3	*	*	*	*	*	2.1	14.8	58.6	167.3	327.5	368.8
1999.....	13.6	*	*	*	*	*	2.3	14.2	68.1	175.3	316.0	362.3
Hispanic, female												
2006.....	7.5	*	*	*	*	*	1.5	6.3	19.0	65.2	107.6	106.0
2005.....	7.8	*	*	*	*	*	1.6	7.1	20.4	63.1	114.9	129.0
2004.....	7.6	*	*	*	*	*	1.0	6.2	22.1	63.1	108.9	144.8
2003.....	7.8	*	*	*	*	*	1.4	7.9	22.4	61.2	119.6	137.5
2002.....	7.6	*	*	*	*	*	1.6	7.3	23.2	69.5	104.6	130.1
2001.....	7.4	*	*	*	*	*	1.4	7.3	24.6	64.6	107.0	135.0
2000.....	7.2	*	*	*	*	*	1.4	7.1	22.2	66.0	112.3	137.5
1999.....	7.1	*	*	*	*	*	1.7	6.7	23.1	64.0	102.3	162.2

Worktable Orig12. Death rates for 358 selected causes, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2006

[Rates per 100,000 population in specified group. Rates are based on populations enumerated as of April 1 for 2000 and estimated as of July 1 for all other years. Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to 'Detailed technical notes to the United States 2006 data-mortality']

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, and sex	All ages 1/	Under 1 year 2/	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
Of trachea, bronchus and lung (C33-C34)												
Non-Hispanic 4/, both sexes												
2006.....	60.4	*	*	*	0.1	0.4	5.2	31.5	104.9	264.8	385.9	306.9
2005.....	60.9	*	*	*	*	0.4	5.9	31.9	108.9	271.1	386.5	307.9
2004.....	60.9	*	*	*	0.1	0.4	6.2	32.0	112.6	277.0	383.9	301.6
2003.....	61.2	*	*	*	0.1	0.4	6.2	32.3	116.6	280.3	387.2	303.0
2002.....	61.4	*	*	*	*	0.4	6.7	32.3	121.0	285.7	386.2	301.0
2001.....	61.3	*	*	*	*	0.4	6.8	32.5	123.3	290.4	379.4	305.8
2000.....	61.5	*	*	*	*	0.5	6.6	33.4	128.4	294.2	377.4	304.5
1999.....	60.5	*	*	*	*	0.5	6.5	33.0	128.9	290.7	368.2	298.8
Non-Hispanic 4/, male												
2006.....	69.3	*	*	*	*	0.5	5.3	36.5	128.0	332.5	525.5	467.4
2005.....	70.3	*	*	*	*	0.4	6.1	37.6	133.7	343.4	528.5	477.9
2004.....	70.4	*	*	*	*	0.4	6.5	38.2	138.1	350.1	529.8	474.8
2003.....	71.1	*	*	*	*	0.4	6.8	38.9	142.9	358.3	537.2	483.1
2002.....	71.8	*	*	*	*	0.5	6.9	38.9	150.3	368.1	538.0	488.9
2001.....	72.6	*	*	*	*	0.4	7.3	39.5	153.2	382.4	539.5	518.4
2000.....	73.2	*	*	*	*	0.6	7.5	40.5	160.6	389.7	539.9	526.2
1999.....	72.7	*	*	*	*	0.5	7.1	40.1	164.0	387.8	534.9	534.6
Non-Hispanic 4/, female												
2006.....	51.9	*	*	*	*	0.4	5.0	26.7	83.3	207.4	290.6	232.3
2005.....	51.9	*	*	*	*	0.3	5.7	26.4	85.8	210.0	290.3	230.3
2004.....	51.8	*	*	*	*	0.3	5.8	26.1	88.9	215.4	285.8	224.2
2003.....	51.8	*	*	*	*	0.4	5.6	26.0	92.2	214.9	287.2	223.9
2002.....	51.6	*	*	*	*	0.4	6.4	25.9	93.9	216.9	285.5	220.0
2001.....	50.5	*	*	*	*	0.5	6.2	25.8	95.6	213.9	274.3	217.4
2000.....	50.4	*	*	*	*	0.5	5.8	26.5	98.6	215.4	271.6	214.8
1999.....	48.8	*	*	*	*	0.4	6.0	26.1	96.5	211.0	260.0	204.4
Non-Hispanic white, both sexes												
2006 5/.....	66.9	*	*	*	*	0.4	5.2	30.4	105.1	271.5	395.0	313.0
2005 5/.....	67.3	*	*	*	*	0.3	5.9	31.0	108.6	277.8	394.7	311.3
2004 5/.....	67.1	*	*	*	*	0.3	6.1	31.0	112.5	283.2	389.6	306.3
2003 5/.....	67.5	*	*	*	*	0.4	6.1	31.0	117.0	286.5	392.6	306.7
2002.....	67.7	*	*	*	*	0.4	6.5	31.2	120.6	292.0	392.2	304.8
2001.....	67.3	*	*	*	*	0.5	6.6	31.5	124.0	295.2	383.0	308.6
2000.....	67.4	*	*	*	*	0.5	6.2	32.0	129.1	298.0	381.7	306.8
1999.....	65.9	*	*	*	*	0.5	6.2	31.5	128.9	293.5	370.3	300.5
Non-Hispanic white, male												
2006 5/.....	75.8	*	*	*	*	0.5	5.3	34.5	124.8	334.0	531.2	474.2
2005 5/.....	76.8	*	*	*	*	0.4	6.0	36.0	129.7	345.6	534.1	480.2
2004 5/.....	76.5	*	*	*	*	0.4	6.3	35.8	134.2	351.4	530.6	480.3
2003 5/.....	77.3	*	*	*	*	0.4	6.5	36.5	139.4	359.6	537.0	486.8
2002.....	77.8	*	*	*	*	0.5	6.5	36.5	145.7	369.5	538.3	493.3
2001.....	78.4	*	*	*	*	0.4	6.9	37.0	150.3	381.1	536.5	520.0
2000.....	78.9	*	*	*	*	0.6	6.7	37.7	157.7	387.3	537.7	527.3
1999.....	78.1	*	*	*	*	0.5	6.6	37.1	160.1	384.4	531.1	536.9
Non-Hispanic white, female												
2006 5/.....	58.4	*	*	*	*	0.4	5.1	26.3	86.4	217.3	300.5	237.8
2005 5/.....	58.2	*	*	*	*	0.3	5.9	26.0	88.5	219.3	298.7	234.1
2004 5/.....	58.1	*	*	*	*	0.3	5.9	26.2	92.0	224.6	293.5	228.4
2003 5/.....	58.1	*	*	*	*	0.4	5.7	25.6	95.7	223.9	295.1	227.4
2002.....	57.9	*	*	*	*	0.3	6.5	26.0	96.8	225.9	294.3	223.4
2001.....	56.6	*	*	*	*	0.5	6.4	26.0	99.2	222.3	281.3	220.6
2000.....	56.4	*	*	*	*	0.5	5.7	26.4	102.2	222.9	279.2	218.0
1999.....	54.3	*	*	*	*	0.5	5.8	26.1	99.5	217.5	265.0	206.2

Worktable Orig12. Death rates for 358 selected causes, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2006

[Rates per 100,000 population in specified group. Rates are based on populations enumerated as of April 1 for 2000 and estimated as of July 1 for all other years. Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.odc.gov/nchs> and refer to 'Detailed technical notes to the United States 2006 data-mortality']

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, and sex	All ages 1/	Under 1 year 2/	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
Of trachea, bronchus and lung (C33-C34)												
Non-Hispanic black, both sexes												
2006 5/.....	43.3	*	*	*	*	0.6	6.3	46.2	131.3	277.8	370.8	268.4
2005 5/.....	44.0	*	*	*	*	*	7.0	45.5	140.7	283.5	373.4	294.1
2004 5/.....	44.2	*	*	*	*	0.5	8.0	46.5	144.2	285.3	390.1	281.5
2003 5/.....	44.5	*	*	*	*	*	8.0	48.5	147.4	293.9	389.4	283.5
2002.....	44.7	*	*	*	*	0.4	9.0	48.1	155.6	299.5	385.6	274.9
2001.....	44.6	*	*	*	*	*	9.2	47.5	149.4	311.4	390.9	281.6
2000.....	45.4	*	*	*	*	0.6	10.4	51.5	155.0	320.2	379.4	291.0
1999.....	45.6	*	*	*	*	0.4	9.6	51.5	161.1	317.7	390.9	293.3
Non-Hispanic black, male												
2006 5/.....	54.1	*	*	*	*	*	6.8	58.5	189.5	410.3	574.5	448.1
2005 5/.....	55.0	*	*	*	*	*	7.9	58.2	203.5	417.3	575.5	503.4
2004 5/.....	56.3	*	*	*	*	*	9.0	64.3	211.1	419.0	619.8	488.8
2003 5/.....	57.0	*	*	*	*	*	9.7	65.3	215.1	434.9	632.5	509.3
2002.....	58.1	*	*	*	*	*	11.0	66.3	228.0	451.4	633.9	490.1
2001.....	59.2	*	*	*	*	*	11.4	67.5	218.3	484.4	668.0	550.9
2000.....	60.3	*	*	*	*	*	13.8	72.4	227.1	495.4	649.5	567.1
1999.....	60.9	*	*	*	*	*	11.7	73.7	241.9	491.0	665.1	580.0
Non-Hispanic black, female												
2006 5/.....	33.5	*	*	*	*	*	5.9	35.7	84.5	183.1	255.3	195.1
2005 5/.....	34.0	*	*	*	*	*	6.3	34.6	90.1	187.9	258.8	209.9
2004 5/.....	33.2	*	*	*	*	*	7.0	31.3	90.5	190.0	260.5	199.6
2003 5/.....	33.1	*	*	*	*	*	6.5	34.1	93.1	193.5	252.1	196.0
2002.....	32.6	*	*	*	*	*	7.3	32.5	97.5	191.8	245.1	192.7
2001.....	31.3	*	*	*	*	*	7.3	30.4	94.0	189.4	235.3	181.8
2000.....	31.9	*	*	*	*	*	7.4	33.6	97.0	196.9	227.3	188.4
1999.....	31.8	*	*	*	*	*	7.9	32.5	96.4	195.5	237.4	186.1

Worktable Orig12. Death rates for 358 selected causes, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2006

[Rates per 100,000 population in specified group. Rates are based on populations enumerated as of April 1 for 2000 and estimated as of July 1 for all other years. Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to 'Detailed technical notes to the United States 2006 data-mortality']

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, and sex	All ages 1/	Under 1 year 2/	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
Of thymus, heart, mediastinum and pleura (C37-C38)												
Non-Hispanic 4/, both sexes												
2006.....	0.2	*	*	*	*	*	0.1	0.1	0.2	0.5	0.8	1.1
2005.....	0.2	*	*	*	*	*	0.1	0.1	0.2	0.5	0.8	0.9
2004.....	0.2	*	*	*	*	*	0.1	0.2	0.3	0.5	0.8	0.9
2003.....	0.2	*	*	*	*	*	0.1	0.1	0.3	0.5	0.9	1.3
2002.....	0.2	*	*	*	*	0.1	0.1	0.2	0.2	0.6	0.8	1.1
2001.....	0.2	*	*	*	*	*	0.1	0.2	0.3	0.6	0.8	1.0
2000.....	0.2	*	*	*	*	*	0.1	0.1	0.3	0.5	1.0	0.9
1999.....	0.2	*	*	*	*	*	0.1	0.1	0.3	0.6	0.9	1.0
Non-Hispanic 4/, male												
2006.....	0.2	*	*	*	*	*	0.1	0.1	0.3	0.4	1.0	*
2005.....	0.2	*	*	*	*	*	0.1	0.2	0.3	0.5	0.9	*
2004.....	0.2	*	*	*	*	*	0.2	0.3	0.6	1.0	1.4	
2003.....	0.2	*	*	*	*	*	0.1	0.1	0.3	0.6	1.1	1.7
2002.....	0.2	*	*	*	*	*	0.2	0.4	0.6	1.0	1.7	
2001.....	0.2	*	*	*	*	*	0.1	0.2	0.4	0.8	0.9	*
2000.....	0.2	*	*	*	*	*	0.1	0.2	0.3	0.6	1.4	*
1999.....	0.2	*	*	*	*	*	0.1	0.2	0.4	0.6	1.0	*
Non-Hispanic 4/, female												
2006.....	0.2	*	*	*	*	*	0.2	0.2	0.5	0.7	1.1	
2005.....	0.1	*	*	*	*	*	0.1	0.2	0.5	0.7	0.8	
2004.....	0.1	*	*	*	*	*	0.1	0.2	0.4	0.6	0.6	
2003.....	0.2	*	*	*	*	*	0.1	0.2	0.4	0.7	1.1	
2002.....	0.1	*	*	*	*	*	0.1	*	0.5	0.7	0.8	
2001.....	0.2	*	*	*	*	*	0.2	0.2	0.5	0.7	0.8	
2000.....	0.1	*	*	*	*	*	0.1	0.2	0.4	0.7	*	
1999.....	0.2	*	*	*	*	*	*	0.3	0.5	0.8	0.8	
Non-Hispanic white, both sexes												
2006 5/.....	0.2	*	*	*	*	*	0.1	0.1	0.2	0.5	0.8	1.2
2005 5/.....	0.2	*	*	*	*	*	0.1	0.1	0.2	0.5	0.8	0.9
2004 5/.....	0.2	*	*	*	*	*	*	0.1	0.3	0.5	0.8	0.9
2003 5/.....	0.2	*	*	*	*	*	0.1	0.1	0.3	0.5	0.8	1.4
2002.....	0.2	*	*	*	*	*	0.1	0.1	0.2	0.6	0.8	1.2
2001.....	0.2	*	*	*	*	*	0.1	0.2	0.3	0.6	0.8	1.0
2000.....	0.2	*	*	*	*	*	0.1	0.1	0.2	0.5	1.0	0.9
1999.....	0.2	*	*	*	*	*	0.1	0.1	0.3	0.5	0.9	1.0
Non-Hispanic white, male												
2006 5/.....	0.2	*	*	*	*	*	*	*	0.3	0.4	1.0	*
2005 5/.....	0.2	*	*	*	*	*	*	0.2	0.3	0.5	1.0	*
2004 5/.....	0.2	*	*	*	*	*	*	0.2	0.3	0.6	1.1	1.5
2003 5/.....	0.2	*	*	*	*	*	*	0.1	0.3	0.6	1.1	1.9
2002.....	0.2	*	*	*	*	*	*	0.1	0.3	0.7	1.0	1.9
2001.....	0.2	*	*	*	*	*	*	0.2	0.4	0.7	0.9	*
2000.....	0.2	*	*	*	*	*	0.1	0.1	0.3	0.6	1.4	*
1999.....	0.2	*	*	*	*	*	*	0.2	0.3	0.5	1.1	*
Non-Hispanic white, female												
2006 5/.....	0.2	*	*	*	*	*	*	0.1	*	0.5	0.7	1.1
2005 5/.....	0.1	*	*	*	*	*	*	*	0.2	0.5	0.6	0.8
2004 5/.....	0.1	*	*	*	*	*	*	*	0.2	0.4	0.6	*
2003 5/.....	0.2	*	*	*	*	*	*	*	0.3	0.5	0.6	1.2
2002.....	0.2	*	*	*	*	*	*	0.1	*	0.5	0.7	0.9
2001.....	0.2	*	*	*	*	*	*	0.2	0.2	0.5	0.6	0.9
2000.....	0.1	*	*	*	*	*	*	*	*	0.4	0.7	*
1999.....	0.2	*	*	*	*	*	*	*	0.2	0.5	0.8	0.8

Worktable Orig12. Death rates for 358 selected causes, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2006

[Rates per 100,000 population in specified group. Rates are based on populations enumerated as of April 1 for 2000 and estimated as of July 1 for all other years. Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to 'Detailed technical notes to the United States 2006 data-mortality']

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, and sex	All ages 1/	Under 1 year 2/	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
Malignant neoplasms of bone and articular cartilage (C40-C41)												
Non-Hispanic 4/, both sexes												
2006.....	0.5	*	*	0.1	0.5	0.3	0.2	0.3	0.5	1.0	1.8	3.1
2005.....	0.5	*	*	0.2	0.6	0.3	0.2	0.4	0.5	1.0	2.0	2.8
2004.....	0.5	*	*	0.2	0.5	0.2	0.2	0.3	0.6	1.0	1.8	2.8
2003.....	0.5	*	*	0.2	0.5	0.2	0.2	0.3	0.5	0.9	1.9	2.9
2002.....	0.4	*	*	0.2	0.4	0.3	0.2	0.3	0.6	0.8	1.6	2.9
2001.....	0.5	*	*	0.2	0.5	0.3	0.2	0.3	0.5	1.1	1.9	3.5
2000.....	0.4	*	*	0.2	0.4	0.2	0.2	0.3	0.6	0.9	1.9	3.4
1999.....	0.5	*	*	0.2	0.5	0.2	0.2	0.4	0.4	1.0	1.8	2.9
Non-Hispanic 4/, male												
2006.....	0.5	*	*	0.1	0.7	0.4	0.2	0.3	0.7	1.4	1.9	3.6
2005.....	0.6	*	*	0.2	0.7	0.4	0.2	0.4	0.6	1.2	2.7	3.5
2004.....	0.5	*	*	0.2	0.6	0.3	0.3	0.4	0.8	1.2	2.0	3.3
2003.....	0.5	*	*	0.2	0.6	0.2	0.3	0.4	0.6	1.1	2.4	3.6
2002.....	0.5	*	*	0.2	0.5	0.3	0.3	0.4	0.6	0.9	2.1	3.6
2001.....	0.5	*	*	0.2	0.7	0.3	0.3	0.4	0.6	1.4	2.4	3.7
2000.....	0.5	*	*	0.2	0.6	0.3	0.2	0.4	0.7	1.2	2.4	4.2
1999.....	0.5	*	*	0.2	0.6	0.2	0.2	0.4	0.6	1.3	1.9	4.4
Non-Hispanic 4/, female												
2006.....	0.4	*	*	0.1	0.4	0.2	0.2	0.3	0.3	0.8	1.6	2.8
2005.....	0.4	*	*	0.2	0.4	0.1	0.2	0.3	0.4	0.8	1.5	2.4
2004.....	0.4	*	*	0.1	0.3	0.2	0.2	0.2	0.5	0.9	1.6	2.5
2003.....	0.4	*	*	0.1	0.3	0.2	0.1	0.2	0.3	0.8	1.5	2.5
2002.....	0.4	*	*	0.2	0.3	0.2	0.1	0.2	0.5	0.8	1.3	2.6
2001.....	0.4	*	*	0.2	0.3	0.2	0.2	0.2	0.5	0.8	1.5	3.4
2000.....	0.4	*	*	0.2	0.3	*	0.1	0.2	0.4	0.7	1.6	3.0
1999.....	0.4	*	*	0.2	0.4	0.2	0.2	0.3	0.3	0.8	1.7	2.4
Non-Hispanic white, both sexes												
2006 5/.....	0.5	*	*	0.1	0.5	0.3	0.2	0.3	0.5	1.0	1.8	3.0
2005 5/.....	0.5	*	*	0.2	0.6	0.3	0.2	0.4	0.5	1.0	2.1	2.9
2004 5/.....	0.5	*	*	0.2	0.5	0.3	0.2	0.3	0.6	1.1	1.8	2.9
2003 5/.....	0.5	*	*	0.2	0.5	0.2	0.2	0.3	0.5	0.9	1.9	2.9
2002.....	0.5	*	*	0.2	0.5	0.3	0.2	0.3	0.6	0.8	1.7	3.0
2001.....	0.5	*	*	0.2	0.6	0.3	0.2	0.3	0.5	1.0	2.0	3.6
2000.....	0.5	*	*	0.2	0.4	0.2	0.2	0.3	0.5	1.0	1.9	3.5
1999.....	0.5	*	*	0.2	0.5	0.2	0.2	0.4	0.4	1.0	1.9	3.1
Non-Hispanic white, male												
2006 5/.....	0.6	*	*	0.1	0.7	0.4	0.3	0.3	0.7	1.4	2.0	3.5
2005 5/.....	0.6	*	*	0.2	0.7	0.4	0.2	0.4	0.6	1.3	2.8	3.6
2004 5/.....	0.6	*	*	0.2	0.6	0.3	0.2	0.4	0.7	1.2	2.1	3.4
2003 5/.....	0.6	*	*	0.3	0.6	0.3	0.3	0.4	0.6	1.1	2.5	3.5
2002.....	0.5	*	*	0.2	0.5	0.4	0.3	0.4	0.6	0.9	2.1	3.8
2001.....	0.6	*	*	0.2	0.8	0.3	0.3	0.4	0.6	1.4	2.5	3.6
2000.....	0.6	*	*	0.2	0.5	0.4	0.2	0.4	0.7	1.2	2.4	4.5
1999.....	0.5	*	*	0.2	0.6	0.3	0.2	0.4	0.5	1.3	2.0	4.6
Non-Hispanic white, female												
2006 5/.....	0.4	*	*	0.1	0.3	0.2	0.2	0.3	0.3	0.8	1.7	2.8
2005 5/.....	0.5	*	*	0.2	0.5	0.2	0.2	0.3	0.4	0.8	1.6	2.5
2004 5/.....	0.4	*	*	0.1	0.3	0.2	0.1	0.2	0.5	0.9	1.6	2.6
2003 5/.....	0.4	*	*	0.1	0.4	0.2	0.2	0.3	0.3	0.8	1.4	2.7
2002.....	0.4	*	*	0.2	0.4	0.2	*	0.1	0.5	0.8	1.4	2.7
2001.....	0.4	*	*	0.2	0.3	0.3	0.1	0.2	0.4	0.7	1.6	3.5
2000.....	0.4	*	*	0.2	0.3	*	0.1	0.2	0.4	0.8	1.6	3.1
1999.....	0.4	*	*	0.1	0.5	0.2	0.2	0.3	0.3	0.8	1.8	2.4

Worktable Orig12. Death rates for 358 selected causes, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2006

[Rates per 100,000 population in specified group. Rates are based on populations enumerated as of April 1 for 2000 and estimated as of July 1 for all other years. Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to 'Detailed technical notes to the United States 2006 data-mortality']

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, and sex	All ages 1/	Under 1 year 2/	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
Melanoma and other malignant neoplasms of skin (C43-C44)												
Non-Hispanic 4/, both sexes												
2006.....	4.2	*	*	*	0.1	0.5	1.4	3.4	7.0	12.7	22.0	35.0
2005.....	4.2	*	*	*	0.1	0.6	1.5	3.5	6.8	12.6	22.1	32.6
2004.....	4.0	*	*	*	0.1	0.6	1.4	3.5	7.0	12.4	20.6	31.1
2003.....	4.0	*	*	*	0.1	0.6	1.6	3.6	7.2	11.8	20.4	31.4
2002.....	3.9	*	*	*	0.1	0.6	1.6	3.6	6.7	12.1	20.0	30.4
2001.....	3.9	*	*	*	0.1	0.6	1.6	3.9	7.2	12.6	19.2	31.8
2000.....	3.8	*	*	*	0.1	0.6	1.6	3.9	7.0	12.3	18.5	32.5
1999.....	3.8	*	*	*	0.1	0.6	1.7	3.8	7.0	12.2	19.2	29.6
Non-Hispanic 4/, male												
2006.....	5.8	*	*	*	0.2	0.7	1.8	4.6	10.4	19.1	37.0	63.8
2005.....	5.5	*	*	*	0.1	0.8	1.8	4.6	9.7	19.0	35.7	58.5
2004.....	5.4	*	*	*	*	0.7	1.8	4.7	10.4	18.9	33.8	56.1
2003.....	5.3	*	*	*	0.1	0.8	1.9	4.9	10.4	17.6	33.2	54.7
2002.....	5.1	*	*	*	*	0.7	2.0	5.0	9.8	18.3	32.0	51.8
2001.....	5.2	*	*	*	0.1	0.7	2.0	5.2	10.4	19.5	30.9	55.4
2000.....	5.0	*	*	*	0.1	0.7	1.9	5.2	9.9	18.5	30.3	57.0
1999.....	5.0	*	*	*	0.1	0.7	2.2	5.2	10.2	18.5	30.7	51.9
Non-Hispanic 4/, female												
2006.....	2.8	*	*	*	*	0.4	1.0	2.3	3.9	7.2	11.7	21.6
2005.....	2.8	*	*	*	*	0.4	1.1	2.5	4.0	7.2	12.9	20.8
2004.....	2.7	*	*	*	0.1	0.5	1.1	2.3	3.9	6.9	11.7	19.9
2003.....	2.7	*	*	*	*	0.4	1.2	2.4	4.2	7.0	11.8	21.1
2002.....	2.7	*	*	*	*	0.5	1.2	2.2	3.9	7.0	12.0	21.2
2001.....	2.7	*	*	*	*	0.5	1.2	2.6	4.2	7.0	11.5	22.0
2000.....	2.7	*	*	*	*	0.5	1.3	2.6	4.3	7.2	10.8	22.6
1999.....	2.6	*	*	*	*	0.5	1.1	2.5	4.0	7.0	11.8	20.7
Non-Hispanic white, both sexes												
2006 5/.....	5.2	*	*	*	0.2	0.7	1.7	4.0	8.0	14.4	24.2	37.9
2005 5/.....	5.1	*	*	*	0.1	0.8	1.8	4.1	7.7	14.3	24.4	35.3
2004 5/.....	4.9	*	*	*	0.1	0.8	1.8	4.1	8.0	14.0	22.6	33.8
2003 5/.....	4.8	*	*	*	0.1	0.8	1.9	4.2	8.2	13.3	22.3	34.0
2002.....	4.7	*	*	*	0.1	0.8	2.0	4.1	7.6	13.4	21.9	32.9
2001.....	4.8	*	*	*	0.2	0.7	2.0	4.5	8.1	14.0	20.9	34.4
2000.....	4.6	*	*	*	0.2	0.7	1.9	4.5	7.8	13.6	20.0	35.0
1999.....	4.6	*	*	*	0.1	0.7	2.0	4.4	7.9	13.5	20.8	32.0
Non-Hispanic white, male												
2006 5/.....	7.1	*	*	*	0.2	0.8	2.2	5.3	11.7	21.5	40.6	69.4
2005 5/.....	6.7	*	*	*	*	1.0	2.2	5.4	10.9	21.4	39.2	64.1
2004 5/.....	6.6	*	*	*	*	0.9	2.1	5.5	11.6	21.3	36.9	61.5
2003 5/.....	6.4	*	*	*	0.2	1.0	2.3	5.6	11.7	19.7	36.3	59.6
2002.....	6.2	*	*	*	*	0.9	2.4	5.7	10.8	20.0	35.0	56.3
2001.....	6.3	*	*	*	0.2	0.8	2.4	5.9	11.6	21.4	33.7	60.4
2000.....	6.0	*	*	*	0.2	0.8	2.2	6.0	11.0	20.3	32.7	62.5
1999.....	6.0	*	*	*	*	0.8	2.6	5.8	11.4	20.5	33.1	56.5
Non-Hispanic white, female												
2006 5/.....	3.4	*	*	*	*	0.6	1.3	2.7	4.5	8.2	12.9	23.2
2005 5/.....	3.5	*	*	*	*	0.6	1.4	2.9	4.6	8.1	14.2	22.1
2004 5/.....	3.3	*	*	*	*	0.6	1.4	2.8	4.5	7.8	12.8	21.4
2003 5/.....	3.3	*	*	*	*	0.6	1.4	2.8	4.7	7.9	12.8	22.7
2002.....	3.3	*	*	*	*	0.6	1.5	2.6	4.5	7.8	13.1	22.8
2001.....	3.3	*	*	*	*	0.6	1.5	3.1	4.8	7.7	12.4	23.6
2000.....	3.3	*	*	*	*	0.6	1.6	3.1	4.8	7.9	11.7	24.0
1999.....	3.2	*	*	*	*	0.6	1.4	3.0	4.6	7.8	12.7	22.2

Worktable Orig12. Death rates for 358 selected causes, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2006

[Rates per 100,000 population in specified group. Rates are based on populations enumerated as of April 1 for 2000 and estimated as of July 1 for all other years. Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to 'Detailed technical notes to the United States 2006 data-mortality']

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, and sex	All ages 1/	Under 1 year 2/	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
Malignant melanoma of skin (C43)												
Non-Hispanic 4/, both sexes												
2006.....	3.2	*	*	*	0.1	0.5	1.3	2.9	5.5	9.9	16.3	20.8
2005.....	3.2	*	*	*	0.1	0.6	1.4	3.0	5.5	9.9	16.3	20.5
2004.....	3.1	*	*	*	0.1	0.6	1.3	3.0	5.6	9.8	15.3	18.3
2003.....	3.0	*	*	*	0.1	0.6	1.4	3.1	5.9	9.1	15.1	18.1
2002.....	2.9	*	*	*	0.1	0.6	1.5	3.0	5.4	9.3	14.1	18.2
2001.....	3.0	*	*	*	0.1	0.5	1.5	3.3	5.6	9.7	13.7	18.3
2000.....	3.0	*	*	*	0.1	0.5	1.5	3.4	5.7	9.3	13.5	19.3
1999.....	2.9	*	*	*	0.1	0.6	1.5	3.3	5.6	9.3	13.7	16.7
Non-Hispanic 4/, male												
2006.....	4.3	*	*	*	0.2	0.6	1.6	3.8	7.9	14.5	26.8	38.0
2005.....	4.2	*	*	*	0.1	0.8	1.6	3.9	7.4	14.5	25.6	36.2
2004.....	4.1	*	*	*	*	0.7	1.6	3.9	8.0	14.5	24.8	32.7
2003.....	4.0	*	*	*	0.1	0.7	1.7	4.0	8.2	13.2	24.2	30.9
2002.....	3.8	*	*	*	*	0.7	1.8	4.1	7.6	13.7	22.0	30.2
2001.....	3.9	*	*	*	0.1	0.6	1.9	4.2	7.8	14.6	22.0	31.0
2000.....	3.7	*	*	*	0.1	0.6	1.7	4.4	7.8	13.4	21.3	32.6
1999.....	3.7	*	*	*	0.1	0.6	2.0	4.2	7.8	13.7	21.5	28.2
Non-Hispanic 4/, female												
2006.....	2.2	*	*	*	*	0.4	1.0	2.1	3.4	6.0	9.1	12.8
2005.....	2.3	*	*	*	*	0.4	1.1	2.2	3.7	5.9	9.9	13.4
2004.....	2.1	*	*	*	*	0.5	1.1	2.1	3.4	5.8	9.0	11.9
2003.....	2.2	*	*	*	*	0.4	1.1	2.2	3.6	5.7	9.0	12.4
2002.....	2.1	*	*	*	*	0.4	1.2	2.0	3.3	5.7	8.9	12.9
2001.....	2.1	*	*	*	*	0.5	1.2	2.4	3.5	5.6	8.3	12.9
2000.....	2.2	*	*	*	*	0.4	1.3	2.4	3.7	5.9	8.4	13.9
1999.....	2.1	*	*	*	*	0.5	1.1	2.3	3.5	5.7	8.7	12.0
Non-Hispanic white, both sexes												
2006 5/.....	4.0	*	*	*	0.2	0.7	1.6	3.5	6.4	11.5	18.0	22.5
2005 5/.....	4.0	*	*	*	0.1	0.8	1.7	3.7	6.3	11.3	18.0	22.2
2004 5/.....	3.8	*	*	*	0.1	0.8	1.7	3.6	6.6	11.2	16.9	19.9
2003 5/.....	3.8	*	*	*	0.1	0.7	1.8	3.7	6.8	10.4	16.6	19.6
2002.....	3.6	*	*	*	0.1	0.7	1.8	3.6	6.2	10.5	15.6	19.6
2001.....	3.7	*	*	*	0.2	0.7	1.9	4.0	6.5	10.8	15.0	19.9
2000.....	3.6	*	*	*	0.2	0.7	1.8	4.0	6.5	10.4	14.7	20.8
1999.....	3.5	*	*	*	0.1	0.7	1.9	3.9	6.4	10.5	14.9	17.9
Non-Hispanic white, male												
2006 5/.....	5.3	*	*	*	0.2	0.8	2.0	4.6	9.0	16.6	29.5	41.3
2005 5/.....	5.2	*	*	*	*	1.0	2.0	4.6	8.5	16.6	28.3	39.7
2004 5/.....	5.1	*	*	*	*	0.9	2.0	4.7	9.3	16.6	27.2	35.8
2003 5/.....	4.9	*	*	*	0.2	0.9	2.1	4.8	9.4	14.9	26.5	33.8
2002.....	4.7	*	*	*	*	0.9	2.2	4.8	8.6	15.3	24.1	32.9
2001.....	4.8	*	*	*	0.2	0.8	2.3	5.0	9.0	16.3	24.1	34.1
2000.....	4.6	*	*	*	0.2	0.8	2.0	5.2	8.9	15.0	23.2	35.7
1999.....	4.5	*	*	*	*	0.8	2.4	5.0	8.9	15.4	23.3	30.5
Non-Hispanic white, female												
2006 5/.....	2.7	*	*	*	*	0.6	1.2	2.5	3.9	7.0	10.0	13.8
2005 5/.....	2.8	*	*	*	*	0.6	1.4	2.7	4.3	6.7	11.0	14.3
2004 5/.....	2.6	*	*	*	*	0.6	1.4	2.5	4.0	6.6	9.9	12.8
2003 5/.....	2.6	*	*	*	*	0.5	1.4	2.6	4.2	6.4	9.8	13.3
2002.....	2.6	*	*	*	*	0.6	1.4	2.4	3.9	6.5	9.8	13.8
2001.....	2.6	*	*	*	*	0.6	1.5	2.9	4.1	6.2	9.0	13.9
2000.....	2.7	*	*	*	*	0.6	1.6	2.8	4.2	6.6	9.1	14.7
1999.....	2.5	*	*	*	*	0.6	1.4	2.8	4.1	6.4	9.4	12.9

Worktable Orig12. Death rates for 358 selected causes, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2006

[Rates per 100,000 population in specified group. Rates are based on populations enumerated as of April 1 for 2000 and estimated as of July 1 for all other years. Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to 'Detailed technical notes to the United States 2006 data-mortality']

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, and sex	All ages 1/	Under 1 year 2/	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
Other malignant neoplasms of skin (C44)												
Non-Hispanic 4/, both sexes												
2006.....	1.0	*	*	*	*	*	0.1	0.5	1.5	2.7	5.7	14.2
2005.....	0.9	*	*	*	*	*	0.1	0.5	1.3	2.7	5.8	12.1
2004.....	0.9	*	*	*	*	*	0.1	0.5	1.4	2.6	5.2	12.8
2003.....	0.9	*	*	*	*	*	0.1	0.5	1.3	2.7	5.3	13.3
2002.....	0.9	*	*	*	*	*	0.1	0.5	1.4	2.8	5.9	12.3
2001.....	1.0	*	*	*	*	*	0.1	0.5	1.6	3.0	5.5	13.5
2000.....	0.9	*	*	*	*	*	0.1	0.5	1.3	3.0	5.0	13.2
1999.....	0.9	*	*	*	*	*	0.2	0.6	1.5	2.9	5.5	12.9
Non-Hispanic 4/, male												
2006.....	1.5	*	*	*	*	*	0.2	0.8	2.5	4.6	10.3	25.8
2005.....	1.4	*	*	*	*	*	0.2	0.7	2.2	4.5	10.0	22.3
2004.....	1.3	*	*	*	*	*	0.2	0.8	2.3	4.4	9.0	23.4
2003.....	1.3	*	*	*	*	*	0.2	0.8	2.2	4.5	9.0	23.8
2002.....	1.3	*	*	*	*	*	0.2	0.9	2.2	4.6	10.0	21.6
2001.....	1.3	*	*	*	*	*	0.1	0.9	2.6	4.9	8.9	24.4
2000.....	1.3	*	*	*	*	*	0.2	0.8	2.1	5.0	8.9	24.4
1999.....	1.3	*	*	*	*	*	0.3	0.9	2.4	4.8	9.2	23.7
Non-Hispanic 4/, female												
2006.....	0.6	*	*	*	*	*	0.2	0.5	1.1	2.6	8.8	
2005.....	0.5	*	*	*	*	*	0.2	0.3	1.3	3.0	7.5	
2004.....	0.5	*	*	*	*	*	0.2	0.5	1.1	2.7	8.0	
2003.....	0.6	*	*	*	*	*	0.2	0.5	1.3	2.8	8.7	
2002.....	0.6	*	*	*	*	*	0.2	0.6	1.3	3.1	8.2	
2001.....	0.6	*	*	*	*	*	0.2	0.7	1.4	3.3	9.0	
2000.....	0.5	*	*	*	*	*	0.2	0.6	1.3	2.4	8.6	
1999.....	0.6	*	*	*	*	*	0.2	0.6	1.3	3.1	8.6	
Non-Hispanic white, both sexes												
2006 5/.....	1.2	*	*	*	*	*	0.1	0.5	1.6	2.9	6.2	15.4
2005 5/.....	1.1	*	*	*	*	*	0.1	0.5	1.3	3.0	6.3	13.0
2004 5/.....	1.1	*	*	*	*	*	0.1	0.5	1.4	2.8	5.7	13.9
2003 5/.....	1.1	*	*	*	*	*	0.1	0.5	1.4	3.0	5.7	14.4
2002.....	1.1	*	*	*	*	*	0.1	0.5	1.4	2.9	6.4	13.3
2001.....	1.1	*	*	*	*	*	0.1	0.5	1.6	3.1	5.9	14.5
2000.....	1.0	*	*	*	*	*	0.1	0.5	1.3	3.1	5.3	14.3
1999.....	1.1	*	*	*	*	*	0.2	0.5	1.5	3.1	5.9	14.1
Non-Hispanic white, male												
2006 5/.....	1.7	*	*	*	*	*	0.2	0.7	2.6	4.8	11.0	28.1
2005 5/.....	1.6	*	*	*	*	*	0.2	0.7	2.3	4.8	10.9	24.4
2004 5/.....	1.5	*	*	*	*	*	0.2	0.8	2.3	4.7	9.7	25.7
2003 5/.....	1.5	*	*	*	*	*	0.2	0.8	2.3	4.8	9.7	25.8
2002.....	1.5	*	*	*	*	*	0.2	0.9	2.2	4.7	10.9	23.4
2001.....	1.5	*	*	*	*	*	0.1	0.9	2.7	5.0	9.6	26.3
2000.....	1.4	*	*	*	*	*	0.1	0.8	2.1	5.3	9.5	26.8
1999.....	1.5	*	*	*	*	*	0.3	0.9	2.5	5.1	9.8	26.0
Non-Hispanic white, female												
2006 5/.....	0.7	*	*	*	*	*	0.2	0.6	1.3	2.9	9.5	
2005 5/.....	0.6	*	*	*	*	*	0.2	0.4	1.4	3.2	7.9	
2004 5/.....	0.6	*	*	*	*	*	0.3	0.5	1.2	2.9	8.6	
2003 5/.....	0.7	*	*	*	*	*	0.2	0.5	1.4	3.0	9.4	
2002.....	0.7	*	*	*	*	*	0.2	0.6	1.4	3.3	8.9	
2001.....	0.7	*	*	*	*	*	0.2	0.7	1.5	3.5	9.6	
2000.....	0.6	*	*	*	*	*	0.2	0.6	1.3	2.6	9.3	
1999.....	0.7	*	*	*	*	*	0.2	0.6	1.4	3.3	9.3	

Worktable Orig12. Death rates for 358 selected causes, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2006

[Rates per 100,000 population in specified group. Rates are based on populations enumerated as of April 1 for 2000 and estimated as of July 1 for all other years. Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to 'Detailed technical notes to the United States 2006 data-mortality']

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, and sex	All ages 1/	Under 1 year 2/	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
Malignant neoplasms of mesothelial and soft tissue (C45-C49)												
All origins 3/, both sexes												
2006.....	2.4	*	0.1	0.1	0.3	0.5	0.8	1.6	3.8	8.9	16.0	15.8
2005.....	2.4	*	0.1	0.1	0.4	0.5	0.7	1.7	4.0	8.9	16.1	16.1
2004.....	2.4	*	0.2	0.2	0.3	0.4	0.8	1.6	4.2	8.7	16.1	15.7
2003.....	2.4	*	*	0.2	0.4	0.5	0.7	1.7	4.1	8.8	15.7	14.9
2002.....	2.4	*	0.1	0.2	0.3	0.4	0.8	1.6	4.3	9.1	14.9	15.7
2001.....	2.4	*	*	0.1	0.3	0.5	0.8	1.8	4.2	9.1	15.1	14.9
2000.....	2.4	*	0.1	0.1	0.4	0.5	0.8	1.8	4.4	9.6	15.1	15.7
1999.....	2.4	*	*	0.2	0.4	0.5	0.9	1.8	4.4	9.3	14.8	14.8
All origins 3/, male												
2006.....	2.8	*	*	0.2	0.3	0.5	0.8	1.7	4.3	11.6	24.1	25.9
2005.....	2.8	*	*	0.1	0.4	0.6	0.8	1.7	4.6	11.6	23.9	26.3
2004.....	2.8	*	*	0.2	0.4	0.5	0.9	1.6	4.8	11.3	24.7	27.9
2003.....	2.8	*	*	0.2	0.4	0.5	0.8	1.8	4.6	11.6	24.3	25.1
2002.....	2.8	*	*	0.2	0.3	0.5	0.9	1.6	5.0	12.3	22.5	28.1
2001.....	2.8	*	*	0.1	0.4	0.6	0.8	2.0	4.8	12.5	22.7	25.9
2000.....	2.9	*	*	0.1	0.4	0.6	0.8	1.8	5.3	12.9	23.5	28.4
1999.....	2.8	*	*	0.2	0.4	0.6	1.1	1.9	5.5	12.8	22.6	24.6
All origins 3/, female												
2006.....	2.1	*	*	0.1	0.3	0.4	0.7	1.6	3.4	6.7	10.4	11.0
2005.....	2.1	*	*	0.1	0.4	0.4	0.6	1.7	3.4	6.6	10.8	11.4
2004.....	2.0	*	*	0.2	0.3	0.3	0.7	1.6	3.6	6.5	10.3	10.2
2003.....	2.0	*	*	0.2	0.3	0.4	0.7	1.6	3.7	6.4	9.9	10.3
2002.....	1.9	*	*	0.2	0.3	0.3	0.7	1.5	3.7	6.4	9.8	10.4
2001.....	2.0	*	*	0.1	0.3	0.4	0.7	1.6	3.7	6.3	10.1	10.3
2000.....	2.0	*	*	0.1	0.3	0.5	0.7	1.7	3.6	6.9	9.6	10.5
1999.....	1.9	*	*	0.2	0.3	0.4	0.7	1.7	3.5	6.4	9.6	10.8
Hispanic, both sexes												
2006.....	0.9	*	*	*	0.4	*	0.7	1.6	2.6	5.9	8.5	8.6
2005.....	1.0	*	*	*	0.4	0.4	0.4	1.1	2.6	6.7	12.3	10.3
2004.....	0.8	*	*	*	*	0.3	0.6	1.3	2.6	4.6	9.6	*
2003.....	0.9	*	*	*	0.4	0.3	0.6	1.3	2.7	6.1	10.3	13.0
2002.....	0.9	*	*	*	0.3	0.3	0.7	1.1	3.0	6.1	11.2	*
2001.....	0.9	*	*	*	0.3	*	0.6	1.5	3.0	6.0	9.2	*
2000.....	0.8	*	*	*	*	0.4	*	1.3	2.1	6.3	11.3	*
1999.....	0.9	*	*	*	0.4	0.4	0.7	1.4	3.6	5.9	8.1	*
Hispanic, male												
2006.....	0.9	*	*	*	*	*	*	1.7	2.4	7.0	10.8	*
2005.....	1.0	*	*	*	*	*	*	0.9	2.7	8.5	19.0	*
2004.....	0.9	*	*	*	*	*	*	1.2	2.4	6.0	17.2	*
2003.....	1.0	*	*	*	*	*	*	1.3	3.0	7.2	17.6	*
2002.....	1.0	*	*	*	*	*	*	0.8	3.9	7.1	19.3	*
2001.....	0.9	*	*	*	*	*	*	1.2	3.6	7.0	14.3	*
2000.....	0.9	*	*	*	*	*	*	3.0	7.6	18.2	*	*
1999.....	1.0	*	*	*	*	*	0.8	1.4	4.0	8.3	*	*
Hispanic, female												
2006.....	1.0	*	*	*	*	*	0.9	1.5	2.8	5.0	6.9	*
2005.....	0.9	*	*	*	*	*	*	1.2	2.6	5.2	7.7	*
2004.....	0.7	*	*	*	*	*	*	1.4	2.7	3.4	*	*
2003.....	0.9	*	*	*	*	*	*	1.2	2.4	5.3	5.3	*
2002.....	0.8	*	*	*	*	*	*	1.5	2.2	5.3	5.6	*
2001.....	0.8	*	*	*	*	*	*	1.8	2.6	5.2	*	*
2000.....	0.7	*	*	*	*	*	*	1.5	3.3	5.3	6.6	*
1999.....	0.9	*	*	*	*	*	*	1.5	3.2	4.0	7.6	*

Worktable Orig12. Death rates for 358 selected causes, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2006

[Rates per 100,000 population in specified group. Rates are based on populations enumerated as of April 1 for 2000 and estimated as of July 1 for all other years. Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to 'Detailed technical notes to the United States 2006 data-mortality']

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, and sex	All ages 1/	Under 1 year 2/	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
Malignant neoplasms of mesothelial and soft tissue (C45-C49)												
Non-Hispanic 4/, both sexes												
2006.....	2.7	*	*	0.1	0.3	0.5	0.8	1.6	3.9	9.1	16.4	16.1
2005.....	2.7	*	*	0.1	0.4	0.5	0.7	1.8	4.1	9.0	16.3	16.4
2004.....	2.7	*	*	0.2	0.4	0.5	0.8	1.6	4.3	9.0	16.5	16.0
2003.....	2.6	*	*	0.1	0.4	0.5	0.7	1.7	4.3	8.9	15.9	14.9
2002.....	2.6	*	0.2	0.2	0.3	0.5	0.8	1.6	4.4	9.2	15.0	15.9
2001.....	2.6	*	*	0.1	0.3	0.5	0.8	1.8	4.3	9.3	15.3	15.1
2000.....	2.6	*	*	0.1	0.4	0.5	0.8	1.8	4.6	9.8	15.2	16.1
1999.....	2.6	*	*	0.2	0.3	0.5	0.9	1.9	4.5	9.5	15.0	15.0
Non-Hispanic 4/, male												
2006.....	3.1	*	*	0.2	0.3	0.6	0.9	1.7	4.4	11.9	24.9	26.6
2005.....	3.1	*	*	0.1	0.5	0.6	0.8	1.8	4.8	11.8	24.1	26.8
2004.....	3.2	*	*	0.2	0.4	0.6	0.9	1.6	5.0	11.7	25.1	28.7
2003.....	3.1	*	*	0.1	0.4	0.6	0.8	1.9	4.7	11.9	24.7	25.7
2002.....	3.1	*	*	0.2	0.3	0.6	1.0	1.7	5.1	12.6	22.6	28.7
2001.....	3.1	*	*	0.1	0.4	0.6	0.8	2.1	4.8	12.8	23.1	26.2
2000.....	3.1	*	*	*	0.4	0.6	0.9	1.9	5.5	13.1	23.7	29.3
1999.....	3.1	*	*	0.2	0.4	0.6	1.1	2.0	5.5	13.1	23.1	25.2
Non-Hispanic 4/, female												
2006.....	2.2	*	*	*	0.2	0.4	0.7	1.6	3.5	6.8	10.6	11.2
2005.....	2.3	*	*	0.1	0.3	0.4	0.6	1.7	3.5	6.6	11.0	11.7
2004.....	2.2	*	*	0.2	0.4	0.4	0.8	1.6	3.6	6.8	10.7	10.4
2003.....	2.1	*	*	0.2	0.3	0.4	0.7	1.6	3.8	6.5	10.1	10.2
2002.....	2.1	*	*	0.2	0.3	0.4	0.7	1.5	3.8	6.5	9.9	10.4
2001.....	2.1	*	*	0.1	0.3	0.5	0.7	1.6	3.8	6.3	10.3	10.4
2000.....	2.2	*	*	*	0.3	0.5	0.8	1.7	3.7	7.0	9.7	10.8
1999.....	2.1	*	*	0.1	0.3	0.4	0.7	1.7	3.5	6.5	9.7	10.9
Non-Hispanic white, both sexes												
2006 5/.....	3.0	*	*	0.1	0.3	0.5	0.8	1.6	4.1	9.7	17.4	17.0
2005 5/.....	3.0	*	*	0.1	0.4	0.5	0.7	1.7	4.2	9.5	17.2	17.2
2004 5/.....	3.0	*	*	0.2	0.3	0.5	0.8	1.6	4.5	9.6	17.4	16.9
2003 5/.....	2.9	*	*	0.1	0.4	0.5	0.7	1.7	4.4	9.5	16.8	15.6
2002.....	2.9	*	*	0.2	0.3	0.4	0.8	1.6	4.5	9.7	15.7	16.7
2001.....	2.9	*	*	0.1	0.3	0.5	0.8	1.8	4.5	9.9	16.1	15.6
2000.....	3.0	*	*	0.1	0.4	0.6	0.8	1.8	4.7	10.2	16.1	16.6
1999.....	2.8	*	*	0.2	0.3	0.5	0.8	1.9	4.6	9.9	15.5	15.5
Non-Hispanic white, male												
2006 5/.....	3.6	*	*	0.2	0.3	0.6	0.9	1.7	4.7	12.8	26.3	28.3
2005 5/.....	3.6	*	*	*	0.5	0.6	0.8	1.7	5.0	12.4	25.7	28.5
2004 5/.....	3.6	*	*	0.2	0.3	0.6	0.9	1.6	5.3	12.5	26.6	30.5
2003 5/.....	3.5	*	*	*	0.4	0.6	0.8	1.8	4.9	12.6	26.2	26.7
2002.....	3.5	*	*	0.2	0.4	0.5	0.9	1.8	5.3	13.4	23.9	30.5
2001.....	3.5	*	*	*	0.4	0.6	0.8	2.1	5.1	13.9	24.3	27.4
2000.....	3.6	*	*	*	0.4	0.6	0.8	2.0	5.7	13.8	25.0	30.5
1999.....	3.5	*	*	0.2	0.3	0.6	1.0	2.0	5.8	13.7	24.2	26.9
Non-Hispanic white, female												
2006 5/.....	2.5	*	*	*	0.2	0.4	0.7	1.6	3.5	7.0	11.2	11.7
2005 5/.....	2.5	*	*	*	0.4	0.4	0.6	1.7	3.5	6.9	11.4	12.0
2004 5/.....	2.4	*	*	0.2	0.3	0.3	0.7	1.6	3.7	7.1	11.2	10.8
2003 5/.....	2.4	*	*	*	0.3	0.4	0.7	1.6	4.0	6.8	10.4	10.7
2002.....	2.3	*	*	*	0.3	0.4	0.7	1.5	3.8	6.6	10.3	10.7
2001.....	2.3	*	*	*	0.3	0.5	0.7	1.5	3.9	6.6	10.7	10.7
2000.....	2.4	*	*	*	0.3	0.5	0.8	1.6	3.8	7.2	10.2	11.0
1999.....	2.2	*	*	*	0.3	0.4	0.6	1.7	3.5	6.7	9.8	10.9

Worktable Orig12. Death rates for 358 selected causes, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2006

[Rates per 100,000 population in specified group. Rates are based on populations enumerated as of April 1 for 2000 and estimated as of July 1 for all other years. Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.odc.gov/nchs> and refer to 'Detailed technical notes to the United States 2006 data-mortality']

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, and sex	All ages 1/	Under 1 year 2/	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
Malignant neoplasms of mesothelial and soft tissue (C45-C49)												
Non-Hispanic black, both sexes												
2006 5/.....	1.6	*	*	*	0.4	0.6	0.9	1.9	3.7	7.1	9.7	9.6
2005 5/.....	1.6	*	*	*	0.4	0.9	0.8	2.1	3.9	6.8	10.0	9.8
2004 5/.....	1.6	*	*	*	0.6	0.6	1.1	2.1	3.5	6.2	10.6	9.2
2003 5/.....	1.6	*	*	*	0.4	0.8	0.9	2.3	4.0	6.4	10.3	10.1
2002.....	1.6	*	*	*	0.4	0.7	1.1	1.8	4.2	7.0	10.4	7.6
2001.....	1.5	*	*	*	0.4	0.6	0.9	2.3	3.8	6.0	8.5	10.6
2000.....	1.6	*	*	*	0.5	0.6	1.2	2.2	4.3	8.3	8.4	11.1
1999.....	1.7	*	*	*	0.6	0.7	1.4	1.9	4.3	6.7	11.7	10.7
Non-Hispanic black, male												
2006 5/.....	1.6	*	*	*	*	0.8	1.1	1.6	3.7	7.0	15.9	*
2005 5/.....	1.6	*	*	*	*	1.0	0.9	2.3	3.6	8.7	11.5	*
2004 5/.....	1.6	*	*	*	*	*	1.1	2.1	3.6	7.3	15.4	*
2003 5/.....	1.7	*	*	*	*	0.8	1.1	2.8	4.6	6.9	13.0	*
2002.....	1.6	*	*	*	*	0.9	1.4	2.1	4.4	7.9	13.2	*
2001.....	1.5	*	*	*	0.7	0.8	1.1	2.2	3.9	6.4	11.1	*
2000.....	1.7	*	*	*	*	*	1.5	1.7	5.1	10.2	12.6	*
1999.....	1.8	*	*	*	0.8	0.8	1.7	1.9	5.2	8.1	14.7	*
Non-Hispanic black, female												
2006 5/.....	1.6	*	*	*	*	*	0.7	2.2	3.8	7.2	6.2	*
2005 5/.....	1.6	*	*	*	*	0.8	0.8	1.9	4.1	5.4	9.2	8.8
2004 5/.....	1.6	*	*	*	*	*	1.1	2.1	3.5	5.4	7.9	*
2003 5/.....	1.5	*	*	*	*	0.8	0.8	1.8	3.4	6.1	8.8	*
2002.....	1.5	*	*	*	*	*	0.9	1.6	4.1	6.4	8.8	*
2001.....	1.4	*	*	*	*	*	0.7	2.4	3.7	5.6	7.1	8.6
2000.....	1.6	*	*	*	*	*	1.1	2.7	3.7	7.0	6.1	8.7
1999.....	1.6	*	*	*	*	*	1.1	2.0	3.6	5.7	10.0	10.2

Worktable Orig12. Death rates for 358 selected causes, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2006

[Rates per 100,000 population in specified group. Rates are based on populations enumerated as of April 1 for 2000 and estimated as of July 1 for all other years. Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to 'Detailed technical notes to the United States 2006 data-mortality']

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, and sex	All ages 1/	Under 1 year 2/	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
Mesothelioma (C45)												
Non-Hispanic 4/, both sexes												
2006.....	0.9	*	*	*	*	*	0.1	0.2	1.1	3.9	7.5	6.1
2005.....	1.0	*	*	*	*	*	0.1	0.3	1.4	3.8	7.4	6.6
2004.....	1.0	*	*	*	*	*	0.1	0.3	1.4	3.6	8.2	5.9
2003.....	0.9	*	*	*	*	*	0.1	0.4	1.4	3.8	7.6	5.7
2002.....	0.9	*	*	*	*	*	0.1	0.3	1.4	4.1	7.2	6.1
2001.....	0.9	*	*	*	*	*	0.1	0.4	1.4	4.0	7.2	5.6
2000.....	0.9	*	*	*	*	*	0.1	0.3	1.5	4.4	7.0	5.9
1999.....	0.9	*	*	*	*	*	0.1	0.4	1.6	4.3	7.0	4.8
Non-Hispanic 4/, male												
2006.....	1.5	*	*	*	*	*	0.3	1.8	7.0	15.8	14.2	
2005.....	1.6	*	*	*	*	*	0.4	2.3	6.8	15.0	15.8	
2004.....	1.6	*	*	*	*	*	0.4	2.3	6.4	16.7	15.0	
2003.....	1.6	*	*	*	*	0.1	0.6	2.3	7.0	15.7	14.4	
2002.....	1.6	*	*	*	*	0.1	0.4	2.4	7.8	14.9	16.4	
2001.....	1.5	*	*	*	*	0.6	2.3	7.5	14.6	14.8		
2000.....	1.6	*	*	*	*	0.5	2.6	8.0	14.4	16.1		
1999.....	1.5	*	*	*	*	0.6	2.6	7.9	14.4	13.2		
Non-Hispanic 4/, female												
2006.....	0.3	*	*	*	*	*	0.2	0.4	1.3	1.9	2.4	
2005.....	0.4	*	*	*	*	*	0.2	0.6	1.3	2.3	2.3	
2004.....	0.4	*	*	*	*	*	0.2	0.5	1.3	2.4	1.8	
2003.....	0.3	*	*	*	*	*	0.2	0.5	1.1	2.2	1.8	
2002.....	0.3	*	*	*	*	*	0.1	0.5	1.0	2.2	1.6	
2001.....	0.3	*	*	*	*	*	0.2	0.5	1.1	2.3	1.8	
2000.....	0.4	*	*	*	*	*	0.2	0.5	1.4	2.1	1.8	
1999.....	0.3	*	*	*	*	*	0.2	0.7	1.3	2.1	1.5	
Non-Hispanic white, both sexes												
2006 5/.....	1.1	*	*	*	*	*	0.1	0.2	1.2	4.3	8.1	6.6
2005 5/.....	1.1	*	*	*	*	*	0.1	0.3	1.5	4.2	8.1	7.0
2004 5/.....	1.2	*	*	*	*	*	0.1	0.3	1.5	4.0	8.9	6.3
2003 5/.....	1.1	*	*	*	*	*	0.1	0.4	1.5	4.2	8.2	6.0
2002.....	1.1	*	*	*	*	*	0.1	0.3	1.6	4.5	7.8	6.6
2001.....	1.1	*	*	*	*	0.1	0.4	1.6	4.5	7.8	6.1	
2000.....	1.1	*	*	*	*	0.1	0.3	1.6	4.7	7.5	6.3	
1999.....	1.1	*	*	*	*	0.1	0.4	1.8	4.7	7.3	5.1	
Non-Hispanic white, male												
2006 5/.....	1.8	*	*	*	*	*	0.3	2.0	7.7	16.8	15.1	
2005 5/.....	1.9	*	*	*	*	*	0.4	2.5	7.4	16.3	17.0	
2004 5/.....	1.9	*	*	*	*	*	0.5	2.6	7.1	17.8	16.2	
2003 5/.....	1.9	*	*	*	*	0.6	2.5	7.6	16.8	15.2		
2002.....	1.9	*	*	*	*	0.1	0.4	2.7	8.5	15.8	17.8	
2001.....	1.8	*	*	*	*	0.6	2.6	8.4	15.7	16.0		
2000.....	1.8	*	*	*	*	0.5	2.8	8.5	15.5	17.3		
1999.....	1.8	*	*	*	*	0.6	2.8	8.7	15.2	14.1		
Non-Hispanic white, female												
2006 5/.....	0.4	*	*	*	*	*	0.1	0.4	1.4	2.0	2.6	
2005 5/.....	0.5	*	*	*	*	*	0.2	0.6	1.5	2.5	2.5	
2004 5/.....	0.4	*	*	*	*	*	0.2	0.5	1.4	2.7	1.9	
2003 5/.....	0.4	*	*	*	*	*	0.2	0.6	1.3	2.4	2.0	
2002.....	0.4	*	*	*	*	*	0.2	0.5	1.1	2.4	1.7	
2001.....	0.4	*	*	*	*	*	0.2	0.6	1.2	2.5	2.0	
2000.....	0.4	*	*	*	*	*	0.2	0.5	1.5	2.3	1.9	
1999.....	0.4	*	*	*	*	*	0.2	0.7	1.4	2.2	1.5	

Worktable Orig12. Death rates for 358 selected causes, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2006

[Rates per 100,000 population in specified group. Rates are based on populations enumerated as of April 1 for 2000 and estimated as of July 1 for all other years. Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to 'Detailed technical notes to the United States 2006 data-mortality']

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, and sex	All ages 1/	Under 1 year 2/	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
Of other mesothelial and soft tissue (C47-C49)												
All origins 3/, both sexes												
2006.....	1.6	*	0.1	0.1	0.3	0.4	0.7	1.4	2.8	5.2	8.7	9.4
2005.....	1.6	*	0.1	0.1	0.4	0.5	0.6	1.4	2.6	5.1	8.6	9.4
2004.....	1.6	*	0.2	0.2	0.3	0.4	0.7	1.3	2.8	5.2	8.1	9.6
2003.....	1.5	*	*	0.2	0.4	0.4	0.6	1.3	2.8	5.0	8.1	8.8
2002.....	1.5	*	0.1	0.2	0.3	0.4	0.7	1.3	2.9	5.1	7.6	9.3
2001.....	1.5	*	*	0.1	0.3	0.5	0.7	1.4	2.8	5.2	8.0	9.1
2000.....	1.6	*	0.1	0.1	0.4	0.5	0.7	1.4	2.9	5.3	8.1	9.6
1999.....	1.5	*	*	0.2	0.4	0.5	0.8	1.5	2.9	5.1	7.9	9.6
All origins 3/, male												
2006.....	1.4	*	*	0.2	0.3	0.5	0.7	1.4	2.5	4.9	8.9	11.5
2005.....	1.4	*	*	0.1	0.4	0.5	0.7	1.4	2.4	5.0	8.8	10.5
2004.....	1.4	*	*	0.2	0.3	0.5	0.7	1.2	2.6	5.1	8.3	12.7
2003.....	1.4	*	*	0.2	0.4	0.5	0.7	1.3	2.4	4.7	8.7	10.7
2002.....	1.4	*	*	0.2	0.3	0.5	0.8	1.3	2.6	4.7	7.7	11.7
2001.....	1.4	*	*	0.1	0.4	0.5	0.7	1.4	2.5	5.2	8.2	10.7
2000.....	1.4	*	*	0.1	0.4	0.5	0.7	1.4	2.7	5.0	9.2	12.5
1999.....	1.5	*	*	0.2	0.4	0.5	0.9	1.4	2.9	5.1	8.5	11.3
All origins 3/, female												
2006.....	1.7	*	*	0.1	0.3	0.4	0.6	1.5	3.0	5.4	8.6	8.5
2005.....	1.7	*	*	0.1	0.4	0.4	0.6	1.5	2.8	5.2	8.6	8.9
2004.....	1.7	*	*	0.2	0.3	0.3	0.7	1.4	3.1	5.3	8.0	8.2
2003.....	1.6	*	*	0.2	0.3	0.4	0.6	1.4	3.2	5.3	7.6	8.0
2002.....	1.6	*	*	0.2	0.3	0.3	0.6	1.3	3.2	5.4	7.6	8.3
2001.....	1.6	*	*	0.1	0.2	0.4	0.7	1.4	3.2	5.1	7.8	8.4
2000.....	1.7	*	*	0.1	0.3	0.5	0.7	1.5	3.1	5.6	7.4	8.4
1999.....	1.6	*	*	0.2	0.3	0.4	0.6	1.5	2.8	5.1	7.5	8.9
Hispanic, both sexes												
2006.....	0.7	*	*	*	0.4	*	0.5	1.2	2.0	4.2	5.7	*
2005.....	0.7	*	*	*	0.4	0.3	0.4	0.9	1.8	4.0	6.3	*
2004.....	0.6	*	*	*	*	*	0.5	1.1	1.8	2.9	5.6	*
2003.....	0.7	*	*	*	0.4	*	0.6	1.0	1.9	3.4	4.2	*
2002.....	0.7	*	*	*	0.3	0.3	0.6	1.0	2.2	3.6	5.5	*
2001.....	0.7	*	*	*	0.3	*	0.5	1.3	2.5	4.1	4.7	*
2000.....	0.6	*	*	*	*	0.4	*	1.0	1.4	4.6	7.7	*
1999.....	0.7	*	*	*	0.4	0.3	0.6	1.1	2.8	3.6	5.6	*
Hispanic, male												
2006.....	0.6	*	*	*	*	*	*	1.2	*	4.4	*	*
2005.....	0.6	*	*	*	*	*	*	*	*	3.9	*	*
2004.....	0.6	*	*	*	*	*	*	1.0	*	*	7.5	*
2003.....	0.6	*	*	*	*	*	*	*	*	*	*	*
2002.....	0.6	*	*	*	*	*	*	*	2.5	*	8.2	*
2001.....	0.6	*	*	*	*	*	*	*	2.8	4.0	*	*
2000.....	0.6	*	*	*	*	*	*	*	*	*	10.8	*
1999.....	0.7	*	*	*	*	*	*	*	2.7	4.4	*	*
Hispanic, female												
2006.....	0.8	*	*	*	*	*	0.7	1.2	2.6	4.1	6.0	*
2005.....	0.8	*	*	*	*	*	*	0.9	2.1	4.1	6.5	*
2004.....	0.6	*	*	*	*	*	*	1.2	2.2	3.0	*	*
2003.....	0.7	*	*	*	*	*	*	1.1	2.1	4.3	*	*
2002.....	0.7	*	*	*	*	*	*	1.4	2.0	4.3	*	*
2001.....	0.7	*	*	*	*	*	*	1.6	2.2	4.3	*	*
2000.....	0.7	*	*	*	*	*	*	*	*	5.1	*	*
1999.....	0.7	*	*	*	*	*	*	*	2.9	*	*	*

Worktable Orig12. Death rates for 358 selected causes, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2006

[Rates per 100,000 population in specified group. Rates are based on populations enumerated as of April 1 for 2000 and estimated as of July 1 for all other years. Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to 'Detailed technical notes to the United States 2006 data-mortality']

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, and sex	All ages 1/	Under 1 year 2/	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
Of other mesothelial and soft tissue (C47-C49)												
Non-Hispanic 4/, both sexes												
2006.....	1.7	*	*	0.1	0.3	0.5	0.7	1.4	2.8	5.2	8.9	9.7
2005.....	1.7	*	*	0.1	0.4	0.5	0.6	1.5	2.7	5.2	8.8	9.5
2004.....	1.7	*	*	0.2	0.4	0.5	0.7	1.3	2.9	5.4	8.3	9.7
2003.....	1.6	*	*	0.1	0.3	0.5	0.7	1.4	2.9	5.1	8.3	8.9
2002.....	1.6	*	0.2	0.2	0.3	0.4	0.7	1.3	3.0	5.1	7.7	9.5
2001.....	1.6	*	*	0.1	0.3	0.5	0.7	1.4	2.9	5.2	8.1	9.1
2000.....	1.7	*	*	0.1	0.4	0.5	0.8	1.5	3.0	5.4	8.1	9.9
1999.....	1.6	*	*	0.2	0.3	0.5	0.8	1.5	2.9	5.2	8.0	9.7
Non-Hispanic 4/, male												
2006.....	1.6	*	*	0.2	0.3	0.6	0.8	1.4	2.6	4.9	9.0	11.8
2005.....	1.6	*	*	0.1	0.5	0.6	0.7	1.4	2.5	5.0	8.9	10.6
2004.....	1.6	*	*	0.2	0.4	0.6	0.8	1.2	2.7	5.2	8.4	12.9
2003.....	1.5	*	*	0.1	0.4	0.5	0.7	1.3	2.4	4.8	8.9	10.9
2002.....	1.5	*	*	0.2	0.3	0.5	0.8	1.3	2.6	4.8	7.6	11.8
2001.....	1.5	*	*	0.1	0.4	0.6	0.8	1.5	2.5	5.3	8.4	10.7
2000.....	1.6	*	*	*	0.4	0.5	0.8	1.4	2.8	5.1	9.1	12.8
1999.....	1.6	*	*	0.2	0.4	0.6	1.0	1.4	2.9	5.1	8.6	11.4
Non-Hispanic 4/, female												
2006.....	1.9	*	*	*	0.2	0.4	0.6	1.5	3.1	5.5	8.8	8.7
2005.....	1.9	*	*	0.1	0.3	0.4	0.6	1.5	2.9	5.3	8.6	9.0
2004.....	1.8	*	*	0.2	0.4	0.3	0.7	1.4	3.1	5.5	8.2	8.3
2003.....	1.8	*	*	0.2	0.3	0.4	0.6	1.4	3.3	5.3	7.8	8.0
2002.....	1.8	*	*	0.1	0.3	0.3	0.6	1.3	3.3	5.4	7.7	8.4
2001.....	1.8	*	*	0.1	0.2	0.4	0.7	1.4	3.2	5.2	7.9	8.4
2000.....	1.8	*	*	*	0.3	0.5	0.7	1.5	3.2	5.6	7.5	8.7
1999.....	1.7	*	*	0.1	0.3	0.4	0.6	1.6	2.8	5.2	7.6	9.0
Non-Hispanic white, both sexes												
2006 5/.....	1.9	*	*	0.1	0.3	0.5	0.7	1.4	2.9	5.4	9.2	10.1
2005 5/.....	1.9	*	*	0.1	0.4	0.4	0.6	1.4	2.7	5.2	9.0	9.8
2004 5/.....	1.8	*	*	0.2	0.3	0.5	0.7	1.3	3.0	5.6	8.5	10.1
2003 5/.....	1.8	*	*	0.1	0.4	0.4	0.6	1.3	2.9	5.3	8.5	9.2
2002.....	1.8	*	*	0.2	0.3	0.4	0.7	1.3	2.9	5.2	7.9	9.7
2001.....	1.8	*	*	0.1	0.3	0.5	0.7	1.4	2.9	5.4	8.3	9.2
2000.....	1.8	*	*	0.1	0.4	0.5	0.7	1.5	3.1	5.5	8.4	10.0
1999.....	1.7	*	*	0.2	0.3	0.4	0.7	1.5	2.9	5.2	8.0	9.9
Non-Hispanic white, male												
2006 5/.....	1.8	*	*	0.2	0.3	0.5	0.8	1.4	2.7	5.2	9.3	12.6
2005 5/.....	1.7	*	*	*	0.5	0.5	0.7	1.3	2.5	5.0	9.2	11.0
2004 5/.....	1.7	*	*	0.2	0.3	0.6	0.8	1.1	2.7	5.4	8.7	13.4
2003 5/.....	1.6	*	*	*	0.4	0.5	0.7	1.2	2.4	5.0	9.3	11.2
2002.....	1.6	*	*	0.2	0.4	0.5	0.8	1.3	2.6	4.9	8.0	12.1
2001.....	1.6	*	*	*	0.4	0.6	0.7	1.5	2.5	5.5	8.5	10.7
2000.....	1.7	*	*	*	0.4	0.6	0.7	1.5	2.9	5.2	9.3	12.8
1999.....	1.7	*	*	0.2	0.3	0.5	0.9	1.4	3.0	5.1	8.7	12.2
Non-Hispanic white, female												
2006 5/.....	2.1	*	*	*	0.2	0.4	0.6	1.4	3.1	5.6	9.2	8.9
2005 5/.....	2.0	*	*	*	0.4	0.3	0.6	1.5	2.8	5.4	8.8	9.3
2004 5/.....	2.0	*	*	0.2	0.3	0.3	0.6	1.4	3.1	5.7	8.4	8.6
2003 5/.....	1.9	*	*	*	0.3	0.3	0.6	1.4	3.4	5.5	7.9	8.3
2002.....	1.9	*	*	*	0.3	0.3	0.6	1.3	3.2	5.4	7.9	8.7
2001.....	1.9	*	*	*	0.3	0.5	0.7	1.3	3.3	5.3	8.1	8.5
2000.....	1.9	*	*	*	0.3	0.5	0.7	1.4	3.3	5.7	7.8	8.8
1999.....	1.8	*	*	*	0.3	0.4	0.5	1.5	2.8	5.3	7.6	9.0

Worktable Orig12. Death rates for 358 selected causes, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2006

[Rates per 100,000 population in specified group. Rates are based on populations enumerated as of April 1 for 2000 and estimated as of July 1 for all other years. Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.odc.gov/nchs> and refer to 'Detailed technical notes to the United States 2006 data-mortality']

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, and sex	All ages 1/	Under 1 year 2/	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
Of other mesothelial and soft tissue (C47-C49)												
Non-Hispanic black, both sexes												
2006 5/.....	1.2	*	*	*	0.4	0.6	0.8	1.7	3.0	5.0	5.9	6.1
2005 5/.....	1.3	*	*	*	0.4	0.8	0.8	1.9	3.0	5.1	7.3	6.8
2004 5/.....	1.3	*	*	*	0.6	0.5	1.0	1.9	2.9	4.9	7.5	6.9
2003 5/.....	1.3	*	*	*	0.3	0.7	0.9	1.9	3.2	5.1	7.3	7.1
2002.....	1.3	*	*	*	0.4	0.6	1.0	1.7	3.6	5.4	7.1	6.0
2001.....	1.3	*	*	*	0.4	0.6	0.8	2.0	3.3	4.8	6.8	9.4
2000.....	1.3	*	*	*	0.5	0.4	1.1	2.0	3.3	5.5	5.9	9.2
1999.....	1.4	*	*	*	0.6	0.7	1.3	1.6	3.4	5.3	8.0	8.4
Non-Hispanic black, male												
2006 5/.....	1.0	*	*	*	*	*	0.9	1.4	2.6	3.4	6.7	*
2005 5/.....	1.1	*	*	*	*	0.9	0.8	1.9	2.0	5.2	5.6	*
2004 5/.....	1.1	*	*	*	*	*	0.9	1.7	2.5	5.0	6.8	*
2003 5/.....	1.2	*	*	*	*	*	1.0	2.1	3.1	4.0	6.3	*
2002.....	1.2	*	*	*	*	*	1.1	1.8	3.3	4.5	5.9	*
2001.....	1.2	*	*	*	0.7	*	1.0	1.7	2.9	4.3	7.2	*
2000.....	1.1	*	*	*	*	*	1.3	1.2	3.2	4.6	6.8	*
1999.....	1.3	*	*	*	0.8	*	1.5	1.4	3.4	5.7	7.8	*
Non-Hispanic black, female												
2006 5/.....	1.4	*	*	*	*	*	*	1.9	3.4	6.2	5.5	*
2005 5/.....	1.5	*	*	*	*	0.8	0.7	1.8	3.8	5.0	8.3	*
2004 5/.....	1.5	*	*	*	*	*	1.1	2.1	3.3	4.8	7.9	*
2003 5/.....	1.4	*	*	*	*	0.8	0.8	1.8	3.2	5.9	7.8	*
2002.....	1.4	*	*	*	*	*	0.8	1.6	3.9	6.0	7.8	*
2001.....	1.4	*	*	*	*	*	0.7	2.2	3.6	5.2	6.6	8.6
2000.....	1.5	*	*	*	*	*	1.0	2.6	3.4	6.1	5.4	*
1999.....	1.4	*	*	*	*	*	1.0	1.8	3.4	5.0	8.1	9.3

Worktable Orig12. Death rates for 358 selected causes, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2006

[Rates per 100,000 population in specified group. Rates are based on populations enumerated as of April 1 for 2000 and estimated as of July 1 for all other years. Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to 'Detailed technical notes to the United States 2006 data-mortality']

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, and sex	All ages 1/	Under 1 year 2/	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
Malignant neoplasm of breast (C50)												
All origins 3/, both sexes												
2006.....	13.8	*	*	*	*	0.9	5.4	14.1	28.1	42.1	71.6	116.7
2005.....	14.0	*	*	*	*	0.9	5.7	14.7	28.5	43.5	71.9	122.7
2004.....	14.1	*	*	*	*	1.0	5.7	15.0	29.1	44.9	72.2	124.2
2003.....	14.4	*	*	*	*	1.0	6.1	15.6	29.6	45.5	74.9	132.5
2002.....	14.5	*	*	*	*	1.1	6.1	16.1	29.5	46.5	76.5	134.6
2001.....	14.7	*	*	*	*	1.2	6.3	16.8	30.2	47.6	76.8	134.2
2000.....	15.0	*	*	*	*	1.2	6.3	16.9	31.2	49.1	78.9	147.4
1999.....	14.9	*	*	*	*	1.1	6.1	16.9	31.1	49.5	78.9	144.4
All origins 3/, male												
2006.....	0.3	*	*	*	*	*	*	0.2	0.6	1.0	2.1	3.0
2005.....	0.3	*	*	*	*	*	*	0.2	0.5	1.3	2.1	2.4
2004.....	0.3	*	*	*	*	*	*	0.2	0.5	1.1	2.1	3.3
2003.....	0.3	*	*	*	*	*	*	0.2	0.5	1.1	2.0	3.9
2002.....	0.3	*	*	*	*	*	*	0.2	0.5	1.0	2.2	3.4
2001.....	0.3	*	*	*	*	*	*	0.2	0.6	1.4	2.3	3.5
2000.....	0.3	*	*	*	*	*	*	0.2	0.7	1.4	2.2	4.2
1999.....	0.3	*	*	*	*	*	*	0.2	0.6	1.2	2.0	4.5
All origins 3/, female												
2006.....	26.9	*	*	*	*	1.8	10.8	27.6	53.7	76.9	119.2	169.9
2005.....	27.3	*	*	*	*	1.8	11.3	28.7	54.5	79.2	119.2	177.9
2004.....	27.5	*	*	*	*	2.0	11.3	29.3	55.8	81.6	119.5	178.6
2003.....	28.2	*	*	*	*	2.1	12.2	30.4	56.6	82.6	123.7	189.4
2002.....	28.3	*	*	*	*	2.1	12.0	31.4	56.2	84.4	125.9	191.5
2001.....	28.6	*	*	*	*	2.4	12.4	32.8	57.5	85.8	125.8	188.9
2000.....	29.2	*	*	*	*	2.3	12.4	33.0	59.3	88.3	128.9	205.7
1999.....	28.9	*	*	*	*	2.2	12.0	32.9	59.2	88.9	128.9	200.8
Hispanic, both sexes												
2006.....	4.7	*	*	*	*	0.8	3.7	9.7	19.0	26.3	41.0	58.7
2005.....	4.5	*	*	*	*	0.5	3.8	9.9	18.2	26.0	43.5	62.5
2004.....	4.7	*	*	*	*	0.6	3.7	9.9	20.2	29.4	41.2	72.3
2003.....	4.7	*	*	*	*	0.7	4.3	10.5	20.5	27.1	42.0	77.7
2002.....	4.5	*	*	*	*	0.7	3.8	11.0	17.6	27.4	43.7	71.0
2001.....	4.8	*	*	*	*	0.8	4.5	12.0	22.0	28.0	39.5	68.8
2000.....	4.8	*	*	*	*	0.8	4.3	12.1	21.0	31.3	45.6	71.7
1999.....	4.6	*	*	*	*	0.7	4.0	12.2	19.6	28.0	43.5	86.3
Hispanic, male												
2006.....	*	*	*	*	*	*	*	*	*	*	*	*
2005.....	*	*	*	*	*	*	*	*	*	*	*	*
2004.....	*	*	*	*	*	*	*	*	*	*	*	*
2003.....	*	*	*	*	*	*	*	*	*	*	*	*
2002.....	*	*	*	*	*	*	*	*	*	*	*	*
2001.....	*	*	*	*	*	*	*	*	*	*	*	*
2000.....	*	*	*	*	*	*	*	*	*	*	*	*
1999.....	*	*	*	*	*	*	*	*	*	*	*	*
Hispanic, female												
2006.....	9.6	*	*	*	*	1.8	7.9	19.6	36.4	47.3	68.8	89.9
2005.....	9.4	*	*	*	*	1.0	8.0	20.0	34.7	46.9	73.3	95.1
2004.....	9.6	*	*	*	*	1.4	7.7	19.5	38.2	52.1	69.1	108.8
2003.....	9.8	*	*	*	*	1.6	9.1	21.0	38.8	48.4	70.8	114.8
2002.....	9.2	*	*	*	*	1.6	7.8	21.6	33.5	48.7	73.1	105.3
2001.....	9.7	*	*	*	*	1.7	9.2	23.8	41.5	49.3	64.7	102.4
2000.....	9.7	*	*	*	*	1.8	8.7	23.9	39.1	54.9	74.9	105.8
1999.....	9.3	*	*	*	*	1.6	8.3	23.9	36.6	49.1	71.8	127.9

Worktable Orig12. Death rates for 358 selected causes, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2006

[Rates per 100,000 population in specified group. Rates are based on populations enumerated as of April 1 for 2000 and estimated as of July 1 for all other years. Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to 'Detailed technical notes to the United States 2006 data-mortality']

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, and sex	All ages 1/	Under 1 year 2/	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
Malignant neoplasm of breast (C50)												
Non-Hispanic 4/, both sexes												
2006.....	15.3	*	*	*	*	0.9	5.7	14.6	28.8	43.2	73.5	119.4
2005.....	15.6	*	*	*	*	1.0	6.0	15.2	29.3	44.8	73.4	125.4
2004.....	15.6	*	*	*	*	1.1	6.0	15.5	29.9	45.9	73.9	126.3
2003.....	15.9	*	*	*	*	1.1	6.4	16.1	30.3	46.7	76.4	134.7
2002.....	16.0	*	*	*	*	1.1	6.4	16.6	30.3	47.7	78.0	136.8
2001.....	16.1	*	*	*	*	1.2	6.5	17.2	30.7	48.8	78.4	136.4
2000.....	16.5	*	*	*	*	1.2	6.5	17.3	31.9	50.1	80.1	149.7
1999.....	16.3	*	*	*	*	1.2	6.3	17.3	31.9	50.6	80.2	146.2
Non-Hispanic 4/, male												
2006.....	0.3	*	*	*	*	*	*	0.2	0.6	1.0	2.1	3.2
2005.....	0.3	*	*	*	*	*	*	0.2	0.5	1.4	2.2	2.6
2004.....	0.3	*	*	*	*	*	*	0.2	0.5	1.1	2.2	3.3
2003.....	0.3	*	*	*	*	*	*	0.3	0.6	1.1	2.1	3.8
2002.....	0.3	*	*	*	*	*	*	0.2	0.6	1.0	2.3	3.5
2001.....	0.3	*	*	*	*	*	*	0.3	0.6	1.5	2.3	3.7
2000.....	0.3	*	*	*	*	*	*	0.3	0.7	1.4	2.2	4.2
1999.....	0.3	*	*	*	*	*	*	0.2	0.6	1.2	2.1	4.7
Non-Hispanic 4/, female												
2006.....	29.7	*	*	*	*	1.9	11.2	28.5	55.1	79.1	122.2	173.5
2005.....	30.1	*	*	*	*	2.0	11.9	29.6	56.1	81.5	121.7	181.5
2004.....	30.2	*	*	*	*	2.1	11.9	30.3	57.2	83.7	122.1	181.3
2003.....	30.8	*	*	*	*	2.1	12.6	31.3	57.9	84.9	126.0	192.2
2002.....	31.0	*	*	*	*	2.2	12.6	32.3	57.9	86.7	128.2	194.4
2001.....	31.1	*	*	*	*	2.5	12.8	33.6	58.6	88.1	128.3	191.6
2000.....	31.8	*	*	*	*	2.4	12.8	33.8	60.7	90.3	130.8	208.6
1999.....	31.4	*	*	*	*	2.3	12.4	33.6	60.7	91.2	130.9	202.8
Non-Hispanic white, both sexes												
2006 5/.....	16.2	*	*	*	*	0.8	5.0	13.3	27.6	43.1	73.8	119.8
2005 5/.....	16.3	*	*	*	*	0.8	5.3	13.6	27.9	44.5	74.0	126.3
2004 5/.....	16.4	*	*	*	*	0.9	5.2	14.0	28.7	45.8	74.7	126.8
2003 5/.....	16.8	*	*	*	*	0.9	5.7	14.8	29.0	46.3	76.7	134.7
2002.....	16.9	*	*	*	*	0.9	5.6	15.2	29.4	47.4	78.0	137.7
2001.....	17.0	*	*	*	*	1.0	5.8	16.0	29.6	48.2	78.7	137.1
2000.....	17.4	*	*	*	*	1.1	5.8	16.1	30.8	50.3	80.6	149.6
1999.....	17.1	*	*	*	*	1.0	5.6	16.0	30.6	50.2	80.3	147.8
Non-Hispanic white, male												
2006 5/.....	0.3	*	*	*	*	*	*	0.2	0.6	1.0	2.1	3.3
2005 5/.....	0.3	*	*	*	*	*	*	0.2	0.5	1.3	2.1	2.6
2004 5/.....	0.3	*	*	*	*	*	*	0.1	0.5	1.0	2.2	2.9
2003 5/.....	0.3	*	*	*	*	*	*	0.2	0.5	1.1	2.2	3.9
2002.....	0.3	*	*	*	*	*	*	0.2	0.5	1.0	2.2	3.4
2001.....	0.3	*	*	*	*	*	*	0.2	0.6	1.4	2.2	3.5
2000.....	0.4	*	*	*	*	*	*	0.2	0.7	1.4	2.2	4.0
1999.....	0.3	*	*	*	*	*	*	0.2	0.6	1.1	2.0	4.5
Non-Hispanic white, female												
2006 5/.....	31.4	*	*	*	*	1.5	10.0	26.3	53.4	79.6	123.6	174.1
2005 5/.....	31.8	*	*	*	*	1.7	10.6	26.8	53.9	81.9	123.4	182.9
2004 5/.....	32.0	*	*	*	*	1.8	10.4	27.7	55.6	84.4	124.2	182.4
2003 5/.....	32.6	*	*	*	*	1.8	11.3	29.1	56.0	85.1	127.1	192.3
2002.....	32.9	*	*	*	*	1.9	11.1	30.0	56.7	87.0	128.9	195.8
2001.....	32.9	*	*	*	*	2.0	11.5	31.6	57.0	88.0	129.4	192.6
2000.....	33.8	*	*	*	*	2.1	11.6	31.7	59.2	91.4	132.2	206.3
1999.....	33.3	*	*	*	*	2.0	11.1	31.5	58.9	91.2	131.5	204.9

Worktable Orig12. Death rates for 358 selected causes, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2006

[Rates per 100,000 population in specified group. Rates are based on populations enumerated as of April 1 for 2000 and estimated as of July 1 for all other years. Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.odc.gov/nchs> and refer to 'Detailed technical notes to the United States 2006 data-mortality']

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, and sex	All ages 1/	Under 1 year 2/	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
Malignant neoplasm of breast (C50)												
Non-Hispanic black, both sexes												
2006 5/.....	15.1	*	*	*	*	2.0	10.5	24.9	43.3	54.6	90.8	144.7
2005 5/.....	15.5	*	*	*	*	1.9	11.2	27.8	46.3	58.1	83.2	146.1
2004 5/.....	15.0	*	*	*	*	2.2	11.3	26.7	44.7	57.4	83.1	145.6
2003 5/.....	15.5	*	*	*	*	2.3	11.4	27.1	46.1	60.1	91.3	163.3
2002.....	15.4	*	*	*	*	2.4	12.0	27.7	43.7	61.1	95.3	154.0
2001.....	15.5	*	*	*	*	2.7	11.5	27.9	45.6	64.6	93.0	153.9
2000.....	15.3	*	*	*	*	2.3	11.5	28.4	46.4	59.4	91.7	178.7
1999.....	15.5	*	*	*	*	2.4	12.0	29.2	47.1	64.5	95.6	149.1
Non-Hispanic black, male												
2006 5/.....	0.3	*	*	*	*	*	*	*	*	*	*	*
2005 5/.....	0.3	*	*	*	*	*	*	*	*	2.9	*	*
2004 5/.....	0.3	*	*	*	*	*	*	*	*	*	*	*
2003 5/.....	0.3	*	*	*	*	*	*	*	*	*	*	*
2002.....	0.4	*	*	*	*	*	*	*	*	*	*	*
2001.....	0.4	*	*	*	*	*	*	*	*	*	*	*
2000.....	0.4	*	*	*	*	*	*	*	*	*	*	*
1999.....	0.4	*	*	*	*	*	*	*	*	*	*	*
Non-Hispanic black, female												
2006 5/.....	28.5	*	*	*	*	3.9	19.8	45.6	77.3	92.3	140.7	202.5
2005 5/.....	29.4	*	*	*	*	3.7	21.0	51.4	82.8	97.6	128.2	204.1
2004 5/.....	28.4	*	*	*	*	4.2	21.2	49.3	79.8	96.8	128.5	199.6
2003 5/.....	29.4	*	*	*	*	4.3	21.4	50.1	82.4	101.6	141.8	224.5
2002.....	29.1	*	*	*	*	4.5	22.5	51.0	77.8	102.7	147.1	210.7
2001.....	29.2	*	*	*	*	5.1	21.5	51.3	81.6	108.4	143.0	208.3
2000.....	28.9	*	*	*	*	4.3	21.5	52.5	82.5	100.1	141.5	241.6
1999.....	29.2	*	*	*	*	4.5	22.3	53.7	83.7	108.2	147.2	201.7

Worktable Orig12. Death rates for 358 selected causes, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2006

[Rates per 100,000 population in specified group. Rates are based on populations enumerated as of April 1 for 2000 and estimated as of July 1 for all other years. Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to 'Detailed technical notes to the United States 2006 data-mortality']

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, and sex	All ages 1/	Under 1 year 2/	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
Malignant neoplasms of female genital organs (C51-C58)												
All origins 3/, both sexes												
2006.....	9.3	*	*	*	0.1	0.7	2.8	7.8	17.8	33.8	54.1	72.7
2005.....	9.2	*	*	*	0.1	0.7	2.8	7.9	18.1	33.4	53.2	72.7
2004.....	9.2	*	*	*	0.1	0.8	2.9	7.7	17.5	34.8	54.8	72.7
2003.....	9.3	*	*	*	0.1	0.8	2.9	7.8	18.5	34.3	55.7	75.2
2002.....	9.4	*	*	*	0.1	0.9	3.0	8.2	18.3	34.9	56.9	77.5
2001.....	9.4	*	*	*	0.1	0.9	3.0	8.4	18.2	34.7	58.2	79.9
2000.....	9.4	*	*	*	0.1	0.9	3.0	8.3	18.5	34.8	57.7	82.3
1999.....	9.3	*	*	*	0.1	0.8	3.1	8.3	18.5	35.0	56.9	79.1
All origins 3/, male												
2006.....
2005.....
2004.....
2003.....
2002.....
2001.....
2000.....
1999.....
All origins 3/, female												
2006.....	18.3	*	*	*	0.2	1.5	5.6	15.3	34.4	62.4	91.1	106.7
2005.....	18.1	*	*	*	0.2	1.5	5.6	15.5	34.9	61.7	89.3	106.1
2004.....	18.1	*	*	*	0.3	1.7	5.9	15.0	33.8	64.1	91.7	105.4
2003.....	18.3	*	*	*	0.3	1.7	5.8	15.3	35.7	63.0	93.0	108.5
2002.....	18.5	*	*	*	0.3	1.7	5.9	16.2	35.3	63.9	94.6	111.2
2001.....	18.5	*	*	*	0.2	1.8	6.0	16.4	35.1	63.4	96.4	113.4
2000.....	18.4	*	*	*	0.2	1.9	6.0	16.3	35.6	63.5	95.3	115.8
1999.....	18.2	*	*	*	0.2	1.6	6.1	16.4	35.6	63.6	93.8	110.9
Hispanic, both sexes												
2006.....	3.9	*	*	*	*	0.6	2.4	6.9	13.4	25.0	46.2	55.9
2005.....	3.8	*	*	*	*	0.5	2.7	7.5	14.6	26.9	39.5	50.1
2004.....	3.7	*	*	*	*	0.6	2.7	6.2	14.8	26.5	39.9	48.5
2003.....	3.6	*	*	*	*	0.5	2.7	6.9	13.1	24.1	40.7	63.2
2002.....	3.6	*	*	*	*	0.6	2.7	6.8	12.9	26.8	44.5	61.0
2001.....	3.8	*	*	*	*	0.8	2.9	7.2	15.6	28.6	41.5	66.9
2000.....	3.8	*	*	*	*	0.7	3.2	7.0	15.0	28.6	47.4	75.6
1999.....	3.5	*	*	*	*	0.7	2.7	7.3	14.1	26.6	42.3	59.6
Hispanic, male												
2006.....
2005.....
2004.....
2003.....
2002.....
2001.....
2000.....
1999.....
Hispanic, female												
2006.....	8.0	*	*	*	*	1.4	5.2	14.0	25.8	45.3	78.6	85.7
2005.....	8.0	*	*	*	*	1.1	5.6	15.1	28.0	48.6	67.0	76.2
2004.....	7.6	*	*	*	*	1.4	5.7	12.4	28.3	47.7	67.4	73.5
2003.....	7.4	*	*	*	*	1.2	5.7	13.8	24.9	43.4	68.7	95.3
2002.....	7.5	*	*	*	*	1.4	5.6	13.6	24.5	48.2	75.0	91.2
2001.....	7.8	*	*	*	*	1.8	6.1	14.3	29.4	47.6	69.5	99.6
2000.....	7.9	*	*	*	*	1.6	6.6	13.8	28.2	51.1	79.2	112.8
1999.....	7.2	*	*	*	*	1.5	5.5	14.3	26.6	47.5	70.4	88.4

Worktable Orig12. Death rates for 358 selected causes, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2006

[Rates per 100,000 population in specified group. Rates are based on populations enumerated as of April 1 for 2000 and estimated as of July 1 for all other years. Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to 'Detailed technical notes to the United States 2006 data-mortality']

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, and sex	All ages 1/	Under 1 year 2/	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
Malignant neoplasms of female genital organs (C51-C58)												
Non-Hispanic 4/, both sexes												
2006.....	10.2	*	*	*	0.1	0.8	2.9	7.8	18.2	34.4	54.5	73.5
2005.....	10.1	*	*	*	0.1	0.8	2.8	7.9	18.3	33.9	54.0	73.8
2004.....	10.1	*	*	*	0.1	0.9	3.0	7.8	17.7	35.4	55.6	73.6
2003.....	10.2	*	*	*	0.1	0.9	2.9	7.8	18.9	34.9	56.4	75.7
2002.....	10.3	*	*	*	0.1	0.9	3.0	8.4	18.7	35.3	57.4	78.1
2001.....	10.2	*	*	*	0.1	0.9	3.0	8.4	18.4	35.1	58.9	80.2
2000.....	10.2	*	*	*	0.1	1.0	3.0	8.4	18.7	35.1	58.0	82.4
1999.....	10.0	*	*	*	0.1	0.8	3.1	8.4	18.8	35.4	57.2	79.6
Non-Hispanic 4/, male												
2006.....
2005.....
2004.....
2003.....
2002.....
2001.....
2000.....
1999.....
Non-Hispanic 4/, female												
2006.....	20.0	*	*	*	0.1	1.5	5.7	15.4	35.1	63.7	91.7	107.7
2005.....	19.7	*	*	*	0.2	1.6	5.6	15.5	35.4	62.6	90.6	107.4
2004.....	19.7	*	*	*	0.3	1.8	5.9	15.3	34.2	65.2	93.0	106.6
2003.....	19.9	*	*	*	0.3	1.7	5.8	15.4	36.5	64.2	94.1	109.0
2002.....	20.0	*	*	*	0.3	1.8	6.0	16.4	36.0	64.8	95.4	111.8
2001.....	20.0	*	*	*	0.2	1.8	6.0	16.6	35.4	64.3	97.5	113.5
2000.....	19.8	*	*	*	0.2	1.9	5.9	16.4	36.1	64.1	95.8	115.7
1999.....	19.6	*	*	*	0.2	1.7	6.1	16.5	36.1	64.4	94.4	111.5
Non-Hispanic white, both sexes												
2006 5/.....	11.0	*	*	*	0.7	2.8	7.7	17.9	33.6	54.2	73.8	
2005 5/.....	10.8	*	*	*	0.1	0.8	2.6	7.7	17.8	33.1	53.6	74.4
2004 5/.....	10.8	*	*	*	0.1	0.8	2.9	7.5	17.3	34.1	55.8	74.0
2003 5/.....	10.9	*	*	*	0.1	0.8	2.8	7.7	18.6	34.1	56.0	75.6
2002.....	10.9	*	*	*	0.1	0.9	2.9	8.2	18.3	34.2	56.8	77.3
2001.....	10.9	*	*	*	0.1	0.9	2.9	8.3	17.9	34.2	58.6	79.8
2000.....	10.8	*	*	*	0.1	0.9	2.8	8.2	18.4	33.9	57.5	82.1
1999.....	10.7	*	*	*	0.1	0.8	3.0	8.4	18.4	34.2	56.6	79.4
Non-Hispanic white, male												
2006 5/.....
2005 5/.....
2004 5/.....
2003 5/.....
2002.....
2001.....
2000.....
1999.....
Non-Hispanic white, female												
2006 5/.....	21.5	*	*	*	1.4	5.6	15.2	35.0	62.7	91.8	108.2	
2005 5/.....	21.2	*	*	*	0.2	1.6	5.3	15.3	34.8	61.8	90.6	108.4
2004 5/.....	21.2	*	*	*	0.3	1.7	5.7	14.9	33.8	63.4	93.8	107.2
2003 5/.....	21.3	*	*	*	0.2	1.6	5.5	15.2	36.3	63.3	93.8	108.9
2002.....	21.4	*	*	*	0.3	1.8	5.8	16.2	35.7	63.4	94.9	110.7
2001.....	21.4	*	*	*	0.2	1.7	5.8	16.5	34.7	63.2	97.4	113.1
2000.....	21.1	*	*	*	0.2	1.9	5.5	16.3	35.7	62.4	95.2	115.2
1999.....	21.0	*	*	*	0.2	1.7	6.0	16.7	35.7	62.8	93.7	111.0

Worktable Orig12. Death rates for 358 selected causes, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2006

[Rates per 100,000 population in specified group. Rates are based on populations enumerated as of April 1 for 2000 and estimated as of July 1 for all other years. Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.odc.gov/nchs> and refer to 'Detailed technical notes to the United States 2006 data-mortality']

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, and sex	All ages 1/	Under 1 year 2/	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
Malignant neoplasms of female genital organs (C51-C58)												
Non-Hispanic black, both sexes												
2006 5/.....	8.8	*	*	*	*	1.0	3.9	9.4	23.5	48.7	67.2	84.4
2005 5/.....	8.8	*	*	*	*	1.1	4.0	9.4	24.7	47.4	68.5	82.7
2004 5/.....	8.9	*	*	*	*	1.3	4.0	10.3	23.4	53.2	66.4	81.2
2003 5/.....	8.8	*	*	*	*	1.4	3.9	9.9	24.5	48.6	70.5	90.4
2002.....	8.9	*	*	*	*	1.3	4.2	10.0	23.9	50.7	71.6	99.8
2001.....	8.8	*	*	*	*	1.4	4.2	9.6	24.4	50.0	72.1	95.5
2000.....	8.9	*	*	*	*	1.3	4.4	9.8	24.3	52.6	74.3	97.0
1999.....	8.7	*	*	*	*	1.0	4.0	9.1	25.4	53.2	72.3	92.5
Non-Hispanic black, male												
2006 5/.....
2005 5/.....
2004 5/.....
2003 5/.....
2002.....
2001.....
2000.....
1999.....
Non-Hispanic black, female												
2006 5/.....	16.8	*	*	*	*	2.0	7.3	17.5	42.4	83.5	105.4	118.8
2005 5/.....	16.7	*	*	*	*	2.1	7.6	17.5	44.6	81.3	107.3	116.0
2004 5/.....	16.9	*	*	*	*	2.5	7.5	19.1	42.2	91.1	109.9	113.2
2003 5/.....	16.8	*	*	*	*	2.7	7.4	18.4	44.1	83.2	110.3	125.5
2002.....	17.0	*	*	*	*	2.4	7.9	18.6	43.1	86.7	112.1	138.0
2001.....	16.7	*	*	*	*	2.6	7.9	17.8	44.0	85.3	112.5	130.9
2000.....	17.0	*	*	*	*	2.5	8.2	18.1	43.9	89.5	116.2	133.0
1999.....	16.5	*	*	*	*	2.0	7.5	16.8	45.8	90.8	112.8	127.0

Worktable Orig12. Death rates for 358 selected causes, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2006

[Rates per 100,000 population in specified group. Rates are based on populations enumerated as of April 1 for 2000 and estimated as of July 1 for all other years. Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to 'Detailed technical notes to the United States 2006 data-mortality']

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, and sex	All ages 1/	Under 1 year 2/	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
Of vulva and vagina (C51-C52)												
Non-Hispanic 4/, both sexes												
2006.....	0.5	*	*	*	*	*	0.1	0.2	0.6	1.1	2.8	7.0
2005.....	0.4	*	*	*	*	*	0.1	0.2	0.4	1.1	2.9	6.6
2004.....	0.5	*	*	*	*	*	0.1	0.2	0.5	1.2	2.9	7.0
2003.....	0.4	*	*	*	*	*	0.1	0.2	0.5	1.2	2.9	7.2
2002.....	0.4	*	*	*	*	*	0.1	0.2	0.5	1.1	3.0	7.7
2001.....	0.4	*	*	*	*	*	0.1	0.2	0.4	1.1	3.1	7.3
2000.....	0.4	*	*	*	*	*	0.1	0.2	0.5	1.3	2.9	7.7
1999.....	0.5	*	*	*	*	*	0.1	0.2	0.5	1.2	3.0	8.5
Non-Hispanic 4/, male												
2006.....
2005.....
2004.....
2003.....
2002.....
2001.....
2000.....
1999.....
Non-Hispanic 4/, female												
2006.....	0.9	*	*	*	*	*	0.1	0.4	1.1	2.1	4.7	10.3
2005.....	0.9	*	*	*	*	*	0.2	0.5	0.9	2.0	4.9	9.6
2004.....	0.9	*	*	*	*	*	0.2	0.4	1.0	2.3	4.9	10.1
2003.....	0.9	*	*	*	*	*	0.1	0.4	0.9	2.2	4.8	10.3
2002.....	0.9	*	*	*	*	*	0.2	0.4	0.9	2.0	4.9	11.0
2001.....	0.9	*	*	*	*	*	0.2	0.5	0.8	2.1	5.2	10.3
2000.....	0.9	*	*	*	*	*	0.2	0.4	0.9	2.4	4.8	10.8
1999.....	0.9	*	*	*	*	*	0.2	0.4	0.9	2.2	5.0	11.9
Non-Hispanic white, both sexes												
2006 5/.....	0.5	*	*	*	*	*	*	0.2	0.6	1.2	2.9	7.3
2005 5/.....	0.5	*	*	*	*	*	0.1	0.2	0.4	1.2	3.1	6.8
2004 5/.....	0.5	*	*	*	*	*	0.1	0.2	0.5	1.3	3.0	7.2
2003 5/.....	0.5	*	*	*	*	*	*	0.2	0.5	1.2	3.0	7.5
2002.....	0.5	*	*	*	*	*	0.1	0.2	0.5	1.1	3.0	8.0
2001.....	0.5	*	*	*	*	*	0.1	0.2	0.4	1.1	3.2	7.3
2000.....	0.5	*	*	*	*	*	0.1	0.2	0.5	1.4	3.0	7.9
1999.....	0.5	*	*	*	*	*	0.1	0.2	0.4	1.2	3.0	9.0
Non-Hispanic white, male												
2006 5/.....
2005 5/.....
2004 5/.....
2003 5/.....
2002.....
2001.....
2000.....
1999.....
Non-Hispanic white, female												
2006 5/.....	1.0	*	*	*	*	*	*	0.4	1.1	2.2	4.9	10.7
2005 5/.....	1.0	*	*	*	*	*	0.2	0.5	0.9	2.2	5.2	10.0
2004 5/.....	1.0	*	*	*	*	*	0.2	0.5	1.0	2.3	5.1	10.5
2003 5/.....	1.0	*	*	*	*	*	*	0.4	0.9	2.3	5.1	10.7
2002.....	1.0	*	*	*	*	*	0.2	0.4	1.0	2.1	5.1	11.5
2001.....	0.9	*	*	*	*	*	0.2	0.4	0.7	2.1	5.3	10.4
2000.....	1.0	*	*	*	*	*	0.1	0.4	0.9	2.5	5.0	11.1
1999.....	1.0	*	*	*	*	*	0.2	0.4	0.9	2.2	5.0	12.5

Worktable Orig12. Death rates for 358 selected causes, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2006

[Rates per 100,000 population in specified group. Rates are based on populations enumerated as of April 1 for 2000 and estimated as of July 1 for all other years. Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to 'Detailed technical notes to the United States 2006 data-mortality']

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, and sex	All ages 1/	Under 1 year 2/	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
Of vulva and vagina (C51-C52)												
Non-Hispanic black, both sexes												
2006 5/.....	0.3	*	*	*	*	*	*	*	*	*	3.1	5.6
2005 5/.....	0.3	*	*	*	*	*	*	*	*	*	*	5.7
2004 5/.....	0.3	*	*	*	*	*	*	*	0.9	1.3	2.4	*
2003 5/.....	0.3	*	*	*	*	*	*	*	*	*	2.2	6.2
2002.....	0.2	*	*	*	*	*	*	*	*	*	2.4	*
2001.....	0.4	*	*	*	*	*	*	*	0.9	1.5	3.5	6.6
2000.....	0.3	*	*	*	*	*	*	*	*	*	2.7	7.0
1999.....	0.3	*	*	*	*	*	*	*	*	1.4	3.1	*
Non-Hispanic black, male												
2006 5/.....
2005 5/.....
2004 5/.....
2003 5/.....
2002.....
2001.....
2000.....
1999.....
Non-Hispanic black, female												
2006 5/.....	0.5	*	*	*	*	*	*	*	*	*	4.9	7.8
2005 5/.....	0.5	*	*	*	*	*	*	*	*	*	*	8.0
2004 5/.....	0.6	*	*	*	*	*	*	*	*	1.5	2.2	3.7
2003 5/.....	0.5	*	*	*	*	*	*	*	*	*	*	3.4
2002.....	0.5	*	*	*	*	*	*	*	*	*	*	3.8
2001.....	0.7	*	*	*	*	*	*	*	1.6	2.6	5.4	9.0
2000.....	0.5	*	*	*	*	*	*	*	*	*	4.2	9.6
1999.....	0.5	*	*	*	*	*	*	*	*	2.3	4.9	*

Worktable Orig12. Death rates for 358 selected causes, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2006

[Rates per 100,000 population in specified group. Rates are based on populations enumerated as of April 1 for 2000 and estimated as of July 1 for all other years. Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to 'Detailed technical notes to the United States 2006 data-mortality']

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, and sex	All ages 1/	Under 1 year 2/	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
Of cervix uteri (C53)												
All origins 3/, both sexes												
2006.....	1.3	*	*	*	*	0.4	1.4	2.2	2.6	3.2	3.8	5.2
2005.....	1.3	*	*	*	*	0.4	1.4	2.3	2.6	3.1	4.0	5.4
2004.....	1.3	*	*	*	*	0.5	1.4	2.0	2.8	3.3	3.7	5.1
2003.....	1.3	*	*	*	*	0.5	1.4	2.2	2.8	3.1	4.3	5.7
2002.....	1.4	*	*	*	*	0.5	1.5	2.2	2.7	3.4	4.1	6.2
2001.....	1.4	*	*	*	*	0.5	1.6	2.4	2.9	3.2	4.6	7.2
2000.....	1.5	*	*	*	*	0.6	1.5	2.4	3.1	3.7	4.8	7.3
1999.....	1.5	*	*	*	*	0.5	1.6	2.5	3.2	3.8	4.6	7.9
All origins 3/, male												
2006.....
2005.....
2004.....
2003.....
2002.....
2001.....
2000.....
1999.....
All origins 3/, female												
2006.....	2.6	*	*	*	*	0.9	2.9	4.4	5.0	5.9	6.4	7.7
2005.....	2.6	*	*	*	*	0.9	2.8	4.4	5.1	5.7	6.7	7.8
2004.....	2.6	*	*	*	*	1.1	2.8	4.0	5.4	6.0	6.2	7.3
2003.....	2.7	*	*	*	*	1.0	2.8	4.3	5.5	5.6	7.2	8.3
2002.....	2.7	*	*	*	*	1.1	3.0	4.4	5.2	6.3	6.9	8.9
2001.....	2.8	*	*	*	*	1.1	3.1	4.8	5.5	5.8	7.7	10.1
2000.....	2.9	*	*	*	*	1.2	3.1	4.8	5.9	6.8	8.0	10.3
1999.....	3.0	*	*	*	*	1.1	3.1	4.9	6.2	6.9	7.7	11.1
Hispanic, both sexes												
2006.....	1.0	*	*	*	*	0.4	1.4	2.8	3.3	4.4	6.6	*
2005.....	1.0	*	*	*	*	0.3	1.6	2.8	3.8	4.8	4.5	*
2004.....	1.0	*	*	*	*	0.4	1.6	2.4	4.3	4.3	5.7	*
2003.....	1.0	*	*	*	*	0.4	1.4	2.9	3.1	3.5	6.6	*
2002.....	1.0	*	*	*	*	0.4	1.5	2.4	3.6	4.7	6.7	*
2001.....	1.1	*	*	*	*	0.5	1.9	3.0	4.1	3.4	7.0	*
2000.....	1.2	*	*	*	*	0.5	2.1	2.8	4.6	5.6	8.5	13.9
1999.....	1.1	*	*	*	*	0.5	1.8	3.3	3.9	4.9	6.5	*
Hispanic, male												
2006.....
2005.....
2004.....
2003.....
2002.....
2001.....
2000.....
1999.....
Hispanic, female												
2006.....	2.2	*	*	*	*	1.0	2.9	5.7	6.3	7.9	11.3	*
2005.....	2.2	*	*	*	*	0.6	3.4	5.7	7.2	8.8	7.7	*
2004.....	2.2	*	*	*	*	0.9	3.3	4.8	8.2	7.7	9.6	*
2003.....	2.0	*	*	*	*	0.9	3.0	5.7	5.9	6.3	11.1	*
2002.....	2.1	*	*	*	*	0.9	3.1	4.7	6.8	8.4	11.2	*
2001.....	2.3	*	*	*	*	1.1	3.9	6.0	7.7	6.1	11.8	*
2000.....	2.5	*	*	*	*	1.1	4.4	5.5	8.6	10.0	14.2	20.8
1999.....	2.3	*	*	*	*	1.1	3.6	6.6	7.4	8.8	10.8	*

Worktable Orig12. Death rates for 358 selected causes, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2006

[Rates per 100,000 population in specified group. Rates are based on populations enumerated as of April 1 for 2000 and estimated as of July 1 for all other years. Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to 'Detailed technical notes to the United States 2006 data-mortality']

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, and sex	All ages 1/	Under 1 year 2/	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
Of cervix uteri (C53)												
Non-Hispanic 4/, both sexes												
2006.....	1.4	*	*	*	*	0.5	1.4	2.2	2.5	3.1	3.6	5.2
2005.....	1.4	*	*	*	*	0.5	1.4	2.2	2.5	2.9	3.9	5.3
2004.....	1.4	*	*	*	*	0.6	1.4	2.0	2.7	3.2	3.6	5.0
2003.....	1.4	*	*	*	*	0.5	1.4	2.1	2.8	3.0	4.2	5.7
2002.....	1.4	*	*	*	*	0.5	1.5	2.2	2.6	3.4	4.0	6.1
2001.....	1.5	*	*	*	*	0.5	1.5	2.4	2.8	3.2	4.5	7.0
2000.....	1.5	*	*	*	*	0.6	1.5	2.4	3.0	3.6	4.7	7.1
1999.....	1.6	*	*	*	*	0.5	1.5	2.4	3.2	3.7	4.6	7.9
Non-Hispanic 4/, male												
2006.....
2005.....
2004.....
2003.....
2002.....
2001.....
2000.....
1999.....
Non-Hispanic 4/, female												
2006.....	2.7	*	*	*	*	0.9	2.9	4.2	4.9	5.7	6.1	7.6
2005.....	2.7	*	*	*	*	0.9	2.7	4.3	4.9	5.4	6.6	7.7
2004.....	2.6	*	*	*	*	1.1	2.7	3.9	5.2	5.9	6.0	7.2
2003.....	2.7	*	*	*	*	1.0	2.8	4.1	5.4	5.6	7.0	8.2
2002.....	2.8	*	*	*	*	1.1	2.9	4.3	5.1	6.2	6.7	8.7
2001.....	2.9	*	*	*	*	1.0	3.0	4.6	5.3	5.8	7.5	10.0
2000.....	3.0	*	*	*	*	1.2	2.9	4.7	5.7	6.6	7.7	9.9
1999.....	3.0	*	*	*	*	1.1	3.0	4.7	6.1	6.7	7.5	11.0
Non-Hispanic white, both sexes												
2006 5/.....	1.3	*	*	*	*	0.4	1.3	1.9	2.4	2.6	3.1	4.1
2005 5/.....	1.3	*	*	*	*	0.5	1.3	1.9	2.1	2.6	3.4	4.7
2004 5/.....	1.2	*	*	*	*	0.5	1.2	1.8	2.4	2.6	3.1	3.9
2003 5/.....	1.3	*	*	*	*	0.4	1.3	1.9	2.5	2.5	3.4	4.8
2002.....	1.3	*	*	*	*	0.5	1.3	1.9	2.3	2.7	3.4	4.9
2001.....	1.4	*	*	*	*	0.5	1.4	2.1	2.4	2.6	3.8	6.1
2000.....	1.4	*	*	*	*	0.5	1.3	2.1	2.5	2.9	4.1	6.0
1999.....	1.4	*	*	*	*	0.6	1.4	2.3	2.7	3.0	3.9	6.7
Non-Hispanic white, male												
2006 5/.....
2005 5/.....
2004 5/.....
2003 5/.....
2002.....
2001.....
2000.....
1999.....
Non-Hispanic white, female												
2006 5/.....	2.5	*	*	*	*	0.8	2.6	3.8	4.6	4.8	5.2	6.1
2005 5/.....	2.5	*	*	*	*	0.9	2.5	3.8	4.2	4.8	5.7	6.8
2004 5/.....	2.4	*	*	*	*	1.1	2.5	3.5	4.6	4.9	5.2	5.7
2003 5/.....	2.5	*	*	*	*	0.9	2.6	3.7	4.9	4.7	5.7	7.0
2002.....	2.5	*	*	*	*	1.0	2.7	3.8	4.5	5.0	5.7	7.0
2001.....	2.7	*	*	*	*	1.0	2.8	4.2	4.7	4.9	6.3	8.6
2000.....	2.7	*	*	*	*	1.1	2.5	4.2	4.8	5.3	6.8	8.4
1999.....	2.8	*	*	*	*	1.1	2.8	4.5	5.2	5.5	6.5	9.3

Worktable Orig12. Death rates for 358 selected causes, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2006

[Rates per 100,000 population in specified group. Rates are based on populations enumerated as of April 1 for 2000 and estimated as of July 1 for all other years. Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.odc.gov/nchs> and refer to 'Detailed technical notes to the United States 2006 data-mortality']

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, and sex	All ages 1/	Under 1 year 2/	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
Of cervix uteri (C53)												
Non-Hispanic black, both sexes												
2006 5/.....	2.1	*	*	*	*	0.8	2.5	3.7	4.1	7.7	8.8	17.5
2005 5/.....	2.1	*	*	*	*	0.5	2.4	3.8	5.3	6.5	10.7	13.4
2004 5/.....	2.1	*	*	*	*	0.8	2.3	3.8	5.4	7.7	9.1	16.4
2003 5/.....	2.2	*	*	*	*	0.9	2.3	3.7	5.7	7.5	11.6	14.9
2002.....	2.3	*	*	*	*	0.8	2.6	4.2	5.1	9.2	10.7	17.5
2001.....	2.2	*	*	*	*	0.8	2.5	3.8	5.3	7.9	12.0	19.0
2000.....	2.5	*	*	*	*	1.0	2.6	4.3	6.4	9.8	12.0	19.7
1999.....	2.4	*	*	*	*	0.7	2.5	3.6	7.2	10.8	11.3	21.7
Non-Hispanic black, male												
2006 5/.....
2005 5/.....
2004 5/.....
2003 5/.....
2002.....
2001.....
2000.....
1999.....
Non-Hispanic black, female												
2006 5/.....	3.9	*	*	*	*	1.5	4.7	6.8	7.3	13.2	13.7	24.7
2005 5/.....	4.0	*	*	*	*	1.1	4.6	7.1	9.5	11.2	16.8	18.8
2004 5/.....	4.0	*	*	*	*	1.6	4.3	7.1	9.8	13.2	14.2	22.9
2003 5/.....	4.1	*	*	*	*	1.8	4.3	6.9	10.2	12.8	18.1	20.6
2002.....	4.3	*	*	*	*	1.6	4.9	7.8	9.2	15.8	16.7	24.2
2001.....	4.2	*	*	*	*	1.6	4.6	7.1	9.6	13.5	18.7	26.1
2000.....	4.7	*	*	*	*	1.9	5.0	8.0	11.5	16.6	18.8	27.0
1999.....	4.5	*	*	*	*	1.2	4.8	6.6	13.0	18.3	17.7	29.8

Worktable Orig12. Death rates for 358 selected causes, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2006

[Rates per 100,000 population in specified group. Rates are based on populations enumerated as of April 1 for 2000 and estimated as of July 1 for all other years. Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to 'Detailed technical notes to the United States 2006 data-mortality']

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, and sex	All ages 1/	Under 1 year 2/	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
Of corpus uteri and uterus, part unspecified (C54-C55)												
All origins 3/, both sexes												
2006.....	2.5	*	*	*	*	0.1	0.3	1.4	4.8	10.0	15.7	21.6
2005.....	2.4	*	*	*	*	0.1	0.3	1.3	4.8	9.7	15.0	22.1
2004.....	2.4	*	*	*	*	0.0	0.4	1.3	4.4	10.1	15.5	22.3
2003.....	2.4	*	*	*	*	0.1	0.3	1.3	4.7	10.1	15.2	22.8
2002.....	2.4	*	*	*	*	0.1	0.3	1.4	4.5	10.0	15.4	24.6
2001.....	2.4	*	*	*	*	0.1	0.3	1.4	4.4	9.7	16.4	24.7
2000.....	2.3	*	*	*	*	0.1	0.3	1.3	4.6	9.7	15.8	24.7
1999.....	2.3	*	*	*	*	0.1	0.3	1.3	4.3	9.8	16.4	24.0
All origins 3/, male												
2006.....
2005.....
2004.....
2003.....
2002.....
2001.....
2000.....
1999.....
All origins 3/, female												
2006.....	4.9	*	*	*	*	0.1	0.7	2.7	9.3	18.5	26.4	31.6
2005.....	4.7	*	*	*	*	0.1	0.7	2.6	9.3	17.9	25.1	32.2
2004.....	4.7	*	*	*	*	0.1	0.8	2.6	8.6	18.5	25.9	32.3
2003.....	4.7	*	*	*	*	0.1	0.7	2.6	9.0	18.5	25.3	33.0
2002.....	4.7	*	*	*	*	0.1	0.6	2.8	8.7	18.4	25.6	35.2
2001.....	4.7	*	*	*	*	0.2	0.6	2.8	8.4	17.8	27.2	35.0
2000.....	4.6	*	*	*	*	0.1	0.6	2.6	8.9	17.7	26.2	34.8
1999.....	4.5	*	*	*	*	0.1	0.6	2.5	8.2	17.8	27.1	33.7
Hispanic, both sexes												
2006.....	0.9	*	*	*	*	*	0.3	1.2	3.5	6.5	11.6	15.3
2005.....	0.9	*	*	*	*	*	0.4	1.5	3.4	7.8	11.9	11.1
2004.....	0.8	*	*	*	*	*	*	0.9	3.5	7.9	10.5	9.5
2003.....	0.8	*	*	*	*	*	0.4	1.2	2.9	7.0	9.8	20.7
2002.....	0.9	*	*	*	*	*	0.3	1.1	3.2	9.0	11.0	20.5
2001.....	0.9	*	*	*	*	*	*	1.4	3.8	7.5	11.7	18.8
2000.....	0.8	*	*	*	*	*	*	1.1	3.6	7.0	10.7	19.9
1999.....	0.8	*	*	*	*	*	*	1.1	3.7	8.3	10.6	15.4
Hispanic, male												
2006.....
2005.....
2004.....
2003.....
2002.....
2001.....
2000.....
1999.....
Hispanic, female												
2006.....	1.8	*	*	*	*	*	0.7	2.4	6.7	11.9	19.7	23.4
2005.....	1.9	*	*	*	*	*	0.8	3.1	6.5	14.1	20.2	16.9
2004.....	1.6	*	*	*	*	*	*	1.7	6.7	14.2	17.8	14.4
2003.....	1.7	*	*	*	*	*	0.9	2.3	5.6	12.5	16.6	31.3
2002.....	1.8	*	*	*	*	*	0.7	2.1	6.2	16.1	18.5	30.7
2001.....	1.8	*	*	*	*	*	*	2.8	7.3	13.4	19.6	27.9
2000.....	1.6	*	*	*	*	*	*	2.2	6.8	12.4	17.6	29.7
1999.....	1.6	*	*	*	*	*	*	2.2	7.0	14.8	17.7	22.9

Worktable Orig12. Death rates for 358 selected causes, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2006

[Rates per 100,000 population in specified group. Rates are based on populations enumerated as of April 1 for 2000 and estimated as of July 1 for all other years. Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to 'Detailed technical notes to the United States 2006 data-mortality']

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, and sex	All ages 1/	Under 1 year 2/	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
Of corpus uteri and uterus, part unspecified (C54-C55)												
Non-Hispanic 4/, both sexes												
2006.....	2.7	*	*	*	*	0.1	0.3	1.4	4.9	10.3	15.9	21.9
2005.....	2.6	*	*	*	*	0.1	0.3	1.3	4.9	9.8	15.1	22.6
2004.....	2.6	*	*	*	*	*	0.4	1.4	4.5	10.2	15.8	22.8
2003.....	2.6	*	*	*	*	0.1	0.3	1.3	4.8	10.3	15.4	22.9
2002.....	2.6	*	*	*	*	*	0.3	1.4	4.6	10.1	15.5	24.6
2001.....	2.6	*	*	*	*	0.1	0.3	1.4	4.4	9.9	16.6	24.8
2000.....	2.6	*	*	*	*	0.1	0.3	1.4	4.7	9.8	16.0	24.9
1999.....	2.5	*	*	*	*	0.1	0.3	1.3	4.3	9.9	16.6	24.3
Non-Hispanic 4/, male												
2006.....
2005.....
2004.....
2003.....
2002.....
2001.....
2000.....
1999.....
Non-Hispanic 4/, female												
2006.....	5.4	*	*	*	*	0.1	0.7	2.8	9.5	19.0	26.8	32.0
2005.....	5.2	*	*	*	*	0.1	0.6	2.6	9.5	18.2	25.4	32.9
2004.....	5.2	*	*	*	*	*	0.8	2.7	8.7	18.8	26.4	33.0
2003.....	5.1	*	*	*	*	0.1	0.7	2.6	9.2	18.9	25.6	33.0
2002.....	5.1	*	*	*	*	*	0.6	2.8	8.8	18.5	25.8	35.3
2001.....	5.1	*	*	*	*	0.2	0.6	2.8	8.5	18.1	27.5	35.1
2000.....	5.0	*	*	*	*	0.1	0.6	2.7	9.0	17.9	26.5	34.9
1999.....	4.9	*	*	*	*	0.1	0.6	2.5	8.3	18.0	27.4	34.1
Non-Hispanic white, both sexes												
2006 5/.....	2.8	*	*	*	*	*	0.3	1.3	4.4	9.0	15.1	22.0
2005 5/.....	2.7	*	*	*	*	*	0.3	1.2	4.4	8.9	14.3	22.2
2004 5/.....	2.7	*	*	*	*	*	0.4	1.3	4.1	8.9	15.2	23.0
2003 5/.....	2.7	*	*	*	*	*	0.3	1.3	4.4	9.3	14.5	22.8
2002.....	2.6	*	*	*	*	*	0.3	1.3	4.1	8.9	14.6	23.8
2001.....	2.7	*	*	*	*	*	0.3	1.3	4.0	8.9	15.9	24.5
2000.....	2.6	*	*	*	*	*	0.3	1.3	4.3	8.6	15.0	24.5
1999.....	2.6	*	*	*	*	*	0.3	1.3	4.0	8.9	16.0	23.6
Non-Hispanic white, male												
2006 5/.....
2005 5/.....
2004 5/.....
2003 5/.....
2002.....
2001.....
2000.....
1999.....
Non-Hispanic white, female												
2006 5/.....	5.5	*	*	*	*	*	0.7	2.6	8.6	16.8	25.5	32.2
2005 5/.....	5.3	*	*	*	*	*	0.6	2.5	8.6	16.5	24.1	32.4
2004 5/.....	5.3	*	*	*	*	*	0.8	2.6	8.0	16.6	25.5	33.3
2003 5/.....	5.2	*	*	*	*	*	0.6	2.5	8.5	17.2	24.4	32.8
2002.....	5.1	*	*	*	*	*	0.6	2.7	8.0	16.5	24.4	34.1
2001.....	5.2	*	*	*	*	*	0.6	2.7	7.8	16.4	26.5	34.7
2000.....	5.1	*	*	*	*	*	0.5	2.7	8.4	15.9	24.8	34.3
1999.....	5.1	*	*	*	*	*	0.6	2.5	7.7	16.3	26.4	33.1

Worktable Orig12. Death rates for 358 selected causes, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2006

[Rates per 100,000 population in specified group. Rates are based on populations enumerated as of April 1 for 2000 and estimated as of July 1 for all other years. Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.odc.gov/nchs> and refer to 'Detailed technical notes to the United States 2006 data-mortality']

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, and sex	All ages 1/	Under 1 year 2/	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
Of corpus uteri and uterus, part unspecified (C54-C55)												
Non-Hispanic black, both sexes												
2006 5/.....	3.2	*	*	*	*	*	*	1.8	10.0	23.2	29.2	26.3
2005 5/.....	3.1	*	*	*	*	*	0.4	1.9	10.0	20.6	27.5	32.0
2004 5/.....	3.0	*	*	*	*	*	0.5	2.0	8.1	23.4	26.6	26.5
2003 5/.....	3.0	*	*	*	*	*	0.5	1.7	9.1	21.4	28.0	30.3
2002.....	3.1	*	*	*	*	*	0.4	2.0	8.6	22.7	28.4	39.6
2001.....	2.9	*	*	*	*	*	0.4	2.1	7.7	21.6	28.6	32.8
2000.....	3.0	*	*	*	*	*	0.4	1.7	8.4	22.9	31.1	33.7
1999.....	2.8	*	*	*	*	*	0.5	1.4	8.1	21.5	27.5	35.9
Non-Hispanic black, male												
2006 5/.....
2005 5/.....
2004 5/.....
2003 5/.....
2002.....
2001.....
2000.....
1999.....
Non-Hispanic black, female												
2006 5/.....	6.2	*	*	*	*	*	*	3.3	18.0	39.7	45.8	37.0
2005 5/.....	6.0	*	*	*	*	*	0.8	3.5	18.1	35.3	43.1	44.8
2004 5/.....	5.7	*	*	*	*	*	1.0	3.6	14.7	40.1	41.5	36.9
2003 5/.....	5.7	*	*	*	*	*	1.0	3.2	16.5	38.7	43.8	42.1
2002.....	5.8	*	*	*	*	*	0.7	3.6	15.5	38.7	44.4	54.8
2001.....	5.5	*	*	*	*	*	0.7	4.0	13.9	38.8	44.6	44.9
2000.....	5.7	*	*	*	*	*	0.7	3.1	15.3	39.1	48.6	46.2
1999.....	5.4	*	*	*	*	*	0.9	2.7	14.7	36.7	42.9	49.3

Worktable Orig12. Death rates for 358 selected causes, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2006

[Rates per 100,000 population in specified group. Rates are based on populations enumerated as of April 1 for 2000 and estimated as of July 1 for all other years. Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to 'Detailed technical notes to the United States 2006 data-mortality']

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, and sex	All ages 1/	Under 1 year 2/	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
Of ovary (C56)												
All origins 3/, both sexes												
2006.....	5.0	*	*	*	0.1	0.2	0.9	3.8	9.6	18.9	31.1	37.8
2005.....	5.0	*	*	*	*	0.2	0.9	4.0	10.0	19.1	30.9	38.1
2004.....	5.0	*	*	*	0.1	0.2	1.0	4.0	9.6	20.0	32.1	37.7
2003.....	5.0	*	*	*	0.1	0.2	1.0	4.0	10.4	19.5	32.6	38.4
2002.....	5.1	*	*	*	0.1	0.2	1.0	4.3	10.3	19.7	33.4	38.1
2001.....	5.1	*	*	*	0.1	0.3	1.0	4.1	10.3	20.0	33.2	39.6
2000.....	5.0	*	*	*	0.1	0.3	1.0	4.2	10.1	19.6	33.2	40.9
1999.....	4.9	*	*	*	0.1	0.2	1.1	4.2	10.2	19.6	31.7	37.6
All origins 3/, male												
2006.....
2005.....
2004.....
2003.....
2002.....
2001.....
2000.....
1999.....
All origins 3/, female												
2006.....	9.8	*	*	*	0.1	0.4	1.8	7.6	18.6	34.9	52.4	55.5
2005.....	9.8	*	*	*	*	0.4	1.9	7.8	19.4	35.3	51.8	55.6
2004.....	9.9	*	*	*	0.1	0.5	2.1	7.8	18.5	36.8	53.7	54.6
2003.....	9.9	*	*	*	0.1	0.4	2.0	7.8	20.0	35.7	54.4	55.4
2002.....	10.0	*	*	*	0.2	0.5	2.1	8.4	19.9	36.1	55.6	54.6
2001.....	9.9	*	*	*	0.1	0.5	2.1	8.1	19.9	36.6	55.0	56.1
2000.....	9.8	*	*	*	0.1	0.5	2.1	8.3	19.4	35.7	54.8	57.6
1999.....	9.6	*	*	*	0.1	0.4	2.2	8.3	19.6	35.7	52.3	52.8
Hispanic, both sexes												
2006.....	1.7	*	*	*	*	*	0.7	2.6	6.1	12.8	24.0	27.8
2005.....	1.7	*	*	*	*	*	0.6	3.1	7.1	13.1	19.9	27.4
2004.....	1.7	*	*	*	*	*	0.8	2.8	6.5	12.9	20.9	28.1
2003.....	1.6	*	*	*	*	*	0.8	2.7	6.4	12.7	22.0	28.5
2002.....	1.6	*	*	*	*	*	0.8	3.2	5.6	12.3	24.2	23.8
2001.....	1.6	*	*	*	*	*	0.8	2.7	7.1	14.4	20.0	30.6
2000.....	1.6	*	*	*	*	*	0.6	3.0	6.5	14.3	24.9	32.5
1999.....	1.4	*	*	*	*	*	0.6	2.7	6.1	12.2	20.8	23.9
Hispanic, male												
2006.....
2005.....
2004.....
2003.....
2002.....
2001.....
2000.....
1999.....
Hispanic, female												
2006.....	3.5	*	*	*	*	*	1.4	5.2	11.6	23.2	40.7	42.5
2005.....	3.6	*	*	*	*	*	1.4	6.2	13.6	23.7	33.7	41.7
2004.....	3.4	*	*	*	*	*	1.7	5.5	12.5	23.3	35.3	42.5
2003.....	3.3	*	*	*	*	*	1.7	5.5	12.2	22.8	37.1	43.0
2002.....	3.3	*	*	*	*	*	1.7	6.3	10.7	22.1	40.8	35.6
2001.....	3.4	*	*	*	*	*	1.6	5.3	13.4	25.8	33.5	45.6
2000.....	3.4	*	*	*	*	*	1.2	5.9	12.2	25.5	41.6	48.5
1999.....	2.9	*	*	*	*	*	1.2	5.3	11.5	21.7	34.7	35.4

Worktable Orig12. Death rates for 358 selected causes, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2006

[Rates per 100,000 population in specified group. Rates are based on populations enumerated as of April 1 for 2000 and estimated as of July 1 for all other years. Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to 'Detailed technical notes to the United States 2006 data-mortality']

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, and sex	All ages 1/	Under 1 year 2/	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
Of ovary (C56)												
Non-Hispanic 4/, both sexes												
2006.....	5.5	*	*	*	*	0.2	1.0	4.0	10.0	19.3	31.5	38.3
2005.....	5.5	*	*	*	*	0.2	1.0	4.1	10.3	19.6	31.5	38.6
2004.....	5.6	*	*	*	0.1	0.3	1.1	4.1	9.8	20.5	32.7	38.1
2003.....	5.6	*	*	*	0.1	0.2	1.0	4.1	10.7	19.9	33.1	38.8
2002.....	5.6	*	*	*	0.1	0.3	1.1	4.4	10.7	20.2	33.8	38.7
2001.....	5.6	*	*	*	0.1	0.3	1.1	4.3	10.5	20.3	33.7	39.8
2000.....	5.5	*	*	*	*	0.3	1.1	4.3	10.3	19.9	33.4	41.2
1999.....	5.3	*	*	*	0.1	0.2	1.2	4.4	10.5	20.0	32.0	38.1
Non-Hispanic 4/, male												
2006.....
2005.....
2004.....
2003.....
2002.....
2001.....
2000.....
1999.....
Non-Hispanic 4/, female												
2006.....	10.8	*	*	*	*	0.5	1.9	7.8	19.2	35.7	53.1	56.0
2005.....	10.8	*	*	*	*	0.4	2.0	8.0	19.9	36.2	52.9	56.2
2004.....	10.8	*	*	*	0.1	0.5	2.1	8.0	19.0	37.7	54.7	55.1
2003.....	10.9	*	*	*	0.1	0.5	2.1	8.1	20.5	36.6	55.2	55.9
2002.....	11.0	*	*	*	0.2	0.5	2.1	8.6	20.6	37.0	56.3	55.3
2001.....	10.9	*	*	*	0.1	0.5	2.1	8.4	20.3	37.3	55.8	56.4
2000.....	10.7	*	*	*	*	0.5	2.2	8.4	19.9	36.3	55.2	57.8
1999.....	10.4	*	*	*	0.2	0.4	2.3	8.6	20.1	36.4	52.7	53.3
Non-Hispanic white, both sexes												
2006 5/.....	6.2	*	*	*	*	0.3	1.0	4.1	10.4	20.3	32.5	39.3
2005 5/.....	6.2	*	*	*	*	0.2	1.0	4.2	10.7	20.1	32.4	40.0
2004 5/.....	6.2	*	*	*	*	0.2	1.1	4.2	10.2	21.0	33.9	39.1
2003 5/.....	6.3	*	*	*	*	0.3	1.1	4.2	11.1	20.5	34.2	39.5
2002.....	6.3	*	*	*	0.1	0.3	1.1	4.6	11.1	20.9	34.8	39.6
2001.....	6.2	*	*	*	*	0.3	1.1	4.5	10.8	21.0	34.8	40.6
2000.....	6.2	*	*	*	*	0.3	1.1	4.5	10.8	20.5	34.5	42.2
1999.....	6.0	*	*	*	0.1	0.2	1.2	4.5	10.9	20.5	32.7	39.2
Non-Hispanic white, male												
2006 5/.....
2005 5/.....
2004 5/.....
2003 5/.....
2002.....
2001.....
2000.....
1999.....
Non-Hispanic white, female												
2006 5/.....	12.3	*	*	*	*	0.5	2.0	8.2	20.3	37.9	55.1	57.6
2005 5/.....	12.2	*	*	*	*	0.5	2.0	8.4	20.9	37.5	54.7	58.2
2004 5/.....	12.2	*	*	*	*	0.5	2.2	8.3	19.8	39.1	57.0	56.5
2003 5/.....	12.3	*	*	*	*	0.5	2.2	8.4	21.6	38.1	57.2	56.8
2002.....	12.4	*	*	*	0.2	0.5	2.2	9.1	21.7	38.7	58.0	56.7
2001.....	12.2	*	*	*	*	0.5	2.2	9.0	21.0	38.8	57.8	57.5
2000.....	12.0	*	*	*	*	0.6	2.3	8.9	21.0	37.7	57.2	59.2
1999.....	11.7	*	*	*	0.2	0.4	2.4	9.0	21.2	37.7	54.1	54.9

Worktable Orig12. Death rates for 358 selected causes, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2006

[Rates per 100,000 population in specified group. Rates are based on populations enumerated as of April 1 for 2000 and estimated as of July 1 for all other years. Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.odc.gov/nchs> and refer to 'Detailed technical notes to the United States 2006 data-mortality']

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, and sex	All ages 1/	Under 1 year 2/	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
Of ovary (C56)												
Non-Hispanic black, both sexes												
2006 5/.....	3.1	*	*	*	*	*	0.9	3.5	8.6	16.1	25.6	33.7
2005 5/.....	3.2	*	*	*	*	*	1.0	3.2	8.8	18.9	28.2	31.1
2004 5/.....	3.4	*	*	*	*	*	0.9	4.0	8.8	20.5	28.0	32.5
2003 5/.....	3.2	*	*	*	*	*	1.0	3.9	8.8	17.8	27.8	37.2
2002.....	3.2	*	*	*	*	*	1.1	3.5	9.2	17.4	29.3	35.4
2001.....	3.2	*	*	*	*	*	1.2	3.1	10.2	18.5	27.2	36.5
2000.....	3.0	*	*	*	*	*	1.1	3.4	8.6	18.2	27.1	34.7
1999.....	3.1	*	*	*	*	*	0.9	3.6	9.1	18.7	28.7	29.1
Non-Hispanic black, male												
2006 5/.....
2005 5/.....
2004 5/.....
2003 5/.....
2002.....
2001.....
2000.....
1999.....
Non-Hispanic black, female												
2006 5/.....	5.9	*	*	*	*	*	1.7	6.6	15.5	27.6	40.1	47.5
2005 5/.....	6.2	*	*	*	*	*	1.9	6.0	15.9	32.4	44.2	43.7
2004 5/.....	6.5	*	*	*	*	*	1.8	7.5	15.9	35.2	43.8	45.4
2003 5/.....	6.2	*	*	*	*	*	1.9	7.2	15.9	30.5	43.5	51.6
2002.....	6.1	*	*	*	*	*	2.0	6.5	16.6	29.8	45.9	48.9
2001.....	6.1	*	*	*	*	*	2.2	5.7	18.4	31.5	42.5	50.0
2000.....	5.8	*	*	*	*	*	2.0	6.3	15.6	31.1	42.4	47.5
1999.....	5.8	*	*	*	*	*	1.6	6.7	16.4	31.9	44.8	40.0

Worktable Orig12. Death rates for 358 selected causes, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2006

[Rates per 100,000 population in specified group. Rates are based on populations enumerated as of April 1 for 2000 and estimated as of July 1 for all other years. Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to 'Detailed technical notes to the United States 2006 data-mortality']

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, and sex	All ages 1/	Under 1 year 2/	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
Of other and unspecified female genital organs (C57)												
Non-Hispanic 4/, both sexes												
2006.....	0.1	*	*	*	*	*	*	0.1	0.2	0.6	0.6	1.1
2005.....	0.1	*	*	*	*	*	*	0.1	0.1	0.4	0.5	0.7
2004.....	0.1	*	*	*	*	*	*	0.1	0.2	0.3	0.6	0.8
2003.....	0.1	*	*	*	*	*	*	0.1	0.2	0.5	0.9	1.1
2002.....	0.2	*	*	*	*	*	*	0.1	0.3	0.6	1.0	1.0
2001.....	0.2	*	*	*	*	*	*	0.1	0.3	0.6	0.9	1.3
2000.....	0.2	*	*	*	*	*	*	0.1	0.3	0.5	0.9	1.6
1999.....	0.2	*	*	*	*	*	*	0.1	0.3	0.6	1.0	0.9
Non-Hispanic 4/, male												
2006.....
2005.....
2004.....
2003.....
2002.....
2001.....
2000.....
1999.....
Non-Hispanic 4/, female												
2006.....	0.3	*	*	*	*	*	*	0.2	0.4	1.1	1.0	1.7
2005.....	0.2	*	*	*	*	*	*	0.1	0.3	0.8	0.8	1.0
2004.....	0.2	*	*	*	*	*	*	0.2	0.3	0.5	1.0	1.1
2003.....	0.3	*	*	*	*	*	*	0.2	0.4	1.0	1.4	1.6
2002.....	0.3	*	*	*	*	*	*	0.2	0.6	1.1	1.7	1.5
2001.....	0.3	*	*	*	*	*	*	0.2	0.6	1.0	1.5	1.8
2000.....	0.3	*	*	*	*	*	*	0.2	0.6	0.9	1.5	2.2
1999.....	0.3	*	*	*	*	*	*	0.3	0.7	1.1	1.7	1.2
Non-Hispanic white, both sexes												
2006 5/.....	0.1	*	*	*	*	*	*	0.1	0.2	0.6	0.6	1.0
2005 5/.....	0.1	*	*	*	*	*	*	0.1	0.1	0.4	0.5	0.7
2004 5/.....	0.1	*	*	*	*	*	*	0.1	0.2	0.3	0.6	0.8
2003 5/.....	0.1	*	*	*	*	*	*	0.1	0.2	0.5	0.9	1.1
2002.....	0.2	*	*	*	*	*	*	0.1	0.3	0.6	1.0	1.0
2001.....	0.2	*	*	*	*	*	*	0.1	0.3	0.6	0.9	1.3
2000.....	0.2	*	*	*	*	*	*	0.1	0.3	0.5	0.9	1.6
1999.....	0.2	*	*	*	*	*	*	0.1	0.4	0.6	1.0	0.9
Non-Hispanic white, male												
2006 5/.....
2005 5/.....
2004 5/.....
2003 5/.....
2002.....
2001.....
2000.....
1999.....
Non-Hispanic white, female												
2006 5/.....	0.3	*	*	*	*	*	*	0.1	0.4	1.1	1.1	1.5
2005 5/.....	0.2	*	*	*	*	*	*	0.1	0.3	0.8	0.8	1.0
2004 5/.....	0.2	*	*	*	*	*	*	0.1	0.3	0.6	1.0	1.2
2003 5/.....	0.3	*	*	*	*	*	*	0.1	0.4	1.0	1.5	1.5
2002.....	0.3	*	*	*	*	*	*	0.2	0.5	1.1	1.7	1.5
2001.....	0.3	*	*	*	*	*	*	0.2	0.6	1.1	1.6	1.9
2000.....	0.3	*	*	*	*	*	*	0.2	0.6	1.0	1.4	2.2
1999.....	0.3	*	*	*	*	*	*	0.3	0.7	1.1	1.7	1.2

Worktable Orig12. Death rates for 358 selected causes, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2006

[Rates per 100,000 population in specified group. Rates are based on populations enumerated as of April 1 for 2000 and estimated as of July 1 for all other years. Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to 'Detailed technical notes to the United States 2006 data-mortality']

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, and sex	All ages 1/	Under 1 year 2/	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
Malignant neoplasms of urinary tract (C64-C68)												
All origins 3/, both sexes												
2006.....	8.9	*	*	0.1	0.0	0.2	0.9	4.1	13.1	32.0	65.8	105.1
2005.....	8.9	*	*	0.1	*	0.2	1.0	4.3	13.4	32.4	65.9	103.8
2004.....	8.8	*	*	0.1	*	0.2	0.9	4.4	13.9	32.3	65.9	102.7
2003.....	8.7	*	*	0.1	0.1	0.2	1.0	4.3	14.2	32.5	65.3	101.4
2002.....	8.8	*	*	0.1	0.1	0.2	1.0	4.6	14.0	34.6	65.1	102.0
2001.....	8.7	*	0.1	0.1	0.1	0.2	1.1	4.6	14.4	33.8	63.8	103.9
2000.....	8.7	*	*	0.1	0.1	0.1	1.0	4.5	14.3	33.5	64.0	106.0
1999.....	8.5	*	*	0.1	*	0.2	1.0	4.5	14.4	33.5	61.8	103.0
All origins 3/, male												
2006.....	11.9	*	*	*	*	0.2	1.2	6.0	19.6	48.0	105.8	189.3
2005.....	11.9	*	*	*	*	0.2	1.2	6.0	19.9	49.6	105.5	186.4
2004.....	11.7	*	*	*	*	0.2	1.2	6.4	20.9	49.0	105.3	182.8
2003.....	11.6	*	*	*	*	0.2	1.3	6.4	21.4	48.5	105.0	178.8
2002.....	11.6	*	*	0.1	*	0.2	1.3	6.7	21.1	51.4	103.3	183.6
2001.....	11.6	*	*	*	*	0.2	1.4	6.8	21.6	51.5	102.5	192.4
2000.....	11.4	*	*	*	*	0.1	1.3	6.6	21.3	50.7	103.3	198.9
1999.....	11.2	*	*	*	*	0.2	1.4	6.6	21.5	50.6	100.8	188.4
All origins 3/, female												
2006.....	6.0	*	*	*	*	0.2	0.5	2.3	7.0	18.5	38.5	65.7
2005.....	6.1	*	*	*	*	0.1	0.7	2.7	7.4	17.9	39.0	65.8
2004.....	6.0	*	*	*	*	0.1	0.6	2.4	7.5	18.4	39.4	66.7
2003.....	6.0	*	*	0.1	*	0.1	0.6	2.3	7.5	19.2	38.7	67.2
2002.....	6.1	*	*	*	*	0.1	0.6	2.6	7.5	20.5	39.7	66.6
2001.....	6.0	*	*	0.1	*	0.2	0.8	2.6	7.9	19.2	38.3	66.9
2000.....	6.0	*	*	*	*	0.1	0.7	2.6	7.9	19.4	38.5	68.1
1999.....	5.9	*	*	*	*	0.1	0.7	2.5	7.9	19.5	36.5	68.6
Hispanic, both sexes												
2006.....	2.7	*	*	*	*	*	0.5	2.7	9.2	21.9	42.6	59.5
2005.....	2.9	*	*	*	*	*	0.8	3.4	8.7	23.9	45.1	75.3
2004.....	2.9	*	*	*	*	*	0.8	3.7	11.0	21.7	45.4	61.4
2003.....	2.8	*	*	*	*	*	0.6	2.9	10.7	24.3	45.0	70.0
2002.....	2.7	*	*	*	*	*	0.7	3.5	11.0	20.9	43.9	82.0
2001.....	2.7	*	*	*	*	*	0.8	3.9	9.2	22.5	43.1	81.9
2000.....	2.5	*	*	*	*	*	0.8	3.4	10.9	19.1	43.5	73.7
1999.....	2.5	*	*	*	*	*	0.7	3.6	11.4	22.6	39.8	68.1
Hispanic, male												
2006.....	3.3	*	*	*	*	*	0.6	3.7	13.3	31.3	68.6	91.3
2005.....	3.7	*	*	*	*	*	0.9	4.3	13.4	36.2	68.1	130.8
2004.....	3.6	*	*	*	*	*	0.9	5.5	15.5	34.8	64.4	102.3
2003.....	3.4	*	*	*	*	*	0.8	3.7	15.0	35.6	66.3	117.0
2002.....	3.4	*	*	*	*	*	0.9	4.9	15.5	31.9	68.5	142.2
2001.....	3.5	*	*	*	*	*	1.2	5.5	14.3	33.3	67.5	150.5
2000.....	3.3	*	*	*	*	*	1.2	4.6	16.2	28.9	75.8	125.0
1999.....	3.3	*	*	*	*	*	1.1	5.4	17.8	36.7	58.4	118.6
Hispanic, female												
2006.....	2.0	*	*	*	*	*	*	1.7	5.4	14.2	24.3	42.5
2005.....	2.1	*	*	*	*	*	0.7	2.5	4.4	14.0	29.1	46.3
2004.....	2.1	*	*	*	*	*	0.7	1.9	7.0	11.2	32.4	40.3
2003.....	2.1	*	*	*	*	*	*	2.0	6.8	15.3	30.3	46.1
2002.....	2.0	*	*	*	*	*	*	2.1	6.9	12.2	27.0	52.2
2001.....	1.9	*	*	*	*	*	*	2.5	4.7	13.9	26.6	48.4
2000.....	1.7	*	*	*	*	*	*	2.2	6.3	11.4	23.1	48.5
1999.....	1.7	*	*	*	*	*	*	1.9	5.6	11.5	27.4	43.7

Worktable Orig12. Death rates for 358 selected causes, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2006

[Rates per 100,000 population in specified group. Rates are based on populations enumerated as of April 1 for 2000 and estimated as of July 1 for all other years. Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to 'Detailed technical notes to the United States 2006 data-mortality']

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, and sex	All ages 1/	Under 1 year 2/	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
Malignant neoplasms of urinary tract (C64-C68)												
Non-Hispanic 4/, both sexes												
2006.....	10.0	*	*	0.1	0.1	0.2	0.9	4.3	13.4	32.8	67.2	107.3
2005.....	9.9	*	*	0.1	*	0.2	1.0	4.4	13.8	33.0	67.1	105.0
2004.....	9.8	*	*	0.1	*	0.2	0.9	4.5	14.1	33.1	67.0	104.4
2003.....	9.7	*	*	0.1	*	0.2	1.0	4.5	14.4	33.1	66.2	102.6
2002.....	9.7	*	*	0.1	0.1	0.2	1.0	4.7	14.2	35.4	66.0	102.6
2001.....	9.6	*	*	0.1	0.1	0.2	1.1	4.7	14.8	34.5	64.6	104.5
2000.....	9.5	*	*	0.1	0.1	0.1	1.0	4.6	14.5	34.3	64.7	106.8
1999.....	9.3	*	*	0.1	*	0.2	1.0	4.5	14.6	34.1	62.6	104.0
Non-Hispanic 4/, male												
2006.....	13.5	*	*	*	*	0.3	1.3	6.2	20.1	49.3	108.0	194.4
2005.....	13.3	*	*	*	*	0.2	1.3	6.2	20.4	50.5	107.6	189.2
2004.....	13.1	*	*	*	*	0.2	1.2	6.5	21.3	49.9	107.5	186.6
2003.....	12.9	*	*	*	*	0.2	1.4	6.7	21.8	49.2	106.8	181.5
2002.....	12.9	*	*	*	*	0.2	1.4	6.9	21.4	52.6	104.9	185.0
2001.....	12.8	*	*	*	*	0.2	1.4	6.9	22.1	52.5	103.9	193.6
2000.....	12.6	*	*	*	*	0.1	1.3	6.7	21.6	51.8	104.2	201.3
1999.....	12.3	*	*	*	*	0.3	1.4	6.6	21.7	51.3	102.3	190.7
Non-Hispanic 4/, female												
2006.....	6.6	*	*	*	*	0.1	0.6	2.4	7.1	18.8	39.3	66.8
2005.....	6.7	*	*	*	*	0.7	2.7	7.7	18.3	39.6	66.6	66.6
2004.....	6.6	*	*	*	*	0.6	2.5	7.5	18.9	39.7	67.7	67.7
2003.....	6.6	*	*	*	*	0.1	0.6	2.3	7.5	19.5	39.2	67.9
2002.....	6.7	*	*	*	*	0.1	0.6	2.7	7.5	21.1	40.2	67.1
2001.....	6.6	*	*	0.2	*	0.2	0.9	2.5	8.1	19.5	38.8	67.4
2000.....	6.6	*	*	*	*	0.1	0.7	2.6	8.0	19.9	39.0	68.6
1999.....	6.4	*	*	*	*	0.1	0.7	2.5	8.1	19.9	36.8	69.2
Non-Hispanic white, both sexes												
2006 5/.....	11.3	*	*	*	*	0.1	0.9	4.3	14.0	34.1	69.8	110.5
2005 5/.....	11.2	*	*	*	*	0.1	1.0	4.5	14.2	34.5	69.6	107.5
2004 5/.....	11.1	*	*	0.1	*	0.1	0.9	4.6	14.8	34.5	69.5	107.3
2003 5/.....	10.9	*	*	0.1	*	0.1	1.0	4.5	14.9	34.5	68.2	105.4
2002.....	11.0	*	*	0.1	*	0.1	1.0	4.8	14.7	36.8	67.7	104.5
2001.....	10.8	*	*	*	*	0.1	1.1	4.8	15.2	38.0	66.1	106.9
2000.....	10.7	*	*	*	*	0.1	1.0	4.8	15.1	35.5	66.1	110.2
1999.....	10.4	*	*	0.1	*	0.1	1.0	4.5	15.0	35.0	64.0	105.6
Non-Hispanic white, male												
2006 5/.....	15.4	*	*	*	*	1.2	6.4	20.8	51.6	113.1	202.6	202.6
2005 5/.....	15.2	*	*	*	*	0.2	1.3	6.3	21.0	52.7	112.0	196.1
2004 5/.....	15.1	*	*	*	*	1.1	6.7	22.3	52.3	112.3	194.9	194.9
2003 5/.....	14.7	*	*	*	*	1.4	6.8	22.6	51.3	110.5	189.6	189.6
2002.....	14.7	*	*	*	*	1.4	7.1	22.3	54.9	108.1	192.4	192.4
2001.....	14.5	*	*	*	*	1.4	7.1	22.7	55.0	106.9	202.1	202.1
2000.....	14.3	*	*	*	*	1.4	7.0	22.4	53.5	107.0	209.7	209.7
1999.....	13.8	*	*	*	*	0.2	1.3	6.6	22.4	53.0	105.5	197.6
Non-Hispanic white, female												
2006 5/.....	7.4	*	*	*	*	0.5	2.4	7.4	19.0	39.8	67.5	67.5
2005 5/.....	7.5	*	*	*	*	0.8	2.7	7.8	18.8	40.5	67.0	67.0
2004 5/.....	7.4	*	*	*	*	0.6	2.5	7.7	19.2	40.4	68.0	68.0
2003 5/.....	7.3	*	*	*	*	0.6	2.3	7.5	20.1	39.6	68.3	68.3
2002.....	7.4	*	*	*	*	0.6	2.6	7.5	21.4	40.6	66.5	66.5
2001.....	7.2	*	*	*	*	0.8	2.5	8.1	19.8	38.9	67.4	67.4
2000.....	7.3	*	*	*	*	0.7	2.7	8.2	20.2	39.1	70.1	70.1
1999.....	7.0	*	*	*	*	0.7	2.6	8.1	20.0	36.8	68.9	68.9

Worktable Orig12. Death rates for 358 selected causes, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2006

[Rates per 100,000 population in specified group. Rates are based on populations enumerated as of April 1 for 2000 and estimated as of July 1 for all other years. Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.odc.gov/nchs> and refer to 'Detailed technical notes to the United States 2006 data-mortality']

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, and sex	All ages 1/	Under 1 year 2/	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
Malignant neoplasms of urinary tract (C64-C68)												
Non-Hispanic black, both sexes												
2006 5/.....	5.8	*	*	*	*	0.5	1.4	5.1	12.9	29.4	55.5	92.1
2005 5/.....	5.7	*	*	*	*	0.4	1.1	5.1	14.3	28.7	55.1	89.8
2004 5/.....	5.5	*	*	*	*	0.4	1.3	5.0	12.9	28.6	54.7	90.7
2003 5/.....	5.7	*	*	*	*	*	1.5	5.1	13.9	28.2	58.6	89.8
2002.....	5.7	*	*	*	*	0.4	1.0	5.0	14.1	31.0	59.0	94.1
2001.....	5.7	*	*	*	*	0.4	1.7	5.1	15.3	28.3	59.1	87.4
2000.....	5.5	*	*	*	*	*	1.2	4.6	13.4	31.2	61.9	80.1
1999.....	5.7	*	*	*	*	0.5	1.5	5.6	14.8	32.3	54.3	94.1
Non-Hispanic black, male												
2006 5/.....	7.1	*	*	*	*	0.9	2.1	7.3	20.2	41.4	77.3	148.4
2005 5/.....	7.1	*	*	*	*	*	1.6	7.1	21.1	43.4	82.7	144.6
2004 5/.....	6.5	*	*	*	*	*	1.8	7.0	18.7	40.2	79.0	122.9
2003 5/.....	6.8	*	*	*	*	*	2.2	7.3	19.7	41.1	88.6	126.8
2002.....	6.5	*	*	*	*	*	1.5	6.4	20.3	41.0	86.2	135.6
2001.....	6.7	*	*	*	*	*	2.0	7.4	22.2	40.0	86.4	127.0
2000.....	6.6	*	*	*	*	*	1.2	6.4	19.5	45.5	93.2	139.7
1999.....	6.8	*	*	*	*	*	2.1	8.6	21.1	43.6	80.0	139.1
Non-Hispanic black, female												
2006 5/.....	4.6	*	*	*	*	*	0.7	3.2	7.1	20.8	43.1	69.1
2005 5/.....	4.5	*	*	*	*	*	*	3.4	8.9	18.2	39.4	67.8
2004 5/.....	4.6	*	*	*	*	*	0.8	3.2	8.1	20.4	41.1	77.9
2003 5/.....	4.6	*	*	*	*	*	1.0	3.3	9.3	19.0	41.7	75.5
2002.....	4.9	*	*	*	*	*	0.7	3.8	9.1	24.0	43.6	78.2
2001.....	4.8	*	*	*	*	*	1.5	3.2	9.8	20.0	43.8	72.7
2000.....	4.4	*	*	*	*	*	1.1	3.1	8.5	21.1	44.3	58.0
1999.....	4.7	*	*	*	*	*	0.9	3.1	9.7	24.4	39.9	77.3

Worktable Orig12. Death rates for 358 selected causes, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2006

[Rates per 100,000 population in specified group. Rates are based on populations enumerated as of April 1 for 2000 and estimated as of July 1 for all other years. Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to 'Detailed technical notes to the United States 2006 data-mortality']

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, and sex	All ages 1/	Under 1 year 2/	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
Of kidney and renal pelvis (C64-C65)												
All origins 3/, both sexes												
2006.....	4.1	*	*	0.1	0.0	0.1	0.6	2.8	7.8	16.3	26.2	34.3
2005.....	4.2	*	*	0.1	*	0.1	0.7	3.0	8.3	16.9	26.9	32.6
2004.....	4.2	*	*	0.1	*	0.1	0.6	3.0	8.7	16.7	26.8	32.7
2003.....	4.2	*	*	0.1	0.1	0.1	0.7	2.9	9.0	16.9	27.0	33.2
2002.....	4.2	*	*	0.1	0.0	0.1	0.7	3.3	8.8	17.7	26.3	32.5
2001.....	4.2	*	0.1	0.1	0.1	0.1	0.8	3.3	9.2	17.6	26.3	32.3
2000.....	4.2	*	*	0.1	0.1	0.1	0.7	3.3	9.0	17.1	26.6	33.8
1999.....	4.0	*	*	0.1	*	0.1	0.8	3.1	8.9	16.7	24.6	31.4
All origins 3/, male												
2006.....	5.2	*	*	*	*	0.2	0.9	4.0	11.4	23.1	37.1	52.1
2005.....	5.3	*	*	*	*	0.2	0.8	4.3	12.0	24.4	37.9	50.6
2004.....	5.3	*	*	*	*	0.2	0.8	4.3	12.8	23.9	38.2	47.0
2003.....	5.4	*	*	*	*	0.2	1.0	4.3	13.3	23.7	39.5	48.7
2002.....	5.4	*	*	*	*	0.2	1.0	4.8	13.0	25.1	37.9	50.1
2001.....	5.4	*	*	*	*	0.1	1.1	4.9	13.4	25.2	37.4	52.9
2000.....	5.3	*	*	*	*	0.1	1.0	4.8	13.1	24.2	38.2	55.1
1999.....	5.0	*	*	*	*	0.2	1.1	4.5	12.9	23.6	35.7	49.4
All origins 3/, female												
2006.....	3.1	*	*	*	*	0.1	0.4	1.6	4.5	10.5	18.7	25.9
2005.....	3.1	*	*	*	*	0.1	0.5	1.8	4.8	10.5	19.4	24.3
2004.....	3.1	*	*	*	*	0.1	0.4	1.7	5.0	10.6	19.1	26.3
2003.....	3.1	*	*	0.1	*	0.1	0.4	1.6	4.9	11.2	18.7	26.4
2002.....	3.1	*	*	*	*	0.1	0.4	1.8	4.9	11.6	18.7	24.9
2001.....	3.1	*	*	0.1	*	0.1	0.5	1.9	5.3	11.3	19.0	23.7
2000.....	3.1	*	*	*	*	0.1	0.5	1.9	5.3	11.3	18.9	25.1
1999.....	3.0	*	*	*	*	0.1	0.5	1.8	5.1	11.0	17.4	24.1
Hispanic, both sexes												
2006.....	1.7	*	*	*	*	0.4	2.3	6.9	13.2	22.1	23.5	
2005.....	1.8	*	*	*	*	0.7	2.8	6.3	15.7	23.4	32.9	
2004.....	1.8	*	*	*	*	0.7	3.1	8.2	14.0	23.4	28.1	
2003.....	1.7	*	*	*	*	0.5	2.1	8.1	16.2	23.6	26.9	
2002.....	1.7	*	*	*	*	0.6	2.8	8.1	12.9	24.4	26.1	
2001.....	1.7	*	*	*	*	0.7	3.3	6.9	14.4	23.3	31.9	
2000.....	1.6	*	*	*	*	0.6	2.8	7.9	12.3	24.7	25.9	
1999.....	1.6	*	*	*	*	0.6	2.8	7.9	13.9	22.5	28.8	
Hispanic, male												
2006.....	2.0	*	*	*	*	3.3	9.7	19.8	32.3	32.7		
2005.....	2.2	*	*	*	*	0.7	3.4	9.3	22.5	33.1	46.1	
2004.....	2.4	*	*	*	*	0.8	4.4	11.2	23.3	34.7	43.4	
2003.....	2.1	*	*	*	*	0.7	2.8	11.0	22.3	32.2	38.5	
2002.....	2.1	*	*	*	*	0.9	3.9	11.3	18.5	39.0	40.2	
2001.....	2.2	*	*	*	*	1.2	4.7	9.9	21.4	35.3	57.1	
2000.....	2.0	*	*	*	*	1.0	3.9	11.4	17.9	38.4	40.3	
1999.....	2.0	*	*	*	*	0.9	4.3	11.8	21.1	29.7	*	
Hispanic, female												
2006.....	1.2	*	*	*	*	1.3	4.3	7.8	15.0	18.6		
2005.....	1.4	*	*	*	*	2.2	3.5	10.1	16.7	26.1		
2004.....	1.3	*	*	*	*	1.7	5.5	6.5	15.6	20.2		
2003.....	1.4	*	*	*	*	1.5	5.6	11.3	17.6	21.1		
2002.....	1.2	*	*	*	*	1.7	5.2	8.4	14.3	19.1		
2001.....	1.2	*	*	*	*	1.9	4.2	8.8	15.1	19.5		
2000.....	1.1	*	*	*	*	1.8	4.7	7.8	15.5	*		
1999.....	1.2	*	*	*	*	1.4	4.4	8.3	17.7	23.9		

Worktable Orig12. Death rates for 358 selected causes, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2006

[Rates per 100,000 population in specified group. Rates are based on populations enumerated as of April 1 for 2000 and estimated as of July 1 for all other years. Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to 'Detailed technical notes to the United States 2006 data-mortality']

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, and sex	All ages 1/	Under 1 year 2/	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
Of kidney and renal pelvis (C64-C65)												
Non-Hispanic 4/, both sexes												
2006.....	4.6	*	*	0.1	0.1	0.2	0.6	2.9	7.9	16.5	26.4	34.8
2005.....	4.6	*	*	0.1	*	0.1	0.7	3.0	8.4	16.9	27.1	32.5
2004.....	4.6	*	*	0.1	*	0.1	0.6	3.0	8.7	16.8	26.9	32.9
2003.....	4.6	*	*	0.1	*	0.2	0.8	3.0	9.0	16.9	27.2	33.4
2002.....	4.6	*	*	0.1	*	0.1	0.7	3.3	8.8	18.0	26.4	32.7
2001.....	4.6	*	*	0.1	0.1	0.1	0.8	3.3	9.4	17.8	26.4	32.3
2000.....	4.5	*	*	0.1	*	0.1	0.8	3.3	9.1	17.3	26.6	33.9
1999.....	4.3	*	*	0.1	*	0.1	0.8	3.2	8.9	16.8	24.6	31.4
Non-Hispanic 4/, male												
2006.....	5.8	*	*	*	*	0.2	0.9	4.1	11.5	23.3	37.3	53.2
2005.....	5.9	*	*	*	*	0.2	0.8	4.3	12.2	24.4	38.1	50.7
2004.....	5.8	*	*	*	*	0.2	0.8	4.3	12.9	23.9	38.4	47.1
2003.....	5.9	*	*	*	*	0.2	1.1	4.4	13.5	23.7	39.8	49.0
2002.....	5.9	*	*	*	*	0.2	1.0	4.9	13.0	25.5	37.7	50.4
2001.....	5.9	*	*	*	*	0.1	1.0	4.9	13.7	25.4	37.5	52.6
2000.....	5.7	*	*	*	*	0.1	1.0	4.8	13.2	24.4	38.1	55.4
1999.....	5.4	*	*	*	*	0.2	1.1	4.6	13.0	23.7	35.9	49.8
Non-Hispanic 4/, female												
2006.....	3.4	*	*	*	*	*	0.4	1.7	4.4	10.8	18.9	26.2
2005.....	3.4	*	*	*	*	*	0.5	1.7	5.0	10.6	19.6	24.2
2004.....	3.4	*	*	*	*	*	0.4	1.7	4.9	10.9	19.3	26.5
2003.....	3.4	*	*	*	*	0.1	0.4	1.7	4.9	11.1	18.7	26.6
2002.....	3.4	*	*	*	*	*	0.4	1.8	4.9	11.8	18.8	25.1
2001.....	3.4	*	*	0.1	*	0.1	0.6	1.8	5.4	11.4	19.1	23.8
2000.....	3.4	*	*	*	*	*	0.5	1.9	5.3	11.4	19.1	25.2
1999.....	3.2	*	*	*	*	*	0.5	1.8	5.2	11.2	17.3	24.1
Non-Hispanic white, both sexes												
2006 5/.....	5.1	*	*	*	*	0.1	0.6	2.9	8.2	17.1	27.2	35.5
2005 5/.....	5.1	*	*	*	*	*	0.7	3.1	8.6	17.5	27.8	33.0
2004 5/.....	5.1	*	*	0.1	*	0.1	0.6	3.1	9.1	17.3	27.5	33.8
2003 5/.....	5.1	*	*	0.1	*	0.1	0.7	3.1	9.2	17.4	27.8	34.0
2002.....	5.1	*	*	0.1	*	0.1	0.7	3.4	9.1	18.7	26.8	33.5
2001.....	5.1	*	*	*	*	0.1	0.7	3.4	9.6	18.4	26.8	32.8
2000.....	5.0	*	*	*	*	0.1	0.7	3.4	9.3	17.7	26.9	34.6
1999.....	4.7	*	*	0.1	*	0.1	0.7	3.1	9.2	17.2	24.9	31.5
Non-Hispanic white, male												
2006 5/.....	6.4	*	*	*	*	*	0.9	4.1	11.7	23.9	38.5	54.6
2005 5/.....	6.5	*	*	*	*	*	0.8	4.3	12.3	25.1	38.9	52.1
2004 5/.....	6.5	*	*	*	*	*	0.8	4.5	13.3	24.4	39.1	48.6
2003 5/.....	6.6	*	*	*	*	*	1.0	4.5	13.7	24.3	40.7	50.4
2002.....	6.5	*	*	*	*	*	1.0	5.0	13.3	26.3	38.4	52.4
2001.....	6.5	*	*	*	*	*	1.0	4.9	13.8	26.2	37.7	54.3
2000.....	6.3	*	*	*	*	*	1.0	4.9	13.5	24.6	38.5	56.9
1999.....	6.0	*	*	*	*	*	1.0	4.5	13.3	24.0	36.5	50.2
Non-Hispanic white, female												
2006 5/.....	3.8	*	*	*	*	*	0.3	1.6	4.8	11.2	19.4	26.6
2005 5/.....	3.8	*	*	*	*	*	0.5	1.8	5.1	11.0	20.1	24.3
2004 5/.....	3.8	*	*	*	*	*	0.3	1.8	5.1	11.2	19.6	27.2
2003 5/.....	3.8	*	*	*	*	*	0.4	1.7	4.8	11.6	19.1	26.8
2002.....	3.8	*	*	*	*	*	0.4	1.8	5.1	12.2	19.0	25.3
2001.....	3.8	*	*	*	*	*	0.5	1.8	5.5	11.8	19.5	23.8
2000.....	3.8	*	*	*	*	*	0.5	1.9	5.4	11.8	19.3	25.7
1999.....	3.5	*	*	*	*	*	0.5	1.8	5.3	11.5	17.3	24.1

Worktable Orig12. Death rates for 358 selected causes, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2006

[Rates per 100,000 population in specified group. Rates are based on populations enumerated as of April 1 for 2000 and estimated as of July 1 for all other years. Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.odc.gov/nchs> and refer to 'Detailed technical notes to the United States 2006 data-mortality']

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, and sex	All ages 1/	Under 1 year 2/	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
Of kidney and renal pelvis (C64-C65)												
Non-Hispanic black, both sexes												
2006 5/.....	3.0	*	*	*	*	0.4	1.0	3.6	7.5	15.1	22.5	33.7
2005 5/.....	3.1	*	*	*	*	0.4	0.9	3.3	9.1	15.5	24.4	30.9
2004 5/.....	2.9	*	*	*	*	*	0.8	3.2	8.2	16.0	26.3	28.8
2003 5/.....	3.0	*	*	*	*	*	1.1	3.3	9.7	14.8	24.2	34.2
2002.....	2.9	*	*	*	*	*	0.8	3.6	8.8	15.8	26.5	28.1
2001.....	3.1	*	*	*	*	*	1.3	3.8	9.7	15.3	26.0	30.0
2000.....	2.9	*	*	*	*	*	0.9	3.5	9.0	16.8	25.9	29.6
1999.....	3.0	*	*	*	*	0.4	1.1	3.9	8.7	16.4	23.9	31.7
Non-Hispanic black, male												
2006 5/.....	3.9	*	*	*	*	0.8	1.6	5.3	12.3	22.9	32.8	49.5
2005 5/.....	4.0	*	*	*	*	*	1.4	5.3	14.2	24.3	35.9	40.0
2004 5/.....	3.7	*	*	*	*	*	1.1	4.6	12.4	24.1	38.2	39.6
2003 5/.....	3.8	*	*	*	*	*	1.7	5.0	14.1	22.3	37.2	44.7
2002.....	3.6	*	*	*	*	*	1.2	5.0	14.4	22.1	36.6	39.4
2001.....	4.0	*	*	*	*	*	1.5	5.5	15.3	22.7	40.8	46.2
2000.....	3.7	*	*	*	*	*	1.0	5.0	13.4	26.8	38.3	49.3
1999.....	3.7	*	*	*	*	*	1.6	6.0	13.3	23.9	32.5	49.9
Non-Hispanic black, female												
2006 5/.....	2.1	*	*	*	*	*	*	2.2	3.6	9.5	16.7	27.3
2005 5/.....	2.2	*	*	*	*	*	*	1.7	5.0	9.2	18.0	27.2
2004 5/.....	2.3	*	*	*	*	*	*	1.9	4.9	10.3	19.6	24.5
2003 5/.....	2.3	*	*	*	*	*	0.7	1.8	6.2	9.5	16.8	30.1
2002.....	2.3	*	*	*	*	*	*	2.5	4.4	11.3	20.7	23.8
2001.....	2.3	*	*	*	*	*	1.1	2.2	5.3	10.0	17.7	24.0
2000.....	2.2	*	*	*	*	*	0.8	2.2	5.4	9.7	18.9	22.2
1999.....	2.2	*	*	*	*	*	*	2.1	5.0	11.0	19.1	24.9

Worktable Orig12. Death rates for 358 selected causes, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2006

[Rates per 100,000 population in specified group. Rates are based on populations enumerated as of April 1 for 2000 and estimated as of July 1 for all other years. Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to 'Detailed technical notes to the United States 2006 data-mortality']

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, and sex	All ages 1/	Under 1 year 2/	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
Of bladder (C67)												
Non-Hispanic 4/, both sexes												
2006.....	5.1	*	*	*	*	*	0.3	1.3	5.2	15.4	38.4	69.0
2005.....	5.0	*	*	*	*	*	0.3	1.3	5.1	15.4	38.2	69.6
2004.....	5.0	*	*	*	*	*	0.3	1.4	5.2	15.4	38.2	69.4
2003.....	4.8	*	*	*	*	*	0.2	1.3	5.2	15.4	37.1	65.6
2002.....	4.9	*	*	*	*	*	0.3	1.3	5.1	16.4	37.8	66.9
2001.....	4.8	*	*	*	*	*	0.3	1.3	5.2	15.8	36.4	69.6
2000.....	4.7	*	*	*	*	*	0.3	1.2	5.2	16.1	36.3	70.3
1999.....	4.7	*	*	*	*	*	0.2	1.3	5.4	16.3	36.0	69.3
Non-Hispanic 4/, male												
2006.....	7.3	*	*	*	*	*	0.4	2.0	8.2	24.7	67.4	135.5
2005.....	7.1	*	*	*	*	*	0.4	1.8	7.9	25.1	66.9	134.6
2004.....	7.1	*	*	*	*	*	0.4	2.1	8.1	24.9	66.6	136.5
2003.....	6.8	*	*	*	*	*	0.3	2.1	8.1	24.7	64.5	127.2
2002.....	6.8	*	*	*	*	*	0.4	1.9	7.9	26.0	64.7	129.8
2001.....	6.7	*	*	*	*	*	0.4	1.9	8.1	26.0	63.8	136.4
2000.....	6.6	*	*	*	*	*	0.3	1.8	8.1	26.1	63.6	141.3
1999.....	6.6	*	*	*	*	*	0.3	2.0	8.4	26.3	63.8	136.6
Non-Hispanic 4/, female												
2006.....	3.0	*	*	*	*	*	0.2	0.7	2.4	7.4	18.6	38.1
2005.....	3.0	*	*	*	*	*	0.2	0.8	2.5	7.2	18.7	40.0
2004.....	3.0	*	*	*	*	*	0.2	0.7	2.4	7.5	19.1	39.4
2003.....	2.9	*	*	*	*	*	0.2	0.6	2.5	7.6	18.8	38.6
2002.....	3.1	*	*	*	*	*	0.2	0.8	2.4	8.5	20.0	39.8
2001.....	3.0	*	*	*	*	*	0.3	0.6	2.5	7.4	18.3	41.9
2000.....	3.0	*	*	*	*	*	0.2	0.6	2.5	7.8	18.5	41.6
1999.....	3.0	*	*	*	*	*	0.2	0.6	2.6	8.1	17.9	42.3
Non-Hispanic white, both sexes												
2006 5/.....	5.9	*	*	*	*	*	0.3	1.4	5.5	16.1	40.1	71.5
2005 5/.....	5.8	*	*	*	*	*	0.3	1.3	5.4	16.2	39.8	71.5
2004 5/.....	5.8	*	*	*	*	*	0.3	1.4	5.5	16.4	40.1	71.1
2003 5/.....	5.5	*	*	*	*	*	0.2	1.3	5.5	16.3	38.3	67.6
2002.....	5.6	*	*	*	*	*	0.3	1.4	5.3	17.1	39.1	68.0
2001.....	5.5	*	*	*	*	*	0.3	1.3	5.4	16.6	37.4	71.5
2000.....	5.4	*	*	*	*	*	0.3	1.3	5.5	16.8	37.1	72.8
1999.....	5.4	*	*	*	*	*	0.2	1.3	5.5	16.8	37.1	70.7
Non-Hispanic white, male												
2006 5/.....	8.6	*	*	*	*	*	0.4	2.1	8.6	26.3	71.1	142.3
2005 5/.....	8.3	*	*	*	*	*	0.5	1.9	8.4	26.6	70.2	140.2
2004 5/.....	8.3	*	*	*	*	*	0.3	2.2	8.7	26.7	70.5	143.1
2003 5/.....	7.9	*	*	*	*	*	0.3	2.2	8.6	26.1	67.2	133.6
2002.....	7.9	*	*	*	*	*	0.4	2.0	8.5	27.4	67.2	135.2
2001.....	7.8	*	*	*	*	*	0.4	2.0	8.6	27.6	66.6	143.0
2000.....	7.7	*	*	*	*	*	0.3	2.0	8.6	27.5	65.9	148.0
1999.....	7.6	*	*	*	*	*	0.3	2.0	8.7	27.6	66.2	143.0
Non-Hispanic white, female												
2006 5/.....	3.3	*	*	*	*	*	0.2	0.7	2.5	7.3	18.5	38.5
2005 5/.....	3.4	*	*	*	*	*	0.2	0.8	2.5	7.3	18.9	40.1
2004 5/.....	3.3	*	*	*	*	*	0.2	0.7	2.5	7.5	19.4	38.9
2003 5/.....	3.3	*	*	*	*	*	0.2	0.5	2.5	7.8	18.7	38.6
2002.....	3.4	*	*	*	*	*	0.2	0.8	2.3	8.4	20.2	39.0
2001.....	3.2	*	*	*	*	*	0.3	0.6	2.4	7.4	18.1	41.7
2000.....	3.3	*	*	*	*	*	0.2	0.7	2.6	7.8	18.2	42.5
1999.....	3.2	*	*	*	*	*	0.2	0.7	2.5	7.8	18.0	41.9

Worktable Orig12. Death rates for 358 selected causes, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2006

[Rates per 100,000 population in specified group. Rates are based on populations enumerated as of April 1 for 2000 and estimated as of July 1 for all other years. Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.odc.gov/nchs> and refer to 'Detailed technical notes to the United States 2006 data-mortality']

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, and sex	All ages 1/	Under 1 year 2/	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
Of bladder (C67)												
Non-Hispanic black, both sexes												
2006 5/.....	2.7	*	*	*	*	*	*	1.3	4.9	13.6	31.7	55.7
2005 5/.....	2.5	*	*	*	*	*	*	1.5	4.7	12.5	29.8	57.6
2004 5/.....	2.4	*	*	*	*	*	0.5	1.6	4.2	11.9	27.6	61.3
2003 5/.....	2.5	*	*	*	*	*	0.4	1.7	4.1	12.3	32.8	53.8
2002.....	2.6	*	*	*	*	*	*	1.1	4.5	14.7	31.2	64.1
2001.....	2.4	*	*	*	*	*	0.4	1.3	5.1	12.1	31.4	55.6
2000.....	2.4	*	*	*	*	*	*	1.1	4.2	13.5	34.9	49.6
1999.....	2.6	*	*	*	*	*	*	1.5	5.6	15.2	29.4	60.8
Non-Hispanic black, male												
2006 5/.....	3.1	*	*	*	*	*	*	1.9	7.7	18.2	42.8	95.3
2005 5/.....	3.0	*	*	*	*	*	*	1.7	6.6	18.3	45.7	101.8
2004 5/.....	2.7	*	*	*	*	*	*	2.3	6.0	15.0	40.2	83.3
2003 5/.....	2.9	*	*	*	*	*	*	2.2	5.5	17.8	49.6	79.9
2002.....	2.8	*	*	*	*	*	*	1.3	5.5	18.7	48.1	91.9
2001.....	2.6	*	*	*	*	*	*	1.8	6.5	16.5	43.2	78.5
2000.....	2.8	*	*	*	*	*	*	1.4	5.9	17.8	52.8	88.1
1999.....	3.0	*	*	*	*	*	*	2.6	7.4	19.2	46.6	86.8
Non-Hispanic black, female												
2006 5/.....	2.3	*	*	*	*	*	*	0.7	2.7	10.4	25.4	39.6
2005 5/.....	2.1	*	*	*	*	*	*	1.3	3.1	8.4	20.8	39.8
2004 5/.....	2.2	*	*	*	*	*	*	1.0	2.7	9.7	20.4	52.6
2003 5/.....	2.1	*	*	*	*	*	*	1.2	2.9	8.3	23.3	43.7
2002.....	2.4	*	*	*	*	*	*	0.9	3.7	11.8	21.7	53.5
2001.....	2.3	*	*	*	*	*	*	*	3.9	9.0	24.8	47.1
2000.....	2.1	*	*	*	*	*	*	*	2.7	10.4	24.8	35.3
1999.....	2.3	*	*	*	*	*	*	*	4.2	12.3	19.8	51.1

Worktable Orig12. Death rates for 358 selected causes, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2006

[Rates per 100,000 population in specified group. Rates are based on populations enumerated as of April 1 for 2000 and estimated as of July 1 for all other years. Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to 'Detailed technical notes to the United States 2006 data-mortality']

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, and sex	All ages 1/	Under 1 year 2/	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
Of other and unspecified sites within the urinary tract (C66,C68)												
Non-Hispanic 4/, both sexes												
2006.....	0.3	*	*	*	*	*	*	0.1	0.4	0.9	2.4	3.5
2005.....	0.2	*	*	*	*	*	*	0.1	0.3	0.7	1.9	2.9
2004.....	0.2	*	*	*	*	*	*	0.1	0.2	0.8	1.8	2.2
2003.....	0.3	*	*	*	*	*	*	0.1	0.2	0.8	2.0	3.5
2002.....	0.3	*	*	*	*	*	*	0.1	0.3	1.0	1.8	3.0
2001.....	0.2	*	*	*	*	*	*	0.1	0.3	0.9	1.8	2.6
2000.....	0.2	*	*	*	*	*	*	0.1	0.3	1.0	1.9	2.6
1999.....	0.3	*	*	*	*	*	*	0.1	0.3	0.9	1.9	3.2
Non-Hispanic 4/, male												
2006.....	0.4	*	*	*	*	*	*	0.1	0.5	1.2	3.3	5.6
2005.....	0.3	*	*	*	*	*	*	*	0.2	1.0	2.7	3.8
2004.....	0.3	*	*	*	*	*	*	*	0.3	1.2	2.5	2.9
2003.....	0.3	*	*	*	*	*	*	0.1	0.2	0.9	2.5	5.3
2002.....	0.3	*	*	*	*	*	*	0.1	0.5	1.1	2.5	4.8
2001.....	0.3	*	*	*	*	*	*	*	0.3	1.2	2.6	4.7
2000.....	0.3	*	*	*	*	*	*	*	0.3	1.3	2.5	4.6
1999.....	0.3	*	*	*	*	*	*	*	0.3	1.3	2.6	4.3
Non-Hispanic 4/, female												
2006.....	0.3	*	*	*	*	*	*	*	0.3	0.6	1.8	2.4
2005.....	0.2	*	*	*	*	*	*	0.1	0.3	0.5	1.3	2.5
2004.....	0.2	*	*	*	*	*	*	*	0.2	0.5	1.3	1.8
2003.....	0.3	*	*	*	*	*	*	*	0.2	0.7	1.7	2.7
2002.....	0.2	*	*	*	*	*	*	*	0.2	0.8	1.3	2.2
2001.....	0.2	*	*	*	*	*	*	*	0.3	0.7	1.3	1.8
2000.....	0.2	*	*	*	*	*	*	*	0.2	0.7	1.4	1.9
1999.....	0.2	*	*	*	*	*	*	*	0.2	0.7	1.5	2.8
Non-Hispanic white, both sexes												
2006 5/.....	0.3	*	*	*	*	*	*	0.1	0.3	0.9	2.5	3.5
2005 5/.....	0.3	*	*	*	*	*	*	0.1	0.2	0.8	2.0	3.0
2004 5/.....	0.3	*	*	*	*	*	*	*	0.2	0.8	1.9	2.3
2003 5/.....	0.3	*	*	*	*	*	*	0.1	0.2	0.8	2.1	3.8
2002.....	0.3	*	*	*	*	*	*	0.1	0.3	1.0	1.8	3.0
2001.....	0.3	*	*	*	*	*	*	0.1	0.2	0.9	1.9	2.7
2000.....	0.3	*	*	*	*	*	*	0.1	0.3	1.0	2.0	2.8
1999.....	0.3	*	*	*	*	*	*	*	0.3	1.0	2.0	3.4
Non-Hispanic white, male												
2006 5/.....	0.4	*	*	*	*	*	*	0.1	0.5	1.4	3.5	5.7
2005 5/.....	0.3	*	*	*	*	*	*	*	0.3	1.0	2.9	3.8
2004 5/.....	0.3	*	*	*	*	*	*	*	0.3	1.2	2.7	3.2
2003 5/.....	0.3	*	*	*	*	*	*	*	0.3	0.9	2.6	5.7
2002.....	0.3	*	*	*	*	*	*	*	0.5	1.2	2.6	4.8
2001.....	0.3	*	*	*	*	*	*	*	0.2	1.2	2.7	4.9
2000.....	0.3	*	*	*	*	*	*	*	0.3	1.4	2.6	4.8
1999.....	0.3	*	*	*	*	*	*	*	0.3	1.4	2.8	4.4
Non-Hispanic white, female												
2006 5/.....	0.3	*	*	*	*	*	*	*	0.2	0.6	1.9	2.4
2005 5/.....	0.2	*	*	*	*	*	*	*	0.2	0.5	1.4	2.6
2004 5/.....	0.2	*	*	*	*	*	*	*	*	0.5	1.4	1.9
2003 5/.....	0.3	*	*	*	*	*	*	*	0.2	0.7	1.7	2.9
2002.....	0.2	*	*	*	*	*	*	*	*	0.9	1.4	2.3
2001.....	0.2	*	*	*	*	*	*	*	0.2	0.6	1.3	1.8
2000.....	0.2	*	*	*	*	*	*	*	0.2	0.6	1.6	2.0
1999.....	0.3	*	*	*	*	*	*	*	0.2	0.6	1.5	3.0

Worktable Orig12. Death rates for 358 selected causes, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2006

[Rates per 100,000 population in specified group. Rates are based on populations enumerated as of April 1 for 2000 and estimated as of July 1 for all other years. Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to 'Detailed technical notes to the United States 2006 data-mortality']

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, and sex	All ages 1/	Under 1 year 2/	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
Malignant neoplasm of eye and adnexa (C69)												
Non-Hispanic 4/, both sexes												
2006.....	0.1	*	*	*	*	*	*	0.1	0.1	0.3	0.5	0.5
2005.....	0.1	*	*	*	*	*	*	0.1	0.1	0.3	0.5	0.8
2004.....	0.1	*	*	*	*	*	*	0.1	0.1	0.3	0.3	0.5
2003.....	0.1	*	*	*	*	*	*	0.1	0.2	0.3	0.5	0.6
2002.....	0.1	*	*	*	*	*	*	0.1	0.2	0.2	0.5	0.7
2001.....	0.1	*	*	*	*	*	*	0.1	0.1	0.3	0.5	0.6
2000.....	0.1	*	*	*	*	*	*	0.1	0.2	0.3	0.4	0.8
1999.....	0.1	*	*	*	*	*	*	0.1	0.1	0.3	0.5	0.9
Non-Hispanic 4/, male												
2006.....	0.1	*	*	*	*	*	*	*	*	0.4	0.6	*
2005.....	0.1	*	*	*	*	*	*	*	0.2	0.4	0.6	1.3
2004.....	0.1	*	*	*	*	*	*	*	0.2	0.3	0.5	*
2003.....	0.1	*	*	*	*	*	*	*	0.2	0.3	0.7	*
2002.....	0.1	*	*	*	*	*	*	*	0.3	*	0.6	*
2001.....	0.1	*	*	*	*	*	*	*	*	0.3	0.7	*
2000.....	0.1	*	*	*	*	*	*	*	0.2	0.4	0.6	*
1999.....	0.1	*	*	*	*	*	*	*	*	0.4	0.5	*
Non-Hispanic 4/, female												
2006.....	0.1	*	*	*	*	*	*	*	0.2	0.2	0.4	*
2005.....	0.1	*	*	*	*	*	*	*	*	0.3	0.4	*
2004.....	0.1	*	*	*	*	*	*	*	*	0.3	*	*
2003.....	0.1	*	*	*	*	*	*	*	0.2	0.2	0.3	*
2002.....	0.1	*	*	*	*	*	*	*	0.2	*	0.4	0.6
2001.....	0.1	*	*	*	*	*	*	*	*	*	0.5	*
2000.....	0.1	*	*	*	*	*	*	*	*	0.2	0.3	0.7
1999.....	0.1	*	*	*	*	*	*	*	*	*	0.5	0.8
Non-Hispanic white, both sexes												
2006 5/.....	0.1	*	*	*	*	*	*	0.1	0.2	0.4	0.5	0.5
2005 5/.....	0.1	*	*	*	*	*	*	0.1	0.1	0.4	0.5	0.8
2004 5/.....	0.1	*	*	*	*	*	*	0.1	0.2	0.3	0.4	0.6
2003 5/.....	0.1	*	*	*	*	*	*	0.1	0.2	0.3	0.5	0.7
2002.....	0.1	*	*	*	*	*	*	0.1	0.2	0.2	0.5	0.8
2001.....	0.1	*	*	*	*	*	*	0.1	0.1	0.3	0.6	0.7
2000.....	0.1	*	*	*	*	*	*	0.1	0.2	0.3	0.5	0.8
1999.....	0.1	*	*	*	*	*	*	0.1	0.2	0.3	0.5	1.0
Non-Hispanic white, male												
2006 5/.....	0.1	*	*	*	*	*	*	*	*	0.5	0.7	*
2005 5/.....	0.1	*	*	*	*	*	*	*	0.2	0.5	0.7	*
2004 5/.....	0.1	*	*	*	*	*	*	*	0.2	0.3	0.5	*
2003 5/.....	0.1	*	*	*	*	*	*	*	0.2	0.3	0.7	*
2002.....	0.1	*	*	*	*	*	*	*	0.3	*	0.6	*
2001.....	0.1	*	*	*	*	*	*	*	*	0.4	0.7	*
2000.....	0.1	*	*	*	*	*	*	*	0.2	0.4	0.6	*
1999.....	0.1	*	*	*	*	*	*	*	*	0.5	0.5	*
Non-Hispanic white, female												
2006 5/.....	0.1	*	*	*	*	*	*	*	0.2	0.3	0.4	*
2005 5/.....	0.1	*	*	*	*	*	*	*	*	0.3	0.4	*
2004 5/.....	0.1	*	*	*	*	*	*	*	*	0.3	*	*
2003 5/.....	0.1	*	*	*	*	*	*	*	0.2	0.3	0.4	*
2002.....	0.1	*	*	*	*	*	*	*	*	*	0.5	*
2001.....	0.1	*	*	*	*	*	*	*	*	*	0.5	*
2000.....	0.1	*	*	*	*	*	*	*	*	0.3	0.4	*
1999.....	0.1	*	*	*	*	*	*	*	*	*	0.5	0.9

Worktable Orig12. Death rates for 358 selected causes, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2006

[Rates per 100,000 population in specified group. Rates are based on populations enumerated as of April 1 for 2000 and estimated as of July 1 for all other years. Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to 'Detailed technical notes to the United States 2006 data-mortality']

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, and sex	All ages 1/	Under 1 year 2/	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
Malignant neoplasms of meninges, brain and other parts of central nervous system (C70-C72)												
All origins 3/, both sexes												
2006.....	4.3	*	0.6	0.8	0.5	0.9	2.0	4.5	9.3	14.7	19.0	16.7
2005.....	4.4	*	0.5	0.8	0.6	0.9	2.2	4.6	9.4	15.8	20.2	15.8
2004.....	4.4	*	0.6	0.8	0.5	0.9	2.0	4.6	9.5	15.7	19.6	16.6
2003.....	4.4	*	0.7	0.8	0.6	1.0	2.4	4.8	9.7	15.5	19.5	15.2
2002.....	4.4	*	0.7	0.8	0.5	1.0	2.2	5.1	9.6	16.2	19.1	16.4
2001.....	4.4	*	0.7	0.7	0.6	1.1	2.3	5.0	9.7	15.4	20.4	16.4
2000.....	4.5	0.5	0.7	0.8	0.6	1.0	2.4	5.1	9.6	16.5	20.0	16.9
1999.....	4.6	*	0.7	0.8	0.6	1.1	2.4	5.1	10.3	16.9	20.4	16.0
All origins 3/, male												
2006.....	4.9	*	0.7	0.8	0.5	1.0	2.4	5.5	11.4	18.2	24.0	21.2
2005.....	5.0	*	0.5	0.8	0.7	1.2	2.8	5.6	11.3	19.3	25.3	19.3
2004.....	4.9	*	0.7	0.8	0.6	1.1	2.5	5.8	11.8	18.4	23.7	19.4
2003.....	5.0	*	0.7	0.8	0.6	1.1	2.9	6.2	11.4	18.6	24.6	20.0
2002.....	5.0	*	0.8	0.9	0.7	1.1	2.8	6.2	11.7	20.2	23.8	20.1
2001.....	5.0	*	0.7	0.7	0.6	1.3	2.8	6.1	12.1	19.2	25.8	20.1
2000.....	5.1	*	0.7	0.8	0.7	1.3	3.1	6.2	11.8	20.2	24.3	22.4
1999.....	5.1	*	0.7	0.7	0.7	1.4	2.8	6.2	12.4	20.8	25.5	20.7
All origins 3/, female												
2006.....	3.7	*	0.6	0.7	0.4	0.8	1.5	3.6	7.3	11.8	15.5	14.6
2005.....	3.9	*	0.6	0.8	0.4	0.7	1.6	3.6	7.5	12.9	16.7	14.3
2004.....	3.9	*	0.6	0.8	0.4	0.7	1.6	3.4	7.3	13.4	16.8	15.4
2003.....	3.9	*	0.6	0.8	0.5	0.9	2.0	3.5	8.1	12.8	16.1	13.1
2002.....	3.9	*	0.7	0.7	0.4	0.8	1.7	4.1	7.7	12.8	16.0	14.8
2001.....	3.9	*	0.6	0.8	0.5	0.8	1.7	3.9	7.6	12.3	16.8	14.8
2000.....	3.9	*	0.6	0.7	0.5	0.7	1.7	4.0	7.6	13.4	17.3	14.7
1999.....	4.1	*	0.8	0.8	0.5	0.8	1.9	4.1	8.4	13.7	17.1	14.1
Hispanic, both sexes												
2006.....	1.6	*	0.7	0.7	0.3	0.6	1.1	2.9	5.4	7.5	13.0	12.1
2005.....	1.8	*	0.6	0.7	0.5	0.5	1.3	2.9	5.9	10.2	13.4	15.4
2004.....	1.6	*	*	0.7	0.5	0.4	1.1	2.4	5.9	9.0	12.4	14.3
2003.....	1.7	*	0.6	0.8	0.3	0.6	1.1	2.5	5.9	9.5	15.3	*
2002.....	1.7	*	0.7	0.7	0.4	0.5	0.9	3.4	5.8	10.0	13.7	13.3
2001.....	1.7	*	0.7	0.5	0.4	0.6	1.4	2.6	5.9	10.3	14.8	*
2000.....	1.8	*	*	0.9	0.4	0.7	1.5	2.9	6.2	9.8	14.2	15.9
1999.....	1.7	*	0.9	0.7	*	0.5	1.3	3.0	6.0	10.0	14.0	*
Hispanic, male												
2006.....	1.7	*	*	0.8	*	0.5	1.5	3.3	6.0	9.2	16.1	*
2005.....	2.0	*	*	0.5	0.6	0.6	1.6	3.6	7.4	11.5	18.0	*
2004.....	1.7	*	*	0.6	0.6	*	1.4	2.9	7.2	10.1	15.4	*
2003.....	1.8	*	*	0.9	*	0.6	1.2	3.2	6.3	11.8	16.5	*
2002.....	1.8	*	*	0.7	*	*	1.0	4.4	6.6	12.4	16.0	*
2001.....	1.8	*	*	*	*	0.6	1.4	3.0	6.8	14.4	17.9	*
2000.....	1.9	*	*	1.2	*	0.8	1.5	2.6	7.7	12.5	18.7	*
1999.....	1.7	*	*	0.7	*	*	1.8	2.9	7.8	10.5	16.2	*
Hispanic, female												
2006.....	1.5	*	*	0.7	*	0.6	0.7	2.4	4.8	6.1	10.8	14.4
2005.....	1.6	*	*	0.9	*	*	1.0	2.2	4.6	9.2	10.2	15.0
2004.....	1.5	*	*	0.9	*	*	0.8	1.8	4.7	8.1	10.4	15.1
2003.....	1.6	*	*	0.7	*	*	0.9	1.9	5.6	7.6	14.5	*
2002.....	1.5	*	*	0.7	*	*	0.9	2.3	5.1	8.1	12.1	*
2001.....	1.6	*	*	0.6	*	*	1.4	2.2	5.1	7.1	12.7	*
2000.....	1.7	*	*	0.7	*	*	1.5	3.2	4.9	7.6	11.2	*
1999.....	1.7	*	*	0.8	*	*	0.8	3.1	4.5	9.6	12.5	*

Worktable Orig12. Death rates for 358 selected causes, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2006

[Rates per 100,000 population in specified group. Rates are based on populations enumerated as of April 1 for 2000 and estimated as of July 1 for all other years. Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to 'Detailed technical notes to the United States 2006 data-mortality']

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, and sex	All ages 1/	Under 1 year 2/	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
Malignant neoplasms of meninges, brain and other parts of central nervous system (C70-C72)												
Non-Hispanic 4/, both sexes												
2006.....	4.8	*	0.6	0.8	0.5	1.0	2.1	4.7	9.6	15.2	19.3	16.9
2005.....	4.9	*	0.5	0.8	0.6	1.1	2.3	4.8	9.6	16.2	20.6	15.9
2004.....	4.8	*	0.7	0.8	0.5	1.0	2.2	4.8	9.7	16.2	20.0	16.7
2003.....	4.9	*	0.7	0.8	0.6	1.1	2.6	5.0	10.0	15.9	19.7	15.4
2002.....	4.9	*	0.7	0.8	0.5	1.1	2.4	5.3	9.9	16.6	19.4	16.5
2001.....	4.8	*	0.6	0.8	0.6	1.2	2.4	5.2	10.0	15.7	20.6	16.5
2000.....	4.9	*	0.7	0.7	0.6	1.1	2.5	5.3	9.8	16.9	20.2	16.9
1999.....	5.0	*	0.7	0.8	0.6	1.2	2.5	5.3	10.6	17.3	20.6	16.1
Non-Hispanic 4/, male												
2006.....	5.4	*	0.6	0.8	0.6	1.2	2.6	5.7	11.9	18.8	24.4	21.9
2005.....	5.5	*	0.5	0.9	0.7	1.4	3.0	5.8	11.6	19.8	25.7	19.4
2004.....	5.4	*	0.7	0.9	0.6	1.2	2.7	6.1	12.2	19.0	24.2	19.7
2003.....	5.5	*	0.7	0.8	0.7	1.3	3.1	6.5	11.8	19.1	25.0	20.1
2002.....	5.5	*	0.8	0.9	0.7	1.3	3.0	6.4	12.0	20.7	24.1	20.2
2001.....	5.5	*	0.6	0.7	0.7	1.5	3.0	6.4	12.5	19.4	26.1	20.5
2000.....	5.5	*	0.7	0.8	0.7	1.4	3.3	6.5	12.1	20.6	24.5	22.3
1999.....	5.6	*	0.7	0.8	0.7	1.5	3.0	6.5	12.7	21.4	25.8	21.3
Non-Hispanic 4/, female												
2006.....	4.1	*	0.6	0.7	0.5	0.9	1.6	3.7	7.5	12.2	15.8	14.6
2005.....	4.2	*	0.5	0.8	0.4	0.7	1.7	3.8	7.8	13.1	17.0	14.2
2004.....	4.2	*	0.6	0.7	0.4	0.8	1.7	3.5	7.5	13.9	17.2	15.4
2003.....	4.3	*	0.6	0.8	0.5	1.0	2.1	3.7	8.3	13.2	16.2	13.4
2002.....	4.2	*	0.7	0.7	0.4	0.9	1.8	4.2	7.9	13.1	16.2	14.9
2001.....	4.2	*	0.6	0.8	0.5	0.8	1.8	4.1	7.7	12.7	17.0	14.9
2000.....	4.2	*	0.7	0.7	0.5	0.7	1.8	4.1	7.8	13.8	17.5	14.7
1999.....	4.4	*	0.7	0.8	0.5	0.9	2.0	4.2	8.6	14.0	17.2	14.0
Non-Hispanic white, both sexes												
2006 5/.....	5.5	*	0.6	0.8	0.5	1.2	2.4	5.3	10.5	16.6	20.7	17.7
2005 5/.....	5.6	*	0.5	0.9	0.6	1.2	2.6	5.3	10.5	17.6	21.8	16.5
2004 5/.....	5.6	*	0.7	0.8	0.6	1.1	2.5	5.3	10.7	17.6	21.3	17.4
2003 5/.....	5.6	*	0.7	0.8	0.7	1.3	3.0	5.5	10.8	17.1	20.9	15.9
2002.....	5.6	*	0.6	0.8	0.6	1.2	2.8	5.9	10.7	17.9	20.4	17.3
2001.....	5.6	*	0.7	0.8	0.6	1.3	2.7	5.7	10.8	16.8	21.9	17.2
2000.....	5.6	*	0.7	0.8	0.6	1.2	2.8	5.9	10.7	18.3	21.2	17.5
1999.....	5.7	*	0.7	0.8	0.6	1.4	2.8	5.8	11.5	18.7	21.7	16.7
Non-Hispanic white, male												
2006 5/.....	6.3	*	0.7	0.9	0.6	1.4	3.0	6.3	12.9	20.3	26.0	22.9
2005 5/.....	6.4	*	0.4	0.9	0.7	1.5	3.4	6.3	12.5	21.4	26.9	20.4
2004 5/.....	6.3	*	0.8	0.9	0.7	1.4	3.0	6.6	13.2	20.8	25.4	21.0
2003 5/.....	6.3	*	0.8	0.8	0.7	1.5	3.5	7.0	12.8	20.4	26.3	21.0
2002.....	6.4	*	0.7	0.9	0.8	1.4	3.5	7.1	12.8	22.3	25.2	21.4
2001.....	6.3	*	0.7	0.7	0.7	1.7	3.5	7.0	13.4	20.9	27.5	20.9
2000.....	6.3	*	0.7	0.8	0.7	1.5	3.7	7.1	13.1	22.2	25.7	23.5
1999.....	6.4	*	0.8	0.8	0.7	1.8	3.3	7.1	13.7	23.0	27.2	22.4
Non-Hispanic white, female												
2006 5/.....	4.8	*	0.5	0.7	0.5	0.9	1.8	4.2	8.3	13.3	17.1	15.3
2005 5/.....	4.9	*	0.6	0.8	0.5	0.9	1.9	4.2	8.6	14.3	18.2	14.8
2004 5/.....	4.9	*	0.7	0.7	0.4	0.9	1.9	3.9	8.3	14.9	18.5	15.8
2003 5/.....	4.9	*	0.6	0.9	0.6	1.1	2.5	4.1	9.0	14.3	17.3	13.7
2002.....	4.9	*	0.6	0.8	0.4	1.1	2.1	4.7	8.7	14.2	17.1	15.5
2001.....	4.8	*	0.6	0.9	0.5	0.9	2.0	4.5	8.4	13.4	18.2	15.7
2000.....	4.9	*	0.7	0.7	0.5	0.9	1.9	4.6	8.4	15.0	18.3	15.1
1999.....	5.0	*	0.7	0.7	0.5	1.1	2.3	4.6	9.5	15.1	18.1	14.4

Worktable Orig12. Death rates for 358 selected causes, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2006

[Rates per 100,000 population in specified group. Rates are based on populations enumerated as of April 1 for 2000 and estimated as of July 1 for all other years. Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.odc.gov/nchs> and refer to 'Detailed technical notes to the United States 2006 data-mortality']

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, and sex	All ages 1/	Under 1 year 2/	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
Malignant neoplasms of meninges, brain and other parts of central nervous system (C70-C72)												
Non-Hispanic black, both sexes												
2006 5/.....	2.0	*	*	0.7	0.5	0.5	1.2	2.6	5.4	8.2	9.6	9.6
2005 5/.....	2.1	*	*	0.8	0.4	0.5	1.2	2.8	5.5	8.5	12.3	9.6
2004 5/.....	2.0	*	*	0.8	0.5	0.7	1.3	2.9	5.0	7.9	10.1	10.6
2003 5/.....	2.2	*	*	0.7	0.6	0.6	1.5	3.1	5.6	9.0	10.6	10.7
2002.....	2.1	*	1.1	0.8	0.4	0.6	1.2	2.8	5.6	8.6	11.9	9.7
2001.....	2.1	*	*	0.7	0.5	0.5	1.1	3.1	5.9	9.4	9.9	11.9
2000.....	2.2	*	*	0.8	0.6	0.7	1.6	2.9	5.8	8.2	12.1	10.5
1999.....	2.2	*	*	0.8	0.7	0.7	1.4	3.3	6.1	8.2	11.7	10.0
Non-Hispanic black, male												
2006 5/.....	2.3	*	*	0.6	0.6	*	1.5	3.2	7.2	10.4	12.5	*
2005 5/.....	2.4	*	*	0.8	*	0.8	1.4	3.7	7.2	10.6	17.9	*
2004 5/.....	2.3	*	*	0.7	*	*	1.9	4.0	6.9	8.1	14.5	*
2003 5/.....	2.5	*	*	0.8	0.7	*	2.1	4.1	6.8	11.9	15.6	*
2002.....	2.3	*	*	1.1	*	0.9	1.3	2.7	8.1	10.2	16.1	*
2001.....	2.2	*	*	0.8	*	*	1.3	3.7	7.9	10.4	12.0	*
2000.....	2.4	*	*	0.9	0.8	1.1	2.0	3.7	7.2	9.9	13.3	*
1999.....	2.4	*	*	0.7	0.9	0.9	1.8	4.5	7.4	10.2	12.5	*
Non-Hispanic black, female												
2006 5/.....	1.8	*	*	0.8	*	*	0.9	2.0	4.0	6.6	7.9	9.0
2005 5/.....	1.8	*	*	0.7	*	*	1.0	2.0	4.2	7.0	9.1	10.0
2004 5/.....	1.8	*	*	0.8	*	*	0.8	1.9	3.5	7.8	7.6	11.6
2003 5/.....	1.9	*	*	0.7	*	*	0.9	2.3	4.7	6.9	7.8	12.0
2002.....	1.9	*	*	*	*	*	1.1	2.8	3.7	7.5	9.5	10.5
2001.....	1.9	*	*	*	*	*	1.0	2.5	4.2	8.7	8.8	9.8
2000.....	1.9	*	*	0.7	*	*	1.2	2.2	4.7	7.1	11.5	10.5
1999.....	1.9	*	*	0.9	*	*	1.0	2.2	5.1	6.8	11.2	9.3

Worktable Orig12. Death rates for 358 selected causes, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2006

[Rates per 100,000 population in specified group. Rates are based on populations enumerated as of April 1 for 2000 and estimated as of July 1 for all other years. Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to 'Detailed technical notes to the United States 2006 data-mortality']

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, and sex	All ages 1/	Under 1 year 2/	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
Of brain (C71)												
All origins 3/, both sexes												
2006.....	4.2	*	0.6	0.7	0.5	0.9	2.0	4.4	9.1	14.5	18.7	16.2
2005.....	4.4	*	0.5	0.8	0.5	0.9	2.1	4.5	9.2	15.6	19.7	15.5
2004.....	4.3	*	0.6	0.8	0.5	0.9	2.0	4.5	9.3	15.5	19.3	16.1
2003.....	4.4	*	0.6	0.8	0.6	1.0	2.4	4.7	9.5	15.2	19.1	14.6
2002.....	4.4	*	0.7	0.8	0.5	0.9	2.2	5.0	9.5	15.8	18.7	16.0
2001.....	4.3	*	0.6	0.7	0.5	1.0	2.3	4.9	9.6	15.1	20.0	16.0
2000.....	4.4	0.5	0.7	0.8	0.6	1.0	2.4	5.0	9.5	16.2	19.7	16.3
1999.....	4.5	*	0.7	0.7	0.5	1.1	2.3	5.0	10.1	16.6	19.9	15.5
All origins 3/, male												
2006.....	4.8	*	0.7	0.8	0.5	1.0	2.4	5.4	11.2	17.9	23.7	20.5
2005.....	4.9	*	0.5	0.8	0.6	1.2	2.7	5.5	11.2	19.0	24.7	19.0
2004.....	4.8	*	0.7	0.8	0.6	1.1	2.5	5.7	11.6	18.2	23.3	19.1
2003.....	4.9	*	0.7	0.8	0.6	1.1	2.9	6.1	11.2	18.4	24.3	19.2
2002.....	4.9	*	0.8	0.9	0.6	1.1	2.7	6.1	11.5	19.7	23.1	19.7
2001.....	4.9	*	0.6	0.7	0.6	1.3	2.8	6.0	11.9	18.8	25.3	19.7
2000.....	5.0	*	0.7	0.8	0.6	1.3	3.1	6.1	11.7	19.9	23.9	21.8
1999.....	5.0	*	0.7	0.7	0.6	1.3	2.7	6.1	12.2	20.5	25.0	20.1
All origins 3/, female												
2006.....	3.7	*	0.6	0.7	0.4	0.8	1.5	3.5	7.2	11.5	15.2	14.2
2005.....	3.8	*	0.6	0.8	0.4	0.6	1.6	3.6	7.4	12.6	16.4	13.9
2004.....	3.8	*	0.5	0.7	0.4	0.7	1.5	3.3	7.2	13.2	16.6	14.7
2003.....	3.8	*	0.6	0.8	0.5	0.8	1.9	3.5	8.0	12.6	15.6	12.6
2002.....	3.8	*	0.6	0.7	0.4	0.8	1.7	4.0	7.6	12.5	15.8	14.4
2001.....	3.8	*	0.6	0.8	0.5	0.8	1.7	3.8	7.5	12.1	16.4	14.4
2000.....	3.9	*	0.6	0.7	0.5	0.7	1.7	4.0	7.4	13.2	16.9	14.1
1999.....	4.0	*	0.7	0.7	0.4	0.8	1.9	4.0	8.2	13.5	16.6	13.6
Hispanic, both sexes												
2006.....	1.6	*	0.7	0.7	0.3	0.6	1.1	2.8	5.2	7.3	12.8	11.3
2005.....	1.8	*	0.6	0.7	0.5	0.4	1.3	2.8	5.9	9.9	13.2	15.0
2004.....	1.6	*	*	0.7	0.5	0.4	1.1	2.4	5.8	8.9	12.0	13.8
2003.....	1.7	*	*	0.8	0.3	0.6	1.0	2.5	5.9	9.4	15.1	*
2002.....	1.6	*	0.7	0.7	0.3	0.5	0.9	3.3	5.8	9.7	13.5	12.2
2001.....	1.6	*	*	0.5	0.4	0.5	1.4	2.5	5.9	10.3	14.4	*
2000.....	1.8	*	*	0.9	0.4	0.7	1.5	2.8	6.1	9.8	14.2	15.9
1999.....	1.6	*	0.9	0.7	*	0.5	1.3	2.9	5.8	10.0	13.7	*
Hispanic, male												
2006.....	1.7	*	*	0.7	*	0.5	1.5	3.3	5.7	9.1	16.1	*
2005.....	1.9	*	*	0.5	0.6	0.6	1.6	3.4	7.4	10.8	17.7	*
2004.....	1.7	*	*	0.6	0.6	*	1.3	2.9	7.1	10.1	14.7	*
2003.....	1.8	*	*	0.9	*	0.6	1.2	3.1	6.3	11.8	16.1	*
2002.....	1.8	*	*	0.7	*	*	1.0	4.3	6.6	12.2	16.0	*
2001.....	1.7	*	*	*	*	0.5	1.4	3.0	6.8	14.4	17.9	*
2000.....	1.9	*	*	1.2	*	0.7	1.5	2.5	7.7	12.5	18.7	*
1999.....	1.7	*	*	0.7	*	*	1.7	2.9	7.7	10.5	16.2	*
Hispanic, female												
2006.....	1.5	*	*	0.6	*	0.6	0.7	2.3	4.8	5.9	10.4	13.8
2005.....	1.6	*	*	0.8	*	*	1.0	2.2	4.5	9.2	10.0	15.0
2004.....	1.5	*	*	0.8	*	*	0.8	1.8	4.6	7.9	10.1	14.4
2003.....	1.5	*	*	0.7	*	*	0.8	1.8	5.6	7.5	14.5	*
2002.....	1.5	*	*	0.7	*	*	0.9	2.3	5.0	7.8	11.8	*
2001.....	1.5	*	*	0.6	*	*	1.4	2.1	5.1	7.1	12.1	*
2000.....	1.6	*	*	0.7	*	*	1.5	3.0	4.6	7.6	11.2	*
1999.....	1.6	*	*	0.8	*	*	0.8	3.0	4.1	9.6	12.1	*

Worktable Orig12. Death rates for 358 selected causes, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2006

[Rates per 100,000 population in specified group. Rates are based on populations enumerated as of April 1 for 2000 and estimated as of July 1 for all other years. Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to 'Detailed technical notes to the United States 2006 data-mortality']

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, and sex	All ages 1/	Under 1 year 2/	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
Of brain (C71)												
Non-Hispanic 4/, both sexes												
2006.....	4.7	*	0.6	0.7	0.5	1.0	2.1	4.6	9.5	15.0	19.0	16.5
2005.....	4.8	*	0.5	0.8	0.5	1.0	2.3	4.7	9.5	16.0	20.1	15.5
2004.....	4.7	*	0.6	0.8	0.5	1.0	2.2	4.7	9.6	16.0	19.7	16.2
2003.....	4.8	*	0.6	0.8	0.6	1.1	2.6	5.0	9.8	15.6	19.3	14.8
2002.....	4.8	*	0.7	0.8	0.5	1.1	2.4	5.2	9.7	16.2	18.9	16.1
2001.....	4.7	*	0.6	0.8	0.6	1.1	2.4	5.1	9.8	15.4	20.2	16.2
2000.....	4.8	*	0.7	0.7	0.6	1.0	2.5	5.2	9.7	16.6	19.9	16.3
1999.....	4.9	*	0.7	0.7	0.6	1.2	2.4	5.2	10.4	17.0	20.1	15.6
Non-Hispanic 4/, male												
2006.....	5.4	*	0.6	0.8	0.6	1.2	2.6	5.6	11.7	18.6	24.1	21.3
2005.....	5.5	*	0.5	0.9	0.6	1.4	2.9	5.7	11.5	19.6	25.1	19.2
2004.....	5.4	*	0.7	0.9	0.6	1.2	2.7	6.1	11.9	18.8	23.8	19.4
2003.....	5.4	*	0.7	0.8	0.7	1.3	3.1	6.4	11.6	18.8	24.7	19.3
2002.....	5.4	*	0.8	0.9	0.7	1.2	3.0	6.3	11.8	20.2	23.4	19.8
2001.....	5.4	*	0.6	0.7	0.6	1.5	3.0	6.3	12.2	19.0	25.6	20.2
2000.....	5.4	*	0.7	0.8	0.7	1.4	3.3	6.4	12.0	20.4	24.1	21.7
1999.....	5.5	*	0.7	0.7	0.7	1.5	2.9	6.4	12.5	21.0	25.2	20.7
Non-Hispanic 4/, female												
2006.....	4.0	*	0.6	0.7	0.5	0.8	1.6	3.7	7.4	12.0	15.5	14.2
2005.....	4.2	*	0.5	0.7	0.4	0.7	1.6	3.7	7.7	12.9	16.7	13.8
2004.....	4.1	*	0.6	0.7	0.4	0.8	1.7	3.5	7.4	13.6	16.9	14.7
2003.....	4.2	*	0.6	0.8	0.5	0.9	2.1	3.6	8.2	12.9	15.6	12.8
2002.....	4.1	*	0.6	0.7	0.4	0.9	1.8	4.1	7.8	12.8	15.9	14.5
2001.....	4.1	*	0.6	0.8	0.5	0.8	1.8	4.0	7.6	12.4	16.6	14.5
2000.....	4.1	*	0.7	0.7	0.5	0.7	1.7	4.0	7.6	13.5	17.1	14.1
1999.....	4.3	*	0.7	0.7	0.5	0.9	2.0	4.0	8.5	13.7	16.8	13.5
Non-Hispanic white, both sexes												
2006 5/.....	5.5	*	0.6	0.8	0.5	1.1	2.4	5.2	10.4	16.3	20.4	17.2
2005 5/.....	5.6	*	0.5	0.8	0.6	1.2	2.6	5.2	10.4	17.4	21.3	16.2
2004 5/.....	5.5	*	0.7	0.8	0.5	1.1	2.4	5.2	10.5	17.4	20.9	16.8
2003 5/.....	5.5	*	0.7	0.8	0.7	1.2	2.9	5.5	10.7	16.9	20.5	15.2
2002.....	5.5	*	0.6	0.8	0.6	1.2	2.7	5.8	10.6	17.5	20.0	16.9
2001.....	5.5	*	0.6	0.8	0.6	1.3	2.7	5.7	10.6	16.5	21.4	16.8
2000.....	5.5	*	0.7	0.7	0.6	1.2	2.7	5.7	10.5	18.0	20.9	16.9
1999.....	5.6	*	0.7	0.7	0.6	1.4	2.7	5.7	11.3	18.4	21.2	16.3
Non-Hispanic white, male												
2006 5/.....	6.2	*	0.7	0.9	0.6	1.4	3.0	6.2	12.7	20.1	25.6	22.2
2005 5/.....	6.3	*	0.4	0.9	0.7	1.5	3.3	6.3	12.4	21.2	26.3	20.1
2004 5/.....	6.2	*	0.8	0.8	0.7	1.4	2.9	6.5	13.0	20.5	25.0	20.7
2003 5/.....	6.2	*	0.8	0.8	0.7	1.5	3.5	7.0	12.6	20.1	26.0	20.0
2002.....	6.2	*	0.7	0.9	0.7	1.4	3.4	7.0	12.7	21.7	24.5	21.1
2001.....	6.2	*	0.7	0.7	0.6	1.7	3.4	6.9	13.1	20.4	27.0	20.6
2000.....	6.2	*	0.7	0.7	0.7	1.5	3.6	7.0	13.0	21.9	25.3	22.9
1999.....	6.3	*	0.8	0.8	0.7	1.7	3.2	6.9	13.5	22.6	26.6	21.8
Non-Hispanic white, female												
2006 5/.....	4.7	*	0.5	0.7	0.5	0.9	1.8	4.1	8.2	13.1	16.7	14.9
2005 5/.....	4.8	*	0.6	0.8	0.5	0.8	1.8	4.2	8.5	14.1	17.9	14.4
2004 5/.....	4.8	*	0.6	0.7	0.4	0.9	1.9	3.9	8.2	14.7	18.2	15.1
2003 5/.....	4.8	*	0.6	0.8	0.6	1.0	2.4	4.0	8.9	14.1	16.8	13.2
2002.....	4.8	*	0.5	0.8	0.4	1.0	2.1	4.6	8.6	13.9	16.9	15.0
2001.....	4.7	*	0.6	0.9	0.5	0.9	2.0	4.4	8.3	13.2	17.7	15.2
2000.....	4.8	*	0.7	0.7	0.5	0.9	1.9	4.5	8.2	14.7	17.9	14.5
1999.....	4.9	*	0.7	0.7	0.5	1.0	2.2	4.5	9.3	14.8	17.7	14.0

Worktable Orig12. Death rates for 358 selected causes, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2006

[Rates per 100,000 population in specified group. Rates are based on populations enumerated as of April 1 for 2000 and estimated as of July 1 for all other years. Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.odc.gov/nchs> and refer to 'Detailed technical notes to the United States 2006 data-mortality']

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, and sex	All ages 1/	Under 1 year 2/	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
Of brain (C71)												
Non-Hispanic black, both sexes												
2006 5/.....	1.9	*	*	0.7	0.4	0.5	1.2	2.5	5.3	7.8	9.5	9.3
2005 5/.....	2.0	*	*	0.8	0.3	0.5	1.1	2.7	5.3	8.2	11.8	9.0
2004 5/.....	2.0	*	*	0.7	0.5	0.7	1.2	2.7	4.8	7.8	9.9	10.6
2003 5/.....	2.1	*	*	0.7	0.5	0.6	1.5	3.1	5.4	8.5	10.2	10.4
2002.....	2.0	*	1.1	0.8	0.4	0.6	1.2	2.7	5.3	8.1	11.3	9.4
2001.....	2.0	*	*	0.7	0.5	0.5	1.1	3.0	5.7	9.3	9.7	11.9
2000.....	2.1	*	*	0.8	0.6	0.7	1.5	2.8	5.6	8.1	11.7	9.9
1999.....	2.1	*	*	0.8	0.6	0.6	1.3	3.1	5.8	8.0	11.0	9.4
Non-Hispanic black, male												
2006 5/.....	2.2	*	*	0.6	*	*	1.5	3.1	7.0	9.9	12.2	*
2005 5/.....	2.3	*	*	0.8	*	0.8	1.3	3.6	6.9	10.1	16.8	*
2004 5/.....	2.2	*	*	0.7	*	*	1.8	3.9	6.6	7.8	14.0	*
2003 5/.....	2.5	*	*	0.8	0.7	*	2.1	4.1	6.5	11.4	15.6	*
2002.....	2.2	*	*	1.0	*	0.9	1.3	2.6	7.6	9.5	15.2	*
2001.....	2.2	*	*	0.8	*	*	1.2	3.6	7.6	10.4	12.0	*
2000.....	2.4	*	*	0.9	0.8	1.1	2.0	3.7	7.0	9.9	12.3	*
1999.....	2.3	*	*	0.7	0.8	0.8	1.7	4.3	7.2	9.8	11.9	*
Non-Hispanic black, female												
2006 5/.....	1.7	*	*	0.8	*	*	0.9	1.9	3.9	6.3	7.9	8.6
2005 5/.....	1.7	*	*	0.7	*	*	1.0	2.0	4.0	6.8	8.9	9.2
2004 5/.....	1.7	*	*	0.7	*	*	0.7	1.8	3.3	7.7	7.6	11.6
2003 5/.....	1.8	*	*	0.7	*	*	0.9	2.3	4.5	6.5	7.2	11.6
2002.....	1.9	*	*	*	*	*	1.1	2.8	3.4	7.2	9.1	10.5
2001.....	1.9	*	*	*	*	*	0.9	2.5	4.2	8.6	8.4	9.8
2000.....	1.9	*	*	0.7	*	*	1.1	2.1	4.6	6.8	11.3	10.0
1999.....	1.9	*	*	0.9	*	*	1.0	2.2	4.7	6.8	10.5	8.9

Worktable Orig12. Death rates for 358 selected causes, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2006

[Rates per 100,000 population in specified group. Rates are based on populations enumerated as of April 1 for 2000 and estimated as of July 1 for all other years. Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to 'Detailed technical notes to the United States 2006 data-mortality']

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, and sex	All ages 1/	Under 1 year 2/	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
Of other parts of central nervous system (C70,C72)												
Non-Hispanic 4/, both sexes												
2006.....	0.1	*	*	*	*	*	*	0.1	0.1	0.3	0.3	0.5
2005.....	0.1	*	*	*	*	*	*	*	0.1	0.2	0.4	*
2004.....	0.1	*	*	*	*	*	*	0.1	0.2	0.2	0.3	0.5
2003.....	0.1	*	*	*	*	*	*	0.1	0.1	0.3	0.4	0.6
2002.....	0.1	*	*	*	*	*	*	0.1	0.2	0.4	0.4	*
2001.....	0.1	*	*	*	*	*	*	0.1	0.2	0.3	0.5	*
2000.....	0.1	*	*	*	*	*	*	0.1	0.2	0.3	0.4	0.6
1999.....	0.1	*	*	*	*	*	0.1	0.1	0.2	0.3	0.5	*
Non-Hispanic 4/, male												
2006.....	0.1	*	*	*	*	*	*	*	0.1	0.3	*	*
2005.....	0.1	*	*	*	*	*	*	*	0.1	*	0.6	*
2004.....	0.1	*	*	*	*	*	*	*	0.2	*	*	*
2003.....	0.1	*	*	*	*	*	*	*	0.2	0.3	*	*
2002.....	0.1	*	*	*	*	*	*	*	0.2	0.6	0.7	*
2001.....	0.1	*	*	*	*	*	*	*	0.2	0.4	0.5	*
2000.....	0.1	*	*	*	*	*	*	*	*	0.3	*	*
1999.....	0.1	*	*	*	*	*	0.1	0.1	0.2	0.4	0.5	*
Non-Hispanic 4/, female												
2006.....	0.1	*	*	*	*	*	*	*	*	0.2	0.3	*
2005.....	0.1	*	*	*	*	*	*	*	*	0.2	0.3	*
2004.....	0.1	*	*	*	*	*	*	*	*	*	0.3	0.7
2003.....	0.1	*	*	*	*	*	*	*	*	0.2	0.5	*
2002.....	0.1	*	*	*	*	*	*	0.1	*	0.3	*	*
2001.....	0.1	*	*	*	*	*	*	*	*	0.2	0.4	*
2000.....	0.1	*	*	*	*	*	*	*	*	0.3	0.3	*
1999.....	0.1	*	*	*	*	*	0.1	*	0.2	0.2	0.5	*
Non-Hispanic white, both sexes												
2006 5/.....	0.1	*	*	*	*	*	*	0.1	0.1	0.2	0.3	0.5
2005 5/.....	0.1	*	*	*	*	*	*	*	0.1	0.2	0.4	*
2004 5/.....	0.1	*	*	*	*	*	*	0.1	0.2	0.2	0.3	0.6
2003 5/.....	0.1	*	*	*	*	*	*	0.1	0.1	0.2	0.4	0.7
2002.....	0.1	*	*	*	*	*	*	0.1	0.2	0.4	0.4	*
2001.....	0.1	*	*	*	*	*	*	0.1	0.2	0.4	0.5	*
2000.....	0.1	*	*	*	*	*	*	0.1	0.2	0.3	0.3	0.6
1999.....	0.1	*	*	*	*	*	0.1	0.1	0.2	0.3	0.5	*
Non-Hispanic white, male												
2006 5/.....	0.1	*	*	*	*	*	*	*	*	*	*	*
2005 5/.....	0.1	*	*	*	*	*	*	*	*	*	0.6	*
2004 5/.....	0.1	*	*	*	*	*	*	*	0.2	*	*	*
2003 5/.....	0.1	*	*	*	*	*	*	*	0.2	*	*	*
2002.....	0.1	*	*	*	*	*	*	*	*	0.6	0.7	*
2001.....	0.1	*	*	*	*	*	*	*	0.2	0.5	0.5	*
2000.....	0.1	*	*	*	*	*	*	*	*	0.3	*	*
1999.....	0.1	*	*	*	*	*	*	*	*	0.4	0.5	*
Non-Hispanic white, female												
2006 5/.....	0.1	*	*	*	*	*	*	*	*	*	0.3	*
2005 5/.....	0.1	*	*	*	*	*	*	*	*	0.3	0.3	*
2004 5/.....	0.1	*	*	*	*	*	*	*	*	*	0.3	0.7
2003 5/.....	0.1	*	*	*	*	*	*	*	*	*	0.5	*
2002.....	0.1	*	*	*	*	*	*	*	*	0.3	*	*
2001.....	0.1	*	*	*	*	*	*	*	*	0.3	0.4	*
2000.....	0.1	*	*	*	*	*	*	*	*	0.3	0.3	*
1999.....	0.1	*	*	*	*	*	*	*	*	0.3	0.5	*

Worktable Orig12. Death rates for 358 selected causes, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2006

[Rates per 100,000 population in specified group. Rates are based on populations enumerated as of April 1 for 2000 and estimated as of July 1 for all other years. Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to 'Detailed technical notes to the United States 2006 data-mortality']

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, and sex	All ages 1/	Under 1 year 2/	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
Malignant neoplasms of thyroid and other endocrine glands (C73-C75)												
Non-Hispanic 4/, both sexes												
2006.....	0.8	*	0.4	0.3	0.1	0.1	0.2	0.5	1.1	2.5	4.1	5.6
2005.....	0.8	*	0.4	0.2	0.1	0.1	0.2	0.5	1.2	2.4	4.0	5.6
2004.....	0.8	*	0.5	0.3	0.1	0.1	0.2	0.4	1.1	2.4	4.0	6.1
2003.....	0.7	*	0.4	0.3	*	0.1	0.2	0.5	1.2	2.1	3.8	5.1
2002.....	0.8	*	0.5	0.3	0.1	0.1	0.2	0.5	1.1	2.3	4.2	5.3
2001.....	0.8	*	0.5	0.2	0.1	0.1	0.2	0.6	1.3	2.6	4.1	5.3
2000.....	0.8	*	0.5	0.2	0.1	0.1	0.2	0.5	1.3	2.6	4.1	6.1
1999.....	0.8	*	0.6	0.3	0.1	0.1	0.2	0.5	1.3	2.2	4.0	5.7
Non-Hispanic 4/, male												
2006.....	0.7	*	0.5	0.3	*	*	0.2	0.5	1.1	2.6	3.9	4.4
2005.....	0.7	*	0.5	0.3	*	0.1	0.2	0.6	1.2	2.3	3.8	5.3
2004.....	0.7	*	0.5	0.3	0.1	*	0.2	0.4	1.2	2.7	3.7	5.6
2003.....	0.6	*	0.5	0.3	*	*	0.2	0.6	1.2	2.2	3.6	4.3
2002.....	0.7	*	0.5	0.3	*	*	0.2	0.6	1.2	2.2	4.2	4.2
2001.....	0.7	*	0.6	0.2	*	0.1	0.2	0.6	1.4	2.9	4.0	4.5
2000.....	0.7	*	0.5	0.2	*	*	0.2	0.5	1.4	2.8	4.3	5.0
1999.....	0.7	*	0.7	0.3	*	*	0.3	0.6	1.3	2.5	4.1	5.2
Non-Hispanic 4/, female												
2006.....	0.9	*	0.4	0.2	*	0.1	0.2	0.5	1.1	2.4	4.3	6.2
2005.....	0.8	*	0.4	0.2	*	*	0.2	0.5	1.2	2.4	4.1	5.8
2004.....	0.8	*	0.5	0.2	*	*	0.2	0.4	1.1	2.1	4.2	6.3
2003.....	0.8	*	0.4	0.2	*	*	0.2	0.4	1.2	2.0	4.0	5.4
2002.....	0.8	*	0.6	0.3	*	0.1	0.2	0.5	1.0	2.3	4.2	5.8
2001.....	0.8	*	0.4	0.2	*	*	0.2	0.6	1.2	2.4	4.2	5.6
2000.....	0.8	*	0.5	0.2	*	*	0.2	0.4	1.2	2.4	4.0	6.5
1999.....	0.8	*	0.5	0.3	*	*	0.2	0.5	1.3	2.0	3.9	5.9
Non-Hispanic white, both sexes												
2006 5/.....	0.9	*	0.4	0.3	*	0.1	0.2	0.5	1.1	2.5	4.2	5.5
2005 5/.....	0.8	*	0.4	0.2	*	0.1	0.2	0.5	1.1	2.3	4.0	5.4
2004 5/.....	0.8	*	0.6	0.2	0.1	0.1	0.2	0.4	1.1	2.4	4.0	6.0
2003 5/.....	0.8	*	0.5	0.2	*	0.1	0.2	0.5	1.2	2.2	3.8	5.2
2002.....	0.8	*	0.5	0.3	*	0.1	0.2	0.5	1.2	2.2	4.2	5.4
2001.....	0.9	*	0.6	0.2	*	0.1	0.2	0.6	1.3	2.8	4.0	5.3
2000.....	0.8	*	0.5	0.2	0.1	0.1	0.2	0.4	1.3	2.5	4.2	6.1
1999.....	0.8	*	0.7	0.3	*	0.1	0.2	0.5	1.3	2.2	4.0	5.7
Non-Hispanic white, male												
2006 5/.....	0.8	*	*	0.3	*	*	0.2	0.5	1.2	2.7	4.1	4.5
2005 5/.....	0.8	*	0.5	0.3	*	0.2	0.2	0.6	1.2	2.4	3.9	5.6
2004 5/.....	0.8	*	0.6	0.3	*	*	0.2	0.4	1.2	2.8	3.8	5.5
2003 5/.....	0.7	*	0.4	0.3	*	*	0.2	0.6	1.2	2.3	3.7	4.4
2002.....	0.7	*	0.5	0.3	*	*	0.2	0.6	1.3	2.3	4.4	4.2
2001.....	0.8	*	0.7	0.2	*	*	0.2	0.6	1.3	3.2	4.1	4.4
2000.....	0.8	*	0.5	0.3	*	*	0.2	0.5	1.4	2.9	4.5	5.3
1999.....	0.8	*	0.8	0.3	*	*	0.3	0.6	1.3	2.6	4.3	5.0
Non-Hispanic white, female												
2006 5/.....	0.9	*	*	0.2	*	*	0.2	0.5	1.1	2.3	4.3	6.0
2005 5/.....	0.9	*	*	0.2	*	*	0.2	0.5	1.1	2.3	4.1	5.3
2004 5/.....	0.9	*	0.6	0.2	*	*	0.2	0.4	1.1	2.1	4.2	6.2
2003 5/.....	0.9	*	0.5	0.2	*	*	0.2	0.5	1.2	2.0	3.9	5.6
2002.....	0.9	*	0.5	0.3	*	*	0.2	0.5	1.1	2.2	4.1	5.9
2001.....	0.9	*	0.6	0.2	*	*	0.2	0.5	1.2	2.4	4.0	5.7
2000.....	0.9	*	*	0.2	*	*	0.2	0.4	1.1	2.2	3.9	6.5
1999.....	0.9	*	0.5	0.3	*	*	0.2	0.5	1.3	2.0	3.8	6.0

Worktable Orig12. Death rates for 358 selected causes, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2006

[Rates per 100,000 population in specified group. Rates are based on populations enumerated as of April 1 for 2000 and estimated as of July 1 for all other years. Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to 'Detailed technical notes to the United States 2006 data-mortality']

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, and sex	All ages 1/	Under 1 year 2/	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
Malignant neoplasms of thyroid and other endocrine glands (C73-C75)												
Non-Hispanic black, both sexes												
2006 5/.....	0.6	*	*	*	*	*	*	0.5	1.0	2.4	3.5	6.6
2005 5/.....	0.6	*	*	0.3	*	*	*	0.6	1.5	2.5	3.8	7.4
2004 5/.....	0.5	*	*	0.4	*	*	*	*	1.1	2.3	3.0	6.9
2003 5/.....	0.5	*	*	0.4	*	*	*	*	0.9	1.7	4.3	*
2002.....	0.6	*	*	*	*	*	*	0.5	1.1	1.9	4.7	*
2001.....	0.6	*	*	*	*	*	*	0.7	1.4	1.8	5.1	*
2000.....	0.6	*	*	*	*	*	*	0.8	1.4	2.7	3.7	*
1999.....	0.6	*	*	*	0.3	*	*	0.4	*	1.7	2.5	3.3
Non-Hispanic black, male												
2006 5/.....	0.4	*	*	*	*	*	*	*	*	*	*	*
2005 5/.....	0.5	*	*	*	*	*	*	*	*	*	*	*
2004 5/.....	0.4	*	*	*	*	*	*	*	*	*	*	*
2003 5/.....	0.4	*	*	*	*	*	*	*	*	*	*	*
2002.....	0.5	*	*	*	*	*	*	*	*	*	*	*
2001.....	0.5	*	*	*	*	*	*	*	*	*	*	*
2000.....	0.4	*	*	*	*	*	*	*	*	*	*	*
1999.....	0.5	*	*	*	*	*	*	*	*	*	*	*
Non-Hispanic black, female												
2006 5/.....	0.7	*	*	*	*	*	*	*	1.2	2.9	4.1	7.8
2005 5/.....	0.8	*	*	*	*	*	*	*	1.8	3.1	4.0	9.6
2004 5/.....	0.6	*	*	*	*	*	*	*	*	2.8	3.4	*
2003 5/.....	0.5	*	*	*	*	*	*	*	*	2.2	4.9	*
2002.....	0.6	*	*	*	*	*	*	*	*	*	6.0	*
2001.....	0.7	*	*	*	*	*	*	1.0	*	2.2	6.1	*
2000.....	0.7	*	*	*	*	*	*	*	*	2.9	4.5	*
1999.....	0.6	*	*	*	*	*	*	*	1.6	2.3	3.7	*

Worktable Orig12. Death rates for 358 selected causes, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2006

[Rates per 100,000 population in specified group. Rates are based on populations enumerated as of April 1 for 2000 and estimated as of July 1 for all other years. Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to 'Detailed technical notes to the United States 2006 data-mortality']

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, and sex	All ages 1/	Under 1 year 2/	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
Other malignant neoplasms of other and unspecified sites (C76-C80,C97)												
All origins 3/, both sexes												
2006.....	13.3	*	*	0.1	0.2	0.6	2.1	7.9	21.6	48.7	90.4	135.8
2005.....	13.5	*	0.1	0.1	0.2	0.5	2.2	8.0	22.8	49.3	92.2	141.4
2004.....	13.5	*	*	0.1	0.3	0.6	2.2	8.1	22.3	50.7	94.4	141.2
2003.....	13.8	*	*	0.1	0.2	0.5	2.2	8.7	23.1	51.9	96.4	147.9
2002.....	14.1	*	0.1	0.1	0.3	0.6	2.4	8.7	24.1	53.7	96.7	154.5
2001.....	14.1	*	*	0.1	0.2	0.6	2.4	8.6	24.5	53.9	97.4	155.2
2000.....	14.5	*	0.1	0.1	0.2	0.6	2.5	9.0	25.1	56.4	101.9	159.0
1999.....	15.7	*	*	0.1	0.3	0.7	2.8	9.4	28.3	63.0	109.3	168.4
All origins 3/, male												
2006.....	13.9	*	*	*	0.3	0.6	2.0	9.2	26.6	58.2	112.2	168.1
2005.....	14.1	*	*	*	0.2	0.6	2.2	9.4	27.9	60.1	112.0	175.5
2004.....	14.1	*	*	0.1	0.3	0.6	2.2	9.5	27.0	61.8	117.1	170.3
2003.....	14.3	*	*	*	0.3	0.6	2.2	10.1	28.1	62.6	119.2	181.3
2002.....	14.7	*	*	*	0.4	0.7	2.4	10.4	29.0	66.0	118.5	196.9
2001.....	14.5	*	*	*	0.3	0.7	2.5	10.3	29.4	65.1	119.1	196.5
2000.....	14.8	*	*	0.1	0.2	0.6	2.6	10.5	30.0	68.4	124.6	200.1
1999.....	16.2	*	*	0.1	0.3	0.9	2.8	11.1	33.9	76.6	133.5	218.9
All origins 3/, female												
2006.....	12.7	*	*	*	0.2	0.5	2.2	6.6	16.9	40.7	75.4	120.7
2005.....	13.0	*	*	0.1	0.2	0.5	2.2	6.7	18.1	40.2	78.8	125.7
2004.....	13.0	*	*	*	0.2	0.6	2.1	6.7	17.9	41.3	79.1	128.1
2003.....	13.4	*	*	*	0.2	0.5	2.2	7.4	18.5	43.0	81.2	133.2
2002.....	13.5	*	*	*	0.2	0.6	2.4	7.1	19.6	43.4	82.3	136.0
2001.....	13.6	*	*	*	0.2	0.6	2.3	7.1	19.9	44.6	83.1	137.9
2000.....	14.1	*	*	*	0.2	0.5	2.4	7.5	20.6	46.6	87.0	142.3
1999.....	15.3	*	*	*	0.2	0.6	2.7	7.9	23.1	51.8	93.6	148.1
Hispanic, both sexes												
2006.....	4.2	*	*	*	0.4	0.4	1.2	5.0	14.6	32.3	58.6	86.9
2005.....	4.2	*	*	*	*	0.5	1.7	4.2	13.5	32.8	66.0	89.4
2004.....	4.1	*	*	*	*	0.5	1.2	4.9	13.5	32.0	67.2	93.7
2003.....	4.5	*	*	*	0.3	0.5	1.6	5.8	13.7	36.7	69.9	105.2
2002.....	4.4	*	*	*	0.3	0.5	1.3	5.3	15.6	35.5	69.2	109.8
2001.....	4.3	*	*	*	*	0.4	1.7	5.3	14.2	36.3	69.2	121.9
2000.....	4.4	*	*	*	*	0.3	1.4	5.2	15.4	39.1	77.8	132.0
1999.....	4.5	*	*	*	*	0.5	1.6	5.8	15.7	40.0	75.6	127.7
Hispanic, male												
2006.....	4.4	*	*	*	0.5	0.5	1.0	4.9	17.6	44.4	74.6	106.0
2005.....	4.5	*	*	*	*	0.6	1.8	4.7	18.1	42.3	80.8	102.1
2004.....	4.1	*	*	*	*	*	1.1	5.7	16.1	37.7	83.7	109.3
2003.....	4.6	*	*	*	*	0.7	1.5	6.5	17.4	47.1	80.5	135.5
2002.....	4.4	*	*	*	*	0.5	1.2	6.2	18.0	43.6	88.2	137.2
2001.....	4.3	*	*	*	*	*	1.6	6.2	17.8	43.1	90.3	131.4
2000.....	4.4	*	*	*	*	*	1.3	5.7	17.8	48.3	98.3	167.3
1999.....	4.7	*	*	*	*	*	1.5	6.4	19.1	53.6	100.1	153.1
Hispanic, female												
2006.....	4.0	*	*	*	*	*	1.5	5.1	11.9	22.5	47.4	76.7
2005.....	3.9	*	*	*	*	*	1.5	3.7	9.3	25.0	55.6	82.8
2004.....	4.1	*	*	*	*	*	1.2	4.1	11.1	27.4	55.8	85.7
2003.....	4.3	*	*	*	*	*	1.7	5.0	10.5	28.4	62.7	89.8
2002.....	4.3	*	*	*	*	0.6	1.4	4.5	13.6	29.0	56.2	96.2
2001.....	4.2	*	*	*	*	*	1.8	4.5	10.9	30.9	55.0	117.3
2000.....	4.4	*	*	*	*	*	1.5	4.7	13.2	31.9	64.1	114.7
1999.....	4.3	*	*	*	*	*	1.8	5.1	12.7	29.3	59.3	115.4

Worktable Orig12. Death rates for 358 selected causes, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2006

[Rates per 100,000 population in specified group. Rates are based on populations enumerated as of April 1 for 2000 and estimated as of July 1 for all other years. Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to 'Detailed technical notes to the United States 2006 data-mortality']

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, and sex	All ages 1/	Under 1 year 2/	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
Other malignant neoplasms of other and unspecified sites (C76-C80,C97)												
Non-Hispanic 4/, both sexes												
2006.....	14.8	*	*	0.1	0.2	0.6	2.2	8.2	22.2	49.9	92.2	138.2
2005.....	15.1	*	*	0.1	0.2	0.5	2.3	8.4	23.5	50.5	93.7	143.7
2004.....	15.0	*	*	0.1	0.3	0.7	2.4	8.4	22.9	51.9	95.7	143.2
2003.....	15.3	*	*	0.1	0.2	0.5	2.3	9.0	23.8	52.9	97.6	149.4
2002.....	15.6	*	*	0.1	0.3	0.7	2.6	9.0	24.8	54.8	97.9	155.8
2001.....	15.5	*	*	0.1	0.3	0.7	2.5	8.9	25.2	54.8	98.4	156.0
2000.....	15.9	*	*	0.1	0.2	0.6	2.6	9.2	25.8	57.3	102.5	159.7
1999.....	17.2	*	*	0.1	0.3	0.8	2.9	9.7	29.1	64.2	110.4	169.6
Non-Hispanic 4/, male												
2006.....	15.6	*	*	*	0.3	0.6	2.2	9.7	27.4	59.2	114.4	171.5
2005.....	15.8	*	*	*	0.2	0.6	2.3	9.9	28.6	61.3	113.7	179.2
2004.....	15.8	*	*	*	0.3	0.7	2.4	9.9	27.8	63.4	118.9	173.1
2003.....	15.9	*	*	*	0.3	0.5	2.4	10.5	28.8	63.5	121.0	183.2
2002.....	16.3	*	*	*	0.4	0.7	2.6	10.8	29.8	67.3	119.7	198.9
2001.....	16.0	*	*	*	0.3	0.7	2.7	10.6	30.2	66.2	120.2	198.7
2000.....	16.3	*	*	*	0.2	0.7	2.7	10.9	30.8	69.4	125.3	201.0
1999.....	17.8	*	*	0.1	0.3	0.9	3.0	11.4	34.9	77.7	134.4	221.3
Non-Hispanic 4/, female												
2006.....	14.1	*	*	*	0.1	0.6	2.3	6.8	17.3	42.1	77.1	122.7
2005.....	14.4	*	*	*	0.2	0.5	2.3	7.0	18.8	41.3	80.1	127.5
2004.....	14.3	*	*	*	0.2	0.7	2.3	6.9	18.4	42.2	80.2	129.8
2003.....	14.7	*	*	*	0.2	0.5	2.2	7.6	19.1	44.0	82.1	134.6
2002.....	14.9	*	*	*	0.2	0.6	2.5	7.4	20.1	44.3	83.4	137.1
2001.....	14.9	*	*	*	0.2	0.6	2.4	7.3	20.6	45.4	84.1	138.2
2000.....	15.4	*	*	*	0.2	0.6	2.5	7.6	21.2	47.4	87.7	143.1
1999.....	16.7	*	*	*	0.2	0.6	2.8	8.1	23.8	53.1	94.8	148.9
Non-Hispanic white, both sexes												
2006 5/.....	16.1	*	*	*	0.2	0.6	2.1	7.8	21.3	49.8	93.3	139.7
2005 5/.....	16.4	*	*	0.1	0.2	0.5	2.2	8.0	22.9	50.1	94.4	146.6
2004 5/.....	16.3	*	*	*	0.3	0.7	2.3	7.7	22.1	51.5	95.9	145.3
2003 5/.....	16.6	*	*	*	0.2	0.5	2.1	8.4	22.9	52.4	98.5	151.0
2002.....	16.8	*	*	*	0.3	0.6	2.4	8.5	24.0	54.1	97.6	156.2
2001.....	16.6	*	*	0.1	0.2	0.6	2.3	8.3	24.1	53.7	98.0	157.8
2000.....	17.0	*	*	*	0.3	0.6	2.4	8.6	25.0	56.6	101.8	161.0
1999.....	18.5	*	*	0.1	0.3	0.8	2.7	9.1	27.8	63.5	109.9	169.2
Non-Hispanic white, male												
2006 5/.....	16.9	*	*	*	0.2	0.6	2.2	9.0	26.2	58.9	115.4	174.1
2005 5/.....	17.0	*	*	*	0.2	0.5	2.2	9.3	27.4	60.0	114.6	182.6
2004 5/.....	16.9	*	*	*	0.3	0.7	2.3	8.9	26.3	62.1	119.4	175.1
2003 5/.....	17.1	*	*	*	0.3	0.5	2.2	9.6	27.5	62.4	121.6	186.4
2002.....	17.5	*	*	*	0.4	0.7	2.3	10.1	28.5	66.6	118.9	201.0
2001.....	17.0	*	*	*	0.3	0.7	2.4	9.7	28.3	64.3	119.2	201.1
2000.....	17.3	*	*	*	0.3	0.7	2.4	9.9	29.0	68.3	123.5	202.1
1999.....	18.9	*	*	*	0.3	0.9	2.8	10.4	33.1	76.3	133.8	221.3
Non-Hispanic white, female												
2006 5/.....	15.3	*	*	*	*	0.5	2.1	6.6	16.5	42.0	77.9	123.7
2005 5/.....	15.8	*	*	*	0.2	0.4	2.2	6.7	18.6	41.6	80.5	130.1
2004 5/.....	15.7	*	*	*	0.2	0.6	2.3	6.7	18.1	42.5	79.9	132.0
2003 5/.....	16.1	*	*	*	0.2	0.5	2.1	7.2	18.6	43.9	82.8	135.4
2002.....	16.1	*	*	*	0.2	0.5	2.5	7.0	19.7	43.4	83.3	136.9
2001.....	16.2	*	*	*	0.2	0.6	2.3	7.0	20.2	44.6	84.0	139.8
2000.....	16.8	*	*	*	0.3	0.6	2.4	7.2	21.1	46.8	87.6	144.4
1999.....	18.0	*	*	*	0.2	0.6	2.6	7.8	22.9	52.7	94.3	148.4

Worktable Orig12. Death rates for 358 selected causes, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2006

[Rates per 100,000 population in specified group. Rates are based on populations enumerated as of April 1 for 2000 and estimated as of July 1 for all other years. Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.odc.gov/nchs> and refer to 'Detailed technical notes to the United States 2006 data-mortality']

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, and sex	All ages 1/	Under 1 year 2/	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
Other malignant neoplasms of other and unspecified sites (C76-C80,C97)												
Non-Hispanic black, both sexes												
2006 5/.....	11.9	*	*	*	*	0.8	3.0	12.4	34.2	62.1	98.7	138.3
2005 5/.....	12.0	*	*	*	*	0.9	3.1	13.2	33.8	63.5	106.3	127.3
2004 5/.....	12.3	*	*	*	*	0.7	3.4	13.8	34.4	66.8	110.4	137.9
2003 5/.....	12.5	*	*	*	*	0.8	3.5	14.7	36.3	67.8	106.9	149.6
2002.....	13.0	*	*	*	*	0.9	3.8	13.8	36.7	71.7	117.5	169.7
2001.....	13.0	*	*	*	0.3	1.0	3.7	14.9	38.2	74.4	115.4	154.2
2000.....	13.1	*	*	*	*	0.6	4.4	15.6	37.5	72.5	123.1	155.8
1999.....	14.4	*	*	*	*	0.8	4.4	16.2	44.7	80.1	129.0	185.9
Non-Hispanic black, male												
2006 5/.....	13.0	*	*	*	*	*	2.9	16.7	44.1	78.8	131.8	165.8
2005 5/.....	13.3	*	*	*	*	1.1	3.2	16.0	46.3	87.2	130.9	166.5
2004 5/.....	13.9	*	*	*	*	*	3.9	18.7	46.8	91.3	139.5	180.9
2003 5/.....	13.6	*	*	*	*	*	3.6	18.6	47.7	88.8	141.4	171.5
2002.....	13.9	*	*	*	*	0.8	4.5	17.0	48.0	89.0	153.9	210.0
2001.....	14.5	*	*	*	*	0.9	4.0	19.7	51.9	97.6	151.2	212.5
2000.....	14.6	*	*	*	*	*	5.1	20.4	52.0	92.4	167.2	204.3
1999.....	15.5	*	*	*	*	0.9	4.4	21.2	58.8	105.4	160.7	242.5
Non-Hispanic black, female												
2006 5/.....	11.0	*	*	*	*	0.9	3.1	8.6	26.3	50.1	80.0	127.1
2005 5/.....	10.9	*	*	*	*	*	2.9	10.7	23.7	46.6	92.3	111.5
2004 5/.....	10.9	*	*	*	*	0.8	3.0	9.6	24.3	49.3	94.0	120.9
2003 5/.....	11.6	*	*	*	*	0.8	3.4	11.4	27.1	52.9	87.3	141.1
2002.....	12.3	*	*	*	*	1.1	3.2	11.1	27.6	59.4	97.0	154.3
2001.....	11.7	*	*	*	*	1.0	3.4	10.8	27.1	58.0	95.4	132.6
2000.....	11.8	*	*	*	*	*	3.7	11.4	25.9	58.5	98.3	137.8
1999.....	13.3	*	*	*	*	*	4.4	11.9	33.3	62.2	111.2	164.8

Worktable Orig12. Death rates for 358 selected causes, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2006

[Rates per 100,000 population in specified group. Rates are based on populations enumerated as of April 1 for 2000 and estimated as of July 1 for all other years. Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to 'Detailed technical notes to the United States 2006 data-mortality']

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, and sex	All ages 1/	Under 1 year 2/	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
Malignant neoplasms of lymphoid, hematopoietic and related tissue (C81-C96)												
All origins 3/, both sexes												
2006.....	18.4	0.8	0.8	0.7	1.6	2.0	3.5	8.5	24.4	65.2	137.8	186.1
2005.....	18.6	0.6	0.8	0.8	1.6	2.0	3.4	8.7	25.1	67.0	138.7	189.8
2004.....	18.6	0.6	0.8	0.9	1.5	2.1	3.4	9.0	25.8	68.2	139.8	189.4
2003.....	19.1	0.8	0.9	1.0	1.5	2.2	3.9	9.3	26.8	70.3	143.3	198.0
2002.....	19.5	0.7	0.8	0.9	1.7	2.3	3.9	9.9	28.2	73.9	143.6	197.5
2001.....	19.8	0.7	1.0	0.9	1.8	2.5	4.1	10.4	29.5	74.6	145.2	199.9
2000.....	20.1	1.0	0.9	0.9	1.8	2.3	4.1	10.7	30.0	76.3	149.2	204.6
1999.....	20.2	0.8	0.9	0.9	1.9	2.4	4.2	10.8	31.8	77.8	148.0	199.4
All origins 3/, male												
2006.....	20.3	*	0.9	0.9	2.0	2.4	4.1	10.5	30.8	82.4	183.1	244.7
2005.....	20.6	*	1.0	1.0	1.9	2.3	4.0	10.4	31.1	86.6	183.0	262.4
2004.....	20.4	*	0.9	1.0	1.9	2.4	4.2	11.0	32.1	87.4	181.3	254.9
2003.....	21.0	*	1.0	1.1	1.8	2.6	4.7	11.4	33.9	90.4	184.8	268.7
2002.....	21.4	*	0.8	1.0	2.0	2.7	4.6	11.9	35.0	95.2	188.0	269.1
2001.....	21.5	*	1.0	1.0	2.1	2.9	5.1	12.7	36.3	94.7	187.0	275.3
2000.....	21.6	1.1	1.0	1.1	2.3	2.7	4.8	13.0	36.1	96.8	192.6	281.8
1999.....	21.7	*	1.0	1.0	2.2	2.8	5.1	13.2	38.8	97.3	189.0	279.0
All origins 3/, female												
2006.....	16.5	*	0.8	0.6	1.1	1.7	2.9	6.6	18.3	50.7	106.8	158.7
2005.....	16.6	*	0.6	0.7	1.2	1.8	2.8	7.0	19.6	50.5	108.6	156.4
2004.....	16.8	*	0.6	0.7	1.2	1.7	2.7	7.0	19.9	52.0	111.8	160.0
2003.....	17.3	1.1	0.8	0.8	1.2	1.7	3.1	7.2	20.1	53.4	115.6	166.8
2002.....	17.7	*	0.7	0.8	1.4	1.9	3.2	7.9	21.9	56.2	114.1	166.5
2001.....	18.1	*	1.0	0.7	1.4	2.1	3.2	8.1	23.1	57.9	117.7	168.4
2000.....	18.6	*	0.9	0.7	1.4	1.9	3.4	8.5	24.4	59.5	120.9	173.1
1999.....	18.7	*	0.8	0.7	1.5	2.0	3.4	8.5	25.3	61.9	121.3	167.3
Hispanic, both sexes												
2006.....	7.0	*	0.7	0.8	2.0	2.0	3.1	7.1	18.6	51.3	93.6	100.9
2005.....	7.3	*	0.8	1.1	2.2	1.9	2.8	8.1	20.9	52.7	97.6	107.8
2004.....	6.9	*	0.8	1.4	2.0	2.0	3.2	7.7	19.8	48.3	95.4	103.2
2003.....	7.1	*	1.3	1.3	1.9	2.0	3.4	8.5	20.4	47.1	99.1	129.6
2002.....	7.3	*	0.9	1.3	2.1	1.9	3.9	7.7	22.1	53.7	100.8	132.5
2001.....	7.4	*	1.3	1.2	2.2	2.2	3.9	8.2	23.9	52.6	103.3	134.4
2000.....	7.5	*	1.0	1.1	2.0	1.9	3.9	8.9	25.0	58.8	103.3	143.3
1999.....	7.5	*	1.0	1.2	2.0	2.1	3.9	10.1	24.2	58.5	101.0	131.9
Hispanic, male												
2006.....	7.4	*	*	0.8	2.5	2.1	3.5	8.3	22.4	60.5	115.7	129.7
2005.....	7.8	*	1.1	1.3	2.7	2.2	3.3	9.0	23.7	64.7	124.9	144.5
2004.....	7.6	*	*	1.8	2.6	2.2	4.1	9.9	23.9	60.8	117.0	119.1
2003.....	7.4	*	1.5	1.5	2.4	2.4	4.2	9.5	24.3	57.4	114.7	149.3
2002.....	7.6	*	*	1.3	2.7	2.3	4.4	8.9	25.2	63.3	119.0	180.7
2001.....	8.3	*	1.4	1.3	2.7	2.7	5.0	9.7	28.9	67.5	142.2	180.9
2000.....	8.0	*	*	1.4	2.3	2.4	4.3	11.1	30.7	71.3	126.9	197.5
1999.....	7.6	*	*	1.3	2.1	2.2	4.2	12.0	29.4	68.5	117.8	135.9
Hispanic, female												
2006.....	6.6	*	*	0.8	1.4	1.8	2.8	6.0	15.1	43.9	78.1	85.7
2005.....	6.7	*	*	0.9	1.5	1.6	2.4	7.0	18.4	43.0	78.6	88.6
2004.....	6.2	*	*	1.1	1.2	1.6	2.2	5.6	16.1	38.2	80.5	95.1
2003.....	6.8	*	*	1.1	1.3	1.5	2.6	7.4	16.8	39.0	88.5	119.5
2002.....	7.0	*	*	1.3	1.5	1.4	3.3	6.5	18.5	46.1	88.3	108.6
2001.....	6.5	*	*	1.1	1.5	1.7	2.6	6.7	19.5	40.8	77.1	111.7
2000.....	6.9	*	*	0.8	1.5	1.4	3.4	6.8	19.8	48.9	87.5	116.7
1999.....	7.4	*	*	1.0	1.9	2.1	3.4	8.3	19.6	50.6	89.9	130.0

Worktable Orig12. Death rates for 358 selected causes, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2006

[Rates per 100,000 population in specified group. Rates are based on populations enumerated as of April 1 for 2000 and estimated as of July 1 for all other years. Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to 'Detailed technical notes to the United States 2006 data-mortality']

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, and sex	All ages 1/	Under 1 year 2/	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
Malignant neoplasms of lymphoid, hematopoietic and related tissue (C81-C96)												
Non-Hispanic 4/, both sexes												
2006.....	20.3	0.8	0.8	0.7	1.5	2.1	3.6	8.7	24.8	66.2	140.4	190.1
2005.....	20.4	*	0.8	0.8	1.4	2.0	3.5	8.7	25.4	68.0	141.0	193.6
2004.....	20.5	*	0.8	0.7	1.4	2.1	3.5	9.1	26.2	69.6	142.1	193.0
2003.....	21.0	0.8	0.8	0.9	1.4	2.2	4.0	9.3	27.2	71.8	145.4	200.5
2002.....	21.3	0.8	0.7	0.8	1.6	2.4	3.9	10.1	28.6	75.1	145.3	199.8
2001.....	21.6	0.6	0.9	0.8	1.7	2.5	4.1	10.5	29.8	75.8	146.8	202.1
2000.....	21.8	1.0	0.9	0.9	1.8	2.4	4.1	10.8	30.3	77.3	150.9	206.5
1999.....	21.9	0.7	0.9	0.8	1.8	2.4	4.3	10.8	32.3	78.8	149.5	201.4
Non-Hispanic 4/, male												
2006.....	22.7	*	0.9	0.9	1.9	2.5	4.3	10.7	31.5	83.9	187.1	250.7
2005.....	22.8	*	1.0	0.9	1.7	2.3	4.1	10.5	31.6	88.2	186.3	268.5
2004.....	22.6	*	0.9	0.8	1.7	2.4	4.2	11.1	32.7	89.3	184.8	261.1
2003.....	23.3	*	0.8	1.0	1.6	2.7	4.8	11.6	34.6	92.6	188.2	273.6
2002.....	23.6	*	0.8	1.0	1.8	2.8	4.7	12.1	35.6	97.0	190.9	272.8
2001.....	23.5	*	1.0	1.0	1.9	2.9	5.0	12.9	36.8	96.3	188.6	278.8
2000.....	23.7	*	1.0	1.0	2.2	2.7	4.8	13.1	36.4	98.1	195.2	285.0
1999.....	23.7	*	0.9	0.9	2.2	2.9	5.2	13.3	39.5	98.7	191.5	284.3
Non-Hispanic 4/, female												
2006.....	18.1	*	0.8	0.6	1.0	1.6	2.9	6.7	18.6	51.2	108.5	162.0
2005.....	18.2	*	0.6	0.6	1.1	1.8	2.9	7.0	19.6	51.0	110.3	159.5
2004.....	18.5	*	0.6	0.6	1.2	1.7	2.8	7.2	20.1	52.9	113.3	162.6
2003.....	18.9	*	0.7	0.8	1.1	1.7	3.2	7.1	20.4	54.3	116.8	168.4
2002.....	19.2	*	0.7	0.7	1.4	2.0	3.1	8.0	22.2	56.8	115.1	168.3
2001.....	19.7	*	0.9	0.7	1.4	2.2	3.3	8.2	23.3	58.9	119.3	170.2
2000.....	20.1	*	0.9	0.7	1.3	2.0	3.4	8.6	24.7	60.1	122.1	174.8
1999.....	20.1	*	0.8	0.7	1.4	2.0	3.4	8.5	25.6	62.5	122.3	168.2
Non-Hispanic white, both sexes												
2006 5/.....	22.6	*	0.9	0.7	1.4	2.0	3.4	8.4	24.5	67.6	145.3	196.6
2005 5/.....	22.8	*	0.7	0.8	1.4	1.8	3.4	8.3	25.3	69.4	146.2	201.5
2004 5/.....	22.7	*	0.8	0.7	1.4	2.0	3.4	8.8	26.1	70.4	145.9	198.8
2003 5/.....	23.4	1.0	0.8	0.9	1.4	2.1	3.8	9.0	27.4	73.2	149.3	207.2
2002.....	23.7	*	0.8	0.8	1.7	2.3	3.8	9.7	28.4	76.7	149.5	206.5
2001.....	23.8	*	1.1	0.8	1.7	2.4	4.0	10.3	29.5	77.2	150.5	208.2
2000.....	24.2	1.3	1.0	0.9	1.7	2.3	4.0	10.5	30.3	79.0	155.1	210.7
1999.....	24.1	*	1.0	0.8	1.8	2.4	4.2	10.6	32.0	80.4	153.0	206.4
Non-Hispanic white, male												
2006 5/.....	25.2	*	0.9	0.8	1.9	2.5	4.0	10.3	31.0	85.5	193.4	258.6
2005 5/.....	25.4	*	0.8	0.9	1.7	2.0	4.0	9.9	31.5	90.1	192.5	281.9
2004 5/.....	25.1	*	0.9	0.9	1.6	2.4	4.1	10.7	32.8	90.3	190.1	270.9
2003 5/.....	26.0	*	0.9	1.0	1.6	2.6	4.7	11.2	34.9	95.2	194.8	284.6
2002.....	26.2	*	0.9	1.0	1.9	2.7	4.5	11.8	35.4	99.3	196.8	283.5
2001.....	25.9	*	1.0	0.8	2.0	2.8	4.7	12.8	36.4	97.9	193.6	288.7
2000.....	26.2	*	1.1	1.0	2.1	2.6	4.8	12.7	36.3	100.1	201.0	293.8
1999.....	26.1	*	1.0	0.9	2.2	2.7	5.0	13.1	39.2	100.7	196.1	291.8
Non-Hispanic white, female												
2006 5/.....	20.2	*	0.9	0.6	1.0	1.6	2.8	6.5	18.2	52.1	111.9	167.7
2005 5/.....	20.2	*	0.6	0.6	1.1	1.6	2.7	6.6	19.4	51.4	114.3	164.7
2004 5/.....	20.4	*	0.6	0.6	1.2	1.5	2.6	7.0	19.8	53.4	115.8	166.5
2003 5/.....	20.8	*	0.7	0.8	1.1	1.6	3.0	6.8	20.3	54.3	118.5	173.1
2002.....	21.2	*	0.7	0.7	1.4	1.9	3.1	7.6	21.7	57.5	117.8	173.2
2001.....	21.8	*	1.1	0.7	1.4	2.0	3.2	7.9	23.0	59.5	122.0	174.6
2000.....	22.3	*	0.9	0.8	1.2	1.9	3.2	8.4	24.6	61.2	125.0	177.2
1999.....	22.2	*	0.9	0.6	1.3	2.0	3.3	8.3	25.2	63.4	124.7	172.4

Worktable Orig12. Death rates for 358 selected causes, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2006

[Rates per 100,000 population in specified group. Rates are based on populations enumerated as of April 1 for 2000 and estimated as of July 1 for all other years. Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.odc.gov/nchs> and refer to 'Detailed technical notes to the United States 2006 data-mortality']

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, and sex	All ages 1/	Under 1 year 2/	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
Malignant neoplasms of lymphoid, hematopoietic and related tissue (C81-C96)												
Non-Hispanic black, both sexes												
2006 5/.....	13.8	*	*	0.8	1.6	2.5	5.3	12.4	33.5	69.9	118.7	145.5
2005 5/.....	13.4	*	1.0	0.7	1.6	3.4	4.7	12.6	31.0	69.8	114.7	139.3
2004 5/.....	14.0	*	*	0.7	1.7	3.1	4.6	12.8	32.9	76.0	125.2	156.3
2003 5/.....	13.9	*	*	0.9	1.5	3.0	5.4	13.4	31.8	74.3	127.4	152.3
2002.....	14.1	*	*	0.8	1.5	3.0	4.8	13.9	36.4	77.0	123.5	153.7
2001.....	14.5	*	*	1.0	1.8	3.5	5.8	13.5	37.1	79.0	127.6	157.3
2000.....	14.3	*	*	0.7	2.3	3.0	5.4	15.0	36.5	76.2	122.3	177.1
1999.....	14.5	*	*	0.9	2.4	3.0	5.6	14.1	39.5	77.5	128.2	162.3
Non-Hispanic black, male												
2006 5/.....	15.5	*	*	1.0	2.0	2.9	6.7	15.8	44.0	92.6	156.0	198.8
2005 5/.....	14.6	*	*	1.0	1.9	3.9	5.5	16.0	39.3	90.0	154.5	168.4
2004 5/.....	14.8	*	*	0.7	2.0	3.4	5.4	16.0	40.3	99.5	152.9	197.1
2003 5/.....	14.5	*	*	0.9	1.7	3.5	6.6	17.1	41.1	88.6	150.3	188.6
2002.....	15.1	*	*	1.0	1.5	3.8	6.2	16.5	45.2	99.4	155.3	203.5
2001.....	15.6	*	*	1.3	2.0	4.0	7.6	16.3	46.6	100.7	161.4	206.7
2000.....	15.2	*	*	0.8	2.8	3.7	5.7	18.2	45.3	97.8	157.4	226.6
1999.....	15.6	*	*	1.2	2.6	3.9	7.0	17.5	48.4	96.9	162.9	221.1
Non-Hispanic black, female												
2006 5/.....	12.3	*	*	*	1.3	2.1	3.9	9.5	25.1	53.6	97.5	123.7
2005 5/.....	12.2	*	*	*	1.3	2.9	4.0	9.7	24.4	55.4	92.2	127.5
2004 5/.....	13.2	*	*	0.7	1.4	2.8	3.9	10.0	27.0	59.2	109.6	140.1
2003 5/.....	13.3	*	*	0.8	1.2	2.5	4.4	10.2	24.3	64.1	114.4	138.3
2002.....	13.1	*	*	*	1.5	2.3	3.5	11.6	29.4	61.2	105.4	134.6
2001.....	13.5	*	*	*	1.7	3.1	4.2	11.1	29.5	63.7	108.7	139.0
2000.....	13.5	*	*	*	1.8	2.5	5.2	12.2	29.4	61.0	102.6	158.7
1999.....	13.6	*	*	0.7	2.1	2.2	4.3	11.1	32.3	63.8	108.7	140.4

Worktable Orig12. Death rates for 358 selected causes, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2006

[Rates per 100,000 population in specified group. Rates are based on populations enumerated as of April 1 for 2000 and estimated as of July 1 for all other years. Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to 'Detailed technical notes to the United States 2006 data-mortality']

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, and sex	All ages 1/	Under 1 year 2/	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
Hodgkin's disease (C81)												
Non-Hispanic 4/, both sexes												
2006.....	0.5	*	*	*	0.2	0.4	0.4	0.4	0.6	1.1	2.2	2.6
2005.....	0.4	*	*	*	0.2	0.3	0.3	0.4	0.6	1.0	2.3	2.0
2004.....	0.5	*	*	*	0.2	0.4	0.3	0.4	0.7	1.2	1.9	2.1
2003.....	0.5	*	*	*	0.2	0.5	0.4	0.4	0.7	1.2	2.2	2.3
2002.....	0.5	*	*	*	0.2	0.4	0.4	0.4	0.6	1.3	1.9	2.8
2001.....	0.5	*	*	*	0.2	0.5	0.4	0.5	0.5	1.1	2.2	2.2
2000.....	0.5	*	*	*	0.2	0.4	0.4	0.4	0.6	1.3	1.9	2.4
1999.....	0.5	*	*	*	0.3	0.4	0.4	0.4	0.7	1.5	2.1	2.3
Non-Hispanic 4/, male												
2006.....	0.6	*	*	*	0.2	0.5	0.5	0.5	0.8	1.3	2.5	3.8
2005.....	0.5	*	*	*	0.1	0.4	0.3	0.4	0.8	1.3	2.4	3.0
2004.....	0.5	*	*	*	0.2	0.4	0.3	0.5	1.0	1.6	2.5	3.1
2003.....	0.5	*	*	*	0.1	0.5	0.5	0.5	0.9	1.5	2.5	2.7
2002.....	0.6	*	*	*	0.2	0.4	0.4	0.5	0.8	1.8	2.4	3.7
2001.....	0.5	*	*	*	0.2	0.5	0.5	0.6	0.7	1.5	2.6	2.5
2000.....	0.5	*	*	*	0.2	0.4	0.4	0.5	0.7	1.6	2.3	3.7
1999.....	0.6	*	*	*	0.3	0.5	0.5	0.5	1.0	1.9	2.3	3.7
Non-Hispanic 4/, female												
2006.....	0.4	*	*	*	0.1	0.3	0.3	0.2	0.4	0.8	2.0	2.1
2005.....	0.4	*	*	*	0.2	0.3	0.2	0.4	0.4	0.8	2.2	1.6
2004.....	0.4	*	*	*	0.2	0.4	0.3	0.3	0.5	0.9	1.5	1.6
2003.....	0.5	*	*	*	0.2	0.4	0.3	0.3	0.6	0.9	1.9	2.2
2002.....	0.4	*	*	*	0.2	0.4	0.3	0.4	0.5	0.8	1.5	2.4
2001.....	0.4	*	*	*	0.2	0.4	0.3	0.4	0.5	0.8	2.0	2.0
2000.....	0.4	*	*	*	0.2	0.4	0.3	0.3	0.6	1.0	1.7	2.0
1999.....	0.5	*	*	*	0.2	0.3	0.3	0.4	0.5	1.2	1.9	1.7
Non-Hispanic white, both sexes												
2006 5/.....	0.5	*	*	*	0.2	0.4	0.4	0.4	0.6	1.1	2.3	2.7
2005 5/.....	0.5	*	*	*	0.2	0.3	0.3	0.4	0.6	1.1	2.4	2.1
2004 5/.....	0.5	*	*	*	0.2	0.4	0.3	0.4	0.7	1.2	2.0	2.1
2003 5/.....	0.6	*	*	*	0.2	0.5	0.4	0.4	0.7	1.2	2.3	2.5
2002.....	0.6	*	*	*	0.2	0.5	0.4	0.5	0.6	1.4	2.0	2.9
2001.....	0.5	*	*	*	0.2	0.5	0.4	0.5	0.6	1.2	2.3	2.3
2000.....	0.5	*	*	*	0.2	0.5	0.4	0.4	0.6	1.3	2.1	2.6
1999.....	0.6	*	*	*	0.3	0.4	0.4	0.5	0.8	1.5	2.2	2.3
Non-Hispanic white, male												
2006 5/.....	0.6	*	*	*	0.2	0.5	0.5	0.5	0.9	1.4	2.6	3.9
2005 5/.....	0.5	*	*	*	0.1	0.3	0.3	0.4	0.8	1.3	2.5	3.2
2004 5/.....	0.6	*	*	*	0.2	0.4	0.3	0.5	1.0	1.6	2.6	3.3
2003 5/.....	0.6	*	*	*	*	0.5	0.5	0.5	0.9	1.5	2.6	2.7
2002.....	0.6	*	*	*	0.2	0.5	0.4	0.5	0.8	1.9	2.6	4.0
2001.....	0.6	*	*	*	0.3	0.5	0.5	0.6	0.7	1.6	2.7	2.6
2000.....	0.6	*	*	*	0.2	0.5	0.4	0.5	0.7	1.6	2.5	3.9
1999.....	0.7	*	*	*	0.3	0.5	0.5	0.5	1.1	2.0	2.5	3.8
Non-Hispanic white, female												
2006 5/.....	0.4	*	*	*	*	0.3	0.3	0.3	0.4	0.9	2.1	2.1
2005 5/.....	0.5	*	*	*	0.2	0.2	0.2	0.4	0.5	0.9	2.4	1.5
2004 5/.....	0.4	*	*	*	0.2	0.3	0.3	0.3	0.5	0.9	1.6	1.6
2003 5/.....	0.5	*	*	*	0.2	0.4	0.3	0.3	0.6	1.0	2.0	2.4
2002.....	0.5	*	*	*	0.2	0.4	0.3	0.4	0.5	0.9	1.6	2.5
2001.....	0.5	*	*	*	0.2	0.4	0.3	0.4	0.5	0.9	2.0	2.3
2000.....	0.5	*	*	*	0.2	0.4	0.3	0.4	0.6	1.1	1.9	2.1
1999.....	0.5	*	*	*	0.2	0.4	0.3	0.4	0.5	1.2	2.0	1.7

Worktable Orig12. Death rates for 358 selected causes, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2006

[Rates per 100,000 population in specified group. Rates are based on populations enumerated as of April 1 for 2000 and estimated as of July 1 for all other years. Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to 'Detailed technical notes to the United States 2006 data-mortality']

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, and sex	All ages 1/	Under 1 year 2/	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
Of other lymphoid, hematopoietic and related tissue (C82-C85,C96)												
All origins 3/, both sexes												
2006.....	6.9	*	*	0.1	0.3	0.5	1.2	3.3	9.2	24.1	53.9	72.7
2005.....	7.1	*	*	0.1	0.3	0.6	1.3	3.3	9.7	24.9	54.6	75.4
2004.....	7.2	*	*	0.1	0.3	0.6	1.2	3.7	9.9	26.2	54.8	75.3
2003.....	7.4	*	*	0.1	0.3	0.6	1.4	3.8	10.8	26.9	56.2	79.0
2002.....	7.6	*	*	0.1	0.4	0.7	1.5	4.0	11.5	28.9	57.4	77.6
2001.....	7.9	*	*	0.1	0.4	0.8	1.7	4.4	12.3	29.4	58.8	80.1
2000.....	8.1	*	*	0.1	0.5	0.7	1.7	4.7	13.1	30.6	61.2	80.7
1999.....	8.2	*	*	0.1	0.4	0.7	1.8	4.8	13.3	31.8	62.0	78.0
All origins 3/, male												
2006.....	7.4	*	*	0.1	0.4	0.7	1.5	4.3	11.8	29.8	67.1	90.2
2005.....	7.7	*	*	0.2	0.4	0.7	1.7	4.4	12.0	31.5	67.6	100.9
2004.....	7.7	*	*	0.1	0.4	0.8	1.7	4.8	12.4	32.5	67.5	96.3
2003.....	8.0	*	*	0.1	0.4	0.8	1.8	4.9	13.8	34.0	69.3	104.0
2002.....	8.2	*	*	0.2	0.5	0.9	2.0	5.0	14.4	36.2	71.0	100.2
2001.....	8.4	*	*	0.1	0.5	0.9	2.2	5.8	15.1	36.7	71.6	107.1
2000.....	8.6	*	*	0.1	0.6	0.9	2.2	6.0	16.0	37.5	74.8	106.6
1999.....	8.6	*	*	0.1	0.5	0.9	2.3	6.2	16.3	38.4	75.0	104.7
All origins 3/, female												
2006.....	6.4	*	*	*	0.2	0.4	0.9	2.3	6.7	19.2	44.8	64.6
2005.....	6.5	*	*	*	0.2	0.5	0.9	2.3	7.5	19.3	45.8	63.7
2004.....	6.7	*	*	*	0.3	0.5	0.8	2.6	7.6	20.8	46.2	65.8
2003.....	6.8	*	*	0.1	0.3	0.4	1.0	2.8	8.0	21.0	47.4	68.0
2002.....	7.1	*	*	*	0.2	0.5	1.1	3.0	8.8	22.9	48.4	67.8
2001.....	7.3	*	*	*	0.3	0.6	1.1	3.1	9.7	23.3	50.4	68.8
2000.....	7.6	*	*	*	0.3	0.6	1.2	3.3	10.5	24.8	52.3	70.2
1999.....	7.8	*	*	*	0.3	0.6	1.2	3.4	10.6	26.5	53.6	67.3
Hispanic, both sexes												
2006.....	2.6	*	*	*	0.4	0.5	0.9	2.7	8.2	18.9	40.2	41.1
2005.....	2.6	*	*	*	0.3	0.4	1.0	2.9	7.7	19.5	44.7	44.5
2004.....	2.6	*	*	*	0.4	0.6	1.2	3.3	7.5	18.8	40.6	43.8
2003.....	2.7	*	*	*	0.4	0.6	1.4	3.0	8.4	19.1	40.4	54.4
2002.....	2.8	*	*	*	0.4	0.6	1.3	3.0	9.4	22.8	43.7	50.4
2001.....	2.7	*	*	*	0.3	0.5	1.4	3.6	10.9	18.5	43.3	59.4
2000.....	2.9	*	*	*	0.3	0.6	1.6	3.6	11.2	25.9	41.7	60.4
1999.....	2.8	*	*	*	*	0.6	1.4	4.4	9.3	25.3	43.1	56.1
Hispanic, male												
2006.....	2.7	*	*	*	0.6	0.5	1.2	3.1	10.2	22.1	47.7	55.3
2005.....	2.7	*	*	*	*	0.5	1.2	3.3	9.1	23.9	52.8	52.3
2004.....	2.8	*	*	*	*	0.7	1.8	4.9	8.8	24.2	47.2	50.4
2003.....	2.8	*	*	*	*	0.8	1.8	3.4	10.5	23.8	45.3	57.0
2002.....	2.8	*	*	*	0.5	0.6	1.5	3.6	11.7	26.0	45.5	60.2
2001.....	3.0	*	*	*	*	0.6	2.0	4.4	13.2	24.6	56.6	68.6
2000.....	3.1	*	*	*	*	0.7	1.9	4.7	14.1	30.2	48.2	84.6
1999.....	2.8	*	*	*	*	*	1.7	5.7	11.8	27.5	48.5	60.4
Hispanic, female												
2006.....	2.4	*	*	*	*	*	0.7	2.2	6.4	16.3	35.0	33.6
2005.....	2.6	*	*	*	*	*	0.8	2.5	6.5	15.9	39.1	40.4
2004.....	2.3	*	*	*	*	*	*	1.6	6.4	14.5	36.1	40.3
2003.....	2.5	*	*	*	*	*	0.9	2.7	6.6	15.3	37.1	53.1
2002.....	2.8	*	*	*	*	*	1.2	2.3	7.4	20.2	42.4	45.6
2001.....	2.4	*	*	*	*	*	0.8	2.8	8.8	13.7	32.9	54.9
2000.....	2.7	*	*	*	*	*	1.3	2.6	8.6	22.6	37.3	48.5
1999.....	2.8	*	*	*	*	*	1.0	3.1	7.1	23.6	39.5	54.1

Worktable Orig12. Death rates for 358 selected causes, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2006

[Rates per 100,000 population in specified group. Rates are based on populations enumerated as of April 1 for 2000 and estimated as of July 1 for all other years. Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to 'Detailed technical notes to the United States 2006 data-mortality']

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, and sex	All ages 1/	Under 1 year 2/	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
Of other lymphoid, hematopoietic and related tissue (C82-C85,C96)												
Non-Hispanic 4/, both sexes												
2006.....	7.6	*	*	0.1	0.3	0.6	1.2	3.3	9.2	24.4	54.7	74.3
2005.....	7.8	*	*	0.1	0.3	0.6	1.3	3.4	9.8	25.3	55.1	76.8
2004.....	7.9	*	*	0.1	0.3	0.7	1.2	3.7	10.1	26.7	55.5	76.6
2003.....	8.1	*	*	0.1	0.3	0.6	1.4	3.9	10.9	27.4	56.9	79.9
2002.....	8.4	*	*	0.1	0.3	0.7	1.5	4.0	11.6	29.3	57.9	78.6
2001.....	8.6	*	*	0.1	0.4	0.8	1.7	4.5	12.4	30.0	59.4	80.8
2000.....	8.8	*	*	0.1	0.5	0.8	1.7	4.7	13.2	30.8	61.9	81.3
1999.....	8.9	*	*	0.1	0.4	0.7	1.8	4.8	13.6	32.2	62.6	78.6
Non-Hispanic 4/, male												
2006.....	8.3	*	*	0.1	0.4	0.7	1.5	4.4	12.0	30.4	68.3	92.0
2005.....	8.5	*	*	0.2	0.4	0.7	1.8	4.5	12.2	32.1	68.4	103.4
2004.....	8.5	*	*	0.1	0.4	0.9	1.7	4.8	12.6	33.1	68.6	98.3
2003.....	8.9	*	*	0.1	0.4	0.8	1.8	5.0	14.0	34.7	70.5	105.9
2002.....	9.0	*	*	0.2	0.4	0.9	2.0	5.1	14.6	36.7	72.0	102.0
2001.....	9.2	*	*	0.1	0.5	0.9	2.3	5.9	15.2	37.4	72.0	108.6
2000.....	9.4	*	*	0.2	0.7	0.9	2.2	6.1	16.0	37.9	75.9	107.4
1999.....	9.5	*	*	0.2	0.5	0.9	2.3	6.2	16.6	38.9	75.8	106.3
Non-Hispanic 4/, female												
2006.....	7.0	*	*	*	0.2	0.4	0.9	2.3	6.7	19.4	45.4	66.0
2005.....	7.1	*	*	*	0.2	0.5	0.9	2.3	7.6	19.6	46.1	64.7
2004.....	7.3	*	*	*	0.3	0.4	0.8	2.7	7.7	21.2	46.7	66.9
2003.....	7.5	*	*	*	0.3	0.5	1.0	2.8	8.1	21.4	47.9	68.5
2002.....	7.7	*	*	*	0.3	0.5	1.1	3.0	8.9	23.0	48.5	68.5
2001.....	8.0	*	*	*	0.3	0.6	1.2	3.1	9.7	23.9	51.1	69.2
2000.....	8.3	*	*	*	0.3	0.6	1.2	3.4	10.6	24.9	52.8	70.8
1999.....	8.4	*	*	*	0.3	0.5	1.3	3.4	10.8	26.6	54.0	67.6
Non-Hispanic white, both sexes												
2006 5/.....	8.7	*	*	0.1	0.2	0.5	1.1	3.3	9.4	25.8	58.1	78.6
2005 5/.....	8.9	*	*	0.1	0.3	0.5	1.3	3.3	10.1	26.7	58.6	81.5
2004 5/.....	9.0	*	*	0.1	0.3	0.6	1.2	3.7	10.4	28.1	58.7	80.5
2003 5/.....	9.3	*	*	0.1	0.3	0.5	1.4	3.8	11.4	28.9	60.1	84.6
2002.....	9.5	*	*	0.2	0.3	0.7	1.5	4.0	12.1	30.7	61.1	83.5
2001.....	9.8	*	*	0.1	0.3	0.7	1.7	4.5	12.7	31.6	62.5	84.6
2000.....	10.1	*	*	0.2	0.4	0.7	1.7	4.8	13.9	32.5	65.4	85.6
1999.....	10.2	*	*	0.1	0.4	0.7	1.7	4.9	14.2	34.0	65.8	82.3
Non-Hispanic white, male												
2006 5/.....	9.4	*	*	*	0.3	0.6	1.3	4.3	12.1	31.9	72.5	96.7
2005 5/.....	9.7	*	*	0.2	0.4	0.6	1.7	4.3	12.5	33.7	72.6	110.3
2004 5/.....	9.7	*	*	*	0.4	0.8	1.7	4.7	13.0	34.6	72.3	104.0
2003 5/.....	10.1	*	*	*	0.4	0.7	1.8	4.9	14.6	36.8	74.6	112.4
2002.....	10.3	*	*	0.2	0.4	0.8	1.9	5.2	15.0	38.5	75.8	108.1
2001.....	10.4	*	*	*	0.4	0.9	2.2	6.0	15.5	39.1	75.5	113.6
2000.....	10.7	*	*	0.2	0.6	0.8	2.2	6.1	16.6	39.7	80.0	113.6
1999.....	10.7	*	*	0.2	0.5	0.8	2.2	6.4	17.0	40.9	79.2	110.3
Non-Hispanic white, female												
2006 5/.....	8.1	*	*	*	*	0.4	0.8	2.3	6.8	20.6	48.2	70.2
2005 5/.....	8.2	*	*	*	*	0.4	0.8	2.3	7.8	20.7	48.9	68.4
2004 5/.....	8.4	*	*	*	0.3	0.4	0.8	2.7	8.0	22.6	49.4	69.9
2003 5/.....	8.5	*	*	*	0.3	0.4	1.0	2.8	8.4	22.1	50.3	72.4
2002.....	8.8	*	*	*	0.2	0.5	1.1	2.9	9.2	24.2	51.2	72.8
2001.....	9.2	*	*	*	0.3	0.5	1.2	3.1	10.1	25.2	53.9	72.5
2000.....	9.5	*	*	*	0.3	0.6	1.1	3.5	11.3	26.4	55.7	74.2
1999.....	9.7	*	*	*	0.2	0.5	1.2	3.5	11.5	28.2	57.0	71.1

Worktable Orig12. Death rates for 358 selected causes, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2006

[Rates per 100,000 population in specified group. Rates are based on populations enumerated as of April 1 for 2000 and estimated as of July 1 for all other years. Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.odc.gov/nchs> and refer to 'Detailed technical notes to the United States 2006 data-mortality']

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, and sex	All ages 1/	Under 1 year 2/	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
Of other lymphoid, hematopoietic and related tissue (C82-C85,C96)												
Non-Hispanic black, both sexes												
2006 5/.....	3.9	*	*	*	0.5	0.9	2.2	4.6	10.3	17.4	28.3	34.5
2005 5/.....	3.7	*	*	*	0.4	1.1	2.0	4.4	9.3	17.3	27.1	34.7
2004 5/.....	3.8	*	*	*	0.5	1.1	1.5	4.9	9.2	18.4	28.5	40.0
2003 5/.....	3.7	*	*	*	0.4	1.1	2.0	5.0	9.1	18.5	28.6	31.5
2002.....	4.0	*	*	*	0.4	1.2	2.0	4.8	10.8	21.7	30.4	31.8
2001.....	4.2	*	*	*	0.6	1.2	2.3	5.1	11.0	21.5	31.1	40.3
2000.....	3.9	*	*	*	0.6	1.1	2.1	5.1	10.8	19.7	27.4	37.2
1999.....	4.1	*	*	*	0.6	1.1	2.5	4.8	11.2	20.5	32.2	40.7
Non-Hispanic black, male												
2006 5/.....	4.5	*	*	*	*	1.1	2.9	6.6	14.0	22.2	32.8	43.1
2005 5/.....	4.2	*	*	*	*	1.3	2.3	6.3	12.4	23.3	31.1	40.9
2004 5/.....	4.1	*	*	*	0.6	1.4	1.9	6.6	12.0	23.5	33.4	43.7
2003 5/.....	3.9	*	*	*	*	1.4	2.4	6.7	11.5	20.7	31.2	35.2
2002.....	4.5	*	*	*	*	1.6	2.9	5.7	13.9	28.4	36.0	43.8
2001.....	4.7	*	*	*	0.8	1.4	3.4	6.7	13.8	28.3	37.8	56.6
2000.....	4.4	*	*	*	0.7	1.2	2.6	7.1	14.9	25.3	32.1	45.8
1999.....	4.7	*	*	*	*	1.6	3.3	6.7	14.9	26.2	41.3	59.4
Non-Hispanic black, female												
2006 5/.....	3.4	*	*	*	*	0.7	1.6	2.8	7.3	13.9	25.7	31.0
2005 5/.....	3.3	*	*	*	*	0.8	1.7	2.7	6.7	13.0	24.8	32.2
2004 5/.....	3.5	*	*	*	*	0.8	1.2	3.4	7.0	14.8	25.8	38.6
2003 5/.....	3.6	*	*	*	*	0.9	1.5	3.4	7.1	17.0	27.2	30.1
2002.....	3.6	*	*	*	*	0.8	1.2	4.0	8.3	16.9	27.2	27.2
2001.....	3.7	*	*	*	*	1.1	1.4	3.7	8.8	16.6	27.3	34.2
2000.....	3.5	*	*	*	*	0.9	1.7	3.3	7.5	15.7	24.8	34.0
1999.....	3.6	*	*	*	*	*	1.7	3.3	8.2	16.5	27.1	33.8

Worktable Orig12. Death rates for 358 selected causes, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2006

[Rates per 100,000 population in specified group. Rates are based on populations enumerated as of April 1 for 2000 and estimated as of July 1 for all other years. Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to 'Detailed technical notes to the United States 2006 data-mortality']

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, and sex	All ages 1/	Under 1 year 2/	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
Non-Hodgkin's lymphoma (C82-C85)												
All origins 3/, both sexes												
2006.....	6.9	*	*	0.1	0.3	0.5	1.2	3.3	9.1	24.0	53.7	72.3
2005.....	7.0	*	*	0.1	0.3	0.6	1.3	3.3	9.6	24.8	54.5	75.2
2004.....	7.1	*	*	0.1	0.3	0.6	1.2	3.7	9.9	26.1	54.6	75.0
2003.....	7.4	*	*	0.1	0.3	0.6	1.4	3.8	10.8	26.8	56.1	78.8
2002.....	7.6	*	*	0.1	0.3	0.7	1.5	3.9	11.5	28.8	57.2	77.3
2001.....	7.8	*	*	0.1	0.4	0.8	1.7	4.4	12.2	29.3	58.6	79.6
2000.....	8.1	*	*	0.1	0.5	0.7	1.7	4.6	13.1	30.4	61.0	80.2
1999.....	8.2	*	*	0.1	0.4	0.7	1.8	4.8	13.3	31.7	61.8	77.7
All origins 3/, male												
2006.....	7.4	*	*	0.1	0.4	0.7	1.5	4.3	11.8	29.7	66.9	89.6
2005.....	7.6	*	*	0.2	0.4	0.7	1.7	4.4	11.9	31.4	67.4	100.5
2004.....	7.6	*	*	0.1	0.4	0.8	1.7	4.8	12.3	32.5	67.3	95.8
2003.....	8.0	*	*	0.1	0.4	0.8	1.8	4.8	13.8	33.9	69.1	103.6
2002.....	8.1	*	*	0.2	0.4	0.9	2.0	5.0	14.4	36.0	70.7	99.7
2001.....	8.4	*	*	0.1	0.5	0.9	2.2	5.8	15.0	36.5	71.3	106.6
2000.....	8.6	*	*	0.1	0.6	0.9	2.1	6.0	15.9	37.4	74.5	105.9
1999.....	8.6	*	*	0.1	0.5	0.9	2.3	6.2	16.2	38.3	74.7	104.4
All origins 3/, female												
2006.....	6.4	*	*	*	0.2	0.4	0.9	2.3	6.7	19.2	44.7	64.2
2005.....	6.5	*	*	*	0.2	0.4	0.9	2.3	7.5	19.3	45.7	63.5
2004.....	6.6	*	*	*	0.3	0.5	0.8	2.6	7.6	20.7	46.0	65.7
2003.....	6.8	*	*	*	0.3	0.4	1.0	2.8	8.0	20.9	47.4	67.8
2002.....	7.1	*	*	*	0.2	0.5	1.1	3.0	8.8	22.8	48.2	67.6
2001.....	7.3	*	*	*	0.3	0.6	1.1	3.1	9.7	23.3	50.2	68.3
2000.....	7.6	*	*	*	0.3	0.6	1.2	3.3	10.5	24.7	52.1	69.8
1999.....	7.7	*	*	*	0.3	0.6	1.2	3.4	10.6	26.4	53.4	66.9
Hispanic, both sexes												
2006.....	2.6	*	*	*	0.4	0.5	0.9	2.7	8.2	18.9	40.1	40.3
2005.....	2.6	*	*	*	0.3	0.4	1.0	2.9	7.7	19.5	44.7	44.5
2004.....	2.6	*	*	*	0.4	0.6	1.2	3.3	7.5	18.7	40.6	43.8
2003.....	2.6	*	*	*	0.4	0.6	1.4	3.0	8.4	19.1	40.4	54.4
2002.....	2.8	*	*	*	0.4	0.6	1.3	3.0	9.4	22.7	43.7	50.4
2001.....	2.7	*	*	*	0.3	0.5	1.4	3.6	10.9	18.3	43.3	59.4
2000.....	2.9	*	*	*	0.3	0.6	1.6	3.6	11.1	25.7	41.5	59.7
1999.....	2.8	*	*	*	*	0.6	1.4	4.4	9.3	25.2	42.7	56.1
Hispanic, male												
2006.....	2.7	*	*	*	0.6	0.5	1.2	3.1	10.2	22.1	47.7	54.1
2005.....	2.7	*	*	*	*	0.5	1.2	3.2	8.9	23.9	52.8	52.3
2004.....	2.8	*	*	*	*	0.7	1.8	4.9	8.8	24.0	47.2	50.4
2003.....	2.8	*	*	*	*	0.8	1.8	3.4	10.5	23.8	45.3	57.0
2002.....	2.7	*	*	*	*	0.6	1.5	3.6	11.7	26.0	45.5	60.2
2001.....	3.0	*	*	*	*	0.6	2.0	4.4	13.2	24.4	56.6	68.6
2000.....	3.1	*	*	*	*	0.7	1.9	4.6	13.9	30.2	48.2	82.6
1999.....	2.8	*	*	*	*	1.7	5.7	11.8	27.5	48.0	48.0	60.4
Hispanic, female												
2006.....	2.4	*	*	*	*	*	0.6	2.2	6.4	16.3	34.7	33.0
2005.....	2.5	*	*	*	*	*	0.8	2.5	6.5	15.9	39.1	40.4
2004.....	2.3	*	*	*	*	*	*	1.6	6.4	14.5	36.1	40.3
2003.....	2.5	*	*	*	*	*	0.9	2.7	6.6	15.3	37.1	53.1
2002.....	2.8	*	*	*	*	*	1.2	2.3	7.4	20.1	42.4	45.6
2001.....	2.4	*	*	*	*	*	0.8	2.8	8.8	13.5	32.9	54.9
2000.....	2.7	*	*	*	*	*	1.3	2.6	8.6	22.2	37.0	48.5
1999.....	2.8	*	*	*	*	*	1.0	3.1	7.1	23.4	39.2	54.1

Worktable Orig12. Death rates for 358 selected causes, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2006

[Rates per 100,000 population in specified group. Rates are based on populations enumerated as of April 1 for 2000 and estimated as of July 1 for all other years. Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data-mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, and sex	All ages 1/	Under 1 year 2/	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
Non-Hodgkin's lymphoma (C82-C85)												
Non-Hispanic 4/, both sexes												
2006.....	7.6	*	*	0.1	0.3	0.6	1.2	3.3	9.2	24.4	54.5	73.9
2005.....	7.8	*	*	0.1	0.3	0.6	1.3	3.4	9.8	25.2	55.0	76.6
2004.....	7.9	*	*	0.1	0.3	0.6	1.2	3.7	10.0	26.6	55.3	76.3
2003.....	8.1	*	*	0.1	0.3	0.6	1.4	3.9	10.9	27.3	56.8	79.6
2002.....	8.3	*	*	0.1	0.3	0.7	1.5	4.0	11.6	29.2	57.7	78.2
2001.....	8.6	*	*	0.1	0.4	0.8	1.7	4.5	12.3	29.9	59.2	80.3
2000.....	8.8	*	*	0.1	0.5	0.8	1.7	4.7	13.2	30.7	61.7	80.9
1999.....	8.9	*	*	0.1	0.4	0.7	1.8	4.8	13.5	32.1	62.4	78.3
Non-Hispanic 4/, male												
2006.....	8.3	*	*	0.1	0.4	0.7	1.5	4.4	11.9	30.3	68.1	91.5
2005.....	8.5	*	*	0.2	0.4	0.7	1.8	4.5	12.2	31.9	68.2	103.0
2004.....	8.5	*	*	0.1	0.4	0.8	1.6	4.8	12.6	33.1	68.4	97.8
2003.....	8.8	*	*	0.1	0.4	0.8	1.8	5.0	14.0	34.5	70.3	105.6
2002.....	9.0	*	*	0.2	0.4	0.9	2.0	5.1	14.6	36.5	71.8	101.4
2001.....	9.2	*	*	0.1	0.5	0.9	2.3	5.9	15.1	37.2	71.7	108.1
2000.....	9.4	*	*	0.2	0.7	0.9	2.2	6.1	15.9	37.7	75.6	106.7
1999.....	9.4	*	*	0.2	0.5	0.9	2.3	6.2	16.5	38.8	75.5	106.0
Non-Hispanic 4/, female												
2006.....	7.0	*	*	*	0.2	0.4	0.9	2.3	6.7	19.4	45.3	65.7
2005.....	7.1	*	*	*	0.2	0.5	0.9	2.3	7.6	19.5	46.0	64.6
2004.....	7.3	*	*	*	0.3	0.4	0.8	2.7	7.7	21.2	46.5	66.7
2003.....	7.4	*	*	*	0.3	0.5	1.0	2.8	8.1	21.3	47.8	68.2
2002.....	7.7	*	*	*	0.3	0.5	1.1	3.0	8.9	23.0	48.3	68.2
2001.....	8.0	*	*	*	0.3	0.6	1.2	3.1	9.7	23.8	50.9	68.7
2000.....	8.3	*	*	*	0.3	0.6	1.2	3.4	10.6	24.8	52.6	70.4
1999.....	8.4	*	*	*	0.3	0.5	1.3	3.4	10.8	26.5	53.9	67.2
Non-Hispanic white, both sexes												
2006 5/.....	8.7	*	*	0.1	0.2	0.5	1.1	3.3	9.3	25.8	57.9	78.2
2005 5/.....	8.9	*	*	0.1	0.3	0.5	1.3	3.3	10.0	26.6	58.4	81.3
2004 5/.....	9.0	*	*	0.1	0.3	0.6	1.2	3.7	10.4	28.1	58.5	80.2
2003 5/.....	9.3	*	*	0.1	0.3	0.5	1.4	3.8	11.4	28.8	60.0	84.3
2002.....	9.5	*	*	0.2	0.3	0.7	1.5	4.0	12.0	30.6	60.9	83.1
2001.....	9.7	*	*	0.1	0.3	0.7	1.7	4.5	12.7	31.4	62.3	84.1
2000.....	10.1	*	*	0.1	0.4	0.7	1.7	4.8	13.8	32.3	65.1	85.1
1999.....	10.1	*	*	0.1	0.4	0.7	1.7	4.9	14.1	33.9	65.6	82.0
Non-Hispanic white, male												
2006 5/.....	9.4	*	*	*	0.3	0.6	1.3	4.3	12.0	31.8	72.2	96.2
2005 5/.....	9.7	*	*	0.2	0.4	0.6	1.7	4.3	12.4	33.6	72.4	109.8
2004 5/.....	9.6	*	*	*	0.4	0.8	1.7	4.7	12.9	34.6	72.0	103.5
2003 5/.....	10.1	*	*	*	0.4	0.7	1.8	4.9	14.6	36.6	74.4	112.0
2002.....	10.2	*	*	0.2	0.4	0.8	1.9	5.1	15.0	36.3	75.6	107.6
2001.....	10.4	*	*	*	0.4	0.9	2.1	6.0	15.5	38.8	75.2	113.1
2000.....	10.6	*	*	0.2	0.6	0.8	2.2	6.1	16.5	39.5	79.6	113.0
1999.....	10.6	*	*	0.2	0.5	0.8	2.2	6.3	17.0	40.8	78.9	110.0
Non-Hispanic white, female												
2006 5/.....	8.1	*	*	*	*	0.4	0.8	2.3	6.8	20.5	48.0	69.8
2005 5/.....	8.2	*	*	*	*	0.4	0.8	2.3	7.8	20.6	48.8	68.3
2004 5/.....	8.4	*	*	*	0.3	0.4	0.8	2.7	8.0	22.5	49.2	69.8
2003 5/.....	8.5	*	*	*	0.3	0.4	1.0	2.8	8.4	22.1	50.3	72.2
2002.....	8.8	*	*	*	0.2	0.5	1.1	2.9	9.2	24.1	51.0	72.6
2001.....	9.2	*	*	*	0.3	0.5	1.2	3.1	10.1	25.2	53.7	72.0
2000.....	9.5	*	*	*	0.3	0.6	1.1	3.4	11.3	26.3	55.6	73.8
1999.....	9.6	*	*	*	0.2	0.5	1.2	3.5	11.4	26.1	56.9	70.8

Worktable Orig12. Death rates for 358 selected causes, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2006

[Rates per 100,000 population in specified group. Rates are based on populations enumerated as of April 1 for 2000 and estimated as of July 1 for all other years. Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.odc.gov/nchs> and refer to 'Detailed technical notes to the United States 2006 data-mortality']

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, and sex	All ages 1/	Under 1 year 2/	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
Non-Hodgkin's lymphoma (C82-C85)												
Non-Hispanic black, both sexes												
2006 5/.....	3.9	*	*	*	0.5	0.9	2.2	4.6	10.2	17.3	28.3	34.5
2005 5/.....	3.7	*	*	*	0.4	1.1	2.0	4.4	9.2	17.2	27.0	34.4
2004 5/.....	3.8	*	*	*	0.5	1.1	1.5	4.8	9.1	18.4	28.2	39.4
2003 5/.....	3.7	*	*	*	0.4	1.1	2.0	4.9	9.1	18.4	28.6	31.2
2002.....	4.0	*	*	*	0.4	1.2	2.0	4.8	10.8	21.6	30.1	31.2
2001.....	4.1	*	*	*	0.6	1.2	2.3	5.1	10.9	21.3	30.6	40.0
2000.....	3.9	*	*	*	0.6	1.1	2.1	5.0	10.8	19.7	27.1	36.6
1999.....	4.1	*	*	*	0.6	1.1	2.4	4.8	11.2	20.5	32.1	40.4
Non-Hispanic black, male												
2006 5/.....	4.4	*	*	*	*	1.0	2.9	6.6	13.9	22.1	32.8	43.1
2005 5/.....	4.2	*	*	*	*	1.3	2.3	6.3	12.3	23.1	31.1	40.9
2004 5/.....	4.1	*	*	*	0.6	1.4	1.9	6.6	12.0	23.5	33.4	42.7
2003 5/.....	3.9	*	*	*	*	1.4	2.4	6.7	11.5	20.7	31.2	35.2
2002.....	4.5	*	*	*	*	1.6	2.9	5.7	13.9	28.3	35.8	43.8
2001.....	4.7	*	*	*	0.8	1.3	3.4	6.7	13.7	28.2	37.2	55.4
2000.....	4.3	*	*	*	*	1.2	2.6	7.0	14.8	25.3	31.8	43.4
1999.....	4.7	*	*	*	*	1.6	3.3	6.6	14.8	26.2	41.0	59.4
Non-Hispanic black, female												
2006 5/.....	3.4	*	*	*	*	0.7	1.6	2.8	7.2	13.9	25.7	31.0
2005 5/.....	3.3	*	*	*	*	0.8	1.7	2.7	6.7	13.0	24.6	31.8
2004 5/.....	3.4	*	*	*	*	0.8	1.2	3.4	6.9	14.8	25.3	38.1
2003 5/.....	3.5	*	*	*	*	0.9	1.5	3.4	7.1	16.9	27.2	29.7
2002.....	3.6	*	*	*	*	0.8	1.2	4.0	8.3	16.9	26.9	26.3
2001.....	3.7	*	*	*	*	1.1	1.4	3.7	8.6	16.5	27.0	34.2
2000.....	3.5	*	*	*	*	0.9	1.7	3.3	7.5	15.7	24.5	34.0
1999.....	3.6	*	*	*	*	*	1.7	3.2	8.2	16.5	27.1	33.3

Worktable Orig12. Death rates for 358 selected causes, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2006

[Rates per 100,000 population in specified group. Rates are based on populations enumerated as of April 1 for 2000 and estimated as of July 1 for all other years. Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to 'Detailed technical notes to the United States 2006 data-mortality']

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, and sex	All ages 1/	Under 1 year 2/	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
Malignant immunoproliferative diseases (C88)												
Non-Hispanic 4/, both sexes												
2006.....	0.1	*	*	*	*	*	*	*	0.1	0.3	1.1	2.0
2005.....	0.1	*	*	*	*	*	*	*	0.1	0.3	1.1	2.2
2004.....	0.1	*	*	*	*	*	*	*	0.1	0.4	1.0	1.6
2003.....	0.1	*	*	*	*	*	*	*	0.1	0.5	1.2	2.3
2002.....	0.2	*	*	*	*	*	*	*	0.2	0.4	1.4	2.0
2001.....	0.1	*	*	*	*	*	*	*	0.2	0.5	1.2	2.1
2000.....	0.1	*	*	*	*	*	*	*	0.2	0.4	1.2	2.2
1999.....	0.2	*	*	*	*	*	*	*	0.2	0.5	1.4	2.8
Non-Hispanic 4/, male												
2006.....	0.2	*	*	*	*	*	*	*	0.1	0.4	1.6	3.2
2005.....	0.2	*	*	*	*	*	*	*	0.2	0.4	1.5	3.9
2004.....	0.1	*	*	*	*	*	*	*	*	0.6	1.4	2.6
2003.....	0.2	*	*	*	*	*	*	*	*	0.7	1.8	3.8
2002.....	0.2	*	*	*	*	*	*	*	0.2	0.7	2.2	2.9
2001.....	0.2	*	*	*	*	*	*	*	0.2	0.7	1.6	3.0
2000.....	0.2	*	*	*	*	*	*	*	*	0.6	1.8	3.5
1999.....	0.2	*	*	*	*	*	*	*	0.3	0.8	1.9	4.0
Non-Hispanic 4/, female												
2006.....	0.1	*	*	*	*	*	*	*	*	*	0.7	1.5
2005.....	0.1	*	*	*	*	*	*	*	*	0.2	0.8	1.4
2004.....	0.1	*	*	*	*	*	*	*	*	0.3	0.7	1.2
2003.....	0.1	*	*	*	*	*	*	*	*	0.3	0.8	1.6
2002.....	0.1	*	*	*	*	*	*	*	*	0.2	0.9	1.7
2001.....	0.1	*	*	*	*	*	*	*	*	0.4	0.9	1.7
2000.....	0.1	*	*	*	*	*	*	*	*	0.3	0.9	1.6
1999.....	0.2	*	*	*	*	*	*	*	0.2	0.3	1.1	2.3
Non-Hispanic white, both sexes												
2006 5/.....	0.2	*	*	*	*	*	*	*	0.1	0.3	1.2	2.2
2005 5/.....	0.2	*	*	*	*	*	*	*	0.1	0.3	1.2	2.4
2004 5/.....	0.1	*	*	*	*	*	*	*	0.1	0.5	1.1	1.8
2003 5/.....	0.2	*	*	*	*	*	*	*	0.1	0.6	1.3	2.5
2002.....	0.2	*	*	*	*	*	*	*	0.2	0.5	1.5	2.1
2001.....	0.2	*	*	*	*	*	*	*	0.2	0.6	1.3	2.2
2000.....	0.2	*	*	*	*	*	*	*	0.2	0.5	1.3	2.2
1999.....	0.2	*	*	*	*	*	*	*	0.2	0.6	1.5	3.0
Non-Hispanic white, male												
2006 5/.....	0.2	*	*	*	*	*	*	*	*	0.4	1.7	3.5
2005 5/.....	0.2	*	*	*	*	*	*	*	*	0.5	1.7	4.3
2004 5/.....	0.2	*	*	*	*	*	*	*	*	0.6	1.5	2.9
2003 5/.....	0.2	*	*	*	*	*	*	*	*	0.8	1.9	4.2
2002.....	0.2	*	*	*	*	*	*	*	0.1	0.7	2.3	3.0
2001.....	0.2	*	*	*	*	*	*	*	0.2	0.7	1.8	3.2
2000.....	0.2	*	*	*	*	*	*	*	0.2	0.7	1.9	3.6
1999.....	0.2	*	*	*	*	*	*	*	0.3	0.9	2.0	4.4
Non-Hispanic white, female												
2006 5/.....	0.1	*	*	*	*	*	*	*	*	*	0.8	1.6
2005 5/.....	0.1	*	*	*	*	*	*	*	*	*	0.9	1.5
2004 5/.....	0.1	*	*	*	*	*	*	*	*	0.3	0.8	1.3
2003 5/.....	0.1	*	*	*	*	*	*	*	*	0.3	0.8	1.8
2002.....	0.1	*	*	*	*	*	*	*	*	0.3	0.9	1.7
2001.....	0.2	*	*	*	*	*	*	*	*	0.4	1.0	1.8
2000.....	0.1	*	*	*	*	*	*	*	*	0.3	0.9	1.7
1999.....	0.2	*	*	*	*	*	*	*	*	0.4	1.1	2.4

Worktable Orig12. Death rates for 358 selected causes, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2006

[Rates per 100,000 population in specified group. Rates are based on populations enumerated as of April 1 for 2000 and estimated as of July 1 for all other years. Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to 'Detailed technical notes to the United States 2006 data-mortality']

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, and sex	All ages 1/	Under 1 year 2/	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
Multiple myeloma and malignant plasma cell neoplasms (C90)												
All origins 3/, both sexes												
2006.....	3.6	*	*	*	*	*	0.3	1.7	5.6	14.7	28.1	31.9
2005.....	3.7	*	*	*	*	*	0.3	1.6	5.9	15.6	28.4	31.5
2004.....	3.6	*	*	*	*	*	0.3	1.6	5.8	15.0	29.7	31.6
2003.....	3.7	*	*	*	*	*	0.3	1.7	5.8	16.0	29.9	34.1
2002.....	3.8	*	*	*	*	*	0.3	1.8	6.1	17.0	29.8	34.7
2001.....	3.8	*	*	*	*	*	0.3	1.7	6.4	16.9	29.8	34.2
2000.....	3.8	*	*	*	*	*	0.3	1.8	6.2	16.9	30.3	35.7
1999.....	3.8	*	*	*	*	0.1	0.3	1.8	6.9	16.7	29.6	33.9
All origins 3/, male												
2006.....	3.9	*	*	*	*	*	0.4	2.0	6.7	17.7	35.9	42.8
2005.....	3.9	*	*	*	*	*	0.4	1.9	6.8	19.3	36.5	42.3
2004.....	3.8	*	*	*	*	*	0.3	1.8	6.8	18.3	36.8	42.1
2003.....	3.9	*	*	*	*	*	0.4	2.1	7.3	19.1	36.0	46.8
2002.....	4.0	*	*	*	*	*	0.3	2.2	7.3	20.4	37.5	48.0
2001.....	4.0	*	*	*	*	*	0.4	2.1	7.6	20.2	37.1	45.1
2000.....	3.9	*	*	*	*	*	0.4	2.1	6.8	19.8	37.9	48.3
1999.....	3.9	*	*	*	*	*	0.4	2.1	8.2	19.4	36.5	47.4
All origins 3/, female												
2006.....	3.4	*	*	*	*	*	0.3	1.4	4.6	12.2	22.7	26.8
2005.....	3.4	*	*	*	*	*	0.2	1.3	5.1	12.5	22.9	26.5
2004.....	3.4	*	*	*	*	*	0.3	1.3	4.9	12.2	24.9	26.9
2003.....	3.6	*	*	*	*	*	0.2	1.4	4.5	13.5	25.9	28.5
2002.....	3.6	*	*	*	*	*	0.3	1.4	5.0	14.1	24.7	29.0
2001.....	3.6	*	*	*	*	*	0.3	1.3	5.4	14.2	25.0	29.7
2000.....	3.7	*	*	*	*	*	0.3	1.6	5.6	14.4	25.4	30.6
1999.....	3.7	*	*	*	*	*	0.3	1.5	5.7	14.5	25.2	28.4
Hispanic, both sexes												
2006.....	1.4	*	*	*	*	*	*	1.5	3.9	14.0	21.4	22.3
2005.....	1.4	*	*	*	*	*	*	1.5	5.4	13.1	20.8	19.3
2004.....	1.3	*	*	*	*	*	*	1.2	5.5	12.2	23.7	18.1
2003.....	1.3	*	*	*	*	*	*	1.4	5.1	12.5	23.3	24.4
2002.....	1.4	*	*	*	*	*	*	1.8	4.9	14.1	26.2	32.2
2001.....	1.4	*	*	*	*	*	*	1.3	5.8	14.7	24.3	29.4
2000.....	1.3	*	*	*	*	*	*	1.4	5.1	14.9	24.1	30.5
1999.....	1.4	*	*	*	*	*	*	1.7	6.8	13.2	22.5	27.4
Hispanic, male												
2006.....	1.3	*	*	*	*	*	*	1.7	4.6	15.9	24.0	30.4
2005.....	1.3	*	*	*	*	*	*	1.8	4.9	15.1	25.7	28.6
2004.....	1.3	*	*	*	*	*	*	1.2	6.3	13.6	30.0	*
2003.....	1.2	*	*	*	*	*	*	1.6	5.6	13.1	24.9	*
2002.....	1.5	*	*	*	*	*	*	2.0	6.5	17.2	30.8	51.9
2001.....	1.5	*	*	*	*	*	*	1.4	6.0	20.0	35.3	38.1
2000.....	1.3	*	*	*	*	*	*	1.5	5.2	18.1	30.0	*
1999.....	1.3	*	*	*	*	*	*	1.8	7.8	14.3	24.0	*
Hispanic, female												
2006.....	1.4	*	*	*	*	*	*	1.2	3.3	12.5	19.5	18.0
2005.....	1.4	*	*	*	*	*	*	1.3	5.8	11.5	17.4	14.3
2004.....	1.3	*	*	*	*	*	*	1.2	4.7	11.1	19.3	18.7
2003.....	1.4	*	*	*	*	*	*	1.2	4.7	12.1	22.1	21.9
2002.....	1.4	*	*	*	*	*	*	1.5	3.5	11.6	23.0	22.4
2001.....	1.3	*	*	*	*	*	*	1.2	5.6	10.6	16.9	25.1
2000.....	1.4	*	*	*	*	*	*	5.1	12.3	20.1	29.7	29.7
1999.....	1.5	*	*	*	*	*	*	1.5	5.9	12.4	21.5	30.2

Worktable Orig12. Death rates for 358 selected causes, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2006

[Rates per 100,000 population in specified group. Rates are based on populations enumerated as of April 1 for 2000 and estimated as of July 1 for all other years. Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to 'Detailed technical notes to the United States 2006 data-mortality']

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, and sex	All ages 1/	Under 1 year 2/	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
Multiple myeloma and malignant plasma cell neoplasms (C90)												
Non-Hispanic 4/, both sexes												
2006.....	4.0	*	*	*	*	*	0.4	1.7	5.7	14.8	28.4	32.4
2005.....	4.0	*	*	*	*	*	0.3	1.6	6.0	15.8	28.8	32.0
2004.....	4.0	*	*	*	*	*	0.3	1.6	5.9	15.2	30.0	32.2
2003.....	4.1	*	*	*	*	*	0.3	1.7	5.9	16.2	30.2	34.4
2002.....	4.2	*	*	*	*	*	0.3	1.8	6.2	17.1	29.9	34.7
2001.....	4.1	*	*	*	*	*	0.3	1.7	6.5	17.0	29.9	34.4
2000.....	4.1	*	*	*	*	*	0.3	1.9	6.2	16.9	30.5	35.9
1999.....	4.1	*	*	*	*	*	0.4	1.8	6.9	16.9	29.8	34.0
Non-Hispanic 4/, male												
2006.....	4.3	*	*	*	*	*	0.4	2.0	6.8	17.8	36.6	43.4
2005.....	4.4	*	*	*	*	*	0.4	2.0	7.0	18.6	37.1	42.9
2004.....	4.2	*	*	*	*	*	0.3	1.9	6.9	18.6	37.2	43.3
2003.....	4.4	*	*	*	*	*	0.5	2.1	7.4	19.5	36.4	47.5
2002.....	4.4	*	*	*	*	*	0.3	2.2	7.4	20.5	37.8	47.7
2001.....	4.3	*	*	*	*	*	0.4	2.1	7.7	20.1	37.0	45.3
2000.....	4.3	*	*	*	*	*	0.4	2.1	6.8	19.9	38.1	49.0
1999.....	4.3	*	*	*	*	*	0.4	2.1	8.2	19.6	36.9	48.2
Non-Hispanic 4/, female												
2006.....	3.7	*	*	*	*	*	0.3	1.4	4.7	12.2	22.9	27.2
2005.....	3.7	*	*	*	*	*	0.2	1.3	5.0	12.6	23.2	27.1
2004.....	3.8	*	*	*	*	*	0.3	1.3	4.9	12.3	25.2	27.2
2003.....	3.9	*	*	*	*	*	0.2	1.4	4.5	13.5	26.0	28.7
2002.....	3.9	*	*	*	*	*	0.3	1.4	5.1	14.3	24.7	29.1
2001.....	4.0	*	*	*	*	*	0.3	1.3	5.4	14.4	25.2	29.8
2000.....	4.0	*	*	*	*	*	0.3	1.6	5.6	14.5	25.6	30.5
1999.....	4.0	*	*	*	*	*	0.3	1.5	5.7	14.6	25.2	28.3
Non-Hispanic white, both sexes												
2006 5/.....	4.1	*	*	*	*	*	0.3	1.4	5.0	13.6	27.4	31.1
2005 5/.....	4.1	*	*	*	*	*	0.3	1.3	5.3	14.5	27.8	31.1
2004 5/.....	4.1	*	*	*	*	*	0.3	1.4	5.2	13.8	28.5	30.8
2003 5/.....	4.2	*	*	*	*	*	0.3	1.4	5.3	15.0	28.5	32.8
2002.....	4.3	*	*	*	*	*	0.2	1.5	5.5	15.9	28.8	33.6
2001.....	4.2	*	*	*	*	*	0.3	1.5	5.6	15.7	28.4	32.9
2000.....	4.2	*	*	*	*	*	0.3	1.6	5.4	15.7	28.9	33.0
1999.....	4.1	*	*	*	*	*	0.3	1.5	5.8	15.6	28.2	32.0
Non-Hispanic white, male												
2006 5/.....	4.4	*	*	*	*	*	0.4	1.7	6.0	16.5	35.5	42.4
2005 5/.....	4.5	*	*	*	*	*	0.4	1.6	6.3	18.3	36.0	42.2
2004 5/.....	4.4	*	*	*	*	*	0.3	1.6	6.2	17.3	35.7	41.9
2003 5/.....	4.5	*	*	*	*	*	0.4	1.7	6.7	18.5	35.1	46.3
2002.....	4.6	*	*	*	*	*	0.3	1.9	6.6	19.5	36.8	47.1
2001.....	4.4	*	*	*	*	*	0.3	1.9	6.7	18.8	35.6	44.1
2000.....	4.4	*	*	*	*	*	0.4	1.8	6.1	18.5	36.6	47.3
1999.....	4.4	*	*	*	*	*	0.3	1.9	7.2	18.4	35.4	46.2
Non-Hispanic white, female												
2006 5/.....	3.7	*	*	*	*	*	0.2	1.1	4.0	11.1	21.7	25.8
2005 5/.....	3.7	*	*	*	*	*	0.2	1.0	4.4	11.2	22.3	26.0
2004 5/.....	3.8	*	*	*	*	*	0.2	1.1	4.2	10.8	23.5	25.8
2003 5/.....	3.9	*	*	*	*	*	0.2	1.1	3.9	12.0	24.1	26.9
2002.....	3.9	*	*	*	*	*	0.2	1.1	4.4	12.9	23.4	27.7
2001.....	4.0	*	*	*	*	*	0.2	1.1	4.5	13.1	23.6	28.2
2000.....	4.0	*	*	*	*	*	0.2	1.4	4.8	13.3	23.8	27.2
1999.....	3.9	*	*	*	*	*	0.2	1.2	4.5	13.3	23.5	26.3

Worktable Orig12. Death rates for 358 selected causes, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2006

[Rates per 100,000 population in specified group. Rates are based on populations enumerated as of April 1 for 2000 and estimated as of July 1 for all other years. Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.odc.gov/nchs> and refer to 'Detailed technical notes to the United States 2006 data-mortality']

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, and sex	All ages 1/	Under 1 year 2/	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
Multiple myeloma and malignant plasma cell neoplasms (C90)												
Non-Hispanic black, both sexes												
2006 5/.....	4.8	*	*	*	*	*	0.7	4.0	12.8	28.1	47.8	52.0
2005 5/.....	4.7	*	*	*	*	*	0.6	3.6	12.5	30.1	47.5	50.0
2004 5/.....	4.9	*	*	*	*	*	0.7	3.5	12.6	30.9	53.5	54.7
2003 5/.....	5.0	*	*	*	*	*	0.8	4.2	12.0	31.2	55.1	60.4
2002.....	4.8	*	*	*	*	*	0.7	4.2	13.2	31.7	48.6	54.4
2001.....	5.0	*	*	*	*	*	0.9	3.6	15.1	31.6	52.9	58.1
2000.....	5.1	*	*	*	*	*	0.8	4.5	14.1	32.3	54.9	71.2
1999.....	5.1	*	*	*	*	*	0.9	4.2	16.5	30.6	53.0	62.7
Non-Hispanic black, male												
2006 5/.....	5.1	*	*	*	*	*	0.8	4.6	16.2	36.2	60.3	66.0
2005 5/.....	4.9	*	*	*	*	*	*	4.6	14.8	36.2	62.5	62.8
2004 5/.....	4.8	*	*	*	*	*	0.8	4.0	14.4	36.8	64.2	72.1
2003 5/.....	4.9	*	*	*	*	*	0.9	5.2	15.6	34.4	63.5	74.6
2002.....	4.8	*	*	*	*	*	0.8	4.8	15.8	37.2	59.2	70.0
2001.....	5.0	*	*	*	*	*	1.1	4.3	18.3	36.9	65.7	70.5
2000.....	4.9	*	*	*	*	*	*	4.9	15.3	39.1	67.3	77.5
1999.....	4.9	*	*	*	*	*	1.1	4.3	18.5	35.3	64.1	80.8
Non-Hispanic black, female												
2006 5/.....	4.6	*	*	*	*	*	0.7	3.4	10.2	22.4	40.7	46.3
2005 5/.....	4.5	*	*	*	*	*	*	2.8	10.7	25.8	38.9	44.8
2004 5/.....	4.9	*	*	*	*	*	*	3.1	11.1	26.7	47.5	47.8
2003 5/.....	5.0	*	*	*	*	*	*	3.4	9.2	29.0	50.4	54.9
2002.....	4.8	*	*	*	*	*	*	3.8	11.2	27.7	42.6	48.5
2001.....	5.0	*	*	*	*	*	0.8	3.0	12.5	27.8	45.7	53.5
2000.....	5.4	*	*	*	*	*	0.9	4.1	13.1	27.6	47.9	68.9
1999.....	5.2	*	*	*	*	*	*	4.2	15.0	27.2	46.7	56.0

Worktable Orig12. Death rates for 358 selected causes, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2006

[Rates per 100,000 population in specified group. Rates are based on populations enumerated as of April 1 for 2000 and estimated as of July 1 for all other years. Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to 'Detailed technical notes to the United States 2006 data-mortality']

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, and sex	All ages 1/	Under 1 year 2/	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
Leukemia (C91-C95)												
All origins 3/, both sexes												
2006.....	7.3	0.8	0.8	0.6	1.1	1.1	1.6	3.2	8.9	25.0	52.6	76.9
2005.....	7.3	0.5	0.7	0.7	1.1	1.1	1.6	3.3	8.8	25.1	52.3	78.7
2004.....	7.3	0.6	0.8	0.8	1.0	1.0	1.6	3.3	9.2	25.4	52.4	78.8
2003.....	7.4	0.7	0.8	0.8	1.0	1.1	1.8	3.3	9.3	25.7	53.9	80.3
2002.....	7.5	0.5	0.7	0.8	1.2	1.2	1.7	3.6	9.8	26.4	53.1	80.5
2001.....	7.5	0.6	1.0	0.8	1.2	1.3	1.7	3.8	10.0	26.7	53.3	81.4
2000.....	7.6	1.0	0.9	0.8	1.2	1.2	1.8	3.7	9.9	27.2	54.5	83.6
1999.....	7.5	0.7	0.8	0.7	1.2	1.2	1.8	3.7	10.6	27.2	52.8	82.4
All origins 3/, male												
2006.....	8.4	*	0.8	0.7	1.4	1.3	1.8	3.7	11.4	33.1	75.9	105.1
2005.....	8.4	*	1.0	0.8	1.4	1.3	1.6	3.6	11.3	34.0	75.0	112.4
2004.....	8.3	*	0.9	0.9	1.3	1.2	1.8	3.8	11.9	34.4	73.2	110.7
2003.....	8.4	*	0.9	0.9	1.2	1.4	2.0	4.0	11.9	35.1	75.3	111.8
2002.....	8.5	*	0.7	0.8	1.4	1.4	1.9	4.2	12.2	36.3	74.9	114.5
2001.....	8.5	*	1.0	0.9	1.4	1.5	1.9	4.2	12.8	35.7	74.2	117.5
2000.....	8.5	1.1	0.9	0.9	1.5	1.4	1.9	4.3	12.5	37.2	75.7	119.8
1999.....	8.4	*	0.8	0.8	1.5	1.4	1.9	4.3	13.1	36.8	73.2	119.2
All origins 3/, female												
2006.....	6.3	*	0.8	0.6	0.8	0.9	1.5	2.7	6.7	18.2	36.7	63.7
2005.....	6.2	*	0.5	0.6	0.8	1.0	1.5	3.0	6.4	17.5	37.0	63.3
2004.....	6.3	*	0.6	0.7	0.8	0.9	1.4	2.8	6.8	17.8	36.4	64.5
2003.....	6.4	1.1	0.8	0.7	0.7	0.8	1.6	2.7	7.0	17.8	39.6	66.4
2002.....	6.5	*	0.6	0.7	1.0	1.0	1.5	3.1	7.6	18.1	38.7	65.7
2001.....	6.6	*	1.0	0.7	1.0	1.1	1.5	3.3	7.5	19.2	39.5	66.3
2000.....	6.7	*	0.9	0.6	0.9	1.0	1.7	3.2	7.6	19.0	40.6	68.8
1999.....	6.7	*	0.7	0.7	1.0	1.1	1.6	3.2	8.3	19.3	39.6	67.6
Hispanic, both sexes												
2006.....	2.8	*	0.7	0.7	1.5	1.3	1.7	2.7	5.9	16.9	29.4	35.2
2005.....	3.0	*	0.7	1.0	1.7	1.3	1.5	3.2	7.0	17.6	28.2	40.6
2004.....	2.8	*	0.8	1.3	1.5	1.1	1.5	3.0	6.3	15.7	28.6	36.2
2003.....	2.9	*	1.2	1.1	1.4	1.1	1.7	3.6	6.3	13.9	32.9	47.2
2002.....	2.8	*	0.8	1.1	1.6	1.1	2.1	2.5	7.2	15.5	27.4	47.1
2001.....	3.0	*	1.3	1.1	1.7	1.5	1.9	2.9	6.5	17.3	33.4	42.5
2000.....	2.9	*	0.9	1.1	1.5	1.1	1.9	3.5	7.8	16.9	32.6	49.1
1999.....	2.9	*	0.9	1.1	1.6	1.4	2.0	3.4	7.0	17.3	31.0	44.2
Hispanic, male												
2006.....	3.0	*	*	0.7	1.8	1.4	1.6	3.0	7.1	20.9	40.5	42.9
2005.....	3.4	*	*	1.1	2.2	1.5	1.7	3.4	8.4	22.9	41.8	57.3
2004.....	3.1	*	*	1.6	2.0	1.3	1.8	3.3	8.1	20.2	37.9	43.4
2003.....	3.2	*	1.4	1.3	1.7	1.3	1.9	4.1	7.6	18.3	40.6	61.6
2002.....	3.0	*	*	1.1	2.0	1.4	2.3	2.8	7.2	18.5	38.6	65.3
2001.....	3.4	*	1.4	1.1	2.2	1.8	2.3	3.3	8.4	19.6	45.6	68.6
2000.....	3.3	*	*	1.3	1.7	1.5	2.0	4.1	10.2	20.7	42.8	76.6
1999.....	3.1	*	*	1.1	1.7	1.4	1.9	3.6	8.6	23.5	39.1	49.6
Hispanic, female												
2006.....	2.6	*	*	0.7	1.2	1.2	1.7	2.5	4.8	13.7	21.7	31.2
2005.....	2.5	*	*	0.9	1.2	1.1	1.3	3.0	5.7	13.4	18.8	31.9
2004.....	2.4	*	*	1.0	0.9	0.9	1.3	2.6	4.6	12.1	22.2	32.4
2003.....	2.6	*	*	1.0	1.0	0.9	1.5	3.2	5.2	10.4	27.7	39.8
2002.....	2.6	*	*	1.2	1.1	0.7	1.9	2.3	7.3	13.1	19.7	38.1
2001.....	2.6	*	*	1.1	1.1	1.1	1.4	2.6	4.8	15.6	25.1	29.8
2000.....	2.6	*	*	0.8	1.3	*	1.8	2.9	5.6	13.9	25.8	35.6
1999.....	2.8	*	*	1.0	1.5	1.3	2.1	3.2	5.6	12.4	25.7	41.6

Worktable Orig12. Death rates for 358 selected causes, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2006

[Rates per 100,000 population in specified group. Rates are based on populations enumerated as of April 1 for 2000 and estimated as of July 1 for all other years. Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to 'Detailed technical notes to the United States 2006 data-mortality']

Table with 13 columns: Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, and sex; All ages 1/; Under 1 year 2/; 1-4 years; 5-14 years; 15-24 years; 25-34 years; 35-44 years; 45-54 years; 55-64 years; 65-74 years; 75-84 years; 85 years and over. Data includes sections for Leukemia (C91-C95), Non-Hispanic 4/, Non-Hispanic 5/, and Non-Hispanic white.

Worktable Orig12. Death rates for 358 selected causes, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2006

[Rates per 100,000 population in specified group. Rates are based on populations enumerated as of April 1 for 2000 and estimated as of July 1 for all other years. Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.odc.gov/nchs> and refer to 'Detailed technical notes to the United States 2006 data-mortality']

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, and sex	All ages 1/	Under 1 year 2/	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
Leukemia (C91-C95)												
Non-Hispanic black, both sexes												
2006 5/.....	4.7	*	*	0.6	1.0	1.1	1.9	3.4	9.7	23.1	41.0	56.8
2005 5/.....	4.5	*	1.0	0.6	1.0	1.6	1.6	4.0	8.6	21.5	39.0	53.0
2004 5/.....	5.0	*	*	0.6	1.0	1.3	2.1	4.0	10.4	25.4	41.7	60.7
2003 5/.....	4.8	*	*	0.7	0.9	1.2	2.4	3.8	9.8	23.4	42.1	60.4
2002.....	4.8	*	*	0.6	0.9	1.3	1.6	4.4	11.5	22.6	42.9	65.3
2001.....	4.9	*	*	0.9	1.0	1.5	2.1	4.3	10.1	25.0	42.1	57.1
2000.....	4.9	*	*	0.6	1.4	1.7	2.1	5.0	10.8	23.1	38.8	66.1
1999.....	4.9	*	*	0.8	1.5	1.3	1.9	4.4	10.8	25.2	41.6	55.9
Non-Hispanic black, male												
2006 5/.....	5.5	*	*	0.9	1.2	1.2	2.5	3.9	12.8	32.5	60.6	87.0
2005 5/.....	5.1	*	*	0.7	1.3	1.6	1.9	4.5	10.8	29.2	59.1	63.8
2004 5/.....	5.5	*	*	0.7	1.1	1.4	2.3	4.9	12.8	37.3	52.8	81.3
2003 5/.....	5.2	*	*	0.7	1.2	1.6	2.8	4.6	12.6	31.5	54.0	78.8
2002.....	5.3	*	*	0.7	1.0	1.5	1.8	5.2	14.1	32.2	58.0	87.5
2001.....	5.4	*	*	1.2	1.1	1.8	2.6	4.6	13.4	34.4	56.1	75.1
2000.....	5.5	*	*	0.7	1.9	2.0	2.0	5.6	14.0	32.3	55.8	98.6
1999.....	5.4	*	*	1.0	1.6	1.5	2.1	5.7	13.7	33.4	55.7	78.4
Non-Hispanic black, female												
2006 5/.....	4.0	*	*	*	0.8	1.1	1.4	2.9	7.3	16.3	29.8	44.5
2005 5/.....	4.1	*	*	*	0.7	1.6	1.3	3.7	6.7	16.0	27.6	48.6
2004 5/.....	4.5	*	*	*	0.9	1.2	1.8	3.2	8.5	17.0	35.4	52.6
2003 5/.....	4.4	*	*	0.8	0.7	0.9	1.9	3.1	7.5	17.6	35.4	53.2
2002.....	4.4	*	*	*	0.8	1.1	1.4	3.6	9.4	15.8	34.3	56.9
2001.....	4.4	*	*	*	1.0	1.1	1.7	4.0	7.4	18.4	34.2	50.5
2000.....	4.4	*	*	*	0.9	1.4	2.2	4.4	8.3	16.5	29.2	54.1
1999.....	4.4	*	*	0.6	1.3	1.1	1.7	3.3	8.5	19.4	33.8	47.5

Worktable Orig12. Death rates for 358 selected causes, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2006

[Rates per 100,000 population in specified group. Rates are based on populations enumerated as of April 1 for 2000 and estimated as of July 1 for all other years. Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to 'Detailed technical notes to the United States 2006 data-mortality']

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, and sex	All ages 1/	Under 1 year 2/	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
Lymphoid leukemia (C91)												
All origins 3/, both sexes												
2006.....	2.1	*	0.3	0.3	0.5	0.4	0.4	0.8	2.3	6.3	14.7	28.9
2005.....	2.1	*	0.3	0.4	0.5	0.3	0.4	0.8	2.2	6.5	14.6	29.2
2004.....	2.1	*	0.3	0.4	0.4	0.3	0.4	0.8	2.4	6.5	14.1	28.9
2003.....	2.2	*	0.4	0.4	0.4	0.3	0.4	0.7	2.3	6.8	15.4	29.6
2002.....	2.2	*	0.2	0.4	0.5	0.3	0.4	0.9	2.5	6.7	14.9	30.1
2001.....	2.2	*	0.3	0.4	0.5	0.4	0.4	0.8	2.5	7.0	15.1	31.2
2000.....	2.2	*	0.3	0.4	0.5	0.3	0.3	0.8	2.4	7.1	15.7	32.0
1999.....	2.2	*	0.3	0.4	0.5	0.3	0.3	0.8	2.8	7.6	15.9	30.8
All origins 3/, male												
2006.....	2.5	*	0.3	0.4	0.7	0.4	0.4	0.9	3.2	8.8	22.3	40.2
2005.....	2.5	*	0.4	0.4	0.6	0.4	0.4	1.0	3.2	9.6	21.1	41.6
2004.....	2.5	*	0.4	0.5	0.6	0.4	0.4	1.0	3.5	9.1	20.1	41.7
2003.....	2.6	*	0.4	0.6	0.6	0.4	0.5	1.0	3.3	10.2	22.1	41.7
2002.....	2.6	*	*	0.5	0.7	0.4	0.6	1.1	3.3	10.0	21.3	43.0
2001.....	2.5	*	0.3	0.5	0.7	0.4	0.5	1.1	3.6	10.0	21.2	43.8
2000.....	2.6	*	0.3	0.5	0.7	0.4	0.4	1.0	3.5	10.4	22.4	43.8
1999.....	2.6	*	0.3	0.4	0.7	0.4	0.4	1.1	3.9	10.7	22.7	45.6
All origins 3/, female												
2006.....	1.7	*	*	0.3	0.3	0.3	0.3	0.6	1.5	4.2	9.5	23.6
2005.....	1.7	*	*	0.3	0.3	0.3	0.3	0.6	1.3	4.0	10.1	23.6
2004.....	1.7	*	*	0.3	0.3	0.2	0.3	0.6	1.3	4.3	10.1	23.1
2003.....	1.8	*	0.4	0.3	0.3	0.2	0.3	0.5	1.4	3.9	10.8	24.3
2002.....	1.8	*	*	0.4	0.4	0.3	0.3	0.6	1.7	4.0	10.6	24.5
2001.....	1.8	*	0.3	0.3	0.3	0.3	0.3	0.6	1.5	4.4	11.0	25.9
2000.....	1.8	*	0.3	0.3	0.3	0.2	0.2	0.6	1.4	4.5	11.2	27.3
1999.....	1.9	*	0.3	0.3	0.3	0.2	0.3	0.5	1.7	5.0	11.5	24.8
Hispanic, both sexes												
2006.....	0.9	*	*	0.4	0.8	0.5	0.5	1.0	1.3	3.5	7.0	8.6
2005.....	1.0	*	*	0.6	0.8	0.5	0.6	1.0	1.7	4.5	7.0	9.8
2004.....	0.9	*	*	0.7	0.8	0.4	0.5	0.5	1.4	3.7	6.3	*
2003.....	0.9	*	0.7	0.7	0.9	0.4	0.6	0.8	1.6	2.6	6.6	15.0
2002.....	0.8	*	*	0.7	0.8	0.3	0.7	0.7	1.6	2.4	5.7	*
2001.....	0.9	*	*	0.7	1.0	0.5	0.5	*	1.5	4.0	6.0	*
2000.....	0.9	*	*	0.6	0.9	0.4	*	1.1	1.2	3.5	6.5	13.3
1999.....	0.9	*	*	0.5	0.9	0.5	0.5	0.7	1.8	2.8	7.5	15.4
Hispanic, male												
2006.....	1.0	*	*	*	1.0	0.5	*	1.3	1.9	3.6	9.8	*
2005.....	1.1	*	*	0.7	1.1	0.6	0.7	*	1.8	6.4	9.0	*
2004.....	1.0	*	*	0.9	1.1	0.6	*	*	*	3.5	7.9	*
2003.....	1.1	*	*	0.9	1.1	0.5	0.8	*	*	4.4	8.4	*
2002.....	0.9	*	*	0.6	0.9	*	0.9	*	*	*	*	*
2001.....	1.0	*	*	0.7	1.3	0.6	*	*	*	4.2	*	*
2000.....	1.0	*	*	0.9	1.0	0.6	*	*	*	4.9	*	*
1999.....	1.0	*	*	*	0.9	0.6	*	*	*	*	*	*
Hispanic, female												
2006.....	0.8	*	*	*	0.7	*	*	*	*	3.4	5.1	*
2005.....	0.8	*	*	*	*	*	*	1.0	1.6	3.0	5.6	*
2004.....	0.8	*	*	0.6	*	*	*	*	*	3.8	5.2	*
2003.....	0.7	*	*	*	0.6	*	*	*	*	*	5.3	*
2002.....	0.8	*	*	0.8	*	*	*	*	*	*	*	*
2001.....	0.7	*	*	0.7	0.6	*	*	*	*	3.8	*	*
2000.....	0.7	*	*	*	0.7	*	*	*	*	*	*	*
1999.....	0.8	*	*	*	0.9	*	*	*	*	*	*	*

Worktable Orig12. Death rates for 358 selected causes, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2006

[Rates per 100,000 population in specified group. Rates are based on populations enumerated as of April 1 for 2000 and estimated as of July 1 for all other years. Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to 'Detailed technical notes to the United States 2006 data-mortality']

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, and sex	All ages 1/	Under 1 year 2/	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
Lymphoid leukemia (C91)												
Non-Hispanic 4/, both sexes												
2006.....	2.4	*	0.3	0.3	0.4	0.3	0.3	0.7	2.4	6.5	15.2	29.8
2005.....	2.3	*	0.2	0.3	0.4	0.3	0.3	0.8	2.2	6.7	15.0	30.2
2004.....	2.3	*	0.2	0.3	0.4	0.3	0.3	0.8	2.4	6.7	14.5	29.7
2003.....	2.4	*	0.3	0.4	0.4	0.3	0.4	0.7	2.4	7.0	15.8	30.2
2002.....	2.4	*	0.2	0.4	0.5	0.3	0.4	0.9	2.5	7.0	15.3	30.8
2001.....	2.4	*	0.2	0.3	0.4	0.3	0.4	0.8	2.6	7.1	15.5	31.9
2000.....	2.4	*	0.3	0.4	0.4	0.2	0.3	0.8	2.5	7.4	16.0	32.6
1999.....	2.4	*	0.3	0.3	0.4	0.3	0.3	0.8	2.8	7.8	16.2	31.3
Non-Hispanic 4/, male												
2006.....	2.8	*	0.3	0.4	0.6	0.4	0.4	0.9	3.4	9.2	23.0	41.8
2005.....	2.8	*	0.3	0.3	0.5	0.4	0.4	1.0	3.3	9.8	21.8	43.1
2004.....	2.7	*	0.4	0.3	0.5	0.4	0.4	1.0	3.7	9.5	20.8	43.1
2003.....	2.8	*	0.3	0.5	0.5	0.4	0.4	1.0	3.5	10.5	22.8	42.6
2002.....	2.8	*	*	0.4	0.6	0.4	0.5	1.1	3.4	10.4	22.0	44.3
2001.....	2.8	*	*	0.4	0.6	0.4	0.4	1.1	3.7	10.4	21.8	44.8
2000.....	2.8	*	*	0.5	0.6	0.3	0.4	1.0	3.6	10.7	23.0	44.8
1999.....	2.9	*	*	0.4	0.6	0.4	0.4	1.1	4.0	11.1	23.3	46.6
Non-Hispanic 4/, female												
2006.....	1.9	*	*	0.3	0.3	0.2	0.2	0.6	1.5	4.3	9.8	24.2
2005.....	1.9	*	*	0.3	0.2	0.2	0.3	0.5	1.2	4.0	10.4	24.3
2004.....	1.9	*	*	0.3	0.3	0.2	0.3	0.6	1.3	4.3	10.3	23.7
2003.....	1.9	*	*	0.3	0.2	0.2	0.3	0.5	1.4	4.1	11.1	24.7
2002.....	2.0	*	*	0.3	0.4	0.3	0.2	0.6	1.7	4.1	10.9	25.0
2001.....	2.0	*	*	0.3	0.3	0.3	0.3	0.6	1.5	4.5	11.3	26.6
2000.....	2.0	*	*	0.3	0.2	0.2	0.2	0.6	1.4	4.6	11.4	27.8
1999.....	2.0	*	*	0.3	0.2	0.2	0.2	0.5	1.7	5.1	11.7	25.2
Non-Hispanic white, both sexes												
2006 5/.....	2.7	*	0.4	0.3	0.4	0.4	0.3	0.7	2.4	6.7	15.9	31.3
2005 5/.....	2.6	*	0.3	0.3	0.4	0.3	0.3	0.7	2.3	6.9	15.6	32.1
2004 5/.....	2.6	*	0.3	0.3	0.4	0.3	0.3	0.8	2.5	6.9	15.0	31.2
2003 5/.....	2.7	*	0.3	0.4	0.4	0.3	0.4	0.7	2.5	7.3	16.6	31.6
2002.....	2.7	*	*	0.4	0.5	0.3	0.4	0.9	2.5	7.3	15.8	32.5
2001.....	2.7	*	0.2	0.3	0.5	0.3	0.4	0.8	2.6	7.3	16.0	33.7
2000.....	2.7	*	0.3	0.4	0.4	0.3	0.3	0.7	2.6	7.6	16.7	33.8
1999.....	2.7	*	0.3	0.3	0.4	0.3	0.3	0.8	2.8	8.1	16.8	32.6
Non-Hispanic white, male												
2006 5/.....	3.2	*	*	0.4	0.6	0.5	0.4	0.9	3.3	9.4	23.9	43.7
2005 5/.....	3.1	*	*	0.4	0.5	0.4	0.4	1.0	3.4	10.1	22.3	46.1
2004 5/.....	3.1	*	*	0.4	0.5	0.4	0.4	1.0	3.7	9.6	21.5	45.2
2003 5/.....	3.2	*	*	0.5	0.5	0.4	0.4	1.0	3.6	10.9	24.0	44.6
2002.....	3.2	*	*	0.4	0.6	0.4	0.6	1.2	3.4	10.9	22.7	46.5
2001.....	3.1	*	*	0.4	0.6	0.4	0.4	1.1	3.7	10.6	22.6	47.5
2000.....	3.1	*	*	0.5	0.6	0.3	0.5	0.9	3.7	11.0	23.9	46.2
1999.....	3.2	*	*	0.4	0.6	0.4	0.4	1.1	4.0	11.4	24.2	48.9
Non-Hispanic white, female												
2006 5/.....	2.2	*	*	0.3	0.3	0.3	0.3	0.6	1.5	4.4	10.3	25.5
2005 5/.....	2.1	*	*	0.3	0.3	0.2	0.3	0.5	1.2	4.1	11.0	25.6
2004 5/.....	2.1	*	*	0.3	0.3	0.2	0.2	0.6	1.3	4.6	10.6	24.9
2003 5/.....	2.2	*	*	0.3	0.2	0.2	0.3	0.5	1.4	4.1	11.5	25.9
2002.....	2.2	*	*	0.4	0.4	0.3	0.3	0.6	1.6	4.2	11.2	26.4
2001.....	2.2	*	*	0.3	0.3	0.3	0.3	0.5	1.5	4.5	11.7	28.0
2000.....	2.3	*	*	0.3	0.2	0.2	0.2	0.5	1.5	4.8	11.9	28.9
1999.....	2.3	*	*	0.3	0.2	0.2	0.2	0.5	1.7	5.4	12.0	26.2

Worktable Orig12. Death rates for 358 selected causes, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2006

[Rates per 100,000 population in specified group. Rates are based on populations enumerated as of April 1 for 2000 and estimated as of July 1 for all other years. Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.odc.gov/nchs> and refer to 'Detailed technical notes to the United States 2006 data-mortality']

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, and sex	All ages 1/	Under 1 year 2/	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
Lymphoid leukemia (C91)												
Non-Hispanic black, both sexes												
2006 5/.....	1.5	*	*	*	0.4	*	0.5	0.8	3.1	7.8	12.3	19.9
2005 5/.....	1.3	*	*	*	*	0.4	*	1.0	2.3	7.0	12.5	16.4
2004 5/.....	1.4	*	*	*	*	*	0.4	1.0	3.0	7.4	13.1	19.9
2003 5/.....	1.4	*	*	*	0.3	*	0.4	0.9	2.4	7.4	11.9	20.2
2002.....	1.4	*	*	*	0.4	*	*	0.8	3.4	6.4	14.1	18.5
2001.....	1.5	*	*	0.4	0.4	*	*	1.3	3.2	7.7	13.4	18.4
2000.....	1.3	*	*	*	0.4	*	*	1.1	2.4	6.7	11.9	25.4
1999.....	1.4	*	*	0.3	0.5	*	0.4	0.9	3.4	7.5	12.6	22.0
Non-Hispanic black, male												
2006 5/.....	1.9	*	*	*	*	*	*	1.0	4.7	11.6	20.3	32.1
2005 5/.....	1.6	*	*	*	*	*	*	1.4	3.1	10.2	20.7	20.0
2004 5/.....	1.8	*	*	*	*	*	*	1.3	4.4	12.5	18.5	31.5
2003 5/.....	1.6	*	*	*	*	*	*	1.4	3.4	10.1	16.2	26.6
2002.....	1.6	*	*	*	*	*	*	1.0	4.5	9.1	20.8	31.7
2001.....	1.7	*	*	*	*	*	*	1.5	4.7	11.1	19.2	25.4
2000.....	1.6	*	*	*	*	*	*	1.5	4.1	10.3	18.5	41.1
1999.....	1.8	*	*	*	*	*	*	1.3	4.7	11.6	17.8	33.3
Non-Hispanic black, female												
2006 5/.....	1.1	*	*	*	*	*	*	*	1.7	5.0	7.7	14.9
2005 5/.....	1.0	*	*	*	*	*	*	*	1.7	4.7	7.8	14.9
2004 5/.....	1.1	*	*	*	*	*	*	*	1.9	3.7	10.0	15.3
2003 5/.....	1.1	*	*	*	*	*	*	*	1.5	5.6	9.5	17.7
2002.....	1.2	*	*	*	*	*	*	*	2.6	4.6	10.3	13.4
2001.....	1.3	*	*	*	*	*	*	1.1	2.0	5.3	10.1	15.8
2000.....	1.1	*	*	*	*	*	*	*	*	4.2	8.2	19.6
1999.....	1.2	*	*	*	*	*	*	*	2.4	4.7	9.6	17.8

Worktable Orig12. Death rates for 358 selected causes, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2006

[Rates per 100,000 population in specified group. Rates are based on populations enumerated as of April 1 for 2000 and estimated as of July 1 for all other years. Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to 'Detailed technical notes to the United States 2006 data-mortality']

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, and sex	All ages 1/	Under 1 year 2/	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
Myeloid leukemia (C92)												
All origins 3/, both sexes												
2006.....	3.4	*	0.3	0.2	0.4	0.6	1.0	1.9	4.9	12.9	23.9	24.8
2005.....	3.4	*	0.4	0.2	0.4	0.6	0.9	1.9	4.8	12.7	23.3	25.8
2004.....	3.4	*	0.4	0.2	0.4	0.6	0.9	1.9	5.0	12.9	23.9	25.6
2003.....	3.4	*	0.3	0.3	0.4	0.6	1.1	2.0	5.1	13.0	23.7	26.1
2002.....	3.4	*	0.3	0.2	0.4	0.6	1.0	2.0	5.4	13.4	23.8	25.7
2001.....	3.5	*	0.5	0.2	0.5	0.7	1.1	2.3	5.4	13.6	23.6	25.1
2000.....	3.5	*	0.4	0.2	0.5	0.7	1.1	2.2	5.4	13.4	23.8	25.3
1999.....	3.3	*	0.4	0.2	0.5	0.7	1.1	2.2	5.5	12.9	21.5	25.6
All origins 3/, male												
2006.....	3.9	*	0.4	0.2	0.5	0.7	1.1	2.0	5.8	17.0	33.6	34.5
2005.....	3.8	*	0.4	0.2	0.4	0.6	0.9	2.0	5.9	16.6	33.9	38.1
2004.....	3.8	*	0.4	0.3	0.5	0.5	1.0	2.1	5.9	17.3	32.7	36.1
2003.....	3.8	*	0.3	0.2	0.4	0.7	1.1	2.2	6.2	17.1	32.9	37.9
2002.....	3.9	*	0.4	0.2	0.4	0.7	1.0	2.2	6.6	17.8	33.7	37.6
2001.....	3.9	*	0.5	0.2	0.5	0.8	1.1	2.4	6.7	17.5	32.6	37.2
2000.....	3.9	*	0.4	0.2	0.6	0.8	1.1	2.5	6.4	17.8	33.2	39.1
1999.....	3.7	*	0.4	0.2	0.5	0.7	1.1	2.4	6.4	17.0	29.4	37.7
All origins 3/, female												
2006.....	3.0	*	0.3	0.2	0.4	0.5	0.9	1.7	4.0	9.5	17.3	20.3
2005.....	2.9	*	0.3	0.2	0.4	0.6	0.9	1.9	3.8	9.4	16.1	20.2
2004.....	3.0	*	0.3	0.2	0.4	0.6	0.9	1.8	4.0	9.2	16.0	20.8
2003.....	3.0	*	*	0.3	0.3	0.5	1.0	1.7	4.0	9.6	17.6	20.9
2002.....	3.0	*	*	0.2	0.4	0.5	0.9	1.8	4.3	9.7	17.3	20.5
2001.....	3.1	*	0.5	0.2	0.5	0.6	1.0	2.2	4.3	10.4	17.6	20.1
2000.....	3.1	*	0.3	0.2	0.4	0.6	1.2	1.9	4.5	9.9	17.7	19.7
1999.....	3.0	*	0.3	0.2	0.5	0.6	1.0	2.0	4.6	9.5	16.3	20.7
Hispanic, both sexes												
2006.....	1.2	*	*	*	0.4	0.5	0.8	1.3	3.0	8.6	12.4	12.9
2005.....	1.3	*	*	*	0.3	0.5	0.7	1.8	3.6	8.9	12.8	14.5
2004.....	1.3	*	*	0.3	0.5	0.5	0.8	1.9	3.3	8.4	12.3	12.4
2003.....	1.3	*	*	0.4	0.3	0.5	0.7	2.1	3.4	7.5	14.1	17.1
2002.....	1.2	*	*	*	0.5	0.5	1.0	1.4	3.5	8.6	12.0	15.5
2001.....	1.4	*	*	*	0.4	0.7	1.1	1.8	3.6	8.8	15.0	16.3
2000.....	1.4	*	*	*	0.5	0.5	1.2	1.8	4.9	9.2	15.6	16.6
1999.....	1.4	*	*	0.4	0.4	0.6	1.1	2.1	3.7	9.7	15.0	14.0
Hispanic, male												
2006.....	1.3	*	*	*	*	0.6	0.9	1.2	3.2	11.0	17.1	*
2005.....	1.5	*	*	*	*	0.6	0.7	2.1	4.8	10.2	21.4	24.9
2004.....	1.4	*	*	*	*	0.6	*	1.0	2.0	4.3	11.8	15.0
2003.....	1.4	*	*	*	*	0.5	0.6	2.4	4.0	10.1	19.6	*
2002.....	1.3	*	*	*	*	0.6	0.6	1.1	1.4	3.5	10.9	16.4
2001.....	1.5	*	*	*	*	0.6	0.9	1.2	2.0	5.3	10.0	17.0
2000.....	1.5	*	*	*	*	0.7	1.1	2.4	6.0	12.0	20.2	*
1999.....	1.4	*	*	*	*	0.6	0.7	0.9	2.0	4.0	13.6	18.8
Hispanic, female												
2006.....	1.1	*	*	*	*	*	0.6	1.4	2.9	6.6	9.1	*
2005.....	1.1	*	*	*	*	*	*	1.6	2.5	7.9	6.7	*
2004.....	1.1	*	*	*	*	0.6	0.7	1.7	2.4	5.7	10.4	*
2003.....	1.2	*	*	*	*	*	0.8	1.8	2.7	5.4	10.3	*
2002.....	1.1	*	*	*	*	*	0.9	1.5	3.5	6.7	9.0	*
2001.....	1.2	*	*	*	*	*	0.9	1.6	2.1	7.9	13.6	*
2000.....	1.2	*	*	*	*	*	1.2	*	3.9	7.0	12.5	*
1999.....	1.4	*	*	*	*	*	1.4	2.2	3.3	6.7	12.5	*

Worktable Orig12. Death rates for 358 selected causes, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2006

[Rates per 100,000 population in specified group. Rates are based on populations enumerated as of April 1 for 2000 and estimated as of July 1 for all other years. Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to 'Detailed technical notes to the United States 2006 data-mortality']

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, and sex	All ages 1/	Under 1 year 2/	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
Myeloid leukemia (C92)												
Non-Hispanic 4/, both sexes												
2006.....	3.8	*	0.4	0.2	0.4	0.6	1.0	2.0	5.0	13.3	24.6	25.4
2005.....	3.7	*	0.4	0.2	0.4	0.6	0.9	1.9	4.9	13.0	23.9	26.3
2004.....	3.7	*	0.4	0.2	0.4	0.6	0.9	1.9	5.1	13.2	24.6	26.2
2003.....	3.7	*	0.2	0.2	0.4	0.6	1.1	1.9	5.2	13.4	24.2	26.4
2002.....	3.8	*	0.3	0.2	0.4	0.7	1.0	2.1	5.5	13.7	24.3	26.0
2001.....	3.8	*	0.5	0.2	0.5	0.7	1.1	2.3	5.6	13.9	23.9	25.4
2000.....	3.8	*	0.4	0.2	0.5	0.7	1.1	2.3	5.4	13.7	24.2	25.5
1999.....	3.6	*	0.3	0.2	0.5	0.7	1.1	2.2	5.6	13.1	21.7	26.0
Non-Hispanic 4/, male												
2006.....	4.3	*	0.4	0.2	0.5	0.7	1.1	2.1	6.0	17.5	34.6	35.4
2005.....	4.2	*	0.5	0.2	0.4	0.5	0.9	2.0	6.0	17.1	34.6	38.8
2004.....	4.2	*	0.4	0.2	0.4	0.6	1.0	2.1	6.1	17.7	33.7	37.2
2003.....	4.3	*	*	0.2	0.4	0.7	1.2	2.2	6.3	17.6	33.6	38.3
2002.....	4.3	*	0.4	0.2	0.4	0.8	1.0	2.3	6.8	18.3	34.4	37.9
2001.....	4.2	*	0.4	0.2	0.4	0.8	1.1	2.4	6.8	18.0	33.3	37.5
2000.....	4.2	*	0.4	0.2	0.6	0.8	1.1	2.5	6.4	18.1	33.7	39.4
1999.....	4.0	*	0.3	0.2	0.5	0.7	1.1	2.5	6.6	17.2	29.8	38.8
Non-Hispanic 4/, female												
2006.....	3.3	*	0.3	0.2	0.4	0.5	1.0	1.8	4.0	9.7	17.8	20.7
2005.....	3.2	*	*	0.2	0.4	0.6	1.0	1.9	3.9	9.5	16.6	20.7
2004.....	3.3	*	*	0.2	0.4	0.6	0.9	1.8	4.2	9.5	18.4	21.2
2003.....	3.2	*	*	0.2	0.4	0.4	1.0	1.7	4.2	9.9	18.0	21.2
2002.....	3.2	*	*	0.2	0.4	0.5	0.9	1.9	4.3	9.9	17.7	20.9
2001.....	3.4	*	0.5	0.2	0.5	0.6	1.0	2.2	4.4	10.5	17.8	20.4
2000.....	3.3	*	0.3	0.2	0.3	0.7	1.2	2.0	4.6	10.1	17.9	19.9
1999.....	3.2	*	0.4	0.2	0.5	0.6	1.0	2.0	4.7	9.7	16.4	20.8
Non-Hispanic white, both sexes												
2006 5/.....	4.3	*	0.3	0.2	0.4	0.6	1.0	2.0	5.2	13.9	25.6	26.2
2005 5/.....	4.2	*	0.3	0.2	0.4	0.5	1.0	1.9	5.1	13.7	25.2	27.5
2004 5/.....	4.2	*	0.3	0.2	0.4	0.6	0.9	1.9	5.2	13.8	25.5	27.4
2003 5/.....	4.2	*	*	0.2	0.4	0.6	1.1	2.0	5.4	14.1	25.3	27.2
2002.....	4.2	*	0.3	0.2	0.4	0.6	1.0	2.1	5.6	14.4	25.3	26.9
2001.....	4.2	*	0.5	0.2	0.5	0.7	1.0	2.3	5.8	14.5	24.8	26.3
2000.....	4.2	*	0.4	0.2	0.4	0.6	1.1	2.2	5.4	14.4	25.2	26.3
1999.....	4.0	*	0.4	0.2	0.4	0.6	1.1	2.2	5.8	13.5	22.4	27.1
Non-Hispanic white, male												
2006 5/.....	4.9	*	*	0.2	0.5	0.7	1.1	2.1	6.2	18.3	36.0	36.1
2005 5/.....	4.8	*	*	0.2	0.4	0.5	0.9	1.9	6.2	18.1	36.2	41.5
2004 5/.....	4.7	*	*	0.2	0.4	0.6	1.0	2.1	6.3	18.4	34.9	39.6
2003 5/.....	4.8	*	*	0.2	0.4	0.7	1.1	2.2	6.5	18.4	35.3	39.9
2002.....	4.8	*	*	0.2	0.4	0.7	1.0	2.3	6.9	19.1	35.8	39.0
2001.....	4.7	*	0.4	0.2	0.4	0.7	1.0	2.4	7.0	18.5	34.7	39.4
2000.....	4.7	*	0.4	0.2	0.5	0.7	1.0	2.5	6.4	18.9	35.4	41.4
1999.....	4.4	*	*	0.2	0.5	0.6	1.1	2.4	6.7	17.7	30.8	40.7
Non-Hispanic white, female												
2006 5/.....	3.7	*	*	*	0.3	0.4	1.0	1.8	4.2	10.2	18.5	21.6
2005 5/.....	3.6	*	*	*	0.4	0.5	1.0	1.9	4.0	9.9	17.6	21.2
2004 5/.....	3.6	*	*	0.2	0.3	0.6	0.9	1.8	4.2	9.8	19.1	21.9
2003 5/.....	3.6	*	*	0.2	0.4	0.5	1.0	1.7	4.3	10.4	18.5	21.6
2002.....	3.6	*	*	0.2	0.4	0.5	0.9	1.9	4.3	10.4	18.3	21.7
2001.....	3.8	*	0.6	0.2	0.5	0.6	1.0	2.2	4.6	11.0	18.3	20.8
2000.....	3.6	*	*	0.2	0.3	0.6	1.1	2.0	4.5	10.6	18.6	20.2
1999.....	3.5	*	0.4	0.2	0.4	0.7	1.0	2.0	4.8	10.0	16.9	21.7

Worktable Orig12. Death rates for 358 selected causes, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2006

[Rates per 100,000 population in specified group. Rates are based on populations enumerated as of April 1 for 2000 and estimated as of July 1 for all other years. Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.odc.gov/nchs> and refer to 'Detailed technical notes to the United States 2006 data-mortality']

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, and sex	All ages 1/	Under 1 year 2/	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
Myeloid leukemia (C92)												
Non-Hispanic black, both sexes												
2006 5/.....	2.2	*	*	*	0.5	0.7	1.1	2.0	4.8	10.6	17.1	17.8
2005 5/.....	2.0	*	*	*	0.4	0.9	1.0	2.4	4.2	9.4	14.1	17.5
2004 5/.....	2.2	*	*	*	0.5	0.8	1.1	2.3	5.1	10.3	17.3	17.8
2003 5/.....	2.2	*	*	0.3	0.5	0.7	1.4	2.2	4.9	10.4	16.9	21.4
2002.....	2.2	*	*	*	0.4	0.8	0.9	2.2	5.7	10.3	16.6	19.7
2001.....	2.2	*	*	*	0.4	0.8	1.4	2.2	4.5	11.5	16.8	17.5
2000.....	2.4	*	*	*	0.8	1.1	1.5	2.9	6.1	10.0	14.6	19.7
1999.....	2.2	*	*	0.3	0.8	0.7	1.2	2.4	5.0	11.1	15.8	14.5
Non-Hispanic black, male												
2006 5/.....	2.4	*	*	*	*	0.8	1.3	2.1	5.7	14.0	23.6	30.2
2005 5/.....	2.1	*	*	*	*	*	1.1	2.6	5.1	11.3	21.6	*
2004 5/.....	2.3	*	*	*	*	0.8	1.2	2.7	5.7	13.7	21.1	20.3
2003 5/.....	2.4	*	*	*	*	0.8	1.6	2.2	5.9	14.3	21.9	32.0
2002.....	2.4	*	*	*	*	0.9	1.1	2.6	7.0	14.2	21.4	32.8
2001.....	2.4	*	*	*	*	1.0	1.6	2.2	5.9	15.9	20.7	*
2000.....	2.5	*	*	*	1.0	1.4	1.4	3.2	7.2	13.2	18.5	23.5
1999.....	2.4	*	*	*	0.8	0.9	1.2	3.1	6.5	14.4	20.6	*
Non-Hispanic black, female												
2006 5/.....	2.0	*	*	*	*	*	1.0	1.9	4.0	8.1	13.4	12.7
2005 5/.....	2.0	*	*	*	*	1.1	0.9	2.3	3.4	8.0	9.9	18.0
2004 5/.....	2.2	*	*	*	*	0.8	1.0	2.0	4.7	7.8	15.1	16.9
2003 5/.....	2.0	*	*	*	*	*	1.2	2.2	4.0	7.6	14.0	17.3
2002.....	2.0	*	*	*	*	0.7	0.8	1.9	4.7	7.6	13.9	14.6
2001.....	2.0	*	*	*	*	*	1.2	2.2	3.3	8.4	14.7	16.7
2000.....	2.2	*	*	*	*	0.9	1.5	2.7	5.3	7.7	12.3	18.3
1999.....	2.0	*	*	*	0.8	*	1.1	1.8	3.8	8.7	13.1	12.4

Worktable Orig12. Death rates for 358 selected causes, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2006

[Rates per 100,000 population in specified group. Rates are based on populations enumerated as of April 1 for 2000 and estimated as of July 1 for all other years. Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to 'Detailed technical notes to the United States 2006 data-mortality']

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, and sex	All ages 1/	Under 1 year 2/	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
Monocytic leukemia (C93)												
Non-Hispanic 4/, both sexes												
2006.....	0.0	*	*	*	*	*	*	*	*	0.1	0.4	0.5
2005.....	0.1	*	*	*	*	*	*	*	*	*	0.4	0.7
2004.....	0.0	*	*	*	*	*	*	*	*	0.1	0.5	0.5
2003.....	0.1	*	*	*	*	*	*	*	*	0.2	0.4	0.6
2002.....	0.1	*	*	*	*	*	*	*	*	0.2	0.4	0.7
2001.....	0.1	*	*	*	*	*	*	*	*	0.2	0.5	0.7
2000.....	0.1	*	*	*	*	*	*	*	*	0.2	0.4	0.7
1999.....	0.1	*	*	*	*	*	*	*	*	0.3	0.5	0.9
Non-Hispanic 4/, male												
2006.....	0.1	*	*	*	*	*	*	*	*	*	0.6	*
2005.....	0.1	*	*	*	*	*	*	*	*	*	0.5	*
2004.....	0.1	*	*	*	*	*	*	*	*	*	0.7	*
2003.....	0.1	*	*	*	*	*	*	*	*	*	0.6	*
2002.....	0.1	*	*	*	*	*	*	*	*	*	0.5	*
2001.....	0.1	*	*	*	*	*	*	*	*	*	0.6	*
2000.....	0.1	*	*	*	*	*	*	*	*	0.3	0.6	*
1999.....	0.1	*	*	*	*	*	*	*	*	0.3	0.8	*
Non-Hispanic 4/, female												
2006.....	0.0	*	*	*	*	*	*	*	*	*	*	*
2005.....	0.0	*	*	*	*	*	*	*	*	*	*	*
2004.....	0.0	*	*	*	*	*	*	*	*	*	0.3	*
2003.....	0.0	*	*	*	*	*	*	*	*	*	0.3	*
2002.....	0.0	*	*	*	*	*	*	*	*	*	*	*
2001.....	0.1	*	*	*	*	*	*	*	*	*	0.4	*
2000.....	0.0	*	*	*	*	*	*	*	*	*	*	*
1999.....	0.1	*	*	*	*	*	*	*	*	0.2	0.4	0.7
Non-Hispanic white, both sexes												
2006 5/.....	0.1	*	*	*	*	*	*	*	*	*	0.4	0.6
2005 5/.....	0.1	*	*	*	*	*	*	*	*	*	0.4	0.8
2004 5/.....	0.1	*	*	*	*	*	*	*	*	0.1	0.5	0.6
2003 5/.....	0.1	*	*	*	*	*	*	*	*	0.2	0.5	0.7
2002.....	0.1	*	*	*	*	*	*	*	*	*	0.4	0.7
2001.....	0.1	*	*	*	*	*	*	*	*	0.2	0.5	0.8
2000.....	0.1	*	*	*	*	*	*	*	*	0.2	0.4	0.7
1999.....	0.1	*	*	*	*	*	*	*	*	0.3	0.5	1.0
Non-Hispanic white, male												
2006 5/.....	0.1	*	*	*	*	*	*	*	*	*	0.6	*
2005 5/.....	0.1	*	*	*	*	*	*	*	*	*	0.6	*
2004 5/.....	0.1	*	*	*	*	*	*	*	*	*	0.8	*
2003 5/.....	0.1	*	*	*	*	*	*	*	*	*	0.6	*
2002.....	0.1	*	*	*	*	*	*	*	*	*	0.6	*
2001.....	0.1	*	*	*	*	*	*	*	*	*	0.6	*
2000.....	0.1	*	*	*	*	*	*	*	*	0.3	0.6	*
1999.....	0.1	*	*	*	*	*	*	*	*	0.3	0.8	*
Non-Hispanic white, female												
2006 5/.....	0.0	*	*	*	*	*	*	*	*	*	*	*
2005 5/.....	0.0	*	*	*	*	*	*	*	*	*	*	*
2004 5/.....	0.0	*	*	*	*	*	*	*	*	*	*	*
2003 5/.....	0.1	*	*	*	*	*	*	*	*	*	0.3	*
2002.....	0.1	*	*	*	*	*	*	*	*	*	*	*
2001.....	0.1	*	*	*	*	*	*	*	*	*	0.4	*
2000.....	0.0	*	*	*	*	*	*	*	*	*	*	*
1999.....	0.1	*	*	*	*	*	*	*	*	*	0.4	0.8

Worktable Orig12. Death rates for 358 selected causes, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2006

[Rates per 100,000 population in specified group. Rates are based on populations enumerated as of April 1 for 2000 and estimated as of July 1 for all other years. Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to 'Detailed technical notes to the United States 2006 data-mortality']

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, and sex	All ages 1/	Under 1 year 2/	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
Other and unspecified leukemia (C94-C95)												
All origins 3/, both sexes												
2006.....	1.7	*	0.1	0.1	0.2	0.2	0.3	0.6	1.7	5.6	13.7	22.7
2005.....	1.8	*	0.1	0.1	0.2	0.2	0.3	0.6	1.7	5.7	14.2	23.0
2004.....	1.8	*	0.1	0.1	0.2	0.2	0.3	0.6	1.9	5.8	13.9	23.8
2003.....	1.8	*	0.2	0.1	0.1	0.2	0.3	0.6	1.9	5.7	14.4	24.0
2002.....	1.8	*	*	0.1	0.2	0.2	0.3	0.7	1.9	6.1	14.0	24.1
2001.....	1.8	*	0.2	0.2	0.2	0.2	0.3	0.7	2.0	5.9	14.2	24.4
2000.....	1.9	*	0.2	0.1	0.2	0.2	0.3	0.7	2.0	6.5	14.6	25.6
1999.....	1.9	*	*	0.2	0.3	0.2	0.3	0.7	2.3	6.5	14.9	25.2
All origins 3/, male												
2006.....	1.9	*	*	0.2	0.2	0.2	0.3	0.7	2.3	7.1	19.5	29.7
2005.....	2.0	*	*	0.1	0.3	0.3	0.3	0.6	2.1	7.7	19.5	31.5
2004.....	2.0	*	*	0.2	0.2	0.2	0.4	0.7	2.4	7.8	19.7	31.7
2003.....	1.9	*	*	0.1	0.2	0.2	0.4	0.8	2.3	7.6	19.6	31.1
2002.....	2.0	*	*	0.2	0.3	0.3	0.3	0.8	2.3	8.2	19.3	32.6
2001.....	2.0	*	0.3	0.2	0.2	0.3	0.3	0.8	2.4	8.0	19.8	35.3
2000.....	2.0	*	*	0.1	0.2	0.3	0.4	0.8	2.5	8.8	19.5	35.7
1999.....	2.1	*	*	0.2	0.3	0.2	0.4	0.8	2.7	8.8	20.3	34.6
All origins 3/, female												
2006.....	1.5	*	*	0.1	0.1	0.2	0.2	0.4	1.2	4.4	9.7	19.5
2005.....	1.6	*	*	0.1	0.1	0.2	0.2	0.6	1.4	4.1	10.5	19.1
2004.....	1.6	*	*	0.1	0.1	0.1	0.3	0.4	1.4	4.2	10.0	20.3
2003.....	1.6	*	*	0.1	0.1	0.1	0.3	0.5	1.5	4.2	10.9	20.8
2002.....	1.6	*	*	0.1	0.2	0.2	0.3	0.6	1.6	4.4	10.5	20.4
2001.....	1.6	*	*	0.1	0.2	0.2	0.2	0.5	1.7	4.3	10.5	19.8
2000.....	1.7	*	*	0.1	0.2	0.2	0.3	0.7	1.6	4.5	11.4	21.4
1999.....	1.8	*	*	0.1	0.2	0.2	0.3	0.6	1.9	4.6	11.5	21.3
Hispanic, both sexes												
2006.....	0.7	*	*	*	*	*	0.4	0.5	1.5	4.8	9.8	13.7
2005.....	0.7	*	*	*	0.4	*	*	*	1.7	4.0	8.4	16.3
2004.....	0.7	*	*	*	*	*	*	0.5	1.5	3.5	10.1	13.8
2003.....	0.7	*	*	*	*	*	0.4	0.7	1.3	3.7	11.9	15.0
2002.....	0.7	*	*	*	0.4	0.3	*	*	2.1	4.3	9.3	21.1
2001.....	0.7	*	*	*	*	*	*	0.7	1.4	4.5	12.3	16.9
2000.....	0.7	*	*	*	*	*	0.4	0.6	1.6	4.0	10.3	19.2
1999.....	0.6	*	*	*	*	*	*	*	1.6	4.6	8.1	14.0
Hispanic, male												
2006.....	0.8	*	*	*	*	*	*	*	1.9	6.2	13.3	*
2005.....	0.8	*	*	*	0.5	*	*	*	1.8	5.9	11.4	*
2004.....	0.8	*	*	*	*	*	*	*	2.1	4.8	15.0	*
2003.....	0.7	*	*	*	*	*	*	*	*	3.7	11.9	*
2002.....	0.8	*	*	*	*	*	*	*	2.1	4.6	14.0	*
2001.....	0.8	*	*	*	*	*	*	*	*	5.2	20.1	*
2000.....	0.7	*	*	*	*	*	*	*	*	*	13.8	*
1999.....	0.7	*	*	*	*	*	*	*	*	6.2	*	*
Hispanic, female												
2006.....	0.7	*	*	*	*	*	*	*	*	3.7	7.3	*
2005.....	0.6	*	*	*	*	*	*	*	*	*	6.3	14.3
2004.....	0.5	*	*	*	*	*	*	*	*	*	6.7	*
2003.....	0.7	*	*	*	*	*	*	*	*	3.7	11.9	*
2002.....	0.7	*	*	*	*	*	*	*	2.0	4.1	6.2	19.9
2001.....	0.7	*	*	*	*	*	*	*	*	3.9	7.0	*
2000.....	0.6	*	*	*	*	*	*	*	*	4.3	7.9	*
1999.....	0.6	*	*	*	*	*	*	*	*	3.4	6.9	*

Worktable Orig12. Death rates for 358 selected causes, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2006

[Rates per 100,000 population in specified group. Rates are based on populations enumerated as of April 1 for 2000 and estimated as of July 1 for all other years. Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to 'Detailed technical notes to the United States 2006 data-mortality']

Table with columns for Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, and sex, and 13 age groups (All ages 1/, Under 1 year 2/, 1-4 years, 5-14 years, 15-24 years, 25-34 years, 35-44 years, 45-54 years, 55-64 years, 65-74 years, 75-84 years, 85 years and over). Rows include categories like 'Other and unspecified leukemia (C94-C95)' and 'Non-Hispanic white, both sexes'.

Worktable Orig12. Death rates for 358 selected causes, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2006

[Rates per 100,000 population in specified group. Rates are based on populations enumerated as of April 1 for 2000 and estimated as of July 1 for all other years. Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.odc.gov/nchs> and refer to 'Detailed technical notes to the United States 2006 data-mortality']

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, and sex	All ages 1/	Under 1 year 2/	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
Other and unspecified leukemia (C94-C95)												
Non-Hispanic black, both sexes												
2006 5/.....	1.1	*	*	*	*	*	*	0.6	1.9	4.6	11.6	18.6
2005 5/.....	1.2	*	*	*	*	*	*	0.6	2.0	5.1	12.3	19.1
2004 5/.....	1.3	*	*	*	*	*	0.5	0.7	2.3	7.8	11.2	22.7
2003 5/.....	1.2	*	*	*	*	*	0.5	0.8	2.5	5.3	13.2	18.7
2002.....	1.3	*	*	*	*	*	*	1.3	2.3	5.8	12.0	26.3
2001.....	1.2	*	*	*	*	*	0.4	0.8	2.4	5.8	11.7	20.9
2000.....	1.2	*	*	*	*	*	0.4	0.9	2.2	6.2	12.2	20.4
1999.....	1.2	*	*	*	*	*	*	1.1	2.4	6.3	12.8	19.4
Non-Hispanic black, male												
2006 5/.....	1.2	*	*	*	*	*	*	*	2.4	6.6	16.7	23.8
2005 5/.....	1.3	*	*	*	*	*	*	*	2.4	7.7	16.5	27.6
2004 5/.....	1.3	*	*	*	*	*	*	*	2.8	11.1	12.8	28.5
2003 5/.....	1.2	*	*	*	*	*	*	1.0	3.2	6.8	15.9	*
2002.....	1.3	*	*	*	*	*	*	1.5	2.6	8.9	15.5	21.9
2001.....	1.3	*	*	*	*	*	*	*	2.7	7.4	15.9	30.0
2000.....	1.4	*	*	*	*	*	*	*	2.7	8.8	18.5	32.9
1999.....	1.2	*	*	*	*	*	*	1.2	2.5	7.2	16.6	25.0
Non-Hispanic black, female												
2006 5/.....	1.0	*	*	*	*	*	*	*	1.4	3.2	8.7	16.4
2005 5/.....	1.1	*	*	*	*	*	*	*	1.6	3.2	9.9	15.7
2004 5/.....	1.3	*	*	*	*	*	*	*	2.0	5.4	10.3	20.5
2003 5/.....	1.2	*	*	*	*	*	*	*	1.9	4.3	11.7	18.2
2002.....	1.3	*	*	*	*	*	*	1.1	2.1	3.5	9.9	28.0
2001.....	1.1	*	*	*	*	*	*	*	2.0	4.7	9.3	17.5
2000.....	1.0	*	*	*	*	*	*	*	1.8	4.4	8.7	15.7
1999.....	1.3	*	*	*	*	*	*	1.0	2.2	5.7	10.7	17.3

Worktable Orig12. Death rates for 358 selected causes, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2006

[Rates per 100,000 population in specified group. Rates are based on populations enumerated as of April 1 for 2000 and estimated as of July 1 for all other years. Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to 'Detailed technical notes to the United States 2006 data-mortality']

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, and sex	All ages 1/	Under 1 year 2/	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
Benign neoplasms (D10-D36)												
Non-Hispanic 4/, both sexes												
2006.....	0.5	*	*	*	*	0.1	0.2	0.3	0.5	1.2	3.2	7.0
2005.....	0.5	*	*	*	*	0.1	0.2	0.3	0.6	1.2	3.2	6.6
2004.....	0.6	*	*	*	*	0.1	0.1	0.3	0.6	1.3	3.7	7.9
2003.....	0.6	*	*	*	*	0.1	0.2	0.3	0.6	1.4	3.7	7.4
2002.....	0.6	*	*	*	*	0.1	0.2	0.4	0.6	1.6	3.6	7.8
2001.....	0.6	*	*	*	0.1	0.1	0.1	0.3	0.7	1.5	3.6	8.7
2000.....	0.6	*	*	*	*	0.1	0.2	0.3	0.6	1.5	4.2	8.9
1999.....	0.6	*	*	*	*	0.1	0.1	0.3	0.7	1.6	4.1	8.6
Non-Hispanic 4/, male												
2006.....	0.4	*	*	*	*	*	0.1	0.3	0.4	1.3	3.2	6.1
2005.....	0.4	*	*	*	*	*	0.1	0.2	0.4	1.1	2.8	6.3
2004.....	0.4	*	*	*	*	*	0.1	0.2	0.5	1.1	3.4	7.5
2003.....	0.5	*	*	*	*	*	0.2	0.3	0.6	1.5	3.7	7.5
2002.....	0.5	*	*	*	*	*	0.2	0.3	0.6	1.6	3.3	6.2
2001.....	0.5	*	*	*	*	*	0.1	0.3	0.8	1.4	4.0	9.1
2000.....	0.5	*	*	*	*	*	0.1	0.3	0.5	1.5	3.8	8.8
1999.....	0.5	*	*	*	*	*	0.1	0.3	0.7	1.6	3.7	9.6
Non-Hispanic 4/, female												
2006.....	0.6	*	*	*	*	*	0.2	0.3	0.6	1.1	3.2	7.4
2005.....	0.6	*	*	*	*	*	0.2	0.3	0.7	1.3	3.4	6.7
2004.....	0.7	*	*	*	*	0.1	0.2	0.4	0.7	1.4	3.9	8.1
2003.....	0.7	*	*	*	*	*	0.2	0.3	0.6	1.3	3.7	7.3
2002.....	0.7	*	*	*	*	*	0.2	0.4	0.6	1.6	3.9	8.6
2001.....	0.7	*	*	*	*	0.1	0.2	0.3	0.7	1.5	3.4	8.5
2000.....	0.7	*	*	*	*	*	0.3	0.3	0.7	1.5	4.4	8.9
1999.....	0.7	*	*	*	*	*	0.1	0.3	0.7	1.6	4.3	8.2
Non-Hispanic white, both sexes												
2006 5/.....	0.5	*	*	*	*	0.1	0.1	0.3	0.4	1.2	3.1	7.0
2005 5/.....	0.5	*	*	*	*	*	0.1	0.2	0.4	1.1	3.0	6.4
2004 5/.....	0.6	*	*	*	*	0.1	0.1	0.3	0.6	1.1	3.5	7.8
2003 5/.....	0.6	*	*	*	*	0.1	0.1	0.3	0.6	1.2	3.7	7.3
2002.....	0.6	*	*	*	*	*	0.1	0.2	0.3	0.6	1.5	3.5
2001.....	0.6	*	*	*	*	0.1	0.1	0.3	0.6	1.4	3.5	8.2
2000.....	0.6	*	*	*	*	*	0.1	0.3	0.6	1.4	4.1	8.8
1999.....	0.6	*	*	*	*	*	0.1	0.2	0.6	1.5	3.9	8.6
Non-Hispanic white, male												
2006 5/.....	0.4	*	*	*	*	*	*	0.3	0.3	1.2	3.1	5.6
2005 5/.....	0.4	*	*	*	*	*	*	0.2	0.3	1.0	2.7	6.4
2004 5/.....	0.4	*	*	*	*	*	*	0.2	0.5	1.1	3.1	7.4
2003 5/.....	0.5	*	*	*	*	*	0.1	0.3	0.6	1.3	3.6	7.5
2002.....	0.5	*	*	*	*	*	0.2	0.3	0.6	1.6	3.2	5.6
2001.....	0.5	*	*	*	*	*	*	0.3	0.6	1.3	3.8	8.6
2000.....	0.5	*	*	*	*	*	*	0.3	0.4	1.3	3.8	8.8
1999.....	0.5	*	*	*	*	*	*	0.2	0.6	1.5	3.5	9.7
Non-Hispanic white, female												
2006 5/.....	0.6	*	*	*	*	*	*	0.2	0.5	1.1	3.1	7.6
2005 5/.....	0.6	*	*	*	*	*	0.2	0.3	0.6	1.2	3.2	6.4
2004 5/.....	0.7	*	*	*	*	*	0.1	0.3	0.7	1.2	3.8	8.0
2003 5/.....	0.7	*	*	*	*	*	0.2	0.3	0.6	1.2	3.8	7.2
2002.....	0.7	*	*	*	*	*	0.2	0.4	0.6	1.5	3.7	8.2
2001.....	0.7	*	*	*	*	*	0.1	0.3	0.6	1.4	3.3	8.0
2000.....	0.8	*	*	*	*	*	0.2	0.2	0.7	1.5	4.3	8.8
1999.....	0.7	*	*	*	*	*	*	0.2	0.7	1.4	4.2	8.2

Worktable Orig12. Death rates for 358 selected causes, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2006

[Rates per 100,000 population in specified group. Rates are based on populations enumerated as of April 1 for 2000 and estimated as of July 1 for all other years. Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to 'Detailed technical notes to the United States 2006 data-mortality']

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, and sex	All ages 1/	Under 1 year 2/	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
Benign neoplasms (D10-D36)												
Non-Hispanic black, both sexes												
2006 5/.....	0.5	*	*	*	*	*	*	0.7	1.0	1.4	4.8	7.7
2005 5/.....	0.6	*	*	*	*	*	0.4	0.6	1.5	2.1	4.7	9.6
2004 5/.....	0.6	*	*	*	*	*	*	0.5	1.1	2.7	5.9	10.4
2003 5/.....	0.6	*	*	*	*	*	0.5	0.6	0.9	2.9	4.2	8.0
2002.....	0.6	*	*	*	*	*	*	0.7	1.1	2.7	5.5	11.5
2001.....	0.7	*	*	*	*	*	*	0.6	1.8	2.5	5.6	15.3
2000.....	0.6	*	*	*	*	*	0.5	0.6	0.8	2.7	5.7	10.2
1999.....	0.7	*	*	*	*	*	*	0.7	1.8	2.8	6.6	8.7
Non-Hispanic black, male												
2006 5/.....	0.4	*	*	*	*	*	*	*	*	*	5.6	*
2005 5/.....	0.4	*	*	*	*	*	*	*	*	*	*	*
2004 5/.....	0.5	*	*	*	*	*	*	*	*	*	7.4	*
2003 5/.....	0.5	*	*	*	*	*	*	*	*	3.6	*	*
2002.....	0.5	*	*	*	*	*	*	*	*	*	*	*
2001.....	0.6	*	*	*	*	*	*	*	2.1	*	6.3	*
2000.....	0.4	*	*	*	*	*	*	*	*	3.0	*	*
1999.....	0.6	*	*	*	*	*	*	*	2.1	*	7.5	*
Non-Hispanic black, female												
2006 5/.....	0.7	*	*	*	*	*	*	1.1	*	*	4.4	*
2005 5/.....	0.8	*	*	*	*	*	0.7	*	1.9	2.1	5.4	10.7
2004 5/.....	0.8	*	*	*	*	*	*	*	*	3.3	5.0	10.0
2003 5/.....	0.6	*	*	*	*	*	*	*	*	2.5	3.6	8.7
2002.....	0.7	*	*	*	*	*	*	0.9	*	2.8	5.5	11.3
2001.....	0.8	*	*	*	*	*	*	*	1.5	2.3	5.2	14.5
2000.....	0.8	*	*	*	*	*	0.7	*	*	2.5	6.4	10.0
1999.....	0.8	*	*	*	*	*	*	*	*	3.2	6.1	*

Worktable Orig12. Death rates for 358 selected causes, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2006

[Rates per 100,000 population in specified group. Rates are based on populations enumerated as of April 1 for 2000 and estimated as of July 1 for all other years. Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to 'Detailed technical notes to the United States 2006 data-mortality']

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, and sex	All ages 1/	Under 1 year 2/	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	
Of eye, brain and other parts of central nervous system (D31-D33)													
Non-Hispanic 4/, both sexes													
2006.....	0.3	*	*	*	*	*	*	0.1	0.2	0.3	0.8	2.3	4.8
2005.....	0.3	*	*	*	*	*	*	*	0.1	0.3	0.8	2.2	4.8
2004.....	0.4	*	*	*	*	*	*	0.2	0.4	0.9	2.5	5.6	
2003.....	0.4	*	*	*	*	*	0.1	0.1	0.4	1.0	2.5	5.5	
2002.....	0.4	*	*	*	*	*	0.1	0.2	0.3	1.1	2.5	5.1	
2001.....	0.4	*	*	*	*	*	*	0.1	0.4	1.0	2.3	6.0	
2000.....	0.4	*	*	*	*	*	0.1	0.1	0.4	1.0	2.9	6.2	
1999.....	0.4	*	*	*	*	*	0.1	0.1	0.5	1.1	2.8	5.7	
Non-Hispanic 4/, male													
2006.....	0.2	*	*	*	*	*	*	0.1	0.2	0.8	2.1	3.9	
2005.....	0.2	*	*	*	*	*	*	*	0.2	0.8	1.7	4.0	
2004.....	0.3	*	*	*	*	*	*	0.2	0.2	0.7	2.2	5.2	
2003.....	0.3	*	*	*	*	*	0.1	0.3	0.9	2.4	5.4		
2002.....	0.3	*	*	*	*	*	0.2	0.3	1.0	2.0	3.2		
2001.....	0.3	*	*	*	*	*	*	0.3	0.9	2.2	5.6		
2000.....	0.3	*	*	*	*	*	0.2	0.2	0.9	2.5	5.9		
1999.....	0.3	*	*	*	*	*	0.1	0.4	1.0	2.4	5.8		
Non-Hispanic 4/, female													
2006.....	0.4	*	*	*	*	*	*	0.2	0.3	0.8	2.5	5.3	
2005.....	0.4	*	*	*	*	*	*	0.2	0.4	0.9	2.5	5.2	
2004.....	0.5	*	*	*	*	*	*	0.2	0.5	1.0	2.7	5.8	
2003.....	0.4	*	*	*	*	*	0.1	0.4	1.0	2.5	5.5		
2002.....	0.5	*	*	*	*	*	0.2	0.4	1.1	2.8	6.0		
2001.....	0.4	*	*	*	*	*	0.2	0.4	1.0	2.4	6.1		
2000.....	0.5	*	*	*	*	*	0.1	0.5	1.0	3.1	6.4		
1999.....	0.5	*	*	*	*	*	0.1	0.5	1.1	3.0	5.6		
Non-Hispanic white, both sexes													
2006 5/.....	0.4	*	*	*	*	*	*	0.1	0.3	0.8	2.3	4.8	
2005 5/.....	0.3	*	*	*	*	*	*	0.1	0.2	0.8	2.1	4.6	
2004 5/.....	0.4	*	*	*	*	*	*	0.2	0.3	0.7	2.4	5.7	
2003 5/.....	0.4	*	*	*	*	*	*	0.1	0.3	0.8	2.5	5.4	
2002.....	0.4	*	*	*	*	*	0.1	0.2	0.3	1.0	2.3	5.0	
2001.....	0.4	*	*	*	*	*	*	0.1	0.3	0.9	2.2	5.6	
2000.....	0.4	*	*	*	*	*	*	0.1	0.3	0.9	2.8	6.3	
1999.....	0.4	*	*	*	*	*	*	0.1	0.4	1.0	2.7	5.7	
Non-Hispanic white, male													
2006 5/.....	0.3	*	*	*	*	*	*	0.1	0.2	0.8	2.1	3.7	
2005 5/.....	0.2	*	*	*	*	*	*	*	*	0.7	1.7	3.9	
2004 5/.....	0.3	*	*	*	*	*	*	0.2	*	0.6	2.0	5.3	
2003 5/.....	0.3	*	*	*	*	*	*	0.1	0.3	0.8	2.4	5.5	
2002.....	0.3	*	*	*	*	*	*	0.2	0.3	1.0	1.8	2.9	
2001.....	0.3	*	*	*	*	*	*	*	0.2	0.9	2.1	5.1	
2000.....	0.3	*	*	*	*	*	*	0.2	*	0.8	2.5	6.0	
1999.....	0.3	*	*	*	*	*	*	*	0.3	1.0	2.2	5.7	
Non-Hispanic white, female													
2006 5/.....	0.4	*	*	*	*	*	*	0.1	0.3	0.7	2.4	5.3	
2005 5/.....	0.4	*	*	*	*	*	*	0.1	0.3	0.8	2.4	4.9	
2004 5/.....	0.5	*	*	*	*	*	*	0.2	0.4	0.8	2.6	5.9	
2003 5/.....	0.5	*	*	*	*	*	*	0.2	0.4	0.8	2.6	5.3	
2002.....	0.5	*	*	*	*	*	*	0.2	0.4	1.0	2.7	5.9	
2001.....	0.4	*	*	*	*	*	*	0.1	0.4	0.9	2.3	5.8	
2000.....	0.5	*	*	*	*	*	*	*	0.5	1.0	3.0	6.4	
1999.....	0.5	*	*	*	*	*	*	*	0.5	1.0	2.9	5.7	

Worktable Orig12. Death rates for 358 selected causes, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2006

[Rates per 100,000 population in specified group. Rates are based on populations enumerated as of April 1 for 2000 and estimated as of July 1 for all other years. Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to 'Detailed technical notes to the United States 2006 data-mortality']

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, and sex	All ages 1/	Under 1 year 2/	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
Of eye, brain and other parts of central nervous system (D31-D33)												
Non-Hispanic black, both sexes												
2006 5/.....	0.3	*	*	*	*	*	*	*	*	*	2.7	*
2005 5/.....	0.3	*	*	*	*	*	*	*	0.7	1.3	3.0	7.1
2004 5/.....	0.4	*	*	*	*	*	*	*	0.7	2.1	4.0	6.0
2003 5/.....	0.3	*	*	*	*	*	*	*	*	2.3	2.7	6.2
2002.....	0.3	*	*	*	*	*	*	*	*	1.6	3.9	6.0
2001.....	0.4	*	*	*	*	*	*	*	1.2	1.8	3.7	10.9
2000.....	0.3	*	*	*	*	*	*	*	*	1.3	4.0	*
1999.....	0.4	*	*	*	*	*	*	*	1.1	1.9	4.5	*
Non-Hispanic black, male												
2006 5/.....	0.2	*	*	*	*	*	*	*	*	*	*	*
2005 5/.....	0.2	*	*	*	*	*	*	*	*	*	*	*
2004 5/.....	0.3	*	*	*	*	*	*	*	*	*	*	*
2003 5/.....	0.3	*	*	*	*	*	*	*	*	*	*	*
2002.....	0.2	*	*	*	*	*	*	*	*	*	*	*
2001.....	0.3	*	*	*	*	*	*	*	*	*	*	*
2000.....	0.2	*	*	*	*	*	*	*	*	*	*	*
1999.....	0.3	*	*	*	*	*	*	*	*	*	*	*
Non-Hispanic black, female												
2006 5/.....	0.3	*	*	*	*	*	*	*	*	*	*	*
2005 5/.....	0.5	*	*	*	*	*	*	*	*	*	3.8	8.0
2004 5/.....	0.4	*	*	*	*	*	*	*	*	2.5	3.5	*
2003 5/.....	0.4	*	*	*	*	*	*	*	*	2.1	*	*
2002.....	0.4	*	*	*	*	*	*	*	*	*	4.1	*
2001.....	0.5	*	*	*	*	*	*	*	*	*	3.9	10.7
2000.....	0.4	*	*	*	*	*	*	*	*	*	4.9	*
1999.....	0.5	*	*	*	*	*	*	*	*	2.7	4.2	*

Worktable Orig12. Death rates for 358 selected causes, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2006

[Rates per 100,000 population in specified group. Rates are based on populations enumerated as of April 1 for 2000 and estimated as of July 1 for all other years. Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to 'Detailed technical notes to the United States 2006 data-mortality']

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, and sex	All ages 1/	Under 1 year 2/	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
Of other and unspecified sites (D10-D24,D29-D30,D34-D36)												
Non-Hispanic 4/, both sexes												
2006.....	0.2	*	*	*	*	*	0.1	0.1	0.2	0.4	0.9	2.1
2005.....	0.2	*	*	*	*	*	0.1	0.1	0.3	0.4	0.9	1.7
2004.....	0.2	*	*	*	*	0.1	0.1	0.1	0.3	0.4	1.1	2.2
2003.....	0.2	*	*	*	*	0.1	0.1	0.2	0.2	0.4	1.1	1.8
2002.....	0.2	*	*	*	*	0.1	0.1	0.1	0.3	0.5	1.2	2.6
2001.....	0.2	*	*	*	*	*	0.1	0.1	0.3	0.4	1.3	2.5
2000.....	0.2	*	*	*	*	*	0.1	0.1	0.2	0.5	1.3	2.5
1999.....	0.2	*	*	*	*	*	0.1	0.1	0.3	0.5	1.2	2.8
Non-Hispanic 4/, male												
2006.....	0.2	*	*	*	*	*	*	0.2	0.2	0.4	1.1	2.3
2005.....	0.2	*	*	*	*	*	*	0.1	0.2	0.3	1.0	2.3
2004.....	0.2	*	*	*	*	*	*	*	0.3	0.4	1.2	2.3
2003.....	0.2	*	*	*	*	*	0.1	0.2	0.3	0.5	1.3	2.1
2002.....	0.2	*	*	*	*	*	0.1	0.1	0.3	0.6	1.4	3.0
2001.....	0.2	*	*	*	*	*	*	0.2	0.4	0.5	1.8	3.5
2000.....	0.2	*	*	*	*	*	*	0.2	0.2	0.6	1.3	2.9
1999.....	0.2	*	*	*	*	*	*	0.1	0.3	0.6	1.3	3.8
Non-Hispanic 4/, female												
2006.....	0.2	*	*	*	*	*	*	0.1	0.2	0.3	0.7	2.0
2005.....	0.2	*	*	*	*	*	0.1	*	0.3	0.4	0.9	1.5
2004.....	0.2	*	*	*	*	*	*	0.1	0.2	0.4	1.1	2.2
2003.....	0.2	*	*	*	*	*	0.1	0.1	0.2	0.3	1.0	1.7
2002.....	0.2	*	*	*	*	*	*	0.2	0.2	0.5	1.0	2.4
2001.....	0.2	*	*	*	*	*	*	0.1	0.2	0.4	0.9	2.0
2000.....	0.2	*	*	*	*	*	*	*	0.2	0.5	1.2	2.4
1999.....	0.2	*	*	*	*	*	*	0.1	0.2	0.4	1.2	2.4
Non-Hispanic white, both sexes												
2006 5/.....	0.2	*	*	*	*	*	*	0.1	0.2	0.4	0.8	2.1
2005 5/.....	0.2	*	*	*	*	*	0.1	0.1	0.2	0.3	0.9	1.7
2004 5/.....	0.2	*	*	*	*	*	0.1	0.1	0.3	0.4	1.1	2.0
2003 5/.....	0.2	*	*	*	*	*	0.1	0.1	0.2	0.4	1.1	1.8
2002.....	0.2	*	*	*	*	*	*	0.1	0.2	0.5	1.2	2.3
2001.....	0.2	*	*	*	*	*	0.1	0.1	0.3	0.4	1.2	2.4
2000.....	0.2	*	*	*	*	*	0.1	0.1	0.2	0.5	1.2	2.4
1999.....	0.2	*	*	*	*	*	*	0.1	0.2	0.5	1.2	2.8
Non-Hispanic white, male												
2006 5/.....	0.2	*	*	*	*	*	*	0.2	*	0.4	1.0	1.9
2005 5/.....	0.2	*	*	*	*	*	0.1	0.2	0.3	0.3	1.0	2.4
2004 5/.....	0.2	*	*	*	*	*	*	*	0.3	0.5	1.1	2.2
2003 5/.....	0.2	*	*	*	*	*	*	0.1	0.2	0.5	1.2	1.9
2002.....	0.2	*	*	*	*	*	*	0.1	0.3	0.5	1.4	2.7
2001.....	0.2	*	*	*	*	*	*	0.1	0.4	0.4	1.7	3.5
2000.....	0.2	*	*	*	*	*	*	0.2	0.2	0.5	1.3	2.7
1999.....	0.2	*	*	*	*	*	*	*	0.2	0.5	1.2	4.0
Non-Hispanic white, female												
2006 5/.....	0.2	*	*	*	*	*	*	*	0.2	0.3	0.6	2.2
2005 5/.....	0.2	*	*	*	*	*	*	*	0.3	0.4	0.8	1.4
2004 5/.....	0.2	*	*	*	*	*	*	0.1	0.2	0.3	1.1	2.0
2003 5/.....	0.2	*	*	*	*	*	*	0.2	0.2	0.3	1.1	1.8
2002.....	0.2	*	*	*	*	*	*	0.1	0.2	0.4	1.0	2.2
2001.....	0.2	*	*	*	*	*	*	*	0.2	0.4	0.9	2.0
2000.....	0.2	*	*	*	*	*	*	*	0.2	0.4	1.2	2.3
1999.....	0.2	*	*	*	*	*	*	*	0.4	1.2	1.2	2.4

Worktable Orig12. Death rates for 358 selected causes, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2006

[Rates per 100,000 population in specified group. Rates are based on populations enumerated as of April 1 for 2000 and estimated as of July 1 for all other years. Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to 'Detailed technical notes to the United States 2006 data-mortality']

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, and sex	All ages 1/	Under 1 year 2/	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
Neoplasms of uncertain or unknown behavior of specified sites (D37-D47)												
All origins 3/, both sexes												
2006.....	3.9	0.6	0.3	0.2	0.1	0.2	0.5	1.3	3.3	10.6	31.5	66.9
2005.....	3.9	0.9	0.2	0.2	0.2	0.3	0.6	1.3	3.4	10.7	30.5	66.4
2004.....	3.8	0.8	0.3	0.2	0.2	0.3	0.5	1.2	3.5	10.8	30.8	65.6
2003.....	3.9	0.9	0.2	0.2	0.2	0.3	0.5	1.2	3.6	11.0	31.6	69.6
2002.....	3.8	0.9	0.3	0.2	0.2	0.3	0.5	1.3	3.6	10.8	31.1	67.0
2001.....	4.0	0.5	0.3	0.2	0.2	0.2	0.6	1.4	4.0	12.0	32.2	70.1
2000.....	4.0	0.7	0.3	0.2	0.2	0.3	0.6	1.4	4.2	11.8	32.0	72.0
1999.....	4.0	0.8	0.4	0.2	0.2	0.3	0.6	1.4	3.8	12.5	31.4	70.8
All origins 3/, male												
2006.....	4.1	*	0.2	0.2	0.1	0.2	0.6	1.6	4.0	13.6	42.6	83.5
2005.....	4.1	*	0.3	0.1	0.2	0.3	0.6	1.5	4.3	13.9	41.2	84.0
2004.....	4.1	*	0.3	0.2	0.2	0.3	0.6	1.4	4.5	13.9	40.8	87.9
2003.....	4.1	*	0.3	0.2	0.2	0.3	0.7	1.4	4.3	14.1	41.3	91.6
2002.....	4.0	*	0.3	0.2	0.2	0.3	0.6	1.4	4.5	13.7	41.3	91.9
2001.....	4.2	*	0.3	0.2	0.1	0.3	0.7	1.6	4.6	15.3	43.1	96.6
2000.....	4.2	*	0.4	0.2	0.2	0.3	0.7	1.6	4.9	15.1	42.4	97.6
1999.....	4.2	*	0.4	0.2	0.2	0.4	0.7	1.6	4.8	16.2	41.4	97.8
All origins 3/, female												
2006.....	3.8	*	0.3	0.1	0.1	0.2	0.4	1.1	2.6	8.0	23.8	59.1
2005.....	3.7	1.1	*	0.2	0.1	0.3	0.5	1.0	2.6	8.0	23.3	58.3
2004.....	3.6	*	*	0.2	0.2	0.2	0.4	1.0	2.7	8.2	24.0	55.5
2003.....	3.8	*	*	0.1	0.1	0.2	0.4	1.1	3.0	8.4	25.0	59.9
2002.....	3.7	*	0.3	0.2	0.2	0.3	0.5	1.1	2.8	8.3	24.3	56.2
2001.....	3.9	*	0.3	0.2	0.2	0.2	0.6	1.2	3.4	9.3	25.0	59.0
2000.....	3.9	*	*	0.2	0.1	0.3	0.5	1.2	3.5	9.2	25.2	61.5
1999.....	3.8	*	0.3	0.2	0.2	0.3	0.5	1.2	2.9	9.5	24.9	60.0
Hispanic, both sexes												
2006.....	1.3	*	*	*	*	0.3	0.3	1.0	2.6	7.4	21.4	36.8
2005.....	1.0	*	*	*	*	*	*	0.9	2.4	6.4	15.9	29.1
2004.....	1.2	*	*	*	*	*	0.3	0.9	2.7	7.2	20.0	41.4
2003.....	1.2	*	*	*	*	0.3	*	0.7	2.3	7.2	25.0	38.9
2002.....	1.1	*	*	0.3	*	*	0.4	1.0	2.2	7.4	21.2	40.5
2001.....	1.2	*	*	*	*	*	0.6	1.1	2.5	7.2	20.4	47.5
2000.....	1.1	*	*	*	*	*	0.5	0.8	2.7	7.2	19.2	59.1
1999.....	1.2	*	*	*	*	0.3	0.4	1.0	2.6	9.0	20.2	46.3
Hispanic, male												
2006.....	1.3	*	*	*	*	*	*	1.4	3.3	9.2	27.5	45.1
2005.....	1.1	*	*	*	*	*	*	1.1	3.3	9.0	21.4	33.6
2004.....	1.1	*	*	*	*	*	*	1.2	3.0	7.8	23.2	51.8
2003.....	1.2	*	*	*	*	*	*	2.8	8.7	31.1	49.3	
2002.....	1.1	*	*	*	*	*	*	2.9	9.0	26.7	50.2	
2001.....	1.2	*	*	*	*	*	1.4	2.9	8.6	27.3	62.9	
2000.....	1.1	*	*	*	*	*	*	2.7	7.8	21.6	82.6	
1999.....	1.1	*	*	*	*	*	1.5	2.7	9.0	22.9	49.6	
Hispanic, female												
2006.....	1.2	*	*	*	*	*	*	2.0	5.9	17.0	32.4	
2005.....	0.9	*	*	*	*	*	*	1.7	4.4	12.1	26.7	
2004.....	1.2	*	*	*	*	*	*	2.3	6.8	17.8	36.0	
2003.....	1.2	*	*	*	*	*	*	6.0	20.8	33.6		
2002.....	1.2	*	*	*	*	*	*	6.1	17.4	35.6		
2001.....	1.1	*	*	*	*	*	*	2.2	6.1	15.7	40.0	
2000.....	1.2	*	*	*	*	*	*	2.8	6.6	17.5	47.5	
1999.....	1.3	*	*	*	*	*	*	2.5	8.9	18.4	44.7	

Worktable Orig12. Death rates for 358 selected causes, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2006

[Rates per 100,000 population in specified group. Rates are based on populations enumerated as of April 1 for 2000 and estimated as of July 1 for all other years. Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data-mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, and sex	All ages 1/	Under 1 year 2/	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
Neoplasms of uncertain or unknown behavior of specified sites (D37-D47)												
Non-Hispanic 4/, both sexes												
2006.....	4.4	*	0.3	0.2	0.1	0.2	0.5	1.4	3.3	10.8	32.0	68.4
2005.....	4.4	0.8	0.2	0.2	0.2	0.3	0.6	1.3	3.5	11.0	31.3	68.1
2004.....	4.3	0.7	0.3	0.2	0.2	0.3	0.5	1.2	3.6	11.1	31.3	66.7
2003.....	4.4	0.9	0.3	0.2	0.2	0.3	0.6	1.3	3.7	11.2	31.9	70.8
2002.....	4.2	0.8	0.3	0.1	0.2	0.3	0.5	1.3	3.7	11.0	31.5	68.0
2001.....	4.4	*	0.3	0.2	0.2	0.2	0.6	1.4	4.1	12.3	32.6	70.8
2000.....	4.4	0.8	0.3	0.2	0.2	0.3	0.6	1.5	4.3	12.1	32.5	72.2
1999.....	4.4	0.9	0.4	0.2	0.2	0.3	0.6	1.4	3.9	12.7	31.8	71.5
Non-Hispanic 4/, male												
2006.....	4.6	*	*	0.2	0.1	0.2	0.6	1.6	4.1	13.9	43.5	85.6
2005.....	4.6	*	*	0.1	0.2	0.3	0.7	1.6	4.4	14.3	42.3	86.4
2004.....	4.6	*	0.4	0.2	0.2	0.4	0.6	1.4	4.6	14.3	41.7	89.7
2003.....	4.5	*	0.3	0.2	0.2	0.3	0.7	1.5	4.4	14.4	41.8	93.5
2002.....	4.5	*	*	0.2	0.2	0.3	0.6	1.5	4.6	14.0	41.9	93.6
2001.....	4.6	*	*	0.2	0.2	0.3	0.7	1.6	4.7	15.7	43.7	97.9
2000.....	4.6	*	0.4	0.2	0.2	0.3	0.7	1.7	5.1	15.5	43.2	97.8
1999.....	4.6	*	0.4	0.2	0.2	0.4	0.7	1.7	4.9	16.6	42.1	99.6
Non-Hispanic 4/, female												
2006.....	4.2	*	0.4	0.1	0.1	0.2	0.4	1.2	2.7	8.2	24.2	60.3
2005.....	4.1	*	*	0.2	0.1	0.3	0.6	1.1	2.7	8.3	23.9	59.7
2004.....	4.0	*	*	0.2	0.2	0.2	0.5	1.0	2.7	8.3	24.3	56.3
2003.....	4.2	*	*	0.1	0.1	0.2	0.4	1.1	3.1	8.6	25.2	60.9
2002.....	4.0	*	0.3	0.1	0.2	0.3	0.5	1.1	2.9	8.4	24.6	57.0
2001.....	4.3	*	*	0.2	0.2	0.2	0.6	1.2	3.5	9.5	25.3	59.6
2000.....	4.3	*	*	0.2	0.1	0.3	0.5	1.2	3.5	9.4	25.5	61.9
1999.....	4.1	*	0.3	0.2	0.2	0.2	0.5	1.3	2.9	9.5	25.1	60.3
Non-Hispanic white, both sexes												
2006 5/.....	5.0	*	0.4	0.2	0.1	0.2	0.5	1.4	3.4	11.3	33.3	70.5
2005 5/.....	5.0	*	*	0.2	0.2	0.3	0.6	1.3	3.6	11.4	32.7	71.2
2004 5/.....	4.8	*	0.3	0.2	0.2	0.3	0.5	1.2	3.6	11.5	32.4	69.4
2003 5/.....	5.0	*	0.2	0.1	0.2	0.3	0.6	1.3	3.7	11.6	33.1	73.4
2002.....	4.8	0.9	0.3	0.1	0.2	0.3	0.5	1.3	3.8	11.4	32.5	70.3
2001.....	5.0	*	0.3	0.2	0.1	0.3	0.6	1.5	4.2	12.8	33.7	72.5
2000.....	5.0	*	0.4	0.2	0.2	0.3	0.6	1.4	4.4	12.4	33.7	74.5
1999.....	4.9	*	0.4	0.2	0.2	0.3	0.6	1.4	3.9	13.1	32.8	74.1
Non-Hispanic white, male												
2006 5/.....	5.3	*	*	0.2	*	0.2	0.6	1.6	4.1	14.5	45.3	87.6
2005 5/.....	5.3	*	*	0.2	0.2	0.4	0.7	1.6	4.5	14.8	44.2	90.7
2004 5/.....	5.2	*	*	0.2	0.2	0.4	0.6	1.4	4.5	14.8	43.3	94.2
2003 5/.....	5.2	*	*	0.2	0.2	0.3	0.7	1.5	4.3	15.0	43.5	97.7
2002.....	5.1	*	*	0.2	0.3	0.7	1.5	4.6	14.6	43.1	97.2	
2001.....	5.3	*	*	0.2	*	0.3	0.7	1.7	4.8	16.4	45.0	100.7
2000.....	5.2	*	0.4	0.2	0.2	0.3	0.7	1.7	5.1	15.7	44.8	101.4
1999.....	5.2	*	*	0.2	0.2	0.3	0.7	1.7	5.0	17.1	43.6	104.8
Non-Hispanic white, female												
2006 5/.....	4.8	*	0.4	*	*	0.2	0.4	1.2	2.7	8.4	25.1	62.5
2005 5/.....	4.7	*	*	0.2	*	0.3	0.6	1.0	2.7	8.4	24.8	62.3
2004 5/.....	4.5	*	0.2	0.2	0.2	0.4	1.0	2.7	8.6	25.0	58.3	
2003 5/.....	4.8	*	*	*	*	0.2	0.4	1.0	3.2	8.8	26.0	62.8
2002.....	4.6	*	*	*	0.2	0.2	0.4	1.1	3.0	8.7	25.4	58.7
2001.....	4.8	*	*	0.2	0.2	0.2	0.6	1.2	3.6	9.7	26.2	60.8
2000.....	4.8	*	*	0.2	*	0.3	0.5	1.2	3.6	9.6	26.4	63.7
1999.....	4.7	*	*	0.2	0.2	0.3	0.5	1.2	2.9	9.7	25.7	61.9

Worktable Orig12. Death rates for 358 selected causes, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2006

[Rates per 100,000 population in specified group. Rates are based on populations enumerated as of April 1 for 2000 and estimated as of July 1 for all other years. Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.odc.gov/nchs> and refer to 'Detailed technical notes to the United States 2006 data-mortality']

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, and sex	All ages 1/	Under 1 year 2/	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
Neoplasms of uncertain or unknown behavior of specified sites (D37-D47)												
Non-Hispanic black, both sexes												
2006 5/.....	2.4	*	*	*	*	*	0.7	1.7	4.0	9.4	25.0	51.0
2005 5/.....	2.2	*	*	*	*	*	0.8	1.7	3.6	10.1	21.9	43.7
2004 5/.....	2.3	*	*	*	*	0.4	0.7	1.5	4.7	9.7	24.6	42.9
2003 5/.....	2.3	*	*	*	*	*	0.7	1.8	4.1	9.8	24.4	47.6
2002.....	2.3	*	*	*	*	0.4	0.7	1.5	4.4	9.5	25.2	50.5
2001.....	2.4	*	*	0.4	*	*	0.8	1.3	3.9	10.6	25.4	54.9
2000.....	2.4	*	*	*	*	0.4	0.5	2.0	4.3	11.6	23.6	51.8
1999.....	2.5	*	*	*	*	*	0.8	1.7	4.2	12.4	25.1	49.5
Non-Hispanic black, male												
2006 5/.....	2.4	*	*	*	*	*	*	2.0	5.2	12.2	33.4	66.0
2005 5/.....	2.2	*	*	*	*	*	1.1	1.9	4.7	11.6	28.9	48.5
2004 5/.....	2.4	*	*	*	*	*	0.8	2.0	6.5	13.0	30.5	48.8
2003 5/.....	2.3	*	*	*	*	*	0.8	1.8	5.4	12.6	30.3	57.5
2002.....	2.3	*	*	*	*	*	*	1.7	5.5	11.3	33.1	67.8
2001.....	2.3	*	*	*	*	*	0.9	1.3	4.4	13.2	35.1	70.5
2000.....	2.5	*	*	*	*	*	0.8	2.2	5.5	15.1	29.9	64.6
1999.....	2.4	*	*	*	*	*	0.8	1.7	4.7	16.1	29.4	53.5
Non-Hispanic black, female												
2006 5/.....	2.3	*	*	*	*	*	*	1.4	3.1	7.3	20.2	44.8
2005 5/.....	2.3	*	*	*	*	*	*	1.5	2.8	9.0	18.0	41.7
2004 5/.....	2.3	*	*	*	*	*	0.7	1.2	3.3	7.3	21.3	40.6
2003 5/.....	2.3	*	*	*	*	*	*	1.8	3.2	7.8	21.0	43.7
2002.....	2.4	*	*	*	*	*	0.8	1.4	3.4	8.3	20.7	43.9
2001.....	2.4	*	*	*	*	*	0.8	1.3	3.5	8.8	19.9	49.2
2000.....	2.3	*	*	*	*	*	*	1.8	3.3	9.1	20.0	47.1
1999.....	2.5	*	*	*	*	*	0.8	1.7	3.8	9.8	22.8	48.0

Worktable Orig12. Death rates for 358 selected causes, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2006

[Rates per 100,000 population in specified group. Rates are based on populations enumerated as of April 1 for 2000 and estimated as of July 1 for all other years. Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to 'Detailed technical notes to the United States 2006 data-mortality']

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, and sex	All ages 1/	Under 1 year 2/	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
Neoplasms of uncertain or unknown behavior of unspecified sites (D48)												
Non-Hispanic 4/, both sexes												
2006.....	0.3	*	*	*	0.1	*	0.1	0.2	0.4	0.7	1.8	4.0
2005.....	0.3	*	*	*	*	*	0.1	0.2	0.4	0.7	1.4	3.8
2004.....	0.3	*	*	*	*	*	0.1	0.2	0.3	0.6	1.4	4.3
2003.....	0.2	*	*	*	*	0.1	0.1	0.1	0.2	0.5	1.2	3.5
2002.....	0.3	*	*	*	*	*	0.1	0.1	0.3	0.5	1.4	3.8
2001.....	0.2	*	*	*	*	*	*	0.2	0.2	0.6	1.2	3.8
2000.....	0.2	*	*	*	*	*	0.1	0.1	0.3	0.4	1.4	4.0
1999.....	0.2	*	*	*	*	*	*	0.1	0.2	0.5	1.1	3.6
Non-Hispanic 4/, male												
2006.....	0.3	*	*	*	*	*	*	0.2	0.4	0.8	1.8	2.7
2005.....	0.3	*	*	*	*	*	0.1	0.2	0.4	0.7	1.7	2.6
2004.....	0.2	*	*	*	*	*	*	0.2	0.3	0.7	1.3	3.8
2003.....	0.2	*	*	*	*	*	*	*	0.2	0.4	1.2	2.8
2002.....	0.2	*	*	*	*	*	0.1	*	0.2	0.5	1.1	3.1
2001.....	0.2	*	*	*	*	*	*	0.2	0.2	0.6	1.1	1.8
2000.....	0.2	*	*	*	*	*	*	*	0.3	0.4	1.3	2.5
1999.....	0.2	*	*	*	*	*	*	*	0.3	0.6	1.0	2.2
Non-Hispanic 4/, female												
2006.....	0.4	*	*	*	*	*	*	0.2	0.4	0.7	1.7	4.7
2005.....	0.3	*	*	*	*	*	*	0.2	0.3	0.7	1.2	4.4
2004.....	0.3	*	*	*	*	*	*	0.1	0.3	0.5	1.4	4.5
2003.....	0.3	*	*	*	*	*	*	0.1	0.2	0.5	1.2	3.9
2002.....	0.3	*	*	*	*	*	*	0.2	0.3	0.4	1.5	4.1
2001.....	0.3	*	*	*	*	*	*	0.1	0.3	0.6	1.3	4.6
2000.....	0.3	*	*	*	*	*	*	*	0.3	0.5	1.5	4.5
1999.....	0.2	*	*	*	*	*	*	0.1	0.2	0.4	1.2	4.2
Non-Hispanic white, both sexes												
2006 5/.....	0.3	*	*	*	*	*	*	0.2	0.4	0.7	1.7	4.1
2005 5/.....	0.3	*	*	*	*	*	0.1	0.2	0.4	0.7	1.4	4.1
2004 5/.....	0.3	*	*	*	*	*	*	0.2	0.3	0.6	1.4	4.3
2003 5/.....	0.2	*	*	*	*	0.1	*	0.1	0.2	0.5	1.2	3.6
2002.....	0.3	*	*	*	*	*	*	0.1	0.1	0.3	0.4	3.9
2001.....	0.3	*	*	*	*	*	*	0.2	0.2	0.5	1.2	4.0
2000.....	0.3	*	*	*	*	*	*	0.1	0.3	0.4	1.4	4.2
1999.....	0.2	*	*	*	*	*	*	0.1	0.2	0.5	1.1	3.5
Non-Hispanic white, male												
2006 5/.....	0.3	*	*	*	*	*	*	0.2	0.4	0.7	1.7	2.7
2005 5/.....	0.3	*	*	*	*	*	*	*	0.4	0.7	1.7	2.8
2004 5/.....	0.3	*	*	*	*	*	*	0.2	0.3	0.7	1.3	3.9
2003 5/.....	0.2	*	*	*	*	*	*	*	0.2	0.5	1.3	2.7
2002.....	0.2	*	*	*	*	*	*	*	0.2	0.5	1.2	3.2
2001.....	0.2	*	*	*	*	*	*	0.2	*	0.5	1.2	1.9
2000.....	0.2	*	*	*	*	*	*	*	0.2	0.3	1.3	2.7
1999.....	0.2	*	*	*	*	*	*	*	0.3	0.5	1.0	2.3
Non-Hispanic white, female												
2006 5/.....	0.4	*	*	*	*	*	*	0.2	0.3	0.7	1.7	4.7
2005 5/.....	0.4	*	*	*	*	*	*	0.2	0.3	0.7	1.2	4.6
2004 5/.....	0.4	*	*	*	*	*	0.1	0.3	0.5	1.5	4.5	
2003 5/.....	0.3	*	*	*	*	*	*	0.2	0.5	1.2	4.0	
2002.....	0.3	*	*	*	*	*	*	0.2	0.3	0.4	1.6	4.2
2001.....	0.3	*	*	*	*	*	*	0.2	0.3	0.5	1.3	4.9
2000.....	0.3	*	*	*	*	*	*	*	0.3	0.5	1.4	4.7
1999.....	0.3	*	*	*	*	*	*	*	0.4	1.2	3.9	

Worktable Orig12. Death rates for 358 selected causes, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2006

[Rates per 100,000 population in specified group. Rates are based on populations enumerated as of April 1 for 2000 and estimated as of July 1 for all other years. Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to 'Detailed technical notes to the United States 2006 data-mortality']

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, and sex	All ages 1/	Under 1 year 2/	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
III. Diseases of the blood and blood-forming organs and certain disorders involving the immune mechanism (D50-D89)												
All origins 3/, both sexes												
2006.....	3.0	2.5	0.4	0.2	0.4	0.7	1.3	2.1	3.5	6.7	15.9	42.4
2005.....	3.2	2.3	0.5	0.1	0.4	0.7	1.4	2.3	3.5	7.3	17.6	51.2
2004.....	3.2	2.3	0.4	0.2	0.5	0.8	1.4	2.2	3.5	7.0	17.3	52.9
2003.....	3.3	2.6	0.5	0.2	0.4	0.8	1.4	2.3	3.5	7.4	17.6	56.7
2002.....	3.4	2.0	0.5	0.2	0.5	0.8	1.5	2.4	3.6	7.6	18.4	56.8
2001.....	3.3	2.6	0.5	0.2	0.4	0.8	1.5	2.3	3.6	7.3	18.9	58.5
2000.....	3.3	1.8	0.5	0.2	0.4	0.8	1.4	2.3	3.7	7.6	18.8	58.9
1999.....	3.2	2.5	0.5	0.2	0.5	0.8	1.4	2.1	3.3	7.3	18.2	60.3
All origins 3/, male												
2006.....	2.6	2.7	0.6	0.2	0.4	0.7	1.2	2.0	3.5	6.4	17.0	43.8
2005.....	2.8	2.7	0.5	0.2	0.4	0.7	1.4	2.3	3.6	7.3	19.3	49.6
2004.....	2.8	2.8	0.5	0.2	0.5	0.8	1.5	2.2	3.7	7.3	18.1	52.1
2003.....	2.9	2.9	0.5	0.2	0.4	0.8	1.5	2.4	3.4	7.9	18.8	55.1
2002.....	2.9	2.5	0.5	0.2	0.5	0.9	1.4	2.3	3.7	7.7	18.9	57.2
2001.....	2.8	2.9	0.6	0.2	0.4	0.9	1.5	2.2	3.3	7.2	20.0	58.1
2000.....	2.8	2.1	0.5	0.3	0.4	0.8	1.4	2.3	3.5	8.1	19.1	60.4
1999.....	2.8	3.0	0.6	0.2	0.5	0.9	1.5	2.1	3.1	7.5	19.3	63.2
All origins 3/, female												
2006.....	3.3	2.2	0.3	0.2	0.4	0.7	1.3	2.2	3.5	6.9	15.2	41.7
2005.....	3.6	1.8	0.4	0.1	0.4	0.7	1.4	2.3	3.5	7.3	16.4	51.9
2004.....	3.6	1.8	0.4	0.2	0.4	0.8	1.3	2.1	3.3	6.8	16.8	53.3
2003.....	3.7	2.3	0.4	0.2	0.4	0.8	1.3	2.2	3.6	6.9	16.7	57.5
2002.....	3.8	1.5	0.5	0.2	0.4	0.7	1.5	2.5	3.5	7.5	18.1	56.6
2001.....	3.9	2.4	0.3	0.2	0.4	0.7	1.5	2.3	3.8	7.5	18.2	58.7
2000.....	3.8	1.6	0.6	0.2	0.4	0.8	1.5	2.2	3.8	7.2	18.6	58.3
1999.....	3.7	1.9	0.4	0.2	0.5	0.8	1.4	2.1	3.5	7.1	17.4	59.2
Hispanic, both sexes												
2006.....	1.1	*	*	*	*	0.4	0.8	1.2	2.3	4.7	12.8	28.2
2005.....	1.2	2.9	0.6	*	*	0.3	0.8	1.4	2.5	6.4	12.5	29.5
2004.....	1.1	*	*	*	*	0.3	0.6	1.4	2.6	4.6	11.8	37.6
2003.....	1.2	2.9	*	*	*	0.4	0.7	1.6	2.6	5.7	13.4	38.9
2002.....	1.3	2.5	*	*	0.4	0.4	0.6	1.5	2.7	8.3	15.0	46.6
2001.....	1.3	2.4	*	*	*	0.5	0.8	1.1	3.1	5.8	18.9	41.9
2000.....	1.2	*	*	*	*	0.4	0.9	1.6	3.0	6.4	15.0	27.9
1999.....	1.2	*	*	*	*	0.4	0.9	1.5	2.8	6.8	13.7	47.7
Hispanic, male												
2006.....	1.0	*	*	*	*	0.9	1.6	2.3	5.0	12.3	22.6	
2005.....	1.1	*	*	*	*	0.8	1.4	3.2	5.8	13.0	29.9	
2004.....	1.0	*	*	*	*	0.7	1.7	2.9	4.2	13.6	30.8	
2003.....	1.2	*	*	*	*	0.7	1.9	3.0	5.0	13.8	41.6	
2002.....	1.3	*	*	*	*	0.7	1.6	3.1	8.0	16.4	73.6	
2001.....	1.2	*	*	*	*	1.1	*	3.5	5.6	23.3	*	
2000.....	1.0	*	*	*	*	0.8	1.9	*	7.6	16.2	*	
1999.....	1.2	*	*	*	*	1.2	1.4	*	9.0	15.1	56.1	
Hispanic, female												
2006.....	1.2	*	*	*	*	0.6	0.9	2.3	4.5	13.1	31.2	
2005.....	1.3	*	*	*	*	0.8	1.3	1.9	7.0	12.1	29.3	
2004.....	1.2	*	*	*	*	*	1.0	2.2	5.0	10.6	41.1	
2003.....	1.3	*	*	*	*	0.7	1.2	2.2	6.3	13.2	37.5	
2002.....	1.3	*	*	*	*	*	1.3	2.4	8.5	14.1	33.2	
2001.....	1.3	*	*	*	*	*	1.4	2.9	6.0	16.0	44.7	
2000.....	1.3	*	*	*	*	1.0	1.3	4.1	5.5	14.2	28.7	
1999.....	1.2	*	*	*	*	*	1.5	3.1	5.0	12.8	43.7	

Worktable Orig12. Death rates for 358 selected causes, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2006

[Rates per 100,000 population in specified group. Rates are based on populations enumerated as of April 1 for 2000 and estimated as of July 1 for all other years. Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to 'Detailed technical notes to the United States 2006 data-mortality']

Table with columns for Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, and sex, and 13 age groups (All ages 1/ to 85 years and over). The table is divided into sections: III. Diseases of the blood and blood-forming organs and certain disorders involving the immune mechanism (D50-D89), Non-Hispanic 4/, both sexes; Non-Hispanic 4/, male; Non-Hispanic 4/, female; Non-Hispanic white, both sexes; Non-Hispanic white, male; and Non-Hispanic white, female.

Worktable Orig12. Death rates for 358 selected causes, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2006

[Rates per 100,000 population in specified group. Rates are based on populations enumerated as of April 1 for 2000 and estimated as of July 1 for all other years. Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.odc.gov/nchs> and refer to 'Detailed technical notes to the United States 2006 data-mortality']

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, and sex	All ages 1/	Under 1 year 2/	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
III. Diseases of the blood and blood-forming organs and certain disorders involving the immune mechanism (D50-D89)												
Non-Hispanic black, both sexes												
2006 5/.....	5.6	3.1	0.9	0.4	1.4	3.1	6.3	8.8	11.2	14.3	21.6	53.4
2005 5/.....	6.0	3.8	*	*	1.6	3.5	6.2	9.2	10.8	16.7	27.8	57.9
2004 5/.....	5.9	3.6	0.9	0.5	1.7	3.6	6.2	8.9	12.1	14.2	22.4	66.5
2003 5/.....	6.2	*	0.9	0.5	1.6	3.5	6.6	9.8	12.3	15.3	26.2	70.8
2002.....	6.1	*	*	0.5	1.6	3.6	6.7	9.9	11.5	15.1	28.3	72.9
2001.....	6.1	3.8	*	0.5	1.6	3.7	7.2	10.3	10.3	14.4	28.3	65.6
2000.....	6.0	*	1.2	0.6	1.4	4.1	6.5	10.0	11.2	14.0	26.9	67.7
1999.....	5.9	5.5	1.4	0.6	1.9	4.2	6.8	8.7	10.9	13.9	24.9	71.5
Non-Hispanic black, male												
2006 5/.....	5.0	*	*	*	1.4	3.0	6.3	8.4	11.5	11.9	21.1	47.6
2005 5/.....	5.5	*	*	*	1.8	3.6	6.4	8.8	10.4	16.3	32.5	51.4
2004 5/.....	5.5	*	*	*	1.8	4.0	6.5	8.5	12.6	15.0	23.4	63.0
2003 5/.....	5.7	*	*	*	1.6	3.6	6.9	10.2	12.5	15.8	28.6	68.2
2002.....	5.6	*	*	*	2.0	4.3	6.3	9.6	11.5	15.5	28.7	79.9
2001.....	5.4	*	*	*	1.8	4.5	6.9	9.8	9.2	14.5	29.4	53.1
2000.....	5.2	*	*	0.7	1.3	3.9	6.2	10.1	10.0	13.2	25.6	75.1
1999.....	5.5	*	*	0.7	2.1	4.5	6.9	8.5	10.5	14.0	27.2	63.0
Non-Hispanic black, female												
2006 5/.....	6.2	*	*	*	1.4	3.2	6.3	9.2	10.9	16.0	21.9	55.7
2005 5/.....	6.4	*	*	*	1.5	3.3	6.1	9.5	11.2	17.0	25.1	60.5
2004 5/.....	6.2	*	*	*	1.6	3.3	6.0	9.2	11.7	13.7	21.9	67.9
2003 5/.....	6.5	*	*	*	1.6	3.5	6.3	9.4	12.1	15.0	24.9	71.8
2002.....	6.6	*	*	*	1.2	2.9	7.1	10.2	11.5	14.9	28.0	70.2
2001.....	6.6	*	*	*	1.4	3.0	7.4	10.8	11.1	14.3	27.6	70.2
2000.....	6.6	*	*	*	1.5	4.2	6.8	10.0	12.1	14.5	27.6	65.0
1999.....	6.3	*	*	*	1.6	3.8	6.7	8.9	11.2	13.8	23.6	74.6

Worktable Orig12. Death rates for 358 selected causes, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2006

[Rates per 100,000 population in specified group. Rates are based on populations enumerated as of April 1 for 2000 and estimated as of July 1 for all other years. Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to 'Detailed technical notes to the United States 2006 data-mortality']

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, and sex	All ages 1/	Under 1 year 2/	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
Anemias (D50-D64)												
Non-Hispanic 4/, both sexes												
2006.....	1.5	*	0.2	0.1	0.2	0.4	0.5	0.6	1.0	2.2	7.5	30.3
2005.....	1.7	*	*	0.1	0.3	0.5	0.5	0.6	1.0	2.7	9.3	37.2
2004.....	1.7	*	0.2	0.1	0.3	0.5	0.5	0.6	1.1	2.6	8.7	38.5
2003.....	1.8	0.6	*	0.1	0.3	0.5	0.4	0.6	1.0	2.7	8.9	41.2
2002.....	1.8	*	*	0.1	0.3	0.5	0.5	0.7	1.0	2.7	9.2	40.5
2001.....	1.8	*	*	0.1	0.3	0.4	0.5	0.6	1.0	2.7	9.8	42.5
2000.....	1.8	*	0.3	0.1	0.2	0.4	0.5	0.6	1.1	2.8	9.5	43.2
1999.....	1.8	*	0.2	0.1	0.4	0.4	0.5	0.7	1.0	2.6	9.6	44.0
Non-Hispanic 4/, male												
2006.....	1.2	*	*	*	0.3	0.4	0.5	0.5	1.0	2.1	8.1	30.2
2005.....	1.4	*	*	*	0.3	0.5	0.5	0.6	1.0	2.7	9.7	34.1
2004.....	1.4	*	*	*	0.4	0.5	0.5	0.6	1.2	2.8	9.0	37.1
2003.....	1.4	*	*	0.1	0.3	0.5	0.5	0.7	1.2	3.1	9.4	38.3
2002.....	1.4	*	*	0.1	0.4	0.6	0.4	0.6	1.0	2.9	9.0	37.6
2001.....	1.4	*	*	0.1	0.3	0.5	0.4	0.6	0.9	2.9	10.0	40.8
2000.....	1.3	*	*	0.1	0.2	0.4	0.4	0.6	1.2	2.8	9.6	41.0
1999.....	1.4	*	*	0.1	0.4	0.5	0.5	0.7	1.0	2.6	10.1	43.3
Non-Hispanic 4/, female												
2006.....	1.7	*	*	*	0.2	0.4	0.5	0.6	1.0	2.2	7.2	30.4
2005.....	2.1	*	*	*	0.3	0.4	0.5	0.7	1.1	2.6	9.0	38.6
2004.....	2.0	*	*	0.1	0.3	0.4	0.5	0.6	1.0	2.5	8.5	39.1
2003.....	2.1	*	*	0.1	0.3	0.4	0.4	0.6	0.8	2.3	8.6	42.4
2002.....	2.1	*	*	0.2	0.2	0.4	0.5	0.7	1.0	2.6	9.3	41.8
2001.....	2.2	*	*	0.2	0.3	0.4	0.6	0.6	1.0	2.6	9.7	43.1
2000.....	2.2	*	*	*	0.3	0.4	0.5	0.6	1.0	2.8	9.5	44.1
1999.....	2.1	*	*	0.2	0.3	0.4	0.4	0.6	1.0	2.6	9.3	44.2
Non-Hispanic white, both sexes												
2006 5/.....	1.4	*	*	*	*	*	0.1	0.3	0.7	2.0	7.4	30.0
2005 5/.....	1.7	*	*	*	*	*	0.1	0.3	0.8	2.3	8.9	37.2
2004 5/.....	1.6	*	*	*	0.1	0.1	0.2	0.3	0.7	2.5	8.6	38.1
2003 5/.....	1.6	*	*	*	*	0.1	0.1	0.3	0.6	2.4	8.6	41.0
2002.....	1.6	*	*	*	0.1	0.1	0.1	0.3	0.7	2.4	8.7	39.9
2001.....	1.7	*	*	0.1	0.1	0.1	0.3	0.8	2.5	9.4	42.1	
2000.....	1.7	*	*	*	*	*	0.1	0.3	0.8	2.5	9.3	42.9
1999.....	1.6	*	*	*	0.1	*	0.1	0.3	0.6	2.4	9.4	43.2
Non-Hispanic white, male												
2006 5/.....	1.1	*	*	*	*	*	0.2	0.7	2.0	7.9	30.6	
2005 5/.....	1.2	*	*	*	*	*	0.3	0.8	2.3	9.2	34.3	
2004 5/.....	1.3	*	*	*	*	*	0.2	0.3	0.8	2.7	8.6	37.3
2003 5/.....	1.3	*	*	*	*	*	0.3	0.7	2.6	9.2	38.1	
2002.....	1.2	*	*	*	*	0.2	*	0.3	0.7	2.5	8.5	36.3
2001.....	1.3	*	*	*	*	*	0.3	0.7	2.6	9.8	41.2	
2000.....	1.2	*	*	*	*	*	0.1	0.3	0.9	2.7	9.3	39.9
1999.....	1.2	*	*	*	*	*	0.3	0.5	2.4	9.9	43.4	
Non-Hispanic white, female												
2006 5/.....	1.7	*	*	*	*	*	0.3	0.8	2.0	7.1	29.7	
2005 5/.....	2.1	*	*	*	*	*	0.4	0.9	2.3	8.8	38.5	
2004 5/.....	2.0	*	*	*	*	*	0.2	0.7	2.3	8.6	38.4	
2003 5/.....	2.0	*	*	*	*	*	0.2	0.5	2.1	8.2	42.2	
2002.....	2.1	*	*	*	*	*	0.3	0.7	2.4	8.8	41.4	
2001.....	2.1	*	*	*	*	*	0.2	0.3	0.8	2.4	9.2	42.4
2000.....	2.1	*	*	*	*	*	0.3	0.7	2.4	9.4	44.1	
1999.....	2.0	*	*	*	*	*	0.3	0.7	2.4	9.1	43.1	

Worktable Orig12. Death rates for 358 selected causes, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2006

[Rates per 100,000 population in specified group. Rates are based on populations enumerated as of April 1 for 2000 and estimated as of July 1 for all other years. Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.odc.gov/nchs> and refer to 'Detailed technical notes to the United States 2006 data-mortality']

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, and sex	All ages 1/	Under 1 year 2/	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
Anemias (D50-D64)												
Non-Hispanic black, both sexes												
2006 5/.....	2.4	*	*	*	1.0	2.1	2.6	2.6	3.2	4.2	10.5	39.3
2005 5/.....	2.7	*	*	*	1.2	2.5	2.6	2.8	3.0	6.3	14.9	43.4
2004 5/.....	2.7	*	*	0.4	1.5	2.4	2.5	2.8	4.1	4.8	11.8	48.9
2003 5/.....	2.8	*	*	0.4	1.3	2.2	2.4	3.1	4.3	5.6	14.5	50.3
2002.....	2.9	*	*	0.4	1.3	2.5	2.5	3.1	3.7	6.1	16.2	52.9
2001.....	2.8	*	*	0.4	1.2	2.3	2.8	3.1	3.0	5.5	16.1	49.3
2000.....	2.7	*	*	0.5	1.1	2.4	2.5	3.1	3.5	5.5	13.4	51.8
1999.....	2.9	*	0.9	0.5	1.5	2.7	2.6	3.2	4.3	5.0	13.4	53.0
Non-Hispanic black, male												
2006 5/.....	2.1	*	*	*	1.1	2.1	2.5	2.4	3.7	4.1	12.0	30.2
2005 5/.....	2.5	*	*	*	1.4	2.7	3.0	2.6	2.6	6.6	17.4	38.1
2004 5/.....	2.6	*	*	*	1.6	2.8	2.9	2.5	4.9	5.0	14.0	43.7
2003 5/.....	2.8	*	*	*	1.3	2.3	2.6	3.4	5.6	8.0	15.3	50.1
2002.....	2.7	*	*	*	1.7	2.9	2.5	2.6	4.0	7.5	17.0	58.0
2001.....	2.6	*	*	*	1.4	3.0	2.5	3.6	3.2	6.8	15.3	42.7
2000.....	2.4	*	*	*	1.0	2.2	2.1	3.4	3.5	4.6	13.9	56.4
1999.....	2.7	*	*	*	1.8	2.9	2.8	3.4	5.1	5.6	12.8	44.0
Non-Hispanic black, female												
2006 5/.....	2.6	*	*	*	0.9	2.0	2.7	2.8	2.8	4.3	9.6	43.0
2005 5/.....	2.9	*	*	*	1.0	2.3	2.3	2.9	3.4	6.2	13.5	45.6
2004 5/.....	2.8	*	*	*	1.3	2.0	2.2	3.0	3.3	4.7	10.6	51.0
2003 5/.....	2.9	*	*	*	1.3	2.1	2.2	2.8	3.3	4.0	14.0	50.3
2002.....	3.0	*	*	*	1.0	2.0	2.6	3.5	3.4	5.1	15.8	51.0
2001.....	2.9	*	*	*	1.1	1.6	3.0	2.7	2.9	4.6	16.5	51.8
2000.....	3.1	*	*	*	1.1	2.5	2.8	2.9	3.5	6.1	13.2	50.2
1999.....	3.1	*	*	*	1.2	2.4	2.4	3.0	3.6	4.7	13.7	56.4

Worktable Orig12. Death rates for 358 selected causes, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2006

[Rates per 100,000 population in specified group. Rates are based on populations enumerated as of April 1 for 2000 and estimated as of July 1 for all other years. Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to 'Detailed technical notes to the United States 2006 data-mortality']

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, and sex	All ages 1/	Under 1 year 2/	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
Nutritional anemias (D50-D53)												
Non-Hispanic 4/, both sexes												
2006.....	0.1	*	*	*	*	*	*	*	*	0.2	0.5	2.9
2005.....	0.1	*	*	*	*	*	*	*	*	0.1	0.6	3.2
2004.....	0.1	*	*	*	*	*	*	*	*	*	0.6	2.8
2003.....	0.1	*	*	*	*	*	*	*	*	0.2	0.5	3.6
2002.....	0.1	*	*	*	*	*	*	*	*	0.2	0.4	3.5
2001.....	0.1	*	*	*	*	*	*	*	*	0.2	0.7	3.6
2000.....	0.1	*	*	*	*	*	*	*	*	*	0.6	4.4
1999.....	0.1	*	*	*	*	*	*	*	*	0.1	0.7	4.0
Non-Hispanic 4/, male												
2006.....	0.1	*	*	*	*	*	*	*	*	*	*	2.6
2005.....	0.1	*	*	*	*	*	*	*	*	*	0.5	2.8
2004.....	0.1	*	*	*	*	*	*	*	*	*	0.4	2.8
2003.....	0.1	*	*	*	*	*	*	*	*	*	0.6	2.8
2002.....	0.1	*	*	*	*	*	*	*	*	*	*	2.8
2001.....	0.1	*	*	*	*	*	*	*	*	*	0.7	3.2
2000.....	0.1	*	*	*	*	*	*	*	*	*	*	5.1
1999.....	0.1	*	*	*	*	*	*	*	*	*	0.7	3.8
Non-Hispanic 4/, female												
2006.....	0.1	*	*	*	*	*	*	*	*	*	0.6	3.1
2005.....	0.1	*	*	*	*	*	*	*	*	*	0.7	3.4
2004.....	0.1	*	*	*	*	*	*	*	*	*	0.6	2.9
2003.....	0.1	*	*	*	*	*	*	*	*	*	0.5	3.9
2002.....	0.1	*	*	*	*	*	*	*	*	*	0.5	3.8
2001.....	0.1	*	*	*	*	*	*	*	*	*	0.6	3.8
2000.....	0.2	*	*	*	*	*	*	*	*	*	0.7	4.1
1999.....	0.1	*	*	*	*	*	*	*	*	*	0.7	4.1
Non-Hispanic white, both sexes												
2006 5/.....	0.1	*	*	*	*	*	*	*	*	0.2	0.5	2.8
2005 5/.....	0.1	*	*	*	*	*	*	*	*	*	0.6	3.2
2004 5/.....	0.1	*	*	*	*	*	*	*	*	*	0.6	2.8
2003 5/.....	0.1	*	*	*	*	*	*	*	*	0.1	0.5	3.7
2002.....	0.1	*	*	*	*	*	*	*	*	*	0.4	3.6
2001.....	0.1	*	*	*	*	*	*	*	*	0.1	0.6	3.7
2000.....	0.1	*	*	*	*	*	*	*	*	*	0.6	4.4
1999.....	0.1	*	*	*	*	*	*	*	*	0.1	0.6	3.9
Non-Hispanic white, male												
2006 5/.....	0.1	*	*	*	*	*	*	*	*	*	*	2.5
2005 5/.....	0.1	*	*	*	*	*	*	*	*	*	0.5	2.8
2004 5/.....	0.1	*	*	*	*	*	*	*	*	*	*	3.1
2003 5/.....	0.1	*	*	*	*	*	*	*	*	*	0.6	2.9
2002.....	0.1	*	*	*	*	*	*	*	*	*	*	2.8
2001.....	0.1	*	*	*	*	*	*	*	*	*	0.7	3.4
2000.....	0.1	*	*	*	*	*	*	*	*	*	*	5.0
1999.....	0.1	*	*	*	*	*	*	*	*	*	0.6	4.1
Non-Hispanic white, female												
2006 5/.....	0.1	*	*	*	*	*	*	*	*	*	0.6	2.9
2005 5/.....	0.2	*	*	*	*	*	*	*	*	*	0.6	3.4
2004 5/.....	0.1	*	*	*	*	*	*	*	*	*	0.7	2.7
2003 5/.....	0.2	*	*	*	*	*	*	*	*	*	0.4	4.0
2002.....	0.2	*	*	*	*	*	*	*	*	*	0.5	3.9
2001.....	0.2	*	*	*	*	*	*	*	*	*	0.6	3.8
2000.....	0.2	*	*	*	*	*	*	*	*	*	0.7	4.2
1999.....	0.2	*	*	*	*	*	*	*	*	*	0.7	3.9

Worktable Orig12. Death rates for 358 selected causes, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2006

[Rates per 100,000 population in specified group. Rates are based on populations enumerated as of April 1 for 2000 and estimated as of July 1 for all other years. Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to 'Detailed technical notes to the United States 2006 data-mortality']

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, and sex	All ages 1/	Under 1 year 2/	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
Hemolytic anemias (D55-D59)												
Non-Hispanic 4/, both sexes												
2006.....	0.3	*	*	0.1	0.2	0.3	0.4	0.3	0.3	0.3	0.7	1.5
2005.....	0.3	*	*	*	0.2	0.4	0.4	0.3	0.2	0.4	0.7	1.9
2004.....	0.3	*	*	0.1	0.3	0.4	0.3	0.3	0.3	0.3	0.7	1.9
2003.....	0.3	*	*	0.1	0.2	0.4	0.3	0.3	0.3	0.2	0.8	1.9
2002.....	0.3	*	*	0.1	0.2	0.4	0.4	0.4	0.2	0.4	0.8	2.2
2001.....	0.3	*	*	0.1	0.2	0.4	0.4	0.3	0.3	0.3	0.9	2.3
2000.....	0.3	*	*	0.2	0.1	0.2	0.3	0.3	0.3	0.4	0.9	2.4
1999.....	0.3	*	*	0.2	0.1	0.2	0.4	0.3	0.3	0.4	0.9	2.3
Non-Hispanic 4/, male												
2006.....	0.3	*	*	*	0.2	0.3	0.3	0.2	0.3	*	0.6	1.9
2005.....	0.3	*	*	*	0.3	0.4	0.4	0.3	0.2	*	0.8	2.5
2004.....	0.3	*	*	*	0.3	0.5	0.4	0.3	0.3	*	0.9	2.2
2003.....	0.3	*	*	*	0.2	0.4	0.3	0.3	0.3	*	0.9	1.4
2002.....	0.3	*	*	*	0.3	0.5	0.3	0.3	0.2	0.4	0.5	2.3
2001.....	0.3	*	*	*	0.3	0.4	0.3	0.4	0.2	0.3	1.0	2.2
2000.....	0.3	*	*	*	0.2	0.3	0.3	0.3	0.2	0.3	0.9	2.6
1999.....	0.3	*	*	*	0.3	0.4	0.4	0.3	0.3	0.3	1.1	1.8
Non-Hispanic 4/, female												
2006.....	0.3	*	*	*	0.2	0.3	0.4	0.4	0.3	0.3	0.7	1.4
2005.....	0.3	*	*	*	0.2	0.4	0.3	0.4	0.3	0.5	0.7	1.6
2004.....	0.3	*	*	*	0.2	0.3	0.3	0.4	0.3	0.4	0.5	1.8
2003.....	0.3	*	*	*	0.2	0.4	0.3	0.3	0.2	0.2	0.8	2.1
2002.....	0.4	*	*	*	0.2	0.4	0.4	0.4	0.2	0.4	1.0	2.2
2001.....	0.3	*	*	*	0.2	0.3	0.4	0.3	0.3	0.4	0.9	2.3
2000.....	0.4	*	*	*	0.2	0.4	0.4	0.3	0.3	0.4	0.9	2.3
1999.....	0.4	*	*	*	0.2	0.4	0.3	0.3	0.3	0.4	0.8	2.5
Non-Hispanic white, both sexes												
2006 5/.....	0.1	*	*	*	*	*	*	*	0.1	0.2	0.7	1.6
2005 5/.....	0.1	*	*	*	*	*	*	0.1	0.1	0.3	0.7	1.9
2004 5/.....	0.1	*	*	*	*	*	*	*	0.1	0.2	0.7	2.0
2003 5/.....	0.1	*	*	*	*	*	*	*	*	0.2	0.9	2.0
2002.....	0.2	*	*	*	*	*	*	0.1	*	*	0.8	2.3
2001.....	0.2	*	*	*	*	*	*	*	0.1	0.3	0.9	2.3
2000.....	0.2	*	*	*	*	*	*	*	*	0.3	0.9	2.6
1999.....	0.2	*	*	*	*	*	*	*	*	0.3	0.9	2.5
Non-Hispanic white, male												
2006 5/.....	0.1	*	*	*	*	*	*	*	*	*	0.6	2.1
2005 5/.....	0.1	*	*	*	*	*	*	*	*	*	0.7	2.7
2004 5/.....	0.1	*	*	*	*	*	*	*	*	*	1.0	2.0
2003 5/.....	0.1	*	*	*	*	*	*	*	*	*	1.0	*
2002.....	0.1	*	*	*	*	*	*	*	*	0.3	0.6	2.5
2001.....	0.1	*	*	*	*	*	*	*	*	*	1.1	2.3
2000.....	0.1	*	*	*	*	*	*	*	*	*	0.9	2.9
1999.....	0.1	*	*	*	*	*	*	*	*	*	1.1	*
Non-Hispanic white, female												
2006 5/.....	0.2	*	*	*	*	*	*	*	*	*	0.8	1.4
2005 5/.....	0.2	*	*	*	*	*	*	*	*	0.3	0.7	1.6
2004 5/.....	0.1	*	*	*	*	*	*	*	*	0.3	0.5	1.9
2003 5/.....	0.2	*	*	*	*	*	*	*	*	*	0.8	2.3
2002.....	0.2	*	*	*	*	*	*	*	*	0.3	1.0	2.2
2001.....	0.2	*	*	*	*	*	*	*	*	0.3	0.8	2.3
2000.....	0.2	*	*	*	*	*	*	*	*	0.3	1.0	2.4
1999.....	0.2	*	*	*	*	*	*	*	*	0.4	0.8	2.7

Worktable Orig12. Death rates for 358 selected causes, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2006

[Rates per 100,000 population in specified group. Rates are based on populations enumerated as of April 1 for 2000 and estimated as of July 1 for all other years. Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to 'Detailed technical notes to the United States 2006 data-mortality']

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, and sex	All ages 1/	Under 1 year 2/	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
Hemolytic anemias (D55-D59)												
Non-Hispanic black, both sexes												
2006 5/.....	1.3	*	*	*	0.9	1.9	2.4	2.0	1.7	*	*	*
2005 5/.....	1.4	*	*	*	1.2	2.3	2.3	2.1	1.3	1.6	*	*
2004 5/.....	1.5	*	*	*	1.4	2.3	2.2	2.2	2.0	1.2	*	*
2003 5/.....	1.4	*	*	0.3	1.1	2.1	2.2	2.3	1.9	*	*	*
2002.....	1.5	*	*	0.3	1.2	2.3	2.3	2.5	1.4	*	*	*
2001.....	1.4	*	*	*	1.1	2.0	2.4	2.4	1.5	*	*	*
2000.....	1.4	*	*	0.4	1.0	2.1	2.2	2.4	1.7	*	*	*
1999.....	1.5	*	*	0.4	1.3	2.5	2.3	2.3	2.0	*	*	*
Non-Hispanic black, male												
2006 5/.....	1.3	*	*	*	1.1	2.0	2.3	1.6	1.8	*	*	*
2005 5/.....	1.5	*	*	*	1.3	2.6	2.7	1.9	*	*	*	*
2004 5/.....	1.6	*	*	*	1.5	2.7	2.5	1.9	2.2	*	*	*
2003 5/.....	1.5	*	*	*	1.0	2.2	2.3	2.3	2.3	*	*	*
2002.....	1.5	*	*	*	1.5	2.7	2.3	2.1	*	*	*	*
2001.....	1.5	*	*	*	1.3	2.7	2.2	2.7	*	*	*	*
2000.....	1.3	*	*	*	0.9	1.9	2.0	2.5	*	*	*	*
1999.....	1.7	*	*	*	1.7	2.7	2.6	2.3	2.0	*	*	*
Non-Hispanic black, female												
2006 5/.....	1.3	*	*	*	0.8	1.8	2.4	2.2	1.6	*	*	*
2005 5/.....	1.4	*	*	*	1.0	2.0	1.9	2.2	1.8	2.1	*	*
2004 5/.....	1.4	*	*	*	1.2	2.0	2.0	2.4	1.7	*	*	*
2003 5/.....	1.3	*	*	*	1.2	2.0	2.0	2.2	1.6	*	*	*
2002.....	1.4	*	*	*	0.9	2.0	2.3	2.8	1.5	*	*	*
2001.....	1.3	*	*	*	0.8	1.4	2.5	2.2	1.5	*	*	*
2000.....	1.5	*	*	*	1.0	2.2	2.4	2.4	2.0	*	*	*
1999.....	1.4	*	*	*	0.9	2.3	2.0	2.3	1.9	*	*	*

Worktable Orig12. Death rates for 358 selected causes, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2006

[Rates per 100,000 population in specified group. Rates are based on populations enumerated as of April 1 for 2000 and estimated as of July 1 for all other years. Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to 'Detailed technical notes to the United States 2006 data-mortality']

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, and sex	All ages 1/	Under 1 year 2/	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
Aplastic anemias (D60-D61)												
Non-Hispanic 4/, both sexes												
2006.....	0.3	*	*	*	0.1	*	0.1	0.1	0.3	0.7	2.0	5.4
2005.....	0.3	*	*	*	*	*	0.1	0.1	0.3	0.9	2.1	5.0
2004.....	0.4	*	*	*	0.1	*	0.1	0.1	0.4	0.9	2.0	5.7
2003.....	0.4	*	*	*	0.1	0.1	0.1	0.1	0.3	0.9	2.2	5.8
2002.....	0.4	*	*	0.1	0.1	*	0.1	0.1	0.3	0.8	2.4	5.3
2001.....	0.4	*	*	0.1	0.1	0.1	0.1	0.2	0.4	0.9	2.6	6.8
2000.....	0.4	*	*	*	*	*	0.1	0.2	0.4	0.9	2.6	7.6
1999.....	0.4	*	*	*	0.1	*	0.1	0.2	0.3	1.0	2.7	7.9
Non-Hispanic 4/, male												
2006.....	0.3	*	*	*	*	*	*	*	0.2	0.7	2.3	6.6
2005.....	0.3	*	*	*	*	*	*	0.1	0.3	1.0	2.5	5.4
2004.....	0.3	*	*	*	*	*	*	0.1	0.4	1.1	2.3	6.3
2003.....	0.4	*	*	*	*	*	*	0.1	0.3	1.1	2.6	7.6
2002.....	0.3	*	*	*	*	*	*	0.1	0.3	0.8	2.8	6.8
2001.....	0.4	*	*	*	*	*	*	0.2	0.4	0.9	2.9	7.9
2000.....	0.3	*	*	*	*	*	*	0.1	0.4	1.0	2.9	7.8
1999.....	0.4	*	*	*	*	*	*	0.2	0.3	1.1	3.2	10.2
Non-Hispanic 4/, female												
2006.....	0.3	*	*	*	*	*	*	0.1	0.3	0.6	1.7	4.8
2005.....	0.4	*	*	*	*	*	*	0.1	0.3	0.8	1.9	4.8
2004.....	0.4	*	*	*	*	*	*	0.1	0.4	0.8	1.7	5.4
2003.....	0.4	*	*	*	*	*	*	0.1	0.3	0.8	1.9	5.1
2002.....	0.4	*	*	*	*	*	*	0.1	0.3	0.8	2.1	4.6
2001.....	0.5	*	*	*	*	*	*	0.2	0.4	1.0	2.5	6.3
2000.....	0.5	*	*	*	*	*	0.1	0.2	0.4	0.9	2.4	7.5
1999.....	0.4	*	*	*	*	*	*	0.1	0.3	0.9	2.3	6.9
Non-Hispanic white, both sexes												
2006 5/.....	0.4	*	*	*	*	*	*	0.1	0.3	0.7	2.0	5.5
2005 5/.....	0.4	*	*	*	*	*	*	0.1	0.3	0.9	2.2	5.1
2004 5/.....	0.4	*	*	*	*	*	*	0.1	0.4	0.9	2.0	5.7
2003 5/.....	0.4	*	*	*	*	*	*	0.1	0.3	0.9	2.2	5.9
2002.....	0.4	*	*	*	*	*	*	0.1	0.3	0.8	2.5	5.2
2001.....	0.4	*	*	*	*	*	0.1	0.2	0.4	0.9	2.7	7.1
2000.....	0.4	*	*	*	*	*	0.1	0.1	0.4	1.0	2.6	7.6
1999.....	0.4	*	*	*	*	*	0.1	0.1	0.3	0.9	2.7	8.0
Non-Hispanic white, male												
2006 5/.....	0.3	*	*	*	*	*	*	*	0.2	0.7	2.4	7.1
2005 5/.....	0.3	*	*	*	*	*	*	*	0.3	1.0	2.5	5.6
2004 5/.....	0.4	*	*	*	*	*	*	*	0.3	1.1	2.3	6.3
2003 5/.....	0.4	*	*	*	*	*	*	0.1	0.2	1.0	2.8	7.8
2002.....	0.3	*	*	*	*	*	*	*	0.3	0.8	2.9	6.7
2001.....	0.4	*	*	*	*	*	*	0.2	0.3	0.8	3.0	8.6
2000.....	0.4	*	*	*	*	*	*	*	0.4	1.1	2.7	7.3
1999.....	0.4	*	*	*	*	*	*	*	0.3	1.0	3.2	10.4
Non-Hispanic white, female												
2006 5/.....	0.4	*	*	*	*	*	*	0.1	0.3	0.7	1.7	4.8
2005 5/.....	0.4	*	*	*	*	*	*	*	0.4	0.8	2.0	4.9
2004 5/.....	0.4	*	*	*	*	*	*	*	0.4	0.7	1.8	5.4
2003 5/.....	0.4	*	*	*	*	*	*	*	0.3	0.7	1.9	5.1
2002.....	0.4	*	*	*	*	*	*	*	0.3	0.8	2.1	4.6
2001.....	0.5	*	*	*	*	*	*	0.2	0.4	1.0	2.5	6.4
2000.....	0.5	*	*	*	*	*	*	0.1	0.4	0.9	2.5	7.7
1999.....	0.5	*	*	*	*	*	*	0.1	0.3	0.8	2.3	7.0

Worktable Orig12. Death rates for 358 selected causes, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2006

[Rates per 100,000 population in specified group. Rates are based on populations enumerated as of April 1 for 2000 and estimated as of July 1 for all other years. Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to 'Detailed technical notes to the United States 2006 data-mortality']

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, and sex	All ages 1/	Under 1 year 2/	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
Acute posthemorrhagic and other anemias (D62,D64)												
Non-Hispanic 4/, both sexes												
2006.....	0.8	*	*	*	*	*	*	0.1	0.4	1.1	4.4	20.5
2005.....	1.0	*	*	*	*	*	0.1	0.2	0.4	1.2	5.8	27.2
2004.....	1.0	*	*	*	*	*	0.1	0.1	0.4	1.3	5.5	28.0
2003.....	1.0	*	*	*	*	*	*	0.1	0.4	1.3	5.3	29.8
2002.....	1.0	*	*	*	*	*	*	0.1	0.4	1.4	5.6	29.6
2001.....	0.9	*	*	*	*	*	0.1	0.1	0.3	1.3	5.6	29.8
2000.....	0.9	*	*	*	*	*	*	0.1	0.4	1.4	5.5	28.8
1999.....	0.9	*	*	*	*	*	0.0	0.2	0.3	1.2	5.3	29.8
Non-Hispanic 4/, male												
2006.....	0.6	*	*	*	*	*	*	0.1	0.4	1.0	4.7	19.1
2005.....	0.7	*	*	*	*	*	*	0.1	0.5	1.1	5.9	23.4
2004.....	0.7	*	*	*	*	*	*	0.2	0.5	1.5	5.3	25.8
2003.....	0.7	*	*	*	*	*	*	0.2	0.5	1.5	5.2	26.5
2002.....	0.7	*	*	*	*	*	*	0.1	0.5	1.6	5.4	25.7
2001.....	0.6	*	*	*	*	*	*	*	0.3	1.5	5.3	27.5
2000.....	0.6	*	*	*	*	*	*	0.1	0.5	1.4	5.4	25.5
1999.....	0.6	*	*	*	*	*	*	0.2	0.3	1.1	5.1	27.5
Non-Hispanic 4/, female												
2006.....	0.9	*	*	*	*	*	*	0.1	0.3	1.1	4.2	21.2
2005.....	1.2	*	*	*	*	*	*	0.2	0.4	1.2	5.8	28.9
2004.....	1.2	*	*	*	*	*	*	0.1	0.3	1.2	5.7	29.0
2003.....	1.2	*	*	*	*	*	*	0.1	0.3	1.2	5.4	31.3
2002.....	1.2	*	*	*	*	*	*	0.2	0.4	1.2	5.7	31.2
2001.....	1.2	*	*	*	*	*	*	*	0.3	1.1	5.7	30.8
2000.....	1.2	*	*	*	*	*	*	*	0.3	1.4	5.5	30.2
1999.....	1.2	*	*	*	*	*	*	0.2	0.3	1.2	5.4	30.7
Non-Hispanic white, both sexes												
2006 5/.....	0.8	*	*	*	*	*	*	0.1	0.3	1.0	4.3	20.0
2005 5/.....	1.0	*	*	*	*	*	*	0.1	0.3	1.0	5.5	26.9
2004 5/.....	1.0	*	*	*	*	*	*	0.1	0.3	1.2	5.3	27.6
2003 5/.....	1.0	*	*	*	*	*	*	0.1	0.2	1.1	5.0	29.4
2002.....	1.0	*	*	*	*	*	*	0.1	0.3	1.2	5.0	28.8
2001.....	1.0	*	*	*	*	*	*	*	0.2	1.2	5.1	29.0
2000.....	1.0	*	*	*	*	*	*	0.1	0.3	1.2	5.2	28.3
1999.....	0.9	*	*	*	*	*	*	0.1	0.2	1.0	5.1	28.8
Non-Hispanic white, male												
2006 5/.....	0.6	*	*	*	*	*	*	*	0.3	1.0	4.6	18.9
2005 5/.....	0.7	*	*	*	*	*	*	*	0.4	0.9	5.5	23.2
2004 5/.....	0.7	*	*	*	*	*	*	*	0.3	1.3	4.9	25.8
2003 5/.....	0.7	*	*	*	*	*	*	*	0.3	1.2	4.9	26.1
2002.....	0.7	*	*	*	*	*	*	*	0.3	1.3	4.8	24.3
2001.....	0.7	*	*	*	*	*	*	*	0.2	1.3	5.0	26.9
2000.....	0.6	*	*	*	*	*	*	*	0.4	1.3	5.2	24.8
1999.....	0.6	*	*	*	*	*	*	*	*	1.0	5.0	27.1
Non-Hispanic white, female												
2006 5/.....	1.0	*	*	*	*	*	*	*	0.3	0.9	4.0	20.5
2005 5/.....	1.3	*	*	*	*	*	*	0.1	0.3	1.0	5.4	28.5
2004 5/.....	1.3	*	*	*	*	*	*	*	0.2	1.1	5.5	28.4
2003 5/.....	1.3	*	*	*	*	*	*	*	*	1.1	5.1	30.9
2002.....	1.3	*	*	*	*	*	*	*	0.3	1.1	5.2	30.7
2001.....	1.3	*	*	*	*	*	*	*	0.2	1.0	5.2	29.9
2000.....	1.3	*	*	*	*	*	*	*	0.3	1.2	5.2	29.7
1999.....	1.2	*	*	*	*	*	*	*	0.3	1.0	5.2	29.5

Worktable Orig12. Death rates for 358 selected causes, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2006

[Rates per 100,000 population in specified group. Rates are based on populations enumerated as of April 1 for 2000 and estimated as of July 1 for all other years. Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.odc.gov/nchs> and refer to 'Detailed technical notes to the United States 2006 data-mortality']

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, and sex	All ages 1/	Under 1 year 2/	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
Acute posthemorrhagic and other anemias (D62,D64)												
Non-Hispanic black, both sexes												
2006 5/.....	0.8	*	*	*	*	*	*	0.5	1.2	2.4	7.2	28.9
2005 5/.....	1.0	*	*	*	*	*	*	0.4	1.5	3.4	11.6	35.5
2004 5/.....	0.9	*	*	*	*	*	*	0.5	1.5	2.6	9.2	38.3
2003 5/.....	1.0	*	*	*	*	*	*	0.5	1.7	3.2	10.5	40.5
2002.....	1.1	*	*	*	*	*	*	*	1.5	3.3	13.0	42.0
2001.....	1.0	*	*	*	*	*	*	0.5	0.8	2.9	12.0	41.8
2000.....	0.9	*	*	*	*	*	*	*	1.3	3.4	9.6	37.8
1999.....	0.9	*	*	*	*	*	*	0.7	1.2	2.8	8.9	39.8
Non-Hispanic black, male												
2006 5/.....	0.6	*	*	*	*	*	*	*	1.6	*	8.3	22.0
2005 5/.....	0.8	*	*	*	*	*	*	*	1.6	3.8	12.1	32.4
2004 5/.....	0.8	*	*	*	*	*	*	*	2.0	3.1	10.0	34.5
2003 5/.....	0.9	*	*	*	*	*	*	*	2.4	4.6	12.4	38.4
2002.....	0.9	*	*	*	*	*	*	*	1.9	4.5	13.8	45.9
2001.....	0.7	*	*	*	*	*	*	*	*	3.7	11.1	38.1
2000.....	0.7	*	*	*	*	*	*	*	*	*	8.9	34.1
1999.....	0.7	*	*	*	*	*	*	*	*	*	8.4	30.9
Non-Hispanic black, female												
2006 5/.....	1.0	*	*	*	*	*	*	*	*	2.6	6.6	31.8
2005 5/.....	1.2	*	*	*	*	*	*	*	1.4	3.1	11.3	36.8
2004 5/.....	1.1	*	*	*	*	*	*	*	*	2.1	8.7	39.8
2003 5/.....	1.1	*	*	*	*	*	*	*	*	2.2	9.5	41.3
2002.....	1.2	*	*	*	*	*	*	*	*	2.4	12.6	40.6
2001.....	1.2	*	*	*	*	*	*	*	*	2.4	12.5	43.2
2000.....	1.1	*	*	*	*	*	*	*	*	3.8	9.9	39.2
1999.....	1.2	*	*	*	*	*	*	*	*	3.0	9.1	43.1

Worktable Orig12. Death rates for 358 selected causes, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2006

[Rates per 100,000 population in specified group. Rates are based on populations enumerated as of April 1 for 2000 and estimated as of July 1 for all other years. Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to 'Detailed technical notes to the United States 2006 data-mortality']

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, and sex	All ages 1/	Under 1 year 2/	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
Coagulation defects, purpura and other hemorrhagic conditions (D65-D69)												
Non-Hispanic 4/, both sexes												
2006.....	0.9	0.9	*	*	0.1	0.1	0.3	0.6	1.2	2.5	5.5	8.6
2005.....	1.0	1.0	*	*	0.1	0.2	0.3	0.7	1.2	2.7	5.6	10.1
2004.....	1.0	1.0	*	*	*	0.2	0.4	0.7	1.2	2.5	6.1	10.2
2003.....	1.0	0.9	*	*	0.1	0.2	0.3	0.7	1.2	2.8	5.9	10.6
2002.....	1.0	*	*	*	0.1	0.2	0.3	0.7	1.1	2.7	6.0	11.3
2001.....	1.0	0.9	*	*	0.1	0.2	0.4	0.7	1.2	2.7	5.9	11.0
2000.....	1.0	*	*	*	0.1	0.1	0.3	0.6	1.4	2.9	6.0	11.7
1999.....	1.0	1.1	*	*	0.1	0.2	0.4	0.6	1.2	2.9	6.0	11.5
Non-Hispanic 4/, male												
2006.....	0.9	*	*	*	*	0.1	0.3	0.6	1.2	2.7	5.9	10.4
2005.....	0.9	1.4	*	*	*	*	0.3	0.8	1.2	2.9	6.5	11.9
2004.....	0.9	1.4	*	*	*	0.1	0.3	0.7	1.4	2.8	6.7	11.2
2003.....	0.9	*	*	*	*	0.1	0.3	0.7	1.2	3.1	6.6	11.9
2002.....	0.9	*	*	*	*	0.2	0.3	0.7	1.2	2.7	6.6	13.8
2001.....	0.9	*	*	*	*	0.1	0.4	0.7	1.2	2.8	6.5	12.3
2000.....	0.9	*	*	*	*	*	0.3	0.7	1.3	3.2	6.2	14.9
1999.....	0.9	1.3	*	*	*	0.1	0.4	0.7	1.1	3.0	6.2	14.5
Non-Hispanic 4/, female												
2006.....	1.0	*	*	*	0.1	0.2	0.3	0.7	1.1	2.4	5.2	7.8
2005.....	1.0	*	*	*	0.1	0.2	0.3	0.7	1.1	2.5	4.9	9.2
2004.....	1.0	*	*	*	*	0.2	0.4	0.7	1.0	2.3	5.7	9.7
2003.....	1.1	*	*	*	*	0.2	0.3	0.7	1.1	2.5	5.5	10.0
2002.....	1.1	*	*	*	*	0.1	0.3	0.7	1.1	2.8	5.6	10.2
2001.....	1.1	*	*	*	*	0.3	0.4	0.7	1.3	2.6	5.5	10.5
2000.....	1.1	*	*	*	*	0.2	0.3	0.6	1.4	2.7	5.9	10.4
1999.....	1.1	*	*	*	*	0.2	0.4	0.6	1.3	2.7	5.8	10.3
Non-Hispanic white, both sexes												
2006 5/.....	0.9	0.9	*	*	*	0.1	0.2	0.5	1.0	2.4	5.3	8.7
2005 5/.....	1.0	*	*	*	*	0.1	0.3	0.6	1.1	2.5	5.4	10.2
2004 5/.....	1.0	0.9	*	*	*	0.1	0.3	0.6	1.1	2.4	6.2	10.1
2003 5/.....	1.0	*	*	*	0.1	0.1	0.3	0.6	1.0	2.7	5.8	10.3
2002.....	1.0	*	*	*	*	0.2	0.3	0.6	1.0	2.6	6.0	11.4
2001.....	1.0	*	*	*	*	0.2	0.3	0.5	1.1	2.6	5.8	11.0
2000.....	1.0	*	*	*	*	0.1	0.3	0.5	1.2	2.8	5.9	11.9
1999.....	1.0	0.9	*	*	0.1	0.1	0.3	0.5	1.1	2.6	5.8	11.5
Non-Hispanic white, male												
2006 5/.....	0.9	*	*	*	*	*	0.2	0.5	1.0	2.5	5.9	10.7
2005 5/.....	1.0	*	*	*	*	*	0.3	0.7	1.1	2.6	6.3	12.3
2004 5/.....	1.0	*	*	*	*	*	0.3	0.6	1.3	2.7	6.7	11.3
2003 5/.....	0.9	*	*	*	*	*	0.3	0.6	1.0	3.0	6.5	11.7
2002.....	0.9	*	*	*	*	0.2	0.3	0.5	1.1	2.6	6.5	14.0
2001.....	0.9	*	*	*	*	*	0.3	0.5	1.1	2.7	6.3	12.4
2000.....	0.9	*	*	*	*	*	0.3	0.6	1.2	3.0	6.2	15.3
1999.....	0.9	*	*	*	*	*	0.3	0.6	0.9	2.8	5.8	14.8
Non-Hispanic white, female												
2006 5/.....	1.0	*	*	*	*	*	0.2	0.6	1.0	2.3	5.0	7.8
2005 5/.....	1.0	*	*	*	*	*	0.2	0.6	1.0	2.3	4.8	9.2
2004 5/.....	1.1	*	*	*	*	0.2	0.3	0.6	0.9	2.1	5.8	9.6
2003 5/.....	1.1	*	*	*	*	*	0.3	0.6	1.0	2.4	5.3	9.7
2002.....	1.1	*	*	*	*	*	0.3	0.6	0.9	2.6	5.6	10.2
2001.....	1.1	*	*	*	*	0.2	0.3	0.5	1.2	2.6	5.4	10.4
2000.....	1.1	*	*	*	*	*	0.3	0.5	1.3	2.6	5.7	10.6
1999.....	1.1	*	*	*	*	*	0.2	0.4	1.2	2.5	5.8	10.1

Worktable Orig12. Death rates for 358 selected causes, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2006

[Rates per 100,000 population in specified group. Rates are based on populations enumerated as of April 1 for 2000 and estimated as of July 1 for all other years. Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to 'Detailed technical notes to the United States 2006 data-mortality']

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, and sex	All ages 1/	Under 1 year 2/	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
Coagulation defects, purpura and other hemorrhagic conditions (D65-D69)												
Non-Hispanic black, both sexes												
2006 5/.....	1.1	*	*	*	*	0.4	0.9	1.4	2.2	4.0	7.0	10.4
2005 5/.....	1.1	*	*	*	*	0.4	0.6	1.5	2.4	4.7	7.9	9.8
2004 5/.....	1.1	*	*	*	*	*	0.9	1.6	2.3	4.0	6.8	13.0
2003 5/.....	1.1	*	*	*	*	*	0.6	1.8	2.3	4.3	7.7	14.0
2002.....	1.0	*	*	*	*	*	0.4	1.6	2.1	4.6	7.5	13.3
2001.....	1.1	*	*	*	*	0.5	0.9	1.9	2.1	3.6	8.1	12.2
2000.....	1.1	*	*	*	*	0.4	0.6	1.7	2.6	4.5	8.2	11.4
1999.....	1.2	*	*	*	*	*	1.0	1.5	2.7	5.0	8.3	13.9
Non-Hispanic black, male												
2006 5/.....	1.0	*	*	*	*	*	*	1.4	2.5	4.4	5.8	*
2005 5/.....	1.1	*	*	*	*	*	*	1.6	2.8	5.2	10.1	*
2004 5/.....	1.0	*	*	*	*	*	*	1.7	2.6	4.7	7.4	*
2003 5/.....	1.0	*	*	*	*	*	*	1.8	2.5	4.9	8.1	*
2002.....	0.9	*	*	*	*	*	*	1.6	2.0	4.2	8.2	*
2001.....	1.0	*	*	*	*	*	0.8	1.9	2.0	4.0	9.0	*
2000.....	1.0	*	*	*	*	*	*	1.8	2.4	5.4	6.8	*
1999.....	1.1	*	*	*	*	*	0.8	1.4	2.5	5.4	10.9	*
Non-Hispanic black, female												
2006 5/.....	1.2	*	*	*	*	*	1.1	1.5	2.0	3.7	7.7	9.3
2005 5/.....	1.2	*	*	*	*	*	0.8	1.4	2.0	4.4	6.7	10.0
2004 5/.....	1.2	*	*	*	*	*	1.1	1.4	2.1	3.6	6.4	12.4
2003 5/.....	1.2	*	*	*	*	*	0.7	1.8	2.1	3.9	7.5	14.0
2002.....	1.2	*	*	*	*	*	*	1.6	2.2	4.9	7.1	12.5
2001.....	1.3	*	*	*	*	*	1.0	1.8	2.3	3.2	7.6	13.7
2000.....	1.3	*	*	*	*	*	*	1.6	2.8	3.9	9.0	10.5
1999.....	1.3	*	*	*	*	*	1.1	1.5	2.8	4.8	6.8	13.3

Worktable Orig12. Death rates for 358 selected causes, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2006

[Rates per 100,000 population in specified group. Rates are based on populations enumerated as of April 1 for 2000 and estimated as of July 1 for all other years. Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to 'Detailed technical notes to the United States 2006 data-mortality']

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, and sex	All ages 1/	Under 1 year 2/	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
Other diseases of blood and blood-forming organs (D70-D76)												
Non-Hispanic 4/, both sexes												
2006.....	0.3	0.7	*	*	*	*	0.1	0.2	0.4	0.8	1.6	2.8
2005.....	0.3	*	*	*	*	*	0.1	0.2	0.4	0.8	1.7	3.2
2004.....	0.3	0.6	*	*	*	*	0.1	0.2	0.3	0.9	1.6	3.1
2003.....	0.3	*	*	*	*	*	0.1	0.2	0.4	0.8	1.7	4.0
2002.....	0.3	*	*	*	*	*	0.1	0.2	0.5	0.9	2.0	3.4
2001.....	0.3	*	*	*	*	*	0.1	0.2	0.4	0.8	1.9	3.9
2000.....	0.3	*	*	*	*	0.1	0.1	0.2	0.4	0.9	1.8	3.4
1999.....	0.3	*	*	*	*	*	0.1	0.2	0.4	0.9	1.7	3.7
Non-Hispanic 4/, male												
2006.....	0.3	*	*	*	*	*	*	0.2	0.4	1.0	2.0	2.9
2005.....	0.3	*	*	*	*	*	*	0.2	0.4	0.8	2.1	3.3
2004.....	0.3	*	*	*	*	*	0.1	0.2	0.4	1.0	1.9	3.4
2003.....	0.3	*	*	*	*	*	*	0.2	0.4	0.9	2.0	4.1
2002.....	0.3	*	*	*	*	*	*	0.2	0.5	1.1	2.2	3.5
2001.....	0.3	*	*	*	*	*	*	0.2	0.4	0.8	2.2	3.9
2000.....	0.3	*	*	*	*	*	0.1	0.2	0.4	1.1	2.2	4.2
1999.....	0.3	*	*	*	*	*	0.1	0.1	0.5	1.0	2.2	4.0
Non-Hispanic 4/, female												
2006.....	0.3	*	*	*	*	*	*	0.2	0.3	0.7	1.3	2.8
2005.....	0.3	*	*	*	*	*	0.1	0.1	0.3	0.7	1.4	3.2
2004.....	0.3	*	*	*	*	*	*	0.2	0.3	0.8	1.4	3.0
2003.....	0.3	*	*	*	*	*	*	0.1	0.4	0.7	1.5	4.0
2002.....	0.3	*	*	*	*	*	0.1	0.2	0.4	0.7	1.8	3.4
2001.....	0.3	*	*	*	*	*	0.1	0.1	0.4	0.8	1.7	3.9
2000.....	0.3	*	*	*	*	*	*	0.2	0.4	0.8	1.6	3.1
1999.....	0.3	*	*	*	*	*	0.1	0.2	0.4	0.8	1.4	3.5
Non-Hispanic white, both sexes												
2006 5/.....	0.3	*	*	*	*	*	*	0.1	0.4	0.8	1.7	2.9
2005 5/.....	0.3	*	*	*	*	*	0.1	0.2	0.4	0.7	1.7	3.3
2004 5/.....	0.3	*	*	*	*	*	0.1	0.2	0.3	0.9	1.7	3.3
2003 5/.....	0.4	*	*	*	*	*	0.1	0.2	0.4	0.8	1.7	4.2
2002.....	0.4	*	*	*	*	*	0.1	0.2	0.5	0.9	2.0	3.4
2001.....	0.3	*	*	*	*	*	0.1	0.2	0.4	0.8	1.9	3.9
2000.....	0.3	*	*	*	*	*	0.1	0.2	0.4	0.9	1.9	3.5
1999.....	0.3	*	*	*	*	*	0.1	0.2	0.4	0.9	1.8	3.7
Non-Hispanic white, male												
2006 5/.....	0.3	*	*	*	*	*	*	0.2	0.4	1.0	2.1	3.0
2005 5/.....	0.3	*	*	*	*	*	*	0.2	0.4	0.8	2.1	3.4
2004 5/.....	0.3	*	*	*	*	*	*	0.2	0.4	1.0	1.9	3.6
2003 5/.....	0.3	*	*	*	*	*	*	0.2	0.4	0.9	2.0	4.5
2002.....	0.3	*	*	*	*	*	*	0.2	0.5	1.1	2.3	3.4
2001.....	0.3	*	*	*	*	*	*	0.2	0.4	0.8	2.2	4.0
2000.....	0.3	*	*	*	*	*	*	0.2	0.3	1.1	2.1	4.3
1999.....	0.3	*	*	*	*	*	*	0.5	1.0	2.2	2.2	4.0
Non-Hispanic white, female												
2006 5/.....	0.3	*	*	*	*	*	*	*	0.3	0.7	1.4	2.9
2005 5/.....	0.3	*	*	*	*	*	*	0.1	0.3	0.7	1.4	3.3
2004 5/.....	0.3	*	*	*	*	*	*	0.1	0.3	0.8	1.5	3.2
2003 5/.....	0.4	*	*	*	*	*	*	0.1	0.4	0.8	1.6	4.1
2002.....	0.4	*	*	*	*	*	*	0.2	0.4	0.8	1.8	3.4
2001.....	0.4	*	*	*	*	*	*	*	0.4	0.8	1.7	3.9
2000.....	0.4	*	*	*	*	*	*	0.2	0.4	0.7	1.7	3.2
1999.....	0.3	*	*	*	*	*	*	0.2	0.3	0.8	1.4	3.7

Worktable Orig12. Death rates for 358 selected causes, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2006

[Rates per 100,000 population in specified group. Rates are based on populations enumerated as of April 1 for 2000 and estimated as of July 1 for all other years. Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to 'Detailed technical notes to the United States 2006 data-mortality']

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, and sex	All ages 1/	Under 1 year 2/	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
Certain disorders involving the immune mechanism (D80-D89)												
Non-Hispanic 4/, both sexes												
2006.....	0.6	0.7	*	*	*	0.2	0.5	0.8	1.0	1.3	1.5	1.3
2005.....	0.5	*	*	*	*	0.1	0.6	0.9	1.0	1.3	1.3	1.6
2004.....	0.5	*	*	*	*	0.2	0.5	0.8	1.0	1.2	1.2	1.8
2003.....	0.5	*	*	*	*	0.2	0.7	0.8	1.0	1.2	1.2	1.6
2002.....	0.6	*	*	*	*	0.2	0.7	0.9	1.1	1.1	1.3	1.9
2001.....	0.5	0.7	*	*	*	0.2	0.6	0.9	1.0	1.2	1.3	1.6
2000.....	0.5	*	*	*	*	0.2	0.6	0.8	0.9	0.9	1.5	1.5
1999.....	0.4	*	0.2	*	*	0.2	0.5	0.7	0.7	0.9	1.0	1.5
Non-Hispanic 4/, male												
2006.....	0.5	*	*	*	*	0.2	0.6	0.8	1.0	0.7	1.3	1.4
2005.....	0.5	*	*	*	*	0.2	0.6	0.8	0.9	1.0	1.3	1.3
2004.....	0.5	*	*	*	*	0.2	0.6	0.8	0.8	1.0	0.8	1.5
2003.....	0.5	*	*	*	*	0.2	0.7	0.8	0.7	1.1	1.2	*
2002.....	0.5	*	*	*	*	0.2	0.7	0.9	1.0	0.9	1.1	1.6
2001.....	0.5	*	*	*	*	0.3	0.7	0.8	0.7	0.8	1.2	1.9
2000.....	0.5	*	*	*	*	0.3	0.7	0.8	0.8	0.9	1.3	*
1999.....	0.4	*	*	*	*	0.3	0.6	0.7	0.6	0.7	1.0	*
Non-Hispanic 4/, female												
2006.....	0.6	*	*	*	*	0.1	0.5	0.9	1.1	1.8	1.7	1.2
2005.....	0.6	*	*	*	*	*	0.6	0.9	1.0	1.5	1.3	1.8
2004.....	0.6	*	*	*	*	0.2	0.5	0.8	1.1	1.4	1.4	1.9
2003.....	0.6	*	*	*	*	0.2	0.6	0.9	1.3	1.3	1.3	1.8
2002.....	0.6	*	*	*	*	0.1	0.7	0.9	1.1	1.3	1.4	2.0
2001.....	0.6	*	*	*	*	0.1	0.6	1.0	1.2	1.5	1.3	1.5
2000.....	0.5	*	*	*	*	0.2	0.6	0.9	0.9	0.9	1.7	1.5
1999.....	0.5	*	*	*	*	0.2	0.5	0.7	0.8	1.1	1.1	1.5
Non-Hispanic white, both sexes												
2006 5/.....	0.3	*	*	*	*	0.1	0.2	0.3	0.5	0.9	1.4	1.2
2005 5/.....	0.3	*	*	*	*	0.1	0.2	0.3	0.6	0.9	1.1	1.6
2004 5/.....	0.3	*	*	*	*	*	0.2	0.3	0.5	0.8	1.0	1.8
2003 5/.....	0.3	*	*	*	*	*	0.2	0.3	0.5	0.9	1.1	1.5
2002.....	0.3	*	*	*	*	*	0.2	0.4	0.6	0.9	1.2	1.8
2001.....	0.3	*	*	*	*	0.1	0.2	0.3	0.6	0.9	1.2	1.7
2000.....	0.3	*	*	*	*	0.1	0.2	0.3	0.5	0.7	1.4	1.5
1999.....	0.3	*	*	*	*	0.1	0.2	0.3	0.5	0.7	1.0	1.5
Non-Hispanic white, male												
2006 5/.....	0.3	*	*	*	*	0.2	0.2	0.3	0.6	0.5	1.2	*
2005 5/.....	0.3	*	*	*	*	*	0.2	0.3	0.6	0.7	1.1	*
2004 5/.....	0.3	*	*	*	*	*	0.3	0.4	0.5	0.7	0.8	*
2003 5/.....	0.3	*	*	*	*	*	0.3	0.3	0.4	1.0	1.0	*
2002.....	0.3	*	*	*	*	*	0.3	0.4	0.7	0.8	1.1	*
2001.....	0.3	*	*	*	*	0.2	0.2	0.4	0.4	0.6	1.0	2.0
2000.....	0.3	*	*	*	*	*	0.3	0.3	0.6	0.8	1.2	*
1999.....	0.3	*	*	*	*	*	0.2	0.4	0.5	0.6	1.0	*
Non-Hispanic white, female												
2006 5/.....	0.4	*	*	*	*	*	*	0.3	0.5	1.2	1.5	1.2
2005 5/.....	0.4	*	*	*	*	*	0.2	0.3	0.5	1.1	1.1	1.7
2004 5/.....	0.3	*	*	*	*	*	0.1	0.2	0.5	1.0	1.2	1.9
2003 5/.....	0.3	*	*	*	*	*	0.1	0.3	0.7	0.8	1.2	1.7
2002.....	0.4	*	*	*	*	*	0.2	0.3	0.6	0.9	1.3	1.9
2001.....	0.4	*	*	*	*	*	0.1	0.3	0.7	1.1	1.3	1.6
2000.....	0.3	*	*	*	*	*	0.2	0.3	0.4	0.7	1.5	1.4
1999.....	0.3	*	*	*	*	*	*	0.2	0.4	0.8	1.0	1.4

Worktable Orig12. Death rates for 358 selected causes, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2006

[Rates per 100,000 population in specified group. Rates are based on populations enumerated as of April 1 for 2000 and estimated as of July 1 for all other years. Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.odc.gov/nchs> and refer to 'Detailed technical notes to the United States 2006 data-mortality']

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, and sex	All ages 1/	Under 1 year 2/	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
Certain disorders involving the immune mechanism (D80-D89)												
Non-Hispanic black, both sexes												
2006 5/.....	1.9	*	*	*	*	0.6	2.7	4.4	5.3	5.1	3.1	*
2005 5/.....	1.9	*	*	*	*	0.5	2.9	4.7	4.9	4.9	3.7	*
2004 5/.....	1.8	*	*	*	*	0.9	2.7	4.3	5.1	4.6	3.2	*
2003 5/.....	2.0	*	*	*	*	0.9	3.5	4.6	5.3	4.7	2.5	*
2002.....	1.9	*	*	*	*	0.7	3.6	4.9	5.1	3.7	2.5	*
2001.....	1.9	*	*	*	*	0.9	3.4	5.1	4.6	4.3	2.6	*
2000.....	1.8	*	*	*	*	1.1	3.2	4.9	4.5	2.8	3.6	*
1999.....	1.5	*	*	*	*	1.1	3.0	3.8	3.0	2.8	*	*
Non-Hispanic black, male												
2006 5/.....	1.6	*	*	*	*	*	3.0	4.3	4.7	*	*	*
2005 5/.....	1.7	*	*	*	*	*	3.0	4.3	4.3	4.2	*	*
2004 5/.....	1.6	*	*	*	*	1.0	2.8	4.1	4.3	4.3	*	*
2003 5/.....	1.7	*	*	*	*	0.8	3.7	4.7	3.8	*	*	*
2002.....	1.7	*	*	*	*	1.0	3.2	5.0	4.6	*	*	*
2001.....	1.6	*	*	*	*	1.2	3.5	3.9	3.5	*	*	*
2000.....	1.6	*	*	*	*	1.1	3.3	4.5	3.4	*	*	*
1999.....	1.3	*	*	*	*	1.1	2.9	3.4	2.1	*	*	*
Non-Hispanic black, female												
2006 5/.....	2.1	*	*	*	*	*	2.5	4.4	5.8	7.1	3.9	*
2005 5/.....	2.1	*	*	*	*	*	2.8	5.1	5.3	5.5	3.8	*
2004 5/.....	2.0	*	*	*	*	0.9	2.5	4.5	5.7	4.8	4.3	*
2003 5/.....	2.2	*	*	*	*	1.1	3.3	4.6	6.4	6.4	*	*
2002.....	2.1	*	*	*	*	*	4.0	4.9	5.6	4.6	3.3	*
2001.....	2.2	*	*	*	*	*	3.3	6.1	5.5	5.5	*	*
2000.....	2.0	*	*	*	*	1.0	3.1	5.1	5.4	3.5	4.2	*
1999.....	1.7	*	*	*	*	1.0	3.2	4.1	3.7	3.4	*	*

Worktable Orig12. Death rates for 358 selected causes, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2006

[Rates per 100,000 population in specified group. Rates are based on populations enumerated as of April 1 for 2000 and estimated as of July 1 for all other years. Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to 'Detailed technical notes to the United States 2006 data-mortality']

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, and sex	All ages 1/	Under 1 year 2/	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
IV. Endocrine, nutritional and metabolic diseases (E00-E88)												
All origins 3/, both sexes												
2006.....	33.1	5.0	1.0	0.4	1.2	3.1	7.4	18.9	47.0	102.7	216.6	433.0
2005.....	34.8	5.5	0.9	0.6	1.4	3.0	7.4	19.0	48.1	108.3	230.6	480.7
2004.....	33.7	5.7	0.9	0.5	1.2	3.0	7.1	18.8	47.1	107.4	228.8	470.6
2003.....	34.5	6.2	1.2	0.5	1.3	3.1	7.2	19.2	48.4	111.0	232.1	492.8
2002.....	34.5	6.6	0.9	0.5	1.3	3.1	7.4	18.7	47.9	111.1	235.3	504.8
2001.....	34.0	7.2	1.2	0.5	1.2	2.8	6.7	18.6	46.9	110.8	232.5	519.2
2000.....	33.5	6.8	1.0	0.5	1.3	2.9	6.6	17.8	46.9	109.9	232.0	521.0
1999.....	33.3	6.9	1.0	0.5	1.4	2.6	6.5	17.2	46.5	110.5	229.3	529.8
All origins 3/, male												
2006.....	32.3	6.0	0.8	0.5	1.3	3.4	8.8	23.3	56.3	119.4	246.3	450.1
2005.....	33.3	5.9	1.0	0.6	1.4	3.4	9.0	23.3	57.9	124.0	257.1	489.7
2004.....	32.2	7.1	1.0	0.6	1.3	3.2	8.4	22.7	55.5	123.3	254.9	481.0
2003.....	32.5	6.8	1.4	0.6	1.4	3.6	8.5	22.8	56.5	127.3	259.6	490.8
2002.....	31.9	7.4	0.8	0.6	1.4	3.6	8.9	22.1	56.1	123.3	255.6	504.5
2001.....	30.9	8.0	1.2	0.6	1.2	3.0	7.8	22.0	53.6	124.1	251.9	507.7
2000.....	30.2	7.4	1.1	0.6	1.4	3.4	7.7	20.8	53.1	120.8	251.5	517.4
1999.....	29.8	7.3	1.1	0.5	1.3	2.9	7.6	20.3	52.3	120.9	250.5	521.0
All origins 3/, female												
2006.....	33.9	4.0	1.1	0.4	1.2	2.8	6.0	14.7	38.4	88.5	196.3	425.0
2005.....	36.2	5.0	0.9	0.5	1.3	2.6	5.8	14.9	39.0	95.1	212.6	476.6
2004.....	35.2	4.2	0.8	0.5	1.2	2.7	5.8	14.9	39.2	94.0	207.8	465.9
2003.....	36.5	5.5	1.1	0.4	1.2	2.7	5.9	15.8	40.9	97.4	213.7	493.7
2002.....	37.0	5.8	1.0	0.4	1.2	2.6	5.9	15.5	40.2	100.9	221.9	504.9
2001.....	37.0	6.4	1.2	0.5	1.3	2.5	5.5	15.3	40.6	99.7	219.8	524.0
2000.....	36.7	6.2	1.0	0.5	1.2	2.3	5.6	14.8	41.2	100.8	219.4	522.5
1999.....	36.6	6.5	0.9	0.5	1.4	2.4	5.4	14.2	41.2	102.0	215.4	533.3
Hispanic, both sexes												
2006.....	17.2	4.8	0.9	0.4	0.9	1.8	4.2	16.6	48.8	132.5	264.9	459.3
2005.....	18.5	5.4	1.1	0.3	0.7	1.6	4.8	17.6	55.0	138.7	302.1	511.7
2004.....	17.1	5.7	1.1	0.4	0.5	1.5	4.4	15.6	53.6	136.1	290.0	472.8
2003.....	18.3	6.0	1.2	0.4	0.7	1.6	4.7	18.4	59.7	143.6	306.6	539.5
2002.....	18.0	5.4	0.8	0.4	0.7	1.4	4.9	16.8	56.7	147.9	324.3	554.3
2001.....	18.0	5.5	0.9	0.4	0.7	1.5	4.4	17.3	58.5	153.5	315.2	620.3
2000.....	17.6	5.2	0.8	0.4	0.6	1.6	4.3	16.7	60.3	161.0	313.3	595.9
1999.....	17.8	5.7	0.7	0.3	0.6	1.2	4.3	16.3	61.6	161.8	321.2	648.3
Hispanic, male												
2006.....	16.4	6.2	*	*	1.0	1.9	5.0	19.8	56.5	151.5	291.5	451.1
2005.....	17.7	6.7	*	*	0.8	1.8	6.0	20.9	65.4	159.7	328.7	498.1
2004.....	15.7	6.5	1.2	*	0.6	1.7	4.9	18.8	62.5	147.3	311.5	414.7
2003.....	16.9	6.1	1.3	0.5	0.7	1.7	5.3	20.8	69.5	158.3	331.7	528.0
2002.....	16.3	4.9	*	0.6	0.8	1.6	5.7	19.3	62.8	156.6	346.3	543.8
2001.....	16.0	5.3	*	*	0.7	1.8	5.4	20.9	64.8	164.3	324.2	558.0
2000.....	16.0	*	*	*	0.6	2.2	4.9	18.4	70.1	178.2	330.4	560.3
1999.....	15.6	7.0	*	*	*	1.2	4.8	19.9	67.8	168.9	334.7	590.9
Hispanic, female												
2006.....	18.1	*	1.1	*	0.7	1.7	3.4	13.2	41.7	117.1	246.3	463.7
2005.....	19.4	*	1.1	*	0.7	1.4	3.4	14.2	45.6	121.8	283.5	518.8
2004.....	18.6	5.0	*	*	*	1.3	3.9	12.3	45.5	127.1	275.1	502.7
2003.....	19.7	5.9	*	*	0.8	1.5	4.1	16.0	50.9	131.9	289.4	545.3
2002.....	19.7	5.9	*	*	*	1.3	4.1	14.3	51.1	139.3	309.2	559.5
2001.....	20.0	5.7	*	*	0.7	1.2	3.3	13.8	53.0	145.0	309.2	650.7
2000.....	19.4	6.1	*	*	*	0.9	3.6	15.0	51.7	149.0	301.8	613.3
1999.....	20.1	*	*	*	*	1.1	3.8	12.7	56.2	156.3	312.2	675.9

Worktable Orig12. Death rates for 358 selected causes, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2006

[Rates per 100,000 population in specified group. Rates are based on populations enumerated as of April 1 for 2000 and estimated as of July 1 for all other years. Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to 'Detailed technical notes to the United States 2006 data-mortality']

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, and sex	All ages 1/	Under 1 year 2/	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
IV. Endocrine, nutritional and metabolic diseases (E00-E88)												
Non-Hispanic 4/, both sexes												
2006.....	35.8	5.1	1.0	0.4	1.3	3.4	8.0	19.1	46.7	100.1	213.2	431.0
2005.....	37.5	5.4	0.9	0.6	1.5	3.3	7.9	19.1	47.4	105.8	226.0	478.5
2004.....	36.4	5.7	0.8	0.6	1.4	3.3	7.5	19.0	46.4	105.0	222.7	469.4
2003.....	37.0	6.2	1.2	0.5	1.4	3.5	7.6	19.3	47.3	108.5	227.6	489.6
2002.....	36.9	6.9	0.9	0.6	1.4	3.5	7.8	18.9	47.0	108.2	230.1	501.4
2001.....	36.3	7.6	1.2	0.6	1.3	3.0	7.0	18.6	45.8	107.5	228.1	514.2
2000.....	35.7	7.2	1.1	0.5	1.4	3.1	6.9	17.8	45.7	106.3	227.9	516.7
1999.....	35.3	7.1	1.0	0.6	1.5	2.9	6.7	17.2	45.2	107.2	224.9	524.2
Non-Hispanic 4/, male												
2006.....	35.2	5.9	0.9	0.5	1.3	3.8	9.5	23.6	56.0	116.7	243.2	449.1
2005.....	36.0	5.7	1.0	0.7	1.5	3.8	9.5	23.5	57.2	121.2	252.3	488.4
2004.....	34.9	7.3	0.9	0.6	1.4	3.6	9.0	23.1	54.7	121.3	251.1	483.3
2003.....	35.1	7.0	1.4	0.6	1.5	4.0	9.0	22.9	55.3	124.8	255.1	487.5
2002.....	34.3	8.0	0.8	0.6	1.5	4.1	9.4	22.3	55.4	120.5	250.1	501.0
2001.....	33.1	8.7	1.2	0.6	1.3	3.3	8.2	22.0	52.6	121.0	247.8	504.3
2000.....	32.3	8.0	1.1	0.6	1.5	3.6	8.0	21.0	51.7	117.1	247.1	514.0
1999.....	31.8	7.2	1.3	0.6	1.4	3.2	7.9	20.2	51.0	117.8	246.4	516.7
Non-Hispanic 4/, female												
2006.....	36.4	4.2	1.1	0.4	1.3	3.0	6.4	14.8	38.0	86.0	192.8	422.6
2005.....	38.8	5.2	0.8	0.6	1.4	2.9	6.2	15.0	38.4	92.8	208.1	473.9
2004.....	37.7	4.0	0.8	0.6	1.3	3.0	6.1	15.2	38.6	91.3	203.7	463.2
2003.....	38.9	5.3	1.0	0.4	1.3	2.9	6.2	15.8	39.9	94.7	209.3	490.6
2002.....	39.4	5.8	1.1	0.5	1.4	2.9	6.2	15.6	39.2	97.9	216.9	501.6
2001.....	39.3	6.5	1.3	0.5	1.3	2.7	5.8	15.4	39.6	96.3	215.1	518.4
2000.....	38.9	6.2	1.1	0.5	1.3	2.6	5.9	14.7	40.2	97.5	215.4	517.7
1999.....	38.7	6.9	0.8	0.6	1.6	2.6	5.6	14.3	39.9	98.5	210.9	527.2
Non-Hispanic white, both sexes												
2006 5/.....	36.1	4.8	1.0	0.5	1.3	2.9	6.9	16.8	41.2	89.8	199.2	415.4
2005 5/.....	37.9	4.8	1.0	0.7	1.4	2.8	6.9	16.8	41.9	94.7	212.2	461.4
2004 5/.....	36.6	5.8	0.9	0.6	1.4	2.9	6.5	16.7	40.7	93.9	208.1	450.9
2003 5/.....	37.3	5.1	1.2	0.6	1.4	3.0	6.7	16.7	41.4	97.2	212.4	470.6
2002.....	37.1	6.5	1.0	0.6	1.4	3.1	6.9	16.3	40.8	96.0	215.1	482.1
2001.....	36.5	6.9	1.3	0.6	1.3	2.6	6.2	16.1	39.7	98.2	213.0	495.7
2000.....	35.9	6.3	1.2	0.6	1.4	2.7	6.2	15.3	39.8	95.0	212.0	497.5
1999.....	35.3	6.0	1.1	0.6	1.5	2.6	5.9	14.6	38.1	95.0	209.5	504.3
Non-Hispanic white, male												
2006 5/.....	35.9	5.6	0.9	0.5	1.3	3.2	8.2	21.1	50.5	107.6	232.3	439.4
2005 5/.....	36.8	4.9	1.1	0.7	1.4	3.2	8.5	21.2	51.5	111.3	241.3	478.8
2004 5/.....	35.6	7.5	0.9	0.6	1.4	3.1	8.0	20.8	49.2	111.3	240.0	471.9
2003 5/.....	35.8	6.3	1.4	0.7	1.5	3.5	8.1	20.5	49.7	115.0	243.4	479.4
2002.....	34.9	8.4	0.8	0.7	1.4	3.6	8.5	19.8	49.3	110.6	239.8	493.9
2001.....	33.7	7.6	1.3	0.6	1.3	2.8	7.4	19.3	46.8	112.1	235.5	495.6
2000.....	32.9	7.2	1.3	0.7	1.5	3.2	7.3	18.7	46.0	108.0	235.9	505.5
1999.....	32.1	5.9	1.4	0.6	1.5	2.9	7.0	17.7	44.6	108.0	235.2	499.1
Non-Hispanic white, female												
2006 5/.....	36.3	3.9	1.0	0.4	1.3	2.5	5.6	12.5	32.3	74.3	176.3	404.2
2005 5/.....	38.9	4.7	0.9	0.6	1.3	2.4	5.3	12.4	32.8	80.5	192.2	453.5
2004 5/.....	37.6	4.0	0.8	0.6	1.3	2.7	5.1	12.7	32.6	79.0	186.3	441.4
2003 5/.....	38.7	3.9	1.0	0.4	1.3	2.5	5.2	13.0	33.5	82.1	191.5	466.8
2002.....	39.2	4.4	1.2	0.4	1.4	2.6	5.3	12.9	32.6	83.5	198.6	477.0
2001.....	39.2	6.2	1.3	0.6	1.3	2.5	5.0	12.9	33.0	82.7	198.1	495.7
2000.....	38.7	5.4	1.1	0.5	1.3	2.1	5.1	11.9	34.0	83.9	196.3	494.3
1999.....	38.3	6.0	0.9	0.6	1.6	2.4	4.7	11.5	32.0	84.0	192.7	506.4

Worktable Orig12. Death rates for 358 selected causes, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2006

[Rates per 100,000 population in specified group. Rates are based on populations enumerated as of April 1 for 2000 and estimated as of July 1 for all other years. Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.odc.gov/nchs> and refer to 'Detailed technical notes to the United States 2006 data-mortality']

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, and sex	All ages 1/	Under 1 year 2/	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
IV. Endocrine, nutritional and metabolic diseases (E00-E88)												
Non-Hispanic black, both sexes												
2006 5/.....	42.3	6.5	0.9	0.4	1.6	6.9	15.5	37.5	95.9	199.8	380.8	642.6
2005 5/.....	43.7	7.8	*	0.7	2.1	6.8	14.8	37.7	98.6	211.9	397.8	704.3
2004 5/.....	43.2	5.7	*	0.5	1.8	6.2	14.9	37.8	97.9	214.5	402.5	725.6
2003 5/.....	43.8	10.0	1.0	0.4	1.7	6.7	14.3	39.4	102.6	217.5	411.2	743.7
2002.....	44.1	8.3	0.9	0.6	2.0	6.5	14.4	39.7	103.7	223.2	414.2	765.8
2001.....	43.0	11.0	0.9	0.5	1.8	5.7	13.2	39.1	100.6	219.9	413.8	770.4
2000.....	42.8	9.5	0.8	0.4	1.8	6.3	12.7	38.7	98.3	220.2	429.6	772.4
1999.....	42.8	12.0	0.9	0.6	1.6	5.2	13.4	38.7	106.0	225.6	409.7	766.6
Non-Hispanic black, male												
2006 5/.....	39.4	7.1	*	*	1.7	7.8	19.4	44.5	109.4	222.2	405.7	617.6
2005 5/.....	39.8	8.1	*	*	2.1	7.8	17.6	43.0	114.7	228.7	421.9	644.2
2004 5/.....	39.0	7.1	*	0.6	1.8	7.0	17.3	43.0	109.9	236.7	416.4	688.9
2003 5/.....	38.5	9.3	*	*	1.6	8.0	16.0	43.7	113.3	234.2	426.5	626.5
2002.....	37.9	7.3	*	*	2.4	7.8	16.8	44.3	116.8	226.4	408.5	618.1
2001.....	37.1	12.4	*	*	1.7	6.8	14.9	44.1	110.0	224.8	428.5	664.1
2000.....	35.7	10.6	*	*	2.0	7.1	14.0	42.0	106.6	219.8	417.1	662.2
1999.....	36.4	13.2	*	0.6	1.6	5.9	15.2	42.7	111.5	227.0	400.2	748.8
Non-Hispanic black, female												
2006 5/.....	45.0	*	*	*	1.5	6.2	12.1	31.5	85.0	183.9	366.7	652.8
2005 5/.....	47.3	7.5	*	0.8	2.1	6.0	12.4	33.2	85.6	199.9	384.2	728.4
2004 5/.....	47.0	*	*	*	1.7	5.4	12.7	33.4	88.2	198.7	394.6	740.1
2003 5/.....	48.7	10.6	*	*	1.8	5.5	12.8	35.7	94.1	205.6	402.5	789.1
2002.....	49.7	9.5	*	0.7	1.6	5.4	12.4	35.7	93.1	220.9	417.3	822.3
2001.....	48.4	9.4	*	*	1.9	4.7	11.7	34.9	93.1	216.5	405.5	809.7
2000.....	49.2	8.5	*	*	1.7	5.6	11.5	35.9	91.6	220.5	436.6	813.3
1999.....	48.7	10.7	*	*	1.6	4.7	11.9	35.4	101.6	224.7	414.9	773.3

Worktable Orig12. Death rates for 358 selected causes, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2006

[Rates per 100,000 population in specified group. Rates are based on populations enumerated as of April 1 for 2000 and estimated as of July 1 for all other years. Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to 'Detailed technical notes to the United States 2006 data-mortality']

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, and sex	All ages 1/	Under 1 year 2/	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
Endocrine diseases (E00-E34)												
All origins 3/, both sexes												
2006.....	25.1	0.8	*	0.1	0.5	1.8	5.0	13.6	36.9	83.6	172.4	307.0
2005.....	26.3	0.8	*	0.1	0.6	1.7	4.9	13.8	38.0	88.3	182.9	337.3
2004.....	25.8	0.6	0.1	0.1	0.5	1.6	4.8	13.8	37.8	88.8	182.3	330.4
2003.....	26.5	0.7	0.1	0.1	0.5	1.8	4.8	14.2	39.3	92.5	187.3	342.7
2002.....	26.4	1.0	*	0.1	0.5	1.7	5.0	14.1	38.4	93.2	188.8	347.6
2001.....	26.1	1.1	*	0.1	0.4	1.6	4.6	14.0	38.5	93.0	187.7	350.3
2000.....	25.6	1.2	0.1	0.1	0.5	1.7	4.5	13.5	38.6	92.3	185.5	345.2
1999.....	25.5	1.0	0.1	0.1	0.5	1.6	4.5	13.4	39.0	93.7	183.9	343.6
All origins 3/, male												
2006.....	25.0	1.0	*	0.1	0.5	1.9	6.0	16.9	44.4	97.7	198.3	333.1
2005.....	25.6	*	*	0.1	0.6	1.9	6.0	17.0	45.7	101.0	206.9	359.1
2004.....	25.0	*	*	0.1	0.5	1.8	5.9	16.8	44.6	101.5	206.9	349.1
2003.....	25.3	*	*	0.1	0.5	2.0	5.9	17.0	45.6	105.4	211.6	354.4
2002.....	24.8	1.1	*	0.1	0.5	2.0	6.1	16.7	45.1	102.8	206.6	365.2
2001.....	24.1	1.3	*	0.1	0.5	1.8	5.5	16.7	43.7	103.2	203.5	362.2
2000.....	23.4	1.3	*	*	0.5	2.0	5.3	15.5	43.0	100.4	203.5	360.9
1999.....	23.3	*	*	*	0.5	1.7	5.3	15.9	43.2	101.3	203.1	361.8
All origins 3/, female												
2006.....	25.3	*	*	*	0.4	1.6	4.0	10.3	30.0	71.6	154.6	294.8
2005.....	27.0	*	*	0.2	0.5	1.4	3.8	10.7	30.9	77.7	166.6	327.3
2004.....	26.7	*	*	0.1	0.5	1.4	3.7	10.8	31.5	78.0	165.8	322.0
2003.....	27.7	*	*	0.1	0.4	1.6	3.8	11.6	33.4	81.8	171.0	337.6
2002.....	28.0	*	*	*	0.5	1.4	3.9	11.6	32.2	85.3	177.1	339.9
2001.....	28.0	*	*	*	0.4	1.4	3.7	11.4	33.7	84.6	177.3	345.3
2000.....	27.7	1.1	*	0.1	0.4	1.4	3.7	11.5	34.5	85.6	173.8	338.8
1999.....	27.5	1.3	*	0.1	0.5	1.5	3.8	11.0	35.0	87.4	171.3	336.3
Hispanic, both sexes												
2006.....	14.5	*	*	*	0.3	1.0	2.9	13.4	43.3	119.2	233.0	384.6
2005.....	15.9	*	*	*	0.3	1.0	3.5	15.2	49.8	127.2	270.8	420.5
2004.....	14.8	*	*	*	*	0.9	3.1	13.4	48.7	125.8	261.4	382.9
2003.....	15.8	*	*	*	0.3	0.9	3.5	15.8	54.4	133.2	277.4	444.6
2002.....	15.6	*	*	*	*	0.8	3.7	14.3	52.6	135.8	289.2	459.0
2001.....	15.6	*	*	*	0.3	0.8	3.1	15.2	53.6	142.8	283.3	510.8
2000.....	15.4	*	*	*	*	1.1	3.1	14.3	56.1	149.0	282.3	481.1
1999.....	15.6	*	*	*	*	0.7	3.2	14.2	57.2	151.6	290.6	515.7
Hispanic, male												
2006.....	13.9	*	*	*	*	0.9	3.4	16.4	50.5	137.2	261.2	390.2
2005.....	15.2	*	*	*	*	1.0	4.6	18.0	59.0	144.6	296.3	417.2
2004.....	13.6	*	*	*	*	1.0	3.5	16.1	57.1	135.1	282.2	337.6
2003.....	14.7	*	*	*	*	0.9	4.0	18.2	63.0	147.1	305.0	435.6
2002.....	14.1	*	*	*	*	1.0	4.2	16.9	59.2	144.5	309.0	441.7
2001.....	13.8	*	*	*	*	0.9	3.9	18.8	58.8	152.8	288.4	436.1
2000.....	14.0	*	*	*	*	1.4	3.7	15.7	65.2	161.4	301.4	463.6
1999.....	13.6	*	*	*	*	0.7	3.3	17.4	62.7	157.3	299.3	478.8
Hispanic, female												
2006.....	15.1	*	*	*	*	1.1	2.3	10.4	36.6	104.6	213.3	381.6
2005.....	16.7	*	*	*	*	0.8	2.3	12.2	41.4	113.2	253.1	422.3
2004.....	16.1	*	*	*	*	0.8	2.7	10.8	41.1	118.3	247.0	406.2
2003.....	17.1	*	*	*	*	1.0	3.0	13.5	46.7	122.1	259.9	449.2
2002.....	17.1	*	*	*	*	0.7	3.1	11.7	46.7	128.8	275.7	467.5
2001.....	17.5	*	*	*	*	0.7	2.3	11.7	49.0	135.0	279.9	547.3
2000.....	16.8	*	*	*	*	*	2.5	12.9	48.1	139.2	269.4	499.7
1999.....	17.7	*	*	*	*	0.8	3.1	11.1	52.4	147.2	284.8	533.4

Worktable Orig12. Death rates for 358 selected causes, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2006

[Rates per 100,000 population in specified group. Rates are based on populations enumerated as of April 1 for 2000 and estimated as of July 1 for all other years. Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to 'Detailed technical notes to the United States 2006 data-mortality']

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, and sex	All ages 1/	Under 1 year 2/	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
Endocrine diseases (E00-E34)												
Non-Hispanic 4/, both sexes												
2006.....	26.9	0.8	*	0.1	0.5	2.0	5.4	13.5	36.2	80.6	168.2	302.7
2005.....	28.0	0.8	*	0.1	0.6	1.8	5.1	13.6	36.9	85.2	177.3	332.9
2004.....	27.6	0.7	*	0.2	0.5	1.8	5.1	13.7	36.8	85.8	177.5	327.1
2003.....	28.2	0.9	*	0.1	0.5	2.0	5.0	14.0	38.0	89.5	182.1	337.6
2002.....	28.0	1.1	*	0.1	0.5	1.9	5.2	14.0	37.1	90.0	183.2	342.2
2001.....	27.6	1.1	*	0.1	0.4	1.8	4.8	13.8	37.2	89.4	182.8	343.4
2000.....	27.0	1.2	0.2	0.1	0.5	1.8	4.7	13.4	37.1	88.5	180.9	339.1
1999.....	26.8	1.1	0.2	0.1	0.5	1.7	4.7	13.3	37.5	90.0	178.9	336.5
Non-Hispanic 4/, male												
2006.....	26.9	*	*	*	0.5	2.2	6.5	16.9	43.7	94.5	194.1	329.3
2005.....	27.4	*	*	*	0.7	2.2	6.2	16.8	44.4	97.6	201.1	355.6
2004.....	26.9	*	*	0.2	0.5	2.0	6.3	16.8	43.4	98.9	202.1	348.8
2003.....	27.0	*	*	0.1	0.6	2.3	6.2	16.8	44.1	102.3	206.1	349.8
2002.....	26.4	*	*	0.1	0.6	2.3	6.3	16.6	43.8	99.7	200.7	360.7
2001.....	25.6	1.5	*	0.2	0.5	2.0	5.7	16.5	42.4	99.5	199.0	358.3
2000.....	24.8	*	*	*	0.6	2.1	5.5	15.5	41.2	96.3	198.6	355.4
1999.....	24.7	*	*	*	0.5	1.9	5.5	15.7	41.6	97.8	198.6	355.8
Non-Hispanic 4/, female												
2006.....	26.9	*	*	*	0.4	1.7	4.3	10.3	29.3	68.8	150.6	290.3
2005.....	28.6	*	*	0.2	0.6	1.5	4.0	10.5	29.9	74.8	161.2	322.6
2004.....	28.2	*	*	0.1	0.5	1.6	3.9	10.8	30.6	74.8	161.0	317.4
2003.....	29.2	*	*	*	0.4	1.7	3.9	11.3	32.2	78.7	166.0	332.2
2002.....	29.5	*	*	*	0.5	1.6	4.0	11.5	31.0	82.0	171.7	334.3
2001.....	29.4	*	*	*	0.4	1.5	3.9	11.3	32.4	80.9	172.1	337.2
2000.....	29.1	*	*	*	0.4	1.5	3.9	11.3	33.3	82.0	169.4	332.4
1999.....	28.8	1.4	*	0.1	0.5	1.6	3.8	10.9	33.6	83.6	166.2	328.8
Non-Hispanic white, both sexes												
2006 5/.....	26.5	*	*	*	0.4	1.5	4.5	11.3	30.9	70.6	154.5	287.0
2005 5/.....	27.7	*	*	0.1	0.5	1.4	4.4	11.4	31.6	74.5	164.0	316.1
2004 5/.....	27.2	*	*	0.1	0.4	1.5	4.3	11.6	31.3	75.1	163.2	308.6
2003 5/.....	27.7	*	*	0.1	0.4	1.6	4.3	11.6	32.1	78.4	167.8	319.7
2002.....	27.6	1.2	*	0.1	0.4	1.7	4.5	11.6	31.3	78.5	169.4	324.5
2001.....	27.2	1.1	*	0.1	0.3	1.4	4.1	11.6	31.4	78.5	168.9	326.7
2000.....	26.5	0.9	*	*	0.4	1.5	4.1	11.1	31.6	77.6	165.9	321.5
1999.....	26.1	1.0	*	0.1	0.5	1.5	4.0	10.9	30.6	78.5	164.8	317.3
Non-Hispanic white, male												
2006 5/.....	26.9	*	*	*	0.4	1.7	5.5	14.5	38.1	85.2	183.5	319.2
2005 5/.....	27.5	*	*	*	0.5	1.6	5.3	14.4	38.7	87.6	190.6	346.2
2004 5/.....	27.0	*	*	*	0.4	1.7	5.5	14.6	37.9	89.0	191.4	336.8
2003 5/.....	27.2	*	*	*	0.5	1.8	5.4	14.4	38.5	92.7	195.8	341.1
2002.....	26.6	*	*	*	0.5	2.0	5.6	14.1	38.1	90.2	191.5	355.7
2001.....	25.8	*	*	*	0.4	1.5	5.0	14.0	37.0	91.1	187.9	351.8
2000.....	24.9	*	*	*	0.5	1.8	4.9	13.2	36.0	87.7	188.4	346.0
1999.....	24.6	*	*	*	0.5	1.6	4.8	13.3	35.5	88.8	189.1	342.3
Non-Hispanic white, female												
2006 5/.....	26.1	*	*	*	0.4	1.3	3.6	8.3	24.0	57.8	134.4	272.0
2005 5/.....	27.9	*	*	*	0.4	1.1	3.4	8.5	24.8	63.1	145.7	302.3
2004 5/.....	27.4	*	*	*	0.4	1.3	3.2	8.7	25.1	63.2	144.0	295.9
2003 5/.....	28.3	*	*	*	0.3	1.4	3.2	8.8	26.2	66.3	148.9	310.3
2002.....	28.6	*	*	*	0.4	1.3	3.4	9.2	24.8	68.6	154.6	311.1
2001.....	28.6	*	*	*	0.2	1.3	3.2	9.2	26.1	67.8	156.3	316.3
2000.....	28.1	*	*	*	0.3	1.2	3.3	8.9	27.5	68.0	151.1	311.7
1999.....	27.6	*	*	*	0.4	1.3	3.2	8.5	26.1	69.9	148.8	307.3

Worktable Orig12. Death rates for 358 selected causes, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2006

[Rates per 100,000 population in specified group. Rates are based on populations enumerated as of April 1 for 2000 and estimated as of July 1 for all other years. Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.odc.gov/nchs> and refer to 'Detailed technical notes to the United States 2006 data-mortality']

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, and sex	All ages 1/	Under 1 year 2/	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
Endocrine diseases (E00-E34)												
Non-Hispanic black, both sexes												
2006 5/.....	34.6	*	*	*	1.0	4.8	11.2	29.0	81.1	172.9	324.1	495.6
2005 5/.....	35.4	*	*	*	1.3	4.5	10.4	29.2	83.2	183.8	333.6	537.1
2004 5/.....	35.4	*	*	0.3	1.1	3.8	10.3	29.7	83.5	186.5	344.9	559.8
2003 5/.....	36.0	*	*	*	0.9	4.4	10.2	31.6	89.2	191.8	347.6	558.1
2002.....	35.7	*	*	*	1.1	4.0	10.4	32.0	87.6	194.7	346.4	566.8
2001.....	35.1	*	*	*	1.0	4.0	9.6	30.9	87.9	193.9	347.0	560.0
2000.....	35.0	*	*	*	1.0	4.1	8.9	31.5	85.0	194.5	364.4	556.2
1999.....	35.1	*	*	*	0.9	3.4	9.7	32.1	94.0	197.7	345.0	554.5
Non-Hispanic black, male												
2006 5/.....	32.5	*	*	*	1.1	5.5	14.1	35.5	94.3	194.9	342.9	481.0
2005 5/.....	32.6	*	*	*	1.4	5.2	12.7	34.7	98.2	200.6	352.6	489.1
2004 5/.....	32.1	*	*	*	1.1	4.4	12.6	34.9	95.0	205.9	352.0	528.4
2003 5/.....	31.7	*	*	*	1.0	5.2	12.2	35.5	99.3	203.2	350.9	477.3
2002.....	30.6	*	*	*	1.2	4.9	12.5	36.8	98.2	196.5	336.7	434.3
2001.....	30.2	*	*	*	0.9	5.2	11.1	35.8	94.9	193.1	354.1	472.4
2000.....	29.0	*	*	*	1.0	4.4	10.1	34.7	90.9	190.3	345.9	479.1
1999.....	29.5	*	*	*	0.8	3.6	11.2	36.2	97.6	194.3	326.8	524.1
Non-Hispanic black, female												
2006 5/.....	36.4	*	*	*	0.9	4.1	8.7	23.4	70.6	157.2	313.5	501.5
2005 5/.....	38.0	*	*	*	1.2	3.8	8.4	24.5	71.1	171.9	322.9	556.5
2004 5/.....	38.4	*	*	*	1.1	3.2	8.2	25.3	74.3	172.6	340.9	572.2
2003 5/.....	39.9	*	*	*	0.8	3.6	8.5	28.3	81.1	183.7	345.8	589.3
2002.....	40.4	*	*	*	1.0	3.3	8.6	27.9	79.2	193.4	351.8	617.5
2001.....	39.6	*	*	*	1.1	3.0	8.2	26.8	82.3	194.4	343.0	592.4
2000.....	40.4	*	*	*	1.1	3.8	7.9	28.8	80.2	197.4	374.8	584.8
1999.....	40.3	*	*	*	1.0	3.2	8.3	28.6	91.0	200.1	355.2	565.9

Worktable Orig12. Death rates for 358 selected causes, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2006

[Rates per 100,000 population in specified group. Rates are based on populations enumerated as of April 1 for 2000 and estimated as of July 1 for all other years. Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to 'Detailed technical notes to the United States 2006 data-mortality']

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, and sex	All ages 1/	Under 1 year 2/	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
Disorders of thyroid gland (E00-E07)												
Non-Hispanic 4/, both sexes												
2006.....	0.7	*	*	*	*	*	0.1	0.2	0.3	0.9	3.4	18.6
2005.....	0.7	*	*	*	*	0.1	0.1	0.2	0.3	0.8	3.6	21.7
2004.....	0.7	*	*	*	*	0.1	0.1	0.2	0.3	0.8	3.6	19.3
2003.....	0.7	*	*	*	*	0.1	0.1	0.2	0.3	0.9	4.2	21.4
2002.....	0.7	*	*	*	*	0.1	0.1	0.2	0.3	1.0	4.0	22.8
2001.....	0.7	*	*	*	*	*	0.1	0.2	0.3	0.8	4.2	23.4
2000.....	0.7	*	*	*	*	0.1	0.1	0.1	0.4	0.9	4.0	21.4
1999.....	0.7	*	*	*	*	0.1	0.1	0.2	0.3	1.0	4.0	22.7
Non-Hispanic 4/, male												
2006.....	0.3	*	*	*	*	*	*	0.1	0.2	0.7	2.1	8.4
2005.....	0.3	*	*	*	*	*	*	0.1	0.3	0.5	2.1	10.9
2004.....	0.3	*	*	*	*	*	*	0.1	0.3	0.6	2.3	11.1
2003.....	0.3	*	*	*	*	*	*	*	0.2	0.6	2.2	10.8
2002.....	0.3	*	*	*	*	*	*	*	0.2	0.6	2.2	12.6
2001.....	0.3	*	*	*	*	*	*	0.1	0.2	0.5	2.4	14.2
2000.....	0.3	*	*	*	*	*	*	*	0.3	0.7	2.0	12.1
1999.....	0.3	*	*	*	*	*	*	0.1	0.2	0.6	2.6	13.2
Non-Hispanic 4/, female												
2006.....	1.0	*	*	*	*	*	0.1	0.2	0.4	1.1	4.3	23.3
2005.....	1.1	*	*	*	*	*	0.2	0.2	0.4	1.1	4.6	26.6
2004.....	1.0	*	*	*	*	*	0.1	0.2	0.4	0.9	4.5	22.9
2003.....	1.2	*	*	*	*	*	*	0.2	0.5	1.2	5.6	26.1
2002.....	1.1	*	*	*	*	*	0.1	0.2	0.4	1.2	5.2	27.2
2001.....	1.1	*	*	*	*	*	0.1	0.2	0.4	1.1	5.4	27.2
2000.....	1.1	*	*	*	*	*	0.2	0.2	0.5	1.1	5.3	25.1
1999.....	1.1	*	*	*	*	*	0.1	0.3	0.4	1.2	4.9	26.5
Non-Hispanic white, both sexes												
2006 5/.....	0.7	*	*	*	*	*	*	0.1	0.2	0.9	3.4	19.3
2005 5/.....	0.8	*	*	*	*	*	0.1	0.1	0.3	0.8	3.6	22.6
2004 5/.....	0.7	*	*	*	*	*	0.1	0.1	0.3	0.7	3.5	19.9
2003 5/.....	0.8	*	*	*	*	*	*	0.1	0.3	0.9	4.3	22.0
2002.....	0.8	*	*	*	*	*	*	0.1	0.3	0.9	4.1	23.6
2001.....	0.8	*	*	*	*	*	0.1	0.1	0.3	0.8	4.1	24.0
2000.....	0.8	*	*	*	*	*	0.1	0.1	0.4	0.8	4.0	21.9
1999.....	0.8	*	*	*	*	*	0.1	0.1	0.3	0.9	3.9	23.3
Non-Hispanic white, male												
2006 5/.....	0.3	*	*	*	*	*	*	*	*	0.6	2.1	8.5
2005 5/.....	0.3	*	*	*	*	*	*	*	0.3	0.5	2.1	11.3
2004 5/.....	0.4	*	*	*	*	*	*	*	0.3	0.6	2.2	11.5
2003 5/.....	0.3	*	*	*	*	*	*	*	*	0.6	2.1	11.1
2002.....	0.3	*	*	*	*	*	*	*	*	0.6	2.2	13.0
2001.....	0.4	*	*	*	*	*	*	*	0.2	0.5	2.3	14.7
2000.....	0.3	*	*	*	*	*	*	*	0.3	0.5	2.1	12.0
1999.....	0.3	*	*	*	*	*	*	*	*	0.5	2.4	13.5
Non-Hispanic white, female												
2006 5/.....	1.2	*	*	*	*	*	*	0.2	0.3	1.1	4.4	24.3
2005 5/.....	1.3	*	*	*	*	*	0.1	0.2	0.4	1.1	4.6	27.8
2004 5/.....	1.1	*	*	*	*	*	*	0.2	0.3	0.8	4.4	23.7
2003 5/.....	1.3	*	*	*	*	*	*	0.2	0.5	1.2	5.7	26.8
2002.....	1.3	*	*	*	*	*	*	0.2	0.4	1.2	5.4	28.2
2001.....	1.3	*	*	*	*	*	*	0.2	0.4	1.1	5.3	27.9
2000.....	1.2	*	*	*	*	*	*	0.2	0.5	1.1	5.2	25.9
1999.....	1.2	*	*	*	*	*	*	0.2	0.3	1.2	4.9	27.2

Worktable Orig12. Death rates for 358 selected causes, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2006

[Rates per 100,000 population in specified group. Rates are based on populations enumerated as of April 1 for 2000 and estimated as of July 1 for all other years. Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to 'Detailed technical notes to the United States 2006 data-mortality']

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, and sex	All ages 1/	Under 1 year 2/	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
Disorders of thyroid gland (E00-E07)												
Non-Hispanic black, both sexes												
2006 5/.....	0.5	*	*	*	*	*	*	0.4	*	1.3	3.9	14.3
2005 5/.....	0.5	*	*	*	*	*	0.4	*	*	1.3	4.5	16.1
2004 5/.....	0.6	*	*	*	*	*	*	*	*	1.9	5.4	15.3
2003 5/.....	0.5	*	*	*	*	*	*	0.4	*	1.4	4.1	19.6
2002.....	0.5	*	*	*	*	*	*	0.5	0.8	1.3	3.2	16.9
2001.....	0.6	*	*	*	*	*	*	*	*	1.4	5.8	19.7
2000.....	0.6	*	*	*	*	*	0.5	*	*	1.9	5.0	19.1
1999.....	0.6	*	*	*	*	*	*	0.6	0.9	1.5	5.3	18.8
Non-Hispanic black, male												
2006 5/.....	0.4	*	*	*	*	*	*	*	*	*	*	*
2005 5/.....	0.3	*	*	*	*	*	*	*	*	*	*	*
2004 5/.....	0.3	*	*	*	*	*	*	*	*	*	*	*
2003 5/.....	0.3	*	*	*	*	*	*	*	*	*	*	*
2002.....	0.2	*	*	*	*	*	*	*	*	*	*	*
2001.....	0.3	*	*	*	*	*	*	*	*	*	*	*
2000.....	0.3	*	*	*	*	*	*	*	*	*	*	*
1999.....	0.3	*	*	*	*	*	*	*	*	*	*	*
Non-Hispanic black, female												
2006 5/.....	0.6	*	*	*	*	*	*	*	*	*	4.6	16.8
2005 5/.....	0.8	*	*	*	*	*	*	*	*	*	6.0	19.1
2004 5/.....	0.8	*	*	*	*	*	*	*	*	2.2	6.3	18.1
2003 5/.....	0.7	*	*	*	*	*	*	*	*	*	4.4	23.1
2002.....	0.7	*	*	*	*	*	*	*	*	*	4.0	20.1
2001.....	0.8	*	*	*	*	*	*	*	*	*	6.2	22.2
2000.....	0.8	*	*	*	*	*	*	*	*	*	6.9	20.1
1999.....	0.8	*	*	*	*	*	*	*	*	*	5.8	21.8

Worktable Orig12. Death rates for 358 selected causes, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2006

[Rates per 100,000 population in specified group. Rates are based on populations enumerated as of April 1 for 2000 and estimated as of July 1 for all other years. Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to 'Detailed technical notes to the United States 2006 data-mortality']

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, and sex	All ages 1/	Under 1 year 2/	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
Diabetes mellitus (E10-E14)												
All origins 3/, both sexes												
2006.....	24.2	*	*	0.1	0.4	1.7	4.8	13.2	36.2	81.8	166.8	285.2
2005.....	25.3	*	*	0.1	0.5	1.5	4.7	13.4	37.2	86.8	177.2	312.1
2004.....	24.9	*	*	0.1	0.4	1.5	4.6	13.4	37.1	87.2	176.9	307.0
2003.....	25.5	*	*	0.1	0.4	1.6	4.6	13.9	38.5	90.8	181.1	317.5
2002.....	25.4	*	*	0.1	0.4	1.6	4.8	13.7	37.7	91.4	182.8	320.6
2001.....	25.1	*	*	0.1	0.4	1.5	4.3	13.6	37.8	91.4	181.4	321.8
2000.....	24.6	*	*	0.1	0.4	1.6	4.3	13.1	37.8	90.7	179.5	319.7
1999.....	24.5	*	*	0.1	0.4	1.4	4.3	12.9	38.3	91.8	178.0	317.2
All origins 3/, male												
2006.....	24.4	*	*	*	0.4	1.8	5.9	16.5	43.8	96.2	194.1	321.0
2005.....	25.0	*	*	*	0.5	1.8	5.8	16.6	44.9	99.7	202.7	344.4
2004.....	24.4	*	*	*	0.4	1.7	5.7	16.5	44.0	100.0	202.5	333.9
2003.....	24.8	*	*	*	0.5	1.9	5.7	16.7	45.0	104.0	207.2	340.7
2002.....	24.2	*	*	0.1	0.5	1.9	5.9	16.4	44.5	101.4	202.6	348.5
2001.....	23.5	*	*	0.1	0.4	1.7	5.3	16.4	43.1	101.7	198.9	343.1
2000.....	22.9	*	*	*	0.5	1.9	5.1	15.3	42.4	99.1	199.6	345.1
1999.....	22.8	*	*	*	0.4	1.6	5.1	15.6	42.6	99.8	198.2	345.7
All origins 3/, female												
2006.....	24.0	*	*	*	0.3	1.5	3.7	9.9	29.1	69.7	148.1	268.4
2005.....	25.7	*	*	*	0.1	1.2	3.5	10.3	30.1	75.9	159.9	297.2
2004.....	25.4	*	*	0.1	0.4	1.3	3.5	10.4	30.7	76.4	159.6	294.9
2003.....	28.2	*	*	*	0.3	1.4	3.5	11.2	32.4	79.8	163.6	307.2
2002.....	26.5	*	*	*	0.4	1.3	3.7	11.1	31.4	83.1	169.7	308.4
2001.....	26.6	*	*	*	0.3	1.3	3.4	11.0	32.9	82.8	169.9	312.9
2000.....	26.3	*	*	*	0.4	1.2	3.4	11.1	33.6	83.7	166.3	309.4
1999.....	26.2	*	*	*	0.4	1.3	3.5	10.4	34.3	85.2	164.9	305.8
Hispanic, both sexes												
2006.....	14.2	*	*	*	*	0.9	2.8	13.2	42.6	118.0	228.9	369.7
2005.....	15.6	*	*	*	*	0.9	3.4	14.8	49.1	126.4	267.0	404.7
2004.....	14.5	*	*	*	*	0.8	3.0	13.3	48.3	124.9	258.4	365.8
2003.....	15.5	*	*	*	*	0.9	3.3	15.5	53.7	131.8	272.1	428.1
2002.....	15.3	*	*	*	*	0.8	3.5	14.0	52.1	134.7	285.6	437.9
2001.....	15.3	*	*	*	*	0.7	3.1	14.9	53.2	141.2	279.2	489.6
2000.....	15.1	*	*	*	*	1.0	3.0	14.0	55.5	147.9	278.5	465.1
1999.....	15.3	*	*	*	*	0.7	3.2	13.9	56.6	149.7	285.2	493.9
Hispanic, male												
2006.....	13.7	*	*	*	*	0.8	3.3	16.2	49.9	135.6	257.7	381.2
2005.....	14.9	*	*	*	*	0.9	4.5	17.5	58.2	143.9	293.0	404.7
2004.....	13.4	*	*	*	*	0.9	3.4	16.0	56.9	134.2	279.3	325.0
2003.....	14.4	*	*	*	*	0.8	3.9	18.1	62.4	146.3	297.2	426.4
2002.....	13.9	*	*	*	*	0.9	4.1	16.7	58.9	143.7	306.9	425.0
2001.....	13.6	*	*	*	*	0.8	3.9	18.5	58.7	151.4	285.3	422.8
2000.....	13.8	*	*	*	*	1.4	3.6	15.5	64.7	160.8	299.4	449.4
1999.....	13.4	*	*	*	*	0.6	3.3	17.2	62.5	155.8	293.0	468.0
Hispanic, female												
2006.....	14.7	*	*	*	*	1.0	2.1	10.1	35.8	103.7	208.7	363.7
2005.....	16.3	*	*	*	*	0.8	2.1	12.0	40.7	112.2	248.9	404.7
2004.....	15.7	*	*	*	*	0.8	2.6	10.6	40.5	117.5	244.0	386.8
2003.....	16.6	*	*	*	*	0.9	2.7	13.0	45.8	120.3	254.9	428.9
2002.....	16.7	*	*	*	*	0.7	2.9	11.4	46.0	127.6	270.9	444.3
2001.....	17.1	*	*	*	*	0.7	2.2	11.4	48.3	133.2	275.0	522.2
2000.....	16.5	*	*	*	*	2.4	12.6	47.4	137.7	264.5	472.8	
1999.....	17.3	*	*	*	*	0.8	3.1	10.7	51.4	144.9	280.0	506.4

Worktable Orig12. Death rates for 358 selected causes, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2006

[Rates per 100,000 population in specified group. Rates are based on populations enumerated as of April 1 for 2000 and estimated as of July 1 for all other years. Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to 'Detailed technical notes to the United States 2006 data-mortality']

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, and sex	All ages 1/	Under 1 year 2/	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
Diabetes mellitus (E10-E14)												
Non-Hispanic 4/, both sexes												
2006.....	25.9	*	*	0.1	0.4	1.8	5.1	13.1	35.5	78.9	162.6	280.5
2005.....	26.9	*	*	0.1	0.5	1.7	4.9	13.2	36.1	83.7	171.6	307.2
2004.....	26.5	*	*	0.1	0.4	1.6	4.8	13.3	36.0	84.2	172.0	303.5
2003.....	27.0	*	*	0.1	0.4	1.8	4.8	13.6	37.1	87.7	175.8	312.0
2002.....	26.9	*	*	0.1	0.5	1.8	5.0	13.6	36.4	88.2	177.2	315.0
2001.....	26.4	*	*	0.1	0.4	1.7	4.5	13.4	36.5	87.7	176.4	314.8
2000.....	25.9	*	*	0.1	0.5	1.7	4.4	13.0	36.4	86.8	174.8	313.4
1999.....	25.7	*	*	0.1	0.4	1.6	4.4	12.8	36.8	88.1	173.1	310.0
Non-Hispanic 4/, male												
2006.....	26.3	*	*	*	0.5	2.1	6.3	16.5	43.1	93.0	189.9	317.0
2005.....	26.8	*	*	*	0.6	2.1	6.0	16.4	43.7	96.3	196.9	340.9
2004.....	26.2	*	*	*	0.4	1.9	6.1	16.5	42.7	97.3	197.7	333.5
2003.....	26.4	*	*	*	0.5	2.1	6.0	16.5	43.5	100.9	201.8	335.9
2002.....	25.8	*	*	0.1	0.5	2.2	6.2	16.3	43.1	98.2	196.6	344.0
2001.....	25.0	*	*	0.1	0.4	1.9	5.5	16.1	41.8	98.0	194.3	338.9
2000.....	24.2	*	*	*	0.5	2.0	5.3	15.2	40.7	95.0	194.6	339.7
1999.....	24.1	*	*	*	0.4	1.8	5.3	15.3	41.0	96.3	193.8	339.5
Non-Hispanic 4/, female												
2006.....	25.5	*	*	*	0.4	1.6	4.0	9.9	28.4	66.8	144.0	263.5
2005.....	27.1	*	*	0.1	0.5	1.3	3.8	10.1	29.1	73.0	154.4	291.9
2004.....	26.8	*	*	0.1	0.4	1.4	3.6	10.3	29.8	73.1	154.7	290.1
2003.....	27.6	*	*	*	0.3	1.5	3.6	10.9	31.2	78.7	158.5	301.5
2002.....	27.9	*	*	*	0.4	1.4	3.8	11.1	30.1	79.8	164.3	302.5
2001.....	27.8	*	*	*	0.3	1.4	3.6	10.9	31.6	79.1	164.6	304.7
2000.....	27.6	*	*	*	0.4	1.4	3.5	11.0	32.4	80.1	161.8	302.8
1999.....	27.3	*	*	*	0.4	1.4	3.6	10.4	32.8	81.4	159.6	298.2
Non-Hispanic white, both sexes												
2006 5/.....	25.4	*	*	*	0.3	1.4	4.4	11.0	30.3	68.9	149.0	264.2
2005 5/.....	26.5	*	*	0.1	0.4	1.3	4.1	11.1	30.9	73.1	158.4	289.8
2004 5/.....	26.1	*	*	*	0.3	1.4	4.1	11.3	30.7	73.7	157.8	284.5
2003 5/.....	26.6	*	*	*	0.3	1.5	4.1	11.3	31.4	76.8	161.6	293.8
2002.....	26.4	*	*	*	0.4	1.5	4.3	11.3	30.6	76.8	163.3	296.4
2001.....	26.0	*	*	*	0.3	1.3	3.9	11.3	30.7	77.0	162.7	297.4
2000.....	25.4	*	*	*	0.4	1.4	3.9	10.7	30.9	76.1	159.9	295.5
1999.....	25.0	*	*	*	0.4	1.4	3.8	10.5	30.1	76.8	159.1	290.2
Non-Hispanic white, male												
2006 5/.....	26.3	*	*	*	0.3	1.6	5.4	14.2	37.6	83.9	179.6	306.8
2005 5/.....	26.8	*	*	*	0.5	1.5	5.2	14.1	38.1	86.5	186.6	331.5
2004 5/.....	26.3	*	*	*	0.3	1.6	5.3	14.3	37.3	87.7	187.1	321.7
2003 5/.....	26.6	*	*	*	0.4	1.7	5.2	14.1	37.9	91.3	191.7	327.3
2002.....	26.0	*	*	*	0.4	1.9	5.5	13.8	37.5	88.9	187.4	338.4
2001.....	25.1	*	*	*	0.3	1.5	4.8	13.7	36.4	89.8	185.5	332.1
2000.....	24.3	*	*	*	0.5	1.7	4.8	13.0	35.4	86.6	184.5	330.4
1999.....	24.0	*	*	*	0.4	1.5	4.6	13.0	35.0	87.7	184.6	326.0
Non-Hispanic white, female												
2006 5/.....	24.5	*	*	*	0.3	1.2	3.3	7.9	23.3	55.8	127.8	244.3
2005 5/.....	26.3	*	*	*	0.4	1.0	3.1	8.1	24.1	61.5	139.1	270.7
2004 5/.....	25.9	*	*	*	0.3	1.2	3.0	8.3	24.3	61.7	137.8	267.8
2003 5/.....	26.5	*	*	*	0.3	1.3	2.9	8.5	25.2	64.4	141.3	279.0
2002.....	26.8	*	*	*	0.4	1.2	3.2	8.8	24.1	66.5	147.0	278.3
2001.....	26.9	*	*	*	0.2	1.2	2.9	8.8	25.3	66.0	146.9	283.0
2000.....	26.5	*	*	*	0.3	1.1	3.1	8.6	26.6	67.3	149.8	281.4
1999.....	26.0	*	*	*	0.3	1.2	3.0	8.1	25.4	67.7	142.4	275.9

Worktable Orig12. Death rates for 358 selected causes, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2006

[Rates per 100,000 population in specified group. Rates are based on populations enumerated as of April 1 for 2000 and estimated as of July 1 for all other years. Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.odc.gov/nchs> and refer to 'Detailed technical notes to the United States 2006 data-mortality']

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, and sex	All ages 1/	Under 1 year 2/	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
Diabetes mellitus (E10-E14)												
Non-Hispanic black, both sexes												
2006 5/.....	33.6	*	*	*	0.8	4.4	10.6	28.0	79.3	170.0	316.4	475.9
2005 5/.....	34.4	*	*	*	1.2	4.1	9.8	28.5	81.3	180.6	325.0	513.4
2004 5/.....	34.4	*	*	*	1.0	3.4	9.8	28.8	81.9	182.6	336.4	536.5
2003 5/.....	35.0	*	*	*	0.7	4.0	9.9	30.8	87.5	188.9	340.0	532.2
2002.....	34.8	*	*	*	1.0	3.8	9.9	30.9	85.9	191.5	340.2	544.7
2001.....	34.1	*	*	*	1.0	3.8	9.1	30.1	86.5	190.8	337.9	533.8
2000.....	34.0	*	*	*	1.0	3.6	8.2	31.0	83.9	190.6	354.8	530.1
1999.....	34.1	*	*	*	0.8	3.1	9.1	31.0	92.0	194.0	336.1	530.9
Non-Hispanic black, male												
2006 5/.....	31.7	*	*	*	1.0	5.3	13.4	34.3	92.6	191.3	334.2	468.2
2005 5/.....	31.8	*	*	*	1.2	5.0	12.0	34.1	96.2	197.4	346.5	471.0
2004 5/.....	31.3	*	*	*	1.0	4.0	12.2	34.0	93.4	201.9	344.3	508.1
2003 5/.....	30.9	*	*	*	0.9	4.9	11.9	34.6	97.8	201.2	342.8	457.1
2002.....	30.0	*	*	*	1.1	4.6	12.1	35.8	96.6	193.3	332.6	423.4
2001.....	29.4	*	*	*	0.9	5.0	10.5	35.0	93.8	189.5	345.1	452.7
2000.....	28.3	*	*	*	1.0	4.0	9.7	34.2	89.7	186.9	339.4	456.8
1999.....	28.6	*	*	*	*	3.4	10.7	35.3	95.4	189.7	317.7	506.3
Non-Hispanic black, female												
2006 5/.....	35.3	*	*	*	0.7	3.7	8.1	22.6	68.6	154.7	306.2	479.1
2005 5/.....	36.7	*	*	*	1.1	3.3	7.8	23.7	69.4	166.6	312.9	530.4
2004 5/.....	37.2	*	*	*	1.0	2.9	7.8	24.3	72.6	168.7	332.0	547.7
2003 5/.....	38.7	*	*	*	*	3.2	8.1	27.6	79.2	180.2	338.5	561.3
2002.....	39.2	*	*	*	0.8	3.0	8.0	26.8	77.3	190.3	344.5	591.1
2001.....	38.4	*	*	*	1.0	2.8	7.8	25.9	80.6	191.7	333.9	563.8
2000.....	39.1	*	*	*	1.0	3.3	7.0	28.2	79.1	193.3	363.5	557.3
1999.....	39.0	*	*	*	0.9	2.7	7.7	27.2	89.2	197.0	346.5	540.1

Worktable Orig12. Death rates for 358 selected causes, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2006

[Rates per 100,000 population in specified group. Rates are based on populations enumerated as of April 1 for 2000 and estimated as of July 1 for all other years. Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to 'Detailed technical notes to the United States 2006 data-mortality']

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, and sex	All ages 1/	Under 1 year 2/	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
Disorders of pituitary gland (E22-E23)												
Non-Hispanic 4/, both sexes												
2006.....	0.1	*	*	*	*	*	*	0.1	0.1	0.2	0.5	0.8
2005.....	0.1	*	*	*	*	*	*	*	0.1	0.2	0.5	0.7
2004.....	0.1	*	*	*	*	*	*	0.1	0.1	0.2	0.5	1.0
2003.....	0.1	*	*	*	*	*	*	*	0.1	0.2	0.4	0.9
2002.....	0.1	*	*	*	*	*	*	*	0.1	0.2	0.5	1.1
2001.....	0.1	*	*	*	*	*	*	0.1	0.1	0.1	0.5	1.0
2000.....	0.1	*	*	*	*	*	*	*	*	0.3	0.5	1.1
1999.....	0.1	*	*	*	*	*	*	*	0.1	0.2	0.5	1.0
Non-Hispanic 4/, male												
2006.....	0.1	*	*	*	*	*	*	*	*	*	0.6	*
2005.....	0.1	*	*	*	*	*	*	*	*	0.3	0.5	*
2004.....	0.1	*	*	*	*	*	*	*	*	*	0.5	*
2003.....	0.1	*	*	*	*	*	*	*	*	*	0.6	*
2002.....	0.1	*	*	*	*	*	*	*	*	*	0.4	*
2001.....	0.1	*	*	*	*	*	*	*	*	*	0.5	*
2000.....	0.1	*	*	*	*	*	*	*	*	0.3	*	*
1999.....	0.1	*	*	*	*	*	*	*	*	*	0.8	*
Non-Hispanic 4/, female												
2006.....	0.1	*	*	*	*	*	*	*	*	*	0.5	0.8
2005.....	0.1	*	*	*	*	*	*	*	*	*	0.5	*
2004.....	0.1	*	*	*	*	*	*	*	*	*	0.4	1.0
2003.....	0.1	*	*	*	*	*	*	*	*	*	0.4	1.1
2002.....	0.1	*	*	*	*	*	*	*	*	*	0.5	1.1
2001.....	0.1	*	*	*	*	*	*	*	*	*	0.5	1.1
2000.....	0.1	*	*	*	*	*	*	*	*	*	0.6	1.1
1999.....	0.1	*	*	*	*	*	*	*	*	0.3	0.4	1.1
Non-Hispanic white, both sexes												
2006 5/.....	0.1	*	*	*	*	*	*	*	0.1	0.2	0.5	0.9
2005 5/.....	0.1	*	*	*	*	*	*	*	*	0.2	0.5	0.7
2004 5/.....	0.1	*	*	*	*	*	*	*	0.1	0.2	0.4	1.0
2003 5/.....	0.1	*	*	*	*	*	*	*	0.1	0.2	0.4	0.9
2002.....	0.1	*	*	*	*	*	*	*	0.1	0.2	0.4	1.1
2001.....	0.1	*	*	*	*	*	*	*	0.1	0.1	0.5	1.0
2000.....	0.1	*	*	*	*	*	*	*	*	0.2	0.5	1.1
1999.....	0.1	*	*	*	*	*	*	*	*	0.2	0.4	1.1
Non-Hispanic white, male												
2006 5/.....	0.1	*	*	*	*	*	*	*	*	*	0.5	*
2005 5/.....	0.1	*	*	*	*	*	*	*	*	*	0.5	*
2004 5/.....	0.1	*	*	*	*	*	*	*	*	*	0.5	*
2003 5/.....	0.1	*	*	*	*	*	*	*	*	*	0.5	*
2002.....	0.1	*	*	*	*	*	*	*	*	*	*	*
2001.....	0.1	*	*	*	*	*	*	*	*	*	0.5	*
2000.....	0.1	*	*	*	*	*	*	*	*	0.3	*	*
1999.....	0.1	*	*	*	*	*	*	*	*	*	0.6	*
Non-Hispanic white, female												
2006 5/.....	0.1	*	*	*	*	*	*	*	*	*	0.5	0.9
2005 5/.....	0.1	*	*	*	*	*	*	*	*	*	0.4	*
2004 5/.....	0.1	*	*	*	*	*	*	*	*	*	0.4	1.0
2003 5/.....	0.1	*	*	*	*	*	*	*	*	*	0.3	1.1
2002.....	0.1	*	*	*	*	*	*	*	*	*	0.4	1.2
2001.....	0.1	*	*	*	*	*	*	*	*	*	0.6	1.1
2000.....	0.1	*	*	*	*	*	*	*	*	*	0.6	1.1
1999.....	0.1	*	*	*	*	*	*	*	*	0.3	0.3	1.2

Worktable Orig12. Death rates for 358 selected causes, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2006

[Rates per 100,000 population in specified group. Rates are based on populations enumerated as of April 1 for 2000 and estimated as of July 1 for all other years. Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to 'Detailed technical notes to the United States 2006 data-mortality']

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, and sex	All ages 1/	Under 1 year 2/	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
Disorders of adrenal glands (E24-E27)												
Non-Hispanic 4/, both sexes												
2006.....	0.1	*	*	*	*	*	*	0.1	0.1	0.2	0.6	1.0
2005.....	0.1	*	*	*	*	*	*	*	0.2	0.2	0.6	1.0
2004.....	0.1	*	*	*	*	*	0.1	0.1	0.1	0.2	0.5	1.2
2003.....	0.1	*	*	*	*	*	*	0.1	0.2	0.3	0.7	1.2
2002.....	0.1	*	*	*	*	*	*	0.1	0.1	0.3	0.6	1.1
2001.....	0.1	*	*	*	*	*	0.1	0.1	0.1	0.3	0.8	1.8
2000.....	0.1	*	*	*	*	*	*	0.1	0.2	0.2	0.7	1.1
1999.....	0.1	*	*	*	*	*	*	0.1	*	0.3	0.5	0.9
Non-Hispanic 4/, male												
2006.....	0.1	*	*	*	*	*	*	*	*	*	0.4	*
2005.....	0.1	*	*	*	*	*	*	*	0.2	*	0.6	*
2004.....	0.1	*	*	*	*	*	*	*	*	*	0.5	*
2003.....	0.1	*	*	*	*	*	*	*	*	*	0.7	*
2002.....	0.1	*	*	*	*	*	*	*	*	*	0.5	*
2001.....	0.1	*	*	*	*	*	*	*	*	0.3	0.9	2.1
2000.....	0.1	*	*	*	*	*	*	*	*	*	0.7	*
1999.....	0.1	*	*	*	*	*	*	*	*	*	0.5	*
Non-Hispanic 4/, female												
2006.....	0.1	*	*	*	*	*	*	*	0.2	0.3	0.7	0.9
2005.....	0.1	*	*	*	*	*	*	*	0.1	*	0.6	0.9
2004.....	0.1	*	*	*	*	*	*	*	0.2	0.2	0.6	1.2
2003.....	0.1	*	*	*	*	*	*	*	0.2	0.3	0.7	1.3
2002.....	0.1	*	*	*	*	*	*	*	*	0.4	0.7	1.1
2001.....	0.1	*	*	*	*	*	*	*	*	0.3	0.8	1.7
2000.....	0.1	*	*	*	*	*	*	*	0.2	0.3	0.7	1.1
1999.....	0.1	*	*	*	*	*	*	*	*	0.4	0.5	1.0
Non-Hispanic white, both sexes												
2006 5/.....	0.1	*	*	*	*	*	*	0.1	0.1	0.2	0.6	1.0
2005 5/.....	0.1	*	*	*	*	*	*	*	0.2	0.1	0.6	1.1
2004 5/.....	0.1	*	*	*	*	*	*	*	0.1	0.2	0.6	1.2
2003 5/.....	0.1	*	*	*	*	*	*	0.1	0.1	0.3	0.7	1.2
2002.....	0.1	*	*	*	*	*	*	*	0.1	0.3	0.6	1.1
2001.....	0.1	*	*	*	*	*	*	*	*	0.4	0.8	1.8
2000.....	0.1	*	*	*	*	*	*	*	0.2	0.2	0.7	1.1
1999.....	0.1	*	*	*	*	*	*	0.1	*	0.3	0.5	0.9
Non-Hispanic white, male												
2006 5/.....	0.1	*	*	*	*	*	*	*	*	*	*	*
2005 5/.....	0.1	*	*	*	*	*	*	*	*	*	0.5	*
2004 5/.....	0.1	*	*	*	*	*	*	*	*	*	0.5	*
2003 5/.....	0.1	*	*	*	*	*	*	*	*	*	0.6	*
2002.....	0.1	*	*	*	*	*	*	*	*	*	0.5	*
2001.....	0.1	*	*	*	*	*	*	*	*	0.4	0.9	2.1
2000.....	0.1	*	*	*	*	*	*	*	*	*	0.8	*
1999.....	0.1	*	*	*	*	*	*	*	*	*	0.5	*
Non-Hispanic white, female												
2006 5/.....	0.1	*	*	*	*	*	*	*	0.2	0.3	0.8	1.0
2005 5/.....	0.1	*	*	*	*	*	*	*	*	*	0.6	0.9
2004 5/.....	0.1	*	*	*	*	*	*	*	*	*	0.6	1.2
2003 5/.....	0.2	*	*	*	*	*	*	*	0.2	0.3	0.8	1.3
2002.....	0.1	*	*	*	*	*	*	*	*	0.4	0.7	1.1
2001.....	0.2	*	*	*	*	*	*	*	*	0.3	0.8	1.7
2000.....	0.1	*	*	*	*	*	*	*	0.2	*	0.7	1.2
1999.....	0.1	*	*	*	*	*	*	*	*	0.4	0.5	1.0

Worktable Orig12. Death rates for 358 selected causes, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2006

[Rates per 100,000 population in specified group. Rates are based on populations enumerated as of April 1 for 2000 and estimated as of July 1 for all other years. Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to 'Detailed technical notes to the United States 2006 data-mortality']

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, and sex	All ages 1/	Under 1 year 2/	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
Other endocrine diseases (E15-E21,E28-E31,E34)												
Non-Hispanic 4/, both sexes												
2006.....	0.2	*	*	*	*	*	0.1	0.1	0.2	0.4	1.1	1.8
2005.....	0.2	*	*	*	*	*	0.1	0.1	0.2	0.4	1.0	2.3
2004.....	0.2	*	*	*	*	*	0.1	0.1	0.2	0.4	1.0	2.1
2003.....	0.2	*	*	*	*	*	0.1	0.1	0.2	0.4	0.9	2.0
2002.....	0.2	0.8	*	*	*	*	*	0.1	0.2	0.4	1.0	2.2
2001.....	0.2	0.7	*	*	*	*	0.1	0.1	0.2	0.3	0.8	2.5
2000.....	0.2	0.7	*	*	*	*	0.1	0.1	0.1	0.3	0.9	2.2
1999.....	0.2	0.8	*	*	*	*	0.1	0.1	0.2	0.4	0.9	1.9
Non-Hispanic 4/, male												
2006.....	0.2	*	*	*	*	*	0.1	0.2	0.4	1.1	1.9	
2005.....	0.1	*	*	*	*	*	0.1	0.3	0.4	1.0	1.6	
2004.....	0.2	*	*	*	*	*	0.1	0.2	0.5	1.2	1.9	
2003.....	0.2	*	*	*	*	*	0.2	0.2	0.4	0.9	1.6	
2002.....	0.1	*	*	*	*	*	0.1	0.2	0.4	0.9	1.9	
2001.....	0.1	*	*	*	*	*	*	*	0.4	0.8	2.3	
2000.....	0.1	*	*	*	*	*	0.1	*	*	0.9	1.7	
1999.....	0.1	*	*	*	*	*	0.1	0.2	0.5	1.0	*	
Non-Hispanic 4/, female												
2006.....	0.2	*	*	*	*	*	0.1	0.2	0.5	1.1	1.8	
2005.....	0.2	*	*	*	*	*	0.1	0.2	0.4	1.1	2.6	
2004.....	0.2	*	*	*	*	*	0.1	0.2	0.4	0.9	2.2	
2003.....	0.2	*	*	*	*	*	*	0.3	0.4	0.9	2.2	
2002.....	0.2	*	*	*	*	*	0.2	0.2	0.5	1.1	2.4	
2001.....	0.2	*	*	*	*	*	*	0.2	0.3	0.9	2.5	
2000.....	0.2	*	*	*	*	*	*	*	0.3	0.9	2.4	
1999.....	0.2	*	*	*	*	*	0.1	*	0.3	0.8	2.0	
Non-Hispanic white, both sexes												
2006 5/.....	0.2	*	*	*	*	*	0.1	0.2	0.4	1.0	1.6	
2005 5/.....	0.2	*	*	*	*	*	0.1	0.1	0.2	0.9	1.9	
2004 5/.....	0.2	*	*	*	*	*	0.1	0.2	0.3	0.9	1.9	
2003 5/.....	0.2	*	*	*	*	*	0.1	0.2	0.3	0.8	1.9	
2002.....	0.2	0.9	*	*	*	*	0.1	0.2	0.4	1.0	2.2	
2001.....	0.2	*	*	*	*	*	0.1	0.2	0.2	0.7	2.4	
2000.....	0.1	*	*	*	*	*	0.1	0.1	0.2	0.7	2.0	
1999.....	0.2	*	*	*	*	*	0.1	0.1	0.3	0.8	1.8	
Non-Hispanic white, male												
2006 5/.....	0.1	*	*	*	*	*	*	0.2	0.4	0.9	1.8	
2005 5/.....	0.1	*	*	*	*	*	*	*	*	0.9	*	
2004 5/.....	0.1	*	*	*	*	*	*	0.2	0.3	1.1	*	
2003 5/.....	0.1	*	*	*	*	*	0.1	*	0.3	0.8	*	
2002.....	0.1	*	*	*	*	*	*	0.2	0.3	0.9	2.1	
2001.....	0.1	*	*	*	*	*	*	*	*	0.7	2.2	
2000.....	0.1	*	*	*	*	*	*	*	*	0.7	*	
1999.....	0.1	*	*	*	*	*	*	*	0.3	1.0	*	
Non-Hispanic white, female												
2006 5/.....	0.2	*	*	*	*	*	*	*	0.3	1.0	1.5	
2005 5/.....	0.2	*	*	*	*	*	*	*	0.3	0.9	2.3	
2004 5/.....	0.2	*	*	*	*	*	*	*	0.3	0.8	2.1	
2003 5/.....	0.2	*	*	*	*	*	*	0.2	0.3	0.8	2.2	
2002.....	0.2	*	*	*	*	*	0.1	*	0.4	1.0	2.2	
2001.....	0.2	*	*	*	*	*	*	0.2	*	0.8	2.4	
2000.....	0.2	*	*	*	*	*	*	*	*	0.7	2.1	
1999.....	0.2	*	*	*	*	*	*	*	0.3	0.7	2.0	

Worktable Orig12. Death rates for 358 selected causes, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2006

[Rates per 100,000 population in specified group. Rates are based on populations enumerated as of April 1 for 2000 and estimated as of July 1 for all other years. Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to 'Detailed technical notes to the United States 2006 data-mortality']

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, and sex	All ages 1/	Under 1 year 2/	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
Nutritional diseases (E40-E68)												
All origins 3/, both sexes												
2006.....	2.4	*	*	*	0.2	0.7	1.6	3.1	4.4	5.6	8.8	24.4
2005.....	2.6	*	*	*	0.2	0.8	1.6	3.0	4.5	5.9	10.0	32.6
2004.....	2.5	*	*	*	0.1	0.8	1.5	2.9	4.0	5.3	9.9	32.3
2003.....	2.5	*	*	*	0.2	0.7	1.5	2.8	3.9	5.4	10.2	37.5
2002.....	2.6	*	*	*	0.2	0.8	1.6	2.6	3.9	4.9	11.3	42.9
2001.....	2.4	*	*	*	0.2	0.6	1.3	2.4	3.3	4.6	10.8	44.5
2000.....	2.6	*	*	*	0.1	0.6	1.3	2.3	3.2	4.9	12.6	51.7
1999.....	2.5	*	*	*	0.2	0.5	1.2	2.0	2.9	4.7	12.3	55.3
All origins 3/, male												
2006.....	2.1	*	*	*	0.2	0.8	1.8	3.2	4.2	5.2	8.0	19.4
2005.....	2.3	*	*	*	0.2	0.9	1.8	3.2	4.6	5.2	8.7	29.3
2004.....	2.1	*	*	*	0.2	0.8	1.6	3.0	3.9	4.9	9.5	28.8
2003.....	2.1	*	*	*	0.2	0.9	1.5	2.8	3.9	5.1	9.7	31.5
2002.....	2.2	*	*	*	0.2	0.9	1.8	2.6	3.7	4.5	10.3	37.8
2001.....	1.9	*	*	*	0.2	0.7	1.4	2.4	3.1	4.3	9.8	35.8
2000.....	2.0	*	*	*	0.2	0.7	1.5	2.4	3.2	4.6	11.2	44.6
1999.....	2.0	*	*	*	0.2	0.6	1.4	2.0	3.1	4.6	11.6	48.7
All origins 3/, female												
2006.....	2.7	*	*	*	0.2	0.6	1.4	2.9	4.6	5.9	9.2	26.7
2005.....	3.0	*	*	*	0.2	0.7	1.4	2.8	4.4	6.6	10.9	34.2
2004.....	2.8	*	*	*	0.7	1.4	2.9	4.0	5.6	10.1	33.9	
2003.....	2.9	*	*	*	0.2	0.5	1.5	2.8	3.9	5.6	10.6	40.1
2002.....	3.0	*	*	*	0.2	0.6	1.4	2.6	4.0	5.1	12.0	45.1
2001.....	2.9	*	*	*	0.2	0.5	1.2	2.5	3.5	4.9	11.4	48.1
2000.....	3.1	*	*	*	0.1	0.4	1.2	2.2	3.2	5.2	13.6	54.6
1999.....	2.9	*	*	*	0.2	0.4	1.0	2.0	2.6	4.7	12.8	58.0
Hispanic, both sexes												
2006.....	1.0	*	*	*	0.5	0.9	2.2	2.2	3.7	8.6	20.7	
2005.....	0.9	*	*	*	0.4	0.8	1.4	2.1	3.5	9.7	24.4	
2004.....	0.8	*	*	*	0.4	1.0	1.2	2.1	2.7	7.3	21.4	
2003.....	0.9	*	*	*	0.5	0.9	1.5	2.0	3.3	7.5	31.6	
2002.....	0.9	*	*	*	0.4	0.9	1.4	1.7	3.5	9.0	29.9	
2001.....	0.8	*	*	*	0.5	0.9	1.2	1.6	2.4	9.6	41.9	
2000.....	0.8	*	*	*	0.4	0.9	1.4	1.3	4.0	9.7	41.8	
1999.....	0.8	*	*	*	0.3	0.8	1.0	1.9	2.5	7.5	52.6	
Hispanic, male												
2006.....	0.9	*	*	*	0.6	1.1	2.0	1.9	*	7.6	*	
2005.....	0.8	*	*	*	0.6	0.9	1.4	*	3.9	9.7	24.9	
2004.....	0.7	*	*	*	0.5	1.1	1.5	1.9	*	*	*	
2003.....	0.8	*	*	*	0.6	0.9	1.4	*	*	*	*	
2002.....	0.7	*	*	*	*	1.0	1.1	*	*	*	*	
2001.....	0.7	*	*	*	0.6	1.0	*	*	*	10.3	45.7	
2000.....	0.7	*	*	*	0.6	1.0	1.4	*	*	*	*	
1999.....	0.7	*	*	*	*	1.2	*	*	*	*	51.8	
Hispanic, female												
2006.....	1.2	*	*	*	*	0.7	2.5	2.5	4.6	9.3	24.6	
2005.....	1.0	*	*	*	*	*	1.4	2.6	3.1	9.8	24.1	
2004.....	0.9	*	*	*	*	0.9	1.0	2.3	*	8.6	24.5	
2003.....	1.0	*	*	*	*	0.8	1.6	2.1	3.4	8.7	33.6	
2002.....	1.0	*	*	*	*	0.8	1.7	2.0	3.5	9.8	29.8	
2001.....	0.9	*	*	*	*	0.8	1.3	*	*	9.1	40.0	
2000.....	1.0	*	*	*	*	*	1.4	*	4.3	10.6	44.5	
1999.....	0.8	*	*	*	*	*	*	*	*	7.6	53.0	

Worktable Orig12. Death rates for 358 selected causes, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2006

[Rates per 100,000 population in specified group. Rates are based on populations enumerated as of April 1 for 2000 and estimated as of July 1 for all other years. Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to 'Detailed technical notes to the United States 2006 data-mortality']

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, and sex	All ages 1/	Under 1 year 2/	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
Nutritional diseases (E40-E68)												
Non-Hispanic 4/, both sexes												
2006.....	2.7	*	*	*	0.2	0.8	1.7	3.2	4.6	5.7	8.8	24.5
2005.....	2.9	*	*	*	0.2	0.9	1.7	3.2	4.7	6.1	10.0	33.0
2004.....	2.7	*	*	*	0.1	0.8	1.5	3.1	4.1	5.5	10.0	32.8
2003.....	2.8	*	*	*	0.2	0.8	1.6	2.9	4.0	5.5	10.3	37.7
2002.....	2.9	*	*	*	0.2	0.8	1.7	2.7	4.0	4.9	11.4	43.3
2001.....	2.6	*	*	*	0.2	0.6	1.3	2.5	3.4	4.8	10.8	44.5
2000.....	2.8	*	*	*	0.1	0.6	1.4	2.4	3.4	5.0	12.7	51.9
1999.....	2.7	*	*	*	0.2	0.5	1.3	2.1	2.9	4.8	12.5	55.3
Non-Hispanic 4/, male												
2006.....	2.4	*	*	*	0.2	0.9	1.9	3.4	4.3	5.4	8.1	19.6
2005.....	2.5	*	*	*	0.2	1.0	1.9	3.4	4.8	5.2	8.6	29.4
2004.....	2.3	*	*	*	0.2	0.8	1.6	3.1	4.0	5.0	9.7	29.4
2003.....	2.4	*	*	*	0.2	1.0	1.6	2.9	4.1	5.2	9.8	31.6
2002.....	2.4	*	*	*	0.2	0.9	1.9	2.8	3.9	4.6	10.3	38.0
2001.....	2.0	*	*	*	0.2	0.7	1.4	2.5	3.2	4.4	9.8	35.4
2000.....	2.2	*	*	*	0.2	0.7	1.5	2.5	3.4	4.7	11.2	44.8
1999.....	2.2	*	*	*	0.2	0.7	1.4	2.1	3.1	4.7	11.8	48.5
Non-Hispanic 4/, female												
2006.....	3.0	*	*	*	0.2	0.7	1.5	3.0	4.8	6.0	9.2	26.8
2005.....	3.3	*	*	*	0.2	0.8	1.5	2.9	4.6	6.8	11.0	34.6
2004.....	3.1	*	*	*	*	0.8	1.5	3.1	4.2	5.9	10.2	34.3
2003.....	3.2	*	*	*	0.2	0.6	1.6	2.9	4.0	5.8	10.7	40.3
2002.....	3.3	*	*	*	0.2	0.7	1.4	2.7	4.2	5.2	12.1	45.5
2001.....	3.2	*	*	*	0.2	0.5	1.3	2.6	3.6	5.0	11.5	48.3
2000.....	3.3	*	*	*	*	0.4	1.3	2.3	3.3	5.2	13.7	54.8
1999.....	3.2	*	*	*	0.2	0.4	1.1	2.1	2.7	4.8	13.0	58.1
Non-Hispanic white, both sexes												
2006 5/.....	2.7	*	*	*	0.1	0.6	1.5	3.0	4.5	5.7	8.4	23.8
2005 5/.....	3.0	*	*	*	0.1	0.7	1.5	3.0	4.6	5.8	9.5	32.1
2004 5/.....	2.7	*	*	*	0.1	0.7	1.3	2.9	4.0	5.1	9.6	31.4
2003 5/.....	2.9	*	*	*	0.2	0.6	1.5	2.8	4.0	5.5	9.9	36.2
2002.....	2.9	*	*	*	0.1	0.6	1.5	2.6	3.8	4.6	10.8	42.0
2001.....	2.7	*	*	*	0.1	0.5	1.1	2.3	3.3	4.4	10.1	43.7
2000.....	2.9	*	*	*	0.1	0.4	1.3	2.2	3.1	4.6	12.1	50.7
1999.....	2.7	*	*	*	0.1	0.4	1.1	1.9	2.7	4.3	11.7	54.2
Non-Hispanic white, male												
2006 5/.....	2.4	*	*	*	0.1	0.8	1.6	3.3	4.4	5.5	7.5	19.0
2005 5/.....	2.6	*	*	*	0.2	0.8	1.8	3.5	4.9	5.1	8.1	28.6
2004 5/.....	2.4	*	*	*	0.1	0.6	1.5	3.1	4.0	4.8	9.3	28.4
2003 5/.....	2.4	*	*	*	0.2	0.9	1.5	2.9	4.1	5.2	9.2	30.5
2002.....	2.4	*	*	*	*	0.7	1.8	2.8	3.8	4.4	9.8	37.4
2001.....	2.0	*	*	*	*	0.6	1.2	2.3	3.1	4.1	9.2	33.9
2000.....	2.3	*	*	*	0.2	0.6	1.4	2.5	3.2	4.3	10.6	43.8
1999.....	2.2	*	*	*	*	0.5	1.3	2.1	2.9	4.2	10.8	46.6
Non-Hispanic white, female												
2006 5/.....	3.1	*	*	*	*	0.5	1.4	2.7	4.5	5.9	9.0	26.0
2005 5/.....	3.3	*	*	*	*	0.6	1.3	2.5	4.3	6.4	10.5	33.8
2004 5/.....	3.1	*	*	*	*	0.7	1.1	2.7	3.9	5.4	9.8	32.8
2003 5/.....	3.3	*	*	*	*	0.4	1.4	2.7	3.8	5.7	10.4	38.7
2002.....	3.3	*	*	*	*	0.6	1.2	2.3	3.8	4.8	11.5	44.0
2001.....	3.3	*	*	*	*	0.4	1.0	2.3	3.5	4.7	10.7	47.8
2000.....	3.4	*	*	*	*	0.3	1.1	1.9	3.1	4.9	13.1	53.5
1999.....	3.3	*	*	*	*	0.3	0.9	1.8	2.5	4.4	12.3	57.2

Worktable Orig12. Death rates for 358 selected causes, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2006

[Rates per 100,000 population in specified group. Rates are based on populations enumerated as of April 1 for 2000 and estimated as of July 1 for all other years. Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.odc.gov/nchs> and refer to 'Detailed technical notes to the United States 2006 data-mortality']

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, and sex	All ages 1/	Under 1 year 2/	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
Nutritional diseases (E40-E68)												
Non-Hispanic black, both sexes												
2006 5/.....	3.2	*	*	*	0.5	1.6	3.3	5.3	7.1	8.2	14.8	35.3
2005 5/.....	3.5	*	*	*	0.4	2.0	3.4	5.3	7.3	10.1	17.3	46.4
2004 5/.....	3.4	*	*	*	0.3	2.0	3.3	5.3	6.8	10.0	16.1	51.2
2003 5/.....	3.1	*	*	*	0.4	1.8	2.9	4.4	6.2	7.6	17.3	58.9
2002.....	3.4	*	*	*	0.5	2.0	2.9	4.5	7.5	8.9	20.0	61.7
2001.....	3.2	*	*	*	0.5	1.3	2.9	4.9	5.6	8.7	20.1	56.8
2000.....	3.2	*	*	*	0.4	1.6	2.6	4.4	6.0	9.0	20.8	69.0
1999.....	3.1	*	*	*	0.4	1.3	2.4	3.6	5.5	9.9	23.3	72.4
Non-Hispanic black, male												
2006 5/.....	2.8	*	*	*	*	1.6	4.0	4.9	5.5	7.3	16.1	31.2
2005 5/.....	2.7	*	*	*	*	2.2	3.4	4.1	6.3	7.1	15.1	40.9
2004 5/.....	2.7	*	*	*	*	2.1	3.1	4.1	5.6	8.7	16.5	45.7
2003 5/.....	2.5	*	*	*	*	2.1	2.4	4.0	4.9	7.4	19.9	49.0
2002.....	2.7	*	*	*	*	2.4	3.1	3.3	6.5	7.8	19.0	47.0
2001.....	2.6	*	*	*	*	1.3	3.0	4.2	5.1	8.3	18.3	58.9
2000.....	2.6	*	*	*	*	1.8	2.6	3.4	6.2	9.1	20.7	66.9
1999.....	2.7	*	*	*	*	1.6	2.4	2.9	5.9	10.2	24.7	76.1
Non-Hispanic black, female												
2006 5/.....	3.6	*	*	*	*	1.5	2.7	5.6	8.4	8.8	14.0	37.0
2005 5/.....	4.3	*	*	*	*	1.9	3.5	6.3	8.1	12.2	18.6	48.6
2004 5/.....	4.1	*	*	*	*	1.9	3.5	6.3	7.8	11.0	15.8	53.4
2003 5/.....	3.7	*	*	*	*	1.5	3.2	4.8	7.3	7.7	15.8	62.7
2002.....	4.1	*	*	*	*	1.7	2.8	5.6	8.4	9.7	20.6	67.3
2001.....	3.7	*	*	*	*	1.3	2.9	5.5	6.1	9.0	21.1	56.0
2000.....	3.7	*	*	*	*	1.4	2.6	5.2	5.8	9.0	20.8	69.8
1999.....	3.6	*	*	*	*	1.1	2.4	4.2	5.1	9.6	22.6	71.1

Worktable Orig12. Death rates for 358 selected causes, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2006

[Rates per 100,000 population in specified group. Rates are based on populations enumerated as of April 1 for 2000 and estimated as of July 1 for all other years. Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to 'Detailed technical notes to the United States 2006 data-mortality']

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, and sex	All ages 1/	Under 1 year 2/	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
Malnutrition (E40-E46)												
Non-Hispanic 4/, both sexes												
2006.....	0.9	*	*	*	*	*	0.1	0.2	0.6	1.4	5.1	21.0
2005.....	1.1	*	*	*	*	*	0.1	0.3	0.5	1.8	6.6	29.2
2004.....	1.1	*	*	*	*	*	0.1	0.3	0.5	1.6	6.8	28.6
2003.....	1.2	*	*	*	*	*	0.1	0.2	0.6	1.8	7.5	33.7
2002.....	1.3	*	*	*	*	*	0.1	0.2	0.6	1.9	8.3	38.7
2001.....	1.3	*	*	*	*	*	0.1	0.3	0.6	2.0	8.2	40.2
2000.....	1.5	*	*	*	*	*	0.1	0.2	0.7	2.3	9.7	46.5
1999.....	1.6	*	*	*	*	*	0.1	0.3	0.7	2.2	9.6	50.0
Non-Hispanic 4/, male												
2006.....	0.6	*	*	*	*	*	*	0.2	0.5	1.5	5.2	17.9
2005.....	0.8	*	*	*	*	*	*	0.3	0.6	1.7	6.1	26.5
2004.....	0.8	*	*	*	*	*	*	0.2	0.6	1.7	6.7	25.8
2003.....	0.9	*	*	*	*	*	*	0.2	0.6	1.8	7.5	28.4
2002.....	1.0	*	*	*	*	*	0.1	0.2	0.7	2.1	8.0	35.3
2001.....	0.9	*	*	*	*	*	*	0.3	0.6	2.0	8.0	33.2
2000.....	1.0	*	*	*	*	*	*	0.2	0.8	2.5	8.8	40.9
1999.....	1.1	*	*	*	*	*	0.1	0.3	0.8	2.5	9.5	44.3
Non-Hispanic 4/, female												
2006.....	1.1	*	*	*	*	*	0.1	0.2	0.6	1.4	5.1	22.5
2005.....	1.4	*	*	*	*	*	0.1	0.3	0.4	1.9	6.9	30.5
2004.....	1.4	*	*	*	*	*	0.1	0.3	0.5	1.5	6.8	29.9
2003.....	1.5	*	*	*	*	*	*	0.2	0.6	1.7	7.5	36.0
2002.....	1.7	*	*	*	*	*	0.1	0.3	0.5	1.8	8.6	40.1
2001.....	1.7	*	*	*	*	*	*	0.3	0.6	1.9	8.3	43.2
2000.....	2.0	*	*	*	*	*	0.2	0.3	0.6	2.2	10.3	48.7
1999.....	2.0	*	*	*	*	*	0.2	0.3	0.5	2.0	9.7	52.2
Non-Hispanic white, both sexes												
2006 5/.....	0.9	*	*	*	*	*	0.1	0.2	0.5	1.3	4.9	20.3
2005 5/.....	1.2	*	*	*	*	*	0.1	0.2	0.5	1.6	6.1	28.5
2004 5/.....	1.1	*	*	*	*	*	0.1	0.2	0.5	1.4	6.4	27.3
2003 5/.....	1.3	*	*	*	*	*	0.1	0.2	0.5	1.6	7.2	32.3
2002.....	1.4	*	*	*	*	*	0.1	0.2	0.5	1.8	8.0	37.4
2001.....	1.4	*	*	*	*	*	*	0.2	0.5	1.8	7.6	39.4
2000.....	1.6	*	*	*	*	*	0.1	0.2	0.6	2.1	9.3	45.3
1999.....	1.6	*	*	*	*	*	0.1	0.2	0.5	1.9	8.9	48.8
Non-Hispanic white, male												
2006 5/.....	0.7	*	*	*	*	*	*	0.2	0.4	1.3	4.7	17.2
2005 5/.....	0.8	*	*	*	*	*	*	0.2	0.5	1.6	5.6	25.9
2004 5/.....	0.8	*	*	*	*	*	*	0.2	0.5	1.4	6.2	24.6
2003 5/.....	0.9	*	*	*	*	*	*	0.2	0.4	1.6	6.9	27.3
2002.....	1.0	*	*	*	*	*	*	0.2	0.5	1.9	7.5	34.5
2001.....	0.9	*	*	*	*	*	*	0.2	0.5	1.7	7.4	31.7
2000.....	1.1	*	*	*	*	*	*	0.2	0.6	2.1	8.3	39.8
1999.....	1.1	*	*	*	*	*	*	0.2	0.6	2.0	8.6	42.0
Non-Hispanic white, female												
2006 5/.....	1.2	*	*	*	*	*	0.1	0.2	0.6	1.3	5.1	21.8
2005 5/.....	1.5	*	*	*	*	*	*	0.3	0.4	1.7	6.5	29.7
2004 5/.....	1.5	*	*	*	*	*	*	0.3	0.5	1.4	6.6	28.5
2003 5/.....	1.7	*	*	*	*	*	*	0.2	0.6	1.6	7.4	34.5
2002.....	1.8	*	*	*	*	*	*	0.3	0.5	1.7	8.3	38.6
2001.....	1.9	*	*	*	*	*	*	0.3	0.6	1.9	7.7	42.7
2000.....	2.2	*	*	*	*	*	0.1	0.2	0.6	2.0	10.0	47.4
1999.....	2.2	*	*	*	*	*	0.2	0.3	0.4	1.8	9.2	51.6

Worktable Orig12. Death rates for 358 selected causes, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2006

[Rates per 100,000 population in specified group. Rates are based on populations enumerated as of April 1 for 2000 and estimated as of July 1 for all other years. Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.odc.gov/nchs> and refer to 'Detailed technical notes to the United States 2006 data-mortality']

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, and sex	All ages 1/	Under 1 year 2/	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
Malnutrition (E40-E46)												
Non-Hispanic black, both sexes												
2006 5/.....	0.9	*	*	*	*	*	*	0.5	1.0	3.0	8.2	30.0
2005 5/.....	1.1	*	*	*	*	*	*	0.6	1.1	3.3	12.3	41.0
2004 5/.....	1.1	*	*	*	*	*	*	0.6	1.1	3.3	10.5	46.3
2003 5/.....	1.2	*	*	*	*	*	*	0.7	1.3	3.1	13.0	54.1
2002.....	1.3	*	*	*	*	*	*	*	1.7	3.6	14.2	57.2
2001.....	1.2	*	*	*	*	*	*	0.6	1.1	3.4	15.0	52.1
2000.....	1.4	*	*	*	*	*	*	0.6	1.6	4.8	15.1	64.2
1999.....	1.6	*	*	*	*	*	*	0.6	1.8	5.5	18.1	66.0
Non-Hispanic black, male												
2006 5/.....	0.8	*	*	*	*	*	*	*	*	4.1	11.1	29.3
2005 5/.....	0.8	*	*	*	*	*	*	*	1.7	3.1	12.1	34.3
2004 5/.....	0.9	*	*	*	*	*	*	*	1.6	4.4	12.0	43.7
2003 5/.....	1.0	*	*	*	*	*	*	*	1.8	4.3	17.3	46.9
2002.....	1.0	*	*	*	*	*	*	*	2.7	4.0	15.2	44.9
2001.....	1.1	*	*	*	*	*	*	1.0	*	5.0	15.9	56.6
2000.....	1.2	*	*	*	*	*	*	*	2.5	6.4	17.3	62.2
1999.....	1.4	*	*	*	*	*	*	*	2.6	8.0	20.6	74.9
Non-Hispanic black, female												
2006 5/.....	0.9	*	*	*	*	*	*	*	*	2.3	6.5	30.3
2005 5/.....	1.3	*	*	*	*	*	*	*	*	3.5	12.4	43.7
2004 5/.....	1.2	*	*	*	*	*	*	*	*	2.5	9.7	47.4
2003 5/.....	1.4	*	*	*	*	*	*	*	*	2.3	10.6	57.0
2002.....	1.5	*	*	*	*	*	*	*	*	3.4	13.6	61.9
2001.....	1.3	*	*	*	*	*	*	*	*	2.3	14.5	50.5
2000.....	1.6	*	*	*	*	*	*	*	*	3.6	13.9	65.0
1999.....	1.7	*	*	*	*	*	*	*	*	3.7	16.6	62.6

Worktable Orig12. Death rates for 358 selected causes, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2006

[Rates per 100,000 population in specified group. Rates are based on populations enumerated as of April 1 for 2000 and estimated as of July 1 for all other years. Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to 'Detailed technical notes to the United States 2006 data-mortality']

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, and sex	All ages 1/	Under 1 year 2/	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
Nutritional marasmus (E41)												
Non-Hispanic 4/, both sexes												
2006.....	0.0	*	*	*	*	*	*	*	*	*	*	0.4
2005.....	0.0	*	*	*	*	*	*	*	*	*	*	1.1
2004.....	0.0	*	*	*	*	*	*	*	*	*	*	1.2
2003.....	0.1	*	*	*	*	*	*	*	*	*	*	1.6
2002.....	0.1	*	*	*	*	*	*	*	*	*	*	2.3
2001.....	0.1	*	*	*	*	*	*	*	*	*	*	2.5
2000.....	0.1	*	*	*	*	*	*	*	*	*	*	2.8
1999.....	0.1	*	*	*	*	*	*	*	*	0.1	*	2.5
Non-Hispanic 4/, male												
2006.....	*	*	*	*	*	*	*	*	*	*	*	*
2005.....	0.0	*	*	*	*	*	*	*	*	*	*	*
2004.....	0.0	*	*	*	*	*	*	*	*	*	*	*
2003.....	0.0	*	*	*	*	*	*	*	*	*	*	*
2002.....	0.0	*	*	*	*	*	*	*	*	*	*	*
2001.....	0.1	*	*	*	*	*	*	*	*	*	0.5	2.1
2000.....	0.1	*	*	*	*	*	*	*	*	*	*	2.9
1999.....	0.1	*	*	*	*	*	*	*	*	*	0.5	3.0
Non-Hispanic 4/, female												
2006.....	0.0	*	*	*	*	*	*	*	*	*	*	*
2005.....	0.1	*	*	*	*	*	*	*	*	*	*	1.4
2004.....	0.1	*	*	*	*	*	*	*	*	*	*	1.4
2003.....	0.1	*	*	*	*	*	*	*	*	*	*	1.8
2002.....	0.1	*	*	*	*	*	*	*	*	*	*	2.7
2001.....	0.1	*	*	*	*	*	*	*	*	*	*	2.6
2000.....	0.1	*	*	*	*	*	*	*	*	*	*	2.8
1999.....	0.1	*	*	*	*	*	*	*	*	*	0.5	2.3
Non-Hispanic white, both sexes												
2006 5/.....	0.0	*	*	*	*	*	*	*	*	*	*	*
2005 5/.....	0.1	*	*	*	*	*	*	*	*	*	*	1.1
2004 5/.....	0.1	*	*	*	*	*	*	*	*	*	*	1.2
2003 5/.....	0.1	*	*	*	*	*	*	*	*	*	*	1.6
2002.....	0.1	*	*	*	*	*	*	*	*	*	*	2.3
2001.....	0.1	*	*	*	*	*	*	*	*	*	*	2.4
2000.....	0.1	*	*	*	*	*	*	*	*	*	*	2.8
1999.....	0.1	*	*	*	*	*	*	*	*	*	0.4	2.4
Non-Hispanic white, male												
2006 5/.....	*	*	*	*	*	*	*	*	*	*	*	*
2005 5/.....	0.0	*	*	*	*	*	*	*	*	*	*	*
2004 5/.....	0.0	*	*	*	*	*	*	*	*	*	*	*
2003 5/.....	0.0	*	*	*	*	*	*	*	*	*	*	*
2002.....	0.0	*	*	*	*	*	*	*	*	*	*	*
2001.....	0.1	*	*	*	*	*	*	*	*	*	0.5	2.0
2000.....	0.1	*	*	*	*	*	*	*	*	*	*	2.7
1999.....	0.1	*	*	*	*	*	*	*	*	*	0.5	2.8
Non-Hispanic white, female												
2006 5/.....	0.0	*	*	*	*	*	*	*	*	*	*	*
2005 5/.....	0.1	*	*	*	*	*	*	*	*	*	*	1.3
2004 5/.....	0.1	*	*	*	*	*	*	*	*	*	*	1.4
2003 5/.....	0.1	*	*	*	*	*	*	*	*	*	*	1.8
2002.....	0.1	*	*	*	*	*	*	*	*	*	*	2.7
2001.....	0.1	*	*	*	*	*	*	*	*	*	*	2.6
2000.....	0.1	*	*	*	*	*	*	*	*	*	*	2.8
1999.....	0.1	*	*	*	*	*	*	*	*	*	0.4	2.3

Worktable Orig12. Death rates for 358 selected causes, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2006

[Rates per 100,000 population in specified group. Rates are based on populations enumerated as of April 1 for 2000 and estimated as of July 1 for all other years. Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to 'Detailed technical notes to the United States 2006 data-mortality']

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, and sex	All ages 1/	Under 1 year 2/	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
Other and unspecified malnutrition (E40,E42-E46)												
Non-Hispanic 4/, both sexes												
2006.....	0.9	*	*	*	*	*	0.1	0.2	0.6	1.4	5.0	20.6
2005.....	1.1	*	*	*	*	*	0.1	0.3	0.5	1.7	6.3	28.1
2004.....	1.0	*	*	*	*	*	0.1	0.3	0.5	1.5	6.5	27.4
2003.....	1.2	*	*	*	*	*	0.1	0.2	0.6	1.7	7.1	32.1
2002.....	1.3	*	*	*	*	*	0.1	0.2	0.6	1.9	8.0	36.3
2001.....	1.3	*	*	*	*	*	0.1	0.3	0.6	1.9	7.7	37.8
2000.....	1.5	*	*	*	*	*	0.1	0.2	0.6	2.2	9.2	43.7
1999.....	1.5	*	*	*	*	*	0.1	0.3	0.6	2.1	9.1	47.5
Non-Hispanic 4/, male												
2006.....	0.6	*	*	*	*	*	0.2	0.5	1.4	5.0	17.6	
2005.....	0.8	*	*	*	*	*	0.3	0.6	1.6	5.9	25.9	
2004.....	0.8	*	*	*	*	*	0.2	0.6	1.6	6.4	24.8	
2003.....	0.8	*	*	*	*	*	0.2	0.5	1.8	7.2	27.2	
2002.....	0.9	*	*	*	*	*	0.1	0.2	0.7	2.0	7.6	33.8
2001.....	0.9	*	*	*	*	*	0.2	0.6	1.9	7.5	31.1	
2000.....	1.0	*	*	*	*	*	0.2	0.7	2.4	8.4	38.1	
1999.....	1.0	*	*	*	*	*	0.1	0.3	0.8	2.4	9.0	41.3
Non-Hispanic 4/, female												
2006.....	1.1	*	*	*	*	*	0.1	0.2	0.6	1.4	5.0	22.0
2005.....	1.4	*	*	*	*	*	0.1	0.3	0.4	1.8	6.6	29.1
2004.....	1.3	*	*	*	*	*	0.3	0.5	1.4	6.5	28.5	
2003.....	1.5	*	*	*	*	*	0.2	0.6	1.6	7.1	34.2	
2002.....	1.6	*	*	*	*	*	0.1	0.2	0.5	1.7	8.2	37.4
2001.....	1.7	*	*	*	*	*	0.3	0.6	1.8	7.9	40.6	
2000.....	1.9	*	*	*	*	*	0.2	0.3	0.6	2.1	9.8	46.0
1999.....	1.9	*	*	*	*	*	0.2	0.3	0.5	1.9	9.2	50.0
Non-Hispanic white, both sexes												
2006 5/.....	0.9	*	*	*	*	*	0.1	0.2	0.5	1.3	4.8	19.9
2005 5/.....	1.1	*	*	*	*	*	0.1	0.2	0.5	1.6	5.9	27.4
2004 5/.....	1.1	*	*	*	*	*	0.1	0.2	0.5	1.4	6.1	26.1
2003 5/.....	1.2	*	*	*	*	*	0.1	0.2	0.5	1.6	6.8	30.7
2002.....	1.4	*	*	*	*	*	0.1	0.2	0.5	1.7	7.6	35.0
2001.....	1.3	*	*	*	*	*	0.2	0.5	1.7	7.2	37.0	
2000.....	1.5	*	*	*	*	*	0.1	0.2	0.5	2.0	8.8	42.5
1999.....	1.6	*	*	*	*	*	0.1	0.2	0.5	1.8	8.5	46.4
Non-Hispanic white, male												
2006 5/.....	0.6	*	*	*	*	*	0.2	0.4	1.2	4.5	16.9	
2005 5/.....	0.8	*	*	*	*	*	0.2	0.5	1.5	5.4	25.2	
2004 5/.....	0.8	*	*	*	*	*	0.2	0.5	1.4	5.9	23.7	
2003 5/.....	0.8	*	*	*	*	*	0.2	0.4	1.6	6.5	26.1	
2002.....	1.0	*	*	*	*	*	0.2	0.5	1.9	7.2	33.0	
2001.....	0.9	*	*	*	*	*	0.1	0.5	1.7	6.9	29.7	
2000.....	1.0	*	*	*	*	*	0.2	0.5	2.1	7.9	37.1	
1999.....	1.0	*	*	*	*	*	0.2	0.6	1.9	8.1	39.2	
Non-Hispanic white, female												
2006 5/.....	1.2	*	*	*	*	*	0.1	0.2	0.6	1.3	4.9	21.3
2005 5/.....	1.5	*	*	*	*	*	0.2	0.4	1.6	6.2	28.4	
2004 5/.....	1.4	*	*	*	*	*	0.3	0.5	1.4	6.3	27.1	
2003 5/.....	1.6	*	*	*	*	*	0.2	0.6	1.6	7.0	32.7	
2002.....	1.7	*	*	*	*	*	0.2	0.5	1.6	7.9	35.9	
2001.....	1.8	*	*	*	*	*	0.3	0.6	1.8	7.4	40.0	
2000.....	2.0	*	*	*	*	*	0.2	0.5	1.9	9.5	44.7	
1999.....	2.1	*	*	*	*	*	0.2	0.2	0.4	1.7	8.7	49.3

Worktable Orig12. Death rates for 358 selected causes, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2006

[Rates per 100,000 population in specified group. Rates are based on populations enumerated as of April 1 for 2000 and estimated as of July 1 for all other years. Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.odc.gov/nchs> and refer to 'Detailed technical notes to the United States 2006 data-mortality']

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, and sex	All ages 1/	Under 1 year 2/	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
Other and unspecified malnutrition (E40,E42-E46)												
Non-Hispanic black, both sexes												
2006 5/.....	0.9	*	*	*	*	*	*	0.5	1.0	3.0	8.0	30.0
2005 5/.....	1.1	*	*	*	*	*	*	0.6	1.1	3.2	12.1	39.6
2004 5/.....	1.1	*	*	*	*	*	*	0.6	1.1	3.1	10.5	45.2
2003 5/.....	1.1	*	*	*	*	*	*	0.6	1.3	2.9	12.2	53.2
2002.....	1.2	*	*	*	*	*	*	*	1.6	3.5	13.2	55.4
2001.....	1.2	*	*	*	*	*	*	0.6	0.9	3.3	14.5	49.6
2000.....	1.4	*	*	*	*	*	*	0.5	1.5	4.6	14.8	60.1
1999.....	1.5	*	*	*	*	*	*	0.6	1.7	5.2	17.1	62.7
Non-Hispanic black, male												
2006 5/.....	0.8	*	*	*	*	*	*	*	*	4.1	10.6	29.3
2005 5/.....	0.8	*	*	*	*	*	*	*	1.7	3.1	12.1	34.3
2004 5/.....	0.9	*	*	*	*	*	*	*	*	4.3	12.0	42.7
2003 5/.....	1.0	*	*	*	*	*	*	*	1.8	4.0	16.4	45.8
2002.....	0.9	*	*	*	*	*	*	*	2.5	4.0	14.1	43.8
2001.....	1.1	*	*	*	*	*	*	*	*	4.9	15.6	54.3
2000.....	1.1	*	*	*	*	*	*	*	2.4	6.1	16.4	56.4
1999.....	1.4	*	*	*	*	*	*	*	2.4	7.7	20.0	70.1
Non-Hispanic black, female												
2006 5/.....	0.9	*	*	*	*	*	*	*	*	2.3	6.5	30.3
2005 5/.....	1.3	*	*	*	*	*	*	*	*	3.3	12.1	41.7
2004 5/.....	1.2	*	*	*	*	*	*	*	*	2.3	9.7	46.2
2003 5/.....	1.3	*	*	*	*	*	*	*	*	2.2	9.8	56.1
2002.....	1.5	*	*	*	*	*	*	*	*	3.2	12.8	59.8
2001.....	1.3	*	*	*	*	*	*	*	*	2.2	13.8	47.9
2000.....	1.6	*	*	*	*	*	*	*	*	3.5	13.9	61.5
1999.....	1.6	*	*	*	*	*	*	*	*	3.4	15.4	60.0

Worktable Orig12. Death rates for 358 selected causes, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2006

[Rates per 100,000 population in specified group. Rates are based on populations enumerated as of April 1 for 2000 and estimated as of July 1 for all other years. Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to 'Detailed technical notes to the United States 2006 data-mortality']

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, and sex	All ages 1/	Under 1 year 2/	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
Other nutritional deficiencies (E50-E64)												
Non-Hispanic 4/, both sexes												
2006.....	0.1	*	*	*	*	*	*	*	*	*	0.4	1.8
2005.....	0.1	*	*	*	*	*	*	*	*	*	0.4	1.9
2004.....	0.1	*	*	*	*	*	*	*	*	*	0.3	2.2
2003.....	0.1	*	*	*	*	*	*	*	*	0.1	0.3	2.1
2002.....	0.1	*	*	*	*	*	*	*	*	0.2	0.5	3.2
2001.....	0.1	*	*	*	*	*	*	*	*	0.2	0.6	2.7
2000.....	0.1	*	*	*	*	*	*	*	*	0.2	0.7	3.8
1999.....	0.1	*	*	*	*	*	*	*	*	0.1	0.7	3.9
Non-Hispanic 4/, male												
2006.....	0.0	*	*	*	*	*	*	*	*	*	0.4	*
2005.....	0.0	*	*	*	*	*	*	*	*	*	*	1.6
2004.....	0.0	*	*	*	*	*	*	*	*	*	*	2.2
2003.....	0.1	*	*	*	*	*	*	*	*	*	*	2.3
2002.....	0.1	*	*	*	*	*	*	*	*	*	0.6	1.9
2001.....	0.1	*	*	*	*	*	*	*	*	*	0.5	1.6
2000.....	0.1	*	*	*	*	*	*	*	*	*	0.8	3.0
1999.....	0.1	*	*	*	*	*	*	*	*	*	0.9	3.8
Non-Hispanic 4/, female												
2006.....	0.1	*	*	*	*	*	*	*	*	*	0.3	2.1
2005.....	0.1	*	*	*	*	*	*	*	*	*	0.5	2.0
2004.....	0.1	*	*	*	*	*	*	*	*	*	*	2.1
2003.....	0.1	*	*	*	*	*	*	*	*	*	*	1.9
2002.....	0.1	*	*	*	*	*	*	*	*	*	0.5	3.7
2001.....	0.1	*	*	*	*	*	*	*	*	*	0.7	3.2
2000.....	0.2	*	*	*	*	*	*	*	*	0.2	0.6	4.1
1999.....	0.1	*	*	*	*	*	*	*	*	*	0.7	4.0
Non-Hispanic white, both sexes												
2006 5/.....	0.1	*	*	*	*	*	*	*	*	*	0.4	1.9
2005 5/.....	0.1	*	*	*	*	*	*	*	*	*	0.4	1.8
2004 5/.....	0.1	*	*	*	*	*	*	*	*	*	0.3	2.3
2003 5/.....	0.1	*	*	*	*	*	*	*	*	*	0.3	2.1
2002.....	0.1	*	*	*	*	*	*	*	*	*	0.5	3.2
2001.....	0.1	*	*	*	*	*	*	*	*	0.1	0.6	2.8
2000.....	0.1	*	*	*	*	*	*	*	*	0.2	0.6	3.8
1999.....	0.1	*	*	*	*	*	*	*	*	0.1	0.7	3.9
Non-Hispanic white, male												
2006 5/.....	0.1	*	*	*	*	*	*	*	*	*	*	*
2005 5/.....	0.0	*	*	*	*	*	*	*	*	*	*	1.5
2004 5/.....	0.1	*	*	*	*	*	*	*	*	*	*	2.3
2003 5/.....	0.1	*	*	*	*	*	*	*	*	*	*	2.3
2002.....	0.1	*	*	*	*	*	*	*	*	*	0.5	2.0
2001.....	0.1	*	*	*	*	*	*	*	*	*	0.6	*
2000.....	0.1	*	*	*	*	*	*	*	*	*	0.8	3.1
1999.....	0.1	*	*	*	*	*	*	*	*	*	0.8	4.2
Non-Hispanic white, female												
2006 5/.....	0.1	*	*	*	*	*	*	*	*	*	0.3	2.2
2005 5/.....	0.1	*	*	*	*	*	*	*	*	*	0.5	2.0
2004 5/.....	0.1	*	*	*	*	*	*	*	*	*	*	2.3
2003 5/.....	0.1	*	*	*	*	*	*	*	*	*	*	2.0
2002.....	0.2	*	*	*	*	*	*	*	*	*	0.5	3.7
2001.....	0.1	*	*	*	*	*	*	*	*	*	0.6	3.3
2000.....	0.2	*	*	*	*	*	*	*	*	0.3	0.6	4.0
1999.....	0.2	*	*	*	*	*	*	*	*	*	0.6	3.9

Worktable Orig12. Death rates for 358 selected causes, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2006

[Rates per 100,000 population in specified group. Rates are based on populations enumerated as of April 1 for 2000 and estimated as of July 1 for all other years. Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to 'Detailed technical notes to the United States 2006 data-mortality']

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, and sex	All ages 1/	Under 1 year 2/	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
Obesity and other hyperalimentation (E65-E68)												
Non-Hispanic 4/, both sexes												
2006.....	1.7	*	*	*	0.2	0.7	1.6	2.9	4.0	4.2	3.3	1.7
2005.....	1.7	*	*	*	0.2	0.8	1.6	2.9	4.2	4.2	3.0	1.9
2004.....	1.6	*	*	*	0.1	0.8	1.4	2.8	3.5	3.8	3.0	2.0
2003.....	1.5	*	*	*	0.2	0.8	1.5	2.7	3.4	3.7	2.6	1.9
2002.....	1.4	*	*	*	0.2	0.8	1.5	2.4	3.4	2.8	2.5	1.4
2001.....	1.2	*	*	*	0.2	0.6	1.2	2.2	2.8	2.7	2.0	1.5
2000.....	1.1	*	*	*	0.1	0.5	1.3	2.1	2.6	2.5	2.3	1.7
1999.....	1.0	*	*	*	0.1	0.5	1.1	1.8	2.2	2.4	2.2	1.4
Non-Hispanic 4/, male												
2006.....	1.7	*	*	*	0.2	0.8	1.8	3.2	3.8	3.8	2.4	*
2005.....	1.7	*	*	*	0.2	1.0	1.9	3.1	4.2	3.4	2.2	1.4
2004.....	1.5	*	*	*	0.2	0.8	1.6	2.9	3.4	3.3	2.8	1.4
2003.....	1.4	*	*	*	0.2	1.0	1.5	2.7	3.5	3.2	2.0	*
2002.....	1.3	*	*	*	0.2	0.9	1.8	2.5	3.1	2.4	1.8	*
2001.....	1.1	*	*	*	0.1	0.7	1.3	2.2	2.5	2.2	1.3	*
2000.....	1.1	*	*	*	0.2	0.7	1.4	2.3	2.5	2.0	1.6	*
1999.....	1.0	*	*	*	0.1	0.6	1.3	1.8	2.2	2.0	1.4	*
Non-Hispanic 4/, female												
2006.....	1.8	*	*	*	0.2	0.6	1.4	2.7	4.1	4.6	3.8	2.2
2005.....	1.8	*	*	*	0.2	0.7	1.4	2.6	4.1	4.8	3.6	2.1
2004.....	1.7	*	*	*	0.1	0.8	1.3	2.7	3.7	4.3	3.1	2.2
2003.....	1.6	*	*	*	0.2	0.6	1.5	2.6	3.4	4.0	2.9	2.4
2002.....	1.5	*	*	*	0.2	0.7	1.3	2.4	3.6	3.2	3.0	1.7
2001.....	1.3	*	*	*	0.2	0.5	1.2	2.3	3.0	3.0	2.5	1.9
2000.....	1.2	*	*	*	0.4	1.1	2.0	2.7	2.8	2.7	2.0	2.0
1999.....	1.1	*	*	*	0.2	0.4	0.9	1.7	2.1	2.7	2.6	1.9
Non-Hispanic white, both sexes												
2006 5/.....	1.7	*	*	*	0.1	0.6	1.4	2.8	3.9	4.3	3.1	1.6
2005 5/.....	1.7	*	*	*	0.1	0.7	1.4	2.7	4.1	4.0	3.0	1.8
2004 5/.....	1.5	*	*	*	0.1	0.6	1.2	2.6	3.5	3.7	2.9	1.9
2003 5/.....	1.5	*	*	*	0.1	0.6	1.4	2.6	3.4	3.7	2.5	1.8
2002.....	1.4	*	*	*	0.1	0.6	1.4	2.3	3.2	2.8	2.3	1.5
2001.....	1.1	*	*	*	0.1	0.5	1.1	2.1	2.7	2.5	1.9	1.5
2000.....	1.1	*	*	*	0.1	0.4	1.1	2.0	2.5	2.4	2.2	1.7
1999.....	1.0	*	*	*	0.1	0.4	1.0	1.7	2.1	2.3	2.1	1.4
Non-Hispanic white, male												
2006 5/.....	1.7	*	*	*	0.7	1.5	3.1	3.9	4.1	2.4	*	
2005 5/.....	1.8	*	*	*	0.2	0.8	1.7	3.3	4.3	3.5	2.2	*
2004 5/.....	1.5	*	*	*	0.6	1.5	2.9	3.5	3.3	2.7	1.5	
2003 5/.....	1.5	*	*	*	0.2	0.8	1.4	2.7	3.7	3.4	2.0	*
2002.....	1.4	*	*	*	0.7	1.7	2.6	3.2	2.4	1.8	*	
2001.....	1.1	*	*	*	0.6	1.2	2.1	2.6	2.2	1.3	*	
2000.....	1.1	*	*	*	0.6	1.4	2.3	2.5	2.0	1.6	*	
1999.....	1.0	*	*	*	0.5	1.2	1.8	2.2	2.1	1.4	*	
Non-Hispanic white, female												
2006 5/.....	1.7	*	*	*	0.5	1.2	2.5	3.9	4.5	3.6	2.1	
2005 5/.....	1.7	*	*	*	0.5	1.2	2.2	3.9	4.6	3.5	2.1	
2004 5/.....	1.5	*	*	*	0.6	1.0	2.4	3.4	4.0	2.9	2.0	
2003 5/.....	1.5	*	*	*	0.4	1.3	2.5	3.1	4.0	2.8	2.2	
2002.....	1.3	*	*	*	0.5	1.1	2.0	3.2	3.0	2.6	1.7	
2001.....	1.2	*	*	*	0.4	1.0	2.0	2.9	2.7	2.4	1.9	
2000.....	1.1	*	*	*	0.3	0.9	1.7	2.5	2.6	2.6	2.1	
1999.....	1.0	*	*	*	0.3	0.7	1.6	2.0	2.5	2.5	1.8	

Worktable Orig12. Death rates for 358 selected causes, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2006

[Rates per 100,000 population in specified group. Rates are based on populations enumerated as of April 1 for 2000 and estimated as of July 1 for all other years. Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.odc.gov/nchs> and refer to 'Detailed technical notes to the United States 2006 data-mortality']

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, and sex	All ages 1/	Under 1 year 2/	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
Obesity and other hyperalimentation (E65-E68)												
Non-Hispanic black, both sexes												
2006 5/.....	2.3	*	*	*	0.4	1.5	3.1	4.8	6.0	5.1	6.0	*
2005 5/.....	2.4	*	*	*	0.4	1.9	3.3	4.7	6.1	6.7	4.6	*
2004 5/.....	2.3	*	*	*	*	1.9	3.1	4.6	5.6	6.6	5.4	*
2003 5/.....	1.9	*	*	*	0.3	1.8	2.8	3.7	4.8	4.3	4.1	*
2002.....	2.0	*	*	*	0.5	2.0	2.6	4.1	5.7	4.6	5.3	*
2001.....	1.8	*	*	*	0.5	1.2	2.7	4.2	4.5	5.0	4.0	*
2000.....	1.7	*	*	*	*	1.4	2.3	3.8	4.2	4.2	4.4	*
1999.....	1.5	*	*	*	0.4	1.3	2.1	2.9	3.4	4.3	3.7	*
Non-Hispanic black, male												
2006 5/.....	1.9	*	*	*	*	1.5	3.7	4.3	4.0	3.2	*	*
2005 5/.....	1.9	*	*	*	*	2.1	3.3	3.5	4.5	4.1	*	*
2004 5/.....	1.7	*	*	*	*	2.0	2.8	3.4	3.9	4.1	*	*
2003 5/.....	1.5	*	*	*	*	2.1	2.4	3.2	3.0	2.9	*	*
2002.....	1.6	*	*	*	*	2.3	2.8	2.6	3.6	3.2	*	*
2001.....	1.4	*	*	*	*	1.3	2.6	3.0	3.2	*	*	*
2000.....	1.4	*	*	*	*	1.6	2.4	2.7	3.4	*	*	*
1999.....	1.2	*	*	*	*	1.5	2.1	2.2	3.0	*	*	*
Non-Hispanic black, female												
2006 5/.....	2.7	*	*	*	*	1.5	2.6	5.1	7.6	6.6	7.3	*
2005 5/.....	2.9	*	*	*	*	1.7	3.2	5.8	7.4	8.6	5.7	*
2004 5/.....	2.8	*	*	*	*	1.8	3.4	5.7	7.0	8.3	6.0	*
2003 5/.....	2.3	*	*	*	*	1.5	3.2	4.2	6.3	5.3	5.2	*
2002.....	2.5	*	*	*	*	1.6	2.5	5.3	7.4	5.6	6.8	*
2001.....	2.3	*	*	*	*	1.1	2.7	5.2	5.5	6.6	5.2	*
2000.....	2.0	*	*	*	*	1.2	2.3	4.7	4.9	5.4	5.4	*
1999.....	1.7	*	*	*	*	1.1	2.2	3.5	3.8	5.9	4.9	*

Worktable Orig12. Death rates for 358 selected causes, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2006

[Rates per 100,000 population in specified group. Rates are based on populations enumerated as of April 1 for 2000 and estimated as of July 1 for all other years. Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to 'Detailed technical notes to the United States 2006 data-mortality']

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, and sex	All ages 1/	Under 1 year 2/	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
Metabolic disorders (E70-E88)												
All origins 3/, both sexes												
2006.....	5.6	4.0	0.9	0.3	0.6	0.6	0.8	2.3	5.7	13.5	35.5	101.6
2005.....	5.8	4.6	0.9	0.4	0.6	0.5	0.9	2.3	5.6	14.1	37.7	110.7
2004.....	5.4	4.9	0.8	0.4	0.6	0.6	0.8	2.1	5.3	13.3	34.6	107.9
2003.....	5.5	5.2	1.1	0.4	0.7	0.6	0.9	2.2	5.2	13.1	34.6	112.6
2002.....	5.5	5.5	0.8	0.4	0.6	0.6	0.8	2.0	5.6	13.0	35.2	114.3
2001.....	5.5	6.0	1.0	0.4	0.6	0.6	0.8	2.1	5.0	13.1	34.1	124.4
2000.....	5.4	5.3	0.9	0.4	0.7	0.6	0.8	2.0	5.1	12.6	33.9	124.1
1999.....	5.3	5.6	0.8	0.4	0.7	0.6	0.8	1.8	4.7	12.2	33.1	130.8
All origins 3/, male												
2006.....	5.2	4.6	0.8	0.3	0.6	0.6	1.0	3.1	7.7	16.4	39.9	97.6
2005.....	5.4	5.0	1.0	0.5	0.6	0.5	1.2	3.1	7.7	17.9	41.6	101.2
2004.....	5.1	6.0	0.8	0.4	0.6	0.6	0.9	3.0	7.0	16.9	38.5	103.1
2003.....	5.1	5.8	1.1	0.5	0.7	0.6	1.1	3.0	6.9	16.8	38.4	104.8
2002.....	4.9	6.1	0.8	0.5	0.6	0.7	1.0	2.8	7.3	16.0	38.8	101.5
2001.....	4.9	6.5	1.1	0.4	0.6	0.6	1.0	2.8	6.8	16.7	38.6	109.8
2000.....	4.8	5.5	0.9	0.5	0.7	0.7	0.9	2.9	6.8	15.8	36.7	112.0
1999.....	4.5	6.3	0.9	0.4	0.7	0.6	0.9	2.4	6.1	15.1	35.8	110.5
All origins 3/, female												
2006.....	5.9	3.5	1.0	0.3	0.6	0.6	0.6	1.5	3.9	11.0	32.5	103.5
2005.....	6.2	4.2	0.8	0.4	0.6	0.5	0.6	1.4	3.7	10.9	35.2	115.1
2004.....	5.8	3.8	0.7	0.4	0.6	0.5	0.7	1.3	3.7	10.3	31.9	110.1
2003.....	5.9	4.5	1.0	0.3	0.6	0.5	0.7	1.5	3.6	10.0	32.1	116.1
2002.....	6.0	4.9	0.9	0.4	0.6	0.5	0.7	1.3	4.0	10.5	32.8	119.9
2001.....	6.1	5.5	1.0	0.4	0.7	0.5	0.6	1.5	3.4	10.2	31.1	130.6
2000.....	6.0	5.0	0.8	0.3	0.7	0.5	0.7	1.1	3.5	10.0	32.0	129.1
1999.....	6.1	4.9	0.7	0.4	0.8	0.6	0.6	1.2	3.5	9.8	31.3	139.0
Hispanic, both sexes												
2006.....	1.7	3.9	0.9	0.3	0.3	0.3	0.4	0.9	3.3	9.6	23.3	54.0
2005.....	1.7	4.5	1.0	*	0.3	*	0.5	1.0	3.2	8.0	21.5	66.7
2004.....	1.5	5.1	0.9	0.3	*	*	0.9	2.8	7.6	21.3	68.5	
2003.....	1.6	5.4	1.0	0.4	*	*	0.3	1.1	3.3	7.2	21.7	63.2
2002.....	1.6	4.4	0.7	0.4	*	*	0.3	1.1	2.4	8.6	26.0	65.4
2001.....	1.5	4.5	0.8	0.3	*	*	0.4	0.9	3.4	8.4	22.4	67.5
2000.....	1.4	4.2	0.7	0.4	*	*	*	1.1	2.9	8.0	21.3	73.0
1999.....	1.4	4.9	*	*	*	*	*	1.0	2.5	7.7	23.1	80.0
Hispanic, male												
2006.....	1.6	5.0	*	*	*	*	1.4	4.1	11.7	22.8	47.4	
2005.....	1.6	5.5	*	*	*	*	1.5	4.9	11.2	22.7	56.0	
2004.....	1.5	5.8	*	*	*	*	1.2	3.5	9.5	24.0	61.6	
2003.....	1.5	5.7	*	*	*	*	1.3	4.5	8.1	23.0	64.7	
2002.....	1.5	*	*	0.6	*	*	1.3	2.4	10.7	29.5	71.9	
2001.....	1.5	*	*	*	*	*	*	4.6	10.0	25.5	76.2	
2000.....	1.3	*	*	*	*	*	1.4	3.7	11.2	20.7	60.5	
1999.....	1.3	6.2	*	*	*	*	*	3.1	9.4	28.2	60.4	
Hispanic, female												
2006.....	1.8	*	1.1	*	*	*	*	2.6	7.9	23.7	57.5	
2005.....	1.7	*	1.1	*	*	*	*	1.6	5.5	20.7	72.3	
2004.....	1.6	*	*	*	*	*	*	2.1	6.1	19.5	72.0	
2003.....	1.6	5.2	*	*	*	*	*	2.1	6.5	20.8	62.5	
2002.....	1.6	5.2	*	*	*	*	*	2.4	7.0	23.6	62.2	
2001.....	1.5	*	*	*	*	*	*	2.2	7.1	20.2	63.3	
2000.....	1.6	5.3	*	*	*	*	*	2.2	5.5	21.8	79.1	
1999.....	1.6	*	*	*	*	*	*	6.4	19.8	69.4		

Worktable Orig12. Death rates for 358 selected causes, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2006

[Rates per 100,000 population in specified group. Rates are based on populations enumerated as of April 1 for 2000 and estimated as of July 1 for all other years. Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to 'Detailed technical notes to the United States 2006 data-mortality']

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, and sex	All ages 1/	Under 1 year 2/	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
Metabolic disorders (E70-E88)												
Non-Hispanic 4/, both sexes												
2006.....	6.2	4.1	0.9	0.3	0.6	0.7	0.9	2.4	5.9	13.7	36.2	103.8
2005.....	6.5	4.5	0.8	0.5	0.7	0.6	1.0	2.4	5.8	14.5	38.6	112.6
2004.....	6.0	4.8	0.7	0.4	0.7	0.6	0.9	2.2	5.5	13.7	35.2	109.5
2003.....	6.1	5.1	1.1	0.4	0.7	0.7	1.0	2.3	5.3	13.5	35.2	114.4
2002.....	6.1	5.8	0.9	0.4	0.7	0.7	0.9	2.1	5.8	13.2	35.5	115.9
2001.....	6.1	6.4	1.1	0.4	0.7	0.6	0.9	2.3	5.1	13.4	34.5	126.3
2000.....	5.9	5.5	0.9	0.4	0.8	0.7	0.9	2.0	5.3	12.9	34.3	125.7
1999.....	5.9	5.7	0.9	0.5	0.8	0.7	0.8	1.9	4.8	12.4	33.4	132.3
Non-Hispanic 4/, male												
2006.....	5.9	4.5	0.8	0.4	0.6	0.7	1.1	3.3	8.0	16.8	41.0	100.2
2005.....	6.1	4.8	0.9	0.6	0.6	0.6	1.4	3.3	7.9	18.4	42.6	103.4
2004.....	5.7	6.0	0.8	0.4	0.7	0.7	1.1	3.1	7.3	17.4	39.2	105.1
2003.....	5.7	5.9	1.2	0.5	0.8	0.7	1.2	3.1	7.1	17.3	39.1	106.1
2002.....	5.5	6.7	0.8	0.5	0.7	0.8	1.1	2.9	7.7	16.3	39.1	102.3
2001.....	5.4	7.0	1.1	0.4	0.7	0.6	1.1	3.0	6.9	17.0	39.1	110.6
2000.....	5.3	6.1	0.9	0.5	0.8	0.8	1.0	3.0	7.0	16.1	37.3	113.7
1999.....	5.0	6.2	1.0	0.5	0.8	0.7	1.0	2.5	6.2	15.4	36.0	112.4
Non-Hispanic 4/, female												
2006.....	6.5	3.7	1.0	0.3	0.7	0.7	0.6	1.6	4.0	11.2	33.0	105.5
2005.....	6.9	4.3	0.7	0.4	0.7	0.6	0.7	1.5	3.9	11.3	35.9	116.8
2004.....	6.4	3.6	0.7	0.4	0.7	0.6	0.8	1.3	3.8	10.6	32.5	111.5
2003.....	6.5	4.3	1.0	0.3	0.7	0.6	0.7	1.5	3.7	10.3	32.6	118.0
2002.....	6.6	4.8	1.0	0.4	0.7	0.6	0.7	1.4	4.1	10.7	33.2	121.8
2001.....	6.7	5.7	1.1	0.4	0.7	0.6	0.7	1.5	3.5	10.3	31.5	132.9
2000.....	6.5	4.8	0.9	0.3	0.8	0.6	0.7	1.1	3.6	10.2	32.4	130.5
1999.....	6.7	5.2	0.7	0.4	0.8	0.6	0.7	1.3	3.6	10.0	31.7	140.3
Non-Hispanic white, both sexes												
2006 5/.....	6.9	4.0	0.9	0.4	0.8	0.8	0.9	2.4	5.8	13.5	36.3	104.6
2005 5/.....	7.2	4.1	0.9	0.5	0.8	0.7	1.1	2.4	5.7	14.5	38.7	113.2
2004 5/.....	6.7	4.9	0.8	0.5	0.9	0.7	0.9	2.2	5.4	13.6	35.3	110.8
2003 5/.....	6.7	4.3	1.1	0.5	0.8	0.8	1.0	2.3	5.3	13.3	34.7	114.7
2002.....	6.6	5.3	0.9	0.5	0.8	0.8	0.9	2.1	5.7	12.8	34.9	115.5
2001.....	6.6	5.7	1.2	0.5	0.9	0.7	0.9	2.2	5.0	13.2	34.0	125.3
2000.....	6.5	5.1	1.0	0.5	0.9	0.7	0.9	2.0	5.1	12.7	34.0	125.3
1999.....	6.4	4.7	1.0	0.5	0.9	0.8	0.8	1.8	4.8	12.1	33.1	132.8
Non-Hispanic white, male												
2006 5/.....	6.5	4.4	0.8	0.4	0.7	0.8	1.1	3.3	8.0	16.8	41.2	101.2
2005 5/.....	6.7	4.2	1.1	0.6	0.7	0.7	1.4	3.3	7.8	18.5	42.6	103.9
2004 5/.....	6.3	6.3	0.9	0.4	0.9	0.8	1.0	3.1	7.3	17.4	39.3	106.6
2003 5/.....	6.1	5.5	1.2	0.6	0.9	0.8	1.2	3.1	7.1	17.1	38.3	107.9
2002.....	5.9	6.9	0.7	0.5	0.8	1.0	1.2	2.9	7.4	15.9	38.5	100.9
2001.....	5.9	6.1	1.3	0.4	0.8	0.7	1.1	3.0	6.7	16.8	38.5	109.9
2000.....	5.7	5.8	1.1	0.6	0.8	0.8	1.0	3.0	6.9	16.0	36.9	115.8
1999.....	5.3	5.2	1.1	0.5	0.9	0.7	0.9	2.4	6.2	15.0	35.2	110.3
Non-Hispanic white, female												
2006 5/.....	7.2	3.6	0.9	0.3	0.8	0.8	0.6	1.5	3.8	10.6	32.9	106.2
2005 5/.....	7.6	4.1	0.8	0.4	0.8	0.7	0.7	1.5	3.7	10.9	36.0	117.4
2004 5/.....	7.1	3.5	0.7	0.5	0.9	0.7	0.8	1.3	3.6	10.4	32.6	112.7
2003 5/.....	7.1	3.1	1.0	0.4	0.8	0.7	0.7	1.4	3.5	10.1	32.2	117.8
2002.....	7.3	3.5	1.0	0.4	0.9	0.7	0.7	1.3	4.0	10.1	32.5	121.9
2001.....	7.4	5.3	1.1	0.5	0.9	0.7	0.7	1.5	3.5	10.2	31.1	131.6
2000.....	7.2	4.4	0.9	0.4	1.0	0.7	0.7	1.0	3.4	10.0	32.1	129.1
1999.....	7.4	4.2	0.7	0.5	1.0	0.8	0.6	1.1	3.4	9.8	31.7	141.8

Worktable Orig12. Death rates for 358 selected causes, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2006

[Rates per 100,000 population in specified group. Rates are based on populations enumerated as of April 1 for 2000 and estimated as of July 1 for all other years. Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.odc.gov/nchs> and refer to 'Detailed technical notes to the United States 2006 data-mortality']

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, and sex	All ages 1/	Under 1 year 2/	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
Metabolic disorders (E70-E88)												
Non-Hispanic black, both sexes												
2006 5/.....	4.6	4.9	0.8	*	*	0.6	1.0	3.2	7.7	18.8	41.9	111.7
2005 5/.....	4.8	5.7	*	0.4	0.4	0.4	1.0	3.2	8.1	18.0	46.9	120.7
2004 5/.....	4.4	4.9	*	*	*	0.5	1.3	2.8	7.5	18.0	41.6	114.6
2003 5/.....	4.7	7.9	0.8	*	0.4	0.5	1.2	3.3	7.2	18.1	46.2	126.7
2002.....	5.0	7.6	0.8	0.3	0.4	0.4	1.1	3.2	8.5	19.6	47.8	137.3
2001.....	4.7	9.3	*	*	*	0.4	0.7	3.3	7.1	17.4	46.7	153.6
2000.....	4.6	6.6	*	*	0.4	0.7	1.1	2.8	7.4	16.7	44.4	147.2
1999.....	4.5	9.7	*	0.4	*	0.5	1.4	3.0	6.5	18.0	41.3	139.7
Non-Hispanic black, male												
2006 5/.....	4.2	*	*	*	*	*	1.3	4.1	9.7	20.0	46.7	105.4
2005 5/.....	4.4	6.5	*	*	*	*	1.4	4.2	10.2	21.0	54.1	114.2
2004 5/.....	4.2	*	*	*	*	*	1.6	4.0	9.3	22.1	47.9	114.8
2003 5/.....	4.3	7.1	*	*	*	*	1.4	4.2	9.1	23.6	55.7	100.2
2002.....	4.6	7.0	*	*	0.7	*	1.3	4.3	12.2	22.1	52.8	136.7
2001.....	4.4	9.6	*	*	*	*	0.8	4.1	10.0	23.4	56.1	132.8
2000.....	4.1	7.8	*	*	*	0.9	1.3	4.0	9.5	20.4	50.6	116.2
1999.....	4.2	10.7	*	*	*	*	1.6	3.6	7.9	22.4	48.8	148.6
Non-Hispanic black, female												
2006 5/.....	5.0	*	*	*	*	*	0.8	2.5	6.0	17.9	39.1	114.3
2005 5/.....	5.1	*	*	*	*	*	*	2.4	6.4	15.9	42.7	123.3
2004 5/.....	4.6	*	*	*	*	*	0.9	1.8	6.2	15.1	36.0	114.4
2003 5/.....	5.1	8.7	*	*	*	*	1.1	2.5	5.6	14.2	40.9	137.0
2002.....	5.3	8.2	*	*	*	*	0.9	2.3	5.5	17.9	44.9	137.5
2001.....	5.1	9.1	*	*	*	*	*	2.6	4.8	13.1	41.4	161.3
2000.....	5.0	*	*	*	*	*	0.9	1.9	5.6	14.1	41.0	158.7
1999.....	4.8	8.6	*	*	*	*	1.2	2.5	5.4	14.9	37.1	136.4

Worktable Orig12. Death rates for 358 selected causes, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2006

[Rates per 100,000 population in specified group. Rates are based on populations enumerated as of April 1 for 2000 and estimated as of July 1 for all other years. Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to 'Detailed technical notes to the United States 2006 data-mortality']

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, and sex	All ages 1/	Under 1 year 2/	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
Cystic fibrosis (E84)												
Non-Hispanic 4/, both sexes												
2006.....	0.2	*	*	0.1	0.4	0.4	0.2	0.1	*	*	*	*
2005.....	0.2	*	*	0.1	0.4	0.3	0.2	0.1	*	*	*	*
2004.....	0.2	*	*	0.1	0.5	0.4	0.2	0.1	*	*	*	*
2003.....	0.2	*	*	0.1	0.4	0.4	0.2	0.1	*	*	*	*
2002.....	0.2	*	*	0.1	0.4	0.4	0.2	0.1	*	*	*	*
2001.....	0.2	*	*	0.1	0.5	0.4	0.2	0.1	*	*	*	*
2000.....	0.2	*	*	0.1	0.5	0.4	0.2	0.1	*	*	*	*
1999.....	0.2	*	*	0.1	0.5	0.4	0.2	0.1	*	*	*	*
Non-Hispanic 4/, male												
2006.....	0.2	*	*	*	0.3	0.3	0.2	*	*	*	*	*
2005.....	0.2	*	*	*	0.3	0.3	0.2	0.1	*	*	*	*
2004.....	0.2	*	*	*	0.4	0.4	0.1	*	*	*	*	*
2003.....	0.2	*	*	*	0.4	0.4	0.2	*	*	*	*	*
2002.....	0.2	*	*	*	0.4	0.5	0.2	*	*	*	*	*
2001.....	0.2	*	*	*	0.4	0.4	0.2	0.1	*	*	*	*
2000.....	0.2	*	*	*	0.4	0.4	0.2	*	*	*	*	*
1999.....	0.2	*	*	*	0.5	0.4	0.2	*	*	*	*	*
Non-Hispanic 4/, female												
2006.....	0.2	*	*	*	0.5	0.4	0.1	*	*	*	*	*
2005.....	0.1	*	*	*	0.5	0.3	0.1	*	*	*	*	*
2004.....	0.2	*	*	*	0.5	0.4	0.2	*	*	*	*	*
2003.....	0.2	*	*	*	0.5	0.3	0.2	*	*	*	*	*
2002.....	0.2	*	*	0.1	0.5	0.3	0.2	*	*	*	*	*
2001.....	0.2	*	*	*	0.6	0.4	0.1	*	*	*	*	*
2000.....	0.2	*	*	0.1	0.5	0.4	0.3	*	*	*	*	*
1999.....	0.2	*	*	0.2	0.6	0.4	0.1	*	*	*	*	*
Non-Hispanic white, both sexes												
2006 5/.....	0.2	*	*	0.1	0.5	0.5	0.2	0.1	*	*	*	*
2005 5/.....	0.2	*	*	0.1	0.5	0.4	0.2	0.1	*	*	*	*
2004 5/.....	0.2	*	*	0.1	0.6	0.5	0.2	0.1	*	*	*	*
2003 5/.....	0.2	*	*	*	0.5	0.5	0.3	0.1	*	*	*	*
2002.....	0.2	*	*	0.1	0.6	0.5	0.2	0.1	*	*	*	*
2001.....	0.2	*	*	0.1	0.6	0.5	0.2	0.1	*	*	*	*
2000.....	0.2	*	*	0.1	0.6	0.5	0.3	0.1	*	*	*	*
1999.....	0.2	*	*	0.2	0.7	0.5	0.2	0.1	*	*	*	*
Non-Hispanic white, male												
2006 5/.....	0.2	*	*	*	0.4	0.4	0.2	*	*	*	*	*
2005 5/.....	0.2	*	*	*	0.4	0.4	0.3	0.1	*	*	*	*
2004 5/.....	0.2	*	*	*	0.6	0.5	0.2	*	*	*	*	*
2003 5/.....	0.2	*	*	*	0.5	0.5	0.3	*	*	*	*	*
2002.....	0.2	*	*	*	0.5	0.6	0.3	0.1	*	*	*	*
2001.....	0.2	*	*	*	0.5	0.5	0.3	0.1	*	*	*	*
2000.....	0.2	*	*	*	0.6	0.5	0.3	*	*	*	*	*
1999.....	0.2	*	*	*	0.6	0.5	0.2	*	*	*	*	*
Non-Hispanic white, female												
2006 5/.....	0.2	*	*	*	0.6	0.5	0.2	*	*	*	*	*
2005 5/.....	0.2	*	*	*	0.6	0.4	0.1	*	*	*	*	*
2004 5/.....	0.2	*	*	*	0.6	0.5	0.3	*	*	*	*	*
2003 5/.....	0.2	*	*	*	0.6	0.4	0.2	*	*	*	*	*
2002.....	0.2	*	*	*	0.7	0.4	0.2	*	*	*	*	*
2001.....	0.2	*	*	*	0.7	0.4	0.2	*	*	*	*	*
2000.....	0.2	*	*	0.2	0.7	0.4	0.2	*	*	*	*	*
1999.....	0.2	*	*	0.2	0.8	0.5	0.2	*	*	*	*	*

Worktable Orig12. Death rates for 358 selected causes, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2006

[Rates per 100,000 population in specified group. Rates are based on populations enumerated as of April 1 for 2000 and estimated as of July 1 for all other years. Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to 'Detailed technical notes to the United States 2006 data-mortality']

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, and sex	All ages 1/	Under 1 year 2/	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
Volume depletion, disorders of fluid, electrolyte and acid-base balance (E86-E87)												
All origins 3/, both sexes												
2006.....	2.0	1.3	0.1	*	0.1	0.1	0.2	0.6	1.2	3.1	12.4	57.9
2005.....	2.3	1.5	0.1	*	0.1	0.1	0.2	0.5	1.1	3.3	14.5	68.7
2004.....	2.2	1.6	*	*	0.0	0.1	0.2	0.5	1.0	3.2	13.7	70.7
2003.....	2.4	1.9	0.2	*	0.1	0.1	0.2	0.6	1.1	3.4	15.1	77.3
2002.....	2.5	1.8	*	*	0.1	0.1	0.2	0.5	1.2	3.8	16.0	83.2
2001.....	2.7	2.2	0.2	*	*	0.1	0.2	0.5	1.2	4.1	16.8	93.9
2000.....	2.8	1.9	*	*	0.1	0.1	0.3	0.5	1.3	4.0	17.4	96.8
1999.....	2.9	1.9	0.1	*	0.1	0.1	0.3	0.5	1.1	4.2	18.2	106.4
All origins 3/, male												
2006.....	1.5	1.6	*	*	*	0.1	0.2	0.7	1.4	2.9	11.7	46.4
2005.....	1.7	1.6	*	*	*	*	0.2	0.6	1.2	3.6	14.5	56.7
2004.....	1.6	1.9	*	*	*	0.1	0.2	0.6	1.1	3.5	13.3	59.8
2003.....	1.7	2.2	*	*	*	0.1	0.2	0.6	1.2	3.4	15.0	65.6
2002.....	1.7	2.1	*	*	*	*	0.2	0.6	1.3	3.8	15.3	67.9
2001.....	1.8	2.2	*	*	*	*	0.2	0.6	1.3	4.1	16.8	76.5
2000.....	2.0	1.8	*	*	*	*	0.3	0.6	1.5	4.5	17.7	84.3
1999.....	2.0	2.3	*	*	*	*	0.3	0.7	1.2	4.5	18.4	85.0
All origins 3/, female												
2006.....	2.6	1.0	*	*	*	*	0.2	0.5	0.9	3.2	12.9	63.3
2005.....	3.0	1.4	*	*	*	0.1	0.3	0.5	1.0	3.1	14.5	74.2
2004.....	2.8	1.3	*	*	*	*	0.2	0.4	0.9	2.9	13.9	75.7
2003.....	3.1	1.7	*	*	*	*	0.2	0.5	1.0	3.3	15.2	82.5
2002.....	3.3	1.5	*	*	*	0.1	0.2	0.5	1.2	3.7	16.5	89.8
2001.....	3.6	2.2	*	*	*	0.1	0.2	0.5	1.1	4.1	16.8	101.2
2000.....	3.5	2.0	*	*	*	*	0.2	0.4	1.2	3.6	17.2	101.9
1999.....	3.8	1.5	*	*	*	*	0.2	0.4	1.0	3.9	18.1	115.1
Hispanic, both sexes												
2006.....	0.5	*	*	*	*	*	*	*	*	2.1	6.8	27.0
2005.....	0.6	*	*	*	*	*	*	*	*	1.7	6.2	44.1
2004.....	0.6	*	*	*	*	*	*	*	*	2.3	7.6	40.4
2003.....	0.5	*	*	*	*	*	*	*	*	2.0	8.4	35.2
2002.....	0.5	*	*	*	*	*	*	*	*	2.5	9.7	33.3
2001.....	0.5	*	*	*	*	*	*	*	*	3.1	9.0	38.8
2000.....	0.5	*	*	*	*	*	*	*	*	2.1	9.7	46.4
1999.....	0.6	*	*	*	*	*	*	*	*	2.1	12.3	54.7
Hispanic, male												
2006.....	0.4	*	*	*	*	*	*	*	*	*	*	*
2005.....	0.5	*	*	*	*	*	*	*	*	*	*	39.8
2004.....	0.5	*	*	*	*	*	*	*	*	*	7.9	35.0
2003.....	0.5	*	*	*	*	*	*	*	*	*	8.8	38.5
2002.....	0.4	*	*	*	*	*	*	*	*	*	10.7	33.5
2001.....	0.4	*	*	*	*	*	*	*	*	*	9.8	45.7
2000.....	0.4	*	*	*	*	*	*	*	*	*	11.3	*
1999.....	0.5	*	*	*	*	*	*	*	*	*	16.7	*
Hispanic, female												
2006.....	0.6	*	*	*	*	*	*	*	*	*	7.3	31.8
2005.....	0.6	*	*	*	*	*	*	*	*	*	6.3	46.3
2004.....	0.6	*	*	*	*	*	*	*	*	*	7.4	43.2
2003.....	0.5	*	*	*	*	*	*	*	*	*	8.2	33.6
2002.....	0.6	*	*	*	*	*	*	*	*	*	9.0	33.2
2001.....	0.6	*	*	*	*	*	*	*	*	4.3	8.5	35.4
2000.....	0.7	*	*	*	*	*	*	*	*	*	8.6	51.4
1999.....	0.7	*	*	*	*	*	*	*	*	*	9.4	63.4

Worktable Orig12. Death rates for 358 selected causes, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2006

[Rates per 100,000 population in specified group. Rates are based on populations enumerated as of April 1 for 2000 and estimated as of July 1 for all other years. Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to 'Detailed technical notes to the United States 2006 data-mortality']

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, and sex	All ages 1/	Under 1 year 2/	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
Volume depletion, disorders of fluid, electrolyte and acid-base balance (E86-E87)												
Non-Hispanic 4/, both sexes												
2006.....	2.3	1.3	*	*	*	0.1	0.2	0.6	1.2	3.2	12.7	59.4
2005.....	2.6	1.6	0.2	*	0.1	0.1	0.3	0.6	1.2	3.5	14.9	69.7
2004.....	2.5	1.5	*	*	*	0.1	0.2	0.5	1.1	3.3	14.0	71.9
2003.....	2.7	2.0	0.2	*	0.1	0.1	0.2	0.6	1.1	3.5	15.5	78.8
2002.....	2.9	2.0	*	*	*	0.1	0.2	0.5	1.3	3.8	16.3	84.9
2001.....	3.1	2.4	0.2	*	*	0.1	0.3	0.6	1.2	4.1	17.1	95.8
2000.....	3.1	2.1	*	*	0.1	0.1	0.3	0.5	1.4	4.1	17.7	98.4
1999.....	3.2	2.0	*	*	0.1	0.1	0.3	0.5	1.1	4.3	18.4	108.0
Non-Hispanic 4/, male												
2006.....	1.6	1.5	*	*	*	0.1	0.2	0.7	1.5	3.0	12.0	47.9
2005.....	1.9	1.8	*	*	*	*	0.2	0.6	1.2	3.6	14.9	57.5
2004.....	1.8	1.8	*	*	*	*	0.2	0.6	1.2	3.5	13.6	61.1
2003.....	1.9	2.4	*	*	0.1	0.2	0.6	1.2	3.5	15.3	66.4	
2002.....	1.9	2.6	*	*	*	0.2	0.6	1.4	3.9	15.5	69.0	
2001.....	2.1	2.4	*	*	*	0.3	0.6	1.3	4.2	17.1	77.4	
2000.....	2.2	2.2	*	*	*	0.3	0.6	1.5	4.6	18.0	86.0	
1999.....	2.2	2.3	*	*	*	0.3	0.7	1.2	4.7	18.5	86.8	
Non-Hispanic 4/, female												
2006.....	2.9	*	*	*	*	*	0.2	0.5	1.0	3.3	13.2	64.7
2005.....	3.3	1.4	*	*	*	0.1	0.3	0.5	1.1	3.3	14.9	75.3
2004.....	3.2	1.3	*	*	*	*	0.2	0.4	1.0	3.0	14.2	76.8
2003.....	3.5	1.7	*	*	*	*	0.3	0.5	1.1	3.4	15.6	84.3
2002.....	3.7	1.4	*	*	*	0.2	0.5	1.3	3.8	16.8	91.8	
2001.....	4.0	2.4	*	*	0.1	0.3	0.5	1.1	4.0	17.1	103.5	
2000.....	3.9	2.0	*	*	*	0.2	0.4	1.2	3.7	17.6	103.3	
1999.....	4.2	1.8	*	*	*	0.2	0.4	1.1	4.0	18.4	116.5	
Non-Hispanic white, both sexes												
2006 5/.....	2.5	1.1	*	*	*	0.1	0.2	0.6	1.1	2.8	12.3	59.2
2005 5/.....	2.8	1.1	*	*	*	0.1	0.2	0.5	1.0	3.2	14.5	69.3
2004 5/.....	2.7	1.2	*	*	*	*	0.2	0.5	0.9	3.0	13.7	72.0
2003 5/.....	2.9	1.3	*	*	*	0.1	0.2	0.5	1.0	3.2	14.8	78.2
2002.....	3.0	1.5	*	*	*	0.1	0.2	0.4	1.2	3.5	15.4	84.2
2001.....	3.3	1.7	0.2	*	*	0.1	0.2	0.4	1.0	3.7	16.3	94.9
2000.....	3.3	1.5	*	*	*	0.2	0.4	1.2	3.8	17.2	97.7	
1999.....	3.5	1.3	*	*	*	0.1	0.2	0.4	0.9	3.9	18.0	108.3
Non-Hispanic white, male												
2006 5/.....	1.7	*	*	*	*	*	0.2	0.6	1.3	2.7	11.4	47.3
2005 5/.....	1.9	*	*	*	*	*	0.2	0.5	1.0	3.3	14.3	56.8
2004 5/.....	1.9	*	*	*	*	*	0.2	0.6	0.9	3.3	13.3	60.1
2003 5/.....	2.0	*	*	*	*	*	0.2	0.5	1.1	3.1	14.3	66.3
2002.....	2.0	2.2	*	*	*	*	0.2	0.5	1.2	3.4	14.5	67.2
2001.....	2.1	*	*	*	*	*	0.2	0.4	1.1	3.7	16.0	76.7
2000.....	2.3	*	*	*	*	*	0.2	0.5	1.3	4.2	17.1	86.8
1999.....	2.2	*	*	*	*	*	0.2	0.6	1.0	3.9	17.4	84.3
Non-Hispanic white, female												
2006 5/.....	3.2	*	*	*	*	*	0.2	0.5	0.8	3.0	13.0	64.7
2005 5/.....	3.6	*	*	*	*	*	0.3	0.5	1.0	3.0	14.6	75.1
2004 5/.....	3.5	*	*	*	*	*	0.1	0.4	0.9	2.7	14.1	77.3
2003 5/.....	3.8	*	*	*	*	*	0.2	0.5	0.9	3.2	15.1	83.4
2002.....	4.1	*	*	*	*	*	0.2	0.4	1.2	3.5	16.0	91.5
2001.....	4.4	1.9	*	*	*	*	0.3	0.4	1.0	3.7	16.6	102.5
2000.....	4.3	*	*	*	*	*	0.2	0.3	1.1	3.4	17.3	102.1
1999.....	4.7	*	*	*	*	*	0.2	0.3	0.9	3.8	18.3	117.9

Worktable Orig12. Death rates for 358 selected causes, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2006

[Rates per 100,000 population in specified group. Rates are based on populations enumerated as of April 1 for 2000 and estimated as of July 1 for all other years. Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.odc.gov/nchs> and refer to 'Detailed technical notes to the United States 2006 data-mortality']

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, and sex	All ages 1/	Under 1 year 2/	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	
Volume depletion, disorders of fluid, electrolyte and acid-base balance (E86-E87)													
Non-Hispanic black, both sexes													
2006 5/.....	2.1	*	*	*	*	*	*	0.6	1.1	2.6	6.5	20.1	73.8
2005 5/.....	2.3	3.2	*	*	*	*	*	*	1.3	2.4	6.9	23.6	84.7
2004 5/.....	2.1	*	*	*	*	*	*	0.6	0.9	2.7	6.5	20.0	85.5
2003 5/.....	2.5	4.7	*	*	*	*	*	0.6	1.4	2.4	7.1	26.8	97.6
2002.....	2.6	3.6	*	*	*	*	*	0.6	1.3	2.6	8.1	28.8	106.2
2001.....	2.9	5.4	*	*	*	*	*	0.4	1.5	2.9	8.5	29.6	121.1
2000.....	2.8	3.5	*	*	*	*	*	0.6	1.4	2.8	8.4	27.6	119.9
1999.....	2.8	5.1	*	*	*	*	*	0.8	1.4	2.9	9.4	26.5	115.8
Non-Hispanic black, male													
2006 5/.....	1.7	*	*	*	*	*	*	*	1.3	3.4	6.2	23.1	66.9
2005 5/.....	1.9	*	*	*	*	*	*	*	1.5	2.9	7.3	27.8	74.2
2004 5/.....	1.9	*	*	*	*	*	*	*	1.2	3.9	7.1	22.8	88.4
2003 5/.....	2.1	*	*	*	*	*	*	*	1.9	2.4	8.5	33.5	78.8
2002.....	2.2	*	*	*	*	*	*	*	1.8	3.4	8.8	30.5	101.7
2001.....	2.3	*	*	*	*	*	*	*	1.7	3.8	10.4	35.4	99.3
2000.....	2.3	*	*	*	*	*	*	0.8	1.8	3.8	10.0	34.2	98.6
1999.....	2.6	*	*	*	*	*	*	1.2	1.7	3.5	13.2	33.1	126.0
Non-Hispanic black, female													
2006 5/.....	2.4	*	*	*	*	*	*	*	0.9	1.9	6.8	18.5	76.6
2005 5/.....	2.6	*	*	*	*	*	*	*	1.1	2.0	6.6	21.3	88.9
2004 5/.....	2.4	*	*	*	*	*	*	*	*	1.8	6.0	18.4	84.3
2003 5/.....	2.9	*	*	*	*	*	*	*	1.0	2.4	6.2	23.0	104.8
2002.....	3.1	*	*	*	*	*	*	*	0.9	1.9	7.7	27.9	107.9
2001.....	3.3	*	*	*	*	*	*	*	1.4	2.2	7.1	26.3	129.2
2000.....	3.2	*	*	*	*	*	*	*	1.1	2.0	7.3	23.8	127.8
1999.....	3.0	*	*	*	*	*	*	*	1.2	2.5	6.8	22.8	111.9

Worktable Orig12. Death rates for 358 selected causes, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2006

[Rates per 100,000 population in specified group. Rates are based on populations enumerated as of April 1 for 2000 and estimated as of July 1 for all other years. Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to 'Detailed technical notes to the United States 2006 data-mortality']

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, and sex	All ages 1/	Under 1 year 2/	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
Other metabolic disorders (E70-E83,E85,E88)												
All origins 3/, both sexes												
2006.....	3.4	2.5	0.7	0.2	0.2	0.2	0.4	1.6	4.5	10.4	23.1	43.6
2005.....	3.4	2.9	0.7	0.3	0.2	0.2	0.5	1.6	4.5	10.7	23.3	42.0
2004.....	3.0	3.1	0.7	0.3	0.2	0.2	0.5	1.5	4.2	10.1	20.9	37.1
2003.....	2.9	3.1	0.8	0.3	0.2	0.2	0.5	1.6	4.1	9.7	19.4	35.2
2002.....	2.8	3.4	0.7	0.3	0.2	0.2	0.5	1.5	4.3	9.2	19.1	31.1
2001.....	2.6	3.7	0.8	0.3	0.2	0.1	0.4	1.5	3.8	9.0	17.2	30.5
2000.....	2.4	3.2	0.8	0.3	0.2	0.2	0.3	1.4	3.8	8.6	16.4	27.3
1999.....	2.2	3.4	0.7	0.3	0.2	0.1	0.4	1.2	3.6	8.0	14.8	24.3
All origins 3/, male												
2006.....	3.6	2.6	0.6	0.2	0.2	0.2	0.6	2.3	6.3	13.5	28.2	51.2
2005.....	3.6	3.3	0.7	0.4	0.2	0.2	0.8	2.4	6.5	14.3	27.0	44.5
2004.....	3.3	3.8	0.7	0.3	0.2	0.2	0.6	2.2	5.8	13.4	25.2	43.2
2003.....	3.2	3.5	1.0	0.4	0.3	0.2	0.7	2.3	5.7	13.3	23.3	39.2
2002.....	3.0	3.6	0.7	0.4	0.3	0.2	0.6	2.2	6.0	12.1	23.4	33.6
2001.....	2.9	4.1	0.9	0.3	0.2	0.2	0.5	2.2	5.5	12.6	21.7	33.3
2000.....	2.6	3.6	0.8	0.3	0.2	0.3	0.4	2.2	5.3	11.3	19.0	27.7
1999.....	2.4	3.7	0.8	0.3	0.2	0.1	0.5	1.7	4.8	10.5	17.3	25.5
All origins 3/, female												
2006.....	3.1	2.4	0.9	0.2	0.1	0.1	0.3	0.9	2.9	7.7	19.5	40.1
2005.....	3.1	2.6	0.6	0.3	0.2	0.1	0.3	0.9	2.6	7.7	20.7	40.8
2004.....	2.8	2.4	0.6	0.2	0.2	0.1	0.3	0.8	2.7	7.3	17.9	34.4
2003.....	2.6	2.8	0.7	0.2	0.2	0.2	0.3	0.9	2.5	6.7	16.8	33.4
2002.....	2.5	3.2	0.7	0.2	0.1	0.1	0.3	0.8	2.8	6.7	16.3	30.0
2001.....	2.3	3.2	0.7	0.3	0.1	0.1	0.3	0.9	2.3	6.1	14.3	29.3
2000.....	2.3	2.8	0.7	0.2	0.2	*	0.2	0.6	2.3	6.3	14.8	27.1
1999.....	2.1	3.1	0.6	0.3	0.2	0.1	0.3	0.8	2.4	5.9	13.2	23.9
Hispanic, both sexes												
2006.....	1.1	2.4	0.7	*	*	*	*	0.5	2.6	7.4	16.5	27.0
2005.....	1.0	3.2	0.8	*	*	*	*	0.7	2.4	6.3	15.4	22.7
2004.....	0.9	3.3	0.8	*	*	*	*	*	2.1	5.4	13.7	28.1
2003.....	1.0	3.7	0.9	*	*	*	*	*	2.6	5.2	13.3	28.0
2002.....	1.0	2.9	0.7	*	*	*	*	0.7	2.0	6.2	16.3	32.2
2001.....	0.9	2.9	0.7	*	*	*	*	*	2.8	5.3	13.2	28.8
2000.....	0.9	3.0	0.7	*	*	*	*	0.8	2.0	5.9	11.7	26.5
1999.....	0.8	3.4	*	*	*	*	*	*	2.0	5.6	10.8	25.3
Hispanic, male												
2006.....	1.1	*	*	*	*	*	*	0.9	3.3	9.6	16.8	29.3
2005.....	1.1	4.6	*	*	*	*	*	1.0	3.6	8.5	16.7	*
2004.....	0.9	*	*	*	*	*	*	*	2.6	6.7	16.1	*
2003.....	1.0	*	*	*	*	*	*	*	3.4	5.5	14.2	*
2002.....	1.0	*	*	*	*	*	*	*	2.1	8.0	18.9	38.5
2001.....	1.0	*	*	*	*	*	*	*	4.0	8.4	15.2	*
2000.....	0.9	*	*	*	*	*	*	*	2.9	8.9	*	*
1999.....	0.8	*	*	*	*	*	*	*	2.6	7.0	11.5	*
Hispanic, female												
2006.....	1.1	*	*	*	*	*	*	*	2.0	5.7	16.4	25.8
2005.....	1.0	*	*	*	*	*	*	*	*	4.5	14.4	26.1
2004.....	0.9	*	*	*	*	*	*	*	*	4.3	12.1	28.8
2003.....	1.0	*	*	*	*	*	*	*	1.9	4.9	12.6	28.9
2002.....	0.9	*	*	*	*	*	*	*	*	4.7	14.6	29.0
2001.....	0.8	*	*	*	*	*	*	*	*	*	11.8	27.9
2000.....	0.8	*	*	*	*	*	*	*	*	3.5	13.2	27.7
1999.....	0.8	*	*	*	*	*	*	*	*	4.5	10.4	26.0

Worktable Orig12. Death rates for 358 selected causes, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2006

[Rates per 100,000 population in specified group. Rates are based on populations enumerated as of April 1 for 2000 and estimated as of July 1 for all other years. Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to 'Detailed technical notes to the United States 2006 data-mortality']

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, and sex	All ages 1/	Under 1 year 2/	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
Other metabolic disorders (E70-E83,E85,E88)												
Non-Hispanic 4/, both sexes												
2006.....	3.7	2.5	0.7	0.2	0.2	0.2	0.5	1.8	4.7	10.6	23.5	44.4
2005.....	3.7	2.8	0.6	0.4	0.2	0.2	0.6	1.7	4.6	11.0	23.7	42.8
2004.....	3.4	3.1	0.6	0.3	0.2	0.2	0.5	1.6	4.4	10.4	21.2	37.5
2003.....	3.2	2.9	0.8	0.3	0.2	0.2	0.5	1.7	4.2	10.0	19.7	35.4
2002.....	3.0	3.6	0.7	0.3	0.2	0.2	0.5	1.6	4.5	9.4	19.2	30.9
2001.....	2.9	3.8	0.8	0.3	0.2	0.1	0.4	1.6	3.9	9.3	17.3	30.4
2000.....	2.7	3.3	0.8	0.3	0.2	0.2	0.4	1.5	3.9	8.7	16.6	27.2
1999.....	2.4	3.3	0.7	0.3	0.2	0.2	0.4	1.3	3.7	8.1	15.0	24.3
Non-Hispanic 4/, male												
2006.....	4.1	2.5	0.7	0.2	0.2	0.2	0.7	2.5	6.5	13.8	29.0	52.3
2005.....	4.1	2.8	0.7	0.5	0.2	0.2	0.9	2.6	6.7	14.7	27.6	45.9
2004.....	3.7	3.8	0.7	0.3	0.2	0.2	0.7	2.4	6.1	13.8	25.6	44.0
2003.....	3.6	3.3	1.0	0.4	0.3	0.2	0.8	2.4	5.9	13.8	23.8	39.6
2002.....	3.3	3.8	0.6	0.4	0.3	0.2	0.7	2.3	6.3	12.3	23.5	33.2
2001.....	3.2	4.4	0.9	0.3	0.2	0.2	0.6	2.3	5.6	12.8	21.9	33.2
2000.....	2.9	3.9	0.8	0.3	0.3	0.3	0.5	2.3	5.5	11.4	19.4	27.7
1999.....	2.6	3.5	0.9	0.3	0.2	0.2	0.5	1.8	5.0	10.7	17.5	25.5
Non-Hispanic 4/, female												
2006.....	3.4	2.6	0.8	0.2	*	0.1	0.3	1.0	2.9	7.9	19.7	40.7
2005.....	3.5	2.7	0.6	0.3	0.2	0.3	1.0	2.7	7.9	21.0	41.4	41.4
2004.....	3.1	2.3	0.6	0.3	0.2	0.2	0.4	0.8	2.8	7.6	18.3	34.6
2003.....	2.9	2.5	0.7	0.2	0.2	0.2	0.3	0.9	2.6	6.8	17.0	33.6
2002.....	2.7	3.3	0.7	0.2	0.1	0.2	0.3	0.9	2.8	6.9	16.3	29.9
2001.....	2.5	3.3	0.7	0.3	0.1	0.1	0.3	0.9	2.4	6.3	14.3	29.3
2000.....	2.4	2.6	0.7	0.2	0.2	*	0.2	0.7	2.4	6.5	14.8	27.0
1999.....	2.3	3.0	0.5	0.3	0.2	0.2	0.3	0.8	2.5	6.0	13.3	23.8
Non-Hispanic white, both sexes												
2006 5/.....	4.2	2.5	0.8	0.2	0.2	0.2	0.5	1.8	4.7	10.6	24.0	45.4
2005 5/.....	4.2	2.9	0.8	0.4	0.2	0.2	0.6	1.8	4.6	11.3	24.2	43.8
2004 5/.....	3.8	3.4	0.7	0.3	0.2	0.2	0.5	1.6	4.5	10.6	21.5	38.8
2003 5/.....	3.6	2.9	0.9	0.4	0.2	0.2	0.5	1.7	4.2	10.1	19.9	36.4
2002.....	3.3	3.5	0.7	0.3	0.2	0.2	0.5	1.6	4.5	9.3	19.4	31.3
2001.....	3.2	3.8	0.9	0.3	0.2	0.2	0.5	1.7	4.0	9.5	17.6	30.3
2000.....	2.9	3.4	0.8	0.3	0.2	0.2	0.4	1.5	3.9	8.9	16.8	27.4
1999.....	2.7	2.9	0.8	0.3	0.2	0.2	0.4	1.3	3.8	8.3	15.1	24.5
Non-Hispanic white, male												
2006 5/.....	4.6	2.4	0.7	0.3	0.3	0.3	0.7	2.6	6.7	14.1	29.8	54.0
2005 5/.....	4.5	3.0	0.8	0.5	0.2	0.2	0.9	2.6	6.8	15.1	28.3	47.1
2004 5/.....	4.2	4.5	0.7	0.3	0.3	0.2	0.7	2.4	6.4	14.1	26.0	46.4
2003 5/.....	4.0	3.6	1.0	0.5	0.3	0.2	0.8	2.5	6.0	13.9	24.0	41.4
2002.....	3.7	4.3	0.6	0.4	0.3	0.2	0.7	2.3	6.2	12.5	23.8	33.6
2001.....	3.5	4.2	1.0	0.3	0.3	0.2	0.6	2.4	5.6	13.1	22.4	33.2
2000.....	3.2	4.0	0.9	0.4	0.2	0.2	0.5	2.4	5.6	11.7	19.8	29.0
1999.....	2.9	3.2	1.0	0.3	0.2	*	0.5	1.8	5.2	11.0	17.7	25.9
Non-Hispanic white, female												
2006 5/.....	3.8	2.6	0.8	0.2	*	*	0.3	1.0	2.9	7.6	19.9	41.4
2005 5/.....	3.8	2.7	0.7	0.3	0.2	*	0.3	0.9	2.6	7.9	21.4	42.3
2004 5/.....	3.4	2.3	0.6	0.3	0.2	0.2	0.4	0.8	2.7	7.7	18.4	35.4
2003 5/.....	3.2	2.1	0.7	0.2	0.2	0.2	0.3	0.9	2.5	6.9	17.0	34.1
2002.....	3.0	2.6	0.8	0.2	*	0.2	0.3	0.8	2.8	6.6	16.4	30.3
2001.....	2.8	3.3	0.7	0.3	+	+	0.3	0.9	2.4	6.5	14.4	29.1
2000.....	2.7	2.7	0.7	0.2	0.2	+	0.2	0.7	2.3	6.6	14.8	26.8
1999.....	2.5	2.5	0.6	0.3	0.2	0.2	0.2	0.8	2.5	5.9	13.3	23.9

Worktable Orig12. Death rates for 358 selected causes, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2006

[Rates per 100,000 population in specified group. Rates are based on populations enumerated as of April 1 for 2000 and estimated as of July 1 for all other years. Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.odc.gov/nchs> and refer to 'Detailed technical notes to the United States 2006 data-mortality']

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, and sex	All ages 1/	Under 1 year 2/	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
Other metabolic disorders (E70-E83,E85,E88)												
Non-Hispanic black, both sexes												
2006 5/.....	2.4	*	*	*	*	*	0.4	2.1	5.1	12.2	21.7	38.0
2005 5/.....	2.4	*	*	0.4	*	*	0.6	1.9	5.7	11.1	23.2	36.0
2004 5/.....	2.2	*	*	*	*	*	0.6	1.9	4.8	11.6	21.6	29.1
2003 5/.....	2.1	3.2	*	*	*	*	0.6	1.9	4.7	10.9	19.4	29.2
2002.....	2.2	3.9	*	*	*	*	0.5	1.9	5.8	11.4	19.0	31.2
2001.....	1.9	3.9	*	*	*	*	*	1.7	4.2	8.9	17.2	32.5
2000.....	1.8	*	*	*	*	*	0.4	1.3	4.5	8.3	16.9	27.3
1999.....	1.7	4.6	*	0.3	*	*	0.5	1.5	3.6	8.6	14.8	23.9
Non-Hispanic black, male												
2006 5/.....	2.4	*	*	*	*	*	*	2.8	6.3	13.7	23.6	38.5
2005 5/.....	2.5	*	*	*	*	*	0.9	2.6	7.3	13.7	26.3	40.0
2004 5/.....	2.3	*	*	*	*	*	0.9	2.7	5.3	15.0	25.1	26.4
2003 5/.....	2.2	*	*	*	*	*	0.8	2.4	6.6	15.0	22.2	21.3
2002.....	2.3	*	*	*	*	*	*	2.5	8.7	13.2	22.3	35.0
2001.....	2.0	*	*	*	*	*	*	2.3	6.2	13.1	20.7	33.5
2000.....	1.8	*	*	*	*	*	*	2.1	5.7	10.3	16.4	*
1999.....	1.6	*	*	*	*	*	*	1.9	4.5	9.2	15.6	*
Non-Hispanic black, female												
2006 5/.....	2.5	*	*	*	*	*	*	1.5	4.0	11.2	20.7	37.7
2005 5/.....	2.4	*	*	*	*	*	*	1.3	4.4	9.3	21.5	34.5
2004 5/.....	2.1	*	*	*	*	*	*	1.1	4.4	9.1	19.6	30.1
2003 5/.....	2.0	*	*	*	*	*	*	1.4	3.2	8.0	17.8	32.2
2002.....	2.1	*	*	*	*	*	*	1.4	3.6	10.2	17.1	29.7
2001.....	1.7	*	*	*	*	*	*	1.2	2.6	6.0	15.2	32.1
2000.....	1.8	*	*	*	*	*	*	*	3.6	6.8	17.2	31.0
1999.....	1.8	*	*	*	*	*	0.7	1.2	2.9	8.2	14.4	24.4

Worktable Orig12. Death rates for 358 selected causes, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2006

[Rates per 100,000 population in specified group. Rates are based on populations enumerated as of April 1 for 2000 and estimated as of July 1 for all other years. Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to 'Detailed technical notes to the United States 2006 data-mortality']

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, and sex	All ages 1/	Under 1 year 2/	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
V. Mental and behavioral disorders (F01-F99)												
All origins 3/, both sexes												
2006.....	30.6	*	*	0.1	0.8	2.0	5.0	9.6	11.6	28.8	178.8	977.5
2005.....	24.1	*	*	0.1	0.8	1.8	5.0	9.4	10.6	22.6	135.8	766.4
2004.....	21.0	*	*	0.1	0.7	1.9	5.0	9.0	9.8	20.6	117.1	671.4
2003.....	20.7	*	*	0.1	0.7	1.8	5.2	8.7	9.2	20.0	115.9	679.3
2002.....	19.3	*	*	0.1	0.6	1.7	5.3	8.1	8.8	19.0	107.6	646.7
2001.....	17.8	*	*	0.1	0.6	1.8	4.9	7.8	8.4	18.2	99.0	604.8
2000.....	16.4	*	*	0.1	0.6	1.8	4.9	7.3	8.1	16.9	89.9	561.6
1999.....	15.1	*	*	0.1	0.6	1.8	5.1	7.1	8.0	16.0	81.3	515.3
All origins 3/, male												
2006.....	22.7	*	*	*	1.1	2.9	7.0	14.1	17.2	34.6	177.9	775.4
2005.....	18.2	*	*	*	1.1	2.6	7.2	14.0	15.9	28.8	133.6	597.0
2004.....	16.2	*	*	*	0.9	2.7	7.2	13.6	15.1	25.6	114.3	529.7
2003.....	15.7	*	*	*	0.9	2.6	7.5	13.3	13.7	24.7	114.0	523.8
2002.....	14.8	*	*	*	0.8	2.3	7.5	12.7	13.5	23.9	106.9	506.0
2001.....	13.8	*	*	*	0.8	2.6	7.0	12.2	12.8	23.3	97.3	488.0
2000.....	12.8	*	*	*	0.9	2.6	7.2	11.5	12.4	21.9	89.9	451.0
1999.....	12.3	*	*	0.1	0.8	2.6	7.7	11.3	12.6	21.2	85.5	415.8
All origins 3/, female												
2006.....	38.3	*	*	*	0.5	1.1	3.1	5.2	6.4	23.8	179.4	1,072.1
2005.....	29.9	*	*	*	0.5	1.0	2.8	4.9	5.7	19.1	137.2	844.2
2004.....	25.6	*	*	*	0.5	1.0	2.7	4.6	4.9	16.4	119.0	735.1
2003.....	25.5	*	*	*	0.4	1.0	2.9	4.2	5.0	18.1	117.1	748.1
2002.....	23.7	*	*	*	0.4	1.0	3.0	3.7	4.5	14.9	108.0	707.8
2001.....	21.7	*	*	*	0.3	1.0	2.8	3.6	4.3	13.9	100.1	653.7
2000.....	19.8	*	*	*	0.4	1.0	2.5	3.3	4.2	12.9	90.0	606.6
1999.....	17.8	*	*	*	0.3	1.0	2.5	3.1	3.8	11.8	78.6	555.4
Hispanic, both sexes												
2006.....	8.3	*	*	*	0.8	2.0	4.4	7.3	9.3	21.2	111.4	565.0
2005.....	6.5	*	*	*	0.9	1.9	4.7	7.8	8.7	15.1	75.3	417.5
2004.....	5.5	*	*	*	0.7	1.6	4.3	7.2	7.1	13.1	67.1	355.8
2003.....	5.4	*	*	*	0.8	1.7	4.3	8.2	7.4	13.1	64.6	347.7
2002.....	5.1	*	*	*	0.6	1.6	4.6	7.1	8.2	13.2	59.2	332.6
2001.....	4.9	*	*	*	0.7	1.5	4.2	6.9	8.4	12.6	54.6	371.4
2000.....	4.6	*	*	*	0.7	1.9	4.8	6.6	8.1	11.1	50.0	307.2
1999.....	4.8	*	*	*	0.7	2.3	4.7	7.8	8.3	11.3	47.7	343.1
Hispanic, male												
2006.....	8.0	*	*	*	1.2	3.2	6.7	11.7	15.2	27.7	118.9	457.8
2005.....	7.0	*	*	*	1.3	2.9	7.2	13.4	15.7	21.5	79.2	357.4
2004.....	5.8	*	*	*	1.1	2.6	6.9	11.8	12.0	18.7	69.4	285.8
2003.....	5.9	*	*	*	1.1	2.6	6.7	13.0	13.2	19.0	69.8	283.2
2002.....	6.0	*	*	*	1.0	2.5	7.3	12.3	13.9	21.6	68.1	331.3
2001.....	5.4	*	*	*	1.0	2.1	6.6	11.9	15.1	19.6	57.2	327.6
2000.....	5.5	*	*	*	1.1	2.9	8.0	11.1	14.4	20.0	48.2	298.3
1999.....	5.8	*	*	*	1.2	3.7	8.0	13.3	15.4	17.8	51.6	325.7
Hispanic, female												
2006.....	8.6	*	*	*	0.6	1.9	2.8	3.9	3.9	15.8	106.2	621.9
2005.....	6.0	*	*	*	0.7	1.9	2.1	2.3	2.3	10.0	72.6	449.0
2004.....	5.1	*	*	*	*	1.5	2.6	2.6	2.6	8.7	65.4	391.8
2003.....	4.9	*	*	*	0.6	1.7	3.3	2.1	2.1	8.4	61.1	380.5
2002.....	4.2	*	*	*	0.7	1.7	1.9	3.0	3.0	6.5	53.1	333.2
2001.....	4.4	*	*	*	0.8	1.6	2.0	2.5	2.5	7.1	52.9	392.8
2000.....	3.6	*	*	*	0.8	1.3	2.1	2.4	2.4	4.0	51.2	311.6
1999.....	3.8	*	*	*	0.8	1.2	2.5	*	6.2	45.1	351.5	

Worktable Orig12. Death rates for 358 selected causes, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2006

[Rates per 100,000 population in specified group. Rates are based on populations enumerated as of April 1 for 2000 and estimated as of July 1 for all other years. Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to 'Detailed technical notes to the United States 2006 data-mortality']

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, and sex	All ages 1/	Under 1 year 2/	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
V. Mental and behavioral disorders (F01-F99)												
Non-Hispanic 4/, both sexes												
2006.....	34.5	*	*	*	0.8	2.0	5.1	9.8	11.8	29.3	182.7	997.1
2005.....	27.0	*	*	*	0.8	1.7	5.1	9.5	10.7	23.1	139.2	782.2
2004.....	23.4	*	*	0.1	0.7	1.9	5.0	9.2	10.0	21.1	119.7	684.6
2003.....	23.0	*	*	0.1	0.7	1.8	5.3	8.7	9.3	20.4	118.3	692.3
2002.....	21.5	*	*	0.1	0.6	1.6	5.3	8.1	8.8	19.3	109.5	658.0
2001.....	19.7	*	*	0.1	0.6	1.9	4.9	7.8	8.3	18.5	100.9	612.1
2000.....	18.0	*	*	0.1	0.6	1.8	4.8	7.3	8.1	17.2	91.4	569.7
1999.....	16.4	*	*	0.1	0.5	1.7	5.0	7.0	7.9	16.2	82.5	520.1
Non-Hispanic 4/, male												
2006.....	25.3	*	*	*	1.1	2.8	7.0	14.3	17.2	35.0	181.2	791.9
2005.....	20.1	*	*	*	1.1	2.5	7.2	14.0	15.8	27.0	136.7	608.8
2004.....	17.9	*	*	*	0.9	2.7	7.2	13.7	15.2	28.0	116.7	541.0
2003.....	17.2	*	*	*	0.9	2.6	7.5	13.2	13.6	25.0	116.2	534.1
2002.....	16.2	*	*	*	0.8	2.2	7.4	12.5	13.4	23.9	108.5	512.8
2001.....	15.1	*	*	*	0.8	2.8	6.9	12.1	12.5	23.5	99.0	493.5
2000.....	13.8	*	*	*	0.8	2.5	7.0	11.3	12.1	21.8	91.4	456.4
1999.....	13.1	*	*	*	0.7	2.4	7.5	11.0	12.2	21.2	86.7	418.5
Non-Hispanic 4/, female												
2006.....	43.2	*	*	*	0.5	1.3	3.2	5.5	6.6	24.4	183.8	1,092.4
2005.....	33.6	*	*	*	0.5	1.0	3.0	5.2	5.9	19.8	140.9	861.4
2004.....	28.7	*	*	*	0.6	1.2	2.9	4.8	5.1	18.9	121.7	748.8
2003.....	28.5	*	*	*	0.4	1.1	3.1	4.2	5.3	18.6	119.7	761.7
2002.....	26.5	*	*	*	0.4	1.1	3.2	3.8	4.6	15.5	110.2	720.6
2001.....	24.1	*	*	*	0.3	1.0	2.9	3.7	4.4	14.3	102.1	661.4
2000.....	21.9	*	*	*	0.4	1.0	2.6	3.4	4.3	13.4	91.4	615.5
1999.....	19.6	*	*	*	0.3	1.0	2.6	3.2	3.9	12.1	79.8	560.8
Non-Hispanic white, both sexes												
2006 5/.....	38.9	*	*	*	0.9	2.1	5.1	9.4	11.1	28.5	183.7	1,020.0
2005 5/.....	30.5	*	*	*	0.9	1.9	5.1	9.0	10.4	22.5	140.5	800.9
2004 5/.....	26.3	*	*	*	0.8	1.9	5.0	8.7	9.5	20.5	121.1	702.1
2003 5/.....	25.9	*	*	*	0.7	1.8	5.1	8.1	8.7	20.3	119.5	711.5
2002.....	24.1	*	*	*	0.6	1.7	5.1	7.5	8.1	18.9	111.0	675.7
2001.....	22.0	*	*	*	0.6	1.9	4.5	6.8	7.6	18.1	102.8	629.4
2000.....	19.9	*	*	*	0.6	1.7	4.5	6.5	7.3	16.7	92.3	586.2
1999.....	18.2	*	*	0.1	0.5	1.7	4.5	6.0	7.1	15.7	83.6	540.2
Non-Hispanic white, male												
2006 5/.....	27.8	*	*	*	1.2	2.9	6.9	13.7	15.9	33.1	179.4	808.2
2005 5/.....	22.0	*	*	*	1.2	2.6	7.3	13.1	15.0	25.7	136.1	622.7
2004 5/.....	19.4	*	*	*	1.0	2.6	7.3	13.0	14.2	24.6	115.8	551.0
2003 5/.....	18.7	*	*	*	0.9	2.6	7.3	12.2	12.4	24.3	115.6	547.0
2002.....	17.4	*	*	*	0.8	2.2	7.2	11.5	11.9	22.4	108.2	522.2
2001.....	16.1	*	*	*	0.8	2.7	6.4	10.5	11.0	22.3	99.7	504.2
2000.....	14.6	*	*	*	0.8	2.4	6.5	10.0	10.7	20.5	91.2	464.8
1999.....	13.8	*	*	*	0.7	2.5	6.8	9.5	10.7	20.0	86.1	432.2
Non-Hispanic white, female												
2006 5/.....	49.6	*	*	*	0.5	1.3	3.2	5.3	6.5	24.5	186.7	1,118.8
2005 5/.....	38.6	*	*	*	0.5	1.1	2.8	4.9	6.0	19.7	143.5	882.4
2004 5/.....	33.0	*	*	*	0.6	1.2	2.8	4.5	5.1	16.9	124.7	769.8
2003 5/.....	32.8	*	*	*	0.4	1.0	2.8	4.0	5.2	16.9	122.1	783.9
2002.....	30.5	*	*	*	0.4	1.1	2.9	3.6	4.5	16.0	112.8	742.0
2001.....	27.6	*	*	*	0.3	1.0	2.6	3.2	4.4	14.5	104.8	681.5
2000.....	25.0	*	*	*	0.5	1.0	2.4	3.0	4.2	13.5	93.0	635.1
1999.....	22.5	*	*	*	0.3	1.0	2.2	2.6	3.7	12.1	81.9	583.2

Worktable Orig12. Death rates for 358 selected causes, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2006

[Rates per 100,000 population in specified group. Rates are based on populations enumerated as of April 1 for 2000 and estimated as of July 1 for all other years. Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.odc.gov/nchs> and refer to 'Detailed technical notes to the United States 2006 data-mortality']

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, and sex	All ages 1/	Under 1 year 2/	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
V. Mental and behavioral disorders (F01-F99)												
Non-Hispanic black, both sexes												
2006 5/.....	21.6	*	*	*	0.5	1.7	5.9	14.4	20.4	44.0	215.6	908.8
2005 5/.....	17.1	*	*	*	0.5	1.5	5.8	14.3	15.9	33.7	161.6	712.5
2004 5/.....	14.9	*	*	*	0.4	2.2	5.6	14.1	15.8	31.9	135.5	598.7
2003 5/.....	14.4	*	*	*	0.5	1.9	7.1	13.9	16.0	25.7	133.0	584.5
2002.....	13.7	*	*	*	0.5	1.9	7.4	13.9	16.4	26.7	117.0	548.7
2001.....	12.9	*	*	*	0.6	2.0	7.8	15.9	15.7	26.6	102.1	492.3
2000.....	12.2	*	*	*	0.7	2.4	7.4	14.6	15.4	25.6	99.2	448.1
1999.....	11.0	*	*	*	0.6	1.9	8.8	14.8	16.1	24.4	85.6	350.5
Non-Hispanic black, male												
2006 5/.....	18.9	*	*	*	0.7	2.3	7.9	21.5	33.3	63.3	246.1	737.6
2005 5/.....	15.2	*	*	*	*	2.3	7.8	22.1	26.8	45.7	185.0	550.9
2004 5/.....	14.5	*	*	*	*	3.7	7.9	21.5	28.4	48.9	159.7	520.3
2003 5/.....	13.8	*	*	*	0.7	2.5	9.8	22.9	27.1	37.9	150.3	488.0
2002.....	13.5	*	*	*	*	2.5	10.0	22.7	28.8	42.6	137.5	461.6
2001.....	13.4	*	*	*	0.9	3.1	11.1	26.1	28.3	40.6	118.2	427.3
2000.....	12.9	*	*	*	1.1	3.5	10.9	24.2	26.5	40.1	114.8	421.5
1999.....	12.2	*	*	*	0.8	2.6	12.7	23.4	28.2	38.0	112.3	312.6
Non-Hispanic black, female												
2006 5/.....	24.0	*	*	*	*	1.2	4.1	8.2	9.9	30.1	198.3	978.7
2005 5/.....	18.9	*	*	*	*	0.8	4.1	7.6	7.2	25.1	148.4	777.5
2004 5/.....	15.3	*	*	*	*	0.8	3.5	7.8	5.8	21.2	121.9	629.7
2003 5/.....	15.0	*	*	*	*	1.4	4.7	6.2	7.1	17.1	123.2	621.9
2002.....	13.8	*	*	*	*	1.3	5.0	6.3	6.5	15.4	105.4	581.9
2001.....	12.5	*	*	*	*	1.0	4.8	7.1	5.6	16.6	93.0	516.3
2000.....	11.6	*	*	*	*	1.5	4.3	6.4	6.5	15.4	90.5	457.9
1999.....	9.9	*	*	*	*	1.3	5.3	7.4	6.4	14.8	70.7	364.7

Worktable Orig12. Death rates for 358 selected causes, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2006

[Rates per 100,000 population in specified group. Rates are based on populations enumerated as of April 1 for 2000 and estimated as of July 1 for all other years. Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to 'Detailed technical notes to the United States 2006 data-mortality']

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, and sex	All ages 1/	Under 1 year 2/	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
Organic dementia (F01,F03)												
All origins 3/, both sexes												
2006.....	25.4	*	*	*	*	*	*	0.3	2.6	20.2	164.8	939.9
2005.....	18.9	*	*	*	*	*	*	0.2	1.7	14.6	121.7	725.2
2004.....	15.9	*	*	*	*	*	*	0.2	1.4	12.2	103.5	628.2
2003.....	15.7	*	*	*	*	*	*	0.1	1.3	11.8	102.4	631.7
2002.....	14.5	*	*	*	*	*	*	0.1	1.1	10.9	94.3	598.3
2001.....	13.1	*	*	*	*	*	*	0.1	1.1	10.5	84.9	554.0
2000.....	11.7	*	*	*	*	*	*	0.1	1.0	9.3	76.0	505.6
1999.....	10.3	*	*	*	*	*	*	0.1	0.9	8.3	65.8	454.4
All origins 3/, male												
2006.....	15.8	*	*	*	*	*	*	0.3	2.8	22.1	160.5	737.2
2005.....	11.4	*	*	*	*	*	*	0.2	1.8	15.0	116.0	557.7
2004.....	9.5	*	*	*	*	*	*	0.2	1.5	12.6	97.3	487.8
2003.....	9.3	*	*	*	*	*	*	0.1	1.4	12.9	96.9	480.4
2002.....	8.7	*	*	*	*	*	*	0.1	1.1	12.0	91.4	465.7
2001.....	7.8	*	*	*	*	*	*	0.2	1.2	11.5	81.1	442.4
2000.....	6.9	*	*	*	*	*	*	0.1	1.1	10.4	73.7	398.9
1999.....	6.2	*	*	*	*	*	*	0.1	1.1	9.8	66.4	361.7
All origins 3/, female												
2006.....	34.7	*	*	*	*	*	*	0.3	2.3	18.6	167.7	1,034.7
2005.....	25.2	*	*	*	*	*	*	0.1	1.5	14.2	125.6	802.1
2004.....	22.1	*	*	*	*	*	*	0.1	1.2	11.7	107.7	691.3
2003.....	21.9	*	*	*	*	*	*	0.1	1.2	11.0	106.0	698.5
2002.....	20.1	*	*	*	*	*	*	0.1	1.0	10.0	96.3	655.9
2001.....	18.2	*	*	*	*	*	*	0.1	1.0	9.6	87.3	600.8
2000.....	16.3	*	*	*	*	*	*	0.1	0.9	8.3	77.5	549.1
1999.....	14.2	*	*	*	*	*	*	0.7	7.1	65.5	491.7	
Hispanic, both sexes												
2006.....	5.5	*	*	*	*	*	*	*	1.7	14.9	101.3	542.7
2005.....	3.6	*	*	*	*	*	*	*	1.1	8.5	67.1	389.7
2004.....	2.9	*	*	*	*	*	*	*	*	7.9	59.5	329.7
2003.....	2.7	*	*	*	*	*	*	*	*	6.4	54.2	319.7
2002.....	2.3	*	*	*	*	*	*	*	*	5.8	48.5	293.8
2001.....	2.4	*	*	*	*	*	*	*	*	6.0	44.7	337.6
2000.....	1.9	*	*	*	*	*	*	*	*	4.6	40.9	268.1
1999.....	1.9	*	*	*	*	*	*	*	*	4.5	35.2	295.4
Hispanic, male												
2006.....	3.7	*	*	*	*	*	*	*	1.8	17.2	104.3	433.0
2005.....	2.4	*	*	*	*	*	*	*	*	9.1	66.1	328.8
2004.....	1.9	*	*	*	*	*	*	*	*	8.7	59.7	257.8
2003.....	1.7	*	*	*	*	*	*	*	*	6.6	53.7	264.8
2002.....	1.7	*	*	*	*	*	*	*	*	7.6	50.5	291.1
2001.....	1.6	*	*	*	*	*	*	*	*	7.8	41.1	300.9
2000.....	1.4	*	*	*	*	*	*	*	*	7.2	38.4	266.0
1999.....	1.3	*	*	*	*	*	*	*	*	4.8	34.4	280.4
Hispanic, female												
2006.....	7.4	*	*	*	*	*	*	*	1.7	13.0	99.1	600.9
2005.....	4.9	*	*	*	*	*	*	*	*	7.9	67.7	421.6
2004.....	4.0	*	*	*	*	*	*	*	*	7.2	59.3	366.6
2003.....	3.6	*	*	*	*	*	*	*	*	6.2	54.5	347.7
2002.....	3.0	*	*	*	*	*	*	*	*	4.4	47.2	295.1
2001.....	3.2	*	*	*	*	*	*	*	*	4.6	47.1	355.6
2000.....	2.5	*	*	*	*	*	*	*	*	4.6	42.6	269.1
1999.....	2.6	*	*	*	*	*	*	*	*	4.3	35.7	302.6

Worktable Orig12. Death rates for 358 selected causes, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2006

[Rates per 100,000 population in specified group. Rates are based on populations enumerated as of April 1 for 2000 and estimated as of July 1 for all other years. Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to 'Detailed technical notes to the United States 2006 data-mortality']

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, and sex	All ages 1/	Under 1 year 2/	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
Organic dementia (F01,F03)												
Non-Hispanic 4/, both sexes												
2006.....	28.8	*	*	*	*	*	*	0.3	2.6	20.6	168.5	958.9
2005.....	21.5	*	*	*	*	*	*	0.2	1.7	15.0	124.8	740.6
2004.....	18.0	*	*	*	*	*	*	0.2	1.4	12.4	105.8	640.6
2003.....	17.7	*	*	*	*	*	*	0.1	1.4	12.2	104.8	643.9
2002.....	16.4	*	*	*	*	*	*	0.1	1.1	11.2	96.3	609.3
2001.....	14.7	*	*	*	*	*	*	0.1	1.1	10.7	86.6	560.9
2000.....	13.0	*	*	*	*	*	*	0.1	1.0	9.5	77.3	513.2
1999.....	11.4	*	*	*	*	*	*	0.1	0.9	8.5	66.9	458.9
Non-Hispanic 4/, male												
2006.....	18.1	*	*	*	*	*	*	0.4	2.9	22.4	163.6	753.2
2005.....	13.0	*	*	*	*	*	*	0.3	1.9	15.4	118.8	569.1
2004.....	10.8	*	*	*	*	*	*	0.2	1.6	12.9	99.3	498.4
2003.....	10.5	*	*	*	*	*	*	0.1	1.5	13.3	99.1	489.8
2002.....	9.8	*	*	*	*	*	*	0.1	1.1	12.3	93.2	472.6
2001.....	8.8	*	*	*	*	*	*	0.1	1.2	11.7	82.8	447.3
2000.....	7.7	*	*	*	*	*	*	0.1	1.1	10.6	75.0	403.5
1999.....	6.9	*	*	*	*	*	*	0.1	1.1	10.0	67.6	364.0
Non-Hispanic 4/, female												
2006.....	39.1	*	*	*	*	*	*	0.3	2.4	19.1	171.8	1,054.4
2005.....	29.6	*	*	*	*	*	*	0.1	1.6	14.6	128.9	818.8
2004.....	24.8	*	*	*	*	*	*	0.2	1.3	12.0	110.2	704.3
2003.....	24.6	*	*	*	*	*	*	0.1	1.2	11.3	108.5	711.6
2002.....	22.6	*	*	*	*	*	*	0.1	1.1	10.4	98.3	668.3
2001.....	20.3	*	*	*	*	*	*	0.1	1.0	9.9	89.0	608.1
2000.....	18.1	*	*	*	*	*	*	0.1	0.9	8.7	78.8	557.6
1999.....	15.7	*	*	*	*	*	*	0.7	7.3	66.5	496.8	
Non-Hispanic white, both sexes												
2006 5/.....	33.0	*	*	*	*	*	*	0.3	2.5	19.9	169.0	980.1
2005 5/.....	24.6	*	*	*	*	*	*	0.2	1.7	14.4	125.8	757.8
2004 5/.....	20.7	*	*	*	*	*	*	0.2	1.4	12.2	106.9	656.1
2003 5/.....	20.4	*	*	*	*	*	*	0.1	1.3	12.1	105.6	651.1
2002.....	18.8	*	*	*	*	*	*	0.1	1.1	11.2	97.5	625.6
2001.....	16.9	*	*	*	*	*	*	0.1	1.1	10.6	88.2	576.4
2000.....	14.9	*	*	*	*	*	*	0.1	0.9	9.3	78.0	527.7
1999.....	13.2	*	*	*	*	*	*	0.1	0.9	8.4	67.9	476.4
Non-Hispanic white, male												
2006 5/.....	20.4	*	*	*	*	*	*	0.3	2.8	21.1	161.5	788.0
2005 5/.....	14.7	*	*	*	*	*	*	0.3	1.8	14.5	118.3	581.7
2004 5/.....	12.2	*	*	*	*	*	*	0.2	1.6	12.5	98.2	507.8
2003 5/.....	11.9	*	*	*	*	*	*	0.2	1.4	12.9	98.4	501.1
2002.....	11.1	*	*	*	*	*	*	0.1	1.2	11.9	93.0	481.1
2001.....	9.9	*	*	*	*	*	*	0.1	1.2	11.3	83.6	457.4
2000.....	8.6	*	*	*	*	*	*	0.1	1.0	10.0	74.9	410.6
1999.....	7.8	*	*	*	*	*	*	0.1	1.1	9.8	67.5	376.4
Non-Hispanic white, female												
2006 5/.....	45.2	*	*	*	*	*	*	0.3	2.3	18.9	174.1	1,079.1
2005 5/.....	34.2	*	*	*	*	*	*	0.2	1.6	14.3	131.0	838.3
2004 5/.....	28.8	*	*	*	*	*	*	0.2	1.3	11.9	112.8	722.6
2003 5/.....	28.5	*	*	*	*	*	*	0.2	1.3	11.5	110.5	731.6
2002.....	26.3	*	*	*	*	*	*	0.2	1.1	10.6	100.4	688.0
2001.....	23.5	*	*	*	*	*	*	0.1	1.1	10.0	91.2	626.0
2000.....	20.9	*	*	*	*	*	*	0.9	8.6	79.9	574.9	
1999.....	18.3	*	*	*	*	*	*	0.7	7.3	68.1	516.2	

Worktable Orig12. Death rates for 358 selected causes, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2006

[Rates per 100,000 population in specified group. Rates are based on populations enumerated as of April 1 for 2000 and estimated as of July 1 for all other years. Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.odc.gov/nchs> and refer to 'Detailed technical notes to the United States 2006 data-mortality']

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, and sex	All ages 1/	Under 1 year 2/	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
Organic dementia (F01,F03)												
Non-Hispanic black, both sexes												
2006 5/.....	16.1	*	*	*	*	*	*	0.4	4.2	32.9	203.0	882.6
2005 5/.....	11.8	*	*	*	*	*	*	*	2.3	23.9	146.9	677.8
2004 5/.....	9.6	*	*	*	*	*	*	*	1.8	18.5	122.7	569.0
2003 5/.....	9.1	*	*	*	*	*	*	*	1.9	15.7	119.3	551.2
2002.....	8.2	*	*	*	*	*	*	*	1.3	14.6	103.6	510.3
2001.....	7.2	*	*	*	*	*	*	*	1.5	15.0	87.9	455.7
2000.....	6.6	*	*	*	*	*	*	*	1.6	14.0	84.3	408.0
1999.....	5.1	*	*	*	*	*	*	*	1.1	11.4	68.1	310.7
Non-Hispanic black, male												
2006 5/.....	11.0	*	*	*	*	*	*	*	4.5	42.9	227.5	711.9
2005 5/.....	7.7	*	*	*	*	*	*	*	2.9	28.1	161.5	514.8
2004 5/.....	6.5	*	*	*	*	*	*	*	2.4	21.5	141.5	477.6
2003 5/.....	6.0	*	*	*	*	*	*	*	2.5	20.2	130.4	450.7
2002.....	5.5	*	*	*	*	*	*	*	*	19.0	117.5	428.8
2001.....	4.8	*	*	*	*	*	*	*	2.0	19.4	96.3	385.8
2000.....	4.6	*	*	*	*	*	*	*	2.0	18.4	92.9	378.1
1999.....	3.7	*	*	*	*	*	*	*	*	14.3	81.9	268.6
Non-Hispanic black, female												
2006 5/.....	20.7	*	*	*	*	*	*	*	4.0	25.7	189.2	952.2
2005 5/.....	15.7	*	*	*	*	*	*	*	1.8	20.9	138.7	743.4
2004 5/.....	12.4	*	*	*	*	*	*	*	1.3	16.4	112.1	605.2
2003 5/.....	11.9	*	*	*	*	*	*	*	1.3	12.5	113.1	590.2
2002.....	10.6	*	*	*	*	*	*	*	1.4	11.4	95.7	541.4
2001.....	9.4	*	*	*	*	*	*	*	*	11.8	83.2	481.6
2000.....	8.4	*	*	*	*	*	*	*	*	10.8	79.5	419.1
1999.....	6.5	*	*	*	*	*	*	*	*	9.3	60.4	326.5

Worktable Orig12. Death rates for 358 selected causes, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2006

[Rates per 100,000 population in specified group. Rates are based on populations enumerated as of April 1 for 2000 and estimated as of July 1 for all other years. Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to 'Detailed technical notes to the United States 2006 data-mortality']

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, and sex	All ages 1/	Under 1 year 2/	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
Other and unspecified organic mental disorders (F04-F09)												
Non-Hispanic 4/, both sexes												
2006.....	0.6	*	*	*	*	*	*	0.1	0.1	0.6	3.5	18.9
2005.....	0.6	*	*	*	*	*	*	0.1	0.1	0.6	3.9	20.3
2004.....	0.7	*	*	*	*	*	*	0.1	0.1	0.6	3.8	22.5
2003.....	0.7	*	*	*	*	*	*	*	0.2	0.6	4.1	24.7
2002.....	0.8	*	*	*	*	*	*	0.1	0.2	0.8	4.0	26.7
2001.....	0.8	*	*	*	*	*	*	*	0.1	0.8	5.0	29.4
2000.....	0.9	*	*	*	*	*	*	*	0.2	0.8	5.0	33.7
1999.....	1.0	*	*	*	*	*	*	*	0.2	0.8	5.5	37.7
Non-Hispanic 4/, male												
2006.....	0.4	*	*	*	*	*	*	0.1	0.2	0.7	3.4	16.3
2005.....	0.4	*	*	*	*	*	*	*	*	0.7	3.8	16.7
2004.....	0.5	*	*	*	*	*	*	*	0.2	0.7	4.2	19.8
2003.....	0.5	*	*	*	*	*	*	*	0.2	0.7	4.6	21.2
2002.....	0.5	*	*	*	*	*	*	*	0.2	1.0	4.1	19.9
2001.....	0.5	*	*	*	*	*	*	*	0.2	1.0	4.8	23.9
2000.....	0.6	*	*	*	*	*	*	*	0.2	1.0	4.7	28.7
1999.....	0.6	*	*	*	*	*	*	*	0.2	0.9	5.6	29.7
Non-Hispanic 4/, female												
2006.....	0.8	*	*	*	*	*	*	*	*	0.6	3.5	20.2
2005.....	0.8	*	*	*	*	*	*	*	*	0.5	3.9	22.0
2004.....	0.9	*	*	*	*	*	*	*	*	0.5	3.6	23.7
2003.....	0.9	*	*	*	*	*	*	*	*	0.6	3.7	26.2
2002.....	1.0	*	*	*	*	*	*	*	*	0.7	4.0	29.6
2001.....	1.1	*	*	*	*	*	*	*	*	0.7	5.1	31.7
2000.....	1.2	*	*	*	*	*	*	*	0.2	0.8	5.2	35.7
1999.....	1.3	*	*	*	*	*	*	*	*	0.7	5.4	40.9
Non-Hispanic white, both sexes												
2006 5/.....	0.7	*	*	*	*	*	*	0.1	0.1	0.6	3.7	19.9
2005 5/.....	0.7	*	*	*	*	*	*	*	0.1	0.6	3.9	20.8
2004 5/.....	0.8	*	*	*	*	*	*	*	0.1	0.6	4.0	23.6
2003 5/.....	0.8	*	*	*	*	*	*	*	0.1	0.6	4.2	25.3
2002.....	0.9	*	*	*	*	*	*	*	0.2	0.8	4.2	27.5
2001.....	1.0	*	*	*	*	*	*	*	0.2	0.8	5.1	30.3
2000.....	1.0	*	*	*	*	*	*	*	0.2	0.9	5.1	34.7
1999.....	1.1	*	*	*	*	*	*	*	0.2	0.8	5.5	38.9
Non-Hispanic white, male												
2006 5/.....	0.5	*	*	*	*	*	*	0.1	0.2	0.6	3.5	17.3
2005 5/.....	0.5	*	*	*	*	*	*	*	*	0.6	3.8	17.2
2004 5/.....	0.6	*	*	*	*	*	*	*	*	0.7	4.4	20.6
2003 5/.....	0.6	*	*	*	*	*	*	*	0.2	0.7	4.6	21.8
2002.....	0.5	*	*	*	*	*	*	*	*	0.9	4.2	20.4
2001.....	0.6	*	*	*	*	*	*	*	*	1.0	4.8	24.3
2000.....	0.6	*	*	*	*	*	*	*	0.2	0.9	4.8	28.8
1999.....	0.7	*	*	*	*	*	*	*	0.2	0.8	5.4	30.0
Non-Hispanic white, female												
2006 5/.....	0.9	*	*	*	*	*	*	*	*	0.7	3.8	21.1
2005 5/.....	1.0	*	*	*	*	*	*	*	*	0.6	4.0	22.5
2004 5/.....	1.0	*	*	*	*	*	*	*	*	0.5	3.7	24.9
2003 5/.....	1.1	*	*	*	*	*	*	*	*	0.6	3.9	26.9
2002.....	1.2	*	*	*	*	*	*	*	*	0.6	4.1	30.5
2001.....	1.3	*	*	*	*	*	*	*	*	0.7	5.2	32.7
2000.....	1.4	*	*	*	*	*	*	*	*	0.8	5.3	37.1
1999.....	1.5	*	*	*	*	*	*	*	*	0.7	5.5	42.4

Worktable Orig12. Death rates for 358 selected causes, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2006

[Rates per 100,000 population in specified group. Rates are based on populations enumerated as of April 1 for 2000 and estimated as of July 1 for all other years. Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to 'Detailed technical notes to the United States 2006 data-mortality']

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, and sex	All ages 1/	Under 1 year 2/	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
Other and unspecified organic mental disorders (F04-F09)												
Non-Hispanic black, both sexes												
2006 5/.....	0.3	*	*	*	*	*	*	*	*	*	3.0	13.5
2005 5/.....	0.4	*	*	*	*	*	*	*	*	*	4.4	18.6
2004 5/.....	0.3	*	*	*	*	*	*	*	*	*	3.4	17.0
2003 5/.....	0.4	*	*	*	*	*	*	*	*	*	4.3	19.9
2002.....	0.4	*	*	*	*	*	*	*	*	*	3.4	23.3
2001.....	0.5	*	*	*	*	*	*	*	1.2	*	5.5	24.7
2000.....	0.5	*	*	*	*	*	*	*	*	*	5.6	25.8
1999.....	0.5	*	*	*	*	*	*	*	*	1.4	6.7	28.8
Non-Hispanic black, male												
2006 5/.....	0.3	*	*	*	*	*	*	*	*	*	*	*
2005 5/.....	0.3	*	*	*	*	*	*	*	*	*	*	*
2004 5/.....	0.3	*	*	*	*	*	*	*	*	*	*	*
2003 5/.....	0.4	*	*	*	*	*	*	*	*	*	*	*
2002.....	0.3	*	*	*	*	*	*	*	*	*	*	*
2001.....	0.4	*	*	*	*	*	*	*	*	*	6.3	23.1
2000.....	0.4	*	*	*	*	*	*	*	*	*	*	25.8
1999.....	0.5	*	*	*	*	*	*	*	*	*	9.7	29.7
Non-Hispanic black, female												
2006 5/.....	0.4	*	*	*	*	*	*	*	*	*	*	15.7
2005 5/.....	0.5	*	*	*	*	*	*	*	*	*	4.4	20.3
2004 5/.....	0.4	*	*	*	*	*	*	*	*	*	3.5	16.9
2003 5/.....	0.4	*	*	*	*	*	*	*	*	*	3.6	20.2
2002.....	0.5	*	*	*	*	*	*	*	*	*	3.6	25.5
2001.....	0.6	*	*	*	*	*	*	*	*	*	5.1	25.2
2000.....	0.6	*	*	*	*	*	*	*	*	*	5.7	25.7
1999.....	0.6	*	*	*	*	*	*	*	*	*	5.1	28.4

Worktable Orig12. Death rates for 358 selected causes, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2006

[Rates per 100,000 population in specified group. Rates are based on populations enumerated as of April 1 for 2000 and estimated as of July 1 for all other years. Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to 'Detailed technical notes to the United States 2006 data-mortality']

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, and sex	All ages 1/	Under 1 year 2/	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
Mental and behavioral disorders due to psychoactive substance use (F10-F19)												
All origins 3/, both sexes												
2006.....	3.9	*	*	*	0.7	1.8	4.7	8.7	8.1	6.6	6.3	6.7
2005.....	3.8	*	*	*	0.6	1.6	4.7	8.6	8.0	6.1	5.6	6.8
2004.....	3.6	*	*	*	0.6	1.7	4.6	8.3	7.5	6.4	5.4	4.6
2003.....	3.5	*	*	*	0.5	1.6	4.8	7.9	7.0	6.0	4.7	4.3
2002.....	3.3	*	*	*	0.5	1.5	4.9	7.4	6.8	5.7	4.4	3.7
2001.....	3.2	*	*	*	0.5	1.6	4.5	7.2	6.5	5.4	4.6	4.0
2000.....	3.1	*	*	*	0.5	1.6	4.6	6.8	6.2	5.5	4.7	4.1
1999.....	3.1	*	*	*	0.4	1.6	4.7	6.6	6.4	5.4	4.9	3.8
All origins 3/, male												
2006.....	5.9	*	*	*	1.0	2.7	6.6	13.1	13.3	10.5	9.9	11.4
2005.....	5.7	*	*	*	1.0	2.4	6.8	13.1	12.9	9.8	9.6	10.7
2004.....	5.6	*	*	*	0.8	2.5	6.8	12.7	12.6	10.5	8.9	8.2
2003.....	5.3	*	*	*	0.8	2.4	7.1	12.5	11.3	9.7	8.0	7.3
2002.....	5.1	*	*	*	0.7	2.1	7.1	11.9	11.4	9.3	7.2	7.0
2001.....	4.9	*	*	*	0.7	2.4	6.6	11.5	10.7	9.2	7.2	7.5
2000.....	4.8	*	*	*	0.7	2.4	6.9	10.9	10.3	9.1	8.0	7.3
1999.....	4.8	*	*	*	0.7	2.4	7.3	10.6	10.6	8.9	8.8	7.4
All origins 3/, female												
2006.....	2.1	*	*	*	0.3	0.9	2.7	4.4	3.3	3.2	3.9	4.5
2005.....	2.0	*	*	*	0.3	0.8	2.5	4.3	3.4	2.9	2.9	5.0
2004.....	1.8	*	*	*	0.3	0.8	2.3	4.0	2.8	3.0	3.0	3.0
2003.....	1.7	*	*	*	0.2	0.8	2.6	3.5	3.0	2.9	2.5	3.0
2002.....	1.6	*	*	*	0.2	0.8	2.7	3.1	2.6	2.7	2.5	2.2
2001.....	1.5	*	*	*	0.2	0.8	2.4	3.1	2.6	2.3	2.9	2.5
2000.....	1.5	*	*	*	0.2	0.8	2.2	2.8	2.5	2.5	2.5	2.8
1999.....	1.4	*	*	*	0.2	0.8	2.2	2.7	2.5	2.6	2.4	2.4
Hispanic, both sexes												
2006.....	2.5	*	*	*	0.6	1.9	4.3	6.8	7.2	5.5	4.8	*
2005.....	2.5	*	*	*	0.8	1.8	4.5	7.4	6.9	5.8	4.1	*
2004.....	2.2	*	*	*	0.6	1.5	4.1	6.9	6.1	4.4	2.9	*
2003.....	2.4	*	*	*	0.6	1.6	4.2	7.9	6.5	5.2	4.8	*
2002.....	2.3	*	*	*	0.6	1.6	4.5	6.8	6.8	6.0	4.3	*
2001.....	2.2	*	*	*	0.6	1.4	4.1	6.6	7.2	4.9	3.8	*
2000.....	2.3	*	*	*	0.7	1.8	4.7	6.3	6.6	5.5	4.0	*
1999.....	2.4	*	*	*	0.7	2.1	4.6	7.5	7.0	5.5	4.2	*
Hispanic, male												
2006.....	3.9	*	*	*	1.0	3.1	6.5	11.2	12.6	9.7	7.9	*
2005.....	4.3	*	*	*	1.3	2.8	7.0	12.9	13.3	11.7	7.7	*
2004.....	3.6	*	*	*	1.1	2.5	6.5	11.4	11.1	8.5	*	*
2003.....	3.9	*	*	*	1.0	2.5	6.6	12.6	12.5	10.7	10.4	*
2002.....	3.9	*	*	*	0.9	2.4	7.2	12.0	12.6	11.7	9.0	*
2001.....	3.5	*	*	*	0.9	2.0	6.5	11.5	13.6	9.8	*	*
2000.....	3.8	*	*	*	1.0	2.7	7.8	10.8	12.7	11.0	*	*
1999.....	4.1	*	*	*	1.2	3.5	7.8	13.0	13.4	11.2	*	*
Hispanic, female												
2006.....	0.9	*	*	*	*	*	1.8	2.3	2.1	*	*	*
2005.....	0.7	*	*	*	*	0.7	1.7	1.8	*	*	*	*
2004.....	0.7	*	*	*	*	*	1.4	2.4	*	*	*	*
2003.....	0.8	*	*	*	*	*	1.6	3.0	*	*	*	*
2002.....	0.7	*	*	*	*	*	1.6	1.7	*	*	*	*
2001.....	0.7	*	*	*	*	0.7	1.5	1.8	*	*	*	*
2000.....	0.7	*	*	*	*	0.8	1.3	2.0	*	*	*	*
1999.....	0.6	*	*	*	*	*	1.2	2.1	*	*	*	*

Worktable Orig12. Death rates for 358 selected causes, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2006

[Rates per 100,000 population in specified group. Rates are based on populations enumerated as of April 1 for 2000 and estimated as of July 1 for all other years. Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to 'Detailed technical notes to the United States 2006 data-mortality']

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, and sex	All ages 1/	Under 1 year 2/	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
Mental and behavioral disorders due to psychoactive substance use (F10-F19)												
Non-Hispanic 4/, both sexes												
2006.....	4.2	*	*	*	0.7	1.8	4.7	8.9	8.2	6.6	6.4	6.9
2005.....	4.0	*	*	*	0.6	1.5	4.7	8.7	8.0	6.1	5.7	6.8
2004.....	3.8	*	*	*	0.6	1.7	4.6	8.3	7.5	6.5	5.5	4.7
2003.....	3.6	*	*	*	0.5	1.6	4.9	7.9	7.0	6.0	4.7	4.4
2002.....	3.4	*	*	*	0.4	1.4	4.9	7.4	6.8	5.6	4.3	3.6
2001.....	3.3	*	*	*	0.4	1.6	4.5	7.2	6.3	5.4	4.6	4.1
2000.....	3.2	*	*	*	0.4	1.6	4.5	6.7	6.2	5.4	4.6	4.1
1999.....	3.1	*	*	*	0.4	1.5	4.7	6.4	6.2	5.3	4.9	3.9
Non-Hispanic 4/, male												
2006.....	6.2	*	*	*	1.0	2.6	6.6	13.3	13.2	10.5	10.0	11.8
2005.....	5.9	*	*	*	0.9	2.2	6.7	13.0	12.8	9.6	9.7	10.4
2004.....	5.9	*	*	*	0.8	2.5	6.8	12.7	12.6	10.6	9.1	8.3
2003.....	5.5	*	*	*	0.7	2.3	7.1	12.4	11.1	9.5	7.8	7.5
2002.....	5.2	*	*	*	0.6	2.0	7.0	11.7	11.2	9.0	7.1	6.8
2001.....	5.0	*	*	*	0.7	2.4	6.5	11.3	10.3	9.1	7.1	7.7
2000.....	4.9	*	*	*	0.7	2.3	6.7	10.7	10.0	8.8	7.8	7.4
1999.....	4.8	*	*	*	0.6	2.1	7.1	10.2	10.1	8.6	8.7	7.4
Non-Hispanic 4/, female												
2006.....	2.3	*	*	*	0.3	1.0	2.9	4.7	3.4	3.4	3.9	4.6
2005.....	2.1	*	*	*	0.3	0.9	2.7	4.5	3.6	3.0	3.0	5.1
2004.....	1.9	*	*	*	0.3	1.0	2.5	4.1	2.8	3.1	3.1	3.1
2003.....	1.8	*	*	*	0.2	0.8	2.7	3.6	3.1	3.0	2.5	3.0
2002.....	1.7	*	*	*	0.2	0.8	2.8	3.2	2.7	2.8	2.5	2.3
2001.....	1.6	*	*	*	0.1	0.8	2.6	3.2	2.7	2.4	2.9	2.5
2000.....	1.5	*	*	*	0.2	0.8	2.4	2.8	2.6	2.5	2.6	2.8
1999.....	1.5	*	*	*	0.2	0.8	2.3	2.7	2.6	2.7	2.4	2.4
Non-Hispanic white, both sexes												
2006 5/.....	4.2	*	*	*	0.8	1.9	4.6	8.5	7.6	6.4	6.5	6.9
2005 5/.....	4.1	*	*	*	0.7	1.7	4.7	8.2	7.8	6.0	5.7	6.9
2004 5/.....	3.9	*	*	*	0.7	1.7	4.7	7.8	7.1	6.1	5.6	4.7
2003 5/.....	3.6	*	*	*	0.5	1.6	4.7	7.3	6.4	5.9	4.7	4.6
2002.....	3.3	*	*	*	0.5	1.5	4.7	6.8	6.0	5.3	4.3	3.5
2001.....	3.1	*	*	*	0.5	1.6	4.1	6.3	5.7	5.1	4.6	4.0
2000.....	3.0	*	*	*	0.5	1.5	4.1	5.8	5.4	5.0	4.6	4.1
1999.....	2.9	*	*	*	0.4	1.5	4.1	5.4	5.4	4.9	4.8	3.9
Non-Hispanic white, male												
2006 5/.....	6.2	*	*	*	1.2	2.8	6.5	12.7	12.0	9.8	10.1	11.8
2005 5/.....	6.0	*	*	*	1.1	2.5	6.8	12.2	12.1	9.2	9.5	10.6
2004 5/.....	5.8	*	*	*	0.9	2.5	6.9	11.9	11.6	9.5	9.1	8.2
2003 5/.....	5.4	*	*	*	0.8	2.4	6.9	11.3	9.9	9.2	7.7	7.5
2002.....	5.0	*	*	*	0.7	2.1	6.8	10.7	9.6	8.1	6.8	6.7
2001.....	4.7	*	*	*	0.7	2.4	5.9	9.9	8.9	8.3	6.9	7.5
2000.....	4.6	*	*	*	0.7	2.2	6.2	9.4	8.7	8.0	7.6	7.3
1999.....	4.5	*	*	*	0.6	2.1	6.3	8.8	8.7	7.6	8.3	7.4
Non-Hispanic white, female												
2006 5/.....	2.3	*	*	*	0.4	1.0	2.8	4.5	3.4	3.5	4.0	4.6
2005 5/.....	2.2	*	*	*	0.3	0.9	2.5	4.3	3.7	3.2	3.1	5.2
2004 5/.....	2.0	*	*	*	0.4	1.0	2.4	3.8	2.8	3.2	3.2	3.2
2003 5/.....	1.8	*	*	*	0.2	0.8	2.5	3.4	3.0	3.0	2.7	3.3
2002.....	1.7	*	*	*	0.2	0.8	2.5	2.9	2.5	3.0	2.6	2.2
2001.....	1.6	*	*	*	0.2	0.8	2.3	2.7	2.6	2.4	3.0	2.6
2000.....	1.5	*	*	*	0.2	0.8	2.0	2.4	2.4	2.6	2.7	2.9
1999.....	1.4	*	*	*	0.2	0.8	1.9	2.1	2.4	2.7	2.5	2.5

Worktable Orig12. Death rates for 358 selected causes, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2006

[Rates per 100,000 population in specified group. Rates are based on populations enumerated as of April 1 for 2000 and estimated as of July 1 for all other years. Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.odc.gov/nchs> and refer to 'Detailed technical notes to the United States 2006 data-mortality']

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, and sex	All ages 1/	Under 1 year 2/	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
Mental and behavioral disorders due to psychoactive substance use (F10-F19)												
Non-Hispanic black, both sexes												
2006 5/.....	4.6	*	*	*	0.3	1.4	5.5	12.9	15.0	9.1	5.8	5.6
2005 5/.....	4.4	*	*	*	*	1.2	5.5	13.3	12.5	7.7	6.5	6.8
2004 5/.....	4.4	*	*	*	*	1.8	5.0	13.3	12.9	11.1	5.2	*
2003 5/.....	4.4	*	*	*	*	1.7	6.6	12.8	13.1	8.0	5.0	*
2002.....	4.6	*	*	*	*	1.6	6.8	13.1	14.1	9.1	5.5	*
2001.....	4.7	*	*	*	0.4	1.7	7.2	14.9	13.0	8.8	5.8	*
2000.....	4.6	*	*	*	0.5	2.2	6.9	14.0	12.9	9.4	5.9	*
1999.....	4.8	*	*	*	0.4	1.7	8.3	13.9	13.8	10.3	7.4	*
Non-Hispanic black, male												
2006 5/.....	7.1	*	*	*	*	1.9	7.4	19.9	27.4	18.2	9.7	*
2005 5/.....	6.7	*	*	*	*	1.8	7.3	21.0	22.4	15.1	14.0	*
2004 5/.....	7.1	*	*	*	*	3.0	7.3	20.6	24.7	22.7	10.8	*
2003 5/.....	6.9	*	*	*	*	2.2	9.2	21.6	23.3	14.9	11.0	*
2002.....	7.2	*	*	*	*	2.3	9.2	21.7	26.3	19.0	11.7	*
2001.....	7.6	*	*	*	0.7	2.6	10.4	24.5	24.6	18.2	12.0	*
2000.....	7.4	*	*	*	0.8	3.2	10.0	23.4	23.5	18.7	13.3	*
1999.....	7.6	*	*	*	*	2.3	12.2	22.1	25.5	20.6	15.6	*
Non-Hispanic black, female												
2006 5/.....	2.4	*	*	*	*	0.8	3.7	6.9	5.0	2.6	3.6	*
2005 5/.....	2.3	*	*	*	*	0.7	3.9	6.7	4.6	2.4	*	*
2004 5/.....	2.0	*	*	*	*	*	3.0	7.1	3.5	2.8	*	*
2003 5/.....	2.1	*	*	*	*	1.3	4.3	5.2	4.9	3.1	*	*
2002.....	2.2	*	*	*	*	1.1	4.7	5.8	4.2	*	*	*
2001.....	2.1	*	*	*	*	0.9	4.3	6.7	3.7	2.2	*	*
2000.....	2.2	*	*	*	*	1.3	4.2	5.9	4.5	2.8	*	*
1999.....	2.4	*	*	*	*	1.1	4.9	6.9	4.5	3.1	*	*

Worktable Orig12. Death rates for 358 selected causes, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2006

[Rates per 100,000 population in specified group. Rates are based on populations enumerated as of April 1 for 2000 and estimated as of July 1 for all other years. Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to 'Detailed technical notes to the United States 2006 data-mortality']

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, and sex	All ages 1/	Under 1 year 2/	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
Mental and behavioral disorders due to use of alcohol (F10)												
Non-Hispanic 4/, both sexes												
2006.....	2.7	*	*	*	0.2	0.6	2.8	6.2	6.3	4.5	3.3	2.4
2005.....	2.6	*	*	*	0.2	0.5	2.8	6.2	6.3	4.4	2.9	2.5
2004.....	2.6	*	*	*	0.2	0.7	2.8	5.9	6.2	5.0	3.3	2.0
2003.....	2.5	*	*	*	0.2	0.7	3.1	5.9	5.8	4.5	2.9	2.0
2002.....	2.5	*	*	*	0.1	0.6	3.1	5.6	5.8	4.5	3.0	1.9
2001.....	2.4	*	*	*	0.1	0.7	3.0	5.5	5.6	4.6	3.2	2.2
2000.....	2.3	*	*	*	0.1	0.7	2.9	5.1	5.3	4.5	3.1	2.5
1999.....	2.3	*	*	*	0.1	0.7	2.9	5.0	5.4	4.3	3.4	2.3
Non-Hispanic 4/, male												
2006.....	4.2	*	*	*	0.3	0.9	4.1	9.7	10.6	7.7	5.8	4.5
2005.....	4.1	*	*	*	0.3	0.8	4.2	9.5	10.3	7.4	5.8	4.5
2004.....	4.2	*	*	*	0.2	1.0	4.4	9.4	10.6	8.6	6.0	3.7
2003.....	4.0	*	*	*	0.2	1.1	4.7	9.3	9.5	7.5	5.4	3.6
2002.....	4.0	*	*	*	0.2	0.9	4.7	9.1	9.8	7.7	5.6	4.1
2001.....	3.8	*	*	*	0.3	1.1	4.5	8.8	9.2	8.0	5.5	4.9
2000.....	3.7	*	*	*	0.2	1.1	4.5	8.3	9.0	7.8	5.8	5.3
1999.....	3.6	*	*	*	0.2	0.9	4.5	8.1	9.0	7.3	6.7	4.9
Non-Hispanic 4/, female												
2006.....	1.2	*	*	*	*	0.3	1.5	2.9	2.4	1.8	1.5	1.4
2005.....	1.2	*	*	*	*	0.3	1.3	2.9	2.6	1.8	1.0	1.6
2004.....	1.1	*	*	*	*	0.4	1.4	2.6	2.2	1.9	1.4	1.2
2003.....	1.2	*	*	*	*	0.3	1.6	2.5	2.4	1.9	1.2	1.3
2002.....	1.1	*	*	*	*	0.3	1.6	2.3	2.0	1.8	1.3	1.0
2001.....	1.1	*	*	*	*	0.4	1.5	2.3	2.2	1.7	1.6	1.1
2000.....	1.0	*	*	*	*	0.3	1.3	2.0	2.0	1.7	1.4	1.4
1999.....	1.0	*	*	*	*	0.4	1.4	1.9	2.1	1.8	1.3	1.3
Non-Hispanic white, both sexes												
2006 5/.....	2.8	*	*	*	0.2	0.6	2.9	6.4	6.1	4.3	3.3	2.3
2005 5/.....	2.7	*	*	*	0.2	0.6	2.8	6.1	6.3	4.2	2.9	2.4
2004 5/.....	2.7	*	*	*	0.2	0.7	3.0	6.0	6.0	4.4	3.3	2.0
2003 5/.....	2.6	*	*	*	0.1	0.7	3.2	5.8	5.5	4.3	2.8	2.1
2002.....	2.5	*	*	*	0.1	0.6	3.2	5.6	5.2	4.1	2.9	1.9
2001.....	2.4	*	*	*	0.1	0.7	2.9	5.1	5.0	4.2	3.1	2.1
2000.....	2.2	*	*	*	0.1	0.7	2.8	4.7	4.7	4.1	3.0	2.5
1999.....	2.2	*	*	*	0.1	0.7	2.7	4.5	4.8	3.9	3.2	2.3
Non-Hispanic white, male												
2006 5/.....	4.4	*	*	*	0.3	0.9	4.2	9.9	9.9	7.3	5.8	4.5
2005 5/.....	4.2	*	*	*	0.3	0.8	4.4	9.4	10.1	6.9	5.5	4.4
2004 5/.....	4.3	*	*	*	0.2	0.9	4.5	9.4	10.0	7.5	6.0	3.8
2003 5/.....	4.0	*	*	*	0.2	1.1	4.8	9.0	8.7	7.2	5.1	3.5
2002.....	3.9	*	*	*	0.2	0.9	4.8	8.9	8.6	6.8	5.3	3.8
2001.....	3.7	*	*	*	0.2	1.0	4.2	8.1	8.1	7.2	5.3	4.6
2000.....	3.6	*	*	*	*	1.0	4.4	7.6	7.8	6.9	5.4	5.2
1999.....	3.4	*	*	*	0.2	1.0	4.2	7.4	7.7	6.3	6.3	4.7
Non-Hispanic white, female												
2006 5/.....	1.3	*	*	*	*	0.3	1.5	3.0	2.4	1.8	1.5	1.3
2005 5/.....	1.3	*	*	*	*	0.3	1.3	2.9	2.7	1.8	1.1	1.5
2004 5/.....	1.2	*	*	*	*	0.4	1.4	2.7	2.2	1.8	1.4	1.2
2003 5/.....	1.2	*	*	*	*	0.3	1.6	2.7	2.4	1.9	1.2	1.4
2002.....	1.1	*	*	*	*	0.3	1.5	2.3	1.9	1.9	1.3	1.0
2001.....	1.1	*	*	*	*	0.3	1.5	2.1	2.1	1.7	1.7	1.1
2000.....	1.0	*	*	*	*	0.4	1.2	1.8	1.9	1.7	1.5	1.4
1999.....	0.9	*	*	*	*	0.4	1.2	1.7	2.0	1.8	1.2	1.4

Worktable Orig12. Death rates for 358 selected causes, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2006

[Rates per 100,000 population in specified group. Rates are based on populations enumerated as of April 1 for 2000 and estimated as of July 1 for all other years. Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.odc.gov/nchs> and refer to 'Detailed technical notes to the United States 2006 data-mortality']

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, and sex	All ages 1/	Under 1 year 2/	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
Mental and behavioral disorders due to use of alcohol (F10)												
Non-Hispanic black, both sexes												
2006 5/.....	2.5	*	*	*	*	0.5	2.4	5.9	9.6	6.6	3.9	*
2005 5/.....	2.5	*	*	*	*	0.4	2.4	6.9	8.4	6.6	3.9	*
2004 5/.....	2.6	*	*	*	*	0.7	2.1	6.7	9.2	9.7	3.7	*
2003 5/.....	2.6	*	*	*	*	0.6	2.9	7.1	9.5	6.7	4.5	*
2002.....	2.8	*	*	*	*	0.6	3.2	7.3	11.1	8.1	4.8	*
2001.....	3.1	*	*	*	*	0.6	3.7	9.0	11.1	8.1	4.7	*
2000.....	3.0	*	*	*	*	0.9	3.2	8.8	10.9	8.6	5.0	*
1999.....	3.1	*	*	*	*	0.6	4.1	8.5	11.5	9.1	6.6	*
Non-Hispanic black, male												
2006 5/.....	4.0	*	*	*	*	*	3.3	9.8	18.4	13.4	7.8	*
2005 5/.....	4.0	*	*	*	*	*	3.5	11.7	15.0	13.4	9.3	*
2004 5/.....	4.4	*	*	*	*	1.2	3.5	11.6	18.1	19.7	7.7	*
2003 5/.....	4.4	*	*	*	*	1.1	4.4	12.9	17.6	12.6	10.1	*
2002.....	4.8	*	*	*	*	1.1	4.8	12.5	21.1	17.3	10.0	*
2001.....	5.3	*	*	*	*	1.0	6.1	15.3	21.2	16.9	10.2	*
2000.....	5.0	*	*	*	*	1.5	4.8	15.0	20.5	17.7	12.3	*
1999.....	5.0	*	*	*	*	*	6.2	14.0	21.6	18.6	13.4	*
Non-Hispanic black, female												
2006 5/.....	1.0	*	*	*	*	*	1.6	2.7	2.6	*	*	*
2005 5/.....	1.0	*	*	*	*	*	1.3	2.8	3.0	*	*	*
2004 5/.....	0.9	*	*	*	*	*	0.9	2.5	2.1	2.6	*	*
2003 5/.....	1.0	*	*	*	*	*	1.5	2.2	3.1	2.6	*	*
2002.....	1.1	*	*	*	*	*	1.8	2.8	3.2	*	*	*
2001.....	1.1	*	*	*	*	*	1.6	3.6	2.9	*	*	*
2000.....	1.1	*	*	*	*	*	1.8	3.4	3.2	2.2	*	*
1999.....	1.3	*	*	*	*	*	2.3	3.7	3.5	2.4	*	*

Worktable Orig12. Death rates for 358 selected causes, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2006

[Rates per 100,000 population in specified group. Rates are based on populations enumerated as of April 1 for 2000 and estimated as of July 1 for all other years. Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to 'Detailed technical notes to the United States 2006 data-mortality']

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, and sex	All ages 1/	Under 1 year 2/	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
Mental and behavioral disorders due to other psychoactive substance use (F11-F19)												
All origins 3/, both sexes												
2006.....	1.4	*	*	*	0.5	1.1	1.8	2.7	1.8	2.1	3.0	4.4
2005.....	1.3	*	*	*	0.4	1.0	1.9	2.6	1.7	1.7	2.7	4.2
2004.....	1.2	*	*	*	0.4	1.0	1.8	2.4	1.4	1.5	2.2	2.7
2003.....	1.1	*	*	*	0.3	0.9	1.8	2.1	1.2	1.5	1.8	2.3
2002.....	0.9	*	*	*	0.3	0.8	1.8	1.8	1.0	1.1	1.3	1.7
2001.....	0.9	*	*	*	0.3	0.8	1.6	1.8	0.8	0.8	1.4	1.8
2000.....	0.9	*	*	*	0.3	0.9	1.6	1.6	0.8	0.9	1.5	1.6
1999.....	0.9	*	*	*	0.3	0.9	1.8	1.6	0.9	1.0	1.4	1.5
All origins 3/, male												
2006.....	1.9	*	*	*	0.6	1.6	2.4	3.6	2.7	2.7	4.1	7.1
2005.....	1.8	*	*	*	0.6	1.4	2.5	3.6	2.5	2.1	3.8	6.0
2004.....	1.6	*	*	*	0.6	1.4	2.5	3.3	2.1	2.0	3.0	4.6
2003.....	1.5	*	*	*	0.5	1.3	2.5	3.2	1.7	2.0	2.5	3.8
2002.....	1.3	*	*	*	0.4	1.1	2.4	2.8	1.4	1.3	1.5	2.6
2001.....	1.2	*	*	*	0.4	1.2	2.1	2.7	1.2	1.1	1.6	2.8
2000.....	1.2	*	*	*	0.5	1.2	2.3	2.5	1.1	1.0	1.9	2.1
1999.....	1.3	*	*	*	0.4	1.3	2.7	2.3	1.3	1.3	2.0	2.5
All origins 3/, female												
2006.....	0.9	*	*	*	0.2	0.6	1.3	1.7	1.0	1.5	2.3	3.1
2005.....	0.9	*	*	*	0.2	0.5	1.3	1.5	0.9	1.2	1.9	3.4
2004.....	0.7	*	*	*	0.2	0.5	1.1	1.5	0.7	1.1	1.6	1.8
2003.....	0.7	*	*	*	0.2	0.5	1.1	1.1	0.7	1.0	1.3	1.7
2002.....	0.6	*	*	*	0.2	0.5	1.2	0.9	0.6	1.0	1.2	1.2
2001.....	0.5	*	*	*	0.1	0.4	1.0	0.9	0.5	0.6	1.3	1.4
2000.....	0.6	*	*	*	0.2	0.6	1.0	0.8	0.6	0.8	1.2	1.3
1999.....	0.5	*	*	*	0.1	0.4	0.9	0.8	0.4	0.8	1.1	1.1
Hispanic, both sexes												
2006.....	0.8	*	*	*	0.3	0.8	1.5	2.4	1.2	*	*	*
2005.....	0.9	*	*	*	0.3	0.9	1.7	2.6	1.5	*	*	*
2004.....	0.8	*	*	*	0.3	0.7	1.8	2.4	1.9	*	*	*
2003.....	0.9	*	*	*	*	0.9	2.0	2.6	1.2	*	*	*
2002.....	0.8	*	*	*	*	0.7	1.9	2.4	1.1	*	*	*
2001.....	0.7	*	*	*	*	0.5	1.8	2.0	1.1	*	*	*
2000.....	0.7	*	*	*	0.3	1.0	1.9	1.7	*	*	*	*
1999.....	0.9	*	*	*	0.4	1.1	2.0	2.6	1.2	*	*	*
Hispanic, male												
2006.....	1.2	*	*	*	*	1.1	2.0	3.7	2.2	*	*	*
2005.....	1.4	*	*	*	*	1.3	2.5	4.4	2.9	*	*	*
2004.....	1.3	*	*	*	*	1.1	2.6	3.5	3.3	*	*	*
2003.....	1.3	*	*	*	*	1.3	2.9	4.0	2.2	*	*	*
2002.....	1.2	*	*	*	*	1.1	3.0	4.0	*	*	*	*
2001.....	1.0	*	*	*	*	0.7	2.6	3.4	*	*	*	*
2000.....	1.1	*	*	*	*	1.3	2.9	2.6	*	*	*	*
1999.....	1.5	*	*	*	0.6	1.8	3.1	4.5	2.6	*	*	*
Hispanic, female												
2006.....	0.4	*	*	*	*	*	0.8	1.1	*	*	*	*
2005.....	0.4	*	*	*	*	*	0.8	*	*	*	*	*
2004.....	0.4	*	*	*	*	*	1.0	1.2	*	*	*	*
2003.....	0.4	*	*	*	*	*	0.9	1.3	*	*	*	*
2002.....	0.3	*	*	*	*	*	0.8	*	*	*	*	*
2001.....	0.3	*	*	*	*	*	0.9	*	*	*	*	*
2000.....	0.4	*	*	*	*	*	*	*	*	*	*	*
1999.....	0.3	*	*	*	*	*	0.8	*	*	*	*	*

Worktable Orig12. Death rates for 358 selected causes, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2006

[Rates per 100,000 population in specified group. Rates are based on populations enumerated as of April 1 for 2000 and estimated as of July 1 for all other years. Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to 'Detailed technical notes to the United States 2006 data-mortality']

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, and sex	All ages 1/	Under 1 year 2/	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
Mental and behavioral disorders due to other psychoactive substance use (F11-F19)												
Non-Hispanic 4/, both sexes												
2006.....	1.5	*	*	*	0.5	1.2	1.9	2.7	1.8	2.1	3.1	4.5
2005.....	1.4	*	*	*	0.5	1.0	1.9	2.5	1.7	1.7	2.7	4.3
2004.....	1.2	*	*	*	0.4	1.0	1.8	2.4	1.3	1.6	2.2	2.7
2003.....	1.1	*	*	*	0.3	0.9	1.8	2.0	1.1	1.5	1.8	2.3
2002.....	0.9	*	*	*	0.3	0.8	1.7	1.7	1.0	1.1	1.3	1.7
2001.....	0.9	*	*	*	0.3	0.9	1.5	1.7	0.8	0.8	1.4	1.8
2000.....	0.9	*	*	*	0.3	0.9	1.6	1.6	0.8	0.9	1.5	1.6
1999.....	0.9	*	*	*	0.3	0.8	1.7	1.4	0.8	1.0	1.5	1.5
Non-Hispanic 4/, male												
2006.....	2.0	*	*	*	0.7	1.7	2.4	3.6	2.7	2.7	4.1	7.3
2005.....	1.8	*	*	*	0.6	1.4	2.5	3.5	2.5	2.2	3.9	6.0
2004.....	1.7	*	*	*	0.6	1.5	2.5	3.3	2.0	2.0	3.1	4.6
2003.....	1.5	*	*	*	0.5	1.2	2.4	3.0	1.6	2.0	2.4	3.8
2002.....	1.3	*	*	*	0.4	1.1	2.2	2.6	1.4	1.3	1.5	2.7
2001.....	1.2	*	*	*	0.5	1.4	2.0	2.6	1.1	1.1	1.6	2.8
2000.....	1.2	*	*	*	0.5	1.2	2.2	2.4	1.1	1.0	2.0	2.1
1999.....	1.2	*	*	*	0.4	1.2	2.5	2.1	1.2	1.3	2.0	2.5
Non-Hispanic 4/, female												
2006.....	1.0	*	*	*	0.3	0.6	1.3	1.8	1.0	1.6	2.4	3.2
2005.....	0.9	*	*	*	0.2	0.6	1.3	1.6	1.0	1.3	1.9	3.5
2004.....	0.8	*	*	*	0.2	0.5	1.1	1.6	0.7	1.2	1.7	1.8
2003.....	0.7	*	*	*	0.2	0.5	1.2	1.1	0.7	1.1	1.4	1.7
2002.....	0.6	*	*	*	0.2	0.5	1.2	0.9	0.6	1.0	1.2	1.3
2001.....	0.6	*	*	*	*	0.5	1.0	0.9	0.5	0.7	1.3	1.4
2000.....	0.6	*	*	*	0.2	0.5	1.0	0.8	0.6	0.8	1.2	1.4
1999.....	0.5	*	*	*	0.1	0.5	0.9	0.8	0.5	0.8	1.1	1.1
Non-Hispanic white, both sexes												
2006 5/.....	1.4	*	*	*	0.6	1.3	1.8	2.1	1.5	2.1	3.2	4.6
2005 5/.....	1.4	*	*	*	0.6	1.1	1.8	2.1	1.5	1.8	2.8	4.5
2004 5/.....	1.2	*	*	*	0.5	1.1	1.7	1.9	1.1	1.7	2.3	2.7
2003 5/.....	1.0	*	*	*	0.4	0.9	1.5	1.6	0.9	1.6	2.0	2.5
2002.....	0.9	*	*	*	0.3	0.9	1.5	1.2	0.8	1.2	1.4	1.7
2001.....	0.8	*	*	*	0.3	0.9	1.2	1.2	0.7	0.9	1.5	1.9
2000.....	0.8	*	*	*	0.4	0.8	1.3	1.1	0.7	1.0	1.6	1.7
1999.....	0.8	*	*	*	0.3	0.8	1.4	0.9	0.6	1.1	1.6	1.6
Non-Hispanic white, male												
2006 5/.....	1.9	*	*	*	0.8	1.9	2.3	2.8	2.0	2.6	4.3	7.4
2005 5/.....	1.8	*	*	*	0.8	1.6	2.4	2.8	2.0	2.3	4.0	6.2
2004 5/.....	1.6	*	*	*	0.7	1.5	2.4	2.6	1.6	2.0	3.1	4.4
2003 5/.....	1.4	*	*	*	0.6	1.3	2.1	2.4	1.2	2.0	2.6	4.0
2002.....	1.1	*	*	*	0.5	1.2	2.0	1.8	1.0	1.3	1.5	2.8
2001.....	1.1	*	*	*	0.5	1.4	1.7	1.8	0.9	1.1	1.6	2.8
2000.....	1.1	*	*	*	0.5	1.2	1.8	1.7	0.9	1.0	2.1	2.1
1999.....	1.1	*	*	*	0.4	1.2	2.1	1.4	0.9	1.3	2.0	2.7
Non-Hispanic white, female												
2006 5/.....	1.0	*	*	*	0.3	0.7	1.3	1.4	0.9	1.7	2.5	3.3
2005 5/.....	0.9	*	*	*	0.3	0.6	1.2	1.3	1.0	1.4	2.0	3.7
2004 5/.....	0.8	*	*	*	0.3	0.6	1.0	1.1	0.6	1.4	1.8	2.0
2003 5/.....	0.6	*	*	*	0.2	0.4	0.9	0.8	0.6	1.2	1.5	1.9
2002.....	0.6	*	*	*	0.2	0.5	1.0	0.6	0.6	1.1	1.3	1.2
2001.....	0.5	*	*	*	0.4	0.8	0.6	0.5	0.5	0.7	1.4	1.5
2000.....	0.5	*	*	*	0.2	0.5	0.6	0.5	0.5	0.9	1.2	1.5
1999.....	0.5	*	*	*	*	0.4	0.6	0.5	0.4	0.9	1.3	1.2

Worktable Orig12. Death rates for 358 selected causes, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2006

[Rates per 100,000 population in specified group. Rates are based on populations enumerated as of April 1 for 2000 and estimated as of July 1 for all other years. Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.odc.gov/nchs> and refer to 'Detailed technical notes to the United States 2006 data-mortality']

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, and sex	All ages 1/	Under 1 year 2/	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
Mental and behavioral disorders due to other psychoactive substance use (F11-F19)												
Non-Hispanic black, both sexes												
2006 5/.....	2.2	*	*	*	*	0.9	3.1	6.9	5.3	2.6	*	*
2005 5/.....	1.9	*	*	*	*	0.8	3.1	6.4	4.1	*	2.6	*
2004 5/.....	1.9	*	*	*	*	1.0	2.9	6.6	3.7	1.4	*	*
2003 5/.....	1.8	*	*	*	*	1.1	3.7	5.6	3.5	1.3	*	*
2002.....	1.7	*	*	*	*	1.0	3.6	5.8	2.9	*	*	*
2001.....	1.7	*	*	*	*	1.1	3.5	5.9	1.9	*	*	*
2000.....	1.7	*	*	*	*	1.3	3.7	5.2	2.1	*	*	*
1999.....	1.8	*	*	*	*	1.1	4.2	5.5	2.3	*	*	*
Non-Hispanic black, male												
2006 5/.....	3.1	*	*	*	*	1.4	4.1	10.1	9.0	4.8	*	*
2005 5/.....	2.6	*	*	*	*	1.1	3.7	9.3	7.4	*	*	*
2004 5/.....	2.7	*	*	*	*	1.8	3.8	9.0	6.6	3.0	*	*
2003 5/.....	2.5	*	*	*	*	1.2	4.7	8.7	5.7	*	*	*
2002.....	2.5	*	*	*	*	1.1	4.4	9.2	5.3	*	*	*
2001.....	2.4	*	*	*	*	1.6	4.4	9.1	3.4	*	*	*
2000.....	2.4	*	*	*	*	1.7	5.2	8.3	3.0	*	*	*
1999.....	2.5	*	*	*	*	1.6	6.0	8.1	3.9	*	*	*
Non-Hispanic black, female												
2006 5/.....	1.3	*	*	*	*	*	2.1	4.2	2.4	*	*	*
2005 5/.....	1.2	*	*	*	*	*	2.5	3.9	1.5	*	*	*
2004 5/.....	1.1	*	*	*	*	*	2.0	4.6	1.3	*	*	*
2003 5/.....	1.1	*	*	*	*	1.1	2.7	3.0	1.8	*	*	*
2002.....	1.1	*	*	*	*	0.9	2.9	2.9	*	*	*	*
2001.....	1.0	*	*	*	*	*	2.7	3.1	*	*	*	*
2000.....	1.0	*	*	*	*	1.0	2.5	2.6	*	*	*	*
1999.....	1.1	*	*	*	*	0.8	2.7	3.2	*	*	*	*

Worktable Orig12. Death rates for 358 selected causes, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2006

[Rates per 100,000 population in specified group. Rates are based on populations enumerated as of April 1 for 2000 and estimated as of July 1 for all other years. Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to 'Detailed technical notes to the United States 2006 data-mortality']

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, and sex	All ages 1/	Under 1 year 2/	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
Schizophrenia, schizotypal and delusional disorders (F20-F29)												
Non-Hispanic 4/, both sexes												
2006.....	0.2	*	*	*	*	*	*	0.1	0.2	0.5	1.2	2.3
2005.....	0.2	*	*	*	*	*	*	0.1	0.2	0.4	1.2	2.5
2004.....	0.2	*	*	*	*	*	0.1	0.1	0.2	0.5	1.1	2.8
2003.....	0.2	*	*	*	*	*	0.1	0.1	0.1	0.6	1.1	2.7
2002.....	0.2	*	*	*	*	*	0.1	0.1	0.2	0.5	1.2	3.4
2001.....	0.2	*	*	*	*	*	0.1	0.1	0.2	0.4	1.2	2.7
2000.....	0.2	*	*	*	*	*	0.1	0.1	0.2	0.5	1.3	3.4
1999.....	0.2	*	*	*	*	*	*	0.1	0.2	0.4	1.5	5.0
Non-Hispanic 4/, male												
2006.....	0.2	*	*	*	*	*	*	0.2	0.2	0.5	1.1	1.6
2005.....	0.1	*	*	*	*	*	*	0.1	0.3	0.3	1.0	1.8
2004.....	0.2	*	*	*	*	*	*	0.2	0.3	0.5	1.0	2.4
2003.....	0.1	*	*	*	*	*	*	0.2	*	0.4	0.9	1.9
2002.....	0.2	*	*	*	*	*	*	0.2	0.2	0.5	0.9	2.0
2001.....	0.1	*	*	*	*	*	0.1	0.1	0.2	0.5	1.0	*
2000.....	0.2	*	*	*	*	*	*	0.1	0.2	0.5	1.1	2.5
1999.....	0.2	*	*	*	*	*	*	0.1	*	0.4	1.2	4.7
Non-Hispanic 4/, female												
2006.....	0.2	*	*	*	*	*	*	0.1	0.1	0.4	1.3	2.6
2005.....	0.2	*	*	*	*	*	*	*	0.2	0.5	1.4	2.8
2004.....	0.2	*	*	*	*	*	*	*	0.2	0.5	1.2	2.9
2003.....	0.2	*	*	*	*	*	*	*	0.2	0.6	1.3	3.1
2002.....	0.2	*	*	*	*	*	*	*	*	0.5	1.4	4.0
2001.....	0.2	*	*	*	*	*	*	*	0.2	0.3	1.3	3.2
2000.....	0.2	*	*	*	*	*	*	*	*	0.5	1.4	3.8
1999.....	0.3	*	*	*	*	*	*	*	*	0.4	1.6	5.1
Non-Hispanic white, both sexes												
2006 5/.....	0.2	*	*	*	*	*	*	0.1	0.2	0.5	1.2	2.4
2005 5/.....	0.2	*	*	*	*	*	*	0.1	0.2	0.4	1.2	2.6
2004 5/.....	0.2	*	*	*	*	*	*	0.1	0.2	0.5	1.1	2.7
2003 5/.....	0.2	*	*	*	*	*	*	0.1	0.1	0.6	1.2	2.9
2002.....	0.2	*	*	*	*	*	*	0.1	0.2	0.5	1.2	3.4
2001.....	0.2	*	*	*	*	*	0.1	0.1	0.2	0.4	1.2	2.8
2000.....	0.2	*	*	*	*	*	*	0.1	0.2	0.5	1.3	3.5
1999.....	0.2	*	*	*	*	*	*	0.1	0.2	0.4	1.4	5.1
Non-Hispanic white, male												
2006 5/.....	0.2	*	*	*	*	*	*	0.1	0.2	0.6	1.1	1.6
2005 5/.....	0.1	*	*	*	*	*	*	*	0.3	*	1.0	1.9
2004 5/.....	0.2	*	*	*	*	*	*	0.2	0.3	0.5	1.0	1.9
2003 5/.....	0.1	*	*	*	*	*	*	0.2	*	0.5	0.9	2.0
2002.....	0.2	*	*	*	*	*	*	0.2	0.2	0.5	0.8	2.0
2001.....	0.2	*	*	*	*	*	*	*	*	0.5	1.0	*
2000.....	0.2	*	*	*	*	*	*	*	0.2	0.6	1.1	2.5
1999.....	0.2	*	*	*	*	*	*	*	*	0.5	1.1	4.8
Non-Hispanic white, female												
2006 5/.....	0.2	*	*	*	*	*	*	*	*	0.5	1.3	2.8
2005 5/.....	0.3	*	*	*	*	*	*	*	0.2	0.5	1.4	2.9
2004 5/.....	0.2	*	*	*	*	*	*	*	0.2	0.5	1.2	3.1
2003 5/.....	0.3	*	*	*	*	*	*	*	*	0.7	1.4	3.3
2002.....	0.3	*	*	*	*	*	*	*	*	0.5	1.4	4.1
2001.....	0.2	*	*	*	*	*	*	*	*	0.2	1.4	3.4
2000.....	0.3	*	*	*	*	*	*	*	*	0.5	1.4	3.9
1999.....	0.3	*	*	*	*	*	*	*	*	0.4	1.7	5.2

Worktable Orig12. Death rates for 358 selected causes, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2006

[Rates per 100,000 population in specified group. Rates are based on populations enumerated as of April 1 for 2000 and estimated as of July 1 for all other years. Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to 'Detailed technical notes to the United States 2006 data-mortality']

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, and sex	All ages 1/	Under 1 year 2/	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
Mood (affective) disorders (F30-F39)												
Non-Hispanic 4/, both sexes												
2006.....	0.3	*	*	*	*	*	*	0.1	0.1	0.3	1.8	6.7
2005.....	0.3	*	*	*	*	*	*	0.1	0.1	0.3	2.1	7.6
2004.....	0.3	*	*	*	*	*	*	0.1	0.1	0.4	2.0	8.7
2003.....	0.4	*	*	*	*	*	*	0.1	0.1	0.4	2.1	10.9
2002.....	0.3	*	*	*	*	*	*	0.1	0.1	0.4	2.3	9.3
2001.....	0.3	*	*	*	*	*	0.1	0.1	0.1	0.5	2.2	9.8
2000.....	0.3	*	*	*	*	*	*	0.1	0.1	0.4	1.9	10.1
1999.....	0.3	*	*	*	*	*	*	*	0.1	0.4	2.4	9.6
Non-Hispanic 4/, male												
2006.....	0.2	*	*	*	*	*	*	*	*	0.3	1.2	5.8
2005.....	0.2	*	*	*	*	*	*	*	*	0.3	1.7	6.2
2004.....	0.2	*	*	*	*	*	*	*	*	0.5	1.5	7.4
2003.....	0.2	*	*	*	*	*	*	*	*	0.4	1.9	8.3
2002.....	0.2	*	*	*	*	*	*	*	*	0.3	1.6	6.8
2001.....	0.2	*	*	*	*	*	*	0.1	*	0.5	1.8	8.3
2000.....	0.2	*	*	*	*	*	*	*	*	0.4	1.5	9.4
1999.....	0.2	*	*	*	*	*	*	*	*	0.4	2.1	9.1
Non-Hispanic 4/, female												
2006.....	0.4	*	*	*	*	*	*	*	0.2	0.4	2.2	7.2
2005.....	0.4	*	*	*	*	*	*	*	*	0.4	2.3	8.3
2004.....	0.4	*	*	*	*	*	*	*	0.2	0.4	2.3	9.2
2003.....	0.5	*	*	*	*	*	*	*	0.1	0.4	2.3	12.0
2002.....	0.5	*	*	*	*	*	*	*	0.2	0.5	2.8	10.4
2001.....	0.4	*	*	*	*	*	*	*	*	0.5	2.5	10.4
2000.....	0.4	*	*	*	*	*	*	*	*	0.4	2.3	10.3
1999.....	0.4	*	*	*	*	*	*	*	*	0.5	2.6	9.8
Non-Hispanic white, both sexes												
2006 5/.....	0.3	*	*	*	*	*	*	0.1	0.1	0.4	2.0	7.1
2005 5/.....	0.4	*	*	*	*	*	*	0.1	0.1	0.4	2.3	8.4
2004 5/.....	0.4	*	*	*	*	*	*	0.1	0.1	0.5	2.1	9.4
2003 5/.....	0.4	*	*	*	*	*	*	0.1	0.2	0.4	2.2	11.7
2002.....	0.4	*	*	*	*	*	*	0.1	0.2	0.5	2.4	10.0
2001.....	0.4	*	*	*	*	*	0.1	*	0.1	0.5	2.4	10.3
2000.....	0.4	*	*	*	*	*	*	0.1	0.2	0.4	2.1	10.9
1999.....	0.4	*	*	*	*	*	*	*	0.1	0.5	2.6	10.4
Non-Hispanic white, male												
2006 5/.....	0.2	*	*	*	*	*	*	*	*	0.3	1.3	6.1
2005 5/.....	0.2	*	*	*	*	*	*	*	*	0.3	1.8	6.7
2004 5/.....	0.2	*	*	*	*	*	*	*	*	0.5	1.6	7.9
2003 5/.....	0.3	*	*	*	*	*	*	*	*	0.4	2.0	8.9
2002.....	0.2	*	*	*	*	*	*	*	*	0.4	1.7	7.4
2001.....	0.3	*	*	*	*	*	*	*	*	0.6	1.9	8.7
2000.....	0.3	*	*	*	*	*	*	*	*	0.4	1.5	10.5
1999.....	0.3	*	*	*	*	*	*	*	*	0.4	2.2	9.8
Non-Hispanic white, female												
2006 5/.....	0.5	*	*	*	*	*	*	*	0.2	0.4	2.4	7.6
2005 5/.....	0.5	*	*	*	*	*	*	*	*	0.4	2.6	9.1
2004 5/.....	0.5	*	*	*	*	*	*	*	*	0.4	2.4	10.1
2003 5/.....	0.6	*	*	*	*	*	*	*	0.2	0.4	2.4	12.9
2002.....	0.6	*	*	*	*	*	*	*	*	0.6	2.9	11.2
2001.....	0.5	*	*	*	*	*	*	*	*	0.5	2.7	11.0
2000.....	0.5	*	*	*	*	*	*	*	*	0.5	2.4	11.0
1999.....	0.5	*	*	*	*	*	*	*	*	0.5	2.9	10.6

Worktable Orig12. Death rates for 358 selected causes, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2006

[Rates per 100,000 population in specified group. Rates are based on populations enumerated as of April 1 for 2000 and estimated as of July 1 for all other years. Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to 'Detailed technical notes to the United States 2006 data-mortality']

Table with columns: Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, and sex; All ages 1/; Under 1 year 2/; 1-4 years; 5-14 years; 15-24 years; 25-34 years; 35-44 years; 45-54 years; 55-64 years; 65-74 years; 75-84 years; 85 years and over. Rows include: Mental retardation (F70-F79) - Non-Hispanic 4/, both sexes; Non-Hispanic 4/, male; Non-Hispanic 4/, female; Non-Hispanic white, both sexes; Non-Hispanic white, male; Non-Hispanic white, female.

Worktable Orig12. Death rates for 358 selected causes, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2006

[Rates per 100,000 population in specified group. Rates are based on populations enumerated as of April 1 for 2000 and estimated as of July 1 for all other years. Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to 'Detailed technical notes to the United States 2006 data-mortality']

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, and sex	All ages 1/	Under 1 year 2/	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
Other and unspecified mental and behavioral disorders (F50-F69,F80-F99)												
Non-Hispanic 4/, both sexes												
2006.....	0.1	*	*	*	0.1	0.1	0.1	0.1	0.1	0.2	0.7	2.3
2005.....	0.1	*	*	*	*	*	*	0.1	*	0.2	0.6	2.8
2004.....	0.2	*	*	*	0.1	*	0.1	0.1	0.1	0.1	0.7	4.0
2003.....	0.2	*	*	*	0.1	0.1	0.1	0.1	0.1	0.2	0.9	4.4
2002.....	0.2	*	*	*	*	0.1	0.1	0.1	*	0.2	0.8	4.4
2001.....	0.2	*	*	*	*	0.1	*	*	*	0.2	0.7	4.1
2000.....	0.2	*	*	*	*	*	*	*	*	0.2	0.7	3.9
1999.....	0.2	*	*	*	*	*	0.1	0.1	*	0.3	0.6	4.0
Non-Hispanic 4/, male												
2006.....	0.1	*	*	*	*	*	*	*	*	*	0.9	2.4
2005.....	0.1	*	*	*	*	*	*	*	*	*	0.6	2.6
2004.....	0.1	*	*	*	*	*	*	*	*	*	0.7	3.7
2003.....	0.1	*	*	*	*	*	*	*	*	*	1.0	4.2
2002.....	0.1	*	*	*	*	*	*	*	*	*	0.9	3.5
2001.....	0.1	*	*	*	*	*	*	*	*	*	0.7	3.5
2000.....	0.1	*	*	*	*	*	*	*	*	*	0.6	3.2
1999.....	0.1	*	*	*	*	*	*	*	*	0.3	0.5	2.5
Non-Hispanic 4/, female												
2006.....	0.2	*	*	*	*	0.1	0.1	*	0.2	0.2	0.5	2.3
2005.....	0.2	*	*	*	*	*	*	*	*	*	0.6	2.8
2004.....	0.2	*	*	*	0.1	*	0.1	0.1	0.2	*	0.8	4.1
2003.....	0.3	*	*	*	0.1	0.1	0.1	*	*	0.3	0.9	4.4
2002.....	0.2	*	*	*	*	0.2	0.1	0.1	*	0.2	0.7	4.7
2001.....	0.2	*	*	*	*	*	*	*	*	*	0.7	4.4
2000.....	0.2	*	*	*	*	*	*	*	*	*	0.8	4.2
1999.....	0.2	*	*	*	*	*	*	*	*	0.2	0.7	4.6
Non-Hispanic white, both sexes												
2006 5/.....	0.2	*	*	*	0.1	0.1	0.1	*	0.1	0.2	0.7	2.3
2005 5/.....	0.1	*	*	*	*	*	*	0.1	*	0.1	0.6	2.7
2004 5/.....	0.2	*	*	*	0.1	*	0.1	0.1	0.1	*	0.8	4.1
2003 5/.....	0.2	*	*	*	0.1	*	0.1	0.1	0.1	0.2	0.9	4.4
2002.....	0.2	*	*	*	*	0.1	0.1	0.1	*	0.2	0.8	4.3
2001.....	0.2	*	*	*	*	*	*	*	*	0.2	0.7	4.4
2000.....	0.2	*	*	*	*	*	*	*	*	0.2	0.7	4.0
1999.....	0.2	*	*	*	*	*	0.1	*	*	0.3	0.7	4.3
Non-Hispanic white, male												
2006 5/.....	0.1	*	*	*	*	*	*	*	*	*	0.9	2.3
2005 5/.....	0.1	*	*	*	*	*	*	*	*	*	0.6	2.4
2004 5/.....	0.1	*	*	*	*	*	*	*	*	*	0.7	3.5
2003 5/.....	0.1	*	*	*	*	*	*	*	*	*	1.0	4.3
2002.....	0.1	*	*	*	*	*	*	*	*	*	0.9	3.6
2001.....	0.1	*	*	*	*	*	*	*	*	*	0.6	3.6
2000.....	0.1	*	*	*	*	*	*	*	*	*	0.6	3.2
1999.....	0.1	*	*	*	*	*	*	*	*	0.3	0.6	2.7
Non-Hispanic white, female												
2006 5/.....	0.2	*	*	*	*	*	0.1	*	0.2	*	0.5	2.4
2005 5/.....	0.2	*	*	*	*	*	*	*	*	*	0.6	2.8
2004 5/.....	0.3	*	*	*	0.2	*	*	*	0.2	*	0.8	4.4
2003 5/.....	0.3	*	*	*	*	*	0.1	*	*	0.3	0.8	4.5
2002.....	0.3	*	*	*	*	0.2	0.1	*	*	*	0.7	4.7
2001.....	0.2	*	*	*	*	*	*	*	*	*	0.8	4.7
2000.....	0.2	*	*	*	*	*	*	*	*	*	0.8	4.3
1999.....	0.3	*	*	*	*	*	*	*	*	*	0.8	5.0

Worktable Orig12. Death rates for 358 selected causes, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2006

[Rates per 100,000 population in specified group. Rates are based on populations enumerated as of April 1 for 2000 and estimated as of July 1 for all other years. Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to 'Detailed technical notes to the United States 2006 data-mortality']

Table with 14 columns: Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, and sex; All ages 1/; Under 1 year 2/; 1-4 years; 5-14 years; 15-24 years; 25-34 years; 35-44 years; 45-54 years; 55-64 years; 65-74 years; 75-84 years; 85 years and over. The table contains data for various causes of death, grouped by sex (both sexes, male, female) and Hispanic origin (Hispanic, non-Hispanic).

Worktable Orig12. Death rates for 358 selected causes, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2006

[Rates per 100,000 population in specified group. Rates are based on populations enumerated as of April 1 for 2000 and estimated as of July 1 for all other years. Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.odc.gov/nchs> and refer to 'Detailed technical notes to the United States 2006 data-mortality']

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, and sex	All ages 1/	Under 1 year 2/	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
VI. Diseases of the nervous system (G00-G98)												
Non-Hispanic black, both sexes												
2006 5/.....	23.7	12.9	2.5	1.7	3.1	4.1	6.8	13.8	27.4	63.0	231.1	790.2
2005 5/.....	24.3	10.8	2.9	2.2	2.9	4.0	7.1	13.9	26.5	66.5	243.7	822.5
2004 5/.....	22.7	10.7	3.3	1.9	3.1	4.3	6.2	13.2	25.7	58.3	235.5	786.6
2003 5/.....	21.6	14.5	2.8	2.1	2.7	4.1	7.0	14.2	25.5	61.9	217.0	708.0
2002.....	20.2	12.1	3.4	1.7	3.0	4.0	6.8	14.0	23.2	58.5	199.3	660.9
2001.....	19.6	15.1	3.3	1.7	3.0	4.2	6.6	12.9	24.4	55.2	202.6	631.8
2000.....	18.5	14.7	3.5	1.9	2.6	3.6	6.8	13.8	23.2	56.8	185.8	567.3
1999.....	17.2	18.3	3.5	1.9	3.1	3.2	6.3	13.8	22.5	55.8	168.9	487.6
Non-Hispanic black, male												
2006 5/.....	18.9	14.8	2.5	1.9	3.7	4.2	6.9	14.7	30.6	72.5	246.4	620.3
2005 5/.....	19.8	12.1	3.2	2.5	3.8	4.6	7.5	14.3	29.6	75.3	265.2	697.5
2004 5/.....	18.0	10.8	3.3	1.8	3.8	4.1	6.6	14.8	27.8	64.8	243.3	671.7
2003 5/.....	18.1	12.4	3.2	2.2	3.2	4.9	7.7	15.6	28.9	70.4	238.9	629.7
2002.....	17.1	12.4	3.9	1.9	3.7	4.7	7.9	15.5	25.1	70.4	219.8	571.0
2001.....	16.7	17.6	3.0	1.5	3.8	4.9	7.7	14.0	25.7	64.1	223.0	599.4
2000.....	15.9	18.1	3.3	2.0	2.7	3.8	7.9	13.9	27.4	65.3	206.7	544.8
1999.....	15.1	16.6	3.4	2.4	4.1	3.7	7.3	15.3	24.2	61.8	181.7	486.1
Non-Hispanic black, female												
2006 5/.....	28.2	10.9	2.4	1.6	2.5	4.1	6.8	13.0	24.7	56.2	222.5	859.5
2005 5/.....	28.5	9.4	2.6	1.9	1.9	3.4	6.7	13.6	24.1	60.2	231.5	872.8
2004 5/.....	27.0	10.6	3.4	2.0	2.4	4.5	5.9	11.8	24.1	53.6	231.0	832.0
2003 5/.....	24.8	16.8	2.3	1.9	2.3	3.4	6.4	13.0	22.8	55.8	204.7	738.3
2002.....	22.9	11.7	2.8	1.5	2.3	3.3	5.8	12.7	21.7	50.1	187.7	695.2
2001.....	22.3	12.4	3.6	1.9	2.2	3.6	5.6	11.8	23.4	48.9	191.2	643.8
2000.....	20.9	11.3	3.6	1.8	2.5	3.5	5.8	13.8	19.9	50.9	174.0	575.6
1999.....	19.1	20.0	3.6	1.5	2.1	2.8	5.5	12.5	21.1	51.6	161.8	488.1

Worktable Orig12. Death rates for 358 selected causes, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2006

[Rates per 100,000 population in specified group. Rates are based on populations enumerated as of April 1 for 2000 and estimated as of July 1 for all other years. Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to 'Detailed technical notes to the United States 2006 data-mortality']

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, and sex	All ages 1/	Under 1 year 2/	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
Meningitis (G00,G03)												
Non-Hispanic 4/, both sexes												
2006.....	0.2	1.6	*	*	*	0.1	0.2	0.3	0.2	0.4	0.7	0.9
2005.....	0.2	1.5	0.2	0.1	0.1	0.1	0.2	0.3	0.4	0.4	0.6	0.9
2004.....	0.2	1.8	0.2	0.1	0.1	0.1	0.2	0.3	0.3	0.5	0.7	0.9
2003.....	0.3	1.9	0.2	*	0.1	0.1	0.2	0.3	0.4	0.5	0.7	1.1
2002.....	0.3	2.1	*	0.1	0.1	0.1	0.1	0.3	0.3	0.6	0.6	1.2
2001.....	0.3	2.2	0.2	0.1	0.1	0.1	0.2	0.3	0.5	0.6	0.7	0.9
2000.....	0.3	2.7	0.3	0.1	*	0.1	0.2	0.3	0.4	0.6	1.0	1.2
1999.....	0.3	3.2	0.3	0.1	0.1	0.1	0.2	0.3	0.4	0.6	1.0	1.4
Non-Hispanic 4/, male												
2006.....	0.2	1.7	*	*	*	*	0.2	0.3	0.3	0.4	0.8	*
2005.....	0.3	1.5	*	*	*	0.1	0.2	0.3	0.4	0.4	0.6	*
2004.....	0.3	1.8	*	*	*	*	0.2	0.4	0.3	0.4	0.7	*
2003.....	0.3	1.6	*	*	*	0.1	0.2	0.4	0.5	0.6	0.8	*
2002.....	0.3	2.1	*	*	*	*	0.2	0.4	0.4	0.7	0.8	*
2001.....	0.3	2.1	*	*	0.1	0.1	0.2	0.3	0.5	0.6	0.9	*
2000.....	0.3	2.7	*	*	*	*	0.2	0.3	0.5	0.8	1.2	*
1999.....	0.3	3.1	0.3	*	0.1	0.1	0.2	0.4	0.4	0.7	1.1	*
Non-Hispanic 4/, female												
2006.....	0.2	1.6	*	*	*	*	0.2	0.2	0.2	0.4	0.6	0.8
2005.....	0.2	1.5	*	*	*	*	0.2	0.2	0.3	0.4	0.6	0.8
2004.....	0.2	1.9	*	*	*	*	*	0.2	0.3	0.6	0.6	0.7
2003.....	0.2	2.2	*	*	*	*	0.1	0.2	0.3	0.5	0.7	1.0
2002.....	0.2	2.0	*	*	*	*	*	0.2	0.3	0.5	0.5	1.2
2001.....	0.2	2.3	*	*	*	*	0.1	0.2	0.4	0.4	0.6	0.7
2000.....	0.3	2.7	*	*	*	0.1	0.1	0.2	0.3	0.5	0.8	1.1
1999.....	0.3	3.3	*	*	*	0.1	0.1	0.2	0.4	0.5	1.0	1.4
Non-Hispanic white, both sexes												
2006 5/.....	0.2	1.5	*	*	*	0.1	0.1	0.3	0.2	0.4	0.6	0.9
2005 5/.....	0.2	1.1	*	*	*	*	0.1	0.2	0.3	0.4	0.5	0.8
2004 5/.....	0.2	1.6	*	*	*	*	0.1	0.2	0.3	0.4	0.6	0.8
2003 5/.....	0.2	1.5	*	*	*	*	0.1	0.2	0.3	0.5	0.7	1.0
2002.....	0.2	1.9	*	0.1	*	*	0.1	0.2	0.2	0.5	0.5	1.2
2001.....	0.2	1.6	*	*	0.1	0.1	0.1	0.2	0.4	0.5	0.7	0.7
2000.....	0.2	2.1	*	*	*	0.1	0.1	0.2	0.3	0.5	0.9	1.1
1999.....	0.3	2.2	0.3	*	*	0.1	0.1	0.2	0.3	0.5	0.9	1.3
Non-Hispanic white, male												
2006 5/.....	0.2	*	*	*	*	*	0.1	0.3	0.2	0.4	0.8	*
2005 5/.....	0.2	*	*	*	*	*	0.2	0.3	0.3	0.4	0.6	*
2004 5/.....	0.2	1.9	*	*	*	*	0.2	0.3	0.2	0.3	0.7	*
2003 5/.....	0.3	1.8	*	*	*	*	0.1	0.3	0.4	0.5	0.8	*
2002.....	0.2	1.9	*	*	*	*	0.1	0.2	0.3	0.7	0.7	*
2001.....	0.3	*	*	*	*	*	*	0.3	0.4	0.5	0.8	*
2000.....	0.3	2.3	*	*	*	*	0.1	0.3	0.4	0.7	1.1	*
1999.....	0.3	2.8	*	*	*	*	0.1	0.3	0.4	0.6	0.9	*
Non-Hispanic white, female												
2006 5/.....	0.2	*	*	*	*	*	0.1	0.2	0.2	0.4	0.5	0.8
2005 5/.....	0.2	*	*	*	*	*	*	0.2	0.3	0.3	0.5	0.8
2004 5/.....	0.2	*	*	*	*	*	*	*	0.3	0.5	0.5	*
2003 5/.....	0.2	*	*	*	*	*	*	0.2	0.2	0.5	0.6	0.8
2002.....	0.2	1.8	*	*	*	*	*	0.2	0.2	0.4	0.4	1.3
2001.....	0.2	1.9	*	*	*	*	*	0.2	0.3	0.4	0.6	*
2000.....	0.2	1.8	*	*	*	*	*	0.2	0.2	0.3	0.6	1.0
1999.....	0.3	*	*	*	*	*	0.1	0.2	0.3	0.5	0.8	1.2

Worktable Orig12. Death rates for 358 selected causes, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2006

[Rates per 100,000 population in specified group. Rates are based on populations enumerated as of April 1 for 2000 and estimated as of July 1 for all other years. Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to 'Detailed technical notes to the United States 2006 data-mortality']

Table with columns for Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, and sex, and age groups (All ages 1/, Under 1 year 2/, 1-4 years, 5-14 years, 15-24 years, 25-34 years, 35-44 years, 45-54 years, 55-64 years, 65-74 years, 75-84 years, 85 years and over). Rows include 'Other inflammatory diseases of central nervous system (G04-G09)' and sub-sections for 'All origins 3/, both sexes', 'All origins 3/, male', 'All origins 3/, female', 'Hispanic, both sexes', 'Hispanic, male', and 'Hispanic, female'.

Worktable Orig12. Death rates for 358 selected causes, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2006

[Rates per 100,000 population in specified group. Rates are based on populations enumerated as of April 1 for 2000 and estimated as of July 1 for all other years. Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to 'Detailed technical notes to the United States 2006 data-mortality']

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, and sex	All ages 1/	Under 1 year 2/	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
Other inflammatory diseases of central nervous system (G04-G09)												
Non-Hispanic 4/, both sexes												
2006.....	0.3	*	*	*	0.1	0.1	0.1	0.2	0.4	0.6	1.0	1.2
2005.....	0.2	*	*	*	0.1	0.1	0.1	0.3	0.3	0.7	0.9	1.0
2004.....	0.2	*	*	*	0.1	0.1	0.1	0.2	0.3	0.6	1.1	1.2
2003.....	0.3	*	*	0.1	0.1	0.1	0.2	0.2	0.4	0.7	1.2	1.0
2002.....	0.3	*	*	*	0.1	0.1	0.2	0.2	0.4	0.6	1.3	1.2
2001.....	0.2	*	*	*	0.1	0.1	0.1	0.2	0.4	0.7	1.0	1.0
2000.....	0.2	*	*	0.1	0.1	0.1	0.1	0.2	0.3	0.6	1.1	1.0
1999.....	0.2	*	*	0.1	0.1	0.1	0.1	0.2	0.3	0.6	0.8	1.0
Non-Hispanic 4/, male												
2006.....	0.3	*	*	*	*	*	0.2	0.2	0.5	0.8	1.3	1.6
2005.....	0.3	*	*	*	*	*	0.2	0.3	0.4	0.8	1.0	1.4
2004.....	0.3	*	*	*	*	*	0.1	0.2	0.4	0.8	1.5	1.6
2003.....	0.3	*	*	*	*	*	0.2	0.3	0.4	0.9	1.4	*
2002.....	0.3	*	*	*	*	0.1	0.2	0.3	0.4	0.8	1.7	*
2001.....	0.2	*	*	*	*	*	0.1	0.3	0.4	0.7	1.2	1.8
2000.....	0.2	*	*	*	*	*	0.2	0.2	0.3	0.7	1.5	*
1999.....	0.2	*	*	*	*	*	0.2	0.2	0.4	0.6	1.2	*
Non-Hispanic 4/, female												
2006.....	0.2	*	*	*	0.1	*	*	0.2	0.3	0.5	0.8	1.0
2005.....	0.2	*	*	*	*	*	*	0.2	0.2	0.5	0.8	0.9
2004.....	0.2	*	*	*	*	0.1	0.1	0.2	0.3	0.4	0.8	1.0
2003.....	0.2	*	*	*	*	*	0.1	0.1	0.3	0.5	1.1	0.9
2002.....	0.2	*	*	*	*	0.1	0.1	0.2	0.3	0.5	1.0	1.2
2001.....	0.2	*	*	*	*	0.2	0.1	0.2	0.3	0.6	0.9	0.7
2000.....	0.2	*	*	*	*	*	0.1	0.1	0.3	0.5	0.9	0.9
1999.....	0.2	*	*	*	*	*	0.1	0.2	0.2	0.6	0.6	0.9
Non-Hispanic white, both sexes												
2006 5/.....	0.2	*	*	*	0.1	*	0.1	0.2	0.4	0.6	1.0	1.2
2005 5/.....	0.2	*	*	*	*	*	0.1	0.2	0.3	0.6	0.9	1.0
2004 5/.....	0.2	*	*	*	*	*	0.1	0.2	0.3	0.6	1.1	1.2
2003 5/.....	0.3	*	*	*	*	*	0.1	0.2	0.3	0.7	1.2	1.1
2002.....	0.3	*	*	*	0.1	0.1	0.2	0.4	0.6	1.2	1.4	
2001.....	0.2	*	*	*	*	0.1	0.1	0.2	0.4	0.6	1.0	1.0
2000.....	0.2	*	*	*	*	*	0.1	0.2	0.3	0.6	1.1	1.0
1999.....	0.2	*	*	*	*	*	0.1	0.2	0.3	0.6	0.9	1.0
Non-Hispanic white, male												
2006 5/.....	0.3	*	*	*	*	*	*	0.2	0.5	0.7	1.4	1.6
2005 5/.....	0.2	*	*	*	*	*	0.2	0.2	0.3	0.7	1.1	*
2004 5/.....	0.3	*	*	*	*	*	*	0.2	0.4	0.8	1.5	*
2003 5/.....	0.3	*	*	*	*	*	0.2	0.2	0.4	0.8	1.4	*
2002.....	0.3	*	*	*	*	*	0.1	0.2	0.4	0.8	1.6	*
2001.....	0.2	*	*	*	*	*	*	0.2	0.4	0.7	1.1	1.9
2000.....	0.2	*	*	*	*	*	0.1	0.2	0.3	0.7	1.5	*
1999.....	0.2	*	*	*	*	*	0.1	0.4	0.5	1.2	1.2	*
Non-Hispanic white, female												
2006 5/.....	0.2	*	*	*	*	*	*	0.2	0.3	0.5	0.8	1.0
2005 5/.....	0.2	*	*	*	*	*	*	0.2	0.2	0.5	0.8	0.9
2004 5/.....	0.2	*	*	*	*	*	*	0.1	0.2	0.5	0.8	1.1
2003 5/.....	0.2	*	*	*	*	*	*	*	0.3	0.6	1.0	1.0
2002.....	0.2	*	*	*	*	*	*	0.2	0.3	0.5	1.0	1.3
2001.....	0.2	*	*	*	*	*	*	0.2	0.3	0.5	0.9	*
2000.....	0.2	*	*	*	*	*	*	0.1	0.3	0.4	0.8	0.9
1999.....	0.2	*	*	*	*	*	*	0.2	*	0.6	0.6	0.9

Worktable Orig12. Death rates for 358 selected causes, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2006

[Rates per 100,000 population in specified group. Rates are based on populations enumerated as of April 1 for 2000 and estimated as of July 1 for all other years. Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to 'Detailed technical notes to the United States 2006 data-mortality']

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, and sex	All ages 1/	Under 1 year 2/	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
Parkinson's disease (G20-G21)												
All origins 3/, both sexes												
2006.....	6.5	*	*	*	*	*	*	0.2	1.3	12.2	69.8	144.8
2005.....	6.6	*	*	*	*	*	*	0.2	1.4	13.0	71.2	143.7
2004.....	6.1	*	*	*	*	*	*	0.2	1.2	12.0	67.5	135.8
2003.....	6.2	*	*	*	*	*	*	0.2	1.3	12.7	67.8	138.2
2002.....	5.9	*	*	*	*	*	*	0.1	1.2	12.2	63.9	135.2
2001.....	5.8	*	*	*	*	*	*	0.1	1.2	11.7	64.6	134.2
2000.....	5.6	*	*	*	*	*	*	0.1	1.1	11.5	61.9	131.9
1999.....	5.2	*	*	*	*	*	*	0.1	1.0	11.0	58.2	124.4
All origins 3/, male												
2006.....	7.7	*	*	*	*	*	*	0.2	1.7	17.6	104.7	231.7
2005.....	7.7	*	*	*	*	*	*	0.2	1.9	18.7	107.2	228.6
2004.....	7.2	*	*	*	*	*	*	0.2	1.6	17.3	101.7	220.0
2003.....	7.1	*	*	*	*	*	*	0.2	1.6	18.2	100.7	222.4
2002.....	6.8	*	*	*	*	*	*	0.2	1.5	17.9	94.7	220.1
2001.....	6.7	*	*	*	*	*	*	0.2	1.8	16.8	97.0	224.4
2000.....	6.4	*	*	*	*	*	*	0.2	1.5	16.1	92.8	222.3
1999.....	6.0	*	*	*	*	*	*	0.2	1.4	15.7	89.5	205.6
All origins 3/, female												
2006.....	5.4	*	*	*	*	*	*	0.1	0.8	7.7	45.9	104.1
2005.....	5.5	*	*	*	*	*	*	0.1	1.0	8.1	46.8	104.7
2004.....	5.1	*	*	*	*	*	*	*	0.8	7.5	44.4	97.9
2003.....	5.3	*	*	*	*	*	*	0.1	0.9	8.1	45.8	101.0
2002.....	5.0	*	*	*	*	*	*	*	0.9	7.4	43.5	98.4
2001.....	4.9	*	*	*	*	*	*	*	0.7	7.5	43.3	96.4
2000.....	4.8	*	*	*	*	*	*	0.1	0.8	7.6	41.7	95.0
1999.....	4.5	*	*	*	*	*	*	*	0.7	7.1	37.8	91.7
Hispanic, both sexes												
2006.....	1.6	*	*	*	*	*	*	*	*	8.9	41.5	93.9
2005.....	1.7	*	*	*	*	*	*	*	0.9	9.0	48.5	95.0
2004.....	1.4	*	*	*	*	*	*	*	1.0	6.8	44.1	85.1
2003.....	1.3	*	*	*	*	*	*	*	*	7.9	40.3	77.7
2002.....	1.3	*	*	*	*	*	*	*	1.1	8.6	37.2	76.5
2001.....	1.3	*	*	*	*	*	*	*	*	8.6	41.5	86.3
2000.....	1.2	*	*	*	*	*	*	*	*	7.8	37.7	86.3
1999.....	1.1	*	*	*	*	*	*	*	*	8.1	38.3	77.2
Hispanic, male												
2006.....	1.8	*	*	*	*	*	*	*	*	11.7	63.9	151.1
2005.....	1.9	*	*	*	*	*	*	*	*	13.5	71.2	138.2
2004.....	1.6	*	*	*	*	*	*	*	*	9.5	66.5	126.1
2003.....	1.5	*	*	*	*	*	*	*	*	12.4	58.3	129.3
2002.....	1.4	*	*	*	*	*	*	*	*	13.6	50.1	113.8
2001.....	1.4	*	*	*	*	*	*	*	*	11.2	63.0	127.6
2000.....	1.3	*	*	*	*	*	*	*	*	9.7	55.1	143.1
1999.....	1.3	*	*	*	*	*	*	*	*	11.4	58.9	105.7
Hispanic, female												
2006.....	1.3	*	*	*	*	*	*	*	*	6.6	25.9	63.5
2005.....	1.5	*	*	*	*	*	*	*	*	5.3	32.8	72.3
2004.....	1.2	*	*	*	*	*	*	*	*	4.7	28.6	64.1
2003.....	1.1	*	*	*	*	*	*	*	*	4.3	27.9	51.6
2002.....	1.1	*	*	*	*	*	*	*	*	4.7	28.4	58.0
2001.....	1.2	*	*	*	*	*	*	*	*	6.6	26.9	66.1
2000.....	1.1	*	*	*	*	*	*	*	*	6.3	26.1	56.4
1999.....	1.0	*	*	*	*	*	*	*	*	5.5	24.6	63.4

Worktable Orig12. Death rates for 358 selected causes, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2006

[Rates per 100,000 population in specified group. Rates are based on populations enumerated as of April 1 for 2000 and estimated as of July 1 for all other years. Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to 'Detailed technical notes to the United States 2006 data-mortality']

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, and sex	All ages 1/	Under 1 year 2/	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
Parkinson's disease (G20-G21)												
Non-Hispanic 4/, both sexes												
2006.....	7.4	*	*	*	*	*	*	0.2	1.3	12.5	71.5	147.2
2005.....	7.4	*	*	*	*	*	*	0.2	1.5	13.2	72.5	145.9
2004.....	6.9	*	*	*	*	*	*	0.2	1.2	12.4	68.6	137.9
2003.....	7.0	*	*	*	*	*	*	0.2	1.3	13.0	69.1	140.6
2002.....	6.6	*	*	*	*	*	*	0.1	1.2	12.4	65.1	137.4
2001.....	6.5	*	*	*	*	*	*	0.1	1.2	11.9	65.5	135.6
2000.....	6.2	*	*	*	*	*	*	0.1	1.1	11.7	62.8	133.3
1999.....	5.8	*	*	*	*	*	*	0.1	1.1	11.1	58.9	125.8
Non-Hispanic 4/, male												
2006.....	8.7	*	*	*	*	*	*	0.2	1.8	18.0	107.2	235.9
2005.....	8.7	*	*	*	*	*	*	0.2	2.0	19.1	109.3	233.1
2004.....	8.1	*	*	*	*	*	*	0.3	1.6	17.8	103.4	224.4
2003.....	8.0	*	*	*	*	*	*	0.2	1.7	18.5	102.7	226.5
2002.....	7.6	*	*	*	*	*	*	0.2	1.5	18.2	96.7	224.4
2001.....	7.5	*	*	*	*	*	*	0.2	1.8	17.1	98.3	227.8
2000.....	7.1	*	*	*	*	*	*	0.2	1.5	16.5	94.2	225.2
1999.....	6.7	*	*	*	*	*	*	0.2	1.5	15.9	90.6	209.4
Non-Hispanic 4/, female												
2006.....	6.1	*	*	*	*	*	*	0.1	0.8	7.8	47.1	106.0
2005.....	6.1	*	*	*	*	*	*	*	1.0	8.3	47.5	106.1
2004.....	5.7	*	*	*	*	*	*	*	0.8	7.8	45.3	99.2
2003.....	5.9	*	*	*	*	*	*	0.2	0.9	8.4	46.6	102.8
2002.....	5.6	*	*	*	*	*	*	*	0.9	7.6	44.2	99.8
2001.....	5.4	*	*	*	*	*	*	*	0.7	7.6	44.0	97.3
2000.....	5.3	*	*	*	*	*	*	*	0.8	7.7	42.3	96.1
1999.....	4.9	*	*	*	*	*	*	*	0.7	7.1	38.3	92.3
Non-Hispanic white, both sexes												
2006 5/.....	8.9	*	*	*	*	*	*	0.1	1.4	13.3	76.8	157.0
2005 5/.....	8.9	*	*	*	*	*	*	0.2	1.6	14.2	77.4	155.5
2004 5/.....	8.2	*	*	*	*	*	*	0.2	1.3	13.5	73.3	145.5
2003 5/.....	8.3	*	*	*	*	*	*	0.2	1.3	14.0	73.7	148.8
2002.....	7.9	*	*	*	*	*	*	0.2	1.3	13.3	69.6	145.8
2001.....	7.7	*	*	*	*	*	*	0.1	1.3	12.8	69.9	143.5
2000.....	7.3	*	*	*	*	*	*	0.1	1.2	12.6	66.7	141.2
1999.....	6.8	*	*	*	*	*	*	0.1	1.1	11.9	62.4	132.8
Non-Hispanic white, male												
2006 5/.....	10.4	*	*	*	*	*	*	0.2	1.9	19.1	114.0	252.4
2005 5/.....	10.4	*	*	*	*	*	*	0.2	2.1	20.3	116.1	247.9
2004 5/.....	9.7	*	*	*	*	*	*	0.3	1.7	19.2	110.0	236.3
2003 5/.....	9.5	*	*	*	*	*	*	0.2	1.7	19.8	109.0	237.9
2002.....	9.1	*	*	*	*	*	*	0.2	1.6	19.3	102.9	237.8
2001.....	9.0	*	*	*	*	*	*	0.2	2.0	18.3	104.5	241.7
2000.....	8.4	*	*	*	*	*	*	0.2	1.6	17.6	99.2	238.6
1999.....	7.9	*	*	*	*	*	*	0.2	1.6	17.1	95.7	221.0
Non-Hispanic white, female												
2006 5/.....	7.4	*	*	*	*	*	*	*	0.9	8.4	51.0	112.5
2005 5/.....	7.4	*	*	*	*	*	*	*	1.1	9.0	50.7	113.2
2004 5/.....	6.8	*	*	*	*	*	*	*	0.9	8.5	48.3	104.8
2003 5/.....	7.1	*	*	*	*	*	*	0.2	1.0	9.0	49.8	109.6
2002.....	6.7	*	*	*	*	*	*	*	1.0	8.1	47.3	106.0
2001.....	6.5	*	*	*	*	*	*	*	0.7	8.2	46.9	102.7
2000.....	6.3	*	*	*	*	*	*	*	0.9	8.3	45.3	101.9
1999.....	5.8	*	*	*	*	*	*	*	0.7	7.6	40.5	97.7

Worktable Orig12. Death rates for 358 selected causes, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2006

[Rates per 100,000 population in specified group. Rates are based on populations enumerated as of April 1 for 2000 and estimated as of July 1 for all other years. Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.odc.gov/nchs> and refer to 'Detailed technical notes to the United States 2006 data-mortality']

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, and sex	All ages 1/	Under 1 year 2/	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
Parkinson's disease (G20-G21)												
Non-Hispanic black, both sexes												
2006 5/.....	1.8	*	*	*	*	*	*	*	1.0	7.5	30.6	51.8
2005 5/.....	1.9	*	*	*	*	*	*	*	0.8	7.3	34.4	57.3
2004 5/.....	1.7	*	*	*	*	*	*	*	0.7	5.5	29.8	61.6
2003 5/.....	1.7	*	*	*	*	*	*	*	1.2	7.2	29.4	53.5
2002.....	1.5	*	*	*	*	*	*	*	*	6.7	25.7	51.7
2001.....	1.5	*	*	*	*	*	*	*	0.8	5.6	25.7	59.0
2000.....	1.5	*	*	*	*	*	*	*	*	5.8	27.3	52.5
1999.....	1.4	*	*	*	*	*	*	*	0.9	5.9	24.8	51.7
Non-Hispanic black, male												
2006 5/.....	2.1	*	*	*	*	*	*	*	*	12.1	51.4	71.5
2005 5/.....	2.3	*	*	*	*	*	*	*	*	12.6	54.9	99.0
2004 5/.....	1.9	*	*	*	*	*	*	*	*	8.6	44.5	106.7
2003 5/.....	2.0	*	*	*	*	*	*	*	1.8	10.6	45.6	99.1
2002.....	1.8	*	*	*	*	*	*	*	*	11.1	40.4	87.5
2001.....	1.7	*	*	*	*	*	*	*	*	8.8	38.1	99.3
2000.....	1.8	*	*	*	*	*	*	*	*	9.0	47.5	88.1
1999.....	1.6	*	*	*	*	*	*	*	*	8.7	38.5	87.9
Non-Hispanic black, female												
2006 5/.....	1.5	*	*	*	*	*	*	*	*	4.3	18.8	43.7
2005 5/.....	1.5	*	*	*	*	*	*	*	*	3.6	22.7	40.6
2004 5/.....	1.5	*	*	*	*	*	*	*	*	3.3	21.6	43.8
2003 5/.....	1.4	*	*	*	*	*	*	*	*	4.8	20.2	35.9
2002.....	1.3	*	*	*	*	*	*	*	*	3.6	17.4	38.0
2001.....	1.4	*	*	*	*	*	*	*	*	3.3	18.7	44.1
2000.....	1.2	*	*	*	*	*	*	*	*	3.5	16.0	39.2
1999.....	1.3	*	*	*	*	*	*	*	*	3.9	17.2	38.2

Worktable Orig12. Death rates for 358 selected causes, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2006

[Rates per 100,000 population in specified group. Rates are based on populations enumerated as of April 1 for 2000 and estimated as of July 1 for all other years. Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to 'Detailed technical notes to the United States 2006 data-mortality']

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, and sex	All ages 1/	Under 1 year 2/	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
Alzheimer's disease (630)												
All origins 3/, both sexes												
2006.....	24.2	*	*	*	*	*	*	0.2	2.1	20.2	175.6	848.3
2005.....	24.2	*	*	*	*	*	*	0.2	2.1	20.5	177.3	861.6
2004.....	22.5	*	*	*	*	*	*	0.2	1.9	19.7	168.7	818.8
2003.....	21.8	*	*	*	*	*	*	0.2	2.0	20.9	164.4	802.4
2002.....	20.4	*	*	*	*	*	*	0.1	1.9	19.7	158.1	752.3
2001.....	18.9	*	*	*	*	*	*	0.2	2.1	18.7	147.5	710.3
2000.....	17.6	*	*	*	*	*	*	0.2	2.0	18.7	139.6	667.7
1999.....	16.0	*	*	*	*	*	*	0.2	1.9	17.4	129.5	601.3
All origins 3/, male												
2006.....	14.3	*	*	*	*	*	*	0.2	2.0	19.7	156.6	638.6
2005.....	14.1	*	*	*	*	*	*	0.1	2.0	19.3	157.7	639.9
2004.....	13.1	*	*	*	*	*	*	0.2	1.8	18.5	149.0	619.6
2003.....	12.8	*	*	*	*	*	*	0.2	1.8	20.2	147.6	606.5
2002.....	12.0	*	*	*	*	*	*	0.1	1.8	18.6	142.2	572.0
2001.....	11.3	*	*	*	*	*	*	0.2	1.9	17.7	136.3	556.1
2000.....	10.5	*	*	*	*	*	*	0.2	1.8	18.7	127.6	522.1
1999.....	9.8	*	*	*	*	*	*	0.2	1.9	17.3	122.6	485.7
All origins 3/, female												
2006.....	33.8	*	*	*	*	*	*	0.2	2.1	20.5	188.7	946.4
2005.....	33.9	*	*	*	*	*	*	0.2	2.3	21.4	190.5	963.4
2004.....	31.5	*	*	*	*	*	*	0.3	1.9	20.8	181.9	908.4
2003.....	30.5	*	*	*	*	*	*	0.2	2.1	21.5	175.7	889.0
2002.....	28.5	*	*	*	*	*	*	0.1	2.0	20.6	168.7	830.5
2001.....	26.3	*	*	*	*	*	*	0.2	2.3	19.5	154.8	774.9
2000.....	24.5	*	*	*	*	*	*	0.2	2.2	18.6	147.4	727.0
1999.....	21.9	*	*	*	*	*	*	0.2	1.8	17.5	134.0	648.0
Hispanic, both sexes												
2006.....	5.4	*	*	*	*	*	*	*	1.9	12.5	110.4	514.5
2005.....	5.2	*	*	*	*	*	*	*	1.3	13.0	109.8	507.8
2004.....	4.6	*	*	*	*	*	*	*	1.0	12.0	99.5	490.9
2003.....	4.6	*	*	*	*	*	*	*	1.3	14.6	103.7	493.4
2002.....	3.8	*	*	*	*	*	*	*	*	10.8	89.2	438.5
2001.....	3.4	*	*	*	*	*	*	*	*	9.9	83.9	399.5
2000.....	3.2	*	*	*	*	*	*	*	*	11.9	79.2	380.2
1999.....	2.9	*	*	*	*	*	*	*	*	9.7	75.4	351.5
Hispanic, male												
2006.....	3.5	*	*	*	*	*	*	*	2.1	13.1	107.2	404.8
2005.....	3.5	*	*	*	*	*	*	*	*	13.9	112.6	412.2
2004.....	2.8	*	*	*	*	*	*	*	*	11.5	93.0	374.1
2003.....	3.1	*	*	*	*	*	*	*	*	13.8	101.2	426.4
2002.....	2.3	*	*	*	*	*	*	*	*	10.5	80.4	341.3
2001.....	2.1	*	*	*	*	*	*	*	*	8.8	83.2	306.6
2000.....	2.1	*	*	*	*	*	*	*	*	13.3	81.6	284.2
1999.....	1.8	*	*	*	*	*	*	*	*	11.2	66.7	278.2
Hispanic, female												
2006.....	7.4	*	*	*	*	*	*	*	1.6	12.0	112.6	572.8
2005.....	7.0	*	*	*	*	*	*	*	1.6	12.3	107.9	557.9
2004.....	6.5	*	*	*	*	*	*	*	*	12.5	104.0	551.0
2003.....	6.2	*	*	*	*	*	*	*	*	15.3	105.3	527.3
2002.....	5.4	*	*	*	*	*	*	*	*	10.9	95.3	486.6
2001.....	4.7	*	*	*	*	*	*	*	*	10.7	84.3	444.9
2000.....	4.3	*	*	*	*	*	*	*	*	10.8	77.6	427.3
1999.....	4.0	*	*	*	*	*	*	*	*	8.4	81.2	386.8

Worktable Orig12. Death rates for 358 selected causes, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2006

[Rates per 100,000 population in specified group. Rates are based on populations enumerated as of April 1 for 2000 and estimated as of July 1 for all other years. Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to 'Detailed technical notes to the United States 2006 data-mortality']

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, and sex	All ages 1/	Under 1 year 2/	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
Alzheimer's disease (630)												
Non-Hispanic 4/, both sexes												
2006.....	27.4	*	*	*	*	*	*	0.2	2.1	20.7	179.5	864.3
2005.....	27.3	*	*	*	*	*	*	0.2	2.2	21.0	181.0	877.5
2004.....	25.4	*	*	*	*	*	*	0.2	1.9	20.2	172.3	832.6
2003.....	24.5	*	*	*	*	*	*	0.2	2.0	21.3	167.3	814.0
2002.....	22.9	*	*	*	*	*	*	0.1	2.0	20.3	161.1	763.2
2001.....	21.2	*	*	*	*	*	*	0.2	2.2	19.2	150.2	720.5
2000.....	19.6	*	*	*	*	*	*	0.2	2.1	19.0	142.0	676.7
1999.....	17.7	*	*	*	*	*	*	0.2	2.0	17.8	131.5	608.9
Non-Hispanic 4/, male												
2006.....	16.3	*	*	*	*	*	*	0.3	2.0	20.2	159.5	651.1
2005.....	15.9	*	*	*	*	*	*	0.2	2.0	19.7	160.2	650.9
2004.....	14.9	*	*	*	*	*	*	0.2	1.9	19.0	152.0	631.2
2003.....	14.4	*	*	*	*	*	*	0.2	1.9	20.5	149.8	613.6
2002.....	13.6	*	*	*	*	*	*	0.2	1.9	19.1	145.0	581.4
2001.....	12.7	*	*	*	*	*	*	0.2	2.0	18.3	138.6	565.2
2000.....	11.7	*	*	*	*	*	*	0.2	1.8	19.0	129.6	531.0
1999.....	10.9	*	*	*	*	*	*	0.2	2.0	17.7	124.8	492.8
Non-Hispanic 4/, female												
2006.....	38.0	*	*	*	*	*	*	0.2	2.2	21.2	193.2	963.4
2005.....	38.2	*	*	*	*	*	*	0.2	2.3	22.1	195.2	980.9
2004.....	35.3	*	*	*	*	*	*	0.3	2.0	21.3	186.0	922.7
2003.....	34.1	*	*	*	*	*	*	0.2	2.2	22.0	179.0	902.1
2002.....	31.9	*	*	*	*	*	*	0.1	2.1	21.2	171.8	841.6
2001.....	29.3	*	*	*	*	*	*	0.2	2.4	20.0	157.8	785.1
2000.....	27.2	*	*	*	*	*	*	0.2	2.3	19.1	150.0	735.6
1999.....	24.2	*	*	*	*	*	*	0.2	1.9	18.0	135.9	655.4
Non-Hispanic white, both sexes												
2006 5/.....	32.2	*	*	*	*	*	*	0.3	2.3	21.7	187.1	896.5
2005 5/.....	31.9	*	*	*	*	*	*	0.2	2.4	21.7	187.5	909.1
2004 5/.....	29.6	*	*	*	*	*	*	0.3	2.1	21.1	178.1	861.9
2003 5/.....	28.7	*	*	*	*	*	*	0.2	2.2	22.2	173.9	846.9
2002.....	26.9	*	*	*	*	*	*	0.2	2.1	21.3	168.2	793.9
2001.....	24.8	*	*	*	*	*	*	0.2	2.4	20.3	155.6	749.2
2000.....	22.9	*	*	*	*	*	*	0.2	2.2	19.9	147.4	705.1
1999.....	20.7	*	*	*	*	*	*	0.2	2.1	18.6	136.7	636.6
Non-Hispanic white, male												
2006 5/.....	19.1	*	*	*	*	*	*	0.3	2.1	21.0	165.9	676.4
2005 5/.....	18.5	*	*	*	*	*	*	0.2	2.2	20.1	164.7	673.6
2004 5/.....	17.3	*	*	*	*	*	*	0.2	2.0	19.6	157.0	653.3
2003 5/.....	16.8	*	*	*	*	*	*	0.2	2.0	21.2	154.8	638.1
2002.....	15.8	*	*	*	*	*	*	0.2	2.0	19.9	150.5	605.4
2001.....	14.7	*	*	*	*	*	*	0.2	2.1	19.1	143.0	587.2
2000.....	13.6	*	*	*	*	*	*	0.2	2.0	19.8	134.6	551.7
1999.....	12.7	*	*	*	*	*	*	0.2	2.2	18.3	129.8	515.1
Non-Hispanic white, female												
2006 5/.....	44.8	*	*	*	*	*	*	0.2	2.4	22.4	201.8	999.2
2005 5/.....	44.8	*	*	*	*	*	*	0.3	2.5	23.0	203.3	1,016.8
2004 5/.....	41.4	*	*	*	*	*	*	0.4	2.2	22.3	192.5	955.3
2003 5/.....	40.2	*	*	*	*	*	*	0.2	2.5	23.0	186.8	938.8
2002.....	37.6	*	*	*	*	*	*	0.2	2.3	22.5	180.1	875.3
2001.....	34.4	*	*	*	*	*	*	0.2	2.7	21.3	163.9	816.6
2000.....	31.9	*	*	*	*	*	*	0.2	2.5	20.0	155.8	767.0
1999.....	28.4	*	*	*	*	*	*	0.2	2.0	18.8	141.2	685.0

Worktable Orig12. Death rates for 358 selected causes, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2006

[Rates per 100,000 population in specified group. Rates are based on populations enumerated as of April 1 for 2000 and estimated as of July 1 for all other years. Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.odc.gov/nchs> and refer to 'Detailed technical notes to the United States 2006 data-mortality']

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, and sex	All ages 1/	Under 1 year 2/	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
Alzheimer's disease (630)												
Non-Hispanic black, both sexes												
2006 5/.....	11.7	*	*	*	*	*	*	*	1.7	19.1	149.3	674.5
2005 5/.....	12.3	*	*	*	*	*	*	*	1.5	22.7	160.1	698.8
2004 5/.....	11.4	*	*	*	*	*	*	*	1.3	19.4	155.4	666.9
2003 5/.....	10.1	*	*	*	*	*	*	*	1.1	19.6	140.3	591.1
2002.....	9.1	*	*	*	*	*	*	*	1.2	16.8	124.2	548.7
2001.....	8.7	*	*	*	*	*	*	*	1.1	15.5	126.9	513.2
2000.....	7.7	*	*	*	*	*	*	*	1.3	16.1	111.6	450.9
1999.....	6.7	*	*	*	*	*	*	*	1.2	15.5	99.1	374.7
Non-Hispanic black, male												
2006 5/.....	6.5	*	*	*	*	*	*	*	1.7	19.3	134.9	478.3
2005 5/.....	7.2	*	*	*	*	*	*	*	*	22.8	152.8	527.2
2004 5/.....	6.5	*	*	*	*	*	*	*	*	19.4	138.6	507.0
2003 5/.....	6.2	*	*	*	*	*	*	*	*	20.5	138.8	465.6
2002.....	5.5	*	*	*	*	*	*	*	*	17.9	122.5	414.6
2001.....	5.3	*	*	*	*	*	*	*	*	16.3	123.6	420.4
2000.....	4.6	*	*	*	*	*	*	*	*	16.9	98.7	378.1
1999.....	4.2	*	*	*	*	*	*	*	*	16.8	90.7	320.9
Non-Hispanic black, female												
2006 5/.....	16.4	*	*	*	*	*	*	*	1.6	18.9	157.5	754.5
2005 5/.....	16.9	*	*	*	*	*	*	*	1.7	22.7	164.3	767.9
2004 5/.....	15.8	*	*	*	*	*	*	*	1.4	19.4	164.9	730.0
2003 5/.....	13.7	*	*	*	*	*	*	*	*	18.9	141.1	639.7
2002.....	12.5	*	*	*	*	*	*	*	*	16.1	125.2	599.9
2001.....	11.8	*	*	*	*	*	*	*	*	15.0	128.7	547.5
2000.....	10.6	*	*	*	*	*	*	*	*	15.6	118.8	478.0
1999.....	9.0	*	*	*	*	*	*	*	*	14.5	103.8	394.9

Worktable Orig12. Death rates for 358 selected causes, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2006

[Rates per 100,000 population in specified group. Rates are based on populations enumerated as of April 1 for 2000 and estimated as of July 1 for all other years. Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to 'Detailed technical notes to the United States 2006 data-mortality']

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, and sex	All ages 1/	Under 1 year 2/	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
Multiple sclerosis (G35)												
Non-Hispanic 4/, both sexes												
2006.....	1.3	*	*	*	*	0.1	0.6	1.9	3.6	4.1	4.0	2.5
2005.....	1.3	*	*	*	*	0.1	0.6	2.1	3.6	3.9	4.1	2.3
2004.....	1.3	*	*	*	*	0.1	0.6	2.0	3.6	4.0	3.7	2.7
2003.....	1.2	*	*	*	*	0.1	0.7	2.1	3.3	3.8	3.7	2.3
2002.....	1.2	*	*	*	*	0.1	0.7	2.1	3.4	3.6	3.5	2.3
2001.....	1.2	*	*	*	*	0.1	0.7	2.1	3.3	3.5	3.6	2.1
2000.....	1.1	*	*	*	*	0.2	0.7	2.0	3.2	3.2	3.2	1.8
1999.....	1.1	*	*	*	*	0.1	0.7	2.0	2.7	3.0	3.1	2.1
Non-Hispanic 4/, male												
2006.....	0.9	*	*	*	*	*	0.4	1.3	2.6	3.2	3.3	1.8
2005.....	0.9	*	*	*	*	*	0.4	1.5	2.4	2.6	3.0	1.3
2004.....	0.9	*	*	*	*	*	0.4	1.4	2.5	3.1	2.8	1.7
2003.....	0.9	*	*	*	*	*	0.5	1.5	2.6	2.9	2.7	1.5
2002.....	0.9	*	*	*	*	*	0.5	1.4	2.7	2.6	2.7	2.0
2001.....	0.8	*	*	*	*	*	0.5	1.5	2.4	2.8	2.8	1.6
2000.....	0.8	*	*	*	*	*	0.6	1.5	2.3	2.4	2.4	1.9
1999.....	0.7	*	*	*	*	*	0.5	1.3	1.9	2.5	2.3	*
Non-Hispanic 4/, female												
2006.....	1.7	*	*	*	*	0.1	0.7	2.4	4.5	4.9	4.5	2.8
2005.....	1.8	*	*	*	*	0.2	0.8	2.7	4.7	4.9	4.8	2.8
2004.....	1.7	*	*	*	*	0.2	0.8	2.6	4.5	4.8	4.4	3.2
2003.....	1.6	*	*	*	*	0.2	0.8	2.6	4.0	4.5	4.4	2.6
2002.....	1.6	*	*	*	*	*	0.9	2.8	4.0	4.4	4.0	2.4
2001.....	1.5	*	*	*	*	0.2	1.0	2.6	4.2	4.1	4.1	2.4
2000.....	1.4	*	*	*	*	0.2	0.8	2.5	4.0	3.8	3.7	1.8
1999.....	1.4	*	*	*	*	0.2	0.9	2.7	3.4	3.4	3.6	2.4
Non-Hispanic white, both sexes												
2006 5/.....	1.5	*	*	*	*	0.1	0.5	2.0	3.7	4.5	4.3	2.6
2005 5/.....	1.5	*	*	*	*	0.1	0.6	2.2	3.9	4.2	4.3	2.4
2004 5/.....	1.5	*	*	*	*	0.1	0.6	2.1	3.7	4.4	4.1	3.0
2003 5/.....	1.4	*	*	*	*	0.1	0.6	2.1	3.6	4.0	3.9	2.4
2002.....	1.4	*	*	*	*	*	0.7	2.2	3.6	3.9	3.7	2.5
2001.....	1.3	*	*	*	*	0.1	0.7	2.2	3.5	3.8	3.9	2.3
2000.....	1.2	*	*	*	*	0.1	0.7	2.1	3.3	3.4	3.4	2.0
1999.....	1.2	*	*	*	*	0.1	0.7	2.1	2.9	3.2	3.4	2.3
Non-Hispanic white, male												
2006 5/.....	1.1	*	*	*	*	*	0.4	1.4	2.7	3.5	3.5	1.9
2005 5/.....	1.0	*	*	*	*	*	0.4	1.6	2.6	2.9	3.1	*
2004 5/.....	1.0	*	*	*	*	*	0.4	1.5	2.7	3.3	2.8	1.9
2003 5/.....	1.0	*	*	*	*	*	0.5	1.5	2.8	3.1	2.9	*
2002.....	1.0	*	*	*	*	*	0.5	1.5	3.0	2.8	2.9	2.2
2001.....	1.0	*	*	*	*	*	0.5	1.6	2.6	3.1	3.0	1.8
2000.....	0.9	*	*	*	*	*	0.5	1.6	2.4	2.7	2.6	2.1
1999.....	0.8	*	*	*	*	*	0.5	1.4	2.1	2.7	2.5	*
Non-Hispanic white, female												
2006 5/.....	1.9	*	*	*	*	*	0.6	2.6	4.7	5.4	4.9	3.0
2005 5/.....	2.0	*	*	*	*	*	0.8	2.7	5.1	5.3	5.2	2.9
2004 5/.....	1.9	*	*	*	*	*	0.8	2.7	4.7	5.3	4.9	3.4
2003 5/.....	1.8	*	*	*	*	*	0.8	2.7	4.3	4.8	4.6	2.8
2002.....	1.7	*	*	*	*	*	0.8	2.8	4.2	4.8	4.3	2.6
2001.....	1.7	*	*	*	*	*	0.9	2.7	4.4	4.4	4.4	2.5
2000.....	1.6	*	*	*	*	*	0.2	0.9	2.6	4.2	4.1	1.9
1999.....	1.5	*	*	*	*	*	0.9	2.8	3.7	3.6	4.0	2.6

Worktable Orig12. Death rates for 358 selected causes, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2006

[Rates per 100,000 population in specified group. Rates are based on populations enumerated as of April 1 for 2000 and estimated as of July 1 for all other years. Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.odc.gov/nchs> and refer to 'Detailed technical notes to the United States 2006 data-mortality']

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, and sex	All ages 1/	Under 1 year 2/	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
Multiple sclerosis (G35)												
Non-Hispanic black, both sexes												
2006 5/.....	1.0	*	*	*	*	*	1.1	2.0	3.9	2.5	2.2	*
2005 5/.....	1.0	*	*	*	*	*	1.0	2.4	3.0	2.9	2.7	*
2004 5/.....	0.9	*	*	*	*	*	0.9	2.0	3.8	2.6	*	*
2003 5/.....	1.0	*	*	*	*	0.4	1.0	2.5	2.7	3.1	2.5	*
2002.....	0.9	*	*	*	*	*	1.1	2.7	2.9	2.5	*	*
2001.....	0.8	*	*	*	*	*	1.1	2.2	2.8	2.2	*	*
2000.....	0.9	*	*	*	*	*	1.2	2.3	3.4	2.0	*	*
1999.....	0.7	*	*	*	*	*	1.0	2.0	1.9	2.4	*	*
Non-Hispanic black, male												
2006 5/.....	0.6	*	*	*	*	*	*	1.3	2.5	*	*	*
2005 5/.....	0.6	*	*	*	*	*	*	1.5	2.0	*	*	*
2004 5/.....	0.6	*	*	*	*	*	*	1.3	1.8	2.9	*	*
2003 5/.....	0.7	*	*	*	*	*	*	1.8	2.0	*	*	*
2002.....	0.5	*	*	*	*	*	*	1.6	1.8	*	*	*
2001.....	0.5	*	*	*	*	*	*	1.4	*	*	*	*
2000.....	0.6	*	*	*	*	*	1.0	1.3	2.9	*	*	*
1999.....	0.5	*	*	*	*	*	*	1.5	*	*	*	*
Non-Hispanic black, female												
2006 5/.....	1.3	*	*	*	*	*	1.6	2.6	5.1	2.9	*	*
2005 5/.....	1.3	*	*	*	*	*	1.3	3.1	3.8	3.7	*	*
2004 5/.....	1.2	*	*	*	*	*	1.2	2.6	5.4	2.3	*	*
2003 5/.....	1.2	*	*	*	*	*	1.5	3.1	3.2	3.8	*	*
2002.....	1.3	*	*	*	*	*	1.6	3.6	3.9	3.4	*	*
2001.....	1.2	*	*	*	*	*	1.6	2.9	3.8	2.7	*	*
2000.....	1.1	*	*	*	*	*	1.4	3.2	3.7	2.7	*	*
1999.....	0.9	*	*	*	*	*	1.4	2.3	2.2	3.2	*	*

Worktable Orig12. Death rates for 358 selected causes, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2006

[Rates per 100,000 population in specified group. Rates are based on populations enumerated as of April 1 for 2000 and estimated as of July 1 for all other years. Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to 'Detailed technical notes to the United States 2006 data-mortality']

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, and sex	All ages 1/	Under 1 year 2/	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
Epilepsy (G40-G41)												
Non-Hispanic 4/, both sexes												
2006.....	0.5	*	0.2	0.1	0.3	0.5	0.5	0.6	0.6	0.8	1.0	1.5
2005.....	0.5	*	*	0.1	0.3	0.4	0.6	0.7	0.6	0.8	1.1	2.0
2004.....	0.5	*	0.2	0.1	0.2	0.5	0.5	0.6	0.6	0.7	1.1	1.5
2003.....	0.5	*	*	0.1	0.3	0.4	0.5	0.7	0.6	0.8	1.2	1.5
2002.....	0.5	*	*	0.1	0.3	0.4	0.6	0.6	0.5	0.8	1.3	1.7
2001.....	0.5	*	*	0.1	0.2	0.4	0.6	0.5	0.6	0.7	1.2	1.6
2000.....	0.5	*	*	0.1	0.3	0.4	0.5	0.6	0.6	0.8	1.2	2.0
1999.....	0.5	*	0.2	0.1	0.3	0.5	0.6	0.6	0.6	0.9	1.2	1.7
Non-Hispanic 4/, male												
2006.....	0.5	*	*	*	0.3	0.6	0.6	0.7	0.6	0.7	0.9	1.6
2005.....	0.6	*	*	0.1	0.4	0.5	0.7	0.8	0.7	0.8	0.9	1.9
2004.....	0.5	*	*	*	0.3	0.6	0.7	0.8	0.6	0.6	1.1	1.9
2003.....	0.5	*	0.2	0.3	0.5	0.6	0.8	0.7	0.8	0.8	1.4	*
2002.....	0.6	*	*	0.1	0.3	0.5	0.7	0.8	0.6	0.8	1.3	2.3
2001.....	0.5	*	*	0.1	0.3	0.5	0.8	0.6	0.7	0.8	0.9	2.0
2000.....	0.5	*	*	*	0.3	0.5	0.6	0.7	0.8	0.9	0.9	2.4
1999.....	0.6	*	*	0.1	0.4	0.6	0.8	0.7	0.6	1.0	1.0	2.2
Non-Hispanic 4/, female												
2006.....	0.5	*	*	*	0.3	0.4	0.4	0.5	0.6	0.8	1.1	1.5
2005.....	0.5	*	*	*	0.3	0.4	0.4	0.6	0.6	0.7	1.3	2.0
2004.....	0.4	*	*	*	0.2	0.3	0.4	0.4	0.6	0.7	1.1	1.4
2003.....	0.5	*	*	*	0.2	0.4	0.5	0.5	0.6	0.8	1.1	1.7
2002.....	0.5	*	*	*	0.3	0.3	0.4	0.5	0.5	0.8	1.4	1.5
2001.....	0.4	*	*	*	0.2	0.4	0.4	0.4	0.5	0.7	1.4	1.5
2000.....	0.5	*	*	*	0.2	0.3	0.5	0.4	0.5	0.8	1.4	1.9
1999.....	0.4	*	*	0.1	0.2	0.3	0.4	0.5	0.5	0.8	1.3	1.6
Non-Hispanic white, both sexes												
2006 5/.....	0.5	*	*	*	0.3	0.5	0.5	0.5	0.6	0.6	0.9	1.4
2005 5/.....	0.5	*	*	*	0.3	0.4	0.5	0.7	0.5	0.6	1.0	1.8
2004 5/.....	0.4	*	*	0.1	0.2	0.4	0.5	0.6	0.5	0.6	1.0	1.4
2003 5/.....	0.5	*	*	0.1	0.3	0.4	0.5	0.6	0.5	0.6	1.0	1.4
2002.....	0.5	*	*	0.1	0.2	0.4	0.6	0.5	0.5	0.6	1.2	1.6
2001.....	0.4	*	*	0.1	0.2	0.4	0.5	0.5	0.5	0.6	0.9	1.6
2000.....	0.4	*	*	0.1	0.2	0.4	0.5	0.5	0.5	0.7	1.0	1.7
1999.....	0.4	*	0.2	0.1	0.2	0.4	0.5	0.5	0.4	0.7	1.1	1.6
Non-Hispanic white, male												
2006 5/.....	0.5	*	*	*	0.3	0.6	0.6	0.6	0.5	0.6	0.9	1.5
2005 5/.....	0.5	*	*	*	0.4	0.4	0.7	0.8	0.6	0.7	0.7	1.8
2004 5/.....	0.5	*	*	*	0.2	0.6	0.6	0.8	0.5	0.5	0.9	1.8
2003 5/.....	0.5	*	*	*	0.3	0.5	0.6	0.7	0.5	0.5	1.0	*
2002.....	0.5	*	*	*	0.2	0.5	0.7	0.6	0.5	0.7	1.0	2.2
2001.....	0.5	*	*	*	0.3	0.4	0.6	0.6	0.6	0.6	0.7	2.0
2000.....	0.5	*	*	*	0.2	0.4	0.6	0.7	0.6	0.7	0.6	*
1999.....	0.5	*	*	*	0.3	0.5	0.6	0.6	0.4	0.8	0.9	2.2
Non-Hispanic white, female												
2006 5/.....	0.5	*	*	*	0.3	0.4	0.4	0.5	0.6	0.6	1.0	1.3
2005 5/.....	0.4	*	*	*	0.3	0.3	0.3	0.6	0.5	0.6	1.1	1.8
2004 5/.....	0.4	*	*	*	0.2	0.2	0.3	0.4	0.5	0.6	1.0	1.2
2003 5/.....	0.5	*	*	*	0.2	0.3	0.4	0.5	0.5	0.7	1.0	1.5
2002.....	0.4	*	*	*	0.3	0.3	0.4	0.4	0.5	0.6	1.3	1.3
2001.....	0.4	*	*	*	0.2	0.4	0.4	0.4	0.4	0.6	1.1	1.4
2000.....	0.4	*	*	*	0.2	0.3	0.5	0.3	0.4	0.7	1.3	1.7
1999.....	0.4	*	*	*	0.2	0.3	0.4	0.4	0.4	0.6	1.2	1.4

Worktable Orig12. Death rates for 358 selected causes, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2006

[Rates per 100,000 population in specified group. Rates are based on populations enumerated as of April 1 for 2000 and estimated as of July 1 for all other years. Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to 'Detailed technical notes to the United States 2006 data-mortality']

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, and sex	All ages 1/	Under 1 year 2/	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
Epilepsy (G40-G41)												
Non-Hispanic black, both sexes												
2006 5/.....	0.8	*	*	*	0.5	0.6	0.9	1.3	1.3	2.0	2.3	*
2005 5/.....	0.9	*	*	*	0.5	0.8	1.0	1.3	1.6	2.0	3.2	*
2004 5/.....	0.8	*	*	*	0.4	0.9	0.9	1.0	1.7	1.5	2.9	*
2003 5/.....	0.9	*	*	*	0.3	0.7	1.0	1.5	1.8	2.1	3.5	*
2002.....	0.9	*	*	*	0.5	0.7	0.9	1.5	1.3	2.2	3.6	*
2001.....	0.8	*	*	*	0.4	0.8	1.2	0.9	1.7	1.6	3.9	*
2000.....	0.9	*	*	*	0.5	0.6	0.8	1.3	1.7	2.2	4.0	*
1999.....	1.0	*	*	*	0.4	0.8	1.1	1.4	1.7	2.7	3.5	*
Non-Hispanic black, male												
2006 5/.....	0.9	*	*	*	0.6	0.8	1.1	1.7	1.6	*	*	*
2005 5/.....	1.0	*	*	*	*	0.9	1.2	1.5	1.9	*	*	*
2004 5/.....	0.9	*	*	*	0.6	0.9	1.1	1.5	2.1	*	*	*
2003 5/.....	1.1	*	*	*	*	0.8	1.2	2.1	2.1	3.3	*	*
2002.....	1.0	*	*	*	*	1.0	1.2	2.1	*	*	*	*
2001.....	1.0	*	*	*	*	1.0	1.7	1.2	2.0	*	*	*
2000.....	0.9	*	*	*	*	*	1.0	1.5	2.3	*	*	*
1999.....	1.1	*	*	*	*	1.1	1.7	1.9	2.3	*	*	*
Non-Hispanic black, female												
2006 5/.....	0.7	*	*	*	*	*	*	1.0	*	2.1	*	*
2005 5/.....	0.8	*	*	*	*	0.8	0.8	1.1	1.3	*	3.5	*
2004 5/.....	0.7	*	*	*	*	0.8	0.7	*	1.4	*	*	*
2003 5/.....	0.7	*	*	*	*	*	0.8	0.9	1.5	*	*	*
2002.....	0.7	*	*	*	*	*	*	1.1	*	2.1	*	*
2001.....	0.7	*	*	*	*	*	0.7	*	*	*	4.0	*
2000.....	0.8	*	*	*	*	*	*	1.2	*	*	3.5	*
1999.....	0.8	*	*	*	*	*	*	1.0	*	2.7	3.5	*

Worktable Orig12. Death rates for 358 selected causes, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2006

[Rates per 100,000 population in specified group. Rates are based on populations enumerated as of April 1 for 2000 and estimated as of July 1 for all other years. Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to 'Detailed technical notes to the United States 2006 data-mortality']

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, and sex	All ages 1/	Under 1 year 2/	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
Transient cerebral ischemic attacks and related syndromes (G45)												
Non-Hispanic 4/, both sexes												
2006.....	0.0	*	*	*	*	*	*	*	*	0.1	0.2	1.5
2005.....	0.1	*	*	*	*	*	*	*	*	*	0.4	2.3
2004.....	0.1	*	*	*	*	*	*	*	*	*	0.4	2.2
2003.....	0.1	*	*	*	*	*	*	*	*	*	0.5	3.8
2002.....	0.1	*	*	*	*	*	*	*	*	0.1	0.6	3.0
2001.....	0.1	*	*	*	*	*	*	*	*	0.1	0.5	3.9
2000.....	0.1	*	*	*	*	*	*	*	*	0.1	0.7	3.9
1999.....	0.1	*	*	*	*	*	*	*	*	0.2	0.7	4.7
Non-Hispanic 4/, male												
2006.....	0.0	*	*	*	*	*	*	*	*	*	*	*
2005.....	0.1	*	*	*	*	*	*	*	*	*	0.4	1.9
2004.....	0.0	*	*	*	*	*	*	*	*	*	*	1.7
2003.....	0.1	*	*	*	*	*	*	*	*	*	*	2.9
2002.....	0.1	*	*	*	*	*	*	*	*	*	0.7	1.9
2001.....	0.1	*	*	*	*	*	*	*	*	*	0.7	4.3
2000.....	0.1	*	*	*	*	*	*	*	*	*	0.8	3.1
1999.....	0.1	*	*	*	*	*	*	*	*	*	0.9	3.9
Non-Hispanic 4/, female												
2006.....	0.1	*	*	*	*	*	*	*	*	*	*	1.6
2005.....	0.1	*	*	*	*	*	*	*	*	*	0.4	2.5
2004.....	0.1	*	*	*	*	*	*	*	*	*	0.5	2.4
2003.....	0.1	*	*	*	*	*	*	*	*	*	0.5	4.2
2002.....	0.1	*	*	*	*	*	*	*	*	*	0.5	3.4
2001.....	0.1	*	*	*	*	*	*	*	*	*	0.4	3.7
2000.....	0.2	*	*	*	*	*	*	*	*	*	0.7	4.2
1999.....	0.2	*	*	*	*	*	*	*	*	*	0.5	5.0
Non-Hispanic white, both sexes												
2006 5/.....	0.1	*	*	*	*	*	*	*	*	*	0.2	1.5
2005 5/.....	0.1	*	*	*	*	*	*	*	*	*	0.4	2.5
2004 5/.....	0.1	*	*	*	*	*	*	*	*	*	0.4	2.2
2003 5/.....	0.1	*	*	*	*	*	*	*	*	*	0.5	4.1
2002.....	0.1	*	*	*	*	*	*	*	*	0.1	0.6	3.1
2001.....	0.1	*	*	*	*	*	*	*	*	0.1	0.6	4.0
2000.....	0.1	*	*	*	*	*	*	*	*	*	0.8	4.0
1999.....	0.2	*	*	*	*	*	*	*	*	0.2	0.7	5.0
Non-Hispanic white, male												
2006 5/.....	0.0	*	*	*	*	*	*	*	*	*	*	*
2005 5/.....	0.1	*	*	*	*	*	*	*	*	*	*	2.0
2004 5/.....	0.0	*	*	*	*	*	*	*	*	*	*	1.9
2003 5/.....	0.1	*	*	*	*	*	*	*	*	*	*	3.1
2002.....	0.1	*	*	*	*	*	*	*	*	*	0.7	1.9
2001.....	0.1	*	*	*	*	*	*	*	*	*	0.7	4.4
2000.....	0.1	*	*	*	*	*	*	*	*	*	0.9	3.1
1999.....	0.1	*	*	*	*	*	*	*	*	*	1.0	4.1
Non-Hispanic white, female												
2006 5/.....	0.1	*	*	*	*	*	*	*	*	*	*	1.6
2005 5/.....	0.1	*	*	*	*	*	*	*	*	*	0.4	2.7
2004 5/.....	0.1	*	*	*	*	*	*	*	*	*	0.5	2.4
2003 5/.....	0.2	*	*	*	*	*	*	*	*	*	0.5	4.5
2002.....	0.1	*	*	*	*	*	*	*	*	*	0.5	3.6
2001.....	0.1	*	*	*	*	*	*	*	*	*	0.5	3.8
2000.....	0.2	*	*	*	*	*	*	*	*	*	0.7	4.4
1999.....	0.2	*	*	*	*	*	*	*	*	*	0.5	5.4

Worktable Orig12. Death rates for 358 selected causes, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2006

[Rates per 100,000 population in specified group. Rates are based on populations enumerated as of April 1 for 2000 and estimated as of July 1 for all other years. Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to 'Detailed technical notes to the United States 2006 data-mortality']

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, and sex	All ages 1/	Under 1 year 2/	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
Infantile cerebral palsy (680)												
Non-Hispanic 4/, both sexes												
2006.....	0.5	*	0.3	0.5	0.8	0.6	0.4	0.4	0.6	0.6	0.7	0.6
2005.....	0.5	*	0.3	0.6	0.7	0.5	0.4	0.4	0.5	0.5	0.6	0.4
2004.....	0.5	*	0.5	0.6	0.8	0.5	0.3	0.4	0.5	0.6	0.5	*
2003.....	0.5	*	0.5	0.6	0.7	0.5	0.2	0.4	0.5	0.4	0.5	*
2002.....	0.4	*	0.6	0.5	0.7	0.4	0.2	0.3	0.4	0.5	0.5	*
2001.....	0.4	*	0.5	0.5	0.7	0.4	0.2	0.3	0.4	0.5	0.5	*
2000.....	0.4	*	0.4	0.6	0.6	0.4	0.2	0.3	0.3	0.5	0.5	*
1999.....	0.4	*	0.5	0.5	0.5	0.4	0.2	0.2	0.3	0.4	0.4	0.5
Non-Hispanic 4/, male												
2006.....	0.6	*	0.4	0.6	0.9	0.6	0.4	0.4	0.6	0.6	0.9	*
2005.....	0.6	*	0.4	0.6	0.9	0.5	0.4	0.5	0.6	0.7	0.7	*
2004.....	0.6	*	0.4	0.7	1.0	0.6	0.3	0.4	0.6	0.7	0.8	*
2003.....	0.6	*	0.6	0.7	0.8	0.5	0.3	0.5	0.5	0.5	0.8	*
2002.....	0.5	*	0.8	0.5	0.9	0.4	0.3	0.3	0.5	0.5	0.7	*
2001.....	0.5	*	0.5	0.5	0.8	0.4	0.3	0.3	0.4	0.7	0.7	*
2000.....	0.5	*	*	0.7	0.7	0.4	0.2	0.3	0.3	0.7	0.5	*
1999.....	0.4	*	0.6	0.5	0.6	0.4	0.2	0.3	0.4	0.5	0.5	*
Non-Hispanic 4/, female												
2006.....	0.5	*	*	0.4	0.6	0.5	0.4	0.3	0.5	0.5	0.6	*
2005.....	0.4	*	*	0.5	0.4	0.4	0.4	0.4	0.4	0.4	0.6	*
2004.....	0.4	*	0.6	0.5	0.6	0.4	0.3	0.4	0.4	0.4	0.4	*
2003.....	0.4	*	0.4	0.5	0.6	0.5	0.2	0.3	0.4	0.3	0.4	*
2002.....	0.4	*	0.4	0.5	0.5	0.3	0.2	0.3	0.3	0.4	0.4	*
2001.....	0.4	*	0.4	0.5	0.6	0.3	0.2	0.3	0.4	0.3	0.4	*
2000.....	0.4	*	0.4	0.6	0.5	0.3	0.2	0.2	0.3	0.3	0.5	*
1999.....	0.3	*	0.4	0.4	0.4	0.3	0.2	0.2	0.2	0.3	0.4	*
Non-Hispanic white, both sexes												
2006 5/.....	0.5	*	*	0.5	0.7	0.5	0.4	0.4	0.6	0.6	0.8	0.6
2005 5/.....	0.5	*	0.2	0.4	0.6	0.4	0.4	0.5	0.5	0.6	0.6	0.5
2004 5/.....	0.5	*	0.3	0.5	0.7	0.5	0.3	0.4	0.5	0.6	0.6	*
2003 5/.....	0.4	*	0.3	0.5	0.6	0.5	0.2	0.4	0.5	0.5	0.6	*
2002.....	0.4	*	0.5	0.4	0.6	0.3	0.2	0.3	0.4	0.5	0.5	*
2001.....	0.4	*	0.4	0.4	0.6	0.3	0.3	0.3	0.4	0.5	0.6	*
2000.....	0.4	*	*	0.5	0.6	0.4	0.2	0.3	0.4	0.5	0.5	*
1999.....	0.4	*	0.4	0.4	0.5	0.4	0.3	0.3	0.3	0.4	0.5	0.6
Non-Hispanic white, male												
2006 5/.....	0.6	*	*	0.6	0.9	0.6	0.4	0.4	0.7	0.6	1.0	*
2005 5/.....	0.5	*	*	0.5	0.8	0.5	0.4	0.5	0.6	0.7	0.6	*
2004 5/.....	0.6	*	*	0.6	0.8	0.6	0.3	0.4	0.6	0.8	0.8	*
2003 5/.....	0.5	*	0.4	0.6	0.8	0.5	0.3	0.5	0.6	0.6	0.8	*
2002.....	0.5	*	0.7	0.4	0.8	0.4	0.3	0.3	0.5	0.6	0.7	*
2001.....	0.5	*	0.5	0.4	0.7	0.4	0.3	0.3	0.4	0.7	0.8	*
2000.....	0.4	*	*	0.6	0.7	0.4	0.2	0.3	0.4	0.7	*	*
1999.....	0.4	*	0.5	0.4	0.6	0.4	0.2	0.3	0.4	0.5	0.6	*
Non-Hispanic white, female												
2006 5/.....	0.4	*	*	0.4	0.5	0.5	0.4	0.3	0.5	0.6	0.6	*
2005 5/.....	0.4	*	*	0.4	0.5	0.4	0.4	0.4	0.4	0.4	0.6	*
2004 5/.....	0.4	*	*	0.4	0.5	0.4	0.3	0.4	0.4	0.5	0.4	*
2003 5/.....	0.4	*	*	0.4	0.5	0.5	0.2	0.3	0.4	0.4	0.4	*
2002.....	0.3	*	*	0.4	0.4	0.3	0.2	0.3	0.4	0.4	0.4	*
2001.....	0.3	*	*	0.4	0.5	0.3	0.2	0.2	0.4	0.3	0.4	*
2000.....	0.3	*	*	0.5	0.5	0.3	0.2	0.2	0.4	0.3	0.5	*
1999.....	0.3	*	*	0.4	0.3	0.4	0.3	0.2	*	0.3	0.4	*

Worktable Orig12. Death rates for 358 selected causes, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2006

[Rates per 100,000 population in specified group. Rates are based on populations enumerated as of April 1 for 2000 and estimated as of July 1 for all other years. Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to 'Detailed technical notes to the United States 2006 data-mortality']

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, and sex	All ages 1/	Under 1 year 2/	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
All other diseases of nervous system (G10-G12,G23-G25,G31,G36-G37,G43-G44,G47-G72,G81-G98)												
All origins 3/, both sexes												
2006.....	7.7	6.8	0.9	0.5	1.0	1.2	2.7	5.8	12.6	25.8	44.8	60.9
2005.....	7.3	6.7	1.0	0.5	1.0	1.1	2.6	5.8	12.2	24.4	42.1	55.1
2004.....	6.9	6.7	1.1	0.5	0.9	1.1	2.4	5.5	11.9	23.5	39.2	51.4
2003.....	7.1	7.3	0.9	0.5	1.0	1.1	2.4	5.4	12.1	24.5	40.4	56.0
2002.....	6.9	6.9	1.1	0.5	0.9	1.2	2.5	5.4	11.7	24.1	40.5	53.8
2001.....	6.7	6.1	1.2	0.5	1.0	1.1	2.3	5.2	11.2	24.0	39.4	51.9
2000.....	6.7	7.1	1.2	0.5	0.9	1.1	2.4	5.5	11.4	23.3	39.4	55.4
1999.....	6.5	7.7	1.2	0.6	1.1	1.0	2.1	5.0	10.9	23.3	39.3	53.6
All origins 3/, male												
2006.....	8.3	7.7	1.0	0.6	1.5	1.5	3.2	6.8	14.5	30.8	56.1	76.0
2005.....	7.9	8.6	1.2	0.5	1.5	1.4	3.2	6.8	14.2	28.3	52.3	67.3
2004.....	7.3	7.8	1.1	0.6	1.3	1.3	2.9	6.6	13.8	27.6	47.2	62.4
2003.....	7.5	8.3	0.9	0.6	1.5	1.4	3.0	6.6	14.0	27.8	49.8	70.0
2002.....	7.3	8.4	1.3	0.6	1.3	1.5	3.0	6.4	13.4	28.2	49.3	66.1
2001.....	7.1	7.1	1.2	0.6	1.5	1.2	2.9	5.9	12.5	28.5	49.0	69.7
2000.....	7.2	8.1	1.3	0.5	1.3	1.4	2.8	6.5	13.2	27.9	49.1	72.0
1999.....	7.0	8.6	1.2	0.6	1.6	1.2	2.6	5.8	12.6	27.4	49.7	70.3
All origins 3/, female												
2006.....	7.2	5.8	0.8	0.4	0.5	0.9	2.1	4.8	10.8	21.6	37.2	53.9
2005.....	6.8	4.7	0.9	0.4	0.5	0.8	2.0	4.8	10.4	21.1	35.3	49.5
2004.....	6.5	5.6	1.1	0.4	0.4	0.8	2.0	4.5	10.2	20.0	33.9	46.5
2003.....	6.6	6.2	1.0	0.4	0.5	0.9	1.8	4.3	10.3	21.8	34.1	49.9
2002.....	6.5	5.4	0.9	0.3	0.5	0.8	1.9	4.4	10.1	20.6	34.6	48.5
2001.....	6.3	5.0	1.2	0.5	0.5	0.9	1.8	4.4	10.0	20.2	33.1	44.5
2000.....	6.3	6.0	1.1	0.5	0.5	0.8	1.9	4.6	9.7	19.5	33.0	48.7
1999.....	6.1	6.8	1.2	0.5	0.5	0.7	1.7	4.3	9.2	20.0	32.6	46.8
Hispanic, both sexes												
2006.....	2.9	6.3	0.8	0.4	0.8	0.6	1.2	3.1	7.8	15.3	32.0	68.5
2005.....	2.6	5.7	0.9	0.4	0.8	0.6	1.4	2.8	7.5	12.9	29.3	52.6
2004.....	2.5	6.1	0.7	0.4	0.6	0.4	1.2	3.1	7.7	14.8	26.0	49.0
2003.....	2.6	5.2	1.3	0.3	0.8	0.6	0.9	3.0	8.4	15.3	26.9	59.1
2002.....	2.4	5.2	0.7	0.4	0.7	0.6	1.0	3.1	7.3	17.4	23.5	44.9
2001.....	2.1	3.5	0.9	0.4	0.6	0.5	1.2	2.6	7.0	13.6	24.7	38.1
2000.....	2.4	6.9	0.9	0.4	0.6	0.6	1.3	2.8	6.7	15.2	30.4	39.1
1999.....	2.2	5.0	0.9	0.4	0.6	0.5	1.2	2.4	6.8	15.4	24.6	42.8
Hispanic, male												
2006.....	3.0	6.7	*	0.5	1.2	0.7	1.6	4.0	8.7	17.5	37.3	71.0
2005.....	2.7	7.1	*	*	1.2	0.6	1.7	3.2	9.4	15.7	32.7	53.5
2004.....	2.6	7.1	*	0.5	0.9	0.6	1.7	3.9	8.8	17.7	27.5	40.6
2003.....	2.7	6.8	1.2	*	1.1	0.7	1.0	3.3	10.4	19.2	35.3	55.4
2002.....	2.5	6.1	*	*	1.0	0.8	1.2	3.9	8.0	18.5	27.5	46.9
2001.....	2.4	*	*	*	1.0	0.6	1.4	3.3	8.1	18.0	25.9	55.2
2000.....	2.6	7.3	*	*	0.8	0.8	1.4	3.9	8.3	20.3	36.4	52.4
1999.....	2.4	5.7	*	*	0.9	0.6	1.3	3.0	8.6	17.8	32.6	49.6
Hispanic, female												
2006.....	2.8	5.9	*	*	*	0.6	0.8	2.2	6.9	13.6	28.3	67.1
2005.....	2.5	*	*	*	*	0.7	1.1	2.4	5.8	10.5	27.0	52.1
2004.....	2.4	5.0	*	*	*	*	0.8	2.3	6.6	12.5	24.9	53.3
2003.....	2.4	*	1.3	*	*	*	0.8	2.7	6.6	12.2	21.1	60.9
2002.....	2.3	*	*	*	*	*	0.8	2.2	6.6	16.6	20.8	43.9
2001.....	1.9	*	*	*	*	*	0.9	2.0	6.1	10.1	23.9	29.8
2000.....	2.1	6.4	*	*	*	*	1.1	1.7	5.2	11.3	26.4	32.6
1999.....	2.0	*	*	*	*	*	1.1	1.8	5.2	13.6	19.1	39.5

Worktable Orig12. Death rates for 358 selected causes, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2006

[Rates per 100,000 population in specified group. Rates are based on populations enumerated as of April 1 for 2000 and estimated as of July 1 for all other years. Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to 'Detailed technical notes to the United States 2006 data-mortality']

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, and sex	All ages 1/	Under 1 year 2/	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
All other diseases of nervous system (G10-G12,G23-G25,G31,G36-G37,G43-G44,G47-G72,G81-G98)												
Non-Hispanic 4/, both sexes												
2006.....	8.6	6.9	0.9	0.5	1.1	1.3	2.9	6.1	12.9	26.6	45.6	60.5
2005.....	8.1	6.9	1.1	0.5	1.1	1.2	2.8	6.1	12.6	25.2	42.9	55.2
2004.....	7.6	6.8	1.2	0.5	0.9	1.2	2.6	5.8	12.2	24.1	39.9	51.4
2003.....	7.8	7.8	0.8	0.6	1.1	1.2	2.6	5.7	12.4	25.1	41.0	55.8
2002.....	7.6	7.4	1.2	0.5	1.0	1.3	2.7	5.6	12.0	24.5	41.2	53.9
2001.....	7.3	6.7	1.3	0.6	1.1	1.2	2.5	5.4	11.5	24.6	40.0	52.2
2000.....	7.3	7.1	1.3	0.5	1.0	1.2	2.5	5.7	11.7	23.7	39.7	55.9
1999.....	7.1	8.3	1.2	0.6	1.1	1.1	2.2	5.3	11.1	23.7	39.8	53.8
Non-Hispanic 4/, male												
2006.....	9.3	8.0	1.0	0.6	1.6	1.7	3.5	7.1	14.9	31.7	57.2	76.2
2005.....	8.8	8.9	1.3	0.6	1.6	1.7	3.4	7.2	14.6	29.2	53.4	68.0
2004.....	8.1	7.9	1.2	0.6	1.3	1.5	3.1	6.9	14.1	28.3	48.3	63.3
2003.....	8.3	8.6	0.8	0.6	1.6	1.5	3.4	7.0	14.3	28.3	50.5	70.5
2002.....	8.1	9.0	1.4	0.6	1.4	1.7	3.3	6.6	13.8	28.8	50.3	66.7
2001.....	7.8	7.7	1.3	0.6	1.6	1.4	3.1	6.1	12.8	29.1	49.9	69.9
2000.....	7.8	8.3	1.4	0.5	1.4	1.5	3.0	6.7	13.5	28.3	49.6	72.5
1999.....	7.6	9.2	1.3	0.6	1.7	1.3	2.8	6.1	12.9	27.8	50.3	70.9
Non-Hispanic 4/, female												
2006.....	7.9	5.8	0.8	0.4	0.6	1.0	2.3	5.1	11.1	22.2	37.7	53.3
2005.....	7.5	4.8	0.9	0.4	0.5	0.8	2.1	5.1	10.7	21.9	35.7	49.4
2004.....	7.1	5.7	1.2	0.4	0.5	0.9	2.2	4.7	10.5	20.5	34.4	46.2
2003.....	7.2	7.0	0.9	0.5	0.6	1.0	1.9	4.4	10.6	22.4	34.7	49.3
2002.....	7.0	5.8	1.0	0.3	0.5	0.8	2.0	4.5	10.4	20.8	35.2	48.4
2001.....	6.9	5.6	1.3	0.5	0.6	1.0	1.9	4.6	10.3	20.9	33.4	44.9
2000.....	6.8	5.9	1.2	0.4	0.6	0.8	2.0	4.8	10.0	20.0	33.2	49.1
1999.....	6.6	7.3	1.2	0.5	0.5	0.8	1.7	4.5	9.5	20.3	33.0	46.9
Non-Hispanic white, both sexes												
2006 5/.....	9.3	6.5	0.8	0.4	1.1	1.3	3.0	5.9	12.8	26.8	47.0	62.0
2005 5/.....	8.8	6.7	0.9	0.5	1.1	1.2	2.7	6.1	12.3	25.7	43.9	55.7
2004 5/.....	8.2	7.0	1.1	0.5	0.9	1.2	2.7	5.6	12.1	24.4	40.5	52.3
2003 5/.....	8.4	7.4	0.7	0.5	1.2	1.3	2.6	5.5	12.2	25.5	41.7	56.6
2002.....	8.2	7.4	1.1	0.5	1.0	1.3	2.7	5.4	12.0	24.8	41.9	54.9
2001.....	7.9	6.4	1.1	0.6	1.1	1.1	2.4	5.2	11.2	24.9	40.4	52.8
2000.....	7.9	6.8	1.2	0.5	1.1	1.2	2.4	5.6	11.6	23.8	40.5	56.7
1999.....	7.6	8.1	1.1	0.5	1.2	1.1	2.2	5.0	10.9	23.8	40.5	54.5
Non-Hispanic white, male												
2006 5/.....	10.1	7.3	0.9	0.5	1.6	1.7	3.6	7.1	14.8	32.1	59.1	78.7
2005 5/.....	9.5	8.9	1.1	0.5	1.6	1.7	3.5	7.3	14.3	29.8	54.7	69.1
2004 5/.....	8.8	8.0	1.1	0.6	1.4	1.5	3.3	6.7	14.0	28.9	49.1	65.6
2003 5/.....	9.0	8.6	0.6	0.6	1.7	1.6	3.3	6.9	14.1	28.9	51.5	72.6
2002.....	8.8	9.2	1.2	0.6	1.4	1.8	3.3	6.5	13.8	28.9	51.5	68.2
2001.....	8.4	7.2	1.2	0.6	1.7	1.2	3.0	5.9	12.6	29.5	50.7	70.4
2000.....	8.4	7.4	1.3	0.5	1.6	1.5	2.8	6.7	13.3	28.5	50.6	73.8
1999.....	8.2	9.0	1.2	0.5	1.9	1.4	2.7	5.9	12.8	28.1	51.6	72.2
Non-Hispanic white, female												
2006 5/.....	8.5	5.6	0.7	0.3	0.6	1.0	2.3	4.8	10.9	22.1	38.6	54.2
2005 5/.....	8.0	4.3	0.7	0.4	0.6	0.7	1.9	4.8	10.4	22.1	36.4	49.6
2004 5/.....	7.6	5.9	1.1	0.4	0.4	0.8	2.1	4.4	10.4	20.4	34.7	46.3
2003 5/.....	7.8	6.1	0.8	0.4	0.6	1.0	1.8	4.2	10.4	22.7	35.1	49.6
2002.....	7.6	5.5	0.8	0.3	0.5	0.8	2.0	4.4	10.3	21.2	35.5	49.1
2001.....	7.3	5.6	1.0	0.5	0.5	0.9	1.9	4.5	9.8	21.0	33.6	45.5
2000.....	7.3	6.1	1.1	0.4	0.5	0.9	1.9	4.5	10.1	19.8	33.8	49.8
1999.....	7.1	7.2	1.1	0.5	0.5	0.8	1.6	4.1	9.2	20.3	33.3	47.4

Worktable Orig12. Death rates for 358 selected causes, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2006

[Rates per 100,000 population in specified group. Rates are based on populations enumerated as of April 1 for 2000 and estimated as of July 1 for all other years. Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.odc.gov/nchs> and refer to 'Detailed technical notes to the United States 2006 data-mortality']

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, and sex	All ages 1/	Under 1 year 2/	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
All other diseases of nervous system (G10-G12,G23-G25,G31,G36-G37,G43-G44,G47-G72,G81-G98)												
Non-Hispanic black, both sexes												
2006 5/.....	7.0	9.3	1.2	0.6	1.1	1.8	3.5	8.8	17.5	30.1	43.4	55.5
2005 5/.....	6.8	7.3	1.6	0.6	1.1	1.6	3.8	8.4	17.9	29.0	40.3	56.5
2004 5/.....	6.4	6.9	1.8	0.5	1.0	1.9	3.3	8.5	16.5	27.0	42.1	50.1
2003 5/.....	6.4	9.8	1.5	0.7	0.8	1.6	3.8	8.3	16.3	27.7	38.7	52.9
2002.....	6.1	8.2	1.7	0.5	1.1	1.7	3.6	7.9	15.4	27.5	40.0	50.8
2001.....	6.3	8.3	2.1	0.7	1.2	2.0	3.3	8.0	16.3	27.5	41.5	49.0
2000.....	6.0	7.6	1.7	0.5	1.0	1.7	3.7	8.7	14.6	27.4	37.4	50.9
1999.....	5.9	9.3	1.4	0.9	1.2	1.3	3.1	8.6	14.9	26.6	36.8	50.8
Non-Hispanic black, male												
2006 5/.....	7.3	11.1	*	0.7	1.6	1.9	3.7	9.8	20.9	35.2	53.4	64.1
2005 5/.....	6.9	9.3	2.0	0.9	1.7	1.8	4.2	9.0	20.7	32.4	47.9	63.8
2004 5/.....	6.4	7.7	2.0	*	1.2	1.8	3.5	10.0	19.5	29.8	46.8	50.8
2003 5/.....	6.5	9.9	1.8	0.8	1.2	1.9	4.6	9.4	18.9	31.1	45.0	51.1
2002.....	6.5	8.2	2.0	0.6	1.4	2.0	4.5	9.3	17.8	34.3	45.1	58.0
2001.....	6.5	10.5	1.9	*	1.6	2.5	4.1	9.4	17.4	31.9	51.9	62.4
2000.....	6.4	10.9	1.7	*	1.0	2.1	4.4	9.3	18.1	32.2	49.7	62.2
1999.....	5.9	10.7	*	1.0	1.6	1.5	3.6	9.4	15.9	28.6	43.5	65.4
Non-Hispanic black, female												
2006 5/.....	6.8	7.4	*	*	*	1.8	3.3	8.0	14.8	26.5	37.7	51.9
2005 5/.....	6.6	*	*	*	*	1.3	3.6	8.0	15.6	26.6	35.9	53.6
2004 5/.....	6.4	*	*	*	0.7	1.9	3.2	7.1	14.0	25.1	36.3	49.8
2003 5/.....	6.2	9.7	*	0.7	*	1.3	3.2	7.3	14.2	25.3	35.2	53.7
2002.....	5.8	8.2	*	*	0.7	1.4	2.7	6.7	13.6	22.6	37.1	48.1
2001.....	6.1	*	2.2	0.8	0.9	1.6	2.6	6.9	15.5	24.5	35.7	44.1
2000.....	5.7	*	*	*	1.0	1.4	3.1	8.2	11.8	24.0	30.6	46.7
1999.....	5.9	7.9	*	0.7	*	1.2	2.7	8.0	14.2	25.2	33.1	45.3

Worktable Orig12. Death rates for 358 selected causes, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2006

[Rates per 100,000 population in specified group. Rates are based on populations enumerated as of April 1 for 2000 and estimated as of July 1 for all other years. Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to 'Detailed technical notes to the United States 2006 data-mortality']

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, and sex	All ages 1/	Under 1 year 2/	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
IX. Diseases of the circulatory system (I00-I99)												
All origins 3/, both sexes												
2006.....	276.5	13.1	1.4	0.9	3.4	10.4	35.9	109.9	257.2	632.5	1,853.1	5,946.6
2005.....	290.4	12.9	1.4	0.9	3.4	10.4	36.9	111.9	265.3	671.0	1,972.4	6,421.6
2004.....	294.9	14.5	1.5	0.8	3.3	10.3	37.3	112.2	270.3	701.3	2,044.6	6,639.9
2003.....	311.9	14.8	1.5	0.9	3.6	10.6	38.9	114.8	287.0	752.4	2,179.9	7,162.1
2002.....	320.2	16.5	1.5	0.9	3.2	10.3	38.4	115.6	297.1	792.2	2,266.8	7,414.0
2001.....	325.5	15.4	1.9	0.9	3.3	10.5	37.7	114.6	303.4	815.0	2,331.6	7,699.8
2000.....	334.6	17.4	1.5	0.9	3.4	9.8	37.5	117.0	321.3	853.6	2,405.6	8,055.8
1999.....	342.0	17.6	1.5	0.9	3.5	9.9	38.3	117.3	329.2	891.0	2,484.0	8,220.5
All origins 3/, male												
2006.....	268.9	14.2	1.4	1.0	4.1	13.7	48.1	154.8	357.1	824.2	2,242.2	6,168.0
2005.....	279.4	14.0	1.6	1.0	4.3	13.3	49.4	157.6	368.3	868.9	2,376.8	6,635.1
2004.....	282.7	15.6	1.5	0.8	4.1	13.1	49.8	158.3	374.1	907.8	2,472.0	6,837.7
2003.....	297.7	16.2	1.5	1.0	4.3	13.2	51.8	162.5	395.7	980.4	2,644.5	7,348.4
2002.....	304.7	17.3	1.5	0.9	4.2	13.1	51.5	163.7	409.5	1,031.7	2,740.6	7,659.3
2001.....	307.6	15.8	2.0	0.9	4.0	13.0	50.6	161.8	416.5	1,062.5	2,833.1	7,958.0
2000.....	317.2	18.3	1.7	1.0	4.0	12.1	50.3	166.7	443.8	1,118.8	2,936.2	8,470.3
1999.....	324.2	18.5	1.6	1.0	4.1	12.3	51.9	166.9	454.0	1,172.7	3,033.6	8,624.0
All origins 3/, female												
2006.....	283.8	12.0	1.3	0.8	2.5	7.0	23.7	66.5	164.3	470.4	1,587.0	5,843.1
2005.....	301.1	11.7	1.2	0.9	2.4	7.4	24.4	67.7	169.6	504.1	1,697.9	6,323.5
2004.....	306.7	13.5	1.5	0.8	2.4	7.5	24.8	67.7	174.0	527.9	1,756.9	6,551.0
2003.....	325.8	13.3	1.5	0.7	2.9	7.9	26.1	68.7	186.1	561.7	1,869.4	7,079.7
2002.....	335.2	15.7	1.4	0.8	2.3	7.5	25.5	69.2	193.1	592.8	1,952.2	7,307.6
2001.....	342.8	15.0	1.8	0.9	2.5	7.9	24.9	69.1	198.9	609.9	2,002.1	7,591.7
2000.....	351.3	16.5	1.4	0.8	2.9	7.5	24.9	69.2	208.3	635.2	2,059.6	7,887.0
1999.....	359.1	16.6	1.4	0.8	2.8	7.4	24.9	69.5	214.3	660.4	2,127.0	8,057.9
Hispanic, both sexes												
2006.....	87.0	11.1	1.1	0.8	2.8	6.4	20.2	71.3	189.6	499.2	1,415.1	4,108.2
2005.....	92.0	10.7	1.2	0.8	2.8	6.1	21.5	72.1	199.4	548.8	1,572.7	4,484.3
2004.....	89.8	12.0	1.3	0.6	2.6	5.8	21.5	72.5	203.9	557.7	1,572.8	4,601.3
2003.....	94.0	12.2	1.4	0.6	2.6	6.6	20.9	73.0	213.6	597.5	1,689.9	5,194.2
2002.....	94.8	13.9	1.2	0.7	2.7	6.3	20.7	74.6	227.2	624.9	1,734.8	5,388.0
2001.....	96.8	12.6	1.5	0.8	2.5	6.5	20.1	76.3	217.3	649.1	1,835.8	6,068.8
2000.....	97.1	14.5	1.3	0.8	2.6	6.6	22.0	76.0	237.6	664.0	1,861.5	6,192.8
1999.....	99.7	15.5	1.4	0.7	2.6	6.6	21.7	81.6	244.1	694.1	1,940.9	6,360.5
Hispanic, male												
2006.....	87.6	11.7	1.4	1.0	3.6	8.6	27.7	98.9	260.1	647.2	1,702.0	4,115.0
2005.....	92.9	11.3	1.6	0.9	3.3	8.1	29.2	101.7	275.3	716.1	1,899.4	4,574.0
2004.....	91.1	12.3	1.6	0.5	3.5	8.0	29.6	102.5	284.4	732.9	1,932.8	4,606.3
2003.....	93.1	13.4	1.6	0.7	3.3	8.0	28.5	104.2	297.3	782.8	2,014.1	5,093.6
2002.....	94.6	13.4	*	0.6	3.4	8.3	27.7	103.8	318.2	825.7	2,074.3	5,503.2
2001.....	95.9	13.7	1.4	0.8	3.1	8.4	27.1	106.5	298.3	856.4	2,229.5	6,166.1
2000.....	96.7	14.4	1.4	0.9	3.1	8.3	28.6	109.0	332.3	873.4	2,283.4	6,330.5
1999.....	99.7	12.7	1.4	0.9	3.1	8.7	30.0	117.3	334.6	929.0	2,362.9	6,621.1
Hispanic, female												
2006.....	86.4	10.5	*	0.6	1.9	3.7	11.8	43.1	124.6	379.0	1,214.3	4,104.6
2005.....	91.2	10.1	*	0.7	2.2	3.8	12.9	42.0	129.9	413.6	1,345.3	4,437.4
2004.....	88.5	11.7	*	0.7	1.5	3.1	12.5	42.3	130.7	417.1	1,324.2	4,598.8
2003.....	94.9	11.1	*	*	1.8	4.9	12.6	41.8	138.1	449.9	1,467.3	5,245.3
2002.....	95.1	14.5	1.4	0.8	1.8	3.9	13.2	45.4	145.5	465.2	1,502.2	5,330.9
2001.....	97.7	11.5	1.6	0.8	1.8	4.3	12.6	44.6	145.3	485.7	1,569.7	6,011.4
2000.....	97.6	14.6	*	*	2.0	4.6	14.6	43.8	153.7	499.4	1,578.2	6,125.2
1999.....	99.8	16.4	1.4	*	2.0	4.0	12.8	46.9	164.1	510.0	1,660.0	6,294.8

Worktable Orig12. Death rates for 358 selected causes, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2006

[Rates per 100,000 population in specified group. Rates are based on populations enumerated as of April 1 for 2000 and estimated as of July 1 for all other years. Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to 'Detailed technical notes to the United States 2006 data-mortality']

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, and sex	All ages 1/	Under 1 year 2/	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
IX. Diseases of the circulatory system (I00-I99)												
Non-Hispanic 4/, both sexes												
2006.....	308.8	13.7	1.4	0.9	3.5	11.4	38.7	114.1	262.3	641.1	1,877.1	6,032.0
2005.....	323.2	13.5	1.4	1.0	3.5	11.4	39.4	116.0	270.1	678.7	1,992.3	6,506.4
2004.....	327.7	15.2	1.5	0.9	3.4	11.4	39.7	116.1	274.8	709.7	2,066.7	6,721.6
2003.....	345.6	15.3	1.5	0.9	3.8	11.5	41.5	118.6	291.6	760.8	2,200.0	7,231.1
2002.....	354.0	17.1	1.5	0.9	3.4	11.2	40.9	119.2	301.4	800.5	2,286.3	7,476.1
2001.....	358.5	16.0	2.0	0.9	3.4	11.3	39.9	117.7	308.7	823.2	2,347.5	7,741.0
2000.....	367.4	18.0	1.6	0.9	3.6	10.4	39.3	120.1	326.0	862.1	2,421.6	8,102.0
1999.....	374.3	18.1	1.5	0.9	3.6	10.5	40.2	119.8	333.7	899.1	2,498.5	8,263.1
Non-Hispanic 4/, male												
2006.....	301.5	15.0	1.4	1.0	4.2	15.1	51.9	161.0	364.2	834.9	2,272.1	6,272.4
2005.....	311.9	14.8	1.6	1.0	4.5	14.7	52.9	163.5	374.8	877.8	2,400.4	6,736.2
2004.....	315.0	16.5	1.4	0.9	4.3	14.4	53.1	163.8	379.8	917.1	2,496.9	6,937.9
2003.....	331.0	16.9	1.4	1.0	4.5	14.4	55.4	167.9	401.5	990.5	2,670.8	7,438.9
2002.....	338.0	18.3	1.7	1.0	4.3	14.1	54.9	169.0	414.7	1,041.1	2,765.3	7,734.9
2001.....	339.7	16.2	2.1	0.9	4.2	14.0	53.7	166.1	423.2	1,071.8	2,852.4	8,012.2
2000.....	349.2	19.0	1.7	1.0	4.2	12.9	52.8	171.0	449.6	1,128.8	2,955.6	8,535.2
1999.....	355.6	20.0	1.7	1.0	4.3	13.0	54.4	170.4	459.9	1,181.4	3,051.5	8,678.1
Non-Hispanic 4/, female												
2006.....	315.7	12.4	1.5	0.8	2.6	7.7	25.6	69.0	167.3	476.6	1,607.4	5,920.2
2005.....	333.9	12.1	1.3	0.9	2.5	8.1	26.2	70.3	172.6	510.2	1,715.7	6,401.5
2004.....	339.8	13.8	1.6	0.9	2.5	8.4	26.6	70.1	177.2	534.9	1,777.5	6,624.9
2003.....	359.6	13.7	1.6	0.8	3.1	8.5	27.9	71.2	189.4	568.1	1,885.9	7,139.8
2002.....	369.3	15.9	1.4	0.8	2.4	8.3	27.2	71.3	196.2	599.7	1,968.8	7,364.4
2001.....	376.3	15.9	1.8	0.9	2.7	8.6	26.5	71.0	202.5	616.6	2,016.2	7,628.2
2000.....	384.6	16.9	1.5	0.8	3.0	8.0	26.0	71.2	211.6	642.0	2,073.7	7,926.7
1999.....	392.0	16.0	1.4	0.8	3.0	8.0	26.3	71.2	217.3	667.3	2,139.6	8,096.9
Non-Hispanic white, both sexes												
2006 5/.....	334.6	10.4	1.2	0.8	3.0	9.1	33.4	99.8	238.0	605.5	1,858.5	6,138.1
2005 5/.....	350.3	10.6	1.1	0.8	2.9	9.1	33.9	100.8	244.6	644.0	1,971.6	6,619.9
2004 5/.....	354.9	12.7	1.2	0.8	2.8	9.1	34.5	100.8	249.1	674.0	2,045.6	6,813.3
2003 5/.....	374.2	11.7	1.2	0.8	3.1	9.3	35.5	102.7	264.3	721.7	2,178.4	7,328.5
2002.....	383.7	14.0	1.4	0.8	2.8	8.8	35.5	104.1	274.0	764.3	2,261.8	7,570.6
2001.....	387.6	12.6	1.6	0.8	2.7	9.2	33.8	102.4	280.5	783.7	2,322.1	7,837.2
2000.....	397.3	15.1	1.4	0.8	2.9	8.4	33.4	105.1	297.2	824.2	2,394.0	8,204.4
1999.....	404.3	14.9	1.3	0.8	3.0	8.5	33.9	104.9	304.3	860.2	2,471.9	8,365.9
Non-Hispanic white, male												
2006 5/.....	323.6	11.1	1.1	1.0	3.8	12.3	46.3	144.5	333.9	793.2	2,259.4	6,414.8
2005 5/.....	335.2	11.6	1.3	0.9	3.7	11.9	46.9	146.1	344.0	839.0	2,388.4	6,899.8
2004 5/.....	338.6	14.0	1.1	0.8	3.5	11.8	47.7	146.7	348.9	880.1	2,485.7	7,065.8
2003 5/.....	355.6	12.3	1.0	0.9	3.7	11.9	49.2	149.8	370.5	949.4	2,656.2	7,580.3
2002.....	363.7	15.4	1.6	0.9	3.6	11.4	49.3	152.4	383.2	1,004.9	2,733.4	7,866.2
2001.....	364.6	13.4	1.7	0.8	3.4	11.6	47.2	149.3	392.0	1,031.7	2,836.9	8,137.5
2000.....	375.2	16.3	1.6	0.9	3.4	10.7	46.9	154.6	417.4	1,092.7	2,940.1	8,672.2
1999.....	381.1	16.9	1.5	0.8	3.5	10.8	47.5	153.6	426.4	1,143.7	3,039.5	8,796.3
Non-Hispanic white, female												
2006 5/.....	345.3	9.6	1.4	0.6	2.2	5.9	20.5	55.9	146.5	442.7	1,580.4	6,009.0
2005 5/.....	364.8	9.6	1.0	0.7	2.0	6.2	20.9	56.2	149.9	475.3	1,684.8	6,491.8
2004 5/.....	370.6	11.3	1.3	0.7	2.1	6.4	21.2	55.7	154.3	496.8	1,745.8	6,700.2
2003 5/.....	392.1	11.1	1.4	0.6	2.5	6.6	21.7	56.3	163.4	526.7	1,855.7	7,217.7
2002.....	402.9	12.5	1.1	0.7	1.9	6.3	21.7	56.5	170.7	559.2	1,932.4	7,442.9
2001.....	409.7	11.7	1.5	0.8	2.1	6.8	20.4	56.2	175.2	573.4	1,980.8	7,712.2
2000.....	418.5	14.0	1.2	0.6	2.3	6.0	20.0	56.4	183.9	598.2	2,035.1	8,015.8
1999.....	426.5	12.9	1.1	0.7	2.5	6.2	20.2	57.0	189.3	623.1	2,100.2	8,194.2

Worktable Orig12. Death rates for 358 selected causes, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2006

[Rates per 100,000 population in specified group. Rates are based on populations enumerated as of April 1 for 2000 and estimated as of July 1 for all other years. Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.odc.gov/nchs> and refer to 'Detailed technical notes to the United States 2006 data-mortality']

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, and sex	All ages 1/	Under 1 year 2/	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
IX. Diseases of the circulatory system (I00-I99)												
Non-Hispanic black, both sexes												
2006 5/.....	257.1	26.9	2.2	1.4	6.0	24.6	76.3	228.5	506.3	1,056.0	2,389.2	5,682.4
2005 5/.....	267.2	24.1	2.5	1.6	6.7	24.8	78.3	236.5	526.9	1,091.2	2,545.9	6,112.6
2004 5/.....	271.4	23.5	3.0	1.6	6.2	24.7	78.8	239.2	539.8	1,147.5	2,620.1	6,465.6
2003 5/.....	284.4	27.5	2.9	1.5	7.4	24.7	83.3	247.2	569.9	1,231.8	2,761.1	6,957.5
2002.....	287.3	29.4	2.1	1.5	6.2	25.3	79.9	245.2	583.0	1,250.0	2,868.8	7,166.9
2001.....	291.7	30.9	3.8	1.3	7.1	24.3	82.2	245.5	592.2	1,301.4	2,930.1	7,396.3
2000.....	296.3	29.6	2.6	1.5	7.3	23.3	80.7	249.2	614.2	1,342.1	3,009.6	7,606.4
1999.....	300.2	30.8	2.6	1.4	7.2	22.2	85.1	249.2	626.7	1,389.5	3,058.9	7,652.9
Non-Hispanic black, male												
2006 5/.....	261.3	30.2	2.7	1.3	6.9	31.6	96.1	306.2	699.1	1,395.4	2,879.7	5,516.8
2005 5/.....	266.1	27.4	2.4	1.6	8.6	31.0	99.2	315.2	721.1	1,409.0	3,010.3	5,802.5
2004 5/.....	268.0	25.7	2.9	1.5	8.1	30.1	97.7	315.9	735.1	1,460.8	3,086.6	6,306.0
2003 5/.....	279.6	33.2	3.3	1.6	9.0	30.1	102.8	328.2	759.1	1,570.8	3,317.7	6,658.9
2002.....	279.3	29.7	2.0	1.5	7.6	31.2	99.3	322.4	781.1	1,584.6	3,336.9	7,014.4
2001.....	283.2	30.6	4.0	1.2	8.5	29.6	101.8	321.5	778.6	1,648.8	3,477.5	7,442.7
2000.....	286.3	30.7	2.3	1.5	8.1	27.4	99.4	327.5	812.8	1,667.2	3,541.0	7,786.1
1999.....	292.8	32.6	2.8	1.6	8.8	27.2	107.1	332.5	835.8	1,747.0	3,559.7	7,974.8
Non-Hispanic black, female												
2006 5/.....	253.2	23.5	1.8	1.5	5.1	18.0	58.7	161.9	351.3	813.7	2,110.8	5,750.0
2005 5/.....	268.2	20.8	2.6	1.6	4.7	19.0	59.8	168.9	370.6	864.0	2,282.6	6,237.4
2004 5/.....	274.5	21.2	3.0	1.7	4.4	19.9	62.0	179.4	382.9	924.1	2,356.8	6,528.7
2003 5/.....	288.8	21.6	2.4	1.3	5.9	19.8	66.1	177.7	418.1	990.8	2,446.8	7,073.1
2002.....	294.5	29.0	2.2	1.4	4.8	19.9	62.8	179.2	424.0	1,012.7	2,603.9	7,225.2
2001.....	299.5	31.2	3.6	1.4	5.7	19.5	64.9	180.3	442.2	1,056.3	2,622.8	7,379.1
2000.....	305.4	28.5	2.9	1.6	6.5	19.6	64.1	182.0	454.3	1,113.4	2,710.4	7,539.6
1999.....	307.0	28.9	2.4	1.3	5.6	17.7	65.8	178.0	459.0	1,137.4	2,778.5	7,532.6

Worktable Orig12. Death rates for 358 selected causes, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2006

[Rates per 100,000 population in specified group. Rates are based on populations enumerated as of April 1 for 2000 and estimated as of July 1 for all other years. Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to 'Detailed technical notes to the United States 2006 data-mortality']

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, and sex	All ages 1/	Under 1 year 2/	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
Acute rheumatic fever and chronic rheumatic heart diseases (I00-I09)												
All origins 3/, both sexes												
2006.....	1.1	*	*	*	*	0.1	0.2	0.4	1.1	3.2	8.6	16.7
2005.....	1.1	*	*	*	*	0.1	0.2	0.4	1.2	3.3	8.5	19.0
2004.....	1.1	*	*	*	*	0.1	0.2	0.5	1.1	3.3	8.8	17.1
2003.....	1.2	*	*	*	*	0.1	0.2	0.5	1.3	3.8	9.6	20.5
2002.....	1.2	*	*	*	*	0.1	0.2	0.6	1.6	3.8	9.6	17.8
2001.....	1.2	*	*	*	*	0.1	0.3	0.6	1.4	4.1	9.4	17.7
2000.....	1.3	*	*	*	*	0.1	0.3	0.7	1.7	4.5	9.5	16.8
1999.....	1.3	*	*	*	*	0.1	0.3	0.7	1.7	4.6	10.0	18.0
All origins 3/, male												
2006.....	0.7	*	*	*	*	*	0.1	0.4	0.9	2.4	6.2	12.0
2005.....	0.7	*	*	*	*	*	0.2	0.4	1.0	2.5	6.2	14.0
2004.....	0.7	*	*	*	*	*	0.2	0.4	0.8	2.4	7.3	11.5
2003.....	0.8	*	*	*	*	*	0.2	0.4	1.1	2.9	7.5	16.2
2002.....	0.8	*	*	*	*	*	0.2	0.5	1.2	3.0	6.7	11.8
2001.....	0.7	*	*	*	*	*	0.2	0.5	1.1	2.8	6.6	12.8
2000.....	0.8	*	*	*	*	*	0.3	0.6	1.4	2.9	6.6	12.2
1999.....	0.8	*	*	*	*	*	0.2	0.5	1.2	3.5	6.8	10.3
All origins 3/, female												
2006.....	1.5	*	*	*	*	*	0.2	0.4	1.3	3.9	10.3	18.9
2005.....	1.5	*	*	*	*	*	0.2	0.5	1.4	4.0	10.1	21.3
2004.....	1.5	*	*	*	*	*	0.3	0.6	1.4	4.1	9.9	19.5
2003.....	1.7	*	*	*	*	*	0.2	0.7	1.5	4.5	11.0	22.3
2002.....	1.7	*	*	*	*	*	0.2	0.7	2.0	4.6	11.6	20.4
2001.....	1.7	*	*	*	*	*	0.3	0.7	1.7	5.1	11.3	19.8
2000.....	1.8	*	*	*	*	0.1	0.4	0.8	2.0	5.8	11.4	18.7
1999.....	1.9	*	*	*	*	0.1	0.3	0.8	2.2	5.6	12.2	21.1
Hispanic, both sexes												
2006.....	0.4	*	*	*	*	*	*	*	1.1	2.5	6.6	10.2
2005.....	0.4	*	*	*	*	*	*	0.5	1.1	3.0	5.6	8.6
2004.....	0.4	*	*	*	*	*	*	*	1.3	3.5	6.3	*
2003.....	0.4	*	*	*	*	*	*	0.5	1.0	3.3	6.7	*
2002.....	0.5	*	*	*	*	*	*	0.7	1.8	4.6	7.0	*
2001.....	0.4	*	*	*	*	*	*	*	1.5	4.2	5.4	*
2000.....	0.4	*	*	*	*	*	*	*	1.8	4.4	5.3	*
1999.....	0.5	*	*	*	*	*	0.8	1.6	4.2	7.3	*	*
Hispanic, male												
2006.....	0.3	*	*	*	*	*	*	*	*	*	*	*
2005.....	0.2	*	*	*	*	*	*	*	*	*	*	*
2004.....	0.3	*	*	*	*	*	*	*	*	*	*	*
2003.....	0.3	*	*	*	*	*	*	*	*	*	*	*
2002.....	0.3	*	*	*	*	*	*	*	*	*	*	*
2001.....	0.3	*	*	*	*	*	*	*	*	*	*	*
2000.....	0.3	*	*	*	*	*	*	*	*	*	*	*
1999.....	0.2	*	*	*	*	*	*	*	*	*	*	*
Hispanic, female												
2006.....	0.5	*	*	*	*	*	*	*	*	2.6	8.9	12.0
2005.....	0.6	*	*	*	*	*	*	*	*	3.7	8.1	*
2004.....	0.5	*	*	*	*	*	*	*	2.1	3.7	6.4	*
2003.....	0.5	*	*	*	*	*	*	*	*	4.0	8.4	*
2002.....	0.8	*	*	*	*	*	*	*	2.1	5.9	10.7	*
2001.....	0.6	*	*	*	*	*	*	*	2.0	5.2	*	*
2000.....	0.6	*	*	*	*	*	*	*	*	5.6	6.9	*
1999.....	0.8	*	*	*	*	*	*	*	*	5.9	10.4	*

Worktable Orig12. Death rates for 358 selected causes, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2006

[Rates per 100,000 population in specified group. Rates are based on populations enumerated as of April 1 for 2000 and estimated as of July 1 for all other years. Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to 'Detailed technical notes to the United States 2006 data-mortality']

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, and sex	All ages 1/	Under 1 year 2/	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
Acute rheumatic fever and chronic rheumatic heart diseases (I00-I09)												
Non-Hispanic 4/, both sexes												
2006.....	1.2	*	*	*	*	0.1	0.2	0.4	1.1	3.3	8.7	17.0
2005.....	1.3	*	*	*	*	0.1	0.2	0.4	1.2	3.3	8.7	19.5
2004.....	1.2	*	*	*	*	0.1	0.2	0.5	1.1	3.3	9.0	17.7
2003.....	1.4	*	*	*	*	*	0.2	0.5	1.3	3.8	9.7	20.9
2002.....	1.4	*	*	*	*	0.1	0.2	0.6	1.6	3.8	9.7	18.1
2001.....	1.3	*	*	*	*	0.1	0.3	0.6	1.4	4.1	9.6	18.0
2000.....	1.4	*	*	*	*	0.1	0.3	0.7	1.7	4.5	9.7	17.1
1999.....	1.4	*	*	*	*	0.1	0.3	0.7	1.7	4.6	10.1	18.3
Non-Hispanic 4/, male												
2006.....	0.8	*	*	*	*	*	0.1	0.4	0.9	2.4	6.3	12.3
2005.....	0.8	*	*	*	*	*	0.2	0.4	1.0	2.5	6.4	14.6
2004.....	0.8	*	*	*	*	*	0.2	0.4	0.8	2.3	7.3	11.9
2003.....	0.9	*	*	*	*	*	0.2	0.4	1.1	2.9	7.6	16.6
2002.....	0.8	*	*	*	*	*	0.2	0.5	1.2	3.0	7.0	12.0
2001.....	0.8	*	*	*	*	*	0.3	0.5	1.1	2.8	6.7	13.1
2000.....	0.9	*	*	*	*	*	0.3	0.6	1.4	2.9	6.7	12.5
1999.....	0.8	*	*	*	*	*	0.2	0.5	1.2	3.6	6.9	10.7
Non-Hispanic 4/, female												
2006.....	1.6	*	*	*	*	*	0.2	0.4	1.3	4.0	10.3	19.2
2005.....	1.7	*	*	*	*	*	0.2	0.5	1.4	4.0	10.3	21.8
2004.....	1.7	*	*	*	*	*	0.2	0.6	1.4	4.1	10.0	20.2
2003.....	1.8	*	*	*	*	*	0.3	0.7	1.5	4.6	11.1	22.8
2002.....	1.8	*	*	*	*	*	0.2	0.7	2.0	4.5	11.6	20.8
2001.....	1.8	*	*	*	*	*	0.3	0.7	1.7	5.1	11.5	20.0
2000.....	1.9	*	*	*	*	*	0.4	0.8	2.0	5.8	11.6	19.0
1999.....	2.0	*	*	*	*	0.1	0.3	0.8	2.3	5.5	12.2	21.3
Non-Hispanic white, both sexes												
2006 5/.....	1.4	*	*	*	*	*	0.1	0.3	1.0	3.3	9.2	18.4
2005 5/.....	1.4	*	*	*	*	*	0.2	0.4	1.1	3.4	9.2	21.0
2004 5/.....	1.4	*	*	*	*	*	0.1	0.5	1.0	3.4	9.5	18.9
2003 5/.....	1.5	*	*	*	*	*	0.2	0.4	1.2	3.9	10.4	22.3
2002.....	1.5	*	*	*	*	*	0.2	0.5	1.5	3.9	10.2	19.3
2001.....	1.5	*	*	*	*	*	0.2	0.5	1.3	4.0	10.2	19.0
2000.....	1.6	*	*	*	*	*	0.3	0.6	1.7	4.6	10.3	18.0
1999.....	1.6	*	*	*	*	0.1	0.2	0.6	1.7	4.8	10.6	19.2
Non-Hispanic white, male												
2006 5/.....	0.8	*	*	*	*	*	*	0.3	0.8	2.4	6.7	13.2
2005 5/.....	0.9	*	*	*	*	*	0.2	0.3	0.9	2.5	6.7	15.4
2004 5/.....	0.9	*	*	*	*	*	*	0.4	0.7	2.4	7.8	12.8
2003 5/.....	1.0	*	*	*	*	*	0.2	0.3	0.9	3.0	8.3	17.7
2002.....	0.9	*	*	*	*	*	0.2	0.4	1.1	3.0	7.3	12.9
2001.....	0.9	*	*	*	*	*	0.2	0.4	1.1	2.7	7.0	13.7
2000.....	0.9	*	*	*	*	*	0.3	0.5	1.5	2.9	7.2	13.0
1999.....	0.9	*	*	*	*	*	0.2	0.5	1.1	3.8	7.2	11.6
Non-Hispanic white, female												
2006 5/.....	1.9	*	*	*	*	*	*	0.4	1.2	4.1	10.9	20.8
2005 5/.....	1.9	*	*	*	*	*	0.2	0.4	1.2	4.2	10.9	23.6
2004 5/.....	1.9	*	*	*	*	*	0.2	0.5	1.3	4.2	10.6	21.6
2003 5/.....	2.1	*	*	*	*	*	0.2	0.5	1.4	4.6	11.8	24.4
2002.....	2.1	*	*	*	*	*	0.2	0.6	1.9	4.6	12.2	22.0
2001.....	2.0	*	*	*	*	*	0.2	0.5	1.5	5.1	12.2	21.2
2000.....	2.1	*	*	*	*	*	0.3	0.7	1.9	6.0	12.4	20.0
1999.....	2.2	*	*	*	*	*	0.2	0.7	2.2	5.7	12.9	22.3

Worktable Orig12. Death rates for 358 selected causes, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2006

[Rates per 100,000 population in specified group. Rates are based on populations enumerated as of April 1 for 2000 and estimated as of July 1 for all other years. Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to 'Detailed technical notes to the United States 2006 data-mortality']

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, and sex	All ages 1/	Under 1 year 2/	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
Acute rheumatic fever and chronic rheumatic heart diseases (I00-I09)												
Non-Hispanic black, both sexes												
2006 5/.....	0.7	*	*	*	*	*	0.4	0.8	1.7	3.0	5.2	*
2005 5/.....	0.6	*	*	*	*	*	*	1.0	1.5	2.4	4.5	6.3
2004 5/.....	0.7	*	*	*	*	*	0.6	1.0	1.6	2.7	4.1	6.0
2003 5/.....	0.8	*	*	*	*	*	0.5	1.4	2.7	4.0	4.2	7.1
2002.....	0.7	*	*	*	*	*	0.4	1.0	2.4	2.9	4.4	*
2001.....	0.8	*	*	*	*	*	0.7	1.4	2.1	4.2	4.3	6.9
2000.....	0.7	*	*	*	*	*	0.6	1.0	2.0	3.6	4.0	8.6
1999.....	0.8	*	*	*	*	*	0.5	1.2	2.2	3.4	4.4	8.4
Non-Hispanic black, male												
2006 5/.....	0.5	*	*	*	*	*	*	*	1.7	*	*	*
2005 5/.....	0.4	*	*	*	*	*	*	*	*	*	*	*
2004 5/.....	0.5	*	*	*	*	*	*	0.9	*	*	*	*
2003 5/.....	0.6	*	*	*	*	*	*	0.9	2.8	3.0	*	*
2002.....	0.5	*	*	*	*	*	*	*	1.8	2.9	*	*
2001.....	0.5	*	*	*	*	*	*	1.0	*	*	*	*
2000.....	0.5	*	*	*	*	*	*	*	*	*	*	*
1999.....	0.5	*	*	*	*	*	*	*	*	*	*	*
Non-Hispanic black, female												
2006 5/.....	0.8	*	*	*	*	*	*	0.9	1.8	3.3	6.2	*
2005 5/.....	0.7	*	*	*	*	*	*	1.1	1.6	2.9	4.6	*
2004 5/.....	0.8	*	*	*	*	*	*	1.1	1.7	3.4	5.2	*
2003 5/.....	1.0	*	*	*	*	*	*	1.7	2.6	4.6	5.2	*
2002.....	0.8	*	*	*	*	*	*	1.1	2.9	2.9	5.1	*
2001.....	1.2	*	*	*	*	*	0.9	1.7	2.6	5.4	5.4	*
2000.....	1.0	*	*	*	*	*	0.8	1.4	2.7	4.4	4.9	*
1999.....	1.0	*	*	*	*	*	*	1.5	2.7	4.1	4.4	11.1

Worktable Orig12. Death rates for 358 selected causes, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2006

[Rates per 100,000 population in specified group. Rates are based on populations enumerated as of April 1 for 2000 and estimated as of July 1 for all other years. Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to 'Detailed technical notes to the United States 2006 data-mortality']

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, and sex	All ages 1/	Under 1 year 2/	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
Chronic rheumatic heart diseases (I05-I09)												
All origins 3/, both sexes												
2006.....	1.1	*	*	*	*	0.1	0.1	0.4	1.1	3.2	8.5	16.6
2005.....	1.1	*	*	*	*	0.1	0.2	0.4	1.2	3.2	8.5	18.9
2004.....	1.1	*	*	*	*	0.1	0.2	0.5	1.1	3.3	8.8	17.0
2003.....	1.2	*	*	*	*	0.1	0.2	0.5	1.3	3.7	9.5	20.3
2002.....	1.2	*	*	*	*	0.1	0.2	0.6	1.6	3.8	9.5	17.5
2001.....	1.2	*	*	*	*	0.1	0.3	0.6	1.4	4.0	9.3	17.2
2000.....	1.3	*	*	*	*	0.1	0.3	0.7	1.7	4.4	9.5	16.7
1999.....	1.3	*	*	*	*	0.1	0.3	0.7	1.7	4.6	10.0	17.9
All origins 3/, male												
2006.....	0.7	*	*	*	*	*	0.1	0.4	0.9	2.4	6.1	12.0
2005.....	0.7	*	*	*	*	*	0.2	0.4	1.0	2.4	6.1	13.9
2004.....	0.7	*	*	*	*	*	0.2	0.4	0.7	2.3	7.2	11.4
2003.....	0.8	*	*	*	*	*	0.2	0.4	1.1	2.8	7.4	16.1
2002.....	0.7	*	*	*	*	*	0.2	0.5	1.2	2.9	6.6	11.4
2001.....	0.7	*	*	*	*	*	0.2	0.4	1.1	2.7	6.5	12.3
2000.....	0.8	*	*	*	*	*	0.3	0.6	1.4	2.8	6.5	12.1
1999.....	0.8	*	*	*	*	*	0.2	0.5	1.1	3.5	6.7	10.3
All origins 3/, female												
2006.....	1.5	*	*	*	*	*	0.2	0.4	1.3	3.9	10.2	18.8
2005.....	1.5	*	*	*	*	*	0.2	0.5	1.3	3.9	10.1	21.2
2004.....	1.5	*	*	*	*	*	0.3	0.6	1.4	4.0	9.8	19.5
2003.....	1.7	*	*	*	*	*	0.2	0.7	1.5	4.5	10.9	22.2
2002.....	1.7	*	*	*	*	*	0.2	0.7	2.0	4.6	11.4	20.2
2001.....	1.7	*	*	*	*	*	0.3	0.7	1.7	5.0	11.2	19.3
2000.....	1.7	*	*	*	*	0.1	0.3	0.7	2.0	5.7	11.4	18.5
1999.....	1.8	*	*	*	*	0.1	0.3	0.8	2.2	5.5	12.1	21.0
Hispanic, both sexes												
2006.....	0.4	*	*	*	*	*	*	*	1.1	2.5	6.5	10.2
2005.....	0.4	*	*	*	*	*	*	0.5	1.1	3.0	5.6	8.6
2004.....	0.4	*	*	*	*	*	*	*	1.3	3.5	6.3	*
2003.....	0.4	*	*	*	*	*	*	0.5	1.0	3.3	6.7	*
2002.....	0.5	*	*	*	*	*	*	0.7	1.8	4.5	7.0	*
2001.....	0.4	*	*	*	*	*	*	*	1.5	4.1	5.4	*
2000.....	0.4	*	*	*	*	*	*	*	1.8	4.3	5.3	*
1999.....	0.5	*	*	*	*	*	0.8	1.6	4.2	7.3	*	*
Hispanic, male												
2006.....	0.2	*	*	*	*	*	*	*	*	*	*	*
2005.....	0.2	*	*	*	*	*	*	*	*	*	*	*
2004.....	0.3	*	*	*	*	*	*	*	*	*	*	*
2003.....	0.3	*	*	*	*	*	*	*	*	*	*	*
2002.....	0.3	*	*	*	*	*	*	*	*	*	*	*
2001.....	0.3	*	*	*	*	*	*	*	*	*	*	*
2000.....	0.3	*	*	*	*	*	*	*	*	*	*	*
1999.....	0.2	*	*	*	*	*	*	*	*	*	*	*
Hispanic, female												
2006.....	0.5	*	*	*	*	*	*	*	*	2.6	8.9	12.0
2005.....	0.6	*	*	*	*	*	*	*	*	3.7	8.1	*
2004.....	0.5	*	*	*	*	*	*	*	2.0	3.7	6.4	*
2003.....	0.5	*	*	*	*	*	*	*	*	4.0	8.4	*
2002.....	0.7	*	*	*	*	*	*	*	2.1	5.8	10.7	*
2001.....	0.6	*	*	*	*	*	*	*	2.0	5.2	*	*
2000.....	0.6	*	*	*	*	*	*	*	*	5.6	6.9	*
1999.....	0.8	*	*	*	*	*	*	*	*	5.9	10.4	*

Worktable Orig12. Death rates for 358 selected causes, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2006

[Rates per 100,000 population in specified group. Rates are based on populations enumerated as of April 1 for 2000 and estimated as of July 1 for all other years. Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to 'Detailed technical notes to the United States 2006 data-mortality']

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, and sex	All ages 1/	Under 1 year 2/	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
Chronic rheumatic heart diseases (I05-I09)												
Non-Hispanic 4/, both sexes												
2006.....	1.2	*	*	*	*	0.1	0.2	0.4	1.1	3.3	8.6	17.0
2005.....	1.3	*	*	*	*	0.1	0.2	0.4	1.2	3.3	8.7	19.4
2004.....	1.2	*	*	*	*	0.1	0.2	0.5	1.1	3.3	8.9	17.6
2003.....	1.4	*	*	*	*	*	0.2	0.5	1.3	3.8	9.6	20.8
2002.....	1.3	*	*	*	*	0.1	0.2	0.6	1.6	3.8	9.6	17.9
2001.....	1.3	*	*	*	*	0.1	0.3	0.6	1.4	4.0	9.5	17.5
2000.....	1.4	*	*	*	*	0.1	0.3	0.7	1.7	4.4	9.6	17.0
1999.....	1.4	*	*	*	*	0.1	0.3	0.6	1.7	4.6	10.1	18.2
Non-Hispanic 4/, male												
2006.....	0.8	*	*	*	*	*	0.1	0.4	0.9	2.4	6.3	12.3
2005.....	0.8	*	*	*	*	*	0.2	0.4	1.0	2.4	6.4	14.5
2004.....	0.8	*	*	*	*	*	0.2	0.4	0.8	2.3	7.3	11.8
2003.....	0.9	*	*	*	*	*	0.2	0.4	1.1	2.9	7.6	16.4
2002.....	0.8	*	*	*	*	*	0.2	0.5	1.2	2.9	6.9	11.7
2001.....	0.8	*	*	*	*	*	0.2	0.4	1.1	2.7	6.6	12.6
2000.....	0.8	*	*	*	*	*	0.3	0.6	1.4	2.8	6.7	12.4
1999.....	0.8	*	*	*	*	*	0.2	0.5	1.1	3.5	6.8	10.7
Non-Hispanic 4/, female												
2006.....	1.6	*	*	*	*	*	0.2	0.4	1.3	4.0	10.3	19.1
2005.....	1.7	*	*	*	*	*	0.2	0.5	1.3	3.9	10.2	21.7
2004.....	1.6	*	*	*	*	*	0.2	0.6	1.4	4.1	9.9	20.1
2003.....	1.8	*	*	*	*	*	0.3	0.7	1.5	4.5	11.0	22.7
2002.....	1.8	*	*	*	*	*	0.2	0.7	2.0	4.5	11.4	20.6
2001.....	1.8	*	*	*	*	*	0.3	0.7	1.7	5.0	11.4	19.5
2000.....	1.9	*	*	*	*	*	0.3	0.8	2.0	5.7	11.6	18.8
1999.....	2.0	*	*	*	*	0.1	0.3	0.8	2.3	5.5	12.2	21.2
Non-Hispanic white, both sexes												
2006 5/.....	1.4	*	*	*	*	*	0.1	0.3	1.0	3.3	9.1	18.4
2005 5/.....	1.4	*	*	*	*	*	0.2	0.4	1.1	3.4	9.1	20.9
2004 5/.....	1.4	*	*	*	*	*	0.1	0.4	1.0	3.3	9.4	18.8
2003 5/.....	1.5	*	*	*	*	*	0.2	0.4	1.1	3.8	10.3	22.2
2002.....	1.5	*	*	*	*	*	0.2	0.5	1.5	3.9	10.1	19.0
2001.....	1.5	*	*	*	*	*	0.2	0.5	1.3	4.0	10.0	18.6
2000.....	1.5	*	*	*	*	*	0.3	0.6	1.6	4.5	10.3	17.9
1999.....	1.6	*	*	*	*	0.1	0.2	0.6	1.6	4.8	10.6	19.2
Non-Hispanic white, male												
2006 5/.....	0.8	*	*	*	*	*	*	0.3	0.8	2.4	6.7	13.2
2005 5/.....	0.9	*	*	*	*	*	0.2	0.3	0.9	2.5	6.7	15.3
2004 5/.....	0.8	*	*	*	*	*	*	0.4	0.7	2.4	7.8	12.7
2003 5/.....	1.0	*	*	*	*	*	0.2	0.3	0.9	2.9	8.2	17.7
2002.....	0.9	*	*	*	*	*	0.2	0.4	1.1	3.0	7.2	12.5
2001.....	0.9	*	*	*	*	*	0.2	0.4	1.1	2.7	6.9	13.2
2000.....	0.9	*	*	*	*	*	0.3	0.5	1.4	2.8	7.1	12.9
1999.....	0.9	*	*	*	*	*	0.2	0.4	1.1	3.7	7.1	11.6
Non-Hispanic white, female												
2006 5/.....	1.9	*	*	*	*	*	*	0.4	1.2	4.1	10.8	20.8
2005 5/.....	1.9	*	*	*	*	*	0.2	0.4	1.2	4.1	10.8	23.5
2004 5/.....	1.9	*	*	*	*	*	0.2	0.5	1.3	4.1	10.5	21.5
2003 5/.....	2.1	*	*	*	*	*	0.2	0.5	1.4	4.6	11.7	24.3
2002.....	2.1	*	*	*	*	*	0.2	0.6	1.8	4.6	12.0	21.8
2001.....	2.0	*	*	*	*	*	0.2	0.5	1.5	5.1	12.1	20.8
2000.....	2.1	*	*	*	*	*	0.2	0.7	1.9	6.0	12.4	19.9
1999.....	2.2	*	*	*	*	*	0.2	0.7	2.2	5.6	12.8	22.2

Worktable Orig12. Death rates for 358 selected causes, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2006

[Rates per 100,000 population in specified group. Rates are based on populations enumerated as of April 1 for 2000 and estimated as of July 1 for all other years. Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to 'Detailed technical notes to the United States 2006 data-mortality']

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, and sex	All ages 1/	Under 1 year 2/	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
Chronic rheumatic heart diseases (I05-I09)												
Non-Hispanic black, both sexes												
2006 5/.....	0.6	*	*	*	*	*	0.4	0.8	1.7	3.0	5.2	*
2005 5/.....	0.6	*	*	*	*	*	*	1.0	1.5	2.3	4.4	6.3
2004 5/.....	0.7	*	*	*	*	*	0.6	1.0	1.5	2.6	4.0	6.0
2003 5/.....	0.8	*	*	*	*	*	0.5	1.3	2.6	3.9	3.9	7.1
2002.....	0.7	*	*	*	*	*	*	1.0	2.4	2.9	4.2	*
2001.....	0.8	*	*	*	*	*	0.7	1.4	2.1	4.0	4.3	*
2000.....	0.7	*	*	*	*	*	0.6	1.0	2.0	3.5	4.0	8.3
1999.....	0.8	*	*	*	*	*	0.5	1.2	2.1	3.4	4.3	7.8
Non-Hispanic black, male												
2006 5/.....	0.5	*	*	*	*	*	*	*	1.7	*	*	*
2005 5/.....	0.4	*	*	*	*	*	*	*	*	*	*	*
2004 5/.....	0.5	*	*	*	*	*	*	0.9	*	*	*	*
2003 5/.....	0.6	*	*	*	*	*	*	*	2.7	3.0	*	*
2002.....	0.5	*	*	*	*	*	*	*	1.8	2.9	*	*
2001.....	0.5	*	*	*	*	*	*	1.0	*	*	*	*
2000.....	0.5	*	*	*	*	*	*	*	*	*	*	*
1999.....	0.5	*	*	*	*	*	*	*	*	*	*	*
Non-Hispanic black, female												
2006 5/.....	0.8	*	*	*	*	*	*	0.9	1.7	3.2	6.2	*
2005 5/.....	0.7	*	*	*	*	*	*	1.1	1.6	2.8	4.4	*
2004 5/.....	0.8	*	*	*	*	*	*	1.1	1.7	3.3	5.0	*
2003 5/.....	1.0	*	*	*	*	*	*	1.7	2.6	4.5	4.7	*
2002.....	0.8	*	*	*	*	*	*	1.1	2.9	2.9	4.8	*
2001.....	1.1	*	*	*	*	*	0.9	1.7	2.6	5.1	5.4	*
2000.....	1.0	*	*	*	*	*	0.8	1.3	2.7	4.3	4.9	*
1999.....	1.0	*	*	*	*	*	*	1.5	2.6	4.1	4.4	10.2

Worktable Orig12. Death rates for 358 selected causes, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2006

[Rates per 100,000 population in specified group. Rates are based on populations enumerated as of April 1 for 2000 and estimated as of July 1 for all other years. Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to 'Detailed technical notes to the United States 2006 data-mortality']

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, and sex	All ages 1/	Under 1 year 2/	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
Rheumatic mitral valve diseases (I05)												
All origins 3/, both sexes												
2006.....	0.5	*	*	*	*	*	0.1	0.2	0.6	1.6	4.0	6.4
2005.....	0.5	*	*	*	*	*	0.1	0.2	0.7	1.5	4.0	7.1
2004.....	0.5	*	*	*	*	*	0.1	0.3	0.6	1.6	3.9	6.6
2003.....	0.6	*	*	*	*	*	0.1	0.3	0.7	2.0	4.7	7.6
2002.....	0.6	*	*	*	*	0.1	0.1	0.4	1.0	2.0	5.0	7.4
2001.....	0.7	*	*	*	*	0.1	0.2	0.4	0.8	2.3	5.1	8.5
2000.....	0.7	*	*	*	*	0.1	0.2	0.4	1.0	2.7	5.4	8.5
1999.....	0.7	*	*	*	*	*	0.1	0.4	1.0	2.6	5.7	9.0
All origins 3/, male												
2006.....	0.3	*	*	*	*	*	0.1	0.2	0.5	1.2	3.0	4.0
2005.....	0.3	*	*	*	*	*	0.1	0.2	0.5	1.1	3.1	4.4
2004.....	0.3	*	*	*	*	*	0.1	0.2	0.4	1.1	3.0	4.6
2003.....	0.4	*	*	*	*	*	0.2	0.7	1.5	3.5	5.9	
2002.....	0.4	*	*	*	*	0.1	0.3	0.7	1.6	3.0	4.2	
2001.....	0.4	*	*	*	*	0.1	0.3	0.5	1.6	3.2	6.2	
2000.....	0.4	*	*	*	*	0.2	0.3	0.9	1.7	3.8	6.1	
1999.....	0.4	*	*	*	*	0.1	0.3	0.6	1.9	3.7	4.9	
All origins 3/, female												
2006.....	0.7	*	*	*	*	*	0.1	0.2	0.7	1.9	4.6	7.5
2005.....	0.7	*	*	*	*	*	0.1	0.3	0.8	1.9	4.7	8.3
2004.....	0.7	*	*	*	*	*	0.2	0.3	0.8	2.0	4.5	7.5
2003.....	0.8	*	*	*	*	*	0.1	0.4	0.7	2.4	5.5	8.4
2002.....	0.9	*	*	*	*	0.1	0.4	1.2	2.3	6.2	8.7	
2001.....	0.9	*	*	*	*	0.2	0.5	1.1	2.9	6.3	9.4	
2000.....	1.0	*	*	*	*	0.2	0.5	1.2	3.5	6.4	9.5	
1999.....	1.0	*	*	*	*	0.2	0.5	1.3	3.3	7.0	10.7	
Hispanic, both sexes												
2006.....	0.2	*	*	*	*	*	*	*	*	*	3.9	*
2005.....	0.2	*	*	*	*	*	*	*	*	*	2.7	*
2004.....	0.2	*	*	*	*	*	*	*	*	*	3.1	*
2003.....	0.2	*	*	*	*	*	*	*	*	*	3.4	*
2002.....	0.2	*	*	*	*	*	*	1.0	2.1	*	*	*
2001.....	0.2	*	*	*	*	*	*	*	2.1	*	*	*
2000.....	0.2	*	*	*	*	*	*	*	2.4	*	*	*
1999.....	0.3	*	*	*	*	*	*	*	2.4	4.8	*	*
Hispanic, male												
2006.....	0.1	*	*	*	*	*	*	*	*	*	*	*
2005.....	0.1	*	*	*	*	*	*	*	*	*	*	*
2004.....	0.1	*	*	*	*	*	*	*	*	*	*	*
2003.....	0.2	*	*	*	*	*	*	*	*	*	*	*
2002.....	0.1	*	*	*	*	*	*	*	*	*	*	*
2001.....	0.1	*	*	*	*	*	*	*	*	*	*	*
2000.....	0.1	*	*	*	*	*	*	*	*	*	*	*
1999.....	0.1	*	*	*	*	*	*	*	*	*	*	*
Hispanic, female												
2006.....	0.3	*	*	*	*	*	*	*	*	*	5.3	*
2005.....	0.3	*	*	*	*	*	*	*	*	*	*	*
2004.....	0.3	*	*	*	*	*	*	*	*	*	*	*
2003.....	0.2	*	*	*	*	*	*	*	*	*	*	*
2002.....	0.4	*	*	*	*	*	*	*	*	*	*	*
2001.....	0.3	*	*	*	*	*	*	*	*	*	*	*
2000.....	0.3	*	*	*	*	*	*	*	3.3	*	*	*
1999.....	0.4	*	*	*	*	*	*	*	*	6.9	*	*

Worktable Orig12. Death rates for 358 selected causes, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2006

[Rates per 100,000 population in specified group. Rates are based on populations enumerated as of April 1 for 2000 and estimated as of July 1 for all other years. Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to 'Detailed technical notes to the United States 2006 data-mortality']

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, and sex	All ages 1/	Under 1 year 2/	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
Rheumatic mitral valve diseases (I05)												
Non-Hispanic 4/, both sexes												
2006.....	0.6	*	*	*	*	*	0.1	0.2	0.6	1.6	4.0	6.6
2005.....	0.6	*	*	*	*	*	0.1	0.2	0.7	1.6	4.1	7.2
2004.....	0.6	*	*	*	*	*	0.1	0.3	0.5	1.6	4.0	6.9
2003.....	0.7	*	*	*	*	*	0.1	0.3	0.7	2.0	4.8	7.8
2002.....	0.7	*	*	*	*	*	0.1	0.4	1.0	2.0	5.0	7.5
2001.....	0.7	*	*	*	*	0.1	0.2	0.4	0.8	2.3	5.2	8.6
2000.....	0.8	*	*	*	*	0.1	0.2	0.4	1.0	2.7	5.5	8.7
1999.....	0.8	*	*	*	*	*	0.1	0.4	1.0	2.6	5.7	9.1
Non-Hispanic 4/, male												
2006.....	0.4	*	*	*	*	*	*	0.1	0.5	1.2	3.1	4.1
2005.....	0.4	*	*	*	*	*	0.1	0.2	0.5	1.2	3.2	4.6
2004.....	0.3	*	*	*	*	*	*	0.2	0.4	1.1	3.0	4.7
2003.....	0.4	*	*	*	*	*	*	0.2	0.7	1.5	3.5	5.9
2002.....	0.4	*	*	*	*	*	0.1	0.3	0.7	1.6	3.1	4.3
2001.....	0.4	*	*	*	*	*	0.1	0.3	0.6	1.6	3.3	6.4
2000.....	0.5	*	*	*	*	*	0.2	0.3	0.8	1.7	3.9	6.2
1999.....	0.5	*	*	*	*	*	0.1	0.3	0.6	1.9	3.7	5.1
Non-Hispanic 4/, female												
2006.....	0.7	*	*	*	*	*	0.1	0.2	0.7	2.0	4.6	7.7
2005.....	0.8	*	*	*	*	*	0.1	0.3	0.9	1.9	4.7	8.4
2004.....	0.8	*	*	*	*	*	0.2	0.3	0.7	2.0	4.6	7.8
2003.....	0.9	*	*	*	*	*	0.1	0.4	0.7	2.4	5.6	8.6
2002.....	1.0	*	*	*	*	*	0.1	0.4	1.2	2.3	6.3	8.9
2001.....	1.0	*	*	*	*	*	0.2	0.5	1.1	2.9	6.4	9.5
2000.....	1.1	*	*	*	*	*	0.2	0.5	1.2	3.5	6.5	9.7
1999.....	1.1	*	*	*	*	*	0.2	0.6	1.3	3.2	7.0	10.7
Non-Hispanic white, both sexes												
2006 5/.....	0.6	*	*	*	*	*	0.1	0.2	0.6	1.7	4.1	7.0
2005 5/.....	0.6	*	*	*	*	*	0.1	0.2	0.6	1.6	4.3	7.8
2004 5/.....	0.6	*	*	*	*	*	0.1	0.2	0.5	1.7	4.1	7.4
2003 5/.....	0.7	*	*	*	*	*	0.1	0.2	0.6	2.1	5.0	8.3
2002.....	0.8	*	*	*	*	*	0.1	0.3	0.9	2.0	5.3	8.0
2001.....	0.8	*	*	*	*	*	0.2	0.3	0.8	2.3	5.5	9.2
2000.....	0.9	*	*	*	*	*	0.2	0.4	1.0	2.8	5.8	9.3
1999.....	0.9	*	*	*	*	*	0.1	0.4	1.0	2.7	6.0	9.6
Non-Hispanic white, male												
2006 5/.....	0.4	*	*	*	*	*	*	*	0.5	1.3	3.2	4.2
2005 5/.....	0.4	*	*	*	*	*	*	0.1	0.5	1.2	3.4	5.0
2004 5/.....	0.4	*	*	*	*	*	*	0.2	0.3	1.2	3.2	5.2
2003 5/.....	0.5	*	*	*	*	*	*	0.2	0.5	1.6	3.8	6.3
2002.....	0.4	*	*	*	*	*	*	0.2	0.6	1.6	3.3	4.6
2001.....	0.5	*	*	*	*	*	0.2	0.2	0.6	1.5	3.5	6.7
2000.....	0.5	*	*	*	*	*	0.2	0.4	0.9	1.7	4.1	6.5
1999.....	0.5	*	*	*	*	*	*	0.3	0.6	2.0	3.8	5.5
Non-Hispanic white, female												
2006 5/.....	0.8	*	*	*	*	*	*	0.2	0.7	2.0	4.8	8.3
2005 5/.....	0.9	*	*	*	*	*	*	0.2	0.8	2.0	5.0	9.2
2004 5/.....	0.8	*	*	*	*	*	*	0.3	0.7	2.1	4.7	8.4
2003 5/.....	1.0	*	*	*	*	*	0.1	0.3	0.6	2.5	5.9	9.1
2002.....	1.1	*	*	*	*	*	0.1	0.4	1.1	2.3	6.7	9.5
2001.....	1.1	*	*	*	*	*	0.2	0.4	1.0	2.9	6.8	10.2
2000.....	1.2	*	*	*	*	*	0.2	0.5	1.1	3.7	7.0	10.5
1999.....	1.3	*	*	*	*	*	0.1	0.4	1.3	3.3	7.5	11.2

Worktable Orig12. Death rates for 358 selected causes, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2006

[Rates per 100,000 population in specified group. Rates are based on populations enumerated as of April 1 for 2000 and estimated as of July 1 for all other years. Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to 'Detailed technical notes to the United States 2006 data-mortality']

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, and sex	All ages 1/	Under 1 year 2/	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
Rheumatic mitral valve diseases (I05)												
Non-Hispanic black, both sexes												
2006 5/.....	0.3	*	*	*	*	*	*	0.4	0.9	1.5	2.3	*
2005 5/.....	0.3	*	*	*	*	*	*	0.5	0.7	*	*	*
2004 5/.....	0.3	*	*	*	*	*	0.4	0.6	0.7	1.2	2.4	*
2003 5/.....	0.4	*	*	*	*	*	*	0.8	1.6	1.7	2.4	*
2002.....	0.4	*	*	*	*	*	*	0.6	1.6	1.3	*	*
2001.....	0.5	*	*	*	*	*	0.4	0.9	1.2	2.4	2.3	*
2000.....	0.4	*	*	*	*	*	*	*	1.1	1.8	2.2	*
1999.....	0.5	*	*	*	*	*	*	0.9	1.2	2.5	2.5	*
Non-Hispanic black, male												
2006 5/.....	0.2	*	*	*	*	*	*	*	*	*	*	*
2005 5/.....	0.2	*	*	*	*	*	*	*	*	*	*	*
2004 5/.....	0.2	*	*	*	*	*	*	*	*	*	*	*
2003 5/.....	0.3	*	*	*	*	*	*	*	2.1	*	*	*
2002.....	0.3	*	*	*	*	*	*	*	*	*	*	*
2001.....	0.3	*	*	*	*	*	*	*	*	*	*	*
2000.....	0.2	*	*	*	*	*	*	*	*	*	*	*
1999.....	0.3	*	*	*	*	*	*	*	*	*	*	*
Non-Hispanic black, female												
2006 5/.....	0.4	*	*	*	*	*	*	*	*	*	*	*
2005 5/.....	0.4	*	*	*	*	*	*	*	*	*	*	*
2004 5/.....	0.4	*	*	*	*	*	*	*	*	*	*	*
2003 5/.....	0.5	*	*	*	*	*	*	1.0	*	2.1	*	*
2002.....	0.5	*	*	*	*	*	*	*	1.9	*	*	*
2001.....	0.7	*	*	*	*	*	*	1.1	1.7	2.9	*	*
2000.....	0.5	*	*	*	*	*	*	*	1.5	2.3	*	*
1999.....	0.6	*	*	*	*	*	*	1.2	1.6	3.1	*	*

Worktable Orig12. Death rates for 358 selected causes, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2006

[Rates per 100,000 population in specified group. Rates are based on populations enumerated as of April 1 for 2000 and estimated as of July 1 for all other years. Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to 'Detailed technical notes to the United States 2006 data-mortality']

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, and sex	All ages 1/	Under 1 year 2/	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
Disorders of both mitral and aortic valves (I08.0)												
Non-Hispanic 4/, both sexes												
2006.....	0.3	*	*	*	*	*	*	0.1	0.2	0.6	1.9	5.0
2005.....	0.3	*	*	*	*	*	*	0.1	0.2	0.6	2.0	6.2
2004.....	0.3	*	*	*	*	*	*	0.1	0.2	0.6	2.0	5.4
2003.....	0.3	*	*	*	*	*	*	0.1	0.2	0.6	2.1	6.6
2002.....	0.2	*	*	*	*	*	*	0.1	0.1	0.5	1.5	3.6
2001.....	0.1	*	*	*	*	*	*	*	0.1	0.5	1.0	2.5
2000.....	0.1	*	*	*	*	*	*	*	0.1	0.3	0.9	2.1
1999.....	0.1	*	*	*	*	*	*	*	0.1	0.4	0.8	2.0
Non-Hispanic 4/, male												
2006.....	0.2	*	*	*	*	*	*	*	0.2	0.4	1.6	4.3
2005.....	0.2	*	*	*	*	*	*	*	0.2	0.5	1.8	5.6
2004.....	0.2	*	*	*	*	*	*	*	*	0.5	2.1	3.9
2003.....	0.2	*	*	*	*	*	*	*	*	0.6	2.0	6.2
2002.....	0.1	*	*	*	*	*	*	*	*	0.5	1.4	2.5
2001.....	0.1	*	*	*	*	*	*	*	*	0.5	1.0	2.3
2000.....	0.1	*	*	*	*	*	*	*	*	0.3	0.7	2.0
1999.....	0.1	*	*	*	*	*	*	*	*	0.4	0.7	*
Non-Hispanic 4/, female												
2006.....	0.3	*	*	*	*	*	*	*	0.1	0.7	2.0	5.4
2005.....	0.4	*	*	*	*	*	*	*	0.1	0.7	2.2	6.4
2004.....	0.3	*	*	*	*	*	*	*	0.2	0.7	1.9	6.1
2003.....	0.4	*	*	*	*	*	*	*	0.2	0.6	2.2	6.8
2002.....	0.2	*	*	*	*	*	*	*	*	0.5	1.6	4.1
2001.....	0.2	*	*	*	*	*	*	*	*	0.5	1.1	2.6
2000.....	0.2	*	*	*	*	*	*	*	*	0.4	1.0	2.1
1999.....	0.2	*	*	*	*	*	*	*	*	0.4	0.8	2.2
Non-Hispanic white, both sexes												
2006 5/.....	0.3	*	*	*	*	*	*	*	0.1	0.5	2.0	5.5
2005 5/.....	0.3	*	*	*	*	*	*	0.1	0.2	0.6	2.2	6.8
2004 5/.....	0.3	*	*	*	*	*	*	0.1	0.2	0.6	2.1	5.8
2003 5/.....	0.3	*	*	*	*	*	*	*	0.2	0.6	2.3	7.1
2002.....	0.2	*	*	*	*	*	*	*	*	0.5	1.7	3.8
2001.....	0.2	*	*	*	*	*	*	*	*	0.5	1.1	2.6
2000.....	0.1	*	*	*	*	*	*	*	0.1	0.3	1.0	2.1
1999.....	0.1	*	*	*	*	*	*	*	0.1	0.4	0.8	2.1
Non-Hispanic white, male												
2006 5/.....	0.2	*	*	*	*	*	*	*	*	0.4	1.8	4.7
2005 5/.....	0.2	*	*	*	*	*	*	*	0.2	0.5	1.8	6.2
2004 5/.....	0.2	*	*	*	*	*	*	*	*	0.5	2.3	4.2
2003 5/.....	0.2	*	*	*	*	*	*	*	*	0.6	2.2	6.7
2002.....	0.2	*	*	*	*	*	*	*	*	0.5	1.5	2.7
2001.....	0.1	*	*	*	*	*	*	*	*	0.5	1.0	2.5
2000.....	0.1	*	*	*	*	*	*	*	*	0.4	0.8	2.0
1999.....	0.1	*	*	*	*	*	*	*	*	0.5	0.7	*
Non-Hispanic white, female												
2006 5/.....	0.4	*	*	*	*	*	*	*	*	0.7	2.1	5.9
2005 5/.....	0.4	*	*	*	*	*	*	*	*	0.7	2.5	7.1
2004 5/.....	0.4	*	*	*	*	*	*	*	0.2	0.7	2.0	6.5
2003 5/.....	0.4	*	*	*	*	*	*	*	0.2	0.6	2.3	7.3
2002.....	0.3	*	*	*	*	*	*	*	*	0.5	1.8	4.3
2001.....	0.2	*	*	*	*	*	*	*	*	0.5	1.2	2.7
2000.....	0.2	*	*	*	*	*	*	*	*	0.4	1.1	2.1
1999.....	0.2	*	*	*	*	*	*	*	*	0.4	0.9	2.2

Worktable Orig12. Death rates for 358 selected causes, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2006

[Rates per 100,000 population in specified group. Rates are based on populations enumerated as of April 1 for 2000 and estimated as of July 1 for all other years. Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to 'Detailed technical notes to the United States 2006 data-mortality']

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, and sex	All ages 1/	Under 1 year 2/	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
Other chronic rheumatic heart diseases (I07,I08.1-I08.9,I09)												
Non-Hispanic 4/, both sexes												
2006.....	0.4	*	*	*	*	*	*	0.2	0.3	1.0	2.6	4.7
2005.....	0.3	*	*	*	*	*	0.1	0.1	0.3	1.0	2.3	5.3
2004.....	0.3	*	*	*	*	*	*	0.2	0.3	1.0	2.6	4.5
2003.....	0.4	*	*	*	*	*	0.1	0.1	0.4	1.1	2.5	5.5
2002.....	0.4	*	*	*	*	*	0.1	0.1	0.5	1.2	2.7	5.7
2001.....	0.4	*	*	*	*	*	0.1	0.1	0.4	1.2	3.1	6.0
2000.....	0.4	*	*	*	*	*	0.1	0.2	0.5	1.4	3.2	5.9
1999.....	0.5	*	*	*	*	*	0.1	0.1	0.6	1.5	3.4	6.8
Non-Hispanic 4/, male												
2006.....	0.2	*	*	*	*	*	*	0.1	0.2	0.7	1.3	3.1
2005.....	0.2	*	*	*	*	*	*	*	0.2	0.7	1.2	3.8
2004.....	0.2	*	*	*	*	*	*	0.1	0.2	0.6	1.8	2.6
2003.....	0.2	*	*	*	*	*	*	*	0.3	0.7	1.7	3.5
2002.....	0.2	*	*	*	*	*	*	0.1	0.4	0.8	2.0	3.9
2001.....	0.2	*	*	*	*	*	*	0.1	0.4	0.7	2.0	3.7
2000.....	0.3	*	*	*	*	*	*	0.1	0.4	0.8	2.0	4.1
1999.....	0.3	*	*	*	*	*	*	*	0.3	1.2	2.3	3.8
Non-Hispanic 4/, female												
2006.....	0.5	*	*	*	*	*	*	0.2	0.4	1.2	3.5	5.4
2005.....	0.5	*	*	*	*	*	*	0.1	0.4	1.3	3.0	6.0
2004.....	0.5	*	*	*	*	*	*	0.2	0.4	1.3	3.2	5.4
2003.....	0.5	*	*	*	*	*	*	0.2	0.6	1.4	3.0	6.4
2002.....	0.5	*	*	*	*	*	*	0.2	0.6	1.6	3.1	6.4
2001.....	0.6	*	*	*	*	*	*	0.2	0.5	1.6	3.7	6.9
2000.....	0.6	*	*	*	*	*	0.1	0.2	0.7	1.8	4.0	6.7
1999.....	0.7	*	*	*	*	*	0.1	0.2	0.7	1.7	4.2	8.0
Non-Hispanic white, both sexes												
2006 5/.....	0.4	*	*	*	*	*	*	0.1	0.3	1.0	2.8	5.0
2005 5/.....	0.4	*	*	*	*	*	*	0.1	0.3	1.0	2.4	5.5
2004 5/.....	0.4	*	*	*	*	*	*	0.1	0.3	1.0	2.8	4.8
2003 5/.....	0.4	*	*	*	*	*	*	0.1	0.4	1.1	2.7	5.8
2002.....	0.4	*	*	*	*	*	*	0.1	0.5	1.3	2.8	6.0
2001.....	0.4	*	*	*	*	*	*	0.1	0.4	1.2	3.2	6.4
2000.....	0.5	*	*	*	*	*	0.1	0.1	0.5	1.4	3.4	6.1
1999.....	0.5	*	*	*	*	*	*	0.1	0.5	1.5	3.6	7.1
Non-Hispanic white, male												
2006 5/.....	0.2	*	*	*	*	*	*	*	0.2	0.6	1.4	3.3
2005 5/.....	0.2	*	*	*	*	*	*	*	0.2	0.7	1.2	3.7
2004 5/.....	0.2	*	*	*	*	*	*	*	0.2	0.6	2.0	2.8
2003 5/.....	0.2	*	*	*	*	*	*	*	0.3	0.8	1.9	3.6
2002.....	0.3	*	*	*	*	*	*	*	0.3	0.8	2.1	4.1
2001.....	0.2	*	*	*	*	*	*	*	0.4	0.7	2.1	3.8
2000.....	0.3	*	*	*	*	*	*	*	0.4	0.8	2.2	4.2
1999.....	0.3	*	*	*	*	*	*	*	0.3	1.2	2.4	4.1
Non-Hispanic white, female												
2006 5/.....	0.6	*	*	*	*	*	*	*	0.4	1.2	3.7	5.8
2005 5/.....	0.5	*	*	*	*	*	*	*	0.3	1.3	3.1	6.4
2004 5/.....	0.6	*	*	*	*	*	*	0.2	0.4	1.3	3.4	5.7
2003 5/.....	0.6	*	*	*	*	*	*	0.1	0.5	1.3	3.2	6.8
2002.....	0.6	*	*	*	*	*	*	*	0.6	1.7	3.2	6.8
2001.....	0.6	*	*	*	*	*	*	*	0.4	1.6	3.9	7.4
2000.....	0.7	*	*	*	*	*	*	0.2	0.6	1.9	4.2	6.9
1999.....	0.8	*	*	*	*	*	*	0.2	0.7	1.8	4.4	8.3

Worktable Orig12. Death rates for 358 selected causes, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2006

[Rates per 100,000 population in specified group. Rates are based on populations enumerated as of April 1 for 2000 and estimated as of July 1 for all other years. Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to 'Detailed technical notes to the United States 2006 data-mortality']

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, and sex	All ages 1/	Under 1 year 2/	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
Hypertensive diseases (I10-I15)												
All origins 3/, both sexes												
2006.....	18.9	*	*	*	0.2	1.1	4.2	11.7	20.8	39.1	104.9	406.0
2005.....	19.4	*	*	*	0.1	1.1	4.2	10.9	20.3	40.4	111.3	433.9
2004.....	18.6	*	*	*	0.2	1.1	4.0	11.1	20.6	40.8	108.5	416.1
2003.....	18.4	*	*	*	0.2	1.1	4.0	10.9	20.3	41.2	109.7	409.5
2002.....	17.2	*	*	*	0.1	1.0	3.7	9.9	19.2	39.5	104.6	390.8
2001.....	16.4	*	*	*	0.1	1.0	3.4	9.0	17.7	37.5	103.1	384.7
2000.....	15.9	*	*	*	0.1	0.8	3.1	8.3	17.8	37.0	100.7	380.3
1999.....	15.4	*	*	*	0.1	0.8	3.1	7.9	17.3	36.8	100.1	366.0
All origins 3/, male												
2006.....	16.5	*	*	*	0.3	1.5	5.6	16.0	27.4	46.2	107.8	326.0
2005.....	16.5	*	*	*	0.2	1.4	5.7	15.0	27.0	46.8	111.1	344.2
2004.....	16.0	*	*	*	0.2	1.5	5.4	14.8	27.0	47.8	108.5	335.7
2003.....	15.4	*	*	*	0.3	1.4	5.2	14.7	25.7	47.8	107.3	322.4
2002.....	14.5	*	*	*	0.2	1.4	5.0	13.2	24.8	44.6	103.7	311.1
2001.....	13.5	*	*	*	0.2	1.2	4.5	12.0	21.9	42.7	101.0	309.4
2000.....	13.0	*	*	*	0.2	1.0	4.0	11.2	22.4	42.0	98.8	309.3
1999.....	12.6	*	*	*	0.2	1.1	4.1	10.3	21.4	41.1	99.3	297.3
All origins 3/, female												
2006.....	21.2	*	*	*	0.1	0.6	2.8	7.6	14.6	33.0	103.0	443.4
2005.....	22.1	*	*	*	0.1	0.8	2.8	7.0	14.0	35.0	111.5	475.1
2004.....	21.2	*	*	*	0.1	0.7	2.6	7.5	14.7	34.9	106.5	452.3
2003.....	21.2	*	*	*	0.1	0.8	2.8	7.3	15.3	35.7	111.3	448.0
2002.....	19.9	*	*	*	0.7	2.4	6.7	14.1	35.2	105.2	425.4	
2001.....	19.2	*	*	*	0.7	2.3	6.1	13.8	33.2	104.5	416.3	
2000.....	18.6	*	*	*	0.1	0.6	2.2	5.5	13.5	32.9	101.9	409.3
1999.....	18.1	*	*	*	0.5	2.1	5.6	13.6	33.3	100.7	393.7	
Hispanic, both sexes												
2006.....	6.8	*	*	*	0.6	2.4	7.5	17.6	37.6	88.1	317.7	
2005.....	7.0	*	*	*	0.6	2.5	7.1	18.2	38.4	102.8	336.7	
2004.....	6.8	*	*	*	0.5	2.3	7.4	17.7	40.1	100.2	342.5	
2003.....	7.0	*	*	*	0.5	2.3	8.0	18.5	42.3	104.6	375.7	
2002.....	6.5	*	*	*	0.6	2.3	6.3	19.7	40.7	107.1	337.0	
2001.....	6.1	*	*	*	0.5	2.2	6.9	15.6	40.5	103.2	338.3	
2000.....	5.5	*	*	*	0.5	1.9	6.0	15.5	35.9	98.2	316.5	
1999.....	5.4	*	*	*	0.4	1.8	5.9	15.1	35.1	101.2	305.2	
Hispanic, male												
2006.....	6.4	*	*	*	0.8	3.6	10.1	22.8	45.1	89.5	270.6	
2005.....	6.4	*	*	*	0.7	3.5	9.6	21.8	43.2	108.2	280.2	
2004.....	6.5	*	*	*	0.7	3.2	9.5	23.9	48.1	114.5	302.6	
2003.....	6.7	*	*	*	0.7	3.5	11.4	25.4	48.5	115.4	314.0	
2002.....	6.2	*	*	*	0.8	3.2	8.9	26.0	47.2	115.7	294.5	
2001.....	5.7	*	*	*	0.6	3.4	9.7	19.3	46.5	106.9	304.7	
2000.....	5.2	*	*	*	0.7	2.5	8.7	19.4	41.6	112.1	276.1	
1999.....	4.9	*	*	*	0.6	2.6	7.5	19.3	42.4	101.7	267.4	
Hispanic, female												
2006.....	7.2	*	*	*	1.1	4.9	12.8	31.5	87.2	342.7		
2005.....	7.7	*	*	*	1.3	4.6	15.0	34.5	99.1	366.3		
2004.....	7.0	*	*	*	1.2	5.4	12.1	33.8	90.4	363.0		
2003.....	7.3	*	*	*	1.0	4.5	12.3	37.4	97.2	407.0		
2002.....	6.9	*	*	*	1.2	3.7	14.1	35.6	101.2	358.1		
2001.....	6.5	*	*	*	1.0	4.2	12.3	35.7	100.6	354.7		
2000.....	5.8	*	*	*	1.3	3.3	12.0	31.5	88.8	336.3		
1999.....	5.9	*	*	*	1.0	4.3	11.4	29.4	101.0	323.4		

Worktable Orig12. Death rates for 358 selected causes, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2006

[Rates per 100,000 population in specified group. Rates are based on populations enumerated as of April 1 for 2000 and estimated as of July 1 for all other years. Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to 'Detailed technical notes to the United States 2006 data-mortality']

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, and sex	All ages 1/	Under 1 year 2/	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
Hypertensive diseases (I10-I15)												
Non-Hispanic 4/, both sexes												
2006.....	20.9	*	*	*	0.2	1.2	4.5	12.1	21.0	39.1	105.8	409.8
2005.....	21.4	*	*	*	0.2	1.2	4.5	11.3	20.3	40.4	111.5	438.0
2004.....	20.5	*	*	*	0.2	1.2	4.2	11.4	20.7	40.6	108.7	418.6
2003.....	20.1	*	*	*	0.2	1.2	4.2	11.2	20.4	40.9	109.7	410.0
2002.....	18.8	*	*	*	0.1	1.1	3.8	10.2	19.1	39.1	104.1	391.7
2001.....	17.9	*	*	*	0.1	1.0	3.5	9.1	17.7	37.1	102.8	385.4
2000.....	17.3	*	*	*	0.2	0.8	3.2	8.4	17.9	36.8	100.4	381.4
1999.....	16.7	*	*	*	0.1	0.8	3.2	8.0	17.3	36.7	99.7	366.9
Non-Hispanic 4/, male												
2006.....	18.3	*	*	*	0.3	1.6	6.0	16.6	27.7	46.2	106.6	328.6
2005.....	18.2	*	*	*	0.2	1.6	6.1	15.6	27.2	46.8	111.0	347.1
2004.....	17.5	*	*	*	0.2	1.7	5.7	15.3	27.0	47.4	108.0	336.7
2003.....	16.8	*	*	*	0.2	1.5	5.5	14.9	25.6	47.4	106.6	322.3
2002.....	15.7	*	*	*	0.2	1.5	5.2	13.5	24.5	44.0	102.6	310.5
2001.....	14.6	*	*	*	0.2	1.3	4.6	12.1	21.8	42.2	100.4	308.4
2000.....	14.1	*	*	*	0.2	1.0	4.2	11.3	22.5	41.6	97.7	309.5
1999.....	13.6	*	*	*	0.2	1.1	4.3	10.4	21.3	40.8	98.7	297.5
Non-Hispanic 4/, female												
2006.....	23.4	*	*	*	0.1	0.7	3.0	7.8	14.7	33.1	103.8	447.6
2005.....	24.4	*	*	*	0.1	0.9	3.0	7.2	13.9	35.0	111.9	479.4
2004.....	23.3	*	*	*	0.1	0.8	2.8	7.7	14.9	34.8	109.2	455.2
2003.....	23.2	*	*	*	0.1	0.9	3.0	7.6	15.5	35.4	111.8	448.5
2002.....	21.7	*	*	*	0.7	2.5	7.0	14.1	35.0	105.1	426.7	
2001.....	21.0	*	*	*	0.7	2.4	6.3	13.9	32.9	104.4	417.5	
2000.....	20.3	*	*	*	0.1	0.6	2.3	5.6	13.6	32.9	102.2	410.5
1999.....	19.7	*	*	*	0.5	2.2	5.7	13.6	33.4	100.4	394.7	
Non-Hispanic white, both sexes												
2006 5/.....	19.7	*	*	*	0.1	0.6	2.9	8.3	15.2	29.7	92.8	390.0
2005 5/.....	20.0	*	*	*	0.7	2.9	7.4	14.8	30.7	97.5	416.1	
2004 5/.....	19.1	*	*	*	0.1	0.7	2.7	7.4	14.4	31.4	94.7	396.0
2003 5/.....	18.6	*	*	*	0.1	0.7	2.6	7.1	14.1	30.7	96.4	389.1
2002.....	17.3	*	*	*	0.6	2.3	6.7	13.0	29.8	90.0	368.4	
2001.....	16.5	*	*	*	0.6	2.0	5.6	12.0	27.9	89.6	363.9	
2000.....	15.7	*	*	*	0.4	2.0	5.1	11.7	27.6	86.6	357.0	
1999.....	15.1	*	*	*	0.5	1.7	4.8	11.4	27.3	85.1	343.1	
Non-Hispanic white, male												
2006 5/.....	16.4	*	*	*	0.2	0.9	4.2	12.1	20.6	34.6	93.9	309.6
2005 5/.....	16.2	*	*	*	1.0	4.2	10.8	20.3	35.6	96.2	324.1	
2004 5/.....	15.6	*	*	*	0.2	1.0	3.9	10.6	19.3	37.3	93.7	318.3
2003 5/.....	14.9	*	*	*	1.0	3.8	10.1	18.5	36.4	95.7	299.9	
2002.....	13.8	*	*	*	0.8	3.4	9.4	17.3	34.0	88.1	289.1	
2001.....	12.8	*	*	*	0.8	2.9	7.8	15.5	32.3	87.0	286.3	
2000.....	12.2	*	*	*	0.6	2.8	7.4	15.4	32.0	84.4	285.6	
1999.....	11.7	*	*	*	0.8	2.5	6.6	14.6	30.7	84.1	272.3	
Non-Hispanic white, female												
2006 5/.....	22.8	*	*	*	0.3	1.7	4.5	10.1	25.4	92.0	427.5	
2005 5/.....	23.8	*	*	*	0.4	1.6	4.1	9.5	26.6	98.3	458.2	
2004 5/.....	22.4	*	*	*	0.3	1.5	4.2	9.8	26.4	95.4	430.8	
2003 5/.....	22.2	*	*	*	0.4	1.5	4.1	10.1	25.9	98.2	428.3	
2002.....	20.7	*	*	*	0.3	1.3	4.0	8.9	26.2	91.2	402.6	
2001.....	20.0	*	*	*	0.3	1.1	3.4	8.7	24.0	91.3	396.2	
2000.....	19.1	*	*	*	0.2	1.2	2.9	8.3	23.9	88.1	385.8	
1999.....	18.4	*	*	*	0.2	0.9	3.0	8.3	24.5	85.8	371.3	

Worktable Orig12. Death rates for 358 selected causes, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2006

[Rates per 100,000 population in specified group. Rates are based on populations enumerated as of April 1 for 2000 and estimated as of July 1 for all other years. Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.odc.gov/nchs> and refer to 'Detailed technical notes to the United States 2006 data-mortality']

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, and sex	All ages 1/	Under 1 year 2/	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
Hypertensive diseases (I10-I15)												
Non-Hispanic black, both sexes												
2006 5/.....	33.0	*	*	*	0.5	4.1	13.9	39.4	70.5	125.0	256.7	669.4
2005 5/.....	33.8	*	*	*	0.6	4.0	14.4	38.9	69.6	129.0	275.1	729.9
2004 5/.....	33.3	*	*	*	0.5	4.1	14.0	40.1	75.2	126.8	274.0	707.5
2003 5/.....	33.2	*	*	*	0.6	4.0	14.2	41.0	75.4	134.7	269.3	693.1
2002.....	31.7	*	*	*	0.4	4.1	13.2	36.7	72.8	126.6	273.9	691.7
2001.....	30.1	*	*	*	0.4	3.7	12.8	35.5	66.9	124.6	259.7	670.8
2000.....	29.9	*	*	*	0.6	3.2	11.4	33.7	71.1	127.1	264.1	680.8
1999.....	29.5	*	*	*	0.6	2.8	12.8	33.0	68.1	127.6	272.8	646.7
Non-Hispanic black, male												
2006 5/.....	33.4	*	*	*	0.6	5.5	17.5	51.2	94.5	161.5	299.5	593.7
2005 5/.....	33.3	*	*	*	0.7	4.7	18.5	51.7	94.9	158.8	301.3	648.9
2004 5/.....	32.3	*	*	*	*	5.1	18.0	50.9	100.5	153.9	296.6	582.2
2003 5/.....	31.8	*	*	*	0.9	4.9	16.9	52.6	94.7	163.8	279.0	623.3
2002.....	30.2	*	*	*	*	5.6	17.0	47.0	93.5	146.9	290.7	603.9
2001.....	28.5	*	*	*	*	4.5	15.9	46.8	81.9	147.3	275.8	611.0
2000.....	27.6	*	*	*	*	3.8	14.0	43.4	89.7	144.5	270.0	609.4
1999.....	27.6	*	*	*	0.8	3.3	15.9	42.1	83.7	146.7	288.3	595.4
Non-Hispanic black, female												
2006 5/.....	32.5	*	*	*	*	2.7	10.8	29.2	51.3	89.0	232.4	700.3
2005 5/.....	34.2	*	*	*	*	3.4	10.8	27.9	49.2	107.7	260.3	762.5
2004 5/.....	34.2	*	*	*	*	3.3	10.4	30.8	54.9	107.5	261.2	757.0
2003 5/.....	34.4	*	*	*	*	3.1	11.8	31.1	59.8	114.0	263.8	720.1
2002.....	33.0	*	*	*	*	2.7	9.7	27.9	56.1	112.3	264.5	725.3
2001.....	31.5	*	*	*	*	3.0	10.1	25.8	54.8	108.6	250.7	693.0
2000.....	31.9	*	*	*	*	2.7	9.2	25.4	56.2	114.8	260.8	707.3
1999.....	31.3	*	*	*	*	2.4	10.0	25.2	55.5	114.2	264.2	665.8

Worktable Orig12. Death rates for 358 selected causes, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2006

[Rates per 100,000 population in specified group. Rates are based on populations enumerated as of April 1 for 2000 and estimated as of July 1 for all other years. Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to 'Detailed technical notes to the United States 2006 data-mortality']

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, and sex	All ages 1/	Under 1 year 2/	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
Essential (primary) hypertension (I10)												
All origins 3/, both sexes												
2006.....	4.7	*	*	*	*	0.1	0.4	1.8	4.0	9.5	27.9	119.3
2005.....	5.0	*	*	*	*	0.1	0.4	1.5	3.8	9.6	31.1	137.5
2004.....	4.6	*	*	*	*	0.1	0.3	1.6	3.6	9.1	28.5	127.4
2003.....	4.4	*	*	*	*	0.1	0.4	1.4	3.6	9.2	28.5	121.9
2002.....	4.0	*	*	*	*	0.1	0.4	1.3	3.2	8.6	26.3	112.0
2001.....	3.9	*	*	*	*	0.1	0.3	1.3	3.4	8.4	25.9	107.4
2000.....	3.7	*	*	*	*	0.1	0.3	1.4	3.4	8.2	24.1	101.1
1999.....	3.6	*	*	*	*	0.1	0.3	1.2	3.3	8.1	24.0	98.1
All origins 3/, male												
2006.....	3.5	*	*	*	*	0.2	0.5	2.3	5.1	11.0	25.7	80.3
2005.....	3.5	*	*	*	*	*	0.5	1.9	4.8	10.9	28.5	88.0
2004.....	3.2	*	*	*	*	*	0.5	2.1	4.4	10.0	26.6	86.5
2003.....	3.0	*	*	*	*	*	0.4	1.9	4.5	10.4	24.3	77.4
2002.....	2.8	*	*	*	*	*	0.5	1.7	4.0	9.4	23.3	74.2
2001.....	2.8	*	*	*	*	0.1	0.4	1.7	4.2	9.3	23.2	74.8
2000.....	2.6	*	*	*	*	*	0.4	1.9	4.2	8.9	22.0	70.3
1999.....	2.5	*	*	*	*	*	0.4	1.5	4.1	9.2	21.9	68.1
All origins 3/, female												
2006.....	5.9	*	*	*	*	*	0.3	1.2	3.0	8.2	29.4	137.6
2005.....	6.5	*	*	*	*	*	0.4	1.0	2.8	8.6	32.9	160.2
2004.....	5.9	*	*	*	*	*	0.2	1.1	2.9	8.3	29.8	145.8
2003.....	5.8	*	*	*	*	*	0.4	1.0	2.9	8.3	31.3	141.5
2002.....	5.2	*	*	*	*	*	0.3	1.0	2.5	8.0	28.2	128.3
2001.....	5.0	*	*	*	*	*	0.3	0.9	2.7	7.7	27.6	121.1
2000.....	4.6	*	*	*	*	*	0.3	0.9	2.6	7.5	25.5	113.6
1999.....	4.5	*	*	*	*	*	0.2	1.0	2.7	7.3	25.4	110.2
Hispanic, both sexes												
2006.....	1.2	*	*	*	*	*	*	1.0	2.0	6.8	18.1	81.4
2005.....	1.5	*	*	*	*	*	*	0.9	2.1	7.9	26.1	103.5
2004.....	1.3	*	*	*	*	*	*	1.0	2.0	5.7	20.0	102.3
2003.....	1.2	*	*	*	*	*	*	0.9	2.2	6.6	18.9	104.2
2002.....	1.1	*	*	*	*	*	*	0.5	2.2	5.6	20.4	80.9
2001.....	1.1	*	*	*	*	*	*	0.8	1.5	6.2	24.2	90.0
2000.....	1.1	*	*	*	*	*	*	0.8	2.9	6.1	21.3	80.3
1999.....	1.0	*	*	*	*	*	*	0.8	2.2	5.6	21.2	72.3
Hispanic, male												
2006.....	0.9	*	*	*	*	*	*	1.4	2.3	7.8	16.8	49.6
2005.....	1.2	*	*	*	*	*	*	1.0	2.3	10.7	25.4	69.7
2004.....	0.9	*	*	*	*	*	*	1.3	2.3	6.0	21.1	65.8
2003.....	0.8	*	*	*	*	*	*	1.3	2.5	6.5	13.8	67.7
2002.....	0.7	*	*	*	*	*	*	*	2.6	5.2	14.8	56.6
2001.....	0.8	*	*	*	*	*	*	*	*	6.2	24.6	53.3
2000.....	1.0	*	*	*	*	*	*	1.3	3.7	6.3	25.1	72.6
1999.....	0.8	*	*	*	*	*	*	*	*	7.0	21.9	51.8
Hispanic, female												
2006.....	1.6	*	*	*	*	*	*	*	1.8	6.1	19.0	98.3
2005.....	1.9	*	*	*	*	*	*	*	2.0	5.7	26.5	121.2
2004.....	1.6	*	*	*	*	*	*	*	1.7	5.4	19.3	121.0
2003.....	1.6	*	*	*	*	*	*	*	1.9	6.8	19.0	122.7
2002.....	1.4	*	*	*	*	*	*	*	1.9	5.9	24.2	92.0
2001.....	1.4	*	*	*	*	*	*	*	*	6.1	23.9	108.0
2000.....	1.2	*	*	*	*	*	*	*	*	6.0	19.8	84.1
1999.....	1.2	*	*	*	*	*	*	*	*	4.5	20.8	82.1

Worktable Orig12. Death rates for 358 selected causes, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2006

[Rates per 100,000 population in specified group. Rates are based on populations enumerated as of April 1 for 2000 and estimated as of July 1 for all other years. Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to 'Detailed technical notes to the United States 2006 data-mortality']

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, and sex	All ages 1/	Under 1 year 2/	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
Essential (primary) hypertension (I10)												
Non-Hispanic 4/, both sexes												
2006.....	5.3	*	*	*	*	0.1	0.5	1.8	4.2	9.7	28.5	121.0
2005.....	5.6	*	*	*	*	*	0.5	1.5	3.9	9.7	31.4	139.1
2004.....	5.1	*	*	*	*	0.1	0.4	1.6	3.7	9.3	29.0	128.4
2003.....	4.9	*	*	*	*	0.1	0.4	1.5	3.7	9.4	29.0	122.4
2002.....	4.5	*	*	*	*	0.1	0.4	1.4	3.3	8.8	26.5	112.7
2001.....	4.3	*	*	*	*	0.1	0.4	1.3	3.5	8.5	25.9	107.9
2000.....	4.0	*	*	*	*	0.1	0.4	1.4	3.4	8.3	24.2	101.4
1999.....	3.9	*	*	*	*	0.1	0.3	1.3	3.4	8.3	24.0	98.8
Non-Hispanic 4/, male												
2006.....	3.9	*	*	*	*	0.2	0.6	2.4	5.4	11.2	26.2	81.9
2005.....	3.9	*	*	*	*	*	0.6	2.0	5.0	10.9	28.6	88.9
2004.....	3.6	*	*	*	*	*	0.5	2.1	4.5	10.2	26.9	87.4
2003.....	3.4	*	*	*	*	*	0.5	1.9	4.6	10.6	24.8	77.8
2002.....	3.1	*	*	*	*	*	0.5	1.8	4.1	9.6	23.6	74.5
2001.....	3.0	*	*	*	*	*	0.4	1.7	4.3	9.5	23.0	75.4
2000.....	2.9	*	*	*	*	*	0.4	1.9	4.2	9.0	21.7	70.0
1999.....	2.8	*	*	*	*	*	0.4	1.5	4.2	9.3	21.7	68.4
Non-Hispanic 4/, female												
2006.....	6.6	*	*	*	*	*	0.3	1.3	3.1	8.4	30.0	139.2
2005.....	7.2	*	*	*	*	*	0.4	1.1	2.8	8.8	33.2	161.9
2004.....	6.5	*	*	*	*	*	0.2	1.2	2.9	8.5	30.3	146.7
2003.....	6.4	*	*	*	*	*	0.4	1.0	3.0	8.3	31.8	142.0
2002.....	5.8	*	*	*	*	*	0.3	1.0	2.6	8.1	28.3	129.2
2001.....	5.5	*	*	*	*	*	0.3	0.9	2.8	7.8	27.7	121.3
2000.....	5.1	*	*	*	*	*	0.3	0.9	2.6	7.6	25.8	114.2
1999.....	5.0	*	*	*	*	*	0.2	1.0	2.7	7.4	25.5	111.0
Non-Hispanic white, both sexes												
2006 5/.....	5.4	*	*	*	*	*	0.3	1.4	3.5	8.4	26.2	116.3
2005 5/.....	5.8	*	*	*	*	*	0.4	1.2	3.2	8.4	29.2	135.7
2004 5/.....	5.3	*	*	*	*	*	0.3	1.2	3.0	8.1	27.0	124.2
2003 5/.....	5.0	*	*	*	*	*	0.3	1.2	3.0	7.7	26.5	120.3
2002.....	4.6	*	*	*	*	*	0.3	1.0	2.8	7.6	24.3	109.1
2001.....	4.3	*	*	*	*	*	0.2	0.9	2.8	7.1	23.9	104.8
2000.....	4.0	*	*	*	*	*	0.3	1.0	2.7	7.2	22.2	97.7
1999.....	3.9	*	*	*	*	*	0.2	0.9	2.7	7.2	21.9	94.7
Non-Hispanic white, male												
2006 5/.....	3.8	*	*	*	*	*	0.4	1.9	4.6	9.5	23.7	78.3
2005 5/.....	3.8	*	*	*	*	*	0.5	1.7	4.2	9.2	25.6	84.4
2004 5/.....	3.6	*	*	*	*	*	0.4	1.7	3.8	9.0	24.7	84.7
2003 5/.....	3.3	*	*	*	*	*	0.4	1.6	3.7	9.0	21.8	74.4
2002.....	3.1	*	*	*	*	*	0.4	1.4	3.6	8.4	21.2	71.3
2001.....	2.9	*	*	*	*	*	0.3	1.3	3.5	8.0	20.5	71.6
2000.....	2.7	*	*	*	*	*	0.3	1.4	3.3	8.0	19.5	65.7
1999.....	2.7	*	*	*	*	*	0.3	1.2	3.5	8.1	19.5	62.7
Non-Hispanic white, female												
2006 5/.....	6.8	*	*	*	*	*	0.2	0.9	2.4	7.4	28.0	134.0
2005 5/.....	7.7	*	*	*	*	*	0.3	0.7	2.3	7.7	31.6	159.2
2004 5/.....	6.8	*	*	*	*	*	0.2	0.7	2.3	7.4	28.5	141.9
2003 5/.....	6.7	*	*	*	*	*	0.3	0.8	2.3	6.5	29.7	140.5
2002.....	6.0	*	*	*	*	*	0.2	0.7	2.1	6.9	26.4	125.5
2001.....	5.7	*	*	*	*	*	0.2	0.6	2.2	6.4	26.1	118.7
2000.....	5.3	*	*	*	*	*	0.2	0.6	2.1	6.6	23.9	110.5
1999.....	5.1	*	*	*	*	*	*	0.6	2.1	6.5	23.5	107.5

Worktable Orig12. Death rates for 358 selected causes, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2006

[Rates per 100,000 population in specified group. Rates are based on populations enumerated as of April 1 for 2000 and estimated as of July 1 for all other years. Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.odc.gov/nchs> and refer to 'Detailed technical notes to the United States 2006 data-mortality']

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, and sex	All ages 1/	Under 1 year 2/	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
Essential (primary) hypertension (I10)												
Non-Hispanic black, both sexes												
2006 5/.....	6.1	*	*	*	*	0.4	1.4	5.1	10.9	22.2	55.3	181.6
2005 5/.....	6.0	*	*	*	*	*	1.2	4.1	10.3	23.1	57.5	190.9
2004 5/.....	5.7	*	*	*	*	*	1.0	4.7	9.9	20.5	53.9	185.9
2003 5/.....	5.7	*	*	*	*	*	1.1	3.9	10.9	25.5	60.6	159.4
2002.....	5.1	*	*	*	*	*	1.2	4.1	8.0	21.0	53.8	160.3
2001.....	5.1	*	*	*	*	*	1.1	4.1	10.1	22.0	50.8	152.3
2000.....	4.9	*	*	*	*	*	1.0	4.5	9.9	19.1	48.3	150.7
1999.....	4.8	*	*	*	*	*	1.1	4.1	9.5	19.3	49.3	145.2
Non-Hispanic black, male												
2006 5/.....	5.3	*	*	*	*	*	1.8	6.2	13.7	29.3	58.1	121.9
2005 5/.....	5.1	*	*	*	*	*	1.2	4.8	13.8	28.1	66.2	138.0
2004 5/.....	4.6	*	*	*	*	*	1.3	5.4	11.9	22.7	58.2	127.0
2003 5/.....	4.9	*	*	*	*	*	1.1	5.1	13.6	28.2	64.1	122.5
2002.....	4.2	*	*	*	*	*	1.5	4.9	9.6	23.0	56.3	119.2
2001.....	4.5	*	*	*	*	*	1.3	5.3	12.6	25.5	56.4	132.8
2000.....	4.2	*	*	*	*	*	1.0	5.9	13.3	21.1	49.7	124.5
1999.....	4.0	*	*	*	*	*	1.2	4.4	11.3	22.7	50.7	126.0
Non-Hispanic black, female												
2006 5/.....	6.9	*	*	*	*	*	1.1	4.2	8.6	17.1	59.6	205.9
2005 5/.....	6.9	*	*	*	*	*	1.2	3.6	7.5	19.6	52.6	212.2
2004 5/.....	6.7	*	*	*	*	*	0.7	4.0	8.3	19.0	51.5	209.2
2003 5/.....	6.5	*	*	*	*	*	1.1	2.8	8.7	23.5	58.7	173.7
2002.....	6.0	*	*	*	*	*	0.9	3.4	6.7	19.6	52.4	176.0
2001.....	5.7	*	*	*	*	*	1.0	3.1	8.1	19.6	47.7	159.5
2000.....	5.5	*	*	*	*	*	1.0	3.3	7.1	17.7	47.6	160.5
1999.....	5.5	*	*	*	*	*	1.0	3.8	8.1	16.9	48.5	152.3

Worktable Orig12. Death rates for 358 selected causes, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2006

[Rates per 100,000 population in specified group. Rates are based on populations enumerated as of April 1 for 2000 and estimated as of July 1 for all other years. Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to 'Detailed technical notes to the United States 2006 data-mortality']

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, and sex	All ages 1/	Under 1 year 2/	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
Hypertensive heart disease (I11)												
All origins 3/, both sexes												
2006.....	9.9	*	*	*	0.1	0.7	3.1	8.3	13.1	20.4	47.8	194.0
2005.....	9.9	*	*	*	0.1	0.8	3.1	7.8	13.0	20.4	48.8	198.6
2004.....	9.7	*	*	*	0.1	0.8	3.0	7.8	13.4	21.7	49.3	192.8
2003.....	9.7	*	*	*	0.1	0.8	2.9	7.9	13.1	22.1	51.0	195.0
2002.....	9.2	*	*	*	0.1	0.7	2.7	7.2	12.5	21.3	49.6	187.0
2001.....	8.7	*	*	*	0.1	0.6	2.4	6.3	10.9	19.8	48.7	189.5
2000.....	8.4	*	*	*	0.1	0.5	2.2	5.6	11.0	19.6	48.2	193.1
1999.....	8.1	*	*	*	0.1	0.5	2.1	5.3	10.7	19.1	47.7	184.9
All origins 3/, male												
2006.....	9.3	*	*	*	0.2	1.0	4.2	11.7	18.0	25.7	49.7	143.0
2005.....	9.1	*	*	*	0.1	1.1	4.4	10.9	18.1	25.2	48.7	147.5
2004.....	8.9	*	*	*	0.1	1.1	4.1	10.7	18.5	27.3	48.0	145.4
2003.....	8.8	*	*	*	0.2	1.0	4.0	10.8	17.2	27.1	51.0	142.2
2002.....	8.2	*	*	*	0.1	1.1	3.8	9.8	16.9	25.2	49.4	134.6
2001.....	7.5	*	*	*	*	0.8	3.3	8.6	14.4	23.6	48.4	134.4
2000.....	7.2	*	*	*	0.1	0.7	2.9	7.8	14.5	23.7	46.5	139.1
1999.....	6.8	*	*	*	0.1	0.7	2.9	7.0	13.7	21.9	46.8	133.6
All origins 3/, female												
2006.....	10.6	*	*	*	*	0.4	2.0	5.0	8.5	15.9	46.5	217.9
2005.....	10.7	*	*	*	*	0.5	1.9	4.7	8.3	16.4	48.9	222.0
2004.....	10.5	*	*	*	*	0.4	1.9	5.1	8.6	16.9	50.2	214.1
2003.....	10.7	*	*	*	*	0.5	1.9	5.2	9.3	17.8	51.0	218.3
2002.....	10.2	*	*	*	*	0.4	1.6	4.6	8.4	18.1	49.8	209.7
2001.....	9.8	*	*	*	*	0.4	1.6	4.1	7.8	16.6	48.8	212.6
2000.....	9.7	*	*	*	*	0.4	1.5	3.5	7.8	16.2	49.4	215.1
1999.....	9.4	*	*	*	*	0.3	1.3	3.6	7.9	16.8	48.3	205.5
Hispanic, both sexes												
2006.....	3.6	*	*	*	*	0.4	1.8	4.9	9.5	18.4	43.1	157.7
2005.....	3.5	*	*	*	*	0.4	1.7	4.9	10.8	16.5	42.8	145.0
2004.....	3.6	*	*	*	*	0.3	1.7	4.8	11.0	22.2	47.0	150.3
2003.....	4.0	*	*	*	*	0.4	1.8	5.7	11.8	22.9	54.2	179.3
2002.....	3.7	*	*	*	*	0.4	1.7	4.9	12.2	22.4	51.4	165.7
2001.....	3.3	*	*	*	*	0.3	1.7	4.9	10.0	21.0	46.9	151.9
2000.....	2.8	*	*	*	*	0.3	1.2	3.8	8.2	18.4	46.0	143.3
1999.....	2.7	*	*	*	*	*	1.2	3.3	8.9	16.8	44.8	152.2
Hispanic, male												
2006.....	3.7	*	*	*	*	0.6	2.7	7.1	13.1	23.8	44.6	125.2
2005.....	3.5	*	*	*	*	0.6	2.5	7.0	14.3	19.5	45.8	118.3
2004.....	3.8	*	*	*	*	*	2.7	6.1	16.0	27.8	55.4	131.7
2003.....	4.3	*	*	*	*	0.5	2.9	8.3	17.0	30.8	63.7	144.7
2002.....	3.9	*	*	*	*	0.6	2.6	7.4	17.0	28.5	61.1	137.2
2001.....	3.4	*	*	*	*	*	2.7	7.0	13.9	26.4	48.3	144.7
2000.....	2.7	*	*	*	*	*	1.6	5.4	10.7	22.4	50.6	112.9
1999.....	2.6	*	*	*	*	*	1.8	4.7	12.5	20.9	42.8	107.8
Hispanic, female												
2006.....	3.6	*	*	*	*	0.8	2.6	6.3	14.0	42.0	174.9	
2005.....	3.4	*	*	*	*	0.9	2.8	7.6	14.1	40.7	159.0	
2004.....	3.4	*	*	*	*	*	3.4	6.4	17.7	41.2	159.9	
2003.....	3.7	*	*	*	*	*	3.1	7.2	16.6	47.7	196.9	
2002.....	3.4	*	*	*	*	*	2.5	7.9	17.5	44.7	179.9	
2001.....	3.1	*	*	*	*	*	2.7	6.5	16.8	45.9	155.5	
2000.....	2.9	*	*	*	*	0.8	2.1	6.1	15.3	42.9	158.3	
1999.....	2.9	*	*	*	*	*	2.0	5.8	13.6	46.1	173.7	

Worktable Orig12. Death rates for 358 selected causes, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2006

[Rates per 100,000 population in specified group. Rates are based on populations enumerated as of April 1 for 2000 and estimated as of July 1 for all other years. Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to 'Detailed technical notes to the United States 2006 data-mortality']

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, and sex	All ages 1/	Under 1 year 2/	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
Hypertensive heart disease (I11)												
Non-Hispanic 4/, both sexes												
2006.....	11.0	*	*	*	0.1	0.8	3.3	8.6	13.3	20.5	47.9	195.6
2005.....	10.9	*	*	*	0.1	0.9	3.3	8.0	13.2	20.6	49.0	200.7
2004.....	10.7	*	*	*	0.1	0.9	3.2	8.1	13.5	21.5	49.3	194.3
2003.....	10.6	*	*	*	0.1	0.9	3.1	8.1	13.1	21.9	50.7	195.0
2002.....	10.0	*	*	*	0.1	0.8	2.8	7.4	12.4	21.0	49.3	187.1
2001.....	9.4	*	*	*	*	0.7	2.5	6.3	10.9	19.6	48.6	190.3
2000.....	9.2	*	*	*	0.1	0.6	2.3	5.7	11.2	19.5	48.1	194.3
1999.....	8.8	*	*	*	0.1	0.6	2.2	5.4	10.7	19.1	47.6	185.3
Non-Hispanic 4/, male												
2006.....	10.3	*	*	*	0.2	1.1	4.5	12.2	18.3	25.7	49.8	143.8
2005.....	10.0	*	*	*	0.1	1.2	4.7	11.3	18.3	25.4	48.7	148.7
2004.....	9.8	*	*	*	0.2	1.3	4.3	11.1	18.5	27.1	47.4	145.6
2003.....	9.5	*	*	*	0.2	1.1	4.1	10.9	17.1	26.7	50.1	141.7
2002.....	8.9	*	*	*	0.1	1.2	4.0	10.0	16.8	24.6	48.5	133.7
2001.....	8.1	*	*	*	*	0.9	3.4	8.6	14.2	23.3	48.3	133.4
2000.....	7.8	*	*	*	0.1	0.7	3.0	7.9	14.6	23.5	46.0	139.6
1999.....	7.4	*	*	*	0.1	0.8	3.1	7.2	13.6	21.7	46.7	134.2
Non-Hispanic 4/, female												
2006.....	11.7	*	*	*	*	0.4	2.2	5.2	8.7	16.1	46.7	219.6
2005.....	11.8	*	*	*	*	0.6	2.0	4.9	8.3	16.5	49.2	224.5
2004.....	11.6	*	*	*	*	0.5	2.1	5.2	8.8	16.7	50.6	216.0
2003.....	11.7	*	*	*	*	0.6	2.1	5.4	9.4	17.8	51.1	218.5
2002.....	11.1	*	*	*	*	0.5	1.7	4.8	8.4	18.0	49.9	210.2
2001.....	10.7	*	*	*	*	0.4	1.7	4.2	7.8	16.5	48.8	214.0
2000.....	10.6	*	*	*	*	0.4	1.6	3.6	8.0	16.2	49.5	216.5
1999.....	10.2	*	*	*	*	0.3	1.4	3.7	8.0	16.9	48.2	205.8
Non-Hispanic white, both sexes												
2006 5/.....	10.3	*	*	*	0.1	0.5	2.4	6.3	10.0	15.5	41.9	188.0
2005 5/.....	10.1	*	*	*	*	0.6	2.3	5.6	10.0	16.1	42.3	190.6
2004 5/.....	9.8	*	*	*	*	0.5	2.2	5.6	9.8	17.0	42.7	184.6
2003 5/.....	9.7	*	*	*	*	0.5	2.0	5.3	9.5	16.7	44.3	184.9
2002.....	9.1	*	*	*	*	0.4	1.9	5.1	8.8	16.1	42.2	177.0
2001.....	8.6	*	*	*	*	0.4	1.6	4.1	7.6	14.8	42.2	180.4
2000.....	8.3	*	*	*	*	0.3	1.5	3.6	7.5	14.5	41.2	182.5
1999.....	7.9	*	*	*	*	0.3	1.3	3.4	7.3	14.1	40.6	175.2
Non-Hispanic white, male												
2006 5/.....	9.0	*	*	*	0.2	0.7	3.5	9.4	14.0	19.3	42.4	134.7
2005 5/.....	8.8	*	*	*	*	0.9	3.4	8.3	14.2	19.9	42.0	137.6
2004 5/.....	8.6	*	*	*	*	0.8	3.2	8.3	13.6	21.6	40.9	135.9
2003 5/.....	8.2	*	*	*	*	0.8	3.0	7.8	13.0	20.4	43.5	130.8
2002.....	7.6	*	*	*	*	0.7	2.8	7.3	12.2	19.0	41.2	123.5
2001.....	6.9	*	*	*	*	0.6	2.3	5.9	10.5	18.1	41.5	122.0
2000.....	6.6	*	*	*	*	0.4	2.1	5.4	10.3	18.0	38.8	129.5
1999.....	6.2	*	*	*	*	0.6	2.0	4.9	9.6	16.2	39.4	123.8
Non-Hispanic white, female												
2006 5/.....	11.4	*	*	*	*	0.2	1.3	3.2	6.2	12.3	41.6	212.9
2005 5/.....	11.3	*	*	*	*	0.3	1.2	2.9	5.9	12.8	42.5	214.9
2004 5/.....	11.0	*	*	*	*	*	1.2	3.0	6.2	13.0	43.9	206.5
2003 5/.....	11.1	*	*	*	*	0.3	1.1	2.8	6.3	13.6	44.9	208.7
2002.....	10.5	*	*	*	*	0.2	1.0	2.9	5.5	13.6	42.9	200.1
2001.....	10.2	*	*	*	*	0.2	0.8	2.3	4.9	11.9	42.6	204.7
2000.....	9.9	*	*	*	*	0.2	0.8	1.9	4.9	11.6	42.7	203.9
1999.....	9.6	*	*	*	*	*	0.6	2.0	5.0	12.4	41.4	195.7

Worktable Orig12. Death rates for 358 selected causes, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2006

[Rates per 100,000 population in specified group. Rates are based on populations enumerated as of April 1 for 2000 and estimated as of July 1 for all other years. Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.odc.gov/nchs> and refer to 'Detailed technical notes to the United States 2006 data-mortality']

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, and sex	All ages 1/	Under 1 year 2/	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
Hypertensive heart disease (I11)												
Non-Hispanic black, both sexes												
2006 5/.....	17.9	*	*	*	*	2.6	9.2	25.9	42.7	66.2	119.0	304.2
2005 5/.....	18.3	*	*	*	0.4	2.6	9.8	25.6	42.0	64.0	129.0	341.9
2004 5/.....	18.2	*	*	*	0.3	2.8	9.5	26.7	45.8	65.4	129.1	318.6
2003 5/.....	18.5	*	*	*	0.4	2.6	9.8	28.5	45.1	70.3	128.4	334.9
2002.....	17.7	*	*	*	*	2.9	8.8	24.8	45.1	68.3	134.2	322.1
2001.....	16.5	*	*	*	*	2.2	8.5	23.2	39.4	66.1	125.6	328.7
2000.....	16.6	*	*	*	*	2.2	7.5	21.6	43.1	67.6	132.7	344.1
1999.....	16.0	*	*	*	0.4	1.9	8.1	21.3	40.1	67.4	132.7	308.5
Non-Hispanic black, male												
2006 5/.....	19.5	*	*	*	*	3.7	11.3	34.3	59.6	90.2	147.1	278.5
2005 5/.....	19.1	*	*	*	*	3.0	13.2	34.7	59.1	82.6	136.8	304.5
2004 5/.....	19.0	*	*	*	*	3.7	12.1	34.0	65.4	87.5	133.8	271.3
2003 5/.....	18.7	*	*	*	*	3.2	11.5	35.6	57.5	93.4	139.1	291.9
2002.....	18.0	*	*	*	*	4.1	11.7	31.9	61.9	84.0	141.8	264.7
2001.....	16.3	*	*	*	*	2.7	10.5	30.4	50.1	79.8	137.4	288.7
2000.....	16.1	*	*	*	*	2.7	9.2	28.4	56.0	81.9	139.5	275.9
1999.....	15.6	*	*	*	*	2.2	10.3	26.8	51.1	80.6	143.2	266.2
Non-Hispanic black, female												
2006 5/.....	16.5	*	*	*	*	1.5	7.3	18.7	29.1	49.0	103.0	314.6
2005 5/.....	17.5	*	*	*	*	2.3	6.9	17.9	28.2	50.7	123.5	356.9
2004 5/.....	17.5	*	*	*	*	2.0	7.3	20.4	30.1	49.6	126.4	337.3
2003 5/.....	18.4	*	*	*	*	2.1	8.2	22.4	35.1	53.9	122.4	351.6
2002.....	17.4	*	*	*	*	1.8	6.2	18.7	31.7	57.1	129.8	344.1
2001.....	16.7	*	*	*	*	1.7	6.7	17.1	30.8	56.5	118.9	343.5
2000.....	17.1	*	*	*	*	1.8	5.9	15.8	32.7	57.5	128.9	369.4
1999.....	16.4	*	*	*	*	1.6	6.1	16.5	31.3	58.1	126.8	324.2

Worktable Orig12. Death rates for 358 selected causes, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2006

[Rates per 100,000 population in specified group. Rates are based on populations enumerated as of April 1 for 2000 and estimated as of July 1 for all other years. Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to 'Detailed technical notes to the United States 2006 data-mortality']

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, and sex	All ages 1/	Under 1 year 2/	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
Hypertensive renal disease and secondary hypertension (I12,I15)												
All origins 3/, both sexes												
2006.....	3.3	*	*	*	*	0.2	0.5	1.2	2.9	7.3	23.1	70.0
2005.....	3.4	*	*	*	*	0.2	0.5	1.3	2.7	8.1	24.5	72.5
2004.....	3.3	*	*	*	*	0.2	0.4	1.2	2.7	8.0	24.0	71.1
2003.....	3.1	*	*	*	*	0.2	0.4	1.1	2.6	7.7	23.2	67.0
2002.....	3.0	*	*	*	*	0.2	0.4	1.0	2.5	7.3	21.9	68.4
2001.....	2.9	*	*	*	*	0.2	0.4	1.1	2.4	7.0	21.8	64.5
2000.....	2.8	*	*	*	*	0.1	0.4	1.0	2.6	7.0	21.4	61.8
1999.....	2.5	*	*	*	*	0.1	0.4	1.0	2.2	7.1	19.6	53.9
All origins 3/, male												
2006.....	2.9	*	*	*	*	0.2	0.6	1.5	3.2	7.6	25.5	79.0
2005.....	3.0	*	*	*	*	0.2	0.6	1.6	3.0	8.4	26.8	81.4
2004.....	2.9	*	*	*	*	0.2	0.5	1.4	3.0	8.2	26.7	79.5
2003.....	2.7	*	*	*	*	0.2	0.5	1.4	2.9	8.0	24.7	76.1
2002.....	2.6	*	*	*	*	0.2	0.5	1.2	2.7	7.7	24.1	79.2
2001.....	2.4	*	*	*	*	0.2	0.5	1.3	2.3	7.3	22.6	76.0
2000.....	2.4	*	*	*	*	0.1	0.5	1.1	2.8	6.8	23.2	72.0
1999.....	2.2	*	*	*	*	0.2	0.5	1.2	2.4	7.4	21.1	64.3
All origins 3/, female												
2006.....	3.6	*	*	*	*	0.2	0.4	1.0	2.5	7.1	21.5	65.9
2005.....	3.8	*	*	*	*	0.1	0.4	1.0	2.3	7.9	22.9	68.5
2004.....	3.6	*	*	*	*	0.2	0.3	0.9	2.5	7.8	22.3	67.4
2003.....	3.5	*	*	*	*	0.1	0.3	0.8	2.4	7.5	22.2	63.0
2002.....	3.4	*	*	*	*	0.1	0.3	0.8	2.3	7.1	20.6	63.7
2001.....	3.3	*	*	*	*	0.2	0.3	0.9	2.5	6.8	21.3	59.7
2000.....	3.1	*	*	*	*	0.1	0.3	0.8	2.4	7.1	20.2	57.7
1999.....	2.8	*	*	*	*	*	0.3	0.7	2.1	6.8	18.6	49.8
Hispanic, both sexes												
2006.....	1.6	*	*	*	*	*	0.3	1.3	5.1	10.1	22.0	65.7
2005.....	1.6	*	*	*	*	*	0.4	1.1	4.2	10.7	26.9	65.9
2004.....	1.4	*	*	*	*	*	*	1.2	3.5	10.5	24.3	69.9
2003.....	1.4	*	*	*	*	*	*	1.1	3.6	10.1	27.6	66.9
2002.....	1.4	*	*	*	*	*	*	*	4.0	9.9	26.9	67.6
2001.....	1.3	*	*	*	*	*	*	1.0	3.0	10.3	24.7	70.0
2000.....	1.2	*	*	*	*	*	*	0.9	3.5	8.9	24.5	67.7
1999.....	1.2	*	*	*	*	*	*	1.3	2.8	9.7	27.1	57.5
Hispanic, male												
2006.....	1.5	*	*	*	*	*	*	1.3	6.1	11.2	22.1	82.3
2005.....	1.3	*	*	*	*	*	*	1.1	3.8	9.8	28.7	71.0
2004.....	1.4	*	*	*	*	*	*	1.5	4.2	12.4	27.5	81.3
2003.....	1.3	*	*	*	*	*	*	1.5	4.8	9.0	30.7	66.2
2002.....	1.2	*	*	*	*	*	*	*	4.5	10.1	31.6	73.6
2001.....	1.1	*	*	*	*	*	*	1.2	*	10.6	26.4	76.2
2000.....	1.1	*	*	*	*	*	*	1.5	4.4	8.9	27.5	68.5
1999.....	1.2	*	*	*	*	*	*	1.4	3.0	11.4	29.7	79.8
Hispanic, female												
2006.....	1.7	*	*	*	*	*	*	1.3	4.2	9.2	21.9	56.9
2005.....	1.8	*	*	*	*	*	*	1.0	4.5	11.4	25.6	63.2
2004.....	1.5	*	*	*	*	*	*	*	2.8	8.9	22.0	64.1
2003.....	1.6	*	*	*	*	*	*	*	2.5	10.9	25.5	67.2
2002.....	1.5	*	*	*	*	*	*	*	3.6	9.7	23.6	64.7
2001.....	1.5	*	*	*	*	*	*	*	3.8	10.1	23.6	67.0
2000.....	1.3	*	*	*	*	*	*	*	2.8	9.0	22.5	67.3
1999.....	1.3	*	*	*	*	*	*	*	2.6	8.3	25.3	46.8

Worktable Orig12. Death rates for 358 selected causes, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2006

[Rates per 100,000 population in specified group. Rates are based on populations enumerated as of April 1 for 2000 and estimated as of July 1 for all other years. Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to 'Detailed technical notes to the United States 2006 data-mortality']

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, and sex	All ages 1/	Under 1 year 2/	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
Hypertensive renal disease and secondary hypertension (I12,I15)												
Non-Hispanic 4/, both sexes												
2006.....	3.6	*	*	*	*	0.2	0.5	1.2	2.6	7.0	23.1	70.2
2005.....	3.7	*	*	*	*	0.2	0.5	1.3	2.5	7.9	24.3	72.8
2004.....	3.6	*	*	*	*	0.2	0.5	1.1	2.7	7.8	24.0	71.0
2003.....	3.4	*	*	*	*	0.2	0.5	1.1	2.6	7.5	22.9	66.9
2002.....	3.2	*	*	*	*	0.2	0.4	1.0	2.4	7.1	21.7	68.4
2001.....	3.1	*	*	*	*	0.2	0.4	1.1	2.3	6.8	21.6	64.2
2000.....	3.0	*	*	*	*	0.1	0.4	1.0	2.5	6.8	21.2	61.4
1999.....	2.7	*	*	*	*	0.1	0.4	0.9	2.2	6.9	19.2	53.5
Non-Hispanic 4/, male												
2006.....	3.2	*	*	*	*	0.2	0.6	1.5	3.0	7.3	25.7	78.6
2005.....	3.3	*	*	*	*	0.2	0.6	1.6	3.0	8.2	26.7	81.9
2004.....	3.1	*	*	*	*	0.2	0.6	1.4	2.9	7.9	26.6	79.3
2003.....	2.9	*	*	*	*	0.2	0.6	1.4	2.7	7.8	24.3	76.5
2002.....	2.8	*	*	*	*	0.2	0.5	1.2	2.5	7.5	23.6	79.4
2001.....	2.6	*	*	*	*	0.2	0.5	1.3	2.2	7.1	22.3	75.7
2000.....	2.5	*	*	*	*	*	0.6	1.1	2.7	6.7	22.9	72.0
1999.....	2.4	*	*	*	*	0.1	0.5	1.2	2.3	7.1	20.6	63.5
Non-Hispanic 4/, female												
2006.....	3.9	*	*	*	*	0.2	0.4	1.0	2.4	6.9	21.4	66.2
2005.....	4.1	*	*	*	*	0.1	0.4	1.0	2.1	7.6	22.6	68.6
2004.....	4.0	*	*	*	*	0.2	0.4	0.9	2.4	7.7	22.2	67.3
2003.....	3.8	*	*	*	*	0.1	0.4	0.8	2.4	7.2	22.0	62.7
2002.....	3.6	*	*	*	*	0.1	0.3	0.9	2.2	6.8	20.4	63.6
2001.....	3.5	*	*	*	*	0.2	0.3	0.9	2.3	6.6	21.1	59.4
2000.....	3.4	*	*	*	*	0.1	0.3	0.8	2.3	7.0	20.0	57.2
1999.....	3.0	*	*	*	*	*	0.3	0.7	2.0	6.7	18.3	49.5
Non-Hispanic white, both sexes												
2006 5/.....	3.1	*	*	*	*	*	0.1	0.5	1.4	4.6	19.6	64.5
2005 5/.....	3.2	*	*	*	*	*	0.2	0.5	1.3	5.0	20.4	65.8
2004 5/.....	3.0	*	*	*	*	0.1	0.2	0.4	1.2	5.0	19.7	64.1
2003 5/.....	2.9	*	*	*	*	*	0.2	0.5	1.2	4.9	19.6	60.7
2002.....	2.8	*	*	*	*	*	0.1	0.5	1.0	4.9	17.8	61.4
2001.....	2.7	*	*	*	*	*	0.1	0.4	1.1	4.6	17.9	58.0
2000.....	2.5	*	*	*	*	*	0.1	0.3	1.2	4.3	17.7	55.0
1999.....	2.2	*	*	*	*	*	0.2	0.3	0.9	4.6	15.4	47.0
Non-Hispanic white, male												
2006 5/.....	2.7	*	*	*	*	*	0.2	0.6	1.6	4.7	22.2	73.7
2005 5/.....	2.8	*	*	*	*	*	0.2	0.6	1.5	5.1	23.0	76.4
2004 5/.....	2.6	*	*	*	*	*	0.3	0.5	1.4	5.2	22.2	74.8
2003 5/.....	2.5	*	*	*	*	*	0.3	0.5	1.2	5.3	21.8	71.0
2002.....	2.4	*	*	*	*	*	0.2	0.5	1.1	5.2	19.8	74.1
2001.....	2.2	*	*	*	*	*	0.2	0.4	1.0	4.8	19.1	70.5
2000.....	2.2	*	*	*	*	*	0.2	0.4	1.3	4.4	20.1	66.0
1999.....	1.9	*	*	*	*	*	0.2	0.4	1.0	4.9	17.0	57.1
Non-Hispanic white, female												
2006 5/.....	3.5	*	*	*	*	*	*	0.4	1.2	4.6	17.7	60.2
2005 5/.....	3.6	*	*	*	*	*	*	0.4	1.1	4.9	18.7	61.0
2004 5/.....	3.4	*	*	*	*	*	*	0.4	1.0	4.9	18.1	59.3
2003 5/.....	3.3	*	*	*	*	*	*	0.4	1.2	4.6	18.2	56.1
2002.....	3.1	*	*	*	*	*	*	0.4	0.9	4.6	16.5	56.0
2001.....	3.1	*	*	*	*	*	*	0.4	1.1	4.5	17.1	52.8
2000.....	2.9	*	*	*	*	*	*	0.3	1.0	4.3	16.2	50.6
1999.....	2.5	*	*	*	*	*	*	0.3	0.8	4.3	14.3	43.0

Worktable Orig12. Death rates for 358 selected causes, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2006

[Rates per 100,000 population in specified group. Rates are based on populations enumerated as of April 1 for 2000 and estimated as of July 1 for all other years. Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.odc.gov/nchs> and refer to 'Detailed technical notes to the United States 2006 data-mortality']

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, and sex	All ages 1/	Under 1 year 2/	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
Hypertensive renal disease and secondary hypertension (I12,I15)												
Non-Hispanic black, both sexes												
2006 5/.....	6.7	*	*	*	*	0.8	2.4	6.2	12.5	27.9	63.6	141.2
2005 5/.....	7.1	*	*	*	*	0.7	2.3	6.6	12.7	32.1	66.8	154.3
2004 5/.....	7.1	*	*	*	*	0.7	2.2	5.8	14.4	32.3	71.0	153.7
2003 5/.....	6.4	*	*	*	*	0.8	2.0	5.6	13.9	29.7	60.4	144.9
2002.....	6.4	*	*	*	*	0.6	2.2	5.1	13.4	27.3	66.2	152.1
2001.....	6.1	*	*	*	*	0.8	2.0	6.0	12.3	26.4	63.1	139.2
2000.....	6.1	*	*	*	*	0.5	2.2	5.4	13.5	30.4	60.6	135.1
1999.....	5.9	*	*	*	*	0.4	2.1	5.3	12.3	28.2	63.6	127.1
Non-Hispanic black, male												
2006 5/.....	6.4	*	*	*	*	0.8	3.2	8.0	14.9	31.2	70.9	153.0
2005 5/.....	6.7	*	*	*	*	0.8	2.8	8.8	16.0	36.9	72.9	156.1
2004 5/.....	6.5	*	*	*	*	0.8	2.7	7.8	16.9	34.9	81.0	141.2
2003 5/.....	5.9	*	*	*	*	1.0	2.4	7.8	16.4	33.1	56.8	157.7
2002.....	5.7	*	*	*	*	*	2.8	6.4	14.4	29.6	73.3	157.5
2001.....	5.5	*	*	*	*	0.9	2.6	7.8	13.3	30.0	63.3	144.4
2000.....	5.3	*	*	*	*	*	2.8	6.2	15.1	30.4	60.8	144.4
1999.....	5.4	*	*	*	*	*	2.5	7.7	13.5	29.6	68.5	142.6
Non-Hispanic black, female												
2006 5/.....	7.0	*	*	*	*	0.7	1.7	4.6	10.5	25.5	59.5	136.4
2005 5/.....	7.5	*	*	*	*	*	1.9	4.7	10.1	28.7	63.4	153.6
2004 5/.....	7.6	*	*	*	*	*	1.8	4.0	12.4	30.4	65.4	158.6
2003 5/.....	6.9	*	*	*	*	*	1.7	3.7	11.8	27.2	62.4	139.9
2002.....	7.0	*	*	*	*	*	1.7	4.0	12.7	25.7	62.2	150.1
2001.....	6.7	*	*	*	*	0.7	1.6	4.5	11.6	23.9	63.0	137.3
2000.....	6.9	*	*	*	*	*	1.7	4.7	12.1	30.4	60.4	131.7
1999.....	6.3	*	*	*	*	*	1.6	3.3	11.3	27.2	60.9	121.3

Worktable Orig12. Death rates for 358 selected causes, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2006

[Rates per 100,000 population in specified group. Rates are based on populations enumerated as of April 1 for 2000 and estimated as of July 1 for all other years. Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to 'Detailed technical notes to the United States 2006 data-mortality']

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, and sex	All ages 1/	Under 1 year 2/	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
Hypertensive heart and renal disease (I13)												
All origins 3/, both sexes												
2006.....	1.0	*	*	*	*	0.1	0.2	0.4	0.8	1.9	6.2	22.6
2005.....	1.1	*	*	*	*	0.1	0.2	0.4	0.8	2.3	7.0	25.3
2004.....	1.0	*	*	*	*	0.1	0.2	0.5	0.9	2.1	6.6	24.8
2003.....	1.1	*	*	*	*	0.1	0.2	0.5	1.0	2.2	7.0	25.6
2002.....	1.0	*	*	*	*	0.1	0.2	0.4	1.0	2.2	6.8	23.5
2001.....	1.0	*	*	*	*	0.1	0.2	0.4	1.0	2.3	6.8	23.3
2000.....	1.0	*	*	*	*	0.1	0.2	0.4	0.9	2.3	7.0	24.3
1999.....	1.2	*	*	*	*	0.1	0.3	0.4	1.1	2.6	8.9	29.1
All origins 3/, male												
2006.....	0.9	*	*	*	*	0.1	0.3	0.5	1.1	2.0	6.9	23.8
2005.....	0.9	*	*	*	*	0.1	0.2	0.6	1.0	2.5	7.2	27.4
2004.....	0.9	*	*	*	*	*	0.3	0.6	1.1	2.2	7.2	24.3
2003.....	0.9	*	*	*	*	*	0.3	0.6	1.2	2.3	7.4	26.7
2002.....	0.9	*	*	*	*	*	0.2	0.5	1.2	2.4	7.0	23.1
2001.....	0.8	*	*	*	*	*	0.3	0.5	1.0	2.5	6.8	24.2
2000.....	0.8	*	*	*	*	*	0.2	0.5	0.9	2.5	7.2	27.8
1999.....	1.0	*	*	*	*	*	0.3	0.6	1.3	2.7	9.6	31.3
All origins 3/, female												
2006.....	1.1	*	*	*	*	*	0.1	0.4	0.6	1.8	5.7	22.1
2005.....	1.2	*	*	*	*	*	0.1	0.3	0.6	2.1	6.8	24.3
2004.....	1.2	*	*	*	*	*	0.1	0.4	0.7	1.9	6.2	25.0
2003.....	1.2	*	*	*	*	*	0.1	0.3	0.7	2.1	6.8	25.2
2002.....	1.2	*	*	*	*	*	0.1	0.3	0.8	2.0	6.7	23.7
2001.....	1.1	*	*	*	*	*	0.2	0.2	0.9	2.1	6.8	22.9
2000.....	1.1	*	*	*	*	*	0.1	0.3	0.8	2.1	6.9	22.9
1999.....	1.4	*	*	*	*	*	0.2	0.3	0.9	2.4	8.5	28.2
Hispanic, both sexes												
2006.....	0.3	*	*	*	*	*	*	*	0.9	2.3	4.9	12.9
2005.....	0.5	*	*	*	*	*	*	*	1.2	3.3	7.1	22.2
2004.....	0.5	*	*	*	*	*	*	*	1.3	1.8	6.9	20.0
2003.....	0.4	*	*	*	*	*	*	*	*	2.7	5.9	25.4
2002.....	0.4	*	*	*	*	*	*	*	1.3	2.9	8.5	22.7
2001.....	0.4	*	*	*	*	*	*	*	1.1	3.0	7.4	26.3
2000.....	0.4	*	*	*	*	*	*	*	*	2.5	6.3	25.2
1999.....	0.4	*	*	*	*	*	*	*	*	3.1	8.1	23.2
Hispanic, male												
2006.....	0.4	*	*	*	*	*	*	*	*	*	*	*
2005.....	0.4	*	*	*	*	*	*	*	*	*	8.4	*
2004.....	0.4	*	*	*	*	*	*	*	*	*	10.4	*
2003.....	0.4	*	*	*	*	*	*	*	*	*	*	35.4
2002.....	0.4	*	*	*	*	*	*	*	*	*	*	*
2001.....	0.4	*	*	*	*	*	*	*	*	*	8.2	*
2000.....	0.4	*	*	*	*	*	*	*	*	*	*	*
1999.....	0.4	*	*	*	*	*	*	*	*	*	*	*
Hispanic, female												
2006.....	0.3	*	*	*	*	*	*	*	*	*	*	12.6
2005.....	0.5	*	*	*	*	*	*	*	*	3.3	6.3	22.8
2004.....	0.5	*	*	*	*	*	*	*	*	*	7.9	18.0
2003.....	0.4	*	*	*	*	*	*	*	*	3.1	*	20.3
2002.....	0.5	*	*	*	*	*	*	*	*	*	8.7	21.6
2001.....	0.5	*	*	*	*	*	*	*	*	*	7.3	24.2
2000.....	0.4	*	*	*	*	*	*	*	*	*	*	26.7
1999.....	0.5	*	*	*	*	*	*	*	*	*	8.7	20.8

Worktable Orig12. Death rates for 358 selected causes, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2006

[Rates per 100,000 population in specified group. Rates are based on populations enumerated as of April 1 for 2000 and estimated as of July 1 for all other years. Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to 'Detailed technical notes to the United States 2006 data-mortality']

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, and sex	All ages 1/	Under 1 year 2/	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
Hypertensive heart and renal disease (I13)												
Non-Hispanic 4/, both sexes												
2006.....	1.1	*	*	*	*	0.1	0.2	0.4	0.8	1.9	6.2	23.0
2005.....	1.2	*	*	*	*	0.1	0.2	0.5	0.8	2.2	6.9	25.4
2004.....	1.1	*	*	*	*	*	0.2	0.5	0.9	2.1	6.5	24.9
2003.....	1.2	*	*	*	*	0.1	0.2	0.5	1.0	2.2	7.1	25.6
2002.....	1.1	*	*	*	*	0.1	0.2	0.4	1.0	2.1	6.7	23.5
2001.....	1.1	*	*	*	*	0.1	0.2	0.4	1.0	2.2	6.7	23.1
2000.....	1.1	*	*	*	*	0.1	0.2	0.4	0.9	2.2	7.0	24.2
1999.....	1.3	*	*	*	*	0.1	0.3	0.4	1.1	2.5	8.9	29.3
Non-Hispanic 4/, male												
2006.....	1.0	*	*	*	*	0.1	0.3	0.5	1.0	2.0	6.9	24.3
2005.....	1.0	*	*	*	*	0.1	0.2	0.6	0.9	2.4	7.0	27.7
2004.....	1.0	*	*	*	*	*	0.3	0.6	1.1	2.2	7.0	24.4
2003.....	1.0	*	*	*	*	*	0.3	0.7	1.2	2.3	7.4	26.3
2002.....	0.9	*	*	*	*	*	0.2	0.6	1.2	2.3	6.9	22.9
2001.....	0.9	*	*	*	*	*	0.3	0.5	1.0	2.4	6.7	23.8
2000.....	0.9	*	*	*	*	*	0.2	0.5	0.9	2.4	7.0	27.9
1999.....	1.1	*	*	*	*	*	0.3	0.6	1.3	2.7	9.6	31.4
Non-Hispanic 4/, female												
2006.....	1.2	*	*	*	*	*	0.1	0.4	0.6	1.7	5.8	22.5
2005.....	1.3	*	*	*	*	*	0.2	0.3	0.6	2.0	6.8	24.4
2004.....	1.3	*	*	*	*	*	0.1	0.4	0.7	1.9	6.1	25.2
2003.....	1.3	*	*	*	*	*	0.1	0.4	0.7	2.1	6.8	25.3
2002.....	1.2	*	*	*	*	*	0.2	0.3	0.8	2.0	6.5	23.7
2001.....	1.2	*	*	*	*	*	0.2	0.2	0.9	2.0	6.7	22.8
2000.....	1.2	*	*	*	*	*	0.1	0.3	0.8	2.1	6.9	22.8
1999.....	1.5	*	*	*	*	*	0.2	0.3	0.9	2.4	8.4	28.4
Non-Hispanic white, both sexes												
2006 5/.....	0.9	*	*	*	*	*	*	0.2	0.4	1.1	5.1	21.3
2005 5/.....	1.0	*	*	*	*	*	*	0.2	0.3	1.3	5.5	24.0
2004 5/.....	0.9	*	*	*	*	*	*	0.1	0.4	1.3	5.3	23.0
2003 5/.....	1.0	*	*	*	*	*	*	0.1	0.4	1.3	5.9	23.2
2002.....	0.9	*	*	*	*	*	*	0.1	0.4	1.2	5.6	20.8
2001.....	0.9	*	*	*	*	*	*	0.1	0.5	1.4	5.6	20.7
2000.....	0.9	*	*	*	*	*	0.1	0.1	0.4	1.5	5.6	21.8
1999.....	1.1	*	*	*	*	*	*	0.2	0.5	1.4	7.3	26.1
Non-Hispanic white, male												
2006 5/.....	0.8	*	*	*	*	*	*	0.2	0.4	1.1	5.6	22.9
2005 5/.....	0.8	*	*	*	*	*	*	0.2	0.4	1.4	5.6	25.7
2004 5/.....	0.8	*	*	*	*	*	*	0.2	0.5	1.5	5.8	22.8
2003 5/.....	0.8	*	*	*	*	*	*	0.2	0.5	1.6	6.6	23.6
2002.....	0.7	*	*	*	*	*	*	0.5	1.4	5.9	20.2	
2001.....	0.7	*	*	*	*	*	*	0.2	0.4	1.5	5.8	22.2
2000.....	0.7	*	*	*	*	*	*	0.2	0.4	1.6	6.1	24.3
1999.....	0.9	*	*	*	*	*	*	0.2	0.5	1.6	8.3	28.7
Non-Hispanic white, female												
2006 5/.....	1.1	*	*	*	*	*	*	0.1	0.3	1.1	4.7	20.5
2005 5/.....	1.2	*	*	*	*	*	*	*	0.2	1.2	5.5	23.2
2004 5/.....	1.1	*	*	*	*	*	*	*	0.3	1.1	4.9	23.1
2003 5/.....	1.1	*	*	*	*	*	*	*	0.3	1.1	5.5	23.0
2002.....	1.1	*	*	*	*	*	*	*	0.3	1.1	5.4	21.0
2001.....	1.1	*	*	*	*	*	*	*	0.5	1.3	5.4	20.1
2000.....	1.1	*	*	*	*	*	*	*	0.3	1.4	5.2	20.8
1999.....	1.2	*	*	*	*	*	*	*	0.4	1.3	6.6	25.1

Worktable Orig12. Death rates for 358 selected causes, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2006

[Rates per 100,000 population in specified group. Rates are based on populations enumerated as of April 1 for 2000 and estimated as of July 1 for all other years. Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.odc.gov/nchs> and refer to 'Detailed technical notes to the United States 2006 data-mortality']

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, and sex	All ages 1/	Under 1 year 2/	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
Hypertensive heart and renal disease (I13)												
Non-Hispanic black, both sexes												
2006 5/.....	2.2	*	*	*	*	*	0.9	2.2	4.5	8.7	18.8	42.5
2005 5/.....	2.4	*	*	*	*	0.5	1.0	2.5	4.6	9.8	21.8	42.9
2004 5/.....	2.4	*	*	*	*	*	1.2	2.9	5.0	8.7	20.0	49.2
2003 5/.....	2.5	*	*	*	*	0.4	1.3	3.1	5.5	9.3	19.9	53.8
2002.....	2.5	*	*	*	*	*	1.0	2.8	6.2	10.0	19.8	57.2
2001.....	2.3	*	*	*	*	0.4	1.2	2.1	5.1	10.1	20.2	50.6
2000.....	2.3	*	*	*	*	*	0.8	2.2	4.7	10.0	22.6	50.9
1999.....	2.8	*	*	*	*	*	1.5	2.3	6.2	12.7	27.3	66.0
Non-Hispanic black, male												
2006 5/.....	2.2	*	*	*	*	*	1.3	2.7	6.3	10.7	23.4	40.3
2005 5/.....	2.4	*	*	*	*	*	1.3	3.4	6.0	11.3	23.5	50.4
2004 5/.....	2.3	*	*	*	*	*	1.9	3.6	6.3	8.8	23.7	42.7
2003 5/.....	2.4	*	*	*	*	*	1.8	4.1	7.2	9.1	19.0	51.1
2002.....	2.3	*	*	*	*	*	1.0	3.9	7.7	10.2	19.3	62.4
2001.....	2.2	*	*	*	*	*	1.6	3.2	6.0	12.0	18.6	45.0
2000.....	2.1	*	*	*	*	*	1.0	2.9	5.4	11.1	20.1	64.6
1999.....	2.6	*	*	*	*	*	1.8	3.3	7.8	13.8	26.0	60.6
Non-Hispanic black, female												
2006 5/.....	2.1	*	*	*	*	*	*	1.7	3.1	7.2	16.3	43.3
2005 5/.....	2.3	*	*	*	*	*	0.7	1.7	3.4	8.7	20.8	39.8
2004 5/.....	2.4	*	*	*	*	*	*	2.3	4.0	8.5	17.9	51.8
2003 5/.....	2.6	*	*	*	*	*	0.8	2.2	4.2	9.4	20.4	54.9
2002.....	2.6	*	*	*	*	*	0.9	1.8	5.0	9.9	20.1	55.2
2001.....	2.4	*	*	*	*	*	0.8	1.2	4.3	8.7	21.1	52.6
2000.....	2.4	*	*	*	*	*	*	1.6	4.2	9.2	24.0	45.8
1999.....	3.1	*	*	*	*	*	1.2	1.5	4.8	12.0	28.0	68.0

Worktable Orig12. Death rates for 358 selected causes, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2006

[Rates per 100,000 population in specified group. Rates are based on populations enumerated as of April 1 for 2000 and estimated as of July 1 for all other years. Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to 'Detailed technical notes to the United States 2006 data-mortality']

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, and sex	All ages 1/	Under 1 year 2/	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
Ischemic heart diseases (I20-I25)												
All origins 3/, both sexes												
2006.....	142.1	0.5	*	*	0.3	2.6	15.3	57.7	147.9	352.5	959.8	2,904.7
2005.....	150.4	*	*	*	0.4	2.5	15.6	59.6	154.2	378.2	1,029.8	3,158.1
2004.....	153.7	*	*	*	0.3	2.7	16.2	59.9	158.2	395.9	1,072.6	3,287.4
2003.....	165.1	0.5	*	0.1	0.4	2.7	17.0	62.2	169.8	430.2	1,160.7	3,610.2
2002.....	171.4	0.6	*	0.0	0.3	2.5	17.1	63.8	177.7	458.9	1,220.2	3,775.0
2001.....	176.3	0.6	*	0.0	0.4	2.8	16.7	64.0	184.0	477.6	1,271.3	3,958.2
2000.....	183.1	0.8	*	*	0.3	2.3	16.7	66.1	196.7	505.1	1,324.2	4,182.5
1999.....	189.8	0.7	*	0.1	0.4	2.5	17.2	67.7	203.5	536.6	1,384.8	4,318.1
All origins 3/, male												
2006.....	152.2	*	*	*	0.5	4.0	23.2	89.1	220.7	494.2	1,269.7	3,303.0
2005.....	159.0	*	*	*	0.6	3.8	23.6	92.0	229.4	521.7	1,351.5	3,576.8
2004.....	161.6	*	*	*	0.4	4.0	24.4	92.8	234.8	549.1	1,410.3	3,680.3
2003.....	172.2	*	*	*	0.5	4.0	25.7	97.2	251.5	598.8	1,524.4	4,005.2
2002.....	178.4	*	*	*	0.4	3.7	26.1	99.4	263.3	640.1	1,598.9	4,205.3
2001.....	181.7	*	*	*	0.6	4.1	25.5	99.5	271.6	663.7	1,663.5	4,395.8
2000.....	188.7	*	*	*	0.4	3.5	25.8	103.5	290.2	705.2	1,736.8	4,701.7
1999.....	195.4	*	*	*	0.5	3.7	26.6	106.2	299.3	749.8	1,813.7	4,837.5
All origins 3/, female												
2006.....	132.3	*	*	*	0.2	1.1	7.4	27.4	80.1	232.6	747.9	2,718.3
2005.....	142.0	*	*	*	0.1	1.2	7.6	28.2	84.2	253.4	811.4	2,965.8
2004.....	146.1	*	*	*	0.1	1.4	8.0	28.0	87.1	267.3	845.3	3,110.6
2003.....	158.1	*	*	*	0.3	1.4	8.4	28.3	94.0	289.2	917.7	3,435.5
2002.....	164.7	*	*	*	0.2	1.3	8.2	29.5	98.5	308.1	968.9	3,588.3
2001.....	171.2	*	*	*	0.2	1.5	8.1	29.7	103.1	323.4	1,013.6	3,775.1
2000.....	177.6	*	*	*	0.2	1.2	7.6	29.9	110.4	340.3	1,055.2	3,971.0
1999.....	184.5	*	*	*	0.2	1.4	7.9	30.7	115.1	362.0	1,106.3	4,108.8
Hispanic, both sexes												
2006.....	47.2	*	*	*	0.3	1.3	7.2	34.3	106.8	286.6	813.3	2,296.7
2005.....	51.0	*	*	*	0.3	1.3	7.9	35.7	115.4	326.7	910.6	2,528.4
2004.....	49.6	*	*	*	*	1.2	7.7	35.3	117.4	326.5	906.9	2,613.4
2003.....	52.1	*	*	*	0.3	1.4	7.5	35.4	122.0	355.0	973.0	2,970.0
2002.....	54.0	*	*	*	*	1.2	7.6	36.0	135.9	382.0	1,010.8	3,182.9
2001.....	55.9	*	*	*	*	1.6	6.8	38.7	130.2	400.9	1,099.1	3,620.2
2000.....	55.9	*	*	*	*	1.1	7.6	39.5	143.6	405.3	1,111.3	3,697.2
1999.....	58.7	*	*	*	*	1.4	7.4	44.8	150.4	433.5	1,178.0	3,876.2
Hispanic, male												
2006.....	49.9	*	*	*	1.9	10.9	52.7	156.5	394.1	1,022.8	2,453.9	
2005.....	54.2	*	*	*	1.9	12.0	55.2	171.0	449.6	1,165.5	2,694.8	
2004.....	52.7	*	*	*	1.9	11.9	55.2	175.1	455.7	1,175.3	2,695.4	
2003.....	53.7	*	*	*	0.5	2.1	11.0	55.8	179.7	494.6	1,214.9	2,933.9
2002.....	56.5	*	*	*	1.9	11.4	58.0	204.0	530.4	1,271.7	3,374.9	
2001.....	57.9	*	*	*	2.4	10.4	60.3	191.9	559.9	1,393.3	3,828.2	
2000.....	58.2	*	*	*	1.6	12.1	62.7	214.8	561.5	1,420.0	3,865.6	
1999.....	60.8	*	*	*	2.1	12.2	71.3	218.3	608.5	1,495.9	3,987.7	
Hispanic, female												
2006.....	44.4	*	*	*	0.6	2.9	15.5	60.9	199.2	666.6	2,213.2	
2005.....	47.6	*	*	*	*	3.2	15.9	64.5	227.5	733.1	2,441.3	
2004.....	46.2	*	*	*	*	3.1	15.4	65.0	222.8	721.6	2,571.3	
2003.....	50.4	*	*	*	0.6	3.7	15.0	69.8	243.7	806.9	2,988.3	
2002.....	51.4	*	*	*	*	3.5	18.1	74.6	263.9	832.2	3,087.8	
2001.....	53.7	*	*	*	*	2.8	17.4	75.4	275.4	900.3	3,518.6	
2000.....	53.6	*	*	*	*	2.8	16.8	80.6	282.5	904.0	3,614.6	
1999.....	56.6	*	*	*	*	2.3	19.0	90.5	296.4	966.5	3,822.4	

Worktable Orig12. Death rates for 358 selected causes, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2006

[Rates per 100,000 population in specified group. Rates are based on populations enumerated as of April 1 for 2000 and estimated as of July 1 for all other years. Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to 'Detailed technical notes to the United States 2006 data-mortality']

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, and sex	All ages 1/	Under 1 year 2/	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
Ischemic heart diseases (I20-I25)												
Non-Hispanic 4/, both sexes												
2006.....	158.2	0.6	*	*	0.3	2.9	16.8	60.3	150.9	356.5	967.2	2,931.2
2005.....	166.7	*	*	*	0.4	2.8	16.9	62.0	156.9	379.0	1,034.7	3,183.8
2004.....	170.3	*	*	*	0.3	3.1	17.5	62.3	160.9	399.6	1,079.3	3,312.1
2003.....	182.5	0.6	*	0.1	0.4	3.0	18.4	64.7	172.8	433.9	1,167.1	3,629.3
2002.....	189.0	*	*	*	0.3	2.8	18.4	66.1	180.1	462.1	1,226.5	3,787.0
2001.....	193.6	0.7	*	*	0.4	3.1	18.0	66.1	187.3	480.9	1,274.9	3,959.4
2000.....	200.5	0.8	*	*	0.3	2.6	17.7	68.1	199.5	509.0	1,328.8	4,187.0
1999.....	207.1	0.8	*	0.1	0.4	2.7	18.3	69.4	206.3	540.3	1,388.1	4,319.6
Non-Hispanic 4/, male												
2006.....	170.6	*	*	*	0.5	4.6	25.5	93.2	225.4	500.0	1,282.9	3,344.5
2005.....	177.2	*	*	*	0.6	4.3	25.7	95.9	233.5	525.5	1,359.6	3,618.5
2004.....	179.9	*	*	*	0.5	4.6	26.4	96.6	238.7	553.4	1,419.8	3,722.6
2003.....	191.5	*	*	*	0.5	4.5	27.9	101.1	255.9	603.6	1,536.0	4,045.5
2002.....	197.6	*	*	*	0.5	4.1	28.3	103.1	266.5	644.3	1,609.7	4,228.4
2001.....	200.4	*	*	*	0.6	4.5	27.5	102.8	276.1	667.7	1,670.1	4,408.5
2000.....	207.6	*	*	*	0.4	3.9	27.4	106.7	294.0	710.4	1,744.6	4,721.1
1999.....	214.1	*	*	*	0.5	4.0	28.3	108.8	303.4	754.2	1,820.2	4,854.5
Non-Hispanic 4/, female												
2006.....	146.4	*	*	*	0.2	1.3	8.2	28.7	81.6	234.7	751.6	2,739.1
2005.....	156.7	*	*	*	0.1	1.4	8.3	29.4	85.7	254.9	814.5	2,985.4
2004.....	161.1	*	*	*	0.2	1.6	8.7	29.3	88.6	269.9	850.4	3,128.5
2003.....	173.9	*	*	*	0.3	1.5	9.0	29.6	95.6	291.5	920.9	3,446.4
2002.....	180.7	*	*	*	0.2	1.5	8.8	30.5	100.0	309.9	972.5	3,596.5
2001.....	187.2	*	*	*	0.2	1.6	8.7	30.8	105.0	325.6	1,015.5	3,772.7
2000.....	193.8	*	*	*	0.2	1.3	8.2	31.0	112.1	342.8	1,057.9	3,971.0
1999.....	200.6	*	*	*	0.3	1.5	8.5	31.5	116.6	364.6	1,107.8	4,105.4
Non-Hispanic white, both sexes												
2006 5/.....	174.5	*	*	*	0.3	2.8	16.5	57.4	144.0	345.7	966.4	2,992.4
2005 5/.....	183.9	*	*	*	0.3	2.6	16.4	58.8	149.0	369.5	1,033.7	3,253.9
2004 5/.....	187.7	*	*	*	0.2	2.8	17.2	59.1	153.5	388.1	1,079.6	3,369.7
2003 5/.....	200.8	*	*	*	0.4	2.8	17.9	61.1	164.5	421.6	1,164.6	3,691.6
2002.....	208.0	*	*	*	0.3	2.6	17.9	62.8	171.2	450.8	1,223.1	3,848.2
2001.....	212.6	*	*	*	0.3	2.9	17.3	62.6	177.8	467.8	1,271.3	4,022.8
2000.....	220.2	*	*	*	0.3	2.4	16.9	64.6	189.5	496.4	1,324.5	4,261.3
1999.....	227.2	*	*	*	0.3	2.5	17.3	65.8	196.4	527.7	1,386.5	4,390.2
Non-Hispanic white, male												
2006 5/.....	187.5	*	*	*	0.5	4.4	25.6	90.2	216.7	488.6	1,288.8	3,441.2
2005 5/.....	195.1	*	*	*	0.5	4.0	25.4	92.4	224.3	517.2	1,367.9	3,732.9
2004 5/.....	198.0	*	*	*	0.3	4.3	26.4	93.4	230.4	543.1	1,431.6	3,814.0
2003 5/.....	210.2	*	*	*	0.4	4.3	27.5	97.2	247.3	591.8	1,541.1	4,149.5
2002.....	217.2	*	*	*	0.4	4.0	28.0	100.0	256.8	636.0	1,618.3	4,324.5
2001.....	219.6	*	*	*	0.5	4.3	26.9	99.5	266.3	656.5	1,676.7	4,506.9
2000.....	227.6	*	*	*	0.4	3.7	26.8	103.5	283.5	701.7	1,752.3	4,833.4
1999.....	234.2	*	*	*	0.5	3.6	27.2	105.1	292.3	745.2	1,834.9	4,954.1
Non-Hispanic white, female												
2006 5/.....	161.9	*	*	*	1.1	7.3	25.1	74.6	221.9	742.7	2,783.1	
2005 5/.....	173.1	*	*	*	1.3	7.4	25.7	77.3	241.8	803.8	3,034.8	
2004 5/.....	177.7	*	*	*	1.3	7.9	25.4	80.4	254.7	839.7	3,170.6	
2003 5/.....	191.8	*	*	*	0.3	1.4	8.2	25.5	85.9	275.9	910.4	3,490.0
2002.....	199.1	*	*	*	0.2	1.3	7.8	26.1	90.2	293.0	958.3	3,642.5
2001.....	205.8	*	*	*	0.2	1.4	7.6	26.4	94.2	307.7	1,001.1	3,821.4
2000.....	213.1	*	*	*	0.2	1.0	6.9	26.4	100.9	323.6	1,043.3	4,030.7
1999.....	220.5	*	*	*	1.4	7.4	27.2	106.1	345.6	1,092.9	4,165.3	

Worktable Orig12. Death rates for 358 selected causes, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2006

[Rates per 100,000 population in specified group. Rates are based on populations enumerated as of April 1 for 2000 and estimated as of July 1 for all other years. Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.odc.gov/nchs> and refer to 'Detailed technical notes to the United States 2006 data-mortality']

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, and sex	All ages 1/	Under 1 year 2/	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
Ischemic heart diseases (I20-I25)												
Non-Hispanic black, both sexes												
2006 5/.....	116.5	*	*	*	0.5	4.3	23.1	92.8	238.7	516.6	1,143.3	2,640.8
2005 5/.....	121.7	*	*	*	0.6	4.1	24.0	96.3	255.2	530.1	1,226.6	2,830.2
2004 5/.....	124.8	*	*	*	0.7	4.9	24.0	97.9	259.1	576.3	1,255.5	3,038.5
2003 5/.....	133.2	*	*	*	0.7	4.4	25.5	101.8	277.3	622.3	1,375.4	3,328.7
2002.....	137.0	*	*	*	0.5	4.1	25.8	103.6	292.4	643.9	1,433.9	3,481.1
2001.....	141.2	*	*	*	0.9	4.8	26.4	104.6	302.1	681.4	1,487.0	3,628.7
2000.....	144.4	*	*	*	0.4	4.4	26.1	107.7	318.9	710.1	1,534.5	3,701.7
1999.....	147.9	*	*	*	0.8	4.1	28.2	110.8	324.7	741.6	1,559.0	3,817.9
Non-Hispanic black, male												
2006 5/.....	124.5	*	*	*	0.8	6.3	32.2	133.8	347.2	717.2	1,476.8	2,685.6
2005 5/.....	127.0	*	*	*	0.8	6.3	33.6	140.2	364.5	712.6	1,542.6	2,808.9
2004 5/.....	129.2	*	*	*	1.2	6.7	32.9	141.2	368.2	771.0	1,551.8	3,133.7
2003 5/.....	137.6	*	*	*	0.9	6.4	36.2	148.3	387.0	836.1	1,758.6	3,309.2
2002.....	139.5	*	*	*	*	5.3	36.2	146.9	413.2	850.8	1,762.3	3,572.8
2001.....	143.2	*	*	*	1.2	6.8	37.1	149.0	418.0	903.1	1,834.9	3,791.8
2000.....	145.7	*	*	*	*	6.1	36.3	152.2	444.2	916.5	1,887.6	3,911.2
1999.....	150.0	*	*	*	0.9	6.0	40.3	160.0	458.4	967.5	1,873.3	4,082.5
Non-Hispanic black, female												
2006 5/.....	109.2	*	*	*	2.5	15.2	57.7	151.4	373.4	954.0	2,622.6	
2005 5/.....	116.8	*	*	*	2.1	15.5	58.7	167.2	399.7	1,047.6	2,838.7	
2004 5/.....	120.8	*	*	*	3.2	16.0	60.7	171.5	437.6	1,086.3	3,000.9	
2003 5/.....	129.1	*	*	*	2.6	16.0	62.0	189.2	470.4	1,159.1	3,336.2	
2002.....	134.8	*	*	*	2.9	16.7	66.5	195.4	497.1	1,248.1	3,446.0	
2001.....	139.4	*	*	*	2.9	16.9	66.5	208.9	525.0	1,291.6	3,568.3	
2000.....	143.2	*	*	*	2.9	17.1	69.4	218.1	565.0	1,335.7	3,623.9	
1999.....	146.0	*	*	*	0.7	2.4	17.4	68.7	217.5	582.3	1,383.0	3,719.0

Worktable Orig12. Death rates for 358 selected causes, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2006

[Rates per 100,000 population in specified group. Rates are based on populations enumerated as of April 1 for 2000 and estimated as of July 1 for all other years. Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to 'Detailed technical notes to the United States 2006 data-mortality']

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, and sex	All ages 1/	Under 1 year 2/	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
Acute myocardial infarction (I21-I22)												
All origins 3/, both sexes												
2006.....	47.2	*	*	*	0.1	1.0	6.1	22.5	58.2	131.1	319.0	825.8
2005.....	50.9	*	*	*	0.2	1.0	6.2	23.7	61.1	143.1	348.2	923.1
2004.....	53.4	*	*	*	0.1	1.1	6.4	24.2	64.5	153.4	370.3	992.9
2003.....	58.7	*	*	*	0.2	1.0	7.0	25.5	70.9	168.6	412.7	1,118.8
2002.....	62.3	*	*	*	0.2	1.0	7.0	26.5	74.9	186.1	444.4	1,191.3
2001.....	64.9	*	*	*	0.2	1.2	7.1	27.6	78.4	193.2	471.2	1,265.4
2000.....	68.5	0.5	*	*	0.1	0.9	6.9	28.9	86.6	209.1	503.3	1,338.5
1999.....	71.5	*	*	*	0.2	1.1	7.2	29.6	90.0	225.0	529.3	1,379.3
All origins 3/, male												
2006.....	51.6	*	*	*	0.2	1.5	9.2	34.2	85.6	181.9	411.8	936.3
2005.....	54.8	*	*	*	0.2	1.5	9.2	36.2	89.9	195.5	445.9	1,045.0
2004.....	57.4	*	*	*	0.2	1.6	9.6	37.3	95.3	209.5	477.0	1,120.5
2003.....	62.6	*	*	*	0.2	1.5	10.4	39.8	104.1	231.0	530.6	1,283.5
2002.....	66.2	*	*	*	0.2	1.4	10.5	40.6	109.2	256.2	569.2	1,366.4
2001.....	68.6	*	*	*	0.2	1.7	10.6	42.4	114.0	264.7	604.1	1,461.3
2000.....	72.7	*	*	*	0.1	1.3	10.6	44.7	125.7	286.9	648.3	1,568.3
1999.....	76.1	*	*	*	0.2	1.5	11.0	46.3	131.8	310.0	684.4	1,622.1
All origins 3/, female												
2006.....	43.0	*	*	*	*	0.5	3.0	11.2	32.6	88.1	255.6	774.1
2005.....	47.2	*	*	*	*	0.5	3.2	11.6	34.3	98.9	281.8	867.1
2004.....	49.6	*	*	*	*	0.6	3.3	11.6	35.9	106.3	298.5	935.5
2003.....	54.8	*	*	*	*	0.1	3.6	11.7	40.0	118.5	333.9	1,054.8
2002.....	58.4	*	*	*	0.1	0.5	3.6	12.9	43.2	127.7	361.5	1,115.3
2001.....	61.3	*	*	*	*	0.7	3.5	13.3	45.4	134.0	383.9	1,183.5
2000.....	64.6	*	*	*	0.1	0.5	3.3	13.6	50.5	145.1	408.7	1,244.8
1999.....	67.0	*	*	*	0.1	0.6	3.4	13.5	51.5	155.4	428.6	1,281.5
Hispanic, both sexes												
2006.....	15.7	*	*	*	*	0.5	2.7	11.5	37.7	100.5	273.6	692.9
2005.....	17.6	*	*	*	*	0.5	2.7	12.5	43.2	119.4	318.7	787.2
2004.....	17.3	*	*	*	*	0.5	2.9	12.9	44.2	120.4	315.7	816.8
2003.....	18.5	*	*	*	*	0.5	3.0	13.3	44.5	137.7	341.6	952.0
2002.....	19.7	*	*	*	*	0.5	3.0	14.2	55.1	146.2	364.3	1,048.2
2001.....	20.0	*	*	*	*	0.7	2.5	14.8	49.5	149.8	394.9	1,185.5
2000.....	20.1	*	*	*	*	0.5	3.0	15.5	55.0	154.3	404.7	1,177.1
1999.....	21.1	*	*	*	*	0.5	2.9	17.8	56.1	164.0	433.7	1,227.8
Hispanic, male												
2006.....	16.5	*	*	*	*	0.7	3.9	16.7	52.7	137.7	338.6	742.0
2005.....	18.8	*	*	*	*	0.6	3.8	18.9	62.2	160.9	406.2	875.4
2004.....	18.4	*	*	*	*	0.6	4.3	20.1	65.4	164.1	403.4	840.6
2003.....	18.9	*	*	*	*	0.7	4.1	20.6	64.1	187.5	409.2	963.6
2002.....	20.6	*	*	*	*	0.7	4.2	21.0	80.8	199.3	460.0	1,107.7
2001.....	20.9	*	*	*	*	1.0	3.9	22.7	69.4	206.9	488.7	1,331.3
2000.....	21.1	*	*	*	*	0.7	4.7	23.4	80.0	207.6	514.8	1,273.8
1999.....	22.0	*	*	*	*	0.8	4.6	26.7	79.0	225.8	558.9	1,276.8
Hispanic, female												
2006.....	14.9	*	*	*	*	*	1.4	6.2	23.9	70.4	228.2	666.8
2005.....	16.4	*	*	*	*	*	1.6	6.0	25.8	85.8	257.7	741.0
2004.....	16.0	*	*	*	*	*	1.3	5.6	24.9	85.4	255.1	804.5
2003.....	18.0	*	*	*	*	*	1.7	6.0	26.8	98.1	295.2	946.1
2002.....	18.7	*	*	*	*	*	1.8	7.4	32.1	103.9	298.8	1,018.8
2001.....	19.1	*	*	*	*	*	1.1	7.0	31.8	104.7	331.5	1,114.2
2000.....	19.1	*	*	*	*	*	1.2	7.8	32.9	112.3	330.6	1,129.7
1999.....	20.1	*	*	*	*	*	1.1	9.1	35.9	115.5	350.4	1,204.1

Worktable Orig12. Death rates for 358 selected causes, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2006

[Rates per 100,000 population in specified group. Rates are based on populations enumerated as of April 1 for 2000 and estimated as of July 1 for all other years. Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to 'Detailed technical notes to the United States 2006 data-mortality']

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, and sex	All ages 1/	Under 1 year 2/	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
Acute myocardial infarction (I21-I22)												
Non-Hispanic 4/, both sexes												
2006.....	52.6	*	*	*	0.1	1.2	6.7	23.7	59.8	133.1	321.3	831.0
2005.....	56.5	*	*	*	0.2	1.1	6.8	24.9	62.5	144.7	349.4	928.4
2004.....	59.2	*	*	*	0.1	1.3	7.0	25.4	66.0	155.4	372.7	999.2
2003.....	64.9	*	*	*	0.2	1.2	7.6	26.7	72.8	170.4	415.5	1,123.8
2002.....	68.7	*	*	*	0.2	1.1	7.6	27.7	76.3	188.2	447.3	1,194.0
2001.....	71.4	*	*	*	0.2	1.3	7.6	28.8	80.3	195.6	473.6	1,265.3
2000.....	75.3	*	*	*	0.1	1.0	7.4	30.0	88.6	211.9	506.3	1,340.8
1999.....	78.2	*	*	*	0.2	1.2	7.7	30.5	92.2	227.9	531.9	1,381.0
Non-Hispanic 4/, male												
2006.....	57.9	*	*	*	0.2	1.8	10.2	36.2	88.2	184.6	415.9	945.2
2005.....	61.2	*	*	*	0.3	1.7	10.2	38.0	92.0	197.8	447.5	1,052.8
2004.....	64.0	*	*	*	0.2	1.8	10.5	39.1	97.5	212.1	480.2	1,132.5
2003.....	69.7	*	*	*	0.2	1.7	11.4	41.8	106.9	233.4	535.7	1,274.5
2002.....	73.5	*	*	*	0.2	1.6	11.5	42.6	111.3	259.2	573.4	1,374.2
2001.....	75.9	*	*	*	0.2	1.8	11.6	44.2	117.0	267.7	607.9	1,463.9
2000.....	80.3	*	*	*	0.2	1.5	11.4	46.5	128.7	290.9	652.6	1,576.2
1999.....	83.8	*	*	*	0.2	1.7	11.8	47.8	135.1	313.8	687.7	1,631.5
Non-Hispanic 4/, female												
2006.....	47.6	*	*	*	*	0.6	3.3	11.8	33.4	89.4	256.7	778.0
2005.....	52.0	*	*	*	*	0.5	3.5	12.2	35.0	99.7	282.9	871.7
2004.....	54.7	*	*	*	*	0.7	3.6	12.2	36.7	107.7	300.4	939.6
2003.....	60.3	*	*	*	0.2	0.6	3.8	12.3	41.0	117.5	335.3	1,057.5
2002.....	64.1	*	*	*	*	0.6	3.8	13.3	44.0	128.9	363.8	1,116.3
2001.....	67.1	*	*	*	*	0.8	3.8	13.9	46.3	135.7	385.4	1,182.7
2000.....	70.6	*	*	*	0.1	0.6	3.5	14.1	51.6	146.8	411.0	1,245.6
1999.....	72.9	*	*	*	*	0.7	3.7	13.9	52.5	157.3	430.7	1,280.8
Non-Hispanic white, both sexes												
2006 5/.....	58.0	*	*	*	0.1	1.1	6.8	23.4	58.8	131.4	321.4	841.4
2005 5/.....	62.3	*	*	*	0.1	1.0	6.8	24.5	61.3	143.7	349.1	941.9
2004 5/.....	65.3	*	*	*	0.1	1.2	7.0	24.8	64.9	152.9	374.2	1,010.1
2003 5/.....	71.5	*	*	*	0.2	1.1	7.5	25.9	71.4	168.3	415.1	1,137.4
2002.....	75.5	*	*	*	0.1	1.1	7.5	27.0	74.7	186.1	445.9	1,202.8
2001.....	78.4	*	*	*	0.1	1.2	7.5	28.1	78.7	193.0	473.0	1,276.8
2000.....	82.7	*	*	*	0.1	0.9	7.3	29.3	86.9	209.3	505.3	1,355.3
1999.....	86.0	*	*	*	0.1	1.1	7.5	30.0	90.7	226.1	532.4	1,394.2
Non-Hispanic white, male												
2006 5/.....	64.0	*	*	*	0.2	1.7	10.5	36.3	87.5	184.4	418.6	964.6
2005 5/.....	67.8	*	*	*	0.3	1.6	10.4	38.2	91.3	198.9	451.0	1,077.9
2004 5/.....	70.9	*	*	*	*	1.9	10.7	38.8	97.3	210.8	487.4	1,156.5
2003 5/.....	77.0	*	*	*	0.2	1.6	11.5	41.2	106.5	232.9	537.8	1,300.9
2002.....	81.2	*	*	*	0.2	1.6	11.5	42.5	110.8	260.2	575.8	1,393.0
2001.....	83.7	*	*	*	0.2	1.7	11.6	44.3	116.8	267.7	612.5	1,483.2
2000.....	88.5	*	*	*	0.2	1.4	11.4	46.7	128.0	291.0	656.7	1,600.7
1999.....	92.4	*	*	*	0.2	1.5	11.8	48.1	134.6	315.0	695.7	1,653.8
Non-Hispanic white, female												
2006 5/.....	52.2	*	*	*	*	0.5	3.1	10.7	31.6	85.4	254.0	783.9
2005 5/.....	57.0	*	*	*	*	0.4	3.2	11.1	32.7	95.9	279.1	879.7
2004 5/.....	59.9	*	*	*	*	0.6	3.3	10.9	34.2	103.1	297.1	944.5
2003 5/.....	66.2	*	*	*	*	0.6	3.5	10.8	38.0	113.0	332.2	1,065.3
2002.....	70.1	*	*	*	*	0.5	3.6	11.8	40.6	122.9	358.8	1,120.7
2001.....	73.4	*	*	*	*	0.8	3.4	12.2	42.7	129.6	380.6	1,190.9
2000.....	77.2	*	*	*	*	0.5	3.1	12.3	48.2	140.5	405.9	1,256.3
1999.....	79.8	*	*	*	*	0.7	3.3	12.3	49.3	151.8	425.5	1,290.7

Worktable Orig12. Death rates for 358 selected causes, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2006

[Rates per 100,000 population in specified group. Rates are based on populations enumerated as of April 1 for 2000 and estimated as of July 1 for all other years. Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.odc.gov/nchs> and refer to 'Detailed technical notes to the United States 2006 data-mortality']

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, and sex	All ages 1/	Under 1 year 2/	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
Acute myocardial infarction (I21-I22)												
Non-Hispanic black, both sexes												
2006 5/.....	38.7	*	*	*	*	1.7	8.5	32.4	82.5	175.7	374.2	811.7
2005 5/.....	41.1	*	*	*	*	1.8	9.1	33.6	86.9	182.8	413.4	901.2
2004 5/.....	43.4	*	*	*	0.3	1.8	9.1	36.2	93.0	208.2	424.3	991.3
2003 5/.....	47.3	*	*	*	*	1.7	10.4	38.6	100.6	223.1	486.5	1,103.6
2002.....	50.2	*	*	*	*	1.7	10.0	39.0	109.1	242.6	523.0	1,212.9
2001.....	51.6	*	*	*	0.4	1.9	10.2	40.2	111.6	256.0	543.7	1,247.0
2000.....	54.0	*	*	*	*	1.8	10.1	41.9	122.3	273.0	576.6	1,281.8
1999.....	55.1	*	*	*	*	1.7	10.5	42.0	123.2	282.4	589.9	1,328.6
Non-Hispanic black, male												
2006 5/.....	40.6	*	*	*	*	2.5	11.9	45.1	117.3	233.0	463.5	824.6
2005 5/.....	41.8	*	*	*	*	2.6	12.2	46.6	120.2	233.2	499.2	898.3
2004 5/.....	43.9	*	*	*	*	2.1	12.0	51.6	126.2	269.9	491.7	1,020.2
2003 5/.....	48.2	*	*	*	*	2.4	14.3	54.7	135.9	287.1	606.9	1,121.9
2002.....	50.1	*	*	*	*	2.2	13.7	53.4	144.5	305.4	631.3	1,296.3
2001.....	50.9	*	*	*	*	2.5	13.5	53.4	146.1	320.8	646.6	1,389.4
2000.....	53.7	*	*	*	*	2.2	13.6	56.3	163.1	341.2	693.3	1,426.6
1999.....	55.2	*	*	*	*	2.5	14.5	58.1	168.7	357.0	691.4	1,509.4
Non-Hispanic black, female												
2006 5/.....	37.0	*	*	*	*	1.0	5.5	21.6	54.5	134.8	323.4	806.4
2005 5/.....	40.5	*	*	*	*	1.0	6.3	22.5	60.2	146.8	364.8	902.3
2004 5/.....	43.0	*	*	*	*	1.5	6.5	23.0	66.2	164.3	386.3	979.8
2003 5/.....	46.5	*	*	*	*	1.0	6.9	24.7	72.2	177.6	418.5	1,096.5
2002.....	50.4	*	*	*	*	1.3	6.7	26.7	80.7	198.0	461.8	1,181.0
2001.....	52.3	*	*	*	*	1.3	7.4	28.8	83.8	210.3	485.9	1,194.3
2000.....	54.2	*	*	*	*	1.4	7.0	29.6	89.5	225.0	510.9	1,228.0
1999.....	54.9	*	*	*	*	1.0	7.0	28.2	86.8	229.7	533.1	1,261.0

Worktable Orig12. Death rates for 358 selected causes, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2006

[Rates per 100,000 population in specified group. Rates are based on populations enumerated as of April 1 for 2000 and estimated as of July 1 for all other years. Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to 'Detailed technical notes to the United States 2006 data-mortality']

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, and sex	All ages 1/	Under 1 year 2/	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
Other acute ischemic heart diseases (I24)												
Non-Hispanic 4/, both sexes												
2006.....	1.5	*	*	*	*	*	0.2	0.9	2.0	3.7	8.2	22.1
2005.....	1.4	*	*	*	*	*	0.2	0.9	1.8	3.4	7.4	21.2
2004.....	1.0	*	*	*	*	*	0.2	0.6	1.3	2.3	5.4	15.3
2003.....	1.2	*	*	*	*	*	0.3	0.7	1.5	3.3	6.7	20.6
2002.....	1.3	*	*	*	*	*	0.2	0.9	1.8	3.6	7.3	21.8
2001.....	1.3	*	*	*	*	*	0.2	0.8	1.9	3.6	7.1	22.0
2000.....	1.3	*	*	*	*	*	0.2	0.8	2.1	3.6	7.5	22.2
1999.....	1.3	*	*	*	*	*	0.2	0.7	2.0	3.8	7.2	22.2
Non-Hispanic 4/, male												
2006.....	1.6	*	*	*	*	*	0.3	1.3	2.8	4.8	10.0	22.6
2005.....	1.4	*	*	*	*	*	0.3	1.3	2.7	4.4	8.7	20.9
2004.....	1.0	*	*	*	*	*	0.3	0.8	1.9	3.2	6.5	17.0
2003.....	1.3	*	*	*	*	*	0.4	1.1	2.2	4.5	8.4	20.2
2002.....	1.4	*	*	*	*	*	0.3	1.4	2.6	4.9	9.0	22.1
2001.....	1.4	*	*	*	*	*	0.3	1.3	2.7	4.8	8.7	20.9
2000.....	1.4	*	*	*	*	*	0.3	1.3	3.1	4.9	9.3	21.0
1999.....	1.4	*	*	*	*	*	0.3	1.1	2.9	5.2	9.0	22.9
Non-Hispanic 4/, female												
2006.....	1.4	*	*	*	*	*	0.2	0.5	1.3	2.8	7.0	21.9
2005.....	1.3	*	*	*	*	*	0.1	0.5	1.0	2.5	6.5	21.4
2004.....	0.9	*	*	*	*	*	0.1	0.3	0.8	1.5	4.6	14.6
2003.....	1.2	*	*	*	*	*	0.1	0.4	0.9	2.3	5.7	20.7
2002.....	1.3	*	*	*	*	*	0.1	0.5	1.1	2.5	6.1	21.6
2001.....	1.3	*	*	*	*	*	0.1	0.4	1.1	2.6	6.0	22.4
2000.....	1.2	*	*	*	*	*	0.1	0.3	1.2	2.5	6.3	22.7
1999.....	1.2	*	*	*	*	*	0.4	1.1	2.7	6.0	21.9	
Non-Hispanic white, both sexes												
2006 5/.....	1.6	*	*	*	*	*	0.2	0.8	1.9	3.5	8.1	22.3
2005 5/.....	1.4	*	*	*	*	*	0.2	0.7	1.6	3.2	7.1	20.9
2004 5/.....	1.0	*	*	*	*	*	0.2	0.5	1.2	2.1	5.1	15.6
2003 5/.....	1.3	*	*	*	*	*	0.2	0.7	1.4	3.1	6.6	20.9
2002.....	1.4	*	*	*	*	*	0.2	0.8	1.7	3.5	7.2	22.0
2001.....	1.4	*	*	*	*	*	0.2	0.8	1.7	3.4	7.0	22.0
2000.....	1.4	*	*	*	*	*	0.2	0.7	1.9	3.4	7.3	22.5
1999.....	1.4	*	*	*	*	*	0.2	0.6	1.8	3.6	7.0	22.7
Non-Hispanic white, male												
2006 5/.....	1.6	*	*	*	*	*	0.2	1.2	2.6	4.6	9.6	22.7
2005 5/.....	1.5	*	*	*	*	*	0.3	1.1	2.4	4.1	8.4	20.3
2004 5/.....	1.0	*	*	*	*	*	0.3	0.7	1.7	2.8	6.3	16.9
2003 5/.....	1.3	*	*	*	*	*	0.4	1.0	2.0	4.4	7.9	20.4
2002.....	1.5	*	*	*	*	*	0.3	1.2	2.5	4.6	9.0	22.7
2001.....	1.4	*	*	*	*	*	0.3	1.2	2.5	4.5	8.7	20.9
2000.....	1.5	*	*	*	*	*	0.3	1.2	2.8	4.6	9.0	21.3
1999.....	1.4	*	*	*	*	*	0.2	0.9	2.6	4.9	8.7	23.6
Non-Hispanic white, female												
2006 5/.....	1.5	*	*	*	*	*	0.2	0.4	1.2	2.6	7.0	22.2
2005 5/.....	1.4	*	*	*	*	*	0.3	0.8	2.4	6.3	21.2	
2004 5/.....	1.0	*	*	*	*	*	0.3	0.7	1.5	4.3	15.0	
2003 5/.....	1.3	*	*	*	*	*	0.4	0.8	2.1	5.7	21.1	
2002.....	1.4	*	*	*	*	*	0.5	1.0	2.5	6.0	21.8	
2001.....	1.4	*	*	*	*	*	0.3	1.0	2.5	5.9	22.4	
2000.....	1.3	*	*	*	*	*	0.3	1.0	2.4	6.1	23.0	
1999.....	1.3	*	*	*	*	*	0.3	1.1	2.6	5.8	22.4	

Worktable Orig12. Death rates for 358 selected causes, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2006

[Rates per 100,000 population in specified group. Rates are based on populations enumerated as of April 1 for 2000 and estimated as of July 1 for all other years. Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.odc.gov/nchs> and refer to 'Detailed technical notes to the United States 2006 data-mortality']

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, and sex	All ages 1/	Under 1 year 2/	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
Other acute ischemic heart diseases (I24)												
Non-Hispanic black, both sexes												
2006 5/.....	1.4	*	*	*	*	*	0.5	1.7	3.5	6.1	11.3	21.0
2005 5/.....	1.5	*	*	*	*	*	*	2.0	3.9	5.7	11.8	27.9
2004 5/.....	1.1	*	*	*	*	*	*	1.4	3.0	4.2	9.1	15.5
2003 5/.....	1.2	*	*	*	*	*	0.5	1.3	3.0	5.5	10.1	20.2
2002.....	1.2	*	*	*	*	*	*	1.7	3.0	6.1	9.4	21.5
2001.....	1.3	*	*	*	*	*	0.5	1.6	4.0	5.8	8.5	24.3
2000.....	1.3	*	*	*	*	*	0.4	1.5	4.3	5.6	10.8	21.9
1999.....	1.2	*	*	*	*	*	0.5	1.9	3.6	5.8	10.9	17.5
Non-Hispanic black, male												
2006 5/.....	1.6	*	*	*	*	*	*	2.3	5.2	8.1	15.6	23.8
2005 5/.....	1.6	*	*	*	*	*	*	2.4	6.0	8.1	15.7	28.5
2004 5/.....	1.3	*	*	*	*	*	*	1.9	4.7	7.1	12.0	23.4
2003 5/.....	1.5	*	*	*	*	*	*	2.0	4.9	7.7	16.4	24.5
2002.....	1.4	*	*	*	*	*	*	2.8	4.4	9.4	11.7	21.9
2001.....	1.5	*	*	*	*	*	*	2.5	5.6	8.8	10.5	24.3
2000.....	1.5	*	*	*	*	*	*	2.3	6.3	8.7	14.2	*
1999.....	1.5	*	*	*	*	*	0.8	2.7	6.1	8.4	12.8	*
Non-Hispanic black, female												
2006 5/.....	1.2	*	*	*	*	*	*	1.2	2.1	4.7	8.8	19.8
2005 5/.....	1.3	*	*	*	*	*	*	1.6	2.2	4.0	9.5	27.6
2004 5/.....	0.8	*	*	*	*	*	*	0.9	1.7	2.0	7.4	12.4
2003 5/.....	0.9	*	*	*	*	*	*	*	1.5	3.9	6.5	18.6
2002.....	1.1	*	*	*	*	*	*	0.8	2.0	3.7	8.1	21.3
2001.....	1.1	*	*	*	*	*	*	*	2.6	3.8	7.4	24.4
2000.....	1.1	*	*	*	*	*	*	*	2.7	3.5	8.9	22.2
1999.....	1.0	*	*	*	*	*	*	1.1	1.6	3.9	9.8	16.4

Worktable Orig12. Death rates for 358 selected causes, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2006

[Rates per 100,000 population in specified group. Rates are based on populations enumerated as of April 1 for 2000 and estimated as of July 1 for all other years. Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to 'Detailed technical notes to the United States 2006 data-mortality']

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, and sex	All ages 1/	Under 1 year 2/	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
Other forms of chronic ischemic heart disease (I20,I25)												
All origins 3/, both sexes												
2006.....	93.5	*	*	*	0.2	1.5	9.0	34.4	87.8	217.9	632.8	2,057.4
2005.....	98.2	*	*	*	0.2	1.5	9.2	35.0	91.4	229.8	674.5	2,214.2
2004.....	99.5	*	*	*	0.2	1.6	9.6	35.1	92.5	240.3	697.1	2,279.7
2003.....	105.3	*	*	*	0.2	1.7	9.8	35.9	97.5	258.4	741.5	2,471.4
2002.....	108.0	*	*	*	0.2	1.4	9.9	36.5	101.0	269.4	768.8	2,562.5
2001.....	110.3	*	*	*	0.2	1.6	9.5	35.6	103.8	280.9	793.1	2,671.3
2000.....	113.3	*	*	*	0.2	1.4	9.5	36.4	108.1	292.4	813.6	2,822.1
1999.....	117.2	*	*	*	0.2	1.4	9.8	37.5	111.5	308.0	848.5	2,917.0
All origins 3/, male												
2006.....	99.2	*	*	*	0.3	2.4	13.8	53.7	132.4	307.7	848.3	2,344.9
2005.....	102.9	*	*	*	0.3	2.3	14.1	54.7	136.9	321.9	897.1	2,511.6
2004.....	103.3	*	*	*	0.2	2.4	14.5	54.8	137.7	336.5	926.9	2,543.6
2003.....	108.5	*	*	*	0.3	2.5	14.9	56.4	145.4	363.5	985.8	2,722.2
2002.....	110.9	*	*	*	0.2	2.2	15.4	57.5	151.5	379.3	1,021.0	2,817.4
2001.....	111.9	*	*	*	0.3	2.4	14.6	55.9	154.9	394.3	1,050.9	2,913.8
2000.....	114.8	*	*	*	0.2	2.1	14.8	57.7	161.6	413.5	1,079.4	3,112.7
1999.....	118.0	*	*	*	0.3	2.1	15.3	59.0	164.7	434.9	1,120.5	3,193.1
All origins 3/, female												
2006.....	88.0	*	*	*	*	0.6	4.2	15.7	46.3	141.9	485.5	1,922.9
2005.....	93.7	*	*	*	*	0.7	4.3	16.0	49.0	152.2	523.3	2,077.6
2004.....	95.7	*	*	*	*	0.7	4.6	16.2	50.5	159.6	542.4	2,161.0
2003.....	102.3	*	*	*	0.1	0.8	4.7	16.2	53.1	170.5	578.3	2,360.5
2002.....	105.2	*	*	*	*	0.7	4.4	16.2	54.3	178.0	601.4	2,451.9
2001.....	108.8	*	*	*	0.1	0.7	4.4	16.0	56.7	186.9	623.7	2,569.8
2000.....	111.9	*	*	*	*	0.6	4.3	16.0	58.8	192.8	640.3	2,703.8
1999.....	116.4	*	*	*	0.1	0.7	4.3	16.7	62.6	204.0	671.8	2,805.7
Hispanic, both sexes												
2006.....	31.3	*	*	*	*	0.8	4.4	22.6	68.5	184.6	536.0	1,595.2
2005.....	33.2	*	*	*	*	0.8	5.1	23.0	71.8	205.9	588.8	1,730.5
2004.....	32.2	*	*	*	*	0.8	4.8	22.4	72.9	205.5	589.6	1,795.7
2003.....	33.5	*	*	*	*	0.9	4.6	22.0	77.2	216.4	629.5	2,012.8
2002.....	34.2	*	*	*	*	0.7	4.5	23.6	80.1	234.6	644.0	2,129.7
2001.....	35.7	*	*	*	*	0.9	4.2	23.8	80.0	249.4	701.7	2,426.6
2000.....	35.6	*	*	*	*	0.6	4.6	23.9	88.0	249.7	703.2	2,508.8
1999.....	37.5	*	*	*	*	0.9	4.5	26.8	93.5	268.8	741.8	2,640.7
Hispanic, male												
2006.....	33.3	*	*	*	*	1.2	7.0	35.7	103.2	254.5	680.7	1,705.1
2005.....	35.2	*	*	*	*	1.3	8.2	36.0	108.3	287.2	754.3	1,811.9
2004.....	34.2	*	*	*	*	1.3	7.5	35.0	109.3	291.0	769.7	1,853.5
2003.....	34.6	*	*	*	*	1.4	6.9	35.1	115.3	306.1	804.2	1,965.7
2002.....	35.7	*	*	*	*	1.2	7.2	36.6	122.3	323.1	808.8	2,262.2
2001.....	36.8	*	*	*	*	1.4	6.5	37.5	121.4	350.2	901.5	2,479.8
2000.....	36.9	*	*	*	*	0.9	7.4	39.1	134.2	351.6	900.8	2,577.7
1999.....	38.7	*	*	*	*	1.3	7.6	44.3	138.5	381.8	932.8	2,706.7
Hispanic, female												
2006.....	29.2	*	*	*	*	*	1.4	9.2	36.6	127.8	434.6	1,536.8
2005.....	31.0	*	*	*	*	*	1.6	9.7	38.5	140.3	473.5	1,687.9
2004.....	30.1	*	*	*	*	*	1.8	9.8	39.9	136.9	465.3	1,766.0
2003.....	32.3	*	*	*	*	*	2.0	8.9	42.8	144.9	509.6	2,036.7
2002.....	32.6	*	*	*	*	*	1.6	10.5	42.2	159.4	531.2	2,064.1
2001.....	34.5	*	*	*	*	*	1.7	10.3	43.3	169.9	566.7	2,400.7
2000.....	34.2	*	*	*	*	*	1.7	8.9	47.2	168.6	570.5	2,475.0
1999.....	36.3	*	*	*	*	*	1.3	9.7	53.8	180.2	614.8	2,608.9

Worktable Orig12. Death rates for 358 selected causes, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2006

[Rates per 100,000 population in specified group. Rates are based on populations enumerated as of April 1 for 2000 and estimated as of July 1 for all other years. Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to 'Detailed technical notes to the United States 2006 data-mortality']

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, and sex	All ages 1/	Under 1 year 2/	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
Other forms of chronic ischemic heart disease (I20,I25)												
Non-Hispanic 4/, both sexes												
2006.....	104.1	*	*	*	0.2	1.7	9.8	35.7	89.1	219.7	637.6	2,078.0
2005.....	108.9	*	*	*	0.2	1.7	9.9	36.3	92.6	230.9	677.9	2,234.1
2004.....	110.1	*	*	*	0.2	1.8	10.3	36.3	93.6	241.8	701.2	2,297.5
2003.....	116.3	*	*	*	0.2	1.8	10.6	37.2	98.5	260.2	744.8	2,484.9
2002.....	118.9	*	*	*	0.2	1.6	10.6	37.5	102.0	270.3	771.9	2,571.2
2001.....	120.9	*	*	*	0.2	1.7	10.2	36.5	105.1	281.6	794.2	2,672.2
2000.....	123.9	*	*	*	0.2	1.5	10.1	37.3	108.8	293.5	815.0	2,824.0
1999.....	127.6	*	*	*	0.2	1.5	10.4	38.1	112.1	308.6	849.1	2,916.3
Non-Hispanic 4/, male												
2006.....	111.1	*	*	*	0.3	2.7	15.0	55.7	134.4	310.5	857.1	2,376.7
2005.....	114.6	*	*	*	0.3	2.6	15.2	56.6	138.8	323.3	903.3	2,544.8
2004.....	114.9	*	*	*	0.2	2.7	15.6	56.7	139.3	338.1	933.0	2,573.1
2003.....	120.4	*	*	*	0.3	2.8	16.2	58.3	146.7	365.6	991.9	2,750.7
2002.....	122.7	*	*	*	0.3	2.4	16.6	59.2	152.6	380.2	1,027.3	2,832.2
2001.....	123.1	*	*	*	0.3	2.6	15.7	57.3	156.4	395.1	1,053.5	2,923.7
2000.....	126.0	*	*	*	0.2	2.3	15.7	58.9	162.3	414.7	1,082.7	3,123.9
1999.....	128.9	*	*	*	0.3	2.3	16.2	59.9	165.4	435.2	1,123.5	3,200.1
Non-Hispanic 4/, female												
2006.....	97.4	*	*	*	*	0.6	4.7	16.4	47.0	142.6	487.8	1,939.2
2005.....	103.4	*	*	*	*	0.8	4.7	16.7	49.7	152.8	525.1	2,092.3
2004.....	105.6	*	*	*	*	0.8	5.0	16.7	51.1	160.7	545.5	2,174.3
2003.....	112.4	*	*	*	0.1	0.9	5.1	16.9	53.7	171.7	580.0	2,368.1
2002.....	115.4	*	*	*	*	0.8	4.8	16.7	55.0	178.4	602.6	2,458.6
2001.....	118.8	*	*	*	0.1	0.8	4.8	16.5	57.5	187.3	624.1	2,567.6
2000.....	122.0	*	*	*	*	0.7	4.6	16.5	59.3	193.5	640.6	2,702.7
1999.....	126.4	*	*	*	0.1	0.8	4.7	17.3	62.9	204.6	671.1	2,802.7
Non-Hispanic white, both sexes												
2006 5/.....	114.9	*	*	*	0.2	1.6	9.4	33.2	83.2	210.8	636.9	2,128.7
2005 5/.....	120.2	*	*	*	0.2	1.6	9.5	33.6	86.1	222.7	677.4	2,291.1
2004 5/.....	121.4	*	*	*	0.1	1.6	10.0	33.9	87.4	233.1	700.2	2,343.9
2003 5/.....	128.0	*	*	*	0.2	1.7	10.2	34.6	91.7	250.2	743.0	2,533.4
2002.....	131.0	*	*	*	0.2	1.5	10.2	34.9	94.8	261.3	770.0	2,623.4
2001.....	132.7	*	*	*	0.2	1.6	9.6	33.8	97.4	271.4	791.2	2,724.1
2000.....	136.1	*	*	*	0.2	1.4	9.4	34.6	100.7	283.7	811.9	2,883.6
1999.....	139.9	*	*	*	0.2	1.4	9.6	35.2	103.9	297.9	847.2	2,973.2
Non-Hispanic white, male												
2006 5/.....	121.9	*	*	*	0.3	2.6	14.8	52.8	126.6	299.6	860.6	2,453.9
2005 5/.....	125.9	*	*	*	0.3	2.4	14.8	53.1	130.7	314.2	908.5	2,634.7
2004 5/.....	126.1	*	*	*	0.2	2.4	15.4	53.9	131.5	329.5	937.9	2,640.6
2003 5/.....	131.9	*	*	*	0.2	2.6	15.7	55.1	138.9	354.5	995.5	2,828.2
2002.....	134.5	*	*	*	0.2	2.3	16.2	56.4	143.5	371.2	1,033.6	2,908.8
2001.....	134.4	*	*	*	0.3	2.5	15.0	54.1	147.0	384.3	1,057.5	3,002.8
2000.....	137.7	*	*	*	0.2	2.2	15.1	55.7	152.7	406.1	1,086.5	3,211.3
1999.....	140.4	*	*	*	0.2	2.1	15.2	56.1	155.1	425.3	1,130.5	3,276.7
Non-Hispanic white, female												
2006 5/.....	108.1	*	*	*	*	0.5	4.1	14.0	41.9	133.8	481.7	1,977.0
2005 5/.....	114.7	*	*	*	*	0.8	4.2	14.4	43.7	143.6	518.4	2,133.9
2004 5/.....	116.9	*	*	*	*	0.7	4.5	14.2	45.6	150.1	538.3	2,211.1
2003 5/.....	124.3	*	*	*	*	0.8	4.6	14.4	47.0	160.9	572.4	2,403.6
2002.....	127.7	*	*	*	*	0.7	4.2	13.8	48.7	167.6	593.4	2,500.1
2001.....	131.1	*	*	*	*	0.7	4.1	13.9	50.5	175.6	614.6	2,608.1
2000.....	134.6	*	*	*	*	0.5	3.8	13.6	51.8	180.6	631.3	2,751.4
1999.....	139.3	*	*	*	*	0.7	4.0	14.6	55.7	191.3	661.7	2,852.2

Worktable Orig12. Death rates for 358 selected causes, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2006

[Rates per 100,000 population in specified group. Rates are based on populations enumerated as of April 1 for 2000 and estimated as of July 1 for all other years. Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.odc.gov/nchs> and refer to 'Detailed technical notes to the United States 2006 data-mortality']

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, and sex	All ages 1/	Under 1 year 2/	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
Other forms of chronic ischemic heart disease (I20,I25)												
Non-Hispanic black, both sexes												
2006 5/.....	76.4	*	*	*	*	2.5	14.1	58.7	152.7	334.8	757.9	1,808.1
2005 5/.....	79.1	*	*	*	*	2.3	14.5	60.7	164.4	341.6	801.4	1,901.2
2004 5/.....	80.3	*	*	*	0.4	3.0	14.6	60.3	163.1	363.9	822.2	2,031.7
2003 5/.....	84.7	*	*	*	0.4	2.7	14.6	61.9	173.6	393.8	878.9	2,204.8
2002.....	85.5	*	*	*	*	2.2	15.5	62.9	180.3	395.2	901.5	2,246.7
2001.....	88.2	*	*	*	0.5	2.9	15.6	62.9	186.6	419.6	934.8	2,357.3
2000.....	89.1	*	*	*	*	2.5	15.6	64.3	192.3	431.5	947.1	2,398.0
1999.....	91.6	*	*	*	0.4	2.4	17.2	66.9	197.9	453.5	958.2	2,471.9
Non-Hispanic black, male												
2006 5/.....	82.3	*	*	*	*	3.7	19.7	86.4	224.7	476.1	997.7	1,837.1
2005 5/.....	83.6	*	*	*	*	3.5	20.9	91.2	238.4	471.3	1,027.6	1,882.1
2004 5/.....	83.9	*	*	*	*	4.5	20.4	87.7	237.3	493.9	1,048.2	2,090.1
2003 5/.....	87.9	*	*	*	*	4.0	21.3	91.6	246.2	541.3	1,135.2	2,182.8
2002.....	88.0	*	*	*	*	3.0	22.2	90.8	264.4	536.0	1,119.3	2,254.6
2001.....	90.8	*	*	*	*	4.3	22.9	93.1	266.3	573.5	1,177.8	2,378.1
2000.....	90.4	*	*	*	*	3.7	22.1	93.6	274.7	566.6	1,180.1	2,463.5
1999.....	93.3	*	*	*	*	3.5	25.1	99.2	283.6	602.1	1,169.2	2,552.9
Non-Hispanic black, female												
2006 5/.....	71.0	*	*	*	*	1.4	9.2	34.9	94.8	233.9	621.8	1,796.3
2005 5/.....	75.0	*	*	*	*	1.1	8.9	34.6	104.8	248.9	673.2	1,908.8
2004 5/.....	76.9	*	*	*	*	1.6	9.4	36.8	103.6	271.3	694.6	2,008.6
2003 5/.....	81.7	*	*	*	*	1.5	8.7	36.5	115.4	288.8	734.1	2,221.1
2002.....	83.3	*	*	*	*	1.6	9.6	39.0	112.8	295.4	778.3	2,243.7
2001.....	86.0	*	*	*	*	1.6	9.2	36.9	122.4	310.9	798.4	2,349.6
2000.....	88.0	*	*	*	*	1.5	10.0	39.1	125.9	336.5	815.9	2,373.7
1999.....	90.1	*	*	*	*	1.3	10.2	39.4	129.2	348.6	840.0	2,441.6

Worktable Orig12. Death rates for 358 selected causes, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2006

[Rates per 100,000 population in specified group. Rates are based on populations enumerated as of April 1 for 2000 and estimated as of July 1 for all other years. Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to 'Detailed technical notes to the United States 2006 data-mortality']

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, and sex	All ages 1/	Under 1 year 2/	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
Atherosclerotic cardiovascular disease, so described (I25.0)												
All origins 3/, both sexes												
2006.....	20.4	*	*	*	0.0	0.5	3.3	13.4	31.3	55.1	114.2	345.5
2005.....	21.2	*	*	*	*	0.5	3.2	13.9	31.5	55.0	124.8	376.4
2004.....	21.7	*	*	*	*	0.5	3.3	13.6	32.0	58.7	129.0	400.4
2003.....	23.1	*	*	*	*	0.5	3.4	13.9	32.7	62.7	142.5	442.9
2002.....	23.6	*	*	*	*	0.5	3.4	13.4	33.1	64.7	146.2	474.5
2001.....	23.9	*	*	*	0.1	0.5	3.2	12.9	33.3	65.6	152.7	493.6
2000.....	24.7	*	*	*	*	0.4	3.0	13.2	34.0	68.3	158.1	534.6
1999.....	25.8	*	*	*	*	0.4	3.3	13.0	35.3	72.7	166.2	563.4
All origins 3/, male												
2006.....	23.2	*	*	*	*	0.8	5.1	21.7	48.8	79.1	146.8	365.3
2005.....	23.6	*	*	*	*	0.7	5.1	22.2	49.0	78.7	159.8	390.7
2004.....	23.9	*	*	*	*	0.8	5.2	22.0	49.0	83.6	164.9	414.0
2003.....	25.2	*	*	*	*	0.9	5.2	22.7	49.9	88.9	181.1	462.1
2002.....	25.4	*	*	*	*	0.7	5.4	21.5	51.2	91.8	185.3	491.8
2001.....	25.3	*	*	*	*	0.7	5.0	21.0	51.4	92.4	193.9	502.0
2000.....	26.0	*	*	*	*	0.6	4.9	21.5	52.6	97.2	199.3	550.8
1999.....	26.8	*	*	*	*	0.6	5.3	20.9	53.7	103.0	207.0	578.6
All origins 3/, female												
2006.....	17.7	*	*	*	*	0.2	1.5	5.5	15.1	34.8	92.0	336.1
2005.....	18.8	*	*	*	*	0.2	1.4	5.7	15.3	35.0	101.6	369.9
2004.....	19.5	*	*	*	*	0.2	1.4	5.5	16.1	37.7	104.8	394.3
2003.....	21.1	*	*	*	*	0.2	1.5	5.5	16.7	40.8	116.7	434.4
2002.....	21.9	*	*	*	*	0.2	1.3	5.5	16.2	42.1	120.2	467.1
2001.....	22.5	*	*	*	*	0.2	1.4	5.1	16.7	43.3	125.5	490.1
2000.....	23.5	*	*	*	*	0.1	1.2	5.2	16.8	44.6	131.3	528.0
1999.....	24.8	*	*	*	*	0.2	1.3	5.3	18.3	47.9	139.8	557.2
Hispanic, both sexes												
2006.....	7.7	*	*	*	*	*	1.7	9.1	28.2	53.9	98.8	260.2
2005.....	8.2	*	*	*	*	*	1.7	10.9	29.1	55.2	113.8	274.7
2004.....	7.9	*	*	*	*	*	1.7	9.7	29.3	55.8	118.9	279.7
2003.....	8.3	*	*	*	*	0.3	1.6	9.8	29.4	57.3	124.6	357.1
2002.....	8.2	*	*	*	*	0.4	1.9	8.9	29.7	61.1	124.1	358.6
2001.....	8.5	*	*	*	*	0.4	1.5	10.1	29.7	65.9	132.5	417.0
2000.....	8.4	*	*	*	*	*	1.6	9.5	30.5	65.7	128.2	452.5
1999.....	9.0	*	*	*	*	*	1.5	10.4	33.0	72.1	147.5	469.4
Hispanic, male												
2006.....	9.5	*	*	*	*	*	2.7	15.3	46.4	81.1	126.8	277.4
2005.....	10.2	*	*	*	*	*	2.8	17.9	47.8	82.8	156.0	308.8
2004.....	9.8	*	*	*	*	*	2.7	16.6	47.1	83.3	169.5	297.0
2003.....	10.2	*	*	*	*	0.5	2.6	17.1	48.7	88.6	169.5	397.1
2002.....	9.7	*	*	*	*	0.6	2.9	14.8	49.3	90.8	153.9	415.0
2001.....	10.1	*	*	*	*	0.6	2.2	17.1	47.9	100.2	181.1	440.0
2000.....	9.9	*	*	*	*	*	2.7	16.6	50.5	92.4	180.9	493.8
1999.....	10.6	*	*	*	*	*	2.5	17.8	50.0	115.8	194.0	485.3
Hispanic, female												
2006.....	5.8	*	*	*	*	*	*	2.7	11.5	31.9	79.2	251.0
2005.....	6.0	*	*	*	*	*	*	3.7	11.9	32.8	84.4	256.8
2004.....	5.9	*	*	*	*	*	*	2.8	13.2	33.8	84.0	270.8
2003.....	6.2	*	*	*	*	*	*	2.5	12.0	32.4	93.7	336.7
2002.....	6.5	*	*	*	*	*	*	3.1	12.0	37.6	103.7	330.7
2001.....	6.8	*	*	*	*	*	*	3.2	13.5	38.7	99.7	405.8
2000.....	6.8	*	*	*	*	*	*	2.6	12.8	44.6	92.8	432.3
1999.....	7.4	*	*	*	*	*	*	3.2	18.0	37.9	116.6	461.7

Worktable Orig12. Death rates for 358 selected causes, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2006

[Rates per 100,000 population in specified group. Rates are based on populations enumerated as of April 1 for 2000 and estimated as of July 1 for all other years. Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to 'Detailed technical notes to the United States 2006 data-mortality']

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, and sex	All ages 1/	Under 1 year 2/	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
Atherosclerotic cardiovascular disease, so described (I25.0)												
Non-Hispanic 4/, both sexes												
2006.....	22.5	*	*	*	*	0.6	3.6	13.9	31.4	54.8	114.7	349.3
2005.....	23.3	*	*	*	*	0.5	3.5	14.1	31.5	54.6	124.8	380.6
2004.....	23.8	*	*	*	*	0.5	3.6	14.0	32.0	58.3	128.9	404.7
2003.....	25.3	*	*	*	*	0.6	3.6	14.2	32.6	62.6	142.6	445.3
2002.....	25.9	*	*	*	*	0.5	3.6	13.7	32.9	64.3	146.4	477.8
2001.....	26.0	*	*	*	*	0.5	3.5	13.0	33.3	65.0	152.6	494.8
2000.....	26.9	*	*	*	*	0.4	3.2	13.4	33.8	67.9	158.3	535.9
1999.....	27.9	*	*	*	*	0.4	3.5	13.1	35.0	72.0	165.7	564.9
Non-Hispanic 4/, male												
2006.....	25.5	*	*	*	*	1.0	5.6	22.3	48.6	78.2	147.2	369.6
2005.....	25.8	*	*	*	*	0.8	5.5	22.6	48.7	77.7	158.1	394.0
2004.....	26.2	*	*	*	*	0.9	5.6	22.5	48.9	82.8	163.7	418.3
2003.....	27.5	*	*	*	*	1.0	5.6	23.1	49.3	88.2	180.4	463.3
2002.....	27.8	*	*	*	*	0.7	5.8	22.0	50.7	91.0	185.6	493.3
2001.....	27.5	*	*	*	*	0.7	5.4	21.2	51.1	91.0	193.2	503.0
2000.....	28.2	*	*	*	*	0.7	5.1	21.7	52.1	96.4	198.5	551.0
1999.....	28.9	*	*	*	*	0.6	5.6	21.0	53.3	101.1	205.6	580.2
Non-Hispanic 4/, female												
2006.....	19.6	*	*	*	*	0.2	1.6	5.8	15.4	34.8	92.5	339.9
2005.....	20.8	*	*	*	*	0.2	1.5	6.0	15.5	35.0	102.2	374.5
2004.....	21.5	*	*	*	*	0.2	1.6	5.8	16.3	37.7	105.5	398.6
2003.....	23.3	*	*	*	*	0.2	1.6	5.7	16.9	41.2	117.4	437.4
2002.....	24.0	*	*	*	*	0.2	1.4	5.7	16.5	42.0	120.5	471.1
2001.....	24.6	*	*	*	*	0.3	1.5	5.2	16.8	43.3	126.0	491.4
2000.....	25.6	*	*	*	*	0.2	1.3	5.4	16.9	44.4	132.2	529.8
1999.....	27.0	*	*	*	*	0.2	1.4	5.4	18.2	48.2	139.8	558.8
Non-Hispanic white, both sexes												
2006 5/.....	23.2	*	*	*	*	0.5	3.3	12.5	28.0	49.1	108.5	346.8
2005 5/.....	24.0	*	*	*	*	0.4	3.3	12.7	27.5	49.1	117.9	377.8
2004 5/.....	24.6	*	*	*	*	0.5	3.5	12.6	28.4	52.4	121.7	399.9
2003 5/.....	26.2	*	*	*	*	0.6	3.4	12.8	28.6	55.9	135.1	441.5
2002.....	26.8	*	*	*	*	0.6	3.3	12.4	28.9	57.2	138.2	473.5
2001.....	26.8	*	*	*	*	0.4	3.2	11.6	28.4	57.1	144.2	490.7
2000.....	27.6	*	*	*	*	0.4	2.9	11.9	28.9	60.2	149.0	530.2
1999.....	28.6	*	*	*	*	0.4	3.1	11.3	29.8	63.6	156.2	558.8
Non-Hispanic white, male												
2006 5/.....	25.9	*	*	*	*	0.9	5.3	20.4	43.5	69.8	139.0	366.7
2005 5/.....	26.3	*	*	*	*	0.7	5.3	20.7	43.0	69.8	148.8	396.1
2004 5/.....	26.7	*	*	*	*	0.7	5.5	20.8	43.4	75.2	154.3	412.6
2003 5/.....	28.0	*	*	*	*	0.9	5.3	21.0	43.9	78.5	170.6	459.5
2002.....	28.2	*	*	*	*	0.7	5.4	20.3	44.8	81.3	174.4	489.2
2001.....	27.8	*	*	*	*	0.6	5.0	19.1	44.3	80.4	182.9	499.4
2000.....	28.4	*	*	*	*	0.6	4.8	19.6	45.2	86.3	186.1	544.7
1999.....	29.0	*	*	*	*	0.6	5.2	18.4	46.0	90.0	193.5	572.8
Non-Hispanic white, female												
2006 5/.....	20.6	*	*	*	*	*	1.4	4.7	13.3	31.1	87.3	337.5
2005 5/.....	21.9	*	*	*	*	0.2	1.2	4.8	12.8	31.2	96.6	369.4
2004 5/.....	22.6	*	*	*	*	0.2	1.4	4.5	14.1	32.9	99.4	394.2
2003 5/.....	24.6	*	*	*	*	0.2	1.5	4.6	14.2	36.5	111.0	433.5
2002.....	25.3	*	*	*	*	0.2	1.1	4.6	13.8	36.6	113.9	466.8
2001.....	25.8	*	*	*	*	0.2	1.3	4.1	13.3	37.3	118.6	487.0
2000.....	26.9	*	*	*	*	*	1.1	4.3	13.4	38.2	124.6	524.4
1999.....	28.2	*	*	*	*	0.2	1.1	4.2	14.6	41.6	131.8	553.2

Worktable Orig12. Death rates for 358 selected causes, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2006

[Rates per 100,000 population in specified group. Rates are based on populations enumerated as of April 1 for 2000 and estimated as of July 1 for all other years. Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.odc.gov/nchs> and refer to 'Detailed technical notes to the United States 2006 data-mortality']

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, and sex	All ages 1/	Under 1 year 2/	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
Atherosclerotic cardiovascular disease, so described (I25.0)												
Non-Hispanic black, both sexes												
2006 5/.....	24.4	*	*	*	*	1.1	5.8	25.5	63.7	111.6	201.2	433.7
2005 5/.....	25.3	*	*	*	*	0.8	5.4	26.1	68.6	110.2	218.2	475.2
2004 5/.....	25.7	*	*	*	*	0.9	4.9	26.1	67.3	120.8	229.1	509.2
2003 5/.....	26.7	*	*	*	*	0.9	5.1	26.1	70.1	129.6	244.1	546.7
2002.....	27.7	*	*	*	*	0.8	6.0	25.7	71.9	137.2	261.1	580.4
2001.....	28.5	*	*	*	*	0.7	5.8	25.7	78.1	144.8	266.7	595.9
2000.....	29.3	*	*	*	*	0.7	5.3	27.3	78.9	147.2	280.2	652.2
1999.....	30.7	*	*	*	*	0.8	6.5	28.1	82.0	158.7	291.0	670.3
Non-Hispanic black, male												
2006 5/.....	29.5	*	*	*	*	1.5	8.4	38.9	100.8	170.9	275.8	471.0
2005 5/.....	29.7	*	*	*	*	1.3	7.9	39.8	106.1	168.1	296.8	452.0
2004 5/.....	29.7	*	*	*	*	1.6	7.1	38.5	105.6	173.1	308.9	540.6
2003 5/.....	31.2	*	*	*	*	1.6	7.8	41.1	106.0	191.8	334.2	588.1
2002.....	31.9	*	*	*	*	1.1	8.9	38.8	111.8	198.7	358.4	603.9
2001.....	32.3	*	*	*	*	1.0	8.8	39.9	118.1	209.4	352.3	609.8
2000.....	33.2	*	*	*	*	1.1	7.9	42.3	120.8	209.3	371.5	711.6
1999.....	34.5	*	*	*	*	1.1	9.8	43.6	123.7	228.2	378.4	714.3
Non-Hispanic black, female												
2006 5/.....	19.8	*	*	*	*	*	3.5	14.0	33.8	69.3	158.9	418.5
2005 5/.....	21.3	*	*	*	*	*	3.2	14.3	39.4	68.9	173.7	484.5
2004 5/.....	22.1	*	*	*	*	*	3.1	15.4	36.5	83.4	184.0	496.7
2003 5/.....	22.7	*	*	*	*	*	2.7	13.3	41.2	85.3	193.3	530.7
2002.....	24.0	*	*	*	*	*	3.4	14.4	39.8	93.6	206.1	571.5
2001.....	25.0	*	*	*	*	*	3.2	13.6	45.9	99.3	218.7	590.7
2000.....	25.8	*	*	*	*	*	2.9	14.4	45.1	103.4	228.9	630.2
1999.....	27.1	*	*	*	*	*	3.6	14.7	48.5	109.7	242.1	653.8

Worktable Orig12. Death rates for 358 selected causes, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2006

[Rates per 100,000 population in specified group. Rates are based on populations enumerated as of April 1 for 2000 and estimated as of July 1 for all other years. Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to 'Detailed technical notes to the United States 2006 data-mortality']

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, and sex	All ages 1/	Under 1 year 2/	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
All other forms of chronic ischemic heart disease (I20,I25.1-I25.9)												
All origins 3/, both sexes												
2006.....	73.1	*	*	*	0.1	1.0	5.7	21.0	56.5	162.8	518.6	1,712.0
2005.....	77.0	*	*	*	0.2	1.1	6.0	21.2	59.8	174.9	549.7	1,837.8
2004.....	77.8	*	*	*	0.1	1.1	6.2	21.5	60.5	181.7	568.1	1,879.3
2003.....	82.2	*	*	*	0.2	1.1	6.5	22.0	64.9	195.7	599.0	2,028.5
2002.....	84.4	*	*	*	0.1	1.0	6.5	23.1	68.0	204.7	622.6	2,088.0
2001.....	86.4	*	*	*	0.2	1.1	6.2	22.7	70.5	215.3	640.5	2,177.7
2000.....	88.6	*	*	*	0.1	1.0	6.5	23.2	74.1	224.1	655.5	2,287.5
1999.....	91.4	*	*	*	0.2	1.0	6.5	24.5	76.3	235.2	682.3	2,353.6
All origins 3/, male												
2006.....	76.1	*	*	*	0.2	1.6	8.7	32.1	83.7	228.7	701.5	1,979.5
2005.....	79.3	*	*	*	0.2	1.6	9.0	32.5	88.0	243.3	738.3	2,120.9
2004.....	79.4	*	*	*	0.2	1.7	9.3	32.8	88.7	252.9	762.0	2,129.6
2003.....	83.3	*	*	*	0.2	1.6	9.7	33.7	95.5	274.6	804.7	2,280.1
2002.....	85.5	*	*	*	0.2	1.5	10.0	35.9	100.3	287.5	835.7	2,325.6
2001.....	86.5	*	*	*	0.2	1.8	9.5	34.9	103.5	301.9	856.9	2,411.8
2000.....	88.8	*	*	*	0.2	1.5	9.9	36.2	109.0	316.3	880.1	2,561.9
1999.....	91.2	*	*	*	0.2	1.5	10.0	38.1	111.0	331.9	913.6	2,614.4
All origins 3/, female												
2006.....	70.3	*	*	*	*	0.4	2.7	10.2	31.2	107.1	393.5	1,586.8
2005.....	74.8	*	*	*	*	0.5	2.9	10.3	33.7	117.2	421.7	1,707.7
2004.....	76.2	*	*	*	*	0.5	3.2	10.6	34.3	121.9	437.6	1,766.7
2003.....	81.1	*	*	*	0.1	0.6	3.2	10.8	36.4	129.7	461.6	1,926.2
2002.....	83.3	*	*	*	*	0.5	3.1	10.7	38.0	135.9	481.1	1,984.9
2001.....	86.2	*	*	*	0.1	0.5	3.0	11.0	40.0	143.6	498.2	2,079.8
2000.....	88.4	*	*	*	*	0.5	3.0	10.7	42.0	148.2	509.0	2,175.8
1999.....	91.6	*	*	*	0.1	0.5	3.0	11.4	44.3	156.1	532.1	2,248.4
Hispanic, both sexes												
2006.....	23.6	*	*	*	*	0.6	2.7	13.5	40.3	130.6	437.2	1,335.0
2005.....	25.0	*	*	*	*	0.6	3.4	12.1	42.8	150.8	475.0	1,455.8
2004.....	24.3	*	*	*	*	0.6	3.2	12.7	43.6	149.7	470.7	1,516.0
2003.....	25.2	*	*	*	*	0.6	3.0	12.2	47.8	159.1	504.9	1,655.7
2002.....	26.0	*	*	*	*	0.4	2.7	14.6	50.4	173.4	519.9	1,771.1
2001.....	27.2	*	*	*	*	0.6	2.7	13.7	50.4	183.6	569.1	2,009.6
2000.....	27.2	*	*	*	*	0.5	3.0	14.3	57.5	184.0	575.0	2,056.3
1999.....	28.5	*	*	*	*	0.6	3.0	16.4	60.5	196.7	594.3	2,171.4
Hispanic, male												
2006.....	23.8	*	*	*	*	0.9	4.3	20.4	56.8	173.4	553.9	1,427.7
2005.....	25.0	*	*	*	*	0.9	5.5	18.1	60.5	204.4	598.3	1,503.1
2004.....	24.3	*	*	*	*	0.9	4.8	18.3	62.2	207.8	600.2	1,556.5
2003.....	24.4	*	*	*	*	0.9	4.3	18.0	66.6	217.6	634.7	1,588.6
2002.....	25.9	*	*	*	*	0.6	4.3	21.8	73.0	238.3	654.9	1,847.2
2001.....	26.7	*	*	*	*	0.9	4.3	20.4	73.6	250.0	720.4	2,039.8
2000.....	27.0	*	*	*	*	0.7	4.7	22.6	83.6	259.1	719.8	2,084.0
1999.....	28.1	*	*	*	*	1.0	5.1	26.5	88.5	266.0	738.8	2,221.4
Hispanic, female												
2006.....	23.3	*	*	*	*	*	1.0	6.5	25.1	95.9	355.4	1,285.7
2005.....	25.0	*	*	*	*	*	1.0	6.0	26.6	107.4	389.1	1,431.1
2004.....	24.2	*	*	*	*	*	1.3	7.0	26.7	103.2	381.3	1,495.2
2003.....	26.1	*	*	*	*	*	1.6	6.4	30.7	112.5	415.8	1,700.0
2002.....	26.1	*	*	*	*	*	0.9	7.4	30.2	121.8	427.5	1,733.3
2001.....	27.7	*	*	*	*	*	1.0	7.1	29.8	131.2	466.9	1,894.8
2000.....	27.5	*	*	*	*	*	1.2	6.2	34.4	124.9	477.7	2,042.7
1999.....	28.9	*	*	*	*	*	0.8	6.5	35.8	142.3	498.2	2,147.2

Worktable Orig12. Death rates for 358 selected causes, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2006

[Rates per 100,000 population in specified group. Rates are based on populations enumerated as of April 1 for 2000 and estimated as of July 1 for all other years. Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to 'Detailed technical notes to the United States 2006 data-mortality']

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, and sex	All ages 1/	Under 1 year 2/	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
All other forms of chronic ischemic heart disease (I20,I25.1-I25.9)												
Non-Hispanic 4/, both sexes												
2006.....	81.6	*	*	*	0.1	1.1	6.2	21.8	57.7	164.9	522.9	1,728.7
2005.....	85.6	*	*	*	0.2	1.2	6.4	22.2	61.1	176.4	553.1	1,853.4
2004.....	86.3	*	*	*	0.2	1.2	6.7	22.4	61.6	183.5	572.4	1,892.8
2003.....	91.0	*	*	*	0.2	1.2	7.0	22.9	65.9	197.6	602.3	2,039.6
2002.....	93.1	*	*	*	0.1	1.1	7.1	23.8	69.0	206.0	625.4	2,093.4
2001.....	94.9	*	*	*	0.2	1.2	6.7	23.5	71.8	216.7	641.6	2,177.4
2000.....	97.0	*	*	*	0.1	1.1	6.9	23.9	75.0	225.6	656.7	2,288.1
1999.....	99.7	*	*	*	0.2	1.1	6.9	25.1	77.1	236.5	683.4	2,351.4
Non-Hispanic 4/, male												
2006.....	85.6	*	*	*	0.2	1.8	9.5	33.4	85.8	232.3	709.8	2,007.1
2005.....	88.8	*	*	*	0.3	1.8	9.7	34.0	90.1	245.6	745.1	2,150.8
2004.....	88.7	*	*	*	0.2	1.8	10.0	34.2	90.4	255.3	769.4	2,154.8
2003.....	92.9	*	*	*	0.2	1.8	10.6	35.2	97.4	277.5	811.5	2,287.4
2002.....	94.9	*	*	*	0.2	1.6	10.8	37.2	102.0	289.3	841.7	2,338.9
2001.....	95.6	*	*	*	0.2	2.0	10.3	36.1	105.3	304.1	860.3	2,420.7
2000.....	97.8	*	*	*	0.2	1.7	10.5	37.2	110.2	318.2	884.2	2,572.9
1999.....	100.0	*	*	*	0.2	1.6	10.6	38.9	112.1	334.1	917.9	2,619.9
Non-Hispanic 4/, female												
2006.....	77.9	*	*	*	*	0.4	3.0	10.6	31.6	107.7	395.3	1,599.3
2005.....	82.6	*	*	*	*	0.6	3.2	10.7	34.2	117.8	422.8	1,717.8
2004.....	84.1	*	*	*	*	0.6	3.4	11.0	34.9	123.0	439.9	1,775.7
2003.....	89.2	*	*	*	0.1	0.7	3.4	11.2	36.7	130.6	462.6	1,930.7
2002.....	91.4	*	*	*	*	0.6	3.4	11.0	38.5	136.4	482.1	1,987.5
2001.....	94.2	*	*	*	*	0.5	3.2	11.3	40.7	143.9	498.0	2,076.2
2000.....	96.3	*	*	*	*	0.5	3.3	11.1	42.4	149.1	508.5	2,172.9
1999.....	99.4	*	*	*	*	0.6	3.3	11.8	44.8	156.4	531.2	2,243.9
Non-Hispanic white, both sexes												
2006 5/.....	91.6	*	*	*	0.1	1.1	6.1	20.7	55.2	161.7	528.4	1,781.9
2005 5/.....	96.2	*	*	*	0.1	1.2	6.2	20.9	58.6	173.6	559.5	1,913.3
2004 5/.....	96.8	*	*	*	0.1	1.1	6.5	21.3	59.1	180.6	578.5	1,944.1
2003 5/.....	101.8	*	*	*	0.1	1.1	6.7	21.8	63.1	194.3	607.9	2,091.9
2002.....	104.3	*	*	*	0.1	1.1	6.9	22.5	65.9	204.1	631.9	2,149.8
2001.....	106.0	*	*	*	0.1	1.1	6.4	22.2	69.0	214.3	647.0	2,233.4
2000.....	108.4	*	*	*	0.1	1.0	6.5	22.7	71.9	223.5	662.9	2,353.3
1999.....	111.3	*	*	*	0.1	1.0	6.5	23.9	74.1	234.2	690.9	2,414.4
Non-Hispanic white, male												
2006 5/.....	95.9	*	*	*	0.2	1.7	9.5	32.3	83.2	229.7	721.6	2,087.2
2005 5/.....	99.6	*	*	*	0.2	1.7	9.4	32.5	87.7	244.4	759.7	2,238.6
2004 5/.....	99.3	*	*	*	0.2	1.7	9.9	33.1	88.1	254.3	783.6	2,228.0
2003 5/.....	103.9	*	*	*	0.2	1.7	10.4	34.1	94.9	276.0	824.8	2,368.6
2002.....	106.2	*	*	*	0.2	1.6	10.7	35.1	98.7	289.9	859.2	2,419.7
2001.....	106.6	*	*	*	0.2	1.8	10.0	34.9	102.7	303.9	874.6	2,503.4
2000.....	109.2	*	*	*	0.2	1.6	10.3	36.1	107.5	319.8	900.4	2,666.6
1999.....	111.4	*	*	*	0.2	1.5	10.1	37.7	109.1	335.3	936.9	2,703.9
Non-Hispanic white, female												
2006 5/.....	87.5	*	*	*	*	0.4	2.7	9.3	28.6	102.8	394.5	1,639.5
2005 5/.....	92.9	*	*	*	*	0.6	2.9	9.5	30.9	112.4	421.8	1,764.6
2004 5/.....	94.3	*	*	*	*	0.5	3.1	9.7	31.5	117.3	438.8	1,816.9
2003 5/.....	99.8	*	*	*	*	0.6	3.1	9.7	32.8	124.3	461.4	1,970.1
2002.....	102.4	*	*	*	*	0.5	3.1	9.2	34.9	131.0	479.6	2,033.3
2001.....	105.3	*	*	*	*	0.5	2.9	9.8	37.2	138.2	496.0	2,121.0
2000.....	107.7	*	*	*	*	0.4	2.7	9.5	38.3	142.4	506.8	2,227.0
1999.....	111.1	*	*	*	*	0.5	2.8	10.4	41.1	149.7	529.9	2,299.0

Worktable Orig12. Death rates for 358 selected causes, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2006

[Rates per 100,000 population in specified group. Rates are based on populations enumerated as of April 1 for 2000 and estimated as of July 1 for all other years. Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.odc.gov/nchs> and refer to 'Detailed technical notes to the United States 2006 data-mortality']

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, and sex	All ages 1/	Under 1 year 2/	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
All other forms of chronic ischemic heart disease (I20,I25.1-I25.9)												
Non-Hispanic black, both sexes												
2006 5/.....	51.9	*	*	*	*	1.4	8.4	33.2	89.0	223.2	556.6	1,374.4
2005 5/.....	53.8	*	*	*	*	1.5	9.1	34.6	95.8	231.4	583.2	1,426.0
2004 5/.....	54.6	*	*	*	0.4	2.1	9.6	34.2	95.9	243.2	593.1	1,522.6
2003 5/.....	57.9	*	*	*	*	1.8	9.5	35.8	103.6	264.2	634.8	1,658.1
2002.....	57.8	*	*	*	*	1.5	9.6	37.2	108.4	258.0	640.3	1,666.3
2001.....	59.7	*	*	*	0.4	2.1	9.8	37.1	108.4	274.7	668.1	1,761.4
2000.....	59.8	*	*	*	*	1.8	10.4	37.0	113.4	284.4	666.8	1,745.8
1999.....	61.0	*	*	*	*	1.6	10.7	38.9	115.9	294.7	667.1	1,801.6
Non-Hispanic black, male												
2006 5/.....	52.7	*	*	*	*	2.2	11.3	47.5	123.9	305.2	721.9	1,366.1
2005 5/.....	53.9	*	*	*	*	2.2	13.0	51.4	132.3	303.3	730.8	1,430.2
2004 5/.....	54.2	*	*	*	*	3.0	13.4	49.2	131.6	320.8	739.3	1,549.6
2003 5/.....	56.7	*	*	*	*	2.4	13.4	50.5	140.2	349.5	801.1	1,574.7
2002.....	56.1	*	*	*	*	1.9	13.3	52.0	152.5	337.3	760.8	1,650.8
2001.....	58.4	*	*	*	*	3.3	14.1	53.2	148.2	364.1	825.5	1,768.3
2000.....	57.3	*	*	*	*	2.6	14.1	51.3	153.9	357.2	808.7	1,751.9
1999.....	58.8	*	*	*	*	2.4	15.3	55.5	160.0	374.0	790.8	1,838.6
Non-Hispanic black, female												
2006 5/.....	51.2	*	*	*	*	0.7	5.7	21.0	61.0	164.6	462.9	1,377.8
2005 5/.....	53.7	*	*	*	*	0.8	5.7	20.3	66.4	180.0	499.6	1,424.3
2004 5/.....	54.9	*	*	*	*	1.2	6.3	21.3	67.1	187.8	510.6	1,511.9
2003 5/.....	59.1	*	*	*	*	1.2	6.1	23.2	74.2	203.5	540.8	1,690.4
2002.....	59.3	*	*	*	*	1.1	6.2	24.5	73.0	201.8	572.2	1,672.2
2001.....	60.9	*	*	*	*	1.0	6.0	23.3	76.5	211.7	579.7	1,758.9
2000.....	62.1	*	*	*	*	1.1	7.1	24.7	80.7	233.1	587.0	1,743.5
1999.....	63.0	*	*	*	*	0.8	6.6	24.6	80.7	238.9	597.9	1,787.8

Worktable Orig12. Death rates for 358 selected causes, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2006

[Rates per 100,000 population in specified group. Rates are based on populations enumerated as of April 1 for 2000 and estimated as of July 1 for all other years. Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to 'Detailed technical notes to the United States 2006 data-mortality']

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, and sex	All ages 1/	Under 1 year 2/	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
Other heart diseases (I26-I51)												
All origins 3/, both sexes												
2006.....	56.9	7.7	0.9	0.6	2.1	4.7	9.5	21.2	44.4	112.3	360.7	1,342.8
2005.....	57.6	8.3	0.9	0.6	2.2	4.6	9.8	21.5	45.7	116.8	366.7	1,377.4
2004.....	56.6	10.0	1.1	0.5	2.1	4.3	9.7	21.5	45.2	118.6	368.9	1,373.9
2003.....	58.5	10.4	1.1	0.6	2.2	4.5	10.3	21.4	48.0	126.8	382.8	1,427.2
2002.....	58.8	11.7	1.0	0.6	2.1	4.5	10.3	21.7	48.7	129.6	390.9	1,443.5
2001.....	58.6	11.1	1.4	0.6	2.0	4.4	9.9	21.6	49.5	131.4	389.5	1,475.5
2000.....	58.8	12.0	1.1	0.6	2.2	4.4	9.9	21.5	50.9	134.2	391.3	1,509.4
1999.....	59.4	12.9	1.2	0.6	2.3	4.4	10.3	21.6	52.9	138.8	398.5	1,512.9
All origins 3/, male												
2006.....	51.0	8.0	1.0	0.6	2.5	5.9	11.6	27.2	56.2	136.2	411.1	1,338.1
2005.....	51.4	8.9	0.9	0.6	2.8	5.8	12.3	27.6	57.5	140.5	415.8	1,377.8
2004.....	50.6	10.5	1.1	0.5	2.6	5.3	12.0	27.7	57.7	142.8	420.8	1,377.7
2003.....	52.3	11.4	1.0	0.7	2.6	5.3	12.7	27.2	60.7	154.2	440.0	1,431.3
2002.....	52.4	12.1	1.0	0.6	2.7	5.6	12.8	28.2	60.8	156.5	448.2	1,448.6
2001.....	51.8	10.8	1.5	0.6	2.4	5.2	12.4	27.6	61.7	158.7	452.0	1,473.4
2000.....	52.2	12.2	1.2	0.7	2.6	5.2	12.2	27.8	64.7	164.0	451.0	1,549.1
1999.....	53.1	13.1	1.3	0.7	2.7	5.3	12.9	27.7	67.5	172.7	459.7	1,548.9
All origins 3/, female												
2006.....	62.6	7.5	0.9	0.5	1.5	3.5	7.3	15.3	33.5	92.1	326.3	1,345.0
2005.....	63.5	7.7	0.8	0.6	1.5	3.4	7.3	15.5	34.6	96.7	333.3	1,377.3
2004.....	62.4	9.4	1.1	0.6	1.5	3.3	7.4	15.5	33.6	98.4	334.0	1,372.1
2003.....	64.5	9.3	1.2	0.5	1.7	3.7	7.9	15.7	36.3	103.8	344.5	1,425.4
2002.....	65.0	11.4	1.0	0.5	1.4	3.4	7.8	15.5	37.5	107.2	352.8	1,441.3
2001.....	65.2	11.5	1.3	0.6	1.5	3.6	7.5	15.9	38.3	108.7	348.4	1,476.4
2000.....	65.1	11.8	0.9	0.5	1.8	3.5	7.5	15.3	38.2	109.6	352.3	1,493.2
1999.....	65.5	12.7	1.0	0.6	1.8	3.6	7.7	15.6	39.4	111.1	358.7	1,498.5
Hispanic, both sexes												
2006.....	13.7	6.3	0.8	0.5	1.4	2.8	4.7	11.9	23.9	67.5	197.0	663.2
2005.....	13.9	7.5	0.6	0.4	1.5	2.7	5.1	10.9	24.7	70.6	210.8	703.3
2004.....	13.2	8.5	1.0	0.4	1.5	2.3	5.3	11.4	24.7	70.3	208.5	659.3
2003.....	14.1	8.3	1.0	0.3	1.4	2.8	5.3	11.3	29.7	77.3	221.2	749.9
2002.....	13.3	9.7	0.7	0.4	1.5	2.6	5.1	11.4	25.7	72.6	219.8	740.0
2001.....	13.3	9.2	1.0	0.5	1.3	2.6	4.9	10.9	27.9	75.4	217.5	798.5
2000.....	13.6	10.2	1.0	0.5	1.7	2.8	5.5	11.6	28.8	75.9	227.0	829.4
1999.....	13.8	12.2	1.2	0.5	1.6	2.8	6.3	11.6	30.6	78.7	229.6	827.9
Hispanic, male												
2006.....	13.5	6.9	*	0.6	1.9	3.9	6.1	15.1	30.6	82.9	231.4	658.6
2005.....	13.7	8.0	*	*	1.9	3.7	6.9	14.9	31.8	87.0	247.5	697.4
2004.....	13.0	8.4	1.3	*	2.2	3.3	7.1	15.5	31.6	83.6	241.8	641.6
2003.....	13.6	9.1	*	*	1.8	3.4	7.0	14.7	37.0	95.0	253.5	752.7
2002.....	12.9	9.1	+	+	2.1	3.4	6.4	14.3	31.7	92.5	256.9	758.0
2001.....	12.6	9.6	*	*	1.6	3.2	6.5	15.0	34.1	91.1	248.6	775.2
2000.....	13.2	9.9	1.3	0.7	2.1	3.5	6.7	15.1	37.2	94.1	250.8	890.8
1999.....	13.7	10.3	1.4	0.6	1.8	3.8	8.2	15.4	38.8	102.4	267.5	888.6
Hispanic, female												
2006.....	13.9	5.7	*	*	0.8	1.5	3.2	8.5	17.8	54.9	172.8	665.6
2005.....	14.1	7.0	*	*	1.2	1.5	3.1	6.8	18.3	57.3	185.1	706.4
2004.....	13.5	8.6	*	*	0.8	1.1	3.3	7.3	18.5	59.6	185.5	668.4
2003.....	14.5	7.6	*	*	0.9	2.2	3.3	8.0	23.2	63.2	199.1	748.4
2002.....	13.7	10.3	*	*	0.8	1.6	3.7	8.5	20.3	56.7	194.5	731.1
2001.....	13.9	8.7	+	+	0.9	1.9	3.2	6.9	22.5	63.0	195.4	809.8
2000.....	14.0	10.6	+	+	1.1	1.9	4.3	8.1	21.4	61.6	211.0	799.3
1999.....	13.9	14.1	*	*	1.3	1.6	4.2	8.0	23.4	60.1	204.3	798.6

Worktable Orig12. Death rates for 358 selected causes, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2006

[Rates per 100,000 population in specified group. Rates are based on populations enumerated as of April 1 for 2000 and estimated as of July 1 for all other years. Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to 'Detailed technical notes to the United States 2006 data-mortality']

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, and sex	All ages 1/	Under 1 year 2/	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
Other heart diseases (I26-I51)												
Non-Hispanic 4/, both sexes												
2006.....	64.3	8.2	1.0	0.6	2.2	5.2	10.3	22.2	46.1	115.5	370.4	1,375.6
2005.....	64.8	8.6	1.0	0.6	2.3	5.0	10.6	22.6	47.3	120.1	375.4	1,408.5
2004.....	63.6	10.3	1.1	0.6	2.1	4.7	10.4	22.5	46.7	122.0	377.3	1,404.5
2003.....	65.4	10.9	1.1	0.6	2.3	4.9	11.0	22.3	49.3	130.0	390.5	1,453.7
2002.....	65.7	12.2	1.1	0.6	2.2	4.9	11.0	22.7	50.4	133.2	398.4	1,469.2
2001.....	65.2	11.6	1.5	0.6	2.1	4.7	10.6	22.6	51.1	134.7	396.5	1,497.8
2000.....	65.1	12.4	1.1	0.6	2.3	4.7	10.4	22.3	52.4	137.5	397.5	1,530.9
1999.....	65.6	13.1	1.1	0.6	2.4	4.7	10.8	22.4	54.3	142.0	404.4	1,533.9
Non-Hispanic 4/, male												
2006.....	57.8	8.3	1.0	0.6	2.7	6.5	12.6	28.6	58.3	139.8	421.7	1,374.1
2005.....	58.0	9.2	1.0	0.6	3.0	6.3	13.2	29.0	59.5	144.2	425.3	1,412.5
2004.....	57.0	11.0	1.0	0.6	2.7	5.8	12.8	28.9	59.6	148.8	430.2	1,412.5
2003.....	58.6	12.0	1.0	0.7	2.8	5.8	13.5	28.4	62.2	158.0	448.9	1,480.5
2002.....	58.7	12.8	1.1	0.7	2.8	6.2	13.7	29.5	62.9	160.4	456.6	1,477.3
2001.....	57.8	11.0	1.6	0.6	2.6	5.6	13.2	28.7	63.6	162.5	460.6	1,499.0
2000.....	58.0	12.7	1.2	0.7	2.7	5.5	12.9	28.9	66.4	167.8	458.9	1,573.6
1999.....	58.6	13.8	1.3	0.7	2.9	5.5	13.5	28.7	69.3	176.2	466.4	1,571.2
Non-Hispanic 4/, female												
2006.....	70.4	8.0	0.9	0.5	1.7	3.9	8.0	16.1	34.8	94.9	335.4	1,376.4
2005.....	71.2	7.9	1.0	0.6	1.6	3.8	8.0	16.4	36.0	99.6	341.5	1,406.6
2004.....	69.9	9.6	1.2	0.6	1.6	3.7	8.0	16.4	34.8	101.1	341.7	1,400.9
2003.....	71.8	9.7	1.2	0.5	1.9	4.0	8.5	16.4	37.3	108.5	351.5	1,450.7
2002.....	72.3	11.6	1.0	0.5	1.5	3.7	8.4	16.1	38.7	110.4	359.7	1,465.7
2001.....	72.3	12.2	1.3	0.6	1.6	3.9	8.0	16.7	39.4	111.6	364.4	1,497.3
2000.....	71.8	12.0	1.0	0.5	1.9	3.8	7.9	15.9	39.4	112.5	357.5	1,513.7
1999.....	72.2	12.3	1.0	0.6	1.9	3.9	8.1	16.2	40.5	113.9	364.2	1,519.0
Non-Hispanic white, both sexes												
2006 5/.....	70.4	5.8	0.8	0.5	1.9	4.1	8.6	18.9	41.4	109.8	372.0	1,422.6
2005 5/.....	70.6	6.7	0.7	0.5	1.9	3.9	8.8	19.1	42.0	114.0	376.1	1,453.0
2004 5/.....	69.3	8.7	0.8	0.5	1.8	3.8	8.6	19.0	41.9	116.5	377.3	1,442.1
2003 5/.....	71.0	8.1	0.8	0.5	1.9	3.8	9.1	18.8	44.1	123.1	391.4	1,490.1
2002.....	71.3	10.0	0.9	0.5	1.8	3.8	9.3	19.0	45.3	127.6	396.1	1,503.1
2001.....	70.6	9.1	1.1	0.5	1.7	3.7	8.5	19.0	45.8	128.7	394.8	1,533.2
2000.....	70.3	10.5	0.9	0.5	1.7	3.7	8.4	18.7	47.4	131.2	395.8	1,564.2
1999.....	70.4	10.5	0.9	0.5	2.0	3.7	8.7	18.7	48.3	135.2	401.1	1,565.9
Non-Hispanic white, male												
2006 5/.....	62.1	5.7	0.8	0.6	2.3	5.1	10.5	24.4	52.5	132.9	424.0	1,420.8
2005 5/.....	62.2	6.9	0.8	0.5	2.5	4.9	11.2	24.9	53.1	136.5	427.1	1,462.5
2004 5/.....	60.9	9.3	0.7	0.5	2.3	4.6	10.8	24.7	53.6	140.9	428.9	1,445.4
2003 5/.....	62.6	8.7	0.7	0.6	2.3	4.6	11.4	24.3	56.0	150.6	450.4	1,499.3
2002.....	62.7	10.7	1.1	0.6	2.3	4.7	11.8	25.2	57.1	154.1	457.1	1,512.9
2001.....	61.4	9.4	1.2	0.6	2.0	4.4	10.9	24.8	57.5	155.8	457.4	1,530.7
2000.....	61.6	10.9	1.1	0.6	2.0	4.4	10.7	24.6	60.7	161.0	457.6	1,606.4
1999.....	61.7	11.6	1.1	0.5	2.3	4.4	11.2	24.5	62.1	168.5	462.9	1,595.5
Non-Hispanic white, female												
2006 5/.....	78.4	5.8	0.8	0.5	1.4	3.0	6.7	13.5	30.9	89.9	335.9	1,423.5
2005 5/.....	78.8	6.4	0.6	0.4	1.3	2.8	6.4	13.3	31.4	94.6	340.9	1,448.6
2004 5/.....	77.3	8.2	0.9	0.4	1.3	2.9	6.4	13.3	30.7	95.6	342.1	1,440.6
2003 5/.....	79.1	7.5	1.0	0.4	1.6	3.0	6.8	13.5	32.7	99.6	351.5	1,486.1
2002.....	79.6	9.3	0.8	0.5	1.2	2.8	6.8	13.0	34.1	105.0	358.5	1,498.8
2001.....	79.4	8.8	1.0	0.5	1.3	3.1	6.1	13.4	34.8	105.7	355.3	1,534.2
2000.....	78.7	10.1	0.8	0.4	1.4	2.9	6.2	12.9	34.8	106.0	355.3	1,547.2
1999.....	78.8	9.4	0.8	0.5	1.7	3.0	6.2	13.1	35.3	107.3	360.6	1,554.1

Worktable Orig12. Death rates for 358 selected causes, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2006

[Rates per 100,000 population in specified group. Rates are based on populations enumerated as of April 1 for 2000 and estimated as of July 1 for all other years. Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.odc.gov/nchs> and refer to 'Detailed technical notes to the United States 2006 data-mortality']

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, and sex	All ages 1/	Under 1 year 2/	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
Other heart diseases (I26-I51)												
Non-Hispanic black, both sexes												
2006 5/.....	52.0	16.8	1.7	0.9	3.9	11.8	22.2	48.4	95.0	191.6	443.4	1,111.9
2005 5/.....	53.4	15.6	1.8	1.2	4.3	11.7	22.9	50.4	100.2	199.7	455.4	1,152.4
2004 5/.....	52.7	15.3	2.4	1.1	3.8	10.4	23.0	51.4	98.5	199.4	458.1	1,197.9
2003 5/.....	54.4	19.8	2.0	1.0	4.5	11.3	24.4	51.1	104.2	219.8	455.6	1,253.2
2002.....	54.3	20.9	1.6	0.9	4.2	11.8	23.4	52.6	104.1	211.2	474.7	1,285.5
2001.....	54.7	21.3	3.0	1.0	4.4	11.0	24.5	52.2	105.7	216.1	486.4	1,292.9
2000.....	54.6	19.6	2.0	1.1	4.9	10.8	23.7	52.8	104.5	223.6	484.3	1,319.4
1999.....	56.2	23.2	2.0	1.0	4.7	11.0	25.3	53.5	115.3	232.9	499.9	1,314.0
Non-Hispanic black, male												
2006 5/.....	52.1	17.9	2.0	1.0	4.5	14.8	28.0	63.5	123.2	242.0	513.3	1,122.4
2005 5/.....	52.6	18.4	*	1.1	5.8	14.6	28.4	63.9	128.3	251.6	520.0	1,107.6
2004 5/.....	52.3	16.4	2.5	1.0	4.8	12.6	27.7	65.3	128.9	242.3	550.5	1,244.7
2003 5/.....	53.4	23.6	2.2	1.2	5.8	13.0	29.6	65.1	134.7	269.3	530.4	1,239.1
2002.....	52.6	21.8	*	0.9	5.1	14.8	28.2	67.5	130.4	259.4	543.4	1,258.0
2001.....	53.5	18.8	3.3	0.9	5.5	13.4	29.3	63.9	134.9	261.9	593.5	1,362.9
2000.....	53.3	19.1	2.0	1.2	5.7	12.7	28.7	68.3	132.9	269.8	565.5	1,416.1
1999.....	56.2	22.9	2.3	1.2	6.0	13.4	30.9	68.7	149.5	291.0	584.7	1,466.6
Non-Hispanic black, female												
2006 5/.....	51.9	15.8	*	0.8	3.3	8.9	17.0	35.4	72.3	155.6	405.7	1,107.6
2005 5/.....	54.2	12.7	2.1	1.2	2.8	9.0	18.0	38.9	77.6	162.6	418.8	1,170.4
2004 5/.....	53.1	14.2	2.3	1.2	2.8	8.4	19.0	39.4	74.0	168.8	405.9	1,179.4
2003 5/.....	55.4	15.8	1.8	0.9	3.3	9.7	19.8	39.2	79.6	184.6	413.4	1,258.7
2002.....	55.9	19.9	1.9	0.8	3.2	9.0	19.2	39.9	83.0	177.0	435.9	1,296.0
2001.....	55.8	23.8	2.7	1.0	3.2	8.9	20.3	42.2	82.3	183.7	426.2	1,267.0
2000.....	55.8	20.1	1.9	1.0	4.2	9.0	19.2	39.6	81.6	191.1	438.5	1,283.4
1999.....	56.3	23.6	1.8	0.9	3.4	8.9	20.4	40.5	87.9	192.0	452.4	1,257.0

Worktable Orig12. Death rates for 358 selected causes, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2006

[Rates per 100,000 population in specified group. Rates are based on populations enumerated as of April 1 for 2000 and estimated as of July 1 for all other years. Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to 'Detailed technical notes to the United States 2006 data-mortality']

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, and sex	All ages 1/	Under 1 year 2/	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
Pulmonary heart disease and diseases of pulmonary circulation (I26-I28)												
All origins 3/, both sexes												
2006.....	4.1	2.0	0.1	0.1	0.3	0.8	1.5	3.0	5.6	11.5	25.2	50.3
2005.....	4.6	2.4	0.1	*	0.3	0.8	1.6	3.2	6.2	13.9	27.5	54.4
2004.....	4.5	3.8	0.2	0.1	0.3	0.8	1.7	3.3	5.8	13.4	27.5	54.8
2003.....	4.8	3.3	0.2	0.1	0.3	0.9	1.9	3.3	6.5	14.4	30.4	58.0
2002.....	4.8	4.6	0.2	0.1	0.3	0.8	1.7	3.4	6.9	14.9	29.8	56.3
2001.....	4.7	4.2	0.1	0.1	0.3	0.9	1.7	3.4	6.9	14.6	28.5	57.5
2000.....	4.6	4.9	0.2	0.1	0.3	0.9	1.7	3.5	6.7	14.5	28.3	57.4
1999.....	4.7	5.7	*	0.1	0.4	0.9	1.8	3.3	6.7	14.8	30.0	59.6
All origins 3/, male												
2006.....	3.2	2.0	*	*	0.2	0.6	1.3	2.8	5.1	11.1	22.8	43.1
2005.....	3.7	2.6	*	*	0.2	0.5	1.5	3.0	5.9	13.6	26.5	47.8
2004.....	3.6	4.1	*	*	0.2	0.6	1.4	3.1	5.8	12.5	25.2	48.3
2003.....	3.9	3.7	*	*	0.2	0.6	1.6	3.3	6.2	14.2	29.9	54.4
2002.....	3.8	4.7	*	*	0.2	0.7	1.4	3.1	6.5	14.1	27.7	52.1
2001.....	3.8	3.9	*	*	0.2	0.6	1.5	3.0	6.5	14.5	27.9	55.6
2000.....	3.8	5.1	*	*	0.2	0.7	1.4	3.3	6.4	13.9	28.3	54.8
1999.....	3.9	5.9	*	*	0.3	0.6	1.5	3.0	6.8	15.1	29.1	60.3
All origins 3/, female												
2006.....	5.0	1.9	*	*	0.3	0.9	1.7	3.2	6.0	11.8	26.9	53.7
2005.....	5.4	2.1	*	*	0.4	1.1	1.8	3.4	6.5	14.2	28.3	57.5
2004.....	5.3	3.5	*	*	0.4	0.9	1.9	3.4	5.7	14.3	29.1	57.7
2003.....	5.7	2.9	*	*	0.5	1.1	2.2	3.4	6.9	14.6	30.8	59.6
2002.....	5.7	4.5	*	*	0.4	1.0	1.9	3.6	7.2	15.6	31.2	58.1
2001.....	5.5	4.6	*	*	0.4	1.1	2.0	3.7	7.3	14.6	28.9	58.2
2000.....	5.5	4.6	*	*	0.5	1.0	2.1	3.7	7.0	15.0	28.4	58.5
1999.....	5.5	5.6	*	*	0.5	1.1	2.0	3.6	6.6	14.6	30.5	59.2
Hispanic, both sexes												
2006.....	1.1	*	*	*	*	0.3	0.6	1.7	2.6	6.5	12.8	22.3
2005.....	1.1	*	*	*	*	0.5	0.7	1.5	2.6	7.0	12.2	24.0
2004.....	1.2	2.2	*	*	*	0.4	0.9	1.9	2.8	6.8	12.4	31.9
2003.....	1.2	*	*	*	*	0.5	0.9	1.3	3.4	6.0	15.9	29.5
2002.....	1.3	3.1	*	*	*	0.4	0.9	1.8	3.1	7.5	16.8	30.5
2001.....	1.3	3.7	*	*	*	0.5	0.9	1.4	3.5	6.9	14.6	32.5
2000.....	1.2	4.3	*	*	*	0.5	1.1	2.0	3.0	6.2	14.4	27.9
1999.....	1.4	5.4	*	*	0.3	0.5	1.0	1.6	3.4	7.1	16.2	37.2
Hispanic, male												
2006.....	0.8	*	*	*	*	*	*	1.6	2.4	5.8	10.8	*
2005.....	0.9	*	*	*	*	*	*	1.5	2.6	6.6	12.0	*
2004.....	0.9	*	*	*	*	*	1.0	1.7	2.6	5.8	8.9	*
2003.....	0.8	*	*	*	*	*	0.8	1.4	3.1	4.2	15.0	*
2002.....	0.9	*	*	*	*	*	0.7	1.6	2.8	6.6	11.9	*
2001.....	1.1	*	*	*	*	*	0.9	1.4	2.9	7.2	15.2	43.8
2000.....	0.9	*	*	*	*	*	0.8	2.0	2.5	5.7	12.3	*
1999.....	1.1	5.2	*	*	*	*	0.8	*	3.3	6.8	15.1	*
Hispanic, female												
2006.....	1.4	*	*	*	*	*	0.9	1.9	2.8	7.0	14.2	25.8
2005.....	1.4	*	*	*	*	0.7	1.1	1.5	2.6	7.3	12.3	26.1
2004.....	1.5	*	*	*	*	*	0.9	2.1	3.0	7.7	14.8	36.0
2003.....	1.6	*	*	*	*	0.8	1.1	1.7	3.7	7.4	16.6	33.6
2002.....	1.6	*	*	*	*	*	1.3	2.0	3.5	6.5	20.2	35.6
2001.....	1.5	*	*	*	*	0.8	1.0	1.5	4.1	6.6	14.2	27.0
2000.....	1.5	*	*	*	*	0.7	1.4	2.0	3.4	6.6	15.8	32.6
1999.....	1.7	5.7	*	*	*	0.7	1.3	2.0	3.5	7.4	17.0	35.4

Worktable Orig12. Death rates for 358 selected causes, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2006

[Rates per 100,000 population in specified group. Rates are based on populations enumerated as of April 1 for 2000 and estimated as of July 1 for all other years. Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to 'Detailed technical notes to the United States 2006 data-mortality']

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, and sex	All ages 1/	Under 1 year 2/	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
Pulmonary heart disease and diseases of pulmonary circulation (I26-I28)												
Non-Hispanic 4/, both sexes												
2006.....	4.7	2.2	*	0.1	0.3	0.9	1.7	3.1	5.8	11.8	26.0	51.7
2005.....	5.1	2.5	*	*	0.3	0.9	1.8	3.4	6.5	14.4	28.4	55.8
2004.....	5.0	4.2	*	0.1	0.3	0.9	1.8	3.4	6.0	13.9	28.3	55.8
2003.....	5.4	3.8	0.2	0.1	0.4	0.9	2.0	3.5	6.8	15.0	31.1	59.1
2002.....	5.3	5.0	0.2	0.1	0.3	0.9	1.8	3.5	7.1	15.4	30.4	57.3
2001.....	5.2	4.3	*	0.1	0.3	1.0	1.8	3.5	7.1	15.0	29.1	58.3
2000.....	5.1	5.0	0.2	0.1	0.4	0.9	1.8	3.6	6.9	14.9	28.9	58.4
1999.....	5.2	5.8	*	0.1	0.4	0.9	1.9	3.5	6.9	15.2	30.4	60.2
Non-Hispanic 4/, male												
2006.....	3.7	2.1	*	*	0.2	0.7	1.5	3.0	5.3	11.5	23.5	44.4
2005.....	4.2	2.6	*	*	0.3	0.6	1.6	3.1	6.2	14.0	27.3	49.1
2004.....	4.0	4.6	*	*	0.2	0.7	1.5	3.3	6.1	12.9	26.0	49.6
2003.....	4.4	4.4	*	*	0.3	0.7	1.7	3.5	6.4	14.8	30.6	55.9
2002.....	4.2	5.4	*	*	0.2	0.8	1.6	3.3	6.7	14.5	28.4	53.5
2001.....	4.2	4.0	*	*	0.3	0.7	1.6	3.1	6.7	14.9	28.3	55.8
2000.....	4.2	5.3	*	*	0.2	0.8	1.5	3.4	6.7	14.3	28.9	56.3
1999.....	4.3	6.0	*	*	0.3	0.7	1.6	3.2	7.0	15.5	29.6	60.9
Non-Hispanic 4/, female												
2006.....	5.6	2.2	*	*	0.3	1.0	1.9	3.3	6.3	12.1	27.6	55.0
2005.....	6.0	2.4	*	*	0.4	1.1	2.0	3.6	6.8	14.7	29.1	58.9
2004.....	5.9	3.8	*	*	0.4	1.1	2.0	3.5	5.9	14.8	29.8	58.6
2003.....	6.2	3.1	*	*	0.5	1.2	2.4	3.5	7.1	15.1	31.5	60.5
2002.....	6.3	4.5	*	*	0.4	1.1	2.0	3.7	7.5	16.2	31.7	58.9
2001.....	6.1	4.7	*	*	0.4	1.2	2.1	3.9	7.6	15.2	29.6	59.3
2000.....	6.0	4.7	*	*	0.5	1.1	2.1	3.8	7.2	15.4	28.9	59.2
1999.....	6.0	5.5	*	*	0.6	1.1	2.1	3.7	6.8	15.0	31.0	59.9
Non-Hispanic white, both sexes												
2006 5/.....	4.8	1.4	*	*	0.2	0.7	1.4	2.8	5.3	11.1	25.5	52.4
2005 5/.....	5.3	2.1	*	*	0.3	0.6	1.5	3.0	6.0	13.9	27.7	55.7
2004 5/.....	5.1	3.6	*	*	0.3	0.7	1.5	3.0	5.5	13.1	27.4	56.4
2003 5/.....	5.5	2.9	*	*	0.3	0.8	1.6	3.2	6.2	13.8	30.8	58.9
2002.....	5.4	4.1	*	0.1	0.2	0.7	1.6	3.1	6.6	14.7	29.7	57.1
2001.....	5.3	3.5	*	*	0.3	0.8	1.5	3.2	6.6	14.3	28.4	57.6
2000.....	5.2	4.0	*	*	0.3	0.7	1.5	3.2	6.5	14.3	28.2	57.4
1999.....	5.3	4.9	*	0.1	0.4	0.7	1.5	3.0	6.1	14.1	29.4	59.9
Non-Hispanic white, male												
2006 5/.....	3.8	*	*	*	0.2	0.5	1.2	2.7	4.9	11.0	23.2	44.6
2005 5/.....	4.3	2.2	*	*	0.2	0.4	1.4	2.8	5.8	13.6	26.8	48.1
2004 5/.....	4.1	4.0	*	*	0.2	0.5	1.3	3.0	5.6	12.4	24.6	49.3
2003 5/.....	4.5	3.6	*	*	0.2	0.6	1.3	3.1	5.9	13.9	30.5	55.6
2002.....	4.4	4.6	*	*	0.2	0.6	1.4	3.1	6.4	14.0	27.9	53.4
2001.....	4.3	3.3	*	*	0.2	0.6	1.4	2.9	6.1	14.4	27.5	53.8
2000.....	4.3	4.4	*	*	0.2	0.7	1.3	3.1	6.3	14.1	28.4	54.4
1999.....	4.4	5.5	*	*	0.2	0.5	1.4	2.9	6.4	14.5	28.5	60.9
Non-Hispanic white, female												
2006 5/.....	5.8	*	*	*	0.3	0.9	1.5	2.9	5.6	11.2	27.1	56.1
2005 5/.....	6.2	2.0	*	*	0.4	0.8	1.6	3.1	6.2	14.1	28.3	59.2
2004 5/.....	6.1	3.2	*	*	0.4	0.9	1.7	3.0	5.4	13.7	29.2	59.5
2003 5/.....	6.4	2.1	*	*	0.4	1.0	1.9	3.2	6.4	13.6	31.0	60.4
2002.....	6.4	3.6	*	*	0.3	0.7	1.7	3.2	6.8	15.3	30.9	58.7
2001.....	6.3	3.8	*	*	0.3	0.9	1.7	3.4	7.0	14.3	29.0	59.2
2000.....	6.1	3.6	*	*	0.4	0.9	1.7	3.3	6.7	14.5	28.2	58.6
1999.....	6.1	4.4	*	*	0.5	0.8	1.6	3.2	5.9	13.8	29.9	59.5

Worktable Orig12. Death rates for 358 selected causes, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2006

[Rates per 100,000 population in specified group. Rates are based on populations enumerated as of April 1 for 2000 and estimated as of July 1 for all other years. Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.odc.gov/nchs> and refer to 'Detailed technical notes to the United States 2006 data-mortality']

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, and sex	All ages 1/	Under 1 year 2/	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
Pulmonary heart disease and diseases of pulmonary circulation (I26-I28)												
Non-Hispanic black, both sexes												
2006 5/.....	5.4	5.4	*	*	0.6	2.1	3.7	6.0	11.9	21.9	37.0	55.7
2005 5/.....	5.9	4.4	*	*	0.5	2.3	3.8	6.8	12.8	23.4	43.6	67.2
2004 5/.....	5.8	6.2	*	*	0.7	2.0	4.0	6.8	11.8	25.2	45.3	62.2
2003 5/.....	6.3	6.5	*	*	0.8	2.0	4.7	6.9	13.4	29.9	42.9	73.2
2002.....	6.1	8.5	*	*	0.6	2.5	3.6	7.0	14.0	26.4	46.5	69.6
2001.....	6.0	7.0	*	*	0.6	2.2	4.0	7.0	13.8	26.1	42.6	78.0
2000.....	5.9	8.1	*	*	0.8	2.2	4.1	7.6	12.2	25.1	42.9	77.6
1999.....	6.4	10.0	*	*	0.7	2.3	4.1	7.4	15.0	29.2	49.7	72.1
Non-Hispanic black, male												
2006 5/.....	4.3	*	*	*	*	1.9	3.3	5.5	10.4	21.0	32.3	56.8
2005 5/.....	4.8	*	*	*	*	1.7	3.3	6.0	11.7	23.2	42.9	69.5
2004 5/.....	4.8	6.8	*	*	*	1.6	3.4	6.0	11.9	21.4	50.5	64.0
2003 5/.....	5.4	7.4	*	*	0.7	1.6	4.2	7.0	13.1	28.6	43.0	77.8
2002.....	4.7	9.4	*	*	*	2.1	3.0	5.7	12.0	23.4	43.1	66.7
2001.....	4.9	7.3	*	*	*	1.6	3.4	5.5	13.8	24.6	44.7	94.7
2000.....	4.8	7.8	*	*	*	1.7	3.3	6.6	12.2	21.6	43.8	93.9
1999.....	5.3	9.4	*	*	*	2.0	3.3	6.3	14.4	30.5	50.7	71.3
Non-Hispanic black, female												
2006 5/.....	6.3	*	*	*	*	2.2	4.1	6.5	13.2	22.6	39.8	55.3
2005 5/.....	6.9	*	*	*	*	2.9	4.2	7.4	13.7	23.5	44.0	66.3
2004 5/.....	6.8	*	*	*	0.8	2.3	4.5	7.5	11.7	27.9	42.3	61.4
2003 5/.....	7.1	*	*	*	0.8	2.3	5.1	6.7	13.7	30.8	42.9	71.4
2002.....	7.4	7.6	*	*	0.8	2.8	4.2	8.0	15.6	28.6	48.4	70.7
2001.....	7.0	6.7	*	*	*	2.8	4.5	8.2	13.8	27.2	41.4	71.9
2000.....	7.0	8.5	*	*	1.2	2.5	4.8	8.3	12.3	27.6	42.4	71.5
1999.....	7.4	10.7	*	*	0.8	2.7	4.9	8.2	15.5	28.3	49.2	72.4

Worktable Orig12. Death rates for 358 selected causes, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2006

[Rates per 100,000 population in specified group. Rates are based on populations enumerated as of April 1 for 2000 and estimated as of July 1 for all other years. Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to 'Detailed technical notes to the United States 2006 data-mortality']

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, and sex	All ages 1/	Under 1 year 2/	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
Pulmonary embolism (I26)												
All origins 3/, both sexes												
2006.....	2.3	*	*	*	0.1	0.5	1.0	1.8	3.3	6.2	13.7	26.7
2005.....	2.8	*	*	*	0.2	0.5	1.1	2.1	3.9	8.3	16.9	32.8
2004.....	2.8	*	*	*	0.2	0.5	1.1	2.2	3.6	8.2	17.1	33.4
2003.....	3.0	*	*	*	0.2	0.6	1.3	2.3	4.2	8.7	18.9	35.5
2002.....	3.0	*	*	*	0.2	0.5	1.2	2.2	4.5	9.5	18.5	35.4
2001.....	3.0	*	*	*	0.2	0.6	1.2	2.3	4.7	9.5	18.4	37.8
2000.....	3.0	*	*	*	0.2	0.5	1.2	2.3	4.5	9.3	18.4	38.4
1999.....	3.2	*	*	*	0.2	0.6	1.2	2.3	4.7	10.1	21.1	42.0
All origins 3/, male												
2006.....	2.0	*	*	*	0.1	0.4	0.9	1.9	3.4	6.7	13.8	24.3
2005.....	2.4	*	*	*	0.2	0.4	1.1	2.1	4.1	8.6	17.3	30.2
2004.....	2.3	*	*	*	0.1	0.5	1.0	2.1	4.0	8.4	16.8	30.6
2003.....	2.6	*	*	*	0.2	0.4	1.1	2.4	4.5	9.4	19.6	34.1
2002.....	2.5	*	*	*	0.1	0.5	1.0	2.2	4.5	9.4	17.5	34.1
2001.....	2.6	*	*	*	0.1	0.5	1.1	2.1	4.5	10.0	19.0	38.0
2000.....	2.6	*	*	*	0.1	0.5	1.0	2.4	4.6	9.5	19.3	37.5
1999.....	2.7	*	*	*	0.2	0.5	1.1	2.2	5.0	10.9	20.4	42.0
All origins 3/, female												
2006.....	2.6	*	*	*	0.2	0.6	1.1	1.8	3.2	5.7	13.6	27.8
2005.....	3.2	*	*	*	0.2	0.7	1.1	2.0	3.7	8.0	16.6	34.0
2004.....	3.2	*	*	*	0.2	0.6	1.3	2.2	3.3	8.0	17.3	34.7
2003.....	3.4	*	*	*	0.3	0.7	1.4	2.2	4.0	8.2	18.4	36.0
2002.....	3.5	*	*	*	0.2	0.6	1.3	2.2	4.5	9.5	19.2	36.0
2001.....	3.5	*	*	*	0.2	0.7	1.3	2.5	4.9	9.1	18.0	37.7
2000.....	3.4	*	*	*	0.3	0.6	1.3	2.2	4.4	9.1	17.8	38.8
1999.....	3.7	*	*	*	0.3	0.7	1.3	2.4	4.4	9.6	21.5	42.1
Hispanic, both sexes												
2006.....	0.5	*	*	*	*	*	*	0.7	1.3	3.2	6.2	11.7
2005.....	0.5	*	*	*	*	*	0.4	0.7	1.0	3.7	7.8	14.5
2004.....	0.6	*	*	*	*	*	0.5	0.7	1.6	3.5	8.0	20.5
2003.....	0.6	*	*	*	*	*	0.4	0.7	1.8	3.0	8.7	18.7
2002.....	0.7	*	*	*	*	*	0.4	0.8	1.7	4.6	9.8	21.1
2001.....	0.7	*	*	*	*	*	0.5	0.6	2.2	4.4	9.2	22.5
2000.....	0.6	*	*	*	*	*	*	1.0	1.7	3.7	7.7	14.6
1999.....	0.7	*	*	*	*	*	*	1.0	2.3	5.0	10.2	28.1
Hispanic, male												
2006.....	0.4	*	*	*	*	*	*	*	*	*	*	*
2005.....	0.5	*	*	*	*	*	*	*	*	3.7	9.0	*
2004.....	0.5	*	*	*	*	*	*	*	1.9	3.5	*	*
2003.....	0.5	*	*	*	*	*	*	*	2.1	*	10.4	*
2002.....	0.5	*	*	*	*	*	*	*	*	5.9	*	*
2001.....	0.6	*	*	*	*	*	*	*	*	5.4	10.7	*
2000.....	0.5	*	*	*	*	*	*	*	*	4.2	*	*
1999.....	0.6	*	*	*	*	*	*	*	*	4.8	*	*
Hispanic, female												
2006.....	0.6	*	*	*	*	*	*	*	*	3.4	6.9	12.6
2005.....	0.6	*	*	*	*	*	*	*	*	3.7	7.0	15.6
2004.....	0.8	*	*	*	*	*	*	*	*	3.4	9.9	23.0
2003.....	0.7	*	*	*	*	*	*	*	*	2.9	7.6	21.1
2002.....	0.8	*	*	*	*	*	*	*	*	3.5	12.1	23.2
2001.....	0.7	*	*	*	*	*	*	*	2.5	3.6	8.2	19.5
2000.....	0.6	*	*	*	*	*	*	*	*	3.3	7.9	*
1999.....	0.9	*	*	*	*	*	*	*	2.3	5.2	11.1	26.0

Worktable Orig12. Death rates for 358 selected causes, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2006

[Rates per 100,000 population in specified group. Rates are based on populations enumerated as of April 1 for 2000 and estimated as of July 1 for all other years. Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to 'Detailed technical notes to the United States 2006 data-mortality']

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, and sex	All ages 1/	Under 1 year 2/	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
Pulmonary embolism (I26)												
Non-Hispanic 4/, both sexes												
2006.....	2.6	*	*	*	0.2	0.6	1.2	2.0	3.4	6.4	14.1	27.4
2005.....	3.2	*	*	*	0.2	0.6	1.3	2.2	4.1	8.6	17.3	33.6
2004.....	3.1	*	*	*	0.2	0.6	1.2	2.3	3.8	8.5	17.6	34.0
2003.....	3.4	*	*	*	0.3	0.6	1.4	2.4	4.4	9.1	19.3	36.1
2002.....	3.3	*	*	*	0.2	0.6	1.3	2.4	4.7	9.8	18.9	36.0
2001.....	3.4	*	*	*	0.2	0.7	1.2	2.4	4.9	9.8	18.8	38.3
2000.....	3.3	*	*	*	0.2	0.6	1.3	2.5	4.7	9.6	18.8	39.2
1999.....	3.6	*	*	*	0.3	0.6	1.3	2.4	4.9	10.4	21.4	42.4
Non-Hispanic 4/, male												
2006.....	2.3	*	*	*	0.1	0.5	1.1	2.0	3.5	7.0	14.3	25.0
2005.....	2.8	*	*	*	0.2	0.5	1.3	2.3	4.3	9.0	17.8	31.2
2004.....	2.7	*	*	*	0.2	0.5	1.1	2.3	4.2	8.7	17.4	31.4
2003.....	3.0	*	*	*	0.2	0.5	1.2	2.5	4.6	9.8	20.0	35.1
2002.....	2.8	*	*	*	0.1	0.5	1.1	2.3	4.8	9.6	18.0	34.9
2001.....	2.8	*	*	*	0.1	0.5	1.1	2.2	4.7	10.2	19.3	38.2
2000.....	2.9	*	*	*	0.1	0.6	1.1	2.6	4.8	9.8	19.8	38.6
1999.....	3.0	*	*	*	0.2	0.5	1.1	2.3	5.2	11.2	20.8	42.2
Non-Hispanic 4/, female												
2006.....	2.9	*	*	*	0.2	0.7	1.3	1.9	3.3	5.9	14.0	28.5
2005.....	3.5	*	*	*	0.3	0.8	1.2	2.2	4.0	8.3	17.0	34.7
2004.....	3.5	*	*	*	0.3	0.7	1.4	2.4	3.4	8.3	17.7	35.1
2003.....	3.8	*	*	*	0.3	0.8	1.6	2.3	4.2	8.5	18.9	36.6
2002.....	3.9	*	*	*	0.3	0.7	1.4	2.4	4.7	9.9	19.5	36.4
2001.....	3.9	*	*	*	0.2	0.8	1.3	2.6	5.0	9.5	18.4	38.4
2000.....	3.8	*	*	*	0.3	0.7	1.4	2.3	4.6	9.5	18.2	39.5
1999.....	4.1	*	*	*	0.4	0.7	1.4	2.5	4.5	9.8	21.8	42.5
Non-Hispanic white, both sexes												
2006 5/.....	2.7	*	*	*	0.1	0.5	1.0	1.8	3.2	6.1	13.6	27.5
2005 5/.....	3.3	*	*	*	0.2	0.5	1.1	2.0	3.9	8.3	16.6	33.6
2004 5/.....	3.2	*	*	*	0.2	0.5	1.0	2.1	3.6	7.9	16.9	33.9
2003 5/.....	3.4	*	*	*	0.2	0.5	1.1	2.2	4.1	8.3	19.1	35.5
2002.....	3.4	*	*	*	0.2	0.5	1.2	2.2	4.4	9.3	18.3	35.3
2001.....	3.5	*	*	*	0.2	0.5	1.0	2.2	4.6	9.4	18.3	37.5
2000.....	3.4	*	*	*	0.2	0.5	1.0	2.2	4.4	9.2	18.2	38.2
1999.....	3.6	*	*	*	0.2	0.5	1.1	2.1	4.3	9.7	20.6	42.0
Non-Hispanic white, male												
2006 5/.....	2.3	*	*	*	0.3	0.9	1.8	3.3	6.6	13.9	24.7	
2005 5/.....	2.8	*	*	*	0.4	1.1	2.1	4.0	8.6	17.0	30.6	
2004 5/.....	2.7	*	*	*	0.4	0.9	2.1	3.9	8.3	16.2	30.8	
2003 5/.....	3.0	*	*	*	0.4	1.0	2.3	4.2	9.2	19.6	34.1	
2002.....	2.9	*	*	*	0.4	1.1	2.2	4.5	9.3	17.5	34.1	
2001.....	2.9	*	*	*	0.4	1.0	2.1	4.3	9.9	16.6	36.3	
2000.....	2.9	*	*	*	0.5	0.9	2.3	4.5	9.6	19.1	36.9	
1999.....	3.0	*	*	*	0.4	1.1	2.1	4.7	10.4	19.7	41.6	
Non-Hispanic white, female												
2006 5/.....	3.0	*	*	*	0.2	0.6	1.0	1.8	3.0	5.6	13.4	28.8
2005 5/.....	3.7	*	*	*	0.2	0.5	1.1	2.0	3.7	8.0	16.3	35.0
2004 5/.....	3.7	*	*	*	0.2	0.6	1.2	2.1	3.3	7.6	17.4	35.4
2003 5/.....	3.9	*	*	*	0.2	0.6	1.3	2.2	3.9	7.6	18.7	36.1
2002.....	4.0	*	*	*	0.2	0.5	1.2	2.1	4.3	9.3	18.8	35.9
2001.....	4.0	*	*	*	0.2	0.7	1.1	2.3	4.8	9.0	18.0	38.0
2000.....	3.9	*	*	*	0.2	0.6	1.2	2.0	4.4	8.8	17.6	38.8
1999.....	4.1	*	*	*	0.3	0.5	1.1	2.2	4.0	9.0	21.2	42.2

Worktable Orig12. Death rates for 358 selected causes, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2006

[Rates per 100,000 population in specified group. Rates are based on populations enumerated as of April 1 for 2000 and estimated as of July 1 for all other years. Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.odc.gov/nchs> and refer to 'Detailed technical notes to the United States 2006 data-mortality']

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, and sex	All ages 1/	Under 1 year 2/	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
Pulmonary embolism (I26)												
Non-Hispanic black, both sexes												
2006 5/.....	3.1	*	*	*	0.3	1.4	2.6	3.5	6.7	11.6	23.1	33.7
2005 5/.....	3.7	*	*	*	0.4	1.7	2.7	4.2	7.3	14.7	30.2	41.0
2004 5/.....	3.7	*	*	*	0.4	1.2	2.8	4.7	7.0	16.1	29.3	42.9
2003 5/.....	4.1	*	*	*	0.6	1.5	3.2	4.7	8.5	19.3	28.1	51.8
2002.....	3.9	*	*	*	0.4	1.6	2.3	4.6	9.0	17.0	30.8	49.9
2001.....	4.0	*	*	*	*	1.7	2.8	4.8	8.9	16.7	28.9	55.9
2000.....	4.0	*	*	*	0.6	1.3	2.9	5.3	8.2	16.8	30.9	57.2
1999.....	4.4	*	*	*	0.5	1.7	2.6	5.2	10.5	20.9	36.6	53.3
Non-Hispanic black, male												
2006 5/.....	2.8	*	*	*	*	1.4	2.5	3.7	6.8	13.2	23.4	38.5
2005 5/.....	3.3	*	*	*	*	1.1	2.7	4.3	8.0	16.5	32.8	44.7
2004 5/.....	3.3	*	*	*	*	1.3	2.5	4.2	8.1	15.4	37.6	45.7
2003 5/.....	3.8	*	*	*	*	1.3	2.9	5.2	9.6	19.7	32.9	58.6
2002.....	3.2	*	*	*	*	1.6	1.9	4.4	8.8	15.5	29.0	52.5
2001.....	3.4	*	*	*	*	1.4	2.6	3.8	10.1	16.2	33.3	71.6
2000.....	3.4	*	*	*	*	1.0	2.6	5.4	9.3	14.8	33.9	72.8
1999.....	3.9	*	*	*	*	1.6	2.1	4.8	11.0	23.6	41.0	60.6
Non-Hispanic black, female												
2006 5/.....	3.4	*	*	*	*	1.4	2.8	3.3	6.6	10.6	22.9	31.8
2005 5/.....	4.1	*	*	*	*	2.2	2.7	4.2	6.7	13.4	28.8	39.4
2004 5/.....	4.1	*	*	*	*	1.2	3.1	5.1	6.2	16.7	24.6	41.8
2003 5/.....	4.4	*	*	*	0.7	1.7	3.5	4.3	7.6	19.1	25.4	49.1
2002.....	4.6	*	*	*	*	1.6	2.7	4.8	9.1	18.0	31.8	48.9
2001.....	4.4	*	*	*	*	1.9	3.1	5.6	7.9	17.1	26.4	50.0
2000.....	4.5	*	*	*	0.9	1.6	3.1	5.1	7.4	18.1	29.2	51.5
1999.....	4.9	*	*	*	*	1.9	3.2	5.5	10.0	19.0	34.1	50.6

Worktable Orig12. Death rates for 358 selected causes, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2006

[Rates per 100,000 population in specified group. Rates are based on populations enumerated as of April 1 for 2000 and estimated as of July 1 for all other years. Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to 'Detailed technical notes to the United States 2006 data-mortality']

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, and sex	All ages 1/	Under 1 year 2/	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
Other pulmonary heart disease and diseases of pulmonary circulation (I27-I28)												
All origins 3/, both sexes												
2006.....	1.8	1.9	0.1	*	0.1	0.2	0.5	1.2	2.3	5.3	11.6	23.6
2005.....	1.8	2.3	0.1	*	0.1	0.3	0.5	1.1	2.3	5.6	10.7	21.6
2004.....	1.7	3.7	0.1	*	0.1	0.2	0.5	1.1	2.1	5.3	10.4	21.4
2003.....	1.8	3.2	0.1	0.1	0.1	0.3	0.6	1.0	2.3	5.6	11.6	22.6
2002.....	1.8	4.6	0.2	0.1	0.1	0.3	0.5	1.1	2.4	5.5	11.3	20.9
2001.....	1.6	4.2	0.1	0.1	0.1	0.3	0.6	1.1	2.2	5.1	10.1	19.6
2000.....	1.6	4.7	0.2	0.1	0.1	0.3	0.6	1.1	2.2	5.2	9.9	19.0
1999.....	1.5	5.7	*	0.1	0.2	0.3	0.6	1.0	2.0	4.6	8.9	17.5
All origins 3/, male												
2006.....	1.3	2.0	*	*	0.1	0.2	0.4	1.0	1.7	4.4	9.0	18.8
2005.....	1.2	2.5	*	*	0.1	0.1	0.3	0.8	1.8	4.9	9.2	17.5
2004.....	1.2	4.0	*	*	0.2	0.5	1.0	1.8	4.1	8.4	17.7	17.7
2003.....	1.3	3.6	*	*	0.2	0.5	0.9	1.8	4.8	10.3	20.3	20.3
2002.....	1.3	4.7	*	*	0.2	0.4	0.9	1.9	4.7	10.3	18.0	18.0
2001.....	1.2	3.9	*	*	0.1	0.2	0.4	0.9	2.0	4.5	8.9	17.6
2000.....	1.2	4.9	*	*	0.2	0.5	0.9	1.8	4.4	9.0	17.3	17.3
1999.....	1.2	5.9	*	*	0.1	0.2	0.5	0.8	1.7	4.2	8.7	18.4
All origins 3/, female												
2006.....	2.4	1.8	*	*	0.1	0.3	0.6	1.4	2.8	6.0	13.3	25.9
2005.....	2.3	2.1	*	*	0.1	0.4	0.7	1.4	2.8	6.2	11.7	23.5
2004.....	2.2	3.5	*	*	0.2	0.3	0.6	1.1	2.4	6.3	11.8	23.1
2003.....	2.3	2.8	*	*	0.2	0.4	0.8	1.2	2.8	6.4	12.4	23.6
2002.....	2.2	4.4	*	*	0.1	0.3	0.6	1.3	2.8	6.1	12.0	22.1
2001.....	2.0	4.5	*	*	0.1	0.4	0.7	1.3	2.5	5.5	11.0	20.5
2000.....	2.1	4.5	*	*	0.2	0.4	0.7	1.4	2.5	5.8	10.6	19.7
1999.....	1.8	5.5	*	*	0.2	0.4	0.7	1.2	2.2	5.0	9.0	17.2
Hispanic, both sexes												
2006.....	0.6	*	*	*	*	0.4	1.0	1.3	3.3	6.5	10.6	10.6
2005.....	0.6	*	*	*	*	0.4	0.3	0.8	1.6	3.3	4.4	9.4
2004.....	0.6	2.2	*	*	*	0.5	1.2	1.2	3.4	4.4	4.4	11.4
2003.....	0.6	*	*	*	*	0.3	0.5	0.6	1.6	2.9	7.2	10.9
2002.....	0.6	3.0	*	*	*	0.5	0.9	1.4	2.9	7.0	7.0	10.9
2001.....	0.6	3.7	*	*	0.4	0.4	0.8	1.4	2.5	5.4	5.4	10.9
2000.....	0.7	3.9	*	*	0.3	0.7	1.0	1.3	2.5	6.7	6.7	13.3
1999.....	0.6	5.3	*	*	*	0.7	*	*	2.1	6.0	6.0	13.3
Hispanic, male												
2006.....	0.4	*	*	*	*	*	*	*	*	*	*	*
2005.....	0.4	*	*	*	*	*	*	*	*	*	*	*
2004.....	0.4	*	*	*	*	*	1.1	*	*	*	*	*
2003.....	0.3	*	*	*	*	*	*	*	*	*	*	*
2002.....	0.4	*	*	*	*	*	*	*	*	*	*	*
2001.....	0.5	*	*	*	*	*	*	*	*	*	*	*
2000.....	0.4	*	*	*	*	*	*	*	*	*	*	*
1999.....	0.5	5.2	*	*	*	*	*	*	*	*	*	*
Hispanic, female												
2006.....	0.8	*	*	*	*	*	1.2	1.6	3.6	7.3	13.2	13.2
2005.....	0.8	*	*	*	*	*	1.0	1.7	3.6	5.3	5.3	13.2
2004.....	0.7	*	*	*	*	*	1.3	*	4.3	4.9	4.9	13.2
2003.....	0.9	*	*	*	*	0.6	*	2.2	4.4	9.0	9.0	13.2
2002.....	0.8	*	*	*	*	*	1.3	*	3.0	8.2	8.2	13.2
2001.....	0.8	*	*	*	*	*	*	*	6.0	6.0	6.0	13.2
2000.....	0.9	*	*	*	*	*	1.0	*	3.3	7.9	7.9	13.2
1999.....	0.8	5.4	*	*	*	*	0.9	*	*	*	*	13.2

Worktable Orig12. Death rates for 358 selected causes, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2006

[Rates per 100,000 population in specified group. Rates are based on populations enumerated as of April 1 for 2000 and estimated as of July 1 for all other years. Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to 'Detailed technical notes to the United States 2006 data-mortality']

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, and sex	All ages 1/	Under 1 year 2/	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
Other pulmonary heart disease and diseases of pulmonary circulation (I27-I28)												
Non-Hispanic 4/, both sexes												
2006.....	2.0	2.1	*	*	0.1	0.3	0.5	1.2	2.4	5.5	11.9	24.3
2005.....	2.0	2.4	*	*	0.1	0.2	0.5	1.1	2.4	5.8	11.0	22.2
2004.....	1.9	4.1	*	*	0.1	0.3	0.5	1.1	2.2	5.4	10.7	21.9
2003.....	2.0	3.7	*	0.1	0.1	0.3	0.6	1.1	2.4	5.8	11.8	23.0
2002.....	1.9	4.9	0.2	0.1	0.1	0.3	0.5	1.1	2.4	5.6	11.5	21.3
2001.....	1.8	4.3	*	0.1	0.1	0.3	0.6	1.1	2.3	5.2	10.3	20.0
2000.....	1.8	4.9	0.2	*	0.1	0.3	0.6	1.2	2.2	5.3	10.1	19.1
1999.....	1.6	5.8	*	0.1	0.2	0.3	0.6	1.1	2.1	4.8	9.0	17.8
Non-Hispanic 4/, male												
2006.....	1.4	2.1	*	*	0.1	0.2	0.4	1.0	1.8	4.5	9.2	19.4
2005.....	1.4	2.4	*	*	0.1	0.1	0.4	0.9	1.9	5.1	9.5	17.9
2004.....	1.3	4.5	*	*	0.1	0.1	0.4	1.0	1.9	4.2	8.6	18.2
2003.....	1.5	4.3	*	*	0.2	0.5	0.9	1.8	5.0	10.6	20.9	
2002.....	1.5	5.3	*	*	0.2	0.4	0.9	2.0	4.8	10.5	18.6	
2001.....	1.4	4.0	*	*	0.1	0.2	0.4	0.9	2.0	4.7	9.0	17.6
2000.....	1.3	5.2	*	*	0.2	0.5	0.9	1.9	4.5	9.1	17.7	
1999.....	1.3	6.0	*	*	0.2	0.5	0.9	1.8	4.3	8.8	18.7	
Non-Hispanic 4/, female												
2006.....	2.6	2.1	*	*	0.3	0.6	1.4	2.9	6.2	13.7	26.5	
2005.....	2.5	2.3	*	*	0.3	0.7	1.4	2.9	6.4	12.1	24.1	
2004.....	2.4	3.7	*	*	0.2	0.4	0.6	1.1	2.5	6.4	12.1	23.5
2003.....	2.5	3.0	*	*	0.2	0.4	0.8	1.2	2.9	6.5	12.6	23.9
2002.....	2.4	4.5	*	*	0.1	0.4	0.6	1.3	2.8	6.3	12.2	22.5
2001.....	2.2	4.5	*	*	0.1	0.4	0.7	1.3	2.5	5.6	11.2	21.0
2000.....	2.2	4.6	*	*	0.2	0.4	0.7	1.4	2.6	6.0	10.7	19.7
1999.....	2.0	5.5	*	*	0.2	0.4	0.7	1.2	2.3	5.2	9.2	17.4
Non-Hispanic white, both sexes												
2006 5/.....	2.1	1.3	*	*	0.1	0.2	0.4	1.0	2.1	5.1	11.9	24.9
2005 5/.....	2.0	1.9	*	*	0.1	0.2	0.4	1.0	2.1	5.6	11.1	22.1
2004 5/.....	1.9	3.5	*	*	0.1	0.2	0.5	0.9	1.9	5.2	10.4	22.4
2003 5/.....	2.1	2.8	*	*	0.1	0.2	0.5	1.0	2.1	5.4	11.7	23.5
2002.....	2.0	4.1	*	*	0.2	0.4	1.0	2.2	5.4	11.4	21.8	
2001.....	1.8	3.5	*	*	0.1	0.2	0.5	1.0	2.0	4.9	10.2	20.1
2000.....	1.8	4.0	*	*	0.1	0.2	0.5	1.0	2.1	5.1	10.1	19.1
1999.....	1.6	4.9	*	0.1	0.2	0.2	0.5	0.9	1.8	4.5	8.8	17.8
Non-Hispanic white, male												
2006 5/.....	1.5	*	*	*	*	0.3	0.9	1.6	4.4	9.3	19.8	
2005 5/.....	1.5	1.9	*	*	*	0.3	0.8	1.7	5.0	9.8	17.5	
2004 5/.....	1.4	3.8	*	*	*	0.4	0.9	1.7	4.2	8.4	18.6	
2003 5/.....	1.6	3.6	*	*	*	0.4	0.9	1.7	4.8	10.8	21.4	
2002.....	1.5	4.5	*	*	*	0.2	0.3	0.9	1.9	4.7	10.4	19.3
2001.....	1.4	3.3	*	*	0.2	0.4	0.8	1.9	4.4	8.9	17.5	
2000.....	1.4	4.4	*	*	*	0.4	0.8	1.8	4.5	9.3	17.5	
1999.....	1.3	5.5	*	*	0.2	0.4	0.8	1.6	4.1	8.8	19.3	
Non-Hispanic white, female												
2006 5/.....	2.7	*	*	*	*	0.2	0.5	1.1	2.6	5.7	13.7	27.2
2005 5/.....	2.6	1.9	*	*	*	0.2	0.6	1.2	2.4	6.1	12.0	24.2
2004 5/.....	2.5	3.2	*	*	0.2	0.5	1.0	2.1	6.0	11.8	24.2	
2003 5/.....	2.6	2.1	*	*	0.2	0.4	0.6	1.0	2.5	6.0	12.3	24.4
2002.....	2.5	3.6	*	*	0.2	0.5	1.1	2.5	6.0	12.1	22.9	
2001.....	2.3	3.6	*	*	0.3	0.6	1.1	2.1	5.3	11.0	21.2	
2000.....	2.2	3.6	*	*	0.3	0.5	1.2	2.3	5.7	10.6	19.8	
1999.....	1.9	4.4	*	*	0.2	0.3	0.5	1.0	1.9	4.8	8.7	17.2

Worktable Orig12. Death rates for 358 selected causes, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2006

[Rates per 100,000 population in specified group. Rates are based on populations enumerated as of April 1 for 2000 and estimated as of July 1 for all other years. Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.odc.gov/nchs> and refer to 'Detailed technical notes to the United States 2006 data-mortality']

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, and sex	All ages 1/	Under 1 year 2/	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
Other pulmonary heart disease and diseases of pulmonary circulation (I27-I28)												
Non-Hispanic black, both sexes												
2006 5/.....	2.2	5.4	*	*	*	0.7	1.0	2.6	5.3	10.3	14.0	22.0
2005 5/.....	2.2	4.4	*	*	*	0.6	1.1	2.6	5.5	8.7	13.4	26.2
2004 5/.....	2.1	6.0	*	*	0.3	0.8	1.2	2.1	4.8	9.1	16.0	19.3
2003 5/.....	2.2	6.2	*	*	*	0.5	1.4	2.2	4.9	10.6	14.8	21.4
2002.....	2.2	8.5	*	*	*	0.9	1.3	2.3	5.0	9.5	15.7	19.7
2001.....	2.1	7.0	*	*	*	0.6	1.1	2.2	4.9	9.4	13.7	22.2
2000.....	1.9	7.8	*	*	*	0.9	1.2	2.3	4.0	8.3	12.0	20.4
1999.....	2.0	9.8	*	*	*	0.6	1.5	2.2	4.6	8.3	13.1	18.8
Non-Hispanic black, male												
2006 5/.....	1.5	*	*	*	*	*	0.8	1.8	3.7	7.8	8.9	18.3
2005 5/.....	1.4	*	*	*	*	*	*	1.7	3.7	6.7	10.1	24.7
2004 5/.....	1.5	6.8	*	*	*	0.9	1.9	3.7	6.0	12.8	*	*
2003 5/.....	1.6	7.1	*	*	*	1.3	1.9	3.4	9.0	10.1	*	*
2002.....	1.5	9.4	*	*	*	1.1	1.3	3.2	7.9	14.1	*	*
2001.....	1.5	7.3	*	*	*	0.8	1.7	3.7	8.5	11.4	23.1	*
2000.....	1.3	7.5	*	*	*	0.8	1.2	2.8	6.7	9.9	*	*
1999.....	1.4	9.4	*	*	*	1.2	1.5	3.4	6.9	9.7	*	*
Non-Hispanic black, female												
2006 5/.....	2.9	*	*	*	*	0.8	1.2	3.2	6.6	12.0	16.9	23.5
2005 5/.....	2.8	*	*	*	*	0.7	1.5	3.3	7.0	10.1	15.3	26.8
2004 5/.....	2.7	*	*	*	*	1.1	1.5	2.4	5.6	11.3	17.7	19.7
2003 5/.....	2.7	*	*	*	*	*	1.6	2.4	6.1	11.7	17.4	22.3
2002.....	2.9	7.6	*	*	*	1.2	1.5	3.2	6.5	10.6	16.6	21.7
2001.....	2.6	6.7	*	*	*	0.9	1.5	2.6	5.9	10.1	15.0	21.8
2000.....	2.5	8.1	*	*	*	1.0	1.7	3.2	4.9	9.5	13.2	20.1
1999.....	2.5	10.4	*	*	*	0.8	1.7	2.8	5.5	9.3	15.1	21.8

Worktable Orig12. Death rates for 358 selected causes, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2006

[Rates per 100,000 population in specified group. Rates are based on populations enumerated as of April 1 for 2000 and estimated as of July 1 for all other years. Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to 'Detailed technical notes to the United States 2006 data-mortality']

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, and sex	All ages 1/	Under 1 year 2/	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
Other non-pulmonary forms of heart disease (I30-I51)												
All origins 3/, both sexes												
2006.....	52.7	5.8	0.8	0.5	1.8	3.9	8.0	18.2	38.9	100.8	335.5	1,292.5
2005.....	53.0	5.9	0.8	0.5	1.9	3.8	8.1	18.3	39.4	102.8	339.1	1,323.0
2004.....	52.2	6.2	0.9	0.5	1.7	3.5	8.1	18.2	39.4	105.2	341.4	1,319.1
2003.....	53.6	7.1	0.9	0.5	1.8	3.7	8.4	18.0	41.5	112.4	352.4	1,369.2
2002.....	54.0	7.1	0.8	0.5	1.8	3.7	8.6	18.4	41.8	114.6	361.1	1,387.2
2001.....	53.9	6.9	1.3	0.5	1.7	3.5	8.2	18.3	42.6	116.8	361.0	1,418.1
2000.....	54.1	7.1	0.9	0.5	1.8	3.5	8.1	18.0	44.2	119.7	362.9	1,452.0
1999.....	54.7	7.2	1.0	0.5	1.9	3.6	8.5	18.2	46.2	124.0	368.5	1,453.4
All origins 3/, male												
2006.....	47.7	6.0	0.9	0.6	2.3	5.3	10.3	24.4	51.1	125.0	388.3	1,295.0
2005.....	47.8	6.3	0.8	0.5	2.6	5.2	10.8	24.6	51.6	127.0	389.4	1,330.0
2004.....	47.1	6.4	1.0	0.5	2.4	4.7	10.6	24.5	51.8	130.3	395.6	1,329.4
2003.....	48.3	7.7	0.8	0.6	2.4	4.7	11.1	24.0	54.4	140.0	410.2	1,376.9
2002.....	48.6	7.3	0.9	0.5	2.5	5.0	11.4	25.1	54.3	142.4	420.4	1,396.5
2001.....	48.0	6.9	1.3	0.5	2.2	4.5	10.9	24.6	55.3	144.2	424.1	1,417.8
2000.....	48.5	7.1	1.0	0.6	2.4	4.5	10.8	24.5	58.3	150.2	422.7	1,494.4
1999.....	49.1	7.3	1.1	0.6	2.4	4.6	11.4	24.7	60.8	157.6	430.5	1,488.5
All origins 3/, female												
2006.....	57.6	5.6	0.7	0.4	1.2	2.5	5.6	12.2	27.5	80.3	299.4	1,291.3
2005.....	58.1	5.5	0.7	0.5	1.1	2.3	5.5	12.1	28.1	82.5	305.0	1,319.8
2004.....	57.1	5.9	0.9	0.5	1.1	2.3	5.5	12.2	27.9	84.1	304.9	1,314.4
2003.....	58.8	6.4	1.0	0.4	1.3	2.6	5.7	12.3	29.4	89.2	313.7	1,365.8
2002.....	59.3	6.9	0.8	0.4	1.1	2.4	5.9	11.9	30.2	91.6	321.7	1,383.1
2001.....	59.7	7.0	1.2	0.6	1.1	2.4	5.5	12.2	30.9	94.1	319.5	1,418.2
2000.....	59.6	7.2	0.7	0.4	1.3	2.5	5.5	11.7	31.3	94.7	323.9	1,434.8
1999.....	60.0	7.1	0.9	0.5	1.3	2.5	5.7	12.0	32.8	96.6	328.2	1,439.2
Hispanic, both sexes												
2006.....	12.5	4.9	0.6	0.4	1.2	2.5	4.1	10.1	21.3	61.0	184.2	640.9
2005.....	12.8	5.5	0.6	0.3	1.3	2.2	4.4	9.3	22.1	63.7	198.5	679.4
2004.....	12.0	6.3	0.9	0.3	1.4	2.0	4.4	9.5	21.9	63.5	196.1	627.4
2003.....	12.9	6.9	0.9	0.3	1.2	2.3	4.3	10.0	25.3	71.4	205.3	720.3
2002.....	12.0	6.6	0.7	0.3	1.3	2.2	4.2	9.6	22.5	65.1	203.0	709.5
2001.....	12.0	5.5	0.9	0.4	1.1	2.1	4.0	9.4	24.4	68.5	202.9	765.9
2000.....	12.3	6.0	0.8	0.5	1.5	2.3	4.4	9.6	25.8	69.7	212.5	801.6
1999.....	12.5	6.7	1.0	0.4	1.3	2.3	5.2	10.1	27.2	71.5	213.3	790.7
Hispanic, male												
2006.....	12.6	5.2	*	0.5	1.8	3.6	5.6	13.6	28.2	77.0	220.7	642.8
2005.....	12.8	5.2	*	*	1.8	3.4	6.5	13.4	29.1	80.4	235.5	677.4
2004.....	12.1	6.5	1.1	*	2.0	3.0	6.2	13.8	29.0	77.8	232.8	617.8
2003.....	12.8	7.9	*	*	1.8	3.1	6.2	13.7	33.9	90.8	238.5	731.2
2002.....	12.0	6.8	+	+	1.9	3.1	5.8	12.7	28.9	83.9	245.0	737.9
2001.....	11.6	6.2	*	*	1.4	2.9	5.7	13.5	31.2	83.9	233.4	731.4
2000.....	12.2	5.6	*	0.7	2.0	3.2	5.9	13.1	34.7	88.4	238.5	872.7
1999.....	12.7	5.2	*	*	1.4	3.5	7.4	14.2	35.5	95.6	252.4	847.6
Hispanic, female												
2006.....	12.5	4.6	*	*	0.6	1.0	2.3	6.6	15.0	48.0	158.7	639.9
2005.....	12.7	5.7	*	*	0.8	0.8	2.0	5.2	15.7	50.1	172.8	680.4
2004.....	11.9	6.1	*	*	0.7	0.7	2.3	5.2	15.5	51.9	170.7	632.4
2003.....	13.0	5.9	*	*	0.6	1.4	2.3	6.3	19.4	56.9	182.5	714.8
2002.....	12.0	6.4	*	*	0.6	1.1	2.4	6.6	16.8	50.2	174.3	695.5
2001.....	12.4	*	+	+	0.6	1.1	2.2	5.4	18.4	56.4	182.2	782.8
2000.....	12.5	6.4	*	*	0.9	1.3	2.9	6.2	18.0	54.9	195.1	766.6
1999.....	12.3	6.4	*	*	1.0	0.9	2.9	6.0	19.9	52.7	187.3	763.2

Worktable Orig12. Death rates for 358 selected causes, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2006

[Rates per 100,000 population in specified group. Rates are based on populations enumerated as of April 1 for 2000 and estimated as of July 1 for all other years. Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to 'Detailed technical notes to the United States 2006 data-mortality']

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, and sex	All ages 1/	Under 1 year 2/	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
Other non-pulmonary forms of heart disease (I30-I51)												
Non-Hispanic 4/, both sexes												
2006.....	59.6	6.0	0.8	0.5	1.9	4.3	8.6	19.1	40.3	103.7	344.4	1,324.0
2005.....	59.7	6.1	0.8	0.6	2.0	4.2	8.8	19.2	40.8	105.6	347.0	1,352.7
2004.....	58.6	6.1	0.9	0.5	1.8	3.9	8.6	19.1	40.7	108.1	349.0	1,348.6
2003.....	60.0	7.1	0.9	0.5	2.0	4.0	9.0	18.8	42.5	115.0	359.4	1,394.6
2002.....	60.4	7.2	0.9	0.5	1.9	4.0	9.2	19.2	43.2	117.8	368.0	1,411.9
2001.....	60.0	7.2	1.3	0.6	1.8	3.8	8.7	19.0	43.9	119.7	367.5	1,439.5
2000.....	60.0	7.4	0.9	0.5	1.9	3.7	8.5	18.7	45.5	122.5	368.6	1,472.5
1999.....	60.4	7.3	1.0	0.5	2.0	3.8	8.9	18.9	47.4	126.8	374.0	1,473.7
Non-Hispanic 4/, male												
2006.....	54.1	6.2	0.9	0.6	2.4	5.8	11.2	25.6	53.0	128.3	398.2	1,329.6
2005.....	53.9	6.6	0.8	0.6	2.8	5.7	11.6	25.8	53.3	130.1	398.0	1,363.4
2004.....	53.0	6.3	0.9	0.5	2.4	5.1	11.3	25.6	53.5	133.8	404.2	1,363.0
2003.....	54.1	7.7	0.8	0.7	2.5	5.1	11.8	24.9	55.8	143.1	418.3	1,404.6
2002.....	54.5	7.4	0.9	0.6	2.6	5.4	12.1	26.2	56.2	145.9	428.2	1,423.8
2001.....	53.6	7.0	1.5	0.5	2.3	4.9	11.6	25.5	56.9	147.6	432.3	1,443.2
2000.....	53.8	7.4	1.0	0.6	2.4	4.8	11.4	25.5	59.8	153.5	430.0	1,517.3
1999.....	54.3	7.8	1.1	0.6	2.6	4.8	11.8	25.5	62.3	160.7	436.8	1,510.4
Non-Hispanic 4/, female												
2006.....	64.9	5.8	0.8	0.5	1.4	2.8	6.1	12.8	28.5	82.7	307.7	1,321.3
2005.....	65.2	5.5	0.8	0.6	1.2	2.7	6.0	12.8	29.1	84.9	312.4	1,347.7
2004.....	64.0	5.8	1.0	0.5	1.2	2.7	6.0	12.9	28.9	86.4	311.9	1,342.2
2003.....	65.6	6.6	1.0	0.4	1.4	2.8	6.2	12.9	30.2	91.4	320.0	1,390.2
2002.....	66.0	7.0	0.8	0.4	1.1	2.7	6.4	12.4	31.2	94.3	328.1	1,406.8
2001.....	66.2	7.5	1.2	0.6	1.2	2.7	6.0	12.8	31.9	96.4	324.9	1,438.0
2000.....	65.9	7.4	0.8	0.4	1.3	2.7	5.8	12.1	32.2	97.0	328.6	1,454.4
1999.....	66.1	6.7	0.9	0.5	1.4	2.8	6.0	12.5	33.6	99.0	333.2	1,459.0
Non-Hispanic white, both sexes												
2006 5/.....	65.6	4.4	0.7	0.5	1.6	3.4	7.2	16.1	36.1	98.7	346.4	1,370.2
2005 5/.....	65.3	4.5	0.6	0.4	1.6	3.3	7.3	16.1	36.0	100.2	348.4	1,397.2
2004 5/.....	64.1	5.1	0.7	0.4	1.5	3.1	7.1	15.9	36.4	103.4	349.9	1,385.7
2003 5/.....	65.5	5.2	0.7	0.5	1.6	3.1	7.5	15.6	37.9	109.3	360.6	1,431.2
2002.....	65.9	5.9	0.8	0.4	1.5	3.1	7.7	15.9	38.7	112.9	368.4	1,446.0
2001.....	65.2	5.6	1.0	0.5	1.4	3.0	7.0	15.9	39.3	114.4	366.4	1,475.6
2000.....	65.1	6.5	0.7	0.4	1.4	2.9	6.9	15.5	40.8	116.8	367.6	1,506.8
1999.....	65.2	5.6	0.8	0.4	1.6	3.0	7.2	15.7	42.1	121.0	371.7	1,506.0
Non-Hispanic white, male												
2006 5/.....	58.3	4.5	0.7	0.5	2.1	4.6	9.3	21.7	47.5	121.9	400.7	1,376.3
2005 5/.....	57.9	4.7	0.6	0.5	2.3	4.5	9.8	22.1	47.4	122.9	400.3	1,414.4
2004 5/.....	56.8	5.3	0.6	0.4	2.1	4.0	9.6	21.7	48.0	128.4	404.3	1,396.0
2003 5/.....	58.0	5.1	0.6	0.6	2.0	4.1	10.1	21.1	50.1	136.6	420.0	1,443.7
2002.....	58.3	6.1	0.9	0.5	2.2	4.1	10.4	22.2	50.7	140.0	429.2	1,459.5
2001.....	57.1	6.1	1.1	0.5	1.8	3.8	9.6	21.9	51.3	141.5	429.8	1,476.9
2000.....	57.3	6.5	0.9	0.5	1.8	3.8	9.4	21.5	54.3	146.9	429.2	1,551.9
1999.....	57.4	6.1	0.9	0.5	2.1	3.9	9.7	21.6	55.7	154.0	434.3	1,534.6
Non-Hispanic white, female												
2006 5/.....	72.7	4.3	0.7	0.4	1.1	2.2	5.2	10.6	25.3	78.6	308.7	1,367.4
2005 5/.....	72.5	4.3	0.5	0.4	0.9	2.0	4.8	10.1	25.3	80.5	312.7	1,389.4
2004 5/.....	71.2	5.0	0.7	0.4	1.0	2.1	4.7	10.2	25.3	81.9	312.9	1,381.1
2003 5/.....	72.6	5.4	0.8	0.3	1.2	2.0	4.9	10.3	26.3	86.0	320.5	1,425.7
2002.....	73.1	5.7	0.6	0.4	0.9	2.1	5.0	9.7	27.3	89.8	327.6	1,440.1
2001.....	73.1	5.0	0.9	0.5	1.0	2.1	4.4	10.0	27.9	91.4	324.3	1,475.0
2000.....	72.6	6.4	0.6	0.3	1.0	2.1	4.5	9.6	28.1	91.5	327.1	1,488.7
1999.....	72.7	4.9	0.7	0.4	1.1	2.2	4.6	9.9	29.4	93.5	330.7	1,494.6

Worktable Orig12. Death rates for 358 selected causes, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2006

[Rates per 100,000 population in specified group. Rates are based on populations enumerated as of April 1 for 2000 and estimated as of July 1 for all other years. Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.odc.gov/nchs> and refer to 'Detailed technical notes to the United States 2006 data-mortality']

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, and sex	All ages 1/	Under 1 year 2/	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
Other non-pulmonary forms of heart disease (I30-I51)												
Non-Hispanic black, both sexes												
2006 5/.....	46.6	11.5	1.3	0.8	3.4	9.7	18.5	42.4	83.0	169.7	406.4	1,056.2
2005 5/.....	47.5	11.1	1.6	1.1	3.8	9.4	19.1	43.7	87.4	176.3	411.8	1,085.2
2004 5/.....	46.9	9.2	2.1	1.0	3.2	8.4	19.0	44.6	86.7	174.2	412.8	1,135.7
2003 5/.....	48.1	13.3	1.7	0.9	3.8	9.3	19.7	44.3	90.8	189.9	412.7	1,180.1
2002.....	48.2	12.4	1.2	0.8	3.6	9.3	19.8	45.7	90.1	184.8	428.2	1,215.9
2001.....	48.7	14.2	2.8	0.9	3.7	8.8	20.6	45.3	91.9	189.9	443.8	1,214.9
2000.....	48.7	11.4	1.6	1.0	4.2	8.6	19.6	45.3	92.2	198.5	441.4	1,241.8
1999.....	49.8	13.2	1.9	1.0	4.0	8.7	21.2	46.1	100.3	203.7	450.2	1,241.9
Non-Hispanic black, male												
2006 5/.....	47.8	12.3	*	0.9	4.0	12.9	24.7	58.0	112.8	221.1	481.1	1,065.6
2005 5/.....	47.8	13.4	*	1.0	5.3	12.9	25.1	57.8	116.6	228.4	477.1	1,038.1
2004 5/.....	47.5	9.6	2.3	0.9	4.3	11.0	24.2	59.3	117.0	220.9	500.0	1,180.7
2003 5/.....	48.0	16.1	1.8	1.0	5.1	11.4	25.4	58.0	121.7	240.7	487.4	1,161.3
2002.....	47.9	12.4	*	0.9	4.7	12.7	25.2	61.7	118.4	236.0	500.3	1,191.3
2001.....	48.6	11.5	3.1	0.8	4.9	11.8	25.9	58.4	121.1	237.3	548.8	1,268.2
2000.....	48.5	11.3	*	1.1	5.3	11.0	25.3	61.7	120.7	248.2	521.7	1,322.1
1999.....	50.9	13.5	2.1	1.1	5.4	11.4	27.6	62.4	135.1	260.5	534.1	1,395.3
Non-Hispanic black, female												
2006 5/.....	45.6	10.6	*	0.8	2.7	6.7	13.0	29.0	59.1	133.0	364.0	1,052.3
2005 5/.....	47.3	8.8	1.9	1.1	2.2	6.1	13.8	31.5	63.8	139.1	374.8	1,104.2
2004 5/.....	46.3	8.7	2.0	1.1	2.0	6.1	14.4	31.9	62.3	140.9	363.6	1,118.0
2003 5/.....	48.2	10.3	*	0.8	2.5	7.4	14.7	32.4	65.9	153.8	370.6	1,187.3
2002.....	48.5	12.3	*	0.7	2.4	6.2	15.0	31.9	67.4	148.4	387.5	1,225.3
2001.....	48.8	17.1	2.4	0.9	2.6	6.1	15.8	34.0	68.5	156.5	384.8	1,195.1
2000.....	48.8	11.6	*	0.9	3.0	6.5	14.5	31.2	69.3	163.5	396.1	1,211.9
1999.....	48.9	12.9	*	0.9	2.7	6.2	15.5	32.3	72.4	163.7	403.2	1,184.6

Worktable Orig12. Death rates for 358 selected causes, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2006

[Rates per 100,000 population in specified group. Rates are based on populations enumerated as of April 1 for 2000 and estimated as of July 1 for all other years. Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to 'Detailed technical notes to the United States 2006 data-mortality']

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, and sex	All ages 1/	Under 1 year 2/	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
Acute and subacute endocarditis (I33)												
Non-Hispanic 4/, both sexes												
2006.....	0.4	*	*	*	*	0.1	0.2	0.5	0.8	1.2	2.5	2.1
2005.....	0.4	*	*	*	*	0.1	0.2	0.4	0.6	1.3	2.5	3.1
2004.....	0.4	*	*	*	*	0.1	0.2	0.5	0.5	1.3	2.5	3.2
2003.....	0.5	*	*	*	*	0.1	0.3	0.4	0.8	1.3	2.5	3.0
2002.....	0.4	*	*	*	*	0.1	0.2	0.4	0.6	1.3	2.4	2.7
2001.....	0.5	*	*	*	*	0.1	0.3	0.5	0.6	1.4	2.5	2.6
2000.....	0.4	*	*	*	*	0.1	0.3	0.5	0.7	1.2	2.5	2.9
1999.....	0.4	*	*	*	*	0.1	0.3	0.4	0.7	1.3	2.4	2.9
Non-Hispanic 4/, male												
2006.....	0.5	*	*	*	*	*	0.2	0.7	1.0	1.4	2.8	2.3
2005.....	0.5	*	*	*	*	*	0.2	0.6	0.8	1.4	3.3	5.3
2004.....	0.5	*	*	*	*	*	0.2	0.6	0.7	1.4	3.1	4.8
2003.....	0.5	*	*	*	*	*	0.3	0.6	0.9	1.4	3.3	4.1
2002.....	0.5	*	*	*	*	0.2	0.3	0.6	0.7	1.6	3.0	3.6
2001.....	0.5	*	*	*	*	*	0.3	0.7	0.8	1.6	3.6	3.9
2000.....	0.5	*	*	*	*	0.1	0.3	0.6	0.8	1.4	3.6	4.2
1999.....	0.5	*	*	*	*	*	0.3	0.6	0.9	1.4	3.2	4.7
Non-Hispanic 4/, female												
2006.....	0.4	*	*	*	*	*	0.2	0.3	0.6	1.0	2.2	2.1
2005.....	0.4	*	*	*	*	*	0.1	0.3	0.5	1.1	2.0	2.2
2004.....	0.4	*	*	*	*	*	0.1	0.3	0.4	1.2	2.0	2.6
2003.....	0.4	*	*	*	*	*	0.2	0.3	0.6	1.1	1.9	2.5
2002.....	0.4	*	*	*	*	*	0.2	0.3	0.6	1.1	2.0	2.3
2001.....	0.4	*	*	*	*	*	0.3	0.3	0.5	1.2	1.8	2.0
2000.....	0.4	*	*	*	*	*	0.2	0.3	0.6	1.0	1.8	2.3
1999.....	0.4	*	*	*	*	*	0.2	0.2	0.5	1.2	1.8	2.2
Non-Hispanic white, both sexes												
2006 5/.....	0.4	*	*	*	*	*	0.2	0.4	0.6	1.2	2.4	2.1
2005 5/.....	0.4	*	*	*	*	*	0.1	0.3	0.5	1.2	2.5	3.2
2004 5/.....	0.4	*	*	*	*	*	0.2	0.3	0.6	1.2	2.4	3.3
2003 5/.....	0.5	*	*	*	*	0.1	0.2	0.3	0.6	1.2	2.5	3.2
2002.....	0.4	*	*	*	*	0.1	0.2	0.3	0.5	1.2	2.5	2.7
2001.....	0.4	*	*	*	*	*	0.2	0.4	0.5	1.2	2.5	2.7
2000.....	0.4	*	*	*	*	0.1	0.2	0.4	0.6	1.1	2.4	2.8
1999.....	0.4	*	*	*	*	*	0.2	0.3	0.6	1.2	2.4	3.0
Non-Hispanic white, male												
2006 5/.....	0.5	*	*	*	*	*	0.2	0.5	0.8	1.4	2.7	2.5
2005 5/.....	0.5	*	*	*	*	*	0.2	0.4	0.6	1.4	3.4	5.6
2004 5/.....	0.5	*	*	*	*	*	0.2	0.4	0.6	1.4	3.1	4.9
2003 5/.....	0.5	*	*	*	*	*	0.3	0.4	0.8	1.3	3.4	4.5
2002.....	0.5	*	*	*	*	0.2	0.3	0.5	0.6	1.5	3.2	3.7
2001.....	0.5	*	*	*	*	*	0.2	0.5	0.7	1.4	3.6	4.0
2000.....	0.5	*	*	*	*	*	0.3	0.5	0.8	1.3	3.6	4.3
1999.....	0.5	*	*	*	*	*	0.2	0.4	0.7	1.3	3.3	5.1
Non-Hispanic white, female												
2006 5/.....	0.4	*	*	*	*	*	0.2	0.3	0.4	1.0	2.2	1.9
2005 5/.....	0.4	*	*	*	*	*	*	0.2	0.4	1.1	1.9	2.1
2004 5/.....	0.4	*	*	*	*	*	*	0.2	0.4	1.1	1.9	2.5
2003 5/.....	0.4	*	*	*	*	*	0.2	0.2	0.5	1.0	1.9	2.7
2002.....	0.4	*	*	*	*	*	0.1	0.2	0.5	1.0	2.0	2.3
2001.....	0.4	*	*	*	*	*	0.2	0.2	0.4	1.1	1.7	2.1
2000.....	0.4	*	*	*	*	*	0.1	0.2	0.4	1.0	1.7	2.2
1999.....	0.3	*	*	*	*	*	0.1	0.2	0.4	1.1	1.8	2.2

Worktable Orig12. Death rates for 358 selected causes, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2006

[Rates per 100,000 population in specified group. Rates are based on populations enumerated as of April 1 for 2000 and estimated as of July 1 for all other years. Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to 'Detailed technical notes to the United States 2006 data-mortality']

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, and sex	All ages 1/	Under 1 year 2/	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
Acute and subacute endocarditis (I33)												
Non-Hispanic black, both sexes												
2006 5/.....	0.6	*	*	*	*	*	0.4	1.1	2.0	1.7	3.5	*
2005 5/.....	0.6	*	*	*	*	*	0.5	1.1	2.0	1.8	3.7	*
2004 5/.....	0.5	*	*	*	*	*	*	1.4	1.2	2.1	2.8	*
2003 5/.....	0.6	*	*	*	*	*	0.6	1.3	2.0	2.2	3.0	*
2002.....	0.5	*	*	*	*	*	0.4	1.3	1.6	2.3	*	*
2001.....	0.7	*	*	*	*	*	0.7	1.3	1.7	2.6	4.0	*
2000.....	0.6	*	*	*	*	*	0.6	1.4	1.6	1.9	2.9	*
1999.....	0.6	*	*	*	*	*	0.7	1.2	2.0	2.6	*	*
Non-Hispanic black, male												
2006 5/.....	0.7	*	*	*	*	*	*	1.5	2.7	*	*	*
2005 5/.....	0.7	*	*	*	*	*	*	1.5	2.8	*	*	*
2004 5/.....	0.6	*	*	*	*	*	*	1.9	*	*	*	*
2003 5/.....	0.7	*	*	*	*	*	*	2.0	2.3	*	*	*
2002.....	0.6	*	*	*	*	*	*	1.6	1.9	*	*	*
2001.....	0.8	*	*	*	*	*	0.8	1.9	2.2	3.9	*	*
2000.....	0.7	*	*	*	*	*	0.8	1.8	*	*	*	*
1999.....	0.7	*	*	*	*	*	1.0	1.9	2.5	*	*	*
Non-Hispanic black, female												
2006 5/.....	0.5	*	*	*	*	*	*	*	1.4	*	3.2	*
2005 5/.....	0.5	*	*	*	*	*	*	0.8	1.3	*	4.0	*
2004 5/.....	0.5	*	*	*	*	*	*	1.0	*	*	*	*
2003 5/.....	0.5	*	*	*	*	*	*	*	1.7	2.1	*	*
2002.....	0.5	*	*	*	*	*	*	1.0	*	*	*	*
2001.....	0.5	*	*	*	*	*	0.7	*	*	*	*	*
2000.....	0.6	*	*	*	*	*	*	1.0	1.6	*	*	*
1999.....	0.5	*	*	*	*	*	*	*	1.6	2.9	*	*

Worktable Orig12. Death rates for 358 selected causes, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2006

[Rates per 100,000 population in specified group. Rates are based on populations enumerated as of April 1 for 2000 and estimated as of July 1 for all other years. Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to 'Detailed technical notes to the United States 2006 data-mortality']

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, and sex	All ages 1/	Under 1 year 2/	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
Diseases of pericardium and acute myocarditis (I30-I31,I40)												
Non-Hispanic 4/, both sexes												
2006.....	0.3	*	*	*	0.1	0.1	0.2	0.3	0.4	0.6	1.2	1.8
2005.....	0.3	*	*	*	0.1	0.1	0.2	0.3	0.4	0.7	1.2	1.9
2004.....	0.3	*	*	*	0.1	0.1	0.2	0.3	0.4	0.6	1.2	1.8
2003.....	0.3	0.9	*	0.1	0.1	0.1	0.2	0.3	0.4	0.8	1.2	1.7
2002.....	0.3	0.7	0.2	*	0.1	0.1	0.2	0.3	0.4	0.8	1.3	2.1
2001.....	0.3	0.9	0.2	*	0.1	0.1	0.2	0.3	0.4	0.7	1.2	1.9
2000.....	0.3	*	*	*	0.1	0.1	0.2	0.2	0.3	0.7	1.1	1.8
1999.....	0.3	0.8	0.2	*	0.1	0.1	0.3	0.3	0.6	0.8	1.3	2.1
Non-Hispanic 4/, male												
2006.....	0.3	*	*	*	*	0.1	0.2	0.3	0.5	0.7	1.4	1.8
2005.....	0.3	*	*	*	*	0.1	0.2	0.4	0.4	0.8	1.5	2.0
2004.....	0.3	*	*	*	*	*	0.2	0.3	0.4	0.8	1.3	2.4
2003.....	0.3	*	*	*	0.2	0.2	0.3	0.4	0.4	1.0	1.3	1.6
2002.....	0.3	*	*	*	0.1	0.2	0.2	0.3	0.5	0.9	1.2	2.3
2001.....	0.3	*	*	*	0.1	0.2	0.2	0.3	0.5	0.7	1.2	1.8
2000.....	0.3	*	*	*	0.1	0.2	0.3	0.3	0.4	0.9	1.4	2.1
1999.....	0.3	*	*	*	*	0.2	0.3	0.3	0.6	0.9	1.4	2.6
Non-Hispanic 4/, female												
2006.....	0.3	*	*	*	*	*	0.2	0.2	0.3	0.5	1.1	1.9
2005.....	0.3	*	*	*	*	*	0.2	0.3	0.3	0.6	1.0	1.9
2004.....	0.3	*	*	*	*	*	0.1	0.2	0.3	0.5	1.2	1.6
2003.....	0.3	*	*	*	*	*	0.2	0.2	0.3	0.7	1.1	1.7
2002.....	0.3	*	*	*	*	*	0.1	0.2	0.3	0.7	1.3	2.0
2001.....	0.3	*	*	*	*	*	0.2	0.3	0.3	0.6	1.2	1.9
2000.....	0.3	*	*	*	*	*	0.1	0.2	0.3	0.6	1.0	1.7
1999.....	0.3	*	*	*	*	*	0.2	0.2	0.5	0.7	1.2	1.9
Non-Hispanic white, both sexes												
2006 5/.....	0.3	*	*	*	0.1	0.1	0.2	0.2	0.4	0.6	1.3	1.9
2005 5/.....	0.3	*	*	*	0.1	0.1	0.2	0.3	0.3	0.7	1.1	1.9
2004 5/.....	0.3	*	*	*	*	0.1	0.1	0.2	0.4	0.6	1.2	1.8
2003 5/.....	0.3	*	*	*	0.1	*	0.2	0.2	0.4	0.9	1.2	1.7
2002.....	0.3	*	*	*	0.1	0.1	0.2	0.2	0.4	0.8	1.2	2.1
2001.....	0.3	*	*	*	0.1	0.1	0.2	0.3	0.4	0.7	1.2	1.9
2000.....	0.3	*	*	*	0.1	0.1	0.2	0.2	0.3	0.7	1.1	1.8
1999.....	0.3	*	*	*	*	0.1	0.2	0.3	0.6	0.8	1.3	2.0
Non-Hispanic white, male												
2006 5/.....	0.3	*	*	*	*	*	0.2	0.3	0.5	0.8	1.5	1.9
2005 5/.....	0.3	*	*	*	*	*	0.2	0.3	0.3	0.8	1.4	2.0
2004 5/.....	0.3	*	*	*	*	*	0.1	0.2	0.4	0.7	1.2	2.3
2003 5/.....	0.3	*	*	*	0.2	*	0.2	0.3	0.4	1.0	1.4	1.8
2002.....	0.3	*	*	*	*	0.2	0.2	0.3	0.4	0.9	1.2	2.3
2001.....	0.3	*	*	*	*	*	0.2	0.3	0.5	0.7	1.2	2.0
2000.....	0.3	*	*	*	*	*	0.2	0.2	0.4	0.8	1.4	2.1
1999.....	0.3	*	*	*	*	*	0.2	0.3	0.7	0.8	1.4	2.6
Non-Hispanic white, female												
2006 5/.....	0.3	*	*	*	*	*	0.2	0.2	0.3	0.5	1.1	1.9
2005 5/.....	0.3	*	*	*	*	*	0.2	0.2	0.3	0.6	0.9	1.8
2004 5/.....	0.3	*	*	*	*	*	*	0.2	0.3	0.6	1.1	1.6
2003 5/.....	0.3	*	*	*	*	*	*	0.2	0.3	0.7	1.1	1.7
2002.....	0.3	*	*	*	*	*	*	0.2	0.3	0.7	1.2	2.1
2001.....	0.3	*	*	*	*	*	0.2	0.2	0.3	0.6	1.3	1.8
2000.....	0.2	*	*	*	*	*	*	0.2	0.2	0.6	1.0	1.7
1999.....	0.3	*	*	*	*	*	0.2	0.2	0.5	0.7	1.2	1.8

Worktable Orig12. Death rates for 358 selected causes, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2006

[Rates per 100,000 population in specified group. Rates are based on populations enumerated as of April 1 for 2000 and estimated as of July 1 for all other years. Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to 'Detailed technical notes to the United States 2006 data-mortality']

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, and sex	All ages 1/	Under 1 year 2/	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
Other diseases of endocardium (I34-I38)												
All origins 3/, both sexes												
2006.....	7.1	*	*	*	0.1	0.3	0.6	1.5	3.6	11.6	46.3	205.5
2005.....	7.0	*	*	*	0.1	0.3	0.6	1.7	3.7	11.0	46.7	204.7
2004.....	6.9	*	*	*	0.1	0.3	0.7	1.7	3.6	12.0	46.7	200.3
2003.....	6.9	*	*	*	0.1	0.3	0.7	1.5	3.7	12.3	47.7	201.9
2002.....	6.9	*	*	*	0.1	0.3	0.8	1.6	3.7	12.0	49.3	203.9
2001.....	6.9	*	*	*	0.1	0.3	0.7	1.6	3.7	13.0	48.8	204.2
2000.....	7.0	*	*	*	0.1	0.3	0.8	1.6	4.0	13.2	49.8	213.2
1999.....	7.0	*	*	*	0.2	0.4	0.8	1.6	3.9	13.2	51.7	209.8
All origins 3/, male												
2006.....	5.7	*	*	*	0.1	0.4	0.8	1.9	4.4	12.9	49.3	199.6
2005.....	5.5	*	*	*	0.1	0.4	0.8	2.0	4.5	11.4	48.5	192.7
2004.....	5.5	*	*	*	0.1	0.3	0.8	2.2	4.3	12.9	48.8	194.2
2003.....	5.4	*	*	*	0.1	0.3	0.9	1.7	4.3	13.2	51.1	195.3
2002.....	5.4	*	*	*	0.1	0.3	0.9	2.0	4.1	12.7	51.6	198.5
2001.....	5.4	*	*	*	*	0.3	0.8	2.1	4.2	14.0	52.8	200.8
2000.....	5.5	*	*	*	0.1	0.3	0.9	2.1	4.7	14.0	51.6	215.8
1999.....	5.5	*	*	*	0.2	0.3	1.0	1.9	4.5	14.7	56.4	206.4
All origins 3/, female												
2006.....	8.5	*	*	*	0.1	0.3	0.5	1.2	2.9	10.5	44.3	208.2
2005.....	8.5	*	*	*	0.2	0.5	1.3	2.9	10.5	45.5	45.5	210.2
2004.....	8.3	*	*	*	0.1	0.3	0.6	1.2	3.1	11.3	45.3	203.0
2003.....	8.3	*	*	*	*	0.3	0.6	1.3	3.1	11.5	45.4	204.8
2002.....	8.4	*	*	*	*	0.3	0.6	1.2	3.4	11.4	47.7	206.3
2001.....	8.2	*	*	*	0.1	0.3	0.5	1.2	3.2	12.1	46.2	205.6
2000.....	8.5	*	*	*	0.1	0.3	0.7	1.2	3.3	12.6	48.6	212.1
1999.....	8.5	*	*	*	0.2	0.4	0.7	1.4	3.3	12.1	48.7	211.2
Hispanic, both sexes												
2006.....	1.5	*	*	*	*	*	0.3	0.9	2.6	7.8	24.3	92.7
2005.....	1.7	*	*	*	*	*	0.5	1.2	2.9	8.8	28.4	90.7
2004.....	1.5	*	*	*	*	*	*	1.0	3.5	10.9	26.0	79.9
2003.....	1.5	*	*	*	*	*	0.5	0.9	3.1	10.2	27.9	85.0
2002.....	1.5	*	*	*	*	*	0.6	1.3	3.5	7.8	24.4	92.6
2001.....	1.5	*	*	*	*	*	*	1.2	3.1	10.0	27.6	95.0
2000.....	1.6	*	*	*	*	*	0.4	1.4	3.6	9.3	29.6	116.8
1999.....	1.6	*	*	*	*	*	0.6	0.9	3.1	9.4	34.4	98.2
Hispanic, male												
2006.....	1.3	*	*	*	*	*	*	1.0	2.9	8.3	26.2	90.2
2005.....	1.5	*	*	*	*	*	0.9	1.7	3.5	9.8	27.1	76.0
2004.....	1.4	*	*	*	*	*	*	1.5	4.2	11.5	26.5	85.5
2003.....	1.3	*	*	*	*	*	0.7	*	3.1	11.3	26.1	84.7
2002.....	1.4	*	*	*	*	*	0.8	1.6	3.7	8.4	26.7	103.7
2001.....	1.3	*	*	*	*	*	*	1.5	3.9	10.4	33.1	81.9
2000.....	1.4	*	*	*	*	*	*	1.9	4.4	9.3	32.0	120.9
1999.....	1.5	*	*	*	*	*	*	1.4	4.6	10.5	37.0	110.0
Hispanic, female												
2006.....	1.8	*	*	*	*	*	*	*	2.3	7.4	23.0	94.1
2005.....	1.9	*	*	*	*	*	*	*	2.3	7.9	29.3	98.4
2004.....	1.7	*	*	*	*	*	*	*	2.9	10.4	25.7	77.1
2003.....	1.8	*	*	*	*	*	*	*	3.0	9.4	29.2	85.2
2002.....	1.6	*	*	*	*	*	*	*	3.4	7.3	22.8	87.0
2001.....	1.7	*	*	*	*	*	*	*	2.5	9.8	23.9	101.5
2000.....	1.8	*	*	*	*	*	*	*	2.9	9.3	28.1	114.7
1999.....	1.7	*	*	*	*	*	*	*	*	8.4	32.6	92.5

Worktable Orig12. Death rates for 358 selected causes, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2006

[Rates per 100,000 population in specified group. Rates are based on populations enumerated as of April 1 for 2000 and estimated as of July 1 for all other years. Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to 'Detailed technical notes to the United States 2006 data-mortality']

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, and sex	All ages 1/	Under 1 year 2/	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
Other diseases of endocardium (I34-I38)												
Non-Hispanic 4/, both sexes												
2006.....	8.1	*	*	*	0.1	0.4	0.7	1.6	3.7	11.9	47.6	211.0
2005.....	7.9	*	*	*	0.1	0.4	0.7	1.7	3.7	11.1	47.7	210.0
2004.....	7.8	*	*	*	0.1	0.3	0.8	1.8	3.6	12.1	47.8	205.5
2003.....	7.7	*	*	*	0.1	0.3	0.7	1.6	3.7	12.4	48.6	206.6
2002.....	7.8	*	*	*	0.1	0.3	0.8	1.6	3.7	12.2	50.3	208.2
2001.....	7.7	*	*	*	0.1	0.3	0.7	1.7	3.7	13.2	49.7	207.9
2000.....	7.8	*	*	*	0.1	0.3	0.8	1.6	4.0	13.5	50.6	216.2
1999.....	7.8	*	*	*	0.2	0.4	0.9	1.7	4.0	13.4	52.3	213.4
Non-Hispanic 4/, male												
2006.....	6.5	*	*	*	0.1	0.4	0.8	2.0	4.5	13.2	50.7	205.5
2005.....	6.2	*	*	*	0.2	0.4	0.8	2.1	4.6	11.5	49.7	198.6
2004.....	6.2	*	*	*	0.1	0.3	0.9	2.3	4.3	13.0	50.0	199.4
2003.....	6.1	*	*	*	0.2	0.3	0.9	1.8	4.4	13.2	52.3	200.0
2002.....	6.1	*	*	*	0.1	0.4	0.9	2.0	4.1	12.9	52.8	202.4
2001.....	6.1	*	*	*	0.1	0.4	0.8	2.1	4.2	14.2	53.7	205.5
2000.....	6.1	*	*	*	0.1	0.3	0.9	2.1	4.7	14.2	52.4	219.2
1999.....	6.1	*	*	*	0.2	0.4	1.0	1.9	4.5	14.9	57.0	209.9
Non-Hispanic 4/, female												
2006.....	9.6	*	*	*	0.1	0.3	0.6	1.2	2.9	10.7	45.5	213.5
2005.....	9.6	*	*	*	0.1	0.3	0.5	1.4	3.0	10.8	46.4	215.1
2004.....	9.3	*	*	*	0.1	0.3	0.6	1.3	3.1	11.3	46.3	208.2
2003.....	9.3	*	*	*	0.1	0.3	0.6	1.4	3.1	11.7	46.2	209.5
2002.....	9.4	*	*	*	0.1	0.3	0.7	1.3	3.4	11.7	48.7	210.7
2001.....	9.2	*	*	*	0.1	0.3	0.6	1.2	3.2	12.3	47.1	208.8
2000.....	9.4	*	*	*	0.1	0.3	0.7	1.2	3.3	12.8	49.4	214.9
1999.....	9.3	*	*	*	0.2	0.4	0.7	1.5	3.4	12.2	49.2	214.8
Non-Hispanic white, both sexes												
2006 5/.....	9.5	*	*	*	0.1	0.3	0.7	1.4	3.6	12.1	50.2	225.7
2005 5/.....	9.3	*	*	*	0.1	0.3	0.6	1.5	3.5	11.3	50.5	225.1
2004 5/.....	9.0	*	*	*	0.1	0.3	0.7	1.5	3.5	12.3	50.2	218.5
2003 5/.....	9.0	*	*	*	0.1	0.3	0.6	1.4	3.5	12.6	51.0	219.8
2002.....	9.0	*	*	*	0.1	0.3	0.7	1.3	3.6	12.4	53.2	221.1
2001.....	8.8	*	*	*	0.1	0.3	0.6	1.5	3.5	13.3	52.2	220.7
2000.....	8.9	*	*	*	0.1	0.3	0.7	1.5	3.7	13.6	52.8	229.3
1999.....	8.9	*	*	*	0.2	0.4	0.8	1.5	3.7	13.3	54.6	225.5
Non-Hispanic white, male												
2006 5/.....	7.6	*	*	*	0.1	0.4	0.8	1.7	4.4	13.5	53.5	220.0
2005 5/.....	7.2	*	*	*	0.2	0.4	0.8	1.8	4.2	11.8	52.6	214.0
2004 5/.....	7.0	*	*	*	0.1	0.3	0.8	1.9	4.1	13.5	52.3	211.1
2003 5/.....	7.0	*	*	*	0.1	0.3	0.8	1.5	4.1	13.6	54.9	213.4
2002.....	7.0	*	*	*	0.1	0.3	0.9	1.7	4.0	13.3	55.7	216.3
2001.....	6.9	*	*	*	0.1	0.3	0.7	1.9	4.0	14.4	56.4	217.3
2000.....	6.9	*	*	*	0.2	0.4	0.8	1.8	4.5	14.5	54.7	233.1
1999.....	6.9	*	*	*	0.2	0.3	0.9	1.7	4.3	14.9	59.6	222.3
Non-Hispanic white, female												
2006 5/.....	11.4	*	*	*	0.2	0.3	0.6	1.1	2.9	10.8	47.9	228.4
2005 5/.....	11.3	*	*	*	0.1	0.3	0.4	1.2	2.8	10.8	49.1	230.2
2004 5/.....	10.9	*	*	*	0.1	0.3	0.6	1.1	2.9	11.4	48.9	221.9
2003 5/.....	10.8	*	*	*	0.1	0.3	0.5	1.2	2.9	11.7	48.4	222.6
2002.....	11.0	*	*	*	0.1	0.3	0.5	1.0	3.2	11.7	51.5	223.2
2001.....	10.7	*	*	*	0.1	0.3	0.5	1.0	3.0	12.4	49.5	222.1
2000.....	10.9	*	*	*	0.1	0.3	0.6	1.1	2.9	12.8	51.6	227.8
1999.....	10.8	*	*	*	0.1	0.4	0.6	1.3	3.2	12.0	51.4	226.8

Worktable Orig12. Death rates for 358 selected causes, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2006

[Rates per 100,000 population in specified group. Rates are based on populations enumerated as of April 1 for 2000 and estimated as of July 1 for all other years. Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.odc.gov/nchs> and refer to 'Detailed technical notes to the United States 2006 data-mortality']

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, and sex	All ages 1/	Under 1 year 2/	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
Other diseases of endocardium (I34-I38)												
Non-Hispanic black, both sexes												
2006 5/.....	3.2	*	*	*	*	0.5	1.1	3.0	4.5	12.4	30.3	77.8
2005 5/.....	3.3	*	*	*	*	0.6	1.3	3.5	6.6	12.2	28.3	73.7
2004 5/.....	3.5	*	*	*	*	0.5	1.3	3.9	5.6	12.8	30.3	89.5
2003 5/.....	3.5	*	*	*	*	0.6	1.5	3.5	6.5	12.9	31.2	86.0
2002.....	3.3	*	*	*	*	0.5	1.5	3.8	5.8	13.1	28.6	87.4
2001.....	3.4	*	*	*	*	0.6	1.3	3.3	6.2	13.7	31.0	86.5
2000.....	3.6	*	*	*	*	0.6	1.5	3.2	6.6	14.9	33.9	92.5
1999.....	3.6	*	*	*	*	0.6	1.6	3.5	6.6	16.1	32.3	92.1
Non-Hispanic black, male												
2006 5/.....	2.8	*	*	*	*	*	1.3	3.7	6.1	12.9	30.9	70.6
2005 5/.....	2.9	*	*	*	*	*	1.1	4.3	8.5	11.9	29.2	58.0
2004 5/.....	3.0	*	*	*	*	*	1.6	5.1	6.7	11.8	31.1	86.4
2003 5/.....	3.0	*	*	*	*	*	1.8	4.3	8.1	12.7	32.3	71.4
2002.....	2.7	*	*	*	*	*	1.4	4.3	6.7	12.3	28.7	67.8
2001.....	3.0	*	*	*	*	*	1.5	4.3	7.5	14.5	31.2	87.8
2000.....	3.1	*	*	*	*	*	1.6	4.3	7.2	14.8	34.9	85.7
1999.....	3.1	*	*	*	*	*	1.7	4.0	7.4	17.0	34.1	77.3
Non-Hispanic black, female												
2006 5/.....	3.5	*	*	*	*	*	0.9	2.3	3.2	12.0	30.0	80.7
2005 5/.....	3.7	*	*	*	*	*	1.5	2.8	5.0	12.5	27.8	80.0
2004 5/.....	3.9	*	*	*	*	*	1.1	2.9	4.8	13.4	29.8	90.8
2003 5/.....	3.9	*	*	*	*	0.7	1.2	2.8	5.2	13.0	30.6	91.6
2002.....	3.9	*	*	*	*	*	1.5	3.3	5.1	13.6	28.5	94.9
2001.....	3.7	*	*	*	*	*	1.0	2.5	5.3	13.2	30.8	86.0
2000.....	4.1	*	*	*	*	*	1.5	2.3	6.1	15.0	33.3	95.1
1999.....	4.1	*	*	*	*	*	1.4	3.1	6.0	15.5	31.3	97.7

Worktable Orig12. Death rates for 358 selected causes, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2006

[Rates per 100,000 population in specified group. Rates are based on populations enumerated as of April 1 for 2000 and estimated as of July 1 for all other years. Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to 'Detailed technical notes to the United States 2006 data-mortality']

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, and sex	All ages 1/	Under 1 year 2/	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
Nonrheumatic mitral valve disorders (I34)												
Non-Hispanic 4/, both sexes												
2006.....	1.0	*	*	*	0.1	0.1	0.2	0.3	0.6	1.8	5.9	20.3
2005.....	1.0	*	*	*	*	0.1	0.2	0.4	0.6	1.7	6.3	21.1
2004.....	1.0	*	*	*	*	0.1	0.2	0.3	0.6	1.8	6.4	20.7
2003.....	1.0	*	*	*	*	0.1	0.2	0.3	0.7	1.9	6.4	20.6
2002.....	1.1	*	*	*	*	0.1	0.2	0.3	0.7	2.2	7.2	22.7
2001.....	1.1	*	*	*	0.1	0.2	0.2	0.4	0.6	2.2	7.4	23.2
2000.....	1.1	*	*	*	*	0.1	0.3	0.3	0.7	2.3	7.9	24.8
1999.....	1.2	*	*	*	0.1	0.2	0.3	0.4	0.7	2.3	7.8	25.5
Non-Hispanic 4/, male												
2006.....	0.7	*	*	*	*	*	0.1	0.3	0.6	1.7	5.4	18.3
2005.....	0.7	*	*	*	*	0.1	0.2	0.3	0.6	1.3	5.6	18.3
2004.....	0.7	*	*	*	*	*	0.2	0.3	0.5	1.6	5.9	17.3
2003.....	0.7	*	*	*	*	*	0.2	0.3	0.7	1.8	6.0	16.9
2002.....	0.7	*	*	*	*	*	0.2	0.2	0.6	1.9	5.9	21.7
2001.....	0.8	*	*	*	*	0.1	0.2	0.4	0.6	2.2	6.1	19.3
2000.....	0.8	*	*	*	*	*	0.2	0.4	0.6	2.0	7.2	23.4
1999.....	0.8	*	*	*	*	*	0.3	0.3	0.6	2.2	7.7	22.6
Non-Hispanic 4/, female												
2006.....	1.2	*	*	*	*	0.2	0.2	0.3	0.6	1.9	6.2	21.2
2005.....	1.3	*	*	*	*	*	0.2	0.4	0.7	2.0	6.7	22.3
2004.....	1.3	*	*	*	*	0.1	0.3	0.3	0.6	2.0	6.8	22.3
2003.....	1.2	*	*	*	*	0.1	0.2	0.3	0.7	1.9	6.7	22.2
2002.....	1.4	*	*	*	*	0.2	0.2	0.3	0.8	2.5	8.0	23.2
2001.....	1.4	*	*	*	*	0.2	0.3	0.4	0.6	2.2	8.2	24.8
2000.....	1.4	*	*	*	*	0.2	0.3	0.3	0.8	2.4	8.3	25.3
1999.....	1.5	*	*	*	*	0.2	0.3	0.4	0.8	2.5	7.8	26.7
Non-Hispanic white, both sexes												
2006 5/.....	1.1	*	*	*	*	0.1	0.2	0.3	0.6	1.9	6.3	21.7
2005 5/.....	1.1	*	*	*	*	0.1	0.2	0.3	0.6	1.7	6.6	22.4
2004 5/.....	1.1	*	*	*	*	0.1	0.2	0.3	0.5	1.9	6.7	21.8
2003 5/.....	1.1	*	*	*	*	0.1	0.2	0.3	0.6	2.0	6.7	21.9
2002.....	1.2	*	*	*	*	0.1	0.2	0.2	0.7	2.2	7.5	24.5
2001.....	1.2	*	*	*	*	0.2	0.2	0.3	0.6	2.2	7.8	24.8
2000.....	1.3	*	*	*	*	0.1	0.3	0.3	0.7	2.3	8.3	26.0
1999.....	1.3	*	*	*	*	0.2	0.3	0.3	0.7	2.3	8.1	27.0
Non-Hispanic white, male												
2006 5/.....	0.8	*	*	*	*	*	*	0.3	0.6	1.7	5.9	19.7
2005 5/.....	0.8	*	*	*	*	*	0.2	0.3	0.6	1.4	6.0	19.9
2004 5/.....	0.8	*	*	*	*	*	0.2	0.3	0.5	1.7	6.0	18.2
2003 5/.....	0.8	*	*	*	*	*	0.1	0.2	0.6	1.9	6.2	18.1
2002.....	0.8	*	*	*	*	*	0.2	0.2	0.6	1.9	6.2	23.3
2001.....	0.9	*	*	*	*	*	0.2	0.4	0.6	2.2	6.6	20.9
2000.....	0.9	*	*	*	*	*	0.2	0.3	0.6	2.1	7.7	24.8
1999.....	0.9	*	*	*	*	*	0.3	0.3	0.7	2.2	8.1	24.2
Non-Hispanic white, female												
2006 5/.....	1.4	*	*	*	*	0.2	0.2	0.3	0.6	2.0	6.6	22.6
2005 5/.....	1.5	*	*	*	*	*	0.2	0.4	0.6	2.0	7.1	23.6
2004 5/.....	1.4	*	*	*	*	*	0.3	0.2	0.6	2.1	7.2	23.4
2003 5/.....	1.4	*	*	*	*	*	0.2	0.3	0.6	2.0	7.0	23.6
2002.....	1.6	*	*	*	*	*	0.2	0.2	0.8	2.5	8.4	25.0
2001.....	1.6	*	*	*	*	*	0.2	0.3	0.6	2.2	8.6	26.4
2000.....	1.6	*	*	*	*	*	0.2	0.3	0.8	2.5	8.7	26.4
1999.....	1.7	*	*	*	*	0.2	0.3	0.4	0.8	2.5	8.1	28.1

Worktable Orig12. Death rates for 358 selected causes, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2006

[Rates per 100,000 population in specified group. Rates are based on populations enumerated as of April 1 for 2000 and estimated as of July 1 for all other years. Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to 'Detailed technical notes to the United States 2006 data-mortality']

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, and sex	All ages 1/	Under 1 year 2/	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
Nonrheumatic mitral valve disorders (I34)												
Non-Hispanic black, both sexes												
2006 5/.....	0.4	*	*	*	*	*	*	0.5	0.8	1.4	2.6	6.1
2005 5/.....	0.5	*	*	*	*	*	*	0.7	1.1	1.7	3.9	7.9
2004 5/.....	0.5	*	*	*	*	*	*	0.5	1.0	2.0	4.4	10.1
2003 5/.....	0.5	*	*	*	*	*	*	0.5	1.1	1.6	4.3	7.7
2002.....	0.5	*	*	*	*	*	*	0.6	0.9	2.2	4.0	7.0
2001.....	0.5	*	*	*	*	*	*	0.6	0.9	2.7	3.6	7.8
2000.....	0.5	*	*	*	*	*	*	0.6	1.0	2.2	4.4	12.1
1999.....	0.6	*	*	*	*	*	*	0.6	1.0	2.5	4.5	10.3
Non-Hispanic black, male												
2006 5/.....	0.3	*	*	*	*	*	*	*	*	*	*	*
2005 5/.....	0.3	*	*	*	*	*	*	*	*	*	*	*
2004 5/.....	0.4	*	*	*	*	*	*	*	*	*	*	*
2003 5/.....	0.4	*	*	*	*	*	*	*	*	*	*	*
2002.....	0.4	*	*	*	*	*	*	*	*	*	*	*
2001.....	0.3	*	*	*	*	*	*	*	*	*	*	*
2000.....	0.3	*	*	*	*	*	*	*	*	*	*	*
1999.....	0.3	*	*	*	*	*	*	*	*	*	*	*
Non-Hispanic black, female												
2006 5/.....	0.5	*	*	*	*	*	*	*	*	*	3.2	7.5
2005 5/.....	0.7	*	*	*	*	*	*	0.8	1.3	2.5	4.1	10.3
2004 5/.....	0.6	*	*	*	*	*	*	*	*	2.2	4.5	11.2
2003 5/.....	0.6	*	*	*	*	*	*	*	*	*	4.6	8.7
2002.....	0.6	*	*	*	*	*	*	*	*	2.5	4.5	*
2001.....	0.7	*	*	*	*	*	*	*	*	2.8	4.5	9.8
2000.....	0.7	*	*	*	*	*	*	*	*	2.7	5.0	13.5
1999.....	0.7	*	*	*	*	*	*	*	*	2.4	5.4	12.4

Worktable Orig12. Death rates for 358 selected causes, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2006

[Rates per 100,000 population in specified group. Rates are based on populations enumerated as of April 1 for 2000 and estimated as of July 1 for all other years. Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to 'Detailed technical notes to the United States 2006 data-mortality']

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, and sex	All ages 1/	Under 1 year 2/	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
Nonrheumatic aortic valve disorders (I35)												
All origins 3/, both sexes												
2006.....	4.6	*	*	*	*	0.1	0.2	0.5	1.6	6.1	29.1	149.5
2005.....	4.4	*	*	*	*	0.1	0.2	0.5	1.6	5.6	28.7	146.9
2004.....	4.3	*	*	*	*	0.1	0.2	0.6	1.7	6.1	28.8	142.5
2003.....	4.3	*	*	*	*	0.1	0.2	0.5	1.6	6.4	29.2	144.9
2002.....	4.3	*	*	*	*	0.1	0.2	0.6	1.6	6.3	30.2	144.8
2001.....	4.3	*	*	*	*	0.1	0.2	0.7	1.7	6.8	30.0	144.1
2000.....	4.4	*	*	*	*	0.1	0.2	0.6	1.8	7.1	30.9	151.3
1999.....	4.4	*	*	*	*	0.1	0.3	0.7	1.8	6.9	32.4	147.8
All origins 3/, male												
2006.....	3.7	*	*	*	*	0.1	0.3	0.7	2.0	7.5	32.7	149.9
2005.....	3.5	*	*	*	*	0.1	0.3	0.8	2.2	6.5	31.7	142.5
2004.....	3.4	*	*	*	*	0.1	0.3	0.8	2.1	7.2	31.1	141.9
2003.....	3.5	*	*	*	*	0.1	0.3	0.7	2.0	7.5	33.3	144.7
2002.....	3.5	*	*	*	*	0.1	0.3	0.8	2.0	7.4	34.4	144.9
2001.....	3.5	*	*	*	*	0.1	0.3	1.0	2.1	8.0	34.8	145.9
2000.....	3.5	*	*	*	*	0.1	0.3	1.0	2.5	8.2	33.3	158.2
1999.....	3.5	*	*	*	*	0.1	0.4	0.9	2.3	8.6	37.2	150.3
All origins 3/, female												
2006.....	5.5	*	*	*	*	*	0.1	0.4	1.2	5.0	26.7	149.3
2005.....	5.3	*	*	*	*	*	0.3	1.1	4.8	26.7	148.9	
2004.....	5.2	*	*	*	*	*	0.1	0.4	1.2	5.3	27.2	142.7
2003.....	5.1	*	*	*	*	*	0.1	0.4	1.1	5.4	26.5	145.0
2002.....	5.2	*	*	*	*	*	0.2	0.4	1.3	5.3	27.4	144.8
2001.....	5.1	*	*	*	*	*	*	0.4	1.3	5.8	26.9	143.4
2000.....	5.3	*	*	*	*	*	0.1	0.3	1.2	6.1	29.2	148.5
1999.....	5.2	*	*	*	*	*	0.2	0.4	1.3	5.6	29.2	146.8
Hispanic, both sexes												
2006.....	0.9	*	*	*	*	*	*	*	1.1	4.1	14.3	68.1
2005.....	1.0	*	*	*	*	*	*	0.5	1.5	4.2	17.8	69.3
2004.....	0.9	*	*	*	*	*	*	*	1.6	5.4	15.3	59.5
2003.....	0.9	*	*	*	*	*	*	*	1.5	5.3	15.5	63.2
2002.....	0.9	*	*	*	*	*	*	0.6	1.5	4.8	15.5	69.3
2001.....	0.8	*	*	*	*	*	*	*	1.6	4.7	16.6	70.7
2000.....	1.0	*	*	*	*	*	*	*	1.6	4.6	19.8	88.9
1999.....	0.9	*	*	*	*	*	*	*	1.3	5.2	22.7	75.8
Hispanic, male												
2006.....	0.8	*	*	*	*	*	*	*	*	4.9	17.4	67.7
2005.....	0.9	*	*	*	*	*	*	*	2.0	5.1	21.4	63.5
2004.....	0.7	*	*	*	*	*	*	*	*	5.8	16.1	70.0
2003.....	0.8	*	*	*	*	*	*	*	*	6.1	15.7	64.7
2002.....	0.8	*	*	*	*	*	*	*	*	5.5	19.3	83.7
2001.....	0.8	*	*	*	*	*	*	*	2.4	5.2	21.9	59.0
2000.....	0.9	*	*	*	*	*	*	*	2.6	4.6	24.1	96.7
1999.....	0.9	*	*	*	*	*	*	*	*	6.6	27.6	82.0
Hispanic, female												
2006.....	1.0	*	*	*	*	*	*	*	*	3.6	12.2	68.3
2005.....	1.1	*	*	*	*	*	*	*	*	3.4	15.4	72.3
2004.....	1.0	*	*	*	*	*	*	*	*	5.1	14.8	54.0
2003.....	1.0	*	*	*	*	*	*	*	*	4.7	15.3	62.5
2002.....	0.9	*	*	*	*	*	*	*	*	4.3	12.9	62.2
2001.....	0.9	*	*	*	*	*	*	*	*	4.3	13.0	76.3
2000.....	1.0	*	*	*	*	*	*	*	*	4.6	16.8	85.1
1999.....	0.9	*	*	*	*	*	*	*	*	4.1	19.4	72.8

Worktable Orig12. Death rates for 358 selected causes, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2006

[Rates per 100,000 population in specified group. Rates are based on populations enumerated as of April 1 for 2000 and estimated as of July 1 for all other years. Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to 'Detailed technical notes to the United States 2006 data-mortality']

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, and sex	All ages 1/	Under 1 year 2/	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
Nonrheumatic aortic valve disorders (I35)												
Non-Hispanic 4/, both sexes												
2006.....	5.2	*	*	*	*	0.1	0.2	0.6	1.6	6.3	30.0	153.5
2005.....	5.0	*	*	*	*	0.1	0.2	0.5	1.6	5.7	29.3	150.4
2004.....	4.9	*	*	*	*	0.1	0.2	0.6	1.7	6.2	29.5	146.1
2003.....	4.9	*	*	*	*	0.1	0.2	0.5	1.6	6.4	29.9	148.2
2002.....	4.9	*	*	*	*	0.1	0.2	0.6	1.6	6.3	30.8	147.7
2001.....	4.8	*	*	*	*	0.1	0.2	0.7	1.7	6.9	30.6	146.6
2000.....	4.9	*	*	*	*	0.1	0.2	0.6	1.8	7.2	31.3	153.2
1999.....	4.8	*	*	*	*	0.1	0.3	0.7	1.8	7.0	32.7	150.0
Non-Hispanic 4/, male												
2006.....	4.2	*	*	*	*	0.1	0.3	0.7	2.0	7.6	33.6	154.4
2005.....	3.9	*	*	*	*	0.2	0.3	0.8	2.2	6.6	32.3	146.5
2004.....	3.9	*	*	*	*	0.1	0.3	0.9	2.1	7.2	31.9	145.4
2003.....	3.9	*	*	*	*	*	0.3	0.7	2.1	7.6	34.1	148.0
2002.....	3.9	*	*	*	*	0.1	0.3	0.8	2.0	7.5	35.1	147.4
2001.....	3.9	*	*	*	*	0.1	0.3	1.0	2.1	8.1	35.3	149.3
2000.....	3.9	*	*	*	*	*	0.3	1.0	2.5	8.5	33.7	160.3
1999.....	3.9	*	*	*	*	0.1	0.4	0.9	2.3	8.7	37.5	152.8
Non-Hispanic 4/, female												
2006.....	6.2	*	*	*	*	*	0.1	0.4	1.2	5.1	27.5	153.0
2005.....	6.0	*	*	*	*	*	*	0.3	1.1	4.9	27.3	152.2
2004.....	5.8	*	*	*	*	*	0.1	0.4	1.2	5.3	27.9	146.4
2003.....	5.8	*	*	*	*	*	0.1	0.4	1.1	5.4	27.0	148.3
2002.....	5.8	*	*	*	*	*	0.2	0.4	1.3	5.3	28.0	147.8
2001.....	5.6	*	*	*	*	*	*	0.4	1.3	5.9	27.5	145.4
2000.....	5.8	*	*	*	*	*	0.1	0.3	1.2	6.2	29.7	150.4
1999.....	5.7	*	*	*	*	*	0.2	0.4	1.3	5.6	29.5	148.9
Non-Hispanic white, both sexes												
2006 5/.....	6.2	*	*	*	*	*	0.2	0.5	1.7	6.6	31.8	164.3
2005 5/.....	6.0	*	*	*	*	0.1	0.2	0.5	1.7	5.8	31.4	161.5
2004 5/.....	5.8	*	*	*	*	0.1	0.2	0.6	1.7	6.5	31.1	155.8
2003 5/.....	5.7	*	*	*	*	*	0.2	0.5	1.6	6.7	31.5	157.9
2002.....	5.7	*	*	*	*	*	0.2	0.6	1.7	6.5	32.7	156.5
2001.....	5.6	*	*	*	*	0.1	0.2	0.7	1.7	7.2	32.2	155.6
2000.....	5.7	*	*	*	*	0.1	0.2	0.6	1.8	7.4	32.9	162.9
1999.....	5.6	*	*	*	*	*	0.3	0.6	1.8	7.0	34.4	158.8
Non-Hispanic white, male												
2006 5/.....	5.0	*	*	*	*	*	0.4	0.7	2.1	8.1	35.5	165.2
2005 5/.....	4.7	*	*	*	*	0.2	0.3	0.7	2.2	6.9	34.5	157.6
2004 5/.....	4.5	*	*	*	*	*	0.4	0.9	2.1	7.6	33.6	154.1
2003 5/.....	4.6	*	*	*	*	*	0.3	0.6	2.1	7.9	36.1	158.2
2002.....	4.6	*	*	*	*	*	0.3	0.8	2.1	7.9	37.2	157.4
2001.....	4.5	*	*	*	*	*	0.3	1.0	2.1	8.4	37.0	157.3
2000.....	4.5	*	*	*	*	*	0.3	0.9	2.5	8.6	35.4	171.0
1999.....	4.5	*	*	*	*	*	0.4	0.8	2.3	8.8	39.3	162.1
Non-Hispanic white, female												
2006 5/.....	7.4	*	*	*	*	*	0.4	1.3	5.3	29.2	164.0	
2005 5/.....	7.2	*	*	*	*	*	0.3	1.2	5.0	29.3	163.2	
2004 5/.....	7.0	*	*	*	*	*	0.4	1.3	5.5	29.5	156.5	
2003 5/.....	6.8	*	*	*	*	*	0.4	1.0	5.6	28.5	157.7	
2002.....	6.8	*	*	*	*	*	0.3	1.4	5.4	29.7	156.2	
2001.....	6.7	*	*	*	*	*	0.4	1.4	6.1	29.1	154.9	
2000.....	6.9	*	*	*	*	*	0.3	1.1	6.3	31.3	159.7	
1999.....	6.7	*	*	*	*	*	0.2	0.4	1.3	5.6	31.1	157.5

Worktable Orig12. Death rates for 358 selected causes, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2006

[Rates per 100,000 population in specified group. Rates are based on populations enumerated as of April 1 for 2000 and estimated as of July 1 for all other years. Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.odc.gov/nchs> and refer to 'Detailed technical notes to the United States 2006 data-mortality']

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, and sex	All ages 1/	Under 1 year 2/	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
Nonrheumatic aortic valve disorders (I35)												
Non-Hispanic black, both sexes												
2006 5/.....	1.5	*	*	*	*	*	*	0.8	1.2	4.9	17.9	56.8
2005 5/.....	1.5	*	*	*	*	*	*	0.9	2.0	5.4	14.8	53.3
2004 5/.....	1.6	*	*	*	*	*	*	0.9	1.8	4.7	17.4	59.9
2003 5/.....	1.6	*	*	*	*	*	0.4	0.8	1.8	5.3	17.3	59.5
2002.....	1.6	*	*	*	*	*	0.4	1.0	1.6	5.9	16.5	63.5
2001.....	1.6	*	*	*	*	*	*	1.0	1.9	5.6	18.6	60.2
2000.....	1.7	*	*	*	*	*	0.4	0.9	2.4	7.3	18.6	63.0
1999.....	1.8	*	*	*	*	*	0.4	1.2	2.2	7.6	18.0	64.7
Non-Hispanic black, male												
2006 5/.....	1.3	*	*	*	*	*	*	1.3	1.9	5.6	20.6	51.3
2005 5/.....	1.3	*	*	*	*	*	*	1.3	3.2	5.9	16.5	46.6
2004 5/.....	1.4	*	*	*	*	*	*	1.3	3.0	5.0	17.7	60.0
2003 5/.....	1.3	*	*	*	*	*	*	1.1	2.7	5.6	18.2	49.0
2002.....	1.3	*	*	*	*	*	*	1.4	2.2	6.3	17.0	52.5
2001.....	1.5	*	*	*	*	*	*	1.6	2.3	6.4	21.9	69.3
2000.....	1.5	*	*	*	*	*	*	1.5	2.8	8.4	19.7	57.5
1999.....	1.6	*	*	*	*	*	*	1.8	2.8	9.3	21.9	58.2
Non-Hispanic black, female												
2006 5/.....	1.7	*	*	*	*	*	*	*	*	4.3	16.4	59.0
2005 5/.....	1.7	*	*	*	*	*	*	*	*	5.0	13.8	55.9
2004 5/.....	1.8	*	*	*	*	*	*	*	*	4.6	17.2	59.8
2003 5/.....	1.8	*	*	*	*	*	*	*	*	5.1	16.8	63.6
2002.....	1.9	*	*	*	*	*	*	*	*	5.6	16.2	67.7
2001.....	1.7	*	*	*	*	*	*	*	1.5	5.1	16.7	56.9
2000.....	2.0	*	*	*	*	*	*	*	2.0	6.5	17.9	65.0
1999.....	1.9	*	*	*	*	*	*	*	1.8	6.5	15.8	67.1

Worktable Orig12. Death rates for 358 selected causes, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2006

[Rates per 100,000 population in specified group. Rates are based on populations enumerated as of April 1 for 2000 and estimated as of July 1 for all other years. Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to 'Detailed technical notes to the United States 2006 data-mortality']

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, and sex	All ages 1/	Under 1 year 2/	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
All other diseases of endocardium (I36-I38)												
Non-Hispanic 4/, both sexes												
2006.....	1.9	*	*	*	*	0.1	0.3	0.7	1.5	3.8	11.7	37.3
2005.....	1.9	*	*	*	*	0.1	0.3	0.8	1.5	3.8	12.2	38.5
2004.....	1.9	*	*	*	*	0.1	0.3	0.8	1.4	4.1	11.9	38.7
2003.....	1.9	*	*	*	*	0.1	0.3	0.8	1.5	4.1	12.3	37.9
2002.....	1.8	*	*	*	*	0.1	0.3	0.7	1.4	3.7	12.4	37.8
2001.....	1.8	*	*	*	*	0.1	0.3	0.6	1.4	4.0	11.7	38.1
2000.....	1.8	*	*	*	*	0.1	0.3	0.7	1.4	4.0	11.5	38.2
1999.....	1.8	*	*	*	0.1	0.1	0.3	0.6	1.4	4.1	11.8	37.8
Non-Hispanic 4/, male												
2006.....	1.6	*	*	*	*	0.2	0.3	0.9	1.9	3.8	11.6	32.8
2005.....	1.5	*	*	*	*	0.1	0.4	1.0	1.7	3.6	11.8	33.8
2004.....	1.6	*	*	*	*	0.1	0.3	1.1	1.6	4.2	12.2	36.8
2003.....	1.5	*	*	*	*	*	0.4	0.9	1.6	3.8	12.1	35.1
2002.....	1.4	*	*	*	*	0.1	0.4	0.9	1.5	3.5	11.8	33.3
2001.....	1.4	*	*	*	*	0.1	0.3	0.7	1.5	3.9	12.2	36.9
2000.....	1.4	*	*	*	*	*	0.4	0.8	1.6	3.7	11.5	35.6
1999.....	1.4	*	*	*	*	0.1	0.4	0.7	1.6	4.0	11.8	34.4
Non-Hispanic 4/, female												
2006.....	2.2	*	*	*	*	*	0.2	0.6	1.2	3.7	11.8	39.3
2005.....	2.3	*	*	*	*	0.1	0.3	0.6	1.2	3.9	12.4	40.6
2004.....	2.2	*	*	*	*	*	0.3	0.6	1.2	4.0	11.6	39.5
2003.....	2.3	*	*	*	*	0.1	0.3	0.7	1.4	4.3	12.4	39.1
2002.....	2.2	*	*	*	*	0.1	0.3	0.6	1.3	3.9	12.7	39.7
2001.....	2.1	*	*	*	*	*	0.3	0.5	1.3	4.2	11.4	38.6
2000.....	2.1	*	*	*	*	0.1	0.2	0.6	1.3	4.2	11.5	39.2
1999.....	2.1	*	*	*	*	0.1	0.3	0.6	1.3	4.1	11.8	39.2
Non-Hispanic white, both sexes												
2006 5/.....	2.1	*	*	*	*	0.1	0.2	0.6	1.4	3.6	12.1	39.7
2005 5/.....	2.2	*	*	*	*	0.1	0.2	0.7	1.2	3.7	12.5	41.2
2004 5/.....	2.1	*	*	*	*	0.1	0.2	0.6	1.2	4.0	12.4	41.0
2003 5/.....	2.1	*	*	*	*	0.1	0.2	0.6	1.3	3.9	12.8	40.0
2002.....	2.0	*	*	*	*	0.1	0.3	0.5	1.2	3.6	13.0	40.1
2001.....	2.0	*	*	*	*	*	0.2	0.4	1.1	4.0	12.2	40.3
2000.....	1.9	*	*	*	*	*	0.2	0.5	1.2	3.9	11.6	40.4
1999.....	1.9	*	*	*	*	0.1	0.2	0.5	1.2	4.0	12.2	39.8
Non-Hispanic white, male												
2006 5/.....	1.7	*	*	*	*	0.2	0.3	0.7	1.7	3.7	12.1	35.1
2005 5/.....	1.7	*	*	*	*	*	0.3	0.8	1.5	3.6	12.2	36.5
2004 5/.....	1.7	*	*	*	*	*	0.3	0.8	1.5	4.2	12.7	38.8
2003 5/.....	1.6	*	*	*	*	*	0.3	0.7	1.4	3.8	12.6	37.0
2002.....	1.5	*	*	*	*	*	0.3	0.7	1.2	3.5	12.3	35.6
2001.....	1.5	*	*	*	*	*	0.3	0.6	1.2	3.8	12.9	39.1
2000.....	1.5	*	*	*	*	*	0.3	0.6	1.4	3.7	11.6	37.4
1999.....	1.5	*	*	*	*	*	0.3	0.6	1.3	4.0	12.2	36.0
Non-Hispanic white, female												
2006 5/.....	2.5	*	*	*	*	*	0.2	0.4	1.1	3.5	12.1	41.9
2005 5/.....	2.6	*	*	*	*	*	*	0.5	1.0	3.8	12.8	43.3
2004 5/.....	2.5	*	*	*	*	*	0.2	0.5	1.0	3.8	12.2	42.0
2003 5/.....	2.6	*	*	*	*	*	0.2	0.5	1.3	4.1	13.0	41.3
2002.....	2.5	*	*	*	*	*	0.2	0.4	1.1	3.7	13.5	42.1
2001.....	2.4	*	*	*	*	*	0.2	0.3	1.1	4.1	11.8	40.8
2000.....	2.4	*	*	*	*	*	0.1	0.5	1.1	4.1	11.7	41.6
1999.....	2.4	*	*	*	*	*	0.2	0.5	1.1	4.0	12.2	41.3

Worktable Orig12. Death rates for 358 selected causes, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2006

[Rates per 100,000 population in specified group. Rates are based on populations enumerated as of April 1 for 2000 and estimated as of July 1 for all other years. Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.odc.gov/nchs> and refer to 'Detailed technical notes to the United States 2006 data-mortality']

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, and sex	All ages 1/	Under 1 year 2/	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
All other diseases of endocardium (I36-I38)												
Non-Hispanic black, both sexes												
2006 5/.....	1.2	*	*	*	*	*	0.6	1.6	2.5	6.2	9.8	14.9
2005 5/.....	1.3	*	*	*	*	*	0.8	1.8	3.5	5.1	9.6	12.6
2004 5/.....	1.4	*	*	*	*	*	0.7	2.5	2.8	6.0	8.4	19.6
2003 5/.....	1.4	*	*	*	*	*	0.8	2.2	3.6	5.9	9.7	18.7
2002.....	1.3	*	*	*	*	*	0.8	2.2	3.2	5.0	8.0	16.9
2001.....	1.3	*	*	*	*	*	0.6	1.8	3.5	5.4	8.8	18.4
2000.....	1.3	*	*	*	*	*	0.8	1.8	3.2	5.4	10.9	17.5
1999.....	1.3	*	*	*	*	*	0.9	1.7	3.3	6.0	9.9	17.1
Non-Hispanic black, male												
2006 5/.....	1.2	*	*	*	*	*	*	2.0	3.3	5.6	8.6	*
2005 5/.....	1.2	*	*	*	*	*	*	2.4	4.5	5.3	9.3	*
2004 5/.....	1.3	*	*	*	*	*	0.9	3.5	2.8	5.3	9.1	*
2003 5/.....	1.3	*	*	*	*	*	0.9	2.8	4.4	5.5	10.4	*
2002.....	1.1	*	*	*	*	*	0.8	2.5	3.7	4.2	8.5	*
2001.....	1.2	*	*	*	*	*	*	2.2	4.5	5.6	7.5	*
2000.....	1.2	*	*	*	*	*	0.8	2.2	3.6	5.1	11.7	*
1999.....	1.1	*	*	*	*	*	0.9	1.8	4.0	5.1	9.4	*
Non-Hispanic black, female												
2006 5/.....	1.3	*	*	*	*	*	*	1.3	1.8	6.6	10.4	14.2
2005 5/.....	1.4	*	*	*	*	*	1.0	1.4	2.7	5.0	9.9	13.8
2004 5/.....	1.4	*	*	*	*	*	*	1.8	2.8	6.6	8.1	19.7
2003 5/.....	1.5	*	*	*	*	*	*	1.7	3.0	6.3	9.3	19.4
2002.....	1.4	*	*	*	*	*	0.9	1.9	2.8	5.5	7.8	19.6
2001.....	1.3	*	*	*	*	*	*	1.4	2.7	5.2	9.6	19.2
2000.....	1.4	*	*	*	*	*	0.8	1.4	3.0	5.7	10.4	16.6
1999.....	1.4	*	*	*	*	*	0.9	1.6	2.8	6.6	10.2	18.2

Worktable Orig12. Death rates for 358 selected causes, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2006

[Rates per 100,000 population in specified group. Rates are based on populations enumerated as of April 1 for 2000 and estimated as of July 1 for all other years. Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to 'Detailed technical notes to the United States 2006 data-mortality']

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, and sex	All ages 1/	Under 1 year 2/	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
Cardiomyopathy (I42)												
All origins 3/, both sexes												
2006.....	8.3	2.8	0.3	0.1	0.6	1.6	3.0	5.8	9.7	20.2	49.1	122.0
2005.....	8.6	2.0	0.2	0.2	0.7	1.5	3.1	6.0	10.4	21.5	52.4	126.7
2004.....	8.7	2.8	0.2	0.2	0.6	1.4	3.1	6.1	10.7	22.8	54.6	127.6
2003.....	9.2	3.1	0.4	0.1	0.7	1.5	3.3	6.3	11.5	25.5	57.0	137.8
2002.....	9.6	2.9	0.2	0.2	0.7	1.6	3.5	6.5	11.9	27.0	61.1	142.0
2001.....	9.4	3.4	0.4	0.2	0.7	1.4	3.3	6.3	12.3	27.2	60.3	138.3
2000.....	9.7	3.1	0.3	0.2	0.7	1.5	3.3	6.7	13.0	28.7	61.4	142.3
1999.....	9.8	3.5	0.2	0.2	0.7	1.5	3.6	6.7	14.0	30.4	60.4	139.2
All origins 3/, male												
2006.....	9.8	3.1	0.3	0.2	0.9	2.3	4.2	8.2	13.8	28.5	69.4	159.6
2005.....	10.2	1.8	*	0.2	1.1	2.3	4.5	8.8	14.4	30.2	74.5	169.6
2004.....	10.3	2.7	0.3	0.2	0.9	2.1	4.4	8.6	15.1	31.6	76.2	174.6
2003.....	10.8	3.4	0.3	0.2	0.9	2.1	4.7	8.9	16.1	35.2	81.0	178.8
2002.....	11.3	2.7	*	0.2	1.0	2.3	4.8	9.4	16.7	37.8	87.2	189.7
2001.....	11.0	2.9	0.5	0.2	0.9	2.0	4.8	8.9	17.3	37.4	84.9	184.7
2000.....	11.4	2.8	0.3	0.3	0.9	2.1	4.8	9.6	18.2	40.0	87.6	195.3
1999.....	11.5	3.1	*	0.2	0.9	2.0	5.2	9.6	19.6	43.0	84.3	188.2
All origins 3/, female												
2006.....	6.8	2.5	*	*	0.4	0.8	1.8	3.4	5.9	13.3	35.3	104.4
2005.....	7.0	2.2	*	0.2	0.4	0.8	1.7	3.3	6.6	14.2	37.3	107.0
2004.....	7.2	3.0	*	0.2	0.3	0.7	1.9	3.6	6.7	15.4	40.1	106.4
2003.....	7.7	2.9	0.4	*	0.5	0.9	1.9	3.7	7.2	17.4	40.9	119.7
2002.....	8.0	3.1	*	0.1	0.4	0.9	2.2	3.6	7.5	18.1	43.7	121.3
2001.....	8.0	3.9	0.3	0.2	0.4	0.8	1.9	3.9	7.7	18.8	44.2	118.9
2000.....	8.0	3.4	*	0.1	0.4	1.0	1.9	4.0	8.2	19.4	44.3	120.7
1999.....	8.1	3.8	*	0.1	0.4	1.0	2.0	4.0	8.9	20.0	44.9	119.4
Hispanic, both sexes												
2006.....	3.0	2.1	*	*	0.4	1.1	1.8	4.1	6.3	16.3	35.2	89.6
2005.....	3.3	2.1	*	*	0.6	0.9	1.9	3.8	7.1	17.5	42.8	105.7
2004.....	3.1	2.9	*	*	0.6	0.8	2.0	3.8	6.8	17.9	40.8	91.8
2003.....	3.5	3.7	*	*	0.5	1.1	1.9	4.2	9.2	20.6	47.0	113.0
2002.....	3.4	3.7	*	*	0.5	1.1	1.8	4.4	7.6	19.5	51.2	100.9
2001.....	3.4	2.9	*	*	0.5	0.9	1.8	4.0	8.9	21.7	50.1	122.6
2000.....	3.5	2.6	*	*	0.6	1.1	2.1	4.0	9.2	21.8	52.7	122.8
1999.....	3.4	3.7	*	*	0.3	0.9	2.5	4.8	10.5	21.5	47.9	105.2
Hispanic, male												
2006.....	3.6	*	*	*	0.6	1.7	2.5	5.5	9.6	22.7	44.9	113.9
2005.....	4.1	*	*	*	0.7	1.5	2.8	5.6	11.3	25.1	62.1	151.9
2004.....	3.8	*	*	*	0.8	1.3	2.9	5.9	9.7	25.3	56.2	112.1
2003.....	4.3	*	*	*	0.8	1.5	2.7	6.8	12.4	29.5	64.0	144.7
2002.....	4.1	*	*	*	0.8	1.6	2.6	6.1	10.5	28.3	71.0	137.2
2001.....	3.9	*	*	*	0.7	1.4	2.7	6.0	12.7	30.6	64.8	129.5
2000.....	4.1	*	*	*	0.8	1.5	2.9	5.9	13.6	29.3	70.3	151.2
1999.....	4.2	*	*	*	1.5	3.7	7.0	14.6	33.4	65.2	125.1	
Hispanic, female												
2006.....	2.4	*	*	*	*	1.0	2.6	3.3	11.1	28.3	76.7	
2005.....	2.3	*	*	*	*	0.8	1.9	3.3	11.4	29.3	81.5	
2004.....	2.4	*	*	*	*	1.0	1.7	4.2	12.1	30.1	81.4	
2003.....	2.7	*	*	*	*	1.0	1.6	6.3	13.5	35.3	96.9	
2002.....	2.6	*	*	*	*	1.0	2.7	5.1	12.5	37.7	82.9	
2001.....	2.8	*	*	*	*	0.9	2.1	5.6	14.8	40.2	119.1	
2000.....	2.9	*	*	*	*	1.2	2.3	5.3	15.9	40.9	108.8	
1999.....	2.6	5.4	*	*	*	1.1	2.7	6.9	12.2	36.4	95.7	

Worktable Orig12. Death rates for 358 selected causes, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2006

[Rates per 100,000 population in specified group. Rates are based on populations enumerated as of April 1 for 2000 and estimated as of July 1 for all other years. Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to 'Detailed technical notes to the United States 2006 data-mortality']

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, and sex	All ages 1/	Under 1 year 2/	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
Cardiomyopathy (I42)												
Non-Hispanic 4/, both sexes												
2006.....	9.1	3.0	0.3	0.1	0.7	1.7	3.2	5.9	10.0	20.5	49.9	123.5
2005.....	9.5	2.0	0.2	0.2	0.8	1.7	3.3	6.2	10.6	21.8	52.9	127.6
2004.....	9.6	2.8	0.2	0.2	0.7	1.6	3.3	6.3	11.0	23.1	55.2	129.0
2003.....	10.1	3.0	0.4	0.1	0.7	1.6	3.5	6.5	11.7	25.8	57.4	138.6
2002.....	10.6	2.7	0.2	0.2	0.7	1.7	3.7	6.7	12.2	27.5	61.4	143.5
2001.....	10.3	3.5	0.4	0.2	0.7	1.5	3.5	6.5	12.6	27.5	60.7	138.6
2000.....	10.5	3.2	0.2	0.2	0.7	1.6	3.5	6.9	13.3	29.0	61.7	142.7
1999.....	10.6	3.4	0.2	0.2	0.7	1.6	3.7	6.9	14.2	30.8	60.9	140.1
Non-Hispanic 4/, male												
2006.....	10.9	3.5	*	0.2	0.9	2.4	4.6	8.4	14.1	28.8	70.9	161.8
2005.....	11.3	1.8	*	0.2	1.2	2.4	4.8	9.1	14.6	30.5	75.2	170.5
2004.....	11.4	2.7	*	0.2	1.0	2.2	4.7	8.9	15.5	32.0	77.1	177.5
2003.....	11.9	3.2	0.4	0.2	0.9	2.3	5.0	9.1	16.4	35.5	81.8	180.3
2002.....	12.5	2.5	*	0.2	1.0	2.5	5.1	9.7	17.2	38.4	87.8	192.0
2001.....	12.0	2.9	0.5	0.2	0.9	2.1	5.1	9.1	17.6	37.7	85.7	186.3
2000.....	12.4	2.8	*	0.2	1.0	2.2	5.0	9.9	18.5	40.5	88.2	196.7
1999.....	12.5	3.4	*	0.2	1.0	2.1	5.3	9.8	19.8	43.4	84.9	190.2
Non-Hispanic 4/, female												
2006.....	7.5	2.5	*	*	0.4	0.9	1.9	3.5	6.1	13.4	35.6	105.7
2005.....	7.7	2.1	*	0.2	0.4	0.9	1.9	3.5	6.9	14.4	37.8	108.0
2004.....	7.9	2.9	*	0.2	0.3	0.9	2.0	3.7	6.9	15.6	40.5	107.3
2003.....	8.5	2.8	0.4	*	0.5	1.0	2.1	3.9	7.3	17.6	41.1	120.3
2002.....	8.7	2.9	*	0.1	0.4	1.0	2.4	3.7	7.7	18.5	43.9	122.6
2001.....	8.7	4.1	0.3	0.1	0.4	0.9	2.0	4.1	7.9	19.0	44.3	118.7
2000.....	8.7	3.6	*	*	0.4	1.0	2.0	4.1	8.4	19.6	44.4	120.8
1999.....	8.8	3.4	*	0.1	0.4	1.1	2.1	4.1	9.0	20.5	45.3	120.0
Non-Hispanic white, both sexes												
2006 5/.....	9.2	2.6	*	0.1	0.6	1.2	2.6	4.8	8.3	18.7	48.8	124.8
2005 5/.....	9.6	1.6	*	0.2	0.6	1.2	2.6	4.8	8.9	19.9	51.9	129.3
2004 5/.....	9.7	2.6	*	0.2	0.5	1.1	2.5	4.9	9.4	21.1	54.2	130.7
2003 5/.....	10.2	2.8	0.3	0.1	0.5	1.1	2.8	5.1	9.7	23.7	56.1	140.7
2002.....	10.7	2.5	0.2	0.2	0.5	1.2	2.9	5.3	10.5	25.7	60.1	143.2
2001.....	10.3	2.7	0.3	0.1	0.5	1.1	2.6	5.1	10.6	25.6	58.8	139.3
2000.....	10.5	3.0	*	0.1	0.5	1.1	2.6	5.3	11.3	26.6	59.6	142.6
1999.....	10.5	2.8	0.2	0.1	0.5	1.2	2.7	5.3	11.7	28.5	58.9	139.5
Non-Hispanic white, male												
2006 5/.....	10.8	2.9	*	*	0.8	1.8	3.6	6.8	11.8	26.3	70.2	164.4
2005 5/.....	11.3	*	*	0.2	0.9	1.8	3.9	7.2	12.3	27.6	74.5	175.9
2004 5/.....	11.4	2.5	*	*	0.8	1.7	3.6	7.2	13.1	29.6	76.4	181.3
2003 5/.....	11.9	2.5	*	0.2	0.7	1.6	4.0	7.4	13.8	32.7	80.7	184.1
2002.....	12.5	2.0	*	0.2	0.7	1.7	4.0	7.8	14.9	35.9	86.9	193.1
2001.....	12.0	2.5	0.4	*	0.7	1.5	3.8	7.3	15.0	35.4	83.7	188.4
2000.....	12.3	2.7	*	0.2	0.6	1.5	3.7	7.8	15.9	37.4	85.7	198.7
1999.....	12.2	2.8	*	0.2	0.7	1.6	3.9	7.6	16.4	40.1	83.0	189.9
Non-Hispanic white, female												
2006 5/.....	7.7	2.2	*	*	0.3	0.6	1.5	2.8	5.0	12.1	34.0	106.4
2005 5/.....	7.9	*	*	*	0.3	0.6	1.3	2.5	5.6	13.2	36.3	108.0
2004 5/.....	8.1	2.7	*	0.2	0.2	0.6	1.4	2.7	5.8	13.7	39.1	108.1
2003 5/.....	8.6	3.1	*	*	0.4	0.6	1.5	2.9	5.8	15.9	39.5	121.5
2002.....	8.9	3.0	*	*	0.2	0.6	1.7	2.8	6.3	17.1	42.1	121.7
2001.....	8.7	2.8	*	*	0.3	0.6	1.3	2.9	6.4	17.3	42.4	118.8
2000.....	8.8	3.4	*	*	0.2	0.7	1.4	2.9	7.0	17.6	42.4	119.9
1999.....	8.9	2.9	*	*	0.3	0.8	1.4	3.0	7.3	18.7	43.2	119.3

Worktable Orig12. Death rates for 358 selected causes, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2006

[Rates per 100,000 population in specified group. Rates are based on populations enumerated as of April 1 for 2000 and estimated as of July 1 for all other years. Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.odc.gov/nchs> and refer to 'Detailed technical notes to the United States 2006 data-mortality']

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, and sex	All ages 1/	Under 1 year 2/	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
Cardiomyopathy (I42)												
Non-Hispanic black, both sexes												
2006 5/.....	11.1	4.6	*	0.4	1.2	4.3	7.6	14.8	24.9	39.7	72.4	127.7
2005 5/.....	11.7	*	*	0.3	1.8	4.4	8.2	16.4	25.7	42.3	77.2	127.8
2004 5/.....	11.6	*	*	*	1.3	3.8	8.4	16.2	27.3	45.6	77.1	126.6
2003 5/.....	12.3	3.5	*	*	1.5	4.4	8.7	16.6	29.9	49.0	82.1	137.1
2002.....	12.7	3.4	*	*	1.7	4.8	9.5	17.1	29.1	48.4	86.0	161.8
2001.....	12.9	7.2	0.9	0.3	1.7	4.1	9.8	17.8	31.0	49.6	91.4	143.6
2000.....	13.3	3.6	*	0.4	1.9	4.4	9.1	19.9	30.9	55.8	93.9	153.0
1999.....	13.6	5.1	*	0.4	1.9	3.9	10.3	19.7	35.9	56.9	89.5	154.9
Non-Hispanic black, male												
2006 5/.....	13.8	*	*	*	1.6	6.2	11.0	21.7	36.6	58.1	96.8	158.5
2005 5/.....	14.6	*	*	*	2.5	6.4	11.7	24.4	36.6	64.0	107.4	147.5
2004 5/.....	14.2	*	*	*	2.0	5.4	11.9	22.8	40.1	63.8	104.7	161.6
2003 5/.....	15.0	*	*	*	1.8	6.1	12.1	23.3	42.4	70.4	113.7	174.7
2002.....	15.4	*	*	*	2.2	7.0	13.0	25.3	40.8	69.7	114.9	207.9
2001.....	15.5	*	*	*	2.3	5.7	13.6	24.3	44.4	67.8	129.6	183.6
2000.....	16.3	*	*	*	2.5	6.1	13.2	27.6	44.6	78.5	133.6	196.1
1999.....	17.0	*	*	*	2.7	5.4	14.7	28.4	52.9	82.8	118.5	218.7
Non-Hispanic black, female												
2006 5/.....	8.7	*	*	*	0.8	2.6	4.6	8.8	15.5	26.6	58.5	115.1
2005 5/.....	9.0	*	*	*	1.1	2.5	5.2	9.6	16.8	26.8	60.1	119.9
2004 5/.....	9.3	*	*	*	0.7	2.4	5.4	10.6	17.0	32.5	61.5	112.8
2003 5/.....	9.8	*	*	*	1.2	2.9	5.7	10.8	19.8	33.8	64.2	122.6
2002.....	10.2	*	*	*	1.2	2.8	6.4	10.1	19.7	33.2	69.6	144.2
2001.....	10.5	9.4	*	*	1.1	2.7	6.4	12.2	20.2	36.7	69.9	128.8
2000.....	10.6	*	*	*	1.2	2.9	5.5	13.2	20.0	39.9	71.6	136.9
1999.....	10.6	*	*	*	1.1	2.6	6.4	12.2	22.2	38.6	73.2	131.0

Worktable Orig12. Death rates for 358 selected causes, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2006

[Rates per 100,000 population in specified group. Rates are based on populations enumerated as of April 1 for 2000 and estimated as of July 1 for all other years. Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to 'Detailed technical notes to the United States 2006 data-mortality']

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, and sex	All ages 1/	Under 1 year 2/	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
Conduction disorders and cardiac dysrhythmias (I44-I49)												
All origins 3/, both sexes												
2006.....	12.6	0.9	*	0.1	0.5	0.9	1.7	4.9	11.6	27.8	82.4	274.0
2005.....	13.0	1.0	0.1	0.1	0.5	0.8	2.0	4.9	11.9	28.9	82.7	297.0
2004.....	12.8	0.8	0.1	0.1	0.4	0.8	1.9	5.0	11.9	28.8	84.5	295.3
2003.....	13.4	0.8	0.1	0.1	0.4	0.8	1.9	5.0	12.5	31.3	90.0	313.7
2002.....	13.6	1.4	0.1	0.1	0.5	0.8	2.0	4.9	12.6	31.5	93.4	323.2
2001.....	13.5	0.9	0.2	0.1	0.4	0.7	1.7	5.0	12.6	32.6	92.4	328.2
2000.....	13.6	1.0	0.2	0.1	0.5	0.7	1.9	4.8	13.1	33.3	92.2	340.2
1999.....	14.3	1.0	0.3	0.1	0.5	0.8	1.9	5.2	14.5	35.7	97.1	353.7
All origins 3/, male												
2006.....	11.3	*	*	0.1	0.6	1.1	2.1	6.4	15.2	34.0	91.0	257.5
2005.....	11.6	1.1	*	0.1	0.6	1.0	2.3	6.4	16.0	36.4	89.1	284.0
2004.....	11.5	*	*	0.1	0.5	0.9	2.3	6.5	16.2	36.2	93.8	278.5
2003.....	12.0	*	*	0.2	0.5	0.9	2.4	6.6	16.6	40.1	99.9	292.7
2002.....	12.2	1.6	*	0.1	0.6	0.9	2.5	6.6	16.8	39.0	103.8	310.5
2001.....	12.0	*	*	0.1	0.6	0.9	2.2	6.7	16.5	39.8	104.9	311.6
2000.....	12.1	1.1	*	0.1	0.5	0.8	2.3	6.6	17.5	42.9	101.9	333.2
1999.....	12.9	1.2	0.3	0.2	0.6	1.0	2.3	7.1	19.2	45.4	110.8	353.4
All origins 3/, female												
2006.....	13.9	1.0	*	0.1	0.3	0.7	1.3	3.5	8.3	22.6	76.5	281.6
2005.....	14.3	*	*	*	0.3	0.6	1.6	3.4	8.1	22.6	78.4	303.0
2004.....	14.1	*	*	0.1	0.3	0.7	1.4	3.5	8.0	22.6	78.3	302.9
2003.....	14.8	*	*	*	0.3	0.7	1.5	3.5	8.7	24.0	83.3	323.0
2002.....	15.1	1.2	*	*	0.3	0.6	1.4	3.3	8.6	25.3	86.6	328.8
2001.....	15.1	*	*	0.1	0.2	0.6	1.3	3.4	9.0	26.7	84.2	335.2
2000.....	15.1	*	*	*	0.4	0.6	1.5	3.0	8.9	25.4	85.8	343.0
1999.....	15.7	*	*	0.1	0.4	0.6	1.4	3.4	10.2	27.8	88.2	353.8
Hispanic, both sexes												
2006.....	2.1	*	*	*	*	0.4	0.6	1.5	4.9	11.9	32.2	92.3
2005.....	2.2	*	*	*	0.3	0.4	0.6	1.7	4.8	11.7	33.3	107.0
2004.....	2.0	*	*	*	0.3	0.4	0.6	1.5	3.9	9.8	33.7	104.7
2003.....	2.2	*	*	*	*	0.4	0.6	1.9	5.7	11.3	35.3	127.0
2002.....	2.0	*	*	*	*	0.4	0.6	1.3	3.9	10.7	32.9	134.7
2001.....	2.1	*	*	*	*	0.3	0.6	1.4	3.8	12.6	36.4	145.1
2000.....	2.2	*	*	*	0.4	0.4	0.8	1.7	4.6	13.1	39.3	142.7
1999.....	2.3	*	*	*	*	0.3	0.6	1.5	5.5	14.0	40.6	164.2
Hispanic, male												
2006.....	2.1	*	*	*	*	0.5	0.9	1.8	6.7	14.6	36.4	100.4
2005.....	2.2	*	*	*	0.5	0.6	0.9	2.2	6.4	13.7	37.7	102.1
2004.....	1.9	*	*	*	*	0.6	0.9	1.8	4.4	12.0	37.6	95.3
2003.....	2.1	*	*	*	*	*	0.9	2.3	7.0	14.2	42.6	118.5
2002.....	2.0	*	*	*	*	0.6	0.9	1.8	5.0	13.8	39.0	130.5
2001.....	1.9	*	*	*	*	*	0.8	1.9	4.8	14.8	38.9	137.1
2000.....	2.2	*	*	*	*	*	0.9	2.6	5.6	18.4	39.8	155.2
1999.....	2.3	*	*	*	*	*	0.8	2.3	7.2	17.1	45.9	198.4
Hispanic, female												
2006.....	2.1	*	*	*	*	*	*	1.1	3.3	9.7	29.2	88.1
2005.....	2.3	*	*	*	*	*	*	1.1	3.2	10.1	30.2	109.5
2004.....	2.1	*	*	*	*	*	*	1.1	3.4	7.9	31.1	109.5
2003.....	2.4	*	*	*	*	*	*	1.5	4.6	9.0	30.3	131.3
2002.....	2.1	*	*	*	*	*	*	*	3.0	8.2	28.7	136.8
2001.....	2.3	*	*	*	*	*	*	*	2.9	10.9	34.8	148.9
2000.....	2.3	*	*	*	*	*	*	*	3.6	9.0	39.0	136.5
1999.....	2.4	*	*	*	*	*	*	*	4.0	11.5	37.1	147.7

Worktable Orig12. Death rates for 358 selected causes, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2006

[Rates per 100,000 population in specified group. Rates are based on populations enumerated as of April 1 for 2000 and estimated as of July 1 for all other years. Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to 'Detailed technical notes to the United States 2006 data-mortality']

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, and sex	All ages 1/	Under 1 year 2/	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
Conduction disorders and cardiac dysrhythmias (I44-I49)												
Non-Hispanic 4/, both sexes												
2006.....	14.4	0.9	*	0.1	0.5	1.0	1.9	5.3	12.2	29.0	85.4	282.8
2005.....	14.8	1.1	0.2	0.1	0.5	0.9	2.2	5.3	12.5	30.1	85.5	305.8
2004.....	14.6	0.8	*	0.1	0.5	0.9	2.1	5.3	12.6	30.2	87.3	303.7
2003.....	15.2	0.9	*	0.1	0.5	0.9	2.1	5.3	13.0	32.7	92.6	321.2
2002.....	15.4	1.6	*	0.1	0.5	0.9	2.2	5.3	13.2	32.8	96.2	330.2
2001.....	15.2	1.1	0.2	0.2	0.4	0.8	1.9	5.4	13.2	33.8	94.8	334.2
2000.....	15.2	1.2	0.2	0.1	0.5	0.8	2.0	5.0	13.7	34.5	94.3	346.6
1999.....	15.9	1.2	0.3	0.1	0.5	0.9	2.0	5.5	15.1	36.9	99.2	359.7
Non-Hispanic 4/, male												
2006.....	13.0	*	*	0.1	0.6	1.2	2.4	7.0	16.0	35.4	94.2	266.0
2005.....	13.3	1.4	*	0.2	0.7	1.1	2.6	6.9	16.7	38.0	92.0	293.4
2004.....	13.1	*	*	0.1	0.5	1.0	2.6	7.0	17.1	37.9	96.9	287.6
2003.....	13.6	*	*	0.2	0.6	1.0	2.6	7.1	17.3	41.8	102.6	300.5
2002.....	13.8	1.6	*	0.2	0.7	1.0	2.8	7.1	17.7	40.6	106.8	318.1
2001.....	13.5	*	*	0.1	0.6	0.9	2.4	7.1	17.4	41.2	107.7	318.1
2000.....	13.6	1.3	*	0.1	0.5	0.9	2.5	6.9	18.4	44.3	104.4	339.7
1999.....	14.4	1.4	0.3	0.2	0.6	1.0	2.5	7.5	20.0	46.9	113.2	359.0
Non-Hispanic 4/, female												
2006.....	15.8	*	*	*	0.4	0.8	1.4	3.8	8.7	23.6	79.4	290.7
2005.....	16.2	*	*	*	0.3	0.6	1.8	3.7	8.5	23.5	81.1	311.5
2004.....	15.9	*	*	*	0.4	0.8	1.6	3.7	8.4	23.7	80.8	310.9
2003.....	16.7	*	*	*	0.3	0.7	1.7	3.6	9.0	25.1	85.9	330.3
2002.....	16.9	1.5	*	*	0.3	0.7	1.6	3.5	9.1	26.4	89.2	335.4
2001.....	16.8	*	*	0.2	0.2	0.6	1.4	3.7	9.4	27.7	86.2	340.9
2000.....	16.8	*	*	*	0.4	0.6	1.6	3.2	9.3	26.4	87.7	349.3
1999.....	17.4	*	*	*	0.4	0.7	1.5	3.6	10.6	28.7	90.2	360.0
Non-Hispanic white, both sexes												
2006 5/.....	15.5	*	*	0.1	0.4	0.8	1.6	4.8	11.2	27.1	83.9	287.4
2005 5/.....	16.0	*	*	0.1	0.4	0.8	2.0	4.7	11.3	28.2	84.8	309.2
2004 5/.....	15.7	*	*	0.1	0.4	0.7	1.8	4.8	11.5	28.7	85.8	303.9
2003 5/.....	16.4	*	*	0.1	0.4	0.7	2.0	4.7	12.0	30.7	91.5	322.4
2002.....	16.6	1.3	*	0.1	0.5	0.7	2.0	4.7	12.0	31.4	94.6	331.7
2001.....	16.3	1.0	*	0.1	0.4	0.7	1.6	4.8	12.1	32.1	92.7	336.0
2000.....	16.4	1.1	*	0.1	0.4	0.7	1.8	4.5	12.6	33.0	93.1	348.3
1999.....	17.2	0.9	0.3	0.1	0.5	0.7	1.8	5.0	14.0	35.5	97.5	362.4
Non-Hispanic white, male												
2006 5/.....	13.7	*	*	*	0.6	1.0	2.0	6.4	14.6	33.1	92.1	268.1
2005 5/.....	14.1	*	*	0.2	0.6	1.0	2.4	6.4	15.4	35.5	90.9	293.6
2004 5/.....	13.9	*	*	*	0.5	0.9	2.4	6.4	15.9	36.0	94.6	282.9
2003 5/.....	14.4	*	*	0.2	0.5	0.9	2.5	6.4	16.1	39.4	100.8	299.7
2002.....	14.7	1.7	*	0.2	0.7	0.9	2.7	6.5	16.2	38.9	104.7	316.8
2001.....	14.2	*	*	0.2	0.5	0.8	2.1	6.5	15.8	39.3	104.4	316.9
2000.....	14.5	*	*	*	0.5	0.8	2.3	6.3	17.1	42.6	103.7	339.9
1999.....	15.3	*	*	0.2	0.6	0.9	2.4	7.0	18.7	45.3	110.4	357.1
Non-Hispanic white, female												
2006 5/.....	17.3	*	*	*	0.3	0.7	1.2	3.3	7.9	21.9	78.2	296.3
2005 5/.....	17.8	*	*	*	0.3	0.5	1.7	3.0	7.4	22.0	80.6	316.3
2004 5/.....	17.4	*	*	*	0.4	0.6	1.3	3.2	7.3	22.5	79.9	313.2
2003 5/.....	18.2	*	*	*	0.3	0.6	1.5	3.0	8.0	23.3	85.2	332.4
2002.....	18.5	*	*	*	0.3	0.5	1.4	3.0	7.9	24.9	87.8	338.2
2001.....	18.3	*	*	*	0.2	0.6	1.1	3.1	8.5	26.0	84.9	343.9
2000.....	18.3	*	*	*	0.3	0.5	1.3	2.8	8.4	25.0	86.1	351.7
1999.....	19.0	*	*	*	0.4	0.6	1.3	3.1	9.7	27.3	89.0	364.5

Worktable Orig12. Death rates for 358 selected causes, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2006

[Rates per 100,000 population in specified group. Rates are based on populations enumerated as of April 1 for 2000 and estimated as of July 1 for all other years. Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.odc.gov/nchs> and refer to 'Detailed technical notes to the United States 2006 data-mortality']

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, and sex	All ages 1/	Under 1 year 2/	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
Conduction disorders and cardiac dysrhythmias (I44-I49)												
Non-Hispanic black, both sexes												
2006 5/.....	12.6	*	*	*	0.9	2.1	4.2	9.9	23.6	50.7	117.8	280.3
2005 5/.....	12.5	*	*	*	0.8	1.7	3.8	10.1	24.0	51.8	107.0	308.6
2004 5/.....	12.6	*	*	*	0.7	1.7	4.2	10.2	24.5	49.3	116.0	321.2
2003 5/.....	12.9	*	*	*	0.7	1.8	3.7	10.8	24.0	56.3	116.7	332.0
2002.....	13.0	*	*	*	0.6	1.7	3.7	10.4	26.6	52.4	125.1	342.4
2001.....	13.1	*	*	*	0.8	1.5	3.8	10.8	25.5	54.9	129.1	343.0
2000.....	12.7	*	*	*	0.7	1.4	3.7	10.1	25.6	53.6	123.6	349.8
1999.....	13.4	*	*	*	0.8	1.8	3.7	10.8	27.4	56.8	134.0	362.1
Non-Hispanic black, male												
2006 5/.....	12.6	*	*	*	0.9	2.6	5.2	12.7	32.0	64.0	138.2	290.5
2005 5/.....	12.1	*	*	*	1.2	2.0	4.5	11.6	31.3	67.8	116.6	332.1
2004 5/.....	12.4	*	*	*	0.8	1.8	4.6	12.8	32.6	64.8	139.8	340.4
2003 5/.....	12.4	*	*	*	1.0	1.7	4.1	13.7	31.8	74.0	137.9	311.1
2002.....	12.4	*	*	*	0.8	2.0	4.3	13.6	34.7	66.0	142.1	341.3
2001.....	12.7	*	*	*	1.1	1.9	4.3	13.4	34.6	67.0	161.1	359.2
2000.....	12.1	*	*	*	*	1.6	4.3	13.9	34.2	68.4	134.5	362.8
1999.....	13.3	*	*	*	1.0	2.0	4.1	13.8	37.0	72.0	165.4	413.6
Non-Hispanic black, female												
2006 5/.....	12.7	*	*	*	0.8	1.7	3.4	7.5	16.9	41.2	106.2	276.2
2005 5/.....	12.8	*	*	*	*	1.4	3.2	8.8	18.1	40.4	101.5	299.1
2004 5/.....	12.7	*	*	*	*	1.7	3.8	7.9	17.9	38.3	102.6	313.6
2003 5/.....	13.3	*	*	*	*	1.8	3.3	8.4	17.8	43.8	104.8	340.1
2002.....	13.5	*	*	*	*	1.5	3.2	7.7	20.1	42.8	115.4	342.8
2001.....	13.4	*	*	*	*	1.2	3.3	8.5	18.3	46.3	111.2	337.1
2000.....	13.3	*	*	*	0.8	1.2	3.3	6.8	18.7	43.2	117.4	345.0
1999.....	13.6	*	*	*	*	1.6	3.4	8.2	19.8	46.1	116.4	342.9

Worktable Orig12. Death rates for 358 selected causes, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2006

[Rates per 100,000 population in specified group. Rates are based on populations enumerated as of April 1 for 2000 and estimated as of July 1 for all other years. Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to 'Detailed technical notes to the United States 2006 data-mortality']

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, and sex	All ages 1/	Under 1 year 2/	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
Heart failure (I50)												
All origins 3/, both sexes												
2006.....	20.2	*	*	*	0.1	0.2	0.8	2.8	8.9	31.5	132.7	614.4
2005.....	19.9	0.7	*	*	0.1	0.2	0.7	2.6	8.6	31.6	132.8	618.6
2004.....	19.5	0.7	*	*	0.1	0.2	0.7	2.5	8.4	32.2	131.2	621.2
2003.....	19.8	0.9	*	*	0.1	0.2	0.7	2.4	8.8	33.5	133.2	641.1
2002.....	19.6	0.6	*	*	0.1	0.3	0.6	2.5	8.8	33.8	132.8	645.0
2001.....	20.0	0.6	*	*	0.1	0.2	0.7	2.4	9.4	34.3	136.3	674.6
2000.....	19.8	0.8	*	0.1	0.1	0.2	0.6	2.2	9.1	34.8	136.1	684.9
1999.....	19.7	*	*	*	0.1	0.2	0.6	2.1	8.9	35.4	137.2	681.9
All origins 3/, male												
2006.....	16.2	*	*	*	0.1	0.3	0.9	3.7	10.8	36.9	148.6	599.0
2005.....	15.6	*	*	*	0.1	0.3	0.9	3.1	10.3	36.0	147.8	603.1
2004.....	15.4	*	*	*	*	0.3	0.8	3.0	10.1	37.5	147.0	605.5
2003.....	15.7	1.4	*	*	0.1	0.3	0.9	2.9	10.8	39.7	148.6	629.8
2002.....	15.3	*	*	*	*	0.3	0.8	3.1	10.5	39.2	149.0	621.4
2001.....	15.5	*	*	*	*	0.3	0.8	3.1	11.1	40.3	153.8	646.4
2000.....	15.3	1.1	*	*	0.1	0.2	0.7	2.7	10.9	41.1	153.7	672.2
1999.....	15.2	*	*	*	0.1	0.2	0.7	2.7	10.8	42.5	152.0	667.0
All origins 3/, female												
2006.....	24.0	*	*	*	*	0.2	0.6	2.0	7.0	26.9	121.8	621.6
2005.....	23.9	*	*	*	*	0.2	0.5	2.0	7.0	27.9	122.5	625.6
2004.....	23.4	*	*	*	*	0.2	0.6	2.0	6.8	27.8	120.5	628.2
2003.....	23.7	*	*	*	*	0.2	0.5	1.9	7.0	28.3	122.9	646.1
2002.....	23.7	*	*	*	*	0.2	0.5	1.8	7.2	29.2	122.0	655.3
2001.....	24.3	*	*	*	*	0.2	0.6	1.8	7.8	29.3	124.7	686.4
2000.....	24.1	*	*	*	*	0.1	0.5	1.6	7.5	29.6	124.6	690.0
1999.....	24.0	*	*	*	*	0.2	0.5	1.6	7.1	29.6	127.6	687.9
Hispanic, both sexes												
2006.....	4.1	*	*	*	*	*	*	1.5	4.4	18.8	74.5	304.8
2005.....	4.0	*	*	*	*	*	*	1.1	4.5	18.5	75.6	316.6
2004.....	3.7	*	*	*	*	*	0.4	1.3	4.7	19.2	72.9	287.3
2003.....	4.0	*	*	*	*	*	*	1.3	5.7	22.5	77.1	330.1
2002.....	3.6	*	*	*	*	*	*	1.2	4.6	19.9	75.2	316.0
2001.....	3.7	*	*	*	*	*	0.4	1.3	5.6	18.8	72.9	349.5
2000.....	3.6	*	*	*	*	*	*	0.7	5.8	18.9	72.1	369.6
1999.....	3.7	*	*	*	*	*	*	1.0	5.3	19.5	73.5	377.4
Hispanic, male												
2006.....	3.5	*	*	*	*	*	*	2.1	4.9	22.9	89.8	276.3
2005.....	3.3	*	*	*	*	*	*	1.4	4.2	21.5	90.2	295.1
2004.....	3.1	*	*	*	*	*	*	1.7	6.0	22.1	84.1	263.4
2003.....	3.5	*	*	*	*	*	*	1.3	7.8	26.0	92.8	312.5
2002.....	3.0	*	*	*	*	*	*	1.1	5.8	23.1	85.8	296.2
2001.....	3.0	*	*	*	*	*	*	1.8	6.0	21.8	75.6	333.3
2000.....	2.9	*	*	*	*	*	*	7.7	23.0	74.2	380.9	
1999.....	3.0	*	*	*	*	*	*	6.1	24.6	82.9	358.0	
Hispanic, female												
2006.....	4.8	*	*	*	*	*	*	0.9	4.0	15.5	63.7	319.9
2005.....	4.8	*	*	*	*	*	*	*	4.7	16.0	65.4	327.8
2004.....	4.4	*	*	*	*	*	*	1.0	3.4	16.9	65.2	299.6
2003.....	4.6	*	*	*	*	*	*	1.2	3.7	19.7	66.4	339.1
2002.....	4.4	*	*	*	*	*	*	1.3	3.6	17.3	68.0	325.8
2001.....	4.5	*	*	*	*	*	*	*	5.2	16.4	71.0	357.4
2000.....	4.3	*	*	*	*	*	*	*	4.2	15.6	70.7	364.0
1999.....	4.4	*	*	*	*	*	*	*	4.6	15.5	67.3	366.8

Worktable Orig12. Death rates for 358 selected causes, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2006

[Rates per 100,000 population in specified group. Rates are based on populations enumerated as of April 1 for 2000 and estimated as of July 1 for all other years. Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to 'Detailed technical notes to the United States 2006 data-mortality']

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, and sex	All ages 1/	Under 1 year 2/	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
Heart failure (I50)												
Non-Hispanic 4/, both sexes												
2006.....	22.9	*	*	*	0.1	0.2	0.8	3.0	9.2	32.4	136.1	629.3
2005.....	22.5	0.7	*	*	0.1	0.3	0.8	2.7	8.9	32.5	136.0	632.5
2004.....	22.0	0.8	*	*	0.1	0.3	0.8	2.6	8.7	33.1	134.2	635.3
2003.....	22.2	1.0	*	*	0.1	0.3	0.8	2.5	9.1	34.1	135.9	653.2
2002.....	22.0	*	*	*	0.1	0.3	0.7	2.6	9.1	34.6	135.3	656.8
2001.....	22.4	*	*	*	0.1	0.3	0.7	2.5	9.6	35.2	138.8	685.6
2000.....	22.1	0.8	*	*	0.1	0.2	0.6	2.3	9.3	35.7	138.5	694.8
1999.....	21.8	*	*	*	0.1	0.2	0.6	2.2	9.1	36.3	139.4	691.0
Non-Hispanic 4/, male												
2006.....	18.5	*	*	*	0.1	0.3	1.0	3.9	11.3	37.9	152.1	616.3
2005.....	18.0	*	*	*	0.1	0.3	1.0	3.3	10.8	37.0	151.0	618.8
2004.....	17.5	*	*	*	*	0.3	0.9	3.1	10.4	38.6	150.3	621.3
2003.....	17.7	1.4	*	*	0.1	0.3	1.0	3.1	11.0	40.5	151.2	643.2
2002.....	17.3	*	*	*	*	0.4	0.9	3.3	10.9	40.2	151.8	634.7
2001.....	17.4	*	*	*	*	0.3	0.9	3.2	11.4	41.4	157.2	658.0
2000.....	17.2	*	*	*	0.1	0.2	0.8	2.9	11.0	42.1	156.9	683.3
1999.....	16.9	*	*	*	0.1	0.2	0.8	2.8	11.0	43.5	154.5	677.1
Non-Hispanic 4/, female												
2006.....	27.1	*	*	*	*	0.2	0.7	2.2	7.3	27.8	125.2	635.3
2005.....	26.9	*	*	*	*	0.2	0.6	2.1	7.2	28.8	125.7	638.7
2004.....	26.3	*	*	*	*	0.2	0.6	2.1	7.1	28.6	123.3	641.6
2003.....	26.5	*	*	*	*	0.2	0.6	2.0	7.3	28.8	125.6	657.6
2002.....	26.5	*	*	*	*	0.2	0.5	1.9	7.5	29.9	124.3	666.4
2001.....	27.1	*	*	*	*	0.2	0.6	1.9	8.0	30.1	126.8	697.0
2000.....	26.7	*	*	*	*	0.2	0.5	1.7	7.7	30.5	126.5	699.5
1999.....	26.5	*	*	*	*	0.2	0.5	1.6	7.2	30.4	129.7	696.5
Non-Hispanic white, both sexes												
2006 5/.....	26.0	*	*	*	*	0.1	0.6	2.2	8.2	31.2	138.3	653.7
2005 5/.....	25.4	*	*	*	0.1	0.2	0.5	2.1	7.8	31.1	136.7	655.9
2004 5/.....	24.8	*	*	*	*	0.2	0.6	2.0	7.6	32.3	135.7	657.1
2003 5/.....	25.0	*	*	*	*	0.2	0.5	1.9	8.0	32.8	137.1	673.5
2002.....	24.7	*	*	*	*	0.2	0.5	2.0	8.2	33.3	135.9	677.3
2001.....	25.1	*	*	*	*	0.2	0.5	2.1	8.7	33.9	139.7	706.8
2000.....	24.7	*	*	*	*	0.1	0.5	1.9	8.4	34.3	139.2	714.3
1999.....	24.3	*	*	*	*	0.1	0.5	1.7	8.1	34.9	139.1	709.1
Non-Hispanic white, male												
2006 5/.....	20.7	*	*	*	*	0.2	0.7	2.8	10.2	36.4	154.9	641.8
2005 5/.....	20.0	*	*	*	*	0.2	0.7	2.5	9.4	35.2	152.3	646.8
2004 5/.....	19.5	*	*	*	*	0.2	0.7	2.4	9.0	37.8	151.7	643.0
2003 5/.....	19.7	*	*	*	*	0.3	0.7	2.4	9.7	39.3	153.2	665.3
2002.....	19.2	*	*	*	*	0.2	0.7	2.6	9.8	38.6	153.2	656.2
2001.....	19.3	*	*	*	*	0.2	0.7	2.7	10.5	40.0	158.1	679.1
2000.....	19.0	*	*	*	*	0.2	0.6	2.4	10.1	41.0	157.9	701.6
1999.....	18.6	*	*	*	*	*	0.6	2.2	10.1	42.2	154.7	690.8
Non-Hispanic white, female												
2006 5/.....	31.0	*	*	*	*	*	0.5	1.6	6.3	26.8	126.8	659.3
2005 5/.....	30.5	*	*	*	*	*	0.4	1.6	6.2	27.5	125.9	660.0
2004 5/.....	30.0	*	*	*	*	*	0.4	1.5	6.2	27.6	124.7	663.4
2003 5/.....	30.1	*	*	*	*	*	0.4	1.5	6.3	27.2	126.3	677.2
2002.....	30.0	*	*	*	*	0.2	0.4	1.4	6.7	28.8	124.2	686.4
2001.....	30.7	*	*	*	*	0.2	0.4	1.4	6.9	28.8	127.5	716.4
2000.....	30.2	*	*	*	*	*	0.3	1.3	6.8	28.7	126.9	719.4
1999.....	29.9	*	*	*	*	*	0.3	1.2	6.3	28.8	128.8	716.4

Worktable Orig12. Death rates for 358 selected causes, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2006

[Rates per 100,000 population in specified group. Rates are based on populations enumerated as of April 1 for 2000 and estimated as of July 1 for all other years. Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.odc.gov/nchs> and refer to 'Detailed technical notes to the United States 2006 data-mortality']

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, and sex	All ages 1/	Under 1 year 2/	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
Heart failure (I50)												
Non-Hispanic black, both sexes												
2006 5/.....	14.6	*	*	*	*	0.8	2.3	8.7	20.0	52.5	149.9	492.6
2005 5/.....	14.9	*	*	*	*	0.8	2.4	7.5	20.7	54.8	163.9	497.8
2004 5/.....	14.1	*	*	*	*	0.7	2.0	7.7	19.9	49.2	153.0	513.2
2003 5/.....	14.5	*	*	*	*	0.7	2.4	7.1	21.0	55.3	152.7	538.7
2002.....	14.2	*	*	*	*	0.9	1.9	7.4	19.0	54.1	158.3	534.5
2001.....	14.3	*	*	*	*	0.6	2.0	6.6	20.0	55.5	159.1	551.2
2000.....	14.1	*	*	*	*	0.5	1.7	5.9	19.0	56.2	156.3	564.8
1999.....	14.3	*	*	*	*	0.6	1.7	6.5	19.2	57.3	164.8	557.4
Non-Hispanic black, male												
2006 5/.....	12.9	*	*	*	*	1.0	3.1	11.5	24.1	64.6	168.5	473.7
2005 5/.....	12.7	*	*	*	*	1.1	3.5	9.4	26.0	65.0	182.8	431.0
2004 5/.....	12.2	*	*	*	*	1.0	2.3	9.5	25.6	56.6	178.5	510.1
2003 5/.....	12.3	*	*	*	*	0.8	2.8	8.5	26.8	64.3	165.9	521.0
2002.....	12.0	*	*	*	*	1.1	2.3	9.2	23.3	65.9	176.4	489.0
2001.....	12.0	*	*	*	*	0.9	2.3	7.6	22.6	66.3	185.4	547.5
2000.....	11.6	*	*	*	*	*	1.8	7.3	21.8	62.9	176.5	589.4
1999.....	12.2	*	*	*	*	*	1.9	8.6	23.0	66.4	180.4	609.7
Non-Hispanic black, female												
2006 5/.....	16.2	*	*	*	*	*	1.7	6.2	16.6	43.8	139.3	500.4
2005 5/.....	16.9	*	*	*	*	*	1.4	5.8	16.5	47.5	153.2	524.7
2004 5/.....	15.7	*	*	*	*	*	1.8	6.1	15.4	43.9	136.6	514.4
2003 5/.....	16.5	*	*	*	*	*	2.0	5.8	16.3	48.9	145.2	545.6
2002.....	16.3	*	*	*	*	*	1.5	5.7	15.5	45.8	148.1	551.8
2001.....	16.4	*	*	*	*	*	1.7	5.6	18.0	47.9	144.4	552.6
2000.....	16.3	*	*	*	*	*	1.6	4.7	16.8	51.5	145.0	555.6
1999.....	16.2	*	*	*	*	*	1.5	4.8	16.1	50.9	156.0	537.9

Worktable Orig12. Death rates for 358 selected causes, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2006

[Rates per 100,000 population in specified group. Rates are based on populations enumerated as of April 1 for 2000 and estimated as of July 1 for all other years. Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to 'Detailed technical notes to the United States 2006 data-mortality']

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, and sex	All ages 1/	Under 1 year 2/	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
Congestive heart failure (I50.0)												
All origins 3/, both sexes												
2006.....	18.7	*	*	*	0.1	0.2	0.6	2.3	7.7	28.4	123.0	579.3
2005.....	18.5	*	*	*	0.1	0.2	0.6	2.1	7.4	28.6	123.9	586.0
2004.....	18.1	*	*	*	0.0	0.2	0.6	2.1	7.2	29.1	122.3	588.9
2003.....	18.4	0.6	*	*	0.1	0.2	0.6	2.0	7.7	30.3	124.4	608.2
2002.....	18.2	*	*	*	*	0.2	0.5	2.0	7.6	30.3	123.7	609.0
2001.....	18.5	*	*	*	0.1	0.2	0.5	2.1	8.0	31.1	126.6	636.1
2000.....	18.3	*	*	*	0.1	0.1	0.5	1.8	7.9	31.0	126.4	644.4
1999.....	18.2	*	*	*	0.1	0.1	0.5	1.7	7.4	31.9	127.3	642.7
All origins 3/, male												
2006.....	14.9	*	*	*	*	0.2	0.7	3.0	9.4	33.0	136.4	565.2
2005.....	14.6	*	*	*	*	0.2	0.8	2.5	8.8	32.3	137.9	571.0
2004.....	14.2	*	*	*	*	0.2	0.7	2.5	8.7	33.6	136.4	571.8
2003.....	14.5	*	*	*	*	0.2	0.7	2.4	9.3	35.8	138.3	594.6
2002.....	14.0	*	*	*	*	0.3	0.6	2.5	8.9	35.2	138.1	584.6
2001.....	14.2	*	*	*	*	0.2	0.6	2.6	9.3	36.2	141.2	609.3
2000.....	14.0	*	*	*	*	0.1	0.5	2.2	9.3	36.4	142.4	632.2
1999.....	13.9	*	*	*	*	0.1	0.6	2.2	8.9	38.0	140.5	628.2
All origins 3/, female												
2006.....	22.4	*	*	*	*	0.1	0.5	1.7	6.2	24.5	113.8	585.9
2005.....	22.4	*	*	*	*	0.1	0.4	1.6	6.2	25.5	114.4	592.9
2004.....	21.9	*	*	*	*	0.1	0.5	1.7	5.8	25.3	112.8	596.6
2003.....	22.3	*	*	*	*	0.2	0.5	1.6	6.2	25.7	115.2	614.2
2002.....	22.2	*	*	*	*	0.2	0.4	1.5	6.3	26.3	114.1	619.6
2001.....	22.8	*	*	*	*	0.1	0.4	1.6	6.8	26.8	117.0	647.3
2000.....	22.4	*	*	*	*	0.1	0.4	1.4	6.6	26.6	116.1	649.4
1999.....	22.4	*	*	*	*	0.1	0.4	1.3	6.1	26.9	118.7	648.5
Hispanic, both sexes												
2006.....	3.8	*	*	*	*	*	*	1.2	3.9	17.3	70.0	284.8
2005.....	3.7	*	*	*	*	*	*	1.0	3.9	17.2	71.3	296.9
2004.....	3.4	*	*	*	*	*	0.3	1.3	4.0	17.0	67.9	271.1
2003.....	3.7	*	*	*	*	*	*	1.2	5.2	20.1	71.7	315.1
2002.....	3.3	*	*	*	*	*	*	0.9	4.3	17.2	69.2	296.0
2001.....	3.4	*	*	*	*	*	*	1.2	4.9	17.3	68.0	322.6
2000.....	3.3	*	*	*	*	*	*	*	5.4	16.9	67.0	343.7
1999.....	3.4	*	*	*	*	*	*	0.7	4.9	17.9	68.7	359.2
Hispanic, male												
2006.....	3.2	*	*	*	*	*	*	1.7	4.3	20.8	83.5	258.2
2005.....	3.1	*	*	*	*	*	*	1.2	3.6	20.3	85.2	275.2
2004.....	2.8	*	*	*	*	*	*	1.6	5.2	19.3	76.9	249.4
2003.....	3.2	*	*	*	*	*	*	1.3	7.2	22.5	85.5	295.5
2002.....	2.6	*	*	*	*	*	*	*	5.2	20.3	76.7	274.4
2001.....	2.7	*	*	*	*	*	*	1.7	5.3	20.6	69.4	295.2
2000.....	2.6	*	*	*	*	*	*	*	7.0	20.7	67.4	342.6
1999.....	2.7	*	*	*	*	*	*	*	5.6	22.2	77.7	338.6
Hispanic, female												
2006.....	4.5	*	*	*	*	*	*	*	3.5	14.5	60.6	299.0
2005.....	4.4	*	*	*	*	*	*	*	4.1	14.6	61.6	308.3
2004.....	4.1	*	*	*	*	*	*	*	2.8	15.2	61.7	282.3
2003.....	4.4	*	*	*	*	*	*	1.1	3.4	18.2	62.1	325.0
2002.....	4.0	*	*	*	*	*	*	*	3.4	14.8	64.1	306.7
2001.....	4.1	*	*	*	*	*	*	*	4.5	14.6	67.7	336.0
2000.....	4.0	*	*	*	*	*	*	*	4.0	13.9	66.7	344.2
1999.....	4.1	*	*	*	*	*	*	*	4.4	14.6	62.8	369.1

Worktable Orig12. Death rates for 358 selected causes, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2006

[Rates per 100,000 population in specified group. Rates are based on populations enumerated as of April 1 for 2000 and estimated as of July 1 for all other years. Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to 'Detailed technical notes to the United States 2006 data-mortality']

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, and sex	All ages 1/	Under 1 year 2/	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
Congestive heart failure (I50.0)												
Non-Hispanic 4/, both sexes												
2006.....	21.2	*	*	*	0.1	0.2	0.7	2.5	8.0	29.2	126.1	593.4
2005.....	21.0	*	*	*	0.1	0.2	0.7	2.2	7.7	29.4	126.8	599.4
2004.....	20.5	*	*	*	*	0.2	0.6	2.2	7.4	29.9	125.1	602.4
2003.....	20.7	*	*	*	0.1	0.2	0.6	2.1	7.9	31.0	126.9	619.6
2002.....	20.4	*	*	*	*	0.2	0.6	2.1	7.8	31.1	126.1	620.2
2001.....	20.8	*	*	*	0.1	0.2	0.6	2.1	8.2	31.9	129.0	646.7
2000.....	20.4	*	*	*	0.1	0.1	0.5	1.9	8.1	31.8	128.7	653.9
1999.....	20.2	*	*	*	0.1	0.1	0.5	1.8	7.6	32.6	129.4	651.2
Non-Hispanic 4/, male												
2006.....	17.0	*	*	*	*	0.3	0.8	3.1	9.8	33.9	139.5	581.6
2005.....	16.6	*	*	*	*	0.3	0.8	2.6	9.2	33.1	140.8	586.1
2004.....	16.1	*	*	*	*	0.3	0.7	2.6	8.9	34.5	139.5	586.8
2003.....	16.3	*	*	*	*	0.2	0.7	2.5	9.4	36.6	140.7	607.4
2002.....	15.9	*	*	*	*	0.3	0.7	2.6	9.2	36.1	140.8	597.3
2001.....	15.9	*	*	*	*	0.2	0.7	2.6	9.6	37.1	144.4	621.0
2000.....	15.7	*	*	*	*	0.2	0.6	2.3	9.4	37.2	145.4	643.2
1999.....	15.5	*	*	*	*	0.1	0.6	2.3	9.0	38.8	142.7	637.8
Non-Hispanic 4/, female												
2006.....	25.3	*	*	*	*	*	0.5	1.9	6.4	25.2	117.0	598.9
2005.....	25.2	*	*	*	*	0.1	0.5	1.7	6.4	26.4	117.3	605.5
2004.....	24.6	*	*	*	*	0.1	0.5	1.8	6.0	26.0	115.4	609.4
2003.....	24.9	*	*	*	*	0.2	0.5	1.7	6.4	28.2	117.7	625.0
2002.....	24.8	*	*	*	*	0.2	0.4	1.6	6.6	27.0	116.3	630.1
2001.....	25.4	*	*	*	*	0.2	0.5	1.7	6.9	27.6	118.9	657.3
2000.....	24.9	*	*	*	*	0.1	0.4	1.4	6.8	27.3	117.8	658.3
1999.....	24.7	*	*	*	*	0.1	0.4	1.3	6.2	27.6	120.7	656.6
Non-Hispanic white, both sexes												
2006 5/.....	24.2	*	*	*	*	0.1	0.4	1.8	7.2	28.3	128.4	617.9
2005 5/.....	23.8	*	*	*	*	0.1	0.4	1.7	6.8	28.2	128.2	623.0
2004 5/.....	23.3	*	*	*	*	0.2	0.5	1.7	6.5	29.3	126.8	624.1
2003 5/.....	23.4	*	*	*	*	0.1	0.4	1.6	6.9	29.9	128.5	640.9
2002.....	23.1	*	*	*	*	0.1	0.4	1.6	7.0	30.1	127.0	641.1
2001.....	23.4	*	*	*	*	0.2	0.4	1.7	7.4	30.8	130.2	667.8
2000.....	23.0	*	*	*	*	0.1	0.4	1.5	7.3	30.7	129.7	673.7
1999.....	22.6	*	*	*	*	*	0.4	1.3	6.8	31.4	129.4	669.4
Non-Hispanic white, male												
2006 5/.....	19.1	*	*	*	*	*	0.5	2.3	8.9	32.8	142.6	607.1
2005 5/.....	18.6	*	*	*	*	*	0.5	2.1	8.1	31.5	142.6	614.2
2004 5/.....	18.1	*	*	*	*	0.2	0.6	2.0	7.7	34.1	141.3	608.3
2003 5/.....	18.3	*	*	*	*	0.2	0.5	2.0	8.3	35.7	143.1	630.0
2002.....	17.7	*	*	*	*	0.2	0.5	2.0	8.2	34.6	142.7	619.6
2001.....	17.8	*	*	*	*	0.2	0.5	2.2	8.9	36.0	145.9	641.8
2000.....	17.5	*	*	*	*	*	0.5	1.9	8.7	36.5	146.8	662.2
1999.....	17.0	*	*	*	*	*	0.5	1.7	8.2	37.8	143.1	652.0
Non-Hispanic white, female												
2006 5/.....	29.1	*	*	*	*	*	0.4	1.4	5.6	24.4	118.6	623.0
2005 5/.....	28.8	*	*	*	*	*	0.4	1.3	5.6	25.4	118.2	627.1
2004 5/.....	28.2	*	*	*	*	*	0.3	1.3	5.4	25.2	117.0	631.3
2003 5/.....	28.4	*	*	*	*	*	0.3	1.3	5.6	24.9	118.6	645.7
2002.....	28.2	*	*	*	*	*	0.3	1.1	5.8	26.2	116.5	650.4
2001.....	28.8	*	*	*	*	*	0.3	1.3	6.0	26.4	119.8	676.6
2000.....	28.2	*	*	*	*	*	0.3	1.1	6.0	25.7	118.4	676.4
1999.....	27.9	*	*	*	*	*	0.3	0.9	5.4	26.1	120.4	676.3

Worktable Orig12. Death rates for 358 selected causes, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2006

[Rates per 100,000 population in specified group. Rates are based on populations enumerated as of April 1 for 2000 and estimated as of July 1 for all other years. Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.odc.gov/nchs> and refer to 'Detailed technical notes to the United States 2006 data-mortality']

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, and sex	All ages 1/	Under 1 year 2/	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
Congestive heart failure (I50.0)												
Non-Hispanic black, both sexes												
2006 5/.....	13.0	*	*	*	*	0.6	1.9	7.3	17.1	46.0	135.7	451.2
2005 5/.....	13.1	*	*	*	*	0.8	2.0	5.9	17.3	48.7	145.7	455.8
2004 5/.....	12.5	*	*	*	*	0.6	1.6	6.3	16.9	43.3	138.3	474.9
2003 5/.....	12.9	*	*	*	*	0.6	2.0	5.9	18.1	48.9	138.2	490.5
2002.....	12.8	*	*	*	*	0.8	1.6	6.2	16.6	48.2	143.5	488.2
2001.....	12.8	*	*	*	*	0.4	1.7	5.6	16.9	49.9	143.8	509.4
2000.....	12.5	*	*	*	*	*	1.3	5.1	16.4	49.3	141.8	515.8
1999.....	12.8	*	*	*	*	0.5	1.3	5.7	16.1	51.2	149.5	514.4
Non-Hispanic black, male												
2006 5/.....	11.1	*	*	*	*	0.8	2.3	9.5	20.5	55.4	147.9	427.9
2005 5/.....	11.0	*	*	*	*	1.0	2.8	7.4	21.2	57.6	163.1	389.2
2004 5/.....	10.7	*	*	*	*	0.8	1.7	7.5	22.1	49.0	160.3	472.5
2003 5/.....	10.7	*	*	*	*	*	2.4	7.0	22.8	57.1	147.7	474.1
2002.....	10.6	*	*	*	*	1.1	1.9	7.6	20.2	60.6	157.1	437.6
2001.....	10.6	*	*	*	*	*	2.0	6.6	18.6	58.6	162.0	507.0
2000.....	10.2	*	*	*	*	*	1.4	6.4	18.4	53.6	157.4	535.4
1999.....	10.8	*	*	*	*	*	1.6	7.3	19.0	58.9	165.1	561.0
Non-Hispanic black, female												
2006 5/.....	14.7	*	*	*	*	*	1.5	5.4	14.3	39.2	128.7	460.8
2005 5/.....	15.1	*	*	*	*	*	1.2	4.6	14.1	42.3	135.9	482.6
2004 5/.....	14.2	*	*	*	*	*	1.5	5.3	12.7	39.2	125.9	475.9
2003 5/.....	14.9	*	*	*	*	*	1.7	5.0	14.4	43.1	132.8	496.9
2002.....	14.7	*	*	*	*	*	1.4	4.9	13.7	39.5	135.8	507.5
2001.....	14.9	*	*	*	*	*	1.4	4.8	15.6	43.7	133.6	510.3
2000.....	14.7	*	*	*	*	*	1.3	4.0	14.9	46.2	133.0	508.5
1999.....	14.7	*	*	*	*	*	1.1	4.3	13.9	45.8	140.8	497.0

Worktable Orig12. Death rates for 358 selected causes, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2006

[Rates per 100,000 population in specified group. Rates are based on populations enumerated as of April 1 for 2000 and estimated as of July 1 for all other years. Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to 'Detailed technical notes to the United States 2006 data-mortality']

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, and sex	All ages 1/	Under 1 year 2/	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
Other and unspecified heart failure (I50.1-I50.9)												
Non-Hispanic 4/, both sexes												
2006.....	1.7	*	*	*	*	*	0.2	0.5	1.2	3.2	10.0	35.8
2005.....	1.5	*	*	*	*	*	0.1	0.5	1.2	3.1	9.1	33.1
2004.....	1.5	*	*	*	*	*	0.2	0.4	1.3	3.2	9.1	32.9
2003.....	1.5	*	*	*	*	*	0.2	0.4	1.2	3.2	8.9	33.6
2002.....	1.6	*	*	*	*	*	0.1	0.5	1.3	3.5	9.2	36.6
2001.....	1.6	*	*	*	*	*	0.1	0.4	1.4	3.3	9.9	38.9
2000.....	1.6	*	*	*	*	*	0.1	0.4	1.2	3.9	9.8	40.9
1999.....	1.6	*	*	*	*	*	0.1	0.4	1.5	3.6	10.1	39.7
Non-Hispanic 4/, male												
2006.....	1.6	*	*	*	*	*	0.3	0.7	1.5	4.0	12.6	34.6
2005.....	1.4	*	*	*	*	*	0.2	0.7	1.6	3.9	10.2	32.8
2004.....	1.4	*	*	*	*	*	0.2	0.6	1.5	4.0	10.8	34.5
2003.....	1.4	*	*	*	*	*	0.2	0.6	1.6	3.8	10.5	35.8
2002.....	1.4	*	*	*	*	*	0.2	0.7	1.7	4.1	11.0	37.4
2001.....	1.5	*	*	*	*	*	0.2	0.5	1.8	4.2	12.9	37.0
2000.....	1.4	*	*	*	*	*	0.2	0.5	1.6	4.9	11.5	40.1
1999.....	1.4	*	*	*	*	*	0.2	0.6	2.0	4.6	11.8	39.3
Non-Hispanic 4/, female												
2006.....	1.8	*	*	*	*	*	0.1	0.3	0.9	2.5	8.2	36.3
2005.....	1.7	*	*	*	*	*	0.4	0.8	2.4	8.4	33.2	33.2
2004.....	1.6	*	*	*	*	*	0.1	0.3	1.0	2.5	7.9	32.2
2003.....	1.6	*	*	*	*	*	0.3	0.8	2.6	7.9	32.6	32.6
2002.....	1.7	*	*	*	*	*	0.3	0.9	2.9	8.0	36.3	36.3
2001.....	1.7	*	*	*	*	*	0.1	0.2	1.1	2.5	7.9	39.7
2000.....	1.8	*	*	*	*	*	0.3	0.9	3.1	8.7	41.3	41.3
1999.....	1.8	*	*	*	*	*	0.1	0.3	1.0	2.8	9.0	39.9
Non-Hispanic white, both sexes												
2006 5/.....	1.8	*	*	*	*	*	0.2	0.4	1.0	2.9	9.9	35.8
2005 5/.....	1.6	*	*	*	*	*	0.1	0.4	1.0	2.8	8.5	32.9
2004 5/.....	1.6	*	*	*	*	*	0.1	0.3	1.1	3.0	8.8	33.0
2003 5/.....	1.5	*	*	*	*	*	0.1	0.3	1.1	2.9	8.6	32.6
2002.....	1.7	*	*	*	*	*	0.1	0.4	1.2	3.2	8.9	36.2
2001.....	1.7	*	*	*	*	*	0.1	0.3	1.3	3.1	9.5	39.0
2000.....	1.7	*	*	*	*	*	0.1	0.4	1.1	3.7	9.5	40.6
1999.....	1.7	*	*	*	*	*	0.1	0.4	1.4	3.5	9.7	39.7
Non-Hispanic white, male												
2006 5/.....	1.6	*	*	*	*	*	0.2	0.6	1.3	3.6	12.3	34.7
2005 5/.....	1.4	*	*	*	*	*	0.1	0.5	1.3	3.7	9.6	32.7
2004 5/.....	1.4	*	*	*	*	*	0.1	0.4	1.3	3.8	10.5	34.7
2003 5/.....	1.4	*	*	*	*	*	0.2	0.4	1.4	3.6	10.1	35.3
2002.....	1.5	*	*	*	*	*	0.1	0.6	1.6	4.0	10.6	36.6
2001.....	1.5	*	*	*	*	*	0.1	0.5	1.7	4.0	12.2	37.3
2000.....	1.5	*	*	*	*	*	0.2	0.5	1.4	4.5	11.0	39.5
1999.....	1.5	*	*	*	*	*	0.1	0.5	1.8	4.4	11.6	38.8
Non-Hispanic white, female												
2006 5/.....	1.9	*	*	*	*	*	0.2	0.7	2.4	8.2	36.3	36.3
2005 5/.....	1.8	*	*	*	*	*	0.3	0.6	2.1	7.7	33.0	33.0
2004 5/.....	1.7	*	*	*	*	*	0.2	0.8	2.3	7.7	32.2	32.2
2003 5/.....	1.7	*	*	*	*	*	0.2	0.7	2.3	7.6	31.5	31.5
2002.....	1.8	*	*	*	*	*	0.2	0.9	2.5	7.8	36.0	36.0
2001.....	1.9	*	*	*	*	*	0.2	0.9	2.3	7.7	39.8	39.8
2000.....	2.0	*	*	*	*	*	0.2	0.8	3.0	8.5	41.1	41.1
1999.....	1.9	*	*	*	*	*	0.3	0.9	2.7	8.5	40.1	40.1

Worktable Orig12. Death rates for 358 selected causes, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2006

[Rates per 100,000 population in specified group. Rates are based on populations enumerated as of April 1 for 2000 and estimated as of July 1 for all other years. Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.odc.gov/nchs> and refer to 'Detailed technical notes to the United States 2006 data-mortality']

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, and sex	All ages 1/	Under 1 year 2/	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
Other and unspecified heart failure (I50.1-I50.9)												
Non-Hispanic black, both sexes												
2006 5/.....	1.6	*	*	*	*	*	0.4	1.4	2.9	6.5	14.2	41.4
2005 5/.....	1.8	*	*	*	*	*	0.4	1.6	3.5	6.1	18.2	42.1
2004 5/.....	1.5	*	*	*	*	*	0.4	1.4	3.1	5.9	14.7	38.3
2003 5/.....	1.6	*	*	*	*	*	*	1.2	2.9	6.4	14.5	48.2
2002.....	1.5	*	*	*	*	*	*	1.2	2.4	5.9	14.8	46.3
2001.....	1.5	*	*	*	*	*	0.9	3.1	5.6	15.3	41.8	
2000.....	1.5	*	*	*	*	*	0.4	0.8	2.6	6.9	14.6	49.0
1999.....	1.5	*	*	*	*	*	0.4	0.8	3.1	6.1	15.3	43.0
Non-Hispanic black, male												
2006 5/.....	1.8	*	*	*	*	*	*	2.1	3.7	9.2	20.6	45.8
2005 5/.....	1.7	*	*	*	*	*	*	2.0	4.8	7.4	19.6	41.9
2004 5/.....	1.5	*	*	*	*	*	*	2.0	3.5	7.6	18.3	37.6
2003 5/.....	1.5	*	*	*	*	*	*	1.6	4.0	7.2	18.2	46.9
2002.....	1.4	*	*	*	*	*	*	1.7	3.1	5.3	19.3	51.4
2001.....	1.5	*	*	*	*	*	1.0	3.9	7.7	23.4	40.4	
2000.....	1.5	*	*	*	*	*	*	3.4	9.3	19.1	54.0	
1999.....	1.3	*	*	*	*	*	*	1.3	4.1	7.5	15.3	48.7
Non-Hispanic black, female												
2006 5/.....	1.5	*	*	*	*	*	*	0.8	2.3	4.6	10.6	39.6
2005 5/.....	1.8	*	*	*	*	*	*	1.3	2.4	5.2	17.3	42.1
2004 5/.....	1.6	*	*	*	*	*	*	0.8	2.7	4.7	12.7	38.6
2003 5/.....	1.6	*	*	*	*	*	*	0.8	1.9	5.9	12.4	48.7
2002.....	1.6	*	*	*	*	*	*	*	1.8	6.3	12.3	44.3
2001.....	1.5	*	*	*	*	*	0.9	2.4	4.2	10.8	42.3	
2000.....	1.5	*	*	*	*	*	*	2.0	5.3	12.0	47.1	
1999.....	1.6	*	*	*	*	*	*	2.2	5.1	15.2	40.9	

Worktable Orig12. Death rates for 358 selected causes, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2006

[Rates per 100,000 population in specified group. Rates are based on populations enumerated as of April 1 for 2000 and estimated as of July 1 for all other years. Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to 'Detailed technical notes to the United States 2006 data-mortality']

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, and sex	All ages 1/	Under 1 year 2/	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
Myocarditis, unspecified and myocardial degeneration (I51.4-I51.5)												
Non-Hispanic 4/, both sexes												
2006.....	0.2	0.7	*	0.1	0.2	0.2	0.2	0.3	0.2	0.2	0.3	1.5
2005.....	0.3	0.8	0.2	0.1	0.1	0.2	0.3	0.3	0.2	0.2	0.5	2.0
2004.....	0.2	*	0.2	0.1	0.1	0.1	0.2	0.3	0.2	0.3	0.4	2.1
2003.....	0.2	0.8	0.2	0.1	0.1	0.2	0.2	0.3	0.2	0.1	0.4	2.2
2002.....	0.3	0.8	*	*	0.2	0.1	0.3	0.3	0.3	0.5	0.9	3.2
2001.....	0.3	0.6	0.3	0.1	0.1	0.2	0.3	0.3	0.2	0.4	0.5	2.1
2000.....	0.3	*	0.2	*	0.1	0.2	0.3	0.2	0.3	0.3	0.6	2.5
1999.....	0.3	0.7	0.2	*	0.2	0.2	0.3	0.3	0.2	0.3	0.5	2.4
Non-Hispanic 4/, male												
2006.....	0.2	*	*	*	0.2	0.2	0.2	0.3	0.2	*	*	1.7
2005.....	0.3	*	*	*	0.2	0.2	0.3	0.3	0.2	0.4	0.5	2.0
2004.....	0.2	*	*	*	0.2	0.1	0.3	0.3	0.2	0.3	0.4	1.8
2003.....	0.2	*	*	*	0.2	0.2	0.2	0.2	0.3	*	0.6	2.6
2002.....	0.3	*	*	*	0.2	0.2	0.4	0.3	0.3	0.6	0.9	3.8
2001.....	0.3	*	0.3	*	0.1	0.2	0.3	0.3	0.3	0.5	0.8	2.2
2000.....	0.2	*	*	*	0.1	0.2	0.3	0.2	0.3	0.3	0.7	2.7
1999.....	0.3	*	*	*	0.2	0.2	0.3	0.3	0.2	0.4	0.6	2.1
Non-Hispanic 4/, female												
2006.....	0.2	*	*	*	0.2	0.2	0.2	0.3	0.2	*	0.3	1.4
2005.....	0.2	*	*	*	0.1	0.2	0.3	0.2	0.2	*	0.5	2.0
2004.....	0.2	*	*	*	*	0.1	0.2	0.3	0.2	0.3	0.3	2.3
2003.....	0.2	*	*	*	*	0.1	0.2	0.3	0.2	*	0.3	2.0
2002.....	0.3	*	*	*	0.2	*	0.3	0.3	0.4	0.4	0.9	3.0
2001.....	0.3	*	*	*	*	0.2	0.3	0.3	0.2	0.3	0.4	2.0
2000.....	0.3	*	*	*	0.1	0.2	0.2	0.2	0.3	0.3	0.5	2.4
1999.....	0.3	*	*	*	0.2	0.1	0.2	0.3	0.2	0.2	0.4	2.5
Non-Hispanic white, both sexes												
2006 5/.....	0.2	*	*	*	0.2	0.2	0.2	0.3	0.2	0.2	0.4	1.5
2005 5/.....	0.2	*	*	*	0.1	0.1	0.2	0.3	0.2	0.2	0.4	2.1
2004 5/.....	0.2	*	*	*	0.1	0.1	0.2	0.2	0.1	0.3	0.3	2.2
2003 5/.....	0.2	*	*	*	0.1	0.1	0.1	0.2	0.2	0.2	0.4	2.3
2002.....	0.3	*	*	*	0.1	0.2	0.3	0.3	0.3	0.5	0.9	3.2
2001.....	0.3	*	*	*	0.1	0.2	0.3	0.2	0.2	0.4	0.5	2.1
2000.....	0.3	*	*	*	0.1	0.2	0.2	0.2	0.3	0.3	0.5	2.6
1999.....	0.2	*	*	*	0.2	0.1	0.2	0.2	0.2	0.3	0.5	2.4
Non-Hispanic white, male												
2006 5/.....	0.2	*	*	*	0.2	0.2	0.2	0.3	0.2	*	*	1.8
2005 5/.....	0.2	*	*	*	*	0.2	0.2	0.3	0.2	0.3	0.5	2.0
2004 5/.....	0.2	*	*	*	0.2	*	0.2	0.2	*	*	0.5	1.9
2003 5/.....	0.2	*	*	*	*	*	0.2	0.2	0.2	0.6	0.6	2.8
2002.....	0.3	*	*	*	*	0.2	0.3	0.3	0.3	0.6	0.9	4.0
2001.....	0.3	*	*	*	*	*	0.3	0.3	0.2	0.5	0.7	2.2
2000.....	0.2	*	*	*	*	0.2	0.3	*	0.3	0.3	0.6	2.8
1999.....	0.2	*	*	*	0.2	0.2	0.3	0.3	*	0.4	0.6	2.0
Non-Hispanic white, female												
2006 5/.....	0.2	*	*	*	*	0.2	0.2	0.3	0.2	*	0.3	1.4
2005 5/.....	0.2	*	*	*	*	*	0.2	0.3	0.2	*	0.4	2.1
2004 5/.....	0.2	*	*	*	*	*	0.2	0.3	*	0.3	*	2.3
2003 5/.....	0.2	*	*	*	*	*	0.2	0.2	0.2	*	0.3	2.0
2002.....	0.3	*	*	*	*	*	0.2	0.3	0.4	0.4	0.9	2.8
2001.....	0.2	*	*	*	*	0.2	0.2	0.2	0.2	0.3	0.4	2.0
2000.....	0.3	*	*	*	*	0.2	0.2	0.2	0.3	0.3	0.5	2.5
1999.....	0.2	*	*	*	0.2	*	0.2	0.2	0.2	0.3	0.5	2.6

Worktable Orig12. Death rates for 358 selected causes, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2006

[Rates per 100,000 population in specified group. Rates are based on populations enumerated as of April 1 for 2000 and estimated as of July 1 for all other years. Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to 'Detailed technical notes to the United States 2006 data-mortality']

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, and sex	All ages 1/	Under 1 year 2/	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
All other and ill-defined forms of heart disease (I50.0-I51.3,I51.6-I51.9)												
All origins 3/, both sexes												
2006.....	3.7	0.5	*	0.1	0.2	0.6	1.2	2.1	3.7	7.7	21.1	71.2
2005.....	3.5	0.9	*	*	0.2	0.6	1.0	2.1	3.7	7.7	20.4	69.2
2004.....	3.4	0.6	*	0.1	0.2	0.5	1.0	2.1	3.6	7.2	20.4	67.7
2003.....	3.4	0.5	*	0.0	0.2	0.4	1.0	1.9	3.6	7.6	20.5	67.8
2002.....	3.3	0.6	*	*	0.2	0.4	1.1	1.9	3.4	7.8	20.0	65.0
2001.....	3.2	*	*	0.1	0.2	0.4	1.0	1.8	3.4	7.3	18.9	66.3
2000.....	3.1	0.8	*	*	0.2	0.4	0.9	1.8	3.7	7.5	19.3	64.6
1999.....	2.9	0.8	*	*	0.2	0.4	0.9	1.6	3.5	6.9	17.8	61.5
All origins 3/, male												
2006.....	3.8	*	*	*	0.3	0.9	1.6	3.0	5.3	10.4	25.5	73.6
2005.....	3.6	1.2	*	*	0.4	0.8	1.5	3.0	5.0	10.4	24.2	71.8
2004.....	3.5	*	*	*	0.4	0.7	1.4	3.0	4.8	9.6	24.9	67.8
2003.....	3.4	*	*	*	0.4	0.7	1.5	2.5	4.9	9.3	24.6	72.1
2002.....	3.3	*	*	*	0.4	0.6	1.5	2.7	4.6	10.6	23.6	66.7
2001.....	3.2	*	*	*	0.3	0.7	1.5	2.6	4.7	9.9	22.1	66.4
2000.....	3.1	*	*	*	0.4	0.6	1.3	2.5	5.3	9.6	22.4	69.0
1999.....	3.0	*	*	*	0.3	0.6	1.3	2.3	4.9	9.4	21.8	64.3
All origins 3/, female												
2006.....	3.6	*	*	*	*	0.2	0.8	1.2	2.3	5.4	18.1	70.1
2005.....	3.4	*	*	*	*	0.3	0.6	1.2	2.5	5.4	17.8	68.0
2004.....	3.3	*	*	*	0.1	0.2	0.7	1.1	2.4	5.1	17.3	67.7
2003.....	3.3	*	*	*	0.1	0.2	0.5	1.2	2.3	6.1	17.8	66.0
2002.....	3.2	*	*	*	*	0.2	0.6	1.2	2.2	5.4	17.5	64.3
2001.....	3.1	*	*	*	*	0.2	0.5	1.1	2.2	5.2	16.8	66.3
2000.....	3.1	*	*	*	*	0.2	0.5	1.0	2.2	5.7	17.3	62.7
1999.....	2.8	*	*	*	*	0.2	0.5	0.9	2.1	4.8	15.2	60.4
Hispanic, both sexes												
2006.....	1.2	*	*	*	*	0.4	0.6	1.4	2.0	4.9	15.6	56.3
2005.....	1.1	*	*	*	*	0.3	0.5	0.9	1.8	5.2	15.5	56.9
2004.....	1.1	*	*	*	*	0.4	0.6	1.1	1.6	4.1	18.4	60.9
2003.....	1.0	*	*	*	*	*	0.6	1.0	1.5	4.6	15.1	62.2
2002.....	1.0	*	*	*	*	*	0.6	0.7	1.3	4.9	15.5	58.2
2001.....	0.9	*	*	*	*	*	0.4	1.0	2.1	3.9	12.1	48.1
2000.....	0.9	*	*	*	*	*	0.5	0.8	1.4	4.3	15.8	46.4
1999.....	0.9	*	*	*	*	0.3	0.6	1.1	2.0	4.8	12.5	39.3
Hispanic, male												
2006.....	1.4	*	*	*	*	0.7	0.9	2.1	2.7	6.5	21.5	57.5
2005.....	1.1	*	*	*	*	0.5	0.9	1.4	2.3	6.9	14.7	51.1
2004.....	1.3	*	*	*	*	0.6	0.8	1.7	2.5	5.3	24.7	57.4
2003.....	1.1	*	*	*	*	*	1.0	1.5	2.2	6.6	11.5	66.2
2002.....	1.1	*	*	*	*	*	0.9	*	*	7.5	19.3	60.2
2001.....	1.0	*	*	*	*	*	*	1.6	3.0	4.4	17.0	43.8
2000.....	1.0	*	*	*	*	*	0.8	*	*	5.9	17.7	60.5
1999.....	1.1	*	*	*	*	0.6	0.9	1.8	*	7.2	16.2	49.6
Hispanic, female												
2006.....	1.1	*	*	*	*	*	*	*	*	3.6	11.5	55.7
2005.....	1.1	*	*	*	*	*	*	*	*	3.8	16.0	60.0
2004.....	1.0	*	*	*	*	*	*	*	*	3.1	14.1	62.7
2003.....	1.0	*	*	*	*	*	*	*	*	2.9	17.6	60.2
2002.....	0.9	*	*	*	*	*	*	*	*	12.9	57.2	
2001.....	0.8	*	*	*	*	*	*	*	*	3.5	8.8	50.3
2000.....	0.8	*	*	*	*	*	*	*	*	14.5	39.6	
1999.....	0.7	*	*	*	*	*	*	*	*	10.1	34.3	

Worktable Orig12. Death rates for 358 selected causes, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2006

[Rates per 100,000 population in specified group. Rates are based on populations enumerated as of April 1 for 2000 and estimated as of July 1 for all other years. Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to 'Detailed technical notes to the United States 2006 data-mortality']

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, and sex	All ages 1/	Under 1 year 2/	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
All other and ill-defined forms of heart disease (I50.0-I51.3,I51.6-I51.9)												
Non-Hispanic 4/, both sexes												
2006.....	4.1	*	*	0.1	0.2	0.6	1.3	2.2	3.9	7.9	21.4	71.9
2005.....	3.9	0.8	*	*	0.2	0.6	1.1	2.3	3.9	7.9	20.7	69.7
2004.....	3.7	*	*	*	0.2	0.5	1.1	2.2	3.7	7.4	20.5	67.9
2003.....	3.7	*	*	*	0.3	0.5	1.1	1.9	3.7	7.7	20.8	68.0
2002.....	3.6	0.6	*	*	0.2	0.4	1.1	2.0	3.5	8.0	20.1	65.2
2001.....	3.5	*	*	*	0.2	0.5	1.1	1.9	3.5	7.5	19.2	66.8
2000.....	3.4	0.9	*	*	0.2	0.4	0.9	1.8	3.9	7.7	19.4	65.1
1999.....	3.2	0.7	*	*	0.2	0.4	0.9	1.6	3.6	7.0	18.0	62.2
Non-Hispanic 4/, male												
2006.....	4.2	*	*	*	0.3	0.9	1.8	3.1	5.5	10.7	25.8	74.3
2005.....	4.1	*	*	*	0.4	0.9	1.6	3.2	5.2	10.6	24.8	72.9
2004.....	3.8	*	*	*	0.4	0.8	1.5	3.2	5.0	9.9	24.9	68.2
2003.....	3.8	*	*	*	0.4	0.8	1.6	2.6	5.1	9.5	25.2	72.2
2002.....	3.7	*	*	*	0.4	0.6	1.6	2.8	4.8	10.8	23.8	66.8
2001.....	3.5	*	*	*	0.3	0.7	1.6	2.7	4.8	10.2	22.3	67.4
2000.....	3.5	*	*	*	0.4	0.7	1.3	2.6	5.5	9.8	22.5	69.2
1999.....	3.2	*	*	*	0.3	0.6	1.3	2.3	5.1	9.5	22.0	64.7
Non-Hispanic 4/, female												
2006.....	4.0	*	*	*	*	0.3	0.9	1.3	2.4	5.5	18.4	70.8
2005.....	3.8	*	*	*	*	0.3	0.7	1.3	2.6	5.5	17.9	68.3
2004.....	3.7	*	*	*	*	0.2	0.7	1.2	2.5	5.3	17.5	67.8
2003.....	3.7	*	*	*	0.1	0.2	0.6	1.3	2.4	6.3	17.8	66.2
2002.....	3.5	*	*	*	*	0.2	0.7	1.3	2.3	5.6	17.7	64.4
2001.....	3.5	*	*	*	*	0.2	0.6	1.1	2.3	5.3	17.1	66.6
2000.....	3.4	*	*	*	*	0.2	0.5	1.0	2.3	5.9	17.4	63.4
1999.....	3.1	*	*	*	*	0.2	0.5	1.0	2.1	4.9	15.3	61.2
Non-Hispanic white, both sexes												
2006 5/.....	4.4	*	*	*	0.2	0.5	1.2	2.0	3.6	7.6	21.1	73.1
2005 5/.....	4.2	*	*	*	0.2	0.5	1.0	2.1	3.5	7.6	20.4	70.6
2004 5/.....	4.0	*	*	*	0.2	0.4	1.0	2.0	3.5	6.9	20.0	68.2
2003 5/.....	4.0	*	*	*	0.2	0.4	1.0	1.7	3.5	7.4	20.8	67.6
2002.....	3.8	*	*	*	0.2	0.3	1.0	1.7	3.2	7.6	20.1	64.6
2001.....	3.6	*	*	*	0.2	0.4	0.9	1.6	3.2	7.2	18.6	66.2
2000.....	3.6	*	*	*	0.1	0.4	0.8	1.6	3.6	7.1	18.8	65.1
1999.....	3.3	*	*	*	0.2	0.3	0.8	1.4	3.1	6.6	17.4	62.0
Non-Hispanic white, male												
2006 5/.....	4.4	*	*	*	0.3	0.8	1.6	2.8	5.1	10.2	25.3	75.8
2005 5/.....	4.3	*	*	*	0.3	0.8	1.5	3.0	4.7	10.3	24.6	74.3
2004 5/.....	4.0	*	*	*	0.3	0.7	1.4	2.9	4.7	9.3	24.4	68.6
2003 5/.....	4.0	*	*	*	0.3	0.7	1.5	2.4	4.9	9.1	25.1	72.2
2002.....	3.8	*	*	*	0.3	0.5	1.4	2.5	4.4	10.5	23.4	67.1
2001.....	3.6	*	*	*	0.3	0.6	1.5	2.4	4.6	9.8	21.6	67.0
2000.....	3.5	*	*	*	0.2	0.6	1.2	2.4	5.2	9.2	21.7	69.3
1999.....	3.3	*	*	*	0.3	0.5	1.1	2.1	4.7	8.9	21.4	64.8
Non-Hispanic white, female												
2006 5/.....	4.3	*	*	*	*	0.2	0.8	1.1	2.2	5.4	18.2	71.8
2005 5/.....	4.1	*	*	*	*	0.2	0.5	1.2	2.4	5.2	17.5	68.8
2004 5/.....	3.9	*	*	*	*	0.2	0.6	1.0	2.3	4.8	17.1	68.0
2003 5/.....	3.9	*	*	*	*	*	0.5	1.0	2.2	5.9	17.8	65.6
2002.....	3.8	*	*	*	*	0.2	0.6	1.0	2.1	5.3	17.8	63.5
2001.....	3.7	*	*	*	*	0.2	0.4	0.8	2.0	4.9	16.7	65.8
2000.....	3.6	*	*	*	*	*	0.4	0.8	2.1	5.4	17.0	63.5
1999.....	3.3	*	*	*	*	*	0.4	0.7	1.7	4.6	14.9	60.9

Worktable Orig12. Death rates for 358 selected causes, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2006

[Rates per 100,000 population in specified group. Rates are based on populations enumerated as of April 1 for 2000 and estimated as of July 1 for all other years. Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.odc.gov/nchs> and refer to 'Detailed technical notes to the United States 2006 data-mortality']

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, and sex	All ages 1/	Under 1 year 2/	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
All other and ill-defined forms of heart disease (I50.0-I51.3,I51.6-I51.9)												
Non-Hispanic black, both sexes												
2006 5/.....	3.9	*	*	*	0.5	1.2	2.3	4.1	7.4	11.8	31.2	71.4
2005 5/.....	3.7	*	*	*	0.4	1.2	2.0	4.0	7.1	12.2	28.7	70.5
2004 5/.....	3.8	*	*	*	0.4	1.0	2.0	3.9	7.0	13.8	30.7	77.4
2003 5/.....	3.6	*	*	*	0.6	1.0	2.0	4.0	6.6	13.1	25.3	81.5
2002.....	3.6	*	*	*	0.5	0.8	1.9	4.6	6.8	12.8	25.1	81.4
2001.....	3.6	*	*	*	0.4	1.0	2.1	4.2	6.4	12.1	27.2	84.9
2000.....	3.6	*	*	*	0.7	0.9	2.0	3.8	7.3	14.8	28.7	74.7
1999.....	3.4	*	*	*	0.4	0.9	2.1	3.5	8.0	12.4	25.6	69.8
Non-Hispanic black, male												
2006 5/.....	4.4	*	*	*	0.7	1.8	3.1	5.7	10.6	18.5	41.4	70.6
2005 5/.....	4.0	*	*	*	0.7	1.9	2.7	5.6	10.0	18.8	34.2	63.8
2004 5/.....	4.1	*	*	*	*	1.7	2.6	5.4	9.5	19.0	40.2	76.2
2003 5/.....	3.8	*	*	*	0.9	1.3	2.9	5.1	9.1	15.9	32.9	82.0
2002.....	3.9	*	*	*	0.8	1.3	2.5	6.0	9.5	17.1	33.1	77.7
2001.....	3.7	*	*	*	*	1.5	2.7	5.2	8.5	15.6	33.0	85.5
2000.....	4.0	*	*	*	1.1	1.3	2.6	5.5	10.2	19.5	36.4	81.0
1999.....	3.7	*	*	*	*	1.5	2.9	4.5	10.8	17.7	32.2	73.7
Non-Hispanic black, female												
2006 5/.....	3.4	*	*	*	*	*	1.6	2.7	4.7	7.0	25.4	71.7
2005 5/.....	3.4	*	*	*	*	*	1.4	2.7	4.8	8.9	25.6	73.2
2004 5/.....	3.4	*	*	*	*	*	1.4	2.7	4.9	10.2	25.3	77.9
2003 5/.....	3.4	*	*	*	*	0.8	1.1	3.0	4.5	11.1	21.0	81.3
2002.....	3.3	*	*	*	*	*	1.3	3.3	4.6	9.7	20.6	82.8
2001.....	3.5	*	*	*	*	*	1.6	3.2	4.6	9.6	23.9	84.7
2000.....	3.3	*	*	*	*	*	1.5	2.3	5.0	11.6	24.3	72.4
1999.....	3.1	*	*	*	*	*	1.4	2.7	5.7	8.6	21.9	68.4

Worktable Orig12. Death rates for 358 selected causes, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2006

[Rates per 100,000 population in specified group. Rates are based on populations enumerated as of April 1 for 2000 and estimated as of July 1 for all other years. Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to 'Detailed technical notes to the United States 2006 data-mortality']

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, and sex	All ages 1/	Under 1 year 2/	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
Cerebrovascular diseases (I60-I69)												
All origins 3/, both sexes												
2006.....	45.8	3.4	0.3	0.2	0.5	1.3	5.1	14.7	33.3	96.3	335.1	1,039.6
2005.....	48.4	3.1	0.4	0.2	0.5	1.4	5.2	15.0	33.0	101.1	359.0	1,141.8
2004.....	51.1	3.1	0.3	0.2	0.5	1.4	5.4	14.9	34.3	107.8	386.2	1,245.9
2003.....	54.2	2.5	0.3	0.2	0.5	1.5	5.5	15.0	35.6	112.9	410.7	1,370.1
2002.....	56.4	2.9	0.3	0.2	0.4	1.4	5.4	15.1	37.2	120.3	431.0	1,445.9
2001.....	57.4	2.7	0.4	0.2	0.5	1.5	5.5	15.1	38.0	123.4	443.9	1,500.2
2000.....	59.6	3.3	0.3	0.2	0.5	1.5	5.8	16.0	41.0	128.6	461.3	1,589.2
1999.....	60.0	2.7	0.3	0.2	0.5	1.4	5.7	15.2	40.6	130.8	469.8	1,614.8
All origins 3/, male												
2006.....	37.0	3.9	0.3	0.3	0.5	1.4	5.3	16.4	38.7	108.0	345.5	932.4
2005.....	38.8	3.5	0.5	0.3	0.4	1.5	5.2	16.5	38.5	113.6	372.9	1,023.3
2004.....	40.7	3.4	0.3	0.2	0.5	1.4	5.6	16.7	39.5	121.1	402.9	1,118.1
2003.....	42.9	2.8	0.3	0.2	0.5	1.6	5.8	16.7	40.8	127.8	431.4	1,236.0
2002.....	44.2	3.2	0.4	0.2	0.5	1.4	5.3	16.7	42.7	135.0	445.9	1,317.9
2001.....	45.2	3.1	0.3	0.2	0.5	1.6	5.7	16.7	43.4	140.4	467.3	1,380.2
2000.....	46.9	3.8	*	0.2	0.5	1.5	5.8	17.5	47.2	145.0	490.8	1,484.3
1999.....	47.1	3.3	0.3	0.2	0.5	1.5	5.8	16.7	46.5	147.3	500.4	1,512.8
All origins 3/, female												
2006.....	54.4	2.9	0.4	0.2	0.5	1.2	4.8	13.0	28.2	86.5	328.0	1,089.8
2005.....	57.8	2.6	0.3	0.2	0.5	1.2	5.1	13.6	27.9	90.5	349.5	1,196.1
2004.....	61.2	2.8	*	0.2	0.5	1.4	5.1	13.1	29.5	96.6	374.9	1,303.4
2003.....	65.1	2.2	0.3	0.1	0.5	1.4	5.3	13.4	30.9	100.5	396.8	1,429.4
2002.....	68.2	2.5	0.3	0.2	0.3	1.4	5.5	13.6	32.1	108.1	421.2	1,501.5
2001.....	69.2	2.3	0.4	0.2	0.5	1.5	5.4	13.6	32.9	109.3	428.6	1,550.4
2000.....	71.8	2.7	0.4	0.2	0.5	1.5	5.7	14.5	35.3	115.1	442.1	1,632.0
1999.....	72.3	2.1	0.3	0.2	0.5	1.4	5.6	13.8	35.1	117.2	449.8	1,656.0
Hispanic, both sexes												
2006.....	15.8	3.4	*	*	0.7	1.2	4.6	14.4	34.2	87.3	262.1	687.0
2005.....	16.0	2.6	*	*	0.6	1.0	4.6	15.0	33.4	89.4	275.5	738.4
2004.....	16.4	2.2	*	*	0.5	1.2	4.9	14.6	34.9	97.0	293.1	813.0
2003.....	16.7	*	*	*	0.4	1.2	4.5	14.9	35.3	98.4	316.8	880.5
2002.....	16.6	2.4	*	0.3	0.4	1.3	4.4	15.3	35.9	102.9	319.9	898.0
2001.....	17.4	*	*	*	0.6	1.4	5.0	15.9	35.4	106.2	341.2	1,042.9
2000.....	17.5	*	*	*	0.5	1.7	5.2	15.2	39.8	113.2	344.1	1,082.9
1999.....	17.4	*	*	*	0.5	1.6	4.9	15.7	37.7	116.9	348.3	1,077.6
Hispanic, male												
2006.....	14.3	*	*	*	0.8	1.4	5.5	17.0	41.1	100.1	292.8	581.9
2005.....	14.4	*	*	*	0.7	1.2	5.2	17.8	40.3	106.2	294.0	692.4
2004.....	15.0	*	*	*	0.5	1.5	5.9	17.5	42.9	114.4	323.3	778.9
2003.....	14.9	*	*	*	*	1.3	5.2	18.1	43.5	113.9	337.1	837.4
2002.....	15.0	*	*	*	*	1.5	5.1	18.6	45.0	124.6	338.5	856.7
2001.....	15.7	*	*	*	0.7	1.6	5.3	18.7	43.5	127.2	366.3	1,005.6
2000.....	15.8	*	*	*	*	1.9	5.5	18.1	48.8	136.1	392.9	1,029.9
1999.....	16.1	*	*	*	0.6	1.8	5.7	19.5	46.1	140.8	395.2	1,136.6
Hispanic, female												
2006.....	17.5	*	*	*	0.6	0.9	3.7	11.8	27.8	76.9	240.6	742.9
2005.....	17.7	*	*	*	*	0.9	3.9	12.1	27.1	75.8	262.6	762.5
2004.....	17.9	*	*	*	*	0.9	3.9	11.8	27.7	83.0	272.2	830.4
2003.....	18.6	*	*	*	*	1.1	3.7	11.7	27.8	86.0	302.8	902.3
2002.....	18.4	*	*	*	*	1.0	3.7	12.0	27.6	85.6	307.2	918.5
2001.....	19.1	*	*	*	*	1.2	4.7	13.1	28.2	89.6	310.7	1,061.2
2000.....	19.4	*	*	*	*	1.4	4.9	12.4	31.9	95.2	311.3	1,108.9
1999.....	18.8	*	*	*	*	1.4	4.0	11.9	30.3	96.1	317.1	1,049.2

Worktable Orig12. Death rates for 358 selected causes, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2006

[Rates per 100,000 population in specified group. Rates are based on populations enumerated as of April 1 for 2000 and estimated as of July 1 for all other years. Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to 'Detailed technical notes to the United States 2006 data-mortality']

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, and sex	All ages 1/	Under 1 year 2/	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
Cerebrovascular diseases (I60-I69)												
Non-Hispanic 4/, both sexes												
2006.....	50.9	3.5	0.4	0.2	0.4	1.3	5.2	14.6	33.1	96.8	339.1	1,056.5
2005.....	53.8	3.2	0.4	0.2	0.4	1.4	5.2	15.0	33.0	101.7	363.3	1,159.8
2004.....	56.7	3.3	0.3	0.2	0.5	1.5	5.4	14.8	34.1	108.4	390.8	1,263.8
2003.....	60.1	2.6	0.3	0.2	0.6	1.5	5.7	15.0	35.6	113.7	415.0	1,388.4
2002.....	62.4	3.0	0.3	0.2	0.4	1.5	5.5	15.0	37.2	121.3	435.5	1,465.0
2001.....	63.2	2.8	0.3	0.2	0.5	1.5	5.6	14.9	38.0	124.3	447.7	1,514.0
2000.....	65.4	3.6	0.3	0.2	0.5	1.5	5.8	15.9	40.9	129.2	465.0	1,604.5
1999.....	65.7	2.9	0.3	0.2	0.5	1.4	5.8	15.1	40.6	131.2	473.8	1,630.4
Non-Hispanic 4/, male												
2006.....	41.1	4.1	0.3	0.3	0.5	1.4	5.3	16.2	38.4	108.3	348.2	950.4
2005.....	43.0	3.6	0.5	0.3	0.4	1.6	5.2	16.3	38.3	113.9	377.0	1,039.8
2004.....	45.0	3.7	0.3	0.2	0.5	1.4	5.6	16.5	39.0	121.4	406.7	1,133.7
2003.....	47.6	2.8	*	0.2	0.6	1.6	5.9	16.5	40.4	128.4	435.7	1,252.9
2002.....	48.9	3.5	0.4	0.2	0.5	1.4	5.3	16.4	42.3	135.4	450.1	1,336.0
2001.....	49.7	3.3	0.3	0.2	0.5	1.5	5.7	16.4	43.2	140.9	469.8	1,392.9
2000.....	51.5	4.2	*	0.2	0.5	1.5	5.8	17.3	46.8	145.1	493.7	1,499.9
1999.....	51.5	3.7	0.3	0.2	0.5	1.4	5.8	16.4	46.3	147.3	503.6	1,524.8
Non-Hispanic 4/, female												
2006.....	60.3	2.8	0.4	0.2	0.4	1.2	5.0	13.1	28.2	87.0	332.8	1,105.8
2005.....	64.1	2.8	*	0.2	0.5	1.3	5.2	13.7	28.0	91.4	354.1	1,214.5
2004.....	67.8	3.0	*	0.2	0.5	1.5	5.2	13.2	29.5	97.4	380.0	1,321.9
2003.....	72.0	2.4	0.3	0.1	0.5	1.4	5.5	13.5	31.0	101.4	401.1	1,448.0
2002.....	75.3	2.5	*	0.2	0.3	1.5	5.8	13.7	32.4	109.5	425.8	1,520.7
2001.....	76.1	2.4	0.4	0.2	0.5	1.5	5.5	13.5	33.2	110.4	433.2	1,564.4
2000.....	78.7	2.8	0.4	0.2	0.5	1.5	5.8	14.6	35.5	116.1	446.4	1,646.8
1999.....	79.2	2.0	*	0.2	0.5	1.4	5.8	13.9	35.4	118.1	454.4	1,672.7
Non-Hispanic white, both sexes												
2006 5/.....	54.2	2.4	0.4	0.2	0.4	1.0	3.8	11.1	26.8	87.1	331.9	1,068.3
2005 5/.....	57.4	2.4	0.3	0.2	0.3	1.1	3.9	11.1	26.9	92.3	355.8	1,171.8
2004 5/.....	60.6	2.6	0.3	0.2	0.4	1.1	4.2	10.9	27.8	98.7	381.8	1,276.4
2003 5/.....	64.2	2.0	0.2	0.1	0.5	1.2	4.1	10.9	28.7	103.6	406.6	1,401.1
2002.....	67.0	2.2	0.3	0.2	0.4	1.2	4.1	11.1	30.8	110.8	427.5	1,479.2
2001.....	67.6	1.9	0.3	0.2	0.4	1.3	4.2	10.8	31.2	113.0	439.5	1,525.0
2000.....	70.0	2.6	0.3	0.2	0.5	1.2	4.3	12.0	34.2	119.3	455.7	1,616.8
1999.....	70.4	2.4	0.3	0.2	0.4	1.1	4.3	11.2	33.4	120.7	465.1	1,648.0
Non-Hispanic white, male												
2006 5/.....	42.6	2.6	*	0.3	0.4	1.1	3.9	12.1	30.3	96.5	340.5	960.2
2005 5/.....	44.8	2.8	0.4	0.2	0.3	1.2	4.0	12.1	30.7	102.4	368.2	1,050.5
2004 5/.....	47.0	2.9	*	0.2	0.5	1.1	4.4	12.1	31.1	110.0	396.9	1,145.3
2003 5/.....	49.7	1.9	*	0.2	0.5	1.3	4.2	12.1	32.1	116.9	426.0	1,264.2
2002.....	51.3	2.7	*	0.2	0.5	1.1	4.0	12.1	34.5	123.2	441.1	1,345.9
2001.....	52.0	2.2	*	0.2	0.4	1.3	4.3	11.9	35.1	128.0	460.5	1,399.0
2000.....	53.9	3.3	*	0.2	0.5	1.2	4.3	13.0	38.7	133.1	482.3	1,505.9
1999.....	53.9	3.1	*	0.2	0.4	1.1	4.4	12.0	38.0	135.0	492.8	1,535.1
Non-Hispanic white, female												
2006 5/.....	65.5	2.2	0.4	*	0.4	1.0	3.7	10.1	23.5	79.0	325.9	1,118.7
2005 5/.....	69.6	2.0	*	*	0.4	1.1	3.9	10.2	23.3	83.6	347.2	1,227.3
2004 5/.....	73.7	2.2	*	0.2	0.4	1.2	4.0	9.8	24.7	89.0	371.6	1,335.1
2003 5/.....	78.2	2.1	*	*	0.4	1.1	4.0	9.7	25.5	92.1	393.6	1,461.3
2002.....	82.1	*	*	0.2	0.3	1.2	4.3	10.1	27.2	100.2	418.4	1,536.7
2001.....	82.6	*	*	0.3	0.3	1.3	4.1	9.8	27.4	100.3	425.6	1,577.4
2000.....	85.5	1.9	*	0.2	0.4	1.2	4.3	10.9	29.9	107.6	438.3	1,661.6
1999.....	86.1	*	*	*	0.4	1.1	4.3	10.5	29.1	108.8	447.0	1,693.0

Worktable Orig12. Death rates for 358 selected causes, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2006

[Rates per 100,000 population in specified group. Rates are based on populations enumerated as of April 1 for 2000 and estimated as of July 1 for all other years. Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.odc.gov/nchs> and refer to 'Detailed technical notes to the United States 2006 data-mortality']

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, and sex	All ages 1/	Under 1 year 2/	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
Cerebrovascular diseases (I60-I69)												
Non-Hispanic black, both sexes												
2006 5/.....	44.7	7.7	*	0.3	0.7	2.8	12.7	37.9	83.0	181.3	442.7	1,023.0
2005 5/.....	46.5	6.2	*	0.4	0.8	3.1	12.5	40.5	81.5	186.0	475.7	1,122.3
2004 5/.....	48.7	6.2	*	*	0.8	3.3	12.7	40.0	86.0	199.4	519.1	1,226.1
2003 5/.....	51.1	4.9	*	*	1.0	3.2	14.2	42.0	91.3	204.9	539.1	1,366.0
2002.....	51.7	5.6	*	0.4	0.6	3.2	13.3	41.6	89.7	218.7	558.8	1,398.0
2001.....	52.9	6.9	*	*	0.9	3.0	13.6	43.5	92.8	226.0	567.2	1,465.5
2000.....	54.3	8.0	*	*	0.7	3.0	14.9	44.3	95.2	226.3	593.8	1,545.8
1999.....	53.9	4.7	*	*	0.7	2.9	14.7	42.2	97.7	235.7	596.4	1,501.5
Non-Hispanic black, male												
2006 5/.....	40.8	10.2	*	*	0.6	2.9	13.3	44.6	108.6	222.7	479.4	894.3
2005 5/.....	41.8	6.8	*	*	0.8	3.5	12.8	45.9	106.6	228.5	510.4	998.2
2004 5/.....	43.1	7.1	*	*	1.0	3.1	13.3	46.0	110.2	240.1	558.7	1,077.1
2003 5/.....	44.9	*	*	*	0.8	3.5	14.9	48.1	114.1	241.8	597.6	1,200.7
2002.....	45.1	*	*	*	0.7	2.9	12.7	47.5	112.7	267.3	595.2	1,266.8
2001.....	46.2	8.3	*	*	0.7	3.1	13.5	49.9	113.9	273.5	620.5	1,359.4
2000.....	47.7	9.2	*	*	*	2.8	15.1	50.4	116.9	272.1	664.9	1,479.5
1999.....	47.5	*	*	*	*	2.9	15.0	49.6	119.5	279.1	656.7	1,455.9
Non-Hispanic black, female												
2006 5/.....	48.3	*	*	*	0.8	2.7	12.2	32.1	62.5	151.8	421.9	1,075.5
2005 5/.....	50.8	*	*	*	0.9	2.7	12.2	35.9	61.3	155.6	456.0	1,172.3
2004 5/.....	53.8	*	*	*	*	3.5	12.2	34.8	66.6	170.4	496.7	1,285.0
2003 5/.....	56.7	*	*	*	1.1	3.0	13.7	36.8	73.0	178.6	506.0	1,430.0
2002.....	57.7	*	*	*	*	3.5	13.8	36.6	71.3	184.2	538.2	1,448.1
2001.....	59.0	*	*	*	1.1	2.9	13.6	38.1	75.9	192.5	537.2	1,504.8
2000.....	60.3	*	*	*	0.8	3.2	14.8	39.2	77.8	194.1	553.8	1,570.4
1999.....	59.8	*	*	*	0.8	2.8	14.4	35.9	80.2	205.1	562.7	1,518.6

Worktable Orig12. Death rates for 358 selected causes, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2006

[Rates per 100,000 population in specified group. Rates are based on populations enumerated as of April 1 for 2000 and estimated as of July 1 for all other years. Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to 'Detailed technical notes to the United States 2006 data-mortality']

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, and sex	All ages 1/	Under 1 year 2/	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
Subarachnoid hemorrhage (I60)												
All origins 3/, both sexes												
2006.....	2.0	*	*	0.1	0.2	0.4	1.4	2.9	3.6	4.6	8.2	12.0
2005.....	2.1	*	*	*	0.2	0.5	1.6	3.1	3.7	5.1	8.3	12.2
2004.....	2.1	*	*	0.0	0.2	0.5	1.7	3.1	3.9	5.3	8.3	12.2
2003.....	2.1	*	*	*	0.1	0.5	1.7	3.1	4.0	5.3	8.7	11.5
2002.....	2.1	*	*	0.0	0.1	0.5	1.8	3.1	4.2	5.8	8.9	12.2
2001.....	2.2	*	*	*	0.2	0.5	1.8	3.2	4.2	5.8	8.8	13.2
2000.....	2.3	*	*	0.1	0.2	0.6	1.9	3.5	4.9	5.8	9.4	14.1
1999.....	2.3	*	*	*	0.2	0.6	2.1	3.5	4.7	6.2	9.4	13.1
All origins 3/, male												
2006.....	1.4	*	*	*	0.2	0.5	1.2	2.4	2.7	3.3	6.3	8.9
2005.....	1.5	*	*	*	0.2	0.5	1.3	2.3	3.0	3.7	5.9	10.2
2004.....	1.5	*	*	*	0.2	0.5	1.3	2.7	3.0	3.6	6.0	9.3
2003.....	1.5	*	*	*	0.2	0.5	1.4	2.4	3.1	4.0	6.2	9.1
2002.....	1.5	*	*	*	0.2	0.4	1.4	2.3	3.3	4.4	5.8	9.1
2001.....	1.5	*	*	*	0.2	0.5	1.4	2.6	3.2	4.3	6.4	9.5
2000.....	1.6	*	*	*	0.2	0.6	1.5	2.7	3.5	4.2	6.8	11.2
1999.....	1.6	*	*	*	0.2	0.6	1.8	2.8	3.4	4.3	6.7	9.0
All origins 3/, female												
2006.....	2.5	*	*	*	0.2	0.4	1.7	3.3	4.4	5.7	9.5	13.4
2005.....	2.6	*	*	*	0.2	0.5	1.9	3.8	4.3	6.2	9.9	13.1
2004.....	2.6	*	*	*	0.2	0.5	2.0	3.5	4.8	6.7	9.9	13.5
2003.....	2.6	*	*	*	0.1	0.5	1.9	3.7	4.8	6.5	10.4	12.5
2002.....	2.8	*	*	*	0.1	0.6	2.1	3.8	5.1	6.9	11.0	13.6
2001.....	2.8	*	*	*	0.2	0.5	2.1	3.7	5.2	7.0	10.3	14.8
2000.....	3.0	*	*	*	0.2	0.6	2.3	4.3	6.2	7.0	11.2	15.3
1999.....	3.0	*	*	*	0.2	0.6	2.4	4.1	5.9	7.7	11.1	14.8
Hispanic, both sexes												
2006.....	1.4	*	*	*	0.3	0.4	1.2	3.1	4.5	5.7	10.7	15.3
2005.....	1.4	*	*	*	0.3	0.4	1.4	3.5	4.2	6.1	11.1	12.0
2004.....	1.4	*	*	*	*	0.5	1.7	3.2	4.7	7.9	9.8	17.1
2003.....	1.4	*	*	*	*	0.5	1.5	4.0	5.2	6.8	9.1	*
2002.....	1.3	*	*	*	*	0.6	1.6	3.3	5.0	6.6	9.3	*
2001.....	1.4	*	*	*	*	0.6	1.6	3.6	5.4	7.0	9.7	16.3
2000.....	1.5	*	*	*	*	0.8	1.8	4.0	5.0	6.8	11.1	15.9
1999.....	1.6	*	*	*	*	0.6	2.0	4.1	5.1	7.3	12.5	23.2
Hispanic, male												
2006.....	1.1	*	*	*	*	0.5	1.3	3.0	3.4	3.6	6.3	*
2005.....	1.1	*	*	*	*	0.5	1.3	3.2	3.3	3.9	*	*
2004.....	1.2	*	*	*	*	0.7	1.6	3.1	4.1	6.2	8.2	*
2003.....	1.1	*	*	*	*	0.5	1.5	3.4	4.3	5.5	*	*
2002.....	1.1	*	*	*	*	0.6	1.7	3.0	4.4	4.8	*	*
2001.....	1.1	*	*	*	*	1.3	3.1	4.3	5.4	*	*	*
2000.....	1.1	*	*	*	*	0.9	1.5	2.9	4.1	*	10.8	*
1999.....	1.2	*	*	*	*	0.8	2.0	3.9	4.3	4.4	*	*
Hispanic, female												
2006.....	1.7	*	*	*	*	*	1.2	3.2	5.5	7.4	13.7	20.4
2005.....	1.7	*	*	*	*	*	1.5	3.9	4.9	7.9	14.4	14.3
2004.....	1.7	*	*	*	*	*	1.9	3.4	5.3	9.2	10.9	19.4
2003.....	1.6	*	*	*	*	*	1.5	4.5	5.9	7.8	11.9	*
2002.....	1.6	*	*	*	*	*	1.5	3.5	5.5	8.1	11.8	*
2001.....	1.8	*	*	*	*	0.6	1.8	4.1	6.3	8.3	11.5	20.5
2000.....	1.9	*	*	*	*	0.7	2.1	5.0	5.7	9.0	11.2	19.8
1999.....	1.9	*	*	*	*	*	2.0	4.3	5.9	9.6	15.6	32.2

Worktable Orig12. Death rates for 358 selected causes, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2006

[Rates per 100,000 population in specified group. Rates are based on populations enumerated as of April 1 for 2000 and estimated as of July 1 for all other years. Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to 'Detailed technical notes to the United States 2006 data-mortality']

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, and sex	All ages 1/	Under 1 year 2/	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
Subarachnoid hemorrhage (I60)												
Non-Hispanic 4/, both sexes												
2006.....	2.1	*	*	*	0.1	0.4	1.5	2.8	3.5	4.5	8.0	11.8
2005.....	2.2	*	*	*	0.2	0.5	1.7	3.0	3.6	5.0	8.1	12.2
2004.....	2.2	*	*	*	0.2	0.5	1.6	3.1	3.9	5.1	8.3	12.0
2003.....	2.2	*	*	*	0.1	0.5	1.7	3.0	3.9	5.2	8.7	11.7
2002.....	2.3	*	*	*	0.1	0.5	1.8	3.1	4.2	5.7	8.9	12.3
2001.....	2.3	*	*	*	0.1	0.5	1.8	3.1	4.1	5.7	8.7	13.1
2000.....	2.4	*	*	*	0.2	0.6	1.9	3.5	4.8	5.7	9.4	14.1
1999.....	2.4	*	*	*	0.1	0.6	2.1	3.4	4.7	6.1	9.3	12.7
Non-Hispanic 4/, male												
2006.....	1.5	*	*	*	0.1	0.5	1.2	2.3	2.7	3.2	6.3	9.1
2005.....	1.6	*	*	*	0.1	0.5	1.3	2.2	2.9	3.7	5.9	10.4
2004.....	1.5	*	*	*	0.2	0.4	1.2	2.6	2.9	3.4	5.9	9.1
2003.....	1.5	*	*	*	0.1	0.5	1.3	2.3	3.0	3.9	6.3	9.3
2002.....	1.6	*	*	*	0.2	0.4	1.4	2.3	3.2	4.4	5.8	9.2
2001.....	1.6	*	*	*	0.1	0.6	1.4	2.5	3.1	4.2	6.3	9.5
2000.....	1.7	*	*	*	0.2	0.5	1.5	2.7	3.4	4.2	6.7	11.4
1999.....	1.7	*	*	*	0.1	0.5	1.7	2.7	3.4	4.3	6.6	9.1
Non-Hispanic 4/, female												
2006.....	2.6	*	*	*	0.2	0.4	1.8	3.4	4.3	5.5	9.2	13.0
2005.....	2.8	*	*	*	0.2	0.5	2.0	3.8	4.3	6.0	9.7	13.0
2004.....	2.8	*	*	*	0.2	0.5	2.1	3.5	4.8	6.5	9.9	13.2
2003.....	2.8	*	*	*	0.1	0.5	2.0	3.6	4.7	6.3	10.3	12.7
2002.....	2.9	*	*	*	0.6	2.2	3.8	5.0	6.8	10.9	13.6	
2001.....	2.9	*	*	*	0.2	0.5	2.1	3.7	5.1	6.9	10.3	14.5
2000.....	3.1	*	*	*	0.2	0.6	2.3	4.2	6.2	6.9	11.1	15.1
1999.....	3.1	*	*	*	0.2	0.6	2.5	4.1	5.9	7.6	11.0	14.1
Non-Hispanic white, both sexes												
2006 5/.....	2.0	*	*	*	0.1	0.4	1.2	2.5	3.3	4.2	7.9	11.6
2005 5/.....	2.2	*	*	*	0.1	0.4	1.4	2.6	3.5	4.8	8.0	12.4
2004 5/.....	2.2	*	*	*	0.1	0.4	1.4	2.7	3.6	4.9	8.0	12.1
2003 5/.....	2.1	*	*	*	0.1	0.5	1.4	2.6	3.7	4.9	8.3	11.3
2002.....	2.2	*	*	*	0.1	0.4	1.6	2.7	3.9	5.4	8.7	12.0
2001.....	2.2	*	*	*	0.1	0.5	1.5	2.7	3.8	5.3	8.5	12.6
2000.....	2.4	*	*	*	0.2	0.5	1.6	3.1	4.6	5.3	9.1	13.5
1999.....	2.4	*	*	*	0.1	0.5	1.8	3.0	4.3	5.9	9.1	12.2
Non-Hispanic white, male												
2006 5/.....	1.5	*	*	*	0.1	0.5	0.9	2.1	2.5	3.0	6.3	9.3
2005 5/.....	1.5	*	*	*	0.4	1.2	2.0	2.8	3.5	5.8	10.8	
2004 5/.....	1.5	*	*	*	0.3	1.0	2.3	2.6	3.4	5.8	9.7	
2003 5/.....	1.5	*	*	*	0.2	0.5	1.1	2.1	2.7	3.8	5.9	8.8
2002.....	1.6	*	*	*	0.2	0.3	1.2	2.1	3.0	4.2	5.7	9.2
2001.....	1.6	*	*	*	0.5	1.3	2.2	2.8	4.0	6.4	9.2	
2000.....	1.7	*	*	*	0.2	0.5	1.3	2.5	3.2	3.9	6.7	12.1
1999.....	1.7	*	*	*	0.5	1.6	2.4	3.2	4.1	6.8	9.1	
Non-Hispanic white, female												
2006 5/.....	2.6	*	*	*	0.4	1.5	2.9	4.0	5.3	8.9	12.7	
2005 5/.....	2.7	*	*	*	0.5	1.6	3.3	4.1	6.0	9.5	13.1	
2004 5/.....	2.8	*	*	*	0.4	1.8	3.1	4.5	6.2	9.5	13.2	
2003 5/.....	2.7	*	*	*	0.5	1.6	3.1	4.6	5.9	9.9	12.4	
2002.....	2.9	*	*	*	0.5	1.9	3.3	4.7	6.4	10.6	13.2	
2001.....	2.8	*	*	*	0.4	1.7	3.2	4.8	6.3	10.0	14.0	
2000.....	3.1	*	*	*	0.5	1.9	3.7	6.0	6.4	10.7	14.1	
1999.....	3.1	*	*	*	0.2	0.5	2.0	3.5	5.4	7.5	10.6	13.4

Worktable Orig12. Death rates for 358 selected causes, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2006

[Rates per 100,000 population in specified group. Rates are based on populations enumerated as of April 1 for 2000 and estimated as of July 1 for all other years. Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.odc.gov/nchs> and refer to 'Detailed technical notes to the United States 2006 data-mortality']

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, and sex	All ages 1/	Under 1 year 2/	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
Subarachnoid hemorrhage (I60)												
Non-Hispanic black, both sexes												
2006 5/.....	2.2	*	*	*	*	0.6	2.8	4.8	5.1	6.0	8.6	10.9
2005 5/.....	2.4	*	*	*	0.3	0.9	3.0	5.5	5.1	5.6	8.8	9.8
2004 5/.....	2.3	*	*	*	*	1.0	3.1	5.1	6.0	5.3	9.1	9.2
2003 5/.....	2.4	*	*	*	*	0.9	3.3	5.0	5.2	6.1	9.9	14.9
2002.....	2.4	*	*	*	*	1.0	3.3	5.6	5.9	6.4	8.7	13.0
2001.....	2.6	*	*	*	*	0.9	3.5	5.9	6.2	7.4	8.6	14.0
2000.....	2.7	*	*	*	*	0.9	3.7	6.2	6.2	8.0	10.8	17.5
1999.....	2.7	*	*	*	*	1.0	3.9	6.2	6.8	7.0	9.3	14.5
Non-Hispanic black, male												
2006 5/.....	1.6	*	*	*	*	*	2.3	3.5	4.0	4.9	5.6	*
2005 5/.....	1.7	*	*	*	*	1.0	2.1	3.6	4.5	5.3	5.6	*
2004 5/.....	1.7	*	*	*	*	*	2.4	4.2	5.3	3.7	5.7	*
2003 5/.....	1.7	*	*	*	*	*	2.6	3.3	5.4	3.9	7.5	*
2002.....	1.6	*	*	*	*	*	2.2	3.3	5.3	6.1	5.9	*
2001.....	1.8	*	*	*	*	0.9	2.6	4.7	5.1	4.9	6.3	*
2000.....	1.7	*	*	*	*	*	2.7	4.4	4.2	6.3	7.1	*
1999.....	1.8	*	*	*	*	0.8	2.8	5.0	5.0	5.4	*	*
Non-Hispanic black, female												
2006 5/.....	2.8	*	*	*	*	0.7	3.3	5.9	6.0	6.8	10.3	12.3
2005 5/.....	3.0	*	*	*	*	0.8	3.9	7.1	5.6	5.8	10.6	11.5
2004 5/.....	2.9	*	*	*	*	1.1	3.7	5.8	6.6	6.4	10.9	12.0
2003 5/.....	3.0	*	*	*	*	1.1	4.0	6.4	5.0	7.7	11.2	15.3
2002.....	3.2	*	*	*	*	1.3	4.2	7.5	6.4	6.5	10.3	15.9
2001.....	3.3	*	*	*	*	0.9	4.3	6.9	7.2	9.2	9.9	16.7
2000.....	3.6	*	*	*	*	1.3	4.6	7.8	7.8	9.3	12.9	23.1
1999.....	3.4	*	*	*	*	1.1	4.8	7.3	8.2	8.1	11.6	18.2

Worktable Orig12. Death rates for 358 selected causes, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2006

[Rates per 100,000 population in specified group. Rates are based on populations enumerated as of April 1 for 2000 and estimated as of July 1 for all other years. Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to 'Detailed technical notes to the United States 2006 data-mortality']

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, and sex	All ages 1/	Under 1 year 2/	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
Intracerebral and other intracranial hemorrhage (I61-I62)												
All origins 3/, both sexes												
2006.....	9.1	1.6	*	0.1	0.2	0.5	2.0	6.2	11.2	24.3	66.8	120.8
2005.....	9.4	1.1	*	0.1	0.1	0.5	2.0	6.2	11.3	26.4	70.3	125.2
2004.....	9.4	1.3	*	*	0.2	0.5	2.1	6.2	11.6	27.1	71.3	124.3
2003.....	9.4	0.8	*	0.1	0.2	0.5	2.2	6.3	11.4	27.2	71.1	126.6
2002.....	9.4	1.0	*	0.1	0.2	0.5	2.1	6.0	11.7	28.1	72.3	127.2
2001.....	9.4	1.0	*	0.1	0.2	0.6	2.3	6.2	11.8	27.9	71.7	127.9
2000.....	9.7	1.1	*	0.1	0.2	0.5	2.3	6.5	12.9	29.3	74.1	137.9
1999.....	9.1	1.1	*	0.1	0.2	0.5	2.2	5.9	12.3	28.3	71.9	122.3
All origins 3/, male												
2006.....	8.7	1.8	*	*	0.2	0.5	2.4	7.4	13.4	27.8	71.9	130.5
2005.....	9.0	1.3	*	*	0.1	0.6	2.3	7.4	13.8	30.6	76.9	133.7
2004.....	8.9	1.4	*	*	0.2	0.6	2.6	7.4	13.9	30.7	77.4	134.4
2003.....	8.9	*	*	*	0.2	0.5	2.5	7.6	13.3	31.1	77.8	137.4
2002.....	8.7	1.1	*	*	0.2	0.5	2.3	7.3	13.7	32.3	77.2	135.0
2001.....	8.8	1.2	*	*	0.3	0.6	2.6	7.5	13.9	32.0	78.6	134.2
2000.....	9.1	1.3	*	*	0.2	0.6	2.7	7.8	15.9	33.1	79.0	149.6
1999.....	8.5	1.3	*	*	0.2	0.5	2.6	7.0	14.7	32.0	75.9	130.7
All origins 3/, female												
2006.....	9.5	1.4	*	*	0.2	0.5	1.7	4.9	9.3	21.4	63.4	116.3
2005.....	9.8	*	*	*	0.1	0.4	1.7	5.2	9.1	22.8	65.8	121.3
2004.....	9.8	1.3	*	*	0.2	0.5	1.6	5.1	9.4	24.2	67.1	119.8
2003.....	9.8	*	*	*	0.2	0.5	1.9	5.1	9.6	24.0	66.6	121.8
2002.....	10.0	1.0	*	*	0.1	0.4	1.8	4.8	9.8	24.6	69.0	123.8
2001.....	9.9	*	*	*	0.2	0.5	1.9	5.1	10.0	24.6	67.1	125.2
2000.....	10.4	*	*	*	0.2	0.4	2.0	5.3	10.2	26.1	70.9	133.1
1999.....	9.8	*	*	*	0.1	0.4	1.8	4.9	10.1	25.2	69.2	118.9
Hispanic, both sexes												
2006.....	4.2	2.2	*	*	*	0.5	2.3	6.5	14.3	22.8	57.2	79.0
2005.....	4.2	*	*	*	*	0.4	2.2	7.1	13.3	26.0	59.1	80.4
2004.....	4.2	*	*	*	*	0.4	2.1	7.1	14.2	26.8	56.4	95.0
2003.....	3.8	*	*	*	*	0.4	1.9	7.0	12.5	25.4	52.6	91.7
2002.....	3.9	*	*	*	*	0.4	1.8	6.9	12.5	24.8	60.6	98.7
2001.....	4.0	*	*	*	*	0.6	2.3	7.2	12.5	25.4	60.1	107.5
2000.....	4.0	*	*	*	*	0.6	2.3	6.5	15.6	26.8	61.8	106.8
1999.....	4.0	*	*	*	*	0.6	2.0	7.4	13.8	29.5	63.3	98.2
Hispanic, male												
2006.....	4.5	*	*	*	*	0.5	3.0	9.0	18.1	26.3	68.0	69.9
2005.....	4.4	*	*	*	*	*	2.7	9.2	17.9	31.3	62.8	88.4
2004.....	4.4	*	*	*	*	*	2.9	8.8	19.2	31.1	60.1	109.3
2003.....	3.9	*	*	*	*	*	2.5	10.0	16.2	27.7	51.8	104.7
2002.....	4.0	*	*	*	*	*	2.3	9.7	16.5	30.4	60.3	90.4
2001.....	4.2	*	*	*	*	0.9	2.9	9.5	16.5	29.0	65.7	112.4
2000.....	4.2	*	*	*	*	0.8	3.1	9.0	21.8	31.7	62.0	112.9
1999.....	4.4	*	*	*	*	0.7	2.7	10.3	19.0	37.3	67.6	107.8
Hispanic, female												
2006.....	3.9	*	*	*	*	*	1.5	4.0	10.8	19.9	49.6	83.9
2005.....	3.9	*	*	*	*	*	1.6	5.0	9.1	21.8	56.5	76.2
2004.....	3.9	*	*	*	*	*	1.2	5.3	9.6	23.4	53.8	88.6
2003.....	3.6	*	*	*	*	*	1.2	3.9	9.1	23.5	53.2	85.2
2002.....	3.8	*	*	*	*	*	1.3	4.0	8.9	20.4	60.7	102.8
2001.....	3.8	*	*	*	*	*	1.6	5.0	9.0	22.7	56.2	105.2
2000.....	3.7	*	*	*	*	*	1.5	4.0	10.0	22.9	61.7	103.9
1999.....	3.6	*	*	*	*	*	1.3	4.5	9.2	23.4	60.4	93.6

Worktable Orig12. Death rates for 358 selected causes, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2006

[Rates per 100,000 population in specified group. Rates are based on populations enumerated as of April 1 for 2000 and estimated as of July 1 for all other years. Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to 'Detailed technical notes to the United States 2006 data-mortality']

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, and sex	All ages 1/	Under 1 year 2/	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
Intracerebral and other intracranial hemorrhage (I61-I62)												
Non-Hispanic 4/, both sexes												
2006.....	9.9	1.4	*	0.1	0.2	0.5	2.0	6.1	11.0	24.4	67.4	122.8
2005.....	10.2	1.2	*	0.1	0.1	0.5	2.0	6.1	11.2	26.3	70.9	127.1
2004.....	10.2	1.5	*	*	0.2	0.5	2.1	6.1	11.3	27.1	72.0	125.5
2003.....	10.2	0.9	*	0.1	0.2	0.5	2.3	6.2	11.3	27.3	72.0	127.9
2002.....	10.2	0.9	*	0.1	0.1	0.5	2.1	5.9	11.6	28.3	72.7	128.1
2001.....	10.1	0.9	*	0.1	0.2	0.6	2.3	6.1	11.7	28.0	72.1	128.3
2000.....	10.5	1.2	*	0.1	0.2	0.5	2.3	6.5	12.7	29.4	74.4	138.9
1999.....	9.8	0.9	*	*	0.2	0.4	2.2	5.7	12.1	28.1	72.1	122.7
Non-Hispanic 4/, male												
2006.....	9.4	1.7	*	*	0.2	0.5	2.2	7.2	12.9	27.9	72.1	133.4
2005.....	9.8	1.5	*	*	0.1	0.6	2.2	7.2	13.4	30.5	77.7	135.9
2004.....	9.7	1.5	*	*	0.2	0.6	2.5	7.2	13.4	30.6	76.3	135.7
2003.....	9.7	*	*	*	0.2	0.6	2.5	7.3	13.1	31.2	79.1	138.6
2002.....	9.5	*	*	*	0.2	0.6	2.3	7.0	13.5	32.3	77.9	136.6
2001.....	9.5	*	*	*	0.2	0.6	2.5	7.2	13.6	32.2	79.2	134.9
2000.....	9.8	1.5	*	*	0.2	0.6	2.6	7.7	15.3	33.1	79.5	151.0
1999.....	9.0	*	*	*	0.2	0.5	2.5	6.6	14.3	31.6	76.3	131.0
Non-Hispanic 4/, female												
2006.....	10.4	*	*	*	0.2	0.5	1.7	5.0	9.1	21.5	64.1	117.8
2005.....	10.7	*	*	*	0.2	0.4	1.7	5.2	9.0	22.8	66.2	123.2
2004.....	10.7	1.5	*	*	0.2	0.5	1.6	5.0	9.4	24.2	67.7	120.9
2003.....	10.8	*	*	*	0.2	0.5	2.0	5.2	9.8	24.0	67.2	123.1
2002.....	10.8	*	*	*	*	0.5	1.9	4.9	9.9	24.9	69.2	124.4
2001.....	10.7	*	*	*	0.2	0.6	2.0	5.0	10.0	24.6	67.5	125.6
2000.....	11.2	*	*	*	0.2	0.4	2.1	5.4	10.2	26.3	71.1	134.0
1999.....	10.5	*	*	*	0.1	0.4	1.8	4.9	10.1	25.2	69.4	119.5
Non-Hispanic white, both sexes												
2006 5/.....	10.1	1.0	*	*	0.1	0.3	1.3	4.2	8.4	22.5	67.4	125.0
2005 5/.....	10.4	1.0	*	*	0.1	0.3	1.3	4.1	8.7	24.7	71.0	129.1
2004 5/.....	10.4	1.1	*	*	0.2	0.4	1.5	4.0	9.0	25.5	71.7	127.7
2003 5/.....	10.3	*	*	*	0.2	0.4	1.5	3.9	8.7	25.5	71.6	129.0
2002.....	10.4	*	*	*	0.1	0.4	1.3	3.8	9.6	26.6	72.8	130.3
2001.....	10.3	*	*	*	0.2	0.4	1.5	3.9	9.5	26.1	72.1	129.3
2000.....	10.7	*	*	*	0.2	0.4	1.5	4.4	10.3	28.0	74.2	140.4
1999.....	10.0	*	*	*	0.1	0.3	1.4	3.7	9.8	26.9	71.9	123.7
Non-Hispanic white, male												
2006 5/.....	9.3	*	*	*	0.1	0.3	1.4	4.9	9.5	25.7	72.7	136.0
2005 5/.....	9.7	*	*	*	*	0.4	1.4	4.7	10.2	28.6	77.9	139.7
2004 5/.....	9.7	*	*	*	0.2	0.5	1.8	4.8	10.4	28.6	78.4	138.8
2003 5/.....	9.5	*	*	*	0.2	0.4	1.7	4.6	9.9	29.2	79.0	140.1
2002.....	9.5	*	*	*	0.2	0.4	1.4	4.5	11.0	30.5	78.6	138.7
2001.....	9.4	*	*	*	0.2	0.4	1.7	4.6	11.2	29.9	79.2	135.6
2000.....	9.7	*	*	*	0.2	0.4	1.6	5.2	12.2	31.2	79.5	151.7
1999.....	8.9	*	*	*	*	0.3	1.6	4.3	11.6	30.4	75.5	132.1
Non-Hispanic white, female												
2006 5/.....	10.8	*	*	*	*	0.4	1.1	3.5	7.5	19.8	63.7	119.9
2005 5/.....	11.1	*	*	*	*	0.2	1.2	3.4	7.3	21.4	66.2	124.2
2004 5/.....	11.1	*	*	*	*	0.3	1.1	3.1	7.7	22.8	67.1	122.8
2003 5/.....	11.1	*	*	*	*	0.4	1.3	3.1	7.6	22.4	66.7	124.1
2002.....	11.3	*	*	*	*	0.3	1.2	3.2	8.2	23.3	68.9	126.7
2001.....	11.1	*	*	*	*	0.4	1.4	3.1	8.0	22.8	67.4	126.7
2000.....	11.7	*	*	*	*	0.3	1.3	3.5	8.5	25.3	70.8	135.8
1999.....	11.0	*	*	*	*	0.3	1.2	3.2	8.1	23.9	69.5	120.3

Worktable Orig12. Death rates for 358 selected causes, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2006

[Rates per 100,000 population in specified group. Rates are based on populations enumerated as of April 1 for 2000 and estimated as of July 1 for all other years. Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.odc.gov/nchs> and refer to 'Detailed technical notes to the United States 2006 data-mortality']

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, and sex	All ages 1/	Under 1 year 2/	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
Intracerebral and other intracranial hemorrhage (I61-I62)												
Non-Hispanic black, both sexes												
2006 5/.....	10.3	3.3	*	*	0.3	1.1	5.6	18.1	29.3	36.3	65.9	96.4
2005 5/.....	10.5	*	*	*	*	1.2	5.5	19.3	29.0	39.1	67.0	103.8
2004 5/.....	10.6	*	*	*	0.3	1.4	5.7	19.6	29.0	40.2	73.0	96.4
2003 5/.....	10.9	*	*	*	0.4	1.2	6.3	21.1	30.6	38.6	73.8	108.6
2002.....	10.0	*	*	*	*	1.2	6.2	19.3	26.3	39.7	69.4	97.4
2001.....	10.4	*	*	*	0.4	1.4	6.1	21.1	27.2	40.7	69.5	106.8
2000.....	10.6	*	*	*	*	1.2	7.3	21.5	29.9	39.4	69.4	118.0
1999.....	9.8	*	*	*	*	1.1	7.0	19.1	28.3	37.2	68.9	96.7
Non-Hispanic black, male												
2006 5/.....	10.9	*	*	*	*	1.1	6.5	22.1	40.2	43.9	67.3	95.3
2005 5/.....	11.2	*	*	*	*	1.4	6.5	23.8	39.5	48.5	71.5	95.2
2004 5/.....	11.1	*	*	*	*	1.4	6.9	23.3	38.9	47.6	77.0	101.6
2003 5/.....	11.4	*	*	*	*	1.5	6.9	25.8	39.3	45.4	85.7	118.3
2002.....	10.4	*	*	*	*	1.4	7.0	24.5	33.8	48.2	68.6	101.7
2001.....	10.7	*	*	*	*	1.5	6.9	25.9	32.8	50.3	72.3	113.2
2000.....	11.2	*	*	*	*	1.5	8.5	26.2	40.8	47.2	73.7	132.7
1999.....	10.1	*	*	*	*	1.3	8.4	23.6	35.5	40.7	74.7	108.2
Non-Hispanic black, female												
2006 5/.....	9.7	*	*	*	*	1.1	4.7	14.6	20.5	30.8	65.2	96.8
2005 5/.....	9.9	*	*	*	*	1.0	4.6	15.5	20.5	32.4	64.5	107.2
2004 5/.....	10.1	*	*	*	*	1.4	4.6	16.4	21.0	34.9	70.7	94.4
2003 5/.....	10.4	*	*	*	*	1.0	5.8	17.1	23.5	33.7	67.1	104.8
2002.....	9.7	*	*	*	*	1.1	5.5	14.9	20.4	33.8	69.8	95.7
2001.....	10.1	*	*	*	*	1.3	5.4	17.0	22.7	33.9	67.9	104.4
2000.....	10.1	*	*	*	*	1.0	6.2	17.4	21.2	33.9	67.0	112.5
1999.....	9.5	*	*	*	*	0.9	5.8	15.2	22.5	34.8	65.7	92.4

Worktable Orig12. Death rates for 358 selected causes, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2006

[Rates per 100,000 population in specified group. Rates are based on populations enumerated as of April 1 for 2000 and estimated as of July 1 for all other years. Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to 'Detailed technical notes to the United States 2006 data-mortality']

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, and sex	All ages 1/	Under 1 year 2/	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
Cerebral infarction (I63)												
All origins 3/, both sexes												
2006.....	2.4	*	*	*	*	0.1	0.3	0.8	1.9	5.2	17.2	50.4
2005.....	2.6	*	*	*	*	0.1	0.3	0.8	2.1	5.8	18.3	56.8
2004.....	3.7	*	*	*	*	0.1	0.3	0.8	2.3	7.7	27.8	97.7
2003.....	4.2	*	*	*	*	0.1	0.3	0.9	2.4	8.4	31.3	112.2
2002.....	4.3	*	*	*	*	0.1	0.2	1.0	2.5	8.6	32.2	118.3
2001.....	4.4	*	*	*	*	0.1	0.3	0.9	2.4	9.4	33.9	124.8
2000.....	4.9	*	*	*	*	0.1	0.3	0.9	2.9	9.6	38.1	141.0
1999.....	5.3	*	*	*	*	0.1	0.3	0.9	3.1	11.3	41.2	153.1
All origins 3/, male												
2006.....	2.0	*	*	*	*	0.1	0.4	1.0	2.4	6.2	18.3	45.8
2005.....	2.1	*	*	*	*	0.1	0.4	1.0	2.7	6.6	18.5	51.9
2004.....	3.0	*	*	*	*	0.1	0.3	1.0	3.0	9.0	30.1	88.5
2003.....	3.3	*	*	*	*	*	0.4	1.2	2.9	10.2	33.1	100.3
2002.....	3.4	*	*	*	*	0.1	0.2	1.2	3.1	9.6	35.4	108.7
2001.....	3.5	*	*	*	*	0.1	0.3	1.1	3.1	11.1	37.8	111.2
2000.....	3.9	*	*	*	*	*	0.4	1.1	3.6	11.4	42.3	133.3
1999.....	4.2	*	*	*	*	0.1	0.4	1.2	3.8	13.5	45.0	144.6
All origins 3/, female												
2006.....	2.7	*	*	*	*	*	0.3	0.6	1.4	4.3	16.5	52.5
2005.....	3.0	*	*	*	*	0.1	0.3	0.6	1.5	5.2	18.2	59.1
2004.....	4.4	*	*	*	*	0.1	0.3	0.6	1.7	6.6	26.3	101.9
2003.....	5.0	*	*	*	*	*	0.2	0.7	1.8	6.9	30.1	117.5
2002.....	5.1	*	*	*	*	0.1	0.2	0.7	1.9	7.7	30.1	122.4
2001.....	5.3	*	*	*	*	*	0.3	0.8	1.8	8.0	31.3	130.4
2000.....	5.8	*	*	*	*	0.1	0.3	0.8	2.2	8.1	35.3	144.2
1999.....	6.3	*	*	*	*	*	0.3	0.7	2.5	9.6	38.8	156.6
Hispanic, both sexes												
2006.....	0.7	*	*	*	*	*	*	0.5	1.2	4.8	10.3	28.6
2005.....	0.7	*	*	*	*	*	*	0.7	1.8	3.6	11.7	30.8
2004.....	1.0	*	*	*	*	*	*	0.6	1.9	5.4	19.3	55.2
2003.....	1.0	*	*	*	*	*	*	0.6	1.8	6.6	20.3	53.4
2002.....	1.1	*	*	*	*	*	*	0.6	1.6	7.1	19.8	68.7
2001.....	1.2	*	*	*	*	*	*	0.8	1.8	8.2	23.3	88.8
2000.....	1.3	*	*	*	*	*	*	0.8	2.2	8.5	26.7	84.9
1999.....	1.3	*	*	*	*	*	*	0.7	2.0	9.6	26.2	100.3
Hispanic, male												
2006.....	0.6	*	*	*	*	*	*	*	1.6	5.8	11.1	35.0
2005.....	0.6	*	*	*	*	*	*	*	2.0	4.6	12.7	*
2004.....	0.8	*	*	*	*	*	*	*	2.6	5.5	19.0	54.6
2003.....	0.9	*	*	*	*	*	*	*	2.5	7.9	22.6	30.8
2002.....	0.9	*	*	*	*	*	*	*	2.8	7.5	20.1	71.9
2001.....	1.1	*	*	*	*	*	*	*	2.6	12.2	25.5	64.8
2000.....	1.2	*	*	*	*	*	*	*	3.4	10.6	32.9	92.7
1999.....	1.1	*	*	*	*	*	*	*	2.6	11.9	27.1	105.7
Hispanic, female												
2006.....	0.7	*	*	*	*	*	*	*	*	4.0	9.7	25.2
2005.....	0.8	*	*	*	*	*	*	*	*	2.9	10.9	34.5
2004.....	1.2	*	*	*	*	*	*	*	*	5.3	19.5	55.5
2003.....	1.2	*	*	*	*	*	*	*	*	5.6	18.7	64.8
2002.....	1.2	*	*	*	*	*	*	*	*	6.8	19.7	67.1
2001.....	1.4	*	*	*	*	*	*	*	*	5.0	21.8	100.5
2000.....	1.3	*	*	*	*	*	*	*	*	7.0	22.5	81.1
1999.....	1.5	*	*	*	*	*	*	*	*	7.7	25.7	97.7

Worktable Orig12. Death rates for 358 selected causes, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2006

[Rates per 100,000 population in specified group. Rates are based on populations enumerated as of April 1 for 2000 and estimated as of July 1 for all other years. Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to 'Detailed technical notes to the United States 2006 data-mortality']

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, and sex	All ages 1/	Under 1 year 2/	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
Cerebral infarction (I63)												
Non-Hispanic 4/, both sexes												
2006.....	2.6	*	*	*	*	0.1	0.3	0.8	2.0	5.2	17.7	51.4
2005.....	2.9	*	*	*	*	0.1	0.3	0.8	2.1	6.0	18.7	58.1
2004.....	4.2	*	*	*	*	0.1	0.3	0.8	2.4	7.8	28.2	99.5
2003.....	4.6	*	*	*	*	0.1	0.3	0.9	2.4	8.5	31.8	114.5
2002.....	4.8	*	*	*	*	0.1	0.3	1.0	2.5	8.7	32.8	120.1
2001.....	4.9	*	*	*	*	0.1	0.3	0.9	2.5	9.4	34.2	126.0
2000.....	5.4	*	*	*	*	0.1	0.4	0.9	3.0	9.6	38.4	142.7
1999.....	5.8	*	*	*	*	0.1	0.4	1.0	3.2	11.4	41.8	154.5
Non-Hispanic 4/, male												
2006.....	2.3	*	*	*	*	0.2	0.4	1.0	2.5	6.2	18.8	46.4
2005.....	2.4	*	*	*	*	0.1	0.4	1.0	2.7	6.7	19.8	53.3
2004.....	3.4	*	*	*	*	*	0.3	1.0	3.1	9.2	30.6	90.2
2003.....	3.7	*	*	*	*	*	0.4	1.2	3.0	10.3	33.6	103.6
2002.....	3.8	*	*	*	*	0.1	0.2	1.3	3.1	9.7	36.1	110.1
2001.....	3.9	*	*	*	*	0.1	0.3	1.1	3.1	11.0	38.2	113.2
2000.....	4.3	*	*	*	*	*	0.4	1.1	3.7	11.3	42.6	134.6
1999.....	4.7	*	*	*	*	*	0.4	1.2	3.8	13.5	45.6	145.9
Non-Hispanic 4/, female												
2006.....	3.0	*	*	*	*	*	0.3	0.6	1.5	4.3	16.9	53.7
2005.....	3.3	*	*	*	*	*	0.3	0.6	1.5	5.4	18.6	60.2
2004.....	4.9	*	*	*	*	*	0.3	0.6	1.7	6.7	26.6	103.7
2003.....	5.5	*	*	*	*	*	0.2	0.7	1.8	7.0	30.6	119.3
2002.....	5.7	*	*	*	*	0.1	0.3	0.7	2.0	7.8	30.6	124.4
2001.....	5.9	*	*	*	*	*	0.3	0.8	1.9	8.1	31.7	131.3
2000.....	6.4	*	*	*	*	0.1	0.3	0.8	2.3	8.2	35.7	146.0
1999.....	7.0	*	*	*	*	*	0.3	0.7	2.6	9.7	39.3	158.0
Non-Hispanic white, both sexes												
2006 5/.....	2.9	*	*	*	*	0.1	0.3	0.6	1.7	4.9	17.5	52.6
2005 5/.....	3.1	*	*	*	*	0.1	0.3	0.6	1.8	5.6	18.5	58.8
2004 5/.....	4.5	*	*	*	*	0.1	0.3	0.7	2.0	7.3	27.6	99.5
2003 5/.....	5.1	*	*	*	*	*	0.2	0.8	2.0	7.9	31.4	116.1
2002.....	5.2	*	*	*	*	0.1	0.2	0.8	2.3	8.1	32.2	121.0
2001.....	5.3	*	*	*	*	0.1	0.2	0.8	2.1	8.8	33.8	127.2
2000.....	5.8	*	*	*	*	*	0.3	0.8	2.5	8.9	37.7	143.4
1999.....	6.3	*	*	*	*	0.1	0.3	0.8	2.7	10.5	41.1	155.8
Non-Hispanic white, male												
2006 5/.....	2.4	*	*	*	*	*	0.3	0.7	2.2	6.0	18.3	47.2
2005 5/.....	2.5	*	*	*	*	*	0.3	0.9	2.3	6.3	19.0	52.9
2004 5/.....	3.6	*	*	*	*	*	0.3	0.8	2.5	8.4	29.9	89.8
2003 5/.....	4.0	*	*	*	*	*	0.3	1.0	2.5	9.5	33.3	104.9
2002.....	4.1	*	*	*	*	*	0.2	1.1	2.7	9.0	35.5	110.0
2001.....	4.2	*	*	*	*	*	0.3	0.9	2.7	10.4	37.3	112.5
2000.....	4.5	*	*	*	*	*	0.3	0.9	3.1	10.5	41.4	134.2
1999.....	4.9	*	*	*	*	*	0.4	1.0	3.3	12.5	44.7	145.3
Non-Hispanic white, female												
2006 5/.....	3.3	*	*	*	*	*	0.2	0.5	1.3	4.0	16.9	55.2
2005 5/.....	3.6	*	*	*	*	*	0.2	0.4	1.3	5.1	18.1	61.5
2004 5/.....	5.4	*	*	*	*	*	0.2	0.5	1.5	6.3	26.1	103.9
2003 5/.....	6.1	*	*	*	*	*	0.2	0.5	1.5	6.6	30.1	121.1
2002.....	6.3	*	*	*	*	*	0.2	0.6	1.8	7.2	29.9	125.8
2001.....	6.5	*	*	*	*	*	0.2	0.6	1.6	7.4	31.4	133.3
2000.....	7.1	*	*	*	*	*	0.2	0.7	2.0	7.6	35.3	147.1
1999.....	7.7	*	*	*	*	*	0.2	0.6	2.2	8.9	38.8	160.0

Worktable Orig12. Death rates for 358 selected causes, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2006

[Rates per 100,000 population in specified group. Rates are based on populations enumerated as of April 1 for 2000 and estimated as of July 1 for all other years. Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.odc.gov/nchs> and refer to 'Detailed technical notes to the United States 2006 data-mortality']

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, and sex	All ages 1/	Under 1 year 2/	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
Cerebral infarction (I63)												
Non-Hispanic black, both sexes												
2006 5/.....	2.1	*	*	*	*	*	0.7	2.0	4.0	8.0	22.1	45.9
2005 5/.....	2.4	*	*	*	*	*	0.7	1.8	4.8	9.3	23.9	55.7
2004 5/.....	3.5	*	*	*	*	*	0.7	1.8	5.6	14.1	38.2	105.1
2003 5/.....	3.6	*	*	*	*	*	0.8	2.1	6.0	14.5	41.0	109.2
2002.....	3.6	*	*	*	*	*	0.5	2.2	5.0	15.2	42.7	113.7
2001.....	3.8	*	*	*	*	*	0.7	2.2	5.8	16.7	42.8	123.0
2000.....	4.2	*	*	*	*	*	0.8	2.1	6.6	16.9	49.6	144.1
1999.....	4.5	*	*	*	*	*	0.7	2.2	6.7	20.8	53.6	152.0
Non-Hispanic black, male												
2006 5/.....	2.1	*	*	*	*	*	0.9	2.9	5.5	9.2	25.9	43.1
2005 5/.....	2.2	*	*	*	*	*	*	2.4	6.6	11.7	20.5	63.8
2004 5/.....	3.2	*	*	*	*	*	*	2.5	7.9	17.8	44.2	99.6
2003 5/.....	3.2	*	*	*	*	*	0.9	2.5	8.0	18.6	44.2	99.1
2002.....	3.2	*	*	*	*	*	*	2.8	6.7	18.4	46.9	114.9
2001.....	3.4	*	*	*	*	*	*	2.6	7.5	19.1	54.6	129.4
2000.....	3.8	*	*	*	*	*	0.8	2.9	8.5	21.1	60.2	139.7
1999.....	4.1	*	*	*	*	*	*	3.0	8.4	26.5	63.8	162.8
Non-Hispanic black, female												
2006 5/.....	2.2	*	*	*	*	*	*	1.2	2.9	7.1	20.0	47.1
2005 5/.....	2.5	*	*	*	*	*	*	1.4	3.3	7.6	25.9	52.5
2004 5/.....	3.7	*	*	*	*	*	0.7	1.2	3.8	11.4	34.8	107.2
2003 5/.....	4.0	*	*	*	*	*	0.7	1.8	4.5	11.5	39.3	113.1
2002.....	4.0	*	*	*	*	*	*	1.6	3.7	13.0	40.3	113.3
2001.....	4.1	*	*	*	*	*	0.8	1.8	4.5	15.1	36.2	120.6
2000.....	4.7	*	*	*	*	*	0.8	1.5	5.0	14.0	43.6	145.7
1999.....	4.9	*	*	*	*	*	0.8	1.6	5.4	16.8	48.0	147.9

Worktable Orig12. Death rates for 358 selected causes, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2006

[Rates per 100,000 population in specified group. Rates are based on populations enumerated as of April 1 for 2000 and estimated as of July 1 for all other years. Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to 'Detailed technical notes to the United States 2006 data-mortality']

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, and sex	All ages 1/	Under 1 year 2/	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
Stroke, not specified as hemorrhage or infarction (I64)												
All origins 3/, both sexes												
2006.....	24.2	*	*	*	*	0.2	1.0	3.7	13.0	47.6	183.4	628.5
2005.....	25.1	*	*	*	*	0.2	0.9	3.8	12.3	48.2	192.6	675.7
2004.....	26.0	*	*	*	*	0.2	0.9	3.7	12.7	51.7	204.5	713.4
2003.....	28.4	*	*	*	0.1	0.3	1.0	3.7	14.1	54.8	223.0	799.7
2002.....	30.1	*	*	*	*	0.2	0.9	4.0	15.0	60.5	237.6	859.4
2001.....	31.1	*	*	*	*	0.2	0.9	3.8	15.6	62.8	249.4	906.2
2000.....	32.1	*	*	*	*	0.2	0.9	3.8	16.2	66.4	257.6	954.7
1999.....	32.6	*	*	*	*	0.2	0.8	3.8	16.3	66.5	263.9	982.4
All origins 3/, male												
2006.....	18.5	*	*	*	*	0.2	1.1	4.4	15.9	53.9	184.7	539.0
2005.....	19.2	*	*	*	*	0.2	1.0	4.6	15.1	54.9	198.0	584.7
2004.....	19.7	*	*	*	*	0.2	1.1	4.4	14.9	58.9	209.0	615.5
2003.....	21.5	*	*	*	*	0.3	1.2	4.4	16.9	62.5	231.4	699.0
2002.....	22.6	*	*	*	*	0.2	1.0	4.6	18.0	68.8	241.0	762.8
2001.....	23.5	*	*	*	*	0.1	0.9	4.5	18.7	72.1	256.3	819.7
2000.....	24.2	*	*	*	*	0.2	0.9	4.7	19.4	75.1	270.6	863.2
1999.....	24.7	*	*	*	*	0.2	0.8	4.6	19.4	75.9	280.4	896.4
All origins 3/, female												
2006.....	29.8	*	*	*	*	0.2	0.8	3.0	10.3	42.2	182.5	670.4
2005.....	30.9	*	*	*	*	0.2	0.8	3.0	9.7	42.6	188.9	717.4
2004.....	32.2	*	*	*	*	0.2	0.8	2.9	10.6	45.7	201.4	757.4
2003.....	35.0	*	*	*	*	0.2	0.8	3.0	11.5	48.3	217.4	844.2
2002.....	37.4	*	*	*	*	0.2	0.9	3.3	12.1	53.6	235.4	901.3
2001.....	38.5	*	*	*	*	0.2	0.8	3.0	12.7	55.1	244.9	942.4
2000.....	39.7	*	*	*	*	0.2	0.8	3.0	13.1	59.2	249.0	992.0
1999.....	40.3	*	*	*	*	0.2	0.7	3.0	13.5	58.9	253.3	1,017.1
Hispanic, both sexes												
2006.....	7.0	*	*	*	*	*	0.6	3.2	11.1	39.8	133.8	405.0
2005.....	6.9	*	*	*	*	*	0.7	2.7	11.0	40.0	141.5	416.3
2004.....	7.1	*	*	*	*	*	0.6	3.0	11.0	44.2	151.8	437.2
2003.....	7.7	*	*	*	*	*	0.7	2.6	12.6	45.3	171.6	517.7
2002.....	7.6	*	*	*	*	*	0.5	3.3	13.0	49.2	171.5	508.9
2001.....	7.9	*	*	*	*	*	0.6	3.6	12.0	49.3	183.4	607.8
2000.....	8.1	*	*	*	*	*	0.6	2.8	13.5	56.9	179.6	650.9
1999.....	7.9	*	*	*	*	*	0.5	2.7	13.3	53.8	181.2	646.1
Hispanic, male												
2006.....	5.9	*	*	*	*	*	0.8	3.5	14.3	46.2	146.7	351.8
2005.....	6.1	*	*	*	*	*	0.8	3.7	14.2	49.8	157.7	388.5
2004.....	6.3	*	*	*	*	*	0.7	4.3	13.2	55.0	173.5	409.1
2003.....	6.6	*	*	*	*	*	0.7	3.1	16.4	54.3	195.2	483.3
2002.....	6.6	*	*	*	*	*	*	3.8	16.5	61.2	186.7	480.2
2001.....	6.9	*	*	*	*	*	*	4.5	14.6	59.1	210.2	622.8
2000.....	7.0	*	*	*	*	*	*	3.9	15.3	69.8	213.9	608.7
1999.....	7.0	*	*	*	*	*	*	3.6	16.1	65.2	212.2	683.7
Hispanic, female												
2006.....	8.1	*	*	*	*	*	*	2.9	8.2	34.6	124.8	433.2
2005.....	7.8	*	*	*	*	*	*	1.7	8.1	32.0	130.2	430.8
2004.....	8.0	*	*	*	*	*	*	1.7	9.0	35.6	136.8	451.6
2003.....	8.8	*	*	*	*	*	*	2.1	9.3	38.1	155.4	535.2
2002.....	8.7	*	*	*	*	*	*	2.8	9.9	39.7	161.0	523.1
2001.....	9.0	*	*	*	*	*	*	2.8	9.6	41.6	165.3	600.4
2000.....	9.3	*	*	*	*	*	*	1.8	11.9	46.8	156.5	671.7
1999.....	8.9	*	*	*	*	*	*	1.7	10.8	44.7	160.6	628.1

Worktable Orig12. Death rates for 358 selected causes, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2006

[Rates per 100,000 population in specified group. Rates are based on populations enumerated as of April 1 for 2000 and estimated as of July 1 for all other years. Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to 'Detailed technical notes to the United States 2006 data-mortality']

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, and sex	All ages 1/	Under 1 year 2/	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
Stroke, not specified as hemorrhage or infarction (I64)												
Non-Hispanic 4/, both sexes												
2006.....	27.2	*	*	*	*	0.2	1.0	3.8	13.1	48.1	186.1	639.2
2005.....	28.1	*	*	*	*	0.2	1.0	3.9	12.4	48.8	195.3	687.4
2004.....	29.1	*	*	*	*	0.2	1.0	3.7	12.7	52.2	207.1	724.7
2003.....	31.6	*	*	*	0.1	0.3	1.1	3.8	14.2	55.3	225.3	810.4
2002.....	33.5	*	*	*	*	0.2	1.0	4.0	15.1	61.1	240.4	871.6
2001.....	34.5	*	*	*	*	0.2	0.9	3.7	15.8	63.6	251.9	915.4
2000.....	35.5	*	*	*	*	0.2	0.9	3.9	16.3	66.8	260.2	964.0
1999.....	36.0	*	*	*	*	0.2	0.8	3.9	16.5	67.1	266.8	992.4
Non-Hispanic 4/, male												
2006.....	20.7	*	*	*	*	0.3	1.2	4.5	15.9	54.4	186.7	548.5
2005.....	21.4	*	*	*	*	0.2	1.0	4.7	15.2	55.2	200.0	594.7
2004.....	21.9	*	*	*	*	0.2	1.1	4.4	15.0	59.0	210.7	624.6
2003.....	24.0	*	*	*	*	0.3	1.3	4.5	16.9	62.9	232.9	708.3
2002.....	25.2	*	*	*	*	0.2	1.0	4.6	18.1	69.1	243.0	774.2
2001.....	26.0	*	*	*	*	*	1.0	4.5	18.9	72.8	257.7	826.2
2000.....	26.8	*	*	*	*	0.3	1.0	4.7	19.7	75.3	272.3	871.9
1999.....	27.2	*	*	*	*	0.2	0.9	4.7	19.5	76.3	282.5	903.9
Non-Hispanic 4/, female												
2006.....	33.3	*	*	*	*	0.2	0.9	3.0	10.5	42.8	185.8	681.3
2005.....	34.5	*	*	*	*	0.2	0.9	3.1	9.8	43.3	192.1	729.7
2004.....	35.9	*	*	*	*	0.3	0.9	3.1	10.6	46.4	204.7	769.5
2003.....	38.9	*	*	*	*	0.2	0.9	3.1	11.7	49.0	220.2	855.2
2002.....	41.5	*	*	*	*	0.3	0.9	3.4	12.3	54.4	238.6	913.6
2001.....	42.6	*	*	*	*	0.2	0.8	3.0	12.9	55.9	248.1	952.5
2000.....	43.8	*	*	*	*	0.2	0.8	3.1	13.2	59.8	252.3	1,001.2
1999.....	44.3	*	*	*	*	0.2	0.7	3.1	13.6	59.6	256.6	1,027.8
Non-Hispanic white, both sexes												
2006 5/.....	29.4	*	*	*	*	0.1	0.8	2.9	10.5	42.3	181.5	647.0
2005 5/.....	30.4	*	*	*	*	0.1	0.7	2.9	9.9	43.3	190.6	694.2
2004 5/.....	31.5	*	*	*	*	0.2	0.7	2.7	10.1	46.6	201.5	733.1
2003 5/.....	34.2	*	*	*	*	0.2	0.7	2.8	11.3	49.7	220.1	818.1
2002.....	36.4	*	*	*	*	0.2	0.7	2.9	11.9	54.9	235.0	879.7
2001.....	37.3	*	*	*	*	0.2	0.7	2.7	12.5	57.0	246.4	922.8
2000.....	38.4	*	*	*	*	0.2	0.7	2.9	13.2	60.7	254.2	972.8
1999.....	38.9	*	*	*	*	0.1	0.6	2.8	13.1	60.7	261.2	1,003.8
Non-Hispanic white, male												
2006 5/.....	21.8	*	*	*	*	0.2	0.9	3.5	12.6	47.4	181.1	552.8
2005 5/.....	22.6	*	*	*	*	*	0.7	3.6	12.1	48.4	193.6	599.9
2004 5/.....	23.2	*	*	*	*	*	0.8	3.3	11.9	52.5	204.6	632.1
2003 5/.....	25.4	*	*	*	*	0.2	0.9	3.4	13.4	56.5	226.8	713.5
2002.....	26.6	*	*	*	*	0.2	0.8	3.5	14.2	61.5	236.6	778.0
2001.....	27.4	*	*	*	*	*	0.8	3.3	14.8	64.8	251.1	829.8
2000.....	28.3	*	*	*	*	0.2	0.8	3.6	16.1	68.1	264.9	873.6
1999.....	28.8	*	*	*	*	*	0.6	3.4	15.7	68.9	276.0	910.5
Non-Hispanic white, female												
2006 5/.....	36.7	*	*	*	*	*	0.6	2.3	8.4	38.0	181.8	690.9
2005 5/.....	38.0	*	*	*	*	*	0.6	2.2	7.9	38.8	188.5	737.4
2004 5/.....	39.5	*	*	*	*	0.2	0.6	2.1	8.5	41.5	199.4	778.3
2003 5/.....	42.8	*	*	*	*	0.2	0.6	2.2	9.2	43.8	215.5	864.2
2002.....	45.7	*	*	*	*	0.2	0.6	2.3	9.8	49.3	233.9	923.6
2001.....	46.8	*	*	*	*	0.2	0.5	2.1	10.4	50.3	243.3	961.5
2000.....	48.1	*	*	*	*	0.2	0.6	2.2	10.5	54.5	247.3	1,012.8
1999.....	48.7	*	*	*	*	0.2	0.5	2.2	10.7	53.8	251.5	1,041.1

Worktable Orig12. Death rates for 358 selected causes, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2006

[Rates per 100,000 population in specified group. Rates are based on populations enumerated as of April 1 for 2000 and estimated as of July 1 for all other years. Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.odc.gov/nchs> and refer to 'Detailed technical notes to the United States 2006 data-mortality']

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, and sex	All ages 1/	Under 1 year 2/	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
Stroke, not specified as hemorrhage or infarction (I64)												
Non-Hispanic black, both sexes												
2006 5/.....	22.5	*	*	*	*	0.7	2.8	10.1	35.4	102.4	258.2	621.6
2005 5/.....	22.9	*	*	*	*	0.5	2.6	11.0	33.7	99.3	268.7	678.6
2004 5/.....	23.9	*	*	*	*	0.6	2.8	10.9	35.3	106.7	294.3	713.2
2003 5/.....	25.6	*	*	*	*	0.8	3.2	10.9	39.3	111.1	309.6	808.2
2002.....	26.9	*	*	*	*	0.4	2.6	11.7	42.5	122.7	329.5	851.1
2001.....	27.5	*	*	*	*	0.4	2.6	11.3	43.4	128.5	337.4	891.5
2000.....	28.2	*	*	*	*	0.5	2.3	11.5	42.7	131.5	354.7	929.5
1999.....	28.4	*	*	*	*	0.4	2.3	12.1	45.5	134.2	354.4	923.4
Non-Hispanic black, male												
2006 5/.....	19.8	*	*	*	*	0.8	2.9	12.9	46.5	126.2	281.7	520.6
2005 5/.....	19.9	*	*	*	*	*	3.1	13.1	44.6	123.2	295.2	588.1
2004 5/.....	19.9	*	*	*	*	*	2.9	12.7	44.9	127.8	308.0	595.4
2003 5/.....	21.4	*	*	*	*	1.1	3.9	13.0	48.8	130.4	337.3	694.7
2002.....	22.9	*	*	*	*	*	2.4	13.6	54.5	153.6	349.6	774.5
2001.....	23.5	*	*	*	*	*	2.7	13.4	56.5	158.5	367.3	824.7
2000.....	24.0	*	*	*	*	*	2.3	14.0	52.3	157.4	395.8	911.2
1999.....	24.1	*	*	*	*	*	2.4	14.7	56.2	158.3	389.6	885.4
Non-Hispanic black, female												
2006 5/.....	25.1	*	*	*	*	*	2.6	7.7	26.5	85.4	244.9	659.2
2005 5/.....	25.7	*	*	*	*	*	2.2	9.3	24.9	82.2	253.7	715.0
2004 5/.....	27.6	*	*	*	*	*	2.6	9.2	27.6	91.6	286.6	759.8
2003 5/.....	29.3	*	*	*	*	*	2.6	9.1	31.6	97.3	294.0	852.2
2002.....	30.6	*	*	*	*	*	2.8	10.0	32.8	100.7	318.2	880.4
2001.....	31.2	*	*	*	*	*	2.5	9.5	32.9	107.2	320.6	916.2
2000.....	32.0	*	*	*	*	*	2.4	9.4	34.9	113.2	331.5	936.3
1999.....	32.3	*	*	*	*	*	2.2	9.9	36.9	117.2	334.8	937.6

Worktable Orig12. Death rates for 358 selected causes, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2006

[Rates per 100,000 population in specified group. Rates are based on populations enumerated as of April 1 for 2000 and estimated as of July 1 for all other years. Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to 'Detailed technical notes to the United States 2006 data-mortality']

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, and sex	All ages 1/	Under 1 year 2/	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
Other cerebrovascular diseases and their sequelae (I67,I69)												
All origins 3/, both sexes												
2006.....	8.2	1.3	0.2	0.1	0.1	0.1	0.3	1.1	3.5	14.7	59.4	228.0
2005.....	9.4	1.4	0.2	0.1	0.1	0.1	0.3	1.1	3.6	15.6	69.4	271.8
2004.....	9.9	1.4	0.2	0.1	0.1	0.1	0.4	1.1	3.8	16.0	74.3	298.3
2003.....	10.3	1.2	0.1	0.1	0.1	0.1	0.3	1.0	3.8	17.2	76.6	320.1
2002.....	10.5	1.4	0.2	0.1	0.0	0.1	0.4	1.1	3.8	17.4	80.0	328.9
2001.....	10.3	1.2	0.2	0.1	*	0.1	0.3	1.0	3.9	17.5	80.2	328.2
2000.....	10.5	1.6	0.2	*	0.1	0.1	0.3	1.1	4.1	17.6	82.1	341.4
1999.....	10.6	1.1	0.1	0.1	0.1	0.1	0.3	1.1	4.1	18.5	83.3	343.9
All origins 3/, male												
2006.....	6.4	1.5	*	0.1	*	*	0.3	1.2	4.3	16.7	64.2	208.2
2005.....	7.1	1.8	0.3	0.1	*	0.1	0.3	1.1	4.0	17.8	73.6	242.8
2004.....	7.6	1.5	*	*	*	0.1	0.4	1.1	4.6	19.0	80.4	270.4
2003.....	7.8	1.2	*	*	*	0.1	0.3	1.1	4.6	20.0	82.9	290.2
2002.....	7.9	1.7	0.3	0.1	*	0.1	0.3	1.2	4.5	20.0	86.4	302.3
2001.....	7.9	1.5	*	*	*	0.1	0.3	1.1	4.6	20.8	88.2	305.5
2000.....	8.1	1.8	*	*	*	*	0.3	1.2	4.7	21.2	92.0	326.9
1999.....	8.1	1.4	*	*	*	*	0.3	1.1	5.2	21.6	92.4	332.1
All origins 3/, female												
2006.....	9.9	1.1	*	*	*	*	0.3	1.1	2.8	12.9	56.1	237.2
2005.....	11.6	1.0	*	*	*	*	0.3	1.1	3.3	13.7	66.6	285.2
2004.....	12.1	1.4	*	*	*	0.1	0.3	1.0	3.0	13.4	70.2	310.8
2003.....	12.7	1.2	*	*	*	*	0.4	0.9	3.1	14.8	72.4	333.3
2002.....	13.0	1.1	*	*	*	*	0.4	1.0	3.2	15.3	75.7	340.4
2001.....	12.7	*	*	*	*	0.1	0.3	1.0	3.2	14.7	74.9	337.6
2000.....	12.8	1.4	*	*	*	0.1	0.3	1.1	3.6	14.6	75.6	347.4
1999.....	12.9	*	*	*	*	0.1	0.4	1.0	3.2	15.9	77.4	348.7
Hispanic, both sexes												
2006.....	2.6	*	*	*	*	*	*	1.1	3.1	14.2	50.1	159.2
2005.....	2.8	*	*	*	*	*	*	1.0	3.2	13.6	52.1	198.9
2004.....	2.7	*	*	*	*	*	*	0.8	3.1	12.7	55.8	207.9
2003.....	2.8	*	*	*	*	*	*	0.8	3.2	14.3	63.2	211.4
2002.....	2.8	*	*	*	*	*	*	1.1	3.7	15.2	58.7	212.3
2001.....	2.8	*	*	*	*	*	*	0.6	3.8	16.2	64.7	222.6
2000.....	2.7	*	*	*	*	*	*	1.1	3.6	14.2	65.0	224.3
1999.....	2.6	*	*	*	*	*	*	0.8	3.4	16.7	65.0	209.8
Hispanic, male												
2006.....	2.2	*	*	*	*	*	*	1.1	3.7	18.2	60.7	119.5
2005.....	2.2	*	*	*	*	*	*	1.1	2.9	16.6	54.5	184.3
2004.....	2.3	*	*	*	*	*	*	*	3.8	16.6	62.6	193.3
2003.....	2.3	*	*	*	*	*	*	*	4.1	18.5	62.5	214.0
2002.....	2.5	*	*	*	*	*	*	1.4	4.9	20.8	65.7	210.8
2001.....	2.4	*	*	*	*	*	*	*	5.5	21.6	77.8	198.1
2000.....	2.3	*	*	*	*	*	*	1.4	4.2	20.0	73.3	207.6
1999.....	2.4	*	*	*	*	*	*	*	4.0	22.0	80.3	235.1
Hispanic, female												
2006.....	3.1	*	*	*	*	*	*	1.1	2.5	11.1	42.7	180.3
2005.....	3.4	*	*	*	*	*	*	*	3.5	11.2	50.5	206.6
2004.....	3.2	*	*	*	*	*	*	*	2.4	9.5	51.1	215.4
2003.....	3.3	*	*	*	*	*	*	*	2.3	11.0	63.7	210.2
2002.....	3.1	*	*	*	*	*	*	*	2.7	10.6	54.0	213.0
2001.....	3.1	*	*	*	*	*	*	*	2.2	12.0	55.9	234.6
2000.....	3.1	*	*	*	*	*	*	*	3.1	9.6	59.4	232.5
1999.....	2.8	*	*	*	*	*	*	*	2.9	12.6	54.8	197.6

Worktable Orig12. Death rates for 358 selected causes, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2006

[Rates per 100,000 population in specified group. Rates are based on populations enumerated as of April 1 for 2000 and estimated as of July 1 for all other years. Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to 'Detailed technical notes to the United States 2006 data-mortality']

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, and sex	All ages 1/	Under 1 year 2/	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
Other cerebrovascular diseases and their sequelae (I67,I69)												
Non-Hispanic 4/, both sexes												
2006.....	9.2	1.5	0.2	0.1	0.1	0.1	0.4	1.1	3.6	14.7	59.9	231.3
2005.....	10.4	1.5	0.2	0.1	0.1	0.1	0.3	1.1	3.7	15.7	70.3	275.0
2004.....	11.0	1.5	0.2	0.1	0.1	0.1	0.4	1.1	3.8	16.2	75.2	302.1
2003.....	11.4	1.1	*	*	0.1	0.1	0.3	1.1	3.8	17.3	77.2	324.0
2002.....	11.7	1.6	0.2	0.1	0.1	0.1	0.4	1.1	3.8	17.5	80.9	333.0
2001.....	11.4	1.4	0.2	*	*	0.1	0.3	1.0	3.9	17.5	80.7	331.2
2000.....	11.6	1.9	0.2	*	0.1	0.1	0.3	1.1	4.2	17.7	82.6	344.9
1999.....	11.7	1.2	*	0.1	0.1	0.1	0.4	1.1	4.2	18.5	83.8	348.1
Non-Hispanic 4/, male												
2006.....	7.2	1.7	*	0.1	*	*	0.3	1.2	4.4	16.6	64.4	213.0
2005.....	7.9	1.8	*	*	*	0.1	0.3	1.1	4.1	17.8	74.6	245.6
2004.....	8.5	1.8	*	*	*	*	0.4	1.2	4.6	19.1	81.3	274.1
2003.....	8.7	*	*	*	*	0.1	0.3	1.1	4.6	20.1	83.8	293.1
2002.....	8.8	2.0	*	*	*	0.1	0.3	1.2	4.4	19.9	87.3	305.9
2001.....	8.7	1.6	*	*	*	0.1	0.4	1.1	4.5	20.8	88.4	309.0
2000.....	9.0	2.2	*	*	*	*	0.4	1.1	4.8	21.2	92.7	331.0
1999.....	9.0	1.7	*	*	*	*	0.3	1.2	5.3	21.6	92.5	335.1
Non-Hispanic 4/, female												
2006.....	11.1	1.3	*	*	*	*	0.4	1.1	2.8	13.0	56.8	239.9
2005.....	12.9	*	*	*	*	*	0.4	1.1	3.3	13.9	67.4	288.5
2004.....	13.4	1.3	*	*	*	0.1	0.4	1.0	3.1	13.7	71.1	314.5
2003.....	14.1	*	*	*	*	*	0.4	1.0	3.2	15.0	72.8	337.6
2002.....	14.4	1.3	*	*	*	*	0.5	1.0	3.2	15.6	76.6	344.6
2001.....	14.0	*	*	*	*	0.1	0.3	1.0	3.3	14.9	75.7	340.5
2000.....	14.1	1.6	*	*	*	0.1	0.3	1.1	3.6	14.9	76.1	350.5
1999.....	14.2	*	*	*	*	0.2	0.4	1.1	3.2	16.0	78.2	353.3
Non-Hispanic white, both sexes												
2006 5/.....	9.9	0.9	*	0.1	*	*	0.3	0.9	2.9	13.1	57.7	232.0
2005 5/.....	11.3	1.1	*	*	*	0.1	0.3	0.9	3.0	13.9	67.8	277.3
2004 5/.....	12.0	1.1	*	0.1	*	0.1	0.4	0.9	3.1	14.5	73.0	304.0
2003 5/.....	12.5	*	*	*	*	0.1	0.3	0.8	3.1	15.5	75.3	326.5
2002.....	12.8	0.9	*	*	*	0.1	0.3	0.8	3.1	15.9	78.9	336.1
2001.....	12.5	1.0	*	*	*	0.1	0.3	0.8	3.2	15.9	78.7	333.1
2000.....	12.6	1.4	*	*	*	0.1	0.3	0.9	3.5	16.4	80.4	346.8
1999.....	12.7	1.1	*	*	*	0.1	0.3	0.9	3.4	16.7	81.8	352.5
Non-Hispanic white, male												
2006 5/.....	7.6	*	*	*	*	*	0.3	0.9	3.5	14.4	62.1	214.9
2005 5/.....	8.4	*	*	*	*	*	0.3	0.9	3.3	15.6	71.8	247.2
2004 5/.....	9.0	*	*	*	*	*	0.4	0.8	3.7	17.0	78.2	274.9
2003 5/.....	9.3	*	*	*	*	*	0.3	0.8	3.6	17.9	80.9	296.9
2002.....	9.5	*	*	*	*	*	0.3	0.9	3.6	18.1	84.7	310.0
2001.....	9.4	*	*	*	*	*	0.3	0.8	3.7	18.9	86.5	311.8
2000.....	9.6	2.0	*	*	*	*	0.3	0.9	4.1	19.3	89.9	334.4
1999.....	9.5	*	*	*	*	*	0.2	0.9	4.2	19.1	89.9	338.1
Non-Hispanic white, female												
2006 5/.....	12.1	*	*	*	*	*	0.3	0.9	2.4	12.0	54.6	240.0
2005 5/.....	14.1	*	*	*	*	*	0.3	0.8	2.8	12.3	65.0	291.1
2004 5/.....	14.9	*	*	*	*	*	0.3	0.9	2.5	12.3	69.5	317.0
2003 5/.....	15.6	*	*	*	*	*	0.3	0.8	2.6	13.4	71.4	339.6
2002.....	15.9	*	*	*	*	*	0.4	0.7	2.7	14.0	75.0	347.4
2001.....	15.4	*	*	*	*	*	0.3	0.7	2.6	13.4	73.6	341.9
2000.....	15.5	*	*	*	*	*	0.2	0.8	2.9	13.9	74.2	351.8
1999.....	15.8	*	*	*	*	*	0.4	0.9	2.7	14.7	76.5	358.2

Worktable Orig12. Death rates for 358 selected causes, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2006

[Rates per 100,000 population in specified group. Rates are based on populations enumerated as of April 1 for 2000 and estimated as of July 1 for all other years. Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.odc.gov/nchs> and refer to 'Detailed technical notes to the United States 2006 data-mortality']

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, and sex	All ages 1/	Under 1 year 2/	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
Other cerebrovascular diseases and their sequelae (I67,I69)												
Non-Hispanic black, both sexes												
2006 5/.....	7.5	3.6	*	*	*	*	0.9	2.9	9.2	28.7	87.9	248.2
2005 5/.....	8.4	3.5	*	*	*	*	0.7	2.9	9.0	32.7	107.2	274.4
2004 5/.....	8.4	3.2	*	*	*	*	0.5	2.6	10.1	33.2	104.6	302.2
2003 5/.....	8.7	*	*	*	*	*	0.6	2.8	10.2	34.7	104.7	325.1
2002.....	8.7	3.6	*	*	*	*	0.7	2.9	10.0	34.7	108.5	322.7
2001.....	8.6	3.3	*	*	*	*	0.7	3.0	10.2	32.7	108.9	330.2
2000.....	8.5	4.2	*	*	*	*	0.8	2.9	9.8	30.5	109.3	336.8
1999.....	8.5	*	*	*	*	*	0.8	2.6	10.4	36.6	110.1	314.9
Non-Hispanic black, male												
2006 5/.....	6.5	*	*	*	*	*	*	3.1	12.4	38.5	99.0	219.0
2005 5/.....	6.9	*	*	*	*	*	*	3.0	11.4	39.8	117.7	245.5
2004 5/.....	7.3	*	*	*	*	*	*	3.2	13.2	43.2	123.8	278.4
2003 5/.....	7.2	*	*	*	*	*	*	3.5	12.6	43.5	122.9	274.9
2002.....	7.0	*	*	*	*	*	*	3.2	12.4	41.0	124.3	270.2
2001.....	6.8	*	*	*	*	*	0.8	3.2	12.0	40.6	120.0	285.3
2000.....	6.8	*	*	*	*	*	0.8	2.8	11.0	40.1	128.0	293.5
1999.....	7.3	*	*	*	*	*	0.8	3.4	14.3	48.2	123.2	294.7
Non-Hispanic black, female												
2006 5/.....	8.5	*	*	*	*	*	1.0	2.7	6.5	21.6	81.6	260.1
2005 5/.....	9.7	*	*	*	*	*	0.9	2.8	7.0	27.7	101.2	286.1
2004 5/.....	9.4	*	*	*	*	*	*	2.1	7.6	26.0	93.7	311.6
2003 5/.....	10.0	*	*	*	*	*	0.7	2.2	8.3	28.4	94.4	344.6
2002.....	10.2	*	*	*	*	*	0.8	2.6	8.1	30.2	99.6	342.8
2001.....	10.2	*	*	*	*	*	*	2.9	8.7	27.1	102.6	346.9
2000.....	10.0	*	*	*	*	*	0.7	3.1	8.9	23.7	98.8	352.8
1999.....	9.7	*	*	*	*	*	0.8	1.9	7.2	28.4	102.8	322.5

Worktable Orig12. Death rates for 358 selected causes, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2006

[Rates per 100,000 population in specified group. Rates are based on populations enumerated as of April 1 for 2000 and estimated as of July 1 for all other years. Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to 'Detailed technical notes to the United States 2006 data-mortality']

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, and sex	All ages 1/	Under 1 year 2/	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
Diseases of arteries, arterioles and capillaries (I70-I78)												
All origins 3/, both sexes												
2006.....	10.4	0.5	*	*	0.2	0.4	1.1	3.0	8.0	28.2	76.9	218.4
2005.....	12.0	*	*	*	0.1	0.4	1.1	3.0	8.9	29.5	88.5	268.4
2004.....	12.1	*	*	*	0.2	0.4	1.1	3.1	8.8	31.2	90.6	276.3
2003.....	13.0	*	*	*	0.2	0.4	1.1	3.4	9.8	33.5	97.4	300.6
2002.....	13.4	*	*	*	0.2	0.4	1.1	3.1	10.4	36.2	100.6	316.5
2001.....	13.8	*	*	*	0.2	0.4	1.2	3.1	10.5	36.5	104.9	337.3
2000.....	14.4	*	*	*	0.2	0.4	1.1	3.2	11.1	40.0	109.2	352.0
1999.....	14.6	*	*	*	0.1	0.4	1.2	3.2	11.3	39.5	111.6	367.2
All origins 3/, male												
2006.....	10.3	*	*	*	0.2	0.5	1.6	4.3	11.2	34.3	95.0	240.2
2005.....	11.6	*	*	*	0.2	0.5	1.6	4.2	12.3	39.3	110.8	279.9
2004.....	11.6	*	*	*	0.2	0.6	1.5	4.3	11.9	40.8	112.5	294.7
2003.....	12.6	*	*	*	0.2	0.5	1.5	4.7	13.5	44.8	125.5	318.3
2002.....	13.0	*	*	*	0.2	0.5	1.4	4.3	14.3	48.6	127.8	344.0
2001.....	13.3	*	*	*	0.2	0.6	1.6	4.2	14.3	49.3	133.0	364.5
2000.....	14.1	*	*	*	0.2	0.5	1.4	4.4	15.7	55.1	142.5	391.4
1999.....	14.1	*	*	*	0.2	0.5	1.5	4.3	16.0	54.0	144.2	396.5
All origins 3/, female												
2006.....	10.5	*	*	*	0.1	0.2	0.6	1.8	5.1	19.3	64.6	208.2
2005.....	12.3	*	*	*	*	0.3	0.7	1.8	5.7	21.1	73.3	263.1
2004.....	12.6	*	*	*	*	0.3	0.8	1.9	6.0	23.2	75.8	268.0
2003.....	13.3	*	*	*	0.1	0.3	0.7	2.1	6.4	24.1	78.6	292.8
2002.....	13.8	*	*	*	0.1	0.3	0.8	2.0	6.8	25.8	82.5	304.6
2001.....	14.4	*	*	*	0.1	0.3	0.8	2.0	7.1	25.8	86.4	325.9
2000.....	14.6	*	*	*	0.1	0.3	0.8	2.1	6.8	27.5	87.5	336.0
1999.....	15.2	*	*	*	*	0.2	0.9	2.0	7.0	27.7	90.5	355.4
Hispanic, both sexes												
2006.....	2.6	*	*	*	*	0.4	0.9	1.9	4.8	15.4	43.4	122.1
2005.....	3.1	*	*	*	*	*	0.8	1.9	5.0	17.2	59.4	154.0
2004.....	2.9	*	*	*	*	0.3	0.7	2.1	6.2	18.3	53.0	151.7
2003.....	3.2	*	*	*	*	0.3	0.7	1.8	5.7	18.7	61.2	192.3
2002.....	3.3	*	*	*	*	0.3	0.8	1.9	6.9	19.1	63.7	201.2
2001.....	3.2	*	*	*	*	*	0.7	2.6	5.8	17.8	62.0	225.7
2000.....	3.5	*	*	*	*	0.4	0.8	2.1	6.7	26.0	67.0	235.6
1999.....	3.4	*	*	*	*	*	0.7	1.8	7.3	21.6	71.0	239.9
Hispanic, male												
2006.....	2.8	*	*	*	*	0.5	1.2	2.3	6.7	20.6	57.5	131.9
2005.....	3.3	*	*	*	*	*	1.0	2.7	7.7	24.0	77.8	189.3
2004.....	3.1	*	*	*	*	*	1.0	3.1	8.3	25.6	67.2	177.9
2003.....	3.4	*	*	*	*	*	1.0	2.4	9.1	25.1	82.8	234.0
2002.....	3.2	*	*	*	*	*	1.1	2.6	8.3	25.0	83.3	204.1
2001.....	3.1	*	*	*	*	*	0.9	3.3	7.6	24.9	80.5	236.2
2000.....	3.4	*	*	*	*	*	0.9	2.6	9.0	34.0	93.9	235.8
1999.....	3.4	*	*	*	*	*	0.9	2.2	9.8	29.0	93.3	314.9
Hispanic, female												
2006.....	2.5	*	*	*	*	*	*	1.4	3.1	11.2	33.4	116.8
2005.....	2.8	*	*	*	*	*	*	1.2	2.6	11.6	46.5	135.6
2004.....	2.7	*	*	*	*	*	*	1.1	4.2	12.3	43.2	138.3
2003.....	2.9	*	*	*	*	*	*	1.2	2.7	13.5	46.3	171.1
2002.....	3.3	*	*	*	*	*	*	1.3	5.7	14.3	50.3	199.8
2001.....	3.2	*	*	*	*	*	*	1.9	4.2	12.3	49.6	220.6
2000.....	3.5	*	*	*	*	*	*	1.6	4.7	19.7	48.9	235.4
1999.....	3.3	*	*	*	*	*	*	1.3	5.1	15.8	56.2	203.8

Worktable Orig12. Death rates for 358 selected causes, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2006

[Rates per 100,000 population in specified group. Rates are based on populations enumerated as of April 1 for 2000 and estimated as of July 1 for all other years. Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to 'Detailed technical notes to the United States 2006 data-mortality']

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, and sex	All ages 1/	Under 1 year 2/	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
Diseases of arteries, arterioles and capillaries (I70-I78)												
Non-Hispanic 4/, both sexes												
2006.....	11.7	*	*	*	0.2	0.4	1.1	3.1	8.3	27.0	78.9	223.0
2005.....	13.4	*	*	*	0.1	0.4	1.2	3.1	9.2	30.4	90.1	273.5
2004.....	13.6	*	*	*	0.2	0.5	1.2	3.2	9.0	32.1	92.5	281.5
2003.....	14.5	*	*	*	0.2	0.4	1.2	3.6	10.1	34.5	98.9	304.6
2002.....	15.0	*	*	*	0.2	0.4	1.1	3.2	10.7	37.3	102.1	320.4
2001.....	15.4	*	*	*	0.2	0.5	1.3	3.1	10.9	37.6	106.5	340.5
2000.....	15.9	*	*	*	0.2	0.4	1.1	3.3	11.4	40.7	110.8	355.4
1999.....	16.1	*	*	*	0.1	0.4	1.2	3.3	11.6	40.5	113.1	370.7
Non-Hispanic 4/, male												
2006.....	11.7	*	*	*	0.2	0.6	1.6	4.5	11.6	35.3	97.1	245.9
2005.....	13.0	*	*	*	0.2	0.6	1.7	4.4	12.7	40.4	112.5	284.3
2004.....	13.1	*	*	*	0.2	0.6	1.6	4.4	12.1	41.8	114.9	300.2
2003.....	14.2	*	*	*	0.2	0.6	1.6	5.0	13.8	46.0	127.4	321.7
2002.....	14.6	*	*	*	0.2	0.6	1.5	4.5	14.7	50.1	129.7	349.5
2001.....	14.8	*	*	*	0.2	0.6	1.7	4.3	14.8	50.7	135.0	368.8
2000.....	15.6	*	*	*	0.2	0.6	1.4	4.6	16.1	56.2	144.3	396.6
1999.....	15.6	*	*	*	0.2	0.6	1.5	4.5	16.4	55.2	146.0	398.9
Non-Hispanic 4/, female												
2006.....	11.8	*	*	*	*	0.2	0.6	1.8	5.3	19.9	66.4	212.4
2005.....	13.8	*	*	*	*	0.3	0.7	1.9	6.0	21.9	74.9	268.5
2004.....	14.1	*	*	*	*	0.3	0.8	1.9	6.1	24.0	77.5	273.2
2003.....	14.8	*	*	*	0.1	0.3	0.7	2.2	6.7	24.8	80.0	297.1
2002.....	15.3	*	*	*	0.1	0.3	0.8	2.0	6.9	26.6	83.8	307.9
2001.....	15.9	*	*	*	*	0.3	0.8	2.0	7.3	26.7	87.9	328.8
2000.....	16.1	*	*	*	0.1	0.3	0.8	2.1	7.0	28.0	88.9	338.7
1999.....	16.7	*	*	*	*	0.2	0.9	2.1	7.2	28.4	91.7	359.5
Non-Hispanic white, both sexes												
2006 5/.....	13.0	*	*	*	0.2	0.3	0.9	2.7	7.9	27.0	79.4	227.8
2005 5/.....	15.0	*	*	*	0.1	0.4	1.0	2.7	8.9	30.3	91.1	280.2
2004 5/.....	15.2	*	*	*	0.2	0.4	1.0	2.8	8.5	32.4	93.8	287.0
2003 5/.....	16.2	*	*	*	0.2	0.4	1.0	3.1	9.8	34.9	100.2	310.5
2002.....	16.7	*	*	*	0.1	0.4	1.0	2.7	10.2	37.7	103.4	327.9
2001.....	17.1	*	*	*	0.2	0.4	1.1	2.8	10.4	38.0	107.6	347.6
2000.....	17.7	*	*	*	0.2	0.4	0.9	2.8	10.9	41.3	111.8	361.6
1999.....	18.0	*	*	*	0.1	0.4	1.1	2.9	11.4	41.1	114.4	376.6
Non-Hispanic white, male												
2006 5/.....	12.9	*	*	*	0.2	0.5	1.4	4.0	11.0	35.4	98.8	253.6
2005 5/.....	14.4	*	*	*	0.2	0.4	1.3	3.8	12.3	40.7	114.0	295.0
2004 5/.....	14.6	*	*	*	0.2	0.5	1.4	4.0	11.4	42.6	117.2	309.8
2003 5/.....	15.7	*	*	*	0.2	0.5	1.4	4.4	13.5	46.8	128.8	331.0
2002.....	16.3	*	*	*	0.2	0.5	1.3	3.9	14.1	51.0	132.2	360.3
2001.....	16.4	*	*	*	0.2	0.6	1.4	3.7	14.3	51.6	136.9	379.8
2000.....	17.4	*	*	*	0.2	0.5	1.2	4.0	15.7	57.6	146.9	406.3
1999.....	17.4	*	*	*	0.2	0.6	1.4	4.1	16.3	56.7	148.3	407.4
Non-Hispanic white, female												
2006 5/.....	13.1	*	*	*	*	0.2	0.5	1.5	4.9	19.7	66.0	215.8
2005 5/.....	15.5	*	*	*	*	0.3	0.7	1.6	5.6	21.4	75.3	273.4
2004 5/.....	15.7	*	*	*	*	0.2	0.7	1.6	5.7	23.7	78.0	276.7
2003 5/.....	16.6	*	*	*	*	0.2	0.6	1.8	6.3	24.6	81.0	301.4
2002.....	17.2	*	*	*	*	0.3	0.7	1.6	6.5	26.4	84.0	313.9
2001.....	17.8	*	*	*	*	0.3	0.7	1.8	6.6	26.4	88.2	334.2
2000.....	17.9	*	*	*	*	0.2	0.7	1.7	6.9	27.5	88.8	343.5
1999.....	18.6	*	*	*	*	0.2	0.8	1.8	6.7	28.1	92.1	364.3

Worktable Orig12. Death rates for 358 selected causes, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2006

[Rates per 100,000 population in specified group. Rates are based on populations enumerated as of April 1 for 2000 and estimated as of July 1 for all other years. Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.odc.gov/nchs> and refer to 'Detailed technical notes to the United States 2006 data-mortality']

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, and sex	All ages 1/	Under 1 year 2/	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
Diseases of arteries, arterioles and capillaries (I70-I78)												
Non-Hispanic black, both sexes												
2006 5/.....	8.4	*	*	*	*	0.7	2.3	6.4	13.8	33.5	86.8	206.8
2005 5/.....	9.1	*	*	*	*	0.9	2.5	6.3	14.3	37.5	94.5	247.1
2004 5/.....	9.1	*	*	*	*	0.9	2.5	5.9	15.2	36.1	95.5	260.5
2003 5/.....	9.5	*	*	*	*	0.8	2.5	7.2	14.8	38.7	102.0	275.8
2002.....	9.7	*	*	*	*	0.9	2.2	7.1	16.6	39.8	106.1	275.5
2001.....	10.0	*	*	*	*	0.8	2.6	6.0	17.5	41.2	111.2	301.8
2000.....	10.3	*	*	*	*	0.7	2.4	6.8	17.9	42.5	114.5	320.2
1999.....	10.0	*	*	*	*	0.6	2.2	6.1	15.8	41.5	112.3	335.9
Non-Hispanic black, male												
2006 5/.....	8.2	*	*	*	*	1.1	3.4	8.8	19.7	44.3	95.1	195.2
2005 5/.....	8.8	*	*	*	*	1.1	3.9	9.0	19.7	46.8	115.8	209.3
2004 5/.....	8.6	*	*	*	*	1.2	3.3	8.0	21.2	44.6	111.2	239.8
2003 5/.....	9.2	*	*	*	*	1.2	3.3	9.7	20.4	48.4	131.9	247.2
2002.....	9.3	*	*	*	*	1.3	2.9	9.7	23.8	49.5	123.7	277.9
2001.....	9.3	*	*	*	*	1.0	3.7	8.5	21.8	51.3	134.4	281.8
2000.....	9.6	*	*	*	*	0.9	3.1	9.1	22.7	52.9	137.3	329.9
1999.....	9.3	*	*	*	*	1.0	2.6	8.3	20.4	52.0	135.1	350.6
Non-Hispanic black, female												
2006 5/.....	8.5	*	*	*	*	*	1.2	4.3	9.1	25.8	82.0	211.5
2005 5/.....	9.4	*	*	*	*	*	1.2	4.0	10.0	30.9	82.5	262.3
2004 5/.....	9.5	*	*	*	*	*	1.9	4.0	10.3	30.0	86.6	268.6
2003 5/.....	9.8	*	*	*	*	*	1.8	5.1	10.3	31.8	85.1	286.8
2002.....	10.0	*	*	*	*	*	1.5	4.8	10.9	32.9	96.2	274.7
2001.....	10.6	*	*	*	*	*	1.7	3.8	14.0	34.0	98.2	309.3
2000.....	10.9	*	*	*	*	*	1.8	4.8	14.0	35.2	101.6	316.6
1999.....	10.7	*	*	*	*	*	1.8	4.3	12.0	34.0	99.6	330.5

Worktable Orig12. Death rates for 358 selected causes, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2006

[Rates per 100,000 population in specified group. Rates are based on populations enumerated as of April 1 for 2000 and estimated as of July 1 for all other years. Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to 'Detailed technical notes to the United States 2006 data-mortality']

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, and sex	All ages 1/	Under 1 year 2/	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
Atherosclerosis (I70)												
All origins 3/, both sexes												
2006.....	2.9	*	*	*	*	*	0.1	0.3	1.2	4.5	18.9	89.9
2005.....	4.0	*	*	*	*	*	0.1	0.5	1.4	5.4	25.9	132.9
2004.....	4.0	*	*	*	*	*	0.1	0.4	1.6	6.1	26.3	137.0
2003.....	4.5	*	*	*	*	*	0.1	0.5	1.7	6.6	29.8	154.6
2002.....	4.8	*	*	*	*	*	0.1	0.5	1.8	7.1	31.9	168.1
2001.....	4.9	*	*	*	*	*	0.1	0.5	1.9	7.3	33.1	179.1
2000.....	5.1	*	*	*	*	*	0.1	0.5	1.9	7.7	34.6	188.8
1999.....	5.4	*	*	*	*	*	0.1	0.5	2.0	8.0	35.9	202.0
All origins 3/, male												
2006.....	2.3	*	*	*	*	*	0.1	0.5	1.6	5.3	20.5	85.3
2005.....	3.1	*	*	*	*	*	0.1	0.6	1.8	6.6	29.0	121.7
2004.....	3.1	*	*	*	*	*	0.1	0.5	2.0	7.3	29.7	128.2
2003.....	3.4	*	*	*	*	*	0.2	0.7	2.2	7.8	33.6	138.6
2002.....	3.7	*	*	*	*	*	0.1	0.6	2.4	8.8	35.5	156.6
2001.....	3.7	*	*	*	*	*	0.1	0.6	2.4	9.0	35.9	167.2
2000.....	3.9	*	*	*	*	*	0.2	0.6	2.5	9.6	39.7	176.5
1999.....	4.0	*	*	*	*	*	0.1	0.7	2.7	9.6	40.0	189.0
All origins 3/, female												
2006.....	3.5	*	*	*	*	*	0.2	0.9	3.8	17.9	92.1	
2005.....	4.9	*	*	*	*	*	0.3	1.1	4.4	23.9	138.1	
2004.....	4.9	*	*	*	*	*	0.2	1.2	5.1	24.0	141.0	
2003.....	5.5	*	*	*	*	*	0.3	1.2	5.6	27.3	161.7	
2002.....	5.9	*	*	*	*	*	0.1	0.3	1.3	5.7	29.5	173.1
2001.....	6.2	*	*	*	*	*	0.3	1.4	5.9	31.2	184.1	
2000.....	6.3	*	*	*	*	*	0.3	1.2	6.2	31.3	193.8	
1999.....	6.7	*	*	*	*	*	0.3	1.4	6.7	33.2	207.2	
Hispanic, both sexes												
2006.....	0.6	*	*	*	*	*	*	*	2.6	11.5	50.5	
2005.....	0.9	*	*	*	*	*	*	*	0.9	3.9	17.7	79.6
2004.....	0.9	*	*	*	*	*	*	*	1.0	4.3	18.6	74.7
2003.....	0.9	*	*	*	*	*	*	*	1.1	4.6	18.9	86.0
2002.....	1.1	*	*	*	*	*	*	*	1.0	4.2	22.7	108.6
2001.....	1.1	*	*	*	*	*	*	*	1.0	4.0	23.1	130.7
2000.....	1.2	*	*	*	*	*	*	*	1.0	5.9	24.5	132.7
1999.....	1.2	*	*	*	*	*	*	1.5	5.2	27.1	129.1	
Hispanic, male												
2006.....	0.5	*	*	*	*	*	*	*	3.4	12.3	45.1	
2005.....	0.8	*	*	*	*	*	*	*	5.2	20.4	83.4	
2004.....	0.8	*	*	*	*	*	*	*	5.1	22.9	88.3	
2003.....	0.9	*	*	*	*	*	*	*	6.1	24.2	95.4	
2002.....	0.9	*	*	*	*	*	*	*	5.2	26.7	102.1	
2001.....	0.9	*	*	*	*	*	*	*	4.8	27.3	127.6	
2000.....	1.0	*	*	*	*	*	*	*	8.2	32.0	104.8	
1999.....	1.1	*	*	*	*	*	*	*	6.8	31.3	151.0	
Hispanic, female												
2006.....	0.8	*	*	*	*	*	*	*	10.8	53.3		
2005.....	1.1	*	*	*	*	*	*	*	2.7	15.8	77.6	
2004.....	1.0	*	*	*	*	*	*	*	3.7	15.6	67.7	
2003.....	1.0	*	*	*	*	*	*	*	3.4	15.3	81.3	
2002.....	1.3	*	*	*	*	*	*	*	3.5	20.0	111.9	
2001.....	1.4	*	*	*	*	*	*	*	3.5	20.2	132.2	
2000.....	1.4	*	*	*	*	*	*	*	4.0	19.5	146.4	
1999.....	1.4	*	*	*	*	*	*	*	4.0	24.3	118.5	

Worktable Orig12. Death rates for 358 selected causes, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2006

[Rates per 100,000 population in specified group. Rates are based on populations enumerated as of April 1 for 2000 and estimated as of July 1 for all other years. Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to 'Detailed technical notes to the United States 2006 data-mortality']

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, and sex	All ages 1/	Under 1 year 2/	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
Atherosclerosis (I70)												
Non-Hispanic 4/, both sexes												
2006.....	3.3	*	*	*	*	*	0.1	0.3	1.3	4.6	19.4	91.8
2005.....	4.5	*	*	*	*	*	0.1	0.5	1.5	5.5	26.4	135.3
2004.....	4.5	*	*	*	*	*	0.1	0.4	1.6	6.3	26.7	139.7
2003.....	5.0	*	*	*	*	*	0.1	0.5	1.7	6.7	30.2	157.1
2002.....	5.4	*	*	*	*	*	0.1	0.5	1.9	7.3	32.2	170.2
2001.....	5.5	*	*	*	*	*	0.1	0.5	1.9	7.5	33.4	180.5
2000.....	5.7	*	*	*	*	*	0.1	0.5	1.9	7.8	35.0	190.3
1999.....	5.9	*	*	*	*	*	0.1	0.5	2.1	8.1	36.1	203.9
Non-Hispanic 4/, male												
2006.....	2.6	*	*	*	*	*	*	0.5	1.7	5.5	20.9	87.5
2005.....	3.5	*	*	*	*	*	0.1	0.7	1.9	6.7	29.5	123.7
2004.....	3.5	*	*	*	*	*	0.1	0.5	2.0	7.5	30.0	130.1
2003.....	3.8	*	*	*	*	*	0.2	0.7	2.2	7.9	34.0	140.3
2002.....	4.1	*	*	*	*	*	0.1	0.6	2.5	9.0	35.8	158.7
2001.....	4.1	*	*	*	*	*	0.1	0.6	2.4	9.2	36.1	168.2
2000.....	4.3	*	*	*	*	*	0.2	0.7	2.6	9.7	39.9	178.7
1999.....	4.4	*	*	*	*	*	0.2	0.7	2.7	9.7	40.3	189.9
Non-Hispanic 4/, female												
2006.....	3.9	*	*	*	*	*	*	0.2	0.9	3.9	18.3	93.9
2005.....	5.5	*	*	*	*	*	0.3	1.1	4.6	24.3	140.6	
2004.....	5.5	*	*	*	*	*	0.2	1.2	5.2	24.4	144.0	
2003.....	6.2	*	*	*	*	*	0.3	1.2	5.8	27.7	164.5	
2002.....	6.6	*	*	*	*	*	0.3	1.4	5.9	29.8	175.1	
2001.....	6.8	*	*	*	*	*	0.3	1.5	6.0	31.6	185.5	
2000.....	7.0	*	*	*	*	*	0.3	1.3	6.3	31.8	195.1	
1999.....	7.4	*	*	*	*	*	0.3	1.5	6.9	33.4	209.6	
Non-Hispanic white, both sexes												
2006 5/.....	3.8	*	*	*	*	*	*	0.3	1.2	4.6	19.6	95.2
2005 5/.....	5.2	*	*	*	*	*	0.1	0.4	1.5	5.4	27.1	141.3
2004 5/.....	5.3	*	*	*	*	*	0.1	0.4	1.6	6.2	27.6	145.0
2003 5/.....	5.8	*	*	*	*	*	0.1	0.5	1.6	6.6	30.8	162.2
2002.....	6.1	*	*	*	*	*	0.1	0.4	1.8	7.3	32.5	177.0
2001.....	6.3	*	*	*	*	*	0.1	0.5	1.8	7.5	34.1	187.4
2000.....	6.5	*	*	*	*	*	0.1	0.4	1.8	7.8	35.5	196.8
1999.....	6.7	*	*	*	*	*	0.1	0.5	2.0	8.2	36.7	209.9
Non-Hispanic white, male												
2006 5/.....	2.9	*	*	*	*	*	*	0.5	1.6	5.3	20.9	90.3
2005 5/.....	4.0	*	*	*	*	*	*	0.7	1.9	6.5	30.3	130.6
2004 5/.....	4.1	*	*	*	*	*	*	0.6	2.0	7.6	30.8	136.8
2003 5/.....	4.3	*	*	*	*	*	0.2	0.7	2.2	7.7	34.1	145.2
2002.....	4.6	*	*	*	*	*	0.1	0.5	2.3	9.0	35.9	165.7
2001.....	4.7	*	*	*	*	*	0.1	0.6	2.3	9.2	36.6	175.2
2000.....	4.9	*	*	*	*	*	0.2	0.6	2.6	9.8	40.6	183.6
1999.....	4.9	*	*	*	*	*	0.1	0.7	2.6	9.6	40.4	194.6
Non-Hispanic white, female												
2006 5/.....	4.6	*	*	*	*	*	*	0.2	0.9	3.9	18.7	97.6
2005 5/.....	6.4	*	*	*	*	*	*	0.2	1.1	4.5	24.9	146.2
2004 5/.....	6.4	*	*	*	*	*	*	0.2	1.2	5.1	25.4	148.7
2003 5/.....	7.2	*	*	*	*	*	0.3	1.1	5.8	28.5	169.6	
2002.....	7.6	*	*	*	*	*	0.3	1.3	5.9	30.2	181.9	
2001.....	7.9	*	*	*	*	*	0.3	1.3	6.1	32.5	192.6	
2000.....	8.0	*	*	*	*	*	0.2	1.1	6.2	32.1	202.1	
1999.....	8.5	*	*	*	*	*	0.3	1.4	6.9	34.3	215.9	

Worktable Orig12. Death rates for 358 selected causes, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2006

[Rates per 100,000 population in specified group. Rates are based on populations enumerated as of April 1 for 2000 and estimated as of July 1 for all other years. Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.odc.gov/nchs> and refer to 'Detailed technical notes to the United States 2006 data-mortality']

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, and sex	All ages 1/	Under 1 year 2/	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
Atherosclerosis (I70)												
Non-Hispanic black, both sexes												
2006 5/.....	1.9	*	*	*	*	*	*	0.6	2.1	6.6	20.9	72.7
2005 5/.....	2.2	*	*	*	*	*	*	0.8	2.1	7.6	24.0	99.7
2004 5/.....	2.2	*	*	*	*	*	*	0.5	2.2	7.5	24.3	103.6
2003 5/.....	2.7	*	*	*	*	*	*	0.8	2.7	9.1	30.8	122.9
2002.....	2.8	*	*	*	*	*	*	1.0	3.0	8.1	37.0	118.0
2001.....	2.7	*	*	*	*	*	*	0.7	3.4	8.9	30.7	126.1
2000.....	3.0	*	*	*	*	*	*	1.1	3.3	9.1	35.6	140.2
1999.....	3.1	*	*	*	*	*	*	0.7	3.3	9.3	35.0	155.8
Non-Hispanic black, male												
2006 5/.....	1.7	*	*	*	*	*	*	*	3.1	8.9	26.1	76.0
2005 5/.....	1.7	*	*	*	*	*	*	0.9	2.8	9.8	26.6	77.1
2004 5/.....	1.7	*	*	*	*	*	*	*	3.0	8.6	30.2	78.2
2003 5/.....	2.3	*	*	*	*	*	*	1.2	3.7	12.0	40.4	105.5
2002.....	2.4	*	*	*	*	*	*	1.4	4.3	10.2	44.8	109.4
2001.....	2.2	*	*	*	*	*	*	1.0	3.9	11.0	37.2	113.2
2000.....	2.5	*	*	*	*	*	*	1.5	4.1	11.1	40.4	150.3
1999.....	2.6	*	*	*	*	*	*	*	4.5	12.0	44.4	166.4
Non-Hispanic black, female												
2006 5/.....	2.0	*	*	*	*	*	*	*	1.4	4.9	18.0	71.4
2005 5/.....	2.7	*	*	*	*	*	*	*	1.5	6.0	22.6	108.8
2004 5/.....	2.7	*	*	*	*	*	*	*	1.7	6.7	20.9	113.6
2003 5/.....	3.0	*	*	*	*	*	*	*	1.9	7.1	25.4	129.6
2002.....	3.2	*	*	*	*	*	*	*	2.0	6.6	32.5	121.2
2001.....	3.2	*	*	*	*	*	*	*	3.0	7.4	27.1	130.9
2000.....	3.5	*	*	*	*	*	*	*	2.7	7.7	32.8	136.5
1999.....	3.5	*	*	*	*	*	*	*	2.3	7.4	29.8	151.9

Worktable Orig12. Death rates for 358 selected causes, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2006

[Rates per 100,000 population in specified group. Rates are based on populations enumerated as of April 1 for 2000 and estimated as of July 1 for all other years. Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to 'Detailed technical notes to the United States 2006 data-mortality']

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, and sex	All ages 1/	Under 1 year 2/	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
Aortic aneurysm and dissection (I71)												
All origins 3/, both sexes												
2006.....	4.4	*	*	*	0.1	0.3	0.8	1.8	4.3	13.9	35.4	62.7
2005.....	4.7	*	*	*	0.1	0.3	0.8	1.8	4.8	15.4	38.1	64.9
2004.....	4.7	*	*	*	0.1	0.3	0.7	1.8	4.5	15.9	39.6	64.8
2003.....	5.1	*	*	*	0.1	0.3	0.7	2.0	5.3	17.8	42.5	70.0
2002.....	5.1	*	*	*	0.1	0.3	0.7	1.8	5.5	19.1	43.3	69.4
2001.....	5.3	*	*	*	0.1	0.3	0.7	1.7	5.5	19.2	45.7	77.5
2000.....	5.6	*	*	*	0.1	0.3	0.7	1.8	6.2	21.8	47.2	79.2
1999.....	5.7	*	*	*	0.1	0.2	0.7	1.7	6.0	21.7	48.6	80.3
All origins 3/, male												
2006.....	5.2	*	*	*	0.1	0.4	1.2	2.8	6.6	19.5	48.4	87.6
2005.....	5.6	*	*	*	0.1	0.4	1.2	2.8	7.3	22.4	52.6	91.0
2004.....	5.6	*	*	*	0.2	0.5	1.1	2.7	6.9	23.1	54.8	95.0
2003.....	6.3	*	*	*	0.1	0.4	1.1	3.1	8.2	28.0	61.9	105.5
2002.....	6.4	*	*	*	0.2	0.4	1.0	2.7	8.5	28.5	62.7	106.6
2001.....	6.5	*	*	*	0.2	0.4	1.2	2.6	8.5	28.7	66.4	114.8
2000.....	7.0	*	*	*	0.1	0.4	1.0	2.7	9.5	32.9	70.6	127.3
1999.....	7.0	*	*	*	0.1	0.4	1.0	2.7	9.5	32.7	72.7	125.3
All origins 3/, female												
2006.....	3.6	*	*	*	*	0.1	0.3	0.9	2.2	9.3	26.5	51.0
2005.....	3.8	*	*	*	*	0.2	0.3	0.8	2.5	9.5	28.2	52.9
2004.....	3.8	*	*	*	*	0.2	0.3	0.8	2.3	9.8	29.3	51.2
2003.....	3.9	*	*	*	*	0.1	0.3	1.0	2.6	11.0	29.5	54.2
2002.....	4.0	*	*	*	*	0.1	0.3	0.8	2.7	11.2	30.5	53.3
2001.....	4.2	*	*	*	*	0.1	0.3	0.8	2.8	11.3	32.1	61.9
2000.....	4.3	*	*	*	*	0.1	0.4	0.9	3.0	12.7	32.0	59.6
1999.....	4.4	*	*	*	*	*	0.4	0.8	2.8	12.7	32.9	62.2
Hispanic, both sexes												
2006.....	1.1	*	*	*	*	*	0.6	1.0	2.4	7.1	16.3	31.7
2005.....	1.1	*	*	*	*	*	0.5	1.1	2.6	7.3	19.9	29.1
2004.....	1.1	*	*	*	*	*	0.4	1.3	3.3	7.9	18.0	30.4
2003.....	1.3	*	*	*	*	*	0.4	0.9	3.1	8.3	26.7	49.2
2002.....	1.1	*	*	*	*	*	0.4	1.0	3.8	7.5	21.2	31.0
2001.....	1.1	*	*	*	*	*	0.4	1.2	2.5	8.2	22.9	31.9
2000.....	1.3	*	*	*	*	*	0.4	1.3	3.4	11.2	27.1	41.8
1999.....	1.1	*	*	*	*	*	0.5	0.9	3.4	9.2	24.0	40.7
Hispanic, male												
2006.....	1.4	*	*	*	*	*	1.0	1.5	3.9	10.9	24.0	47.4
2005.....	1.5	*	*	*	*	*	0.8	1.9	4.8	10.7	30.7	43.6
2004.....	1.5	*	*	*	*	*	0.7	2.2	5.5	12.6	25.4	40.6
2003.....	1.6	*	*	*	*	*	*	1.4	5.1	12.5	38.3	80.0
2002.....	1.4	*	*	*	*	*	0.7	1.6	5.5	12.0	32.0	43.5
2001.....	1.5	*	*	*	*	*	0.7	1.8	3.8	14.2	34.9	53.3
2000.....	1.6	*	*	*	*	*	*	1.8	5.2	16.0	42.3	64.5
1999.....	1.5	*	*	*	*	*	*	1.5	5.3	14.7	33.9	79.8
Hispanic, female												
2006.....	0.7	*	*	*	*	*	*	*	*	4.1	10.8	23.4
2005.....	0.7	*	*	*	*	*	*	*	*	4.5	12.3	21.5
2004.....	0.8	*	*	*	*	*	*	*	*	4.1	12.8	25.2
2003.....	0.9	*	*	*	*	*	*	*	*	5.0	18.7	33.6
2002.....	0.8	*	*	*	*	*	*	*	2.3	4.0	13.8	24.9
2001.....	0.7	*	*	*	*	*	*	*	*	3.5	14.8	21.4
2000.....	1.0	*	*	*	*	*	*	*	*	7.5	16.8	30.7
1999.....	0.8	*	*	*	*	*	*	*	*	4.8	17.3	21.8

Worktable Orig12. Death rates for 358 selected causes, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2006

[Rates per 100,000 population in specified group. Rates are based on populations enumerated as of April 1 for 2000 and estimated as of July 1 for all other years. Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to 'Detailed technical notes to the United States 2006 data-mortality']

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, and sex	All ages 1/	Under 1 year 2/	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
Aortic aneurysm and dissection (I71)												
Non-Hispanic 4/, both sexes												
2006.....	5.0	*	*	*	0.1	0.3	0.8	1.9	4.5	14.4	36.6	64.2
2005.....	5.3	*	*	*	0.1	0.3	0.8	1.9	5.0	16.0	39.1	66.5
2004.....	5.3	*	*	*	0.1	0.3	0.8	1.8	4.6	16.4	40.7	66.2
2003.....	5.7	*	*	*	0.1	0.3	0.8	2.1	5.5	18.5	43.2	70.7
2002.....	5.7	*	*	*	0.1	0.3	0.7	1.8	5.6	19.8	44.3	70.8
2001.....	6.0	*	*	*	0.1	0.3	0.8	1.7	5.7	19.8	46.7	79.0
2000.....	6.2	*	*	*	0.1	0.3	0.7	1.8	6.3	22.4	47.9	80.3
1999.....	6.3	*	*	*	0.1	0.3	0.8	1.8	6.2	22.4	49.5	81.7
Non-Hispanic 4/, male												
2006.....	5.9	*	*	*	0.2	0.4	1.3	3.0	6.8	20.1	49.9	89.8
2005.....	6.3	*	*	*	0.1	0.4	1.3	2.9	7.4	23.2	53.8	93.3
2004.....	6.3	*	*	*	0.2	0.5	1.2	2.7	7.0	23.8	56.4	97.5
2003.....	7.0	*	*	*	0.2	0.4	1.2	3.2	8.5	26.9	63.0	106.6
2002.....	7.2	*	*	*	0.2	0.4	1.1	2.9	8.7	29.6	64.1	109.1
2001.....	7.3	*	*	*	0.2	0.5	1.2	2.7	8.8	29.5	67.7	117.0
2000.....	7.8	*	*	*	*	0.4	1.0	2.7	9.8	33.8	71.6	129.6
1999.....	7.8	*	*	*	*	0.4	1.1	2.8	9.8	33.6	74.3	127.0
Non-Hispanic 4/, female												
2006.....	4.1	*	*	*	*	*	0.4	0.9	2.3	9.6	27.5	52.3
2005.....	4.3	*	*	*	*	0.2	0.3	0.9	2.7	9.9	29.1	54.2
2004.....	4.2	*	*	*	*	0.2	0.4	0.9	2.4	10.2	30.2	52.3
2003.....	4.4	*	*	*	*	0.2	0.3	1.0	2.7	11.4	30.0	55.0
2002.....	4.4	*	*	*	*	0.1	0.4	0.9	2.7	11.6	31.2	54.3
2001.....	4.7	*	*	*	*	0.2	0.3	0.8	2.9	11.8	32.9	63.2
2000.....	4.7	*	*	*	*	0.1	0.4	0.9	3.1	13.0	32.5	60.4
1999.....	4.8	*	*	*	*	*	0.4	0.9	2.9	13.2	33.4	63.5
Non-Hispanic white, both sexes												
2006 5/.....	5.5	*	*	*	0.1	0.2	0.7	1.6	4.3	14.7	37.7	66.0
2005 5/.....	5.8	*	*	*	0.1	0.3	0.6	1.5	4.9	16.5	40.2	67.9
2004 5/.....	5.9	*	*	*	0.1	0.3	0.6	1.6	4.3	17.2	41.9	68.4
2003 5/.....	6.4	*	*	*	0.1	0.2	0.6	1.8	5.4	19.3	44.8	73.2
2002.....	6.5	*	*	*	0.1	0.2	0.6	1.5	5.5	20.7	46.0	72.8
2001.....	6.7	*	*	*	0.1	0.3	0.6	1.5	5.6	20.7	47.9	81.3
2000.....	7.0	*	*	*	*	0.2	0.6	1.6	6.3	23.4	49.3	82.0
1999.....	7.1	*	*	*	0.1	0.2	0.7	1.6	6.3	23.4	51.1	83.7
Non-Hispanic white, male												
2006 5/.....	6.6	*	*	*	0.2	0.4	1.1	2.6	6.7	20.6	52.0	92.8
2005 5/.....	7.0	*	*	*	*	0.4	1.0	2.4	7.4	24.2	55.6	96.7
2004 5/.....	7.0	*	*	*	0.2	0.4	1.0	2.4	6.6	24.8	58.3	101.4
2003 5/.....	7.9	*	*	*	0.2	0.3	1.0	2.8	8.4	28.3	65.5	111.2
2002.....	8.0	*	*	*	*	0.3	0.9	2.4	8.6	31.0	67.1	114.7
2001.....	8.2	*	*	*	0.2	0.5	1.0	2.3	8.7	30.9	70.0	122.9
2000.....	8.8	*	*	*	*	0.3	0.8	2.5	9.8	35.6	74.2	135.3
1999.....	8.9	*	*	*	*	0.4	1.0	2.4	10.1	35.4	77.5	131.8
Non-Hispanic white, female												
2006 5/.....	4.5	*	*	*	*	*	0.3	0.7	2.1	9.6	27.8	53.4
2005 5/.....	4.7	*	*	*	*	0.2	0.3	0.7	2.5	9.9	29.7	54.8
2004 5/.....	4.7	*	*	*	*	*	0.3	0.7	2.2	10.6	30.7	53.6
2003 5/.....	4.9	*	*	*	*	*	0.2	0.8	2.5	11.6	30.9	56.5
2002.....	4.9	*	*	*	*	*	0.3	0.7	2.6	11.9	31.9	54.7
2001.....	5.2	*	*	*	*	*	0.3	0.6	2.7	12.0	33.3	64.0
2000.....	5.2	*	*	*	*	*	0.3	0.7	2.9	13.1	32.9	60.5
1999.....	5.3	*	*	*	*	*	0.4	0.7	2.7	13.3	33.9	64.5

Worktable Orig12. Death rates for 358 selected causes, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2006

[Rates per 100,000 population in specified group. Rates are based on populations enumerated as of April 1 for 2000 and estimated as of July 1 for all other years. Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.odc.gov/nchs> and refer to 'Detailed technical notes to the United States 2006 data-mortality']

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, and sex	All ages 1/	Under 1 year 2/	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
Aortic aneurysm and dissection (I71)												
Non-Hispanic black, both sexes												
2006 5/.....	3.3	*	*	*	*	0.5	1.5	4.1	6.7	14.6	28.3	47.8
2005 5/.....	3.4	*	*	*	*	0.5	1.8	4.1	7.0	14.8	31.1	51.3
2004 5/.....	3.3	*	*	*	*	0.6	1.7	3.6	7.6	13.3	32.4	44.6
2003 5/.....	3.3	*	*	*	*	0.6	1.7	4.4	7.3	14.5	30.4	47.3
2002.....	3.3	*	*	*	*	0.6	1.4	4.3	7.5	14.8	30.2	50.5
2001.....	3.5	*	*	*	*	0.4	1.6	3.6	7.7	14.7	38.0	55.9
2000.....	3.6	*	*	*	*	0.5	1.5	3.3	8.2	17.3	36.8	63.0
1999.....	3.4	*	*	*	*	0.4	1.5	3.9	6.5	16.8	34.0	61.1
Non-Hispanic black, male												
2006 5/.....	3.7	*	*	*	*	0.9	2.4	5.9	9.8	19.3	30.3	52.2
2005 5/.....	4.0	*	*	*	*	0.8	3.2	6.2	10.1	18.4	39.2	52.3
2004 5/.....	3.9	*	*	*	*	1.0	2.6	5.5	11.8	18.5	37.4	57.9
2003 5/.....	3.9	*	*	*	*	1.1	2.5	6.5	11.0	17.9	39.8	52.2
2002.....	3.9	*	*	*	*	1.0	2.3	6.6	12.1	19.3	34.9	49.2
2001.....	3.9	*	*	*	*	*	2.6	5.4	11.3	19.9	47.4	49.7
2000.....	4.0	*	*	*	*	*	2.3	4.7	11.6	22.6	47.2	70.5
1999.....	3.7	*	*	*	*	*	2.0	6.0	9.3	22.1	38.8	77.3
Non-Hispanic black, female												
2006 5/.....	2.9	*	*	*	*	*	0.8	2.4	4.3	11.2	27.1	46.0
2005 5/.....	3.0	*	*	*	*	*	*	2.3	4.4	12.2	26.5	50.9
2004 5/.....	2.7	*	*	*	*	*	0.9	2.0	4.3	9.5	29.6	39.4
2003 5/.....	2.8	*	*	*	*	*	1.0	2.5	4.3	12.1	25.1	45.4
2002.....	2.8	*	*	*	*	*	*	2.2	3.8	11.6	27.5	51.0
2001.....	3.1	*	*	*	*	*	0.7	2.0	4.8	11.1	32.7	58.2
2000.....	3.3	*	*	*	*	*	0.9	2.1	5.5	13.5	30.9	60.2
1999.....	3.1	*	*	*	*	*	1.0	2.0	4.3	13.1	31.3	55.1

Worktable Orig12. Death rates for 358 selected causes, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2006

[Rates per 100,000 population in specified group. Rates are based on populations enumerated as of April 1 for 2000 and estimated as of July 1 for all other years. Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to 'Detailed technical notes to the United States 2006 data-mortality']

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, and sex	All ages 1/	Under 1 year 2/	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
Other diseases of arteries, arterioles and capillaries (I72-I78)												
All origins 3/, both sexes												
2006.....	3.1	*	*	*	0.1	0.1	0.2	0.8	2.5	7.8	22.6	65.8
2005.....	3.3	*	*	*	*	0.1	0.3	0.8	2.7	8.7	24.5	70.6
2004.....	3.4	*	*	*	*	0.1	0.3	1.0	2.7	9.2	24.7	74.5
2003.....	3.4	*	*	*	0.1	0.1	0.3	0.9	2.8	9.1	25.0	76.0
2002.....	3.5	*	*	*	0.1	0.1	0.3	0.9	3.1	10.0	25.3	79.0
2001.....	3.5	*	*	*	*	0.1	0.4	0.9	3.2	10.0	26.1	80.7
2000.....	3.6	*	*	*	0.1	0.1	0.3	1.0	3.1	10.4	27.4	84.0
1999.....	3.6	*	*	*	*	0.1	0.3	0.9	3.3	9.8	27.2	84.9
All origins 3/, male												
2006.....	2.8	*	*	*	*	*	0.2	1.0	3.0	9.5	26.1	67.3
2005.....	2.9	*	*	*	*	*	0.3	0.8	3.2	10.4	29.2	67.2
2004.....	2.9	*	*	*	*	0.1	0.3	1.1	3.0	10.3	28.0	71.6
2003.....	3.0	*	*	*	*	0.1	0.3	1.0	3.1	11.0	29.9	74.2
2002.....	3.0	*	*	*	*	*	0.3	1.0	3.4	11.3	29.6	80.8
2001.....	3.1	*	*	*	*	0.1	0.3	0.9	3.5	11.6	30.6	82.5
2000.....	3.2	*	*	*	*	0.1	0.3	1.1	3.6	12.5	32.3	87.6
1999.....	3.1	*	*	*	*	0.1	0.3	1.0	3.8	11.7	31.5	82.2
All origins 3/, female												
2006.....	3.4	*	*	*	*	0.1	0.2	0.7	2.0	6.3	20.2	65.0
2005.....	3.7	*	*	*	*	0.1	0.4	0.7	2.2	7.2	21.3	72.2
2004.....	3.9	*	*	*	*	0.1	0.4	0.8	2.4	8.3	22.5	75.8
2003.....	3.8	*	*	*	*	*	0.3	0.9	2.6	7.5	21.8	76.9
2002.....	4.0	*	*	*	*	0.2	0.3	0.8	2.8	8.9	22.5	78.2
2001.....	4.0	*	*	*	*	0.1	0.4	0.9	2.9	8.6	23.1	79.9
2000.....	4.0	*	*	*	*	0.1	0.4	0.9	2.6	8.7	24.2	82.6
1999.....	4.1	*	*	*	*	0.1	0.4	0.9	2.8	8.3	24.5	86.0
Hispanic, both sexes												
2006.....	0.9	*	*	*	*	*	*	0.7	1.8	5.7	15.6	39.9
2005.....	1.0	*	*	*	*	*	*	0.6	1.4	6.1	21.8	45.3
2004.....	0.9	*	*	*	*	*	*	0.7	1.8	6.1	16.5	46.6
2003.....	0.9	*	*	*	*	*	*	0.7	1.5	5.7	15.6	57.0
2002.....	1.1	*	*	*	*	*	0.3	0.7	2.1	7.3	19.8	61.5
2001.....	0.9	*	*	*	*	*	*	0.9	2.2	5.5	16.0	63.2
2000.....	1.0	*	*	*	*	*	*	*	2.4	8.9	15.4	61.0
1999.....	1.0	*	*	*	*	*	*	*	2.4	7.2	20.0	70.2
Hispanic, male												
2006.....	0.9	*	*	*	*	*	*	*	2.1	6.3	21.2	39.5
2005.....	1.0	*	*	*	*	*	*	*	1.8	8.1	26.7	62.3
2004.....	0.8	*	*	*	*	*	*	*	*	8.0	19.0	49.0
2003.....	0.9	*	*	*	*	*	*	*	2.2	6.5	20.3	58.5
2002.....	0.9	*	*	*	*	*	*	*	*	7.8	24.6	58.6
2001.....	0.8	*	*	*	*	*	*	*	2.5	5.8	18.3	55.2
2000.....	0.9	*	*	*	*	*	*	*	2.7	9.7	19.7	66.5
1999.....	0.9	*	*	*	*	*	*	*	*	7.5	28.2	84.1
Hispanic, female												
2006.....	1.0	*	*	*	*	*	*	*	*	5.1	11.7	40.1
2005.....	1.0	*	*	*	*	*	*	*	*	4.4	18.4	36.5
2004.....	1.0	*	*	*	*	*	*	*	1.9	4.5	14.8	45.4
2003.....	1.0	*	*	*	*	*	*	*	*	5.1	12.4	56.3
2002.....	1.3	*	*	*	*	*	*	*	2.6	6.8	16.6	63.0
2001.....	1.1	*	*	*	*	*	*	*	*	5.4	14.5	67.0
2000.....	1.1	*	*	*	*	*	*	*	*	8.3	12.5	58.4
1999.....	1.1	*	*	*	*	*	*	*	2.4	7.1	14.6	63.4

Worktable Orig12. Death rates for 358 selected causes, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2006

[Rates per 100,000 population in specified group. Rates are based on populations enumerated as of April 1 for 2000 and estimated as of July 1 for all other years. Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to 'Detailed technical notes to the United States 2006 data-mortality']

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, and sex	All ages 1/	Under 1 year 2/	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
Other diseases of arteries, arterioles and capillaries (I72-I78)												
Non-Hispanic 4/, both sexes												
2006.....	3.5	*	*	*	*	0.1	0.2	0.9	2.6	7.9	23.0	67.0
2005.....	3.7	*	*	*	*	0.1	0.3	0.8	2.8	8.8	24.6	71.7
2004.....	3.8	*	*	*	*	0.1	0.3	1.0	2.8	9.4	25.1	75.6
2003.....	3.8	*	*	*	0.1	0.1	0.3	1.0	2.9	9.3	25.5	76.7
2002.....	3.9	*	*	*	0.1	0.1	0.3	0.9	3.2	10.2	25.6	79.5
2001.....	3.9	*	*	*	*	0.1	0.4	0.9	3.2	10.3	26.5	81.1
2000.....	4.0	*	*	*	0.1	0.1	0.3	1.0	3.1	10.5	27.9	84.7
1999.....	3.9	*	*	*	*	0.1	0.3	1.0	3.3	9.9	27.5	85.1
Non-Hispanic 4/, male												
2006.....	3.1	*	*	*	*	*	0.2	1.0	3.1	9.7	26.3	68.7
2005.....	3.2	*	*	*	*	*	0.3	0.8	3.3	10.5	29.2	67.3
2004.....	3.2	*	*	*	*	*	0.3	1.1	3.1	10.5	28.5	72.6
2003.....	3.3	*	*	*	*	*	0.3	1.0	3.1	11.3	30.3	74.9
2002.....	3.4	*	*	*	*	*	0.3	1.0	3.5	11.5	29.8	81.7
2001.....	3.4	*	*	*	*	0.1	0.3	0.9	3.5	12.0	31.1	83.5
2000.....	3.5	*	*	*	*	0.1	0.2	1.2	3.6	12.7	32.8	88.2
1999.....	3.4	*	*	*	*	0.1	0.3	1.0	3.9	11.9	31.5	82.0
Non-Hispanic 4/, female												
2006.....	3.8	*	*	*	*	*	0.2	0.7	2.0	6.4	20.7	66.2
2005.....	4.1	*	*	*	*	0.1	0.4	0.7	2.3	7.4	21.4	73.7
2004.....	4.3	*	*	*	*	*	0.4	0.8	2.5	8.5	22.9	76.9
2003.....	4.2	*	*	*	*	*	0.4	0.9	2.8	7.6	22.3	77.6
2002.....	4.3	*	*	*	*	0.2	0.3	0.8	2.8	9.0	22.8	78.5
2001.....	4.4	*	*	*	*	0.1	0.4	0.9	2.9	8.8	23.5	80.1
2000.....	4.4	*	*	*	*	*	0.4	0.9	2.6	8.7	24.6	83.3
1999.....	4.5	*	*	*	*	0.1	0.4	0.9	2.8	8.3	24.8	86.4
Non-Hispanic white, both sexes												
2006 5/.....	3.7	*	*	*	*	*	0.2	0.8	2.3	7.7	22.1	66.6
2005 5/.....	3.9	*	*	*	*	0.1	0.3	0.7	2.6	8.4	23.7	70.9
2004 5/.....	4.0	*	*	*	*	0.1	0.3	0.9	2.5	9.0	24.4	73.6
2003 5/.....	4.0	*	*	*	*	0.1	0.3	0.8	2.8	8.9	24.6	75.1
2002.....	4.1	*	*	*	*	0.1	0.3	0.8	2.9	9.7	24.9	78.2
2001.....	4.2	*	*	*	*	0.1	0.3	0.8	2.9	9.8	25.6	78.8
2000.....	4.3	*	*	*	*	0.1	0.3	0.9	2.8	10.1	27.1	82.8
1999.....	4.2	*	*	*	*	0.1	0.3	0.9	3.1	9.6	26.5	83.0
Non-Hispanic white, male												
2006 5/.....	3.4	*	*	*	*	*	0.2	0.9	2.8	9.5	25.8	70.5
2005 5/.....	3.4	*	*	*	*	*	0.2	0.7	3.1	10.0	28.1	67.8
2004 5/.....	3.5	*	*	*	*	*	0.3	1.1	2.8	10.2	28.1	71.6
2003 5/.....	3.5	*	*	*	*	*	0.2	0.9	2.9	10.8	29.2	74.6
2002.....	3.6	*	*	*	*	*	0.2	0.9	3.2	11.0	29.3	79.9
2001.....	3.6	*	*	*	*	*	0.2	0.8	3.3	11.5	30.3	81.8
2000.....	3.8	*	*	*	*	*	0.2	1.0	3.3	12.3	32.1	87.4
1999.....	3.6	*	*	*	*	*	0.3	1.0	3.6	11.6	30.4	81.0
Non-Hispanic white, female												
2006 5/.....	4.0	*	*	*	*	*	0.2	0.6	1.9	6.1	19.5	64.9
2005 5/.....	4.4	*	*	*	*	*	0.4	0.7	2.1	7.0	20.8	72.4
2004 5/.....	4.6	*	*	*	*	*	0.3	0.7	2.3	8.0	21.9	74.4
2003 5/.....	4.5	*	*	*	*	*	0.3	0.7	2.7	7.3	21.6	75.4
2002.....	4.7	*	*	*	*	*	0.3	0.7	2.6	8.6	21.9	77.4
2001.....	4.7	*	*	*	*	*	0.4	0.9	2.6	8.3	22.4	77.6
2000.....	4.7	*	*	*	*	*	0.3	0.7	2.2	8.2	23.8	81.0
1999.....	4.8	*	*	*	*	*	0.4	0.8	2.5	7.9	24.0	83.9

Worktable Orig12. Death rates for 358 selected causes, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2006

[Rates per 100,000 population in specified group. Rates are based on populations enumerated as of April 1 for 2000 and estimated as of July 1 for all other years. Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.odc.gov/nchs> and refer to 'Detailed technical notes to the United States 2006 data-mortality']

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, and sex	All ages 1/	Under 1 year 2/	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
Other diseases of arteries, arterioles and capillaries (I72-I78)												
Non-Hispanic black, both sexes												
2006 5/.....	3.2	*	*	*	*	*	0.6	1.7	5.0	12.4	37.5	86.3
2005 5/.....	3.4	*	*	*	*	*	0.6	1.4	5.3	15.1	39.3	96.1
2004 5/.....	3.5	*	*	*	*	*	0.6	1.7	5.3	15.3	38.8	112.2
2003 5/.....	3.5	*	*	*	*	*	0.7	2.0	4.8	15.0	40.7	105.6
2002.....	3.6	*	*	*	*	*	0.6	1.8	6.2	16.8	39.0	107.1
2001.....	3.8	*	*	*	*	*	0.9	1.7	6.4	17.5	42.5	119.9
2000.....	3.7	*	*	*	*	*	0.6	2.4	6.3	16.1	42.1	117.0
1999.....	3.6	*	*	*	*	*	0.6	1.5	5.9	15.3	43.3	119.0
Non-Hispanic black, male												
2006 5/.....	2.8	*	*	*	*	*	*	2.1	6.8	16.0	38.7	66.0
2005 5/.....	3.1	*	*	*	*	*	*	1.9	6.8	18.6	49.9	79.9
2004 5/.....	3.0	*	*	*	*	*	*	2.0	6.5	17.5	43.6	103.6
2003 5/.....	3.0	*	*	*	*	*	*	1.9	5.7	18.5	51.7	89.5
2002.....	3.1	*	*	*	*	*	*	1.6	7.4	19.9	44.0	119.2
2001.....	3.3	*	*	*	*	*	0.9	2.0	6.6	20.5	49.8	119.0
2000.....	3.2	*	*	*	*	*	*	2.9	7.1	19.2	49.7	109.2
1999.....	3.0	*	*	*	*	*	*	1.4	6.7	17.9	51.9	107.0
Non-Hispanic black, female												
2006 5/.....	3.6	*	*	*	*	*	*	1.4	3.5	9.8	36.9	94.2
2005 5/.....	3.7	*	*	*	*	*	*	1.1	4.1	12.7	33.4	102.6
2004 5/.....	4.1	*	*	*	*	*	0.8	1.5	4.4	13.7	36.1	115.7
2003 5/.....	4.0	*	*	*	*	*	0.8	2.1	4.1	12.5	34.5	111.8
2002.....	4.0	*	*	*	*	*	0.8	1.9	5.1	14.6	36.1	102.4
2001.....	4.4	*	*	*	*	*	0.9	1.4	6.3	15.5	38.4	120.2
2000.....	4.2	*	*	*	*	*	0.7	1.9	5.7	14.0	37.9	119.9
1999.....	4.2	*	*	*	*	*	0.8	1.6	5.4	13.5	38.5	123.5

Worktable Orig12. Death rates for 358 selected causes, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2006

[Rates per 100,000 population in specified group. Rates are based on populations enumerated as of April 1 for 2000 and estimated as of July 1 for all other years. Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to 'Detailed technical notes to the United States 2006 data-mortality']

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, and sex	All ages 1/	Under 1 year 2/	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
Other disorders of circulatory system (I80-I99)												
All origins 3/, both sexes												
2006.....	1.3	0.8	*	*	0.1	0.3	0.6	1.2	1.7	2.9	7.0	18.4
2005.....	1.6	0.6	*	*	0.1	0.3	0.8	1.5	2.1	3.8	8.6	23.0
2004.....	1.6	0.7	*	*	0.1	0.3	0.7	1.3	2.1	3.6	9.0	23.3
2003.....	1.6	0.9	*	*	0.1	0.3	0.8	1.4	2.0	4.1	9.0	24.0
2002.....	1.6	0.7	*	*	0.1	0.3	0.7	1.3	2.2	3.8	9.8	24.4
2001.....	1.6	0.5	*	*	0.1	0.3	0.6	1.2	2.2	4.6	9.4	26.1
2000.....	1.6	0.7	*	*	0.1	0.3	0.7	1.4	2.1	4.3	9.4	25.6
1999.....	1.4	0.6	*	*	0.1	0.2	0.6	1.0	1.9	3.8	9.1	23.4
All origins 3/, male												
2006.....	1.2	*	*	*	*	0.3	0.7	1.5	2.1	2.9	7.0	16.2
2005.....	1.5	*	*	*	*	0.3	0.7	1.8	2.6	4.4	8.4	19.2
2004.....	1.4	*	*	*	*	0.4	0.7	1.6	2.5	3.9	9.7	19.6
2003.....	1.4	1.0	*	*	0.1	0.3	0.8	1.6	2.4	4.2	8.5	19.1
2002.....	1.4	*	*	*	0.1	0.3	0.7	1.4	2.4	3.9	9.5	20.5
2001.....	1.4	*	*	*	*	0.3	0.7	1.4	2.5	4.9	9.8	22.0
2000.....	1.4	*	*	*	*	0.3	0.8	1.6	2.3	4.7	9.7	22.2
1999.....	1.3	*	*	*	*	0.2	0.7	1.1	2.0	4.2	9.6	20.8
All origins 3/, female												
2006.....	1.5	*	*	*	0.1	0.3	0.6	1.0	1.4	3.0	7.0	19.5
2005.....	1.8	*	*	*	0.1	0.4	0.8	1.1	1.7	3.3	8.8	24.8
2004.....	1.7	*	*	*	*	0.3	0.7	1.1	1.8	3.4	8.5	25.0
2003.....	1.9	*	*	*	0.1	0.4	0.8	1.2	1.7	4.0	9.4	26.2
2002.....	1.9	*	*	*	*	0.4	0.7	1.2	2.1	3.8	10.1	26.2
2001.....	1.9	*	*	*	0.1	0.4	0.6	1.0	2.0	4.4	9.2	27.8
2000.....	1.8	*	*	*	0.1	0.4	0.6	1.1	2.0	4.0	9.2	26.9
1999.....	1.6	*	*	*	*	0.2	0.5	1.0	1.8	3.4	8.8	24.5
Hispanic, both sexes												
2006.....	0.5	*	*	*	*	*	*	0.9	1.2	2.3	4.7	11.3
2005.....	0.7	*	*	*	*	*	0.6	1.0	1.5	3.5	8.1	15.0
2004.....	0.5	*	*	*	*	*	0.3	1.2	1.6	2.0	4.8	17.6
2003.....	0.6	*	*	*	*	*	0.4	1.1	1.4	2.6	6.4	17.6
2002.....	0.6	*	*	*	*	*	0.4	1.0	1.4	3.1	6.3	18.3
2001.....	0.6	*	*	*	*	*	*	0.9	*	4.2	7.4	32.5
2000.....	0.6	*	*	*	*	*	0.6	1.1	1.3	3.3	8.7	24.6
1999.....	0.5	*	*	*	*	*	*	1.1	1.5	4.1	5.4	24.6
Hispanic, male												
2006.....	0.4	*	*	*	*	*	*	1.2	*	*	*	*
2005.....	0.6	*	*	*	*	*	*	1.2	2.0	3.9	*	*
2004.....	0.5	*	*	*	*	*	*	1.4	2.2	*	*	*
2003.....	0.6	*	*	*	*	*	*	1.4	*	*	*	*
2002.....	0.5	*	*	*	*	*	*	*	*	*	*	*
2001.....	0.5	*	*	*	*	*	*	1.3	*	4.0	8.9	*
2000.....	0.6	*	*	*	*	*	0.8	*	*	*	10.8	*
1999.....	0.5	*	*	*	*	*	*	*	*	*	*	*
Hispanic, female												
2006.....	0.5	*	*	*	*	*	*	*	*	2.6	4.9	*
2005.....	0.8	*	*	*	*	*	0.7	*	*	3.1	10.7	13.7
2004.....	0.6	*	*	*	*	*	*	*	*	*	4.9	23.8
2003.....	0.6	*	*	*	*	*	*	*	*	*	6.6	19.5
2002.....	0.7	*	*	*	*	*	*	*	*	3.2	6.2	23.2
2001.....	0.6	*	*	*	*	*	*	*	*	4.4	6.3	33.5
2000.....	0.7	*	*	*	*	*	*	*	*	*	7.3	23.7
1999.....	0.6	*	*	*	*	*	*	*	*	4.3	*	23.9

Worktable Orig12. Death rates for 358 selected causes, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2006

[Rates per 100,000 population in specified group. Rates are based on populations enumerated as of April 1 for 2000 and estimated as of July 1 for all other years. Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to 'Detailed technical notes to the United States 2006 data-mortality']

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, and sex	All ages 1/	Under 1 year 2/	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
Other disorders of circulatory system (I80-I99)												
Non-Hispanic 4/, both sexes												
2006.....	1.5	0.8	*	*	0.1	0.3	0.7	1.3	1.7	3.0	7.1	18.8
2005.....	1.8	0.8	*	*	0.1	0.4	0.8	1.5	2.1	3.8	8.6	23.4
2004.....	1.8	0.8	*	*	0.1	0.4	0.8	1.4	2.2	3.7	9.2	23.5
2003.....	1.8	0.8	*	*	0.1	0.4	0.8	1.4	2.1	4.1	9.1	24.3
2002.....	1.8	0.6	*	*	0.1	0.4	0.7	1.4	2.3	3.9	10.0	24.7
2001.....	1.8	*	*	*	0.1	0.4	0.7	1.2	2.3	4.6	9.5	25.8
2000.....	1.8	0.7	*	*	0.1	0.4	0.7	1.4	2.2	4.4	9.4	25.6
1999.....	1.6	0.7	*	*	0.1	0.3	0.6	1.0	1.9	3.7	9.3	23.3
Non-Hispanic 4/, male												
2006.....	1.3	*	*	*	*	0.3	0.8	1.5	2.1	2.9	7.1	16.5
2005.....	1.6	*	*	*	*	0.3	0.8	1.9	2.6	4.5	8.7	19.3
2004.....	1.6	*	*	*	*	0.4	0.8	1.6	2.5	4.0	9.9	20.2
2003.....	1.5	*	*	*	*	0.3	0.8	1.6	2.4	4.2	8.6	19.3
2002.....	1.5	*	*	*	*	0.4	0.7	1.5	2.5	3.9	9.6	21.1
2001.....	1.5	*	*	*	*	0.3	0.7	1.4	2.6	4.9	9.8	21.6
2000.....	1.5	*	*	*	*	0.3	0.8	1.6	2.3	4.8	9.6	22.1
1999.....	1.4	*	*	*	*	0.2	0.7	1.1	2.0	4.2	9.7	20.5
Non-Hispanic 4/, female												
2006.....	1.6	*	*	*	0.1	0.3	0.6	1.0	1.4	3.0	7.1	19.8
2005.....	1.9	*	*	*	*	0.4	0.8	1.1	1.7	3.3	8.6	25.3
2004.....	1.9	*	*	*	*	0.4	0.7	1.1	1.9	3.5	8.7	25.0
2003.....	2.1	*	*	*	0.1	0.4	0.9	1.2	1.7	4.1	9.5	26.5
2002.....	2.1	*	*	*	*	0.4	0.7	1.2	2.1	3.8	10.2	26.2
2001.....	2.0	*	*	*	0.1	0.4	0.6	1.0	2.1	4.3	9.2	27.6
2000.....	2.0	*	*	*	*	0.4	0.6	1.2	2.1	4.1	9.3	27.0
1999.....	1.8	*	*	*	*	0.3	0.5	0.9	1.8	3.3	9.0	24.4
Non-Hispanic white, both sexes												
2006 5/.....	1.5	0.9	*	*	0.1	0.3	0.6	1.1	1.6	2.8	6.9	18.5
2005 5/.....	1.8	*	*	*	*	0.3	0.6	1.3	1.9	3.6	8.3	23.9
2004 5/.....	1.8	*	*	*	*	0.3	0.6	1.2	2.0	3.5	9.0	23.4
2003 5/.....	1.8	*	*	*	0.1	0.3	0.7	1.3	1.9	3.9	8.7	23.8
2002.....	1.8	*	*	*	*	0.3	0.6	1.2	2.1	3.6	9.6	24.5
2001.....	1.8	*	*	*	*	0.3	0.6	1.0	2.1	4.3	9.2	25.7
2000.....	1.8	*	*	*	*	0.3	0.6	1.2	1.9	4.0	9.2	25.5
1999.....	1.6	*	*	*	*	0.2	0.5	0.9	1.8	3.5	9.0	23.0
Non-Hispanic white, male												
2006 5/.....	1.3	*	*	*	*	0.2	0.7	1.3	1.9	2.9	6.8	16.3
2005 5/.....	1.6	*	*	*	*	0.3	0.7	1.7	2.4	4.1	8.3	19.4
2004 5/.....	1.6	*	*	*	*	0.3	0.7	1.4	2.4	3.8	9.6	20.3
2003 5/.....	1.5	*	*	*	*	0.3	0.7	1.3	2.2	3.9	8.0	18.7
2002.....	1.5	*	*	*	*	0.3	0.6	1.3	2.2	3.7	9.1	20.5
2001.....	1.5	*	*	*	*	0.2	0.6	1.2	2.3	4.6	9.4	21.2
2000.....	1.5	*	*	*	*	0.2	0.7	1.5	2.0	4.5	9.4	21.8
1999.....	1.4	*	*	*	*	0.2	0.6	0.9	2.0	3.9	9.3	20.3
Non-Hispanic white, female												
2006 5/.....	1.7	*	*	*	*	0.3	0.5	0.8	1.3	2.8	7.0	19.5
2005 5/.....	2.0	*	*	*	*	0.3	0.6	1.0	1.5	3.2	8.4	26.0
2004 5/.....	2.0	*	*	*	*	0.3	0.6	0.9	1.6	3.3	8.5	24.8
2003 5/.....	2.1	*	*	*	*	0.3	0.6	1.2	1.6	3.9	9.3	26.1
2002.....	2.2	*	*	*	*	0.3	0.6	1.1	1.9	3.6	9.9	26.3
2001.....	2.1	*	*	*	*	0.3	0.5	0.8	1.9	4.1	9.0	27.6
2000.....	2.0	*	*	*	*	0.3	0.5	1.0	1.9	3.6	9.0	27.0
1999.....	1.8	*	*	*	*	0.2	0.5	0.8	1.7	3.1	8.8	24.1

Worktable Orig12. Death rates for 358 selected causes, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2006

[Rates per 100,000 population in specified group. Rates are based on populations enumerated as of April 1 for 2000 and estimated as of July 1 for all other years. Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.odc.gov/nchs> and refer to 'Detailed technical notes to the United States 2006 data-mortality']

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, and sex	All ages 1/	Under 1 year 2/	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
Other disorders of circulatory system (I80-I99)												
Non-Hispanic black, both sexes												
2006 5/.....	1.9	*	*	*	*	0.8	1.7	2.9	3.5	4.9	11.1	26.0
2005 5/.....	2.1	*	*	*	*	0.8	1.8	3.0	4.6	6.5	14.0	24.3
2004 5/.....	2.1	*	*	*	*	1.0	2.0	3.0	4.2	6.8	13.9	29.1
2003 5/.....	2.2	*	*	*	*	0.9	2.0	2.7	4.4	7.4	15.5	33.6
2002.....	2.2	*	*	*	*	1.0	1.7	2.7	5.0	6.9	16.8	29.9
2001.....	2.0	*	*	*	*	0.8	1.6	2.3	4.9	7.9	14.3	29.7
2000.....	2.1	*	*	*	*	0.9	1.5	2.8	4.6	9.0	14.4	29.9
1999.....	1.8	*	*	*	*	0.5	1.5	2.4	3.0	6.8	14.0	28.5
Non-Hispanic black, male												
2006 5/.....	1.8	*	*	*	*	0.8	1.5	3.5	4.2	5.1	12.0	22.9
2005 5/.....	2.1	*	*	*	*	*	1.7	3.8	5.7	8.9	16.0	23.8
2004 5/.....	2.0	*	*	*	*	1.1	2.0	3.5	4.5	7.3	15.4	25.4
2003 5/.....	2.1	*	*	*	*	0.9	1.4	3.5	5.4	8.4	17.9	33.0
2002.....	2.1	*	*	*	*	1.1	1.8	3.0	5.6	7.8	18.5	31.7
2001.....	2.0	*	*	*	*	*	1.8	2.4	6.5	9.2	15.9	28.9
2000.....	2.0	*	*	*	*	0.9	1.8	3.5	5.3	9.1	13.3	30.5
1999.....	1.7	*	*	*	*	*	1.9	2.9	2.7	8.4	17.2	*
Non-Hispanic black, female												
2006 5/.....	1.9	*	*	*	*	0.8	1.8	2.3	2.9	4.8	10.6	27.3
2005 5/.....	2.1	*	*	*	*	0.9	1.9	2.4	3.6	4.8	12.9	24.5
2004 5/.....	2.3	*	*	*	*	0.8	1.9	2.6	3.9	6.5	13.0	30.5
2003 5/.....	2.3	*	*	*	*	1.0	2.6	1.9	3.6	6.8	14.2	33.8
2002.....	2.3	*	*	*	*	1.0	1.6	2.4	4.5	6.2	15.9	29.3
2001.....	2.1	*	*	*	*	0.9	1.4	2.1	3.7	7.0	13.5	29.9
2000.....	2.3	*	*	*	*	1.0	1.3	2.3	4.0	8.8	15.1	29.7
1999.....	1.8	*	*	*	*	*	1.1	2.0	3.2	5.6	12.3	30.6

Worktable Orig12. Death rates for 358 selected causes, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2006

[Rates per 100,000 population in specified group. Rates are based on populations enumerated as of April 1 for 2000 and estimated as of July 1 for all other years. Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to 'Detailed technical notes to the United States 2006 data-mortality']

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, and sex	All ages 1/	Under 1 year 2/	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
Phlebitis, thrombophlebitis, venous embolism and thrombosis (I80-I82)												
Non-Hispanic 4/, both sexes												
2006.....	1.1	*	*	*	0.1	0.3	0.6	1.0	1.3	2.1	4.9	12.1
2005.....	1.3	*	*	*	0.1	0.3	0.6	1.0	1.5	2.7	6.4	16.9
2004.....	1.3	*	*	*	0.1	0.3	0.7	1.0	1.6	2.7	7.0	17.4
2003.....	1.4	*	*	*	0.1	0.3	0.7	1.1	1.6	3.2	6.9	18.3
2002.....	1.4	*	*	*	0.1	0.3	0.6	1.1	1.8	2.9	7.5	18.8
2001.....	1.4	*	*	*	0.1	0.3	0.6	0.9	1.8	3.4	7.2	19.3
2000.....	1.3	*	*	*	0.1	0.3	0.6	1.0	1.5	3.3	7.0	18.6
1999.....	1.0	*	*	*	0.1	0.2	0.5	0.7	1.2	2.4	5.8	14.5
Non-Hispanic 4/, male												
2006.....	0.9	*	*	*	*	0.3	0.6	1.1	1.5	1.9	4.7	10.1
2005.....	1.1	*	*	*	*	0.3	0.5	1.1	1.7	3.0	6.4	13.5
2004.....	1.1	*	*	*	*	0.4	0.7	1.1	1.7	2.8	7.2	14.7
2003.....	1.1	*	*	*	*	0.3	0.6	1.1	1.8	3.1	6.1	14.0
2002.....	1.1	*	*	*	*	0.3	0.6	1.1	1.8	2.9	6.8	15.3
2001.....	1.1	*	*	*	*	0.3	0.6	0.9	1.9	3.5	6.9	14.8
2000.....	1.1	*	*	*	*	0.3	0.6	1.1	1.4	3.3	6.8	14.9
1999.....	0.8	*	*	*	*	0.2	0.5	0.6	1.1	2.6	5.7	10.9
Non-Hispanic 4/, female												
2006.....	1.2	*	*	*	0.1	0.3	0.6	0.8	1.1	2.2	5.0	13.1
2005.....	1.4	*	*	*	*	0.4	0.6	0.9	1.4	2.4	6.4	18.5
2004.....	1.5	*	*	*	*	0.3	0.7	0.9	1.5	2.8	6.9	18.6
2003.....	1.6	*	*	*	0.1	0.4	0.7	1.0	1.4	3.3	7.4	20.2
2002.....	1.6	*	*	*	*	0.4	0.6	1.1	1.8	2.9	7.9	20.2
2001.....	1.6	*	*	*	*	0.4	0.6	0.8	1.7	3.3	7.4	21.2
2000.....	1.5	*	*	*	*	0.4	0.5	1.0	1.6	3.2	7.1	20.1
1999.....	1.2	*	*	*	*	0.2	0.5	0.7	1.3	2.2	5.9	15.9
Non-Hispanic white, both sexes												
2006 5/.....	1.0	*	*	*	0.1	0.2	0.5	0.8	1.2	2.0	4.7	12.0
2005 5/.....	1.3	*	*	*	*	0.3	0.5	0.9	1.4	2.5	6.1	17.2
2004 5/.....	1.3	*	*	*	*	0.3	0.5	0.8	1.4	2.5	6.8	17.3
2003 5/.....	1.4	*	*	*	0.1	0.3	0.6	1.0	1.4	3.0	6.6	17.9
2002.....	1.4	*	*	*	*	0.3	0.5	0.9	1.6	2.7	7.2	18.6
2001.....	1.4	*	*	*	*	0.3	0.4	0.8	1.6	3.2	7.0	19.3
2000.....	1.3	*	*	*	*	0.2	0.5	0.9	1.4	3.0	6.8	18.7
1999.....	1.0	*	*	*	*	0.2	0.4	0.6	1.2	2.2	5.7	14.2
Non-Hispanic white, male												
2006 5/.....	0.9	*	*	*	*	0.2	0.5	0.9	1.4	1.8	4.4	10.0
2005 5/.....	1.1	*	*	*	*	0.2	0.4	1.0	1.5	2.8	6.0	13.6
2004 5/.....	1.1	*	*	*	*	0.2	0.5	0.9	1.6	2.6	7.0	14.7
2003 5/.....	1.1	*	*	*	*	0.2	0.6	1.0	1.6	2.8	5.7	13.5
2002.....	1.1	*	*	*	*	0.2	0.5	0.9	1.6	2.7	6.5	14.9
2001.....	1.1	*	*	*	*	0.2	0.4	0.8	1.6	3.3	6.7	14.7
2000.....	1.1	*	*	*	*	0.2	0.5	1.0	1.3	3.1	6.8	14.8
1999.....	0.8	*	*	*	*	0.2	0.4	0.6	1.1	2.4	5.5	11.0
Non-Hispanic white, female												
2006 5/.....	1.2	*	*	*	*	0.3	0.4	0.7	0.9	2.1	4.9	12.9
2005 5/.....	1.5	*	*	*	*	0.3	0.5	0.7	1.2	2.3	6.2	18.9
2004 5/.....	1.5	*	*	*	*	0.3	0.5	0.7	1.2	2.4	6.7	18.4
2003 5/.....	1.7	*	*	*	*	0.3	0.5	1.0	1.2	3.1	7.2	19.9
2002.....	1.7	*	*	*	*	0.3	0.5	1.0	1.6	2.8	7.6	20.2
2001.....	1.6	*	*	*	*	0.3	0.5	0.7	1.5	3.0	7.1	21.2
2000.....	1.6	*	*	*	*	0.3	0.4	0.9	1.5	2.9	6.8	20.3
1999.....	1.2	*	*	*	*	0.2	0.4	0.6	1.3	2.1	5.7	15.5

Worktable Orig12. Death rates for 358 selected causes, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2006

[Rates per 100,000 population in specified group. Rates are based on populations enumerated as of April 1 for 2000 and estimated as of July 1 for all other years. Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.odc.gov/nchs> and refer to 'Detailed technical notes to the United States 2006 data-mortality']

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, and sex	All ages 1/	Under 1 year 2/	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
Phlebitis, thrombophlebitis, venous embolism and thrombosis (I80-I82)												
Non-Hispanic black, both sexes												
2006 5/.....	1.5	*	*	*	*	0.7	1.6	2.4	2.4	3.7	8.2	16.5
2005 5/.....	1.6	*	*	*	*	0.8	1.4	2.2	3.3	5.1	11.3	18.8
2004 5/.....	1.7	*	*	*	*	0.9	1.7	2.4	3.6	4.9	10.8	23.0
2003 5/.....	1.8	*	*	*	*	0.9	1.7	2.1	3.7	5.9	11.9	26.8
2002.....	1.8	*	*	*	*	1.0	1.5	2.2	3.8	5.3	13.0	23.9
2001.....	1.7	*	*	*	*	0.8	1.3	1.8	4.0	6.4	10.9	22.8
2000.....	1.7	*	*	*	*	0.9	1.3	2.2	3.4	7.0	10.9	21.6
1999.....	1.2	*	*	*	*	0.5	1.2	1.6	2.0	4.7	9.4	18.8
Non-Hispanic black, male												
2006 5/.....	1.4	*	*	*	*	*	1.5	2.9	2.8	3.8	8.9	*
2005 5/.....	1.5	*	*	*	*	*	1.0	2.4	3.6	6.7	12.9	*
2004 5/.....	1.6	*	*	*	*	1.1	1.7	2.5	3.6	5.1	11.1	20.3
2003 5/.....	1.6	*	*	*	*	0.8	1.2	2.7	4.1	6.4	13.0	25.6
2002.....	1.6	*	*	*	*	1.0	1.5	2.3	4.3	5.6	12.3	23.0
2001.....	1.5	*	*	*	*	*	1.4	1.8	5.0	6.8	11.1	*
2000.....	1.5	*	*	*	*	0.8	1.5	2.4	3.6	6.7	8.3	*
1999.....	1.1	*	*	*	*	*	1.4	1.5	1.9	5.9	10.3	*
Non-Hispanic black, female												
2006 5/.....	1.5	*	*	*	*	0.7	1.7	2.1	2.1	3.6	7.7	17.9
2005 5/.....	1.7	*	*	*	*	0.9	1.7	2.0	3.0	3.9	10.3	19.9
2004 5/.....	1.9	*	*	*	*	0.7	1.8	2.3	3.5	4.8	10.6	24.1
2003 5/.....	2.0	*	*	*	*	0.9	2.2	1.6	3.3	5.6	11.2	27.2
2002.....	1.9	*	*	*	*	1.0	1.5	2.1	3.4	5.1	13.4	24.2
2001.....	1.8	*	*	*	*	0.9	1.2	1.8	3.2	6.2	10.8	23.5
2000.....	1.9	*	*	*	*	1.0	1.1	2.0	3.3	7.2	12.3	21.8
1999.....	1.4	*	*	*	*	*	1.1	1.7	2.1	3.9	8.9	21.8

Worktable Orig12. Death rates for 358 selected causes, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2006

[Rates per 100,000 population in specified group. Rates are based on populations enumerated as of April 1 for 2000 and estimated as of July 1 for all other years. Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to 'Detailed technical notes to the United States 2006 data-mortality']

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, and sex	All ages 1/	Under 1 year 2/	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
All other and unspecified disorders of circulatory system (I83-I99)												
Non-Hispanic 4/, both sexes												
2006.....	0.4	0.7	*	*	*	*	0.1	0.3	0.5	0.9	2.2	6.6
2005.....	0.5	0.7	*	*	*	*	0.2	0.5	0.6	1.2	2.2	6.5
2004.....	0.4	*	*	*	*	*	0.1	0.4	0.6	1.1	2.2	6.1
2003.....	0.4	0.7	*	*	*	*	0.1	0.3	0.5	1.0	2.2	6.0
2002.....	0.4	*	*	*	*	*	0.1	0.3	0.5	1.0	2.5	5.9
2001.....	0.4	*	*	*	*	*	0.1	0.3	0.6	1.2	2.3	6.5
2000.....	0.5	*	*	*	*	*	0.1	0.4	0.6	1.1	2.4	6.9
1999.....	0.5	*	*	*	*	*	0.1	0.3	0.7	1.3	3.4	8.8
Non-Hispanic 4/, male												
2006.....	0.4	*	*	*	*	*	0.1	0.4	0.6	1.0	2.4	6.4
2005.....	0.5	*	*	*	*	*	0.3	0.8	0.9	1.4	2.3	5.8
2004.....	0.5	*	*	*	*	*	0.1	0.6	0.8	1.2	2.7	5.5
2003.....	0.4	*	*	*	*	*	0.1	0.4	0.7	1.1	2.5	5.4
2002.....	0.4	*	*	*	*	*	0.2	0.4	0.7	1.1	2.9	5.7
2001.....	0.4	*	*	*	*	*	0.2	0.5	0.7	1.4	2.9	6.7
2000.....	0.5	*	*	*	*	*	0.2	0.5	0.9	1.4	2.8	7.1
1999.....	0.5	*	*	*	*	*	0.2	0.5	0.9	1.6	4.0	9.6
Non-Hispanic 4/, female												
2006.....	0.4	*	*	*	*	*	*	0.2	0.4	0.8	2.1	6.7
2005.....	0.5	*	*	*	*	*	0.1	0.3	0.4	0.9	2.2	6.7
2004.....	0.4	*	*	*	*	*	*	0.2	0.4	0.9	1.8	6.4
2003.....	0.4	*	*	*	*	*	0.1	0.2	0.4	0.8	2.1	6.2
2002.....	0.4	*	*	*	*	*	*	0.2	0.4	0.9	2.3	6.0
2001.....	0.4	*	*	*	*	*	*	0.2	0.4	1.0	1.9	6.4
2000.....	0.4	*	*	*	*	*	*	0.2	0.4	0.8	2.2	6.8
1999.....	0.5	*	*	*	*	*	*	0.2	0.5	1.1	3.1	8.5
Non-Hispanic white, both sexes												
2006 5/.....	0.5	*	*	*	*	*	0.1	0.3	0.4	0.9	2.2	6.5
2005 5/.....	0.5	*	*	*	*	*	0.2	0.5	0.6	1.1	2.2	6.7
2004 5/.....	0.5	*	*	*	*	*	0.1	0.3	0.6	1.0	2.1	6.1
2003 5/.....	0.4	*	*	*	*	*	0.1	0.3	0.5	0.9	2.1	5.9
2002.....	0.4	*	*	*	*	*	0.1	0.3	0.5	0.9	2.5	5.9
2001.....	0.5	*	*	*	*	*	0.1	0.3	0.5	1.2	2.2	6.5
2000.....	0.5	*	*	*	*	*	0.1	0.3	0.6	1.0	2.4	6.8
1999.....	0.6	*	*	*	*	*	0.1	0.3	0.6	1.2	3.3	8.8
Non-Hispanic white, male												
2006 5/.....	0.4	*	*	*	*	*	*	0.4	0.5	1.0	2.4	6.3
2005 5/.....	0.5	*	*	*	*	*	0.2	0.7	0.8	1.3	2.3	5.8
2004 5/.....	0.5	*	*	*	*	*	*	0.5	0.8	1.2	2.6	5.6
2003 5/.....	0.4	*	*	*	*	*	0.1	0.4	0.6	1.1	2.3	5.2
2002.....	0.4	*	*	*	*	*	0.1	0.4	0.6	1.0	2.6	5.6
2001.....	0.5	*	*	*	*	*	0.2	0.4	0.7	1.2	2.7	6.6
2000.....	0.5	*	*	*	*	*	0.2	0.5	0.8	1.4	2.7	7.0
1999.....	0.5	*	*	*	*	*	0.2	0.3	0.9	1.5	3.6	9.3
Non-Hispanic white, female												
2006 5/.....	0.5	*	*	*	*	*	*	0.2	0.3	0.8	2.1	6.6
2005 5/.....	0.5	*	*	*	*	*	*	0.3	0.3	0.9	2.2	7.1
2004 5/.....	0.5	*	*	*	*	*	*	0.2	0.4	0.9	1.8	6.3
2003 5/.....	0.5	*	*	*	*	*	*	0.2	0.4	0.8	2.1	6.2
2002.....	0.5	*	*	*	*	*	*	0.2	0.3	0.9	2.3	6.1
2001.....	0.5	*	*	*	*	*	*	*	0.4	1.1	1.9	6.4
2000.....	0.5	*	*	*	*	*	*	0.2	0.4	0.7	2.2	6.7
1999.....	0.6	*	*	*	*	*	*	0.2	0.4	1.0	3.0	8.6

Worktable Orig12. Death rates for 358 selected causes, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2006

[Rates per 100,000 population in specified group. Rates are based on populations enumerated as of April 1 for 2000 and estimated as of July 1 for all other years. Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to 'Detailed technical notes to the United States 2006 data-mortality']

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, and sex	All ages 1/	Under 1 year 2/	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
X. Diseases of the respiratory system (J00-J98)												
All origins 3/, both sexes												
2006.....	75.7	16.8	1.8	0.7	1.1	2.2	5.5	17.9	60.9	219.9	608.5	1,391.2
2005.....	80.9	16.3	1.8	0.7	1.1	2.2	5.7	18.9	65.1	235.2	646.9	1,540.5
2004.....	77.3	15.8	1.9	0.7	1.3	2.0	5.6	17.2	63.6	229.1	627.0	1,497.1
2003.....	81.1	17.5	2.2	0.8	1.5	2.3	5.9	18.2	66.4	239.5	651.9	1,625.4
2002.....	81.4	15.8	1.9	0.8	1.3	2.3	6.0	17.6	65.7	240.3	662.2	1,663.7
2001.....	80.8	17.3	1.8	0.7	1.3	2.3	6.0	17.6	67.3	245.9	651.9	1,671.8
2000.....	82.1	17.1	1.7	0.8	1.4	2.5	6.2	17.9	68.8	250.2	667.5	1,734.0
1999.....	82.4	18.1	2.1	0.8	1.4	2.5	6.0	17.3	70.8	255.0	671.7	1,733.0
All origins 3/, male												
2006.....	73.6	19.6	2.0	0.8	1.3	2.2	5.7	19.4	68.5	251.8	752.1	1,752.9
2005.....	77.8	18.8	1.9	0.8	1.4	2.3	5.9	21.0	72.7	273.0	795.4	1,900.6
2004.....	75.2	17.6	1.8	0.8	1.5	2.3	5.9	19.3	70.6	267.2	779.3	1,915.3
2003.....	78.2	20.6	2.5	0.9	1.6	2.7	6.1	20.3	74.0	279.9	808.5	2,057.2
2002.....	78.9	18.8	2.2	0.8	1.5	2.4	6.5	19.5	73.0	282.2	832.8	2,150.0
2001.....	78.2	19.7	1.9	0.8	1.5	2.4	6.4	19.7	74.6	289.4	824.1	2,187.2
2000.....	80.2	18.9	1.7	0.8	1.6	2.7	6.8	19.9	77.1	297.1	851.4	2,344.4
1999.....	81.3	19.6	2.2	0.9	1.5	2.6	6.4	19.1	79.5	310.4	870.5	2,356.4
All origins 3/, female												
2006.....	77.8	13.7	1.6	0.5	0.9	2.1	5.3	16.4	53.9	192.9	510.2	1,222.0
2005.....	83.9	13.7	1.6	0.6	0.9	2.0	5.5	16.9	58.0	203.4	546.0	1,375.2
2004.....	79.4	14.1	1.9	0.6	1.1	1.7	5.4	15.3	57.2	197.1	524.4	1,309.0
2003.....	84.0	14.2	1.8	0.8	1.3	2.0	5.8	16.2	59.3	205.8	547.3	1,434.5
2002.....	83.7	12.6	1.5	0.8	1.1	2.1	5.6	15.8	58.9	205.5	548.9	1,452.7
2001.....	83.2	14.7	1.8	0.7	1.2	2.3	5.6	15.5	60.6	209.9	538.8	1,456.2
2000.....	84.0	15.2	1.7	0.7	1.2	2.3	5.7	16.0	61.1	211.7	547.6	1,485.4
1999.....	83.4	16.6	1.9	0.7	1.2	2.4	5.7	15.6	62.9	209.7	542.6	1,481.7
Hispanic, both sexes												
2006.....	19.0	14.0	1.5	0.6	0.8	1.4	2.9	9.5	30.8	107.7	354.0	951.1
2005.....	20.5	15.0	1.6	0.5	0.6	1.4	3.1	10.8	33.3	117.9	387.2	1,088.4
2004.....	19.7	14.6	1.7	0.5	1.0	1.3	3.4	9.8	31.4	117.8	382.8	1,092.7
2003.....	20.2	17.2	2.2	0.7	1.1	1.6	3.3	10.4	34.2	120.6	388.4	1,210.1
2002.....	20.0	12.7	1.5	0.6	0.8	1.4	3.4	10.0	34.7	119.9	406.5	1,273.8
2001.....	20.1	13.8	2.1	0.4	0.7	1.0	3.2	11.0	33.9	123.3	401.4	1,442.5
2000.....	20.1	15.8	1.6	0.7	0.8	1.7	4.1	10.5	37.2	122.6	413.2	1,406.0
1999.....	19.8	15.9	1.4	0.6	0.9	1.3	4.1	10.9	35.3	126.3	402.3	1,420.7
Hispanic, male												
2006.....	18.5	16.3	1.5	0.7	1.0	1.5	3.3	10.9	39.0	129.8	429.1	1,127.7
2005.....	20.2	16.4	1.4	0.6	0.7	1.6	3.6	12.6	40.9	143.3	500.1	1,298.8
2004.....	19.1	17.1	1.6	0.7	1.3	1.5	3.9	11.1	37.1	146.6	476.0	1,291.7
2003.....	20.0	19.9	2.7	0.8	1.3	1.6	3.5	12.2	41.9	151.5	497.4	1,477.7
2002.....	19.9	14.3	1.9	0.6	1.0	1.6	3.7	11.7	44.4	155.8	525.7	1,551.1
2001.....	19.7	14.9	2.0	*	0.9	1.1	3.6	12.5	40.9	156.4	515.1	1,839.8
2000.....	20.1	16.0	*	0.7	0.9	1.8	4.6	12.8	47.5	156.4	562.0	1,751.4
1999.....	19.7	18.1	1.5	0.7	0.8	1.3	4.8	11.8	41.5	161.7	538.1	1,882.8
Hispanic, female												
2006.....	19.6	11.6	1.5	*	0.7	1.2	2.3	8.1	23.2	89.7	301.4	857.3
2005.....	20.8	13.6	1.9	*	*	1.0	2.7	9.1	26.2	97.4	308.6	978.2
2004.....	20.3	12.0	1.8	*	0.8	1.2	2.9	8.4	26.3	94.7	318.3	990.3
2003.....	20.5	14.4	1.6	0.6	1.0	1.5	3.0	8.6	27.3	96.0	313.6	1,074.2
2002.....	20.1	11.0	*	0.6	*	1.2	3.1	8.4	26.1	91.4	324.9	1,136.5
2001.....	20.5	12.7	2.2	*	*	0.8	2.8	9.5	27.7	97.3	324.6	1,248.3
2000.....	20.0	15.7	1.9	0.7	0.7	1.6	3.5	9.2	28.0	96.1	313.3	1,236.5
1999.....	19.8	13.6	*	0.6	1.0	1.3	3.4	10.0	29.8	96.6	311.9	1,197.9

Worktable Orig12. Death rates for 358 selected causes, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2006

[Rates per 100,000 population in specified group. Rates are based on populations enumerated as of April 1 for 2000 and estimated as of July 1 for all other years. Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to 'Detailed technical notes to the United States 2006 data-mortality']

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, and sex	All ages 1/	Under 1 year 2/	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
X. Diseases of the respiratory system (J00-J98)												
Non-Hispanic 4/, both sexes												
2006.....	85.4	17.5	1.9	0.7	1.2	2.4	5.9	18.8	63.4	228.2	623.4	1,411.8
2005.....	90.9	16.6	1.8	0.8	1.2	2.3	6.1	19.8	67.7	243.7	661.1	1,560.5
2004.....	86.6	16.2	1.9	0.7	1.3	2.2	6.0	18.0	66.1	236.6	639.5	1,513.0
2003.....	90.6	17.4	2.2	0.9	1.5	2.5	6.3	18.9	68.6	247.3	664.4	1,639.7
2002.....	90.6	16.5	2.0	0.8	1.4	2.5	6.4	18.3	68.0	247.9	673.0	1,675.8
2001.....	89.5	18.0	1.8	0.8	1.4	2.6	6.4	18.1	69.7	253.1	661.8	1,676.5
2000.....	90.7	17.3	1.7	0.8	1.5	2.6	6.5	18.4	70.9	257.3	676.4	1,741.6
1999.....	90.7	18.5	2.2	0.8	1.5	2.7	6.2	17.8	73.1	261.9	680.7	1,738.9
Non-Hispanic 4/, male												
2006.....	83.6	20.5	2.1	0.8	1.3	2.5	6.0	20.4	70.8	260.5	771.5	1,785.7
2005.....	87.8	19.3	2.1	0.8	1.5	2.4	6.3	21.9	75.2	281.9	811.6	1,929.7
2004.....	84.7	17.7	1.9	0.8	1.5	2.6	6.2	20.1	73.0	274.7	795.0	1,943.4
2003.....	87.7	20.5	2.4	0.9	1.7	2.9	6.5	21.0	76.1	287.9	823.2	2,080.3
2002.....	88.3	19.8	2.3	0.8	1.6	2.6	6.9	20.2	75.0	289.6	845.6	2,172.0
2001.....	87.1	20.9	1.9	0.8	1.6	2.7	6.8	20.2	76.7	296.7	836.5	2,196.6
2000.....	89.0	19.6	1.8	0.9	1.7	2.8	7.0	20.4	78.9	304.4	861.1	2,363.3
1999.....	90.0	19.8	2.3	1.0	1.7	2.9	6.5	19.6	81.8	317.8	881.7	2,367.6
Non-Hispanic 4/, female												
2006.....	87.1	14.3	1.6	0.6	1.0	2.3	5.7	17.3	56.5	200.8	522.3	1,238.1
2005.....	93.7	13.7	1.5	0.7	1.0	2.3	5.9	17.7	60.7	211.4	559.1	1,392.0
2004.....	88.4	14.6	1.9	0.6	1.1	1.7	5.7	16.0	59.6	204.4	534.9	1,320.5
2003.....	93.3	14.1	1.9	0.8	1.3	2.1	6.2	16.9	61.7	213.3	558.5	1,446.1
2002.....	92.9	12.9	1.6	0.9	1.2	2.3	5.9	16.5	61.4	213.1	558.6	1,461.8
2001.....	91.9	15.0	1.7	0.7	1.3	2.5	6.0	16.0	63.1	216.9	547.2	1,460.1
2000.....	92.4	14.9	1.6	0.7	1.3	2.4	5.9	16.6	63.4	218.4	556.1	1,490.2
1999.....	91.5	17.2	2.0	0.7	1.3	2.6	5.9	16.0	65.1	216.0	550.3	1,487.1
Non-Hispanic white, both sexes												
2006 5/.....	97.9	11.8	1.5	0.5	0.9	2.0	5.3	18.1	64.8	240.4	649.2	1,459.1
2005 5/.....	103.8	12.0	1.4	0.6	1.1	2.0	5.6	18.6	68.8	254.9	687.0	1,612.2
2004 5/.....	98.9	11.3	1.4	0.5	1.1	1.9	5.3	16.8	67.1	248.4	663.6	1,558.7
2003 5/.....	103.3	13.2	1.6	0.7	1.2	2.1	5.5	17.8	69.4	258.6	688.6	1,691.8
2002.....	103.2	11.5	1.4	0.6	1.2	2.1	5.6	17.2	68.6	258.9	695.5	1,726.5
2001.....	101.3	11.8	1.4	0.6	1.1	2.1	5.4	16.7	70.7	263.4	682.9	1,718.0
2000.....	102.5	12.1	1.4	0.6	1.2	2.1	5.5	16.9	71.3	265.5	697.1	1,791.6
1999.....	102.2	12.2	1.6	0.7	1.2	2.1	5.1	16.2	73.7	270.4	700.2	1,785.3
Non-Hispanic white, male												
2006 5/.....	94.5	13.5	1.7	0.6	1.0	2.0	5.5	19.3	71.0	268.9	792.5	1,833.5
2005 5/.....	98.8	14.8	1.5	0.6	1.3	2.0	5.7	20.2	74.7	289.7	830.0	1,977.4
2004 5/.....	95.3	12.0	1.4	0.5	1.3	2.1	5.4	18.7	72.4	282.6	814.2	1,990.5
2003 5/.....	98.3	15.6	1.7	0.7	1.3	2.4	5.6	19.7	75.1	294.9	838.2	2,131.2
2002.....	99.0	14.6	1.6	0.6	1.3	2.2	5.9	18.7	74.0	297.2	862.1	2,224.6
2001.....	97.2	14.2	1.3	0.7	1.3	2.1	5.8	18.6	76.3	303.3	851.4	2,239.8
2000.....	99.0	14.4	1.3	0.7	1.4	2.2	6.0	18.2	77.8	307.5	877.2	2,421.7
1999.....	99.9	13.3	1.4	0.8	1.4	2.3	5.2	17.5	80.7	322.7	896.0	2,422.2
Non-Hispanic white, female												
2006 5/.....	101.1	9.9	1.3	0.4	0.8	2.0	5.2	16.9	58.9	215.8	549.8	1,284.6
2005 5/.....	108.7	9.1	1.2	0.6	0.8	2.1	5.5	16.9	63.3	224.8	588.7	1,445.2
2004 5/.....	102.3	10.6	1.4	0.5	0.9	1.6	5.2	15.0	62.1	219.0	561.0	1,365.3
2003 5/.....	108.0	10.6	1.6	0.7	1.1	1.8	5.3	15.9	63.9	227.5	587.6	1,498.3
2002.....	107.1	8.3	1.2	0.7	1.1	2.1	5.2	15.8	63.6	226.2	583.8	1,511.4
2001.....	105.3	9.2	1.4	0.6	1.0	2.1	5.0	14.9	65.4	229.6	571.1	1,501.0
2000.....	105.8	9.6	1.5	0.5	1.0	2.1	5.1	15.6	65.0	230.1	578.7	1,537.5
1999.....	104.4	11.1	1.8	0.6	1.1	1.9	5.0	14.9	67.0	226.7	572.0	1,531.4

Worktable Orig12. Death rates for 358 selected causes, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2006

[Rates per 100,000 population in specified group. Rates are based on populations enumerated as of April 1 for 2000 and estimated as of July 1 for all other years. Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.odc.gov/nchs> and refer to 'Detailed technical notes to the United States 2006 data-mortality']

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, and sex	All ages 1/	Under 1 year 2/	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
X. Diseases of the respiratory system (J00-J98)												
Non-Hispanic black, both sexes												
2006 5/.....	44.6	38.7	3.0	1.5	2.4	4.6	10.4	28.8	71.9	189.0	468.1	1,007.6
2005 5/.....	48.2	36.1	3.5	1.4	2.3	4.4	10.6	32.5	77.7	213.1	509.3	1,109.5
2004 5/.....	45.8	34.7	3.7	1.6	2.5	4.3	11.4	30.2	77.0	197.3	488.0	1,095.4
2003 5/.....	47.4	33.4	3.5	1.6	3.0	5.3	12.3	31.3	80.0	209.7	505.7	1,144.1
2002.....	48.2	35.2	4.2	1.8	2.8	4.7	12.8	29.7	81.1	209.0	526.5	1,214.4
2001.....	48.6	41.2	3.3	1.4	2.9	5.8	13.3	31.9	78.7	215.1	518.4	1,266.4
2000.....	49.6	39.7	3.2	1.6	3.1	5.4	13.0	33.7	85.0	233.6	522.4	1,247.8
1999.....	50.7	43.6	4.1	1.6	2.9	6.5	13.9	33.2	86.2	233.8	537.4	1,301.4
Non-Hispanic black, male												
2006 5/.....	47.3	46.2	3.6	1.8	2.9	5.2	10.9	33.0	91.0	255.1	668.8	1,341.4
2005 5/.....	51.5	39.8	4.2	1.7	2.8	5.0	11.6	38.3	99.9	286.5	735.0	1,489.2
2004 5/.....	49.6	38.7	3.7	2.0	2.7	5.7	13.0	35.2	99.4	274.2	706.8	1,521.1
2003 5/.....	51.7	38.8	4.5	2.0	3.6	6.8	12.5	35.2	103.9	290.1	763.0	1,590.7
2002.....	51.9	40.3	4.8	1.8	3.4	5.3	14.6	34.8	104.5	282.9	774.6	1,705.5
2001.....	52.1	45.3	3.9	1.5	3.2	6.5	14.0	37.0	99.0	295.7	778.7	1,792.5
2000.....	54.1	41.3	4.1	1.9	3.5	6.9	14.9	40.2	106.7	330.3	763.9	1,822.3
1999.....	55.7	46.8	5.4	2.0	3.4	6.7	15.2	40.2	111.0	327.8	813.9	1,907.5
Non-Hispanic black, female												
2006 5/.....	42.1	30.9	2.4	1.3	1.9	4.1	9.9	25.2	56.5	141.8	354.2	871.4
2005 5/.....	45.2	32.1	2.7	1.1	1.7	3.9	9.8	27.5	59.8	160.7	381.3	956.7
2004 5/.....	42.3	30.6	3.7	1.1	2.3	3.1	10.1	25.8	59.0	142.4	364.5	827.2
2003 5/.....	43.6	27.7	2.5	1.1	2.4	3.9	12.0	28.0	60.8	152.5	360.5	971.1
2002.....	44.8	30.0	3.6	1.9	2.2	4.2	11.2	25.2	62.3	156.6	386.2	1,026.7
2001.....	45.5	36.9	2.6	1.3	2.6	5.2	12.7	27.6	62.5	158.3	372.3	1,071.5
2000.....	45.4	38.1	2.2	1.3	2.6	4.0	11.3	28.1	67.6	165.6	386.4	1,034.4
1999.....	46.2	40.3	2.9	1.2	2.4	6.3	12.8	27.1	66.4	167.5	382.5	1,074.9

Worktable Orig12. Death rates for 358 selected causes, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2006

[Rates per 100,000 population in specified group. Rates are based on populations enumerated as of April 1 for 2000 and estimated as of July 1 for all other years. Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to 'Detailed technical notes to the United States 2006 data-mortality']

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, and sex	All ages 1/	Under 1 year 2/	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
Acute upper respiratory infections (J00-J06)												
Non-Hispanic 4/, both sexes												
2006.....	0.1	*	*	*	*	*	*	*	*	*	0.2	1.2
2005.....	0.1	*	*	*	*	*	*	*	*	*	0.3	1.6
2004.....	0.1	*	*	*	*	*	*	*	*	*	0.2	0.9
2003.....	0.1	*	*	*	*	*	*	*	*	*	0.2	1.5
2002.....	0.1	*	*	*	*	*	*	*	*	*	*	1.1
2001.....	0.1	*	*	*	*	*	*	*	*	*	0.2	1.3
2000.....	0.1	*	*	*	*	*	*	*	*	0.1	0.3	1.8
1999.....	0.1	*	*	*	*	*	*	*	*	*	0.4	1.7
Non-Hispanic 4/, male												
2006.....	0.1	*	*	*	*	*	*	*	*	*	*	*
2005.....	0.1	*	*	*	*	*	*	*	*	*	*	*
2004.....	0.0	*	*	*	*	*	*	*	*	*	*	*
2003.....	0.1	*	*	*	*	*	*	*	*	*	*	1.7
2002.....	0.0	*	*	*	*	*	*	*	*	*	*	*
2001.....	0.0	*	*	*	*	*	*	*	*	*	*	*
2000.....	0.1	*	*	*	*	*	*	*	*	*	*	*
1999.....	0.1	*	*	*	*	*	*	*	*	*	*	*
Non-Hispanic 4/, female												
2006.....	0.1	*	*	*	*	*	*	*	*	*	*	1.3
2005.....	0.1	*	*	*	*	*	*	*	*	*	*	1.9
2004.....	0.1	*	*	*	*	*	*	*	*	*	*	0.9
2003.....	0.1	*	*	*	*	*	*	*	*	*	*	1.4
2002.....	0.1	*	*	*	*	*	*	*	*	*	*	1.3
2001.....	0.1	*	*	*	*	*	*	*	*	*	*	1.6
2000.....	0.1	*	*	*	*	*	*	*	*	*	0.3	2.0
1999.....	0.1	*	*	*	*	*	*	*	*	*	0.3	2.0
Non-Hispanic white, both sexes												
2006 5/.....	0.1	*	*	*	*	*	*	*	*	*	0.2	1.3
2005 5/.....	0.1	*	*	*	*	*	*	*	*	*	0.3	1.7
2004 5/.....	0.1	*	*	*	*	*	*	*	*	*	0.2	0.8
2003 5/.....	0.1	*	*	*	*	*	*	*	*	*	0.2	1.5
2002.....	0.1	*	*	*	*	*	*	*	*	*	*	1.2
2001.....	0.1	*	*	*	*	*	*	*	*	*	0.2	1.4
2000.....	0.1	*	*	*	*	*	*	*	*	0.1	0.3	1.9
1999.....	0.1	*	*	*	*	*	*	*	*	*	0.4	1.8
Non-Hispanic white, male												
2006 5/.....	0.1	*	*	*	*	*	*	*	*	*	*	*
2005 5/.....	0.1	*	*	*	*	*	*	*	*	*	*	*
2004 5/.....	0.0	*	*	*	*	*	*	*	*	*	*	*
2003 5/.....	0.1	*	*	*	*	*	*	*	*	*	*	*
2002.....	0.0	*	*	*	*	*	*	*	*	*	*	*
2001.....	0.0	*	*	*	*	*	*	*	*	*	*	*
2000.....	0.1	*	*	*	*	*	*	*	*	*	*	*
1999.....	0.1	*	*	*	*	*	*	*	*	*	*	*
Non-Hispanic white, female												
2006 5/.....	0.1	*	*	*	*	*	*	*	*	*	*	1.5
2005 5/.....	0.1	*	*	*	*	*	*	*	*	*	*	2.1
2004 5/.....	0.1	*	*	*	*	*	*	*	*	*	*	0.9
2003 5/.....	0.1	*	*	*	*	*	*	*	*	*	*	1.4
2002.....	0.1	*	*	*	*	*	*	*	*	*	*	1.4
2001.....	0.1	*	*	*	*	*	*	*	*	*	*	1.7
2000.....	0.1	*	*	*	*	*	*	*	*	*	0.3	2.2
1999.....	0.1	*	*	*	*	*	*	*	*	*	0.3	2.2

Worktable Orig12. Death rates for 358 selected causes, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2006

[Rates per 100,000 population in specified group. Rates are based on populations enumerated as of April 1 for 2000 and estimated as of July 1 for all other years. Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to 'Detailed technical notes to the United States 2006 data-mortality']

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, and sex	All ages 1/	Under 1 year 2/	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
Other diseases of the respiratory system (J10-J98)												
All origins 3/, both sexes												
2006.....	75.6	16.5	1.7	0.7	1.1	2.1	5.4	17.9	60.9	219.8	608.2	1,390.0
2005.....	80.8	16.0	1.7	0.7	1.1	2.1	5.6	18.9	65.1	235.2	646.6	1,539.0
2004.....	77.3	15.7	1.8	0.7	1.3	2.0	5.6	17.2	63.6	229.0	626.8	1,496.3
2003.....	81.1	17.1	2.1	0.8	1.4	2.3	5.9	18.2	66.3	239.5	651.8	1,623.9
2002.....	81.3	15.5	1.8	0.8	1.3	2.3	6.0	17.6	65.6	240.2	662.0	1,662.6
2001.....	80.7	17.0	1.7	0.7	1.3	2.3	6.0	17.5	67.3	245.9	651.7	1,670.6
2000.....	82.0	16.9	1.7	0.8	1.4	2.4	6.2	17.9	68.7	250.1	667.2	1,732.2
1999.....	82.3	17.8	2.0	0.8	1.4	2.5	6.0	17.3	70.8	255.0	671.3	1,731.2
All origins 3/, male												
2006.....	73.5	19.2	1.9	0.8	1.3	2.2	5.6	19.4	68.4	251.7	751.9	1,751.8
2005.....	77.7	18.5	1.8	0.8	1.4	2.2	5.8	20.9	72.7	272.9	795.2	1,699.9
2004.....	75.1	17.4	1.8	0.8	1.4	2.3	5.9	19.2	70.6	267.1	779.2	1,914.6
2003.....	78.1	20.1	2.4	0.9	1.6	2.7	6.0	20.3	73.9	279.9	808.3	2,055.5
2002.....	78.9	18.6	2.1	0.8	1.5	2.4	6.5	19.4	72.9	282.1	832.7	2,149.3
2001.....	78.1	19.4	1.8	0.7	1.5	2.4	6.4	19.7	74.5	289.4	824.0	2,186.6
2000.....	80.1	18.7	1.7	0.8	1.6	2.6	6.8	19.9	77.1	296.9	851.2	2,343.3
1999.....	81.3	19.2	2.1	0.9	1.5	2.6	6.3	19.1	79.5	310.3	870.1	2,355.3
All origins 3/, female												
2006.....	77.7	13.6	1.5	0.5	0.9	2.1	5.2	16.4	53.9	192.9	510.0	1,220.8
2005.....	83.8	13.5	1.5	0.6	0.9	2.0	5.4	16.9	58.0	203.3	545.7	1,373.3
2004.....	79.4	14.0	1.8	0.5	1.1	1.7	5.4	15.3	57.1	197.0	524.2	1,308.1
2003.....	83.9	13.9	1.8	0.8	1.3	2.0	5.7	16.2	59.2	205.7	547.2	1,433.1
2002.....	83.7	12.4	1.4	0.8	1.1	2.1	5.6	15.8	58.9	205.4	548.8	1,451.5
2001.....	83.2	14.6	1.7	0.6	1.1	2.3	5.6	15.5	60.6	209.8	538.5	1,454.6
2000.....	83.9	15.1	1.6	0.7	1.2	2.2	5.6	16.0	61.1	211.5	547.3	1,483.4
1999.....	83.3	16.4	1.9	0.7	1.2	2.4	5.7	15.6	62.8	209.6	542.2	1,479.7
Hispanic, both sexes												
2006.....	19.0	14.0	1.5	0.5	0.8	1.4	2.9	9.5	30.7	107.6	353.7	950.8
2005.....	20.5	14.8	1.6	0.5	0.5	1.4	3.1	10.8	33.3	117.9	387.1	1,087.9
2004.....	19.6	14.2	1.6	0.5	1.0	1.3	3.4	9.8	31.4	117.8	382.8	1,092.7
2003.....	20.2	16.9	2.2	0.7	1.1	1.5	3.3	10.4	34.2	120.6	388.3	1,209.0
2002.....	20.0	12.5	1.3	0.6	0.8	1.4	3.4	10.0	34.7	119.9	406.0	1,273.3
2001.....	20.1	13.5	2.0	0.4	0.7	1.0	3.2	11.0	33.8	123.3	401.4	1,442.5
2000.....	20.0	15.8	1.6	0.7	0.8	1.7	4.1	10.4	37.1	122.4	413.0	1,406.0
1999.....	19.7	15.5	1.3	0.6	0.9	1.3	4.0	10.9	35.3	126.3	402.3	1,419.3
Hispanic, male												
2006.....	18.5	16.3	1.5	0.7	0.9	1.5	3.3	10.8	39.0	129.6	428.4	1,126.6
2005.....	20.2	16.2	1.4	0.6	0.7	1.6	3.6	12.5	40.9	143.3	500.1	1,298.8
2004.....	19.0	16.4	1.5	0.7	1.2	1.4	3.8	11.1	37.1	146.6	476.0	1,291.7
2003.....	19.9	19.7	2.7	0.8	1.3	1.6	3.5	12.2	41.8	151.5	497.0	1,477.7
2002.....	19.9	14.1	1.7	0.6	1.0	1.6	3.7	11.6	44.4	155.8	525.2	1,551.1
2001.....	19.7	14.4	2.0	*	0.9	1.1	3.6	12.5	40.9	156.4	515.1	1,839.8
2000.....	20.1	16.0	*	0.7	0.9	1.7	4.6	12.6	47.4	158.2	562.0	1,751.4
1999.....	19.7	17.3	1.4	0.7	0.8	1.2	4.6	11.8	41.5	161.7	538.1	1,880.6
Hispanic, female												
2006.....	19.6	11.6	1.5	*	0.7	1.2	2.3	8.1	23.1	89.7	301.4	857.3
2005.....	20.8	13.4	1.8	*	*	1.0	2.7	9.1	26.2	97.4	308.4	977.5
2004.....	20.3	12.0	1.7	*	0.7	1.2	2.9	8.4	26.3	94.7	318.3	990.3
2003.....	20.5	13.9	1.6	0.6	1.0	1.5	3.0	8.6	27.3	96.0	313.6	1,072.7
2002.....	20.1	10.8	*	0.6	*	1.2	3.1	8.4	26.0	91.4	324.3	1,135.6
2001.....	20.5	12.5	2.1	*	*	0.8	2.8	9.5	27.5	97.2	324.6	1,248.3
2000.....	20.0	15.7	1.9	0.7	0.7	1.6	3.5	8.1	28.0	95.9	313.0	1,236.5
1999.....	19.8	13.6	*	0.6	1.0	1.3	3.4	9.9	29.8	98.6	311.9	1,196.8

Worktable Orig12. Death rates for 358 selected causes, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2006

[Rates per 100,000 population in specified group. Rates are based on populations enumerated as of April 1 for 2000 and estimated as of July 1 for all other years. Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to 'Detailed technical notes to the United States 2006 data-mortality']

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, and sex	All ages 1/	Under 1 year 2/	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
Other diseases of the respiratory system (J10-J98)												
Non-Hispanic 4/, both sexes												
2006.....	85.3	17.1	1.8	0.7	1.2	2.3	5.9	18.8	63.3	228.1	623.2	1,410.6
2005.....	90.8	16.3	1.7	0.7	1.2	2.3	6.1	19.7	67.6	243.6	660.8	1,558.9
2004.....	86.5	16.1	1.8	0.7	1.3	2.2	5.9	18.0	66.0	236.5	639.3	1,512.1
2003.....	90.5	17.0	2.0	0.9	1.5	2.5	6.3	18.9	68.6	247.2	664.2	1,638.2
2002.....	90.6	16.3	1.9	0.8	1.4	2.4	6.4	18.2	67.9	247.8	672.9	1,674.7
2001.....	89.5	17.8	1.6	0.7	1.4	2.6	6.4	18.1	69.6	253.1	661.6	1,675.1
2000.....	90.6	17.1	1.7	0.8	1.5	2.6	6.4	18.4	70.8	257.1	676.1	1,739.8
1999.....	90.7	18.3	2.1	0.8	1.5	2.7	6.2	17.7	73.1	261.8	680.4	1,737.1
Non-Hispanic 4/, male												
2006.....	83.5	20.0	2.0	0.8	1.3	2.4	6.0	20.3	70.8	260.4	771.2	1,784.6
2005.....	87.8	19.0	2.0	0.8	1.5	2.4	6.2	21.8	75.1	281.9	811.3	1,928.9
2004.....	84.6	17.6	1.8	0.8	1.5	2.6	6.2	20.0	73.0	274.7	794.8	1,942.7
2003.....	87.6	20.0	2.3	0.9	1.7	2.9	6.4	21.0	76.0	287.8	823.0	2,078.5
2002.....	88.3	19.6	2.2	0.8	1.6	2.6	6.8	20.1	74.9	289.5	845.4	2,171.2
2001.....	87.1	20.6	1.7	0.8	1.6	2.7	6.8	20.2	76.7	296.7	836.3	2,196.0
2000.....	88.9	19.2	1.8	0.9	1.7	2.8	7.0	20.3	78.9	304.2	860.9	2,362.1
1999.....	89.9	19.6	2.2	0.9	1.7	2.8	6.5	19.6	81.8	317.7	881.3	2,366.6
Non-Hispanic 4/, female												
2006.....	87.1	14.1	1.6	0.6	1.0	2.2	5.7	17.3	56.4	200.7	522.1	1,236.8
2005.....	93.7	13.5	1.4	0.7	1.0	2.2	5.9	17.7	60.6	211.3	558.8	1,390.1
2004.....	88.4	14.5	1.8	0.6	1.1	1.7	5.7	16.0	59.6	204.4	534.7	1,319.6
2003.....	93.3	13.9	1.8	0.8	1.3	2.1	6.1	16.9	61.6	213.2	558.3	1,444.7
2002.....	92.8	12.7	1.5	0.9	1.2	2.3	5.9	16.4	61.4	213.0	558.5	1,480.5
2001.....	91.8	14.9	1.5	0.7	1.2	2.5	6.0	16.0	63.0	216.8	546.9	1,458.5
2000.....	92.3	14.9	1.5	0.7	1.2	2.3	5.9	16.6	63.4	218.3	555.7	1,488.2
1999.....	91.4	16.9	2.0	0.7	1.3	2.6	5.9	16.0	65.1	215.9	550.0	1,485.1
Non-Hispanic white, both sexes												
2006 5/.....	97.8	11.5	1.4	0.5	0.9	2.0	5.3	18.0	64.7	240.4	649.0	1,457.8
2005 5/.....	103.8	11.8	1.3	0.6	1.1	2.0	5.5	18.5	68.8	254.9	686.8	1,610.5
2004 5/.....	98.8	11.2	1.3	0.5	1.1	1.8	5.3	16.8	67.1	248.4	663.4	1,557.9
2003 5/.....	103.2	12.8	1.5	0.7	1.2	2.1	5.5	17.7	69.3	258.5	688.4	1,690.3
2002.....	103.1	11.5	1.3	0.6	1.1	2.1	5.5	17.2	68.6	258.8	695.4	1,725.4
2001.....	101.3	11.7	1.2	0.6	1.1	2.1	5.4	16.7	70.7	263.4	682.6	1,716.6
2000.....	102.4	11.8	1.3	0.6	1.2	2.1	5.5	16.8	71.2	265.4	696.8	1,789.7
1999.....	102.1	12.0	1.5	0.7	1.2	2.1	5.1	16.2	73.6	270.4	699.8	1,783.5
Non-Hispanic white, male												
2006 5/.....	94.5	13.1	1.6	0.6	1.0	2.0	5.5	19.2	70.9	268.8	792.2	1,832.5
2005 5/.....	98.8	14.5	1.4	0.6	1.3	2.0	5.6	20.2	74.6	289.7	829.7	1,976.7
2004 5/.....	95.3	11.9	1.3	0.5	1.3	2.1	5.4	18.6	72.4	282.5	814.0	1,989.8
2003 5/.....	98.3	15.0	1.6	0.7	1.3	2.4	5.6	19.7	75.0	294.8	838.0	2,129.6
2002.....	99.0	14.6	1.5	0.6	1.2	2.2	5.9	18.7	74.0	297.2	862.0	2,224.0
2001.....	97.2	14.1	1.2	0.6	1.3	2.0	5.8	18.5	76.3	303.2	851.2	2,239.0
2000.....	98.9	13.9	1.3	0.7	1.4	2.1	5.9	18.1	77.8	307.4	877.0	2,420.6
1999.....	99.8	13.1	1.3	0.8	1.4	2.3	5.2	17.4	80.7	322.6	895.6	2,421.4
Non-Hispanic white, female												
2006 5/.....	101.0	9.8	1.2	0.4	0.8	2.0	5.2	16.8	58.9	215.7	549.7	1,283.1
2005 5/.....	108.6	9.0	1.2	0.6	0.8	2.0	5.4	16.9	63.2	224.8	588.4	1,443.0
2004 5/.....	102.2	10.5	1.3	0.5	0.9	1.6	5.2	15.0	62.0	219.0	560.7	1,364.4
2003 5/.....	107.9	10.5	1.4	0.7	1.1	1.8	5.3	15.8	63.9	227.4	587.4	1,496.9
2002.....	107.0	8.2	1.2	0.6	1.0	2.1	5.2	15.7	63.5	226.1	583.7	1,510.0
2001.....	105.2	9.2	1.3	0.6	1.0	2.1	5.0	14.9	65.3	229.6	570.8	1,499.3
2000.....	105.7	9.6	1.4	0.5	1.0	2.1	5.0	15.5	65.0	230.0	578.3	1,535.3
1999.....	104.3	10.9	1.8	0.6	1.1	1.9	5.0	14.9	67.0	226.7	571.6	1,529.2

Worktable Orig12. Death rates for 358 selected causes, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2006

[Rates per 100,000 population in specified group. Rates are based on populations enumerated as of April 1 for 2000 and estimated as of July 1 for all other years. Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.odc.gov/nchs> and refer to 'Detailed technical notes to the United States 2006 data-mortality']

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, and sex	All ages 1/	Under 1 year 2/	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
Other diseases of the respiratory system (J10-J98)												
Non-Hispanic black, both sexes												
2006 5/.....	44.5	38.3	3.0	1.5	2.4	4.6	10.4	28.7	71.8	188.9	468.0	1,007.1
2005 5/.....	48.1	35.6	3.4	1.3	2.2	4.4	10.5	32.5	77.6	213.0	509.0	1,108.7
2004 5/.....	45.7	34.7	3.7	1.6	2.5	4.3	11.3	30.1	77.0	197.1	487.9	1,094.6
2003 5/.....	47.4	32.9	3.4	1.6	3.0	5.3	12.2	31.2	79.9	209.6	505.7	1,142.6
2002.....	48.1	34.6	4.1	1.8	2.8	4.7	12.8	29.6	81.1	208.9	526.3	1,214.4
2001.....	48.6	40.7	3.1	1.4	2.9	5.8	13.2	31.9	78.6	215.1	518.3	1,265.4
2000.....	49.5	39.5	3.1	1.6	3.0	5.4	13.0	33.6	85.0	233.5	522.3	1,247.2
1999.....	50.6	43.1	4.0	1.6	2.9	6.4	13.9	33.1	86.1	233.6	537.3	1,299.8
Non-Hispanic black, male												
2006 5/.....	47.3	45.3	3.5	1.8	2.9	5.2	10.9	32.9	90.9	254.9	668.8	1,339.6
2005 5/.....	51.5	39.5	4.2	1.6	2.8	5.0	11.5	38.2	99.9	286.5	734.4	1,487.3
2004 5/.....	49.5	38.7	3.7	2.0	2.7	5.7	12.8	35.2	99.3	274.0	706.5	1,520.1
2003 5/.....	51.6	38.5	4.4	2.0	3.6	6.8	12.3	35.0	103.7	289.8	763.0	1,587.5
2002.....	51.8	39.4	4.8	1.8	3.4	5.3	14.6	34.7	104.5	282.7	774.3	1,705.5
2001.....	52.0	44.4	3.6	1.5	3.2	6.5	13.9	37.0	98.8	295.7	778.7	1,792.5
2000.....	54.0	41.3	4.0	1.9	3.5	6.9	14.9	40.2	106.7	330.0	763.6	1,820.0
1999.....	55.6	46.4	5.1	1.9	3.3	6.5	15.2	40.2	110.8	327.7	813.9	1,902.8
Non-Hispanic black, female												
2006 5/.....	42.0	30.9	2.4	1.3	1.9	4.1	9.9	25.1	56.4	141.8	354.0	871.4
2005 5/.....	45.1	31.5	2.7	1.0	1.7	3.8	9.7	27.5	59.7	160.4	381.2	956.3
2004 5/.....	42.3	30.6	3.7	1.1	2.3	3.1	10.0	25.8	59.0	142.3	364.5	928.4
2003 5/.....	43.5	27.1	2.4	1.1	2.4	3.9	12.0	27.9	60.8	152.5	360.5	970.2
2002.....	44.8	29.7	3.4	1.9	2.1	4.2	11.2	25.2	62.2	156.5	386.0	1,026.7
2001.....	45.4	36.9	2.5	1.2	2.6	5.2	12.7	27.5	62.4	158.2	372.1	1,070.2
2000.....	45.4	37.7	2.2	1.3	2.5	4.0	11.3	27.9	67.6	165.6	386.4	1,034.4
1999.....	46.1	39.6	2.9	1.2	2.4	6.3	12.7	27.1	66.3	167.3	382.4	1,074.4

Worktable Orig12. Death rates for 358 selected causes, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2006

[Rates per 100,000 population in specified group. Rates are based on populations enumerated as of April 1 for 2000 and estimated as of July 1 for all other years. Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to 'Detailed technical notes to the United States 2006 data-mortality']

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, and sex	All ages 1/	Under 1 year 2/	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
Influenza (J10-J11)												
Non-Hispanic 4/, both sexes												
2006.....	0.3	*	*	*	*	*	*	0.1	0.1	0.5	1.9	7.3
2005.....	0.7	*	*	*	*	*	*	0.1	0.2	0.8	3.8	19.8
2004.....	0.4	*	*	*	*	*	*	0.1	0.2	0.6	2.3	11.8
2003.....	0.7	0.7	0.4	0.1	0.1	*	0.1	0.2	0.3	1.1	3.6	17.5
2002.....	0.3	*	*	*	*	*	*	*	0.1	0.3	1.4	9.0
2001.....	0.1	*	*	*	*	*	*	*	0.1	0.1	0.4	2.3
2000.....	0.7	*	*	*	*	*	0.0	0.1	0.4	1.1	4.1	20.5
1999.....	0.7	*	*	*	*	*	*	0.1	0.3	0.9	3.7	21.6
Non-Hispanic 4/, male												
2006.....	0.3	*	*	*	*	*	*	*	*	0.5	2.1	8.4
2005.....	0.5	*	*	*	*	*	*	0.1	0.3	0.7	3.8	18.7
2004.....	0.3	*	*	*	*	*	*	*	0.2	0.7	2.5	11.6
2003.....	0.5	*	0.4	*	*	*	*	0.2	0.3	1.1	3.7	17.5
2002.....	0.2	*	*	*	*	*	*	*	0.2	0.4	1.6	9.2
2001.....	0.1	*	*	*	*	*	*	*	*	*	*	2.3
2000.....	0.5	*	*	*	*	*	*	0.1	0.4	1.3	4.1	21.1
1999.....	0.5	*	*	*	*	*	*	*	0.3	0.8	4.3	20.7
Non-Hispanic 4/, female												
2006.....	0.4	*	*	*	*	*	*	*	0.1	0.4	1.8	6.7
2005.....	0.9	*	*	*	*	*	*	*	0.2	0.8	3.8	20.3
2004.....	0.5	*	*	*	*	*	*	*	0.2	0.4	2.2	11.8
2003.....	0.8	*	0.4	0.1	*	*	*	0.1	0.3	1.0	3.6	17.6
2002.....	0.3	*	*	*	*	*	*	*	*	0.2	1.3	8.9
2001.....	0.1	*	*	*	*	*	*	*	*	*	0.5	2.2
2000.....	0.9	*	*	*	*	*	*	0.1	0.4	1.0	4.1	20.3
1999.....	0.8	*	*	*	*	*	*	*	0.3	0.9	3.4	22.0
Non-Hispanic white, both sexes												
2006 5/.....	0.4	*	*	*	*	*	*	0.1	0.2	0.5	2.0	7.8
2005 5/.....	0.8	*	*	*	*	*	*	0.1	0.2	0.8	4.1	21.5
2004 5/.....	0.5	*	*	*	*	*	*	*	0.2	0.6	2.5	12.7
2003 5/.....	0.8	*	0.3	0.1	*	*	*	0.2	0.3	1.1	3.9	18.8
2002.....	0.3	*	*	*	*	*	*	*	0.1	0.3	1.6	9.6
2001.....	0.1	*	*	*	*	*	*	*	*	*	0.4	2.4
2000.....	0.8	*	*	*	*	*	*	0.1	0.4	1.2	4.3	21.7
1999.....	0.8	*	*	*	*	*	*	0.1	0.3	0.9	3.9	23.3
Non-Hispanic white, male												
2006 5/.....	0.3	*	*	*	*	*	*	*	*	0.6	2.2	8.9
2005 5/.....	0.6	*	*	*	*	*	*	*	0.3	0.8	4.1	19.9
2004 5/.....	0.4	*	*	*	*	*	*	*	0.2	0.8	2.5	12.7
2003 5/.....	0.6	*	*	*	*	*	*	0.2	0.3	1.2	4.0	18.9
2002.....	0.3	*	*	*	*	*	*	*	0.4	1.7	10.0	
2001.....	0.1	*	*	*	*	*	*	*	*	*	*	2.4
2000.....	0.6	*	*	*	*	*	*	*	0.4	1.4	4.3	22.0
1999.....	0.6	*	*	*	*	*	*	*	0.3	0.9	4.6	22.5
Non-Hispanic white, female												
2006 5/.....	0.4	*	*	*	*	*	*	*	0.2	0.4	2.0	7.3
2005 5/.....	1.0	*	*	*	*	*	*	*	0.2	0.9	4.2	22.2
2004 5/.....	0.6	*	*	*	*	*	*	*	0.2	0.5	2.4	12.8
2003 5/.....	1.0	*	*	*	*	*	*	0.1	0.3	1.1	3.9	18.7
2002.....	0.4	*	*	*	*	*	*	*	*	*	1.4	9.5
2001.....	0.1	*	*	*	*	*	*	*	*	*	0.4	2.4
2000.....	1.0	*	*	*	*	*	*	0.1	0.5	1.0	4.3	21.6
1999.....	1.0	*	*	*	*	*	*	*	0.3	1.0	3.5	23.5

Worktable Orig12. Death rates for 358 selected causes, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2006

[Rates per 100,000 population in specified group. Rates are based on populations enumerated as of April 1 for 2000 and estimated as of July 1 for all other years. Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to 'Detailed technical notes to the United States 2006 data-mortality']

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, and sex	All ages 1/	Under 1 year 2/	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
Pneumonia (J12-J18)												
All origins 3/, both sexes												
2006.....	18.5	5.9	0.7	0.1	0.4	0.8	1.9	4.6	9.8	31.6	125.9	495.5
2005.....	20.6	6.0	0.6	0.2	0.4	0.9	2.1	5.0	11.1	34.8	138.5	574.7
2004.....	19.9	6.3	0.6	0.2	0.4	0.7	2.0	4.5	10.7	34.0	137.0	571.2
2003.....	21.8	7.3	0.7	0.2	0.5	0.9	2.2	5.1	10.9	36.3	147.5	649.1
2002.....	22.5	6.3	0.7	0.2	0.4	0.9	2.1	4.7	11.1	37.2	155.5	687.8
2001.....	21.7	7.2	0.7	0.2	0.4	0.8	2.2	4.6	10.6	36.2	148.1	683.4
2000.....	22.6	7.4	0.6	0.2	0.4	0.9	2.3	4.6	11.5	38.0	156.4	723.9
1999.....	22.2	8.1	0.8	0.2	0.4	0.8	2.3	4.6	10.7	36.4	153.3	730.6
All origins 3/, male												
2006.....	17.1	7.2	0.6	0.1	0.4	0.8	2.1	5.5	12.2	38.4	155.0	578.3
2005.....	18.8	6.6	0.6	0.2	0.5	0.9	2.4	6.1	13.3	42.1	170.7	655.3
2004.....	18.3	7.5	0.5	0.2	0.5	0.9	2.2	5.5	12.8	42.1	170.3	666.1
2003.....	19.6	8.5	0.7	0.2	0.5	1.1	2.5	6.2	12.9	45.4	183.2	740.9
2002.....	20.2	7.6	0.8	0.2	0.4	0.9	2.4	5.7	13.4	46.0	193.1	796.9
2001.....	19.5	7.8	0.7	0.2	0.5	0.9	2.5	5.7	13.0	44.9	186.0	806.2
2000.....	20.3	8.1	0.6	0.2	0.5	1.0	2.7	5.6	14.0	47.1	195.8	871.3
1999.....	19.8	8.5	0.7	0.2	0.4	0.9	2.6	5.8	12.5	46.0	192.3	874.7
All origins 3/, female												
2006.....	19.9	4.6	0.7	*	0.4	0.8	1.7	3.7	7.7	25.9	106.1	456.7
2005.....	22.5	5.3	0.6	0.2	0.2	0.8	1.8	4.0	8.9	28.7	116.7	537.6
2004.....	21.5	5.0	0.8	0.2	0.3	0.5	1.8	3.5	8.6	27.3	114.6	528.5
2003.....	23.9	6.0	0.6	0.3	0.4	0.7	1.9	4.0	9.1	28.6	123.7	608.5
2002.....	24.8	5.0	0.6	0.2	0.3	0.8	1.9	3.8	9.0	29.8	130.6	640.5
2001.....	23.8	6.7	0.7	0.2	0.4	0.7	1.9	3.5	8.4	29.0	123.2	632.0
2000.....	24.8	6.6	0.6	0.2	0.4	0.8	1.9	3.6	9.1	30.6	130.6	663.9
1999.....	24.6	7.7	0.8	0.2	0.4	0.7	2.0	3.4	9.1	28.4	128.0	672.5
Hispanic, both sexes												
2006.....	6.6	5.7	0.5	*	0.3	0.6	1.2	3.6	9.7	30.7	113.8	388.9
2005.....	7.1	6.2	0.7	*	*	0.5	1.5	3.9	10.3	34.1	120.9	450.5
2004.....	7.0	5.2	0.6	*	0.4	0.6	1.3	3.7	9.6	32.9	124.9	479.5
2003.....	7.2	6.5	0.7	*	0.5	0.7	1.2	3.9	10.4	34.8	132.4	511.0
2002.....	7.2	5.5	*	*	*	0.6	1.3	3.4	10.5	33.6	142.1	563.2
2001.....	7.3	7.0	1.0	*	*	0.3	1.3	3.5	9.1	35.3	136.3	660.3
2000.....	7.3	7.5	*	*	0.3	0.7	1.6	3.8	11.0	37.2	134.3	633.0
1999.....	6.5	7.9	*	*	0.4	0.4	1.5	3.4	9.2	30.9	116.7	607.6
Hispanic, male												
2006.....	6.2	6.4	*	*	*	0.7	1.4	4.4	12.5	36.5	131.5	438.7
2005.....	6.7	6.7	*	*	*	0.6	1.7	4.9	12.8	42.0	149.0	488.2
2004.....	6.5	7.3	*	*	0.6	0.7	1.5	4.9	11.5	38.5	151.3	526.8
2003.....	6.7	7.5	*	*	*	0.8	1.3	5.2	11.4	42.8	165.0	571.1
2002.....	6.9	7.3	*	*	*	0.6	1.7	4.7	13.9	43.6	172.8	654.2
2001.....	6.8	7.4	*	*	*	1.7	5.0	11.4	40.7	172.6	765.6	
2000.....	7.1	7.6	*	*	*	0.7	2.1	5.2	14.6	45.6	178.0	751.8
1999.....	6.1	10.3	*	*	*	2.0	4.7	9.9	39.5	147.0	718.2	
Hispanic, female												
2006.....	7.0	4.8	*	*	*	0.9	2.8	7.1	26.0	101.4	362.5	
2005.....	7.5	5.7	*	*	*	1.1	2.9	8.0	27.8	101.4	430.8	
2004.....	7.5	*	*	*	*	1.2	2.5	7.9	28.4	106.7	455.2	
2003.....	7.7	5.4	*	*	*	1.1	2.6	9.6	28.4	111.4	480.5	
2002.....	7.5	*	*	*	*	0.9	2.1	7.4	25.7	121.1	518.1	
2001.....	7.8	6.5	*	*	*	0.9	2.1	7.1	31.0	111.8	608.8	
2000.....	7.6	7.4	*	*	*	1.0	2.3	7.9	30.7	105.0	574.7	
1999.....	6.8	5.4	*	*	*	0.8	2.2	8.5	24.1	96.4	554.2	

Worktable Orig12. Death rates for 358 selected causes, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2006

[Rates per 100,000 population in specified group. Rates are based on populations enumerated as of April 1 for 2000 and estimated as of July 1 for all other years. Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to 'Detailed technical notes to the United States 2006 data-mortality']

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, and sex	All ages 1/	Under 1 year 2/	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
Pneumonia (J12-J18)												
Non-Hispanic 4/, both sexes												
2006.....	20.6	5.9	0.7	0.1	0.4	0.9	2.0	4.7	9.9	31.6	126.5	500.2
2005.....	22.9	5.9	0.5	0.2	0.4	0.9	2.2	5.1	11.1	34.7	139.2	580.1
2004.....	22.0	6.6	0.6	0.2	0.4	0.8	2.1	4.6	10.7	33.9	137.4	574.2
2003.....	24.0	7.4	0.6	0.3	0.5	0.9	2.3	5.2	10.9	36.2	148.0	653.6
2002.....	24.8	6.5	0.7	0.2	0.4	0.9	2.3	4.9	11.1	37.3	155.6	691.2
2001.....	23.8	7.2	0.6	0.2	0.5	0.9	2.3	4.6	10.6	36.0	148.2	682.5
2000.....	24.7	7.3	0.6	0.2	0.5	0.9	2.4	4.6	11.4	37.9	156.6	725.2
1999.....	24.3	8.1	0.8	0.2	0.4	0.9	2.4	4.6	10.7	36.5	154.2	732.4
Non-Hispanic 4/, male												
2006.....	19.1	7.4	0.7	0.1	0.5	0.9	2.2	5.6	12.2	38.4	156.1	585.5
2005.....	20.9	6.5	0.5	0.2	0.6	1.0	2.5	6.2	13.3	41.9	171.5	663.5
2004.....	20.3	7.5	0.5	0.2	0.5	1.0	2.3	5.6	12.8	42.0	171.0	671.6
2003.....	21.7	8.7	0.7	0.2	0.5	1.1	2.7	6.3	12.9	45.3	183.9	747.1
2002.....	22.3	7.6	0.8	0.2	0.5	1.0	2.5	5.8	13.4	45.9	193.5	801.5
2001.....	21.4	7.8	0.6	0.2	0.5	1.0	2.6	5.7	13.0	44.8	186.1	805.9
2000.....	22.2	8.2	0.7	0.2	0.5	1.0	2.8	5.6	13.9	46.8	195.7	873.8
1999.....	21.7	8.0	0.8	0.2	0.5	1.1	2.6	5.8	12.5	46.2	193.4	877.2
Non-Hispanic 4/, female												
2006.....	21.9	4.4	0.7	*	0.4	0.9	1.9	3.8	7.7	25.8	106.2	460.6
2005.....	24.8	5.2	0.5	0.3	0.3	0.8	1.9	4.1	9.0	29.7	117.3	542.0
2004.....	23.7	5.6	0.8	0.2	0.3	0.6	1.8	3.6	8.7	27.1	114.8	530.7
2003.....	26.3	6.1	0.6	0.3	0.4	0.7	2.0	4.1	9.0	28.5	124.1	612.4
2002.....	27.2	5.3	0.6	0.2	0.4	0.8	2.0	4.0	9.1	30.1	130.6	643.7
2001.....	26.0	6.6	0.6	0.2	0.4	0.8	2.0	3.6	8.5	28.8	123.3	631.3
2000.....	27.1	6.4	0.5	0.1	0.4	0.8	2.0	3.7	9.2	30.4	131.2	665.2
1999.....	26.8	8.2	0.9	0.2	0.4	0.8	2.2	3.5	9.1	28.5	128.8	674.4
Non-Hispanic white, both sexes												
2006 5/.....	22.7	4.1	0.6	0.1	0.4	0.8	1.9	4.2	9.3	30.4	125.9	506.5
2005 5/.....	25.3	3.8	0.4	0.2	0.4	0.9	2.0	4.6	10.2	33.1	139.2	591.2
2004 5/.....	24.3	4.6	0.5	0.1	0.4	0.7	1.8	4.0	9.9	32.6	136.3	581.1
2003 5/.....	26.6	5.7	0.6	0.3	0.5	0.8	2.0	4.5	9.8	34.6	148.0	665.7
2002.....	27.6	4.7	0.5	0.2	0.4	0.8	2.0	4.4	10.2	36.4	155.3	703.1
2001.....	26.1	4.6	0.5	0.2	0.4	0.8	1.9	4.0	9.8	34.9	146.7	691.5
2000.....	27.1	4.8	0.5	0.2	0.4	0.8	2.1	3.9	10.3	35.6	155.9	738.1
1999.....	26.8	5.2	0.6	0.2	0.4	0.7	1.9	3.9	9.7	35.2	154.8	743.7
Non-Hispanic white, male												
2006 5/.....	20.9	5.4	0.6	*	0.5	0.8	2.0	4.9	11.4	36.5	154.7	589.9
2005 5/.....	22.7	4.7	*	0.2	0.6	0.9	2.2	5.4	11.9	39.3	170.5	673.6
2004 5/.....	22.0	5.3	*	*	0.5	0.9	2.0	4.8	11.8	39.5	168.2	678.4
2003 5/.....	23.5	6.8	0.6	0.2	0.5	1.0	2.3	5.4	11.1	42.5	181.5	755.2
2002.....	24.3	6.0	0.5	0.2	0.5	0.9	2.2	5.1	11.9	44.5	191.5	810.6
2001.....	23.0	5.3	0.6	0.2	0.5	0.9	2.1	4.8	11.6	42.6	182.0	811.5
2000.....	23.8	5.4	0.4	0.2	0.5	0.8	2.4	4.6	12.2	43.3	193.2	886.1
1999.....	23.4	5.4	*	0.2	0.4	0.9	2.0	4.7	11.1	43.8	192.7	886.8
Non-Hispanic white, female												
2006 5/.....	24.6	2.8	0.6	*	0.4	0.8	1.7	3.4	7.4	25.2	105.9	467.7
2005 5/.....	27.9	2.8	0.4	0.3	0.3	0.8	1.7	3.7	8.5	27.7	117.6	553.5
2004 5/.....	26.5	3.8	0.6	*	0.2	0.5	1.6	3.2	8.1	26.6	114.6	537.5
2003 5/.....	29.6	4.5	0.5	0.3	0.4	0.6	1.8	3.7	8.5	27.9	125.4	626.4
2002.....	30.7	3.4	0.5	0.2	0.3	0.8	1.8	3.7	8.5	29.5	131.1	656.6
2001.....	29.1	3.8	0.4	0.2	0.3	0.7	1.7	3.2	8.0	28.3	123.3	641.7
2000.....	30.3	4.2	0.5	**	0.3	0.8	1.7	3.3	8.5	29.1	131.4	678.4
1999.....	30.0	4.9	0.7	0.2	0.3	0.6	1.8	3.0	8.4	28.0	130.0	686.6

Worktable Orig12. Death rates for 358 selected causes, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2006

[Rates per 100,000 population in specified group. Rates are based on populations enumerated as of April 1 for 2000 and estimated as of July 1 for all other years. Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.odc.gov/nchs> and refer to 'Detailed technical notes to the United States 2006 data-mortality']

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, and sex	All ages 1/	Under 1 year 2/	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
Pneumonia (J12-J18)												
Non-Hispanic black, both sexes												
2006 5/.....	13.8	12.9	1.2	*	0.6	1.4	3.3	8.9	16.2	45.3	140.2	437.7
2005 5/.....	15.1	14.3	1.0	*	0.5	1.4	3.8	9.9	20.1	52.9	150.4	471.3
2004 5/.....	15.1	14.0	1.2	*	0.6	1.2	4.0	9.2	18.9	50.0	156.7	509.2
2003 5/.....	15.6	13.3	0.9	*	0.6	1.9	4.5	10.2	20.8	54.4	156.4	522.4
2002.....	16.0	13.1	1.5	*	0.6	1.6	4.5	8.9	21.4	50.5	167.3	577.4
2001.....	15.9	16.9	1.0	*	0.8	1.7	4.9	9.9	19.0	48.7	169.1	581.5
2000.....	16.6	17.2	1.2	*	0.8	1.8	4.5	10.1	22.1	59.9	170.8	595.0
1999.....	16.5	19.3	1.7	*	0.9	2.0	5.4	10.7	20.7	54.0	156.6	628.9
Non-Hispanic black, male												
2006 5/.....	13.5	15.7	*	*	0.7	1.4	3.7	11.6	21.8	59.3	180.5	509.4
2005 5/.....	15.0	14.0	*	*	0.7	1.7	4.8	13.0	27.7	71.0	190.6	530.0
2004 5/.....	15.4	15.8	*	*	*	1.6	4.9	12.0	24.7	72.7	218.2	606.6
2003 5/.....	16.2	15.2	*	*	0.7	2.3	5.4	13.0	29.4	78.5	219.9	639.3
2002.....	15.8	13.9	1.6	*	*	1.8	5.2	11.5	29.3	66.0	230.6	693.6
2001.....	16.3	16.6	*	*	0.8	2.0	5.9	13.5	26.4	69.7	242.5	716.1
2000.....	17.1	18.8	1.7	*	0.7	2.3	5.7	14.0	30.1	83.4	233.9	750.3
1999.....	16.8	19.1	2.0	*	0.8	2.3	6.6	15.1	27.2	77.0	213.3	799.9
Non-Hispanic black, female												
2006 5/.....	14.0	10.0	*	*	*	1.4	3.0	6.6	11.7	35.2	117.4	408.4
2005 5/.....	15.3	14.6	*	*	*	1.2	2.9	7.3	14.0	40.0	127.6	447.7
2004 5/.....	14.8	12.2	1.7	*	0.7	0.8	3.3	6.9	14.3	33.8	122.0	470.6
2003 5/.....	15.0	11.3	*	*	*	1.5	3.7	7.8	13.9	37.2	120.6	477.1
2002.....	16.1	12.3	*	*	*	1.4	3.9	6.6	15.1	39.5	131.5	533.0
2001.....	15.6	17.1	*	*	0.8	1.3	4.0	6.9	13.0	33.9	127.9	531.7
2000.....	16.3	15.5	*	*	0.8	1.2	3.5	6.8	15.6	43.3	135.3	537.3
1999.....	16.3	19.6	*	*	0.9	1.7	4.4	6.9	15.5	37.7	124.8	565.0

Worktable Orig12. Death rates for 358 selected causes, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2006

[Rates per 100,000 population in specified group. Rates are based on populations enumerated as of April 1 for 2000 and estimated as of July 1 for all other years. Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to 'Detailed technical notes to the United States 2006 data-mortality']

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, and sex	All ages 1/	Under 1 year 2/	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
Viral pneumonia, not elsewhere classified (J12)												
Non-Hispanic 4/, both sexes												
2006.....	0.1	1.3	*	*	*	*	*	*	*	0.1	0.4	1.0
2005.....	0.1	1.3	*	*	*	*	*	*	0.1	0.2	0.5	1.4
2004.....	0.1	1.3	*	*	*	*	*	*	*	*	0.4	1.3
2003.....	0.1	1.6	*	*	*	*	*	*	*	0.2	0.5	2.1
2002.....	0.1	1.4	*	*	*	*	*	*	*	0.2	0.5	1.7
2001.....	0.1	1.9	*	*	*	*	*	*	*	0.1	0.5	1.5
2000.....	0.1	1.5	*	*	*	*	*	*	0.1	0.2	0.7	2.9
1999.....	0.2	2.0	*	*	*	*	*	*	0.1	0.2	0.8	2.4
Non-Hispanic 4/, male												
2006.....	0.1	1.7	*	*	*	*	*	*	*	*	0.4	*
2005.....	0.1	1.7	*	*	*	*	*	*	*	0.3	0.5	1.4
2004.....	0.1	1.6	*	*	*	*	*	*	*	*	0.4	*
2003.....	0.1	1.7	*	*	*	*	*	*	*	*	0.6	2.1
2002.....	0.1	1.8	*	*	*	*	*	*	*	*	0.7	2.0
2001.....	0.1	2.3	*	*	*	*	*	*	*	*	0.8	1.9
2000.....	0.1	1.7	*	*	*	*	*	*	*	*	0.8	2.5
1999.....	0.1	2.1	*	*	*	*	*	*	*	*	1.3	1.9
Non-Hispanic 4/, female												
2006.....	0.1	*	*	*	*	*	*	*	*	*	0.3	1.0
2005.....	0.1	*	*	*	*	*	*	*	*	*	0.4	1.4
2004.....	0.1	*	*	*	*	*	*	*	*	*	0.4	1.4
2003.....	0.1	1.5	*	*	*	*	*	*	*	*	0.4	2.1
2002.....	0.1	*	*	*	*	*	*	*	*	*	0.4	1.7
2001.....	0.1	1.5	*	*	*	*	*	*	*	*	0.3	1.3
2000.....	0.2	*	*	*	*	*	*	*	*	0.3	0.7	3.0
1999.....	0.2	1.9	*	*	*	*	*	*	*	0.3	0.5	2.6
Non-Hispanic white, both sexes												
2006 5/.....	0.1	0.9	*	*	*	*	*	*	*	*	0.4	1.1
2005 5/.....	0.1	1.2	*	*	*	*	*	*	*	0.2	0.5	1.5
2004 5/.....	0.1	0.9	*	*	*	*	*	*	*	*	0.5	1.4
2003 5/.....	0.1	1.4	*	*	*	*	*	*	*	*	0.5	2.3
2002.....	0.1	1.1	*	*	*	*	*	*	*	0.2	0.6	1.8
2001.....	0.1	1.3	*	*	*	*	*	*	*	*	0.5	1.6
2000.....	0.2	1.1	*	*	*	*	*	*	0.1	0.2	0.8	3.1
1999.....	0.2	1.4	*	*	*	*	*	*	0.1	0.2	0.8	2.5
Non-Hispanic white, male												
2006 5/.....	0.1	*	*	*	*	*	*	*	*	*	*	*
2005 5/.....	0.1	*	*	*	*	*	*	*	*	*	0.6	1.5
2004 5/.....	0.1	*	*	*	*	*	*	*	*	*	0.5	*
2003 5/.....	0.1	*	*	*	*	*	*	*	*	*	0.6	2.2
2002.....	0.1	*	*	*	*	*	*	*	*	*	0.7	2.0
2001.....	0.1	*	*	*	*	*	*	*	*	*	0.9	2.0
2000.....	0.1	*	*	*	*	*	*	*	*	*	0.9	2.8
1999.....	0.1	*	*	*	*	*	*	*	*	*	1.2	2.0
Non-Hispanic white, female												
2006 5/.....	0.1	*	*	*	*	*	*	*	*	*	0.4	1.2
2005 5/.....	0.1	*	*	*	*	*	*	*	*	*	0.5	1.5
2004 5/.....	0.1	*	*	*	*	*	*	*	*	*	0.5	1.5
2003 5/.....	0.1	*	*	*	*	*	*	*	*	*	0.4	2.3
2002.....	0.1	*	*	*	*	*	*	*	*	*	0.5	1.7
2001.....	0.1	*	*	*	*	*	*	*	*	*	*	1.4
2000.....	0.2	*	*	*	*	*	*	*	*	0.3	0.7	3.2
1999.....	0.2	*	*	*	*	*	*	*	*	0.3	0.5	2.7

Worktable Orig12. Death rates for 358 selected causes, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2006

[Rates per 100,000 population in specified group. Rates are based on populations enumerated as of April 1 for 2000 and estimated as of July 1 for all other years. Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to 'Detailed technical notes to the United States 2006 data-mortality']

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, and sex	All ages 1/	Under 1 year 2/	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
Bacterial pneumonia (J13-J15)												
All origins 3/, both sexes												
2006.....	1.5	1.0	0.2	*	0.1	0.1	0.3	0.7	1.4	3.5	10.8	27.7
2005.....	1.6	1.1	*	0.1	0.1	0.1	0.3	0.7	1.6	3.8	10.6	31.3
2004.....	1.5	0.8	*	*	*	0.1	0.3	0.7	1.4	3.4	10.5	30.1
2003.....	1.6	1.0	0.2	0.1	0.1	0.1	0.3	0.8	1.4	3.7	11.1	34.9
2002.....	1.6	1.1	*	*	*	0.1	0.3	0.7	1.3	3.6	11.3	35.7
2001.....	1.6	0.8	*	*	*	0.1	0.3	0.6	1.5	3.5	11.0	34.8
2000.....	1.6	0.8	*	*	*	0.1	0.4	0.7	1.6	3.7	11.0	35.7
1999.....	1.4	1.3	0.1	*	*	0.1	0.4	0.5	1.3	3.3	9.8	30.1
All origins 3/, male												
2006.....	1.6	1.1	*	*	*	0.1	0.3	0.9	1.8	4.5	14.7	37.2
2005.....	1.7	1.1	*	*	*	0.2	0.3	0.9	1.8	4.7	13.9	43.1
2004.....	1.5	*	*	*	*	0.1	0.3	0.8	1.5	4.2	14.1	41.1
2003.....	1.7	1.2	*	*	*	0.1	0.4	0.9	1.7	4.9	14.5	45.7
2002.....	1.6	1.2	*	*	*	0.1	0.3	0.7	1.6	4.4	15.1	46.8
2001.....	1.6	*	*	*	*	0.1	0.3	0.7	1.8	4.5	15.1	46.8
2000.....	1.7	1.1	*	*	*	0.1	0.4	0.8	1.8	4.8	15.6	52.3
1999.....	1.4	1.2	*	*	*	*	0.4	0.7	1.4	4.2	12.5	40.4
All origins 3/, female												
2006.....	1.4	1.0	*	*	*	0.1	0.3	0.6	1.0	2.6	8.1	23.3
2005.....	1.6	1.0	*	*	*	0.1	0.3	0.5	1.3	3.1	8.4	25.9
2004.....	1.5	*	*	*	*	*	0.3	0.5	1.3	2.7	8.0	25.2
2003.....	1.6	*	*	*	*	*	0.3	0.6	1.1	2.7	8.8	30.2
2002.....	1.6	*	*	*	*	0.1	0.3	0.6	1.1	2.9	8.8	31.0
2001.....	1.5	*	*	*	*	*	0.2	0.5	1.2	2.6	8.3	29.8
2000.....	1.5	*	*	*	*	0.1	0.3	0.6	1.3	2.9	8.0	29.0
1999.....	1.4	1.5	*	*	*	*	0.4	0.4	1.2	2.6	7.9	26.0
Hispanic, both sexes												
2006.....	0.8	*	*	*	*	*	0.3	0.7	1.8	3.4	13.3	29.0
2005.....	0.8	*	*	*	*	*	*	0.8	1.9	4.2	11.7	32.1
2004.....	0.8	*	*	*	*	*	*	0.7	1.2	4.6	13.6	34.2
2003.....	0.8	*	*	*	*	*	*	0.6	1.5	4.6	13.7	41.5
2002.....	0.7	*	*	*	*	*	*	0.9	1.4	3.0	10.0	41.0
2001.....	0.7	*	*	*	*	*	*	*	1.5	4.0	12.1	50.0
2000.....	0.8	*	*	*	*	*	*	0.7	2.0	4.1	11.7	45.8
1999.....	0.6	*	*	*	*	*	*	*	1.4	3.3	9.8	37.2
Hispanic, male												
2006.....	0.8	*	*	*	*	*	*	0.9	2.5	4.2	17.4	29.3
2005.....	0.8	*	*	*	*	*	*	1.2	2.2	5.2	15.0	39.8
2004.....	0.8	*	*	*	*	*	*	1.0	*	5.8	16.5	47.6
2003.....	0.9	*	*	*	*	*	*	*	*	5.7	16.5	47.7
2002.....	0.7	*	*	*	*	*	*	*	*	4.2	9.0	51.9
2001.....	0.8	*	*	*	*	*	*	*	*	6.4	15.2	49.5
2000.....	0.9	*	*	*	*	*	*	*	*	5.5	16.2	66.5
1999.....	0.6	*	*	*	*	*	*	*	*	*	13.6	*
Hispanic, female												
2006.....	0.8	*	*	*	*	*	*	*	*	2.8	10.4	28.8
2005.....	0.8	*	*	*	*	*	*	*	1.7	3.3	9.3	28.0
2004.....	0.8	*	*	*	*	*	*	*	*	3.5	11.6	27.4
2003.....	0.8	*	*	*	*	*	*	*	*	3.7	11.9	38.3
2002.....	0.7	*	*	*	*	*	*	*	*	*	10.7	35.6
2001.....	0.7	*	*	*	*	*	*	*	*	*	10.0	50.3
2000.....	0.7	*	*	*	*	*	*	*	*	*	8.6	35.6
1999.....	0.6	*	*	*	*	*	*	*	*	*	7.3	38.5

Worktable Orig12. Death rates for 358 selected causes, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2006

[Rates per 100,000 population in specified group. Rates are based on populations enumerated as of April 1 for 2000 and estimated as of July 1 for all other years. Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to 'Detailed technical notes to the United States 2006 data-mortality']

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, and sex	All ages 1/	Under 1 year 2/	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
Bacterial pneumonia (J13-J15)												
Non-Hispanic 4/, both sexes												
2006.....	1.6	1.0	0.2	*	0.1	0.1	0.3	0.7	1.3	3.5	10.6	27.6
2005.....	1.7	1.0	*	*	0.1	0.2	0.3	0.7	1.5	3.8	10.5	31.2
2004.....	1.6	0.8	*	*	*	0.1	0.3	0.7	1.4	3.3	10.3	29.8
2003.....	1.8	0.9	0.2	0.1	*	0.1	0.3	0.8	1.4	3.7	11.0	34.6
2002.....	1.7	1.0	*	*	*	0.1	0.3	0.6	1.3	3.7	11.3	35.3
2001.....	1.7	0.6	*	*	*	0.1	0.3	0.6	1.5	3.4	10.9	34.1
2000.....	1.7	0.9	*	*	*	0.1	0.4	0.7	1.5	3.7	10.9	35.3
1999.....	1.5	1.5	*	*	*	0.1	0.4	0.6	1.3	3.3	9.7	29.8
Non-Hispanic 4/, male												
2006.....	1.8	*	*	*	*	*	0.3	0.8	1.8	4.5	14.5	37.6
2005.....	1.8	*	*	*	*	0.2	0.3	0.9	1.7	4.6	13.8	43.2
2004.....	1.6	*	*	*	*	0.1	0.3	0.8	1.5	4.0	14.0	40.7
2003.....	1.8	*	*	*	*	0.1	0.4	0.9	1.6	4.9	14.4	45.4
2002.....	1.8	*	*	*	*	0.1	0.3	0.7	1.6	4.4	15.3	46.4
2001.....	1.7	*	*	*	*	0.1	0.3	0.7	1.7	4.4	15.1	46.5
2000.....	1.8	*	*	*	*	*	0.4	0.7	1.8	4.7	15.5	51.6
1999.....	1.5	*	*	*	*	*	0.4	0.7	1.3	4.2	12.5	40.6
Non-Hispanic 4/, female												
2006.....	1.5	*	*	*	*	*	0.3	0.6	0.9	2.6	7.9	23.0
2005.....	1.7	*	*	*	*	0.2	0.3	0.6	1.3	3.1	8.3	25.8
2004.....	1.6	*	*	*	*	*	0.3	0.6	1.3	2.6	7.8	25.0
2003.....	1.7	*	*	*	*	*	0.3	0.6	1.1	2.7	8.7	29.8
2002.....	1.7	*	*	*	*	0.1	0.3	0.6	1.1	3.0	8.7	30.6
2001.....	1.6	*	*	*	*	*	0.2	0.6	1.2	2.6	8.2	29.0
2000.....	1.6	*	*	*	*	0.1	0.3	0.6	1.3	2.9	8.0	28.6
1999.....	1.5	1.8	*	*	*	*	0.4	0.4	1.2	2.5	8.0	25.5
Non-Hispanic white, both sexes												
2006 5/.....	1.8	*	*	*	0.1	0.1	0.3	0.6	1.3	3.5	10.5	27.7
2005 5/.....	1.9	*	*	*	*	0.1	0.3	0.7	1.3	3.7	10.5	31.6
2004 5/.....	1.7	*	*	*	*	0.1	0.3	0.6	1.3	3.1	10.0	29.6
2003 5/.....	1.9	*	*	*	*	0.1	0.3	0.7	1.2	3.6	10.9	34.6
2002.....	1.9	*	*	*	*	0.1	0.3	0.6	1.2	3.6	11.2	35.8
2001.....	1.8	*	*	*	*	0.1	0.2	0.6	1.4	3.3	10.8	34.2
2000.....	1.8	*	*	*	*	0.1	0.4	0.6	1.4	3.5	10.7	35.0
1999.....	1.6	1.0	*	*	*	0.1	0.3	0.5	1.1	3.2	9.7	29.9
Non-Hispanic white, male												
2006 5/.....	1.9	*	*	*	*	*	0.3	0.7	1.7	4.4	14.2	38.1
2005 5/.....	1.9	*	*	*	*	*	0.3	0.8	1.5	4.4	13.7	43.8
2004 5/.....	1.7	*	*	*	*	*	0.2	0.7	1.3	3.7	13.5	41.1
2003 5/.....	1.9	*	*	*	*	*	0.3	0.8	1.3	4.7	14.3	45.7
2002.....	1.9	*	*	*	*	*	0.3	0.6	1.4	4.3	14.9	47.5
2001.....	1.8	*	*	*	*	*	0.2	0.6	1.6	4.1	14.6	46.2
2000.....	1.9	*	*	*	*	*	0.4	0.6	1.6	4.4	15.2	50.2
1999.....	1.5	*	*	*	*	*	0.3	0.6	1.2	4.0	12.3	40.3
Non-Hispanic white, female												
2006 5/.....	1.7	*	*	*	*	*	0.3	0.6	1.0	2.6	7.9	22.9
2005 5/.....	1.8	*	*	*	*	*	0.3	0.5	1.2	3.1	8.3	26.0
2004 5/.....	1.7	*	*	*	*	*	0.3	0.5	1.3	2.6	7.5	24.4
2003 5/.....	1.9	*	*	*	*	*	0.3	0.6	1.1	2.7	8.6	29.7
2002.....	1.9	*	*	*	*	*	0.3	0.5	1.1	3.0	8.7	30.8
2001.....	1.8	*	*	*	*	*	0.2	0.6	1.2	2.6	8.3	29.2
2000.....	1.7	*	*	*	*	*	0.3	0.5	1.3	2.7	7.7	28.9
1999.....	1.6	*	*	*	*	*	0.4	0.4	1.1	2.5	8.0	25.8

Worktable Orig12. Death rates for 358 selected causes, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2006

[Rates per 100,000 population in specified group. Rates are based on populations enumerated as of April 1 for 2000 and estimated as of July 1 for all other years. Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.odc.gov/nchs> and refer to 'Detailed technical notes to the United States 2006 data-mortality']

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, and sex	All ages 1/	Under 1 year 2/	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
Bacterial pneumonia (J13-J15)												
Non-Hispanic black, both sexes												
2006 5/.....	1.3	*	*	*	*	*	*	1.6	1.5	4.2	11.7	29.5
2005 5/.....	1.3	*	*	*	*	*	0.5	0.9	3.1	5.1	11.1	26.2
2004 5/.....	1.4	*	*	*	*	*	0.4	1.3	2.5	4.7	13.1	35.4
2003 5/.....	1.4	*	*	*	*	*	0.6	1.3	2.8	4.1	11.8	34.2
2002.....	1.2	*	*	*	*	*	0.7	1.0	2.3	4.0	11.4	28.1
2001.....	1.3	*	*	*	*	*	0.6	1.0	2.2	4.7	12.5	33.1
2000.....	1.4	*	*	*	*	*	0.5	1.2	2.4	5.8	12.3	35.0
1999.....	1.2	*	*	*	*	*	0.8	1.0	2.4	4.7	9.7	24.9
Non-Hispanic black, male												
2006 5/.....	1.4	*	*	*	*	*	*	2.2	2.4	5.3	16.4	36.7
2005 5/.....	1.4	*	*	*	*	*	*	0.9	4.0	7.0	13.2	33.3
2004 5/.....	1.5	*	*	*	*	*	*	1.6	3.7	7.6	18.3	42.7
2003 5/.....	1.5	*	*	*	*	*	0.9	1.7	4.3	5.8	15.6	40.5
2002.....	1.3	*	*	*	*	*	*	1.2	3.3	5.0	17.9	31.7
2001.....	1.5	*	*	*	*	*	0.9	1.5	2.9	7.4	20.1	50.8
2000.....	1.5	*	*	*	*	*	*	1.3	3.4	7.9	17.9	61.1
1999.....	1.3	*	*	*	*	*	0.9	1.6	2.7	6.6	14.4	39.2
Non-Hispanic black, female												
2006 5/.....	1.2	*	*	*	*	*	*	1.1	*	3.3	9.0	26.5
2005 5/.....	1.3	*	*	*	*	*	*	0.8	2.4	3.8	9.9	23.4
2004 5/.....	1.3	*	*	*	*	*	*	1.0	1.5	2.7	10.1	32.5
2003 5/.....	1.2	*	*	*	*	*	*	1.0	1.5	2.9	9.6	31.8
2002.....	1.2	*	*	*	*	*	*	0.9	1.4	3.3	7.8	26.8
2001.....	1.0	*	*	*	*	*	*	*	1.7	2.7	8.3	26.5
2000.....	1.2	*	*	*	*	*	*	1.1	1.6	4.3	9.2	25.3
1999.....	1.1	*	*	*	*	*	0.8	*	2.2	3.4	7.0	19.5

Worktable Orig12. Death rates for 358 selected causes, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2006

[Rates per 100,000 population in specified group. Rates are based on populations enumerated as of April 1 for 2000 and estimated as of July 1 for all other years. Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to 'Detailed technical notes to the United States 2006 data-mortality']

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, and sex	All ages 1/	Under 1 year 2/	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
Pneumonia due to other or unspecified organisms (J16,J18)												
All origins 3/, both sexes												
2006.....	16.9	3.5	0.4	0.1	0.3	0.7	1.6	3.8	8.4	28.0	114.8	466.8
2005.....	18.9	3.7	0.4	0.2	0.3	0.7	1.8	4.3	9.4	30.8	127.4	541.9
2004.....	18.4	4.1	0.4	0.1	0.4	0.6	1.7	3.8	9.2	30.6	126.1	539.8
2003.....	20.0	4.6	0.4	0.2	0.4	0.8	1.8	4.3	9.5	32.4	135.9	612.1
2002.....	20.8	3.9	0.5	0.2	0.3	0.7	1.8	4.1	9.7	33.4	143.7	650.3
2001.....	20.0	4.6	0.5	0.2	0.4	0.7	1.9	3.9	9.1	32.6	136.6	647.1
2000.....	20.8	5.1	0.4	0.1	0.4	0.7	1.9	3.9	9.8	34.0	144.6	685.3
1999.....	20.7	4.7	0.5	0.1	0.4	0.7	1.9	4.0	9.4	32.8	142.8	698.1
All origins 3/, male												
2006.....	15.4	4.4	0.4	*	0.4	0.7	1.8	4.6	10.3	33.7	139.9	540.2
2005.....	17.0	3.9	0.4	0.1	0.4	0.8	2.1	5.2	11.5	37.1	156.3	610.7
2004.....	16.7	4.9	0.3	0.1	0.5	0.8	1.9	4.7	11.3	37.8	155.8	623.9
2003.....	17.8	5.5	0.4	0.2	0.5	0.9	2.1	5.3	11.1	40.3	168.0	693.0
2002.....	18.5	4.6	0.5	0.1	0.4	0.8	2.1	5.0	11.8	41.4	177.4	748.2
2001.....	17.8	4.9	0.5	0.2	0.4	0.8	2.1	4.9	11.2	40.2	170.0	757.4
2000.....	18.5	5.3	0.4	0.2	0.4	0.9	2.3	4.8	12.1	42.0	179.5	816.5
1999.....	18.3	5.0	0.5	0.2	0.4	0.8	2.2	5.1	11.0	41.7	178.5	832.5
All origins 3/, female												
2006.....	18.4	2.5	0.4	*	0.3	0.7	1.4	3.0	6.7	23.1	97.7	432.4
2005.....	20.8	3.5	0.4	0.2	0.6	0.6	1.5	3.4	7.5	25.4	107.9	510.3
2004.....	20.0	3.3	0.5	0.1	0.3	0.5	1.4	2.9	7.3	24.5	106.2	502.0
2003.....	22.2	3.8	0.5	0.1	0.3	0.6	1.6	3.4	7.9	25.7	114.5	576.3
2002.....	23.0	3.1	0.4	0.2	0.3	0.6	1.5	3.2	7.8	26.7	121.3	607.9
2001.....	22.2	4.2	0.5	0.2	0.3	0.6	1.6	2.9	7.1	26.3	114.6	601.0
2000.....	23.1	4.9	0.4	0.1	0.4	0.6	1.6	3.0	7.7	27.4	121.9	631.9
1999.....	23.0	4.3	0.5	0.1	0.4	0.6	1.6	2.9	7.9	25.6	119.6	643.9
Hispanic, both sexes												
2006.....	5.7	3.1	*	*	*	0.4	0.8	2.9	7.8	27.2	100.5	359.2
2005.....	6.3	3.9	*	*	*	0.4	1.2	3.1	8.3	29.8	109.1	417.1
2004.....	6.1	2.8	*	*	*	0.5	1.1	3.0	8.4	28.3	111.0	444.3
2003.....	6.3	3.6	*	*	0.3	0.6	0.9	3.3	9.0	30.2	118.2	468.0
2002.....	6.5	2.9	*	*	*	0.4	1.1	2.4	9.0	30.5	131.3	521.6
2001.....	6.5	3.9	0.7	*	*	0.3	1.0	3.0	7.5	31.1	124.1	609.6
2000.....	6.4	5.6	*	*	*	0.6	1.2	2.9	9.0	32.4	121.9	584.6
1999.....	5.8	4.8	*	*	0.3	0.3	1.1	3.1	7.8	27.3	106.4	569.7
Hispanic, male												
2006.....	5.3	*	*	*	*	0.6	1.0	3.4	9.9	32.1	114.1	408.2
2005.....	5.8	4.2	*	*	*	*	1.4	3.8	10.6	36.6	134.0	445.8
2004.....	5.6	*	*	*	0.5	0.5	1.3	3.9	10.5	32.5	134.5	477.7
2003.....	5.8	*	*	*	*	0.6	0.9	4.3	9.7	37.1	145.7	518.7
2002.....	6.2	*	*	*	*	0.5	1.4	3.6	11.9	39.0	163.3	600.7
2001.....	6.0	4.8	*	*	*	*	1.3	4.0	9.2	34.1	156.9	714.2
2000.....	6.1	5.3	*	*	*	0.6	1.5	4.0	12.2	39.0	161.3	685.2
1999.....	5.4	6.2	*	*	*	*	1.6	4.1	7.9	35.6	133.5	683.7
Hispanic, female												
2006.....	6.2	*	*	*	*	*	*	2.3	5.9	23.2	91.0	333.1
2005.....	6.7	*	*	*	*	*	0.9	2.4	6.3	24.4	91.9	402.1
2004.....	6.7	*	*	*	*	*	0.9	2.1	6.5	24.8	94.8	427.1
2003.....	6.8	*	*	*	*	*	1.0	2.3	8.3	24.7	99.3	442.2
2002.....	6.8	*	*	*	*	*	0.8	1.3	6.4	23.7	109.3	482.4
2001.....	7.1	*	*	*	*	*	*	1.9	5.9	28.7	101.8	558.5
2000.....	6.8	5.8	*	*	*	*	0.8	1.9	6.2	27.2	95.4	535.2
1999.....	6.2	*	*	*	*	*	*	2.1	7.6	20.8	88.5	514.7

Worktable Orig12. Death rates for 358 selected causes, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2006

[Rates per 100,000 population in specified group. Rates are based on populations enumerated as of April 1 for 2000 and estimated as of July 1 for all other years. Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to 'Detailed technical notes to the United States 2006 data-mortality']

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, and sex	All ages 1/	Under 1 year 2/	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
Pneumonia due to other or unspecified organisms (J16,J18)												
Non-Hispanic 4/, both sexes												
2006.....	18.8	3.6	0.4	0.1	0.3	0.8	1.7	3.9	8.5	27.9	115.5	471.6
2005.....	21.0	3.6	0.4	0.2	0.3	0.8	1.9	4.4	9.5	30.8	128.2	547.4
2004.....	20.3	4.5	0.4	0.1	0.4	0.7	1.8	3.9	9.2	30.6	126.7	543.1
2003.....	22.2	4.9	0.4	0.2	0.4	0.8	2.0	4.4	9.4	32.4	136.6	616.9
2002.....	23.0	4.1	0.5	0.2	0.4	0.8	1.9	4.2	9.7	33.5	143.8	654.2
2001.....	22.0	4.7	0.5	0.2	0.4	0.8	2.0	4.0	9.1	32.5	136.7	646.9
2000.....	22.8	4.9	0.4	0.1	0.4	0.8	2.0	3.9	9.8	33.9	145.0	687.1
1999.....	22.7	4.6	0.5	0.2	0.4	0.8	2.0	4.0	9.4	33.0	143.7	700.1
Non-Hispanic 4/, male												
2006.....	17.3	4.6	0.4	*	0.4	0.8	1.9	4.7	10.4	33.7	141.2	546.9
2005.....	19.0	3.7	0.4	0.2	0.5	0.9	2.2	5.3	11.5	37.1	157.2	618.8
2004.....	18.5	5.3	*	0.1	0.5	0.8	2.0	4.8	11.3	37.9	156.6	629.9
2003.....	19.8	5.9	0.4	0.2	0.5	1.0	2.3	5.3	11.2	40.3	168.9	699.6
2002.....	20.4	4.9	0.6	0.2	0.4	0.8	2.2	5.1	11.7	41.3	177.5	753.1
2001.....	19.6	4.9	0.5	0.2	0.5	0.9	2.2	4.9	11.2	40.2	170.2	757.4
2000.....	20.2	5.2	0.4	0.2	0.5	0.9	2.4	4.8	12.0	41.9	179.4	819.6
1999.....	20.1	4.8	0.5	0.2	0.4	0.9	2.2	5.1	11.1	41.8	179.6	834.7
Non-Hispanic 4/, female												
2006.....	20.3	2.5	0.4	*	0.3	0.7	1.6	3.1	6.7	23.1	97.9	436.6
2005.....	23.0	3.5	0.4	0.2	0.2	0.7	1.6	3.5	7.6	25.5	108.6	514.8
2004.....	22.0	3.7	0.6	*	0.3	0.5	1.5	3.0	7.3	24.4	106.6	504.3
2003.....	24.4	4.0	0.4	0.2	0.4	0.7	1.7	3.5	7.8	25.7	115.0	580.6
2002.....	25.4	3.3	0.5	0.2	0.3	0.7	1.6	3.4	7.9	26.9	121.4	611.5
2001.....	24.3	4.5	0.4	0.2	0.4	0.7	1.7	3.0	7.2	26.1	114.8	601.0
2000.....	25.3	4.7	0.4	0.1	0.4	0.7	1.6	3.1	7.8	27.3	122.6	633.5
1999.....	25.1	4.5	0.5	0.1	0.4	0.7	1.7	3.0	7.8	25.8	120.4	646.2
Non-Hispanic white, both sexes												
2006 5/.....	20.9	2.4	0.3	*	0.3	0.7	1.6	3.5	8.0	26.9	115.1	477.7
2005 5/.....	23.4	2.2	0.3	0.2	0.3	0.7	1.7	3.9	8.8	29.2	128.2	558.1
2004 5/.....	22.5	3.0	0.2	0.1	0.4	0.6	1.5	3.4	8.6	29.3	125.8	550.1
2003 5/.....	24.6	3.7	0.3	0.2	0.4	0.7	1.7	3.8	8.5	30.8	136.7	628.9
2002.....	25.6	2.9	0.4	0.2	0.3	0.7	1.7	3.8	8.9	32.6	143.6	665.4
2001.....	24.2	2.8	0.4	0.2	0.4	0.7	1.6	3.4	8.3	31.5	135.4	655.8
2000.....	25.2	3.3	0.3	0.1	0.4	0.7	1.7	3.3	8.7	31.9	144.4	700.0
1999.....	25.0	2.8	0.4	0.1	0.3	0.6	1.6	3.4	8.5	31.8	144.3	711.2
Non-Hispanic white, male												
2006 5/.....	18.9	3.2	*	*	0.4	0.7	1.7	4.2	9.6	32.0	140.1	550.8
2005 5/.....	20.7	2.9	*	*	0.5	0.8	1.9	4.5	10.4	34.6	156.3	628.3
2004 5/.....	20.2	3.3	*	*	0.5	0.8	1.7	4.1	10.5	35.8	154.1	636.3
2003 5/.....	21.5	4.5	*	0.2	0.4	0.9	2.0	4.6	9.8	37.5	166.6	707.3
2002.....	22.4	3.9	+	*	0.4	0.7	1.9	4.5	10.5	40.0	175.9	761.2
2001.....	21.1	3.2	*	0.2	0.4	0.7	1.8	4.1	9.9	38.3	166.6	763.3
2000.....	21.8	3.8	*	0.2	0.4	0.7	2.0	3.9	10.4	38.7	177.2	833.0
1999.....	21.7	3.0	*	0.2	0.3	0.7	1.7	4.2	9.8	39.5	179.2	844.5
Non-Hispanic white, female												
2006 5/.....	22.8	*	*	*	0.3	0.7	1.4	2.8	6.3	22.5	97.7	443.6
2005 5/.....	25.9	*	*	0.2	0.2	0.7	1.4	3.2	7.3	24.5	108.8	525.9
2004 5/.....	24.7	2.7	*	*	0.2	0.5	1.3	2.7	6.8	23.8	106.6	511.5
2003 5/.....	27.6	2.9	*	*	0.4	0.5	1.5	3.0	7.4	25.0	116.4	594.4
2002.....	28.6	1.8	*	0.2	0.3	0.6	1.4	3.1	7.4	26.3	121.9	624.1
2001.....	27.2	2.4	+	0.2	0.3	0.6	1.4	2.6	6.7	25.7	114.7	611.1
2000.....	28.3	2.7	*	+	0.3	0.6	1.4	2.7	7.1	26.1	122.9	646.3
1999.....	28.2	2.5	0.5	*	0.3	0.5	1.4	2.6	7.2	25.3	121.5	658.1

Worktable Orig12. Death rates for 358 selected causes, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2006

[Rates per 100,000 population in specified group. Rates are based on populations enumerated as of April 1 for 2000 and estimated as of July 1 for all other years. Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.odc.gov/nchs> and refer to 'Detailed technical notes to the United States 2006 data-mortality']

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, and sex	All ages 1/	Under 1 year 2/	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
Pneumonia due to other or unspecified organisms (J16,J18)												
Non-Hispanic black, both sexes												
2006 5/.....	12.4	8.5	*	*	0.6	1.2	3.0	7.3	14.6	40.9	128.4	408.0
2005 5/.....	13.7	9.5	0.8	*	0.4	1.2	3.4	9.0	16.8	47.6	139.2	444.6
2004 5/.....	13.6	10.7	1.0	*	0.6	1.0	3.6	8.0	16.4	45.2	143.7	473.5
2003 5/.....	14.2	9.2	*	*	0.5	1.7	3.9	8.9	17.9	50.3	144.4	487.6
2002.....	14.6	8.5	1.0	*	0.5	1.3	3.8	7.8	19.2	46.4	155.7	548.4
2001.....	14.5	12.1	*	*	0.7	1.4	4.3	8.9	16.7	43.9	156.4	548.1
2000.....	15.2	11.8	0.8	*	0.7	1.6	4.0	8.9	19.5	53.9	158.3	559.7
1999.....	15.1	12.1	1.1	*	0.8	1.8	4.6	9.6	18.3	49.1	146.4	602.7
Non-Hispanic black, male												
2006 5/.....	12.0	10.5	*	*	*	1.3	3.5	9.5	19.3	53.7	164.1	471.9
2005 5/.....	13.5	7.5	*	*	*	1.4	4.3	12.1	23.5	63.6	177.2	496.7
2004 5/.....	13.8	13.0	*	*	*	1.3	4.5	10.4	21.0	65.1	199.9	562.9
2003 5/.....	14.7	10.6	*	*	0.7	2.0	4.6	11.3	24.9	72.7	203.7	597.7
2002.....	14.4	8.5	*	*	*	1.6	4.5	10.3	26.0	61.1	212.2	659.7
2001.....	14.7	11.5	*	*	0.7	1.9	5.0	11.9	23.5	62.0	222.4	664.1
2000.....	15.4	10.9	*	*	*	2.1	5.1	12.7	26.5	75.3	216.0	689.3
1999.....	15.2	12.8	*	*	0.8	2.1	5.7	13.5	24.5	70.3	197.3	759.4
Non-Hispanic black, female												
2006 5/.....	12.8	6.4	*	*	*	1.2	2.6	5.5	10.9	31.8	108.2	381.9
2005 5/.....	14.0	11.7	*	*	*	0.9	2.5	6.4	11.5	36.3	117.7	423.6
2004 5/.....	13.5	8.4	*	*	*	*	2.7	5.8	12.7	31.0	111.9	438.1
2003 5/.....	13.8	7.7	*	*	*	1.4	3.4	6.8	12.3	34.3	111.0	444.9
2002.....	14.9	8.5	*	*	*	1.1	3.2	5.7	13.7	38.0	123.7	505.8
2001.....	14.4	12.8	*	*	0.7	1.0	3.7	6.3	11.3	31.1	119.4	505.2
2000.....	15.0	12.7	*	*	*	1.2	3.0	5.7	14.0	38.8	125.9	511.5
1999.....	15.0	11.4	*	*	0.8	1.5	3.6	6.4	13.3	34.1	117.8	544.1

Worktable Orig12. Death rates for 358 selected causes, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2006

[Rates per 100,000 population in specified group. Rates are based on populations enumerated as of April 1 for 2000 and estimated as of July 1 for all other years. Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to 'Detailed technical notes to the United States 2006 data-mortality']

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, and sex	All ages 1/	Under 1 year 2/	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
Other acute lower respiratory infections (J20-J22)												
Non-Hispanic 4/, both sexes												
2006.....	0.1	1.4	*	*	*	*	*	*	*	0.1	0.5	2.1
2005.....	0.2	1.4	*	*	*	*	*	*	*	0.1	0.6	3.4
2004.....	0.1	1.4	*	*	*	*	*	*	*	*	0.4	2.6
2003.....	0.2	1.2	0.2	*	*	*	*	*	*	0.2	0.6	3.6
2002.....	0.1	1.3	0.2	*	*	*	*	*	*	0.2	0.5	3.4
2001.....	0.1	1.3	*	*	*	*	*	*	*	0.2	0.4	3.3
2000.....	0.2	1.1	*	*	*	*	*	*	*	0.2	0.7	4.5
1999.....	0.2	1.7	0.2	*	*	*	*	*	0.1	0.2	0.9	6.1
Non-Hispanic 4/, male												
2006.....	0.1	1.5	*	*	*	*	*	*	*	*	0.4	1.9
2005.....	0.1	1.7	*	*	*	*	*	*	*	*	0.8	3.2
2004.....	0.1	1.6	*	*	*	*	*	*	*	*	*	2.5
2003.....	0.1	1.4	*	*	*	*	*	*	*	*	0.7	2.4
2002.....	0.1	2.1	*	*	*	*	*	*	*	*	0.6	2.9
2001.....	0.1	1.2	*	*	*	*	*	*	*	*	*	2.4
2000.....	0.1	*	*	*	*	*	*	*	*	0.3	0.7	3.7
1999.....	0.2	2.0	*	*	*	*	*	*	*	*	1.1	4.1
Non-Hispanic 4/, female												
2006.....	0.1	1.4	*	*	*	*	*	*	*	*	0.5	2.2
2005.....	0.2	*	*	*	*	*	*	*	*	*	0.5	3.6
2004.....	0.1	*	*	*	*	*	*	*	*	*	0.5	2.7
2003.....	0.2	*	*	*	*	*	*	*	*	*	0.6	4.1
2002.....	0.2	*	*	*	*	*	*	*	*	0.2	0.5	3.6
2001.....	0.2	1.4	*	*	*	*	*	*	*	*	0.5	3.7
2000.....	0.2	*	*	*	*	*	*	*	*	0.2	0.7	4.8
1999.....	0.3	1.5	*	*	*	*	*	*	*	*	0.8	6.9
Non-Hispanic white, both sexes												
2006 5/.....	0.1	1.2	*	*	*	*	*	*	*	*	0.5	2.3
2005 5/.....	0.2	1.0	*	*	*	*	*	*	*	0.1	0.7	3.6
2004 5/.....	0.1	1.2	*	*	*	*	*	*	*	*	0.4	2.8
2003 5/.....	0.2	1.1	*	*	*	*	*	*	*	0.2	0.7	3.8
2002.....	0.2	1.1	*	*	*	*	*	*	*	0.2	0.5	3.5
2001.....	0.1	1.0	*	*	*	*	*	*	*	0.1	0.5	3.5
2000.....	0.2	*	*	*	*	*	*	*	*	0.3	0.7	4.7
1999.....	0.2	1.1	*	*	*	*	*	*	*	0.2	0.9	6.4
Non-Hispanic white, male												
2006 5/.....	0.1	*	*	*	*	*	*	*	*	*	*	2.0
2005 5/.....	0.1	*	*	*	*	*	*	*	*	*	0.9	3.4
2004 5/.....	0.1	*	*	*	*	*	*	*	*	*	*	2.6
2003 5/.....	0.1	*	*	*	*	*	*	*	*	*	0.7	2.7
2002.....	0.1	1.8	*	*	*	*	*	*	*	*	0.6	3.0
2001.....	0.1	*	*	*	*	*	*	*	*	*	*	2.5
2000.....	0.1	*	*	*	*	*	*	*	*	*	0.7	3.7
1999.....	0.2	*	*	*	*	*	*	*	*	*	1.1	4.1
Non-Hispanic white, female												
2006 5/.....	0.1	*	*	*	*	*	*	*	*	*	0.6	2.4
2005 5/.....	0.2	*	*	*	*	*	*	*	*	*	0.5	3.7
2004 5/.....	0.1	*	*	*	*	*	*	*	*	*	0.5	2.9
2003 5/.....	0.2	*	*	*	*	*	*	*	*	*	0.6	4.3
2002.....	0.2	*	*	*	*	*	*	*	*	*	0.5	3.7
2001.....	0.2	*	*	*	*	*	*	*	*	*	0.5	3.9
2000.....	0.2	*	*	*	*	*	*	*	*	0.3	0.7	5.1
1999.....	0.3	*	*	*	*	*	*	*	*	*	0.8	7.3

Worktable Orig12. Death rates for 358 selected causes, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2006

[Rates per 100,000 population in specified group. Rates are based on populations enumerated as of April 1 for 2000 and estimated as of July 1 for all other years. Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to 'Detailed technical notes to the United States 2006 data-mortality']

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, and sex	All ages 1/	Under 1 year 2/	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
Acute bronchitis and bronchiolitis (J20-J21)												
Non-Hispanic 4/, both sexes												
2006.....	0.1	1.4	*	*	*	*	*	*	*	*	0.3	1.2
2005.....	0.1	1.3	*	*	*	*	*	*	*	*	*	0.4
2004.....	0.1	1.4	*	*	*	*	*	*	*	*	0.3	1.4
2003.....	0.1	1.1	0.2	*	*	*	*	*	*	0.1	0.4	2.2
2002.....	0.1	1.3	0.2	*	*	*	*	*	*	0.1	0.3	2.1
2001.....	0.1	1.3	*	*	*	*	*	*	*	0.1	0.3	2.1
2000.....	0.1	1.1	*	*	*	*	*	*	*	0.2	0.4	2.6
1999.....	0.1	1.7	0.2	*	*	*	*	*	*	0.2	0.6	3.6
Non-Hispanic 4/, male												
2006.....	0.1	1.5	*	*	*	*	*	*	*	*	*	1.3
2005.....	0.1	1.6	*	*	*	*	*	*	*	*	0.5	1.7
2004.....	0.1	1.6	*	*	*	*	*	*	*	*	*	1.7
2003.....	0.1	1.4	*	*	*	*	*	*	*	*	*	*
2002.....	0.1	2.0	*	*	*	*	*	*	*	*	*	1.7
2001.....	0.1	*	*	*	*	*	*	*	*	*	*	*
2000.....	0.1	*	*	*	*	*	*	*	*	*	0.5	2.2
1999.....	0.1	2.0	*	*	*	*	*	*	*	*	0.7	2.6
Non-Hispanic 4/, female												
2006.....	0.1	1.4	*	*	*	*	*	*	*	*	0.3	1.1
2005.....	0.1	*	*	*	*	*	*	*	*	*	0.4	2.1
2004.....	0.1	*	*	*	*	*	*	*	*	*	0.3	1.3
2003.....	0.1	*	*	*	*	*	*	*	*	*	0.4	2.6
2002.....	0.1	*	*	*	*	*	*	*	*	*	0.3	2.2
2001.....	0.1	1.4	*	*	*	*	*	*	*	*	0.4	2.4
2000.....	0.1	*	*	*	*	*	*	*	*	*	0.4	2.7
1999.....	0.2	1.4	*	*	*	*	*	*	*	*	0.5	4.0
Non-Hispanic white, both sexes												
2006 5/.....	0.1	1.2	*	*	*	*	*	*	*	*	0.3	1.2
2005 5/.....	0.1	1.0	*	*	*	*	*	*	*	*	0.5	2.0
2004 5/.....	0.1	1.2	*	*	*	*	*	*	*	*	0.2	1.5
2003 5/.....	0.1	1.0	*	*	*	*	*	*	*	*	0.4	2.3
2002.....	0.1	1.0	*	*	*	*	*	*	*	0.1	0.3	2.1
2001.....	0.1	1.0	*	*	*	*	*	*	*	*	0.3	2.2
2000.....	0.1	*	*	*	*	*	*	*	*	0.2	0.4	2.7
1999.....	0.2	1.1	*	*	*	*	*	*	*	0.1	0.6	3.9
Non-Hispanic white, male												
2006 5/.....	0.1	*	*	*	*	*	*	*	*	*	*	*
2005 5/.....	0.1	*	*	*	*	*	*	*	*	*	0.6	1.8
2004 5/.....	0.1	*	*	*	*	*	*	*	*	*	*	1.8
2003 5/.....	0.1	*	*	*	*	*	*	*	*	*	*	*
2002.....	0.1	1.7	*	*	*	*	*	*	*	*	*	1.7
2001.....	0.1	*	*	*	*	*	*	*	*	*	*	*
2000.....	0.1	*	*	*	*	*	*	*	*	*	0.6	2.3
1999.....	0.1	*	*	*	*	*	*	*	*	*	0.8	2.6
Non-Hispanic white, female												
2006 5/.....	0.1	*	*	*	*	*	*	*	*	*	0.4	1.2
2005 5/.....	0.1	*	*	*	*	*	*	*	*	*	0.4	2.2
2004 5/.....	0.1	*	*	*	*	*	*	*	*	*	0.3	1.4
2003 5/.....	0.1	*	*	*	*	*	*	*	*	*	0.4	2.8
2002.....	0.1	*	*	*	*	*	*	*	*	*	*	2.3
2001.....	0.1	*	*	*	*	*	*	*	*	*	0.4	2.5
2000.....	0.1	*	*	*	*	*	*	*	*	*	0.4	2.8
1999.....	0.2	*	*	*	*	*	*	*	*	*	0.5	4.4

Worktable Orig12. Death rates for 358 selected causes, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2006

[Rates per 100,000 population in specified group. Rates are based on populations enumerated as of April 1 for 2000 and estimated as of July 1 for all other years. Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to 'Detailed technical notes to the United States 2006 data-mortality']

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, and sex	All ages 1/	Under 1 year 2/	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
Unspecified acute lower respiratory infection (J22)												
Non-Hispanic 4/, both sexes												
2006.....	0.0	*	*	*	*	*	*	*	*	*	0.2	1.0
2005.....	0.0	*	*	*	*	*	*	*	*	*	0.2	1.5
2004.....	0.0	*	*	*	*	*	*	*	*	*	0.2	1.2
2003.....	0.0	*	*	*	*	*	*	*	*	*	0.3	1.4
2002.....	0.0	*	*	*	*	*	*	*	*	*	0.2	1.3
2001.....	0.0	*	*	*	*	*	*	*	*	*	*	1.2
2000.....	0.1	*	*	*	*	*	*	*	*	*	0.2	1.9
1999.....	0.1	*	*	*	*	*	*	*	*	*	0.3	2.4
Non-Hispanic 4/, male												
2006.....	0.0	*	*	*	*	*	*	*	*	*	*	*
2005.....	0.0	*	*	*	*	*	*	*	*	*	*	1.4
2004.....	0.0	*	*	*	*	*	*	*	*	*	*	*
2003.....	0.0	*	*	*	*	*	*	*	*	*	*	*
2002.....	0.0	*	*	*	*	*	*	*	*	*	*	*
2001.....	0.0	*	*	*	*	*	*	*	*	*	*	*
2000.....	0.0	*	*	*	*	*	*	*	*	*	*	*
1999.....	0.0	*	*	*	*	*	*	*	*	*	*	*
Non-Hispanic 4/, female												
2006.....	0.0	*	*	*	*	*	*	*	*	*	*	1.1
2005.....	0.1	*	*	*	*	*	*	*	*	*	*	1.5
2004.....	0.0	*	*	*	*	*	*	*	*	*	*	1.4
2003.....	0.1	*	*	*	*	*	*	*	*	*	*	1.5
2002.....	0.1	*	*	*	*	*	*	*	*	*	*	1.3
2001.....	0.0	*	*	*	*	*	*	*	*	*	*	1.3
2000.....	0.1	*	*	*	*	*	*	*	*	*	0.3	2.1
1999.....	0.1	*	*	*	*	*	*	*	*	*	0.3	2.8
Non-Hispanic white, both sexes												
2006 5/.....	0.0	*	*	*	*	*	*	*	*	*	0.2	1.1
2005 5/.....	0.1	*	*	*	*	*	*	*	*	*	0.2	1.6
2004 5/.....	0.0	*	*	*	*	*	*	*	*	*	0.2	1.3
2003 5/.....	0.1	*	*	*	*	*	*	*	*	*	0.3	1.5
2002.....	0.0	*	*	*	*	*	*	*	*	*	0.2	1.4
2001.....	0.0	*	*	*	*	*	*	*	*	*	*	1.3
2000.....	0.1	*	*	*	*	*	*	*	*	*	0.3	2.0
1999.....	0.1	*	*	*	*	*	*	*	*	*	0.3	2.5
Non-Hispanic white, male												
2006 5/.....	0.0	*	*	*	*	*	*	*	*	*	*	*
2005 5/.....	0.0	*	*	*	*	*	*	*	*	*	*	1.6
2004 5/.....	0.0	*	*	*	*	*	*	*	*	*	*	*
2003 5/.....	0.0	*	*	*	*	*	*	*	*	*	*	*
2002.....	0.0	*	*	*	*	*	*	*	*	*	*	*
2001.....	0.0	*	*	*	*	*	*	*	*	*	*	*
2000.....	0.0	*	*	*	*	*	*	*	*	*	*	*
1999.....	0.0	*	*	*	*	*	*	*	*	*	*	*
Non-Hispanic white, female												
2006 5/.....	0.1	*	*	*	*	*	*	*	*	*	*	1.3
2005 5/.....	0.1	*	*	*	*	*	*	*	*	*	*	1.6
2004 5/.....	0.1	*	*	*	*	*	*	*	*	*	*	1.6
2003 5/.....	0.1	*	*	*	*	*	*	*	*	*	*	1.6
2002.....	0.1	*	*	*	*	*	*	*	*	*	*	1.4
2001.....	0.1	*	*	*	*	*	*	*	*	*	*	1.4
2000.....	0.1	*	*	*	*	*	*	*	*	*	0.3	2.2
1999.....	0.1	*	*	*	*	*	*	*	*	*	0.3	3.0

Worktable Orig12. Death rates for 358 selected causes, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2006

[Rates per 100,000 population in specified group. Rates are based on populations enumerated as of April 1 for 2000 and estimated as of July 1 for all other years. Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to 'Detailed technical notes to the United States 2006 data-mortality']

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, and sex	All ages 1/	Under 1 year 2/	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
Other diseases of upper respiratory tract (J30-J39)												
Non-Hispanic 4/, both sexes												
2006.....	0.2	*	*	*	*	*	0.1	0.1	0.2	0.3	0.9	2.0
2005.....	0.2	*	*	*	*	*	*	0.1	0.2	0.3	0.9	2.2
2004.....	0.2	*	*	*	*	*	*	0.1	0.2	0.3	0.9	2.1
2003.....	0.2	*	*	*	*	*	*	0.1	0.2	0.4	0.8	2.3
2002.....	0.2	*	*	*	*	*	*	0.1	0.2	0.3	0.7	2.1
2001.....	0.2	*	*	*	*	*	0.1	0.1	0.2	0.3	0.9	2.3
2000.....	0.2	*	*	*	*	*	0.1	0.1	0.2	0.4	0.9	2.2
1999.....	0.2	*	*	*	*	*	0.1	0.1	0.2	0.4	1.0	2.4
Non-Hispanic 4/, male												
2006.....	0.2	*	*	*	*	*	*	0.1	0.2	0.4	1.1	2.7
2005.....	0.2	*	*	*	*	*	*	0.1	0.2	0.4	0.9	3.2
2004.....	0.2	*	*	*	*	*	*	0.1	0.2	0.3	1.1	3.2
2003.....	0.2	*	*	*	*	*	*	*	0.2	0.5	1.2	3.1
2002.....	0.1	*	*	*	*	*	*	0.1	0.2	0.4	0.8	2.6
2001.....	0.2	*	*	*	*	*	*	0.1	0.2	0.3	1.1	3.3
2000.....	0.2	*	*	*	*	*	*	0.1	*	0.5	1.2	3.1
1999.....	0.2	*	*	*	*	*	*	0.1	0.2	0.5	1.1	3.5
Non-Hispanic 4/, female												
2006.....	0.2	*	*	*	*	*	*	0.1	0.2	0.3	0.7	1.7
2005.....	0.2	*	*	*	*	*	*	0.1	0.2	0.3	0.8	1.8
2004.....	0.1	*	*	*	*	*	*	*	*	*	0.7	1.6
2003.....	0.1	*	*	*	*	*	*	*	0.2	0.3	0.6	1.9
2002.....	0.2	*	*	*	*	*	*	*	0.2	0.3	0.6	1.9
2001.....	0.2	*	*	*	*	*	*	*	*	0.3	0.8	1.9
2000.....	0.2	*	*	*	*	*	*	0.1	0.2	0.4	0.7	1.8
1999.....	0.2	*	*	*	*	*	*	*	*	0.3	0.9	2.0
Non-Hispanic white, both sexes												
2006 5/.....	0.2	*	*	*	*	*	0.1	0.1	0.2	0.3	0.9	2.0
2005 5/.....	0.2	*	*	*	*	*	*	0.1	0.2	0.3	0.9	2.4
2004 5/.....	0.2	*	*	*	*	*	*	0.1	0.1	0.2	0.9	2.1
2003 5/.....	0.2	*	*	*	*	*	*	0.1	0.2	0.4	0.8	2.3
2002.....	0.2	*	*	*	*	*	*	0.1	0.2	0.3	0.6	2.2
2001.....	0.2	*	*	*	*	*	*	0.1	0.2	0.3	0.9	2.3
2000.....	0.2	*	*	*	*	*	*	0.1	0.2	0.4	0.9	2.2
1999.....	0.2	*	*	*	*	*	*	0.1	0.2	0.4	0.9	2.4
Non-Hispanic white, male												
2006 5/.....	0.2	*	*	*	*	*	*	*	0.2	0.3	1.1	2.7
2005 5/.....	0.2	*	*	*	*	*	*	0.1	*	0.3	0.9	3.4
2004 5/.....	0.2	*	*	*	*	*	*	*	0.2	*	1.0	3.3
2003 5/.....	0.2	*	*	*	*	*	*	*	0.3	0.5	1.2	3.3
2002.....	0.1	*	*	*	*	*	*	*	*	0.4	0.7	2.7
2001.....	0.2	*	*	*	*	*	*	*	*	*	1.0	3.1
2000.....	0.2	*	*	*	*	*	*	0.1	*	0.5	1.2	3.0
1999.....	0.2	*	*	*	*	*	*	*	*	0.5	1.2	3.2
Non-Hispanic white, female												
2006 5/.....	0.2	*	*	*	*	*	*	*	0.2	0.3	0.8	1.6
2005 5/.....	0.2	*	*	*	*	*	*	*	0.2	*	0.9	2.0
2004 5/.....	0.2	*	*	*	*	*	*	*	*	*	0.7	1.6
2003 5/.....	0.2	*	*	*	*	*	*	*	*	0.3	0.6	1.9
2002.....	0.2	*	*	*	*	*	*	*	0.2	0.3	0.6	2.0
2001.....	0.2	*	*	*	*	*	*	*	*	0.3	0.8	1.9
2000.....	0.2	*	*	*	*	*	*	*	*	0.3	0.7	1.9
1999.....	0.2	*	*	*	*	*	*	*	*	0.3	0.8	2.1

Worktable Orig12. Death rates for 358 selected causes, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2006

[Rates per 100,000 population in specified group. Rates are based on populations enumerated as of April 1 for 2000 and estimated as of July 1 for all other years. Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to 'Detailed technical notes to the United States 2006 data-mortality']

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, and sex	All ages 1/	Under 1 year 2/	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
Chronic lower respiratory diseases (J40-J47)												
All origins 3/, both sexes												
2006.....	41.6	0.7	0.3	0.3	0.4	0.6	1.9	9.1	39.2	149.3	363.4	589.1
2005.....	44.2	0.8	0.3	0.3	0.4	0.6	2.0	9.4	42.0	160.5	385.6	637.2
2004.....	41.5	0.9	0.3	0.3	0.4	0.6	2.0	8.4	40.4	153.8	366.7	601.7
2003.....	43.5	0.8	0.3	0.3	0.5	0.7	2.1	8.7	43.3	163.2	383.0	635.1
2002.....	43.3	1.0	0.4	0.3	0.5	0.8	2.2	8.7	42.4	163.0	386.7	637.6
2001.....	43.2	1.0	0.3	0.3	0.4	0.7	2.2	8.5	44.1	167.9	379.8	644.7
2000.....	43.4	0.9	0.3	0.3	0.5	0.7	2.1	8.6	44.2	169.4	386.1	648.6
1999.....	44.5	0.9	0.4	0.3	0.5	0.8	2.0	8.5	47.5	177.2	397.8	646.0
All origins 3/, male												
2006.....	40.2	0.9	0.3	0.4	0.4	0.7	1.8	9.2	41.9	163.2	437.3	760.8
2005.....	42.8	*	0.4	0.3	0.4	0.6	1.9	9.7	45.0	180.7	463.7	819.9
2004.....	40.6	1.2	0.4	0.4	0.5	0.7	2.0	8.8	43.1	172.1	445.6	811.1
2003.....	42.4	1.1	0.5	0.4	0.5	0.8	1.9	9.1	46.5	183.6	464.9	865.9
2002.....	42.9	1.1	0.6	0.4	0.6	0.8	2.2	9.1	45.2	184.8	480.8	894.8
2001.....	42.7	1.1	0.4	0.3	0.5	0.7	2.0	8.8	46.9	191.3	475.1	916.9
2000.....	43.5	1.2	0.4	0.4	0.6	0.8	1.9	9.0	47.8	195.2	488.5	967.9
1999.....	45.6	*	0.4	0.4	0.6	0.8	1.8	8.6	52.3	210.7	513.2	996.7
All origins 3/, female												
2006.....	43.0	*	*	0.2	0.3	0.6	2.0	8.9	36.6	137.5	312.8	508.7
2005.....	45.5	*	0.3	0.2	0.3	0.6	2.1	9.0	39.2	143.4	332.5	553.3
2004.....	42.5	*	*	0.2	0.3	0.5	2.1	8.1	38.0	139.4	313.6	507.4
2003.....	44.4	*	*	0.2	0.4	0.6	2.3	8.2	40.3	148.0	328.3	533.0
2002.....	43.7	*	0.3	0.3	0.4	0.7	2.3	8.2	39.8	144.9	324.1	526.0
2001.....	43.7	*	*	0.2	0.4	0.7	2.3	8.1	41.5	148.5	317.3	530.8
2000.....	43.2	*	0.3	0.3	0.4	0.7	2.2	8.3	41.0	148.2	319.2	518.5
1999.....	43.4	*	0.3	0.2	0.5	0.9	2.1	8.4	43.1	149.8	322.9	504.6
Hispanic, both sexes												
2006.....	7.5	*	*	*	*	0.3	0.7	2.6	12.0	45.5	153.5	374.4
2005.....	8.1	*	*	*	*	0.3	0.8	3.5	12.5	50.6	171.9	414.6
2004.....	7.5	*	*	*	*	0.4	1.1	3.1	12.2	51.7	159.7	391.5
2003.....	8.0	*	*	*	0.3	0.4	1.0	3.5	12.7	53.3	171.0	460.2
2002.....	7.9	*	*	*	*	0.4	1.2	3.5	13.9	53.8	176.0	457.3
2001.....	7.7	*	*	*	*	0.3	1.0	3.6	14.0	55.8	169.5	480.2
2000.....	7.6	*	*	*	*	0.3	1.1	3.3	14.3	53.1	181.9	481.1
1999.....	8.4	*	*	*	*	0.5	1.6	3.9	14.6	62.6	194.8	536.0
Hispanic, male												
2006.....	7.5	*	*	*	*	0.7	2.8	14.0	56.6	196.3	484.9	
2005.....	8.3	*	*	*	*	1.0	3.6	15.8	64.5	234.2	526.8	
2004.....	7.6	*	*	*	*	0.5	1.4	2.8	13.7	68.4	206.4	518.4
2003.....	8.2	*	*	*	*	1.0	3.2	16.6	68.1	231.2	646.5	
2002.....	8.1	*	*	*	*	1.0	3.8	17.5	69.2	243.3	602.4	
2001.....	7.8	*	*	*	*	0.7	3.2	16.1	75.5	224.0	676.1	
2000.....	8.0	*	*	*	*	0.9	3.4	18.2	72.4	250.3	671.1	
1999.....	8.9	*	*	*	*	1.4	3.6	17.6	81.9	272.7	836.8	
Hispanic, female												
2006.....	7.5	*	*	*	*	0.7	2.5	10.1	36.5	123.5	315.7	
2005.....	7.8	*	*	*	*	*	3.5	9.5	39.3	128.6	355.8	
2004.....	7.4	*	*	*	*	0.7	3.4	10.9	38.3	125.7	326.3	
2003.....	7.7	*	*	*	*	1.0	3.8	9.3	41.5	129.6	365.6	
2002.....	7.6	*	*	*	*	1.4	3.1	10.6	41.5	129.8	385.5	
2001.....	7.5	*	*	*	*	1.2	4.1	12.1	40.3	132.7	384.4	
2000.....	7.2	*	*	*	*	1.3	3.3	10.8	38.0	136.0	387.8	
1999.....	8.0	*	*	*	*	1.8	4.2	12.0	47.5	142.9	391.0	

Worktable Orig12. Death rates for 358 selected causes, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2006

[Rates per 100,000 population in specified group. Rates are based on populations enumerated as of April 1 for 2000 and estimated as of July 1 for all other years. Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to 'Detailed technical notes to the United States 2006 data-mortality']

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, and sex	All ages 1/	Under 1 year 2/	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
Chronic lower respiratory diseases (J40-J47)												
Non-Hispanic 4/, both sexes												
2006.....	47.5	0.8	0.3	0.3	0.4	0.7	2.1	9.8	41.4	157.1	375.9	599.3
2005.....	50.2	0.8	0.4	0.3	0.4	0.7	2.2	10.0	44.4	168.5	397.6	647.1
2004.....	47.0	0.8	0.3	0.3	0.5	0.7	2.2	9.0	42.7	160.9	377.8	610.3
2003.....	49.0	0.8	0.3	0.3	0.5	0.8	2.3	9.1	45.6	170.6	393.3	641.2
2002.....	48.6	1.1	0.4	0.4	0.5	0.8	2.4	9.2	44.6	170.1	396.0	643.5
2001.....	48.4	1.1	0.3	0.3	0.5	0.8	2.3	8.9	46.3	174.8	388.6	649.4
2000.....	48.3	1.0	0.3	0.4	0.5	0.8	2.2	9.0	46.3	176.1	393.8	653.2
1999.....	49.4	1.0	0.4	0.4	0.6	0.9	2.0	8.9	49.8	183.5	405.1	648.0
Non-Hispanic 4/, male												
2006.....	46.1	*	0.3	0.4	0.5	0.8	2.0	9.9	44.1	171.0	451.8	775.2
2005.....	48.8	*	0.5	0.3	0.5	0.7	2.1	10.4	47.3	188.9	476.6	833.9
2004.....	46.2	*	0.4	0.4	0.6	0.8	2.1	9.5	45.3	178.9	458.4	824.6
2003.....	48.1	*	0.5	0.4	0.6	0.9	2.1	9.7	48.7	191.1	476.2	874.6
2002.....	48.4	1.2	0.6	0.4	0.6	0.9	2.4	9.6	47.3	191.9	491.2	906.0
2001.....	48.0	*	0.4	0.3	0.6	0.8	2.2	9.3	49.0	198.1	485.7	924.8
2000.....	48.7	*	0.4	0.4	0.6	0.9	2.1	9.4	49.7	201.9	497.6	978.0
1999.....	50.8	*	0.4	0.5	0.7	0.8	1.9	9.0	54.5	217.4	521.9	1,000.2
Non-Hispanic 4/, female												
2006.....	48.8	*	*	0.2	0.3	0.6	2.2	9.7	38.8	145.3	324.0	517.5
2005.....	51.5	*	0.3	0.2	0.3	0.7	2.3	9.6	41.6	151.3	344.0	561.8
2004.....	47.8	*	*	0.2	0.4	0.6	2.3	8.5	40.2	145.6	323.6	514.5
2003.....	49.9	*	*	0.2	0.4	0.7	2.5	8.6	42.7	153.3	338.0	538.6
2002.....	48.9	*	*	0.3	0.4	0.8	2.4	8.7	42.0	151.8	332.9	530.3
2001.....	48.7	*	*	0.2	0.4	0.8	2.4	8.5	43.8	155.4	324.9	534.8
2000.....	48.0	*	*	0.3	0.4	0.7	2.3	8.7	43.2	154.8	326.2	521.9
1999.....	48.0	*	*	0.2	0.5	0.9	2.1	8.7	45.4	155.7	329.3	507.0
Non-Hispanic white, both sexes												
2006 5/.....	55.6	*	*	0.1	0.2	0.5	1.9	9.9	43.7	169.7	398.4	629.8
2005 5/.....	58.6	*	0.2	0.1	0.2	0.5	2.0	9.8	46.9	181.1	420.9	679.0
2004 5/.....	54.9	*	*	0.2	0.3	0.5	2.0	8.8	44.8	173.3	399.6	640.0
2003 5/.....	57.0	*	*	0.2	0.3	0.6	2.0	9.0	47.8	182.6	414.9	671.6
2002.....	56.4	0.9	0.2	0.2	0.4	0.6	2.0	9.0	46.7	181.6	416.3	673.1
2001.....	55.9	*	*	0.2	0.3	0.5	1.9	8.7	48.6	185.9	408.6	676.9
2000.....	55.7	*	*	0.2	0.4	0.6	1.8	8.6	48.2	186.5	413.2	680.8
1999.....	56.6	*	0.2	0.2	0.4	0.6	1.6	8.5	51.8	193.6	422.4	675.6
Non-Hispanic white, male												
2006 5/.....	53.0	*	*	0.2	0.2	0.5	1.8	9.8	45.4	180.5	469.7	804.2
2005 5/.....	56.0	*	*	0.3	0.5	1.9	10.1	10.1	48.9	198.7	493.9	861.9
2004 5/.....	53.0	*	*	0.2	0.3	0.5	1.8	9.2	46.3	188.5	476.6	852.5
2003 5/.....	54.9	*	*	0.2	0.4	0.5	1.8	9.5	50.0	200.2	491.0	903.6
2002.....	55.1	*	*	0.2	0.4	0.6	2.0	9.3	48.3	200.4	506.7	935.4
2001.....	54.6	*	*	0.2	0.3	0.5	1.9	9.1	50.5	206.1	500.9	951.5
2000.....	55.1	*	*	0.2	0.4	0.5	1.7	8.9	50.8	208.8	513.6	1,008.6
1999.....	57.3	*	*	0.3	0.5	0.5	1.5	8.5	55.6	224.9	534.9	1,033.5
Non-Hispanic white, female												
2006 5/.....	58.0	*	*	*	0.2	0.5	2.0	9.9	42.1	160.4	348.9	548.5
2005 5/.....	61.1	*	*	*	0.2	0.6	2.2	9.5	44.9	165.8	370.7	595.3
2004 5/.....	56.7	*	*	*	0.2	0.5	2.1	8.4	43.5	160.1	347.2	544.8
2003 5/.....	59.0	*	*	*	0.3	0.6	2.2	8.5	45.7	167.6	363.5	569.5
2002.....	57.7	*	*	*	0.4	0.6	2.1	8.6	45.1	165.5	355.7	559.8
2001.....	57.2	*	*	*	0.3	0.6	2.0	8.3	46.8	168.8	347.3	562.7
2000.....	56.2	*	*	*	0.3	0.6	1.9	8.3	45.8	167.6	347.2	548.7
1999.....	55.9	*	*	*	0.4	0.6	1.8	8.5	48.3	167.4	348.8	532.8

Worktable Orig12. Death rates for 358 selected causes, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2006

[Rates per 100,000 population in specified group. Rates are based on populations enumerated as of April 1 for 2000 and estimated as of July 1 for all other years. Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.odc.gov/nchs> and refer to 'Detailed technical notes to the United States 2006 data-mortality']

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, and sex	All ages 1/	Under 1 year 2/	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
Chronic lower respiratory diseases (J40-J47)												
Non-Hispanic black, both sexes												
2006 5/.....	20.3	*	*	1.1	1.2	2.0	4.1	12.3	38.1	102.9	229.9	337.4
2005 5/.....	21.8	*	1.2	0.8	1.2	1.8	4.0	14.2	40.3	116.4	244.8	369.2
2004 5/.....	19.9	*	0.8	1.0	1.3	1.9	4.0	13.0	39.1	103.9	225.9	335.9
2003 5/.....	20.9	*	1.0	1.0	1.3	2.0	4.4	12.9	41.3	115.3	238.5	354.9
2002.....	21.4	*	1.2	1.1	1.3	2.0	5.2	13.1	41.6	115.0	250.5	370.8
2001.....	21.1	*	0.9	0.8	1.3	2.5	4.9	12.7	41.3	120.4	236.3	379.3
2000.....	21.5	*	0.9	1.1	1.4	2.2	4.9	14.5	44.7	123.2	236.5	376.2
1999.....	22.6	*	*	1.0	1.4	2.7	4.7	14.1	46.7	129.9	265.3	377.0
Non-Hispanic black, male												
2006 5/.....	22.7	*	*	1.3	1.4	2.4	4.0	13.6	48.8	139.7	345.1	522.3
2005 5/.....	24.7	*	1.6	1.0	1.5	2.0	4.0	15.5	49.9	160.1	381.2	596.6
2004 5/.....	22.8	*	*	1.4	1.6	2.6	4.2	14.4	51.4	142.5	342.3	569.0
2003 5/.....	24.2	*	*	1.3	1.6	2.9	4.1	13.7	51.5	158.0	386.7	608.4
2002.....	24.9	*	1.6	1.2	2.0	2.3	5.7	14.6	53.1	160.0	395.7	653.1
2001.....	24.5	*	*	1.0	1.7	2.8	4.7	13.5	50.4	170.1	385.6	682.6
2000.....	25.1	*	*	1.3	1.8	2.8	4.9	15.2	55.3	178.9	372.4	696.3
1999.....	27.0	*	*	1.4	1.9	2.7	4.7	15.6	60.4	186.1	438.4	707.2
Non-Hispanic black, female												
2006 5/.....	18.1	*	*	0.8	0.9	1.6	4.2	11.1	29.5	76.6	164.6	262.0
2005 5/.....	19.1	*	*	*	0.9	1.6	3.9	13.1	32.5	85.1	167.5	277.7
2004 5/.....	17.2	*	*	0.6	1.0	1.3	3.9	11.9	29.3	76.3	160.2	243.8
2003 5/.....	17.9	*	*	*	1.1	1.2	4.7	12.2	33.2	85.0	154.8	256.7
2002.....	18.2	*	*	1.1	0.7	1.7	4.8	11.8	32.3	83.0	168.5	263.0
2001.....	18.0	*	*	0.7	1.0	2.2	5.0	11.9	34.0	85.3	152.5	266.9
2000.....	18.2	*	*	0.8	1.0	1.6	4.9	13.8	36.1	84.1	159.9	257.3
1999.....	18.6	*	*	0.6	0.9	2.7	4.7	12.8	35.8	90.3	168.4	253.6

Worktable Orig12. Death rates for 358 selected causes, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2006

[Rates per 100,000 population in specified group. Rates are based on populations enumerated as of April 1 for 2000 and estimated as of July 1 for all other years. Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to 'Detailed technical notes to the United States 2006 data-mortality']

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, and sex	All ages 1/	Under 1 year 2/	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
Bronchitis, chronic and unspecified, emphysema and asthma (J40-J46)												
All origins 3/, both sexes												
2006.....	41.3	0.7	0.3	0.3	0.3	0.6	1.9	9.0	39.0	148.5	360.5	582.6
2005.....	43.8	0.8	0.3	0.3	0.3	0.6	2.0	9.3	41.8	159.7	382.5	630.8
2004.....	41.2	0.9	0.3	0.3	0.4	0.6	2.0	8.4	40.2	153.0	363.6	595.3
2003.....	43.1	0.8	0.3	0.3	0.5	0.7	2.1	8.6	43.1	162.4	379.9	629.1
2002.....	42.9	1.0	0.4	0.3	0.5	0.7	2.2	8.6	42.1	162.1	383.3	631.8
2001.....	42.9	1.0	0.3	0.3	0.4	0.7	2.1	8.4	43.9	167.0	376.9	637.7
2000.....	43.0	0.9	0.3	0.3	0.5	0.7	2.0	8.6	44.0	168.5	382.8	642.4
1999.....	44.2	0.9	0.3	0.3	0.5	0.8	2.0	8.4	47.2	176.3	394.4	639.8
All origins 3/, male												
2006.....	40.0	0.9	0.3	0.4	0.4	0.7	1.8	9.1	41.7	162.7	435.1	756.9
2005.....	42.6	*	0.4	0.3	0.4	0.6	1.9	9.7	44.9	180.2	461.8	815.4
2004.....	40.4	1.2	0.4	0.4	0.5	0.7	1.9	8.8	42.9	171.6	443.6	806.6
2003.....	42.3	1.1	0.5	0.4	0.5	0.8	1.9	9.1	46.3	183.2	462.7	861.8
2002.....	42.7	1.1	0.6	0.4	0.6	0.8	2.2	9.1	45.0	184.2	478.6	890.1
2001.....	42.5	1.1	0.4	0.3	0.5	0.7	2.0	8.8	46.6	190.6	473.2	912.1
2000.....	43.3	1.2	0.4	0.4	0.6	0.8	1.9	8.9	47.5	194.5	486.4	963.6
1999.....	45.4	*	0.4	0.4	0.6	0.7	1.8	8.6	52.0	210.1	510.1	990.1
All origins 3/, female												
2006.....	42.6	*	*	0.2	0.3	0.6	2.0	8.9	36.4	136.4	309.5	501.1
2005.....	45.1	*	0.3	0.2	0.3	0.6	2.1	8.9	39.0	142.5	328.6	546.0
2004.....	42.0	*	*	0.2	0.3	0.5	2.0	8.0	37.8	137.4	309.8	500.3
2003.....	44.0	*	*	0.2	0.4	0.6	2.3	8.2	40.0	145.0	324.6	526.2
2002.....	43.2	*	0.3	0.3	0.4	0.7	2.2	8.2	39.4	143.7	320.0	519.7
2001.....	43.2	*	*	0.2	0.4	0.7	2.2	8.1	41.3	147.3	313.6	522.9
2000.....	42.8	*	0.3	0.3	0.4	0.6	2.1	8.2	40.6	147.1	315.2	511.6
1999.....	43.0	*	0.3	0.2	0.5	0.9	2.1	8.2	42.8	148.6	319.3	498.6
Hispanic, both sexes												
2006.....	7.4	*	*	*	*	0.3	0.7	2.6	11.8	44.8	151.9	369.3
2005.....	8.0	*	*	*	*	0.3	0.8	3.5	12.4	50.3	170.2	412.0
2004.....	7.4	*	*	*	*	0.4	1.0	3.0	12.0	50.9	157.8	389.1
2003.....	7.9	*	*	*	*	0.4	1.0	3.4	12.5	52.8	169.4	458.1
2002.....	7.8	*	*	*	*	0.4	1.2	3.4	13.5	53.1	174.0	454.0
2001.....	7.6	*	*	*	*	0.3	0.9	3.5	13.9	54.8	167.4	477.7
2000.....	7.5	*	*	*	*	*	1.0	3.3	14.0	52.5	178.6	476.4
1999.....	8.3	*	*	*	*	0.5	1.6	3.7	14.5	61.9	192.1	531.8
Hispanic, male												
2006.....	7.4	*	*	*	*	0.7	2.7	13.9	56.1	196.3	482.7	
2005.....	8.3	*	*	*	*	0.9	3.6	15.7	64.3	232.8	526.8	
2004.....	7.6	*	*	*	*	0.5	1.3	2.8	13.4	67.9	206.0	515.6
2003.....	8.2	*	*	*	*	1.0	3.0	16.2	67.9	229.7	646.5	
2002.....	8.1	*	*	*	*	1.0	3.8	17.3	68.6	241.7	599.0	
2001.....	7.7	*	*	*	*	0.7	3.1	16.1	74.1	223.1	672.3	
2000.....	7.9	*	*	*	*	0.8	3.4	17.9	72.2	247.3	669.1	
1999.....	8.8	*	*	*	*	1.4	3.6	17.6	81.7	269.0	836.8	
Hispanic, female												
2006.....	7.3	*	*	*	*	0.7	2.4	9.9	35.6	120.8	309.1	
2005.....	7.7	*	*	*	*	*	3.4	9.3	39.0	126.5	351.9	
2004.....	7.3	*	*	*	*	0.7	3.2	10.7	37.3	124.5	324.1	
2003.....	7.6	*	*	*	*	1.0	3.8	9.3	40.7	128.0	362.5	
2002.....	7.5	*	*	*	*	1.4	3.1	10.1	40.8	127.6	382.1	
2001.....	7.4	*	*	*	*	1.1	4.0	12.0	39.5	129.7	382.6	
2000.....	7.0	*	*	*	*	1.2	3.2	10.5	37.0	132.4	381.8	
1999.....	7.8	*	*	*	*	1.8	3.9	11.7	46.3	140.9	384.7	

Worktable Orig12. Death rates for 358 selected causes, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2006

[Rates per 100,000 population in specified group. Rates are based on populations enumerated as of April 1 for 2000 and estimated as of July 1 for all other years. Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to 'Detailed technical notes to the United States 2006 data-mortality']

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, and sex	All ages 1/	Under 1 year 2/	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
Bronchitis, chronic and unspecified, emphysema and asthma (J40-J46)												
Non-Hispanic 4/, both sexes												
2006.....	47.1	0.8	0.3	0.3	0.4	0.7	2.1	9.7	41.2	156.3	373.0	592.7
2005.....	49.8	0.8	0.4	0.3	0.4	0.7	2.2	9.9	44.2	167.8	394.4	640.4
2004.....	46.7	0.8	0.3	0.3	0.5	0.7	2.1	8.9	42.5	160.1	374.5	603.8
2003.....	48.6	0.8	0.3	0.3	0.5	0.8	2.3	9.1	45.3	169.7	390.2	635.0
2002.....	48.3	1.1	0.4	0.4	0.5	0.8	2.4	9.1	44.3	169.1	392.6	637.6
2001.....	48.0	1.0	0.3	0.3	0.5	0.8	2.3	8.8	46.0	173.9	385.7	642.2
2000.....	48.0	1.0	0.3	0.4	0.5	0.8	2.2	9.0	46.0	175.1	390.6	647.0
1999.....	49.0	1.0	0.4	0.3	0.6	0.8	2.0	8.8	49.5	182.6	401.6	641.8
Non-Hispanic 4/, male												
2006.....	45.9	*	0.3	0.4	0.4	0.8	2.0	9.8	43.9	170.4	449.5	771.2
2005.....	48.6	*	0.5	0.3	0.5	0.7	2.1	10.3	47.1	188.3	474.8	829.1
2004.....	46.0	*	0.4	0.4	0.6	0.8	2.0	9.4	45.2	178.4	456.2	820.0
2003.....	47.9	*	0.5	0.4	0.6	0.9	2.0	9.6	48.5	190.6	473.9	870.2
2002.....	48.2	1.2	0.6	0.4	0.6	0.9	2.4	9.6	47.1	191.3	489.0	901.2
2001.....	47.8	*	0.4	0.3	0.5	0.8	2.2	9.3	48.7	197.5	483.8	919.9
2000.....	48.5	*	0.4	0.4	0.6	0.9	2.1	9.3	49.5	201.1	495.4	973.6
1999.....	50.6	*	0.4	0.5	0.7	0.8	1.9	9.0	54.3	216.7	518.9	993.3
Non-Hispanic 4/, female												
2006.....	48.2	*	*	0.2	0.3	0.6	2.2	9.6	38.6	144.3	320.7	509.8
2005.....	50.9	*	0.3	0.2	0.3	0.7	2.3	9.5	41.5	150.3	339.9	554.3
2004.....	47.3	*	*	0.2	0.4	0.6	2.2	8.5	40.0	144.6	319.6	507.1
2003.....	49.3	*	*	0.2	0.4	0.7	2.5	8.6	42.4	152.2	334.3	531.7
2002.....	48.3	*	*	0.3	0.4	0.7	2.4	8.6	41.7	150.7	328.7	523.9
2001.....	48.1	*	*	0.2	0.4	0.8	2.4	8.4	43.5	154.2	321.2	526.7
2000.....	47.5	*	*	0.3	0.4	0.7	2.2	8.6	42.8	153.7	322.3	515.0
1999.....	47.5	*	*	0.2	0.5	0.9	2.1	8.6	45.0	154.6	325.6	501.0
Non-Hispanic white, both sexes												
2006 5/.....	55.1	*	*	0.1	0.2	0.5	1.9	9.8	43.5	168.9	395.3	622.9
2005 5/.....	58.1	*	0.2	0.1	0.2	0.5	2.0	9.8	46.7	180.2	417.5	671.8
2004 5/.....	54.5	*	*	0.2	0.3	0.5	1.9	8.7	44.7	172.4	395.1	633.1
2003 5/.....	56.6	*	*	0.2	0.3	0.6	2.0	9.0	47.6	181.8	411.6	665.0
2002.....	56.0	0.9	0.2	0.2	0.4	0.6	2.0	8.9	46.4	180.7	412.6	669.3
2001.....	55.5	*	*	0.2	0.3	0.5	1.9	8.6	48.3	184.9	405.5	669.3
2000.....	55.3	*	*	0.2	0.3	0.5	1.7	8.5	47.9	185.5	409.8	674.2
1999.....	56.2	*	0.2	0.2	0.4	0.5	1.6	8.4	51.5	192.6	418.9	668.8
Non-Hispanic white, male												
2006 5/.....	52.8	*	*	0.2	0.2	0.5	1.8	9.7	45.2	180.0	467.4	800.3
2005 5/.....	55.7	*	*	0.3	0.5	1.8	10.1	48.7	198.1	491.9	857.0	
2004 5/.....	52.7	*	*	0.2	0.3	0.5	1.8	9.1	46.1	188.0	474.3	847.5
2003 5/.....	54.7	*	*	0.2	0.4	0.5	1.8	9.5	49.8	199.7	488.6	898.8
2002.....	54.9	*	*	0.2	0.4	0.6	1.9	9.3	48.1	199.9	504.4	930.6
2001.....	54.4	*	*	0.2	0.3	0.5	1.8	9.0	50.2	205.5	499.2	946.6
2000.....	54.9	*	*	0.2	0.4	0.5	1.6	8.8	50.5	208.1	511.4	1,003.9
1999.....	57.1	*	*	0.3	0.5	0.5	1.5	8.4	55.4	224.2	531.8	1,026.2
Non-Hispanic white, female												
2006 5/.....	57.4	*	*	*	0.2	0.5	2.0	9.9	41.8	159.2	345.3	540.2
2005 5/.....	60.4	*	*	*	0.2	0.6	2.1	9.5	44.8	164.8	366.3	587.1
2004 5/.....	56.1	*	*	*	0.2	0.5	2.1	8.3	43.3	159.0	342.9	537.1
2003 5/.....	58.4	*	*	*	0.3	0.6	2.2	8.5	45.4	166.5	359.5	562.0
2002.....	57.0	*	*	*	0.4	0.6	2.0	8.6	44.8	164.3	351.2	553.0
2001.....	56.5	*	*	*	0.3	0.6	2.0	8.2	46.5	167.5	343.3	553.9
2000.....	55.6	*	*	*	0.3	0.6	1.9	8.3	45.5	166.5	343.0	541.3
1999.....	55.4	*	*	*	0.4	0.6	1.8	8.4	47.9	166.3	345.0	526.3

Worktable Orig12. Death rates for 358 selected causes, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2006

[Rates per 100,000 population in specified group. Rates are based on populations enumerated as of April 1 for 2000 and estimated as of July 1 for all other years. Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.odc.gov/nchs> and refer to 'Detailed technical notes to the United States 2006 data-mortality']

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, and sex	All ages 1/	Under 1 year 2/	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
Bronchitis, chronic and unspecified, emphysema and asthma (J40-J46)												
Non-Hispanic black, both sexes												
2006 5/.....	20.2	*	*	1.1	1.2	2.0	4.1	12.2	37.9	102.5	228.9	335.5
2005 5/.....	21.7	*	1.2	0.8	1.2	1.8	4.0	14.0	40.2	115.9	244.2	367.8
2004 5/.....	19.8	*	0.8	1.0	1.3	1.9	4.0	13.0	38.9	103.4	225.2	334.4
2003 5/.....	20.8	*	1.0	1.0	1.3	2.0	4.4	12.8	41.1	115.1	237.8	354.6
2002.....	21.3	*	1.2	1.1	1.3	2.0	5.2	12.9	41.5	114.4	249.6	369.6
2001.....	21.0	*	0.9	0.8	1.3	2.4	4.9	12.6	41.2	120.1	235.2	378.0
2000.....	21.4	*	0.9	1.1	1.4	2.2	4.9	14.4	44.3	122.4	235.9	375.5
1999.....	22.5	*	*	1.0	1.4	2.6	4.7	14.0	46.5	129.4	263.8	376.0
Non-Hispanic black, male												
2006 5/.....	22.6	*	*	1.3	1.4	2.4	3.9	13.5	48.4	139.1	343.4	519.5
2005 5/.....	24.7	*	1.6	1.0	1.5	2.0	4.0	15.2	49.8	159.8	380.7	593.8
2004 5/.....	22.8	*	*	1.4	1.6	2.6	4.1	14.4	51.1	142.4	342.3	567.0
2003 5/.....	24.1	*	*	1.3	1.6	2.9	4.0	13.6	51.3	157.6	385.8	608.4
2002.....	24.8	*	1.6	1.2	2.0	2.3	5.7	14.5	52.9	159.1	394.5	653.1
2001.....	24.4	*	*	1.0	1.7	2.8	4.7	13.5	50.2	169.5	383.5	680.3
2000.....	25.0	*	*	1.3	1.8	2.8	4.9	15.2	55.1	177.6	371.8	696.3
1999.....	26.9	*	*	1.4	1.9	2.7	4.6	15.5	60.0	185.8	436.8	706.0
Non-Hispanic black, female												
2006 5/.....	18.0	*	*	0.8	0.9	1.6	4.2	11.1	29.5	76.3	163.9	260.5
2005 5/.....	19.0	*	*	*	0.9	1.6	3.9	13.0	32.4	84.6	166.8	276.9
2004 5/.....	17.1	*	*	*	1.0	1.3	3.9	11.8	29.2	75.7	159.1	242.5
2003 5/.....	17.8	*	*	*	1.1	1.1	4.7	12.1	32.9	84.9	154.2	256.3
2002.....	18.1	*	*	1.1	0.7	1.7	4.8	11.6	32.2	82.7	167.6	261.3
2001.....	17.9	*	*	0.7	1.0	2.1	5.0	11.8	33.9	85.2	152.0	266.1
2000.....	18.1	*	*	0.8	1.0	1.6	4.8	13.7	35.7	83.6	159.4	256.4
1999.....	18.4	*	*	0.6	0.9	2.6	4.7	12.7	35.6	89.6	166.9	252.7

Worktable Orig12. Death rates for 358 selected causes, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2006

[Rates per 100,000 population in specified group. Rates are based on populations enumerated as of April 1 for 2000 and estimated as of July 1 for all other years. Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to 'Detailed technical notes to the United States 2006 data-mortality']

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, and sex	All ages 1/	Under 1 year 2/	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
Bronchitis, not specified as acute or chronic (J40)												
Non-Hispanic 4/, both sexes												
2006.....	0.1	*	*	*	*	*	*	*	0.1	0.2	0.8	3.4
2005.....	0.2	*	*	*	*	*	*	*	0.1	0.3	0.8	4.2
2004.....	0.2	*	*	*	*	*	*	0.1	0.1	0.2	0.7	3.8
2003.....	0.2	*	*	*	*	*	*	*	0.1	0.2	0.8	4.6
2002.....	0.2	*	*	*	*	*	*	*	0.1	0.3	1.0	5.1
2001.....	0.2	*	*	*	*	*	*	0.1	0.1	0.3	1.1	5.3
2000.....	0.3	*	*	*	*	*	*	0.1	0.2	0.4	1.5	7.0
1999.....	0.3	*	*	*	*	*	*	0.1	0.2	0.5	1.4	6.3
Non-Hispanic 4/, male												
2006.....	0.1	*	*	*	*	*	*	*	*	*	0.8	3.5
2005.....	0.1	*	*	*	*	*	*	*	*	0.4	1.0	3.9
2004.....	0.1	*	*	*	*	*	*	*	*	0.4	0.6	3.8
2003.....	0.1	*	*	*	*	*	*	*	*	0.3	0.9	3.8
2002.....	0.1	*	*	*	*	*	*	*	*	0.3	1.0	4.8
2001.....	0.2	*	*	*	*	*	*	*	*	0.4	1.1	5.2
2000.....	0.2	*	*	*	*	*	*	*	0.2	0.4	2.0	6.6
1999.....	0.2	*	*	*	*	*	*	*	0.2	0.5	1.6	5.9
Non-Hispanic 4/, female												
2006.....	0.2	*	*	*	*	*	*	*	*	0.2	0.8	3.3
2005.....	0.2	*	*	*	*	*	*	*	*	0.3	0.7	4.3
2004.....	0.2	*	*	*	*	*	*	*	*	*	0.7	3.8
2003.....	0.2	*	*	*	*	*	*	*	*	0.2	0.8	4.9
2002.....	0.2	*	*	*	*	*	*	*	*	0.3	1.0	5.2
2001.....	0.2	*	*	*	*	*	*	*	*	0.3	1.1	5.3
2000.....	0.3	*	*	*	*	*	*	*	*	0.3	1.2	7.1
1999.....	0.3	*	*	*	*	*	*	*	0.2	0.5	1.3	6.4
Non-Hispanic white, both sexes												
2006 5/.....	0.2	*	*	*	*	*	*	*	0.1	0.2	0.8	3.5
2005 5/.....	0.2	*	*	*	*	*	*	*	0.1	0.4	0.9	4.4
2004 5/.....	0.2	*	*	*	*	*	*	*	0.1	0.3	0.7	3.9
2003 5/.....	0.2	*	*	*	*	*	*	*	*	0.3	0.9	4.6
2002.....	0.2	*	*	*	*	*	*	*	0.1	0.4	1.1	5.4
2001.....	0.2	*	*	*	*	*	*	0.1	0.1	0.3	1.1	5.6
2000.....	0.3	*	*	*	*	*	*	*	0.2	0.4	1.6	7.5
1999.....	0.3	*	*	*	*	*	*	*	0.2	0.5	1.4	6.5
Non-Hispanic white, male												
2006 5/.....	0.1	*	*	*	*	*	*	*	*	*	0.8	3.8
2005 5/.....	0.2	*	*	*	*	*	*	*	*	0.3	1.0	3.9
2004 5/.....	0.2	*	*	*	*	*	*	*	*	0.4	0.7	4.0
2003 5/.....	0.1	*	*	*	*	*	*	*	*	*	1.0	3.8
2002.....	0.2	*	*	*	*	*	*	*	*	0.4	1.1	5.2
2001.....	0.2	*	*	*	*	*	*	*	*	0.4	1.0	5.4
2000.....	0.2	*	*	*	*	*	*	*	*	0.4	2.1	7.2
1999.....	0.2	*	*	*	*	*	*	*	*	0.5	1.5	6.3
Non-Hispanic white, female												
2006 5/.....	0.2	*	*	*	*	*	*	*	*	*	0.8	3.3
2005 5/.....	0.2	*	*	*	*	*	*	*	*	0.4	0.8	4.6
2004 5/.....	0.2	*	*	*	*	*	*	*	*	*	0.7	3.9
2003 5/.....	0.2	*	*	*	*	*	*	*	*	*	0.8	5.0
2002.....	0.3	*	*	*	*	*	*	*	*	0.4	1.1	5.4
2001.....	0.3	*	*	*	*	*	*	*	*	0.3	1.2	5.7
2000.....	0.3	*	*	*	*	*	*	*	*	0.3	1.2	7.6
1999.....	0.3	*	*	*	*	*	*	*	*	0.5	1.3	6.6

Worktable Orig12. Death rates for 358 selected causes, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2006

[Rates per 100,000 population in specified group. Rates are based on populations enumerated as of April 1 for 2000 and estimated as of July 1 for all other years. Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to 'Detailed technical notes to the United States 2006 data-mortality']

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, and sex	All ages 1/	Under 1 year 2/	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
Chronic bronchitis (J41-J42)												
Non-Hispanic 4/, both sexes												
2006.....	0.1	*	*	*	*	*	*	*	0.1	0.3	0.7	2.7
2005.....	0.1	*	*	*	*	*	*	*	0.1	0.3	0.7	3.1
2004.....	0.1	*	*	*	*	*	*	*	0.1	0.3	0.9	2.8
2003.....	0.2	*	*	*	*	*	*	0.1	0.1	0.4	1.1	2.7
2002.....	0.2	*	*	*	*	*	*	0.1	0.1	0.5	1.2	2.9
2001.....	0.2	*	*	*	*	*	*	*	0.1	0.4	1.0	3.9
2000.....	0.2	*	*	*	*	*	*	*	0.1	0.5	1.2	4.8
1999.....	0.2	*	*	*	*	*	*	*	0.2	0.4	1.3	4.4
Non-Hispanic 4/, male												
2006.....	0.1	*	*	*	*	*	*	*	*	0.3	0.7	2.6
2005.....	0.1	*	*	*	*	*	*	*	*	0.3	0.8	3.5
2004.....	0.1	*	*	*	*	*	*	*	*	0.3	0.9	3.3
2003.....	0.1	*	*	*	*	*	*	*	*	0.3	1.3	3.1
2002.....	0.2	*	*	*	*	*	*	*	*	0.6	1.5	4.0
2001.....	0.1	*	*	*	*	*	*	*	*	0.6	1.2	4.1
2000.....	0.2	*	*	*	*	*	*	*	*	0.5	1.6	6.2
1999.....	0.2	*	*	*	*	*	*	*	0.3	0.6	1.7	5.9
Non-Hispanic 4/, female												
2006.....	0.1	*	*	*	*	*	*	*	*	0.3	0.7	2.7
2005.....	0.2	*	*	*	*	*	*	*	*	0.4	0.7	3.0
2004.....	0.2	*	*	*	*	*	*	*	*	0.3	0.8	2.6
2003.....	0.2	*	*	*	*	*	*	*	*	0.4	0.9	2.6
2002.....	0.2	*	*	*	*	*	*	*	*	0.3	1.0	2.4
2001.....	0.2	*	*	*	*	*	*	*	*	0.3	0.8	3.8
2000.....	0.2	*	*	*	*	*	*	*	*	0.5	0.9	4.3
1999.....	0.2	*	*	*	*	*	*	*	0.2	0.3	1.1	3.8
Non-Hispanic white, both sexes												
2006 5/.....	0.1	*	*	*	*	*	*	*	*	0.3	0.7	2.8
2005 5/.....	0.2	*	*	*	*	*	*	*	0.1	0.3	0.7	3.4
2004 5/.....	0.2	*	*	*	*	*	*	*	0.1	0.3	0.9	2.8
2003 5/.....	0.2	*	*	*	*	*	*	*	*	0.4	1.1	2.8
2002.....	0.2	*	*	*	*	*	*	*	0.1	0.5	1.2	3.1
2001.....	0.2	*	*	*	*	*	*	*	0.2	0.4	1.0	4.0
2000.....	0.2	*	*	*	*	*	*	*	0.1	0.5	1.2	5.1
1999.....	0.2	*	*	*	*	*	*	*	0.3	0.5	1.4	4.7
Non-Hispanic white, male												
2006 5/.....	0.1	*	*	*	*	*	*	*	*	0.3	0.7	2.7
2005 5/.....	0.1	*	*	*	*	*	*	*	*	*	0.8	3.7
2004 5/.....	0.1	*	*	*	*	*	*	*	*	0.3	1.0	3.2
2003 5/.....	0.2	*	*	*	*	*	*	*	*	0.3	1.2	3.4
2002.....	0.2	*	*	*	*	*	*	*	*	0.6	1.5	4.2
2001.....	0.2	*	*	*	*	*	*	*	*	0.6	1.2	4.2
2000.....	0.2	*	*	*	*	*	*	*	*	0.5	1.7	6.6
1999.....	0.2	*	*	*	*	*	*	*	0.3	0.7	1.7	6.1
Non-Hispanic white, female												
2006 5/.....	0.2	*	*	*	*	*	*	*	*	0.3	0.8	2.8
2005 5/.....	0.2	*	*	*	*	*	*	*	*	0.4	0.7	3.2
2004 5/.....	0.2	*	*	*	*	*	*	*	*	0.3	0.8	2.7
2003 5/.....	0.2	*	*	*	*	*	*	*	*	0.4	1.0	2.6
2002.....	0.2	*	*	*	*	*	*	*	*	0.4	1.0	2.6
2001.....	0.2	*	*	*	*	*	*	*	*	*	0.9	4.0
2000.....	0.2	*	*	*	*	*	*	*	*	0.5	0.9	4.6
1999.....	0.2	*	*	*	*	*	*	*	0.2	0.3	1.1	4.1

Worktable Orig12. Death rates for 358 selected causes, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2006

[Rates per 100,000 population in specified group. Rates are based on populations enumerated as of April 1 for 2000 and estimated as of July 1 for all other years. Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to 'Detailed technical notes to the United States 2006 data-mortality']

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, and sex	All ages 1/	Under 1 year 2/	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
Emphysema (J43)												
All origins 3/, both sexes												
2006.....	4.2	*	*	*	*	*	0.2	1.0	4.8	17.3	36.8	45.3
2005.....	4.7	*	*	*	*	*	0.2	1.0	5.5	20.1	41.4	51.9
2004.....	4.6	*	*	*	*	*	0.2	1.0	5.4	20.5	41.0	49.9
2003.....	5.1	*	*	*	*	*	0.2	1.1	6.3	22.2	46.0	54.6
2002.....	5.4	*	*	*	*	*	0.2	1.1	6.4	24.0	48.0	59.3
2001.....	5.7	*	*	*	*	*	0.2	1.1	7.2	26.2	50.4	62.1
2000.....	5.9	*	*	*	*	*	0.2	1.3	7.4	27.8	52.7	63.3
1999.....	6.4	*	*	*	*	*	0.2	1.3	8.5	30.7	56.9	62.1
All origins 3/, male												
2006.....	4.3	*	*	*	*	*	0.2	1.3	5.3	19.6	45.4	63.7
2005.....	5.0	*	*	*	*	*	0.2	1.3	6.7	23.9	52.4	71.5
2004.....	4.9	*	*	*	*	*	0.2	1.2	6.2	24.3	52.2	74.4
2003.....	5.3	*	*	*	*	*	0.2	1.4	6.9	25.6	58.1	79.2
2002.....	5.7	*	*	*	*	*	0.3	1.4	7.2	28.1	63.5	90.0
2001.....	6.0	*	*	*	*	*	0.2	1.4	7.9	30.8	65.3	101.2
2000.....	6.3	*	*	*	*	*	0.2	1.5	8.1	33.0	69.1	104.2
1999.....	6.9	*	*	*	*	*	0.2	1.5	9.5	37.8	76.4	105.4
All origins 3/, female												
2006.....	4.1	*	*	*	*	*	0.2	0.9	4.4	15.4	30.9	36.7
2005.....	4.5	*	*	*	*	*	0.1	0.9	4.5	16.9	33.9	42.8
2004.....	4.4	*	*	*	*	*	0.1	0.8	4.7	17.4	33.5	38.9
2003.....	4.9	*	*	*	*	*	0.2	0.8	5.7	19.2	37.9	43.7
2002.....	5.0	*	*	*	*	*	0.1	0.9	5.6	20.6	37.6	46.0
2001.....	5.4	*	*	*	*	*	0.1	0.9	6.6	22.5	40.6	45.8
2000.....	5.6	*	*	*	*	*	0.2	1.0	6.8	23.6	41.9	46.7
1999.....	5.8	*	*	*	*	*	0.2	1.1	7.5	24.9	44.2	44.7
Hispanic, both sexes												
2006.....	0.6	*	*	*	*	*	*	*	1.7	4.0	15.6	20.7
2005.....	0.7	*	*	*	*	*	*	*	1.3	5.4	16.6	24.8
2004.....	0.7	*	*	*	*	*	*	*	0.9	5.0	16.1	30.0
2003.....	0.8	*	*	*	*	*	*	*	1.4	6.0	20.0	34.7
2002.....	0.8	*	*	*	*	*	*	*	1.5	6.7	19.8	36.6
2001.....	0.8	*	*	*	*	*	*	*	1.4	6.6	20.4	39.4
2000.....	0.8	*	*	*	*	*	*	*	1.5	6.0	22.3	31.2
1999.....	0.9	*	*	*	*	*	*	*	1.3	7.1	23.5	44.2
Hispanic, male												
2006.....	0.8	*	*	*	*	*	*	*	2.2	6.2	21.8	31.6
2005.....	0.8	*	*	*	*	*	*	*	1.8	8.6	22.7	38.6
2004.....	0.7	*	*	*	*	*	*	*	*	6.5	20.4	47.6
2003.....	0.9	*	*	*	*	*	*	*	2.1	7.6	29.1	53.9
2002.....	0.8	*	*	*	*	*	*	*	*	9.2	26.7	53.5
2001.....	0.9	*	*	*	*	*	*	*	*	9.2	34.0	60.9
2000.....	0.9	*	*	*	*	*	*	*	*	9.1	32.5	58.4
1999.....	1.0	*	*	*	*	*	*	*	*	11.2	36.0	77.6
Hispanic, female												
2006.....	0.5	*	*	*	*	*	*	*	*	*	11.3	15.0
2005.....	0.6	*	*	*	*	*	*	*	*	*	2.9	12.3
2004.....	0.6	*	*	*	*	*	*	*	*	*	3.7	13.1
2003.....	0.7	*	*	*	*	*	*	*	*	*	4.7	13.7
2002.....	0.7	*	*	*	*	*	*	*	*	*	4.7	13.5
2001.....	0.6	*	*	*	*	*	*	*	*	*	4.6	11.2
2000.....	0.6	*	*	*	*	*	*	*	*	*	3.6	15.5
1999.....	0.7	*	*	*	*	*	*	*	*	*	4.0	15.3

Worktable Orig12. Death rates for 358 selected causes, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2006

[Rates per 100,000 population in specified group. Rates are based on populations enumerated as of April 1 for 2000 and estimated as of July 1 for all other years. Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to 'Detailed technical notes to the United States 2006 data-mortality']

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, and sex	All ages 1/	Under 1 year 2/	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
Emphysema (J43)												
Non-Hispanic 4/, both sexes												
2006.....	4.8	*	*	*	*	*	0.2	1.1	5.1	18.3	38.1	46.5
2005.....	5.4	*	*	*	*	*	0.2	1.1	5.9	21.2	42.8	53.1
2004.....	5.3	*	*	*	*	*	0.2	1.1	5.8	21.7	42.4	50.7
2003.....	5.8	*	*	*	*	*	0.2	1.2	6.6	23.3	47.3	55.4
2002.....	6.1	*	*	*	*	*	0.2	1.2	6.8	25.1	49.3	60.1
2001.....	6.4	*	*	*	*	*	0.2	1.2	7.6	27.5	51.7	62.8
2000.....	6.7	*	*	*	*	*	0.2	1.3	7.9	29.1	53.8	64.3
1999.....	7.1	*	*	*	*	*	0.2	1.3	9.0	32.0	58.1	62.5
Non-Hispanic 4/, male												
2006.....	4.9	*	*	*	*	*	0.3	1.3	5.6	20.6	46.9	65.3
2005.....	5.7	*	*	*	*	*	0.3	1.4	7.0	25.0	54.1	73.1
2004.....	5.6	*	*	*	*	*	0.2	1.3	6.6	25.6	54.0	75.5
2003.....	6.0	*	*	*	*	*	0.2	1.5	7.3	28.8	59.5	80.4
2002.....	6.5	*	*	*	*	*	0.3	1.5	7.7	29.3	65.2	91.3
2001.....	6.8	*	*	*	*	*	0.3	1.5	8.4	32.1	66.6	102.7
2000.....	7.1	*	*	*	*	*	0.2	1.6	8.5	34.3	70.6	105.9
1999.....	7.8	*	*	*	*	*	0.2	1.5	10.0	39.2	77.8	106.1
Non-Hispanic 4/, female												
2006.....	4.7	*	*	*	*	*	0.2	0.9	4.6	16.4	32.0	37.8
2005.....	5.1	*	*	*	*	*	0.1	0.8	4.8	18.0	35.1	44.0
2004.....	5.0	*	*	*	*	*	0.2	0.9	5.1	18.4	34.6	39.6
2003.....	5.6	*	*	*	*	*	0.2	0.9	6.0	20.3	39.1	44.5
2002.....	5.7	*	*	*	*	*	0.1	1.0	6.0	21.7	38.8	46.6
2001.....	6.1	*	*	*	*	*	0.1	1.0	7.0	23.6	41.9	46.3
2000.....	6.3	*	*	*	*	*	0.2	1.1	7.3	24.8	42.9	47.5
1999.....	6.5	*	*	*	*	*	0.2	1.1	8.1	26.1	45.3	45.0
Non-Hispanic white, both sexes												
2006 5/.....	5.7	*	*	*	*	*	0.2	1.2	5.5	20.0	40.5	49.2
2005 5/.....	6.3	*	*	*	*	*	0.2	1.1	6.3	23.0	45.2	55.9
2004 5/.....	6.2	*	*	*	*	*	0.2	1.1	6.2	23.7	45.2	53.4
2003 5/.....	6.8	*	*	*	*	*	0.2	1.2	7.1	25.2	49.9	57.9
2002.....	7.1	*	*	*	*	*	0.2	1.3	7.3	27.0	52.3	63.1
2001.....	7.5	*	*	*	*	*	0.2	1.3	8.2	29.6	54.9	65.9
2000.....	7.8	*	*	*	*	*	0.2	1.3	8.4	31.2	57.0	66.9
1999.....	8.3	*	*	*	*	*	0.2	1.3	9.7	34.5	61.2	65.2
Non-Hispanic white, male												
2006 5/.....	5.7	*	*	*	*	*	0.3	1.4	5.7	22.0	48.7	68.4
2005 5/.....	6.5	*	*	*	*	*	0.2	1.4	7.3	26.4	55.8	75.5
2004 5/.....	6.5	*	*	*	*	*	0.2	1.2	6.8	27.2	56.5	78.2
2003 5/.....	6.9	*	*	*	*	*	0.2	1.5	7.6	28.5	61.3	81.6
2002.....	7.4	*	*	*	*	*	0.3	1.5	8.0	30.6	67.7	94.3
2001.....	7.8	*	*	*	*	*	0.3	1.5	8.7	33.8	69.6	106.6
2000.....	8.1	*	*	*	*	*	0.2	1.4	8.9	35.8	73.9	107.3
1999.....	8.9	*	*	*	*	*	0.2	1.4	10.4	41.1	80.6	110.0
Non-Hispanic white, female												
2006 5/.....	5.7	*	*	*	*	*	0.2	1.1	5.2	18.2	34.8	40.3
2005 5/.....	6.1	*	*	*	*	*	*	0.9	5.4	20.0	37.8	47.0
2004 5/.....	6.0	*	*	*	*	*	0.2	0.9	5.6	20.6	37.6	42.3
2003 5/.....	6.7	*	*	*	*	*	0.2	1.0	6.7	22.5	42.3	47.4
2002.....	6.8	*	*	*	*	*	*	1.1	6.7	24.0	41.9	49.7
2001.....	7.2	*	*	*	*	*	0.1	1.0	7.7	26.1	45.2	48.9
2000.....	7.4	*	*	*	*	*	0.2	1.1	8.0	27.3	45.8	50.6
1999.....	7.7	*	*	*	*	*	0.2	1.2	9.0	29.0	48.5	47.3

Worktable Orig12. Death rates for 358 selected causes, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2006

[Rates per 100,000 population in specified group. Rates are based on populations enumerated as of April 1 for 2000 and estimated as of July 1 for all other years. Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.odc.gov/nchs> and refer to 'Detailed technical notes to the United States 2006 data-mortality']

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, and sex	All ages 1/	Under 1 year 2/	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
Emphysema (J43)												
Non-Hispanic black, both sexes												
2006 5/.....	1.9	*	*	*	*	*	0.4	1.0	4.3	10.3	22.6	24.2
2005 5/.....	2.2	*	*	*	*	*	*	1.4	4.6	12.9	26.7	27.3
2004 5/.....	1.9	*	*	*	*	*	*	1.3	4.7	11.0	22.5	27.9
2003 5/.....	2.2	*	*	*	*	*	*	1.2	5.3	13.2	27.7	31.2
2002.....	2.3	*	*	*	*	*	0.5	1.2	4.6	16.2	28.2	32.1
2001.....	2.2	*	*	*	*	*	*	1.4	5.6	15.6	23.6	35.9
2000.....	2.5	*	*	*	*	*	*	2.0	6.1	17.1	27.0	37.5
1999.....	2.7	*	*	*	*	*	0.4	1.9	6.3	17.3	31.8	37.8
Non-Hispanic black, male												
2006 5/.....	2.4	*	*	*	*	*	*	1.6	6.8	14.3	36.7	40.3
2005 5/.....	2.8	*	*	*	*	*	*	2.1	7.5	19.4	42.9	50.4
2004 5/.....	2.6	*	*	*	*	*	*	2.0	7.1	17.4	37.1	57.9
2003 5/.....	2.8	*	*	*	*	*	*	1.7	7.5	18.6	46.7	71.4
2002.....	3.1	*	*	*	*	*	*	1.8	6.7	25.3	49.5	65.6
2001.....	2.8	*	*	*	*	*	*	1.6	7.9	23.0	40.2	69.3
2000.....	3.3	*	*	*	*	*	*	3.0	8.2	27.4	41.3	89.2
1999.....	3.6	*	*	*	*	*	*	3.0	9.1	29.3	55.7	73.7
Non-Hispanic black, female												
2006 5/.....	1.4	*	*	*	*	*	*	*	2.3	7.5	14.7	17.6
2005 5/.....	1.6	*	*	*	*	*	*	0.8	2.9	8.2	17.5	18.0
2004 5/.....	1.3	*	*	*	*	*	*	*	2.7	6.4	14.3	16.1
2003 5/.....	1.6	*	*	*	*	*	*	*	3.5	9.4	16.9	15.7
2002.....	1.6	*	*	*	*	*	*	*	2.8	9.8	16.1	19.2
2001.....	1.7	*	*	*	*	*	*	1.1	3.7	10.4	14.3	23.5
2000.....	1.8	*	*	*	*	*	*	1.3	4.5	9.8	18.9	18.3
1999.....	1.8	*	*	*	*	*	*	1.0	4.0	8.9	18.4	24.4

Worktable Orig12. Death rates for 358 selected causes, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2006

[Rates per 100,000 population in specified group. Rates are based on populations enumerated as of April 1 for 2000 and estimated as of July 1 for all other years. Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to 'Detailed technical notes to the United States 2006 data-mortality']

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, and sex	All ages 1/	Under 1 year 2/	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
Other chronic obstructive pulmonary disease (J44)												
All origins 3/, both sexes												
2006.....	35.6	*	*	*	*	0.1	0.8	6.6	32.5	128.3	317.4	519.0
2005.....	37.5	*	*	*	*	0.1	0.9	6.8	34.3	136.4	334.1	557.0
2004.....	35.0	*	*	*	*	0.1	0.9	5.9	32.8	129.2	315.8	524.8
2003.....	36.3	*	*	*	*	0.1	0.9	5.9	34.6	136.7	326.2	552.9
2002.....	35.8	*	*	*	*	0.1	0.9	5.9	33.5	134.2	326.7	549.7
2001.....	35.3	*	*	*	0.1	0.1	0.9	5.6	34.2	136.5	318.0	550.3
2000.....	35.1	*	*	*	*	0.1	0.8	5.6	34.0	135.8	320.6	550.6
1999.....	35.7	*	*	*	*	0.1	0.7	5.4	35.9	140.5	327.2	549.6
All origins 3/, male												
2006.....	34.6	*	*	*	*	0.1	0.8	6.8	35.2	141.0	384.6	678.3
2005.....	36.5	*	*	*	*	0.1	0.9	7.2	36.8	153.9	403.4	727.8
2004.....	34.3	*	*	*	*	0.1	1.0	6.4	35.1	144.5	386.3	714.1
2003.....	35.7	*	*	*	*	0.1	0.9	6.4	37.6	154.9	397.8	764.9
2002.....	35.5	*	*	*	*	0.1	1.0	6.4	36.0	152.8	407.6	780.4
2001.....	35.1	*	*	*	*	0.1	0.9	6.2	36.9	156.3	401.1	789.6
2000.....	35.4	*	*	*	*	*	0.8	6.0	37.5	157.5	408.7	833.7
1999.....	36.9	*	*	*	*	*	0.7	5.9	40.3	167.9	424.8	860.0
All origins 3/, female												
2006.....	36.6	*	*	*	*	0.1	0.8	6.4	29.9	117.7	271.5	444.4
2005.....	38.5	*	*	*	*	*	1.0	6.4	32.0	121.7	287.0	478.5
2004.....	35.7	*	*	*	*	*	0.9	5.5	30.7	116.3	268.4	439.6
2003.....	38.9	*	*	*	*	*	1.0	5.4	31.8	121.6	278.3	459.2
2002.....	38.0	*	*	*	*	0.1	0.9	5.4	31.2	118.7	273.0	449.5
2001.....	35.5	*	*	*	*	*	0.9	5.1	31.7	120.2	263.4	450.2
2000.....	34.7	*	*	*	*	*	0.8	5.2	30.8	117.9	263.1	435.3
1999.....	34.5	*	*	*	*	0.1	0.7	4.9	31.8	118.0	263.8	424.5
Hispanic, both sexes												
2006.....	6.1	*	*	*	*	*	*	1.6	8.7	38.2	130.6	326.7
2005.....	6.6	*	*	*	*	*	*	2.4	9.5	41.8	147.1	365.4
2004.....	6.0	*	*	*	*	*	0.4	1.6	9.1	42.4	134.5	343.0
2003.....	6.2	*	*	*	*	*	0.4	1.6	8.9	43.2	141.9	401.6
2002.....	6.2	*	*	*	*	*	0.4	2.0	10.0	42.4	145.8	394.1
2001.....	6.0	*	*	*	*	*	*	1.8	10.0	44.1	137.4	416.4
2000.....	5.8	*	*	*	*	*	*	1.6	9.6	40.0	145.8	418.0
1999.....	6.4	*	*	*	*	*	*	1.7	10.7	48.5	155.4	458.1
Hispanic, male												
2006.....	6.2	*	*	*	*	*	*	1.8	10.5	48.5	170.1	437.5
2005.....	6.9	*	*	*	*	*	*	2.6	12.9	53.3	204.4	468.2
2004.....	6.3	*	*	*	*	*	*	1.7	11.0	58.7	180.6	452.5
2003.....	6.5	*	*	*	*	*	*	1.3	11.8	57.6	192.9	574.2
2002.....	6.6	*	*	*	*	*	*	2.2	13.8	57.3	207.2	532.1
2001.....	6.2	*	*	*	*	*	*	2.0	12.2	61.1	180.6	601.8
2000.....	6.1	*	*	*	*	*	*	1.6	13.3	56.3	206.0	582.5
1999.....	7.0	*	*	*	*	*	*	1.6	13.9	65.7	225.2	735.4
Hispanic, female												
2006.....	5.9	*	*	*	*	*	*	1.4	7.0	29.9	102.9	267.8
2005.....	6.3	*	*	*	*	*	*	2.1	6.4	32.4	107.2	311.5
2004.....	5.8	*	*	*	*	*	*	1.5	7.4	29.4	102.7	286.7
2003.....	5.9	*	*	*	*	*	*	1.8	6.3	31.8	106.9	314.1
2002.....	5.7	*	*	*	*	*	*	1.8	6.6	30.6	103.7	325.8
2001.....	5.7	*	*	*	*	*	*	1.7	8.0	30.7	108.2	325.8
2000.....	5.4	*	*	*	*	*	*	1.6	6.3	27.2	105.3	337.3
1999.....	5.7	*	*	*	*	*	*	1.8	7.8	35.1	108.9	324.4

Worktable Orig12. Death rates for 358 selected causes, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2006

[Rates per 100,000 population in specified group. Rates are based on populations enumerated as of April 1 for 2000 and estimated as of July 1 for all other years. Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to 'Detailed technical notes to the United States 2006 data-mortality']

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, and sex	All ages 1/	Under 1 year 2/	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
Other chronic obstructive pulmonary disease (J44)												
Non-Hispanic 4/, both sexes												
2006.....	40.7	*	*	*	*	0.1	0.9	7.1	34.4	135.1	328.5	528.0
2005.....	42.6	*	*	*	*	0.1	1.1	7.3	36.3	143.4	344.6	565.5
2004.....	39.7	*	*	*	*	0.1	1.0	6.4	34.7	135.2	325.4	532.3
2003.....	41.0	*	*	*	*	0.1	1.0	6.3	36.5	143.0	335.1	558.2
2002.....	40.3	*	*	*	*	0.1	1.0	6.2	35.3	140.1	334.7	554.9
2001.....	39.6	*	*	*	0.1	0.1	1.0	5.9	35.9	142.2	325.6	554.1
2000.....	39.2	*	*	*	*	0.1	0.8	5.9	35.7	141.3	327.2	554.3
1999.....	39.6	*	*	*	*	0.1	0.8	5.7	37.6	145.5	333.3	551.4
Non-Hispanic 4/, male												
2006.....	39.8	*	*	*	*	0.1	0.9	7.4	37.1	147.7	397.5	690.8
2005.....	41.6	*	*	*	*	*	1.0	7.7	38.7	161.0	414.6	740.2
2004.....	39.1	*	*	*	*	0.1	1.0	6.9	36.9	150.1	397.2	726.4
2003.....	40.5	*	*	*	*	*	1.0	6.9	39.5	161.2	407.8	772.3
2002.....	40.2	*	*	*	*	0.1	1.0	6.8	37.6	158.6	416.3	790.1
2001.....	39.6	*	*	*	*	0.1	1.0	6.5	38.6	161.9	410.5	795.7
2000.....	39.7	*	*	*	*	*	0.9	6.4	39.0	163.0	416.3	842.2
1999.....	41.1	*	*	*	*	*	0.8	6.2	42.0	173.2	432.1	862.7
Non-Hispanic 4/, female												
2006.....	41.6	*	*	*	*	0.1	1.0	6.9	31.8	124.5	281.4	452.4
2005.....	43.6	*	*	*	*	*	1.1	6.8	34.2	128.5	297.2	485.7
2004.....	40.3	*	*	*	*	*	1.0	5.9	32.6	122.6	277.2	445.6
2003.....	41.5	*	*	*	*	*	1.1	5.7	33.8	127.8	286.6	464.1
2002.....	40.3	*	*	*	*	*	0.9	5.7	33.1	124.6	280.6	453.4
2001.....	39.6	*	*	*	*	*	1.0	5.4	33.5	125.9	269.9	453.6
2000.....	38.6	*	*	*	*	*	0.8	5.4	32.6	123.4	269.2	437.9
1999.....	38.2	*	*	*	*	0.1	0.7	5.1	33.5	122.7	269.2	426.7
Non-Hispanic white, both sexes												
2006 5/.....	48.0	*	*	*	*	0.1	0.9	7.5	36.7	146.5	348.7	555.6
2005 5/.....	50.2	*	*	*	*	*	1.1	7.5	38.8	154.6	365.8	593.7
2004 5/.....	46.7	*	*	*	*	0.1	1.1	6.7	36.9	145.8	344.7	559.2
2003 5/.....	48.1	*	*	*	*	0.1	1.0	6.6	38.8	153.6	354.3	585.5
2002.....	47.1	*	*	*	*	0.1	1.0	6.5	37.4	150.2	352.0	580.7
2001.....	46.2	*	*	*	*	0.1	1.0	6.1	38.3	151.7	342.5	578.0
2000.....	45.6	*	*	*	*	*	0.8	6.0	37.7	150.3	343.6	578.9
1999.....	45.9	*	*	*	*	0.1	0.7	5.8	39.5	153.8	347.9	576.0
Non-Hispanic white, male												
2006 5/.....	46.1	*	*	*	*	*	0.9	7.7	38.7	156.2	413.9	716.4
2005 5/.....	48.1	*	*	*	*	*	1.1	7.8	40.2	169.8	430.7	765.8
2004 5/.....	45.2	*	*	*	*	*	1.1	7.1	38.2	158.4	413.3	751.7
2003 5/.....	46.6	*	*	*	*	*	1.0	7.1	41.0	169.0	421.3	799.5
2002.....	46.2	*	*	*	*	*	1.1	6.9	38.8	166.4	429.5	816.2
2001.....	45.3	*	*	*	*	*	1.0	6.6	40.2	168.7	423.4	819.0
2000.....	45.4	*	*	*	*	*	0.9	6.3	40.3	169.1	429.2	871.8
1999.....	46.8	*	*	*	*	*	0.7	6.2	43.1	179.5	442.8	893.3
Non-Hispanic white, female												
2006 5/.....	49.9	*	*	*	*	*	1.0	7.4	34.9	138.0	303.5	480.6
2005 5/.....	52.2	*	*	*	*	*	1.1	7.2	37.4	141.5	321.1	514.9
2004 5/.....	48.1	*	*	*	*	*	1.0	6.2	35.8	135.1	297.9	472.9
2003 5/.....	49.6	*	*	*	*	*	1.1	6.1	36.7	140.4	309.1	491.3
2002.....	48.0	*	*	*	*	*	1.0	6.1	36.0	136.4	300.0	478.9
2001.....	46.9	*	*	*	*	*	1.0	5.7	36.5	137.2	288.9	477.8
2000.....	45.7	*	*	*	*	*	0.8	5.8	35.2	134.4	287.4	460.8
1999.....	45.0	*	*	*	*	*	0.7	5.4	36.2	132.3	285.7	449.5

Worktable Orig12. Death rates for 358 selected causes, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2006

[Rates per 100,000 population in specified group. Rates are based on populations enumerated as of April 1 for 2000 and estimated as of July 1 for all other years. Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.odc.gov/nchs> and refer to 'Detailed technical notes to the United States 2006 data-mortality']

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, and sex	All ages 1/	Under 1 year 2/	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
Other chronic obstructive pulmonary disease (J44)												
Non-Hispanic black, both sexes												
2006 5/.....	15.7	*	*	*	*	*	1.1	7.1	28.3	86.1	198.5	294.9
2005 5/.....	16.7	*	*	*	*	*	1.2	8.3	29.7	95.3	206.6	326.9
2004 5/.....	15.0	*	*	*	*	*	1.1	6.8	28.2	86.4	192.4	286.7
2003 5/.....	15.6	*	*	*	*	*	1.2	6.4	30.3	94.3	199.5	305.8
2002.....	15.8	*	*	*	*	*	1.2	6.6	30.1	89.8	212.1	321.5
2001.....	15.5	*	*	*	*	*	1.3	6.5	28.5	95.8	199.7	322.1
2000.....	15.3	*	*	*	*	*	1.2	6.7	31.1	95.0	196.2	312.0
1999.....	16.3	*	*	*	*	*	1.2	6.4	32.9	101.3	218.5	313.0
Non-Hispanic black, male												
2006 5/.....	17.8	*	*	*	*	*	1.0	8.2	36.5	119.5	300.0	471.0
2005 5/.....	19.4	*	*	*	*	*	1.2	10.1	37.9	134.2	325.2	531.9
2004 5/.....	17.4	*	*	*	*	*	1.2	7.9	38.5	118.9	295.8	493.8
2003 5/.....	18.6	*	*	*	*	*	1.3	7.6	39.2	133.1	328.1	526.3
2002.....	18.6	*	*	*	*	*	1.3	8.3	40.2	125.8	336.7	572.1
2001.....	18.7	*	*	*	*	*	1.4	7.5	37.4	138.5	332.8	590.2
2000.....	18.7	*	*	*	*	*	1.3	8.4	40.5	141.3	321.8	578.9
1999.....	20.2	*	*	*	*	*	1.4	8.2	45.0	146.2	367.7	609.7
Non-Hispanic black, female												
2006 5/.....	13.7	*	*	*	*	*	1.2	6.2	21.6	62.2	140.9	223.1
2005 5/.....	14.3	*	*	*	*	*	1.2	6.7	23.1	67.5	139.3	244.3
2004 5/.....	12.7	*	*	*	*	*	1.0	5.9	19.9	63.2	134.1	204.8
2003 5/.....	13.0	*	*	*	*	*	1.2	5.4	23.1	68.7	126.9	220.4
2002.....	13.2	*	*	*	*	*	1.1	5.1	22.1	64.3	141.6	225.7
2001.....	12.6	*	*	*	*	*	1.2	5.6	21.4	65.7	125.0	222.9
2000.....	12.3	*	*	*	*	*	1.2	5.3	23.5	62.4	125.6	212.8
1999.....	12.8	*	*	*	*	*	1.0	4.9	23.2	69.7	135.0	202.1

Worktable Orig12. Death rates for 358 selected causes, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2006

[Rates per 100,000 population in specified group. Rates are based on populations enumerated as of April 1 for 2000 and estimated as of July 1 for all other years. Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to 'Detailed technical notes to the United States 2006 data-mortality']

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, and sex	All ages 1/	Under 1 year 2/	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
Asthma (J45-J46)												
All origins 3/, both sexes												
2006.....	1.2	*	0.2	0.2	0.3	0.5	0.9	1.3	1.6	2.3	4.8	12.3
2005.....	1.3	*	0.2	0.2	0.3	0.5	0.8	1.4	1.7	2.5	5.4	14.5
2004.....	1.3	*	0.2	0.3	0.4	0.5	0.9	1.4	1.8	2.7	5.2	14.1
2003.....	1.4	*	0.2	0.3	0.4	0.6	0.9	1.5	2.0	2.9	5.8	14.2
2002.....	1.5	*	0.3	0.3	0.4	0.6	1.1	1.5	2.0	3.2	6.4	14.7
2001.....	1.5	*	0.2	0.2	0.4	0.6	1.0	1.5	2.2	3.5	6.4	16.1
2000.....	1.6	*	0.2	0.3	0.4	0.6	1.0	1.6	2.2	4.0	6.9	16.7
1999.....	1.7	*	0.2	0.3	0.5	0.7	1.0	1.7	2.5	4.2	7.6	17.3
All origins 3/, male												
2006.....	0.9	*	*	0.3	0.4	0.5	0.7	1.0	1.1	1.7	3.5	9.1
2005.....	0.9	*	0.3	0.3	0.4	0.5	0.7	1.0	1.2	1.8	4.1	8.7
2004.....	1.0	*	*	0.3	0.5	0.6	0.7	1.0	1.3	2.1	3.5	11.1
2003.....	1.0	*	0.4	0.3	0.4	0.6	0.7	1.2	1.6	2.1	4.5	10.7
2002.....	1.1	*	0.4	0.3	0.5	0.6	0.9	1.2	1.6	2.4	5.0	10.9
2001.....	1.1	*	0.3	0.3	0.4	0.6	0.9	1.1	1.5	2.7	4.5	12.1
2000.....	1.2	*	0.3	0.4	0.5	0.7	0.9	1.3	1.7	3.0	5.0	12.9
1999.....	1.2	*	*	0.4	0.5	0.6	0.8	1.1	1.8	3.2	5.7	12.7
All origins 3/, female												
2006.....	1.5	*	*	0.1	0.3	0.4	1.0	1.6	2.0	2.9	5.7	13.9
2005.....	1.7	*	*	0.2	0.2	0.5	1.0	1.8	2.2	3.2	6.3	17.2
2004.....	1.6	*	*	0.2	0.3	0.4	1.0	1.6	2.2	3.2	6.3	15.4
2003.....	1.8	*	*	0.2	0.3	0.5	1.1	1.9	2.4	3.6	6.7	15.8
2002.....	1.8	*	*	0.3	0.3	0.5	1.2	1.8	2.4	3.9	7.3	16.3
2001.....	1.9	*	*	0.2	0.3	0.6	1.1	1.9	2.8	4.1	7.6	17.8
2000.....	2.0	*	*	0.3	0.3	0.5	1.2	2.0	2.7	4.8	8.1	18.2
1999.....	2.1	*	*	0.2	0.4	0.7	1.2	2.2	3.0	5.0	8.8	19.2
Hispanic, both sexes												
2006.....	0.6	*	*	*	*	0.3	0.5	0.6	1.4	2.4	4.4	16.4
2005.....	0.6	*	*	*	*	*	0.5	0.8	1.6	2.9	4.8	13.7
2004.....	0.7	*	*	*	*	0.3	0.5	1.1	1.9	3.3	5.3	11.4
2003.....	0.7	*	*	*	*	0.3	0.5	1.6	2.2	3.4	6.1	14.5
2002.....	0.7	*	*	*	*	0.3	0.7	1.2	1.9	3.8	7.0	12.2
2001.....	0.7	*	*	*	*	*	0.6	1.4	2.4	3.8	7.9	13.8
2000.....	0.8	*	*	*	*	*	0.6	1.3	2.8	5.6	7.9	16.6
1999.....	0.9	*	*	*	*	0.3	0.9	1.6	2.4	5.8	10.4	17.5
Hispanic, male												
2006.....	0.4	*	*	*	*	*	*	*	*	*	*	*
2005.....	0.5	*	*	*	*	*	*	*	*	*	*	*
2004.....	0.5	*	*	*	*	*	*	*	*	*	*	*
2003.....	0.6	*	*	*	*	*	*	1.4	2.2	*	*	*
2002.....	0.6	*	*	*	*	*	*	1.2	*	*	*	*
2001.....	0.5	*	*	*	*	*	*	*	*	*	*	*
2000.....	0.7	*	*	*	*	*	*	1.3	*	5.3	*	*
1999.....	0.7	*	*	*	*	*	0.9	1.4	*	*	*	*
Hispanic, female												
2006.....	0.8	*	*	*	*	*	*	*	1.7	3.3	5.3	19.8
2005.....	0.7	*	*	*	*	*	*	*	2.1	3.4	5.6	13.0
2004.....	0.9	*	*	*	*	*	*	1.5	2.8	3.8	6.9	*
2003.....	0.9	*	*	*	*	*	*	1.8	2.1	4.1	6.3	17.2
2002.....	0.9	*	*	*	*	*	1.0	1.2	2.2	5.3	7.6	*
2001.....	1.0	*	*	*	*	*	*	2.0	2.9	3.9	9.4	18.6
2000.....	1.0	*	*	*	*	*	*	1.3	3.2	5.8	9.2	*
1999.....	1.2	*	*	*	*	*	1.0	1.9	3.1	7.1	13.2	*

Worktable Orig12. Death rates for 358 selected causes, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2006

[Rates per 100,000 population in specified group. Rates are based on populations enumerated as of April 1 for 2000 and estimated as of July 1 for all other years. Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to 'Detailed technical notes to the United States 2006 data-mortality']

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, and sex	All ages 1/	Under 1 year 2/	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
Asthma (J45-J46)												
Non-Hispanic 4/, both sexes												
2006.....	1.3	*	0.2	0.3	0.3	0.5	0.9	1.4	1.6	2.3	4.8	12.1
2005.....	1.4	*	0.3	0.3	0.4	0.6	0.9	1.5	1.7	2.5	5.5	14.5
2004.....	1.4	*	0.2	0.3	0.4	0.5	0.9	1.4	1.8	2.7	5.2	14.2
2003.....	1.5	*	0.2	0.3	0.4	0.6	1.0	1.5	2.0	2.9	5.8	14.1
2002.....	1.6	*	0.3	0.3	0.5	0.6	1.1	1.5	2.0	3.1	6.3	14.7
2001.....	1.6	*	0.2	0.3	0.4	0.7	1.1	1.5	2.2	3.4	6.3	16.1
2000.....	1.7	*	0.2	0.3	0.5	0.7	1.1	1.6	2.2	3.9	6.8	16.6
1999.....	1.8	*	0.2	0.3	0.5	0.7	1.0	1.7	2.5	4.1	7.4	17.3
Non-Hispanic 4/, male												
2006.....	1.0	*	*	0.4	0.4	0.6	0.8	1.1	1.1	1.7	3.5	9.0
2005.....	1.0	*	0.4	0.3	0.4	0.6	0.7	1.1	1.2	1.7	4.1	8.4
2004.....	1.0	*	*	0.3	0.5	0.6	0.7	1.1	1.4	2.1	3.5	11.1
2003.....	1.1	*	0.4	0.4	0.5	0.7	0.8	1.1	1.5	2.0	4.5	10.7
2002.....	1.2	*	0.4	0.3	0.6	0.7	0.9	1.2	1.6	2.4	4.9	11.1
2001.....	1.1	*	*	0.3	0.4	0.6	0.9	1.2	1.5	2.6	4.4	12.2
2000.....	1.2	*	*	0.4	0.6	0.8	0.9	1.3	1.6	2.9	4.9	12.7
1999.....	1.3	*	*	0.4	0.6	0.7	0.8	1.1	1.8	3.1	5.6	12.6
Non-Hispanic 4/, female												
2006.....	1.6	*	*	0.2	0.3	0.5	1.1	1.7	2.0	2.8	5.7	13.6
2005.....	1.9	*	*	0.2	0.3	0.6	1.1	1.9	2.2	3.2	6.3	17.3
2004.....	1.7	*	*	0.2	0.3	0.5	1.1	1.7	2.2	3.2	6.3	15.5
2003.....	1.9	*	*	0.2	0.4	0.5	1.2	1.9	2.4	3.6	6.7	15.6
2002.....	2.0	*	*	0.3	0.3	0.6	1.2	1.9	2.4	3.8	7.2	16.3
2001.....	2.1	*	*	0.2	0.4	0.7	1.2	1.9	2.8	4.1	7.5	17.7
2000.....	2.1	*	*	0.3	0.4	0.6	1.2	2.0	2.6	4.7	8.0	18.2
1999.....	2.2	*	*	0.2	0.4	0.7	1.2	2.2	3.0	4.9	8.6	19.1
Non-Hispanic white, both sexes												
2006 5/.....	1.1	*	*	0.1	0.2	0.3	0.7	1.0	1.1	1.9	4.5	11.8
2005 5/.....	1.2	*	*	0.1	0.2	0.4	0.7	1.1	1.3	1.9	4.9	14.5
2004 5/.....	1.2	*	*	0.1	0.2	0.3	0.7	0.9	1.3	2.3	4.6	13.8
2003 5/.....	1.3	*	*	0.1	0.2	0.4	0.7	1.0	1.5	2.4	5.3	14.1
2002.....	1.4	*	*	0.1	0.3	0.5	0.7	1.1	1.5	2.6	6.1	14.7
2001.....	1.4	*	*	0.1	0.2	0.4	0.7	1.1	1.5	2.9	5.8	15.7
2000.....	1.4	*	*	0.2	0.3	0.4	0.7	1.1	1.5	3.2	6.4	15.8
1999.....	1.5	*	*	0.2	0.4	0.4	0.7	1.2	1.9	3.4	7.1	16.5
Non-Hispanic white, male												
2006 5/.....	0.7	*	*	*	0.2	0.3	0.5	0.7	0.7	1.3	3.2	9.0
2005 5/.....	0.8	*	*	*	0.2	0.4	0.5	0.8	0.9	1.3	3.5	8.2
2004 5/.....	0.8	*	*	*	0.3	0.3	0.5	0.7	0.9	1.7	2.8	10.4
2003 5/.....	0.9	*	*	*	0.3	0.4	0.5	0.8	1.1	1.7	3.8	10.6
2002.....	0.9	*	*	0.2	0.3	0.5	0.5	0.8	1.1	1.8	4.5	10.8
2001.....	0.9	*	*	0.2	0.2	0.3	0.6	0.8	1.0	2.1	3.9	11.4
2000.....	1.0	*	*	0.2	0.3	0.5	0.6	0.9	1.0	2.3	4.6	11.1
1999.....	1.0	*	*	0.2	0.4	0.4	0.5	0.7	1.4	2.4	5.2	10.6
Non-Hispanic white, female												
2006 5/.....	1.5	*	*	*	*	0.3	0.8	1.3	1.6	2.4	5.4	13.2
2005 5/.....	1.7	*	*	*	0.2	0.5	0.8	1.3	1.7	2.5	5.9	17.4
2004 5/.....	1.6	*	*	*	0.2	0.4	0.8	1.1	1.7	2.9	5.9	15.3
2003 5/.....	1.7	*	*	*	0.2	0.5	0.9	1.3	2.0	2.9	6.3	15.7
2002.....	1.8	*	*	*	0.3	0.5	0.9	1.3	1.8	3.2	7.1	16.4
2001.....	1.9	*	*	*	0.2	0.4	0.8	1.4	2.1	3.6	7.1	17.5
2000.....	1.9	*	*	*	0.3	0.4	0.9	1.3	2.0	4.0	7.6	17.7
1999.....	2.1	*	*	*	0.3	0.5	0.9	1.6	2.3	4.2	8.3	18.8

Worktable Orig12. Death rates for 358 selected causes, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2006

[Rates per 100,000 population in specified group. Rates are based on populations enumerated as of April 1 for 2000 and estimated as of July 1 for all other years. Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.odc.gov/nchs> and refer to 'Detailed technical notes to the United States 2006 data-mortality']

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, and sex	All ages 1/	Under 1 year 2/	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
Asthma (J45-J46)												
Non-Hispanic black, both sexes												
2006 5/.....	2.5	*	*	1.0	1.1	1.7	2.5	4.0	5.2	5.5	6.1	12.7
2005 5/.....	2.7	*	1.1	0.8	1.1	1.6	2.4	4.3	5.5	7.2	9.9	12.0
2004 5/.....	2.7	*	*	0.9	1.2	1.7	2.5	4.6	5.8	5.8	9.4	15.3
2003 5/.....	2.8	*	0.8	0.9	1.2	1.7	2.8	4.9	5.2	7.2	9.3	11.9
2002.....	3.0	*	0.9	1.1	1.3	1.6	3.5	4.9	6.6	8.0	7.9	11.8
2001.....	3.1	*	*	0.8	1.2	2.2	3.3	4.7	6.9	7.7	10.7	16.5
2000.....	3.3	*	*	1.1	1.3	2.0	3.2	5.5	6.9	9.4	10.4	22.3
1999.....	3.3	*	*	1.0	1.3	2.4	3.0	5.4	7.0	9.8	10.6	20.7
Non-Hispanic black, male												
2006 5/.....	2.3	*	*	1.2	1.4	2.0	2.4	3.5	4.7	4.8	*	*
2005 5/.....	2.3	*	1.6	1.0	1.4	1.7	2.2	3.0	4.1	5.3	10.7	*
2004 5/.....	2.6	*	*	1.2	1.5	2.4	2.3	4.0	5.3	5.7	8.8	*
2003 5/.....	2.5	*	*	1.3	1.4	2.5	2.4	4.0	4.4	5.5	8.9	*
2002.....	2.8	*	*	1.1	1.9	2.0	3.7	4.0	5.9	7.5	6.7	*
2001.....	2.7	*	*	0.9	1.4	2.5	3.0	4.1	4.7	6.8	8.7	*
2000.....	2.8	*	*	1.3	1.6	2.5	3.0	3.7	6.1	7.9	6.5	24.7
1999.....	2.9	*	*	1.4	1.7	2.7	2.8	4.0	5.5	9.2	8.4	*
Non-Hispanic black, female												
2006 5/.....	2.7	*	*	0.7	0.9	1.3	2.6	4.4	5.5	6.1	7.1	15.3
2005 5/.....	3.1	*	*	*	0.8	1.5	2.6	5.4	6.6	8.6	9.5	13.8
2004 5/.....	2.8	*	*	*	1.0	1.1	2.7	5.1	6.2	5.9	9.7	16.9
2003 5/.....	3.0	*	*	*	1.1	1.0	3.2	5.7	5.9	8.4	9.5	13.6
2002.....	3.1	*	*	1.0	*	1.3	3.4	5.7	7.2	8.4	8.6	12.5
2001.....	3.4	*	*	0.7	0.9	2.0	3.6	5.1	8.6	8.4	11.8	17.1
2000.....	3.7	*	*	0.8	1.0	1.5	3.4	7.0	7.6	10.4	12.7	21.4
1999.....	3.6	*	*	0.6	0.9	2.2	3.2	6.5	8.1	10.2	11.7	21.3

Worktable Orig12. Death rates for 358 selected causes, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2006

[Rates per 100,000 population in specified group. Rates are based on populations enumerated as of April 1 for 2000 and estimated as of July 1 for all other years. Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to 'Detailed technical notes to the United States 2006 data-mortality']

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, and sex	All ages 1/	Under 1 year 2/	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
Bronchiectasis (J47)												
Non-Hispanic 4/, both sexes												
2006.....	0.4	*	*	*	*	*	*	0.1	0.2	0.8	2.9	6.5
2005.....	0.4	*	*	*	*	*	*	0.1	0.2	0.8	3.2	6.7
2004.....	0.4	*	*	*	*	*	*	0.1	0.2	0.8	3.2	6.5
2003.....	0.4	*	*	*	*	*	*	*	0.2	0.8	3.1	6.1
2002.....	0.4	*	*	*	*	*	*	0.1	0.3	0.9	3.4	5.9
2001.....	0.4	*	*	*	*	*	*	0.1	0.3	0.9	3.0	7.2
2000.....	0.4	*	*	*	*	*	*	*	0.3	1.0	3.3	6.2
1999.....	0.4	*	*	*	*	*	*	0.1	0.3	0.9	3.4	6.2
Non-Hispanic 4/, male												
2006.....	0.2	*	*	*	*	*	*	0.1	0.2	0.5	2.3	4.0
2005.....	0.2	*	*	*	*	*	*	*	0.2	0.6	1.8	4.8
2004.....	0.2	*	*	*	*	*	*	*	0.2	0.5	2.2	4.6
2003.....	0.2	*	*	*	*	*	*	*	*	0.5	2.3	4.3
2002.....	0.2	*	*	*	*	*	*	*	0.2	0.6	2.2	4.7
2001.....	0.2	*	*	*	*	*	*	*	0.3	0.7	1.9	4.9
2000.....	0.2	*	*	*	*	*	*	*	0.2	0.8	2.1	4.4
1999.....	0.3	*	*	*	*	*	*	*	0.2	0.7	3.1	6.9
Non-Hispanic 4/, female												
2006.....	0.5	*	*	*	*	*	*	*	0.2	1.0	3.3	7.7
2005.....	0.5	*	*	*	*	*	*	*	0.2	1.0	4.1	7.5
2004.....	0.5	*	*	*	*	*	*	*	0.2	1.0	4.0	7.3
2003.....	0.5	*	*	*	*	*	*	*	0.3	1.1	3.7	6.9
2002.....	0.5	*	*	*	*	*	*	*	0.3	1.2	4.2	6.4
2001.....	0.5	*	*	*	*	*	*	*	0.3	1.2	3.7	8.1
2000.....	0.5	*	*	*	*	*	*	*	0.3	1.1	4.0	6.9
1999.....	0.5	*	*	*	*	*	*	*	0.4	1.2	3.7	6.0
Non-Hispanic white, both sexes												
2006 5/.....	0.4	*	*	*	*	*	*	0.1	0.2	0.8	3.1	6.9
2005 5/.....	0.4	*	*	*	*	*	*	*	0.2	0.8	3.4	7.2
2004 5/.....	0.4	*	*	*	*	*	*	0.1	0.2	0.8	3.5	6.9
2003 5/.....	0.4	*	*	*	*	*	*	*	0.2	0.8	3.3	6.6
2002.....	0.4	*	*	*	*	*	*	*	0.3	0.9	3.7	6.2
2001.....	0.4	*	*	*	*	*	*	*	0.3	1.0	3.1	7.6
2000.....	0.4	*	*	*	*	*	*	*	0.3	0.9	3.4	6.6
1999.....	0.4	*	*	*	*	*	*	0.1	0.3	1.0	3.5	6.7
Non-Hispanic white, male												
2006 5/.....	0.2	*	*	*	*	*	*	*	*	0.5	2.3	3.9
2005 5/.....	0.2	*	*	*	*	*	*	*	0.2	0.6	2.0	4.9
2004 5/.....	0.2	*	*	*	*	*	*	*	*	0.6	2.3	4.9
2003 5/.....	0.2	*	*	*	*	*	*	*	*	0.5	2.3	4.7
2002.....	0.2	*	*	*	*	*	*	*	0.2	0.6	2.4	4.7
2001.....	0.2	*	*	*	*	*	*	*	0.3	0.6	1.8	4.9
2000.....	0.2	*	*	*	*	*	*	*	0.2	0.7	2.2	4.7
1999.....	0.3	*	*	*	*	*	*	*	0.2	0.7	3.0	7.2
Non-Hispanic white, female												
2006 5/.....	0.6	*	*	*	*	*	*	*	0.2	1.1	3.6	8.2
2005 5/.....	0.6	*	*	*	*	*	*	*	0.2	1.0	4.4	8.2
2004 5/.....	0.6	*	*	*	*	*	*	*	*	1.1	4.3	7.8
2003 5/.....	0.6	*	*	*	*	*	*	*	0.3	1.1	4.0	7.5
2002.....	0.6	*	*	*	*	*	*	*	0.4	1.3	4.6	6.8
2001.....	0.6	*	*	*	*	*	*	*	0.3	1.3	4.0	8.8
2000.....	0.6	*	*	*	*	*	*	*	0.3	1.1	4.2	7.4
1999.....	0.6	*	*	*	*	*	*	*	0.4	1.2	3.8	6.5

Worktable Orig12. Death rates for 358 selected causes, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2006

[Rates per 100,000 population in specified group. Rates are based on populations enumerated as of April 1 for 2000 and estimated as of July 1 for all other years. Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to 'Detailed technical notes to the United States 2006 data-mortality']

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, and sex	All ages 1/	Under 1 year 2/	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
Lung diseases due to external agents (J60-J70)												
All origins 3/, both sexes												
2006.....	6.0	*	*	*	0.1	0.2	0.4	1.1	2.9	10.4	43.7	161.1
2005.....	6.2	*	*	*	0.1	0.2	0.4	1.2	3.0	10.4	46.2	169.8
2004.....	6.1	*	*	*	0.1	0.2	0.4	1.0	2.8	10.9	46.6	171.1
2003.....	6.4	*	*	*	0.1	0.2	0.4	1.0	3.1	11.0	49.0	182.8
2002.....	6.5	*	*	*	0.1	0.2	0.4	0.9	2.9	11.2	50.3	192.9
2001.....	6.5	*	*	*	0.1	0.2	0.4	1.0	2.9	11.6	50.1	195.9
2000.....	6.3	*	*	*	0.1	0.2	0.4	1.0	2.7	12.0	48.6	195.3
1999.....	5.9	*	*	*	0.1	0.2	0.4	0.8	2.8	11.1	45.5	181.8
All origins 3/, male												
2006.....	6.7	*	*	*	*	0.3	0.5	1.4	3.9	14.8	64.7	240.5
2005.....	6.7	*	*	*	0.1	0.2	0.4	1.5	3.9	14.7	66.3	246.9
2004.....	6.7	*	*	*	0.1	0.2	0.5	1.3	3.8	15.5	67.1	256.1
2003.....	6.9	*	*	*	0.2	0.2	0.4	1.3	4.0	15.6	71.2	266.2
2002.....	7.0	*	*	*	0.1	0.2	0.5	1.2	3.7	15.8	73.1	290.1
2001.....	7.0	*	*	*	0.1	0.2	0.6	1.3	3.7	16.6	73.3	291.3
2000.....	6.9	*	*	*	0.1	0.2	0.5	1.3	3.5	17.7	72.1	301.5
1999.....	6.5	*	*	*	0.1	0.2	0.5	1.0	3.8	16.4	70.2	279.1
All origins 3/, female												
2006.....	5.3	*	*	*	*	0.1	0.3	0.8	2.0	6.6	29.4	124.0
2005.....	5.7	*	*	*	0.1	0.1	0.4	1.0	2.1	6.8	32.5	134.4
2004.....	5.5	*	*	*	*	0.1	0.3	0.7	2.0	7.0	32.7	132.9
2003.....	5.9	*	*	*	*	0.1	0.4	0.8	2.2	7.0	34.2	145.9
2002.....	6.0	*	*	*	*	0.2	0.3	0.6	2.1	7.4	35.2	150.7
2001.....	6.1	*	*	*	*	0.2	0.3	0.8	2.1	7.4	34.9	156.0
2000.....	5.8	*	*	*	*	0.1	0.3	0.8	2.0	7.2	33.3	152.1
1999.....	5.3	*	*	*	*	0.2	0.3	0.7	1.8	6.8	29.5	142.6
Hispanic, both sexes												
2006.....	1.3	*	*	*	*	*	*	0.6	1.4	6.0	26.7	79.0
2005.....	1.4	*	*	*	*	*	*	0.7	1.6	6.0	25.1	112.1
2004.....	1.4	*	*	*	*	*	*	0.5	1.7	5.5	28.3	104.7
2003.....	1.4	*	*	*	*	*	*	*	1.9	6.9	24.8	113.5
2002.....	1.5	*	*	*	*	*	*	*	2.1	6.5	30.2	136.4
2001.....	1.6	*	*	*	*	*	*	0.6	1.9	6.7	28.7	165.1
2000.....	1.5	*	*	*	*	*	*	0.7	2.0	6.4	30.4	140.7
1999.....	1.3	*	*	*	*	*	*	*	1.7	6.2	25.2	132.6
Hispanic, male												
2006.....	1.3	*	*	*	*	*	*	1.0	2.3	7.8	33.8	89.1
2005.....	1.5	*	*	*	*	*	*	0.9	2.4	7.3	34.1	160.6
2004.....	1.4	*	*	*	*	*	*	*	2.6	8.3	35.4	130.3
2003.....	1.4	*	*	*	*	*	*	*	2.3	9.2	36.8	123.1
2002.....	1.6	*	*	*	*	*	*	*	3.0	8.2	45.5	182.4
2001.....	1.6	*	*	*	*	*	*	*	2.8	9.8	39.3	230.5
2000.....	1.5	*	*	*	*	*	*	*	2.6	8.4	49.2	177.4
1999.....	1.2	*	*	*	*	*	*	*	*	8.1	35.5	161.8
Hispanic, female												
2006.....	1.3	*	*	*	*	*	*	*	*	4.5	21.7	73.7
2005.....	1.4	*	*	*	*	*	*	*	*	4.9	18.8	86.7
2004.....	1.4	*	*	*	*	*	*	*	*	3.3	23.5	91.5
2003.....	1.4	*	*	*	*	*	*	*	*	5.0	16.6	108.6
2002.....	1.5	*	*	*	*	*	*	*	*	5.2	19.7	113.6
2001.....	1.5	*	*	*	*	*	*	*	*	4.3	21.5	133.1
2000.....	1.4	*	*	*	*	*	*	*	*	4.8	17.8	122.7
1999.....	1.4	*	*	*	*	*	*	*	*	4.6	18.4	118.5

Worktable Orig12. Death rates for 358 selected causes, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2006

[Rates per 100,000 population in specified group. Rates are based on populations enumerated as of April 1 for 2000 and estimated as of July 1 for all other years. Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to 'Detailed technical notes to the United States 2006 data-mortality']

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, and sex	All ages 1/	Under 1 year 2/	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
Lung diseases due to external agents (J60-J70)												
Non-Hispanic 4/, both sexes												
2006.....	6.8	*	*	*	0.1	0.2	0.4	1.1	3.0	10.7	44.8	165.1
2005.....	7.0	*	*	*	0.1	0.2	0.4	1.3	3.1	10.7	47.3	172.4
2004.....	6.9	*	*	*	0.1	0.2	0.4	1.1	2.9	11.2	47.5	173.8
2003.....	7.2	*	*	*	0.1	0.2	0.4	1.1	3.2	11.2	50.2	185.3
2002.....	7.3	*	*	*	0.1	0.2	0.5	1.0	2.9	11.5	51.2	194.7
2001.....	7.2	*	*	*	0.1	0.2	0.4	1.0	3.0	11.9	51.0	196.5
2000.....	7.0	*	*	*	0.1	0.2	0.4	1.0	2.8	12.3	49.2	196.9
1999.....	6.5	*	*	*	0.1	0.2	0.4	0.9	2.8	11.4	46.2	183.1
Non-Hispanic 4/, male												
2006.....	7.7	*	*	*	0.1	0.3	0.5	1.4	4.0	15.3	66.7	248.7
2005.....	7.6	*	*	*	0.1	0.2	0.5	1.5	4.1	15.1	68.1	251.0
2004.....	7.6	*	*	*	0.2	0.5	1.4	3.8	18.0	68.8	282.1	
2003.....	7.8	*	*	*	0.2	0.2	0.5	1.3	4.2	16.0	72.9	272.4
2002.....	7.9	*	*	*	0.1	0.2	0.6	1.3	3.7	16.2	74.2	294.1
2001.....	7.8	*	*	*	0.1	0.2	0.6	1.3	3.8	17.0	74.7	293.0
2000.....	7.7	*	*	*	0.1	0.2	0.6	1.3	3.6	18.3	72.8	305.9
1999.....	7.2	*	*	*	0.1	0.3	0.5	1.1	3.9	16.8	71.5	283.0
Non-Hispanic 4/, female												
2006.....	5.9	*	*	*	0.1	0.3	0.8	2.1	6.7	29.8	126.2	
2005.....	6.4	*	*	*	0.1	0.4	1.0	2.2	6.9	33.3	136.5	
2004.....	6.2	*	*	*	0.2	0.3	0.8	2.1	7.3	33.1	134.3	
2003.....	6.6	*	*	*	0.2	0.4	0.8	2.2	7.2	35.0	147.0	
2002.....	6.7	*	*	*	0.2	0.4	0.7	2.2	7.5	35.9	151.9	
2001.....	6.7	*	*	*	0.2	0.3	0.8	2.2	7.6	35.4	156.4	
2000.....	6.4	*	*	*	0.1	0.3	0.8	2.0	7.4	33.9	152.8	
1999.....	5.8	*	*	*	0.2	0.3	0.7	1.9	6.9	29.9	143.2	
Non-Hispanic white, both sexes												
2006 5/.....	7.7	*	*	*	0.2	0.4	1.1	3.0	10.5	45.6	169.9	
2005 5/.....	7.9	*	*	*	0.1	0.2	0.5	1.2	3.0	10.6	47.6	175.4
2004 5/.....	7.7	*	*	*	0.1	0.2	0.4	1.0	2.7	11.2	48.1	177.0
2003 5/.....	8.0	*	*	*	0.1	0.2	0.4	1.1	3.0	11.1	50.1	188.3
2002.....	8.2	*	*	*	0.1	0.2	0.5	0.9	2.8	11.3	51.6	198.7
2001.....	8.1	*	*	*	0.1	0.2	0.4	1.0	2.9	11.7	51.3	198.1
2000.....	7.8	*	*	*	0.1	0.2	0.4	1.0	2.6	11.9	49.3	200.8
1999.....	7.2	*	*	*	0.1	0.2	0.4	0.8	2.7	11.0	46.1	185.9
Non-Hispanic white, male												
2006 5/.....	8.7	*	*	*	0.3	0.5	1.4	4.0	15.0	67.5	257.4	
2005 5/.....	8.5	*	*	*	0.2	0.5	1.4	3.9	14.9	68.0	257.0	
2004 5/.....	8.5	*	*	*	0.3	0.5	1.4	3.5	15.7	69.7	267.6	
2003 5/.....	8.7	*	*	*	0.2	0.5	1.3	3.9	15.9	72.6	279.1	
2002.....	8.9	*	*	*	0.3	0.6	1.2	3.6	15.9	74.9	301.6	
2001.....	8.7	*	*	*	0.3	0.6	1.3	3.7	16.9	75.6	299.5	
2000.....	8.6	*	*	*	0.2	0.5	1.2	3.5	17.4	73.1	315.9	
1999.....	8.0	*	*	*	0.2	0.5	1.0	3.6	16.1	71.0	289.6	
Non-Hispanic white, female												
2006 5/.....	6.8	*	*	*	0.3	0.8	2.1	6.6	30.4	129.2		
2005 5/.....	7.2	*	*	*	0.2	0.4	1.0	2.2	6.9	33.5	138.1	
2004 5/.....	7.0	*	*	*	0.3	0.7	2.0	7.3	33.5	136.4		
2003 5/.....	7.4	*	*	*	0.2	0.3	0.8	2.1	7.0	34.8	148.4	
2002.....	7.5	*	*	*	0.2	0.4	0.6	2.1	7.3	36.1	154.2	
2001.....	7.4	*	*	*	0.2	0.3	0.7	2.2	7.2	35.2	155.9	
2000.....	7.1	*	*	*	0.2	0.3	0.8	1.9	7.2	33.7	154.4	
1999.....	6.5	*	*	*	0.2	0.3	0.7	1.8	6.7	29.8	144.5	

Worktable Orig12. Death rates for 358 selected causes, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2006

[Rates per 100,000 population in specified group. Rates are based on populations enumerated as of April 1 for 2000 and estimated as of July 1 for all other years. Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.odc.gov/nchs> and refer to 'Detailed technical notes to the United States 2006 data-mortality']

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, and sex	All ages 1/	Under 1 year 2/	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
Lung diseases due to external agents (J60-J70)												
Non-Hispanic black, both sexes												
2006 5/.....	3.9	*	*	*	*	0.4	0.7	1.5	4.0	14.7	44.9	133.5
2005 5/.....	4.4	*	*	*	*	*	0.5	1.8	4.8	13.8	55.2	159.2
2004 5/.....	4.2	*	*	*	*	*	0.6	1.4	5.2	15.1	49.4	152.5
2003 5/.....	4.5	*	*	*	*	*	0.8	1.4	5.4	14.5	58.1	168.4
2002.....	4.4	*	*	*	*	*	0.7	1.5	4.1	15.9	55.2	171.5
2001.....	4.6	*	*	*	*	*	0.6	1.8	4.4	16.2	55.8	191.0
2000.....	4.5	*	*	*	*	*	0.7	1.9	4.4	19.0	54.8	164.4
1999.....	4.5	*	*	*	*	*	0.8	1.6	5.0	17.4	54.9	173.6
Non-Hispanic black, male												
2006 5/.....	4.5	*	*	*	*	*	0.8	1.9	5.7	22.5	73.7	186.0
2005 5/.....	4.8	*	*	*	*	*	*	2.6	6.6	20.7	85.8	218.9
2004 5/.....	4.6	*	*	*	*	*	0.8	1.8	7.7	23.5	73.3	225.6
2003 5/.....	4.7	*	*	*	*	*	*	1.8	7.3	21.4	86.6	223.7
2002.....	4.7	*	*	*	*	*	0.9	2.1	5.3	23.7	80.0	251.6
2001.....	4.6	*	*	*	*	*	0.8	2.0	6.2	22.5	81.6	257.6
2000.....	4.9	*	*	*	*	*	0.9	2.7	5.4	31.0	82.1	224.3
1999.....	5.1	*	*	*	*	*	0.9	2.0	7.5	27.5	86.9	247.2
Non-Hispanic black, female												
2006 5/.....	3.4	*	*	*	*	*	*	1.2	2.5	9.1	28.6	112.1
2005 5/.....	4.1	*	*	*	*	*	*	1.2	3.4	8.9	37.8	135.2
2004 5/.....	3.8	*	*	*	*	*	*	1.1	3.1	9.0	35.9	123.7
2003 5/.....	4.3	*	*	*	*	*	0.9	1.0	3.9	9.7	42.0	146.9
2002.....	4.1	*	*	*	*	*	*	0.9	3.1	10.3	41.1	140.9
2001.....	4.6	*	*	*	*	*	*	1.5	2.9	11.7	41.3	166.4
2000.....	4.1	*	*	*	*	*	*	1.2	3.6	10.5	39.4	142.2
1999.....	4.0	*	*	*	*	*	*	1.2	2.9	10.3	36.9	146.1

Worktable Orig12. Death rates for 358 selected causes, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2006

[Rates per 100,000 population in specified group. Rates are based on populations enumerated as of April 1 for 2000 and estimated as of July 1 for all other years. Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to 'Detailed technical notes to the United States 2006 data-mortality']

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, and sex	All ages 1/	Under 1 year 2/	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
Pneumonitis due to solids and liquids (J69)												
All origins 3/, both sexes												
2006.....	5.6	*	*	*	0.1	0.2	0.4	1.0	2.7	9.3	40.5	155.8
2005.....	5.8	*	*	*	0.1	0.2	0.4	1.1	2.7	9.3	42.6	163.9
2004.....	5.7	*	*	*	0.1	0.2	0.4	0.9	2.6	9.6	42.9	164.9
2003.....	6.0	*	*	*	0.1	0.2	0.4	1.0	2.8	9.6	45.0	176.2
2002.....	6.1	*	*	*	0.1	0.2	0.4	0.9	2.5	9.8	46.3	186.0
2001.....	6.1	*	*	*	0.1	0.2	0.4	1.0	2.6	10.0	45.8	189.4
2000.....	5.9	*	*	*	0.1	0.2	0.4	1.0	2.5	10.3	44.5	187.6
1999.....	5.5	*	*	*	0.1	0.2	0.4	0.8	2.5	9.5	41.1	175.6
All origins 3/, male												
2006.....	6.0	*	*	*	*	0.3	0.5	1.3	3.5	12.6	57.2	224.8
2005.....	6.0	*	*	*	0.1	0.2	0.4	1.3	3.5	12.5	57.9	229.3
2004.....	5.9	*	*	*	0.1	0.2	0.4	1.2	3.2	12.9	58.6	237.2
2003.....	6.1	*	*	*	0.1	0.2	0.4	1.2	3.5	12.8	61.7	246.2
2002.....	6.3	*	*	*	0.1	0.2	0.5	1.1	3.1	13.0	63.8	268.5
2001.....	6.1	*	*	*	0.1	0.2	0.5	1.2	3.2	13.3	63.1	270.3
2000.....	6.1	*	*	*	0.1	0.2	0.5	1.2	3.0	14.4	62.3	276.0
1999.....	5.7	*	*	*	0.1	0.2	0.4	0.9	3.2	13.1	59.7	258.4
All origins 3/, female												
2006.....	5.2	*	*	*	*	0.1	0.3	0.8	1.9	6.4	29.1	123.5
2005.....	5.7	*	*	*	0.1	0.1	0.4	0.9	2.1	6.7	32.2	133.9
2004.....	5.5	*	*	*	*	0.1	0.3	0.7	1.9	6.8	32.3	132.4
2003.....	5.8	*	*	*	*	0.1	0.3	0.7	2.1	6.9	33.8	145.3
2002.....	5.9	*	*	*	*	0.2	0.3	0.6	2.0	7.1	34.7	150.2
2001.....	6.0	*	*	*	*	0.2	0.3	0.7	2.1	7.2	34.5	155.6
2000.....	5.8	*	*	*	*	0.1	0.3	0.7	1.9	7.0	33.0	151.6
1999.....	5.3	*	*	*	*	0.2	0.3	0.6	1.8	6.6	29.1	142.2
Hispanic, both sexes												
2006.....	1.3	*	*	*	*	*	*	0.5	1.3	5.7	25.9	77.5
2005.....	1.4	*	*	*	*	*	*	0.7	1.4	5.3	24.3	109.9
2004.....	1.3	*	*	*	*	*	*	*	1.6	5.1	26.3	101.3
2003.....	1.3	*	*	*	*	*	*	*	1.7	6.5	22.8	113.0
2002.....	1.4	*	*	*	*	*	*	*	1.8	5.3	29.0	131.4
2001.....	1.5	*	*	*	*	*	*	*	1.8	6.1	27.4	161.3
2000.....	1.4	*	*	*	*	*	*	0.6	1.9	5.9	27.9	137.4
1999.....	1.2	*	*	*	*	*	*	*	1.6	5.5	24.6	130.5
Hispanic, male												
2006.....	1.3	*	*	*	*	*	*	*	2.1	7.3	31.9	86.8
2005.....	1.4	*	*	*	*	*	*	*	2.2	6.1	32.1	154.4
2004.....	1.3	*	*	*	*	*	*	*	2.4	7.4	31.8	121.9
2003.....	1.3	*	*	*	*	*	*	*	2.0	8.7	32.2	123.1
2002.....	1.4	*	*	*	*	*	*	*	2.6	6.1	43.1	167.3
2001.....	1.5	*	*	*	*	*	*	*	2.5	8.4	36.2	220.9
2000.....	1.4	*	*	*	*	*	*	*	2.5	7.4	42.8	169.3
1999.....	1.1	*	*	*	*	*	*	*	*	6.8	33.9	159.6
Hispanic, female												
2006.....	1.3	*	*	*	*	*	*	*	*	4.3	21.7	72.5
2005.....	1.3	*	*	*	*	*	*	*	*	4.7	18.8	86.7
2004.....	1.3	*	*	*	*	*	*	*	*	3.3	22.5	90.8
2003.....	1.4	*	*	*	*	*	*	*	*	4.9	16.3	107.8
2002.....	1.4	*	*	*	*	*	*	*	*	4.8	19.4	113.6
2001.....	1.5	*	*	*	*	*	*	*	*	4.3	21.5	132.2
2000.....	1.4	*	*	*	*	*	*	*	*	4.8	17.8	121.7
1999.....	1.3	*	*	*	*	*	*	*	*	4.5	18.4	116.5

Worktable Orig12. Death rates for 358 selected causes, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2006

[Rates per 100,000 population in specified group. Rates are based on populations enumerated as of April 1 for 2000 and estimated as of July 1 for all other years. Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to 'Detailed technical notes to the United States 2006 data-mortality']

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, and sex	All ages 1/	Under 1 year 2/	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
Pneumonitis due to solids and liquids (J69)												
Non-Hispanic 4/, both sexes												
2006.....	6.4	*	*	*	0.1	0.2	0.4	1.1	2.8	9.5	41.4	159.6
2005.....	6.6	*	*	*	0.1	0.2	0.4	1.2	2.8	9.6	43.6	166.3
2004.....	6.4	*	*	*	0.1	0.2	0.4	1.0	2.6	9.9	43.7	167.4
2003.....	6.7	*	*	*	0.1	0.2	0.4	1.0	2.9	9.7	46.0	178.5
2002.....	6.8	*	*	*	0.1	0.2	0.5	0.9	2.6	10.1	47.1	187.8
2001.....	6.7	*	*	*	0.1	0.2	0.4	1.0	2.7	10.2	46.5	190.0
2000.....	6.5	*	*	*	0.1	0.2	0.4	1.0	2.5	10.6	45.1	189.0
1999.....	6.0	*	*	*	0.1	0.2	0.4	0.8	2.5	9.7	41.7	176.8
Non-Hispanic 4/, male												
2006.....	6.9	*	*	*	*	0.3	0.5	1.3	3.6	13.0	58.8	232.3
2005.....	6.8	*	*	*	*	0.1	0.2	0.5	1.4	3.6	12.9	232.8
2004.....	6.7	*	*	*	*	0.2	0.5	1.3	3.3	13.2	60.1	242.7
2003.....	6.9	*	*	*	*	0.1	0.2	0.4	1.2	3.6	13.0	251.5
2002.....	7.0	*	*	*	*	0.1	0.2	0.6	1.2	3.1	13.4	272.1
2001.....	6.8	*	*	*	*	0.1	0.2	0.6	1.3	3.2	13.6	271.6
2000.....	6.8	*	*	*	*	0.1	0.2	0.5	1.2	3.1	14.8	279.7
1999.....	6.3	*	*	*	*	0.1	0.3	0.5	1.0	3.3	13.3	261.6
Non-Hispanic 4/, female												
2006.....	5.9	*	*	*	*	0.1	0.3	0.8	2.1	6.6	29.5	125.8
2005.....	6.3	*	*	*	*	0.1	0.4	1.0	2.2	6.8	32.9	136.0
2004.....	6.1	*	*	*	*	0.2	0.3	0.7	2.0	7.1	32.8	133.8
2003.....	6.5	*	*	*	*	0.2	0.4	0.8	2.1	7.0	34.6	146.5
2002.....	6.6	*	*	*	*	0.2	0.3	0.6	2.1	7.3	35.4	151.4
2001.....	6.6	*	*	*	*	0.2	0.3	0.8	2.2	7.4	34.9	156.0
2000.....	6.3	*	*	*	*	0.1	0.3	0.8	2.0	7.1	33.6	152.3
1999.....	5.8	*	*	*	*	0.2	0.3	0.7	1.8	6.8	29.4	142.9
Non-Hispanic white, both sexes												
2006 5/.....	7.3	*	*	*	*	0.2	0.4	1.1	2.8	9.2	42.0	164.1
2005 5/.....	7.4	*	*	*	*	0.1	0.2	0.5	1.1	2.7	9.4	169.0
2004 5/.....	7.2	*	*	*	*	0.1	0.2	0.4	1.0	2.4	9.7	170.4
2003 5/.....	7.5	*	*	*	*	0.1	0.2	0.4	1.0	2.6	9.5	181.0
2002.....	7.7	*	*	*	*	0.1	0.2	0.4	0.9	2.5	9.7	191.3
2001.....	7.5	*	*	*	*	0.1	0.2	0.4	0.9	2.6	9.9	191.2
2000.....	7.3	*	*	*	*	0.1	0.2	0.4	0.9	2.3	10.0	192.5
1999.....	6.7	*	*	*	*	0.1	0.2	0.4	0.7	2.4	9.2	179.3
Non-Hispanic white, male												
2006 5/.....	7.8	*	*	*	*	0.3	0.5	1.3	3.6	12.5	59.2	239.9
2005 5/.....	7.6	*	*	*	*	0.2	0.5	1.3	3.4	12.4	58.7	237.8
2004 5/.....	7.5	*	*	*	*	0.2	0.5	1.3	2.9	12.7	60.2	247.4
2003 5/.....	7.6	*	*	*	*	0.2	0.4	1.2	3.3	12.6	62.4	256.5
2002.....	7.9	*	*	*	*	0.3	0.6	1.1	3.0	12.9	64.9	278.4
2001.....	7.6	*	*	*	*	0.3	0.6	1.2	3.1	13.2	64.4	276.9
2000.....	7.5	*	*	*	*	0.2	0.5	1.1	2.9	13.7	62.7	288.1
1999.....	6.9	*	*	*	*	0.2	0.4	0.9	3.0	12.4	59.6	267.4
Non-Hispanic white, female												
2006 5/.....	6.7	*	*	*	*	*	0.3	0.8	2.1	6.4	30.1	128.7
2005 5/.....	7.2	*	*	*	*	0.2	0.4	1.0	2.1	6.8	33.1	137.5
2004 5/.....	6.9	*	*	*	*	*	0.3	0.7	2.0	7.1	33.1	135.9
2003 5/.....	7.3	*	*	*	*	0.2	0.3	0.8	2.0	6.8	34.4	147.8
2002.....	7.4	*	*	*	*	0.2	0.3	0.6	2.0	7.1	35.6	153.7
2001.....	7.4	*	*	*	*	0.2	0.3	0.7	2.1	7.0	34.7	155.5
2000.....	7.1	*	*	*	*	*	0.3	0.7	1.8	7.0	33.4	153.9
1999.....	6.5	*	*	*	*	0.2	0.3	0.6	1.7	6.5	29.3	144.2

Worktable Orig12. Death rates for 358 selected causes, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2006

[Rates per 100,000 population in specified group. Rates are based on populations enumerated as of April 1 for 2000 and estimated as of July 1 for all other years. Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.odc.gov/nchs> and refer to 'Detailed technical notes to the United States 2006 data-mortality']

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, and sex	All ages 1/	Under 1 year 2/	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
Pneumonitis due to solids and liquids (J69)												
Non-Hispanic black, both sexes												
2006 5/.....	3.8	*	*	*	*	0.4	0.7	1.4	3.8	14.1	42.9	130.9
2005 5/.....	4.3	*	*	*	*	*	0.5	1.8	4.6	13.5	53.2	155.4
2004 5/.....	4.0	*	*	*	*	*	0.6	1.4	5.0	14.2	47.6	147.4
2003 5/.....	4.4	*	*	*	*	*	0.7	1.3	5.3	13.9	55.5	165.7
2002.....	4.2	*	*	*	*	*	0.7	1.4	3.8	15.2	52.8	167.3
2001.....	4.4	*	*	*	*	*	0.6	1.6	4.1	15.4	53.6	187.3
2000.....	4.3	*	*	*	*	*	0.7	1.9	4.3	17.9	52.0	160.6
1999.....	4.3	*	*	*	*	*	0.7	1.5	4.5	16.4	52.6	168.5
Non-Hispanic black, male												
2006 5/.....	4.2	*	*	*	*	*	0.8	1.7	5.3	21.2	68.4	177.8
2005 5/.....	4.6	*	*	*	*	*	*	2.5	6.3	20.0	81.0	205.5
2004 5/.....	4.3	*	*	*	*	*	0.8	1.8	7.3	21.5	68.7	207.3
2003 5/.....	4.5	*	*	*	*	*	*	1.7	7.2	19.8	79.6	215.2
2002.....	4.4	*	*	*	*	*	0.9	2.0	4.9	22.3	74.1	237.4
2001.....	4.3	*	*	*	*	*	0.8	1.9	5.5	20.8	75.6	243.7
2000.....	4.5	*	*	*	*	*	0.8	2.7	5.2	28.4	75.0	210.2
1999.....	4.7	*	*	*	*	*	0.9	1.8	6.6	25.3	81.6	229.4
Non-Hispanic black, female												
2006 5/.....	3.4	*	*	*	*	*	*	1.2	2.5	9.0	28.4	111.7
2005 5/.....	4.0	*	*	*	*	*	*	1.1	3.2	8.9	37.5	135.2
2004 5/.....	3.8	*	*	*	*	*	*	1.0	3.1	8.9	35.7	123.7
2003 5/.....	4.3	*	*	*	*	*	0.8	1.0	3.7	9.7	41.9	146.5
2002.....	4.1	*	*	*	*	*	*	0.9	3.0	10.2	40.8	140.5
2001.....	4.6	*	*	*	*	*	*	1.4	2.9	11.6	41.3	166.4
2000.....	4.1	*	*	*	*	*	*	1.2	3.6	10.4	39.1	142.2
1999.....	4.0	*	*	*	*	*	*	1.2	2.9	10.2	36.4	145.7

Worktable Orig12. Death rates for 358 selected causes, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2006

[Rates per 100,000 population in specified group. Rates are based on populations enumerated as of April 1 for 2000 and estimated as of July 1 for all other years. Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to 'Detailed technical notes to the United States 2006 data-mortality']

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, and sex	All ages 1/	Under 1 year 2/	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
Pneumonitis due to food and vomit (J69.0)												
All origins 3/, both sexes												
2006.....	5.6	*	*	*	0.1	0.2	0.4	1.0	2.7	9.3	40.5	155.8
2005.....	5.8	*	*	*	0.1	0.2	0.4	1.1	2.7	9.3	42.6	163.9
2004.....	5.7	*	*	*	0.1	0.2	0.4	0.9	2.6	9.6	42.9	164.9
2003.....	6.0	*	*	*	0.1	0.2	0.4	1.0	2.8	9.6	45.0	176.2
2002.....	6.1	*	*	*	0.1	0.2	0.4	0.9	2.5	9.8	46.3	186.0
2001.....	6.1	*	*	*	0.1	0.2	0.4	1.0	2.6	10.0	45.8	189.4
2000.....	5.9	*	*	*	0.1	0.2	0.4	1.0	2.5	10.3	44.5	187.6
1999.....	5.5	*	*	*	0.1	0.2	0.4	0.8	2.5	9.5	41.1	175.6
All origins 3/, male												
2006.....	6.0	*	*	*	*	0.3	0.5	1.3	3.5	12.6	57.2	224.8
2005.....	6.0	*	*	*	0.1	0.2	0.4	1.3	3.5	12.5	57.9	229.3
2004.....	5.9	*	*	*	0.1	0.2	0.4	1.2	3.2	12.9	58.6	237.2
2003.....	6.1	*	*	*	0.1	0.2	0.4	1.2	3.5	12.8	61.7	246.2
2002.....	6.3	*	*	*	0.1	0.2	0.5	1.1	3.1	13.0	63.8	268.5
2001.....	6.1	*	*	*	0.1	0.2	0.5	1.2	3.2	13.3	63.0	270.2
2000.....	6.1	*	*	*	0.1	0.2	0.5	1.2	3.0	14.4	62.3	276.0
1999.....	5.7	*	*	*	0.1	0.2	0.4	0.9	3.2	13.0	59.7	258.4
All origins 3/, female												
2006.....	5.2	*	*	*	*	0.1	0.3	0.8	1.9	6.4	29.1	123.5
2005.....	5.7	*	*	*	0.1	0.1	0.4	0.9	2.1	6.7	32.2	133.9
2004.....	5.5	*	*	*	*	0.1	0.3	0.7	1.9	6.8	32.3	132.4
2003.....	5.8	*	*	*	*	0.1	0.3	0.7	2.1	6.9	33.8	145.3
2002.....	5.9	*	*	*	*	0.2	0.3	0.6	2.0	7.1	34.7	150.2
2001.....	6.0	*	*	*	*	0.2	0.3	0.7	2.1	7.2	34.5	155.5
2000.....	5.8	*	*	*	*	0.1	0.3	0.7	1.9	7.0	33.0	151.6
1999.....	5.3	*	*	*	*	0.2	0.3	0.6	1.8	6.6	29.0	142.2
Hispanic, both sexes												
2006.....	1.3	*	*	*	*	*	*	0.5	1.3	5.7	25.9	77.5
2005.....	1.4	*	*	*	*	*	*	0.7	1.4	5.3	24.3	109.9
2004.....	1.3	*	*	*	*	*	*	*	1.6	5.1	26.3	100.8
2003.....	1.3	*	*	*	*	*	*	*	1.7	6.5	22.8	113.0
2002.....	1.4	*	*	*	*	*	*	*	1.8	5.3	29.0	131.4
2001.....	1.5	*	*	*	*	*	*	*	1.8	6.1	27.4	161.3
2000.....	1.4	*	*	*	*	*	*	0.6	1.9	5.9	27.9	137.4
1999.....	1.2	*	*	*	*	*	*	*	1.6	5.5	24.6	130.5
Hispanic, male												
2006.....	1.3	*	*	*	*	*	*	*	2.1	7.3	31.9	86.8
2005.....	1.4	*	*	*	*	*	*	*	2.2	6.1	32.1	154.4
2004.....	1.3	*	*	*	*	*	*	*	2.4	7.4	31.8	121.9
2003.....	1.3	*	*	*	*	*	*	*	2.0	8.7	32.2	123.1
2002.....	1.4	*	*	*	*	*	*	*	2.6	6.1	43.1	167.3
2001.....	1.5	*	*	*	*	*	*	*	2.5	8.4	36.2	220.9
2000.....	1.4	*	*	*	*	*	*	*	2.5	7.4	42.8	169.3
1999.....	1.1	*	*	*	*	*	*	*	*	6.8	33.9	159.6
Hispanic, female												
2006.....	1.3	*	*	*	*	*	*	*	*	4.3	21.7	72.5
2005.....	1.3	*	*	*	*	*	*	*	*	4.7	18.8	86.7
2004.....	1.3	*	*	*	*	*	*	*	*	3.3	22.5	90.0
2003.....	1.4	*	*	*	*	*	*	*	*	4.9	16.3	107.8
2002.....	1.4	*	*	*	*	*	*	*	*	4.8	19.4	113.6
2001.....	1.5	*	*	*	*	*	*	*	*	4.3	21.5	132.2
2000.....	1.4	*	*	*	*	*	*	*	*	4.8	17.8	121.7
1999.....	1.3	*	*	*	*	*	*	*	*	4.5	18.4	116.5

Worktable Orig12. Death rates for 358 selected causes, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2006

[Rates per 100,000 population in specified group. Rates are based on populations enumerated as of April 1 for 2000 and estimated as of July 1 for all other years. Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to 'Detailed technical notes to the United States 2006 data-mortality']

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, and sex	All ages 1/	Under 1 year 2/	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
Pneumonitis due to food and vomit (J69.0)												
Non-Hispanic 4/, both sexes												
2006.....	6.4	*	*	*	0.1	0.2	0.4	1.1	2.8	9.5	41.4	159.6
2005.....	6.6	*	*	*	0.1	0.2	0.4	1.2	2.8	9.6	43.6	166.3
2004.....	6.4	*	*	*	0.1	0.2	0.4	1.0	2.6	9.9	43.7	167.4
2003.....	6.7	*	*	*	0.1	0.2	0.4	1.0	2.9	9.7	46.0	178.5
2002.....	6.8	*	*	*	0.1	0.2	0.5	0.9	2.6	10.1	47.1	187.8
2001.....	6.7	*	*	*	0.1	0.2	0.4	1.0	2.7	10.2	46.5	189.9
2000.....	6.5	*	*	*	0.1	0.2	0.4	1.0	2.5	10.6	45.1	189.0
1999.....	6.0	*	*	*	0.1	0.2	0.4	0.8	2.5	9.7	41.6	176.8
Non-Hispanic 4/, male												
2006.....	6.9	*	*	*	*	0.3	0.5	1.3	3.6	13.0	58.8	232.3
2005.....	6.8	*	*	*	*	0.1	0.2	0.5	1.4	3.6	12.9	232.8
2004.....	6.7	*	*	*	*	0.2	0.5	1.3	3.3	13.2	60.0	242.7
2003.....	6.9	*	*	*	*	0.1	0.2	0.4	1.2	3.6	13.0	251.5
2002.....	7.0	*	*	*	*	0.1	0.2	0.6	1.2	3.1	13.4	272.1
2001.....	6.8	*	*	*	*	0.1	0.2	0.6	1.3	3.2	13.6	271.5
2000.....	6.8	*	*	*	*	0.1	0.2	0.5	1.2	3.1	14.8	279.6
1999.....	6.3	*	*	*	*	0.1	0.3	0.5	1.0	3.3	13.3	261.6
Non-Hispanic 4/, female												
2006.....	5.9	*	*	*	*	0.1	0.3	0.8	2.0	6.6	29.5	125.8
2005.....	6.3	*	*	*	*	0.1	0.4	1.0	2.2	6.8	32.9	136.0
2004.....	6.1	*	*	*	*	0.2	0.3	0.7	2.0	7.1	32.8	133.8
2003.....	6.5	*	*	*	*	0.2	0.4	0.8	2.1	7.0	34.6	146.4
2002.....	6.6	*	*	*	*	0.2	0.3	0.6	2.1	7.3	35.4	151.4
2001.....	6.6	*	*	*	*	0.2	0.3	0.8	2.2	7.4	34.9	156.0
2000.....	6.3	*	*	*	*	0.1	0.3	0.8	1.9	7.1	33.5	152.3
1999.....	5.8	*	*	*	*	0.2	0.3	0.7	1.8	6.8	29.3	142.8
Non-Hispanic white, both sexes												
2006 5/.....	7.3	*	*	*	*	0.2	0.4	1.1	2.8	9.2	42.0	164.1
2005 5/.....	7.4	*	*	*	*	0.1	0.2	0.5	1.1	2.7	9.4	169.0
2004 5/.....	7.2	*	*	*	*	0.1	0.2	0.4	1.0	2.4	9.7	170.4
2003 5/.....	7.4	*	*	*	*	0.1	0.2	0.4	1.0	2.6	9.5	181.0
2002.....	7.6	*	*	*	*	0.1	0.2	0.4	0.9	2.5	9.7	191.3
2001.....	7.5	*	*	*	*	0.1	0.2	0.4	0.9	2.6	9.9	191.1
2000.....	7.3	*	*	*	*	0.1	0.2	0.4	0.9	2.3	10.0	192.4
1999.....	6.7	*	*	*	*	0.1	0.2	0.4	0.7	2.4	9.2	179.3
Non-Hispanic white, male												
2006 5/.....	7.8	*	*	*	*	0.3	0.5	1.3	3.6	12.5	59.1	239.9
2005 5/.....	7.6	*	*	*	*	0.2	0.5	1.3	3.4	12.4	58.7	237.8
2004 5/.....	7.5	*	*	*	*	0.2	0.5	1.3	2.9	12.7	60.2	247.4
2003 5/.....	7.6	*	*	*	*	0.2	0.4	1.2	3.3	12.6	62.4	256.5
2002.....	7.9	*	*	*	*	0.3	0.6	1.1	3.0	12.9	64.9	278.4
2001.....	7.6	*	*	*	*	0.3	0.6	1.2	3.1	13.2	64.4	276.9
2000.....	7.5	*	*	*	*	0.2	0.5	1.1	2.9	13.7	62.7	288.0
1999.....	6.9	*	*	*	*	0.2	0.4	0.9	3.0	12.4	59.6	267.4
Non-Hispanic white, female												
2006 5/.....	6.7	*	*	*	*	*	0.3	0.8	2.1	6.4	30.1	128.7
2005 5/.....	7.2	*	*	*	*	0.2	0.4	1.0	2.1	6.8	33.1	137.5
2004 5/.....	6.9	*	*	*	*	*	0.3	0.7	2.0	7.1	33.1	135.9
2003 5/.....	7.3	*	*	*	*	0.2	0.3	0.8	2.0	6.8	34.4	147.8
2002.....	7.4	*	*	*	*	0.2	0.3	0.6	2.0	7.1	35.5	153.7
2001.....	7.4	*	*	*	*	0.2	0.3	0.7	2.1	7.0	34.7	155.4
2000.....	7.1	*	*	*	*	*	0.3	0.7	1.8	7.0	33.4	153.9
1999.....	6.4	*	*	*	*	0.2	0.3	0.6	1.7	6.5	29.2	144.1

Worktable Orig12. Death rates for 358 selected causes, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2006

[Rates per 100,000 population in specified group. Rates are based on populations enumerated as of April 1 for 2000 and estimated as of July 1 for all other years. Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to 'Detailed technical notes to the United States 2006 data-mortality']

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, and sex	All ages 1/	Under 1 year 2/	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
Pneumonitis due to food and vomit (J69.0)												
Non-Hispanic black, both sexes												
2006 5/.....	3.8	*	*	*	*	0.4	0.7	1.4	3.7	14.1	42.9	130.9
2005 5/.....	4.3	*	*	*	*	*	0.5	1.8	4.6	13.5	53.2	155.4
2004 5/.....	4.0	*	*	*	*	*	0.6	1.4	5.0	14.2	47.5	147.4
2003 5/.....	4.4	*	*	*	*	*	0.7	1.3	5.3	13.9	55.5	165.4
2002.....	4.2	*	*	*	*	*	0.7	1.4	3.8	15.2	52.7	167.3
2001.....	4.4	*	*	*	*	*	0.6	1.6	4.1	15.4	53.6	187.3
2000.....	4.3	*	*	*	*	*	0.7	1.9	4.3	17.9	52.0	160.6
1999.....	4.3	*	*	*	*	*	0.7	1.5	4.5	16.4	52.5	168.5
Non-Hispanic black, male												
2006 5/.....	4.2	*	*	*	*	*	0.8	1.7	5.2	21.2	68.4	177.8
2005 5/.....	4.6	*	*	*	*	*	*	2.5	6.3	20.0	81.0	205.5
2004 5/.....	4.3	*	*	*	*	*	0.8	1.8	7.3	21.5	68.5	207.3
2003 5/.....	4.5	*	*	*	*	*	*	1.7	7.2	19.8	79.6	215.2
2002.....	4.4	*	*	*	*	*	0.9	2.0	4.9	22.3	74.1	237.4
2001.....	4.3	*	*	*	*	*	0.8	1.9	5.5	20.8	75.6	243.7
2000.....	4.5	*	*	*	*	*	0.8	2.7	5.2	28.4	75.0	210.2
1999.....	4.7	*	*	*	*	*	0.9	1.8	6.6	25.1	81.6	229.4
Non-Hispanic black, female												
2006 5/.....	3.4	*	*	*	*	*	*	1.2	2.5	9.0	28.4	111.7
2005 5/.....	4.0	*	*	*	*	*	*	1.1	3.2	8.9	37.5	135.2
2004 5/.....	3.8	*	*	*	*	*	*	1.0	3.1	8.9	35.7	123.7
2003 5/.....	4.3	*	*	*	*	*	0.8	1.0	3.7	9.7	41.9	146.1
2002.....	4.1	*	*	*	*	*	*	0.9	3.0	10.2	40.6	140.5
2001.....	4.6	*	*	*	*	*	*	1.4	2.9	11.6	41.3	166.4
2000.....	4.1	*	*	*	*	*	*	1.2	3.6	10.4	39.1	142.2
1999.....	4.0	*	*	*	*	*	*	1.2	2.9	10.2	36.2	145.7

Worktable Orig12. Death rates for 358 selected causes, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2006

[Rates per 100,000 population in specified group. Rates are based on populations enumerated as of April 1 for 2000 and estimated as of July 1 for all other years. Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to 'Detailed technical notes to the United States 2006 data-mortality']

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, and sex	All ages 1/	Under 1 year 2/	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
Suppurative and necrotic conditions of lower respiratory tract (J85-J86)												
Non-Hispanic 4/, both sexes												
2006.....	0.3	*	*	*	*	*	0.1	0.2	0.3	0.7	1.3	2.0
2005.....	0.3	*	*	*	*	*	0.1	0.3	0.4	0.6	1.4	2.3
2004.....	0.3	*	*	*	*	*	0.1	0.3	0.4	0.7	1.3	2.3
2003.....	0.3	*	*	*	*	*	0.1	0.3	0.4	0.8	1.4	2.1
2002.....	0.3	*	*	*	*	*	0.1	0.2	0.4	0.8	1.5	2.3
2001.....	0.3	*	*	*	*	*	0.1	0.3	0.4	0.8	1.7	3.1
2000.....	0.3	*	*	*	*	*	0.1	0.2	0.4	0.9	1.5	2.9
1999.....	0.3	*	*	*	*	0.1	0.2	0.3	0.5	1.0	1.5	2.8
Non-Hispanic 4/, male												
2006.....	0.3	*	*	*	*	*	0.2	0.3	0.4	1.0	1.8	3.4
2005.....	0.3	*	*	*	*	*	0.2	0.3	0.5	1.0	2.0	3.3
2004.....	0.3	*	*	*	*	*	0.1	0.3	0.5	1.0	1.7	4.0
2003.....	0.3	*	*	*	*	*	0.1	0.4	0.5	1.1	1.7	3.3
2002.....	0.3	*	*	*	*	*	0.2	0.4	0.6	1.0	2.3	3.5
2001.....	0.4	*	*	*	*	*	0.2	0.4	0.6	1.1	2.3	4.9
2000.....	0.4	*	*	*	*	*	0.1	0.3	0.6	1.2	2.2	5.8
1999.....	0.4	*	*	*	*	*	0.2	0.4	0.6	1.5	2.2	3.9
Non-Hispanic 4/, female												
2006.....	0.2	*	*	*	*	*	0.1	0.2	0.2	0.5	0.9	1.4
2005.....	0.2	*	*	*	*	*	0.2	0.3	0.3	1.0	1.8	1.8
2004.....	0.2	*	*	*	*	*	0.2	0.2	0.4	0.9	1.6	1.6
2003.....	0.2	*	*	*	*	*	0.2	0.3	0.5	1.2	1.5	1.5
2002.....	0.2	*	*	*	*	*	0.1	0.2	0.6	1.0	1.8	1.8
2001.....	0.2	*	*	*	*	*	0.1	0.3	0.6	1.2	2.4	2.4
2000.....	0.2	*	*	*	*	*	0.1	0.2	0.6	1.1	1.7	1.7
1999.....	0.2	*	*	*	*	*	0.2	0.3	0.5	1.1	2.3	2.3
Non-Hispanic white, both sexes												
2006 5/.....	0.3	*	*	*	*	*	0.1	0.2	0.3	0.7	1.3	2.1
2005 5/.....	0.3	*	*	*	*	*	0.1	0.2	0.4	0.6	1.5	2.3
2004 5/.....	0.3	*	*	*	*	*	0.1	0.3	0.4	0.7	1.2	2.2
2003 5/.....	0.3	*	*	*	*	*	0.1	0.3	0.4	0.8	1.3	2.1
2002.....	0.3	*	*	*	*	*	0.1	0.2	0.3	0.8	1.4	2.2
2001.....	0.3	*	*	*	*	*	0.1	0.2	0.4	0.8	1.6	3.1
2000.....	0.3	*	*	*	*	*	0.1	0.2	0.3	0.8	1.5	2.7
1999.....	0.3	*	*	*	*	*	0.1	0.3	0.4	0.9	1.5	2.5
Non-Hispanic white, male												
2006 5/.....	0.3	*	*	*	*	*	0.1	0.3	0.4	1.0	1.8	3.5
2005 5/.....	0.3	*	*	*	*	*	0.1	0.3	0.4	1.0	2.0	3.2
2004 5/.....	0.3	*	*	*	*	*	0.1	0.3	0.5	1.0	1.6	4.0
2003 5/.....	0.3	*	*	*	*	*	0.4	0.5	1.1	1.5	3.2	3.2
2002.....	0.3	*	*	*	*	*	0.3	0.5	1.0	2.1	3.2	3.2
2001.....	0.4	*	*	*	*	*	0.1	0.3	0.6	0.9	2.2	4.9
2000.....	0.4	*	*	*	*	*	0.1	0.3	0.5	1.1	2.1	5.5
1999.....	0.4	*	*	*	*	*	0.2	0.4	0.4	1.4	2.2	3.2
Non-Hispanic white, female												
2006 5/.....	0.2	*	*	*	*	*	0.2	0.2	0.5	0.9	1.4	1.4
2005 5/.....	0.2	*	*	*	*	*	0.2	0.3	0.4	1.1	1.9	1.9
2004 5/.....	0.2	*	*	*	*	*	0.2	0.2	0.4	0.9	1.5	1.5
2003 5/.....	0.2	*	*	*	*	*	0.2	0.2	0.6	1.1	1.6	1.6
2002.....	0.2	*	*	*	*	*	0.2	0.2	0.5	1.0	1.7	1.7
2001.....	0.3	*	*	*	*	*	0.1	0.3	0.7	1.3	2.3	2.3
2000.....	0.2	*	*	*	*	*	0.2	0.2	0.5	1.2	1.5	1.5
1999.....	0.2	*	*	*	*	*	0.1	0.3	0.5	1.1	2.3	2.3

Worktable Orig12. Death rates for 358 selected causes, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2006

[Rates per 100,000 population in specified group. Rates are based on populations enumerated as of April 1 for 2000 and estimated as of July 1 for all other years. Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to 'Detailed technical notes to the United States 2006 data-mortality']

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, and sex	All ages 1/	Under 1 year 2/	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
Pleural effusion and plaque (J90,J92)												
Non-Hispanic 4/, both sexes												
2006.....	0.4	*	*	*	*	*	*	0.1	0.2	0.7	2.7	8.8
2005.....	0.4	*	*	*	*	*	*	*	0.2	0.6	2.8	9.4
2004.....	0.4	*	*	*	*	*	*	0.1	0.2	0.7	2.5	9.0
2003.....	0.4	*	*	*	*	*	*	*	0.2	0.7	2.5	8.8
2002.....	0.4	*	*	*	*	*	*	0.1	0.2	0.7	2.5	10.1
2001.....	0.4	*	*	*	*	*	*	0.1	0.2	0.7	2.6	10.2
2000.....	0.3	*	*	*	*	*	*	0.1	0.1	0.6	2.4	8.9
1999.....	0.3	*	*	*	*	*	*	*	0.2	0.7	2.4	9.0
Non-Hispanic 4/, male												
2006.....	0.3	*	*	*	*	*	*	0.1	0.2	0.8	2.8	10.8
2005.....	0.3	*	*	*	*	*	*	*	0.2	0.7	3.2	10.9
2004.....	0.4	*	*	*	*	*	*	*	0.2	0.8	3.2	11.3
2003.....	0.3	*	*	*	*	*	*	*	0.2	0.7	2.9	11.4
2002.....	0.3	*	*	*	*	*	*	*	0.2	0.7	3.0	11.2
2001.....	0.3	*	*	*	*	*	*	*	*	0.9	2.9	12.4
2000.....	0.3	*	*	*	*	*	*	*	*	0.7	2.8	11.1
1999.....	0.3	*	*	*	*	*	*	*	0.2	0.8	3.0	11.6
Non-Hispanic 4/, female												
2006.....	0.4	*	*	*	*	*	*	*	0.2	0.7	2.6	7.9
2005.....	0.4	*	*	*	*	*	*	*	*	0.5	2.4	8.8
2004.....	0.4	*	*	*	*	*	*	*	0.2	0.6	2.1	7.9
2003.....	0.4	*	*	*	*	*	*	*	*	0.7	2.2	7.7
2002.....	0.4	*	*	*	*	*	*	*	*	0.7	2.2	9.6
2001.....	0.4	*	*	*	*	*	*	*	0.2	0.5	2.4	9.3
2000.....	0.4	*	*	*	*	*	*	*	*	0.5	2.1	8.0
1999.....	0.4	*	*	*	*	*	*	*	0.2	0.5	2.0	8.0
Non-Hispanic white, both sexes												
2006 5/.....	0.4	*	*	*	*	*	*	0.1	0.2	0.7	2.7	9.3
2005 5/.....	0.4	*	*	*	*	*	*	*	0.2	0.6	2.8	9.7
2004 5/.....	0.4	*	*	*	*	*	*	*	0.2	0.7	2.6	9.2
2003 5/.....	0.4	*	*	*	*	*	*	*	0.2	0.7	2.5	9.2
2002.....	0.4	*	*	*	*	*	*	*	0.2	0.7	2.5	10.4
2001.....	0.4	*	*	*	*	*	*	*	0.2	0.7	2.6	10.1
2000.....	0.4	*	*	*	*	*	*	*	0.1	0.6	2.4	9.0
1999.....	0.4	*	*	*	*	*	*	*	0.2	0.7	2.4	9.0
Non-Hispanic white, male												
2006 5/.....	0.4	*	*	*	*	*	*	*	0.2	0.7	2.8	11.3
2005 5/.....	0.4	*	*	*	*	*	*	*	0.2	0.7	3.3	11.4
2004 5/.....	0.4	*	*	*	*	*	*	*	0.2	0.8	3.3	11.8
2003 5/.....	0.4	*	*	*	*	*	*	*	*	0.7	2.8	12.1
2002.....	0.4	*	*	*	*	*	*	*	0.2	0.6	3.0	11.8
2001.....	0.4	*	*	*	*	*	*	*	*	0.9	2.8	12.7
2000.....	0.3	*	*	*	*	*	*	*	*	0.7	2.8	11.2
1999.....	0.3	*	*	*	*	*	*	*	*	0.9	3.0	11.7
Non-Hispanic white, female												
2006 5/.....	0.5	*	*	*	*	*	*	*	0.2	0.6	2.6	8.3
2005 5/.....	0.5	*	*	*	*	*	*	*	*	0.5	2.5	9.0
2004 5/.....	0.4	*	*	*	*	*	*	*	0.2	0.6	2.1	8.0
2003 5/.....	0.4	*	*	*	*	*	*	*	*	0.7	2.3	7.9
2002.....	0.5	*	*	*	*	*	*	*	*	0.7	2.2	9.8
2001.....	0.5	*	*	*	*	*	*	*	*	0.5	2.4	9.1
2000.....	0.4	*	*	*	*	*	*	*	*	0.5	2.1	8.2
1999.....	0.4	*	*	*	*	*	*	*	0.2	0.5	2.1	8.0

Worktable Orig12. Death rates for 358 selected causes, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2006

[Rates per 100,000 population in specified group. Rates are based on populations enumerated as of April 1 for 2000 and estimated as of July 1 for all other years. Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to 'Detailed technical notes to the United States 2006 data-mortality']

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, and sex	All ages 1/	Under 1 year 2/	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
All other diseases of respiratory system (J80-J84,J93-J98)												
All origins 3/, both sexes												
2006.....	8.4	7.1	0.4	0.1	0.2	0.4	1.0	2.6	8.1	26.3	68.3	122.7
2005.....	8.3	6.6	0.4	0.1	0.2	0.4	0.9	2.7	8.0	27.1	67.1	121.0
2004.....	8.5	5.9	0.5	0.1	0.2	0.4	1.0	2.8	8.7	28.1	69.2	125.2
2003.....	8.0	6.2	0.4	0.1	0.2	0.4	0.9	2.8	7.8	26.2	63.5	123.3
2002.....	7.9	6.1	0.4	0.1	0.2	0.4	1.0	2.7	8.3	26.6	63.0	118.1
2001.....	8.3	6.5	0.4	0.1	0.3	0.4	1.0	3.0	8.8	28.1	67.6	125.7
2000.....	8.3	6.4	0.4	0.2	0.3	0.5	1.1	3.1	9.2	27.5	66.8	125.8
1999.....	8.1	5.8	0.4	0.1	0.2	0.5	1.0	2.8	8.6	27.1	65.3	131.6
All origins 3/, male												
2006.....	8.5	8.1	0.6	0.1	0.2	0.4	1.0	2.7	9.4	32.6	87.0	145.7
2005.....	8.2	8.0	0.5	0.1	0.2	0.4	0.8	3.0	9.2	32.6	84.0	139.4
2004.....	8.5	5.9	0.6	0.1	0.2	0.3	1.0	3.0	9.7	34.6	87.5	149.7
2003.....	7.8	7.1	0.4	0.1	0.3	0.4	0.9	2.9	9.1	31.7	79.1	145.5
2002.....	7.7	7.3	0.5	0.1	0.2	0.4	1.0	2.7	9.4	32.9	77.5	138.9
2001.....	8.1	8.1	0.4	0.2	0.3	0.4	1.1	3.2	9.9	34.1	82.5	147.4
2000.....	8.1	7.1	0.4	0.2	0.3	0.5	1.2	3.2	10.4	33.0	83.8	158.3
1999.....	7.9	6.6	0.4	0.1	0.3	0.5	1.1	2.9	9.5	33.1	82.9	161.8
All origins 3/, female												
2006.....	8.3	6.1	0.3	0.1	0.1	0.5	1.0	2.6	6.9	20.9	55.5	111.9
2005.....	8.4	5.1	0.3	0.1	0.2	0.4	1.0	2.5	6.9	22.4	55.6	112.6
2004.....	8.6	5.8	0.3	*	0.3	0.4	1.0	2.6	7.8	22.7	56.9	114.2
2003.....	8.1	5.3	0.4	*	0.2	0.4	1.0	2.7	6.7	21.6	53.0	113.5
2002.....	8.0	4.9	0.3	0.2	0.3	0.4	1.0	2.8	7.3	21.4	53.4	109.0
2001.....	8.6	4.9	0.4	0.1	0.3	0.5	1.0	2.7	7.7	23.2	57.9	116.6
2000.....	8.4	5.7	0.3	0.1	0.3	0.5	1.1	2.9	8.0	23.0	55.7	112.6
1999.....	8.3	4.9	0.3	0.2	0.2	0.6	1.0	2.8	7.7	22.2	53.8	119.4
Hispanic, both sexes												
2006.....	3.3	4.9	*	*	*	0.3	0.7	2.3	6.8	23.4	56.9	98.6
2005.....	3.4	4.9	*	*	*	0.4	0.7	2.3	8.0	25.7	64.3	94.5
2004.....	3.4	4.5	*	*	*	*	0.8	2.1	7.5	26.2	67.3	105.1
2003.....	3.2	5.4	*	*	*	0.3	0.7	2.1	8.0	24.6	56.4	106.2
2002.....	3.0	4.2	*	*	*	0.3	0.6	2.3	7.6	24.5	54.2	104.2
2001.....	3.2	4.4	*	*	*	*	0.7	2.6	8.2	24.0	61.0	125.7
2000.....	3.2	4.9	*	*	*	0.4	1.0	2.4	8.9	24.0	60.4	124.1
1999.....	3.1	3.7	*	*	*	*	0.8	2.7	8.7	23.9	61.2	122.1
Hispanic, male												
2006.....	3.1	5.8	*	*	*	*	0.8	2.2	9.0	26.1	63.2	100.4
2005.....	3.3	5.2	*	*	*	*	0.6	2.7	9.1	27.9	78.2	100.9
2004.....	3.2	*	*	*	*	*	0.7	2.6	8.6	30.1	78.7	105.1
2003.....	3.1	5.7	*	*	*	*	0.7	2.8	10.5	29.5	61.7	117.0
2002.....	2.9	*	*	*	*	*	0.7	2.2	9.2	32.3	58.7	98.7
2001.....	3.1	*	*	*	*	*	0.8	2.8	9.7	28.6	70.6	154.3
2000.....	3.1	*	*	*	*	*	1.1	2.6	11.0	27.4	74.7	120.9
1999.....	2.9	*	*	*	*	*	0.9	2.4	10.3	27.7	77.2	140.2
Hispanic, female												
2006.....	3.5	*	*	*	*	*	*	2.4	4.8	21.2	52.4	97.7
2005.....	3.6	4.6	*	*	*	*	0.7	2.0	7.1	23.8	54.7	91.2
2004.....	3.7	5.0	*	*	*	*	0.9	1.6	6.5	23.1	59.5	105.2
2003.....	3.3	5.2	*	*	*	*	*	1.5	5.8	20.6	52.7	100.8
2002.....	3.1	*	*	*	*	*	*	2.4	6.2	18.2	51.2	106.9
2001.....	3.3	*	*	*	*	*	*	2.5	6.9	20.5	54.4	111.7
2000.....	3.4	*	*	*	*	*	0.8	2.1	7.2	21.2	50.8	125.6
1999.....	3.2	*	*	*	*	*	*	3.0	7.4	21.0	50.7	113.3

Worktable Orig12. Death rates for 358 selected causes, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2006

[Rates per 100,000 population in specified group. Rates are based on populations enumerated as of April 1 for 2000 and estimated as of July 1 for all other years. Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to 'Detailed technical notes to the United States 2006 data-mortality']

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, and sex	All ages 1/	Under 1 year 2/	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
All other diseases of respiratory system (J80-J84,J93-J98)												
Non-Hispanic 4/, both sexes												
2006.....	9.3	7.8	0.5	0.1	0.2	0.4	1.0	2.7	8.2	26.5	68.9	123.8
2005.....	9.1	7.1	0.5	0.1	0.2	0.4	1.0	2.8	8.0	27.2	67.1	122.2
2004.....	9.3	6.2	0.5	0.1	0.2	0.4	1.1	2.9	8.8	28.2	69.2	126.1
2003.....	8.7	6.4	0.4	0.1	0.3	0.5	1.0	2.9	7.8	26.2	63.7	123.8
2002.....	8.6	6.6	0.4	0.1	0.3	0.4	1.1	2.8	8.4	26.7	63.3	118.4
2001.....	9.1	7.0	0.4	0.2	0.3	0.5	1.1	3.0	8.8	28.3	67.7	125.4
2000.....	8.9	6.7	0.4	0.2	0.3	0.5	1.2	3.1	9.2	27.6	66.8	125.6
1999.....	8.8	6.2	0.4	0.2	0.2	0.6	1.1	2.8	8.5	27.3	65.3	131.6
Non-Hispanic 4/, male												
2006.....	9.5	8.7	0.6	0.2	0.2	0.4	1.0	2.8	9.4	33.1	88.5	148.1
2005.....	9.0	8.8	0.6	*	0.2	0.3	0.8	3.0	9.2	32.9	84.2	141.3
2004.....	9.4	6.5	0.6	0.1	0.2	0.4	1.1	3.0	9.8	34.8	87.8	151.8
2003.....	8.6	7.5	0.4	*	0.3	0.5	0.9	2.9	8.9	31.7	79.9	146.7
2002.....	8.5	8.0	0.5	0.1	0.3	0.4	1.1	2.7	9.4	32.9	78.3	140.4
2001.....	8.8	9.0	0.4	0.2	0.3	0.4	1.1	3.3	9.9	34.3	82.8	147.0
2000.....	8.9	7.6	0.4	0.2	0.3	0.5	1.2	3.3	10.4	33.2	84.0	159.5
1999.....	8.6	7.3	0.5	0.2	0.3	0.5	1.1	2.9	9.4	33.3	82.8	162.3
Non-Hispanic 4/, female												
2006.....	9.1	6.7	0.3	0.1	0.1	0.5	1.1	2.6	7.1	20.8	55.5	112.5
2005.....	9.2	5.2	0.3	*	0.2	0.4	1.1	2.6	6.9	22.3	55.6	113.5
2004.....	9.3	5.9	0.4	*	0.3	0.4	1.1	2.7	7.9	22.6	56.7	114.5
2003.....	8.8	5.3	0.4	*	0.2	0.4	1.0	2.8	6.7	21.6	53.0	113.7
2002.....	8.7	5.1	*	0.2	0.3	0.5	1.0	2.8	7.4	21.5	53.4	108.9
2001.....	9.3	4.9	0.5	0.1	0.3	0.6	1.1	2.8	7.8	23.3	57.9	116.4
2000.....	9.0	5.8	0.3	0.1	0.3	0.6	1.1	2.9	8.0	23.0	55.7	111.9
1999.....	8.9	5.2	0.4	0.2	0.2	0.6	1.1	2.7	7.7	22.3	53.9	119.3
Non-Hispanic white, both sexes												
2006 5/.....	10.4	4.8	0.4	0.1	0.2	0.5	0.9	2.4	7.9	27.3	71.7	128.1
2005 5/.....	10.1	5.4	0.4	0.1	0.2	0.3	0.9	2.4	7.7	27.6	69.1	125.4
2004 5/.....	10.4	4.1	0.4	0.1	0.2	0.3	0.9	2.5	8.6	29.1	71.8	130.7
2003 5/.....	9.7	4.3	0.3	0.1	0.2	0.4	0.8	2.5	7.6	27.0	66.2	128.4
2002.....	9.6	4.2	0.3	0.1	0.2	0.4	0.9	2.4	8.0	27.3	65.4	122.5
2001.....	10.0	4.4	0.3	0.2	0.2	0.4	0.9	2.6	8.5	28.9	69.9	128.7
2000.....	9.9	4.8	0.3	0.2	0.2	0.5	1.0	2.8	8.9	28.2	68.5	129.7
1999.....	9.7	4.2	0.4	0.1	0.3	0.5	0.9	2.5	8.3	27.5	66.7	134.8
Non-Hispanic white, male												
2006 5/.....	10.6	5.0	0.6	*	0.2	0.4	0.9	2.6	9.2	34.0	91.9	152.6
2005 5/.....	10.0	6.6	0.5	*	0.2	0.3	0.8	2.7	8.8	33.8	86.0	143.1
2004 5/.....	10.4	4.2	0.5	*	0.2	0.3	0.8	2.7	9.6	35.8	90.7	156.9
2003 5/.....	9.6	4.6	*	*	0.2	0.5	0.8	2.7	8.7	32.7	82.6	151.6
2002.....	9.4	5.2	+	+	0.2	0.3	0.9	2.5	9.0	33.7	80.8	145.5
2001.....	9.8	5.7	*	*	0.2	0.3	1.0	2.9	9.6	35.4	85.8	151.0
2000.....	9.8	5.9	*	*	0.2	0.3	0.4	1.0	2.9	10.1	86.0	164.6
1999.....	9.5	4.9	*	*	0.3	0.5	0.9	2.6	9.2	34.0	84.8	166.9
Non-Hispanic white, female												
2006 5/.....	10.3	4.6	*	*	*	0.5	1.0	2.2	6.6	21.5	57.7	116.7
2005 5/.....	10.2	4.2	*	*	0.2	0.3	0.9	2.2	6.7	22.3	57.5	117.4
2004 5/.....	10.4	3.9	*	*	0.2	0.3	0.9	2.3	7.6	23.3	58.8	119.0
2003 5/.....	9.9	4.0	*	*	0.2	0.4	0.7	2.4	6.6	22.2	55.1	118.2
2002.....	9.7	3.2	+	+	0.2	0.4	0.9	2.4	7.1	21.8	55.1	112.6
2001.....	10.3	3.0	+	+	0.2	0.5	0.8	2.3	7.5	23.5	59.5	119.4
2000.....	10.0	3.5	+	+	0.2	0.5	1.0	2.7	7.8	23.5	57.1	115.6
1999.....	9.8	3.3	+	+	0.2	0.5	0.8	2.4	7.5	22.2	54.9	122.0

Worktable Orig12. Death rates for 358 selected causes, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2006

[Rates per 100,000 population in specified group. Rates are based on populations enumerated as of April 1 for 2000 and estimated as of July 1 for all other years. Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.odc.gov/nchs> and refer to 'Detailed technical notes to the United States 2006 data-mortality']

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, and sex	All ages 1/	Under 1 year 2/	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
All other diseases of respiratory system (J80-J84,J93-J98)												
Non-Hispanic black, both sexes												
2006 5/.....	5.6	18.7	*	*	0.3	0.6	1.8	5.0	12.0	23.2	46.9	86.0
2005 5/.....	5.8	14.3	*	*	0.3	0.6	1.9	5.3	11.1	26.9	52.1	94.5
2004 5/.....	5.7	14.5	0.8	*	*	0.8	2.4	5.8	12.5	25.6	48.6	80.6
2003 5/.....	5.3	14.4	*	*	0.6	0.9	2.2	5.5	10.6	22.5	44.8	78.5
2002.....	5.5	15.5	0.9	0.3	0.6	0.9	2.0	5.3	12.2	24.4	45.6	77.4
2001.....	6.0	17.5	*	*	0.5	1.1	2.4	6.4	12.9	26.6	50.5	90.8
2000.....	5.8	15.9	*	*	0.5	0.9	2.4	6.2	12.4	26.8	53.0	83.6
1999.....	5.8	15.1	*	*	*	1.1	2.4	5.7	11.3	28.1	53.0	95.1
Non-Hispanic black, male												
2006 5/.....	5.6	22.2	*	*	*	*	1.8	4.7	12.9	30.4	61.2	104.5
2005 5/.....	5.8	19.0	*	*	*	*	1.5	5.5	13.5	30.3	69.5	120.8
2004 5/.....	5.8	15.5	*	*	*	0.8	2.7	6.0	13.7	32.1	62.2	102.6
2003 5/.....	5.3	17.7	*	*	0.8	0.9	1.9	5.0	13.2	28.2	59.7	100.2
2002.....	5.4	18.5	*	*	*	0.8	2.2	5.2	14.1	29.6	56.9	88.6
2001.....	5.6	22.3	*	*	*	1.1	1.9	6.5	14.2	29.5	58.2	108.6
2000.....	5.8	15.7	*	*	*	0.9	2.6	7.0	13.9	31.0	67.0	106.9
1999.....	5.5	17.7	*	*	*	0.8	2.2	6.1	12.2	31.6	66.9	115.3
Non-Hispanic black, female												
2006 5/.....	5.6	15.1	*	*	*	*	1.7	5.3	11.3	18.0	38.8	78.5
2005 5/.....	5.9	9.4	*	*	*	*	2.1	5.0	9.2	24.5	42.3	83.9
2004 5/.....	5.7	13.5	*	*	*	0.8	2.1	5.5	11.5	20.9	40.9	71.9
2003 5/.....	5.2	11.0	*	*	*	0.9	2.5	6.0	8.5	18.4	36.3	70.2
2002.....	5.6	12.3	*	*	*	0.9	1.8	5.4	10.7	20.7	39.3	73.2
2001.....	6.4	12.4	*	*	*	1.1	2.9	6.3	11.8	24.6	46.2	84.3
2000.....	5.9	16.2	*	*	*	0.9	2.1	5.5	11.3	23.9	45.2	75.0
1999.....	6.1	12.5	*	*	*	1.4	2.6	5.4	10.5	25.7	45.2	87.5

Worktable Orig12. Death rates for 358 selected causes, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2006

[Rates per 100,000 population in specified group. Rates are based on populations enumerated as of April 1 for 2000 and estimated as of July 1 for all other years. Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to 'Detailed technical notes to the United States 2006 data-mortality']

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, and sex	All ages 1/	Under 1 year 2/	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
XI. Diseases of the digestive system (K00-K92)												
All origins 3/, both sexes												
2006.....	29.3	14.1	0.7	0.3	0.6	2.2	10.1	29.4	45.7	75.5	157.4	363.3
2005.....	29.5	15.2	0.8	0.3	0.6	2.1	10.2	29.2	45.6	77.9	160.5	376.8
2004.....	29.4	14.2	0.8	0.2	0.7	2.1	10.9	29.5	44.5	78.4	162.5	387.5
2003.....	30.2	13.8	0.8	0.3	0.6	2.4	11.5	30.2	45.4	82.5	167.1	403.8
2002.....	30.1	12.6	0.8	0.3	0.6	2.3	11.7	29.8	44.7	81.7	170.0	415.3
2001.....	30.1	11.9	0.8	0.3	0.5	2.4	11.7	29.7	45.2	83.8	168.8	431.4
2000.....	29.9	13.1	0.7	0.3	0.7	2.4	11.9	28.6	45.6	82.1	170.4	440.7
1999.....	29.7	13.2	0.7	0.3	0.6	2.4	11.8	28.0	45.8	85.2	169.0	436.4
All origins 3/, male												
2006.....	30.1	15.8	0.7	0.3	0.7	2.7	12.7	40.5	61.1	89.0	170.5	347.1
2005.....	30.4	18.5	1.0	0.3	0.6	2.5	13.0	41.0	61.4	91.1	174.2	364.8
2004.....	30.0	15.6	0.9	0.2	0.7	2.8	14.1	41.3	58.6	91.6	176.1	366.9
2003.....	30.9	16.6	0.9	0.3	0.7	2.9	14.6	42.6	60.5	97.6	181.6	388.9
2002.....	30.7	15.1	0.9	0.3	0.7	2.9	15.0	42.5	59.0	96.9	184.1	404.4
2001.....	30.6	13.4	0.9	0.3	0.6	2.9	15.2	41.9	59.8	99.5	181.8	428.2
2000.....	30.3	14.8	0.9	0.3	0.7	3.0	15.8	40.7	60.1	97.7	186.4	441.9
1999.....	30.4	16.5	0.7	0.3	0.6	2.9	15.8	40.4	60.7	102.3	185.8	438.5
All origins 3/, female												
2006.....	28.4	12.3	0.7	0.3	0.6	1.7	7.5	18.7	31.4	64.0	148.4	370.8
2005.....	28.6	11.9	0.6	0.2	0.6	1.7	7.5	17.9	30.9	66.7	151.1	382.3
2004.....	28.8	12.8	0.6	0.3	0.7	1.5	7.7	18.2	31.4	67.3	153.3	396.8
2003.....	29.4	10.8	0.7	0.3	0.5	1.8	8.4	18.2	31.4	69.9	157.4	410.4
2002.....	29.5	10.0	0.7	0.3	0.6	1.8	8.5	17.7	31.5	69.0	160.6	420.0
2001.....	29.7	10.3	0.6	0.3	0.5	1.9	8.3	18.0	31.8	70.8	160.2	432.7
2000.....	29.4	11.4	0.5	0.3	0.5	1.8	8.1	16.9	32.3	69.3	159.9	440.2
1999.....	29.1	9.7	0.8	0.4	0.6	1.9	7.8	15.9	32.2	71.1	158.1	435.6
Hispanic, both sexes												
2006.....	15.9	11.7	0.8	*	0.6	2.2	10.5	33.4	54.3	86.8	156.7	273.1
2005.....	15.9	16.0	0.9	*	0.5	2.1	10.0	32.5	56.9	94.2	158.2	251.6
2004.....	15.6	12.2	0.6	*	0.6	1.9	11.0	34.6	53.7	89.7	166.0	271.6
2003.....	16.5	12.2	0.8	0.4	0.5	2.5	11.7	35.3	60.0	98.5	179.4	293.8
2002.....	16.2	11.8	0.9	0.3	0.7	2.2	12.1	36.4	58.1	102.6	166.1	290.5
2001.....	16.3	10.8	0.8	*	0.5	2.1	12.3	36.8	58.3	102.0	178.2	364.5
2000.....	16.4	11.5	0.7	*	0.6	2.4	13.4	37.3	59.5	102.9	183.3	366.3
1999.....	16.7	12.0	0.7	*	0.7	2.7	14.3	37.1	60.5	106.5	172.3	411.1
Hispanic, male												
2006.....	18.8	13.9	*	*	0.6	2.6	14.9	50.4	79.8	107.0	171.1	253.7
2005.....	19.2	18.7	1.2	*	0.6	2.9	14.4	50.2	83.1	116.8	187.4	236.6
2004.....	18.4	12.3	*	*	0.6	2.8	16.4	55.1	75.9	103.4	176.0	263.4
2003.....	19.7	15.4	*	*	0.6	3.4	17.1	55.5	88.4	115.9	199.4	275.5
2002.....	19.9	12.9	*	*	0.7	3.1	18.1	57.5	85.3	133.2	194.9	284.4
2001.....	19.7	12.7	*	*	*	2.8	18.2	56.4	87.8	128.2	203.9	373.3
2000.....	20.1	12.4	*	*	0.7	3.5	20.3	58.7	90.2	134.8	208.5	387.0
1999.....	20.3	15.8	*	*	0.7	3.6	21.9	58.9	89.8	138.0	196.0	427.0
Hispanic, female												
2006.....	12.9	9.5	*	*	0.6	1.7	5.5	15.9	30.8	70.4	146.7	283.4
2005.....	12.3	13.2	*	*	*	1.0	5.2	14.6	32.8	76.0	137.9	259.4
2004.....	12.6	12.2	*	*	0.9	5.1	13.9	33.6	33.6	78.6	159.0	275.9
2003.....	13.2	9.0	*	*	1.5	5.8	15.1	34.4	84.7	165.6	303.1	
2002.....	12.3	10.6	*	*	1.2	5.5	15.3	33.7	78.3	149.8	293.4	
2001.....	12.7	8.7	*	*	1.3	5.9	15.5	32.1	81.4	160.8	360.2	
2000.....	12.5	10.6	*	*	1.0	6.1	16.3	32.2	77.8	166.4	356.1	
1999.....	12.9	8.1	*	*	1.6	6.2	15.9	34.6	81.9	156.5	403.5	

Worktable Orig12. Death rates for 358 selected causes, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2006

[Rates per 100,000 population in specified group. Rates are based on populations enumerated as of April 1 for 2000 and estimated as of July 1 for all other years. Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to 'Detailed technical notes to the United States 2006 data-mortality']

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, and sex	All ages 1/	Under 1 year 2/	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
XI. Diseases of the digestive system (K00-K92)												
Non-Hispanic 4/, both sexes												
2006.....	31.5	14.8	0.6	0.3	0.6	2.2	10.0	28.9	44.9	74.5	157.2	367.4
2005.....	31.7	14.9	0.8	0.3	0.6	2.1	10.2	28.7	44.5	76.4	160.4	382.4
2004.....	31.6	14.7	0.8	0.2	0.7	2.2	10.8	28.8	43.6	77.3	162.0	392.0
2003.....	32.3	14.0	0.8	0.3	0.6	2.3	11.4	29.5	44.1	81.2	166.1	407.8
2002.....	32.1	12.6	0.8	0.3	0.6	2.4	11.6	29.1	43.4	79.9	169.6	419.6
2001.....	32.1	11.9	0.8	0.3	0.5	2.4	11.6	28.9	44.0	82.3	167.9	433.0
2000.....	31.7	13.3	0.7	0.3	0.7	2.4	11.7	27.7	44.4	80.5	169.4	442.5
1999.....	31.4	13.3	0.7	0.3	0.6	2.4	11.4	27.0	44.6	83.6	168.4	436.0
Non-Hispanic 4/, male												
2006.....	32.1	16.2	0.7	0.3	0.7	2.7	12.2	39.2	59.3	87.4	170.2	351.7
2005.....	32.3	18.2	0.9	0.3	0.6	2.4	12.7	39.7	59.4	88.9	173.1	371.3
2004.....	31.9	16.5	1.0	0.2	0.7	2.7	13.6	39.6	56.9	90.4	175.9	371.5
2003.....	32.7	16.7	0.9	0.3	0.7	2.8	14.1	41.0	58.0	96.1	180.3	393.5
2002.....	32.3	15.6	0.9	0.3	0.7	2.8	14.4	40.7	56.5	94.0	183.0	408.8
2001.....	32.2	13.4	0.9	0.4	0.6	2.9	14.8	40.1	57.2	97.2	180.3	430.0
2000.....	31.7	15.1	1.0	0.3	0.8	2.8	15.1	38.8	57.5	94.9	185.0	443.4
1999.....	31.7	16.4	0.7	0.3	0.6	2.8	15.0	38.5	58.3	99.9	184.9	437.6
Non-Hispanic 4/, female												
2006.....	30.9	13.2	0.6	0.3	0.6	1.7	7.9	19.0	31.4	63.5	148.3	374.7
2005.....	31.1	11.5	0.7	0.2	0.6	1.9	7.8	18.2	30.6	65.9	151.7	387.5
2004.....	31.3	12.9	0.6	0.3	0.7	1.6	8.0	18.5	31.1	66.4	152.6	401.3
2003.....	31.8	11.2	0.8	0.2	0.6	1.9	8.7	18.4	31.1	68.7	156.7	414.0
2002.....	31.9	9.5	0.7	0.3	0.6	1.9	8.9	17.8	31.1	68.2	160.8	424.2
2001.....	32.0	10.4	0.6	0.3	0.5	1.9	8.5	18.2	31.7	70.0	159.8	434.3
2000.....	31.6	11.4	0.4	0.3	0.5	1.9	8.3	16.9	32.2	68.5	159.3	442.1
1999.....	31.1	10.0	0.8	0.4	0.6	2.0	8.0	15.9	31.9	70.3	157.7	435.4
Non-Hispanic white, both sexes												
2006 5/.....	34.5	9.6	0.5	0.2	0.5	2.1	10.1	28.8	44.3	74.8	159.8	377.3
2005 5/.....	34.5	10.7	0.7	0.2	0.5	1.9	10.3	28.0	43.7	76.4	161.9	391.3
2004 5/.....	34.3	10.0	0.6	0.2	0.5	2.0	10.6	28.2	42.1	77.3	164.2	401.2
2003 5/.....	35.0	10.4	0.7	0.2	0.5	2.1	11.2	28.4	42.4	81.3	168.6	416.6
2002.....	34.9	9.2	0.6	0.2	0.5	2.1	11.5	27.9	42.0	80.0	171.8	430.9
2001.....	34.5	7.7	0.6	0.3	0.4	2.2	11.1	27.4	42.0	82.1	169.3	443.2
2000.....	33.9	9.2	0.4	0.3	0.6	2.0	11.0	25.9	42.4	79.8	170.5	451.0
1999.....	33.6	9.1	0.6	0.3	0.5	2.2	10.7	25.2	42.5	82.6	169.3	444.7
Non-Hispanic white, male												
2006 5/.....	34.7	10.4	0.5	0.2	0.6	2.5	12.3	39.0	58.1	87.2	171.5	360.9
2005 5/.....	34.6	12.8	0.7	0.2	0.5	2.2	12.8	38.6	57.9	88.0	173.4	379.3
2004 5/.....	34.0	11.1	0.7	0.2	0.5	2.5	13.4	38.6	54.5	89.4	176.6	379.8
2003 5/.....	34.8	13.0	0.8	0.3	0.7	2.5	14.0	39.6	55.4	95.2	181.2	400.6
2002.....	34.5	11.5	0.7	0.3	0.6	2.5	14.4	39.1	54.4	93.5	184.2	417.2
2001.....	33.9	7.9	0.8	0.3	0.5	2.6	14.0	38.0	54.2	95.9	180.8	436.1
2000.....	33.4	10.5	0.6	0.3	0.6	2.5	14.3	36.5	54.9	93.6	185.2	449.5
1999.....	33.3	11.0	0.5	0.3	0.5	2.5	14.1	36.0	55.6	98.8	185.6	441.9
Non-Hispanic white, female												
2006 5/.....	34.3	8.7	0.5	0.3	0.5	1.7	7.9	18.7	31.1	64.0	151.7	384.9
2005 5/.....	34.4	8.4	0.7	0.2	0.5	1.7	7.8	17.6	30.1	66.4	154.0	396.8
2004 5/.....	34.5	8.9	0.5	0.2	0.5	1.5	7.7	17.8	30.3	66.9	155.7	410.8
2003 5/.....	35.1	7.6	0.6	0.2	0.4	1.7	8.4	17.4	30.1	69.4	160.1	423.6
2002.....	35.2	6.8	0.6	0.2	0.5	1.6	8.6	16.8	30.2	68.6	163.5	436.9
2001.....	35.2	7.4	0.5	0.3	0.3	1.8	8.2	17.0	30.5	70.3	161.7	446.1
2000.....	34.4	7.8	0.5	0.3	0.5	1.5	7.7	15.3	30.6	68.2	160.9	451.6
1999.....	33.8	7.2	0.8	0.3	0.4	1.8	7.2	14.6	30.2	69.1	158.7	445.8

Worktable Orig12. Death rates for 358 selected causes, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2006

[Rates per 100,000 population in specified group. Rates are based on populations enumerated as of April 1 for 2000 and estimated as of July 1 for all other years. Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.odc.gov/nchs> and refer to 'Detailed technical notes to the United States 2006 data-mortality']

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, and sex	All ages 1/	Under 1 year 2/	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
XI. Diseases of the digestive system (K00-K92)												
Non-Hispanic black, both sexes												
2006 5/.....	23.0	34.5	1.0	0.4	1.0	2.5	10.6	34.4	57.6	82.7	149.7	310.8
2005 5/.....	24.1	32.4	1.2	0.6	1.1	2.8	10.6	37.6	59.2	88.1	164.5	325.8
2004 5/.....	24.5	32.7	1.4	0.4	1.2	3.0	13.0	38.5	62.1	90.4	160.3	333.9
2003 5/.....	25.0	29.7	1.3	0.4	1.1	3.5	13.6	41.1	64.3	93.4	159.4	351.6
2002.....	24.4	26.3	1.5	0.5	1.1	3.5	13.2	41.9	59.9	90.6	166.4	336.6
2001.....	25.9	29.8	1.3	0.5	1.1	3.6	15.5	43.8	66.1	98.1	172.0	354.3
2000.....	26.1	30.5	1.6	0.4	1.1	4.0	16.4	44.2	65.7	97.9	171.8	385.7
1999.....	25.8	30.6	1.1	0.5	1.3	3.5	16.5	43.5	66.9	101.3	173.3	366.7
Non-Hispanic black, male												
2006 5/.....	25.1	37.9	*	*	0.9	2.9	13.1	46.8	80.1	105.0	179.6	294.1
2005 5/.....	26.7	42.0	1.6	0.8	1.2	2.8	13.1	52.9	82.9	115.0	191.5	309.2
2004 5/.....	27.4	37.4	1.7	*	1.1	3.9	16.0	53.7	88.6	118.4	190.2	329.2
2003 5/.....	28.0	33.5	*	*	1.1	4.2	16.2	58.0	91.6	121.7	193.1	352.7
2002.....	26.8	32.4	1.7	*	0.9	3.9	15.4	58.7	83.2	114.9	189.9	359.9
2001.....	29.3	35.1	*	*	1.0	4.5	20.5	63.1	92.1	128.9	196.8	391.5
2000.....	28.6	34.5	2.2	*	1.4	4.2	21.1	61.6	89.7	123.7	203.3	396.9
1999.....	28.6	37.8	*	*	1.2	4.2	21.3	64.1	90.3	123.1	197.0	402.9
Non-Hispanic black, female												
2006 5/.....	21.0	30.9	*	*	1.0	2.2	8.4	23.7	39.4	66.8	132.7	317.6
2005 5/.....	21.7	22.4	*	*	1.0	2.8	8.4	24.4	40.2	68.9	149.2	332.4
2004 5/.....	21.9	27.7	*	*	1.3	2.2	10.4	25.5	40.9	70.5	143.5	335.7
2003 5/.....	22.3	25.8	*	*	1.1	2.9	11.3	26.6	42.4	73.2	140.5	351.2
2002.....	22.2	19.9	*	*	1.3	3.1	11.1	27.5	41.2	73.3	153.0	327.8
2001.....	22.8	24.2	*	*	1.2	2.8	11.0	27.3	45.1	76.4	158.0	340.5
2000.....	23.7	26.4	*	*	0.9	3.7	12.2	29.3	46.4	79.8	154.0	381.6
1999.....	23.4	23.2	*	*	1.4	2.9	12.4	26.0	48.2	85.9	160.0	353.1

Worktable Orig12. Death rates for 358 selected causes, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2006

[Rates per 100,000 population in specified group. Rates are based on populations enumerated as of April 1 for 2000 and estimated as of July 1 for all other years. Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to 'Detailed technical notes to the United States 2006 data-mortality']

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, and sex	All ages 1/	Under 1 year 2/	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
Diseases of other parts of digestive system (K20-K92)												
All origins 3/, both sexes												
2006.....	29.2	14.0	0.7	0.3	0.6	2.2	10.1	29.4	45.7	75.4	157.0	361.6
2005.....	29.4	15.2	0.8	0.3	0.6	2.1	10.2	29.2	45.5	77.7	160.0	375.2
2004.....	29.3	14.1	0.8	0.2	0.7	2.1	10.9	29.5	44.4	78.3	162.0	385.7
2003.....	30.1	13.7	0.8	0.3	0.6	2.4	11.5	30.2	45.4	82.4	166.9	402.6
2002.....	30.0	12.5	0.8	0.3	0.6	2.3	11.7	29.8	44.6	81.6	169.7	413.8
2001.....	30.1	11.8	0.8	0.3	0.5	2.4	11.7	29.7	45.2	83.8	168.3	430.2
2000.....	29.8	13.0	0.7	0.3	0.7	2.4	11.9	28.6	45.6	82.1	170.1	439.5
1999.....	29.7	13.1	0.7	0.3	0.6	2.4	11.8	27.9	45.8	85.0	168.8	435.4
All origins 3/, male												
2006.....	30.1	15.7	0.7	0.3	0.7	2.7	12.7	40.5	61.1	88.8	170.1	346.0
2005.....	30.3	18.4	1.0	0.3	0.6	2.5	13.0	40.9	61.4	90.8	173.6	363.2
2004.....	29.9	15.5	0.9	0.2	0.7	2.7	14.1	41.3	58.5	91.5	175.6	365.5
2003.....	30.9	16.5	0.9	0.3	0.7	2.9	14.6	42.6	60.5	97.5	181.4	388.0
2002.....	30.6	15.0	0.9	0.3	0.7	2.9	15.0	42.4	58.9	96.7	183.8	403.1
2001.....	30.5	13.3	0.9	0.3	0.6	2.8	15.2	41.8	59.7	99.5	181.4	427.0
2000.....	30.3	14.8	0.9	0.3	0.7	3.0	15.8	40.6	60.1	97.6	186.2	440.8
1999.....	30.3	16.4	0.7	0.3	0.6	2.9	15.8	40.4	60.6	102.2	185.6	437.4
All origins 3/, female												
2006.....	28.3	12.2	0.7	0.3	0.6	1.7	7.5	18.7	31.4	64.0	148.0	368.9
2005.....	28.5	11.8	0.6	0.2	0.6	1.7	7.4	17.9	30.8	66.6	150.7	380.7
2004.....	28.7	12.6	0.6	0.3	0.7	1.5	7.7	18.1	31.3	67.2	152.9	394.7
2003.....	29.4	10.8	0.7	0.3	0.5	1.8	8.3	18.2	31.4	69.8	157.2	409.1
2002.....	29.4	9.9	0.7	0.3	0.6	1.8	8.5	17.6	31.4	68.9	160.3	418.4
2001.....	29.7	10.2	0.6	0.3	0.5	1.8	8.3	18.0	31.8	70.8	159.8	431.5
2000.....	29.4	11.2	0.5	0.3	0.5	1.8	8.1	16.9	32.3	69.3	159.7	439.0
1999.....	29.0	9.7	0.8	0.4	0.6	1.9	7.8	15.9	32.2	71.0	157.8	434.6
Hispanic, both sexes												
2006.....	15.9	11.5	0.8	*	0.6	2.2	10.4	33.4	54.2	86.7	156.5	273.1
2005.....	15.8	15.9	0.9	*	0.5	2.1	10.0	32.5	56.8	94.1	158.2	250.7
2004.....	15.6	12.1	0.6	*	0.6	1.9	11.0	34.5	53.7	89.6	165.5	271.1
2003.....	16.5	12.1	0.8	0.4	0.5	2.5	11.7	35.3	59.9	98.5	179.1	292.3
2002.....	16.2	11.8	0.9	0.3	0.7	2.2	12.0	36.3	57.9	102.6	168.1	289.9
2001.....	16.3	10.8	0.8	*	0.5	2.1	12.3	36.8	58.3	102.0	178.0	363.3
2000.....	16.4	11.4	0.7	*	0.6	2.4	13.4	37.3	59.5	102.9	183.1	365.6
1999.....	16.7	12.0	0.7	*	0.7	2.7	14.3	37.1	60.5	106.3	172.3	411.1
Hispanic, male												
2006.....	18.8	13.7	*	*	0.6	2.6	14.8	50.4	79.8	106.7	170.4	253.7
2005.....	19.1	18.7	1.2	*	0.6	2.9	14.3	50.1	83.1	116.7	187.4	235.4
2004.....	18.4	12.3	*	*	0.6	2.8	16.4	55.1	75.8	103.4	175.3	262.0
2003.....	19.6	15.2	*	*	0.6	3.4	17.0	55.4	88.3	115.7	198.6	274.0
2002.....	19.8	12.9	*	*	0.7	3.1	18.0	57.5	85.1	133.2	194.9	284.4
2001.....	19.7	12.7	*	*	*	2.8	18.2	56.4	87.7	128.2	203.9	369.5
2000.....	20.1	12.4	*	*	0.7	3.5	20.3	58.7	90.2	134.8	208.5	387.0
1999.....	20.2	15.8	*	*	0.7	3.5	21.9	58.8	89.8	138.0	196.0	427.0
Hispanic, female												
2006.....	12.9	9.3	*	*	0.6	1.7	5.5	15.9	30.7	70.4	146.7	283.4
2005.....	12.3	12.9	*	*	*	1.0	5.1	14.6	32.7	75.8	137.9	258.7
2004.....	12.6	12.0	*	*	*	0.9	5.1	13.8	33.6	78.5	158.8	275.9
2003.....	13.2	9.0	*	*	*	1.5	5.8	15.1	34.3	84.7	165.6	301.6
2002.....	12.3	10.6	*	*	*	1.2	5.5	15.3	33.6	78.2	149.8	292.6
2001.....	12.7	8.7	*	*	*	1.3	5.9	15.5	32.1	81.4	160.5	360.2
2000.....	12.5	10.4	*	*	*	1.0	6.1	16.3	32.2	77.8	166.1	355.1
1999.....	12.9	8.1	*	*	*	1.6	6.2	15.9	34.6	81.6	156.5	403.5

Worktable Orig12. Death rates for 358 selected causes, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2006

[Rates per 100,000 population in specified group. Rates are based on populations enumerated as of April 1 for 2000 and estimated as of July 1 for all other years. Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.odc.gov/nchs> and refer to 'Detailed technical notes to the United States 2006 data-mortality']

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, and sex	All ages 1/	Under 1 year 2/	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
Diseases of other parts of digestive system (K20-K92)												
Non-Hispanic black, both sexes												
2006 5/.....	22.9	34.5	1.0	0.4	0.9	2.5	10.5	34.3	57.6	82.5	149.4	309.8
2005 5/.....	24.0	32.4	1.2	0.5	1.1	2.8	10.5	37.4	59.2	88.1	164.0	325.5
2004 5/.....	24.4	32.7	1.4	0.4	1.2	2.9	13.0	38.4	62.1	90.2	160.1	333.6
2003 5/.....	25.0	29.6	1.3	0.4	1.1	3.5	13.6	41.1	64.2	93.2	159.4	351.6
2002.....	24.4	26.3	1.5	0.5	1.1	3.4	13.1	41.9	59.9	90.5	166.1	335.7
2001.....	25.8	29.8	1.3	0.5	1.1	3.6	15.5	43.8	66.1	98.1	171.1	353.3
2000.....	26.0	30.3	1.6	0.4	1.1	3.9	16.3	44.2	65.7	97.8	171.5	385.4
1999.....	25.8	30.6	1.1	0.5	1.3	3.5	16.5	43.5	66.9	101.2	172.8	366.0
Non-Hispanic black, male												
2006 5/.....	25.1	37.9	*	*	0.9	2.9	13.0	46.7	80.1	104.7	179.4	292.3
2005 5/.....	26.6	42.0	1.6	0.8	1.2	2.8	12.9	52.8	82.8	115.0	190.6	309.2
2004 5/.....	27.3	37.4	1.7	*	1.1	3.8	16.0	53.5	88.6	118.1	190.0	329.2
2003 5/.....	28.0	33.5	*	*	1.0	4.2	16.2	58.0	91.5	121.6	193.1	352.7
2002.....	26.7	32.4	1.7	*	0.9	3.9	15.4	58.6	83.2	114.8	189.6	359.9
2001.....	29.2	35.1	*	*	1.0	4.5	20.5	63.1	92.1	128.9	195.6	390.4
2000.....	28.6	34.5	2.2	*	1.4	4.2	21.1	61.6	89.7	123.5	203.3	396.9
1999.....	28.5	37.8	*	*	1.2	4.2	21.2	64.1	90.2	123.1	196.7	402.9
Non-Hispanic black, female												
2006 5/.....	20.9	30.9	*	*	1.0	2.2	8.3	23.7	39.4	66.6	132.4	316.9
2005 5/.....	21.6	22.4	*	*	1.0	2.8	8.4	24.2	40.2	68.8	148.9	332.1
2004 5/.....	21.8	27.7	*	*	1.3	2.1	10.3	25.4	40.8	70.2	143.3	335.3
2003 5/.....	22.3	25.5	*	*	1.1	2.9	11.3	26.6	42.3	73.1	140.5	351.2
2002.....	22.2	19.9	*	*	1.3	3.1	11.1	27.5	41.2	73.3	152.9	326.5
2001.....	22.7	24.2	*	*	1.2	2.8	11.0	27.3	45.1	76.4	157.3	339.6
2000.....	23.7	26.1	*	*	0.9	3.7	12.2	29.3	46.4	79.7	153.5	381.1
1999.....	23.3	23.2	*	*	1.4	2.9	12.3	26.0	48.2	85.8	159.5	352.2

Worktable Orig12. Death rates for 358 selected causes, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2006

[Rates per 100,000 population in specified group. Rates are based on populations enumerated as of April 1 for 2000 and estimated as of July 1 for all other years. Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to 'Detailed technical notes to the United States 2006 data-mortality']

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, and sex	All ages 1/	Under 1 year 2/	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
Diseases of esophagus (K20-K22)												
Non-Hispanic 4/, both sexes												
2006.....	0.7	*	*	*	*	*	0.1	0.3	0.5	1.1	3.6	16.2
2005.....	0.7	*	*	*	*	*	0.1	0.2	0.5	1.0	4.7	17.4
2004.....	0.7	*	*	*	*	*	0.1	0.2	0.5	1.2	4.2	18.2
2003.....	0.8	*	*	*	*	*	0.1	0.2	0.5	1.3	4.5	19.5
2002.....	0.8	*	*	*	*	0.1	0.1	0.3	0.4	1.3	4.9	21.1
2001.....	0.8	*	*	*	*	*	0.1	0.2	0.5	1.4	5.2	21.5
2000.....	0.9	*	*	*	*	*	0.1	0.2	0.5	1.5	5.2	23.7
1999.....	0.8	*	*	*	*	0.1	0.1	0.2	0.5	1.5	5.1	23.4
Non-Hispanic 4/, male												
2006.....	0.7	*	*	*	*	*	0.2	0.3	0.7	1.4	4.5	18.8
2005.....	0.7	*	*	*	*	*	0.1	0.4	0.6	1.1	5.9	20.5
2004.....	0.7	*	*	*	*	*	0.1	0.3	0.6	1.4	5.1	19.4
2003.....	0.7	*	*	*	*	*	0.2	0.3	0.6	1.6	5.0	23.5
2002.....	0.8	*	*	*	*	*	0.1	0.4	0.4	1.6	5.8	25.7
2001.....	0.7	*	*	*	*	*	0.1	0.3	0.7	1.7	6.0	24.1
2000.....	0.8	*	*	*	*	*	0.2	0.4	0.7	1.8	6.4	28.7
1999.....	0.8	*	*	*	*	*	0.1	0.3	0.6	2.0	6.6	28.3
Non-Hispanic 4/, female												
2006.....	0.7	*	*	*	*	*	0.2	0.3	0.9	3.0	15.1	
2005.....	0.8	*	*	*	*	*	0.1	0.4	0.9	3.9	15.9	
2004.....	0.8	*	*	*	*	*	0.1	0.3	1.1	3.6	17.7	
2003.....	0.8	*	*	*	*	*	0.1	0.3	0.9	4.1	17.8	
2002.....	0.9	*	*	*	*	*	0.2	0.3	1.1	4.4	19.1	
2001.....	0.9	*	*	*	*	*	*	0.3	1.2	4.7	20.5	
2000.....	0.9	*	*	*	*	*	0.1	0.3	1.2	4.5	21.6	
1999.....	0.9	*	*	*	*	*	0.2	0.4	1.1	4.1	21.4	
Non-Hispanic white, both sexes												
2006 5/.....	0.8	*	*	*	*	*	0.1	0.3	0.5	1.1	3.8	17.3
2005 5/.....	0.9	*	*	*	*	*	0.1	0.3	0.5	0.9	4.9	18.3
2004 5/.....	0.8	*	*	*	*	*	0.1	0.2	0.4	1.2	4.4	19.2
2003 5/.....	0.9	*	*	*	*	*	0.1	0.2	0.5	1.3	4.6	20.4
2002.....	0.9	*	*	*	*	*	0.1	0.3	0.4	1.3	5.0	22.1
2001.....	0.9	*	*	*	*	*	0.1	0.2	0.5	1.4	5.3	22.6
2000.....	1.0	*	*	*	*	*	0.1	0.2	0.5	1.5	5.4	24.8
1999.....	1.0	*	*	*	*	*	0.1	0.2	0.5	1.5	5.3	24.4
Non-Hispanic white, male												
2006 5/.....	0.8	*	*	*	*	*	0.4	0.7	1.3	4.8	19.8	
2005 5/.....	0.8	*	*	*	*	*	0.1	0.3	0.5	1.0	6.2	21.4
2004 5/.....	0.7	*	*	*	*	*	0.1	0.3	0.5	1.3	5.2	20.4
2003 5/.....	0.8	*	*	*	*	*	0.2	0.3	0.6	1.7	5.2	24.8
2002.....	0.8	*	*	*	*	*	0.2	0.4	0.4	1.6	5.8	27.1
2001.....	0.8	*	*	*	*	*	0.1	0.2	0.7	1.7	6.0	25.3
2000.....	0.9	*	*	*	*	*	0.1	0.3	0.7	1.8	6.6	30.1
1999.....	0.9	*	*	*	*	*	0.1	0.2	0.6	2.0	6.7	29.9
Non-Hispanic white, female												
2006 5/.....	0.8	*	*	*	*	*	0.2	0.3	1.0	3.2	16.1	
2005 5/.....	0.9	*	*	*	*	*	0.2	0.4	0.9	3.9	16.9	
2004 5/.....	0.9	*	*	*	*	*	*	0.3	1.1	3.8	18.6	
2003 5/.....	1.0	*	*	*	*	*	0.2	0.3	1.0	4.3	18.5	
2002.....	1.0	*	*	*	*	*	0.2	0.4	1.1	4.5	20.0	
2001.....	1.1	*	*	*	*	*	*	0.4	1.2	4.9	21.4	
2000.....	1.1	*	*	*	*	*	*	0.3	1.2	4.7	22.7	
1999.....	1.0	*	*	*	*	*	0.2	0.4	1.1	4.4	22.2	

Worktable Orig12. Death rates for 358 selected causes, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2006

[Rates per 100,000 population in specified group. Rates are based on populations enumerated as of April 1 for 2000 and estimated as of July 1 for all other years. Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to 'Detailed technical notes to the United States 2006 data-mortality']

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, and sex	All ages 1/	Under 1 year 2/	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
Peptic ulcer (K25-K28)												
Non-Hispanic 4/, both sexes												
2006.....	1.2	*	*	*	*	*	0.2	0.7	1.2	2.8	7.3	20.7
2005.....	1.3	*	*	*	*	0.1	0.3	0.7	1.3	3.0	8.0	21.6
2004.....	1.4	*	*	*	*	*	0.2	0.7	1.3	3.2	8.9	24.6
2003.....	1.5	*	*	*	*	0.1	0.2	0.7	1.4	3.2	9.9	26.7
2002.....	1.6	*	*	*	*	0.1	0.3	0.7	1.5	3.7	10.2	28.6
2001.....	1.7	*	*	*	*	0.1	0.3	0.7	1.7	4.0	11.5	33.6
2000.....	1.8	*	*	*	*	*	0.3	0.8	1.8	4.1	11.5	35.7
1999.....	1.8	*	*	*	*	*	0.3	0.7	1.8	4.6	12.4	34.8
Non-Hispanic 4/, male												
2006.....	1.2	*	*	*	*	*	0.2	0.9	1.7	3.2	8.3	22.2
2005.....	1.3	*	*	*	*	*	0.4	1.0	1.7	3.7	9.7	23.0
2004.....	1.3	*	*	*	*	*	0.3	0.9	1.6	3.7	10.2	24.8
2003.....	1.4	*	*	*	*	*	0.3	0.9	1.8	4.0	11.7	29.6
2002.....	1.5	*	*	*	*	*	0.4	0.9	1.9	4.5	12.3	31.7
2001.....	1.6	*	*	*	*	0.1	0.4	1.0	2.2	4.8	12.8	35.5
2000.....	1.8	*	*	*	*	*	0.4	1.2	2.4	5.4	13.9	41.0
1999.....	1.7	*	*	*	*	*	0.4	1.0	2.3	6.1	14.8	37.7
Non-Hispanic 4/, female												
2006.....	1.3	*	*	*	*	*	0.2	0.4	0.9	2.4	6.6	20.0
2005.....	1.3	*	*	*	*	*	0.2	0.4	0.9	2.4	6.9	21.0
2004.....	1.5	*	*	*	*	*	0.2	0.5	1.0	2.8	8.1	24.6
2003.....	1.5	*	*	*	*	*	0.2	0.4	1.0	2.5	8.7	25.4
2002.....	1.6	*	*	*	*	*	0.2	0.5	1.2	3.0	8.8	27.3
2001.....	1.8	*	*	*	*	*	0.2	0.5	1.2	3.3	10.6	32.8
2000.....	1.8	*	*	*	*	*	0.1	0.5	1.3	3.1	9.9	33.5
1999.....	1.9	*	*	*	*	*	0.2	0.5	1.3	3.3	10.8	33.7
Non-Hispanic white, both sexes												
2006 5/.....	1.3	*	*	*	*	*	0.1	0.6	1.2	2.6	7.3	21.2
2005 5/.....	1.4	*	*	*	*	*	0.2	0.6	1.2	2.9	8.0	21.8
2004 5/.....	1.5	*	*	*	*	*	0.2	0.6	1.2	3.1	9.0	25.4
2003 5/.....	1.6	*	*	*	*	*	0.2	0.6	1.3	3.2	9.8	27.3
2002.....	1.7	*	*	*	*	*	0.2	0.6	1.4	3.6	10.4	29.4
2001.....	1.9	*	*	*	*	*	0.2	0.7	1.5	3.9	11.6	34.7
2000.....	1.9	*	*	*	*	*	0.2	0.7	1.8	4.0	11.6	36.3
1999.....	2.0	*	*	*	*	*	0.2	0.6	1.7	4.5	12.4	35.6
Non-Hispanic white, male												
2006 5/.....	1.2	*	*	*	*	*	0.1	0.7	1.6	2.9	8.2	22.2
2005 5/.....	1.4	*	*	*	*	*	0.3	0.8	1.6	3.5	9.7	23.1
2004 5/.....	1.4	*	*	*	*	*	0.2	0.8	1.5	3.6	10.0	25.7
2003 5/.....	1.5	*	*	*	*	*	0.2	0.8	1.6	4.0	11.3	29.8
2002.....	1.6	*	*	*	*	*	0.3	0.8	1.7	4.4	12.4	32.6
2001.....	1.7	*	*	*	*	*	0.3	0.8	2.0	4.5	12.7	36.3
2000.....	1.9	*	*	*	*	*	0.3	1.1	2.3	5.2	13.7	41.0
1999.....	1.8	*	*	*	*	*	0.3	0.8	2.1	5.9	14.9	38.6
Non-Hispanic white, female												
2006 5/.....	1.4	*	*	*	*	*	0.2	0.4	0.8	2.4	6.7	20.7
2005 5/.....	1.4	*	*	*	*	*	0.2	0.4	0.9	2.4	6.8	21.2
2004 5/.....	1.7	*	*	*	*	*	0.1	0.4	1.0	2.7	8.3	25.3
2003 5/.....	1.7	*	*	*	*	*	0.2	0.4	1.0	2.6	8.8	26.2
2002.....	1.8	*	*	*	*	*	0.2	0.5	1.1	3.0	9.0	27.9
2001.....	2.1	*	*	*	*	*	0.1	0.5	1.1	3.4	10.9	34.0
2000.....	2.0	*	*	*	*	*	0.1	0.4	1.3	3.1	10.2	34.4
1999.....	2.1	*	*	*	*	*	0.2	0.4	1.3	3.2	10.8	34.4

Worktable Orig12. Death rates for 358 selected causes, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2006

[Rates per 100,000 population in specified group. Rates are based on populations enumerated as of April 1 for 2000 and estimated as of July 1 for all other years. Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.odc.gov/nchs> and refer to 'Detailed technical notes to the United States 2006 data-mortality']

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, and sex	All ages 1/	Under 1 year 2/	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
Peptic ulcer (K25-K28)												
Non-Hispanic black, both sexes												
2006 5/.....	0.9	*	*	*	*	*	0.4	1.4	2.1	3.8	7.3	14.9
2005 5/.....	1.0	*	*	*	*	*	0.5	1.3	1.7	4.0	7.3	17.5
2004 5/.....	1.0	*	*	*	*	*	0.5	1.3	2.1	4.3	7.8	16.1
2003 5/.....	1.0	*	*	*	*	*	0.4	1.5	2.2	3.2	11.1	17.3
2002.....	1.0	*	*	*	*	*	0.6	1.2	2.6	4.2	7.9	18.8
2001.....	1.1	*	*	*	*	*	0.6	1.4	2.8	4.5	9.0	20.9
2000.....	1.2	*	*	*	*	*	0.5	1.7	2.6	4.9	10.1	26.7
1999.....	1.3	*	*	*	*	*	0.8	1.5	2.8	5.7	11.0	25.5
Non-Hispanic black, male												
2006 5/.....	1.2	*	*	*	*	*	*	2.3	2.9	5.8	9.5	*
2005 5/.....	1.2	*	*	*	*	*	0.8	2.2	2.7	5.9	8.4	20.0
2004 5/.....	1.1	*	*	*	*	*	*	1.8	3.0	4.7	11.1	*
2003 5/.....	1.3	*	*	*	*	*	*	2.3	3.4	5.2	16.4	*
2002.....	1.2	*	*	*	*	*	0.8	2.0	3.9	6.0	11.1	*
2001.....	1.4	*	*	*	*	*	1.0	2.3	4.3	7.0	11.7	24.3
2000.....	1.4	*	*	*	*	*	0.8	2.4	3.8	7.2	13.9	31.7
1999.....	1.5	*	*	*	*	*	1.2	2.4	4.5	8.3	12.2	28.5
Non-Hispanic black, female												
2006 5/.....	0.8	*	*	*	*	*	*	*	1.5	2.3	6.2	14.2
2005 5/.....	0.8	*	*	*	*	*	*	*	*	2.7	6.7	16.5
2004 5/.....	0.9	*	*	*	*	*	*	0.9	1.3	4.1	6.0	16.9
2003 5/.....	0.8	*	*	*	*	*	*	*	*	*	8.1	16.1
2002.....	0.9	*	*	*	*	*	*	*	1.6	2.9	6.1	18.4
2001.....	0.9	*	*	*	*	*	*	*	1.5	2.7	7.4	19.7
2000.....	1.0	*	*	*	*	*	*	1.1	1.7	3.3	8.0	24.9
1999.....	1.1	*	*	*	*	*	*	*	*	3.9	10.3	24.4

Worktable Orig12. Death rates for 358 selected causes, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2006

[Rates per 100,000 population in specified group. Rates are based on populations enumerated as of April 1 for 2000 and estimated as of July 1 for all other years. Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to 'Detailed technical notes to the United States 2006 data-mortality']

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, and sex	All ages 1/	Under 1 year 2/	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
Gastric ulcer (K25)												
Non-Hispanic 4/, both sexes												
2006.....	0.4	*	*	*	*	*	0.1	0.2	0.4	0.9	2.1	5.9
2005.....	0.4	*	*	*	*	*	0.1	0.3	0.4	0.8	2.2	6.2
2004.....	0.4	*	*	*	*	*	0.1	0.3	0.4	1.0	2.7	6.8
2003.....	0.4	*	*	*	*	*	0.1	0.3	0.5	0.9	2.7	7.2
2002.....	0.5	*	*	*	*	*	0.1	0.2	0.5	1.1	2.9	7.7
2001.....	0.5	*	*	*	*	*	0.1	0.3	0.5	1.3	3.3	8.2
2000.....	0.5	*	*	*	*	*	0.1	0.3	0.6	1.3	3.0	9.4
1999.....	0.5	*	*	*	*	*	0.1	0.3	0.5	1.3	3.5	8.8
Non-Hispanic 4/, male												
2006.....	0.3	*	*	*	*	*	*	0.3	0.5	1.0	2.1	5.8
2005.....	0.4	*	*	*	*	*	0.2	0.4	0.5	0.8	2.5	5.6
2004.....	0.4	*	*	*	*	*	0.1	0.3	0.5	1.0	2.9	6.3
2003.....	0.4	*	*	*	*	*	*	0.3	0.6	1.0	2.8	6.7
2002.....	0.4	*	*	*	*	*	0.1	0.3	0.6	1.3	2.9	7.9
2001.....	0.4	*	*	*	*	*	0.1	0.3	0.5	1.4	3.3	6.3
2000.....	0.5	*	*	*	*	*	0.1	0.4	0.7	1.6	3.3	9.6
1999.....	0.5	*	*	*	*	*	0.1	0.4	0.6	1.5	3.7	8.7
Non-Hispanic 4/, female												
2006.....	0.4	*	*	*	*	*	*	0.2	0.3	0.9	2.1	6.0
2005.....	0.4	*	*	*	*	*	0.1	0.4	0.8	2.0	2.6	6.5
2004.....	0.5	*	*	*	*	*	*	0.2	0.4	1.0	2.5	6.9
2003.....	0.5	*	*	*	*	*	*	0.2	0.4	0.9	2.7	7.4
2002.....	0.5	*	*	*	*	*	*	0.2	0.4	0.9	2.8	7.6
2001.....	0.6	*	*	*	*	*	*	0.2	0.4	1.1	3.3	9.0
2000.....	0.5	*	*	*	*	*	*	0.2	0.5	1.0	2.8	9.3
1999.....	0.6	*	*	*	*	*	0.1	0.2	0.5	1.1	3.4	8.8
Non-Hispanic white, both sexes												
2006 5/.....	0.4	*	*	*	*	*	*	0.2	0.4	0.8	2.1	6.1
2005 5/.....	0.4	*	*	*	*	*	0.1	0.2	0.4	0.8	2.2	6.2
2004 5/.....	0.5	*	*	*	*	*	0.1	0.2	0.4	0.9	2.6	6.9
2003 5/.....	0.5	*	*	*	*	*	0.1	0.2	0.5	0.9	2.6	7.2
2002.....	0.5	*	*	*	*	*	0.1	0.2	0.4	1.1	2.8	7.7
2001.....	0.5	*	*	*	*	*	*	0.2	0.4	1.2	3.3	8.2
2000.....	0.5	*	*	*	*	*	0.1	0.3	0.5	1.2	3.0	9.3
1999.....	0.5	*	*	*	*	*	0.1	0.2	0.5	1.2	3.5	8.7
Non-Hispanic white, male												
2006 5/.....	0.3	*	*	*	*	*	*	0.2	0.5	0.8	2.1	6.1
2005 5/.....	0.4	*	*	*	*	*	*	0.3	0.5	0.8	2.4	5.9
2004 5/.....	0.4	*	*	*	*	*	*	0.3	0.4	0.9	2.7	6.7
2003 5/.....	0.4	*	*	*	*	*	*	0.2	0.6	0.9	2.6	6.4
2002.....	0.4	*	*	*	*	*	*	0.2	0.5	1.2	2.8	8.0
2001.....	0.4	*	*	*	*	*	*	0.2	0.5	1.2	3.3	6.1
2000.....	0.5	*	*	*	*	*	*	0.4	0.5	1.4	3.2	8.9
1999.....	0.5	*	*	*	*	*	*	0.3	0.5	1.4	3.6	8.1
Non-Hispanic white, female												
2006 5/.....	0.5	*	*	*	*	*	*	0.2	0.3	0.9	2.1	6.1
2005 5/.....	0.5	*	*	*	*	*	*	0.1	0.4	0.8	2.0	6.4
2004 5/.....	0.5	*	*	*	*	*	*	0.2	0.4	0.9	2.6	7.0
2003 5/.....	0.5	*	*	*	*	*	*	0.2	0.5	0.9	2.6	7.5
2002.....	0.5	*	*	*	*	*	*	0.2	0.4	1.0	2.7	7.6
2001.....	0.6	*	*	*	*	*	*	0.2	0.4	1.1	3.2	9.0
2000.....	0.6	*	*	*	*	*	*	0.1	0.5	1.1	2.9	9.4
1999.....	0.6	*	*	*	*	*	*	0.2	0.5	1.1	3.5	8.9

Worktable Orig12. Death rates for 358 selected causes, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2006

[Rates per 100,000 population in specified group. Rates are based on populations enumerated as of April 1 for 2000 and estimated as of July 1 for all other years. Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to 'Detailed technical notes to the United States 2006 data-mortality']

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, and sex	All ages 1/	Under 1 year 2/	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
Duodenal ulcer (K26)												
Non-Hispanic 4/, both sexes												
2006.....	0.4	*	*	*	*	*	0.1	0.3	0.5	0.9	2.7	6.8
2005.....	0.5	*	*	*	*	*	0.1	0.2	0.5	1.1	2.9	7.0
2004.....	0.5	*	*	*	*	*	0.1	0.2	0.5	1.2	3.1	7.8
2003.....	0.5	*	*	*	*	*	0.1	0.3	0.4	1.1	3.4	8.7
2002.....	0.5	*	*	*	*	*	0.1	0.2	0.6	1.3	3.7	9.1
2001.....	0.6	*	*	*	*	*	0.1	0.3	0.6	1.4	4.0	11.0
2000.....	0.6	*	*	*	*	*	0.1	0.3	0.7	1.4	4.2	10.2
1999.....	0.6	*	*	*	*	*	0.1	0.3	0.7	1.6	3.8	10.1
Non-Hispanic 4/, male												
2006.....	0.5	*	*	*	*	*	*	0.4	0.7	1.2	3.4	7.7
2005.....	0.5	*	*	*	*	*	0.2	0.4	0.8	1.6	3.7	7.9
2004.....	0.5	*	*	*	*	*	0.1	0.3	0.6	1.5	3.6	9.2
2003.....	0.5	*	*	*	*	*	0.1	0.4	0.6	1.6	4.6	10.5
2002.....	0.6	*	*	*	*	*	0.2	0.3	0.8	1.7	4.7	10.3
2001.....	0.6	*	*	*	*	*	0.2	0.5	0.8	1.8	4.7	13.8
2000.....	0.6	*	*	*	*	*	0.2	0.5	0.9	1.8	4.9	12.5
1999.....	0.6	*	*	*	*	*	0.1	0.4	0.9	2.4	5.1	12.1
Non-Hispanic 4/, female												
2006.....	0.4	*	*	*	*	*	*	0.1	0.3	0.7	2.2	6.4
2005.....	0.4	*	*	*	*	*	*	0.3	0.7	2.3	6.6	
2004.....	0.5	*	*	*	*	*	*	0.1	0.3	0.9	2.8	7.2
2003.....	0.5	*	*	*	*	*	*	0.1	0.3	0.8	2.6	7.9
2002.....	0.5	*	*	*	*	*	*	0.2	0.4	1.0	3.0	8.6
2001.....	0.6	*	*	*	*	*	*	0.2	0.4	1.0	3.5	9.8
2000.....	0.6	*	*	*	*	*	*	0.1	0.5	1.0	3.7	9.2
1999.....	0.5	*	*	*	*	*	*	0.2	0.4	0.9	2.9	9.3
Non-Hispanic white, both sexes												
2006 5/.....	0.5	*	*	*	*	*	*	0.2	0.5	0.9	2.7	7.1
2005 5/.....	0.5	*	*	*	*	*	0.1	0.2	0.5	1.1	2.9	7.1
2004 5/.....	0.5	*	*	*	*	*	0.1	0.2	0.5	1.2	3.2	8.2
2003 5/.....	0.6	*	*	*	*	*	0.1	0.3	0.4	1.2	3.4	9.0
2002.....	0.6	*	*	*	*	*	0.1	0.2	0.6	1.3	3.8	9.7
2001.....	0.7	*	*	*	*	*	0.1	0.3	0.6	1.4	4.1	11.7
2000.....	0.7	*	*	*	*	*	0.1	0.3	0.7	1.4	4.3	10.6
1999.....	0.6	*	*	*	*	*	0.1	0.2	0.7	1.6	3.9	10.3
Non-Hispanic white, male												
2006 5/.....	0.5	*	*	*	*	*	*	0.4	0.7	1.1	3.5	7.7
2005 5/.....	0.6	*	*	*	*	*	0.1	0.4	0.8	1.6	3.8	7.6
2004 5/.....	0.5	*	*	*	*	*	*	0.3	0.6	1.5	3.7	9.5
2003 5/.....	0.6	*	*	*	*	*	*	0.3	0.5	1.6	4.6	10.5
2002.....	0.6	*	*	*	*	*	0.1	0.3	0.8	1.7	4.8	11.1
2001.....	0.7	*	*	*	*	*	0.2	0.4	0.8	1.8	4.8	14.6
2000.....	0.7	*	*	*	*	*	0.1	0.4	1.0	1.8	5.0	12.9
1999.....	0.7	*	*	*	*	*	*	0.3	1.0	2.4	5.3	12.8
Non-Hispanic white, female												
2006 5/.....	0.5	*	*	*	*	*	*	*	0.3	0.7	2.2	6.9
2005 5/.....	0.5	*	*	*	*	*	*	*	0.3	0.7	2.3	6.9
2004 5/.....	0.5	*	*	*	*	*	*	0.1	0.3	1.0	2.9	7.7
2003 5/.....	0.5	*	*	*	*	*	*	0.2	0.3	0.8	2.6	8.3
2002.....	0.6	*	*	*	*	*	*	0.1	0.4	1.1	3.2	9.1
2001.....	0.7	*	*	*	*	*	*	0.2	0.4	1.1	3.7	10.5
2000.....	0.7	*	*	*	*	*	*	0.1	0.5	1.0	3.8	9.6
1999.....	0.6	*	*	*	*	*	*	0.2	0.5	0.9	3.0	9.3

Worktable Orig12. Death rates for 358 selected causes, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2006

[Rates per 100,000 population in specified group. Rates are based on populations enumerated as of April 1 for 2000 and estimated as of July 1 for all other years. Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to 'Detailed technical notes to the United States 2006 data-mortality']

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, and sex	All ages 1/	Under 1 year 2/	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
Peptic ulcer, site unspecified (K27)												
Non-Hispanic 4/, both sexes												
2006.....	0.4	*	*	*	*	*	*	0.2	0.3	0.9	2.4	7.9
2005.....	0.4	*	*	*	*	*	*	0.2	0.3	1.0	2.9	8.2
2004.....	0.5	*	*	*	*	*	*	0.2	0.4	1.0	3.0	9.8
2003.....	0.5	*	*	*	*	*	0.1	0.2	0.4	1.0	3.6	10.5
2002.....	0.5	*	*	*	*	*	*	0.2	0.4	1.2	3.6	11.5
2001.....	0.6	*	*	*	*	*	0.1	0.2	0.6	1.3	4.1	14.2
2000.....	0.6	*	*	*	*	*	0.1	0.2	0.5	1.4	4.2	15.7
1999.....	0.7	*	*	*	*	*	0.1	0.1	0.5	1.7	4.9	15.7
Non-Hispanic 4/, male												
2006.....	0.4	*	*	*	*	*	*	0.2	0.4	1.0	2.8	8.7
2005.....	0.4	*	*	*	*	*	*	0.2	0.4	1.2	3.4	9.3
2004.....	0.4	*	*	*	*	*	*	0.2	0.5	1.1	3.5	9.0
2003.....	0.5	*	*	*	*	*	*	0.2	0.6	1.3	4.2	12.0
2002.....	0.5	*	*	*	*	*	*	0.3	0.4	1.4	4.5	13.0
2001.....	0.6	*	*	*	*	*	*	0.2	0.8	1.6	4.6	15.2
2000.....	0.6	*	*	*	*	*	*	0.3	0.8	1.8	5.4	18.6
1999.....	0.6	*	*	*	*	*	*	0.2	0.7	2.2	5.8	16.3
Non-Hispanic 4/, female												
2006.....	0.4	*	*	*	*	*	*	0.1	0.3	0.8	2.2	7.5
2005.....	0.5	*	*	*	*	*	*	0.1	0.2	0.9	2.5	7.8
2004.....	0.5	*	*	*	*	*	*	0.1	0.3	0.9	2.7	10.1
2003.....	0.5	*	*	*	*	*	*	*	0.3	0.8	3.2	9.9
2002.....	0.6	*	*	*	*	*	*	0.1	0.4	0.9	2.9	10.8
2001.....	0.7	*	*	*	*	*	*	0.1	0.4	1.1	3.8	13.8
2000.....	0.7	*	*	*	*	*	*	0.1	0.3	1.0	3.4	14.5
1999.....	0.7	*	*	*	*	*	*	*	0.4	1.2	4.3	15.4
Non-Hispanic white, both sexes												
2006 5/.....	0.4	*	*	*	*	*	*	0.1	0.3	0.9	2.4	7.9
2005 5/.....	0.5	*	*	*	*	*	*	0.1	0.3	1.0	2.9	8.4
2004 5/.....	0.5	*	*	*	*	*	*	0.1	0.3	1.0	3.0	10.0
2003 5/.....	0.6	*	*	*	*	*	*	0.1	0.4	1.1	3.6	10.8
2002.....	0.6	*	*	*	*	*	*	0.2	0.4	1.2	3.6	11.7
2001.....	0.7	*	*	*	*	*	*	0.2	0.5	1.3	4.1	14.6
2000.....	0.7	*	*	*	*	*	0.1	0.2	0.5	1.4	4.2	16.0
1999.....	0.8	*	*	*	*	*	*	0.1	0.5	1.6	4.9	16.3
Non-Hispanic white, male												
2006 5/.....	0.4	*	*	*	*	*	*	0.2	0.4	1.0	2.6	8.5
2005 5/.....	0.4	*	*	*	*	*	*	0.2	0.4	1.1	3.4	9.4
2004 5/.....	0.4	*	*	*	*	*	*	0.2	0.4	1.1	3.4	9.3
2003 5/.....	0.5	*	*	*	*	*	*	0.2	0.6	1.3	3.9	12.4
2002.....	0.5	*	*	*	*	*	*	0.3	0.4	1.4	4.6	13.1
2001.....	0.6	*	*	*	*	*	*	0.2	0.7	1.5	4.5	15.4
2000.....	0.7	*	*	*	*	*	*	0.2	0.8	1.8	5.4	18.8
1999.....	0.7	*	*	*	*	*	*	0.2	0.7	2.1	5.8	17.3
Non-Hispanic white, female												
2006 5/.....	0.5	*	*	*	*	*	*	0.1	0.3	0.8	2.3	7.6
2005 5/.....	0.5	*	*	*	*	*	*	0.1	0.2	0.9	2.5	7.9
2004 5/.....	0.6	*	*	*	*	*	*	*	0.3	0.8	2.7	10.4
2003 5/.....	0.6	*	*	*	*	*	*	*	0.3	0.9	3.4	10.1
2002.....	0.6	*	*	*	*	*	*	0.2	0.4	1.0	3.0	11.0
2001.....	0.8	*	*	*	*	*	*	0.1	0.4	1.1	3.8	14.3
2000.....	0.7	*	*	*	*	*	*	*	0.2	1.0	3.4	14.9
1999.....	0.8	*	*	*	*	*	*	*	0.4	1.2	4.3	16.0

Worktable Orig12. Death rates for 358 selected causes, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2006

[Rates per 100,000 population in specified group. Rates are based on populations enumerated as of April 1 for 2000 and estimated as of July 1 for all other years. Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to 'Detailed technical notes to the United States 2006 data-mortality']

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, and sex	All ages 1/	Under 1 year 2/	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
Peptic ulcer, site unspecified (K27)												
Non-Hispanic black, both sexes												
2006 5/.....	0.3	*	*	*	*	*	*	*	*	*	2.6	8.5
2005 5/.....	0.3	*	*	*	*	*	*	*	*	1.6	2.4	6.0
2004 5/.....	0.3	*	*	*	*	*	*	*	0.7	1.2	2.7	8.3
2003 5/.....	0.3	*	*	*	*	*	*	*	*	*	3.7	5.9
2002.....	0.3	*	*	*	*	*	*	*	0.8	1.5	2.4	9.1
2001.....	0.4	*	*	*	*	*	*	*	1.1	1.3	3.9	9.7
2000.....	0.4	*	*	*	*	*	*	*	*	1.2	3.8	12.1
1999.....	0.4	*	*	*	*	*	*	*	0.9	2.2	4.5	9.4
Non-Hispanic black, male												
2006 5/.....	0.3	*	*	*	*	*	*	*	*	*	*	*
2005 5/.....	0.3	*	*	*	*	*	*	*	*	*	*	*
2004 5/.....	0.3	*	*	*	*	*	*	*	*	*	*	*
2003 5/.....	0.4	*	*	*	*	*	*	*	*	*	7.5	*
2002.....	0.4	*	*	*	*	*	*	*	*	*	*	*
2001.....	0.5	*	*	*	*	*	*	*	1.9	*	*	*
2000.....	0.3	*	*	*	*	*	*	*	*	*	*	*
1999.....	0.4	*	*	*	*	*	*	*	*	3.3	*	*
Non-Hispanic black, female												
2006 5/.....	0.3	*	*	*	*	*	*	*	*	*	*	7.8
2005 5/.....	0.3	*	*	*	*	*	*	*	*	*	*	*
2004 5/.....	0.3	*	*	*	*	*	*	*	*	*	*	8.4
2003 5/.....	0.2	*	*	*	*	*	*	*	*	*	*	*
2002.....	0.3	*	*	*	*	*	*	*	*	*	*	8.4
2001.....	0.3	*	*	*	*	*	*	*	*	*	*	8.6
2000.....	0.4	*	*	*	*	*	*	*	*	*	3.6	11.3
1999.....	0.4	*	*	*	*	*	*	*	*	*	4.2	10.2

Worktable Orig12. Death rates for 358 selected causes, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2006

[Rates per 100,000 population in specified group. Rates are based on populations enumerated as of April 1 for 2000 and estimated as of July 1 for all other years. Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to 'Detailed technical notes to the United States 2006 data-mortality']

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, and sex	All ages 1/	Under 1 year 2/	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
Gastritis and duodenitis (K29)												
Non-Hispanic 4/, both sexes												
2006.....	0.1	*	*	*	*	*	*	0.1	0.1	0.2	0.6	2.2
2005.....	0.1	*	*	*	*	*	*	0.1	0.1	0.2	0.7	2.2
2004.....	0.1	*	*	*	*	*	*	*	0.2	0.2	0.8	2.6
2003.....	0.1	*	*	*	*	*	*	0.1	0.1	0.3	0.7	2.9
2002.....	0.1	*	*	*	*	*	*	0.1	0.1	0.2	0.8	3.0
2001.....	0.1	*	*	*	*	*	*	*	0.1	0.3	0.7	3.7
2000.....	0.1	*	*	*	*	*	*	0.1	0.2	0.3	0.8	3.4
1999.....	0.2	*	*	*	*	*	*	0.1	0.1	0.3	0.9	3.8
Non-Hispanic 4/, male												
2006.....	0.1	*	*	*	*	*	*	*	0.2	0.3	0.7	2.5
2005.....	0.1	*	*	*	*	*	*	0.1	0.2	0.3	0.9	1.9
2004.....	0.1	*	*	*	*	*	*	*	0.2	0.3	0.9	3.1
2003.....	0.1	*	*	*	*	*	*	0.2	0.2	0.3	0.9	2.6
2002.....	0.1	*	*	*	*	*	*	*	0.2	0.3	0.9	2.9
2001.....	0.1	*	*	*	*	*	*	*	*	0.3	0.7	4.6
2000.....	0.1	*	*	*	*	*	*	*	0.3	0.4	0.8	3.3
1999.....	0.1	*	*	*	*	*	*	0.2	*	0.3	1.1	3.7
Non-Hispanic 4/, female												
2006.....	0.1	*	*	*	*	*	*	*	*	*	0.4	2.0
2005.....	0.1	*	*	*	*	*	*	*	*	*	0.5	2.4
2004.....	0.1	*	*	*	*	*	*	*	*	*	0.7	2.4
2003.....	0.1	*	*	*	*	*	*	*	*	0.2	0.6	3.0
2002.....	0.1	*	*	*	*	*	*	*	*	*	0.7	3.0
2001.....	0.2	*	*	*	*	*	*	*	*	0.3	0.8	3.4
2000.....	0.2	*	*	*	*	*	*	*	*	0.2	0.8	3.4
1999.....	0.2	*	*	*	*	*	*	*	*	0.3	0.7	3.9
Non-Hispanic white, both sexes												
2006 5/.....	0.1	*	*	*	*	*	*	*	0.1	0.2	0.6	2.0
2005 5/.....	0.1	*	*	*	*	*	*	0.1	0.1	0.2	0.7	2.3
2004 5/.....	0.1	*	*	*	*	*	*	*	0.2	0.2	0.7	2.6
2003 5/.....	0.2	*	*	*	*	*	*	0.1	0.1	0.3	0.6	2.8
2002.....	0.2	*	*	*	*	*	*	0.1	0.1	0.2	0.8	3.0
2001.....	0.2	*	*	*	*	*	*	*	0.1	0.3	0.7	4.0
2000.....	0.2	*	*	*	*	*	*	*	0.2	0.3	0.9	3.4
1999.....	0.2	*	*	*	*	*	*	0.1	0.1	0.2	0.7	3.9
Non-Hispanic white, male												
2006 5/.....	0.1	*	*	*	*	*	*	*	0.2	0.3	0.7	2.3
2005 5/.....	0.1	*	*	*	*	*	*	0.1	0.2	0.3	0.8	2.0
2004 5/.....	0.1	*	*	*	*	*	*	*	0.2	0.3	0.8	3.2
2003 5/.....	0.1	*	*	*	*	*	*	0.2	*	*	0.8	2.7
2002.....	0.1	*	*	*	*	*	*	*	*	*	1.0	3.0
2001.....	0.1	*	*	*	*	*	*	*	*	*	0.7	4.8
2000.....	0.1	*	*	*	*	*	*	*	0.2	0.4	0.8	3.3
1999.....	0.1	*	*	*	*	*	*	0.2	*	*	0.9	3.8
Non-Hispanic white, female												
2006 5/.....	0.1	*	*	*	*	*	*	*	*	*	0.5	1.9
2005 5/.....	0.1	*	*	*	*	*	*	*	*	*	0.6	2.4
2004 5/.....	0.1	*	*	*	*	*	*	*	*	*	0.6	2.4
2003 5/.....	0.2	*	*	*	*	*	*	*	*	0.3	0.5	2.9
2002.....	0.2	*	*	*	*	*	*	*	*	*	0.6	2.9
2001.....	0.2	*	*	*	*	*	*	*	*	*	0.7	3.7
2000.....	0.2	*	*	*	*	*	*	*	*	*	0.9	3.4
1999.....	0.2	*	*	*	*	*	*	*	*	*	0.6	4.0

Worktable Orig12. Death rates for 358 selected causes, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2006

[Rates per 100,000 population in specified group. Rates are based on populations enumerated as of April 1 for 2000 and estimated as of July 1 for all other years. Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to 'Detailed technical notes to the United States 2006 data-mortality']

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, and sex	All ages 1/	Under 1 year 2/	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
Dyspepsia and other diseases of stomach and duodenum (K30-K31)												
Non-Hispanic 4/, both sexes												
2006.....	0.2	*	*	*	*	*	*	0.1	0.2	0.5	1.3	3.2
2005.....	0.2	*	*	*	*	*	*	0.1	0.3	0.5	1.1	3.4
2004.....	0.2	*	*	*	*	*	0.1	0.2	0.3	0.5	1.4	3.1
2003.....	0.2	*	*	*	*	*	0.1	0.1	0.2	0.6	1.4	3.6
2002.....	0.2	*	*	*	*	*	0.1	0.1	0.2	0.6	1.4	3.3
2001.....	0.2	*	*	*	*	*	0.1	0.1	0.2	0.5	1.3	3.6
2000.....	0.2	*	*	*	*	*	*	0.1	0.2	0.6	1.4	4.1
1999.....	0.2	*	*	*	*	*	0.1	0.1	0.2	0.5	1.4	4.1
Non-Hispanic 4/, male												
2006.....	0.2	*	*	*	*	*	*	*	0.2	0.5	1.1	3.2
2005.....	0.2	*	*	*	*	*	*	0.1	0.3	0.4	1.2	3.3
2004.....	0.2	*	*	*	*	*	*	0.1	0.2	0.6	1.5	3.6
2003.....	0.2	*	*	*	*	*	*	*	0.2	0.7	1.5	2.8
2002.....	0.2	*	*	*	*	*	*	*	0.2	0.7	1.3	2.8
2001.....	0.2	*	*	*	*	*	*	*	*	0.6	1.4	3.2
2000.....	0.2	*	*	*	*	*	*	*	*	0.8	1.5	4.3
1999.....	0.2	*	*	*	*	*	*	*	0.2	0.5	1.4	4.4
Non-Hispanic 4/, female												
2006.....	0.2	*	*	*	*	*	*	*	0.2	0.4	1.5	3.1
2005.....	0.2	*	*	*	*	*	*	0.1	0.3	0.5	1.0	3.4
2004.....	0.3	*	*	*	*	*	*	0.2	0.3	0.4	1.3	2.8
2003.....	0.3	*	*	*	*	*	*	0.1	0.3	0.6	1.4	3.9
2002.....	0.3	*	*	*	*	*	0.1	0.1	0.3	0.5	1.4	3.5
2001.....	0.2	*	*	*	*	*	*	0.1	*	0.5	1.2	3.8
2000.....	0.3	*	*	*	*	*	*	0.1	0.3	0.4	1.3	3.9
1999.....	0.3	*	*	*	*	*	*	*	0.2	0.4	1.4	4.0
Non-Hispanic white, both sexes												
2006 5/.....	0.2	*	*	*	*	*	*	0.1	0.2	0.5	1.3	3.2
2005 5/.....	0.2	*	*	*	*	*	*	0.1	0.3	0.5	1.1	3.4
2004 5/.....	0.3	*	*	*	*	*	0.1	0.1	0.3	0.4	1.4	3.1
2003 5/.....	0.3	*	*	*	*	*	*	0.1	0.2	0.6	1.4	3.6
2002.....	0.2	*	*	*	*	*	0.1	0.1	0.2	0.6	1.3	3.3
2001.....	0.2	*	*	*	*	*	*	0.1	0.2	0.5	1.3	3.8
2000.....	0.2	*	*	*	*	*	*	0.1	0.2	0.5	1.4	4.2
1999.....	0.2	*	*	*	*	*	0.1	0.1	0.2	0.4	1.4	4.2
Non-Hispanic white, male												
2006 5/.....	0.2	*	*	*	*	*	*	*	0.2	0.5	1.1	3.3
2005 5/.....	0.2	*	*	*	*	*	*	*	0.3	0.4	1.1	3.3
2004 5/.....	0.2	*	*	*	*	*	*	*	0.2	0.5	1.5	3.5
2003 5/.....	0.2	*	*	*	*	*	*	*	*	0.7	1.5	3.1
2002.....	0.2	*	*	*	*	*	*	*	0.2	0.6	1.3	2.7
2001.....	0.2	*	*	*	*	*	*	*	*	0.5	1.4	3.4
2000.....	0.2	*	*	*	*	*	*	*	*	0.7	1.5	4.4
1999.....	0.2	*	*	*	*	*	*	*	0.2	0.4	1.4	4.5
Non-Hispanic white, female												
2006 5/.....	0.3	*	*	*	*	*	*	*	0.2	0.5	1.5	3.1
2005 5/.....	0.3	*	*	*	*	*	*	0.2	0.3	0.5	1.0	3.4
2004 5/.....	0.3	*	*	*	*	*	0.2	0.3	0.3	0.4	1.4	2.9
2003 5/.....	0.3	*	*	*	*	*	*	*	0.3	0.6	1.4	3.9
2002.....	0.3	*	*	*	*	*	*	0.1	0.3	0.5	1.3	3.6
2001.....	0.3	*	*	*	*	*	*	0.2	*	0.5	1.2	3.9
2000.....	0.3	*	*	*	*	*	*	0.1	0.3	0.4	1.3	4.1
1999.....	0.3	*	*	*	*	*	*	*	0.2	0.4	1.4	4.0

Worktable Orig12. Death rates for 358 selected causes, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2006

[Rates per 100,000 population in specified group. Rates are based on populations enumerated as of April 1 for 2000 and estimated as of July 1 for all other years. Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to 'Detailed technical notes to the United States 2006 data-mortality']

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, and sex	All ages 1/	Under 1 year 2/	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
Diseases of appendix (K35-K38)												
Non-Hispanic 4/, both sexes												
2006.....	0.2	*	*	*	*	*	0.1	0.1	0.2	0.5	0.7	1.7
2005.....	0.2	*	*	*	*	*	*	0.1	0.2	0.4	0.9	2.2
2004.....	0.2	*	*	*	*	*	*	0.1	0.2	0.4	1.1	1.8
2003.....	0.2	*	*	*	*	*	0.1	0.1	0.2	0.4	1.0	1.6
2002.....	0.2	*	*	*	*	*	0.1	0.1	0.2	0.5	1.0	2.1
2001.....	0.2	*	*	*	*	*	0.1	0.1	0.2	0.5	0.7	2.2
2000.....	0.2	*	*	*	*	*	0.1	0.1	0.2	0.4	1.0	1.7
1999.....	0.1	*	*	*	*	*	0.0	0.1	0.2	0.4	0.8	1.5
Non-Hispanic 4/, male												
2006.....	0.2	*	*	*	*	*	*	*	0.2	0.7	1.2	2.3
2005.....	0.2	*	*	*	*	*	*	*	0.3	0.7	1.1	3.0
2004.....	0.2	*	*	*	*	*	*	0.1	0.2	0.5	1.4	2.5
2003.....	0.2	*	*	*	*	*	0.1	0.2	0.2	0.6	1.5	2.2
2002.....	0.2	*	*	*	*	*	*	0.2	0.3	0.7	1.3	2.3
2001.....	0.2	*	*	*	*	*	*	0.1	0.3	0.7	1.0	3.0
2000.....	0.2	*	*	*	*	*	*	0.2	0.4	0.5	1.2	2.0
1999.....	0.2	*	*	*	*	*	*	0.2	0.3	0.4	1.0	3.0
Non-Hispanic 4/, female												
2006.....	0.1	*	*	*	*	*	*	*	0.2	0.3	0.4	1.5
2005.....	0.1	*	*	*	*	*	*	*	*	0.2	0.7	1.8
2004.....	0.1	*	*	*	*	*	*	*	0.2	0.4	0.9	1.5
2003.....	0.1	*	*	*	*	*	*	*	*	*	0.8	1.4
2002.....	0.2	*	*	*	*	*	*	*	*	0.3	0.7	2.0
2001.....	0.1	*	*	*	*	*	*	*	*	0.3	0.5	1.8
2000.....	0.1	*	*	*	*	*	*	*	*	0.3	0.8	1.5
1999.....	0.1	*	*	*	*	*	*	*	*	0.3	0.7	0.9
Non-Hispanic white, both sexes												
2006 5/.....	0.2	*	*	*	*	*	*	*	0.1	0.5	0.7	1.8
2005 5/.....	0.2	*	*	*	*	*	*	0.1	0.2	0.4	0.9	2.3
2004 5/.....	0.2	*	*	*	*	*	*	0.1	0.2	0.4	1.1	1.8
2003 5/.....	0.2	*	*	*	*	*	*	0.1	0.1	0.3	1.0	1.7
2002.....	0.2	*	*	*	*	*	*	0.1	0.2	0.5	1.0	2.1
2001.....	0.2	*	*	*	*	*	*	0.1	0.1	0.5	0.7	2.1
2000.....	0.2	*	*	*	*	*	*	0.1	0.2	0.3	0.9	1.8
1999.....	0.1	*	*	*	*	*	*	0.1	0.1	0.4	0.8	1.6
Non-Hispanic white, male												
2006 5/.....	0.2	*	*	*	*	*	*	*	0.2	0.7	1.1	2.4
2005 5/.....	0.2	*	*	*	*	*	*	*	0.3	0.7	1.1	3.1
2004 5/.....	0.2	*	*	*	*	*	*	*	0.2	0.5	1.4	2.3
2003 5/.....	0.2	*	*	*	*	*	*	*	0.2	0.5	1.5	2.4
2002.....	0.2	*	*	*	*	*	*	0.3	0.3	0.6	1.4	2.1
2001.....	0.2	*	*	*	*	*	*	*	0.2	0.7	1.0	2.6
2000.....	0.2	*	*	*	*	*	*	*	0.3	0.4	1.2	2.1
1999.....	0.2	*	*	*	*	*	*	0.2	0.2	0.4	0.9	3.1
Non-Hispanic white, female												
2006 5/.....	0.1	*	*	*	*	*	*	*	*	0.3	0.4	1.5
2005 5/.....	0.1	*	*	*	*	*	*	*	*	*	0.7	1.9
2004 5/.....	0.2	*	*	*	*	*	*	*	*	0.4	0.8	1.6
2003 5/.....	0.1	*	*	*	*	*	*	*	*	*	0.8	1.3
2002.....	0.2	*	*	*	*	*	*	*	*	0.3	0.7	2.1
2001.....	0.1	*	*	*	*	*	*	*	*	0.3	0.4	2.0
2000.....	0.2	*	*	*	*	*	*	*	*	0.3	0.7	1.6
1999.....	0.1	*	*	*	*	*	*	*	*	0.3	0.7	1.0

Worktable Orig12. Death rates for 358 selected causes, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2006

[Rates per 100,000 population in specified group. Rates are based on populations enumerated as of April 1 for 2000 and estimated as of July 1 for all other years. Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to 'Detailed technical notes to the United States 2006 data-mortality']

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, and sex	All ages 1/	Under 1 year 2/	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
Hernia (K40-K46)												
Non-Hispanic 4/, both sexes												
2006.....	0.6	0.9	*	*	*	*	0.1	0.2	0.6	1.2	3.9	12.3
2005.....	0.6	1.1	*	*	*	*	0.1	0.2	0.6	1.1	3.5	12.1
2004.....	0.6	0.9	*	*	*	*	0.1	0.2	0.5	1.3	3.9	11.2
2003.....	0.6	1.1	*	*	*	*	0.1	0.2	0.6	1.3	3.6	12.1
2002.....	0.6	0.8	*	*	*	*	0.1	0.2	0.5	1.2	3.8	13.0
2001.....	0.6	1.0	*	*	*	*	0.1	0.2	0.5	1.2	3.5	12.5
2000.....	0.6	1.2	*	*	*	*	0.1	0.2	0.5	1.1	3.7	13.1
1999.....	0.6	1.3	*	*	*	*	0.1	0.1	0.5	1.1	3.7	12.7
Non-Hispanic 4/, male												
2006.....	0.6	*	*	*	*	*	*	0.2	0.6	1.3	4.1	13.9
2005.....	0.5	1.5	*	*	*	*	*	0.2	0.6	1.0	3.4	12.8
2004.....	0.5	*	*	*	*	*	0.1	0.2	0.5	1.4	3.9	11.6
2003.....	0.5	*	*	*	*	*	*	0.3	0.5	1.3	3.9	12.5
2002.....	0.5	*	*	*	*	*	*	0.2	0.4	1.3	3.7	11.9
2001.....	0.5	1.2	*	*	*	*	*	0.2	0.5	1.2	3.5	12.1
2000.....	0.5	1.4	*	*	*	*	*	0.2	0.4	1.1	3.9	12.8
1999.....	0.5	1.5	*	*	*	*	0.1	0.2	0.5	1.1	4.0	13.3
Non-Hispanic 4/, female												
2006.....	0.7	*	*	*	*	*	*	0.2	0.6	1.2	3.9	11.6
2005.....	0.7	*	*	*	*	*	0.1	0.2	0.6	1.2	3.6	11.8
2004.....	0.7	*	*	*	*	*	*	0.2	0.4	1.2	4.0	11.0
2003.....	0.7	*	*	*	*	*	*	0.2	0.6	1.3	3.3	12.0
2002.....	0.7	*	*	*	*	*	*	0.2	0.5	1.2	3.9	13.4
2001.....	0.7	*	*	*	*	*	*	0.2	0.5	1.2	3.5	12.7
2000.....	0.7	*	*	*	*	*	*	0.2	0.5	1.1	3.6	13.2
1999.....	0.7	*	*	*	*	*	*	0.1	0.4	1.2	3.5	12.4
Non-Hispanic white, both sexes												
2006 5/.....	0.7	0.9	*	*	*	*	0.1	0.2	0.6	1.2	3.9	12.8
2005 5/.....	0.7	1.1	*	*	*	*	0.1	0.2	0.6	1.1	3.6	12.5
2004 5/.....	0.7	1.0	*	*	*	*	0.1	0.2	0.4	1.3	4.1	11.4
2003 5/.....	0.7	1.1	*	*	*	*	*	0.2	0.5	1.3	3.6	12.4
2002.....	0.7	0.9	*	*	*	*	0.1	0.2	0.4	1.2	4.0	13.6
2001.....	0.6	0.9	*	*	*	*	*	0.2	0.5	1.2	3.5	12.8
2000.....	0.6	1.2	*	*	*	*	0.1	0.2	0.5	1.1	3.7	13.3
1999.....	0.6	1.4	*	*	*	*	0.1	0.1	0.5	1.1	3.7	13.0
Non-Hispanic white, male												
2006 5/.....	0.6	*	*	*	*	*	*	0.2	0.6	1.3	4.0	14.5
2005 5/.....	0.5	*	*	*	*	*	*	0.2	0.6	1.0	3.4	12.9
2004 5/.....	0.6	*	*	*	*	*	*	0.2	0.5	1.4	4.0	11.7
2003 5/.....	0.6	*	*	*	*	*	*	0.3	0.5	1.3	3.9	12.6
2002.....	0.5	*	*	*	*	*	*	0.2	0.4	1.2	3.8	12.2
2001.....	0.5	*	*	*	*	*	*	0.2	0.5	1.2	3.5	11.9
2000.....	0.5	*	*	*	*	*	*	0.2	0.4	1.1	4.0	13.0
1999.....	0.5	*	*	*	*	*	*	0.2	0.6	1.1	4.1	13.0
Non-Hispanic white, female												
2006 5/.....	0.8	*	*	*	*	*	*	0.2	0.6	1.2	3.9	12.0
2005 5/.....	0.8	*	*	*	*	*	*	0.2	0.6	1.2	3.8	12.3
2004 5/.....	0.8	*	*	*	*	*	*	0.2	0.4	1.2	4.1	11.3
2003 5/.....	0.8	*	*	*	*	*	*	0.2	0.5	1.3	3.3	12.4
2002.....	0.8	*	*	*	*	*	*	0.2	0.4	1.2	4.1	14.2
2001.....	0.8	*	*	*	*	*	*	0.2	0.5	1.1	3.5	13.1
2000.....	0.8	*	*	*	*	*	*	0.2	0.5	1.1	3.6	13.4
1999.....	0.7	*	*	*	*	*	*	0.4	1.1	3.4	12.9	

Worktable Orig12. Death rates for 358 selected causes, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2006

[Rates per 100,000 population in specified group. Rates are based on populations enumerated as of April 1 for 2000 and estimated as of July 1 for all other years. Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to 'Detailed technical notes to the United States 2006 data-mortality']

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, and sex	All ages 1/	Under 1 year 2/	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
Crohn's disease and ulcerative colitis (K50-K51)												
Non-Hispanic 4/, both sexes												
2006.....	0.3	*	*	*	*	*	0.1	0.2	0.5	1.0	2.1	3.1
2005.....	0.3	*	*	*	*	*	0.1	0.3	0.4	0.9	2.1	3.6
2004.....	0.4	*	*	*	*	*	0.1	0.3	0.5	0.9	2.1	3.5
2003.....	0.3	*	*	*	*	*	0.1	0.3	0.5	1.0	2.0	3.1
2002.....	0.3	*	*	*	*	*	0.2	0.3	0.3	0.9	2.0	3.2
2001.....	0.3	*	*	*	*	*	0.1	0.2	0.5	0.9	2.0	3.8
2000.....	0.3	*	*	*	*	*	0.1	0.2	0.4	0.9	1.9	3.4
1999.....	0.3	*	*	*	*	*	0.1	0.3	0.4	0.8	2.0	3.4
Non-Hispanic 4/, male												
2006.....	0.3	*	*	*	*	*	*	0.2	0.5	0.9	2.1	3.2
2005.....	0.3	*	*	*	*	*	*	0.2	0.4	0.9	1.9	2.5
2004.....	0.3	*	*	*	*	*	0.1	0.3	0.6	0.9	2.1	2.9
2003.....	0.3	*	*	*	*	*	0.1	0.2	0.5	0.9	2.1	3.7
2002.....	0.3	*	*	*	*	*	0.1	0.2	0.3	0.9	2.0	2.9
2001.....	0.3	*	*	*	*	*	*	0.2	0.5	1.0	1.9	3.6
2000.....	0.2	*	*	*	*	*	*	0.2	0.4	0.8	1.7	3.0
1999.....	0.3	*	*	*	*	*	*	0.2	0.3	0.9	2.0	2.8
Non-Hispanic 4/, female												
2006.....	0.4	*	*	*	*	*	0.1	0.2	0.5	1.1	2.0	3.0
2005.....	0.4	*	*	*	*	*	*	0.3	0.4	0.9	2.2	4.2
2004.....	0.4	*	*	*	*	*	0.1	0.3	0.5	0.9	2.2	3.7
2003.....	0.4	*	*	*	*	*	*	0.3	0.4	1.0	1.9	2.8
2002.....	0.4	*	*	*	*	*	0.2	0.3	0.4	0.8	2.0	3.3
2001.....	0.4	*	*	*	*	*	0.1	0.2	0.5	0.8	2.0	3.9
2000.....	0.4	*	*	*	*	*	0.1	0.2	0.4	1.0	2.0	3.5
1999.....	0.4	*	*	*	*	*	0.1	0.3	0.4	0.8	2.1	3.6
Non-Hispanic white, both sexes												
2006 5/.....	0.4	*	*	*	*	*	0.1	0.2	0.5	1.1	2.3	3.3
2005 5/.....	0.4	*	*	*	*	*	0.1	0.3	0.4	1.0	2.3	3.8
2004 5/.....	0.4	*	*	*	*	*	0.1	0.3	0.5	0.9	2.3	3.8
2003 5/.....	0.4	*	*	*	*	*	0.1	0.3	0.5	1.0	2.1	3.3
2002.....	0.4	*	*	*	*	*	0.2	0.3	0.4	1.0	2.2	3.5
2001.....	0.4	*	*	*	*	*	0.1	0.2	0.5	1.0	2.1	3.9
2000.....	0.3	*	*	*	*	*	0.1	0.2	0.4	1.0	2.0	3.6
1999.....	0.4	*	*	*	*	*	0.1	0.3	0.4	0.9	2.1	3.6
Non-Hispanic white, male												
2006 5/.....	0.4	*	*	*	*	*	*	0.2	0.5	1.0	2.3	3.6
2005 5/.....	0.3	*	*	*	*	*	*	0.3	0.4	1.0	2.2	2.8
2004 5/.....	0.3	*	*	*	*	*	0.1	0.3	0.6	1.0	2.2	3.0
2003 5/.....	0.3	*	*	*	*	*	*	0.3	0.5	1.0	2.2	3.9
2002.....	0.3	*	*	*	*	*	0.1	0.2	0.3	1.0	2.1	3.1
2001.....	0.3	*	*	*	*	*	*	0.2	0.5	1.1	2.1	3.6
2000.....	0.3	*	*	*	*	*	*	0.2	0.4	0.9	1.8	3.2
1999.....	0.3	*	*	*	*	*	*	0.2	0.4	1.0	2.1	3.1
Non-Hispanic white, female												
2006 5/.....	0.5	*	*	*	*	*	*	0.3	0.6	1.2	2.2	3.1
2005 5/.....	0.5	*	*	*	*	*	*	0.3	0.4	1.0	2.4	4.3
2004 5/.....	0.5	*	*	*	*	*	*	0.3	0.5	0.9	2.4	4.1
2003 5/.....	0.4	*	*	*	*	*	*	0.3	0.5	1.1	2.1	3.0
2002.....	0.4	*	*	*	*	*	0.2	0.3	0.4	1.0	2.2	3.7
2001.....	0.4	*	*	*	*	*	*	0.2	0.5	0.9	2.1	4.1
2000.....	0.4	*	*	*	*	*	*	0.2	0.4	1.1	2.2	3.7
1999.....	0.4	*	*	*	*	*	0.1	0.4	0.4	0.9	2.2	3.8

Worktable Orig12. Death rates for 358 selected causes, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2006

[Rates per 100,000 population in specified group. Rates are based on populations enumerated as of April 1 for 2000 and estimated as of July 1 for all other years. Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to 'Detailed technical notes to the United States 2006 data-mortality']

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, and sex	All ages 1/	Under 1 year 2/	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
Vascular disorders and obstruction of intestine without hernia (K55-K56)												
All origins 3/, both sexes												
2006.....	4.8	1.7	*	0.0	0.1	0.1	0.4	1.2	3.6	11.9	38.1	99.2
2005.....	4.9	3.1	0.2	0.1	0.1	0.1	0.3	1.2	3.5	12.4	37.6	103.1
2004.....	4.9	6.9	0.2	0.0	0.1	0.1	0.4	1.1	3.5	12.1	38.2	106.9
2003.....	5.1	6.8	0.1	0.1	0.1	0.1	0.4	1.2	3.7	13.3	39.2	111.5
2002.....	5.0	5.8	0.1	0.1	0.1	0.1	0.4	1.1	3.7	12.8	39.4	113.3
2001.....	5.0	5.8	0.1	0.1	*	0.1	0.3	1.2	3.9	13.8	38.9	113.5
2000.....	5.1	6.0	0.1	0.1	0.1	0.1	0.4	1.3	3.9	13.4	40.1	116.2
1999.....	5.0	6.1	0.1	0.1	0.1	0.1	0.4	1.1	4.0	13.5	38.9	116.2
All origins 3/, male												
2006.....	3.5	1.6	*	*	0.1	0.2	0.4	1.2	3.5	11.0	35.1	82.9
2005.....	3.5	3.9	*	*	*	0.1	0.3	1.2	3.4	11.5	33.8	88.0
2004.....	3.5	7.7	0.2	*	*	0.1	0.5	1.1	3.3	10.9	35.0	88.8
2003.....	3.7	8.2	*	0.1	0.1	0.1	0.4	1.2	3.7	12.2	35.6	92.6
2002.....	3.6	6.5	*	*	0.1	0.1	0.4	1.1	3.4	11.6	35.8	96.7
2001.....	3.6	6.5	*	*	*	0.1	0.3	1.1	3.5	13.1	35.2	98.5
2000.....	3.6	6.3	*	0.1	0.1	0.1	0.4	1.2	3.8	12.5	36.8	98.5
1999.....	3.5	7.6	*	*	*	0.1	0.4	1.1	3.8	12.5	35.6	95.6
All origins 3/, female												
2006.....	6.1	1.8	*	*	*	0.1	0.4	1.1	3.8	12.7	40.1	106.8
2005.....	6.2	2.3	*	*	0.1	0.1	0.4	1.1	3.5	13.2	40.2	110.1
2004.....	6.3	6.0	*	*	*	0.2	0.4	1.1	3.7	13.1	40.5	115.1
2003.....	6.5	5.3	*	*	*	0.1	0.4	1.3	3.7	14.2	41.6	119.8
2002.....	6.4	5.0	*	*	*	0.1	0.3	1.1	3.8	13.8	41.7	120.5
2001.....	6.4	5.1	*	*	*	0.1	0.3	1.2	4.1	14.4	41.3	119.8
2000.....	6.5	5.8	*	*	*	0.1	0.4	1.3	4.0	14.0	42.1	123.4
1999.....	6.4	4.4	*	*	*	0.2	0.4	1.1	4.2	14.3	41.1	124.5
Hispanic, both sexes												
2006.....	1.4	2.1	*	*	*	*	*	0.8	2.3	7.8	25.5	61.4
2005.....	1.4	2.5	*	*	*	*	*	0.6	2.6	9.5	29.3	53.9
2004.....	1.5	5.8	*	*	*	*	*	0.6	2.3	7.6	27.8	73.7
2003.....	1.6	6.4	*	*	*	*	*	0.9	2.4	10.0	29.8	73.1
2002.....	1.5	5.3	*	*	*	*	*	0.8	2.1	10.9	31.4	75.9
2001.....	1.5	5.1	*	*	*	*	*	0.6	3.0	10.0	29.8	95.7
2000.....	1.5	5.1	*	*	*	*	*	0.8	2.3	9.8	30.4	88.3
1999.....	1.5	6.1	*	*	*	*	*	0.8	2.9	9.7	29.8	92.6
Hispanic, male												
2006.....	1.1	*	*	*	*	*	*	1.0	2.4	7.8	26.2	51.9
2005.....	1.2	*	*	*	*	*	*	*	2.8	8.5	31.4	52.3
2004.....	1.1	5.4	*	*	*	*	*	*	2.1	6.7	19.7	72.8
2003.....	1.2	7.7	*	*	*	*	*	*	2.4	8.7	27.6	60.0
2002.....	1.2	5.2	*	*	*	*	*	*	*	12.4	32.0	60.2
2001.....	1.2	5.5	*	*	*	*	*	*	2.5	8.2	28.2	104.8
2000.....	1.2	*	*	*	*	*	*	*	*	10.8	33.9	70.5
1999.....	1.2	8.5	*	*	*	*	*	*	*	8.6	31.3	69.0
Hispanic, female												
2006.....	1.6	*	*	*	*	*	*	*	2.2	7.8	25.0	66.5
2005.....	1.6	*	*	*	*	*	*	*	2.5	10.3	27.9	54.7
2004.....	1.9	6.3	*	*	*	*	*	*	2.5	8.4	33.3	74.2
2003.....	1.9	5.0	*	*	*	*	*	*	2.5	11.0	31.3	79.7
2002.....	1.9	5.4	*	*	*	*	*	*	2.5	9.6	30.9	83.7
2001.....	1.9	*	*	*	*	*	*	*	3.4	11.5	30.8	91.2
2000.....	1.8	5.6	*	*	*	*	*	*	2.6	9.1	28.1	96.9
1999.....	1.9	*	*	*	*	*	*	*	3.5	10.7	28.8	104.0

Worktable Orig12. Death rates for 358 selected causes, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2006

[Rates per 100,000 population in specified group. Rates are based on populations enumerated as of April 1 for 2000 and estimated as of July 1 for all other years. Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to 'Detailed technical notes to the United States 2006 data-mortality']

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, and sex	All ages 1/	Under 1 year 2/	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
Vascular disorders and obstruction of intestine without hernia (K55-K56)												
Non-Hispanic 4/, both sexes												
2006.....	5.4	1.6	*	*	0.1	0.1	0.5	1.2	3.7	12.2	38.8	100.9
2005.....	5.4	3.3	0.2	*	0.1	0.2	0.4	1.2	3.5	12.6	38.0	105.5
2004.....	5.5	7.2	0.2	*	0.1	0.2	0.5	1.2	3.6	12.4	38.7	108.1
2003.....	5.7	6.8	*	0.1	0.1	0.1	0.4	1.3	3.8	13.5	39.6	113.0
2002.....	5.6	5.9	0.2	0.1	0.1	0.1	0.4	1.2	3.8	12.9	39.7	114.6
2001.....	5.5	5.8	*	0.1	*	0.1	0.3	1.2	3.9	14.0	39.2	113.9
2000.....	5.6	6.1	*	0.1	0.1	0.1	0.4	1.3	4.0	13.5	40.4	117.0
1999.....	5.5	5.9	*	0.1	0.1	0.2	0.4	1.1	4.1	13.7	39.2	116.9
Non-Hispanic 4/, male												
2006.....	4.0	1.5	*	*	0.1	0.2	0.5	1.2	3.6	11.2	35.6	84.5
2005.....	3.9	4.1	*	*	*	0.2	0.3	1.3	3.5	11.7	33.9	89.9
2004.....	3.9	8.4	*	*	*	0.1	0.5	1.2	3.4	11.2	35.7	89.2
2003.....	4.1	8.2	*	*	0.1	0.2	0.4	1.2	3.8	12.5	35.9	94.0
2002.....	4.0	6.8	*	*	*	0.2	0.5	1.2	3.6	11.6	35.9	98.0
2001.....	4.0	6.7	*	*	*	0.1	0.4	1.2	3.6	13.3	35.4	98.2
2000.....	4.0	6.4	*	0.1	0.1	0.1	0.4	1.2	3.9	12.6	36.9	99.4
1999.....	3.9	7.2	*	*	*	0.1	0.4	1.1	3.9	12.7	35.7	96.4
Non-Hispanic 4/, female												
2006.....	6.9	1.7	*	*	*	*	0.4	1.2	3.9	13.0	41.0	108.6
2005.....	6.9	2.6	*	*	*	0.1	0.4	1.2	3.6	13.4	40.8	112.6
2004.....	7.0	5.9	*	*	*	0.2	0.5	1.2	3.9	13.4	40.7	116.6
2003.....	7.2	5.3	*	*	*	*	0.4	1.3	3.8	14.4	42.1	121.3
2002.....	7.1	4.9	*	*	*	0.1	0.3	1.2	3.9	14.1	42.2	121.8
2001.....	7.0	4.9	*	*	*	0.1	0.3	1.3	4.2	14.6	41.7	120.4
2000.....	7.1	5.9	*	*	*	0.1	0.4	1.3	4.1	14.3	42.6	124.1
1999.....	7.0	4.6	*	*	*	0.2	0.4	1.2	4.3	14.5	41.4	125.0
Non-Hispanic white, both sexes												
2006 5/.....	6.1	1.3	*	*	0.1	0.1	0.4	1.1	3.6	12.2	39.1	103.6
2005 5/.....	6.0	2.5	*	*	0.1	0.2	0.3	1.1	3.3	12.4	38.2	107.0
2004 5/.....	6.0	4.0	*	*	*	0.1	0.4	1.1	3.4	12.3	38.7	109.8
2003 5/.....	6.2	4.1	*	*	0.1	0.1	0.3	1.1	3.5	13.4	39.7	115.3
2002.....	6.1	3.7	*	*	0.1	0.1	0.4	1.0	3.6	12.5	39.8	117.3
2001.....	6.1	3.5	*	*	*	0.1	0.3	1.1	3.6	13.8	39.2	116.5
2000.....	6.0	3.3	*	0.1	0.1	0.1	0.3	1.1	3.6	13.3	40.1	118.8
1999.....	6.0	3.5	*	*	0.1	0.1	0.3	1.0	4.0	13.1	39.0	118.7
Non-Hispanic white, male												
2006 5/.....	4.3	*	*	*	*	0.2	0.4	1.1	3.2	10.9	35.0	86.1
2005 5/.....	4.2	2.7	*	*	*	0.2	0.3	1.1	3.2	11.0	33.4	90.2
2004 5/.....	4.2	5.0	*	*	*	*	0.5	1.1	3.1	10.6	34.7	88.9
2003 5/.....	4.3	5.4	*	*	*	*	0.3	1.0	3.3	11.8	35.0	94.3
2002.....	4.2	4.3	*	*	*	*	0.4	1.0	3.2	11.0	35.5	98.9
2001.....	4.2	3.7	*	*	*	*	0.3	1.0	3.3	12.8	35.0	98.3
2000.....	4.1	3.4	*	*	*	*	0.3	1.0	3.3	12.0	35.9	99.7
1999.....	4.1	4.3	*	*	*	*	0.3	0.9	3.7	12.1	35.1	95.5
Non-Hispanic white, female												
2006 5/.....	7.8	*	*	*	*	*	0.4	1.1	3.9	13.3	41.9	111.8
2005 5/.....	7.8	2.2	*	*	*	0.2	0.4	1.1	3.5	13.6	41.5	114.8
2004 5/.....	7.8	3.0	*	*	*	*	0.4	1.1	3.7	13.8	41.4	119.2
2003 5/.....	8.1	2.9	*	*	*	*	0.3	1.2	3.7	14.8	42.9	124.5
2002.....	7.9	3.2	*	*	*	*	0.3	1.1	3.9	13.8	42.7	125.3
2001.....	7.8	3.2	*	*	*	*	0.3	1.1	3.8	14.6	42.0	124.1
2000.....	7.9	3.2	*	*	*	*	0.4	1.1	3.9	14.3	43.0	126.5
1999.....	7.8	2.7	*	*	*	0.2	0.3	1.0	4.3	14.0	41.5	127.9

Worktable Orig12. Death rates for 358 selected causes, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2006

[Rates per 100,000 population in specified group. Rates are based on populations enumerated as of April 1 for 2000 and estimated as of July 1 for all other years. Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.odc.gov/nchs> and refer to 'Detailed technical notes to the United States 2006 data-mortality']

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, and sex	All ages 1/	Under 1 year 2/	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
Vascular disorders and obstruction of intestine without hernia (K55-K56)												
Non-Hispanic black, both sexes												
2006 5/.....	3.8	*	*	*	*	*	0.8	2.3	6.0	15.1	44.2	92.6
2005 5/.....	4.0	6.8	*	*	*	*	0.7	2.2	6.1	17.1	43.4	104.6
2004 5/.....	4.3	19.6	*	*	*	0.4	0.9	2.1	6.2	15.4	45.9	107.1
2003 5/.....	4.3	18.7	*	*	*	*	0.9	2.5	6.8	17.4	45.2	103.8
2002.....	4.2	14.5	*	*	*	*	0.7	2.4	5.9	18.8	45.1	101.0
2001.....	4.3	16.5	*	*	*	*	0.6	2.8	7.5	19.6	45.7	97.7
2000.....	4.5	17.2	*	*	*	*	0.8	3.2	7.8	18.1	48.1	112.9
1999.....	4.3	16.0	*	*	*	*	1.0	2.4	5.8	20.8	47.6	110.3
Non-Hispanic black, male												
2006 5/.....	3.4	*	*	*	*	*	0.8	2.6	6.8	17.5	50.9	88.0
2005 5/.....	3.6	10.0	*	*	*	*	*	2.6	7.0	21.0	45.1	99.9
2004 5/.....	3.8	22.3	*	*	*	*	*	2.1	6.9	18.2	53.3	109.7
2003 5/.....	4.0	21.1	*	*	*	*	*	2.9	8.5	21.4	52.5	103.3
2002.....	3.6	17.3	*	*	*	*	0.9	2.6	7.0	19.0	46.0	106.1
2001.....	3.9	19.8	*	*	*	*	0.8	2.8	7.2	22.7	48.3	122.4
2000.....	4.1	18.4	*	*	*	*	1.0	3.6	9.9	19.9	55.2	111.5
1999.....	3.6	18.7	*	*	*	*	1.1	2.8	6.3	19.8	50.0	111.7
Non-Hispanic black, female												
2006 5/.....	4.2	*	*	*	*	*	0.8	2.0	5.4	13.3	40.4	94.5
2005 5/.....	4.4	*	*	*	*	*	0.8	1.8	5.4	14.4	42.4	106.5
2004 5/.....	4.7	16.7	*	*	*	*	1.0	2.0	5.6	13.4	41.7	106.0
2003 5/.....	4.5	16.1	*	*	*	*	1.0	2.0	5.4	14.6	41.1	104.0
2002.....	4.7	11.7	*	*	*	*	*	2.2	5.1	18.6	44.6	99.1
2001.....	4.7	13.1	*	*	*	*	*	2.8	7.8	17.5	44.3	88.5
2000.....	4.8	15.9	*	*	*	*	0.7	2.9	6.1	16.7	44.1	113.4
1999.....	5.0	13.2	*	*	*	*	0.9	2.1	5.4	21.5	46.2	109.7

Worktable Orig12. Death rates for 358 selected causes, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2006

[Rates per 100,000 population in specified group. Rates are based on populations enumerated as of April 1 for 2000 and estimated as of July 1 for all other years. Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to 'Detailed technical notes to the United States 2006 data-mortality']

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, and sex	All ages 1/	Under 1 year 2/	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
Diverticular disease of intestine (K57)												
All origins 3/, both sexes												
2006.....	1.1	*	*	*	*	*	0.1	0.2	0.6	2.5	8.7	24.1
2005.....	1.1	*	*	*	*	*	*	0.2	0.7	2.3	8.3	25.8
2004.....	1.1	*	*	*	*	*	0.1	0.2	0.8	2.8	9.3	27.0
2003.....	1.2	*	*	*	*	*	0.1	0.2	0.8	2.7	9.8	28.9
2002.....	1.2	*	*	*	*	*	0.1	0.2	0.7	2.7	9.9	27.7
2001.....	1.2	*	*	*	*	*	0.0	0.2	0.9	2.9	9.4	31.4
2000.....	1.2	*	*	*	*	*	0.1	0.2	0.7	3.0	9.2	30.9
1999.....	1.2	*	*	*	*	*	0.1	0.2	0.9	3.1	9.3	33.4
All origins 3/, male												
2006.....	0.7	*	*	*	*	*	*	0.2	0.7	2.2	7.0	17.6
2005.....	0.7	*	*	*	*	*	*	0.2	0.7	2.1	6.7	19.1
2004.....	0.7	*	*	*	*	*	*	0.2	0.8	2.4	7.8	18.8
2003.....	0.8	*	*	*	*	*	*	0.2	0.8	2.4	7.6	22.3
2002.....	0.8	*	*	*	*	*	0.1	0.3	0.7	2.4	8.0	19.9
2001.....	0.8	*	*	*	*	*	*	0.3	0.8	2.4	8.2	23.4
2000.....	0.7	*	*	*	*	*	*	0.3	0.7	2.7	7.3	22.3
1999.....	0.8	*	*	*	*	*	*	0.2	0.8	2.7	7.4	25.8
All origins 3/, female												
2006.....	1.4	*	*	*	*	*	*	0.2	0.6	2.7	9.9	27.2
2005.....	1.4	*	*	*	*	*	*	0.2	0.8	2.5	9.3	28.9
2004.....	1.5	*	*	*	*	*	*	0.2	0.8	3.1	10.3	30.6
2003.....	1.6	*	*	*	*	*	*	0.2	0.9	3.0	11.3	31.9
2002.....	1.5	*	*	*	*	*	*	0.2	0.7	2.9	11.1	31.0
2001.....	1.6	*	*	*	*	*	*	0.2	1.0	3.3	10.2	34.7
2000.....	1.6	*	*	*	*	*	*	0.2	0.7	3.1	10.5	34.4
1999.....	1.7	*	*	*	*	*	*	0.2	0.9	3.4	10.5	36.4
Hispanic, both sexes												
2006.....	0.4	*	*	*	*	*	*	*	*	2.8	6.4	18.0
2005.....	0.3	*	*	*	*	*	*	*	*	1.7	5.5	11.6
2004.....	0.3	*	*	*	*	*	*	*	*	2.3	7.0	14.7
2003.....	0.4	*	*	*	*	*	*	*	*	2.5	8.0	21.8
2002.....	0.3	*	*	*	*	*	*	*	*	2.1	9.2	16.6
2001.....	0.4	*	*	*	*	*	*	*	*	2.3	7.6	22.5
2000.....	0.3	*	*	*	*	*	*	*	*	2.8	7.1	21.2
1999.....	0.4	*	*	*	*	*	*	*	*	2.4	8.1	33.0
Hispanic, male												
2006.....	0.3	*	*	*	*	*	*	*	*	*	*	*
2005.....	0.2	*	*	*	*	*	*	*	*	*	*	*
2004.....	0.2	*	*	*	*	*	*	*	*	*	7.2	*
2003.....	0.3	*	*	*	*	*	*	*	*	*	*	*
2002.....	0.2	*	*	*	*	*	*	*	*	*	*	*
2001.....	0.3	*	*	*	*	*	*	*	*	*	*	*
2000.....	0.2	*	*	*	*	*	*	*	*	*	*	*
1999.....	0.3	*	*	*	*	*	*	*	*	*	*	*
Hispanic, female												
2006.....	0.5	*	*	*	*	*	*	*	*	3.0	7.7	19.2
2005.....	0.3	*	*	*	*	*	*	*	*	*	5.3	13.0
2004.....	0.4	*	*	*	*	*	*	*	*	*	6.9	17.3
2003.....	0.5	*	*	*	*	*	*	*	*	*	9.7	25.0
2002.....	0.4	*	*	*	*	*	*	*	*	*	10.4	17.4
2001.....	0.4	*	*	*	*	*	*	*	*	*	8.8	27.0
2000.....	0.5	*	*	*	*	*	*	*	*	*	9.2	22.8
1999.....	0.5	*	*	*	*	*	*	*	*	*	8.0	35.4

Worktable Orig12. Death rates for 358 selected causes, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2006

[Rates per 100,000 population in specified group. Rates are based on populations enumerated as of April 1 for 2000 and estimated as of July 1 for all other years. Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to 'Detailed technical notes to the United States 2006 data-mortality']

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, and sex	All ages 1/	Under 1 year 2/	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
Diverticular disease of intestine (K57)												
Non-Hispanic 4/, both sexes												
2006.....	1.2	*	*	*	*	*	*	0.2	0.7	2.4	8.9	24.4
2005.....	1.2	*	*	*	*	*	*	0.2	0.7	2.4	8.4	26.5
2004.....	1.3	*	*	*	*	*	0.1	0.2	0.8	2.8	9.4	27.5
2003.....	1.3	*	*	*	*	*	0.1	0.2	0.8	2.8	9.9	29.2
2002.....	1.3	*	*	*	*	*	0.1	0.3	0.7	2.7	9.9	28.0
2001.....	1.3	*	*	*	*	*	*	0.2	0.9	2.9	9.5	31.6
2000.....	1.3	*	*	*	*	*	0.1	0.2	0.7	3.0	9.3	31.2
1999.....	1.3	*	*	*	*	*	0.1	0.2	0.9	3.2	9.3	33.3
Non-Hispanic 4/, male												
2006.....	0.8	*	*	*	*	*	*	0.2	0.6	2.2	7.2	17.6
2005.....	0.8	*	*	*	*	*	*	0.3	0.7	2.1	6.7	19.7
2004.....	0.8	*	*	*	*	*	*	0.2	0.8	2.4	7.8	19.3
2003.....	0.8	*	*	*	*	*	*	0.2	0.8	2.4	7.7	22.6
2002.....	0.8	*	*	*	*	*	*	0.4	0.7	2.4	8.0	20.1
2001.....	0.9	*	*	*	*	*	*	0.3	0.8	2.3	8.3	23.8
2000.....	0.8	*	*	*	*	*	*	0.2	0.7	2.7	7.4	22.5
1999.....	0.8	*	*	*	*	*	*	0.2	0.9	2.7	7.3	25.5
Non-Hispanic 4/, female												
2006.....	1.6	*	*	*	*	*	*	0.2	0.7	2.6	10.0	27.6
2005.....	1.6	*	*	*	*	*	*	0.2	0.8	2.6	9.5	29.7
2004.....	1.7	*	*	*	*	*	*	0.1	0.8	3.1	10.5	31.1
2003.....	1.8	*	*	*	*	*	*	0.2	0.9	3.0	11.3	32.1
2002.....	1.7	*	*	*	*	*	*	0.2	0.7	2.9	11.1	31.4
2001.....	1.8	*	*	*	*	*	*	0.2	1.0	3.4	10.2	34.9
2000.....	1.7	*	*	*	*	*	*	0.2	0.7	3.1	10.5	34.7
1999.....	1.8	*	*	*	*	*	*	0.2	0.9	3.5	10.6	36.4
Non-Hispanic white, both sexes												
2006 5/.....	1.4	*	*	*	*	*	*	0.2	0.7	2.5	9.2	25.5
2005 5/.....	1.4	*	*	*	*	*	*	0.2	0.7	2.4	8.6	27.8
2004 5/.....	1.5	*	*	*	*	*	0.1	0.2	0.8	2.8	9.8	28.5
2003 5/.....	1.5	*	*	*	*	*	*	0.2	0.8	2.8	10.2	30.6
2002.....	1.5	*	*	*	*	*	0.1	0.3	0.7	2.8	10.0	28.9
2001.....	1.5	*	*	*	*	*	*	0.2	0.9	2.9	9.9	32.7
2000.....	1.5	*	*	*	*	*	*	0.2	0.7	3.0	9.6	32.6
1999.....	1.5	*	*	*	*	*	*	0.2	0.9	3.2	9.6	34.5
Non-Hispanic white, male												
2006 5/.....	0.9	*	*	*	*	*	*	0.2	0.7	2.2	7.2	18.1
2005 5/.....	0.9	*	*	*	*	*	*	0.2	0.7	2.0	6.8	21.1
2004 5/.....	0.9	*	*	*	*	*	*	0.2	0.8	2.4	7.9	19.8
2003 5/.....	1.0	*	*	*	*	*	*	0.2	0.8	2.4	8.0	23.8
2002.....	0.9	*	*	*	*	*	*	0.4	0.7	2.5	7.8	20.8
2001.....	1.0	*	*	*	*	*	*	0.3	0.8	2.3	8.5	24.8
2000.....	0.9	*	*	*	*	*	*	0.2	0.7	2.7	7.8	23.9
1999.....	0.9	*	*	*	*	*	*	0.2	0.8	2.8	7.5	26.6
Non-Hispanic white, female												
2006 5/.....	1.9	*	*	*	*	*	*	0.2	0.7	2.7	10.5	29.0
2005 5/.....	1.9	*	*	*	*	*	*	0.2	0.7	2.7	9.9	30.9
2004 5/.....	2.0	*	*	*	*	*	*	*	0.8	3.2	11.0	32.4
2003 5/.....	2.1	*	*	*	*	*	*	0.2	0.8	3.1	11.8	33.5
2002.....	2.0	*	*	*	*	*	*	0.2	0.7	3.0	11.5	32.4
2001.....	2.1	*	*	*	*	*	*	0.2	1.0	3.3	10.8	36.0
2000.....	2.0	*	*	*	*	*	*	0.2	0.7	3.2	10.8	36.1
1999.....	2.1	*	*	*	*	*	*	0.2	0.9	3.5	11.0	37.7

Worktable Orig12. Death rates for 358 selected causes, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2006

[Rates per 100,000 population in specified group. Rates are based on populations enumerated as of April 1 for 2000 and estimated as of July 1 for all other years. Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to 'Detailed technical notes to the United States 2006 data-mortality']

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, and sex	All ages 1/	Under 1 year 2/	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
Diverticular disease of intestine (K57)												
Non-Hispanic black, both sexes												
2006 5/.....	0.6	*	*	*	*	*	*	*	0.7	3.0	8.0	17.5
2005 5/.....	0.7	*	*	*	*	*	*	*	1.2	2.3	8.0	18.3
2004 5/.....	0.7	*	*	*	*	*	*	*	*	3.1	7.4	22.2
2003 5/.....	0.7	*	*	*	*	*	*	*	1.5	2.6	8.1	18.7
2002.....	0.7	*	*	*	*	*	*	*	0.9	2.6	10.0	22.1
2001.....	0.7	*	*	*	*	*	*	*	1.1	4.0	6.9	24.3
2000.....	0.7	*	*	*	*	*	*	*	1.3	3.8	7.2	20.4
1999.....	0.7	*	*	*	*	*	*	*	1.5	3.5	7.3	23.9
Non-Hispanic black, male												
2006 5/.....	0.4	*	*	*	*	*	*	*	*	2.7	7.5	*
2005 5/.....	0.4	*	*	*	*	*	*	*	*	2.8	6.4	*
2004 5/.....	0.5	*	*	*	*	*	*	*	*	*	8.0	*
2003 5/.....	0.4	*	*	*	*	*	*	*	*	*	6.3	*
2002.....	0.5	*	*	*	*	*	*	*	*	*	11.4	*
2001.....	0.4	*	*	*	*	*	*	*	*	3.0	7.2	*
2000.....	0.4	*	*	*	*	*	*	*	*	3.7	*	*
1999.....	0.4	*	*	*	*	*	*	*	*	*	6.6	*
Non-Hispanic black, female												
2006 5/.....	0.8	*	*	*	*	*	*	*	*	3.1	8.2	19.8
2005 5/.....	0.8	*	*	*	*	*	*	*	1.5	*	8.9	22.2
2004 5/.....	0.8	*	*	*	*	*	*	*	*	3.4	7.1	23.7
2003 5/.....	0.9	*	*	*	*	*	*	*	1.9	3.0	9.1	20.6
2002.....	0.8	*	*	*	*	*	*	*	*	3.1	9.1	25.1
2001.....	0.9	*	*	*	*	*	*	*	*	4.7	6.7	27.8
2000.....	0.9	*	*	*	*	*	*	*	*	3.8	8.7	24.9
1999.....	1.0	*	*	*	*	*	*	*	1.6	4.2	7.7	27.5

Worktable Orig12. Death rates for 358 selected causes, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2006

[Rates per 100,000 population in specified group. Rates are based on populations enumerated as of April 1 for 2000 and estimated as of July 1 for all other years. Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to 'Detailed technical notes to the United States 2006 data-mortality']

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, and sex	All ages 1/	Under 1 year 2/	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
Other diseases of intestines and peritoneum (K52,K58-K63)												
All origins 3/, both sexes												
2006.....	1.9	7.4	*	*	*	0.1	0.2	0.7	1.6	4.6	13.5	36.3
2005.....	1.9	6.5	0.2	*	*	0.1	0.2	0.6	1.5	4.7	14.0	34.7
2004.....	1.7	2.0	0.2	*	0.1	0.1	0.2	0.5	1.4	4.4	12.8	33.3
2003.....	1.7	2.4	0.1	*	0.1	0.1	0.2	0.6	1.6	4.3	12.6	32.8
2002.....	1.7	2.0	0.2	0.0	0.0	0.1	0.2	0.6	1.6	4.3	12.5	32.8
2001.....	1.7	1.4	0.2	*	*	0.1	0.2	0.6	1.4	4.5	12.8	34.1
2000.....	1.6	1.7	*	*	*	0.1	0.2	0.5	1.6	4.1	12.4	33.3
1999.....	1.6	1.5	0.2	*	*	0.1	0.2	0.5	1.5	4.4	12.1	32.0
All origins 3/, male												
2006.....	1.5	8.5	*	*	*	0.1	0.2	0.7	1.6	4.7	12.6	28.7
2005.....	1.5	7.9	*	*	*	0.1	0.2	0.6	1.4	4.8	13.1	28.4
2004.....	1.3	2.3	*	*	*	*	0.1	0.6	1.2	4.1	12.5	26.4
2003.....	1.3	2.9	*	*	*	0.1	0.2	0.6	1.6	4.2	12.3	27.1
2002.....	1.3	2.4	*	*	*	*	0.2	0.6	1.5	4.4	11.8	29.4
2001.....	1.2	1.6	*	*	*	*	0.2	0.5	1.4	4.2	12.1	29.9
2000.....	1.2	1.8	*	*	*	*	0.2	0.4	1.7	4.0	11.4	28.7
1999.....	1.2	2.0	*	*	*	*	0.2	0.6	1.5	4.2	11.9	28.9
All origins 3/, female												
2006.....	2.4	6.2	*	*	*	*	0.2	0.6	1.6	4.5	14.0	39.8
2005.....	2.3	5.1	*	*	*	*	0.2	0.6	1.6	4.7	14.6	37.6
2004.....	2.1	1.7	*	*	*	*	0.2	0.5	1.6	4.6	12.9	36.4
2003.....	2.1	1.8	*	*	*	*	0.2	0.5	1.5	4.5	12.8	35.2
2002.....	2.0	1.5	*	*	*	*	0.2	0.5	1.7	4.3	13.0	34.3
2001.....	2.1	1.1	*	*	*	*	0.2	0.6	1.5	4.7	13.3	35.8
2000.....	2.0	1.6	*	*	*	*	0.2	0.6	1.4	4.2	13.1	35.2
1999.....	1.9	*	*	*	*	*	0.2	0.5	1.6	4.6	12.2	33.2
Hispanic, both sexes												
2006.....	0.7	4.8	*	*	*	*	*	0.4	1.1	2.8	9.0	25.8
2005.....	0.6	7.0	*	*	*	*	*	*	*	3.3	8.4	16.3
2004.....	0.5	*	*	*	*	*	*	*	*	2.8	8.8	20.9
2003.....	0.5	*	*	*	*	*	*	*	1.0	2.9	8.9	20.2
2002.....	0.5	*	*	*	*	*	*	*	1.3	2.3	8.3	14.4
2001.....	0.5	*	*	*	*	*	*	*	*	3.2	10.8	25.6
2000.....	0.5	*	*	*	*	*	*	*	*	2.1	10.1	21.2
1999.....	0.6	*	*	*	*	*	0.7	1.4	3.3	8.1	21.7	
Hispanic, male												
2006.....	0.6	5.8	*	*	*	*	*	*	*	*	8.5	*
2005.....	0.5	8.2	*	*	*	*	*	*	*	*	7.3	*
2004.....	0.4	*	*	*	*	*	*	*	*	*	9.3	*
2003.....	0.5	*	*	*	*	*	*	*	*	*	10.4	*
2002.....	0.4	*	*	*	*	*	*	*	*	*	8.2	*
2001.....	0.5	*	*	*	*	*	*	*	*	*	13.4	*
2000.....	0.5	*	*	*	*	*	*	*	*	*	*	*
1999.....	0.5	*	*	*	*	*	*	*	*	*	*	*
Hispanic, female												
2006.....	0.8	*	*	*	*	*	*	*	*	2.9	9.3	31.2
2005.....	0.7	5.7	*	*	*	*	*	*	*	3.6	9.1	16.9
2004.....	0.6	*	*	*	*	*	*	*	*	3.1	8.4	20.9
2003.....	0.6	*	*	*	*	*	*	*	*	2.9	7.9	21.9
2002.....	0.5	*	*	*	*	*	*	*	*	*	8.4	*
2001.....	0.6	*	*	*	*	*	*	*	*	3.1	9.1	28.9
2000.....	0.5	*	*	*	*	*	*	*	*	*	11.2	20.8
1999.....	0.6	*	*	*	*	*	*	*	*	*	9.4	27.0

Worktable Orig12. Death rates for 358 selected causes, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2006

[Rates per 100,000 population in specified group. Rates are based on populations enumerated as of April 1 for 2000 and estimated as of July 1 for all other years. Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to 'Detailed technical notes to the United States 2006 data-mortality']

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, and sex	All ages 1/	Under 1 year 2/	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
Other diseases of intestines and peritoneum (K52-K58-K63)												
Non-Hispanic 4/, both sexes												
2006.....	2.2	8.1	*	*	*	0.1	0.2	0.7	1.6	4.7	13.7	36.7
2005.....	2.1	6.3	0.2	*	*	0.1	0.2	0.6	1.6	4.9	14.3	35.5
2004.....	1.9	2.1	0.2	*	0.1	0.1	0.2	0.5	1.5	4.5	12.9	33.8
2003.....	1.9	2.4	*	*	0.1	0.1	0.2	0.6	1.6	4.4	12.8	33.2
2002.....	1.9	1.9	0.2	*	0.1	0.1	0.3	0.6	1.6	4.5	12.7	33.5
2001.....	1.8	1.4	*	*	*	*	0.2	0.6	1.5	4.5	12.9	34.4
2000.....	1.8	1.6	*	*	*	0.1	0.2	0.6	1.6	4.2	12.5	33.7
1999.....	1.7	1.3	0.2	*	*	0.1	0.2	0.5	1.5	4.5	12.3	32.2
Non-Hispanic 4/, male												
2006.....	1.7	9.2	*	*	*	*	0.2	0.7	1.6	4.8	12.9	29.3
2005.....	1.6	7.6	*	*	*	0.1	0.3	0.6	1.5	4.9	13.4	29.1
2004.....	1.4	2.4	*	*	*	*	0.1	0.6	1.2	4.2	12.7	26.7
2003.....	1.4	3.0	*	*	*	*	0.2	0.6	1.6	4.2	12.4	27.5
2002.....	1.4	2.4	*	*	*	*	0.2	0.6	1.5	4.6	12.0	29.9
2001.....	1.4	1.7	*	*	*	*	0.2	0.6	1.4	4.2	12.1	30.4
2000.....	1.3	1.8	*	*	*	*	0.2	0.5	1.7	4.1	11.4	28.9
1999.....	1.3	1.7	*	*	*	*	0.2	0.6	1.4	4.2	12.1	29.6
Non-Hispanic 4/, female												
2006.....	2.6	6.9	*	*	*	*	0.2	0.6	1.7	4.6	14.3	40.2
2005.....	2.6	4.9	*	*	*	*	0.2	0.6	1.7	4.8	14.9	38.4
2004.....	2.3	1.8	*	*	*	*	0.3	0.5	1.7	4.7	13.1	37.0
2003.....	2.3	1.8	*	*	*	*	0.3	0.5	1.5	4.6	13.0	35.7
2002.....	2.3	1.4	*	*	*	*	0.3	0.6	1.7	4.4	13.2	35.1
2001.....	2.3	*	*	*	*	*	0.3	0.7	1.5	4.8	13.5	36.0
2000.....	2.2	1.5	*	*	*	*	0.2	0.6	1.5	4.3	13.2	35.6
1999.....	2.1	*	*	*	*	*	0.2	0.4	1.7	4.7	12.3	33.3
Non-Hispanic white, both sexes												
2006 5/.....	2.4	4.4	*	*	*	0.1	0.2	0.6	1.6	4.8	14.2	38.0
2005 5/.....	2.3	3.8	*	*	*	0.1	0.2	0.6	1.5	4.9	14.5	36.6
2004 5/.....	2.1	1.5	*	*	*	*	0.2	0.5	1.4	4.5	13.3	35.0
2003 5/.....	2.1	2.0	*	*	*	0.1	0.2	0.5	1.5	4.3	13.2	34.2
2002.....	2.1	1.4	*	*	*	*	0.2	0.6	1.6	4.5	13.1	34.9
2001.....	2.0	*	*	*	*	*	0.2	0.6	1.4	4.6	12.9	35.5
2000.....	1.9	1.2	*	*	*	0.1	0.2	0.5	1.5	4.3	12.7	34.1
1999.....	1.9	0.9	*	*	*	0.1	0.2	0.5	1.5	4.5	12.4	33.4
Non-Hispanic white, male												
2006 5/.....	1.8	5.1	*	*	*	*	0.2	0.7	1.4	5.0	13.1	30.1
2005 5/.....	1.7	4.6	*	*	*	*	0.2	0.6	1.4	4.9	13.4	28.9
2004 5/.....	1.5	1.7	*	*	*	*	*	0.5	1.2	4.0	12.8	27.2
2003 5/.....	1.6	2.6	*	*	*	*	0.2	0.5	1.5	4.1	12.6	27.9
2002.....	1.6	2.2	*	*	*	*	0.2	0.6	1.5	4.4	12.1	30.9
2001.....	1.5	*	*	*	*	*	0.2	0.6	1.2	4.1	12.0	31.7
2000.....	1.4	*	*	*	*	*	0.2	0.4	1.5	4.2	11.4	28.3
1999.....	1.4	*	*	*	*	*	0.2	0.6	1.3	4.3	12.1	28.9
Non-Hispanic white, female												
2006 5/.....	3.0	3.7	*	*	*	*	0.2	0.6	1.8	4.7	14.9	41.7
2005 5/.....	2.9	3.0	*	*	*	*	0.2	0.6	1.7	4.9	15.3	40.0
2004 5/.....	2.7	*	*	*	*	*	0.3	0.5	1.7	4.9	13.7	38.5
2003 5/.....	2.6	*	*	*	*	*	0.2	0.5	1.5	4.5	13.6	37.0
2002.....	2.6	*	*	*	*	*	0.3	0.6	1.7	4.6	13.8	36.6
2001.....	2.6	*	*	*	*	*	0.2	0.6	1.5	5.1	13.4	37.0
2000.....	2.5	*	*	*	*	*	0.2	0.6	1.5	4.3	13.6	36.5
1999.....	2.4	*	*	*	*	*	0.2	0.4	1.7	4.7	12.6	35.1

Worktable Orig12. Death rates for 358 selected causes, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2006

[Rates per 100,000 population in specified group. Rates are based on populations enumerated as of April 1 for 2000 and estimated as of July 1 for all other years. Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.odc.gov/nchs> and refer to 'Detailed technical notes to the United States 2006 data-mortality']

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, and sex	All ages 1/	Under 1 year 2/	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
Other diseases of intestines and peritoneum (K52,K58-K63)												
Non-Hispanic black, both sexes												
2006 5/.....	1.6	22.4	*	*	*	*	*	1.3	2.4	4.7	10.6	27.9
2005 5/.....	1.6	16.4	*	*	*	*	*	0.9	2.3	5.2	14.1	30.0
2004 5/.....	1.2	3.8	*	*	*	*	*	0.7	2.2	5.5	11.3	24.5
2003 5/.....	1.3	3.8	*	*	*	*	0.4	1.1	2.6	6.1	12.2	25.9
2002.....	1.2	3.7	*	*	*	*	0.4	0.7	2.4	5.4	10.8	23.6
2001.....	1.4	4.1	*	*	*	*	0.4	1.0	2.5	5.0	16.0	27.5
2000.....	1.2	3.6	*	*	*	*	0.4	0.8	2.6	4.8	10.9	29.9
1999.....	1.2	*	*	*	*	*	0.4	1.0	1.9	5.2	11.8	23.3
Non-Hispanic black, male												
2006 5/.....	1.6	25.9	*	*	*	*	*	1.4	3.3	4.4	11.1	24.7
2005 5/.....	1.6	20.8	*	*	*	*	*	1.0	2.8	5.9	15.7	35.2
2004 5/.....	1.2	*	*	*	*	*	*	1.0	2.1	6.8	12.8	25.4
2003 5/.....	1.2	*	*	*	*	*	*	1.2	3.1	6.4	13.3	25.6
2002.....	1.1	*	*	*	*	*	*	*	2.5	7.6	12.3	25.2
2001.....	1.2	*	*	*	*	*	*	*	3.1	7.0	16.5	*
2000.....	1.1	*	*	*	*	*	*	*	3.2	4.0	13.6	29.4
1999.....	1.1	*	*	*	*	*	*	1.3	1.9	4.7	12.8	40.4
Non-Hispanic black, female												
2006 5/.....	1.7	18.7	*	*	*	*	*	1.2	1.7	4.9	10.3	29.1
2005 5/.....	1.6	11.7	*	*	*	*	*	0.8	1.9	4.8	13.2	28.0
2004 5/.....	1.3	*	*	*	*	*	*	*	2.2	4.5	10.5	24.1
2003 5/.....	1.5	*	*	*	*	*	*	1.0	2.2	6.0	11.6	26.0
2002.....	1.3	*	*	*	*	*	*	*	2.3	3.8	9.9	23.0
2001.....	1.5	*	*	*	*	*	*	1.2	2.0	3.6	15.7	29.9
2000.....	1.4	*	*	*	*	*	*	1.0	2.1	5.3	9.4	30.1
1999.....	1.2	*	*	*	*	*	*	*	1.9	5.5	11.2	16.9

Worktable Orig12. Death rates for 358 selected causes, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2006

[Rates per 100,000 population in specified group. Rates are based on populations enumerated as of April 1 for 2000 and estimated as of July 1 for all other years. Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to 'Detailed technical notes to the United States 2006 data-mortality']

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, and sex	All ages 1/	Under 1 year 2/	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
Diseases of peritoneum (K65-K66)												
Non-Hispanic 4/, both sexes												
2006.....	0.7	*	*	*	*	0.1	0.2	0.4	0.7	1.8	3.9	8.0
2005.....	0.7	*	*	*	*	0.1	0.1	0.5	0.9	1.8	4.1	8.4
2004.....	0.7	*	*	*	*	*	0.2	0.4	0.7	1.8	4.2	8.7
2003.....	0.7	*	*	*	*	0.1	0.2	0.5	0.8	1.9	4.2	9.2
2002.....	0.7	*	*	*	*	0.1	0.2	0.5	0.8	1.8	4.9	10.5
2001.....	0.7	*	*	*	*	*	0.2	0.5	0.9	1.8	4.5	10.4
2000.....	0.8	*	*	*	*	0.1	0.2	0.4	1.0	2.1	4.5	10.8
1999.....	0.7	*	*	*	*	0.1	0.2	0.5	0.9	2.2	4.5	9.6
Non-Hispanic 4/, male												
2006.....	0.5	*	*	*	*	*	0.2	0.4	0.8	1.9	3.6	7.1
2005.....	0.6	*	*	*	*	*	0.1	0.5	0.9	1.8	4.6	6.4
2004.....	0.6	*	*	*	*	*	0.2	0.5	0.7	2.0	4.5	7.9
2003.....	0.6	*	*	*	*	*	0.2	0.5	0.9	1.9	4.6	8.8
2002.....	0.6	*	*	*	*	*	0.1	0.5	0.9	1.7	4.4	9.2
2001.....	0.6	*	*	*	*	*	0.2	0.6	1.0	1.9	4.6	10.3
2000.....	0.7	*	*	*	*	*	0.2	0.4	1.2	2.1	4.6	11.0
1999.....	0.7	*	*	*	*	*	0.2	0.6	1.0	2.4	5.0	9.9
Non-Hispanic 4/, female												
2006.....	0.8	*	*	*	*	*	0.1	0.4	0.7	1.8	4.1	8.4
2005.....	0.8	*	*	*	*	*	0.1	0.4	0.9	1.8	3.8	9.4
2004.....	0.7	*	*	*	*	*	0.2	0.3	0.7	1.6	3.9	9.1
2003.....	0.8	*	*	*	*	*	0.1	0.4	0.7	1.8	3.9	9.4
2002.....	0.9	*	*	*	*	*	0.2	0.4	0.8	1.9	5.2	11.1
2001.....	0.8	*	*	*	*	*	0.2	0.4	0.8	1.7	4.3	10.4
2000.....	0.9	*	*	*	*	*	0.2	0.4	0.9	2.1	4.3	10.7
1999.....	0.8	*	*	*	*	*	0.2	0.3	0.8	2.0	4.2	9.5
Non-Hispanic white, both sexes												
2006 5/.....	0.7	*	*	*	*	*	0.2	0.3	0.7	1.8	4.0	8.2
2005 5/.....	0.7	*	*	*	*	*	0.1	0.4	0.8	1.7	4.2	8.7
2004 5/.....	0.7	*	*	*	*	*	0.1	0.4	0.7	1.7	4.2	8.9
2003 5/.....	0.7	*	*	*	*	*	0.1	0.4	0.6	1.8	4.2	9.1
2002.....	0.8	*	*	*	*	*	0.2	0.4	0.7	1.7	4.9	10.8
2001.....	0.7	*	*	*	*	*	0.1	0.4	0.7	1.7	4.3	10.4
2000.....	0.8	*	*	*	*	*	0.2	0.3	0.9	2.0	4.4	10.8
1999.....	0.7	*	*	*	*	*	0.2	0.4	0.8	2.1	4.4	9.4
Non-Hispanic white, male												
2006 5/.....	0.6	*	*	*	*	*	0.2	0.3	0.7	1.8	3.7	7.2
2005 5/.....	0.6	*	*	*	*	*	*	0.5	0.8	1.7	4.8	6.3
2004 5/.....	0.6	*	*	*	*	*	0.1	0.5	0.7	1.9	4.5	8.0
2003 5/.....	0.6	*	*	*	*	*	0.2	0.4	0.8	1.8	4.7	8.9
2002.....	0.6	*	*	*	*	*	*	0.5	0.8	1.6	4.3	9.5
2001.....	0.6	*	*	*	*	*	0.2	0.5	0.8	1.8	4.6	9.9
2000.....	0.7	*	*	*	*	*	0.2	0.3	1.0	1.9	4.5	10.8
1999.....	0.7	*	*	*	*	*	0.2	0.5	0.9	2.3	4.9	10.0
Non-Hispanic white, female												
2006 5/.....	0.8	*	*	*	*	*	0.2	0.3	0.6	1.9	4.2	8.7
2005 5/.....	0.8	*	*	*	*	*	*	0.3	0.8	1.6	3.8	9.8
2004 5/.....	0.8	*	*	*	*	*	0.1	0.3	0.7	1.5	3.9	9.3
2003 5/.....	0.8	*	*	*	*	*	*	0.3	0.5	1.8	3.9	9.2
2002.....	1.0	*	*	*	*	*	0.2	0.3	0.7	1.8	5.3	11.3
2001.....	0.8	*	*	*	*	*	*	0.3	0.6	1.6	4.2	10.6
2000.....	0.9	*	*	*	*	*	0.2	0.3	0.8	2.1	4.3	10.7
1999.....	0.8	*	*	*	*	*	0.2	0.3	0.7	1.9	4.1	9.2

Worktable Orig12. Death rates for 358 selected causes, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2006

[Rates per 100,000 population in specified group. Rates are based on populations enumerated as of April 1 for 2000 and estimated as of July 1 for all other years. Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to 'Detailed technical notes to the United States 2006 data-mortality']

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, and sex	All ages 1/	Under 1 year 2/	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
Diseases of peritoneum (K65-K66)												
Non-Hispanic black, both sexes												
2006 5/.....	0.5	*	*	*	*	*	*	0.7	1.2	2.5	3.5	6.1
2005 5/.....	0.7	*	*	*	*	*	*	0.9	1.7	3.0	4.8	7.1
2004 5/.....	0.6	*	*	*	*	*	0.5	0.7	1.3	2.8	5.2	8.1
2003 5/.....	0.7	*	*	*	*	*	*	1.1	2.0	2.7	4.5	12.2
2002.....	0.7	*	*	*	*	*	*	1.1	1.5	2.9	5.5	10.6
2001.....	0.8	*	*	*	*	*	0.5	1.2	2.1	2.9	6.1	11.9
2000.....	0.8	*	*	*	*	*	0.5	1.1	2.2	3.2	6.3	11.1
1999.....	0.8	*	*	*	*	*	*	1.0	2.1	3.9	5.9	12.0
Non-Hispanic black, male												
2006 5/.....	0.5	*	*	*	*	*	*	*	*	3.3	*	*
2005 5/.....	0.6	*	*	*	*	*	*	0.9	1.7	2.8	*	*
2004 5/.....	0.6	*	*	*	*	*	*	*	*	3.1	*	*
2003 5/.....	0.6	*	*	*	*	*	*	0.9	2.0	*	*	*
2002.....	0.6	*	*	*	*	*	*	1.3	*	*	6.2	*
2001.....	0.7	*	*	*	*	*	*	1.1	2.5	3.4	*	*
2000.....	0.8	*	*	*	*	*	*	1.3	2.5	3.9	7.4	*
1999.....	0.7	*	*	*	*	*	*	1.3	2.6	4.2	7.2	*
Non-Hispanic black, female												
2006 5/.....	0.6	*	*	*	*	*	*	0.7	1.2	2.0	3.9	*
2005 5/.....	0.7	*	*	*	*	*	*	0.8	1.7	3.1	4.9	*
2004 5/.....	0.7	*	*	*	*	*	*	*	*	2.5	5.3	8.0
2003 5/.....	0.8	*	*	*	*	*	*	1.2	1.9	2.7	3.9	12.8
2002.....	0.8	*	*	*	*	*	*	1.0	1.4	3.3	5.1	11.3
2001.....	0.9	*	*	*	*	*	*	1.2	1.8	2.6	6.4	10.7
2000.....	0.9	*	*	*	*	*	*	1.0	2.0	2.6	5.7	10.0
1999.....	0.8	*	*	*	*	*	*	*	1.7	3.6	5.3	12.4

Worktable Orig12. Death rates for 358 selected causes, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2006

[Rates per 100,000 population in specified group. Rates are based on populations enumerated as of April 1 for 2000 and estimated as of July 1 for all other years. Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to 'Detailed technical notes to the United States 2006 data-mortality']

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, and sex	All ages 1/	Under 1 year 2/	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
Diseases of liver (K70-K76)												
All origins 3/, both sexes												
2006.....	12.4	2.0	0.2	0.1	0.2	1.2	7.5	22.8	30.6	35.2	40.1	30.6
2005.....	12.4	2.3	0.2	0.1	0.2	1.2	7.7	22.6	30.7	36.6	40.4	32.3
2004.....	12.3	2.5	0.2	*	0.2	1.2	8.1	23.0	29.4	36.9	40.0	32.8
2003.....	12.6	1.5	0.2	*	0.2	1.4	8.7	23.4	30.0	38.7	41.0	33.6
2002.....	12.4	2.2	0.2	0.1	0.2	1.3	8.9	23.0	29.1	38.1	41.9	35.7
2001.....	12.2	1.9	0.2	0.1	0.2	1.3	9.0	22.9	28.8	38.1	41.4	36.1
2000.....	12.0	2.0	0.2	0.1	0.2	1.4	9.2	21.8	29.3	37.9	41.2	36.7
1999.....	12.0	2.3	0.1	0.1	0.2	1.4	9.0	21.4	29.4	39.4	42.2	37.2
All origins 3/, male												
2006.....	15.8	2.0	*	*	0.2	1.5	9.5	32.4	43.9	45.2	48.8	39.2
2005.....	15.9	2.9	*	*	0.2	1.4	10.0	32.8	44.4	46.8	49.8	43.1
2004.....	15.7	2.5	*	*	0.2	1.6	10.8	33.3	41.7	47.5	49.5	40.7
2003.....	16.1	2.2	0.2	*	0.2	1.7	11.4	34.6	42.9	50.3	49.6	44.4
2002.....	15.8	3.1	*	*	0.2	1.6	11.6	33.9	41.2	49.5	51.7	47.3
2001.....	15.7	2.3	*	*	0.2	1.6	11.9	33.7	40.9	50.2	50.9	49.4
2000.....	15.5	2.7	*	*	0.2	1.8	12.5	32.5	41.3	49.7	51.0	52.2
1999.....	15.6	2.9	*	*	0.2	1.8	12.5	32.4	42.1	52.5	52.0	52.3
All origins 3/, female												
2006.....	9.1	1.9	*	*	0.2	1.0	5.4	13.5	18.3	26.8	34.2	26.7
2005.....	9.0	1.7	*	*	0.2	1.0	5.5	12.7	17.9	28.0	34.1	27.4
2004.....	9.0	2.4	*	*	0.2	0.8	5.5	13.0	18.1	27.9	33.7	29.3
2003.....	9.1	*	*	*	0.2	1.0	6.1	12.7	18.1	29.0	35.2	28.9
2002.....	9.0	1.3	*	*	0.2	1.1	6.2	12.5	17.9	28.5	35.4	30.7
2001.....	8.9	1.6	*	*	0.2	1.0	6.2	12.5	17.5	28.1	35.1	30.5
2000.....	8.7	1.3	*	*	0.2	1.0	5.9	11.4	18.3	28.3	34.7	30.4
1999.....	8.6	1.6	*	*	0.2	1.1	5.6	10.7	17.7	28.8	35.8	31.1
Hispanic, both sexes												
2006.....	10.5	2.3	*	*	*	1.4	8.5	28.9	44.4	56.7	72.6	54.8
2005.....	10.5	2.9	*	*	*	1.4	8.7	28.2	46.4	61.6	70.6	49.2
2004.....	10.2	*	*	*	*	1.3	9.2	30.2	42.1	60.1	73.5	38.5
2003.....	10.7	*	*	*	*	1.8	9.7	29.9	48.3	63.5	81.2	48.2
2002.....	10.7	2.5	*	*	*	1.6	10.2	31.8	46.1	67.9	67.6	57.1
2001.....	10.7	*	*	*	*	1.4	10.7	32.4	46.5	66.5	77.5	55.6
2000.....	10.7	*	*	*	*	1.6	11.5	32.0	47.4	69.6	77.6	67.0
1999.....	10.7	*	*	*	*	1.7	12.1	31.8	47.2	68.2	73.3	73.0
Hispanic, male												
2006.....	13.7	*	*	*	*	1.6	12.5	44.4	67.8	71.7	79.0	67.7
2005.....	14.1	*	*	*	*	2.0	12.7	44.7	71.4	83.3	88.5	49.8
2004.....	13.5	*	*	*	*	1.9	13.9	49.2	62.0	73.2	82.3	42.0
2003.....	14.2	*	*	*	*	2.4	14.3	48.3	74.8	75.5	92.0	63.1
2002.....	14.5	*	*	*	*	2.1	15.7	51.6	70.0	92.7	92.9	61.9
2001.....	14.7	*	*	*	*	2.0	16.3	53.1	72.9	91.7	96.6	68.6
2000.....	14.7	*	*	*	*	2.5	17.6	52.0	74.7	95.8	96.4	88.7
1999.....	14.6	*	*	*	*	2.4	18.9	52.1	74.3	94.5	86.6	99.2
Hispanic, female												
2006.....	7.1	*	*	*	*	1.1	4.1	13.0	22.9	44.5	68.2	47.9
2005.....	6.6	*	*	*	*	0.7	4.1	11.4	23.4	44.1	58.1	48.9
2004.....	6.7	*	*	*	*	0.7	4.0	11.0	24.1	49.7	67.4	36.7
2003.....	7.1	*	*	*	*	1.1	4.5	11.5	24.3	54.0	73.7	40.6
2002.....	6.6	*	*	*	*	0.9	4.2	12.2	24.7	48.2	57.1	54.7
2001.....	6.5	*	*	*	*	0.8	4.8	12.0	23.0	46.6	64.7	49.3
2000.....	6.5	*	*	*	*	*	5.0	12.4	23.2	48.9	65.0	56.4
1999.....	6.5	*	*	*	*	0.9	4.8	12.0	23.3	47.7	64.5	60.3

Worktable Orig12. Death rates for 358 selected causes, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2006

[Rates per 100,000 population in specified group. Rates are based on populations enumerated as of April 1 for 2000 and estimated as of July 1 for all other years. Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to 'Detailed technical notes to the United States 2006 data-mortality']

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, and sex	All ages 1/	Under 1 year 2/	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
Diseases of liver (K70-K76)												
Non-Hispanic 4/, both sexes												
2006.....	12.7	1.9	*	*	0.2	1.2	7.3	22.0	29.3	33.5	38.0	29.4
2005.....	12.7	2.2	0.2	0.1	0.2	1.1	7.5	21.9	29.2	34.6	38.6	31.5
2004.....	12.6	2.6	0.2	*	0.2	1.2	8.0	22.1	28.3	35.0	38.1	32.6
2003.....	12.8	1.6	0.2	*	0.2	1.3	8.6	22.6	28.4	36.9	38.8	33.0
2002.....	12.6	2.1	*	0.1	0.2	1.3	8.7	22.0	27.5	35.8	40.5	34.8
2001.....	12.4	1.8	0.2	0.1	0.2	1.3	8.8	21.9	27.2	36.0	39.6	35.3
2000.....	12.2	2.2	0.2	0.1	0.2	1.3	8.8	20.7	27.8	35.8	39.5	35.5
1999.....	12.2	2.2	0.2	0.1	0.2	1.4	8.6	20.3	28.0	37.6	40.8	35.8
Non-Hispanic 4/, male												
2006.....	16.1	1.6	*	*	0.2	1.4	8.9	30.9	41.7	43.0	46.8	37.5
2005.....	16.2	2.8	*	*	0.2	1.3	9.4	31.3	41.9	43.9	47.4	42.8
2004.....	16.0	2.7	*	*	0.2	1.5	10.2	31.3	39.8	45.5	47.6	40.5
2003.....	16.4	2.2	*	*	0.2	1.5	10.8	32.9	40.1	48.4	47.3	43.5
2002.....	15.9	3.0	*	*	0.2	1.5	10.9	32.0	38.6	46.4	50.0	46.6
2001.....	15.8	2.1	*	*	0.2	1.5	11.3	31.7	38.2	47.3	48.6	48.5
2000.....	15.5	3.0	*	*	0.2	1.6	11.7	30.5	38.5	46.6	49.0	50.5
1999.....	15.7	3.1	*	*	0.2	1.6	11.6	30.4	39.6	49.8	50.5	50.1
Non-Hispanic 4/, female												
2006.....	9.4	2.1	*	*	0.2	1.0	5.7	13.5	17.8	25.4	32.1	25.6
2005.....	9.3	1.5	*	*	0.2	1.0	5.7	12.8	17.4	26.7	32.6	26.4
2004.....	9.3	2.6	*	*	0.2	0.8	5.7	13.2	17.5	26.2	31.8	29.0
2003.....	9.4	*	*	*	0.3	1.0	6.3	12.8	17.6	27.2	33.1	28.3
2002.....	9.4	*	*	*	0.2	1.1	6.5	12.5	17.3	27.0	34.3	29.7
2001.....	9.2	1.5	*	*	0.2	1.1	6.3	12.5	17.0	26.7	33.6	29.8
2000.....	9.0	*	*	*	0.2	1.1	6.0	11.3	17.9	26.9	33.3	29.4
1999.....	8.9	1.3	*	*	0.2	1.1	5.7	10.6	17.3	27.6	34.5	30.1
Non-Hispanic white, both sexes												
2006 5/.....	13.7	1.4	*	*	0.2	1.2	7.4	22.4	29.3	34.4	39.2	30.3
2005 5/.....	13.6	1.7	*	*	0.2	1.0	7.8	21.7	29.2	35.5	39.3	31.9
2004 5/.....	13.4	1.8	*	*	0.1	1.1	8.0	21.9	27.7	35.8	39.4	33.1
2003 5/.....	13.7	1.2	*	*	0.1	1.2	8.7	22.3	27.9	37.7	40.3	33.5
2002.....	13.4	1.6	*	*	0.2	1.2	8.8	21.5	27.1	36.8	41.7	35.7
2001.....	13.1	1.3	*	*	0.1	1.2	8.6	21.2	26.6	36.6	40.6	36.1
2000.....	12.7	1.7	*	*	0.1	1.2	8.5	19.8	27.1	36.2	40.5	36.1
1999.....	12.7	1.4	*	*	0.1	1.2	8.1	19.3	26.8	37.9	41.7	36.2
Non-Hispanic white, male												
2006 5/.....	17.4	*	*	*	0.2	1.4	9.1	31.5	41.5	43.9	48.3	39.0
2005 5/.....	17.3	2.0	*	*	*	1.2	9.8	31.1	41.6	44.8	47.9	43.8
2004 5/.....	17.0	1.8	*	*	*	1.5	10.2	31.1	38.8	46.2	49.2	42.5
2003 5/.....	17.4	1.7	*	*	*	1.5	11.2	32.4	39.0	49.2	49.0	44.0
2002.....	17.0	2.4	*	*	*	1.4	11.2	31.3	37.9	47.4	51.4	47.9
2001.....	16.5	*	*	*	*	1.4	10.9	30.7	36.9	47.7	49.6	49.7
2000.....	16.2	2.1	*	*	*	1.4	11.4	29.4	37.7	47.1	50.3	51.3
1999.....	16.3	1.9	*	*	*	1.5	11.1	29.0	38.2	50.0	51.8	51.7
Non-Hispanic white, female												
2006 5/.....	10.1	*	*	*	0.2	1.0	5.7	13.5	17.7	26.1	33.0	26.2
2005 5/.....	10.0	*	*	*	0.2	0.9	5.8	12.6	17.3	27.4	33.3	26.5
2004 5/.....	9.9	1.9	*	*	*	0.8	5.7	12.9	17.1	26.8	32.8	28.9
2003 5/.....	10.0	*	*	*	0.2	0.9	6.2	12.3	17.3	27.8	34.5	28.8
2002.....	10.0	*	*	*	0.2	0.9	6.5	11.8	16.9	27.8	35.3	30.4
2001.....	9.8	*	*	*	*	1.0	6.3	11.8	16.8	27.2	34.6	30.4
2000.....	9.4	*	*	*	*	0.9	5.6	10.4	17.1	27.1	34.1	30.0
1999.....	9.2	*	*	*	*	0.9	5.2	9.7	16.2	27.7	35.2	30.0

Worktable Orig12. Death rates for 358 selected causes, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2006

[Rates per 100,000 population in specified group. Rates are based on populations enumerated as of April 1 for 2000 and estimated as of July 1 for all other years. Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.odc.gov/nchs> and refer to 'Detailed technical notes to the United States 2006 data-mortality']

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, and sex	All ages 1/	Under 1 year 2/	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
Diseases of liver (K70-K76)												
Non-Hispanic black, both sexes												
2006 5/.....	9.2	3.6	*	*	0.4	0.9	6.4	22.3	33.4	29.8	26.1	21.5
2005 5/.....	9.9	4.1	*	*	0.3	1.4	6.3	25.4	34.6	31.2	31.6	24.3
2004 5/.....	10.1	5.7	*	*	0.4	1.1	8.1	26.3	36.2	32.9	25.4	24.5
2003 5/.....	10.3	*	*	*	0.5	1.7	8.1	28.0	36.2	35.4	24.0	27.7
2002.....	10.2	3.9	*	*	0.4	1.5	8.1	29.0	34.4	31.8	29.4	27.2
2001.....	10.7	3.6	*	*	0.5	1.5	10.0	29.9	36.1	35.5	31.1	22.2
2000.....	10.8	4.5	*	*	0.5	1.8	10.7	30.1	35.6	36.6	29.1	26.4
1999.....	11.1	5.1	*	*	0.4	1.8	11.1	30.2	39.6	37.7	32.1	30.4
Non-Hispanic black, male												
2006 5/.....	11.8	*	*	*	*	0.9	7.9	31.2	49.9	42.8	35.6	24.7
2005 5/.....	12.9	*	*	*	*	1.1	7.6	36.9	52.5	44.3	43.2	25.7
2004 5/.....	13.3	*	*	*	*	1.4	10.5	38.1	55.3	47.7	33.4	20.3
2003 5/.....	13.7	*	*	*	*	1.8	9.4	41.8	56.1	50.6	32.0	41.6
2002.....	13.0	*	*	*	*	1.6	9.4	41.4	51.4	44.8	37.2	36.1
2001.....	14.4	*	*	*	*	1.7	13.6	44.9	54.8	51.9	41.4	27.7
2000.....	13.9	6.8	*	*	*	1.9	13.8	43.9	51.3	51.2	37.6	36.4
1999.....	14.5	7.3	*	*	*	1.7	14.5	45.8	56.7	54.0	39.7	34.5
Non-Hispanic black, female												
2006 5/.....	6.8	*	*	*	*	1.0	5.0	14.6	20.2	20.6	20.7	20.2
2005 5/.....	7.2	*	*	*	*	1.6	5.2	15.4	20.1	21.9	25.1	23.7
2004 5/.....	7.2	*	*	*	*	0.8	6.0	16.2	20.9	22.4	20.9	26.1
2003 5/.....	7.3	*	*	*	*	1.5	7.0	16.1	20.3	24.7	19.4	22.3
2002.....	7.6	*	*	*	*	1.4	7.0	18.4	20.8	22.5	25.0	23.8
2001.....	7.4	*	*	*	*	1.3	6.8	17.0	21.0	24.0	25.3	20.1
2000.....	7.9	*	*	*	*	1.8	7.9	18.3	22.9	26.3	24.3	22.7
1999.....	8.1	*	*	*	*	1.8	8.0	16.8	25.8	26.3	27.8	28.9

Worktable Orig12. Death rates for 358 selected causes, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2006

[Rates per 100,000 population in specified group. Rates are based on populations enumerated as of April 1 for 2000 and estimated as of July 1 for all other years. Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to 'Detailed technical notes to the United States 2006 data-mortality']

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, and sex	All ages 1/	Under 1 year 2/	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
Alcoholic liver disease (K70)												
All origins 3/, both sexes												
2006.....	4.4	*	*	*	*	0.6	4.0	10.5	12.1	9.4	5.9	2.2
2005.....	4.4	*	*	*	*	0.5	4.1	10.6	12.3	9.9	5.7	1.8
2004.....	4.3	*	*	*	*	0.6	4.2	10.6	11.7	10.0	5.5	2.1
2003.....	4.3	*	*	*	*	0.6	4.4	10.5	11.6	9.8	5.7	1.8
2002.....	4.2	*	*	*	*	0.6	4.4	10.3	11.6	10.1	5.7	2.1
2001.....	4.3	*	*	*	*	0.7	4.8	10.7	11.5	10.1	5.7	2.4
2000.....	4.3	*	*	*	*	0.7	4.9	10.3	12.2	10.3	6.1	2.2
1999.....	4.3	*	*	*	*	0.6	4.8	10.4	12.0	10.5	6.5	2.8
All origins 3/, male												
2006.....	6.4	*	*	*	*	0.9	5.1	15.5	18.9	15.7	10.2	4.7
2005.....	6.5	*	*	*	*	0.7	5.4	15.7	19.5	15.9	10.2	4.2
2004.....	6.3	*	*	*	*	0.8	5.8	15.5	18.2	16.5	10.1	4.6
2003.....	6.4	*	*	*	*	0.9	6.0	16.1	18.3	16.1	10.1	3.6
2002.....	6.2	*	*	*	*	0.8	5.8	15.6	18.3	16.5	9.7	4.7
2001.....	6.4	*	*	*	*	0.9	6.5	16.1	18.4	16.6	10.1	5.5
2000.....	6.5	*	*	*	*	1.0	6.8	16.0	19.0	17.3	11.5	5.3
1999.....	6.5	*	*	*	*	0.8	6.8	16.3	19.2	18.1	11.2	6.1
All origins 3/, female												
2006.....	2.4	*	*	*	*	0.4	2.8	5.8	5.8	4.2	3.0	1.1
2005.....	2.3	*	*	*	*	0.4	2.8	5.6	5.5	4.9	2.7	0.7
2004.....	2.3	*	*	*	*	0.3	2.7	5.7	5.6	4.5	2.3	1.0
2003.....	2.2	*	*	*	*	0.3	2.9	5.1	5.4	4.5	2.7	1.0
2002.....	2.3	*	*	*	*	0.4	3.0	5.2	5.4	4.8	3.1	1.0
2001.....	2.3	*	*	*	*	0.4	3.1	5.5	5.1	4.7	2.8	1.0
2000.....	2.2	*	*	*	*	0.4	3.1	4.8	6.0	4.5	2.5	1.0
1999.....	2.1	*	*	*	*	0.5	2.9	4.7	5.4	4.3	3.4	1.5
Hispanic, both sexes												
2006.....	4.3	*	*	*	*	0.9	4.6	15.1	19.3	16.9	14.5	*
2005.....	4.2	*	*	*	*	0.8	4.9	14.4	18.9	20.2	11.4	*
2004.....	4.1	*	*	*	*	0.7	5.3	15.2	17.2	16.1	14.6	*
2003.....	4.3	*	*	*	*	0.9	5.6	14.4	21.4	17.7	14.1	*
2002.....	4.3	*	*	*	*	0.7	5.5	16.1	19.9	20.8	10.5	*
2001.....	4.7	*	*	*	*	0.9	6.3	17.1	21.4	21.1	17.0	*
2000.....	4.8	*	*	*	*	1.0	6.9	16.8	23.4	22.9	15.4	*
1999.....	4.6	*	*	*	*	0.8	6.9	16.8	21.7	20.6	14.4	*
Hispanic, male												
2006.....	6.9	*	*	*	*	1.3	6.9	24.7	33.8	32.1	27.2	*
2005.....	6.8	*	*	*	*	1.2	7.6	23.9	33.4	38.1	23.7	*
2004.....	6.6	*	*	*	*	1.2	8.2	26.6	29.7	28.6	28.3	*
2003.....	6.9	*	*	*	*	1.3	8.8	25.5	38.4	29.0	26.5	*
2002.....	7.1	*	*	*	*	1.2	9.0	27.0	36.3	40.3	18.1	*
2001.....	7.7	*	*	*	*	1.5	10.0	29.3	38.9	41.9	30.4	*
2000.....	7.9	*	*	*	*	1.8	10.6	29.3	42.8	46.6	33.9	*
1999.....	7.4	*	*	*	*	1.2	10.8	29.1	40.0	39.5	27.1	*
Hispanic, female												
2006.....	1.6	*	*	*	*	*	2.1	5.3	6.0	4.6	5.5	*
2005.....	1.4	*	*	*	*	*	2.0	4.8	5.6	5.7	*	*
2004.....	1.4	*	*	*	*	*	2.0	3.6	5.9	6.1	5.2	*
2003.....	1.5	*	*	*	*	*	2.1	3.4	6.1	8.7	5.5	*
2002.....	1.4	*	*	*	*	*	1.8	5.1	5.1	5.3	*	*
2001.....	1.5	*	*	*	*	*	2.2	5.1	5.9	4.7	7.9	*
2000.....	1.4	*	*	*	*	*	2.9	4.5	6.2	4.3	*	*
1999.....	1.5	*	*	*	*	*	2.8	4.9	5.6	5.7	*	*

Worktable Orig12. Death rates for 358 selected causes, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2006

[Rates per 100,000 population in specified group. Rates are based on populations enumerated as of April 1 for 2000 and estimated as of July 1 for all other years. Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to 'Detailed technical notes to the United States 2006 data-mortality']

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, and sex	All ages 1/	Under 1 year 2/	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
Alcoholic liver disease (K70)												
Non-Hispanic 4/, both sexes												
2006.....	4.4	*	*	*	*	0.5	3.8	10.0	11.4	8.8	5.4	1.9
2005.....	4.4	*	*	*	*	0.5	3.9	10.1	11.6	9.0	5.4	1.7
2004.....	4.3	*	*	*	*	0.5	4.1	10.0	11.2	9.5	4.9	2.1
2003.....	4.2	*	*	*	*	0.5	4.2	10.1	10.8	9.1	5.2	1.7
2002.....	4.2	*	*	*	*	0.6	4.2	9.7	10.8	9.3	5.5	1.9
2001.....	4.2	*	*	*	*	0.6	4.6	10.1	10.7	9.3	5.2	2.2
2000.....	4.2	*	*	*	*	0.6	4.7	9.7	11.3	9.5	5.7	2.2
1999.....	4.2	*	*	*	*	0.6	4.6	9.8	11.3	9.9	6.1	2.5
Non-Hispanic 4/, male												
2006.....	6.3	*	*	*	*	0.7	4.8	14.3	17.5	14.3	9.1	3.9
2005.....	6.4	*	*	*	*	0.6	5.0	14.6	18.2	14.1	9.4	3.8
2004.....	6.3	*	*	*	*	0.7	5.3	14.2	17.2	15.6	9.1	4.5
2003.....	6.2	*	*	*	*	0.8	5.5	15.0	16.6	15.1	9.2	3.4
2002.....	6.0	*	*	*	*	0.7	5.3	14.4	16.7	14.8	9.2	4.3
2001.....	6.2	*	*	*	*	0.8	5.9	14.8	16.7	14.9	9.2	5.1
2000.....	6.2	*	*	*	*	0.8	6.3	14.7	17.1	15.4	10.5	5.0
1999.....	6.4	*	*	*	*	0.7	6.2	15.1	17.7	16.7	10.5	5.5
Non-Hispanic 4/, female												
2006.....	2.5	*	*	*	*	0.3	2.9	5.8	5.8	4.1	2.9	1.0
2005.....	2.5	*	*	*	*	0.4	2.9	5.7	5.5	4.8	2.7	0.8
2004.....	2.4	*	*	*	*	0.3	2.8	5.9	5.6	4.3	2.2	1.0
2003.....	2.3	*	*	*	*	0.3	3.0	5.3	5.4	4.1	2.6	1.0
2002.....	2.4	*	*	*	*	0.5	3.1	5.2	5.4	4.8	3.0	0.9
2001.....	2.4	*	*	*	*	0.5	3.2	5.5	5.0	4.7	2.5	1.0
2000.....	2.3	*	*	*	*	0.4	3.1	4.8	5.9	4.5	2.5	1.0
1999.....	2.2	*	*	*	*	0.5	2.9	4.7	5.3	4.2	3.3	1.4
Non-Hispanic white, both sexes												
2006 5/.....	4.7	*	*	*	*	0.5	4.0	10.4	11.8	9.0	5.6	2.0
2005 5/.....	4.7	*	*	*	*	0.4	4.1	10.4	11.8	9.2	5.5	1.8
2004 5/.....	4.6	*	*	*	*	0.5	4.2	10.3	11.1	9.7	5.1	2.2
2003 5/.....	4.5	*	*	*	*	0.5	4.4	10.1	10.7	9.3	5.4	1.7
2002.....	4.4	*	*	*	*	0.5	4.3	9.7	10.8	9.5	5.5	1.9
2001.....	4.4	*	*	*	*	0.6	4.5	9.9	10.5	9.3	5.3	2.1
2000.....	4.3	*	*	*	*	0.6	4.5	9.4	11.1	9.5	5.6	2.2
1999.....	4.3	*	*	*	*	0.6	4.4	9.5	10.8	9.7	6.0	2.4
Non-Hispanic white, male												
2006 5/.....	6.9	*	*	*	*	0.7	5.1	14.9	18.0	14.5	9.3	4.0
2005 5/.....	6.8	*	*	*	*	0.5	5.2	14.9	18.4	14.2	9.4	3.9
2004 5/.....	6.7	*	*	*	*	0.7	5.5	14.6	17.0	15.7	9.2	4.7
2003 5/.....	6.6	*	*	*	*	0.8	5.6	15.1	16.4	15.3	9.4	3.5
2002.....	6.4	*	*	*	*	0.7	5.4	14.4	16.7	14.9	9.4	4.1
2001.....	6.4	*	*	*	*	0.8	5.8	14.7	16.4	14.6	9.3	4.8
2000.....	6.5	*	*	*	*	0.8	6.1	14.5	17.0	15.4	10.6	5.1
1999.....	6.5	*	*	*	*	0.7	6.0	14.7	17.1	16.3	10.3	5.1
Non-Hispanic white, female												
2006 5/.....	2.7	*	*	*	*	0.3	3.0	6.0	6.0	4.2	3.0	1.1
2005 5/.....	2.6	*	*	*	*	0.3	3.0	5.9	5.5	4.9	2.8	0.8
2004 5/.....	2.5	*	*	*	*	0.3	3.0	6.0	5.5	4.5	2.3	1.0
2003 5/.....	2.4	*	*	*	*	0.3	3.1	5.3	5.2	4.1	2.8	1.0
2002.....	2.4	*	*	*	*	0.4	3.2	5.1	5.2	4.9	3.0	1.0
2001.....	2.4	*	*	*	*	0.4	3.2	5.3	5.0	4.8	2.5	1.0
2000.....	2.2	*	*	*	*	0.4	3.0	4.4	5.5	4.6	2.4	1.0
1999.....	2.2	*	*	*	*	0.5	2.8	4.3	4.9	4.2	3.2	1.3

Worktable Orig12. Death rates for 358 selected causes, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2006

[Rates per 100,000 population in specified group. Rates are based on populations enumerated as of April 1 for 2000 and estimated as of July 1 for all other years. Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.odc.gov/nchs> and refer to 'Detailed technical notes to the United States 2006 data-mortality']

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, and sex	All ages 1/	Under 1 year 2/	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
Alcoholic liver disease (K70)												
Non-Hispanic black, both sexes												
2006 5/.....	2.7	*	*	*	*	*	2.6	7.7	9.5	7.8	4.1	*
2005 5/.....	3.1	*	*	*	*	*	2.7	9.1	11.5	8.8	4.6	*
2004 5/.....	3.1	*	*	*	*	*	3.0	9.2	12.8	9.1	3.2	*
2003 5/.....	3.3	*	*	*	*	*	3.4	10.0	12.7	9.4	3.4	*
2002.....	3.2	*	*	*	*	0.5	3.0	10.2	12.3	8.7	5.1	*
2001.....	3.7	*	*	*	*	0.5	4.4	11.7	13.1	10.8	4.6	*
2000.....	3.9	*	*	*	*	0.7	5.1	12.3	13.5	10.4	5.6	*
1999.....	4.2	*	*	*	*	0.5	5.1	12.9	15.4	11.9	7.2	*
Non-Hispanic black, male												
2006 5/.....	3.8	*	*	*	*	*	3.1	11.3	15.0	13.7	7.5	*
2005 5/.....	4.4	*	*	*	*	*	3.2	13.7	18.6	15.4	9.0	*
2004 5/.....	4.6	*	*	*	*	*	4.1	13.2	20.7	17.2	*	*
2003 5/.....	4.9	*	*	*	*	*	4.2	16.0	20.3	16.2	6.9	*
2002.....	4.6	*	*	*	*	*	3.9	15.1	18.6	15.1	8.8	*
2001.....	5.5	*	*	*	*	*	6.1	17.4	21.7	20.0	7.8	*
2000.....	5.5	*	*	*	*	*	7.1	17.9	19.6	18.4	10.2	*
1999.....	6.1	*	*	*	*	*	6.9	19.7	24.6	21.9	12.8	*
Non-Hispanic black, female												
2006 5/.....	1.7	*	*	*	*	*	2.0	4.6	5.1	3.5	*	*
2005 5/.....	1.9	*	*	*	*	*	2.3	5.2	5.8	4.1	*	*
2004 5/.....	1.8	*	*	*	*	*	2.0	5.7	6.4	3.4	*	*
2003 5/.....	1.9	*	*	*	*	*	2.6	4.8	6.6	4.6	*	*
2002.....	2.1	*	*	*	*	*	2.2	6.1	7.2	4.2	*	*
2001.....	2.2	*	*	*	*	*	2.8	6.8	6.2	4.3	*	*
2000.....	2.5	*	*	*	*	*	3.4	7.5	8.6	4.8	*	*
1999.....	2.4	*	*	*	*	*	3.5	7.0	8.1	4.8	4.0	*

Worktable Orig12. Death rates for 358 selected causes, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2006

[Rates per 100,000 population in specified group. Rates are based on populations enumerated as of April 1 for 2000 and estimated as of July 1 for all other years. Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to 'Detailed technical notes to the United States 2006 data-mortality']

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, and sex	All ages 1/	Under 1 year 2/	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
Chronic hepatitis, not elsewhere classified (K73)												
Non-Hispanic 4/, both sexes												
2006.....	0.0	*	*	*	*	*	*	0.1	0.1	*	*	*
2005.....	0.0	*	*	*	*	*	*	0.1	*	*	0.1	*
2004.....	0.0	*	*	*	*	*	*	0.1	*	*	0.2	*
2003.....	0.1	*	*	*	*	*	*	0.1	*	0.2	0.2	*
2002.....	0.2	*	*	*	*	*	0.1	0.2	0.3	0.6	0.9	0.7
2001.....	0.2	*	*	*	*	*	0.1	0.2	0.3	0.6	0.8	0.8
2000.....	0.2	*	*	*	*	*	0.1	0.1	0.3	0.6	0.8	0.8
1999.....	0.2	*	*	*	*	*	0.1	0.2	0.3	0.5	0.9	0.6
Non-Hispanic 4/, male												
2006.....	0.0	*	*	*	*	*	*	*	*	*	*	*
2005.....	0.0	*	*	*	*	*	*	*	*	*	*	*
2004.....	0.0	*	*	*	*	*	*	0.1	*	*	*	*
2003.....	0.1	*	*	*	*	*	*	*	*	*	*	*
2002.....	0.1	*	*	*	*	*	0.2	*	0.4	0.6	0.6	*
2001.....	0.1	*	*	*	*	*	0.1	*	0.3	0.4	0.4	*
2000.....	0.1	*	*	*	*	*	0.1	*	*	*	*	*
1999.....	0.1	*	*	*	*	*	0.2	*	0.3	0.5	0.5	*
Non-Hispanic 4/, female												
2006.....	0.0	*	*	*	*	*	*	*	*	*	*	*
2005.....	0.0	*	*	*	*	*	*	*	*	*	*	*
2004.....	0.0	*	*	*	*	*	*	*	*	*	*	*
2003.....	0.1	*	*	*	*	*	*	*	*	*	*	*
2002.....	0.3	*	*	*	*	*	0.1	0.2	0.4	0.9	1.2	0.8
2001.....	0.2	*	*	*	*	*	0.2	0.4	0.9	1.0	1.0	0.7
2000.....	0.2	*	*	*	*	*	0.1	0.4	0.9	1.1	1.1	0.9
1999.....	0.2	*	*	*	*	*	0.2	0.5	0.7	1.1	1.1	*
Non-Hispanic white, both sexes												
2006 5/.....	0.0	*	*	*	*	*	*	*	*	*	*	*
2005 5/.....	0.0	*	*	*	*	*	*	*	*	0.1	*	*
2004 5/.....	0.0	*	*	*	*	*	*	0.1	*	*	0.2	*
2003 5/.....	0.1	*	*	*	*	*	*	0.1	*	0.2	0.2	*
2002.....	0.2	*	*	*	*	*	0.1	0.2	0.3	0.7	1.0	0.8
2001.....	0.2	*	*	*	*	*	0.2	0.3	0.6	0.8	0.8	0.8
2000.....	0.2	*	*	*	*	*	0.1	0.3	0.6	0.8	0.8	0.8
1999.....	0.2	*	*	*	*	*	0.2	0.3	0.5	0.8	0.8	0.6
Non-Hispanic white, male												
2006 5/.....	0.0	*	*	*	*	*	*	*	*	*	*	*
2005 5/.....	0.0	*	*	*	*	*	*	*	*	*	*	*
2004 5/.....	0.0	*	*	*	*	*	*	0.1	*	*	*	*
2003 5/.....	0.1	*	*	*	*	*	*	*	*	*	*	*
2002.....	0.1	*	*	*	*	*	*	*	*	0.4	0.6	*
2001.....	0.1	*	*	*	*	*	0.1	*	0.4	0.5	0.5	*
2000.....	0.1	*	*	*	*	*	*	*	*	*	*	*
1999.....	0.1	*	*	*	*	*	0.2	*	*	*	*	*
Non-Hispanic white, female												
2006 5/.....	0.0	*	*	*	*	*	*	*	*	*	*	*
2005 5/.....	0.0	*	*	*	*	*	*	*	*	*	*	*
2004 5/.....	0.0	*	*	*	*	*	*	*	*	*	*	*
2003 5/.....	0.1	*	*	*	*	*	*	*	*	*	*	*
2002.....	0.3	*	*	*	*	*	*	0.2	0.4	0.9	1.2	0.8
2001.....	0.2	*	*	*	*	*	*	0.2	0.5	0.8	1.0	0.8
2000.....	0.2	*	*	*	*	*	*	*	0.5	0.9	1.1	0.9
1999.....	0.2	*	*	*	*	*	*	0.1	0.4	0.7	1.1	*

Worktable Orig12. Death rates for 358 selected causes, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2006

[Rates per 100,000 population in specified group. Rates are based on populations enumerated as of April 1 for 2000 and estimated as of July 1 for all other years. Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to 'Detailed technical notes to the United States 2006 data-mortality']

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, and sex	All ages 1/	Under 1 year 2/	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
Fibrosis and cirrhosis of liver (K74)												
All origins 3/, both sexes												
2006.....	4.8	*	*	*	*	0.2	1.9	7.2	10.7	16.5	22.9	17.0
2005.....	4.9	*	*	*	*	0.2	2.0	7.1	11.2	17.2	23.1	17.7
2004.....	4.9	*	*	*	*	0.2	2.1	7.4	10.9	17.6	23.1	17.4
2003.....	5.2	*	*	*	*	0.3	2.3	7.7	11.3	19.6	24.1	18.0
2002.....	5.1	*	*	*	*	0.3	2.5	7.5	11.0	18.6	24.7	18.5
2001.....	5.0	*	*	*	*	0.3	2.6	7.6	10.9	19.2	23.7	19.1
2000.....	5.0	*	*	*	0.1	0.3	2.5	7.2	11.3	18.9	24.1	20.0
1999.....	5.0	*	*	*	*	0.3	2.4	6.8	11.3	19.6	24.6	19.8
All origins 3/, male												
2006.....	5.7	*	*	*	*	0.2	2.5	10.3	14.5	19.0	25.6	21.2
2005.....	5.6	*	*	*	*	0.2	2.7	10.2	15.3	19.8	26.1	23.2
2004.....	5.8	*	*	*	*	0.3	2.9	10.6	14.5	20.4	26.5	20.9
2003.....	6.1	*	*	*	*	0.3	3.2	11.3	15.4	22.8	26.7	23.7
2002.....	6.0	*	*	*	*	0.3	3.4	11.1	14.7	21.7	28.1	23.2
2001.....	6.0	*	*	*	*	0.4	3.3	11.3	14.6	23.2	26.2	25.7
2000.....	5.9	*	*	*	*	0.4	3.4	10.7	15.3	22.5	26.5	28.4
1999.....	5.9	*	*	*	*	0.4	3.5	10.4	15.2	23.3	27.9	26.6
All origins 3/, female												
2006.....	4.0	*	*	*	*	0.1	1.2	4.2	7.1	14.4	21.0	15.0
2005.....	4.0	*	*	*	*	0.2	1.3	4.0	7.3	14.9	21.1	15.2
2004.....	4.0	*	*	*	*	0.1	1.3	4.2	7.5	15.3	20.9	15.8
2003.....	4.2	*	*	*	*	0.2	1.5	4.2	7.5	18.8	22.4	15.5
2002.....	4.2	*	*	*	*	0.2	1.7	4.1	7.6	16.0	22.4	16.5
2001.....	4.2	*	*	*	*	0.2	1.8	4.1	7.5	15.9	22.1	16.4
2000.....	4.1	*	*	*	*	0.2	1.5	3.8	7.6	15.9	22.5	16.6
1999.....	4.1	*	*	*	*	0.2	1.3	3.4	7.8	16.5	22.5	17.0
Hispanic, both sexes												
2006.....	3.7	*	*	*	*	*	2.0	8.5	14.8	25.8	39.7	32.5
2005.....	4.1	*	*	*	*	*	2.3	9.0	17.9	28.5	42.1	30.4
2004.....	4.1	*	*	*	*	*	2.3	9.5	17.3	30.9	45.4	23.8
2003.....	4.1	*	*	*	*	0.4	2.3	9.7	16.7	33.4	47.6	26.9
2002.....	4.3	*	*	*	*	0.3	3.1	10.6	17.8	33.3	40.7	37.1
2001.....	4.1	*	*	*	*	*	3.4	10.5	16.9	32.1	42.0	30.0
2000.....	4.1	*	*	*	*	0.4	2.8	10.3	17.4	33.8	46.6	41.8
1999.....	4.1	*	*	*	*	0.4	3.5	9.5	16.7	34.5	44.2	38.6
Hispanic, male												
2006.....	4.1	*	*	*	*	*	3.0	12.6	20.2	24.5	33.8	33.8
2005.....	4.7	*	*	*	*	*	3.4	13.8	24.8	30.8	44.8	*
2004.....	4.5	*	*	*	*	*	3.4	14.0	22.6	30.2	42.6	*
2003.....	4.6	*	*	*	*	0.6	3.4	14.3	23.4	32.3	44.5	*
2002.....	5.0	*	*	*	*	*	4.5	16.8	23.6	37.1	46.0	*
2001.....	4.9	*	*	*	*	*	5.0	16.9	24.7	34.7	45.2	*
2000.....	4.7	*	*	*	*	*	4.3	16.2	23.0	36.5	46.2	46.4
1999.....	4.8	*	*	*	*	0.6	5.7	15.0	22.4	39.3	43.3	45.3
Hispanic, female												
2006.....	3.4	*	*	*	*	*	0.9	4.3	9.9	26.9	43.8	31.8
2005.....	3.3	*	*	*	*	*	1.2	4.1	11.5	26.5	40.2	33.9
2004.....	3.7	*	*	*	*	*	1.1	5.0	12.5	31.4	47.4	23.8
2003.....	3.7	*	*	*	*	*	1.1	5.0	10.7	34.3	49.8	26.6
2002.....	3.4	*	*	*	*	*	1.6	4.4	12.5	30.3	37.1	39.8
2001.....	3.2	*	*	*	*	*	1.7	4.3	10.0	30.1	39.9	32.6
2000.....	3.5	*	*	*	*	*	1.1	4.5	12.4	31.7	46.9	39.6
1999.....	3.3	*	*	*	*	*	1.2	4.1	11.6	30.8	44.8	35.4

Worktable Orig12. Death rates for 358 selected causes, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2006

[Rates per 100,000 population in specified group. Rates are based on populations enumerated as of April 1 for 2000 and estimated as of July 1 for all other years. Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to 'Detailed technical notes to the United States 2006 data-mortality']

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, and sex	All ages 1/	Under 1 year 2/	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
Fibrosis and cirrhosis of liver (K74)												
Non-Hispanic 4/, both sexes												
2006.....	5.0	*	*	*	*	0.2	1.8	7.0	10.3	15.7	21.8	16.2
2005.....	5.0	*	*	*	*	0.2	1.9	6.8	10.6	16.3	21.9	17.1
2004.....	5.0	*	*	*	*	0.2	2.0	7.1	10.3	16.6	21.9	17.1
2003.....	5.3	*	*	*	*	0.2	2.3	7.5	10.8	18.5	22.8	17.7
2002.....	5.2	*	*	*	*	0.3	2.5	7.2	10.4	17.5	23.8	17.7
2001.....	5.2	*	*	*	*	0.3	2.5	7.3	10.4	18.3	22.8	18.6
2000.....	5.1	*	*	*	0.1	0.3	2.4	6.9	10.8	17.8	23.1	19.2
1999.....	5.1	*	*	*	*	0.3	2.3	6.6	10.9	18.6	23.7	19.0
Non-Hispanic 4/, male												
2006.....	5.9	*	*	*	*	0.2	2.3	10.0	13.9	18.5	25.0	20.5
2005.....	6.0	*	*	*	*	0.2	2.6	9.7	14.4	19.0	24.9	23.2
2004.....	6.0	*	*	*	*	0.2	2.8	10.2	13.8	19.6	25.6	20.7
2003.....	6.3	*	*	*	*	0.3	3.1	10.9	14.7	22.1	25.7	23.5
2002.....	6.1	*	*	*	*	0.3	3.2	10.4	13.9	20.5	27.2	22.8
2001.....	6.1	*	*	*	*	0.4	3.1	10.7	13.7	22.4	25.3	25.6
2000.....	6.0	*	*	*	*	0.3	3.3	10.2	14.6	21.5	25.7	27.5
1999.....	6.0	*	*	*	*	0.4	3.2	9.9	14.6	22.3	27.2	25.7
Non-Hispanic 4/, female												
2006.....	4.1	*	*	*	*	0.1	1.3	4.1	6.8	13.4	19.6	14.2
2005.....	4.1	*	*	*	*	0.2	1.3	4.0	7.0	14.0	19.9	14.4
2004.....	4.1	*	*	*	*	0.1	1.3	4.1	7.1	14.1	19.4	15.5
2003.....	4.3	*	*	*	*	0.2	1.5	4.2	7.3	15.5	20.9	15.1
2002.....	4.3	*	*	*	*	0.2	1.7	4.0	7.2	15.0	21.6	15.6
2001.....	4.3	*	*	*	*	0.2	1.8	4.0	7.3	14.8	21.2	15.7
2000.....	4.2	*	*	*	*	0.3	1.6	3.7	7.2	14.8	21.4	15.8
1999.....	4.2	*	*	*	*	0.2	1.4	3.3	7.5	15.6	21.5	16.3
Non-Hispanic white, both sexes												
2006 5/.....	5.5	*	*	*	*	0.2	1.8	7.1	10.2	16.6	22.8	16.8
2005 5/.....	5.5	*	*	*	*	0.2	2.1	6.7	10.4	17.2	22.6	17.6
2004 5/.....	5.5	*	*	*	*	0.2	2.0	7.0	10.1	17.3	23.0	17.6
2003 5/.....	5.8	*	*	*	*	0.2	2.4	7.3	10.7	19.4	24.1	18.4
2002.....	5.7	*	*	*	*	0.3	2.5	6.9	10.4	18.3	25.0	18.5
2001.....	5.6	*	*	*	*	0.3	2.4	6.9	10.2	19.0	23.9	19.6
2000.....	5.5	*	*	*	*	0.2	2.4	6.6	10.7	18.3	24.2	19.8
1999.....	5.5	*	*	*	*	0.3	2.2	6.2	10.7	19.3	24.8	19.6
Non-Hispanic white, male												
2006 5/.....	6.5	*	*	*	*	0.2	2.3	10.2	13.8	19.3	26.0	21.2
2005 5/.....	6.4	*	*	*	*	0.2	2.7	9.6	14.0	19.9	25.4	24.0
2004 5/.....	6.5	*	*	*	*	0.2	2.8	10.0	13.5	20.2	27.0	21.6
2003 5/.....	6.9	*	*	*	*	0.2	3.3	10.8	14.3	23.2	26.9	24.3
2002.....	6.6	*	*	*	*	0.3	3.4	10.2	13.6	21.3	28.7	24.0
2001.....	6.5	*	*	*	*	0.3	3.0	10.0	13.2	23.2	26.5	27.2
2000.....	6.5	*	*	*	*	0.3	3.3	9.8	14.5	22.1	26.8	28.4
1999.....	6.5	*	*	*	*	0.4	3.1	9.3	14.2	23.1	28.5	27.1
Non-Hispanic white, female												
2006 5/.....	4.5	*	*	*	*	*	1.3	4.1	6.9	14.2	20.6	14.7
2005 5/.....	4.6	*	*	*	*	0.2	1.4	3.8	7.0	14.8	20.8	14.7
2004 5/.....	4.5	*	*	*	*	*	1.2	4.0	6.9	14.8	20.3	15.7
2003 5/.....	4.8	*	*	*	*	0.2	1.5	4.0	7.3	16.2	22.2	15.8
2002.....	4.8	*	*	*	*	0.2	1.7	3.7	7.3	15.8	22.5	16.2
2001.....	4.7	*	*	*	*	0.2	1.8	3.9	7.4	15.5	22.2	16.4
2000.....	4.6	*	*	*	*	0.2	1.5	3.5	7.2	15.1	22.4	16.3
1999.....	4.6	*	*	*	*	0.2	1.3	3.1	7.4	16.1	22.4	16.7

Worktable Orig12. Death rates for 358 selected causes, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2006

[Rates per 100,000 population in specified group. Rates are based on populations enumerated as of April 1 for 2000 and estimated as of July 1 for all other years. Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.odc.gov/nchs> and refer to 'Detailed technical notes to the United States 2006 data-mortality']

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, and sex	All ages 1/	Under 1 year 2/	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
Fibrosis and cirrhosis of liver (K74)												
Non-Hispanic black, both sexes												
2006 5/.....	3.4	*	*	*	*	*	2.0	8.0	12.8	11.2	12.1	9.8
2005 5/.....	3.6	*	*	*	*	*	1.5	8.9	13.7	11.7	14.4	10.7
2004 5/.....	3.6	*	*	*	*	*	2.6	9.4	13.0	12.8	11.2	11.2
2003 5/.....	3.7	*	*	*	*	0.4	2.4	10.0	13.4	14.4	10.6	11.0
2002.....	3.6	*	*	*	*	*	2.4	10.6	12.7	12.5	12.8	9.1
2001.....	3.8	*	*	*	*	*	3.0	11.0	13.0	13.9	12.7	7.5
2000.....	3.7	*	*	*	*	*	2.8	10.1	12.5	15.4	12.2	11.8
1999.....	3.7	*	*	*	*	0.4	3.0	9.8	13.9	14.2	13.8	11.6
Non-Hispanic black, male												
2006 5/.....	4.4	*	*	*	*	*	2.7	11.5	18.8	15.6	17.0	*
2005 5/.....	4.7	*	*	*	*	*	2.3	12.7	21.2	18.1	20.2	*
2004 5/.....	4.8	*	*	*	*	*	3.5	14.3	19.1	17.2	15.1	*
2003 5/.....	4.8	*	*	*	*	*	3.0	14.9	20.8	17.2	13.3	*
2002.....	4.6	*	*	*	*	*	2.9	15.2	19.6	17.1	12.9	*
2001.....	5.2	*	*	*	*	*	4.2	17.5	20.2	19.4	14.7	*
2000.....	4.7	*	*	*	*	*	3.5	15.3	18.8	19.6	14.8	*
1999.....	4.8	*	*	*	*	*	4.4	15.8	19.3	18.8	16.6	*
Non-Hispanic black, female												
2006 5/.....	2.5	*	*	*	*	*	1.4	5.1	8.0	8.0	9.3	8.6
2005 5/.....	2.5	*	*	*	*	*	0.8	5.7	7.6	8.6	11.1	10.0
2004 5/.....	2.6	*	*	*	*	*	1.8	5.3	8.1	9.7	9.0	10.8
2003 5/.....	2.7	*	*	*	*	*	2.0	5.9	7.4	12.3	9.1	8.3
2002.....	2.7	*	*	*	*	*	1.9	6.7	7.2	9.2	12.8	8.8
2001.....	2.5	*	*	*	*	*	2.0	5.4	7.2	10.0	11.6	*
2000.....	2.7	*	*	*	*	*	2.2	5.6	7.4	12.4	10.8	10.5
1999.....	2.7	*	*	*	*	*	1.7	4.8	9.5	11.0	12.3	12.0

Worktable Orig12. Death rates for 358 selected causes, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2006

[Rates per 100,000 population in specified group. Rates are based on populations enumerated as of April 1 for 2000 and estimated as of July 1 for all other years. Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to 'Detailed technical notes to the United States 2006 data-mortality']

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, and sex	All ages 1/	Under 1 year 2/	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
Other diseases of liver (K71-K72,K75-K76)												
All origins 3/, both sexes												
2006.....	3.2	1.8	0.1	0.1	0.2	0.5	1.6	5.0	7.8	9.2	11.2	11.3
2005.....	3.1	2.1	0.2	0.1	0.1	0.4	1.6	4.9	7.2	9.4	11.5	12.7
2004.....	3.1	2.3	0.2	*	0.2	0.4	1.8	5.0	6.9	9.1	11.3	13.1
2003.....	3.1	1.5	0.2	*	0.2	0.5	1.9	5.1	7.0	9.2	11.0	13.5
2002.....	2.9	2.1	0.2	0.1	0.1	0.4	1.9	5.0	6.2	8.6	10.5	14.3
2001.....	2.7	1.9	0.2	0.1	0.1	0.4	1.6	4.4	6.0	8.1	11.1	13.8
2000.....	2.6	1.9	0.2	0.1	0.1	0.4	1.7	4.1	5.5	8.1	10.2	13.6
1999.....	2.6	2.1	0.1	0.1	0.1	0.4	1.7	4.0	5.7	8.8	10.3	14.0
All origins 3/, male												
2006.....	3.6	1.9	*	*	0.1	0.4	1.9	6.5	10.5	10.5	12.9	13.0
2005.....	3.7	2.6	*	*	0.1	0.5	1.9	6.9	9.5	11.0	13.4	15.6
2004.....	3.5	2.3	*	*	0.2	0.5	2.1	6.9	8.9	10.5	12.8	15.1
2003.....	3.6	2.1	0.2	*	0.1	0.5	2.2	7.1	9.1	11.2	12.7	16.9
2002.....	3.5	2.8	*	*	0.1	0.5	2.3	7.1	8.1	11.0	13.3	18.9
2001.....	3.2	2.2	*	*	0.1	0.3	2.1	6.2	7.8	10.0	14.1	17.4
2000.....	3.0	2.5	*	*	0.1	0.4	2.2	5.6	6.9	9.7	12.6	17.8
1999.....	3.1	2.7	*	*	0.1	0.5	2.1	5.5	7.5	10.8	12.5	19.2
All origins 3/, female												
2006.....	2.7	1.8	*	*	0.2	0.5	1.4	3.5	5.3	8.2	10.0	10.4
2005.....	2.6	1.5	*	*	0.2	0.4	1.4	3.0	5.0	8.1	10.1	11.3
2004.....	2.6	2.3	*	*	0.2	0.4	1.5	3.0	4.9	8.0	10.2	12.3
2003.....	2.6	*	*	*	0.2	0.5	1.7	3.3	5.0	7.6	9.8	12.1
2002.....	2.3	1.3	*	*	0.1	0.4	1.5	3.0	4.4	6.6	8.6	12.3
2001.....	2.3	1.5	*	*	0.1	0.4	1.2	2.7	4.4	6.6	9.2	12.3
2000.....	2.2	1.3	*	*	*	0.3	1.2	2.7	4.3	6.8	8.6	11.9
1999.....	2.2	1.5	*	*	0.2	0.3	1.3	2.5	4.0	7.2	8.8	11.9
Hispanic, both sexes												
2006.....	2.4	2.1	*	*	*	0.3	1.9	5.2	10.2	13.7	18.2	14.5
2005.....	2.2	2.5	*	*	*	0.4	1.4	4.7	9.5	12.8	16.6	14.5
2004.....	2.0	*	*	*	*	0.4	1.6	5.4	7.5	12.8	13.3	12.4
2003.....	2.3	*	*	*	*	0.5	1.8	5.7	9.9	12.4	19.2	17.1
2002.....	1.9	2.4	*	*	*	0.5	1.4	5.0	7.7	11.8	14.0	11.6
2001.....	1.8	*	*	*	*	*	1.0	4.4	7.4	12.1	17.1	18.8
2000.....	1.7	*	*	*	*	*	1.7	4.7	6.0	11.2	13.8	18.6
1999.....	1.9	*	*	*	*	0.5	1.6	5.2	8.2	12.0	14.0	21.7
Hispanic, male												
2006.....	2.7	*	*	*	*	*	2.6	7.0	13.6	14.8	18.0	*
2005.....	2.5	*	*	*	*	0.6	1.8	6.9	13.0	14.2	19.7	*
2004.....	2.3	*	*	*	*	*	2.2	8.5	9.6	13.8	11.4	*
2003.....	2.6	*	*	*	*	*	2.1	8.1	12.6	14.2	20.7	*
2002.....	2.3	*	*	*	*	0.6	2.1	7.5	9.9	14.9	18.5	*
2001.....	2.0	*	*	*	*	*	1.3	6.6	9.0	14.6	20.6	*
2000.....	2.0	*	*	*	*	*	2.6	6.4	8.6	12.5	16.2	*
1999.....	2.4	*	*	*	*	0.6	2.3	7.8	11.7	15.4	15.6	*
Hispanic, female												
2006.....	2.1	*	*	*	*	*	1.1	3.3	7.0	12.9	18.4	13.8
2005.....	1.7	*	*	*	*	*	0.9	2.5	6.3	11.6	14.4	15.0
2004.....	1.6	*	*	*	*	*	0.9	2.3	5.6	12.1	14.6	*
2003.....	1.9	*	*	*	*	*	1.4	3.2	7.4	11.0	18.2	*
2002.....	1.4	*	*	*	*	*	*	2.5	5.8	9.3	11.0	*
2001.....	1.5	*	*	*	*	*	0.8	2.2	6.0	10.1	14.8	*
2000.....	1.4	*	*	*	*	*	0.8	3.1	3.6	10.3	12.2	*
1999.....	1.5	*	*	*	*	*	*	2.7	5.2	9.3	12.8	*

Worktable Orig12. Death rates for 358 selected causes, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2006

[Rates per 100,000 population in specified group. Rates are based on populations enumerated as of April 1 for 2000 and estimated as of July 1 for all other years. Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to 'Detailed technical notes to the United States 2006 data-mortality']

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, and sex	All ages 1/	Under 1 year 2/	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
Other diseases of liver (K71-K72,K75-K76)												
Non-Hispanic 4/, both sexes												
2006.....	3.3	1.8	*	*	0.1	0.5	1.6	4.9	7.6	8.9	10.7	11.1
2005.....	3.3	2.0	0.2	0.1	0.1	0.4	1.6	4.9	7.0	9.2	11.1	12.6
2004.....	3.2	2.4	0.2	*	0.2	0.4	1.8	4.9	6.8	8.8	11.1	13.2
2003.....	3.2	1.5	0.2	*	0.2	0.5	2.0	5.1	6.7	9.0	10.6	13.4
2002.....	3.1	1.9	*	0.1	0.1	0.4	2.0	5.0	6.0	8.3	10.3	14.4
2001.....	2.9	1.7	0.2	0.1	0.1	0.4	1.7	4.4	5.9	7.8	10.8	13.6
2000.....	2.7	2.1	0.2	*	0.1	0.4	1.7	4.1	5.5	7.9	10.0	13.4
1999.....	2.7	2.1	*	*	0.1	0.4	1.7	3.8	5.5	8.6	10.1	13.7
Non-Hispanic 4/, male												
2006.....	3.8	1.6	*	*	0.1	0.5	1.7	6.4	10.2	10.1	12.6	12.9
2005.....	3.8	2.6	*	*	*	0.4	1.9	6.8	9.2	10.7	13.0	15.7
2004.....	3.7	2.4	*	*	0.1	0.5	2.1	6.8	8.8	10.2	12.8	15.2
2003.....	3.8	2.1	*	*	0.1	0.5	2.2	6.9	8.8	11.0	12.3	16.4
2002.....	3.7	2.7	*	*	*	0.4	2.4	7.0	7.9	10.7	13.0	18.9
2001.....	3.4	2.1	*	*	0.1	0.4	2.2	6.1	7.6	9.6	13.8	17.0
2000.....	3.1	2.8	*	*	0.1	0.4	2.1	5.5	6.7	9.5	12.5	17.4
1999.....	3.2	2.8	*	*	*	0.5	2.1	5.2	7.2	10.5	12.3	18.5
Non-Hispanic 4/, female												
2006.....	2.8	1.9	*	*	0.2	0.5	1.4	3.5	5.1	7.8	9.4	10.3
2005.....	2.7	1.4	*	*	0.2	0.4	1.4	3.1	4.9	7.8	9.9	11.2
2004.....	2.8	2.4	*	*	0.2	0.4	1.6	3.1	4.9	7.7	10.0	12.3
2003.....	2.7	*	*	*	0.2	0.5	1.7	3.3	4.8	7.3	9.4	12.0
2002.....	2.5	*	*	*	0.1	0.4	1.6	3.1	4.2	6.4	8.5	12.4
2001.....	2.4	1.4	*	*	0.1	0.4	1.2	2.7	4.3	6.3	8.9	12.2
2000.....	2.3	*	*	*	*	0.4	1.3	2.6	4.3	6.6	8.4	11.8
1999.....	2.3	*	*	*	0.1	0.3	1.3	2.5	4.0	7.0	8.6	11.7
Non-Hispanic white, both sexes												
2006 5/.....	3.4	1.4	*	*	0.1	0.5	1.6	4.8	7.2	8.7	10.8	11.3
2005 5/.....	3.4	1.6	*	*	0.1	0.4	1.6	4.6	6.9	8.9	11.1	12.4
2004 5/.....	3.3	1.6	*	*	0.1	0.4	1.7	4.6	6.4	8.6	11.2	13.2
2003 5/.....	3.3	1.2	*	*	0.1	0.4	1.9	4.8	6.4	8.8	10.6	13.2
2002.....	3.1	1.5	*	*	0.1	0.4	1.9	4.7	5.6	8.3	10.2	14.5
2001.....	2.9	1.2	*	*	0.1	0.3	1.6	4.1	5.5	7.7	10.7	13.6
2000.....	2.7	1.7	*	*	0.1	0.3	1.6	3.6	5.0	7.8	9.9	13.3
1999.....	2.7	1.3	*	*	0.1	0.3	1.5	3.4	5.0	8.3	10.1	13.6
Non-Hispanic white, male												
2006 5/.....	4.0	*	*	*	*	0.5	1.7	6.3	9.6	10.0	12.8	13.4
2005 5/.....	4.0	1.9	*	*	*	0.4	1.8	6.5	9.1	10.6	13.0	15.6
2004 5/.....	3.8	*	*	*	*	0.5	2.0	6.3	8.2	10.1	12.8	16.1
2003 5/.....	3.8	1.7	*	*	*	0.4	2.2	6.5	8.2	10.6	12.5	16.1
2002.....	3.8	2.1	*	*	*	0.4	2.3	6.6	7.4	10.7	12.7	19.2
2001.....	3.5	*	*	*	*	0.3	2.0	5.8	7.2	9.6	13.3	16.9
2000.....	3.1	2.1	*	*	*	0.3	2.0	4.9	6.1	9.3	12.5	17.2
1999.....	3.2	*	*	*	*	0.4	1.9	4.7	6.6	10.3	12.5	19.0
Non-Hispanic white, female												
2006 5/.....	2.9	*	*	*	*	0.5	1.4	3.3	4.8	7.6	9.4	10.3
2005 5/.....	2.8	*	*	*	*	0.3	1.4	2.8	4.8	7.5	9.7	11.0
2004 5/.....	2.8	*	*	*	*	0.3	1.5	2.8	4.6	7.4	10.0	11.9
2003 5/.....	2.8	*	*	*	*	0.4	1.6	3.1	4.7	7.3	9.3	11.9
2002.....	2.5	*	*	*	*	0.3	1.5	2.8	4.0	6.2	8.5	12.4
2001.....	2.4	*	*	*	*	0.4	1.2	2.5	4.0	6.1	8.9	12.2
2000.....	2.3	*	*	*	*	0.3	1.1	2.3	4.0	6.5	8.2	11.8
1999.....	2.3	*	*	*	*	0.2	1.1	2.1	3.5	6.7	8.5	11.4

Worktable Orig12. Death rates for 358 selected causes, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2006

[Rates per 100,000 population in specified group. Rates are based on populations enumerated as of April 1 for 2000 and estimated as of July 1 for all other years. Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.odc.gov/nchs> and refer to 'Detailed technical notes to the United States 2006 data-mortality']

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, and sex	All ages 1/	Under 1 year 2/	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
Other diseases of liver (K71-K72,K75-K76)												
Non-Hispanic black, both sexes												
2006 5/.....	3.1	3.3	*	*	0.3	0.5	1.7	6.5	11.0	10.8	9.8	10.6
2005 5/.....	3.2	3.8	*	*	*	0.7	2.0	7.3	9.3	10.7	12.4	12.3
2004 5/.....	3.3	5.4	*	*	0.3	0.6	2.5	7.7	10.3	10.9	11.0	12.4
2003 5/.....	3.3	*	*	*	0.5	0.9	2.3	7.8	10.1	11.4	9.9	15.2
2002.....	3.1	3.7	*	*	*	0.6	2.5	7.8	9.1	10.0	11.1	15.1
2001.....	3.0	3.6	*	*	*	0.6	2.5	6.9	9.8	10.2	12.8	11.5
2000.....	3.1	4.2	*	*	*	0.8	2.7	7.5	9.4	10.1	11.0	12.4
1999.....	3.1	5.1	*	*	*	0.7	2.8	7.2	9.8	10.9	10.4	13.6
Non-Hispanic black, male												
2006 5/.....	3.6	*	*	*	*	*	2.0	8.3	16.0	13.4	11.1	*
2005 5/.....	3.7	*	*	*	*	*	2.1	10.4	12.6	12.9	13.7	*
2004 5/.....	3.9	*	*	*	*	0.8	2.8	10.5	15.3	13.3	12.8	*
2003 5/.....	4.0	*	*	*	*	0.8	2.1	10.9	14.9	16.9	11.8	*
2002.....	3.7	*	*	*	*	*	2.5	10.8	13.2	12.4	15.2	*
2001.....	3.7	*	*	*	*	*	3.2	9.8	12.8	12.2	18.9	*
2000.....	3.7	*	*	*	*	0.8	3.1	10.5	12.8	13.0	12.6	*
1999.....	3.5	7.3	*	*	*	*	3.2	10.0	12.9	12.9	9.7	*
Non-Hispanic black, female												
2006 5/.....	2.6	*	*	*	*	*	1.6	4.9	7.0	8.9	9.0	11.2
2005 5/.....	2.7	*	*	*	*	0.9	2.0	4.6	6.6	9.2	11.6	13.0
2004 5/.....	2.8	*	*	*	*	*	2.2	5.2	6.3	9.2	10.0	14.9
2003 5/.....	2.7	*	*	*	*	0.9	2.4	5.2	6.3	7.4	8.8	13.6
2002.....	2.6	*	*	*	*	*	2.5	5.3	5.8	8.3	8.8	13.4
2001.....	2.5	*	*	*	*	*	1.8	4.5	7.3	8.9	9.4	10.3
2000.....	2.5	*	*	*	*	*	2.3	4.8	6.7	8.0	10.1	10.9
1999.....	2.7	*	*	*	*	0.8	2.6	4.8	7.4	9.4	10.9	13.3

Worktable Orig12. Death rates for 358 selected causes, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2006

[Rates per 100,000 population in specified group. Rates are based on populations enumerated as of April 1 for 2000 and estimated as of July 1 for all other years. Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to 'Detailed technical notes to the United States 2006 data-mortality']

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, and sex	All ages 1/	Under 1 year 2/	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
Cholelithiasis and other disorders of gallbladder (K80-K82)												
All origins 3/, both sexes												
2006.....	1.0	*	*	*	*	0.0	0.1	0.3	0.9	2.5	7.8	21.8
2005.....	1.0	*	*	*	*	*	0.1	0.3	0.7	2.4	8.1	22.9
2004.....	1.1	*	*	*	*	*	0.1	0.3	0.8	2.5	7.8	23.8
2003.....	1.0	*	*	*	*	0.1	0.1	0.3	0.7	2.7	8.2	21.8
2002.....	1.0	*	*	*	*	0.1	0.1	0.3	0.8	2.8	7.8	22.9
2001.....	1.0	*	*	*	*	*	0.1	0.3	1.0	2.9	7.5	23.7
2000.....	1.0	*	*	*	*	*	0.1	0.3	0.8	2.4	7.5	24.8
1999.....	1.0	*	*	*	*	*	0.1	0.3	0.9	2.6	7.8	23.9
All origins 3/, male												
2006.....	0.9	*	*	*	*	*	0.1	0.3	0.9	3.1	9.6	21.7
2005.....	0.9	*	*	*	*	*	*	0.3	0.8	3.2	9.4	24.3
2004.....	0.9	*	*	*	*	*	0.1	0.4	1.0	2.9	9.3	25.5
2003.....	0.9	*	*	*	*	*	0.1	0.3	0.8	3.2	10.1	22.7
2002.....	0.9	*	*	*	*	*	0.1	0.4	1.0	3.1	9.8	24.1
2001.....	1.0	*	*	*	*	*	0.1	0.4	1.2	3.2	9.3	26.9
2000.....	0.9	*	*	*	*	*	0.1	0.3	0.9	2.9	9.4	27.6
1999.....	0.9	*	*	*	*	*	0.1	0.3	1.1	3.0	9.3	27.7
All origins 3/, female												
2006.....	1.1	*	*	*	*	*	0.1	0.3	0.8	2.0	6.6	21.9
2005.....	1.1	*	*	*	*	*	0.1	0.3	0.6	1.8	7.2	22.3
2004.....	1.2	*	*	*	*	*	0.1	0.3	0.7	2.1	6.8	23.0
2003.....	1.1	*	*	*	*	*	*	0.3	0.5	2.2	6.9	21.4
2002.....	1.1	*	*	*	*	*	0.1	0.2	0.7	2.5	6.4	22.4
2001.....	1.1	*	*	*	*	*	*	0.3	0.8	2.6	6.3	22.4
2000.....	1.1	*	*	*	*	*	0.1	0.3	0.6	2.1	6.2	23.7
1999.....	1.1	*	*	*	*	*	0.1	0.4	0.7	2.2	6.8	22.4
Hispanic, both sexes												
2006.....	0.4	*	*	*	*	*	*	*	0.9	2.5	8.6	20.0
2005.....	0.5	*	*	*	*	*	*	*	1.0	3.4	7.7	29.9
2004.....	0.5	*	*	*	*	*	*	*	1.0	2.8	9.6	27.1
2003.....	0.4	*	*	*	*	*	*	*	*	3.6	9.5	18.7
2002.....	0.5	*	*	*	*	*	*	*	1.3	3.6	9.2	24.4
2001.....	0.5	*	*	*	*	*	*	*	1.2	4.5	8.5	31.3
2000.....	0.5	*	*	*	*	*	*	*	*	3.8	10.1	29.2
1999.....	0.5	*	*	*	*	*	*	*	1.2	3.3	11.9	32.3
Hispanic, male												
2006.....	0.3	*	*	*	*	*	*	*	*	*	9.5	*
2005.....	0.5	*	*	*	*	*	*	*	*	4.1	10.4	28.6
2004.....	0.5	*	*	*	*	*	*	*	*	*	12.2	*
2003.....	0.5	*	*	*	*	*	*	*	*	4.4	13.8	*
2002.....	0.5	*	*	*	*	*	*	*	*	4.0	9.4	*
2001.....	0.5	*	*	*	*	*	*	*	*	5.0	11.2	*
2000.....	0.5	*	*	*	*	*	*	*	*	5.3	15.7	*
1999.....	0.5	*	*	*	*	*	*	*	*	*	15.1	*
Hispanic, female												
2006.....	0.5	*	*	*	*	*	*	*	*	*	8.0	22.8
2005.....	0.6	*	*	*	*	*	*	*	*	2.9	5.8	30.6
2004.....	0.6	*	*	*	*	*	*	*	*	2.8	7.9	31.0
2003.....	0.4	*	*	*	*	*	*	*	*	2.9	6.6	19.5
2002.....	0.5	*	*	*	*	*	*	*	*	3.2	9.0	23.2
2001.....	0.6	*	*	*	*	*	*	*	*	4.1	6.6	30.7
2000.....	0.5	*	*	*	*	*	*	*	*	*	*	31.7
1999.....	0.6	*	*	*	*	*	*	*	*	*	9.7	32.2

Worktable Orig12. Death rates for 358 selected causes, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2006

[Rates per 100,000 population in specified group. Rates are based on populations enumerated as of April 1 for 2000 and estimated as of July 1 for all other years. Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to 'Detailed technical notes to the United States 2006 data-mortality']

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, and sex	All ages 1/	Under 1 year 2/	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
Cholelithiasis and other disorders of gallbladder (K80-K82)												
Non-Hispanic 4/, both sexes												
2006.....	1.1	*	*	*	*	*	0.1	0.3	0.9	2.5	7.8	21.9
2005.....	1.1	*	*	*	*	*	0.1	0.3	0.7	2.3	8.1	22.6
2004.....	1.1	*	*	*	*	*	0.1	0.3	0.8	2.4	7.7	23.6
2003.....	1.1	*	*	*	*	0.1	0.1	0.3	0.7	2.6	8.1	21.9
2002.....	1.1	*	*	*	*	*	0.1	0.3	0.8	2.7	7.7	22.8
2001.....	1.1	*	*	*	*	*	0.1	0.3	0.9	2.8	7.5	23.4
2000.....	1.1	*	*	*	*	*	0.1	0.3	0.8	2.3	7.4	24.6
1999.....	1.1	*	*	*	*	*	0.1	0.3	0.8	2.5	7.6	23.6
Non-Hispanic 4/, male												
2006.....	1.0	*	*	*	*	*	*	0.3	0.9	3.1	9.6	22.0
2005.....	1.0	*	*	*	*	*	*	0.3	0.8	3.1	9.3	24.0
2004.....	1.0	*	*	*	*	*	0.1	0.3	0.9	2.9	9.1	25.8
2003.....	1.0	*	*	*	*	*	*	0.3	0.8	3.1	9.9	23.0
2002.....	1.0	*	*	*	*	*	0.1	0.4	0.9	3.0	9.8	23.9
2001.....	1.0	*	*	*	*	*	0.1	0.4	1.1	3.1	9.2	26.6
2000.....	1.0	*	*	*	*	*	0.1	0.3	0.9	2.7	9.2	27.7
1999.....	1.0	*	*	*	*	*	0.1	0.3	1.0	3.0	9.0	27.5
Non-Hispanic 4/, female												
2006.....	1.2	*	*	*	*	*	*	0.3	0.8	1.9	6.5	21.9
2005.....	1.2	*	*	*	*	*	0.1	0.2	0.6	1.7	7.3	21.9
2004.....	1.2	*	*	*	*	*	0.1	0.3	0.7	2.0	6.7	22.6
2003.....	1.2	*	*	*	*	*	*	0.3	0.5	2.2	6.9	21.4
2002.....	1.2	*	*	*	*	*	0.1	0.2	0.6	2.4	6.3	22.4
2001.....	1.2	*	*	*	*	*	*	0.3	0.8	2.5	6.3	22.1
2000.....	1.2	*	*	*	*	*	0.1	0.3	0.6	2.0	6.2	23.4
1999.....	1.2	*	*	*	*	*	0.1	0.3	0.7	2.1	6.6	22.0
Non-Hispanic white, both sexes												
2006 5/.....	1.2	*	*	*	*	*	0.1	0.3	0.8	2.2	7.7	22.4
2005 5/.....	1.2	*	*	*	*	*	*	0.2	0.6	2.1	8.1	22.7
2004 5/.....	1.2	*	*	*	*	*	0.1	0.3	0.7	2.3	7.5	24.0
2003 5/.....	1.2	*	*	*	*	*	0.1	0.2	0.6	2.6	8.1	22.0
2002.....	1.2	*	*	*	*	*	0.1	0.3	0.7	2.6	7.5	23.4
2001.....	1.2	*	*	*	*	*	0.1	0.3	0.8	2.6	7.3	23.6
2000.....	1.2	*	*	*	*	*	0.1	0.2	0.7	2.2	7.3	25.3
1999.....	1.2	*	*	*	*	*	0.1	0.3	0.7	2.4	7.6	24.0
Non-Hispanic white, male												
2006 5/.....	1.1	*	*	*	*	*	*	0.3	0.8	2.8	9.6	23.2
2005 5/.....	1.1	*	*	*	*	*	*	0.2	0.7	2.9	9.5	24.5
2004 5/.....	1.1	*	*	*	*	*	*	0.3	0.9	2.9	9.1	27.0
2003 5/.....	1.1	*	*	*	*	*	*	0.2	0.7	3.1	9.8	23.3
2002.....	1.1	*	*	*	*	*	*	0.3	0.9	3.0	9.8	24.5
2001.....	1.1	*	*	*	*	*	*	0.4	1.0	2.9	9.2	26.4
2000.....	1.0	*	*	*	*	*	*	0.2	0.8	2.6	9.3	28.9
1999.....	1.1	*	*	*	*	*	*	0.3	0.9	2.9	9.3	27.8
Non-Hispanic white, female												
2006 5/.....	1.3	*	*	*	*	*	*	0.2	0.7	1.6	6.4	22.0
2005 5/.....	1.3	*	*	*	*	*	*	0.2	0.5	1.4	7.1	21.8
2004 5/.....	1.3	*	*	*	*	*	*	0.2	0.6	1.8	6.5	22.7
2003 5/.....	1.3	*	*	*	*	*	*	0.2	0.5	2.1	6.9	21.4
2002.....	1.3	*	*	*	*	*	*	0.2	0.6	2.3	6.1	22.9
2001.....	1.3	*	*	*	*	*	*	0.2	0.7	2.2	6.1	22.4
2000.....	1.3	*	*	*	*	*	*	0.2	0.6	1.8	6.0	23.9
1999.....	1.3	*	*	*	*	*	*	0.3	0.6	1.9	6.5	22.5

Worktable Orig12. Death rates for 358 selected causes, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2006

[Rates per 100,000 population in specified group. Rates are based on populations enumerated as of April 1 for 2000 and estimated as of July 1 for all other years. Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to 'Detailed technical notes to the United States 2006 data-mortality']

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, and sex	All ages 1/	Under 1 year 2/	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
Cholelithiasis and other disorders of gallbladder (K80-K82)												
Non-Hispanic black, both sexes												
2006 5/.....	0.9	*	*	*	*	*	*	0.6	1.4	4.1	9.3	17.5
2005 5/.....	0.9	*	*	*	*	*	*	0.6	1.2	4.2	9.4	21.0
2004 5/.....	0.8	*	*	*	*	*	*	0.8	1.6	3.6	9.3	19.6
2003 5/.....	0.8	*	*	*	*	*	*	0.7	1.2	3.0	8.1	21.1
2002.....	0.7	*	*	*	*	*	*	0.6	1.1	3.3	9.6	15.1
2001.....	0.9	*	*	*	*	*	*	0.7	1.7	4.8	8.3	20.0
2000.....	0.8	*	*	*	*	*	*	0.7	1.2	3.8	8.3	18.1
1999.....	0.7	*	*	*	*	*	0.4	0.5	1.5	3.7	7.3	15.5
Non-Hispanic black, male												
2006 5/.....	0.6	*	*	*	*	*	*	*	1.6	3.8	9.7	*
2005 5/.....	0.8	*	*	*	*	*	*	*	*	5.3	10.4	20.0
2004 5/.....	0.7	*	*	*	*	*	*	1.0	1.6	3.7	9.1	*
2003 5/.....	0.7	*	*	*	*	*	*	*	*	3.3	10.7	21.3
2002.....	0.6	*	*	*	*	*	*	*	*	*	10.8	*
2001.....	0.8	*	*	*	*	*	*	*	2.2	5.0	6.3	27.7
2000.....	0.6	*	*	*	*	*	*	*	*	3.4	8.0	*
1999.....	0.6	*	*	*	*	*	*	*	*	3.8	7.2	*
Non-Hispanic black, female												
2006 5/.....	1.0	*	*	*	*	*	*	*	1.3	4.2	9.0	20.2
2005 5/.....	1.0	*	*	*	*	*	*	*	*	3.4	8.9	21.4
2004 5/.....	1.0	*	*	*	*	*	*	*	1.6	3.6	9.3	21.7
2003 5/.....	0.8	*	*	*	*	*	*	0.8	*	2.8	6.7	21.0
2002.....	0.8	*	*	*	*	*	*	*	*	3.8	9.0	16.3
2001.....	1.0	*	*	*	*	*	*	*	*	4.6	9.4	17.1
2000.....	1.0	*	*	*	*	*	*	*	*	4.0	8.5	19.6
1999.....	0.8	*	*	*	*	*	*	*	*	3.6	7.4	15.5

Worktable Orig12. Death rates for 358 selected causes, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2006

[Rates per 100,000 population in specified group. Rates are based on populations enumerated as of April 1 for 2000 and estimated as of July 1 for all other years. Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to 'Detailed technical notes to the United States 2006 data-mortality']

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, and sex	All ages 1/	Under 1 year 2/	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
Disorders of biliary tract and pancreas (K83-K86)												
All origins 3/, both sexes												
2006.....	1.7	*	*	*	0.1	0.3	0.8	1.4	2.3	4.4	9.1	21.2
2005.....	1.6	*	*	*	0.1	0.3	0.8	1.4	2.2	4.5	9.4	21.0
2004.....	1.7	*	*	*	0.1	0.3	0.8	1.4	2.2	4.7	9.4	20.8
2003.....	1.7	*	*	*	0.1	0.3	0.8	1.4	2.3	4.8	10.0	21.9
2002.....	1.7	*	*	*	0.1	0.3	0.8	1.4	2.5	4.8	9.7	21.7
2001.....	1.7	*	*	*	0.1	0.4	0.9	1.6	2.5	5.1	9.4	22.9
2000.....	1.7	*	*	*	0.1	0.3	0.8	1.4	2.5	4.6	9.4	22.0
1999.....	1.6	*	*	*	0.1	0.4	0.8	1.4	2.4	4.5	8.5	22.2
All origins 3/, male												
2006.....	1.8	*	*	*	0.1	0.5	1.0	2.0	3.0	6.1	10.4	18.5
2005.....	1.8	*	*	*	0.1	0.4	1.1	1.9	3.0	5.4	11.5	21.5
2004.....	1.8	*	*	*	0.1	0.5	1.1	2.0	3.0	5.7	10.6	21.1
2003.....	1.8	*	*	*	0.1	0.4	1.0	1.9	3.1	6.1	11.8	20.7
2002.....	1.9	*	*	*	0.2	0.5	1.1	2.0	3.4	6.4	11.9	21.2
2001.....	1.8	*	*	*	0.1	0.5	1.1	2.0	3.3	6.5	10.2	22.4
2000.....	1.8	*	*	*	0.1	0.5	1.2	1.9	3.0	5.9	11.4	22.9
1999.....	1.7	*	*	*	0.1	0.5	1.1	1.9	3.1	5.6	10.1	23.1
All origins 3/, female												
2006.....	1.6	*	*	*	0.2	0.5	0.8	1.6	2.9	8.2	22.5	
2005.....	1.5	*	*	*	0.2	0.5	0.9	1.4	3.7	8.1	20.7	
2004.....	1.6	*	*	*	0.1	0.5	0.9	1.5	3.8	8.6	20.7	
2003.....	1.6	*	*	*	0.2	0.6	0.9	1.5	3.7	8.8	22.4	
2002.....	1.5	*	*	*	0.2	0.5	0.8	1.6	3.5	8.3	21.9	
2001.....	1.7	*	*	*	0.3	0.6	1.1	1.8	3.9	8.8	23.2	
2000.....	1.6	*	*	*	0.2	0.5	1.0	2.0	3.5	8.0	21.6	
1999.....	1.5	*	*	*	0.1	0.2	0.5	0.9	1.7	3.6	7.4	21.8
Hispanic, both sexes												
2006.....	0.7	*	*	*	0.3	0.6	0.7	1.6	4.1	9.9	19.6	
2005.....	0.7	*	*	*	0.3	0.4	0.9	1.7	4.2	10.0	15.8	
2004.....	0.7	*	*	*	0.3	0.5	0.8	1.6	3.7	9.6	18.1	
2003.....	0.7	*	*	*	0.3	0.6	1.0	2.0	3.8	10.1	18.1	
2002.....	0.8	*	*	*	0.3	0.6	1.2	1.5	4.7	8.5	22.7	
2001.....	0.7	*	*	*	0.3	0.6	0.9	1.9	4.8	10.8	18.8	
2000.....	0.8	*	*	*	0.3	0.8	1.1	1.9	4.0	10.7	27.2	
1999.....	0.8	*	*	*	0.4	0.7	1.0	2.3	5.1	8.3	30.9	
Hispanic, male												
2006.....	0.8	*	*	*	0.4	0.7	1.1	2.0	5.7	9.5	*	
2005.....	0.8	*	*	*	0.3	0.6	1.3	2.6	4.7	11.0	*	
2004.....	0.8	*	*	*	0.5	0.8	1.3	2.4	4.4	10.7	*	
2003.....	0.9	*	*	*	0.5	0.8	1.5	3.0	5.2	15.0	*	
2002.....	0.9	*	*	*	0.7	1.4	2.6	5.9	13.1	*	*	
2001.....	0.7	*	*	*	0.8	*	2.4	5.4	9.4	*	*	
2000.....	0.9	*	*	*	1.3	1.5	*	4.6	14.3	*	*	
1999.....	0.9	*	*	*	0.8	1.7	*	6.8	10.9	*	*	
Hispanic, female												
2006.....	0.7	*	*	*	*	*	*	*	2.8	10.2	22.8	
2005.....	0.6	*	*	*	*	*	*	*	3.7	9.3	18.2	
2004.....	0.6	*	*	*	*	*	*	*	3.1	8.9	18.0	
2003.....	0.6	*	*	*	*	*	*	*	*	6.8	21.1	
2002.....	0.6	*	*	*	*	*	*	*	3.6	*	25.7	
2001.....	0.8	*	*	*	*	*	*	*	4.3	11.8	24.2	
2000.....	0.7	*	*	*	*	*	*	*	3.5	8.3	23.7	
1999.....	0.7	*	*	*	*	*	*	2.3	3.8	*	30.2	

Worktable Orig12. Death rates for 358 selected causes, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2006

[Rates per 100,000 population in specified group. Rates are based on populations enumerated as of April 1 for 2000 and estimated as of July 1 for all other years. Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to 'Detailed technical notes to the United States 2006 data-mortality']

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, and sex	All ages 1/	Under 1 year 2/	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
Disorders of biliary tract and pancreas (K83-K86)												
Non-Hispanic 4/, both sexes												
2006.....	1.8	*	*	*	0.1	0.3	0.8	1.4	2.3	4.4	9.0	21.3
2005.....	1.8	*	*	*	0.1	0.3	0.8	1.4	2.2	4.5	9.4	21.2
2004.....	1.8	*	*	*	0.1	0.3	0.8	1.5	2.3	4.7	9.4	20.9
2003.....	1.8	*	*	*	0.1	0.3	0.8	1.4	2.3	4.9	10.0	22.0
2002.....	1.8	*	*	*	0.1	0.3	0.8	1.4	2.6	4.8	9.8	21.6
2001.....	1.9	*	*	*	0.1	0.4	0.9	1.6	2.6	5.1	9.3	23.0
2000.....	1.8	*	*	*	0.1	0.4	0.8	1.4	2.5	4.6	9.3	21.8
1999.....	1.7	*	*	*	0.1	0.3	0.8	1.5	2.4	4.4	8.4	21.8
Non-Hispanic 4/, male												
2006.....	2.0	*	*	*	*	0.5	1.1	2.1	3.1	6.2	10.5	18.8
2005.....	1.9	*	*	*	*	0.4	1.2	1.9	3.0	5.4	11.5	22.0
2004.....	1.9	*	*	*	*	0.5	1.2	2.0	3.1	5.8	10.6	21.2
2003.....	1.9	*	*	*	*	0.4	1.1	1.9	3.1	6.2	11.6	20.9
2002.....	2.0	*	*	*	0.1	0.5	1.1	2.1	3.5	6.4	11.8	21.3
2001.....	2.0	*	*	*	*	0.5	1.2	2.1	3.3	6.5	10.2	22.9
2000.....	1.9	*	*	*	*	0.5	1.2	1.9	3.1	5.9	11.3	22.4
1999.....	1.8	*	*	*	*	0.5	1.1	1.9	3.2	5.5	10.0	22.7
Non-Hispanic 4/, female												
2006.....	1.7	*	*	*	*	0.2	0.6	0.8	1.6	2.9	8.0	22.5
2005.....	1.7	*	*	*	*	0.2	0.5	0.9	1.4	3.7	8.0	20.8
2004.....	1.7	*	*	*	*	0.1	0.5	1.0	1.5	3.8	8.6	20.8
2003.....	1.8	*	*	*	*	0.2	0.6	0.9	1.6	3.8	8.9	22.5
2002.....	1.7	*	*	*	*	0.2	0.6	0.8	1.7	3.5	8.4	21.7
2001.....	1.8	*	*	*	*	0.3	0.6	1.1	1.9	3.9	8.7	23.1
2000.....	1.7	*	*	*	*	0.2	0.5	1.0	2.0	3.5	8.0	21.5
1999.....	1.6	*	*	*	*	0.2	0.5	1.0	1.7	3.6	7.4	21.4
Non-Hispanic white, both sexes												
2006 5/.....	1.9	*	*	*	*	0.3	0.8	1.3	2.2	4.4	9.2	21.3
2005 5/.....	1.9	*	*	*	*	0.2	0.8	1.3	2.0	4.4	9.3	21.4
2004 5/.....	1.9	*	*	*	0.1	0.3	0.7	1.3	2.0	4.6	9.4	21.1
2003 5/.....	1.9	*	*	*	*	0.3	0.7	1.2	2.1	4.6	10.2	22.0
2002.....	1.9	*	*	*	0.1	0.3	0.8	1.2	2.4	4.8	9.9	21.8
2001.....	2.0	*	*	*	*	0.3	0.8	1.4	2.4	5.0	9.3	23.1
2000.....	1.8	*	*	*	*	0.3	0.8	1.3	2.3	4.3	9.2	21.7
1999.....	1.7	*	*	*	0.1	0.3	0.7	1.2	2.2	4.4	8.3	21.5
Non-Hispanic white, male												
2006 5/.....	2.1	*	*	*	*	0.4	1.0	1.9	2.9	6.2	10.6	19.2
2005 5/.....	2.0	*	*	*	*	0.3	1.1	1.7	2.8	5.3	11.4	22.7
2004 5/.....	2.0	*	*	*	*	0.4	1.1	1.8	2.7	5.7	10.6	21.5
2003 5/.....	2.0	*	*	*	*	0.4	0.8	1.7	2.7	5.9	11.7	20.7
2002.....	2.1	*	*	*	*	0.4	1.0	1.8	3.2	6.3	12.0	21.2
2001.....	2.0	*	*	*	*	0.4	1.1	1.8	3.1	6.5	10.3	22.8
2000.....	1.9	*	*	*	*	0.4	1.0	1.7	2.8	5.6	11.2	21.5
1999.....	1.8	*	*	*	*	0.4	1.0	1.6	2.8	5.6	9.9	21.4
Non-Hispanic white, female												
2006 5/.....	1.8	*	*	*	*	0.2	0.5	0.8	1.6	2.8	8.2	22.2
2005 5/.....	1.8	*	*	*	*	*	0.5	0.8	1.3	3.6	7.9	20.9
2004 5/.....	1.8	*	*	*	*	*	0.4	0.9	1.3	3.7	8.5	20.9
2003 5/.....	1.9	*	*	*	*	*	0.5	0.7	1.5	3.5	9.1	22.6
2002.....	1.8	*	*	*	*	0.2	0.5	0.7	1.6	3.5	8.5	22.0
2001.....	1.9	*	*	*	*	0.2	0.5	1.0	1.8	3.7	8.7	23.2
2000.....	1.8	*	*	*	*	0.2	0.5	0.9	1.8	3.3	7.9	21.7
1999.....	1.7	*	*	*	*	0.2	0.5	0.9	1.5	3.4	7.2	21.5

Worktable Orig12. Death rates for 358 selected causes, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2006

[Rates per 100,000 population in specified group. Rates are based on populations enumerated as of April 1 for 2000 and estimated as of July 1 for all other years. Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.odc.gov/nchs> and refer to 'Detailed technical notes to the United States 2006 data-mortality']

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, and sex	All ages 1/	Under 1 year 2/	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
Disorders of biliary tract and pancreas (K83-K86)												
Non-Hispanic black, both sexes												
2006 5/.....	1.6	*	*	*	*	0.5	1.2	2.4	3.9	5.4	7.8	22.3
2005 5/.....	1.7	*	*	*	*	0.4	1.2	2.8	3.8	5.5	11.1	20.2
2004 5/.....	1.9	*	*	*	*	0.6	1.6	3.0	4.9	6.5	10.7	20.7
2003 5/.....	1.9	*	*	*	*	0.6	1.9	3.2	4.6	7.5	8.9	23.8
2002.....	1.8	*	*	*	*	0.6	1.5	3.1	4.6	6.1	8.8	21.8
2001.....	2.0	*	*	*	*	0.8	2.0	3.8	4.2	6.7	9.5	22.2
2000.....	1.9	*	*	*	*	0.8	1.5	3.0	4.6	7.4	10.1	23.8
1999.....	1.8	*	*	*	*	0.7	1.5	3.4	4.8	5.5	10.0	23.3
Non-Hispanic black, male												
2006 5/.....	1.9	*	*	*	*	*	1.7	3.8	6.0	7.7	9.2	*
2005 5/.....	2.0	*	*	*	*	*	1.8	4.0	5.2	7.1	13.7	*
2004 5/.....	2.2	*	*	*	*	1.0	2.0	4.4	6.9	8.7	12.3	*
2003 5/.....	2.3	*	*	*	*	*	2.8	4.2	6.9	9.3	11.5	26.6
2002.....	2.2	*	*	*	*	0.9	2.0	4.7	6.6	8.6	10.0	26.3
2001.....	2.2	*	*	*	*	1.1	2.4	5.2	6.0	8.8	10.2	*
2000.....	2.2	*	*	*	*	1.1	2.2	4.2	6.1	10.3	12.0	32.9
1999.....	2.2	*	*	*	*	1.2	2.2	5.3	6.6	6.2	10.9	33.3
Non-Hispanic black, female												
2006 5/.....	1.3	*	*	*	*	*	0.8	1.2	2.2	3.7	6.9	26.2
2005 5/.....	1.4	*	*	*	*	*	*	1.7	2.6	4.4	9.5	21.1
2004 5/.....	1.6	*	*	*	*	*	1.2	1.8	3.3	4.9	9.8	21.3
2003 5/.....	1.6	*	*	*	*	*	1.1	2.3	2.8	6.3	7.3	22.7
2002.....	1.4	*	*	*	*	*	1.0	1.7	3.0	4.3	8.1	20.1
2001.....	1.7	*	*	*	*	*	1.6	2.5	2.7	5.3	9.1	22.7
2000.....	1.6	*	*	*	*	*	0.8	2.0	3.4	5.3	9.0	20.5
1999.....	1.5	*	*	*	*	*	0.9	1.7	3.3	5.0	9.5	19.5

Worktable Orig12. Death rates for 358 selected causes, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2006

[Rates per 100,000 population in specified group. Rates are based on populations enumerated as of April 1 for 2000 and estimated as of July 1 for all other years. Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to 'Detailed technical notes to the United States 2006 data-mortality']

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, and sex	All ages 1/	Under 1 year 2/	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
Pancreatitis (K85,K86.0-K86.1)												
Non-Hispanic 4/, both sexes												
2006.....	1.3	*	*	*	*	0.3	0.7	1.3	1.9	3.3	5.6	11.7
2005.....	1.2	*	*	*	*	0.1	0.2	0.7	1.2	1.7	3.2	6.0
2004.....	1.3	*	*	*	*	0.1	0.3	0.7	1.3	1.8	3.5	5.9
2003.....	1.3	*	*	*	*	*	0.3	0.7	1.2	1.8	3.5	6.6
2002.....	1.3	*	*	*	*	0.1	0.3	0.7	1.2	2.1	3.4	6.6
2001.....	1.4	*	*	*	*	0.1	0.3	0.8	1.4	2.2	3.8	6.3
2000.....	1.3	*	*	*	*	0.1	0.3	0.8	1.2	2.0	3.4	6.3
1999.....	1.3	*	*	*	*	0.1	0.3	0.7	1.3	1.9	3.4	5.8
Non-Hispanic 4/, male												
2006.....	1.5	*	*	*	*	0.4	1.0	1.8	2.5	4.7	6.8	9.6
2005.....	1.4	*	*	*	*	0.3	1.0	1.7	2.3	4.0	7.4	11.8
2004.....	1.5	*	*	*	*	0.5	1.1	1.9	2.5	4.4	6.5	10.4
2003.....	1.4	*	*	*	*	0.4	1.0	1.7	2.5	4.5	7.6	10.7
2002.....	1.5	*	*	*	*	0.1	0.4	1.0	1.9	2.9	4.6	7.7
2001.....	1.5	*	*	*	*	0.4	1.1	1.8	2.8	4.9	6.9	13.3
2000.....	1.4	*	*	*	*	0.4	1.1	1.6	2.5	4.6	7.3	11.4
1999.....	1.4	*	*	*	*	0.5	1.0	1.7	2.5	4.4	6.8	12.5
Non-Hispanic 4/, female												
2006.....	1.1	*	*	*	*	0.2	0.5	0.7	1.2	2.1	4.8	12.6
2005.....	1.1	*	*	*	*	0.2	0.4	0.8	1.1	2.0	5.1	11.0
2004.....	1.1	*	*	*	*	0.1	0.4	0.8	1.2	2.7	5.4	11.9
2003.....	1.2	*	*	*	*	0.2	0.5	0.8	1.2	2.7	6.0	12.4
2002.....	1.1	*	*	*	*	0.2	0.5	0.7	1.4	2.4	5.9	12.1
2001.....	1.3	*	*	*	*	0.2	0.6	0.9	1.5	2.9	6.0	13.4
2000.....	1.2	*	*	*	*	0.2	0.4	0.9	1.6	2.5	5.6	12.2
1999.....	1.1	*	*	*	*	0.2	0.5	0.9	1.3	2.7	5.2	12.8
Non-Hispanic white, both sexes												
2006 5/.....	1.4	*	*	*	*	0.3	0.7	1.2	1.8	3.3	5.8	11.7
2005 5/.....	1.3	*	*	*	*	0.2	0.7	1.1	1.6	3.2	6.1	11.4
2004 5/.....	1.3	*	*	*	*	0.3	0.7	1.2	1.6	3.4	5.8	11.4
2003 5/.....	1.3	*	*	*	*	0.2	0.6	1.0	1.7	3.3	6.8	11.7
2002.....	1.4	*	*	*	*	0.2	0.7	1.1	2.0	3.4	6.8	12.0
2001.....	1.4	*	*	*	*	0.2	0.7	1.1	2.0	3.8	6.4	13.4
2000.....	1.3	*	*	*	*	0.3	0.7	1.1	1.8	3.3	6.3	12.0
1999.....	1.3	*	*	*	*	0.3	0.7	1.0	1.7	3.4	5.7	12.7
Non-Hispanic white, male												
2006 5/.....	1.5	*	*	*	*	0.4	0.9	1.6	2.3	4.7	7.0	9.9
2005 5/.....	1.5	*	*	*	*	0.3	1.0	1.5	2.2	3.9	7.5	12.5
2004 5/.....	1.4	*	*	*	*	0.4	1.0	1.6	2.2	4.2	6.4	10.5
2003 5/.....	1.4	*	*	*	*	0.3	0.7	1.4	2.2	4.2	7.6	10.4
2002.....	1.5	*	*	*	*	0.3	0.9	1.6	2.6	4.6	7.8	10.8
2001.....	1.5	*	*	*	*	0.3	0.9	1.5	2.6	5.0	6.9	13.4
2000.....	1.4	*	*	*	*	0.4	1.0	1.4	2.3	4.3	7.2	10.9
1999.....	1.3	*	*	*	*	0.4	0.9	1.3	2.3	4.3	6.8	11.7
Non-Hispanic white, female												
2006 5/.....	1.2	*	*	*	*	0.2	0.5	0.7	1.2	2.0	5.0	12.6
2005 5/.....	1.2	*	*	*	*	*	0.4	0.7	1.0	2.6	5.1	10.8
2004 5/.....	1.2	*	*	*	*	*	0.3	0.7	1.0	2.7	5.5	11.8
2003 5/.....	1.2	*	*	*	*	*	0.4	0.6	1.1	2.5	6.2	12.3
2002.....	1.2	*	*	*	*	*	0.5	0.5	1.3	2.4	6.1	12.4
2001.....	1.3	*	*	*	*	*	0.5	0.8	1.5	2.8	6.1	13.4
2000.....	1.2	*	*	*	*	*	0.4	0.8	1.4	2.4	5.6	12.5
1999.....	1.2	*	*	*	*	0.2	0.4	0.8	1.1	2.6	5.0	13.1

Worktable Orig12. Death rates for 358 selected causes, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2006

[Rates per 100,000 population in specified group. Rates are based on populations enumerated as of April 1 for 2000 and estimated as of July 1 for all other years. Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.odc.gov/nchs> and refer to 'Detailed technical notes to the United States 2006 data-mortality']

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, and sex	All ages 1/	Under 1 year 2/	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
Pancreatitis (K85,K86.0-K86.1)												
Non-Hispanic black, both sexes												
2006 5/.....	1.2	*	*	*	*	0.4	1.0	2.2	3.2	4.1	4.4	11.1
2005 5/.....	1.2	*	*	*	*	*	1.0	2.4	2.8	4.2	6.9	10.7
2004 5/.....	1.5	*	*	*	*	0.5	1.4	2.7	4.1	4.8	7.2	13.5
2003 5/.....	1.5	*	*	*	*	0.5	1.7	2.8	3.7	5.4	5.8	14.3
2002.....	1.3	*	*	*	*	0.5	1.3	2.7	3.9	3.8	5.3	11.5
2001.....	1.5	*	*	*	*	0.7	1.7	3.4	3.4	4.7	6.5	13.4
2000.....	1.5	*	*	*	*	0.7	1.4	2.6	4.0	5.5	6.2	12.1
1999.....	1.5	*	*	*	*	0.6	1.4	3.1	3.8	4.4	7.2	12.9
Non-Hispanic black, male												
2006 5/.....	1.5	*	*	*	*	*	1.5	3.5	5.0	5.6	*	*
2005 5/.....	1.5	*	*	*	*	*	1.6	3.6	3.9	5.6	8.4	*
2004 5/.....	1.8	*	*	*	*	0.8	1.8	4.0	5.9	7.0	8.8	*
2003 5/.....	1.9	*	*	*	*	*	2.5	3.9	6.1	7.4	7.8	*
2002.....	1.7	*	*	*	*	*	1.8	4.1	5.7	5.3	6.7	*
2001.....	1.8	*	*	*	*	0.9	2.2	4.6	5.3	5.8	7.5	*
2000.....	1.8	*	*	*	*	1.0	2.2	3.5	5.3	8.2	8.0	*
1999.....	1.9	*	*	*	*	1.1	2.2	4.9	5.3	5.1	7.8	*
Non-Hispanic black, female												
2006 5/.....	0.9	*	*	*	*	*	*	1.0	1.8	2.9	4.1	12.7
2005 5/.....	1.0	*	*	*	*	*	*	1.3	1.9	3.2	6.0	11.9
2004 5/.....	1.2	*	*	*	*	*	1.0	1.7	2.7	3.3	6.3	13.7
2003 5/.....	1.1	*	*	*	*	*	1.0	1.8	1.8	4.0	4.7	13.6
2002.....	1.0	*	*	*	*	*	0.8	1.5	2.4	2.7	4.5	9.6
2001.....	1.3	*	*	*	*	*	1.3	2.3	2.0	4.0	5.9	14.1
2000.....	1.1	*	*	*	*	*	0.7	1.8	2.9	3.6	5.2	10.0
1999.....	1.1	*	*	*	*	*	0.8	1.6	2.6	3.8	6.8	10.7

Worktable Orig12. Death rates for 358 selected causes, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2006

[Rates per 100,000 population in specified group. Rates are based on populations enumerated as of April 1 for 2000 and estimated as of July 1 for all other years. Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to 'Detailed technical notes to the United States 2006 data-mortality']

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, and sex	All ages 1/	Under 1 year 2/	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
Other disorders of biliary tract and pancreas (K83,K86.2-K86.9)												
Non-Hispanic 4/, both sexes												
2006.....	0.5	*	*	*	*	*	0.1	0.2	0.5	1.1	3.4	9.6
2005.....	0.6	*	*	*	*	*	0.1	0.2	0.5	1.2	3.4	10.0
2004.....	0.5	*	*	*	*	*	0.1	0.2	0.4	1.3	3.5	9.5
2003.....	0.5	*	*	*	*	*	0.1	0.2	0.5	1.4	3.3	10.2
2002.....	0.5	*	*	*	*	*	0.1	0.2	0.5	1.4	3.2	9.8
2001.....	0.5	*	*	*	*	*	0.1	0.3	0.4	1.3	2.9	9.7
2000.....	0.5	*	*	*	*	*	0.1	0.2	0.5	1.1	3.0	9.8
1999.....	0.4	*	*	*	*	*	0.1	0.2	0.5	1.0	2.6	9.0
Non-Hispanic 4/, male												
2006.....	0.5	*	*	*	*	*	0.1	0.2	0.6	1.5	3.7	9.2
2005.....	0.5	*	*	*	*	*	0.1	0.2	0.7	1.4	4.1	10.2
2004.....	0.5	*	*	*	*	*	*	0.2	0.5	1.4	4.1	10.8
2003.....	0.5	*	*	*	*	*	*	0.3	0.6	1.7	4.0	10.3
2002.....	0.5	*	*	*	*	*	0.1	0.2	0.6	1.8	4.1	10.2
2001.....	0.5	*	*	*	*	*	0.1	0.3	0.5	1.6	3.4	9.6
2000.....	0.5	*	*	*	*	*	*	0.4	0.5	1.3	4.0	11.0
1999.....	0.4	*	*	*	*	*	*	0.3	0.6	1.2	3.2	10.2
Non-Hispanic 4/, female												
2006.....	0.6	*	*	*	*	*	0.1	0.4	0.8	3.2	9.8	
2005.....	0.6	*	*	*	*	*	0.1	0.3	1.1	2.9	9.9	
2004.....	0.6	*	*	*	*	*	*	0.2	0.3	1.1	3.1	8.9
2003.....	0.6	*	*	*	*	*	*	0.1	0.4	1.1	2.8	10.1
2002.....	0.5	*	*	*	*	*	*	0.1	0.3	1.1	2.5	9.7
2001.....	0.5	*	*	*	*	*	*	0.2	0.3	0.9	2.7	9.7
2000.....	0.5	*	*	*	*	*	0.1	0.1	0.4	1.0	2.4	9.3
1999.....	0.5	*	*	*	*	*	*	*	0.4	0.9	2.2	8.6
Non-Hispanic white, both sexes												
2006 5/.....	0.6	*	*	*	*	*	0.1	0.2	0.5	1.1	3.4	9.5
2005 5/.....	0.6	*	*	*	*	*	0.1	0.2	0.5	1.2	3.3	10.1
2004 5/.....	0.6	*	*	*	*	*	0.1	0.2	0.4	1.2	3.5	9.6
2003 5/.....	0.6	*	*	*	*	*	0.1	0.2	0.4	1.3	3.4	10.3
2002.....	0.6	*	*	*	*	*	0.1	0.2	0.4	1.3	3.1	9.8
2001.....	0.5	*	*	*	*	*	0.1	0.2	0.4	1.2	2.9	9.7
2000.....	0.5	*	*	*	*	*	0.1	0.2	0.4	1.1	3.0	9.6
1999.....	0.5	*	*	*	*	*	0.1	0.2	0.5	1.0	2.6	8.8
Non-Hispanic white, male												
2006 5/.....	0.5	*	*	*	*	*	*	0.2	0.5	1.4	3.6	9.3
2005 5/.....	0.6	*	*	*	*	*	*	0.2	0.6	1.4	4.0	10.2
2004 5/.....	0.5	*	*	*	*	*	*	0.2	0.5	1.5	4.2	11.0
2003 5/.....	0.6	*	*	*	*	*	*	0.3	0.5	1.7	4.1	10.4
2002.....	0.6	*	*	*	*	*	*	0.2	0.6	1.6	4.2	10.4
2001.....	0.5	*	*	*	*	*	*	0.3	0.5	1.5	3.4	9.4
2000.....	0.5	*	*	*	*	*	*	0.3	0.5	1.3	4.0	10.5
1999.....	0.4	*	*	*	*	*	*	0.3	0.6	1.2	3.2	9.7
Non-Hispanic white, female												
2006 5/.....	0.6	*	*	*	*	*	*	*	0.4	0.8	3.2	9.6
2005 5/.....	0.6	*	*	*	*	*	*	0.1	0.3	1.1	2.8	10.0
2004 5/.....	0.6	*	*	*	*	*	*	0.2	0.3	1.0	3.1	9.0
2003 5/.....	0.6	*	*	*	*	*	*	*	0.4	1.0	2.9	10.3
2002.....	0.6	*	*	*	*	*	*	*	0.3	1.1	2.5	9.6
2001.....	0.6	*	*	*	*	*	*	0.2	0.3	0.9	2.6	9.8
2000.....	0.5	*	*	*	*	*	*	*	0.4	0.9	2.3	9.3
1999.....	0.5	*	*	*	*	*	*	*	0.4	0.8	2.2	8.4

Worktable Orig12. Death rates for 358 selected causes, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2006

[Rates per 100,000 population in specified group. Rates are based on populations enumerated as of April 1 for 2000 and estimated as of July 1 for all other years. Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to 'Detailed technical notes to the United States 2006 data-mortality']

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, and sex	All ages 1/	Under 1 year 2/	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
All other diseases of digestive system (K90,K92)												
All origins 3/, both sexes												
2006.....	2.6	0.8	0.1	*	*	0.1	0.3	1.0	2.1	5.4	16.7	62.0
2005.....	2.7	1.1	0.1	*	*	0.1	0.3	0.9	2.2	6.0	17.6	65.2
2004.....	2.7	0.7	*	*	*	0.1	0.3	0.9	2.2	5.6	18.2	68.5
2003.....	2.8	0.7	*	*	*	0.1	0.3	0.8	2.2	6.1	19.1	74.2
2002.....	2.9	0.6	0.1	*	*	0.1	0.3	1.0	2.1	6.1	19.7	76.2
2001.....	2.9	0.6	*	*	*	0.1	0.3	0.8	2.4	6.2	19.9	77.8
2000.....	2.9	0.6	*	*	*	0.1	0.3	0.9	2.1	5.9	20.6	80.6
1999.....	2.8	0.7	0.1	*	*	0.1	0.3	0.8	2.2	6.2	19.6	77.2
All origins 3/, male												
2006.....	2.5	1.1	*	*	*	0.1	0.5	1.4	2.9	6.6	21.1	65.8
2005.....	2.5	1.1	*	*	*	*	0.4	1.3	2.8	7.4	21.1	66.8
2004.....	2.5	*	*	*	*	*	0.3	1.3	2.9	7.4	21.8	69.8
2003.....	2.6	*	*	*	*	*	0.5	1.2	2.8	7.7	23.6	73.3
2002.....	2.6	*	*	*	*	0.1	0.4	1.4	2.9	7.8	23.0	76.2
2001.....	2.6	*	*	*	*	0.1	0.4	1.3	3.1	7.9	23.5	81.4
2000.....	2.6	*	*	*	*	0.1	0.4	1.3	2.8	7.1	25.1	83.1
1999.....	2.5	*	*	*	*	*	0.4	1.2	2.9	7.9	23.7	80.8
All origins 3/, female												
2006.....	2.7	*	*	*	*	*	0.2	0.7	1.5	4.4	13.7	60.2
2005.....	2.9	1.0	*	*	*	*	0.2	0.6	1.6	4.8	15.2	64.5
2004.....	2.9	*	*	*	*	*	0.2	0.5	1.5	4.2	15.7	67.9
2003.....	3.1	*	*	*	*	*	0.2	0.5	1.6	4.7	16.0	74.6
2002.....	3.1	*	*	*	*	*	0.1	0.5	1.4	4.7	17.6	76.2
2001.....	3.1	*	*	*	*	*	0.2	0.4	1.7	4.8	17.5	76.3
2000.....	3.2	*	*	*	*	*	0.2	0.5	1.4	4.9	17.7	79.6
1999.....	3.0	*	*	*	*	*	0.2	0.5	1.6	4.8	16.9	75.8
Hispanic, both sexes												
2006.....	0.6	*	*	*	*	*	*	0.6	0.9	3.3	9.1	30.1
2005.....	0.6	*	*	*	*	*	*	0.5	1.3	3.6	10.1	24.0
2004.....	0.6	*	*	*	*	*	*	0.5	1.7	3.1	9.9	32.8
2003.....	0.6	*	*	*	*	*	*	0.5	1.6	3.1	11.2	35.2
2002.....	0.6	*	*	*	*	*	*	*	1.2	4.0	11.8	29.4
2001.....	0.6	*	*	*	*	*	*	*	1.5	3.3	9.7	46.9
2000.....	0.6	*	*	*	*	*	*	*	*	3.5	11.5	40.5
1999.....	0.6	*	*	*	*	*	*	*	*	4.1	8.5	44.2
Hispanic, male												
2006.....	0.7	*	*	*	*	*	*	*	*	4.9	12.3	31.6
2005.....	0.7	*	*	*	*	*	*	*	*	4.4	14.7	24.9
2004.....	0.7	*	*	*	*	*	*	*	1.9	4.8	12.9	32.2
2003.....	0.6	*	*	*	*	*	*	*	*	5.0	12.3	*
2002.....	0.7	*	*	*	*	*	*	*	*	5.7	14.4	*
2001.....	0.6	*	*	*	*	*	*	*	*	*	10.3	66.7
2000.....	0.6	*	*	*	*	*	*	*	*	4.2	11.8	42.3
1999.....	0.6	*	*	*	*	*	*	*	*	5.9	*	56.1
Hispanic, female												
2006.....	0.5	*	*	*	*	*	*	*	*	*	6.9	29.4
2005.....	0.5	*	*	*	*	*	*	*	*	2.9	7.0	23.5
2004.....	0.6	*	*	*	*	*	*	*	*	*	7.9	33.1
2003.....	0.7	*	*	*	*	*	*	*	*	*	10.5	38.3
2002.....	0.6	*	*	*	*	*	*	*	*	*	10.1	31.5
2001.....	0.6	*	*	*	*	*	*	*	*	3.5	9.4	37.2
2000.....	0.6	*	*	*	*	*	*	*	*	*	11.2	39.6
1999.....	0.6	*	*	*	*	*	*	*	*	*	6.7	38.5

Worktable Orig12. Death rates for 358 selected causes, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2006

[Rates per 100,000 population in specified group. Rates are based on populations enumerated as of April 1 for 2000 and estimated as of July 1 for all other years. Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to 'Detailed technical notes to the United States 2006 data-mortality']

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, and sex	All ages 1/	Under 1 year 2/	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
All other diseases of digestive system (K90,K92)												
Non-Hispanic 4/, both sexes												
2006.....	3.0	0.9	*	*	*	0.1	0.3	1.1	2.2	5.6	17.2	63.5
2005.....	3.1	1.0	*	*	*	0.1	0.3	0.9	2.3	6.2	18.0	67.1
2004.....	3.0	0.7	*	*	*	0.1	0.3	1.0	2.2	5.8	18.6	70.0
2003.....	3.2	0.7	*	*	*	0.1	0.4	0.9	2.2	6.3	19.4	75.6
2002.....	3.2	*	*	*	*	0.1	0.3	1.0	2.2	6.2	20.1	77.9
2001.....	3.2	0.7	*	*	*	0.1	0.3	0.9	2.4	6.4	20.3	78.8
2000.....	3.2	*	*	*	*	0.1	0.3	0.9	2.1	6.0	20.9	81.9
1999.....	3.1	0.8	*	*	*	*	0.3	0.8	2.3	6.3	20.0	78.1
Non-Hispanic 4/, male												
2006.....	2.8	*	*	*	*	*	0.5	1.4	3.0	6.7	21.7	67.6
2005.....	2.8	*	*	*	*	*	0.4	1.3	3.0	7.6	21.4	68.9
2004.....	2.8	*	*	*	*	*	0.3	1.4	2.9	7.5	22.3	71.6
2003.....	2.9	*	*	*	*	*	0.5	1.2	2.9	7.9	24.2	75.3
2002.....	2.9	*	*	*	*	*	0.4	1.4	3.0	7.9	23.4	78.3
2001.....	2.9	*	*	*	*	0.1	0.5	1.3	3.1	8.2	24.1	82.0
2000.....	2.9	*	*	*	*	0.1	0.4	1.3	2.9	7.3	25.6	84.8
1999.....	2.8	*	*	*	*	*	0.4	1.2	3.0	8.0	24.3	81.5
Non-Hispanic 4/, female												
2006.....	3.1	*	*	*	*	*	0.2	0.7	1.6	4.6	14.1	61.6
2005.....	3.3	*	*	*	*	*	0.2	0.6	1.6	4.9	15.6	66.2
2004.....	3.3	*	*	*	*	*	0.2	0.5	1.5	4.4	16.1	69.3
2003.....	3.4	*	*	*	*	*	0.2	0.5	1.6	4.9	16.3	75.8
2002.....	3.5	*	*	*	*	*	0.2	0.6	1.4	4.8	17.8	77.8
2001.....	3.5	*	*	*	*	*	0.2	0.5	1.8	4.9	17.9	77.5
2000.....	3.5	*	*	*	*	*	0.2	0.5	1.5	5.0	17.9	80.7
1999.....	3.4	*	*	*	*	*	0.2	0.5	1.7	4.9	17.2	76.7
Non-Hispanic white, both sexes												
2006 5/.....	3.2	*	*	*	*	*	0.3	1.0	2.1	5.2	17.0	64.5
2005 5/.....	3.4	*	*	*	*	*	0.3	0.9	2.1	5.8	17.8	69.0
2004 5/.....	3.3	*	*	*	*	*	0.3	0.9	2.0	5.5	18.5	71.4
2003 5/.....	3.5	*	*	*	*	*	0.4	0.8	2.1	5.9	19.3	77.0
2002.....	3.5	*	*	*	*	*	0.2	0.9	2.0	5.9	19.8	79.8
2001.....	3.5	*	*	*	*	0.1	0.3	0.8	2.1	6.1	20.2	80.2
2000.....	3.5	*	*	*	*	*	0.2	0.8	1.8	5.7	20.5	83.1
1999.....	3.4	*	*	*	*	*	0.2	0.7	2.1	6.0	19.6	79.7
Non-Hispanic white, male												
2006 5/.....	3.1	*	*	*	*	*	0.5	1.3	2.8	6.3	21.4	68.9
2005 5/.....	3.0	*	*	*	*	*	0.4	1.2	2.7	7.1	21.1	71.5
2004 5/.....	3.0	*	*	*	*	*	0.3	1.3	2.6	7.1	22.2	73.4
2003 5/.....	3.1	*	*	*	*	*	0.4	1.1	2.7	7.4	23.9	77.4
2002.....	3.1	*	*	*	*	*	0.3	1.3	2.8	7.4	23.2	79.5
2001.....	3.1	*	*	*	*	*	0.4	1.1	2.8	7.8	23.8	83.4
2000.....	3.0	*	*	*	*	*	0.3	1.1	2.5	6.8	25.1	86.7
1999.....	3.0	*	*	*	*	*	0.4	1.0	2.7	7.6	23.9	82.8
Non-Hispanic white, female												
2006 5/.....	3.4	*	*	*	*	*	0.2	0.6	1.5	4.2	13.9	62.5
2005 5/.....	3.7	*	*	*	*	*	0.2	0.5	1.5	4.7	15.6	67.8
2004 5/.....	3.6	*	*	*	*	*	0.2	0.5	1.5	4.1	16.0	70.5
2003 5/.....	3.8	*	*	*	*	*	0.3	0.5	1.4	4.7	16.2	76.9
2002.....	3.9	*	*	*	*	*	0.1	0.5	1.2	4.6	17.6	79.9
2001.....	3.9	*	*	*	*	*	0.2	0.4	1.5	4.8	17.8	78.8
2000.....	3.8	*	*	*	*	*	0.1	0.4	1.2	4.7	17.5	81.6
1999.....	3.7	*	*	*	*	*	0.1	0.4	1.5	4.7	16.8	78.5

Worktable Orig12. Death rates for 358 selected causes, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2006

[Rates per 100,000 population in specified group. Rates are based on populations enumerated as of April 1 for 2000 and estimated as of July 1 for all other years. Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.odc.gov/nchs> and refer to 'Detailed technical notes to the United States 2006 data-mortality']

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, and sex	All ages 1/	Under 1 year 2/	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
All other diseases of digestive system (K90,K92)												
Non-Hispanic black, both sexes												
2006 5/.....	2.4	*	*	*	*	*	0.5	1.9	3.6	9.6	22.3	63.2
2005 5/.....	2.4	*	*	*	*	*	0.5	1.8	4.0	10.5	23.9	56.8
2004 5/.....	2.4	*	*	*	*	*	*	1.6	4.1	10.0	24.8	63.0
2003 5/.....	2.4	*	*	*	*	*	0.6	1.4	4.2	10.6	24.9	71.1
2002.....	2.5	*	*	*	*	*	0.6	1.8	4.4	10.0	26.7	65.9
2001.....	2.5	*	*	*	*	*	0.6	1.7	5.2	9.9	26.0	73.4
2000.....	2.6	*	*	*	*	*	0.7	2.0	5.0	10.0	28.2	79.2
1999.....	2.3	*	*	*	*	*	0.4	1.7	4.3	10.0	26.7	66.9
Non-Hispanic black, male												
2006 5/.....	2.4	*	*	*	*	*	*	2.7	4.7	11.0	30.3	66.0
2005 5/.....	2.4	*	*	*	*	*	*	2.4	5.5	14.4	30.6	48.5
2004 5/.....	2.4	*	*	*	*	*	*	2.2	6.6	14.1	29.7	60.0
2003 5/.....	2.4	*	*	*	*	*	1.0	2.1	5.7	14.2	32.0	60.7
2002.....	2.5	*	*	*	*	*	0.8	2.6	5.7	14.1	30.8	72.2
2001.....	2.6	*	*	*	*	*	0.8	2.8	6.9	13.9	32.7	71.6
2000.....	2.6	*	*	*	*	*	1.0	2.8	6.7	12.1	35.5	79.8
1999.....	2.3	*	*	*	*	*	*	2.5	5.7	13.1	32.8	72.5
Non-Hispanic black, female												
2006 5/.....	2.4	*	*	*	*	*	*	1.2	2.6	8.7	17.8	62.0
2005 5/.....	2.4	*	*	*	*	*	*	1.2	2.9	7.7	20.2	60.1
2004 5/.....	2.3	*	*	*	*	*	*	1.1	2.1	7.1	22.1	64.3
2003 5/.....	2.5	*	*	*	*	*	*	0.9	3.1	8.1	20.9	75.1
2002.....	2.4	*	*	*	*	*	*	1.1	3.3	7.1	24.4	63.5
2001.....	2.5	*	*	*	*	*	*	*	3.8	7.0	22.2	74.0
2000.....	2.7	*	*	*	*	*	*	1.3	3.7	8.4	24.1	78.9
1999.....	2.4	*	*	*	*	*	*	1.0	3.1	7.8	23.3	64.8

Worktable Orig12. Death rates for 358 selected causes, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2006

[Rates per 100,000 population in specified group. Rates are based on populations enumerated as of April 1 for 2000 and estimated as of July 1 for all other years. Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to 'Detailed technical notes to the United States 2006 data-mortality']

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, and sex	All ages 1/	Under 1 year 2/	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
XII. Diseases of the skin and subcutaneous tissue (L00-L98)												
All origins 3/, both sexes												
2006.....	1.3	*	*	*	0.0	0.1	0.3	0.6	1.5	3.1	8.4	23.4
2005.....	1.4	*	*	*	*	0.1	0.3	0.7	1.4	3.3	9.6	29.2
2004.....	1.4	*	*	*	0.1	0.1	0.3	0.7	1.4	3.4	9.5	28.8
2003.....	1.4	*	*	*	*	0.2	0.3	0.7	1.4	3.3	9.2	30.5
2002.....	1.4	*	*	*	0.1	0.1	0.3	0.6	1.2	3.1	8.7	32.8
2001.....	1.3	*	*	*	*	0.1	0.3	0.6	1.2	2.8	8.7	32.2
2000.....	1.3	*	*	*	*	0.1	0.2	0.5	1.2	3.0	8.9	34.7
1999.....	1.3	*	*	*	*	0.1	0.2	0.5	1.0	2.9	9.0	35.0
All origins 3/, male												
2006.....	1.0	*	*	*	*	*	0.3	0.7	1.4	3.2	8.0	21.3
2005.....	1.1	*	*	*	*	0.1	0.3	0.7	1.4	3.3	9.2	26.3
2004.....	1.1	*	*	*	*	0.1	0.3	0.7	1.3	3.0	9.0	25.3
2003.....	1.0	*	*	*	*	*	0.3	0.7	1.4	3.3	8.4	26.6
2002.....	1.0	*	*	*	*	*	0.2	0.6	1.1	3.2	8.6	28.6
2001.....	0.9	*	*	*	*	*	0.2	0.6	1.2	3.0	8.3	24.9
2000.....	0.9	*	*	*	*	*	0.2	0.4	1.3	2.8	8.4	29.7
1999.....	0.9	*	*	*	*	*	0.2	0.5	1.0	2.8	8.4	31.7
All origins 3/, female												
2006.....	1.5	*	*	*	*	0.1	0.3	0.6	1.6	3.1	8.6	24.3
2005.....	1.7	*	*	*	*	0.1	0.3	0.6	1.3	3.3	9.8	30.6
2004.....	1.8	*	*	*	*	0.2	0.3	0.6	1.5	3.7	9.8	30.4
2003.....	1.8	*	*	*	*	0.3	0.3	0.7	1.4	3.4	9.7	32.2
2002.....	1.7	*	*	*	*	0.2	0.3	0.6	1.3	3.0	8.8	34.7
2001.....	1.7	*	*	*	*	0.2	0.3	0.6	1.2	2.6	9.1	35.2
2000.....	1.7	*	*	*	*	0.2	0.3	0.5	1.1	3.1	9.2	36.7
1999.....	1.7	*	*	*	*	0.1	0.3	0.5	1.1	2.9	9.4	36.3
Hispanic, both sexes												
2006.....	0.5	*	*	*	*	*	*	0.7	*	2.1	5.7	21.1
2005.....	0.5	*	*	*	*	*	*	0.6	1.0	2.8	7.7	17.1
2004.....	0.5	*	*	*	*	*	*	0.7	1.2	2.6	7.5	21.9
2003.....	0.6	*	*	*	*	*	*	0.8	1.3	2.7	7.5	23.8
2002.....	0.4	*	*	*	*	*	*	*	*	1.9	7.0	24.4
2001.....	0.5	*	*	*	*	*	*	0.6	1.8	2.3	6.5	24.4
2000.....	0.4	*	*	*	*	*	*	*	1.2	2.0	6.5	29.9
1999.....	0.4	*	*	*	*	*	*	*	*	2.0	7.5	25.3
Hispanic, male												
2006.....	0.4	*	*	*	*	*	*	1.0	*	*	*	*
2005.....	0.4	*	*	*	*	*	*	*	*	3.4	8.0	*
2004.....	0.4	*	*	*	*	*	*	*	*	*	7.2	*
2003.....	0.5	*	*	*	*	*	*	*	*	*	9.2	*
2002.....	0.4	*	*	*	*	*	*	*	*	*	*	*
2001.....	0.4	*	*	*	*	*	*	*	*	*	*	*
2000.....	0.3	*	*	*	*	*	*	*	*	*	*	*
1999.....	0.3	*	*	*	*	*	*	*	*	*	*	*
Hispanic, female												
2006.....	0.6	*	*	*	*	*	*	*	*	*	5.5	25.8
2005.....	0.6	*	*	*	*	*	*	*	*	*	7.4	16.3
2004.....	0.6	*	*	*	*	*	*	*	*	*	7.7	22.3
2003.....	0.7	*	*	*	*	*	*	*	*	*	6.3	24.2
2002.....	0.5	*	*	*	*	*	*	*	*	*	6.7	24.0
2001.....	0.5	*	*	*	*	*	*	*	*	*	8.5	24.2
2000.....	0.6	*	*	*	*	*	*	*	*	*	7.3	30.7
1999.....	0.5	*	*	*	*	*	*	*	*	*	9.0	29.1

Worktable Orig12. Death rates for 358 selected causes, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2006

[Rates per 100,000 population in specified group. Rates are based on populations enumerated as of April 1 for 2000 and estimated as of July 1 for all other years. Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to 'Detailed technical notes to the United States 2006 data-mortality']

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, and sex	All ages 1/	Under 1 year 2/	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
XII. Diseases of the skin and subcutaneous tissue (L00-L98)												
Non-Hispanic 4/, both sexes												
2006.....	1.4	*	*	*	*	0.1	0.3	0.6	1.6	3.2	8.5	23.4
2005.....	1.6	*	*	*	*	0.1	0.3	0.7	1.4	3.3	9.7	29.8
2004.....	1.6	*	*	*	0.1	0.2	0.3	0.6	1.4	3.5	9.6	29.0
2003.....	1.6	*	*	*	*	0.2	0.3	0.6	1.4	3.4	9.2	30.7
2002.....	1.5	*	*	*	*	0.1	0.3	0.6	1.2	3.1	8.8	33.1
2001.....	1.4	*	*	*	*	0.1	0.3	0.6	1.1	2.8	8.8	32.4
2000.....	1.5	*	*	*	*	0.1	0.2	0.4	1.2	3.0	9.0	34.7
1999.....	1.4	*	*	*	*	0.1	0.2	0.5	1.0	2.9	9.1	35.2
Non-Hispanic 4/, male												
2006.....	1.1	*	*	*	*	*	0.3	0.6	1.5	3.3	8.1	21.8
2005.....	1.2	*	*	*	*	*	0.3	0.7	1.5	3.2	9.3	26.7
2004.....	1.2	*	*	*	*	*	0.3	0.7	1.3	3.1	9.1	25.4
2003.....	1.1	*	*	*	*	*	0.3	0.6	1.4	3.3	8.4	26.7
2002.....	1.1	*	*	*	*	*	0.2	0.6	1.1	3.2	8.6	28.6
2001.....	1.0	*	*	*	*	*	0.2	0.6	1.1	3.0	8.4	24.9
2000.....	1.0	*	*	*	*	*	0.2	0.4	1.3	2.8	8.5	29.6
1999.....	1.0	*	*	*	*	*	0.2	0.5	1.0	2.8	8.5	32.0
Non-Hispanic 4/, female												
2006.....	1.7	*	*	*	*	0.1	0.3	0.6	1.7	3.1	8.8	24.2
2005.....	1.9	*	*	*	*	*	0.3	0.6	1.3	3.4	9.9	31.1
2004.....	1.9	*	*	*	*	0.2	0.3	0.6	1.5	3.3	9.9	30.6
2003.....	1.9	*	*	*	*	0.3	0.3	0.6	1.4	3.4	9.8	32.5
2002.....	1.9	*	*	*	*	0.2	0.3	0.6	1.4	3.0	8.8	35.0
2001.....	1.8	*	*	*	*	0.2	0.3	0.6	1.2	2.7	9.1	35.5
2000.....	1.9	*	*	*	*	0.1	0.3	0.5	1.1	3.2	9.3	36.8
1999.....	1.8	*	*	*	*	*	0.3	0.5	1.1	3.0	9.4	36.4
Non-Hispanic white, both sexes												
2006 5/.....	1.4	*	*	*	*	*	0.2	0.5	1.4	2.7	7.5	21.5
2005 5/.....	1.5	*	*	*	*	*	0.2	0.5	1.1	2.8	8.4	26.9
2004 5/.....	1.5	*	*	*	*	*	0.2	0.6	1.2	2.8	8.6	25.9
2003 5/.....	1.5	*	*	*	*	0.1	0.2	0.5	1.2	2.7	8.1	27.4
2002.....	1.4	*	*	*	*	*	0.2	0.5	1.0	2.5	7.4	28.6
2001.....	1.3	*	*	*	*	*	0.2	0.5	0.9	2.4	7.5	28.2
2000.....	1.3	*	*	*	*	*	0.2	0.3	0.9	2.4	7.6	29.4
1999.....	1.3	*	*	*	*	0.1	0.2	0.4	0.8	2.3	7.4	29.3
Non-Hispanic white, male												
2006 5/.....	1.1	*	*	*	*	*	0.2	0.6	1.3	2.8	7.4	20.3
2005 5/.....	1.2	*	*	*	*	*	0.2	0.6	1.2	2.7	8.2	25.4
2004 5/.....	1.1	*	*	*	*	*	0.3	0.6	1.2	2.5	8.3	23.1
2003 5/.....	1.1	*	*	*	*	*	0.2	0.5	1.2	2.5	7.3	24.2
2002.....	1.1	*	*	*	*	*	0.2	0.5	0.9	2.6	7.7	26.3
2001.....	0.9	*	*	*	*	*	0.1	0.5	1.0	2.6	7.0	21.6
2000.....	0.9	*	*	*	*	*	0.2	0.3	1.1	2.1	7.1	25.4
1999.....	0.9	*	*	*	*	*	0.1	0.3	0.7	2.2	6.9	27.9
Non-Hispanic white, female												
2006 5/.....	1.6	*	*	*	*	*	0.2	0.4	1.4	2.7	7.5	22.1
2005 5/.....	1.8	*	*	*	*	*	0.2	0.5	1.0	2.9	8.6	27.6
2004 5/.....	1.8	*	*	*	*	*	0.2	0.5	1.2	3.1	8.7	27.1
2003 5/.....	1.8	*	*	*	*	*	0.2	0.5	1.2	2.9	8.6	28.8
2002.....	1.7	*	*	*	*	*	0.2	0.4	1.0	2.5	7.3	29.5
2001.....	1.7	*	*	*	*	*	0.2	0.5	0.8	2.2	7.9	30.9
2000.....	1.7	*	*	*	*	*	0.2	0.3	0.8	2.6	7.9	31.0
1999.....	1.6	*	*	*	*	*	0.2	0.4	0.8	2.4	7.8	29.9

Worktable Orig12. Death rates for 358 selected causes, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2006

[Rates per 100,000 population in specified group. Rates are based on populations enumerated as of April 1 for 2000 and estimated as of July 1 for all other years. Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.odc.gov/nchs> and refer to 'Detailed technical notes to the United States 2006 data-mortality']

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, and sex	All ages 1/	Under 1 year 2/	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
XII. Diseases of the skin and subcutaneous tissue (L00-L98)												
Non-Hispanic black, both sexes												
2006 5/.....	2.1	*	*	*	*	0.4	0.5	1.2	3.6	7.8	21.8	49.4
2005 5/.....	2.4	*	*	*	*	*	0.6	1.6	4.0	8.2	24.4	68.0
2004 5/.....	2.5	*	*	*	*	0.6	0.8	1.5	3.7	9.8	23.8	71.1
2003 5/.....	2.5	*	*	*	*	0.8	0.9	1.8	3.6	9.7	24.2	74.1
2002.....	2.6	*	*	*	*	0.5	1.0	1.5	3.7	8.6	25.9	93.2
2001.....	2.4	*	*	*	*	0.4	0.8	1.4	3.2	7.4	25.2	89.6
2000.....	2.5	*	*	*	*	0.4	0.7	1.3	3.1	9.2	26.6	98.9
1999.....	2.8	*	*	*	*	*	0.8	1.9	3.6	9.0	29.5	106.4
Non-Hispanic black, male												
2006 5/.....	1.5	*	*	*	*	*	*	1.0	3.3	8.6	19.5	44.9
2005 5/.....	1.7	*	*	*	*	*	*	1.4	4.2	8.4	24.4	48.5
2004 5/.....	1.7	*	*	*	*	*	*	1.5	3.0	9.3	22.2	58.9
2003 5/.....	2.0	*	*	*	*	*	0.8	1.6	3.9	11.6	24.0	67.1
2002.....	1.7	*	*	*	*	*	*	1.3	3.0	10.2	24.0	61.3
2001.....	1.8	*	*	*	*	*	*	1.6	2.6	7.4	28.8	72.8
2000.....	1.8	*	*	*	*	*	*	3.0	10.3	28.4	83.4	
1999.....	2.0	*	*	*	*	*	*	2.1	3.3	9.3	30.0	86.8
Non-Hispanic black, female												
2006 5/.....	2.5	*	*	*	*	*	*	1.4	3.8	7.1	23.2	51.2
2005 5/.....	2.9	*	*	*	*	*	0.7	1.7	3.9	8.1	24.5	75.8
2004 5/.....	3.1	*	*	*	*	0.8	0.9	1.4	4.2	10.3	24.6	75.9
2003 5/.....	3.0	*	*	*	*	1.1	1.0	2.0	3.4	8.3	24.3	76.8
2002.....	3.4	*	*	*	*	*	1.2	1.6	4.4	7.4	27.0	105.3
2001.....	3.0	*	*	*	*	*	1.0	1.2	3.6	7.4	23.2	95.8
2000.....	3.2	*	*	*	*	*	0.7	1.7	3.2	8.3	25.5	104.7
1999.....	3.4	*	*	*	*	*	0.9	1.6	3.8	8.8	29.2	113.7

Worktable Orig12. Death rates for 358 selected causes, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2006

[Rates per 100,000 population in specified group. Rates are based on populations enumerated as of April 1 for 2000 and estimated as of July 1 for all other years. Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to 'Detailed technical notes to the United States 2006 data-mortality']

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, and sex	All ages 1/	Under 1 year 2/	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
Infections of skin and subcutaneous tissue (L00-L08)												
Non-Hispanic 4/, both sexes												
2006.....	0.7	*	*	*	*	*	0.2	0.3	0.8	1.5	4.0	10.0
2005.....	0.6	*	*	*	*	*	0.1	0.4	0.7	1.5	3.7	10.4
2004.....	0.6	*	*	*	*	*	0.1	0.3	0.7	1.5	3.9	10.6
2003.....	0.6	*	*	*	*	*	0.1	0.3	0.7	1.3	3.5	10.8
2002.....	0.5	*	*	*	*	*	0.1	0.3	0.6	1.1	2.8	9.5
2001.....	0.5	*	*	*	*	*	0.1	0.3	0.5	1.0	2.6	9.7
2000.....	0.4	*	*	*	*	*	0.1	0.2	0.5	1.0	2.6	9.4
1999.....	0.4	*	*	*	*	*	0.1	0.2	0.4	0.9	2.1	8.4
Non-Hispanic 4/, male												
2006.....	0.6	*	*	*	*	*	0.2	0.4	0.8	1.7	3.9	9.4
2005.....	0.6	*	*	*	*	*	0.2	0.4	0.8	1.5	4.0	10.7
2004.....	0.5	*	*	*	*	*	0.2	0.4	0.6	1.4	4.0	10.7
2003.....	0.5	*	*	*	*	*	0.1	0.4	0.7	1.3	3.4	10.7
2002.....	0.4	*	*	*	*	*	0.1	0.4	0.6	1.2	3.0	9.3
2001.....	0.4	*	*	*	*	*	0.1	0.4	0.6	1.2	2.5	8.3
2000.....	0.4	*	*	*	*	*	*	0.2	0.7	1.1	2.9	9.2
1999.....	0.3	*	*	*	*	*	*	0.3	0.4	0.8	2.1	9.3
Non-Hispanic 4/, female												
2006.....	0.7	*	*	*	*	*	0.1	0.2	0.9	1.3	4.0	10.3
2005.....	0.7	*	*	*	*	*	0.1	0.3	0.6	1.5	3.6	10.3
2004.....	0.7	*	*	*	*	*	*	0.3	0.7	1.5	3.8	10.6
2003.....	0.7	*	*	*	*	*	0.1	0.2	0.6	1.3	3.5	10.9
2002.....	0.5	*	*	*	*	*	*	0.2	0.5	1.0	2.7	9.6
2001.....	0.6	*	*	*	*	*	*	0.2	0.4	0.9	2.7	10.2
2000.....	0.5	*	*	*	*	*	*	0.1	0.4	0.9	2.4	9.5
1999.....	0.4	*	*	*	*	*	*	0.2	0.4	0.9	2.0	8.0
Non-Hispanic white, both sexes												
2006 5/.....	0.7	*	*	*	*	*	0.2	0.3	0.8	1.4	3.8	10.1
2005 5/.....	0.7	*	*	*	*	*	0.1	0.3	0.6	1.5	3.7	10.5
2004 5/.....	0.7	*	*	*	*	*	0.1	0.3	0.6	1.4	3.9	10.6
2003 5/.....	0.6	*	*	*	*	*	0.1	0.3	0.6	1.2	3.5	11.1
2002.....	0.5	*	*	*	*	*	*	0.2	0.5	1.0	2.8	9.9
2001.....	0.5	*	*	*	*	*	0.1	0.3	0.4	1.0	2.6	9.9
2000.....	0.5	*	*	*	*	*	0.1	0.1	0.5	1.0	2.5	9.4
1999.....	0.4	*	*	*	*	*	*	0.2	0.3	0.9	2.1	8.4
Non-Hispanic white, male												
2006 5/.....	0.6	*	*	*	*	*	0.2	0.4	0.8	1.5	3.9	9.7
2005 5/.....	0.6	*	*	*	*	*	0.1	0.4	0.7	1.5	4.0	11.1
2004 5/.....	0.6	*	*	*	*	*	0.2	0.4	0.6	1.3	4.1	11.1
2003 5/.....	0.5	*	*	*	*	*	*	0.3	0.7	1.3	3.4	10.9
2002.....	0.5	*	*	*	*	*	*	0.3	0.6	1.1	3.1	9.7
2001.....	0.4	*	*	*	*	*	*	0.3	0.6	1.2	2.5	8.6
2000.....	0.4	*	*	*	*	*	*	0.2	0.7	1.1	2.8	9.0
1999.....	0.3	*	*	*	*	*	*	0.2	0.3	0.9	2.0	9.2
Non-Hispanic white, female												
2006 5/.....	0.8	*	*	*	*	*	*	0.2	0.8	1.3	3.8	10.3
2005 5/.....	0.8	*	*	*	*	*	*	0.3	0.5	1.5	3.6	10.3
2004 5/.....	0.8	*	*	*	*	*	*	0.3	0.6	1.5	3.8	10.4
2003 5/.....	0.8	*	*	*	*	*	0.1	0.2	0.6	1.2	3.6	11.1
2002.....	0.6	*	*	*	*	*	*	0.2	0.4	0.9	2.6	10.0
2001.....	0.6	*	*	*	*	*	*	0.2	0.3	0.9	2.7	10.4
2000.....	0.5	*	*	*	*	*	*	*	0.4	0.9	2.4	9.5
1999.....	0.5	*	*	*	*	*	*	*	0.3	0.8	2.2	8.1

Worktable Orig12. Death rates for 358 selected causes, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2006

[Rates per 100,000 population in specified group. Rates are based on populations enumerated as of April 1 for 2000 and estimated as of July 1 for all other years. Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to 'Detailed technical notes to the United States 2006 data-mortality']

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, and sex	All ages 1/	Under 1 year 2/	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
Other and unspecified diseases of skin and subcutaneous tissue (L10-L98)												
All origins 3/, both sexes												
2006.....	0.7	*	*	*	*	0.1	0.1	0.3	0.7	1.7	4.5	13.6
2005.....	0.9	*	*	*	*	0.1	0.1	0.3	0.7	1.8	5.9	19.1
2004.....	0.8	*	*	*	0.1	0.1	0.2	0.3	0.7	2.0	5.7	18.4
2003.....	0.9	*	*	*	*	0.1	0.2	0.3	0.7	2.0	5.7	19.9
2002.....	0.9	*	*	*	*	0.1	0.2	0.3	0.7	2.0	5.9	23.5
2001.....	0.9	*	*	*	*	0.1	0.1	0.3	0.7	1.8	6.1	22.7
2000.....	0.9	*	*	*	*	0.1	0.2	0.3	0.6	1.9	6.4	25.4
1999.....	1.0	*	*	*	*	0.1	0.2	0.3	0.6	2.0	7.0	26.6
All origins 3/, male												
2006.....	0.5	*	*	*	*	*	*	0.2	0.7	1.6	4.2	12.3
2005.....	0.6	*	*	*	*	*	0.1	0.3	0.7	1.8	5.4	15.9
2004.....	0.6	*	*	*	*	*	0.1	0.3	0.7	1.6	5.0	14.9
2003.....	0.6	*	*	*	*	*	0.2	0.2	0.6	1.9	4.9	16.2
2002.....	0.6	*	*	*	*	*	0.1	0.2	0.5	2.0	5.7	19.4
2001.....	0.6	*	*	*	*	*	0.1	0.2	0.5	1.8	5.8	16.8
2000.....	0.6	*	*	*	*	*	0.1	0.2	0.6	1.6	5.6	20.8
1999.....	0.6	*	*	*	*	*	0.1	0.2	0.5	2.0	6.3	22.6
All origins 3/, female												
2006.....	0.9	*	*	*	*	*	0.1	0.4	0.8	1.7	4.7	14.2
2005.....	1.1	*	*	*	*	*	0.2	0.3	0.8	1.9	6.3	20.6
2004.....	1.1	*	*	*	*	0.1	0.2	0.4	0.8	2.2	6.1	20.0
2003.....	1.2	*	*	*	*	0.2	0.2	0.4	0.8	2.1	6.2	21.5
2002.....	1.2	*	*	*	*	0.2	0.3	0.4	0.8	2.0	6.1	25.3
2001.....	1.2	*	*	*	*	0.1	0.2	0.3	0.8	1.8	6.4	25.2
2000.....	1.2	*	*	*	*	0.1	0.2	0.4	0.7	2.2	6.9	27.3
1999.....	1.3	*	*	*	*	*	0.2	0.4	0.7	2.0	7.4	28.3
Hispanic, both sexes												
2006.....	0.2	*	*	*	*	*	*	*	*	*	3.1	16.8
2005.....	0.3	*	*	*	*	*	*	*	*	1.5	5.1	13.3
2004.....	0.3	*	*	*	*	*	*	*	*	*	5.1	16.2
2003.....	0.3	*	*	*	*	*	*	*	*	*	4.8	18.7
2002.....	0.3	*	*	*	*	*	*	*	*	*	5.2	20.5
2001.....	0.3	*	*	*	*	*	*	*	*	*	4.5	21.3
2000.....	0.3	*	*	*	*	*	*	*	*	*	4.7	23.9
1999.....	0.3	*	*	*	*	*	*	*	*	*	5.6	19.6
Hispanic, male												
2006.....	0.2	*	*	*	*	*	*	*	*	*	*	*
2005.....	0.2	*	*	*	*	*	*	*	*	*	*	*
2004.....	0.2	*	*	*	*	*	*	*	*	*	*	*
2003.....	0.2	*	*	*	*	*	*	*	*	*	*	*
2002.....	0.2	*	*	*	*	*	*	*	*	*	*	*
2001.....	0.2	*	*	*	*	*	*	*	*	*	*	*
2000.....	0.2	*	*	*	*	*	*	*	*	*	*	*
1999.....	0.2	*	*	*	*	*	*	*	*	*	*	*
Hispanic, female												
2006.....	0.3	*	*	*	*	*	*	*	*	*	*	20.4
2005.....	0.4	*	*	*	*	*	*	*	*	*	*	13.0
2004.....	0.4	*	*	*	*	*	*	*	*	*	5.7	15.8
2003.....	0.5	*	*	*	*	*	*	*	*	*	*	18.8
2002.....	0.4	*	*	*	*	*	*	*	*	*	*	20.7
2001.....	0.4	*	*	*	*	*	*	*	*	*	6.0	21.4
2000.....	0.4	*	*	*	*	*	*	*	*	*	*	22.8
1999.....	0.4	*	*	*	*	*	*	*	*	*	6.9	21.8

Worktable Orig12. Death rates for 358 selected causes, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2006

[Rates per 100,000 population in specified group. Rates are based on populations enumerated as of April 1 for 2000 and estimated as of July 1 for all other years. Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to 'Detailed technical notes to the United States 2006 data-mortality']

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, and sex	All ages 1/	Under 1 year 2/	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
Other and unspecified diseases of skin and subcutaneous tissue (L10-L98)												
Non-Hispanic 4/, both sexes												
2006.....	0.8	*	*	*	*	0.1	0.1	0.3	0.8	1.7	4.6	13.4
2005.....	0.9	*	*	*	*	0.1	0.2	0.3	0.7	1.9	5.9	19.4
2004.....	0.9	*	*	*	0.1	0.1	0.2	0.3	0.8	2.0	5.7	18.4
2003.....	1.0	*	*	*	*	0.2	0.2	0.3	0.7	2.1	5.7	19.9
2002.....	1.0	*	*	*	*	0.1	0.2	0.3	0.7	2.1	6.0	23.6
2001.....	1.0	*	*	*	*	0.1	0.2	0.3	0.6	1.8	6.2	22.7
2000.....	1.0	*	*	*	*	0.1	0.2	0.3	0.6	2.0	6.4	25.3
1999.....	1.1	*	*	*	*	0.1	0.2	0.3	0.6	2.0	7.0	26.8
Non-Hispanic 4/, male												
2006.....	0.6	*	*	*	*	*	*	0.2	0.7	1.7	4.2	12.4
2005.....	0.7	*	*	*	*	*	0.1	0.3	0.7	1.8	5.3	16.0
2004.....	0.6	*	*	*	*	*	0.1	0.3	0.7	1.7	5.1	14.8
2003.....	0.6	*	*	*	*	0.2	0.2	0.7	1.9	4.9	16.1	
2002.....	0.7	*	*	*	*	0.1	0.2	0.5	2.1	5.6	19.3	
2001.....	0.6	*	*	*	*	*	0.2	0.5	1.8	5.9	16.6	
2000.....	0.6	*	*	*	*	0.1	0.2	0.6	1.6	5.7	20.4	
1999.....	0.7	*	*	*	*	0.1	0.3	0.6	1.9	6.4	22.7	
Non-Hispanic 4/, female												
2006.....	1.0	*	*	*	*	*	0.1	0.4	0.8	1.8	4.8	13.9
2005.....	1.2	*	*	*	*	0.2	0.3	0.8	2.0	6.3	20.9	
2004.....	1.2	*	*	*	*	0.1	0.2	0.4	0.9	2.3	6.1	20.1
2003.....	1.3	*	*	*	*	0.2	0.2	0.4	0.8	2.1	6.2	21.6
2002.....	1.3	*	*	*	*	0.1	0.3	0.4	0.9	2.0	6.2	25.4
2001.....	1.3	*	*	*	*	0.2	0.2	0.3	0.7	1.8	6.4	25.3
2000.....	1.4	*	*	*	*	0.2	0.4	0.7	2.3	6.9	27.2	
1999.....	1.4	*	*	*	*	0.2	0.4	0.7	2.1	7.4	28.5	
Non-Hispanic white, both sexes												
2006 5/.....	0.7	*	*	*	*	*	*	0.2	0.6	1.3	3.7	11.4
2005 5/.....	0.8	*	*	*	*	*	0.1	0.2	0.5	1.4	4.7	16.4
2004 5/.....	0.8	*	*	*	*	*	0.1	0.2	0.6	1.4	4.6	15.3
2003 5/.....	0.8	*	*	*	*	*	0.1	0.2	0.5	1.5	4.6	16.3
2002.....	0.8	*	*	*	*	*	0.1	0.2	0.5	1.6	4.7	18.6
2001.....	0.8	*	*	*	*	*	0.1	0.2	0.5	1.4	4.9	18.3
2000.....	0.8	*	*	*	*	*	0.1	0.2	0.4	1.4	5.0	20.0
1999.....	0.9	*	*	*	*	*	0.1	0.2	0.4	1.4	5.3	20.9
Non-Hispanic white, male												
2006 5/.....	0.5	*	*	*	*	*	*	0.2	0.5	1.3	3.6	10.6
2005 5/.....	0.6	*	*	*	*	*	*	0.2	0.5	1.3	4.3	14.2
2004 5/.....	0.5	*	*	*	*	*	*	0.2	0.6	1.2	4.2	12.0
2003 5/.....	0.5	*	*	*	*	*	*	0.2	0.5	1.2	3.9	13.3
2002.....	0.6	*	*	*	*	*	*	0.2	0.3	1.5	4.6	16.7
2001.....	0.5	*	*	*	*	*	*	0.1	0.4	1.4	4.5	13.0
2000.....	0.5	*	*	*	*	*	*	0.2	0.4	1.0	4.2	16.4
1999.....	0.6	*	*	*	*	*	*	0.2	0.4	1.3	4.9	18.7
Non-Hispanic white, female												
2006 5/.....	0.8	*	*	*	*	*	*	0.2	0.6	1.3	3.7	11.8
2005 5/.....	1.1	*	*	*	*	*	*	0.2	0.5	1.4	5.0	17.3
2004 5/.....	1.1	*	*	*	*	*	0.1	0.3	0.6	1.7	4.9	16.8
2003 5/.....	1.1	*	*	*	*	*	*	0.2	0.6	1.8	5.0	17.7
2002.....	1.1	*	*	*	*	*	0.1	0.3	0.6	1.6	4.7	19.5
2001.....	1.1	*	*	*	*	*	*	0.3	0.5	1.3	5.2	20.5
2000.....	1.2	*	*	*	*	*	*	0.2	0.5	1.8	5.6	21.4
1999.....	1.2	*	*	*	*	*	0.2	0.3	0.5	1.5	5.6	21.8

Worktable Orig12. Death rates for 358 selected causes, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2006

[Rates per 100,000 population in specified group. Rates are based on populations enumerated as of April 1 for 2000 and estimated as of July 1 for all other years. Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.odc.gov/nchs> and refer to 'Detailed technical notes to the United States 2006 data-mortality']

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, and sex	All ages 1/	Under 1 year 2/	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
Other and unspecified diseases of skin and subcutaneous tissue (L10-L98)												
Non-Hispanic black, both sexes												
2006 5/.....	1.5	*	*	*	*	*	*	0.8	2.3	5.5	15.6	38.8
2005 5/.....	1.8	*	*	*	*	*	0.5	0.9	2.6	6.5	19.9	57.6
2004 5/.....	1.9	*	*	*	*	0.5	0.6	1.0	2.6	7.6	19.3	58.1
2003 5/.....	2.0	*	*	*	*	0.7	0.7	1.2	2.7	7.4	20.2	64.6
2002.....	2.2	*	*	*	*	0.4	0.7	1.1	2.8	6.6	22.1	86.2
2001.....	2.0	*	*	*	*	*	0.6	0.9	2.1	6.3	22.1	80.2
2000.....	2.2	*	*	*	*	*	0.5	1.0	2.4	7.7	23.4	88.7
1999.....	2.4	*	*	*	*	*	0.7	1.2	2.5	7.9	27.8	97.6
Non-Hispanic black, male												
2006 5/.....	1.1	*	*	*	*	*	*	*	2.3	5.5	13.9	37.6
2005 5/.....	1.3	*	*	*	*	*	*	*	2.9	6.6	19.3	41.9
2004 5/.....	1.3	*	*	*	*	*	*	*	2.0	7.0	17.7	49.8
2003 5/.....	1.5	*	*	*	*	*	*	*	2.8	9.4	19.9	56.5
2002.....	1.4	*	*	*	*	*	*	*	2.2	7.9	20.8	55.8
2001.....	1.4	*	*	*	*	*	*	*	1.8	6.4	25.8	67.0
2000.....	1.5	*	*	*	*	*	*	*	2.4	8.2	25.0	74.0
1999.....	1.7	*	*	*	*	*	*	1.1	2.2	8.9	26.9	74.9
Non-Hispanic black, female												
2006 5/.....	1.8	*	*	*	*	*	*	0.9	2.4	5.5	16.6	39.2
2005 5/.....	2.3	*	*	*	*	*	*	0.9	2.4	6.4	20.2	64.0
2004 5/.....	2.5	*	*	*	*	*	0.8	1.1	3.1	8.0	20.3	61.4
2003 5/.....	2.5	*	*	*	*	1.0	0.9	1.6	2.6	6.0	20.4	67.7
2002.....	3.0	*	*	*	*	*	1.1	1.3	3.3	5.6	22.9	97.8
2001.....	2.5	*	*	*	*	*	0.8	0.9	2.4	6.2	20.0	85.1
2000.....	2.8	*	*	*	*	*	*	1.5	2.4	7.3	22.6	94.2
1999.....	3.1	*	*	*	*	*	0.8	1.3	2.7	7.2	28.4	106.2

Worktable Orig12. Death rates for 358 selected causes, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2006

[Rates per 100,000 population in specified group. Rates are based on populations enumerated as of April 1 for 2000 and estimated as of July 1 for all other years. Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to 'Detailed technical notes to the United States 2006 data-mortality']

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, and sex	All ages 1/	Under 1 year 2/	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
XIII. Diseases of the musculoskeletal system and connective tissue (M00-M99)												
All origins 3/, both sexes												
2006.....	4.7	*	*	0.1	0.4	0.7	1.3	2.6	5.3	11.8	29.0	75.8
2005.....	4.9	*	*	0.1	0.4	0.7	1.4	2.7	5.3	11.9	30.8	84.4
2004.....	4.9	*	*	0.1	0.4	0.7	1.3	2.7	5.4	12.1	31.4	85.9
2003.....	5.0	*	*	0.1	0.4	0.8	1.4	2.7	5.6	12.7	31.7	90.4
2002.....	5.0	*	*	0.1	0.4	0.7	1.4	2.7	5.5	12.9	31.7	94.9
2001.....	4.9	*	*	0.1	0.5	0.7	1.5	2.6	5.3	12.8	32.2	93.4
2000.....	4.9	*	*	0.1	0.4	0.8	1.4	2.6	5.4	12.6	32.2	94.0
1999.....	4.8	*	*	0.1	0.4	0.7	1.4	2.7	5.4	12.7	31.1	91.2
All origins 3/, male												
2006.....	2.9	*	*	*	0.2	0.4	0.8	2.0	4.1	9.5	21.1	54.6
2005.....	3.0	*	*	*	0.2	0.4	0.9	2.0	4.1	9.1	24.3	58.5
2004.....	2.9	*	*	*	0.3	0.3	0.8	2.1	4.1	9.0	24.2	59.1
2003.....	3.0	*	*	*	0.2	0.4	1.0	1.9	4.1	10.3	24.5	59.9
2002.....	3.0	*	*	*	0.2	0.4	0.9	1.9	4.0	10.2	24.1	63.5
2001.....	2.9	*	*	*	0.2	0.4	1.0	1.9	3.9	9.6	24.9	63.2
2000.....	2.9	*	*	*	0.3	0.5	0.9	1.7	4.0	9.8	25.2	67.5
1999.....	2.8	*	*	*	0.2	0.4	0.9	1.8	3.8	9.5	24.2	63.7
All origins 3/, female												
2006.....	6.4	*	*	0.1	0.6	1.1	1.9	3.2	6.4	13.7	34.3	85.8
2005.....	6.7	*	*	0.1	0.5	1.1	1.9	3.3	6.5	14.3	35.2	96.2
2004.....	6.7	*	*	0.1	0.5	1.1	1.9	3.4	6.7	14.6	36.3	98.0
2003.....	6.9	*	*	*	0.6	1.2	1.8	3.5	6.9	14.6	36.5	103.8
2002.....	7.0	*	*	0.1	0.6	1.0	1.8	3.3	6.9	15.1	36.8	108.5
2001.....	6.9	*	*	*	0.7	1.1	2.0	3.2	6.6	15.6	37.0	106.0
2000.....	6.8	*	*	0.1	0.5	1.1	1.9	3.5	6.6	15.0	36.8	104.8
1999.....	6.7	*	*	0.1	0.6	1.1	1.9	3.7	6.9	15.3	35.5	102.3
Hispanic, both sexes												
2006.....	1.9	*	*	*	0.5	0.7	1.3	2.5	5.2	10.3	19.5	43.0
2005.....	2.1	*	*	*	0.4	0.7	1.3	3.1	5.8	12.0	23.6	43.2
2004.....	2.0	*	*	*	0.3	0.7	1.2	2.9	6.3	11.1	23.7	43.8
2003.....	2.0	*	*	*	0.5	0.7	1.6	2.6	6.3	10.7	22.3	44.6
2002.....	1.9	*	*	*	0.4	0.5	1.4	2.7	5.6	12.6	20.9	53.2
2001.....	2.0	*	*	*	0.6	0.6	1.6	3.0	5.0	12.9	22.4	55.6
2000.....	1.9	*	*	*	*	0.9	1.2	2.5	5.7	13.0	26.9	55.1
1999.....	2.1	*	*	*	0.4	0.8	1.5	3.0	6.9	12.8	22.7	73.7
Hispanic, male												
2006.....	1.2	*	*	*	*	0.9	1.9	3.7	8.1	13.6	33.8	
2005.....	1.2	*	*	*	*	0.8	2.0	3.7	6.6	18.0	33.6	
2004.....	1.1	*	*	*	*	0.7	2.3	3.8	6.7	16.1	32.2	
2003.....	1.2	*	*	*	*	0.9	1.6	4.2	7.4	19.6	*	
2002.....	1.0	*	*	*	*	1.1	1.6	3.1	6.7	13.5	36.8	
2001.....	1.2	*	*	*	*	1.1	2.6	2.9	7.4	19.2	41.9	
2000.....	1.0	*	*	*	*	0.8	1.5	4.5	7.4	14.3	40.3	
1999.....	1.1	*	*	*	*	0.9	1.6	4.3	8.6	16.7	47.4	
Hispanic, female												
2006.....	2.6	*	*	*	0.7	1.0	1.8	3.2	6.7	12.0	23.7	47.9
2005.....	3.1	*	*	*	*	1.3	1.9	4.2	7.7	16.3	27.4	48.2
2004.....	2.9	*	*	*	*	1.4	1.9	3.5	8.6	14.6	28.9	49.7
2003.....	2.9	*	*	*	0.9	1.1	2.5	3.7	8.1	13.4	24.2	52.3
2002.....	2.9	*	*	*	0.8	0.9	1.8	3.7	7.9	17.3	25.9	61.3
2001.....	2.8	*	*	*	1.1	0.9	2.1	3.5	7.0	17.3	24.5	62.4
2000.....	2.9	*	*	*	*	1.4	1.7	3.5	6.7	17.4	35.3	62.3
1999.....	3.1	*	*	*	0.7	1.3	2.2	4.3	9.2	16.2	26.7	86.3

Worktable Orig12. Death rates for 358 selected causes, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2006

[Rates per 100,000 population in specified group. Rates are based on populations enumerated as of April 1 for 2000 and estimated as of July 1 for all other years. Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to 'Detailed technical notes to the United States 2006 data-mortality']

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, and sex	All ages 1/	Under 1 year 2/	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
XIII. Diseases of the musculoskeletal system and connective tissue (M00-M99)												
Non-Hispanic 4/, both sexes												
2006.....	5.1	*	*	0.1	0.4	0.8	1.3	2.6	5.3	11.9	29.5	77.4
2005.....	5.3	*	*	0.1	0.4	0.7	1.4	2.6	5.3	11.9	31.2	86.2
2004.....	5.3	*	*	0.1	0.4	0.7	1.4	2.7	5.4	12.1	31.8	87.6
2003.....	5.4	*	*	0.1	0.4	0.8	1.3	2.7	5.5	12.8	32.1	92.2
2002.....	5.5	*	*	0.1	0.4	0.7	1.4	2.6	5.5	12.8	32.1	96.2
2001.....	5.4	*	*	0.1	0.4	0.8	1.5	2.5	5.3	12.8	32.6	94.6
2000.....	5.3	*	*	0.1	0.4	0.8	1.5	2.6	5.3	12.6	32.4	95.2
1999.....	5.1	*	*	0.1	0.4	0.7	1.4	2.7	5.3	12.7	31.3	91.5
Non-Hispanic 4/, male												
2006.....	3.2	*	*	*	0.2	0.4	0.8	2.0	4.1	9.6	21.6	55.6
2005.....	3.3	*	*	*	0.2	0.4	0.9	2.0	4.1	9.3	24.6	59.9
2004.....	3.2	*	*	*	0.3	0.4	0.8	2.0	4.1	9.2	24.6	60.1
2003.....	3.3	*	*	*	0.2	0.4	1.0	1.9	4.0	10.5	24.7	61.4
2002.....	3.3	*	*	*	0.2	0.5	0.8	2.0	4.1	10.4	24.6	64.7
2001.....	3.2	*	*	*	0.2	0.4	1.0	1.8	3.9	9.7	25.0	64.0
2000.....	3.2	*	*	*	0.3	0.5	0.9	1.7	3.9	9.9	25.6	68.4
1999.....	3.0	*	*	*	0.2	0.4	0.9	1.8	3.8	9.6	24.5	63.9
Non-Hispanic 4/, female												
2006.....	7.0	*	*	*	0.6	1.1	1.9	3.2	6.4	13.8	35.0	87.5
2005.....	7.3	*	*	*	0.5	1.1	1.8	3.2	6.4	14.1	35.6	98.3
2004.....	7.3	*	*	0.1	0.5	1.0	1.9	3.3	6.5	14.6	36.7	99.9
2003.....	7.5	*	*	*	0.6	1.3	1.7	3.5	6.8	14.7	37.0	105.7
2002.....	7.5	*	*	0.2	0.6	1.0	1.9	3.3	6.8	14.9	37.2	109.9
2001.....	7.4	*	*	*	0.6	1.1	1.9	3.2	6.5	15.4	37.6	107.3
2000.....	7.3	*	*	0.1	0.5	1.1	1.9	3.5	6.6	14.8	36.7	106.1
1999.....	7.1	*	*	0.1	0.6	1.0	1.9	3.6	6.6	15.3	35.8	102.5
Non-Hispanic white, both sexes												
2006 5/.....	5.5	*	*	*	0.2	0.4	0.9	2.1	4.9	11.8	30.4	80.7
2005 5/.....	5.7	*	*	*	0.2	0.4	0.9	2.1	4.7	11.9	31.9	89.9
2004 5/.....	5.6	*	*	0.1	0.2	0.3	0.9	2.0	4.8	11.9	32.3	90.6
2003 5/.....	5.8	*	*	*	0.2	0.4	1.0	2.1	5.0	12.5	32.4	94.8
2002.....	5.8	*	*	0.1	0.2	0.4	0.8	2.1	5.0	12.7	32.6	99.7
2001.....	5.7	*	*	0.1	0.2	0.4	1.0	2.0	4.8	12.5	33.3	97.1
2000.....	5.6	*	*	*	0.2	0.5	0.9	2.0	4.8	12.5	32.8	98.2
1999.....	5.4	*	*	*	0.2	0.4	0.8	2.1	4.7	12.5	32.0	94.7
Non-Hispanic white, male												
2006 5/.....	3.4	*	*	*	0.2	0.2	0.6	1.8	3.8	9.5	21.7	58.0
2005 5/.....	3.5	*	*	*	0.2	0.3	0.7	1.8	3.6	9.2	24.9	62.4
2004 5/.....	3.4	*	*	*	0.2	0.2	0.6	1.5	3.8	8.8	24.6	60.8
2003 5/.....	3.4	*	*	*	0.2	0.3	0.8	1.6	3.6	9.9	24.2	61.5
2002.....	3.4	*	*	*	0.3	0.6	1.7	3.7	10.0	24.5	65.5	
2001.....	3.3	*	*	*	0.2	0.3	0.8	1.5	3.5	9.4	25.3	65.1
2000.....	3.3	*	*	*	0.3	0.6	1.4	3.7	9.4	25.4	68.2	
1999.....	3.1	*	*	*	0.3	0.6	1.5	3.4	9.5	24.4	64.6	
Non-Hispanic white, female												
2006 5/.....	7.5	*	*	*	0.2	0.6	1.1	2.4	5.8	13.8	36.4	91.3
2005 5/.....	7.7	*	*	*	0.2	0.5	1.1	2.4	5.7	14.2	36.8	102.5
2004 5/.....	7.8	*	*	*	0.2	0.4	1.2	2.5	5.7	14.6	37.6	103.9
2003 5/.....	8.0	*	*	*	0.3	0.6	1.2	2.6	6.3	14.7	38.0	109.5
2002.....	8.1	*	*	*	0.2	0.5	1.1	2.6	6.2	14.9	38.0	114.5
2001.....	7.9	*	*	*	0.3	0.6	1.2	2.5	6.0	15.3	38.6	110.4
2000.....	7.8	*	*	*	0.3	0.6	1.2	2.6	5.9	15.0	37.6	110.3
1999.....	7.6	*	*	*	0.2	0.6	1.0	2.6	6.0	15.1	37.0	106.7

Worktable Orig12. Death rates for 358 selected causes, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2006

[Rates per 100,000 population in specified group. Rates are based on populations enumerated as of April 1 for 2000 and estimated as of July 1 for all other years. Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.odc.gov/nchs> and refer to 'Detailed technical notes to the United States 2006 data-mortality']

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, and sex	All ages 1/	Under 1 year 2/	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
XIII. Diseases of the musculoskeletal system and connective tissue (M00-M99)												
Non-Hispanic black, both sexes												
2006 5/.....	4.7	*	*	*	1.2	2.5	4.0	6.4	9.7	14.4	26.5	53.9
2005 5/.....	4.9	*	*	*	1.1	2.4	4.2	6.3	10.9	14.3	29.7	59.5
2004 5/.....	5.1	*	*	*	1.1	2.6	3.9	7.4	10.4	16.0	31.2	66.2
2003 5/.....	5.1	*	*	*	1.2	2.6	3.5	7.3	10.1	17.2	32.3	69.3
2002.....	5.0	*	*	*	1.2	2.6	4.3	6.4	10.2	16.2	31.3	68.4
2001.....	4.9	*	*	*	1.2	2.5	4.4	6.5	9.6	16.7	29.7	76.2
2000.....	5.0	*	*	*	1.3	2.5	4.7	7.3	10.0	15.5	31.1	68.7
1999.....	4.8	*	*	*	1.2	2.2	4.9	7.2	9.8	16.4	27.3	60.5
Non-Hispanic black, male												
2006 5/.....	3.1	*	*	*	0.6	1.2	2.0	4.3	7.8	13.6	26.1	44.9
2005 5/.....	3.0	*	*	*	*	1.2	2.4	4.0	8.7	11.7	26.3	40.0
2004 5/.....	3.4	*	*	*	0.7	1.6	2.0	5.5	7.3	15.0	29.1	62.0
2003 5/.....	3.4	*	*	*	*	1.1	2.4	4.3	8.3	18.4	34.1	59.7
2002.....	3.2	*	*	*	*	1.5	2.3	4.1	8.0	15.5	28.4	61.3
2001.....	3.2	*	*	*	*	1.2	2.8	4.9	7.9	13.9	28.2	60.1
2000.....	3.5	*	*	*	1.0	1.4	3.1	4.1	7.2	16.6	30.9	78.7
1999.....	3.0	*	*	*	*	0.9	3.0	4.2	6.7	13.1	29.4	64.2
Non-Hispanic black, female												
2006 5/.....	6.2	*	*	*	1.8	3.7	5.7	8.3	11.3	15.0	26.7	57.5
2005 5/.....	6.6	*	*	*	1.6	3.5	5.8	8.4	12.8	16.1	31.6	67.4
2004 5/.....	6.7	*	*	*	1.6	3.6	5.6	9.0	12.9	16.7	32.4	67.9
2003 5/.....	6.6	*	*	*	2.1	4.0	4.5	10.0	11.6	18.3	31.3	73.0
2002.....	6.6	*	*	*	1.9	3.6	6.2	8.3	12.1	16.6	33.0	71.1
2001.....	6.5	*	*	*	2.0	3.7	5.7	7.8	11.0	18.7	30.5	82.1
2000.....	6.4	*	*	*	1.6	3.5	6.1	10.0	12.4	14.6	31.3	65.0
1999.....	6.4	*	*	*	1.9	3.4	6.6	9.8	12.3	18.7	26.1	59.1

Worktable Orig12. Death rates for 358 selected causes, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2006

[Rates per 100,000 population in specified group. Rates are based on populations enumerated as of April 1 for 2000 and estimated as of July 1 for all other years. Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to 'Detailed technical notes to the United States 2006 data-mortality']

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, and sex	All ages 1/	Under 1 year 2/	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
Rheumatoid arthritis and related inflammatory polyarthropathies (M05-M08)												
All origins 3/, both sexes												
2006.....	0.8	*	*	*	*	*	0.1	0.2	0.8	2.9	7.8	10.3
2005.....	0.9	*	*	*	*	*	0.1	0.2	0.8	2.8	8.0	11.5
2004.....	0.9	*	*	*	*	*	0.1	0.2	0.9	3.1	8.0	11.9
2003.....	0.9	*	*	*	*	*	0.1	0.2	0.9	3.1	8.7	12.8
2002.....	1.0	*	*	*	*	*	0.0	0.2	1.0	3.3	9.1	14.2
2001.....	0.9	*	*	*	*	*	0.1	0.2	1.0	3.3	8.8	12.7
2000.....	1.0	*	*	*	*	*	0.1	0.2	1.0	3.5	9.2	12.9
1999.....	1.0	*	*	*	*	*	0.0	0.2	1.1	3.5	9.5	13.9
All origins 3/, male												
2006.....	0.4	*	*	*	*	*	*	0.2	0.5	1.8	4.1	5.8
2005.....	0.4	*	*	*	*	*	*	0.2	0.5	1.8	4.7	5.4
2004.....	0.4	*	*	*	*	*	*	0.1	0.6	1.9	4.3	6.5
2003.....	0.4	*	*	*	*	*	0.1	0.7	1.9	5.0	6.5	
2002.....	0.5	*	*	*	*	*	0.2	0.7	2.1	5.3	7.6	
2001.....	0.4	*	*	*	*	*	0.1	0.7	2.0	5.1	5.5	
2000.....	0.5	*	*	*	*	*	0.1	0.6	2.3	5.2	6.9	
1999.....	0.5	*	*	*	*	*	0.2	0.8	2.3	5.2	7.2	
All origins 3/, female												
2006.....	1.3	*	*	*	*	*	0.3	1.0	3.8	10.3	12.5	
2005.....	1.3	*	*	*	*	*	0.1	0.3	1.1	3.7	10.3	14.3
2004.....	1.3	*	*	*	*	*	0.3	1.1	4.1	10.5	14.3	
2003.....	1.4	*	*	*	*	*	0.3	1.1	4.1	11.1	15.6	
2002.....	1.4	*	*	*	*	*	0.3	1.3	4.3	11.6	17.0	
2001.....	1.4	*	*	*	*	*	0.1	0.3	1.3	4.4	11.2	15.7
2000.....	1.4	*	*	*	*	*	0.4	1.3	4.5	11.7	15.3	
1999.....	1.5	*	*	*	*	*	0.3	1.5	4.4	12.2	16.7	
Hispanic, both sexes												
2006.....	0.3	*	*	*	*	*	*	*	2.5	6.8	*	
2005.....	0.4	*	*	*	*	*	*	1.0	2.6	8.1	*	
2004.....	0.3	*	*	*	*	*	*	1.0	2.3	6.6	*	
2003.....	0.3	*	*	*	*	*	*	1.0	2.8	6.4	*	
2002.....	0.3	*	*	*	*	*	*	*	3.0	6.7	*	
2001.....	0.3	*	*	*	*	*	*	*	4.5	6.0	*	
2000.....	0.3	*	*	*	*	*	*	*	3.7	8.3	*	
1999.....	0.4	*	*	*	*	*	*	1.4	3.3	7.3	20.3	
Hispanic, male												
2006.....	0.1	*	*	*	*	*	*	*	*	*	*	
2005.....	0.1	*	*	*	*	*	*	*	*	*	*	
2004.....	0.1	*	*	*	*	*	*	*	*	*	*	
2003.....	0.1	*	*	*	*	*	*	*	*	*	*	
2002.....	0.1	*	*	*	*	*	*	*	*	*	*	
2001.....	0.1	*	*	*	*	*	*	*	*	*	*	
2000.....	0.1	*	*	*	*	*	*	*	*	*	*	
1999.....	0.1	*	*	*	*	*	*	*	*	*	*	
Hispanic, female												
2006.....	0.5	*	*	*	*	*	*	*	3.6	9.5	*	
2005.....	0.6	*	*	*	*	*	*	*	3.8	10.9	*	
2004.....	0.5	*	*	*	*	*	*	*	3.3	9.4	*	
2003.....	0.6	*	*	*	*	*	*	*	4.7	8.7	*	
2002.....	0.5	*	*	*	*	*	*	*	4.3	10.1	*	
2001.....	0.6	*	*	*	*	*	*	*	7.2	7.3	*	
2000.....	0.5	*	*	*	*	*	*	*	5.1	11.9	*	
1999.....	0.6	*	*	*	*	*	*	*	5.2	10.1	25.0	

Worktable Orig12. Death rates for 358 selected causes, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2006

[Rates per 100,000 population in specified group. Rates are based on populations enumerated as of April 1 for 2000 and estimated as of July 1 for all other years. Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to 'Detailed technical notes to the United States 2006 data-mortality']

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, and sex	All ages 1/	Under 1 year 2/	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
Rheumatoid arthritis and related inflammatory polyarthropathies (M05-M08)												
Non-Hispanic 4/, both sexes												
2006.....	0.9	*	*	*	*	*	0.1	0.2	0.8	2.9	7.8	10.5
2005.....	0.9	*	*	*	*	*	0.1	0.2	0.8	2.8	8.0	11.7
2004.....	1.0	*	*	*	*	*	0.1	0.2	0.9	3.2	8.1	12.0
2003.....	1.0	*	*	*	*	*	0.1	0.2	0.9	3.2	8.8	13.0
2002.....	1.1	*	*	*	*	*	*	0.2	1.0	3.3	9.2	14.3
2001.....	1.0	*	*	*	*	*	0.1	0.2	1.0	3.2	8.9	12.8
2000.....	1.0	*	*	*	*	*	*	0.3	1.0	3.5	9.2	13.2
1999.....	1.1	*	*	*	*	*	*	0.2	1.1	3.5	9.5	13.7
Non-Hispanic 4/, male												
2006.....	0.4	*	*	*	*	*	*	0.2	0.5	1.8	4.2	5.8
2005.....	0.5	*	*	*	*	*	*	0.2	0.5	1.8	4.7	5.5
2004.....	0.5	*	*	*	*	*	*	0.1	0.6	1.9	4.4	6.3
2003.....	0.5	*	*	*	*	*	*	*	0.7	2.0	5.1	6.6
2002.....	0.5	*	*	*	*	*	*	0.2	0.7	2.2	5.5	7.7
2001.....	0.5	*	*	*	*	*	*	0.1	0.7	2.1	5.1	5.7
2000.....	0.5	*	*	*	*	*	*	*	0.6	2.4	5.3	7.1
1999.....	0.5	*	*	*	*	*	*	0.2	0.8	2.4	5.3	7.1
Non-Hispanic 4/, female												
2006.....	1.4	*	*	*	*	*	*	0.3	1.1	3.8	10.3	12.6
2005.....	1.4	*	*	*	*	*	*	0.3	1.1	3.7	10.2	14.6
2004.....	1.4	*	*	*	*	*	*	0.3	1.1	4.2	10.5	14.5
2003.....	1.5	*	*	*	*	*	*	0.3	1.1	4.1	11.2	15.8
2002.....	1.6	*	*	*	*	*	*	0.3	1.3	4.3	11.6	17.1
2001.....	1.5	*	*	*	*	*	0.1	0.3	1.3	4.2	11.4	15.8
2000.....	1.6	*	*	*	*	*	*	0.4	1.3	4.4	11.7	15.6
1999.....	1.6	*	*	*	*	*	*	0.3	1.4	4.4	12.3	16.4
Non-Hispanic white, both sexes												
2006 5/.....	1.1	*	*	*	*	*	*	0.3	0.8	3.0	8.2	10.8
2005 5/.....	1.1	*	*	*	*	*	*	0.2	0.8	3.0	8.4	12.2
2004 5/.....	1.1	*	*	*	*	*	*	0.2	0.9	3.3	8.3	12.2
2003 5/.....	1.2	*	*	*	*	*	0.1	0.2	0.9	3.3	9.0	13.3
2002.....	1.2	*	*	*	*	*	*	0.2	1.0	3.5	9.5	14.9
2001.....	1.2	*	*	*	*	*	*	0.2	1.1	3.4	9.3	13.0
2000.....	1.2	*	*	*	*	*	*	0.3	1.0	3.7	9.5	13.7
1999.....	1.2	*	*	*	*	*	*	0.3	1.2	3.7	9.9	14.6
Non-Hispanic white, male												
2006 5/.....	0.5	*	*	*	*	*	*	0.2	0.5	1.8	4.3	6.5
2005 5/.....	0.5	*	*	*	*	*	*	0.2	0.5	2.0	4.9	5.8
2004 5/.....	0.5	*	*	*	*	*	*	*	0.6	1.9	4.6	6.4
2003 5/.....	0.6	*	*	*	*	*	*	*	0.7	2.1	5.1	6.7
2002.....	0.6	*	*	*	*	*	*	0.2	0.7	2.2	5.7	8.1
2001.....	0.6	*	*	*	*	*	*	*	0.8	2.2	5.3	5.8
2000.....	0.6	*	*	*	*	*	*	*	0.7	2.5	5.4	7.5
1999.....	0.6	*	*	*	*	*	*	0.2	0.9	2.5	5.4	7.6
Non-Hispanic white, female												
2006 5/.....	1.6	*	*	*	*	*	*	0.3	1.0	4.0	10.9	12.8
2005 5/.....	1.6	*	*	*	*	*	*	0.3	1.0	3.9	10.9	15.1
2004 5/.....	1.6	*	*	*	*	*	*	0.3	1.2	4.5	10.8	14.9
2003 5/.....	1.7	*	*	*	*	*	*	0.3	1.2	4.3	11.6	16.2
2002.....	1.8	*	*	*	*	*	*	0.3	1.3	4.5	12.0	17.8
2001.....	1.8	*	*	*	*	*	*	0.3	1.3	4.5	12.0	16.0
2000.....	1.8	*	*	*	*	*	*	0.4	1.3	4.7	12.2	16.1
1999.....	1.9	*	*	*	*	*	*	0.3	1.5	4.7	12.8	17.4

Worktable Orig12. Death rates for 358 selected causes, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2006

[Rates per 100,000 population in specified group. Rates are based on populations enumerated as of April 1 for 2000 and estimated as of July 1 for all other years. Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to 'Detailed technical notes to the United States 2006 data-mortality']

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, and sex	All ages 1/	Under 1 year 2/	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
Rheumatoid arthritis and related inflammatory polyarthropathies (M05-M08)												
Non-Hispanic black, both sexes												
2006 5/.....	0.4	*	*	*	*	*	*	*	1.1	2.3	4.7	7.4
2005 5/.....	0.4	*	*	*	*	*	*	*	0.9	2.0	4.4	8.5
2004 5/.....	0.5	*	*	*	*	*	*	*	0.7	2.5	6.5	9.5
2003 5/.....	0.5	*	*	*	*	*	*	*	*	2.3	6.9	9.8
2002.....	0.5	*	*	*	*	*	*	*	0.9	2.5	6.7	8.2
2001.....	0.5	*	*	*	*	*	*	*	0.9	2.2	5.1	12.2
2000.....	0.4	*	*	*	*	*	*	*	0.9	2.0	5.2	7.9
1999.....	0.4	*	*	*	*	*	*	*	*	2.0	6.2	*
Non-Hispanic black, male												
2006 5/.....	0.2	*	*	*	*	*	*	*	*	*	*	*
2005 5/.....	0.2	*	*	*	*	*	*	*	*	*	*	*
2004 5/.....	0.2	*	*	*	*	*	*	*	*	*	*	*
2003 5/.....	0.2	*	*	*	*	*	*	*	*	*	*	*
2002.....	0.3	*	*	*	*	*	*	*	*	*	*	*
2001.....	0.2	*	*	*	*	*	*	*	*	*	*	*
2000.....	0.2	*	*	*	*	*	*	*	*	*	*	*
1999.....	0.2	*	*	*	*	*	*	*	*	*	*	*
Non-Hispanic black, female												
2006 5/.....	0.7	*	*	*	*	*	*	*	1.6	2.6	5.7	10.5
2005 5/.....	0.6	*	*	*	*	*	*	*	1.3	2.9	4.9	11.1
2004 5/.....	0.8	*	*	*	*	*	*	*	*	2.7	8.4	11.2
2003 5/.....	0.6	*	*	*	*	*	*	*	*	2.9	8.0	11.6
2002.....	0.7	*	*	*	*	*	*	*	*	2.7	8.1	10.0
2001.....	0.7	*	*	*	*	*	*	*	*	2.7	5.4	15.0
2000.....	0.6	*	*	*	*	*	*	*	*	*	6.4	9.6
1999.....	0.6	*	*	*	*	*	*	*	*	2.2	6.8	*

Worktable Orig12. Death rates for 358 selected causes, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2006

[Rates per 100,000 population in specified group. Rates are based on populations enumerated as of April 1 for 2000 and estimated as of July 1 for all other years. Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to 'Detailed technical notes to the United States 2006 data-mortality']

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, and sex	All ages 1/	Under 1 year 2/	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
Systemic lupus erythematosus (M32)												
All origins 3/, both sexes												
2006.....	0.4	*	*	*	0.2	0.4	0.5	0.5	0.8	0.8	1.2	1.2
2005.....	0.5	*	*	*	0.2	0.3	0.5	0.6	0.8	1.0	1.3	1.3
2004.....	0.4	*	*	*	0.2	0.4	0.5	0.6	0.8	0.8	1.3	1.1
2003.....	0.5	*	*	*	0.2	0.4	0.5	0.6	0.8	0.9	1.4	1.1
2002.....	0.4	*	*	*	0.2	0.3	0.5	0.6	0.8	1.0	1.3	1.3
2001.....	0.5	*	*	*	0.3	0.4	0.5	0.6	0.8	1.0	1.5	1.2
2000.....	0.5	*	*	*	0.2	0.3	0.6	0.7	0.9	0.9	1.5	1.2
1999.....	0.5	*	*	*	0.2	0.3	0.5	0.7	0.8	1.1	1.3	1.4
All origins 3/, male												
2006.....	0.1	*	*	*	0.1	0.1	0.1	0.1	0.2	0.3	0.4	*
2005.....	0.1	*	*	*	0.1	*	0.1	0.2	0.2	0.3	0.5	*
2004.....	0.1	*	*	*	*	*	0.2	0.2	0.2	0.3	0.5	*
2003.....	0.1	*	*	*	*	*	0.2	0.2	0.2	0.4	*	*
2002.....	0.1	*	*	*	*	*	0.1	0.2	0.2	0.4	0.6	*
2001.....	0.1	*	*	*	*	0.1	0.1	0.2	0.2	0.3	0.6	*
2000.....	0.1	*	*	*	*	*	0.2	0.1	0.3	0.4	0.7	*
1999.....	0.1	*	*	*	*	*	0.1	0.2	0.2	0.3	0.6	*
All origins 3/, female												
2006.....	0.7	*	*	*	0.4	0.7	0.8	0.9	1.2	1.1	1.7	1.7
2005.....	0.8	*	*	*	0.4	0.6	0.9	1.1	1.4	1.6	1.9	1.8
2004.....	0.7	*	*	*	0.3	0.7	0.8	1.0	1.3	1.3	1.8	1.3
2003.....	0.8	*	*	*	0.4	0.6	0.8	1.1	1.4	1.3	2.1	1.3
2002.....	0.8	*	*	*	0.4	0.5	0.9	1.0	1.4	1.5	1.8	1.7
2001.....	0.8	*	*	*	0.5	0.7	0.8	1.1	1.3	1.6	2.1	1.3
2000.....	0.8	*	*	*	0.3	0.6	1.0	1.1	1.4	1.3	2.0	1.4
1999.....	0.8	*	*	*	0.4	0.6	0.9	1.2	1.3	1.8	1.8	1.6
Hispanic, both sexes												
2006.....	0.4	*	*	*	0.3	0.4	0.5	0.7	0.8	*	*	*
2005.....	0.4	*	*	*	*	0.4	0.5	0.9	1.1	*	*	*
2004.....	0.4	*	*	*	*	0.5	0.5	0.7	1.0	*	*	*
2003.....	0.4	*	*	*	0.3	0.4	0.7	0.7	1.2	*	*	*
2002.....	0.4	*	*	*	*	0.3	0.6	0.8	1.2	1.8	*	*
2001.....	0.4	*	*	*	0.4	*	0.5	0.7	*	*	*	*
2000.....	0.4	*	*	*	*	0.4	0.5	0.7	1.3	*	*	*
1999.....	0.5	*	*	*	*	0.4	0.7	1.1	1.4	*	*	*
Hispanic, male												
2006.....	0.1	*	*	*	*	*	*	*	*	*	*	*
2005.....	*	*	*	*	*	*	*	*	*	*	*	*
2004.....	0.1	*	*	*	*	*	*	*	*	*	*	*
2003.....	0.1	*	*	*	*	*	*	*	*	*	*	*
2002.....	*	*	*	*	*	*	*	*	*	*	*	*
2001.....	*	*	*	*	*	*	*	*	*	*	*	*
2000.....	*	*	*	*	*	*	*	*	*	*	*	*
1999.....	0.1	*	*	*	*	*	*	*	*	*	*	*
Hispanic, female												
2006.....	0.6	*	*	*	*	0.8	0.9	1.3	*	*	*	*
2005.....	0.8	*	*	*	*	0.7	0.9	1.7	1.9	*	*	*
2004.....	0.7	*	*	*	*	1.1	0.9	1.2	1.7	*	*	*
2003.....	0.7	*	*	*	0.6	0.6	1.3	1.2	2.0	*	*	*
2002.....	0.7	*	*	*	*	*	1.0	1.4	2.1	*	*	*
2001.....	0.7	*	*	*	0.8	*	0.8	1.2	*	*	*	*
2000.....	0.7	*	*	*	*	0.8	0.9	1.5	2.3	*	*	*
1999.....	0.8	*	*	*	*	0.9	1.3	2.0	2.4	*	*	*

Worktable Orig12. Death rates for 358 selected causes, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2006

[Rates per 100,000 population in specified group. Rates are based on populations enumerated as of April 1 for 2000 and estimated as of July 1 for all other years. Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to 'Detailed technical notes to the United States 2006 data-mortality']

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, and sex	All ages 1/	Under 1 year 2/	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
Systemic lupus erythematosus (M32)												
Non-Hispanic 4/, both sexes												
2006.....	0.4	*	*	*	0.2	0.4	0.4	0.5	0.7	0.8	1.2	1.2
2005.....	0.5	*	*	*	0.2	0.3	0.5	0.6	0.8	1.0	1.3	1.3
2004.....	0.4	*	*	*	0.2	0.3	0.5	0.6	0.8	0.8	1.3	1.1
2003.....	0.5	*	*	*	0.2	0.4	0.4	0.6	0.8	0.9	1.5	1.1
2002.....	0.5	*	*	*	0.2	0.3	0.5	0.6	0.8	0.9	1.3	1.4
2001.....	0.5	*	*	*	0.2	0.4	0.5	0.6	0.8	1.0	1.5	1.3
2000.....	0.5	*	*	*	0.2	0.3	0.6	0.6	0.9	0.9	1.4	1.2
1999.....	0.5	*	*	*	0.2	0.3	0.5	0.6	0.7	1.1	1.3	1.5
Non-Hispanic 4/, male												
2006.....	0.1	*	*	*	*	*	0.1	0.1	0.2	0.4	*	*
2005.....	0.1	*	*	*	*	*	*	*	0.2	0.2	0.3	0.5
2004.....	0.2	*	*	*	*	*	0.2	0.2	0.2	0.3	0.5	*
2003.....	0.1	*	*	*	*	*	0.2	0.2	0.2	0.4	*	*
2002.....	0.1	*	*	*	*	*	*	0.2	0.2	0.3	0.6	*
2001.....	0.1	*	*	*	*	*	0.1	0.2	0.2	0.3	0.7	*
2000.....	0.2	*	*	*	*	*	0.2	0.2	0.3	0.4	0.6	*
1999.....	0.1	*	*	*	*	*	0.1	0.2	0.2	0.3	0.7	*
Non-Hispanic 4/, female												
2006.....	0.7	*	*	*	0.4	0.7	0.7	0.9	1.2	1.1	1.7	1.7
2005.....	0.8	*	*	*	0.3	0.6	0.8	1.0	1.3	1.5	1.8	1.8
2004.....	0.7	*	*	*	0.3	0.6	0.7	1.0	1.3	1.2	1.8	1.3
2003.....	0.8	*	*	*	0.4	0.6	0.7	1.0	1.3	1.3	2.2	1.3
2002.....	0.8	*	*	*	0.4	0.5	0.8	1.0	1.3	1.4	1.8	1.8
2001.....	0.8	*	*	*	0.4	0.7	0.8	1.1	1.3	1.6	2.1	1.3
2000.....	0.8	*	*	*	0.3	0.6	1.0	1.1	1.3	1.3	2.0	1.5
1999.....	0.8	*	*	*	0.3	0.6	0.9	1.1	1.1	1.8	1.8	1.6
Non-Hispanic white, both sexes												
2006 5/.....	0.3	*	*	*	*	0.1	0.2	0.3	0.6	0.7	1.2	1.3
2005 5/.....	0.3	*	*	*	*	0.1	0.2	0.3	0.6	0.9	1.2	1.3
2004 5/.....	0.3	*	*	*	*	*	0.2	0.3	0.5	0.7	1.2	1.2
2003 5/.....	0.3	*	*	*	*	0.2	0.2	0.4	0.6	0.7	1.5	1.2
2002.....	0.3	*	*	*	*	0.1	0.2	0.4	0.6	0.7	1.3	1.4
2001.....	0.4	*	*	*	*	0.1	0.2	0.4	0.6	0.9	1.5	1.2
2000.....	0.4	*	*	*	*	0.1	0.3	0.4	0.7	0.8	1.4	1.4
1999.....	0.3	*	*	*	*	0.1	0.2	0.4	0.6	0.9	1.4	1.5
Non-Hispanic white, male												
2006 5/.....	0.1	*	*	*	*	*	*	*	0.2	0.3	*	*
2005 5/.....	0.1	*	*	*	*	*	*	0.1	0.2	0.3	*	*
2004 5/.....	0.1	*	*	*	*	*	*	*	0.2	*	0.5	*
2003 5/.....	0.1	*	*	*	*	*	*	*	*	*	*	*
2002.....	0.1	*	*	*	*	*	*	0.1	*	0.4	*	*
2001.....	0.1	*	*	*	*	*	*	*	*	0.3	0.6	*
2000.....	0.1	*	*	*	*	*	*	*	0.3	0.4	0.6	*
1999.....	0.1	*	*	*	*	*	*	*	*	0.3	0.7	*
Non-Hispanic white, female												
2006 5/.....	0.5	*	*	*	*	0.2	0.4	0.5	1.0	1.0	1.8	1.8
2005 5/.....	0.6	*	*	*	*	0.2	0.4	0.6	1.0	1.4	1.8	1.8
2004 5/.....	0.5	*	*	*	*	*	0.4	0.6	0.9	1.0	1.7	1.4
2003 5/.....	0.6	*	*	*	*	0.3	0.4	0.6	1.0	1.0	2.2	1.3
2002.....	0.5	*	*	*	*	*	0.3	0.6	0.9	1.0	1.8	1.8
2001.....	0.6	*	*	*	*	0.3	0.3	0.7	1.0	1.4	2.1	1.2
2000.....	0.6	*	*	*	*	0.2	0.5	0.7	1.0	1.2	1.9	1.6
1999.....	0.6	*	*	*	*	0.2	0.4	0.7	0.9	1.5	1.8	1.7

Worktable Orig12. Death rates for 358 selected causes, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2006

[Rates per 100,000 population in specified group. Rates are based on populations enumerated as of April 1 for 2000 and estimated as of July 1 for all other years. Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.odc.gov/nchs> and refer to 'Detailed technical notes to the United States 2006 data-mortality']

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, and sex	All ages 1/	Under 1 year 2/	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
Systemic lupus erythematosus (M32)												
Non-Hispanic black, both sexes												
2006 5/.....	1.2	*	*	*	0.8	1.7	1.6	1.9	2.1	1.5	*	*
2005 5/.....	1.3	*	*	*	0.8	1.3	1.9	2.2	2.5	2.0	2.3	*
2004 5/.....	1.3	*	*	*	0.7	1.5	1.7	2.4	2.8	2.0	2.3	*
2003 5/.....	1.1	*	*	*	0.8	1.2	1.4	2.4	2.2	2.1	*	*
2002.....	1.3	*	*	*	0.8	1.4	2.0	2.0	2.5	2.6	*	*
2001.....	1.2	*	*	*	0.8	1.5	2.0	2.0	2.1	1.7	*	*
2000.....	1.3	*	*	*	0.8	1.3	2.1	2.4	2.5	1.9	*	*
1999.....	1.2	*	*	*	0.8	1.2	2.2	2.2	1.9	2.9	*	*
Non-Hispanic black, male												
2006 5/.....	0.4	*	*	*	*	*	*	*	*	*	*	*
2005 5/.....	0.3	*	*	*	*	*	*	*	*	*	*	*
2004 5/.....	0.4	*	*	*	*	*	*	*	*	*	*	*
2003 5/.....	0.2	*	*	*	*	*	*	*	*	*	*	*
2002.....	0.2	*	*	*	*	*	*	*	*	*	*	*
2001.....	0.3	*	*	*	*	*	*	*	*	*	*	*
2000.....	0.4	*	*	*	*	*	0.8	*	*	*	*	*
1999.....	0.3	*	*	*	*	*	*	*	*	*	*	*
Non-Hispanic black, female												
2006 5/.....	1.9	*	*	*	1.2	2.8	2.7	3.1	3.1	2.2	*	*
2005 5/.....	2.1	*	*	*	1.3	2.3	3.2	3.7	4.1	3.2	*	*
2004 5/.....	2.0	*	*	*	1.1	2.5	2.5	3.7	4.5	2.9	*	*
2003 5/.....	2.0	*	*	*	1.5	2.2	2.4	4.0	3.4	3.4	*	*
2002.....	2.2	*	*	*	1.4	2.3	3.6	3.5	4.4	3.8	*	*
2001.....	2.0	*	*	*	1.5	2.5	3.4	3.3	3.1	2.6	*	*
2000.....	2.1	*	*	*	1.1	2.3	3.3	4.1	3.8	2.8	*	*
1999.....	2.1	*	*	*	1.4	2.1	3.7	3.8	3.0	4.5	*	*

Worktable Orig12. Death rates for 358 selected causes, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2006

[Rates per 100,000 population in specified group. Rates are based on populations enumerated as of April 1 for 2000 and estimated as of July 1 for all other years. Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to 'Detailed technical notes to the United States 2006 data-mortality']

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, and sex	All ages 1/	Under 1 year 2/	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
Other arthropathies and related disorders (M00,M02,M10-M31,M33-M35)												
All origins 3/, both sexes												
2006.....	1.5	*	*	*	0.1	0.2	0.5	1.0	2.0	4.4	8.4	21.7
2005.....	1.6	*	*	*	0.1	0.3	0.5	1.0	2.2	4.4	9.2	24.9
2004.....	1.6	*	*	*	0.1	0.2	0.5	1.1	2.2	4.3	9.5	24.5
2003.....	1.6	*	*	*	0.1	0.3	0.6	1.1	2.2	4.6	9.4	25.9
2002.....	1.7	*	*	*	0.1	0.3	0.6	1.2	2.2	4.7	9.7	27.2
2001.....	1.7	*	*	*	0.1	0.2	0.6	1.1	2.1	5.0	10.1	27.7
2000.....	1.7	*	*	*	0.1	0.3	0.6	1.1	2.2	5.0	10.5	28.0
1999.....	1.7	*	*	*	0.1	0.2	0.6	1.3	2.3	5.0	9.5	27.6
All origins 3/, male												
2006.....	0.9	*	*	*	*	0.2	0.3	0.8	1.4	3.2	5.7	15.8
2005.....	1.0	*	*	*	*	0.1	0.4	0.7	1.6	3.1	6.9	19.0
2004.....	1.0	*	*	*	*	0.2	0.3	0.8	1.5	2.9	7.2	17.5
2003.....	1.0	*	*	*	*	0.2	0.4	0.7	1.5	3.5	7.7	19.4
2002.....	1.0	*	*	*	*	0.2	0.4	0.8	1.6	3.3	7.6	18.6
2001.....	1.0	*	*	*	*	0.2	0.4	0.9	1.5	3.4	8.1	20.5
2000.....	1.1	*	*	*	*	0.3	0.4	0.8	1.6	3.4	8.8	21.1
1999.....	1.0	*	*	*	*	0.2	0.5	0.8	1.6	3.5	7.8	22.5
All origins 3/, female												
2006.....	2.1	*	*	*	0.1	0.2	0.7	1.3	2.6	5.5	10.3	24.5
2005.....	2.2	*	*	*	0.1	0.4	0.7	1.3	2.7	5.5	10.8	27.7
2004.....	2.2	*	*	*	0.1	0.3	0.8	1.4	2.8	5.6	11.1	27.7
2003.....	2.2	*	*	*	0.2	0.4	0.7	1.5	2.9	5.6	10.5	28.8
2002.....	2.3	*	*	*	0.1	0.3	0.7	1.5	2.8	5.9	11.1	31.0
2001.....	2.3	*	*	*	0.2	0.3	0.8	1.3	2.7	6.3	11.5	30.7
2000.....	2.3	*	*	*	0.1	0.4	0.7	1.5	2.8	6.3	11.6	30.8
1999.....	2.3	*	*	*	0.2	0.3	0.7	1.7	3.0	6.3	10.6	29.7
Hispanic, both sexes												
2006.....	0.6	*	*	*	*	*	0.4	0.9	2.4	4.1	4.7	12.9
2005.....	0.7	*	*	*	*	*	0.5	1.1	2.1	5.1	7.3	12.8
2004.....	0.7	*	*	*	*	*	0.5	1.0	2.3	4.7	7.3	12.4
2003.....	0.7	*	*	*	*	*	0.7	1.2	2.8	3.5	8.3	14.0
2002.....	0.7	*	*	*	*	*	0.6	1.0	2.3	4.8	6.7	12.7
2001.....	0.8	*	*	*	*	*	0.7	1.2	2.7	5.2	7.4	18.8
2000.....	0.7	*	*	*	*	0.3	0.4	1.1	2.3	4.6	9.3	19.9
1999.....	0.7	*	*	*	*	*	0.5	1.2	2.6	5.5	6.9	21.0
Hispanic, male												
2006.....	0.4	*	*	*	*	*	*	*	*	*	*	*
2005.....	0.4	*	*	*	*	*	*	*	*	*	*	*
2004.....	0.4	*	*	*	*	*	*	*	*	*	*	*
2003.....	0.4	*	*	*	*	*	*	*	*	*	*	*
2002.....	0.3	*	*	*	*	*	*	*	*	*	*	*
2001.....	0.5	*	*	*	*	*	*	*	*	*	*	*
2000.....	0.5	*	*	*	*	*	*	*	*	*	*	*
1999.....	0.4	*	*	*	*	*	*	*	*	4.4	*	*
Hispanic, female												
2006.....	0.9	*	*	*	*	*	*	1.1	3.5	5.7	6.4	13.2
2005.....	1.0	*	*	*	*	*	0.7	1.7	2.7	6.8	7.9	13.7
2004.....	1.0	*	*	*	*	*	0.8	1.4	3.5	6.2	8.4	14.4
2003.....	1.1	*	*	*	*	*	1.0	1.8	3.8	4.1	10.3	18.0
2002.....	1.0	*	*	*	*	*	*	1.4	3.3	7.5	7.9	*
2001.....	1.1	*	*	*	*	*	0.9	1.4	3.8	6.6	9.1	19.5
2000.....	1.0	*	*	*	*	*	*	1.3	2.5	6.8	11.9	*
1999.....	1.1	*	*	*	*	*	*	1.7	3.6	6.4	6.9	27.0

Worktable Orig12. Death rates for 358 selected causes, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2006

[Rates per 100,000 population in specified group. Rates are based on populations enumerated as of April 1 for 2000 and estimated as of July 1 for all other years. Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to 'Detailed technical notes to the United States 2006 data-mortality']

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, and sex	All ages 1/	Under 1 year 2/	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
Other arthropathies and related disorders (M00,M02,M10-M31,M33-M35)												
Non-Hispanic 4/, both sexes												
2006.....	1.7	*	*	*	0.1	0.2	0.5	1.1	2.0	4.4	8.7	22.2
2005.....	1.8	*	*	*	0.1	0.3	0.6	1.0	2.2	4.3	9.3	25.4
2004.....	1.8	*	*	*	0.1	0.2	0.5	1.1	2.2	4.3	9.7	25.0
2003.....	1.8	*	*	*	0.1	0.3	0.6	1.1	2.2	4.7	9.4	26.4
2002.....	1.8	*	*	*	0.1	0.3	0.6	1.2	2.2	4.7	9.8	27.7
2001.....	1.8	*	*	*	0.1	0.2	0.6	1.1	2.1	5.0	10.3	27.9
2000.....	1.8	*	*	*	0.1	0.3	0.6	1.1	2.2	5.0	10.5	28.2
1999.....	1.8	*	*	*	0.1	0.2	0.6	1.2	2.3	5.0	9.6	27.7
Non-Hispanic 4/, male												
2006.....	1.0	*	*	*	*	0.2	0.3	0.8	1.4	3.2	6.0	16.0
2005.....	1.1	*	*	*	*	0.2	0.4	0.8	1.6	3.1	6.9	19.4
2004.....	1.1	*	*	*	*	0.2	0.3	0.8	1.6	2.9	7.3	17.9
2003.....	1.1	*	*	*	*	0.2	0.4	0.7	1.5	3.5	7.8	20.0
2002.....	1.1	*	*	*	*	0.2	0.4	0.8	1.6	3.4	7.8	19.0
2001.....	1.1	*	*	*	*	0.2	0.4	0.9	1.5	3.4	8.2	20.6
2000.....	1.1	*	*	*	*	0.3	0.4	0.7	1.6	3.4	8.9	20.7
1999.....	1.1	*	*	*	*	0.1	0.5	0.8	1.6	3.5	7.8	22.8
Non-Hispanic 4/, female												
2006.....	2.3	*	*	*	0.1	0.3	0.8	1.3	2.6	5.4	10.5	25.0
2005.....	2.4	*	*	*	*	0.3	0.7	1.3	2.7	5.4	11.0	28.2
2004.....	2.4	*	*	*	0.1	0.3	0.8	1.4	2.7	5.5	11.2	28.2
2003.....	2.4	*	*	*	0.2	0.4	0.7	1.4	2.9	5.7	10.5	29.2
2002.....	2.5	*	*	*	0.1	0.4	0.7	1.5	2.8	5.8	11.2	31.4
2001.....	2.5	*	*	*	0.2	0.3	0.8	1.3	2.6	6.3	11.6	30.9
2000.....	2.5	*	*	*	0.1	0.4	0.8	1.5	2.8	6.3	11.5	31.3
1999.....	2.4	*	*	*	0.1	0.3	0.7	1.6	2.9	6.2	10.7	29.6
Non-Hispanic white, both sexes												
2006 5/.....	1.8	*	*	*	*	0.1	0.3	0.8	1.8	4.4	9.1	23.2
2005 5/.....	1.9	*	*	*	*	0.1	0.4	0.8	1.9	4.4	9.7	26.6
2004 5/.....	1.8	*	*	*	0.1	0.1	0.4	0.8	1.9	4.3	10.0	26.1
2003 5/.....	1.8	*	*	*	0.1	0.1	0.4	0.8	2.0	4.6	9.6	26.9
2002.....	1.9	*	*	*	*	0.2	0.4	0.9	2.1	4.7	10.0	28.5
2001.....	1.9	*	*	*	0.1	0.1	0.4	0.8	1.9	4.8	10.6	28.8
2000.....	1.9	*	*	*	*	0.2	0.3	0.8	2.0	4.9	10.7	29.0
1999.....	1.8	*	*	*	*	0.1	0.4	0.9	2.0	4.9	9.8	28.5
Non-Hispanic white, male												
2006 5/.....	1.1	*	*	*	*	0.2	0.7	1.3	3.3	6.1	17.1	
2005 5/.....	1.2	*	*	*	*	0.2	0.6	1.4	3.2	7.2	20.1	
2004 5/.....	1.1	*	*	*	*	0.2	0.6	1.4	2.8	7.5	18.4	
2003 5/.....	1.1	*	*	*	*	0.3	0.6	1.3	3.3	7.6	20.6	
2002.....	1.1	*	*	*	*	0.3	0.6	1.4	3.3	7.9	19.6	
2001.....	1.2	*	*	*	*	0.3	0.6	1.4	3.3	8.4	21.2	
2000.....	1.1	*	*	*	*	0.2	0.6	1.4	3.3	8.8	20.2	
1999.....	1.1	*	*	*	*	0.3	0.6	1.4	3.4	7.9	23.8	
Non-Hispanic white, female												
2006 5/.....	2.4	*	*	*	*	0.2	0.4	0.9	2.4	5.4	11.2	26.1
2005 5/.....	2.5	*	*	*	*	0.2	0.5	1.0	2.4	5.4	11.3	29.6
2004 5/.....	2.5	*	*	*	*	0.5	1.1	2.4	5.5	11.6	29.5	
2003 5/.....	2.5	*	*	*	*	0.5	1.0	2.6	5.7	10.8	29.6	
2002.....	2.7	*	*	*	*	0.2	0.5	1.2	2.7	5.8	11.5	32.4
2001.....	2.6	*	*	*	*	0.2	0.6	1.0	2.4	6.2	12.1	31.9
2000.....	2.6	*	*	*	*	0.2	0.5	1.0	2.6	6.3	11.9	32.6
1999.....	2.5	*	*	*	*	0.2	0.4	1.1	2.6	6.2	11.0	30.4

Worktable Orig12. Death rates for 358 selected causes, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2006

[Rates per 100,000 population in specified group. Rates are based on populations enumerated as of April 1 for 2000 and estimated as of July 1 for all other years. Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.odc.gov/nchs> and refer to 'Detailed technical notes to the United States 2006 data-mortality']

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, and sex	All ages 1/	Under 1 year 2/	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
Other arthropathies and related disorders (M00,M02,M10-M31,M33-M35)												
Non-Hispanic black, both sexes												
2006 5/.....	1.6	*	*	*	*	0.6	1.8	2.8	3.5	5.0	5.2	15.1
2005 5/.....	1.7	*	*	*	*	0.9	1.8	2.6	4.4	4.4	8.1	17.2
2004 5/.....	1.7	*	*	*	*	0.8	1.6	3.2	4.0	5.4	7.7	17.0
2003 5/.....	1.9	*	*	*	*	1.0	1.6	3.3	4.2	6.1	9.2	20.8
2002.....	1.8	*	*	*	*	0.9	1.8	2.8	3.9	5.7	8.9	22.1
2001.....	1.8	*	*	*	*	0.8	1.8	3.2	3.2	6.1	8.6	22.5
2000.....	1.8	*	*	*	*	0.9	2.0	3.2	4.0	5.8	9.3	21.9
1999.....	1.9	*	*	*	*	0.8	2.0	3.8	4.8	6.1	7.9	20.7
Non-Hispanic black, male												
2006 5/.....	1.0	*	*	*	*	*	0.9	1.9	3.0	4.2	*	*
2005 5/.....	1.1	*	*	*	*	*	1.4	1.7	3.3	3.1	*	*
2004 5/.....	1.1	*	*	*	*	*	0.8	2.4	2.9	4.0	6.0	*
2003 5/.....	1.3	*	*	*	*	*	1.3	1.9	3.3	6.1	10.4	*
2002.....	1.2	*	*	*	*	*	1.3	2.1	3.9	5.0	6.4	*
2001.....	1.2	*	*	*	*	*	1.4	2.7	2.4	4.3	7.5	*
2000.....	1.3	*	*	*	*	*	1.5	1.8	3.2	5.1	10.8	27.0
1999.....	1.3	*	*	*	*	*	1.8	2.4	3.6	4.7	7.8	*
Non-Hispanic black, female												
2006 5/.....	2.1	*	*	*	*	*	2.6	3.5	3.9	5.6	5.5	17.6
2005 5/.....	2.3	*	*	*	*	1.1	2.1	3.3	5.3	5.4	10.3	19.1
2004 5/.....	2.3	*	*	*	*	0.8	2.4	3.9	4.9	6.4	8.7	18.1
2003 5/.....	2.4	*	*	*	*	1.4	1.8	4.5	5.0	8.2	8.5	23.9
2002.....	2.3	*	*	*	*	1.1	2.3	3.5	3.9	6.1	10.3	25.1
2001.....	2.3	*	*	*	*	1.1	2.2	3.6	3.9	7.4	9.3	24.4
2000.....	2.3	*	*	*	*	1.0	2.4	4.4	4.6	6.2	8.5	20.1
1999.....	2.5	*	*	*	*	1.1	2.2	4.9	5.7	7.1	7.9	22.7

Worktable Orig12. Death rates for 358 selected causes, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2006

[Rates per 100,000 population in specified group. Rates are based on populations enumerated as of April 1 for 2000 and estimated as of July 1 for all other years. Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to 'Detailed technical notes to the United States 2006 data-mortality']

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, and sex	All ages 1/	Under 1 year 2/	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
Dorsopathies (M40-M54)												
Non-Hispanic 4/, both sexes												
2006.....	0.4	*	*	*	*	*	0.1	0.2	0.4	1.0	2.7	7.0
2005.....	0.4	*	*	*	*	*	*	0.2	0.4	1.0	2.8	6.8
2004.....	0.4	*	*	*	*	*	0.1	0.2	0.4	0.9	2.6	7.2
2003.....	0.4	*	*	*	*	*	0.1	0.2	0.4	0.9	2.7	5.7
2002.....	0.4	*	*	*	*	*	0.1	0.2	0.4	0.9	2.3	6.2
2001.....	0.4	*	*	*	*	*	0.1	0.1	0.3	0.8	2.4	7.5
2000.....	0.3	*	*	*	*	*	0.0	0.1	0.3	0.8	2.4	6.1
1999.....	0.3	*	*	*	*	*	0.1	0.2	0.2	0.8	1.9	5.3
Non-Hispanic 4/, male												
2006.....	0.3	*	*	*	*	*	*	0.2	0.4	1.0	2.7	6.1
2005.....	0.4	*	*	*	*	*	*	0.2	0.5	1.1	3.0	6.3
2004.....	0.3	*	*	*	*	*	*	0.2	0.4	0.9	2.8	6.8
2003.....	0.3	*	*	*	*	*	*	0.2	0.4	1.0	2.9	4.9
2002.....	0.3	*	*	*	*	*	*	0.2	0.4	0.9	2.4	5.6
2001.....	0.3	*	*	*	*	*	*	0.1	0.3	0.8	2.4	6.3
2000.....	0.3	*	*	*	*	*	*	0.2	0.3	1.0	2.4	6.5
1999.....	0.3	*	*	*	*	*	*	0.1	0.3	0.9	2.3	5.7
Non-Hispanic 4/, female												
2006.....	0.5	*	*	*	*	*	*	0.2	0.3	1.0	2.7	7.4
2005.....	0.5	*	*	*	*	*	*	0.1	0.3	0.9	2.6	7.0
2004.....	0.5	*	*	*	*	*	*	0.1	0.3	0.8	2.5	7.5
2003.....	0.4	*	*	*	*	*	*	0.1	0.4	0.9	2.6	6.1
2002.....	0.4	*	*	*	*	*	*	*	0.4	0.9	2.2	6.4
2001.....	0.4	*	*	*	*	*	*	0.1	0.3	0.8	2.4	7.9
2000.....	0.4	*	*	*	*	*	*	*	0.3	0.6	2.4	6.0
1999.....	0.3	*	*	*	*	*	*	0.2	0.2	0.7	1.8	5.2
Non-Hispanic white, both sexes												
2006 5/.....	0.5	*	*	*	*	*	0.1	0.2	0.4	1.0	2.8	7.4
2005 5/.....	0.5	*	*	*	*	*	*	0.1	0.4	0.9	2.9	7.1
2004 5/.....	0.5	*	*	*	*	*	*	0.1	0.4	0.8	2.8	7.6
2003 5/.....	0.4	*	*	*	*	*	*	0.2	0.4	0.9	2.8	6.0
2002.....	0.4	*	*	*	*	*	*	0.2	0.3	0.9	2.3	6.4
2001.....	0.4	*	*	*	*	*	0.1	0.1	0.3	0.8	2.4	7.9
2000.....	0.4	*	*	*	*	*	*	0.1	0.3	0.8	2.4	6.4
1999.....	0.3	*	*	*	*	*	*	0.2	0.2	0.7	2.0	5.4
Non-Hispanic white, male												
2006 5/.....	0.4	*	*	*	*	*	*	0.2	0.4	0.9	2.7	6.5
2005 5/.....	0.4	*	*	*	*	*	*	0.2	0.4	1.0	3.1	6.8
2004 5/.....	0.4	*	*	*	*	*	*	0.2	0.4	0.8	2.7	7.0
2003 5/.....	0.3	*	*	*	*	*	*	0.2	0.3	0.9	2.9	4.9
2002.....	0.3	*	*	*	*	*	*	0.2	0.3	0.9	2.4	5.5
2001.....	0.3	*	*	*	*	*	*	0.1	0.3	0.7	2.5	6.6
2000.....	0.3	*	*	*	*	*	*	0.2	0.3	0.9	2.4	7.0
1999.....	0.3	*	*	*	*	*	*	0.2	0.2	0.8	2.2	5.6
Non-Hispanic white, female												
2006 5/.....	0.6	*	*	*	*	*	*	0.2	0.3	1.0	2.8	7.8
2005 5/.....	0.5	*	*	*	*	*	*	*	0.3	0.9	2.7	7.3
2004 5/.....	0.5	*	*	*	*	*	*	*	0.4	0.8	2.8	7.8
2003 5/.....	0.5	*	*	*	*	*	*	0.1	0.4	0.8	2.7	6.4
2002.....	0.5	*	*	*	*	*	*	*	0.4	0.9	2.3	6.8
2001.....	0.5	*	*	*	*	*	*	*	0.3	0.8	2.3	8.4
2000.....	0.4	*	*	*	*	*	*	*	0.3	0.6	2.4	6.2
1999.....	0.4	*	*	*	*	*	*	0.2	0.2	0.7	1.8	5.4

Worktable Orig12. Death rates for 358 selected causes, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2006

[Rates per 100,000 population in specified group. Rates are based on populations enumerated as of April 1 for 2000 and estimated as of July 1 for all other years. Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to 'Detailed technical notes to the United States 2006 data-mortality']

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, and sex	All ages 1/	Under 1 year 2/	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
Soft tissue disorders (M60-M79)												
Non-Hispanic 4/, both sexes												
2006.....	0.5	*	*	*	*	0.1	0.2	0.4	0.7	1.1	2.5	4.9
2005.....	0.5	*	*	*	*	0.1	0.1	0.4	0.6	1.2	2.7	5.5
2004.....	0.5	*	*	*	*	0.1	0.1	0.4	0.6	1.2	2.7	5.2
2003.....	0.5	*	*	*	*	0.1	0.2	0.4	0.6	1.3	2.6	5.5
2002.....	0.4	*	*	*	*	0.1	0.2	0.3	0.5	1.1	2.5	5.3
2001.....	0.4	*	*	*	*	*	0.2	0.3	0.6	1.1	2.3	4.4
2000.....	0.4	*	*	*	*	*	0.1	0.4	0.5	1.0	2.2	4.3
1999.....	0.4	*	*	*	*	*	0.2	0.3	0.5	1.0	2.1	4.2
Non-Hispanic 4/, male												
2006.....	0.5	*	*	*	*	*	0.2	0.4	0.9	1.4	3.1	7.1
2005.....	0.5	*	*	*	*	*	0.2	0.4	0.6	1.4	3.3	8.1
2004.....	0.5	*	*	*	*	*	0.2	0.4	0.7	1.3	3.4	7.8
2003.....	0.5	*	*	*	*	*	0.2	0.4	0.6	1.5	3.4	7.2
2002.....	0.5	*	*	*	*	*	0.2	0.4	0.5	1.4	2.9	8.1
2001.....	0.4	*	*	*	*	*	0.2	0.4	0.6	1.4	3.2	6.3
2000.....	0.4	*	*	*	*	*	0.2	0.4	0.5	1.2	2.9	6.9
1999.....	0.4	*	*	*	*	*	0.2	0.3	0.6	1.3	3.1	6.5
Non-Hispanic 4/, female												
2006.....	0.4	*	*	*	*	*	0.1	0.3	0.6	0.9	2.1	3.9
2005.....	0.4	*	*	*	*	*	0.1	0.3	0.5	1.0	2.3	4.3
2004.....	0.4	*	*	*	*	*	0.1	0.3	0.5	1.1	2.2	4.0
2003.....	0.5	*	*	*	*	*	0.2	0.4	0.7	1.1	2.1	4.8
2002.....	0.4	*	*	*	*	*	0.1	0.2	0.5	0.9	2.1	4.2
2001.....	0.4	*	*	*	*	*	0.1	0.2	0.6	0.8	1.7	3.6
2000.....	0.4	*	*	*	*	*	0.1	0.3	0.5	0.8	1.7	3.2
1999.....	0.3	*	*	*	*	*	0.1	0.2	0.4	0.7	1.5	3.3
Non-Hispanic white, both sexes												
2006 5/.....	0.5	*	*	*	*	*	0.1	0.3	0.7	1.1	2.4	4.9
2005 5/.....	0.5	*	*	*	*	*	0.1	0.3	0.5	1.1	2.7	5.7
2004 5/.....	0.5	*	*	*	*	*	0.1	0.3	0.5	1.2	2.6	4.9
2003 5/.....	0.5	*	*	*	*	*	0.2	0.3	0.6	1.2	2.5	5.5
2002.....	0.4	*	*	*	*	*	0.1	0.3	0.5	1.0	2.4	5.0
2001.....	0.4	*	*	*	*	*	0.2	0.3	0.5	1.0	2.1	4.3
2000.....	0.4	*	*	*	*	*	0.1	0.3	0.4	0.9	2.0	4.0
1999.....	0.4	*	*	*	*	*	0.1	0.2	0.4	0.9	2.0	3.9
Non-Hispanic white, male												
2006 5/.....	0.5	*	*	*	*	*	0.1	0.4	0.8	1.3	3.1	7.1
2005 5/.....	0.5	*	*	*	*	*	0.2	0.3	0.6	1.2	3.4	8.3
2004 5/.....	0.5	*	*	*	*	*	0.2	0.3	0.6	1.2	3.4	7.2
2003 5/.....	0.5	*	*	*	*	*	0.2	0.3	0.5	1.4	3.3	7.1
2002.....	0.5	*	*	*	*	*	0.2	0.3	0.5	1.3	2.9	7.9
2001.....	0.4	*	*	*	*	*	0.2	0.3	0.5	1.3	3.1	6.1
2000.....	0.4	*	*	*	*	*	*	0.3	0.5	1.1	2.8	6.5
1999.....	0.4	*	*	*	*	*	0.1	0.2	0.4	1.2	2.8	6.0
Non-Hispanic white, female												
2006 5/.....	0.5	*	*	*	*	*	*	0.3	0.5	0.8	2.0	3.9
2005 5/.....	0.5	*	*	*	*	*	*	0.3	0.5	1.0	2.2	4.5
2004 5/.....	0.4	*	*	*	*	*	*	0.3	0.4	1.1	2.1	3.8
2003 5/.....	0.5	*	*	*	*	*	0.2	0.4	0.6	1.1	1.9	4.8
2002.....	0.4	*	*	*	*	*	*	0.2	0.5	0.8	2.1	3.8
2001.....	0.3	*	*	*	*	*	*	0.2	0.5	0.7	1.5	3.5
2000.....	0.3	*	*	*	*	*	*	0.3	0.3	0.8	1.4	3.0
1999.....	0.3	*	*	*	*	*	*	0.2	0.3	0.6	1.5	3.0

Worktable Orig12. Death rates for 358 selected causes, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2006

[Rates per 100,000 population in specified group. Rates are based on populations enumerated as of April 1 for 2000 and estimated as of July 1 for all other years. Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to 'Detailed technical notes to the United States 2006 data-mortality']

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, and sex	All ages 1/	Under 1 year 2/	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
Osteopathies, chondropathies and other disorders of musculoskeletal system and connective tissue (M80-M99)												
Non-Hispanic 4/, both sexes												
2006.....	1.2	*	*	*	*	*	0.1	0.2	0.6	1.7	6.7	31.5
2005.....	1.3	*	*	*	*	*	0.1	0.2	0.6	1.6	7.1	35.4
2004.....	1.3	*	*	*	*	*	0.1	0.2	0.6	1.7	7.5	37.1
2003.....	1.3	*	*	*	*	*	0.1	0.3	0.6	1.9	7.1	40.5
2002.....	1.3	*	*	*	*	*	0.1	0.2	0.6	1.9	7.1	41.4
2001.....	1.3	*	*	*	*	*	0.1	0.2	0.5	1.8	7.2	40.7
2000.....	1.2	*	*	*	*	*	0.1	0.1	0.4	1.4	6.7	42.2
1999.....	1.1	*	*	*	*	*	*	0.1	0.4	1.4	6.8	39.1
Non-Hispanic 4/, male												
2006.....	0.7	*	*	*	*	*	*	0.3	0.7	1.8	5.4	20.3
2005.....	0.7	*	*	*	*	*	0.1	0.3	0.6	1.6	6.1	20.3
2004.....	0.7	*	*	*	*	*	*	0.3	0.6	1.9	6.1	20.6
2003.....	0.7	*	*	*	*	*	0.1	0.3	0.7	2.1	5.2	22.1
2002.....	0.7	*	*	*	*	*	*	0.2	0.6	2.1	5.4	23.7
2001.....	0.7	*	*	*	*	*	*	0.2	0.6	1.7	5.4	23.8
2000.....	0.7	*	*	*	*	*	0.1	0.2	0.5	1.5	5.5	26.4
1999.....	0.6	*	*	*	*	*	*	0.2	0.4	1.3	5.3	20.8
Non-Hispanic 4/, female												
2006.....	1.6	*	*	*	*	*	*	0.2	0.6	1.5	7.5	36.8
2005.....	1.7	*	*	*	*	*	*	0.2	0.5	1.7	7.8	42.3
2004.....	1.8	*	*	*	*	*	*	0.2	0.6	1.6	8.4	44.4
2003.....	1.9	*	*	*	*	*	*	0.2	0.5	1.7	8.4	48.6
2002.....	1.9	*	*	*	*	*	*	0.1	0.5	1.7	8.3	49.0
2001.....	1.8	*	*	*	*	*	*	0.1	0.5	1.8	8.4	47.7
2000.....	1.7	*	*	*	*	*	*	0.1	0.4	1.4	7.5	48.6
1999.....	1.7	*	*	*	*	*	*	0.1	0.5	1.5	7.8	46.4
Non-Hispanic white, both sexes												
2006 5/.....	1.3	*	*	*	*	*	*	0.2	0.6	1.6	6.6	33.0
2005 5/.....	1.4	*	*	*	*	*	0.1	0.2	0.5	1.6	7.1	36.9
2004 5/.....	1.5	*	*	*	*	*	0.1	0.2	0.6	1.7	7.5	38.6
2003 5/.....	1.5	*	*	*	*	*	0.1	0.2	0.6	1.8	7.1	42.1
2002.....	1.5	*	*	*	*	*	*	0.2	0.5	1.9	7.0	43.4
2001.....	1.4	*	*	*	*	*	0.1	0.2	0.5	1.6	7.3	42.0
2000.....	1.4	*	*	*	*	*	0.1	0.1	0.4	1.3	6.8	43.7
1999.....	1.3	*	*	*	*	*	*	0.1	0.4	1.3	6.9	40.8
Non-Hispanic white, male												
2006 5/.....	0.8	*	*	*	*	*	*	0.2	0.6	1.8	5.2	20.5
2005 5/.....	0.8	*	*	*	*	*	0.1	0.3	0.5	1.5	5.9	21.2
2004 5/.....	0.8	*	*	*	*	*	*	0.3	0.6	1.8	5.9	21.0
2003 5/.....	0.7	*	*	*	*	*	*	0.2	0.6	1.8	4.9	21.4
2002.....	0.8	*	*	*	*	*	*	0.2	0.6	2.0	5.0	23.9
2001.....	0.7	*	*	*	*	*	*	0.2	0.4	1.5	5.3	24.1
2000.....	0.7	*	*	*	*	*	*	0.1	0.4	1.3	5.3	26.3
1999.....	0.6	*	*	*	*	*	*	0.2	0.4	1.2	5.2	20.6
Non-Hispanic white, female												
2006 5/.....	1.9	*	*	*	*	*	*	0.1	0.6	1.5	7.6	38.9
2005 5/.....	2.0	*	*	*	*	*	*	0.2	0.4	1.7	7.9	44.1
2004 5/.....	2.1	*	*	*	*	*	*	0.1	0.5	1.6	8.6	46.5
2003 5/.....	2.2	*	*	*	*	*	*	0.2	0.5	1.8	8.7	51.2
2002.....	2.2	*	*	*	*	*	*	0.1	0.4	1.8	8.4	51.9
2001.....	2.1	*	*	*	*	*	*	0.1	0.5	1.7	8.7	49.4
2000.....	2.0	*	*	*	*	*	*	0.3	1.4	7.7	50.8	
1999.....	2.0	*	*	*	*	*	*	0.1	0.5	1.4	8.0	48.8

Worktable Orig12. Death rates for 358 selected causes, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2006

[Rates per 100,000 population in specified group. Rates are based on populations enumerated as of April 1 for 2000 and estimated as of July 1 for all other years. Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to 'Detailed technical notes to the United States 2006 data-mortality']

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, and sex	All ages 1/	Under 1 year 2/	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
Osteopathies, chondropathies and other disorders of musculoskeletal system and connective tissue (M80-M99)												
Non-Hispanic black, both sexes												
2006 5/.....	0.7	*	*	*	*	*	*	0.4	0.9	2.5	8.8	19.9
2005 5/.....	0.8	*	*	*	*	*	*	0.4	1.3	2.2	8.5	24.3
2004 5/.....	0.8	*	*	*	*	*	*	0.5	0.9	2.6	9.4	25.3
2003 5/.....	0.8	*	*	*	*	*	*	0.5	1.3	2.9	7.5	27.1
2002.....	0.7	*	*	*	*	*	*	*	1.2	2.9	8.8	24.2
2001.....	0.7	*	*	*	*	*	*	*	1.0	3.4	6.8	30.0
2000.....	0.7	*	*	*	*	*	*	*	1.1	2.5	7.4	27.7
1999.....	0.6	*	*	*	*	*	*	*	*	2.2	7.0	21.0
Non-Hispanic black, male												
2006 5/.....	0.7	*	*	*	*	*	*	*	*	2.9	9.7	22.0
2005 5/.....	0.6	*	*	*	*	*	*	*	1.6	*	9.8	*
2004 5/.....	0.7	*	*	*	*	*	*	*	*	3.4	11.4	22.4
2003 5/.....	0.8	*	*	*	*	*	*	*	1.8	5.2	10.1	27.7
2002.....	0.6	*	*	*	*	*	*	*	*	4.1	10.0	25.2
2001.....	0.6	*	*	*	*	*	*	*	*	3.9	7.5	26.6
2000.....	0.7	*	*	*	*	*	*	*	*	4.0	8.3	32.9
1999.....	0.5	*	*	*	*	*	*	*	*	*	7.2	25.0
Non-Hispanic black, female												
2006 5/.....	0.8	*	*	*	*	*	*	*	*	2.3	8.2	19.1
2005 5/.....	0.9	*	*	*	*	*	*	*	*	*	7.8	28.3
2004 5/.....	0.8	*	*	*	*	*	*	*	*	2.0	8.2	26.5
2003 5/.....	0.7	*	*	*	*	*	*	*	*	*	6.0	26.8
2002.....	0.8	*	*	*	*	*	*	*	*	*	8.1	23.8
2001.....	0.8	*	*	*	*	*	*	*	*	3.0	6.4	31.2
2000.....	0.7	*	*	*	*	*	*	*	*	*	6.9	25.7
1999.....	0.7	*	*	*	*	*	*	*	*	2.1	6.8	19.5

Worktable Orig12. Death rates for 358 selected causes, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2006

[Rates per 100,000 population in specified group. Rates are based on populations enumerated as of April 1 for 2000 and estimated as of July 1 for all other years. Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to 'Detailed technical notes to the United States 2006 data-mortality']

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, and sex	All ages 1/	Under 1 year 2/	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
Osteoporosis (M80-M81)												
Non-Hispanic 4/, both sexes												
2006.....	0.6	*	*	*	*	*	*	*	*	0.4	2.8	20.7
2005.....	0.7	*	*	*	*	*	*	*	*	0.3	3.2	24.0
2004.....	0.7	*	*	*	*	*	*	*	*	0.3	3.3	25.1
2003.....	0.7	*	*	*	*	*	*	*	*	0.4	3.3	27.7
2002.....	0.7	*	*	*	*	*	*	*	*	0.4	3.5	29.6
2001.....	0.7	*	*	*	*	*	*	*	*	0.4	3.4	27.4
2000.....	0.7	*	*	*	*	*	*	*	*	0.4	3.5	29.0
1999.....	0.7	*	*	*	*	*	*	*	*	0.4	3.6	27.5
Non-Hispanic 4/, male												
2006.....	0.1	*	*	*	*	*	*	*	*	*	0.9	7.4
2005.....	0.2	*	*	*	*	*	*	*	*	*	1.3	8.0
2004.....	0.2	*	*	*	*	*	*	*	*	*	1.3	7.4
2003.....	0.2	*	*	*	*	*	*	*	*	*	1.0	8.2
2002.....	0.2	*	*	*	*	*	*	*	*	*	1.1	10.0
2001.....	0.2	*	*	*	*	*	*	*	*	*	1.0	9.6
2000.....	0.2	*	*	*	*	*	*	*	*	*	1.3	10.3
1999.....	0.1	*	*	*	*	*	*	*	*	*	1.3	7.2
Non-Hispanic 4/, female												
2006.....	1.0	*	*	*	*	*	*	*	*	0.5	4.1	27.0
2005.....	1.1	*	*	*	*	*	*	*	*	0.5	4.5	31.2
2004.....	1.1	*	*	*	*	*	*	*	*	0.5	4.7	33.1
2003.....	1.2	*	*	*	*	*	*	*	*	0.6	4.9	36.2
2002.....	1.3	*	*	*	*	*	*	*	*	0.6	5.0	38.0
2001.....	1.2	*	*	*	*	*	*	*	*	0.6	4.9	34.8
2000.....	1.2	*	*	*	*	*	*	*	*	0.5	4.9	36.5
1999.....	1.2	*	*	*	*	*	*	*	*	0.6	5.0	35.6
Non-Hispanic white, both sexes												
2006 5/.....	0.7	*	*	*	*	*	*	*	*	0.4	3.1	22.5
2005 5/.....	0.8	*	*	*	*	*	*	*	*	0.4	3.5	26.0
2004 5/.....	0.8	*	*	*	*	*	*	*	*	0.4	3.6	27.2
2003 5/.....	0.9	*	*	*	*	*	*	*	*	0.5	3.6	30.0
2002.....	0.9	*	*	*	*	*	*	*	*	0.5	3.7	32.0
2001.....	0.8	*	*	*	*	*	*	*	*	0.4	3.6	29.5
2000.....	0.8	*	*	*	*	*	*	*	*	0.4	3.8	31.3
1999.....	0.8	*	*	*	*	*	*	*	*	0.4	3.9	29.6
Non-Hispanic white, male												
2006 5/.....	0.2	*	*	*	*	*	*	*	*	*	1.0	8.0
2005 5/.....	0.2	*	*	*	*	*	*	*	*	*	1.4	8.7
2004 5/.....	0.2	*	*	*	*	*	*	*	*	*	1.3	8.0
2003 5/.....	0.2	*	*	*	*	*	*	*	*	*	1.1	8.5
2002.....	0.2	*	*	*	*	*	*	*	*	*	1.2	10.7
2001.....	0.2	*	*	*	*	*	*	*	*	*	1.1	10.4
2000.....	0.2	*	*	*	*	*	*	*	*	*	1.4	10.7
1999.....	0.2	*	*	*	*	*	*	*	*	*	1.4	7.6
Non-Hispanic white, female												
2006 5/.....	1.2	*	*	*	*	*	*	*	*	0.6	4.5	29.2
2005 5/.....	1.4	*	*	*	*	*	*	*	*	0.6	4.9	33.9
2004 5/.....	1.4	*	*	*	*	*	*	*	*	0.6	5.2	35.8
2003 5/.....	1.5	*	*	*	*	*	*	*	*	0.7	5.3	39.5
2002.....	1.5	*	*	*	*	*	*	*	*	0.7	5.4	41.3
2001.....	1.4	*	*	*	*	*	*	*	*	0.6	5.3	37.4
2000.....	1.4	*	*	*	*	*	*	*	*	0.6	5.4	39.5
1999.....	1.4	*	*	*	*	*	*	*	*	0.7	5.5	38.3

Worktable Orig12. Death rates for 358 selected causes, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2006

[Rates per 100,000 population in specified group. Rates are based on populations enumerated as of April 1 for 2000 and estimated as of July 1 for all other years. Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to 'Detailed technical notes to the United States 2006 data-mortality']

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, and sex	All ages 1/	Under 1 year 2/	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
Other osteopathies, chondropathies and disorders of musculoskeletal system and connective tissue (M83-M99)												
Non-Hispanic 4/, both sexes												
2006.....	0.6	*	*	*	*	*	0.1	0.2	0.6	1.3	3.8	10.8
2005.....	0.6	*	*	*	*	*	0.1	0.2	0.5	1.3	3.9	11.5
2004.....	0.6	*	*	*	*	*	0.1	0.2	0.5	1.4	4.1	11.9
2003.....	0.6	*	*	*	*	*	0.1	0.2	0.6	1.4	3.7	12.9
2002.....	0.6	*	*	*	*	*	0.1	0.2	0.5	1.5	3.6	11.8
2001.....	0.6	*	*	*	*	*	0.1	0.2	0.4	1.4	3.9	13.3
2000.....	0.5	*	*	*	*	*	0.1	0.1	0.4	1.1	3.2	13.2
1999.....	0.5	*	*	*	*	*	*	0.1	0.4	1.0	3.3	11.6
Non-Hispanic 4/, male												
2006.....	0.6	*	*	*	*	*	*	0.2	0.6	1.7	4.5	12.9
2005.....	0.6	*	*	*	*	*	0.1	0.3	0.6	1.4	4.8	12.3
2004.....	0.6	*	*	*	*	*	*	0.3	0.5	1.7	4.9	13.2
2003.....	0.6	*	*	*	*	*	*	0.2	0.7	1.9	4.1	13.9
2002.....	0.5	*	*	*	*	*	*	0.2	0.6	2.0	4.3	13.7
2001.....	0.5	*	*	*	*	*	*	0.2	0.5	1.5	4.4	14.2
2000.....	0.5	*	*	*	*	*	0.1	0.2	0.5	1.3	4.1	16.1
1999.....	0.4	*	*	*	*	*	*	0.2	0.4	1.2	4.0	13.5
Non-Hispanic 4/, female												
2006.....	0.6	*	*	*	*	*	*	0.2	0.5	1.0	3.4	9.8
2005.....	0.6	*	*	*	*	*	*	0.1	0.4	1.1	3.2	11.1
2004.....	0.7	*	*	*	*	*	*	0.2	0.5	1.1	3.6	11.3
2003.....	0.7	*	*	*	*	*	*	0.2	0.5	1.1	3.5	12.4
2002.....	0.6	*	*	*	*	*	*	0.1	0.4	1.1	3.2	11.0
2001.....	0.7	*	*	*	*	*	*	0.1	0.4	1.3	3.5	12.9
2000.....	0.5	*	*	*	*	*	*	*	0.3	0.8	2.6	12.1
1999.....	0.5	*	*	*	*	*	*	0.1	0.4	0.9	2.8	10.8
Non-Hispanic white, both sexes												
2006 5/.....	0.6	*	*	*	*	*	*	0.2	0.6	1.3	3.5	10.5
2005 5/.....	0.6	*	*	*	*	*	0.1	0.2	0.4	1.2	3.6	11.0
2004 5/.....	0.6	*	*	*	*	*	0.1	0.2	0.5	1.3	3.8	11.5
2003 5/.....	0.6	*	*	*	*	*	0.1	0.2	0.5	1.3	3.6	12.1
2002.....	0.6	*	*	*	*	*	*	0.2	0.4	1.4	3.3	11.4
2001.....	0.6	*	*	*	*	*	*	0.2	0.4	1.2	3.7	12.5
2000.....	0.5	*	*	*	*	*	*	0.1	0.3	0.9	3.0	12.5
1999.....	0.5	*	*	*	*	*	*	0.1	0.3	0.9	3.0	11.2
Non-Hispanic white, male												
2006 5/.....	0.6	*	*	*	*	*	*	0.2	0.6	1.7	4.2	12.5
2005 5/.....	0.6	*	*	*	*	*	*	0.3	0.5	1.4	4.5	12.5
2004 5/.....	0.6	*	*	*	*	*	*	0.2	0.5	1.6	4.5	13.0
2003 5/.....	0.6	*	*	*	*	*	*	0.2	0.6	1.6	3.8	12.9
2002.....	0.6	*	*	*	*	*	*	0.2	0.6	1.8	3.9	13.2
2001.....	0.5	*	*	*	*	*	*	0.2	0.4	1.3	4.2	13.7
2000.....	0.5	*	*	*	*	*	*	*	0.4	1.1	3.9	15.5
1999.....	0.4	*	*	*	*	*	*	0.1	0.3	1.1	3.8	12.9
Non-Hispanic white, female												
2006 5/.....	0.7	*	*	*	*	*	*	*	0.6	0.9	3.1	9.6
2005 5/.....	0.6	*	*	*	*	*	*	*	0.4	1.1	3.0	10.3
2004 5/.....	0.7	*	*	*	*	*	*	0.1	0.5	1.1	3.4	10.8
2003 5/.....	0.7	*	*	*	*	*	*	0.2	0.4	1.0	3.4	11.7
2002.....	0.6	*	*	*	*	*	*	*	0.3	1.1	2.9	10.6
2001.....	0.7	*	*	*	*	*	*	0.1	0.4	1.1	3.3	12.0
2000.....	0.6	*	*	*	*	*	*	*	0.3	0.8	2.4	11.2
1999.....	0.5	*	*	*	*	*	*	*	0.3	0.7	2.6	10.5

Worktable Orig12. Death rates for 358 selected causes, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2006

[Rates per 100,000 population in specified group. Rates are based on populations enumerated as of April 1 for 2000 and estimated as of July 1 for all other years. Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to 'Detailed technical notes to the United States 2006 data-mortality']

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, and sex	All ages 1/	Under 1 year 2/	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
Other osteopathies, chondropathies and disorders of musculoskeletal system and connective tissue (M83-M99)												
Non-Hispanic black, both sexes												
2006 5/.....	0.7	*	*	*	*	*	*	0.4	0.8	2.3	8.3	16.5
2005 5/.....	0.7	*	*	*	*	*	*	0.4	1.3	2.1	7.6	21.3
2004 5/.....	0.7	*	*	*	*	*	*	0.5	0.9	2.6	8.9	20.4
2003 5/.....	0.7	*	*	*	*	*	*	0.4	1.3	2.9	7.0	23.8
2002.....	0.6	*	*	*	*	*	*	*	1.2	2.7	7.7	19.7
2001.....	0.7	*	*	*	*	*	*	*	1.0	3.3	6.4	24.3
2000.....	0.6	*	*	*	*	*	*	*	1.0	2.4	6.9	23.8
1999.....	0.5	*	*	*	*	*	*	*	*	2.2	6.2	17.1
Non-Hispanic black, male												
2006 5/.....	0.6	*	*	*	*	*	*	*	*	2.7	9.5	21.1
2005 5/.....	0.6	*	*	*	*	*	*	*	1.6	*	9.5	*
2004 5/.....	0.7	*	*	*	*	*	*	*	*	3.4	10.8	21.3
2003 5/.....	0.8	*	*	*	*	*	*	*	1.8	5.2	9.5	24.5
2002.....	0.6	*	*	*	*	*	*	*	*	4.1	9.7	24.1
2001.....	0.6	*	*	*	*	*	*	*	*	3.9	7.5	24.3
2000.....	0.7	*	*	*	*	*	*	*	*	3.9	7.7	28.2
1999.....	0.4	*	*	*	*	*	*	*	*	*	6.9	*
Non-Hispanic black, female												
2006 5/.....	0.7	*	*	*	*	*	*	*	*	2.1	7.6	14.6
2005 5/.....	0.8	*	*	*	*	*	*	*	*	*	6.5	24.1
2004 5/.....	0.7	*	*	*	*	*	*	*	*	*	7.7	20.1
2003 5/.....	0.7	*	*	*	*	*	*	*	*	*	5.5	23.5
2002.....	0.7	*	*	*	*	*	*	*	*	*	6.6	18.0
2001.....	0.7	*	*	*	*	*	*	*	*	2.8	5.7	24.4
2000.....	0.6	*	*	*	*	*	*	*	*	*	6.4	22.2
1999.....	0.6	*	*	*	*	*	*	*	*	2.1	5.8	15.1

Worktable Orig12. Death rates for 358 selected causes, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2006

[Rates per 100,000 population in specified group. Rates are based on populations enumerated as of April 1 for 2000 and estimated as of July 1 for all other years. Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to 'Detailed technical notes to the United States 2006 data-mortality']

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, and sex	All ages 1/	Under 1 year 2/	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
XIV. Diseases of the genitourinary system (N00-N98)												
All origins 3/, both sexes												
2006.....	21.2	4.4	*	0.1	0.3	0.8	2.3	6.4	17.0	49.9	155.4	454.9
2005.....	21.2	4.4	0.1	0.1	0.3	0.9	2.1	6.0	16.7	50.3	156.8	464.4
2004.....	20.5	4.9	0.2	0.1	0.3	0.8	2.2	6.2	16.5	49.2	153.4	458.5
2003.....	20.7	5.1	0.1	0.1	0.3	0.9	2.2	6.0	16.7	50.7	153.8	469.5
2002.....	20.2	4.6	*	0.1	0.3	0.9	2.1	5.7	15.8	49.7	153.5	469.4
2001.....	20.0	3.9	0.2	*	0.3	0.8	2.1	5.7	15.8	51.2	149.8	476.4
2000.....	19.4	5.0	0.1	0.1	0.3	0.8	2.0	5.4	15.6	48.0	148.2	471.4
1999.....	19.0	5.1	0.2	0.1	0.2	0.8	2.0	5.0	15.1	48.1	144.7	471.1
All origins 3/, male												
2006.....	19.4	5.5	*	0.1	0.3	0.9	2.5	7.3	18.9	55.3	178.2	531.8
2005.....	19.1	4.8	*	*	0.3	0.9	2.3	7.0	19.2	54.6	180.1	538.8
2004.....	18.5	5.8	*	*	0.3	0.7	2.4	7.0	18.2	53.8	179.0	533.9
2003.....	18.6	6.0	*	*	0.3	0.9	2.4	6.8	18.3	55.3	181.1	547.9
2002.....	18.1	5.6	*	*	0.2	0.8	2.1	6.5	17.0	55.9	178.6	553.0
2001.....	17.7	4.2	*	*	0.3	0.7	2.2	6.4	16.7	56.9	173.5	564.2
2000.....	17.2	6.1	*	*	0.3	0.8	2.2	6.3	16.8	52.6	173.2	567.5
1999.....	16.9	5.0	*	0.1	0.2	0.8	2.1	5.6	16.5	53.3	172.1	558.3
All origins 3/, female												
2006.....	23.0	3.2	*	*	0.3	0.8	2.0	5.4	15.2	45.3	139.7	418.9
2005.....	23.2	3.8	*	0.1	0.3	0.9	1.9	5.0	14.4	46.7	140.9	430.3
2004.....	22.5	4.0	*	*	0.3	0.9	2.1	5.4	15.0	45.4	136.3	424.5
2003.....	22.6	4.3	*	*	0.3	0.9	2.1	5.2	15.3	48.7	135.6	434.9
2002.....	22.3	3.6	*	*	0.3	0.9	2.0	5.0	14.8	44.5	136.8	433.2
2001.....	22.2	3.6	*	*	0.3	0.8	2.0	5.1	15.0	46.5	134.3	439.6
2000.....	21.5	3.9	*	*	0.3	0.8	1.8	4.6	14.5	44.3	132.0	432.3
1999.....	21.1	5.1	*	0.1	0.3	0.8	1.8	4.5	13.8	43.9	127.0	436.0
Hispanic, both sexes												
2006.....	7.8	4.1	*	*	*	0.5	1.2	6.0	17.4	49.9	135.4	317.3
2005.....	7.3	4.0	*	*	0.3	0.5	1.4	4.7	17.2	47.7	128.6	308.5
2004.....	7.2	4.6	*	*	*	0.3	1.5	5.7	16.9	52.2	126.5	306.3
2003.....	7.1	4.4	*	*	0.3	0.5	1.6	5.4	17.3	51.3	124.0	338.4
2002.....	6.6	4.7	*	*	*	0.6	1.4	4.9	15.7	45.9	120.8	327.6
2001.....	6.8	2.6	*	*	*	0.4	1.7	5.0	15.4	52.0	130.2	361.4
2000.....	6.5	3.8	*	*	*	0.5	1.2	4.5	16.5	47.0	125.8	372.9
1999.....	6.5	3.3	*	*	*	0.4	1.7	4.7	17.0	46.2	126.4	385.2
Hispanic, male												
2006.....	7.2	4.4	*	*	*	0.4	1.5	7.3	19.1	58.1	150.2	343.9
2005.....	6.7	4.2	*	*	0.5	1.4	5.8	19.8	49.4	142.0	142.0	371.1
2004.....	6.6	5.4	*	*	*	*	1.7	6.6	19.8	56.4	139.1	361.4
2003.....	6.4	4.5	*	*	*	*	1.7	6.4	18.0	54.3	141.9	394.1
2002.....	5.9	5.4	*	*	*	*	1.6	5.3	17.2	53.5	141.2	319.6
2001.....	5.9	*	*	*	*	*	2.0	4.9	17.5	54.1	140.0	400.0
2000.....	5.7	5.1	*	*	*	*	1.5	5.7	16.3	50.0	138.7	411.1
1999.....	6.0	*	*	*	*	*	1.6	5.2	21.2	50.1	147.6	455.1
Hispanic, female												
2006.....	8.4	*	*	*	*	0.6	1.0	4.7	15.8	43.2	125.0	303.2
2005.....	7.9	*	*	*	0.6	1.4	3.5	14.8	46.3	119.3	119.3	275.7
2004.....	7.8	*	*	*	*	1.2	4.8	14.3	48.8	117.8	117.8	278.0
2003.....	7.8	*	*	*	*	1.5	4.4	16.8	49.0	111.7	111.7	310.2
2002.....	7.3	*	*	*	0.8	1.3	4.4	14.4	39.8	106.8	106.8	331.6
2001.....	7.8	*	*	*	*	1.5	5.1	13.5	50.4	123.6	123.6	342.6
2000.....	7.3	*	*	*	0.7	1.0	3.3	16.8	44.6	117.2	117.2	354.1
1999.....	7.1	*	*	*	*	1.8	4.3	13.4	43.2	112.4	112.4	351.5

Worktable Orig12. Death rates for 358 selected causes, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2006

[Rates per 100,000 population in specified group. Rates are based on populations enumerated as of April 1 for 2000 and estimated as of July 1 for all other years. Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to 'Detailed technical notes to the United States 2006 data-mortality']

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, and sex	All ages 1/	Under 1 year 2/	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
XIV. Diseases of the genitourinary system (N00-N98)												
Non-Hispanic 4/, both sexes												
2006.....	23.5	4.4	*	0.1	0.3	0.9	2.4	6.4	16.9	49.8	156.4	461.2
2005.....	23.5	4.5	*	0.1	0.3	1.0	2.2	6.1	16.6	50.4	158.3	471.3
2004.....	22.7	5.0	0.2	*	0.3	0.9	2.4	6.2	16.5	48.9	154.6	464.6
2003.....	22.7	5.3	0.2	0.1	0.3	1.0	2.3	6.0	16.6	50.5	155.0	473.8
2002.....	22.3	4.6	*	0.1	0.3	0.9	2.2	5.8	15.8	49.8	154.7	474.0
2001.....	21.9	4.2	0.2	*	0.3	0.8	2.2	5.7	15.8	51.0	150.3	479.6
2000.....	21.2	5.2	*	0.1	0.3	0.8	2.1	5.5	15.4	48.0	148.8	474.3
1999.....	20.7	5.5	0.2	0.1	0.3	0.9	2.0	5.1	14.9	48.1	145.2	472.8
Non-Hispanic 4/, male												
2006.....	21.6	5.8	*	*	0.3	1.0	2.7	7.3	18.8	55.0	179.7	541.6
2005.....	21.3	4.9	*	*	0.3	1.0	2.5	7.1	19.1	54.8	182.2	546.7
2004.....	20.6	5.9	*	*	0.3	0.8	2.6	7.0	18.0	53.5	180.8	541.5
2003.....	20.6	6.4	*	*	0.3	1.0	2.5	6.8	18.2	55.2	182.8	553.6
2002.....	20.1	5.7	*	*	0.3	0.9	2.2	6.6	16.9	55.8	179.9	562.0
2001.....	19.5	4.3	*	*	0.3	0.8	2.3	6.4	16.6	56.9	174.6	569.8
2000.....	18.9	6.1	*	*	0.3	0.9	2.3	6.3	16.8	52.5	174.3	573.3
1999.....	18.4	5.1	*	*	0.2	0.8	2.2	5.6	16.1	53.3	172.8	560.6
Non-Hispanic 4/, female												
2006.....	25.4	3.0	*	*	0.3	0.8	2.2	5.5	15.2	45.4	140.4	423.9
2005.....	25.5	4.0	*	*	0.4	1.0	2.0	5.1	14.3	46.7	142.0	436.9
2004.....	24.7	4.0	*	*	0.3	1.0	2.2	5.4	15.0	45.0	136.9	430.2
2003.....	24.8	4.1	*	*	0.3	1.0	2.1	5.3	15.1	48.5	136.5	438.8
2002.....	24.4	3.5	*	*	0.3	1.0	2.1	5.1	14.8	44.8	138.0	436.0
2001.....	24.2	4.0	*	*	0.3	0.8	2.1	5.0	15.1	46.2	134.3	442.0
2000.....	23.4	4.3	*	*	0.3	0.8	1.9	4.7	14.2	44.2	132.2	434.2
1999.....	22.9	5.9	*	*	0.3	0.9	1.8	4.5	13.8	43.8	127.2	437.6
Non-Hispanic white, both sexes												
2006 5/.....	24.0	3.8	*	*	0.3	0.7	1.6	4.6	13.2	42.0	148.4	452.6
2005 5/.....	24.0	3.2	*	*	0.3	0.7	1.5	4.5	12.7	43.2	149.9	463.0
2004 5/.....	23.1	3.1	*	*	0.2	0.6	1.7	4.3	12.4	42.1	146.2	455.7
2003 5/.....	23.1	3.9	*	*	0.2	0.7	1.5	4.2	12.7	43.0	146.5	465.1
2002.....	22.7	3.6	*	*	0.2	0.6	1.5	4.0	12.0	42.9	146.3	462.7
2001.....	22.2	3.0	*	*	0.2	0.6	1.5	3.9	11.9	43.7	141.1	467.7
2000.....	21.4	3.4	*	*	0.3	0.6	1.4	3.8	11.7	40.6	140.0	462.6
1999.....	20.8	4.1	*	0.1	0.2	0.6	1.3	3.4	11.4	40.8	136.0	456.8
Non-Hispanic white, male												
2006 5/.....	22.0	5.3	*	*	0.3	0.8	1.8	5.3	14.7	47.1	171.8	539.3
2005 5/.....	21.8	3.2	*	*	0.2	0.7	1.8	5.2	14.5	48.4	174.4	545.2
2004 5/.....	20.9	3.8	*	*	0.2	0.5	1.9	4.7	13.8	46.4	173.6	534.7
2003 5/.....	20.9	4.9	*	*	0.2	0.7	1.7	4.6	14.0	47.5	174.2	552.8
2002.....	20.3	4.3	*	*	0.2	0.6	1.5	4.5	12.6	48.7	172.0	551.9
2001.....	19.8	3.2	*	*	0.2	0.5	1.7	4.4	12.7	49.7	166.6	561.9
2000.....	19.1	4.2	*	*	0.2	0.6	1.5	4.2	12.8	45.9	165.9	566.3
1999.....	18.3	4.3	*	*	0.2	0.6	1.4	3.7	12.5	45.9	162.5	543.9
Non-Hispanic white, female												
2006 5/.....	26.0	2.2	*	*	0.2	0.6	1.4	3.8	11.8	37.6	132.1	412.1
2005 5/.....	26.2	3.2	*	*	0.3	0.7	1.3	3.7	11.0	38.8	133.0	425.4
2004 5/.....	25.3	2.4	*	*	0.2	0.8	1.6	3.8	11.1	38.4	127.6	420.3
2003 5/.....	25.3	2.9	*	*	0.3	0.7	1.4	3.8	11.6	39.2	127.8	426.5
2002.....	25.0	2.8	*	*	0.2	0.6	1.4	3.5	11.5	37.9	129.0	424.2
2001.....	24.5	2.8	*	*	0.3	0.7	1.3	3.4	11.1	38.6	124.2	428.5
2000.....	23.7	2.6	*	*	0.3	0.6	1.3	3.4	10.6	36.1	123.0	420.8
1999.....	23.2	3.8	*	*	0.2	0.6	1.2	3.1	10.3	36.6	118.6	422.1

Worktable Orig12. Death rates for 358 selected causes, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2006

[Rates per 100,000 population in specified group. Rates are based on populations enumerated as of April 1 for 2000 and estimated as of July 1 for all other years. Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.odc.gov/nchs> and refer to 'Detailed technical notes to the United States 2006 data-mortality']

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, and sex	All ages 1/	Under 1 year 2/	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
XIV. Diseases of the genitourinary system (N00-N98)												
Non-Hispanic black, both sexes												
2006 5/.....	27.3	7.2	*	*	0.5	2.2	7.1	19.1	48.3	122.8	271.5	634.9
2005 5/.....	27.0	10.0	*	*	0.6	2.7	6.5	17.8	50.8	119.8	277.4	632.2
2004 5/.....	26.6	12.0	*	*	0.6	2.3	6.6	19.7	51.9	115.4	269.6	643.6
2003 5/.....	26.9	11.5	*	*	0.7	2.6	7.3	19.3	51.2	124.0	274.4	652.3
2002.....	26.0	8.7	*	*	0.8	2.6	6.4	18.7	47.9	119.2	270.9	667.5
2001.....	26.0	9.7	*	*	0.5	2.2	6.3	18.8	48.2	123.9	274.7	670.5
2000.....	25.2	13.2	*	*	0.5	2.2	6.4	18.2	47.0	120.4	270.1	645.2
1999.....	25.2	11.6	*	*	0.7	2.3	6.4	18.0	44.1	119.8	266.7	685.5
Non-Hispanic black, male												
2006 5/.....	25.1	8.0	*	*	*	2.3	8.1	22.6	57.6	138.0	315.6	679.0
2005 5/.....	24.6	12.8	*	*	*	2.8	6.9	21.7	63.4	125.9	318.4	667.0
2004 5/.....	24.3	13.3	*	*	0.7	2.4	7.3	24.0	58.3	130.1	305.7	729.6
2003 5/.....	24.9	13.0	*	*	0.7	2.8	7.9	24.0	59.7	142.7	325.8	689.3
2002.....	24.0	10.9	*	*	*	2.3	6.7	22.6	56.6	135.6	309.8	804.1
2001.....	23.0	9.6	*	*	*	2.7	5.9	22.3	52.7	137.9	304.3	764.6
2000.....	22.7	14.3	*	*	*	2.2	7.4	23.0	52.8	126.8	312.5	726.8
1999.....	23.2	8.7	*	*	*	2.0	7.4	21.8	48.5	134.1	330.2	812.9
Non-Hispanic black, female												
2006 5/.....	29.2	6.4	*	*	*	2.1	6.2	16.0	40.8	112.0	246.4	617.0
2005 5/.....	29.3	7.1	*	*	0.8	2.6	6.2	14.5	40.7	115.4	254.1	618.1
2004 5/.....	28.6	10.6	*	*	*	2.3	6.0	16.1	46.7	104.8	249.2	609.6
2003 5/.....	28.8	10.0	*	*	0.7	2.5	6.8	15.2	44.5	110.7	245.4	638.0
2002.....	27.9	6.3	*	*	1.0	2.8	6.2	15.4	40.9	107.6	248.9	615.4
2001.....	28.8	9.7	*	*	*	1.7	6.6	15.8	44.6	114.0	258.1	635.6
2000.....	27.6	12.0	*	*	*	2.1	5.4	14.1	42.3	116.0	246.3	614.9
1999.....	27.0	14.6	*	*	0.8	2.5	5.5	14.7	40.6	109.7	231.1	637.8

Worktable Orig12. Death rates for 358 selected causes, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2006

[Rates per 100,000 population in specified group. Rates are based on populations enumerated as of April 1 for 2000 and estimated as of July 1 for all other years. Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to 'Detailed technical notes to the United States 2006 data-mortality']

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, and sex	All ages 1/	Under 1 year 2/	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
Diseases of urinary system (N00-N99)												
All origins 3/, both sexes												
2006.....	20.8	4.3	*	0.1	0.3	0.8	2.2	6.2	16.7	49.2	152.7	445.7
2005.....	20.8	4.4	0.1	0.1	0.3	0.9	2.1	5.8	16.5	49.5	154.2	455.1
2004.....	20.2	4.8	0.2	0.1	0.3	0.8	2.2	6.0	16.3	48.5	150.8	448.9
2003.....	20.3	5.0	0.1	0.1	0.3	0.9	2.1	5.9	16.5	50.0	151.5	460.5
2002.....	19.9	4.6	*	0.1	0.3	0.8	2.0	5.6	15.7	49.1	151.2	460.8
2001.....	19.7	3.7	0.2	*	0.3	0.7	2.1	5.6	15.6	50.5	147.6	467.4
2000.....	19.1	4.8	0.1	0.1	0.3	0.7	2.0	5.3	15.4	47.4	145.9	462.5
1999.....	18.7	4.7	0.1	0.1	0.2	0.8	1.9	4.9	14.8	47.5	142.3	462.6
All origins 3/, male												
2006.....	18.9	5.5	*	0.1	0.3	0.9	2.5	7.3	18.5	54.3	179.8	511.6
2005.....	18.6	4.8	*	*	0.3	0.9	2.3	6.9	18.9	53.5	175.8	517.6
2004.....	18.0	5.8	*	*	0.3	0.7	2.4	6.9	17.8	52.8	174.3	513.6
2003.....	18.2	5.9	*	*	0.3	0.9	2.4	6.8	18.1	54.4	177.2	528.3
2002.....	17.7	5.6	*	*	0.2	0.8	2.1	6.4	16.8	55.0	174.6	533.8
2001.....	17.3	4.2	*	*	0.3	0.7	2.2	6.3	16.5	56.0	169.8	542.9
2000.....	16.8	6.0	*	*	0.3	0.8	2.2	6.2	16.5	51.7	169.2	546.9
1999.....	16.4	5.0	*	0.1	0.2	0.8	2.1	5.5	16.2	52.4	167.7	537.0
All origins 3/, female												
2006.....	22.8	3.1	*	*	0.3	0.7	1.9	5.2	15.0	44.9	138.2	414.9
2005.....	22.9	3.9	*	0.1	0.3	0.9	1.8	4.8	14.2	46.2	139.6	426.3
2004.....	22.2	3.8	*	*	0.2	0.9	2.0	5.2	14.8	44.9	135.1	419.9
2003.....	22.4	4.1	*	*	0.3	0.9	1.9	5.0	15.1	48.2	134.3	430.5
2002.....	22.0	3.5	*	*	0.3	0.9	1.9	4.9	14.6	44.2	135.7	429.1
2001.....	22.0	3.2	*	*	0.3	0.8	1.9	4.9	14.8	46.0	133.0	435.8
2000.....	21.2	3.6	*	*	0.3	0.7	1.7	4.4	14.3	43.8	130.6	428.1
1999.....	20.9	4.3	*	0.1	0.3	0.8	1.7	4.4	13.5	43.4	125.7	432.6
Hispanic, both sexes												
2006.....	7.6	4.0	*	*	*	0.5	1.2	5.9	17.2	49.7	132.8	308.3
2005.....	7.2	4.0	*	*	0.3	0.5	1.3	4.6	16.9	47.0	127.7	303.3
2004.....	7.1	4.5	*	*	*	0.3	1.4	5.5	16.7	51.2	125.1	299.7
2003.....	7.0	4.3	*	*	0.3	0.5	1.5	5.2	17.3	50.3	121.8	331.1
2002.....	6.4	4.6	*	*	*	0.6	1.4	4.8	15.5	45.1	118.3	323.7
2001.....	6.7	2.6	*	*	*	0.4	1.7	4.8	15.3	50.9	128.8	356.4
2000.....	6.3	3.8	*	*	*	0.5	1.2	4.4	16.2	45.9	124.0	364.3
1999.....	6.4	3.0	*	*	*	0.4	1.6	4.6	16.8	45.3	124.8	379.6
Hispanic, male												
2006.....	7.0	4.4	*	*	*	0.4	1.4	7.0	18.7	57.6	146.1	325.9
2005.....	6.6	4.2	*	*	*	0.5	1.4	5.8	19.5	48.4	141.0	358.6
2004.....	6.5	5.4	*	*	*	*	1.7	6.3	19.7	55.2	137.0	346.0
2003.....	6.3	4.5	*	*	*	*	1.6	6.4	17.9	52.8	136.9	378.7
2002.....	5.7	5.4	*	*	*	*	1.6	5.3	17.0	52.2	136.2	314.6
2001.....	5.8	*	*	*	*	*	2.0	4.8	17.4	52.7	137.7	394.2
2000.....	5.5	5.1	*	*	*	*	1.5	5.6	16.1	48.5	136.7	389.0
1999.....	5.9	*	*	*	*	*	1.6	5.2	20.8	48.6	145.5	448.6
Hispanic, female												
2006.....	8.3	*	*	*	*	0.6	1.0	4.7	15.8	43.2	123.5	299.0
2005.....	7.8	*	*	*	*	*	1.2	3.5	14.5	45.8	118.4	274.4
2004.....	7.7	*	*	*	*	*	1.2	4.7	14.0	48.1	116.8	275.9
2003.....	7.7	*	*	*	*	*	1.4	4.1	16.8	48.4	111.4	307.0
2002.....	7.2	*	*	*	*	0.7	1.2	4.3	14.2	39.5	106.0	328.3
2001.....	7.6	*	*	*	*	*	1.4	4.8	13.4	49.4	122.7	337.9
2000.....	7.2	*	*	*	*	*	0.8	3.2	16.3	43.8	115.6	352.2
1999.....	7.0	*	*	*	*	*	1.7	4.1	13.2	42.7	111.0	346.3

Worktable Orig12. Death rates for 358 selected causes, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2006

[Rates per 100,000 population in specified group. Rates are based on populations enumerated as of April 1 for 2000 and estimated as of July 1 for all other years. Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to 'Detailed technical notes to the United States 2006 data-mortality']

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanics origin, race for non-Hispanic population, and sex	All ages 1/	Under 1 year 2/	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
Diseases of urinary system (N00-N99)												
Non-Hispanic 4/, both sexes												
2006.....	23.1	4.4	*	0.1	0.3	0.9	2.3	6.2	16.6	49.1	153.7	452.0
2005.....	23.1	4.4	*	0.1	0.3	0.9	2.2	6.0	16.4	49.6	155.6	461.8
2004.....	22.3	4.9	0.2	*	0.3	0.9	2.3	6.0	16.2	48.1	151.9	455.0
2003.....	22.4	5.2	0.2	0.1	0.3	1.0	2.2	5.9	16.4	49.8	152.6	464.7
2002.....	21.9	4.5	*	0.1	0.3	0.9	2.1	5.7	15.6	49.2	152.4	465.2
2001.....	21.6	3.9	0.2	*	0.3	0.8	2.1	5.6	15.6	50.3	148.0	470.4
2000.....	20.8	5.0	*	0.1	0.3	0.8	2.0	5.4	15.3	47.3	146.4	465.4
1999.....	20.3	5.0	*	0.1	0.3	0.8	1.9	5.0	14.6	47.4	142.6	464.1
Non-Hispanic 4/, male												
2006.....	21.0	5.8	*	*	0.3	1.0	2.7	7.3	18.4	54.0	175.3	521.3
2005.....	20.8	4.9	*	*	0.3	1.0	2.4	7.0	18.8	53.7	177.6	525.2
2004.....	20.0	5.9	*	*	0.3	0.8	2.5	6.9	17.7	52.4	176.0	521.0
2003.....	20.1	6.3	*	*	0.3	1.0	2.5	6.8	18.0	54.4	178.9	533.8
2002.....	19.6	5.7	*	*	0.3	0.9	2.2	6.5	16.7	54.9	175.9	542.4
2001.....	19.0	4.2	*	*	0.3	0.8	2.2	6.4	16.4	56.0	170.9	547.9
2000.....	18.4	6.0	*	*	0.3	0.8	2.3	6.2	16.5	51.7	170.2	552.8
1999.....	17.9	5.1	*	*	0.2	0.8	2.1	5.5	15.8	52.4	168.3	538.7
Non-Hispanic 4/, female												
2006.....	25.1	2.9	*	*	0.3	0.8	2.0	5.2	14.9	44.9	138.9	419.9
2005.....	25.2	3.9	*	*	0.4	0.9	1.9	4.9	14.1	46.1	140.6	432.9
2004.....	24.4	3.8	*	*	0.3	1.0	2.1	5.2	14.8	44.5	135.7	425.5
2003.....	24.5	4.0	*	*	0.3	1.0	2.0	5.1	14.9	48.0	135.1	434.4
2002.....	24.1	3.3	*	*	0.3	0.9	2.0	4.9	14.6	44.5	136.9	431.9
2001.....	23.9	3.6	*	*	0.3	0.8	2.0	4.9	14.9	45.6	133.0	438.2
2000.....	23.1	3.9	*	*	0.3	0.7	1.8	4.5	14.1	43.7	130.9	430.0
1999.....	22.7	5.0	*	*	0.3	0.8	1.7	4.4	13.5	43.4	126.0	434.3
Non-Hispanic white, both sexes												
2006 5/.....	23.6	3.8	*	*	0.2	0.6	1.6	4.4	13.0	41.3	145.7	443.3
2005 5/.....	23.6	3.2	*	*	0.3	0.6	1.5	4.4	12.5	42.4	147.2	453.4
2004 5/.....	22.7	3.1	*	*	0.2	0.6	1.7	4.2	12.2	41.5	143.6	445.9
2003 5/.....	22.7	3.9	*	*	0.2	0.7	1.4	4.1	12.5	42.4	144.1	455.6
2002.....	22.3	3.5	*	*	0.2	0.6	1.4	3.9	11.9	42.4	144.1	453.9
2001.....	21.8	2.8	*	*	0.2	0.6	1.5	3.8	11.7	43.0	138.8	458.5
2000.....	21.0	3.3	*	*	0.3	0.6	1.4	3.7	11.6	40.0	137.6	453.7
1999.....	20.4	3.8	*	0.1	0.2	0.6	1.3	3.3	11.2	40.3	133.5	448.1
Non-Hispanic white, male												
2006 5/.....	21.4	5.3	*	*	0.3	0.8	1.8	5.2	14.4	46.1	167.4	518.9
2005 5/.....	21.2	3.2	*	*	0.2	0.7	1.7	5.1	14.3	47.3	169.7	523.1
2004 5/.....	20.2	3.8	*	*	0.2	0.5	1.8	4.6	13.5	45.4	168.9	513.6
2003 5/.....	20.3	4.9	*	*	0.2	0.7	1.6	4.5	13.8	46.6	170.4	532.1
2002.....	19.8	4.3	*	*	0.2	0.6	1.5	4.4	12.5	48.0	168.3	532.0
2001.....	19.2	3.1	*	*	0.2	0.5	1.7	4.3	12.5	48.9	162.8	539.4
2000.....	18.6	4.1	*	*	0.2	0.6	1.5	4.2	12.6	45.2	161.9	545.9
1999.....	17.8	4.3	*	*	0.2	0.6	1.4	3.6	12.3	45.1	158.0	521.7
Non-Hispanic white, female												
2006 5/.....	25.7	2.2	*	*	0.2	0.5	1.3	3.7	11.6	37.1	130.6	408.1
2005 5/.....	25.9	3.1	*	*	0.3	0.6	1.2	3.6	10.8	38.2	131.8	421.4
2004 5/.....	25.0	2.4	*	*	0.2	0.7	1.5	3.7	10.9	38.0	126.4	415.6
2003 5/.....	25.0	2.9	*	*	0.2	0.7	1.2	3.6	11.3	38.8	126.3	421.9
2002.....	24.7	2.6	*	*	0.2	0.6	1.3	3.4	11.3	37.7	127.8	420.2
2001.....	24.2	2.5	*	*	0.2	0.7	1.3	3.3	10.9	38.1	122.9	424.8
2000.....	23.4	2.4	*	*	0.3	0.5	1.3	3.2	10.5	35.6	121.7	416.5
1999.....	23.0	3.2	*	*	0.2	0.6	1.1	3.0	10.1	36.3	117.4	418.8

Worktable Orig12. Death rates for 358 selected causes, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2006

[Rates per 100,000 population in specified group. Rates are based on populations enumerated as of April 1 for 2000 and estimated as of July 1 for all other years. Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.odc.gov/nchs> and refer to 'Detailed technical notes to the United States 2006 data-mortality']

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, and sex	All ages 1/	Under 1 year 2/	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
Diseases of urinary system (N00-N99)												
Non-Hispanic black, both sexes												
2006 5/.....	26.9	7.1	*	*	0.5	2.1	7.0	18.7	47.8	121.6	268.5	626.2
2005 5/.....	26.7	10.0	*	*	0.6	2.6	6.4	17.4	50.3	118.9	274.0	623.4
2004 5/.....	26.2	11.5	*	*	0.6	2.3	6.5	19.3	51.5	113.7	266.3	634.4
2003 5/.....	26.6	11.1	*	*	0.7	2.5	7.1	19.0	50.7	123.0	272.2	646.4
2002.....	25.7	8.7	*	*	0.7	2.5	6.2	18.5	47.5	117.7	268.0	657.3
2001.....	25.7	9.3	*	*	0.5	2.2	6.0	18.4	47.5	123.1	271.1	661.1
2000.....	24.9	12.7	*	*	0.5	2.1	6.1	18.1	46.5	119.2	267.0	636.0
1999.....	24.8	10.4	*	*	0.6	2.2	6.3	17.6	43.4	118.1	262.7	675.4
Non-Hispanic black, male												
2006 5/.....	24.7	8.0	*	*	*	2.3	8.0	22.6	56.8	136.0	310.9	660.6
2005 5/.....	24.2	12.8	*	*	*	2.6	6.9	21.4	62.7	124.5	313.9	648.9
2004 5/.....	23.9	13.3	*	*	0.6	2.3	7.2	23.6	57.6	128.3	298.9	712.3
2003 5/.....	24.6	12.7	*	*	0.7	2.8	7.9	23.8	59.0	141.7	320.9	675.5
2002.....	23.6	10.9	*	*	*	2.3	6.6	22.5	56.1	133.2	303.0	785.5
2001.....	22.6	9.6	*	*	*	2.7	5.7	22.0	51.8	136.9	298.6	745.0
2000.....	22.3	14.3	*	*	*	2.2	7.4	22.9	51.8	125.2	306.7	705.7
1999.....	22.8	8.7	*	*	*	2.0	7.4	21.5	47.5	131.7	324.3	789.2
Non-Hispanic black, female												
2006 5/.....	28.9	*	*	*	*	1.9	6.1	15.5	40.5	111.3	244.4	612.1
2005 5/.....	28.9	7.1	*	*	0.7	2.5	5.9	13.9	40.2	114.8	251.4	613.2
2004 5/.....	28.3	9.7	*	*	*	2.3	5.9	15.6	46.6	103.3	248.0	603.6
2003 5/.....	28.4	9.3	*	*	*	2.2	6.5	14.9	44.0	109.7	244.8	635.1
2002.....	27.5	6.3	*	*	0.9	2.7	5.7	15.1	40.6	106.8	248.2	608.3
2001.....	28.4	9.1	*	*	*	1.7	6.3	15.2	44.0	113.3	255.7	630.1
2000.....	27.3	10.9	*	*	*	2.0	5.0	14.0	42.3	115.0	244.7	610.1
1999.....	26.6	12.1	*	*	*	2.3	5.2	14.3	40.2	108.5	228.3	632.9

Worktable Orig12. Death rates for 358 selected causes, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2006

[Rates per 100,000 population in specified group. Rates are based on populations enumerated as of April 1 for 2000 and estimated as of July 1 for all other years. Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to 'Detailed technical notes to the United States 2006 data-mortality']

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, and sex	All ages 1/	Under 1 year 2/	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
Glomerular and renal tubulo-interstitial diseases (N00-N15)												
Non-Hispanic 4/, both sexes												
2006.....	1.1	*	*	*	*	0.1	0.2	0.4	0.8	2.3	7.0	22.0
2005.....	0.8	*	*	*	*	0.1	0.2	0.3	0.6	1.6	5.2	14.8
2004.....	0.7	*	*	*	*	0.1	0.2	0.3	0.5	1.4	4.8	12.8
2003.....	0.7	*	*	*	*	0.1	0.1	0.3	0.5	1.5	4.8	13.4
2002.....	0.7	*	*	*	*	0.1	0.1	0.3	0.6	1.5	4.8	13.9
2001.....	0.7	*	*	*	*	0.1	0.2	0.2	0.5	1.6	4.6	13.8
2000.....	0.7	*	*	*	*	0.1	0.1	0.3	0.6	1.5	4.8	15.7
1999.....	0.8	*	*	*	*	0.1	0.1	0.3	0.6	1.7	5.4	16.5
Non-Hispanic 4/, male												
2006.....	1.1	*	*	*	*	*	0.1	0.4	0.8	2.5	8.5	27.6
2005.....	0.7	*	*	*	*	0.1	0.2	0.3	0.7	1.6	5.7	18.4
2004.....	0.6	*	*	*	*	*	0.1	0.2	0.6	1.5	5.2	17.1
2003.....	0.6	*	*	*	*	*	0.1	0.3	0.5	1.4	5.2	18.0
2002.....	0.7	*	*	*	*	*	0.1	0.3	0.5	1.7	5.4	18.1
2001.....	0.6	*	*	*	*	*	0.1	0.2	0.4	1.8	5.4	17.2
2000.....	0.6	*	*	*	*	*	0.2	0.3	0.6	1.4	5.4	20.0
1999.....	0.7	*	*	*	*	*	0.1	0.3	0.6	1.6	6.7	22.8
Non-Hispanic 4/, female												
2006.....	1.2	*	*	*	*	*	0.2	0.3	0.7	2.2	6.0	19.4
2005.....	0.9	*	*	*	*	*	0.1	0.3	0.6	1.6	4.8	13.2
2004.....	0.8	*	*	*	*	0.1	0.2	0.3	0.4	1.3	4.5	10.8
2003.....	0.8	*	*	*	*	0.1	0.1	0.3	0.6	1.5	4.5	11.4
2002.....	0.8	*	*	*	*	*	0.1	0.3	0.6	1.3	4.5	12.1
2001.....	0.8	*	*	*	*	*	0.2	0.3	0.6	1.4	4.1	12.4
2000.....	0.8	*	*	*	*	*	0.1	0.3	0.6	1.6	4.5	14.0
1999.....	0.9	*	*	*	*	*	0.2	0.4	0.6	1.8	4.5	13.9
Non-Hispanic white, both sexes												
2006 5/.....	1.2	*	*	*	*	*	0.1	0.3	0.7	2.0	6.6	21.5
2005 5/.....	0.8	*	*	*	*	*	0.1	0.2	0.5	1.4	5.0	14.6
2004 5/.....	0.8	*	*	*	*	*	0.2	0.2	0.5	1.4	4.7	12.6
2003 5/.....	0.8	*	*	*	*	0.1	0.1	0.3	0.5	1.4	4.6	13.3
2002.....	0.8	*	*	*	*	*	0.1	0.2	0.5	1.6	4.8	13.9
2001.....	0.7	*	*	*	*	*	0.1	0.2	0.4	1.5	4.5	14.0
2000.....	0.8	*	*	*	*	*	0.1	0.2	0.5	1.4	4.6	15.3
1999.....	0.8	*	*	*	*	0.1	0.1	0.3	0.5	1.5	5.3	16.3
Non-Hispanic white, male												
2006 5/.....	1.1	*	*	*	*	*	*	0.3	0.6	2.2	8.0	26.7
2005 5/.....	0.8	*	*	*	*	*	0.2	0.2	0.6	1.5	5.6	18.1
2004 5/.....	0.7	*	*	*	*	*	*	0.2	0.5	1.4	5.1	16.5
2003 5/.....	0.7	*	*	*	*	*	0.1	0.3	0.4	1.4	4.8	18.1
2002.....	0.7	*	*	*	*	*	0.1	0.2	0.5	1.7	5.2	18.4
2001.....	0.7	*	*	*	*	*	0.1	0.1	0.4	1.7	5.2	17.5
2000.....	0.7	*	*	*	*	*	*	0.2	0.5	1.3	5.3	19.4
1999.....	0.7	*	*	*	*	*	*	0.3	0.5	1.3	6.6	22.2
Non-Hispanic white, female												
2006 5/.....	1.2	*	*	*	*	*	0.1	0.3	0.7	1.9	5.7	19.0
2005 5/.....	0.9	*	*	*	*	*	*	0.2	0.5	1.4	4.7	13.0
2004 5/.....	0.8	*	*	*	*	*	0.2	0.3	0.4	1.3	4.5	10.8
2003 5/.....	0.8	*	*	*	*	*	*	0.3	0.5	1.5	4.4	11.1
2002.....	0.8	*	*	*	*	*	0.1	0.2	0.5	1.5	4.5	11.9
2001.....	0.8	*	*	*	*	*	0.1	0.2	0.5	1.4	4.1	12.5
2000.....	0.9	*	*	*	*	*	*	0.2	0.6	1.6	4.2	13.6
1999.....	0.9	*	*	*	*	*	*	0.3	0.5	1.7	4.5	14.0

Worktable Orig12. Death rates for 358 selected causes, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2006

[Rates per 100,000 population in specified group. Rates are based on populations enumerated as of April 1 for 2000 and estimated as of July 1 for all other years. Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to 'Detailed technical notes to the United States 2006 data-mortality']

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, and sex	All ages 1/	Under 1 year 2/	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
Glomerular and renal tubulo-interstitial diseases (N00-N15)												
Non-Hispanic black, both sexes												
2006 5/.....	1.2	*	*	*	*	*	*	0.9	2.0	5.1	11.3	28.9
2005 5/.....	0.8	*	*	*	*	*	0.4	0.6	1.3	2.9	7.5	18.8
2004 5/.....	0.6	*	*	*	*	*	*	0.5	1.1	2.0	5.8	15.0
2003 5/.....	0.6	*	*	*	*	*	*	0.6	1.0	1.9	7.0	15.2
2002.....	0.6	*	*	*	*	*	*	0.6	0.9	1.3	5.5	15.7
2001.....	0.6	*	*	*	*	*	*	0.6	0.9	2.5	5.9	12.5
2000.....	0.8	*	*	*	*	*	0.4	0.9	1.0	2.7	7.2	18.4
1999.....	0.7	*	*	*	*	*	*	0.6	1.3	3.4	5.9	20.0
Non-Hispanic black, male												
2006 5/.....	1.2	*	*	*	*	*	*	1.1	2.9	5.8	13.3	41.2
2005 5/.....	0.8	*	*	*	*	*	*	*	1.7	*	9.8	24.7
2004 5/.....	0.6	*	*	*	*	*	*	*	1.6	*	6.3	22.4
2003 5/.....	0.6	*	*	*	*	*	*	*	*	*	10.4	*
2002.....	0.5	*	*	*	*	*	*	*	*	*	7.6	*
2001.....	0.6	*	*	*	*	*	*	*	*	3.9	6.6	*
2000.....	0.7	*	*	*	*	*	*	1.1	*	3.0	7.1	24.7
1999.....	0.8	*	*	*	*	*	*	*	*	4.1	7.5	35.7
Non-Hispanic black, female												
2006 5/.....	1.2	*	*	*	*	*	*	*	1.3	4.6	10.1	23.9
2005 5/.....	0.9	*	*	*	*	*	*	*	*	3.1	6.2	16.5
2004 5/.....	0.7	*	*	*	*	*	*	*	*	*	5.5	12.0
2003 5/.....	0.7	*	*	*	*	*	*	*	*	*	5.1	14.0
2002.....	0.6	*	*	*	*	*	*	*	*	*	4.3	14.6
2001.....	0.6	*	*	*	*	*	*	*	*	*	5.6	12.0
2000.....	0.8	*	*	*	*	*	*	*	*	2.4	7.3	16.1
1999.....	0.7	*	*	*	*	*	*	*	*	2.9	5.1	14.2

Worktable Orig12. Death rates for 358 selected causes, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2006

[Rates per 100,000 population in specified group. Rates are based on populations enumerated as of April 1 for 2000 and estimated as of July 1 for all other years. Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to 'Detailed technical notes to the United States 2006 data-mortality']

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, and sex	All ages 1/	Under 1 year 2/	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
Glomerular diseases (N00-N07)												
Non-Hispanic 4/, both sexes												
2006.....	0.7	*	*	*	*	*	0.1	0.2	0.5	1.4	4.6	14.2
2005.....	0.3	*	*	*	*	*	0.1	0.1	0.3	0.7	2.1	5.9
2004.....	0.2	*	*	*	*	*	0.1	0.1	0.2	0.6	1.6	3.3
2003.....	0.2	*	*	*	*	*	*	0.1	0.2	0.7	1.5	3.1
2002.....	0.2	*	*	*	*	*	0.1	0.1	0.2	0.6	1.7	3.3
2001.....	0.2	*	*	*	*	*	0.1	0.1	0.2	0.7	1.5	3.3
2000.....	0.3	*	*	*	*	*	0.1	0.1	0.3	0.7	1.7	3.6
1999.....	0.3	*	*	*	*	*	0.1	0.1	0.3	0.7	2.0	3.7
Non-Hispanic 4/, male												
2006.....	0.7	*	*	*	*	*	*	0.2	0.6	1.6	5.9	18.1
2005.....	0.4	*	*	*	*	*	0.1	0.2	0.4	0.8	2.8	8.1
2004.....	0.2	*	*	*	*	*	*	0.1	0.3	0.6	1.9	4.0
2003.....	0.2	*	*	*	*	*	*	0.2	0.2	0.7	1.7	4.1
2002.....	0.2	*	*	*	*	*	*	0.2	0.3	0.7	1.9	4.4
2001.....	0.2	*	*	*	*	*	*	0.1	0.2	0.9	2.0	4.7
2000.....	0.3	*	*	*	*	*	*	0.2	0.3	0.8	2.1	5.4
1999.....	0.3	*	*	*	*	*	*	0.2	0.3	0.7	2.7	5.7
Non-Hispanic 4/, female												
2006.....	0.7	*	*	*	*	*	*	0.2	0.4	1.3	3.7	12.3
2005.....	0.3	*	*	*	*	*	*	*	0.3	0.7	1.7	4.9
2004.....	0.3	*	*	*	*	*	*	0.1	0.2	0.5	1.4	2.9
2003.....	0.2	*	*	*	*	*	*	*	0.2	0.6	1.4	2.6
2002.....	0.3	*	*	*	*	*	*	0.1	0.2	0.5	1.5	2.8
2001.....	0.2	*	*	*	*	*	*	*	*	0.6	1.2	2.7
2000.....	0.3	*	*	*	*	*	*	*	0.2	0.6	1.4	2.9
1999.....	0.3	*	*	*	*	*	*	0.1	0.3	0.7	1.5	2.9
Non-Hispanic white, both sexes												
2006 5/.....	0.7	*	*	*	*	*	*	0.1	0.4	1.1	4.2	13.3
2005 5/.....	0.3	*	*	*	*	*	*	0.1	0.3	0.6	2.0	5.6
2004 5/.....	0.2	*	*	*	*	*	*	0.1	0.2	0.5	1.5	3.1
2003 5/.....	0.2	*	*	*	*	*	*	0.1	0.2	0.6	1.4	2.8
2002.....	0.2	*	*	*	*	*	0.1	0.1	0.2	0.6	1.6	2.9
2001.....	0.2	*	*	*	*	*	*	*	0.2	0.7	1.4	3.3
2000.....	0.3	*	*	*	*	*	*	0.1	0.2	0.6	1.6	3.2
1999.....	0.3	*	*	*	*	*	*	0.1	0.2	0.6	1.9	3.4
Non-Hispanic white, male												
2006 5/.....	0.7	*	*	*	*	*	*	0.2	0.4	1.3	5.4	16.8
2005 5/.....	0.4	*	*	*	*	*	*	*	0.3	0.8	2.6	7.9
2004 5/.....	0.2	*	*	*	*	*	*	0.1	0.2	0.6	1.9	3.6
2003 5/.....	0.2	*	*	*	*	*	*	0.1	0.2	0.6	1.5	3.8
2002.....	0.3	*	*	*	*	*	*	*	0.3	0.7	1.7	4.2
2001.....	0.2	*	*	*	*	*	*	*	*	0.8	2.0	4.8
2000.....	0.3	*	*	*	*	*	*	*	0.3	0.7	2.1	4.5
1999.....	0.3	*	*	*	*	*	*	0.2	0.2	0.6	2.6	5.1
Non-Hispanic white, female												
2006 5/.....	0.7	*	*	*	*	*	*	*	0.3	1.0	3.4	11.6
2005 5/.....	0.3	*	*	*	*	*	*	*	0.3	0.5	1.6	4.5
2004 5/.....	0.3	*	*	*	*	*	*	*	0.2	0.5	1.3	2.9
2003 5/.....	0.2	*	*	*	*	*	*	*	0.2	0.6	1.4	2.4
2002.....	0.2	*	*	*	*	*	*	*	*	0.5	1.4	2.4
2001.....	0.2	*	*	*	*	*	*	*	*	0.6	1.1	2.6
2000.....	0.2	*	*	*	*	*	*	*	*	0.6	1.4	2.7
1999.....	0.3	*	*	*	*	*	*	*	0.2	0.6	1.4	2.7

Worktable Orig12. Death rates for 358 selected causes, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2006

[Rates per 100,000 population in specified group. Rates are based on populations enumerated as of April 1 for 2000 and estimated as of July 1 for all other years. Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to 'Detailed technical notes to the United States 2006 data-mortality']

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, and sex	All ages 1/	Under 1 year 2/	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	
Other and unspecified glomerular diseases (N02-N03,N05-N07)													
Non-Hispanic 4/, both sexes													
2006.....	0.7	*	*	*	*	*	*	0.1	0.2	0.5	1.3	4.3	13.5
2005.....	0.3	*	*	*	*	*	*	0.1	0.1	0.3	0.6	1.8	5.2
2004.....	0.2	*	*	*	*	*	*	0.1	0.1	0.2	0.4	1.2	2.5
2003.....	0.2	*	*	*	*	*	*	*	0.1	0.1	0.5	1.2	2.5
2002.....	0.2	*	*	*	*	*	*	0.1	0.1	0.2	0.4	1.3	2.3
2001.....	0.2	*	*	*	*	*	*	0.1	0.1	0.1	0.6	1.1	2.5
2000.....	0.2	*	*	*	*	*	*	0.1	0.1	0.2	0.5	1.3	2.4
1999.....	0.2	*	*	*	*	*	*	0.1	0.1	0.2	0.5	1.5	2.9
Non-Hispanic 4/, male													
2006.....	0.7	*	*	*	*	*	*	0.2	0.6	1.5	5.5	17.2	
2005.....	0.3	*	*	*	*	*	*	0.1	0.1	0.3	0.7	2.4	7.4
2004.....	0.2	*	*	*	*	*	*	*	*	0.2	0.5	1.5	3.3
2003.....	0.2	*	*	*	*	*	*	0.1	*	*	0.5	1.4	3.8
2002.....	0.2	*	*	*	*	*	*	0.1	0.2	0.5	1.6	3.3	
2001.....	0.2	*	*	*	*	*	*	0.1	*	0.8	1.6	3.4	
2000.....	0.2	*	*	*	*	*	*	0.1	0.2	0.6	1.5	3.6	
1999.....	0.2	*	*	*	*	*	*	0.1	0.3	0.4	2.1	4.5	
Non-Hispanic 4/, female													
2006.....	0.7	*	*	*	*	*	*	0.2	0.4	1.2	3.4	11.8	
2005.....	0.3	*	*	*	*	*	*	*	0.2	0.6	1.4	4.2	
2004.....	0.2	*	*	*	*	*	*	*	0.2	0.4	1.0	2.1	
2003.....	0.2	*	*	*	*	*	*	*	*	0.5	1.0	2.0	
2002.....	0.2	*	*	*	*	*	*	0.1	0.2	0.3	1.1	1.9	
2001.....	0.2	*	*	*	*	*	*	*	*	0.5	0.8	2.0	
2000.....	0.2	*	*	*	*	*	*	*	0.2	0.5	1.1	2.0	
1999.....	0.2	*	*	*	*	*	*	*	0.2	0.5	1.1	2.2	
Non-Hispanic white, both sexes													
2006 5/.....	0.6	*	*	*	*	*	*	0.1	0.3	1.1	3.9	12.6	
2005 5/.....	0.3	*	*	*	*	*	*	0.1	0.2	0.5	1.7	4.9	
2004 5/.....	0.2	*	*	*	*	*	*	0.1	0.2	0.4	1.2	2.4	
2003 5/.....	0.2	*	*	*	*	*	*	0.1	0.1	0.4	1.0	2.3	
2002.....	0.2	*	*	*	*	*	*	0.1	0.1	0.5	1.2	2.1	
2001.....	0.2	*	*	*	*	*	*	*	*	0.1	0.6	1.1	2.5
2000.....	0.2	*	*	*	*	*	*	0.1	0.2	0.5	1.2	2.1	
1999.....	0.2	*	*	*	*	*	*	0.1	0.2	0.4	1.4	2.6	
Non-Hispanic white, male													
2006 5/.....	0.6	*	*	*	*	*	*	0.1	0.4	1.2	5.0	15.9	
2005 5/.....	0.3	*	*	*	*	*	*	*	0.3	0.6	2.2	7.1	
2004 5/.....	0.2	*	*	*	*	*	*	*	0.2	0.4	1.4	3.0	
2003 5/.....	0.2	*	*	*	*	*	*	*	*	0.5	1.2	3.5	
2002.....	0.2	*	*	*	*	*	*	*	*	0.6	1.4	3.2	
2001.....	0.2	*	*	*	*	*	*	*	*	0.9	1.6	3.7	
2000.....	0.2	*	*	*	*	*	*	*	*	0.6	1.5	2.9	
1999.....	0.2	*	*	*	*	*	*	*	*	0.4	2.0	4.3	
Non-Hispanic white, female													
2006 5/.....	0.7	*	*	*	*	*	*	*	0.3	0.9	3.1	11.1	
2005 5/.....	0.3	*	*	*	*	*	*	*	0.2	0.4	1.4	3.9	
2004 5/.....	0.2	*	*	*	*	*	*	*	*	0.4	1.0	2.1	
2003 5/.....	0.2	*	*	*	*	*	*	*	*	0.4	0.9	1.8	
2002.....	0.2	*	*	*	*	*	*	*	*	0.4	1.0	1.7	
2001.....	0.2	*	*	*	*	*	*	*	*	0.4	0.7	2.0	
2000.....	0.2	*	*	*	*	*	*	*	*	0.4	1.0	1.7	
1999.....	0.2	*	*	*	*	*	*	*	*	0.5	1.0	2.0	

Worktable Orig12. Death rates for 358 selected causes, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2006

[Rates per 100,000 population in specified group. Rates are based on populations enumerated as of April 1 for 2000 and estimated as of July 1 for all other years. Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data-mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, and sex	All ages 1/	Under 1 year 2/	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
Renal tubulo-interstitial diseases (N10-N15)												
Non-Hispanic 4/, both sexes												
2006.....	0.4	*	*	*	*	*	0.1	0.1	0.3	0.9	2.4	7.9
2005.....	0.5	*	*	*	*	*	0.1	0.2	0.3	0.8	3.0	8.9
2004.....	0.5	*	*	*	*	*	0.1	0.2	0.3	0.8	3.2	9.5
2003.....	0.5	*	*	*	*	0.1	0.1	0.2	0.3	0.8	3.2	10.4
2002.....	0.5	*	*	*	*	*	0.1	0.1	0.3	0.9	3.2	10.7
2001.....	0.5	*	*	*	*	*	0.1	0.1	0.3	0.8	3.1	10.5
2000.....	0.5	*	*	*	*	*	0.1	0.2	0.3	0.8	3.1	12.1
1999.....	0.5	*	*	*	*	*	0.1	0.2	0.3	1.0	3.4	12.7
Non-Hispanic 4/, male												
2006.....	0.4	*	*	*	*	*	*	0.1	0.2	0.9	2.6	9.5
2005.....	0.4	*	*	*	*	*	*	0.1	0.3	0.7	3.0	10.2
2004.....	0.4	*	*	*	*	*	*	*	0.4	0.9	3.2	13.0
2003.....	0.4	*	*	*	*	*	0.2	0.3	0.7	3.5	13.9	
2002.....	0.4	*	*	*	*	*	*	0.1	0.3	1.0	3.5	13.8
2001.....	0.4	*	*	*	*	*	*	*	0.2	0.9	3.4	12.5
2000.....	0.4	*	*	*	*	*	*	*	0.2	0.6	3.3	14.7
1999.....	0.4	*	*	*	*	*	*	0.1	0.3	0.9	4.0	17.2
Non-Hispanic 4/, female												
2006.....	0.5	*	*	*	*	*	0.1	0.2	0.4	0.9	2.3	7.1
2005.....	0.6	*	*	*	*	*	0.1	0.2	0.3	0.9	3.1	8.4
2004.....	0.5	*	*	*	*	*	0.1	0.2	0.2	0.8	3.1	7.9
2003.....	0.6	*	*	*	*	*	0.1	0.2	0.4	0.9	3.1	8.8
2002.....	0.5	*	*	*	*	*	*	0.2	0.3	0.9	3.0	9.3
2001.....	0.6	*	*	*	*	*	0.1	0.2	0.4	0.7	3.0	9.7
2000.....	0.6	*	*	*	*	*	*	0.2	0.4	1.0	3.0	11.1
1999.....	0.6	*	*	*	*	*	*	0.2	0.3	1.1	3.0	11.0
Non-Hispanic white, both sexes												
2006 5/.....	0.5	*	*	*	*	*	0.1	0.1	0.3	0.9	2.4	8.2
2005 5/.....	0.5	*	*	*	*	*	0.1	0.2	0.3	0.8	3.0	9.0
2004 5/.....	0.5	*	*	*	*	*	0.1	0.1	0.3	0.9	3.2	9.5
2003 5/.....	0.5	*	*	*	*	*	0.1	0.2	0.3	0.8	3.2	10.5
2002.....	0.5	*	*	*	*	*	0.1	0.1	0.3	1.0	3.2	11.0
2001.....	0.5	*	*	*	*	*	0.1	0.1	0.3	0.8	3.1	10.7
2000.....	0.5	*	*	*	*	*	*	0.1	0.3	0.8	3.0	12.0
1999.....	0.6	*	*	*	*	*	*	0.2	0.3	0.9	3.4	12.9
Non-Hispanic white, male												
2006 5/.....	0.4	*	*	*	*	*	*	*	0.2	0.9	2.7	9.8
2005 5/.....	0.4	*	*	*	*	*	*	*	0.2	0.7	2.9	10.2
2004 5/.....	0.4	*	*	*	*	*	*	*	0.3	0.8	3.3	12.9
2003 5/.....	0.5	*	*	*	*	*	*	0.2	0.2	0.8	3.3	14.4
2002.....	0.5	*	*	*	*	*	*	*	0.3	1.0	3.4	14.2
2001.....	0.4	*	*	*	*	*	*	*	*	0.8	3.2	12.7
2000.....	0.4	*	*	*	*	*	*	*	0.2	0.5	3.2	14.9
1999.....	0.5	*	*	*	*	*	*	*	0.3	0.7	4.0	17.1
Non-Hispanic white, female												
2006 5/.....	0.5	*	*	*	*	*	*	0.2	0.4	0.9	2.3	7.4
2005 5/.....	0.6	*	*	*	*	*	*	0.2	0.3	0.9	3.0	8.5
2004 5/.....	0.6	*	*	*	*	*	0.1	0.2	0.2	0.9	3.2	7.9
2003 5/.....	0.6	*	*	*	*	*	*	0.2	0.3	0.9	3.0	8.7
2002.....	0.6	*	*	*	*	*	*	*	0.3	1.0	3.1	9.5
2001.....	0.6	*	*	*	*	*	*	0.2	0.4	0.8	3.0	9.9
2000.....	0.6	*	*	*	*	*	*	0.2	0.4	1.0	2.8	10.9
1999.....	0.7	*	*	*	*	*	*	0.2	0.3	1.1	3.1	11.2

Worktable Orig12. Death rates for 358 selected causes, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2006

[Rates per 100,000 population in specified group. Rates are based on populations enumerated as of April 1 for 2000 and estimated as of July 1 for all other years. Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to 'Detailed technical notes to the United States 2006 data-mortality']

Table with columns: Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, and sex; All ages 1/; Under 1 year 2/; 1-4 years; 5-14 years; 15-24 years; 25-34 years; 35-44 years; 45-54 years; 55-64 years; 65-74 years; 75-84 years; 85 years and over. Rows include: Renal failure (N17-N19); All origins 3/, both sexes; All origins 3/, male; All origins 3/, female; Hispanic, both sexes; Hispanic, male; Hispanic, female.

Worktable Orig12. Death rates for 358 selected causes, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2006

[Rates per 100,000 population in specified group. Rates are based on populations enumerated as of April 1 for 2000 and estimated as of July 1 for all other years. Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.odc.gov/nchs> and refer to 'Detailed technical notes to the United States 2006 data-mortality']

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, and sex	All ages 1/	Under 1 year 2/	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
Renal failure (N17-N19)												
Non-Hispanic black, both sexes												
2006 5/.....	21.1	6.6	*	*	0.4	1.8	5.9	15.9	41.1	100.4	205.1	425.2
2005 5/.....	21.0	8.7	*	*	0.4	2.1	5.5	14.8	44.2	99.8	208.0	418.9
2004 5/.....	20.7	10.1	*	*	0.5	1.8	5.5	16.7	45.0	95.4	202.5	432.6
2003 5/.....	21.1	9.3	*	*	0.5	2.2	6.3	16.5	43.3	104.3	207.1	442.3
2002.....	20.2	8.0	*	*	0.6	2.0	5.4	16.0	41.4	100.9	202.7	436.5
2001.....	20.0	8.5	*	*	0.4	1.7	5.3	15.8	42.1	102.9	201.9	428.9
2000.....	19.2	11.4	*	*	0.4	1.8	5.3	15.6	40.7	99.9	194.6	404.2
1999.....	18.8	10.2	*	*	0.5	1.9	5.4	15.2	37.0	95.3	193.0	428.7
Non-Hispanic black, male												
2006 5/.....	20.0	7.1	*	*	*	1.9	6.9	19.7	48.7	112.9	245.0	462.7
2005 5/.....	19.8	11.2	*	*	*	2.1	6.0	18.9	55.1	103.4	243.9	473.9
2004 5/.....	19.6	12.1	*	*	*	2.0	6.2	21.2	50.2	108.6	233.0	514.2
2003 5/.....	20.5	9.6	*	*	*	2.5	7.3	21.3	52.1	121.6	244.4	521.0
2002.....	19.4	10.0	*	*	*	1.8	6.1	20.1	49.8	115.4	233.3	562.3
2001.....	18.4	8.9	*	*	*	2.1	5.1	19.3	45.7	114.3	233.5	514.0
2000.....	17.9	13.6	*	*	*	1.9	6.5	19.9	45.0	104.2	231.7	487.3
1999.....	17.7	8.7	*	*	*	1.8	6.4	19.0	40.5	102.5	246.7	519.4
Non-Hispanic black, female												
2006 5/.....	22.1	*	*	*	*	1.7	5.0	12.7	35.1	91.4	182.5	409.9
2005 5/.....	22.1	*	*	*	*	2.1	5.0	11.3	35.4	97.2	187.6	396.8
2004 5/.....	21.7	8.0	*	*	*	1.6	4.9	12.9	40.9	86.0	185.3	400.4
2003 5/.....	21.7	9.0	*	*	*	1.9	5.5	12.4	36.3	92.0	186.1	411.9
2002.....	20.9	*	*	*	*	2.1	4.8	12.5	34.7	90.6	185.4	388.4
2001.....	21.4	8.1	*	*	*	1.4	5.5	12.8	39.2	94.9	184.1	397.4
2000.....	20.3	9.2	*	*	*	1.7	4.1	11.8	37.3	96.9	173.7	373.3
1999.....	19.8	11.8	*	*	*	2.0	4.5	12.0	34.3	90.2	163.0	394.9

Worktable Orig12. Death rates for 358 selected causes, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2006

[Rates per 100,000 population in specified group. Rates are based on populations enumerated as of April 1 for 2000 and estimated as of July 1 for all other years. Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to 'Detailed technical notes to the United States 2006 data-mortality']

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, and sex	All ages 1/	Under 1 year 2/	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
Urolithiasis (N20-N23)												
Non-Hispanic 4/, both sexes												
2006.....	0.1	*	*	*	*	*	*	0.1	0.2	0.2	0.9	1.5
2005.....	0.1	*	*	*	*	*	*	0.1	0.1	0.3	0.8	2.1
2004.....	0.1	*	*	*	*	*	*	*	0.1	0.3	0.8	1.9
2003.....	0.1	*	*	*	*	*	*	*	0.1	0.2	0.7	2.3
2002.....	0.1	*	*	*	*	*	*	*	0.1	0.2	0.7	1.8
2001.....	0.1	*	*	*	*	*	*	*	0.1	0.2	0.7	1.8
2000.....	0.1	*	*	*	*	*	*	*	*	0.2	0.8	1.8
1999.....	0.1	*	*	*	*	*	*	*	0.1	0.2	0.5	1.8
Non-Hispanic 4/, male												
2006.....	0.1	*	*	*	*	*	*	*	*	*	0.9	1.8
2005.....	0.1	*	*	*	*	*	*	*	*	*	0.8	2.4
2004.....	0.1	*	*	*	*	*	*	*	*	*	0.8	1.9
2003.....	0.1	*	*	*	*	*	*	*	*	0.3	0.7	2.6
2002.....	0.1	*	*	*	*	*	*	*	*	*	0.7	2.0
2001.....	0.1	*	*	*	*	*	*	*	*	0.3	0.6	2.0
2000.....	0.1	*	*	*	*	*	*	*	*	*	0.7	1.8
1999.....	0.1	*	*	*	*	*	*	*	*	*	0.6	*
Non-Hispanic 4/, female												
2006.....	0.1	*	*	*	*	*	*	*	0.2	0.3	0.8	1.4
2005.....	0.1	*	*	*	*	*	*	*	*	0.3	0.8	2.0
2004.....	0.1	*	*	*	*	*	*	*	*	0.4	0.8	1.9
2003.....	0.1	*	*	*	*	*	*	*	*	0.2	0.7	2.2
2002.....	0.1	*	*	*	*	*	*	*	*	0.2	0.7	1.8
2001.....	0.1	*	*	*	*	*	*	*	*	0.2	0.7	1.8
2000.....	0.1	*	*	*	*	*	*	*	*	0.2	0.8	1.8
1999.....	0.1	*	*	*	*	*	*	*	*	0.2	0.5	1.9
Non-Hispanic white, both sexes												
2006 5/.....	0.1	*	*	*	*	*	*	*	0.2	0.2	0.9	1.6
2005 5/.....	0.1	*	*	*	*	*	*	*	0.1	0.3	0.8	2.2
2004 5/.....	0.1	*	*	*	*	*	*	*	0.1	0.3	0.8	1.9
2003 5/.....	0.1	*	*	*	*	*	*	*	0.1	0.3	0.8	2.4
2002.....	0.1	*	*	*	*	*	*	*	*	0.3	0.7	1.9
2001.....	0.1	*	*	*	*	*	*	*	0.1	0.2	0.7	1.9
2000.....	0.1	*	*	*	*	*	*	*	*	0.2	0.8	1.8
1999.....	0.1	*	*	*	*	*	*	*	0.1	0.2	0.6	1.7
Non-Hispanic white, male												
2006 5/.....	0.1	*	*	*	*	*	*	*	*	*	1.0	1.9
2005 5/.....	0.1	*	*	*	*	*	*	*	*	*	0.8	2.5
2004 5/.....	0.1	*	*	*	*	*	*	*	*	*	0.8	2.0
2003 5/.....	0.1	*	*	*	*	*	*	*	*	*	0.7	2.9
2002.....	0.1	*	*	*	*	*	*	*	*	*	0.7	2.0
2001.....	0.1	*	*	*	*	*	*	*	*	*	0.6	2.1
2000.....	0.1	*	*	*	*	*	*	*	*	*	0.8	2.0
1999.....	0.1	*	*	*	*	*	*	*	*	*	0.6	*
Non-Hispanic white, female												
2006 5/.....	0.2	*	*	*	*	*	*	*	0.2	0.3	0.8	1.4
2005 5/.....	0.2	*	*	*	*	*	*	*	*	0.3	0.9	2.0
2004 5/.....	0.2	*	*	*	*	*	*	*	*	0.4	0.8	1.9
2003 5/.....	0.2	*	*	*	*	*	*	*	*	*	0.8	2.2
2002.....	0.1	*	*	*	*	*	*	*	*	0.3	0.7	1.8
2001.....	0.1	*	*	*	*	*	*	*	*	*	0.7	1.8
2000.....	0.1	*	*	*	*	*	*	*	*	0.2	0.8	1.7
1999.....	0.1	*	*	*	*	*	*	*	*	*	0.5	1.9

Worktable Orig12. Death rates for 358 selected causes, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2006

[Rates per 100,000 population in specified group. Rates are based on populations enumerated as of April 1 for 2000 and estimated as of July 1 for all other years. Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to 'Detailed technical notes to the United States 2006 data-mortality']

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, and sex	All ages 1/	Under 1 year 2/	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
Urinary tract infection, site not specified (N59.0)												
All origins 3/, both sexes												
2006.....	4.8	*	*	*	*	*	0.2	0.6	2.0	7.6	35.3	139.1
2005.....	5.0	*	*	*	*	*	0.1	0.2	0.6	1.9	8.0	37.4
2004.....	4.7	*	*	*	*	*	0.1	0.2	0.6	1.7	7.7	35.6
2003.....	4.8	*	*	*	*	*	0.1	0.2	0.5	1.9	7.9	35.5
2002.....	4.8	*	*	*	*	*	0.1	0.2	0.5	1.9	7.7	35.6
2001.....	4.9	*	*	*	*	*	0.1	0.2	0.5	1.8	8.2	37.0
2000.....	4.9	*	*	*	*	*	0.1	0.1	0.5	1.7	7.3	38.4
1999.....	5.0	*	*	*	*	*	0.1	0.2	0.5	1.8	8.0	38.1
All origins 3/, male												
2006.....	3.1	*	*	*	*	*	0.2	0.6	1.6	6.8	29.9	115.3
2005.....	3.2	*	*	*	*	*	0.2	0.6	1.8	7.2	32.6	119.3
2004.....	3.1	*	*	*	*	*	0.2	0.6	1.6	6.8	32.1	117.7
2003.....	3.0	*	*	*	*	*	0.1	0.4	1.7	6.9	33.1	114.6
2002.....	3.0	*	*	*	*	*	0.2	0.4	1.6	6.7	31.0	123.5
2001.....	3.0	*	*	*	*	*	0.1	0.4	1.6	7.4	32.6	125.8
2000.....	3.1	*	*	*	*	*	0.1	0.5	1.5	6.7	34.3	139.8
1999.....	3.1	*	*	*	*	*	0.1	0.4	1.8	7.5	34.7	137.5
All origins 3/, female												
2006.....	6.5	*	*	*	*	*	0.2	0.7	2.3	8.2	39.0	150.2
2005.....	6.8	*	*	*	*	*	0.2	0.7	2.1	8.7	40.7	162.7
2004.....	6.4	*	*	*	*	*	0.1	0.2	0.7	1.9	8.4	38.0
2003.....	6.5	*	*	*	*	*	0.2	0.7	2.1	8.7	37.0	162.3
2002.....	6.5	*	*	*	*	*	0.2	0.6	2.1	8.5	38.7	164.7
2001.....	6.7	*	*	*	*	*	0.2	0.6	2.0	8.9	39.8	174.9
2000.....	6.6	*	*	*	*	*	0.1	0.6	1.9	7.8	41.1	173.0
1999.....	6.9	*	*	*	*	*	0.2	0.6	1.9	8.4	40.3	185.9
Hispanic, both sexes												
2006.....	1.5	*	*	*	*	*	*	0.6	2.0	7.4	28.6	92.3
2005.....	1.4	*	*	*	*	*	*	0.5	1.5	6.9	27.6	98.4
2004.....	1.4	*	*	*	*	*	*	0.5	1.3	7.7	27.6	102.7
2003.....	1.2	*	*	*	*	*	*	*	1.4	8.3	27.8	93.4
2002.....	1.2	*	*	*	*	*	*	*	1.5	6.3	24.0	104.2
2001.....	1.3	*	*	*	*	*	*	*	2.1	7.0	28.5	115.7
2000.....	1.3	*	*	*	*	*	*	*	1.8	6.5	32.4	120.1
1999.....	1.3	*	*	*	*	*	*	*	1.5	7.7	29.8	124.9
Hispanic, male												
2006.....	1.0	*	*	*	*	*	*	*	1.9	7.0	25.6	77.8
2005.....	0.9	*	*	*	*	*	*	*	*	4.9	22.4	87.2
2004.....	1.0	*	*	*	*	*	*	*	*	8.5	20.7	98.1
2003.....	0.8	*	*	*	*	*	*	*	*	8.3	25.7	61.6
2002.....	0.7	*	*	*	*	*	*	*	*	8.0	17.2	51.9
2001.....	0.8	*	*	*	*	*	*	*	*	6.2	20.1	83.8
2000.....	0.8	*	*	*	*	*	*	*	*	5.5	27.5	84.6
1999.....	0.9	*	*	*	*	*	*	*	*	7.2	28.2	92.7
Hispanic, female												
2006.....	1.9	*	*	*	*	*	*	*	2.0	7.8	30.8	100.1
2005.....	1.9	*	*	*	*	*	*	*	1.8	8.5	31.2	104.3
2004.....	1.8	*	*	*	*	*	*	*	*	7.1	32.4	105.2
2003.....	1.7	*	*	*	*	*	*	*	*	8.2	29.2	94.5
2002.....	1.7	*	*	*	*	*	*	*	*	4.9	28.7	130.1
2001.....	1.9	*	*	*	*	*	*	*	*	2.1	7.6	34.2
2000.....	1.9	*	*	*	*	*	*	*	*	2.5	7.3	35.7
1999.....	1.8	*	*	*	*	*	*	*	*	6.1	30.9	140.4

Worktable Orig12. Death rates for 358 selected causes, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2006

[Rates per 100,000 population in specified group. Rates are based on populations enumerated as of April 1 for 2000 and estimated as of July 1 for all other years. Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to 'Detailed technical notes to the United States 2006 data-mortality']

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, and sex	All ages 1/	Under 1 year 2/	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
Urinary tract infection, site not specified (N59.0)												
Non-Hispanic 4/, both sexes												
2006.....	5.4	*	*	*	*	*	0.2	0.6	2.0	7.6	35.6	141.3
2005.....	5.7	*	*	*	*	0.1	0.2	0.6	2.0	8.1	38.0	151.3
2004.....	5.3	*	*	*	*	0.1	0.2	0.6	1.8	7.6	36.0	145.1
2003.....	5.3	*	*	*	*	0.1	0.2	0.6	1.9	7.8	35.8	150.0
2002.....	5.3	*	*	*	*	*	0.2	0.5	1.9	7.8	36.1	154.0
2001.....	5.4	*	*	*	*	0.1	0.2	0.5	1.8	8.3	37.2	161.6
2000.....	5.4	*	*	*	*	0.1	0.1	0.5	1.7	7.3	38.6	164.8
1999.....	5.5	*	*	*	*	0.1	0.2	0.5	1.9	8.0	38.4	173.4
Non-Hispanic 4/, male												
2006.....	3.5	*	*	*	*	*	0.2	0.6	1.6	6.8	30.2	117.3
2005.....	3.6	*	*	*	*	*	0.2	0.6	1.8	7.3	33.1	120.8
2004.....	3.4	*	*	*	*	*	0.2	0.5	1.6	6.6	32.8	118.4
2003.....	3.4	*	*	*	*	*	0.2	0.4	1.7	6.8	33.5	116.6
2002.....	3.3	*	*	*	*	*	0.1	0.5	1.7	6.6	31.6	126.6
2001.....	3.3	*	*	*	*	*	0.1	0.4	1.5	7.5	33.0	127.1
2000.....	3.4	*	*	*	*	*	0.1	0.5	1.6	6.8	34.5	141.8
1999.....	3.4	*	*	*	*	*	0.1	0.4	1.8	7.5	34.8	139.1
Non-Hispanic 4/, female												
2006.....	7.2	*	*	*	*	*	0.2	0.7	2.3	8.2	39.4	152.4
2005.....	7.6	*	*	*	*	*	0.2	0.7	2.1	8.7	41.2	165.2
2004.....	7.1	*	*	*	*	0.1	0.2	0.7	1.9	8.5	38.2	157.0
2003.....	7.2	*	*	*	*	*	0.2	0.7	2.2	8.7	37.4	164.7
2002.....	7.2	*	*	*	*	*	0.2	0.6	2.1	8.7	39.1	165.8
2001.....	7.4	*	*	*	*	*	0.2	0.6	2.0	9.0	40.0	175.9
2000.....	7.2	*	*	*	*	*	0.2	0.6	1.9	7.8	41.2	174.1
1999.....	7.5	*	*	*	*	*	0.2	0.6	1.9	8.4	40.7	187.1
Non-Hispanic white, both sexes												
2006 5/.....	6.0	*	*	*	*	*	0.2	0.6	1.8	7.0	35.4	141.8
2005 5/.....	6.2	*	*	*	*	*	0.2	0.6	1.9	7.5	37.2	151.0
2004 5/.....	5.8	*	*	*	*	0.1	0.2	0.6	1.6	7.2	35.0	144.7
2003 5/.....	5.8	*	*	*	*	*	0.1	0.5	1.7	7.2	34.8	149.6
2002.....	5.8	*	*	*	*	*	0.1	0.5	1.7	7.2	35.0	152.5
2001.....	5.9	*	*	*	*	0.1	0.2	0.4	1.6	7.6	35.8	159.2
2000.....	5.8	*	*	*	*	0.1	0.1	0.5	1.5	6.7	37.2	163.0
1999.....	6.0	*	*	*	*	0.1	0.1	0.4	1.6	7.2	37.2	171.0
Non-Hispanic white, male												
2006 5/.....	3.8	*	*	*	*	*	0.2	0.5	1.4	6.2	29.7	117.6
2005 5/.....	3.9	*	*	*	*	*	0.2	0.6	1.6	6.6	32.1	121.1
2004 5/.....	3.6	*	*	*	*	*	0.2	0.5	1.4	6.0	31.6	116.4
2003 5/.....	3.6	*	*	*	*	*	0.2	0.4	1.5	6.0	32.1	118.6
2002.....	3.6	*	*	*	*	*	0.1	0.4	1.5	6.0	30.3	124.3
2001.....	3.5	*	*	*	*	*	0.2	0.3	1.3	6.7	32.0	123.2
2000.....	3.6	*	*	*	*	*	*	0.4	1.3	6.1	32.8	139.7
1999.....	3.6	*	*	*	*	*	*	0.4	1.6	6.3	33.1	133.4
Non-Hispanic white, female												
2006 5/.....	8.1	*	*	*	*	*	0.2	0.6	2.2	7.7	39.3	153.1
2005 5/.....	8.4	*	*	*	*	*	0.2	0.6	2.1	8.3	40.8	164.7
2004 5/.....	7.8	*	*	*	*	*	0.2	0.6	1.7	8.2	37.4	157.4
2003 5/.....	7.9	*	*	*	*	*	0.1	0.6	1.9	8.2	36.6	163.2
2002.....	7.9	*	*	*	*	*	0.1	0.5	1.9	8.3	38.3	164.7
2001.....	8.1	*	*	*	*	*	0.2	0.5	1.8	8.4	38.3	174.2
2000.....	7.9	*	*	*	*	*	0.1	0.5	1.7	7.2	40.0	172.5
1999.....	8.2	*	*	*	*	*	0.2	0.5	1.7	7.9	40.0	186.0

Worktable Orig12. Death rates for 358 selected causes, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2006

[Rates per 100,000 population in specified group. Rates are based on populations enumerated as of April 1 for 2000 and estimated as of July 1 for all other years. Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.odc.gov/nchs> and refer to 'Detailed technical notes to the United States 2006 data-mortality']

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, and sex	All ages 1/	Under 1 year 2/	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
Urinary tract infection, site not specified (N59.0)												
Non-Hispanic black, both sexes												
2006 5/.....	4.0	*	*	*	*	*	0.5	1.2	3.4	13.7	46.9	161.4
2005 5/.....	4.3	*	*	*	*	*	*	1.2	3.2	14.0	53.3	177.8
2004 5/.....	4.2	*	*	*	*	*	0.4	1.4	4.0	13.2	52.5	175.3
2003 5/.....	4.3	*	*	*	*	*	*	1.2	4.4	14.7	54.7	180.0
2002.....	4.3	*	*	*	*	*	0.4	1.0	3.8	13.5	54.5	193.9
2001.....	4.5	*	*	*	*	*	*	1.2	3.4	14.6	58.9	210.7
2000.....	4.4	*	*	*	*	*	*	1.1	3.8	13.8	60.3	200.0
1999.....	4.6	*	*	*	*	*	0.4	1.2	3.8	16.6	57.1	215.3
Non-Hispanic black, male												
2006 5/.....	2.9	*	*	*	*	*	*	1.0	3.8	13.7	45.0	148.4
2005 5/.....	3.0	*	*	*	*	*	*	1.1	3.7	15.9	52.7	142.7
2004 5/.....	3.1	*	*	*	*	*	*	1.2	4.2	13.7	53.6	165.6
2003 5/.....	2.9	*	*	*	*	*	*	*	3.9	15.5	59.4	126.8
2002.....	3.0	*	*	*	*	*	*	*	3.6	13.8	55.4	190.3
2001.....	3.1	*	*	*	*	*	*	1.0	3.7	15.0	53.7	206.7
2000.....	3.2	*	*	*	*	*	*	1.4	4.3	14.4	62.3	178.5
1999.....	3.6	*	*	*	*	*	*	*	4.1	20.7	62.5	218.7
Non-Hispanic black, female												
2006 5/.....	5.1	*	*	*	*	*	*	1.4	3.1	13.7	48.0	166.7
2005 5/.....	5.4	*	*	*	*	*	*	1.3	2.9	12.7	53.7	191.9
2004 5/.....	5.2	*	*	*	*	*	*	1.5	3.8	12.9	51.8	179.1
2003 5/.....	5.6	*	*	*	*	*	*	1.5	4.8	14.1	52.0	200.6
2002.....	5.4	*	*	*	*	*	*	1.2	3.9	13.3	54.1	195.2
2001.....	5.8	*	*	*	*	*	*	1.4	3.1	14.3	61.8	212.2
2000.....	5.5	*	*	*	*	*	*	*	3.3	13.4	59.2	208.0
1999.....	5.5	*	*	*	*	*	*	1.5	3.6	13.7	54.1	214.1

Worktable Orig12. Death rates for 358 selected causes, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2006

[Rates per 100,000 population in specified group. Rates are based on populations enumerated as of April 1 for 2000 and estimated as of July 1 for all other years. Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to 'Detailed technical notes to the United States 2006 data-mortality']

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, and sex	All ages 1/	Under 1 year 2/	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
Other diseases of urinary system (N28-N36,N39.1-N39.9)												
Non-Hispanic 4/, both sexes												
2006.....	0.5	*	*	*	*	*	0.1	0.2	0.5	1.2	2.8	7.0
2005.....	0.5	*	*	*	*	*	0.1	0.2	0.5	1.1	2.8	7.0
2004.....	0.5	*	*	*	*	*	0.1	0.2	0.5	1.1	2.9	7.7
2003.....	0.4	*	*	*	*	*	0.1	0.2	0.5	0.9	2.6	7.1
2002.....	0.4	*	*	*	*	*	0.1	0.2	0.4	1.0	2.7	7.5
2001.....	0.4	*	*	*	*	*	0.1	0.2	0.5	1.0	2.7	6.9
2000.....	0.4	*	*	*	*	*	0.1	0.2	0.5	1.0	2.7	7.7
1999.....	0.4	*	*	*	*	*	0.1	0.2	0.5	1.1	2.6	7.1
Non-Hispanic 4/, male												
2006.....	0.5	*	*	*	*	*	0.1	0.3	0.5	1.3	3.7	8.6
2005.....	0.5	*	*	*	*	*	*	0.2	0.7	1.6	3.6	9.8
2004.....	0.5	*	*	*	*	*	0.1	0.2	0.6	1.3	3.8	9.1
2003.....	0.4	*	*	*	*	*	*	0.2	0.6	1.2	3.3	9.9
2002.....	0.4	*	*	*	*	*	*	0.3	0.5	1.1	3.3	9.0
2001.....	0.4	*	*	*	*	*	0.1	0.3	0.5	1.2	3.2	8.7
2000.....	0.4	*	*	*	*	*	0.1	0.2	0.5	1.3	3.5	10.6
1999.....	0.4	*	*	*	*	*	*	0.2	0.5	1.5	3.2	10.1
Non-Hispanic 4/, female												
2006.....	0.5	*	*	*	*	*	*	0.2	0.4	1.1	2.2	6.3
2005.....	0.4	*	*	*	*	*	*	0.2	0.4	0.8	2.2	5.7
2004.....	0.4	*	*	*	*	*	*	0.2	0.4	0.9	2.3	7.1
2003.....	0.4	*	*	*	*	*	*	0.2	0.4	0.7	2.2	6.0
2002.....	0.4	*	*	*	*	*	*	0.1	0.3	0.9	2.3	6.8
2001.....	0.4	*	*	*	*	*	*	0.2	0.4	0.9	2.3	6.2
2000.....	0.4	*	*	*	*	*	0.1	0.2	0.4	0.8	2.2	6.5
1999.....	0.4	*	*	*	*	*	*	0.1	0.4	0.7	2.2	5.9
Non-Hispanic white, both sexes												
2006 5/.....	0.5	*	*	*	*	*	0.1	0.1	0.4	1.1	2.7	6.9
2005 5/.....	0.5	*	*	*	*	*	*	0.2	0.4	1.1	2.7	7.1
2004 5/.....	0.5	*	*	*	*	*	*	0.2	0.4	1.0	2.8	7.7
2003 5/.....	0.5	*	*	*	*	*	0.1	0.2	0.4	0.9	2.7	7.2
2002.....	0.4	*	*	*	*	*	0.1	0.2	0.3	1.0	2.6	7.4
2001.....	0.4	*	*	*	*	*	0.1	0.2	0.4	0.9	2.6	7.0
2000.....	0.4	*	*	*	*	*	0.1	0.2	0.4	0.9	2.6	7.5
1999.....	0.4	*	*	*	*	*	0.1	0.1	0.4	0.9	2.4	7.2
Non-Hispanic white, male												
2006 5/.....	0.5	*	*	*	*	*	*	0.2	0.4	1.2	3.6	8.8
2005 5/.....	0.5	*	*	*	*	*	*	0.2	0.6	1.5	3.4	10.2
2004 5/.....	0.5	*	*	*	*	*	*	0.2	0.5	1.2	3.9	9.3
2003 5/.....	0.5	*	*	*	*	*	*	*	0.5	1.1	3.3	9.9
2002.....	0.4	*	*	*	*	*	*	0.3	0.4	1.1	3.2	8.8
2001.....	0.4	*	*	*	*	*	*	0.2	0.5	1.0	3.3	8.8
2000.....	0.5	*	*	*	*	*	0.1	0.2	0.4	1.1	3.4	10.5
1999.....	0.4	*	*	*	*	*	*	0.2	0.4	1.3	3.1	10.3
Non-Hispanic white, female												
2006 5/.....	0.5	*	*	*	*	*	*	*	0.4	1.0	2.2	6.0
2005 5/.....	0.4	*	*	*	*	*	*	0.2	0.3	0.7	2.1	5.7
2004 5/.....	0.4	*	*	*	*	*	*	*	0.3	0.8	2.0	7.0
2003 5/.....	0.5	*	*	*	*	*	*	0.2	0.3	0.7	2.3	6.0
2002.....	0.4	*	*	*	*	*	*	*	0.2	0.8	2.2	6.8
2001.....	0.4	*	*	*	*	*	*	0.1	0.4	0.7	2.2	6.2
2000.....	0.4	*	*	*	*	*	*	0.2	0.4	0.7	2.1	6.3
1999.....	0.4	*	*	*	*	*	*	*	0.4	0.7	2.0	5.9

Worktable Orig12. Death rates for 358 selected causes, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2006

[Rates per 100,000 population in specified group. Rates are based on populations enumerated as of April 1 for 2000 and estimated as of July 1 for all other years. Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to 'Detailed technical notes to the United States 2006 data-mortality']

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, and sex	All ages 1/	Under 1 year 2/	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
Disorders of female genital organs (N70-N98)												
Non-Hispanic 4/, both sexes												
2006.....	0.1	*	*	*	*	*	*	0.1	0.1	0.2	0.8	2.2
2005.....	0.1	*	*	*	*	*	*	0.1	0.1	0.3	0.7	2.3
2004.....	0.1	*	*	*	*	*	*	0.1	0.1	0.3	0.6	2.6
2003.....	0.1	*	*	*	*	*	0.1	0.1	0.1	0.2	0.8	2.6
2002.....	0.1	*	*	*	*	*	0.1	0.1	*	0.1	0.6	2.4
2001.....	0.1	*	*	*	*	*	*	0.1	0.1	0.3	0.7	2.1
2000.....	0.1	*	*	*	*	*	0.1	0.1	*	0.2	0.7	2.6
1999.....	0.1	*	*	*	*	*	0.0	*	0.1	0.2	0.7	2.0
Non-Hispanic 4/, male												
2006.....
2005.....
2004.....
2003.....
2002.....
2001.....
2000.....
1999.....
Non-Hispanic 4/, female												
2006.....	0.3	*	*	*	*	*	*	0.2	0.2	0.4	1.3	3.3
2005.....	0.3	*	*	*	*	*	*	0.2	0.2	0.5	1.2	3.4
2004.....	0.2	*	*	*	*	*	*	0.2	0.2	0.5	1.1	3.7
2003.....	0.3	*	*	*	*	*	0.1	0.1	0.2	0.4	1.3	3.7
2002.....	0.2	*	*	*	*	*	0.1	0.2	*	0.3	1.0	3.4
2001.....	0.2	*	*	*	*	*	*	0.2	0.2	0.5	1.1	2.9
2000.....	0.3	*	*	*	*	*	0.1	0.2	*	0.5	1.2	3.6
1999.....	0.2	*	*	*	*	*	0.1	*	0.2	0.4	1.1	2.8
Non-Hispanic white, both sexes												
2006 5/.....	0.1	*	*	*	*	*	*	0.1	0.1	0.2	0.8	2.3
2005 5/.....	0.1	*	*	*	*	*	*	*	0.1	0.2	0.7	2.3
2004 5/.....	0.1	*	*	*	*	*	*	*	*	0.2	0.7	2.5
2003 5/.....	0.2	*	*	*	*	*	*	*	0.1	0.2	0.8	2.8
2002.....	0.1	*	*	*	*	*	*	*	*	*	0.7	2.3
2001.....	0.1	*	*	*	*	*	*	*	*	0.2	0.7	2.0
2000.....	0.1	*	*	*	*	*	*	0.1	*	0.2	0.7	2.6
1999.....	0.1	*	*	*	*	*	*	*	0.1	0.2	0.6	2.0
Non-Hispanic white, male												
2006 5/.....
2005 5/.....
2004 5/.....
2003 5/.....
2002.....
2001.....
2000.....
1999.....
Non-Hispanic white, female												
2006 5/.....	0.3	*	*	*	*	*	*	0.1	0.2	0.4	1.3	3.4
2005 5/.....	0.3	*	*	*	*	*	*	*	0.2	0.5	1.1	3.4
2004 5/.....	0.3	*	*	*	*	*	*	*	*	0.4	1.1	3.6
2003 5/.....	0.3	*	*	*	*	*	*	*	0.2	0.4	1.4	4.0
2002.....	0.2	*	*	*	*	*	*	*	*	*	1.1	3.3
2001.....	0.2	*	*	*	*	*	*	*	*	0.4	1.1	2.8
2000.....	0.3	*	*	*	*	*	*	0.2	*	0.4	1.2	3.7
1999.....	0.2	*	*	*	*	*	*	*	0.2	0.3	1.0	2.7

Worktable Orig12. Death rates for 358 selected causes, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2006

[Rates per 100,000 population in specified group. Rates are based on populations enumerated as of April 1 for 2000 and estimated as of July 1 for all other years. Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to 'Detailed technical notes to the United States 2006 data-mortality']

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, and sex	All ages 1/	Under 1 year 2/	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
Noninflammatory disorders of female genital tract (N80-N98)												
Non-Hispanic 4/, both sexes												
2006.....	0.1	*	*	*	*	*	*	0.1	*	0.1	0.5	1.7
2005.....	0.1	*	*	*	*	*	*	*	*	0.1	0.5	1.7
2004.....	0.1	*	*	*	*	*	*	*	*	0.2	0.5	1.8
2003.....	0.1	*	*	*	*	*	*	*	*	0.1	0.6	1.9
2002.....	0.1	*	*	*	*	*	*	*	*	*	0.4	1.6
2001.....	0.1	*	*	*	*	*	*	*	*	0.2	0.4	1.2
2000.....	0.1	*	*	*	*	*	*	0.1	*	0.1	0.5	1.9
1999.....	0.1	*	*	*	*	*	*	*	*	0.1	0.4	1.6
Non-Hispanic 4/, male												
2006.....
2005.....
2004.....
2003.....
2002.....
2001.....
2000.....
1999.....
Non-Hispanic 4/, female												
2006.....	0.2	*	*	*	*	*	*	0.1	*	0.3	0.9	2.5
2005.....	0.2	*	*	*	*	*	*	*	*	0.3	0.8	2.5
2004.....	0.2	*	*	*	*	*	*	*	*	0.3	0.8	2.7
2003.....	0.2	*	*	*	*	*	*	*	*	0.3	0.9	2.7
2002.....	0.1	*	*	*	*	*	*	*	*	*	0.6	2.2
2001.....	0.1	*	*	*	*	*	*	*	*	0.3	0.7	1.7
2000.....	0.2	*	*	*	*	*	*	0.1	*	0.3	0.8	2.7
1999.....	0.1	*	*	*	*	*	*	*	*	0.2	0.7	2.2
Non-Hispanic white, both sexes												
2006 5/.....	0.1	*	*	*	*	*	*	*	*	0.1	0.5	1.8
2005 5/.....	0.1	*	*	*	*	*	*	*	*	*	0.4	1.7
2004 5/.....	0.1	*	*	*	*	*	*	*	*	*	0.5	1.8
2003 5/.....	0.1	*	*	*	*	*	*	*	*	*	0.6	2.1
2002.....	0.1	*	*	*	*	*	*	*	*	*	0.4	1.5
2001.....	0.1	*	*	*	*	*	*	*	*	0.1	0.4	1.1
2000.....	0.1	*	*	*	*	*	*	*	*	0.1	0.5	2.0
1999.....	0.1	*	*	*	*	*	*	*	*	*	0.4	1.5
Non-Hispanic white, male												
2006 5/.....
2005 5/.....
2004 5/.....
2003 5/.....
2002.....
2001.....
2000.....
1999.....
Non-Hispanic white, female												
2006 5/.....	0.2	*	*	*	*	*	*	*	*	0.3	0.9	2.6
2005 5/.....	0.2	*	*	*	*	*	*	*	*	*	0.7	2.5
2004 5/.....	0.2	*	*	*	*	*	*	*	*	*	0.9	2.6
2003 5/.....	0.2	*	*	*	*	*	*	*	*	*	1.0	3.0
2002.....	0.1	*	*	*	*	*	*	*	*	*	0.7	2.1
2001.....	0.1	*	*	*	*	*	*	*	*	0.3	0.7	1.6
2000.....	0.2	*	*	*	*	*	*	*	*	0.2	0.8	2.8
1999.....	0.1	*	*	*	*	*	*	*	*	*	0.6	2.2

Worktable Orig12. Death rates for 358 selected causes, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2006

[Rates per 100,000 population in specified group. Rates are based on populations enumerated as of April 1 for 2000 and estimated as of July 1 for all other years. Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to 'Detailed technical notes to the United States 2006 data-mortality']

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, and sex	All ages 1/	Under 1 year 2/	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
XV. Pregnancy, childbirth and the puerperium (000-099)												
All origins 3/, both sexes												
2006.....	0.3	*	0.4	0.8	0.4	0.1	*	*	*	*
2005.....	0.3	*	0.4	0.8	0.5	0.1	*	*	*	*
2004.....	0.2	*	0.4	0.7	0.4	0.2	*	*	*	*
2003.....	0.2	*	0.3	0.6	0.4	0.1	*	*	*	*
2002.....	0.1	*	0.2	0.4	0.2	*	*	*	*	*
2001.....	0.1	*	0.3	0.5	0.2	*	*	*	*	*
2000.....	0.1	*	0.2	0.5	0.3	*	*	*	*	*
1999.....	0.1	*	0.3	0.5	0.3	*	*	*	*	*
All origins 3/, male												
2006.....
2005.....
2004.....
2003.....
2002.....
2001.....
2000.....
1999.....
All origins 3/, female												
2006.....	0.5	*	0.9	1.6	0.9	0.3	*	*	*	*
2005.....	0.5	*	0.9	1.6	0.9	0.3	*	*	*	*
2004.....	0.5	*	0.8	1.5	0.7	0.4	*	*	*	*
2003.....	0.4	*	0.6	1.2	0.7	0.1	*	*	*	*
2002.....	0.3	*	0.5	0.9	0.5	*	*	*	*	*
2001.....	0.3	*	0.6	1.0	0.5	*	*	*	*	*
2000.....	0.3	*	0.5	0.9	0.5	*	*	*	*	*
1999.....	0.3	*	0.5	0.9	0.5	*	*	*	*	*
Hispanic, both sexes												
2006.....	0.3	*	0.5	0.9	0.5	*	*	*	*	*
2005.....	0.3	*	0.5	0.8	0.5	*	*	*	*	*
2004.....	0.3	*	0.4	0.6	0.4	*	*	*	*	*
2003.....	0.3	*	0.3	0.6	0.5	*	*	*	*	*
2002.....	0.2	*	*	0.4	0.4	*	*	*	*	*
2001.....	0.2	*	0.4	0.6	*	*	*	*	*	*
2000.....	0.2	*	0.4	0.6	0.4	*	*	*	*	*
1999.....	0.2	*	*	0.4	0.5	*	*	*	*	*
Hispanic, male												
2006.....
2005.....
2004.....
2003.....
2002.....
2001.....
2000.....
1999.....
Hispanic, female												
2006.....	0.7	*	1.1	1.9	1.1	*	*	*	*	*
2005.....	0.6	*	1.0	1.7	1.1	*	*	*	*	*
2004.....	0.6	*	0.9	1.4	0.9	*	*	*	*	*
2003.....	0.5	*	0.7	1.4	1.0	*	*	*	*	*
2002.....	0.4	*	*	0.8	0.8	*	*	*	*	*
2001.....	0.5	*	0.8	1.2	*	*	*	*	*	*
2000.....	0.5	*	0.8	1.2	0.9	*	*	*	*	*
1999.....	0.4	*	*	0.9	1.0	*	*	*	*	*

Worktable Orig12. Death rates for 358 selected causes, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2006

[Rates per 100,000 population in specified group. Rates are based on populations enumerated as of April 1 for 2000 and estimated as of July 1 for all other years. Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to 'Detailed technical notes to the United States 2006 data-mortality']

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, and sex	All ages 1/	Under 1 year 2/	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
XV. Pregnancy, childbirth and the puerperium (000-099)												
Non-Hispanic 4/, both sexes												
2006.....	0.2	*	0.4	0.8	0.4	0.1	*	*	*	*
2005.....	0.2	*	0.4	0.8	0.5	0.1	*	*	*	*
2004.....	0.2	*	0.4	0.7	0.3	0.2	*	*	*	*
2003.....	0.2	*	0.3	0.6	0.4	0.1	*	*	*	*
2002.....	0.1	*	0.2	0.4	0.2	*	*	*	*	*
2001.....	0.1	*	0.3	0.5	0.2	*	*	*	*	*
2000.....	0.1	*	0.2	0.4	0.2	*	*	*	*	*
1999.....	0.1	*	0.2	0.5	0.2	*	*	*	*	*
Non-Hispanic 4/, male												
2006.....
2005.....
2004.....
2003.....
2002.....
2001.....
2000.....
1999.....
Non-Hispanic 4/, female												
2006.....	0.5	*	0.8	1.6	0.8	0.3	*	*	*	*
2005.....	0.5	*	0.9	1.6	0.9	0.3	*	*	*	*
2004.....	0.4	*	0.8	1.5	0.7	0.4	*	*	*	*
2003.....	0.3	*	0.5	1.1	0.7	0.1	*	*	*	*
2002.....	0.2	*	0.4	0.9	0.4	*	*	*	*	*
2001.....	0.3	*	0.5	0.9	0.4	*	*	*	*	*
2000.....	0.3	*	0.4	0.9	0.5	*	*	*	*	*
1999.....	0.3	*	0.5	0.9	0.5	*	*	*	*	*
Non-Hispanic white, both sexes												
2006 5/.....	0.1	*	0.3	0.5	0.3	0.1	*	*	*	*
2005 5/.....	0.2	*	0.3	0.5	0.3	0.1	*	*	*	*
2004 5/.....	0.2	*	0.2	0.5	0.2	0.1	*	*	*	*
2003 5/.....	0.1	*	0.2	0.4	0.2	*	*	*	*	*
2002.....	0.1	*	0.1	0.3	0.1	*	*	*	*	*
2001.....	0.1	*	0.2	0.3	0.1	*	*	*	*	*
2000.....	0.1	*	0.1	0.3	0.2	*	*	*	*	*
1999.....	0.1	*	0.1	0.3	0.1	*	*	*	*	*
Non-Hispanic white, male												
2006 5/.....
2005 5/.....
2004 5/.....
2003 5/.....
2002.....
2001.....
2000.....
1999.....
Non-Hispanic white, female												
2006 5/.....	0.3	*	0.6	0.9	0.5	0.2	*	*	*	*
2005 5/.....	0.3	*	0.6	1.0	0.6	0.2	*	*	*	*
2004 5/.....	0.3	*	0.5	1.0	0.5	0.3	*	*	*	*
2003 5/.....	0.2	*	0.3	0.7	0.4	*	*	*	*	*
2002.....	0.1	*	0.2	0.6	0.3	*	*	*	*	*
2001.....	0.2	*	0.3	0.6	0.2	*	*	*	*	*
2000.....	0.2	*	0.3	0.6	0.3	*	*	*	*	*
1999.....	0.2	*	0.2	0.6	0.3	*	*	*	*	*

Worktable Orig12. Death rates for 358 selected causes, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2006

[Rates per 100,000 population in specified group. Rates are based on populations enumerated as of April 1 for 2000 and estimated as of July 1 for all other years. Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to 'Detailed technical notes to the United States 2006 data-mortality']

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, and sex	All ages 1/	Under 1 year 2/	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
XV. Pregnancy, childbirth and the puerperium (000-099)												
Non-Hispanic black, both sexes												
2006 5/.....	0.7	*	0.9	2.2	1.1	0.4	*	*	*	*
2005 5/.....	0.7	*	1.1	2.2	1.2	*	*	*	*	*
2004 5/.....	0.7	*	1.2	2.0	0.8	0.5	*	*	*	*
2003 5/.....	0.5	*	0.7	1.6	1.1	*	*	*	*	*
2002.....	0.4	*	0.8	1.2	0.7	*	*	*	*	*
2001.....	0.4	*	0.8	1.3	0.7	*	*	*	*	*
2000.....	0.4	*	0.6	1.3	0.7	*	*	*	*	*
1999.....	0.5	*	0.8	1.3	0.7	*	*	*	*	*
Non-Hispanic black, male												
2006 5/.....
2005 5/.....
2004 5/.....
2003 5/.....
2002.....
2001.....
2000.....
1999.....
Non-Hispanic black, female												
2006 5/.....	1.3	*	1.8	4.1	2.1	0.8	*	*	*	*
2005 5/.....	1.4	*	2.2	4.2	2.2	*	*	*	*	*
2004 5/.....	1.3	*	2.4	3.9	1.5	0.9	*	*	*	*
2003 5/.....	1.0	*	1.4	3.0	2.0	*	*	*	*	*
2002.....	0.8	*	1.5	2.4	1.4	*	*	*	*	*
2001.....	0.8	*	1.6	2.4	1.4	*	*	*	*	*
2000.....	0.8	*	1.2	2.4	1.3	*	*	*	*	*
1999.....	0.9	*	1.6	2.5	1.4	*	*	*	*	*

Worktable Orig12. Death rates for 358 selected causes, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2006

[Rates per 100,000 population in specified group. Rates are based on populations enumerated as of April 1 for 2000 and estimated as of July 1 for all other years. Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to 'Detailed technical notes to the United States 2006 data-mortality']

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, and sex	All ages 1/	Under 1 year 2/	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
Other direct obstetric deaths (010-092)												
All origins 3/, both sexes												
2006.....	0.1	*	0.2	0.5	0.2	*	*	*	*	*
2005.....	0.1	*	0.2	0.4	0.3	0.0	*	*	*	*
2004.....	0.1	*	0.2	0.4	0.2	*	*	*	*	*
2003.....	0.1	*	0.2	0.3	0.3	*	*	*	*	*
2002.....	0.1	*	0.2	0.3	0.2	*	*	*	*	*
2001.....	0.1	*	0.2	0.4	0.2	*	*	*	*	*
2000.....	0.1	*	0.2	0.3	0.2	*	*	*	*	*
1999.....	0.1	*	0.2	0.3	0.2	*	*	*	*	*
All origins 3/, male												
2006.....
2005.....
2004.....
2003.....
2002.....
2001.....
2000.....
1999.....
All origins 3/, female												
2006.....	0.3	*	0.5	0.9	0.4	*	*	*	*	*
2005.....	0.3	*	0.4	0.8	0.5	0.1	*	*	*	*
2004.....	0.2	*	0.4	0.8	0.4	*	*	*	*	*
2003.....	0.2	*	0.3	0.7	0.5	*	*	*	*	*
2002.....	0.2	*	0.3	0.7	0.4	*	*	*	*	*
2001.....	0.2	*	0.4	0.8	0.3	*	*	*	*	*
2000.....	0.2	*	0.4	0.7	0.4	*	*	*	*	*
1999.....	0.2	*	0.4	0.7	0.4	*	*	*	*	*
Hispanic, both sexes												
2006.....	0.2	*	*	0.4	*	*	*	*	*	*
2005.....	0.1	*	*	0.3	0.3	*	*	*	*	*
2004.....	0.1	*	*	0.3	*	*	*	*	*	*
2003.....	0.2	*	*	0.4	0.4	*	*	*	*	*
2002.....	0.1	*	*	*	*	*	*	*	*	*
2001.....	0.2	*	0.4	0.5	*	*	*	*	*	*
2000.....	0.2	*	*	0.4	*	*	*	*	*	*
1999.....	0.2	*	*	0.3	0.4	*	*	*	*	*
Hispanic, male												
2006.....
2005.....
2004.....
2003.....
2002.....
2001.....
2000.....
1999.....
Hispanic, female												
2006.....	0.4	*	*	1.0	*	*	*	*	*	*
2005.....	0.3	*	*	0.7	0.7	*	*	*	*	*
2004.....	0.3	*	*	0.7	*	*	*	*	*	*
2003.....	0.4	*	*	0.9	0.9	*	*	*	*	*
2002.....	0.3	*	*	*	*	*	*	*	*	*
2001.....	0.4	*	0.8	1.1	*	*	*	*	*	*
2000.....	0.4	*	*	0.9	*	*	*	*	*	*
1999.....	0.3	*	*	0.8	0.8	*	*	*	*	*

Worktable Orig12. Death rates for 358 selected causes, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2006

[Rates per 100,000 population in specified group. Rates are based on populations enumerated as of April 1 for 2000 and estimated as of July 1 for all other years. Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to 'Detailed technical notes to the United States 2006 data-mortality']

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, and sex	All ages 1/	Under 1 year 2/	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
Other direct obstetric deaths (010-092)												
Non-Hispanic 4/, both sexes												
2006.....	0.1	*	0.2	0.5	0.2	*	*	*	*	*
2005.....	0.1	*	0.2	0.4	0.3	0.1	*	*	*	*
2004.....	0.1	*	0.2	0.4	0.2	*	*	*	*	*
2003.....	0.1	*	0.2	0.3	0.2	*	*	*	*	*
2002.....	0.1	*	0.1	0.3	0.2	*	*	*	*	*
2001.....	0.1	*	0.2	0.3	0.1	*	*	*	*	*
2000.....	0.1	*	0.2	0.3	0.2	*	*	*	*	*
1999.....	0.1	*	0.2	0.3	0.2	*	*	*	*	*
Non-Hispanic 4/, male												
2006.....
2005.....
2004.....
2003.....
2002.....
2001.....
2000.....
1999.....
Non-Hispanic 4/, female												
2006.....	0.2	*	0.4	0.9	0.4	*	*	*	*	*
2005.....	0.3	*	0.4	0.9	0.5	0.1	*	*	*	*
2004.....	0.2	*	0.4	0.8	0.3	*	*	*	*	*
2003.....	0.2	*	0.3	0.7	0.5	*	*	*	*	*
2002.....	0.2	*	0.3	0.7	0.3	*	*	*	*	*
2001.....	0.2	*	0.3	0.7	0.3	*	*	*	*	*
2000.....	0.2	*	0.3	0.7	0.3	*	*	*	*	*
1999.....	0.2	*	0.4	0.7	0.4	*	*	*	*	*
Non-Hispanic white, both sexes												
2006 5/.....	0.1	*	0.1	0.2	0.1	*	*	*	*	*
2005 5/.....	0.1	*	0.1	0.3	0.2	*	*	*	*	*
2004 5/.....	0.1	*	0.1	0.3	0.1	*	*	*	*	*
2003 5/.....	0.1	*	0.1	0.2	0.1	*	*	*	*	*
2002.....	0.0	*	*	0.2	0.1	*	*	*	*	*
2001.....	0.1	*	0.1	0.2	0.1	*	*	*	*	*
2000.....	0.1	*	0.1	0.2	0.1	*	*	*	*	*
1999.....	0.1	*	0.1	0.2	0.1	*	*	*	*	*
Non-Hispanic white, male												
2006 5/.....
2005 5/.....
2004 5/.....
2003 5/.....
2002.....
2001.....
2000.....
1999.....
Non-Hispanic white, female												
2006 5/.....	0.1	*	0.3	0.5	0.3	*	*	*	*	*
2005 5/.....	0.2	*	0.3	0.5	0.3	*	*	*	*	*
2004 5/.....	0.1	*	0.2	0.5	0.2	*	*	*	*	*
2003 5/.....	0.1	*	0.2	0.3	0.2	*	*	*	*	*
2002.....	0.1	*	*	0.4	0.2	*	*	*	*	*
2001.....	0.1	*	0.2	0.5	0.1	*	*	*	*	*
2000.....	0.1	*	0.2	0.4	0.2	*	*	*	*	*
1999.....	0.1	*	0.2	0.4	0.2	*	*	*	*	*

Worktable Orig12. Death rates for 358 selected causes, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2006

[Rates per 100,000 population in specified group. Rates are based on populations enumerated as of April 1 for 2000 and estimated as of July 1 for all other years. Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to 'Detailed technical notes to the United States 2006 data-mortality']

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, and sex	All ages 1/	Under 1 year 2/	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
Other direct obstetric deaths (010-092)												
Non-Hispanic black, both sexes												
2006 5/.....	0.4	*	0.6	1.4	0.6	*	*	*	*	*
2005 5/.....	0.4	*	0.5	1.3	0.8	*	*	*	*	*
2004 5/.....	0.4	*	0.7	1.3	*	*	*	*	*	*
2003 5/.....	0.4	*	0.4	1.1	0.8	*	*	*	*	*
2002.....	0.3	*	0.6	0.9	0.5	*	*	*	*	*
2001.....	0.3	*	0.5	1.0	0.5	*	*	*	*	*
2000.....	0.3	*	0.5	0.9	0.4	*	*	*	*	*
1999.....	0.3	*	0.6	1.0	0.6	*	*	*	*	*
Non-Hispanic black, male												
2006 5/.....
2005 5/.....
2004 5/.....
2003 5/.....
2002.....
2001.....
2000.....
1999.....
Non-Hispanic black, female												
2006 5/.....	0.8	*	1.2	2.7	1.2	*	*	*	*	*
2005 5/.....	0.8	*	1.0	2.5	1.5	*	*	*	*	*
2004 5/.....	0.7	*	1.3	2.5	*	*	*	*	*	*
2003 5/.....	0.7	*	0.8	2.2	1.5	*	*	*	*	*
2002.....	0.6	*	1.2	1.8	1.0	*	*	*	*	*
2001.....	0.6	*	1.1	1.8	0.9	*	*	*	*	*
2000.....	0.5	*	1.0	1.6	0.8	*	*	*	*	*
1999.....	0.6	*	1.2	1.9	1.1	*	*	*	*	*

Worktable Orig12. Death rates for 358 selected causes, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2006

[Rates per 100,000 population in specified group. Rates are based on populations enumerated as of April 1 for 2000 and estimated as of July 1 for all other years. Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to 'Detailed technical notes to the United States 2006 data-mortality']

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, and sex	All ages 1/	Under 1 year 2/	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
Complications predominately related to the puerperium (085-092)												
Non-Hispanic 4/, both sexes												
2006.....	0.0	*	0.1	0.1	0.1	*	*	*	*	*
2005.....	0.0	*	0.1	0.1	0.1	*	*	*	*	*
2004.....	0.0	*	*	0.1	0.1	*	*	*	*	*
2003.....	0.0	*	*	0.1	0.1	*	*	*	*	*
2002.....	0.0	*	*	0.1	0.1	*	*	*	*	*
2001.....	0.0	*	0.1	0.1	0.1	*	*	*	*	*
2000.....	0.0	*	0.1	0.1	*	*	*	*	*	*
1999.....	0.0	*	*	0.1	*	*	*	*	*	*
Non-Hispanic 4/, male												
2006.....
2005.....
2004.....
2003.....
2002.....
2001.....
2000.....
1999.....
Non-Hispanic 4/, female												
2006.....	0.1	*	0.1	0.3	0.1	*	*	*	*	*
2005.....	0.1	*	0.2	0.2	0.2	*	*	*	*	*
2004.....	0.1	*	*	0.3	0.1	*	*	*	*	*
2003.....	0.1	*	*	0.2	0.1	*	*	*	*	*
2002.....	0.1	*	*	0.2	0.1	*	*	*	*	*
2001.....	0.1	*	0.1	0.2	0.1	*	*	*	*	*
2000.....	0.1	*	0.1	0.2	*	*	*	*	*	*
1999.....	0.1	*	*	0.2	*	*	*	*	*	*
Non-Hispanic white, both sexes												
2006 5/.....	0.0	*	*	*	*	*	*	*	*	*
2005 5/.....	0.0	*	*	*	0.1	*	*	*	*	*
2004 5/.....	0.0	*	*	0.1	*	*	*	*	*	*
2003 5/.....	0.0	*	*	*	*	*	*	*	*	*
2002.....	0.0	*	*	*	*	*	*	*	*	*
2001.....	0.0	*	*	0.1	*	*	*	*	*	*
2000.....	0.0	*	*	0.1	*	*	*	*	*	*
1999.....	0.0	*	*	0.1	*	*	*	*	*	*
Non-Hispanic white, male												
2006 5/.....
2005 5/.....
2004 5/.....
2003 5/.....
2002.....
2001.....
2000.....
1999.....
Non-Hispanic white, female												
2006 5/.....	0.0	*	*	*	*	*	*	*	*	*
2005 5/.....	0.1	*	*	*	0.1	*	*	*	*	*
2004 5/.....	0.0	*	*	0.2	*	*	*	*	*	*
2003 5/.....	0.0	*	*	*	*	*	*	*	*	*
2002.....	0.0	*	*	*	*	*	*	*	*	*
2001.....	0.0	*	*	0.2	*	*	*	*	*	*
2000.....	0.0	*	*	0.2	*	*	*	*	*	*
1999.....	0.0	*	*	0.2	*	*	*	*	*	*

Worktable Orig12. Death rates for 358 selected causes, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2006

[Rates per 100,000 population in specified group. Rates are based on populations enumerated as of April 1 for 2000 and estimated as of July 1 for all other years. Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to 'Detailed technical notes to the United States 2006 data-mortality']

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, and sex	All ages 1/	Under 1 year 2/	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
XVII. Congenital malformations, deformations and chromosomal abnormalities (000-099)												
All origins 3/, both sexes												
2006.....	3.5	140.9	3.2	0.9	1.1	1.1	1.1	1.5	2.3	1.9	3.0	5.6
2005.....	3.5	135.2	3.2	1.0	1.2	1.1	1.2	1.6	2.4	1.8	3.1	6.4
2004.....	3.6	137.9	3.6	1.0	1.2	1.0	1.1	1.7	2.2	2.3	3.6	6.1
2003.....	3.6	140.4	3.4	0.9	1.1	1.1	1.3	1.6	2.4	2.3	3.6	6.8
2002.....	3.7	139.4	3.4	1.0	1.2	1.2	1.3	1.8	2.4	2.4	3.8	6.6
2001.....	3.7	136.7	3.6	0.9	1.3	1.2	1.3	1.6	2.3	2.4	3.7	7.2
2000.....	3.8	150.9	3.2	1.0	1.1	1.2	1.3	1.6	2.3	2.5	3.9	7.5
1999.....	3.7	144.2	3.6	1.0	1.1	1.2	1.2	1.8	2.3	2.5	4.0	7.8
All origins 3/, male												
2006.....	3.8	146.6	2.9	0.9	1.3	1.3	1.2	1.8	2.6	2.1	3.6	6.8
2005.....	3.7	141.1	3.2	0.9	1.5	1.2	1.2	1.7	2.5	1.8	3.6	6.9
2004.....	3.8	139.0	3.9	1.0	1.3	1.2	1.3	1.8	2.3	2.5	3.7	6.8
2003.....	3.8	147.6	3.4	0.9	1.3	1.2	1.4	1.7	2.5	2.4	3.5	6.7
2002.....	3.9	142.6	3.5	1.0	1.4	1.4	1.3	1.9	2.5	2.6	4.0	7.0
2001.....	3.9	143.1	3.6	1.0	1.5	1.2	1.4	1.7	2.3	2.7	4.1	7.7
2000.....	4.0	155.4	3.3	1.0	1.3	1.4	1.4	1.9	2.3	2.7	4.0	10.6
1999.....	3.9	147.9	4.0	1.0	1.3	1.2	1.3	1.9	2.5	2.5	4.2	8.5
All origins 3/, female												
2006.....	3.2	134.9	3.4	0.8	0.9	0.9	0.9	1.3	2.0	1.8	2.6	5.1
2005.....	3.3	129.0	3.3	1.0	0.9	1.0	1.1	1.6	2.2	1.8	2.8	6.2
2004.....	3.4	136.8	3.2	0.9	1.0	0.9	1.0	1.5	2.1	2.2	3.6	5.8
2003.....	3.4	132.8	3.5	0.9	0.9	1.0	1.2	1.5	2.3	2.2	3.7	6.8
2002.....	3.5	136.1	3.3	1.0	1.1	1.0	1.2	1.6	2.3	2.3	3.8	6.5
2001.....	3.4	129.9	3.7	0.8	1.0	1.1	1.2	1.6	2.3	2.2	3.5	7.0
2000.....	3.5	146.2	3.1	1.0	0.9	1.0	1.1	1.4	2.4	2.4	3.9	6.3
1999.....	3.5	140.3	3.2	1.1	0.9	1.1	1.1	1.6	2.2	2.6	3.9	7.6
Hispanic, both sexes												
2006.....	4.4	151.0	3.3	0.8	1.0	0.7	0.6	1.1	1.3	1.7	*	*
2005.....	4.4	148.3	3.3	1.1	1.0	0.7	0.7	1.2	1.7	*	3.2	*
2004.....	4.3	141.0	4.0	0.9	0.9	0.7	0.6	1.1	1.4	1.6	3.4	*
2003.....	4.5	153.0	3.7	0.9	0.8	0.8	0.7	1.0	1.7	*	*	*
2002.....	4.4	150.7	3.5	1.0	1.0	0.7	0.7	1.1	1.3	*	3.8	*
2001.....	4.4	146.2	3.4	0.8	1.1	0.7	0.8	1.1	1.3	1.9	4.3	*
2000.....	4.6	153.3	3.8	0.8	0.8	0.7	0.8	1.1	1.8	2.0	4.7	*
1999.....	4.4	141.8	3.5	0.9	0.9	0.9	0.7	1.4	1.6	2.9	*	*
Hispanic, male												
2006.....	4.6	153.4	3.6	0.8	1.2	0.9	0.7	1.0	*	*	*	*
2005.....	4.5	151.2	3.5	1.2	1.1	0.7	0.8	1.1	2.0	*	*	*
2004.....	4.2	134.3	4.6	1.3	1.1	0.6	0.7	1.3	*	*	*	*
2003.....	4.5	156.9	3.7	0.7	0.8	0.9	0.8	1.2	*	*	*	*
2002.....	4.5	153.1	3.8	0.9	1.1	0.9	*	1.3	*	*	*	*
2001.....	4.7	153.4	3.5	1.0	1.1	0.7	1.0	1.5	*	*	*	*
2000.....	4.7	153.3	4.0	0.8	1.1	0.7	1.0	1.4	*	*	*	*
1999.....	4.3	138.1	4.3	0.9	0.9	0.7	*	1.6	*	*	*	*
Hispanic, female												
2006.....	4.2	148.5	3.1	0.7	0.7	*	*	1.3	*	*	*	*
2005.....	4.4	145.2	3.1	1.0	0.9	0.6	0.7	1.3	*	*	*	*
2004.....	4.3	147.9	3.3	0.6	0.6	0.8	*	*	*	*	*	*
2003.....	4.4	148.9	3.7	1.0	0.8	0.6	*	*	*	*	*	*
2002.....	4.3	148.2	3.3	1.0	0.9	*	0.8	*	*	*	*	*
2001.....	4.1	138.8	3.3	0.6	1.1	*	*	*	*	*	*	*
2000.....	4.4	153.3	3.5	0.7	*	0.7	*	*	*	*	*	*
1999.....	4.5	145.8	2.7	0.9	0.9	1.0	*	*	*	*	*	*

Worktable Orig12. Death rates for 358 selected causes, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2006

[Rates per 100,000 population in specified group. Rates are based on populations enumerated as of April 1 for 2000 and estimated as of July 1 for all other years. Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to 'Detailed technical notes to the United States 2006 data-mortality']

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, and sex	All ages 1/	Under 1 year 2/	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
XVII. Congenital malformations, deformations and chromosomal abnormalities (000-099)												
Non-Hispanic 4/, both sexes												
2006.....	3.3	136.8	3.1	0.9	1.1	1.2	1.2	1.6	2.4	1.9	3.1	5.8
2005.....	3.3	130.4	3.2	1.0	1.2	1.2	1.3	1.7	2.4	1.9	3.1	6.6
2004.....	3.4	135.9	3.4	1.0	1.2	1.1	1.2	1.7	2.2	2.4	3.7	6.2
2003.....	3.5	136.0	3.4	0.9	1.1	1.1	1.3	1.7	2.4	2.3	3.7	6.7
2002.....	3.6	134.9	3.3	1.0	1.2	1.3	1.4	1.8	2.5	2.5	3.8	6.7
2001.....	3.5	132.8	3.7	0.9	1.3	1.3	1.4	1.7	2.4	2.5	3.7	7.2
2000.....	3.6	148.8	3.1	1.0	1.2	1.3	1.3	1.7	2.4	2.6	3.9	7.5
1999.....	3.6	143.1	3.6	1.1	1.2	1.2	1.3	1.8	2.4	2.5	4.0	7.9
Non-Hispanic 4/, male												
2006.....	3.6	143.6	2.7	0.9	1.3	1.4	1.3	1.9	2.7	2.1	3.6	6.8
2005.....	3.6	137.1	3.1	0.9	1.6	1.3	1.3	1.8	2.6	1.9	3.6	7.2
2004.....	3.6	139.1	3.7	0.9	1.4	1.3	1.4	1.9	2.3	2.5	3.7	7.0
2003.....	3.7	144.2	3.3	1.0	1.4	1.2	1.5	1.8	2.5	2.4	3.5	6.7
2002.....	3.8	138.1	3.5	1.0	1.4	1.5	1.4	2.0	2.6	2.6	3.9	7.0
2001.....	3.7	139.4	3.6	1.0	1.6	1.4	1.5	1.7	2.3	2.7	4.0	7.6
2000.....	3.9	154.4	3.1	1.0	1.4	1.5	1.5	1.9	2.2	2.7	3.9	10.4
1999.....	3.8	148.4	3.9	1.1	1.4	1.3	1.4	1.9	2.6	2.4	4.2	8.5
Non-Hispanic 4/, female												
2006.....	3.0	129.7	3.5	0.9	0.9	1.0	1.0	1.3	2.1	1.8	2.7	5.3
2005.....	3.1	123.3	3.3	1.0	0.9	1.1	1.2	1.6	2.3	1.9	2.8	6.3
2004.....	3.2	132.6	3.2	1.0	1.1	1.0	1.0	1.6	2.1	2.2	3.6	5.9
2003.....	3.3	127.6	3.4	0.9	0.9	1.0	1.2	1.6	2.3	2.2	3.8	6.8
2002.....	3.4	131.5	3.2	1.0	1.1	1.1	1.3	1.7	2.4	2.3	3.8	6.6
2001.....	3.3	125.8	3.7	0.9	1.0	1.2	1.3	1.7	2.4	2.2	3.5	7.0
2000.....	3.4	142.8	3.0	1.0	1.0	1.1	1.2	1.4	2.5	2.4	3.9	6.4
1999.....	3.4	137.4	3.3	1.1	0.9	1.1	1.2	1.6	2.2	2.6	3.9	7.6
Non-Hispanic white, both sexes												
2006 5/.....	3.2	129.5	2.8	0.8	1.0	1.2	1.2	1.6	2.5	2.0	3.2	5.9
2005 5/.....	3.2	123.0	2.9	0.9	1.2	1.2	1.3	1.8	2.6	2.0	3.3	6.7
2004 5/.....	3.3	130.5	2.9	0.9	1.1	1.2	1.2	1.8	2.4	2.5	3.7	6.5
2003 5/.....	3.3	129.8	3.0	0.9	1.1	1.2	1.4	1.7	2.6	2.3	3.8	6.9
2002.....	3.4	131.2	3.0	1.0	1.2	1.3	1.4	1.9	2.5	2.5	3.9	6.9
2001.....	3.4	127.4	3.1	0.9	1.2	1.3	1.4	1.7	2.5	2.5	3.8	7.4
2000.....	3.4	141.2	2.6	0.9	1.1	1.3	1.3	1.7	2.4	2.6	4.0	7.8
1999.....	3.4	136.8	3.0	0.9	1.1	1.3	1.3	1.8	2.5	2.5	4.0	8.0
Non-Hispanic white, male												
2006 5/.....	3.4	135.2	2.6	0.9	1.2	1.4	1.4	1.8	2.8	2.1	3.7	6.8
2005 5/.....	3.4	129.9	3.0	0.8	1.6	1.3	1.3	1.9	2.7	2.0	3.8	7.2
2004 5/.....	3.4	132.8	3.1	0.9	1.2	1.4	1.4	2.0	2.4	2.7	3.7	7.4
2003 5/.....	3.4	136.1	2.9	0.9	1.3	1.2	1.5	1.8	2.6	2.3	3.4	6.8
2002.....	3.6	137.2	3.2	1.0	1.4	1.6	1.4	2.0	2.6	2.7	3.8	7.3
2001.....	3.6	135.5	3.1	1.0	1.4	1.5	1.5	1.7	2.4	2.9	4.1	7.4
2000.....	3.6	147.9	2.6	0.9	1.3	1.6	1.4	1.9	2.3	2.6	4.1	10.8
1999.....	3.6	144.4	3.2	0.9	1.4	1.3	1.4	2.0	2.7	2.4	4.1	8.6
Non-Hispanic white, female												
2006 5/.....	2.9	123.5	2.9	0.7	0.9	1.0	1.0	1.4	2.2	1.9	2.8	5.5
2005 5/.....	3.0	115.8	2.9	0.9	0.8	1.0	1.3	1.7	2.4	2.0	2.9	6.5
2004 5/.....	3.2	128.0	2.8	0.9	1.0	1.1	1.1	1.6	2.3	2.4	3.7	6.1
2003 5/.....	3.2	123.2	3.0	0.9	0.9	1.1	1.3	1.7	2.5	2.3	4.0	6.9
2002.....	3.3	125.0	2.9	1.0	1.1	1.1	1.3	1.8	2.5	2.4	3.9	6.7
2001.....	3.2	118.8	3.2	0.7	1.0	1.2	1.3	1.7	2.6	2.3	3.6	7.4
2000.....	3.2	134.2	2.6	1.0	1.0	1.1	1.2	1.6	2.5	2.6	4.0	6.6
1999.....	3.3	126.9	2.9	1.0	0.8	1.2	1.2	1.7	2.3	2.6	4.0	7.8

Worktable Orig12. Death rates for 358 selected causes, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2006

[Rates per 100,000 population in specified group. Rates are based on populations enumerated as of April 1 for 2000 and estimated as of July 1 for all other years. Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.odc.gov/nchs> and refer to 'Detailed technical notes to the United States 2006 data-mortality']

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, and sex	All ages 1/	Under 1 year 2/	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
XVII. Congenital malformations, deformations and chromosomal abnormalities (000-099)												
Non-Hispanic black, both sexes												
2006 5/.....	4.6	174.3	4.2	1.1	1.4	1.3	1.4	1.9	2.0	1.6	3.0	5.6
2005 5/.....	4.4	163.4	4.1	1.3	1.6	1.5	1.4	1.4	2.0	*	2.1	6.0
2004 5/.....	4.6	164.3	5.1	1.3	1.8	1.1	1.3	1.7	1.7	1.6	4.0	*
2003 5/.....	4.6	160.5	4.8	1.1	1.5	1.4	1.2	1.7	2.2	2.4	3.1	5.9
2002.....	4.7	156.9	4.7	1.3	1.7	1.5	1.6	1.8	2.7	2.4	3.4	*
2001.....	4.7	163.5	5.4	1.1	2.0	1.3	1.6	1.8	1.9	2.1	3.0	*
2000.....	5.0	184.1	5.2	1.4	1.6	1.4	1.6	1.6	2.4	2.7	2.8	*
1999.....	4.8	174.8	5.8	1.6	1.5	1.1	1.4	1.9	2.0	2.9	4.3	7.4
Non-Hispanic black, male												
2006 5/.....	5.1	182.2	3.2	0.9	1.6	1.7	1.5	2.4	2.4	*	*	*
2005 5/.....	4.8	167.1	3.6	1.2	2.0	1.7	1.7	1.5	2.3	*	*	*
2004 5/.....	5.2	170.5	5.9	1.2	2.4	1.4	1.6	1.8	2.0	*	*	*
2003 5/.....	5.2	173.1	5.0	1.2	1.8	1.5	1.2	2.0	2.8	3.6	*	*
2002.....	5.2	153.3	4.8	1.4	2.0	1.8	1.7	2.3	3.5	3.1	*	*
2001.....	5.1	167.5	5.5	1.0	2.5	1.2	1.8	1.7	2.1	*	*	*
2000.....	5.5	186.0	5.6	1.5	2.1	1.7	1.9	2.2	*	3.9	*	*
1999.....	5.3	179.5	6.6	1.6	1.8	1.3	1.6	2.3	2.1	*	*	*
Non-Hispanic black, female												
2006 5/.....	4.2	166.0	5.3	1.2	1.1	1.0	1.2	1.5	1.7	*	*	*
2005 5/.....	4.1	159.6	4.7	1.4	1.2	1.4	1.1	1.4	1.7	*	*	*
2004 5/.....	4.1	157.8	4.3	1.4	1.2	0.8	0.9	1.7	1.4	*	3.4	*
2003 5/.....	4.0	147.3	4.7	1.1	1.2	1.4	1.3	1.5	1.8	*	*	*
2002.....	4.4	160.6	4.7	1.1	1.3	1.2	1.6	1.5	2.0	*	*	*
2001.....	4.4	159.2	5.4	1.3	1.4	1.4	1.5	1.8	1.8	2.4	*	*
2000.....	4.5	182.2	4.8	1.2	1.2	1.1	1.4	1.2	3.1	*	*	*
1999.....	4.4	170.0	5.0	1.6	1.1	1.0	1.2	1.5	1.9	3.2	*	*

Worktable Orig12. Death rates for 358 selected causes, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2006

[Rates per 100,000 population in specified group. Rates are based on populations enumerated as of April 1 for 2000 and estimated as of July 1 for all other years. Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to 'Detailed technical notes to the United States 2006 data-mortality']

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, and sex	All ages 1/	Under 1 year 2/	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
Congenital malformations of heart (020-024)												
Non-Hispanic 4/, both sexes												
2006.....	0.9	33.7	1.0	0.3	0.5	0.5	0.5	0.5	0.5	0.5	0.9	1.2
2005.....	1.0	33.0	1.2	0.3	0.5	0.6	0.5	0.5	0.4	0.5	0.8	1.6
2004.....	1.0	35.0	1.1	0.4	0.6	0.5	0.5	0.5	0.5	0.5	1.0	1.6
2003.....	1.1	35.8	1.4	0.4	0.5	0.5	0.6	0.5	0.5	0.7	1.1	2.0
2002.....	1.1	36.1	1.2	0.4	0.5	0.6	0.6	0.5	0.5	0.6	1.2	2.3
2001.....	1.1	37.6	1.3	0.3	0.7	0.6	0.6	0.6	0.5	0.7	1.2	2.6
2000.....	1.2	43.0	1.2	0.4	0.6	0.6	0.6	0.5	0.6	0.7	1.4	2.4
1999.....	1.2	41.7	1.3	0.4	0.6	0.6	0.6	0.6	0.7	0.9	1.4	3.3
Non-Hispanic 4/, male												
2006.....	1.0	36.6	1.0	0.3	0.6	0.6	0.5	0.6	0.5	0.6	0.9	*
2005.....	1.0	34.8	1.1	0.3	0.7	0.7	0.6	0.6	0.4	0.4	0.7	1.4
2004.....	1.1	38.6	1.3	0.3	0.7	0.7	0.5	0.5	0.5	0.5	0.9	1.5
2003.....	1.1	39.5	1.4	0.4	0.6	0.6	0.7	0.5	0.5	0.7	0.9	*
2002.....	1.2	39.0	1.5	0.4	0.7	0.8	0.6	0.5	0.5	0.6	1.1	*
2001.....	1.3	41.1	1.4	0.3	0.9	0.7	0.6	0.6	0.5	0.8	1.2	1.6
2000.....	1.3	45.5	1.2	0.4	0.7	0.8	0.6	0.6	0.6	0.8	1.4	2.5
1999.....	1.4	46.2	1.4	0.4	0.8	0.7	0.7	0.7	0.7	0.8	1.3	3.1
Non-Hispanic 4/, female												
2006.....	0.8	30.6	1.1	0.3	0.3	0.3	0.4	0.4	0.5	0.5	0.9	1.3
2005.....	0.9	31.0	1.2	0.4	0.3	0.5	0.5	0.5	0.4	0.6	0.9	1.7
2004.....	0.9	31.3	0.9	0.4	0.4	0.4	0.4	0.4	0.4	0.5	1.1	1.6
2003.....	1.0	31.9	1.3	0.3	0.3	0.5	0.6	0.5	0.5	0.7	1.3	2.3
2002.....	1.0	33.0	0.9	0.3	0.4	0.5	0.5	0.6	0.5	0.7	1.4	2.7
2001.....	1.0	34.0	1.2	0.3	0.4	0.5	0.5	0.6	0.5	0.6	1.3	3.0
2000.....	1.1	40.4	1.1	0.3	0.5	0.5	0.5	0.5	0.6	0.7	1.4	2.4
1999.....	1.1	37.0	1.2	0.3	0.4	0.6	0.6	0.5	0.7	0.9	1.5	3.4
Non-Hispanic white, both sexes												
2006 5/.....	0.9	31.7	0.9	0.2	0.4	0.4	0.5	0.5	0.5	0.5	0.9	1.2
2005 5/.....	0.9	32.7	1.1	0.2	0.5	0.6	0.5	0.5	0.4	0.5	0.9	1.6
2004 5/.....	1.0	34.0	0.9	0.3	0.5	0.6	0.5	0.5	0.5	0.5	1.1	1.6
2003 5/.....	1.0	33.9	1.2	0.3	0.4	0.6	0.7	0.5	0.5	0.7	1.2	2.2
2002.....	1.0	33.9	1.2	0.3	0.5	0.7	0.6	0.6	0.5	0.7	1.2	2.4
2001.....	1.1	35.1	1.1	0.3	0.6	0.6	0.6	0.6	0.5	0.7	1.3	2.7
2000.....	1.1	40.6	1.0	0.3	0.5	0.7	0.6	0.6	0.6	0.7	1.5	2.6
1999.....	1.2	40.7	1.0	0.3	0.6	0.7	0.6	0.6	0.7	0.9	1.5	3.3
Non-Hispanic white, male												
2006 5/.....	1.0	34.6	0.9	0.3	0.5	0.6	0.6	0.5	0.5	0.6	0.8	*
2005 5/.....	1.0	36.2	1.2	0.3	0.7	0.7	0.6	0.6	0.4	0.5	0.8	*
2004 5/.....	1.1	37.9	1.1	0.3	0.6	0.7	0.6	0.6	0.6	0.6	0.9	1.6
2003 5/.....	1.1	37.8	1.2	0.4	0.5	0.6	0.7	0.5	0.5	0.7	0.9	*
2002.....	1.1	37.7	1.6	0.4	0.7	0.8	0.6	0.5	0.5	0.6	1.0	*
2001.....	1.2	39.5	1.3	0.3	0.8	0.8	0.6	0.6	0.5	0.9	1.3	*
2000.....	1.2	44.1	1.0	0.3	0.6	0.8	0.6	0.6	0.6	0.7	1.5	2.7
1999.....	1.3	46.2	1.1	0.4	0.8	0.8	0.7	0.6	0.7	0.8	1.2	3.0
Non-Hispanic white, female												
2006 5/.....	0.8	28.6	0.8	0.2	0.3	0.3	0.4	0.4	0.5	0.5	0.9	1.3
2005 5/.....	0.8	29.1	1.1	0.2	0.3	0.4	0.5	0.5	0.4	0.6	0.9	1.8
2004 5/.....	0.8	29.9	0.8	0.3	0.4	0.4	0.4	0.5	0.5	0.5	1.2	1.6
2003 5/.....	0.9	29.9	1.2	0.3	0.2	0.5	0.6	0.5	0.5	0.7	1.4	2.5
2002.....	1.0	29.8	0.9	0.3	0.4	0.5	0.5	0.6	0.5	0.7	1.4	2.8
2001.....	1.0	30.5	1.0	0.2	0.4	0.5	0.6	0.6	0.4	0.6	1.3	3.2
2000.....	1.0	36.8	1.0	0.3	0.4	0.5	0.5	0.5	0.6	0.7	1.5	2.5
1999.....	1.1	35.0	1.0	0.3	0.4	0.6	0.6	0.6	0.7	0.9	1.6	3.5

Worktable Orig12. Death rates for 358 selected causes, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2006

[Rates per 100,000 population in specified group. Rates are based on populations enumerated as of April 1 for 2000 and estimated as of July 1 for all other years. Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to 'Detailed technical notes to the United States 2006 data-mortality']

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, and sex	All ages 1/	Under 1 year 2/	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
Congenital malformations of heart (020-024)												
Non-Hispanic black, both sexes												
2006 5/.....	1.4	43.8	1.6	0.4	0.7	0.6	0.5	0.6	0.6	*	*	*
2005 5/.....	1.2	36.5	1.3	0.6	0.8	0.7	0.6	0.4	*	*	*	*
2004 5/.....	1.4	42.9	1.7	0.5	0.9	0.6	0.5	*	*	*	*	*
2003 5/.....	1.4	42.7	2.2	0.4	0.8	0.7	0.5	0.6	*	*	*	*
2002.....	1.5	45.3	1.4	0.5	0.7	0.7	0.6	*	*	*	*	*
2001.....	1.6	49.7	2.0	0.4	1.2	0.6	0.7	0.6	*	*	*	*
2000.....	1.6	52.9	1.9	0.5	0.9	0.7	0.7	0.5	*	*	*	*
1999.....	1.6	50.1	2.3	0.6	0.8	0.5	0.7	0.5	*	*	*	*
Non-Hispanic black, male												
2006 5/.....	1.5	45.0	*	*	0.9	0.8	*	*	*	*	*	*
2005 5/.....	1.3	33.3	*	*	1.0	0.9	*	*	*	*	*	*
2004 5/.....	1.6	45.8	1.9	*	1.1	0.8	*	*	*	*	*	*
2003 5/.....	1.6	45.9	2.3	*	1.0	0.8	*	*	*	*	*	*
2002.....	1.6	43.6	*	0.7	1.0	1.0	*	*	*	*	*	*
2001.....	1.8	50.7	1.9	*	1.7	*	*	*	*	*	*	*
2000.....	1.8	50.8	2.2	*	1.3	0.9	0.8	*	*	*	*	*
1999.....	1.9	52.7	2.6	*	1.1	*	0.8	*	*	*	*	*
Non-Hispanic black, female												
2006 5/.....	1.2	42.5	1.7	*	*	*	*	*	*	*	*	*
2005 5/.....	1.2	39.9	1.8	0.7	*	*	*	*	*	*	*	*
2004 5/.....	1.2	39.9	*	*	*	*	*	*	*	*	*	*
2003 5/.....	1.3	39.3	2.0	*	*	*	0.7	*	*	*	*	*
2002.....	1.3	47.0	*	*	*	*	*	*	*	*	*	*
2001.....	1.5	48.7	2.1	*	0.7	*	*	*	*	*	*	*
2000.....	1.4	55.0	*	*	*	*	*	*	*	*	*	*
1999.....	1.4	47.5	2.1	0.7	*	*	0.7	*	*	*	*	*

Worktable Orig12. Death rates for 358 selected causes, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2006

[Rates per 100,000 population in specified group. Rates are based on populations enumerated as of April 1 for 2000 and estimated as of July 1 for all other years. Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to 'Detailed technical notes to the United States 2006 data-mortality']

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, and sex	All ages 1/	Under 1 year 2/	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
Other congenital malformations of circulatory system (025-028)												
Non-Hispanic 4/, both sexes												
2006.....	0.2	5.6	*	*	0.1	0.1	0.1	0.1	0.2	0.3	0.5	1.4
2005.....	0.2	5.9	0.2	*	0.1	*	0.1	0.1	0.1	0.2	0.7	1.6
2004.....	0.3	6.3	0.2	0.1	0.1	0.1	0.1	0.2	0.3	0.4	0.9	1.7
2003.....	0.3	5.9	0.2	0.1	0.1	0.1	0.1	0.2	0.3	0.5	0.8	1.5
2002.....	0.3	5.5	*	0.1	0.1	0.1	0.1	0.2	0.3	0.5	1.0	1.6
2001.....	0.3	4.5	*	0.1	0.1	*	0.1	0.2	0.3	0.5	0.7	1.7
2000.....	0.3	5.2	0.2	0.1	0.1	0.1	0.2	0.2	0.3	0.4	0.9	2.1
1999.....	0.3	6.2	*	0.1	0.1	0.1	0.2	0.3	0.3	0.5	0.9	1.7
Non-Hispanic 4/, male												
2006.....	0.2	6.4	*	*	*	*	*	0.1	0.2	0.3	0.6	1.7
2005.....	0.2	6.2	*	*	*	*	*	0.1	0.2	0.3	0.8	2.1
2004.....	0.3	7.2	*	*	*	*	0.2	0.3	0.3	0.4	1.1	1.9
2003.....	0.3	6.3	*	*	*	*	0.2	0.2	0.3	0.5	1.0	1.7
2002.....	0.3	6.2	*	*	*	0.2	0.1	0.3	0.4	0.6	1.0	1.8
2001.....	0.3	4.6	*	0.1	*	*	0.1	0.2	0.3	0.5	0.9	2.1
2000.....	0.3	5.1	*	*	*	0.2	0.2	0.3	0.3	0.5	1.0	3.1
1999.....	0.3	6.4	*	*	*	*	0.2	0.3	0.4	0.4	1.1	2.2
Non-Hispanic 4/, female												
2006.....	0.2	4.7	*	*	*	*	*	0.1	0.3	0.4	1.3	
2005.....	0.2	5.5	*	*	*	*	*	0.1	*	*	0.7	1.3
2004.....	0.3	5.4	*	*	*	*	0.1	0.2	0.2	0.3	0.8	1.5
2003.....	0.3	5.4	*	*	*	*	0.1	0.2	0.3	0.4	0.7	1.4
2002.....	0.3	4.9	*	*	*	*	0.1	0.2	0.2	0.5	1.0	1.5
2001.....	0.3	4.5	*	*	*	*	*	0.2	0.2	0.6	0.5	1.6
2000.....	0.3	5.3	*	*	*	*	0.2	0.2	0.3	0.4	0.8	1.7
1999.....	0.3	5.9	*	*	*	*	0.1	0.2	0.3	0.6	0.8	1.5
Non-Hispanic white, both sexes												
2006 5/.....	0.2	4.7	*	*	*	0.1	*	0.1	0.1	0.3	0.5	1.4
2005 5/.....	0.2	5.0	*	*	*	*	*	0.1	0.1	0.3	0.7	1.6
2004 5/.....	0.3	5.5	*	0.1	*	*	*	0.1	0.2	0.2	0.4	0.9
2003 5/.....	0.3	5.8	*	0.1	*	*	*	0.1	0.2	0.3	0.4	0.8
2002.....	0.3	4.8	*	*	*	0.1	0.1	0.2	0.3	0.5	1.0	1.7
2001.....	0.3	4.2	*	0.1	*	*	0.1	0.2	0.3	0.5	0.8	1.7
2000.....	0.3	4.6	*	0.1	0.1	0.1	0.2	0.2	0.3	0.4	0.9	2.2
1999.....	0.3	5.4	*	*	*	0.1	0.2	0.3	0.3	0.5	0.9	1.7
Non-Hispanic white, male												
2006 5/.....	0.2	5.1	*	*	*	*	*	*	*	0.3	0.7	1.7
2005 5/.....	0.2	5.3	*	*	*	*	*	*	*	0.3	0.8	2.2
2004 5/.....	0.3	6.3	*	*	*	*	0.1	0.3	0.2	0.4	1.0	2.1
2003 5/.....	0.3	6.6	*	*	*	*	0.2	0.2	0.3	0.4	1.0	1.7
2002.....	0.3	4.9	*	*	*	0.2	*	0.2	0.3	0.6	0.9	1.9
2001.....	0.3	4.4	*	*	*	*	0.1	0.2	0.3	0.5	1.0	2.0
2000.....	0.3	4.6	*	*	*	*	0.2	0.3	0.3	0.5	1.1	3.3
1999.....	0.3	5.9	*	*	*	*	0.2	0.3	0.3	0.4	1.0	2.2
Non-Hispanic white, female												
2006 5/.....	0.2	4.2	*	*	*	*	*	*	*	0.2	0.4	1.3
2005 5/.....	0.2	4.7	*	*	*	*	*	*	*	*	0.6	1.3
2004 5/.....	0.3	4.6	*	*	*	*	*	0.1	0.2	0.4	0.8	1.7
2003 5/.....	0.3	5.0	*	*	*	*	*	0.2	0.3	0.5	0.7	1.4
2002.....	0.3	4.7	*	*	*	*	*	0.2	0.2	0.5	1.1	1.5
2001.....	0.3	4.0	*	*	*	*	*	0.1	0.3	0.5	0.6	1.6
2000.....	0.3	4.7	*	*	*	*	*	0.1	0.3	0.4	0.6	1.7
1999.....	0.3	4.9	*	*	*	*	0.1	0.2	0.3	0.5	0.8	1.5

Worktable Orig12. Death rates for 358 selected causes, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2006

[Rates per 100,000 population in specified group. Rates are based on populations enumerated as of April 1 for 2000 and estimated as of July 1 for all other years. Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to 'Detailed technical notes to the United States 2006 data-mortality']

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, and sex	All ages 1/	Under 1 year 2/	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
Other congenital malformations and deformations (010-018,035-089)												
Non-Hispanic 4/, both sexes												
2006.....	1.0	41.8	0.7	0.1	0.2	0.3	0.3	0.4	0.6	0.7	1.4	2.7
2005.....	0.9	36.4	0.7	0.2	0.3	0.2	0.3	0.4	0.5	0.7	1.4	3.1
2004.....	0.9	35.4	0.8	0.2	0.3	0.2	0.2	0.3	0.4	0.9	1.4	2.7
2003.....	0.9	36.7	0.7	0.2	0.3	0.2	0.2	0.3	0.5	0.7	1.5	2.8
2002.....	0.9	35.3	0.7	0.2	0.3	0.2	0.3	0.4	0.5	0.8	1.4	2.7
2001.....	0.9	36.3	0.8	0.2	0.2	0.2	0.3	0.3	0.5	0.8	1.5	2.5
2000.....	0.9	36.9	0.7	0.2	0.2	0.2	0.3	0.3	0.5	0.8	1.4	2.8
1999.....	0.9	37.6	1.0	0.2	0.2	0.2	0.3	0.3	0.5	0.8	1.5	2.6
Non-Hispanic 4/, male												
2006.....	1.1	47.1	0.7	*	0.3	0.3	0.3	0.4	0.7	0.7	1.8	3.6
2005.....	1.0	42.2	0.7	0.2	0.4	0.3	0.3	0.4	0.6	0.7	1.7	3.3
2004.....	1.0	38.0	0.9	0.2	0.3	0.2	0.3	0.4	0.5	0.9	1.4	3.3
2003.....	1.0	41.8	0.7	0.2	0.3	0.3	0.3	0.4	0.5	0.8	1.4	3.2
2002.....	1.0	39.1	0.6	0.2	0.3	0.2	0.3	0.5	0.6	0.9	1.6	3.7
2001.....	1.0	41.2	0.7	0.2	0.3	0.2	0.3	0.3	0.5	0.8	1.6	3.7
2000.....	1.0	41.2	0.7	0.2	0.2	0.3	0.3	0.4	0.5	0.8	1.3	4.4
1999.....	1.0	41.7	1.1	0.2	0.2	0.2	0.3	0.4	0.5	0.8	1.6	3.0
Non-Hispanic 4/, female												
2006.....	0.8	36.2	0.8	0.2	0.2	0.2	0.2	0.3	0.5	0.6	1.2	2.3
2005.....	0.8	30.5	0.6	0.2	0.2	0.2	0.2	0.3	0.4	0.7	1.1	3.0
2004.....	0.8	32.6	0.6	0.1	0.2	0.2	0.2	0.3	0.4	0.8	1.5	2.4
2003.....	0.8	31.4	0.6	0.1	0.2	0.2	0.2	0.3	0.5	0.6	1.6	2.6
2002.....	0.8	31.4	0.8	0.2	0.2	0.2	0.2	0.3	0.5	0.7	1.2	2.2
2001.....	0.8	31.0	0.8	0.2	0.2	0.2	0.3	0.3	0.5	0.7	1.5	2.0
2000.....	0.8	32.4	0.6	0.2	0.2	0.2	0.2	0.2	0.6	0.9	1.4	2.1
1999.....	0.8	33.2	0.8	0.2	0.1	0.2	0.2	0.3	0.4	0.7	1.4	2.5
Non-Hispanic white, both sexes												
2006 5/.....	0.9	39.0	0.7	0.1	0.2	0.3	0.2	0.4	0.7	0.7	1.5	2.7
2005 5/.....	0.9	33.0	0.6	0.2	0.3	0.3	0.3	0.4	0.5	0.7	1.4	3.1
2004 5/.....	0.9	34.0	0.7	0.2	0.2	0.3	0.3	0.3	0.4	0.9	1.4	2.8
2003 5/.....	0.8	34.5	0.6	0.1	0.2	0.2	0.3	0.3	0.5	0.7	1.6	2.8
2002.....	0.9	35.8	0.6	0.2	0.3	0.2	0.3	0.4	0.6	0.8	1.4	2.7
2001.....	0.9	35.1	0.7	0.2	0.2	0.2	0.3	0.3	0.5	0.8	1.5	2.6
2000.....	0.9	35.3	0.6	0.2	0.2	0.2	0.3	0.3	0.6	0.9	1.4	2.8
1999.....	0.9	35.1	0.9	0.2	0.2	0.2	0.3	0.4	0.5	0.8	1.5	2.8
Non-Hispanic white, male												
2006 5/.....	1.0	44.1	0.7	*	0.3	0.4	0.3	0.5	0.7	0.7	2.0	3.5
2005 5/.....	0.9	37.3	0.6	0.2	0.4	0.3	0.3	0.4	0.6	0.8	1.8	3.3
2004 5/.....	0.9	36.2	0.7	0.2	0.3	0.3	0.3	0.4	0.5	1.0	1.3	3.4
2003 5/.....	0.9	38.6	0.6	*	0.3	0.3	0.3	0.4	0.5	0.8	1.3	3.3
2002.....	1.0	40.4	0.5	0.2	0.3	0.3	0.3	0.5	0.6	0.9	1.5	3.7
2001.....	0.9	39.8	0.6	0.2	0.3	0.2	0.3	0.3	0.5	0.9	1.5	3.8
2000.....	0.9	39.2	0.6	0.2	0.3	0.3	0.3	0.4	0.5	0.8	1.4	4.4
1999.....	1.0	40.3	1.0	0.2	0.2	0.2	0.3	0.4	0.5	0.9	1.6	3.1
Non-Hispanic white, female												
2006 5/.....	0.8	33.8	0.7	0.2	0.2	0.3	0.2	0.3	0.6	0.6	1.2	2.4
2005 5/.....	0.8	28.6	0.6	0.2	0.2	0.2	0.2	0.3	0.4	0.7	1.2	3.1
2004 5/.....	0.8	31.6	0.6	*	0.2	0.3	0.2	0.3	0.4	0.9	1.5	2.5
2003 5/.....	0.8	30.2	0.6	*	0.2	0.2	0.2	0.2	0.5	0.6	1.7	2.6
2002.....	0.8	31.0	0.7	0.2	0.2	0.2	0.2	0.3	0.5	0.7	1.3	2.3
2001.....	0.8	30.2	0.7	*	*	0.2	0.3	0.3	0.5	0.7	1.5	2.1
2000.....	0.8	31.1	0.6	0.2	0.2	0.2	0.2	0.3	0.6	0.9	1.4	2.1
1999.....	0.8	29.5	0.8	0.2	*	0.2	0.2	0.3	0.4	0.8	1.4	2.6

Worktable Orig12. Death rates for 358 selected causes, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2006

[Rates per 100,000 population in specified group. Rates are based on populations enumerated as of April 1 for 2000 and estimated as of July 1 for all other years. Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to 'Detailed technical notes to the United States 2006 data-mortality']

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, and sex	All ages 1/	Under 1 year 2/	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
Down's syndrome (090)												
Non-Hispanic 4/, both sexes												
2006.....	0.3	2.3	*	*	0.1	0.1	0.2	0.5	1.0	0.4	*	*
2005.....	0.4	3.0	*	*	0.1	0.1	0.2	0.5	1.2	0.3	*	*
2004.....	0.3	2.5	*	*	0.1	0.1	0.2	0.6	0.9	0.5	*	*
2003.....	0.3	2.6	*	*	0.1	0.1	0.2	0.5	1.0	0.3	*	*
2002.....	0.3	2.8	*	*	0.1	0.1	0.2	0.5	1.0	0.4	*	*
2001.....	0.3	3.1	*	*	0.1	0.2	0.2	0.5	1.0	0.3	*	*
2000.....	0.3	2.3	*	*	*	0.1	0.1	0.5	0.8	0.4	*	*
1999.....	0.2	2.5	*	*	*	0.1	0.1	0.4	0.8	0.2	*	*
Non-Hispanic 4/, male												
2006.....	0.3	2.5	*	*	*	0.1	0.2	0.6	1.2	0.4	*	*
2005.....	0.3	3.1	*	*	*	*	0.2	0.5	1.2	0.3	*	*
2004.....	0.3	2.6	*	*	*	0.1	0.2	0.6	1.0	0.5	*	*
2003.....	0.3	2.8	*	*	*	*	0.2	0.5	1.1	0.4	*	*
2002.....	0.3	2.7	*	*	*	*	0.2	0.6	1.0	0.4	*	*
2001.....	0.3	3.5	*	*	*	0.2	0.2	0.5	0.9	0.4	*	*
2000.....	0.3	2.6	*	*	*	*	0.2	0.5	0.8	0.3	*	*
1999.....	0.2	2.7	*	*	*	*	0.1	0.4	0.9	*	*	*
Non-Hispanic 4/, female												
2006.....	0.3	2.1	*	*	*	*	0.1	0.4	0.9	0.4	*	*
2005.....	0.4	2.9	*	*	*	0.1	0.2	0.6	1.3	0.4	*	*
2004.....	0.3	2.4	*	*	*	*	0.2	0.6	0.9	0.4	*	*
2003.....	0.3	2.5	*	*	*	*	0.2	0.6	1.0	0.3	*	*
2002.....	0.3	2.8	*	*	*	*	0.2	0.5	0.9	0.4	*	*
2001.....	0.3	2.7	*	*	*	0.2	0.2	0.5	1.1	0.3	*	*
2000.....	0.3	2.0	*	*	*	0.1	0.1	0.5	0.8	0.4	*	*
1999.....	0.2	2.4	*	*	*	*	0.1	0.4	0.7	0.3	*	*
Non-Hispanic white, both sexes												
2006 5/.....	0.3	2.3	*	*	*	0.1	0.2	0.5	1.1	0.4	*	*
2005 5/.....	0.4	3.1	*	*	*	0.1	0.3	0.6	1.4	0.4	*	*
2004 5/.....	0.3	2.2	*	*	*	0.1	0.2	0.6	1.1	0.5	*	*
2003 5/.....	0.3	2.6	*	*	*	0.1	0.2	0.6	1.1	0.4	*	*
2002.....	0.3	3.0	*	*	*	0.1	0.2	0.6	1.1	0.4	*	*
2001.....	0.3	3.2	*	*	*	0.2	0.2	0.5	1.1	0.3	*	*
2000.....	0.3	2.2	*	*	*	0.1	0.2	0.5	0.9	0.4	*	*
1999.....	0.2	2.7	*	*	*	0.1	0.1	0.5	0.9	0.2	*	*
Non-Hispanic white, male												
2006 5/.....	0.4	2.4	*	*	*	*	0.2	0.6	1.3	0.4	*	*
2005 5/.....	0.4	3.3	*	*	*	*	0.2	0.6	1.4	0.3	*	*
2004 5/.....	0.4	2.2	*	*	*	*	0.2	0.7	1.1	0.6	*	*
2003 5/.....	0.3	2.6	*	*	*	*	0.2	0.6	1.2	0.4	*	*
2002.....	0.3	2.8	*	*	*	*	0.2	0.6	1.1	0.4	*	*
2001.....	0.3	3.7	*	*	*	0.2	0.2	0.5	1.0	0.4	*	*
2000.....	0.3	2.8	*	*	*	*	0.2	0.5	0.8	0.3	*	*
1999.....	0.3	2.9	*	*	*	*	0.1	0.5	1.0	*	*	*
Non-Hispanic white, female												
2006 5/.....	0.3	2.2	*	*	*	*	0.2	0.5	1.0	0.4	*	*
2005 5/.....	0.4	2.8	*	*	*	*	0.3	0.6	1.4	0.4	*	*
2004 5/.....	0.3	2.2	*	*	*	*	0.2	0.6	1.0	0.5	*	*
2003 5/.....	0.3	2.5	*	*	*	*	0.2	0.6	1.1	0.4	*	*
2002.....	0.3	3.2	*	*	*	*	0.3	0.5	1.1	0.4	*	*
2001.....	0.3	2.7	*	*	*	*	0.2	0.6	1.2	0.3	*	*
2000.....	0.3	*	*	*	*	*	0.1	0.6	0.9	0.5	*	*
1999.....	0.2	2.5	*	*	*	*	0.1	0.5	0.8	0.2	*	*

Worktable Orig12. Death rates for 358 selected causes, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2006

[Rates per 100,000 population in specified group. Rates are based on populations enumerated as of April 1 for 2000 and estimated as of July 1 for all other years. Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to 'Detailed technical notes to the United States 2006 data-mortality']

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, and sex	All ages 1/	Under 1 year 2/	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
XVIII. Symptoms, signs and abnormal clinical and laboratory findings, not elsewhere classified (R00-R99)												
All origins 3/, both sexes												
2006.....	10.6	83.8	1.5	0.3	1.6	2.5	3.7	5.2	6.5	12.2	41.7	236.1
2005.....	10.8	87.4	1.4	0.4	1.8	2.9	4.7	6.7	7.2	12.8	39.0	224.4
2004.....	10.3	82.4	1.2	0.3	1.6	2.7	4.3	5.8	7.0	12.6	39.8	221.5
2003.....	10.8	82.9	1.6	0.4	2.0	3.3	5.4	7.0	7.4	13.8	38.9	224.1
2002.....	10.4	85.7	1.6	0.3	1.8	3.3	5.3	6.7	7.5	13.1	38.8	208.0
2001.....	11.4	86.5	1.8	0.4	2.4	3.9	6.9	8.9	9.1	15.1	39.8	206.4
2000.....	11.3	95.6	1.6	0.4	2.2	3.9	6.6	8.3	9.3	16.5	40.7	208.1
1999.....	9.6	93.2	1.5	0.3	1.6	2.7	4.6	5.9	7.8	14.6	36.1	187.7
All origins 3/, male												
2006.....	9.5	95.2	1.6	0.4	2.0	3.5	4.8	6.7	8.3	14.8	44.2	191.1
2005.....	10.0	101.8	1.6	0.5	2.5	4.0	5.8	8.7	9.3	15.5	40.7	183.9
2004.....	9.5	96.9	1.2	0.3	2.1	3.6	5.6	7.6	9.1	15.0	41.8	183.6
2003.....	10.2	96.5	1.8	0.4	2.7	4.5	6.9	9.2	9.6	17.1	41.9	177.9
2002.....	10.1	98.5	1.8	0.4	2.4	4.5	6.9	8.8	10.0	15.9	43.8	175.5
2001.....	11.3	98.9	2.1	0.5	3.2	5.2	9.0	11.9	12.0	18.0	43.8	175.0
2000.....	11.5	110.6	1.7	0.5	2.9	5.3	8.9	11.5	12.3	20.6	46.0	182.7
1999.....	9.4	106.6	1.7	0.4	2.1	3.6	6.0	8.1	10.4	18.2	40.1	166.3
All origins 3/, female												
2006.....	11.7	71.9	1.3	0.3	1.1	1.5	2.7	3.8	4.8	10.0	39.9	257.2
2005.....	11.5	72.3	1.3	0.3	1.1	1.9	3.6	4.7	5.3	10.6	37.8	243.0
2004.....	11.0	67.3	1.1	0.3	1.0	1.8	3.0	4.0	5.1	10.6	36.4	238.5
2003.....	11.4	68.6	1.5	0.4	1.4	2.1	3.8	5.0	5.3	10.9	36.9	244.6
2002.....	10.7	72.3	1.4	0.3	1.2	2.1	3.8	4.7	5.3	10.8	35.4	222.1
2001.....	11.4	73.6	1.5	0.4	1.5	2.5	4.9	6.1	6.3	12.7	37.2	219.5
2000.....	11.2	79.9	1.5	0.4	1.5	2.5	4.4	5.3	6.5	13.2	37.2	218.5
1999.....	9.7	79.2	1.3	0.3	1.0	1.9	3.2	3.8	5.5	11.7	33.5	196.4
Hispanic, both sexes												
2006.....	4.0	52.5	1.2	*	1.3	1.9	2.5	3.0	3.8	6.9	18.7	117.0
2005.....	4.4	59.5	1.2	0.3	1.5	2.4	3.1	3.6	3.6	7.8	18.6	105.2
2004.....	3.9	50.4	1.1	*	1.6	2.1	3.1	3.6	3.9	6.2	16.4	99.4
2003.....	4.1	56.8	0.9	0.3	1.4	2.3	3.1	3.7	3.5	6.1	18.4	110.9
2002.....	4.0	56.6	1.3	*	1.3	2.0	3.0	3.9	4.8	7.0	18.7	91.5
2001.....	5.9	60.7	1.6	0.5	2.8	4.2	6.0	8.3	6.9	9.9	19.3	108.2
2000.....	5.9	65.6	1.7	0.5	2.1	4.0	6.7	8.0	6.7	9.9	20.5	102.2
1999.....	3.8	54.9	1.0	*	1.3	2.2	3.0	3.1	3.8	7.0	19.4	87.0
Hispanic, male												
2006.....	4.5	62.1	1.1	*	1.9	2.9	3.9	4.2	5.4	9.7	17.4	90.2
2005.....	5.1	68.9	1.3	*	2.0	3.6	4.3	5.5	5.1	10.2	21.0	99.6
2004.....	4.5	60.0	1.2	*	2.3	2.8	4.5	4.9	5.8	7.1	15.7	86.9
2003.....	4.8	69.9	*	*	1.7	3.4	4.4	5.7	5.6	8.1	18.8	95.4
2002.....	4.6	66.4	1.6	*	1.7	2.9	4.0	4.7	6.3	9.6	23.4	88.7
2001.....	7.4	67.2	1.8	*	3.9	6.0	8.5	12.6	10.6	14.2	25.0	87.6
2000.....	7.5	78.6	2.1	*	2.9	5.8	9.9	12.4	9.0	14.3	25.6	106.8
1999.....	4.4	61.3	*	*	1.9	2.9	4.3	4.7	5.5	8.3	24.0	77.6
Hispanic, female												
2006.....	3.4	42.5	1.3	*	0.7	0.7	1.0	1.7	2.3	4.6	19.7	131.2
2005.....	3.5	49.8	1.2	*	0.9	0.9	1.8	1.6	2.3	5.9	17.0	108.2
2004.....	3.3	40.4	*	*	0.8	1.3	1.6	2.4	2.2	5.5	16.8	105.9
2003.....	3.2	43.2	*	*	1.0	1.0	1.6	1.7	*	4.6	18.2	118.8
2002.....	3.3	46.4	*	*	0.9	1.0	2.0	3.2	3.5	5.0	15.5	92.8
2001.....	4.3	53.9	*	*	1.5	2.1	3.4	4.1	3.6	6.5	15.4	118.2
2000.....	4.1	52.1	1.4	*	1.3	2.0	3.2	3.7	4.6	6.5	17.2	99.9
1999.....	3.1	48.2	*	*	*	1.3	1.6	1.7	2.4	6.0	16.3	91.5

Worktable Orig12. Death rates for 358 selected causes, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2006

[Rates per 100,000 population in specified group. Rates are based on populations enumerated as of April 1 for 2000 and estimated as of July 1 for all other years. Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to 'Detailed technical notes to the United States 2006 data-mortality']

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, and sex	All ages 1/	Under 1 year 2/	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
XVIII. Symptoms, signs and abnormal clinical and laboratory findings, not elsewhere classified (R00-R99)												
Non-Hispanic 4/, both sexes												
2006.....	11.7	92.7	1.5	0.3	1.6	2.6	3.9	5.4	6.6	12.5	43.0	241.9
2005.....	11.8	94.5	1.5	0.4	1.9	3.1	4.9	6.9	7.5	13.1	39.9	229.6
2004.....	11.2	90.9	1.2	0.3	1.6	2.8	4.5	5.9	7.2	13.0	40.9	226.7
2003.....	11.8	89.4	1.8	0.5	2.1	3.5	5.7	7.3	7.7	14.3	39.9	228.4
2002.....	11.3	92.8	1.7	0.4	1.9	3.6	5.6	6.9	7.7	13.5	39.6	211.9
2001.....	12.1	92.6	1.8	0.4	2.3	3.7	7.0	8.9	9.2	15.4	40.7	209.6
2000.....	12.0	102.4	1.6	0.4	2.2	3.8	6.5	8.2	9.3	16.8	41.4	211.6
1999.....	10.3	101.9	1.6	0.4	1.6	2.8	4.7	6.0	8.0	15.0	36.7	190.9
Non-Hispanic 4/, male												
2006.....	10.3	104.3	1.7	0.4	2.0	3.6	4.9	7.0	8.4	15.1	45.9	196.3
2005.....	10.8	110.2	1.7	0.5	2.6	4.0	5.9	8.9	9.6	15.8	41.6	187.5
2004.....	10.2	106.6	1.2	0.3	2.0	3.8	5.7	7.8	9.2	15.5	43.1	188.0
2003.....	11.0	102.9	2.0	0.5	2.8	4.7	7.2	9.4	9.9	17.7	43.0	181.1
2002.....	10.9	106.2	1.9	0.4	2.5	4.8	7.3	9.1	10.1	16.3	44.6	178.6
2001.....	11.8	106.2	2.1	0.5	3.0	4.9	9.0	11.7	12.0	18.2	44.6	178.2
2000.....	11.9	118.0	1.7	0.5	2.9	5.1	8.6	11.2	12.3	20.7	46.6	185.4
1999.....	10.0	116.7	1.9	0.4	2.2	3.7	6.1	8.2	10.6	18.7	40.6	169.5
Non-Hispanic 4/, female												
2006.....	13.0	80.5	1.3	0.3	1.2	1.7	3.0	4.0	5.0	10.4	41.1	263.1
2005.....	12.7	78.0	1.3	0.3	1.1	2.1	3.9	4.9	5.5	10.8	38.8	248.9
2004.....	12.1	74.3	1.2	0.3	1.0	1.9	3.2	4.2	5.3	10.9	39.4	244.0
2003.....	12.6	75.3	1.6	0.5	1.4	2.4	4.1	5.3	5.6	11.4	37.8	249.2
2002.....	11.7	78.7	1.4	0.3	1.3	2.3	4.0	4.8	5.4	11.2	36.3	226.3
2001.....	12.3	78.3	1.5	0.4	1.5	2.6	5.1	6.2	6.6	13.1	38.0	222.7
2000.....	12.1	86.1	1.5	0.4	1.5	2.6	4.5	5.4	6.6	13.6	38.0	222.3
1999.....	10.5	86.3	1.4	0.3	1.0	2.0	3.3	3.9	5.7	11.9	34.2	199.5
Non-Hispanic white, both sexes												
2006 5/.....	12.4	77.1	1.2	0.3	1.6	2.6	3.8	5.2	6.3	12.1	42.8	247.4
2005 5/.....	12.3	77.9	1.2	0.3	1.8	3.0	4.8	6.5	6.9	12.5	39.8	234.9
2004 5/.....	11.7	71.6	1.0	0.2	1.5	2.8	4.3	5.6	6.7	12.5	40.7	230.0
2003 5/.....	12.3	72.6	1.5	0.4	2.2	3.4	5.5	6.7	7.1	13.7	40.1	232.9
2002.....	11.6	76.0	1.3	0.3	1.8	3.4	5.4	6.1	7.1	13.1	39.4	215.8
2001.....	12.4	73.1	1.5	0.3	2.2	3.6	6.9	8.5	8.6	14.7	40.4	213.3
2000.....	12.2	79.7	1.4	0.3	2.1	3.6	6.3	7.6	8.6	15.9	40.9	215.8
1999.....	10.2	79.3	1.4	0.3	1.4	2.5	4.1	5.2	7.3	14.3	35.7	193.8
Non-Hispanic white, male												
2006 5/.....	10.5	89.1	1.4	0.4	2.0	3.5	4.7	6.5	8.0	14.2	45.1	199.4
2005 5/.....	10.9	94.6	1.4	0.3	2.5	4.0	5.9	8.4	8.8	14.9	41.0	189.8
2004 5/.....	10.3	83.1	1.0	0.2	2.1	3.7	5.6	7.2	8.4	14.9	42.8	191.0
2003 5/.....	11.0	87.4	1.6	0.4	2.9	4.6	6.9	8.6	9.0	16.8	42.8	183.3
2002.....	10.7	88.2	1.4	0.3	2.5	4.7	6.9	7.9	9.3	15.7	43.6	181.5
2001.....	11.8	85.2	1.7	0.4	2.9	4.9	8.8	11.1	10.9	17.3	44.7	180.4
2000.....	11.8	91.8	1.7	0.4	2.8	4.8	8.5	10.3	11.1	19.3	46.0	189.6
1999.....	9.6	92.3	1.7	0.3	1.9	3.3	5.5	6.9	9.5	17.7	39.2	171.1
Non-Hispanic white, female												
2006 5/.....	14.2	64.5	1.1	0.2	1.1	1.7	2.9	3.9	4.7	10.3	41.2	269.7
2005 5/.....	13.7	60.4	1.0	0.2	1.1	2.0	3.7	4.6	5.2	10.4	39.0	255.5
2004 5/.....	13.0	59.4	1.0	0.2	1.0	1.8	3.0	4.0	5.0	10.4	39.3	247.5
2003 5/.....	13.5	57.1	1.4	0.4	1.4	2.2	4.0	4.8	5.4	11.0	38.3	254.7
2002.....	12.5	63.2	1.3	0.2	1.1	2.2	3.8	4.3	5.1	10.9	36.6	230.6
2001.....	13.1	60.4	1.3	0.3	1.5	2.4	5.0	5.9	6.4	12.5	37.6	227.0
2000.....	12.6	66.9	1.2	0.3	1.3	2.3	4.1	4.9	6.2	13.0	37.5	226.4
1999.....	10.9	65.5	1.0	0.3	0.9	1.8	2.8	3.5	5.2	11.4	33.4	202.8

Worktable Orig12. Death rates for 358 selected causes, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2006

[Rates per 100,000 population in specified group. Rates are based on populations enumerated as of April 1 for 2000 and estimated as of July 1 for all other years. Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.odc.gov/nchs> and refer to 'Detailed technical notes to the United States 2006 data-mortality']

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, and sex	All ages 1/	Under 1 year 2/	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
XVIII. Symptoms, signs and abnormal clinical and laboratory findings, not elsewhere classified (R00-R99)												
Non-Hispanic black, both sexes												
2006 5/.....	11.4	161.4	2.8	0.6	1.9	3.5	5.8	8.9	10.9	19.6	56.9	226.9
2005 5/.....	12.4	170.4	2.5	0.9	2.5	4.2	7.0	11.7	13.9	22.1	51.8	213.3
2004 5/.....	11.9	174.5	2.0	0.6	1.8	4.1	6.6	9.8	13.4	20.8	53.1	223.3
2003 5/.....	12.7	161.6	3.3	0.8	2.5	5.1	8.6	13.6	14.3	24.0	45.7	214.5
2002.....	12.6	165.4	2.7	0.8	2.6	5.3	8.8	13.9	13.9	20.4	49.9	198.1
2001.....	12.9	176.9	3.0	0.6	2.7	5.2	9.3	14.0	15.1	24.6	50.3	194.2
2000.....	13.9	205.6	2.3	0.7	3.2	5.9	9.3	14.8	17.3	29.2	56.1	189.2
1999.....	13.0	202.0	2.9	0.5	2.7	5.0	9.1	13.2	16.0	24.6	54.8	182.0
Non-Hispanic black, male												
2006 5/.....	12.0	172.0	3.1	0.7	2.3	4.7	7.3	12.5	14.0	28.0	70.4	196.1
2005 5/.....	13.3	187.0	2.7	0.9	3.4	5.4	8.1	15.2	19.6	29.5	62.5	196.0
2004 5/.....	12.8	208.3	2.2	*	2.3	5.3	8.1	13.8	18.9	25.4	59.3	182.9
2003 5/.....	13.8	171.9	3.6	0.8	3.0	7.0	11.2	17.9	20.7	32.2	52.8	197.1
2002.....	14.4	186.3	3.6	0.9	3.1	7.1	11.7	19.6	20.0	26.4	68.6	182.7
2001.....	14.2	195.9	3.7	0.8	3.8	6.1	11.4	18.2	23.8	30.7	52.2	186.0
2000.....	15.7	236.8	2.2	0.9	3.8	7.8	10.9	20.6	25.1	40.0	66.0	163.2
1999.....	14.9	228.0	2.9	0.6	3.6	6.9	11.6	19.4	23.0	32.8	66.9	180.7
Non-Hispanic black, female												
2006 5/.....	10.8	150.2	2.4	*	1.4	2.3	4.4	5.8	8.4	13.6	49.2	239.5
2005 5/.....	11.5	153.1	2.3	0.8	1.5	3.1	5.9	8.6	9.4	16.9	45.8	220.2
2004 5/.....	11.0	139.4	1.7	*	1.3	3.1	5.3	6.3	8.9	17.6	49.6	239.3
2003 5/.....	11.6	150.9	3.0	0.8	1.9	3.5	6.3	10.0	9.3	18.2	41.7	221.2
2002.....	10.9	143.6	1.9	0.7	2.0	3.7	6.2	9.0	8.9	16.1	39.3	204.0
2001.....	11.7	156.8	2.2	*	1.7	4.3	7.4	10.3	8.1	20.3	49.2	197.2
2000.....	12.4	173.4	2.4	*	2.6	4.3	7.8	9.9	11.0	21.6	50.5	198.9
1999.....	11.2	175.3	2.8	*	1.9	3.2	7.0	7.9	10.3	18.8	48.0	182.6

Worktable Orig12. Death rates for 358 selected causes, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2006

[Rates per 100,000 population in specified group. Rates are based on populations enumerated as of April 1 for 2000 and estimated as of July 1 for all other years. Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to 'Detailed technical notes to the United States 2006 data-mortality']

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, and sex	All ages 1/	Under 1 year 2/	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
Senility (R54)												
Non-Hispanic 4/, both sexes												
2006.....	1.9	*	*	*	0.1	0.8	6.7	76.5
2005.....	1.8	*	*	*	*	0.8	6.5	75.0
2004.....	1.9	*	*	*	0.1	0.8	7.4	78.1
2003.....	1.8	*	*	*	0.1	0.9	6.9	78.3
2002.....	1.7	*	*	*	*	0.8	6.4	73.8
2001.....	1.7	*	*	*	*	0.9	6.5	74.3
2000.....	1.5	*	*	*	*	0.8	6.5	68.4
1999.....	1.3	*	*	*	*	0.7	5.4	57.5
Non-Hispanic 4/, male												
2006.....	1.1	*	*	*	*	0.8	7.0	60.8
2005.....	1.0	*	*	*	*	0.9	6.1	58.0
2004.....	1.1	*	*	*	*	0.9	7.6	58.8
2003.....	1.0	*	*	*	*	1.1	6.7	57.2
2002.....	0.9	*	*	*	*	0.8	6.4	57.9
2001.....	0.9	*	*	*	*	1.0	6.5	58.2
2000.....	0.8	*	*	*	*	0.9	6.5	52.7
1999.....	0.7	*	*	*	*	1.0	5.4	47.0
Non-Hispanic 4/, female												
2006.....	2.7	*	*	*	*	0.8	6.6	83.8
2005.....	2.6	*	*	*	*	0.7	6.9	82.8
2004.....	2.6	*	*	*	*	0.7	7.2	86.8
2003.....	2.6	*	*	*	*	0.8	7.1	87.6
2002.....	2.4	*	*	*	*	0.8	6.5	80.6
2001.....	2.3	*	*	*	*	0.8	6.5	81.0
2000.....	2.2	*	*	*	*	0.8	6.4	74.7
1999.....	1.8	*	*	*	*	0.5	5.5	61.7
Non-Hispanic white, both sexes												
2006 5/.....	2.2	*	*	*	0.1	0.9	7.0	78.7
2005 5/.....	2.1	*	*	*	*	0.8	6.7	77.1
2004 5/.....	2.2	*	*	*	*	0.8	7.5	81.0
2003 5/.....	2.1	*	*	*	0.1	1.0	7.3	81.1
2002.....	2.0	*	*	*	*	0.8	6.7	76.1
2001.....	1.9	*	*	*	*	0.9	6.6	76.6
2000.....	1.7	*	*	*	*	0.8	6.4	70.1
1999.....	1.5	*	*	*	*	0.8	5.3	59.9
Non-Hispanic white, male												
2006 5/.....	1.3	*	*	*	*	0.9	7.2	62.9
2005 5/.....	1.2	*	*	*	*	0.9	6.1	59.8
2004 5/.....	1.2	*	*	*	*	0.9	7.6	61.8
2003 5/.....	1.2	*	*	*	*	1.0	6.9	59.3
2002.....	1.1	*	*	*	*	0.8	6.6	59.5
2001.....	1.1	*	*	*	*	1.0	6.7	59.4
2000.....	1.0	*	*	*	*	0.9	6.5	54.9
1999.....	0.8	*	*	*	*	1.0	5.2	48.7
Non-Hispanic white, female												
2006 5/.....	3.1	*	*	*	*	0.9	6.8	86.0
2005 5/.....	3.0	*	*	*	*	0.7	7.1	84.9
2004 5/.....	3.1	*	*	*	*	0.7	7.4	89.7
2003 5/.....	3.1	*	*	*	*	0.9	7.5	90.6
2002.....	2.8	*	*	*	*	0.8	6.7	83.3
2001.....	2.7	*	*	*	*	0.7	6.6	83.7
2000.....	2.5	*	*	*	*	0.7	6.4	76.3
1999.....	2.1	*	*	*	*	0.5	5.4	64.4

Worktable Orig12. Death rates for 358 selected causes, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2006

[Rates per 100,000 population in specified group. Rates are based on populations enumerated as of April 1 for 2000 and estimated as of July 1 for all other years. Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.odc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data-mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, and sex	All ages 1/	Under 1 year 2/	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
Senility (R54)												
Non-Hispanic black, both sexes												
2006 5/.....	0.9	*	*	*	*	*	5.7	66.9
2005 5/.....	0.9	*	*	*	*	*	7.6	64.7
2004 5/.....	0.8	*	*	*	*	*	8.0	56.1
2003 5/.....	0.7	*	*	*	*	*	4.6	56.8
2002.....	0.7	*	*	*	*	*	5.3	56.0
2001.....	0.8	*	*	*	*	*	6.8	57.7
2000.....	0.8	*	*	*	*	1.5	8.7	56.6
1999.....	0.6	*	*	*	*	*	8.0	39.8
Non-Hispanic black, male												
2006 5/.....	0.4	*	*	*	*	*	5.6	47.6
2005 5/.....	0.5	*	*	*	*	*	8.4	49.5
2004 5/.....	0.5	*	*	*	*	*	10.3	30.5
2003 5/.....	0.4	*	*	*	*	*	*	38.4
2002.....	0.4	*	*	*	*	*	*	50.3
2001.....	0.5	*	*	*	*	*	6.3	58.9
2000.....	0.4	*	*	*	*	*	8.9	35.2
1999.....	0.4	*	*	*	*	*	9.4	36.8
Non-Hispanic black, female												
2006 5/.....	1.2	*	*	*	*	*	5.8	74.7
2005 5/.....	1.2	*	*	*	*	*	7.2	70.9
2004 5/.....	1.1	*	*	*	*	*	6.8	66.3
2003 5/.....	1.0	*	*	*	*	*	4.2	64.0
2002.....	1.0	*	*	*	*	*	5.5	58.1
2001.....	1.0	*	*	*	*	*	7.1	57.3
2000.....	1.2	*	*	*	*	*	8.5	64.5
1999.....	0.8	*	*	*	*	*	7.2	40.9

Worktable Orig12. Death rates for 358 selected causes, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2006

[Rates per 100,000 population in specified group. Rates are based on populations enumerated as of April 1 for 2000 and estimated as of July 1 for all other years. Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to 'Detailed technical notes to the United States 2006 data-mortality']

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, and sex	All ages 1/	Under 1 year 2/	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
Ill-defined and unknown causes of mortality (R95-R99)												
All origins 3/, both sexes												
2006.....	4.8	82.0	1.3	0.2	1.1	1.9	2.8	3.9	4.0	5.3	12.2	46.4
2005.....	5.7	85.8	1.2	0.3	1.5	2.4	3.9	5.5	5.3	6.9	14.4	53.9
2004.....	5.3	80.7	1.0	0.2	1.2	2.1	3.5	4.6	4.9	6.8	14.3	52.4
2003.....	6.0	81.2	1.3	0.3	1.6	2.6	4.5	5.7	5.4	7.8	15.1	59.5
2002.....	6.0	83.8	1.3	0.2	1.5	2.6	4.4	5.4	5.6	7.6	16.5	58.3
2001.....	7.1	84.8	1.5	0.3	2.0	3.3	6.0	7.8	7.2	9.6	18.1	62.1
2000.....	7.3	93.9	1.2	0.3	1.8	3.2	5.7	7.1	7.2	11.0	20.5	73.0
1999.....	5.9	91.3	1.3	0.3	1.3	2.2	3.7	4.8	5.7	9.2	17.3	66.7
All origins 3/, male												
2006.....	5.3	93.1	1.4	0.2	1.5	2.7	3.7	5.2	5.5	7.2	14.8	41.9
2005.....	6.5	100.1	1.3	0.3	2.0	3.3	4.9	7.2	7.1	8.9	17.0	48.4
2004.....	6.0	94.0	1.1	0.2	1.7	2.9	4.7	6.1	6.6	8.7	16.7	50.7
2003.....	6.8	94.3	1.4	0.3	2.1	3.6	5.8	7.6	7.3	10.7	18.4	53.6
2002.....	6.8	96.5	1.5	0.3	2.0	3.5	5.8	7.3	7.7	9.8	20.0	55.0
2001.....	8.2	96.5	1.8	0.3	2.7	4.5	7.8	10.4	9.6	12.2	21.8	58.1
2000.....	8.5	108.9	1.4	0.4	2.4	4.4	7.6	10.0	9.8	14.0	24.3	72.1
1999.....	6.7	104.3	1.4	0.3	1.8	2.9	4.9	6.6	7.8	12.0	20.5	64.4
All origins 3/, female												
2006.....	4.2	70.2	1.1	0.1	0.7	1.1	2.0	2.7	2.7	3.7	10.5	48.6
2005.....	5.0	70.8	1.1	0.2	0.9	1.4	2.9	3.9	3.6	5.1	12.6	56.4
2004.....	4.6	65.8	0.9	0.2	0.8	1.4	2.4	3.1	3.3	5.2	12.8	53.2
2003.....	5.2	67.6	1.2	0.3	1.0	1.6	3.1	4.0	3.6	5.4	12.9	62.1
2002.....	5.1	70.4	1.1	0.2	0.9	1.6	3.0	3.5	3.8	5.8	14.1	59.8
2001.....	6.1	72.4	1.2	0.3	1.2	2.0	4.3	5.3	5.0	7.4	15.7	63.8
2000.....	6.2	78.0	1.1	0.3	1.2	2.0	3.8	4.4	4.9	8.4	17.9	73.3
1999.....	5.2	77.7	1.1	0.3	0.7	1.4	2.6	3.0	3.8	6.8	15.2	67.7
Hispanic, both sexes												
2006.....	2.8	51.4	1.0	*	0.9	1.7	2.0	2.5	3.0	4.2	6.9	28.6
2005.....	3.3	58.5	1.1	0.3	1.2	2.0	2.8	3.2	2.9	5.1	7.7	25.7
2004.....	3.0	49.4	0.9	*	1.3	1.7	2.7	3.1	3.0	3.6	7.2	26.2
2003.....	3.0	55.2	0.7	*	1.0	1.8	2.4	3.1	2.8	3.7	7.3	35.8
2002.....	3.1	55.2	0.9	*	1.1	1.6	2.3	3.1	3.8	5.0	9.8	33.8
2001.....	5.1	60.3	1.4	0.4	2.6	3.6	5.4	7.8	6.2	8.1	10.8	40.0
2000.....	5.1	63.8	1.5	0.4	1.9	3.6	6.1	7.4	6.1	7.7	13.6	39.1
1999.....	3.0	54.3	0.8	*	1.1	1.9	2.5	2.7	2.9	4.2	11.9	28.8
Hispanic, male												
2006.....	3.7	60.5	1.0	*	1.4	2.6	3.2	3.5	4.4	6.3	7.3	37.2
2005.....	4.3	67.6	1.2	*	1.6	3.1	3.9	4.8	4.2	7.3	9.4	31.1
2004.....	3.8	59.2	*	*	1.8	2.4	4.0	4.1	4.4	4.2	8.2	30.8
2003.....	4.0	67.9	*	*	1.3	2.7	3.7	4.8	4.4	5.7	9.6	32.3
2002.....	3.8	65.4	+	+	1.4	2.4	3.2	3.8	5.0	7.1	13.5	45.2
2001.....	6.7	66.7	1.6	*	3.6	5.4	7.9	11.9	9.9	12.4	16.1	*
2000.....	6.8	77.3	1.9	*	2.6	5.2	8.9	11.5	8.6	11.0	16.2	52.4
1999.....	3.8	60.2	*	*	1.6	2.6	3.7	4.1	4.2	5.5	16.7	*
Hispanic, female												
2006.....	2.0	41.9	*	*	*	0.6	0.7	1.4	1.6	*	6.6	24.0
2005.....	2.3	48.9	*	*	0.7	0.7	1.5	1.6	1.6	3.3	6.5	22.8
2004.....	2.1	39.2	*	*	0.6	1.0	1.3	2.0	*	3.1	6.4	23.8
2003.....	2.1	42.0	*	*	*	0.7	1.0	1.5	*	*	5.8	37.5
2002.....	2.3	44.4	*	*	0.7	0.7	1.4	2.3	2.8	3.3	7.3	28.2
2001.....	3.4	53.7	+	+	1.3	1.5	2.8	3.8	2.9	4.7	7.3	44.7
2000.....	3.3	49.7	+	+	1.1	1.6	3.0	3.3	3.9	5.1	11.9	32.6
1999.....	2.3	48.0	*	*	*	1.1	1.1	1.4	*	*	6.7	28.1

Worktable Orig12. Death rates for 358 selected causes, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2006

[Rates per 100,000 population in specified group. Rates are based on populations enumerated as of April 1 for 2000 and estimated as of July 1 for all other years. Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to 'Detailed technical notes to the United States 2006 data-mortality']

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, and sex	All ages 1/	Under 1 year 2/	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
Ill-defined and unknown causes of mortality (R95-R99)												
Non-Hispanic 4/, both sexes												
2006.....	5.0	90.6	1.3	0.2	1.1	1.9	3.0	4.1	4.1	5.4	12.5	47.3
2005.....	6.1	92.7	1.2	0.2	1.5	2.5	4.0	5.7	5.4	6.9	14.6	54.9
2004.....	5.6	88.9	1.0	0.2	1.2	2.2	3.6	4.7	5.0	7.0	14.6	53.5
2003.....	6.4	87.8	1.4	0.3	1.7	2.8	4.7	6.0	5.6	8.1	15.4	60.1
2002.....	6.3	90.8	1.4	0.3	1.5	2.8	4.7	5.5	5.7	7.8	16.7	58.7
2001.....	7.4	90.4	1.5	0.3	1.8	3.2	6.1	7.7	7.2	9.6	18.4	62.8
2000.....	7.6	100.7	1.2	0.3	1.8	3.1	5.5	7.0	7.2	11.0	20.7	74.2
1999.....	6.3	99.7	1.3	0.3	1.3	2.2	3.8	4.9	5.8	9.3	17.5	67.8
Non-Hispanic 4/, male												
2006.....	5.6	102.1	1.5	0.2	1.5	2.7	3.7	5.4	5.5	7.2	15.2	42.1
2005.....	6.8	108.3	1.4	0.3	2.1	3.3	5.0	7.4	7.3	9.0	17.2	48.8
2004.....	6.3	104.4	1.0	0.1	1.6	3.0	4.7	6.2	6.6	8.9	17.0	51.4
2003.....	7.2	100.7	1.6	0.3	2.3	3.8	6.1	7.7	7.4	11.0	18.7	54.3
2002.....	7.2	104.1	1.6	0.3	2.0	3.8	6.2	7.5	7.8	9.9	20.1	55.0
2001.....	8.4	103.4	1.8	0.3	2.4	4.2	7.7	10.2	9.5	12.1	22.0	59.0
2000.....	8.6	116.2	1.3	0.3	2.3	4.2	7.3	9.7	9.7	14.0	24.6	72.9
1999.....	7.0	114.1	1.6	0.3	1.8	2.9	5.0	6.6	7.9	12.3	20.5	65.6
Non-Hispanic 4/, female												
2006.....	4.5	78.6	1.2	0.1	0.8	1.2	2.2	2.8	2.8	3.8	10.7	49.7
2005.....	5.4	76.3	1.1	0.2	0.9	1.6	3.1	4.0	3.7	5.1	12.8	57.7
2004.....	4.9	72.8	0.9	0.2	0.8	1.4	2.6	3.1	3.4	5.3	13.0	54.4
2003.....	5.6	74.2	1.3	0.4	1.1	1.8	3.4	4.2	3.8	5.6	13.3	62.7
2002.....	5.5	76.8	1.2	0.2	1.0	1.8	3.2	3.6	3.8	5.9	14.4	60.3
2001.....	6.4	76.8	1.2	0.3	1.2	2.1	4.5	5.3	5.1	7.6	16.1	64.4
2000.....	6.6	84.4	1.0	0.2	1.2	2.0	3.8	4.4	4.9	8.6	18.2	74.7
1999.....	5.6	84.6	1.1	0.3	0.8	1.5	2.7	3.2	3.9	6.9	15.5	68.7
Non-Hispanic white, both sexes												
2006 5/.....	5.1	75.2	1.0	0.2	1.2	2.0	3.0	4.0	4.1	5.5	12.8	49.2
2005 5/.....	6.0	76.5	1.0	0.2	1.5	2.5	4.1	5.4	5.1	6.7	14.6	56.7
2004 5/.....	5.5	70.0	0.8	0.1	1.3	2.3	3.6	4.5	4.7	6.7	14.8	54.1
2003 5/.....	6.3	70.8	1.2	0.3	1.8	2.8	4.7	5.6	5.3	7.9	15.6	61.7
2002.....	6.2	74.5	1.1	0.2	1.5	2.7	4.6	5.0	5.4	7.6	16.7	59.6
2001.....	7.3	71.1	1.2	0.2	1.8	3.1	6.1	7.5	6.9	9.4	18.3	63.9
2000.....	7.4	78.2	1.1	0.2	1.7	3.0	5.4	6.6	6.8	10.6	20.7	75.7
1999.....	6.0	77.4	1.1	0.2	1.2	2.0	3.4	4.3	5.3	9.0	17.1	68.2
Non-Hispanic white, male												
2006 5/.....	5.5	86.9	1.1	0.2	1.5	2.8	3.8	5.1	5.4	7.0	15.3	44.1
2005 5/.....	6.7	93.1	1.1	0.2	2.1	3.5	5.1	7.1	6.6	8.6	17.1	50.0
2004 5/.....	6.1	81.8	0.9	*	1.7	3.2	4.8	5.9	6.3	8.7	17.1	52.2
2003 5/.....	7.0	85.3	1.2	0.3	2.4	3.8	6.0	7.3	6.8	10.5	18.8	55.4
2002.....	6.9	86.6	1.2	0.2	2.1	3.8	5.9	6.7	7.3	9.6	19.6	56.1
2001.....	8.2	82.5	1.4	0.2	2.4	4.2	7.7	9.8	8.9	11.7	21.8	60.4
2000.....	8.3	90.1	1.3	0.3	2.3	4.1	7.3	9.1	9.1	13.1	24.4	73.8
1999.....	6.5	90.1	1.4	0.2	1.7	2.7	4.5	5.7	7.2	11.7	19.9	64.6
Non-Hispanic white, female												
2006 5/.....	4.7	62.9	0.9	*	0.8	1.3	2.3	2.8	2.8	4.1	11.0	51.5
2005 5/.....	5.4	59.0	0.8	*	0.8	1.6	3.1	3.8	3.6	5.0	12.8	59.8
2004 5/.....	5.0	57.7	0.7	0.2	0.8	1.4	2.4	3.1	3.3	5.0	13.1	55.0
2003 5/.....	5.7	55.8	1.2	0.3	1.1	1.8	3.4	3.9	3.8	5.7	13.5	64.4
2002.....	5.5	61.8	1.0	*	0.9	1.7	3.2	3.3	3.7	5.8	14.7	61.1
2001.....	6.5	59.0	1.1	0.2	1.2	2.0	4.4	5.1	5.0	7.4	15.9	65.4
2000.....	6.6	65.7	0.8	0.2	1.1	1.9	3.6	4.1	4.7	8.5	18.2	76.4
1999.....	5.5	64.0	0.8	0.2	0.6	1.3	2.4	2.9	3.6	6.8	15.3	69.7

Worktable Orig12. Death rates for 358 selected causes, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2006

[Rates per 100,000 population in specified group. Rates are based on populations enumerated as of April 1 for 2000 and estimated as of July 1 for all other years. Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.odc.gov/nchs> and refer to 'Detailed technical notes to the United States 2006 data-mortality']

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, and sex	All ages 1/	Under 1 year 2/	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
Ill-defined and unknown causes of mortality (R95-R99)												
Non-Hispanic black, both sexes												
2006 5/.....	6.1	158.8	2.5	*	1.1	2.2	3.6	6.0	5.4	6.4	13.2	34.2
2005 5/.....	7.9	166.9	2.1	0.5	1.8	2.9	5.3	9.0	9.6	10.8	18.8	48.1
2004 5/.....	7.4	171.2	1.7	*	1.1	2.6	4.8	7.1	8.0	10.7	16.7	55.8
2003 5/.....	8.4	160.3	2.6	0.5	1.9	3.7	6.7	9.9	9.8	12.1	16.6	55.0
2002.....	8.6	161.0	2.4	0.6	1.6	3.6	6.7	10.7	9.7	10.9	20.3	57.2
2001.....	9.0	174.6	2.4	0.5	1.9	4.0	7.0	11.1	10.5	12.9	22.7	56.2
2000.....	10.0	202.3	1.7	0.5	2.4	4.3	7.5	11.8	12.0	17.1	25.1	67.1
1999.....	9.3	198.3	2.4	0.4	2.0	3.5	7.1	10.1	11.2	13.7	24.5	71.1
Non-Hispanic black, male												
2006 5/.....	7.4	169.9	2.8	*	1.5	3.2	4.6	8.8	7.8	11.1	18.4	27.5
2005 5/.....	9.4	183.3	2.2	*	2.5	3.7	6.2	11.6	15.0	15.4	24.4	49.5
2004 5/.....	8.8	202.7	1.8	*	1.4	3.3	5.6	10.4	11.7	13.0	20.0	53.9
2003 5/.....	10.1	169.7	3.0	*	2.3	5.1	8.7	13.0	15.1	19.4	21.9	59.7
2002.....	10.6	181.5	3.0	*	2.0	4.7	9.2	15.5	14.5	15.4	31.1	54.7
2001.....	10.6	193.1	3.1	*	2.6	4.9	8.3	14.2	16.2	17.6	27.6	49.7
2000.....	12.1	233.7	1.8	0.7	2.9	5.8	8.7	16.4	17.3	25.3	33.0	71.6
1999.....	11.4	223.1	2.4	*	2.7	5.0	9.0	15.0	16.6	20.1	31.6	86.8
Non-Hispanic black, female												
2006 5/.....	5.0	147.3	2.2	*	0.8	1.3	2.7	3.6	3.4	3.0	10.3	37.0
2005 5/.....	6.6	149.9	2.0	*	1.1	2.1	4.5	6.7	5.3	7.6	15.6	47.5
2004 5/.....	6.1	138.4	*	*	0.8	2.0	4.2	4.3	5.0	9.1	14.8	56.6
2003 5/.....	6.9	150.5	2.3	*	1.5	2.4	5.0	7.3	5.4	6.9	13.5	53.2
2002.....	6.7	139.8	1.8	*	1.3	2.7	4.4	6.6	5.8	7.8	14.3	58.1
2001.....	7.6	155.2	1.7	*	1.1	3.2	5.9	8.5	5.9	9.5	19.9	58.6
2000.....	8.1	169.8	1.7	*	2.0	2.9	6.4	7.8	7.7	11.3	20.7	65.4
1999.....	7.4	172.8	2.4	*	1.4	2.1	5.4	5.9	6.8	9.1	20.5	65.3

Worktable Orig12. Death rates for 358 selected causes, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2006

[Rates per 100,000 population in specified group. Rates are based on populations enumerated as of April 1 for 2000 and estimated as of July 1 for all other years. Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to 'Detailed technical notes to the United States 2006 data-mortality']

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, and sex	All ages 1/	Under 1 year 2/	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
Other ill-defined and unknown causes of mortality (R96-R99)												
All origins 3/, both sexes												
2006.....	4.0	25.7	1.3	0.2	1.1	1.9	2.8	3.9	4.0	5.3	12.2	46.4
2005.....	5.0	31.5	1.2	0.3	1.5	2.4	3.9	5.5	5.3	6.9	14.4	53.9
2004.....	4.5	25.6	1.0	0.2	1.2	2.1	3.5	4.6	4.9	6.8	14.3	52.4
2003.....	5.2	27.2	1.3	0.3	1.6	2.6	4.5	5.7	5.4	7.8	15.1	59.5
2002.....	5.2	26.9	1.3	0.2	1.5	2.6	4.4	5.4	5.6	7.6	16.5	58.3
2001.....	6.3	29.4	1.5	0.3	2.0	3.3	6.0	7.8	7.2	9.6	18.1	62.1
2000.....	6.4	27.6	1.2	0.3	1.8	3.2	5.7	7.1	7.2	11.0	20.5	73.0
1999.....	5.0	21.6	1.3	0.3	1.3	2.2	3.7	4.8	5.7	9.2	17.3	66.7
All origins 3/, male												
2006.....	4.4	28.9	1.4	0.2	1.5	2.7	3.7	5.2	5.5	7.2	14.8	41.9
2005.....	5.6	34.8	1.3	0.3	2.0	3.3	4.9	7.2	7.1	8.9	17.0	48.4
2004.....	5.1	31.2	1.1	0.2	1.7	2.9	4.7	6.1	6.6	8.7	16.7	50.7
2003.....	5.9	31.7	1.4	0.3	2.1	3.6	5.8	7.6	7.3	10.7	18.4	53.6
2002.....	5.9	31.1	1.5	0.3	2.0	3.5	5.8	7.3	7.7	9.8	20.0	55.0
2001.....	7.3	32.7	1.8	0.3	2.7	4.5	7.8	10.4	9.6	12.2	21.8	58.1
2000.....	7.4	31.5	1.4	0.4	2.4	4.4	7.6	10.0	9.8	14.0	24.3	72.1
1999.....	5.5	24.4	1.4	0.3	1.8	2.9	4.9	6.6	7.8	12.0	20.5	64.4
All origins 3/, female												
2006.....	3.5	22.4	1.1	0.1	0.7	1.1	2.0	2.7	2.7	3.7	10.5	48.6
2005.....	4.4	28.0	1.1	0.2	0.9	1.4	2.9	3.9	3.6	5.1	12.6	56.4
2004.....	4.0	19.7	0.9	0.2	0.8	1.4	2.4	3.1	3.3	5.2	12.8	53.2
2003.....	4.6	22.5	1.2	0.3	1.0	1.6	3.1	4.0	3.6	5.4	12.9	62.1
2002.....	4.5	22.5	1.1	0.2	0.9	1.6	3.0	3.5	3.8	5.8	14.1	59.8
2001.....	5.5	25.8	1.2	0.3	1.2	2.0	4.3	5.3	5.0	7.4	15.7	63.8
2000.....	5.5	23.4	1.1	0.3	1.2	2.0	3.8	4.4	4.9	8.4	17.9	73.3
1999.....	4.5	18.6	1.1	0.3	0.7	1.4	2.6	3.0	3.8	6.8	15.2	67.7
Hispanic, both sexes												
2006.....	2.2	21.7	1.0	*	0.9	1.7	2.0	2.5	3.0	4.2	6.9	28.6
2005.....	2.6	26.0	1.1	0.3	1.2	2.0	2.8	3.2	2.9	5.1	7.7	25.7
2004.....	2.3	18.1	0.9	*	1.3	1.7	2.7	3.1	3.0	3.6	7.2	26.2
2003.....	2.3	21.7	0.7	*	1.0	1.8	2.4	3.1	2.8	3.7	7.3	35.8
2002.....	2.3	19.8	0.9	*	1.1	1.6	2.3	3.1	3.8	5.0	9.8	33.8
2001.....	4.4	29.7	1.4	0.4	2.6	3.6	5.4	7.8	6.2	8.1	10.8	40.0
2000.....	4.2	24.6	1.5	0.4	1.9	3.6	6.1	7.4	6.1	7.7	13.6	39.1
1999.....	2.1	13.0	0.8	*	1.1	1.9	2.5	2.7	2.9	4.2	11.9	28.8
Hispanic, male												
2006.....	2.9	26.4	1.0	*	1.4	2.6	3.2	3.5	4.4	6.3	7.3	37.2
2005.....	3.4	29.0	1.2	*	1.6	3.1	3.9	4.8	4.2	7.3	9.4	31.1
2004.....	3.0	22.7	*	*	1.8	2.4	4.0	4.1	4.4	4.2	8.2	30.8
2003.....	3.1	26.7	*	*	1.3	2.7	3.7	4.8	4.4	5.7	9.6	32.3
2002.....	2.9	22.7	+	+	1.4	2.4	3.2	3.8	5.0	7.1	13.5	45.2
2001.....	6.0	32.6	1.6	*	3.6	5.4	7.9	11.9	9.9	12.4	16.1	*
2000.....	5.8	30.9	1.9	*	2.6	5.2	8.9	11.5	8.6	11.0	16.2	52.4
1999.....	2.7	14.5	*	*	1.6	2.6	3.7	4.1	4.2	5.5	16.7	*
Hispanic, female												
2006.....	1.4	16.8	*	*	*	0.6	0.7	1.4	1.6	*	6.6	24.0
2005.....	1.8	22.8	*	*	0.7	0.7	1.5	1.6	1.6	3.3	6.5	22.8
2004.....	1.6	13.3	*	*	0.6	1.0	1.3	2.0	*	3.1	6.4	23.8
2003.....	1.5	16.5	*	*	*	0.7	1.0	1.5	*	*	5.8	37.5
2002.....	1.7	16.7	*	*	0.7	0.7	1.4	2.3	2.8	3.3	7.3	28.2
2001.....	2.8	26.7	+	+	1.3	1.5	2.8	3.8	2.9	4.7	7.3	44.7
2000.....	2.6	18.1	+	+	1.1	1.6	3.0	3.3	3.9	5.1	11.9	32.6
1999.....	1.5	11.4	*	*	*	1.1	1.1	1.4	*	*	6.7	28.1

Worktable Orig12. Death rates for 358 selected causes, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2006

[Rates per 100,000 population in specified group. Rates are based on populations enumerated as of April 1 for 2000 and estimated as of July 1 for all other years. Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data-mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, and sex	All ages 1/	Under 1 year 2/	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
Other ill-defined and unknown causes of mortality (R96-R99)												
Non-Hispanic 4/, both sexes												
2006.....	4.3	26.7	1.3	0.2	1.1	1.9	3.0	4.1	4.1	5.4	12.5	47.3
2005.....	5.3	32.3	1.2	0.2	1.5	2.5	4.0	5.7	5.4	6.9	14.6	54.9
2004.....	4.8	27.1	1.0	0.2	1.2	2.2	3.6	4.7	5.0	7.0	14.6	53.5
2003.....	5.6	28.3	1.4	0.3	1.7	2.8	4.7	6.0	5.6	8.1	15.4	60.1
2002.....	5.5	28.5	1.4	0.3	1.5	2.8	4.7	5.5	5.7	7.8	16.7	58.7
2001.....	6.6	28.9	1.5	0.3	1.8	3.2	6.1	7.7	7.2	9.6	18.4	62.8
2000.....	6.7	27.7	1.2	0.3	1.8	3.1	5.5	7.0	7.2	11.0	20.7	74.2
1999.....	5.3	23.3	1.3	0.3	1.3	2.2	3.8	4.9	5.8	9.3	17.5	67.8
Non-Hispanic 4/, male												
2006.....	4.7	29.3	1.5	0.2	1.5	2.7	3.7	5.4	5.5	7.2	15.2	42.1
2005.....	5.8	35.4	1.4	0.3	2.1	3.3	5.0	7.4	7.3	9.0	17.2	48.8
2004.....	5.4	33.0	1.0	0.1	1.6	3.0	4.7	6.2	6.6	8.9	17.0	51.4
2003.....	6.3	32.5	1.6	0.3	2.3	3.8	6.1	7.7	7.4	11.0	18.7	54.3
2002.....	6.3	33.0	1.6	0.3	2.0	3.8	6.2	7.5	7.8	9.9	20.1	55.0
2001.....	7.4	32.3	1.8	0.3	2.4	4.2	7.7	10.2	9.5	12.1	22.0	59.0
2000.....	7.5	31.1	1.3	0.3	2.3	4.2	7.3	9.7	9.7	14.0	24.6	72.9
1999.....	5.8	26.3	1.6	0.3	1.8	2.9	5.0	6.6	7.9	12.3	20.5	65.6
Non-Hispanic 4/, female												
2006.....	3.9	24.0	1.2	0.1	0.8	1.2	2.2	2.8	2.8	3.8	10.7	49.7
2005.....	4.8	29.0	1.1	0.2	0.9	1.6	3.1	4.0	3.7	5.1	12.8	57.7
2004.....	4.3	20.9	0.9	0.2	0.8	1.4	2.6	3.1	3.4	5.3	13.0	54.4
2003.....	5.0	23.9	1.3	0.4	1.1	1.8	3.4	4.2	3.8	5.6	13.3	62.7
2002.....	4.8	23.7	1.2	0.2	1.0	1.8	3.2	3.6	3.8	5.9	14.4	60.3
2001.....	5.8	25.4	1.2	0.3	1.2	2.1	4.5	5.3	5.1	7.6	16.1	64.4
2000.....	5.9	24.3	1.0	0.2	1.2	2.0	3.8	4.4	4.9	8.6	18.2	74.7
1999.....	4.8	20.1	1.1	0.3	0.8	1.5	2.7	3.2	3.9	6.9	15.5	68.7
Non-Hispanic white, both sexes												
2006 5/.....	4.5	20.7	1.0	0.2	1.2	2.0	3.0	4.0	4.1	5.5	12.8	49.2
2005 5/.....	5.4	24.7	1.0	0.2	1.5	2.5	4.1	5.4	5.1	6.7	14.6	56.7
2004 5/.....	4.9	19.3	0.8	0.1	1.3	2.3	3.6	4.5	4.7	6.7	14.8	54.1
2003 5/.....	5.8	22.7	1.2	0.3	1.8	2.8	4.7	5.6	5.3	7.9	15.6	61.7
2002.....	5.6	22.4	1.1	0.2	1.5	2.7	4.6	5.0	5.4	7.6	16.7	59.6
2001.....	6.7	22.1	1.2	0.2	1.8	3.1	6.1	7.5	6.9	9.4	18.3	63.9
2000.....	6.8	19.6	1.1	0.2	1.7	3.0	5.4	6.6	6.8	10.6	20.7	75.7
1999.....	5.2	16.0	1.1	0.2	1.2	2.0	3.4	4.3	5.3	9.0	17.1	68.2
Non-Hispanic white, male												
2006 5/.....	4.8	23.6	1.1	0.2	1.5	2.8	3.8	5.1	5.4	7.0	15.3	44.1
2005 5/.....	5.9	27.4	1.1	0.2	2.1	3.5	5.1	7.1	6.6	8.6	17.1	50.0
2004 5/.....	5.4	23.6	0.9	*	1.7	3.2	4.8	5.9	6.3	8.7	17.1	52.2
2003 5/.....	6.3	27.1	1.2	0.3	2.4	3.8	6.0	7.3	6.8	10.5	18.8	55.4
2002.....	6.2	26.4	1.2	0.2	2.1	3.8	5.9	6.7	7.3	9.6	19.6	56.1
2001.....	7.5	24.9	1.4	0.2	2.4	4.2	7.7	9.8	8.9	11.7	21.8	60.4
2000.....	7.5	21.5	1.3	0.3	2.3	4.1	7.3	9.1	9.1	13.1	24.4	73.8
1999.....	5.6	18.8	1.4	0.2	1.7	2.7	4.5	5.7	7.2	11.7	19.9	64.6
Non-Hispanic white, female												
2006 5/.....	4.2	17.7	0.9	*	0.8	1.3	2.3	2.8	2.8	4.1	11.0	51.5
2005 5/.....	5.0	21.9	0.8	*	0.8	1.6	3.1	3.8	3.6	5.0	12.8	59.8
2004 5/.....	4.5	14.8	0.7	0.2	0.8	1.4	2.4	3.1	3.3	5.0	13.1	55.0
2003 5/.....	5.3	18.1	1.2	0.3	1.1	1.8	3.4	3.9	3.8	5.7	13.5	64.4
2002.....	5.0	18.2	1.0	*	0.9	1.7	3.2	3.3	3.7	5.8	14.7	61.1
2001.....	6.0	19.2	1.1	0.2	1.2	2.0	4.4	5.1	5.0	7.4	15.9	65.4
2000.....	6.1	17.7	0.8	0.2	1.1	1.9	3.6	4.1	4.7	8.5	18.2	76.4
1999.....	4.9	13.1	0.8	0.2	0.6	1.3	2.4	2.9	3.6	6.8	15.3	69.7

Worktable Orig12. Death rates for 358 selected causes, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2006

[Rates per 100,000 population in specified group. Rates are based on populations enumerated as of April 1 for 2000 and estimated as of July 1 for all other years. Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.odc.gov/nchs> and refer to 'Detailed technical notes to the United States 2006 data-mortality']

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, and sex	All ages 1/	Under 1 year 2/	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
Other ill-defined and unknown causes of mortality (R96-R99)												
Non-Hispanic black, both sexes												
2006 5/.....	4.3	49.4	2.5	*	1.1	2.2	3.6	6.0	5.4	6.4	13.2	34.2
2005 5/.....	6.2	63.7	2.1	0.5	1.8	2.9	5.3	9.0	9.6	10.8	18.8	48.1
2004 5/.....	5.5	58.4	1.7	*	1.1	2.6	4.8	7.1	8.0	10.7	16.7	55.8
2003 5/.....	6.5	53.3	2.6	0.5	1.9	3.7	6.7	9.9	9.8	12.1	16.6	55.0
2002.....	6.6	54.6	2.4	0.6	1.6	3.6	6.7	10.7	9.7	10.9	20.3	57.2
2001.....	7.0	55.0	2.4	0.5	1.9	4.0	7.0	11.1	10.5	12.9	22.7	56.2
2000.....	7.7	62.1	1.7	0.5	2.4	4.3	7.5	11.8	12.0	17.1	25.1	67.1
1999.....	6.9	52.9	2.4	0.4	2.0	3.5	7.1	10.1	11.2	13.7	24.5	71.1
Non-Hispanic black, male												
2006 5/.....	5.3	52.4	2.8	*	1.5	3.2	4.6	8.8	7.8	11.1	18.4	27.5
2005 5/.....	7.4	70.9	2.2	*	2.5	3.7	6.2	11.6	15.0	15.4	24.4	49.5
2004 5/.....	6.4	69.9	1.8	*	1.4	3.3	5.6	10.4	11.7	13.0	20.0	53.9
2003 5/.....	8.0	59.0	3.0	*	2.3	5.1	8.7	13.0	15.1	19.4	21.9	59.7
2002.....	8.3	62.1	3.0	*	2.0	4.7	9.2	15.5	14.5	15.4	31.1	54.7
2001.....	8.1	60.9	3.1	*	2.6	4.9	8.3	14.2	16.2	17.6	27.6	49.7
2000.....	9.3	72.3	1.8	0.7	2.9	5.8	8.7	16.4	17.3	25.3	33.0	71.6
1999.....	8.5	60.3	2.4	*	2.7	5.0	9.0	15.0	16.6	20.1	31.6	86.8
Non-Hispanic black, female												
2006 5/.....	3.4	46.3	2.2	*	0.8	1.3	2.7	3.6	3.4	3.0	10.3	37.0
2005 5/.....	5.1	56.1	2.0	*	1.1	2.1	4.5	6.7	5.3	7.6	15.6	47.5
2004 5/.....	4.6	46.4	*	*	0.8	2.0	4.2	4.3	5.0	9.1	14.8	56.6
2003 5/.....	5.2	47.4	2.3	*	1.5	2.4	5.0	7.3	5.4	6.9	13.5	53.2
2002.....	5.1	46.7	1.8	*	1.3	2.7	4.4	6.6	5.8	7.8	14.3	58.1
2001.....	5.9	48.7	1.7	*	1.1	3.2	5.9	8.5	5.9	9.5	19.9	58.6
2000.....	6.3	51.4	1.7	*	2.0	2.9	6.4	7.8	7.7	11.3	20.7	65.4
1999.....	5.4	45.3	2.4	*	1.4	2.1	5.4	5.9	6.8	9.1	20.5	65.3

Worktable Orig12. Death rates for 358 selected causes, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2006

[Rates per 100,000 population in specified group. Rates are based on populations enumerated as of April 1 for 2000 and estimated as of July 1 for all other years. Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to 'Detailed technical notes to the United States 2006 data-mortality']

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, and sex	All ages 1/	Under 1 year 2/	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
All other symptoms, signs and abnormal clinical and laboratory findings, not elsewhere classified (R00-R53,R55-R94)												
Non-Hispanic 4/, both sexes												
2006.....	4.7	2.1	0.2	0.2	0.4	0.7	1.0	1.4	2.5	6.3	23.8	118.1
2005.....	3.9	1.8	0.2	0.2	0.4	0.6	0.8	1.2	2.0	5.4	18.8	99.7
2004.....	3.8	1.9	0.2	0.1	0.3	0.6	0.8	1.3	2.2	5.2	18.9	95.1
2003.....	3.6	1.6	0.4	0.1	0.4	0.8	0.9	1.4	2.0	5.3	17.5	89.9
2002.....	3.3	2.0	0.3	0.1	0.4	0.8	1.0	1.3	1.9	4.9	16.5	79.4
2001.....	3.1	2.1	0.3	0.1	0.5	0.6	1.0	1.2	1.9	4.9	15.7	72.5
2000.....	2.9	1.7	0.4	0.1	0.4	0.7	1.0	1.2	2.1	4.9	14.2	69.1
1999.....	2.8	2.2	0.3	0.1	0.3	0.6	0.9	1.1	2.1	4.9	13.8	65.6
Non-Hispanic 4/, male												
2006.....	3.6	2.2	*	0.2	0.5	0.9	1.2	1.6	2.9	7.1	23.7	93.4
2005.....	3.0	1.8	0.3	0.2	0.5	0.7	1.0	1.5	2.3	6.0	18.4	80.7
2004.....	2.9	2.3	*	0.1	0.5	0.8	1.0	1.5	2.5	5.6	18.5	77.8
2003.....	2.8	2.2	0.4	0.1	0.5	1.0	1.1	1.7	2.4	5.6	17.5	69.6
2002.....	2.7	2.1	*	0.1	0.5	1.1	1.1	1.5	2.3	5.5	18.1	65.8
2001.....	2.5	2.8	*	0.2	0.6	0.7	1.3	1.6	2.4	5.1	16.1	60.9
2000.....	2.5	1.8	0.4	0.1	0.5	0.9	1.3	1.6	2.6	5.8	15.5	59.9
1999.....	2.3	2.6	0.3	0.1	0.4	0.7	1.1	1.5	2.6	5.4	14.7	56.9
Non-Hispanic 4/, female												
2006.....	5.8	1.9	*	0.2	0.4	0.5	0.8	1.1	2.1	5.7	23.8	129.6
2005.....	4.8	1.7	*	0.1	0.3	0.5	0.7	0.9	1.7	5.0	19.2	108.4
2004.....	4.6	1.6	*	*	0.2	0.5	0.6	1.0	1.9	4.9	19.2	102.8
2003.....	4.4	*	*	*	0.3	0.6	0.7	1.1	1.7	5.0	17.5	98.9
2002.....	3.9	1.9	*	*	0.3	0.6	0.8	1.1	1.5	4.4	15.4	85.3
2001.....	3.6	1.5	0.3	*	0.3	0.5	0.7	0.9	1.4	4.7	15.5	77.3
2000.....	3.3	1.7	0.4	0.1	0.3	0.6	0.7	0.9	1.6	4.2	13.4	72.9
1999.....	3.2	1.8	*	*	0.3	0.5	0.6	0.8	1.7	4.5	13.2	69.1
Non-Hispanic white, both sexes												
2006 5/.....	5.1	1.9	0.2	0.1	0.4	0.6	0.8	1.2	2.2	5.8	23.1	119.6
2005 5/.....	4.2	1.5	0.2	0.1	0.3	0.5	0.7	1.1	1.8	5.0	18.6	101.1
2004 5/.....	4.0	1.5	*	0.1	0.3	0.5	0.7	1.1	1.9	5.0	18.5	94.8
2003 5/.....	3.8	1.7	0.3	0.1	0.4	0.7	0.8	1.1	1.8	4.8	17.2	90.2
2002.....	3.5	1.5	0.2	0.1	0.3	0.7	0.8	1.1	1.6	4.7	16.1	80.1
2001.....	3.2	2.0	0.3	0.1	0.4	0.5	0.8	1.0	1.6	4.4	15.5	72.8
2000.....	3.0	1.5	0.4	0.1	0.4	0.6	0.9	1.0	1.8	4.5	13.8	70.0
1999.....	2.8	1.9	0.3	0.1	0.3	0.5	0.7	0.9	1.9	4.5	13.3	65.7
Non-Hispanic white, male												
2006 5/.....	3.7	2.1	*	0.2	0.5	0.8	1.0	1.4	2.6	6.3	22.5	92.4
2005 5/.....	3.0	*	*	*	0.4	0.5	0.8	1.3	2.1	5.4	17.8	79.9
2004 5/.....	2.9	*	*	*	0.4	0.6	0.8	1.3	2.1	5.2	18.1	76.9
2003 5/.....	2.8	2.1	*	*	0.5	0.8	0.9	1.3	2.1	5.3	17.1	68.5
2002.....	2.7	*	*	*	0.4	0.9	1.0	1.2	2.0	5.2	17.4	66.0
2001.....	2.5	2.7	*	0.2	0.5	0.6	1.0	1.3	1.9	4.5	16.2	60.6
2000.....	2.5	*	*	*	0.5	0.7	1.2	1.2	2.0	5.3	15.1	60.8
1999.....	2.3	2.2	*	*	0.3	0.6	0.9	1.2	2.3	5.0	14.1	57.9
Non-Hispanic white, female												
2006 5/.....	6.5	*	*	*	0.3	0.4	0.6	1.0	1.8	5.3	23.5	132.2
2005 5/.....	5.3	*	*	*	0.3	0.4	0.6	0.8	1.4	4.7	19.1	110.8
2004 5/.....	5.0	*	*	*	0.2	0.4	0.6	0.9	1.7	4.7	18.8	102.8
2003 5/.....	4.7	*	*	*	0.3	0.5	0.7	0.8	1.5	4.4	17.3	99.7
2002.....	4.2	*	*	*	0.2	0.5	0.6	1.0	1.4	4.3	15.3	86.1
2001.....	3.9	*	*	*	0.3	0.4	0.6	0.8	1.3	4.4	15.0	77.9
2000.....	3.5	*	*	*	0.3	0.4	0.5	0.8	1.5	3.8	13.0	73.7
1999.....	3.3	*	*	*	0.2	0.4	0.5	0.6	1.6	4.1	12.7	68.8

Worktable Orig12. Death rates for 358 selected causes, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2006

[Rates per 100,000 population in specified group. Rates are based on populations enumerated as of April 1 for 2000 and estimated as of July 1 for all other years. Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.odc.gov/nchs> and refer to 'Detailed technical notes to the United States 2006 data-mortality']

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, and sex	All ages 1/	Under 1 year 2/	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
All other symptoms, signs and abnormal clinical and laboratory findings, not elsewhere classified (R00-R53,R55-R94)												
Non-Hispanic black, both sexes												
2006 5/.....	4.4	*	*	0.4	0.7	1.2	2.2	2.9	5.4	12.7	37.9	125.8
2005 5/.....	3.5	3.5	*	0.4	0.7	1.3	1.7	2.7	4.2	10.3	25.5	100.5
2004 5/.....	3.7	3.3	*	*	0.7	1.5	1.8	2.6	5.1	9.1	28.4	111.4
2003 5/.....	3.6	*	*	*	0.6	1.4	1.9	3.7	4.4	11.0	24.6	102.6
2002.....	3.3	4.3	*	*	0.9	1.7	2.1	3.2	4.2	8.3	24.2	85.0
2001.....	3.2	*	*	*	0.9	1.2	2.2	2.7	4.4	10.6	20.8	80.2
2000.....	3.1	*	*	*	0.7	1.6	1.7	3.1	5.2	10.6	22.3	65.5
1999.....	3.1	3.7	*	*	0.7	1.5	2.1	3.1	4.6	10.1	22.3	71.1
Non-Hispanic black, male												
2006 5/.....	4.1	*	*	*	0.8	1.5	2.7	3.7	6.0	16.3	46.4	120.9
2005 5/.....	3.4	*	*	*	1.0	1.6	2.0	3.7	4.5	13.3	29.7	97.1
2004 5/.....	3.5	*	*	*	0.9	2.0	2.6	3.4	6.8	11.1	29.1	98.6
2003 5/.....	3.4	*	*	*	0.7	1.9	2.5	4.9	5.4	11.3	25.7	99.1
2002.....	3.4	*	*	*	1.1	2.4	2.5	4.0	5.5	9.7	32.5	77.7
2001.....	3.2	*	*	*	1.2	1.3	3.1	3.8	7.4	12.3	18.3	77.4
2000.....	3.1	*	*	*	0.9	2.0	2.1	4.2	7.6	13.5	24.1	56.4
1999.....	3.1	*	*	*	0.9	1.9	2.6	4.3	6.1	11.6	26.0	57.0
Non-Hispanic black, female												
2006 5/.....	4.7	*	*	*	0.6	1.0	1.7	2.2	5.0	10.1	33.1	127.8
2005 5/.....	3.6	*	*	*	*	1.0	1.5	1.9	4.0	8.2	23.0	101.9
2004 5/.....	3.8	*	*	*	*	1.1	1.1	2.0	3.8	7.6	28.0	116.5
2003 5/.....	3.8	*	*	*	*	1.0	1.4	2.6	3.6	10.8	24.0	104.0
2002.....	3.3	*	*	*	0.8	1.1	1.8	2.4	3.1	7.4	19.6	87.8
2001.....	3.1	*	*	*	*	1.1	1.5	1.8	2.0	9.3	22.2	81.3
2000.....	3.1	*	*	*	*	1.4	1.4	2.1	3.3	8.5	21.4	68.9
1999.....	3.1	*	*	*	*	1.1	1.6	2.0	3.4	9.1	20.3	76.4

Worktable Orig12. Death rates for 358 selected causes, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2006

[Rates per 100,000 population in specified group. Rates are based on populations enumerated as of April 1 for 2000 and estimated as of July 1 for all other years. Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to 'Detailed technical notes to the United States 2006 data-mortality']

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, and sex	All ages 1/	Under 1 year 2/	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
XX. External causes of mortality (*U01-*U03,V01-Y89)												
All origins 3/, both sexes												
2006.....	60.7	38.7	12.6	7.3	63.3	63.6	65.6	71.7	56.7	62.6	129.5	302.4
2005.....	59.5	36.8	13.1	7.7	61.9	61.4	63.9	68.4	55.2	64.7	131.9	309.1
2004.....	57.9	36.7	13.0	8.3	61.1	58.9	62.9	66.1	52.8	62.6	129.5	307.5
2003.....	57.4	34.4	13.6	8.0	61.5	58.1	63.9	63.5	52.2	62.8	127.7	310.4
2002.....	56.9	33.8	13.7	8.4	62.2	57.9	63.7	60.8	50.7	63.9	128.4	308.3
2001 6/.....	56.2	35.1	14.3	8.5	60.6	58.1	63.4	58.9	49.9	62.7	128.6	310.1
2000.....	53.8	34.5	14.6	9.1	60.0	54.1	59.2	54.8	48.6	60.9	122.6	310.5
1999.....	54.2	33.9	15.3	9.4	59.7	55.2	58.7	53.2	48.2	64.4	128.6	318.2
All origins 3/, male												
2006.....	84.6	44.3	14.1	8.9	97.6	98.4	94.7	103.7	82.2	89.4	179.3	393.6
2005.....	83.0	39.7	15.6	9.5	94.9	94.8	92.5	99.5	81.1	92.8	184.9	404.4
2004.....	80.3	40.4	14.7	10.1	92.8	90.8	90.8	95.7	76.8	89.9	180.9	407.1
2003.....	80.2	39.2	15.9	10.1	93.6	89.9	93.4	92.7	76.9	89.8	179.3	417.7
2002.....	79.8	37.6	16.3	10.4	95.1	89.9	93.3	89.2	75.3	92.9	180.3	414.8
2001 6/.....	79.3	38.9	16.8	10.7	93.7	90.5	93.9	88.0	73.0	89.9	183.3	429.1
2000.....	75.8	38.1	17.0	11.4	91.9	84.5	88.8	82.5	71.1	86.9	175.5	438.2
1999.....	76.2	38.3	17.3	11.8	90.8	85.7	87.7	80.1	71.5	92.9	183.6	454.8
All origins 3/, female												
2006.....	37.4	32.8	11.0	5.6	27.0	27.4	36.5	40.6	32.9	40.0	95.4	259.7
2005.....	36.7	33.8	10.5	5.9	26.8	26.9	35.4	38.2	31.1	41.1	95.9	265.3
2004.....	36.2	32.9	11.3	6.3	27.6	26.0	35.1	37.5	30.5	39.7	94.8	262.7
2003.....	35.3	29.3	11.2	5.7	27.5	25.4	34.6	35.4	29.4	40.3	93.3	262.9
2002.....	34.8	29.8	11.1	6.3	27.5	25.1	34.3	33.3	28.0	39.8	94.0	262.0
2001 6/.....	34.0	31.2	11.8	6.2	25.8	25.1	33.1	30.8	28.5	40.1	92.7	260.3
2000.....	32.5	30.8	12.1	6.7	26.5	23.3	29.9	28.1	27.9	39.4	88.1	258.5
1999.....	33.0	29.2	13.3	6.9	27.0	24.3	30.1	27.3	26.8	41.0	92.8	263.2
Hispanic, both sexes												
2006.....	41.3	30.3	11.7	6.7	62.9	50.3	48.0	50.1	44.7	47.5	87.6	157.7
2005.....	41.6	27.5	13.3	6.1	64.3	51.2	47.2	49.2	40.9	50.6	97.8	168.6
2004.....	39.8	27.7	11.6	6.6	60.1	48.7	45.9	46.6	43.5	49.2	90.0	162.7
2003.....	41.0	23.1	12.7	7.2	60.4	51.0	48.9	48.6	43.1	52.1	87.0	173.1
2002.....	40.5	23.4	14.1	6.9	61.0	48.0	48.7	46.9	42.0	52.7	94.9	170.7
2001 6/.....	41.1	26.8	13.0	6.8	58.1	50.7	52.1	48.4	42.4	54.2	91.2	193.8
2000.....	39.5	23.3	12.6	7.3	56.6	47.4	49.4	46.2	40.6	53.8	92.4	208.3
1999.....	40.1	26.2	14.3	7.5	55.8	49.3	50.5	46.5	41.4	54.5	88.3	209.1
Hispanic, male												
2006.....	62.5	34.1	13.5	8.4	99.9	77.5	73.6	76.1	70.5	69.4	118.3	204.1
2005.....	62.6	27.5	16.3	7.3	100.8	79.6	71.7	76.4	63.7	76.2	136.0	194.3
2004.....	60.0	30.4	13.5	8.0	95.1	75.3	69.8	72.1	65.4	73.2	128.8	227.0
2003.....	62.3	25.8	14.5	9.5	94.0	80.1	74.8	75.5	66.5	77.5	130.8	234.0
2002.....	61.8	27.9	17.2	8.3	95.6	75.5	74.6	72.1	66.7	81.2	134.6	262.7
2001 6/.....	62.2	26.9	15.6	8.2	90.6	78.9	81.7	74.5	65.2	79.5	135.9	264.7
2000.....	60.2	24.6	13.8	8.5	89.0	75.3	77.5	72.9	63.6	81.5	132.3	298.3
1999.....	61.5	29.0	15.8	9.4	87.0	77.8	80.1	74.4	65.9	84.6	133.0	312.7
Hispanic, female												
2006.....	18.7	26.3	9.7	4.9	21.2	17.0	19.2	23.4	20.9	29.8	66.2	133.0
2005.....	19.0	27.4	10.1	4.9	22.9	16.8	19.9	21.4	20.0	30.0	71.2	155.1
2004.....	18.3	24.8	9.7	5.3	19.9	16.7	19.4	20.9	23.5	29.9	63.2	159.9
2003.....	18.2	20.3	10.7	4.8	21.5	16.3	20.4	21.8	21.9	31.9	56.9	142.2
2002.....	17.9	18.6	10.8	5.4	20.7	15.3	20.5	21.8	19.9	30.0	67.7	125.2
2001 6/.....	18.7	26.7	10.4	5.4	20.0	17.9	20.3	22.8	22.2	34.3	61.0	159.2
2000.....	17.5	22.0	11.4	6.1	18.4	15.1	19.3	20.2	20.3	32.0	65.7	164.2
1999.....	17.6	23.3	12.7	5.5	19.3	16.3	19.0	19.3	19.8	31.0	58.6	159.1

Worktable Orig12. Death rates for 358 selected causes, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2006

[Rates per 100,000 population in specified group. Rates are based on populations enumerated as of April 1 for 2000 and estimated as of July 1 for all other years. Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to 'Detailed technical notes to the United States 2006 data-mortality']

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, and sex	All ages 1/	Under 1 year 2/	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
XX. External causes of mortality (*U01-*U03,V01-Y89)												
Non-Hispanic 4/, both sexes												
2006.....	63.8	41.0	12.7	7.4	63.2	66.7	68.5	73.8	57.5	63.6	131.8	309.4
2005.....	62.3	39.3	13.0	8.1	61.2	63.6	66.5	70.2	56.1	65.6	133.6	315.2
2004.....	60.6	39.0	13.4	8.6	61.1	61.0	65.4	67.8	53.4	63.4	131.4	312.7
2003.....	59.7	37.3	13.8	8.1	61.4	59.4	65.9	64.7	52.7	63.3	129.5	315.5
2002.....	59.1	36.3	13.6	8.7	62.2	59.7	65.5	61.8	51.1	64.3	129.6	313.0
2001 6/.....	58.1	36.9	14.6	8.9	60.8	59.3	64.5	59.5	50.1	62.9	130.0	313.6
2000.....	55.5	37.0	15.0	9.4	60.4	55.2	60.1	55.2	48.9	61.0	123.6	313.4
1999.....	55.7	35.5	15.5	9.7	60.2	56.0	59.3	53.3	48.3	64.7	129.7	321.0
Non-Hispanic 4/, male												
2006.....	88.3	47.1	14.1	9.0	96.8	103.9	98.4	106.5	82.9	90.6	182.6	403.8
2005.....	86.2	43.1	15.4	10.0	93.3	98.4	95.8	101.6	82.1	93.7	187.3	414.6
2004.....	83.5	42.8	15.0	10.5	92.0	94.4	94.0	97.6	77.4	90.7	183.5	415.4
2003.....	82.7	42.6	16.2	10.2	93.1	91.9	95.9	93.9	77.2	90.1	181.4	425.2
2002.....	82.2	39.8	16.0	10.7	94.5	92.9	95.7	90.3	75.3	93.0	181.8	420.1
2001 6/.....	81.4	41.5	17.0	11.2	93.9	92.5	94.9	88.6	73.0	90.1	185.0	434.9
2000.....	77.7	41.2	17.7	12.0	92.1	85.9	89.7	82.7	71.0	86.7	176.9	442.7
1999.....	77.8	40.5	17.5	12.2	91.2	86.7	88.1	79.8	71.2	92.9	184.9	458.8
Non-Hispanic 4/, female												
2006.....	40.4	34.6	11.3	5.8	28.1	29.7	39.3	42.4	33.9	40.7	97.1	265.6
2005.....	39.4	35.4	10.5	6.1	27.6	29.0	37.7	39.9	31.9	41.9	97.2	269.8
2004.....	38.8	35.0	11.6	6.5	29.0	27.8	37.3	39.1	31.1	40.4	96.3	266.8
2003.....	37.7	31.7	11.3	5.9	28.5	27.1	36.4	36.6	29.9	40.8	94.9	267.3
2002.....	37.1	32.7	11.1	6.5	28.7	26.9	36.0	34.3	28.6	40.4	95.0	266.8
2001 6/.....	35.9	32.1	12.1	6.4	26.8	26.3	34.7	31.4	28.8	40.3	93.9	263.1
2000.....	34.4	32.7	12.2	6.8	27.9	24.6	31.1	28.7	28.4	39.8	88.8	261.1
1999.....	34.8	30.2	13.3	7.1	28.3	25.5	31.2	27.8	27.2	41.5	93.9	265.8
Non-Hispanic white, both sexes												
2006 5/.....	65.3	33.0	10.7	6.7	59.1	64.0	70.2	74.7	57.4	64.5	136.2	324.6
2005 5/.....	63.6	32.9	11.7	7.3	57.0	60.7	67.6	70.8	56.2	65.9	136.4	328.3
2004 5/.....	62.1	32.6	12.0	7.8	58.3	57.9	66.9	68.6	53.3	63.8	134.8	327.1
2003 5/.....	60.7	30.6	12.3	7.3	57.4	55.8	66.6	64.9	52.7	63.4	132.6	329.2
2002.....	59.8	28.9	11.6	7.7	58.4	55.8	65.8	61.6	51.0	64.6	132.6	324.9
2001 6/.....	58.4	28.9	13.1	8.2	56.3	55.7	64.1	58.6	49.6	62.7	132.6	323.5
2000.....	55.2	28.4	13.0	8.9	55.6	50.6	58.9	53.7	48.3	60.3	125.5	323.5
1999.....	55.2	27.9	13.1	8.9	54.8	51.6	57.9	51.6	47.0	64.0	130.6	329.8
Non-Hispanic white, male												
2006 5/.....	88.0	37.0	11.7	7.9	87.4	96.5	98.8	105.8	81.3	91.3	188.1	422.7
2005 5/.....	85.8	35.8	14.0	9.0	84.3	90.5	95.8	100.9	80.8	93.7	190.5	431.2
2004 5/.....	83.6	37.3	13.7	9.6	85.1	86.7	94.9	97.3	75.9	90.9	187.7	432.8
2003 5/.....	82.1	34.9	14.5	9.2	84.1	83.7	95.5	92.8	76.4	90.3	185.1	442.8
2002.....	81.2	31.3	13.5	9.5	86.0	84.1	94.9	88.9	74.2	92.5	184.9	433.3
2001 6/.....	80.1	32.5	15.6	10.1	84.1	84.9	93.6	86.3	71.3	89.5	188.0	447.7
2000.....	75.5	33.3	15.6	11.2	82.0	76.8	87.1	79.3	69.1	84.9	178.8	456.7
1999.....	75.3	33.3	14.9	11.1	80.1	78.2	85.1	76.2	68.3	91.3	185.8	470.1
Non-Hispanic white, female												
2006 5/.....	43.5	28.9	9.7	5.4	29.2	31.2	41.5	44.1	34.6	41.3	100.2	278.9
2005 5/.....	42.2	29.9	9.3	5.4	28.3	30.4	39.4	41.1	32.8	41.9	99.2	281.2
2004 5/.....	41.5	27.6	10.2	5.9	30.3	28.5	38.9	40.3	31.8	40.5	98.6	279.8
2003 5/.....	40.1	26.2	10.0	5.4	29.5	27.5	37.6	37.3	30.2	40.4	97.2	279.2
2002.....	39.3	22.2	9.7	5.9	29.7	27.1	36.6	34.7	29.0	40.8	97.5	278.1
2001 6/.....	37.6	25.2	10.4	6.1	27.4	26.0	34.5	31.5	29.1	39.9	95.9	271.8
2000.....	35.8	23.2	10.2	6.4	28.2	23.9	30.7	28.5	28.7	38.6	90.4	269.7
1999.....	36.0	22.3	11.3	6.6	28.6	24.7	30.7	27.5	28.8	41.1	94.5	273.8

Worktable Orig12. Death rates for 358 selected causes, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2006

[Rates per 100,000 population in specified group. Rates are based on populations enumerated as of April 1 for 2000 and estimated as of July 1 for all other years. Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.odc.gov/nchs> and refer to 'Detailed technical notes to the United States 2006 data-mortality']

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, and sex	All ages 1/	Under 1 year 2/	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
XX. External causes of mortality (*U01-*U03,V01-Y89)												
Non-Hispanic black, both sexes												
2006 5/.....	68.2	75.2	21.2	10.7	85.8	96.4	78.8	84.2	69.3	64.3	101.5	176.5
2005 5/.....	67.2	69.3	19.1	11.1	84.3	92.8	76.5	82.0	65.8	71.9	119.6	197.2
2004 5/.....	64.0	68.0	19.7	12.0	80.2	90.8	72.3	77.5	63.6	65.7	111.2	179.0
2003 5/.....	64.5	65.6	20.8	11.3	84.2	90.7	76.2	76.5	60.8	67.8	103.9	185.9
2002.....	65.4	74.5	21.6	12.5	85.0	92.2	77.7	75.6	59.5	66.1	107.6	201.4
2001 6/.....	65.8	71.3	22.1	12.0	86.9	88.1	79.1	76.6	61.1	71.2	111.8	217.3
2000.....	65.6	73.7	23.7	12.5	88.7	87.9	78.0	74.7	59.4	73.1	109.6	215.0
1999.....	67.0	70.5	25.6	13.8	90.2	86.8	77.9	74.0	62.5	76.9	128.3	240.9
Non-Hispanic black, male												
2006 5/.....	108.0	89.4	24.0	13.8	144.9	168.6	125.0	134.6	112.6	100.3	150.2	239.1
2005 5/.....	105.3	78.5	22.0	13.9	142.2	161.5	120.2	129.7	109.7	110.5	190.5	264.5
2004 5/.....	99.5	69.0	21.6	14.7	133.7	158.1	112.1	121.3	104.4	103.0	170.6	253.0
2003 5/.....	101.0	74.5	24.5	14.5	142.0	157.0	120.2	120.7	98.8	100.3	155.0	258.9
2002.....	102.4	74.8	26.6	16.1	142.6	160.4	120.5	119.5	99.0	105.3	168.2	308.5
2001 6/.....	102.7	80.4	25.1	16.4	148.4	151.1	121.4	124.3	99.4	107.8	171.0	307.2
2000.....	102.8	75.8	26.3	16.1	149.5	151.2	123.8	121.9	98.1	115.7	169.1	320.6
1999.....	104.5	74.8	28.7	17.9	152.5	147.8	123.2	122.5	102.4	120.7	190.4	370.8
Non-Hispanic black, female												
2006 5/.....	32.0	60.5	18.3	7.4	25.2	29.7	37.9	40.9	34.5	38.6	73.8	151.0
2005 5/.....	32.4	61.6	16.0	8.3	25.3	29.4	37.8	41.1	30.5	44.3	85.0	170.0
2004 5/.....	31.7	67.0	17.8	9.3	25.8	29.2	37.1	39.9	30.8	39.1	77.8	149.8
2003 5/.....	31.4	56.4	16.9	8.0	25.8	30.3	37.3	38.5	30.2	44.7	75.1	157.6
2002.....	31.8	74.1	16.3	8.7	27.2	30.6	39.9	37.9	27.9	38.3	73.3	160.5
2001 6/.....	32.3	61.8	19.1	7.4	25.7	31.2	41.7	35.6	30.3	45.3	78.5	183.9
2000.....	31.8	71.5	21.0	8.7	28.8	30.8	37.6	34.1	28.2	43.2	76.1	175.7
1999.....	33.0	66.1	22.5	9.5	28.7	31.9	37.8	32.5	30.5	46.0	93.5	192.3

Worktable Orig12. Death rates for 358 selected causes, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2006

[Rates per 100,000 population in specified group. Rates are based on populations enumerated as of April 1 for 2000 and estimated as of July 1 for all other years. Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to 'Detailed technical notes to the United States 2006 data-mortality']

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, and sex	All ages 1/	Under 1 year 2/	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
Accidents (unintentional injuries) (V01-X59,Y85-Y86)												
All origins 3/, both sexes												
2006.....	40.6	27.8	9.9	5.6	38.2	37.0	40.2	45.5	36.2	44.5	105.1	274.9
2005.....	39.7	26.4	10.3	6.0	37.4	34.9	38.6	43.2	35.8	46.3	106.1	279.5
2004.....	38.1	25.8	10.3	6.5	37.0	32.6	37.3	40.7	33.2	44.0	103.7	276.7
2003.....	37.6	23.6	10.9	6.4	37.1	31.5	37.8	38.8	32.9	44.1	101.9	278.9
2002.....	37.0	23.5	10.5	6.6	38.0	31.5	37.2	36.6	31.4	44.2	101.3	275.4
2001.....	35.7	24.2	11.2	6.9	36.1	29.9	35.4	34.1	30.3	42.8	100.9	276.4
2000.....	34.8	23.1	11.9	7.3	36.0	29.5	34.1	32.6	30.9	41.9	95.1	273.5
1999.....	35.1	22.3	12.4	7.6	35.3	29.6	33.8	31.8	30.6	44.6	100.5	282.4
All origins 3/, male												
2006.....	53.5	31.6	11.1	6.7	56.0	55.8	56.9	65.0	51.6	60.1	135.8	337.1
2005.....	52.3	27.5	12.4	7.2	54.6	52.2	54.8	62.2	51.3	62.6	139.0	344.2
2004.....	49.8	29.0	11.8	8.0	53.3	48.5	53.0	58.6	46.9	59.2	134.7	345.5
2003.....	49.3	26.4	13.0	7.9	53.3	47.1	54.2	55.9	47.1	58.9	132.9	352.5
2002.....	48.9	26.8	12.9	8.2	54.9	47.7	53.7	53.3	45.2	60.6	131.6	346.6
2001.....	47.2	26.2	13.3	8.6	52.9	45.4	51.8	50.6	43.0	57.3	133.4	358.5
2000.....	46.2	25.7	14.0	8.8	52.1	45.0	51.0	49.0	44.1	55.9	124.3	359.7
1999.....	46.4	25.4	14.4	9.4	50.7	45.0	50.2	47.9	44.0	60.2	132.4	375.4
All origins 3/, female												
2006.....	28.1	23.8	8.6	4.4	19.4	17.6	23.4	26.6	22.0	31.3	84.1	245.8
2005.....	27.5	25.2	8.0	4.7	19.2	16.9	22.3	24.7	21.3	32.5	83.8	249.8
2004.....	26.8	22.5	8.7	5.1	19.9	16.0	21.7	23.4	20.5	31.1	82.9	245.8
2003.....	28.2	20.7	8.7	4.8	19.9	15.3	21.4	22.4	19.7	31.6	81.1	246.4
2002.....	25.6	20.0	8.1	5.0	20.1	14.9	20.8	20.5	18.6	30.6	81.2	244.6
2001.....	24.5	22.1	8.9	5.2	18.4	14.0	19.2	18.0	18.5	30.8	79.6	242.0
2000.....	23.8	20.5	9.7	5.6	19.1	13.7	17.5	16.8	18.8	30.3	76.1	238.4
1999.....	24.1	19.0	10.3	5.6	19.2	14.0	17.6	16.3	18.3	31.8	79.7	244.8
Hispanic, both sexes												
2006.....	27.2	19.5	9.7	5.1	36.1	29.7	31.6	35.6	33.2	37.6	74.9	142.8
2005.....	26.9	18.5	10.6	4.7	37.1	29.4	30.0	34.1	30.3	39.4	79.7	153.6
2004.....	25.2	17.5	9.0	5.1	33.4	27.4	29.6	31.0	30.5	37.2	74.2	160.8
2003.....	26.1	15.1	9.9	5.8	33.8	29.4	31.7	32.8	30.6	38.1	70.9	151.8
2002.....	26.1	15.2	10.9	5.4	35.5	27.6	31.7	32.0	28.7	39.5	77.4	153.0
2001.....	25.8	18.8	10.3	5.4	32.6	28.2	32.3	31.7	30.5	40.0	73.8	166.3
2000.....	25.0	15.3	10.4	5.6	31.8	27.3	31.5	30.4	28.8	38.8	72.1	184.5
1999.....	25.5	17.7	11.9	5.6	30.8	28.4	32.6	31.2	28.5	42.5	69.6	182.4
Hispanic, male												
2006.....	39.7	20.8	11.3	6.3	55.5	44.9	48.0	54.0	51.2	54.2	95.8	174.8
2005.....	39.0	18.3	13.3	5.6	55.8	44.9	44.8	52.9	46.6	58.4	106.2	168.1
2004.....	36.5	18.8	10.5	6.2	50.8	41.6	44.9	47.9	44.8	52.0	99.4	193.3
2003.....	38.3	17.4	11.9	7.5	50.7	45.5	48.0	50.6	45.3	53.3	102.4	195.5
2002.....	38.5	19.5	13.5	6.6	53.5	43.0	48.5	48.7	43.5	58.7	105.9	224.2
2001.....	37.6	18.0	12.7	6.2	49.2	43.8	50.1	48.8	45.0	54.9	105.1	198.1
2000.....	36.9	17.0	11.6	6.1	48.2	42.9	49.6	48.4	43.2	57.2	93.9	251.9
1999.....	37.7	20.7	13.5	6.8	46.2	44.1	51.3	50.2	43.5	63.3	94.9	258.8
Hispanic, female												
2006.....	13.8	18.1	8.0	3.9	14.2	11.0	13.1	16.7	16.7	24.1	60.2	125.8
2005.....	13.8	18.6	7.7	3.9	15.9	10.5	13.5	14.8	15.3	23.9	61.2	146.0
2004.....	13.1	16.2	7.5	4.0	13.5	10.2	12.6	14.0	17.5	25.4	56.8	144.0
2003.....	13.1	12.7	7.8	3.9	14.3	10.1	13.8	15.1	17.3	26.0	49.2	129.7
2002.....	12.8	10.8	8.2	4.1	14.5	9.5	13.4	15.3	15.3	24.2	57.9	117.7
2001.....	13.2	19.7	7.8	4.5	13.3	10.1	13.0	14.9	17.7	28.2	52.6	150.8
2000.....	12.4	13.5	9.2	5.2	12.5	9.2	12.2	12.8	16.0	24.4	57.4	151.3
1999.....	12.6	14.6	10.3	4.2	12.8	10.1	12.6	12.8	15.2	26.2	52.7	145.6

Worktable Orig12. Death rates for 358 selected causes, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2006

[Rates per 100,000 population in specified group. Rates are based on populations enumerated as of April 1 for 2000 and estimated as of July 1 for all other years. Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to 'Detailed technical notes to the United States 2006 data-mortality']

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, and sex	All ages 1/	Under 1 year 2/	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
Accidents (unintentional injuries) (V01-X59,Y85-Y86)												
Non-Hispanic 4/, both sexes												
2006.....	42.8	30.2	9.8	5.7	38.6	38.7	41.5	46.4	36.4	44.9	106.7	281.3
2005.....	41.8	28.5	10.2	6.3	37.4	36.0	39.9	44.0	36.1	46.7	107.5	285.1
2004.....	40.1	28.1	10.6	6.8	37.7	33.6	38.5	41.5	33.3	44.3	105.2	281.5
2003.....	39.2	25.9	11.1	6.5	37.6	31.8	38.5	39.2	32.9	44.3	103.2	283.7
2002.....	38.5	25.5	10.4	6.9	38.3	32.2	37.8	36.8	31.4	44.4	102.1	279.8
2001.....	36.9	25.4	11.3	7.2	36.6	30.1	35.6	34.0	30.0	42.8	101.9	279.8
2000.....	36.0	25.0	12.2	7.5	36.7	29.8	34.2	32.5	30.9	41.9	95.8	276.1
1999.....	36.2	23.4	12.4	7.9	36.0	29.6	33.7	31.6	30.5	44.5	101.3	285.0
Non-Hispanic 4/, male												
2006.....	55.8	34.7	10.9	6.8	55.9	58.6	58.3	66.0	51.3	60.4	137.8	345.9
2005.....	54.5	30.0	12.1	7.6	54.3	53.9	56.4	62.9	51.5	62.7	140.7	352.9
2004.....	51.9	31.8	12.1	8.4	53.7	50.1	54.2	59.4	46.8	59.5	136.4	352.5
2003.....	50.9	28.7	13.2	8.0	53.7	47.3	54.9	56.0	47.0	59.0	134.1	358.9
2002.....	50.3	28.6	12.7	8.4	55.0	48.6	54.2	53.4	44.9	60.3	132.3	351.2
2001.....	48.5	28.0	13.4	9.0	53.5	45.6	51.7	50.4	42.5	57.1	134.3	364.5
2000.....	47.3	27.7	14.5	9.4	52.7	45.2	50.8	48.6	43.8	55.5	125.2	363.1
1999.....	47.4	26.6	14.5	9.9	51.4	44.8	49.7	47.3	43.5	59.7	133.2	378.7
Non-Hispanic 4/, female												
2006.....	30.4	25.5	8.7	4.5	20.4	19.0	25.0	27.5	22.4	31.8	85.4	251.3
2005.....	29.6	26.9	8.1	4.9	19.8	18.2	23.6	25.7	21.7	33.1	85.0	254.1
2004.....	28.8	24.2	9.0	5.3	21.0	17.2	23.1	24.3	20.7	31.5	84.2	249.8
2003.....	28.1	22.9	8.9	5.0	20.9	16.3	22.4	23.0	19.8	32.0	82.6	250.6
2002.....	27.3	22.3	8.1	5.2	21.1	15.9	21.8	20.9	18.8	31.0	82.2	249.0
2001.....	26.0	22.6	9.2	5.3	19.3	14.7	19.9	18.3	18.5	30.8	80.6	244.6
2000.....	25.2	22.2	9.7	5.6	20.3	14.5	18.1	17.0	18.9	30.6	76.7	240.9
1999.....	25.5	20.0	10.2	5.9	20.2	14.6	18.0	16.5	18.5	32.0	80.6	247.5
Non-Hispanic white, both sexes												
2006 5/.....	45.7	24.3	8.9	5.3	42.5	41.8	43.6	46.5	35.4	45.1	110.2	295.9
2005 5/.....	44.4	24.5	9.8	5.9	40.7	38.6	41.7	43.9	35.2	46.5	109.4	297.2
2004 5/.....	42.8	24.1	10.2	6.4	41.5	35.7	40.3	41.5	32.5	44.3	107.9	295.2
2003 5/.....	41.6	21.6	10.7	6.2	41.1	33.5	39.8	38.7	32.2	43.9	105.5	296.5
2002.....	40.6	19.8	9.4	6.3	41.6	33.7	38.7	36.3	30.6	43.9	104.4	290.9
2001.....	38.5	20.9	10.9	6.6	39.0	31.1	35.9	32.8	29.0	42.4	103.7	289.3
2000.....	37.3	20.1	11.1	7.2	39.2	30.0	34.2	31.0	30.0	41.0	97.2	285.6
1999.....	37.2	19.0	11.1	7.4	38.1	29.9	33.5	30.0	28.9	43.3	101.7	293.3
Non-Hispanic white, male												
2006 5/.....	58.6	27.6	9.8	6.2	61.3	62.5	60.4	64.8	49.1	59.9	141.2	362.3
2005 5/.....	57.0	25.6	11.8	7.1	58.9	57.1	58.4	61.9	49.1	61.6	141.9	366.3
2004 5/.....	54.6	28.3	11.8	7.9	58.9	52.5	56.2	58.7	44.8	59.0	138.8	366.8
2003 5/.....	53.1	24.1	12.9	7.5	58.2	49.5	56.3	54.7	45.4	58.2	135.7	372.9
2002.....	52.0	23.3	11.1	7.7	59.2	50.3	55.0	52.1	43.0	58.8	133.5	361.6
2001.....	49.7	22.9	13.2	8.1	56.6	46.7	51.8	48.0	40.3	56.1	135.2	374.7
2000.....	48.1	22.9	13.4	8.9	55.9	45.2	50.4	45.8	41.6	53.6	125.2	373.8
1999.....	47.8	22.0	12.9	9.1	53.6	44.9	49.0	44.2	40.7	57.3	132.7	387.1
Non-Hispanic white, female												
2006 5/.....	33.3	20.8	8.0	4.3	22.7	20.9	26.7	28.3	22.4	32.2	88.7	264.9
2005 5/.....	32.3	23.4	7.6	4.6	21.6	19.8	25.0	26.1	22.0	33.4	87.1	265.6
2004 5/.....	31.4	19.7	8.5	4.9	23.2	18.6	24.2	24.6	20.9	31.6	86.8	263.1
2003 5/.....	30.5	19.0	8.4	4.8	23.2	17.2	23.2	22.9	19.6	31.7	85.1	262.8
2002.....	29.6	16.0	7.5	4.8	23.2	16.8	22.4	20.6	18.8	31.2	84.9	260.3
2001.....	27.8	18.7	8.5	5.0	20.7	15.2	19.9	17.9	18.3	30.7	82.8	253.8
2000.....	26.9	17.1	8.7	5.3	21.9	14.6	18.0	16.3	19.1	30.4	78.8	250.0
1999.....	27.0	15.9	9.3	5.6	22.0	14.7	17.9	15.9	17.7	31.5	81.5	255.9

Worktable Orig12. Death rates for 358 selected causes, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2006

[Rates per 100,000 population in specified group. Rates are based on populations enumerated as of April 1 for 2000 and estimated as of July 1 for all other years. Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.odc.gov/nchs> and refer to 'Detailed technical notes to the United States 2006 data-mortality']

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, and sex	All ages 1/	Under 1 year 2/	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
Accidents (unintentional injuries) (V01-X59,Y85-Y86)												
Non-Hispanic black, both sexes												
2006 5/.....	36.2	54.8	14.2	7.4	26.8	35.6	42.4	56.2	49.5	48.7	82.0	153.2
2005 5/.....	35.9	48.6	12.6	7.9	27.7	33.1	39.6	54.0	48.5	53.6	97.8	176.7
2004 5/.....	33.7	47.0	12.8	8.8	26.3	32.5	37.8	50.7	44.5	48.5	88.2	155.1
2003 5/.....	33.3	44.7	13.7	8.0	26.4	30.9	39.7	49.3	42.9	51.1	83.1	161.8
2002.....	34.0	50.1	14.6	9.4	28.4	32.5	39.9	47.6	41.9	49.7	84.6	175.4
2001.....	34.4	44.5	14.2	9.7	29.6	31.1	40.9	48.5	42.4	51.3	89.6	183.9
2000.....	34.4	46.5	16.8	9.6	29.6	33.5	40.6	47.8	41.3	53.0	85.3	183.2
1999.....	36.1	44.1	18.2	10.9	30.5	33.2	40.7	48.3	45.1	58.6	103.8	208.9
Non-Hispanic black, male												
2006 5/.....	52.5	64.1	16.3	9.1	40.2	57.6	64.1	88.1	79.8	73.9	117.3	202.5
2005 5/.....	51.3	52.3	14.1	9.8	41.2	52.4	59.3	83.8	80.9	82.3	145.2	227.4
2004 5/.....	47.9	49.2	14.4	10.6	38.5	52.0	55.6	77.9	71.9	74.1	133.2	218.5
2003 5/.....	47.4	49.0	15.9	10.1	39.8	48.4	59.4	75.8	69.0	74.9	123.8	228.0
2002.....	49.0	52.1	18.9	11.9	42.6	52.2	59.7	73.3	69.2	77.2	131.3	262.5
2001.....	49.5	50.4	15.8	13.1	44.5	48.8	61.3	78.6	68.2	74.9	138.3	256.4
2000.....	50.3	49.5	19.4	12.3	44.2	53.5	63.3	76.7	69.4	80.4	133.3	277.1
1999.....	52.3	48.5	21.8	14.3	46.4	53.0	63.0	79.4	71.8	89.6	151.0	318.5
Non-Hispanic black, female												
2006 5/.....	21.5	45.0	12.0	5.6	13.1	15.2	23.2	28.9	25.1	30.7	62.0	133.0
2005 5/.....	21.8	44.8	11.1	6.0	14.0	15.3	22.1	28.5	22.5	33.2	70.9	156.3
2004 5/.....	20.8	44.8	11.1	6.8	13.9	14.7	21.9	27.5	22.4	30.3	62.8	130.1
2003 5/.....	20.5	40.3	11.4	5.9	12.9	14.9	22.4	26.6	22.0	34.1	60.1	136.2
2002.....	20.3	48.0	10.1	6.8	14.2	14.7	22.5	25.6	20.0	30.2	58.2	142.1
2001.....	20.6	38.3	12.4	6.2	14.8	15.1	22.7	22.7	21.6	34.6	62.2	157.0
2000.....	20.1	43.3	14.2	6.7	15.1	15.5	20.5	23.0	18.7	33.7	58.4	148.3
1999.....	21.4	39.6	14.5	7.4	14.8	15.4	21.1	21.8	23.7	36.8	77.4	167.9

Worktable Orig12. Death rates for 358 selected causes, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2006

[Rates per 100,000 population in specified group. Rates are based on populations enumerated as of April 1 for 2000 and estimated as of July 1 for all other years. Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to 'Detailed technical notes to the United States 2006 data-mortality']

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, and sex	All ages 1/	Under 1 year 2/	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
Transport accidents (V01-V99,Y85)												
All origins 3/, both sexes												
2006.....	16.2	3.4	3.8	3.6	26.8	19.2	16.6	16.8	15.8	16.8	23.6	24.4
2005.....	16.3	3.6	4.0	3.8	26.8	19.0	16.6	16.7	16.2	18.0	24.3	26.1
2004.....	16.4	3.6	4.1	4.3	27.3	18.8	16.4	16.7	15.5	17.5	25.5	27.2
2003.....	16.5	3.7	4.1	4.3	27.7	18.3	17.1	16.6	15.9	17.5	26.2	29.7
2002.....	16.8	3.1	4.1	4.2	29.1	18.7	17.1	16.4	15.7	18.3	27.0	28.8
2001.....	16.6	3.7	4.4	4.4	27.9	18.8	17.4	16.0	15.3	17.9	27.9	28.9
2000.....	16.6	4.6	4.5	4.7	28.1	18.6	17.0	15.8	16.0	18.0	27.0	31.5
1999.....	16.6	5.0	4.6	4.8	27.6	18.5	16.8	15.4	16.0	19.4	28.4	32.0
All origins 3/, male												
2006.....	23.1	3.3	4.0	4.1	37.9	28.9	23.9	25.1	22.9	23.4	33.2	42.9
2005.....	23.3	3.5	4.5	4.4	37.9	28.6	24.2	24.9	23.5	25.3	34.8	46.0
2004.....	23.0	3.9	4.4	5.0	37.8	27.7	24.0	24.7	22.2	23.7	36.5	46.5
2003.....	23.3	4.0	4.5	5.2	38.6	27.3	24.8	24.3	23.0	23.7	36.6	52.0
2002.....	23.7	3.5	4.8	4.9	40.7	28.1	24.6	24.0	22.5	25.3	37.7	53.0
2001.....	23.5	3.3	5.0	5.3	39.6	28.3	25.1	23.3	21.6	24.3	39.8	52.7
2000.....	23.3	4.8	5.0	5.4	39.3	27.7	24.8	23.0	22.5	24.3	38.1	59.8
1999.....	23.1	5.2	5.1	5.8	38.1	27.2	24.0	22.4	22.5	26.1	40.7	63.5
All origins 3/, female												
2006.....	9.4	3.6	3.6	3.1	15.1	9.1	9.2	8.7	9.2	11.2	17.1	15.7
2005.....	9.5	3.6	3.5	3.2	15.1	9.1	9.1	8.8	9.4	11.8	17.1	17.0
2004.....	9.9	3.2	3.8	3.6	16.1	9.5	8.8	9.0	9.3	12.3	16.1	18.5
2003.....	10.0	3.4	3.7	3.4	16.3	9.0	9.4	9.1	9.4	12.4	19.3	19.9
2002.....	10.1	2.8	3.4	3.5	16.9	9.2	9.7	9.0	9.3	12.5	19.8	18.3
2001.....	10.0	4.2	3.8	3.5	15.6	9.2	9.8	8.9	9.4	12.7	20.1	18.9
2000.....	10.2	4.3	4.0	3.9	16.4	9.3	9.3	8.9	10.0	12.8	19.8	19.9
1999.....	10.4	4.8	4.2	3.9	16.6	9.6	9.6	8.7	10.1	14.0	20.4	19.3
Hispanic, both sexes												
2006.....	14.8	4.6	4.7	3.6	27.8	17.8	15.3	15.7	15.4	17.4	20.7	11.0
2005.....	14.9	4.7	5.3	3.6	28.4	18.3	14.9	14.9	14.3	16.3	24.1	15.4
2004.....	14.5	4.4	4.7	3.9	26.3	18.1	14.9	14.3	15.9	17.0	21.9	20.0
2003.....	15.2	4.5	4.2	4.1	26.2	19.1	16.4	15.1	15.8	18.6	23.6	24.9
2002.....	15.3	3.1	5.8	3.8	27.6	18.3	16.0	15.2	15.2	18.4	26.2	25.5
2001.....	15.6	5.3	5.3	3.8	26.0	18.8	17.3	16.4	17.9	20.2	30.1	23.8
2000.....	14.8	5.4	5.2	4.1	24.6	17.3	16.2	16.2	15.7	20.4	23.9	25.2
1999.....	14.4	5.3	5.5	3.8	23.1	17.8	15.4	15.0	15.5	22.0	25.0	25.3
Hispanic, male												
2006.....	21.7	4.6	5.3	4.3	42.0	26.5	22.4	23.0	22.7	24.2	29.4	*
2005.....	21.7	4.4	6.5	4.2	41.5	27.4	21.2	22.2	20.9	25.7	35.4	*
2004.....	21.3	*	5.4	4.6	39.3	27.0	22.2	21.6	21.6	23.9	34.7	28.0
2003.....	22.2	5.7	4.6	5.5	38.2	29.3	23.9	22.4	21.4	26.2	35.3	46.2
2002.....	22.4	*	7.1	4.6	40.4	27.5	23.9	21.6	22.1	28.5	37.3	45.2
2001.....	22.8	*	6.0	4.3	38.4	28.8	25.9	23.2	24.6	28.2	51.0	43.8
2000.....	21.6	6.1	5.6	4.5	36.1	26.4	24.1	24.1	23.5	29.5	36.4	44.3
1999.....	20.8	5.7	5.8	4.5	33.3	26.7	23.2	22.6	21.0	31.6	40.1	*
Hispanic, female												
2006.....	7.4	4.6	4.0	2.9	11.9	7.1	7.4	8.1	8.8	11.9	14.6	*
2005.....	7.6	5.0	4.1	3.1	13.6	7.2	7.7	7.5	8.3	8.6	16.3	*
2004.....	7.3	5.0	4.1	3.2	11.3	7.5	6.7	6.9	10.7	11.5	13.1	15.8
2003.....	7.6	*	3.8	2.7	12.3	7.0	8.3	7.9	10.7	12.5	15.5	*
2002.....	7.7	*	4.5	2.9	12.6	7.3	7.5	8.7	8.9	10.3	18.5	*
2001.....	8.0	6.7	4.6	3.2	11.6	7.1	8.0	9.7	12.0	13.9	16.0	*
2000.....	7.6	*	4.8	3.7	11.0	6.8	7.8	8.5	8.7	13.3	15.5	*
1999.....	7.6	*	5.2	3.1	11.0	7.6	7.0	7.7	10.6	14.5	14.9	*

Worktable Orig12. Death rates for 358 selected causes, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2006

[Rates per 100,000 population in specified group. Rates are based on populations enumerated as of April 1 for 2000 and estimated as of July 1 for all other years. Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to 'Detailed technical notes to the United States 2006 data-mortality']

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, and sex	All ages 1/	Under 1 year 2/	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
Transport accidents (V01-V99,Y85)												
Non-Hispanic 4/, both sexes												
2006.....	16.4	3.1	3.5	3.6	26.6	19.5	16.8	16.8	15.8	16.7	23.7	25.0
2005.....	16.5	3.2	3.6	3.9	26.4	19.1	16.9	16.9	16.3	18.1	24.2	26.5
2004.....	16.6	3.3	3.9	4.4	27.4	18.9	16.6	16.9	15.4	17.5	25.6	27.5
2003.....	16.7	3.5	4.0	4.3	28.0	18.0	17.2	16.6	15.8	17.3	26.3	29.8
2002.....	16.9	3.2	3.7	4.3	29.3	18.8	17.2	16.4	15.6	18.3	26.9	28.9
2001.....	16.7	3.4	4.2	4.6	28.2	18.8	17.3	15.8	15.0	17.7	27.7	29.0
2000.....	16.8	4.3	4.3	4.8	28.8	18.7	17.0	15.7	15.9	17.8	27.1	31.7
1999.....	16.9	4.9	4.4	5.0	28.4	18.5	16.9	15.4	16.0	19.2	28.3	32.2
Non-Hispanic 4/, male												
2006.....	23.3	2.9	3.5	4.1	36.9	29.5	24.1	25.3	22.8	23.2	33.3	44.2
2005.....	23.6	3.3	3.9	4.4	37.1	28.8	24.6	25.1	23.6	25.2	34.6	47.1
2004.....	23.3	3.9	4.1	5.0	37.5	27.8	24.3	24.9	22.2	23.6	36.5	47.3
2003.....	23.4	3.5	4.5	5.1	38.5	26.7	24.9	24.4	23.0	23.3	36.6	52.0
2002.....	23.8	3.4	4.2	5.0	40.6	28.1	24.6	24.1	22.4	24.9	37.5	53.2
2001.....	23.5	3.2	4.7	5.5	39.7	28.1	24.8	23.2	21.3	24.0	39.2	52.9
2000.....	23.4	4.5	4.8	5.6	39.8	27.8	24.7	22.8	22.2	23.9	38.0	60.4
1999.....	23.3	5.1	4.9	6.0	39.0	27.2	24.0	22.2	22.4	25.6	40.4	64.3
Non-Hispanic 4/, female												
2006.....	9.8	3.2	3.5	3.1	15.7	9.5	9.5	8.8	9.2	11.1	17.2	16.1
2005.....	9.8	3.2	3.3	3.3	15.3	9.5	9.3	8.9	9.5	12.1	17.2	17.1
2004.....	10.3	2.6	3.8	3.7	17.0	9.9	9.1	9.2	9.1	12.3	16.4	18.6
2003.....	10.3	3.5	3.6	3.6	17.0	9.4	9.6	9.2	9.2	12.3	19.5	20.1
2002.....	10.4	2.9	3.1	3.6	17.7	9.5	10.0	9.0	9.3	12.7	19.8	18.4
2001.....	10.2	3.6	3.6	3.6	16.3	9.5	10.0	8.8	9.1	12.5	20.2	19.1
2000.....	10.5	4.2	3.8	3.9	17.4	9.7	9.4	8.9	10.1	12.8	20.0	20.1
1999.....	10.7	4.7	3.9	4.0	17.5	10.0	9.9	8.8	10.0	13.9	20.5	19.3
Non-Hispanic white, both sexes												
2006 5/.....	16.9	2.6	3.0	3.5	28.8	19.8	17.2	17.0	15.5	16.9	24.0	26.0
2005 5/.....	17.1	2.5	3.3	3.8	28.4	19.6	17.3	17.0	16.4	18.2	24.6	27.5
2004 5/.....	17.2	2.9	3.7	4.4	29.9	19.1	17.0	16.8	15.4	17.6	26.0	28.8
2003 5/.....	17.2	3.2	3.8	4.4	30.2	18.2	17.3	16.6	15.6	17.3	26.6	30.6
2002.....	17.5	2.5	3.3	4.3	31.8	19.0	17.3	16.4	15.5	18.3	27.4	29.7
2001.....	17.0	3.1	3.8	4.4	29.9	19.0	17.4	15.6	14.7	17.6	28.3	29.9
2000.....	17.1	3.5	3.8	4.8	30.9	18.5	17.0	15.4	15.8	17.6	27.6	32.4
1999.....	17.1	4.3	3.7	5.0	30.3	18.6	16.7	15.0	15.6	19.1	28.6	32.5
Non-Hispanic white, male												
2006 5/.....	23.8	2.6	2.9	3.9	39.7	29.6	24.5	25.2	22.4	23.2	33.5	45.4
2005 5/.....	24.2	2.8	3.5	4.4	39.6	29.0	24.9	25.3	23.5	25.0	34.8	48.7
2004 5/.....	23.9	3.3	3.8	5.2	40.6	27.6	24.6	24.5	21.8	23.5	36.6	49.6
2003 5/.....	23.9	3.3	4.4	5.1	41.1	26.8	24.9	24.1	22.6	23.3	36.6	52.8
2002.....	24.3	2.9	3.6	5.0	43.6	28.1	24.6	24.0	22.0	24.5	37.5	54.0
2001.....	23.8	2.9	4.4	5.2	41.9	28.2	24.6	22.7	20.8	23.7	39.6	54.3
2000.....	23.7	3.8	4.3	5.7	42.5	27.1	24.5	22.2	21.6	23.2	38.1	62.3
1999.....	23.5	4.9	4.0	5.9	41.2	26.9	23.6	21.6	21.7	25.2	40.3	64.6
Non-Hispanic white, female												
2006 5/.....	10.2	2.6	3.2	3.1	17.2	9.8	9.9	8.9	9.0	11.3	17.5	17.0
2005 5/.....	10.3	2.3	3.2	3.2	16.6	10.1	9.7	8.9	9.6	12.3	17.5	17.8
2004 5/.....	10.7	2.4	3.6	3.6	18.6	10.4	9.3	9.2	9.3	12.5	18.8	19.5
2003 5/.....	10.7	3.0	3.2	3.7	18.8	9.5	9.7	9.2	8.9	12.1	19.8	20.8
2002.....	10.9	2.1	2.9	3.5	19.4	9.8	10.1	8.9	9.4	13.0	20.7	19.2
2001.....	10.6	3.3	3.2	3.5	17.4	9.7	10.2	8.6	9.1	12.5	20.8	19.8
2000.....	10.9	3.2	3.4	4.0	18.9	9.7	9.5	8.6	10.4	12.8	20.7	20.4
1999.....	11.0	3.6	3.4	4.0	19.1	10.2	9.9	8.6	9.9	13.9	20.9	19.7

Worktable Orig12. Death rates for 358 selected causes, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2006

[Rates per 100,000 population in specified group. Rates are based on populations enumerated as of April 1 for 2000 and estimated as of July 1 for all other years. Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.odc.gov/nchs> and refer to 'Detailed technical notes to the United States 2006 data-mortality']

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, and sex	All ages 1/	Under 1 year 2/	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
Transport accidents (V01-V99,Y85)												
Non-Hispanic black, both sexes												
2006 5/.....	15.6	4.9	5.2	4.0	19.6	22.4	17.9	18.2	19.1	15.6	20.1	15.9
2005 5/.....	15.4	5.7	4.7	4.1	20.7	20.4	17.8	18.2	17.3	18.3	20.0	16.9
2004 5/.....	15.6	5.0	5.2	4.5	20.0	21.6	17.4	19.9	17.6	16.4	21.7	15.0
2003 5/.....	15.6	4.4	5.1	4.3	20.3	20.0	18.8	18.6	18.7	18.2	22.6	21.4
2002.....	15.7	5.6	5.0	4.7	21.6	21.1	18.5	18.0	17.3	17.3	21.8	18.8
2001.....	16.3	*	5.4	5.5	22.8	20.5	19.2	19.1	18.4	18.8	21.4	17.8
2000.....	16.4	6.9	5.9	4.8	22.4	22.2	19.1	19.7	17.5	19.9	19.9	21.9
1999.....	16.7	7.7	7.1	5.6	22.7	20.6	19.5	19.2	18.5	19.5	26.0	27.8
Non-Hispanic black, male												
2006 5/.....	23.6	*	5.8	4.9	28.4	36.4	28.3	29.3	30.0	25.6	31.7	37.6
2005 5/.....	23.4	*	5.1	4.8	30.2	33.5	28.5	28.4	28.0	30.2	34.2	34.3
2004 5/.....	23.4	6.2	5.4	4.9	28.6	35.1	27.3	31.5	28.2	26.4	38.5	29.5
2003 5/.....	23.3	*	5.1	5.3	30.3	31.8	29.1	29.7	29.6	26.5	38.1	43.7
2002.....	23.6	*	6.5	5.4	31.0	34.1	28.0	28.0	28.6	28.7	40.7	47.0
2001.....	24.5	*	5.8	7.1	33.4	32.6	29.7	30.7	30.2	27.4	36.9	35.8
2000.....	24.8	7.2	6.4	5.8	32.5	35.6	30.5	30.1	29.6	32.6	36.4	45.8
1999.....	24.9	*	8.0	7.0	32.9	33.0	29.8	30.7	29.3	29.5	43.5	68.9
Non-Hispanic black, female												
2006 5/.....	8.2	*	4.6	3.1	10.5	9.4	8.7	8.7	10.3	8.5	13.6	*
2005 5/.....	8.1	6.5	4.3	3.4	11.1	8.2	8.3	9.4	8.8	9.9	11.9	10.0
2004 5/.....	8.5	*	5.0	4.0	11.3	9.3	8.7	9.9	9.2	9.2	12.2	9.2
2003 5/.....	8.5	*	5.2	3.3	10.1	9.3	9.7	9.0	9.9	12.3	13.9	12.8
2002.....	8.5	*	3.6	3.9	12.1	9.3	10.1	9.4	8.2	9.1	11.1	*
2001.....	8.9	*	5.0	3.8	12.3	9.6	9.9	9.2	9.0	12.8	12.6	11.1
2000.....	8.8	*	5.4	3.7	12.5	10.1	8.9	10.8	7.8	11.0	10.6	13.1
1999.....	9.4	9.3	6.2	4.1	12.6	9.4	10.4	9.5	9.8	12.5	16.3	12.4

Worktable Orig12. Death rates for 358 selected causes, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2006

[Rates per 100,000 population in specified group. Rates are based on populations enumerated as of April 1 for 2000 and estimated as of July 1 for all other years. Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to 'Detailed technical notes to the United States 2006 data-mortality']

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, and sex	All ages 1/	Under 1 year 2/	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
Motor vehicle accidents (V02-V04,V09.0,V09.2,V12-V14,V19.0-V19.2,V19.4-V19.6,V20-V79,V80.3-V80.5,V81.0-V81.1,V82.0-V82.1,V83-V86,V87.0-V87.8,V88.0-V88.8,V89.0,V89.2)												
All origins 3/, both sexes												
2006.....	15.1	3.4	3.6	3.3	26.0	18.2	15.3	15.3	14.3	15.4	22.3	23.4
2005.....	15.3	3.6	3.8	3.6	25.9	18.0	15.4	15.1	14.7	16.7	22.9	25.1
2004.....	15.3	3.5	4.0	4.1	26.3	17.6	15.1	15.1	14.1	16.1	24.5	26.1
2003.....	15.4	3.6	3.9	4.0	26.6	17.1	15.7	14.9	14.2	16.2	24.9	28.8
2002.....	15.7	3.0	3.9	3.9	28.2	17.8	15.8	14.8	14.1	17.0	25.7	28.0
2001.....	15.4	3.6	4.1	4.1	26.8	17.5	15.7	14.2	13.7	16.3	26.3	27.8
2000.....	15.4	4.4	4.2	4.3	26.9	17.3	15.3	14.2	14.4	16.5	25.7	30.4
1999.....	15.2	4.8	4.2	4.3	26.2	16.9	14.9	13.6	14.2	17.8	26.5	30.4
All origins 3/, male												
2006.....	21.4	3.3	3.8	3.7	36.6	27.4	21.8	22.6	20.5	21.1	30.8	41.0
2005.....	21.7	3.5	4.2	4.1	36.5	26.9	22.2	22.2	20.9	23.2	32.4	44.1
2004.....	21.3	3.8	4.2	4.7	36.4	25.8	21.9	21.9	19.8	21.3	34.7	44.2
2003.....	21.4	3.9	4.4	4.8	36.9	25.5	22.5	21.5	20.0	21.3	34.3	50.0
2002.....	21.9	3.3	4.5	4.6	39.3	26.5	22.3	21.3	19.9	22.7	35.3	51.7
2001.....	21.5	3.2	4.5	4.9	38.0	26.2	22.4	20.5	19.0	21.5	37.3	51.1
2000.....	21.3	4.6	4.7	5.0	37.4	25.5	22.0	20.4	19.8	21.7	35.6	57.5
1999.....	20.9	5.0	4.7	5.1	36.0	24.7	21.1	19.4	19.3	23.3	38.0	59.8
All origins 3/, female												
2006.....	9.0	3.5	3.4	2.9	14.7	8.7	8.8	8.2	8.5	10.6	16.5	15.2
2005.....	9.1	3.6	3.4	3.0	14.7	8.8	8.6	8.2	8.9	11.2	16.5	16.4
2004.....	9.5	3.2	3.7	3.4	15.7	9.1	8.3	8.5	8.8	11.7	17.7	17.9
2003.....	9.5	3.3	3.5	3.2	15.8	8.5	8.9	8.5	8.8	11.9	18.7	19.5
2002.....	9.8	2.8	3.3	3.3	16.6	8.8	9.3	8.6	8.9	12.3	19.3	17.7
2001.....	9.5	4.0	3.6	3.3	15.1	8.7	9.1	8.1	8.8	12.0	19.2	18.0
2000.....	9.7	4.2	3.8	3.6	15.9	8.8	8.8	8.2	9.5	12.3	19.2	19.3
1999.....	9.7	4.7	3.8	3.6	15.9	8.9	8.8	8.0	9.5	13.3	19.1	18.5
Hispanic, both sexes												
2006.....	14.2	4.6	4.6	3.4	27.2	17.2	14.3	14.6	14.7	16.5	19.4	10.6
2005.....	14.3	4.7	5.2	3.5	27.7	17.7	14.1	13.8	13.5	15.5	22.5	15.0
2004.....	13.9	4.4	4.6	3.8	25.6	17.2	13.9	13.2	14.9	16.1	21.3	19.5
2003.....	14.4	4.5	4.1	3.9	25.5	18.1	15.4	14.2	14.6	17.4	23.1	24.4
2002.....	14.6	3.1	5.6	3.6	26.6	17.6	15.2	13.9	14.3	17.9	24.4	24.9
2001.....	14.3	4.0	4.7	3.5	25.1	17.4	15.3	13.8	15.1	17.7	26.3	20.0
2000.....	13.9	5.2	4.9	3.8	23.7	16.4	14.7	15.1	14.4	18.4	22.3	22.6
1999.....	13.3	5.3	5.2	3.6	21.9	16.4	13.9	13.7	14.5	19.7	23.5	23.2
Hispanic, male												
2006.....	20.7	4.6	5.3	4.0	41.1	25.6	20.6	21.3	21.5	22.9	26.9	*
2005.....	20.7	4.4	6.3	4.0	40.3	26.3	20.2	20.4	19.4	24.6	32.1	*
2004.....	20.2	*	5.3	4.4	38.3	25.4	20.8	19.6	19.7	22.3	33.3	28.0
2003.....	21.1	5.7	4.3	5.2	37.2	27.6	22.1	20.8	19.8	24.7	34.1	46.2
2002.....	21.3	*	6.8	4.4	38.9	26.4	22.6	19.6	20.5	27.5	34.5	43.5
2001.....	21.0	*	5.3	4.0	36.9	26.8	23.1	20.2	21.2	24.6	44.3	*
2000.....	20.1	6.1	5.2	4.1	34.7	24.9	21.6	22.0	21.2	28.0	33.4	*
1999.....	19.1	5.7	5.6	4.1	31.6	24.4	20.8	20.1	19.0	27.2	37.0	*
Hispanic, female												
2006.....	7.2	4.6	3.9	2.9	11.6	6.8	7.2	7.8	8.5	11.3	14.2	*
2005.....	7.4	5.0	4.1	2.9	13.4	7.2	7.4	7.0	8.2	8.2	15.8	*
2004.....	7.1	5.0	3.9	3.2	11.1	7.3	6.4	6.7	10.5	11.2	13.1	15.1
2003.....	7.3	*	3.8	2.7	11.9	6.6	8.0	7.5	9.8	11.6	15.5	*
2002.....	7.4	*	4.4	2.7	12.4	7.2	7.3	8.2	8.7	10.2	17.4	*
2001.....	7.2	6.2	4.1	3.0	11.2	6.5	6.9	7.6	9.7	12.3	14.2	*
2000.....	7.2	*	4.6	3.6	10.6	6.5	7.3	8.3	8.4	12.4	14.9	*
1999.....	7.2	*	4.7	3.0	10.6	7.1	6.5	7.4	10.6	13.8	14.6	*

Worktable Orig12. Death rates for 358 selected causes, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2006

[Rates per 100,000 population in specified group. Rates are based on populations enumerated as of April 1 for 2000 and estimated as of July 1 for all other years. Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to 'Detailed technical notes to the United States 2006 data-mortality']

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, and sex	All ages 1/	Under 1 year 2/	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
Motor vehicle accidents (V02-V04,V09.0,V09.2,V12-V14,V19.0-V19.2,V19.4-V19.6,V20-V79,V80.3-V80.5,V81.0-V81.1,V82.0-V82.1,V83-V86,V87.0-V87.8,V88.0-V88.8,V89.0,V89.2)												
Non-Hispanic 4/, both sexes												
2006.....	15.3	3.0	3.3	3.3	25.6	18.4	15.4	15.3	14.2	15.3	22.4	24.1
2005.....	15.4	3.2	3.4	3.6	25.5	18.0	15.5	15.1	14.7	16.7	22.9	25.5
2004.....	15.5	3.2	3.8	4.1	26.4	17.6	15.2	15.2	14.0	16.1	24.6	26.3
2003.....	15.5	3.4	3.9	4.0	26.8	16.9	15.7	14.9	14.1	16.0	25.0	28.9
2002.....	15.9	3.0	3.5	4.0	28.5	17.7	15.8	14.8	14.1	16.9	25.7	28.1
2001.....	15.5	3.2	3.9	4.2	27.1	17.5	15.7	14.2	13.5	16.2	26.3	28.0
2000.....	15.6	4.2	4.1	4.4	27.5	17.4	15.4	14.1	14.4	16.3	25.8	30.6
1999.....	15.4	4.7	4.0	4.5	26.9	16.9	15.0	13.5	14.0	17.6	26.5	30.5
Non-Hispanic 4/, male												
2006.....	21.5	2.9	3.3	3.6	35.5	27.8	21.9	22.7	20.3	20.9	30.9	42.3
2005.....	21.8	3.3	3.6	4.1	35.6	27.0	22.5	22.3	20.9	23.0	32.3	45.2
2004.....	21.5	3.8	3.9	4.7	36.0	25.8	22.0	22.1	19.7	21.2	34.6	45.0
2003.....	21.4	3.4	4.3	4.7	36.7	24.9	22.5	21.4	19.9	20.9	34.2	49.9
2002.....	21.9	3.2	4.0	4.6	39.2	26.4	22.2	21.3	19.7	22.3	35.1	51.9
2001.....	21.5	3.1	4.3	5.1	38.1	25.9	22.2	20.4	18.8	21.3	36.9	51.6
2000.....	21.4	4.2	4.5	5.1	37.9	25.5	22.0	20.2	19.6	21.3	35.7	58.3
1999.....	21.0	4.8	4.4	5.2	36.7	24.6	21.1	19.2	19.1	22.9	37.7	60.7
Non-Hispanic 4/, female												
2006.....	9.3	3.1	3.3	2.9	15.3	9.1	9.0	8.2	8.5	10.5	16.6	15.6
2005.....	9.4	3.2	3.2	3.1	14.9	9.1	8.7	8.3	8.9	11.4	16.5	16.5
2004.....	9.8	2.6	3.7	3.4	16.5	9.4	8.6	8.6	8.6	11.7	17.9	18.0
2003.....	9.8	3.3	3.4	3.3	16.5	8.9	9.0	8.6	8.7	11.9	18.8	19.6
2002.....	10.1	2.9	3.0	3.4	17.4	9.1	9.5	8.6	8.9	12.4	19.4	17.8
2001.....	9.8	3.4	3.5	3.3	15.8	9.1	9.4	8.2	8.7	12.0	19.3	18.2
2000.....	10.0	4.2	3.6	3.6	16.9	9.2	8.9	8.2	9.6	12.2	19.3	19.4
1999.....	10.0	4.7	3.6	3.7	16.8	9.2	9.1	8.1	9.3	13.2	19.2	18.5
Non-Hispanic white, both sexes												
2006 5/.....	15.7	2.5	2.8	3.2	27.7	18.6	15.8	15.4	13.9	15.4	22.6	25.1
2005 5/.....	16.0	2.5	3.1	3.6	27.4	18.5	15.9	15.4	14.7	16.8	23.2	26.6
2004 5/.....	16.0	2.8	3.5	4.1	28.8	17.7	15.5	15.1	13.9	16.1	25.0	27.6
2003 5/.....	15.9	3.1	3.6	4.0	28.9	17.0	15.7	14.8	13.7	15.9	25.2	29.6
2002.....	16.3	2.4	3.0	4.0	30.8	17.8	15.8	14.8	14.0	16.9	26.2	28.9
2001.....	15.8	3.0	3.5	4.1	28.7	17.6	15.7	13.9	13.3	16.1	26.9	29.0
2000.....	15.8	3.3	3.7	4.4	29.5	17.0	15.3	13.7	14.2	16.1	26.2	31.3
1999.....	15.6	4.1	3.4	4.4	28.7	16.8	14.8	13.1	13.7	17.5	26.8	30.9
Non-Hispanic white, male												
2006 5/.....	22.0	2.6	2.7	3.4	38.1	27.8	22.2	22.6	19.8	20.8	30.9	43.6
2005 5/.....	22.4	2.8	3.2	4.1	38.2	27.1	22.7	22.5	20.7	22.7	32.5	46.7
2004 5/.....	22.0	3.3	3.6	4.8	39.1	25.5	22.2	21.7	19.3	21.0	34.8	47.1
2003 5/.....	21.8	3.2	4.2	4.7	39.1	24.9	22.4	21.1	19.4	20.9	34.3	50.7
2002.....	22.3	2.7	3.3	4.6	42.1	26.1	22.0	21.2	19.4	21.8	35.2	52.6
2001.....	21.7	2.9	3.9	4.8	40.1	25.9	21.9	19.9	18.2	21.0	37.3	53.1
2000.....	21.5	3.4	4.1	5.1	40.3	24.7	21.6	19.6	18.9	20.7	35.6	60.0
1999.....	21.1	4.7	3.6	5.1	38.8	24.2	20.6	18.5	18.5	22.6	37.6	61.2
Non-Hispanic white, female												
2006 5/.....	9.7	2.5	3.0	2.9	16.7	9.4	9.3	8.3	8.3	10.7	16.9	16.5
2005 5/.....	9.8	2.2	3.1	3.0	16.1	9.7	9.1	8.4	9.0	11.7	16.9	17.3
2004 5/.....	10.2	2.3	3.5	3.3	18.0	9.8	8.7	8.6	8.7	11.9	18.4	18.9
2003 5/.....	10.2	2.9	3.0	3.3	18.3	9.0	9.1	8.5	8.4	11.6	19.1	20.3
2002.....	10.5	2.1	2.8	3.3	19.0	9.4	9.7	8.4	8.8	12.7	20.2	18.6
2001.....	10.1	3.1	3.1	3.3	17.0	9.3	9.6	8.1	8.7	11.9	20.0	19.0
2000.....	10.3	3.2	3.2	3.6	18.4	9.3	9.0	7.9	9.8	12.3	20.0	19.8
1999.....	10.3	3.5	3.1	3.7	18.3	9.4	9.0	7.9	9.2	13.2	19.7	18.8

Worktable Orig12. Death rates for 358 selected causes, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2006

[Rates per 100,000 population in specified group. Rates are based on populations enumerated as of April 1 for 2000 and estimated as of July 1 for all other years. Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.odc.gov/nchs> and refer to 'Detailed technical notes to the United States 2006 data-mortality']

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, and sex	All ages 1/	Under 1 year 2/	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
Motor vehicle accidents (V02-V04,V09.0,V09.2,V12-V14,V19.0-V19.2,V19.4-V19.6,V20-V79,V80.3-V80.5,V81.0-V81.1,V82.0-V82.1,V83-V86,V87.0-V87.8,V88.0-V88.8,V89.0,V89.2)												
Non-Hispanic black, both sexes												
2006 5/.....	14.7	4.7	5.0	3.8	19.1	21.3	16.7	16.7	17.8	14.8	19.0	14.3
2005 5/.....	14.4	5.7	4.5	3.9	19.9	19.4	16.7	16.1	16.3	17.2	18.9	16.1
2004 5/.....	14.6	4.9	5.0	4.3	19.1	20.5	16.3	18.1	16.1	15.4	20.4	15.0
2003 5/.....	14.7	4.4	5.0	4.1	19.4	19.1	17.6	16.9	17.3	17.1	21.1	21.1
2002.....	14.8	5.4	4.9	4.3	21.0	20.3	17.2	16.3	15.7	16.0	20.2	18.5
2001.....	15.2	*	5.3	5.0	22.2	19.6	17.6	17.2	16.6	17.4	19.9	16.9
2000.....	15.5	6.9	5.6	4.5	21.6	21.1	17.6	18.3	16.3	18.4	18.8	20.7
1999.....	15.5	7.6	6.5	5.1	21.7	19.2	17.9	17.4	16.7	18.1	24.0	25.5
Non-Hispanic black, male												
2006 5/.....	22.2	*	5.7	4.6	27.7	34.5	26.2	26.4	27.6	24.0	30.3	33.9
2005 5/.....	21.8	*	4.9	4.5	28.7	32.0	26.6	24.9	26.1	27.9	32.2	33.3
2004 5/.....	21.7	*	5.2	4.7	27.0	33.0	25.2	28.5	25.3	24.7	36.2	29.5
2003 5/.....	21.7	*	5.0	4.9	28.8	30.2	27.1	26.5	26.7	24.1	35.5	42.6
2002.....	22.0	*	6.3	5.0	30.1	32.7	25.7	24.8	25.4	25.6	36.6	45.9
2001.....	22.7	*	5.6	6.5	32.4	31.0	26.9	27.5	26.8	24.2	34.8	35.8
2000.....	23.1	7.2	6.0	5.4	31.1	33.6	27.9	27.6	27.2	29.8	34.6	44.6
1999.....	22.8	*	7.0	6.2	31.5	30.7	26.9	27.5	25.8	26.8	41.3	61.8
Non-Hispanic black, female												
2006 5/.....	7.9	*	4.3	3.1	10.3	9.1	8.3	8.4	10.0	8.3	12.6	*
2005 5/.....	7.7	6.5	4.1	3.4	10.9	7.9	7.9	8.5	8.4	9.6	11.3	9.2
2004 5/.....	8.1	*	4.9	3.8	11.1	9.1	8.3	9.2	8.6	8.8	11.4	9.2
2003 5/.....	8.3	*	4.9	3.2	9.9	9.0	9.3	8.6	9.7	12.1	13.0	12.8
2002.....	8.3	*	3.5	3.6	11.9	9.1	9.7	9.0	8.0	9.1	10.9	*
2001.....	8.5	*	4.9	3.4	12.1	9.2	9.4	8.4	8.4	12.6	11.5	9.8
2000.....	8.5	*	5.2	3.6	12.3	9.8	8.5	10.2	7.5	10.4	9.9	11.8
1999.....	8.9	9.3	5.9	4.0	12.1	8.9	9.9	8.8	9.3	12.0	14.4	12.0

Worktable Orig12. Death rates for 358 selected causes, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2006

[Rates per 100,000 population in specified group. Rates are based on populations enumerated as of April 1 for 2000 and estimated as of July 1 for all other years. Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to 'Detailed technical notes to the United States 2006 data-mortality']

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, and sex	All ages 1/	Under 1 year 2/	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
Pedestrian involved in collision with motor vehicle (V02-V04)												
All origins 3/, both sexes												
2006.....	1.1	*	0.9	0.4	0.9	1.0	1.1	1.5	1.3	1.5	2.5	2.2
2005.....	1.1	*	1.1	0.4	0.9	1.0	1.2	1.4	1.2	1.7	2.4	2.4
2004.....	1.1	*	1.0	0.5	0.9	0.9	1.2	1.4	1.4	1.5	2.5	2.7
2003.....	1.2	*	1.1	0.5	1.1	1.0	1.3	1.4	1.5	1.6	2.6	2.9
2002.....	1.3	*	1.0	0.6	1.1	1.0	1.4	1.4	1.4	2.0	2.6	3.3
2001.....	1.2	*	1.1	0.7	1.0	1.0	1.4	1.4	1.4	1.6	3.0	3.0
2000.....	1.2	*	1.2	0.6	0.9	1.0	1.3	1.3	1.5	1.6	2.8	3.6
1999.....	1.2	*	1.1	0.7	0.9	1.0	1.3	1.3	1.5	1.7	2.5	3.7
All origins 3/, male												
2006.....	1.6	*	1.2	0.6	1.2	1.6	1.6	2.2	2.0	1.9	3.3	3.7
2005.....	1.6	*	1.4	0.5	1.3	1.4	1.8	2.2	1.8	2.5	3.5	3.7
2004.....	1.6	*	1.2	0.6	1.3	1.4	1.7	2.1	2.1	2.0	3.4	4.9
2003.....	1.7	*	1.4	0.7	1.5	1.5	1.9	2.1	2.2	2.3	3.3	5.7
2002.....	1.7	*	1.3	0.7	1.6	1.6	1.9	2.1	2.0	2.7	3.4	5.8
2001.....	1.8	*	1.4	0.9	1.5	1.5	2.0	2.0	2.0	2.1	4.1	5.9
2000.....	1.7	*	1.4	0.8	1.3	1.5	1.9	2.0	2.2	2.2	3.8	7.0
1999.....	1.7	*	1.2	0.8	1.4	1.5	1.9	2.0	2.2	2.3	3.7	6.5
All origins 3/, female												
2006.....	0.7	*	0.7	0.2	0.6	0.4	0.6	0.7	0.7	1.1	2.0	1.4
2005.....	0.7	*	0.9	0.4	0.5	0.5	0.6	0.7	0.7	0.9	1.6	1.7
2004.....	0.7	*	0.8	0.4	0.4	0.5	0.6	0.7	0.9	1.2	1.8	1.7
2003.....	0.7	*	0.8	0.4	0.6	0.5	0.7	0.8	0.8	1.0	2.2	1.7
2002.....	0.8	*	0.6	0.5	0.5	0.5	0.8	0.7	0.9	1.4	2.0	2.2
2001.....	0.8	*	0.8	0.4	0.5	0.4	0.8	0.8	0.7	1.1	2.2	1.8
2000.....	0.8	*	0.9	0.5	0.5	0.4	0.7	0.7	0.8	1.1	2.1	2.3
1999.....	0.7	*	1.0	0.5	0.5	0.5	0.6	0.6	0.9	1.2	1.7	2.6
Hispanic, both sexes												
2006.....	1.5	*	1.5	0.3	1.1	1.5	1.7	2.1	2.4	3.9	6.1	*
2005.....	1.7	*	1.8	0.5	1.6	1.2	1.9	2.8	2.3	3.9	6.0	*
2004.....	1.5	*	1.6	0.6	1.2	1.5	1.6	2.1	2.9	3.1	4.5	*
2003.....	1.7	*	1.3	0.4	1.4	1.6	2.5	2.1	3.4	3.8	5.9	*
2002.....	1.7	*	1.8	0.7	1.3	1.5	1.9	2.1	2.8	5.0	5.5	*
2001.....	1.9	*	1.8	0.6	1.3	1.8	2.5	2.4	3.1	4.0	7.9	*
2000.....	1.6	*	1.5	0.6	1.1	1.4	1.9	2.1	2.7	4.3	6.7	*
1999.....	1.5	*	1.9	0.5	1.2	1.5	1.5	2.2	3.0	3.7	5.6	*
Hispanic, male												
2006.....	2.2	*	2.0	*	1.6	2.5	2.5	3.3	4.1	5.2	8.2	*
2005.....	2.5	*	2.2	0.6	2.5	1.8	2.8	4.4	3.5	6.9	9.0	*
2004.....	2.2	*	2.0	0.7	2.0	2.3	2.5	3.3	4.2	4.6	7.5	*
2003.....	2.6	*	1.6	0.6	2.2	2.5	4.0	3.3	4.9	5.7	+	*
2002.....	2.6	+	2.4	0.9	2.1	2.2	3.0	3.7	4.4	8.6	9.8	*
2001.....	2.8	+	2.2	0.7	2.0	3.0	4.0	3.9	4.9	6.0	10.7	*
2000.....	2.3	*	1.5	0.6	1.7	2.3	2.8	3.3	4.4	6.3	10.3	*
1999.....	2.2	*	2.1	0.6	2.0	2.4	2.1	3.6	4.3	5.7	+	*
Hispanic, female												
2006.....	0.7	*	*	*	0.6	*	0.7	0.9	*	2.8	4.6	*
2005.....	0.8	*	1.3	*	*	*	0.9	1.1	*	*	*	*
2004.....	0.8	*	1.2	*	*	*	0.7	*	1.8	*	*	*
2003.....	0.8	*	*	*	*	*	0.9	*	2.0	*	*	*
2002.....	0.8	*	*	*	*	0.6	0.7	*	*	*	*	*
2001.....	0.9	*	1.4	*	*	*	1.0	*	*	*	6.0	*
2000.....	0.9	*	1.4	*	*	*	0.9	*	*	*	*	*
1999.....	0.8	*	1.6	*	*	*	0.8	*	*	*	*	*

Worktable Orig12. Death rates for 358 selected causes, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2006

[Rates per 100,000 population in specified group. Rates are based on populations enumerated as of April 1 for 2000 and estimated as of July 1 for all other years. Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to 'Detailed technical notes to the United States 2006 data-mortality']

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, and sex	All ages 1/	Under 1 year 2/	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
Pedestrian involved in collision with motor vehicle (V02-V04)												
Non-Hispanic 4/, both sexes												
2006.....	1.0	*	0.8	0.4	0.8	0.9	1.0	1.4	1.2	1.3	2.3	2.1
2005.....	1.0	*	0.9	0.4	0.8	0.9	1.1	1.3	1.1	1.5	2.2	2.2
2004.....	1.1	*	0.8	0.5	0.8	0.8	1.1	1.3	1.3	1.4	2.3	2.7
2003.....	1.1	*	1.1	0.6	1.0	0.9	1.1	1.3	1.3	1.4	2.5	2.8
2002.....	1.2	*	0.8	0.5	1.0	0.9	1.3	1.3	1.3	1.8	2.4	3.1
2001.....	1.1	*	0.9	0.7	0.9	0.8	1.2	1.3	1.2	1.4	2.7	3.0
2000.....	1.2	*	1.1	0.6	0.8	0.9	1.2	1.3	1.4	1.4	2.6	3.4
1999.....	1.2	*	0.9	0.7	0.9	0.9	1.2	1.2	1.4	1.5	2.3	3.6
Non-Hispanic 4/, male												
2006.....	1.5	*	1.0	0.6	1.1	1.3	1.4	2.1	1.8	1.7	3.0	3.5
2005.....	1.4	*	1.1	0.5	1.0	1.3	1.6	1.9	1.6	2.2	3.2	3.5
2004.....	1.5	*	1.0	0.6	1.1	1.2	1.6	2.0	1.9	1.8	3.2	4.9
2003.....	1.6	*	1.4	0.7	1.3	1.2	1.5	1.9	2.0	2.0	3.0	5.4
2002.....	1.6	*	1.1	0.6	1.4	1.4	1.7	1.9	1.8	2.3	3.0	5.5
2001.....	1.6	*	1.2	0.9	1.4	1.2	1.7	1.8	1.8	1.8	3.8	5.7
2000.....	1.6	*	1.4	0.8	1.2	1.3	1.7	1.9	2.0	1.9	3.5	6.5
1999.....	1.6	*	1.0	0.8	1.3	1.3	1.9	1.8	2.0	2.0	3.5	6.4
Non-Hispanic 4/, female												
2006.....	0.7	*	0.6	0.2	0.6	0.4	0.6	0.7	0.7	0.9	1.8	1.4
2005.....	0.7	*	0.7	0.4	0.5	0.5	0.6	0.7	0.6	0.9	1.5	1.6
2004.....	0.7	*	0.6	0.3	0.5	0.4	0.6	0.6	0.8	1.1	1.8	1.7
2003.....	0.7	*	0.8	0.4	0.6	0.5	0.6	0.7	0.6	0.9	2.1	1.7
2002.....	0.8	*	0.5	0.5	0.5	0.5	0.8	0.7	0.8	1.3	2.0	2.0
2001.....	0.7	*	0.6	0.4	0.5	0.4	0.7	0.8	0.7	1.0	2.0	1.8
2000.....	0.7	*	0.8	0.5	0.5	0.5	0.7	0.6	0.8	1.0	2.0	2.1
1999.....	0.7	*	0.8	0.6	0.5	0.5	0.6	0.6	0.8	1.1	1.6	2.5
Non-Hispanic white, both sexes												
2006 5/.....	1.0	*	0.6	0.3	0.8	0.8	0.9	1.2	1.0	1.2	2.1	1.9
2005 5/.....	0.9	*	0.9	0.4	0.7	0.8	1.0	1.1	1.0	1.3	2.0	2.2
2004 5/.....	1.0	*	0.7	0.4	0.8	0.7	1.0	1.1	1.2	1.3	2.2	2.6
2003 5/.....	1.0	*	1.0	0.5	1.0	0.8	0.9	1.1	1.2	1.2	2.3	2.8
2002.....	1.1	*	0.6	0.5	0.9	0.8	1.0	1.1	1.2	1.6	2.2	2.9
2001.....	1.0	*	0.8	0.6	0.9	0.7	1.0	1.1	1.1	1.2	2.5	2.9
2000.....	1.0	*	0.9	0.6	0.9	0.8	1.0	1.1	1.2	1.3	2.5	3.1
1999.....	1.0	*	0.7	0.6	0.9	0.7	1.0	1.0	1.2	1.3	2.2	3.4
Non-Hispanic white, male												
2006 5/.....	1.3	*	0.7	0.5	1.1	1.2	1.2	1.8	1.5	1.6	2.6	3.0
2005 5/.....	1.3	*	1.0	0.4	0.9	1.1	1.4	1.6	1.4	1.9	2.8	3.4
2004 5/.....	1.4	*	0.9	0.5	1.1	1.0	1.5	1.7	1.6	1.6	2.9	4.6
2003 5/.....	1.4	*	1.3	0.6	1.3	1.1	1.2	1.6	1.9	1.7	2.7	5.1
2002.....	1.4	*	0.8	0.5	1.4	1.3	1.4	1.6	1.6	2.0	2.7	5.0
2001.....	1.4	*	1.1	0.8	1.3	1.1	1.4	1.5	1.5	1.6	3.5	5.3
2000.....	1.4	*	1.1	0.7	1.1	1.1	1.3	1.6	1.7	1.6	3.1	5.7
1999.....	1.4	*	0.7	0.7	1.2	1.1	1.4	1.5	1.7	1.8	3.1	5.8
Non-Hispanic white, female												
2006 5/.....	0.6	*	0.5	0.2	0.6	0.4	0.5	0.6	0.6	0.8	1.8	1.4
2005 5/.....	0.6	*	0.8	0.3	0.5	0.5	0.5	0.6	0.6	0.8	1.4	1.6
2004 5/.....	0.7	*	0.6	0.3	0.4	0.4	0.6	0.5	0.8	1.1	1.8	1.7
2003 5/.....	0.7	*	0.7	0.4	0.6	0.4	0.6	0.6	0.6	0.8	2.0	1.8
2002.....	0.7	*	0.4	0.4	0.5	0.4	0.7	0.6	0.7	1.2	1.9	1.9
2001.....	0.7	*	0.4	0.3	0.5	0.4	0.6	0.7	0.7	0.9	1.8	1.9
2000.....	0.7	*	0.6	0.4	0.6	0.4	0.6	0.5	0.7	1.0	2.1	2.1
1999.....	0.7	*	0.8	0.5	0.5	0.4	0.5	0.5	0.7	1.0	1.5	2.5

Worktable Orig12. Death rates for 358 selected causes, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2006

[Rates per 100,000 population in specified group. Rates are based on populations enumerated as of April 1 for 2000 and estimated as of July 1 for all other years. Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.odc.gov/nchs> and refer to 'Detailed technical notes to the United States 2006 data-mortality']

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, and sex	All ages 1/	Under 1 year 2/	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
Pedestrian involved in collision with motor vehicle (V02-V04)												
Non-Hispanic black, both sexes												
2006 5/.....	1.5	*	1.6	0.8	0.9	1.2	1.7	2.4	2.5	1.5	2.7	*
2005 5/.....	1.4	*	1.0	0.9	1.0	1.3	1.6	2.6	1.7	1.9	*	*
2004 5/.....	1.4	*	1.1	0.7	0.8	1.1	1.5	2.6	2.3	1.5	2.4	*
2003 5/.....	1.6	*	1.6	0.9	1.0	1.3	2.1	2.3	1.9	2.4	2.6	*
2002.....	1.6	*	1.2	0.8	1.2	1.4	2.2	2.4	2.0	2.4	3.0	*
2001.....	1.7	*	1.6	1.1	1.1	1.1	2.5	2.6	2.3	2.0	2.7	*
2000.....	1.7	*	1.9	1.0	0.8	1.3	2.5	2.5	2.5	2.2	2.6	*
1999.....	1.9	*	1.7	1.2	1.0	1.6	2.8	2.3	2.7	2.3	2.7	*
Non-Hispanic black, male												
2006 5/.....	2.1	*	2.0	1.2	1.2	1.8	2.1	3.8	3.8	*	*	*
2005 5/.....	2.2	*	*	1.0	1.2	2.1	2.6	4.0	3.2	3.6	*	*
2004 5/.....	2.1	*	*	0.9	1.2	1.8	2.2	4.3	4.2	*	*	*
2003 5/.....	2.3	*	1.9	1.1	1.3	1.8	3.3	3.8	3.1	4.9	*	*
2002.....	2.4	*	1.6	0.9	1.7	2.2	3.2	4.0	3.4	3.8	6.2	*
2001.....	2.5	*	1.8	1.7	1.5	1.6	3.7	3.8	4.3	3.1	*	*
2000.....	2.6	*	2.3	1.3	1.4	2.0	3.8	3.9	4.1	4.3	*	*
1999.....	2.9	*	2.1	1.4	1.4	2.6	4.6	4.2	4.7	3.9	*	*
Non-Hispanic black, female												
2006 5/.....	0.9	*	*	*	*	*	1.3	1.2	1.4	*	*	*
2005 5/.....	0.8	*	*	0.7	0.7	*	0.8	1.4	*	*	*	*
2004 5/.....	0.8	*	*	*	*	*	1.0	1.1	*	*	*	*
2003 5/.....	0.9	*	*	0.7	0.7	0.8	1.0	1.0	*	*	*	*
2002.....	0.9	*	*	0.7	0.7	0.7	1.3	1.1	*	*	*	*
2001.....	1.0	*	*	*	*	*	1.5	1.5	*	*	*	*
2000.....	0.9	*	*	0.7	*	*	1.4	1.2	*	*	*	*
1999.....	0.9	*	*	1.0	*	*	1.2	*	*	*	*	*

Worktable Orig12. Death rates for 358 selected causes, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2006

[Rates per 100,000 population in specified group. Rates are based on populations enumerated as of April 1 for 2000 and estimated as of July 1 for all other years. Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to 'Detailed technical notes to the United States 2006 data-mortality']

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, and sex	All ages 1/	Under 1 year 2/	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
Motorcyclist involved in any accident except collision with railway train (V20-V24,V26-V34,V36-V39)												
Non-Hispanic 4/, both sexes												
2006.....	1.7	*	*	0.1	2.4	2.8	2.6	2.5	1.8	0.8	0.3	*
2005.....	1.6	*	*	0.1	2.2	2.6	2.4	2.2	1.7	0.8	0.3	*
2004.....	1.5	*	*	0.1	2.0	2.4	2.2	2.2	1.3	0.6	0.3	*
2003.....	1.4	*	*	0.1	1.9	2.2	2.1	2.0	1.3	0.5	0.2	*
2002.....	1.2	*	*	0.1	1.6	2.1	1.9	1.8	1.1	0.4	0.2	*
2001.....	1.1	*	*	0.1	1.7	2.2	1.8	1.5	0.8	0.4	0.2	*
2000.....	1.1	*	*	0.1	1.6	2.0	1.7	1.3	0.8	0.4	*	*
1999.....	0.9	*	*	0.1	1.4	1.7	1.4	1.1	0.7	0.3	*	*
Non-Hispanic 4/, male												
2006.....	3.2	*	*	*	4.3	5.3	4.6	4.6	3.5	1.6	0.7	*
2005.....	2.9	*	*	0.2	4.1	4.9	4.2	3.9	3.1	1.7	0.6	*
2004.....	2.7	*	*	0.3	3.7	4.4	3.9	4.0	2.5	1.2	0.5	*
2003.....	2.5	*	*	0.2	3.3	4.1	3.8	3.5	2.4	1.1	0.4	*
2002.....	2.2	*	*	0.1	3.0	3.9	3.3	3.2	2.0	0.9	0.4	*
2001.....	2.1	*	*	0.2	3.1	4.0	3.2	2.7	1.5	0.7	*	*
2000.....	2.0	*	*	0.1	2.9	3.7	3.0	2.4	1.5	0.8	*	*
1999.....	1.7	*	*	0.1	2.5	3.1	2.5	1.9	1.4	0.6	*	*
Non-Hispanic 4/, female												
2006.....	0.3	*	*	*	0.4	0.4	0.6	0.5	0.2	*	*	*
2005.....	0.3	*	*	*	0.3	0.4	0.7	0.5	0.3	*	*	*
2004.....	0.3	*	*	*	0.3	0.4	0.6	0.5	0.3	*	*	*
2003.....	0.3	*	*	*	0.3	0.4	0.5	0.5	0.2	*	*	*
2002.....	0.2	*	*	*	0.2	0.3	0.4	0.4	0.2	*	*	*
2001.....	0.2	*	*	*	0.2	0.4	0.5	0.3	*	*	*	*
2000.....	0.2	*	*	*	0.2	0.3	0.4	0.3	0.2	*	*	*
1999.....	0.2	*	*	*	0.2	0.2	0.3	0.3	*	*	*	*
Non-Hispanic white, both sexes												
2006 5/.....	1.9	*	*	0.1	2.7	2.9	2.8	2.9	2.0	0.9	0.3	*
2005 5/.....	1.7	*	*	0.1	2.5	2.6	2.6	2.6	1.9	0.9	0.3	*
2004 5/.....	1.6	*	*	0.2	2.3	2.4	2.4	2.6	1.5	0.7	0.3	*
2003 5/.....	1.5	*	*	0.1	2.1	2.2	2.3	2.3	1.4	0.6	0.2	*
2002.....	1.3	*	*	0.1	1.8	2.1	2.1	2.0	1.2	0.4	0.2	*
2001.....	1.2	*	*	0.1	1.8	2.2	2.1	1.7	0.9	0.4	*	*
2000.....	1.1	*	*	0.1	1.7	1.9	1.9	1.5	0.9	0.4	*	*
1999.....	1.0	*	*	0.1	1.4	1.6	1.6	1.3	0.8	0.3	*	*
Non-Hispanic white, male												
2006 5/.....	3.5	*	*	*	4.8	5.3	4.8	5.2	3.9	1.7	0.7	*
2005 5/.....	3.2	*	*	0.2	4.6	4.7	4.4	4.6	3.4	1.9	0.6	*
2004 5/.....	2.9	*	*	0.3	4.1	4.4	4.2	4.5	2.8	1.4	0.5	*
2003 5/.....	2.7	*	*	0.2	3.7	3.8	3.9	4.1	2.6	1.3	0.5	*
2002.....	2.4	*	*	*	3.3	3.8	3.7	3.7	2.2	0.9	*	*
2001.....	2.3	*	*	0.2	3.3	3.9	3.5	3.0	1.6	0.8	*	*
2000.....	2.1	*	*	0.2	3.1	3.5	3.2	2.7	1.6	0.9	*	*
1999.....	1.7	*	*	0.2	2.7	2.9	2.7	2.2	1.5	0.6	*	*
Non-Hispanic white, female												
2006 5/.....	0.4	*	*	*	0.4	0.5	0.7	0.6	0.3	*	*	*
2005 5/.....	0.4	*	*	*	0.3	0.5	0.8	0.6	0.4	*	*	*
2004 5/.....	0.3	*	*	*	0.4	0.4	0.7	0.7	0.3	*	*	*
2003 5/.....	0.3	*	*	*	0.4	0.4	0.7	0.6	0.3	*	*	*
2002.....	0.3	*	*	*	0.2	0.4	0.5	0.4	0.2	*	*	*
2001.....	0.3	*	*	*	0.2	0.4	0.6	0.4	*	*	*	*
2000.....	0.2	*	*	*	0.2	0.3	0.5	0.4	*	*	*	*
1999.....	0.2	*	*	*	0.2	0.3	0.4	0.3	*	*	*	*

Worktable Orig12. Death rates for 358 selected causes, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2006

[Rates per 100,000 population in specified group. Rates are based on populations enumerated as of April 1 for 2000 and estimated as of July 1 for all other years. Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to 'Detailed technical notes to the United States 2006 data-mortality']

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, and sex	All ages 1/	Under 1 year 2/	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
Occupant of motor vehicle involved in collision with other (non-motorized) road vehicle, streetcar, animal or pedestrian (V40-V41,V46-V47,V50-V51,V56-V57,V60-V61,V66-V67,V70-V71,V76-V77)												
All origins 3/, both sexes												
2006.....	1.4	*	0.2	0.2	3.7	1.9	1.4	1.2	0.9	1.1	1.3	1.4
2005.....	1.5	*	0.1	0.2	3.7	2.0	1.4	1.2	1.0	1.1	1.3	1.3
2004.....	1.6	*	0.2	0.2	4.1	2.1	1.5	1.2	1.1	1.2	1.6	1.2
2003.....	1.7	*	0.2	0.3	4.2	2.3	1.6	1.4	1.1	1.3	1.6	1.9
2002.....	1.8	*	0.2	0.3	4.5	2.3	1.7	1.4	1.3	1.2	1.6	1.5
2001.....	1.5	*	0.1	0.2	3.8	2.0	1.4	1.2	0.9	1.1	1.6	1.7
2000.....	1.4	*	0.2	0.2	3.5	1.7	1.4	1.0	1.0	1.2	1.4	1.7
1999.....	1.4	*	0.1	0.2	3.3	1.8	1.3	1.0	1.0	1.2	1.5	1.2
All origins 3/, male												
2006.....	2.1	*	*	0.2	5.5	2.9	2.0	1.9	1.4	1.5	1.8	2.4
2005.....	2.2	*	*	0.2	5.5	3.1	2.0	1.8	1.5	1.7	2.0	2.3
2004.....	2.4	*	*	0.3	6.0	3.1	2.3	1.8	1.7	1.8	2.5	1.9
2003.....	2.6	*	*	0.4	6.3	3.6	2.4	2.1	1.7	1.9	2.3	3.7
2002.....	2.6	*	*	0.3	6.7	3.6	2.5	1.9	2.0	1.7	2.2	3.2
2001.....	2.2	*	*	0.2	5.6	3.0	2.2	1.8	1.5	1.5	2.5	3.1
2000.....	2.0	*	*	0.2	5.2	2.7	2.0	1.5	1.4	1.6	2.1	3.0
1999.....	2.0	*	*	0.3	4.9	2.8	1.9	1.6	1.4	1.8	2.3	2.5
All origins 3/, female												
2006.....	0.8	*	*	0.2	1.8	0.8	0.8	0.6	0.5	0.7	1.0	0.9
2005.....	0.7	*	*	0.2	1.8	0.8	0.8	0.6	0.5	0.6	0.9	0.8
2004.....	0.8	*	*	0.2	2.1	1.0	0.7	0.6	0.6	0.8	1.0	0.9
2003.....	0.9	*	0.3	0.2	2.0	1.1	0.8	0.8	0.5	0.9	1.1	1.1
2002.....	0.9	*	*	0.3	2.3	0.9	0.9	0.8	0.6	0.8	1.2	0.8
2001.....	0.8	*	*	0.2	1.9	0.9	0.7	0.6	0.4	0.7	1.1	1.2
2000.....	0.8	*	*	0.2	1.6	0.8	0.8	0.6	0.6	0.8	0.9	1.2
1999.....	0.7	*	*	0.2	1.7	0.7	0.7	0.5	0.6	0.8	1.0	0.7
Hispanic, both sexes												
2006.....	1.3	*	*	*	3.5	1.7	1.1	0.9	*	*	*	*
2005.....	1.5	*	*	*	4.2	2.2	1.2	0.7	*	*	*	*
2004.....	1.6	*	*	*	4.3	2.0	1.6	0.9	*	*	*	*
2003.....	1.7	*	*	0.4	4.4	2.2	1.4	1.1	*	*	*	*
2002.....	1.8	*	*	*	4.4	2.6	1.6	1.0	*	*	*	*
2001.....	1.6	*	*	*	3.7	2.1	1.4	1.4	1.1	*	*	*
2000.....	1.3	*	*	*	3.2	1.6	1.1	1.0	*	*	*	*
1999.....	1.3	*	*	*	3.1	1.8	1.3	0.9	*	*	*	*
Hispanic, male												
2006.....	2.0	*	*	*	5.8	2.6	1.7	1.5	*	*	*	*
2005.....	2.3	*	*	*	6.5	3.4	1.9	0.9	*	*	*	*
2004.....	2.5	*	*	*	6.8	3.1	2.4	1.6	*	*	*	*
2003.....	2.6	*	*	0.6	6.9	3.4	2.0	1.6	*	*	*	*
2002.....	2.8	*	*	*	6.9	4.2	2.6	1.2	*	*	*	*
2001.....	2.4	*	*	*	5.7	3.2	2.2	2.1	*	*	*	*
2000.....	1.9	*	*	*	4.8	2.6	1.5	1.4	*	*	*	*
1999.....	2.1	*	*	*	4.8	2.9	2.1	1.4	*	*	*	*
Hispanic, female												
2006.....	0.5	*	*	*	0.9	0.6	*	*	*	*	*	*
2005.....	0.6	*	*	*	1.6	0.8	*	*	*	*	*	*
2004.....	0.6	*	*	*	1.4	0.8	0.7	*	*	*	*	*
2003.....	0.6	*	*	*	1.5	0.7	*	*	*	*	*	*
2002.....	0.7	*	*	*	1.5	0.8	*	*	*	*	*	*
2001.....	0.7	*	*	*	1.4	0.8	*	*	*	*	*	*
2000.....	0.6	*	*	*	1.3	*	*	*	*	*	*	*
1999.....	0.5	*	*	*	1.1	*	*	*	*	*	*	*

Worktable Orig12. Death rates for 358 selected causes, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2006

[Rates per 100,000 population in specified group. Rates are based on populations enumerated as of April 1 for 2000 and estimated as of July 1 for all other years. Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to 'Detailed technical notes to the United States 2006 data-mortality']

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, and sex	All ages 1/	Under 1 year 2/	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
Occupant of motor vehicle involved in collision with other (non-motorized) road vehicle, streetcar, animal or pedestrian (V40-V41,V46-V47,V50-V51,V56-V57,V60-V61,V66-V67,V70-V71,V76-V77)												
Non-Hispanic 4/, both sexes												
2006.....	1.5	*	0.2	0.2	3.7	1.9	1.4	1.2	1.0	1.1	1.4	1.4
2005.....	1.5	*	*	0.2	3.6	1.9	1.4	1.2	1.1	1.2	1.3	1.3
2004.....	1.6	*	*	0.2	4.1	2.1	1.5	1.2	1.2	1.3	1.7	1.2
2003.....	1.7	*	0.2	0.3	4.2	2.4	1.6	1.5	1.1	1.4	1.6	1.9
2002.....	1.7	*	0.2	0.3	4.5	2.2	1.7	1.4	1.3	1.2	1.6	1.6
2001.....	1.5	*	*	0.2	3.8	1.9	1.4	1.2	0.9	1.1	1.6	1.7
2000.....	1.4	*	0.2	0.2	3.5	1.7	1.5	1.0	1.0	1.2	1.4	1.8
1999.....	1.4	*	*	0.2	3.4	1.8	1.3	1.1	1.0	1.2	1.5	1.2
Non-Hispanic 4/, male												
2006.....	2.1	*	*	0.2	5.4	2.9	2.0	1.9	1.4	1.6	1.9	2.6
2005.....	2.2	*	*	0.2	5.3	3.1	2.0	1.9	1.6	1.8	2.0	2.4
2004.....	2.3	*	*	0.2	5.8	3.1	2.3	1.8	1.8	1.8	2.7	2.0
2003.....	2.5	*	*	0.3	6.1	3.6	2.4	2.1	1.8	1.9	2.4	3.7
2002.....	2.6	*	*	0.3	6.6	3.4	2.5	2.0	2.0	1.8	2.3	3.3
2001.....	2.2	*	0.2	0.2	5.6	3.0	2.1	1.8	1.5	1.5	2.5	3.0
2000.....	2.1	*	0.2	0.2	5.3	2.7	2.1	1.5	1.4	1.7	2.1	3.1
1999.....	2.0	*	*	0.3	4.8	2.8	1.9	1.6	1.5	1.8	2.4	2.5
Non-Hispanic 4/, female												
2006.....	0.8	*	*	0.2	2.0	0.9	0.9	0.6	0.5	0.7	1.0	0.9
2005.....	0.8	*	*	0.2	1.8	0.8	0.8	0.6	0.5	0.6	0.9	0.8
2004.....	0.9	*	*	0.2	2.3	1.0	0.7	0.7	0.6	0.8	1.0	0.8
2003.....	0.9	*	0.2	2.1	1.2	0.8	0.8	0.6	0.6	0.9	1.1	1.1
2002.....	1.0	*	0.3	2.4	1.0	1.0	0.8	0.6	0.6	0.8	1.1	0.8
2001.....	0.8	*	0.2	2.0	0.9	0.7	0.6	0.4	0.4	0.7	1.0	1.2
2000.....	0.8	*	0.2	1.6	0.8	0.9	0.6	0.6	0.6	0.8	0.9	1.3
1999.....	0.7	*	0.2	1.9	0.8	0.7	0.5	0.7	0.8	0.8	0.9	0.7
Non-Hispanic white, both sexes												
2006 5/.....	1.5	*	*	0.2	4.0	1.9	1.5	1.2	0.9	1.1	1.4	1.4
2005 5/.....	1.5	*	*	0.2	3.9	2.0	1.4	1.3	1.1	1.1	1.4	1.4
2004 5/.....	1.6	*	*	0.2	4.4	2.0	1.5	1.2	1.1	1.3	1.7	1.2
2003 5/.....	1.8	*	0.3	4.5	2.5	1.7	1.4	1.1	1.1	1.3	1.7	2.0
2002.....	1.8	*	0.3	4.8	2.2	1.8	1.4	1.2	1.2	1.2	1.7	1.7
2001.....	1.5	*	0.2	3.8	1.9	1.4	1.1	0.9	1.1	1.1	1.6	1.9
2000.....	1.4	*	0.2	3.6	1.7	1.5	1.0	1.0	1.1	1.1	1.4	1.9
1999.....	1.3	*	0.2	3.5	1.7	1.3	1.0	1.0	1.2	1.2	1.5	1.2
Non-Hispanic white, male												
2006 5/.....	2.2	*	*	0.2	5.8	2.9	2.0	1.9	1.4	1.6	2.0	2.4
2005 5/.....	2.2	*	0.2	5.6	3.1	2.0	1.9	1.6	1.6	1.7	2.1	2.6
2004 5/.....	2.4	*	0.3	6.3	3.0	2.3	1.9	1.6	1.6	1.7	2.7	2.2
2003 5/.....	2.6	*	0.4	6.6	3.6	2.6	2.0	1.7	1.8	1.8	2.4	3.9
2002.....	2.6	*	0.3	6.9	3.4	2.5	1.9	1.9	1.9	1.6	2.3	3.3
2001.....	2.2	*	0.2	5.6	2.9	2.1	1.7	1.5	1.5	1.5	2.5	3.2
2000.....	2.0	*	0.2	5.4	2.5	2.1	1.4	1.3	1.5	1.5	2.0	3.3
1999.....	2.0	*	0.3	4.9	2.7	1.9	1.5	1.4	1.7	1.7	2.4	2.5
Non-Hispanic white, female												
2006 5/.....	0.8	*	*	0.2	2.2	0.9	1.0	0.6	0.5	0.7	1.0	1.0
2005 5/.....	0.8	*	0.2	2.0	0.9	0.9	0.7	0.6	0.6	0.6	0.9	0.8
2004 5/.....	0.9	*	0.2	2.4	1.1	0.7	0.6	0.6	0.6	0.9	1.1	0.8
2003 5/.....	1.0	*	0.2	2.4	1.3	0.9	0.8	0.6	0.6	0.9	1.2	1.2
2002.....	1.0	*	0.3	2.7	1.0	1.0	0.8	0.6	0.6	0.9	1.2	0.9
2001.....	0.8	*	0.2	2.0	0.9	0.7	0.6	0.4	0.8	1.1	1.3	1.3
2000.....	0.8	*	0.2	1.8	0.9	0.9	0.5	0.6	0.6	0.8	0.9	1.3
1999.....	0.7	*	0.2	1.9	0.8	0.7	0.5	0.6	0.8	0.9	0.9	*

Worktable Orig12. Death rates for 358 selected causes, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2006

[Rates per 100,000 population in specified group. Rates are based on populations enumerated as of April 1 for 2000 and estimated as of July 1 for all other years. Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to 'Detailed technical notes to the United States 2006 data-mortality']

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, and sex	All ages 1/	Under 1 year 2/	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
Occupant of motor vehicle involved in collision with other (non-motorized) road vehicle, streetcar, animal or pedestrian (V40-V41,V46-V47,V50-V51,V56-V57,V60-V61,V66-V67,V70-V71,V76-V77)												
Non-Hispanic black, both sexes												
2006 5/.....	1.6	*	*	*	2.9	2.5	1.7	1.6	1.2	*	*	*
2005 5/.....	1.5	*	*	*	3.0	2.1	1.5	1.3	1.3	1.8	*	*
2004 5/.....	1.7	*	*	*	3.0	2.8	1.8	1.5	2.0	1.4	*	*
2003 5/.....	1.7	*	*	*	3.2	2.5	1.3	2.0	1.6	2.1	*	*
2002.....	1.9	*	*	0.5	3.9	2.7	1.8	1.8	2.3	1.8	*	*
2001.....	1.8	*	*	*	4.2	2.5	1.9	1.7	1.1	*	2.2	*
2000.....	1.6	*	*	*	3.2	2.1	1.7	1.7	1.5	2.0	*	*
1999.....	1.7	*	*	*	3.5	2.3	1.7	1.5	1.6	1.4	2.2	*
Non-Hispanic black, male												
2006 5/.....	2.5	*	*	*	4.3	4.1	2.9	2.2	2.1	*	*	*
2005 5/.....	2.4	*	*	*	4.7	3.8	2.5	2.3	2.3	3.4	*	*
2004 5/.....	2.6	*	*	*	4.3	4.8	2.8	2.2	3.5	*	*	*
2003 5/.....	2.7	*	*	*	5.1	4.3	2.2	3.1	2.8	*	*	*
2002.....	3.1	*	*	*	6.0	4.7	2.7	3.0	4.1	3.7	*	*
2001.....	2.8	*	*	*	6.4	4.1	3.0	2.7	2.0	*	*	*
2000.....	2.5	*	*	*	4.9	3.8	2.7	2.5	2.6	3.3	*	*
1999.....	2.6	*	*	*	5.2	4.0	2.6	2.5	2.6	*	*	*
Non-Hispanic black, female												
2006 5/.....	0.8	*	*	*	1.5	1.1	*	1.0	*	*	*	*
2005 5/.....	0.6	*	*	*	1.3	*	0.7	*	*	*	*	*
2004 5/.....	0.9	*	*	*	1.8	1.0	0.9	1.0	*	*	*	*
2003 5/.....	0.7	*	*	*	1.3	0.9	*	1.0	*	*	*	*
2002.....	0.9	*	*	*	1.7	0.9	1.1	0.9	*	*	*	*
2001.....	0.8	*	*	*	2.0	1.1	0.9	*	*	*	*	*
2000.....	0.8	*	*	*	1.5	*	0.8	1.0	*	*	*	*
1999.....	0.8	*	*	*	1.7	0.8	0.9	*	*	*	*	*

Worktable Orig12. Death rates for 358 selected causes, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2006

[Rates per 100,000 population in specified group. Rates are based on populations enumerated as of April 1 for 2000 and estimated as of July 1 for all other years. Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to 'Detailed technical notes to the United States 2006 data-mortality']

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, and sex	All ages 1/	Under 1 year 2/	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
Occupant of car, pickup truck or van involved in collision with other motor vehicle (V42-V44,V49,V52-V54,V59)												
All origins 3/, both sexes												
2006.....	3.1	1.2	0.7	0.6	5.2	3.4	2.6	2.8	3.0	4.2	6.5	7.3
2005.....	3.4	1.4	0.8	0.8	5.7	3.6	3.0	3.0	3.4	4.5	7.2	8.3
2004.....	3.6	1.5	0.8	0.9	6.0	3.6	3.0	3.1	3.5	5.0	8.3	9.6
2003.....	3.7	1.5	0.9	0.8	6.1	3.7	3.2	3.2	3.5	4.9	8.7	10.2
2002.....	3.9	1.1	1.0	0.9	6.8	3.8	3.4	3.3	3.8	5.2	9.2	9.9
2001.....	3.7	1.6	1.0	0.9	6.1	3.7	3.3	3.1	3.5	5.1	8.4	10.1
2000.....	3.7	1.5	0.9	0.9	6.1	3.7	3.1	3.2	3.8	5.0	9.0	10.1
1999.....	3.7	1.6	0.9	0.9	5.8	3.7	3.1	3.2	3.8	5.3	8.8	9.2
All origins 3/, male												
2006.....	3.8	1.1	0.5	0.6	6.6	4.4	3.2	3.5	3.6	4.9	8.5	12.4
2005.....	4.2	1.5	0.7	0.7	7.1	4.9	3.7	3.8	4.1	5.2	9.7	13.7
2004.....	4.4	1.9	0.8	1.0	7.4	4.7	3.8	3.8	4.0	5.8	10.9	15.9
2003.....	4.5	1.4	0.9	0.8	7.4	4.9	4.1	4.0	4.2	5.4	11.2	16.6
2002.....	4.8	1.5	1.0	0.9	8.7	5.1	4.2	4.1	4.7	6.0	12.2	16.9
2001.....	4.5	1.6	0.9	0.9	7.8	5.0	4.2	3.8	4.1	6.1	10.9	18.1
2000.....	4.5	1.5	0.9	0.9	7.5	4.8	3.9	4.0	4.5	5.8	11.6	18.2
1999.....	4.4	1.7	1.0	0.9	7.3	4.9	3.8	3.9	4.3	6.2	11.6	17.8
All origins 3/, female												
2006.....	2.5	1.2	0.8	0.7	3.6	2.4	2.1	2.2	2.5	3.6	5.2	5.0
2005.....	2.7	1.2	0.9	0.8	4.2	2.3	2.3	2.3	2.7	4.0	5.5	5.9
2004.....	2.9	1.1	0.9	0.9	4.4	2.4	2.1	2.5	3.0	4.3	6.5	6.7
2003.....	2.9	1.5	0.9	0.8	4.7	2.5	2.3	2.4	2.9	4.4	7.0	7.4
2002.....	3.0	*	0.9	0.8	4.9	2.4	2.6	2.5	3.0	4.4	7.2	6.8
2001.....	2.9	1.6	1.1	0.9	4.3	2.3	2.5	2.4	3.0	4.3	6.7	6.8
2000.....	2.9	1.5	0.9	0.8	4.5	2.6	2.3	2.4	3.2	4.3	7.3	6.8
1999.....	2.9	1.4	0.7	1.0	4.3	2.5	2.4	2.5	3.3	4.6	7.0	5.7
Hispanic, both sexes												
2006.....	3.1	*	0.6	0.8	6.3	3.9	2.8	3.1	3.7	3.9	4.0	*
2005.....	3.6	2.4	1.1	0.8	7.1	4.3	3.5	2.9	4.2	3.9	6.0	*
2004.....	3.4	*	0.8	1.0	6.3	4.1	3.3	3.6	3.6	3.9	6.1	*
2003.....	3.5	*	0.9	0.9	5.9	4.8	3.4	3.6	3.8	4.1	6.1	*
2002.....	3.9	*	1.3	0.9	7.6	4.4	4.0	3.7	4.1	4.8	6.7	*
2001.....	3.6	*	1.0	0.9	6.7	4.1	3.6	3.4	3.5	5.0	6.3	*
2000.....	3.1	*	1.2	0.9	4.8	3.6	3.0	3.7	3.6	5.1	7.7	*
1999.....	2.9	*	0.9	0.9	4.8	3.8	2.4	3.0	3.8	5.2	6.5	*
Hispanic, male												
2006.....	4.3	*	*	0.8	9.2	5.4	3.4	4.0	4.8	5.7	6.3	*
2005.....	4.7	*	1.1	0.7	9.6	5.8	4.4	3.7	5.5	5.9	9.7	*
2004.....	4.4	*	*	1.0	8.4	5.6	4.4	4.4	4.3	5.0	8.2	*
2003.....	4.8	*	*	1.2	8.0	7.0	4.4	5.1	5.1	4.2	8.8	*
2002.....	5.4	*	1.6	1.2	10.5	6.4	5.4	4.7	4.8	7.1	11.9	*
2001.....	4.9	*	*	1.0	9.5	5.9	5.1	4.2	4.3	6.4	13.0	*
2000.....	4.2	*	*	0.9	6.8	4.8	4.3	5.2	5.0	6.5	12.8	*
1999.....	3.9	*	*	0.8	6.2	5.6	3.2	4.2	4.7	5.7	*	*
Hispanic, female												
2006.....	1.9	*	*	0.8	3.0	2.1	2.0	2.2	2.7	*	*	*
2005.....	2.4	*	1.1	0.9	4.3	2.4	2.5	2.1	3.0	*	*	*
2004.....	2.4	*	*	1.0	4.0	2.1	2.1	2.8	3.0	3.1	*	*
2003.....	2.1	*	*	0.6	3.5	2.0	2.3	2.1	2.6	4.0	*	*
2002.....	2.3	*	*	*	4.1	2.1	2.4	2.7	3.4	3.0	*	*
2001.....	2.2	*	*	0.8	3.5	2.1	2.1	2.7	2.8	3.9	*	*
2000.....	1.9	*	*	0.6	2.5	2.2	1.6	2.2	2.4	4.0	*	*
1999.....	1.9	*	*	0.9	3.1	1.8	1.5	1.8	3.0	4.8	*	*

Worktable Orig12. Death rates for 358 selected causes, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2006

[Rates per 100,000 population in specified group. Rates are based on populations enumerated as of April 1 for 2000 and estimated as of July 1 for all other years. Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to 'Detailed technical notes to the United States 2006 data-mortality']

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, and sex	All ages 1/	Under 1 year 2/	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
Occupant of car, pickup truck or van involved in collision with other motor vehicle (V42-V44,V49,V52-V54,V59)												
Non-Hispanic 4/, both sexes												
2006.....	3.1	1.1	0.7	0.6	4.9	3.3	2.6	2.8	3.0	4.2	6.7	7.6
2005.....	3.4	1.1	0.7	0.7	5.4	3.4	2.9	3.0	3.3	4.6	7.2	8.5
2004.....	3.6	1.4	0.8	0.9	5.9	3.5	2.9	3.1	3.5	5.1	8.4	9.7
2003.....	3.7	1.5	0.9	0.8	6.1	3.5	3.2	3.2	3.5	4.9	8.8	10.2
2002.....	3.9	1.1	0.9	0.9	6.7	3.6	3.3	3.2	3.8	5.2	9.3	10.1
2001.....	3.7	1.4	1.0	0.9	6.0	3.6	3.2	3.1	3.6	5.1	8.4	10.2
2000.....	3.8	1.4	0.8	0.9	6.3	3.7	3.1	3.1	3.8	5.0	9.0	10.3
1999.....	3.8	1.7	0.8	1.0	6.0	3.7	3.2	3.2	3.8	5.3	8.9	9.3
Non-Hispanic 4/, male												
2006.....	3.7	*	0.5	0.5	6.0	4.1	3.1	3.5	3.5	4.8	8.7	12.9
2005.....	4.1	1.4	0.6	0.7	6.6	4.6	3.6	3.8	4.0	5.1	9.7	14.0
2004.....	4.3	2.0	0.7	0.9	7.1	4.5	3.7	3.7	4.0	5.8	11.1	16.3
2003.....	4.4	1.4	0.8	0.7	7.3	4.4	4.1	3.9	4.1	5.5	11.3	16.7
2002.....	4.7	1.3	0.9	0.8	8.3	4.8	4.0	4.0	4.6	5.9	12.2	17.2
2001.....	4.5	1.5	0.9	0.9	7.5	4.7	4.0	3.8	4.1	6.1	10.8	18.4
2000.....	4.5	1.5	0.9	0.9	7.7	4.7	3.9	3.9	4.4	5.8	11.5	18.8
1999.....	4.5	1.7	1.0	0.9	7.4	4.7	3.9	3.9	4.3	6.2	11.7	18.3
Non-Hispanic 4/, female												
2006.....	2.6	*	0.9	0.7	3.7	2.5	2.1	2.2	2.5	3.7	5.3	5.1
2005.....	2.7	*	0.9	0.8	4.2	2.2	2.2	2.3	2.7	4.1	5.6	6.0
2004.....	2.9	*	0.9	0.8	4.5	2.4	2.1	2.5	3.0	4.4	6.6	6.8
2003.....	3.1	1.6	1.0	0.8	4.9	2.6	2.3	2.5	2.9	4.4	7.1	7.4
2002.....	3.1	*	0.9	0.9	5.0	2.5	2.6	2.5	3.0	4.5	7.4	7.0
2001.....	3.0	1.3	1.1	1.0	4.4	2.4	2.5	2.4	3.0	4.3	6.8	6.7
2000.....	3.1	*	0.8	0.8	4.9	2.6	2.4	2.4	3.2	4.4	7.4	6.9
1999.....	3.0	1.6	0.7	1.0	4.5	2.7	2.5	2.5	3.3	4.5	7.1	5.8
Non-Hispanic white, both sexes												
2006 5/.....	3.2	1.1	0.6	0.6	5.3	3.4	2.6	2.8	2.9	4.3	7.1	8.1
2005 5/.....	3.6	1.0	0.7	0.7	5.9	3.6	2.9	3.0	3.3	4.7	7.5	9.0
2004 5/.....	3.8	1.3	0.8	0.9	6.5	3.4	2.9	3.0	3.5	5.2	8.6	10.2
2003 5/.....	3.9	1.5	0.8	0.7	6.7	3.6	3.2	3.2	3.3	4.9	9.1	10.6
2002.....	4.1	0.9	0.8	0.9	7.2	3.5	3.3	3.2	3.8	5.3	9.7	10.6
2001.....	3.8	1.3	1.0	0.9	6.3	3.6	3.2	3.0	3.6	5.1	8.8	10.7
2000.....	3.9	1.3	0.8	0.9	6.8	3.7	3.1	3.0	3.8	5.1	9.3	10.9
1999.....	3.9	1.6	0.8	1.0	6.5	3.7	3.1	3.2	3.7	5.3	9.2	9.5
Non-Hispanic white, male												
2006 5/.....	3.8	*	0.4	0.5	6.5	4.1	3.1	3.4	3.2	4.8	9.1	13.4
2005 5/.....	4.3	*	0.7	0.7	7.1	4.8	3.5	3.7	4.0	5.0	9.9	14.6
2004 5/.....	4.5	2.0	0.8	1.0	7.8	4.3	3.7	3.6	3.9	5.9	11.1	17.0
2003 5/.....	4.6	*	0.8	0.7	7.8	4.5	4.1	3.9	3.8	5.5	11.5	17.4
2002.....	4.9	*	0.7	0.9	8.8	4.6	4.0	3.9	4.6	5.9	12.5	18.2
2001.....	4.6	*	0.8	0.9	7.8	4.7	3.9	3.5	4.1	6.1	11.1	19.2
2000.....	4.6	*	0.8	0.9	8.1	4.6	3.8	3.7	4.2	5.9	11.7	20.0
1999.....	4.6	1.9	0.9	0.9	7.9	4.7	3.6	3.8	4.1	6.1	11.9	18.6
Non-Hispanic white, female												
2006 5/.....	2.7	*	0.8	0.6	4.1	2.6	2.2	2.2	2.5	3.8	5.7	5.6
2005 5/.....	2.9	*	0.7	0.7	4.7	2.4	2.3	2.3	2.7	4.3	5.8	6.4
2004 5/.....	3.1	*	0.8	0.9	5.1	2.5	2.1	2.5	3.1	4.6	6.9	7.2
2003 5/.....	3.2	*	0.9	0.8	5.5	2.7	2.3	2.5	2.8	4.4	7.5	7.6
2002.....	3.3	*	0.8	0.9	5.6	2.4	2.6	2.4	3.0	4.8	7.9	7.3
2001.....	3.1	*	1.1	1.0	4.8	2.5	2.6	2.4	3.0	4.3	7.3	7.2
2000.....	3.2	*	0.8	0.9	5.4	2.6	2.4	2.3	3.4	4.5	7.8	7.2
1999.....	3.2	*	0.6	1.1	5.0	2.7	2.6	2.6	3.4	4.7	7.4	5.9

Worktable Orig12. Death rates for 358 selected causes, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2006

[Rates per 100,000 population in specified group. Rates are based on populations enumerated as of April 1 for 2000 and estimated as of July 1 for all other years. Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.odc.gov/nchs> and refer to 'Detailed technical notes to the United States 2006 data-mortality']

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, and sex	All ages 1/	Under 1 year 2/	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
Occupant of car, pickup truck or van involved in collision with other motor vehicle (V42-V44,V49,V52-V54,V59)												
Non-Hispanic black, both sexes												
2006 5/.....	2.9	*	0.9	0.7	3.7	3.7	3.1	3.3	3.9	4.1	4.3	*
2005 5/.....	3.0	*	1.0	0.8	4.2	3.4	3.3	3.2	3.6	4.6	5.6	5.5
2004 5/.....	3.1	*	0.9	0.8	4.0	4.4	3.0	3.5	3.8	4.5	6.9	5.8
2003 5/.....	3.3	*	1.0	0.8	4.3	3.7	3.6	3.5	4.8	5.1	6.7	6.5
2002.....	3.4	*	1.3	0.8	4.9	4.8	3.6	3.6	3.8	4.0	5.8	*
2001.....	3.4	*	1.2	0.9	4.8	4.0	3.8	4.0	3.9	6.0	5.2	*
2000.....	3.4	*	1.1	0.7	4.8	4.3	3.5	4.3	4.1	4.5	5.7	*
1999.....	3.5	*	1.1	1.0	4.4	4.3	4.1	3.7	4.1	5.1	6.3	7.8
Non-Hispanic black, male												
2006 5/.....	3.8	*	*	*	4.8	4.8	4.3	4.5	5.6	5.8	6.4	*
2005 5/.....	3.9	*	*	0.8	5.5	4.8	4.5	4.3	4.7	6.6	8.7	*
2004 5/.....	4.1	*	*	0.7	5.2	6.5	3.8	4.5	5.0	5.8	12.3	*
2003 5/.....	4.2	*	*	0.6	5.9	5.1	4.6	4.6	6.4	6.2	11.3	*
2002.....	4.5	*	1.7	*	6.4	6.8	4.8	4.9	5.3	5.4	10.0	*
2001.....	4.6	*	*	0.9	6.4	5.7	5.3	6.0	4.9	7.3	8.7	*
2000.....	4.5	*	*	0.9	6.4	6.0	4.8	5.9	6.8	5.7	8.6	*
1999.....	4.6	*	*	1.1	6.0	5.8	5.8	5.1	5.5	7.8	10.9	*
Non-Hispanic black, female												
2006 5/.....	2.1	*	*	0.8	2.6	2.6	2.0	2.3	2.5	2.9	3.2	*
2005 5/.....	2.2	*	*	0.7	2.8	2.2	2.3	2.4	2.7	3.2	3.8	*
2004 5/.....	2.3	*	*	1.0	2.9	2.4	2.2	2.6	2.8	3.6	3.9	*
2003 5/.....	2.5	*	*	0.9	2.8	2.5	2.8	2.5	3.5	4.3	4.1	*
2002.....	2.4	*	*	0.9	3.4	3.0	2.6	2.6	2.5	3.0	3.5	*
2001.....	2.4	*	*	0.9	3.2	2.5	2.5	2.3	3.1	5.1	*	*
2000.....	2.3	*	*	*	3.2	2.7	2.4	2.9	1.9	3.6	4.0	*
1999.....	2.4	*	*	0.9	2.9	2.9	2.6	2.5	2.9	3.2	3.7	*

Worktable Orig12. Death rates for 358 selected causes, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2006

[Rates per 100,000 population in specified group. Rates are based on populations enumerated as of April 1 for 2000 and estimated as of July 1 for all other years. Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to 'Detailed technical notes to the United States 2006 data-mortality']

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, and sex	All ages 1/	Under 1 year 2/	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
Occupant of motor vehicle involved in noncollision accident (V48,V58,V68,V78)												
Non-Hispanic 4/, both sexes												
2006.....	1.3	*	0.2	0.3	2.8	1.8	1.3	1.2	1.0	0.8	1.0	1.0
2005.....	1.3	*	0.2	0.3	2.8	1.9	1.3	1.3	1.0	1.0	0.9	0.9
2004.....	1.3	*	0.3	0.3	3.0	1.6	1.5	1.2	1.0	1.0	0.9	1.0
2003.....	1.4	*	0.3	0.4	3.3	1.8	1.6	1.4	1.1	1.0	1.0	1.3
2002.....	1.5	*	0.2	0.3	3.5	2.0	1.6	1.3	1.1	1.0	1.0	0.9
2001.....	1.3	*	0.2	0.3	3.0	1.8	1.4	1.2	1.1	0.9	1.0	0.8
2000.....	1.3	*	0.2	0.3	3.1	1.8	1.4	1.1	0.9	0.8	0.9	1.0
1999.....	1.3	*	0.3	0.3	3.2	1.7	1.5	1.1	1.1	0.9	0.8	1.0
Non-Hispanic 4/, male												
2006.....	1.8	*	*	0.2	3.7	2.7	1.8	1.7	1.4	1.4	1.5	1.8
2005.....	1.8	*	*	0.3	3.8	2.7	1.9	1.8	1.5	1.4	1.2	1.3
2004.....	1.9	*	*	0.4	4.0	2.3	2.2	1.8	1.5	1.4	1.3	1.8
2003.....	2.0	*	*	0.4	4.5	2.6	2.2	1.9	1.6	1.5	1.6	2.0
2002.....	2.1	*	*	0.4	4.9	2.9	2.2	1.9	1.6	1.4	1.5	1.8
2001.....	1.9	*	*	0.3	4.1	2.7	2.0	1.9	1.5	1.4	1.4	*
2000.....	1.9	*	*	0.4	4.3	2.8	2.0	1.8	1.3	1.2	1.3	2.2
1999.....	1.9	*	*	0.3	4.3	2.5	2.1	1.6	1.6	1.3	1.2	2.0
Non-Hispanic 4/, female												
2006.....	0.8	*	*	0.3	1.7	0.9	0.8	0.7	0.7	0.4	0.7	0.7
2005.....	0.8	*	*	0.3	1.7	1.1	0.8	0.7	0.6	0.6	0.7	0.7
2004.....	0.8	*	*	0.3	2.0	0.9	0.9	0.7	0.5	0.6	0.6	0.7
2003.....	0.9	*	*	0.3	2.0	1.0	1.0	0.8	0.7	0.6	0.7	1.0
2002.....	0.9	*	*	0.3	2.2	1.0	0.9	0.7	0.8	0.6	0.6	*
2001.....	0.8	*	*	0.3	1.9	0.9	0.9	0.6	0.6	0.5	0.7	*
2000.....	0.8	*	*	0.3	1.9	0.9	0.8	0.5	0.6	0.5	0.6	*
1999.....	0.8	*	0.4	0.3	2.0	0.9	0.9	0.6	0.6	0.6	0.5	*
Non-Hispanic white, both sexes												
2006 5/.....	1.3	*	*	0.2	3.0	1.8	1.3	1.2	1.0	0.8	1.0	1.1
2005 5/.....	1.4	*	0.2	0.3	3.1	1.9	1.4	1.3	1.0	1.0	0.9	0.8
2004 5/.....	1.4	*	0.2	0.4	3.3	1.6	1.5	1.2	1.1	0.9	0.8	1.1
2003 5/.....	1.5	*	0.2	0.3	3.6	1.8	1.6	1.4	1.1	1.0	1.0	1.3
2002.....	1.5	*	*	0.4	3.8	2.1	1.6	1.3	1.2	1.0	1.0	0.9
2001.....	1.4	*	*	0.3	3.3	1.8	1.5	1.2	1.0	1.0	1.1	0.7
2000.....	1.3	*	*	0.3	3.4	1.9	1.4	1.1	0.9	0.8	0.9	1.0
1999.....	1.3	*	0.2	0.3	3.4	1.8	1.4	1.0	1.0	0.9	0.8	1.0
Non-Hispanic white, male												
2006 5/.....	1.8	*	*	0.2	4.0	2.8	1.8	1.7	1.3	1.3	1.6	1.8
2005 5/.....	1.9	*	*	0.3	4.2	2.8	2.0	1.9	1.5	1.5	1.3	*
2004 5/.....	1.9	*	*	0.4	4.4	2.4	2.2	1.7	1.6	1.3	1.2	2.0
2003 5/.....	2.1	*	*	0.3	4.9	2.8	2.2	1.9	1.4	1.5	1.6	2.1
2002.....	2.2	*	*	0.4	5.3	3.0	2.2	1.9	1.6	1.5	1.6	1.7
2001.....	1.9	*	*	0.3	4.6	2.6	2.0	1.8	1.4	1.5	1.5	*
2000.....	1.9	*	*	0.3	4.7	2.9	2.0	1.7	1.2	1.2	1.3	2.2
1999.....	1.9	*	*	0.3	4.6	2.6	2.1	1.6	1.5	1.2	1.2	1.9
Non-Hispanic white, female												
2006 5/.....	0.8	*	*	0.3	1.9	0.8	0.8	0.7	0.7	0.4	0.6	0.7
2005 5/.....	0.8	*	*	0.3	1.8	1.0	0.8	0.8	0.6	0.6	0.7	*
2004 5/.....	0.8	*	*	0.3	2.1	0.9	0.9	0.8	0.5	0.6	0.6	0.8
2003 5/.....	0.9	*	*	0.4	2.2	0.9	1.1	0.8	0.7	0.6	0.6	1.0
2002.....	0.9	*	*	0.3	2.3	1.2	0.9	0.7	0.8	0.7	0.6	*
2001.....	0.8	*	*	0.3	2.0	0.9	0.9	0.6	0.6	0.5	0.8	*
2000.....	0.7	*	*	0.2	2.1	0.9	0.9	0.5	0.5	0.4	0.6	*
1999.....	0.8	*	*	0.3	2.2	1.0	0.8	0.5	0.6	0.7	0.5	*

Worktable Orig12. Death rates for 358 selected causes, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2006

[Rates per 100,000 population in specified group. Rates are based on populations enumerated as of April 1 for 2000 and estimated as of July 1 for all other years. Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to 'Detailed technical notes to the United States 2006 data-mortality']

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, and sex	All ages 1/	Under 1 year 2/	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
Occupant of motor vehicle involved in noncollision accident (V48,V58,V68,V78)												
Non-Hispanic black, both sexes												
2006 5/.....	1.1	*	*	*	1.7	1.7	1.5	1.0	1.1	*	*	*
2005 5/.....	1.1	*	*	*	1.8	2.0	1.3	1.2	1.1	*	*	*
2004 5/.....	1.2	*	*	*	1.8	1.7	1.4	1.4	1.0	1.4	*	*
2003 5/.....	1.2	*	*	0.4	1.7	1.8	1.4	1.2	1.5	*	*	*
2002.....	1.2	*	*	0.4	2.0	1.5	1.6	1.2	1.1	*	*	*
2001.....	1.1	*	*	0.4	1.7	1.8	1.1	1.2	1.8	*	*	*
2000.....	1.1	*	*	0.4	2.0	1.4	1.4	1.1	1.6	*	*	*
1999.....	1.2	*	*	*	2.0	1.5	1.6	1.3	1.0	*	*	*
Non-Hispanic black, male												
2006 5/.....	1.6	*	*	*	2.3	2.5	2.1	1.9	1.4	*	*	*
2005 5/.....	1.6	*	*	*	2.4	2.8	2.0	1.8	1.8	*	*	*
2004 5/.....	1.7	*	*	*	2.4	2.3	2.2	2.5	*	*	*	*
2003 5/.....	1.8	*	*	*	2.5	2.3	2.2	2.1	2.5	*	*	*
2002.....	1.8	*	*	*	2.7	2.7	2.3	2.3	1.8	*	*	*
2001.....	1.7	*	*	*	2.1	3.0	1.8	2.2	3.2	*	*	*
2000.....	1.7	*	*	*	2.7	2.4	2.1	1.8	2.5	*	*	*
1999.....	1.7	*	*	*	2.7	2.5	2.3	2.2	*	*	*	*
Non-Hispanic black, female												
2006 5/.....	0.7	*	*	*	1.2	0.9	0.9	*	*	*	*	*
2005 5/.....	0.7	*	*	*	1.2	1.2	*	*	*	*	*	*
2004 5/.....	0.7	*	*	*	1.1	1.1	0.8	*	*	*	*	*
2003 5/.....	0.7	*	*	*	1.0	1.4	0.7	*	*	*	*	*
2002.....	0.6	*	*	*	1.4	*	0.9	*	*	*	*	*
2001.....	0.6	*	*	*	1.3	0.8	*	*	*	*	*	*
2000.....	0.6	*	*	*	1.3	*	*	*	*	*	*	*
1999.....	0.7	*	*	*	1.4	0.7	1.0	*	*	*	*	*

Worktable Orig12. Death rates for 358 selected causes, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2006

[Rates per 100,000 population in specified group. Rates are based on populations enumerated as of April 1 for 2000 and estimated as of July 1 for all other years. Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to 'Detailed technical notes to the United States 2006 data-mortality']

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, and sex	All ages 1/	Under 1 year 2/	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
Other and unspecified motor vehicle accidents (V09.0,V09.2,V80.3-V80.5,V82.0-V82.1,V87.0-V87.5,V87.7-V87.8,V88.0-V88.5,V88.7-V88.8,V89.0,V89.2)												
All origins 3/, both sexes												
2006.....	5.7	1.3	1.5	1.2	10.0	6.8	5.6	5.3	5.4	6.1	9.6	10.8
2005.....	5.6	1.3	1.4	1.2	9.6	6.4	5.3	5.3	5.6	6.7	9.9	11.1
2004.....	5.5	1.2	1.6	1.2	9.4	6.3	5.1	5.2	4.9	6.1	10.4	10.8
2003.....	5.3	1.3	1.3	1.2	9.3	5.4	5.2	4.8	5.0	6.1	9.9	11.9
2002.....	5.5	1.1	1.3	1.1	9.9	6.0	5.2	5.0	4.8	6.6	10.3	11.4
2001.....	5.8	1.3	1.5	1.2	10.4	6.3	5.6	5.1	5.3	6.5	11.3	11.7
2000.....	6.0	1.8	1.6	1.4	11.1	6.5	5.8	5.5	5.7	6.7	10.7	13.1
1999.....	6.0	2.3	1.6	1.5	10.8	6.4	5.7	5.2	5.3	7.4	11.8	13.9
All origins 3/, male												
2006.....	7.7	1.4	1.6	1.2	13.5	9.8	7.5	7.3	7.1	8.0	13.0	18.7
2005.....	7.6	1.1	1.6	1.3	13.1	9.1	7.3	7.4	7.6	8.9	13.4	20.1
2004.....	7.3	1.2	1.6	1.2	12.6	8.7	7.0	7.2	6.6	7.9	14.5	17.9
2003.....	7.0	1.6	1.5	1.3	12.5	7.8	7.0	6.6	6.6	7.7	13.7	20.3
2002.....	7.3	1.1	1.4	1.3	13.3	8.5	7.0	6.8	6.5	8.7	13.9	21.7
2001.....	7.7	1.1	1.6	1.4	14.4	8.9	7.6	7.1	6.9	8.1	15.8	21.2
2000.....	8.0	1.9	1.8	1.5	14.8	9.2	8.0	7.4	7.5	8.5	14.7	24.7
1999.....	7.9	2.1	1.8	1.6	14.4	8.8	7.6	7.0	7.1	9.3	16.7	27.5
All origins 3/, female												
2006.....	3.8	1.2	1.4	1.1	6.3	3.6	3.6	3.4	3.7	4.5	7.3	7.1
2005.....	3.7	1.5	1.2	1.0	5.9	3.5	3.3	3.2	3.8	4.7	7.4	7.0
2004.....	3.7	1.3	1.5	1.2	6.1	3.8	3.2	3.2	3.4	4.7	7.6	7.7
2003.....	3.6	*	1.1	1.1	5.9	2.9	3.4	3.0	3.5	4.7	7.4	8.1
2002.....	3.7	1.1	1.3	1.0	6.3	3.4	3.4	3.3	3.3	4.8	8.0	6.9
2001.....	3.9	1.5	1.3	1.1	6.2	3.6	3.7	3.2	3.8	5.1	8.3	7.7
2000.....	4.1	1.7	1.4	1.4	7.1	3.8	3.5	3.6	4.0	5.3	8.1	8.4
1999.....	4.2	2.5	1.5	1.3	7.0	3.9	3.8	3.5	3.7	5.9	8.7	8.5
Hispanic, both sexes												
2006.....	5.2	*	1.8	1.2	10.3	6.3	5.0	5.4	5.3	5.8	6.4	*
2005.....	4.7	*	1.9	1.1	9.6	5.6	4.3	4.6	4.6	5.3	6.9	*
2004.....	4.5	*	1.4	1.0	8.4	5.7	4.2	4.1	4.9	6.0	8.6	*
2003.....	4.7	*	1.2	1.3	8.2	5.7	5.0	4.6	4.5	6.5	8.9	*
2002.....	4.4	*	1.5	0.9	8.4	5.0	4.4	4.3	4.3	5.5	8.0	*
2001.....	4.6	*	1.5	1.0	8.5	5.6	4.6	3.9	5.4	5.5	8.5	*
2000.....	5.4	*	1.8	1.3	10.4	6.4	5.5	5.5	5.9	6.4	5.5	*
1999.....	5.4	3.8	1.8	1.3	9.1	6.2	6.0	5.3	5.6	7.7	10.0	*
Hispanic, male												
2006.....	7.3	*	2.0	1.3	15.1	9.1	6.9	7.4	7.1	8.1	7.9	*
2005.....	6.7	*	2.3	1.1	13.7	8.3	6.1	6.9	6.5	8.1	8.4	*
2004.....	6.5	*	1.7	1.3	12.6	8.0	6.2	5.9	6.0	8.0	13.9	*
2003.....	6.6	*	1.4	1.7	11.7	8.4	6.9	6.1	5.6	9.4	13.8	*
2002.....	6.1	*	1.4	0.9	12.1	7.3	6.4	5.5	5.6	7.8	8.6	*
2001.....	6.6	*	1.6	1.0	12.6	8.3	6.9	5.7	6.4	7.6	14.3	*
2000.....	7.8	*	1.9	1.4	14.7	9.7	7.8	7.9	8.0	9.3	*	*
1999.....	7.4	*	1.7	1.5	12.7	8.5	8.9	7.3	6.4	10.8	17.7	*
Hispanic, female												
2006.....	2.9	*	1.6	1.1	5.0	2.8	2.9	3.5	3.6	4.0	5.3	*
2005.....	2.6	*	1.4	1.1	5.0	2.3	2.2	2.4	2.8	3.0	5.8	*
2004.....	2.4	*	1.2	0.7	3.5	2.8	2.1	2.2	3.9	4.4	4.9	*
2003.....	2.6	*	*	1.0	4.0	2.3	2.8	3.0	3.6	4.1	5.5	*
2002.....	2.5	*	1.7	1.0	4.1	2.3	2.1	3.0	3.2	3.6	7.6	*
2001.....	2.4	*	1.4	1.0	3.9	2.4	2.2	2.0	4.5	3.8	*	*
2000.....	3.0	*	1.6	1.2	5.2	2.7	3.0	3.1	4.1	4.1	*	*
1999.....	3.2	*	1.9	1.1	4.9	3.5	2.9	3.3	4.8	5.3	*	*

Worktable Orig12. Death rates for 358 selected causes, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2006

[Rates per 100,000 population in specified group. Rates are based on populations enumerated as of April 1 for 2000 and estimated as of July 1 for all other years. Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to 'Detailed technical notes to the United States 2006 data-mortality']

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, and sex	All ages 1/	Under 1 year 2/	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
Other and unspecified motor vehicle accidents (V09.0,V09.2,V80.3-V80.5,V82.0-V82.1,V87.0-V87.5,V87.7-V87.8,V88.0-V88.5,V88.7-V88.8,V89.0,V89.2)												
Non-Hispanic 4/, both sexes												
2006.....	5.8	1.1	1.4	1.1	10.0	6.9	5.7	5.3	5.4	6.1	9.8	11.2
2005.....	5.8	1.4	1.3	1.2	9.6	6.5	5.4	5.3	5.7	6.7	10.0	11.4
2004.....	5.6	1.1	1.6	1.2	9.6	6.5	5.2	5.3	4.9	6.1	10.4	10.9
2003.....	5.4	1.1	1.3	1.2	9.5	5.3	5.2	4.8	5.0	6.0	10.0	12.0
2002.....	5.6	1.2	1.3	1.2	10.2	6.2	5.3	5.1	4.8	6.6	10.4	11.5
2001.....	5.9	1.3	1.5	1.3	10.7	6.4	5.7	5.2	5.2	6.5	11.3	11.8
2000.....	6.1	1.8	1.6	1.4	11.2	6.5	5.8	5.4	5.6	6.7	10.9	13.3
1999.....	6.1	1.9	1.6	1.5	11.1	6.4	5.6	5.1	5.2	7.4	11.8	14.0
Non-Hispanic 4/, male												
2006.....	7.8	*	1.4	1.1	13.2	10.0	7.6	7.3	7.1	8.0	13.3	19.3
2005.....	7.8	*	1.4	1.3	13.0	9.2	7.5	7.4	7.7	9.0	13.7	20.7
2004.....	7.4	*	1.6	1.2	12.5	8.9	7.1	7.3	6.7	7.8	14.5	18.2
2003.....	7.1	1.2	1.5	1.3	12.6	7.6	7.1	6.6	6.7	7.5	13.6	20.6
2002.....	7.5	1.3	1.4	1.4	13.6	8.7	7.0	6.9	6.5	8.7	14.0	21.9
2001.....	7.9	1.2	1.6	1.4	14.7	9.0	7.6	7.2	6.9	8.1	15.9	21.5
2000.....	8.1	1.9	1.8	1.5	14.8	9.1	8.0	7.3	7.4	8.4	15.1	25.2
1999.....	7.9	1.7	1.8	1.6	14.7	8.8	7.4	6.9	7.0	9.2	16.5	27.9
Non-Hispanic 4/, female												
2006.....	4.0	*	1.4	1.1	6.6	3.8	3.7	3.4	3.7	4.5	7.4	7.4
2005.....	3.8	1.7	1.1	1.0	6.0	3.8	3.4	3.3	3.9	4.9	7.5	7.1
2004.....	3.9	*	1.5	1.3	6.6	4.0	3.4	3.3	3.3	4.7	7.7	7.7
2003.....	3.7	*	1.1	1.1	6.2	3.0	3.5	3.0	3.5	4.7	7.5	8.3
2002.....	3.9	*	1.2	1.0	6.8	3.7	3.6	3.4	3.3	4.9	8.0	7.0
2001.....	4.1	1.5	1.3	1.1	6.6	3.9	3.9	3.3	3.8	5.2	8.4	7.8
2000.....	4.3	1.8	1.4	1.4	7.4	4.0	3.6	3.6	4.0	5.3	8.2	8.5
1999.....	4.3	2.2	1.4	1.4	7.4	4.0	3.9	3.5	3.6	5.9	8.8	8.5
Non-Hispanic white, both sexes												
2006 5/.....	5.9	0.9	1.3	1.1	10.6	6.9	5.8	5.1	5.1	6.1	9.8	11.8
2005 5/.....	5.9	1.0	1.1	1.1	10.2	6.7	5.4	5.3	5.6	6.7	10.2	11.8
2004 5/.....	5.7	0.9	1.5	1.1	10.3	6.6	5.2	5.1	4.8	6.0	10.6	11.6
2003 5/.....	5.4	0.9	1.2	1.2	10.0	5.3	5.1	4.5	4.8	6.0	10.1	12.2
2002.....	5.8	0.9	1.2	1.1	11.1	6.2	5.3	4.9	4.7	6.7	10.6	11.9
2001.....	6.1	1.1	1.3	1.2	11.4	6.5	5.7	5.1	5.1	6.5	11.7	12.3
2000.....	6.2	1.3	1.5	1.4	12.0	6.3	5.8	5.2	5.6	6.5	11.2	13.7
1999.....	6.2	1.7	1.3	1.5	11.9	6.4	5.6	4.9	5.1	7.4	12.0	14.4
Non-Hispanic white, male												
2006 5/.....	7.8	*	1.2	1.0	13.9	9.8	7.8	6.9	6.7	7.7	13.1	20.6
2005 5/.....	7.9	*	1.1	1.3	13.7	9.3	7.3	7.3	7.3	8.8	13.8	21.5
2004 5/.....	7.4	*	1.4	1.0	13.4	8.9	6.9	6.9	6.4	7.6	14.7	19.3
2003 5/.....	7.1	*	1.5	1.3	13.0	7.6	6.9	6.1	6.4	7.6	13.8	20.6
2002.....	7.6	*	1.2	1.3	14.6	8.7	6.9	6.7	6.3	8.7	14.0	22.2
2001.....	8.0	*	1.4	1.3	15.5	9.1	7.4	7.0	6.5	8.1	16.1	22.6
2000.....	8.1	*	1.7	1.5	15.9	8.7	7.9	6.9	7.2	8.0	15.3	26.5
1999.....	8.0	*	1.4	1.6	15.6	8.8	7.4	6.5	6.8	9.2	16.4	28.7
Non-Hispanic white, female												
2006 5/.....	4.1	*	1.4	1.1	7.2	3.9	3.9	3.4	3.6	4.6	7.5	7.7
2005 5/.....	4.0	*	1.1	0.9	6.5	4.1	3.5	3.3	3.9	4.9	7.7	7.4
2004 5/.....	4.1	*	1.5	1.2	7.1	4.2	3.4	3.3	3.4	4.7	7.9	8.1
2003 5/.....	3.8	*	0.9	1.1	6.8	3.0	3.4	2.9	3.3	4.7	7.6	8.5
2002.....	4.1	*	1.1	1.0	7.4	3.7	3.6	3.3	3.3	4.9	8.3	7.4
2001.....	4.2	*	1.2	1.1	7.2	3.9	4.0	3.3	3.7	5.2	8.7	8.1
2000.....	4.4	*	1.2	1.4	8.0	3.9	3.7	3.4	4.1	5.3	8.5	8.6
1999.....	4.5	1.8	1.3	1.3	8.1	4.1	3.9	3.3	3.5	5.9	9.0	8.7

Worktable Orig12. Death rates for 358 selected causes, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2006

[Rates per 100,000 population in specified group. Rates are based on populations enumerated as of April 1 for 2000 and estimated as of July 1 for all other years. Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.odc.gov/nchs> and refer to 'Detailed technical notes to the United States 2006 data-mortality']

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, and sex	All ages 1/	Under 1 year 2/	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
Other and unspecified motor vehicle accidents (V09.0,V09.2,V80.3-V80.5,V82.0-V82.1,V87.0-V87.5,V87.7-V87.8,V88.0-V88.5,V88.7-V88.8,V89.0,V89.2)												
Non-Hispanic black, both sexes												
2006 5/.....	5.8	*	1.7	1.4	7.8	8.2	5.7	6.7	7.7	6.6	9.3	5.8
2005 5/.....	5.6	*	1.9	1.4	8.1	6.4	6.1	6.3	7.2	7.6	8.4	7.4
2004 5/.....	5.5	*	2.2	1.8	7.6	6.9	6.0	7.4	5.8	6.1	8.3	*
2003 5/.....	5.3	*	1.6	1.2	7.5	6.0	6.4	6.5	6.5	6.2	8.1	11.0
2002.....	5.2	*	1.5	1.3	7.6	6.9	5.8	6.1	5.7	6.3	9.1	7.3
2001.....	5.7	*	1.8	1.8	8.5	6.9	6.6	6.3	6.8	6.8	9.3	7.2
2000.....	6.1	3.8	2.0	1.4	9.1	8.4	6.5	7.6	5.8	8.1	7.7	8.9
1999.....	6.0	*	2.6	1.8	8.9	6.7	6.1	7.4	6.4	7.7	11.9	10.0
Non-Hispanic black, male												
2006 5/.....	8.6	*	2.1	1.6	11.2	13.2	8.6	10.6	11.6	10.7	14.7	*
2005 5/.....	8.2	*	2.4	1.3	11.6	10.0	9.4	9.6	11.4	12.2	14.9	*
2004 5/.....	8.0	*	2.4	1.9	10.6	10.3	9.0	11.4	8.9	10.1	13.4	*
2003 5/.....	7.6	*	1.6	1.3	11.2	9.2	9.1	10.2	9.6	8.4	12.1	21.3
2002.....	7.5	*	1.9	1.6	10.5	10.3	8.3	8.4	9.0	10.0	15.8	21.9
2001.....	8.2	*	1.9	2.2	12.3	10.1	9.6	9.9	10.7	9.0	16.2	*
2000.....	8.7	*	2.2	1.5	12.5	12.1	10.3	11.1	9.3	13.0	13.3	*
1999.....	8.4	*	3.1	2.1	12.5	10.1	8.4	11.3	9.7	9.6	21.3	23.8
Non-Hispanic black, female												
2006 5/.....	3.2	*	*	1.2	4.3	3.6	3.1	3.4	4.6	3.6	6.2	*
2005 5/.....	3.2	*	*	1.4	4.5	3.0	3.1	3.5	3.9	4.3	4.8	*
2004 5/.....	3.3	*	2.0	1.6	4.6	3.8	3.3	3.9	3.4	3.3	5.5	*
2003 5/.....	3.2	*	*	1.1	3.9	3.2	4.1	3.3	4.0	4.7	5.9	*
2002.....	3.2	*	*	0.9	4.6	3.8	3.6	4.0	3.0	3.7	5.3	*
2001.....	3.5	*	*	1.3	4.8	4.0	3.8	3.3	3.6	5.2	5.4	*
2000.....	3.8	*	1.9	1.3	5.8	5.1	3.2	4.6	2.9	4.6	4.5	*
1999.....	3.8	*	2.2	1.5	5.3	3.7	4.1	4.1	3.7	6.4	6.7	*

Worktable Orig12. Death rates for 358 selected causes, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2006

[Rates per 100,000 population in specified group. Rates are based on populations enumerated as of April 1 for 2000 and estimated as of July 1 for all other years. Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to 'Detailed technical notes to the United States 2006 data-mortality']

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, and sex	All ages 1/	Under 1 year 2/	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
Other and unspecified land transport accidents (V01,V06,V09.1,V09.3,V09.9,V10-V11,V16-V18,V19.3,V19.8-V19.9,V80.0-V80.2,V80.7-V80.9,V87.9,V88.9,V89.1,V89.3,V89.9)												
Non-Hispanic 4/, both sexes												
2006.....	0.3	*	*	0.1	0.2	0.2	0.2	0.3	0.4	0.4	0.5	0.5
2005.....	0.3	*	0.2	0.1	0.3	0.2	0.3	0.4	0.3	0.4	0.5	*
2004.....	0.3	*	*	0.1	0.3	0.2	0.3	0.3	0.3	0.4	0.4	*
2003.....	0.3	*	*	0.1	0.5	0.3	0.3	0.4	0.4	0.4	0.5	0.5
2002.....	0.2	*	*	0.1	0.1	0.1	0.2	0.3	0.3	0.3	0.4	*
2001.....	0.3	*	*	0.2	0.3	0.2	0.4	0.4	0.4	0.5	0.6	0.5
2000.....	0.3	*	*	0.2	0.4	0.3	0.4	0.4	0.3	0.4	0.6	0.7
1999.....	0.6	*	0.3	0.3	0.7	0.5	0.6	0.6	0.7	0.6	1.2	1.2
Non-Hispanic 4/, male												
2006.....	0.4	*	*	0.2	0.3	0.2	0.4	0.5	0.5	0.8	0.8	*
2005.....	0.4	*	*	0.1	0.4	0.4	0.4	0.6	0.5	0.5	0.9	*
2004.....	0.4	*	*	0.1	0.5	0.3	0.4	0.4	0.5	0.5	0.6	*
2003.....	0.5	*	*	*	0.7	0.4	0.4	0.6	0.6	0.7	0.9	*
2002.....	0.3	*	*	0.2	0.2	0.2	0.4	0.5	0.4	0.6	0.8	*
2001.....	0.5	*	*	0.2	0.4	0.3	0.6	0.6	0.6	0.9	0.8	*
2000.....	0.5	*	*	0.2	0.6	0.5	0.6	0.5	0.6	0.7	0.9	*
1999.....	0.8	*	0.4	0.3	1.0	0.7	0.8	1.0	1.0	0.9	1.6	2.7
Non-Hispanic 4/, female												
2006.....	0.1	*	*	*	*	*	0.1	0.2	0.2	*	*	*
2005.....	0.1	*	*	*	0.2	*	0.2	0.2	0.1	0.2	*	*
2004.....	0.1	*	*	*	0.2	*	0.1	0.1	0.2	0.3	*	*
2003.....	0.2	*	*	*	0.3	0.2	0.2	0.1	0.2	*	0.3	*
2002.....	0.1	*	*	*	*	*	0.1	*	*	*	*	*
2001.....	0.2	*	*	0.1	0.1	*	0.2	0.2	0.2	0.3	0.5	*
2000.....	0.2	*	*	0.2	0.2	0.2	0.2	0.3	*	*	0.4	*
1999.....	0.4	*	*	0.2	0.4	0.3	0.3	0.3	0.4	0.4	0.9	*
Non-Hispanic white, both sexes												
2006 5/.....	0.3	*	*	0.1	0.2	0.1	0.2	0.3	0.4	0.5	0.5	0.5
2005 5/.....	0.3	*	*	0.1	0.3	0.2	0.3	0.3	0.3	0.3	0.5	*
2004 5/.....	0.3	*	*	0.1	0.3	0.2	0.3	0.3	0.3	0.4	0.4	*
2003 5/.....	0.3	*	*	0.1	0.6	0.3	0.3	0.3	0.4	0.4	0.5	0.5
2002.....	0.2	*	*	0.1	0.1	0.1	0.2	0.3	0.3	0.3	0.4	*
2001.....	0.3	*	*	0.1	0.3	0.2	0.3	0.4	0.3	0.5	0.6	*
2000.....	0.4	*	*	0.2	0.4	0.3	0.4	0.4	0.3	0.4	0.6	0.7
1999.....	0.6	*	0.3	0.3	0.7	0.5	0.6	0.6	0.7	0.6	1.1	1.2
Non-Hispanic white, male												
2006 5/.....	0.4	*	*	0.2	0.3	*	0.3	0.5	0.5	0.8	0.9	*
2005 5/.....	0.4	*	*	*	0.3	0.4	0.4	0.5	0.5	0.5	0.8	*
2004 5/.....	0.4	*	*	0.2	0.4	0.3	0.4	0.4	0.5	0.5	0.7	*
2003 5/.....	0.5	*	*	*	0.8	0.4	0.4	0.5	0.6	0.6	0.9	*
2002.....	0.3	*	*	0.2	0.2	0.2	0.3	0.5	0.4	0.5	0.8	*
2001.....	0.4	*	*	0.2	0.4	0.3	0.5	0.6	0.5	0.8	0.8	*
2000.....	0.5	*	*	0.3	0.6	0.5	0.5	0.5	0.5	0.7	1.0	*
1999.....	0.8	*	*	0.3	1.0	0.7	0.8	0.9	1.0	0.9	1.6	2.6
Non-Hispanic white, female												
2006 5/.....	0.1	*	*	*	*	*	*	0.2	0.2	*	*	*
2005 5/.....	0.2	*	*	*	0.2	*	0.2	0.2	0.2	*	*	*
2004 5/.....	0.2	*	*	*	0.2	*	0.2	0.1	0.2	0.3	*	*
2003 5/.....	0.2	*	*	*	0.3	*	0.2	0.2	0.2	*	0.3	*
2002.....	0.1	*	*	*	*	*	*	*	*	*	*	*
2001.....	0.2	*	*	*	*	*	0.1	0.2	*	0.3	0.4	*
2000.....	0.2	*	*	*	*	*	0.2	0.3	*	*	0.4	*
1999.....	0.4	*	*	0.2	0.5	0.3	0.3	0.3	0.4	0.4	0.9	*

Worktable Orig12. Death rates for 358 selected causes, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2006

[Rates per 100,000 population in specified group. Rates are based on populations enumerated as of April 1 for 2000 and estimated as of July 1 for all other years. Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to 'Detailed technical notes to the United States 2006 data-mortality']

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, and sex	All ages 1/	Under 1 year 2/	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
Air and space transport accidents (V95-V97)												
Non-Hispanic 4/, both sexes												
2006.....	0.3	*	*	0.1	0.1	0.3	0.3	0.4	0.5	0.3	0.2	*
2005.....	0.2	*	*	*	0.1	0.2	0.2	0.3	0.5	0.4	0.2	*
2004.....	0.3	*	*	*	0.1	0.3	0.3	0.4	0.5	0.4	*	*
2003.....	0.3	*	*	0.1	0.1	0.2	0.3	0.5	0.6	0.4	0.2	*
2002.....	0.3	*	*	*	0.1	0.2	0.3	0.4	0.5	0.4	0.2	*
2001.....	0.3	*	*	*	0.1	0.4	0.4	0.5	0.4	0.4	0.2	*
2000.....	0.3	*	*	*	0.2	0.4	0.3	0.5	0.6	0.4	0.2	*
1999.....	0.3	*	*	0.1	0.1	0.4	0.4	0.4	0.5	0.4	0.2	*
Non-Hispanic 4/, male												
2006.....	0.4	*	*	*	0.2	0.5	0.4	0.6	0.8	0.6	0.5	*
2005.....	0.4	*	*	*	0.2	0.4	0.4	0.6	0.9	0.7	0.4	*
2004.....	0.4	*	*	*	0.2	0.5	0.6	0.8	0.8	0.8	*	*
2003.....	0.5	*	*	*	0.2	0.4	0.6	0.9	1.1	0.7	0.4	*
2002.....	0.5	*	*	*	0.2	0.4	0.6	0.8	1.0	0.8	*	*
2001.....	0.5	*	*	*	0.2	0.6	0.7	0.8	0.8	0.7	*	*
2000.....	0.5	*	*	*	0.3	0.6	0.6	0.9	1.0	0.7	0.5	*
1999.....	0.5	*	*	*	0.2	0.6	0.6	0.7	1.0	0.7	*	*
Non-Hispanic 4/, female												
2006.....	0.1	*	*	*	*	*	0.1	0.1	0.1	*	*	*
2005.....	0.1	*	*	*	*	*	*	0.1	*	*	*	*
2004.....	0.1	*	*	*	*	*	*	0.1	*	*	*	*
2003.....	0.1	*	*	*	*	*	0.1	0.1	*	*	*	*
2002.....	0.1	*	*	*	*	*	*	0.1	*	*	*	*
2001.....	0.1	*	*	*	*	*	0.1	0.1	*	*	*	*
2000.....	0.1	*	*	*	*	0.1	*	0.2	0.2	*	*	*
1999.....	0.1	*	*	*	*	0.1	0.2	0.2	*	*	*	*
Non-Hispanic white, both sexes												
2006 5/.....	0.3	*	*	*	0.2	0.3	0.3	0.4	0.5	0.4	0.3	*
2005 5/.....	0.3	*	*	*	0.2	0.3	0.3	0.4	0.6	0.4	0.2	*
2004 5/.....	0.3	*	*	*	0.2	0.4	0.4	0.5	0.5	0.4	*	*
2003 5/.....	0.3	*	*	0.1	0.1	0.3	0.4	0.6	0.7	0.4	0.2	*
2002.....	0.3	*	*	*	0.2	0.3	0.4	0.5	0.6	0.4	0.2	*
2001.....	0.3	*	*	*	0.2	0.5	0.5	0.5	0.5	0.4	0.2	*
2000.....	0.4	*	*	*	0.2	0.5	0.4	0.6	0.7	0.4	0.2	*
1999.....	0.3	*	*	*	0.2	0.4	0.5	0.5	0.6	0.5	0.2	*
Non-Hispanic white, male												
2006 5/.....	0.5	*	*	*	0.3	0.6	0.5	0.7	0.9	0.7	0.6	*
2005 5/.....	0.5	*	*	*	0.2	0.5	0.5	0.7	1.1	0.8	0.5	*
2004 5/.....	0.5	*	*	*	0.2	0.6	0.7	0.9	0.9	0.9	*	*
2003 5/.....	0.6	*	*	*	0.2	0.4	0.7	1.1	1.3	0.8	0.5	*
2002.....	0.6	*	*	*	0.3	0.4	0.7	0.9	1.1	0.9	*	*
2001.....	0.6	*	*	*	0.2	0.8	0.8	0.9	0.9	0.8	*	*
2000.....	0.6	*	*	*	0.4	0.8	0.8	1.0	1.2	0.7	0.5	*
1999.....	0.6	*	*	*	0.3	0.7	0.7	0.8	1.2	0.8	*	*
Non-Hispanic white, female												
2006 5/.....	0.1	*	*	*	*	*	0.2	0.2	0.2	*	*	*
2005 5/.....	0.1	*	*	*	*	*	*	*	*	*	*	*
2004 5/.....	0.1	*	*	*	*	*	*	0.2	*	*	*	*
2003 5/.....	0.1	*	*	*	*	*	0.1	0.2	*	*	*	*
2002.....	0.1	*	*	*	*	*	*	0.1	*	*	*	*
2001.....	0.1	*	*	*	*	*	0.1	0.1	*	*	*	*
2000.....	0.1	*	*	*	*	0.2	*	0.2	0.2	*	*	*
1999.....	0.1	*	*	*	*	0.2	0.2	0.2	*	*	*	*

Worktable Orig12. Death rates for 358 selected causes, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2006

[Rates per 100,000 population in specified group. Rates are based on populations enumerated as of April 1 for 2000 and estimated as of July 1 for all other years. Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to 'Detailed technical notes to the United States 2006 data-mortality']

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, and sex	All ages 1/	Under 1 year 2/	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
Other and unspecified transport accidents and their sequelae (V98-V99,Y85)												
Non-Hispanic 4/, both sexes												
2006.....	0.3	*	*	*	0.2	0.2	0.4	0.4	0.3	0.4	0.4	*
2005.....	0.3	*	*	*	0.1	0.2	0.4	0.5	0.4	0.3	0.3	*
2004.....	0.2	*	*	*	0.1	0.2	0.3	0.4	0.3	0.3	0.3	*
2003.....	0.2	*	*	*	0.1	0.2	0.3	0.4	0.4	0.3	0.3	*
2002.....	0.2	*	*	*	0.1	0.2	0.3	0.4	0.3	0.2	0.4	*
2001.....	0.2	*	*	*	0.1	0.2	0.3	0.3	0.3	0.2	0.4	*
2000.....	0.2	*	*	*	0.1	0.2	0.3	0.3	0.3	0.3	0.3	*
1999.....	0.2	*	*	*	0.1	0.2	0.3	0.3	0.3	0.2	0.3	*
Non-Hispanic 4/, male												
2006.....	0.4	*	*	*	0.3	0.3	0.6	0.7	0.5	0.5	0.6	*
2005.....	0.4	*	*	*	0.2	0.4	0.6	0.8	0.6	0.4	0.4	*
2004.....	0.4	*	*	*	0.2	0.4	0.5	0.6	0.5	0.5	*	*
2003.....	0.3	*	*	*	0.2	0.3	0.5	0.5	0.7	0.6	0.4	*
2002.....	0.3	*	*	*	0.2	0.3	0.5	0.6	0.5	0.4	0.7	*
2001.....	0.3	*	*	*	0.2	0.3	0.5	0.6	0.4	0.4	0.6	*
2000.....	0.3	*	*	*	0.1	0.3	0.4	0.4	0.4	0.5	0.5	*
1999.....	0.3	*	*	*	0.2	0.3	0.4	0.4	0.5	0.4	*	*
Non-Hispanic 4/, female												
2006.....	0.1	*	*	*	*	0.1	0.2	0.2	0.2	0.2	*	*
2005.....	0.1	*	*	*	*	0.2	0.2	0.2	0.2	*	*	*
2004.....	0.1	*	*	*	*	*	0.2	0.2	*	*	*	*
2003.....	0.1	*	*	*	*	0.1	0.1	0.2	*	*	*	*
2002.....	0.1	*	*	*	*	*	0.2	0.2	0.2	*	*	*
2001.....	0.1	*	*	*	*	0.1	0.1	0.1	*	*	0.3	*
2000.....	0.1	*	*	*	*	*	0.2	0.1	*	*	*	*
1999.....	0.1	*	*	*	*	0.1	0.1	0.2	0.2	*	*	*
Non-Hispanic white, both sexes												
2006 5/.....	0.3	*	*	*	0.2	0.2	0.4	0.4	0.3	0.3	0.4	*
2005 5/.....	0.3	*	*	*	0.1	0.3	0.4	0.5	0.4	0.3	0.3	*
2004 5/.....	0.3	*	*	*	0.2	0.2	0.4	0.4	0.3	0.3	0.2	*
2003 5/.....	0.2	*	*	*	0.1	0.2	0.3	0.3	0.4	0.4	0.3	*
2002.....	0.2	*	*	*	0.1	0.2	0.3	0.4	0.3	0.2	0.4	*
2001.....	0.2	*	*	*	0.1	0.2	0.3	0.3	0.3	0.3	0.4	*
2000.....	0.2	*	*	*	0.1	0.2	0.3	0.2	0.2	0.3	0.3	*
1999.....	0.2	*	*	*	0.1	0.2	0.3	0.3	0.2	0.2	0.2	*
Non-Hispanic white, male												
2006 5/.....	0.4	*	*	*	0.3	0.3	0.6	0.7	0.5	0.5	0.6	*
2005 5/.....	0.4	*	*	*	0.2	0.4	0.6	0.8	0.6	0.5	*	*
2004 5/.....	0.4	*	*	*	0.2	0.4	0.5	0.6	0.6	0.5	*	*
2003 5/.....	0.3	*	*	*	0.2	0.3	0.4	0.5	0.7	0.6	*	*
2002.....	0.3	*	*	*	0.2	0.3	0.5	0.6	0.5	0.4	0.6	*
2001.....	0.3	*	*	*	0.2	0.3	0.5	0.5	0.4	0.4	0.6	*
2000.....	0.3	*	*	*	*	0.3	0.4	0.4	0.4	0.4	0.5	*
1999.....	0.3	*	*	*	*	0.3	0.4	0.4	0.3	0.4	*	*
Non-Hispanic white, female												
2006 5/.....	0.1	*	*	*	*	*	0.2	0.2	0.2	0.2	*	*
2005 5/.....	0.1	*	*	*	*	*	0.2	0.2	0.2	*	*	*
2004 5/.....	0.1	*	*	*	*	*	0.2	0.2	*	*	*	*
2003 5/.....	0.1	*	*	*	*	*	0.2	0.2	*	*	*	*
2002.....	0.1	*	*	*	*	*	0.2	0.2	0.2	*	*	*
2001.....	0.1	*	*	*	*	*	0.2	*	*	*	*	*
2000.....	0.1	*	*	*	*	*	0.2	*	*	*	*	*
1999.....	0.1	*	*	*	*	*	0.2	*	*	*	*	*

Worktable Orig12. Death rates for 358 selected causes, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2006

[Rates per 100,000 population in specified group. Rates are based on populations enumerated as of April 1 for 2000 and estimated as of July 1 for all other years. Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to 'Detailed technical notes to the United States 2006 data-mortality']

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, and sex	All ages 1/	Under 1 year 2/	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
Falls (W00-W19)												
All origins 3/, both sexes												
2006.....	7.0	0.6	0.2	0.1	0.6	0.8	1.4	3.0	5.0	12.6	47.7	151.6
2005.....	6.6	*	0.2	0.1	0.6	0.7	1.4	2.8	4.8	12.4	45.6	147.7
2004.....	6.4	0.6	0.3	0.1	0.6	0.8	1.5	2.8	4.8	12.2	43.8	143.3
2003.....	5.9	*	0.3	0.1	0.6	0.7	1.4	2.6	4.4	11.2	40.8	135.9
2002.....	5.6	*	0.2	0.1	0.6	0.8	1.5	2.5	4.1	10.8	38.3	130.4
2001.....	5.3	0.6	0.2	0.2	0.6	0.9	1.4	2.6	4.0	10.0	35.3	121.5
2000.....	4.7	*	0.2	0.1	0.6	0.8	1.3	2.3	3.9	9.0	31.1	112.6
1999.....	4.7	*	0.4	0.1	0.6	0.9	1.4	2.3	3.7	9.0	31.5	110.2
All origins 3/, male												
2006.....	7.3	*	0.3	0.1	1.0	1.3	2.3	4.7	7.3	16.5	59.4	181.1
2005.....	7.0	*	0.2	0.1	0.9	1.3	2.2	4.3	7.0	16.2	57.8	174.8
2004.....	6.8	*	0.4	0.1	1.0	1.3	2.4	4.5	7.1	16.5	54.8	174.4
2003.....	6.2	*	0.5	0.1	0.9	1.2	2.4	4.0	6.2	14.5	51.6	165.1
2002.....	6.0	*	0.4	0.1	1.0	1.3	2.3	3.9	6.0	14.5	48.1	158.9
2001.....	5.8	*	0.3	0.2	1.1	1.5	2.4	4.3	5.9	13.1	45.7	155.7
2000.....	5.2	*	0.3	0.1	1.0	1.4	2.2	3.7	5.8	11.9	39.9	145.4
1999.....	5.2	*	0.5	0.2	1.1	1.5	2.4	3.7	5.7	12.4	40.5	142.5
All origins 3/, female												
2006.....	6.6	*	*	*	0.1	0.2	0.5	1.3	3.0	9.4	39.8	137.8
2005.....	6.5	*	*	*	0.2	0.2	0.5	1.3	2.7	9.2	37.4	135.2
2004.....	6.0	*	*	*	0.2	0.2	0.6	1.3	2.7	8.6	36.4	129.2
2003.....	5.6	*	*	*	0.2	0.2	0.5	1.2	2.7	8.4	33.5	122.9
2002.....	5.3	*	*	*	0.2	0.2	0.6	1.2	2.3	7.7	31.8	118.1
2001.....	4.8	*	*	0.1	0.1	0.2	0.5	1.0	2.2	7.4	28.5	107.2
2000.....	4.3	*	*	*	0.2	0.2	0.5	0.9	2.1	6.6	25.3	99.2
1999.....	4.3	*	*	*	0.2	0.2	0.5	0.9	1.9	6.3	25.7	97.2
Hispanic, both sexes												
2006.....	2.7	*	*	*	0.7	1.2	1.8	3.2	4.6	10.7	34.5	90.4
2005.....	2.5	*	*	*	0.7	0.9	1.3	2.7	4.7	11.8	34.8	91.6
2004.....	2.4	*	*	*	0.6	1.1	1.8	2.3	4.9	10.2	30.8	87.1
2003.....	2.1	*	*	*	0.5	0.8	1.4	2.6	5.0	9.2	25.4	80.8
2002.....	2.1	*	*	*	0.7	0.9	1.6	2.5	4.4	10.0	29.2	71.5
2001.....	2.0	*	*	*	0.7	1.1	1.8	2.6	4.2	9.1	23.6	70.0
2000.....	2.0	*	*	*	0.7	1.1	1.3	2.5	4.3	8.0	26.5	81.0
1999.....	1.9	*	*	*	0.7	1.1	1.4	2.2	3.8	8.1	24.2	86.3
Hispanic, male												
2006.....	3.5	*	*	*	1.3	2.1	3.1	5.5	7.7	15.1	41.4	102.6
2005.....	3.1	*	*	*	1.2	1.6	2.2	4.8	7.5	16.4	46.8	87.2
2004.....	3.1	*	*	*	1.1	1.8	3.0	4.2	8.1	14.0	38.3	106.5
2003.....	2.7	*	*	*	0.9	1.4	2.6	4.3	7.5	11.8	36.0	90.8
2002.....	2.8	*	*	*	1.3	1.6	2.7	3.8	7.0	13.8	36.9	97.0
2001.....	2.8	*	*	*	1.2	1.9	3.3	4.5	7.1	11.4	27.7	72.4
2000.....	2.7	*	*	*	1.2	2.0	2.3	4.4	6.6	12.7	30.5	104.8
1999.....	2.7	*	*	*	1.3	1.9	2.4	3.8	7.2	11.4	31.3	120.8
Hispanic, female												
2006.....	1.8	*	*	*	*	*	*	*	1.7	7.1	29.7	83.9
2005.....	1.8	*	*	*	*	*	*	*	2.2	8.1	26.5	93.8
2004.....	1.6	*	*	*	*	*	*	*	2.0	7.2	25.7	77.1
2003.....	1.5	*	*	*	*	*	*	*	2.8	7.2	18.2	75.8
2002.....	1.4	*	*	*	*	*	*	1.1	2.1	7.0	23.9	58.9
2001.....	1.3	*	*	*	*	*	*	*	*	7.2	20.9	68.9
2000.....	1.2	*	*	*	*	*	*	*	2.3	4.3	23.8	69.2
1999.....	1.1	*	*	*	*	*	*	*	*	5.5	19.4	69.7

Worktable Orig12. Death rates for 358 selected causes, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2006

[Rates per 100,000 population in specified group. Rates are based on populations enumerated as of April 1 for 2000 and estimated as of July 1 for all other years. Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to 'Detailed technical notes to the United States 2006 data-mortality']

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, and sex	All ages 1/	Under 1 year 2/	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
Falls (W00-W19)												
Non-Hispanic 4/, both sexes												
2006.....	7.7	*	0.2	0.1	0.5	0.7	1.4	2.9	5.1	12.8	48.5	154.6
2005.....	7.3	*	0.2	0.1	0.5	0.7	1.4	2.8	4.8	12.5	46.2	150.2
2004.....	7.0	*	0.3	0.1	0.6	0.7	1.4	2.9	4.8	12.3	44.5	145.5
2003.....	6.5	*	0.3	0.1	0.6	0.7	1.4	2.5	4.3	11.3	41.5	137.9
2002.....	6.2	*	0.2	0.1	0.6	0.7	1.5	2.5	4.0	10.8	38.6	132.6
2001.....	5.7	*	0.2	0.1	0.6	0.8	1.4	2.6	3.9	10.0	35.8	123.1
2000.....	5.1	*	0.2	0.1	0.6	0.7	1.3	2.3	3.9	9.1	31.2	113.5
1999.....	5.1	*	0.4	0.1	0.6	0.8	1.4	2.2	3.7	9.0	31.7	110.7
Non-Hispanic 4/, male												
2006.....	8.0	*	0.3	*	0.9	1.1	2.2	4.6	7.2	16.6	60.4	185.4
2005.....	7.6	*	*	0.1	0.9	1.2	2.2	4.2	6.9	16.2	58.4	179.2
2004.....	7.4	*	0.4	0.1	0.9	1.2	2.3	4.4	6.9	16.7	55.6	177.2
2003.....	6.8	*	0.5	0.1	0.9	1.1	2.3	3.9	6.0	14.6	52.3	168.3
2002.....	6.5	*	0.3	0.1	0.9	1.3	2.3	3.9	5.9	14.4	48.4	161.3
2001.....	6.2	*	0.3	0.2	1.1	1.4	2.3	4.2	5.8	13.1	46.4	159.0
2000.....	5.5	*	*	0.2	1.0	1.2	2.2	3.6	5.7	11.9	40.2	146.5
1999.....	5.5	*	0.5	0.2	1.0	1.3	2.3	3.6	5.5	12.4	40.6	142.9
Non-Hispanic 4/, female												
2006.....	7.4	*	*	*	0.2	0.3	0.6	1.4	3.1	9.5	40.3	140.2
2005.....	7.0	*	*	*	0.2	0.2	0.6	1.4	2.8	9.3	37.9	136.9
2004.....	6.7	*	*	*	0.2	0.2	0.6	1.4	2.8	8.7	37.0	131.3
2003.....	6.2	*	*	*	0.2	0.3	0.6	1.2	2.7	8.5	34.3	124.6
2002.....	5.9	*	*	*	0.2	0.2	0.7	1.2	2.3	7.7	32.1	120.2
2001.....	5.3	*	*	*	0.1	0.3	0.5	1.0	2.2	7.4	28.8	108.1
2000.....	4.7	*	*	*	0.2	0.2	0.5	1.0	2.1	6.8	25.3	100.1
1999.....	4.6	*	*	*	0.2	0.3	0.5	0.9	2.0	6.3	25.9	97.8
Non-Hispanic white, both sexes												
2006 5/.....	9.0	*	*	0.1	0.6	0.8	1.5	3.0	5.1	13.3	51.4	164.5
2005 5/.....	8.5	*	*	0.1	0.6	0.7	1.5	2.8	4.8	13.0	48.5	159.6
2004 5/.....	8.2	*	0.3	0.1	0.7	0.8	1.5	2.9	4.8	12.8	47.2	155.1
2003 5/.....	7.5	*	0.3	0.1	0.6	0.8	1.5	2.5	4.3	11.6	43.6	146.8
2002.....	7.1	*	*	0.1	0.7	0.8	1.5	2.5	4.1	11.1	40.8	140.4
2001.....	6.6	*	0.2	0.2	0.8	0.9	1.4	2.6	3.9	10.3	37.6	129.9
2000.....	5.8	*	*	0.1	0.7	0.7	1.4	2.3	3.8	9.2	32.7	120.2
1999.....	5.7	*	0.4	0.2	0.7	0.8	1.5	2.1	3.5	9.1	33.1	116.6
Non-Hispanic white, male												
2006 5/.....	9.2	*	*	*	1.0	1.2	2.3	4.6	7.2	17.1	63.3	196.1
2005 5/.....	8.7	*	*	*	1.0	1.2	2.4	4.2	6.9	16.8	60.9	188.7
2004 5/.....	8.5	*	*	*	1.1	1.3	2.4	4.5	6.7	17.3	58.6	186.9
2003 5/.....	7.7	*	0.5	0.2	1.0	1.2	2.4	3.8	6.0	14.8	54.6	178.7
2002.....	7.3	*	*	*	1.0	1.4	2.3	3.9	5.9	14.8	50.6	169.2
2001.....	7.0	*	*	0.2	1.3	1.5	2.3	4.1	5.7	13.5	49.2	166.0
2000.....	6.2	*	*	0.2	1.1	1.3	2.2	3.6	5.6	12.0	41.7	154.1
1999.....	6.1	*	0.5	0.2	1.1	1.4	2.3	3.4	5.1	12.2	42.0	149.7
Non-Hispanic white, female												
2006 5/.....	8.8	*	*	*	0.2	0.3	0.6	1.4	3.2	10.1	43.1	149.8
2005 5/.....	8.3	*	*	*	0.2	0.2	0.6	1.5	2.8	9.8	40.1	146.3
2004 5/.....	7.9	*	*	*	0.2	0.2	0.5	1.4	2.9	9.0	39.4	140.9
2003 5/.....	7.3	*	*	*	0.2	0.3	0.6	1.2	2.7	8.9	36.2	132.8
2002.....	7.0	*	*	*	0.2	0.2	0.7	1.2	2.4	8.1	34.2	128.0
2001.....	6.2	*	*	*	0.2	0.3	0.5	1.1	2.2	7.7	30.6	114.8
2000.....	5.5	*	*	*	0.2	0.2	0.5	1.0	2.1	6.9	28.8	106.5
1999.....	5.4	*	*	*	0.2	0.3	0.6	0.8	1.9	6.4	27.2	103.4

Worktable Orig12. Death rates for 358 selected causes, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2006

[Rates per 100,000 population in specified group. Rates are based on populations enumerated as of April 1 for 2000 and estimated as of July 1 for all other years. Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.odc.gov/nchs> and refer to 'Detailed technical notes to the United States 2006 data-mortality']

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, and sex	All ages 1/	Under 1 year 2/	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
Falls (W00-W19)												
Non-Hispanic black, both sexes												
2006 5/.....	2.8	*	*	*	*	0.4	1.2	3.1	4.8	9.8	23.9	54.9
2005 5/.....	2.7	*	*	*	*	0.5	1.0	3.1	4.7	9.0	25.7	53.0
2004 5/.....	2.7	*	*	*	*	0.6	1.5	2.9	5.6	10.1	20.8	47.5
2003 5/.....	2.5	*	*	*	*	0.5	1.3	3.2	4.9	9.0	19.3	44.6
2002.....	2.3	*	*	*	*	0.4	1.3	2.8	4.3	8.2	16.3	49.3
2001.....	2.3	*	*	*	*	0.5	1.6	3.0	4.4	8.8	18.7	44.0
2000.....	2.1	*	*	*	*	0.4	1.3	2.7	4.8	8.3	15.2	39.1
1999.....	2.5	*	*	*	0.4	0.8	1.3	3.5	5.5	9.3	17.2	45.3
Non-Hispanic black, male												
2006 5/.....	3.6	*	*	*	*	1.9	5.4	8.0	14.5	34.5	68.7	
2005 5/.....	3.3	*	*	*	*	1.6	5.3	7.7	12.6	35.6	63.8	
2004 5/.....	3.5	*	*	*	*	1.1	2.2	4.8	10.2	14.5	29.9	73.2
2003 5/.....	3.0	*	*	*	*	2.2	5.2	7.2	12.6	24.5	56.5	
2002.....	3.0	*	*	*	*	0.8	2.2	4.7	6.8	11.9	24.9	76.6
2001.....	3.2	*	*	*	*	2.7	5.4	6.9	12.6	29.1	68.1	
2000.....	2.8	*	*	*	*	2.1	4.6	8.2	11.4	21.6	61.1	
1999.....	3.4	*	*	*	*	1.4	2.5	5.9	8.7	15.0	24.1	58.2
Non-Hispanic black, female												
2006 5/.....	2.1	*	*	*	*	1.2	2.3	6.4	17.8	49.3		
2005 5/.....	2.1	*	*	*	*	1.2	2.2	6.4	20.0	48.6		
2004 5/.....	1.9	*	*	*	*	0.9	1.4	1.9	7.0	15.6	37.3	
2003 5/.....	2.0	*	*	*	*	1.5	3.0	6.5	16.3	40.0		
2002.....	1.6	*	*	*	*	1.2	2.2	5.6	11.4	38.9		
2001.....	1.6	*	*	*	*	2.3	6.1	12.8	35.1			
2000.....	1.5	*	*	*	*	1.0	2.0	6.1	11.6	31.0		
1999.....	1.7	*	*	*	*	1.4	2.9	5.3	13.3	40.4		

Worktable Orig12. Death rates for 358 selected causes, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2006

[Rates per 100,000 population in specified group. Rates are based on populations enumerated as of April 1 for 2000 and estimated as of July 1 for all other years. Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to 'Detailed technical notes to the United States 2006 data-mortality']

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanics origin, race for non-Hispanic population, and sex	All ages 1/	Under 1 year 2/	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
Fall on same level (W00-W09,W18)												
Non-Hispanic 4/, both sexes												
2006.....	2.8	*	*	*	0.1	0.1	0.3	0.7	1.5	4.4	18.3	62.7
2005.....	2.7	*	*	*	0.1	0.1	0.3	0.7	1.4	4.3	17.8	61.2
2004.....	2.3	*	*	*	0.1	0.2	0.3	0.7	1.3	3.8	15.3	54.2
2003.....	2.1	*	*	*	0.1	0.1	0.3	0.6	1.2	3.3	14.4	50.9
2002.....	2.0	*	*	*	0.1	0.1	0.3	0.6	1.0	3.1	12.6	51.3
2001.....	1.5	*	*	0.1	0.1	0.1	0.2	0.5	1.0	2.5	9.9	37.5
2000.....	1.3	*	*	*	0.1	0.1	0.2	0.4	0.8	2.0	8.0	33.3
1999.....	0.9	*	*	*	0.1	0.1	0.1	0.3	0.4	1.5	5.7	21.4
Non-Hispanic 4/, male												
2006.....	2.7	*	*	*	0.2	0.2	0.4	1.1	1.9	5.2	22.9	72.8
2005.....	2.6	*	*	*	0.2	0.2	0.5	1.1	1.9	5.3	22.2	73.9
2004.....	2.3	*	*	*	0.1	0.3	0.4	1.0	1.7	4.9	18.8	64.3
2003.....	2.1	*	*	*	0.2	0.4	0.8	1.6	4.0	18.2	61.2	
2002.....	1.9	*	*	*	0.2	0.2	0.4	0.8	1.3	4.2	15.3	61.1
2001.....	1.5	*	*	*	0.2	0.2	0.3	0.8	1.3	2.9	12.8	45.9
2000.....	1.2	*	*	*	*	*	0.3	0.6	1.0	2.5	9.7	39.9
1999.....	0.8	*	*	*	0.1	*	0.2	0.5	0.5	2.0	7.2	26.3
Non-Hispanic 4/, female												
2006.....	2.9	*	*	*	*	*	0.2	0.4	1.2	3.6	15.0	58.0
2005.....	2.7	*	*	*	*	*	0.2	0.4	0.9	3.4	14.9	55.4
2004.....	2.4	*	*	*	*	*	0.2	0.3	0.9	3.0	12.9	49.6
2003.....	2.2	*	*	*	*	*	0.2	0.4	0.8	2.7	11.8	46.4
2002.....	2.1	*	*	*	*	*	0.1	0.3	0.8	2.2	10.9	47.1
2001.....	1.6	*	*	*	*	*	0.1	0.3	0.6	2.1	8.0	34.0
2000.....	1.3	*	*	*	*	*	*	0.2	0.6	1.6	6.8	30.6
1999.....	0.9	*	*	*	*	*	*	0.2	0.3	1.1	4.8	19.4
Non-Hispanic white, both sexes												
2006 5/.....	3.3	*	*	*	0.1	0.1	0.3	0.8	1.5	4.7	19.3	66.4
2005 5/.....	3.1	*	*	*	0.2	0.1	0.3	0.7	1.3	4.4	18.7	64.9
2004 5/.....	2.7	*	*	*	0.1	0.2	0.3	0.7	1.3	4.0	16.1	58.2
2003 5/.....	2.5	*	*	*	0.1	0.1	0.3	0.6	1.1	3.5	15.3	54.3
2002.....	2.4	*	*	*	0.1	0.1	0.3	0.6	1.1	3.3	13.3	54.4
2001.....	1.8	*	*	*	0.1	0.1	0.2	0.6	1.0	2.6	10.4	39.6
2000.....	1.5	*	*	*	0.1	*	0.2	0.4	0.7	2.1	8.4	35.3
1999.....	1.0	*	*	*	0.1	0.1	0.1	0.3	0.3	1.5	5.9	22.6
Non-Hispanic white, male												
2006 5/.....	3.1	*	*	*	0.2	0.2	0.4	1.1	1.9	5.5	23.8	76.0
2005 5/.....	3.0	*	*	*	0.2	0.2	0.5	1.1	1.7	5.4	23.0	76.9
2004 5/.....	2.6	*	*	*	0.2	0.3	0.4	1.1	1.6	5.1	19.5	68.5
2003 5/.....	2.4	*	*	*	*	0.2	0.4	0.8	1.5	4.2	19.2	64.6
2002.....	2.2	*	*	*	0.2	0.2	0.4	0.9	1.4	4.3	15.7	63.6
2001.....	1.7	*	*	*	0.2	0.2	0.3	0.8	1.3	3.1	13.2	48.3
2000.....	1.4	*	*	*	*	*	0.3	0.6	0.9	2.6	10.1	42.3
1999.....	0.9	*	*	*	*	*	0.2	0.4	0.4	2.0	7.3	27.8
Non-Hispanic white, female												
2006 5/.....	3.4	*	*	*	*	*	0.2	0.4	1.2	4.0	16.1	61.9
2005 5/.....	3.2	*	*	*	*	*	0.2	0.4	0.9	3.6	15.8	59.4
2004 5/.....	2.8	*	*	*	*	*	0.2	0.3	0.9	3.0	13.7	53.6
2003 5/.....	2.6	*	*	*	*	*	0.2	0.4	0.8	2.8	12.6	49.7
2002.....	2.5	*	*	*	*	*	0.1	0.3	0.8	2.4	11.7	50.4
2001.....	1.8	*	*	*	*	*	*	0.3	0.6	2.2	8.5	36.0
2000.....	1.6	*	*	*	*	*	*	0.2	0.6	1.7	7.3	32.5
1999.....	1.0	*	*	*	*	*	*	0.2	0.2	1.1	5.0	20.6

Worktable Orig12. Death rates for 358 selected causes, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2006

[Rates per 100,000 population in specified group. Rates are based on populations enumerated as of April 1 for 2000 and estimated as of July 1 for all other years. Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to 'Detailed technical notes to the United States 2006 data-mortality']

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, and sex	All ages 1/	Under 1 year 2/	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
Fall from one level to another (W10-W17)												
Non-Hispanic 4/, both sexes												
2006.....	1.3	*	*	*	0.3	0.4	0.7	1.2	1.6	2.7	6.6	10.4
2005.....	1.2	*	*	*	0.3	0.4	0.7	1.1	1.5	2.7	6.3	9.7
2004.....	1.2	*	*	*	0.3	0.3	0.7	1.1	1.6	2.8	6.0	10.8
2003.....	1.2	*	*	*	0.4	0.4	0.6	1.0	1.3	2.8	6.0	11.4
2002.....	1.2	*	*	*	0.4	0.5	0.7	0.9	1.4	2.8	6.3	11.2
2001.....	1.2	*	*	0.1	0.4	0.5	0.7	1.1	1.3	2.7	6.2	11.5
2000.....	1.1	*	*	*	0.4	0.5	0.7	1.0	1.3	2.4	5.2	8.8
1999.....	1.2	*	0.2	0.1	0.4	0.5	0.7	0.9	1.5	2.6	5.9	10.5
Non-Hispanic 4/, male												
2006.....	1.9	*	*	*	0.6	0.7	1.2	2.0	2.6	4.4	10.2	17.9
2005.....	1.8	*	*	*	0.6	0.7	1.2	1.8	2.4	4.2	10.0	15.2
2004.....	1.7	*	*	*	0.5	0.6	1.2	1.9	2.6	4.6	8.7	16.6
2003.....	1.7	*	*	*	0.7	0.7	1.2	1.8	2.2	4.3	9.0	18.4
2002.....	1.8	*	*	*	0.6	0.9	1.3	1.6	2.4	4.3	9.9	17.8
2001.....	1.8	*	*	*	0.8	0.9	1.3	1.9	2.3	4.2	9.6	19.0
2000.....	1.6	*	*	*	0.7	0.9	1.2	1.7	2.2	3.8	8.6	16.4
1999.....	1.7	*	*	*	0.7	1.0	1.3	1.6	2.6	4.2	9.3	18.2
Non-Hispanic 4/, female												
2006.....	0.7	*	*	*	*	0.1	0.2	0.5	0.7	1.2	4.2	6.9
2005.....	0.7	*	*	*	*	*	0.2	0.4	0.6	1.4	3.9	7.2
2004.....	0.7	*	*	*	*	*	0.2	0.3	0.6	1.4	4.1	8.2
2003.....	0.7	*	*	*	0.1	*	0.1	0.3	0.6	1.5	4.0	8.4
2002.....	0.7	*	*	*	0.1	0.1	0.2	0.3	0.5	1.6	3.8	8.3
2001.....	0.7	*	*	*	*	0.1	0.1	0.3	0.5	1.4	4.0	8.4
2000.....	0.6	*	*	*	0.1	*	0.2	0.3	0.5	1.2	3.0	5.8
1999.....	0.7	*	*	*	*	0.1	0.2	0.2	0.6	1.4	3.8	7.4
Non-Hispanic white, both sexes												
2006 5/.....	1.5	*	*	*	0.4	0.5	0.7	1.2	1.7	2.8	7.1	10.9
2005 5/.....	1.4	*	*	*	0.4	0.5	0.8	1.2	1.6	2.8	6.7	10.3
2004 5/.....	1.4	*	*	*	0.4	0.4	0.7	1.1	1.6	3.0	6.3	11.4
2003 5/.....	1.3	*	*	*	0.5	0.5	0.7	1.0	1.4	2.8	6.3	12.1
2002.....	1.4	*	*	*	0.4	0.6	0.8	1.0	1.5	3.0	6.6	11.5
2001.....	1.4	*	*	*	0.5	0.6	0.7	1.1	1.3	2.8	6.5	12.0
2000.....	1.2	*	*	*	0.5	0.5	0.8	1.0	1.3	2.5	5.5	9.2
1999.....	1.3	*	0.2	*	0.5	0.6	0.8	0.9	1.6	2.8	6.2	11.1
Non-Hispanic white, male												
2006 5/.....	2.1	*	*	*	0.6	0.8	1.2	2.0	2.6	4.5	10.9	18.9
2005 5/.....	2.0	*	*	*	0.7	0.8	1.4	1.9	2.5	4.5	10.5	16.1
2004 5/.....	2.0	*	*	*	0.6	0.7	1.2	1.9	2.6	4.9	9.3	17.7
2003 5/.....	1.9	*	*	*	0.8	0.9	1.2	1.7	2.3	4.3	9.4	19.8
2002.....	2.0	*	*	*	0.7	1.0	1.3	1.7	2.5	4.6	10.4	18.5
2001.....	2.0	*	*	*	1.0	1.0	1.3	1.8	2.3	4.3	10.0	19.8
2000.....	1.8	*	*	*	0.9	1.0	1.3	1.7	2.2	3.9	9.0	17.0
1999.....	1.9	*	*	*	0.8	1.0	1.3	1.6	2.6	4.2	9.5	19.6
Non-Hispanic white, female												
2006 5/.....	0.8	*	*	*	*	*	0.2	0.5	0.7	1.3	4.5	7.1
2005 5/.....	0.8	*	*	*	*	*	0.2	0.5	0.7	1.4	4.0	7.6
2004 5/.....	0.8	*	*	*	*	*	0.2	0.3	0.7	1.5	4.3	8.6
2003 5/.....	0.8	*	*	*	0.2	*	0.1	0.3	0.6	1.6	4.1	8.8
2002.....	0.8	*	*	*	0.2	*	0.2	0.3	0.5	1.6	4.0	8.5
2001.....	0.8	*	*	*	*	0.2	0.2	0.3	0.5	1.5	4.2	8.7
2000.....	0.6	*	*	*	*	*	0.2	0.3	0.5	1.3	3.2	6.1
1999.....	0.8	*	*	*	*	*	0.2	0.2	0.7	1.5	4.0	7.7

Worktable Orig12. Death rates for 358 selected causes, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2006

[Rates per 100,000 population in specified group. Rates are based on populations enumerated as of April 1 for 2000 and estimated as of July 1 for all other years. Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to 'Detailed technical notes to the United States 2006 data-mortality']

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, and sex	All ages 1/	Under 1 year 2/	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
Unspecified fall (W19)												
All origins 3/, both sexes												
2006.....	3.2	*	*	*	0.1	0.2	0.5	1.0	1.9	5.7	23.2	79.7
2005.....	3.1	*	*	*	0.1	0.2	0.4	0.9	1.9	5.4	21.7	77.8
2004.....	3.2	*	*	*	0.1	0.2	0.5	1.1	1.9	5.7	22.9	79.1
2003.....	2.9	*	*	*	0.1	0.1	0.5	0.9	1.8	5.1	20.8	74.2
2002.....	2.7	*	*	*	0.1	0.1	0.5	1.0	1.6	4.8	19.6	68.8
2001.....	2.7	*	*	*	0.1	0.2	0.5	1.0	1.6	4.8	19.3	73.0
2000.....	2.5	*	*	*	0.1	0.1	0.4	0.9	1.8	4.6	17.9	70.7
1999.....	2.8	*	*	*	0.1	0.2	0.6	1.0	1.8	4.9	19.9	78.4
All origins 3/, male												
2006.....	3.1	*	*	*	0.2	0.3	0.7	1.5	2.7	7.0	26.9	92.3
2005.....	2.9	*	*	*	0.1	0.3	0.5	1.3	2.6	6.7	25.9	87.5
2004.....	3.1	*	*	*	0.2	0.3	0.8	1.6	2.6	7.3	27.7	93.9
2003.....	2.7	*	*	*	0.1	0.2	0.7	1.4	2.3	6.2	24.7	86.9
2002.....	2.5	*	*	*	0.1	0.2	0.7	1.4	2.2	5.9	23.2	80.7
2001.....	2.6	*	*	*	0.1	0.3	0.8	1.5	2.2	5.9	23.4	92.1
2000.....	2.5	*	*	*	0.2	0.2	0.7	1.4	2.6	5.6	21.7	89.4
1999.....	2.8	*	*	*	0.2	0.3	0.9	1.6	2.6	6.3	24.2	98.1
All origins 3/, female												
2006.....	3.4	*	*	*	*	*	0.3	0.5	1.2	4.5	20.7	73.7
2005.....	3.2	*	*	*	*	*	0.2	0.6	1.2	4.4	18.9	73.3
2004.....	3.2	*	*	*	*	*	0.2	0.7	1.2	4.3	19.7	72.4
2003.....	3.0	*	*	*	*	*	0.2	0.5	1.3	4.2	18.1	68.5
2002.....	2.8	*	*	*	*	*	0.3	0.6	1.0	3.9	17.2	63.6
2001.....	2.7	*	*	*	*	*	0.2	0.4	1.1	3.9	16.6	64.9
2000.....	2.6	*	*	*	*	*	0.2	0.5	1.0	3.8	15.5	63.1
1999.....	2.8	*	*	*	*	0.1	0.3	0.5	1.0	3.8	17.1	70.4
Hispanic, both sexes												
2006.....	1.0	*	*	*	*	*	0.6	1.0	1.8	4.4	16.5	41.5
2005.....	0.9	*	*	*	*	*	0.3	0.8	1.6	4.8	16.0	43.2
2004.....	1.0	*	*	*	*	*	0.7	1.0	1.8	5.6	16.4	43.3
2003.....	0.8	*	*	*	*	*	0.5	1.0	1.8	3.9	11.9	37.3
2002.....	0.8	*	*	*	*	*	0.5	0.9	1.7	4.6	15.5	31.6
2001.....	0.8	*	*	*	*	*	0.6	0.9	1.5	4.0	11.7	40.0
2000.....	0.8	*	*	*	*	*	0.4	0.9	1.7	3.9	14.6	49.1
1999.....	1.0	*	*	*	*	*	0.5	1.1	2.0	5.1	14.6	58.9
Hispanic, male												
2006.....	1.2	*	*	*	*	*	0.9	1.6	2.6	6.2	20.6	48.5
2005.....	1.0	*	*	*	*	*	*	1.3	2.6	6.9	20.7	34.9
2004.....	1.1	*	*	*	*	*	0.9	1.7	2.7	7.4	19.7	40.6
2003.....	0.9	*	*	*	*	*	0.9	1.5	2.3	5.0	15.7	43.1
2002.....	0.9	*	*	*	*	*	0.9	1.4	2.2	5.4	20.5	35.1
2001.....	0.9	*	*	*	*	*	1.2	1.4	2.6	4.0	10.7	41.9
2000.....	1.0	*	*	*	*	*	0.8	1.5	2.7	6.3	15.2	60.5
1999.....	1.2	*	*	*	*	*	0.8	1.9	4.0	6.8	18.8	82.0
Hispanic, female												
2006.....	0.8	*	*	*	*	*	*	*	*	2.9	13.7	37.7
2005.....	0.8	*	*	*	*	*	*	*	*	3.1	12.8	47.6
2004.....	0.9	*	*	*	*	*	*	*	*	4.1	14.1	44.7
2003.....	0.6	*	*	*	*	*	*	*	*	3.1	9.2	34.4
2002.....	0.7	*	*	*	*	*	*	*	*	4.0	12.1	29.8
2001.....	0.7	*	*	*	*	*	*	*	*	3.9	12.4	39.1
2000.....	0.7	*	*	*	*	*	*	*	*	*	14.2	43.5
1999.....	0.7	*	*	*	*	*	*	*	*	3.8	11.8	47.8

Worktable Orig12. Death rates for 358 selected causes, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2006

[Rates per 100,000 population in specified group. Rates are based on populations enumerated as of April 1 for 2000 and estimated as of July 1 for all other years. Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to 'Detailed technical notes to the United States 2006 data-mortality']

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, and sex	All ages 1/	Under 1 year 2/	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
Unspecified fall (W19)												
Non-Hispanic 4/, both sexes												
2006.....	3.6	*	*	*	0.1	0.1	0.4	1.0	1.9	5.8	23.6	81.5
2005.....	3.4	*	*	*	0.1	0.2	0.4	0.9	1.9	5.5	22.0	79.3
2004.....	3.5	*	*	*	0.1	0.2	0.5	1.1	1.9	5.7	23.2	80.5
2003.....	3.2	*	*	*	0.1	0.1	0.5	0.9	1.8	5.2	21.2	75.6
2002.....	2.9	*	*	*	0.1	0.1	0.4	1.0	1.6	4.8	19.7	70.0
2001.....	3.0	*	*	*	0.1	0.2	0.5	1.0	1.6	4.8	19.7	74.1
2000.....	2.8	*	*	*	0.1	0.1	0.4	0.9	1.8	4.6	18.1	71.4
1999.....	3.0	*	*	*	0.1	0.2	0.6	1.0	1.7	4.9	20.0	78.8
Non-Hispanic 4/, male												
2006.....	3.4	*	*	*	0.1	0.2	0.6	1.5	2.7	7.1	27.3	94.7
2005.....	3.2	*	*	*	0.1	0.3	0.5	1.3	2.6	6.6	26.2	90.1
2004.....	3.4	*	*	*	0.2	0.3	0.7	1.5	2.6	7.3	28.1	96.3
2003.....	3.0	*	*	*	*	0.2	0.7	1.4	2.3	6.3	25.2	88.7
2002.....	2.8	*	*	*	*	0.2	0.6	1.4	2.2	6.0	23.2	82.4
2001.....	2.9	*	*	*	0.1	0.3	0.7	1.5	2.2	6.0	24.0	94.1
2000.....	2.7	*	*	*	0.1	0.2	0.6	1.4	2.6	5.6	21.9	90.2
1999.....	3.0	*	*	*	0.2	0.3	0.9	1.5	2.5	6.2	24.2	98.3
Non-Hispanic 4/, female												
2006.....	3.8	*	*	*	*	*	0.3	0.5	1.2	4.7	21.1	75.4
2005.....	3.6	*	*	*	*	*	0.3	0.6	1.2	4.5	19.2	74.3
2004.....	3.6	*	*	*	*	*	0.2	0.7	1.2	4.4	20.0	73.5
2003.....	3.3	*	*	*	*	*	0.2	0.5	1.3	4.3	18.5	69.8
2002.....	3.1	*	*	*	*	*	0.3	0.6	1.0	3.9	17.4	64.7
2001.....	3.0	*	*	*	*	*	0.2	0.5	1.1	3.9	16.8	65.7
2000.....	2.9	*	*	*	*	*	0.2	0.5	1.0	3.9	15.5	63.7
1999.....	3.1	*	*	*	*	*	0.3	0.5	1.0	3.8	17.3	70.9
Non-Hispanic white, both sexes												
2006 5/.....	4.2	*	*	*	0.1	0.1	0.5	1.0	1.9	5.9	25.0	87.3
2005 5/.....	4.0	*	*	*	0.1	0.2	0.4	0.9	1.9	5.8	23.2	84.5
2004 5/.....	4.1	*	*	*	0.2	0.2	0.5	1.1	1.9	5.8	24.8	85.5
2003 5/.....	3.7	*	*	*	*	*	0.2	0.5	0.9	1.8	5.3	22.1
2002.....	3.4	*	*	*	0.1	0.1	0.4	0.9	1.5	4.9	20.9	74.5
2001.....	3.4	*	*	*	0.1	0.2	0.4	1.0	1.6	4.9	20.6	78.3
2000.....	3.2	*	*	*	0.1	0.1	0.4	0.9	1.7	4.7	18.8	75.6
1999.....	3.4	*	*	*	0.1	0.2	0.6	0.9	1.5	4.8	21.0	82.8
Non-Hispanic white, male												
2006 5/.....	4.0	*	*	*	*	0.2	0.7	1.5	2.7	7.1	28.7	101.2
2005 5/.....	3.7	*	*	*	*	0.3	0.5	1.2	2.6	6.9	27.3	95.7
2004 5/.....	3.9	*	*	*	0.3	0.3	0.8	1.5	2.4	7.3	29.8	100.7
2003 5/.....	3.4	*	*	*	*	0.2	0.8	1.3	2.3	6.4	26.0	94.3
2002.....	3.1	*	*	*	*	0.6	1.3	2.0	5.9	24.4	87.1	
2001.....	3.3	*	*	*	0.2	0.3	0.7	1.5	2.1	6.0	24.9	97.9
2000.....	3.0	*	*	*	*	0.2	0.6	1.3	2.4	5.6	22.6	94.9
1999.....	3.3	*	*	*	0.2	0.3	0.8	1.4	2.1	6.1	25.2	102.2
Non-Hispanic white, female												
2006 5/.....	4.5	*	*	*	*	*	0.3	0.5	1.2	4.8	22.5	80.8
2005 5/.....	4.3	*	*	*	*	*	0.3	0.6	1.2	4.7	20.3	79.3
2004 5/.....	4.3	*	*	*	*	*	0.2	0.8	1.3	4.5	21.4	78.8
2003 5/.....	3.9	*	*	*	*	*	0.2	0.5	1.3	4.5	19.4	74.3
2002.....	3.7	*	*	*	*	*	0.3	0.6	1.0	4.0	18.6	69.1
2001.....	3.6	*	*	*	*	*	0.2	0.5	1.1	4.0	17.8	70.1
2000.....	3.3	*	*	*	*	*	0.2	0.5	1.0	3.9	16.3	67.9
1999.....	3.6	*	*	*	*	*	0.3	0.4	0.9	3.8	18.2	75.1

Worktable Orig12. Death rates for 358 selected causes, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2006

[Rates per 100,000 population in specified group. Rates are based on populations enumerated as of April 1 for 2000 and estimated as of July 1 for all other years. Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.odc.gov/nchs> and refer to 'Detailed technical notes to the United States 2006 data-mortality']

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, and sex	All ages 1/	Under 1 year 2/	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
Unspecified fall (W19)												
Non-Hispanic black, both sexes												
2006 5/.....	1.3	*	*	*	*	*	0.5	1.1	2.3	5.5	13.1	28.4
2005 5/.....	1.3	*	*	*	*	*	*	1.2	2.3	3.8	14.2	31.7
2004 5/.....	1.3	*	*	*	*	*	0.5	1.3	2.3	5.5	9.8	30.8
2003 5/.....	1.3	*	*	*	*	*	0.4	1.4	2.3	5.1	12.1	28.9
2002.....	1.2	*	*	*	*	*	0.5	1.5	2.4	4.5	8.9	25.4
2001.....	1.2	*	*	*	*	*	0.7	1.2	2.1	4.8	11.0	26.2
2000.....	1.2	*	*	*	*	*	0.7	1.2	2.4	4.9	10.2	26.1
1999.....	1.5	*	*	*	*	*	0.6	1.8	3.5	5.7	11.0	33.3
Non-Hispanic black, male												
2006 5/.....	1.5	*	*	*	*	*	*	1.8	3.8	7.1	16.4	33.9
2005 5/.....	1.4	*	*	*	*	*	*	1.9	3.6	4.7	18.8	36.2
2004 5/.....	1.6	*	*	*	*	*	*	1.9	4.5	8.0	14.3	49.8
2003 5/.....	1.4	*	*	*	*	*	*	2.3	3.2	6.4	13.9	36.2
2002.....	1.5	*	*	*	*	*	0.8	2.7	4.0	6.4	10.8	38.3
2001.....	1.4	*	*	*	*	*	1.0	2.0	3.0	6.2	15.9	46.2
2000.....	1.5	*	*	*	*	*	1.1	1.9	4.2	6.1	14.5	38.7
1999.....	1.9	*	*	*	*	*	1.1	3.1	5.5	8.4	14.7	46.4
Non-Hispanic black, female												
2006 5/.....	1.2	*	*	*	*	*	*	*	1.2	4.3	11.2	26.2
2005 5/.....	1.2	*	*	*	*	*	*	*	1.3	3.2	11.6	29.9
2004 5/.....	1.0	*	*	*	*	*	*	*	*	3.8	7.2	23.3
2003 5/.....	1.2	*	*	*	*	*	*	*	1.5	4.2	11.1	26.0
2002.....	0.8	*	*	*	*	*	*	*	*	3.1	7.8	20.5
2001.....	0.9	*	*	*	*	*	*	*	*	3.8	8.3	18.8
2000.....	0.9	*	*	*	*	*	*	*	*	4.1	7.8	21.4
1999.....	1.1	*	*	*	*	*	*	*	1.9	3.7	8.9	28.4

Worktable Orig12. Death rates for 358 selected causes, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2006

[Rates per 100,000 population in specified group. Rates are based on populations enumerated as of April 1 for 2000 and estimated as of July 1 for all other years. Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to 'Detailed technical notes to the United States 2006 data-mortality']

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, and sex	All ages 1/	Under 1 year 2/	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
Accidental discharge of firearms (W32-W34)												
Non-Hispanic 4/, both sexes												
2006.....	0.2	*	*	0.1	0.5	0.3	0.2	0.2	0.2	0.2	0.3	*
2005.....	0.3	*	0.2	0.2	0.5	0.3	0.3	0.2	0.2	0.2	0.3	*
2004.....	0.2	*	*	0.1	0.4	0.3	0.2	0.3	0.1	0.2	0.2	*
2003.....	0.3	*	*	0.1	0.5	0.3	0.3	0.2	0.2	0.2	0.3	*
2002.....	0.3	*	*	0.1	0.5	0.4	0.3	0.3	0.2	0.2	0.2	*
2001.....	0.3	*	*	0.2	0.5	0.3	0.3	0.3	0.3	0.2	0.3	*
2000.....	0.3	*	*	0.2	0.5	0.4	0.4	0.2	0.2	0.2	0.2	*
1999.....	0.3	*	*	0.2	0.7	0.4	0.3	0.3	0.2	0.2	0.2	*
Non-Hispanic 4/, male												
2006.....	0.4	*	*	0.2	0.9	0.5	0.3	0.3	0.3	0.4	0.6	*
2005.....	0.5	*	*	0.2	0.9	0.6	0.5	0.4	0.4	0.4	0.5	*
2004.....	0.4	*	*	0.2	0.8	0.5	0.4	0.5	0.2	0.4	0.5	*
2003.....	0.5	*	*	0.2	0.9	0.6	0.5	0.4	0.5	0.4	0.7	*
2002.....	0.5	*	*	0.2	1.0	0.7	0.5	0.5	0.4	0.4	0.5	*
2001.....	0.5	*	*	0.3	0.9	0.5	0.6	0.5	0.5	0.3	0.7	*
2000.....	0.5	*	*	0.3	1.0	0.6	0.6	0.4	0.4	0.4	0.5	*
1999.....	0.5	*	*	0.3	1.2	0.6	0.5	0.5	0.4	0.4	0.4	*
Non-Hispanic 4/, female												
2006.....	0.1	*	*	*	*	*	*	*	*	*	*	*
2005.....	0.1	*	*	*	*	*	*	*	*	*	*	*
2004.....	0.1	*	*	*	*	*	*	*	*	*	*	*
2003.....	0.1	*	*	*	*	*	*	*	*	*	*	*
2002.....	0.1	*	*	*	*	*	0.1	*	*	*	*	*
2001.....	0.1	*	*	*	*	*	0.1	*	*	*	*	*
2000.....	0.1	*	*	*	*	0.1	0.1	*	*	*	*	*
1999.....	0.1	*	*	*	0.1	0.1	0.1	*	*	*	*	*
Non-Hispanic white, both sexes												
2006 5/.....	0.2	*	*	0.1	0.3	0.3	0.2	0.2	0.2	0.2	0.3	*
2005 5/.....	0.3	*	*	0.1	0.4	0.2	0.3	0.3	0.3	0.3	0.3	*
2004 5/.....	0.2	*	*	0.1	0.4	0.2	0.3	0.3	0.1	0.2	0.2	*
2003 5/.....	0.3	*	*	0.1	0.4	0.3	0.3	0.3	0.3	0.2	0.3	*
2002.....	0.3	*	*	0.1	0.5	0.3	0.3	0.3	0.2	0.2	0.2	*
2001.....	0.3	*	*	0.2	0.5	0.3	0.4	0.3	0.3	0.2	0.3	*
2000.....	0.3	*	*	0.2	0.5	0.3	0.4	0.2	0.2	0.2	0.2	*
1999.....	0.3	*	*	0.2	0.6	0.4	0.3	0.3	0.2	0.2	0.2	*
Non-Hispanic white, male												
2006 5/.....	0.4	*	*	0.2	0.6	0.5	0.3	0.3	0.3	0.4	0.6	*
2005 5/.....	0.4	*	*	0.2	0.7	0.4	0.4	0.4	0.5	0.5	0.5	*
2004 5/.....	0.4	*	*	0.2	0.7	0.4	0.4	0.5	0.2	0.4	*	*
2003 5/.....	0.5	*	*	0.2	0.8	0.5	0.6	0.4	0.5	0.4	0.6	*
2002.....	0.5	*	*	0.2	0.8	0.6	0.5	0.5	0.4	0.5	0.5	*
2001.....	0.5	*	*	0.3	0.8	0.6	0.6	0.5	0.5	0.3	0.7	*
2000.....	0.5	*	*	0.3	0.8	0.5	0.6	0.4	0.4	0.4	0.5	*
1999.....	0.5	*	*	0.3	1.0	0.6	0.5	0.5	0.4	0.4	*	*
Non-Hispanic white, female												
2006 5/.....	0.1	*	*	*	*	*	*	*	*	*	*	*
2005 5/.....	0.1	*	*	*	*	*	*	*	*	*	*	*
2004 5/.....	0.1	*	*	*	*	*	*	*	*	*	*	*
2003 5/.....	0.1	*	*	*	*	*	*	*	*	*	*	*
2002.....	0.1	*	*	*	*	*	0.1	*	*	*	*	*
2001.....	0.1	*	*	*	*	*	0.1	*	*	*	*	*
2000.....	0.1	*	*	*	*	*	*	*	*	*	*	*
1999.....	0.1	*	*	*	*	*	0.1	*	*	*	*	*

Worktable Orig12. Death rates for 358 selected causes, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2006

[Rates per 100,000 population in specified group. Rates are based on populations enumerated as of April 1 for 2000 and estimated as of July 1 for all other years. Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to 'Detailed technical notes to the United States 2006 data-mortality']

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, and sex	All ages 1/	Under 1 year 2/	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
Accidental drowning and submersion (W65-W74)												
Non-Hispanic 4/, both sexes												
2006.....	1.2	1.1	2.9	0.7	1.3	1.1	1.1	1.2	1.0	1.2	1.5	1.4
2005.....	1.2	1.5	3.1	0.7	1.4	0.9	1.2	1.2	0.9	1.1	1.4	1.8
2004.....	1.1	1.4	2.8	0.7	1.4	1.0	1.0	1.1	1.0	1.0	1.2	1.6
2003.....	1.1	1.5	3.0	0.7	1.3	0.8	1.1	1.0	1.0	1.1	1.3	1.8
2002.....	1.2	1.4	3.1	0.9	1.4	1.1	1.2	0.9	0.8	0.9	1.3	1.7
2001.....	1.1	1.6	3.1	0.9	1.5	0.9	1.0	0.9	0.8	0.9	1.3	1.7
2000.....	1.2	2.1	3.4	1.0	1.5	1.1	1.1	1.0	0.9	1.0	1.3	1.5
1999.....	1.2	1.7	3.3	0.9	1.5	1.1	1.1	1.0	0.9	1.0	1.3	1.7
Non-Hispanic 4/, male												
2006.....	1.9	*	3.5	1.0	2.3	1.9	1.8	1.9	1.6	1.7	2.5	2.4
2005.....	1.9	1.3	4.1	1.0	2.5	1.6	2.0	1.9	1.5	1.6	2.4	3.8
2004.....	1.8	1.8	3.4	1.0	2.4	1.6	1.7	1.8	1.5	1.7	2.2	2.7
2003.....	1.8	1.7	3.7	1.0	2.4	1.5	1.8	1.6	1.6	1.8	2.1	3.4
2002.....	1.9	1.6	4.1	1.3	2.6	1.8	2.0	1.5	1.3	1.6	2.0	3.6
2001.....	1.8	1.3	3.8	1.2	2.6	1.6	1.7	1.6	1.3	1.5	2.1	3.4
2000.....	2.0	2.4	4.3	1.4	2.7	1.8	1.9	1.6	1.6	1.6	1.8	2.8
1999.....	2.0	1.7	4.2	1.4	2.7	1.9	1.8	1.7	1.5	1.6	2.3	2.4
Non-Hispanic 4/, female												
2006.....	0.6	*	2.2	0.3	0.3	0.2	0.5	0.5	0.5	0.7	0.8	0.9
2005.....	0.5	1.8	2.0	0.4	0.3	0.3	0.4	0.5	0.3	0.6	0.8	0.9
2004.....	0.5	*	2.2	0.4	0.3	0.3	0.3	0.4	0.4	0.5	0.6	1.1
2003.....	0.5	*	2.3	0.3	0.2	0.3	0.3	0.4	0.4	0.5	0.7	1.1
2002.....	0.5	*	2.1	0.4	0.3	0.3	0.4	0.4	0.4	0.4	0.8	0.9
2001.....	0.5	1.9	2.4	0.5	0.3	0.2	0.4	0.3	0.4	0.4	0.7	1.0
2000.....	0.5	1.9	2.4	0.5	0.3	0.3	0.3	0.3	0.3	0.5	0.9	1.0
1999.....	0.5	1.7	2.4	0.5	0.3	0.3	0.3	0.3	0.4	0.6	0.6	1.4
Non-Hispanic white, both sexes												
2006 5/.....	1.2	1.3	3.1	0.5	1.1	1.0	1.2	1.2	1.0	1.1	1.5	1.4
2005 5/.....	1.2	1.8	3.4	0.5	1.2	0.9	1.2	1.2	0.9	1.0	1.3	1.8
2004 5/.....	1.1	1.5	3.2	0.5	1.2	0.9	1.0	1.1	0.9	1.0	1.2	1.5
2003 5/.....	1.1	1.4	3.3	0.5	1.2	0.8	1.1	1.0	0.9	1.1	1.3	1.7
2002.....	1.1	1.4	3.3	0.5	1.2	1.0	1.2	0.9	0.8	0.9	1.2	1.6
2001.....	1.1	1.5	3.5	0.5	1.3	0.8	1.0	0.9	0.8	0.9	1.2	1.7
2000.....	1.1	1.7	3.7	0.7	1.3	1.0	1.1	0.9	0.9	1.0	1.3	1.4
1999.....	1.1	1.3	3.6	0.5	1.3	1.0	1.1	1.0	0.9	1.0	1.2	1.6
Non-Hispanic white, male												
2006 5/.....	1.8	*	3.6	0.7	1.9	1.8	1.8	1.9	1.5	1.8	2.5	2.6
2005 5/.....	1.8	*	4.6	0.6	2.1	1.5	1.8	1.9	1.4	1.5	2.3	3.9
2004 5/.....	1.7	1.8	3.8	0.7	2.1	1.5	1.6	1.7	1.4	1.6	2.2	2.6
2003 5/.....	1.7	*	4.0	0.7	2.1	1.3	1.8	1.5	1.5	1.8	2.1	3.4
2002.....	1.7	*	4.3	0.7	2.2	1.7	1.9	1.4	1.2	1.5	2.0	3.7
2001.....	1.6	*	4.3	0.7	2.2	1.4	1.5	1.5	1.2	1.5	2.1	3.5
2000.....	1.8	1.9	4.7	1.0	2.2	1.7	1.8	1.5	1.6	1.5	1.8	2.7
1999.....	1.8	*	4.5	0.7	2.2	1.6	1.8	1.7	1.5	1.4	2.2	2.4
Non-Hispanic white, female												
2006 5/.....	0.6	*	2.5	0.3	0.4	0.2	0.5	0.5	0.5	0.6	0.8	0.9
2005 5/.....	0.5	2.3	2.3	0.3	0.2	0.3	0.5	0.5	0.3	0.6	0.7	0.8
2004 5/.....	0.5	*	2.5	0.2	0.2	0.3	0.3	0.4	0.4	0.5	0.5	1.0
2003 5/.....	0.5	*	2.7	0.3	0.2	0.2	0.3	0.4	0.4	0.5	0.7	0.9
2002.....	0.5	*	2.2	0.3	0.3	0.3	0.4	0.4	0.4	0.3	0.7	0.7
2001.....	0.5	1.7	2.6	0.4	0.3	0.2	0.4	0.3	0.4	0.3	0.7	1.0
2000.....	0.5	*	2.6	0.4	0.3	0.3	0.4	0.3	0.3	0.5	0.9	0.9
1999.....	0.5	*	2.6	0.3	0.3	0.3	0.4	0.4	0.4	0.6	0.6	1.3

Worktable Orig12. Death rates for 358 selected causes, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2006

[Rates per 100,000 population in specified group. Rates are based on populations enumerated as of April 1 for 2000 and estimated as of July 1 for all other years. Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to 'Detailed technical notes to the United States 2006 data-mortality']

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, and sex	All ages 1/	Under 1 year 2/	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
Accidental inhalation and ingestion of food or other objects causing obstruction of respiratory tract (W78-W80)												
Non-Hispanic 4/, both sexes												
2006.....	1.6	1.5	0.4	0.1	0.2	0.3	0.5	0.8	1.3	3.1	8.7	27.4
2005.....	1.6	1.1	0.4	0.1	0.2	0.3	0.4	0.8	1.4	3.1	9.2	28.3
2004.....	1.7	1.5	0.4	0.1	0.2	0.2	0.4	0.8	1.4	3.0	9.9	30.6
2003.....	1.6	1.8	0.5	0.1	0.1	0.3	0.5	0.8	1.4	3.2	9.4	28.1
2002.....	1.6	1.6	0.4	0.1	0.1	0.2	0.4	0.7	1.3	3.2	9.6	28.9
2001.....	1.6	1.7	0.4	0.1	0.2	0.2	0.4	0.9	1.3	3.0	9.6	30.5
2000.....	1.7	2.2	0.6	*	0.1	0.3	0.4	0.8	1.4	3.2	10.1	32.8
1999.....	1.5	1.8	0.6	0.1	0.1	0.2	0.4	0.7	1.2	3.1	8.9	30.4
Non-Hispanic 4/, male												
2006.....	1.7	1.7	0.3	*	0.3	0.3	0.6	1.0	1.6	3.7	11.0	37.3
2005.....	1.7	*	0.5	*	0.2	0.4	0.5	1.0	1.8	3.8	11.1	36.8
2004.....	1.7	2.2	0.5	*	0.2	0.3	0.5	1.0	1.7	3.6	12.8	39.8
2003.....	1.7	1.8	0.7	*	0.2	0.3	0.6	0.9	1.8	3.8	12.5	38.5
2002.....	1.7	2.1	0.5	*	0.2	0.3	0.5	0.9	1.7	4.0	12.2	37.6
2001.....	1.7	2.2	0.4	*	0.2	0.2	0.5	1.1	1.6	3.6	12.5	40.4
2000.....	1.7	2.5	0.7	*	0.2	0.3	0.5	1.1	1.7	3.7	13.3	41.2
1999.....	1.5	2.0	0.7	0.1	0.1	0.3	0.5	0.9	1.3	3.8	11.1	39.5
Non-Hispanic 4/, female												
2006.....	1.5	*	0.5	*	*	0.2	0.3	0.6	1.0	2.5	7.2	22.7
2005.....	1.6	*	*	*	*	0.2	0.4	0.6	1.1	2.5	7.9	24.4
2004.....	1.6	*	0.3	*	0.1	0.2	0.4	0.7	1.1	2.4	8.1	26.5
2003.....	1.5	1.7	0.4	*	0.1	0.2	0.4	0.7	1.0	2.7	7.3	23.6
2002.....	1.5	*	*	*	*	0.2	0.3	0.5	0.9	2.5	7.9	25.2
2001.....	1.6	*	0.4	*	0.1	0.1	0.3	0.7	1.1	2.5	7.7	26.4
2000.....	1.7	1.9	0.5	*	*	0.2	0.3	0.5	1.1	2.7	8.1	29.4
1999.....	1.5	1.6	0.5	*	*	0.2	0.3	0.5	1.0	2.6	7.4	26.8
Non-Hispanic white, both sexes												
2006 5/.....	1.8	1.4	0.4	*	0.2	0.3	0.5	0.8	1.3	2.9	8.7	27.7
2005 5/.....	1.8	1.1	0.3	0.1	0.2	0.2	0.4	0.8	1.4	2.9	9.1	28.3
2004 5/.....	1.8	1.5	0.3	*	0.2	0.2	0.5	0.9	1.3	2.7	9.8	30.9
2003 5/.....	1.8	1.6	0.5	*	0.2	0.2	0.5	0.8	1.3	3.1	9.4	28.6
2002.....	1.7	1.4	0.3	*	0.1	0.3	0.4	0.7	1.2	2.9	9.5	28.9
2001.....	1.7	1.4	0.3	0.1	0.2	0.2	0.4	0.9	1.2	2.8	9.2	30.2
2000.....	1.8	1.8	0.5	*	0.1	0.2	0.4	0.8	1.3	3.0	10.0	32.7
1999.....	1.6	1.5	0.4	0.1	0.1	0.2	0.4	0.7	1.0	2.9	8.5	30.5
Non-Hispanic white, male												
2006 5/.....	1.9	*	*	*	0.3	0.4	0.6	1.0	1.6	3.5	11.1	38.4
2005 5/.....	1.8	*	0.4	*	0.2	0.3	0.5	1.0	1.7	3.6	10.9	37.4
2004 5/.....	1.9	2.3	*	*	0.2	0.3	0.5	1.0	1.7	3.3	12.7	40.0
2003 5/.....	1.8	*	0.6	*	0.2	0.3	0.6	0.9	1.7	3.7	12.4	39.3
2002.....	1.7	2.0	*	*	0.2	0.3	0.5	0.8	1.6	3.6	11.9	37.8
2001.....	1.7	2.0	*	*	0.2	0.2	0.5	1.0	1.5	3.4	11.7	40.0
2000.....	1.8	2.1	0.6	*	*	0.3	0.6	1.0	1.5	3.4	13.0	40.4
1999.....	1.6	1.8	0.5	*	*	0.2	0.5	0.8	1.1	3.5	10.6	39.9
Non-Hispanic white, female												
2006 5/.....	1.6	*	0.5	*	*	0.2	0.4	0.6	1.0	2.4	7.0	22.8
2005 5/.....	1.7	*	*	*	*	*	0.4	0.6	1.1	2.4	7.8	24.2
2004 5/.....	1.8	*	*	*	*	0.2	0.5	0.7	1.0	2.3	7.9	26.7
2003 5/.....	1.7	*	*	*	*	*	0.4	0.7	1.0	2.5	7.3	24.0
2002.....	1.6	*	*	*	*	0.2	0.3	0.5	0.9	2.2	7.9	25.0
2001.....	1.7	*	*	*	*	*	0.3	0.8	1.0	2.3	7.5	26.1
2000.....	1.8	*	*	*	*	0.2	0.3	0.5	1.1	2.6	8.1	29.6
1999.....	1.6	*	*	*	*	*	0.3	0.5	0.9	2.4	7.1	26.8

Worktable Orig12. Death rates for 358 selected causes, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2006

[Rates per 100,000 population in specified group. Rates are based on populations enumerated as of April 1 for 2000 and estimated as of July 1 for all other years. Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.odc.gov/nchs> and refer to 'Detailed technical notes to the United States 2006 data-mortality']

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, and sex	All ages 1/	Under 1 year 2/	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
Accidental inhalation and ingestion of food or other objects causing obstruction of respiratory tract (W78-W80)												
Non-Hispanic black, both sexes												
2006 5/.....	1.3	*	*	*	*	*	0.5	1.1	1.8	5.0	10.9	27.3
2005 5/.....	1.5	*	*	*	*	0.4	0.7	1.2	2.1	5.0	13.1	30.6
2004 5/.....	1.4	*	0.8	*	*	*	0.4	0.9	1.9	5.3	13.5	31.1
2003 5/.....	1.3	*	*	*	*	0.4	0.6	1.0	2.1	5.0	10.6	24.4
2002.....	1.5	*	0.9	*	*	*	0.4	1.1	2.1	6.6	13.2	33.6
2001.....	1.6	*	*	*	*	*	0.6	1.2	2.6	5.5	14.6	37.1
2000.....	1.5	4.0	1.0	*	*	0.4	0.4	1.2	2.2	6.0	13.1	35.6
1999.....	1.5	*	1.1	*	*	0.4	0.4	1.1	2.5	5.5	14.7	33.6
Non-Hispanic black, male												
2006 5/.....	1.4	*	*	*	*	*	*	1.5	2.4	6.2	12.5	33.9
2005 5/.....	1.6	*	*	*	*	*	0.9	1.5	3.1	6.1	17.4	33.3
2004 5/.....	1.5	*	*	*	*	*	*	1.1	2.3	7.1	17.4	43.7
2003 5/.....	1.5	*	*	*	*	*	0.8	1.4	2.9	5.6	16.2	29.8
2002.....	1.6	*	*	*	*	*	*	1.4	2.7	8.6	19.6	42.7
2001.....	1.8	*	*	*	*	*	*	1.6	3.6	7.0	23.7	50.8
2000.....	1.7	*	*	*	*	*	*	1.8	2.9	7.5	20.1	51.7
1999.....	1.7	*	*	*	*	*	*	1.4	3.3	6.9	20.6	44.0
Non-Hispanic black, female												
2006 5/.....	1.3	*	*	*	*	*	*	0.8	1.3	4.1	9.9	24.7
2005 5/.....	1.4	*	*	*	*	*	*	0.9	1.2	4.2	10.6	29.5
2004 5/.....	1.3	*	*	*	*	*	*	0.8	1.5	4.0	11.3	26.1
2003 5/.....	1.2	*	*	*	*	*	*	*	1.5	4.6	7.5	22.3
2002.....	1.4	*	*	*	*	*	*	*	1.6	5.1	9.6	30.1
2001.....	1.3	*	*	*	*	*	*	*	1.7	4.4	9.4	32.1
2000.....	1.4	*	*	*	*	*	*	*	1.7	5.0	9.2	29.7
1999.....	1.4	*	*	*	*	*	*	*	1.9	4.6	11.4	29.8

Worktable Orig12. Death rates for 358 selected causes, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2006

[Rates per 100,000 population in specified group. Rates are based on populations enumerated as of April 1 for 2000 and estimated as of July 1 for all other years. Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to 'Detailed technical notes to the United States 2006 data-mortality']

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, and sex	All ages 1/	Under 1 year 2/	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
Other accidental and unspecified threats to breathing (W75-W77,W81-W84)												
Non-Hispanic 4/, both sexes												
2006.....	0.6	21.6	0.5	0.2	0.3	0.2	0.3	0.3	0.2	0.2	0.3	0.7
2005.....	0.5	19.3	0.4	0.2	0.2	0.3	0.3	0.3	0.3	0.3	0.3	0.4
2004.....	0.5	18.8	0.4	0.2	0.2	0.2	0.4	0.3	0.2	0.2	0.3	0.6
2003.....	0.5	16.1	0.5	0.2	0.2	0.3	0.4	0.3	0.2	0.2	0.3	0.8
2002.....	0.5	16.2	0.5	0.2	0.3	0.3	0.3	0.3	0.2	0.3	0.4	1.1
2001.....	0.5	15.2	0.5	0.2	0.2	0.3	0.4	0.3	0.2	0.3	0.4	0.9
2000.....	0.5	13.3	0.4	0.2	0.3	0.3	0.4	0.3	0.3	0.3	0.5	1.2
1999.....	0.6	11.8	0.5	0.2	0.3	0.3	0.3	0.4	0.3	0.6	1.6	4.7
Non-Hispanic 4/, male												
2006.....	0.8	25.4	0.5	0.3	0.5	0.4	0.5	0.6	0.3	0.3	0.5	*
2005.....	0.7	21.4	0.5	0.3	0.4	0.5	0.5	0.5	0.5	0.5	0.4	*
2004.....	0.7	20.4	0.5	0.4	0.4	0.4	0.6	0.5	0.3	0.3	*	*
2003.....	0.7	19.0	0.6	0.3	0.4	0.5	0.6	0.5	0.4	0.3	*	*
2002.....	0.7	17.5	0.6	0.3	0.5	0.5	0.5	0.5	0.4	0.4	0.5	*
2001.....	0.7	17.0	0.6	0.3	0.4	0.5	0.7	0.6	0.3	0.4	0.5	*
2000.....	0.7	15.1	0.5	0.4	0.5	0.5	0.7	0.5	0.5	0.4	0.6	*
1999.....	0.8	14.1	0.5	0.4	0.5	0.5	0.6	0.6	0.5	0.8	1.9	5.3
Non-Hispanic 4/, female												
2006.....	0.3	17.6	0.4	*	*	*	0.1	0.1	*	*	*	0.7
2005.....	0.3	17.1	0.4	*	*	*	0.1	*	0.2	*	0.4	*
2004.....	0.3	17.2	*	*	*	0.1	0.1	0.1	*	*	*	*
2003.....	0.3	13.1	0.4	*	*	*	0.1	*	*	*	0.3	0.8
2002.....	0.3	14.8	0.4	*	*	*	0.1	*	*	*	*	1.1
2001.....	0.3	13.3	0.4	*	*	*	0.1	*	*	0.2	0.4	0.9
2000.....	0.3	11.6	*	*	*	*	0.1	0.1	*	*	0.4	1.1
1999.....	0.4	9.4	0.5	*	*	*	0.1	0.1	0.2	0.4	1.4	4.5
Non-Hispanic white, both sexes												
2006 5/.....	0.5	16.4	0.5	0.2	0.3	0.3	0.4	0.4	0.2	0.2	0.4	0.7
2005 5/.....	0.5	16.2	0.5	0.2	0.3	0.3	0.4	0.3	0.3	0.3	0.4	*
2004 5/.....	0.5	15.4	0.4	0.2	0.3	0.3	0.4	0.4	0.2	0.2	0.3	0.6
2003 5/.....	0.4	12.9	0.6	0.2	0.3	0.3	0.4	0.3	0.2	0.2	0.3	0.8
2002.....	0.5	12.1	0.5	0.2	0.3	0.4	0.4	0.3	0.3	0.3	0.4	1.0
2001.....	0.5	11.8	0.4	0.3	0.3	0.3	0.5	0.3	0.2	0.3	0.5	0.9
2000.....	0.5	10.6	0.5	0.3	0.3	0.3	0.4	0.3	0.4	0.3	0.5	1.2
1999.....	0.6	9.3	0.5	0.3	0.3	0.3	0.4	0.4	0.3	0.6	1.5	4.9
Non-Hispanic white, male												
2006 5/.....	0.7	19.1	0.5	0.3	0.5	0.5	0.6	0.6	0.4	0.3	0.5	*
2005 5/.....	0.7	18.0	0.6	0.3	0.5	0.5	0.6	0.6	0.5	0.5	0.5	*
2004 5/.....	0.7	17.7	0.6	0.4	0.5	0.4	0.7	0.6	0.3	0.3	*	*
2003 5/.....	0.7	15.4	0.7	0.3	0.5	0.6	0.6	0.5	0.4	0.3	*	*
2002.....	0.7	13.7	0.6	0.4	0.6	0.6	0.6	0.6	0.4	0.4	0.5	*
2001.....	0.7	13.0	0.5	0.4	0.5	0.5	0.8	0.6	0.3	0.5	0.5	*
2000.....	0.7	12.4	0.6	0.4	0.5	0.6	0.7	0.5	0.6	0.4	0.6	*
1999.....	0.8	10.8	0.5	0.5	0.5	0.5	0.6	0.7	0.5	0.8	1.8	5.6
Non-Hispanic white, female												
2006 5/.....	0.3	13.4	*	*	*	*	*	0.1	*	*	*	0.6
2005 5/.....	0.3	14.3	*	*	*	*	*	*	0.2	*	0.4	*
2004 5/.....	0.3	13.1	*	*	*	*	*	0.2	*	*	*	*
2003 5/.....	0.3	10.3	*	*	*	*	0.2	*	*	*	0.3	0.8
2002.....	0.3	10.3	0.4	*	*	*	0.1	*	*	*	*	1.1
2001.....	0.3	10.5	*	*	*	*	0.1	*	*	*	0.4	0.9
2000.....	0.3	8.7	*	*	*	*	*	*	*	*	0.4	1.1
1999.....	0.4	7.6	0.5	*	*	*	*	0.1	*	0.5	1.3	4.6

Worktable Orig12. Death rates for 358 selected causes, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2006

[Rates per 100,000 population in specified group. Rates are based on populations enumerated as of April 1 for 2000 and estimated as of July 1 for all other years. Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to 'Detailed technical notes to the United States 2006 data-mortality']

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, and sex	All ages 1/	Under 1 year 2/	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
Accidental exposure to smoke, fire and flames (X00-X09)												
Non-Hispanic 4/, both sexes												
2006.....	1.1	0.8	1.3	0.5	0.4	0.5	0.7	1.2	1.5	2.2	3.6	4.5
2005.....	1.2	0.8	1.4	0.6	0.4	0.6	0.8	1.2	1.4	2.1	3.6	5.1
2004.....	1.2	0.7	1.6	0.7	0.5	0.7	0.8	1.3	1.5	1.9	3.5	5.6
2003.....	1.3	0.8	1.6	0.6	0.5	0.7	1.0	1.3	1.5	2.4	3.6	5.4
2002.....	1.2	1.0	1.5	0.7	0.5	0.8	0.9	1.2	1.3	2.1	3.4	4.8
2001.....	1.3	1.3	1.7	0.7	0.6	0.7	1.0	1.1	1.5	2.3	3.4	5.7
2000.....	1.3	1.0	2.2	0.7	0.5	0.7	0.9	1.2	1.5	2.2	3.8	6.3
1999.....	1.3	1.2	2.1	0.7	0.5	0.8	1.0	1.0	1.4	2.3	4.0	6.0
Non-Hispanic 4/, male												
2006.....	1.3	*	1.5	0.4	0.5	0.7	0.9	1.5	2.0	2.7	4.6	6.5
2005.....	1.4	*	1.6	0.7	0.5	0.8	1.1	1.6	1.7	2.7	4.7	7.2
2004.....	1.4	*	1.7	0.8	0.6	0.9	1.0	1.7	1.9	2.5	4.5	7.3
2003.....	1.5	*	1.9	0.6	0.6	0.8	1.3	1.7	1.9	3.0	4.5	7.3
2002.....	1.5	*	1.7	0.8	0.7	1.0	1.2	1.5	1.7	2.9	4.6	7.0
2001.....	1.6	1.5	2.0	0.8	0.8	0.9	1.5	1.6	2.0	2.8	4.2	8.3
2000.....	1.6	*	2.6	0.8	0.7	0.9	1.3	1.7	2.1	2.8	5.0	9.3
1999.....	1.6	*	2.3	0.8	0.7	1.1	1.4	1.4	1.7	3.0	5.1	9.2
Non-Hispanic 4/, female												
2006.....	0.9	*	1.2	0.5	0.4	0.4	0.6	0.8	1.1	1.8	2.8	3.5
2005.....	0.9	*	1.1	0.5	0.4	0.5	0.8	1.0	1.0	1.7	2.8	4.1
2004.....	1.0	*	1.5	0.6	0.4	0.4	0.5	0.8	1.1	1.4	2.9	4.9
2003.....	1.0	1.3	1.3	0.5	0.4	0.6	0.7	1.0	1.0	1.8	3.1	4.5
2002.....	0.9	*	1.2	0.6	0.3	0.5	0.5	0.8	0.9	1.4	2.6	3.8
2001.....	1.0	*	1.3	0.5	0.4	0.5	0.6	0.7	1.1	1.9	2.9	4.6
2000.....	1.0	*	1.7	0.7	0.4	0.5	0.6	0.7	1.0	1.7	3.1	5.0
1999.....	1.0	*	1.8	0.6	0.4	0.5	0.6	0.6	1.1	1.8	3.3	4.7
Non-Hispanic white, both sexes												
2006 5/.....	1.1	*	0.9	0.3	0.4	0.5	0.7	1.1	1.4	2.1	3.1	3.9
2005 5/.....	1.1	*	1.0	0.5	0.4	0.6	0.8	1.2	1.1	1.9	3.1	4.3
2004 5/.....	1.1	*	1.3	0.5	0.5	0.6	0.7	1.1	1.3	1.6	3.0	4.9
2003 5/.....	1.2	*	1.3	0.4	0.5	0.7	1.0	1.2	1.3	2.1	3.1	4.7
2002.....	1.0	*	1.0	0.4	0.4	0.7	0.8	1.1	1.1	1.8	3.0	3.9
2001.....	1.1	1.1	1.3	0.5	0.5	0.6	0.9	1.0	1.3	2.0	2.9	4.7
2000.....	1.1	*	1.5	0.5	0.5	0.6	0.8	1.1	1.3	1.8	3.1	5.1
1999.....	1.1	0.9	1.5	0.5	0.5	0.8	0.9	0.9	1.2	1.9	3.2	4.7
Non-Hispanic white, male												
2006 5/.....	1.3	*	1.2	0.3	0.5	0.6	0.8	1.4	1.8	2.4	4.0	6.2
2005 5/.....	1.3	*	1.4	0.5	0.5	0.7	1.1	1.5	1.4	2.3	4.1	6.1
2004 5/.....	1.3	*	1.4	0.6	0.6	0.9	0.9	1.5	1.6	2.0	3.9	6.5
2003 5/.....	1.4	*	1.6	0.4	0.7	0.8	1.3	1.5	1.7	2.6	3.6	6.5
2002.....	1.3	+	1.1	0.6	0.6	0.9	1.1	1.4	1.4	2.4	4.2	5.7
2001.....	1.4	*	1.7	0.6	0.7	0.8	1.3	1.3	1.7	2.3	3.5	6.9
2000.....	1.4	*	1.8	0.6	0.6	0.8	1.1	1.6	1.7	2.3	4.1	8.1
1999.....	1.4	*	1.7	0.6	0.7	1.1	1.3	1.2	1.5	2.3	4.2	7.8
Non-Hispanic white, female												
2006 5/.....	0.9	*	0.7	0.4	0.3	0.4	0.6	0.8	1.0	1.7	2.5	2.8
2005 5/.....	0.9	*	0.7	0.4	0.3	0.4	0.5	0.8	0.9	1.6	2.4	3.5
2004 5/.....	0.9	*	1.2	0.4	0.4	0.4	0.5	0.8	1.0	1.2	2.4	4.2
2003 5/.....	1.0	*	1.0	0.4	0.4	0.6	0.6	0.9	0.9	1.6	2.8	3.9
2002.....	0.8	*	0.8	0.3	0.3	0.5	0.5	0.7	0.8	1.3	2.2	3.2
2001.....	0.9	*	0.9	0.4	0.3	0.4	0.6	0.6	1.0	1.7	2.5	3.8
2000.....	0.9	*	1.1	0.5	0.3	0.4	0.5	0.7	0.8	1.5	2.4	3.9
1999.....	0.8	*	1.3	0.5	0.3	0.4	0.5	0.6	0.8	1.5	2.6	3.5

Worktable Orig12. Death rates for 358 selected causes, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2006

[Rates per 100,000 population in specified group. Rates are based on populations enumerated as of April 1 for 2000 and estimated as of July 1 for all other years. Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.odc.gov/nchs> and refer to 'Detailed technical notes to the United States 2006 data-mortality']

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, and sex	All ages 1/	Under 1 year 2/	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
Accidental exposure to smoke, fire and flames (X00-X09)												
Non-Hispanic black, both sexes												
2006 5/.....	1.8	*	3.1	1.1	0.6	0.9	1.1	2.0	2.8	4.2	9.6	12.5
2005 5/.....	2.0	*	2.8	1.3	0.6	1.0	1.2	2.0	3.4	4.4	9.4	14.5
2004 5/.....	2.1	*	2.9	1.7	0.6	1.0	1.2	2.5	3.5	5.0	9.7	15.3
2003 5/.....	2.1	*	3.1	1.5	0.6	0.9	1.2	2.6	2.9	5.4	10.3	14.9
2002.....	2.1	*	3.7	1.5	0.8	1.2	1.1	2.2	3.3	5.0	8.7	16.0
2001.....	2.3	*	3.4	1.3	0.7	1.2	1.8	2.4	3.6	6.1	9.9	17.8
2000.....	2.6	*	5.1	1.6	0.7	1.2	1.7	2.4	4.2	6.1	13.0	20.7
1999.....	2.6	*	4.7	1.6	0.7	1.0	1.8	2.2	3.4	7.0	13.5	22.0
Non-Hispanic black, male												
2006 5/.....	2.1	*	3.1	0.9	*	1.2	1.4	2.6	4.0	5.6	13.9	*
2005 5/.....	2.4	*	2.8	1.4	0.6	1.1	1.8	3.1	5.2	6.4	13.5	21.9
2004 5/.....	2.7	*	3.0	2.0	0.7	1.3	1.7	3.9	4.5	7.7	13.4	*
2003 5/.....	2.5	*	3.4	1.5	*	1.1	1.5	3.4	4.4	7.7	16.2	*
2002.....	2.6	*	4.3	1.6	1.0	1.4	1.7	3.1	4.6	7.8	11.1	26.3
2001.....	3.0	*	3.7	1.6	0.8	1.4	2.8	3.9	5.1	9.0	13.2	26.6
2000.....	3.2	*	5.8	1.7	0.9	1.6	2.4	3.5	6.3	9.0	17.9	28.2
1999.....	3.1	*	5.3	1.8	0.9	1.2	2.7	3.3	4.3	10.4	18.4	29.7
Non-Hispanic black, female												
2006 5/.....	1.6	*	3.1	1.2	*	*	0.7	1.4	1.7	3.1	7.1	12.0
2005 5/.....	1.5	*	2.7	1.2	*	0.9	*	1.1	2.0	2.9	7.2	11.5
2004 5/.....	1.7	*	2.9	1.3	*	*	0.7	1.3	2.6	3.0	7.6	13.7
2003 5/.....	1.8	*	2.8	1.4	0.7	*	0.9	2.0	1.7	3.8	7.0	13.2
2002.....	1.6	*	3.0	1.3	*	1.0	*	1.4	2.2	3.1	7.3	12.1
2001.....	1.8	*	3.1	1.0	*	1.1	1.0	1.1	2.4	4.0	8.1	14.5
2000.....	2.0	*	4.3	1.4	*	0.9	1.2	1.4	2.5	4.0	10.2	17.9
1999.....	2.1	*	4.1	1.4	*	0.8	1.1	1.3	2.8	4.7	10.7	19.1

Worktable Orig12. Death rates for 358 selected causes, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2006

[Rates per 100,000 population in specified group. Rates are based on populations enumerated as of April 1 for 2000 and estimated as of July 1 for all other years. Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to 'Detailed technical notes to the United States 2006 data-mortality']

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, and sex	All ages 1/	Under 1 year 2/	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
Accidental poisoning and exposure to noxious substances (X40-X49)												
All origins 3/, both sexes												
2006.....	9.2	*	0.2	0.1	6.9	13.0	17.3	19.0	7.6	2.6	2.6	3.8
2005.....	8.0	0.5	0.1	0.1	5.9	10.9	15.3	16.4	6.6	2.3	2.4	3.5
2004.....	7.1	*	*	0.1	5.4	9.1	14.6	14.5	5.4	2.3	2.4	3.4
2003.....	6.7	0.5	0.3	0.1	4.9	8.6	14.0	13.3	4.9	2.2	2.2	3.5
2002.....	6.1	0.6	0.2	0.1	4.1	7.8	13.4	11.7	4.1	2.1	2.3	3.9
2001.....	4.9	*	0.2	0.1	3.4	6.3	11.2	9.1	3.2	1.6	2.2	3.5
2000.....	4.5	*	0.2	0.1	3.0	6.0	10.3	8.1	2.8	1.5	2.0	4.3
1999.....	4.4	*	0.2	0.1	2.5	5.9	10.1	7.8	2.8	1.6	2.2	3.4
All origins 3/, male												
2006.....	12.6	*	*	0.2	10.6	18.9	23.0	24.9	9.9	2.9	2.9	4.6
2005.....	10.9	*	*	0.1	9.0	15.6	20.2	21.7	8.7	2.7	3.0	4.6
2004.....	9.6	*	*	0.1	8.2	13.1	19.0	19.1	6.6	2.6	2.7	4.2
2003.....	9.2	*	0.3	0.1	7.4	12.4	18.8	18.0	6.3	2.7	2.8	4.0
2002.....	8.5	1.0	*	0.1	6.3	11.5	18.4	15.9	5.4	2.5	2.7	5.1
2001.....	7.1	*	0.3	0.1	5.3	9.3	15.7	13.0	4.1	2.0	2.7	3.8
2000.....	6.6	*	0.3	0.1	4.6	9.0	15.1	12.0	3.4	1.8	2.1	6.2
1999.....	6.5	*	*	0.1	3.8	9.0	14.9	11.7	3.9	2.1	2.4	4.4
All origins 3/, female												
2006.....	5.9	*	*	0.1	3.0	6.9	11.6	13.4	5.5	2.3	2.4	3.4
2005.....	5.1	*	*	0.1	2.7	6.0	10.5	11.3	4.7	2.0	2.0	3.0
2004.....	4.7	*	*	0.1	2.4	4.9	10.3	10.0	4.3	2.0	2.2	3.0
2003.....	4.3	*	0.3	0.2	2.2	4.7	9.3	8.8	3.7	1.8	1.8	3.3
2002.....	3.7	*	*	*	1.9	4.0	8.4	7.6	3.0	1.7	2.1	3.4
2001.....	2.9	*	*	0.1	1.4	3.3	6.7	5.2	2.3	1.2	1.9	3.3
2000.....	2.5	*	*	*	1.3	2.8	5.6	4.4	2.3	1.3	1.9	3.6
1999.....	2.3	*	*	*	1.1	2.6	5.3	4.0	1.8	1.3	2.0	3.0
Hispanic, both sexes												
2006.....	5.2	*	*	*	3.3	7.0	10.6	12.3	7.0	1.5	*	*
2005.....	4.7	*	*	*	3.4	6.2	9.9	10.9	5.5	2.2	*	*
2004.....	4.2	*	*	*	2.8	4.9	9.2	9.7	5.4	2.4	*	*
2003.....	4.5	*	*	*	3.1	5.7	10.3	10.5	4.4	1.8	*	*
2002.....	4.3	*	*	*	2.9	5.0	10.1	10.1	4.0	2.2	*	*
2001.....	3.6	*	*	*	2.2	4.9	8.7	7.7	3.5	*	*	*
2000.....	3.7	*	*	*	2.0	5.3	9.6	8.0	3.1	*	*	*
1999.....	4.4	*	*	*	2.3	6.1	11.9	9.8	3.5	*	*	*
Hispanic, male												
2006.....	7.8	*	*	*	4.8	10.3	15.9	18.1	11.7	*	*	*
2005.....	7.3	*	*	*	5.2	9.3	15.0	16.8	9.3	*	*	*
2004.....	6.2	*	*	*	4.2	7.6	13.5	14.2	8.4	*	*	*
2003.....	6.9	*	*	*	4.8	8.6	15.6	16.4	7.4	*	*	*
2002.....	6.6	*	*	*	4.4	7.8	15.4	15.8	6.4	*	*	*
2001.....	5.6	*	*	*	3.1	7.4	13.6	12.9	5.8	*	*	*
2000.....	6.0	*	*	*	3.2	8.4	15.6	13.6	4.4	*	*	*
1999.....	7.3	*	*	*	3.6	9.8	19.4	16.4	6.6	*	*	*
Hispanic, female												
2006.....	2.4	*	*	*	1.5	2.9	4.8	6.4	2.8	*	*	*
2005.....	2.0	*	*	*	1.4	2.3	4.3	5.0	1.9	*	*	*
2004.....	1.9	*	*	*	1.3	1.6	4.4	5.1	2.6	*	*	*
2003.....	1.9	*	*	*	1.2	2.2	4.5	4.6	*	*	*	*
2002.....	1.7	*	*	*	1.1	1.6	4.3	4.4	*	*	*	*
2001.....	1.5	*	*	*	1.1	1.9	3.4	2.6	*	*	*	*
2000.....	1.3	*	*	*	*	1.6	3.1	2.5	*	*	*	*
1999.....	1.4	*	*	*	0.8	1.7	3.9	3.3	*	*	*	*

Worktable Orig12. Death rates for 358 selected causes, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2006

[Rates per 100,000 population in specified group. Rates are based on populations enumerated as of April 1 for 2000 and estimated as of July 1 for all other years. Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to 'Detailed technical notes to the United States 2006 data-mortality']

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, and sex	All ages 1/	Under 1 year 2/	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
Accidental poisoning and exposure to noxious substances (X40-X49)												
Non-Hispanic 4/, both sexes												
2006.....	9.8	*	0.2	0.1	7.7	14.5	18.4	19.7	7.6	2.6	2.6	3.9
2005.....	8.5	*	*	0.1	6.4	12.0	16.2	16.9	6.7	2.3	2.5	3.5
2004.....	7.6	*	*	0.1	5.9	10.1	15.4	14.9	5.4	2.3	2.4	3.4
2003.....	7.0	*	0.3	0.2	5.2	9.2	14.5	13.5	4.9	2.2	2.2	3.5
2002.....	6.3	0.6	0.2	0.1	4.4	8.4	13.8	11.8	4.1	2.1	2.3	4.1
2001.....	5.1	*	0.2	0.1	3.6	6.6	11.4	9.1	3.1	1.6	2.3	3.6
2000.....	4.6	*	0.2	0.1	3.1	6.0	10.3	8.0	2.8	1.5	2.0	4.4
1999.....	4.3	*	0.2	0.1	2.5	5.8	9.7	7.5	2.7	1.6	2.2	3.5
Non-Hispanic 4/, male												
2006.....	13.4	*	*	0.2	11.9	21.3	24.2	25.5	9.7	2.9	2.9	4.7
2005.....	11.5	*	*	0.2	9.8	17.3	21.0	22.1	8.5	2.6	3.1	4.7
2004.....	10.2	*	*	0.1	9.1	14.5	19.8	19.5	6.4	2.6	2.7	4.2
2003.....	9.5	*	0.3	0.2	7.9	13.3	19.2	17.9	6.1	2.6	2.8	4.0
2002.....	8.8	*	*	0.1	6.6	12.3	18.7	15.9	5.2	2.4	2.6	5.3
2001.....	7.2	*	*	0.1	5.7	9.6	15.9	12.9	3.9	2.0	2.8	3.9
2000.....	6.6	*	*	0.1	4.9	9.1	14.8	11.7	3.3	1.7	2.1	6.2
1999.....	6.3	*	*	0.1	3.8	8.8	14.2	11.1	3.6	2.0	2.5	4.4
Non-Hispanic 4/, female												
2006.....	6.4	*	*	*	3.3	7.8	12.7	14.1	5.8	2.4	2.4	3.5
2005.....	5.6	*	*	*	2.9	6.8	11.5	12.0	4.9	2.1	2.0	3.0
2004.....	5.1	*	*	0.1	2.7	5.6	11.1	10.5	4.4	2.0	2.2	3.1
2003.....	4.6	*	*	0.2	2.4	5.2	9.9	9.2	3.8	1.9	1.8	3.3
2002.....	4.0	*	*	*	2.0	4.5	8.9	7.9	3.0	1.8	2.1	3.5
2001.....	3.1	*	*	*	1.5	3.5	7.1	5.4	2.3	1.2	1.9	3.4
2000.....	2.7	*	*	*	1.4	3.0	5.9	4.4	2.3	1.3	2.0	3.6
1999.....	2.4	*	*	*	1.2	2.8	5.4	4.0	1.8	1.3	2.0	3.1
Non-Hispanic white, both sexes												
2006 5/.....	10.5	*	*	0.1	9.5	17.2	19.8	19.7	7.1	2.4	2.6	3.8
2005 5/.....	9.0	*	*	0.1	7.9	14.0	17.6	16.9	6.1	2.1	2.4	3.6
2004 5/.....	8.2	*	*	0.1	7.3	11.8	16.8	15.0	5.0	2.2	2.4	3.5
2003 5/.....	7.4	*	*	0.1	6.4	10.6	15.5	13.4	4.8	2.0	2.3	3.5
2002.....	6.6	*	*	0.1	5.3	9.6	14.5	11.4	3.7	2.0	2.3	4.1
2001.....	5.2	*	*	0.1	4.3	7.3	11.7	8.3	2.7	1.5	2.1	3.4
2000.....	4.6	*	*	0.1	3.7	6.5	10.4	7.2	2.5	1.4	2.1	4.1
1999.....	4.2	*	*	0.1	2.8	6.0	9.6	6.7	2.4	1.5	2.3	3.3
Non-Hispanic white, male												
2006 5/.....	14.2	*	*	0.2	14.7	24.9	25.8	24.8	8.2	2.4	2.9	4.8
2005 5/.....	12.2	*	*	0.2	12.1	20.1	22.7	21.5	7.3	2.1	3.0	4.9
2004 5/.....	10.9	*	*	0.2	11.2	17.1	21.4	19.3	5.4	2.3	2.5	4.3
2003 5/.....	10.1	*	*	*	9.8	15.3	20.3	17.5	5.6	2.1	2.9	3.6
2002.....	9.1	*	*	0.2	8.0	13.9	19.6	15.0	4.3	2.2	2.5	5.4
2001.....	7.3	*	*	*	6.7	10.7	16.3	11.5	3.1	1.9	2.5	3.8
2000.....	6.6	*	*	*	5.8	9.8	14.9	10.3	2.7	1.5	2.2	5.8
1999.....	6.1	*	*	*	4.3	9.2	14.0	9.6	2.9	1.8	2.5	4.6
Non-Hispanic white, female												
2006 5/.....	7.0	*	*	*	4.0	9.4	13.8	14.7	5.9	2.4	2.5	3.3
2005 5/.....	6.1	*	*	*	3.5	7.9	12.4	12.4	5.0	2.2	2.1	2.9
2004 5/.....	5.5	*	*	*	3.2	6.5	12.1	10.8	4.5	2.1	2.3	3.1
2003 5/.....	4.9	*	*	*	2.9	5.9	10.6	9.4	4.0	1.9	1.9	3.5
2002.....	4.3	*	*	*	2.5	5.2	9.3	7.8	3.1	1.9	2.2	3.5
2001.....	3.1	*	*	*	1.7	3.8	7.1	5.2	2.4	1.2	1.9	3.2
2000.....	2.7	*	*	*	1.5	3.2	5.8	4.2	2.3	1.4	2.0	3.4
1999.....	2.4	*	*	*	1.3	2.8	5.1	3.8	1.9	1.2	2.1	2.8

Worktable Orig12. Death rates for 358 selected causes, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2006

[Rates per 100,000 population in specified group. Rates are based on populations enumerated as of April 1 for 2000 and estimated as of July 1 for all other years. Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.odc.gov/nchs> and refer to 'Detailed technical notes to the United States 2006 data-mortality']

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, and sex	All ages 1/	Under 1 year 2/	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
Accidental poisoning and exposure to noxious substances (X40-X49)												
Non-Hispanic black, both sexes												
2006 5/.....	9.2	*	*	*	2.2	8.3	17.9	26.1	14.6	4.7	2.8	5.6
2005 5/.....	7.8	*	*	*	1.8	7.3	14.6	22.2	13.1	4.5	2.9	*
2004 5/.....	6.7	*	*	*	1.8	5.5	13.4	19.2	10.0	3.8	3.4	*
2003 5/.....	6.4	*	*	*	1.4	5.8	13.9	18.3	7.6	4.1	*	*
2002.....	6.4	*	*	*	1.5	5.8	14.1	18.3	8.6	2.5	2.8	*
2001.....	6.0	*	*	*	1.6	5.3	13.4	17.0	6.4	2.4	3.7	6.6
2000.....	5.7	*	*	*	1.4	5.7	13.2	15.7	5.5	2.5	*	8.3
1999.....	5.8	*	*	*	1.7	6.3	13.2	15.6	6.0	3.0	*	*
Non-Hispanic black, male												
2006 5/.....	13.3	*	*	*	3.1	13.0	24.9	38.8	25.0	7.8	*	*
2005 5/.....	11.0	*	*	*	2.4	10.4	19.0	32.7	22.4	8.2	*	*
2004 5/.....	9.1	*	*	*	2.6	7.8	17.0	27.5	16.5	6.4	*	*
2003 5/.....	9.1	*	*	*	2.1	8.3	19.2	26.6	12.9	7.5	*	*
2002.....	9.3	*	*	*	2.2	8.7	19.8	27.1	15.2	4.5	*	*
2001.....	8.6	*	*	*	2.3	7.6	18.2	27.0	11.0	3.7	6.0	*
2000.....	8.4	*	*	*	1.8	8.5	19.0	25.3	9.5	4.3	*	*
1999.....	8.8	*	*	*	2.8	9.3	19.5	25.9	11.0	4.4	*	*
Non-Hispanic black, female												
2006 5/.....	5.4	*	*	*	1.3	3.8	11.8	15.2	6.2	2.4	*	*
2005 5/.....	4.9	*	*	*	1.2	4.5	10.8	13.3	5.7	*	*	*
2004 5/.....	4.4	*	*	*	1.1	3.4	10.1	12.0	4.7	*	*	*
2003 5/.....	4.1	*	*	*	0.7	3.6	9.3	11.1	3.4	*	*	*
2002.....	3.8	*	*	*	0.7	3.2	9.1	10.8	3.3	*	*	*
2001.....	3.6	*	*	*	0.9	3.2	9.2	8.4	2.6	*	*	*
2000.....	3.2	*	*	*	1.0	3.1	8.0	7.5	2.4	*	*	*
1999.....	3.1	*	*	*	*	3.5	7.7	6.7	1.9	2.1	*	*

Worktable Orig12. Death rates for 358 selected causes, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2006

[Rates per 100,000 population in specified group. Rates are based on populations enumerated as of April 1 for 2000 and estimated as of July 1 for all other years. Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to 'Detailed technical notes to the United States 2006 data-mortality']

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, and sex	All ages 1/	Under 1 year 2/	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
Accidental poisoning by and exposure to drugs and other biological substances (X40-X44)												
All origins 3/, both sexes												
2006.....	8.8	*	*	0.1	6.6	12.7	16.7	18.4	7.2	2.2	2.0	2.9
2005.....	7.6	*	*	0.1	5.6	10.6	14.8	15.8	6.1	1.9	1.9	2.6
2004.....	6.8	*	*	0.1	5.2	8.8	14.1	13.9	5.0	1.8	1.8	2.5
2003.....	6.3	*	0.2	0.1	4.6	8.3	13.4	12.7	4.4	1.7	1.7	2.8
2002.....	5.7	*	*	*	3.9	7.4	12.8	11.1	3.6	1.6	1.7	3.1
2001.....	4.6	*	*	0.1	3.1	6.0	10.6	8.5	2.7	1.3	1.6	2.5
2000.....	4.2	*	*	*	2.7	5.6	9.8	7.6	2.3	1.1	1.4	3.3
1999.....	4.0	*	*	*	2.2	5.6	9.5	7.2	2.3	1.2	1.6	2.8
All origins 3/, male												
2006.....	12.0	*	*	0.1	10.2	18.3	22.1	23.9	9.3	2.4	2.1	3.0
2005.....	10.3	*	*	*	8.5	15.1	19.3	20.6	7.9	2.1	2.2	3.2
2004.....	9.1	*	*	*	7.8	12.6	18.1	18.1	6.0	1.9	1.8	2.6
2003.....	8.6	*	*	*	6.9	11.9	17.9	16.9	5.4	2.0	2.1	2.7
2002.....	7.9	*	*	*	5.9	10.9	17.5	15.0	4.5	1.7	1.8	3.7
2001.....	6.5	*	*	*	4.8	8.9	14.8	12.2	3.5	1.5	1.7	1.8
2000.....	6.1	*	*	*	4.1	8.5	14.3	11.2	2.7	1.3	1.3	4.4
1999.....	5.9	*	*	*	3.3	8.5	14.0	10.9	3.2	1.5	1.5	3.3
All origins 3/, female												
2006.....	5.7	*	*	*	2.9	6.8	11.3	13.1	5.3	2.1	2.0	2.9
2005.....	4.9	*	*	*	2.5	5.9	10.3	11.1	4.5	1.8	1.6	2.3
2004.....	4.5	*	*	*	2.3	4.8	10.1	9.7	4.1	1.7	1.8	2.5
2003.....	4.1	*	*	*	2.1	4.6	9.0	8.6	3.4	1.5	1.5	2.9
2002.....	3.5	*	*	*	1.8	3.9	8.1	7.3	2.7	1.4	1.6	2.8
2001.....	2.7	*	*	*	1.3	3.1	6.4	5.0	2.0	1.1	1.4	2.7
2000.....	2.3	*	*	*	1.2	2.7	5.5	4.1	1.9	1.0	1.5	2.8
1999.....	2.1	*	*	*	1.0	2.5	5.1	3.7	1.5	1.0	1.6	2.6
Hispanic, both sexes												
2006.....	4.9	*	*	*	2.9	6.5	10.2	11.8	6.3	*	*	*
2005.....	4.4	*	*	*	3.0	5.7	9.3	10.3	5.1	2.0	*	*
2004.....	3.8	*	*	*	2.4	4.4	8.7	9.0	4.9	1.9	*	*
2003.....	4.2	*	*	*	2.6	5.2	9.8	10.2	4.2	*	*	*
2002.....	3.9	*	*	*	2.5	4.4	9.5	9.6	3.6	1.8	*	*
2001.....	3.3	*	*	*	1.7	4.5	8.2	7.4	3.1	*	*	*
2000.....	3.4	*	*	*	1.6	4.9	9.2	7.6	2.8	*	*	*
1999.....	4.1	*	*	*	1.9	5.8	11.2	9.2	3.2	*	*	*
Hispanic, male												
2006.....	7.3	*	*	*	4.2	9.6	15.0	17.3	10.4	*	*	*
2005.....	6.7	*	*	*	4.6	8.6	13.9	15.6	8.7	*	*	*
2004.....	5.6	*	*	*	3.4	6.9	12.7	13.1	7.8	*	*	*
2003.....	6.4	*	*	*	4.0	7.9	14.7	15.9	7.1	*	*	*
2002.....	6.0	*	*	*	3.9	6.9	14.5	15.0	5.7	*	*	*
2001.....	5.1	*	*	*	2.5	6.8	12.7	12.3	5.3	*	*	*
2000.....	5.6	*	*	*	2.6	7.9	14.9	13.0	4.0	*	*	*
1999.....	6.8	*	*	*	3.1	9.4	18.2	15.5	6.0	*	*	*
Hispanic, female												
2006.....	2.3	*	*	*	1.4	2.8	4.7	6.3	2.5	*	*	*
2005.....	1.9	*	*	*	1.2	2.2	4.2	5.0	1.9	*	*	*
2004.....	1.8	*	*	*	1.2	1.5	4.2	4.8	2.1	*	*	*
2003.....	1.8	*	*	*	1.0	2.1	4.3	4.6	*	*	*	*
2002.....	1.6	*	*	*	1.0	1.5	4.0	4.3	*	*	*	*
2001.....	1.3	*	*	*	0.8	1.7	3.4	2.5	*	*	*	*
2000.....	1.2	*	*	*	*	1.6	3.1	2.3	*	*	*	*
1999.....	1.3	*	*	*	*	1.7	3.8	3.2	*	*	*	*

Worktable Orig12. Death rates for 358 selected causes, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2006

[Rates per 100,000 population in specified group. Rates are based on populations enumerated as of April 1 for 2000 and estimated as of July 1 for all other years. Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to 'Detailed technical notes to the United States 2006 data-mortality']

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, and sex	All ages 1/	Under 1 year 2/	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
Accidental poisoning by and exposure to drugs and other biological substances (X40-X44)												
Non-Hispanic 4/, both sexes												
2006.....	9.5	*	*	0.1	7.4	14.1	17.8	19.1	7.2	2.3	2.0	2.9
2005.....	8.1	*	*	0.1	6.1	11.8	15.7	16.3	6.2	1.9	1.9	2.6
2004.....	7.2	*	*	0.1	5.7	9.8	14.9	14.3	5.0	1.8	1.8	2.5
2003.....	6.6	*	0.2	0.1	5.0	8.9	13.9	12.8	4.4	1.7	1.7	2.8
2002.....	5.9	*	*	*	4.1	8.1	13.2	11.2	3.6	1.5	1.6	3.2
2001.....	4.7	*	*	*	3.3	6.3	10.8	8.5	2.7	1.2	1.6	2.5
2000.....	4.2	*	*	*	2.9	5.7	9.8	7.4	2.2	1.1	1.5	3.3
1999.....	3.9	*	*	*	2.2	5.5	9.2	7.0	2.2	1.2	1.6	2.8
Non-Hispanic 4/, male												
2006.....	12.8	*	*	0.1	11.4	20.7	23.4	24.6	9.1	2.4	2.1	2.9
2005.....	10.9	*	*	*	9.3	16.8	20.2	21.0	7.7	2.1	2.2	3.2
2004.....	9.6	*	*	*	8.8	14.1	19.0	18.6	5.8	1.9	1.8	2.6
2003.....	8.9	*	*	*	7.5	12.8	18.3	16.9	5.2	1.9	2.1	2.7
2002.....	8.1	*	*	*	6.3	11.8	17.8	14.9	4.4	1.6	1.7	3.8
2001.....	6.7	*	*	*	5.2	9.3	15.0	12.0	3.3	1.4	1.7	1.9
2000.....	6.1	*	*	*	4.4	8.5	14.0	10.8	2.5	1.3	1.3	4.3
1999.....	5.7	*	*	*	3.4	8.3	13.3	10.3	2.9	1.4	1.5	3.2
Non-Hispanic 4/, female												
2006.....	6.2	*	*	*	3.2	7.6	12.4	13.9	5.5	2.2	2.0	2.9
2005.....	5.4	*	*	*	2.8	6.7	11.2	11.7	4.7	1.8	1.6	2.2
2004.....	4.9	*	*	*	2.6	5.5	10.9	10.2	4.2	1.7	1.8	2.5
2003.....	4.4	*	*	*	2.3	5.1	9.7	9.0	3.6	1.6	1.5	2.9
2002.....	3.8	*	*	*	1.9	4.4	8.7	7.6	2.8	1.4	1.6	2.9
2001.....	2.9	*	*	*	1.4	3.4	6.8	5.2	2.1	1.1	1.5	2.8
2000.....	2.5	*	*	*	1.3	2.9	5.7	4.2	1.9	1.0	1.5	2.9
1999.....	2.2	*	*	*	1.1	2.6	5.2	3.7	1.6	1.0	1.6	2.6
Non-Hispanic white, both sexes												
2006 5/.....	10.2	*	*	0.1	9.2	16.9	19.2	19.1	6.7	2.1	2.0	2.9
2005 5/.....	9.6	*	*	0.1	7.6	13.7	17.0	16.2	5.7	1.7	1.9	2.7
2004 5/.....	7.8	*	*	*	7.1	11.5	16.2	14.4	4.6	1.7	1.8	2.6
2003 5/.....	7.0	*	*	*	6.2	10.3	14.8	12.8	4.2	1.5	1.8	2.8
2002.....	6.2	*	*	*	5.0	9.3	13.9	10.8	3.2	1.5	1.6	3.2
2001.....	4.8	*	*	*	4.0	7.0	11.1	7.8	2.3	1.2	1.6	2.4
2000.....	4.2	*	*	*	3.4	6.2	9.9	6.7	2.0	1.1	1.5	3.1
1999.....	3.9	*	*	*	2.5	5.7	9.0	6.2	1.9	1.1	1.6	2.6
Non-Hispanic white, male												
2006 5/.....	13.6	*	*	*	14.3	24.3	25.0	23.9	7.7	1.9	2.1	3.1
2005 5/.....	11.5	*	*	*	11.6	19.6	21.8	20.4	6.6	1.6	2.2	3.5
2004 5/.....	10.3	*	*	*	10.8	16.6	20.5	18.3	4.9	1.6	1.7	2.7
2003 5/.....	9.5	*	*	*	9.3	14.8	19.3	16.4	4.7	1.5	2.1	2.4
2002.....	8.5	*	*	*	7.6	13.4	18.7	14.1	3.6	1.5	1.5	3.9
2001.....	6.8	*	*	*	6.2	10.4	15.4	10.7	2.6	1.3	1.7	1.8
2000.....	6.1	*	*	*	5.3	9.2	14.1	9.5	1.9	1.1	1.3	4.1
1999.....	5.6	*	*	*	3.8	8.7	13.1	8.9	2.2	1.2	1.6	3.3
Non-Hispanic white, female												
2006 5/.....	6.8	*	*	*	3.9	9.3	13.5	14.4	5.7	2.3	2.0	2.8
2005 5/.....	5.8	*	*	*	3.4	7.8	12.1	12.1	4.8	1.8	1.7	2.3
2004 5/.....	5.3	*	*	*	3.1	6.4	11.9	10.5	4.3	1.8	1.9	2.6
2003 5/.....	4.7	*	*	*	2.8	5.8	10.3	9.1	3.7	1.6	1.5	3.0
2002.....	4.0	*	*	*	2.4	5.0	9.2	7.5	2.9	1.5	1.7	2.9
2001.....	2.9	*	*	*	1.6	3.7	6.8	5.0	2.1	1.1	1.5	2.7
2000.....	2.5	*	*	*	1.4	3.1	5.6	3.9	2.0	1.0	1.6	2.7
1999.....	2.2	*	*	*	1.2	2.7	5.0	3.5	1.6	1.0	1.7	2.4

Worktable Orig12. Death rates for 358 selected causes, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2006

[Rates per 100,000 population in specified group. Rates are based on populations enumerated as of April 1 for 2000 and estimated as of July 1 for all other years. Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.odc.gov/nchs> and refer to 'Detailed technical notes to the United States 2006 data-mortality']

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, and sex	All ages 1/	Under 1 year 2/	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
Accidental poisoning by and exposure to drugs and other biological substances (X40-X44)												
Non-Hispanic black, both sexes												
2006 5/.....	8.8	*	*	*	2.0	8.0	17.5	25.4	14.0	4.2	2.3	*
2005 5/.....	7.4	*	*	*	1.6	7.2	14.1	21.5	12.3	3.8	*	*
2004 5/.....	6.3	*	*	*	1.7	5.3	13.0	18.6	9.4	3.0	2.1	*
2003 5/.....	6.1	*	*	*	1.3	5.6	13.5	17.6	7.0	3.2	*	*
2002.....	6.0	*	*	*	1.4	5.5	13.4	17.5	7.6	1.8	*	*
2001.....	5.5	*	*	*	1.4	5.0	12.7	16.1	5.9	1.9	*	*
2000.....	5.3	*	*	*	1.3	5.4	12.6	15.0	4.8	1.9	*	6.4
1999.....	5.4	*	*	*	1.5	6.0	12.7	14.7	5.1	2.2	*	*
Non-Hispanic black, male												
2006 5/.....	12.8	*	*	*	2.8	12.6	24.2	37.6	24.0	7.3	*	*
2005 5/.....	10.4	*	*	*	2.1	10.2	18.2	31.5	20.8	7.0	*	*
2004 5/.....	8.6	*	*	*	2.4	7.5	16.4	26.5	15.6	5.1	*	*
2003 5/.....	8.5	*	*	*	1.8	7.7	18.4	25.3	11.7	5.6	*	*
2002.....	8.6	*	*	*	2.1	8.2	18.6	25.7	13.5	2.9	*	*
2001.....	8.0	*	*	*	2.1	7.3	17.2	25.7	10.2	3.0	*	*
2000.....	7.8	*	*	*	1.6	8.1	18.0	24.3	8.2	3.4	*	*
1999.....	8.2	*	*	*	2.4	9.0	18.6	24.5	9.5	3.3	*	*
Non-Hispanic black, female												
2006 5/.....	5.2	*	*	*	1.3	3.7	11.5	15.0	6.0	2.0	*	*
2005 5/.....	4.7	*	*	*	1.0	4.4	10.4	12.9	5.5	*	*	*
2004 5/.....	4.2	*	*	*	0.9	3.3	9.9	11.9	4.4	*	*	*
2003 5/.....	3.9	*	*	*	0.7	3.6	9.2	11.1	3.2	*	*	*
2002.....	3.6	*	*	*	*	3.1	8.7	10.4	3.0	*	*	*
2001.....	3.3	*	*	*	*	3.0	8.8	7.9	2.4	*	*	*
2000.....	3.0	*	*	*	0.9	2.9	7.9	7.1	2.0	*	*	*
1999.....	2.8	*	*	*	*	3.4	7.5	6.3	1.6	*	*	*

Worktable Orig12. Death rates for 358 selected causes, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2006

[Rates per 100,000 population in specified group. Rates are based on populations enumerated as of April 1 for 2000 and estimated as of July 1 for all other years. Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to 'Detailed technical notes to the United States 2006 data-mortality']

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, and sex	All ages 1/	Under 1 year 2/	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
All other and unspecified accidents and their sequelae (W20-W31,W35-W38,W41-W64,W92-W99,X20-X32,X39,X50-X59,Y86)												
All origins 3/, both sexes												
2006.....	3.6	1.0	0.7	0.2	0.9	1.3	1.9	2.8	3.5	5.7	16.7	61.2
2005.....	3.7	1.2	0.6	0.3	1.1	1.4	1.9	2.9	3.4	6.0	17.0	63.6
2004.....	3.5	1.3	0.7	0.3	0.9	1.3	1.8	2.7	3.2	5.5	16.6	64.5
2003.....	3.7	1.1	0.7	0.3	1.0	1.2	1.9	2.5	3.2	6.0	17.6	73.5
2002.....	3.8	0.9	0.6	0.3	0.9	1.2	1.9	2.4	3.5	6.2	18.5	75.8
2001.....	4.0	1.3	0.8	0.3	1.0	1.2	1.9	2.7	3.5	6.4	20.1	83.4
2000.....	3.9	1.1	0.7	0.3	1.0	1.3	2.1	2.6	3.6	6.2	18.9	82.6
1999.....	4.3	1.2	0.8	0.4	1.0	1.4	2.0	2.7	3.7	7.0	22.1	92.8
All origins 3/, male												
2006.....	4.3	1.3	0.8	0.3	1.5	2.2	3.1	4.6	5.4	8.5	21.1	61.2
2005.....	4.5	1.2	0.7	0.4	1.7	2.4	3.2	4.9	5.4	8.6	22.1	66.7
2004.....	4.2	1.6	0.9	0.4	1.5	2.2	3.0	4.4	5.0	7.6	20.2	69.6
2003.....	4.3	1.1	0.8	0.4	1.6	2.0	3.1	4.1	5.2	8.6	21.6	80.4
2002.....	4.3	1.2	0.7	0.4	1.5	2.1	3.0	4.0	5.5	8.8	22.8	79.9
2001.....	4.5	1.6	0.9	0.4	1.6	2.1	3.1	4.4	5.3	8.7	24.8	92.4
2000.....	4.5	1.2	0.8	0.4	1.7	2.3	3.6	4.5	5.6	8.5	22.6	91.7
1999.....	4.8	1.4	1.0	0.5	1.7	2.3	3.4	4.4	5.8	9.6	27.3	107.0
All origins 3/, female												
2006.....	3.0	*	0.6	0.2	0.3	0.4	0.6	1.0	1.7	3.4	13.7	61.3
2005.....	3.0	1.3	0.6	0.2	0.4	0.5	0.6	1.0	1.5	3.8	13.6	62.2
2004.....	2.9	*	0.4	0.2	0.3	0.3	0.7	1.0	1.5	3.6	14.2	62.2
2003.....	3.1	1.1	0.5	0.1	0.3	0.4	0.6	1.0	1.4	3.8	14.9	70.5
2002.....	3.2	*	0.5	0.2	0.3	0.3	0.7	0.9	1.6	4.0	15.7	74.0
2001.....	3.5	1.1	0.7	0.2	0.3	0.3	0.7	1.1	1.8	4.4	17.1	79.6
2000.....	3.3	*	0.5	0.2	0.3	0.3	0.6	0.8	1.7	4.4	16.5	78.9
1999.....	3.7	*	0.5	0.3	0.3	0.4	0.7	1.0	1.8	4.8	18.7	87.1
Hispanic, both sexes												
2006.....	1.7	*	0.8	*	1.0	1.4	2.0	2.4	3.3	4.0	9.4	21.5
2005.....	1.6	*	*	*	1.1	1.6	1.8	2.6	2.5	4.2	7.1	23.1
2004.....	1.5	*	*	*	1.0	1.2	1.8	2.3	2.1	2.9	7.6	30.0
2003.....	1.5	*	0.6	*	1.2	1.4	1.4	2.0	2.6	4.3	9.2	27.5
2002.....	1.5	*	*	*	0.9	1.3	1.8	2.0	2.7	3.7	8.0	35.5
2001.....	1.6	*	*	*	1.0	1.2	1.9	2.5	2.6	4.9	9.0	47.5
2000.....	1.6	*	*	*	1.0	1.6	2.1	2.1	2.6	4.3	9.3	45.1
1999.....	1.5	*	0.8	*	0.9	1.0	1.7	2.0	2.9	5.1	8.7	37.2
Hispanic, male												
2006.....	2.5	*	*	*	1.8	2.2	3.5	4.1	5.0	6.2	11.4	22.6
2005.....	2.5	*	*	*	1.9	2.7	3.1	4.5	4.1	5.9	8.4	24.9
2004.....	2.1	*	*	*	1.8	2.0	2.9	4.0	3.1	4.2	8.6	*
2003.....	2.3	*	*	*	2.0	2.2	2.5	3.5	4.6	6.5	12.7	*
2002.....	2.3	*	*	*	1.6	2.3	3.1	3.5	4.9	5.5	11.1	48.5
2001.....	2.3	*	*	*	1.7	2.1	3.4	4.3	4.1	6.8	12.5	47.6
2000.....	2.4	*	*	*	1.8	2.7	3.8	3.4	4.4	6.3	*	54.4
1999.....	2.2	*	*	*	1.6	1.7	2.8	3.4	4.4	7.5	*	47.4
Hispanic, female												
2006.....	0.8	*	*	*	*	*	*	*	1.7	*	8.0	21.0
2005.....	0.8	*	*	*	*	*	*	*	*	2.9	6.3	22.2
2004.....	0.8	*	*	*	*	*	*	*	*	*	6.9	34.6
2003.....	0.7	*	*	*	*	*	*	*	*	*	6.8	27.3
2002.....	0.6	*	*	*	*	*	*	*	*	*	5.9	29.0
2001.....	0.9	*	*	*	*	*	*	*	*	3.5	6.6	47.5
2000.....	0.8	*	*	*	*	*	*	*	*	*	9.6	40.6
1999.....	0.8	*	*	*	*	*	*	*	*	*	8.3	32.2

Worktable Orig12. Death rates for 358 selected causes, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2006

[Rates per 100,000 population in specified group. Rates are based on populations enumerated as of April 1 for 2000 and estimated as of July 1 for all other years. Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to 'Detailed technical notes to the United States 2006 data-mortality']

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, and sex	All ages 1/	Under 1 year 2/	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
All other and unspecified accidents and their sequelae (W20-W31,W35-W38,W41-W64,W92-W99,X20-X32,X39,X50-X59,Y86)												
Non-Hispanic 4/, both sexes												
2006.....	3.9	1.1	0.7	0.3	0.9	1.3	1.8	2.8	3.5	5.9	17.1	63.2
2005.....	4.0	1.4	0.7	0.3	1.1	1.4	1.9	2.9	3.4	6.1	17.6	65.5
2004.....	3.8	1.5	0.7	0.3	0.9	1.3	1.9	2.7	3.2	5.6	17.1	66.0
2003.....	4.0	1.1	0.7	0.3	0.9	1.1	1.9	2.6	3.3	6.1	18.0	75.3
2002.....	4.1	1.0	0.7	0.4	0.9	1.2	1.9	2.4	3.5	6.3	19.0	77.2
2001.....	4.3	1.4	0.9	0.3	1.0	1.3	1.9	2.7	3.5	6.5	20.6	84.5
2000.....	4.2	1.2	0.7	0.3	1.0	1.2	2.1	2.6	3.6	6.3	19.2	83.7
1999.....	4.6	1.3	0.7	0.4	1.0	1.4	2.1	2.7	3.7	7.1	22.6	94.6
Non-Hispanic 4/, male												
2006.....	4.6	1.4	0.8	0.4	1.4	2.1	3.0	4.6	5.4	8.6	21.7	63.3
2005.....	4.8	1.4	0.8	0.4	1.7	2.3	3.2	4.9	5.4	8.7	22.9	68.7
2004.....	4.5	1.9	1.0	0.4	1.5	2.2	3.0	4.5	5.1	7.8	20.9	72.0
2003.....	4.6	*	0.8	0.4	1.5	1.9	3.2	4.2	5.2	8.8	22.0	82.7
2002.....	4.6	1.3	0.8	0.5	1.5	2.0	3.0	4.0	5.5	9.0	23.3	81.0
2001.....	4.8	1.8	1.0	0.4	1.6	2.2	3.1	4.4	5.4	8.8	25.3	94.3
2000.....	4.8	1.4	0.9	0.4	1.7	2.2	3.5	4.5	5.7	8.6	23.2	93.3
1999.....	5.2	1.6	1.0	0.5	1.7	2.4	3.4	4.5	5.8	9.7	27.9	108.9
Non-Hispanic 4/, female												
2006.....	3.3	*	0.6	0.2	0.3	0.5	0.6	1.1	1.7	3.5	14.0	63.2
2005.....	3.3	1.5	0.6	0.2	0.4	0.5	0.7	1.0	1.6	3.9	14.0	64.0
2004.....	3.2	*	0.5	0.2	0.3	0.3	0.7	1.0	1.5	3.8	14.5	63.3
2003.....	3.5	*	0.5	0.2	0.4	0.4	0.7	1.0	1.5	3.9	15.3	72.1
2002.....	3.6	*	0.5	0.2	0.3	0.4	0.8	0.9	1.7	4.1	16.1	75.5
2001.....	3.8	*	0.8	0.2	0.4	0.4	0.7	1.1	1.8	4.5	17.6	80.5
2000.....	3.6	*	0.5	0.2	0.3	0.3	0.6	0.8	1.7	4.5	16.7	79.9
1999.....	4.1	*	0.4	0.3	0.4	0.4	0.8	1.0	1.8	4.9	19.1	88.8
Non-Hispanic white, both sexes												
2006 5/.....	4.4	1.0	0.6	0.3	0.9	1.4	1.8	2.7	3.4	5.8	17.9	67.1
2005 5/.....	4.5	1.2	0.7	0.4	1.1	1.4	2.0	2.8	3.3	6.1	18.1	69.0
2004 5/.....	4.3	1.4	0.8	0.3	0.9	1.3	1.9	2.7	3.2	5.7	17.4	69.3
2003 5/.....	4.4	0.9	0.6	0.3	0.9	1.2	1.9	2.4	3.1	6.0	18.4	79.0
2002.....	4.5	0.9	0.6	0.3	0.9	1.3	1.8	2.4	3.4	6.2	19.2	80.6
2001.....	4.8	1.3	0.9	0.3	1.1	1.2	1.8	2.6	3.5	6.4	21.1	87.7
2000.....	4.6	1.1	0.7	0.3	1.0	1.3	2.0	2.5	3.5	6.2	19.4	87.5
1999.....	5.0	1.1	0.7	0.4	1.1	1.4	2.1	2.5	3.5	6.8	22.6	98.1
Non-Hispanic white, male												
2006 5/.....	4.9	*	0.8	0.4	1.5	2.3	3.0	4.3	5.2	8.6	22.4	66.8
2005 5/.....	5.1	*	0.8	0.5	1.8	2.4	3.3	4.6	5.2	8.6	23.3	72.5
2004 5/.....	4.8	1.9	1.1	0.4	1.5	2.3	3.1	4.5	5.0	7.9	21.0	75.2
2003 5/.....	4.9	*	0.8	0.4	1.5	2.0	3.1	3.9	4.9	8.5	22.2	86.3
2002.....	4.9	*	0.7	0.4	1.6	2.1	3.0	4.0	5.3	8.7	23.4	83.8
2001.....	5.2	1.8	1.1	0.4	1.7	2.1	3.0	4.2	5.3	8.7	25.8	97.8
2000.....	5.0	*	0.8	0.4	1.7	2.2	3.3	4.1	5.2	8.3	22.9	96.9
1999.....	5.4	*	1.0	0.5	1.7	2.4	3.4	4.1	5.4	9.1	27.8	110.8
Non-Hispanic white, female												
2006 5/.....	3.8	*	0.4	*	0.3	0.4	0.6	1.1	1.6	3.4	14.7	67.3
2005 5/.....	3.8	*	0.6	0.2	0.4	0.5	0.6	0.9	1.6	4.0	14.5	67.4
2004 5/.....	3.7	*	*	0.2	0.3	0.3	0.7	1.0	1.4	3.7	14.9	66.6
2003 5/.....	4.0	*	0.5	*	0.3	0.4	0.7	0.9	1.5	3.9	15.8	75.8
2002.....	4.1	*	0.4	0.3	0.3	0.4	0.7	0.9	1.7	4.0	16.4	79.3
2001.....	4.3	*	0.7	0.2	0.4	0.4	0.6	1.1	1.8	4.4	18.1	83.5
2000.....	4.2	*	0.6	0.2	0.3	0.3	0.6	0.8	1.8	4.4	17.2	83.7
1999.....	4.6	*	0.5	0.3	0.4	0.4	0.8	0.9	1.6	4.8	19.2	93.0

Worktable Orig12. Death rates for 358 selected causes, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2006

[Rates per 100,000 population in specified group. Rates are based on populations enumerated as of April 1 for 2000 and estimated as of July 1 for all other years. Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.odc.gov/nchs> and refer to 'Detailed technical notes to the United States 2006 data-mortality']

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, and sex	All ages 1/	Under 1 year 2/	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
All other and unspecified accidents and their sequelae (W20-W31,W35-W38,W41-W64,W92-W99,X20-X32,X39,X50-X59,Y86)												
Non-Hispanic black, both sexes												
2006 5/.....	2.7	*	0.9	*	0.8	1.3	2.2	3.9	4.7	7.4	13.3	33.2
2005 5/.....	2.7	*	*	*	1.0	1.3	2.0	4.0	4.1	6.9	16.3	39.3
2004 5/.....	2.6	*	*	0.3	0.7	1.4	2.1	3.3	4.4	6.2	17.0	38.9
2003 5/.....	2.9	*	0.9	*	1.0	1.1	2.3	4.1	4.8	7.7	16.4	46.7
2002.....	2.9	*	1.0	0.5	0.7	1.2	2.5	3.2	4.7	8.2	18.8	47.5
2001.....	3.0	*	0.9	0.3	0.7	1.3	2.3	3.9	4.6	7.8	18.3	58.4
2000.....	3.1	*	0.8	0.3	1.0	1.4	2.8	4.0	5.5	8.1	19.4	51.5
1999.....	3.7	*	0.9	0.3	1.0	1.6	2.5	4.7	6.4	11.3	25.3	67.9
Non-Hispanic black, male												
2006 5/.....	3.7	*	*	*	1.2	2.1	3.8	7.0	7.3	11.4	18.6	37.6
2005 5/.....	3.7	*	*	*	1.6	2.1	3.2	7.0	7.4	10.5	22.7	42.8
2004 5/.....	3.6	*	*	*	1.1	2.5	3.5	5.5	7.4	9.1	24.5	43.7
2003 5/.....	3.9	*	*	*	1.4	1.9	3.7	6.7	8.3	12.6	22.2	55.4
2002.....	3.8	*	*	0.7	1.1	2.1	3.7	5.1	8.3	11.9	25.8	58.0
2001.....	3.8	*	*	*	1.1	2.3	3.7	6.4	7.3	11.4	24.0	63.5
2000.....	4.6	*	*	*	1.7	2.4	4.9	7.7	10.2	11.5	30.2	69.3
1999.....	5.1	*	*	*	1.8	2.7	4.4	8.2	10.5	17.7	32.8	108.2
Non-Hispanic black, female												
2006 5/.....	1.8	*	*	*	*	*	0.8	1.2	2.7	4.6	10.3	31.4
2005 5/.....	1.8	*	*	*	*	*	0.9	1.4	1.5	4.4	12.7	37.9
2004 5/.....	1.7	*	*	*	*	*	0.9	1.4	1.9	4.1	12.7	36.9
2003 5/.....	2.0	*	*	*	*	*	1.1	1.8	1.9	4.2	13.0	43.3
2002.....	2.1	*	*	*	*	*	1.4	1.5	1.8	5.6	14.9	43.5
2001.....	2.2	*	*	*	*	*	1.0	1.8	2.5	5.2	15.2	56.5
2000.....	1.8	*	*	*	*	*	0.9	*	1.7	5.7	13.4	44.9
1999.....	2.4	*	*	*	*	*	0.9	1.7	3.2	6.7	21.0	52.9

Worktable Orig12. Death rates for 358 selected causes, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2006

[Rates per 100,000 population in specified group. Rates are based on populations enumerated as of April 1 for 2000 and estimated as of July 1 for all other years. Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to 'Detailed technical notes to the United States 2006 data-mortality']

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, and sex	All ages 1/	Under 1 year 2/	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
Intentional self-harm (suicide) (*U03,X60-X84,Y87.0)												
All origins 3/, both sexes												
2006.....	11.1	0.5	9.9	12.3	15.1	17.2	14.5	12.6	15.9	15.9
2005.....	11.0	0.7	10.0	12.4	14.9	16.5	13.9	12.6	16.9	16.9
2004.....	11.0	0.7	10.3	12.7	15.0	16.6	13.8	12.3	16.3	16.4
2003.....	10.8	0.6	9.7	12.7	14.9	15.9	13.8	12.7	16.4	16.9
2002.....	11.0	0.6	9.9	12.6	15.3	15.7	13.6	13.5	17.7	18.0
2001 6/.....	10.8	0.7	9.9	12.8	14.7	15.2	13.1	13.3	17.4	17.5
2000.....	10.4	0.7	10.2	12.0	14.5	14.4	12.1	12.5	17.6	19.6
1999.....	10.5	0.6	10.1	12.7	14.3	13.9	12.2	13.4	18.1	19.3
All origins 3/, male												
2006.....	17.8	0.7	16.2	19.7	23.2	26.2	22.7	22.7	33.3	43.2
2005.....	17.7	1.0	16.2	19.9	23.1	25.2	22.2	22.7	35.8	45.0
2004.....	17.7	0.9	16.8	20.4	23.0	24.8	22.1	22.6	34.8	45.0
2003.....	17.6	0.9	16.0	20.6	23.2	24.4	22.3	23.4	35.1	47.8
2002.....	17.9	0.9	16.5	20.5	23.7	24.4	22.2	24.7	38.1	50.7
2001 6/.....	17.6	1.0	16.6	21.0	23.1	23.4	21.1	24.6	37.8	51.1
2000.....	17.1	1.2	17.1	19.6	22.8	22.4	19.4	22.7	38.6	57.5
1999.....	17.1	0.9	16.8	20.7	22.4	21.5	19.8	24.7	38.8	57.1
All origins 3/, female												
2006.....	4.6	0.3	3.2	4.7	7.0	8.4	6.8	4.1	4.0	3.1
2005.....	4.5	0.3	3.5	4.7	6.8	8.0	6.1	4.0	4.0	4.0
2004.....	4.6	0.5	3.6	4.7	7.1	8.6	6.1	3.8	3.9	3.6
2003.....	4.3	0.3	3.0	4.6	6.6	7.7	5.9	3.8	4.0	3.3
2002.....	4.3	0.3	2.9	4.6	6.9	7.4	5.7	4.1	4.2	3.8
2001 6/.....	4.1	0.3	2.9	4.4	6.4	7.2	5.7	3.9	4.0	3.4
2000.....	4.0	0.3	3.0	4.3	6.4	6.7	5.4	4.0	4.0	4.2
1999.....	4.0	0.3	3.0	4.6	6.4	6.6	5.2	4.1	4.7	4.1
Hispanic, both sexes												
2006.....	4.9	0.3	7.4	7.1	6.6	6.5	6.0	5.2	7.6	*
2005.....	5.1	0.5	7.7	6.8	7.4	6.6	6.0	5.9	8.8	9.0
2004.....	5.3	0.5	8.0	7.2	6.8	7.5	7.0	6.8	9.1	*
2003.....	5.0	0.6	7.0	6.8	6.8	7.2	6.9	6.5	8.0	10.9
2002.....	5.0	0.5	6.7	6.6	7.0	7.1	7.2	7.5	9.2	12.7
2001 6/.....	5.0	0.5	6.2	7.1	7.3	7.0	6.2	7.6	8.8	13.8
2000.....	5.1	0.4	6.8	6.5	7.5	7.8	6.0	7.8	11.7	*
1999.....	5.0	0.5	6.2	6.7	7.5	7.1	6.8	7.0	13.1	15.4
Hispanic, male												
2006.....	7.9	*	11.6	10.9	10.6	10.1	10.5	9.1	16.1	*
2005.....	8.3	0.7	12.1	10.7	11.8	11.0	10.2	10.7	18.7	*
2004.....	8.6	0.6	12.8	11.2	10.8	12.0	11.3	13.6	19.7	*
2003.....	8.3	0.8	11.2	10.8	11.0	11.5	13.0	13.1	18.0	*
2002.....	8.3	0.6	10.6	10.7	11.2	11.3	13.2	14.7	19.3	35.1
2001 6/.....	8.3	0.7	9.5	11.3	12.4	11.4	11.5	15.4	20.1	41.9
2000.....	8.4	0.6	10.9	10.6	12.1	12.5	11.1	15.6	25.1	*
1999.....	8.2	0.6	9.9	10.7	12.1	11.6	12.2	13.8	28.2	*
Hispanic, female												
2006.....	1.7	*	2.6	2.4	2.2	2.8	1.9	*	*	*
2005.....	1.7	*	2.7	2.1	2.4	2.2	2.1	*	*	*
2004.....	1.8	*	2.5	2.3	2.4	3.1	3.1	*	*	*
2003.....	1.5	*	2.2	1.9	2.2	2.9	*	*	*	*
2002.....	1.6	*	2.1	1.7	2.4	2.9	*	*	*	*
2001 6/.....	1.5	*	2.3	2.2	1.8	2.7	*	*	*	*
2000.....	1.5	*	2.0	1.7	2.6	3.2	*	*	*	*
1999.....	1.6	*	1.8	2.0	2.6	2.7	*	*	*	*

Worktable Orig12. Death rates for 358 selected causes, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2006

[Rates per 100,000 population in specified group. Rates are based on populations enumerated as of April 1 for 2000 and estimated as of July 1 for all other years. Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to 'Detailed technical notes to the United States 2006 data-mortality']

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, and sex	All ages 1/	Under 1 year 2/	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
Intentional self-harm (suicide) (*U03,X60-X84,Y87.0)												
Non-Hispanic 4/, both sexes												
2006.....	12.2	0.6	10.4	13.6	16.6	18.3	15.2	13.1	16.4	16.3
2005.....	12.0	0.7	10.5	13.8	16.2	17.5	14.5	13.1	17.3	17.2
2004.....	11.9	0.7	10.8	13.9	16.3	17.5	14.3	12.7	16.7	16.8
2003.....	11.7	0.6	10.2	14.0	16.0	16.7	14.3	13.1	16.9	17.1
2002.....	11.8	0.7	10.5	13.9	16.4	16.5	14.0	13.8	18.1	18.1
2001 6/.....	11.6	0.7	10.7	13.9	15.7	15.9	13.6	13.6	17.8	17.5
2000.....	11.1	0.8	10.8	13.0	15.4	15.0	12.5	12.7	17.9	19.9
1999.....	11.2	0.6	10.8	13.8	15.1	14.4	12.5	13.7	18.3	19.3
Non-Hispanic 4/, male												
2006.....	19.6	0.8	17.1	22.1	25.5	28.0	23.8	23.7	34.3	44.4
2005.....	19.3	1.1	17.0	22.3	25.0	28.8	23.1	23.6	36.6	45.9
2004.....	19.2	1.0	17.5	22.7	25.0	26.1	22.8	23.1	35.6	46.2
2003.....	19.1	0.9	16.9	22.9	25.1	25.6	22.9	24.1	36.0	48.6
2002.....	19.4	1.0	17.6	22.7	25.5	25.6	22.8	25.2	39.0	50.9
2001 6/.....	19.0	1.1	18.1	23.1	24.6	24.5	21.7	25.0	38.5	51.3
2000.....	18.3	1.3	18.3	21.4	24.1	23.2	19.9	23.1	39.1	58.4
1999.....	18.4	1.0	18.2	22.7	23.6	22.2	20.2	25.2	39.1	57.6
Non-Hispanic 4/, female												
2006.....	5.1	0.4	3.3	5.2	7.8	9.0	7.3	4.2	4.2	3.2
2005.....	4.9	0.4	3.6	5.3	7.5	8.6	6.4	4.1	4.1	4.1
2004.....	5.0	0.5	3.7	5.2	7.8	9.2	6.4	3.9	4.0	3.6
2003.....	4.6	0.3	3.2	5.2	7.2	8.1	6.3	4.0	4.1	3.3
2002.....	4.6	0.3	3.1	5.2	7.4	7.8	5.9	4.3	4.3	3.9
2001 6/.....	4.5	0.3	3.0	4.9	7.0	7.6	6.1	4.1	4.2	3.5
2000.....	4.3	0.3	3.1	4.8	6.8	7.0	5.7	4.1	4.1	4.3
1999.....	4.3	0.2	3.2	5.0	6.8	6.9	5.4	4.3	4.8	4.0
Non-Hispanic white, both sexes												
2006 5/.....	13.9	0.6	11.2	15.3	19.1	21.0	17.1	14.5	17.8	17.4
2005 5/.....	13.6	0.7	11.4	15.3	18.5	20.0	16.2	14.4	18.7	18.3
2004 5/.....	13.5	0.7	11.6	15.4	18.7	19.9	15.8	13.8	17.9	17.9
2003 5/.....	13.3	0.6	10.9	15.5	18.3	19.1	15.8	14.3	18.2	18.4
2002.....	13.4	0.7	11.5	15.4	18.7	18.7	15.6	15.1	19.4	19.2
2001 6/.....	13.0	0.7	11.6	15.4	17.7	17.9	15.0	14.7	19.0	18.7
2000.....	12.5	0.9	11.6	14.2	17.2	16.7	13.9	13.8	19.0	21.3
1999.....	12.4	0.7	11.5	15.0	16.9	16.0	13.7	14.8	19.5	20.8
Non-Hispanic white, male												
2006 5/.....	22.3	0.8	18.5	24.4	29.0	31.7	26.3	25.9	37.2	47.6
2005 5/.....	22.0	1.1	18.4	24.5	28.3	30.2	25.7	26.0	39.5	49.4
2004 5/.....	21.6	0.9	19.0	24.9	28.4	29.3	24.9	24.9	38.0	49.8
2003 5/.....	21.6	1.0	18.2	25.0	28.2	29.0	25.1	26.0	38.6	52.5
2002.....	21.9	1.1	19.3	24.6	28.7	28.6	25.0	27.5	41.7	54.3
2001 6/.....	21.4	1.1	19.6	25.2	27.4	27.4	23.6	26.9	41.1	55.2
2000.....	20.4	1.4	19.5	23.1	26.6	25.5	21.8	24.7	41.7	62.7
1999.....	20.3	1.1	19.2	24.3	26.0	24.4	21.9	27.0	41.6	62.2
Non-Hispanic white, female												
2006 5/.....	5.9	0.4	3.5	6.1	9.2	10.5	8.3	4.5	4.4	3.4
2005 5/.....	5.6	0.3	3.9	5.9	8.7	9.9	7.2	4.4	4.3	4.0
2004 5/.....	5.7	0.5	4.0	5.6	9.0	10.6	7.1	4.3	4.2	3.6
2003 5/.....	5.3	0.2	3.3	5.8	8.3	9.3	7.0	4.3	4.4	3.4
2002.....	5.3	0.3	3.4	6.1	8.6	9.0	6.6	4.6	4.5	4.1
2001 6/.....	5.0	0.3	3.3	5.5	8.1	8.6	6.8	4.4	4.4	3.5
2000.....	4.9	0.4	3.3	5.2	7.8	7.9	6.4	4.6	4.2	4.6
1999.....	4.9	0.3	3.4	5.5	7.8	7.8	6.0	4.6	5.0	4.2

Worktable Orig12. Death rates for 358 selected causes, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2006

[Rates per 100,000 population in specified group. Rates are based on populations enumerated as of April 1 for 2000 and estimated as of July 1 for all other years. Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.odc.gov/nchs> and refer to 'Detailed technical notes to the United States 2006 data-mortality']

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, and sex	All ages 1/	Under 1 year 2/	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
Intentional self-harm (suicide) (*U03,X60-X84,Y87.0)												
Non-Hispanic black, both sexes												
2006 5/.....	5.1	0.6	6.4	8.7	7.5	6.0	4.9	4.2	4.4	5.8
2005 5/.....	5.2	0.7	6.8	9.0	7.6	6.3	4.7	4.5	5.4	*
2004 5/.....	5.3	0.8	7.3	9.7	6.7	5.9	5.8	4.5	6.2	*
2003 5/.....	5.3	0.7	7.3	9.6	7.4	5.7	4.9	4.6	4.5	*
2002.....	5.2	0.5	6.6	9.6	7.7	5.9	4.9	4.9	5.4	*
2001 6/.....	5.3	0.6	7.3	9.2	7.5	6.2	5.1	5.5	5.6	*
2000.....	5.5	0.6	8.4	9.0	7.7	6.5	4.2	5.3	5.9	*
1999.....	5.5	0.5	8.3	9.5	7.8	5.7	5.0	5.8	5.8	*
Non-Hispanic black, male												
2006 5/.....	9.1	0.9	10.9	16.1	13.4	10.6	9.1	8.8	11.7	*
2005 5/.....	8.9	0.8	11.9	15.5	13.0	10.5	8.0	8.4	12.6	*
2004 5/.....	9.2	0.9	12.4	16.8	11.4	9.7	11.2	10.1	15.4	*
2003 5/.....	9.0	1.0	12.5	17.1	12.5	9.3	8.5	8.5	11.3	*
2002.....	9.3	0.9	11.6	18.0	13.2	10.2	8.5	9.7	13.5	*
2001 6/.....	9.3	0.9	13.4	16.6	12.5	9.8	9.3	10.8	13.2	*
2000.....	9.6	1.0	14.6	16.1	13.3	11.1	7.5	11.4	12.3	*
1999.....	9.9	0.7	14.8	17.5	13.7	10.1	9.2	11.7	14.1	*
Non-Hispanic black, female												
2006 5/.....	1.4	*	1.8	1.9	2.2	2.2	1.6	*	*	*
2005 5/.....	1.8	*	1.7	2.9	2.8	2.7	2.1	*	*	*
2004 5/.....	1.8	*	2.2	3.3	2.6	2.5	1.5	*	*	*
2003 5/.....	1.8	*	2.0	2.7	2.9	2.7	2.0	*	*	*
2002.....	1.6	*	1.7	2.1	2.9	2.2	2.0	*	*	*
2001 6/.....	1.7	*	1.3	2.4	3.0	3.1	1.8	*	*	*
2000.....	1.7	*	2.3	2.6	2.7	2.5	1.6	*	*	*
1999.....	1.6	*	2.0	2.4	2.6	2.0	1.6	*	*	*

Worktable Orig12. Death rates for 358 selected causes, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2006

[Rates per 100,000 population in specified group. Rates are based on populations enumerated as of April 1 for 2000 and estimated as of July 1 for all other years. Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to 'Detailed technical notes to the United States 2006 data-mortality']

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, and sex	All ages 1/	Under 1 year 2/	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
Intentional self-poisoning (suicide) by and exposure to drugs and other biological substances (X60-X64)												
Non-Hispanic 4/, both sexes												
2006.....	1.7	*	0.7	1.8	2.9	3.6	2.5	1.0	1.0	0.9
2005.....	1.6	*	0.7	1.5	2.8	3.3	2.2	1.1	1.1	1.1
2004.....	1.6	*	0.7	1.6	2.9	3.3	2.1	0.9	0.9	1.1
2003.....	1.5	*	0.6	1.6	2.7	3.1	1.9	1.0	0.9	0.9
2002.....	1.5	*	0.6	1.5	2.8	3.0	1.8	1.0	1.0	0.9
2001.....	1.4	*	0.6	1.4	2.7	2.8	1.5	1.0	0.8	0.9
2000.....	1.3	*	0.6	1.3	2.4	2.5	1.5	0.8	0.9	1.0
1999.....	1.2	*	0.5	1.3	2.4	2.4	1.4	1.0	1.1	0.8
Non-Hispanic 4/, male												
2006.....	1.6	*	0.7	1.8	2.8	3.3	2.3	0.8	1.0	*
2005.....	1.5	*	0.7	1.5	2.7	2.9	2.0	1.0	1.1	1.4
2004.....	1.5	*	0.8	1.7	2.7	3.0	1.9	0.8	0.9	1.7
2003.....	1.4	*	0.6	1.6	2.8	2.9	1.6	0.9	0.7	1.7
2002.....	1.4	*	0.7	1.7	2.7	2.8	1.6	0.9	1.2	*
2001.....	1.4	*	0.6	1.5	2.9	2.5	1.2	1.0	0.7	*
2000.....	1.2	*	0.6	1.4	2.3	2.4	1.3	0.7	1.0	*
1999.....	1.2	*	0.5	1.3	2.4	2.3	1.3	1.0	1.0	*
Non-Hispanic 4/, female												
2006.....	1.8	*	0.6	1.8	3.0	3.8	2.8	1.2	1.0	0.9
2005.....	1.7	*	0.7	1.5	2.8	3.6	2.4	1.2	1.1	0.9
2004.....	1.7	*	0.6	1.5	3.0	3.6	2.2	1.0	0.9	0.8
2003.....	1.5	*	0.6	1.6	2.6	3.2	2.1	1.1	1.1	*
2002.....	1.5	*	0.6	1.4	2.8	3.2	2.1	1.1	1.0	0.7
2001.....	1.4	*	0.7	1.3	2.5	3.1	1.8	0.9	0.8	0.7
2000.....	1.3	*	0.6	1.3	2.5	2.6	1.7	0.9	0.8	0.9
1999.....	1.3	*	0.6	1.3	2.3	2.5	1.6	0.9	1.2	*
Non-Hispanic white, both sexes												
2006 5/.....	2.0	*	0.8	2.1	3.4	4.1	2.9	1.2	1.1	1.0
2005 5/.....	1.9	*	0.8	1.8	3.3	3.8	2.5	1.3	1.2	1.2
2004 5/.....	1.9	*	0.8	1.9	3.4	3.8	2.3	1.0	1.0	1.1
2003 5/.....	1.7	*	0.7	1.9	3.1	3.5	2.1	1.1	1.0	1.0
2002.....	1.7	*	0.8	1.8	3.2	3.5	2.1	1.1	1.1	1.0
2001.....	1.6	*	0.7	1.7	3.1	3.2	1.7	1.1	0.9	1.0
2000.....	1.5	*	0.7	1.5	2.7	2.8	1.7	0.9	0.9	1.1
1999.....	1.4	*	0.6	1.4	2.7	2.7	1.6	1.1	1.2	0.9
Non-Hispanic white, male												
2006 5/.....	1.9	*	0.9	2.1	3.3	3.8	2.5	0.9	1.1	*
2005 5/.....	1.8	*	0.8	1.8	3.2	3.3	2.3	1.1	1.1	1.5
2004 5/.....	1.8	*	0.9	2.1	3.2	3.5	2.1	0.8	1.0	1.8
2003 5/.....	1.7	*	0.7	1.9	3.3	3.3	1.8	0.9	0.8	1.8
2002.....	1.7	*	0.8	1.9	3.1	3.3	1.8	1.0	1.2	*
2001.....	1.6	*	0.7	1.9	3.3	2.9	1.4	1.1	0.8	*
2000.....	1.4	*	0.7	1.6	2.7	2.6	1.4	0.7	1.1	*
1999.....	1.4	*	0.6	1.4	2.7	2.6	1.4	1.1	1.0	*
Non-Hispanic white, female												
2006 5/.....	2.2	*	0.7	2.2	3.6	4.5	3.2	1.4	1.1	1.0
2005 5/.....	2.0	*	0.7	1.7	3.4	4.2	2.8	1.4	1.2	1.0
2004 5/.....	1.9	*	0.8	1.8	3.5	4.2	2.5	1.2	1.0	0.8
2003 5/.....	1.8	*	0.6	1.8	3.0	3.7	2.4	1.3	1.2	*
2002.....	1.8	*	0.8	1.6	3.3	3.7	2.3	1.2	1.0	0.8
2001.....	1.6	*	0.8	1.5	2.9	3.6	2.1	1.0	0.9	*
2000.....	1.5	*	0.7	1.5	2.8	3.0	2.0	1.1	0.8	1.0
1999.....	1.5	*	0.6	1.5	2.7	2.9	1.8	1.1	1.3	*

Worktable Orig12. Death rates for 358 selected causes, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2006

[Rates per 100,000 population in specified group. Rates are based on populations enumerated as of April 1 for 2000 and estimated as of July 1 for all other years. Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to 'Detailed technical notes to the United States 2006 data-mortality']

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, and sex	All ages 1/	Under 1 year 2/	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
Intentional self-poisoning (suicide) by and exposure to drugs and other biological substances (X60-X64)												
Non-Hispanic black, both sexes												
2006 5/.....	0.4	*	*	0.7	0.9	0.9	0.7	*	*	*
2005 5/.....	0.5	*	*	0.8	0.9	1.0	0.7	*	*	*
2004 5/.....	0.4	*	*	0.7	0.8	0.8	*	*	*	*
2003 5/.....	0.4	*	*	0.6	1.1	1.0	*	*	*	*
2002.....	0.5	*	*	0.8	1.0	0.8	*	*	*	*
2001.....	0.4	*	*	0.5	1.0	0.9	*	*	*	*
2000.....	0.4	*	*	0.6	1.0	1.1	*	*	*	*
1999.....	0.4	*	*	0.7	0.9	0.8	*	*	*	*
Non-Hispanic black, male												
2006 5/.....	0.5	*	*	0.9	0.9	1.1	*	*	*	*
2005 5/.....	0.5	*	*	0.8	0.9	0.9	*	*	*	*
2004 5/.....	0.4	*	*	*	*	*	*	*	*	*
2003 5/.....	0.3	*	*	*	1.0	*	*	*	*	*
2002.....	0.5	*	*	1.1	1.0	*	*	*	*	*
2001.....	0.4	*	*	*	1.0	*	*	*	*	*
2000.....	0.5	*	*	*	0.9	1.3	*	*	*	*
1999.....	0.4	*	*	0.9	0.9	*	*	*	*	*
Non-Hispanic black, female												
2006 5/.....	0.4	*	*	*	0.9	*	*	*	*	*
2005 5/.....	0.5	*	*	0.8	0.8	1.1	*	*	*	*
2004 5/.....	0.5	*	*	0.9	1.0	0.9	*	*	*	*
2003 5/.....	0.6	*	*	*	1.2	1.4	*	*	*	*
2002.....	0.4	*	*	*	0.9	0.9	*	*	*	*
2001.....	0.4	*	*	*	1.0	1.0	*	*	*	*
2000.....	0.4	*	*	*	1.0	0.9	*	*	*	*
1999.....	0.4	*	*	*	1.0	*	*	*	*	*

Worktable Orig12. Death rates for 358 selected causes, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2006

[Rates per 100,000 population in specified group. Rates are based on populations enumerated as of April 1 for 2000 and estimated as of July 1 for all other years. Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to 'Detailed technical notes to the United States 2006 data-mortality']

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, and sex	All ages 1/	Under 1 year 2/	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
Intentional self-poisoning (suicide) by and exposure to other gases and vapors (X67)												
Non-Hispanic 4/, both sexes												
2006.....	0.5	*	0.2	0.5	0.9	0.9	0.7	0.4	0.5	0.6
2005.....	0.5	*	0.2	0.6	0.8	0.9	0.6	0.5	0.5	0.7
2004.....	0.5	*	0.2	0.6	0.9	1.0	0.6	0.3	0.5	0.6
2003.....	0.5	*	0.2	0.6	1.0	0.9	0.7	0.4	0.5	0.7
2002.....	0.6	*	0.2	0.6	0.9	1.0	0.6	0.4	0.7	0.8
2001.....	0.6	*	0.3	0.6	0.9	1.0	0.8	0.5	0.7	0.8
2000.....	0.6	*	0.3	0.7	1.0	1.0	0.7	0.4	0.6	0.8
1999.....	0.6	*	0.4	0.8	1.0	1.0	0.7	0.4	0.8	1.2
Non-Hispanic 4/, male												
2006.....	0.8	*	0.3	0.7	1.4	1.3	1.1	0.7	0.9	1.6
2005.....	0.8	*	0.3	0.9	1.2	1.4	0.9	0.7	0.9	1.3
2004.....	0.8	*	0.3	1.0	1.4	1.6	1.0	0.5	0.9	*
2003.....	0.8	*	0.3	1.1	1.6	1.4	1.1	0.8	0.8	1.7
2002.....	0.9	*	0.4	1.0	1.5	1.6	1.0	0.7	1.3	2.3
2001.....	0.9	*	0.5	1.1	1.5	1.5	1.1	0.8	1.3	2.0
2000.....	0.9	*	0.5	1.1	1.6	1.5	1.1	0.6	1.3	2.4
1999.....	1.0	*	0.7	1.3	1.6	1.5	1.0	0.6	1.5	4.1
Non-Hispanic 4/, female												
2006.....	0.2	*	*	0.2	0.4	0.4	0.4	*	0.3	*
2005.....	0.2	*	*	0.2	0.3	0.4	0.3	0.2	*	*
2004.....	0.2	*	*	0.2	0.4	0.4	0.3	*	0.3	*
2003.....	0.2	*	*	0.2	0.4	0.4	0.3	*	0.3	*
2002.....	0.2	*	*	0.3	0.4	0.4	0.3	0.2	0.3	*
2001.....	0.3	*	*	0.2	0.4	0.5	0.5	0.2	*	*
2000.....	0.2	*	*	0.3	0.4	0.5	0.3	0.2	*	*
1999.....	0.3	*	*	0.3	0.4	0.5	0.4	*	0.4	*
Non-Hispanic white, both sexes												
2006 5/.....	0.6	*	0.2	0.5	1.1	1.0	0.9	0.5	0.6	0.6
2005 5/.....	0.6	*	0.3	0.7	1.0	1.0	0.7	0.5	0.5	0.7
2004 5/.....	0.6	*	0.2	0.7	1.1	1.2	0.7	0.4	0.6	0.7
2003 5/.....	0.6	*	0.2	0.8	1.2	1.0	0.8	0.5	0.6	0.8
2002.....	0.7	*	0.3	0.8	1.1	1.2	0.7	0.5	0.7	0.9
2001.....	0.7	*	0.3	0.8	1.1	1.1	0.9	0.5	0.7	0.9
2000.....	0.7	*	0.3	0.8	1.2	1.2	0.8	0.4	0.7	0.9
1999.....	0.7	*	0.5	1.0	1.2	1.2	0.8	0.4	0.9	1.4
Non-Hispanic white, male												
2006 5/.....	0.9	*	0.3	0.9	1.7	1.5	1.3	0.8	1.0	1.7
2005 5/.....	0.9	*	0.4	1.1	1.5	1.6	1.0	0.8	1.0	1.5
2004 5/.....	1.0	*	0.4	1.2	1.7	1.9	1.1	0.6	1.0	*
2003 5/.....	1.0	*	0.4	1.3	1.9	1.6	1.2	0.9	0.9	1.8
2002.....	1.1	*	0.5	1.3	1.8	1.9	1.2	0.8	1.4	2.4
2001.....	1.1	*	0.6	1.3	1.7	1.8	1.2	0.8	1.4	2.2
2000.....	1.1	*	0.6	1.3	1.8	1.8	1.3	0.6	1.3	2.6
1999.....	1.2	*	0.8	1.5	1.9	1.7	1.1	0.7	1.6	4.5
Non-Hispanic white, female												
2006 5/.....	0.3	*	*	0.2	0.5	0.5	0.4	*	0.3	*
2005 5/.....	0.3	*	*	0.3	0.4	0.5	0.4	0.3	*	*
2004 5/.....	0.3	*	*	0.2	0.4	0.5	0.3	*	0.3	*
2003 5/.....	0.3	*	*	0.2	0.5	0.5	0.4	*	0.4	*
2002.....	0.3	*	*	0.3	0.5	0.5	0.3	0.3	0.3	*
2001.....	0.3	*	*	0.3	0.5	0.5	0.5	0.3	*	*
2000.....	0.3	*	*	0.4	0.5	0.6	0.4	0.3	*	*
1999.....	0.3	*	*	0.4	0.5	0.6	0.5	*	0.4	*

Worktable Orig12. Death rates for 358 selected causes, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2006

[Rates per 100,000 population in specified group. Rates are based on populations enumerated as of April 1 for 2000 and estimated as of July 1 for all other years. Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to 'Detailed technical notes to the United States 2006 data-mortality']

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, and sex	All ages 1/	Under 1 year 2/	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
Intentional self-harm (suicide) by hanging, strangulation and suffocation (X70)												
Non-Hispanic 4/, both sexes												
2006.....	2.6	0.4	3.6	4.2	4.1	3.4	1.9	1.2	1.5	2.1
2005.....	2.5	0.4	3.8	4.0	4.0	2.9	1.9	1.2	1.4	2.2
2004.....	2.6	0.5	3.7	4.1	3.9	3.0	2.0	1.2	1.6	2.2
2003.....	2.3	0.4	3.3	3.9	3.6	2.7	1.7	1.2	1.6	2.1
2002.....	2.3	0.4	3.2	3.8	3.5	2.7	1.6	1.3	1.6	2.2
2001.....	2.2	0.4	3.2	3.6	3.5	2.5	1.6	1.2	1.6	2.0
2000.....	2.0	0.4	2.9	3.3	3.1	2.2	1.4	1.1	1.7	2.9
1999.....	2.0	0.3	2.6	3.4	3.1	2.0	1.3	1.3	1.8	2.7
Non-Hispanic 4/, male												
2006.....	4.4	0.5	5.8	7.1	7.1	5.8	3.1	2.0	2.4	4.8
2005.....	4.1	0.6	5.9	6.8	6.7	4.7	3.0	2.1	2.2	4.8
2004.....	4.2	0.7	5.8	7.1	6.8	4.9	3.2	2.0	2.8	4.5
2003.....	4.0	0.6	5.4	6.7	6.2	4.5	2.8	2.1	3.0	4.9
2002.....	3.9	0.6	5.5	6.5	5.9	4.5	2.8	2.2	2.6	5.0
2001.....	3.8	0.7	5.4	6.3	5.9	4.2	2.5	2.2	2.9	4.6
2000.....	3.5	0.7	4.9	5.7	5.3	3.8	2.1	1.6	3.1	7.0
1999.....	3.3	0.5	4.2	5.9	5.3	3.3	2.2	2.0	3.0	6.3
Non-Hispanic 4/, female												
2006.....	0.9	0.3	1.3	1.3	1.2	1.0	0.8	0.6	0.9	0.9
2005.....	0.9	0.2	1.6	1.2	1.3	1.1	0.8	0.5	0.8	1.0
2004.....	0.9	0.3	1.5	1.3	1.2	1.2	0.8	0.5	0.7	1.1
2003.....	0.8	0.2	1.1	1.2	1.1	1.0	0.7	0.5	0.7	0.9
2002.....	0.8	0.2	0.9	1.1	1.1	1.0	0.6	0.6	0.9	1.0
2001.....	0.7	0.1	0.9	1.0	1.1	0.8	0.6	0.5	0.8	0.9
2000.....	0.7	0.2	0.9	0.9	0.9	0.7	0.7	0.7	0.9	1.2
1999.....	0.7	0.1	0.9	1.0	0.8	0.7	0.5	0.7	1.1	1.3
Non-Hispanic white, both sexes												
2006 5/.....	2.8	0.4	3.9	4.7	4.6	3.7	2.0	1.2	1.4	2.2
2005 5/.....	2.7	0.4	4.1	4.4	4.4	3.2	2.0	1.2	1.4	2.1
2004 5/.....	2.7	0.5	3.9	4.5	4.4	3.2	2.0	1.1	1.6	2.2
2003 5/.....	2.5	0.3	3.5	4.3	3.9	3.0	1.7	1.1	1.6	2.1
2002.....	2.5	0.4	3.6	4.1	3.9	3.0	1.7	1.3	1.6	2.2
2001.....	2.4	0.4	3.6	3.9	3.8	2.7	1.6	1.2	1.7	1.9
2000.....	2.2	0.4	3.1	3.5	3.3	2.4	1.5	1.1	1.7	2.9
1999.....	2.1	0.3	2.7	3.6	3.3	2.1	1.3	1.3	1.8	2.8
Non-Hispanic white, male												
2006 5/.....	4.8	0.4	6.3	7.9	7.8	6.3	3.3	2.1	2.3	4.9
2005 5/.....	4.5	0.6	6.4	7.4	7.4	5.2	3.2	2.2	2.3	4.9
2004 5/.....	4.5	0.6	6.2	7.7	7.6	5.2	3.3	1.9	2.8	4.6
2003 5/.....	4.2	0.5	5.8	7.3	6.7	4.9	2.8	1.9	3.0	5.0
2002.....	4.2	0.6	6.2	6.9	6.5	4.8	2.9	2.2	2.7	4.9
2001.....	4.1	0.6	6.1	6.6	6.4	4.6	2.6	2.1	3.0	4.6
2000.....	3.7	0.7	5.3	6.1	5.7	4.0	2.3	1.6	3.0	7.0
1999.....	3.5	0.5	4.4	6.2	5.7	3.4	2.2	2.1	3.0	6.5
Non-Hispanic white, female												
2006 5/.....	0.9	0.3	1.3	1.4	1.3	1.1	0.8	0.5	0.8	0.9
2005 5/.....	1.0	0.2	1.6	1.3	1.4	1.2	0.8	0.4	0.8	0.8
2004 5/.....	1.0	0.3	1.5	1.2	1.3	1.3	0.8	0.5	0.7	1.1
2003 5/.....	0.8	*	1.1	1.3	1.2	1.1	0.7	0.4	0.7	0.8
2002.....	0.8	0.2	1.0	1.2	1.3	1.2	0.6	0.5	0.8	1.0
2001.....	0.7	*	0.9	1.0	1.2	0.8	0.7	0.5	0.8	0.8
2000.....	0.7	0.2	0.9	0.8	0.9	0.8	0.7	0.7	0.8	1.3
1999.....	0.7	*	0.9	1.0	0.9	0.8	0.5	0.7	1.0	1.4

Worktable Orig12. Death rates for 358 selected causes, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2006

[Rates per 100,000 population in specified group. Rates are based on populations enumerated as of April 1 for 2000 and estimated as of July 1 for all other years. Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to 'Detailed technical notes to the United States 2006 data-mortality']

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, and sex	All ages 1/	Under 1 year 2/	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
Intentional self-harm (suicide) by discharge of firearms (X72-X74)												
All origins 3/, both sexes												
2006.....	5.6	0.2	4.7	5.3	6.5	8.0	8.1	8.9	12.0	10.9
2005.....	5.7	0.2	4.7	5.7	6.5	8.2	8.1	9.0	12.6	11.2
2004.....	5.7	0.1	5.0	5.7	6.5	8.0	8.0	8.8	12.2	11.1
2003.....	5.8	0.2	5.0	6.0	6.6	8.0	8.3	9.3	12.4	11.9
2002.....	5.9	0.2	5.1	6.0	7.0	7.8	8.4	9.7	13.2	12.0
2001.....	5.9	0.2	5.3	6.5	6.7	7.7	8.2	9.6	13.1	12.2
2000.....	5.9	0.3	5.8	6.1	7.1	7.6	7.6	9.2	13.0	13.2
1999.....	5.9	0.3	6.0	6.5	6.9	7.3	7.8	9.7	13.1	12.6
All origins 3/, male												
2006.....	10.0	0.3	8.2	9.2	10.8	13.7	14.3	17.6	27.7	32.7
2005.....	10.2	0.3	8.2	9.7	11.0	14.1	14.6	17.6	29.3	33.8
2004.....	10.0	0.2	8.8	9.7	10.8	13.5	14.2	17.5	28.3	34.4
2003.....	10.4	0.3	8.9	10.4	11.2	13.8	14.9	18.4	28.7	36.6
2002.....	10.6	0.3	9.1	10.3	11.9	13.6	15.1	19.5	31.0	37.8
2001.....	10.6	0.3	9.4	11.2	11.4	13.3	14.6	19.2	30.7	38.9
2000.....	10.5	0.4	10.2	10.6	11.8	13.0	13.5	18.4	30.8	42.9
1999.....	10.6	0.4	10.5	11.2	11.5	12.5	14.0	19.5	31.1	41.6
All origins 3/, female												
2006.....	1.4	*	0.9	1.3	2.1	2.6	2.3	1.6	1.2	0.7
2005.....	1.4	*	0.9	1.5	2.0	2.4	2.1	1.7	1.3	0.8
2004.....	1.5	*	1.1	1.5	2.2	2.8	2.2	1.6	1.4	*
2003.....	1.4	*	1.0	1.4	2.1	2.5	2.2	1.6	1.5	0.9
2002.....	1.4	*	1.0	1.6	2.2	2.2	2.2	1.6	1.4	0.8
2001.....	1.5	0.1	1.0	1.6	2.1	2.4	2.4	1.7	1.5	1.0
2000.....	1.5	0.1	1.2	1.7	2.4	2.3	2.1	1.7	1.4	1.1
1999.....	1.5	0.1	1.2	1.8	2.3	2.3	2.1	1.7	1.4	0.9
Hispanic, both sexes												
2006.....	1.8	*	3.1	2.6	2.2	2.1	2.2	2.0	4.3	*
2005.....	1.9	*	3.1	2.6	2.6	2.3	2.0	2.5	4.5	*
2004.....	2.1	*	3.7	2.7	2.4	3.0	2.7	3.5	5.0	*
2003.....	2.1	*	3.3	2.8	2.5	3.0	2.7	3.1	4.1	*
2002.....	2.2	*	3.3	2.7	2.5	2.7	3.4	4.4	4.7	*
2001.....	2.2	*	2.9	3.3	2.5	3.0	3.2	4.0	4.7	*
2000.....	2.3	*	3.4	2.8	2.8	4.0	2.7	4.6	5.3	*
1999.....	2.3	*	3.5	2.9	3.0	3.2	2.9	3.6	8.1	*
Hispanic, male												
2006.....	3.3	*	5.5	4.2	3.9	3.5	4.3	4.4	10.1	*
2005.....	3.4	*	5.4	4.3	4.4	4.3	4.1	5.2	11.0	*
2004.....	3.7	*	6.5	4.3	4.1	5.3	5.0	7.1	11.4	*
2003.....	3.8	*	5.6	4.8	4.3	5.3	5.6	7.0	9.6	*
2002.....	3.8	*	5.7	4.6	4.2	4.8	6.6	9.4	11.5	*
2001.....	3.8	*	4.8	5.5	4.5	5.3	6.6	8.8	11.6	*
2000.....	4.1	*	5.8	4.7	4.7	6.8	5.7	9.7	12.8	*
1999.....	4.0	*	5.8	4.8	5.0	5.5	5.9	7.7	19.8	*
Hispanic, female												
2006.....	0.3	*	*	0.6	*	*	*	*	*	*
2005.....	0.3	*	*	0.6	*	*	*	*	*	*
2004.....	0.4	*	0.6	0.7	*	*	*	*	*	*
2003.....	0.3	*	*	*	*	*	*	*	*	*
2002.....	0.4	*	*	*	*	*	*	*	*	*
2001.....	0.4	*	0.7	0.7	*	*	*	*	*	*
2000.....	0.4	*	*	*	*	*	*	*	*	*
1999.....	0.5	*	0.8	*	0.9	*	*	*	*	*

Worktable Orig12. Death rates for 358 selected causes, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2006

[Rates per 100,000 population in specified group. Rates are based on populations enumerated as of April 1 for 2000 and estimated as of July 1 for all other years. Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to 'Detailed technical notes to the United States 2006 data-mortality']

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, and sex	All ages 1/	Under 1 year 2/	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
Intentional self-harm (suicide) by discharge of firearms (X72-X74)												
Non-Hispanic 4/, both sexes												
2006.....	6.3	0.2	5.0	6.0	7.2	8.7	8.6	9.4	12.4	11.2
2005.....	6.4	0.2	5.0	6.4	7.2	8.8	8.6	9.4	13.1	11.4
2004.....	6.3	0.2	5.3	6.4	7.1	8.6	8.4	9.2	12.6	11.4
2003.....	6.4	0.2	5.4	6.7	7.2	8.5	8.7	9.7	12.8	12.1
2002.....	6.5	0.2	5.5	6.7	7.7	8.3	8.8	10.0	13.6	12.1
2001.....	6.5	0.2	5.8	7.1	7.3	8.1	8.6	9.9	13.5	12.4
2000.....	6.4	0.3	6.2	6.8	7.6	7.9	7.9	9.5	13.4	13.4
1999.....	6.4	0.3	6.5	7.2	7.3	7.7	8.2	10.1	13.3	12.7
Non-Hispanic 4/, male												
2006.....	11.2	0.3	8.8	10.5	12.1	14.8	15.2	18.5	28.8	33.8
2005.....	11.4	0.4	8.8	11.1	12.2	15.2	15.4	18.5	30.3	34.7
2004.....	11.1	0.3	9.3	11.1	11.9	14.4	15.0	18.2	29.3	35.6
2003.....	11.5	0.3	9.6	11.7	12.2	14.7	15.6	19.2	29.7	37.5
2002.....	11.7	0.4	9.8	11.6	13.1	14.4	15.7	20.1	31.9	38.4
2001.....	11.6	0.4	10.4	12.5	12.3	14.0	15.1	19.8	31.5	39.7
2000.....	11.4	0.5	11.1	11.7	12.7	13.5	14.0	18.9	31.6	43.8
1999.....	11.5	0.4	11.5	12.5	12.3	13.1	14.5	20.1	31.5	42.2
Non-Hispanic 4/, female												
2006.....	1.6	*	1.0	1.5	2.4	2.8	2.5	1.7	1.2	0.7
2005.....	1.6	*	1.0	1.6	2.2	2.7	2.3	1.8	1.4	0.8
2004.....	1.7	*	1.1	1.7	2.5	3.0	2.3	1.6	1.5	*
2003.....	1.6	*	1.0	1.6	2.3	2.6	2.3	1.7	1.6	0.9
2002.....	1.6	*	1.1	1.9	2.4	2.4	2.3	1.6	1.4	0.8
2001.....	1.6	0.1	1.1	1.8	2.4	2.5	2.5	1.8	1.6	1.0
2000.....	1.6	0.1	1.3	1.9	2.6	2.4	2.3	1.8	1.5	1.1
1999.....	1.6	*	1.3	1.9	2.4	2.4	2.3	1.8	1.5	0.9
Non-Hispanic white, both sexes												
2006 5/.....	7.3	0.2	5.4	6.7	8.4	10.2	9.8	10.6	13.7	12.0
2005 5/.....	7.4	0.3	5.4	7.2	8.3	10.2	9.8	10.6	14.3	12.5
2004 5/.....	7.3	0.2	5.8	7.1	8.3	9.9	9.5	10.2	13.7	12.5
2003 5/.....	7.4	0.2	5.8	7.4	8.4	9.9	9.9	10.8	14.0	13.2
2002.....	7.5	0.2	5.9	7.5	8.8	9.5	9.9	11.2	14.7	13.1
2001.....	7.4	0.3	6.2	8.0	8.3	9.3	9.6	10.9	14.5	13.4
2000.....	7.3	0.4	6.7	7.4	8.6	8.9	8.7	10.4	14.5	14.5
1999.....	7.3	0.3	6.8	7.9	8.3	8.6	9.0	11.0	14.3	13.7
Non-Hispanic white, male												
2006 5/.....	13.0	0.3	9.5	11.6	13.9	17.1	17.0	20.6	31.4	36.3
2005 5/.....	13.2	0.5	9.4	12.3	13.9	17.3	17.4	20.6	32.9	37.9
2004 5/.....	12.8	0.3	10.1	12.1	13.7	16.5	16.7	19.9	31.5	39.0
2003 5/.....	13.2	0.4	10.3	12.7	14.1	16.8	17.4	21.2	32.1	41.0
2002.....	13.4	0.4	10.5	12.6	14.9	16.3	17.4	22.2	34.3	41.3
2001.....	13.2	0.4	11.0	13.8	13.9	15.9	16.7	21.6	33.8	43.0
2000.....	12.9	0.6	11.8	12.7	14.3	15.1	15.3	20.4	34.2	47.6
1999.....	12.9	0.5	12.0	13.4	13.7	14.6	15.9	21.8	33.8	45.7
Non-Hispanic white, female												
2006 5/.....	1.9	*	1.1	1.7	3.0	3.4	2.9	2.0	1.4	0.7
2005 5/.....	1.8	*	1.1	2.0	2.7	3.2	2.6	1.9	1.5	0.9
2004 5/.....	1.9	*	1.3	2.0	3.0	3.5	2.7	1.9	1.6	*
2003 5/.....	1.8	*	1.1	2.0	2.8	3.1	2.7	1.9	1.7	1.0
2002.....	1.8	*	1.2	2.3	2.8	2.8	2.7	1.8	1.6	0.9
2001.....	1.9	*	1.2	2.1	2.7	2.9	2.9	1.9	1.7	1.1
2000.....	1.9	*	1.4	2.1	3.0	2.8	2.6	2.0	1.5	1.2
1999.....	1.9	*	1.4	2.3	2.9	2.7	2.6	2.0	1.6	1.0

Worktable Orig12. Death rates for 358 selected causes, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2006

[Rates per 100,000 population in specified group. Rates are based on populations enumerated as of April 1 for 2000 and estimated as of July 1 for all other years. Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.odc.gov/nchs> and refer to 'Detailed technical notes to the United States 2006 data-mortality']

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, and sex	All ages 1/	Under 1 year 2/	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
Intentional self-harm (suicide) by discharge of firearms (X72-X74)												
Non-Hispanic black, both sexes												
2006 5/.....	2.6	*	3.8	4.8	3.3	2.5	2.5	2.9	3.8	*
2005 5/.....	2.7	*	3.9	4.7	3.4	2.8	2.4	3.3	4.0	*
2004 5/.....	2.7	*	4.1	5.0	2.8	2.4	3.1	3.6	4.9	*
2003 5/.....	2.7	*	4.4	5.4	2.7	2.5	2.8	3.4	4.0	*
2002.....	2.9	*	4.2	5.3	3.6	2.9	2.8	3.3	4.3	*
2001.....	3.0	*	5.1	5.0	3.5	2.8	2.7	3.8	5.1	*
2000.....	3.1	*	5.4	5.2	3.5	3.2	3.0	3.8	3.6	*
1999.....	3.2	*	5.8	5.1	3.6	3.0	3.5	4.0	4.8	*
Non-Hispanic black, male												
2006 5/.....	5.0	*	6.9	9.2	6.3	4.8	5.1	6.4	10.3	*
2005 5/.....	5.1	*	7.2	8.8	6.6	5.4	4.6	6.4	10.4	*
2004 5/.....	5.1	*	7.2	9.5	5.3	4.5	6.0	8.6	13.1	*
2003 5/.....	5.1	*	8.0	10.5	5.1	4.8	5.3	6.8	9.8	*
2002.....	5.5	*	7.7	10.5	6.5	5.5	5.5	7.0	11.4	*
2001.....	5.6	*	9.6	9.5	6.4	4.9	5.5	7.9	12.0	*
2000.....	5.7	*	9.9	9.6	6.4	5.6	5.7	9.0	8.3	*
1999.....	6.1	*	10.6	10.0	6.9	5.6	7.1	8.9	12.2	*
Non-Hispanic black, female												
2006 5/.....	0.5	*	0.7	0.8	*	*	*	*	*	*
2005 5/.....	0.5	*	*	0.8	*	*	*	*	*	*
2004 5/.....	0.5	*	0.9	1.0	*	*	*	*	*	*
2003 5/.....	0.5	*	0.7	*	*	*	*	*	*	*
2002.....	0.5	*	0.7	*	1.0	*	*	*	*	*
2001.....	0.6	*	*	0.9	1.0	1.0	*	*	*	*
2000.....	0.7	*	1.0	1.1	0.8	1.1	*	*	*	*
1999.....	0.6	*	1.0	0.8	*	*	*	*	*	*

Worktable Orig12. Death rates for 358 selected causes, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2006

[Rates per 100,000 population in specified group. Rates are based on populations enumerated as of April 1 for 2000 and estimated as of July 1 for all other years. Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to 'Detailed technical notes to the United States 2006 data-mortality']

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, and sex	All ages 1/	Under 1 year 2/	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
Intentional self-harm (suicide) by jumping from a high place (X80)												
Non-Hispanic 4/, both sexes												
2006.....	0.2	*	0.3	0.3	0.3	0.4	0.3	0.2	0.2	*
2005.....	0.2	*	0.3	0.3	0.3	0.3	0.2	0.2	0.3	0.6
2004.....	0.2	*	0.3	0.4	0.3	0.3	0.3	0.2	0.3	0.5
2003.....	0.3	*	0.3	0.3	0.4	0.3	0.3	0.2	0.3	0.6
2002.....	0.3	*	0.3	0.4	0.4	0.3	0.3	0.2	0.3	0.6
2001.....	0.2	*	0.2	0.3	0.3	0.3	0.3	0.3	0.4	*
2000.....	0.2	*	0.3	0.3	0.3	0.3	0.2	0.2	0.3	0.6
1999.....	0.3	*	0.3	0.3	0.4	0.3	0.2	0.3	0.4	0.5
Non-Hispanic 4/, male												
2006.....	0.4	*	0.5	0.5	0.4	0.6	0.4	0.3	*	*
2005.....	0.4	*	0.4	0.5	0.5	0.4	0.3	*	*	1.4
2004.....	0.4	*	0.4	0.5	0.5	0.4	0.4	0.4	0.4	*
2003.....	0.4	*	0.4	0.5	0.5	0.4	0.4	0.3	0.5	*
2002.....	0.4	*	0.5	0.6	0.5	0.4	0.4	0.3	0.5	*
2001.....	0.3	*	0.3	0.4	0.4	0.4	0.4	0.3	0.6	*
2000.....	0.3	*	0.4	0.4	0.4	0.5	0.2	*	0.5	*
1999.....	0.4	*	0.5	0.5	0.6	0.5	0.2	0.5	0.6	*
Non-Hispanic 4/, female												
2006.....	0.1	*	*	*	0.2	0.2	0.2	*	*	*
2005.....	0.1	*	0.1	0.2	0.2	0.2	*	*	*	*
2004.....	0.1	*	0.1	0.2	0.2	0.2	*	*	*	*
2003.....	0.2	*	*	0.2	0.2	0.2	0.2	*	*	*
2002.....	0.2	*	0.1	0.2	0.2	0.2	*	*	*	*
2001.....	0.2	*	*	0.2	0.2	0.3	*	0.2	*	*
2000.....	0.1	*	0.1	0.1	0.1	0.1	0.2	*	*	*
1999.....	0.1	*	*	0.1	0.2	0.2	0.2	*	*	*
Non-Hispanic white, both sexes												
2006 5/.....	0.3	*	0.3	0.3	0.3	0.4	0.3	0.2	0.2	*
2005 5/.....	0.2	*	0.3	0.3	0.3	0.4	0.2	0.1	0.3	0.6
2004 5/.....	0.2	*	0.3	0.3	0.3	0.3	0.3	0.2	0.3	*
2003 5/.....	0.3	*	0.2	0.3	0.4	0.3	0.3	0.2	0.3	0.5
2002.....	0.3	*	0.3	0.4	0.4	0.3	0.3	0.2	0.3	0.6
2001.....	0.2	*	0.2	0.3	0.3	0.3	0.3	0.3	0.4	*
2000.....	0.2	*	0.3	0.2	0.3	0.3	0.2	0.2	0.3	0.6
1999.....	0.3	*	0.3	0.3	0.4	0.3	0.2	0.3	0.4	*
Non-Hispanic white, male												
2006 5/.....	0.4	*	0.5	0.5	0.3	0.6	0.4	*	*	*
2005 5/.....	0.4	*	0.5	0.5	0.5	0.5	0.3	*	*	*
2004 5/.....	0.4	*	0.4	0.5	0.5	0.4	0.4	0.4	*	*
2003 5/.....	0.4	*	0.4	0.5	0.5	0.5	0.4	*	0.5	*
2002.....	0.4	*	0.5	0.6	0.5	0.4	0.4	*	0.5	*
2001.....	0.3	*	0.4	0.4	0.4	0.4	0.4	0.3	0.6	*
2000.....	0.3	*	0.5	0.3	0.4	0.5	0.2	*	0.5	*
1999.....	0.4	*	0.5	0.5	0.6	0.5	*	0.5	0.6	*
Non-Hispanic white, female												
2006 5/.....	0.1	*	*	*	0.3	0.2	0.2	*	*	*
2005 5/.....	0.1	*	*	*	0.2	0.2	*	*	*	*
2004 5/.....	0.1	*	*	*	0.2	0.2	*	*	*	*
2003 5/.....	0.2	*	*	0.2	0.2	0.2	0.2	*	*	*
2002.....	0.2	*	*	0.2	0.2	0.3	*	*	*	*
2001.....	0.2	*	*	0.2	0.2	0.2	*	*	*	*
2000.....	0.1	*	*	*	*	0.2	*	0.2	*	*
1999.....	0.1	*	*	*	0.2	0.2	*	*	*	*

Worktable Orig12. Death rates for 358 selected causes, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2006

[Rates per 100,000 population in specified group. Rates are based on populations enumerated as of April 1 for 2000 and estimated as of July 1 for all other years. Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to 'Detailed technical notes to the United States 2006 data-mortality']

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, and sex	All ages 1/	Under 1 year 2/	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
Intentional self-harm (suicide) by all other and unspecified means and their sequelae (*U03,X71,X75-X79,X81-X84,Y87.0)												
Non-Hispanic 4/, both sexes												
2006.....	0.7	*	0.6	0.8	1.0	1.3	1.0	0.7	0.6	0.9
2005.....	0.7	*	0.5	0.8	1.0	1.2	0.9	0.6	0.8	1.1
2004.....	0.7	*	0.5	0.7	1.0	1.2	0.8	0.7	0.7	0.9
2003.....	0.6	*	0.4	0.8	1.0	1.1	0.8	0.5	0.6	0.7
2002.....	0.7	*	0.5	0.7	1.0	1.0	0.8	0.7	0.8	1.3
2001 6/.....	0.6	*	0.5	0.7	0.9	1.0	0.8	0.6	0.9	1.0
2000.....	0.6	*	0.5	0.6	0.9	0.9	0.8	0.6	0.9	1.1
1999.....	0.6	*	0.5	0.7	0.9	0.9	0.6	0.7	0.8	1.3
Non-Hispanic 4/, male												
2006.....	1.1	*	0.9	1.3	1.6	1.9	1.4	1.2	0.9	2.1
2005.....	1.1	*	0.8	1.3	1.5	1.9	1.3	1.0	1.5	2.1
2004.....	1.0	*	0.8	1.1	1.5	1.7	1.1	1.1	1.1	2.2
2003.....	1.0	*	0.6	1.2	1.6	1.6	1.2	0.8	1.2	1.7
2002.....	1.0	*	0.8	1.1	1.6	1.6	1.2	1.0	1.4	2.8
2001 6/.....	1.0	*	0.8	1.1	1.4	1.6	1.1	0.9	1.5	2.3
2000.....	0.9	*	0.7	0.9	1.5	1.3	1.2	1.0	1.5	2.4
1999.....	0.9	*	0.8	1.1	1.2	1.3	0.9	1.0	1.4	2.6
Non-Hispanic 4/, female												
2006.....	0.4	*	0.2	0.4	0.5	0.7	0.6	0.3	0.5	*
2005.....	0.3	*	0.2	0.4	0.5	0.5	0.5	0.3	0.4	0.6
2004.....	0.4	*	0.2	0.3	0.5	0.7	0.5	0.4	0.4	*
2003.....	0.3	*	0.2	0.3	0.5	0.5	0.5	0.3	*	*
2002.....	0.3	*	0.2	0.3	0.5	0.4	0.5	0.4	0.5	0.7
2001 6/.....	0.3	*	0.2	0.3	0.5	0.5	0.4	0.4	0.5	*
2000.....	0.3	*	0.2	0.3	0.4	0.5	0.4	0.4	0.5	*
1999.....	0.3	*	0.2	0.2	0.6	0.5	0.4	0.5	0.4	0.7
Non-Hispanic white, both sexes												
2006 5/.....	0.8	*	0.6	0.9	1.1	1.4	1.1	0.7	0.7	0.9
2005 5/.....	0.7	*	0.5	0.9	1.1	1.2	0.9	0.6	0.8	1.0
2004 5/.....	0.7	*	0.5	0.7	1.0	1.2	0.8	0.8	0.6	0.9
2003 5/.....	0.7	*	0.4	0.7	1.1	1.2	0.9	0.6	0.6	0.7
2002.....	0.7	*	0.5	0.7	1.1	1.1	0.9	0.7	0.9	1.4
2001 6/.....	0.7	*	0.5	0.7	1.0	1.1	0.8	0.6	0.9	1.0
2000.....	0.6	*	0.4	0.6	0.9	0.9	0.8	0.7	0.9	1.2
1999.....	0.6	*	0.5	0.6	0.9	0.9	0.6	0.7	0.8	1.3
Non-Hispanic white, male												
2006 5/.....	1.2	*	0.9	1.4	1.7	2.0	1.5	1.2	0.9	2.2
2005 5/.....	1.1	*	0.8	1.2	1.6	2.0	1.3	1.0	1.5	2.0
2004 5/.....	1.0	*	0.8	1.1	1.5	1.7	1.1	1.2	1.0	2.2
2003 5/.....	1.0	*	0.5	1.1	1.6	1.7	1.3	0.9	1.3	1.9
2002.....	1.1	*	0.9	1.1	1.6	1.7	1.2	1.0	1.4	2.9
2001 6/.....	1.0	*	0.8	1.2	1.4	1.6	1.2	0.9	1.5	2.6
2000.....	0.9	*	0.7	0.9	1.5	1.3	1.2	1.0	1.5	2.6
1999.....	0.9	*	0.8	1.1	1.2	1.4	0.9	0.9	1.5	2.9
Non-Hispanic white, female												
2006 5/.....	0.4	*	0.2	0.4	0.5	0.7	0.6	0.3	0.5	*
2005 5/.....	0.4	*	0.2	0.4	0.5	0.5	0.5	0.3	0.4	*
2004 5/.....	0.4	*	0.2	0.3	0.5	0.7	0.5	0.4	0.3	*
2003 5/.....	0.3	*	0.2	0.3	0.6	0.6	0.5	0.3	*	*
2002.....	0.4	*	0.2	0.4	0.5	0.5	0.5	0.4	0.5	0.7
2001 6/.....	0.3	*	0.2	0.3	0.5	0.5	0.4	0.4	0.5	*
2000.....	0.3	*	0.2	0.3	0.4	0.5	0.5	0.4	0.5	*
1999.....	0.3	*	0.2	0.2	0.6	0.5	0.3	0.4	0.4	*

Worktable Orig12. Death rates for 358 selected causes, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2006

[Rates per 100,000 population in specified group. Rates are based on populations enumerated as of April 1 for 2000 and estimated as of July 1 for all other years. Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to 'Detailed technical notes to the United States 2006 data-mortality']

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, and sex	All ages 1/	Under 1 year 2/	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
Assault (homicide) (*U01--U02,X85-Y09,Y87.1)												
All origins 3/, both sexes												
2006.....	6.2	8.1	2.2	1.0	13.5	11.7	6.9	5.1	3.2	2.1	2.1	1.9
2005.....	6.1	7.5	2.3	0.8	13.0	11.8	7.1	4.8	2.8	2.4	2.2	2.1
2004.....	5.9	8.0	2.4	0.8	12.2	11.2	6.8	4.8	3.0	2.4	2.2	2.1
2003.....	6.1	8.5	2.4	0.8	13.0	11.3	7.0	4.9	2.8	2.4	2.5	2.2
2002.....	6.1	7.5	2.7	0.9	12.9	11.2	7.2	4.8	3.2	2.3	2.3	2.1
2001 6/.....	7.1	8.2	2.7	0.8	13.3	13.1	9.5	6.3	4.0	2.9	2.5	2.4
2000.....	6.0	9.2	2.3	0.9	12.6	10.4	7.1	4.7	3.0	2.4	2.4	2.4
1999.....	6.1	8.7	2.5	1.1	12.9	10.5	7.1	4.6	3.0	2.6	2.5	2.4
All origins 3/, male												
2006.....	10.0	9.4	2.5	1.2	22.8	19.4	10.4	7.6	4.8	3.0	2.7	2.3
2005.....	9.8	8.2	2.6	1.0	22.0	19.6	10.6	7.6	4.3	3.3	2.6	2.7
2004.....	9.4	8.0	2.5	1.0	20.4	18.5	10.1	7.3	4.6	3.6	2.6	2.7
2003.....	9.7	10.0	2.5	1.0	21.8	18.5	10.4	7.4	4.2	3.4	3.3	3.2
2002.....	9.6	7.9	2.9	0.9	21.5	18.2	10.7	7.1	4.8	3.3	3.1	3.0
2001 6/.....	11.1	9.5	3.0	0.9	22.2	20.8	13.9	9.5	5.9	4.0	3.1	3.2
2000.....	9.3	10.4	2.5	1.1	20.9	16.7	10.3	6.9	4.6	3.4	3.2	3.3
1999.....	9.3	9.6	2.5	1.2	21.1	16.5	10.3	6.8	4.7	3.7	3.4	3.4
All origins 3/, female												
2006.....	2.5	6.8	2.0	0.7	3.5	3.7	3.4	2.6	1.7	1.3	1.8	1.8
2005.....	2.5	6.6	2.0	0.7	3.4	3.8	3.6	2.2	1.4	1.6	1.9	1.9
2004.....	2.5	7.9	2.2	0.6	3.5	3.7	3.4	2.4	1.6	1.4	1.9	1.9
2003.....	2.6	6.9	2.3	0.5	3.7	3.9	3.6	2.5	1.5	1.5	1.9	1.8
2002.....	2.7	7.1	2.5	0.8	3.8	4.2	3.8	2.6	1.6	1.4	1.8	1.7
2001 6/.....	3.3	6.9	2.4	0.7	3.9	5.3	5.1	3.2	2.2	2.0	2.1	2.0
2000.....	2.8	7.9	2.1	0.7	3.9	4.1	4.0	2.5	1.6	1.6	2.0	2.0
1999.....	2.9	7.8	2.4	0.9	4.3	4.4	4.0	2.4	1.5	1.7	1.9	2.0
Hispanic, both sexes												
2006.....	8.0	8.3	1.7	1.2	18.2	12.3	8.1	5.8	3.7	2.3	*	*
2005.....	9.2	6.4	2.3	0.8	18.2	13.9	8.1	6.2	3.0	2.7	3.2	*
2004.....	7.9	8.1	2.3	0.9	17.4	12.6	7.7	5.9	3.8	2.3	*	*
2003.....	8.4	6.9	2.5	0.7	18.4	13.2	8.5	6.4	3.6	3.8	3.6	*
2002.....	8.1	6.2	2.6	0.9	17.6	12.3	8.0	5.9	4.4	2.5	*	*
2001 6/.....	9.0	6.7	2.3	0.8	18.3	14.0	10.4	7.3	4.4	4.0	*	*
2000.....	8.3	7.0	1.9	1.1	17.1	12.4	8.7	6.7	4.5	3.3	*	*
1999.....	8.4	7.0	1.8	1.4	17.7	12.7	8.8	6.6	4.2	3.2	*	*
Hispanic, male												
2006.....	13.1	10.1	1.8	1.5	31.0	19.7	12.5	9.1	6.7	3.2	*	*
2005.....	13.6	6.3	2.5	1.0	31.0	22.3	12.7	10.1	4.7	4.4	*	*
2004.....	13.0	9.1	2.5	1.0	29.6	20.3	11.8	9.5	6.5	4.1	*	*
2003.....	13.6	7.9	2.1	0.9	30.3	21.2	12.9	10.2	6.0	6.8	*	*
2002.....	13.2	6.6	3.1	1.0	29.6	19.8	12.1	9.1	7.7	4.8	*	*
2001 6/.....	14.5	7.9	2.5	1.1	30.5	21.6	15.9	11.3	6.8	6.6	*	*
2000.....	13.4	6.6	2.0	1.6	28.5	19.9	13.5	10.2	7.1	4.6	*	*
1999.....	13.8	6.7	1.7	1.8	29.1	20.6	13.9	10.3	7.3	5.7	*	*
Hispanic, female												
2006.....	2.4	6.5	1.5	0.8	3.8	3.2	3.1	2.4	*	*	*	*
2005.....	2.5	6.6	2.0	0.6	3.6	3.7	3.1	2.2	*	*	*	*
2004.....	2.4	7.0	2.1	0.7	3.3	3.4	3.2	2.2	*	*	*	*
2003.....	2.8	5.9	2.9	*	4.5	3.5	3.6	2.7	*	*	*	*
2002.....	2.6	5.9	2.1	0.8	3.8	3.4	3.5	2.7	*	*	*	*
2001 6/.....	3.2	5.5	2.1	*	4.0	5.1	4.4	3.4	2.4	*	*	*
2000.....	2.8	7.4	1.9	0.6	3.7	3.7	3.6	3.3	2.2	*	*	*
1999.....	2.8	7.3	1.9	0.9	4.4	3.5	3.3	3.1	*	*	*	*

Worktable Orig12. Death rates for 358 selected causes, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2006

[Rates per 100,000 population in specified group. Rates are based on populations enumerated as of April 1 for 2000 and estimated as of July 1 for all other years. Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to 'Detailed technical notes to the United States 2006 data-mortality']

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, and sex	All ages 1/	Under 1 year 2/	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
Assault (homicide) (*U01--U02,X85-Y09,Y87.1)												
Non-Hispanic 4/, both sexes												
2006.....	5.9	8.0	2.4	0.9	12.4	11.5	6.7	5.0	3.1	2.1	2.2	1.9
2005.....	5.7	7.7	2.3	0.9	11.8	11.3	6.9	4.7	2.8	2.3	2.1	2.2
2004.....	5.5	7.8	2.4	0.8	11.1	10.8	6.6	4.6	3.0	2.4	2.3	2.0
2003.....	5.7	8.9	2.3	0.8	11.8	10.8	6.7	4.8	2.7	2.2	2.4	2.1
2002.....	5.7	7.7	2.7	0.9	11.8	10.9	7.0	4.6	3.0	2.3	2.2	2.1
2001 6/.....	6.7	8.4	2.8	0.8	12.1	12.8	9.2	6.1	3.9	2.8	2.5	2.4
2000.....	5.6	9.6	2.4	0.9	11.6	10.0	6.9	4.4	2.9	2.3	2.4	2.3
1999.....	5.7	8.9	2.6	1.0	11.9	10.0	6.8	4.3	2.9	2.5	2.5	2.4
Non-Hispanic 4/, male												
2006.....	9.3	9.1	2.7	1.1	21.0	19.2	9.9	7.4	4.6	3.0	2.7	2.1
2005.....	9.1	8.8	2.6	1.0	19.9	18.8	10.1	7.2	4.3	3.2	2.4	2.8
2004.....	8.7	7.5	2.5	0.9	18.4	17.9	9.7	6.9	4.4	3.5	2.7	2.4
2003.....	9.0	10.5	2.6	1.0	19.8	17.7	10.0	7.1	4.0	3.1	3.2	3.0
2002.....	8.9	8.0	2.9	0.9	19.6	17.6	10.4	6.8	4.5	3.2	3.1	2.9
2001 6/.....	10.4	9.8	3.2	0.9	20.1	20.3	13.4	9.2	5.8	3.8	3.1	3.1
2000.....	8.6	11.2	2.6	1.0	19.1	15.9	9.8	6.6	4.4	3.2	3.1	3.1
1999.....	8.6	10.1	2.6	1.1	19.4	15.6	9.7	6.4	4.5	3.5	3.3	3.4
Non-Hispanic 4/, female												
2006.....	2.5	6.8	2.1	0.7	3.5	3.8	3.5	2.6	1.7	1.3	1.8	1.8
2005.....	2.5	6.6	2.0	0.7	3.4	3.8	3.7	2.2	1.4	1.6	1.9	1.9
2004.....	2.5	8.1	2.3	0.6	3.5	3.7	3.5	2.4	1.6	1.5	2.0	1.8
2003.....	2.5	7.2	2.1	0.6	3.5	4.0	3.6	2.5	1.5	1.5	1.8	1.8
2002.....	2.7	7.4	2.6	0.8	3.7	4.3	3.8	2.5	1.7	1.5	1.7	1.7
2001 6/.....	3.2	6.9	2.4	0.7	3.8	5.3	5.1	3.1	2.2	2.0	2.1	2.1
2000.....	2.7	7.9	2.2	0.7	3.8	4.1	4.0	2.3	1.5	1.6	1.9	2.0
1999.....	2.9	7.6	2.5	0.9	4.2	4.6	4.0	2.3	1.4	1.7	2.0	2.0
Non-Hispanic white, both sexes												
2006 5/.....	2.7	6.3	1.5	0.6	3.4	3.9	3.6	3.2	2.3	1.6	2.0	1.7
2005 5/.....	2.7	6.0	1.5	0.5	3.4	4.0	3.7	3.0	2.1	1.8	1.8	1.9
2004 5/.....	2.7	5.9	1.4	0.5	3.5	4.0	3.8	3.0	2.2	2.0	1.9	1.8
2003 5/.....	2.7	6.8	1.3	0.4	3.5	3.9	3.8	3.1	2.1	1.7	2.0	2.0
2002.....	2.8	5.0	1.8	0.5	3.7	3.9	4.1	3.0	2.4	1.9	1.8	1.8
2001 6/.....	4.0	5.8	1.7	0.6	4.2	6.5	6.6	4.6	3.3	2.3	2.1	2.2
2000.....	2.8	6.2	1.6	0.6	3.5	4.0	4.0	2.9	2.2	1.8	2.0	2.1
1999.....	2.9	6.3	1.7	0.7	3.9	4.3	4.1	2.9	2.2	2.1	2.0	2.1
Non-Hispanic white, male												
2006 5/.....	3.6	6.5	1.6	0.6	4.7	5.5	4.9	4.5	3.2	2.1	2.2	1.8
2005 5/.....	3.6	6.9	1.6	0.5	4.7	5.4	4.8	4.3	3.1	2.2	1.9	2.0
2004 5/.....	3.6	6.1	1.6	0.6	4.7	5.5	5.0	4.3	3.1	2.6	2.1	1.9
2003 5/.....	3.6	8.0	1.3	0.6	5.0	5.2	4.9	4.3	2.8	2.3	2.6	2.9
2002.....	3.8	5.8	1.9	0.5	5.2	5.3	5.6	3.9	3.3	2.4	2.3	2.7
2001 6/.....	5.6	6.8	2.0	0.6	5.7	9.3	9.5	6.7	4.7	2.9	2.6	2.8
2000.....	3.6	8.3	1.8	0.7	4.7	5.2	5.2	3.9	3.1	2.2	2.4	2.6
1999.....	3.9	8.0	1.7	0.7	5.1	5.7	5.4	4.2	3.2	2.7	2.6	2.6
Non-Hispanic white, female												
2006 5/.....	1.8	6.2	1.3	0.6	2.0	2.2	2.4	2.0	1.5	1.3	1.8	1.7
2005 5/.....	1.8	5.0	1.4	0.4	2.0	2.6	2.7	1.6	1.2	1.4	1.8	1.9
2004 5/.....	1.8	5.8	1.3	0.4	2.3	2.5	2.5	1.8	1.4	1.4	1.8	1.7
2003 5/.....	1.8	5.5	1.4	0.3	1.9	2.5	2.6	2.0	1.4	1.3	1.6	1.6
2002.....	1.9	4.1	1.8	0.6	2.2	2.6	2.5	2.1	1.5	1.4	1.5	1.5
2001 6/.....	2.4	4.7	1.5	0.7	2.7	3.7	3.7	2.6	1.9	1.8	1.8	2.0
2000.....	1.9	4.1	1.3	0.6	2.3	2.7	2.7	1.9	1.3	1.4	1.7	1.9
1999.....	2.0	4.4	1.6	0.7	2.6	2.9	2.8	1.7	1.3	1.6	1.6	1.9

Worktable Orig12. Death rates for 358 selected causes, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2006

[Rates per 100,000 population in specified group. Rates are based on populations enumerated as of April 1 for 2000 and estimated as of July 1 for all other years. Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.odc.gov/nchs> and refer to 'Detailed technical notes to the United States 2006 data-mortality']

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, and sex	All ages 1/	Under 1 year 2/	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
Assault (homicide) (*U01--U02,X85-Y09,Y87.1)												
Non-Hispanic black, both sexes												
2006 5/.....	23.6	15.9	6.0	2.4	51.2	49.3	24.5	16.2	9.7	6.1	4.5	*
2005 5/.....	22.8	14.5	5.5	2.3	48.5	47.9	24.8	16.0	8.2	7.2	5.9	*
2004 5/.....	21.7	15.8	6.2	2.0	45.1	45.9	23.3	15.4	8.8	6.2	6.4	*
2003 5/.....	22.7	16.8	6.4	2.3	49.1	47.1	24.2	15.8	8.1	6.3	6.6	*
2002.....	22.5	17.6	6.5	2.0	48.3	47.0	24.3	15.8	8.4	5.8	7.3	*
2001 6/.....	22.7	19.5	7.1	1.4	48.7	45.3	25.5	16.2	8.9	7.2	6.8	*
2000.....	22.1	24.1	6.1	1.9	49.3	42.2	24.5	15.0	8.4	7.6	7.1	*
1999.....	21.7	20.0	6.4	2.3	49.5	40.6	23.7	14.1	8.4	6.4	7.5	*
Non-Hispanic black, male												
2006 5/.....	42.0	20.3	6.4	3.3	91.6	90.2	41.2	27.7	17.2	11.5	8.3	*
2005 5/.....	40.9	15.9	6.9	2.9	87.0	89.4	41.9	27.6	14.6	13.0	10.4	*
2004 5/.....	38.3	13.9	6.3	2.5	80.7	85.1	39.0	26.1	15.2	11.8	10.3	*
2003 5/.....	40.1	18.6	7.8	3.0	87.3	86.1	41.6	26.9	14.9	11.3	11.3	*
2002.....	39.4	16.4	7.3	2.6	85.8	85.3	39.8	27.5	15.8	10.5	13.8	*
2001 6/.....	39.3	21.7	8.4	2.0	88.3	81.7	39.5	27.2	15.0	12.6	10.2	*
2000.....	38.3	24.9	6.1	2.1	88.1	76.5	39.4	26.3	15.0	13.9	12.0	*
1999.....	37.2	20.1	6.2	2.7	88.1	71.5	37.9	23.7	15.4	11.9	12.2	*
Non-Hispanic black, female												
2006 5/.....	6.8	11.3	5.6	1.4	9.8	11.5	9.7	6.4	3.7	2.2	*	*
2005 5/.....	6.3	13.0	4.1	1.7	9.0	9.7	9.5	6.1	3.1	3.1	3.3	*
2004 5/.....	6.6	17.7	6.1	1.6	9.1	10.1	9.3	6.2	3.7	2.1	4.2	*
2003 5/.....	6.8	14.8	4.9	1.5	10.4	11.6	8.8	6.2	2.7	2.8	3.9	*
2002.....	7.2	18.9	5.7	1.5	10.6	12.3	10.6	5.7	2.5	2.4	3.6	*
2001 6/.....	7.6	17.1	5.7	0.8	9.2	12.5	13.2	6.9	4.0	3.3	4.9	*
2000.....	7.4	23.3	6.0	1.6	11.0	11.4	11.3	5.3	3.2	3.2	4.3	*
1999.....	7.7	20.0	6.7	1.8	11.4	12.8	11.1	5.9	2.7	2.5	4.9	*

Worktable Orig12. Death rates for 358 selected causes, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2006

[Rates per 100,000 population in specified group. Rates are based on populations enumerated as of April 1 for 2000 and estimated as of July 1 for all other years. Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to 'Detailed technical notes to the United States 2006 data-mortality']

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, and sex	All ages 1/	Under 1 year 2/	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
Assault (homicide) by hanging, strangulation and suffocation (X91)												
Non-Hispanic 4/, both sexes												
2006.....	0.2	1.0	*	0.1	0.2	0.3	0.3	0.3	0.2	0.1	0.2	*
2005.....	0.2	0.7	*	0.1	0.2	0.3	0.3	0.2	0.1	0.2	0.3	*
2004.....	0.2	1.0	0.2	0.1	0.3	0.3	0.3	0.2	0.1	0.2	0.2	*
2003.....	0.2	0.9	*	0.1	0.3	0.3	0.3	0.2	0.1	0.2	0.3	*
2002.....	0.2	0.9	0.2	0.1	0.3	0.3	0.3	0.3	0.1	0.1	*	*
2001.....	0.2	1.0	*	*	0.3	0.3	0.3	0.2	0.2	0.2	0.2	*
2000.....	0.2	0.7	0.2	0.1	0.3	0.3	0.3	0.2	0.1	0.2	0.2	*
1999.....	0.2	1.0	0.2	0.1	0.3	0.4	0.3	0.2	0.1	0.2	0.2	*
Non-Hispanic 4/, male												
2006.....	0.2	1.2	*	*	*	0.2	0.2	0.2	0.1	*	*	*
2005.....	0.1	*	*	*	*	0.2	0.2	0.2	*	*	*	*
2004.....	0.1	*	*	*	0.1	0.2	0.2	0.2	*	*	*	*
2003.....	0.1	*	*	*	0.1	*	0.2	0.1	*	*	*	*
2002.....	0.2	*	*	*	0.2	0.2	0.2	0.2	*	*	*	*
2001.....	0.2	1.3	*	*	0.1	0.2	0.2	0.2	0.2	0.3	*	*
2000.....	0.2	*	*	*	*	0.2	0.2	0.1	*	*	*	*
1999.....	0.2	1.4	*	*	*	0.2	0.2	*	*	*	*	*
Non-Hispanic 4/, female												
2006.....	0.3	*	*	*	0.3	0.4	0.4	0.3	0.2	*	*	*
2005.....	0.3	*	*	*	0.4	0.4	0.4	0.2	0.2	*	0.4	*
2004.....	0.3	*	*	*	0.4	0.5	0.5	0.3	*	0.2	*	*
2003.....	0.3	*	*	*	0.4	0.5	0.4	0.3	0.2	0.2	*	*
2002.....	0.3	*	*	*	0.4	0.4	0.5	0.3	*	*	*	*
2001.....	0.3	*	*	*	0.4	0.5	0.5	0.2	0.2	0.2	0.3	*
2000.....	0.3	*	*	*	0.5	0.5	0.4	0.2	*	*	*	*
1999.....	0.3	*	*	*	0.5	0.6	0.5	0.2	*	0.2	*	*
Non-Hispanic white, both sexes												
2006 5/.....	0.2	*	*	*	0.1	0.2	0.2	0.2	0.1	*	*	*
2005 5/.....	0.2	*	*	*	0.2	0.2	0.2	0.2	0.1	0.1	0.2	*
2004 5/.....	0.2	0.9	*	*	0.2	0.3	0.2	0.2	0.1	0.2	0.2	*
2003 5/.....	0.2	*	*	*	0.2	0.2	0.3	0.1	0.1	*	0.2	*
2002.....	0.2	*	*	*	0.2	0.2	0.2	0.2	0.1	*	*	*
2001.....	0.2	*	*	*	0.2	0.3	0.2	0.2	0.1	0.2	*	*
2000.....	0.2	*	*	*	0.2	0.2	0.2	0.2	0.1	*	*	*
1999.....	0.2	*	*	0.1	0.2	0.3	0.2	0.1	*	0.2	0.2	*
Non-Hispanic white, male												
2006 5/.....	0.1	*	*	*	*	*	0.1	0.1	*	*	*	*
2005 5/.....	0.1	*	*	*	*	*	*	0.1	*	*	*	*
2004 5/.....	0.1	*	*	*	*	*	*	*	*	*	*	*
2003 5/.....	0.1	*	*	*	*	*	0.2	*	*	*	*	*
2002.....	0.1	*	*	*	*	*	0.1	0.2	*	*	*	*
2001.....	0.1	*	*	*	*	*	*	0.2	*	*	*	*
2000.....	0.1	*	*	*	*	0.2	0.2	*	*	*	*	*
1999.....	0.1	*	*	*	*	*	0.1	*	*	*	*	*
Non-Hispanic white, female												
2006 5/.....	0.2	*	*	*	0.2	0.3	0.3	0.2	*	*	*	*
2005 5/.....	0.2	*	*	*	0.3	0.3	0.3	0.2	*	*	0.3	*
2004 5/.....	0.2	*	*	*	0.3	0.3	0.3	0.2	*	*	*	*
2003 5/.....	0.2	*	*	*	0.3	0.4	0.3	0.2	*	*	*	*
2002.....	0.2	*	*	*	0.3	0.3	0.3	0.3	*	*	*	*
2001.....	0.2	*	*	*	0.3	0.4	0.3	0.2	*	*	*	*
2000.....	0.2	*	*	*	0.4	0.3	0.3	0.2	*	*	*	*
1999.....	0.2	*	*	*	0.4	0.4	0.3	0.2	*	*	*	*

Worktable Orig12. Death rates for 358 selected causes, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2006

[Rates per 100,000 population in specified group. Rates are based on populations enumerated as of April 1 for 2000 and estimated as of July 1 for all other years. Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to 'Detailed technical notes to the United States 2006 data-mortality']

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, and sex	All ages 1/	Under 1 year 2/	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
Assault (homicide) by hanging, strangulation and suffocation (X91)												
Non-Hispanic black, both sexes												
2006 5/.....	0.5	*	*	*	0.5	0.7	0.8	0.6	*	*	*	*
2005 5/.....	0.5	*	*	*	0.5	0.8	0.8	0.5	*	*	*	*
2004 5/.....	0.6	*	*	*	0.5	0.7	1.1	0.5	*	*	*	*
2003 5/.....	0.5	*	*	*	0.7	0.7	0.7	0.7	*	*	*	*
2002.....	0.6	*	*	*	0.6	0.9	1.0	0.7	*	*	*	*
2001.....	0.6	*	*	*	0.7	0.8	1.0	0.6	*	*	*	*
2000.....	0.6	*	*	*	0.7	1.0	0.9	*	*	*	*	*
1999.....	0.6	*	*	*	0.7	1.2	1.0	*	*	*	*	*
Non-Hispanic black, male												
2006 5/.....	0.4	*	*	*	*	*	*	*	*	*	*	*
2005 5/.....	0.3	*	*	*	*	*	*	*	*	*	*	*
2004 5/.....	0.3	*	*	*	*	*	*	*	*	*	*	*
2003 5/.....	0.3	*	*	*	*	*	*	*	*	*	*	*
2002.....	0.4	*	*	*	*	*	*	*	*	*	*	*
2001.....	0.4	*	*	*	*	*	*	*	*	*	*	*
2000.....	0.3	*	*	*	*	*	*	*	*	*	*	*
1999.....	0.4	*	*	*	*	*	*	*	*	*	*	*
Non-Hispanic black, female												
2006 5/.....	0.6	*	*	*	0.7	0.9	1.0	0.8	*	*	*	*
2005 5/.....	0.7	*	*	*	0.8	1.0	0.9	*	*	*	*	*
2004 5/.....	0.7	*	*	*	0.8	1.0	1.5	*	*	*	*	*
2003 5/.....	0.7	*	*	*	1.1	1.1	0.9	1.0	*	*	*	*
2002.....	0.8	*	*	*	0.8	1.3	1.5	*	*	*	*	*
2001.....	0.7	*	*	*	0.9	1.1	1.4	*	*	*	*	*
2000.....	0.8	*	*	*	1.2	1.5	1.3	*	*	*	*	*
1999.....	0.8	*	*	*	1.0	1.7	1.4	*	*	*	*	*

Worktable Orig12. Death rates for 358 selected causes, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2006

[Rates per 100,000 population in specified group. Rates are based on populations enumerated as of April 1 for 2000 and estimated as of July 1 for all other years. Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to 'Detailed technical notes to the United States 2006 data-mortality']

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, and sex	All ages 1/	Under 1 year 2/	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
Assault (homicide) by discharge of firearms (*U01.4,X93-X95)												
All origins 3/, both sexes												
2006.....	4.3	*	0.3	0.6	11.4	9.3	4.6	2.7	1.5	0.8	0.6	0.4
2005.....	4.2	*	0.2	0.5	10.7	9.4	4.6	2.6	1.3	1.1	0.7	0.5
2004.....	4.0	*	0.2	0.5	9.9	8.8	4.3	2.6	1.6	1.0	0.8	0.6
2003.....	4.1	*	0.3	0.5	10.7	8.9	4.4	2.7	1.4	0.9	0.7	0.5
2002.....	4.1	*	0.3	0.5	10.6	8.7	4.5	2.6	1.5	0.9	0.9	*
2001.....	4.0	*	0.4	0.4	10.5	8.4	4.4	2.4	1.4	1.0	0.8	*
2000.....	3.8	*	0.2	0.5	10.1	7.7	4.2	2.5	1.5	1.0	0.7	0.7
1999.....	3.9	*	0.3	0.5	10.4	7.6	4.1	2.4	1.6	1.0	0.8	0.6
All origins 3/, male												
2006.....	7.4	*	0.3	0.8	20.0	16.2	7.3	4.3	2.2	1.2	0.8	*
2005.....	7.2	*	0.3	0.6	18.9	16.4	7.3	4.1	2.1	1.5	0.8	*
2004.....	6.9	*	*	0.6	17.3	15.3	7.1	4.0	2.5	1.6	0.8	*
2003.....	7.1	*	0.2	0.6	18.8	15.5	6.9	4.3	2.2	1.4	0.7	*
2002.....	7.0	*	0.4	0.6	18.5	14.9	7.3	3.9	2.4	1.2	1.3	*
2001.....	6.8	*	0.3	0.6	18.5	14.3	6.8	3.8	2.2	1.5	1.1	*
2000.....	6.5	*	*	0.7	17.7	13.2	6.6	3.9	2.3	1.3	0.8	*
1999.....	6.5	*	0.3	0.7	18.0	12.9	6.3	3.8	2.6	1.5	1.0	*
All origins 3/, female												
2006.....	1.3	*	*	0.4	2.2	2.2	1.8	1.3	0.8	0.5	0.6	*
2005.....	1.2	*	*	0.3	2.0	2.2	1.9	1.1	0.6	0.7	0.7	*
2004.....	1.1	*	*	0.3	2.0	2.0	1.5	1.1	0.8	0.5	0.8	*
2003.....	1.2	*	0.3	0.3	2.2	2.1	1.8	1.2	0.7	0.5	0.7	*
2002.....	1.3	*	*	0.4	2.4	2.3	1.9	1.3	0.8	0.6	0.7	*
2001.....	1.3	*	0.4	0.3	2.1	2.3	2.0	1.0	0.8	0.7	0.6	*
2000.....	1.3	*	*	0.2	2.2	2.1	1.8	1.2	0.8	0.8	0.6	*
1999.....	1.3	*	0.3	0.3	2.5	2.2	2.0	1.2	0.6	0.7	0.6	*
Hispanic, both sexes												
2006.....	5.6	*	*	0.8	15.1	9.3	5.2	3.0	1.6	*	*	*
2005.....	5.7	*	*	0.5	14.5	10.6	5.3	3.3	1.3	1.5	*	*
2004.....	5.4	*	*	0.5	14.0	9.4	5.0	2.7	2.0	*	*	*
2003.....	5.8	*	*	0.4	14.9	9.9	5.3	3.6	1.2	*	*	*
2002.....	5.6	*	*	0.6	14.3	9.3	5.1	3.2	1.6	*	*	*
2001.....	5.7	*	*	0.4	14.6	9.5	5.6	3.0	1.1	*	*	*
2000.....	5.5	*	*	0.6	13.7	8.9	4.9	4.0	2.0	*	*	*
1999.....	5.7	*	*	0.8	14.4	8.7	5.2	3.8	2.1	*	*	*
Hispanic, male												
2006.....	9.7	*	*	1.1	26.4	15.5	8.2	4.9	2.8	*	*	*
2005.....	10.0	*	*	0.8	25.5	17.6	8.3	5.5	2.3	*	*	*
2004.....	9.5	*	*	0.7	24.4	15.9	8.3	4.5	3.5	*	*	*
2003.....	10.0	*	*	0.6	25.5	16.8	8.4	5.9	2.2	*	*	*
2002.....	9.7	*	*	0.9	24.9	15.6	8.1	5.0	2.8	*	*	*
2001.....	9.9	*	*	0.6	24.9	16.1	9.1	4.8	*	*	*	*
2000.....	9.6	*	*	1.0	23.5	15.0	7.8	6.4	3.2	*	*	*
1999.....	9.8	*	*	1.2	24.2	14.7	8.6	5.7	3.5	*	*	*
Hispanic, female												
2006.....	1.2	*	*	*	2.2	1.8	1.7	1.1	*	*	*	*
2005.....	1.2	*	*	*	1.9	2.1	1.9	1.2	*	*	*	*
2004.....	1.1	*	*	*	2.0	1.6	1.4	*	*	*	*	*
2003.....	1.3	*	*	*	2.7	1.7	1.9	1.4	*	*	*	*
2002.....	1.2	*	*	*	2.1	1.8	1.8	1.4	*	*	*	*
2001.....	1.3	*	*	*	2.5	1.8	1.9	1.2	*	*	*	*
2000.....	1.3	*	*	*	2.2	1.9	1.7	1.7	*	*	*	*
1999.....	1.4	*	*	*	2.9	1.7	1.7	1.9	*	*	*	*

Worktable Orig12. Death rates for 358 selected causes, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2006

[Rates per 100,000 population in specified group. Rates are based on populations enumerated as of April 1 for 2000 and estimated as of July 1 for all other years. Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to 'Detailed technical notes to the United States 2006 data-mortality']

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, and sex	All ages 1/	Under 1 year 2/	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
Assault (homicide) by discharge of firearms (*U01.4,X93-X95)												
Non-Hispanic 4/, both sexes												
2006.....	4.0	*	0.3	0.5	10.5	9.3	4.4	2.7	1.5	0.9	0.7	0.4
2005.....	3.9	*	0.2	0.5	9.9	9.1	4.4	2.5	1.3	1.0	0.8	0.5
2004.....	3.7	*	0.2	0.4	9.0	8.5	4.1	2.5	1.6	1.1	0.8	0.5
2003.....	3.8	*	0.2	0.5	9.8	8.6	4.2	2.6	1.4	0.8	0.7	0.5
2002.....	3.8	*	0.3	0.5	9.8	8.5	4.4	2.5	1.5	0.9	0.9	*
2001.....	3.7	*	0.3	0.4	9.6	8.0	4.2	2.3	1.5	1.0	0.8	*
2000.....	3.6	*	0.2	0.4	9.3	7.4	4.1	2.4	1.5	1.0	0.7	0.7
1999.....	3.6	*	0.4	0.5	9.6	7.3	4.0	2.3	1.5	1.1	0.8	0.5
Non-Hispanic 4/, male												
2006.....	6.9	*	*	0.7	18.5	16.3	7.0	4.2	2.2	1.2	0.8	*
2005.....	6.7	*	*	0.6	17.4	15.9	7.0	3.9	2.1	1.5	0.8	*
2004.....	6.4	*	*	0.6	15.8	15.1	6.8	3.9	2.4	1.6	0.8	*
2003.....	6.5	*	*	0.7	17.2	15.0	6.7	4.1	2.1	1.3	0.7	*
2002.....	6.5	*	0.3	0.6	17.0	14.7	7.1	3.7	2.3	1.2	1.2	*
2001.....	6.3	*	0.3	0.6	17.0	13.8	6.5	3.7	2.2	1.4	1.1	*
2000.....	6.0	*	*	0.6	16.3	12.7	6.4	3.7	2.2	1.3	0.8	*
1999.....	6.0	*	0.4	0.7	16.7	12.4	6.0	3.6	2.5	1.5	0.9	*
Non-Hispanic 4/, female												
2006.....	1.3	*	*	0.4	2.2	2.3	1.9	1.3	0.8	0.5	0.6	*
2005.....	1.2	*	*	0.3	2.0	2.2	1.9	1.1	0.6	0.7	0.7	*
2004.....	1.2	*	*	0.2	2.0	2.1	1.5	1.2	0.8	0.6	0.8	*
2003.....	1.2	*	*	0.3	2.0	2.2	1.8	1.2	0.7	0.5	0.7	*
2002.....	1.3	*	*	0.4	2.4	2.3	1.9	1.3	0.8	0.6	0.7	*
2001.....	1.2	*	0.3	0.3	2.0	2.3	2.0	1.0	0.8	0.7	0.6	*
2000.....	1.2	*	*	0.2	2.2	2.2	1.9	1.1	0.8	0.7	0.6	*
1999.....	1.3	*	0.4	0.3	2.4	2.3	2.0	1.1	0.6	0.7	0.6	*
Non-Hispanic white, both sexes												
2006 5/.....	1.4	*	*	0.3	2.2	2.5	2.2	1.6	1.1	0.6	0.6	*
2005 5/.....	1.4	*	*	0.2	2.1	2.6	2.2	1.6	1.0	0.8	0.7	*
2004 5/.....	1.5	*	*	0.2	2.1	2.6	2.2	1.6	1.2	0.9	0.7	*
2003 5/.....	1.4	*	*	0.2	2.4	2.5	2.1	1.7	1.1	0.7	0.6	0.5
2002.....	1.5	*	0.2	0.3	2.5	2.6	2.4	1.6	1.2	0.7	0.8	*
2001.....	1.6	*	0.2	0.4	2.4	2.7	2.4	1.6	1.2	0.8	0.7	*
2000.....	1.4	*	*	0.3	2.2	2.4	2.3	1.6	1.2	0.8	0.6	0.6
1999.....	1.5	*	0.2	0.3	2.4	2.6	2.3	1.5	1.1	0.9	0.6	0.6
Non-Hispanic white, male												
2006 5/.....	2.0	*	*	0.3	3.4	3.8	3.1	2.2	1.5	0.8	0.5	*
2005 5/.....	2.1	*	*	0.3	3.2	3.8	3.0	2.3	1.5	1.0	0.7	*
2004 5/.....	2.1	*	*	0.3	3.1	4.0	3.1	2.3	1.7	1.2	0.7	*
2003 5/.....	2.1	*	*	0.3	3.7	3.7	2.9	2.4	1.6	1.0	0.5	*
2002.....	2.2	*	*	0.3	3.7	3.7	3.4	2.2	1.7	0.9	1.0	*
2001.....	2.2	*	*	0.4	3.6	3.9	3.4	2.3	1.6	1.0	0.9	*
2000.....	2.0	*	*	0.4	3.2	3.4	3.2	2.2	1.6	0.9	0.6	*
1999.....	2.2	*	*	0.4	3.5	3.9	3.2	2.2	1.7	1.2	0.6	*
Non-Hispanic white, female												
2006 5/.....	0.8	*	*	0.3	1.1	1.2	1.2	1.1	0.8	0.5	0.7	*
2005 5/.....	0.8	*	*	*	1.0	1.4	1.4	0.9	0.6	0.7	0.7	*
2004 5/.....	0.8	*	*	1.1	1.2	1.2	0.9	0.7	0.7	0.7	0.8	*
2003 5/.....	0.8	*	*	1.0	1.3	1.3	1.0	0.7	0.7	0.4	0.6	*
2002.....	0.9	*	*	0.3	1.2	1.4	1.3	1.1	0.7	0.6	0.7	*
2001.....	0.9	*	*	0.3	1.2	1.5	1.4	0.8	0.8	0.7	0.6	*
2000.....	0.9	*	*	0.2	1.2	1.4	1.4	0.9	0.8	0.7	0.6	*
1999.....	0.9	*	*	0.2	1.2	1.4	1.5	0.8	0.6	0.7	0.6	*

Worktable Orig12. Death rates for 358 selected causes, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2006

[Rates per 100,000 population in specified group. Rates are based on populations enumerated as of April 1 for 2000 and estimated as of July 1 for all other years. Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.odc.gov/nchs> and refer to 'Detailed technical notes to the United States 2006 data-mortality']

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, and sex	All ages 1/	Under 1 year 2/	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
Assault (homicide) by discharge of firearms (*U01.4,X93-X95)												
Non-Hispanic black, both sexes												
2006 5/.....	18.6	*	*	1.6	46.4	43.1	17.7	9.6	4.3	2.9	*	*
2005 5/.....	17.7	*	*	1.4	43.6	41.8	17.4	8.7	3.6	3.1	*	*
2004 5/.....	16.6	*	*	1.3	40.3	39.4	16.0	8.6	4.7	2.4	*	*
2003 5/.....	17.3	*	*	1.5	43.3	40.5	16.5	8.9	4.0	2.5	*	*
2002.....	17.1	*	*	1.2	43.1	39.7	16.7	8.6	4.2	2.4	2.1	*
2001.....	16.3	*	*	0.9	43.0	36.4	15.5	7.7	3.7	2.6	*	*
2000.....	16.0	*	*	1.0	42.6	34.5	15.4	8.5	3.6	2.8	*	*
1999.....	15.9	*	*	1.3	43.6	32.4	14.4	8.1	4.5	2.4	2.4	*
Non-Hispanic black, male												
2006 5/.....	35.0	*	*	2.3	84.7	81.2	31.8	17.9	8.0	5.6	*	*
2005 5/.....	33.6	*	*	2.0	80.3	80.3	31.8	15.9	6.9	6.1	*	*
2004 5/.....	31.4	*	*	1.9	74.1	75.4	29.8	15.5	8.5	5.6	*	*
2003 5/.....	32.6	*	*	2.1	79.4	77.4	30.1	16.4	7.4	4.8	*	*
2002.....	31.9	*	*	1.6	78.6	75.6	30.0	15.3	7.7	4.7	*	*
2001.....	30.6	*	*	1.3	80.6	69.4	26.7	14.0	7.1	5.5	*	*
2000.....	30.1	*	*	1.6	79.1	65.7	27.4	15.3	6.5	5.5	*	*
1999.....	29.3	*	*	1.8	80.0	61.1	24.6	14.1	9.1	4.7	*	*
Non-Hispanic black, female												
2006 5/.....	3.7	*	*	0.8	7.2	7.8	5.2	2.5	1.3	*	*	*
2005 5/.....	3.2	*	*	0.7	6.1	6.4	4.6	2.5	*	*	*	*
2004 5/.....	3.1	*	*	*	6.0	6.4	3.8	2.6	1.6	*	*	*
2003 5/.....	3.4	*	*	0.9	6.7	6.9	4.4	2.6	*	*	*	*
2002.....	3.7	*	*	0.8	7.5	7.2	5.0	2.8	*	*	*	*
2001.....	3.2	*	*	*	5.6	6.5	5.5	2.2	*	*	*	*
2000.....	3.3	*	*	*	6.7	6.4	4.7	2.6	*	*	*	*
1999.....	3.7	*	*	0.7	7.8	6.6	5.5	3.0	*	*	*	*

Worktable Orig12. Death rates for 358 selected causes, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2006

[Rates per 100,000 population in specified group. Rates are based on populations enumerated as of April 1 for 2000 and estimated as of July 1 for all other years. Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to 'Detailed technical notes to the United States 2006 data-mortality']

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, and sex	All ages 1/	Under 1 year 2/	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
Assault (homicide) by sharp object (X99)												
All origins 3/, both sexes												
2006.....	0.7	*	*	0.1	1.1	1.2	1.0	0.8	0.6	0.3	0.4	*
2005.....	0.7	*	*	0.1	1.3	1.2	1.0	0.8	0.4	0.4	0.2	*
2004.....	0.7	*	*	0.1	1.2	1.2	1.0	0.8	0.4	0.4	0.4	*
2003.....	0.7	*	*	0.1	1.1	1.2	1.1	0.8	0.4	0.4	0.4	*
2002.....	0.7	*	*	0.1	1.0	1.2	1.1	0.8	0.5	0.4	0.4	*
2001.....	0.7	*	*	0.1	1.2	1.2	1.0	0.7	0.4	0.4	0.4	*
2000.....	0.6	*	*	0.1	1.0	1.1	1.0	0.6	0.4	0.3	0.5	*
1999.....	0.7	*	*	0.1	1.1	1.2	1.0	0.7	0.4	0.3	0.3	*
All origins 3/, male												
2006.....	1.0	*	*	*	1.7	1.8	1.3	1.2	0.8	0.5	0.5	*
2005.....	1.0	*	*	*	1.9	1.7	1.4	1.3	0.6	0.6	*	*
2004.....	1.0	*	*	*	1.8	1.7	1.4	1.1	0.7	0.6	0.6	*
2003.....	1.0	*	*	*	1.7	1.7	1.5	1.2	0.6	0.5	0.6	*
2002.....	1.0	*	*	0.1	1.6	1.7	1.5	1.2	0.8	0.7	0.4	*
2001.....	1.0	*	*	*	1.8	1.7	1.3	1.0	0.6	0.5	0.4	*
2000.....	0.9	*	*	*	1.6	1.5	1.4	0.8	0.7	0.5	0.7	*
1999.....	1.0	*	*	*	1.6	1.7	1.6	1.0	0.7	0.5	0.5	*
All origins 3/, female												
2006.....	0.4	*	*	*	0.5	0.6	0.6	0.5	0.3	0.2	0.3	*
2005.....	0.4	*	*	*	0.6	0.6	0.6	0.4	0.3	0.3	*	*
2004.....	0.4	*	*	*	0.5	0.7	0.6	0.5	0.3	0.2	0.3	*
2003.....	0.4	*	*	*	0.5	0.7	0.6	0.4	0.3	0.3	0.3	*
2002.....	0.4	*	*	*	0.4	0.8	0.7	0.4	0.3	0.3	0.3	*
2001.....	0.4	*	*	*	0.5	0.7	0.7	0.3	0.3	0.4	0.4	*
2000.....	0.4	*	*	*	0.4	0.6	0.7	0.4	0.2	*	0.3	*
1999.....	0.4	*	*	*	0.5	0.6	0.5	0.4	0.3	0.2	*	*
Hispanic, both sexes												
2006.....	1.0	*	*	*	1.8	1.7	1.4	1.3	*	*	*	*
2005.....	1.1	*	*	*	2.4	1.8	1.3	0.9	*	*	*	*
2004.....	1.1	*	*	*	2.1	1.8	1.2	1.1	*	*	*	*
2003.....	1.1	*	*	*	1.9	1.8	1.4	1.0	*	*	*	*
2002.....	1.1	*	*	*	2.0	1.7	1.5	1.0	*	*	*	*
2001.....	1.1	*	*	*	2.0	1.7	1.4	1.0	1.2	*	*	*
2000.....	1.2	*	*	*	2.0	1.9	1.8	1.0	*	*	*	*
1999.....	1.0	*	*	*	1.7	1.9	1.3	1.1	*	*	*	*
Hispanic, male												
2006.....	1.6	*	*	*	2.9	2.6	2.0	1.8	*	*	*	*
2005.....	1.7	*	*	*	3.9	2.6	2.0	1.5	*	*	*	*
2004.....	1.6	*	*	*	3.5	2.5	1.8	1.7	*	*	*	*
2003.....	1.6	*	*	*	2.8	2.6	2.0	1.3	*	*	*	*
2002.....	1.7	*	*	*	3.2	2.4	2.1	1.4	*	*	*	*
2001.....	1.7	*	*	*	3.3	2.4	1.9	1.5	*	*	*	*
2000.....	1.9	*	*	*	3.3	2.9	2.8	1.4	*	*	*	*
1999.....	1.6	*	*	*	2.7	2.9	2.1	1.6	*	*	*	*
Hispanic, female												
2006.....	0.4	*	*	*	*	0.6	0.7	*	*	*	*	*
2005.....	0.4	*	*	*	0.7	0.8	*	*	*	*	*	*
2004.....	0.5	*	*	*	*	1.1	*	*	*	*	*	*
2003.....	0.5	*	*	*	0.8	0.8	*	*	*	*	*	*
2002.....	0.5	*	*	*	0.6	0.8	0.8	*	*	*	*	*
2001.....	0.5	*	*	*	*	0.8	0.8	*	*	*	*	*
2000.....	0.5	*	*	*	*	0.7	*	*	*	*	*	*
1999.....	0.4	*	*	*	*	0.7	*	*	*	*	*	*

Worktable Orig12. Death rates for 358 selected causes, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2006

[Rates per 100,000 population in specified group. Rates are based on populations enumerated as of April 1 for 2000 and estimated as of July 1 for all other years. Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to 'Detailed technical notes to the United States 2006 data-mortality']

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, and sex	All ages 1/	Under 1 year 2/	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
Assault (homicide) by sharp object (X99)												
Non-Hispanic 4/, both sexes												
2006.....	0.6	*	*	0.1	1.0	1.0	0.9	0.8	0.6	0.3	0.4	*
2005.....	0.6	*	*	0.1	1.0	1.0	0.9	0.8	0.4	0.4	0.2	*
2004.....	0.6	*	*	0.1	1.0	1.0	1.0	0.7	0.4	0.4	0.4	*
2003.....	0.6	*	*	0.1	1.0	1.0	1.0	0.8	0.4	0.4	0.4	*
2002.....	0.7	*	*	0.1	0.9	1.1	1.1	0.7	0.5	0.5	0.3	*
2001.....	0.6	*	*	*	1.0	1.1	1.0	0.6	0.4	0.4	0.4	*
2000.....	0.6	*	*	0.1	0.8	0.9	0.9	0.5	0.4	0.3	0.5	*
1999.....	0.6	*	*	0.1	0.9	1.0	1.0	0.6	0.4	0.3	0.3	*
Non-Hispanic 4/, male												
2006.....	0.9	*	*	*	1.4	1.5	1.2	1.2	0.8	0.5	0.5	*
2005.....	0.9	*	*	*	1.5	1.5	1.2	1.3	0.6	0.6	*	*
2004.....	0.9	*	*	*	1.4	1.5	1.3	1.1	0.6	0.6	0.6	*
2003.....	0.9	*	*	*	1.5	1.4	1.4	1.1	0.5	0.4	0.6	*
2002.....	0.9	*	*	0.1	1.3	1.5	1.5	1.1	0.7	0.6	*	*
2001.....	0.9	*	*	*	1.5	1.5	1.2	1.0	0.5	0.5	*	*
2000.....	0.8	*	*	*	1.2	1.2	1.2	0.7	0.6	0.5	0.7	*
1999.....	0.9	*	*	*	1.3	1.4	1.5	0.9	0.6	0.4	0.5	*
Non-Hispanic 4/, female												
2006.....	0.4	*	*	*	0.5	0.6	0.6	0.4	0.3	*	0.3	*
2005.....	0.4	*	*	*	0.6	0.5	0.6	0.4	0.3	0.3	*	*
2004.....	0.4	*	*	*	0.5	0.6	0.7	0.5	0.3	0.2	0.3	*
2003.....	0.4	*	*	*	0.5	0.6	0.6	0.4	0.3	0.3	0.3	*
2002.....	0.4	*	*	*	0.4	0.8	0.7	0.3	0.3	0.3	0.3	*
2001.....	0.4	*	*	*	0.6	0.6	0.7	0.3	0.3	0.4	0.4	*
2000.....	0.3	*	*	*	0.4	0.5	0.7	0.3	0.2	*	*	*
1999.....	0.4	*	*	*	0.5	0.6	0.5	0.3	0.2	0.3	*	*
Non-Hispanic white, both sexes												
2006 5/.....	0.4	*	*	*	0.5	0.5	0.5	0.5	0.4	0.2	0.3	*
2005 5/.....	0.3	*	*	*	0.5	0.6	0.4	0.4	0.3	0.3	0.2	*
2004 5/.....	0.4	*	*	*	0.5	0.5	0.6	0.4	0.3	0.3	0.3	*
2003 5/.....	0.3	*	*	*	0.4	0.5	0.5	0.5	0.2	0.3	0.3	*
2002.....	0.4	*	*	*	0.4	0.5	0.6	0.4	0.3	0.4	0.2	*
2001.....	0.4	*	*	*	0.6	0.6	0.5	0.4	0.3	0.3	0.3	*
2000.....	0.3	*	*	*	0.4	0.5	0.5	0.3	0.2	0.2	0.3	*
1999.....	0.4	*	*	*	0.5	0.6	0.5	0.4	0.3	0.2	0.2	*
Non-Hispanic white, male												
2006 5/.....	0.5	*	*	*	0.7	0.7	0.6	0.7	0.5	0.3	0.5	*
2005 5/.....	0.5	*	*	*	0.7	0.8	0.6	0.6	0.4	0.4	*	*
2004 5/.....	0.5	*	*	*	0.7	0.6	0.7	0.5	0.4	0.4	*	*
2003 5/.....	0.4	*	*	*	0.6	0.7	0.6	0.6	0.3	*	*	*
2002.....	0.5	*	*	*	0.6	0.6	0.9	0.6	0.4	0.5	*	*
2001.....	0.5	*	*	*	0.8	0.8	0.6	0.5	0.4	0.4	*	*
2000.....	0.4	*	*	*	0.6	0.6	0.6	0.4	0.4	0.3	0.6	*
1999.....	0.5	*	*	*	0.7	0.8	0.7	0.6	0.4	0.3	*	*
Non-Hispanic white, female												
2006 5/.....	0.2	*	*	*	0.4	0.4	0.3	0.2	0.2	*	*	*
2005 5/.....	0.2	*	*	*	0.3	0.4	0.3	0.2	0.2	0.3	*	*
2004 5/.....	0.3	*	*	*	0.3	0.4	0.4	0.3	0.2	*	*	*
2003 5/.....	0.2	*	*	*	0.2	0.4	0.4	0.3	0.2	0.3	*	*
2002.....	0.2	*	*	*	0.2	0.4	0.4	0.2	0.3	0.3	*	*
2001.....	0.3	*	*	*	0.3	0.4	0.4	0.2	*	0.3	0.3	*
2000.....	0.2	*	*	*	0.2	0.4	0.4	0.2	*	*	*	*
1999.....	0.2	*	*	*	0.3	0.4	0.4	0.2	0.2	*	*	*

Worktable Orig12. Death rates for 358 selected causes, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2006

[Rates per 100,000 population in specified group. Rates are based on populations enumerated as of April 1 for 2000 and estimated as of July 1 for all other years. Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.odc.gov/nchs> and refer to 'Detailed technical notes to the United States 2006 data-mortality']

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, and sex	All ages 1/	Under 1 year 2/	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
Assault (homicide) by sharp object (X99)												
Non-Hispanic black, both sexes												
2006 5/.....	2.1	*	*	*	2.8	3.4	3.2	2.7	2.1	1.2	*	*
2005 5/.....	2.2	*	*	*	3.0	3.2	3.5	3.6	1.5	1.3	*	*
2004 5/.....	2.2	*	*	*	2.8	3.5	3.5	3.0	1.6	1.6	2.4	*
2003 5/.....	2.2	*	*	*	3.3	3.5	4.0	2.8	1.5	1.2	*	*
2002.....	2.2	*	*	*	2.7	3.9	3.6	3.0	1.8	1.3	*	*
2001.....	2.1	*	*	*	3.0	3.6	3.6	2.4	1.3	1.2	*	*
2000.....	1.9	*	*	*	2.5	2.8	3.7	2.3	1.6	1.4	*	*
1999.....	2.1	*	*	*	2.9	3.2	3.7	2.4	1.4	*	*	*
Non-Hispanic black, male												
2006 5/.....	3.2	*	*	*	4.4	5.4	4.6	4.2	3.3	*	*	*
2005 5/.....	3.4	*	*	*	4.5	5.4	5.1	6.0	2.6	*	*	*
2004 5/.....	3.2	*	*	*	4.1	5.6	4.9	4.6	2.8	*	*	*
2003 5/.....	3.5	*	*	*	5.1	5.2	6.3	4.6	2.4	*	*	*
2002.....	3.3	*	*	*	4.3	5.8	4.9	5.1	3.3	*	*	*
2001.....	3.1	*	*	*	4.5	5.4	5.1	4.5	2.0	*	*	*
2000.....	2.9	*	*	*	3.8	4.5	5.0	3.7	2.5	*	*	*
1999.....	3.2	*	*	*	4.3	4.7	6.4	3.6	2.7	*	*	*
Non-Hispanic black, female												
2006 5/.....	1.1	*	*	*	1.2	1.6	1.9	1.5	*	*	*	*
2005 5/.....	1.1	*	*	*	1.5	1.2	2.1	1.5	*	*	*	*
2004 5/.....	1.2	*	*	*	1.4	1.5	2.2	1.6	*	*	*	*
2003 5/.....	1.1	*	*	*	1.6	1.9	2.0	1.2	*	*	*	*
2002.....	1.2	*	*	*	1.2	2.2	2.5	1.1	*	*	*	*
2001.....	1.1	*	*	*	1.6	1.8	2.2	*	*	*	*	*
2000.....	1.1	*	*	*	1.3	1.3	2.6	1.1	*	*	*	*
1999.....	1.0	*	*	*	1.6	1.8	1.3	1.3	*	*	*	*

Worktable Orig12. Death rates for 358 selected causes, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2006

[Rates per 100,000 population in specified group. Rates are based on populations enumerated as of April 1 for 2000 and estimated as of July 1 for all other years. Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to 'Detailed technical notes to the United States 2006 data-mortality']

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, and sex	All ages 1/	Under 1 year 2/	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
Assault (homicide) by all other and unspecified means and their sequelae (*U01.0-*U01.3,*U01.5,*U01.8-*U01.9,*U02.X92,X96-X98,Y01-Y03,Y08-Y09,Y87.1)												
Non-Hispanic 4/, both sexes												
2006.....	0.8	4.5	1.5	0.2	0.6	0.8	1.0	1.1	0.9	0.7	0.8	1.0
2005.....	0.8	3.8	1.3	0.2	0.6	0.8	1.1	1.1	0.8	0.6	0.8	0.8
2004.....	0.8	3.7	1.3	0.1	0.7	0.8	1.0	1.1	0.7	0.7	0.7	0.9
2003.....	0.8	4.7	1.3	0.2	0.7	0.8	1.1	1.0	0.7	0.7	0.9	1.0
2002.....	0.8	3.9	1.5	0.1	0.7	0.8	1.0	1.0	0.8	0.7	0.7	0.9
2001 6/.....	2.0	3.6	1.7	0.2	1.1	3.2	3.5	2.7	1.8	0.9	0.9	1.2
2000.....	1.0	4.5	1.4	0.2	1.0	1.1	1.3	1.1	0.7	0.7	1.0	0.9
1999.....	0.9	3.8	1.3	0.3	0.9	1.1	1.3	1.0	0.7	0.7	1.0	1.1
Non-Hispanic 4/, male												
2006.....	1.2	5.1	1.6	0.2	0.8	1.0	1.3	1.7	1.4	1.0	1.1	1.4
2005.....	1.1	4.3	1.5	0.2	0.8	1.0	1.5	1.7	1.4	0.9	1.1	*
2004.....	1.1	3.5	1.3	0.1	0.9	1.1	1.3	1.6	1.1	1.1	1.0	*
2003.....	1.2	5.0	1.6	0.2	0.9	1.0	1.5	1.5	1.2	1.1	1.4	1.8
2002.....	1.1	4.3	1.6	0.1	0.9	1.1	1.4	1.4	1.3	1.0	1.2	*
2001 6/.....	2.8	3.9	1.8	0.2	1.4	4.6	5.3	4.0	2.7	1.4	1.2	1.6
2000.....	1.3	5.0	1.6	0.2	1.3	1.5	1.7	1.6	1.2	1.1	1.4	*
1999.....	1.2	4.1	1.5	0.2	1.1	1.2	1.7	1.5	1.1	1.0	1.6	*
Non-Hispanic 4/, female												
2006.....	0.5	3.9	1.3	0.2	0.4	0.5	0.6	0.5	0.4	0.4	0.5	0.8
2005.....	0.5	3.3	1.1	0.2	0.4	0.5	0.7	0.5	0.3	0.3	0.6	0.7
2004.....	0.6	3.9	1.3	0.1	0.5	0.5	0.7	0.5	0.4	0.4	0.5	0.8
2003.....	0.5	4.3	1.0	0.1	0.5	0.6	0.7	0.6	0.3	0.4	0.5	0.6
2002.....	0.5	3.6	1.3	0.2	0.5	0.6	0.6	0.5	0.3	0.4	0.4	0.8
2001 6/.....	1.1	3.3	1.5	0.2	0.8	1.7	1.8	1.4	0.9	0.5	0.7	1.0
2000.....	0.7	4.0	1.2	0.3	0.7	0.8	0.9	0.5	0.3	0.3	0.8	0.7
1999.....	0.7	3.6	1.2	0.3	0.7	0.9	0.9	0.5	0.4	0.4	0.6	0.9
Non-Hispanic white, both sexes												
2006 5/.....	0.6	3.7	0.9	0.1	0.5	0.5	0.7	0.8	0.6	0.6	0.7	0.9
2005 5/.....	0.6	2.9	0.8	0.1	0.5	0.5	0.8	0.7	0.6	0.4	0.6	0.7
2004 5/.....	0.6	2.7	0.7	*	0.5	0.6	0.7	0.8	0.6	0.6	0.6	0.9
2003 5/.....	0.6	3.5	0.7	0.1	0.5	0.5	0.8	0.7	0.5	0.5	0.8	1.0
2002.....	0.6	2.6	0.9	0.1	0.5	0.5	0.8	0.7	0.6	0.5	0.6	0.8
2001 6/.....	1.7	2.6	1.0	0.2	0.9	2.9	3.3	2.4	1.6	0.8	0.8	1.0
2000.....	0.6	2.7	0.7	0.2	0.6	0.7	0.9	0.7	0.5	0.5	0.8	0.8
1999.....	0.7	2.7	0.9	0.2	0.6	0.7	0.8	0.7	0.6	0.6	0.8	0.9
Non-Hispanic white, male												
2006 5/.....	0.8	3.8	1.0	*	0.5	0.7	0.9	1.3	0.9	0.8	1.1	*
2005 5/.....	0.8	3.3	0.9	*	0.6	0.7	1.0	1.1	1.0	0.5	0.8	*
2004 5/.....	0.8	3.0	0.8	*	0.6	0.7	0.9	1.2	0.8	0.8	0.8	*
2003 5/.....	0.8	3.8	0.8	*	0.6	0.6	1.0	1.0	0.9	0.8	1.3	1.8
2002.....	0.8	3.0	1.0	*	0.6	0.7	1.0	0.9	0.9	0.8	0.8	*
2001 6/.....	2.6	2.9	1.1	*	1.0	4.3	5.2	3.5	2.4	1.2	1.0	*
2000.....	0.8	3.4	0.9	0.2	0.6	0.8	1.1	1.0	0.8	0.8	1.0	*
1999.....	0.8	3.0	1.0	*	0.7	0.7	1.1	1.0	0.9	0.8	1.4	*
Non-Hispanic white, female												
2006 5/.....	0.4	3.5	0.8	*	0.4	0.3	0.5	0.4	0.4	0.4	0.5	0.7
2005 5/.....	0.4	2.4	0.7	*	0.4	0.4	0.5	0.3	0.2	*	0.5	*
2004 5/.....	0.4	2.3	0.6	*	0.5	0.5	0.5	0.4	0.3	0.4	0.5	0.8
2003 5/.....	0.4	3.2	0.6	*	0.4	0.5	0.5	0.5	0.2	0.4	0.5	*
2002.....	0.4	2.1	0.7	*	0.4	0.4	0.5	0.5	0.3	0.3	0.4	0.7
2001 6/.....	0.9	2.3	0.9	0.2	0.7	1.4	1.4	1.2	0.8	0.4	0.6	0.9
2000.....	0.5	2.0	0.5	0.2	0.5	0.5	0.6	0.5	0.3	0.3	0.7	*
1999.....	0.5	2.3	0.8	0.2	0.6	0.6	0.6	0.5	0.3	0.4	0.5	0.9

Worktable Orig12. Death rates for 358 selected causes, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2006

[Rates per 100,000 population in specified group. Rates are based on populations enumerated as of April 1 for 2000 and estimated as of July 1 for all other years. Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.odc.gov/nchs> and refer to 'Detailed technical notes to the United States 2006 data-mortality']

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, and sex	All ages 1/	Under 1 year 2/	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
Assault (homicide) by all other and unspecified means and their sequelae (*U01.0-*U01.3,*U01.5,*U01.8-*U01.9,*U02.X92,X96-X98,Y01-Y03,Y08-Y09,Y87.1)												
Non-Hispanic black, both sexes												
2006 5/.....	2.0	8.7	3.6	0.4	1.3	1.9	2.5	2.7	2.7	1.7	*	*
2005 5/.....	2.1	7.6	3.0	0.5	1.2	1.9	2.8	3.1	2.4	2.3	2.6	*
2004 5/.....	2.0	7.7	3.7	0.4	1.4	2.2	2.4	3.0	2.0	1.5	2.1	*
2003 5/.....	2.2	9.2	3.7	0.5	1.5	2.2	2.8	2.9	2.2	1.8	2.2	*
2002.....	2.2	9.3	3.9	0.4	1.6	2.2	2.6	3.1	2.0	1.6	2.6	*
2001 6/.....	3.2	8.2	4.3	0.3	1.8	4.3	5.1	5.0	2.9	2.5	2.3	*
2000.....	3.0	12.0	4.0	0.6	3.1	3.4	3.9	3.5	2.4	2.2	3.4	*
1999.....	2.5	9.0	3.4	0.6	1.9	3.2	3.9	2.9	1.6	2.1	2.4	*
Non-Hispanic black, male												
2006 5/.....	3.0	10.8	3.9	*	1.9	2.7	3.7	4.4	5.1	3.0	*	*
2005 5/.....	3.1	8.1	3.7	0.6	1.8	2.8	3.9	5.2	4.5	4.1	*	*
2004 5/.....	2.8	*	3.4	*	1.9	3.5	3.4	5.1	3.4	2.9	*	*
2003 5/.....	3.1	9.0	4.7	0.6	2.1	3.0	4.2	4.8	4.2	3.6	*	*
2002.....	3.2	9.1	4.3	*	2.3	2.9	3.8	5.5	4.1	2.9	6.2	*
2001 6/.....	4.4	8.3	5.1	*	2.5	6.0	6.5	7.4	4.8	4.3	*	*
2000.....	4.3	11.9	4.1	*	4.4	5.2	5.4	6.4	4.8	4.3	6.2	*
1999.....	3.5	9.4	3.7	0.6	3.0	4.2	5.4	5.0	2.5	4.2	*	*
Non-Hispanic black, female												
2006 5/.....	1.2	6.4	3.3	*	0.7	1.1	1.5	1.3	*	*	*	*
2005 5/.....	1.2	7.1	2.4	*	*	1.0	1.8	1.4	*	*	*	*
2004 5/.....	1.3	10.0	3.9	*	0.9	1.0	1.5	1.2	*	*	*	*
2003 5/.....	1.3	9.3	2.8	*	1.0	1.5	1.5	1.3	*	*	*	*
2002.....	1.3	9.5	3.4	*	0.9	1.5	1.6	1.1	*	*	*	*
2001 6/.....	2.1	8.1	3.5	*	1.0	2.7	3.8	3.0	*	*	*	*
2000.....	1.8	12.0	4.0	0.8	1.7	1.9	2.5	1.0	*	*	*	*
1999.....	1.6	8.6	3.0	0.6	0.9	2.2	2.6	1.0	*	*	*	*

Worktable Orig12. Death rates for 358 selected causes, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2006

[Rates per 100,000 population in specified group. Rates are based on populations enumerated as of April 1 for 2000 and estimated as of July 1 for all other years. Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to 'Detailed technical notes to the United States 2006 data-mortality']

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, and sex	All ages 1/	Under 1 year 2/	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
Event of undetermined intent (Y10-Y34,Y87.2,Y89.9)												
Non-Hispanic 4/, both sexes												
2006.....	1.9	2.3	0.3	0.2	1.6	2.4	3.2	3.3	1.6	0.9	1.1	1.3
2005.....	1.7	2.7	0.5	0.2	1.2	2.1	3.0	3.2	1.4	0.9	0.8	1.5
2004.....	1.8	2.8	0.3	0.2	1.3	2.2	3.4	3.3	1.4	0.9	0.9	1.6
2003.....	1.9	2.2	0.2	0.1	1.5	2.3	3.9	3.2	1.3	0.7	0.7	1.1
2002.....	1.8	2.7	0.4	0.2	1.3	2.3	3.6	3.0	1.2	0.7	0.8	1.4
2001.....	1.6	2.4	0.3	0.1	1.1	2.0	3.3	2.6	0.9	0.5	0.9	0.9
2000.....	1.5	1.9	0.3	0.2	1.0	1.8	3.0	2.4	0.9	0.6	0.6	1.4
1999.....	1.5	1.6	0.3	0.1	1.2	2.0	3.1	2.3	0.9	0.6	0.8	1.4
Non-Hispanic 4/, male												
2006.....	2.4	2.7	0.4	0.2	2.3	3.2	3.8	4.1	1.9	1.1	1.5	2.2
2005.....	2.1	3.6	0.6	0.2	1.8	2.7	3.5	3.8	1.7	1.1	0.9	1.7
2004.....	2.4	3.3	0.3	0.2	1.9	3.1	4.3	4.1	1.7	1.1	1.0	1.7
2003.....	2.5	3.0	*	0.2	2.2	3.1	4.9	4.2	1.7	0.8	0.9	*
2002.....	2.3	2.8	0.3	0.2	1.8	3.2	4.7	3.6	1.6	1.0	0.9	2.1
2001.....	2.1	2.7	*	0.2	1.7	2.8	4.4	3.5	1.2	0.7	1.2	*
2000.....	2.0	1.6	0.4	0.3	1.5	2.6	4.2	3.2	1.3	0.8	1.0	1.7
1999.....	2.1	1.9	*	0.2	1.8	2.7	4.2	3.1	1.3	0.9	1.1	2.1
Non-Hispanic 4/, female												
2006.....	1.4	1.9	0.3	*	0.8	1.5	2.6	2.6	1.3	0.7	0.8	1.0
2005.....	1.4	1.9	0.4	*	0.6	1.5	2.5	2.7	1.2	0.7	0.7	1.4
2004.....	1.3	2.3	0.3	*	0.6	1.4	2.6	2.5	1.1	0.7	0.9	1.5
2003.....	1.3	1.3	*	*	0.8	1.5	2.8	2.3	1.0	0.7	0.6	1.0
2002.....	1.3	2.6	0.4	0.2	0.7	1.4	2.6	2.3	0.9	0.5	0.7	1.1
2001.....	1.0	2.0	0.4	*	0.5	1.2	2.2	1.7	0.6	0.4	0.7	0.8
2000.....	0.9	2.2	*	*	0.5	1.1	1.9	1.5	0.6	0.3	0.4	1.2
1999.....	0.9	*	*	*	0.5	1.2	2.0	1.5	0.6	0.4	0.6	1.1
Non-Hispanic white, both sexes												
2006 5/.....	1.9	2.0	0.2	0.2	1.8	2.7	3.3	3.3	1.5	0.9	1.0	1.1
2005 5/.....	1.8	2.2	0.4	0.2	1.3	2.4	3.1	3.3	1.4	0.9	0.7	1.5
2004 5/.....	1.9	2.3	0.3	0.1	1.5	2.5	3.6	3.4	1.4	0.8	0.9	1.6
2003 5/.....	2.0	2.0	*	0.1	1.7	2.6	4.1	3.3	1.3	0.7	0.7	1.2
2002.....	1.8	1.8	0.4	0.2	1.4	2.4	3.7	2.9	1.2	0.7	0.7	1.5
2001.....	1.6	1.7	0.3	0.1	1.3	2.2	3.3	2.5	0.9	0.5	0.9	1.0
2000.....	1.4	1.5	0.2	0.1	1.1	1.9	3.0	2.3	0.8	0.5	0.7	1.3
1999.....	1.4	1.3	*	0.1	1.2	2.0	3.0	2.1	0.9	0.6	0.8	1.4
Non-Hispanic white, male												
2006 5/.....	2.4	2.4	*	0.2	2.6	3.6	3.8	3.9	1.7	0.9	1.2	1.9
2005 5/.....	2.1	3.0	0.4	0.2	1.9	2.9	3.5	3.7	1.6	1.0	0.7	1.8
2004 5/.....	2.4	2.7	*	0.2	2.2	3.4	4.5	4.1	1.6	1.0	0.9	1.9
2003 5/.....	2.5	2.4	*	0.2	2.4	3.4	5.1	4.0	1.5	0.7	0.9	*
2002.....	2.3	1.9	*	0.2	2.0	3.4	4.8	3.4	1.5	0.8	0.9	2.2
2001.....	2.1	2.0	*	0.2	1.8	3.0	4.3	3.3	1.1	0.7	1.2	*
2000.....	2.0	*	*	0.2	1.6	2.6	4.1	3.0	1.1	0.7	1.0	*
1999.....	2.0	*	*	0.2	1.8	2.7	4.0	2.6	1.1	0.8	1.1	2.1
Non-Hispanic white, female												
2006 5/.....	1.5	*	*	*	0.9	1.7	2.9	2.7	1.3	0.8	0.8	0.7
2005 5/.....	1.5	*	*	*	0.7	1.8	2.6	2.9	1.3	0.7	0.7	1.4
2004 5/.....	1.4	2.0	*	*	0.7	1.6	2.8	2.7	1.2	0.6	0.9	1.5
2003 5/.....	1.4	*	*	*	1.0	1.7	3.1	2.5	1.1	0.6	0.6	1.1
2002.....	1.3	1.8	*	0.2	0.8	1.5	2.7	2.4	0.9	0.6	0.6	1.1
2001.....	1.1	*	*	*	0.6	1.4	2.4	1.8	0.7	0.4	0.6	0.8
2000.....	0.9	*	*	*	0.6	1.2	1.9	1.5	0.6	0.3	0.4	1.2
1999.....	1.0	*	*	*	0.5	1.3	1.9	1.5	0.7	0.4	0.6	1.1

Worktable Orig12. Death rates for 358 selected causes, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2006

[Rates per 100,000 population in specified group. Rates are based on populations enumerated as of April 1 for 2000 and estimated as of July 1 for all other years. Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to 'Detailed technical notes to the United States 2006 data-mortality']

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, and sex	All ages 1/	Under 1 year 2/	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
Event of undetermined intent (Y10-Y34,Y87.2,Y89.9)												
Non-Hispanic black, both sexes												
2006 5/.....	1.9	3.5	0.8	*	0.9	1.6	3.4	4.1	2.4	1.3	*	*
2005 5/.....	1.8	4.9	0.9	*	0.9	1.7	3.4	3.8	1.7	*	*	*
2004 5/.....	1.9	4.9	*	0.4	0.9	1.9	3.4	4.0	1.8	1.3	*	*
2003 5/.....	1.8	3.3	*	*	0.8	1.8	3.9	4.1	2.0	1.3	*	*
2002.....	2.0	5.7	*	*	0.9	2.3	4.3	4.3	1.5	*	*	*
2001.....	1.8	5.9	*	*	0.7	1.7	4.0	3.8	1.2	*	*	*
2000.....	1.9	*	*	0.3	0.9	2.0	4.1	3.7	1.8	*	*	*
1999.....	2.0	*	*	*	1.3	2.3	4.3	4.2	1.2	*	*	*
Non-Hispanic black, male												
2006 5/.....	2.8	*	*	*	1.4	2.6	4.9	6.4	3.7	*	*	*
2005 5/.....	2.5	*	*	*	1.3	2.4	4.4	5.7	2.9	*	*	*
2004 5/.....	2.7	*	*	*	1.4	2.8	4.8	6.0	3.0	*	*	*
2003 5/.....	2.8	*	*	*	1.4	3.0	5.4	6.6	3.3	*	*	*
2002.....	2.9	*	*	*	1.3	3.4	6.2	6.5	2.6	*	*	*
2001.....	2.8	6.4	*	*	1.3	2.7	6.3	6.3	2.4	*	*	*
2000.....	2.9	*	*	*	1.6	3.2	6.1	6.0	3.0	*	*	*
1999.....	3.1	*	*	*	2.0	3.7	6.6	7.3	2.6	*	*	*
Non-Hispanic black, female												
2006 5/.....	1.1	*	*	*	*	0.8	2.0	2.1	1.3	*	*	*
2005 5/.....	1.2	*	*	*	*	1.0	2.6	2.2	*	*	*	*
2004 5/.....	1.1	*	*	*	*	1.0	2.2	2.3	*	*	*	*
2003 5/.....	1.0	*	*	*	*	*	2.5	2.0	*	*	*	*
2002.....	1.2	*	*	*	*	1.3	2.7	2.4	*	*	*	*
2001.....	0.9	*	*	*	*	0.9	1.9	1.5	*	*	*	*
2000.....	1.0	*	*	*	*	0.9	2.4	1.8	*	*	*	*
1999.....	0.9	*	*	*	*	1.0	2.4	1.6	*	*	*	*

Worktable Orig12. Death rates for 358 selected causes, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2006

[Rates per 100,000 population in specified group. Rates are based on populations enumerated as of April 1 for 2000 and estimated as of July 1 for all other years. Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to 'Detailed technical notes to the United States 2006 data-mortality']

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, and sex	All ages 1/	Under 1 year 2/	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
Poisoning by and exposure to drugs and biological substances, undetermined intent (Y10-Y14)												
Non-Hispanic 4/, both sexes												
2006.....	1.3	*	*	*	1.0	1.8	2.4	2.5	1.0	0.3	0.3	*
2005.....	1.2	*	*	*	0.8	1.6	2.3	2.4	0.9	0.3	*	*
2004.....	1.2	*	*	*	0.8	1.7	2.7	2.5	0.9	0.3	*	*
2003.....	1.3	*	*	*	1.0	1.8	3.2	2.5	0.8	0.2	*	*
2002.....	1.2	*	*	*	0.8	1.7	2.8	2.3	0.7	0.2	*	*
2001.....	1.1	*	*	*	0.7	1.5	2.6	1.9	0.5	0.2	0.2	*
2000.....	0.9	*	*	*	0.5	1.2	2.4	1.7	0.4	*	*	*
1999.....	1.0	*	*	*	0.6	1.4	2.4	1.6	0.5	0.2	*	*
Non-Hispanic 4/, male												
2006.....	1.5	*	*	*	1.5	2.3	2.7	2.9	1.0	0.3	*	*
2005.....	1.3	*	*	*	1.1	1.9	2.6	2.6	0.9	0.3	*	*
2004.....	1.5	*	*	*	1.2	2.3	3.3	3.0	0.8	0.3	*	*
2003.....	1.7	*	*	*	1.5	2.4	4.0	3.1	0.9	*	*	*
2002.....	1.5	*	*	*	1.1	2.3	3.5	2.6	0.8	*	*	*
2001.....	1.4	*	*	*	1.0	1.9	3.4	2.6	0.6	*	*	*
2000.....	1.3	*	*	*	0.8	1.7	3.4	2.3	0.5	*	*	*
1999.....	1.3	*	*	*	0.8	1.9	3.2	2.1	0.6	*	*	*
Non-Hispanic 4/, female												
2006.....	1.0	*	*	*	0.6	1.2	2.1	2.1	1.0	0.3	*	*
2005.....	1.0	*	*	*	0.5	1.3	2.1	2.2	0.9	0.3	*	*
2004.....	1.0	*	*	*	0.4	1.1	2.2	2.1	0.9	0.3	*	*
2003.....	1.0	*	*	*	0.6	1.2	2.5	1.9	0.7	0.3	*	*
2002.....	0.9	*	*	*	0.5	1.1	2.1	2.0	0.6	0.2	*	*
2001.....	0.7	*	*	*	0.4	1.0	1.9	1.3	0.5	*	*	*
2000.....	0.6	*	*	*	0.3	0.8	1.5	1.2	0.3	*	*	*
1999.....	0.7	*	*	*	0.3	0.9	1.6	1.2	0.4	*	*	*
Non-Hispanic white, both sexes												
2006 5/.....	1.4	*	*	*	1.3	2.1	2.6	2.6	1.0	0.4	0.3	*
2005 5/.....	1.3	*	*	*	0.9	1.9	2.5	2.5	0.9	0.3	*	*
2004 5/.....	1.4	*	*	*	1.0	2.0	2.9	2.6	0.9	0.3	*	*
2003 5/.....	1.5	*	*	*	1.3	2.1	3.5	2.5	0.8	0.2	*	*
2002.....	1.3	*	*	*	1.0	1.9	3.0	2.3	0.7	0.2	*	*
2001.....	1.1	*	*	*	0.8	1.6	2.7	1.9	0.5	0.1	*	*
2000.....	1.0	*	*	*	0.7	1.4	2.4	1.7	0.4	*	*	*
1999.....	1.0	*	*	*	0.7	1.5	2.3	1.5	0.5	0.2	*	*
Non-Hispanic white, male												
2006 5/.....	1.6	*	*	*	1.8	2.8	2.8	2.9	0.9	0.3	*	*
2005 5/.....	1.4	*	*	*	1.3	2.2	2.7	2.6	0.9	*	*	*
2004 5/.....	1.6	*	*	*	1.5	2.7	3.5	3.0	0.8	*	*	*
2003 5/.....	1.8	*	*	*	1.8	2.8	4.3	3.0	0.8	*	*	*
2002.....	1.6	*	*	*	1.3	2.6	3.7	2.5	0.8	*	*	*
2001.....	1.4	*	*	*	1.2	2.1	3.3	2.5	0.5	*	*	*
2000.....	1.3	*	*	*	0.9	1.8	3.4	2.2	0.5	*	*	*
1999.....	1.2	*	*	*	1.0	2.0	3.1	1.8	0.5	*	*	*
Non-Hispanic white, female												
2006 5/.....	1.1	*	*	*	0.7	1.5	2.3	2.3	1.1	0.4	*	*
2005 5/.....	1.1	*	*	*	0.6	1.6	2.2	2.4	1.0	0.3	*	*
2004 5/.....	1.1	*	*	*	0.5	1.3	2.4	2.3	1.0	0.4	*	*
2003 5/.....	1.1	*	*	*	0.7	1.5	2.7	2.1	0.8	0.3	*	*
2002.....	1.0	*	*	*	0.6	1.3	2.3	2.1	0.7	0.3	*	*
2001.....	0.8	*	*	*	0.5	1.2	2.0	1.4	0.5	*	*	*
2000.....	0.6	*	*	*	0.4	0.9	1.5	1.2	0.4	*	*	*
1999.....	0.7	*	*	*	0.4	1.1	1.6	1.2	0.5	*	*	*

Worktable Orig12. Death rates for 358 selected causes, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2006

[Rates per 100,000 population in specified group. Rates are based on populations enumerated as of April 1 for 2000 and estimated as of July 1 for all other years. Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to 'Detailed technical notes to the United States 2006 data-mortality']

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, and sex	All ages 1/	Under 1 year 2/	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
Poisoning by and exposure to drugs and biological substances, undetermined intent (Y10-Y14)												
Non-Hispanic black, both sexes												
2006 5/.....	1.0	*	*	*	*	0.8	2.4	2.7	1.5	*	*	*
2005 5/.....	1.0	*	*	*	*	0.9	2.4	2.7	0.7	*	*	*
2004 5/.....	1.1	*	*	*	*	1.0	2.6	2.7	1.0	*	*	*
2003 5/.....	1.2	*	*	*	*	1.0	3.0	3.2	1.0	*	*	*
2002.....	1.3	*	*	*	0.3	1.4	3.2	3.3	0.9	*	*	*
2001.....	1.1	*	*	*	*	1.2	3.1	2.8	*	*	*	*
2000.....	1.1	*	*	*	*	1.1	3.2	2.7	*	*	*	*
1999.....	1.2	*	*	*	*	1.4	3.3	3.0	*	*	*	*
Non-Hispanic black, male												
2006 5/.....	1.4	*	*	*	*	1.2	3.3	3.8	2.0	*	*	*
2005 5/.....	1.2	*	*	*	*	1.1	2.7	3.7	*	*	*	*
2004 5/.....	1.4	*	*	*	*	1.4	3.6	3.8	1.8	*	*	*
2003 5/.....	1.7	*	*	*	*	1.6	4.1	5.0	1.7	*	*	*
2002.....	1.7	*	*	*	*	1.9	4.3	4.6	*	*	*	*
2001.....	1.7	*	*	*	*	1.7	4.9	4.6	*	*	*	*
2000.....	1.6	*	*	*	*	1.7	4.6	4.1	*	*	*	*
1999.....	1.8	*	*	*	*	2.3	4.9	5.1	*	*	*	*
Non-Hispanic black, female												
2006 5/.....	0.7	*	*	*	*	*	1.6	1.7	*	*	*	*
2005 5/.....	0.8	*	*	*	*	0.8	2.2	1.8	*	*	*	*
2004 5/.....	0.7	*	*	*	*	*	1.6	1.8	*	*	*	*
2003 5/.....	0.7	*	*	*	*	*	2.1	1.6	*	*	*	*
2002.....	0.9	*	*	*	*	1.0	2.3	2.1	*	*	*	*
2001.....	0.5	*	*	*	*	0.8	1.5	1.2	*	*	*	*
2000.....	0.6	*	*	*	*	*	2.0	1.5	*	*	*	*
1999.....	0.6	*	*	*	*	*	2.0	1.3	*	*	*	*

Worktable Orig12. Death rates for 358 selected causes, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2006

[Rates per 100,000 population in specified group. Rates are based on populations enumerated as of April 1 for 2000 and estimated as of July 1 for all other years. Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to 'Detailed technical notes to the United States 2006 data-mortality']

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, and sex	All ages 1/	Under 1 year 2/	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
All other and unspecified events of undetermined intent and their sequelae (Y20-Y21,Y25-Y29,Y31-Y34,Y87.2,Y89.9)												
Non-Hispanic 4/, both sexes												
2006.....	0.4	1.7	0.2	0.1	0.3	0.4	0.5	0.6	0.4	0.4	0.8	1.1
2005.....	0.4	2.4	0.3	0.1	0.2	0.3	0.5	0.6	0.4	0.4	0.5	1.1
2004.....	0.4	2.5	0.2	0.1	0.2	0.4	0.5	0.6	0.4	0.4	0.7	1.2
2003.....	0.4	1.9	*	0.1	0.2	0.3	0.4	0.5	0.4	0.4	0.5	0.8
2002.....	0.4	2.2	0.3	0.1	0.3	0.3	0.5	0.5	0.4	0.4	0.5	1.1
2001.....	0.3	2.0	0.3	0.1	0.2	0.3	0.4	0.5	0.3	0.3	0.5	0.6
2000.....	0.4	1.7	0.2	0.1	0.3	0.4	0.4	0.5	0.4	0.3	0.4	1.0
1999.....	0.3	1.4	0.2	0.1	0.2	0.3	0.4	0.4	0.3	0.3	0.4	0.9
Non-Hispanic 4/, male												
2006.....	0.6	2.2	*	0.2	0.4	0.5	0.7	1.0	0.7	0.6	1.1	1.8
2005.....	0.6	3.1	0.3	0.2	0.3	0.5	0.7	0.8	0.5	0.6	0.6	*
2004.....	0.6	3.0	*	0.2	0.4	0.5	0.7	0.9	0.6	0.5	0.7	*
2003.....	0.5	2.7	*	0.1	0.3	0.5	0.6	0.8	0.6	0.4	0.6	*
2002.....	0.5	2.2	*	0.1	0.3	0.5	0.8	0.7	0.6	0.6	0.7	1.7
2001.....	0.5	2.2	*	0.1	0.4	0.5	0.6	0.6	0.4	0.4	0.7	*
2000.....	0.5	1.4	*	0.2	0.4	0.5	0.5	0.7	0.6	0.5	0.6	*
1999.....	0.5	1.6	*	0.1	0.4	0.5	0.6	0.7	0.5	0.4	0.6	*
Non-Hispanic 4/, female												
2006.....	0.3	*	*	*	0.2	0.2	0.3	0.3	0.2	0.3	0.5	0.7
2005.....	0.3	1.7	*	*	0.1	0.2	0.3	0.3	0.2	0.4	0.5	1.1
2004.....	0.3	2.1	*	*	*	0.2	0.3	0.3	0.2	0.3	0.7	1.2
2003.....	0.2	*	*	*	0.1	0.2	0.3	0.3	0.2	0.4	0.4	0.8
2002.....	0.3	2.2	*	0.1	0.2	0.2	0.3	0.2	0.2	0.2	0.4	0.9
2001.....	0.2	1.7	*	*	0.1	0.1	0.2	0.3	*	*	0.4	*
2000.....	0.2	2.0	*	*	0.1	0.2	0.3	0.3	0.2	*	0.3	0.9
1999.....	0.2	*	*	*	*	0.2	0.2	0.2	*	*	0.3	0.8
Non-Hispanic white, both sexes												
2006 5/.....	0.4	1.5	*	0.1	0.3	0.3	0.5	0.5	0.4	0.4	0.6	0.8
2005 5/.....	0.4	1.9	0.2	0.1	0.2	0.3	0.4	0.5	0.3	0.4	0.5	1.2
2004 5/.....	0.4	2.2	0.2	*	0.2	0.3	0.5	0.5	0.3	0.3	0.7	1.2
2003 5/.....	0.3	1.7	*	*	0.2	0.3	0.4	0.5	0.3	0.3	0.4	0.9
2002.....	0.4	1.6	0.3	0.1	0.3	0.3	0.5	0.4	0.3	0.3	0.5	1.2
2001.....	0.3	1.3	0.2	0.1	0.2	0.3	0.4	0.4	0.2	0.2	0.5	0.7
2000.....	0.3	1.4	*	0.1	0.3	0.3	0.4	0.4	0.3	0.3	0.4	0.8
1999.....	0.3	1.2	*	0.1	0.2	0.3	0.4	0.4	0.3	0.3	0.4	0.9
Non-Hispanic white, male												
2006 5/.....	0.5	2.0	*	*	0.4	0.4	0.6	0.7	0.6	0.5	0.8	1.5
2005 5/.....	0.5	2.6	*	*	0.3	0.4	0.5	0.7	0.4	0.5	0.5	*
2004 5/.....	0.5	2.5	*	*	0.4	0.4	0.7	0.8	0.5	0.4	0.7	*
2003 5/.....	0.4	2.1	*	*	0.3	0.4	0.6	0.7	0.4	0.4	0.6	*
2002.....	0.5	1.7	*	*	0.3	0.4	0.7	0.5	0.5	0.4	0.6	1.8
2001.....	0.4	*	*	*	0.3	0.4	0.6	0.6	0.4	0.3	0.7	*
2000.....	0.4	*	*	0.2	0.4	0.4	0.4	0.5	0.5	0.4	0.6	*
1999.....	0.4	*	*	*	0.4	0.4	0.5	0.6	0.5	0.4	0.5	*
Non-Hispanic white, female												
2006 5/.....	0.2	*	*	*	*	*	0.3	0.3	0.2	0.3	0.5	*
2005 5/.....	0.3	*	*	*	*	*	0.3	0.3	0.2	0.4	0.4	1.1
2004 5/.....	0.3	1.8	*	*	*	0.2	0.3	0.3	0.2	*	0.7	1.2
2003 5/.....	0.2	*	*	*	0.2	0.2	0.2	0.3	0.2	0.3	0.4	0.8
2002.....	0.3	*	*	*	0.2	0.2	0.3	0.2	0.2	*	0.4	0.9
2001.....	0.2	*	*	*	*	*	0.2	0.3	*	*	0.4	*
2000.....	0.2	*	*	*	*	0.2	0.3	0.3	*	*	*	0.8
1999.....	0.2	*	*	*	*	0.2	0.2	0.2	*	*	0.3	*

Worktable Orig12. Death rates for 358 selected causes, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2006

[Rates per 100,000 population in specified group. Rates are based on populations enumerated as of April 1 for 2000 and estimated as of July 1 for all other years. Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to 'Detailed technical notes to the United States 2006 data-mortality']

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, and sex	All ages 1/	Under 1 year 2/	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
Complications of medical and surgical care (Y40-Y84,Y88)												
Non-Hispanic 4/, both sexes												
2006.....	0.9	*	*	*	0.1	0.2	0.3	0.7	1.2	2.5	5.4	8.6
2005.....	1.0	*	*	*	0.1	0.2	0.4	0.7	1.2	2.6	5.8	9.2
2004.....	1.1	*	*	*	0.1	0.2	0.4	0.7	1.4	3.1	6.1	10.8
2003.....	1.1	*	*	*	0.1	0.2	0.4	0.7	1.4	2.9	6.3	11.4
2002.....	1.1	*	*	0.1	0.1	0.2	0.4	0.7	1.3	3.1	6.2	11.6
2001.....	1.2	0.7	*	*	0.1	0.2	0.4	0.7	1.6	3.1	6.9	12.9
2000.....	1.2	*	*	0.1	0.1	0.2	0.3	0.8	1.6	3.5	6.7	13.7
1999.....	1.1	1.6	0.2	*	0.1	0.2	0.4	0.6	1.3	3.3	6.8	12.8
Non-Hispanic 4/, male												
2006.....	0.9	*	*	*	0.1	0.1	0.3	0.7	1.1	2.4	6.2	9.1
2005.....	0.9	*	*	*	*	0.1	0.3	0.7	1.3	3.0	6.4	11.2
2004.....	1.0	*	*	*	0.1	0.2	0.3	0.7	1.6	3.4	7.4	12.5
2003.....	1.0	*	*	*	0.1	0.2	0.4	0.7	1.5	3.2	7.0	13.2
2002.....	1.0	*	*	0.1	*	0.3	0.4	0.7	1.4	3.1	6.3	12.9
2001.....	1.1	*	*	*	*	0.2	0.4	0.8	1.7	3.3	7.7	14.5
2000.....	1.1	*	*	*	*	0.3	0.4	0.8	1.6	4.0	8.2	16.1
1999.....	1.0	1.8	*	*	*	0.2	0.4	0.6	1.5	3.5	7.9	16.8
Non-Hispanic 4/, female												
2006.....	1.0	*	*	*	*	0.2	0.3	0.6	1.2	2.6	4.9	8.3
2005.....	1.0	*	*	*	*	0.2	0.4	0.7	1.1	2.3	5.4	8.4
2004.....	1.1	*	*	*	0.1	0.2	0.4	0.7	1.2	2.8	5.3	10.1
2003.....	1.1	*	*	*	*	0.2	0.4	0.6	1.3	2.7	5.8	10.6
2002.....	1.2	*	*	*	*	0.2	0.4	0.7	1.3	3.1	6.2	11.1
2001.....	1.2	*	*	*	*	0.2	0.4	0.7	1.5	3.0	6.4	12.2
2000.....	1.2	*	*	*	*	0.2	0.3	0.8	1.6	3.1	5.7	12.7
1999.....	1.2	1.4	*	*	*	0.2	0.4	0.6	1.2	3.1	6.1	11.2
Non-Hispanic white, both sexes												
2006 5/.....	1.0	*	*	*	0.1	0.2	0.3	0.6	1.0	2.4	5.2	8.5
2005 5/.....	1.0	*	*	*	0.1	0.2	0.3	0.6	1.1	2.3	5.7	9.4
2004 5/.....	1.1	*	*	*	0.1	0.2	0.3	0.7	1.3	2.9	5.9	10.6
2003 5/.....	1.1	*	*	*	0.1	0.2	0.4	0.6	1.3	2.8	6.2	11.2
2002.....	1.1	*	*	*	0.1	0.2	0.3	0.6	1.2	3.0	6.1	11.5
2001.....	1.2	*	*	*	0.1	0.2	0.3	0.6	1.4	2.8	6.8	12.2
2000.....	1.2	*	*	*	*	0.2	0.3	0.8	1.4	3.3	6.5	13.2
1999.....	1.1	1.3	*	*	0.1	0.2	0.3	0.5	1.2	3.1	6.5	12.1
Non-Hispanic white, male												
2006 5/.....	0.9	*	*	*	*	0.3	0.6	1.0	2.3	6.1	9.1	
2005 5/.....	1.0	*	*	*	*	0.2	0.3	0.6	1.2	2.8	6.3	11.6
2004 5/.....	1.1	*	*	*	*	0.2	0.3	0.7	1.5	3.3	7.4	12.3
2003 5/.....	1.1	*	*	*	*	0.2	0.4	0.6	1.4	3.1	7.1	13.1
2002.....	1.0	*	*	*	*	0.3	0.4	0.6	1.3	2.9	6.3	12.4
2001.....	1.0	*	*	*	*	0.2	0.3	0.6	1.4	2.9	7.8	13.5
2000.....	1.2	*	*	*	*	0.2	0.4	0.8	1.4	3.7	8.2	15.9
1999.....	1.1	*	*	*	*	0.2	0.3	0.5	1.3	3.3	7.7	15.8
Non-Hispanic white, female												
2006 5/.....	1.0	*	*	*	*	0.2	0.3	0.5	1.0	2.5	4.6	8.2
2005 5/.....	1.0	*	*	*	*	0.2	0.4	0.6	1.1	1.9	5.3	8.3
2004 5/.....	1.1	*	*	*	*	0.2	0.3	0.6	1.1	2.6	5.0	9.9
2003 5/.....	1.1	*	*	*	*	0.3	0.6	1.1	2.5	5.5	10.4	
2002.....	1.2	*	*	*	*	0.3	0.6	1.1	3.0	6.0	11.1	
2001.....	1.3	*	*	*	*	0.2	0.3	0.6	1.4	2.7	6.2	11.6
2000.....	1.2	*	*	*	*	0.2	0.3	0.7	1.4	3.0	5.4	12.0
1999.....	1.2	*	*	*	*	0.3	0.6	1.1	3.0	5.7	10.7	

Worktable Orig12. Death rates for 358 selected causes, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2006

[Rates per 100,000 population in specified group. Rates are based on populations enumerated as of April 1 for 2000 and estimated as of July 1 for all other years. Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.odc.gov/nchs> and refer to 'Detailed technical notes to the United States 2006 data-mortality']

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, and sex	All ages 1/	Under 1 year 2/	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
Complications of medical and surgical care (Y40-Y84,Y88)												
Non-Hispanic black, both sexes												
2006 5/.....	1.1	*	*	*	*	*	0.6	1.4	2.7	4.1	9.0	10.4
2005 5/.....	1.1	*	*	*	*	*	0.5	1.6	2.5	5.5	9.0	9.3
2004 5/.....	1.2	*	*	*	*	*	0.8	1.3	2.6	5.1	9.5	14.1
2003 5/.....	1.2	*	*	*	*	*	0.6	1.4	2.8	4.6	9.0	15.2
2002.....	1.2	*	*	*	*	*	0.9	1.7	2.7	4.7	8.5	14.2
2001.....	1.4	*	*	*	*	0.4	0.9	1.6	3.4	6.4	9.3	23.7
2000.....	1.4	*	*	*	*	0.4	0.6	1.4	3.6	6.2	10.6	21.3
1999.....	1.3	*	*	*	*	*	0.6	1.3	2.6	5.2	10.6	20.4
Non-Hispanic black, male												
2006 5/.....	1.0	*	*	*	*	*	*	1.4	2.7	4.0	9.7	*
2005 5/.....	1.0	*	*	*	*	*	*	1.5	3.1	5.0	9.5	*
2004 5/.....	1.0	*	*	*	*	*	*	1.0	3.0	4.7	10.3	*
2003 5/.....	1.0	*	*	*	*	*	*	1.9	2.9	3.9	7.8	*
2002.....	1.1	*	*	*	*	*	*	1.4	2.6	5.4	7.3	*
2001.....	1.5	*	*	*	*	*	1.0	1.9	4.3	7.9	9.0	30.0
2000.....	1.2	*	*	*	*	*	*	1.3	3.2	7.8	10.2	*
1999.....	1.2	*	*	*	*	*	*	1.4	2.9	6.0	11.9	23.8
Non-Hispanic black, female												
2006 5/.....	1.2	*	*	*	*	*	0.8	1.3	2.8	4.2	8.5	10.1
2005 5/.....	1.3	*	*	*	*	*	0.7	1.6	2.1	5.8	8.7	9.2
2004 5/.....	1.4	*	*	*	*	*	1.0	1.4	2.4	5.4	9.0	13.7
2003 5/.....	1.3	*	*	*	*	*	0.8	1.0	2.6	5.0	9.6	15.3
2002.....	1.4	*	*	*	*	*	1.1	1.9	2.8	4.2	9.1	11.7
2001.....	1.4	*	*	*	*	*	0.7	1.4	2.7	5.3	9.4	21.4
2000.....	1.6	*	*	*	*	*	*	1.5	3.9	5.2	10.8	22.2
1999.....	1.4	*	*	*	*	*	*	1.2	2.4	4.7	9.8	19.1

Worktable Orig12. Death rates for 358 selected causes, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2006

[Rates per 100,000 population in specified group. Rates are based on populations enumerated as of April 1 for 2000 and estimated as of July 1 for all other years. Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to 'Detailed technical notes to the United States 2006 data-mortality']

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, and sex	All ages 1/	Under 1 year 2/	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
Other complications of medical and surgical care and their sequelae (Y70-Y84,Y88.2-Y88.3)												
Non-Hispanic 4/, both sexes												
2006.....	0.7	*	*	*	0.1	0.1	0.2	0.5	0.9	2.1	4.6	7.6
2005.....	0.8	*	*	*	*	0.1	0.2	0.5	0.9	2.2	4.9	8.3
2004.....	0.9	*	*	*	0.1	0.1	0.3	0.5	1.1	2.7	5.0	9.5
2003.....	0.9	*	*	*	0.1	0.1	0.3	0.5	1.1	2.5	5.5	10.0
2002.....	0.9	*	*	0.1	*	0.1	0.3	0.6	1.1	2.7	5.6	10.7
2001.....	1.0	*	*	*	0.1	0.1	0.3	0.6	1.4	2.7	6.1	11.5
2000.....	1.0	*	*	0.1	0.1	0.2	0.3	0.7	1.4	3.1	5.9	12.4
1999.....	0.9	1.3	*	*	0.1	0.1	0.2	0.5	1.1	2.8	6.1	11.9
Non-Hispanic 4/, male												
2006.....	0.7	*	*	*	*	*	0.1	0.5	0.9	2.0	5.3	8.2
2005.....	0.8	*	*	*	*	*	0.2	0.5	1.0	2.5	5.5	10.0
2004.....	0.9	*	*	*	*	*	0.3	0.6	1.3	3.0	6.2	11.1
2003.....	0.8	*	*	*	*	*	0.3	0.6	1.2	2.7	6.3	11.7
2002.....	0.8	*	*	*	*	0.2	0.3	0.5	1.1	2.7	5.7	12.2
2001.....	0.9	*	*	*	*	0.1	0.3	0.6	1.4	2.9	6.8	13.2
2000.....	1.0	*	*	*	*	0.2	0.3	0.7	1.4	3.6	7.1	14.4
1999.....	0.9	1.5	*	*	*	0.2	0.2	0.4	1.3	3.1	7.1	15.7
Non-Hispanic 4/, female												
2006.....	0.8	*	*	*	*	*	0.2	0.4	0.8	2.1	4.1	7.3
2005.....	0.8	*	*	*	*	0.2	0.3	0.5	0.9	1.9	4.5	7.5
2004.....	0.9	*	*	*	*	*	0.3	0.5	0.9	2.4	4.3	8.8
2003.....	0.9	*	*	*	*	*	0.3	0.5	1.1	2.3	5.0	9.3
2002.....	1.0	*	*	*	*	*	0.3	0.6	1.1	2.6	5.5	10.0
2001.....	1.1	*	*	*	*	0.2	0.3	0.5	1.4	2.5	5.6	10.7
2000.....	1.1	*	*	*	*	0.2	0.3	0.6	1.4	2.7	5.1	11.6
1999.....	1.0	*	*	*	*	0.1	0.2	0.5	1.0	2.6	5.4	10.4
Non-Hispanic white, both sexes												
2006 5/.....	0.8	*	*	*	*	*	0.2	0.4	0.8	2.0	4.4	7.5
2005 5/.....	0.8	*	*	*	*	0.1	0.2	0.4	0.8	1.9	4.8	8.4
2004 5/.....	0.9	*	*	*	*	0.1	0.2	0.5	1.0	2.5	4.9	9.3
2003 5/.....	0.9	*	*	*	*	0.1	0.3	0.4	1.0	2.4	5.4	9.7
2002.....	1.0	*	*	*	*	0.1	0.3	0.5	1.0	2.6	5.5	10.5
2001.....	1.0	*	*	*	*	0.1	0.2	0.5	1.2	2.4	6.0	10.7
2000.....	1.0	*	*	*	*	0.2	0.2	0.6	1.2	2.9	5.6	11.9
1999.....	1.0	1.1	*	*	*	0.1	0.2	0.4	1.0	2.7	5.8	11.2
Non-Hispanic white, male												
2006 5/.....	0.7	*	*	*	*	*	0.2	0.5	0.8	1.9	5.3	8.1
2005 5/.....	0.8	*	*	*	*	*	0.2	0.4	0.9	2.4	5.4	10.4
2004 5/.....	0.9	*	*	*	*	*	0.2	0.6	1.3	2.9	6.2	10.9
2003 5/.....	0.9	*	*	*	*	*	0.3	0.4	1.1	2.7	6.3	11.7
2002.....	0.9	*	*	*	*	0.2	0.3	0.5	1.1	2.5	5.7	11.7
2001.....	0.9	*	*	*	*	*	0.2	0.5	1.2	2.6	6.8	12.3
2000.....	1.0	*	*	*	*	0.2	0.2	0.6	1.2	3.4	7.0	14.0
1999.....	0.9	*	*	*	*	0.2	0.2	0.4	1.1	2.9	6.9	14.8
Non-Hispanic white, female												
2006 5/.....	0.8	*	*	*	*	*	0.2	0.4	0.7	2.1	3.8	7.3
2005 5/.....	0.8	*	*	*	*	*	0.3	0.4	0.8	1.6	4.4	7.5
2004 5/.....	0.9	*	*	*	*	*	0.2	0.4	0.8	2.2	4.0	8.5
2003 5/.....	1.0	*	*	*	*	*	0.3	0.4	1.0	2.1	4.8	8.9
2002.....	1.0	*	*	*	*	*	0.3	0.5	1.0	2.6	5.3	9.9
2001.....	1.1	*	*	*	*	0.2	0.3	0.5	1.3	2.3	5.5	10.0
2000.....	1.1	*	*	*	*	0.2	0.2	0.6	1.2	2.6	4.7	11.0
1999.....	1.0	*	*	*	*	*	0.2	0.4	0.9	2.6	5.1	9.8

Worktable Orig12. Death rates for 358 selected causes, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2006

[Rates per 100,000 population in specified group. Rates are based on populations enumerated as of April 1 for 2000 and estimated as of July 1 for all other years. Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to 'Detailed technical notes to the United States 2006 data-mortality']

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, and sex	All ages 1/	Under 1 year 2/	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
Other complications of medical and surgical care and their sequelae (Y70-Y84,Y88.2-Y88.3)												
Non-Hispanic black, both sexes												
2006 5/.....	0.8	*	*	*	*	*	*	1.0	1.8	3.3	8.0	9.0
2005 5/.....	0.9	*	*	*	*	*	0.4	1.1	2.1	4.8	7.5	8.7
2004 5/.....	1.0	*	*	*	*	*	0.6	0.9	2.0	4.4	8.0	13.2
2003 5/.....	1.0	*	*	*	*	*	0.4	1.2	2.2	3.9	8.0	14.0
2002.....	1.0	*	*	*	*	*	0.7	1.3	2.1	4.1	7.8	13.6
2001.....	1.2	*	*	*	*	*	0.7	1.2	3.0	5.3	8.0	22.5
2000.....	1.2	*	*	*	*	*	0.5	1.0	3.0	5.3	9.6	19.4
1999.....	1.1	*	*	*	*	*	0.5	1.0	2.4	4.2	9.3	19.4
Non-Hispanic black, male												
2006 5/.....	0.8	*	*	*	*	*	*	1.1	1.8	3.6	8.6	*
2005 5/.....	0.8	*	*	*	*	*	*	1.1	2.7	4.6	8.1	*
2004 5/.....	0.8	*	*	*	*	*	*	*	2.3	4.0	8.6	*
2003 5/.....	0.8	*	*	*	*	*	*	1.6	2.2	3.2	7.2	*
2002.....	0.9	*	*	*	*	*	*	1.3	2.2	4.8	7.0	*
2001.....	1.2	*	*	*	*	*	*	1.4	4.0	6.8	7.8	28.9
2000.....	1.0	*	*	*	*	*	*	1.1	2.7	6.4	9.6	*
1999.....	1.0	*	*	*	*	*	*	1.2	2.6	5.3	10.6	*
Non-Hispanic black, female												
2006 5/.....	0.9	*	*	*	*	*	*	0.9	1.7	3.0	7.6	8.6
2005 5/.....	1.0	*	*	*	*	*	*	1.1	1.6	5.0	7.2	8.4
2004 5/.....	1.1	*	*	*	*	*	0.7	1.1	1.8	4.8	7.7	12.9
2003 5/.....	1.1	*	*	*	*	*	*	0.8	2.2	4.4	8.5	14.9
2002.....	1.1	*	*	*	*	*	0.9	1.4	2.0	3.5	8.3	11.3
2001.....	1.2	*	*	*	*	*	0.7	0.9	2.3	4.3	8.1	20.1
2000.....	1.3	*	*	*	*	*	0.9	3.2	4.5	9.6	19.6	
1999.....	1.1	*	*	*	*	*	*	2.2	3.5	8.6	18.2	

* Figure does not meet standards of reliability or precision.

0.0 Quantity more than zero but less than 0.05.

... Category not applicable.

1/ Figures for age not stated included in "All ages" but not distributed among age groups.

2/ Death rates for "Under 1 year" (based on population estimates) differ from infant mortality rates (based on live births).

3/ Figures for origin not stated are included in "All origins" but not distributed among specified origins.

4/ Includes races other than white and black.

5/ Multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming in 2006, by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming in 2005, by California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming in 2004, and by California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin in 2003. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data-mortality."

6/ Figures include September 11, 2001 related deaths for which death certificates were filed as of 10/24/02; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2001."

Source: CDC/NCHS, National Vital Statistics System, Mortality.