

Worktable Orig290F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2007

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data - mortality"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, sex, and year | All ages  | Under 1 year | 1-4 years | 5-14 years | 15-24 years | 25-34 years | 35-44 years | 45-54 years | 55-64 years | 65-74 years | 75-84 years | 85 years and over | Age not stated |
|--|-----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|
| <b>All causes</b>  |           |              |           |            |             |             |             |             |             |             |             |                   |                |
| <b>All origins, both sexes</b>   |           |              |           |            |             |             |             |             |             |             |             |                   |                |
| 2007.....  | 2,423,712 | 29,138       | 4,703     | 6,147      | 33,982      | 42,572      | 79,606      | 184,686     | 287,110     | 389,238     | 652,682     | 713,647           | 201            |
| 2006.....  | 2,426,264 | 28,527       | 4,631     | 6,149      | 34,887      | 42,952      | 83,043      | 185,031     | 281,401     | 390,093     | 667,338     | 701,992           | 220            |
| 2005.....  | 2,448,017 | 28,440       | 4,756     | 6,602      | 34,234      | 41,925      | 84,785      | 183,530     | 275,301     | 398,355     | 686,665     | 703,169           | 255            |
| 2004.....  | 2,397,615 | 27,936       | 4,785     | 6,834      | 33,421      | 40,868      | 85,362      | 177,697     | 264,697     | 399,666     | 684,230     | 671,773           | 346            |
| 2003.....  | 2,448,288 | 28,025       | 4,965     | 6,954      | 33,568      | 41,300      | 89,461      | 176,781     | 262,519     | 413,497     | 703,024     | 687,852           | 342            |
| 2002.....  | 2,443,387 | 28,034       | 4,858     | 7,150      | 33,046      | 41,355      | 91,140      | 172,385     | 253,342     | 422,990     | 707,654     | 681,076           | 357            |
| 2001.....  | 2,416,425 | 27,568       | 5,107     | 7,095      | 32,252      | 41,683      | 91,674      | 168,065     | 244,139     | 430,960     | 701,929     | 665,531           | 422            |
| 2000.....  | 2,403,351 | 28,035       | 4,979     | 7,413      | 31,307      | 40,451      | 89,798      | 160,341     | 240,846     | 441,209     | 700,445     | 658,171           | 356            |
| 1999.....  | 2,391,399 | 27,937       | 5,249     | 7,595      | 30,656      | 41,066      | 89,256      | 152,974     | 238,979     | 452,600     | 698,590     | 646,141           | 356            |
| <b>All origins, male</b>   |           |              |           |            |             |             |             |             |             |             |             |                   |                |
| 2007.....  | 1,203,968 | 16,293       | 2,634     | 3,585      | 25,316      | 29,792      | 50,105      | 114,456     | 173,618     | 218,344     | 320,803     | 248,866           | 156            |
| 2006.....  | 1,201,942 | 15,980       | 2,541     | 3,625      | 26,070      | 30,188      | 52,150      | 115,172     | 168,987     | 218,165     | 327,315     | 241,578           | 171            |
| 2005.....  | 1,207,675 | 16,018       | 2,765     | 3,853      | 25,509      | 29,283      | 53,309      | 114,472     | 165,429     | 222,807     | 335,235     | 238,796           | 199            |
| 2004.....  | 1,181,668 | 15,718       | 2,649     | 3,999      | 24,587      | 28,359      | 53,677      | 111,163     | 158,032     | 222,891     | 333,669     | 226,650           | 274            |
| 2003.....  | 1,201,964 | 15,902       | 2,826     | 4,150      | 24,670      | 28,602      | 56,435      | 110,682     | 156,461     | 231,421     | 342,332     | 228,212           | 271            |
| 2002.....  | 1,199,264 | 15,717       | 2,806     | 4,198      | 24,416      | 28,736      | 57,593      | 107,722     | 151,363     | 237,021     | 343,504     | 225,906           | 282            |
| 2001.....  | 1,183,421 | 15,477       | 2,899     | 4,168      | 23,963      | 28,757      | 58,164      | 104,848     | 144,958     | 241,581     | 340,742     | 217,533           | 331            |
| 2000.....  | 1,177,578 | 15,718       | 2,824     | 4,401      | 23,071      | 27,890      | 57,297      | 100,398     | 143,321     | 247,408     | 340,219     | 214,742           | 289            |
| 1999.....  | 1,175,460 | 15,646       | 2,975     | 4,492      | 22,414      | 28,276      | 57,118      | 95,659      | 142,724     | 254,920     | 340,970     | 209,989           | 277            |

Worktable Orig290F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2007

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data - mortality"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, sex, and year | All ages  | Under 1 year | 1-4 years | 5-14 years | 15-24 years | 25-34 years | 35-44 years | 45-54 years | 55-64 years | 65-74 years | 75-84 years | 85 years and over | Age not stated |
|--|-----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|
| All causes   |           |              |           |            |             |             |             |             |             |             |             |                   |                |
| All origins, female  |           |              |           |            |             |             |             |             |             |             |             |                   |                |
| 2007.....  | 1,219,744 | 12,845       | 2,069     | 2,562      | 8,666       | 12,780      | 29,501      | 70,230      | 113,492     | 170,894     | 331,879     | 464,781           | 45             |
| 2006.....  | 1,224,322 | 12,547       | 2,090     | 2,524      | 8,817       | 12,764      | 30,893      | 69,859      | 112,414     | 171,928     | 340,023     | 460,414           | 49             |
| 2005.....  | 1,240,342 | 12,422       | 1,991     | 2,749      | 8,725       | 12,642      | 31,476      | 69,058      | 109,872     | 175,548     | 351,430     | 464,373           | 56             |
| 2004.....  | 1,215,947 | 12,218       | 2,136     | 2,835      | 8,834       | 12,509      | 31,685      | 66,534      | 106,665     | 176,775     | 350,561     | 445,123           | 72             |
| 2003.....  | 1,246,324 | 12,123       | 2,139     | 2,804      | 8,898       | 12,698      | 33,026      | 66,099      | 106,058     | 182,076     | 360,692     | 459,640           | 71             |
| 2002.....  | 1,244,123 | 12,317       | 2,052     | 2,952      | 8,630       | 12,619      | 33,547      | 64,663      | 101,979     | 185,969     | 364,150     | 455,170           | 75             |
| 2001.....  | 1,233,004 | 12,091       | 2,208     | 2,927      | 8,289       | 12,926      | 33,510      | 63,217      | 99,181      | 189,379     | 361,187     | 447,998           | 91             |
| 2000.....  | 1,225,773 | 12,317       | 2,155     | 3,012      | 8,236       | 12,561      | 32,501      | 59,943      | 97,525      | 193,801     | 360,226     | 443,429           | 67             |
| 1999.....  | 1,215,939 | 12,291       | 2,274     | 3,103      | 8,242       | 12,790      | 32,138      | 57,315      | 96,255      | 197,680     | 357,620     | 436,152           | 79             |
| Hispanic, both sexes   |           |              |           |            |             |             |             |             |             |             |             |                   |                |
| 2007.....  | 135,519   | 6,068        | 1,009     | 1,157      | 5,686       | 6,546       | 8,695       | 14,400      | 17,424      | 21,127      | 29,490      | 23,890            | 27             |
| 2006.....  | 133,004   | 5,735        | 987       | 1,137      | 5,932       | 6,592       | 8,951       | 14,035      | 16,705      | 21,061      | 28,772      | 23,061            | 36             |
| 2005.....  | 131,161   | 5,724        | 1,041     | 1,068      | 5,837       | 6,411       | 8,876       | 13,569      | 16,089      | 21,422      | 29,010      | 22,058            | 56             |
| 2004.....  | 122,416   | 5,321        | 947       | 1,105      | 5,428       | 5,959       | 8,546       | 12,628      | 15,198      | 20,420      | 26,879      | 19,937            | 48             |
| 2003.....  | 122,026   | 5,281        | 993       | 1,173      | 5,394       | 6,189       | 8,576       | 12,516      | 14,913      | 20,596      | 26,219      | 20,129            | 47             |
| 2002.....  | 117,135   | 4,943        | 933       | 1,124      | 5,255       | 5,816       | 8,467       | 11,745      | 14,215      | 20,476      | 24,838      | 19,265            | 58             |
| 2001.....  | 113,413   | 4,680        | 917       | 1,038      | 5,058       | 5,797       | 8,441       | 11,362      | 13,337      | 20,172      | 23,637      | 18,907            | 67             |
| 2000.....  | 107,254   | 4,598        | 872       | 1,065      | 4,793       | 5,509       | 8,085       | 10,356      | 12,733      | 19,420      | 21,951      | 17,818            | 54             |
| 1999.....  | 103,740   | 4,412        | 882       | 1,014      | 4,505       | 5,397       | 7,798       | 9,876       | 12,319      | 19,201      | 20,912      | 17,358            | 66             |

Worktable Orig290F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2007

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data - mortality"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, sex, and year | All ages | Under 1 year | 1-4 years | 5-14 years | 15-24 years | 25-34 years | 35-44 years | 45-54 years | 55-64 years | 65-74 years | 75-84 years | 85 years and over | Age not stated |
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|
| All causes   |          |              |           |            |             |             |             |             |             |             |             |                   |                |
|  |          |              |           |            |             |             |             |             |             |             |             |                   |                |
| Hispanic, male   |          |              |           |            |             |             |             |             |             |             |             |                   |                |
| 2007.....  | 75,708   | 3,343        | 556       | 663        | 4,506       | 4,956       | 6,037       | 9,634       | 10,764      | 11,978      | 14,438      | 8,809             | 24             |
| 2006.....  | 74,250   | 3,179        | 549       | 673        | 4,712       | 5,024       | 6,223       | 9,234       | 10,271      | 11,780      | 14,209      | 8,367             | 29             |
| 2005.....  | 73,788   | 3,192        | 610       | 612        | 4,604       | 4,960       | 6,145       | 8,994       | 9,954       | 11,984      | 14,539      | 8,143             | 51             |
| 2004.....  | 68,544   | 2,948        | 535       | 656        | 4,376       | 4,547       | 5,973       | 8,451       | 9,246       | 11,279      | 13,397      | 7,090             | 46             |
| 2003.....  | 68,119   | 2,940        | 569       | 706        | 4,244       | 4,742       | 5,887       | 8,336       | 9,122       | 11,465      | 12,904      | 7,165             | 39             |
| 2002.....  | 65,703   | 2,746        | 546       | 647        | 4,182       | 4,474       | 5,828       | 7,719       | 8,762       | 11,476      | 12,291      | 6,977             | 55             |
| 2001.....  | 63,317   | 2,601        | 518       | 600        | 4,019       | 4,366       | 5,895       | 7,477       | 8,026       | 11,231      | 11,759      | 6,767             | 58             |
| 2000.....  | 60,172   | 2,514        | 475       | 622        | 3,837       | 4,200       | 5,597       | 6,808       | 7,760       | 10,842      | 10,973      | 6,493             | 51             |
| 1999.....  | 57,991   | 2,411        | 481       | 592        | 3,547       | 4,084       | 5,476       | 6,497       | 7,490       | 10,783      | 10,317      | 6,253             | 60             |
| Hispanic, female   |          |              |           |            |             |             |             |             |             |             |             |                   |                |
| 2007.....  | 59,811   | 2,725        | 453       | 494        | 1,180       | 1,590       | 2,658       | 4,766       | 6,660       | 9,149       | 15,052      | 15,081            | 3              |
| 2006.....  | 58,754   | 2,556        | 438       | 464        | 1,220       | 1,568       | 2,728       | 4,801       | 6,434       | 9,281       | 14,563      | 14,694            | 7              |
| 2005.....  | 57,373   | 2,532        | 431       | 456        | 1,233       | 1,451       | 2,731       | 4,575       | 6,135       | 9,438       | 14,471      | 13,915            | 5              |
| 2004.....  | 53,872   | 2,373        | 412       | 449        | 1,052       | 1,412       | 2,573       | 4,177       | 5,952       | 9,141       | 13,482      | 12,847            | 2              |
| 2003.....  | 53,907   | 2,341        | 424       | 467        | 1,150       | 1,447       | 2,689       | 4,180       | 5,791       | 9,131       | 13,315      | 12,964            | 8              |
| 2002.....  | 51,432   | 2,197        | 387       | 477        | 1,073       | 1,342       | 2,639       | 4,026       | 5,453       | 9,000       | 12,547      | 12,288            | 3              |
| 2001.....  | 50,096   | 2,079        | 399       | 438        | 1,039       | 1,431       | 2,546       | 3,885       | 5,311       | 8,941       | 11,878      | 12,140            | 9              |
| 2000.....  | 47,082   | 2,084        | 397       | 443        | 956         | 1,309       | 2,488       | 3,548       | 4,973       | 8,578       | 10,978      | 11,325            | 3              |
| 1999.....  | 45,749   | 2,001        | 401       | 422        | 958         | 1,313       | 2,322       | 3,379       | 4,829       | 8,418       | 10,595      | 11,105            | 6              |

Worktable Orig290F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2007

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data - mortality"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, sex, and year | All ages  | Under 1 year | 1-4 years | 5-14 years | 15-24 years | 25-34 years | 35-44 years | 45-54 years | 55-64 years | 65-74 years | 75-84 years | 85 years and over | Age not stated |
|--|-----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|
| <b>All causes</b>  |           |              |           |            |             |             |             |             |             |             |             |                   |                |
| <b>Non-Hispanic 1/, both sexes</b>   |           |              |           |            |             |             |             |             |             |             |             |                   |                |
| 2007.....  | 2,284,446 | 22,883       | 3,680     | 4,980      | 28,233      | 35,920      | 70,707      | 169,808     | 269,016     | 367,477     | 622,485     | 689,138           | 119            |
| 2006.....  | 2,288,424 | 22,576       | 3,624     | 4,998      | 28,862      | 36,239      | 73,833      | 170,423     | 263,956     | 368,195     | 637,550     | 678,050           | 118            |
| 2005.....  | 2,312,028 | 22,488       | 3,701     | 5,515      | 28,309      | 35,380      | 75,626      | 169,355     | 258,493     | 376,169     | 656,613     | 680,266           | 113            |
| 2004.....  | 2,269,583 | 22,370       | 3,826     | 5,699      | 27,896      | 34,774      | 76,524      | 164,412     | 248,724     | 378,266     | 656,132     | 650,809           | 151            |
| 2003.....  | 2,319,476 | 22,475       | 3,956     | 5,761      | 28,044      | 34,955      | 80,503      | 163,533     | 246,665     | 391,778     | 675,309     | 666,350           | 147            |
| 2002.....  | 2,318,269 | 22,816       | 3,904     | 6,002      | 27,658      | 35,329      | 82,225      | 159,843     | 238,185     | 401,182     | 680,878     | 660,078           | 169            |
| 2001.....  | 2,295,244 | 22,629       | 4,171     | 6,033      | 27,059      | 35,656      | 82,763      | 155,916     | 229,812     | 409,500     | 676,512     | 645,020           | 173            |
| 2000.....  | 2,287,846 | 23,074       | 4,086     | 6,316      | 26,374      | 34,741      | 81,182      | 149,141     | 227,118     | 420,369     | 676,632     | 638,673           | 140            |
| 1999.....  | 2,279,325 | 23,126       | 4,343     | 6,560      | 26,043      | 35,471      | 80,949      | 142,302     | 225,659     | 431,952     | 675,730     | 627,035           | 155            |
| <b>Non-Hispanic 1/, male</b>   |           |              |           |            |             |             |             |             |             |             |             |                   |                |
| 2007.....  | 1,125,974 | 12,839       | 2,074     | 2,914      | 20,759      | 24,757      | 43,935      | 104,476     | 162,385     | 205,948     | 305,970     | 239,831           | 86             |
| 2006.....  | 1,124,813 | 12,683       | 1,977     | 2,946      | 21,285      | 25,075      | 45,751      | 105,522     | 158,198     | 205,830     | 312,575     | 232,883           | 88             |
| 2005.....  | 1,131,013 | 12,701       | 2,147     | 3,231      | 20,835      | 24,225      | 46,957      | 105,044     | 154,967     | 210,333     | 320,125     | 230,371           | 77             |
| 2004.....  | 1,109,848 | 12,633       | 2,106     | 3,327      | 20,145      | 23,710      | 47,501      | 102,236     | 148,234     | 210,979     | 319,650     | 219,215           | 112            |
| 2003.....  | 1,129,927 | 12,799       | 2,247     | 3,432      | 20,328      | 23,740      | 50,284      | 101,828     | 146,696     | 219,240     | 328,640     | 220,575           | 118            |
| 2002.....  | 1,129,090 | 12,815       | 2,250     | 3,534      | 20,129      | 24,114      | 51,451      | 99,433      | 141,966     | 224,706     | 330,191     | 218,367           | 134            |
| 2001.....  | 1,115,683 | 12,739       | 2,371     | 3,554      | 19,836      | 24,225      | 51,918      | 96,815      | 136,214     | 229,539     | 328,079     | 210,256           | 137            |
| 2000.....  | 1,112,704 | 13,007       | 2,338     | 3,770      | 19,136      | 23,548      | 51,304      | 92,984      | 134,890     | 235,648     | 328,284     | 207,688           | 107            |
| 1999.....  | 1,112,718 | 12,998       | 2,479     | 3,885      | 18,797      | 24,047      | 51,272      | 88,567      | 134,540     | 243,210     | 329,682     | 203,128           | 113            |

Worktable Orig290F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2007

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data - mortality"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, sex, and year | All ages  | Under 1 year | 1-4 years | 5-14 years | 15-24 years | 25-34 years | 35-44 years | 45-54 years | 55-64 years | 65-74 years | 75-84 years | 85 years and over | Age not stated |
|--|-----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|
| All causes   |           |              |           |            |             |             |             |             |             |             |             |                   |                |
| Non-Hispanic 1/, female  |           |              |           |            |             |             |             |             |             |             |             |                   |                |
| 2007.....  | 1,158,472 | 10,044       | 1,606     | 2,066      | 7,474       | 11,163      | 26,772      | 65,332      | 106,631     | 161,529     | 316,515     | 449,307           | 33             |
| 2006.....  | 1,163,611 | 9,893        | 1,647     | 2,052      | 7,577       | 11,164      | 28,082      | 64,901      | 105,758     | 162,365     | 324,975     | 445,167           | 30             |
| 2005.....  | 1,181,015 | 9,787        | 1,554     | 2,284      | 7,474       | 11,155      | 28,669      | 64,311      | 103,526     | 165,836     | 336,488     | 449,895           | 36             |
| 2004.....  | 1,159,735 | 9,737        | 1,720     | 2,372      | 7,751       | 11,064      | 29,023      | 62,176      | 100,490     | 167,287     | 336,482     | 431,594           | 39             |
| 2003.....  | 1,189,549 | 9,676        | 1,709     | 2,329      | 7,716       | 11,215      | 30,219      | 61,705      | 99,969      | 172,538     | 346,669     | 445,775           | 29             |
| 2002.....  | 1,189,179 | 10,001       | 1,654     | 2,468      | 7,529       | 11,215      | 30,774      | 60,410      | 96,219      | 176,476     | 350,687     | 441,711           | 35             |
| 2001.....  | 1,179,561 | 9,890        | 1,800     | 2,479      | 7,223       | 11,431      | 30,845      | 59,101      | 93,598      | 179,961     | 348,433     | 434,764           | 36             |
| 2000.....  | 1,175,142 | 10,067       | 1,748     | 2,546      | 7,238       | 11,193      | 29,878      | 56,157      | 92,228      | 184,721     | 348,348     | 430,985           | 33             |
| 1999.....  | 1,166,607 | 10,128       | 1,864     | 2,675      | 7,246       | 11,424      | 29,677      | 53,735      | 91,119      | 188,742     | 346,048     | 423,907           | 42             |
| Non-Hispanic white, both sexes   |           |              |           |            |             |             |             |             |             |             |             |                   |                |
| 2007 2/.....   | 1,939,606 | 12,998       | 2,325     | 3,362      | 19,607      | 24,757      | 50,966      | 127,898     | 213,876     | 306,342     | 549,752     | 627,642           | 81             |
| 2006 2/.....   | 1,944,617 | 12,906       | 2,279     | 3,353      | 20,055      | 24,606      | 53,198      | 127,969     | 210,318     | 307,475     | 564,113     | 618,253           | 92             |
| 2005 2/.....   | 1,967,142 | 13,026       | 2,404     | 3,681      | 19,683      | 23,826      | 54,786      | 126,669     | 206,078     | 314,958     | 581,712     | 620,246           | 73             |
| 2004 2/.....   | 1,933,382 | 13,046       | 2,458     | 3,820      | 19,684      | 23,397      | 55,543      | 123,037     | 198,842     | 317,606     | 582,454     | 593,382           | 113            |
| 2003 2/.....   | 1,979,465 | 13,223       | 2,539     | 3,884      | 19,640      | 23,557      | 58,095      | 121,832     | 197,598     | 329,570     | 600,563     | 608,843           | 121            |
| 2002.....  | 1,981,973 | 13,463       | 2,502     | 4,031      | 19,458      | 23,758      | 59,529      | 119,812     | 190,843     | 338,961     | 606,431     | 603,063           | 122            |
| 2001.....  | 1,962,810 | 13,311       | 2,772     | 4,151      | 18,730      | 24,191      | 59,546      | 117,086     | 184,109     | 346,389     | 603,143     | 589,269           | 113            |
| 2000.....  | 1,959,919 | 13,513       | 2,641     | 4,397      | 18,261      | 23,191      | 58,231      | 111,964     | 182,348     | 356,869     | 604,658     | 583,757           | 89             |
| 1999.....  | 1,953,197 | 13,553       | 2,819     | 4,488      | 17,868      | 23,986      | 57,630      | 106,808     | 180,793     | 367,490     | 604,344     | 573,327           | 91             |

Worktable Orig290F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2007

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data - mortality"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, sex, and year | All ages  | Under 1 year | 1-4 years | 5-14 years | 15-24 years | 25-34 years | 35-44 years | 45-54 years | 55-64 years | 65-74 years | 75-84 years | 85 years and over | Age not stated |
|--|-----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|
| <b>All causes</b>  |           |              |           |            |             |             |             |             |             |             |             |                   |                |
| <b>Non-Hispanic white, male</b>  |           |              |           |            |             |             |             |             |             |             |             |                   |                |
| 2007 2/.....   | 948,662   | 7,340        | 1,316     | 1,945      | 14,129      | 17,138      | 32,139      | 79,931      | 129,977     | 172,867     | 272,398     | 219,419           | 63             |
| 2006 2/.....   | 947,966   | 7,284        | 1,247     | 1,983      | 14,553      | 17,115      | 33,609      | 80,427      | 126,779     | 173,056     | 278,690     | 213,151           | 72             |
| 2005 2/.....   | 954,402   | 7,418        | 1,408     | 2,163      | 14,267      | 16,366      | 34,719      | 79,860      | 124,229     | 177,517     | 285,608     | 210,795           | 52             |
| 2004 2/.....   | 938,143   | 7,399        | 1,365     | 2,264      | 14,017      | 16,098      | 35,253      | 77,741      | 119,171     | 178,642     | 285,752     | 200,357           | 84             |
| 2003 2/.....   | 956,194   | 7,591        | 1,423     | 2,319      | 14,022      | 16,097      | 37,123      | 77,106      | 118,383     | 186,112     | 293,774     | 202,148           | 96             |
| 2002.....  | 957,645   | 7,706        | 1,431     | 2,365      | 13,957      | 16,339      | 38,049      | 75,724      | 114,535     | 191,844     | 295,763     | 199,834           | 98             |
| 2001.....  | 945,967   | 7,508        | 1,592     | 2,428      | 13,542      | 16,613      | 38,213      | 73,731      | 109,993     | 196,158     | 294,013     | 192,084           | 92             |
| 2000.....  | 944,781   | 7,660        | 1,541     | 2,652      | 13,066      | 15,934      | 37,622      | 70,788      | 109,031     | 202,038     | 294,842     | 189,537           | 70             |
| 1999.....  | 944,913   | 7,718        | 1,605     | 2,643      | 12,677      | 16,449      | 37,291      | 67,151      | 108,692     | 209,155     | 296,528     | 184,938           | 66             |
| <b>Non-Hispanic white, female</b>  |           |              |           |            |             |             |             |             |             |             |             |                   |                |
| 2007 2/.....   | 990,944   | 5,658        | 1,009     | 1,417      | 5,478       | 7,619       | 18,827      | 47,967      | 83,899      | 133,475     | 277,354     | 408,223           | 18             |
| 2006 2/.....   | 996,651   | 5,622        | 1,032     | 1,370      | 5,502       | 7,491       | 19,589      | 47,542      | 83,539      | 134,419     | 285,423     | 405,102           | 20             |
| 2005 2/.....   | 1,012,740 | 5,608        | 996       | 1,518      | 5,416       | 7,460       | 20,067      | 46,809      | 81,849      | 137,441     | 296,104     | 409,451           | 21             |
| 2004 2/.....   | 995,239   | 5,647        | 1,093     | 1,556      | 5,667       | 7,299       | 20,290      | 45,296      | 79,671      | 138,964     | 296,702     | 393,025           | 29             |
| 2003 2/.....   | 1,023,271 | 5,632        | 1,116     | 1,565      | 5,618       | 7,460       | 20,972      | 44,726      | 79,215      | 143,458     | 306,789     | 406,695           | 25             |
| 2002.....  | 1,024,328 | 5,757        | 1,071     | 1,666      | 5,501       | 7,419       | 21,480      | 44,088      | 76,308      | 147,117     | 310,668     | 403,229           | 24             |
| 2001.....  | 1,016,843 | 5,803        | 1,180     | 1,723      | 5,188       | 7,578       | 21,333      | 43,355      | 74,116      | 150,231     | 309,130     | 397,185           | 21             |
| 2000.....  | 1,015,138 | 5,853        | 1,100     | 1,745      | 5,195       | 7,257       | 20,609      | 41,176      | 73,317      | 154,831     | 309,816     | 394,220           | 19             |
| 1999.....  | 1,008,284 | 5,835        | 1,214     | 1,845      | 5,191       | 7,537       | 20,339      | 39,657      | 72,101      | 158,335     | 307,816     | 388,389           | 25             |

Worktable Orig290F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2007

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data - mortality"]

---

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, sex, and year

|  | All ages | Under 1 year | 1-4 years | 5-14 years | 15-24 years | 25-34 years | 35-44 years | 45-54 years | 55-64 years | 65-74 years | 75-84 years | 85 years and over | Age not stated |
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|

---

All causes

Non-Hispanic black, both sexes

|              |         |       |       |       |       |        |        |        |        |        |        |        |    |
|--------------|---------|-------|-------|-------|-------|--------|--------|--------|--------|--------|--------|--------|----|
| 2007 2/..... | 286,366 | 8,629 | 1,102 | 1,335 | 7,237 | 9,521  | 16,797 | 36,465 | 47,199 | 50,890 | 58,398 | 48,762 | 31 |
| 2006 2/..... | 286,581 | 8,507 | 1,108 | 1,361 | 7,347 | 9,920  | 17,700 | 36,990 | 45,961 | 50,574 | 59,416 | 47,678 | 19 |
| 2005 2/..... | 289,163 | 8,335 | 1,065 | 1,500 | 7,244 | 9,850  | 17,930 | 37,298 | 44,937 | 51,166 | 61,319 | 48,481 | 38 |
| 2004 2/..... | 283,859 | 8,221 | 1,128 | 1,551 | 6,924 | 9,768  | 18,237 | 36,247 | 42,998 | 51,126 | 60,748 | 46,877 | 34 |
| 2003 2/..... | 287,968 | 8,159 | 1,169 | 1,530 | 7,021 | 9,795  | 19,561 | 36,584 | 42,350 | 52,583 | 61,770 | 47,426 | 20 |
| 2002.....    | 286,573 | 8,284 | 1,163 | 1,634 | 6,904 | 10,009 | 19,955 | 35,211 | 40,878 | 52,748 | 62,183 | 47,565 | 39 |
| 2001.....    | 284,343 | 8,277 | 1,156 | 1,557 | 7,024 | 9,859  | 20,436 | 34,098 | 39,523 | 53,803 | 61,592 | 46,968 | 50 |
| 2000.....    | 282,676 | 8,525 | 1,217 | 1,620 | 6,926 | 10,103 | 20,279 | 32,911 | 38,867 | 54,645 | 60,874 | 46,660 | 49 |
| 1999.....    | 281,979 | 8,589 | 1,283 | 1,771 | 6,980 | 9,992  | 20,770 | 31,377 | 39,063 | 55,567 | 60,634 | 45,895 | 58 |

Non-Hispanic black, male

|              |         |       |     |       |       |       |        |        |        |        |        |        |    |
|--------------|---------|-------|-----|-------|-------|-------|--------|--------|--------|--------|--------|--------|----|
| 2007 2/..... | 146,474 | 4,794 | 609 | 801   | 5,635 | 6,538 | 9,981  | 21,260 | 27,823 | 27,377 | 26,523 | 15,115 | 18 |
| 2006 2/..... | 146,729 | 4,714 | 612 | 814   | 5,691 | 6,828 | 10,363 | 21,829 | 26,929 | 27,265 | 27,045 | 14,628 | 11 |
| 2005 2/..... | 147,010 | 4,665 | 606 | 885   | 5,615 | 6,706 | 10,451 | 21,946 | 26,396 | 27,303 | 27,723 | 14,690 | 24 |
| 2004 2/..... | 144,022 | 4,613 | 623 | 870   | 5,239 | 6,564 | 10,552 | 21,449 | 25,050 | 27,228 | 27,394 | 14,415 | 25 |
| 2003 2/..... | 146,136 | 4,601 | 681 | 911   | 5,343 | 6,592 | 11,405 | 21,708 | 24,468 | 27,957 | 28,297 | 14,156 | 17 |
| 2002.....    | 144,802 | 4,520 | 681 | 977   | 5,248 | 6,723 | 11,661 | 20,839 | 23,706 | 27,859 | 28,137 | 14,422 | 29 |
| 2001.....    | 143,971 | 4,651 | 655 | 941   | 5,377 | 6,548 | 11,971 | 20,307 | 22,600 | 28,446 | 28,083 | 14,352 | 40 |
| 2000.....    | 143,297 | 4,757 | 672 | 959   | 5,224 | 6,649 | 12,061 | 19,647 | 22,402 | 28,745 | 27,715 | 14,431 | 35 |
| 1999.....    | 143,883 | 4,765 | 734 | 1,081 | 5,286 | 6,633 | 12,384 | 19,026 | 22,493 | 29,259 | 27,552 | 14,628 | 42 |

Worktable Orig290F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2007

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data - mortality"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, sex, and year | All ages | Under 1 year | 1-4 years | 5-14 years | 15-24 years | 25-34 years | 35-44 years | 45-54 years | 55-64 years | 65-74 years | 75-84 years | 85 years and over | Age not stated |
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|

#### All causes

##### Non-Hispanic black, female

|              |         |       |     |     |       |       |       |        |        |        |        |        |    |
|--------------|---------|-------|-----|-----|-------|-------|-------|--------|--------|--------|--------|--------|----|
| 2007 2/..... | 139,892 | 3,835 | 493 | 534 | 1,602 | 2,983 | 6,816 | 15,205 | 19,376 | 23,513 | 31,875 | 33,647 | 13 |
| 2006 2/..... | 139,852 | 3,793 | 496 | 547 | 1,656 | 3,092 | 7,337 | 15,161 | 19,032 | 23,309 | 32,371 | 33,050 | 8  |
| 2005 2/..... | 142,153 | 3,670 | 459 | 615 | 1,629 | 3,144 | 7,479 | 15,352 | 18,541 | 23,863 | 33,596 | 33,791 | 14 |
| 2004 2/..... | 139,837 | 3,608 | 505 | 681 | 1,685 | 3,204 | 7,685 | 14,798 | 17,948 | 23,898 | 33,354 | 32,462 | 9  |
| 2003 2/..... | 141,832 | 3,558 | 488 | 619 | 1,678 | 3,203 | 8,156 | 14,876 | 17,882 | 24,626 | 33,473 | 33,270 | 3  |
| 2002.....    | 141,771 | 3,764 | 482 | 657 | 1,656 | 3,286 | 8,294 | 14,372 | 17,172 | 24,889 | 34,046 | 33,143 | 10 |
| 2001.....    | 140,372 | 3,626 | 501 | 616 | 1,647 | 3,311 | 8,465 | 13,791 | 16,923 | 25,357 | 33,509 | 32,616 | 10 |
| 2000.....    | 139,379 | 3,768 | 545 | 661 | 1,702 | 3,454 | 8,218 | 13,264 | 16,465 | 25,900 | 33,159 | 32,229 | 14 |
| 1999.....    | 138,096 | 3,824 | 549 | 690 | 1,694 | 3,359 | 8,386 | 12,351 | 16,570 | 26,308 | 33,082 | 31,267 | 16 |

##### Origin not stated 3/, both sexes

|           |       |     |    |    |     |     |     |     |       |       |       |       |     |
|-----------|-------|-----|----|----|-----|-----|-----|-----|-------|-------|-------|-------|-----|
| 2007..... | 3,747 | 187 | 14 | 10 | 63  | 106 | 204 | 478 | 670   | 634   | 707   | 619   | 55  |
| 2006..... | 4,836 | 216 | 20 | 14 | 93  | 121 | 259 | 573 | 740   | 837   | 1,016 | 881   | 66  |
| 2005..... | 4,828 | 228 | 14 | 19 | 88  | 134 | 283 | 606 | 719   | 764   | 1,042 | 845   | 86  |
| 2004..... | 5,616 | 245 | 12 | 30 | 97  | 135 | 292 | 657 | 775   | 980   | 1,219 | 1,027 | 147 |
| 2003..... | 6,786 | 269 | 16 | 20 | 130 | 156 | 382 | 732 | 941   | 1,123 | 1,496 | 1,373 | 148 |
| 2002..... | 7,983 | 275 | 21 | 24 | 133 | 210 | 448 | 797 | 942   | 1,332 | 1,938 | 1,733 | 130 |
| 2001..... | 7,768 | 259 | 19 | 24 | 135 | 230 | 470 | 787 | 990   | 1,288 | 1,780 | 1,604 | 182 |
| 2000..... | 8,251 | 363 | 21 | 32 | 140 | 201 | 531 | 844 | 995   | 1,420 | 1,862 | 1,680 | 162 |
| 1999..... | 8,334 | 399 | 24 | 21 | 108 | 198 | 509 | 796 | 1,001 | 1,447 | 1,948 | 1,748 | 135 |



Worktable Orig290F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2007

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data - mortality"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, sex, and year | All ages | Under 1 year | 1-4 years | 5-14 years | 15-24 years | 25-34 years | 35-44 years | 45-54 years | 55-64 years | 65-74 years | 75-84 years | 85 years and over | Age not stated |
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|

All causes

Origin not stated 3/, male

|           |       |     |    |    |     |     |     |     |     |     |       |     |     |
|-----------|-------|-----|----|----|-----|-----|-----|-----|-----|-----|-------|-----|-----|
| 2007..... | 2,286 | 111 | 4  | 8  | 51  | 79  | 133 | 346 | 469 | 418 | 395   | 226 | 46  |
| 2006..... | 2,879 | 118 | 15 | 6  | 73  | 89  | 176 | 416 | 518 | 555 | 531   | 328 | 54  |
| 2005..... | 2,874 | 125 | 8  | 10 | 70  | 98  | 207 | 434 | 508 | 490 | 571   | 282 | 71  |
| 2004..... | 3,276 | 137 | 8  | 16 | 66  | 102 | 203 | 476 | 552 | 633 | 622   | 345 | 116 |
| 2003..... | 3,918 | 163 | 10 | 12 | 98  | 120 | 264 | 518 | 643 | 716 | 788   | 472 | 114 |
| 2002..... | 4,471 | 156 | 10 | 17 | 105 | 148 | 314 | 570 | 635 | 839 | 1,022 | 562 | 93  |
| 2001..... | 4,421 | 137 | 10 | 14 | 108 | 166 | 351 | 556 | 718 | 811 | 904   | 510 | 136 |
| 2000..... | 4,702 | 197 | 11 | 9  | 98  | 142 | 396 | 606 | 671 | 918 | 962   | 561 | 131 |
| 1999..... | 4,751 | 237 | 15 | 15 | 70  | 145 | 370 | 595 | 694 | 927 | 971   | 608 | 104 |

Origin not stated 3/, female

|           |       |     |    |    |    |    |     |     |     |     |     |       |    |
|-----------|-------|-----|----|----|----|----|-----|-----|-----|-----|-----|-------|----|
| 2007..... | 1,461 | 76  | 10 | 2  | 12 | 27 | 71  | 132 | 201 | 216 | 312 | 393   | 9  |
| 2006..... | 1,957 | 98  | 5  | 8  | 20 | 32 | 83  | 157 | 222 | 282 | 485 | 553   | 12 |
| 2005..... | 1,954 | 103 | 6  | 9  | 18 | 36 | 76  | 172 | 211 | 274 | 471 | 563   | 15 |
| 2004..... | 2,340 | 108 | 4  | 14 | 31 | 33 | 89  | 181 | 223 | 347 | 597 | 682   | 31 |
| 2003..... | 2,868 | 106 | 6  | 8  | 32 | 36 | 118 | 214 | 298 | 407 | 708 | 901   | 34 |
| 2002..... | 3,512 | 119 | 11 | 7  | 28 | 62 | 134 | 227 | 307 | 493 | 916 | 1,171 | 37 |
| 2001..... | 3,347 | 122 | 9  | 10 | 27 | 64 | 119 | 231 | 272 | 477 | 876 | 1,094 | 46 |
| 2000..... | 3,549 | 166 | 10 | 23 | 42 | 59 | 135 | 238 | 324 | 502 | 900 | 1,119 | 31 |
| 1999..... | 3,583 | 162 | 9  | 6  | 38 | 53 | 139 | 201 | 307 | 520 | 977 | 1,140 | 31 |

Worktable Orig290F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2007

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data - mortality"]

---

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, sex, and year

|  | All ages | Under 1 year | 1-4 years | 5-14 years | 15-24 years | 25-34 years | 35-44 years | 45-54 years | 55-64 years | 65-74 years | 75-84 years | 85 years and over | Age not stated |
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|

---

Salmonella infections (A01-A02)

| All origins, both sexes |    |   |   |   |   |   |   |   |   |   |    |   |   |
|-------------------------|----|---|---|---|---|---|---|---|---|---|----|---|---|
| 2007.....               | 30 | 2 | 2 | - | - | 2 | - | 3 | 2 | 4 | 6  | 9 | - |
| 2006.....               | 34 | 3 | 1 | - | 1 | - | 1 | 2 | 4 | 7 | 9  | 6 | - |
| 2005.....               | 30 | - | - | - | 1 | 2 | 2 | 2 | 6 | 3 | 9  | 5 | - |
| 2004.....               | 30 | 1 | - | - | - | 1 | 1 | 3 | 4 | 7 | 7  | 6 | - |
| 2003.....               | 43 | 3 | - | 1 | - | 1 | 3 | 2 | 6 | 8 | 10 | 9 | - |
| 2002.....               | 21 | 3 | - | - | - | - | 2 | 3 | - | 4 | 8  | 1 | - |
| 2001.....               | 41 | 2 | - | - | - | 2 | 1 | 3 | 3 | 7 | 14 | 9 | - |
| 2000.....               | 28 | 3 | 2 | - | 1 | 1 | - | 4 | 2 | 7 | 5  | 3 | - |
| 1999.....               | 38 | 3 | - | - | 2 | - | 2 | 2 | 3 | 7 | 12 | 7 | - |
| All origins, male       |    |   |   |   |   |   |   |   |   |   |    |   |   |
| 2007.....               | 14 | - | 2 | - | - | 1 | - | 2 | - | 2 | 2  | 5 | - |
| 2006.....               | 24 | 2 | - | - | - | - | - | 2 | 3 | 7 | 7  | 3 | - |
| 2005.....               | 11 | - | - | - | - | - | 1 | 1 | 5 | 1 | 2  | 1 | - |
| 2004.....               | 22 | 1 | - | - | - | - | 1 | 3 | 4 | 3 | 6  | 4 | - |
| 2003.....               | 23 | 1 | - | - | - | - | 2 | 2 | 4 | 4 | 4  | 6 | - |
| 2002.....               | 10 | 1 | - | - | - | - | - | 1 | - | 2 | 5  | 1 | - |
| 2001.....               | 21 | - | - | - | - | 1 | 1 | 3 | 2 | 6 | 7  | 1 | - |
| 2000.....               | 15 | 2 | - | - | 1 | 1 | - | 2 | 2 | 5 | 1  | 1 | - |
| 1999.....               | 21 | 2 | - | - | 2 | - | 1 | 2 | 2 | 5 | 5  | 2 | - |

Worktable Orig290F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2007

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data - mortality"]

---

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, sex, and year

|  | All ages | Under 1 year | 1-4 years | 5-14 years | 15-24 years | 25-34 years | 35-44 years | 45-54 years | 55-64 years | 65-74 years | 75-84 years | 85 years and over | Age not stated |
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|

---

Salmonella infections (A01-A02)

All origins, female

|           |    |   |   |   |   |   |   |   |   |   |   |   |   |
|-----------|----|---|---|---|---|---|---|---|---|---|---|---|---|
| 2007..... | 16 | 2 | - | - | - | 1 | - | 1 | 2 | 2 | 4 | 4 | - |
| 2006..... | 10 | 1 | 1 | - | 1 | - | 1 | - | 1 | - | 2 | 3 | - |
| 2005..... | 19 | - | - | - | 1 | 2 | 1 | 1 | 1 | 2 | 7 | 4 | - |
| 2004..... | 8  | - | - | - | - | 1 | - | - | - | 4 | 1 | 2 | - |
| 2003..... | 20 | 2 | - | 1 | - | 1 | 1 | - | 2 | 4 | 6 | 3 | - |
| 2002..... | 11 | 2 | - | - | - | - | 2 | 2 | - | 2 | 3 | - | - |
| 2001..... | 20 | 2 | - | - | - | 1 | - | - | 1 | 1 | 7 | 8 | - |
| 2000..... | 13 | 1 | 2 | - | - | - | - | 2 | - | 2 | 4 | 2 | - |
| 1999..... | 17 | 1 | - | - | - | - | 1 | - | 1 | 2 | 7 | 5 | - |

Hispanic, both sexes

|           |   |   |   |   |   |   |   |   |   |   |   |   |   |
|-----------|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 2007..... | 1 | - | - | - | - | - | - | - | - | 1 | - | - | - |
| 2006..... | 4 | 1 | - | - | - | - | 1 | - | 1 | - | 1 | - | - |
| 2005..... | 4 | - | - | - | - | - | 1 | 1 | 1 | - | 1 | - | - |
| 2004..... | 3 | 1 | - | - | - | - | - | 1 | - | - | 1 | - | - |
| 2003..... | 6 | - | - | 1 | - | - | 1 | 1 | - | 2 | 1 | - | - |
| 2002..... | 3 | - | - | - | - | - | - | 1 | - | 2 | - | - | - |
| 2001..... | 5 | - | - | - | - | - | - | 1 | 1 | 1 | 2 | - | - |
| 2000..... | 2 | 2 | - | - | - | - | - | - | - | - | - | - | - |
| 1999..... | 4 | - | - | - | - | - | - | - | 1 | 1 | 2 | - | - |

Worktable Orig290F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2007

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data - mortality"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, sex, and year | All ages | Under 1 year | 1-4 years | 5-14 years | 15-24 years | 25-34 years | 35-44 years | 45-54 years | 55-64 years | 65-74 years | 75-84 years | 85 years and over | Age not stated |
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|

Salmonella infections (A01-A02)

Hispanic, male

|           |   |   |   |   |   |   |   |   |   |   |   |   |   |
|-----------|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 2007..... | - | - | - | - | - | - | - | - | - | - | - | - | - |
| 2006..... | 3 | 1 | - | - | - | - | - | - | 1 | - | 1 | - | - |
| 2005..... | 3 | - | - | - | - | - | 1 | 1 | 1 | - | - | - | - |
| 2004..... | 3 | 1 | - | - | - | - | - | 1 | - | - | 1 | - | - |
| 2003..... | 3 | - | - | - | - | - | 1 | 1 | - | 1 | - | - | - |
| 2002..... | 1 | - | - | - | - | - | - | - | - | 1 | - | - | - |
| 2001..... | 5 | - | - | - | - | - | - | 1 | 1 | 1 | 2 | - | - |
| 2000..... | 1 | 1 | - | - | - | - | - | - | - | - | - | - | - |
| 1999..... | 3 | - | - | - | - | - | - | - | 1 | 1 | 1 | - | - |

Hispanic, female

|           |   |   |   |   |   |   |   |   |   |   |   |   |   |
|-----------|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 2007..... | 1 | - | - | - | - | - | - | - | - | 1 | - | - | - |
| 2006..... | 1 | - | - | - | - | - | 1 | - | - | - | - | - | - |
| 2005..... | 1 | - | - | - | - | - | - | - | - | - | 1 | - | - |
| 2004..... | - | - | - | - | - | - | - | - | - | - | - | - | - |
| 2003..... | 3 | - | - | 1 | - | - | - | - | - | 1 | 1 | - | - |
| 2002..... | 2 | - | - | - | - | - | - | 1 | - | 1 | - | - | - |
| 2001..... | - | - | - | - | - | - | - | - | - | - | - | - | - |
| 2000..... | 1 | 1 | - | - | - | - | - | - | - | - | - | - | - |
| 1999..... | 1 | - | - | - | - | - | - | - | - | - | 1 | - | - |

Worktable Orig290F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2007

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data - mortality"]

---

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, sex, and year

|  | All ages | Under 1 year | 1-4 years | 5-14 years | 15-24 years | 25-34 years | 35-44 years | 45-54 years | 55-64 years | 65-74 years | 75-84 years | 85 years and over | Age not stated |
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|

---

Salmonella infections (A01-A02)

| Non-Hispanic 1/, both sexes |    |   |   |   |   |   |   |   |   |   |    |   |   |
|-----------------------------|----|---|---|---|---|---|---|---|---|---|----|---|---|
| 2007.....                   | 28 | 1 | 2 | - | - | 2 | - | 3 | 2 | 3 | 6  | 9 | - |
| 2006.....                   | 30 | 2 | 1 | - | 1 | - | - | 2 | 3 | 7 | 8  | 6 | - |
| 2005.....                   | 26 | - | - | - | 1 | 2 | 1 | 1 | 5 | 3 | 8  | 5 | - |
| 2004.....                   | 27 | - | - | - | - | 1 | 1 | 2 | 4 | 7 | 6  | 6 | - |
| 2003.....                   | 37 | 3 | - | - | - | 1 | 2 | 1 | 6 | 6 | 9  | 9 | - |
| 2002.....                   | 18 | 3 | - | - | - | - | 2 | 2 | - | 2 | 8  | 1 | - |
| 2001.....                   | 36 | 2 | - | - | - | 2 | 1 | 2 | 2 | 6 | 12 | 9 | - |
| 2000.....                   | 26 | 1 | 2 | - | 1 | 1 | - | 4 | 2 | 7 | 5  | 3 | - |
| 1999.....                   | 34 | 3 | - | - | 2 | - | 2 | 2 | 2 | 6 | 10 | 7 | - |
| Non-Hispanic 1/, male       |    |   |   |   |   |   |   |   |   |   |    |   |   |
| 2007.....                   | 14 | - | 2 | - | - | 1 | - | 2 | - | 2 | 2  | 5 | - |
| 2006.....                   | 21 | 1 | - | - | - | - | - | 2 | 2 | 7 | 6  | 3 | - |
| 2005.....                   | 8  | - | - | - | - | - | - | - | 4 | 1 | 2  | 1 | - |
| 2004.....                   | 19 | - | - | - | - | - | 1 | 2 | 4 | 3 | 5  | 4 | - |
| 2003.....                   | 20 | 1 | - | - | - | - | 1 | 1 | 4 | 3 | 4  | 6 | - |
| 2002.....                   | 9  | 1 | - | - | - | - | - | 1 | - | 1 | 5  | 1 | - |
| 2001.....                   | 16 | - | - | - | - | 1 | 1 | 2 | 1 | 5 | 5  | 1 | - |
| 2000.....                   | 14 | 1 | - | - | 1 | 1 | - | 2 | 2 | 5 | 1  | 1 | - |
| 1999.....                   | 18 | 2 | - | - | 2 | - | 1 | 2 | 1 | 4 | 4  | 2 | - |

Worktable Orig290F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2007

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data - mortality"]

---

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, sex, and year

|  | All ages | Under 1 year | 1-4 years | 5-14 years | 15-24 years | 25-34 years | 35-44 years | 45-54 years | 55-64 years | 65-74 years | 75-84 years | 85 years and over | Age not stated |
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|

---

Salmonella infections (A01-A02)

Non-Hispanic 1/, female

|           |    |   |   |   |   |   |   |   |   |   |   |   |   |
|-----------|----|---|---|---|---|---|---|---|---|---|---|---|---|
| 2007..... | 14 | 1 | - | - | - | 1 | - | 1 | 2 | 1 | 4 | 4 | - |
| 2006..... | 9  | 1 | 1 | - | 1 | - | - | - | 1 | - | 2 | 3 | - |
| 2005..... | 18 | - | - | - | 1 | 2 | 1 | 1 | 1 | 2 | 6 | 4 | - |
| 2004..... | 8  | - | - | - | - | 1 | - | - | - | 4 | 1 | 2 | - |
| 2003..... | 17 | 2 | - | - | - | 1 | 1 | - | 2 | 3 | 5 | 3 | - |
| 2002..... | 9  | 2 | - | - | - | - | 2 | 1 | - | 1 | 3 | - | - |
| 2001..... | 20 | 2 | - | - | - | 1 | - | - | 1 | 1 | 7 | 8 | - |
| 2000..... | 12 | - | 2 | - | - | - | - | 2 | - | 2 | 4 | 2 | - |
| 1999..... | 16 | 1 | - | - | - | - | 1 | - | 1 | 2 | 6 | 5 | - |

Non-Hispanic white, both sexes

|              |    |   |   |   |   |   |   |   |   |   |    |   |   |
|--------------|----|---|---|---|---|---|---|---|---|---|----|---|---|
| 2007 2/..... | 22 | 1 | 1 | - | - | 1 | - | 2 | 1 | 3 | 5  | 8 | - |
| 2006 2/..... | 21 | - | 1 | - | - | - | - | 1 | 3 | 5 | 6  | 5 | - |
| 2005 2/..... | 20 | - | - | - | - | 1 | 1 | - | 4 | 3 | 7  | 4 | - |
| 2004 2/..... | 17 | - | - | - | - | 1 | - | 1 | 2 | 3 | 5  | 5 | - |
| 2003 2/..... | 25 | 1 | - | - | - | - | - | 1 | 5 | 4 | 6  | 8 | - |
| 2002.....    | 15 | 2 | - | - | - | - | 2 | 2 | - | 1 | 7  | 1 | - |
| 2001.....    | 28 | 1 | - | - | - | 2 | - | 2 | 2 | 3 | 10 | 8 | - |
| 2000.....    | 23 | - | 2 | - | - | 1 | - | 4 | 2 | 6 | 5  | 3 | - |
| 1999.....    | 28 | 3 | - | - | 1 | - | 2 | 2 | 1 | 4 | 8  | 7 | - |

Worktable Orig290F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2007

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data - mortality"]

---

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, sex, and year

|  | All ages | Under 1 year | 1-4 years | 5-14 years | 15-24 years | 25-34 years | 35-44 years | 45-54 years | 55-64 years | 65-74 years | 75-84 years | 85 years and over | Age not stated |
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|

---

Salmonella infections (A01-A02)

Non-Hispanic white, male

|              |    |   |   |   |   |   |   |   |   |   |   |   |   |
|--------------|----|---|---|---|---|---|---|---|---|---|---|---|---|
| 2007 2/..... | 11 | - | 1 | - | - | - | - | 1 | - | 2 | 2 | 5 | - |
| 2006 2/..... | 15 | - | - | - | - | - | - | 1 | 2 | 5 | 5 | 2 | - |
| 2005 2/..... | 6  | - | - | - | - | - | - | - | 3 | 1 | 1 | 1 | - |
| 2004 2/..... | 11 | - | - | - | - | - | - | 1 | 2 | 1 | 4 | 3 | - |
| 2003 2/..... | 14 | - | - | - | - | - | - | 1 | 3 | 3 | 2 | 5 | - |
| 2002.....    | 8  | 1 | - | - | - | - | - | 1 | - | - | 5 | 1 | - |
| 2001.....    | 13 | - | - | - | - | 1 | - | 2 | 1 | 3 | 5 | 1 | - |
| 2000.....    | 12 | - | - | - | - | 1 | - | 2 | 2 | 5 | 1 | 1 | - |
| 1999.....    | 13 | 2 | - | - | 1 | - | 1 | 2 | - | 2 | 3 | 2 | - |

Non-Hispanic white, female

|              |    |   |   |   |   |   |   |   |   |   |   |   |   |
|--------------|----|---|---|---|---|---|---|---|---|---|---|---|---|
| 2007 2/..... | 11 | 1 | - | - | - | 1 | - | 1 | 1 | 1 | 3 | 3 | - |
| 2006 2/..... | 6  | - | 1 | - | - | - | - | - | 1 | - | 1 | 3 | - |
| 2005 2/..... | 14 | - | - | - | - | 1 | 1 | - | 1 | 2 | 6 | 3 | - |
| 2004 2/..... | 6  | - | - | - | - | 1 | - | - | - | 2 | 1 | 2 | - |
| 2003 2/..... | 11 | 1 | - | - | - | - | - | - | 2 | 1 | 4 | 3 | - |
| 2002.....    | 7  | 1 | - | - | - | - | 2 | 1 | - | 1 | 2 | - | - |
| 2001.....    | 15 | 1 | - | - | - | 1 | - | - | 1 | - | 5 | 7 | - |
| 2000.....    | 11 | - | 2 | - | - | - | - | 2 | - | 1 | 4 | 2 | - |
| 1999.....    | 15 | 1 | - | - | - | - | 1 | - | 1 | 2 | 5 | 5 | - |

Worktable Orig290F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2007

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data - mortality"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, sex, and year | All ages | Under 1 year | 1-4 years | 5-14 years | 15-24 years | 25-34 years | 35-44 years | 45-54 years | 55-64 years | 65-74 years | 75-84 years | 85 years and over | Age not stated |
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|

Salmonella infections (A01-A02)

| Non-Hispanic black, both sexes |   |   |   |   |   |   |   |   |   |   |   |   |   |
|--------------------------------|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 2007 2/.....                   | 3 | - | - | - | - | - | - | 1 | 1 | - | 1 | - | - |
| 2006 2/.....                   | 8 | 2 | - | - | 1 | - | - | 1 | - | 1 | 2 | 1 | - |
| 2005 2/.....                   | 5 | - | - | - | - | 1 | - | 1 | 1 | - | 1 | 1 | - |
| 2004 2/.....                   | 4 | - | - | - | - | - | - | 1 | 1 | 2 | - | - | - |
| 2003 2/.....                   | 8 | 2 | - | - | - | 1 | 1 | - | - | 1 | 3 | - | - |
| 2002.....                      | 3 | 1 | - | - | - | - | - | - | - | 1 | 1 | - | - |
| 2001.....                      | 5 | 1 | - | - | - | - | - | - | - | 1 | 2 | 1 | - |
| 2000.....                      | 2 | 1 | - | - | 1 | - | - | - | - | - | - | - | - |
| 1999.....                      | 4 | - | - | - | 1 | - | - | - | - | 1 | 2 | - | - |
| Non-Hispanic black, male       |   |   |   |   |   |   |   |   |   |   |   |   |   |
| 2007 2/.....                   | 1 | - | - | - | - | - | - | 1 | - | - | - | - | - |
| 2006 2/.....                   | 5 | 1 | - | - | - | - | - | 1 | - | 1 | 1 | 1 | - |
| 2005 2/.....                   | 2 | - | - | - | - | - | - | - | 1 | - | 1 | - | - |
| 2004 2/.....                   | 3 | - | - | - | - | - | - | 1 | 1 | 1 | - | - | - |
| 2003 2/.....                   | 3 | 1 | - | - | - | - | - | - | - | - | 2 | - | - |
| 2002.....                      | 1 | - | - | - | - | - | - | - | - | 1 | - | - | - |
| 2001.....                      | 1 | - | - | - | - | - | - | - | - | 1 | - | - | - |
| 2000.....                      | 2 | 1 | - | - | 1 | - | - | - | - | - | - | - | - |
| 1999.....                      | 3 | - | - | - | 1 | - | - | - | - | 1 | 1 | - | - |







Worktable Orig290F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2007

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data - mortality"]

---

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, sex, and year

|  | All ages | Under 1 year | 1-4 years | 5-14 years | 15-24 years | 25-34 years | 35-44 years | 45-54 years | 55-64 years | 65-74 years | 75-84 years | 85 years and over | Age not stated |
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|

---

Shigellosis and amebiasis (A03,A06)

All origins, both sexes

|           |    |   |   |   |   |   |   |   |   |   |   |   |   |
|-----------|----|---|---|---|---|---|---|---|---|---|---|---|---|
| 2007..... | 4  | - | - | 2 | - | - | 1 | - | - | - | 1 | - | - |
| 2006..... | 6  | - | 3 | - | - | - | - | 1 | 1 | - | 1 | - | - |
| 2005..... | 10 | - | 1 | 2 | - | - | - | 1 | 2 | 2 | 2 | - | - |
| 2004..... | 3  | - | - | 1 | 1 | - | - | - | - | 1 | - | - | - |
| 2003..... | 7  | - | - | - | - | - | 3 | - | 2 | 1 | 1 | - | - |
| 2002..... | 8  | - | 1 | - | 1 | - | 1 | 2 | 1 | - | 1 | 1 | - |
| 2001..... | 7  | 1 | 1 | 1 | - | - | - | 3 | - | - | 1 | - | - |
| 2000..... | 12 | - | - | - | - | - | 1 | 1 | 1 | 1 | 7 | 1 | - |
| 1999..... | 10 | - | 1 | 1 | - | - | 1 | - | 1 | 1 | 1 | 4 | - |

All origins, male

|           |   |   |   |   |   |   |   |   |   |   |   |   |   |
|-----------|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 2007..... | 2 | - | - | 1 | - | - | 1 | - | - | - | - | - | - |
| 2006..... | 2 | - | 1 | - | - | - | - | 1 | - | - | - | - | - |
| 2005..... | 3 | - | - | 1 | - | - | - | 1 | 1 | - | - | - | - |
| 2004..... | 2 | - | - | 1 | - | - | - | - | - | 1 | - | - | - |
| 2003..... | 5 | - | - | - | - | - | 2 | - | 1 | 1 | 1 | - | - |
| 2002..... | 4 | - | - | - | 1 | - | 1 | 2 | - | - | - | - | - |
| 2001..... | 6 | 1 | 1 | 1 | - | - | - | 3 | - | - | - | - | - |
| 2000..... | 5 | - | - | - | - | - | 1 | - | 1 | - | 3 | - | - |
| 1999..... | 6 | - | 1 | 1 | - | - | 1 | - | 1 | 1 | - | 1 | - |

Worktable Orig290F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2007

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data - mortality"]

---

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, sex, and year

|  | All ages | Under 1 year | 1-4 years | 5-14 years | 15-24 years | 25-34 years | 35-44 years | 45-54 years | 55-64 years | 65-74 years | 75-84 years | 85 years and over | Age not stated |
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|

---

Shigellosis and amebiasis (A03,A06)

All origins, female

|           |   |   |   |   |   |   |   |   |   |   |   |   |   |
|-----------|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 2007..... | 2 | - | - | 1 | - | - | - | - | - | - | 1 | - | - |
| 2006..... | 4 | - | 2 | - | - | - | - | - | 1 | - | 1 | - | - |
| 2005..... | 7 | - | 1 | 1 | - | - | - | - | 1 | 2 | 2 | - | - |
| 2004..... | 1 | - | - | - | 1 | - | - | - | - | - | - | - | - |
| 2003..... | 2 | - | - | - | - | - | 1 | - | 1 | - | - | - | - |
| 2002..... | 4 | - | 1 | - | - | - | - | - | 1 | - | 1 | 1 | - |
| 2001..... | 1 | - | - | - | - | - | - | - | - | - | 1 | - | - |
| 2000..... | 7 | - | - | - | - | - | - | 1 | - | 1 | 4 | 1 | - |
| 1999..... | 4 | - | - | - | - | - | - | - | - | - | 1 | 3 | - |

Hispanic, both sexes

|           |   |   |   |   |   |   |   |   |   |   |   |   |   |
|-----------|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 2007..... | 2 | - | - | 1 | - | - | 1 | - | - | - | - | - | - |
| 2006..... | 2 | - | 1 | - | - | - | - | - | - | - | 1 | - | - |
| 2005..... | 4 | - | 1 | 1 | - | - | - | 1 | - | - | 1 | - | - |
| 2004..... | 2 | - | - | 1 | 1 | - | - | - | - | - | - | - | - |
| 2003..... | 4 | - | - | - | - | - | 2 | - | 1 | 1 | - | - | - |
| 2002..... | 1 | - | - | - | - | - | - | 1 | - | - | - | - | - |
| 2001..... | 3 | - | 1 | 1 | - | - | - | 1 | - | - | - | - | - |
| 2000..... | - | - | - | - | - | - | - | - | - | - | - | - | - |
| 1999..... | 4 | - | 1 | 1 | - | - | 1 | - | - | - | 1 | - | - |

Worktable Orig290F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2007

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data - mortality"]

---

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, sex, and year

|  | All ages | Under 1 year | 1-4 years | 5-14 years | 15-24 years | 25-34 years | 35-44 years | 45-54 years | 55-64 years | 65-74 years | 75-84 years | 85 years and over | Age not stated |
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|

---

Shigellosis and amebiasis (A03,A06)

Hispanic, male

|           |   |   |   |   |   |   |   |   |   |   |   |   |   |
|-----------|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 2007..... | 2 | - | - | 1 | - | - | 1 | - | - | - | - | - | - |
| 2006..... | - | - | - | - | - | - | - | - | - | - | - | - | - |
| 2005..... | 1 | - | - | - | - | - | - | 1 | - | - | - | - | - |
| 2004..... | 1 | - | - | 1 | - | - | - | - | - | - | - | - | - |
| 2003..... | 2 | - | - | - | - | - | 1 | - | - | 1 | - | - | - |
| 2002..... | 1 | - | - | - | - | - | - | 1 | - | - | - | - | - |
| 2001..... | 3 | - | 1 | 1 | - | - | - | 1 | - | - | - | - | - |
| 2000..... | - | - | - | - | - | - | - | - | - | - | - | - | - |
| 1999..... | 3 | - | 1 | 1 | - | - | 1 | - | - | - | - | - | - |

Hispanic, female

|           |   |   |   |   |   |   |   |   |   |   |   |   |   |
|-----------|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 2007..... | - | - | - | - | - | - | - | - | - | - | - | - | - |
| 2006..... | 2 | - | 1 | - | - | - | - | - | - | - | 1 | - | - |
| 2005..... | 3 | - | 1 | 1 | - | - | - | - | - | - | 1 | - | - |
| 2004..... | 1 | - | - | - | 1 | - | - | - | - | - | - | - | - |
| 2003..... | 2 | - | - | - | - | - | 1 | - | 1 | - | - | - | - |
| 2002..... | - | - | - | - | - | - | - | - | - | - | - | - | - |
| 2001..... | - | - | - | - | - | - | - | - | - | - | - | - | - |
| 2000..... | - | - | - | - | - | - | - | - | - | - | - | - | - |
| 1999..... | 1 | - | - | - | - | - | - | - | - | - | 1 | - | - |

Worktable Orig290F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2007

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data - mortality"]

---

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, sex, and year

|  | All ages | Under 1 year | 1-4 years | 5-14 years | 15-24 years | 25-34 years | 35-44 years | 45-54 years | 55-64 years | 65-74 years | 75-84 years | 85 years and over | Age not stated |
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|

---

Shigellosis and amebiasis (A03,A06)

Non-Hispanic 1/, both sexes

|           |    |   |   |   |   |   |   |   |   |   |   |   |   |
|-----------|----|---|---|---|---|---|---|---|---|---|---|---|---|
| 2007..... | 2  | - | - | 1 | - | - | - | - | - | - | 1 | - | - |
| 2006..... | 4  | - | 2 | - | - | - | - | 1 | 1 | - | - | - | - |
| 2005..... | 6  | - | - | 1 | - | - | - | - | 2 | 2 | 1 | - | - |
| 2004..... | 1  | - | - | - | - | - | - | - | - | 1 | - | - | - |
| 2003..... | 3  | - | - | - | - | - | 1 | - | 1 | - | 1 | - | - |
| 2002..... | 7  | - | 1 | - | 1 | - | 1 | 1 | 1 | - | 1 | 1 | - |
| 2001..... | 4  | 1 | - | - | - | - | - | 2 | - | - | 1 | - | - |
| 2000..... | 12 | - | - | - | - | - | 1 | 1 | 1 | 1 | 7 | 1 | - |
| 1999..... | 6  | - | - | - | - | - | - | - | 1 | 1 | - | 4 | - |

Non-Hispanic 1/, male

|           |   |   |   |   |   |   |   |   |   |   |   |   |   |
|-----------|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 2007..... | - | - | - | - | - | - | - | - | - | - | - | - | - |
| 2006..... | 2 | - | 1 | - | - | - | - | 1 | - | - | - | - | - |
| 2005..... | 2 | - | - | 1 | - | - | - | - | 1 | - | - | - | - |
| 2004..... | 1 | - | - | - | - | - | - | - | - | 1 | - | - | - |
| 2003..... | 3 | - | - | - | - | - | 1 | - | 1 | - | 1 | - | - |
| 2002..... | 3 | - | - | - | 1 | - | 1 | 1 | - | - | - | - | - |
| 2001..... | 3 | 1 | - | - | - | - | - | 2 | - | - | - | - | - |
| 2000..... | 5 | - | - | - | - | - | 1 | - | 1 | - | 3 | - | - |
| 1999..... | 3 | - | - | - | - | - | - | - | 1 | 1 | - | 1 | - |

Worktable Orig290F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2007

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data - mortality"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, sex, and year | All ages | Under 1 year | 1-4 years | 5-14 years | 15-24 years | 25-34 years | 35-44 years | 45-54 years | 55-64 years | 65-74 years | 75-84 years | 85 years and over | Age not stated |
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|

Shigellosis and amebiasis (A03,A06)

| Non-Hispanic 1/, female        |    |   |   |   |   |   |   |   |   |   |   |   |   |
|--------------------------------|----|---|---|---|---|---|---|---|---|---|---|---|---|
| 2007.....                      | 2  | - | - | 1 | - | - | - | - | - | - | 1 | - | - |
| 2006.....                      | 2  | - | 1 | - | - | - | - | - | 1 | - | - | - | - |
| 2005.....                      | 4  | - | - | - | - | - | - | - | 1 | 2 | 1 | - | - |
| 2004.....                      | -  | - | - | - | - | - | - | - | - | - | - | - | - |
| 2003.....                      | -  | - | - | - | - | - | - | - | - | - | - | - | - |
| 2002.....                      | 4  | - | 1 | - | - | - | - | - | 1 | - | 1 | 1 | - |
| 2001.....                      | 1  | - | - | - | - | - | - | - | - | - | 1 | - | - |
| 2000.....                      | 7  | - | - | - | - | - | - | 1 | - | 1 | 4 | 1 | - |
| 1999.....                      | 3  | - | - | - | - | - | - | - | - | - | - | 3 | - |
| Non-Hispanic white, both sexes |    |   |   |   |   |   |   |   |   |   |   |   |   |
| 2007 2/.....                   | 1  | - | - | - | - | - | - | - | - | - | 1 | - | - |
| 2006 2/.....                   | 3  | - | 1 | - | - | - | - | 1 | 1 | - | - | - | - |
| 2005 2/.....                   | 6  | - | - | 1 | - | - | - | - | 2 | 2 | 1 | - | - |
| 2004 2/.....                   | 1  | - | - | - | - | - | - | - | - | 1 | - | - | - |
| 2003 2/.....                   | 2  | - | - | - | - | - | - | - | 1 | - | 1 | - | - |
| 2002.....                      | 6  | - | - | - | 1 | - | 1 | 1 | 1 | - | 1 | 1 | - |
| 2001.....                      | 4  | 1 | - | - | - | - | - | 2 | - | - | 1 | - | - |
| 2000.....                      | 10 | - | - | - | - | - | - | 1 | 1 | - | 7 | 1 | - |
| 1999.....                      | 6  | - | - | - | - | - | - | - | 1 | 1 | - | 4 | - |











Worktable Orig290F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2007

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data - mortality"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, sex, and year | All ages | Under 1 year | 1-4 years | 5-14 years | 15-24 years | 25-34 years | 35-44 years | 45-54 years | 55-64 years | 65-74 years | 75-84 years | 85 years and over | Age not stated |
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|

Certain other intestinal infections (A04,A07-A09)

| All origins, both sexes |       |    |    |    |    |    |    |     |     |     |       |       |   |
|-------------------------|-------|----|----|----|----|----|----|-----|-----|-----|-------|-------|---|
| 2007.....               | 6,758 | 11 | 14 | 5  | 5  | 15 | 36 | 122 | 325 | 915 | 2,446 | 2,864 | - |
| 2006.....               | 6,639 | 13 | 9  | 4  | 10 | 11 | 33 | 124 | 363 | 911 | 2,484 | 2,677 | - |
| 2005.....               | 5,667 | 10 | 12 | 10 | 3  | 11 | 32 | 104 | 253 | 829 | 2,070 | 2,333 | - |
| 2004.....               | 4,357 | 13 | 15 | 1  | 2  | 12 | 31 | 94  | 252 | 608 | 1,662 | 1,667 | - |
| 2003.....               | 3,090 | 10 | 4  | 7  | 4  | 8  | 14 | 64  | 176 | 444 | 1,192 | 1,167 | - |
| 2002.....               | 2,465 | 13 | 8  | 3  | 6  | 4  | 18 | 56  | 142 | 362 | 889   | 964   | - |
| 2001.....               | 1,537 | 10 | 18 | 4  | -  | 4  | 12 | 42  | 81  | 235 | 566   | 565   | - |
| 2000.....               | 1,328 | 13 | 10 | -  | 1  | 3  | 19 | 29  | 70  | 222 | 462   | 499   | - |
| 1999.....               | 1,108 | 12 | 8  | 3  | 5  | 6  | 7  | 23  | 49  | 176 | 390   | 429   | - |
| All origins, male       |       |    |    |    |    |    |    |     |     |     |       |       |   |
| 2007.....               | 2,541 | 8  | 8  | 2  | 4  | 4  | 16 | 53  | 174 | 407 | 970   | 895   | - |
| 2006.....               | 2,550 | 5  | 6  | 2  | 4  | 8  | 21 | 64  | 193 | 420 | 983   | 844   | - |
| 2005.....               | 2,209 | 7  | 4  | 5  | 3  | 6  | 17 | 53  | 132 | 377 | 865   | 740   | - |
| 2004.....               | 1,622 | 8  | 5  | -  | 1  | 5  | 19 | 48  | 125 | 264 | 665   | 482   | - |
| 2003.....               | 1,109 | 6  | 4  | 2  | 2  | 4  | 5  | 32  | 82  | 185 | 478   | 309   | - |
| 2002.....               | 947   | 3  | 5  | 1  | 3  | 1  | 8  | 29  | 71  | 185 | 358   | 283   | - |
| 2001.....               | 572   | 7  | 11 | 2  | -  | 2  | 8  | 15  | 35  | 108 | 227   | 157   | - |
| 2000.....               | 524   | 10 | 6  | -  | -  | 3  | 10 | 16  | 39  | 105 | 195   | 140   | - |
| 1999.....               | 420   | 8  | 4  | 3  | 3  | 5  | 4  | 11  | 26  | 74  | 169   | 113   | - |

Worktable Orig290F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2007

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data - mortality"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, sex, and year | All ages | Under 1 year | 1-4 years | 5-14 years | 15-24 years | 25-34 years | 35-44 years | 45-54 years | 55-64 years | 65-74 years | 75-84 years | 85 years and over | Age not stated |
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|

Certain other intestinal infections (A04,A07-A09)

| All origins, female  |       |    |    |   |   |    |    |    |     |     |       |       |   |
|----------------------|-------|----|----|---|---|----|----|----|-----|-----|-------|-------|---|
| 2007.....            | 4,217 | 3  | 6  | 3 | 1 | 11 | 20 | 69 | 151 | 508 | 1,476 | 1,969 | - |
| 2006.....            | 4,089 | 8  | 3  | 2 | 6 | 3  | 12 | 60 | 170 | 491 | 1,501 | 1,833 | - |
| 2005.....            | 3,458 | 3  | 8  | 5 | - | 5  | 15 | 51 | 121 | 452 | 1,205 | 1,593 | - |
| 2004.....            | 2,735 | 5  | 10 | 1 | 1 | 7  | 12 | 46 | 127 | 344 | 997   | 1,185 | - |
| 2003.....            | 1,981 | 4  | -  | 5 | 2 | 4  | 9  | 32 | 94  | 259 | 714   | 858   | - |
| 2002.....            | 1,518 | 10 | 3  | 2 | 3 | 3  | 10 | 27 | 71  | 177 | 531   | 681   | - |
| 2001.....            | 965   | 3  | 7  | 2 | - | 2  | 4  | 27 | 46  | 127 | 339   | 408   | - |
| 2000.....            | 804   | 3  | 4  | - | 1 | -  | 9  | 13 | 31  | 117 | 267   | 359   | - |
| 1999.....            | 688   | 4  | 4  | - | 2 | 1  | 3  | 12 | 23  | 102 | 221   | 316   | - |
| Hispanic, both sexes |       |    |    |   |   |    |    |    |     |     |       |       |   |
| 2007.....            | 277   | 2  | 3  | 1 | 1 | 2  | 1  | 15 | 17  | 48  | 93    | 94    | - |
| 2006.....            | 282   | 3  | 1  | 1 | 4 | 3  | 5  | 3  | 33  | 46  | 120   | 63    | - |
| 2005.....            | 190   | 3  | 2  | 2 | - | 1  | 1  | 9  | 12  | 34  | 69    | 57    | - |
| 2004.....            | 149   | 2  | 3  | - | 1 | 1  | 1  | 9  | 17  | 26  | 50    | 39    | - |
| 2003.....            | 99    | 2  | 2  | 3 | - | 1  | -  | 6  | 10  | 16  | 31    | 28    | - |
| 2002.....            | 78    | 5  | 5  | - | 1 | -  | 1  | 3  | 6   | 10  | 31    | 16    | - |
| 2001.....            | 53    | 1  | 1  | - | - | -  | 4  | 2  | 4   | 8   | 16    | 17    | - |
| 2000.....            | 46    | 3  | 2  | - | - | -  | 2  | -  | 8   | 9   | 11    | 11    | - |
| 1999.....            | 34    | 3  | 1  | - | 2 | 1  | -  | 4  | 5   | 7   | 4     | 7     | - |

Worktable Orig290F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2007

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data - mortality"]

---

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, sex, and year

|  | All ages | Under 1 year | 1-4 years | 5-14 years | 15-24 years | 25-34 years | 35-44 years | 45-54 years | 55-64 years | 65-74 years | 75-84 years | 85 years and over | Age not stated |
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|

---

Certain other intestinal infections (A04,A07-A09)

|                  | All ages | Under 1 year | 1-4 years | 5-14 years | 15-24 years | 25-34 years | 35-44 years | 45-54 years | 55-64 years | 65-74 years | 75-84 years | 85 years and over | Age not stated |
|------------------|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|
| Hispanic, male   |          |              |           |            |             |             |             |             |             |             |             |                   |                |
| 2007.....        | 118      | 2            | 2         | -          | 1           | 2           | -           | 5           | 10          | 22          | 42          | 32                | -              |
| 2006.....        | 117      | 2            | 1         | 1          | 2           | 3           | 2           | 1           | 18          | 22          | 41          | 24                | -              |
| 2005.....        | 65       | 2            | 1         | 1          | -           | 1           | -           | 4           | -           | 15          | 25          | 16                | -              |
| 2004.....        | 57       | 1            | 1         | -          | -           | 1           | -           | 6           | 5           | 12          | 16          | 15                | -              |
| 2003.....        | 47       | -            | 2         | 1          | -           | -           | -           | 4           | 7           | 7           | 13          | 13                | -              |
| 2002.....        | 31       | 1            | 3         | -          | -           | -           | -           | 2           | 4           | 5           | 12          | 4                 | -              |
| 2001.....        | 19       | 1            | 1         | -          | -           | -           | 3           | -           | 2           | 1           | 5           | 6                 | -              |
| 2000.....        | 23       | 2            | 1         | -          | -           | -           | 1           | -           | 5           | 6           | 4           | 4                 | -              |
| 1999.....        | 17       | 2            | -         | -          | 2           | 1           | -           | 2           | 2           | 3           | 2           | 3                 | -              |
| Hispanic, female |          |              |           |            |             |             |             |             |             |             |             |                   |                |
| 2007.....        | 159      | -            | 1         | 1          | -           | -           | 1           | 10          | 7           | 26          | 51          | 62                | -              |
| 2006.....        | 165      | 1            | -         | -          | 2           | -           | 3           | 2           | 15          | 24          | 79          | 39                | -              |
| 2005.....        | 125      | 1            | 1         | 1          | -           | -           | 1           | 5           | 12          | 19          | 44          | 41                | -              |
| 2004.....        | 92       | 1            | 2         | -          | 1           | -           | 1           | 3           | 12          | 14          | 34          | 24                | -              |
| 2003.....        | 52       | 2            | -         | 2          | -           | 1           | -           | 2           | 3           | 9           | 18          | 15                | -              |
| 2002.....        | 47       | 4            | 2         | -          | 1           | -           | 1           | 1           | 2           | 5           | 19          | 12                | -              |
| 2001.....        | 34       | -            | -         | -          | -           | -           | 1           | 2           | 2           | 7           | 11          | 11                | -              |
| 2000.....        | 23       | 1            | 1         | -          | -           | -           | 1           | -           | 3           | 3           | 7           | 7                 | -              |
| 1999.....        | 17       | 1            | 1         | -          | -           | -           | -           | 2           | 3           | 4           | 2           | 4                 | -              |

Worktable Orig290F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2007

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data - mortality"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, sex, and year | All ages | Under 1 year | 1-4 years | 5-14 years | 15-24 years | 25-34 years | 35-44 years | 45-54 years | 55-64 years | 65-74 years | 75-84 years | 85 years and over | Age not stated |
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|

Certain other intestinal infections (A04,A07-A09)

| Non-Hispanic 1/, both sexes |       |    |    |   |   |    |    |     |     |     |       |       |   |
|-----------------------------|-------|----|----|---|---|----|----|-----|-----|-----|-------|-------|---|
| 2007.....                   | 6,477 | 8  | 11 | 4 | 4 | 13 | 35 | 107 | 308 | 866 | 2,352 | 2,769 | - |
| 2006.....                   | 6,352 | 10 | 8  | 3 | 6 | 8  | 28 | 121 | 330 | 863 | 2,362 | 2,613 | - |
| 2005.....                   | 5,469 | 7  | 10 | 8 | 3 | 10 | 30 | 95  | 241 | 794 | 1,999 | 2,272 | - |
| 2004.....                   | 4,200 | 9  | 12 | 1 | 1 | 11 | 30 | 85  | 234 | 582 | 1,610 | 1,625 | - |
| 2003.....                   | 2,986 | 8  | 2  | 4 | 4 | 7  | 14 | 57  | 164 | 428 | 1,160 | 1,138 | - |
| 2002.....                   | 2,381 | 8  | 3  | 3 | 5 | 4  | 17 | 52  | 135 | 351 | 857   | 946   | - |
| 2001.....                   | 1,474 | 9  | 16 | 4 | - | 4  | 8  | 40  | 77  | 225 | 546   | 545   | - |
| 2000.....                   | 1,277 | 10 | 8  | - | 1 | 3  | 17 | 29  | 62  | 211 | 449   | 487   | - |
| 1999.....                   | 1,071 | 9  | 7  | 3 | 3 | 5  | 7  | 19  | 44  | 169 | 386   | 419   | - |
| Non-Hispanic 1/, male       |       |    |    |   |   |    |    |     |     |     |       |       |   |
| 2007.....                   | 2,421 | 5  | 6  | 2 | 3 | 2  | 16 | 48  | 164 | 384 | 928   | 863   | - |
| 2006.....                   | 2,430 | 3  | 5  | 1 | 2 | 5  | 19 | 63  | 175 | 396 | 942   | 819   | - |
| 2005.....                   | 2,141 | 5  | 3  | 4 | 3 | 5  | 16 | 49  | 132 | 362 | 840   | 722   | - |
| 2004.....                   | 1,560 | 5  | 4  | - | 1 | 4  | 19 | 42  | 119 | 252 | 648   | 466   | - |
| 2003.....                   | 1,061 | 6  | 2  | 1 | 2 | 4  | 5  | 28  | 75  | 178 | 465   | 295   | - |
| 2002.....                   | 915   | 2  | 2  | 1 | 3 | 1  | 8  | 26  | 67  | 180 | 346   | 279   | - |
| 2001.....                   | 550   | 6  | 10 | 2 | - | 2  | 5  | 15  | 33  | 105 | 222   | 150   | - |
| 2000.....                   | 497   | 8  | 5  | - | - | 3  | 9  | 16  | 34  | 98  | 189   | 135   | - |
| 1999.....                   | 403   | 6  | 4  | 3 | 1 | 4  | 4  | 9   | 24  | 71  | 167   | 110   | - |

Worktable Orig290F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2007

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data - mortality"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, sex, and year | All ages | Under 1 year | 1-4 years | 5-14 years | 15-24 years | 25-34 years | 35-44 years | 45-54 years | 55-64 years | 65-74 years | 75-84 years | 85 years and over | Age not stated |
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|

Certain other intestinal infections (A04,A07-A09)

| Non-Hispanic 1/, female        |       |   |    |   |   |    |    |    |     |     |       |       |   |
|--------------------------------|-------|---|----|---|---|----|----|----|-----|-----|-------|-------|---|
| 2007.....                      | 4,056 | 3 | 5  | 2 | 1 | 11 | 19 | 59 | 144 | 482 | 1,424 | 1,906 | - |
| 2006.....                      | 3,922 | 7 | 3  | 2 | 4 | 3  | 9  | 58 | 155 | 467 | 1,420 | 1,794 | - |
| 2005.....                      | 3,328 | 2 | 7  | 4 | - | 5  | 14 | 46 | 109 | 432 | 1,159 | 1,550 | - |
| 2004.....                      | 2,640 | 4 | 8  | 1 | - | 7  | 11 | 43 | 115 | 330 | 962   | 1,159 | - |
| 2003.....                      | 1,925 | 2 | -  | 3 | 2 | 3  | 9  | 29 | 89  | 250 | 695   | 843   | - |
| 2002.....                      | 1,466 | 6 | 1  | 2 | 2 | 3  | 9  | 26 | 68  | 171 | 511   | 667   | - |
| 2001.....                      | 924   | 3 | 6  | 2 | - | 2  | 3  | 25 | 44  | 120 | 324   | 395   | - |
| 2000.....                      | 780   | 2 | 3  | - | 1 | -  | 8  | 13 | 28  | 113 | 260   | 352   | - |
| 1999.....                      | 668   | 3 | 3  | - | 2 | 1  | 3  | 10 | 20  | 98  | 219   | 309   | - |
| Non-Hispanic white, both sexes |       |   |    |   |   |    |    |    |     |     |       |       |   |
| 2007 2/.....                   | 5,978 | 3 | 6  | 3 | 3 | 7  | 30 | 83 | 258 | 769 | 2,193 | 2,623 | - |
| 2006 2/.....                   | 5,883 | 6 | 3  | 2 | 5 | 5  | 19 | 85 | 269 | 771 | 2,228 | 2,490 | - |
| 2005 2/.....                   | 5,082 | 3 | 7  | 6 | 2 | 8  | 22 | 77 | 196 | 719 | 1,874 | 2,168 | - |
| 2004 2/.....                   | 3,919 | 6 | 9  | 1 | 1 | 8  | 21 | 67 | 206 | 528 | 1,511 | 1,561 | - |
| 2003 2/.....                   | 2,776 | 3 | 1  | 3 | 3 | 5  | 11 | 44 | 140 | 397 | 1,088 | 1,081 | - |
| 2002.....                      | 2,205 | 2 | 1  | 3 | 5 | 2  | 14 | 45 | 104 | 319 | 814   | 896   | - |
| 2001.....                      | 1,357 | 5 | 13 | 3 | - | 2  | 6  | 35 | 62  | 202 | 509   | 520   | - |
| 2000.....                      | 1,175 | 5 | 5  | - | 1 | 2  | 9  | 22 | 54  | 191 | 430   | 456   | - |
| 1999.....                      | 990   | 5 | 6  | 1 | 2 | 5  | 4  | 15 | 36  | 155 | 360   | 401   | - |



Worktable Orig290F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2007

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data - mortality"]

---

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, sex, and year

|  | All ages | Under 1 year | 1-4 years | 5-14 years | 15-24 years | 25-34 years | 35-44 years | 45-54 years | 55-64 years | 65-74 years | 75-84 years | 85 years and over | Age not stated |
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|

---

Certain other intestinal infections (A04,A07-A09)

| Non-Hispanic white, male   |       |   |   |   |   |   |    |    |     |     |       |       |   |
|----------------------------|-------|---|---|---|---|---|----|----|-----|-----|-------|-------|---|
| 2007 2/.....               | 2,228 | 2 | 3 | 2 | 2 | 1 | 14 | 41 | 138 | 337 | 865   | 823   | - |
| 2006 2/.....               | 2,234 | 2 | 2 | 1 | 2 | 4 | 13 | 44 | 144 | 356 | 884   | 782   | - |
| 2005 2/.....               | 1,978 | 2 | 1 | 2 | 2 | 4 | 11 | 39 | 110 | 332 | 779   | 696   | - |
| 2004 2/.....               | 1,440 | 3 | 2 | - | 1 | 3 | 13 | 31 | 102 | 227 | 612   | 446   | - |
| 2003 2/.....               | 989   | 2 | 1 | 1 | 2 | 3 | 5  | 23 | 61  | 166 | 442   | 283   | - |
| 2002.....                  | 840   | - | 1 | 1 | 3 | 1 | 6  | 24 | 52  | 159 | 328   | 265   | - |
| 2001.....                  | 497   | 3 | 8 | 1 | - | 2 | 3  | 12 | 29  | 94  | 203   | 142   | - |
| 2000.....                  | 453   | 4 | 4 | - | - | 2 | 6  | 12 | 29  | 89  | 180   | 127   | - |
| 1999.....                  | 373   | 4 | 3 | 1 | 1 | 4 | 3  | 6  | 20  | 69  | 158   | 104   | - |
| Non-Hispanic white, female |       |   |   |   |   |   |    |    |     |     |       |       |   |
| 2007 2/.....               | 3,750 | 1 | 3 | 1 | 1 | 6 | 16 | 42 | 120 | 432 | 1,328 | 1,800 | - |
| 2006 2/.....               | 3,649 | 4 | 1 | 1 | 3 | 1 | 6  | 41 | 125 | 415 | 1,344 | 1,708 | - |
| 2005 2/.....               | 3,104 | 1 | 6 | 4 | - | 4 | 11 | 38 | 86  | 387 | 1,095 | 1,472 | - |
| 2004 2/.....               | 2,479 | 3 | 7 | 1 | - | 5 | 8  | 36 | 104 | 301 | 899   | 1,115 | - |
| 2003 2/.....               | 1,787 | 1 | - | 2 | 1 | 2 | 6  | 21 | 79  | 231 | 646   | 798   | - |
| 2002.....                  | 1,365 | 2 | - | 2 | 2 | 1 | 8  | 21 | 52  | 160 | 486   | 631   | - |
| 2001.....                  | 860   | 2 | 5 | 2 | - | - | 3  | 23 | 33  | 108 | 306   | 378   | - |
| 2000.....                  | 722   | 1 | 1 | - | 1 | - | 3  | 10 | 25  | 102 | 250   | 329   | - |
| 1999.....                  | 617   | 1 | 3 | - | 1 | 1 | 1  | 9  | 16  | 86  | 202   | 297   | - |

Worktable Orig290F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2007

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data - mortality"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, sex, and year | All ages | Under 1 year | 1-4 years | 5-14 years | 15-24 years | 25-34 years | 35-44 years | 45-54 years | 55-64 years | 65-74 years | 75-84 years | 85 years and over | Age not stated |
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|

Certain other intestinal infections (A04,A07-A09)

| Non-Hispanic black, both sexes |     |   |   |   |   |   |   |    |    |    |     |     |   |
|--------------------------------|-----|---|---|---|---|---|---|----|----|----|-----|-----|---|
| 2007 2/.....                   | 420 | 3 | 4 | 1 | - | 5 | 4 | 19 | 43 | 83 | 133 | 125 | - |
| 2006 2/.....                   | 376 | 3 | 3 | 1 | - | 3 | 8 | 32 | 53 | 78 | 104 | 91  | - |
| 2005 2/.....                   | 318 | 3 | 3 | 2 | 1 | 1 | 7 | 16 | 38 | 64 | 98  | 85  | - |
| 2004 2/.....                   | 237 | 1 | 2 | - | - | 3 | 7 | 16 | 26 | 45 | 81  | 56  | - |
| 2003 2/.....                   | 183 | 5 | 1 | 1 | 1 | 1 | 2 | 10 | 21 | 25 | 64  | 52  | - |
| 2002.....                      | 155 | 5 | 1 | - | - | 2 | 3 | 5  | 29 | 31 | 35  | 44  | - |
| 2001.....                      | 98  | 3 | 3 | 1 | - | 2 | 2 | 5  | 13 | 22 | 28  | 19  | - |
| 2000.....                      | 83  | 4 | 2 | - | - | 1 | 6 | 7  | 6  | 15 | 16  | 26  | - |
| 1999.....                      | 74  | 4 | - | 2 | 1 | - | 3 | 3  | 6  | 14 | 25  | 16  | - |
| Non-Hispanic black, male       |     |   |   |   |   |   |   |    |    |    |     |     |   |
| 2007 2/.....                   | 158 | 2 | 2 | - | - | 1 | 2 | 6  | 22 | 38 | 52  | 33  | - |
| 2006 2/.....                   | 144 | - | 2 | - | - | 1 | 5 | 15 | 27 | 32 | 40  | 22  | - |
| 2005 2/.....                   | 129 | 2 | 2 | 2 | 1 | 1 | 4 | 9  | 17 | 26 | 47  | 18  | - |
| 2004 2/.....                   | 96  | 1 | 1 | - | - | 1 | 4 | 10 | 16 | 21 | 26  | 16  | - |
| 2003 2/.....                   | 65  | 4 | 1 | - | - | 1 | - | 4  | 12 | 9  | 23  | 11  | - |
| 2002.....                      | 66  | 1 | 1 | - | - | - | 2 | 2  | 15 | 20 | 13  | 12  | - |
| 2001.....                      | 42  | 2 | 2 | 1 | - | - | 2 | 3  | 4  | 10 | 12  | 6   | - |
| 2000.....                      | 36  | 3 | 1 | - | - | 1 | 2 | 4  | 4  | 6  | 8   | 7   | - |
| 1999.....                      | 25  | 2 | - | 2 | - | - | 1 | 2  | 2  | 2  | 9   | 5   | - |





Worktable Orig290F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2007

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data - mortality"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, sex, and year | All ages | Under 1 year | 1-4 years | 5-14 years | 15-24 years | 25-34 years | 35-44 years | 45-54 years | 55-64 years | 65-74 years | 75-84 years | 85 years and over | Age not stated |
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|
| <b>Tuberculosis (A16-A19)</b>  |          |              |           |            |             |             |             |             |             |             |             |                   |                |
| All origins, both sexes  |          |              |           |            |             |             |             |             |             |             |             |                   |                |
| 2007.....  | 554      | 2            | -         | 1          | 6           | 14          | 32          | 73          | 88          | 97          | 151         | 90                | -              |
| 2006.....  | 652      | -            | 4         | 1          | 4           | 18          | 31          | 97          | 101         | 117         | 168         | 111               | -              |
| 2005.....  | 648      | 2            | 3         | 1          | 18          | 21          | 38          | 79          | 91          | 116         | 165         | 114               | -              |
| 2004.....  | 657      | 1            | 1         | 2          | 7           | 16          | 53          | 80          | 79          | 137         | 165         | 116               | -              |
| 2003.....  | 711      | -            | 1         | 2          | 10          | 18          | 35          | 105         | 102         | 114         | 217         | 107               | -              |
| 2002.....  | 784      | 1            | -         | -          | 9           | 18          | 52          | 81          | 107         | 161         | 234         | 121               | -              |
| 2001.....  | 764      | 2            | 1         | -          | 12          | 25          | 40          | 84          | 116         | 152         | 206         | 125               | 1              |
| 2000.....  | 776      | 1            | 6         | 1          | 11          | 20          | 42          | 91          | 81          | 155         | 252         | 115               | 1              |
| 1999.....  | 930      | 2            | 2         | 3          | 11          | 19          | 57          | 106         | 130         | 173         | 253         | 173               | 1              |
| All origins, male  |          |              |           |            |             |             |             |             |             |             |             |                   |                |
| 2007.....  | 342      | 1            | -         | -          | 4           | 7           | 23          | 57          | 66          | 53          | 82          | 49                | -              |
| 2006.....  | 425      | -            | 1         | -          | 2           | 11          | 26          | 77          | 81          | 77          | 98          | 52                | -              |
| 2005.....  | 392      | 2            | 2         | -          | 12          | 12          | 30          | 54          | 64          | 74          | 89          | 53                | -              |
| 2004.....  | 406      | -            | 1         | 1          | 4           | 12          | 40          | 53          | 60          | 93          | 84          | 58                | -              |
| 2003.....  | 427      | -            | 1         | 2          | 3           | 13          | 25          | 79          | 71          | 72          | 116         | 45                | -              |
| 2002.....  | 462      | -            | -         | -          | 5           | 11          | 38          | 55          | 75          | 102         | 121         | 55                | -              |
| 2001.....  | 453      | -            | -         | -          | 8           | 14          | 27          | 63          | 85          | 98          | 100         | 57                | 1              |
| 2000.....  | 468      | -            | 1         | -          | 7           | 14          | 28          | 76          | 59          | 87          | 139         | 56                | 1              |
| 1999.....  | 584      | -            | 2         | 2          | 4           | 11          | 43          | 87          | 96          | 116         | 137         | 85                | 1              |

Worktable Orig290F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2007

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data - mortality"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, sex, and year | All ages | Under 1 year | 1-4 years | 5-14 years | 15-24 years | 25-34 years | 35-44 years | 45-54 years | 55-64 years | 65-74 years | 75-84 years | 85 years and over | Age not stated |
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|
| Tuberculosis (A16-A19)   |          |              |           |            |             |             |             |             |             |             |             |                   |                |
| All origins, female  |          |              |           |            |             |             |             |             |             |             |             |                   |                |
| 2007.....  | 212      | 1            | -         | 1          | 2           | 7           | 9           | 16          | 22          | 44          | 69          | 41                | -              |
| 2006.....  | 227      | -            | 3         | 1          | 2           | 7           | 5           | 20          | 20          | 40          | 70          | 59                | -              |
| 2005.....  | 256      | -            | 1         | 1          | 6           | 9           | 8           | 25          | 27          | 42          | 76          | 61                | -              |
| 2004.....  | 251      | 1            | -         | 1          | 3           | 4           | 13          | 27          | 19          | 44          | 81          | 58                | -              |
| 2003.....  | 284      | -            | -         | -          | 7           | 5           | 10          | 26          | 31          | 42          | 101         | 62                | -              |
| 2002.....  | 322      | 1            | -         | -          | 4           | 7           | 14          | 26          | 32          | 59          | 113         | 66                | -              |
| 2001.....  | 311      | 2            | 1         | -          | 4           | 11          | 13          | 21          | 31          | 54          | 106         | 68                | -              |
| 2000.....  | 308      | 1            | 5         | 1          | 4           | 6           | 14          | 15          | 22          | 68          | 113         | 59                | -              |
| 1999.....  | 346      | 2            | -         | 1          | 7           | 8           | 14          | 19          | 34          | 57          | 116         | 88                | -              |
| Hispanic, both sexes   |          |              |           |            |             |             |             |             |             |             |             |                   |                |
| 2007.....  | 92       | 1            | -         | -          | 2           | 8           | 8           | 15          | 13          | 10          | 23          | 12                | -              |
| 2006.....  | 104      | -            | 1         | 1          | 3           | 5           | 8           | 14          | 22          | 20          | 20          | 10                | -              |
| 2005.....  | 94       | 1            | 2         | 1          | 5           | 6           | 17          | 15          | 12          | 12          | 15          | 8                 | -              |
| 2004.....  | 110      | 1            | -         | 1          | 3           | 6           | 12          | 11          | 14          | 23          | 26          | 13                | -              |
| 2003.....  | 89       | -            | 1         | -          | 5           | 6           | 8           | 13          | 13          | 15          | 20          | 8                 | -              |
| 2002.....  | 95       | -            | -         | -          | 2           | 4           | 11          | 10          | 17          | 21          | 19          | 11                | -              |
| 2001.....  | 97       | -            | -         | -          | 6           | 9           | 9           | 9           | 18          | 18          | 20          | 8                 | -              |
| 2000.....  | 83       | -            | 2         | 1          | 3           | 7           | 3           | 9           | 12          | 13          | 23          | 10                | -              |
| 1999.....  | 125      | 1            | -         | 1          | 4           | 3           | 13          | 19          | 20          | 24          | 27          | 13                | -              |

Worktable Orig290F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2007

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data - mortality"]

---

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, sex, and year

|  | All ages | Under 1 year | 1-4 years | 5-14 years | 15-24 years | 25-34 years | 35-44 years | 45-54 years | 55-64 years | 65-74 years | 75-84 years | 85 years and over | Age not stated |
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|

---

Tuberculosis (A16-A19)

| Hispanic, male   |    |   |   |   |   |   |    |    |    |    |    |    |   |
|------------------|----|---|---|---|---|---|----|----|----|----|----|----|---|
| 2007.....        | 63 | 1 | - | - | 1 | 6 | 6  | 9  | 9  | 7  | 14 | 10 | - |
| 2006.....        | 64 | - | - | - | 1 | 3 | 6  | 13 | 15 | 10 | 10 | 6  | - |
| 2005.....        | 66 | 1 | 2 | - | 2 | 5 | 13 | 12 | 10 | 8  | 9  | 4  | - |
| 2004.....        | 73 | - | - | 1 | 2 | 4 | 8  | 7  | 11 | 16 | 17 | 7  | - |
| 2003.....        | 60 | - | 1 | - | 3 | 4 | 7  | 11 | 9  | 11 | 11 | 3  | - |
| 2002.....        | 52 | - | - | - | 1 | 3 | 9  | 6  | 6  | 11 | 11 | 5  | - |
| 2001.....        | 67 | - | - | - | 6 | 7 | 5  | 9  | 13 | 14 | 10 | 3  | - |
| 2000.....        | 46 | - | - | - | 1 | 4 | 2  | 5  | 7  | 8  | 14 | 5  | - |
| 1999.....        | 78 | - | - | 1 | 3 | 3 | 9  | 16 | 11 | 16 | 13 | 6  | - |
|                  |    |   |   |   |   |   |    |    |    |    |    |    |   |
| Hispanic, female |    |   |   |   |   |   |    |    |    |    |    |    |   |
| 2007.....        | 29 | - | - | - | 1 | 2 | 2  | 6  | 4  | 3  | 9  | 2  | - |
| 2006.....        | 40 | - | 1 | 1 | 2 | 2 | 2  | 1  | 7  | 10 | 10 | 4  | - |
| 2005.....        | 28 | - | - | 1 | 3 | 1 | 4  | 3  | 2  | 4  | 6  | 4  | - |
| 2004.....        | 37 | 1 | - | - | 1 | 2 | 4  | 4  | 3  | 7  | 9  | 6  | - |
| 2003.....        | 29 | - | - | - | 2 | 2 | 1  | 2  | 4  | 4  | 9  | 5  | - |
| 2002.....        | 43 | - | - | - | 1 | 1 | 2  | 4  | 11 | 10 | 8  | 6  | - |
| 2001.....        | 30 | - | - | - | - | 2 | 4  | -  | 5  | 4  | 10 | 5  | - |
| 2000.....        | 37 | - | 2 | 1 | 2 | 3 | 1  | 4  | 5  | 5  | 9  | 5  | - |
| 1999.....        | 47 | 1 | - | - | 1 | - | 4  | 3  | 9  | 8  | 14 | 7  | - |

Worktable Orig290F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2007

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data - mortality"]

---

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, sex, and year

|  | All ages | Under 1 year | 1-4 years | 5-14 years | 15-24 years | 25-34 years | 35-44 years | 45-54 years | 55-64 years | 65-74 years | 75-84 years | 85 years and over | Age not stated |
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|

---

Tuberculosis (A16-A19)

Non-Hispanic 1/, both sexes

|           |     |   |   |   |    |    |    |    |     |     |     |     |   |
|-----------|-----|---|---|---|----|----|----|----|-----|-----|-----|-----|---|
| 2007..... | 459 | 1 | - | 1 | 4  | 6  | 24 | 58 | 73  | 86  | 128 | 78  | - |
| 2006..... | 545 | - | 3 | - | 1  | 13 | 23 | 82 | 79  | 97  | 148 | 99  | - |
| 2005..... | 551 | 1 | 1 | - | 13 | 15 | 21 | 63 | 78  | 103 | 150 | 106 | - |
| 2004..... | 542 | - | 1 | 1 | 4  | 10 | 41 | 69 | 65  | 113 | 138 | 100 | - |
| 2003..... | 617 | - | - | 2 | 5  | 12 | 26 | 92 | 87  | 98  | 197 | 98  | - |
| 2002..... | 682 | 1 | - | - | 6  | 14 | 39 | 70 | 88  | 139 | 215 | 110 | - |
| 2001..... | 660 | 2 | 1 | - | 6  | 16 | 30 | 73 | 96  | 134 | 186 | 116 | - |
| 2000..... | 683 | 1 | 4 | - | 8  | 13 | 39 | 80 | 68  | 140 | 226 | 104 | - |
| 1999..... | 788 | 1 | 2 | 2 | 6  | 16 | 42 | 82 | 109 | 148 | 222 | 158 | - |

Non-Hispanic 1/, male

|           |     |   |   |   |    |    |    |    |    |    |     |    |   |
|-----------|-----|---|---|---|----|----|----|----|----|----|-----|----|---|
| 2007..... | 278 | - | - | - | 3  | 1  | 17 | 48 | 56 | 46 | 68  | 39 | - |
| 2006..... | 359 | - | 1 | - | 1  | 8  | 20 | 63 | 66 | 67 | 88  | 45 | - |
| 2005..... | 325 | 1 | - | - | 10 | 7  | 17 | 41 | 54 | 66 | 80  | 49 | - |
| 2004..... | 330 | - | 1 | - | 2  | 8  | 32 | 46 | 49 | 76 | 66  | 50 | - |
| 2003..... | 364 | - | - | 2 | -  | 9  | 18 | 68 | 60 | 60 | 105 | 42 | - |
| 2002..... | 404 | - | - | - | 4  | 8  | 27 | 48 | 67 | 90 | 110 | 50 | - |
| 2001..... | 379 | - | - | - | 2  | 7  | 21 | 52 | 70 | 84 | 90  | 53 | - |
| 2000..... | 414 | - | 1 | - | 6  | 10 | 26 | 69 | 51 | 78 | 122 | 51 | - |
| 1999..... | 492 | - | 2 | 1 | -  | 8  | 32 | 66 | 84 | 99 | 122 | 78 | - |



Worktable Orig290F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2007

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data - mortality"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, sex, and year | All ages | Under 1 year | 1-4 years | 5-14 years | 15-24 years | 25-34 years | 35-44 years | 45-54 years | 55-64 years | 65-74 years | 75-84 years | 85 years and over | Age not stated |
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|
| <b>Tuberculosis (A16-A19)</b>  |          |              |           |            |             |             |             |             |             |             |             |                   |                |
| Non-Hispanic 1/, female  |          |              |           |            |             |             |             |             |             |             |             |                   |                |
| 2007.....  | 181      | 1            | -         | 1          | 1           | 5           | 7           | 10          | 17          | 40          | 60          | 39                | -              |
| 2006.....  | 186      | -            | 2         | -          | -           | 5           | 3           | 19          | 13          | 30          | 60          | 54                | -              |
| 2005.....  | 226      | -            | 1         | -          | 3           | 8           | 4           | 22          | 24          | 37          | 70          | 57                | -              |
| 2004.....  | 212      | -            | -         | 1          | 2           | 2           | 9           | 23          | 16          | 37          | 72          | 50                | -              |
| 2003.....  | 253      | -            | -         | -          | 5           | 3           | 8           | 24          | 27          | 38          | 92          | 56                | -              |
| 2002.....  | 278      | 1            | -         | -          | 2           | 6           | 12          | 22          | 21          | 49          | 105         | 60                | -              |
| 2001.....  | 281      | 2            | 1         | -          | 4           | 9           | 9           | 21          | 26          | 50          | 96          | 63                | -              |
| 2000.....  | 269      | 1            | 3         | -          | 2           | 3           | 13          | 11          | 17          | 62          | 104         | 53                | -              |
| 1999.....  | 296      | 1            | -         | 1          | 6           | 8           | 10          | 16          | 25          | 49          | 100         | 80                | -              |
| Non-Hispanic white, both sexes   |          |              |           |            |             |             |             |             |             |             |             |                   |                |
| 2007 2/.....   | 250      | -            | -         | 1          | 2           | -           | 8           | 26          | 34          | 44          | 71          | 64                | -              |
| 2006 2/.....   | 284      | -            | 1         | -          | 1           | 4           | 9           | 31          | 33          | 46          | 93          | 66                | -              |
| 2005 2/.....   | 283      | 1            | -         | -          | 4           | 4           | 8           | 29          | 34          | 51          | 82          | 70                | -              |
| 2004 2/.....   | 282      | -            | 1         | -          | -           | 2           | 17          | 28          | 28          | 55          | 88          | 63                | -              |
| 2003 2/.....   | 347      | -            | -         | 2          | 1           | 2           | 3           | 32          | 47          | 60          | 130         | 70                | -              |
| 2002.....  | 366      | -            | -         | -          | 1           | 2           | 10          | 26          | 41          | 66          | 145         | 75                | -              |
| 2001.....  | 368      | 1            | 1         | -          | 2           | 2           | 12          | 32          | 48          | 72          | 120         | 78                | -              |
| 2000.....  | 353      | -            | 2         | -          | 3           | 4           | 10          | 34          | 22          | 72          | 131         | 75                | -              |
| 1999.....  | 430      | -            | -         | -          | -           | 2           | 11          | 30          | 53          | 84          | 142         | 108               | -              |

Worktable Orig290F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2007

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data - mortality"]

---

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, sex, and year

|  | All ages | Under 1 year | 1-4 years | 5-14 years | 15-24 years | 25-34 years | 35-44 years | 45-54 years | 55-64 years | 65-74 years | 75-84 years | 85 years and over | Age not stated |
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|

---

Tuberculosis (A16-A19)

| Non-Hispanic white, male   |     |   |   |   |   |   |    |    |    |    |    |    |   |
|----------------------------|-----|---|---|---|---|---|----|----|----|----|----|----|---|
| 2007 2/.....               | 146 | - | - | - | 2 | - | 4  | 22 | 28 | 24 | 34 | 32 | - |
| 2006 2/.....               | 173 | - | - | - | 1 | 2 | 9  | 23 | 28 | 32 | 53 | 25 | - |
| 2005 2/.....               | 162 | 1 | - | - | 4 | 2 | 6  | 23 | 25 | 30 | 40 | 31 | - |
| 2004 2/.....               | 166 | - | 1 | - | - | 1 | 11 | 20 | 23 | 37 | 42 | 31 | - |
| 2003 2/.....               | 195 | - | - | 2 | - | 1 | 2  | 26 | 34 | 34 | 66 | 30 | - |
| 2002.....                  | 218 | - | - | - | 1 | - | 7  | 20 | 31 | 52 | 72 | 35 | - |
| 2001.....                  | 200 | - | - | - | - | 2 | 10 | 20 | 37 | 39 | 59 | 33 | - |
| 2000.....                  | 205 | - | - | - | 3 | 3 | 9  | 28 | 17 | 44 | 63 | 38 | - |
| 1999.....                  | 263 | - | - | - | - | 1 | 9  | 27 | 41 | 57 | 77 | 51 | - |
| Non-Hispanic white, female |     |   |   |   |   |   |    |    |    |    |    |    |   |
| 2007 2/.....               | 104 | - | - | 1 | - | - | 4  | 4  | 6  | 20 | 37 | 32 | - |
| 2006 2/.....               | 111 | - | 1 | - | - | 2 | -  | 8  | 5  | 14 | 40 | 41 | - |
| 2005 2/.....               | 121 | - | - | - | - | 2 | 2  | 6  | 9  | 21 | 42 | 39 | - |
| 2004 2/.....               | 116 | - | - | - | - | 1 | 6  | 8  | 5  | 18 | 46 | 32 | - |
| 2003 2/.....               | 152 | - | - | - | 1 | 1 | 1  | 6  | 13 | 26 | 64 | 40 | - |
| 2002.....                  | 148 | - | - | - | - | 2 | 3  | 6  | 10 | 14 | 73 | 40 | - |
| 2001.....                  | 168 | 1 | 1 | - | 2 | - | 2  | 12 | 11 | 33 | 61 | 45 | - |
| 2000.....                  | 148 | - | 2 | - | - | 1 | 1  | 6  | 5  | 28 | 68 | 37 | - |
| 1999.....                  | 167 | - | - | - | - | 1 | 2  | 3  | 12 | 27 | 65 | 57 | - |

Worktable Orig290F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2007

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data - mortality"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, sex, and year | All ages | Under 1 year | 1-4 years | 5-14 years | 15-24 years | 25-34 years | 35-44 years | 45-54 years | 55-64 years | 65-74 years | 75-84 years | 85 years and over | Age not stated |
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|
| <b>Tuberculosis (A16-A19)</b>  |          |              |           |            |             |             |             |             |             |             |             |                   |                |
| <b>Non-Hispanic black, both sexes</b>  |          |              |           |            |             |             |             |             |             |             |             |                   |                |
| 2007 2/.....   | 121      | 1            | -         | -          | 1           | 3           | 13          | 22          | 27          | 23          | 26          | 5                 | -              |
| 2006 2/.....   | 158      | -            | 1         | -          | -           | 6           | 11          | 35          | 34          | 35          | 26          | 10                | -              |
| 2005 2/.....   | 150      | -            | 1         | -          | 6           | 7           | 10          | 23          | 27          | 31          | 29          | 16                | -              |
| 2004 2/.....   | 183      | -            | -         | 1          | 3           | 6           | 21          | 32          | 26          | 40          | 30          | 24                | -              |
| 2003 2/.....   | 168      | -            | -         | -          | 4           | 6           | 15          | 47          | 29          | 20          | 33          | 14                | -              |
| 2002.....  | 198      | -            | -         | -          | 3           | 8           | 23          | 34          | 31          | 43          | 37          | 19                | -              |
| 2001.....  | 200      | -            | -         | -          | 1           | 9           | 16          | 36          | 37          | 44          | 35          | 22                | -              |
| 2000.....  | 238      | -            | 2         | -          | 2           | 7           | 25          | 41          | 33          | 52          | 58          | 18                | -              |
| 1999.....  | 239      | 1            | 2         | 1          | 4           | 9           | 24          | 41          | 39          | 42          | 50          | 26                | -              |
| <b>Non-Hispanic black, male</b>  |          |              |           |            |             |             |             |             |             |             |             |                   |                |
| 2007 2/.....   | 82       | -            | -         | -          | -           | -           | 11          | 20          | 18          | 16          | 14          | 3                 | -              |
| 2006 2/.....   | 113      | -            | -         | -          | -           | 4           | 9           | 26          | 29          | 23          | 16          | 6                 | -              |
| 2005 2/.....   | 92       | -            | -         | -          | 4           | 2           | 9           | 15          | 18          | 25          | 13          | 6                 | -              |
| 2004 2/.....   | 114      | -            | -         | -          | 2           | 5           | 18          | 18          | 20          | 25          | 15          | 11                | -              |
| 2003 2/.....   | 111      | -            | -         | -          | -           | 5           | 11          | 35          | 19          | 15          | 20          | 6                 | -              |
| 2002.....  | 123      | -            | -         | -          | 2           | 5           | 16          | 23          | 23          | 25          | 22          | 7                 | -              |
| 2001.....  | 124      | -            | -         | -          | -           | 3           | 10          | 29          | 26          | 30          | 14          | 12                | -              |
| 2000.....  | 156      | -            | 1         | -          | 1           | 5           | 14          | 36          | 26          | 28          | 38          | 7                 | -              |
| 1999.....  | 154      | -            | 2         | -          | -           | 4           | 18          | 33          | 31          | 28          | 25          | 13                | -              |

Worktable Orig290F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2007

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data - mortality"]

---

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, sex, and year

|  | All ages | Under 1 year | 1-4 years | 5-14 years | 15-24 years | 25-34 years | 35-44 years | 45-54 years | 55-64 years | 65-74 years | 75-84 years | 85 years and over | Age not stated |
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|

---

Tuberculosis (A16-A19)

Non-Hispanic black, female

|              |    |   |   |   |   |   |    |    |    |    |    |    |   |
|--------------|----|---|---|---|---|---|----|----|----|----|----|----|---|
| 2007 2/..... | 39 | 1 | - | - | 1 | 3 | 2  | 2  | 9  | 7  | 12 | 2  | - |
| 2006 2/..... | 45 | - | 1 | - | - | 2 | 2  | 9  | 5  | 12 | 10 | 4  | - |
| 2005 2/..... | 58 | - | 1 | - | 2 | 5 | 1  | 8  | 9  | 6  | 16 | 10 | - |
| 2004 2/..... | 69 | - | - | 1 | 1 | 1 | 3  | 14 | 6  | 15 | 15 | 13 | - |
| 2003 2/..... | 57 | - | - | - | 4 | 1 | 4  | 12 | 10 | 5  | 13 | 8  | - |
| 2002.....    | 75 | - | - | - | 1 | 3 | 7  | 11 | 8  | 18 | 15 | 12 | - |
| 2001.....    | 76 | - | - | - | 1 | 6 | 6  | 7  | 11 | 14 | 21 | 10 | - |
| 2000.....    | 82 | - | 1 | - | 1 | 2 | 11 | 5  | 7  | 24 | 20 | 11 | - |
| 1999.....    | 85 | 1 | - | 1 | 4 | 5 | 6  | 8  | 8  | 14 | 25 | 13 | - |

Origin not stated 3/, both sexes

|           |    |   |   |   |   |   |   |   |   |   |   |   |   |
|-----------|----|---|---|---|---|---|---|---|---|---|---|---|---|
| 2007..... | 3  | - | - | - | - | - | - | - | 2 | 1 | - | - | - |
| 2006..... | 3  | - | - | - | - | - | - | 1 | - | - | - | 2 | - |
| 2005..... | 3  | - | - | - | - | - | - | 1 | 1 | 1 | - | - | - |
| 2004..... | 5  | - | - | - | - | - | - | - | - | 1 | 1 | 3 | - |
| 2003..... | 5  | - | - | - | - | - | 1 | - | 2 | 1 | - | 1 | - |
| 2002..... | 7  | - | - | - | 1 | - | 2 | 1 | 2 | 1 | - | - | - |
| 2001..... | 7  | - | - | - | - | - | 1 | 2 | 2 | - | - | 1 | 1 |
| 2000..... | 10 | - | - | - | - | - | - | 2 | 1 | 2 | 3 | 1 | 1 |
| 1999..... | 17 | - | - | - | 1 | - | 2 | 5 | 1 | 1 | 4 | 2 | 1 |

Worktable Orig290F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2007

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data - mortality"]

---

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, sex, and year

|  | All ages | Under 1 year | 1-4 years | 5-14 years | 15-24 years | 25-34 years | 35-44 years | 45-54 years | 55-64 years | 65-74 years | 75-84 years | 85 years and over | Age not stated |
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|

---

Tuberculosis (A16-A19)

|                              | All ages | Under 1 year | 1-4 years | 5-14 years | 15-24 years | 25-34 years | 35-44 years | 45-54 years | 55-64 years | 65-74 years | 75-84 years | 85 years and over | Age not stated |
|------------------------------|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|
| Origin not stated 3/, male   |          |              |           |            |             |             |             |             |             |             |             |                   |                |
| 2007.....                    | 1        | -            | -         | -          | -           | -           | -           | -           | 1           | -           | -           | -                 | -              |
| 2006.....                    | 2        | -            | -         | -          | -           | -           | -           | 1           | -           | -           | -           | 1                 | -              |
| 2005.....                    | 1        | -            | -         | -          | -           | -           | -           | 1           | -           | -           | -           | -                 | -              |
| 2004.....                    | 3        | -            | -         | -          | -           | -           | -           | -           | -           | 1           | 1           | 1                 | -              |
| 2003.....                    | 3        | -            | -         | -          | -           | -           | -           | -           | 2           | 1           | -           | -                 | -              |
| 2002.....                    | 6        | -            | -         | -          | -           | -           | 2           | 1           | 2           | 1           | -           | -                 | -              |
| 2001.....                    | 7        | -            | -         | -          | -           | -           | 1           | 2           | 2           | -           | -           | 1                 | 1              |
| 2000.....                    | 8        | -            | -         | -          | -           | -           | -           | 2           | 1           | 1           | 3           | -                 | 1              |
| 1999.....                    | 14       | -            | -         | -          | 1           | -           | 2           | 5           | 1           | 1           | 2           | 1                 | 1              |
| Origin not stated 3/, female |          |              |           |            |             |             |             |             |             |             |             |                   |                |
| 2007.....                    | 2        | -            | -         | -          | -           | -           | -           | -           | 1           | 1           | -           | -                 | -              |
| 2006.....                    | 1        | -            | -         | -          | -           | -           | -           | -           | -           | -           | -           | 1                 | -              |
| 2005.....                    | 2        | -            | -         | -          | -           | -           | -           | -           | 1           | 1           | -           | -                 | -              |
| 2004.....                    | 2        | -            | -         | -          | -           | -           | -           | -           | -           | -           | -           | 2                 | -              |
| 2003.....                    | 2        | -            | -         | -          | -           | -           | 1           | -           | -           | -           | -           | 1                 | -              |
| 2002.....                    | 1        | -            | -         | -          | 1           | -           | -           | -           | -           | -           | -           | -                 | -              |
| 2001.....                    | -        | -            | -         | -          | -           | -           | -           | -           | -           | -           | -           | -                 | -              |
| 2000.....                    | 2        | -            | -         | -          | -           | -           | -           | -           | -           | 1           | -           | 1                 | -              |
| 1999.....                    | 3        | -            | -         | -          | -           | -           | -           | -           | -           | -           | 2           | 1                 | -              |

Worktable Orig290F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2007

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data - mortality"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, sex, and year | All ages | Under 1 year | 1-4 years | 5-14 years | 15-24 years | 25-34 years | 35-44 years | 45-54 years | 55-64 years | 65-74 years | 75-84 years | 85 years and over | Age not stated |
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|
| Respiratory tuberculosis (A16)   |          |              |           |            |             |             |             |             |             |             |             |                   |                |
| All origins, both sexes  |          |              |           |            |             |             |             |             |             |             |             |                   |                |
| 2007.....  | 424      | 2            | -         | 1          | 3           | 10          | 27          | 53          | 62          | 73          | 119         | 74                | -              |
| 2006.....  | 490      | -            | -         | 1          | 2           | 14          | 22          | 67          | 83          | 84          | 132         | 85                | -              |
| 2005.....  | 480      | 2            | 1         | -          | 9           | 11          | 28          | 62          | 62          | 81          | 129         | 95                | -              |
| 2004.....  | 504      | 1            | 1         | 1          | 4           | 11          | 36          | 58          | 58          | 108         | 120         | 106               | -              |
| 2003.....  | 562      | -            | 1         | 2          | 9           | 6           | 26          | 86          | 81          | 88          | 177         | 86                | -              |
| 2002.....  | 626      | -            | -         | -          | 6           | 14          | 40          | 64          | 84          | 120         | 192         | 106               | -              |
| 2001.....  | 600      | 2            | 1         | -          | 7           | 17          | 28          | 61          | 96          | 115         | 166         | 106               | 1              |
| 2000.....  | 615      | -            | 3         | -          | 7           | 11          | 35          | 72          | 60          | 119         | 209         | 98                | 1              |
| 1999.....  | 764      | 1            | 1         | 1          | 8           | 14          | 45          | 76          | 109         | 139         | 216         | 153               | 1              |
| All origins, male  |          |              |           |            |             |             |             |             |             |             |             |                   |                |
| 2007.....  | 266      | 1            | -         | -          | 2           | 4           | 18          | 42          | 50          | 41          | 66          | 42                | -              |
| 2006.....  | 335      | -            | -         | -          | 1           | 8           | 20          | 54          | 70          | 59          | 82          | 41                | -              |
| 2005.....  | 291      | 2            | 1         | -          | 4           | 3           | 23          | 43          | 46          | 57          | 68          | 44                | -              |
| 2004.....  | 316      | -            | 1         | -          | 2           | 8           | 28          | 40          | 43          | 74          | 64          | 56                | -              |
| 2003.....  | 344      | -            | 1         | 2          | 3           | 6           | 17          | 64          | 57          | 61          | 97          | 36                | -              |
| 2002.....  | 372      | -            | -         | -          | 4           | 9           | 31          | 43          | 60          | 80          | 96          | 49                | -              |
| 2001.....  | 371      | -            | -         | -          | 5           | 10          | 18          | 49          | 78          | 76          | 84          | 50                | 1              |
| 2000.....  | 393      | -            | 1         | -          | 4           | 8           | 26          | 64          | 50          | 73          | 116         | 50                | 1              |
| 1999.....  | 486      | -            | 1         | 1          | 2           | 8           | 33          | 64          | 83          | 97          | 120         | 76                | 1              |

Worktable Orig290F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2007

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data - mortality"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, sex, and year | All ages | Under 1 year | 1-4 years | 5-14 years | 15-24 years | 25-34 years | 35-44 years | 45-54 years | 55-64 years | 65-74 years | 75-84 years | 85 years and over | Age not stated |
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|
| Respiratory tuberculosis (A16)   |          |              |           |            |             |             |             |             |             |             |             |                   |                |
| All origins, female  |          |              |           |            |             |             |             |             |             |             |             |                   |                |
| 2007.....  | 158      | 1            | -         | 1          | 1           | 6           | 9           | 11          | 12          | 32          | 53          | 32                | -              |
| 2006.....  | 155      | -            | -         | 1          | 1           | 6           | 2           | 13          | 13          | 25          | 50          | 44                | -              |
| 2005.....  | 189      | -            | -         | -          | 5           | 8           | 5           | 19          | 16          | 24          | 61          | 51                | -              |
| 2004.....  | 188      | 1            | -         | 1          | 2           | 3           | 8           | 18          | 15          | 34          | 56          | 50                | -              |
| 2003.....  | 218      | -            | -         | -          | 6           | -           | 9           | 22          | 24          | 27          | 80          | 50                | -              |
| 2002.....  | 254      | -            | -         | -          | 2           | 5           | 9           | 21          | 24          | 40          | 96          | 57                | -              |
| 2001.....  | 229      | 2            | 1         | -          | 2           | 7           | 10          | 12          | 18          | 39          | 82          | 56                | -              |
| 2000.....  | 222      | -            | 2         | -          | 3           | 3           | 9           | 8           | 10          | 46          | 93          | 48                | -              |
| 1999.....  | 278      | 1            | -         | -          | 6           | 6           | 12          | 12          | 26          | 42          | 96          | 77                | -              |
| Hispanic, both sexes   |          |              |           |            |             |             |             |             |             |             |             |                   |                |
| 2007.....  | 75       | 1            | -         | -          | 1           | 5           | 8           | 9           | 11          | 8           | 21          | 11                | -              |
| 2006.....  | 76       | -            | -         | 1          | 2           | 2           | 6           | 9           | 18          | 15          | 15          | 8                 | -              |
| 2005.....  | 56       | 1            | 1         | -          | 3           | 1           | 10          | 11          | 5           | 8           | 10          | 6                 | -              |
| 2004.....  | 83       | 1            | -         | -          | 1           | 2           | 9           | 8           | 11          | 17          | 22          | 12                | -              |
| 2003.....  | 77       | -            | 1         | -          | 5           | 4           | 7           | 10          | 11          | 14          | 19          | 6                 | -              |
| 2002.....  | 78       | -            | -         | -          | 1           | 4           | 10          | 8           | 12          | 16          | 16          | 11                | -              |
| 2001.....  | 77       | -            | -         | -          | 3           | 8           | 5           | 7           | 15          | 17          | 17          | 5                 | -              |
| 2000.....  | 60       | -            | 1         | -          | 2           | 3           | 2           | 5           | 9           | 12          | 18          | 8                 | -              |
| 1999.....  | 93       | -            | -         | -          | 2           | 1           | 10          | 10          | 16          | 18          | 24          | 12                | -              |

Worktable Orig290F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2007

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data - mortality"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, sex, and year | All ages | Under 1 year | 1-4 years | 5-14 years | 15-24 years | 25-34 years | 35-44 years | 45-54 years | 55-64 years | 65-74 years | 75-84 years | 85 years and over | Age not stated |
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|
| Respiratory tuberculosis (A16)   |          |              |           |            |             |             |             |             |             |             |             |                   |                |
| Hispanic, male   |          |              |           |            |             |             |             |             |             |             |             |                   |                |
| 2007.....  | 52       | 1            | -         | -          | -           | 4           | 6           | 4           | 8           | 6           | 14          | 9                 | -              |
| 2006.....  | 48       | -            | -         | -          | 1           | 1           | 5           | 8           | 13          | 7           | 8           | 5                 | -              |
| 2005.....  | 36       | 1            | 1         | -          | -           | -           | 8           | 9           | 3           | 5           | 6           | 3                 | -              |
| 2004.....  | 54       | -            | -         | -          | -           | 1           | 7           | 5           | 8           | 11          | 15          | 7                 | -              |
| 2003.....  | 55       | -            | 1         | -          | 3           | 4           | 6           | 9           | 7           | 11          | 11          | 3                 | -              |
| 2002.....  | 44       | -            | -         | -          | 1           | 3           | 8           | 4           | 5           | 9           | 9           | 5                 | -              |
| 2001.....  | 56       | -            | -         | -          | 3           | 6           | 3           | 7           | 12          | 13          | 10          | 2                 | -              |
| 2000.....  | 40       | -            | -         | -          | 1           | 3           | 2           | 3           | 6           | 8           | 12          | 5                 | -              |
| 1999.....  | 55       | -            | -         | -          | 1           | 1           | 6           | 9           | 9           | 13          | 11          | 5                 | -              |
| Hispanic, female   |          |              |           |            |             |             |             |             |             |             |             |                   |                |
| 2007.....  | 23       | -            | -         | -          | 1           | 1           | 2           | 5           | 3           | 2           | 7           | 2                 | -              |
| 2006.....  | 28       | -            | -         | 1          | 1           | 1           | 1           | 1           | 5           | 8           | 7           | 3                 | -              |
| 2005.....  | 20       | -            | -         | -          | 3           | 1           | 2           | 2           | 2           | 3           | 4           | 3                 | -              |
| 2004.....  | 29       | 1            | -         | -          | 1           | 1           | 2           | 3           | 3           | 6           | 7           | 5                 | -              |
| 2003.....  | 22       | -            | -         | -          | 2           | -           | 1           | 1           | 4           | 3           | 8           | 3                 | -              |
| 2002.....  | 34       | -            | -         | -          | -           | 1           | 2           | 4           | 7           | 7           | 7           | 6                 | -              |
| 2001.....  | 21       | -            | -         | -          | -           | 2           | 2           | -           | 3           | 4           | 7           | 3                 | -              |
| 2000.....  | 20       | -            | 1         | -          | 1           | -           | -           | 2           | 3           | 4           | 6           | 3                 | -              |
| 1999.....  | 38       | -            | -         | -          | 1           | -           | 4           | 1           | 7           | 5           | 13          | 7                 | -              |



Worktable Orig290F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2007

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data - mortality"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, sex, and year | All ages | Under 1 year | 1-4 years | 5-14 years | 15-24 years | 25-34 years | 35-44 years | 45-54 years | 55-64 years | 65-74 years | 75-84 years | 85 years and over | Age not stated |
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|
| <b>Respiratory tuberculosis (A16)</b>  |          |              |           |            |             |             |             |             |             |             |             |                   |                |
| <b>Non-Hispanic 1/, both sexes</b>   |          |              |           |            |             |             |             |             |             |             |             |                   |                |
| 2007.....  | 347      | 1            | -         | 1          | 2           | 5           | 19          | 44          | 50          | 64          | 98          | 63                | -              |
| 2006.....  | 413      | -            | -         | -          | -           | 12          | 16          | 58          | 65          | 69          | 117         | 76                | -              |
| 2005.....  | 423      | 1            | -         | -          | 6           | 10          | 18          | 51          | 56          | 73          | 119         | 89                | -              |
| 2004.....  | 416      | -            | 1         | 1          | 3           | 9           | 27          | 50          | 47          | 90          | 97          | 91                | -              |
| 2003.....  | 481      | -            | -         | 2          | 4           | 2           | 18          | 76          | 68          | 74          | 158         | 79                | -              |
| 2002.....  | 543      | -            | -         | -          | 5           | 10          | 28          | 56          | 70          | 103         | 176         | 95                | -              |
| 2001.....  | 517      | 2            | 1         | -          | 4           | 9           | 22          | 53          | 79          | 98          | 149         | 100               | -              |
| 2000.....  | 546      | -            | 2         | -          | 5           | 8           | 33          | 65          | 50          | 105         | 188         | 90                | -              |
| 1999.....  | 657      | 1            | 1         | 1          | 5           | 13          | 33          | 63          | 92          | 120         | 189         | 139               | -              |
| <b>Non-Hispanic 1/, male</b>   |          |              |           |            |             |             |             |             |             |             |             |                   |                |
| 2007.....  | 213      | -            | -         | -          | 2           | -           | 12          | 38          | 41          | 35          | 52          | 33                | -              |
| 2006.....  | 286      | -            | -         | -          | -           | 7           | 15          | 46          | 57          | 52          | 74          | 35                | -              |
| 2005.....  | 255      | 1            | -         | -          | 4           | 3           | 15          | 34          | 43          | 52          | 62          | 41                | -              |
| 2004.....  | 259      | -            | 1         | -          | 2           | 7           | 21          | 35          | 35          | 62          | 48          | 48                | -              |
| 2003.....  | 287      | -            | -         | 2          | -           | 2           | 11          | 55          | 48          | 50          | 86          | 33                | -              |
| 2002.....  | 323      | -            | -         | -          | 3           | 6           | 21          | 39          | 53          | 70          | 87          | 44                | -              |
| 2001.....  | 309      | -            | -         | -          | 2           | 4           | 14          | 41          | 64          | 63          | 74          | 47                | -              |
| 2000.....  | 345      | -            | 1         | -          | 3           | 5           | 24          | 59          | 43          | 64          | 101         | 45                | -              |
| 1999.....  | 419      | -            | 1         | 1          | -           | 7           | 25          | 52          | 73          | 83          | 107         | 70                | -              |

Worktable Orig290F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2007

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data - mortality"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, sex, and year | All ages | Under 1 year | 1-4 years | 5-14 years | 15-24 years | 25-34 years | 35-44 years | 45-54 years | 55-64 years | 65-74 years | 75-84 years | 85 years and over | Age not stated |
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|
| <b>Respiratory tuberculosis (A16)</b>  |          |              |           |            |             |             |             |             |             |             |             |                   |                |
| <b>Non-Hispanic 1/, female</b>   |          |              |           |            |             |             |             |             |             |             |             |                   |                |
| 2007.....  | 134      | 1            | -         | 1          | -           | 5           | 7           | 6           | 9           | 29          | 46          | 30                | -              |
| 2006.....  | 127      | -            | -         | -          | -           | 5           | 1           | 12          | 8           | 17          | 43          | 41                | -              |
| 2005.....  | 168      | -            | -         | -          | 2           | 7           | 3           | 17          | 13          | 21          | 57          | 48                | -              |
| 2004.....  | 157      | -            | -         | 1          | 1           | 2           | 6           | 15          | 12          | 28          | 49          | 43                | -              |
| 2003.....  | 194      | -            | -         | -          | 4           | -           | 7           | 21          | 20          | 24          | 72          | 46                | -              |
| 2002.....  | 220      | -            | -         | -          | 2           | 4           | 7           | 17          | 17          | 33          | 89          | 51                | -              |
| 2001.....  | 208      | 2            | 1         | -          | 2           | 5           | 8           | 12          | 15          | 35          | 75          | 53                | -              |
| 2000.....  | 201      | -            | 1         | -          | 2           | 3           | 9           | 6           | 7           | 41          | 87          | 45                | -              |
| 1999.....  | 238      | 1            | -         | -          | 5           | 6           | 8           | 11          | 19          | 37          | 82          | 69                | -              |
| <b>Non-Hispanic white, both sexes</b>  |          |              |           |            |             |             |             |             |             |             |             |                   |                |
| 2007 2/.....   | 187      | -            | -         | 1          | 1           | -           | 7           | 19          | 23          | 30          | 55          | 51                | -              |
| 2006 2/.....   | 211      | -            | -         | -          | -           | 3           | 7           | 23          | 26          | 30          | 74          | 48                | -              |
| 2005 2/.....   | 219      | 1            | -         | -          | 2           | 3           | 8           | 23          | 26          | 36          | 65          | 55                | -              |
| 2004 2/.....   | 219      | -            | 1         | -          | -           | 2           | 11          | 20          | 21          | 46          | 61          | 57                | -              |
| 2003 2/.....   | 270      | -            | -         | 2          | 1           | -           | 2           | 25          | 37          | 43          | 106         | 54                | -              |
| 2002.....  | 296      | -            | -         | -          | 1           | 1           | 9           | 21          | 32          | 53          | 114         | 65                | -              |
| 2001.....  | 288      | 1            | 1         | -          | 1           | -           | 8           | 23          | 41          | 52          | 97          | 64                | -              |
| 2000.....  | 288      | -            | -         | -          | 2           | 2           | 9           | 29          | 17          | 52          | 112         | 65                | -              |
| 1999.....  | 371      | -            | -         | -          | -           | 2           | 9           | 27          | 45          | 69          | 119         | 100               | -              |

Worktable Orig290F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2007

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data - mortality"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, sex, and year | All ages | Under 1 year | 1-4 years | 5-14 years | 15-24 years | 25-34 years | 35-44 years | 45-54 years | 55-64 years | 65-74 years | 75-84 years | 85 years and over | Age not stated |
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|
| <b>Respiratory tuberculosis (A16)</b>  |          |              |           |            |             |             |             |             |             |             |             |                   |                |
| <b>Non-Hispanic white, male</b>  |          |              |           |            |             |             |             |             |             |             |             |                   |                |
| 2007 2/.....   | 112      | -            | -         | -          | 1           | -           | 3           | 17          | 22          | 17          | 25          | 27                | -              |
| 2006 2/.....   | 133      | -            | -         | -          | -           | 1           | 7           | 18          | 22          | 23          | 45          | 17                | -              |
| 2005 2/.....   | 127      | 1            | -         | -          | 2           | 1           | 6           | 19          | 22          | 23          | 29          | 24                | -              |
| 2004 2/.....   | 133      | -            | 1         | -          | -           | 1           | 8           | 13          | 18          | 32          | 31          | 29                | -              |
| 2003 2/.....   | 154      | -            | -         | 2          | -           | -           | 1           | 20          | 28          | 28          | 53          | 22                | -              |
| 2002.....  | 177      | -            | -         | -          | 1           | -           | 7           | 16          | 24          | 44          | 53          | 32                | -              |
| 2001.....  | 162      | -            | -         | -          | -           | -           | 6           | 16          | 35          | 29          | 49          | 27                | -              |
| 2000.....  | 174      | -            | -         | -          | 2           | 1           | 9           | 26          | 14          | 34          | 54          | 34                | -              |
| 1999.....  | 234      | -            | -         | -          | -           | 1           | 8           | 24          | 36          | 48          | 67          | 50                | -              |
| <b>Non-Hispanic white, female</b>  |          |              |           |            |             |             |             |             |             |             |             |                   |                |
| 2007 2/.....   | 75       | -            | -         | 1          | -           | -           | 4           | 2           | 1           | 13          | 30          | 24                | -              |
| 2006 2/.....   | 78       | -            | -         | -          | -           | 2           | -           | 5           | 4           | 7           | 29          | 31                | -              |
| 2005 2/.....   | 92       | -            | -         | -          | -           | 2           | 2           | 4           | 4           | 13          | 36          | 31                | -              |
| 2004 2/.....   | 86       | -            | -         | -          | -           | 1           | 3           | 7           | 3           | 14          | 30          | 28                | -              |
| 2003 2/.....   | 116      | -            | -         | -          | 1           | -           | 1           | 5           | 9           | 15          | 53          | 32                | -              |
| 2002.....  | 119      | -            | -         | -          | -           | 1           | 2           | 5           | 8           | 9           | 61          | 33                | -              |
| 2001.....  | 126      | 1            | 1         | -          | 1           | -           | 2           | 7           | 6           | 23          | 48          | 37                | -              |
| 2000.....  | 114      | -            | -         | -          | -           | 1           | -           | 3           | 3           | 18          | 58          | 31                | -              |
| 1999.....  | 137      | -            | -         | -          | -           | 1           | 1           | 3           | 9           | 21          | 52          | 50                | -              |

Worktable Orig290F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2007

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data - mortality"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, sex, and year | All ages | Under 1 year | 1-4 years | 5-14 years | 15-24 years | 25-34 years | 35-44 years | 45-54 years | 55-64 years | 65-74 years | 75-84 years | 85 years and over | Age not stated |
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|
| <b>Respiratory tuberculosis (A16)</b>  |          |              |           |            |             |             |             |             |             |             |             |                   |                |
| <b>Non-Hispanic black, both sexes</b>  |          |              |           |            |             |             |             |             |             |             |             |                   |                |
| 2007 2/.....   | 89       | 1            | -         | -          | -           | 3           | 9           | 17          | 19          | 17          | 19          | 4                 | -              |
| 2006 2/.....   | 121      | -            | -         | -          | -           | 6           | 8           | 24          | 30          | 26          | 19          | 8                 | -              |
| 2005 2/.....   | 113      | -            | -         | -          | 3           | 5           | 10          | 19          | 18          | 23          | 20          | 15                | -              |
| 2004 2/.....   | 135      | -            | -         | 1          | 2           | 5           | 15          | 22          | 17          | 30          | 21          | 22                | -              |
| 2003 2/.....   | 134      | -            | -         | -          | 3           | 2           | 10          | 41          | 23          | 17          | 26          | 12                | -              |
| 2002.....  | 160      | -            | -         | -          | 2           | 8           | 14          | 29          | 26          | 32          | 34          | 15                | -              |
| 2001.....  | 157      | -            | -         | -          | 1           | 6           | 12          | 28          | 30          | 32          | 28          | 20                | -              |
| 2000.....  | 187      | -            | 2         | -          | 1           | 6           | 20          | 31          | 22          | 43          | 46          | 16                | -              |
| 1999.....  | 194      | 1            | 1         | -          | 4           | 8           | 19          | 29          | 35          | 32          | 43          | 22                | -              |
| <b>Non-Hispanic black, male</b>  |          |              |           |            |             |             |             |             |             |             |             |                   |                |
| 2007 2/.....   | 61       | -            | -         | -          | -           | -           | 7           | 16          | 13          | 12          | 11          | 2                 | -              |
| 2006 2/.....   | 91       | -            | -         | -          | -           | 4           | 7           | 17          | 27          | 19          | 13          | 4                 | -              |
| 2005 2/.....   | 71       | -            | -         | -          | 2           | 1           | 9           | 13          | 12          | 20          | 9           | 5                 | -              |
| 2004 2/.....   | 84       | -            | -         | -          | 2           | 4           | 12          | 15          | 13          | 18          | 9           | 11                | -              |
| 2003 2/.....   | 90       | -            | -         | -          | -           | 2           | 7           | 29          | 16          | 13          | 17          | 6                 | -              |
| 2002.....  | 101      | -            | -         | -          | 1           | 5           | 10          | 20          | 20          | 19          | 21          | 5                 | -              |
| 2001.....  | 103      | -            | -         | -          | -           | 2           | 7           | 24          | 23          | 23          | 12          | 12                | -              |
| 2000.....  | 129      | -            | 1         | -          | -           | 4           | 12          | 28          | 22          | 26          | 30          | 6                 | -              |
| 1999.....  | 122      | -            | 1         | -          | -           | 3           | 13          | 24          | 28          | 21          | 22          | 10                | -              |

Worktable Orig290F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2007

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data - mortality"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, sex, and year | All ages | Under 1 year | 1-4 years | 5-14 years | 15-24 years | 25-34 years | 35-44 years | 45-54 years | 55-64 years | 65-74 years | 75-84 years | 85 years and over | Age not stated |
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|
| <b>Respiratory tuberculosis (A16)</b>  |          |              |           |            |             |             |             |             |             |             |             |                   |                |
| <b>Non-Hispanic black, female</b>  |          |              |           |            |             |             |             |             |             |             |             |                   |                |
| 2007 2/.....   | 28       | 1            | -         | -          | -           | 3           | 2           | 1           | 6           | 5           | 8           | 2                 | -              |
| 2006 2/.....   | 30       | -            | -         | -          | -           | 2           | 1           | 7           | 3           | 7           | 6           | 4                 | -              |
| 2005 2/.....   | 42       | -            | -         | -          | 1           | 4           | 1           | 6           | 6           | 3           | 11          | 10                | -              |
| 2004 2/.....   | 51       | -            | -         | 1          | -           | 1           | 3           | 7           | 4           | 12          | 12          | 11                | -              |
| 2003 2/.....   | 44       | -            | -         | -          | 3           | -           | 3           | 12          | 7           | 4           | 9           | 6                 | -              |
| 2002.....  | 59       | -            | -         | -          | 1           | 3           | 4           | 9           | 6           | 13          | 13          | 10                | -              |
| 2001.....  | 54       | -            | -         | -          | 1           | 4           | 5           | 4           | 7           | 9           | 16          | 8                 | -              |
| 2000.....  | 58       | -            | 1         | -          | 1           | 2           | 8           | 3           | -           | 17          | 16          | 10                | -              |
| 1999.....  | 72       | 1            | -         | -          | 4           | 5           | 6           | 5           | 7           | 11          | 21          | 12                | -              |
| <b>Origin not stated 3/, both sexes</b>  |          |              |           |            |             |             |             |             |             |             |             |                   |                |
| 2007.....  | 2        | -            | -         | -          | -           | -           | -           | -           | 1           | 1           | -           | -                 | -              |
| 2006.....  | 1        | -            | -         | -          | -           | -           | -           | -           | -           | -           | -           | 1                 | -              |
| 2005.....  | 1        | -            | -         | -          | -           | -           | -           | -           | 1           | -           | -           | -                 | -              |
| 2004.....  | 5        | -            | -         | -          | -           | -           | -           | -           | -           | 1           | 1           | 3                 | -              |
| 2003.....  | 4        | -            | -         | -          | -           | -           | 1           | -           | 2           | -           | -           | 1                 | -              |
| 2002.....  | 5        | -            | -         | -          | -           | -           | 2           | -           | 2           | 1           | -           | -                 | -              |
| 2001.....  | 6        | -            | -         | -          | -           | -           | 1           | 1           | 2           | -           | -           | 1                 | 1              |
| 2000.....  | 9        | -            | -         | -          | -           | -           | -           | 2           | 1           | 2           | 3           | -                 | 1              |
| 1999.....  | 14       | -            | -         | -          | 1           | -           | 2           | 3           | 1           | 1           | 3           | 2                 | 1              |

Worktable Orig290F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2007

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data - mortality"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, sex, and year | All ages | Under 1 year | 1-4 years | 5-14 years | 15-24 years | 25-34 years | 35-44 years | 45-54 years | 55-64 years | 65-74 years | 75-84 years | 85 years and over | Age not stated |
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|
| <b>Respiratory tuberculosis (A16)</b>  |          |              |           |            |             |             |             |             |             |             |             |                   |                |
| Origin not stated 3/, male   |          |              |           |            |             |             |             |             |             |             |             |                   |                |
| 2007.....  | 1        | -            | -         | -          | -           | -           | -           | -           | 1           | -           | -           | -                 | -              |
| 2006.....  | 1        | -            | -         | -          | -           | -           | -           | -           | -           | -           | -           | 1                 | -              |
| 2005.....  | -        | -            | -         | -          | -           | -           | -           | -           | -           | -           | -           | -                 | -              |
| 2004.....  | 3        | -            | -         | -          | -           | -           | -           | -           | -           | 1           | 1           | 1                 | -              |
| 2003.....  | 2        | -            | -         | -          | -           | -           | 2           | -           | 2           | -           | -           | -                 | -              |
| 2002.....  | 5        | -            | -         | -          | -           | -           | 2           | -           | 2           | 1           | -           | -                 | -              |
| 2001.....  | 6        | -            | -         | -          | -           | -           | 1           | 1           | 2           | -           | -           | 1                 | 1              |
| 2000.....  | 8        | -            | -         | -          | -           | -           | -           | 2           | 1           | 1           | 3           | -                 | 1              |
| 1999.....  | 12       | -            | -         | -          | 1           | -           | 2           | 3           | 1           | 1           | 2           | 1                 | 1              |
| Origin not stated 3/, female   |          |              |           |            |             |             |             |             |             |             |             |                   |                |
| 2007.....  | 1        | -            | -         | -          | -           | -           | -           | -           | -           | 1           | -           | -                 | -              |
| 2006.....  | -        | -            | -         | -          | -           | -           | -           | -           | -           | -           | -           | -                 | -              |
| 2005.....  | 1        | -            | -         | -          | -           | -           | -           | -           | 1           | -           | -           | -                 | -              |
| 2004.....  | 2        | -            | -         | -          | -           | -           | -           | -           | -           | -           | -           | 2                 | -              |
| 2003.....  | 2        | -            | -         | -          | -           | -           | 1           | -           | -           | -           | -           | 1                 | -              |
| 2002.....  | -        | -            | -         | -          | -           | -           | -           | -           | -           | -           | -           | -                 | -              |
| 2001.....  | -        | -            | -         | -          | -           | -           | -           | -           | -           | -           | -           | -                 | -              |
| 2000.....  | 1        | -            | -         | -          | -           | -           | -           | -           | -           | 1           | -           | -                 | -              |
| 1999.....  | 2        | -            | -         | -          | -           | -           | -           | -           | -           | -           | 1           | 1                 | -              |

Worktable Orig290F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2007

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data - mortality"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, sex, and year | All ages | Under 1 year | 1-4 years | 5-14 years | 15-24 years | 25-34 years | 35-44 years | 45-54 years | 55-64 years | 65-74 years | 75-84 years | 85 years and over | Age not stated |
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|
| Other tuberculosis (A17-A19)   |          |              |           |            |             |             |             |             |             |             |             |                   |                |
| All origins, both sexes  |          |              |           |            |             |             |             |             |             |             |             |                   |                |
| 2007.....  | 130      | -            | -         | -          | 3           | 4           | 5           | 20          | 26          | 24          | 32          | 16                | -              |
| 2006.....  | 162      | -            | 4         | -          | 2           | 4           | 9           | 30          | 18          | 33          | 36          | 26                | -              |
| 2005.....  | 168      | -            | 2         | 1          | 9           | 10          | 10          | 17          | 29          | 35          | 36          | 19                | -              |
| 2004.....  | 153      | -            | -         | 1          | 3           | 5           | 17          | 22          | 21          | 29          | 45          | 10                | -              |
| 2003.....  | 149      | -            | -         | -          | 1           | 12          | 9           | 19          | 21          | 26          | 40          | 21                | -              |
| 2002.....  | 158      | 1            | -         | -          | 3           | 4           | 12          | 17          | 23          | 41          | 42          | 15                | -              |
| 2001.....  | 164      | -            | -         | -          | 5           | 8           | 12          | 23          | 20          | 37          | 40          | 19                | -              |
| 2000.....  | 161      | 1            | 3         | 1          | 4           | 9           | 7           | 19          | 21          | 36          | 43          | 17                | -              |
| 1999.....  | 166      | 1            | 1         | 2          | 3           | 5           | 12          | 30          | 21          | 34          | 37          | 20                | -              |
| All origins, male  |          |              |           |            |             |             |             |             |             |             |             |                   |                |
| 2007.....  | 76       | -            | -         | -          | 2           | 3           | 5           | 15          | 16          | 12          | 16          | 7                 | -              |
| 2006.....  | 90       | -            | 1         | -          | 1           | 3           | 6           | 23          | 11          | 18          | 16          | 11                | -              |
| 2005.....  | 101      | -            | 1         | -          | 8           | 9           | 7           | 11          | 18          | 17          | 21          | 9                 | -              |
| 2004.....  | 90       | -            | -         | 1          | 2           | 4           | 12          | 13          | 17          | 19          | 20          | 2                 | -              |
| 2003.....  | 83       | -            | -         | -          | -           | 7           | 8           | 15          | 14          | 11          | 19          | 9                 | -              |
| 2002.....  | 90       | -            | -         | -          | 1           | 2           | 7           | 12          | 15          | 22          | 25          | 6                 | -              |
| 2001.....  | 82       | -            | -         | -          | 3           | 4           | 9           | 14          | 7           | 22          | 16          | 7                 | -              |
| 2000.....  | 75       | -            | -         | -          | 3           | 6           | 2           | 12          | 9           | 14          | 23          | 6                 | -              |
| 1999.....  | 98       | -            | 1         | 1          | 2           | 3           | 10          | 23          | 13          | 19          | 17          | 9                 | -              |

Worktable Orig290F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2007

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data - mortality"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, sex, and year | All ages | Under 1 year | 1-4 years | 5-14 years | 15-24 years | 25-34 years | 35-44 years | 45-54 years | 55-64 years | 65-74 years | 75-84 years | 85 years and over | Age not stated |
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|
| Other tuberculosis (A17-A19)   |          |              |           |            |             |             |             |             |             |             |             |                   |                |
| All origins, female  |          |              |           |            |             |             |             |             |             |             |             |                   |                |
| 2007.....  | 54       | -            | -         | -          | 1           | 1           | -           | 5           | 10          | 12          | 16          | 9                 | -              |
| 2006.....  | 72       | -            | 3         | -          | 1           | 1           | 3           | 7           | 7           | 15          | 20          | 15                | -              |
| 2005.....  | 67       | -            | 1         | 1          | 1           | 1           | 3           | 6           | 11          | 18          | 15          | 10                | -              |
| 2004.....  | 63       | -            | -         | -          | 1           | 1           | 5           | 9           | 4           | 10          | 25          | 8                 | -              |
| 2003.....  | 66       | -            | -         | -          | 1           | 5           | 1           | 4           | 7           | 15          | 21          | 12                | -              |
| 2002.....  | 68       | 1            | -         | -          | 2           | 2           | 5           | 5           | 8           | 19          | 17          | 9                 | -              |
| 2001.....  | 82       | -            | -         | -          | 2           | 4           | 3           | 9           | 13          | 15          | 24          | 12                | -              |
| 2000.....  | 86       | 1            | 3         | 1          | 1           | 3           | 5           | 7           | 12          | 22          | 20          | 11                | -              |
| 1999.....  | 68       | 1            | -         | 1          | 1           | 2           | 2           | 7           | 8           | 15          | 20          | 11                | -              |
| Hispanic, both sexes   |          |              |           |            |             |             |             |             |             |             |             |                   |                |
| 2007.....  | 17       | -            | -         | -          | 1           | 3           | -           | 6           | 2           | 2           | 2           | 1                 | -              |
| 2006.....  | 28       | -            | 1         | -          | 1           | 3           | 2           | 5           | 4           | 5           | 5           | 2                 | -              |
| 2005.....  | 38       | -            | 1         | 1          | 2           | 5           | 7           | 4           | 7           | 4           | 5           | 2                 | -              |
| 2004.....  | 27       | -            | -         | 1          | 2           | 4           | 3           | 3           | 3           | 6           | 4           | 1                 | -              |
| 2003.....  | 12       | -            | -         | -          | -           | 2           | 1           | 3           | 2           | 1           | 1           | 2                 | -              |
| 2002.....  | 17       | -            | -         | -          | 1           | -           | 1           | 2           | 5           | 5           | 3           | -                 | -              |
| 2001.....  | 20       | -            | -         | -          | 3           | 1           | 4           | 2           | 3           | 1           | 3           | 3                 | -              |
| 2000.....  | 23       | -            | 1         | 1          | 1           | 4           | 1           | 4           | 3           | 1           | 5           | 2                 | -              |
| 1999.....  | 32       | 1            | -         | 1          | 2           | 2           | 3           | 9           | 4           | 6           | 3           | 1                 | -              |



Worktable Orig290F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2007

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data - mortality"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, sex, and year | All ages | Under 1 year | 1-4 years | 5-14 years | 15-24 years | 25-34 years | 35-44 years | 45-54 years | 55-64 years | 65-74 years | 75-84 years | 85 years and over | Age not stated |
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|
| Other tuberculosis (A17-A19)   |          |              |           |            |             |             |             |             |             |             |             |                   |                |
| Hispanic, male   |          |              |           |            |             |             |             |             |             |             |             |                   |                |
| 2007.....  | 11       | -            | -         | -          | 1           | 2           | -           | 5           | 1           | 1           | -           | 1                 | -              |
| 2006.....  | 16       | -            | -         | -          | -           | 2           | 1           | 5           | 2           | 3           | 2           | 1                 | -              |
| 2005.....  | 30       | -            | 1         | -          | 2           | 5           | 5           | 3           | 7           | 3           | 3           | 1                 | -              |
| 2004.....  | 19       | -            | -         | 1          | 2           | 3           | 1           | 2           | 3           | 5           | 2           | -                 | -              |
| 2003.....  | 5        | -            | -         | -          | -           | -           | 1           | 2           | 2           | -           | -           | -                 | -              |
| 2002.....  | 8        | -            | -         | -          | -           | -           | 1           | 2           | 1           | 2           | 2           | -                 | -              |
| 2001.....  | 11       | -            | -         | -          | 3           | 1           | 2           | 2           | 1           | 1           | -           | 1                 | -              |
| 2000.....  | 6        | -            | -         | -          | -           | 1           | -           | 2           | 1           | -           | 2           | -                 | -              |
| 1999.....  | 23       | -            | -         | 1          | 2           | 2           | 3           | 7           | 2           | 3           | 2           | 1                 | -              |
| Hispanic, female   |          |              |           |            |             |             |             |             |             |             |             |                   |                |
| 2007.....  | 6        | -            | -         | -          | -           | 1           | -           | 1           | 1           | 1           | 2           | -                 | -              |
| 2006.....  | 12       | -            | 1         | -          | 1           | 1           | 1           | -           | 2           | 2           | 3           | 1                 | -              |
| 2005.....  | 8        | -            | -         | 1          | -           | -           | 2           | 1           | -           | 1           | 2           | 1                 | -              |
| 2004.....  | 8        | -            | -         | -          | -           | 1           | 2           | 1           | -           | 1           | 2           | 1                 | -              |
| 2003.....  | 7        | -            | -         | -          | -           | 2           | -           | 1           | -           | 1           | 1           | 2                 | -              |
| 2002.....  | 9        | -            | -         | -          | 1           | -           | -           | -           | 4           | 3           | 1           | -                 | -              |
| 2001.....  | 9        | -            | -         | -          | -           | -           | 2           | -           | 2           | -           | 3           | 2                 | -              |
| 2000.....  | 17       | -            | 1         | 1          | 1           | 3           | 1           | 2           | 2           | 1           | 3           | 2                 | -              |
| 1999.....  | 9        | 1            | -         | -          | -           | -           | -           | 2           | 2           | 3           | 1           | -                 | -              |

Worktable Orig290F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2007

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data - mortality"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, sex, and year | All ages | Under 1 year | 1-4 years | 5-14 years | 15-24 years | 25-34 years | 35-44 years | 45-54 years | 55-64 years | 65-74 years | 75-84 years | 85 years and over | Age not stated |
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|
| Other tuberculosis (A17-A19)   |          |              |           |            |             |             |             |             |             |             |             |                   |                |
| Non-Hispanic 1/, both sexes  |          |              |           |            |             |             |             |             |             |             |             |                   |                |
| 2007.....  | 112      | -            | -         | -          | 2           | 1           | 5           | 14          | 23          | 22          | 30          | 15                | -              |
| 2006.....  | 132      | -            | 3         | -          | 1           | 1           | 7           | 24          | 14          | 28          | 31          | 23                | -              |
| 2005.....  | 128      | -            | 1         | -          | 7           | 5           | 3           | 12          | 22          | 30          | 31          | 17                | -              |
| 2004.....  | 126      | -            | -         | -          | 1           | 1           | 14          | 19          | 18          | 23          | 41          | 9                 | -              |
| 2003.....  | 136      | -            | -         | -          | 1           | 10          | 8           | 16          | 19          | 24          | 39          | 19                | -              |
| 2002.....  | 139      | 1            | -         | -          | 1           | 4           | 11          | 14          | 18          | 36          | 39          | 15                | -              |
| 2001.....  | 143      | -            | -         | -          | 2           | 7           | 8           | 20          | 17          | 36          | 37          | 16                | -              |
| 2000.....  | 137      | 1            | 2         | -          | 3           | 5           | 6           | 15          | 18          | 35          | 38          | 14                | -              |
| 1999.....  | 131      | -            | 1         | 1          | 1           | 3           | 9           | 19          | 17          | 28          | 33          | 19                | -              |
| Non-Hispanic 1/, male  |          |              |           |            |             |             |             |             |             |             |             |                   |                |
| 2007.....  | 65       | -            | -         | -          | 1           | 1           | 5           | 10          | 15          | 11          | 16          | 6                 | -              |
| 2006.....  | 73       | -            | 1         | -          | 1           | 1           | 5           | 17          | 9           | 15          | 14          | 10                | -              |
| 2005.....  | 70       | -            | -         | -          | 6           | 4           | 2           | 7           | 11          | 14          | 18          | 8                 | -              |
| 2004.....  | 71       | -            | -         | -          | -           | 1           | 11          | 11          | 14          | 14          | 18          | 2                 | -              |
| 2003.....  | 77       | -            | -         | -          | -           | 7           | 7           | 13          | 12          | 10          | 19          | 9                 | -              |
| 2002.....  | 81       | -            | -         | -          | 1           | 2           | 6           | 9           | 14          | 20          | 23          | 6                 | -              |
| 2001.....  | 70       | -            | -         | -          | -           | 3           | 7           | 11          | 6           | 21          | 16          | 6                 | -              |
| 2000.....  | 69       | -            | -         | -          | 3           | 5           | 2           | 10          | 8           | 14          | 21          | 6                 | -              |
| 1999.....  | 73       | -            | 1         | -          | -           | 1           | 7           | 14          | 11          | 16          | 15          | 8                 | -              |

Worktable Orig290F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2007

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data - mortality"]

---

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, sex, and year

|  | All ages | Under 1 year | 1-4 years | 5-14 years | 15-24 years | 25-34 years | 35-44 years | 45-54 years | 55-64 years | 65-74 years | 75-84 years | 85 years and over | Age not stated |
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|

---

Other tuberculosis (A17-A19)

Non-Hispanic 1/, female

|           |    |   |   |   |   |   |   |   |    |    |    |    |   |
|-----------|----|---|---|---|---|---|---|---|----|----|----|----|---|
| 2007..... | 47 | - | - | - | 1 | - | - | 4 | 8  | 11 | 14 | 9  | - |
| 2006..... | 59 | - | 2 | - | - | - | 2 | 7 | 5  | 13 | 17 | 13 | - |
| 2005..... | 58 | - | 1 | - | 1 | 1 | 1 | 5 | 11 | 16 | 13 | 9  | - |
| 2004..... | 55 | - | - | - | 1 | - | 3 | 8 | 4  | 9  | 23 | 7  | - |
| 2003..... | 59 | - | - | - | 1 | 3 | 1 | 3 | 7  | 14 | 20 | 10 | - |
| 2002..... | 58 | 1 | - | - | - | 2 | 5 | 5 | 4  | 16 | 16 | 9  | - |
| 2001..... | 73 | - | - | - | 2 | 4 | 1 | 9 | 11 | 15 | 21 | 10 | - |
| 2000..... | 68 | 1 | 2 | - | - | - | 4 | 5 | 10 | 21 | 17 | 8  | - |
| 1999..... | 58 | - | - | 1 | 1 | 2 | 2 | 5 | 6  | 12 | 18 | 11 | - |

Non-Hispanic white, both sexes

|              |    |   |   |   |   |   |   |   |    |    |    |    |   |
|--------------|----|---|---|---|---|---|---|---|----|----|----|----|---|
| 2007 2/..... | 63 | - | - | - | 1 | - | 1 | 7 | 11 | 14 | 16 | 13 | - |
| 2006 2/..... | 73 | - | 1 | - | 1 | 1 | 2 | 8 | 7  | 16 | 19 | 18 | - |
| 2005 2/..... | 64 | - | - | - | 2 | 1 | - | 6 | 8  | 15 | 17 | 15 | - |
| 2004 2/..... | 63 | - | - | - | - | - | 6 | 8 | 7  | 9  | 27 | 6  | - |
| 2003 2/..... | 77 | - | - | - | - | 2 | 1 | 7 | 10 | 17 | 24 | 16 | - |
| 2002.....    | 70 | - | - | - | - | 1 | 1 | 5 | 9  | 13 | 31 | 10 | - |
| 2001.....    | 80 | - | - | - | 1 | 2 | 4 | 9 | 7  | 20 | 23 | 14 | - |
| 2000.....    | 65 | - | 2 | - | 1 | 2 | 1 | 5 | 5  | 20 | 19 | 10 | - |
| 1999.....    | 59 | - | - | - | - | - | 2 | 3 | 8  | 15 | 23 | 8  | - |

Worktable Orig290F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2007

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data - mortality"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, sex, and year | All ages | Under 1 year | 1-4 years | 5-14 years | 15-24 years | 25-34 years | 35-44 years | 45-54 years | 55-64 years | 65-74 years | 75-84 years | 85 years and over | Age not stated |
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|
| Other tuberculosis (A17-A19)   |          |              |           |            |             |             |             |             |             |             |             |                   |                |
| Non-Hispanic white, male   |          |              |           |            |             |             |             |             |             |             |             |                   |                |
| 2007 2/.....   | 34       | -            | -         | -          | 1           | -           | 1           | 5           | 6           | 7           | 9           | 5                 | -              |
| 2006 2/.....   | 40       | -            | -         | -          | 1           | 1           | 2           | 5           | 6           | 9           | 8           | 8                 | -              |
| 2005 2/.....   | 35       | -            | -         | -          | 2           | 1           | -           | 4           | 3           | 7           | 11          | 7                 | -              |
| 2004 2/.....   | 33       | -            | -         | -          | -           | -           | 3           | 7           | 5           | 5           | 11          | 2                 | -              |
| 2003 2/.....   | 41       | -            | -         | -          | -           | 1           | 1           | 6           | 6           | 6           | 13          | 8                 | -              |
| 2002.....  | 41       | -            | -         | -          | -           | -           | -           | 4           | 7           | 8           | 19          | 3                 | -              |
| 2001.....  | 38       | -            | -         | -          | -           | 2           | 4           | 4           | 2           | 10          | 10          | 6                 | -              |
| 2000.....  | 31       | -            | -         | -          | 1           | 2           | -           | 2           | 3           | 10          | 9           | 4                 | -              |
| 1999.....  | 29       | -            | -         | -          | -           | -           | 1           | 3           | 5           | 9           | 10          | 1                 | -              |
| Non-Hispanic white, female   |          |              |           |            |             |             |             |             |             |             |             |                   |                |
| 2007 2/.....   | 29       | -            | -         | -          | -           | -           | -           | 2           | 5           | 7           | 7           | 8                 | -              |
| 2006 2/.....   | 33       | -            | 1         | -          | -           | -           | -           | 3           | 1           | 7           | 11          | 10                | -              |
| 2005 2/.....   | 29       | -            | -         | -          | -           | -           | -           | 2           | 5           | 8           | 6           | 8                 | -              |
| 2004 2/.....   | 30       | -            | -         | -          | -           | -           | 3           | 1           | 2           | 4           | 16          | 4                 | -              |
| 2003 2/.....   | 36       | -            | -         | -          | -           | 1           | -           | 1           | 4           | 11          | 11          | 8                 | -              |
| 2002.....  | 29       | -            | -         | -          | -           | 1           | 1           | 1           | 2           | 5           | 12          | 7                 | -              |
| 2001.....  | 42       | -            | -         | -          | 1           | -           | -           | 5           | 5           | 10          | 13          | 8                 | -              |
| 2000.....  | 34       | -            | 2         | -          | -           | -           | 1           | 3           | 2           | 10          | 10          | 6                 | -              |
| 1999.....  | 30       | -            | -         | -          | -           | -           | 1           | -           | 3           | 6           | 13          | 7                 | -              |

Worktable Orig290F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2007

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data - mortality"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, sex, and year | All ages | Under 1 year | 1-4 years | 5-14 years | 15-24 years | 25-34 years | 35-44 years | 45-54 years | 55-64 years | 65-74 years | 75-84 years | 85 years and over | Age not stated |
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|
| Other tuberculosis (A17-A19)   |          |              |           |            |             |             |             |             |             |             |             |                   |                |
| Non-Hispanic black, both sexes   |          |              |           |            |             |             |             |             |             |             |             |                   |                |
| 2007 2/.....   | 32       | -            | -         | -          | 1           | -           | 4           | 5           | 8           | 6           | 7           | 1                 | -              |
| 2006 2/.....   | 37       | -            | 1         | -          | -           | -           | 3           | 11          | 4           | 9           | 7           | 2                 | -              |
| 2005 2/.....   | 37       | -            | 1         | -          | 3           | 2           | -           | 4           | 9           | 8           | 9           | 1                 | -              |
| 2004 2/.....   | 48       | -            | -         | -          | 1           | 1           | 6           | 10          | 9           | 10          | 9           | 2                 | -              |
| 2003 2/.....   | 34       | -            | -         | -          | 1           | 4           | 5           | 6           | 6           | 3           | 7           | 2                 | -              |
| 2002.....  | 38       | -            | -         | -          | 1           | -           | 9           | 5           | 5           | 11          | 3           | 4                 | -              |
| 2001.....  | 43       | -            | -         | -          | -           | 3           | 4           | 8           | 7           | 12          | 7           | 2                 | -              |
| 2000.....  | 51       | -            | -         | -          | 1           | 1           | 5           | 10          | 11          | 9           | 12          | 2                 | -              |
| 1999.....  | 45       | -            | 1         | 1          | -           | 1           | 5           | 12          | 4           | 10          | 7           | 4                 | -              |
| Non-Hispanic black, male   |          |              |           |            |             |             |             |             |             |             |             |                   |                |
| 2007 2/.....   | 21       | -            | -         | -          | -           | -           | 4           | 4           | 5           | 4           | 3           | 1                 | -              |
| 2006 2/.....   | 22       | -            | -         | -          | -           | -           | 2           | 9           | 2           | 4           | 3           | 2                 | -              |
| 2005 2/.....   | 21       | -            | -         | -          | 2           | 1           | -           | 2           | 6           | 5           | 4           | 1                 | -              |
| 2004 2/.....   | 30       | -            | -         | -          | -           | 1           | 6           | 3           | 7           | 7           | 6           | -                 | -              |
| 2003 2/.....   | 21       | -            | -         | -          | -           | 3           | 4           | 6           | 3           | 2           | 3           | -                 | -              |
| 2002.....  | 22       | -            | -         | -          | 1           | -           | 6           | 3           | 3           | 6           | 1           | 2                 | -              |
| 2001.....  | 21       | -            | -         | -          | -           | 1           | 3           | 5           | 3           | 7           | 2           | -                 | -              |
| 2000.....  | 27       | -            | -         | -          | 1           | 1           | 2           | 8           | 4           | 2           | 8           | 1                 | -              |
| 1999.....  | 32       | -            | 1         | -          | -           | 1           | 5           | 9           | 3           | 7           | 3           | 3                 | -              |

Worktable Orig290F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2007

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data - mortality"]

---

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, sex, and year

|  | All ages | Under 1 year | 1-4 years | 5-14 years | 15-24 years | 25-34 years | 35-44 years | 45-54 years | 55-64 years | 65-74 years | 75-84 years | 85 years and over | Age not stated |
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|

---

Other tuberculosis (A17-A19)

Non-Hispanic black, female

|              |    |   |   |   |   |   |   |   |   |   |   |   |   |
|--------------|----|---|---|---|---|---|---|---|---|---|---|---|---|
| 2007 2/..... | 11 | - | - | - | 1 | - | - | 1 | 3 | 2 | 4 | - | - |
| 2006 2/..... | 15 | - | 1 | - | - | - | 1 | 2 | 2 | 5 | 4 | - | - |
| 2005 2/..... | 16 | - | 1 | - | 1 | 1 | - | 2 | 3 | 3 | 5 | - | - |
| 2004 2/..... | 18 | - | - | - | 1 | - | - | 7 | 2 | 3 | 3 | 2 | - |
| 2003 2/..... | 13 | - | - | - | 1 | 1 | 1 | - | 3 | 1 | 4 | 2 | - |
| 2002.....    | 16 | - | - | - | - | - | 3 | 2 | 2 | 5 | 2 | 2 | - |
| 2001.....    | 22 | - | - | - | - | 2 | 1 | 3 | 4 | 5 | 5 | 2 | - |
| 2000.....    | 24 | - | - | - | - | - | 3 | 2 | 7 | 7 | 4 | 1 | - |
| 1999.....    | 13 | - | - | 1 | - | - | - | 3 | 1 | 3 | 4 | 1 | - |

Origin not stated 3/, both sexes

|           |   |   |   |   |   |   |   |   |   |   |   |   |   |
|-----------|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 2007..... | 1 | - | - | - | - | - | - | - | 1 | - | - | - | - |
| 2006..... | 2 | - | - | - | - | - | - | 1 | - | - | - | 1 | - |
| 2005..... | 2 | - | - | - | - | - | - | 1 | - | 1 | - | - | - |
| 2004..... | - | - | - | - | - | - | - | - | - | - | - | - | - |
| 2003..... | 1 | - | - | - | - | - | - | - | - | 1 | - | - | - |
| 2002..... | 2 | - | - | - | 1 | - | - | 1 | - | - | - | - | - |
| 2001..... | 1 | - | - | - | - | - | - | 1 | - | - | - | - | - |
| 2000..... | 1 | - | - | - | - | - | - | - | - | - | - | 1 | - |
| 1999..... | 3 | - | - | - | - | - | - | 2 | - | - | 1 | - | - |

Worktable Orig290F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2007

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data - mortality"]

---

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, sex, and year

|  | All ages | Under 1 year | 1-4 years | 5-14 years | 15-24 years | 25-34 years | 35-44 years | 45-54 years | 55-64 years | 65-74 years | 75-84 years | 85 years and over | Age not stated |
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|

---

Other tuberculosis (A17-A19)

Origin not stated 3/, male

|           |   |   |   |   |   |   |   |   |   |   |   |   |   |
|-----------|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 2007..... | - | - | - | - | - | - | - | - | - | - | - | - | - |
| 2006..... | 1 | - | - | - | - | - | - | 1 | - | - | - | - | - |
| 2005..... | 1 | - | - | - | - | - | - | 1 | - | - | - | - | - |
| 2004..... | - | - | - | - | - | - | - | - | - | - | - | - | - |
| 2003..... | 1 | - | - | - | - | - | - | - | - | 1 | - | - | - |
| 2002..... | 1 | - | - | - | - | - | - | 1 | - | - | - | - | - |
| 2001..... | 1 | - | - | - | - | - | - | 1 | - | - | - | - | - |
| 2000..... | - | - | - | - | - | - | - | - | - | - | - | - | - |
| 1999..... | 2 | - | - | - | - | - | - | 2 | - | - | - | - | - |

Origin not stated 3/, female

|           |   |   |   |   |   |   |   |   |   |   |   |   |   |
|-----------|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 2007..... | 1 | - | - | - | - | - | - | - | 1 | - | - | - | - |
| 2006..... | 1 | - | - | - | - | - | - | - | - | - | - | 1 | - |
| 2005..... | 1 | - | - | - | - | - | - | - | - | 1 | - | - | - |
| 2004..... | - | - | - | - | - | - | - | - | - | - | - | - | - |
| 2003..... | - | - | - | - | - | - | - | - | - | - | - | - | - |
| 2002..... | 1 | - | - | - | 1 | - | - | - | - | - | - | - | - |
| 2001..... | - | - | - | - | - | - | - | - | - | - | - | - | - |
| 2000..... | 1 | - | - | - | - | - | - | - | - | - | - | 1 | - |
| 1999..... | 1 | - | - | - | - | - | - | - | - | - | 1 | - | - |































Worktable Orig290F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2007

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data - mortality"]

---

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, sex, and year

|  | All ages | Under 1 year | 1-4 years | 5-14 years | 15-24 years | 25-34 years | 35-44 years | 45-54 years | 55-64 years | 65-74 years | 75-84 years | 85 years and over | Age not stated |
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|

---

Scarlet fever and erysipelas (A38,A46)

Non-Hispanic 1/, female

|           |   |   |   |   |   |   |   |   |   |   |   |   |   |
|-----------|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 2007..... | 1 | - | - | - | - | 1 | - | - | - | - | - | - | - |
| 2006..... | - | - | - | - | - | - | - | - | - | - | - | - | - |
| 2005..... | 1 | - | - | - | - | - | - | - | - | - | - | 1 | - |
| 2004..... | 2 | - | - | - | - | - | - | - | - | - | - | 2 | - |
| 2003..... | 1 | - | - | - | - | - | - | - | - | - | - | 1 | - |
| 2002..... | 2 | - | - | - | - | - | - | - | - | - | 1 | 1 | - |
| 2001..... | 1 | - | - | - | - | - | - | - | - | 1 | - | - | - |
| 2000..... | 1 | - | - | - | - | - | - | 1 | - | - | - | - | - |
| 1999..... | 5 | - | - | - | - | - | - | - | - | 2 | 1 | 2 | - |

Non-Hispanic white, both sexes

|              |   |   |   |   |   |   |   |   |   |   |   |   |   |
|--------------|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 2007 2/..... | 1 | - | - | - | - | - | - | - | - | - | - | 1 | - |
| 2006 2/..... | 1 | - | - | 1 | - | - | - | - | - | - | - | - | - |
| 2005 2/..... | 2 | - | - | - | - | - | - | - | - | - | - | 2 | - |
| 2004 2/..... | 2 | - | - | - | - | - | - | - | - | - | - | 2 | - |
| 2003 2/..... | 1 | - | - | - | - | - | - | - | - | - | - | 1 | - |
| 2002.....    | 2 | - | - | - | - | - | - | - | - | - | 1 | 1 | - |
| 2001.....    | 3 | - | - | 1 | - | - | - | - | - | 1 | - | 1 | - |
| 2000.....    | 2 | - | - | - | - | - | - | 1 | - | - | 1 | - | - |
| 1999.....    | 4 | - | - | - | - | - | - | - | - | 1 | 1 | 2 | - |

Worktable Orig290F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2007

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data - mortality"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, sex, and year | All ages | Under 1 year | 1-4 years | 5-14 years | 15-24 years | 25-34 years | 35-44 years | 45-54 years | 55-64 years | 65-74 years | 75-84 years | 85 years and over | Age not stated |
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|

Scarlet fever and erysipelas (A38,A46)

Non-Hispanic white, male

|              |   |   |   |   |   |   |   |   |   |   |   |   |   |   |
|--------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 2007 2/..... | 1 | - | - | - | - | - | - | - | - | - | - | - | 1 | - |
| 2006 2/..... | 1 | - | - | 1 | - | - | - | - | - | - | - | - | - | - |
| 2005 2/..... | 1 | - | - | - | - | - | - | - | - | - | - | - | 1 | - |
| 2004 2/..... | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| 2003 2/..... | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| 2002.....    | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| 2001.....    | 2 | - | - | 1 | - | - | - | - | - | - | - | - | 1 | - |
| 2000.....    | 1 | - | - | - | - | - | - | - | - | - | 1 | - | - | - |
| 1999.....    | - | - | - | - | - | - | - | - | - | - | - | - | - | - |

Non-Hispanic white, female

|              |   |   |   |   |   |   |   |   |   |   |   |   |   |   |
|--------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 2007 2/..... | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| 2006 2/..... | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| 2005 2/..... | 1 | - | - | - | - | - | - | - | - | - | - | - | 1 | - |
| 2004 2/..... | 2 | - | - | - | - | - | - | - | - | - | - | - | 2 | - |
| 2003 2/..... | 1 | - | - | - | - | - | - | - | - | - | - | - | 1 | - |
| 2002.....    | 2 | - | - | - | - | - | - | - | - | - | 1 | 1 | - | - |
| 2001.....    | 1 | - | - | - | - | - | - | - | - | 1 | - | - | - | - |
| 2000.....    | 1 | - | - | - | - | - | - | 1 | - | - | - | - | - | - |
| 1999.....    | 4 | - | - | - | - | - | - | - | - | 1 | 1 | 2 | - | - |









Worktable Orig290F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2007

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data - mortality"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, sex, and year | All ages | Under 1 year | 1-4 years | 5-14 years | 15-24 years | 25-34 years | 35-44 years | 45-54 years | 55-64 years | 65-74 years | 75-84 years | 85 years and over | Age not stated |
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|

Meningococcal infection (A39)

| All origins, both sexes |     |    |    |    |    |    |    |    |    |    |    |   |   |
|-------------------------|-----|----|----|----|----|----|----|----|----|----|----|---|---|
| 2007.....               | 87  | 11 | 5  | 11 | 21 | 6  | 9  | 8  | 8  | 4  | 1  | 3 | - |
| 2006.....               | 105 | 11 | 14 | 7  | 22 | 13 | 6  | 13 | 9  | 4  | 4  | 2 | - |
| 2005.....               | 123 | 17 | 11 | 7  | 29 | 8  | 8  | 18 | 10 | 4  | 6  | 5 | - |
| 2004.....               | 138 | 8  | 18 | 13 | 31 | 14 | 15 | 15 | 6  | 7  | 3  | 8 | - |
| 2003.....               | 161 | 12 | 18 | 11 | 39 | 12 | 19 | 18 | 11 | 9  | 9  | 3 | - |
| 2002.....               | 161 | 17 | 12 | 20 | 33 | 16 | 9  | 19 | 13 | 7  | 10 | 5 | - |
| 2001.....               | 199 | 16 | 19 | 26 | 55 | 10 | 13 | 13 | 15 | 15 | 8  | 9 | - |
| 2000.....               | 211 | 22 | 19 | 18 | 56 | 15 | 13 | 29 | 9  | 8  | 15 | 7 | - |
| 1999.....               | 227 | 32 | 30 | 25 | 39 | 23 | 27 | 17 | 4  | 9  | 13 | 8 | - |
| All origins, male       |     |    |    |    |    |    |    |    |    |    |    |   |   |
| 2007.....               | 48  | 6  | 3  | 8  | 12 | 3  | 3  | 5  | 3  | 3  | 1  | 1 | - |
| 2006.....               | 67  | 10 | 10 | 3  | 16 | 9  | 4  | 8  | 4  | 2  | 1  | - | - |
| 2005.....               | 68  | 10 | 6  | 5  | 17 | 8  | 4  | 11 | 4  | 2  | -  | 1 | - |
| 2004.....               | 79  | 2  | 11 | 9  | 19 | 10 | 8  | 12 | 4  | 3  | 1  | - | - |
| 2003.....               | 75  | 9  | 10 | 3  | 18 | 7  | 9  | 10 | 5  | 2  | 1  | 1 | - |
| 2002.....               | 83  | 8  | 9  | 13 | 17 | 10 | 5  | 10 | 4  | 2  | 3  | 2 | - |
| 2001.....               | 94  | 6  | 9  | 15 | 27 | 6  | 6  | 8  | 7  | 5  | 3  | 2 | - |
| 2000.....               | 106 | 14 | 12 | 7  | 35 | 6  | 9  | 11 | 2  | 2  | 7  | 1 | - |
| 1999.....               | 101 | 14 | 19 | 13 | 19 | 12 | 9  | 4  | -  | 5  | 4  | 2 | - |

Worktable Orig290F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2007

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data - mortality"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, sex, and year | All ages | Under 1 year | 1-4 years | 5-14 years | 15-24 years | 25-34 years | 35-44 years | 45-54 years | 55-64 years | 65-74 years | 75-84 years | 85 years and over | Age not stated |
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|

Meningococcal infection (A39)

| All origins, female  |     |    |    |    |    |    |    |    |   |    |   |   |   |
|----------------------|-----|----|----|----|----|----|----|----|---|----|---|---|---|
| 2007.....            | 39  | 5  | 2  | 3  | 9  | 3  | 6  | 3  | 5 | 1  | - | 2 | - |
| 2006.....            | 38  | 1  | 4  | 4  | 6  | 4  | 2  | 5  | 5 | 2  | 3 | 2 | - |
| 2005.....            | 55  | 7  | 5  | 2  | 12 | -  | 4  | 7  | 6 | 2  | 6 | 4 | - |
| 2004.....            | 59  | 6  | 7  | 4  | 12 | 4  | 7  | 3  | 2 | 4  | 2 | 8 | - |
| 2003.....            | 86  | 3  | 8  | 8  | 21 | 5  | 10 | 8  | 6 | 7  | 8 | 2 | - |
| 2002.....            | 78  | 9  | 3  | 7  | 16 | 6  | 4  | 9  | 9 | 5  | 7 | 3 | - |
| 2001.....            | 105 | 10 | 10 | 11 | 28 | 4  | 7  | 5  | 8 | 10 | 5 | 7 | - |
| 2000.....            | 105 | 8  | 7  | 11 | 21 | 9  | 4  | 18 | 7 | 6  | 8 | 6 | - |
| 1999.....            | 126 | 18 | 11 | 12 | 20 | 11 | 18 | 13 | 4 | 4  | 9 | 6 | - |
|                      |     |    |    |    |    |    |    |    |   |    |   |   |   |
| Hispanic, both sexes |     |    |    |    |    |    |    |    |   |    |   |   |   |
| 2007.....            | 9   | 1  | 1  | -  | 3  | 1  | 2  | -  | 1 | -  | - | - | - |
| 2006.....            | 16  | 2  | 3  | 2  | 4  | 1  | 1  | -  | 1 | 1  | 1 | - | - |
| 2005.....            | 16  | 2  | 3  | 1  | 3  | 1  | 1  | 1  | 2 | -  | 1 | 1 | - |
| 2004.....            | 20  | 2  | 5  | 1  | 3  | 3  | -  | 4  | - | 1  | - | 1 | - |
| 2003.....            | 23  | 5  | 2  | 1  | 2  | 5  | 2  | 1  | - | 4  | - | 1 | - |
| 2002.....            | 19  | 7  | -  | 1  | 5  | 3  | 1  | 1  | 1 | -  | - | - | - |
| 2001.....            | 21  | 4  | 5  | 2  | 2  | 2  | 2  | 1  | 2 | -  | 1 | - | - |
| 2000.....            | 34  | 9  | 3  | 2  | 9  | 5  | -  | 3  | 1 | -  | 2 | - | - |
| 1999.....            | 27  | 7  | 1  | 3  | 2  | 6  | 5  | 2  | - | -  | 1 | - | - |

Worktable Orig290F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2007

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data - mortality"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, sex, and year | All ages | Under 1 year | 1-4 years | 5-14 years | 15-24 years | 25-34 years | 35-44 years | 45-54 years | 55-64 years | 65-74 years | 75-84 years | 85 years and over | Age not stated |
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|
| <b>Meningococcal infection (A39)</b>   |          |              |           |            |             |             |             |             |             |             |             |                   |                |
| <b>Hispanic, male</b>  |          |              |           |            |             |             |             |             |             |             |             |                   |                |
| 2007.....  | 5        | -            | 1         | -          | 3           | -           | 1           | -           | -           | -           | -           | -                 | -              |
| 2006.....  | 10       | 2            | 2         | -          | 3           | 1           | 1           | -           | -           | 1           | -           | -                 | -              |
| 2005.....  | 12       | 1            | 3         | 1          | 2           | 1           | 1           | 1           | 2           | -           | -           | -                 | -              |
| 2004.....  | 12       | 1            | 2         | 1          | -           | 3           | -           | 4           | -           | 1           | -           | -                 | -              |
| 2003.....  | 13       | 4            | 1         | -          | 1           | 3           | 1           | 1           | -           | 1           | -           | 1                 | -              |
| 2002.....  | 9        | 3            | -         | 1          | 2           | 2           | -           | -           | 1           | -           | -           | -                 | -              |
| 2001.....  | 11       | -            | 3         | 2          | 2           | 1           | 1           | 1           | -           | -           | 1           | -                 | -              |
| 2000.....  | 16       | 4            | 2         | -          | 6           | 2           | -           | 1           | -           | -           | 1           | -                 | -              |
| 1999.....  | 11       | 5            | 1         | 2          | 1           | 2           | -           | -           | -           | -           | -           | -                 | -              |
| <b>Hispanic, female</b>  |          |              |           |            |             |             |             |             |             |             |             |                   |                |
| 2007.....  | 4        | 1            | -         | -          | -           | 1           | 1           | -           | 1           | -           | -           | -                 | -              |
| 2006.....  | 6        | -            | 1         | 2          | 1           | -           | -           | -           | 1           | -           | 1           | -                 | -              |
| 2005.....  | 4        | 1            | -         | -          | 1           | -           | -           | -           | -           | -           | 1           | 1                 | -              |
| 2004.....  | 8        | 1            | 3         | -          | 3           | -           | -           | -           | -           | -           | -           | 1                 | -              |
| 2003.....  | 10       | 1            | 1         | 1          | 1           | 2           | 1           | -           | -           | 3           | -           | -                 | -              |
| 2002.....  | 10       | 4            | -         | -          | 3           | 1           | 1           | 1           | -           | -           | -           | -                 | -              |
| 2001.....  | 10       | 4            | 2         | -          | -           | 1           | 1           | -           | 2           | -           | -           | -                 | -              |
| 2000.....  | 18       | 5            | 1         | 2          | 3           | 3           | -           | 2           | 1           | -           | 1           | -                 | -              |
| 1999.....  | 16       | 2            | -         | 1          | 1           | 4           | 5           | 2           | -           | -           | 1           | -                 | -              |

Worktable Orig290F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2007

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data - mortality"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, sex, and year | All ages | Under 1 year | 1-4 years | 5-14 years | 15-24 years | 25-34 years | 35-44 years | 45-54 years | 55-64 years | 65-74 years | 75-84 years | 85 years and over | Age not stated |
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|
| <b>Meningococcal infection (A39)</b>   |          |              |           |            |             |             |             |             |             |             |             |                   |                |
| <b>Non-Hispanic 1/, both sexes</b>   |          |              |           |            |             |             |             |             |             |             |             |                   |                |
| 2007.....  | 78       | 10           | 4         | 11         | 18          | 5           | 7           | 8           | 7           | 4           | 1           | 3                 | -              |
| 2006.....  | 89       | 9            | 11        | 5          | 18          | 12          | 5           | 13          | 8           | 3           | 3           | 2                 | -              |
| 2005.....  | 107      | 15           | 8         | 6          | 26          | 7           | 7           | 17          | 8           | 4           | 5           | 4                 | -              |
| 2004.....  | 118      | 6            | 13        | 12         | 28          | 11          | 15          | 11          | 6           | 6           | 3           | 7                 | -              |
| 2003.....  | 138      | 7            | 16        | 10         | 37          | 7           | 17          | 17          | 11          | 5           | 9           | 2                 | -              |
| 2002.....  | 142      | 10           | 12        | 19         | 28          | 13          | 8           | 18          | 12          | 7           | 10          | 5                 | -              |
| 2001.....  | 178      | 12           | 14        | 24         | 53          | 8           | 11          | 12          | 13          | 15          | 7           | 9                 | -              |
| 2000.....  | 177      | 13           | 16        | 16         | 47          | 10          | 13          | 26          | 8           | 8           | 13          | 7                 | -              |
| 1999.....  | 198      | 25           | 28        | 22         | 37          | 17          | 22          | 14          | 4           | 9           | 12          | 8                 | -              |
| <b>Non-Hispanic 1/, male</b>   |          |              |           |            |             |             |             |             |             |             |             |                   |                |
| 2007.....  | 43       | 6            | 2         | 8          | 9           | 3           | 2           | 5           | 3           | 3           | 1           | 1                 | -              |
| 2006.....  | 57       | 8            | 8         | 3          | 13          | 8           | 3           | 8           | 4           | 1           | 1           | -                 | -              |
| 2005.....  | 56       | 9            | 3         | 4          | 15          | 7           | 3           | 10          | 2           | 2           | -           | 1                 | -              |
| 2004.....  | 67       | 1            | 9         | 8          | 19          | 7           | 8           | 8           | 4           | 2           | 1           | -                 | -              |
| 2003.....  | 62       | 5            | 9         | 3          | 17          | 4           | 8           | 9           | 5           | 1           | 1           | -                 | -              |
| 2002.....  | 74       | 5            | 9         | 12         | 15          | 8           | 5           | 10          | 3           | 2           | 3           | 2                 | -              |
| 2001.....  | 83       | 6            | 6         | 13         | 25          | 5           | 5           | 7           | 7           | 5           | 2           | 2                 | -              |
| 2000.....  | 90       | 10           | 10        | 7          | 29          | 4           | 9           | 10          | 2           | 2           | 6           | 1                 | -              |
| 1999.....  | 89       | 9            | 17        | 11         | 18          | 10          | 9           | 4           | -           | 5           | 4           | 2                 | -              |

Worktable Orig290F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2007

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data - mortality"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, sex, and year | All ages | Under 1 year | 1-4 years | 5-14 years | 15-24 years | 25-34 years | 35-44 years | 45-54 years | 55-64 years | 65-74 years | 75-84 years | 85 years and over | Age not stated |
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|

Meningococcal infection (A39)

Non-Hispanic 1/, female

|           |     |    |    |    |    |   |    |    |   |    |   |   |   |
|-----------|-----|----|----|----|----|---|----|----|---|----|---|---|---|
| 2007..... | 35  | 4  | 2  | 3  | 9  | 2 | 5  | 3  | 4 | 1  | - | 2 | - |
| 2006..... | 32  | 1  | 3  | 2  | 5  | 4 | 2  | 5  | 4 | 2  | 2 | 2 | - |
| 2005..... | 51  | 6  | 5  | 2  | 11 | - | 4  | 7  | 6 | 2  | 5 | 3 | - |
| 2004..... | 51  | 5  | 4  | 4  | 9  | 4 | 7  | 3  | 2 | 4  | 2 | 7 | - |
| 2003..... | 76  | 2  | 7  | 7  | 20 | 3 | 9  | 8  | 6 | 4  | 8 | 2 | - |
| 2002..... | 68  | 5  | 3  | 7  | 13 | 5 | 3  | 8  | 9 | 5  | 7 | 3 | - |
| 2001..... | 95  | 6  | 8  | 11 | 28 | 3 | 6  | 5  | 6 | 10 | 5 | 7 | - |
| 2000..... | 87  | 3  | 6  | 9  | 18 | 6 | 4  | 16 | 6 | 6  | 7 | 6 | - |
| 1999..... | 109 | 16 | 11 | 11 | 19 | 7 | 13 | 10 | 4 | 4  | 8 | 6 | - |

Non-Hispanic white, both sexes

|              |     |    |    |    |    |    |    |    |    |    |    |   |   |
|--------------|-----|----|----|----|----|----|----|----|----|----|----|---|---|
| 2007 2/..... | 49  | 6  | 3  | 7  | 10 | 3  | 3  | 3  | 6  | 4  | 1  | 3 | - |
| 2006 2/..... | 64  | 8  | 10 | 2  | 13 | 6  | 3  | 8  | 7  | 3  | 2  | 2 | - |
| 2005 2/..... | 86  | 12 | 8  | 5  | 20 | 5  | 4  | 14 | 7  | 3  | 4  | 4 | - |
| 2004 2/..... | 90  | 5  | 10 | 11 | 21 | 7  | 10 | 7  | 5  | 5  | 3  | 6 | - |
| 2003 2/..... | 99  | 7  | 10 | 6  | 28 | 3  | 12 | 10 | 7  | 5  | 9  | 2 | - |
| 2002.....    | 106 | 7  | 8  | 9  | 22 | 10 | 4  | 15 | 10 | 6  | 10 | 5 | - |
| 2001.....    | 138 | 10 | 10 | 18 | 38 | 5  | 9  | 11 | 9  | 14 | 6  | 8 | - |
| 2000.....    | 129 | 10 | 11 | 8  | 37 | 6  | 7  | 16 | 7  | 7  | 13 | 7 | - |
| 1999.....    | 155 | 23 | 24 | 15 | 27 | 8  | 14 | 12 | 4  | 9  | 11 | 8 | - |

Worktable Orig290F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2007

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data - mortality"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, sex, and year | All ages | Under 1 year | 1-4 years | 5-14 years | 15-24 years | 25-34 years | 35-44 years | 45-54 years | 55-64 years | 65-74 years | 75-84 years | 85 years and over | Age not stated |
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|
| <b>Meningococcal infection (A39)</b>   |          |              |           |            |             |             |             |             |             |             |             |                   |                |
| <b>Non-Hispanic white, male</b>  |          |              |           |            |             |             |             |             |             |             |             |                   |                |
| 2007 2/.....   | 27       | 4            | 2         | 5          | 5           | 2           | -           | 1           | 3           | 3           | 1           | 1                 | -              |
| 2006 2/.....   | 41       | 7            | 7         | 1          | 9           | 4           | 1           | 6           | 4           | 1           | 1           | -                 | -              |
| 2005 2/.....   | 42       | 7            | 3         | 3          | 11          | 5           | 1           | 8           | 2           | 1           | -           | 1                 | -              |
| 2004 2/.....   | 50       | 1            | 8         | 7          | 13          | 5           | 6           | 5           | 3           | 1           | 1           | -                 | -              |
| 2003 2/.....   | 44       | 5            | 6         | 2          | 13          | 2           | 6           | 6           | 2           | 1           | 1           | -                 | -              |
| 2002.....  | 58       | 5            | 6         | 8          | 12          | 7           | 3           | 8           | 3           | 1           | 3           | 2                 | -              |
| 2001.....  | 62       | 5            | 5         | 10         | 18          | 3           | 3           | 6           | 5           | 5           | 1           | 1                 | -              |
| 2000.....  | 60       | 7            | 6         | 4          | 22          | 1           | 5           | 4           | 2           | 2           | 6           | 1                 | -              |
| 1999.....  | 67       | 9            | 15        | 7          | 12          | 4           | 6           | 3           | -           | 5           | 4           | 2                 | -              |
| <b>Non-Hispanic white, female</b>  |          |              |           |            |             |             |             |             |             |             |             |                   |                |
| 2007 2/.....   | 22       | 2            | 1         | 2          | 5           | 1           | 3           | 2           | 3           | 1           | -           | 2                 | -              |
| 2006 2/.....   | 23       | 1            | 3         | 1          | 4           | 2           | 2           | 2           | 3           | 2           | 1           | 2                 | -              |
| 2005 2/.....   | 44       | 5            | 5         | 2          | 9           | -           | 3           | 6           | 5           | 2           | 4           | 3                 | -              |
| 2004 2/.....   | 40       | 4            | 2         | 4          | 8           | 2           | 4           | 2           | 2           | 4           | 2           | 6                 | -              |
| 2003 2/.....   | 55       | 2            | 4         | 4          | 15          | 1           | 6           | 4           | 5           | 4           | 8           | 2                 | -              |
| 2002.....  | 48       | 2            | 2         | 1          | 10          | 3           | 1           | 7           | 7           | 5           | 7           | 3                 | -              |
| 2001.....  | 76       | 5            | 5         | 8          | 20          | 2           | 6           | 5           | 4           | 9           | 5           | 7                 | -              |
| 2000.....  | 69       | 3            | 5         | 4          | 15          | 5           | 2           | 12          | 5           | 5           | 7           | 6                 | -              |
| 1999.....  | 88       | 14           | 9         | 8          | 15          | 4           | 8           | 9           | 4           | 4           | 7           | 6                 | -              |

Worktable Orig290F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2007

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data - mortality"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, sex, and year | All ages | Under 1 year | 1-4 years | 5-14 years | 15-24 years | 25-34 years | 35-44 years | 45-54 years | 55-64 years | 65-74 years | 75-84 years | 85 years and over | Age not stated |
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|

Meningococcal infection (A39)

Non-Hispanic black, both sexes

|              |    |   |   |   |    |   |   |   |   |   |   |   |   |
|--------------|----|---|---|---|----|---|---|---|---|---|---|---|---|
| 2007 2/..... | 26 | 4 | 1 | 3 | 8  | 2 | 2 | 5 | 1 | - | - | - | - |
| 2006 2/..... | 22 | 1 | 1 | 3 | 5  | 3 | 2 | 5 | 1 | - | 1 | - | - |
| 2005 2/..... | 17 | 2 | - | - | 6  | 2 | 2 | 2 | 1 | 1 | 1 | - | - |
| 2004 2/..... | 22 | - | 3 | 1 | 5  | 3 | 4 | 3 | 1 | 1 | - | 1 | - |
| 2003 2/..... | 35 | - | 6 | 4 | 7  | 3 | 5 | 6 | 4 | - | - | - | - |
| 2002.....    | 29 | 3 | 3 | 8 | 5  | 2 | 4 | 3 | 1 | - | - | - | - |
| 2001.....    | 36 | 2 | 4 | 6 | 13 | 2 | 1 | 1 | 4 | 1 | 1 | 1 | - |
| 2000.....    | 44 | 3 | 5 | 8 | 7  | 4 | 6 | 9 | 1 | 1 | - | - | - |
| 1999.....    | 39 | 2 | 4 | 6 | 9  | 8 | 8 | 2 | - | - | - | - | - |

Non-Hispanic black, male

|              |    |   |   |   |   |   |   |   |   |   |   |   |   |
|--------------|----|---|---|---|---|---|---|---|---|---|---|---|---|
| 2007 2/..... | 14 | 2 | - | 2 | 4 | 1 | 1 | 4 | - | - | - | - | - |
| 2006 2/..... | 14 | 1 | 1 | 2 | 4 | 2 | 2 | 2 | - | - | - | - | - |
| 2005 2/..... | 11 | 1 | - | - | 4 | 2 | 1 | 2 | - | 1 | - | - | - |
| 2004 2/..... | 13 | - | 1 | 1 | 4 | 2 | 1 | 2 | 1 | 1 | - | - | - |
| 2003 2/..... | 16 | - | 3 | 1 | 3 | 1 | 2 | 3 | 3 | - | - | - | - |
| 2002.....    | 12 | - | 2 | 4 | 2 | - | 2 | 2 | - | - | - | - | - |
| 2001.....    | 18 | 1 | 1 | 3 | 6 | 1 | 1 | 1 | 2 | - | 1 | 1 | - |
| 2000.....    | 27 | 3 | 4 | 3 | 5 | 3 | 4 | 5 | - | - | - | - | - |
| 1999.....    | 20 | - | 2 | 3 | 6 | 5 | 3 | 1 | - | - | - | - | - |



Worktable Orig290F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2007

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data - mortality"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, sex, and year | All ages | Under 1 year | 1-4 years | 5-14 years | 15-24 years | 25-34 years | 35-44 years | 45-54 years | 55-64 years | 65-74 years | 75-84 years | 85 years and over | Age not stated |
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|

Meningococcal infection (A39)

| Non-Hispanic black, female       |    |   |   |   |   |   |   |   |   |   |   |   |   |
|----------------------------------|----|---|---|---|---|---|---|---|---|---|---|---|---|
| 2007 2/.....                     | 12 | 2 | 1 | 1 | 4 | 1 | 1 | 1 | 1 | - | - | - | - |
| 2006 2/.....                     | 8  | - | - | 1 | 1 | 1 | - | 3 | 1 | - | 1 | - | - |
| 2005 2/.....                     | 6  | 1 | - | - | 2 | - | 1 | - | 1 | - | 1 | - | - |
| 2004 2/.....                     | 9  | - | 2 | - | 1 | 1 | 3 | 1 | - | - | - | 1 | - |
| 2003 2/.....                     | 19 | - | 3 | 3 | 4 | 2 | 3 | 3 | 1 | - | - | - | - |
| 2002.....                        | 17 | 3 | 1 | 4 | 3 | 2 | 2 | 1 | 1 | - | - | - | - |
| 2001.....                        | 18 | 1 | 3 | 3 | 7 | 1 | - | - | 2 | 1 | - | - | - |
| 2000.....                        | 17 | - | 1 | 5 | 2 | 1 | 2 | 4 | 1 | 1 | - | - | - |
| 1999.....                        | 19 | 2 | 2 | 3 | 3 | 3 | 5 | 1 | - | - | - | - | - |
| Origin not stated 3/, both sexes |    |   |   |   |   |   |   |   |   |   |   |   |   |
| 2007.....                        | -  | - | - | - | - | - | - | - | - | - | - | - | - |
| 2006.....                        | -  | - | - | - | - | - | - | - | - | - | - | - | - |
| 2005.....                        | -  | - | - | - | - | - | - | - | - | - | - | - | - |
| 2004.....                        | -  | - | - | - | - | - | - | - | - | - | - | - | - |
| 2003.....                        | -  | - | - | - | - | - | - | - | - | - | - | - | - |
| 2002.....                        | -  | - | - | - | - | - | - | - | - | - | - | - | - |
| 2001.....                        | -  | - | - | - | - | - | - | - | - | - | - | - | - |
| 2000.....                        | -  | - | - | - | - | - | - | - | - | - | - | - | - |
| 1999.....                        | 2  | - | 1 | - | - | - | - | 1 | - | - | - | - | - |

Worktable Orig290F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2007

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data - mortality"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, sex, and year | All ages | Under 1 year | 1-4 years | 5-14 years | 15-24 years | 25-34 years | 35-44 years | 45-54 years | 55-64 years | 65-74 years | 75-84 years | 85 years and over | Age not stated |
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|

Meningococcal infection (A39)

Origin not stated 3/, male

|           |   |   |   |   |   |   |   |   |   |   |   |   |   |
|-----------|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 2007..... | - | - | - | - | - | - | - | - | - | - | - | - | - |
| 2006..... | - | - | - | - | - | - | - | - | - | - | - | - | - |
| 2005..... | - | - | - | - | - | - | - | - | - | - | - | - | - |
| 2004..... | - | - | - | - | - | - | - | - | - | - | - | - | - |
| 2003..... | - | - | - | - | - | - | - | - | - | - | - | - | - |
| 2002..... | - | - | - | - | - | - | - | - | - | - | - | - | - |
| 2001..... | - | - | - | - | - | - | - | - | - | - | - | - | - |
| 2000..... | - | - | - | - | - | - | - | - | - | - | - | - | - |
| 1999..... | 1 | - | 1 | - | - | - | - | - | - | - | - | - | - |

Origin not stated 3/, female

|           |   |   |   |   |   |   |   |   |   |   |   |   |   |
|-----------|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 2007..... | - | - | - | - | - | - | - | - | - | - | - | - | - |
| 2006..... | - | - | - | - | - | - | - | - | - | - | - | - | - |
| 2005..... | - | - | - | - | - | - | - | - | - | - | - | - | - |
| 2004..... | - | - | - | - | - | - | - | - | - | - | - | - | - |
| 2003..... | - | - | - | - | - | - | - | - | - | - | - | - | - |
| 2002..... | - | - | - | - | - | - | - | - | - | - | - | - | - |
| 2001..... | - | - | - | - | - | - | - | - | - | - | - | - | - |
| 2000..... | - | - | - | - | - | - | - | - | - | - | - | - | - |
| 1999..... | 1 | - | - | - | - | - | - | 1 | - | - | - | - | - |

Worktable Orig290F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2007

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data - mortality"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, sex, and year | All ages | Under 1 year | 1-4 years | 5-14 years | 15-24 years | 25-34 years | 35-44 years | 45-54 years | 55-64 years | 65-74 years | 75-84 years | 85 years and over | Age not stated |
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|
| <b>Septicemia (A40-A41)</b>  |          |              |           |            |             |             |             |             |             |             |             |                   |                |
| All origins, both sexes  |          |              |           |            |             |             |             |             |             |             |             |                   |                |
| 2007.....  | 34,828   | 283          | 78        | 74         | 160         | 297         | 910         | 2,431       | 4,231       | 6,345       | 10,403      | 9,614             | 2              |
| 2006.....  | 34,234   | 269          | 88        | 84         | 139         | 291         | 870         | 2,260       | 4,032       | 6,064       | 10,745      | 9,392             | -              |
| 2005.....  | 34,136   | 302          | 85        | 81         | 148         | 311         | 840         | 2,211       | 3,912       | 6,073       | 10,626      | 9,544             | 3              |
| 2004.....  | 33,373   | 271          | 84        | 66         | 135         | 328         | 846         | 2,251       | 3,745       | 5,983       | 10,586      | 9,075             | 3              |
| 2003.....  | 34,069   | 278          | 85        | 77         | 154         | 309         | 910         | 2,157       | 3,651       | 5,970       | 10,932      | 9,543             | 3              |
| 2002.....  | 33,865   | 296          | 79        | 95         | 118         | 314         | 856         | 2,074       | 3,360       | 6,336       | 11,010      | 9,324             | 3              |
| 2001.....  | 32,238   | 312          | 108       | 69         | 133         | 281         | 829         | 1,977       | 3,111       | 5,998       | 10,351      | 9,069             | -              |
| 2000.....  | 31,224   | 274          | 99        | 63         | 100         | 280         | 877         | 1,845       | 2,899       | 5,704       | 9,938       | 9,144             | 1              |
| 1999.....  | 30,680   | 283          | 87        | 77         | 121         | 275         | 812         | 1,685       | 2,714       | 5,750       | 9,710       | 9,166             | -              |
| All origins, male  |          |              |           |            |             |             |             |             |             |             |             |                   |                |
| 2007.....  | 15,839   | 152          | 44        | 45         | 85          | 153         | 463         | 1,305       | 2,203       | 3,256       | 4,768       | 3,364             | 1              |
| 2006.....  | 15,522   | 143          | 43        | 52         | 68          | 152         | 452         | 1,247       | 2,144       | 3,019       | 4,914       | 3,288             | -              |
| 2005.....  | 15,322   | 171          | 47        | 49         | 82          | 152         | 414         | 1,175       | 2,074       | 3,095       | 4,823       | 3,238             | 2              |
| 2004.....  | 15,011   | 167          | 41        | 31         | 71          | 165         | 433         | 1,207       | 1,934       | 3,017       | 4,870       | 3,074             | 1              |
| 2003.....  | 14,987   | 151          | 54        | 34         | 82          | 161         | 455         | 1,155       | 1,887       | 3,023       | 4,894       | 3,089             | 2              |
| 2002.....  | 14,947   | 158          | 41        | 52         | 59          | 166         | 441         | 1,124       | 1,748       | 3,154       | 5,028       | 2,973             | 3              |
| 2001.....  | 14,307   | 174          | 60        | 39         | 75          | 139         | 451         | 1,043       | 1,606       | 3,044       | 4,762       | 2,914             | -              |
| 2000.....  | 13,537   | 139          | 53        | 38         | 60          | 158         | 451         | 1,039       | 1,513       | 2,867       | 4,482       | 2,736             | 1              |
| 1999.....  | 13,395   | 175          | 48        | 36         | 67          | 147         | 460         | 919         | 1,412       | 2,919       | 4,426       | 2,786             | -              |

Worktable Orig290F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2007

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data - mortality"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, sex, and year | All ages | Under 1 year | 1-4 years | 5-14 years | 15-24 years | 25-34 years | 35-44 years | 45-54 years | 55-64 years | 65-74 years | 75-84 years | 85 years and over | Age not stated |
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|
| <b>Septicemia (A40-A41)</b>  |          |              |           |            |             |             |             |             |             |             |             |                   |                |
| All origins, female  |          |              |           |            |             |             |             |             |             |             |             |                   |                |
| 2007.....  | 18,989   | 131          | 34        | 29         | 75          | 144         | 447         | 1,126       | 2,028       | 3,089       | 5,635       | 6,250             | 1              |
| 2006.....  | 18,712   | 126          | 45        | 32         | 71          | 139         | 418         | 1,013       | 1,888       | 3,045       | 5,831       | 6,104             | -              |
| 2005.....  | 18,814   | 131          | 38        | 32         | 66          | 159         | 426         | 1,036       | 1,838       | 2,978       | 5,803       | 6,306             | 1              |
| 2004.....  | 18,362   | 104          | 43        | 35         | 64          | 163         | 413         | 1,044       | 1,811       | 2,966       | 5,716       | 6,001             | 2              |
| 2003.....  | 19,082   | 127          | 31        | 43         | 72          | 148         | 455         | 1,002       | 1,764       | 2,947       | 6,038       | 6,454             | 1              |
| 2002.....  | 18,918   | 138          | 38        | 43         | 59          | 148         | 415         | 950         | 1,612       | 3,182       | 5,982       | 6,351             | -              |
| 2001.....  | 17,931   | 138          | 48        | 30         | 58          | 142         | 378         | 934         | 1,505       | 2,954       | 5,589       | 6,155             | -              |
| 2000.....  | 17,687   | 135          | 46        | 25         | 40          | 122         | 426         | 806         | 1,386       | 2,837       | 5,456       | 6,408             | -              |
| 1999.....  | 17,285   | 108          | 39        | 41         | 54          | 128         | 352         | 766         | 1,302       | 2,831       | 5,284       | 6,380             | -              |
| Hispanic, both sexes   |          |              |           |            |             |             |             |             |             |             |             |                   |                |
| 2007.....  | 1,894    | 65           | 18        | 16         | 17          | 41          | 81          | 182         | 253         | 375         | 498         | 347               | 1              |
| 2006.....  | 1,829    | 67           | 18        | 16         | 22          | 41          | 79          | 179         | 251         | 342         | 500         | 314               | -              |
| 2005.....  | 1,704    | 66           | 14        | 12         | 18          | 36          | 74          | 157         | 230         | 337         | 445         | 315               | -              |
| 2004.....  | 1,648    | 55           | 24        | 9          | 13          | 35          | 88          | 162         | 216         | 319         | 437         | 290               | -              |
| 2003.....  | 1,505    | 50           | 10        | 7          | 17          | 35          | 86          | 148         | 190         | 270         | 397         | 293               | 2              |
| 2002.....  | 1,521    | 65           | 16        | 14         | 15          | 38          | 67          | 136         | 165         | 341         | 382         | 282               | -              |
| 2001.....  | 1,386    | 50           | 18        | 18         | 13          | 23          | 72          | 133         | 151         | 288         | 346         | 274               | -              |
| 2000.....  | 1,226    | 62           | 15        | 7          | 12          | 31          | 79          | 122         | 145         | 235         | 300         | 218               | -              |
| 1999.....  | 1,215    | 43           | 14        | 8          | 9           | 26          | 74          | 92          | 131         | 265         | 296         | 257               | -              |

Worktable Orig290F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2007

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data - mortality"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, sex, and year | All ages | Under 1 year | 1-4 years | 5-14 years | 15-24 years | 25-34 years | 35-44 years | 45-54 years | 55-64 years | 65-74 years | 75-84 years | 85 years and over | Age not stated |
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|
| <b>Septicemia (A40-A41)</b>  |          |              |           |            |             |             |             |             |             |             |             |                   |                |
| <b>Hispanic, male</b>  |          |              |           |            |             |             |             |             |             |             |             |                   |                |
| 2007.....  | 944      | 35           | 6         | 10         | 10          | 19          | 49          | 112         | 144         | 202         | 244         | 112               | 1              |
| 2006.....  | 932      | 37           | 6         | 10         | 11          | 22          | 43          | 112         | 138         | 188         | 242         | 123               | -              |
| 2005.....  | 838      | 37           | 6         | 6          | 10          | 23          | 35          | 93          | 121         | 175         | 222         | 110               | -              |
| 2004.....  | 801      | 36           | 14        | 6          | 7           | 16          | 53          | 106         | 109         | 154         | 195         | 105               | -              |
| 2003.....  | 721      | 29           | 6         | 4          | 8           | 20          | 48          | 94          | 95          | 137         | 175         | 104               | 1              |
| 2002.....  | 744      | 34           | 9         | 8          | 8           | 25          | 47          | 94          | 84          | 161         | 176         | 98                | -              |
| 2001.....  | 684      | 29           | 5         | 14         | 9           | 15          | 43          | 80          | 86          | 149         | 170         | 84                | -              |
| 2000.....  | 625      | 33           | 9         | 5          | 6           | 21          | 46          | 78          | 80          | 126         | 143         | 78                | -              |
| 1999.....  | 605      | 27           | 8         | 4          | 5           | 14          | 51          | 56          | 78          | 134         | 144         | 84                | -              |
| <b>Hispanic, female</b>  |          |              |           |            |             |             |             |             |             |             |             |                   |                |
| 2007.....  | 950      | 30           | 12        | 6          | 7           | 22          | 32          | 70          | 109         | 173         | 254         | 235               | -              |
| 2006.....  | 897      | 30           | 12        | 6          | 11          | 19          | 36          | 67          | 113         | 154         | 258         | 191               | -              |
| 2005.....  | 866      | 29           | 8         | 6          | 8           | 13          | 39          | 64          | 109         | 162         | 223         | 205               | -              |
| 2004.....  | 847      | 19           | 10        | 3          | 6           | 19          | 35          | 56          | 107         | 165         | 242         | 185               | -              |
| 2003.....  | 784      | 21           | 4         | 3          | 9           | 15          | 38          | 54          | 95          | 133         | 222         | 189               | 1              |
| 2002.....  | 777      | 31           | 7         | 6          | 7           | 13          | 20          | 42          | 81          | 180         | 206         | 184               | -              |
| 2001.....  | 702      | 21           | 13        | 4          | 4           | 8           | 29          | 53          | 65          | 139         | 176         | 190               | -              |
| 2000.....  | 601      | 29           | 6         | 2          | 6           | 10          | 33          | 44          | 65          | 109         | 157         | 140               | -              |
| 1999.....  | 610      | 16           | 6         | 4          | 4           | 12          | 23          | 36          | 53          | 131         | 152         | 173               | -              |

Worktable Orig290F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2007

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data - mortality"]

---

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, sex, and year

|  | All ages | Under 1 year | 1-4 years | 5-14 years | 15-24 years | 25-34 years | 35-44 years | 45-54 years | 55-64 years | 65-74 years | 75-84 years | 85 years and over | Age not stated |
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|

---

Septicemia (A40-A41)

Non-Hispanic 1/, both sexes

|           |        |     |    |    |     |     |     |       |       |       |        |       |   |
|-----------|--------|-----|----|----|-----|-----|-----|-------|-------|-------|--------|-------|---|
| 2007..... | 32,865 | 217 | 60 | 57 | 143 | 255 | 826 | 2,240 | 3,971 | 5,957 | 9,888  | 9,250 | 1 |
| 2006..... | 32,331 | 200 | 70 | 68 | 117 | 249 | 785 | 2,076 | 3,768 | 5,712 | 10,227 | 9,059 | - |
| 2005..... | 32,354 | 236 | 70 | 69 | 130 | 274 | 763 | 2,046 | 3,663 | 5,718 | 10,163 | 9,220 | 2 |
| 2004..... | 31,656 | 212 | 60 | 57 | 122 | 292 | 758 | 2,080 | 3,517 | 5,652 | 10,132 | 8,772 | 2 |
| 2003..... | 32,476 | 227 | 75 | 70 | 137 | 272 | 823 | 2,006 | 3,445 | 5,680 | 10,512 | 9,228 | 1 |
| 2002..... | 32,225 | 227 | 63 | 81 | 102 | 275 | 787 | 1,931 | 3,182 | 5,969 | 10,593 | 9,012 | 3 |
| 2001..... | 30,754 | 261 | 90 | 50 | 120 | 257 | 755 | 1,837 | 2,941 | 5,690 | 9,977  | 8,776 | - |
| 2000..... | 29,864 | 208 | 83 | 56 | 88  | 248 | 793 | 1,713 | 2,739 | 5,442 | 9,601  | 8,892 | 1 |
| 1999..... | 29,351 | 239 | 73 | 69 | 112 | 248 | 736 | 1,585 | 2,570 | 5,466 | 9,378  | 8,875 | - |

Non-Hispanic 1/, male

|           |        |     |    |    |    |     |     |       |       |       |       |       |   |
|-----------|--------|-----|----|----|----|-----|-----|-------|-------|-------|-------|-------|---|
| 2007..... | 14,857 | 116 | 38 | 35 | 75 | 133 | 412 | 1,185 | 2,054 | 3,049 | 4,517 | 3,243 | - |
| 2006..... | 14,556 | 105 | 37 | 42 | 57 | 129 | 406 | 1,130 | 1,998 | 2,827 | 4,666 | 3,159 | - |
| 2005..... | 14,442 | 134 | 40 | 43 | 72 | 128 | 378 | 1,079 | 1,939 | 2,909 | 4,591 | 3,127 | 2 |
| 2004..... | 14,174 | 128 | 27 | 25 | 64 | 148 | 380 | 1,094 | 1,817 | 2,857 | 4,670 | 2,964 | - |
| 2003..... | 14,226 | 122 | 48 | 30 | 74 | 139 | 406 | 1,059 | 1,784 | 2,876 | 4,708 | 2,979 | 1 |
| 2002..... | 14,136 | 120 | 32 | 44 | 50 | 141 | 392 | 1,025 | 1,657 | 2,975 | 4,830 | 2,867 | 3 |
| 2001..... | 13,573 | 145 | 55 | 25 | 66 | 123 | 408 | 957   | 1,510 | 2,882 | 4,575 | 2,827 | - |
| 2000..... | 12,842 | 104 | 44 | 33 | 54 | 137 | 401 | 957   | 1,424 | 2,724 | 4,316 | 2,647 | 1 |
| 1999..... | 12,737 | 147 | 40 | 32 | 62 | 132 | 408 | 858   | 1,330 | 2,777 | 4,261 | 2,690 | - |

Worktable Orig290F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2007

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data - mortality"]

---

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, sex, and year

|  | All ages | Under 1 year | 1-4 years | 5-14 years | 15-24 years | 25-34 years | 35-44 years | 45-54 years | 55-64 years | 65-74 years | 75-84 years | 85 years and over | Age not stated |
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|

---

Septicemia (A40-A41)

Non-Hispanic 1/, female

|           |        |     |    |    |    |     |     |       |       |       |       |       |   |
|-----------|--------|-----|----|----|----|-----|-----|-------|-------|-------|-------|-------|---|
| 2007..... | 18,008 | 101 | 22 | 22 | 68 | 122 | 414 | 1,055 | 1,917 | 2,908 | 5,371 | 6,007 | 1 |
| 2006..... | 17,775 | 95  | 33 | 26 | 60 | 120 | 379 | 946   | 1,770 | 2,885 | 5,561 | 5,900 | - |
| 2005..... | 17,912 | 102 | 30 | 26 | 58 | 146 | 385 | 967   | 1,724 | 2,809 | 5,572 | 6,093 | - |
| 2004..... | 17,482 | 84  | 33 | 32 | 58 | 144 | 378 | 986   | 1,700 | 2,795 | 5,462 | 5,808 | 2 |
| 2003..... | 18,250 | 105 | 27 | 40 | 63 | 133 | 417 | 947   | 1,661 | 2,804 | 5,804 | 6,249 | - |
| 2002..... | 18,089 | 107 | 31 | 37 | 52 | 134 | 395 | 906   | 1,525 | 2,994 | 5,763 | 6,145 | - |
| 2001..... | 17,181 | 116 | 35 | 25 | 54 | 134 | 347 | 880   | 1,431 | 2,808 | 5,402 | 5,949 | - |
| 2000..... | 17,022 | 104 | 39 | 23 | 34 | 111 | 392 | 756   | 1,315 | 2,718 | 5,285 | 6,245 | - |
| 1999..... | 16,614 | 92  | 33 | 37 | 50 | 116 | 328 | 727   | 1,240 | 2,689 | 5,117 | 6,185 | - |

Non-Hispanic white, both sexes

|              |        |     |    |    |    |     |     |       |       |       |       |       |   |
|--------------|--------|-----|----|----|----|-----|-----|-------|-------|-------|-------|-------|---|
| 2007 2/..... | 25,856 | 98  | 42 | 43 | 89 | 153 | 525 | 1,445 | 2,868 | 4,475 | 8,194 | 7,924 | - |
| 2006 2/..... | 25,556 | 91  | 44 | 47 | 69 | 145 | 490 | 1,337 | 2,679 | 4,335 | 8,495 | 7,824 | - |
| 2005 2/..... | 25,496 | 100 | 44 | 47 | 77 | 157 | 480 | 1,342 | 2,641 | 4,413 | 8,381 | 7,814 | - |
| 2004 2/..... | 25,041 | 112 | 36 | 41 | 70 | 172 | 474 | 1,359 | 2,513 | 4,328 | 8,426 | 7,509 | 1 |
| 2003 2/..... | 25,664 | 96  | 43 | 47 | 86 | 155 | 513 | 1,295 | 2,471 | 4,315 | 8,803 | 7,840 | - |
| 2002.....    | 25,545 | 129 | 42 | 55 | 72 | 165 | 510 | 1,274 | 2,241 | 4,583 | 8,806 | 7,666 | 2 |
| 2001.....    | 24,389 | 122 | 63 | 35 | 69 | 145 | 458 | 1,181 | 2,081 | 4,385 | 8,352 | 7,498 | - |
| 2000.....    | 23,517 | 108 | 51 | 42 | 48 | 134 | 498 | 1,092 | 1,919 | 4,173 | 7,901 | 7,550 | 1 |
| 1999.....    | 23,023 | 121 | 47 | 47 | 71 | 155 | 439 | 1,015 | 1,792 | 4,140 | 7,717 | 7,479 | - |

Worktable Orig290F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2007

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data - mortality"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, sex, and year | All ages | Under 1 year | 1-4 years | 5-14 years | 15-24 years | 25-34 years | 35-44 years | 45-54 years | 55-64 years | 65-74 years | 75-84 years | 85 years and over | Age not stated |
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|
| <b>Septicemia (A40-A41)</b>  |          |              |           |            |             |             |             |             |             |             |             |                   |                |
| <b>Non-Hispanic white, male</b>  |          |              |           |            |             |             |             |             |             |             |             |                   |                |
| 2007 2/.....   | 11,653   | 52           | 27        | 29         | 49          | 84          | 269         | 762         | 1,471       | 2,292       | 3,829       | 2,789             | -              |
| 2006 2/.....   | 11,526   | 48           | 24        | 28         | 33          | 77          | 262         | 746         | 1,412       | 2,191       | 3,929       | 2,776             | -              |
| 2005 2/.....   | 11,337   | 63           | 26        | 29         | 46          | 74          | 241         | 708         | 1,416       | 2,249       | 3,835       | 2,650             | -              |
| 2004 2/.....   | 11,188   | 68           | 15        | 20         | 39          | 85          | 243         | 724         | 1,299       | 2,213       | 3,914       | 2,568             | -              |
| 2003 2/.....   | 11,181   | 46           | 29        | 22         | 48          | 74          | 255         | 698         | 1,280       | 2,207       | 3,972       | 2,550             | -              |
| 2002.....  | 11,148   | 67           | 25        | 34         | 37          | 86          | 249         | 680         | 1,204       | 2,310       | 4,006       | 2,448             | 2              |
| 2001.....  | 10,668   | 71           | 41        | 18         | 37          | 69          | 266         | 615         | 1,071       | 2,223       | 3,851       | 2,406             | -              |
| 2000.....  | 10,056   | 55           | 26        | 25         | 33          | 74          | 262         | 613         | 1,015       | 2,131       | 3,579       | 2,242             | 1              |
| 1999.....  | 9,863    | 79           | 25        | 24         | 44          | 87          | 243         | 551         | 904         | 2,111       | 3,538       | 2,257             | -              |
| <b>Non-Hispanic white, female</b>  |          |              |           |            |             |             |             |             |             |             |             |                   |                |
| 2007 2/.....   | 14,203   | 46           | 15        | 14         | 40          | 69          | 256         | 683         | 1,397       | 2,183       | 4,365       | 5,135             | -              |
| 2006 2/.....   | 14,030   | 43           | 20        | 19         | 36          | 68          | 228         | 591         | 1,267       | 2,144       | 4,566       | 5,048             | -              |
| 2005 2/.....   | 14,159   | 37           | 18        | 18         | 31          | 83          | 239         | 634         | 1,225       | 2,164       | 4,546       | 5,164             | -              |
| 2004 2/.....   | 13,853   | 44           | 21        | 21         | 31          | 87          | 231         | 635         | 1,214       | 2,115       | 4,512       | 4,941             | 1              |
| 2003 2/.....   | 14,483   | 50           | 14        | 25         | 38          | 81          | 258         | 597         | 1,191       | 2,108       | 4,831       | 5,290             | -              |
| 2002.....  | 14,397   | 62           | 17        | 21         | 35          | 79          | 261         | 594         | 1,037       | 2,273       | 4,800       | 5,218             | -              |
| 2001.....  | 13,721   | 51           | 22        | 17         | 32          | 76          | 192         | 566         | 1,010       | 2,162       | 4,501       | 5,092             | -              |
| 2000.....  | 13,461   | 53           | 25        | 17         | 15          | 60          | 236         | 479         | 904         | 2,042       | 4,322       | 5,308             | -              |
| 1999.....  | 13,160   | 42           | 22        | 23         | 27          | 68          | 196         | 464         | 888         | 2,029       | 4,179       | 5,222             | -              |



Worktable Orig290F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2007

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data - mortality"]

---

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, sex, and year

|  | All ages | Under 1 year | 1-4 years | 5-14 years | 15-24 years | 25-34 years | 35-44 years | 45-54 years | 55-64 years | 65-74 years | 75-84 years | 85 years and over | Age not stated |
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|

---

Septicemia (A40-A41)

| Non-Hispanic black, both sexes |       |     |    |    |    |     |     |     |     |       |       |       |   |
|--------------------------------|-------|-----|----|----|----|-----|-----|-----|-----|-------|-------|-------|---|
| 2007 2/.....                   | 6,241 | 110 | 16 | 10 | 47 | 89  | 273 | 715 | 996 | 1,314 | 1,500 | 1,171 | - |
| 2006 2/.....                   | 6,045 | 99  | 19 | 20 | 41 | 88  | 270 | 673 | 986 | 1,230 | 1,523 | 1,096 | - |
| 2005 2/.....                   | 6,159 | 125 | 20 | 20 | 44 | 106 | 258 | 654 | 934 | 1,171 | 1,577 | 1,248 | 2 |
| 2004 2/.....                   | 5,945 | 90  | 19 | 12 | 45 | 102 | 255 | 650 | 906 | 1,203 | 1,534 | 1,128 | 1 |
| 2003 2/.....                   | 6,141 | 119 | 24 | 15 | 41 | 102 | 283 | 650 | 881 | 1,232 | 1,536 | 1,257 | 1 |
| 2002.....                      | 6,074 | 85  | 17 | 20 | 24 | 102 | 254 | 593 | 868 | 1,251 | 1,633 | 1,226 | 1 |
| 2001.....                      | 5,829 | 124 | 21 | 10 | 41 | 98  | 268 | 595 | 804 | 1,186 | 1,501 | 1,181 | - |
| 2000.....                      | 5,863 | 96  | 25 | 11 | 33 | 107 | 269 | 572 | 756 | 1,173 | 1,576 | 1,245 | - |
| 1999.....                      | 5,772 | 106 | 16 | 14 | 32 | 85  | 279 | 518 | 716 | 1,212 | 1,513 | 1,281 | - |
| Non-Hispanic black, male       |       |     |    |    |    |     |     |     |     |       |       |       |   |
| 2007 2/.....                   | 2,807 | 60  | 11 | 4  | 22 | 40  | 126 | 376 | 524 | 658   | 600   | 386   | - |
| 2006 2/.....                   | 2,688 | 53  | 11 | 13 | 21 | 44  | 132 | 350 | 527 | 563   | 646   | 328   | - |
| 2005 2/.....                   | 2,755 | 65  | 13 | 13 | 24 | 49  | 121 | 344 | 485 | 586   | 654   | 399   | 2 |
| 2004 2/.....                   | 2,660 | 51  | 9  | 4  | 22 | 52  | 125 | 334 | 465 | 582   | 675   | 341   | - |
| 2003 2/.....                   | 2,748 | 70  | 14 | 6  | 19 | 56  | 134 | 338 | 462 | 601   | 663   | 384   | 1 |
| 2002.....                      | 2,668 | 46  | 5  | 7  | 10 | 47  | 130 | 312 | 418 | 598   | 729   | 365   | 1 |
| 2001.....                      | 2,611 | 67  | 12 | 3  | 25 | 46  | 128 | 304 | 411 | 586   | 656   | 373   | - |
| 2000.....                      | 2,559 | 48  | 13 | 6  | 18 | 59  | 125 | 319 | 381 | 545   | 677   | 368   | - |
| 1999.....                      | 2,594 | 60  | 10 | 7  | 14 | 41  | 154 | 279 | 392 | 609   | 648   | 380   | - |

Worktable Orig290F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2007

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data - mortality"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, sex, and year | All ages | Under 1 year | 1-4 years | 5-14 years | 15-24 years | 25-34 years | 35-44 years | 45-54 years | 55-64 years | 65-74 years | 75-84 years | 85 years and over | Age not stated |
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|
| <b>Septicemia (A40-A41)</b>  |          |              |           |            |             |             |             |             |             |             |             |                   |                |
| <b>Non-Hispanic black, female</b>  |          |              |           |            |             |             |             |             |             |             |             |                   |                |
| 2007 2/.....   | 3,434    | 50           | 5         | 6          | 25          | 49          | 147         | 339         | 472         | 656         | 900         | 785               | -              |
| 2006 2/.....   | 3,357    | 46           | 8         | 7          | 20          | 44          | 138         | 323         | 459         | 667         | 877         | 768               | -              |
| 2005 2/.....   | 3,404    | 60           | 7         | 7          | 20          | 57          | 137         | 310         | 449         | 585         | 923         | 849               | -              |
| 2004 2/.....   | 3,285    | 39           | 10        | 8          | 23          | 50          | 130         | 316         | 441         | 621         | 859         | 787               | 1              |
| 2003 2/.....   | 3,393    | 49           | 10        | 9          | 22          | 46          | 149         | 312         | 419         | 631         | 873         | 873               | -              |
| 2002.....  | 3,406    | 39           | 12        | 13         | 14          | 55          | 124         | 281         | 450         | 653         | 904         | 861               | -              |
| 2001.....  | 3,218    | 57           | 9         | 7          | 16          | 52          | 140         | 291         | 393         | 600         | 845         | 808               | -              |
| 2000.....  | 3,304    | 48           | 12        | 5          | 15          | 48          | 144         | 253         | 375         | 628         | 899         | 877               | -              |
| 1999.....  | 3,178    | 46           | 6         | 7          | 18          | 44          | 125         | 239         | 324         | 603         | 865         | 901               | -              |
| <b>Origin not stated 3/, both sexes</b>  |          |              |           |            |             |             |             |             |             |             |             |                   |                |
| 2007.....  | 69       | 1            | -         | 1          | -           | 1           | 3           | 9           | 7           | 13          | 17          | 17                | -              |
| 2006.....  | 74       | 2            | -         | -          | -           | 1           | 6           | 5           | 13          | 10          | 18          | 19                | -              |
| 2005.....  | 78       | -            | 1         | -          | -           | 1           | 3           | 8           | 19          | 18          | 18          | 9                 | 1              |
| 2004.....  | 69       | 4            | -         | -          | -           | 1           | -           | 9           | 12          | 12          | 17          | 13                | 1              |
| 2003.....  | 88       | 1            | -         | -          | -           | 2           | 1           | 3           | 16          | 20          | 23          | 22                | -              |
| 2002.....  | 119      | 4            | -         | -          | 1           | 1           | 2           | 7           | 13          | 26          | 35          | 30                | -              |
| 2001.....  | 98       | 1            | -         | 1          | -           | 1           | 2           | 7           | 19          | 20          | 28          | 19                | -              |
| 2000.....  | 134      | 4            | 1         | -          | -           | 1           | 5           | 10          | 15          | 27          | 37          | 34                | -              |
| 1999.....  | 114      | 1            | -         | -          | -           | 1           | 2           | 8           | 13          | 19          | 36          | 34                | -              |

Worktable Orig290F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2007

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data - mortality"]

---

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, sex, and year

|  | All ages | Under 1 year | 1-4 years | 5-14 years | 15-24 years | 25-34 years | 35-44 years | 45-54 years | 55-64 years | 65-74 years | 75-84 years | 85 years and over | Age not stated |
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|

---

Septicemia (A40-A41)

|                              | All ages | Under 1 year | 1-4 years | 5-14 years | 15-24 years | 25-34 years | 35-44 years | 45-54 years | 55-64 years | 65-74 years | 75-84 years | 85 years and over | Age not stated |
|------------------------------|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|
| Origin not stated 3/, male   |          |              |           |            |             |             |             |             |             |             |             |                   |                |
| 2007.....                    | 38       | 1            | -         | -          | -           | 1           | 2           | 8           | 5           | 5           | 7           | 9                 | -              |
| 2006.....                    | 34       | 1            | -         | -          | -           | 1           | 3           | 5           | 8           | 4           | 6           | 6                 | -              |
| 2005.....                    | 42       | -            | 1         | -          | -           | 1           | 1           | 3           | 14          | 11          | 10          | 1                 | -              |
| 2004.....                    | 36       | 3            | -         | -          | -           | 1           | -           | 7           | 8           | 6           | 5           | 5                 | 1              |
| 2003.....                    | 40       | -            | -         | -          | -           | 2           | 1           | 2           | 8           | 10          | 11          | 6                 | -              |
| 2002.....                    | 67       | 4            | -         | -          | 1           | -           | 2           | 5           | 7           | 18          | 22          | 8                 | -              |
| 2001.....                    | 50       | -            | -         | -          | -           | 1           | -           | 6           | 10          | 13          | 17          | 3                 | -              |
| 2000.....                    | 70       | 2            | -         | -          | -           | -           | 4           | 4           | 9           | 17          | 23          | 11                | -              |
| 1999.....                    | 53       | 1            | -         | -          | -           | 1           | 1           | 5           | 4           | 8           | 21          | 12                | -              |
| Origin not stated 3/, female |          |              |           |            |             |             |             |             |             |             |             |                   |                |
| 2007.....                    | 31       | -            | -         | 1          | -           | -           | 1           | 1           | 2           | 8           | 10          | 8                 | -              |
| 2006.....                    | 40       | 1            | -         | -          | -           | -           | 3           | -           | 5           | 6           | 12          | 13                | -              |
| 2005.....                    | 36       | -            | -         | -          | -           | -           | 2           | 5           | 5           | 7           | 8           | 8                 | 1              |
| 2004.....                    | 33       | 1            | -         | -          | -           | -           | -           | 2           | 4           | 6           | 12          | 8                 | -              |
| 2003.....                    | 48       | 1            | -         | -          | -           | -           | -           | 1           | 8           | 10          | 12          | 16                | -              |
| 2002.....                    | 52       | -            | -         | -          | -           | 1           | -           | 2           | 6           | 8           | 13          | 22                | -              |
| 2001.....                    | 48       | 1            | -         | 1          | -           | -           | 2           | 1           | 9           | 7           | 11          | 16                | -              |
| 2000.....                    | 64       | 2            | 1         | -          | -           | 1           | 1           | 6           | 6           | 10          | 14          | 23                | -              |
| 1999.....                    | 61       | -            | -         | -          | -           | -           | 1           | 3           | 9           | 11          | 15          | 22                | -              |

Worktable Orig290F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2007

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data - mortality"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, sex, and year | All ages | Under 1 year | 1-4 years | 5-14 years | 15-24 years | 25-34 years | 35-44 years | 45-54 years | 55-64 years | 65-74 years | 75-84 years | 85 years and over | Age not stated |
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|

#### Syphilis (A50-A53)

| All origins, both sexes |    |   |   |   |   |   |   |   |   |   |    |    |   |
|-------------------------|----|---|---|---|---|---|---|---|---|---|----|----|---|
| 2007.....               | 42 | 5 | - | - | - | - | 4 | 2 | 1 | 8 | 12 | 10 | - |
| 2006.....               | 38 | - | 1 | - | 1 | - | 4 | 4 | 7 | 4 | 7  | 10 | - |
| 2005.....               | 47 | - | - | 1 | - | 4 | 5 | 6 | 8 | 4 | 13 | 6  | - |
| 2004.....               | 43 | - | - | - | - | 3 | 3 | 3 | 4 | 6 | 12 | 12 | - |
| 2003.....               | 34 | - | - | - | - | - | 3 | 5 | 3 | 6 | 8  | 9  | - |
| 2002.....               | 41 | 1 | 1 | - | - | - | 2 | 5 | 5 | 6 | 12 | 9  | - |
| 2001.....               | 36 | 1 | - | 1 | - | 1 | 3 | 3 | 4 | 5 | 13 | 5  | - |
| 2000.....               | 41 | 1 | - | - | - | 1 | - | 6 | 3 | 7 | 13 | 10 | - |
| 1999.....               | 33 | 2 | - | - | - | 1 | 1 | 5 | 4 | 6 | 10 | 4  | - |
| All origins, male       |    |   |   |   |   |   |   |   |   |   |    |    |   |
| 2007.....               | 25 | 3 | - | - | - | - | 2 | 2 | 1 | 8 | 6  | 3  | - |
| 2006.....               | 20 | - | 1 | - | - | - | 2 | 3 | 4 | 3 | 3  | 4  | - |
| 2005.....               | 32 | - | - | - | - | 4 | 4 | 5 | 5 | 4 | 8  | 2  | - |
| 2004.....               | 21 | - | - | - | - | 2 | 2 | 1 | 2 | 4 | 6  | 4  | - |
| 2003.....               | 22 | - | - | - | - | - | 3 | 5 | 2 | 5 | 4  | 3  | - |
| 2002.....               | 21 | - | 1 | - | - | - | 2 | 4 | 2 | 5 | 4  | 3  | - |
| 2001.....               | 19 | 1 | - | 1 | - | - | 2 | 3 | 3 | 3 | 5  | 1  | - |
| 2000.....               | 24 | 1 | - | - | - | 1 | - | 5 | 3 | 2 | 7  | 5  | - |
| 1999.....               | 13 | - | - | - | - | 1 | - | 3 | 3 | 5 | -  | 1  | - |

Worktable Orig290F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2007

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data - mortality"]

---

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, sex, and year

|  | All ages | Under 1 year | 1-4 years | 5-14 years | 15-24 years | 25-34 years | 35-44 years | 45-54 years | 55-64 years | 65-74 years | 75-84 years | 85 years and over | Age not stated |
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|

---

Syphilis (A50-A53)

All origins, female

|           |    |   |   |   |   |   |   |   |   |   |    |   |   |
|-----------|----|---|---|---|---|---|---|---|---|---|----|---|---|
| 2007..... | 17 | 2 | - | - | - | - | 2 | - | - | - | 6  | 7 | - |
| 2006..... | 18 | - | - | - | 1 | - | 2 | 1 | 3 | 1 | 4  | 6 | - |
| 2005..... | 15 | - | - | 1 | - | - | 1 | 1 | 3 | - | 5  | 4 | - |
| 2004..... | 22 | - | - | - | - | 1 | 1 | 2 | 2 | 2 | 6  | 8 | - |
| 2003..... | 12 | - | - | - | - | - | - | - | 1 | 1 | 4  | 6 | - |
| 2002..... | 20 | 1 | - | - | - | - | - | 1 | 3 | 1 | 8  | 6 | - |
| 2001..... | 17 | - | - | - | - | 1 | 1 | - | 1 | 2 | 8  | 4 | - |
| 2000..... | 17 | - | - | - | - | - | - | 1 | - | 5 | 6  | 5 | - |
| 1999..... | 20 | 2 | - | - | - | - | 1 | 2 | 1 | 1 | 10 | 3 | - |

Hispanic, both sexes

|           |   |   |   |   |   |   |   |   |   |   |   |   |   |
|-----------|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 2007..... | 4 | 1 | - | - | - | - | - | - | - | - | 1 | 2 | - |
| 2006..... | 5 | - | - | - | - | - | 1 | - | - | - | 2 | 2 | - |
| 2005..... | 1 | - | - | - | - | - | - | 1 | - | - | - | - | - |
| 2004..... | 1 | - | - | - | - | - | - | - | - | - | 1 | - | - |
| 2003..... | 1 | - | - | - | - | - | - | 1 | - | - | - | - | - |
| 2002..... | 1 | - | - | - | - | - | - | - | - | - | 1 | - | - |
| 2001..... | 7 | 1 | - | - | - | - | - | - | 2 | - | 3 | 1 | - |
| 2000..... | 1 | - | - | - | - | - | - | - | - | - | 1 | - | - |
| 1999..... | 5 | 2 | - | - | - | - | - | 2 | - | - | 1 | - | - |

Worktable Orig290F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2007

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data - mortality"]

---

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, sex, and year

|  | All ages | Under 1 year | 1-4 years | 5-14 years | 15-24 years | 25-34 years | 35-44 years | 45-54 years | 55-64 years | 65-74 years | 75-84 years | 85 years and over | Age not stated |
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|

---

Syphilis (A50-A53)

Hispanic, male

|           |   |   |   |   |   |   |   |   |   |   |   |   |   |
|-----------|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 2007..... | 3 | 1 | - | - | - | - | - | - | - | - | 1 | 1 | - |
| 2006..... | 3 | - | - | - | - | - | 1 | - | - | - | 1 | 1 | - |
| 2005..... | 1 | - | - | - | - | - | - | 1 | - | - | - | - | - |
| 2004..... | 1 | - | - | - | - | - | - | - | - | - | 1 | - | - |
| 2003..... | 1 | - | - | - | - | - | - | 1 | - | - | - | - | - |
| 2002..... | 1 | - | - | - | - | - | - | - | - | - | 1 | - | - |
| 2001..... | 5 | 1 | - | - | - | - | - | - | 2 | - | 1 | 1 | - |
| 2000..... | - | - | - | - | - | - | - | - | - | - | - | - | - |
| 1999..... | 1 | - | - | - | - | - | - | 1 | - | - | - | - | - |

Hispanic, female

|           |   |   |   |   |   |   |   |   |   |   |   |   |   |
|-----------|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 2007..... | 1 | - | - | - | - | - | - | - | - | - | - | 1 | - |
| 2006..... | 2 | - | - | - | - | - | - | - | - | - | 1 | 1 | - |
| 2005..... | - | - | - | - | - | - | - | - | - | - | - | - | - |
| 2004..... | - | - | - | - | - | - | - | - | - | - | - | - | - |
| 2003..... | - | - | - | - | - | - | - | - | - | - | - | - | - |
| 2002..... | - | - | - | - | - | - | - | - | - | - | - | - | - |
| 2001..... | 2 | - | - | - | - | - | - | - | - | - | 2 | - | - |
| 2000..... | 1 | - | - | - | - | - | - | - | - | - | 1 | - | - |
| 1999..... | 4 | 2 | - | - | - | - | - | 1 | - | - | 1 | - | - |

Worktable Orig290F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2007

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data - mortality"]

---

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, sex, and year

|  | All ages | Under 1 year | 1-4 years | 5-14 years | 15-24 years | 25-34 years | 35-44 years | 45-54 years | 55-64 years | 65-74 years | 75-84 years | 85 years and over | Age not stated |
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|

---

Syphilis (A50-A53)

| Non-Hispanic 1/, both sexes |    |   |   |   |   |   |   |   |   |   |    |    |   |
|-----------------------------|----|---|---|---|---|---|---|---|---|---|----|----|---|
| 2007.....                   | 38 | 4 | - | - | - | - | 4 | 2 | 1 | 8 | 11 | 8  | - |
| 2006.....                   | 32 | - | 1 | - | 1 | - | 3 | 4 | 7 | 4 | 4  | 8  | - |
| 2005.....                   | 46 | - | - | 1 | - | 4 | 5 | 5 | 8 | 4 | 13 | 6  | - |
| 2004.....                   | 42 | - | - | - | - | 3 | 3 | 3 | 4 | 6 | 11 | 12 | - |
| 2003.....                   | 32 | - | - | - | - | - | 3 | 4 | 3 | 5 | 8  | 9  | - |
| 2002.....                   | 39 | 1 | 1 | - | - | - | 2 | 5 | 5 | 6 | 11 | 8  | - |
| 2001.....                   | 28 | - | - | 1 | - | 1 | 3 | 3 | 1 | 5 | 10 | 4  | - |
| 2000.....                   | 39 | 1 | - | - | - | 1 | - | 6 | 3 | 7 | 11 | 10 | - |
| 1999.....                   | 27 | - | - | - | - | 1 | 1 | 2 | 4 | 6 | 9  | 4  | - |
| Non-Hispanic 1/, male       |    |   |   |   |   |   |   |   |   |   |    |    |   |
| 2007.....                   | 22 | 2 | - | - | - | - | 2 | 2 | 1 | 8 | 5  | 2  | - |
| 2006.....                   | 16 | - | 1 | - | - | - | 1 | 3 | 4 | 3 | 1  | 3  | - |
| 2005.....                   | 31 | - | - | - | - | 4 | 4 | 4 | 5 | 4 | 8  | 2  | - |
| 2004.....                   | 20 | - | - | - | - | 2 | 2 | 1 | 2 | 4 | 5  | 4  | - |
| 2003.....                   | 21 | - | - | - | - | - | 3 | 4 | 2 | 5 | 4  | 3  | - |
| 2002.....                   | 20 | - | 1 | - | - | - | 2 | 4 | 2 | 5 | 3  | 3  | - |
| 2001.....                   | 14 | - | - | 1 | - | - | 2 | 3 | 1 | 3 | 4  | -  | - |
| 2000.....                   | 24 | 1 | - | - | - | 1 | - | 5 | 3 | 2 | 7  | 5  | - |
| 1999.....                   | 11 | - | - | - | - | 1 | - | 1 | 3 | 5 | -  | 1  | - |

Worktable Orig290F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2007

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data - mortality"]

---

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, sex, and year

|  | All ages | Under 1 year | 1-4 years | 5-14 years | 15-24 years | 25-34 years | 35-44 years | 45-54 years | 55-64 years | 65-74 years | 75-84 years | 85 years and over | Age not stated |
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|

---

Syphilis (A50-A53)

Non-Hispanic 1/, female

|           |    |   |   |   |   |   |   |   |   |   |   |   |   |
|-----------|----|---|---|---|---|---|---|---|---|---|---|---|---|
| 2007..... | 16 | 2 | - | - | - | - | 2 | - | - | - | 6 | 6 | - |
| 2006..... | 16 | - | - | - | 1 | - | 2 | 1 | 3 | 1 | 3 | 5 | - |
| 2005..... | 15 | - | - | 1 | - | - | 1 | 1 | 3 | - | 5 | 4 | - |
| 2004..... | 22 | - | - | - | - | 1 | 1 | 2 | 2 | 2 | 6 | 8 | - |
| 2003..... | 11 | - | - | - | - | - | - | - | 1 | - | 4 | 6 | - |
| 2002..... | 19 | 1 | - | - | - | - | - | 1 | 3 | 1 | 8 | 5 | - |
| 2001..... | 14 | - | - | - | - | 1 | 1 | - | - | 2 | 6 | 4 | - |
| 2000..... | 15 | - | - | - | - | - | - | 1 | - | 5 | 4 | 5 | - |
| 1999..... | 16 | - | - | - | - | - | 1 | 1 | 1 | 1 | 9 | 3 | - |

Non-Hispanic white, both sexes

|              |    |   |   |   |   |   |   |   |   |   |   |   |   |
|--------------|----|---|---|---|---|---|---|---|---|---|---|---|---|
| 2007 2/..... | 16 | 1 | - | - | - | - | 3 | - | - | 3 | 6 | 3 | - |
| 2006 2/..... | 8  | - | - | - | - | - | 1 | - | 2 | - | 2 | 3 | - |
| 2005 2/..... | 15 | - | - | - | - | - | 1 | - | 3 | 1 | 8 | 2 | - |
| 2004 2/..... | 16 | - | - | - | - | - | 3 | 1 | 1 | 3 | 5 | 3 | - |
| 2003 2/..... | 16 | - | - | - | - | - | 1 | - | 2 | 2 | 5 | 6 | - |
| 2002.....    | 16 | - | - | - | - | - | 1 | 2 | 1 | 3 | 4 | 5 | - |
| 2001.....    | 14 | - | - | - | - | - | 1 | 1 | 1 | 2 | 7 | 2 | - |
| 2000.....    | 20 | - | - | - | - | 1 | - | 2 | - | 3 | 6 | 8 | - |
| 1999.....    | 14 | - | - | - | - | 1 | 1 | 2 | 3 | 3 | 3 | 1 | - |



Worktable Orig290F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2007

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data - mortality"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, sex, and year | All ages | Under 1 year | 1-4 years | 5-14 years | 15-24 years | 25-34 years | 35-44 years | 45-54 years | 55-64 years | 65-74 years | 75-84 years | 85 years and over | Age not stated |
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|

Syphilis (A50-A53)

| Non-Hispanic white, male   |    |   |   |   |   |   |   |   |   |   |   |   |   |
|----------------------------|----|---|---|---|---|---|---|---|---|---|---|---|---|
| 2007 2/.....               | 9  | 1 | - | - | - | - | 2 | - | - | 3 | 2 | 1 | - |
| 2006 2/.....               | 2  | - | - | - | - | - | 1 | - | - | - | - | 1 | - |
| 2005 2/.....               | 9  | - | - | - | - | - | 1 | - | 2 | 1 | 5 | - | - |
| 2004 2/.....               | 6  | - | - | - | - | - | 2 | - | 1 | 1 | 1 | 1 | - |
| 2003 2/.....               | 9  | - | - | - | - | - | 1 | - | 1 | 2 | 3 | 2 | - |
| 2002.....                  | 8  | - | - | - | - | - | 1 | 2 | - | 3 | - | 2 | - |
| 2001.....                  | 5  | - | - | - | - | - | - | 1 | 1 | 1 | 2 | - | - |
| 2000.....                  | 7  | - | - | - | - | 1 | - | 1 | - | - | 2 | 3 | - |
| 1999.....                  | 6  | - | - | - | - | 1 | - | 1 | 2 | 2 | - | - | - |
| Non-Hispanic white, female |    |   |   |   |   |   |   |   |   |   |   |   |   |
| 2007 2/.....               | 7  | - | - | - | - | - | 1 | - | - | - | 4 | 2 | - |
| 2006 2/.....               | 6  | - | - | - | - | - | - | - | 2 | - | 2 | 2 | - |
| 2005 2/.....               | 6  | - | - | - | - | - | - | - | 1 | - | 3 | 2 | - |
| 2004 2/.....               | 10 | - | - | - | - | - | 1 | 1 | - | 2 | 4 | 2 | - |
| 2003 2/.....               | 7  | - | - | - | - | - | - | - | 1 | - | 2 | 4 | - |
| 2002.....                  | 8  | - | - | - | - | - | - | - | 1 | - | 4 | 3 | - |
| 2001.....                  | 9  | - | - | - | - | - | 1 | - | - | 1 | 5 | 2 | - |
| 2000.....                  | 13 | - | - | - | - | - | - | 1 | - | 3 | 4 | 5 | - |
| 1999.....                  | 8  | - | - | - | - | - | 1 | 1 | 1 | 1 | 3 | 1 | - |

Worktable Orig290F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2007

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data - mortality"]

---

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, sex, and year

|  | All ages | Under 1 year | 1-4 years | 5-14 years | 15-24 years | 25-34 years | 35-44 years | 45-54 years | 55-64 years | 65-74 years | 75-84 years | 85 years and over | Age not stated |
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|

---

Syphilis (A50-A53)

| Non-Hispanic black, both sexes |    |   |   |   |   |   |   |   |   |   |   |   |   |
|--------------------------------|----|---|---|---|---|---|---|---|---|---|---|---|---|
| 2007 2/.....                   | 21 | 3 | - | - | - | - | 1 | 2 | 1 | 4 | 5 | 5 | - |
| 2006 2/.....                   | 23 | - | 1 | - | - | - | 2 | 4 | 5 | 4 | 2 | 5 | - |
| 2005 2/.....                   | 30 | - | - | 1 | - | 4 | 4 | 5 | 5 | 2 | 5 | 4 | - |
| 2004 2/.....                   | 23 | - | - | - | - | 3 | - | 1 | 3 | 3 | 5 | 8 | - |
| 2003 2/.....                   | 15 | - | - | - | - | - | 2 | 4 | 1 | 3 | 3 | 2 | - |
| 2002.....                      | 23 | 1 | 1 | - | - | - | 1 | 3 | 4 | 3 | 7 | 3 | - |
| 2001.....                      | 14 | - | - | 1 | - | 1 | 2 | 2 | - | 3 | 3 | 2 | - |
| 2000.....                      | 19 | 1 | - | - | - | - | - | 4 | 3 | 4 | 5 | 2 | - |
| 1999.....                      | 12 | - | - | - | - | - | - | - | 1 | 3 | 5 | 3 | - |
| Non-Hispanic black, male       |    |   |   |   |   |   |   |   |   |   |   |   |   |
| 2007 2/.....                   | 12 | 1 | - | - | - | - | - | 2 | 1 | 4 | 3 | 1 | - |
| 2006 2/.....                   | 14 | - | 1 | - | - | - | - | 3 | 4 | 3 | 1 | 2 | - |
| 2005 2/.....                   | 21 | - | - | - | - | 4 | 3 | 4 | 3 | 2 | 3 | 2 | - |
| 2004 2/.....                   | 13 | - | - | - | - | 2 | - | 1 | 1 | 3 | 3 | 3 | - |
| 2003 2/.....                   | 11 | - | - | - | - | - | 2 | 4 | 1 | 3 | 1 | - | - |
| 2002.....                      | 12 | - | 1 | - | - | - | 1 | 2 | 2 | 2 | 3 | 1 | - |
| 2001.....                      | 9  | - | - | 1 | - | - | 2 | 2 | - | 2 | 2 | - | - |
| 2000.....                      | 17 | 1 | - | - | - | - | - | 4 | 3 | 2 | 5 | 2 | - |
| 1999.....                      | 5  | - | - | - | - | - | - | - | 1 | 3 | - | 1 | - |

Worktable Orig290F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2007

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data - mortality"]

---

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, sex, and year

|  | All ages | Under 1 year | 1-4 years | 5-14 years | 15-24 years | 25-34 years | 35-44 years | 45-54 years | 55-64 years | 65-74 years | 75-84 years | 85 years and over | Age not stated |
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|

---

Syphilis (A50-A53)

| Non-Hispanic black, female       |    |   |   |   |   |   |   |   |   |   |   |   |   |
|----------------------------------|----|---|---|---|---|---|---|---|---|---|---|---|---|
| 2007 2/.....                     | 9  | 2 | - | - | - | - | 1 | - | - | - | 2 | 4 | - |
| 2006 2/.....                     | 9  | - | - | - | - | - | 2 | 1 | 1 | 1 | 1 | 3 | - |
| 2005 2/.....                     | 9  | - | - | 1 | - | - | 1 | 1 | 2 | - | 2 | 2 | - |
| 2004 2/.....                     | 10 | - | - | - | - | 1 | - | - | 2 | - | 2 | 5 | - |
| 2003 2/.....                     | 4  | - | - | - | - | - | - | - | - | - | 2 | 2 | - |
| 2002.....                        | 11 | 1 | - | - | - | - | - | 1 | 2 | 1 | 4 | 2 | - |
| 2001.....                        | 5  | - | - | - | - | 1 | - | - | - | 1 | 1 | 2 | - |
| 2000.....                        | 2  | - | - | - | - | - | - | - | - | 2 | - | - | - |
| 1999.....                        | 7  | - | - | - | - | - | - | - | - | - | 5 | 2 | - |
| Origin not stated 3/, both sexes |    |   |   |   |   |   |   |   |   |   |   |   |   |
| 2007.....                        | -  | - | - | - | - | - | - | - | - | - | - | - | - |
| 2006.....                        | 1  | - | - | - | - | - | - | - | - | - | 1 | - | - |
| 2005.....                        | -  | - | - | - | - | - | - | - | - | - | - | - | - |
| 2004.....                        | -  | - | - | - | - | - | - | - | - | - | - | - | - |
| 2003.....                        | 1  | - | - | - | - | - | - | - | - | 1 | - | - | - |
| 2002.....                        | 1  | - | - | - | - | - | - | - | - | - | - | 1 | - |
| 2001.....                        | 1  | - | - | - | - | - | - | - | 1 | - | - | - | - |
| 2000.....                        | 1  | - | - | - | - | - | - | - | - | - | 1 | - | - |
| 1999.....                        | 1  | - | - | - | - | - | - | 1 | - | - | - | - | - |























Worktable Orig290F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2007

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data - mortality"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, sex, and year | All ages | Under 1 year | 1-4 years | 5-14 years | 15-24 years | 25-34 years | 35-44 years | 45-54 years | 55-64 years | 65-74 years | 75-84 years | 85 years and over | Age not stated |
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|

Arthropod-borne viral encephalitis (A83-A84,A85.2)

| All origins, both sexes |    |   |   |   |   |   |   |   |   |   |   |   |   |
|-------------------------|----|---|---|---|---|---|---|---|---|---|---|---|---|
| 2007.....               | 3  | - | - | 1 | - | - | - | - | - | 1 | - | 1 | - |
| 2006.....               | 5  | - | - | 1 | 1 | - | - | 2 | - | 1 | - | - | - |
| 2005.....               | 6  | - | 1 | 1 | - | 1 | - | - | 2 | - | 1 | - | - |
| 2004.....               | 5  | - | - | - | - | - | 1 | - | 1 | 3 | - | - | - |
| 2003.....               | 13 | 1 | - | 1 | - | - | - | 1 | 3 | 2 | 5 | - | - |
| 2002.....               | 9  | - | - | - | 1 | 1 | - | 2 | 1 | 1 | 2 | 1 | - |
| 2001.....               | 9  | 1 | - | - | - | - | - | 1 | - | 5 | 2 | - | - |
| 2000.....               | 2  | - | - | - | - | - | 1 | - | - | - | 1 | - | - |
| 1999.....               | 3  | - | - | - | - | - | - | - | - | 2 | - | 1 | - |
| All origins, male       |    |   |   |   |   |   |   |   |   |   |   |   |   |
| 2007.....               | 2  | - | - | - | - | - | - | - | - | 1 | - | 1 | - |
| 2006.....               | 4  | - | - | 1 | 1 | - | - | 2 | - | - | - | - | - |
| 2005.....               | 4  | - | - | 1 | - | 1 | - | - | 1 | - | 1 | - | - |
| 2004.....               | 5  | - | - | - | - | - | 1 | - | 1 | 3 | - | - | - |
| 2003.....               | 9  | 1 | - | 1 | - | - | - | 1 | 2 | 2 | 2 | - | - |
| 2002.....               | 4  | - | - | - | - | - | - | 1 | 1 | 1 | 1 | - | - |
| 2001.....               | 6  | - | - | - | - | - | - | - | - | 4 | 2 | - | - |
| 2000.....               | 2  | - | - | - | - | - | 1 | - | - | - | 1 | - | - |
| 1999.....               | 3  | - | - | - | - | - | - | - | - | 2 | - | 1 | - |







Worktable Orig290F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2007

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data - mortality"]

---

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, sex, and year

|  | All ages | Under 1 year | 1-4 years | 5-14 years | 15-24 years | 25-34 years | 35-44 years | 45-54 years | 55-64 years | 65-74 years | 75-84 years | 85 years and over | Age not stated |
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|

---

Arthropod-borne viral encephalitis (A83-A84,A85.2)

| Non-Hispanic 1/, both sexes |    |   |   |   |   |   |   |   |   |   |   |   |   |
|-----------------------------|----|---|---|---|---|---|---|---|---|---|---|---|---|
| 2007.....                   | 3  | - | - | 1 | - | - | - | - | - | 1 | - | 1 | - |
| 2006.....                   | 4  | - | - | 1 | 1 | - | - | 2 | - | - | - | - | - |
| 2005.....                   | 5  | - | 1 | 1 | - | - | - | - | 2 | - | 1 | - | - |
| 2004.....                   | 5  | - | - | - | - | - | 1 | - | 1 | 3 | - | - | - |
| 2003.....                   | 13 | 1 | - | 1 | - | - | - | 1 | 3 | 2 | 5 | - | - |
| 2002.....                   | 9  | - | - | - | 1 | 1 | - | 2 | 1 | 1 | 2 | 1 | - |
| 2001.....                   | 9  | 1 | - | - | - | - | - | 1 | - | 5 | 2 | - | - |
| 2000.....                   | 2  | - | - | - | - | - | 1 | - | - | - | 1 | - | - |
| 1999.....                   | 3  | - | - | - | - | - | - | - | - | 2 | - | 1 | - |
| Non-Hispanic 1/, male       |    |   |   |   |   |   |   |   |   |   |   |   |   |
| 2007.....                   | 2  | - | - | - | - | - | - | - | - | 1 | - | 1 | - |
| 2006.....                   | 4  | - | - | 1 | 1 | - | - | 2 | - | - | - | - | - |
| 2005.....                   | 3  | - | - | 1 | - | - | - | - | 1 | - | 1 | - | - |
| 2004.....                   | 5  | - | - | - | - | - | 1 | - | 1 | 3 | - | - | - |
| 2003.....                   | 9  | 1 | - | 1 | - | - | - | 1 | 2 | 2 | 2 | - | - |
| 2002.....                   | 4  | - | - | - | - | - | - | 1 | 1 | 1 | 1 | - | - |
| 2001.....                   | 6  | - | - | - | - | - | - | - | - | 4 | 2 | - | - |
| 2000.....                   | 2  | - | - | - | - | - | 1 | - | - | - | 1 | - | - |
| 1999.....                   | 3  | - | - | - | - | - | - | - | - | 2 | - | 1 | - |

Worktable Orig290F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2007

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data - mortality"]

---

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, sex, and year

|  | All ages | Under 1 year | 1-4 years | 5-14 years | 15-24 years | 25-34 years | 35-44 years | 45-54 years | 55-64 years | 65-74 years | 75-84 years | 85 years and over | Age not stated |
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|

---

Arthropod-borne viral encephalitis (A83-A84,A85.2)

| Non-Hispanic 1/, female |   |   |   |   |   |   |   |   |   |   |   |   |   |
|-------------------------|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 2007.....               | 1 | - | - | 1 | - | - | - | - | - | - | - | - | - |
| 2006.....               | - | - | - | - | - | - | - | - | - | - | - | - | - |
| 2005.....               | 2 | - | 1 | - | - | - | - | - | 1 | - | - | - | - |
| 2004.....               | - | - | - | - | - | - | - | - | - | - | - | - | - |
| 2003.....               | 4 | - | - | - | - | - | - | - | 1 | - | 3 | - | - |
| 2002.....               | 5 | - | - | - | 1 | 1 | - | 1 | - | - | 1 | 1 | - |
| 2001.....               | 3 | 1 | - | - | - | - | - | 1 | - | 1 | - | - | - |
| 2000.....               | - | - | - | - | - | - | - | - | - | - | - | - | - |
| 1999.....               | - | - | - | - | - | - | - | - | - | - | - | - | - |

| Non-Hispanic white, both sexes |    |   |   |   |   |   |   |   |   |   |   |   |   |
|--------------------------------|----|---|---|---|---|---|---|---|---|---|---|---|---|
| 2007 2/.....                   | 2  | - | - | 1 | - | - | - | - | - | - | - | 1 | - |
| 2006 2/.....                   | 2  | - | - | 1 | 1 | - | - | - | - | - | - | - | - |
| 2005 2/.....                   | 5  | - | 1 | 1 | - | - | - | - | 2 | - | 1 | - | - |
| 2004 2/.....                   | 3  | - | - | - | - | - | - | - | 1 | 2 | - | - | - |
| 2003 2/.....                   | 10 | - | - | - | - | - | - | - | 3 | 2 | 5 | - | - |
| 2002.....                      | 6  | - | - | - | 1 | 1 | - | 1 | - | - | 2 | 1 | - |
| 2001.....                      | 6  | - | - | - | - | - | - | 1 | - | 4 | 1 | - | - |
| 2000.....                      | 2  | - | - | - | - | - | 1 | - | - | - | 1 | - | - |
| 1999.....                      | 3  | - | - | - | - | - | - | - | - | 2 | - | 1 | - |



















Worktable Orig290F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2007

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data - mortality"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, sex, and year | All ages | Under 1 year | 1-4 years | 5-14 years | 15-24 years | 25-34 years | 35-44 years | 45-54 years | 55-64 years | 65-74 years | 75-84 years | 85 years and over | Age not stated |
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|

Measles (B05)

Non-Hispanic 1/, female

|           |   |   |   |   |   |   |   |   |   |   |   |   |   |
|-----------|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 2007..... | - | - | - | - | - | - | - | - | - | - | - | - | - |
| 2006..... | - | - | - | - | - | - | - | - | - | - | - | - | - |
| 2005..... | - | - | - | - | - | - | - | - | - | - | - | - | - |
| 2004..... | - | - | - | - | - | - | - | - | - | - | - | - | - |
| 2003..... | - | - | - | - | - | - | - | - | - | - | - | - | - |
| 2002..... | - | - | - | - | - | - | - | - | - | - | - | - | - |
| 2001..... | - | - | - | - | - | - | - | - | - | - | - | - | - |
| 2000..... | - | - | - | - | - | - | - | - | - | - | - | - | - |
| 1999..... | 2 | 1 | - | - | - | - | - | - | 1 | - | - | - | - |

Non-Hispanic white, both sexes

|              |   |   |   |   |   |   |   |   |   |   |   |   |   |
|--------------|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 2007 2/..... | - | - | - | - | - | - | - | - | - | - | - | - | - |
| 2006 2/..... | - | - | - | - | - | - | - | - | - | - | - | - | - |
| 2005 2/..... | 1 | - | 1 | - | - | - | - | - | - | - | - | - | - |
| 2004 2/..... | - | - | - | - | - | - | - | - | - | - | - | - | - |
| 2003 2/..... | 1 | - | 1 | - | - | - | - | - | - | - | - | - | - |
| 2002.....    | - | - | - | - | - | - | - | - | - | - | - | - | - |
| 2001.....    | 1 | - | - | - | - | - | 1 | - | - | - | - | - | - |
| 2000.....    | - | - | - | - | - | - | - | - | - | - | - | - | - |
| 1999.....    | 1 | - | - | - | - | - | - | - | 1 | - | - | - | - |

Worktable Orig290F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2007

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data - mortality"]

---

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, sex, and year | All ages | Under 1 year | 1-4 years | 5-14 years | 15-24 years | 25-34 years | 35-44 years | 45-54 years | 55-64 years | 65-74 years | 75-84 years | 85 years and over | Age not stated |
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|

---

Measles (B05)

Non-Hispanic white, male

|              |   |   |   |   |   |   |   |   |   |   |   |   |   |
|--------------|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 2007 2/..... | - | - | - | - | - | - | - | - | - | - | - | - | - |
| 2006 2/..... | - | - | - | - | - | - | - | - | - | - | - | - | - |
| 2005 2/..... | 1 | - | 1 | - | - | - | - | - | - | - | - | - | - |
| 2004 2/..... | - | - | - | - | - | - | - | - | - | - | - | - | - |
| 2003 2/..... | 1 | - | 1 | - | - | - | - | - | - | - | - | - | - |
| 2002.....    | - | - | - | - | - | - | - | - | - | - | - | - | - |
| 2001.....    | 1 | - | - | - | - | - | 1 | - | - | - | - | - | - |
| 2000.....    | - | - | - | - | - | - | - | - | - | - | - | - | - |
| 1999.....    | - | - | - | - | - | - | - | - | - | - | - | - | - |

Non-Hispanic white, female

|              |   |   |   |   |   |   |   |   |   |   |   |   |   |
|--------------|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 2007 2/..... | - | - | - | - | - | - | - | - | - | - | - | - | - |
| 2006 2/..... | - | - | - | - | - | - | - | - | - | - | - | - | - |
| 2005 2/..... | - | - | - | - | - | - | - | - | - | - | - | - | - |
| 2004 2/..... | - | - | - | - | - | - | - | - | - | - | - | - | - |
| 2003 2/..... | - | - | - | - | - | - | - | - | - | - | - | - | - |
| 2002.....    | - | - | - | - | - | - | - | - | - | - | - | - | - |
| 2001.....    | - | - | - | - | - | - | - | - | - | - | - | - | - |
| 2000.....    | - | - | - | - | - | - | - | - | - | - | - | - | - |
| 1999.....    | 1 | - | - | - | - | - | - | - | 1 | - | - | - | - |







Worktable Orig290F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2007

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data - mortality"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, sex, and year | All ages | Under 1 year | 1-4 years | 5-14 years | 15-24 years | 25-34 years | 35-44 years | 45-54 years | 55-64 years | 65-74 years | 75-84 years | 85 years and over | Age not stated |
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|

#### Viral hepatitis (B15-B19)

| All origins, both sexes |       |   |   |   |    |    |     |       |       |     |     |     |   |
|-------------------------|-------|---|---|---|----|----|-----|-------|-------|-----|-----|-----|---|
| 2007.....               | 7,407 | 1 | 1 | - | 14 | 72 | 489 | 2,815 | 2,413 | 871 | 570 | 161 | - |
| 2006.....               | 7,250 | 1 | 1 | - | 11 | 61 | 534 | 2,911 | 2,127 | 843 | 598 | 163 | - |
| 2005.....               | 5,529 | - | - | 1 | 14 | 61 | 509 | 2,314 | 1,377 | 648 | 482 | 123 | - |
| 2004.....               | 5,382 | 1 | - | 2 | 11 | 61 | 610 | 2,226 | 1,244 | 634 | 464 | 129 | - |
| 2003.....               | 5,431 | 1 | - | - | 14 | 64 | 652 | 2,259 | 1,085 | 698 | 543 | 115 | - |
| 2002.....               | 5,793 | 2 | 3 | 2 | 23 | 94 | 740 | 2,331 | 1,072 | 762 | 587 | 177 | - |
| 2001.....               | 5,585 | 1 | - | 3 | 20 | 74 | 797 | 2,060 | 1,014 | 836 | 613 | 166 | 1 |
| 2000.....               | 5,357 | 6 | 1 | 2 | 18 | 79 | 779 | 1,894 | 904   | 845 | 660 | 168 | 1 |
| 1999.....               | 4,853 | 2 | 3 | 3 | 14 | 88 | 722 | 1,506 | 786   | 881 | 651 | 197 | - |
| All origins, male       |       |   |   |   |    |    |     |       |       |     |     |     |   |
| 2007.....               | 4,910 | 1 | - | - | 9  | 49 | 326 | 1,997 | 1,761 | 464 | 249 | 54  | - |
| 2006.....               | 4,745 | - | - | - | 6  | 39 | 370 | 2,102 | 1,502 | 432 | 243 | 51  | - |
| 2005.....               | 3,612 | - | - | 1 | 3  | 34 | 349 | 1,697 | 977   | 317 | 193 | 41  | - |
| 2004.....               | 3,513 | - | - | 1 | 7  | 33 | 399 | 1,645 | 860   | 334 | 189 | 45  | - |
| 2003.....               | 3,546 | - | - | - | 7  | 42 | 461 | 1,666 | 729   | 352 | 249 | 40  | - |
| 2002.....               | 3,770 | 1 | 3 | 1 | 13 | 63 | 519 | 1,755 | 702   | 373 | 270 | 70  | - |
| 2001.....               | 3,539 | 1 | - | 2 | 11 | 42 | 553 | 1,570 | 643   | 396 | 263 | 57  | 1 |
| 2000.....               | 3,381 | 2 | 1 | 1 | 11 | 46 | 540 | 1,425 | 577   | 396 | 311 | 70  | 1 |
| 1999.....               | 3,043 | 2 | 2 | 2 | 10 | 53 | 520 | 1,138 | 491   | 426 | 317 | 82  | - |



Worktable Orig290F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2007

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data - mortality"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, sex, and year | All ages | Under 1 year | 1-4 years | 5-14 years | 15-24 years | 25-34 years | 35-44 years | 45-54 years | 55-64 years | 65-74 years | 75-84 years | 85 years and over | Age not stated |
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|
| Viral hepatitis (B15-B19)  |          |              |           |            |             |             |             |             |             |             |             |                   |                |
| All origins, female  |          |              |           |            |             |             |             |             |             |             |             |                   |                |
| 2007.....  | 2,497    | -            | 1         | -          | 5           | 23          | 163         | 818         | 652         | 407         | 321         | 107               | -              |
| 2006.....  | 2,505    | 1            | 1         | -          | 5           | 22          | 164         | 809         | 625         | 411         | 355         | 112               | -              |
| 2005.....  | 1,917    | -            | -         | -          | 11          | 27          | 160         | 617         | 400         | 331         | 289         | 82                | -              |
| 2004.....  | 1,869    | 1            | -         | 1          | 4           | 28          | 211         | 581         | 384         | 300         | 275         | 84                | -              |
| 2003.....  | 1,885    | 1            | -         | -          | 7           | 22          | 191         | 593         | 356         | 346         | 294         | 75                | -              |
| 2002.....  | 2,023    | 1            | -         | 1          | 10          | 31          | 221         | 576         | 370         | 389         | 317         | 107               | -              |
| 2001.....  | 2,046    | -            | -         | 1          | 9           | 32          | 244         | 490         | 371         | 440         | 350         | 109               | -              |
| 2000.....  | 1,976    | 4            | -         | 1          | 7           | 33          | 239         | 469         | 327         | 449         | 349         | 98                | -              |
| 1999.....  | 1,810    | -            | 1         | 1          | 4           | 35          | 202         | 368         | 295         | 455         | 334         | 115               | -              |
| Hispanic, both sexes   |          |              |           |            |             |             |             |             |             |             |             |                   |                |
| 2007.....  | 1,121    | -            | 1         | -          | 6           | 17          | 101         | 392         | 358         | 157         | 72          | 17                | -              |
| 2006.....  | 1,121    | -            | 1         | -          | 2           | 14          | 104         | 423         | 329         | 148         | 78          | 22                | -              |
| 2005.....  | 795      | -            | -         | -          | -           | 10          | 114         | 293         | 202         | 113         | 48          | 15                | -              |
| 2004.....  | 716      | -            | -         | 1          | 2           | 9           | 110         | 275         | 171         | 89          | 51          | 8                 | -              |
| 2003.....  | 710      | -            | -         | -          | 2           | 10          | 107         | 266         | 151         | 106         | 59          | 9                 | -              |
| 2002.....  | 758      | -            | -         | -          | 5           | 17          | 101         | 291         | 164         | 102         | 63          | 15                | -              |
| 2001.....  | 791      | -            | -         | 2          | 6           | 10          | 126         | 266         | 192         | 113         | 61          | 15                | -              |
| 2000.....  | 708      | 3            | -         | -          | 3           | 14          | 126         | 218         | 147         | 120         | 66          | 11                | -              |
| 1999.....  | 656      | -            | 1         | -          | 3           | 16          | 104         | 203         | 127         | 129         | 65          | 8                 | -              |

Worktable Orig290F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2007

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data - mortality"]

---

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, sex, and year

|  | All ages | Under 1 year | 1-4 years | 5-14 years | 15-24 years | 25-34 years | 35-44 years | 45-54 years | 55-64 years | 65-74 years | 75-84 years | 85 years and over | Age not stated |
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|

---

Viral hepatitis (B15-B19)

| Hispanic, male   |          |              |           |            |             |             |             |             |             |             |             |                   |                |
|------------------|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|
|                  | All ages | Under 1 year | 1-4 years | 5-14 years | 15-24 years | 25-34 years | 35-44 years | 45-54 years | 55-64 years | 65-74 years | 75-84 years | 85 years and over | Age not stated |
| 2007.....        | 758      | -            | -         | -          | 3           | 13          | 79          | 289         | 259         | 82          | 27          | 6                 | -              |
| 2006.....        | 735      | -            | -         | -          | 1           | 10          | 88          | 319         | 214         | 74          | 26          | 3                 | -              |
| 2005.....        | 521      | -            | -         | -          | -           | 7           | 85          | 222         | 130         | 53          | 19          | 5                 | -              |
| 2004.....        | 470      | -            | -         | 1          | 1           | 6           | 85          | 206         | 110         | 45          | 14          | 2                 | -              |
| 2003.....        | 465      | -            | -         | -          | 2           | 8           | 80          | 207         | 103         | 42          | 20          | 3                 | -              |
| 2002.....        | 491      | -            | -         | -          | 5           | 14          | 75          | 218         | 108         | 40          | 25          | 6                 | -              |
| 2001.....        | 487      | -            | -         | 2          | 2           | 3           | 89          | 206         | 123         | 35          | 23          | 4                 | -              |
| 2000.....        | 456      | 1            | -         | -          | 2           | 11          | 100         | 165         | 94          | 52          | 25          | 6                 | -              |
| 1999.....        | 406      | -            | 1         | -          | 1           | 11          | 84          | 153         | 75          | 59          | 18          | 4                 | -              |
| Hispanic, female |          |              |           |            |             |             |             |             |             |             |             |                   |                |
|                  | All ages | Under 1 year | 1-4 years | 5-14 years | 15-24 years | 25-34 years | 35-44 years | 45-54 years | 55-64 years | 65-74 years | 75-84 years | 85 years and over | Age not stated |
| 2007.....        | 363      | -            | 1         | -          | 3           | 4           | 22          | 103         | 99          | 75          | 45          | 11                | -              |
| 2006.....        | 386      | -            | 1         | -          | 1           | 4           | 16          | 104         | 115         | 74          | 52          | 19                | -              |
| 2005.....        | 274      | -            | -         | -          | -           | 3           | 29          | 71          | 72          | 60          | 29          | 10                | -              |
| 2004.....        | 246      | -            | -         | -          | 1           | 3           | 25          | 69          | 61          | 44          | 37          | 6                 | -              |
| 2003.....        | 245      | -            | -         | -          | -           | 2           | 27          | 59          | 48          | 64          | 39          | 6                 | -              |
| 2002.....        | 267      | -            | -         | -          | -           | 3           | 26          | 73          | 56          | 62          | 38          | 9                 | -              |
| 2001.....        | 304      | -            | -         | -          | 4           | 7           | 37          | 60          | 69          | 78          | 38          | 11                | -              |
| 2000.....        | 252      | 2            | -         | -          | 1           | 3           | 26          | 53          | 53          | 68          | 41          | 5                 | -              |
| 1999.....        | 250      | -            | -         | -          | 2           | 5           | 20          | 50          | 52          | 70          | 47          | 4                 | -              |

Worktable Orig290F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2007

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data - mortality"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, sex, and year | All ages | Under 1 year | 1-4 years | 5-14 years | 15-24 years | 25-34 years | 35-44 years | 45-54 years | 55-64 years | 65-74 years | 75-84 years | 85 years and over | Age not stated |
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|

#### Viral hepatitis (B15-B19)

##### Non-Hispanic 1/, both sexes

|           |       |   |   |   |    |    |     |       |       |     |     |     |   |
|-----------|-------|---|---|---|----|----|-----|-------|-------|-----|-----|-----|---|
| 2007..... | 6,264 | 1 | - | - | 8  | 54 | 386 | 2,413 | 2,050 | 710 | 498 | 144 | - |
| 2006..... | 6,105 | 1 | - | - | 9  | 47 | 429 | 2,476 | 1,791 | 691 | 520 | 141 | - |
| 2005..... | 4,714 | - | - | 1 | 14 | 51 | 391 | 2,011 | 1,171 | 534 | 433 | 108 | - |
| 2004..... | 4,647 | 1 | - | 1 | 9  | 52 | 497 | 1,943 | 1,071 | 542 | 410 | 121 | - |
| 2003..... | 4,704 | 1 | - | - | 12 | 54 | 545 | 1,984 | 931   | 587 | 484 | 106 | - |
| 2002..... | 5,004 | 2 | 3 | 2 | 18 | 77 | 634 | 2,030 | 898   | 655 | 523 | 162 | - |
| 2001..... | 4,776 | 1 | - | 1 | 14 | 64 | 669 | 1,785 | 817   | 721 | 552 | 151 | 1 |
| 2000..... | 4,629 | 3 | 1 | 2 | 15 | 65 | 652 | 1,665 | 751   | 724 | 594 | 156 | 1 |
| 1999..... | 4,176 | 2 | 2 | 3 | 11 | 71 | 613 | 1,294 | 656   | 750 | 585 | 189 | - |

##### Non-Hispanic 1/, male

|           |       |   |   |   |   |    |     |       |       |     |     |    |   |
|-----------|-------|---|---|---|---|----|-----|-------|-------|-----|-----|----|---|
| 2007..... | 4,137 | 1 | - | - | 6 | 36 | 245 | 1,700 | 1,498 | 381 | 222 | 48 | - |
| 2006..... | 3,993 | - | - | - | 5 | 29 | 281 | 1,774 | 1,284 | 355 | 217 | 48 | - |
| 2005..... | 3,076 | - | - | 1 | 3 | 27 | 261 | 1,467 | 843   | 264 | 174 | 36 | - |
| 2004..... | 3,031 | - | - | - | 6 | 27 | 311 | 1,434 | 749   | 287 | 174 | 43 | - |
| 2003..... | 3,068 | - | - | - | 5 | 34 | 381 | 1,451 | 625   | 306 | 229 | 37 | - |
| 2002..... | 3,256 | 1 | 3 | 1 | 8 | 49 | 439 | 1,529 | 586   | 331 | 245 | 64 | - |
| 2001..... | 3,038 | 1 | - | - | 9 | 39 | 462 | 1,357 | 515   | 361 | 240 | 53 | 1 |
| 2000..... | 2,909 | 1 | 1 | 1 | 9 | 35 | 440 | 1,250 | 479   | 343 | 286 | 63 | 1 |
| 1999..... | 2,620 | 2 | 1 | 2 | 9 | 41 | 432 | 978   | 414   | 365 | 298 | 78 | - |

Worktable Orig290F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2007

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data - mortality"]

---

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, sex, and year

|  | All ages | Under 1 year | 1-4 years | 5-14 years | 15-24 years | 25-34 years | 35-44 years | 45-54 years | 55-64 years | 65-74 years | 75-84 years | 85 years and over | Age not stated |
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|

---

Viral hepatitis (B15-B19)

Non-Hispanic 1/, female

|           |       |   |   |   |    |    |     |     |     |     |     |     |   |
|-----------|-------|---|---|---|----|----|-----|-----|-----|-----|-----|-----|---|
| 2007..... | 2,127 | - | - | - | 2  | 18 | 141 | 713 | 552 | 329 | 276 | 96  | - |
| 2006..... | 2,112 | 1 | - | - | 4  | 18 | 148 | 702 | 507 | 336 | 303 | 93  | - |
| 2005..... | 1,638 | - | - | - | 11 | 24 | 130 | 544 | 328 | 270 | 259 | 72  | - |
| 2004..... | 1,616 | 1 | - | 1 | 3  | 25 | 186 | 509 | 322 | 255 | 236 | 78  | - |
| 2003..... | 1,636 | 1 | - | - | 7  | 20 | 164 | 533 | 306 | 281 | 255 | 69  | - |
| 2002..... | 1,748 | 1 | - | 1 | 10 | 28 | 195 | 501 | 312 | 324 | 278 | 98  | - |
| 2001..... | 1,738 | - | - | 1 | 5  | 25 | 207 | 428 | 302 | 360 | 312 | 98  | - |
| 2000..... | 1,720 | 2 | - | 1 | 6  | 30 | 212 | 415 | 272 | 381 | 308 | 93  | - |
| 1999..... | 1,556 | - | 1 | 1 | 2  | 30 | 181 | 316 | 242 | 385 | 287 | 111 | - |

Non-Hispanic white, both sexes

|              |       |   |   |   |    |    |     |       |       |     |     |     |   |
|--------------|-------|---|---|---|----|----|-----|-------|-------|-----|-----|-----|---|
| 2007 2/..... | 4,855 | 1 | - | - | 3  | 38 | 288 | 1,957 | 1,539 | 526 | 385 | 118 | - |
| 2006 2/..... | 4,648 | 1 | - | - | 5  | 34 | 318 | 1,991 | 1,305 | 487 | 394 | 113 | - |
| 2005 2/..... | 3,603 | - | - | - | 9  | 31 | 304 | 1,602 | 858   | 360 | 351 | 88  | - |
| 2004 2/..... | 3,533 | 1 | - | - | 3  | 31 | 390 | 1,517 | 766   | 401 | 322 | 102 | - |
| 2003 2/..... | 3,585 | - | - | - | 7  | 39 | 425 | 1,566 | 642   | 427 | 390 | 89  | - |
| 2002.....    | 3,857 | 1 | - | 2 | 15 | 49 | 496 | 1,590 | 635   | 489 | 440 | 140 | - |
| 2001.....    | 3,663 | 1 | - | 1 | 7  | 43 | 522 | 1,364 | 586   | 544 | 467 | 128 | - |
| 2000.....    | 3,513 | 1 | - | 2 | 5  | 37 | 501 | 1,243 | 520   | 559 | 506 | 138 | 1 |
| 1999.....    | 3,176 | 1 | 2 | 2 | 6  | 51 | 464 | 958   | 465   | 567 | 497 | 163 | - |

Worktable Orig290F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2007

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data - mortality"]

---

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, sex, and year

|  | All ages | Under 1 year | 1-4 years | 5-14 years | 15-24 years | 25-34 years | 35-44 years | 45-54 years | 55-64 years | 65-74 years | 75-84 years | 85 years and over | Age not stated |
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|

---

Viral hepatitis (B15-B19)

Non-Hispanic white, male

|              |       |   |   |   |   |    |     |       |       |     |     |    |   |
|--------------|-------|---|---|---|---|----|-----|-------|-------|-----|-----|----|---|
| 2007 2/..... | 3,256 | 1 | - | - | 2 | 24 | 181 | 1,396 | 1,144 | 286 | 180 | 42 | - |
| 2006 2/..... | 3,094 | - | - | - | 1 | 21 | 203 | 1,450 | 947   | 254 | 174 | 44 | - |
| 2005 2/..... | 2,413 | - | - | - | 2 | 17 | 208 | 1,187 | 630   | 189 | 150 | 30 | - |
| 2004 2/..... | 2,330 | - | - | - | 2 | 17 | 251 | 1,132 | 536   | 216 | 141 | 35 | - |
| 2003 2/..... | 2,381 | - | - | - | 1 | 22 | 300 | 1,162 | 445   | 232 | 186 | 33 | - |
| 2002.....    | 2,551 | 1 | - | 1 | 6 | 33 | 351 | 1,212 | 415   | 263 | 214 | 55 | - |
| 2001.....    | 2,410 | 1 | - | - | 4 | 28 | 368 | 1,062 | 384   | 296 | 218 | 49 | - |
| 2000.....    | 2,234 | - | - | 1 | 4 | 19 | 342 | 958   | 339   | 265 | 248 | 57 | 1 |
| 1999.....    | 2,026 | 1 | 1 | 1 | 6 | 29 | 333 | 717   | 308   | 295 | 268 | 67 | - |

Non-Hispanic white, female

|              |       |   |   |   |   |    |     |     |     |     |     |    |   |
|--------------|-------|---|---|---|---|----|-----|-----|-----|-----|-----|----|---|
| 2007 2/..... | 1,599 | - | - | - | 1 | 14 | 107 | 561 | 395 | 240 | 205 | 76 | - |
| 2006 2/..... | 1,554 | 1 | - | - | 4 | 13 | 115 | 541 | 358 | 233 | 220 | 69 | - |
| 2005 2/..... | 1,190 | - | - | - | 7 | 14 | 96  | 415 | 228 | 171 | 201 | 58 | - |
| 2004 2/..... | 1,203 | 1 | - | - | 1 | 14 | 139 | 385 | 230 | 185 | 181 | 67 | - |
| 2003 2/..... | 1,204 | - | - | - | 6 | 17 | 125 | 404 | 197 | 195 | 204 | 56 | - |
| 2002.....    | 1,306 | - | - | 1 | 9 | 16 | 145 | 378 | 220 | 226 | 226 | 85 | - |
| 2001.....    | 1,253 | - | - | 1 | 3 | 15 | 154 | 302 | 202 | 248 | 249 | 79 | - |
| 2000.....    | 1,279 | 1 | - | 1 | 1 | 18 | 159 | 285 | 181 | 294 | 258 | 81 | - |
| 1999.....    | 1,150 | - | 1 | 1 | - | 22 | 131 | 241 | 157 | 272 | 229 | 96 | - |

Worktable Orig290F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2007

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data - mortality"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, sex, and year | All ages | Under 1 year | 1-4 years | 5-14 years | 15-24 years | 25-34 years | 35-44 years | 45-54 years | 55-64 years | 65-74 years | 75-84 years | 85 years and over | Age not stated |
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|
| <b>Viral hepatitis (B15-B19)</b>   |          |              |           |            |             |             |             |             |             |             |             |                   |                |
| <b>Non-Hispanic black, both sexes</b>  |          |              |           |            |             |             |             |             |             |             |             |                   |                |
| 2007 2/.....   | 1,025    | -            | -         | -          | 4           | 13          | 62          | 375         | 399         | 104         | 56          | 12                | -              |
| 2006 2/.....   | 1,078    | -            | -         | -          | 2           | 9           | 73          | 391         | 391         | 128         | 67          | 17                | -              |
| 2005 2/.....   | 856      | -            | -         | 1          | 3           | 17          | 64          | 349         | 253         | 106         | 50          | 13                | -              |
| 2004 2/.....   | 846      | -            | -         | 1          | 4           | 14          | 79          | 362         | 247         | 78          | 49          | 12                | -              |
| 2003 2/.....   | 842      | -            | -         | -          | 4           | 11          | 97          | 352         | 221         | 89          | 57          | 11                | -              |
| 2002.....  | 849      | 1            | 1         | -          | 2           | 22          | 111         | 368         | 184         | 98          | 49          | 13                | -              |
| 2001.....  | 819      | -            | -         | -          | 6           | 15          | 121         | 349         | 167         | 91          | 53          | 16                | 1              |
| 2000.....  | 777      | 2            | -         | -          | 10          | 21          | 117         | 329         | 138         | 93          | 57          | 10                | -              |
| 1999.....  | 718      | 1            | -         | 1          | 4           | 17          | 119         | 277         | 118         | 109         | 53          | 19                | -              |
| <b>Non-Hispanic black, male</b>  |          |              |           |            |             |             |             |             |             |             |             |                   |                |
| 2007 2/.....   | 673      | -            | -         | -          | 3           | 10          | 40          | 249         | 287         | 60          | 23          | 1                 | -              |
| 2006 2/.....   | 683      | -            | -         | -          | 2           | 5           | 43          | 256         | 279         | 68          | 27          | 3                 | -              |
| 2005 2/.....   | 518      | -            | -         | 1          | -           | 7           | 38          | 234         | 171         | 52          | 13          | 2                 | -              |
| 2004 2/.....   | 554      | -            | -         | -          | 3           | 6           | 39          | 262         | 177         | 47          | 16          | 4                 | -              |
| 2003 2/.....   | 536      | -            | -         | -          | 3           | 9           | 63          | 250         | 145         | 41          | 21          | 4                 | -              |
| 2002.....  | 532      | -            | 1         | -          | 1           | 11          | 67          | 262         | 122         | 48          | 17          | 3                 | -              |
| 2001.....  | 479      | -            | -         | -          | 4           | 7           | 79          | 240         | 99          | 34          | 13          | 2                 | 1              |
| 2000.....  | 490      | 1            | -         | -          | 5           | 11          | 77          | 234         | 86          | 48          | 25          | 3                 | -              |
| 1999.....  | 433      | 1            | -         | 1          | 2           | 9           | 79          | 215         | 65          | 38          | 15          | 8                 | -              |

Worktable Orig290F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2007

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data - mortality"]

---

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, sex, and year

|  | All ages | Under 1 year | 1-4 years | 5-14 years | 15-24 years | 25-34 years | 35-44 years | 45-54 years | 55-64 years | 65-74 years | 75-84 years | 85 years and over | Age not stated |
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|

---

Viral hepatitis (B15-B19)

Non-Hispanic black, female

|              |     |   |   |   |   |    |    |     |     |    |    |    |   |
|--------------|-----|---|---|---|---|----|----|-----|-----|----|----|----|---|
| 2007 2/..... | 352 | - | - | - | 1 | 3  | 22 | 126 | 112 | 44 | 33 | 11 | - |
| 2006 2/..... | 395 | - | - | - | - | 4  | 30 | 135 | 112 | 60 | 40 | 14 | - |
| 2005 2/..... | 338 | - | - | - | 3 | 10 | 26 | 115 | 82  | 54 | 37 | 11 | - |
| 2004 2/..... | 292 | - | - | 1 | 1 | 8  | 40 | 100 | 70  | 31 | 33 | 8  | - |
| 2003 2/..... | 306 | - | - | - | 1 | 2  | 34 | 102 | 76  | 48 | 36 | 7  | - |
| 2002.....    | 317 | 1 | - | - | 1 | 11 | 44 | 106 | 62  | 50 | 32 | 10 | - |
| 2001.....    | 340 | - | - | - | 2 | 8  | 42 | 109 | 68  | 57 | 40 | 14 | - |
| 2000.....    | 287 | 1 | - | - | 5 | 10 | 40 | 95  | 52  | 45 | 32 | 7  | - |
| 1999.....    | 285 | - | - | - | 2 | 8  | 40 | 62  | 53  | 71 | 38 | 11 | - |

Origin not stated 3/, both sexes

|           |    |   |   |   |   |   |   |    |    |   |   |   |   |
|-----------|----|---|---|---|---|---|---|----|----|---|---|---|---|
| 2007..... | 22 | - | - | - | - | 1 | 2 | 10 | 5  | 4 | - | - | - |
| 2006..... | 24 | - | - | - | - | - | 1 | 12 | 7  | 4 | - | - | - |
| 2005..... | 20 | - | - | - | - | - | 4 | 10 | 4  | 1 | 1 | - | - |
| 2004..... | 19 | - | - | - | - | - | 3 | 8  | 2  | 3 | 3 | - | - |
| 2003..... | 17 | - | - | - | - | - | - | 9  | 3  | 5 | - | - | - |
| 2002..... | 31 | - | - | - | - | - | 5 | 10 | 10 | 5 | 1 | - | - |
| 2001..... | 18 | - | - | - | - | - | 2 | 9  | 5  | 2 | - | - | - |
| 2000..... | 20 | - | - | - | - | - | 1 | 11 | 6  | 1 | - | 1 | - |
| 1999..... | 21 | - | - | - | - | 1 | 5 | 9  | 3  | 2 | 1 | - | - |

Worktable Orig290F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2007

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data - mortality"]

---

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, sex, and year

|  | All ages | Under 1 year | 1-4 years | 5-14 years | 15-24 years | 25-34 years | 35-44 years | 45-54 years | 55-64 years | 65-74 years | 75-84 years | 85 years and over | Age not stated |
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|

---

Viral hepatitis (B15-B19)

| Origin not stated 3/, male |    |   |   |   |   |   |   |    |   |   |   |   |   |
|----------------------------|----|---|---|---|---|---|---|----|---|---|---|---|---|
| 2007.....                  | 15 | - | - | - | - | - | 2 | 8  | 4 | 1 | - | - | - |
| 2006.....                  | 17 | - | - | - | - | - | 1 | 9  | 4 | 3 | - | - | - |
| 2005.....                  | 15 | - | - | - | - | - | 3 | 8  | 4 | - | - | - | - |
| 2004.....                  | 12 | - | - | - | - | - | 3 | 5  | 1 | 2 | 1 | - | - |
| 2003.....                  | 13 | - | - | - | - | - | - | 8  | 1 | 4 | - | - | - |
| 2002.....                  | 23 | - | - | - | - | - | 5 | 8  | 8 | 2 | - | - | - |
| 2001.....                  | 14 | - | - | - | - | - | 2 | 7  | 5 | - | - | - | - |
| 2000.....                  | 16 | - | - | - | - | - | - | 10 | 4 | 1 | - | 1 | - |
| 1999.....                  | 17 | - | - | - | - | 1 | 4 | 7  | 2 | 2 | 1 | - | - |

  

| Origin not stated 3/, female |   |   |   |   |   |   |   |   |   |   |   |   |   |
|------------------------------|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 2007.....                    | 7 | - | - | - | - | 1 | - | 2 | 1 | 3 | - | - | - |
| 2006.....                    | 7 | - | - | - | - | - | - | 3 | 3 | 1 | - | - | - |
| 2005.....                    | 5 | - | - | - | - | - | 1 | 2 | - | 1 | 1 | - | - |
| 2004.....                    | 7 | - | - | - | - | - | - | 3 | 1 | 1 | 2 | - | - |
| 2003.....                    | 4 | - | - | - | - | - | - | 1 | 2 | 1 | - | - | - |
| 2002.....                    | 8 | - | - | - | - | - | - | 2 | 2 | 3 | 1 | - | - |
| 2001.....                    | 4 | - | - | - | - | - | - | 2 | - | 2 | - | - | - |
| 2000.....                    | 4 | - | - | - | - | - | 1 | 1 | 2 | - | - | - | - |
| 1999.....                    | 4 | - | - | - | - | - | 1 | 2 | 1 | - | - | - | - |



Worktable Orig290F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2007

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data - mortality"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, sex, and year | All ages | Under 1 year | 1-4 years | 5-14 years | 15-24 years | 25-34 years | 35-44 years | 45-54 years | 55-64 years | 65-74 years | 75-84 years | 85 years and over | Age not stated |
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|

Human immunodeficiency virus (HIV) disease (B20-B24)

All origins, both sexes

|           |        |    |    |    |     |       |       |       |       |     |     |    |   |
|-----------|--------|----|----|----|-----|-------|-------|-------|-------|-----|-----|----|---|
| 2007..... | 11,295 | 5  | 4  | 10 | 160 | 1,091 | 3,572 | 4,156 | 1,721 | 448 | 109 | 16 | 3 |
| 2006..... | 12,113 | 7  | -  | 15 | 206 | 1,182 | 4,010 | 4,377 | 1,722 | 475 | 107 | 11 | 1 |
| 2005..... | 12,543 | 2  | 2  | 13 | 159 | 1,318 | 4,363 | 4,516 | 1,612 | 438 | 104 | 15 | 1 |
| 2004..... | 13,063 | 3  | 4  | 25 | 191 | 1,468 | 4,826 | 4,422 | 1,562 | 436 | 106 | 16 | 4 |
| 2003..... | 13,658 | 5  | 2  | 36 | 178 | 1,588 | 5,340 | 4,442 | 1,517 | 438 | 95  | 14 | 3 |
| 2002..... | 14,095 | 7  | 5  | 25 | 178 | 1,839 | 5,707 | 4,474 | 1,347 | 401 | 96  | 12 | 4 |
| 2001..... | 14,175 | 10 | 13 | 38 | 225 | 2,101 | 5,867 | 4,120 | 1,317 | 384 | 88  | 10 | 2 |
| 2000..... | 14,478 | 10 | 14 | 46 | 179 | 2,437 | 5,919 | 4,142 | 1,239 | 397 | 85  | 9  | 1 |
| 1999..... | 14,802 | 14 | 24 | 66 | 198 | 2,729 | 6,232 | 3,907 | 1,149 | 398 | 70  | 14 | 1 |

All origins, male

|           |        |   |    |    |     |       |       |       |       |     |    |    |   |
|-----------|--------|---|----|----|-----|-------|-------|-------|-------|-----|----|----|---|
| 2007..... | 8,097  | 5 | 3  | 3  | 88  | 653   | 2,506 | 3,028 | 1,344 | 369 | 86 | 9  | 3 |
| 2006..... | 8,756  | 2 | -  | 8  | 121 | 729   | 2,829 | 3,263 | 1,352 | 362 | 84 | 5  | 1 |
| 2005..... | 9,189  | - | 1  | 7  | 89  | 809   | 3,146 | 3,417 | 1,292 | 348 | 73 | 6  | 1 |
| 2004..... | 9,506  | 1 | 1  | 12 | 107 | 917   | 3,466 | 3,327 | 1,262 | 333 | 71 | 5  | 4 |
| 2003..... | 10,119 | 2 | 2  | 19 | 95  | 1,038 | 3,884 | 3,438 | 1,215 | 336 | 75 | 12 | 3 |
| 2002..... | 10,468 | 4 | 1  | 14 | 93  | 1,187 | 4,198 | 3,485 | 1,083 | 323 | 71 | 5  | 4 |
| 2001..... | 10,590 | 7 | 8  | 23 | 105 | 1,421 | 4,360 | 3,241 | 1,051 | 292 | 73 | 7  | 2 |
| 2000..... | 10,868 | 8 | 6  | 22 | 99  | 1,602 | 4,441 | 3,296 | 1,013 | 313 | 65 | 2  | 1 |
| 1999..... | 11,234 | 9 | 16 | 36 | 95  | 1,914 | 4,706 | 3,134 | 948   | 317 | 50 | 8  | 1 |

Worktable Orig290F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2007

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data - mortality"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, sex, and year | All ages | Under 1 year | 1-4 years | 5-14 years | 15-24 years | 25-34 years | 35-44 years | 45-54 years | 55-64 years | 65-74 years | 75-84 years | 85 years and over | Age not stated |
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|
| Human immunodeficiency virus (HIV) disease (B20-B24)   |          |              |           |            |             |             |             |             |             |             |             |                   |                |
| All origins, female  |          |              |           |            |             |             |             |             |             |             |             |                   |                |
| 2007.....  | 3,198    | -            | 1         | 7          | 72          | 438         | 1,066       | 1,128       | 377         | 79          | 23          | 7                 | -              |
| 2006.....  | 3,357    | 5            | -         | 7          | 85          | 453         | 1,181       | 1,114       | 370         | 113         | 23          | 6                 | -              |
| 2005.....  | 3,354    | 2            | 1         | 6          | 70          | 509         | 1,217       | 1,099       | 320         | 90          | 31          | 9                 | -              |
| 2004.....  | 3,557    | 2            | 3         | 13         | 84          | 551         | 1,360       | 1,095       | 300         | 103         | 35          | 11                | -              |
| 2003.....  | 3,539    | 3            | -         | 17         | 83          | 550         | 1,456       | 1,004       | 302         | 102         | 20          | 2                 | -              |
| 2002.....  | 3,627    | 3            | 4         | 11         | 85          | 652         | 1,509       | 989         | 264         | 78          | 25          | 7                 | -              |
| 2001.....  | 3,585    | 3            | 5         | 15         | 120         | 680         | 1,507       | 879         | 266         | 92          | 15          | 3                 | -              |
| 2000.....  | 3,610    | 2            | 8         | 24         | 80          | 835         | 1,478       | 846         | 226         | 84          | 20          | 7                 | -              |
| 1999.....  | 3,568    | 5            | 8         | 30         | 103         | 815         | 1,526       | 773         | 201         | 81          | 20          | 6                 | -              |
| Hispanic, both sexes   |          |              |           |            |             |             |             |             |             |             |             |                   |                |
| 2007.....  | 1,516    | 1            | -         | 2          | 32          | 182         | 505         | 515         | 192         | 69          | 15          | 3                 | -              |
| 2006.....  | 1,617    | 1            | -         | 2          | 31          | 195         | 584         | 527         | 194         | 64          | 19          | -                 | -              |
| 2005.....  | 1,645    | 2            | -         | 4          | 31          | 192         | 616         | 557         | 171         | 57          | 12          | 3                 | -              |
| 2004.....  | 1,758    | 1            | 1         | 4          | 25          | 211         | 676         | 569         | 186         | 64          | 18          | -                 | 3              |
| 2003.....  | 1,890    | -            | 1         | 2          | 31          | 244         | 727         | 606         | 204         | 64          | 10          | 1                 | -              |
| 2002.....  | 1,855    | 4            | -         | 3          | 29          | 262         | 779         | 537         | 188         | 40          | 9           | 1                 | 3              |
| 2001.....  | 1,853    | 1            | -         | 3          | 32          | 300         | 759         | 526         | 169         | 51          | 10          | 2                 | -              |
| 2000.....  | 1,908    | -            | -         | 9          | 23          | 365         | 762         | 531         | 163         | 41          | 14          | -                 | -              |
| 1999.....  | 1,958    | 3            | 5         | 9          | 33          | 407         | 855         | 455         | 137         | 49          | 4           | 1                 | -              |

Worktable Orig290F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2007

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data - mortality"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, sex, and year | All ages | Under 1 year | 1-4 years | 5-14 years | 15-24 years | 25-34 years | 35-44 years | 45-54 years | 55-64 years | 65-74 years | 75-84 years | 85 years and over | Age not stated |
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|
| Human immunodeficiency virus (HIV) disease (B20-B24)   |          |              |           |            |             |             |             |             |             |             |             |                   |                |
| Hispanic, male   |          |              |           |            |             |             |             |             |             |             |             |                   |                |
| 2007.....  | 1,180    | 1            | -         | 1          | 23          | 135         | 396         | 408         | 145         | 57          | 12          | 2                 | -              |
| 2006.....  | 1,275    | -            | -         | -          | 19          | 152         | 456         | 426         | 157         | 49          | 16          | -                 | -              |
| 2005.....  | 1,309    | -            | -         | 1          | 23          | 142         | 496         | 448         | 143         | 43          | 11          | 2                 | -              |
| 2004.....  | 1,371    | 1            | 1         | 1          | 19          | 169         | 522         | 445         | 152         | 45          | 13          | -                 | 3              |
| 2003.....  | 1,465    | -            | 1         | -          | 20          | 184         | 550         | 499         | 153         | 50          | 7           | 1                 | -              |
| 2002.....  | 1,440    | 3            | -         | 3          | 19          | 201         | 607         | 421         | 140         | 36          | 7           | -                 | 3              |
| 2001.....  | 1,437    | -            | -         | 2          | 21          | 222         | 589         | 420         | 129         | 43          | 9           | 2                 | -              |
| 2000.....  | 1,493    | -            | -         | 5          | 18          | 274         | 603         | 426         | 123         | 34          | 10          | -                 | -              |
| 1999.....  | 1,525    | 1            | 4         | 3          | 20          | 314         | 666         | 354         | 118         | 41          | 4           | -                 | -              |
| Hispanic, female   |          |              |           |            |             |             |             |             |             |             |             |                   |                |
| 2007.....  | 336      | -            | -         | 1          | 9           | 47          | 109         | 107         | 47          | 12          | 3           | 1                 | -              |
| 2006.....  | 342      | 1            | -         | 2          | 12          | 43          | 128         | 101         | 37          | 15          | 3           | -                 | -              |
| 2005.....  | 336      | 2            | -         | 3          | 8           | 50          | 120         | 109         | 28          | 14          | 1           | 1                 | -              |
| 2004.....  | 387      | -            | -         | 3          | 6           | 42          | 154         | 124         | 34          | 19          | 5           | -                 | -              |
| 2003.....  | 425      | -            | -         | 2          | 11          | 60          | 177         | 107         | 51          | 14          | 3           | -                 | -              |
| 2002.....  | 415      | 1            | -         | -          | 10          | 61          | 172         | 116         | 48          | 4           | 2           | 1                 | -              |
| 2001.....  | 416      | 1            | -         | 1          | 11          | 78          | 170         | 106         | 40          | 8           | 1           | -                 | -              |
| 2000.....  | 415      | -            | -         | 4          | 5           | 91          | 159         | 105         | 40          | 7           | 4           | -                 | -              |
| 1999.....  | 433      | 2            | 1         | 6          | 13          | 93          | 189         | 101         | 19          | 8           | -           | 1                 | -              |

Worktable Orig290F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2007

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data - mortality"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, sex, and year | All ages | Under 1 year | 1-4 years | 5-14 years | 15-24 years | 25-34 years | 35-44 years | 45-54 years | 55-64 years | 65-74 years | 75-84 years | 85 years and over | Age not stated |
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|
| Human immunodeficiency virus (HIV) disease (B20-B24)   |          |              |           |            |             |             |             |             |             |             |             |                   |                |
| Non-Hispanic 1/, both sexes  |          |              |           |            |             |             |             |             |             |             |             |                   |                |
| 2007.....  | 9,726    | 4            | 4         | 8          | 128         | 905         | 3,055       | 3,618       | 1,519       | 376         | 94          | 13                | 2              |
| 2006.....  | 10,427   | 6            | -         | 13         | 174         | 980         | 3,409       | 3,821       | 1,516       | 408         | 88          | 11                | 1              |
| 2005.....  | 10,813   | -            | 2         | 9          | 128         | 1,118       | 3,715       | 3,927       | 1,433       | 377         | 91          | 12                | 1              |
| 2004.....  | 11,195   | 2            | 3         | 20         | 165         | 1,252       | 4,122       | 3,805       | 1,356       | 366         | 87          | 16                | 1              |
| 2003.....  | 11,629   | 5            | 1         | 34         | 147         | 1,333       | 4,561       | 3,785       | 1,298       | 366         | 84          | 13                | 2              |
| 2002.....  | 12,094   | 3            | 5         | 22         | 149         | 1,564       | 4,871       | 3,874       | 1,148       | 359         | 87          | 11                | 1              |
| 2001.....  | 12,141   | 9            | 13        | 35         | 193         | 1,779       | 5,044       | 3,533       | 1,123       | 325         | 77          | 8                 | 2              |
| 2000.....  | 12,389   | 10           | 14        | 37         | 156         | 2,053       | 5,077       | 3,562       | 1,058       | 343         | 70          | 9                 | -              |
| 1999.....  | 12,638   | 11           | 19        | 56         | 165         | 2,301       | 5,305       | 3,377       | 987         | 339         | 65          | 13                | -              |
| Non-Hispanic 1/, male  |          |              |           |            |             |             |             |             |             |             |             |                   |                |
| 2007.....  | 6,874    | 4            | 3         | 2          | 65          | 514         | 2,102       | 2,601       | 1,191       | 309         | 74          | 7                 | 2              |
| 2006.....  | 7,431    | 2            | -         | 8          | 101         | 573         | 2,359       | 2,817       | 1,186       | 311         | 68          | 5                 | 1              |
| 2005.....  | 7,811    | -            | 1         | 6          | 66          | 663         | 2,622       | 2,944       | 1,142       | 301         | 61          | 4                 | 1              |
| 2004.....  | 8,052    | -            | -         | 10         | 88          | 744         | 2,921       | 2,848       | 1,095       | 282         | 58          | 5                 | 1              |
| 2003.....  | 8,550    | 2            | 1         | 19         | 75          | 846         | 3,299       | 2,900       | 1,050       | 278         | 67          | 11                | 2              |
| 2002.....  | 8,911    | 1            | 1         | 11         | 74          | 977         | 3,549       | 3,009       | 933         | 286         | 64          | 5                 | 1              |
| 2001.....  | 9,011    | 7            | 8         | 21         | 84          | 1,187       | 3,725       | 2,766       | 902         | 241         | 63          | 5                 | 2              |
| 2000.....  | 9,224    | 8            | 6         | 17         | 81          | 1,313       | 3,778       | 2,825       | 872         | 267         | 55          | 2                 | -              |
| 1999.....  | 9,538    | 8            | 12        | 33         | 75          | 1,584       | 3,984       | 2,715       | 806         | 268         | 45          | 8                 | -              |

Worktable Orig290F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2007

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data - mortality"]

---

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, sex, and year

|  | All ages | Under 1 year | 1-4 years | 5-14 years | 15-24 years | 25-34 years | 35-44 years | 45-54 years | 55-64 years | 65-74 years | 75-84 years | 85 years and over | Age not stated |
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|

---

Human immunodeficiency virus (HIV) disease (B20-B24)

Non-Hispanic 1/, female

|           |       |   |   |    |     |     |       |       |     |    |    |    |   |
|-----------|-------|---|---|----|-----|-----|-------|-------|-----|----|----|----|---|
| 2007..... | 2,852 | - | 1 | 6  | 63  | 391 | 953   | 1,017 | 328 | 67 | 20 | 6  | - |
| 2006..... | 2,996 | 4 | - | 5  | 73  | 407 | 1,050 | 1,004 | 330 | 97 | 20 | 6  | - |
| 2005..... | 3,002 | - | 1 | 3  | 62  | 455 | 1,093 | 983   | 291 | 76 | 30 | 8  | - |
| 2004..... | 3,143 | 2 | 3 | 10 | 77  | 508 | 1,201 | 957   | 261 | 84 | 29 | 11 | - |
| 2003..... | 3,079 | 3 | - | 15 | 72  | 487 | 1,262 | 885   | 248 | 88 | 17 | 2  | - |
| 2002..... | 3,183 | 2 | 4 | 11 | 75  | 587 | 1,322 | 865   | 215 | 73 | 23 | 6  | - |
| 2001..... | 3,130 | 2 | 5 | 14 | 109 | 592 | 1,319 | 767   | 221 | 84 | 14 | 3  | - |
| 2000..... | 3,165 | 2 | 8 | 20 | 75  | 740 | 1,299 | 737   | 186 | 76 | 15 | 7  | - |
| 1999..... | 3,100 | 3 | 7 | 23 | 90  | 717 | 1,321 | 662   | 181 | 71 | 20 | 5  | - |

Non-Hispanic white, both sexes

|              |       |   |   |    |    |     |       |       |     |     |    |    |   |
|--------------|-------|---|---|----|----|-----|-------|-------|-----|-----|----|----|---|
| 2007 2/..... | 3,182 | 1 | 3 | -  | 19 | 187 | 1,019 | 1,243 | 519 | 147 | 40 | 4  | - |
| 2006 2/..... | 3,519 | 2 | - | 2  | 28 | 209 | 1,193 | 1,357 | 542 | 144 | 38 | 4  | - |
| 2005 2/..... | 3,755 | - | 2 | -  | 20 | 277 | 1,352 | 1,408 | 514 | 131 | 42 | 9  | - |
| 2004 2/..... | 3,862 | 1 | 1 | 2  | 23 | 296 | 1,529 | 1,329 | 500 | 128 | 42 | 11 | - |
| 2003 2/..... | 4,126 | 1 | - | 3  | 28 | 375 | 1,703 | 1,360 | 485 | 125 | 38 | 7  | 1 |
| 2002.....    | 4,224 | - | - | 3  | 23 | 429 | 1,790 | 1,366 | 460 | 112 | 33 | 8  | - |
| 2001.....    | 4,286 | 2 | 3 | 8  | 30 | 519 | 1,911 | 1,248 | 423 | 110 | 27 | 5  | - |
| 2000.....    | 4,562 | 1 | 1 | 13 | 30 | 619 | 2,000 | 1,325 | 420 | 122 | 28 | 3  | - |
| 1999.....    | 4,744 | 2 | 2 | 15 | 34 | 794 | 2,082 | 1,286 | 369 | 121 | 32 | 7  | - |

Worktable Orig290F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2007

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data - mortality"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, sex, and year | All ages | Under 1 year | 1-4 years | 5-14 years | 15-24 years | 25-34 years | 35-44 years | 45-54 years | 55-64 years | 65-74 years | 75-84 years | 85 years and over | Age not stated |
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|
| Human immunodeficiency virus (HIV) disease (B20-B24)   |          |              |           |            |             |             |             |             |             |             |             |                   |                |
| Non-Hispanic white, male   |          |              |           |            |             |             |             |             |             |             |             |                   |                |
| 2007 2/.....   | 2,638    | 1            | 2         | -          | 9           | 130         | 852         | 1,026       | 443         | 137         | 36          | 2                 | -              |
| 2006 2/.....   | 2,939    | 1            | -         | 2          | 17          | 152         | 981         | 1,155       | 475         | 124         | 30          | 2                 | -              |
| 2005 2/.....   | 3,095    | -            | 1         | -          | 9           | 195         | 1,122       | 1,177       | 441         | 117         | 30          | 3                 | -              |
| 2004 2/.....   | 3,227    | -            | -         | 1          | 14          | 227         | 1,259       | 1,130       | 448         | 114         | 31          | 3                 | -              |
| 2003 2/.....   | 3,487    | 1            | -         | 2          | 17          | 294         | 1,429       | 1,172       | 428         | 103         | 35          | 5                 | 1              |
| 2002.....  | 3,582    | -            | -         | 1          | 12          | 335         | 1,517       | 1,183       | 409         | 99          | 22          | 4                 | -              |
| 2001.....  | 3,669    | 2            | -         | 5          | 15          | 410         | 1,639       | 1,106       | 370         | 95          | 24          | 3                 | -              |
| 2000.....  | 3,837    | 1            | -         | 5          | 20          | 475         | 1,678       | 1,161       | 369         | 103         | 25          | -                 | -              |
| 1999.....  | 4,043    | 2            | 1         | 10         | 22          | 643         | 1,768       | 1,136       | 331         | 104         | 24          | 2                 | -              |
| Non-Hispanic white, female   |          |              |           |            |             |             |             |             |             |             |             |                   |                |
| 2007 2/.....   | 544      | -            | 1         | -          | 10          | 57          | 167         | 217         | 76          | 10          | 4           | 2                 | -              |
| 2006 2/.....   | 580      | 1            | -         | -          | 11          | 57          | 212         | 202         | 67          | 20          | 8           | 2                 | -              |
| 2005 2/.....   | 660      | -            | 1         | -          | 11          | 82          | 230         | 231         | 73          | 14          | 12          | 6                 | -              |
| 2004 2/.....   | 635      | 1            | 1         | 1          | 9           | 69          | 270         | 199         | 52          | 14          | 11          | 8                 | -              |
| 2003 2/.....   | 639      | -            | -         | 1          | 11          | 81          | 274         | 188         | 57          | 22          | 3           | 2                 | -              |
| 2002.....  | 642      | -            | -         | 2          | 11          | 94          | 273         | 183         | 51          | 13          | 11          | 4                 | -              |
| 2001.....  | 617      | -            | 3         | 3          | 15          | 109         | 272         | 142         | 53          | 15          | 3           | 2                 | -              |
| 2000.....  | 725      | -            | 1         | 8          | 10          | 144         | 322         | 164         | 51          | 19          | 3           | 3                 | -              |
| 1999.....  | 701      | -            | 1         | 5          | 12          | 151         | 314         | 150         | 38          | 17          | 8           | 5                 | -              |

Worktable Orig290F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2007

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data - mortality"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, sex, and year | All ages | Under 1 year | 1-4 years | 5-14 years | 15-24 years | 25-34 years | 35-44 years | 45-54 years | 55-64 years | 65-74 years | 75-84 years | 85 years and over | Age not stated |
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|

Human immunodeficiency virus (HIV) disease (B20-B24)

| Non-Hispanic black, both sexes |       |   |    |    |     |       |       |       |     |     |    |   |   |
|--------------------------------|-------|---|----|----|-----|-------|-------|-------|-----|-----|----|---|---|
| 2007 2/.....                   | 6,398 | 1 | 1  | 8  | 109 | 701   | 1,990 | 2,318 | 980 | 226 | 53 | 9 | 2 |
| 2006 2/.....                   | 6,767 | 4 | -  | 11 | 143 | 765   | 2,159 | 2,417 | 962 | 250 | 48 | 7 | 1 |
| 2005 2/.....                   | 6,908 | - | -  | 8  | 108 | 824   | 2,298 | 2,475 | 902 | 240 | 49 | 3 | 1 |
| 2004 2/.....                   | 7,163 | 1 | 2  | 17 | 141 | 936   | 2,522 | 2,423 | 841 | 229 | 45 | 5 | 1 |
| 2003 2/.....                   | 7,351 | 3 | 1  | 31 | 117 | 938   | 2,786 | 2,382 | 802 | 239 | 45 | 6 | 1 |
| 2002.....                      | 7,714 | 3 | 5  | 19 | 124 | 1,110 | 3,011 | 2,469 | 675 | 240 | 54 | 3 | 1 |
| 2001.....                      | 7,710 | 7 | 10 | 26 | 161 | 1,234 | 3,072 | 2,249 | 690 | 208 | 49 | 2 | 2 |
| 2000.....                      | 7,708 | 9 | 12 | 23 | 125 | 1,414 | 3,028 | 2,211 | 625 | 214 | 41 | 6 | - |
| 1999.....                      | 7,751 | 9 | 17 | 41 | 130 | 1,479 | 3,154 | 2,057 | 613 | 213 | 33 | 5 | - |
| Non-Hispanic black, male       |       |   |    |    |     |       |       |       |     |     |    |   |   |
| 2007 2/.....                   | 4,127 | 1 | 1  | 2  | 56  | 372   | 1,217 | 1,533 | 731 | 170 | 37 | 5 | 2 |
| 2006 2/.....                   | 4,384 | 1 | -  | 6  | 83  | 416   | 1,336 | 1,625 | 700 | 176 | 37 | 3 | 1 |
| 2005 2/.....                   | 4,600 | - | -  | 5  | 57  | 455   | 1,454 | 1,728 | 689 | 179 | 31 | 1 | 1 |
| 2004 2/.....                   | 4,693 | - | -  | 8  | 73  | 501   | 1,601 | 1,679 | 637 | 164 | 27 | 2 | 1 |
| 2003 2/.....                   | 4,947 | 1 | 1  | 17 | 57  | 537   | 1,814 | 1,693 | 614 | 175 | 31 | 6 | 1 |
| 2002.....                      | 5,203 | 1 | 1  | 10 | 60  | 624   | 1,978 | 1,791 | 512 | 182 | 42 | 1 | 1 |
| 2001.....                      | 5,227 | 5 | 8  | 15 | 68  | 753   | 2,040 | 1,629 | 524 | 144 | 38 | 1 | 2 |
| 2000.....                      | 5,291 | 7 | 6  | 12 | 60  | 822   | 2,060 | 1,642 | 492 | 159 | 29 | 2 | - |
| 1999.....                      | 5,377 | 6 | 11 | 23 | 52  | 919   | 2,157 | 1,552 | 471 | 160 | 21 | 5 | - |

Worktable Orig290F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2007

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data - mortality"]

---

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, sex, and year

|  | All ages | Under 1 year | 1-4 years | 5-14 years | 15-24 years | 25-34 years | 35-44 years | 45-54 years | 55-64 years | 65-74 years | 75-84 years | 85 years and over | Age not stated |
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|

---

Human immunodeficiency virus (HIV) disease (B20-B24)

Non-Hispanic black, female

|              |       |   |   |    |    |     |       |     |     |    |    |   |   |
|--------------|-------|---|---|----|----|-----|-------|-----|-----|----|----|---|---|
| 2007 2/..... | 2,271 | - | - | 6  | 53 | 329 | 773   | 785 | 249 | 56 | 16 | 4 | - |
| 2006 2/..... | 2,383 | 3 | - | 5  | 60 | 349 | 823   | 792 | 262 | 74 | 11 | 4 | - |
| 2005 2/..... | 2,308 | - | - | 3  | 51 | 369 | 844   | 747 | 213 | 61 | 18 | 2 | - |
| 2004 2/..... | 2,470 | 1 | 2 | 9  | 68 | 435 | 921   | 744 | 204 | 65 | 18 | 3 | - |
| 2003 2/..... | 2,404 | 2 | - | 14 | 60 | 401 | 972   | 689 | 188 | 64 | 14 | - | - |
| 2002.....    | 2,511 | 2 | 4 | 9  | 64 | 486 | 1,033 | 678 | 163 | 58 | 12 | 2 | - |
| 2001.....    | 2,483 | 2 | 2 | 11 | 93 | 481 | 1,032 | 620 | 166 | 64 | 11 | 1 | - |
| 2000.....    | 2,417 | 2 | 6 | 11 | 65 | 592 | 968   | 569 | 133 | 55 | 12 | 4 | - |
| 1999.....    | 2,374 | 3 | 6 | 18 | 78 | 560 | 997   | 505 | 142 | 53 | 12 | - | - |

Origin not stated 3/, both sexes

|           |     |   |   |   |   |    |    |    |    |    |   |   |   |
|-----------|-----|---|---|---|---|----|----|----|----|----|---|---|---|
| 2007..... | 53  | - | - | - | - | 4  | 12 | 23 | 10 | 3  | - | - | 1 |
| 2006..... | 69  | - | - | - | 1 | 7  | 17 | 29 | 12 | 3  | - | - | - |
| 2005..... | 85  | - | - | - | - | 8  | 32 | 32 | 8  | 4  | 1 | - | - |
| 2004..... | 110 | - | - | 1 | 1 | 5  | 28 | 48 | 20 | 6  | 1 | - | - |
| 2003..... | 139 | - | - | - | - | 11 | 52 | 51 | 15 | 8  | 1 | - | 1 |
| 2002..... | 146 | - | - | - | - | 13 | 57 | 63 | 11 | 2  | - | - | - |
| 2001..... | 181 | - | - | - | - | 22 | 64 | 61 | 25 | 8  | 1 | - | - |
| 2000..... | 181 | - | - | - | - | 19 | 80 | 49 | 18 | 13 | 1 | - | 1 |
| 1999..... | 206 | - | - | 1 | - | 21 | 72 | 75 | 25 | 10 | 1 | - | 1 |



Worktable Orig290F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2007

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data - mortality"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, sex, and year | All ages | Under 1 year | 1-4 years | 5-14 years | 15-24 years | 25-34 years | 35-44 years | 45-54 years | 55-64 years | 65-74 years | 75-84 years | 85 years and over | Age not stated |
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|

Human immunodeficiency virus (HIV) disease (B20-B24)

Origin not stated 3/, male

|           |     |   |   |   |   |    |    |    |    |    |   |   |   |
|-----------|-----|---|---|---|---|----|----|----|----|----|---|---|---|
| 2007..... | 43  | - | - | - | - | 4  | 8  | 19 | 8  | 3  | - | - | 1 |
| 2006..... | 50  | - | - | - | 1 | 4  | 14 | 20 | 9  | 2  | - | - | - |
| 2005..... | 69  | - | - | - | - | 4  | 28 | 25 | 7  | 4  | 1 | - | - |
| 2004..... | 83  | - | - | 1 | - | 4  | 23 | 34 | 15 | 6  | - | - | - |
| 2003..... | 104 | - | - | - | - | 8  | 35 | 39 | 12 | 8  | 1 | - | 1 |
| 2002..... | 117 | - | - | - | - | 9  | 42 | 55 | 10 | 1  | - | - | - |
| 2001..... | 142 | - | - | - | - | 12 | 46 | 55 | 20 | 8  | 1 | - | - |
| 2000..... | 151 | - | - | - | - | 15 | 60 | 45 | 18 | 12 | - | - | 1 |
| 1999..... | 171 | - | - | - | - | 16 | 56 | 65 | 24 | 8  | 1 | - | 1 |

Origin not stated 3/, female

|           |    |   |   |   |   |    |    |    |   |   |   |   |   |
|-----------|----|---|---|---|---|----|----|----|---|---|---|---|---|
| 2007..... | 10 | - | - | - | - | -  | 4  | 4  | 2 | - | - | - | - |
| 2006..... | 19 | - | - | - | - | 3  | 3  | 9  | 3 | 1 | - | - | - |
| 2005..... | 16 | - | - | - | - | 4  | 4  | 7  | 1 | - | - | - | - |
| 2004..... | 27 | - | - | - | 1 | 1  | 5  | 14 | 5 | - | 1 | - | - |
| 2003..... | 35 | - | - | - | - | 3  | 17 | 12 | 3 | - | - | - | - |
| 2002..... | 29 | - | - | - | - | 4  | 15 | 8  | 1 | 1 | - | - | - |
| 2001..... | 39 | - | - | - | - | 10 | 18 | 6  | 5 | - | - | - | - |
| 2000..... | 30 | - | - | - | - | 4  | 20 | 4  | - | 1 | 1 | - | - |
| 1999..... | 35 | - | - | 1 | - | 5  | 16 | 10 | 1 | 2 | - | - | - |

Worktable Orig290F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2007

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data - mortality"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, sex, and year | All ages | Under 1 year | 1-4 years | 5-14 years | 15-24 years | 25-34 years | 35-44 years | 45-54 years | 55-64 years | 65-74 years | 75-84 years | 85 years and over | Age not stated |
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|

#### Malaria (B50-B54)

##### All origins, both sexes

|           |    |   |   |   |   |   |   |   |   |   |   |   |   |
|-----------|----|---|---|---|---|---|---|---|---|---|---|---|---|
| 2007..... | 5  | - | - | - | - | - | 2 | - | 1 | 1 | - | 1 | - |
| 2006..... | 9  | - | 1 | - | - | - | 1 | 2 | 3 | - | 2 | - | - |
| 2005..... | 6  | - | - | - | 2 | 1 | 1 | 1 | - | 1 | - | - | - |
| 2004..... | 8  | - | - | - | 1 | - | 4 | 2 | - | 1 | - | - | - |
| 2003..... | 4  | - | - | - | - | - | 1 | - | 2 | 1 | - | - | - |
| 2002..... | 12 | - | - | - | 1 | 1 | 1 | 5 | 2 | 2 | - | - | - |
| 2001..... | 9  | - | - | 1 | - | - | 2 | 2 | 2 | 1 | 1 | - | - |
| 2000..... | 3  | - | - | - | 1 | - | - | 1 | - | - | 1 | - | - |
| 1999..... | 7  | 1 | - | - | - | 2 | 1 | - | 1 | 2 | - | - | - |

##### All origins, male

|           |   |   |   |   |   |   |   |   |   |   |   |   |   |
|-----------|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 2007..... | 3 | - | - | - | - | - | 1 | - | - | 1 | - | 1 | - |
| 2006..... | 6 | - | - | - | - | - | 1 | 2 | 1 | - | 2 | - | - |
| 2005..... | 4 | - | - | - | - | 1 | 1 | 1 | - | 1 | - | - | - |
| 2004..... | 8 | - | - | - | 1 | - | 4 | 2 | - | 1 | - | - | - |
| 2003..... | 4 | - | - | - | - | - | 1 | - | 2 | 1 | - | - | - |
| 2002..... | 8 | - | - | - | - | - | 1 | 4 | 1 | 2 | - | - | - |
| 2001..... | 5 | - | - | 1 | - | - | - | 1 | 1 | 1 | 1 | - | - |
| 2000..... | 2 | - | - | - | - | - | - | 1 | - | - | 1 | - | - |
| 1999..... | 4 | 1 | - | - | - | 1 | - | - | 1 | 1 | - | - | - |





Worktable Orig290F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2007

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data - mortality"]

---

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, sex, and year

|  | All ages | Under 1 year | 1-4 years | 5-14 years | 15-24 years | 25-34 years | 35-44 years | 45-54 years | 55-64 years | 65-74 years | 75-84 years | 85 years and over | Age not stated |
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|

---

Malaria (B50-B54)

Non-Hispanic 1/, both sexes

|           |    |   |   |   |   |   |   |   |   |   |   |   |   |
|-----------|----|---|---|---|---|---|---|---|---|---|---|---|---|
| 2007..... | 5  | - | - | - | - | - | 2 | - | 1 | 1 | - | 1 | - |
| 2006..... | 7  | - | 1 | - | - | - | - | 2 | 3 | - | 1 | - | - |
| 2005..... | 6  | - | - | - | 2 | 1 | 1 | 1 | - | 1 | - | - | - |
| 2004..... | 7  | - | - | - | - | - | 4 | 2 | - | 1 | - | - | - |
| 2003..... | 4  | - | - | - | - | - | 1 | - | 2 | 1 | - | - | - |
| 2002..... | 12 | - | - | - | 1 | 1 | 1 | 5 | 2 | 2 | - | - | - |
| 2001..... | 9  | - | - | 1 | - | - | 2 | 2 | 2 | 1 | 1 | - | - |
| 2000..... | 3  | - | - | - | 1 | - | - | 1 | - | - | 1 | - | - |
| 1999..... | 7  | 1 | - | - | - | 2 | 1 | - | 1 | 2 | - | - | - |

Non-Hispanic 1/, male

|           |   |   |   |   |   |   |   |   |   |   |   |   |   |
|-----------|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 2007..... | 3 | - | - | - | - | - | 1 | - | - | 1 | - | 1 | - |
| 2006..... | 4 | - | - | - | - | - | - | 2 | 1 | - | 1 | - | - |
| 2005..... | 4 | - | - | - | - | 1 | 1 | 1 | - | 1 | - | - | - |
| 2004..... | 7 | - | - | - | - | - | 4 | 2 | - | 1 | - | - | - |
| 2003..... | 4 | - | - | - | - | - | 1 | - | 2 | 1 | - | - | - |
| 2002..... | 8 | - | - | - | - | - | 1 | 4 | 1 | 2 | - | - | - |
| 2001..... | 5 | - | - | 1 | - | - | - | 1 | 1 | 1 | 1 | - | - |
| 2000..... | 2 | - | - | - | - | - | - | 1 | - | - | 1 | - | - |
| 1999..... | 4 | 1 | - | - | - | 1 | - | - | 1 | 1 | - | - | - |

Worktable Orig290F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2007

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data - mortality"]

---

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, sex, and year

|  | All ages | Under 1 year | 1-4 years | 5-14 years | 15-24 years | 25-34 years | 35-44 years | 45-54 years | 55-64 years | 65-74 years | 75-84 years | 85 years and over | Age not stated |
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|

---

Malaria (B50-B54)

| Non-Hispanic 1/, female |   |   |   |   |   |   |   |   |   |   |   |   |   |
|-------------------------|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 2007.....               | 2 | - | - | - | - | - | 1 | - | 1 | - | - | - | - |
| 2006.....               | 3 | - | 1 | - | - | - | - | - | 2 | - | - | - | - |
| 2005.....               | 2 | - | - | - | 2 | - | - | - | - | - | - | - | - |
| 2004.....               | - | - | - | - | - | - | - | - | - | - | - | - | - |
| 2003.....               | - | - | - | - | - | - | - | - | - | - | - | - | - |
| 2002.....               | 4 | - | - | - | 1 | 1 | - | 1 | 1 | - | - | - | - |
| 2001.....               | 4 | - | - | - | - | - | 2 | 1 | 1 | - | - | - | - |
| 2000.....               | 1 | - | - | - | 1 | - | - | - | - | - | - | - | - |
| 1999.....               | 3 | - | - | - | - | 1 | 1 | - | - | 1 | - | - | - |

| Non-Hispanic white, both sexes |   |   |   |   |   |   |   |   |   |   |   |   |   |
|--------------------------------|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 2007 2/.....                   | 3 | - | - | - | - | - | 1 | - | 1 | - | - | 1 | - |
| 2006 2/.....                   | 3 | - | - | - | - | - | - | - | 2 | - | 1 | - | - |
| 2005 2/.....                   | 2 | - | - | - | 1 | - | 1 | - | - | - | - | - | - |
| 2004 2/.....                   | 2 | - | - | - | - | - | 2 | - | - | - | - | - | - |
| 2003 2/.....                   | 4 | - | - | - | - | - | 1 | - | 2 | 1 | - | - | - |
| 2002.....                      | 7 | - | - | - | - | - | 1 | 3 | 1 | 2 | - | - | - |
| 2001.....                      | 5 | - | - | - | - | - | 2 | 1 | - | 1 | 1 | - | - |
| 2000.....                      | 1 | - | - | - | 1 | - | - | - | - | - | - | - | - |
| 1999.....                      | 4 | - | - | - | - | 1 | 1 | - | 1 | 1 | - | - | - |

Worktable Orig290F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2007

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data - mortality"]

---

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, sex, and year

|  | All ages | Under 1 year | 1-4 years | 5-14 years | 15-24 years | 25-34 years | 35-44 years | 45-54 years | 55-64 years | 65-74 years | 75-84 years | 85 years and over | Age not stated |
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|

---

Malaria (B50-B54)

| Non-Hispanic white, male   |   |   |   |   |   |   |   |   |   |   |   |   |   |
|----------------------------|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 2007 2/.....               | 2 | - | - | - | - | - | 1 | - | - | - | - | 1 | - |
| 2006 2/.....               | 1 | - | - | - | - | - | - | - | - | - | 1 | - | - |
| 2005 2/.....               | 1 | - | - | - | - | - | 1 | - | - | - | - | - | - |
| 2004 2/.....               | 2 | - | - | - | - | - | 2 | - | - | - | - | - | - |
| 2003 2/.....               | 4 | - | - | - | - | - | 1 | - | 2 | 1 | - | - | - |
| 2002.....                  | 7 | - | - | - | - | - | 1 | 3 | 1 | 2 | - | - | - |
| 2001.....                  | 2 | - | - | - | - | - | - | - | - | 1 | 1 | - | - |
| 2000.....                  | - | - | - | - | - | - | - | - | - | - | - | - | - |
| 1999.....                  | 3 | - | - | - | - | 1 | - | - | 1 | 1 | - | - | - |
| Non-Hispanic white, female |   |   |   |   |   |   |   |   |   |   |   |   |   |
| 2007 2/.....               | 1 | - | - | - | - | - | - | - | 1 | - | - | - | - |
| 2006 2/.....               | 2 | - | - | - | - | - | - | - | 2 | - | - | - | - |
| 2005 2/.....               | 1 | - | - | - | 1 | - | - | - | - | - | - | - | - |
| 2004 2/.....               | - | - | - | - | - | - | - | - | - | - | - | - | - |
| 2003 2/.....               | - | - | - | - | - | - | - | - | - | - | - | - | - |
| 2002.....                  | - | - | - | - | - | - | - | - | - | - | - | - | - |
| 2001.....                  | 3 | - | - | - | - | - | 2 | 1 | - | - | - | - | - |
| 2000.....                  | 1 | - | - | - | 1 | - | - | - | - | - | - | - | - |
| 1999.....                  | 1 | - | - | - | - | - | 1 | - | - | - | - | - | - |









Worktable Orig290F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2007

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data - mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, sex, and year

|  | All ages | Under 1 year | 1-4 years | 5-14 years | 15-24 years | 25-34 years | 35-44 years | 45-54 years | 55-64 years | 65-74 years | 75-84 years | 85 years and over | Age not stated |
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|

Other and unspecified infectious and parasitic diseases and their sequelae (A00,A05,A20-A36,A42-A44,A48-A49,A54-A79,A81-A82,A85.0-A85.1,A85.8,A86-B04,B06-B09, B25-B49,B55-B99)

All origins, both sexes

|           |       |     |    |    |    |     |     |       |       |       |       |       |   |
|-----------|-------|-----|----|----|----|-----|-----|-------|-------|-------|-------|-------|---|
| 2007..... | 5,825 | 154 | 63 | 51 | 97 | 136 | 229 | 511   | 919   | 1,098 | 1,463 | 1,104 | - |
| 2006..... | 5,897 | 167 | 64 | 67 | 87 | 129 | 269 | 562   | 864   | 1,106 | 1,502 | 1,079 | 1 |
| 2005..... | 7,727 | 169 | 63 | 64 | 86 | 130 | 403 | 1,364 | 1,273 | 1,309 | 1,785 | 1,081 | - |
| 2004..... | 7,540 | 167 | 65 | 47 | 95 | 144 | 434 | 1,236 | 1,237 | 1,309 | 1,714 | 1,092 | - |
| 2003..... | 7,427 | 174 | 85 | 51 | 88 | 140 | 447 | 1,185 | 1,136 | 1,344 | 1,715 | 1,062 | - |
| 2002..... | 6,707 | 224 | 61 | 84 | 97 | 169 | 453 | 916   | 889   | 1,223 | 1,594 | 997   | - |
| 2001..... | 5,715 | 191 | 64 | 64 | 86 | 147 | 369 | 663   | 771   | 1,143 | 1,330 | 887   | - |
| 2000..... | 5,532 | 167 | 71 | 67 | 96 | 141 | 350 | 585   | 707   | 1,074 | 1,375 | 899   | - |
| 1999..... | 7,279 | 203 | 81 | 79 | 90 | 242 | 545 | 836   | 898   | 1,443 | 1,739 | 1,123 | - |

All origins, male

|           |       |     |    |    |    |     |     |     |     |     |     |     |   |
|-----------|-------|-----|----|----|----|-----|-----|-----|-----|-----|-----|-----|---|
| 2007..... | 2,982 | 84  | 30 | 36 | 56 | 80  | 130 | 313 | 502 | 584 | 718 | 449 | - |
| 2006..... | 3,028 | 95  | 41 | 35 | 44 | 68  | 169 | 343 | 492 | 581 | 736 | 423 | 1 |
| 2005..... | 4,216 | 100 | 40 | 29 | 43 | 80  | 270 | 933 | 768 | 711 | 864 | 378 | - |
| 2004..... | 4,097 | 100 | 35 | 25 | 59 | 81  | 257 | 834 | 760 | 710 | 790 | 446 | - |
| 2003..... | 3,964 | 86  | 43 | 25 | 52 | 83  | 284 | 792 | 689 | 711 | 816 | 383 | - |
| 2002..... | 3,622 | 125 | 39 | 40 | 52 | 96  | 291 | 626 | 532 | 663 | 785 | 373 | - |
| 2001..... | 2,931 | 101 | 37 | 29 | 51 | 83  | 227 | 426 | 449 | 565 | 656 | 307 | - |
| 2000..... | 2,861 | 94  | 41 | 35 | 54 | 75  | 220 | 358 | 383 | 597 | 665 | 339 | - |
| 1999..... | 3,655 | 119 | 51 | 44 | 49 | 131 | 333 | 478 | 482 | 760 | 827 | 381 | - |

Worktable Orig290F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2007

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data - mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, sex, and year

|  | All ages | Under 1 year | 1-4 years | 5-14 years | 15-24 years | 25-34 years | 35-44 years | 45-54 years | 55-64 years | 65-74 years | 75-84 years | 85 years and over | Age not stated |
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|

Other and unspecified infectious and parasitic diseases and their sequelae (A00,A05,A20-A36,A42-A44,A48-A49,A54-A79,A81-A82,A85.0-A85.1,A85.8,A86-B04,B06-B09, B25-B49,B55-B99)

All origins, female

|           |       |    |    |    |    |     |     |     |     |     |     |     |   |
|-----------|-------|----|----|----|----|-----|-----|-----|-----|-----|-----|-----|---|
| 2007..... | 2,843 | 70 | 33 | 15 | 41 | 56  | 99  | 198 | 417 | 514 | 745 | 655 | - |
| 2006..... | 2,869 | 72 | 23 | 32 | 43 | 61  | 100 | 219 | 372 | 525 | 766 | 656 | - |
| 2005..... | 3,511 | 69 | 23 | 35 | 43 | 50  | 133 | 431 | 505 | 598 | 921 | 703 | - |
| 2004..... | 3,443 | 67 | 30 | 22 | 36 | 63  | 177 | 402 | 477 | 599 | 924 | 646 | - |
| 2003..... | 3,463 | 88 | 42 | 26 | 36 | 57  | 163 | 393 | 447 | 633 | 899 | 679 | - |
| 2002..... | 3,085 | 99 | 22 | 44 | 45 | 73  | 162 | 290 | 357 | 560 | 809 | 624 | - |
| 2001..... | 2,784 | 90 | 27 | 35 | 35 | 64  | 142 | 237 | 322 | 578 | 674 | 580 | - |
| 2000..... | 2,671 | 73 | 30 | 32 | 42 | 66  | 130 | 227 | 324 | 477 | 710 | 560 | - |
| 1999..... | 3,624 | 84 | 30 | 35 | 41 | 111 | 212 | 358 | 416 | 683 | 912 | 742 | - |

Hispanic, both sexes

|           |     |    |    |    |    |    |    |     |     |     |     |    |   |
|-----------|-----|----|----|----|----|----|----|-----|-----|-----|-----|----|---|
| 2007..... | 505 | 41 | 16 | 10 | 21 | 41 | 36 | 64  | 79  | 73  | 81  | 43 | - |
| 2006..... | 416 | 27 | 14 | 14 | 21 | 27 | 45 | 54  | 54  | 72  | 61  | 26 | 1 |
| 2005..... | 773 | 33 | 12 | 11 | 15 | 35 | 82 | 207 | 132 | 113 | 97  | 36 | - |
| 2004..... | 726 | 31 | 20 | 10 | 17 | 22 | 82 | 174 | 134 | 97  | 100 | 39 | - |
| 2003..... | 675 | 23 | 17 | 14 | 12 | 21 | 77 | 169 | 116 | 103 | 98  | 25 | - |
| 2002..... | 593 | 41 | 11 | 17 | 19 | 51 | 67 | 127 | 85  | 75  | 68  | 32 | - |
| 2001..... | 423 | 41 | 7  | 11 | 12 | 33 | 46 | 69  | 56  | 67  | 57  | 24 | - |
| 2000..... | 412 | 23 | 18 | 13 | 19 | 26 | 50 | 61  | 54  | 62  | 57  | 29 | - |
| 1999..... | 497 | 36 | 13 | 14 | 13 | 39 | 67 | 68  | 62  | 80  | 68  | 37 | - |

Worktable Orig290F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2007

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data - mortality"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, sex, and year | All ages | Under 1 year | 1-4 years | 5-14 years | 15-24 years | 25-34 years | 35-44 years | 45-54 years | 55-64 years | 65-74 years | 75-84 years | 85 years and over | Age not stated |
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|

Other and unspecified infectious and parasitic diseases and their sequelae (A00,A05,A20-A36,A42-A44,A48-A49,A54-A79,A81-A82,A85.0-A85.1,A85.8,A86-B04,B06-B09, B25-B49,B55-B99)

| Hispanic, male   |     |    |    |    |    |    |    |     |    |    |    |    |   |
|------------------|-----|----|----|----|----|----|----|-----|----|----|----|----|---|
| 2007.....        | 272 | 22 | 8  | 7  | 12 | 25 | 26 | 44  | 42 | 31 | 36 | 19 | - |
| 2006.....        | 247 | 18 | 10 | 8  | 14 | 13 | 28 | 41  | 30 | 38 | 35 | 11 | 1 |
| 2005.....        | 452 | 17 | 8  | 5  | 8  | 23 | 58 | 151 | 82 | 52 | 39 | 9  | - |
| 2004.....        | 439 | 15 | 11 | 6  | 15 | 15 | 56 | 122 | 88 | 50 | 49 | 12 | - |
| 2003.....        | 416 | 9  | 8  | 7  | 8  | 14 | 57 | 130 | 76 | 53 | 43 | 11 | - |
| 2002.....        | 363 | 27 | 7  | 11 | 7  | 31 | 48 | 95  | 52 | 40 | 30 | 15 | - |
| 2001.....        | 250 | 21 | 4  | 5  | 9  | 22 | 31 | 47  | 38 | 38 | 27 | 8  | - |
| 2000.....        | 237 | 14 | 12 | 8  | 12 | 20 | 37 | 33  | 35 | 28 | 27 | 11 | - |
| 1999.....        | 260 | 22 | 10 | 7  | 6  | 22 | 49 | 40  | 29 | 36 | 29 | 10 | - |
| Hispanic, female |     |    |    |    |    |    |    |     |    |    |    |    |   |
| 2007.....        | 233 | 19 | 8  | 3  | 9  | 16 | 10 | 20  | 37 | 42 | 45 | 24 | - |
| 2006.....        | 169 | 9  | 4  | 6  | 7  | 14 | 17 | 13  | 24 | 34 | 26 | 15 | - |
| 2005.....        | 321 | 16 | 4  | 6  | 7  | 12 | 24 | 56  | 50 | 61 | 58 | 27 | - |
| 2004.....        | 287 | 16 | 9  | 4  | 2  | 7  | 26 | 52  | 46 | 47 | 51 | 27 | - |
| 2003.....        | 259 | 14 | 9  | 7  | 4  | 7  | 20 | 39  | 40 | 50 | 55 | 14 | - |
| 2002.....        | 230 | 14 | 4  | 6  | 12 | 20 | 19 | 32  | 33 | 35 | 38 | 17 | - |
| 2001.....        | 173 | 20 | 3  | 6  | 3  | 11 | 15 | 22  | 18 | 29 | 30 | 16 | - |
| 2000.....        | 175 | 9  | 6  | 5  | 7  | 6  | 13 | 28  | 19 | 34 | 30 | 18 | - |
| 1999.....        | 237 | 14 | 3  | 7  | 7  | 17 | 18 | 28  | 33 | 44 | 39 | 27 | - |

Worktable Orig290F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2007

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data - mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, sex, and year

|  | All ages | Under 1 year | 1-4 years | 5-14 years | 15-24 years | 25-34 years | 35-44 years | 45-54 years | 55-64 years | 65-74 years | 75-84 years | 85 years and over | Age not stated |
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|

Other and unspecified infectious and parasitic diseases and their sequelae (A00,A05,A20-A36,A42-A44,A48-A49,A54-A79,A81-A82,A85.0-A85.1,A85.8,A86-B04,B06-B09, B25-B49,B55-B99)

| Non-Hispanic 1/, both sexes |       |     |    |    |    |     |     |       |       |       |       |       |   |
|-----------------------------|-------|-----|----|----|----|-----|-----|-------|-------|-------|-------|-------|---|
| 2007.....                   | 5,313 | 113 | 46 | 41 | 76 | 95  | 193 | 447   | 840   | 1,024 | 1,378 | 1,060 | - |
| 2006.....                   | 5,470 | 139 | 50 | 53 | 66 | 102 | 223 | 506   | 808   | 1,032 | 1,438 | 1,053 | - |
| 2005.....                   | 6,938 | 136 | 51 | 53 | 71 | 95  | 319 | 1,154 | 1,135 | 1,194 | 1,686 | 1,044 | - |
| 2004.....                   | 6,797 | 136 | 45 | 37 | 77 | 121 | 352 | 1,059 | 1,102 | 1,208 | 1,610 | 1,050 | - |
| 2003.....                   | 6,730 | 151 | 66 | 37 | 75 | 119 | 368 | 1,010 | 1,018 | 1,235 | 1,614 | 1,037 | - |
| 2002.....                   | 6,097 | 181 | 49 | 67 | 77 | 117 | 384 | 787   | 801   | 1,148 | 1,522 | 964   | - |
| 2001.....                   | 5,271 | 149 | 57 | 53 | 73 | 114 | 319 | 589   | 711   | 1,073 | 1,272 | 861   | - |
| 2000.....                   | 5,100 | 144 | 53 | 54 | 75 | 115 | 297 | 521   | 649   | 1,012 | 1,312 | 868   | - |
| 1999.....                   | 6,753 | 166 | 68 | 63 | 77 | 202 | 475 | 763   | 831   | 1,358 | 1,666 | 1,084 | - |
| Non-Hispanic 1/, male       |       |     |    |    |    |     |     |       |       |       |       |       |   |
| 2007.....                   | 2,707 | 62  | 22 | 29 | 44 | 55  | 104 | 269   | 460   | 552   | 680   | 430   | - |
| 2006.....                   | 2,776 | 76  | 31 | 27 | 30 | 55  | 140 | 300   | 462   | 543   | 700   | 412   | - |
| 2005.....                   | 3,753 | 83  | 32 | 24 | 35 | 57  | 210 | 780   | 681   | 658   | 824   | 369   | - |
| 2004.....                   | 3,651 | 85  | 24 | 19 | 43 | 66  | 201 | 711   | 671   | 658   | 739   | 434   | - |
| 2003.....                   | 3,536 | 77  | 33 | 18 | 43 | 69  | 227 | 659   | 613   | 654   | 771   | 372   | - |
| 2002.....                   | 3,250 | 97  | 31 | 29 | 44 | 65  | 242 | 530   | 479   | 623   | 753   | 357   | - |
| 2001.....                   | 2,666 | 79  | 33 | 24 | 42 | 61  | 193 | 374   | 408   | 525   | 628   | 299   | - |
| 2000.....                   | 2,613 | 80  | 29 | 27 | 42 | 55  | 182 | 322   | 347   | 569   | 633   | 327   | - |
| 1999.....                   | 3,379 | 96  | 41 | 36 | 43 | 108 | 282 | 435   | 449   | 722   | 797   | 370   | - |

Worktable Orig290F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2007

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data - mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, sex, and year

|  | All ages | Under 1 year | 1-4 years | 5-14 years | 15-24 years | 25-34 years | 35-44 years | 45-54 years | 55-64 years | 65-74 years | 75-84 years | 85 years and over | Age not stated |
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|

Other and unspecified infectious and parasitic diseases and their sequelae (A00,A05,A20-A36,A42-A44,A48-A49,A54-A79,A81-A82,A85.0-A85.1,A85.8,A86-B04,B06-B09,B25-B49,B55-B99)

Non-Hispanic 1/, female

|           |       |    |    |    |    |    |     |     |     |     |     |     |   |
|-----------|-------|----|----|----|----|----|-----|-----|-----|-----|-----|-----|---|
| 2007..... | 2,606 | 51 | 24 | 12 | 32 | 40 | 89  | 178 | 380 | 472 | 698 | 630 | - |
| 2006..... | 2,694 | 63 | 19 | 26 | 36 | 47 | 83  | 206 | 346 | 489 | 738 | 641 | - |
| 2005..... | 3,185 | 53 | 19 | 29 | 36 | 38 | 109 | 374 | 454 | 536 | 862 | 675 | - |
| 2004..... | 3,146 | 51 | 21 | 18 | 34 | 55 | 151 | 348 | 431 | 550 | 871 | 616 | - |
| 2003..... | 3,194 | 74 | 33 | 19 | 32 | 50 | 141 | 351 | 405 | 581 | 843 | 665 | - |
| 2002..... | 2,847 | 84 | 18 | 38 | 33 | 52 | 142 | 257 | 322 | 525 | 769 | 607 | - |
| 2001..... | 2,605 | 70 | 24 | 29 | 31 | 53 | 126 | 215 | 303 | 548 | 644 | 562 | - |
| 2000..... | 2,487 | 64 | 24 | 27 | 33 | 60 | 115 | 199 | 302 | 443 | 679 | 541 | - |
| 1999..... | 3,374 | 70 | 27 | 27 | 34 | 94 | 193 | 328 | 382 | 636 | 869 | 714 | - |

Non-Hispanic white, both sexes

|              |       |     |    |    |    |     |     |     |     |       |       |     |   |
|--------------|-------|-----|----|----|----|-----|-----|-----|-----|-------|-------|-----|---|
| 2007 2/..... | 4,357 | 68  | 33 | 30 | 48 | 52  | 109 | 310 | 668 | 861   | 1,205 | 973 | - |
| 2006 2/..... | 4,463 | 63  | 33 | 40 | 45 | 52  | 137 | 359 | 638 | 871   | 1,273 | 952 | - |
| 2005 2/..... | 5,662 | 85  | 34 | 41 | 40 | 50  | 217 | 896 | 908 | 996   | 1,459 | 936 | - |
| 2004 2/..... | 5,545 | 86  | 28 | 23 | 53 | 67  | 243 | 848 | 868 | 986   | 1,399 | 944 | - |
| 2003 2/..... | 5,509 | 87  | 36 | 25 | 51 | 76  | 257 | 773 | 794 | 1,056 | 1,399 | 955 | - |
| 2002.....    | 4,939 | 113 | 34 | 49 | 47 | 66  | 243 | 582 | 606 | 973   | 1,344 | 882 | - |
| 2001.....    | 4,257 | 80  | 37 | 38 | 45 | 63  | 211 | 435 | 551 | 899   | 1,123 | 775 | - |
| 2000.....    | 4,131 | 79  | 33 | 40 | 51 | 58  | 189 | 383 | 505 | 851   | 1,165 | 777 | - |
| 1999.....    | 5,288 | 101 | 43 | 42 | 51 | 104 | 287 | 509 | 628 | 1,126 | 1,438 | 959 | - |

Worktable Orig290F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2007

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data - mortality"]

---

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, sex, and year

|  | All ages | Under 1 year | 1-4 years | 5-14 years | 15-24 years | 25-34 years | 35-44 years | 45-54 years | 55-64 years | 65-74 years | 75-84 years | 85 years and over | Age not stated |
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|

---

Other and unspecified infectious and parasitic diseases and their sequelae (A00,A05,A20-A36,A42-A44,A48-A49,A54-A79,A81-A82,A85.0-A85.1,A85.8,A86-B04,B06-B09,B25-B49,B55-B99)

| Non-Hispanic white, male   |       |    |    |    |    |    |     |     |     |     |     |     |   |
|----------------------------|-------|----|----|----|----|----|-----|-----|-----|-----|-----|-----|---|
| 2007 2/.....               | 2,208 | 37 | 14 | 21 | 27 | 26 | 63  | 192 | 373 | 458 | 604 | 393 | - |
| 2006 2/.....               | 2,249 | 36 | 20 | 19 | 25 | 30 | 86  | 212 | 355 | 466 | 620 | 380 | - |
| 2005 2/.....               | 3,071 | 52 | 20 | 16 | 18 | 30 | 146 | 627 | 544 | 562 | 722 | 334 | - |
| 2004 2/.....               | 2,977 | 55 | 14 | 13 | 29 | 35 | 138 | 574 | 527 | 547 | 647 | 398 | - |
| 2003 2/.....               | 2,871 | 42 | 17 | 12 | 31 | 43 | 163 | 512 | 478 | 554 | 675 | 344 | - |
| 2002.....                  | 2,608 | 57 | 21 | 24 | 27 | 33 | 161 | 398 | 358 | 537 | 665 | 327 | - |
| 2001.....                  | 2,148 | 40 | 21 | 17 | 24 | 39 | 129 | 281 | 320 | 443 | 562 | 272 | - |
| 2000.....                  | 2,092 | 45 | 16 | 18 | 29 | 28 | 115 | 239 | 275 | 483 | 557 | 287 | - |
| 1999.....                  | 2,644 | 64 | 27 | 24 | 28 | 55 | 190 | 303 | 345 | 608 | 681 | 319 | - |
| Non-Hispanic white, female |       |    |    |    |    |    |     |     |     |     |     |     |   |
| 2007 2/.....               | 2,149 | 31 | 19 | 9  | 21 | 26 | 46  | 118 | 295 | 403 | 601 | 580 | - |
| 2006 2/.....               | 2,214 | 27 | 13 | 21 | 20 | 22 | 51  | 147 | 283 | 405 | 653 | 572 | - |
| 2005 2/.....               | 2,591 | 33 | 14 | 25 | 22 | 20 | 71  | 269 | 364 | 434 | 737 | 602 | - |
| 2004 2/.....               | 2,568 | 31 | 14 | 10 | 24 | 32 | 105 | 274 | 341 | 439 | 752 | 546 | - |
| 2003 2/.....               | 2,638 | 45 | 19 | 13 | 20 | 33 | 94  | 261 | 316 | 502 | 724 | 611 | - |
| 2002.....                  | 2,331 | 56 | 13 | 25 | 20 | 33 | 82  | 184 | 248 | 436 | 679 | 555 | - |
| 2001.....                  | 2,109 | 40 | 16 | 21 | 21 | 24 | 82  | 154 | 231 | 456 | 561 | 503 | - |
| 2000.....                  | 2,039 | 34 | 17 | 22 | 22 | 30 | 74  | 144 | 230 | 368 | 608 | 490 | - |
| 1999.....                  | 2,644 | 37 | 16 | 18 | 23 | 49 | 97  | 206 | 283 | 518 | 757 | 640 | - |



Worktable Orig290F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2007

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data - mortality"]

---

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, sex, and year

|  | All ages | Under 1 year | 1-4 years | 5-14 years | 15-24 years | 25-34 years | 35-44 years | 45-54 years | 55-64 years | 65-74 years | 75-84 years | 85 years and over | Age not stated |
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|

---

Other and unspecified infectious and parasitic diseases and their sequelae (A00,A05,A20-A36,A42-A44,A48-A49,A54-A79,A81-A82,A85.0-A85.1,A85.8,A86-B04,B06-B09, B25-B49,B55-B99)

Non-Hispanic black, both sexes

|              |       |    |    |    |    |    |     |     |     |     |     |     |   |
|--------------|-------|----|----|----|----|----|-----|-----|-----|-----|-----|-----|---|
| 2007 2/..... | 758   | 39 | 9  | 7  | 24 | 39 | 67  | 114 | 142 | 121 | 128 | 68  | - |
| 2006 2/..... | 827   | 65 | 13 | 11 | 18 | 39 | 72  | 132 | 139 | 130 | 123 | 85  | - |
| 2005 2/..... | 960   | 43 | 12 | 10 | 22 | 40 | 83  | 206 | 177 | 134 | 150 | 83  | - |
| 2004 2/..... | 955   | 43 | 11 | 10 | 19 | 42 | 92  | 163 | 178 | 148 | 163 | 86  | - |
| 2003 2/..... | 942   | 53 | 23 | 9  | 18 | 33 | 99  | 202 | 165 | 116 | 157 | 67  | - |
| 2002.....    | 927   | 58 | 13 | 10 | 25 | 46 | 121 | 179 | 151 | 122 | 130 | 72  | - |
| 2001.....    | 815   | 61 | 16 | 13 | 23 | 45 | 91  | 130 | 129 | 135 | 105 | 67  | - |
| 2000.....    | 815   | 60 | 14 | 10 | 21 | 50 | 95  | 124 | 116 | 129 | 120 | 76  | - |
| 1999.....    | 1,247 | 57 | 23 | 17 | 20 | 89 | 169 | 219 | 169 | 192 | 186 | 106 | - |

Non-Hispanic black, male

|              |     |    |    |    |    |    |    |     |     |    |    |    |   |
|--------------|-----|----|----|----|----|----|----|-----|-----|----|----|----|---|
| 2007 2/..... | 392 | 22 | 6  | 5  | 15 | 27 | 30 | 66  | 69  | 73 | 51 | 28 | - |
| 2006 2/..... | 421 | 34 | 9  | 6  | 4  | 20 | 45 | 81  | 85  | 58 | 56 | 23 | - |
| 2005 2/..... | 514 | 27 | 7  | 6  | 11 | 22 | 54 | 117 | 108 | 67 | 70 | 25 | - |
| 2004 2/..... | 520 | 24 | 8  | 5  | 11 | 23 | 49 | 110 | 114 | 75 | 71 | 30 | - |
| 2003 2/..... | 515 | 30 | 12 | 5  | 9  | 20 | 57 | 124 | 97  | 73 | 66 | 22 | - |
| 2002.....    | 516 | 33 | 9  | 3  | 13 | 28 | 68 | 117 | 99  | 62 | 58 | 26 | - |
| 2001.....    | 419 | 36 | 10 | 6  | 15 | 19 | 56 | 80  | 70  | 66 | 42 | 19 | - |
| 2000.....    | 428 | 31 | 10 | 5  | 10 | 22 | 58 | 75  | 62  | 70 | 58 | 27 | - |
| 1999.....    | 617 | 29 | 14 | 10 | 12 | 48 | 81 | 114 | 82  | 94 | 94 | 39 | - |

Worktable Orig290F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2007

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data - mortality"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, sex, and year | All ages | Under 1 year | 1-4 years | 5-14 years | 15-24 years | 25-34 years | 35-44 years | 45-54 years | 55-64 years | 65-74 years | 75-84 years | 85 years and over | Age not stated |
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|

Other and unspecified infectious and parasitic diseases and their sequelae (A00,A05,A20-A36,A42-A44,A48-A49,A54-A79,A81-A82,A85.0-A85.1,A85.8,A86-B04,B06-B09, B25-B49,B55-B99)

| Non-Hispanic black, female |     |    |    |   |    |    |    |     |    |    |    |    |   |
|----------------------------|-----|----|----|---|----|----|----|-----|----|----|----|----|---|
| 2007 2/.....               | 366 | 17 | 3  | 2 | 9  | 12 | 37 | 48  | 73 | 48 | 77 | 40 | - |
| 2006 2/.....               | 406 | 31 | 4  | 5 | 14 | 19 | 27 | 51  | 54 | 72 | 67 | 62 | - |
| 2005 2/.....               | 446 | 16 | 5  | 4 | 11 | 18 | 29 | 89  | 69 | 67 | 80 | 58 | - |
| 2004 2/.....               | 435 | 19 | 3  | 5 | 8  | 19 | 43 | 53  | 64 | 73 | 92 | 56 | - |
| 2003 2/.....               | 427 | 23 | 11 | 4 | 9  | 13 | 42 | 78  | 68 | 43 | 91 | 45 | - |
| 2002.....                  | 411 | 25 | 4  | 7 | 12 | 18 | 53 | 62  | 52 | 60 | 72 | 46 | - |
| 2001.....                  | 396 | 25 | 6  | 7 | 8  | 26 | 35 | 50  | 59 | 69 | 63 | 48 | - |
| 2000.....                  | 387 | 29 | 4  | 5 | 11 | 28 | 37 | 49  | 54 | 59 | 62 | 49 | - |
| 1999.....                  | 630 | 28 | 9  | 7 | 8  | 41 | 88 | 105 | 87 | 98 | 92 | 67 | - |

| Origin not stated 3/, both sexes |    |   |   |   |   |   |   |   |   |   |   |   |   |
|----------------------------------|----|---|---|---|---|---|---|---|---|---|---|---|---|
| 2007.....                        | 7  | - | 1 | - | - | - | - | - | - | 1 | 4 | 1 | - |
| 2006.....                        | 11 | 1 | - | - | - | - | 1 | 2 | 2 | 2 | 3 | - | - |
| 2005.....                        | 16 | - | - | - | - | - | 2 | 3 | 6 | 2 | 2 | 1 | - |
| 2004.....                        | 17 | - | - | - | 1 | 1 | - | 3 | 1 | 4 | 4 | 3 | - |
| 2003.....                        | 22 | - | 2 | - | 1 | - | 2 | 6 | 2 | 6 | 3 | - | - |
| 2002.....                        | 17 | 2 | 1 | - | 1 | 1 | 2 | 2 | 3 | - | 4 | 1 | - |
| 2001.....                        | 21 | 1 | - | - | 1 | - | 4 | 5 | 4 | 3 | 1 | 2 | - |
| 2000.....                        | 20 | - | - | - | 2 | - | 3 | 3 | 4 | - | 6 | 2 | - |
| 1999.....                        | 29 | 1 | - | 2 | - | 1 | 3 | 5 | 5 | 5 | 5 | 2 | - |

Worktable Orig290F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2007

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data - mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, sex, and year

|  | All ages | Under 1 year | 1-4 years | 5-14 years | 15-24 years | 25-34 years | 35-44 years | 45-54 years | 55-64 years | 65-74 years | 75-84 years | 85 years and over | Age not stated |
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|

Other and unspecified infectious and parasitic diseases and their sequelae (A00,A05,A20-A36,A42-A44,A48-A49,A54-A79,A81-A82,A85.0-A85.1,A85.8,A86-B04,B06-B09,B25-B49,B55-B99)

Origin not stated 3/, male

|           |    |   |   |   |   |   |   |   |   |   |   |   |   |
|-----------|----|---|---|---|---|---|---|---|---|---|---|---|---|
| 2007..... | 3  | - | - | - | - | - | - | - | - | 1 | 2 | - | - |
| 2006..... | 5  | 1 | - | - | - | - | 1 | 2 | - | - | 1 | - | - |
| 2005..... | 11 | - | - | - | - | - | 2 | 2 | 5 | 1 | 1 | - | - |
| 2004..... | 7  | - | - | - | 1 | - | - | 1 | 1 | 2 | 2 | - | - |
| 2003..... | 12 | - | 2 | - | 1 | - | - | 3 | - | 4 | 2 | - | - |
| 2002..... | 9  | 1 | 1 | - | 1 | - | 1 | 1 | 1 | - | 2 | 1 | - |
| 2001..... | 15 | 1 | - | - | - | - | 3 | 5 | 3 | 2 | 1 | - | - |
| 2000..... | 11 | - | - | - | - | - | 1 | 3 | 1 | - | 5 | 1 | - |
| 1999..... | 16 | 1 | - | 1 | - | 1 | 2 | 3 | 4 | 2 | 1 | 1 | - |

Origin not stated 3/, female

|           |    |   |   |   |   |   |   |   |   |   |   |   |   |
|-----------|----|---|---|---|---|---|---|---|---|---|---|---|---|
| 2007..... | 4  | - | 1 | - | - | - | - | - | - | - | 2 | 1 | - |
| 2006..... | 6  | - | - | - | - | - | - | - | 2 | 2 | 2 | - | - |
| 2005..... | 5  | - | - | - | - | - | - | 1 | 1 | 1 | 1 | 1 | - |
| 2004..... | 10 | - | - | - | - | 1 | - | 2 | - | 2 | 2 | 3 | - |
| 2003..... | 10 | - | - | - | - | - | 2 | 3 | 2 | 2 | 1 | - | - |
| 2002..... | 8  | 1 | - | - | - | 1 | 1 | 1 | 2 | - | 2 | - | - |
| 2001..... | 6  | - | - | - | 1 | - | 1 | - | 1 | 1 | - | 2 | - |
| 2000..... | 9  | - | - | - | 2 | - | 2 | - | 3 | - | 1 | 1 | - |
| 1999..... | 13 | - | - | 1 | - | - | 1 | 2 | 1 | 3 | 4 | 1 | - |

Worktable Orig290F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2007

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data - mortality"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, sex, and year | All ages | Under 1 year | 1-4 years | 5-14 years | 15-24 years | 25-34 years | 35-44 years | 45-54 years | 55-64 years | 65-74 years | 75-84 years | 85 years and over | Age not stated |
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|
| <b>Malignant neoplasms (C00-C97)</b>   |          |              |           |            |             |             |             |             |             |             |             |                   |                |
| All origins, both sexes  |          |              |           |            |             |             |             |             |             |             |             |                   |                |
| 2007.....  | 562,875  | 72           | 364       | 959        | 1,653       | 3,463       | 13,288      | 50,167      | 103,171     | 138,466     | 163,608     | 87,656            | 8              |
| 2006.....  | 559,888  | 76           | 377       | 907        | 1,644       | 3,656       | 13,917      | 50,334      | 101,454     | 137,554     | 164,889     | 85,072            | 8              |
| 2005.....  | 559,312  | 75           | 377       | 1,000      | 1,717       | 3,601       | 14,566      | 50,405      | 99,240      | 138,446     | 166,421     | 83,455            | 9              |
| 2004.....  | 553,888  | 74           | 399       | 1,019      | 1,709       | 3,633       | 14,723      | 49,520      | 96,956      | 139,417     | 166,085     | 80,345            | 8              |
| 2003.....  | 556,902  | 75           | 392       | 1,076      | 1,651       | 3,741       | 15,509      | 49,843      | 95,692      | 141,248     | 167,617     | 80,046            | 12             |
| 2002.....  | 557,271  | 74           | 402       | 1,072      | 1,730       | 3,872       | 16,085      | 49,637      | 93,391      | 144,757     | 167,062     | 79,182            | 7              |
| 2001.....  | 553,768  | 66           | 420       | 1,008      | 1,704       | 3,994       | 16,569      | 49,562      | 90,223      | 147,018     | 165,445     | 77,751            | 8              |
| 2000.....  | 553,091  | 92           | 420       | 1,014      | 1,713       | 3,916       | 16,520      | 48,034      | 89,005      | 150,131     | 165,099     | 77,136            | 11             |
| 1999.....  | 549,838  | 68           | 418       | 1,012      | 1,724       | 4,005       | 16,732      | 46,681      | 89,067      | 152,338     | 162,770     | 75,014            | 9              |
| All origins, male  |          |              |           |            |             |             |             |             |             |             |             |                   |                |
| 2007.....  | 292,857  | 39           | 191       | 499        | 987         | 1,692       | 5,701       | 25,370      | 56,559      | 75,924      | 85,927      | 39,964            | 4              |
| 2006.....  | 290,069  | 39           | 207       | 507        | 1,007       | 1,770       | 5,979       | 25,341      | 55,348      | 75,468      | 86,434      | 37,964            | 5              |
| 2005.....  | 290,422  | 45           | 217       | 557        | 1,035       | 1,805       | 6,338       | 25,403      | 54,039      | 76,685      | 87,096      | 37,197            | 5              |
| 2004.....  | 286,830  | 37           | 212       | 572        | 1,027       | 1,750       | 6,408       | 25,432      | 52,738      | 76,487      | 86,734      | 35,427            | 6              |
| 2003.....  | 287,990  | 34           | 227       | 591        | 979         | 1,804       | 6,825       | 25,542      | 51,927      | 77,793      | 87,382      | 34,878            | 8              |
| 2002.....  | 288,768  | 42           | 216       | 600        | 1,016       | 1,868       | 7,056       | 25,192      | 51,115      | 80,085      | 86,952      | 34,621            | 5              |
| 2001.....  | 287,075  | 31           | 229       | 533        | 1,024       | 1,860       | 7,297       | 25,071      | 49,244      | 81,699      | 86,126      | 33,954            | 7              |
| 2000.....  | 286,082  | 50           | 233       | 569        | 1,022       | 1,854       | 7,344       | 24,215      | 48,427      | 83,191      | 85,907      | 33,260            | 10             |
| 1999.....  | 285,832  | 36           | 227       | 555        | 1,023       | 1,959       | 7,471       | 23,634      | 48,833      | 84,544      | 85,060      | 32,484            | 6              |

Worktable Orig290F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2007

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data - mortality"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, sex, and year | All ages | Under 1 year | 1-4 years | 5-14 years | 15-24 years | 25-34 years | 35-44 years | 45-54 years | 55-64 years | 65-74 years | 75-84 years | 85 years and over | Age not stated |
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|

Malignant neoplasms (C00-C97)

| All origins, female  |         |    |     |     |     |       |       |        |        |        |        |        |   |
|----------------------|---------|----|-----|-----|-----|-------|-------|--------|--------|--------|--------|--------|---|
| 2007.....            | 270,018 | 33 | 173 | 460 | 666 | 1,771 | 7,587 | 24,797 | 46,612 | 62,542 | 77,681 | 47,692 | 4 |
| 2006.....            | 269,819 | 37 | 170 | 400 | 637 | 1,886 | 7,938 | 24,993 | 46,106 | 62,086 | 78,455 | 47,108 | 3 |
| 2005.....            | 268,890 | 30 | 160 | 443 | 682 | 1,796 | 8,228 | 25,002 | 45,201 | 61,761 | 79,325 | 46,258 | 4 |
| 2004.....            | 267,058 | 37 | 187 | 447 | 682 | 1,883 | 8,315 | 24,088 | 44,218 | 62,930 | 79,351 | 44,918 | 2 |
| 2003.....            | 268,912 | 41 | 165 | 485 | 672 | 1,937 | 8,684 | 24,301 | 43,765 | 63,455 | 80,235 | 45,168 | 4 |
| 2002.....            | 268,503 | 32 | 186 | 472 | 714 | 2,004 | 9,029 | 24,445 | 42,276 | 64,672 | 80,110 | 44,561 | 2 |
| 2001.....            | 266,693 | 35 | 191 | 475 | 680 | 2,134 | 9,272 | 24,491 | 40,979 | 65,319 | 79,319 | 43,797 | 1 |
| 2000.....            | 267,009 | 42 | 187 | 445 | 691 | 2,062 | 9,176 | 23,819 | 40,578 | 66,940 | 79,192 | 43,876 | 1 |
| 1999.....            | 264,006 | 32 | 191 | 457 | 701 | 2,046 | 9,261 | 23,047 | 40,234 | 67,794 | 77,710 | 42,530 | 3 |
|                      |         |    |     |     |     |       |       |        |        |        |        |        |   |
| Hispanic, both sexes |         |    |     |     |     |       |       |        |        |        |        |        |   |
| 2007.....            | 27,660  | 19 | 68  | 228 | 345 | 609   | 1,485 | 3,554  | 5,326  | 6,472  | 6,683  | 2,871  | - |
| 2006.....            | 26,633  | 19 | 82  | 183 | 321 | 579   | 1,440 | 3,374  | 5,044  | 6,354  | 6,483  | 2,754  | - |
| 2005.....            | 26,156  | 18 | 80  | 194 | 323 | 530   | 1,415 | 3,324  | 4,836  | 6,359  | 6,438  | 2,637  | 2 |
| 2004.....            | 24,522  | 19 | 70  | 211 | 305 | 526   | 1,345 | 3,040  | 4,659  | 5,996  | 5,970  | 2,378  | 3 |
| 2003.....            | 24,070  | 13 | 98  | 217 | 288 | 522   | 1,355 | 3,081  | 4,482  | 5,929  | 5,701  | 2,383  | 1 |
| 2002.....            | 23,141  | 18 | 72  | 210 | 304 | 502   | 1,346 | 2,859  | 4,247  | 5,857  | 5,365  | 2,361  | - |
| 2001.....            | 22,371  | 14 | 84  | 177 | 289 | 497   | 1,396 | 2,815  | 4,126  | 5,724  | 5,068  | 2,181  | - |
| 2000.....            | 21,160  | 17 | 75  | 198 | 275 | 476   | 1,295 | 2,575  | 3,780  | 5,557  | 4,827  | 2,085  | - |
| 1999.....            | 20,233  | 16 | 72  | 176 | 259 | 466   | 1,204 | 2,516  | 3,686  | 5,394  | 4,449  | 1,995  | - |

Worktable Orig290F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2007

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data - mortality"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, sex, and year | All ages | Under 1 year | 1-4 years | 5-14 years | 15-24 years | 25-34 years | 35-44 years | 45-54 years | 55-64 years | 65-74 years | 75-84 years | 85 years and over | Age not stated |
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|
| <b>Malignant neoplasms (C00-C97)</b>   |          |              |           |            |             |             |             |             |             |             |             |                   |                |
| <b>Hispanic, male</b>  |          |              |           |            |             |             |             |             |             |             |             |                   |                |
| 2007.....  | 14,493   | 7            | 38        | 114        | 209         | 282         | 633         | 1,791       | 2,873       | 3,603       | 3,548       | 1,395             | -              |
| 2006.....  | 13,856   | 11           | 49        | 95         | 201         | 270         | 565         | 1,633       | 2,737       | 3,544       | 3,474       | 1,277             | -              |
| 2005.....  | 13,896   | 6            | 52        | 99         | 202         | 280         | 601         | 1,635       | 2,693       | 3,564       | 3,478       | 1,286             | -              |
| 2004.....  | 13,002   | 7            | 29        | 118        | 207         | 267         | 604         | 1,566       | 2,528       | 3,313       | 3,283       | 1,077             | 3              |
| 2003.....  | 12,671   | 4            | 60        | 123        | 186         | 274         | 566         | 1,550       | 2,442       | 3,347       | 3,035       | 1,084             | -              |
| 2002.....  | 12,235   | 10           | 35        | 108        | 191         | 252         | 557         | 1,430       | 2,377       | 3,256       | 2,902       | 1,117             | -              |
| 2001.....  | 11,825   | 4            | 44        | 90         | 199         | 233         | 615         | 1,372       | 2,202       | 3,219       | 2,814       | 1,033             | -              |
| 2000.....  | 11,138   | 10           | 43        | 122        | 162         | 241         | 534         | 1,232       | 2,034       | 3,086       | 2,657       | 1,017             | -              |
| 1999.....  | 10,668   | 11           | 34        | 92         | 158         | 222         | 504         | 1,237       | 2,060       | 3,045       | 2,403       | 902               | -              |
| <b>Hispanic, female</b>  |          |              |           |            |             |             |             |             |             |             |             |                   |                |
| 2007.....  | 13,167   | 12           | 30        | 114        | 136         | 327         | 852         | 1,763       | 2,453       | 2,869       | 3,135       | 1,476             | -              |
| 2006.....  | 12,777   | 8            | 33        | 88         | 120         | 309         | 875         | 1,741       | 2,307       | 2,810       | 3,009       | 1,477             | -              |
| 2005.....  | 12,260   | 12           | 28        | 95         | 121         | 250         | 814         | 1,689       | 2,143       | 2,795       | 2,960       | 1,351             | 2              |
| 2004.....  | 11,520   | 12           | 41        | 93         | 98          | 259         | 741         | 1,474       | 2,131       | 2,683       | 2,687       | 1,301             | -              |
| 2003.....  | 11,399   | 9            | 38        | 94         | 102         | 248         | 789         | 1,531       | 2,040       | 2,582       | 2,666       | 1,299             | 1              |
| 2002.....  | 10,906   | 8            | 37        | 102        | 113         | 250         | 789         | 1,429       | 1,870       | 2,601       | 2,463       | 1,244             | -              |
| 2001.....  | 10,546   | 10           | 40        | 87         | 90          | 264         | 781         | 1,443       | 1,924       | 2,505       | 2,254       | 1,148             | -              |
| 2000.....  | 10,022   | 7            | 32        | 76         | 113         | 235         | 761         | 1,343       | 1,746       | 2,471       | 2,170       | 1,068             | -              |
| 1999.....  | 9,565    | 5            | 38        | 84         | 101         | 244         | 700         | 1,279       | 1,626       | 2,349       | 2,046       | 1,093             | -              |

Worktable Orig290F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2007

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data - mortality"]

---

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, sex, and year

|  | All ages | Under 1 year | 1-4 years | 5-14 years | 15-24 years | 25-34 years | 35-44 years | 45-54 years | 55-64 years | 65-74 years | 75-84 years | 85 years and over | Age not stated |
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|

---

Malignant neoplasms (C00-C97)

| Non-Hispanic 1/, both sexes |         |    |     |     |       |       |        |        |        |         |         |        |    |
|-----------------------------|---------|----|-----|-----|-------|-------|--------|--------|--------|---------|---------|--------|----|
| 2007.....                   | 534,614 | 53 | 296 | 731 | 1,307 | 2,853 | 11,783 | 46,552 | 97,706 | 131,825 | 156,785 | 84,716 | 7  |
| 2006.....                   | 532,404 | 57 | 295 | 720 | 1,321 | 3,074 | 12,456 | 46,869 | 96,228 | 130,979 | 158,196 | 82,201 | 8  |
| 2005.....                   | 532,383 | 56 | 296 | 802 | 1,392 | 3,059 | 13,131 | 46,981 | 94,243 | 131,875 | 159,808 | 80,735 | 5  |
| 2004.....                   | 528,395 | 54 | 328 | 804 | 1,397 | 3,098 | 13,352 | 46,391 | 92,093 | 133,165 | 159,862 | 77,847 | 4  |
| 2003.....                   | 531,638 | 62 | 293 | 857 | 1,359 | 3,207 | 14,120 | 46,621 | 90,973 | 135,014 | 161,606 | 77,515 | 11 |
| 2002.....                   | 532,712 | 55 | 329 | 861 | 1,418 | 3,350 | 14,693 | 46,628 | 88,886 | 138,545 | 161,303 | 76,639 | 5  |
| 2001.....                   | 530,058 | 52 | 333 | 828 | 1,413 | 3,485 | 15,121 | 46,617 | 85,842 | 140,943 | 160,023 | 75,394 | 7  |
| 2000.....                   | 530,531 | 75 | 341 | 812 | 1,432 | 3,431 | 15,170 | 45,305 | 84,977 | 144,200 | 159,906 | 74,871 | 11 |
| 1999.....                   | 528,218 | 52 | 343 | 835 | 1,462 | 3,525 | 15,482 | 44,036 | 85,146 | 146,572 | 157,904 | 72,852 | 9  |
| Non-Hispanic 1/, male       |         |    |     |     |       |       |        |        |        |         |         |        |    |
| 2007.....                   | 278,027 | 32 | 153 | 385 | 778   | 1,409 | 5,059  | 23,545 | 53,601 | 72,215  | 82,310  | 38,536 | 4  |
| 2006.....                   | 275,696 | 28 | 158 | 410 | 804   | 1,497 | 5,407  | 23,646 | 52,492 | 71,781  | 82,841  | 36,627 | 5  |
| 2005.....                   | 276,084 | 39 | 165 | 455 | 831   | 1,518 | 5,724  | 23,705 | 51,251 | 72,997  | 83,520  | 35,876 | 3  |
| 2004.....                   | 273,282 | 29 | 182 | 452 | 816   | 1,477 | 5,794  | 23,812 | 50,078 | 73,022  | 83,325  | 34,293 | 2  |
| 2003.....                   | 274,651 | 30 | 166 | 467 | 790   | 1,520 | 6,243  | 23,909 | 49,353 | 74,260  | 84,179  | 33,726 | 8  |
| 2002.....                   | 275,770 | 31 | 181 | 492 | 821   | 1,610 | 6,475  | 23,682 | 48,587 | 76,621  | 83,839  | 33,427 | 4  |
| 2001.....                   | 274,492 | 27 | 183 | 442 | 824   | 1,623 | 6,652  | 23,631 | 46,871 | 78,266  | 83,121  | 32,846 | 6  |
| 2000.....                   | 274,185 | 40 | 186 | 446 | 858   | 1,607 | 6,787  | 22,902 | 46,253 | 79,878  | 83,047  | 32,171 | 10 |
| 1999.....                   | 274,419 | 25 | 190 | 463 | 864   | 1,732 | 6,946  | 22,323 | 46,644 | 81,271  | 82,443  | 31,512 | 6  |

Worktable Orig290F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2007

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data - mortality"]

---

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, sex, and year

|  | All ages | Under 1 year | 1-4 years | 5-14 years | 15-24 years | 25-34 years | 35-44 years | 45-54 years | 55-64 years | 65-74 years | 75-84 years | 85 years and over | Age not stated |
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|

---

Malignant neoplasms (C00-C97)

| Non-Hispanic 1/, female |         |    |     |     |     |       |       |        |        |        |        |        |   |
|-------------------------|---------|----|-----|-----|-----|-------|-------|--------|--------|--------|--------|--------|---|
| 2007.....               | 256,587 | 21 | 143 | 346 | 529 | 1,444 | 6,724 | 23,007 | 44,105 | 59,610 | 74,475 | 46,180 | 3 |
| 2006.....               | 256,708 | 29 | 137 | 310 | 517 | 1,577 | 7,049 | 23,223 | 43,736 | 59,198 | 75,355 | 45,574 | 3 |
| 2005.....               | 256,299 | 17 | 131 | 347 | 561 | 1,541 | 7,407 | 23,276 | 42,992 | 58,878 | 76,288 | 44,859 | 2 |
| 2004.....               | 255,113 | 25 | 146 | 352 | 581 | 1,621 | 7,558 | 22,579 | 42,015 | 60,143 | 76,537 | 43,554 | 2 |
| 2003.....               | 256,987 | 32 | 127 | 390 | 569 | 1,687 | 7,877 | 22,712 | 41,620 | 60,754 | 77,427 | 43,789 | 3 |
| 2002.....               | 256,942 | 24 | 148 | 369 | 597 | 1,740 | 8,218 | 22,946 | 40,299 | 61,924 | 77,464 | 43,212 | 1 |
| 2001.....               | 255,566 | 25 | 150 | 386 | 589 | 1,862 | 8,469 | 22,986 | 38,971 | 62,677 | 76,902 | 42,548 | 1 |
| 2000.....               | 256,346 | 35 | 155 | 366 | 574 | 1,824 | 8,383 | 22,403 | 38,724 | 64,322 | 76,859 | 42,700 | 1 |
| 1999.....               | 253,799 | 27 | 153 | 372 | 598 | 1,793 | 8,536 | 21,713 | 38,502 | 65,301 | 75,461 | 41,340 | 3 |

  

| Non-Hispanic white, both sexes |         |    |     |     |       |       |        |        |        |         |         |        |    |
|--------------------------------|---------|----|-----|-----|-------|-------|--------|--------|--------|---------|---------|--------|----|
| 2007 2/.....                   | 456,576 | 41 | 224 | 559 | 958   | 2,060 | 8,830  | 36,052 | 80,103 | 112,431 | 138,954 | 76,361 | 3  |
| 2006 2/.....                   | 455,978 | 47 | 209 | 540 | 980   | 2,226 | 9,327  | 36,458 | 79,381 | 111,945 | 140,646 | 74,213 | 6  |
| 2005 2/.....                   | 456,133 | 46 | 215 | 597 | 1,048 | 2,175 | 9,976  | 36,433 | 77,617 | 112,940 | 142,314 | 72,770 | 2  |
| 2004 2/.....                   | 453,534 | 44 | 244 | 587 | 1,016 | 2,270 | 10,062 | 36,016 | 76,400 | 114,148 | 142,461 | 70,283 | 3  |
| 2003 2/.....                   | 457,127 | 51 | 221 | 637 | 1,039 | 2,354 | 10,723 | 36,168 | 75,733 | 116,198 | 144,012 | 69,981 | 10 |
| 2002.....                      | 458,754 | 37 | 236 | 642 | 1,097 | 2,483 | 11,234 | 36,609 | 73,809 | 119,464 | 143,957 | 69,184 | 2  |
| 2001.....                      | 456,709 | 42 | 268 | 607 | 1,076 | 2,594 | 11,551 | 36,836 | 71,389 | 121,529 | 142,760 | 68,053 | 4  |
| 2000.....                      | 458,200 | 60 | 256 | 627 | 1,059 | 2,599 | 11,458 | 35,861 | 70,865 | 124,842 | 143,079 | 67,487 | 7  |
| 1999.....                      | 456,315 | 37 | 281 | 608 | 1,070 | 2,682 | 11,848 | 34,944 | 70,788 | 127,119 | 141,295 | 65,636 | 7  |



Worktable Orig290F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2007

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data - mortality"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, sex, and year | All ages | Under 1 year | 1-4 years | 5-14 years | 15-24 years | 25-34 years | 35-44 years | 45-54 years | 55-64 years | 65-74 years | 75-84 years | 85 years and over | Age not stated |
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|
| <b>Malignant neoplasms (C00-C97)</b>   |          |              |           |            |             |             |             |             |             |             |             |                   |                |
| <b>Non-Hispanic white, male</b>  |          |              |           |            |             |             |             |             |             |             |             |                   |                |
| 2007 2/.....   | 237,672  | 24           | 111       | 293        | 576         | 1,052       | 3,897       | 18,358      | 43,953      | 61,631      | 73,175      | 34,600            | 2              |
| 2006 2/.....   | 236,393  | 22           | 116       | 309        | 608         | 1,126       | 4,165       | 18,532      | 43,300      | 61,359      | 73,816      | 33,036            | 4              |
| 2005 2/.....   | 236,659  | 32           | 118       | 333        | 628         | 1,103       | 4,480       | 18,574      | 42,128      | 62,528      | 74,456      | 32,278            | 1              |
| 2004 2/.....   | 234,392  | 24           | 134       | 339        | 593         | 1,144       | 4,467       | 18,556      | 41,468      | 62,610      | 74,178      | 30,878            | 1              |
| 2003 2/.....   | 236,150  | 25           | 123       | 348        | 607         | 1,159       | 4,862       | 18,601      | 41,026      | 64,019      | 74,968      | 30,404            | 8              |
| 2002.....  | 237,323  | 24           | 134       | 355        | 639         | 1,218       | 5,041       | 18,699      | 40,210      | 66,250      | 74,639      | 30,112            | 2              |
| 2001.....  | 236,004  | 21           | 144       | 310        | 632         | 1,260       | 5,160       | 18,679      | 38,884      | 67,554      | 73,885      | 29,471            | 4              |
| 2000.....  | 235,932  | 34           | 146       | 338        | 636         | 1,259       | 5,201       | 18,092      | 38,368      | 69,085      | 73,952      | 28,814            | 7              |
| 1999.....  | 236,384  | 20           | 160       | 345        | 629         | 1,341       | 5,425       | 17,588      | 38,658      | 70,518      | 73,535      | 28,161            | 4              |
| <b>Non-Hispanic white, female</b>  |          |              |           |            |             |             |             |             |             |             |             |                   |                |
| 2007 2/.....   | 218,904  | 17           | 113       | 266        | 382         | 1,008       | 4,933       | 17,694      | 36,150      | 50,800      | 65,779      | 41,761            | 1              |
| 2006 2/.....   | 219,585  | 25           | 93        | 231        | 372         | 1,100       | 5,162       | 17,926      | 36,081      | 50,586      | 66,830      | 41,177            | 2              |
| 2005 2/.....   | 219,474  | 14           | 97        | 264        | 420         | 1,072       | 5,496       | 17,859      | 35,489      | 50,412      | 67,858      | 40,492            | 1              |
| 2004 2/.....   | 219,142  | 20           | 110       | 248        | 423         | 1,126       | 5,595       | 17,460      | 34,932      | 51,538      | 68,283      | 39,405            | 2              |
| 2003 2/.....   | 220,977  | 26           | 98        | 289        | 432         | 1,195       | 5,861       | 17,567      | 34,707      | 52,179      | 69,044      | 39,577            | 2              |
| 2002.....  | 221,431  | 13           | 102       | 287        | 458         | 1,265       | 6,193       | 17,910      | 33,599      | 53,214      | 69,318      | 39,072            | -              |
| 2001.....  | 220,705  | 21           | 124       | 297        | 444         | 1,334       | 6,391       | 18,157      | 32,505      | 53,975      | 68,875      | 38,582            | -              |
| 2000.....  | 222,268  | 26           | 110       | 289        | 423         | 1,340       | 6,257       | 17,769      | 32,497      | 55,757      | 69,127      | 38,673            | -              |
| 1999.....  | 219,931  | 17           | 121       | 263        | 441         | 1,341       | 6,423       | 17,356      | 32,130      | 56,601      | 67,760      | 37,475            | 3              |

Worktable Orig290F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2007

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data - mortality"]

---

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, sex, and year

|  | All ages | Under 1 year | 1-4 years | 5-14 years | 15-24 years | 25-34 years | 35-44 years | 45-54 years | 55-64 years | 65-74 years | 75-84 years | 85 years and over | Age not stated |
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|

---

Malignant neoplasms (C00-C97)

| Non-Hispanic black, both sexes |        |    |    |     |     |     |       |       |        |        |        |       |   |
|--------------------------------|--------|----|----|-----|-----|-----|-------|-------|--------|--------|--------|-------|---|
| 2007 2/.....                   | 63,441 | 9  | 51 | 134 | 258 | 612 | 2,332 | 8,754 | 14,622 | 15,887 | 14,142 | 6,636 | 4 |
| 2006 2/.....                   | 62,475 | 7  | 63 | 140 | 259 | 636 | 2,495 | 8,713 | 14,048 | 15,597 | 14,110 | 6,406 | 1 |
| 2005 2/.....                   | 62,510 | 9  | 62 | 165 | 259 | 674 | 2,521 | 8,805 | 13,835 | 15,560 | 14,156 | 6,461 | 3 |
| 2004 2/.....                   | 61,842 | 7  | 62 | 165 | 307 | 651 | 2,649 | 8,661 | 13,149 | 15,712 | 14,244 | 6,234 | 1 |
| 2003 2/.....                   | 62,054 | 7  | 55 | 173 | 245 | 656 | 2,787 | 8,802 | 12,903 | 15,666 | 14,482 | 6,278 | - |
| 2002.....                      | 61,996 | 12 | 71 | 168 | 242 | 663 | 2,870 | 8,376 | 12,693 | 16,084 | 14,518 | 6,296 | 3 |
| 2001.....                      | 61,580 | 5  | 46 | 172 | 257 | 691 | 2,950 | 8,175 | 12,196 | 16,392 | 14,454 | 6,239 | 3 |
| 2000.....                      | 61,390 | 11 | 66 | 147 | 297 | 641 | 3,072 | 8,068 | 12,019 | 16,485 | 14,244 | 6,337 | 3 |
| 1999.....                      | 61,409 | 11 | 47 | 179 | 314 | 660 | 3,049 | 7,749 | 12,322 | 16,625 | 14,192 | 6,260 | 1 |
| Non-Hispanic black, male       |        |    |    |     |     |     |       |       |        |        |        |       |   |
| 2007 2/.....                   | 32,766 | 6  | 31 | 70  | 142 | 260 | 895   | 4,334 | 8,113  | 8,650  | 7,178  | 3,085 | 2 |
| 2006 2/.....                   | 32,253 | 3  | 34 | 80  | 151 | 271 | 973   | 4,323 | 7,753  | 8,602  | 7,249  | 2,813 | 1 |
| 2005 2/.....                   | 32,363 | 6  | 36 | 98  | 151 | 313 | 960   | 4,309 | 7,695  | 8,630  | 7,304  | 2,859 | 2 |
| 2004 2/.....                   | 32,089 | 2  | 35 | 82  | 174 | 254 | 1,025 | 4,439 | 7,276  | 8,642  | 7,422  | 2,737 | 1 |
| 2003 2/.....                   | 32,131 | 4  | 30 | 96  | 141 | 263 | 1,112 | 4,533 | 7,135  | 8,593  | 7,540  | 2,684 | - |
| 2002.....                      | 32,287 | 4  | 33 | 103 | 137 | 287 | 1,158 | 4,203 | 7,106  | 8,835  | 7,669  | 2,750 | 2 |
| 2001.....                      | 32,335 | 2  | 29 | 100 | 148 | 267 | 1,201 | 4,196 | 6,752  | 9,134  | 7,700  | 2,804 | 2 |
| 2000.....                      | 32,493 | 4  | 31 | 86  | 178 | 259 | 1,292 | 4,152 | 6,763  | 9,235  | 7,689  | 2,802 | 2 |
| 1999.....                      | 32,542 | 3  | 24 | 94  | 181 | 294 | 1,255 | 4,098 | 6,933  | 9,228  | 7,603  | 2,828 | 1 |

Worktable Orig290F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2007

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data - mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, sex, and year

|  | All ages | Under 1 year | 1-4 years | 5-14 years | 15-24 years | 25-34 years | 35-44 years | 45-54 years | 55-64 years | 65-74 years | 75-84 years | 85 years and over | Age not stated |
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|

Malignant neoplasms (C00-C97)

Non-Hispanic black, female

|              |        |   |    |    |     |     |       |       |       |       |       |       |   |
|--------------|--------|---|----|----|-----|-----|-------|-------|-------|-------|-------|-------|---|
| 2007 2/..... | 30,675 | 3 | 20 | 64 | 116 | 352 | 1,437 | 4,420 | 6,509 | 7,237 | 6,964 | 3,551 | 2 |
| 2006 2/..... | 30,222 | 4 | 29 | 60 | 108 | 365 | 1,522 | 4,390 | 6,295 | 6,995 | 6,861 | 3,593 | - |
| 2005 2/..... | 30,147 | 3 | 26 | 67 | 108 | 361 | 1,561 | 4,496 | 6,140 | 6,930 | 6,852 | 3,602 | 1 |
| 2004 2/..... | 29,753 | 5 | 27 | 83 | 133 | 397 | 1,624 | 4,222 | 5,873 | 7,070 | 6,822 | 3,497 | - |
| 2003 2/..... | 29,923 | 3 | 25 | 77 | 104 | 393 | 1,675 | 4,269 | 5,768 | 7,073 | 6,942 | 3,594 | - |
| 2002.....    | 29,709 | 8 | 38 | 65 | 105 | 376 | 1,712 | 4,173 | 5,587 | 7,249 | 6,849 | 3,546 | 1 |
| 2001.....    | 29,245 | 3 | 17 | 72 | 109 | 424 | 1,749 | 3,979 | 5,444 | 7,258 | 6,754 | 3,435 | 1 |
| 2000.....    | 28,897 | 7 | 35 | 61 | 119 | 382 | 1,780 | 3,916 | 5,256 | 7,250 | 6,555 | 3,535 | 1 |
| 1999.....    | 28,867 | 8 | 23 | 85 | 133 | 366 | 1,794 | 3,651 | 5,389 | 7,397 | 6,589 | 3,432 | - |

Origin not stated 3/, both sexes

|           |       |   |   |   |   |    |    |     |     |     |     |     |   |
|-----------|-------|---|---|---|---|----|----|-----|-----|-----|-----|-----|---|
| 2007..... | 601   | - | - | - | 1 | 1  | 20 | 61  | 139 | 169 | 140 | 69  | 1 |
| 2006..... | 851   | - | - | 4 | 2 | 3  | 21 | 91  | 182 | 221 | 210 | 117 | - |
| 2005..... | 773   | 1 | 1 | 4 | 2 | 12 | 20 | 100 | 161 | 212 | 175 | 83  | 2 |
| 2004..... | 971   | 1 | 1 | 4 | 7 | 9  | 26 | 89  | 204 | 256 | 253 | 120 | 1 |
| 2003..... | 1,194 | - | 1 | 2 | 4 | 12 | 34 | 141 | 237 | 305 | 310 | 148 | - |
| 2002..... | 1,418 | 1 | 1 | 1 | 8 | 20 | 46 | 150 | 258 | 355 | 394 | 182 | 2 |
| 2001..... | 1,339 | - | 3 | 3 | 2 | 12 | 52 | 130 | 255 | 351 | 354 | 176 | 1 |
| 2000..... | 1,400 | - | 4 | 4 | 6 | 9  | 55 | 154 | 248 | 374 | 366 | 180 | - |
| 1999..... | 1,387 | - | 3 | 1 | 3 | 14 | 46 | 129 | 235 | 372 | 417 | 167 | - |

Worktable Orig290F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2007

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data - mortality"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, sex, and year | All ages | Under 1 year | 1-4 years | 5-14 years | 15-24 years | 25-34 years | 35-44 years | 45-54 years | 55-64 years | 65-74 years | 75-84 years | 85 years and over | Age not stated |
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|

Malignant neoplasms (C00-C97)

Origin not stated 3/, male

|           |     |   |   |   |   |    |    |    |     |     |     |    |   |
|-----------|-----|---|---|---|---|----|----|----|-----|-----|-----|----|---|
| 2007..... | 337 | - | - | - | - | 1  | 9  | 34 | 85  | 106 | 69  | 33 | - |
| 2006..... | 517 | - | - | 2 | 2 | 3  | 7  | 62 | 119 | 143 | 119 | 60 | - |
| 2005..... | 442 | - | - | 3 | 2 | 7  | 13 | 63 | 95  | 124 | 98  | 35 | 2 |
| 2004..... | 546 | 1 | 1 | 2 | 4 | 6  | 10 | 54 | 132 | 152 | 126 | 57 | 1 |
| 2003..... | 668 | - | 1 | 1 | 3 | 10 | 16 | 83 | 132 | 186 | 168 | 68 | - |
| 2002..... | 763 | 1 | - | - | 4 | 6  | 24 | 80 | 151 | 208 | 211 | 77 | 1 |
| 2001..... | 758 | - | 2 | 1 | 1 | 4  | 30 | 68 | 171 | 214 | 191 | 75 | 1 |
| 2000..... | 759 | - | 4 | 1 | 2 | 6  | 23 | 81 | 140 | 227 | 203 | 72 | - |
| 1999..... | 745 | - | 3 | - | 1 | 5  | 21 | 74 | 129 | 228 | 214 | 70 | - |

Origin not stated 3/, female

|           |     |   |   |   |   |    |    |    |     |     |     |     |   |
|-----------|-----|---|---|---|---|----|----|----|-----|-----|-----|-----|---|
| 2007..... | 264 | - | - | - | 1 | -  | 11 | 27 | 54  | 63  | 71  | 36  | 1 |
| 2006..... | 334 | - | - | 2 | - | -  | 14 | 29 | 63  | 78  | 91  | 57  | - |
| 2005..... | 331 | 1 | 1 | 1 | - | 5  | 7  | 37 | 66  | 88  | 77  | 48  | - |
| 2004..... | 425 | - | - | 2 | 3 | 3  | 16 | 35 | 72  | 104 | 127 | 63  | - |
| 2003..... | 526 | - | - | 1 | 1 | 2  | 18 | 58 | 105 | 119 | 142 | 80  | - |
| 2002..... | 655 | - | 1 | 1 | 4 | 14 | 22 | 70 | 107 | 147 | 183 | 105 | 1 |
| 2001..... | 581 | - | 1 | 2 | 1 | 8  | 22 | 62 | 84  | 137 | 163 | 101 | - |
| 2000..... | 641 | - | - | 3 | 4 | 3  | 32 | 73 | 108 | 147 | 163 | 108 | - |
| 1999..... | 642 | - | - | 1 | 2 | 9  | 25 | 55 | 106 | 144 | 203 | 97  | - |

Worktable Orig290F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2007

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data - mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, sex, and year

|  | All ages | Under 1 year | 1-4 years | 5-14 years | 15-24 years | 25-34 years | 35-44 years | 45-54 years | 55-64 years | 65-74 years | 75-84 years | 85 years and over | Age not stated |
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|

Malignant neoplasms of lip, oral cavity and pharynx (C00-C14)

All origins, both sexes

|           |       |   |   |   |    |    |     |       |       |       |       |     |   |
|-----------|-------|---|---|---|----|----|-----|-------|-------|-------|-------|-----|---|
| 2007..... | 8,067 | - | - | 1 | 18 | 44 | 251 | 1,136 | 2,019 | 1,915 | 1,741 | 942 | - |
| 2006..... | 7,720 | 1 | - | 2 | 14 | 41 | 272 | 1,128 | 1,823 | 1,814 | 1,760 | 865 | - |
| 2005..... | 7,773 | - | 1 | 2 | 24 | 54 | 258 | 1,123 | 1,936 | 1,835 | 1,673 | 867 | - |
| 2004..... | 7,826 | - | 2 | 5 | 23 | 43 | 256 | 1,193 | 1,781 | 1,874 | 1,774 | 875 | - |
| 2003..... | 7,778 | - | 4 | 8 | 30 | 59 | 274 | 1,131 | 1,826 | 1,874 | 1,692 | 879 | 1 |
| 2002..... | 7,737 | - | 3 | 8 | 23 | 57 | 258 | 1,101 | 1,811 | 1,898 | 1,721 | 857 | - |
| 2001..... | 7,702 | - | - | 4 | 29 | 56 | 283 | 1,076 | 1,740 | 1,912 | 1,787 | 814 | 1 |
| 2000..... | 7,492 | - | - | 4 | 26 | 50 | 293 | 1,068 | 1,642 | 1,959 | 1,626 | 824 | - |
| 1999..... | 7,486 | - | 2 | 6 | 27 | 43 | 291 | 1,061 | 1,616 | 1,896 | 1,744 | 800 | - |

All origins, male

|           |       |   |   |   |    |    |     |     |       |       |       |     |   |
|-----------|-------|---|---|---|----|----|-----|-----|-------|-------|-------|-----|---|
| 2007..... | 5,510 | - | - | - | 10 | 23 | 168 | 857 | 1,582 | 1,375 | 1,068 | 427 | - |
| 2006..... | 5,266 | 1 | - | - | 7  | 29 | 189 | 881 | 1,423 | 1,286 | 1,081 | 369 | - |
| 2005..... | 5,273 | - | - | 1 | 16 | 32 | 188 | 874 | 1,501 | 1,309 | 999   | 353 | - |
| 2004..... | 5,312 | - | - | 2 | 18 | 35 | 176 | 937 | 1,400 | 1,312 | 1,057 | 375 | - |
| 2003..... | 5,298 | - | 2 | 4 | 21 | 39 | 195 | 921 | 1,423 | 1,304 | 999   | 389 | 1 |
| 2002..... | 5,184 | - | 2 | 3 | 11 | 39 | 179 | 870 | 1,392 | 1,317 | 997   | 374 | - |
| 2001..... | 5,156 | - | - | 1 | 12 | 35 | 202 | 846 | 1,372 | 1,327 | 1,025 | 335 | 1 |
| 2000..... | 4,952 | - | - | 4 | 13 | 28 | 215 | 825 | 1,270 | 1,326 | 939   | 332 | - |
| 1999..... | 4,944 | - | 1 | 3 | 20 | 27 | 204 | 820 | 1,231 | 1,308 | 1,007 | 323 | - |

Worktable Orig290F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2007

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data - mortality"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, sex, and year | All ages | Under 1 year | 1-4 years | 5-14 years | 15-24 years | 25-34 years | 35-44 years | 45-54 years | 55-64 years | 65-74 years | 75-84 years | 85 years and over | Age not stated |
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|

Malignant neoplasms of lip, oral cavity and pharynx (C00-C14)

All origins, female

|           |       |   |   |   |    |    |    |     |     |     |     |     |   |
|-----------|-------|---|---|---|----|----|----|-----|-----|-----|-----|-----|---|
| 2007..... | 2,557 | - | - | 1 | 8  | 21 | 83 | 279 | 437 | 540 | 673 | 515 | - |
| 2006..... | 2,454 | - | - | 2 | 7  | 12 | 83 | 247 | 400 | 528 | 679 | 496 | - |
| 2005..... | 2,500 | - | 1 | 1 | 8  | 22 | 70 | 249 | 435 | 526 | 674 | 514 | - |
| 2004..... | 2,514 | - | 2 | 3 | 5  | 8  | 80 | 256 | 381 | 562 | 717 | 500 | - |
| 2003..... | 2,480 | - | 2 | 4 | 9  | 20 | 79 | 210 | 403 | 570 | 693 | 490 | - |
| 2002..... | 2,553 | - | 1 | 5 | 12 | 18 | 79 | 231 | 419 | 581 | 724 | 483 | - |
| 2001..... | 2,546 | - | - | 3 | 17 | 21 | 81 | 230 | 368 | 585 | 762 | 479 | - |
| 2000..... | 2,540 | - | - | - | 13 | 22 | 78 | 243 | 372 | 633 | 687 | 492 | - |
| 1999..... | 2,542 | - | 1 | 3 | 7  | 16 | 87 | 241 | 385 | 588 | 737 | 477 | - |

Hispanic, both sexes

|           |     |   |   |   |   |   |    |    |    |    |    |    |   |
|-----------|-----|---|---|---|---|---|----|----|----|----|----|----|---|
| 2007..... | 364 | - | - | - | 1 | 7 | 16 | 58 | 81 | 99 | 73 | 29 | - |
| 2006..... | 340 | - | - | - | - | 4 | 22 | 53 | 65 | 95 | 68 | 33 | - |
| 2005..... | 314 | - | - | 1 | 3 | 5 | 11 | 50 | 84 | 72 | 76 | 12 | - |
| 2004..... | 332 | - | 1 | - | 2 | 5 | 12 | 62 | 80 | 82 | 59 | 29 | - |
| 2003..... | 321 | - | 1 | - | 4 | 5 | 14 | 50 | 75 | 80 | 63 | 29 | - |
| 2002..... | 284 | - | - | 2 | 3 | 4 | 17 | 47 | 66 | 62 | 54 | 29 | - |
| 2001..... | 311 | - | - | - | 4 | 1 | 14 | 56 | 69 | 78 | 58 | 31 | - |
| 2000..... | 287 | - | - | 1 | 1 | 6 | 13 | 42 | 75 | 73 | 48 | 28 | - |
| 1999..... | 282 | - | - | 1 | - | 1 | 18 | 41 | 66 | 72 | 63 | 20 | - |

Worktable Orig290F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2007

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data - mortality"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, sex, and year | All ages | Under 1 year | 1-4 years | 5-14 years | 15-24 years | 25-34 years | 35-44 years | 45-54 years | 55-64 years | 65-74 years | 75-84 years | 85 years and over | Age not stated |
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|
| Malignant neoplasms of lip, oral cavity and pharynx (C00-C14)  |          |              |           |            |             |             |             |             |             |             |             |                   |                |
| Hispanic, male   |          |              |           |            |             |             |             |             |             |             |             |                   |                |
| 2007.....  | 260      | -            | -         | -          | 1           | 1           | 14          | 49          | 64          | 72          | 42          | 17                | -              |
| 2006.....  | 252      | -            | -         | -          | -           | 4           | 17          | 40          | 57          | 72          | 50          | 12                | -              |
| 2005.....  | 236      | -            | -         | 1          | 2           | 3           | 8           | 40          | 69          | 59          | 48          | 6                 | -              |
| 2004.....  | 241      | -            | -         | -          | 2           | 5           | 6           | 52          | 63          | 62          | 36          | 15                | -              |
| 2003.....  | 233      | -            | 1         | -          | 2           | 4           | 8           | 41          | 64          | 56          | 43          | 14                | -              |
| 2002.....  | 215      | -            | -         | -          | 1           | 3           | 14          | 39          | 53          | 51          | 36          | 18                | -              |
| 2001.....  | 219      | -            | -         | -          | 2           | 1           | 11          | 41          | 55          | 58          | 39          | 12                | -              |
| 2000.....  | 218      | -            | -         | 1          | -           | 4           | 11          | 34          | 62          | 58          | 28          | 20                | -              |
| 1999.....  | 204      | -            | -         | 1          | -           | -           | 9           | 33          | 55          | 62          | 35          | 9                 | -              |
| Hispanic, female   |          |              |           |            |             |             |             |             |             |             |             |                   |                |
| 2007.....  | 104      | -            | -         | -          | -           | 6           | 2           | 9           | 17          | 27          | 31          | 12                | -              |
| 2006.....  | 88       | -            | -         | -          | -           | -           | 5           | 13          | 8           | 23          | 18          | 21                | -              |
| 2005.....  | 78       | -            | -         | -          | 1           | 2           | 3           | 10          | 15          | 13          | 28          | 6                 | -              |
| 2004.....  | 91       | -            | 1         | -          | -           | -           | 6           | 10          | 17          | 20          | 23          | 14                | -              |
| 2003.....  | 88       | -            | -         | -          | 2           | 1           | 6           | 9           | 11          | 24          | 20          | 15                | -              |
| 2002.....  | 69       | -            | -         | 2          | 2           | 1           | 3           | 8           | 13          | 11          | 18          | 11                | -              |
| 2001.....  | 92       | -            | -         | -          | 2           | -           | 3           | 15          | 14          | 20          | 19          | 19                | -              |
| 2000.....  | 69       | -            | -         | -          | 1           | 2           | 2           | 8           | 13          | 15          | 20          | 8                 | -              |
| 1999.....  | 78       | -            | -         | -          | -           | 1           | 9           | 8           | 11          | 10          | 28          | 11                | -              |

Worktable Orig290F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2007

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data - mortality"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, sex, and year | All ages | Under 1 year | 1-4 years | 5-14 years | 15-24 years | 25-34 years | 35-44 years | 45-54 years | 55-64 years | 65-74 years | 75-84 years | 85 years and over | Age not stated |
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|

Malignant neoplasms of lip, oral cavity and pharynx (C00-C14)

Non-Hispanic 1/, both sexes

|           |       |   |   |   |    |    |     |       |       |       |       |     |   |
|-----------|-------|---|---|---|----|----|-----|-------|-------|-------|-------|-----|---|
| 2007..... | 7,693 | - | - | 1 | 17 | 37 | 234 | 1,078 | 1,934 | 1,811 | 1,668 | 913 | - |
| 2006..... | 7,361 | 1 | - | 2 | 14 | 37 | 249 | 1,073 | 1,756 | 1,710 | 1,688 | 831 | - |
| 2005..... | 7,445 | - | 1 | 1 | 21 | 49 | 246 | 1,070 | 1,848 | 1,758 | 1,596 | 855 | - |
| 2004..... | 7,473 | - | 1 | 5 | 21 | 38 | 243 | 1,125 | 1,698 | 1,786 | 1,712 | 844 | - |
| 2003..... | 7,437 | - | 3 | 8 | 26 | 53 | 260 | 1,079 | 1,743 | 1,791 | 1,627 | 846 | 1 |
| 2002..... | 7,431 | - | 3 | 6 | 20 | 53 | 238 | 1,049 | 1,739 | 1,830 | 1,666 | 827 | - |
| 2001..... | 7,370 | - | - | 4 | 25 | 55 | 268 | 1,018 | 1,666 | 1,829 | 1,724 | 781 | - |
| 2000..... | 7,181 | - | - | 3 | 24 | 44 | 280 | 1,022 | 1,560 | 1,877 | 1,575 | 796 | - |
| 1999..... | 7,181 | - | 2 | 5 | 27 | 42 | 272 | 1,018 | 1,542 | 1,818 | 1,678 | 777 | - |

Non-Hispanic 1/, male

|           |       |   |   |   |    |    |     |     |       |       |       |     |   |
|-----------|-------|---|---|---|----|----|-----|-----|-------|-------|-------|-----|---|
| 2007..... | 5,242 | - | - | - | 9  | 22 | 153 | 808 | 1,515 | 1,299 | 1,026 | 410 | - |
| 2006..... | 4,998 | 1 | - | - | 7  | 25 | 172 | 839 | 1,364 | 1,206 | 1,027 | 357 | - |
| 2005..... | 5,026 | - | - | - | 14 | 29 | 179 | 831 | 1,430 | 1,246 | 950   | 347 | - |
| 2004..... | 5,055 | - | - | 2 | 16 | 30 | 169 | 881 | 1,334 | 1,245 | 1,020 | 358 | - |
| 2003..... | 5,050 | - | 1 | 4 | 19 | 34 | 187 | 878 | 1,351 | 1,246 | 955   | 374 | 1 |
| 2002..... | 4,950 | - | 2 | 3 | 10 | 36 | 162 | 826 | 1,335 | 1,261 | 960   | 355 | - |
| 2001..... | 4,920 | - | - | 1 | 10 | 34 | 190 | 804 | 1,313 | 1,264 | 982   | 322 | - |
| 2000..... | 4,719 | - | - | 3 | 13 | 24 | 204 | 788 | 1,204 | 1,263 | 908   | 312 | - |
| 1999..... | 4,725 | - | 1 | 2 | 20 | 27 | 194 | 785 | 1,172 | 1,241 | 970   | 313 | - |



Worktable Orig290F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2007

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data - mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, sex, and year

|  | All ages | Under 1 year | 1-4 years | 5-14 years | 15-24 years | 25-34 years | 35-44 years | 45-54 years | 55-64 years | 65-74 years | 75-84 years | 85 years and over | Age not stated |
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|

Malignant neoplasms of lip, oral cavity and pharynx (C00-C14)

Non-Hispanic 1/, female

|           |       |   |   |   |    |    |    |     |     |     |     |     |   |
|-----------|-------|---|---|---|----|----|----|-----|-----|-----|-----|-----|---|
| 2007..... | 2,451 | - | - | 1 | 8  | 15 | 81 | 270 | 419 | 512 | 642 | 503 | - |
| 2006..... | 2,363 | - | - | 2 | 7  | 12 | 77 | 234 | 392 | 504 | 661 | 474 | - |
| 2005..... | 2,419 | - | 1 | 1 | 7  | 20 | 67 | 239 | 418 | 512 | 646 | 508 | - |
| 2004..... | 2,418 | - | 1 | 3 | 5  | 8  | 74 | 244 | 364 | 541 | 692 | 486 | - |
| 2003..... | 2,387 | - | 2 | 4 | 7  | 19 | 73 | 201 | 392 | 545 | 672 | 472 | - |
| 2002..... | 2,481 | - | 1 | 3 | 10 | 17 | 76 | 223 | 404 | 569 | 706 | 472 | - |
| 2001..... | 2,450 | - | - | 3 | 15 | 21 | 78 | 214 | 353 | 565 | 742 | 459 | - |
| 2000..... | 2,462 | - | - | - | 11 | 20 | 76 | 234 | 356 | 614 | 667 | 484 | - |
| 1999..... | 2,456 | - | 1 | 3 | 7  | 15 | 78 | 233 | 370 | 577 | 708 | 464 | - |

Non-Hispanic white, both sexes

|              |       |   |   |   |    |    |     |     |       |       |       |     |   |
|--------------|-------|---|---|---|----|----|-----|-----|-------|-------|-------|-----|---|
| 2007 2/..... | 6,361 | - | - | 1 | 10 | 20 | 156 | 799 | 1,546 | 1,511 | 1,479 | 839 | - |
| 2006 2/..... | 6,080 | 1 | - | 2 | 7  | 28 | 175 | 805 | 1,385 | 1,404 | 1,500 | 773 | - |
| 2005 2/..... | 6,096 | - | 1 | 1 | 9  | 26 | 177 | 779 | 1,453 | 1,458 | 1,412 | 780 | - |
| 2004 2/..... | 6,106 | - | 1 | 3 | 12 | 24 | 151 | 789 | 1,322 | 1,500 | 1,522 | 782 | - |
| 2003 2/..... | 6,079 | - | 2 | 5 | 15 | 36 | 182 | 774 | 1,385 | 1,483 | 1,419 | 777 | 1 |
| 2002.....    | 6,141 | - | 2 | 3 | 12 | 35 | 164 | 744 | 1,358 | 1,565 | 1,504 | 754 | - |
| 2001.....    | 6,052 | - | - | 2 | 18 | 36 | 165 | 736 | 1,288 | 1,524 | 1,560 | 723 | - |
| 2000.....    | 5,843 | - | - | 1 | 16 | 29 | 186 | 723 | 1,177 | 1,566 | 1,412 | 733 | - |
| 1999.....    | 5,826 | - | 2 | 3 | 14 | 29 | 176 | 677 | 1,180 | 1,527 | 1,497 | 721 | - |

Worktable Orig290F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2007

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data - mortality"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, sex, and year | All ages | Under 1 year | 1-4 years | 5-14 years | 15-24 years | 25-34 years | 35-44 years | 45-54 years | 55-64 years | 65-74 years | 75-84 years | 85 years and over | Age not stated |
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|
| Malignant neoplasms of lip, oral cavity and pharynx (C00-C14)  |          |              |           |            |             |             |             |             |             |             |             |                   |                |
| Non-Hispanic white, male   |          |              |           |            |             |             |             |             |             |             |             |                   |                |
| 2007 2/.....   | 4,296    | -            | -         | -          | 4           | 9           | 104         | 607         | 1,225       | 1,067       | 907         | 373               | -              |
| 2006 2/.....   | 4,067    | 1            | -         | -          | 2           | 19          | 121         | 639         | 1,072       | 979         | 904         | 330               | -              |
| 2005 2/.....   | 4,012    | -            | -         | -          | 7           | 16          | 122         | 602         | 1,112       | 1,015       | 825         | 313               | -              |
| 2004 2/.....   | 4,028    | -            | -         | -          | 8           | 20          | 104         | 614         | 1,037       | 1,024       | 900         | 321               | -              |
| 2003 2/.....   | 4,043    | -            | -         | 2          | 11          | 21          | 145         | 634         | 1,055       | 1,014       | 819         | 341               | 1              |
| 2002.....  | 4,035    | -            | 2         | 2          | 7           | 25          | 114         | 587         | 1,042       | 1,067       | 867         | 322               | -              |
| 2001.....  | 3,961    | -            | -         | 1          | 6           | 22          | 120         | 586         | 1,004       | 1,045       | 880         | 297               | -              |
| 2000.....  | 3,726    | -            | -         | 1          | 7           | 16          | 128         | 546         | 904         | 1,036       | 797         | 291               | -              |
| 1999.....  | 3,746    | -            | 1         | 1          | 9           | 17          | 125         | 523         | 892         | 1,043       | 850         | 285               | -              |
| Non-Hispanic white, female   |          |              |           |            |             |             |             |             |             |             |             |                   |                |
| 2007 2/.....   | 2,065    | -            | -         | 1          | 6           | 11          | 52          | 192         | 321         | 444         | 572         | 466               | -              |
| 2006 2/.....   | 2,013    | -            | -         | 2          | 5           | 9           | 54          | 166         | 313         | 425         | 596         | 443               | -              |
| 2005 2/.....   | 2,084    | -            | 1         | 1          | 2           | 10          | 55          | 177         | 341         | 443         | 587         | 467               | -              |
| 2004 2/.....   | 2,078    | -            | 1         | 3          | 4           | 4           | 47          | 175         | 285         | 476         | 622         | 461               | -              |
| 2003 2/.....   | 2,036    | -            | 2         | 3          | 4           | 15          | 37          | 140         | 330         | 469         | 600         | 436               | -              |
| 2002.....  | 2,106    | -            | -         | 1          | 5           | 10          | 50          | 157         | 316         | 498         | 637         | 432               | -              |
| 2001.....  | 2,091    | -            | -         | 1          | 12          | 14          | 45          | 150         | 284         | 479         | 680         | 426               | -              |
| 2000.....  | 2,117    | -            | -         | -          | 9           | 13          | 58          | 177         | 273         | 530         | 615         | 442               | -              |
| 1999.....  | 2,080    | -            | 1         | 2          | 5           | 12          | 51          | 154         | 288         | 484         | 647         | 436               | -              |

Worktable Orig290F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2007

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data - mortality"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, sex, and year | All ages | Under 1 year | 1-4 years | 5-14 years | 15-24 years | 25-34 years | 35-44 years | 45-54 years | 55-64 years | 65-74 years | 75-84 years | 85 years and over | Age not stated |
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|

Malignant neoplasms of lip, oral cavity and pharynx (C00-C14)

Non-Hispanic black, both sexes

|              |       |   |   |   |    |    |    |     |     |     |     |    |   |
|--------------|-------|---|---|---|----|----|----|-----|-----|-----|-----|----|---|
| 2007 2/..... | 1,054 | - | - | - | 7  | 9  | 53 | 216 | 326 | 248 | 138 | 57 | - |
| 2006 2/..... | 1,001 | - | - | - | 7  | 6  | 46 | 219 | 304 | 244 | 137 | 38 | - |
| 2005 2/..... | 1,068 | - | - | - | 10 | 14 | 47 | 249 | 323 | 243 | 135 | 47 | - |
| 2004 2/..... | 1,137 | - | - | 2 | 5  | 11 | 74 | 294 | 321 | 237 | 149 | 44 | - |
| 2003 2/..... | 1,100 | - | 1 | 3 | 9  | 10 | 63 | 242 | 309 | 261 | 150 | 52 | - |
| 2002.....    | 1,034 | - | - | 2 | 6  | 11 | 63 | 254 | 318 | 213 | 114 | 53 | - |
| 2001.....    | 1,056 | - | - | 1 | 4  | 6  | 71 | 229 | 318 | 256 | 129 | 42 | - |
| 2000.....    | 1,089 | - | - | 2 | 7  | 7  | 60 | 249 | 327 | 254 | 136 | 47 | - |
| 1999.....    | 1,131 | - | - | 2 | 8  | 8  | 67 | 287 | 316 | 248 | 150 | 45 | - |

Non-Hispanic black, male

|              |     |   |   |   |   |   |    |     |     |     |     |    |   |
|--------------|-----|---|---|---|---|---|----|-----|-----|-----|-----|----|---|
| 2007 2/..... | 763 | - | - | - | 5 | 8 | 36 | 160 | 244 | 194 | 88  | 28 | - |
| 2006 2/..... | 742 | - | - | - | 5 | 5 | 32 | 164 | 242 | 186 | 93  | 15 | - |
| 2005 2/..... | 832 | - | - | - | 5 | 9 | 40 | 200 | 265 | 191 | 99  | 23 | - |
| 2004 2/..... | 863 | - | - | 2 | 5 | 9 | 49 | 235 | 254 | 190 | 92  | 27 | - |
| 2003 2/..... | 831 | - | 1 | 2 | 6 | 9 | 32 | 197 | 260 | 201 | 99  | 24 | - |
| 2002.....    | 757 | - | - | 1 | 3 | 7 | 41 | 203 | 257 | 157 | 64  | 24 | - |
| 2001.....    | 773 | - | - | - | 2 | 5 | 45 | 179 | 263 | 184 | 78  | 17 | - |
| 2000.....    | 821 | - | - | 2 | 5 | 4 | 46 | 203 | 262 | 191 | 94  | 14 | - |
| 1999.....    | 819 | - | - | 1 | 6 | 6 | 47 | 224 | 243 | 169 | 102 | 21 | - |

Worktable Orig290F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2007

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data - mortality"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, sex, and year | All ages | Under 1 year | 1-4 years | 5-14 years | 15-24 years | 25-34 years | 35-44 years | 45-54 years | 55-64 years | 65-74 years | 75-84 years | 85 years and over | Age not stated |
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|

Malignant neoplasms of lip, oral cavity and pharynx (C00-C14)

Non-Hispanic black, female

|              |     |   |   |   |   |   |    |    |    |    |    |    |   |
|--------------|-----|---|---|---|---|---|----|----|----|----|----|----|---|
| 2007 2/..... | 291 | - | - | - | 2 | 1 | 17 | 56 | 82 | 54 | 50 | 29 | - |
| 2006 2/..... | 259 | - | - | - | 2 | 1 | 14 | 55 | 62 | 58 | 44 | 23 | - |
| 2005 2/..... | 236 | - | - | - | 5 | 5 | 7  | 49 | 58 | 52 | 36 | 24 | - |
| 2004 2/..... | 274 | - | - | - | - | 2 | 25 | 59 | 67 | 47 | 57 | 17 | - |
| 2003 2/..... | 269 | - | - | 1 | 3 | 1 | 31 | 45 | 49 | 60 | 51 | 28 | - |
| 2002.....    | 277 | - | - | 1 | 3 | 4 | 22 | 51 | 61 | 56 | 50 | 29 | - |
| 2001.....    | 283 | - | - | 1 | 2 | 1 | 26 | 50 | 55 | 72 | 51 | 25 | - |
| 2000.....    | 268 | - | - | - | 2 | 3 | 14 | 46 | 65 | 63 | 42 | 33 | - |
| 1999.....    | 312 | - | - | 1 | 2 | 2 | 20 | 63 | 73 | 79 | 48 | 24 | - |

Origin not stated 3/, both sexes

|           |    |   |   |   |   |   |   |   |   |   |   |   |   |
|-----------|----|---|---|---|---|---|---|---|---|---|---|---|---|
| 2007..... | 10 | - | - | - | - | - | 1 | - | 4 | 5 | - | - | - |
| 2006..... | 19 | - | - | - | - | - | 1 | 2 | 2 | 9 | 4 | 1 | - |
| 2005..... | 14 | - | - | - | - | - | 1 | 3 | 4 | 5 | 1 | - | - |
| 2004..... | 21 | - | - | - | - | - | 1 | 6 | 3 | 6 | 3 | 2 | - |
| 2003..... | 20 | - | - | - | - | 1 | - | 2 | 8 | 3 | 2 | 4 | - |
| 2002..... | 22 | - | - | - | - | - | 3 | 5 | 6 | 6 | 1 | 1 | - |
| 2001..... | 21 | - | - | - | - | - | 1 | 2 | 5 | 5 | 5 | 2 | 1 |
| 2000..... | 24 | - | - | - | 1 | - | - | 4 | 7 | 9 | 3 | - | - |
| 1999..... | 23 | - | - | - | - | - | 1 | 2 | 8 | 6 | 3 | 3 | - |

Worktable Orig290F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2007

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data - mortality"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, sex, and year | All ages | Under 1 year | 1-4 years | 5-14 years | 15-24 years | 25-34 years | 35-44 years | 45-54 years | 55-64 years | 65-74 years | 75-84 years | 85 years and over | Age not stated |
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|

Malignant neoplasms of lip, oral cavity and pharynx (C00-C14)

Origin not stated 3/, male

|           |    |   |   |   |   |   |   |   |   |   |   |   |   |
|-----------|----|---|---|---|---|---|---|---|---|---|---|---|---|
| 2007..... | 8  | - | - | - | - | - | 1 | - | 3 | 4 | - | - | - |
| 2006..... | 16 | - | - | - | - | - | - | 2 | 2 | 8 | 4 | - | - |
| 2005..... | 11 | - | - | - | - | - | 1 | 3 | 2 | 4 | 1 | - | - |
| 2004..... | 16 | - | - | - | - | - | 1 | 4 | 3 | 5 | 1 | 2 | - |
| 2003..... | 15 | - | - | - | - | 1 | - | 2 | 8 | 2 | 1 | 1 | - |
| 2002..... | 19 | - | - | - | - | - | 3 | 5 | 4 | 5 | 1 | 1 | - |
| 2001..... | 17 | - | - | - | - | - | 1 | 1 | 4 | 5 | 4 | 1 | 1 |
| 2000..... | 15 | - | - | - | - | - | - | 3 | 4 | 5 | 3 | - | - |
| 1999..... | 15 | - | - | - | - | - | 1 | 2 | 4 | 5 | 2 | 1 | - |

Origin not stated 3/, female

|           |   |   |   |   |   |   |   |   |   |   |   |   |   |
|-----------|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 2007..... | 2 | - | - | - | - | - | - | - | 1 | 1 | - | - | - |
| 2006..... | 3 | - | - | - | - | - | 1 | - | - | 1 | - | 1 | - |
| 2005..... | 3 | - | - | - | - | - | - | - | 2 | 1 | - | - | - |
| 2004..... | 5 | - | - | - | - | - | - | 2 | - | 1 | 2 | - | - |
| 2003..... | 5 | - | - | - | - | - | - | - | - | 1 | 1 | 3 | - |
| 2002..... | 3 | - | - | - | - | - | - | - | 2 | 1 | - | - | - |
| 2001..... | 4 | - | - | - | - | - | - | 1 | 1 | - | 1 | 1 | - |
| 2000..... | 9 | - | - | - | 1 | - | - | 1 | 3 | 4 | - | - | - |
| 1999..... | 8 | - | - | - | - | - | - | - | 4 | 1 | 1 | 2 | - |

Worktable Orig290F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2007

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data - mortality"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, sex, and year | All ages | Under 1 year | 1-4 years | 5-14 years | 15-24 years | 25-34 years | 35-44 years | 45-54 years | 55-64 years | 65-74 years | 75-84 years | 85 years and over | Age not stated |
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|
| <b>Malignant neoplasm of esophagus (C15)</b>   |          |              |           |            |             |             |             |             |             |             |             |                   |                |
| <b>All origins, both sexes</b>   |          |              |           |            |             |             |             |             |             |             |             |                   |                |
| 2007.....  | 13,592   | -            | -         | -          | 5           | 28          | 246         | 1,452       | 3,379       | 3,726       | 3,376       | 1,380             | -              |
| 2006.....  | 13,686   | -            | -         | -          | 3           | 29          | 279         | 1,524       | 3,289       | 3,691       | 3,515       | 1,355             | 1              |
| 2005.....  | 13,499   | -            | -         | 1          | 3           | 35          | 316         | 1,510       | 3,100       | 3,682       | 3,581       | 1,271             | -              |
| 2004.....  | 13,023   | -            | -         | -          | 5           | 36          | 291         | 1,423       | 2,991       | 3,554       | 3,467       | 1,256             | -              |
| 2003.....  | 12,860   | -            | -         | -          | 5           | 29          | 288         | 1,407       | 2,940       | 3,619       | 3,392       | 1,180             | -              |
| 2002.....  | 12,701   | -            | -         | 1          | 6           | 19          | 311         | 1,390       | 2,763       | 3,691       | 3,389       | 1,130             | 1              |
| 2001.....  | 12,530   | -            | -         | -          | 6           | 29          | 309         | 1,408       | 2,554       | 3,779       | 3,307       | 1,137             | 1              |
| 2000.....  | 12,232   | 1            | -         | -          | 3           | 39          | 297         | 1,348       | 2,610       | 3,671       | 3,163       | 1,100             | -              |
| 1999.....  | 11,918   | -            | -         | -          | -           | 37          | 293         | 1,262       | 2,531       | 3,694       | 2,986       | 1,114             | 1              |
| <b>All origins, male</b>   |          |              |           |            |             |             |             |             |             |             |             |                   |                |
| 2007.....  | 10,750   | -            | -         | -          | 4           | 25          | 207         | 1,244       | 2,867       | 3,006       | 2,537       | 860               | -              |
| 2006.....  | 10,723   | -            | -         | -          | 3           | 25          | 241         | 1,274       | 2,801       | 2,974       | 2,585       | 819               | 1              |
| 2005.....  | 10,611   | -            | -         | -          | 3           | 30          | 263         | 1,302       | 2,619       | 2,977       | 2,679       | 738               | -              |
| 2004.....  | 10,081   | -            | -         | -          | 4           | 28          | 242         | 1,211       | 2,502       | 2,817       | 2,546       | 731               | -              |
| 2003.....  | 9,921    | -            | -         | -          | 4           | 23          | 240         | 1,202       | 2,483       | 2,851       | 2,464       | 654               | -              |
| 2002.....  | 9,789    | -            | -         | -          | 3           | 14          | 257         | 1,185       | 2,321       | 2,952       | 2,454       | 603               | -              |
| 2001.....  | 9,607    | -            | -         | -          | 5           | 26          | 255         | 1,204       | 2,137       | 2,989       | 2,365       | 625               | 1              |
| 2000.....  | 9,279    | 1            | -         | -          | 2           | 31          | 265         | 1,161       | 2,169       | 2,831       | 2,233       | 586               | -              |
| 1999.....  | 9,094    | -            | -         | -          | -           | 29          | 255         | 1,094       | 2,081       | 2,925       | 2,136       | 573               | 1              |

Worktable Orig290F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2007

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data - mortality"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, sex, and year | All ages | Under 1 year | 1-4 years | 5-14 years | 15-24 years | 25-34 years | 35-44 years | 45-54 years | 55-64 years | 65-74 years | 75-84 years | 85 years and over | Age not stated |
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|
| <b>Malignant neoplasm of esophagus (C15)</b>   |          |              |           |            |             |             |             |             |             |             |             |                   |                |
| <b>All origins, female</b>   |          |              |           |            |             |             |             |             |             |             |             |                   |                |
| 2007.....  | 2,842    | -            | -         | -          | 1           | 3           | 39          | 208         | 512         | 720         | 839         | 520               | -              |
| 2006.....  | 2,963    | -            | -         | -          | -           | 4           | 38          | 250         | 488         | 717         | 930         | 536               | -              |
| 2005.....  | 2,888    | -            | -         | 1          | -           | 5           | 53          | 208         | 481         | 705         | 902         | 533               | -              |
| 2004.....  | 2,942    | -            | -         | -          | 1           | 8           | 49          | 212         | 489         | 737         | 921         | 525               | -              |
| 2003.....  | 2,939    | -            | -         | -          | 1           | 6           | 48          | 205         | 457         | 768         | 928         | 526               | -              |
| 2002.....  | 2,912    | -            | -         | 1          | 3           | 5           | 54          | 205         | 442         | 739         | 935         | 527               | 1              |
| 2001.....  | 2,923    | -            | -         | -          | 1           | 3           | 54          | 204         | 417         | 790         | 942         | 512               | -              |
| 2000.....  | 2,953    | -            | -         | -          | 1           | 8           | 32          | 187         | 441         | 840         | 930         | 514               | -              |
| 1999.....  | 2,824    | -            | -         | -          | -           | 8           | 38          | 168         | 450         | 769         | 850         | 541               | -              |
| <b>Hispanic, both sexes</b>  |          |              |           |            |             |             |             |             |             |             |             |                   |                |
| 2007.....  | 483      | -            | -         | -          | -           | 2           | 15          | 79          | 117         | 121         | 113         | 36                | -              |
| 2006.....  | 518      | -            | -         | -          | 1           | 6           | 20          | 70          | 125         | 136         | 122         | 38                | -              |
| 2005.....  | 481      | -            | -         | -          | -           | 1           | 12          | 67          | 103         | 148         | 106         | 44                | -              |
| 2004.....  | 440      | -            | -         | -          | -           | 4           | 19          | 39          | 105         | 131         | 103         | 39                | -              |
| 2003.....  | 421      | -            | -         | -          | 1           | 3           | 17          | 50          | 105         | 122         | 92          | 31                | -              |
| 2002.....  | 411      | -            | -         | -          | 1           | 1           | 23          | 53          | 80          | 120         | 91          | 42                | -              |
| 2001.....  | 401      | -            | -         | -          | -           | 2           | 12          | 63          | 96          | 95          | 101         | 32                | -              |
| 2000.....  | 384      | -            | -         | -          | -           | 2           | 10          | 38          | 86          | 120         | 98          | 30                | -              |
| 1999.....  | 367      | -            | -         | -          | -           | 2           | 16          | 44          | 85          | 95          | 87          | 38                | -              |

Worktable Orig290F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2007

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data - mortality"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, sex, and year | All ages | Under 1 year | 1-4 years | 5-14 years | 15-24 years | 25-34 years | 35-44 years | 45-54 years | 55-64 years | 65-74 years | 75-84 years | 85 years and over | Age not stated |
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|
| <b>Malignant neoplasm of esophagus (C15)</b>   |          |              |           |            |             |             |             |             |             |             |             |                   |                |
| <b>Hispanic, male</b>  |          |              |           |            |             |             |             |             |             |             |             |                   |                |
| 2007.....  | 403      | -            | -         | -          | -           | 2           | 14          | 74          | 106         | 97          | 86          | 24                | -              |
| 2006.....  | 409      | -            | -         | -          | 1           | 4           | 15          | 62          | 105         | 108         | 91          | 23                | -              |
| 2005.....  | 391      | -            | -         | -          | -           | 1           | 10          | 59          | 89          | 122         | 80          | 30                | -              |
| 2004.....  | 346      | -            | -         | -          | -           | 3           | 13          | 39          | 91          | 103         | 76          | 21                | -              |
| 2003.....  | 322      | -            | -         | -          | -           | 2           | 16          | 45          | 79          | 93          | 74          | 13                | -              |
| 2002.....  | 329      | -            | -         | -          | 1           | 1           | 19          | 49          | 75          | 96          | 66          | 22                | -              |
| 2001.....  | 316      | -            | -         | -          | -           | 2           | 9           | 61          | 74          | 80          | 68          | 22                | -              |
| 2000.....  | 292      | -            | -         | -          | -           | 2           | 8           | 34          | 64          | 92          | 72          | 20                | -              |
| 1999.....  | 294      | -            | -         | -          | -           | 2           | 15          | 39          | 78          | 74          | 63          | 23                | -              |
| <b>Hispanic, female</b>  |          |              |           |            |             |             |             |             |             |             |             |                   |                |
| 2007.....  | 80       | -            | -         | -          | -           | -           | 1           | 5           | 11          | 24          | 27          | 12                | -              |
| 2006.....  | 109      | -            | -         | -          | -           | 2           | 5           | 8           | 20          | 28          | 31          | 15                | -              |
| 2005.....  | 90       | -            | -         | -          | -           | -           | 2           | 8           | 14          | 26          | 26          | 14                | -              |
| 2004.....  | 94       | -            | -         | -          | -           | 1           | 6           | -           | 14          | 28          | 27          | 18                | -              |
| 2003.....  | 99       | -            | -         | -          | 1           | 1           | 1           | 5           | 26          | 29          | 18          | 18                | -              |
| 2002.....  | 82       | -            | -         | -          | -           | -           | 4           | 4           | 5           | 24          | 25          | 20                | -              |
| 2001.....  | 85       | -            | -         | -          | -           | -           | 3           | 2           | 22          | 15          | 33          | 10                | -              |
| 2000.....  | 92       | -            | -         | -          | -           | -           | 2           | 4           | 22          | 28          | 26          | 10                | -              |
| 1999.....  | 73       | -            | -         | -          | -           | -           | 1           | 5           | 7           | 21          | 24          | 15                | -              |



Worktable Orig290F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2007

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data - mortality"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, sex, and year | All ages | Under 1 year | 1-4 years | 5-14 years | 15-24 years | 25-34 years | 35-44 years | 45-54 years | 55-64 years | 65-74 years | 75-84 years | 85 years and over | Age not stated |
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|
| <b>Malignant neoplasm of esophagus (C15)</b>   |          |              |           |            |             |             |             |             |             |             |             |                   |                |
| <b>Non-Hispanic 1/, both sexes</b>   |          |              |           |            |             |             |             |             |             |             |             |                   |                |
| 2007.....  | 13,096   | -            | -         | -          | 5           | 26          | 231         | 1,371       | 3,258       | 3,601       | 3,261       | 1,343             | -              |
| 2006.....  | 13,140   | -            | -         | -          | 2           | 23          | 258         | 1,451       | 3,153       | 3,546       | 3,389       | 1,317             | 1              |
| 2005.....  | 12,997   | -            | -         | 1          | 3           | 33          | 304         | 1,441       | 2,990       | 3,529       | 3,471       | 1,225             | -              |
| 2004.....  | 12,557   | -            | -         | -          | 5           | 32          | 272         | 1,377       | 2,877       | 3,418       | 3,360       | 1,216             | -              |
| 2003.....  | 12,415   | -            | -         | -          | 4           | 26          | 271         | 1,354       | 2,826       | 3,491       | 3,297       | 1,146             | -              |
| 2002.....  | 12,254   | -            | -         | 1          | 5           | 17          | 287         | 1,334       | 2,671       | 3,560       | 3,296       | 1,082             | 1              |
| 2001.....  | 12,085   | -            | -         | -          | 6           | 27          | 296         | 1,339       | 2,447       | 3,664       | 3,201       | 1,104             | 1              |
| 2000.....  | 11,819   | 1            | -         | -          | 3           | 37          | 287         | 1,308       | 2,521       | 3,538       | 3,058       | 1,066             | -              |
| 1999.....  | 11,520   | -            | -         | -          | -           | 35          | 276         | 1,215       | 2,439       | 3,587       | 2,893       | 1,074             | 1              |
| <b>Non-Hispanic 1/, male</b>   |          |              |           |            |             |             |             |             |             |             |             |                   |                |
| 2007.....  | 10,337   | -            | -         | -          | 4           | 23          | 193         | 1,168       | 2,757       | 2,907       | 2,450       | 835               | -              |
| 2006.....  | 10,292   | -            | -         | -          | 2           | 21          | 225         | 1,210       | 2,687       | 2,857       | 2,493       | 796               | 1              |
| 2005.....  | 10,203   | -            | -         | -          | 3           | 28          | 253         | 1,241       | 2,524       | 2,850       | 2,598       | 706               | -              |
| 2004.....  | 9,715    | -            | -         | -          | 4           | 25          | 229         | 1,166       | 2,406       | 2,710       | 2,466       | 709               | -              |
| 2003.....  | 9,580    | -            | -         | -          | 4           | 21          | 224         | 1,154       | 2,396       | 2,753       | 2,389       | 639               | -              |
| 2002.....  | 9,431    | -            | -         | -          | 2           | 12          | 237         | 1,133       | 2,235       | 2,848       | 2,386       | 578               | -              |
| 2001.....  | 9,254    | -            | -         | -          | 5           | 24          | 245         | 1,138       | 2,052       | 2,894       | 2,292       | 603               | 1              |
| 2000.....  | 8,964    | 1            | -         | -          | 2           | 29          | 257         | 1,126       | 2,102       | 2,728       | 2,156       | 563               | -              |
| 1999.....  | 8,775    | -            | -         | -          | -           | 27          | 239         | 1,053       | 1,996       | 2,841       | 2,068       | 550               | 1              |

Worktable Orig290F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2007

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data - mortality"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, sex, and year | All ages | Under 1 year | 1-4 years | 5-14 years | 15-24 years | 25-34 years | 35-44 years | 45-54 years | 55-64 years | 65-74 years | 75-84 years | 85 years and over | Age not stated |
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|
| <b>Malignant neoplasm of esophagus (C15)</b>   |          |              |           |            |             |             |             |             |             |             |             |                   |                |
| <b>Non-Hispanic 1/, female</b>   |          |              |           |            |             |             |             |             |             |             |             |                   |                |
| 2007.....  | 2,759    | -            | -         | -          | 1           | 3           | 38          | 203         | 501         | 694         | 811         | 508               | -              |
| 2006.....  | 2,848    | -            | -         | -          | -           | 2           | 33          | 241         | 466         | 689         | 896         | 521               | -              |
| 2005.....  | 2,794    | -            | -         | 1          | -           | 5           | 51          | 200         | 466         | 679         | 873         | 519               | -              |
| 2004.....  | 2,842    | -            | -         | -          | 1           | 7           | 43          | 211         | 471         | 708         | 894         | 507               | -              |
| 2003.....  | 2,835    | -            | -         | -          | -           | 5           | 47          | 200         | 430         | 738         | 908         | 507               | -              |
| 2002.....  | 2,823    | -            | -         | 1          | 3           | 5           | 50          | 201         | 436         | 712         | 910         | 504               | 1              |
| 2001.....  | 2,831    | -            | -         | -          | 1           | 3           | 51          | 201         | 395         | 770         | 909         | 501               | -              |
| 2000.....  | 2,855    | -            | -         | -          | 1           | 8           | 30          | 182         | 419         | 810         | 902         | 503               | -              |
| 1999.....  | 2,745    | -            | -         | -          | -           | 8           | 37          | 162         | 443         | 746         | 825         | 524               | -              |
| <b>Non-Hispanic white, both sexes</b>  |          |              |           |            |             |             |             |             |             |             |             |                   |                |
| 2007 2/.....   | 11,393   | -            | -         | -          | 5           | 24          | 191         | 1,121       | 2,728       | 3,148       | 2,938       | 1,238             | -              |
| 2006 2/.....   | 11,437   | -            | -         | -          | -           | 21          | 223         | 1,164       | 2,659       | 3,078       | 3,071       | 1,220             | 1              |
| 2005 2/.....   | 11,295   | -            | -         | 1          | 3           | 29          | 242         | 1,170       | 2,504       | 3,064       | 3,140       | 1,142             | -              |
| 2004 2/.....   | 10,809   | -            | -         | -          | 3           | 24          | 227         | 1,095       | 2,381       | 2,934       | 3,036       | 1,109             | -              |
| 2003 2/.....   | 10,631   | -            | -         | -          | 4           | 22          | 222         | 1,042       | 2,314       | 2,992       | 2,971       | 1,064             | -              |
| 2002.....  | 10,484   | -            | -         | 1          | 5           | 15          | 227         | 1,076       | 2,173       | 3,027       | 2,961       | 999               | -              |
| 2001.....  | 10,193   | -            | -         | -          | 6           | 22          | 238         | 1,039       | 1,925       | 3,060       | 2,888       | 1,014             | 1              |
| 2000.....  | 10,005   | -            | -         | -          | 3           | 36          | 239         | 1,013       | 1,997       | 3,017       | 2,714       | 986               | -              |
| 1999.....  | 9,703    | -            | -         | -          | -           | 30          | 213         | 936         | 1,923       | 3,038       | 2,576       | 987               | -              |

Worktable Orig290F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2007

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data - mortality"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, sex, and year | All ages | Under 1 year | 1-4 years | 5-14 years | 15-24 years | 25-34 years | 35-44 years | 45-54 years | 55-64 years | 65-74 years | 75-84 years | 85 years and over | Age not stated |
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|
| <b>Malignant neoplasm of esophagus (C15)</b>   |          |              |           |            |             |             |             |             |             |             |             |                   |                |
| <b>Non-Hispanic white, male</b>  |          |              |           |            |             |             |             |             |             |             |             |                   |                |
| 2007 2/.....   | 9,083    | -            | -         | -          | 4           | 22          | 166         | 978         | 2,347       | 2,571       | 2,224       | 771               | -              |
| 2006 2/.....   | 9,061    | -            | -         | -          | -           | 19          | 197         | 994         | 2,315       | 2,505       | 2,293       | 737               | 1              |
| 2005 2/.....   | 8,969    | -            | -         | -          | 3           | 26          | 206         | 1,042       | 2,147       | 2,500       | 2,375       | 670               | -              |
| 2004 2/.....   | 8,482    | -            | -         | -          | 3           | 19          | 200         | 959         | 2,034       | 2,363       | 2,256       | 648               | -              |
| 2003 2/.....   | 8,292    | -            | -         | -          | 4           | 19          | 188         | 908         | 2,004       | 2,383       | 2,190       | 596               | -              |
| 2002.....  | 8,169    | -            | -         | -          | 2           | 11          | 196         | 938         | 1,849       | 2,465       | 2,171       | 537               | -              |
| 2001.....  | 7,863    | -            | -         | -          | 5           | 19          | 200         | 897         | 1,645       | 2,458       | 2,086       | 552               | 1              |
| 2000.....  | 7,680    | -            | -         | -          | 2           | 29          | 221         | 895         | 1,702       | 2,366       | 1,941       | 524               | -              |
| 1999.....  | 7,440    | -            | -         | -          | -           | 22          | 188         | 827         | 1,598       | 2,451       | 1,857       | 497               | -              |
| <b>Non-Hispanic white, female</b>  |          |              |           |            |             |             |             |             |             |             |             |                   |                |
| 2007 2/.....   | 2,310    | -            | -         | -          | 1           | 2           | 25          | 143         | 381         | 577         | 714         | 467               | -              |
| 2006 2/.....   | 2,376    | -            | -         | -          | -           | 2           | 26          | 170         | 344         | 573         | 778         | 483               | -              |
| 2005 2/.....   | 2,326    | -            | -         | 1          | -           | 3           | 36          | 128         | 357         | 564         | 765         | 472               | -              |
| 2004 2/.....   | 2,327    | -            | -         | -          | -           | 5           | 27          | 136         | 347         | 571         | 780         | 461               | -              |
| 2003 2/.....   | 2,339    | -            | -         | -          | -           | 3           | 34          | 134         | 310         | 609         | 781         | 468               | -              |
| 2002.....  | 2,315    | -            | -         | 1          | 3           | 4           | 31          | 138         | 324         | 562         | 790         | 462               | -              |
| 2001.....  | 2,330    | -            | -         | -          | 1           | 3           | 38          | 142         | 280         | 602         | 802         | 462               | -              |
| 2000.....  | 2,325    | -            | -         | -          | 1           | 7           | 18          | 118         | 295         | 651         | 773         | 462               | -              |
| 1999.....  | 2,263    | -            | -         | -          | -           | 8           | 25          | 109         | 325         | 587         | 719         | 490               | -              |

Worktable Orig290F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2007

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data - mortality"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, sex, and year | All ages | Under 1 year | 1-4 years | 5-14 years | 15-24 years | 25-34 years | 35-44 years | 45-54 years | 55-64 years | 65-74 years | 75-84 years | 85 years and over | Age not stated |
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|
| <b>Malignant neoplasm of esophagus (C15)</b>   |          |              |           |            |             |             |             |             |             |             |             |                   |                |
| <b>Non-Hispanic black, both sexes</b>  |          |              |           |            |             |             |             |             |             |             |             |                   |                |
| 2007 2/.....   | 1,445    | -            | -         | -          | -           | 1           | 34          | 222         | 466         | 389         | 258         | 75                | -              |
| 2006 2/.....   | 1,436    | -            | -         | -          | 1           | 2           | 31          | 258         | 434         | 394         | 247         | 69                | -              |
| 2005 2/.....   | 1,458    | -            | -         | -          | -           | 4           | 51          | 242         | 431         | 393         | 273         | 64                | -              |
| 2004 2/.....   | 1,509    | -            | -         | -          | 2           | 6           | 39          | 251         | 444         | 425         | 266         | 76                | -              |
| 2003 2/.....   | 1,578    | -            | -         | -          | -           | 3           | 47          | 285         | 463         | 435         | 273         | 72                | -              |
| 2002.....  | 1,572    | -            | -         | -          | -           | 2           | 56          | 234         | 454         | 475         | 282         | 68                | 1              |
| 2001.....  | 1,676    | -            | -         | -          | -           | 3           | 54          | 264         | 466         | 534         | 278         | 77                | -              |
| 2000.....  | 1,645    | 1            | -         | -          | -           | 1           | 44          | 278         | 481         | 462         | 307         | 71                | -              |
| 1999.....  | 1,629    | -            | -         | -          | -           | 3           | 53          | 261         | 472         | 486         | 280         | 73                | 1              |
| <b>Non-Hispanic black, male</b>  |          |              |           |            |             |             |             |             |             |             |             |                   |                |
| 2007 2/.....   | 1,054    | -            | -         | -          | -           | -           | 21          | 165         | 357         | 291         | 173         | 47                | -              |
| 2006 2/.....   | 1,035    | -            | -         | -          | 1           | 2           | 25          | 194         | 323         | 296         | 155         | 39                | -              |
| 2005 2/.....   | 1,065    | -            | -         | -          | -           | 2           | 39          | 182         | 334         | 294         | 186         | 28                | -              |
| 2004 2/.....   | 1,047    | -            | -         | -          | 1           | 5           | 26          | 187         | 326         | 296         | 167         | 39                | -              |
| 2003 2/.....   | 1,122    | -            | -         | -          | -           | 2           | 36          | 222         | 351         | 313         | 162         | 36                | -              |
| 2002.....  | 1,118    | -            | -         | -          | -           | 1           | 38          | 175         | 351         | 340         | 178         | 35                | -              |
| 2001.....  | 1,222    | -            | -         | -          | -           | 3           | 41          | 210         | 363         | 379         | 185         | 41                | -              |
| 2000.....  | 1,162    | 1            | -         | -          | -           | -           | 32          | 218         | 369         | 318         | 191         | 33                | -              |
| 1999.....  | 1,187    | -            | -         | -          | -           | 3           | 44          | 209         | 365         | 340         | 183         | 42                | 1              |

Worktable Orig290F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2007

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data - mortality"]

---

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, sex, and year

|  | All ages | Under 1 year | 1-4 years | 5-14 years | 15-24 years | 25-34 years | 35-44 years | 45-54 years | 55-64 years | 65-74 years | 75-84 years | 85 years and over | Age not stated |
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|

---

Malignant neoplasm of esophagus (C15)

Non-Hispanic black, female

|              |     |   |   |   |   |   |    |    |     |     |     |    |   |
|--------------|-----|---|---|---|---|---|----|----|-----|-----|-----|----|---|
| 2007 2/..... | 391 | - | - | - | - | 1 | 13 | 57 | 109 | 98  | 85  | 28 | - |
| 2006 2/..... | 401 | - | - | - | - | - | 6  | 64 | 111 | 98  | 92  | 30 | - |
| 2005 2/..... | 393 | - | - | - | - | 2 | 12 | 60 | 97  | 99  | 87  | 36 | - |
| 2004 2/..... | 462 | - | - | - | 1 | 1 | 13 | 64 | 118 | 129 | 99  | 37 | - |
| 2003 2/..... | 456 | - | - | - | - | 1 | 11 | 63 | 112 | 122 | 111 | 36 | - |
| 2002.....    | 454 | - | - | - | - | 1 | 18 | 59 | 103 | 135 | 104 | 33 | 1 |
| 2001.....    | 454 | - | - | - | - | - | 13 | 54 | 103 | 155 | 93  | 36 | - |
| 2000.....    | 483 | - | - | - | - | 1 | 12 | 60 | 112 | 144 | 116 | 38 | - |
| 1999.....    | 442 | - | - | - | - | - | 9  | 52 | 107 | 146 | 97  | 31 | - |

Origin not stated 3/, both sexes

|           |    |   |   |   |   |   |   |   |    |    |   |   |   |
|-----------|----|---|---|---|---|---|---|---|----|----|---|---|---|
| 2007..... | 13 | - | - | - | - | - | - | 2 | 4  | 4  | 2 | 1 | - |
| 2006..... | 28 | - | - | - | - | - | 1 | 3 | 11 | 9  | 4 | - | - |
| 2005..... | 21 | - | - | - | - | 1 | - | 2 | 7  | 5  | 4 | 2 | - |
| 2004..... | 26 | - | - | - | - | - | - | 7 | 9  | 5  | 4 | 1 | - |
| 2003..... | 24 | - | - | - | - | - | - | 3 | 9  | 6  | 3 | 3 | - |
| 2002..... | 36 | - | - | - | - | 1 | 1 | 3 | 12 | 11 | 2 | 6 | - |
| 2001..... | 44 | - | - | - | - | - | 1 | 6 | 11 | 20 | 5 | 1 | - |
| 2000..... | 29 | - | - | - | - | - | - | 2 | 3  | 13 | 7 | 4 | - |
| 1999..... | 31 | - | - | - | - | - | 1 | 3 | 7  | 12 | 6 | 2 | - |

Worktable Orig290F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2007

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data - mortality"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, sex, and year | All ages | Under 1 year | 1-4 years | 5-14 years | 15-24 years | 25-34 years | 35-44 years | 45-54 years | 55-64 years | 65-74 years | 75-84 years | 85 years and over | Age not stated |
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|

Malignant neoplasm of esophagus (C15)

Origin not stated 3/, male

|           |    |   |   |   |   |   |   |   |    |    |   |   |   |
|-----------|----|---|---|---|---|---|---|---|----|----|---|---|---|
| 2007..... | 10 | - | - | - | - | - | - | 2 | 4  | 2  | 1 | 1 | - |
| 2006..... | 22 | - | - | - | - | - | 1 | 2 | 9  | 9  | 1 | - | - |
| 2005..... | 17 | - | - | - | - | 1 | - | 2 | 6  | 5  | 1 | 2 | - |
| 2004..... | 20 | - | - | - | - | - | - | 6 | 5  | 4  | 4 | 1 | - |
| 2003..... | 19 | - | - | - | - | - | - | 3 | 8  | 5  | 1 | 2 | - |
| 2002..... | 29 | - | - | - | - | 1 | 1 | 3 | 11 | 8  | 2 | 3 | - |
| 2001..... | 37 | - | - | - | - | - | 1 | 5 | 11 | 15 | 5 | - | - |
| 2000..... | 23 | - | - | - | - | - | - | 1 | 3  | 11 | 5 | 3 | - |
| 1999..... | 25 | - | - | - | - | - | 1 | 2 | 7  | 10 | 5 | - | - |

Origin not stated 3/, female

|           |   |   |   |   |   |   |   |   |   |   |   |   |   |
|-----------|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 2007..... | 3 | - | - | - | - | - | - | - | - | 2 | 1 | - | - |
| 2006..... | 6 | - | - | - | - | - | - | 1 | 2 | - | 3 | - | - |
| 2005..... | 4 | - | - | - | - | - | - | - | 1 | - | 3 | - | - |
| 2004..... | 6 | - | - | - | - | - | - | 1 | 4 | 1 | - | - | - |
| 2003..... | 5 | - | - | - | - | - | - | - | 1 | 1 | 2 | 1 | - |
| 2002..... | 7 | - | - | - | - | - | - | - | 1 | 3 | - | 3 | - |
| 2001..... | 7 | - | - | - | - | - | - | 1 | - | 5 | - | 1 | - |
| 2000..... | 6 | - | - | - | - | - | - | 1 | - | 2 | 2 | 1 | - |
| 1999..... | 6 | - | - | - | - | - | - | 1 | - | 2 | 1 | 2 | - |

Worktable Orig290F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2007

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data - mortality"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, sex, and year | All ages | Under 1 year | 1-4 years | 5-14 years | 15-24 years | 25-34 years | 35-44 years | 45-54 years | 55-64 years | 65-74 years | 75-84 years | 85 years and over | Age not stated |
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|
| <b>Malignant neoplasm of stomach (C16)</b>   |          |              |           |            |             |             |             |             |             |             |             |                   |                |
| All origins, both sexes  |          |              |           |            |             |             |             |             |             |             |             |                   |                |
| 2007.....  | 11,388   | 1            | -         | -          | 14          | 127         | 456         | 1,151       | 1,879       | 2,555       | 3,255       | 1,950             | -              |
| 2006.....  | 11,345   | -            | -         | 1          | 18          | 124         | 465         | 1,165       | 1,870       | 2,462       | 3,343       | 1,897             | -              |
| 2005.....  | 11,514   | -            | -         | -          | 20          | 115         | 448         | 1,103       | 1,783       | 2,615       | 3,470       | 1,960             | -              |
| 2004.....  | 11,859   | -            | -         | -          | 12          | 122         | 478         | 1,142       | 1,887       | 2,752       | 3,415       | 2,051             | -              |
| 2003.....  | 12,110   | -            | -         | 1          | 19          | 127         | 480         | 1,210       | 1,874       | 2,793       | 3,549       | 2,057             | -              |
| 2002.....  | 12,198   | -            | 1         | -          | 29          | 138         | 436         | 1,106       | 1,831       | 2,816       | 3,656       | 2,185             | -              |
| 2001.....  | 12,319   | -            | -         | -          | 20          | 122         | 464         | 1,127       | 1,771       | 3,021       | 3,793       | 2,001             | -              |
| 2000.....  | 12,645   | -            | -         | 1          | 14          | 124         | 484         | 1,097       | 1,804       | 3,054       | 3,833       | 2,234             | -              |
| 1999.....  | 12,711   | -            | -         | 1          | 13          | 136         | 505         | 1,101       | 1,860       | 3,152       | 3,860       | 2,083             | -              |
| All origins, male  |          |              |           |            |             |             |             |             |             |             |             |                   |                |
| 2007.....  | 6,757    | -            | -         | -          | 7           | 60          | 248         | 704         | 1,259       | 1,700       | 1,871       | 908               | -              |
| 2006.....  | 6,653    | -            | -         | 1          | 10          | 58          | 233         | 729         | 1,262       | 1,564       | 1,949       | 847               | -              |
| 2005.....  | 6,752    | -            | -         | -          | 9           | 58          | 266         | 693         | 1,204       | 1,681       | 1,972       | 869               | -              |
| 2004.....  | 6,958    | -            | -         | -          | 7           | 63          | 269         | 722         | 1,273       | 1,734       | 1,941       | 949               | -              |
| 2003.....  | 7,055    | -            | -         | 1          | 7           | 63          | 262         | 767         | 1,282       | 1,826       | 1,980       | 867               | -              |
| 2002.....  | 7,133    | -            | 1         | -          | 8           | 80          | 239         | 725         | 1,215       | 1,867       | 2,064       | 934               | -              |
| 2001.....  | 7,191    | -            | -         | -          | 9           | 71          | 253         | 731         | 1,238       | 1,928       | 2,148       | 813               | -              |
| 2000.....  | 7,328    | -            | -         | -          | 6           | 69          | 284         | 703         | 1,228       | 1,966       | 2,144       | 928               | -              |
| 1999.....  | 7,459    | -            | -         | 1          | 6           | 76          | 283         | 746         | 1,252       | 2,005       | 2,239       | 851               | -              |

Worktable Orig290F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2007

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data - mortality"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, sex, and year | All ages | Under 1 year | 1-4 years | 5-14 years | 15-24 years | 25-34 years | 35-44 years | 45-54 years | 55-64 years | 65-74 years | 75-84 years | 85 years and over | Age not stated |
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|
| <b>Malignant neoplasm of stomach (C16)</b>   |          |              |           |            |             |             |             |             |             |             |             |                   |                |
| <b>All origins, female</b>   |          |              |           |            |             |             |             |             |             |             |             |                   |                |
| 2007.....  | 4,631    | 1            | -         | -          | 7           | 67          | 208         | 447         | 620         | 855         | 1,384       | 1,042             | -              |
| 2006.....  | 4,692    | -            | -         | -          | 8           | 66          | 232         | 436         | 608         | 898         | 1,394       | 1,050             | -              |
| 2005.....  | 4,762    | -            | -         | -          | 11          | 57          | 182         | 410         | 579         | 934         | 1,498       | 1,091             | -              |
| 2004.....  | 4,901    | -            | -         | -          | 5           | 59          | 209         | 420         | 614         | 1,018       | 1,474       | 1,102             | -              |
| 2003.....  | 5,055    | -            | -         | -          | 12          | 64          | 218         | 443         | 592         | 967         | 1,569       | 1,190             | -              |
| 2002.....  | 5,065    | -            | -         | -          | 21          | 58          | 197         | 381         | 616         | 949         | 1,592       | 1,251             | -              |
| 2001.....  | 5,128    | -            | -         | -          | 11          | 51          | 211         | 396         | 533         | 1,093       | 1,645       | 1,188             | -              |
| 2000.....  | 5,317    | -            | -         | 1          | 8           | 55          | 200         | 394         | 576         | 1,088       | 1,689       | 1,306             | -              |
| 1999.....  | 5,252    | -            | -         | -          | 7           | 60          | 222         | 355         | 608         | 1,147       | 1,621       | 1,232             | -              |
| <b>Hispanic, both sexes</b>  |          |              |           |            |             |             |             |             |             |             |             |                   |                |
| 2007.....  | 1,305    | 1            | -         | -          | 4           | 49          | 114         | 179         | 206         | 281         | 304         | 167               | -              |
| 2006.....  | 1,289    | -            | -         | -          | 8           | 45          | 116         | 176         | 258         | 280         | 286         | 120               | -              |
| 2005.....  | 1,272    | -            | -         | -          | 8           | 38          | 95          | 196         | 221         | 274         | 321         | 119               | -              |
| 2004.....  | 1,355    | -            | -         | -          | 4           | 37          | 125         | 187         | 259         | 310         | 301         | 132               | -              |
| 2003.....  | 1,253    | -            | -         | 1          | 3           | 34          | 92          | 193         | 239         | 291         | 279         | 121               | -              |
| 2002.....  | 1,185    | -            | -         | -          | 6           | 38          | 97          | 154         | 218         | 259         | 283         | 130               | -              |
| 2001.....  | 1,189    | -            | -         | -          | 4           | 41          | 98          | 182         | 209         | 300         | 253         | 102               | -              |
| 2000.....  | 1,111    | -            | -         | 1          | 4           | 24          | 105         | 151         | 167         | 306         | 254         | 99                | -              |
| 1999.....  | 1,055    | -            | -         | -          | 4           | 38          | 85          | 121         | 192         | 271         | 239         | 105               | -              |



Worktable Orig290F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2007

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data - mortality"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, sex, and year | All ages | Under 1 year | 1-4 years | 5-14 years | 15-24 years | 25-34 years | 35-44 years | 45-54 years | 55-64 years | 65-74 years | 75-84 years | 85 years and over | Age not stated |
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|
| <b>Malignant neoplasm of stomach (C16)</b>   |          |              |           |            |             |             |             |             |             |             |             |                   |                |
| <b>Hispanic, male</b>  |          |              |           |            |             |             |             |             |             |             |             |                   |                |
| 2007.....  | 759      | -            | -         | -          | 2           | 26          | 57          | 96          | 140         | 182         | 173         | 83                | -              |
| 2006.....  | 710      | -            | -         | -          | 5           | 21          | 51          | 102         | 159         | 167         | 156         | 49                | -              |
| 2005.....  | 744      | -            | -         | -          | 3           | 23          | 52          | 108         | 137         | 163         | 197         | 61                | -              |
| 2004.....  | 771      | -            | -         | -          | 4           | 22          | 64          | 96          | 157         | 181         | 187         | 60                | -              |
| 2003.....  | 708      | -            | -         | 1          | 2           | 17          | 46          | 108         | 140         | 180         | 166         | 48                | -              |
| 2002.....  | 671      | -            | -         | -          | 2           | 26          | 44          | 85          | 128         | 172         | 150         | 64                | -              |
| 2001.....  | 680      | -            | -         | -          | 2           | 19          | 54          | 104         | 130         | 186         | 135         | 50                | -              |
| 2000.....  | 655      | -            | -         | -          | 1           | 16          | 52          | 78          | 110         | 205         | 144         | 49                | -              |
| 1999.....  | 607      | -            | -         | -          | 1           | 25          | 41          | 76          | 126         | 162         | 141         | 35                | -              |
| <b>Hispanic, female</b>  |          |              |           |            |             |             |             |             |             |             |             |                   |                |
| 2007.....  | 546      | 1            | -         | -          | 2           | 23          | 57          | 83          | 66          | 99          | 131         | 84                | -              |
| 2006.....  | 579      | -            | -         | -          | 3           | 24          | 65          | 74          | 99          | 113         | 130         | 71                | -              |
| 2005.....  | 528      | -            | -         | -          | 5           | 15          | 43          | 88          | 84          | 111         | 124         | 58                | -              |
| 2004.....  | 584      | -            | -         | -          | -           | 15          | 61          | 91          | 102         | 129         | 114         | 72                | -              |
| 2003.....  | 545      | -            | -         | -          | 1           | 17          | 46          | 85          | 99          | 111         | 113         | 73                | -              |
| 2002.....  | 514      | -            | -         | -          | 4           | 12          | 53          | 69          | 90          | 87          | 133         | 66                | -              |
| 2001.....  | 509      | -            | -         | -          | 2           | 22          | 44          | 78          | 79          | 114         | 118         | 52                | -              |
| 2000.....  | 456      | -            | -         | 1          | 3           | 8           | 53          | 73          | 57          | 101         | 110         | 50                | -              |
| 1999.....  | 448      | -            | -         | -          | 3           | 13          | 44          | 45          | 66          | 109         | 98          | 70                | -              |

Worktable Orig290F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2007

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data - mortality"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, sex, and year | All ages | Under 1 year | 1-4 years | 5-14 years | 15-24 years | 25-34 years | 35-44 years | 45-54 years | 55-64 years | 65-74 years | 75-84 years | 85 years and over | Age not stated |
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|
| <b>Malignant neoplasm of stomach (C16)</b>   |          |              |           |            |             |             |             |             |             |             |             |                   |                |
| <b>Non-Hispanic 1/, both sexes</b>   |          |              |           |            |             |             |             |             |             |             |             |                   |                |
| 2007.....  | 10,075   | -            | -         | -          | 10          | 78          | 342         | 971         | 1,670       | 2,270       | 2,951       | 1,783             | -              |
| 2006.....  | 10,045   | -            | -         | 1          | 10          | 79          | 348         | 986         | 1,610       | 2,180       | 3,054       | 1,777             | -              |
| 2005.....  | 10,223   | -            | -         | -          | 12          | 77          | 352         | 903         | 1,559       | 2,335       | 3,146       | 1,839             | -              |
| 2004.....  | 10,481   | -            | -         | -          | 8           | 84          | 352         | 953         | 1,623       | 2,439       | 3,105       | 1,917             | -              |
| 2003.....  | 10,827   | -            | -         | -          | 16          | 91          | 388         | 1,014       | 1,630       | 2,496       | 3,260       | 1,932             | -              |
| 2002.....  | 10,974   | -            | 1         | -          | 23          | 99          | 337         | 950         | 1,609       | 2,548       | 3,363       | 2,044             | -              |
| 2001.....  | 11,099   | -            | -         | -          | 16          | 81          | 365         | 943         | 1,558       | 2,712       | 3,529       | 1,895             | -              |
| 2000.....  | 11,491   | -            | -         | -          | 10          | 99          | 378         | 943         | 1,627       | 2,739       | 3,568       | 2,127             | -              |
| 1999.....  | 11,615   | -            | -         | 1          | 9           | 98          | 420         | 970         | 1,662       | 2,867       | 3,615       | 1,973             | -              |
| <b>Non-Hispanic 1/, male</b>   |          |              |           |            |             |             |             |             |             |             |             |                   |                |
| 2007.....  | 5,991    | -            | -         | -          | 5           | 34          | 191         | 607         | 1,116       | 1,515       | 1,698       | 825               | -              |
| 2006.....  | 5,938    | -            | -         | 1          | 5           | 37          | 182         | 626         | 1,101       | 1,395       | 1,793       | 798               | -              |
| 2005.....  | 5,997    | -            | -         | -          | 6           | 35          | 213         | 582         | 1,065       | 1,516       | 1,773       | 807               | -              |
| 2004.....  | 6,173    | -            | -         | -          | 3           | 40          | 204         | 624         | 1,112       | 1,552       | 1,751       | 887               | -              |
| 2003.....  | 6,326    | -            | -         | -          | 5           | 45          | 216         | 656         | 1,138       | 1,641       | 1,808       | 817               | -              |
| 2002.....  | 6,438    | -            | 1         | -          | 6           | 54          | 194         | 639         | 1,084       | 1,688       | 1,908       | 864               | -              |
| 2001.....  | 6,492    | -            | -         | -          | 7           | 52          | 199         | 625         | 1,105       | 1,737       | 2,007       | 760               | -              |
| 2000.....  | 6,648    | -            | -         | -          | 5           | 53          | 231         | 622         | 1,113       | 1,753       | 1,994       | 877               | -              |
| 1999.....  | 6,827    | -            | -         | 1          | 5           | 51          | 242         | 662         | 1,122       | 1,834       | 2,096       | 814               | -              |

Worktable Orig290F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2007

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data - mortality"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, sex, and year | All ages | Under 1 year | 1-4 years | 5-14 years | 15-24 years | 25-34 years | 35-44 years | 45-54 years | 55-64 years | 65-74 years | 75-84 years | 85 years and over | Age not stated |
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|
| <b>Malignant neoplasm of stomach (C16)</b>   |          |              |           |            |             |             |             |             |             |             |             |                   |                |
| <b>Non-Hispanic 1/, female</b>   |          |              |           |            |             |             |             |             |             |             |             |                   |                |
| 2007.....  | 4,084    | -            | -         | -          | 5           | 44          | 151         | 364         | 554         | 755         | 1,253       | 958               | -              |
| 2006.....  | 4,107    | -            | -         | -          | 5           | 42          | 166         | 360         | 509         | 785         | 1,261       | 979               | -              |
| 2005.....  | 4,226    | -            | -         | -          | 6           | 42          | 139         | 321         | 494         | 819         | 1,373       | 1,032             | -              |
| 2004.....  | 4,308    | -            | -         | -          | 5           | 44          | 148         | 329         | 511         | 887         | 1,354       | 1,030             | -              |
| 2003.....  | 4,501    | -            | -         | -          | 11          | 46          | 172         | 358         | 492         | 855         | 1,452       | 1,115             | -              |
| 2002.....  | 4,536    | -            | -         | -          | 17          | 45          | 143         | 311         | 525         | 860         | 1,455       | 1,180             | -              |
| 2001.....  | 4,607    | -            | -         | -          | 9           | 29          | 166         | 318         | 453         | 975         | 1,522       | 1,135             | -              |
| 2000.....  | 4,843    | -            | -         | -          | 5           | 46          | 147         | 321         | 514         | 986         | 1,574       | 1,250             | -              |
| 1999.....  | 4,788    | -            | -         | -          | 4           | 47          | 178         | 308         | 540         | 1,033       | 1,519       | 1,159             | -              |
| <b>Non-Hispanic white, both sexes</b>  |          |              |           |            |             |             |             |             |             |             |             |                   |                |
| 2007 2/.....   | 7,272    | -            | -         | -          | 5           | 49          | 219         | 616         | 1,118       | 1,624       | 2,221       | 1,420             | -              |
| 2006 2/.....   | 7,306    | -            | -         | -          | 4           | 44          | 189         | 659         | 1,114       | 1,557       | 2,315       | 1,424             | -              |
| 2005 2/.....   | 7,455    | -            | -         | -          | 6           | 33          | 203         | 584         | 1,084       | 1,674       | 2,397       | 1,474             | -              |
| 2004 2/.....   | 7,732    | -            | -         | -          | 3           | 46          | 209         | 601         | 1,121       | 1,745       | 2,436       | 1,571             | -              |
| 2003 2/.....   | 8,035    | -            | -         | -          | 12          | 52          | 234         | 637         | 1,172       | 1,861       | 2,540       | 1,527             | -              |
| 2002.....  | 8,124    | -            | 1         | -          | 15          | 55          | 205         | 616         | 1,137       | 1,861       | 2,613       | 1,621             | -              |
| 2001.....  | 8,308    | -            | -         | -          | 6           | 43          | 211         | 615         | 1,110       | 2,010       | 2,779       | 1,534             | -              |
| 2000.....  | 8,600    | -            | -         | -          | 5           | 53          | 213         | 625         | 1,180       | 2,031       | 2,781       | 1,712             | -              |
| 1999.....  | 8,712    | -            | -         | -          | 4           | 50          | 237         | 646         | 1,156       | 2,181       | 2,859       | 1,579             | -              |

Worktable Orig290F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2007

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data - mortality"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, sex, and year | All ages | Under 1 year | 1-4 years | 5-14 years | 15-24 years | 25-34 years | 35-44 years | 45-54 years | 55-64 years | 65-74 years | 75-84 years | 85 years and over | Age not stated |
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|
| <b>Malignant neoplasm of stomach (C16)</b>   |          |              |           |            |             |             |             |             |             |             |             |                   |                |
| <b>Non-Hispanic white, male</b>  |          |              |           |            |             |             |             |             |             |             |             |                   |                |
| 2007 2/.....   | 4,355    | -            | -         | -          | 2           | 22          | 132         | 388         | 762         | 1,111       | 1,276       | 662               | -              |
| 2006 2/.....   | 4,399    | -            | -         | -          | 2           | 18          | 104         | 433         | 781         | 1,024       | 1,388       | 649               | -              |
| 2005 2/.....   | 4,372    | -            | -         | -          | 3           | 19          | 121         | 381         | 743         | 1,090       | 1,369       | 646               | -              |
| 2004 2/.....   | 4,575    | -            | -         | -          | 1           | 25          | 128         | 412         | 784         | 1,114       | 1,375       | 736               | -              |
| 2003 2/.....   | 4,718    | -            | -         | -          | 5           | 28          | 140         | 421         | 825         | 1,224       | 1,424       | 651               | -              |
| 2002.....  | 4,864    | -            | 1         | -          | 3           | 31          | 123         | 431         | 791         | 1,265       | 1,523       | 696               | -              |
| 2001.....  | 4,884    | -            | -         | -          | 2           | 29          | 122         | 416         | 794         | 1,288       | 1,606       | 627               | -              |
| 2000.....  | 5,033    | -            | -         | -          | 2           | 29          | 129         | 424         | 825         | 1,330       | 1,580       | 714               | -              |
| 1999.....  | 5,171    | -            | -         | -          | 3           | 30          | 142         | 454         | 798         | 1,426       | 1,670       | 648               | -              |
| <b>Non-Hispanic white, female</b>  |          |              |           |            |             |             |             |             |             |             |             |                   |                |
| 2007 2/.....   | 2,917    | -            | -         | -          | 3           | 27          | 87          | 228         | 356         | 513         | 945         | 758               | -              |
| 2006 2/.....   | 2,907    | -            | -         | -          | 2           | 26          | 85          | 226         | 333         | 533         | 927         | 775               | -              |
| 2005 2/.....   | 3,083    | -            | -         | -          | 3           | 14          | 82          | 203         | 341         | 584         | 1,028       | 828               | -              |
| 2004 2/.....   | 3,157    | -            | -         | -          | 2           | 21          | 81          | 189         | 337         | 631         | 1,061       | 835               | -              |
| 2003 2/.....   | 3,317    | -            | -         | -          | 7           | 24          | 94          | 216         | 347         | 637         | 1,116       | 876               | -              |
| 2002.....  | 3,260    | -            | -         | -          | 12          | 24          | 82          | 185         | 346         | 596         | 1,090       | 925               | -              |
| 2001.....  | 3,424    | -            | -         | -          | 4           | 14          | 89          | 199         | 316         | 722         | 1,173       | 907               | -              |
| 2000.....  | 3,567    | -            | -         | -          | 3           | 24          | 84          | 201         | 355         | 701         | 1,201       | 998               | -              |
| 1999.....  | 3,541    | -            | -         | -          | 1           | 20          | 95          | 192         | 358         | 755         | 1,189       | 931               | -              |

Worktable Orig290F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2007

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data - mortality"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, sex, and year | All ages | Under 1 year | 1-4 years | 5-14 years | 15-24 years | 25-34 years | 35-44 years | 45-54 years | 55-64 years | 65-74 years | 75-84 years | 85 years and over | Age not stated |
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|
| <b>Malignant neoplasm of stomach (C16)</b>   |          |              |           |            |             |             |             |             |             |             |             |                   |                |
| <b>Non-Hispanic black, both sexes</b>  |          |              |           |            |             |             |             |             |             |             |             |                   |                |
| 2007 2/.....   | 1,973    | -            | -         | -          | 3           | 18          | 81          | 260         | 395         | 453         | 507         | 256               | -              |
| 2006 2/.....   | 1,901    | -            | -         | 1          | 3           | 20          | 98          | 223         | 348         | 434         | 517         | 257               | -              |
| 2005 2/.....   | 1,949    | -            | -         | -          | 3           | 23          | 99          | 226         | 340         | 463         | 519         | 276               | -              |
| 2004 2/.....   | 2,004    | -            | -         | -          | 4           | 26          | 93          | 255         | 364         | 519         | 495         | 248               | -              |
| 2003 2/.....   | 2,017    | -            | -         | -          | 1           | 22          | 101         | 271         | 347         | 458         | 528         | 289               | -              |
| 2002.....  | 2,112    | -            | -         | -          | 8           | 33          | 90          | 248         | 339         | 518         | 545         | 331               | -              |
| 2001.....  | 2,051    | -            | -         | -          | 5           | 25          | 121         | 237         | 324         | 505         | 548         | 286               | -              |
| 2000.....  | 2,156    | -            | -         | -          | 4           | 36          | 117         | 239         | 335         | 523         | 579         | 323               | -              |
| 1999.....  | 2,183    | -            | -         | 1          | 3           | 36          | 127         | 237         | 373         | 507         | 580         | 319               | -              |
| <b>Non-Hispanic black, male</b>  |          |              |           |            |             |             |             |             |             |             |             |                   |                |
| 2007 2/.....   | 1,175    | -            | -         | -          | 2           | 8           | 42          | 175         | 259         | 290         | 289         | 110               | -              |
| 2006 2/.....   | 1,085    | -            | -         | 1          | 2           | 13          | 51          | 144         | 232         | 254         | 295         | 93                | -              |
| 2005 2/.....   | 1,147    | -            | -         | -          | 2           | 10          | 67          | 148         | 242         | 298         | 257         | 123               | -              |
| 2004 2/.....   | 1,171    | -            | -         | -          | 2           | 10          | 50          | 161         | 246         | 338         | 266         | 98                | -              |
| 2003 2/.....   | 1,175    | -            | -         | -          | -           | 10          | 53          | 183         | 239         | 310         | 279         | 101               | -              |
| 2002.....  | 1,184    | -            | -         | -          | 3           | 20          | 49          | 165         | 223         | 323         | 276         | 125               | -              |
| 2001.....  | 1,177    | -            | -         | -          | 2           | 14          | 63          | 161         | 220         | 332         | 293         | 92                | -              |
| 2000.....  | 1,202    | -            | -         | -          | 2           | 20          | 77          | 154         | 222         | 314         | 295         | 118               | -              |
| 1999.....  | 1,252    | -            | -         | 1          | 1           | 19          | 72          | 158         | 241         | 309         | 325         | 126               | -              |

Worktable Orig290F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2007

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data - mortality"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, sex, and year | All ages | Under 1 year | 1-4 years | 5-14 years | 15-24 years | 25-34 years | 35-44 years | 45-54 years | 55-64 years | 65-74 years | 75-84 years | 85 years and over | Age not stated |
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|
| <b>Malignant neoplasm of stomach (C16)</b>   |          |              |           |            |             |             |             |             |             |             |             |                   |                |
| <b>Non-Hispanic black, female</b>  |          |              |           |            |             |             |             |             |             |             |             |                   |                |
| 2007 2/.....   | 798      | -            | -         | -          | 1           | 10          | 39          | 85          | 136         | 163         | 218         | 146               | -              |
| 2006 2/.....   | 816      | -            | -         | -          | 1           | 7           | 47          | 79          | 116         | 180         | 222         | 164               | -              |
| 2005 2/.....   | 802      | -            | -         | -          | 1           | 13          | 32          | 78          | 98          | 165         | 262         | 153               | -              |
| 2004 2/.....   | 833      | -            | -         | -          | 2           | 16          | 43          | 94          | 118         | 181         | 229         | 150               | -              |
| 2003 2/.....   | 842      | -            | -         | -          | 1           | 12          | 48          | 88          | 108         | 148         | 249         | 188               | -              |
| 2002.....  | 928      | -            | -         | -          | 5           | 13          | 41          | 83          | 116         | 195         | 269         | 206               | -              |
| 2001.....  | 874      | -            | -         | -          | 3           | 11          | 58          | 76          | 104         | 173         | 255         | 194               | -              |
| 2000.....  | 954      | -            | -         | -          | 2           | 16          | 40          | 85          | 113         | 209         | 284         | 205               | -              |
| 1999.....  | 931      | -            | -         | -          | 2           | 17          | 55          | 79          | 132         | 198         | 255         | 193               | -              |
| <b>Origin not stated 3/, both sexes</b>  |          |              |           |            |             |             |             |             |             |             |             |                   |                |
| 2007.....  | 8        | -            | -         | -          | -           | -           | -           | 1           | 3           | 4           | -           | -                 | -              |
| 2006.....  | 11       | -            | -         | -          | -           | -           | 1           | 3           | 2           | 2           | 3           | -                 | -              |
| 2005.....  | 19       | -            | -         | -          | -           | -           | 1           | 4           | 3           | 6           | 3           | 2                 | -              |
| 2004.....  | 23       | -            | -         | -          | -           | 1           | 1           | 2           | 5           | 3           | 9           | 2                 | -              |
| 2003.....  | 30       | -            | -         | -          | -           | 2           | -           | 3           | 5           | 6           | 10          | 4                 | -              |
| 2002.....  | 39       | -            | -         | -          | -           | 1           | 2           | 2           | 4           | 9           | 10          | 11                | -              |
| 2001.....  | 31       | -            | -         | -          | -           | -           | 1           | 2           | 4           | 9           | 11          | 4                 | -              |
| 2000.....  | 43       | -            | -         | -          | -           | 1           | 1           | 3           | 10          | 9           | 11          | 8                 | -              |
| 1999.....  | 41       | -            | -         | -          | -           | -           | -           | 10          | 6           | 14          | 6           | 5                 | -              |

Worktable Orig290F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2007

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data - mortality"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, sex, and year | All ages | Under 1 year | 1-4 years | 5-14 years | 15-24 years | 25-34 years | 35-44 years | 45-54 years | 55-64 years | 65-74 years | 75-84 years | 85 years and over | Age not stated |
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|
| <b>Malignant neoplasm of stomach (C16)</b>   |          |              |           |            |             |             |             |             |             |             |             |                   |                |
| Origin not stated 3/, male   |          |              |           |            |             |             |             |             |             |             |             |                   |                |
| 2007.....  | 7        | -            | -         | -          | -           | -           | -           | 1           | 3           | 3           | -           | -                 | -              |
| 2006.....  | 5        | -            | -         | -          | -           | -           | -           | 1           | 2           | 2           | -           | -                 | -              |
| 2005.....  | 11       | -            | -         | -          | -           | -           | 1           | 3           | 2           | 2           | 2           | 1                 | -              |
| 2004.....  | 14       | -            | -         | -          | -           | 1           | 1           | 2           | 4           | 1           | 3           | 2                 | -              |
| 2003.....  | 21       | -            | -         | -          | -           | 1           | -           | 3           | 4           | 5           | 6           | 2                 | -              |
| 2002.....  | 24       | -            | -         | -          | -           | -           | 1           | 1           | 3           | 7           | 6           | 6                 | -              |
| 2001.....  | 19       | -            | -         | -          | -           | -           | -           | 2           | 3           | 5           | 6           | 3                 | -              |
| 2000.....  | 25       | -            | -         | -          | -           | -           | 1           | 3           | 5           | 8           | 6           | 2                 | -              |
| 1999.....  | 25       | -            | -         | -          | -           | -           | -           | 8           | 4           | 9           | 2           | 2                 | -              |
| Origin not stated 3/, female   |          |              |           |            |             |             |             |             |             |             |             |                   |                |
| 2007.....  | 1        | -            | -         | -          | -           | -           | -           | -           | -           | 1           | -           | -                 | -              |
| 2006.....  | 6        | -            | -         | -          | -           | -           | 1           | 2           | -           | -           | 3           | -                 | -              |
| 2005.....  | 8        | -            | -         | -          | -           | -           | -           | 1           | 1           | 4           | 1           | 1                 | -              |
| 2004.....  | 9        | -            | -         | -          | -           | -           | -           | -           | 1           | 2           | 6           | -                 | -              |
| 2003.....  | 9        | -            | -         | -          | -           | 1           | -           | -           | 1           | 1           | 4           | 2                 | -              |
| 2002.....  | 15       | -            | -         | -          | -           | 1           | 1           | 1           | 1           | 2           | 4           | 5                 | -              |
| 2001.....  | 12       | -            | -         | -          | -           | -           | 1           | -           | 1           | 4           | 5           | 1                 | -              |
| 2000.....  | 18       | -            | -         | -          | -           | 1           | -           | -           | 5           | 1           | 5           | 6                 | -              |
| 1999.....  | 16       | -            | -         | -          | -           | -           | -           | 2           | 2           | 5           | 4           | 3                 | -              |

Worktable Orig290F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2007

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data - mortality"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, sex, and year | All ages | Under 1 year | 1-4 years | 5-14 years | 15-24 years | 25-34 years | 35-44 years | 45-54 years | 55-64 years | 65-74 years | 75-84 years | 85 years and over | Age not stated |
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|
| <b>Malignant neoplasms of colon, rectum and anus (C18-C21)</b>   |          |              |           |            |             |             |             |             |             |             |             |                   |                |
| <b>All origins, both sexes</b>   |          |              |           |            |             |             |             |             |             |             |             |                   |                |
| 2007.....  | 53,586   | -            | -         | 1          | 35          | 275         | 1,302       | 4,793       | 9,058       | 11,634      | 15,417      | 11,069            | 2              |
| 2006.....  | 53,549   | -            | -         | 1          | 42          | 323         | 1,330       | 4,499       | 8,626       | 11,709      | 16,024      | 10,992            | 3              |
| 2005.....  | 53,252   | 1            | -         | 4          | 47          | 305         | 1,297       | 4,343       | 8,153       | 11,792      | 16,254      | 11,054            | 2              |
| 2004.....  | 53,772   | -            | -         | 1          | 54          | 279         | 1,326       | 4,273       | 8,208       | 11,954      | 16,714      | 10,963            | -              |
| 2003.....  | 55,958   | -            | -         | 4          | 40          | 291         | 1,315       | 4,442       | 8,304       | 12,934      | 17,331      | 11,296            | 1              |
| 2002.....  | 56,741   | 1            | -         | 1          | 50          | 290         | 1,425       | 4,573       | 8,421       | 13,392      | 17,498      | 11,089            | 1              |
| 2001.....  | 56,887   | -            | -         | -          | 46          | 299         | 1,433       | 4,548       | 7,984       | 13,791      | 17,527      | 11,259            | -              |
| 2000.....  | 57,477   | -            | -         | 3          | 40          | 272         | 1,369       | 4,237       | 7,940       | 14,101      | 18,053      | 11,462            | -              |
| 1999.....  | 57,155   | 1            | -         | 1          | 49          | 283         | 1,333       | 4,057       | 7,967       | 14,249      | 17,929      | 11,286            | -              |
| <b>All origins, male</b>   |          |              |           |            |             |             |             |             |             |             |             |                   |                |
| 2007.....  | 27,125   | -            | -         | 1          | 26          | 155         | 705         | 2,657       | 5,339       | 6,617       | 7,652       | 3,972             | 1              |
| 2006.....  | 26,921   | -            | -         | 1          | 20          | 166         | 697         | 2,474       | 5,018       | 6,662       | 7,921       | 3,960             | 2              |
| 2005.....  | 26,843   | 1            | -         | 4          | 27          | 167         | 694         | 2,401       | 4,812       | 6,789       | 8,003       | 3,943             | 2              |
| 2004.....  | 26,930   | -            | -         | 1          | 34          | 152         | 695         | 2,442       | 4,785       | 6,792       | 8,189       | 3,840             | -              |
| 2003.....  | 28,007   | -            | -         | 3          | 25          | 158         | 714         | 2,509       | 4,831       | 7,346       | 8,471       | 3,949             | 1              |
| 2002.....  | 28,501   | 1            | -         | 1          | 34          | 161         | 797         | 2,564       | 5,035       | 7,580       | 8,504       | 3,823             | 1              |
| 2001.....  | 28,225   | -            | -         | -          | 24          | 157         | 781         | 2,512       | 4,652       | 7,773       | 8,451       | 3,875             | -              |
| 2000.....  | 28,462   | -            | -         | 2          | 24          | 153         | 759         | 2,359       | 4,608       | 7,924       | 8,760       | 3,873             | -              |
| 1999.....  | 28,240   | -            | -         | 1          | 27          | 160         | 678         | 2,250       | 4,621       | 7,883       | 8,754       | 3,866             | -              |



Worktable Orig290F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2007

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data - mortality"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, sex, and year | All ages | Under 1 year | 1-4 years | 5-14 years | 15-24 years | 25-34 years | 35-44 years | 45-54 years | 55-64 years | 65-74 years | 75-84 years | 85 years and over | Age not stated |
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|
| Malignant neoplasms of colon, rectum and anus (C18-C21)  |          |              |           |            |             |             |             |             |             |             |             |                   |                |
| All origins, female  |          |              |           |            |             |             |             |             |             |             |             |                   |                |
| 2007.....  | 26,461   | -            | -         | -          | 9           | 120         | 597         | 2,136       | 3,719       | 5,017       | 7,765       | 7,097             | 1              |
| 2006.....  | 26,628   | -            | -         | -          | 22          | 157         | 633         | 2,025       | 3,608       | 5,047       | 8,103       | 7,032             | 1              |
| 2005.....  | 26,409   | -            | -         | -          | 20          | 138         | 603         | 1,942       | 3,341       | 5,003       | 8,251       | 7,111             | -              |
| 2004.....  | 26,842   | -            | -         | -          | 20          | 127         | 631         | 1,831       | 3,423       | 5,162       | 8,525       | 7,123             | -              |
| 2003.....  | 27,951   | -            | -         | 1          | 15          | 133         | 601         | 1,933       | 3,473       | 5,588       | 8,860       | 7,347             | -              |
| 2002.....  | 28,240   | -            | -         | -          | 16          | 129         | 628         | 2,009       | 3,386       | 5,812       | 8,994       | 7,266             | -              |
| 2001.....  | 28,662   | -            | -         | -          | 22          | 142         | 652         | 2,036       | 3,332       | 6,018       | 9,076       | 7,384             | -              |
| 2000.....  | 29,015   | -            | -         | 1          | 16          | 119         | 610         | 1,878       | 3,332       | 6,177       | 9,293       | 7,589             | -              |
| 1999.....  | 28,915   | 1            | -         | -          | 22          | 123         | 655         | 1,807       | 3,346       | 6,366       | 9,175       | 7,420             | -              |
| Hispanic, both sexes   |          |              |           |            |             |             |             |             |             |             |             |                   |                |
| 2007.....  | 2,804    | -            | -         | -          | 3           | 38          | 146         | 381         | 573         | 601         | 689         | 373               | -              |
| 2006.....  | 2,757    | -            | -         | -          | 10          | 43          | 134         | 339         | 519         | 628         | 720         | 364               | -              |
| 2005.....  | 2,542    | -            | -         | 1          | 6           | 41          | 122         | 303         | 438         | 614         | 674         | 343               | -              |
| 2004.....  | 2,438    | -            | -         | -          | 9           | 42          | 114         | 289         | 471         | 604         | 599         | 310               | -              |
| 2003.....  | 2,471    | -            | -         | -          | 10          | 34          | 122         | 314         | 493         | 607         | 612         | 279               | -              |
| 2002.....  | 2,364    | -            | -         | 1          | 2           | 27          | 121         | 282         | 454         | 605         | 573         | 299               | -              |
| 2001.....  | 2,250    | -            | -         | -          | 6           | 20          | 127         | 245         | 415         | 592         | 535         | 310               | -              |
| 2000.....  | 2,117    | -            | -         | -          | 8           | 33          | 118         | 263         | 395         | 530         | 497         | 273               | -              |
| 1999.....  | 2,031    | -            | -         | -          | 7           | 31          | 86          | 245         | 344         | 581         | 485         | 252               | -              |

Worktable Orig290F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2007

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data - mortality"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, sex, and year | All ages | Under 1 year | 1-4 years | 5-14 years | 15-24 years | 25-34 years | 35-44 years | 45-54 years | 55-64 years | 65-74 years | 75-84 years | 85 years and over | Age not stated |
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|
| Malignant neoplasms of colon, rectum and anus (C18-C21)  |          |              |           |            |             |             |             |             |             |             |             |                   |                |
| Hispanic, male   |          |              |           |            |             |             |             |             |             |             |             |                   |                |
| 2007.....  | 1,509    | -            | -         | -          | 3           | 23          | 88          | 220         | 333         | 364         | 335         | 143               | -              |
| 2006.....  | 1,445    | -            | -         | -          | 3           | 24          | 61          | 178         | 310         | 372         | 357         | 140               | -              |
| 2005.....  | 1,350    | -            | -         | 1          | 2           | 17          | 61          | 172         | 265         | 356         | 334         | 142               | -              |
| 2004.....  | 1,327    | -            | -         | -          | 3           | 21          | 72          | 172         | 281         | 336         | 319         | 123               | -              |
| 2003.....  | 1,363    | -            | -         | -          | 8           | 20          | 72          | 191         | 295         | 351         | 314         | 112               | -              |
| 2002.....  | 1,287    | -            | -         | 1          | -           | 13          | 62          | 170         | 291         | 351         | 295         | 104               | -              |
| 2001.....  | 1,185    | -            | -         | -          | 3           | 8           | 76          | 124         | 245         | 333         | 261         | 135               | -              |
| 2000.....  | 1,124    | -            | -         | -          | 3           | 17          | 52          | 140         | 227         | 301         | 267         | 117               | -              |
| 1999.....  | 1,062    | -            | -         | -          | 5           | 14          | 39          | 133         | 185         | 331         | 257         | 98                | -              |
| Hispanic, female   |          |              |           |            |             |             |             |             |             |             |             |                   |                |
| 2007.....  | 1,295    | -            | -         | -          | -           | 15          | 58          | 161         | 240         | 237         | 354         | 230               | -              |
| 2006.....  | 1,312    | -            | -         | -          | 7           | 19          | 73          | 161         | 209         | 256         | 363         | 224               | -              |
| 2005.....  | 1,192    | -            | -         | -          | 4           | 24          | 61          | 131         | 173         | 258         | 340         | 201               | -              |
| 2004.....  | 1,111    | -            | -         | -          | 6           | 21          | 42          | 117         | 190         | 268         | 280         | 187               | -              |
| 2003.....  | 1,108    | -            | -         | -          | 2           | 14          | 50          | 123         | 198         | 256         | 298         | 167               | -              |
| 2002.....  | 1,077    | -            | -         | -          | 2           | 14          | 59          | 112         | 163         | 254         | 278         | 195               | -              |
| 2001.....  | 1,065    | -            | -         | -          | 3           | 12          | 51          | 121         | 170         | 259         | 274         | 175               | -              |
| 2000.....  | 993      | -            | -         | -          | 5           | 16          | 66          | 123         | 168         | 229         | 230         | 156               | -              |
| 1999.....  | 969      | -            | -         | -          | 2           | 17          | 47          | 112         | 159         | 250         | 228         | 154               | -              |

Worktable Orig290F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2007

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data - mortality"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, sex, and year | All ages | Under 1 year | 1-4 years | 5-14 years | 15-24 years | 25-34 years | 35-44 years | 45-54 years | 55-64 years | 65-74 years | 75-84 years | 85 years and over | Age not stated |
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|
| <b>Malignant neoplasms of colon, rectum and anus (C18-C21)</b>   |          |              |           |            |             |             |             |             |             |             |             |                   |                |
| <b>Non-Hispanic 1/, both sexes</b>   |          |              |           |            |             |             |             |             |             |             |             |                   |                |
| 2007.....  | 50,719   | -            | -         | 1          | 32          | 236         | 1,154       | 4,407       | 8,470       | 11,013      | 14,716      | 10,688            | 2              |
| 2006.....  | 50,710   | -            | -         | 1          | 32          | 280         | 1,194       | 4,143       | 8,088       | 11,062      | 15,288      | 10,619            | 3              |
| 2005.....  | 50,629   | 1            | -         | 3          | 41          | 264         | 1,172       | 4,030       | 7,703       | 11,157      | 15,557      | 10,700            | 1              |
| 2004.....  | 51,252   | -            | -         | 1          | 45          | 236         | 1,210       | 3,978       | 7,728       | 11,326      | 16,088      | 10,640            | -              |
| 2003.....  | 53,372   | -            | -         | 4          | 30          | 257         | 1,193       | 4,111       | 7,793       | 12,304      | 16,687      | 10,992            | 1              |
| 2002.....  | 54,244   | 1            | -         | -          | 48          | 259         | 1,299       | 4,281       | 7,948       | 12,758      | 16,882      | 10,767            | 1              |
| 2001.....  | 54,513   | -            | -         | -          | 40          | 279         | 1,301       | 4,289       | 7,545       | 13,172      | 16,963      | 10,924            | -              |
| 2000.....  | 55,244   | -            | -         | 3          | 32          | 238         | 1,247       | 3,963       | 7,523       | 13,544      | 17,527      | 11,167            | -              |
| 1999.....  | 54,976   | 1            | -         | 1          | 41          | 252         | 1,241       | 3,804       | 7,604       | 13,640      | 17,390      | 11,002            | -              |
| <b>Non-Hispanic 1/, male</b>   |          |              |           |            |             |             |             |             |             |             |             |                   |                |
| 2007.....  | 25,581   | -            | -         | 1          | 23          | 131         | 615         | 2,434       | 4,996       | 6,242       | 7,311       | 3,827             | 1              |
| 2006.....  | 25,420   | -            | -         | 1          | 17          | 142         | 636         | 2,282       | 4,692       | 6,276       | 7,558       | 3,814             | 2              |
| 2005.....  | 25,445   | 1            | -         | 3          | 25          | 150         | 630         | 2,223       | 4,540       | 6,420       | 7,655       | 3,797             | 1              |
| 2004.....  | 25,561   | -            | -         | 1          | 31          | 130         | 622         | 2,268       | 4,499       | 6,442       | 7,855       | 3,713             | -              |
| 2003.....  | 26,579   | -            | -         | 3          | 17          | 138         | 642         | 2,307       | 4,525       | 6,981       | 8,138       | 3,827             | 1              |
| 2002.....  | 27,140   | 1            | -         | -          | 34          | 146         | 730         | 2,388       | 4,731       | 7,208       | 8,188       | 3,713             | 1              |
| 2001.....  | 26,978   | -            | -         | -          | 21          | 149         | 701         | 2,382       | 4,390       | 7,419       | 8,181       | 3,735             | -              |
| 2000.....  | 27,287   | -            | -         | 2          | 21          | 135         | 705         | 2,215       | 4,373       | 7,609       | 8,476       | 3,751             | -              |
| 1999.....  | 27,103   | -            | -         | 1          | 22          | 146         | 636         | 2,113       | 4,424       | 7,538       | 8,467       | 3,756             | -              |

Worktable Orig290F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2007

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data - mortality"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, sex, and year | All ages | Under 1 year | 1-4 years | 5-14 years | 15-24 years | 25-34 years | 35-44 years | 45-54 years | 55-64 years | 65-74 years | 75-84 years | 85 years and over | Age not stated |
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|
| <b>Malignant neoplasms of colon, rectum and anus (C18-C21)</b>   |          |              |           |            |             |             |             |             |             |             |             |                   |                |
| <b>Non-Hispanic 1/, female</b>   |          |              |           |            |             |             |             |             |             |             |             |                   |                |
| 2007.....  | 25,138   | -            | -         | -          | 9           | 105         | 539         | 1,973       | 3,474       | 4,771       | 7,405       | 6,861             | 1              |
| 2006.....  | 25,290   | -            | -         | -          | 15          | 138         | 558         | 1,861       | 3,396       | 4,786       | 7,730       | 6,805             | 1              |
| 2005.....  | 25,184   | -            | -         | -          | 16          | 114         | 542         | 1,807       | 3,163       | 4,737       | 7,902       | 6,903             | -              |
| 2004.....  | 25,691   | -            | -         | -          | 14          | 106         | 588         | 1,710       | 3,229       | 4,884       | 8,233       | 6,927             | -              |
| 2003.....  | 26,793   | -            | -         | 1          | 13          | 119         | 551         | 1,804       | 3,268       | 5,323       | 8,549       | 7,165             | -              |
| 2002.....  | 27,104   | -            | -         | -          | 14          | 113         | 569         | 1,893       | 3,217       | 5,550       | 8,694       | 7,054             | -              |
| 2001.....  | 27,535   | -            | -         | -          | 19          | 130         | 600         | 1,907       | 3,155       | 5,753       | 8,782       | 7,189             | -              |
| 2000.....  | 27,957   | -            | -         | 1          | 11          | 103         | 542         | 1,748       | 3,150       | 5,935       | 9,051       | 7,416             | -              |
| 1999.....  | 27,873   | 1            | -         | -          | 19          | 106         | 605         | 1,691       | 3,180       | 6,102       | 8,923       | 7,246             | -              |
| <b>Non-Hispanic white, both sexes</b>  |          |              |           |            |             |             |             |             |             |             |             |                   |                |
| 2007 2/.....   | 42,410   | -            | -         | 1          | 18          | 168         | 856         | 3,303       | 6,614       | 9,093       | 12,794      | 9,562             | 1              |
| 2006 2/.....   | 42,506   | -            | -         | -          | 25          | 186         | 853         | 3,118       | 6,422       | 9,171       | 13,223      | 9,506             | 2              |
| 2005 2/.....   | 42,479   | 1            | -         | 3          | 30          | 188         | 875         | 2,989       | 6,068       | 9,253       | 13,529      | 9,543             | -              |
| 2004 2/.....   | 43,390   | -            | -         | 1          | 26          | 166         | 885         | 3,011       | 6,213       | 9,414       | 14,120      | 9,554             | -              |
| 2003 2/.....   | 45,205   | -            | -         | 4          | 19          | 184         | 845         | 3,052       | 6,241       | 10,297      | 14,700      | 9,862             | 1              |
| 2002.....  | 46,147   | 1            | -         | -          | 36          | 206         | 947         | 3,271       | 6,401       | 10,782      | 14,821      | 9,681             | 1              |
| 2001.....  | 46,450   | -            | -         | -          | 28          | 203         | 966         | 3,284       | 6,092       | 11,124      | 14,903      | 9,850             | -              |
| 2000.....  | 47,317   | -            | -         | 3          | 23          | 167         | 898         | 3,034       | 6,085       | 11,543      | 15,519      | 10,045            | -              |
| 1999.....  | 47,275   | -            | -         | 1          | 26          | 182         | 933         | 2,956       | 6,184       | 11,643      | 15,427      | 9,923             | -              |

Worktable Orig290F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2007

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data - mortality"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, sex, and year | All ages | Under 1 year | 1-4 years | 5-14 years | 15-24 years | 25-34 years | 35-44 years | 45-54 years | 55-64 years | 65-74 years | 75-84 years | 85 years and over | Age not stated |
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|
| <b>Malignant neoplasms of colon, rectum and anus (C18-C21)</b>   |          |              |           |            |             |             |             |             |             |             |             |                   |                |
| <b>Non-Hispanic white, male</b>  |          |              |           |            |             |             |             |             |             |             |             |                   |                |
| 2007 2/.....   | 21,431   | -            | -         | 1          | 12          | 92          | 455         | 1,842       | 3,960       | 5,206       | 6,440       | 3,423             | -              |
| 2006 2/.....   | 21,323   | -            | -         | -          | 16          | 98          | 462         | 1,733       | 3,792       | 5,247       | 6,574       | 3,400             | 1              |
| 2005 2/.....   | 21,443   | 1            | -         | 3          | 19          | 103         | 491         | 1,682       | 3,623       | 5,391       | 6,725       | 3,405             | -              |
| 2004 2/.....   | 21,715   | -            | -         | 1          | 18          | 92          | 470         | 1,753       | 3,683       | 5,421       | 6,919       | 3,358             | -              |
| 2003 2/.....   | 22,624   | -            | -         | 3          | 12          | 99          | 467         | 1,750       | 3,680       | 5,942       | 7,223       | 3,447             | 1              |
| 2002.....  | 23,119   | 1            | -         | -          | 24          | 114         | 534         | 1,853       | 3,859       | 6,189       | 7,211       | 3,333             | 1              |
| 2001.....  | 23,128   | -            | -         | -          | 13          | 111         | 523         | 1,874       | 3,616       | 6,369       | 7,263       | 3,359             | -              |
| 2000.....  | 23,369   | -            | -         | 2          | 13          | 101         | 515         | 1,732       | 3,561       | 6,553       | 7,539       | 3,353             | -              |
| 1999.....  | 23,446   | -            | -         | 1          | 12          | 105         | 500         | 1,679       | 3,638       | 6,559       | 7,556       | 3,396             | -              |
| <b>Non-Hispanic white, female</b>  |          |              |           |            |             |             |             |             |             |             |             |                   |                |
| 2007 2/.....   | 20,979   | -            | -         | -          | 6           | 76          | 401         | 1,461       | 2,654       | 3,887       | 6,354       | 6,139             | 1              |
| 2006 2/.....   | 21,183   | -            | -         | -          | 9           | 88          | 391         | 1,385       | 2,630       | 3,924       | 6,649       | 6,106             | 1              |
| 2005 2/.....   | 21,036   | -            | -         | -          | 11          | 85          | 384         | 1,307       | 2,445       | 3,862       | 6,804       | 6,138             | -              |
| 2004 2/.....   | 21,675   | -            | -         | -          | 8           | 74          | 415         | 1,258       | 2,530       | 3,993       | 7,201       | 6,196             | -              |
| 2003 2/.....   | 22,581   | -            | -         | 1          | 7           | 85          | 378         | 1,302       | 2,561       | 4,355       | 7,477       | 6,415             | -              |
| 2002.....  | 23,028   | -            | -         | -          | 12          | 92          | 413         | 1,418       | 2,542       | 4,593       | 7,610       | 6,348             | -              |
| 2001.....  | 23,322   | -            | -         | -          | 15          | 92          | 443         | 1,410       | 2,476       | 4,755       | 7,640       | 6,491             | -              |
| 2000.....  | 23,948   | -            | -         | 1          | 10          | 66          | 383         | 1,302       | 2,524       | 4,990       | 7,980       | 6,692             | -              |
| 1999.....  | 23,829   | -            | -         | -          | 14          | 77          | 433         | 1,277       | 2,546       | 5,084       | 7,871       | 6,527             | -              |

Worktable Orig290F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2007

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data - mortality"]

---

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, sex, and year

|  | All ages | Under 1 year | 1-4 years | 5-14 years | 15-24 years | 25-34 years | 35-44 years | 45-54 years | 55-64 years | 65-74 years | 75-84 years | 85 years and over | Age not stated |
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|

---

Malignant neoplasms of colon, rectum and anus (C18-C21)

Non-Hispanic black, both sexes

|              |       |   |   |   |    |    |     |     |       |       |       |     |   |
|--------------|-------|---|---|---|----|----|-----|-----|-------|-------|-------|-----|---|
| 2007 2/..... | 6,853 | - | - | - | 10 | 53 | 234 | 939 | 1,556 | 1,583 | 1,578 | 899 | 1 |
| 2006 2/..... | 6,823 | - | - | - | 4  | 71 | 282 | 876 | 1,381 | 1,585 | 1,701 | 922 | 1 |
| 2005 2/..... | 6,804 | - | - | - | 10 | 61 | 239 | 886 | 1,370 | 1,587 | 1,683 | 967 | 1 |
| 2004 2/..... | 6,578 | - | - | - | 12 | 53 | 250 | 807 | 1,289 | 1,626 | 1,629 | 912 | - |
| 2003 2/..... | 6,881 | - | - | - | 8  | 50 | 287 | 890 | 1,313 | 1,702 | 1,680 | 951 | - |
| 2002.....    | 6,817 | - | - | - | 10 | 38 | 283 | 857 | 1,297 | 1,656 | 1,756 | 920 | - |
| 2001.....    | 6,847 | - | - | - | 8  | 56 | 280 | 845 | 1,248 | 1,726 | 1,758 | 926 | - |
| 2000.....    | 6,820 | - | - | - | 6  | 54 | 290 | 819 | 1,215 | 1,720 | 1,732 | 984 | - |
| 1999.....    | 6,709 | 1 | - | - | 14 | 55 | 268 | 711 | 1,248 | 1,724 | 1,733 | 955 | - |

Non-Hispanic black, male

|              |       |   |   |   |    |    |     |     |     |     |     |     |   |
|--------------|-------|---|---|---|----|----|-----|-----|-----|-----|-----|-----|---|
| 2007 2/..... | 3,412 | - | - | - | 8  | 29 | 127 | 507 | 863 | 851 | 713 | 313 | 1 |
| 2006 2/..... | 3,404 | - | - | - | 1  | 34 | 145 | 473 | 738 | 865 | 804 | 343 | 1 |
| 2005 2/..... | 3,301 | - | - | - | 6  | 39 | 115 | 457 | 775 | 833 | 762 | 313 | 1 |
| 2004 2/..... | 3,173 | - | - | - | 10 | 27 | 121 | 428 | 685 | 862 | 767 | 273 | - |
| 2003 2/..... | 3,307 | - | - | - | 4  | 25 | 141 | 480 | 716 | 887 | 752 | 302 | - |
| 2002.....    | 3,322 | - | - | - | 8  | 23 | 156 | 452 | 717 | 840 | 822 | 304 | - |
| 2001.....    | 3,221 | - | - | - | 7  | 30 | 152 | 428 | 652 | 881 | 766 | 305 | - |
| 2000.....    | 3,307 | - | - | - | 5  | 26 | 160 | 430 | 676 | 893 | 792 | 325 | - |
| 1999.....    | 3,160 | - | - | - | 9  | 30 | 123 | 374 | 692 | 850 | 786 | 296 | - |

Worktable Orig290F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2007

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data - mortality"]

---

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, sex, and year

|  | All ages | Under 1 year | 1-4 years | 5-14 years | 15-24 years | 25-34 years | 35-44 years | 45-54 years | 55-64 years | 65-74 years | 75-84 years | 85 years and over | Age not stated |
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|

---

Malignant neoplasms of colon, rectum and anus (C18-C21)

Non-Hispanic black, female

|              |       |   |   |   |   |    |     |     |     |     |     |     |   |
|--------------|-------|---|---|---|---|----|-----|-----|-----|-----|-----|-----|---|
| 2007 2/..... | 3,441 | - | - | - | 2 | 24 | 107 | 432 | 693 | 732 | 865 | 586 | - |
| 2006 2/..... | 3,419 | - | - | - | 3 | 37 | 137 | 403 | 643 | 720 | 897 | 579 | - |
| 2005 2/..... | 3,503 | - | - | - | 4 | 22 | 124 | 429 | 595 | 754 | 921 | 654 | - |
| 2004 2/..... | 3,405 | - | - | - | 2 | 26 | 129 | 379 | 604 | 764 | 862 | 639 | - |
| 2003 2/..... | 3,574 | - | - | - | 4 | 25 | 146 | 410 | 597 | 815 | 928 | 649 | - |
| 2002.....    | 3,495 | - | - | - | 2 | 15 | 127 | 405 | 580 | 816 | 934 | 616 | - |
| 2001.....    | 3,626 | - | - | - | 1 | 26 | 128 | 417 | 596 | 845 | 992 | 621 | - |
| 2000.....    | 3,513 | - | - | - | 1 | 28 | 130 | 389 | 539 | 827 | 940 | 659 | - |
| 1999.....    | 3,549 | 1 | - | - | 5 | 25 | 145 | 337 | 556 | 874 | 947 | 659 | - |

Origin not stated 3/, both sexes

|           |     |   |   |   |   |   |   |    |    |    |    |    |   |
|-----------|-----|---|---|---|---|---|---|----|----|----|----|----|---|
| 2007..... | 63  | - | - | - | - | 1 | 2 | 5  | 15 | 20 | 12 | 8  | - |
| 2006..... | 82  | - | - | - | - | - | 2 | 17 | 19 | 19 | 16 | 9  | - |
| 2005..... | 81  | - | - | - | - | - | 3 | 10 | 12 | 21 | 23 | 11 | 1 |
| 2004..... | 82  | - | - | - | - | 1 | 2 | 6  | 9  | 24 | 27 | 13 | - |
| 2003..... | 115 | - | - | - | - | - | - | 17 | 18 | 23 | 32 | 25 | - |
| 2002..... | 133 | - | - | - | - | 4 | 5 | 10 | 19 | 29 | 43 | 23 | - |
| 2001..... | 124 | - | - | - | - | - | 5 | 14 | 24 | 27 | 29 | 25 | - |
| 2000..... | 116 | - | - | - | - | 1 | 4 | 11 | 22 | 27 | 29 | 22 | - |
| 1999..... | 148 | - | - | - | 1 | - | 6 | 8  | 19 | 28 | 54 | 32 | - |

Worktable Orig290F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2007

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data - mortality"]

---

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, sex, and year

|  | All ages | Under 1 year | 1-4 years | 5-14 years | 15-24 years | 25-34 years | 35-44 years | 45-54 years | 55-64 years | 65-74 years | 75-84 years | 85 years and over | Age not stated |
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|

---

Malignant neoplasms of colon, rectum and anus (C18-C21)

Origin not stated 3/, male

|           |    |   |   |   |   |   |   |    |    |    |    |    |   |
|-----------|----|---|---|---|---|---|---|----|----|----|----|----|---|
| 2007..... | 35 | - | - | - | - | 1 | 2 | 3  | 10 | 11 | 6  | 2  | - |
| 2006..... | 56 | - | - | - | - | - | - | 14 | 16 | 14 | 6  | 6  | - |
| 2005..... | 48 | - | - | - | - | - | 3 | 6  | 7  | 13 | 14 | 4  | 1 |
| 2004..... | 42 | - | - | - | - | 1 | 1 | 2  | 5  | 14 | 15 | 4  | - |
| 2003..... | 65 | - | - | - | - | - | - | 11 | 11 | 14 | 19 | 10 | - |
| 2002..... | 74 | - | - | - | - | 2 | 5 | 6  | 13 | 21 | 21 | 6  | - |
| 2001..... | 62 | - | - | - | - | - | 4 | 6  | 17 | 21 | 9  | 5  | - |
| 2000..... | 51 | - | - | - | - | 1 | 2 | 4  | 8  | 14 | 17 | 5  | - |
| 1999..... | 75 | - | - | - | - | - | 3 | 4  | 12 | 14 | 30 | 12 | - |

Origin not stated 3/, female

|           |    |   |   |   |   |   |   |   |    |    |    |    |   |
|-----------|----|---|---|---|---|---|---|---|----|----|----|----|---|
| 2007..... | 28 | - | - | - | - | - | - | 2 | 5  | 9  | 6  | 6  | - |
| 2006..... | 26 | - | - | - | - | - | 2 | 3 | 3  | 5  | 10 | 3  | - |
| 2005..... | 33 | - | - | - | - | - | - | 4 | 5  | 8  | 9  | 7  | - |
| 2004..... | 40 | - | - | - | - | - | 1 | 4 | 4  | 10 | 12 | 9  | - |
| 2003..... | 50 | - | - | - | - | - | - | 6 | 7  | 9  | 13 | 15 | - |
| 2002..... | 59 | - | - | - | - | 2 | - | 4 | 6  | 8  | 22 | 17 | - |
| 2001..... | 62 | - | - | - | - | - | 1 | 8 | 7  | 6  | 20 | 20 | - |
| 2000..... | 65 | - | - | - | - | - | 2 | 7 | 14 | 13 | 12 | 17 | - |
| 1999..... | 73 | - | - | - | 1 | - | 3 | 4 | 7  | 14 | 24 | 20 | - |



Worktable Orig290F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2007

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data - mortality"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, sex, and year | All ages | Under 1 year | 1-4 years | 5-14 years | 15-24 years | 25-34 years | 35-44 years | 45-54 years | 55-64 years | 65-74 years | 75-84 years | 85 years and over | Age not stated |
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|
| <b>Malignant neoplasms of liver and intrahepatic bile ducts (C22)</b>  |          |              |           |            |             |             |             |             |             |             |             |                   |                |
| All origins, both sexes  |          |              |           |            |             |             |             |             |             |             |             |                   |                |
| 2007.....  | 17,146   | 6            | 19        | 25         | 38          | 90          | 368         | 2,503       | 4,181       | 3,884       | 4,266       | 1,766             | -              |
| 2006.....  | 16,525   | 2            | 15        | 16         | 31          | 87          | 361         | 2,406       | 3,842       | 3,830       | 4,161       | 1,774             | -              |
| 2005.....  | 16,076   | 8            | 21        | 16         | 30          | 89          | 380         | 2,515       | 3,438       | 3,747       | 4,176       | 1,655             | 1              |
| 2004.....  | 15,321   | 1            | 22        | 16         | 43          | 84          | 380         | 2,348       | 3,123       | 3,670       | 4,059       | 1,575             | -              |
| 2003.....  | 14,706   | 6            | 23        | 14         | 36          | 89          | 395         | 2,223       | 2,765       | 3,630       | 3,949       | 1,576             | -              |
| 2002.....  | 14,047   | 3            | 28        | 18         | 27          | 105         | 414         | 1,976       | 2,558       | 3,581       | 3,728       | 1,609             | -              |
| 2001.....  | 13,351   | 5            | 18        | 15         | 29          | 75          | 401         | 1,868       | 2,351       | 3,440       | 3,649       | 1,500             | -              |
| 2000.....  | 12,916   | 2            | 23        | 20         | 30          | 86          | 429         | 1,686       | 2,256       | 3,439       | 3,558       | 1,387             | -              |
| 1999.....  | 12,382   | 8            | 29        | 11         | 43          | 78          | 444         | 1,492       | 2,091       | 3,491       | 3,425       | 1,270             | -              |
| All origins, male  |          |              |           |            |             |             |             |             |             |             |             |                   |                |
| 2007.....  | 11,343   | 4            | 13        | 16         | 17          | 58          | 258         | 1,969       | 3,241       | 2,552       | 2,446       | 769               | -              |
| 2006.....  | 10,759   | 2            | 10        | 9          | 14          | 54          | 251         | 1,890       | 2,892       | 2,537       | 2,361       | 739               | -              |
| 2005.....  | 10,548   | 6            | 13        | 9          | 18          | 63          | 258         | 2,003       | 2,615       | 2,470       | 2,374       | 719               | -              |
| 2004.....  | 9,832    | 1            | 12        | 8          | 25          | 55          | 289         | 1,889       | 2,318       | 2,382       | 2,227       | 626               | -              |
| 2003.....  | 9,482    | 2            | 18        | 9          | 20          | 53          | 288         | 1,779       | 1,995       | 2,330       | 2,301       | 687               | -              |
| 2002.....  | 9,011    | 2            | 19        | 12         | 18          | 62          | 308         | 1,611       | 1,858       | 2,367       | 2,112       | 642               | -              |
| 2001.....  | 8,483    | 3            | 7         | 7          | 15          | 43          | 302         | 1,490       | 1,691       | 2,224       | 2,047       | 654               | -              |
| 2000.....  | 8,176    | 1            | 14        | 8          | 20          | 59          | 297         | 1,324       | 1,607       | 2,246       | 2,052       | 548               | -              |
| 1999.....  | 7,689    | 5            | 20        | 9          | 24          | 48          | 318         | 1,161       | 1,465       | 2,284       | 1,877       | 478               | -              |

Worktable Orig290F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2007

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data - mortality"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, sex, and year | All ages | Under 1 year | 1-4 years | 5-14 years | 15-24 years | 25-34 years | 35-44 years | 45-54 years | 55-64 years | 65-74 years | 75-84 years | 85 years and over | Age not stated |
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|

Malignant neoplasms of liver and intrahepatic bile ducts (C22)

All origins, female

|           |       |   |    |    |    |    |     |     |     |       |       |       |   |
|-----------|-------|---|----|----|----|----|-----|-----|-----|-------|-------|-------|---|
| 2007..... | 5,803 | 2 | 6  | 9  | 21 | 32 | 110 | 534 | 940 | 1,332 | 1,820 | 997   | - |
| 2006..... | 5,766 | - | 5  | 7  | 17 | 33 | 110 | 516 | 950 | 1,293 | 1,800 | 1,035 | - |
| 2005..... | 5,528 | 2 | 8  | 7  | 12 | 26 | 122 | 512 | 823 | 1,277 | 1,802 | 936   | 1 |
| 2004..... | 5,489 | - | 10 | 8  | 18 | 29 | 91  | 459 | 805 | 1,288 | 1,832 | 949   | - |
| 2003..... | 5,224 | 4 | 5  | 5  | 16 | 36 | 107 | 444 | 770 | 1,300 | 1,648 | 889   | - |
| 2002..... | 5,036 | 1 | 9  | 6  | 9  | 43 | 106 | 365 | 700 | 1,214 | 1,616 | 967   | - |
| 2001..... | 4,868 | 2 | 11 | 8  | 14 | 32 | 99  | 378 | 660 | 1,216 | 1,602 | 846   | - |
| 2000..... | 4,740 | 1 | 9  | 12 | 10 | 27 | 132 | 362 | 649 | 1,193 | 1,506 | 839   | - |
| 1999..... | 4,693 | 3 | 9  | 2  | 19 | 30 | 126 | 331 | 626 | 1,207 | 1,548 | 792   | - |

Hispanic, both sexes

|           |       |   |    |   |    |    |    |     |     |     |     |     |   |
|-----------|-------|---|----|---|----|----|----|-----|-----|-----|-----|-----|---|
| 2007..... | 1,903 | 1 | 6  | 8 | 11 | 14 | 59 | 318 | 475 | 464 | 431 | 116 | - |
| 2006..... | 1,816 | 1 | 6  | 6 | 5  | 9  | 50 | 331 | 437 | 434 | 396 | 141 | - |
| 2005..... | 1,807 | 1 | 4  | 2 | 6  | 8  | 56 | 341 | 434 | 446 | 380 | 128 | 1 |
| 2004..... | 1,565 | 1 | 2  | - | 1  | 11 | 61 | 289 | 369 | 391 | 333 | 107 | - |
| 2003..... | 1,511 | - | 10 | 1 | 1  | 11 | 48 | 287 | 337 | 397 | 319 | 100 | - |
| 2002..... | 1,363 | - | 3  | - | 1  | 8  | 48 | 217 | 310 | 403 | 265 | 108 | - |
| 2001..... | 1,256 | 1 | 3  | 3 | 2  | 14 | 46 | 226 | 261 | 327 | 289 | 84  | - |
| 2000..... | 1,176 | 1 | 3  | 7 | 4  | 7  | 59 | 176 | 234 | 335 | 262 | 88  | - |
| 1999..... | 1,084 | 1 | 4  | 2 | 4  | 7  | 43 | 170 | 214 | 324 | 239 | 76  | - |

Worktable Orig290F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2007

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data - mortality"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, sex, and year | All ages | Under 1 year | 1-4 years | 5-14 years | 15-24 years | 25-34 years | 35-44 years | 45-54 years | 55-64 years | 65-74 years | 75-84 years | 85 years and over | Age not stated |
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|
| <b>Malignant neoplasms of liver and intrahepatic bile ducts (C22)</b>  |          |              |           |            |             |             |             |             |             |             |             |                   |                |
| <b>Hispanic, male</b>  |          |              |           |            |             |             |             |             |             |             |             |                   |                |
| 2007.....  | 1,256    | 1            | 3         | 6          | 3           | 10          | 41          | 248         | 365         | 288         | 239         | 52                | -              |
| 2006.....  | 1,199    | 1            | 4         | 3          | 1           | 2           | 35          | 262         | 335         | 282         | 219         | 55                | -              |
| 2005.....  | 1,185    | -            | 4         | 1          | 2           | 4           | 36          | 272         | 327         | 277         | 205         | 57                | -              |
| 2004.....  | 1,046    | 1            | 1         | -          | -           | 9           | 52          | 226         | 291         | 239         | 176         | 51                | -              |
| 2003.....  | 986      | -            | 8         | 1          | 1           | 6           | 37          | 239         | 241         | 245         | 172         | 36                | -              |
| 2002.....  | 891      | -            | 2         | -          | 1           | 4           | 33          | 179         | 225         | 256         | 146         | 45                | -              |
| 2001.....  | 812      | 1            | 1         | -          | 1           | 7           | 36          | 187         | 187         | 206         | 152         | 34                | -              |
| 2000.....  | 762      | 1            | 2         | 4          | 3           | 5           | 45          | 141         | 165         | 208         | 152         | 36                | -              |
| 1999.....  | 688      | 1            | 3         | 2          | 3           | 5           | 27          | 141         | 159         | 195         | 121         | 31                | -              |
| <b>Hispanic, female</b>  |          |              |           |            |             |             |             |             |             |             |             |                   |                |
| 2007.....  | 647      | -            | 3         | 2          | 8           | 4           | 18          | 70          | 110         | 176         | 192         | 64                | -              |
| 2006.....  | 617      | -            | 2         | 3          | 4           | 7           | 15          | 69          | 102         | 152         | 177         | 86                | -              |
| 2005.....  | 622      | 1            | -         | 1          | 4           | 4           | 20          | 69          | 107         | 169         | 175         | 71                | 1              |
| 2004.....  | 519      | -            | 1         | -          | 1           | 2           | 9           | 63          | 78          | 152         | 157         | 56                | -              |
| 2003.....  | 525      | -            | 2         | -          | -           | 5           | 11          | 48          | 96          | 152         | 147         | 64                | -              |
| 2002.....  | 472      | -            | 1         | -          | -           | 4           | 15          | 38          | 85          | 147         | 119         | 63                | -              |
| 2001.....  | 444      | -            | 2         | 3          | 1           | 7           | 10          | 39          | 74          | 121         | 137         | 50                | -              |
| 2000.....  | 414      | -            | 1         | 3          | 1           | 2           | 14          | 35          | 69          | 127         | 110         | 52                | -              |
| 1999.....  | 396      | -            | 1         | -          | 1           | 2           | 16          | 29          | 55          | 129         | 118         | 45                | -              |

Worktable Orig290F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2007

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data - mortality"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, sex, and year | All ages | Under 1 year | 1-4 years | 5-14 years | 15-24 years | 25-34 years | 35-44 years | 45-54 years | 55-64 years | 65-74 years | 75-84 years | 85 years and over | Age not stated |
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|

Malignant neoplasms of liver and intrahepatic bile ducts (C22)

Non-Hispanic 1/, both sexes

|           |        |   |    |    |    |    |     |       |       |       |       |       |   |
|-----------|--------|---|----|----|----|----|-----|-------|-------|-------|-------|-------|---|
| 2007..... | 15,217 | 5 | 13 | 17 | 27 | 76 | 309 | 2,183 | 3,698 | 3,412 | 3,830 | 1,647 | - |
| 2006..... | 14,680 | 1 | 9  | 10 | 26 | 78 | 311 | 2,066 | 3,398 | 3,391 | 3,760 | 1,630 | - |
| 2005..... | 14,236 | 7 | 17 | 14 | 24 | 81 | 322 | 2,167 | 2,993 | 3,296 | 3,791 | 1,524 | - |
| 2004..... | 13,718 | - | 20 | 16 | 42 | 73 | 318 | 2,052 | 2,742 | 3,272 | 3,718 | 1,465 | - |
| 2003..... | 13,157 | 6 | 13 | 13 | 35 | 77 | 346 | 1,927 | 2,418 | 3,222 | 3,626 | 1,474 | - |
| 2002..... | 12,638 | 3 | 25 | 18 | 26 | 96 | 365 | 1,751 | 2,234 | 3,171 | 3,452 | 1,497 | - |
| 2001..... | 12,053 | 4 | 15 | 12 | 27 | 61 | 352 | 1,637 | 2,079 | 3,103 | 3,352 | 1,411 | - |
| 2000..... | 11,702 | 1 | 20 | 13 | 26 | 78 | 368 | 1,502 | 2,018 | 3,091 | 3,287 | 1,298 | - |
| 1999..... | 11,265 | 7 | 23 | 9  | 39 | 71 | 398 | 1,320 | 1,869 | 3,158 | 3,180 | 1,191 | - |

Non-Hispanic 1/, male

|           |        |   |    |    |    |    |     |       |       |       |       |     |   |
|-----------|--------|---|----|----|----|----|-----|-------|-------|-------|-------|-----|---|
| 2007..... | 10,067 | 3 | 10 | 10 | 14 | 48 | 217 | 1,719 | 2,868 | 2,258 | 2,205 | 715 | - |
| 2006..... | 9,538  | 1 | 6  | 6  | 13 | 52 | 216 | 1,621 | 2,552 | 2,250 | 2,140 | 681 | - |
| 2005..... | 9,339  | 6 | 9  | 8  | 16 | 59 | 220 | 1,725 | 2,280 | 2,190 | 2,165 | 661 | - |
| 2004..... | 8,761  | - | 11 | 8  | 25 | 46 | 237 | 1,657 | 2,017 | 2,139 | 2,047 | 574 | - |
| 2003..... | 8,469  | 2 | 10 | 8  | 19 | 46 | 250 | 1,531 | 1,747 | 2,078 | 2,128 | 650 | - |
| 2002..... | 8,085  | 2 | 17 | 12 | 17 | 57 | 274 | 1,426 | 1,621 | 2,106 | 1,957 | 596 | - |
| 2001..... | 7,640  | 2 | 6  | 7  | 14 | 36 | 263 | 1,299 | 1,495 | 2,009 | 1,889 | 620 | - |
| 2000..... | 7,384  | - | 12 | 4  | 17 | 53 | 251 | 1,175 | 1,440 | 2,028 | 1,893 | 511 | - |
| 1999..... | 6,976  | 4 | 15 | 7  | 21 | 43 | 290 | 1,019 | 1,300 | 2,081 | 1,752 | 444 | - |

Worktable Orig290F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2007

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data - mortality"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, sex, and year | All ages | Under 1 year | 1-4 years | 5-14 years | 15-24 years | 25-34 years | 35-44 years | 45-54 years | 55-64 years | 65-74 years | 75-84 years | 85 years and over | Age not stated |
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|

Malignant neoplasms of liver and intrahepatic bile ducts (C22)

Non-Hispanic 1/, female

|           |       |   |   |   |    |    |     |     |     |       |       |     |   |
|-----------|-------|---|---|---|----|----|-----|-----|-----|-------|-------|-----|---|
| 2007..... | 5,150 | 2 | 3 | 7 | 13 | 28 | 92  | 464 | 830 | 1,154 | 1,625 | 932 | - |
| 2006..... | 5,142 | - | 3 | 4 | 13 | 26 | 95  | 445 | 846 | 1,141 | 1,620 | 949 | - |
| 2005..... | 4,897 | 1 | 8 | 6 | 8  | 22 | 102 | 442 | 713 | 1,106 | 1,626 | 863 | - |
| 2004..... | 4,957 | - | 9 | 8 | 17 | 27 | 81  | 395 | 725 | 1,133 | 1,671 | 891 | - |
| 2003..... | 4,688 | 4 | 3 | 5 | 16 | 31 | 96  | 396 | 671 | 1,144 | 1,498 | 824 | - |
| 2002..... | 4,553 | 1 | 8 | 6 | 9  | 39 | 91  | 325 | 613 | 1,065 | 1,495 | 901 | - |
| 2001..... | 4,413 | 2 | 9 | 5 | 13 | 25 | 89  | 338 | 584 | 1,094 | 1,463 | 791 | - |
| 2000..... | 4,318 | 1 | 8 | 9 | 9  | 25 | 117 | 327 | 578 | 1,063 | 1,394 | 787 | - |
| 1999..... | 4,289 | 3 | 8 | 2 | 18 | 28 | 108 | 301 | 569 | 1,077 | 1,428 | 747 | - |

Non-Hispanic white, both sexes

|              |        |   |    |    |    |    |     |       |       |       |       |       |   |
|--------------|--------|---|----|----|----|----|-----|-------|-------|-------|-------|-------|---|
| 2007 2/..... | 11,722 | 5 | 9  | 14 | 20 | 38 | 186 | 1,529 | 2,617 | 2,664 | 3,217 | 1,423 | - |
| 2006 2/..... | 11,308 | - | 6  | 9  | 24 | 42 | 175 | 1,400 | 2,424 | 2,645 | 3,149 | 1,434 | - |
| 2005 2/..... | 10,950 | 6 | 15 | 9  | 13 | 39 | 190 | 1,485 | 2,132 | 2,547 | 3,188 | 1,326 | - |
| 2004 2/..... | 10,554 | - | 17 | 10 | 26 | 36 | 188 | 1,390 | 1,962 | 2,527 | 3,140 | 1,258 | - |
| 2003 2/..... | 10,149 | 4 | 9  | 7  | 22 | 34 | 216 | 1,271 | 1,741 | 2,506 | 3,071 | 1,268 | - |
| 2002.....    | 9,878  | 2 | 19 | 13 | 18 | 49 | 227 | 1,167 | 1,613 | 2,504 | 2,970 | 1,296 | - |
| 2001.....    | 9,433  | 4 | 11 | 5  | 20 | 34 | 189 | 1,089 | 1,505 | 2,477 | 2,857 | 1,242 | - |
| 2000.....    | 9,121  | - | 14 | 8  | 16 | 37 | 201 | 987   | 1,447 | 2,448 | 2,824 | 1,139 | - |
| 1999.....    | 8,890  | 5 | 20 | 4  | 25 | 29 | 238 | 880   | 1,340 | 2,546 | 2,755 | 1,048 | - |

Worktable Orig290F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2007

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data - mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, sex, and year

|  | All ages | Under 1 year | 1-4 years | 5-14 years | 15-24 years | 25-34 years | 35-44 years | 45-54 years | 55-64 years | 65-74 years | 75-84 years | 85 years and over | Age not stated |
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|

Malignant neoplasms of liver and intrahepatic bile ducts (C22)

| Non-Hispanic white, male   |       |   |    |   |    |    |     |       |       |       |       |     |   |
|----------------------------|-------|---|----|---|----|----|-----|-------|-------|-------|-------|-----|---|
| 2007 2/.....               | 7,639 | 3 | 7  | 8 | 10 | 22 | 120 | 1,204 | 2,010 | 1,759 | 1,879 | 617 | - |
| 2006 2/.....               | 7,227 | - | 4  | 6 | 12 | 22 | 108 | 1,103 | 1,781 | 1,754 | 1,829 | 608 | - |
| 2005 2/.....               | 7,107 | 6 | 8  | 7 | 7  | 29 | 122 | 1,172 | 1,615 | 1,703 | 1,844 | 594 | - |
| 2004 2/.....               | 6,656 | - | 10 | 5 | 14 | 22 | 132 | 1,132 | 1,419 | 1,663 | 1,767 | 492 | - |
| 2003 2/.....               | 6,504 | 2 | 7  | 6 | 12 | 17 | 146 | 1,005 | 1,270 | 1,654 | 1,825 | 560 | - |
| 2002.....                  | 6,215 | 2 | 12 | 7 | 9  | 23 | 168 | 951   | 1,167 | 1,672 | 1,681 | 523 | - |
| 2001.....                  | 5,956 | 2 | 4  | 4 | 11 | 17 | 137 | 859   | 1,088 | 1,651 | 1,632 | 551 | - |
| 2000.....                  | 5,679 | - | 9  | 4 | 10 | 22 | 134 | 759   | 1,020 | 1,624 | 1,655 | 442 | - |
| 1999.....                  | 5,455 | 2 | 13 | 3 | 14 | 16 | 173 | 660   | 934   | 1,702 | 1,534 | 404 | - |
| Non-Hispanic white, female |       |   |    |   |    |    |     |       |       |       |       |     |   |
| 2007 2/.....               | 4,083 | 2 | 2  | 6 | 10 | 16 | 66  | 325   | 607   | 905   | 1,338 | 806 | - |
| 2006 2/.....               | 4,081 | - | 2  | 3 | 12 | 20 | 67  | 297   | 643   | 891   | 1,320 | 826 | - |
| 2005 2/.....               | 3,843 | - | 7  | 2 | 6  | 10 | 68  | 313   | 517   | 844   | 1,344 | 732 | - |
| 2004 2/.....               | 3,898 | - | 7  | 5 | 12 | 14 | 56  | 258   | 543   | 864   | 1,373 | 766 | - |
| 2003 2/.....               | 3,645 | 2 | 2  | 1 | 10 | 17 | 70  | 266   | 471   | 852   | 1,246 | 708 | - |
| 2002.....                  | 3,663 | - | 7  | 6 | 9  | 26 | 59  | 216   | 446   | 832   | 1,289 | 773 | - |
| 2001.....                  | 3,477 | 2 | 7  | 1 | 9  | 17 | 52  | 230   | 417   | 826   | 1,225 | 691 | - |
| 2000.....                  | 3,442 | - | 5  | 4 | 6  | 15 | 67  | 228   | 427   | 824   | 1,169 | 697 | - |
| 1999.....                  | 3,435 | 3 | 7  | 1 | 11 | 13 | 65  | 220   | 406   | 844   | 1,221 | 644 | - |

Worktable Orig290F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2007

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data - mortality"]

---

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, sex, and year

|  | All ages | Under 1 year | 1-4 years | 5-14 years | 15-24 years | 25-34 years | 35-44 years | 45-54 years | 55-64 years | 65-74 years | 75-84 years | 85 years and over | Age not stated |
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|

---

Malignant neoplasms of liver and intrahepatic bile ducts (C22)

| Non-Hispanic black, both sexes |       |   |   |   |    |    |     |     |     |     |     |     |   |
|--------------------------------|-------|---|---|---|----|----|-----|-----|-----|-----|-----|-----|---|
| 2007 2/.....                   | 2,243 | - | 3 | 1 | 5  | 28 | 76  | 444 | 761 | 443 | 346 | 136 | - |
| 2006 2/.....                   | 2,154 | - | 2 | 1 | 1  | 20 | 72  | 482 | 695 | 430 | 332 | 119 | - |
| 2005 2/.....                   | 2,087 | 1 | 2 | 3 | 7  | 27 | 81  | 483 | 610 | 436 | 331 | 106 | - |
| 2004 2/.....                   | 1,988 | - | 2 | 5 | 14 | 22 | 77  | 466 | 498 | 440 | 337 | 127 | - |
| 2003 2/.....                   | 1,851 | 2 | 1 | 3 | 7  | 25 | 77  | 462 | 444 | 385 | 304 | 141 | - |
| 2002.....                      | 1,708 | 1 | 4 | 3 | 4  | 26 | 83  | 400 | 385 | 384 | 292 | 126 | - |
| 2001.....                      | 1,649 | - | 3 | 5 | 4  | 15 | 95  | 385 | 373 | 357 | 299 | 113 | - |
| 2000.....                      | 1,581 | 1 | 2 | 2 | 6  | 20 | 101 | 360 | 344 | 383 | 262 | 100 | - |
| 1999.....                      | 1,498 | 1 | 3 | 4 | 7  | 21 | 91  | 291 | 312 | 395 | 265 | 108 | - |
| Non-Hispanic black, male       |       |   |   |   |    |    |     |     |     |     |     |     |   |
| 2007 2/.....                   | 1,575 | - | 2 | - | 4  | 20 | 59  | 346 | 611 | 295 | 180 | 58  | - |
| 2006 2/.....                   | 1,498 | - | 1 | - | 1  | 16 | 56  | 364 | 565 | 292 | 165 | 38  | - |
| 2005 2/.....                   | 1,460 | - | 1 | 1 | 6  | 19 | 56  | 392 | 482 | 288 | 182 | 33  | - |
| 2004 2/.....                   | 1,330 | - | - | 2 | 9  | 14 | 59  | 372 | 382 | 290 | 155 | 47  | - |
| 2003 2/.....                   | 1,215 | - | - | 2 | 4  | 15 | 58  | 371 | 316 | 234 | 155 | 60  | - |
| 2002.....                      | 1,143 | - | 3 | 3 | 4  | 16 | 60  | 321 | 279 | 261 | 158 | 38  | - |
| 2001.....                      | 1,036 | - | 2 | 2 | 1  | 10 | 70  | 302 | 266 | 204 | 142 | 37  | - |
| 2000.....                      | 1,047 | - | 1 | - | 5  | 14 | 65  | 285 | 256 | 249 | 131 | 41  | - |
| 1999.....                      | 939   | 1 | 2 | 3 | 2  | 14 | 65  | 238 | 210 | 245 | 133 | 26  | - |

Worktable Orig290F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2007

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data - mortality"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, sex, and year | All ages | Under 1 year | 1-4 years | 5-14 years | 15-24 years | 25-34 years | 35-44 years | 45-54 years | 55-64 years | 65-74 years | 75-84 years | 85 years and over | Age not stated |
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|

Malignant neoplasms of liver and intrahepatic bile ducts (C22)

| Non-Hispanic black, female |     |   |   |   |   |    |    |     |     |     |     |    |   |
|----------------------------|-----|---|---|---|---|----|----|-----|-----|-----|-----|----|---|
| 2007 2/.....               | 668 | - | 1 | 1 | 1 | 8  | 17 | 98  | 150 | 148 | 166 | 78 | - |
| 2006 2/.....               | 656 | - | 1 | 1 | - | 4  | 16 | 118 | 130 | 138 | 167 | 81 | - |
| 2005 2/.....               | 627 | 1 | 1 | 2 | 1 | 8  | 25 | 91  | 128 | 148 | 149 | 73 | - |
| 2004 2/.....               | 658 | - | 2 | 3 | 5 | 8  | 18 | 94  | 116 | 150 | 182 | 80 | - |
| 2003 2/.....               | 636 | 2 | 1 | 1 | 3 | 10 | 19 | 91  | 128 | 151 | 149 | 81 | - |
| 2002.....                  | 565 | 1 | 1 | - | - | 10 | 23 | 79  | 106 | 123 | 134 | 88 | - |
| 2001.....                  | 613 | - | 1 | 3 | 3 | 5  | 25 | 83  | 107 | 153 | 157 | 76 | - |
| 2000.....                  | 534 | 1 | 1 | 2 | 1 | 6  | 36 | 75  | 88  | 134 | 131 | 59 | - |
| 1999.....                  | 559 | - | 1 | 1 | 5 | 7  | 26 | 53  | 102 | 150 | 132 | 82 | - |

| Origin not stated 3/, both sexes |    |   |   |   |   |   |   |   |    |    |    |   |   |
|----------------------------------|----|---|---|---|---|---|---|---|----|----|----|---|---|
| 2007.....                        | 26 | - | - | - | - | - | - | 2 | 8  | 8  | 5  | 3 | - |
| 2006.....                        | 29 | - | - | - | - | - | - | 9 | 7  | 5  | 5  | 3 | - |
| 2005.....                        | 33 | - | - | - | - | - | 2 | 7 | 11 | 5  | 5  | 3 | - |
| 2004.....                        | 38 | - | - | - | - | - | 1 | 7 | 12 | 7  | 8  | 3 | - |
| 2003.....                        | 38 | - | - | - | - | 1 | 1 | 9 | 10 | 11 | 4  | 2 | - |
| 2002.....                        | 46 | - | - | - | - | 1 | 1 | 8 | 14 | 7  | 11 | 4 | - |
| 2001.....                        | 42 | - | - | - | - | - | 3 | 5 | 11 | 10 | 8  | 5 | - |
| 2000.....                        | 38 | - | - | - | - | 1 | 2 | 8 | 4  | 13 | 9  | 1 | - |
| 1999.....                        | 33 | - | 2 | - | - | - | 3 | 2 | 8  | 9  | 6  | 3 | - |



Worktable Orig290F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2007

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data - mortality"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, sex, and year | All ages | Under 1 year | 1-4 years | 5-14 years | 15-24 years | 25-34 years | 35-44 years | 45-54 years | 55-64 years | 65-74 years | 75-84 years | 85 years and over | Age not stated |
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|

Malignant neoplasms of liver and intrahepatic bile ducts (C22)

| Origin not stated 3/, male   |    |   |   |   |   |   |   |   |    |    |   |   |   |
|------------------------------|----|---|---|---|---|---|---|---|----|----|---|---|---|
| 2007.....                    | 20 | - | - | - | - | - | - | 2 | 8  | 6  | 2 | 2 | - |
| 2006.....                    | 22 | - | - | - | - | - | - | 7 | 5  | 5  | 2 | 3 | - |
| 2005.....                    | 24 | - | - | - | - | - | 2 | 6 | 8  | 3  | 4 | 1 | - |
| 2004.....                    | 25 | - | - | - | - | - | - | 6 | 10 | 4  | 4 | 1 | - |
| 2003.....                    | 27 | - | - | - | - | 1 | 1 | 9 | 7  | 7  | 1 | 1 | - |
| 2002.....                    | 35 | - | - | - | - | 1 | 1 | 6 | 12 | 5  | 9 | 1 | - |
| 2001.....                    | 31 | - | - | - | - | - | 3 | 4 | 9  | 9  | 6 | - | - |
| 2000.....                    | 30 | - | - | - | - | 1 | 1 | 8 | 2  | 10 | 7 | 1 | - |
| 1999.....                    | 25 | - | 2 | - | - | - | 1 | 1 | 6  | 8  | 4 | 3 | - |
| Origin not stated 3/, female |    |   |   |   |   |   |   |   |    |    |   |   |   |
| 2007.....                    | 6  | - | - | - | - | - | - | - | -  | 2  | 3 | 1 | - |
| 2006.....                    | 7  | - | - | - | - | - | - | 2 | 2  | -  | 3 | - | - |
| 2005.....                    | 9  | - | - | - | - | - | - | 1 | 3  | 2  | 1 | 2 | - |
| 2004.....                    | 13 | - | - | - | - | - | 1 | 1 | 2  | 3  | 4 | 2 | - |
| 2003.....                    | 11 | - | - | - | - | - | - | - | 3  | 4  | 3 | 1 | - |
| 2002.....                    | 11 | - | - | - | - | - | - | 2 | 2  | 2  | 2 | 3 | - |
| 2001.....                    | 11 | - | - | - | - | - | - | 1 | 2  | 1  | 2 | 5 | - |
| 2000.....                    | 8  | - | - | - | - | - | 1 | - | 2  | 3  | 2 | - | - |
| 1999.....                    | 8  | - | - | - | - | - | 2 | 1 | 2  | 1  | 2 | - | - |

Worktable Orig290F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2007

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data - mortality"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, sex, and year | All ages | Under 1 year | 1-4 years | 5-14 years | 15-24 years | 25-34 years | 35-44 years | 45-54 years | 55-64 years | 65-74 years | 75-84 years | 85 years and over | Age not stated |
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|
| <b>Malignant neoplasm of pancreas (C25)</b>  |          |              |           |            |             |             |             |             |             |             |             |                   |                |
| <b>All origins, both sexes</b>   |          |              |           |            |             |             |             |             |             |             |             |                   |                |
| 2007.....  | 34,117   | -            | -         | 2          | 5           | 52          | 538         | 2,808       | 6,507       | 8,671       | 10,317      | 5,217             | -              |
| 2006.....  | 33,454   | -            | 2         | 1          | 5           | 49          | 506         | 2,730       | 6,298       | 8,473       | 10,260      | 5,130             | -              |
| 2005.....  | 32,760   | -            | -         | 2          | 3           | 64          | 565         | 2,744       | 5,984       | 8,288       | 10,147      | 4,962             | 1              |
| 2004.....  | 31,772   | -            | -         | -          | 11          | 62          | 521         | 2,641       | 5,756       | 8,178       | 9,853       | 4,749             | 1              |
| 2003.....  | 30,777   | -            | -         | 1          | 10          | 60          | 548         | 2,540       | 5,320       | 8,104       | 9,708       | 4,486             | -              |
| 2002.....  | 30,264   | 1            | -         | -          | 7           | 39          | 596         | 2,433       | 5,105       | 8,187       | 9,555       | 4,340             | 1              |
| 2001.....  | 29,803   | -            | 1         | 2          | 2           | 55          | 574         | 2,410       | 4,868       | 8,158       | 9,322       | 4,410             | 1              |
| 2000.....  | 29,332   | 2            | 1         | 1          | 5           | 55          | 548         | 2,362       | 4,708       | 8,103       | 9,459       | 4,087             | 1              |
| 1999.....  | 29,082   | 1            | -         | -          | 3           | 55          | 594         | 2,353       | 4,707       | 8,293       | 8,933       | 4,142             | 1              |
| <b>All origins, male</b>   |          |              |           |            |             |             |             |             |             |             |             |                   |                |
| 2007.....  | 17,132   | -            | -         | -          | 3           | 32          | 325         | 1,690       | 3,872       | 4,664       | 4,682       | 1,864             | -              |
| 2006.....  | 16,559   | -            | 1         | -          | 3           | 21          | 308         | 1,661       | 3,735       | 4,537       | 4,569       | 1,724             | -              |
| 2005.....  | 16,147   | -            | -         | 2          | 1           | 39          | 332         | 1,613       | 3,551       | 4,421       | 4,540       | 1,648             | -              |
| 2004.....  | 15,776   | -            | -         | -          | 6           | 39          | 323         | 1,647       | 3,377       | 4,430       | 4,416       | 1,538             | -              |
| 2003.....  | 15,060   | -            | -         | 1          | 6           | 35          | 329         | 1,548       | 3,106       | 4,251       | 4,402       | 1,382             | -              |
| 2002.....  | 14,877   | -            | -         | -          | 5           | 26          | 364         | 1,526       | 3,012       | 4,270       | 4,270       | 1,403             | 1              |
| 2001.....  | 14,467   | -            | 1         | -          | 2           | 30          | 321         | 1,467       | 2,874       | 4,215       | 4,191       | 1,365             | 1              |
| 2000.....  | 14,238   | 1            | 1         | -          | 3           | 33          | 324         | 1,486       | 2,749       | 4,189       | 4,189       | 1,262             | 1              |
| 1999.....  | 14,176   | -            | -         | -          | 1           | 33          | 369         | 1,482       | 2,721       | 4,347       | 3,940       | 1,283             | -              |

Worktable Orig290F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2007

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data - mortality"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, sex, and year | All ages | Under 1 year | 1-4 years | 5-14 years | 15-24 years | 25-34 years | 35-44 years | 45-54 years | 55-64 years | 65-74 years | 75-84 years | 85 years and over | Age not stated |
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|
| <b>Malignant neoplasm of pancreas (C25)</b>  |          |              |           |            |             |             |             |             |             |             |             |                   |                |
| <b>All origins, female</b>   |          |              |           |            |             |             |             |             |             |             |             |                   |                |
| 2007.....  | 16,985   | -            | -         | 2          | 2           | 20          | 213         | 1,118       | 2,635       | 4,007       | 5,635       | 3,353             | -              |
| 2006.....  | 16,895   | -            | 1         | 1          | 2           | 28          | 198         | 1,069       | 2,563       | 3,936       | 5,691       | 3,406             | -              |
| 2005.....  | 16,613   | -            | -         | -          | 2           | 25          | 233         | 1,131       | 2,433       | 3,867       | 5,607       | 3,314             | 1              |
| 2004.....  | 15,996   | -            | -         | -          | 5           | 23          | 198         | 994         | 2,379       | 3,748       | 5,437       | 3,211             | 1              |
| 2003.....  | 15,717   | -            | -         | -          | 4           | 25          | 219         | 992         | 2,214       | 3,853       | 5,306       | 3,104             | -              |
| 2002.....  | 15,387   | 1            | -         | -          | 2           | 13          | 232         | 907         | 2,093       | 3,917       | 5,285       | 2,937             | -              |
| 2001.....  | 15,336   | -            | -         | 2          | -           | 25          | 253         | 943         | 1,994       | 3,943       | 5,131       | 3,045             | -              |
| 2000.....  | 15,094   | 1            | -         | 1          | 2           | 22          | 224         | 876         | 1,959       | 3,914       | 5,270       | 2,825             | -              |
| 1999.....  | 14,906   | 1            | -         | -          | 2           | 22          | 225         | 871         | 1,986       | 3,946       | 4,993       | 2,859             | 1              |
| <b>Hispanic, both sexes</b>  |          |              |           |            |             |             |             |             |             |             |             |                   |                |
| 2007.....  | 1,779    | -            | -         | -          | -           | 8           | 51          | 199         | 368         | 465         | 488         | 200               | -              |
| 2006.....  | 1,727    | -            | -         | -          | 3           | 12          | 45          | 196         | 350         | 464         | 460         | 197               | -              |
| 2005.....  | 1,748    | -            | -         | 1          | -           | 8           | 60          | 186         | 368         | 475         | 465         | 184               | 1              |
| 2004.....  | 1,570    | -            | -         | -          | 3           | 10          | 45          | 166         | 321         | 448         | 430         | 147               | -              |
| 2003.....  | 1,485    | -            | -         | -          | -           | 10          | 49          | 157         | 300         | 429         | 386         | 154               | -              |
| 2002.....  | 1,363    | -            | -         | -          | 1           | 4           | 51          | 148         | 273         | 410         | 333         | 143               | -              |
| 2001.....  | 1,336    | -            | -         | -          | 1           | 6           | 46          | 127         | 263         | 419         | 340         | 134               | -              |
| 2000.....  | 1,243    | 1            | -         | -          | 2           | 6           | 37          | 128         | 234         | 397         | 313         | 125               | -              |
| 1999.....  | 1,135    | -            | -         | -          | -           | 6           | 44          | 137         | 218         | 338         | 272         | 120               | -              |

Worktable Orig290F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2007

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data - mortality"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, sex, and year | All ages | Under 1 year | 1-4 years | 5-14 years | 15-24 years | 25-34 years | 35-44 years | 45-54 years | 55-64 years | 65-74 years | 75-84 years | 85 years and over | Age not stated |
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|
| <b>Malignant neoplasm of pancreas (C25)</b>  |          |              |           |            |             |             |             |             |             |             |             |                   |                |
| <b>Hispanic, male</b>  |          |              |           |            |             |             |             |             |             |             |             |                   |                |
| 2007.....  | 869      | -            | -         | -          | -           | 4           | 37          | 121         | 215         | 238         | 178         | 76                | -              |
| 2006.....  | 860      | -            | -         | -          | 3           | 6           | 29          | 114         | 187         | 245         | 218         | 58                | -              |
| 2005.....  | 872      | -            | -         | 1          | -           | 5           | 37          | 113         | 218         | 239         | 197         | 62                | -              |
| 2004.....  | 789      | -            | -         | -          | 1           | 5           | 31          | 96          | 184         | 240         | 191         | 41                | -              |
| 2003.....  | 744      | -            | -         | -          | -           | 5           | 30          | 95          | 176         | 217         | 175         | 46                | -              |
| 2002.....  | 667      | -            | -         | -          | 1           | 2           | 35          | 96          | 147         | 214         | 136         | 36                | -              |
| 2001.....  | 643      | -            | -         | -          | 1           | 3           | 26          | 73          | 141         | 212         | 154         | 33                | -              |
| 2000.....  | 620      | 1            | -         | -          | 1           | 2           | 21          | 80          | 133         | 214         | 128         | 40                | -              |
| 1999.....  | 563      | -            | -         | -          | -           | 2           | 30          | 84          | 117         | 182         | 108         | 40                | -              |
| <b>Hispanic, female</b>  |          |              |           |            |             |             |             |             |             |             |             |                   |                |
| 2007.....  | 910      | -            | -         | -          | -           | 4           | 14          | 78          | 153         | 227         | 310         | 124               | -              |
| 2006.....  | 867      | -            | -         | -          | -           | 6           | 16          | 82          | 163         | 219         | 242         | 139               | -              |
| 2005.....  | 876      | -            | -         | -          | -           | 3           | 23          | 73          | 150         | 236         | 268         | 122               | 1              |
| 2004.....  | 781      | -            | -         | -          | 2           | 5           | 14          | 70          | 137         | 208         | 239         | 106               | -              |
| 2003.....  | 741      | -            | -         | -          | -           | 5           | 19          | 62          | 124         | 212         | 211         | 108               | -              |
| 2002.....  | 696      | -            | -         | -          | -           | 2           | 16          | 52          | 126         | 196         | 197         | 107               | -              |
| 2001.....  | 693      | -            | -         | -          | -           | 3           | 20          | 54          | 122         | 207         | 186         | 101               | -              |
| 2000.....  | 623      | -            | -         | -          | 1           | 4           | 16          | 48          | 101         | 183         | 185         | 85                | -              |
| 1999.....  | 572      | -            | -         | -          | -           | 4           | 14          | 53          | 101         | 156         | 164         | 80                | -              |

Worktable Orig290F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2007

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data - mortality"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, sex, and year | All ages | Under 1 year | 1-4 years | 5-14 years | 15-24 years | 25-34 years | 35-44 years | 45-54 years | 55-64 years | 65-74 years | 75-84 years | 85 years and over | Age not stated |
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|
| <b>Malignant neoplasm of pancreas (C25)</b>  |          |              |           |            |             |             |             |             |             |             |             |                   |                |
| <b>Non-Hispanic 1/, both sexes</b>   |          |              |           |            |             |             |             |             |             |             |             |                   |                |
| 2007.....  | 32,300   | -            | -         | 2          | 5           | 44          | 486         | 2,606       | 6,131       | 8,200       | 9,816       | 5,010             | -              |
| 2006.....  | 31,681   | -            | 2         | 1          | 2           | 37          | 461         | 2,530       | 5,940       | 7,998       | 9,783       | 4,927             | -              |
| 2005.....  | 30,976   | -            | -         | 1          | 3           | 55          | 505         | 2,556       | 5,609       | 7,801       | 9,675       | 4,771             | -              |
| 2004.....  | 30,148   | -            | -         | -          | 8           | 52          | 476         | 2,473       | 5,420       | 7,716       | 9,405       | 4,597             | 1              |
| 2003.....  | 29,233   | -            | -         | 1          | 10          | 50          | 498         | 2,379       | 5,004       | 7,665       | 9,302       | 4,324             | -              |
| 2002.....  | 28,839   | 1            | -         | -          | 6           | 35          | 545         | 2,278       | 4,821       | 7,763       | 9,200       | 4,189             | 1              |
| 2001.....  | 28,407   | -            | 1         | 2          | 1           | 48          | 526         | 2,279       | 4,598       | 7,719       | 8,963       | 4,269             | 1              |
| 2000.....  | 28,026   | 1            | 1         | 1          | 3           | 49          | 510         | 2,228       | 4,465       | 7,692       | 9,124       | 3,951             | 1              |
| 1999.....  | 27,869   | 1            | -         | -          | 3           | 49          | 547         | 2,207       | 4,480       | 7,928       | 8,638       | 4,015             | 1              |
| <b>Non-Hispanic 1/, male</b>   |          |              |           |            |             |             |             |             |             |             |             |                   |                |
| 2007.....  | 16,240   | -            | -         | -          | 3           | 28          | 287         | 1,568       | 3,650       | 4,422       | 4,500       | 1,782             | -              |
| 2006.....  | 15,672   | -            | 1         | -          | -           | 15          | 279         | 1,546       | 3,541       | 4,285       | 4,341       | 1,664             | -              |
| 2005.....  | 15,262   | -            | -         | 1          | 1           | 34          | 295         | 1,499       | 3,330       | 4,175       | 4,341       | 1,586             | -              |
| 2004.....  | 14,953   | -            | -         | -          | 5           | 34          | 292         | 1,550       | 3,180       | 4,180       | 4,217       | 1,495             | -              |
| 2003.....  | 14,285   | -            | -         | 1          | 6           | 30          | 299         | 1,452       | 2,921       | 4,028       | 4,216       | 1,332             | -              |
| 2002.....  | 14,181   | -            | -         | -          | 4           | 24          | 329         | 1,428       | 2,856       | 4,051       | 4,126       | 1,362             | 1              |
| 2001.....  | 13,792   | -            | 1         | -          | 1           | 27          | 294         | 1,393       | 2,728       | 3,989       | 4,031       | 1,327             | 1              |
| 2000.....  | 13,590   | -            | 1         | -          | 2           | 31          | 302         | 1,401       | 2,609       | 3,970       | 4,054       | 1,219             | 1              |
| 1999.....  | 13,572   | -            | -         | -          | 1           | 31          | 338         | 1,391       | 2,598       | 4,150       | 3,822       | 1,241             | -              |

Worktable Orig290F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2007

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data - mortality"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, sex, and year | All ages | Under 1 year | 1-4 years | 5-14 years | 15-24 years | 25-34 years | 35-44 years | 45-54 years | 55-64 years | 65-74 years | 75-84 years | 85 years and over | Age not stated |
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|
| <b>Malignant neoplasm of pancreas (C25)</b>  |          |              |           |            |             |             |             |             |             |             |             |                   |                |
| <b>Non-Hispanic 1/, female</b>   |          |              |           |            |             |             |             |             |             |             |             |                   |                |
| 2007.....  | 16,060   | -            | -         | 2          | 2           | 16          | 199         | 1,038       | 2,481       | 3,778       | 5,316       | 3,228             | -              |
| 2006.....  | 16,009   | -            | 1         | 1          | 2           | 22          | 182         | 984         | 2,399       | 3,713       | 5,442       | 3,263             | -              |
| 2005.....  | 15,714   | -            | -         | -          | 2           | 21          | 210         | 1,057       | 2,279       | 3,626       | 5,334       | 3,185             | -              |
| 2004.....  | 15,195   | -            | -         | -          | 3           | 18          | 184         | 923         | 2,240       | 3,536       | 5,188       | 3,102             | 1              |
| 2003.....  | 14,948   | -            | -         | -          | 4           | 20          | 199         | 927         | 2,083       | 3,637       | 5,086       | 2,992             | -              |
| 2002.....  | 14,658   | 1            | -         | -          | 2           | 11          | 216         | 850         | 1,965       | 3,712       | 5,074       | 2,827             | -              |
| 2001.....  | 14,615   | -            | -         | 2          | -           | 21          | 232         | 886         | 1,870       | 3,730       | 4,932       | 2,942             | -              |
| 2000.....  | 14,436   | 1            | -         | 1          | 1           | 18          | 208         | 827         | 1,856       | 3,722       | 5,070       | 2,732             | -              |
| 1999.....  | 14,297   | 1            | -         | -          | 2           | 18          | 209         | 816         | 1,882       | 3,778       | 4,816       | 2,774             | 1              |
| <b>Non-Hispanic white, both sexes</b>  |          |              |           |            |             |             |             |             |             |             |             |                   |                |
| 2007 2/.....   | 27,336   | -            | -         | 1          | 4           | 27          | 375         | 2,006       | 5,048       | 6,882       | 8,566       | 4,427             | -              |
| 2006 2/.....   | 26,941   | -            | -         | 1          | 2           | 26          | 347         | 1,975       | 4,875       | 6,725       | 8,613       | 4,377             | -              |
| 2005 2/.....   | 26,366   | -            | -         | 1          | 1           | 40          | 393         | 1,981       | 4,617       | 6,597       | 8,481       | 4,255             | -              |
| 2004 2/.....   | 25,662   | -            | -         | -          | 3           | 37          | 358         | 1,931       | 4,427       | 6,496       | 8,305       | 4,104             | 1              |
| 2003 2/.....   | 24,919   | -            | -         | -          | 7           | 39          | 372         | 1,830       | 4,097       | 6,503       | 8,206       | 3,865             | -              |
| 2002.....  | 24,647   | -            | -         | -          | 6           | 25          | 424         | 1,789       | 3,971       | 6,533       | 8,134       | 3,765             | -              |
| 2001.....  | 24,424   | -            | 1         | 2          | 1           | 36          | 415         | 1,816       | 3,847       | 6,564       | 7,931       | 3,810             | 1              |
| 2000.....  | 24,034   | 1            | 1         | 1          | 2           | 39          | 391         | 1,797       | 3,690       | 6,545       | 8,066       | 3,500             | 1              |
| 1999.....  | 23,903   | -            | -         | -          | 2           | 34          | 421         | 1,771       | 3,675       | 6,784       | 7,625       | 3,590             | 1              |

Worktable Orig290F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2007

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data - mortality"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, sex, and year | All ages | Under 1 year | 1-4 years | 5-14 years | 15-24 years | 25-34 years | 35-44 years | 45-54 years | 55-64 years | 65-74 years | 75-84 years | 85 years and over | Age not stated |
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|
| <b>Malignant neoplasm of pancreas (C25)</b>  |          |              |           |            |             |             |             |             |             |             |             |                   |                |
| <b>Non-Hispanic white, male</b>  |          |              |           |            |             |             |             |             |             |             |             |                   |                |
| 2007 2/.....   | 13,905   | -            | -         | -          | 2           | 19          | 227         | 1,220       | 3,022       | 3,800       | 4,012       | 1,603             | -              |
| 2006 2/.....   | 13,507   | -            | -         | -          | -           | 12          | 215         | 1,229       | 2,952       | 3,680       | 3,906       | 1,513             | -              |
| 2005 2/.....   | 13,102   | -            | -         | 1          | -           | 24          | 234         | 1,176       | 2,779       | 3,605       | 3,856       | 1,427             | -              |
| 2004 2/.....   | 12,814   | -            | -         | -          | 1           | 26          | 219         | 1,233       | 2,633       | 3,550       | 3,794       | 1,358             | -              |
| 2003 2/.....   | 12,277   | -            | -         | -          | 3           | 21          | 222         | 1,125       | 2,434       | 3,490       | 3,777       | 1,205             | -              |
| 2002.....  | 12,242   | -            | -         | -          | 4           | 17          | 257         | 1,141       | 2,392       | 3,480       | 3,715       | 1,236             | -              |
| 2001.....  | 11,994   | -            | 1         | -          | 1           | 22          | 233         | 1,131       | 2,324       | 3,441       | 3,624       | 1,216             | 1              |
| 2000.....  | 11,764   | -            | 1         | -          | 2           | 25          | 236         | 1,141       | 2,183       | 3,444       | 3,638       | 1,093             | 1              |
| 1999.....  | 11,684   | -            | -         | -          | 1           | 23          | 266         | 1,114       | 2,144       | 3,605       | 3,412       | 1,119             | -              |
| <b>Non-Hispanic white, female</b>  |          |              |           |            |             |             |             |             |             |             |             |                   |                |
| 2007 2/.....   | 13,431   | -            | -         | 1          | 2           | 8           | 148         | 786         | 2,026       | 3,082       | 4,554       | 2,824             | -              |
| 2006 2/.....   | 13,434   | -            | -         | 1          | 2           | 14          | 132         | 746         | 1,923       | 3,045       | 4,707       | 2,864             | -              |
| 2005 2/.....   | 13,264   | -            | -         | -          | 1           | 16          | 159         | 805         | 1,838       | 2,992       | 4,625       | 2,828             | -              |
| 2004 2/.....   | 12,848   | -            | -         | -          | 2           | 11          | 139         | 698         | 1,794       | 2,946       | 4,511       | 2,746             | 1              |
| 2003 2/.....   | 12,642   | -            | -         | -          | 4           | 18          | 150         | 705         | 1,663       | 3,013       | 4,429       | 2,660             | -              |
| 2002.....  | 12,405   | -            | -         | -          | 2           | 8           | 167         | 648         | 1,579       | 3,053       | 4,419       | 2,529             | -              |
| 2001.....  | 12,430   | -            | -         | 2          | -           | 14          | 182         | 685         | 1,523       | 3,123       | 4,307       | 2,594             | -              |
| 2000.....  | 12,270   | 1            | -         | 1          | -           | 14          | 155         | 656         | 1,507       | 3,101       | 4,428       | 2,407             | -              |
| 1999.....  | 12,219   | -            | -         | -          | 1           | 11          | 155         | 657         | 1,531       | 3,179       | 4,213       | 2,471             | 1              |

Worktable Orig290F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2007

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data - mortality"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, sex, and year | All ages | Under 1 year | 1-4 years | 5-14 years | 15-24 years | 25-34 years | 35-44 years | 45-54 years | 55-64 years | 65-74 years | 75-84 years | 85 years and over | Age not stated |
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|
| <b>Malignant neoplasm of pancreas (C25)</b>  |          |              |           |            |             |             |             |             |             |             |             |                   |                |
| <b>Non-Hispanic black, both sexes</b>  |          |              |           |            |             |             |             |             |             |             |             |                   |                |
| 2007 2/.....   | 4,033    | -            | -         | 1          | 1           | 12          | 86          | 506         | 907         | 1,070       | 996         | 454               | -              |
| 2006 2/.....   | 3,839    | -            | 1         | -          | -           | 8           | 89          | 470         | 891         | 1,023       | 925         | 432               | -              |
| 2005 2/.....   | 3,743    | -            | -         | -          | 1           | 11          | 86          | 482         | 817         | 991         | 946         | 409               | -              |
| 2004 2/.....   | 3,631    | -            | -         | -          | 5           | 10          | 91          | 453         | 811         | 995         | 866         | 400               | -              |
| 2003 2/.....   | 3,579    | -            | -         | 1          | 3           | 10          | 103         | 477         | 743         | 958         | 903         | 381               | -              |
| 2002.....  | 3,466    | 1            | -         | -          | -           | 6           | 101         | 399         | 726         | 1,016       | 858         | 358               | 1              |
| 2001.....  | 3,352    | -            | -         | -          | -           | 9           | 89          | 399         | 638         | 961         | 865         | 391               | -              |
| 2000.....  | 3,391    | -            | -         | -          | 1           | 9           | 97          | 379         | 664         | 970         | 890         | 381               | -              |
| 1999.....  | 3,368    | 1            | -         | -          | -           | 12          | 112         | 388         | 669         | 972         | 846         | 368               | -              |
| <b>Non-Hispanic black, male</b>  |          |              |           |            |             |             |             |             |             |             |             |                   |                |
| 2007 2/.....   | 1,878    | -            | -         | -          | 1           | 6           | 49          | 293         | 537         | 498         | 369         | 125               | -              |
| 2006 2/.....   | 1,753    | -            | -         | -          | -           | 2           | 52          | 267         | 504         | 491         | 336         | 101               | -              |
| 2005 2/.....   | 1,740    | -            | -         | -          | 1           | 7           | 44          | 273         | 460         | 470         | 378         | 107               | -              |
| 2004 2/.....   | 1,717    | -            | -         | -          | 4           | 5           | 55          | 256         | 458         | 518         | 320         | 101               | -              |
| 2003 2/.....   | 1,662    | -            | -         | 1          | 3           | 8           | 64          | 292         | 403         | 448         | 343         | 100               | -              |
| 2002.....  | 1,606    | -            | -         | -          | -           | 5           | 58          | 242         | 399         | 475         | 332         | 94                | 1              |
| 2001.....  | 1,501    | -            | -         | -          | -           | 4           | 47          | 229         | 339         | 460         | 335         | 87                | -              |
| 2000.....  | 1,546    | -            | -         | -          | -           | 5           | 54          | 229         | 367         | 447         | 350         | 94                | -              |
| 1999.....  | 1,601    | -            | -         | -          | -           | 8           | 63          | 246         | 386         | 457         | 344         | 97                | -              |



Worktable Orig290F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2007

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data - mortality"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, sex, and year | All ages | Under 1 year | 1-4 years | 5-14 years | 15-24 years | 25-34 years | 35-44 years | 45-54 years | 55-64 years | 65-74 years | 75-84 years | 85 years and over | Age not stated |
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|
| <b>Malignant neoplasm of pancreas (C25)</b>  |          |              |           |            |             |             |             |             |             |             |             |                   |                |
| <b>Non-Hispanic black, female</b>  |          |              |           |            |             |             |             |             |             |             |             |                   |                |
| 2007 2/.....   | 2,155    | -            | -         | 1          | -           | 6           | 37          | 213         | 370         | 572         | 627         | 329               | -              |
| 2006 2/.....   | 2,086    | -            | 1         | -          | -           | 6           | 37          | 203         | 387         | 532         | 589         | 331               | -              |
| 2005 2/.....   | 2,003    | -            | -         | -          | -           | 4           | 42          | 209         | 357         | 521         | 568         | 302               | -              |
| 2004 2/.....   | 1,914    | -            | -         | -          | 1           | 5           | 36          | 197         | 353         | 477         | 546         | 299               | -              |
| 2003 2/.....   | 1,917    | -            | -         | -          | -           | 2           | 39          | 185         | 340         | 510         | 560         | 281               | -              |
| 2002.....  | 1,860    | 1            | -         | -          | -           | 1           | 43          | 157         | 327         | 541         | 526         | 264               | -              |
| 2001.....  | 1,851    | -            | -         | -          | -           | 5           | 42          | 170         | 299         | 501         | 530         | 304               | -              |
| 2000.....  | 1,845    | -            | -         | -          | 1           | 4           | 43          | 150         | 297         | 523         | 540         | 287               | -              |
| 1999.....  | 1,767    | 1            | -         | -          | -           | 4           | 49          | 142         | 283         | 515         | 502         | 271               | -              |
| <b>Origin not stated 3/, both sexes</b>  |          |              |           |            |             |             |             |             |             |             |             |                   |                |
| 2007.....  | 38       | -            | -         | -          | -           | -           | 1           | 3           | 8           | 6           | 13          | 7                 | -              |
| 2006.....  | 46       | -            | -         | -          | -           | -           | -           | 4           | 8           | 11          | 17          | 6                 | -              |
| 2005.....  | 36       | -            | -         | -          | -           | 1           | -           | 2           | 7           | 12          | 7           | 7                 | -              |
| 2004.....  | 54       | -            | -         | -          | -           | -           | -           | 2           | 15          | 14          | 18          | 5                 | -              |
| 2003.....  | 59       | -            | -         | -          | -           | -           | 1           | 4           | 16          | 10          | 20          | 8                 | -              |
| 2002.....  | 62       | -            | -         | -          | -           | -           | -           | 7           | 11          | 14          | 22          | 8                 | -              |
| 2001.....  | 60       | -            | -         | -          | -           | 1           | 2           | 4           | 7           | 20          | 19          | 7                 | -              |
| 2000.....  | 63       | -            | -         | -          | -           | -           | 1           | 6           | 9           | 14          | 22          | 11                | -              |
| 1999.....  | 78       | -            | -         | -          | -           | -           | 3           | 9           | 9           | 27          | 23          | 7                 | -              |

Worktable Orig290F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2007

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data - mortality"]

---

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, sex, and year

|  | All ages | Under 1 year | 1-4 years | 5-14 years | 15-24 years | 25-34 years | 35-44 years | 45-54 years | 55-64 years | 65-74 years | 75-84 years | 85 years and over | Age not stated |
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|

---

Malignant neoplasm of pancreas (C25)

| Origin not stated 3/, male   |    |   |   |   |   |   |   |   |    |    |    |   |   |
|------------------------------|----|---|---|---|---|---|---|---|----|----|----|---|---|
| 2007.....                    | 23 | - | - | - | - | - | 1 | 1 | 7  | 4  | 4  | 6 | - |
| 2006.....                    | 27 | - | - | - | - | - | - | 1 | 7  | 7  | 10 | 2 | - |
| 2005.....                    | 13 | - | - | - | - | - | - | 1 | 3  | 7  | 2  | - | - |
| 2004.....                    | 34 | - | - | - | - | - | - | 1 | 13 | 10 | 8  | 2 | - |
| 2003.....                    | 31 | - | - | - | - | - | - | 1 | 9  | 6  | 11 | 4 | - |
| 2002.....                    | 29 | - | - | - | - | - | - | 2 | 9  | 5  | 8  | 5 | - |
| 2001.....                    | 32 | - | - | - | - | - | 1 | 1 | 5  | 14 | 6  | 5 | - |
| 2000.....                    | 28 | - | - | - | - | - | 1 | 5 | 7  | 5  | 7  | 3 | - |
| 1999.....                    | 41 | - | - | - | - | - | 1 | 7 | 6  | 15 | 10 | 2 | - |
| Origin not stated 3/, female |    |   |   |   |   |   |   |   |    |    |    |   |   |
| 2007.....                    | 15 | - | - | - | - | - | - | 2 | 1  | 2  | 9  | 1 | - |
| 2006.....                    | 19 | - | - | - | - | - | - | 3 | 1  | 4  | 7  | 4 | - |
| 2005.....                    | 23 | - | - | - | - | 1 | - | 1 | 4  | 5  | 5  | 7 | - |
| 2004.....                    | 20 | - | - | - | - | - | - | 1 | 2  | 4  | 10 | 3 | - |
| 2003.....                    | 28 | - | - | - | - | - | 1 | 3 | 7  | 4  | 9  | 4 | - |
| 2002.....                    | 33 | - | - | - | - | - | - | 5 | 2  | 9  | 14 | 3 | - |
| 2001.....                    | 28 | - | - | - | - | 1 | 1 | 3 | 2  | 6  | 13 | 2 | - |
| 2000.....                    | 35 | - | - | - | - | - | - | 1 | 2  | 9  | 15 | 8 | - |
| 1999.....                    | 37 | - | - | - | - | - | 2 | 2 | 3  | 12 | 13 | 5 | - |

Worktable Orig290F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2007

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data - mortality"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, sex, and year | All ages | Under 1 year | 1-4 years | 5-14 years | 15-24 years | 25-34 years | 35-44 years | 45-54 years | 55-64 years | 65-74 years | 75-84 years | 85 years and over | Age not stated |
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|
| <b>Malignant neoplasm of larynx (C32)</b>  |          |              |           |            |             |             |             |             |             |             |             |                   |                |
| <b>All origins, both sexes</b>   |          |              |           |            |             |             |             |             |             |             |             |                   |                |
| 2007.....  | 3,634    | -            | -         | -          | 2           | 2           | 55          | 450         | 932         | 989         | 871         | 333               | -              |
| 2006.....  | 3,821    | -            | -         | -          | -           | 2           | 58          | 451         | 978         | 1,071       | 928         | 333               | -              |
| 2005.....  | 3,797    | -            | -         | -          | -           | 3           | 64          | 423         | 916         | 1,156       | 914         | 320               | 1              |
| 2004.....  | 3,668    | -            | -         | 1          | 1           | 3           | 59          | 443         | 936         | 1,051       | 858         | 316               | -              |
| 2003.....  | 3,792    | -            | -         | -          | -           | 1           | 79          | 420         | 956         | 1,136       | 891         | 308               | 1              |
| 2002.....  | 3,723    | -            | -         | -          | -           | 11          | 76          | 425         | 904         | 1,084       | 969         | 253               | 1              |
| 2001.....  | 3,797    | -            | -         | -          | -           | 3           | 86          | 419         | 913         | 1,170       | 910         | 296               | -              |
| 2000.....  | 3,861    | -            | -         | 2          | 1           | 4           | 64          | 426         | 873         | 1,219       | 996         | 276               | -              |
| 1999.....  | 3,815    | -            | -         | -          | -           | 6           | 78          | 405         | 904         | 1,239       | 892         | 291               | -              |
| <b>All origins, male</b>   |          |              |           |            |             |             |             |             |             |             |             |                   |                |
| 2007.....  | 2,890    | -            | -         | -          | 1           | 1           | 40          | 371         | 779         | 765         | 686         | 247               | -              |
| 2006.....  | 2,991    | -            | -         | -          | -           | 1           | 40          | 364         | 781         | 846         | 709         | 250               | -              |
| 2005.....  | 2,983    | -            | -         | -          | -           | 2           | 47          | 320         | 752         | 916         | 693         | 252               | 1              |
| 2004.....  | 2,935    | -            | -         | -          | 1           | 3           | 48          | 362         | 756         | 854         | 676         | 235               | -              |
| 2003.....  | 3,020    | -            | -         | -          | -           | 1           | 60          | 354         | 777         | 899         | 708         | 221               | -              |
| 2002.....  | 2,922    | -            | -         | -          | -           | 6           | 58          | 349         | 738         | 832         | 755         | 183               | 1              |
| 2001.....  | 3,018    | -            | -         | -          | -           | 2           | 66          | 346         | 737         | 919         | 710         | 238               | -              |
| 2000.....  | 3,041    | -            | -         | -          | -           | 2           | 49          | 340         | 726         | 945         | 765         | 214               | -              |
| 1999.....  | 2,992    | -            | -         | -          | -           | 5           | 64          | 346         | 735         | 948         | 681         | 213               | -              |

Worktable Orig290F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2007

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data - mortality"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, sex, and year | All ages | Under 1 year | 1-4 years | 5-14 years | 15-24 years | 25-34 years | 35-44 years | 45-54 years | 55-64 years | 65-74 years | 75-84 years | 85 years and over | Age not stated |
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|
| <b>Malignant neoplasm of larynx (C32)</b>  |          |              |           |            |             |             |             |             |             |             |             |                   |                |
| <b>All origins, female</b>   |          |              |           |            |             |             |             |             |             |             |             |                   |                |
| 2007.....  | 744      | -            | -         | -          | 1           | 1           | 15          | 79          | 153         | 224         | 185         | 86                | -              |
| 2006.....  | 830      | -            | -         | -          | -           | 1           | 18          | 87          | 197         | 225         | 219         | 83                | -              |
| 2005.....  | 814      | -            | -         | -          | -           | 1           | 17          | 103         | 164         | 240         | 221         | 68                | -              |
| 2004.....  | 733      | -            | -         | 1          | -           | -           | 11          | 81          | 180         | 197         | 182         | 81                | -              |
| 2003.....  | 772      | -            | -         | -          | -           | -           | 19          | 66          | 179         | 237         | 183         | 87                | 1              |
| 2002.....  | 801      | -            | -         | -          | -           | 5           | 18          | 76          | 166         | 252         | 214         | 70                | -              |
| 2001.....  | 779      | -            | -         | -          | -           | 1           | 20          | 73          | 176         | 251         | 200         | 58                | -              |
| 2000.....  | 820      | -            | -         | 2          | 1           | 2           | 15          | 86          | 147         | 274         | 231         | 62                | -              |
| 1999.....  | 823      | -            | -         | -          | -           | 1           | 14          | 59          | 169         | 291         | 211         | 78                | -              |
| <b>Hispanic, both sexes</b>  |          |              |           |            |             |             |             |             |             |             |             |                   |                |
| 2007.....  | 164      | -            | -         | -          | -           | 1           | 5           | 19          | 38          | 47          | 38          | 16                | -              |
| 2006.....  | 180      | -            | -         | -          | -           | -           | 2           | 26          | 41          | 45          | 52          | 14                | -              |
| 2005.....  | 183      | -            | -         | -          | -           | -           | 7           | 24          | 31          | 52          | 53          | 16                | -              |
| 2004.....  | 190      | -            | -         | -          | -           | -           | 2           | 21          | 45          | 62          | 47          | 13                | -              |
| 2003.....  | 162      | -            | -         | -          | -           | -           | -           | 21          | 44          | 44          | 38          | 15                | -              |
| 2002.....  | 165      | -            | -         | -          | -           | 1           | 8           | 19          | 43          | 48          | 33          | 13                | -              |
| 2001.....  | 163      | -            | -         | -          | -           | -           | 3           | 20          | 38          | 60          | 29          | 13                | -              |
| 2000.....  | 143      | -            | -         | 1          | -           | 1           | 4           | 17          | 29          | 45          | 35          | 11                | -              |
| 1999.....  | 171      | -            | -         | -          | -           | -           | 5           | 25          | 29          | 55          | 40          | 17                | -              |

Worktable Orig290F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2007

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data - mortality"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, sex, and year | All ages | Under 1 year | 1-4 years | 5-14 years | 15-24 years | 25-34 years | 35-44 years | 45-54 years | 55-64 years | 65-74 years | 75-84 years | 85 years and over | Age not stated |
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|
| <b>Malignant neoplasm of larynx (C32)</b>  |          |              |           |            |             |             |             |             |             |             |             |                   |                |
| <b>Hispanic, male</b>  |          |              |           |            |             |             |             |             |             |             |             |                   |                |
| 2007.....  | 147      | -            | -         | -          | -           | -           | 2           | 19          | 35          | 46          | 33          | 12                | -              |
| 2006.....  | 161      | -            | -         | -          | -           | -           | 2           | 22          | 36          | 41          | 46          | 14                | -              |
| 2005.....  | 165      | -            | -         | -          | -           | -           | 7           | 22          | 28          | 50          | 46          | 12                | -              |
| 2004.....  | 178      | -            | -         | -          | -           | -           | 2           | 21          | 42          | 60          | 42          | 11                | -              |
| 2003.....  | 148      | -            | -         | -          | -           | -           | -           | 19          | 43          | 41          | 31          | 14                | -              |
| 2002.....  | 139      | -            | -         | -          | -           | -           | 7           | 16          | 40          | 42          | 27          | 7                 | -              |
| 2001.....  | 141      | -            | -         | -          | -           | -           | 3           | 18          | 34          | 53          | 24          | 9                 | -              |
| 2000.....  | 124      | -            | -         | -          | -           | -           | 3           | 16          | 28          | 37          | 30          | 10                | -              |
| 1999.....  | 149      | -            | -         | -          | -           | -           | 4           | 24          | 27          | 48          | 31          | 15                | -              |
| <b>Hispanic, female</b>  |          |              |           |            |             |             |             |             |             |             |             |                   |                |
| 2007.....  | 17       | -            | -         | -          | -           | 1           | 3           | -           | 3           | 1           | 5           | 4                 | -              |
| 2006.....  | 19       | -            | -         | -          | -           | -           | -           | 4           | 5           | 4           | 6           | -                 | -              |
| 2005.....  | 18       | -            | -         | -          | -           | -           | -           | 2           | 3           | 2           | 7           | 4                 | -              |
| 2004.....  | 12       | -            | -         | -          | -           | -           | -           | -           | 3           | 2           | 5           | 2                 | -              |
| 2003.....  | 14       | -            | -         | -          | -           | -           | -           | 2           | 1           | 3           | 7           | 1                 | -              |
| 2002.....  | 26       | -            | -         | -          | -           | 1           | 1           | 3           | 3           | 6           | 6           | 6                 | -              |
| 2001.....  | 22       | -            | -         | -          | -           | -           | -           | 2           | 4           | 7           | 5           | 4                 | -              |
| 2000.....  | 19       | -            | -         | 1          | -           | 1           | 1           | 1           | 1           | 8           | 5           | 1                 | -              |
| 1999.....  | 22       | -            | -         | -          | -           | -           | 1           | 1           | 2           | 7           | 9           | 2                 | -              |

Worktable Orig290F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2007

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data - mortality"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, sex, and year | All ages | Under 1 year | 1-4 years | 5-14 years | 15-24 years | 25-34 years | 35-44 years | 45-54 years | 55-64 years | 65-74 years | 75-84 years | 85 years and over | Age not stated |
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|
| <b>Malignant neoplasm of larynx (C32)</b>  |          |              |           |            |             |             |             |             |             |             |             |                   |                |
| <b>Non-Hispanic 1/, both sexes</b>   |          |              |           |            |             |             |             |             |             |             |             |                   |                |
| 2007.....  | 3,461    | -            | -         | -          | 2           | 1           | 50          | 430         | 888         | 940         | 833         | 317               | -              |
| 2006.....  | 3,630    | -            | -         | -          | -           | 2           | 56          | 421         | 935         | 1,025       | 874         | 317               | -              |
| 2005.....  | 3,605    | -            | -         | -          | -           | 3           | 57          | 395         | 884         | 1,102       | 861         | 303               | -              |
| 2004.....  | 3,463    | -            | -         | 1          | -           | 3           | 57          | 422         | 885         | 983         | 809         | 303               | -              |
| 2003.....  | 3,610    | -            | -         | -          | -           | 1           | 78          | 396         | 908         | 1,086       | 847         | 293               | 1              |
| 2002.....  | 3,548    | -            | -         | -          | -           | 10          | 68          | 405         | 857         | 1,033       | 934         | 240               | 1              |
| 2001.....  | 3,614    | -            | -         | -          | -           | 3           | 82          | 398         | 865         | 1,106       | 877         | 283               | -              |
| 2000.....  | 3,699    | -            | -         | 1          | 1           | 3           | 59          | 406         | 840         | 1,166       | 959         | 264               | -              |
| 1999.....  | 3,627    | -            | -         | -          | -           | 6           | 73          | 377         | 871         | 1,180       | 847         | 273               | -              |
| <b>Non-Hispanic 1/, male</b>   |          |              |           |            |             |             |             |             |             |             |             |                   |                |
| 2007.....  | 2,737    | -            | -         | -          | 1           | 1           | 38          | 351         | 741         | 717         | 653         | 235               | -              |
| 2006.....  | 2,820    | -            | -         | -          | -           | 1           | 38          | 338         | 743         | 804         | 661         | 235               | -              |
| 2005.....  | 2,811    | -            | -         | -          | -           | 2           | 40          | 295         | 723         | 865         | 647         | 239               | -              |
| 2004.....  | 2,745    | -            | -         | -          | -           | 3           | 46          | 341         | 709         | 789         | 633         | 224               | -              |
| 2003.....  | 2,853    | -            | -         | -          | -           | 1           | 59          | 332         | 730         | 853         | 671         | 207               | -              |
| 2002.....  | 2,775    | -            | -         | -          | -           | 6           | 51          | 332         | 695         | 788         | 726         | 176               | 1              |
| 2001.....  | 2,858    | -            | -         | -          | -           | 2           | 62          | 327         | 694         | 862         | 682         | 229               | -              |
| 2000.....  | 2,901    | -            | -         | -          | -           | 2           | 45          | 322         | 694         | 901         | 733         | 204               | -              |
| 1999.....  | 2,832    | -            | -         | -          | -           | 5           | 60          | 320         | 706         | 897         | 646         | 198               | -              |

Worktable Orig290F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2007

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data - mortality"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, sex, and year | All ages | Under 1 year | 1-4 years | 5-14 years | 15-24 years | 25-34 years | 35-44 years | 45-54 years | 55-64 years | 65-74 years | 75-84 years | 85 years and over | Age not stated |
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|
| <b>Malignant neoplasm of larynx (C32)</b>  |          |              |           |            |             |             |             |             |             |             |             |                   |                |
| <b>Non-Hispanic 1/, female</b>   |          |              |           |            |             |             |             |             |             |             |             |                   |                |
| 2007.....  | 724      | -            | -         | -          | 1           | -           | 12          | 79          | 147         | 223         | 180         | 82                | -              |
| 2006.....  | 810      | -            | -         | -          | -           | 1           | 18          | 83          | 192         | 221         | 213         | 82                | -              |
| 2005.....  | 794      | -            | -         | -          | -           | 1           | 17          | 100         | 161         | 237         | 214         | 64                | -              |
| 2004.....  | 718      | -            | -         | 1          | -           | -           | 11          | 81          | 176         | 194         | 176         | 79                | -              |
| 2003.....  | 757      | -            | -         | -          | -           | -           | 19          | 64          | 178         | 233         | 176         | 86                | 1              |
| 2002.....  | 773      | -            | -         | -          | -           | 4           | 17          | 73          | 162         | 245         | 208         | 64                | -              |
| 2001.....  | 756      | -            | -         | -          | -           | 1           | 20          | 71          | 171         | 244         | 195         | 54                | -              |
| 2000.....  | 798      | -            | -         | 1          | 1           | 1           | 14          | 84          | 146         | 265         | 226         | 60                | -              |
| 1999.....  | 795      | -            | -         | -          | -           | 1           | 13          | 57          | 165         | 283         | 201         | 75                | -              |
| <b>Non-Hispanic white, both sexes</b>  |          |              |           |            |             |             |             |             |             |             |             |                   |                |
| 2007 2/.....   | 2,741    | -            | -         | -          | 2           | 1           | 37          | 309         | 670         | 746         | 701         | 275               | -              |
| 2006 2/.....   | 2,937    | -            | -         | -          | -           | 1           | 38          | 301         | 736         | 825         | 757         | 279               | -              |
| 2005 2/.....   | 2,877    | -            | -         | -          | -           | 2           | 43          | 280         | 654         | 883         | 757         | 258               | -              |
| 2004 2/.....   | 2,793    | -            | -         | 1          | -           | 3           | 40          | 304         | 689         | 799         | 691         | 266               | -              |
| 2003 2/.....   | 2,879    | -            | -         | -          | -           | 1           | 61          | 269         | 697         | 878         | 722         | 250               | 1              |
| 2002.....  | 2,838    | -            | -         | -          | -           | 6           | 40          | 276         | 653         | 850         | 793         | 220               | -              |
| 2001.....  | 2,876    | -            | -         | -          | -           | 3           | 58          | 268         | 657         | 893         | 747         | 250               | -              |
| 2000.....  | 2,940    | -            | -         | 1          | 1           | 3           | 44          | 281         | 612         | 936         | 822         | 240               | -              |
| 1999.....  | 2,924    | -            | -         | -          | -           | 4           | 40          | 256         | 660         | 978         | 751         | 235               | -              |

Worktable Orig290F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2007

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data - mortality"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, sex, and year | All ages | Under 1 year | 1-4 years | 5-14 years | 15-24 years | 25-34 years | 35-44 years | 45-54 years | 55-64 years | 65-74 years | 75-84 years | 85 years and over | Age not stated |
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|
| <b>Malignant neoplasm of larynx (C32)</b>  |          |              |           |            |             |             |             |             |             |             |             |                   |                |
| <b>Non-Hispanic white, male</b>  |          |              |           |            |             |             |             |             |             |             |             |                   |                |
| 2007 2/.....   | 2,137    | -            | -         | -          | 1           | 1           | 28          | 245         | 554         | 563         | 544         | 201               | -              |
| 2006 2/.....   | 2,254    | -            | -         | -          | -           | -           | 24          | 236         | 584         | 635         | 567         | 208               | -              |
| 2005 2/.....   | 2,224    | -            | -         | -          | -           | 1           | 30          | 211         | 526         | 687         | 566         | 203               | -              |
| 2004 2/.....   | 2,192    | -            | -         | -          | -           | 3           | 34          | 242         | 543         | 639         | 537         | 194               | -              |
| 2003 2/.....   | 2,251    | -            | -         | -          | -           | 1           | 48          | 227         | 559         | 676         | 564         | 176               | -              |
| 2002.....  | 2,205    | -            | -         | -          | -           | 3           | 30          | 230         | 518         | 645         | 619         | 160               | -              |
| 2001.....  | 2,267    | -            | -         | -          | -           | 2           | 47          | 216         | 529         | 697         | 570         | 206               | -              |
| 2000.....  | 2,291    | -            | -         | -          | -           | 2           | 31          | 220         | 500         | 721         | 632         | 185               | -              |
| 1999.....  | 2,263    | -            | -         | -          | -           | 3           | 34          | 219         | 534         | 739         | 568         | 166               | -              |
| <b>Non-Hispanic white, female</b>  |          |              |           |            |             |             |             |             |             |             |             |                   |                |
| 2007 2/.....   | 604      | -            | -         | -          | 1           | -           | 9           | 64          | 116         | 183         | 157         | 74                | -              |
| 2006 2/.....   | 683      | -            | -         | -          | -           | 1           | 14          | 65          | 152         | 190         | 190         | 71                | -              |
| 2005 2/.....   | 653      | -            | -         | -          | -           | 1           | 13          | 69          | 128         | 196         | 191         | 55                | -              |
| 2004 2/.....   | 601      | -            | -         | 1          | -           | -           | 6           | 62          | 146         | 160         | 154         | 72                | -              |
| 2003 2/.....   | 628      | -            | -         | -          | -           | -           | 13          | 42          | 138         | 202         | 158         | 74                | 1              |
| 2002.....  | 633      | -            | -         | -          | -           | 3           | 10          | 46          | 135         | 205         | 174         | 60                | -              |
| 2001.....  | 609      | -            | -         | -          | -           | 1           | 11          | 52          | 128         | 196         | 177         | 44                | -              |
| 2000.....  | 649      | -            | -         | 1          | 1           | 1           | 13          | 61          | 112         | 215         | 190         | 55                | -              |
| 1999.....  | 661      | -            | -         | -          | -           | 1           | 6           | 37          | 126         | 239         | 183         | 69                | -              |



Worktable Orig290F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2007

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data - mortality"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, sex, and year | All ages | Under 1 year | 1-4 years | 5-14 years | 15-24 years | 25-34 years | 35-44 years | 45-54 years | 55-64 years | 65-74 years | 75-84 years | 85 years and over | Age not stated |
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|
| <b>Malignant neoplasm of larynx (C32)</b>  |          |              |           |            |             |             |             |             |             |             |             |                   |                |
| <b>Non-Hispanic black, both sexes</b>  |          |              |           |            |             |             |             |             |             |             |             |                   |                |
| 2007 2/.....   | 651      | -            | -         | -          | -           | -           | 13          | 113         | 199         | 176         | 117         | 33                | -              |
| 2006 2/.....   | 632      | -            | -         | -          | -           | 1           | 16          | 110         | 187         | 186         | 101         | 31                | -              |
| 2005 2/.....   | 673      | -            | -         | -          | -           | 1           | 13          | 111         | 213         | 200         | 97          | 38                | -              |
| 2004 2/.....   | 625      | -            | -         | -          | -           | -           | 17          | 111         | 185         | 173         | 111         | 28                | -              |
| 2003 2/.....   | 687      | -            | -         | -          | -           | -           | 16          | 120         | 206         | 193         | 114         | 38                | -              |
| 2002.....  | 674      | -            | -         | -          | -           | 4           | 27          | 123         | 198         | 174         | 131         | 16                | 1              |
| 2001.....  | 668      | -            | -         | -          | -           | -           | 23          | 124         | 195         | 188         | 111         | 27                | -              |
| 2000.....  | 714      | -            | -         | -          | -           | -           | 15          | 121         | 218         | 209         | 129         | 22                | -              |
| 1999.....  | 657      | -            | -         | -          | -           | 2           | 32          | 117         | 203         | 188         | 89          | 26                | -              |
| <b>Non-Hispanic black, male</b>  |          |              |           |            |             |             |             |             |             |             |             |                   |                |
| 2007 2/.....   | 541      | -            | -         | -          | -           | -           | 10          | 98          | 174         | 136         | 96          | 27                | -              |
| 2006 2/.....   | 512      | -            | -         | -          | -           | 1           | 12          | 92          | 150         | 155         | 81          | 21                | -              |
| 2005 2/.....   | 542      | -            | -         | -          | -           | 1           | 9           | 80          | 185         | 161         | 75          | 31                | -              |
| 2004 2/.....   | 518      | -            | -         | -          | -           | -           | 12          | 94          | 158         | 142         | 89          | 23                | -              |
| 2003 2/.....   | 566      | -            | -         | -          | -           | -           | 10          | 99          | 167         | 166         | 98          | 26                | -              |
| 2002.....  | 541      | -            | -         | -          | -           | 3           | 20          | 96          | 172         | 135         | 101         | 13                | 1              |
| 2001.....  | 531      | -            | -         | -          | -           | -           | 14          | 105         | 156         | 144         | 94          | 18                | -              |
| 2000.....  | 574      | -            | -         | -          | -           | -           | 14          | 99          | 186         | 164         | 94          | 17                | -              |
| 1999.....  | 532      | -            | -         | -          | -           | 2           | 25          | 97          | 168         | 147         | 72          | 21                | -              |

Worktable Orig290F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2007

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data - mortality"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, sex, and year | All ages | Under 1 year | 1-4 years | 5-14 years | 15-24 years | 25-34 years | 35-44 years | 45-54 years | 55-64 years | 65-74 years | 75-84 years | 85 years and over | Age not stated |
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|
| <b>Malignant neoplasm of larynx (C32)</b>  |          |              |           |            |             |             |             |             |             |             |             |                   |                |
| <b>Non-Hispanic black, female</b>  |          |              |           |            |             |             |             |             |             |             |             |                   |                |
| 2007 2/.....   | 110      | -            | -         | -          | -           | -           | 3           | 15          | 25          | 40          | 21          | 6                 | -              |
| 2006 2/.....   | 120      | -            | -         | -          | -           | -           | 4           | 18          | 37          | 31          | 20          | 10                | -              |
| 2005 2/.....   | 131      | -            | -         | -          | -           | -           | 4           | 31          | 28          | 39          | 22          | 7                 | -              |
| 2004 2/.....   | 107      | -            | -         | -          | -           | -           | 5           | 17          | 27          | 31          | 22          | 5                 | -              |
| 2003 2/.....   | 121      | -            | -         | -          | -           | -           | 6           | 21          | 39          | 27          | 16          | 12                | -              |
| 2002.....  | 133      | -            | -         | -          | -           | 1           | 7           | 27          | 26          | 39          | 30          | 3                 | -              |
| 2001.....  | 137      | -            | -         | -          | -           | -           | 9           | 19          | 39          | 44          | 17          | 9                 | -              |
| 2000.....  | 140      | -            | -         | -          | -           | -           | 1           | 22          | 32          | 45          | 35          | 5                 | -              |
| 1999.....  | 125      | -            | -         | -          | -           | -           | 7           | 20          | 35          | 41          | 17          | 5                 | -              |
| <b>Origin not stated 3/, both sexes</b>  |          |              |           |            |             |             |             |             |             |             |             |                   |                |
| 2007.....  | 9        | -            | -         | -          | -           | -           | -           | 1           | 6           | 2           | -           | -                 | -              |
| 2006.....  | 11       | -            | -         | -          | -           | -           | -           | 4           | 2           | 1           | 2           | 2                 | -              |
| 2005.....  | 9        | -            | -         | -          | -           | -           | -           | 4           | 1           | 2           | -           | 1                 | 1              |
| 2004.....  | 15       | -            | -         | -          | 1           | -           | -           | -           | 6           | 6           | 2           | -                 | -              |
| 2003.....  | 20       | -            | -         | -          | -           | -           | 1           | 3           | 4           | 6           | 6           | -                 | -              |
| 2002.....  | 10       | -            | -         | -          | -           | -           | -           | 1           | 4           | 3           | 2           | -                 | -              |
| 2001.....  | 20       | -            | -         | -          | -           | -           | 1           | 1           | 10          | 4           | 4           | -                 | -              |
| 2000.....  | 19       | -            | -         | -          | -           | -           | 1           | 3           | 4           | 8           | 2           | 1                 | -              |
| 1999.....  | 17       | -            | -         | -          | -           | -           | -           | 3           | 4           | 4           | 5           | 1                 | -              |

Worktable Orig290F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2007

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data - mortality"]

---

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, sex, and year

|  | All ages | Under 1 year | 1-4 years | 5-14 years | 15-24 years | 25-34 years | 35-44 years | 45-54 years | 55-64 years | 65-74 years | 75-84 years | 85 years and over | Age not stated |
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|

---

Malignant neoplasm of larynx (C32)

Origin not stated 3/, male

|           |    |   |   |   |   |   |   |   |   |   |   |   |   |
|-----------|----|---|---|---|---|---|---|---|---|---|---|---|---|
| 2007..... | 6  | - | - | - | - | - | - | 1 | 3 | 2 | - | - | - |
| 2006..... | 10 | - | - | - | - | - | - | 4 | 2 | 1 | 2 | 1 | - |
| 2005..... | 7  | - | - | - | - | - | - | 3 | 1 | 1 | - | 1 | 1 |
| 2004..... | 12 | - | - | - | 1 | - | - | - | 5 | 5 | 1 | - | - |
| 2003..... | 19 | - | - | - | - | - | 1 | 3 | 4 | 5 | 6 | - | - |
| 2002..... | 8  | - | - | - | - | - | - | 1 | 3 | 2 | 2 | - | - |
| 2001..... | 19 | - | - | - | - | - | 1 | 1 | 9 | 4 | 4 | - | - |
| 2000..... | 16 | - | - | - | - | - | 1 | 2 | 4 | 7 | 2 | - | - |
| 1999..... | 11 | - | - | - | - | - | - | 2 | 2 | 3 | 4 | - | - |

Origin not stated 3/, female

|           |   |   |   |   |   |   |   |   |   |   |   |   |   |
|-----------|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 2007..... | 3 | - | - | - | - | - | - | - | 3 | - | - | - | - |
| 2006..... | 1 | - | - | - | - | - | - | - | - | - | - | 1 | - |
| 2005..... | 2 | - | - | - | - | - | - | 1 | - | 1 | - | - | - |
| 2004..... | 3 | - | - | - | - | - | - | - | 1 | 1 | 1 | - | - |
| 2003..... | 1 | - | - | - | - | - | - | - | - | 1 | - | - | - |
| 2002..... | 2 | - | - | - | - | - | - | - | 1 | 1 | - | - | - |
| 2001..... | 1 | - | - | - | - | - | - | - | 1 | - | - | - | - |
| 2000..... | 3 | - | - | - | - | - | - | 1 | - | 1 | - | 1 | - |
| 1999..... | 6 | - | - | - | - | - | - | 1 | 2 | 1 | 1 | 1 | - |

Worktable Orig290F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2007

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data - mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, sex, and year

|  | All ages | Under 1 year | 1-4 years | 5-14 years | 15-24 years | 25-34 years | 35-44 years | 45-54 years | 55-64 years | 65-74 years | 75-84 years | 85 years and over | Age not stated |
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|

Malignant neoplasms of trachea, bronchus and lung (C33-C34)

All origins, both sexes

|           |         |   |   |   |    |     |       |        |        |        |        |        |   |
|-----------|---------|---|---|---|----|-----|-------|--------|--------|--------|--------|--------|---|
| 2007..... | 158,760 | 1 | 1 | 4 | 25 | 135 | 1,852 | 12,480 | 31,216 | 48,157 | 48,358 | 16,528 | 3 |
| 2006..... | 158,664 | 1 | 1 | 2 | 27 | 155 | 2,023 | 12,608 | 31,317 | 47,882 | 48,732 | 15,915 | 1 |
| 2005..... | 159,292 | - | 3 | 1 | 16 | 133 | 2,323 | 12,624 | 31,363 | 48,390 | 49,032 | 15,404 | 3 |
| 2004..... | 158,091 | 2 | 4 | 4 | 23 | 147 | 2,426 | 12,448 | 31,086 | 49,029 | 48,464 | 14,455 | 3 |
| 2003..... | 158,086 | - | 2 | 2 | 25 | 154 | 2,478 | 12,374 | 30,956 | 49,386 | 48,619 | 14,088 | 2 |
| 2002..... | 157,713 | - | 1 | 4 | 21 | 165 | 2,698 | 12,150 | 30,684 | 50,256 | 48,082 | 13,652 | - |
| 2001..... | 156,058 | - | 5 | 2 | 20 | 157 | 2,796 | 12,041 | 29,777 | 51,225 | 46,700 | 13,331 | 4 |
| 2000..... | 155,521 | 2 | 2 | 1 | 22 | 197 | 2,756 | 11,915 | 29,721 | 52,258 | 45,836 | 12,806 | 5 |
| 1999..... | 152,156 | - | - | 5 | 20 | 179 | 2,724 | 11,434 | 29,344 | 51,848 | 44,261 | 12,339 | 2 |

All origins, male

|           |        |   |   |   |    |     |       |       |        |        |        |       |   |
|-----------|--------|---|---|---|----|-----|-------|-------|--------|--------|--------|-------|---|
| 2007..... | 88,372 | 1 | 1 | 4 | 17 | 79  | 911   | 6,939 | 18,326 | 27,568 | 26,475 | 8,049 | 2 |
| 2006..... | 89,279 | 1 | 1 | 1 | 10 | 85  | 1,034 | 7,196 | 18,514 | 27,695 | 27,015 | 7,727 | - |
| 2005..... | 90,187 | - | 3 | - | 9  | 77  | 1,197 | 7,327 | 18,663 | 28,207 | 27,196 | 7,506 | 2 |
| 2004..... | 89,630 | 1 | 1 | 3 | 14 | 87  | 1,280 | 7,317 | 18,440 | 28,453 | 26,992 | 7,039 | 3 |
| 2003..... | 89,964 | - | 1 | 1 | 14 | 78  | 1,344 | 7,313 | 18,347 | 28,935 | 27,064 | 6,865 | 2 |
| 2002..... | 90,171 | - | 1 | 3 | 16 | 90  | 1,386 | 7,194 | 18,415 | 29,543 | 26,821 | 6,702 | - |
| 2001..... | 90,426 | - | 4 | 1 | 12 | 77  | 1,504 | 7,190 | 17,873 | 30,699 | 26,406 | 6,656 | 4 |
| 2000..... | 90,469 | 2 | 1 | - | 14 | 102 | 1,542 | 7,123 | 17,937 | 31,382 | 25,966 | 6,395 | 5 |
| 1999..... | 89,453 | - | - | 4 | 13 | 97  | 1,474 | 6,851 | 18,013 | 31,287 | 25,397 | 6,315 | 2 |

Worktable Orig290F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2007

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data - mortality"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, sex, and year | All ages | Under 1 year | 1-4 years | 5-14 years | 15-24 years | 25-34 years | 35-44 years | 45-54 years | 55-64 years | 65-74 years | 75-84 years | 85 years and over | Age not stated |
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|
| Malignant neoplasms of trachea, bronchus and lung (C33-C34)  |          |              |           |            |             |             |             |             |             |             |             |                   |                |
| All origins, female  |          |              |           |            |             |             |             |             |             |             |             |                   |                |
| 2007.....  | 70,388   | -            | -         | -          | 8           | 56          | 941         | 5,541       | 12,890      | 20,589      | 21,883      | 8,479             | 1              |
| 2006.....  | 69,385   | -            | -         | 1          | 17          | 70          | 989         | 5,412       | 12,803      | 20,187      | 21,717      | 8,188             | 1              |
| 2005.....  | 69,105   | -            | -         | 1          | 7           | 56          | 1,126       | 5,297       | 12,700      | 20,183      | 21,836      | 7,898             | 1              |
| 2004.....  | 68,461   | 1            | 3         | 1          | 9           | 60          | 1,146       | 5,131       | 12,646      | 20,576      | 21,472      | 7,416             | -              |
| 2003.....  | 68,122   | -            | 1         | 1          | 11          | 76          | 1,134       | 5,061       | 12,609      | 20,451      | 21,555      | 7,223             | -              |
| 2002.....  | 67,542   | -            | -         | 1          | 5           | 75          | 1,312       | 4,956       | 12,269      | 20,713      | 21,261      | 6,950             | -              |
| 2001.....  | 65,632   | -            | 1         | 1          | 8           | 80          | 1,292       | 4,851       | 11,904      | 20,526      | 20,294      | 6,675             | -              |
| 2000.....  | 65,052   | -            | 1         | 1          | 8           | 95          | 1,214       | 4,792       | 11,784      | 20,876      | 19,870      | 6,411             | -              |
| 1999.....  | 62,703   | -            | -         | 1          | 7           | 82          | 1,250       | 4,583       | 11,331      | 20,561      | 18,864      | 6,024             | -              |
| Hispanic, both sexes   |          |              |           |            |             |             |             |             |             |             |             |                   |                |
| 2007.....  | 4,622    | -            | 1         | -          | 4           | 20          | 93          | 404         | 855         | 1,430       | 1,340       | 475               | -              |
| 2006.....  | 4,355    | -            | -         | -          | 5           | 13          | 100         | 381         | 796         | 1,359       | 1,290       | 411               | -              |
| 2005.....  | 4,490    | -            | 1         | -          | 2           | 15          | 111         | 407         | 848         | 1,355       | 1,337       | 414               | -              |
| 2004.....  | 4,215    | -            | 1         | 2          | 2           | 25          | 86          | 379         | 786         | 1,303       | 1,223       | 406               | 2              |
| 2003.....  | 4,136    | -            | -         | -          | 4           | 20          | 92          | 390         | 795         | 1,293       | 1,177       | 365               | -              |
| 2002.....  | 4,038    | -            | -         | 2          | 4           | 27          | 90          | 362         | 808         | 1,303       | 1,101       | 341               | -              |
| 2001.....  | 3,816    | -            | 2         | 1          | 7           | 16          | 106         | 364         | 758         | 1,230       | 1,011       | 321               | -              |
| 2000.....  | 3,643    | -            | -         | -          | 3           | 17          | 90          | 342         | 672         | 1,191       | 1,006       | 322               | -              |
| 1999.....  | 3,545    | -            | -         | -          | 3           | 17          | 98          | 308         | 724         | 1,170       | 901         | 324               | -              |

Worktable Orig290F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2007

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data - mortality"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, sex, and year | All ages | Under 1 year | 1-4 years | 5-14 years | 15-24 years | 25-34 years | 35-44 years | 45-54 years | 55-64 years | 65-74 years | 75-84 years | 85 years and over | Age not stated |
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|
| <b>Malignant neoplasms of trachea, bronchus and lung (C33-C34)</b>   |          |              |           |            |             |             |             |             |             |             |             |                   |                |
| <b>Hispanic, male</b>  |          |              |           |            |             |             |             |             |             |             |             |                   |                |
| 2007.....  | 2,822    | -            | 1         | -          | 4           | 9           | 44          | 248         | 545         | 905         | 814         | 252               | -              |
| 2006.....  | 2,746    | -            | -         | -          | 1           | 5           | 53          | 240         | 545         | 864         | 804         | 234               | -              |
| 2005.....  | 2,878    | -            | 1         | -          | -           | 9           | 64          | 257         | 594         | 894         | 843         | 216               | -              |
| 2004.....  | 2,704    | -            | -         | 1          | 1           | 15          | 56          | 255         | 529         | 858         | 782         | 205               | 2              |
| 2003.....  | 2,640    | -            | -         | -          | 3           | 7           | 52          | 240         | 549         | 877         | 723         | 189               | -              |
| 2002.....  | 2,617    | -            | -         | 1          | 2           | 14          | 45          | 229         | 567         | 846         | 729         | 184               | -              |
| 2001.....  | 2,495    | -            | 2         | -          | 6           | 10          | 68          | 239         | 517         | 820         | 657         | 176               | -              |
| 2000.....  | 2,411    | -            | -         | -          | 3           | 10          | 56          | 229         | 471         | 793         | 666         | 183               | -              |
| 1999.....  | 2,373    | -            | -         | -          | 2           | 10          | 58          | 208         | 523         | 798         | 606         | 168               | -              |
| <b>Hispanic, female</b>  |          |              |           |            |             |             |             |             |             |             |             |                   |                |
| 2007.....  | 1,800    | -            | -         | -          | -           | 11          | 49          | 156         | 310         | 525         | 526         | 223               | -              |
| 2006.....  | 1,609    | -            | -         | -          | 4           | 8           | 47          | 141         | 251         | 495         | 486         | 177               | -              |
| 2005.....  | 1,612    | -            | -         | -          | 2           | 6           | 47          | 150         | 254         | 461         | 494         | 198               | -              |
| 2004.....  | 1,511    | -            | 1         | 1          | 10          | 30          | 124         | 257         | 445         | 441         | 441         | 201               | -              |
| 2003.....  | 1,496    | -            | -         | -          | 1           | 13          | 40          | 150         | 246         | 416         | 454         | 176               | -              |
| 2002.....  | 1,421    | -            | -         | 1          | 2           | 13          | 45          | 133         | 241         | 457         | 372         | 157               | -              |
| 2001.....  | 1,321    | -            | -         | 1          | 1           | 6           | 38          | 125         | 241         | 410         | 354         | 145               | -              |
| 2000.....  | 1,232    | -            | -         | -          | -           | 7           | 34          | 113         | 201         | 398         | 340         | 139               | -              |
| 1999.....  | 1,172    | -            | -         | -          | 1           | 7           | 40          | 100         | 201         | 372         | 295         | 156               | -              |

Worktable Orig290F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2007

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data - mortality"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, sex, and year | All ages | Under 1 year | 1-4 years | 5-14 years | 15-24 years | 25-34 years | 35-44 years | 45-54 years | 55-64 years | 65-74 years | 75-84 years | 85 years and over | Age not stated |
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|

Malignant neoplasms of trachea, bronchus and lung (C33-C34)

Non-Hispanic 1/, both sexes

|           |         |   |   |   |    |     |       |        |        |        |        |        |   |
|-----------|---------|---|---|---|----|-----|-------|--------|--------|--------|--------|--------|---|
| 2007..... | 153,972 | 1 | - | 4 | 21 | 115 | 1,757 | 12,060 | 30,325 | 46,665 | 46,982 | 16,039 | 3 |
| 2006..... | 154,063 | 1 | 1 | 2 | 22 | 142 | 1,919 | 12,209 | 30,462 | 46,449 | 47,383 | 15,472 | 1 |
| 2005..... | 154,578 | - | 2 | 1 | 14 | 117 | 2,209 | 12,195 | 30,466 | 46,959 | 47,642 | 14,970 | 3 |
| 2004..... | 153,581 | 2 | 3 | 2 | 21 | 121 | 2,335 | 12,045 | 30,234 | 47,629 | 47,164 | 14,024 | 1 |
| 2003..... | 153,616 | - | 2 | 2 | 21 | 132 | 2,378 | 11,951 | 30,101 | 47,977 | 47,352 | 13,698 | 2 |
| 2002..... | 153,292 | - | 1 | 2 | 17 | 135 | 2,601 | 11,752 | 29,802 | 48,836 | 46,862 | 13,284 | - |
| 2001..... | 151,882 | - | 3 | 1 | 13 | 141 | 2,678 | 11,642 | 28,936 | 49,887 | 45,599 | 12,978 | 4 |
| 2000..... | 151,483 | 2 | 2 | 1 | 19 | 180 | 2,653 | 11,525 | 28,965 | 50,940 | 44,742 | 12,449 | 5 |
| 1999..... | 148,206 | - | - | 5 | 17 | 161 | 2,618 | 11,087 | 28,549 | 50,536 | 43,243 | 11,988 | 2 |

Non-Hispanic 1/, male

|           |        |   |   |   |    |    |       |       |        |        |        |       |   |
|-----------|--------|---|---|---|----|----|-------|-------|--------|--------|--------|-------|---|
| 2007..... | 85,451 | 1 | - | 4 | 13 | 70 | 865   | 6,680 | 17,762 | 26,623 | 25,640 | 7,791 | 2 |
| 2006..... | 86,370 | 1 | 1 | 1 | 9  | 80 | 979   | 6,941 | 17,928 | 26,775 | 26,179 | 7,476 | - |
| 2005..... | 87,168 | - | 2 | - | 9  | 67 | 1,132 | 7,055 | 18,033 | 27,265 | 26,322 | 7,281 | 2 |
| 2004..... | 86,740 | 1 | 1 | 2 | 13 | 71 | 1,222 | 7,049 | 17,867 | 27,527 | 26,166 | 6,820 | 1 |
| 2003..... | 87,111 | - | 1 | 1 | 11 | 69 | 1,287 | 7,052 | 17,762 | 27,973 | 26,286 | 6,667 | 2 |
| 2002..... | 87,335 | - | 1 | 2 | 14 | 76 | 1,337 | 6,942 | 17,806 | 28,628 | 26,026 | 6,503 | - |
| 2001..... | 87,706 | - | 2 | 1 | 6  | 67 | 1,431 | 6,929 | 17,291 | 29,818 | 25,695 | 6,462 | 4 |
| 2000..... | 87,816 | 2 | 1 | - | 11 | 92 | 1,479 | 6,866 | 17,409 | 30,511 | 25,245 | 6,195 | 5 |
| 1999..... | 86,822 | - | - | 4 | 11 | 87 | 1,411 | 6,616 | 17,438 | 30,397 | 24,724 | 6,132 | 2 |

Worktable Orig290F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2007

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data - mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, sex, and year

|  | All ages | Under 1 year | 1-4 years | 5-14 years | 15-24 years | 25-34 years | 35-44 years | 45-54 years | 55-64 years | 65-74 years | 75-84 years | 85 years and over | Age not stated |
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|

Malignant neoplasms of trachea, bronchus and lung (C33-C34)

Non-Hispanic 1/, female

|           |        |   |   |   |    |    |       |       |        |        |        |       |   |
|-----------|--------|---|---|---|----|----|-------|-------|--------|--------|--------|-------|---|
| 2007..... | 68,521 | - | - | - | 8  | 45 | 892   | 5,380 | 12,563 | 20,042 | 21,342 | 8,248 | 1 |
| 2006..... | 67,693 | - | - | 1 | 13 | 62 | 940   | 5,268 | 12,534 | 19,674 | 21,204 | 7,996 | 1 |
| 2005..... | 67,410 | - | - | 1 | 5  | 50 | 1,077 | 5,140 | 12,433 | 19,694 | 21,320 | 7,689 | 1 |
| 2004..... | 66,841 | 1 | 2 | - | 8  | 50 | 1,113 | 4,996 | 12,367 | 20,102 | 20,998 | 7,204 | - |
| 2003..... | 66,505 | - | 1 | 1 | 10 | 63 | 1,091 | 4,899 | 12,339 | 20,004 | 21,066 | 7,031 | - |
| 2002..... | 65,957 | - | - | - | 3  | 59 | 1,264 | 4,810 | 11,996 | 20,208 | 20,836 | 6,781 | - |
| 2001..... | 64,176 | - | 1 | - | 7  | 74 | 1,247 | 4,713 | 11,645 | 20,069 | 19,904 | 6,516 | - |
| 2000..... | 63,667 | - | 1 | 1 | 8  | 88 | 1,174 | 4,659 | 11,556 | 20,429 | 19,497 | 6,254 | - |
| 1999..... | 61,384 | - | - | 1 | 6  | 74 | 1,207 | 4,471 | 11,111 | 20,139 | 18,519 | 5,856 | - |

Non-Hispanic white, both sexes

|              |         |   |   |   |    |     |       |       |        |        |        |        |   |
|--------------|---------|---|---|---|----|-----|-------|-------|--------|--------|--------|--------|---|
| 2007 2/..... | 134,134 | - | - | 2 | 16 | 91  | 1,391 | 9,502 | 25,518 | 40,732 | 42,343 | 14,538 | 1 |
| 2006 2/..... | 134,408 | - | 1 | - | 13 | 99  | 1,492 | 9,563 | 25,677 | 40,622 | 42,805 | 14,135 | 1 |
| 2005 2/..... | 134,924 | - | 2 | 1 | 12 | 82  | 1,743 | 9,647 | 25,619 | 41,162 | 43,076 | 13,578 | 2 |
| 2004 2/..... | 134,118 | 1 | 2 | 2 | 16 | 83  | 1,818 | 9,507 | 25,573 | 41,792 | 42,515 | 12,809 | - |
| 2003 2/..... | 134,437 | - | 2 | 1 | 18 | 107 | 1,852 | 9,391 | 25,613 | 42,204 | 42,752 | 12,495 | 2 |
| 2002.....    | 134,435 | - | 1 | 1 | 13 | 97  | 2,026 | 9,335 | 25,218 | 43,104 | 42,506 | 12,134 | - |
| 2001.....    | 133,266 | - | 2 | 1 | 9  | 114 | 2,100 | 9,301 | 24,713 | 43,972 | 41,223 | 11,829 | 2 |
| 2000.....    | 133,061 | 1 | 2 | 1 | 11 | 139 | 1,996 | 9,176 | 24,777 | 44,952 | 40,666 | 11,337 | 3 |
| 1999.....    | 129,967 | - | - | 3 | 9  | 131 | 2,025 | 8,832 | 24,329 | 44,577 | 39,153 | 10,907 | 1 |



Worktable Orig290F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2007

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data - mortality"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, sex, and year | All ages | Under 1 year | 1-4 years | 5-14 years | 15-24 years | 25-34 years | 35-44 years | 45-54 years | 55-64 years | 65-74 years | 75-84 years | 85 years and over | Age not stated |
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|
| <b>Malignant neoplasms of trachea, bronchus and lung (C33-C34)</b>   |          |              |           |            |             |             |             |             |             |             |             |                   |                |
| <b>Non-Hispanic white, male</b>  |          |              |           |            |             |             |             |             |             |             |             |                   |                |
| 2007 2/.....   | 73,717   | -            | -         | 2          | 9           | 52          | 681         | 5,179       | 14,727      | 23,038      | 23,038      | 6,990             | 1              |
| 2006 2/.....   | 74,685   | -            | 1         | -          | 5           | 56          | 762         | 5,387       | 14,875      | 23,210      | 23,579      | 6,810             | -              |
| 2005 2/.....   | 75,500   | -            | 2         | -          | 8           | 49          | 882         | 5,565       | 14,922      | 23,737      | 23,761      | 6,573             | 1              |
| 2004 2/.....   | 74,960   | 1            | -         | 2          | 10          | 48          | 935         | 5,448       | 14,857      | 23,981      | 23,465      | 6,213             | -              |
| 2003 2/.....   | 75,468   | -            | 1         | -          | 9           | 55          | 986         | 5,480       | 14,861      | 24,440      | 23,573      | 6,061             | 2              |
| 2002.....  | 75,754   | -            | 1         | 1          | 11          | 58          | 1,016       | 5,415       | 14,818      | 25,102      | 23,408      | 5,924             | -              |
| 2001.....  | 76,066   | -            | 1         | 1          | 4           | 55          | 1,095       | 5,421       | 14,552      | 26,056      | 23,022      | 5,857             | 2              |
| 2000.....  | 76,218   | 1            | 1         | -          | 7           | 73          | 1,076       | 5,355       | 14,682      | 26,704      | 22,718      | 5,598             | 3              |
| 1999.....  | 75,338   | -            | -         | 2          | 6           | 71          | 1,078       | 5,155       | 14,654      | 26,596      | 22,219      | 5,556             | 1              |
| <b>Non-Hispanic white, female</b>  |          |              |           |            |             |             |             |             |             |             |             |                   |                |
| 2007 2/.....   | 60,417   | -            | -         | -          | 7           | 39          | 710         | 4,323       | 10,791      | 17,694      | 19,305      | 7,548             | -              |
| 2006 2/.....   | 59,723   | -            | -         | -          | 8           | 43          | 730         | 4,176       | 10,802      | 17,412      | 19,226      | 7,325             | 1              |
| 2005 2/.....   | 59,424   | -            | -         | 1          | 4           | 33          | 861         | 4,082       | 10,697      | 17,425      | 19,315      | 7,005             | 1              |
| 2004 2/.....   | 59,158   | -            | 2         | -          | 6           | 35          | 883         | 4,059       | 10,716      | 17,811      | 19,050      | 6,596             | -              |
| 2003 2/.....   | 58,969   | -            | 1         | 1          | 9           | 52          | 866         | 3,911       | 10,752      | 17,764      | 19,179      | 6,434             | -              |
| 2002.....  | 58,681   | -            | -         | -          | 2           | 39          | 1,010       | 3,920       | 10,400      | 18,002      | 19,098      | 6,210             | -              |
| 2001.....  | 57,200   | -            | 1         | -          | 5           | 59          | 1,005       | 3,880       | 10,161      | 17,916      | 18,201      | 5,972             | -              |
| 2000.....  | 56,843   | -            | 1         | 1          | 4           | 66          | 920         | 3,821       | 10,095      | 18,248      | 17,948      | 5,739             | -              |
| 1999.....  | 54,629   | -            | -         | 1          | 3           | 60          | 947         | 3,677       | 9,675       | 17,981      | 16,934      | 5,351             | -              |

Worktable Orig290F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2007

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data - mortality"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, sex, and year | All ages | Under 1 year | 1-4 years | 5-14 years | 15-24 years | 25-34 years | 35-44 years | 45-54 years | 55-64 years | 65-74 years | 75-84 years | 85 years and over | Age not stated |
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|
| <b>Malignant neoplasms of trachea, bronchus and lung (C33-C34)</b>   |          |              |           |            |             |             |             |             |             |             |             |                   |                |
| <b>Non-Hispanic black, both sexes</b>  |          |              |           |            |             |             |             |             |             |             |             |                   |                |
| 2007 2/.....   | 16,360   | 1            | -         | 2          | 4           | 18          | 288         | 2,231       | 4,112       | 4,933       | 3,643       | 1,126             | 2              |
| 2006 2/.....   | 16,360   | 1            | -         | 1          | 8           | 32          | 344         | 2,316       | 4,098       | 4,865       | 3,684       | 1,011             | -              |
| 2005 2/.....   | 16,437   | -            | -         | -          | 1           | 19          | 384         | 2,228       | 4,176       | 4,869       | 3,682       | 1,077             | 1              |
| 2004 2/.....   | 16,324   | 1            | 1         | -          | 4           | 26          | 438         | 2,216       | 4,058       | 4,810       | 3,791       | 978               | 1              |
| 2003 2/.....   | 16,252   | -            | -         | 1          | 3           | 18          | 441         | 2,250       | 3,955       | 4,892       | 3,739       | 953               | -              |
| 2002.....  | 16,170   | -            | -         | 1          | 4           | 23          | 503         | 2,165       | 3,994       | 4,930       | 3,641       | 909               | -              |
| 2001.....  | 15,883   | -            | 1         | -          | 3           | 16          | 515         | 2,060       | 3,685       | 5,076       | 3,623       | 902               | 2              |
| 2000.....  | 15,924   | 1            | -         | -          | 5           | 31          | 578         | 2,113       | 3,688       | 5,178       | 3,414       | 915               | 1              |
| 1999.....  | 15,834   | -            | -         | 2          | 8           | 20          | 531         | 2,029       | 3,743       | 5,111       | 3,483       | 907               | -              |
| <b>Non-Hispanic black, male</b>  |          |              |           |            |             |             |             |             |             |             |             |                   |                |
| 2007 2/.....   | 9,744    | 1            | -         | 2          | 3           | 14          | 145         | 1,311       | 2,654       | 3,006       | 2,017       | 590               | 1              |
| 2006 2/.....   | 9,738    | 1            | -         | 1          | 4           | 19          | 175         | 1,352       | 2,637       | 2,994       | 2,066       | 489               | -              |
| 2005 2/.....   | 9,794    | -            | -         | -          | 1           | 11          | 202         | 1,316       | 2,694       | 2,987       | 2,053       | 529               | 1              |
| 2004 2/.....   | 9,906    | -            | 1         | -          | 3           | 14          | 233         | 1,414       | 2,646       | 2,940       | 2,173       | 481               | 1              |
| 2003 2/.....   | 9,914    | -            | -         | 1          | 2           | 12          | 251         | 1,399       | 2,570       | 3,009       | 2,192       | 478               | -              |
| 2002.....  | 9,983    | -            | -         | 1          | 3           | 14          | 287         | 1,378       | 2,606       | 3,083       | 2,163       | 448               | -              |
| 2001.....  | 10,030   | -            | 1         | -          | 1           | 7           | 298         | 1,352       | 2,400       | 3,266       | 2,226       | 477               | 2              |
| 2000.....  | 10,056   | 1            | -         | -          | 2           | 14          | 359         | 1,372       | 2,410       | 3,309       | 2,105       | 483               | 1              |
| 1999.....  | 10,039   | -            | -         | 2          | 5           | 11          | 301         | 1,338       | 2,500       | 3,267       | 2,127       | 488               | -              |

Worktable Orig290F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2007

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data - mortality"]

---

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, sex, and year

|  | All ages | Under 1 year | 1-4 years | 5-14 years | 15-24 years | 25-34 years | 35-44 years | 45-54 years | 55-64 years | 65-74 years | 75-84 years | 85 years and over | Age not stated |
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|

---

Malignant neoplasms of trachea, bronchus and lung (C33-C34)

| Non-Hispanic black, female |       |   |   |   |   |    |     |     |       |       |       |     |   |
|----------------------------|-------|---|---|---|---|----|-----|-----|-------|-------|-------|-----|---|
| 2007 2/.....               | 6,616 | - | - | - | 1 | 4  | 143 | 920 | 1,458 | 1,927 | 1,626 | 536 | 1 |
| 2006 2/.....               | 6,622 | - | - | - | 4 | 13 | 169 | 964 | 1,461 | 1,871 | 1,618 | 522 | - |
| 2005 2/.....               | 6,643 | - | - | - | - | 8  | 182 | 912 | 1,482 | 1,882 | 1,629 | 548 | - |
| 2004 2/.....               | 6,418 | 1 | - | - | 1 | 12 | 205 | 802 | 1,412 | 1,870 | 1,618 | 497 | - |
| 2003 2/.....               | 6,338 | - | - | - | 1 | 6  | 190 | 851 | 1,385 | 1,883 | 1,547 | 475 | - |
| 2002.....                  | 6,187 | - | - | - | 1 | 9  | 216 | 787 | 1,388 | 1,847 | 1,478 | 461 | - |
| 2001.....                  | 5,853 | - | - | - | 2 | 9  | 217 | 708 | 1,285 | 1,810 | 1,397 | 425 | - |
| 2000.....                  | 5,868 | - | - | - | 3 | 17 | 219 | 741 | 1,278 | 1,869 | 1,309 | 432 | - |
| 1999.....                  | 5,795 | - | - | - | 3 | 9  | 230 | 691 | 1,243 | 1,844 | 1,356 | 419 | - |

| Origin not stated 3/, both sexes |     |   |   |   |   |   |    |    |    |     |     |    |   |
|----------------------------------|-----|---|---|---|---|---|----|----|----|-----|-----|----|---|
| 2007.....                        | 166 | - | - | - | - | - | 2  | 16 | 36 | 62  | 36  | 14 | - |
| 2006.....                        | 246 | - | - | - | - | - | 4  | 18 | 59 | 74  | 59  | 32 | - |
| 2005.....                        | 224 | - | - | - | - | 1 | 3  | 22 | 49 | 76  | 53  | 20 | - |
| 2004.....                        | 295 | - | - | - | - | 1 | 5  | 24 | 66 | 97  | 77  | 25 | - |
| 2003.....                        | 334 | - | - | - | - | 2 | 8  | 33 | 60 | 116 | 90  | 25 | - |
| 2002.....                        | 383 | - | - | - | - | 3 | 7  | 36 | 74 | 117 | 119 | 27 | - |
| 2001.....                        | 360 | - | - | - | - | - | 12 | 35 | 83 | 108 | 90  | 32 | - |
| 2000.....                        | 395 | - | - | - | - | - | 13 | 48 | 84 | 127 | 88  | 35 | - |
| 1999.....                        | 405 | - | - | - | - | 1 | 8  | 39 | 71 | 142 | 117 | 27 | - |

Worktable Orig290F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2007

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data - mortality"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, sex, and year | All ages | Under 1 year | 1-4 years | 5-14 years | 15-24 years | 25-34 years | 35-44 years | 45-54 years | 55-64 years | 65-74 years | 75-84 years | 85 years and over | Age not stated |
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|

Malignant neoplasms of trachea, bronchus and lung (C33-C34)

Origin not stated 3/, male

|           |     |   |   |   |   |   |   |    |    |    |    |    |   |
|-----------|-----|---|---|---|---|---|---|----|----|----|----|----|---|
| 2007..... | 99  | - | - | - | - | - | 2 | 11 | 19 | 40 | 21 | 6  | - |
| 2006..... | 163 | - | - | - | - | - | 2 | 15 | 41 | 56 | 32 | 17 | - |
| 2005..... | 141 | - | - | - | - | 1 | 1 | 15 | 36 | 48 | 31 | 9  | - |
| 2004..... | 186 | - | - | - | - | 1 | 2 | 13 | 44 | 68 | 44 | 14 | - |
| 2003..... | 213 | - | - | - | - | 2 | 5 | 21 | 36 | 85 | 55 | 9  | - |
| 2002..... | 219 | - | - | - | - | - | 4 | 23 | 42 | 69 | 66 | 15 | - |
| 2001..... | 225 | - | - | - | - | - | 5 | 22 | 65 | 61 | 54 | 18 | - |
| 2000..... | 242 | - | - | - | - | - | 7 | 28 | 57 | 78 | 55 | 17 | - |
| 1999..... | 258 | - | - | - | - | - | 5 | 27 | 52 | 92 | 67 | 15 | - |

Origin not stated 3/, female

|           |     |   |   |   |   |   |   |    |    |    |    |    |   |
|-----------|-----|---|---|---|---|---|---|----|----|----|----|----|---|
| 2007..... | 67  | - | - | - | - | - | - | 5  | 17 | 22 | 15 | 8  | - |
| 2006..... | 83  | - | - | - | - | - | 2 | 3  | 18 | 18 | 27 | 15 | - |
| 2005..... | 83  | - | - | - | - | - | 2 | 7  | 13 | 28 | 22 | 11 | - |
| 2004..... | 109 | - | - | - | - | - | 3 | 11 | 22 | 29 | 33 | 11 | - |
| 2003..... | 121 | - | - | - | - | - | 3 | 12 | 24 | 31 | 35 | 16 | - |
| 2002..... | 164 | - | - | - | - | 3 | 3 | 13 | 32 | 48 | 53 | 12 | - |
| 2001..... | 135 | - | - | - | - | - | 7 | 13 | 18 | 47 | 36 | 14 | - |
| 2000..... | 153 | - | - | - | - | - | 6 | 20 | 27 | 49 | 33 | 18 | - |
| 1999..... | 147 | - | - | - | - | 1 | 3 | 12 | 19 | 50 | 50 | 12 | - |

Worktable Orig290F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2007

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data - mortality"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, sex, and year | All ages | Under 1 year | 1-4 years | 5-14 years | 15-24 years | 25-34 years | 35-44 years | 45-54 years | 55-64 years | 65-74 years | 75-84 years | 85 years and over | Age not stated |
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|
| <b>Malignant melanoma of skin (C43)</b>  |          |              |           |            |             |             |             |             |             |             |             |                   |                |
| <b>All origins, both sexes</b>   |          |              |           |            |             |             |             |             |             |             |             |                   |                |
| 2007.....  | 8,461    | -            | 1         | 2          | 31          | 175         | 466         | 1,174       | 1,742       | 1,737       | 2,035       | 1,098             | -              |
| 2006.....  | 8,441    | -            | 2         | 2          | 47          | 187         | 505         | 1,168       | 1,642       | 1,780       | 2,041       | 1,067             | -              |
| 2005.....  | 8,345    | -            | 1         | 3          | 40          | 216         | 524         | 1,197       | 1,575       | 1,748       | 2,031       | 1,010             | -              |
| 2004.....  | 7,952    | -            | 2         | -          | 39          | 194         | 526         | 1,162       | 1,547       | 1,711       | 1,912       | 859               | -              |
| 2003.....  | 7,818    | -            | 1         | 2          | 38          | 191         | 561         | 1,179       | 1,547       | 1,593       | 1,875       | 831               | -              |
| 2002.....  | 7,514    | -            | 3         | 1          | 41          | 194         | 604         | 1,135       | 1,351       | 1,616       | 1,748       | 820               | 1              |
| 2001.....  | 7,542    | -            | -         | -          | 41          | 186         | 622         | 1,208       | 1,333       | 1,689       | 1,678       | 785               | -              |
| 2000.....  | 7,420    | -            | -         | 1          | 41          | 186         | 626         | 1,199       | 1,303       | 1,637       | 1,624       | 803               | -              |
| 1999.....  | 7,215    | 1            | -         | 1          | 39          | 194         | 625         | 1,120       | 1,263       | 1,652       | 1,639       | 681               | -              |
| <b>All origins, male</b>   |          |              |           |            |             |             |             |             |             |             |             |                   |                |
| 2007.....  | 5,506    | -            | -         | -          | 20          | 95          | 266         | 759         | 1,214       | 1,198       | 1,318       | 636               | -              |
| 2006.....  | 5,477    | -            | 2         | 1          | 28          | 111         | 308         | 745         | 1,122       | 1,186       | 1,355       | 619               | -              |
| 2005.....  | 5,283    | -            | 1         | -          | 23          | 138         | 313         | 748         | 1,030       | 1,177       | 1,294       | 559               | -              |
| 2004.....  | 5,125    | -            | 2         | -          | 17          | 117         | 312         | 749         | 1,058       | 1,158       | 1,239       | 473               | -              |
| 2003.....  | 4,963    | -            | -         | -          | 24          | 119         | 336         | 753         | 1,042       | 1,050       | 1,203       | 436               | -              |
| 2002.....  | 4,725    | -            | 2         | 1          | 20          | 119         | 363         | 746         | 915         | 1,075       | 1,078       | 406               | -              |
| 2001.....  | 4,763    | -            | -         | -          | 24          | 103         | 380         | 756         | 893         | 1,156       | 1,063       | 388               | -              |
| 2000.....  | 4,592    | -            | -         | 1          | 21          | 110         | 355         | 769         | 866         | 1,067       | 1,013       | 390               | -              |
| 1999.....  | 4,529    | 1            | -         | -          | 23          | 110         | 397         | 717         | 851         | 1,096       | 1,006       | 328               | -              |

Worktable Orig290F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2007

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data - mortality"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, sex, and year | All ages | Under 1 year | 1-4 years | 5-14 years | 15-24 years | 25-34 years | 35-44 years | 45-54 years | 55-64 years | 65-74 years | 75-84 years | 85 years and over | Age not stated |
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|
| Malignant melanoma of skin (C43)   |          |              |           |            |             |             |             |             |             |             |             |                   |                |
| All origins, female  |          |              |           |            |             |             |             |             |             |             |             |                   |                |
| 2007.....  | 2,955    | -            | 1         | 2          | 11          | 80          | 200         | 415         | 528         | 539         | 717         | 462               | -              |
| 2006.....  | 2,964    | -            | -         | 1          | 19          | 76          | 197         | 423         | 520         | 594         | 686         | 448               | -              |
| 2005.....  | 3,062    | -            | -         | 3          | 17          | 78          | 211         | 449         | 545         | 571         | 737         | 451               | -              |
| 2004.....  | 2,827    | -            | -         | -          | 22          | 77          | 214         | 413         | 489         | 553         | 673         | 386               | -              |
| 2003.....  | 2,855    | -            | 1         | 2          | 14          | 72          | 225         | 426         | 505         | 543         | 672         | 395               | -              |
| 2002.....  | 2,789    | -            | 1         | -          | 21          | 75          | 241         | 389         | 436         | 541         | 670         | 414               | 1              |
| 2001.....  | 2,779    | -            | -         | -          | 17          | 83          | 242         | 452         | 440         | 533         | 615         | 397               | -              |
| 2000.....  | 2,828    | -            | -         | -          | 20          | 76          | 271         | 430         | 437         | 570         | 611         | 413               | -              |
| 1999.....  | 2,686    | -            | -         | 1          | 16          | 84          | 228         | 403         | 412         | 556         | 633         | 353               | -              |
| Hispanic, both sexes   |          |              |           |            |             |             |             |             |             |             |             |                   |                |
| 2007.....  | 194      | -            | 1         | -          | 2           | 6           | 24          | 36          | 28          | 43          | 32          | 22                | -              |
| 2006.....  | 204      | -            | 1         | -          | 3           | 14          | 18          | 34          | 38          | 36          | 42          | 18                | -              |
| 2005.....  | 168      | -            | -         | 1          | 1           | 14          | 15          | 33          | 31          | 38          | 24          | 11                | -              |
| 2004.....  | 138      | -            | -         | -          | 4           | 6           | 16          | 29          | 30          | 23          | 24          | 6                 | -              |
| 2003.....  | 159      | -            | -         | 1          | 2           | 6           | 15          | 33          | 29          | 37          | 25          | 11                | -              |
| 2002.....  | 147      | -            | -         | -          | 2           | 7           | 21          | 27          | 24          | 19          | 29          | 18                | -              |
| 2001.....  | 145      | -            | -         | -          | 2           | 6           | 24          | 23          | 25          | 28          | 28          | 9                 | -              |
| 2000.....  | 144      | -            | -         | -          | 2           | 5           | 26          | 28          | 27          | 26          | 19          | 11                | -              |
| 1999.....  | 133      | 1            | -         | 1          | 2           | 5           | 14          | 22          | 30          | 27          | 20          | 11                | -              |

Worktable Orig290F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2007

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data - mortality"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, sex, and year | All ages | Under 1 year | 1-4 years | 5-14 years | 15-24 years | 25-34 years | 35-44 years | 45-54 years | 55-64 years | 65-74 years | 75-84 years | 85 years and over | Age not stated |
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|
| <b>Malignant melanoma of skin (C43)</b>  |          |              |           |            |             |             |             |             |             |             |             |                   |                |
| <b>Hispanic, male</b>  |          |              |           |            |             |             |             |             |             |             |             |                   |                |
| 2007.....  | 112      | -            | -         | -          | 1           | 3           | 12          | 23          | 17          | 25          | 19          | 12                | -              |
| 2006.....  | 110      | -            | 1         | -          | 1           | 8           | 10          | 20          | 22          | 17          | 21          | 10                | -              |
| 2005.....  | 105      | -            | -         | -          | 1           | 6           | 9           | 20          | 23          | 25          | 15          | 6                 | -              |
| 2004.....  | 79       | -            | -         | -          | 1           | 4           | 9           | 19          | 18          | 13          | 12          | 3                 | -              |
| 2003.....  | 91       | -            | -         | -          | 1           | 4           | 8           | 19          | 16          | 21          | 15          | 7                 | -              |
| 2002.....  | 77       | -            | -         | -          | 1           | 6           | 13          | 13          | 16          | 11          | 13          | 4                 | -              |
| 2001.....  | 78       | -            | -         | -          | -           | 2           | 17          | 11          | 15          | 19          | 13          | 1                 | -              |
| 2000.....  | 92       | -            | -         | -          | 1           | 4           | 17          | 19          | 19          | 14          | 13          | 5                 | -              |
| 1999.....  | 79       | 1            | -         | -          | 1           | 4           | 9           | 16          | 19          | 17          | 9           | 3                 | -              |
| <b>Hispanic, female</b>  |          |              |           |            |             |             |             |             |             |             |             |                   |                |
| 2007.....  | 82       | -            | 1         | -          | 1           | 3           | 12          | 13          | 11          | 18          | 13          | 10                | -              |
| 2006.....  | 94       | -            | -         | -          | 2           | 6           | 8           | 14          | 16          | 19          | 21          | 8                 | -              |
| 2005.....  | 63       | -            | -         | 1          | -           | 8           | 6           | 13          | 8           | 13          | 9           | 5                 | -              |
| 2004.....  | 59       | -            | -         | -          | 3           | 2           | 7           | 10          | 12          | 10          | 12          | 3                 | -              |
| 2003.....  | 68       | -            | -         | 1          | 1           | 2           | 7           | 14          | 13          | 16          | 10          | 4                 | -              |
| 2002.....  | 70       | -            | -         | -          | 1           | 1           | 8           | 14          | 8           | 8           | 16          | 14                | -              |
| 2001.....  | 67       | -            | -         | -          | 2           | 4           | 7           | 12          | 10          | 9           | 15          | 8                 | -              |
| 2000.....  | 52       | -            | -         | -          | 1           | 1           | 9           | 9           | 8           | 12          | 6           | 6                 | -              |
| 1999.....  | 54       | -            | -         | 1          | 1           | 1           | 5           | 6           | 11          | 10          | 11          | 8                 | -              |

Worktable Orig290F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2007

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data - mortality"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, sex, and year | All ages | Under 1 year | 1-4 years | 5-14 years | 15-24 years | 25-34 years | 35-44 years | 45-54 years | 55-64 years | 65-74 years | 75-84 years | 85 years and over | Age not stated |
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|
| <b>Malignant melanoma of skin (C43)</b>  |          |              |           |            |             |             |             |             |             |             |             |                   |                |
| <b>Non-Hispanic 1/, both sexes</b>   |          |              |           |            |             |             |             |             |             |             |             |                   |                |
| 2007.....  | 8,262    | -            | -         | 2          | 29          | 169         | 439         | 1,138       | 1,714       | 1,694       | 2,001       | 1,076             | -              |
| 2006.....  | 8,232    | -            | 1         | 2          | 44          | 173         | 487         | 1,134       | 1,604       | 1,742       | 1,997       | 1,048             | -              |
| 2005.....  | 8,169    | -            | 1         | 2          | 39          | 202         | 509         | 1,163       | 1,542       | 1,709       | 2,004       | 998               | -              |
| 2004.....  | 7,804    | -            | 2         | -          | 35          | 188         | 510         | 1,129       | 1,516       | 1,686       | 1,885       | 853               | -              |
| 2003.....  | 7,640    | -            | 1         | 1          | 36          | 183         | 544         | 1,144       | 1,513       | 1,555       | 1,846       | 817               | -              |
| 2002.....  | 7,349    | -            | 3         | 1          | 38          | 186         | 581         | 1,106       | 1,323       | 1,596       | 1,714       | 801               | -              |
| 2001.....  | 7,387    | -            | -         | -          | 39          | 179         | 597         | 1,184       | 1,307       | 1,660       | 1,646       | 775               | -              |
| 2000.....  | 7,263    | -            | -         | 1          | 39          | 181         | 599         | 1,167       | 1,276       | 1,608       | 1,602       | 790               | -              |
| 1999.....  | 7,062    | -            | -         | -          | 37          | 189         | 611         | 1,094       | 1,231       | 1,620       | 1,612       | 668               | -              |
| <b>Non-Hispanic 1/, male</b>   |          |              |           |            |             |             |             |             |             |             |             |                   |                |
| 2007.....  | 5,390    | -            | -         | -          | 19          | 92          | 252         | 736         | 1,197       | 1,173       | 1,297       | 624               | -              |
| 2006.....  | 5,365    | -            | 1         | 1          | 27          | 103         | 298         | 725         | 1,100       | 1,169       | 1,333       | 608               | -              |
| 2005.....  | 5,171    | -            | 1         | -          | 22          | 132         | 304         | 727         | 1,005       | 1,152       | 1,276       | 552               | -              |
| 2004.....  | 5,038    | -            | 2         | -          | 16          | 113         | 303         | 727         | 1,039       | 1,143       | 1,225       | 470               | -              |
| 2003.....  | 4,859    | -            | -         | -          | 23          | 113         | 326         | 732         | 1,025       | 1,028       | 1,185       | 427               | -              |
| 2002.....  | 4,640    | -            | 2         | 1          | 19          | 113         | 350         | 732         | 896         | 1,063       | 1,062       | 402               | -              |
| 2001.....  | 4,678    | -            | -         | -          | 24          | 100         | 363         | 744         | 877         | 1,136       | 1,047       | 387               | -              |
| 2000.....  | 4,490    | -            | -         | 1          | 20          | 106         | 337         | 746         | 847         | 1,051       | 998         | 384               | -              |
| 1999.....  | 4,438    | -            | -         | -          | 22          | 106         | 388         | 698         | 831         | 1,076       | 994         | 323               | -              |



Worktable Orig290F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2007

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data - mortality"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, sex, and year | All ages | Under 1 year | 1-4 years | 5-14 years | 15-24 years | 25-34 years | 35-44 years | 45-54 years | 55-64 years | 65-74 years | 75-84 years | 85 years and over | Age not stated |
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|
| <b>Malignant melanoma of skin (C43)</b>  |          |              |           |            |             |             |             |             |             |             |             |                   |                |
| <b>Non-Hispanic 1/, female</b>   |          |              |           |            |             |             |             |             |             |             |             |                   |                |
| 2007.....  | 2,872    | -            | -         | 2          | 10          | 77          | 187         | 402         | 517         | 521         | 704         | 452               | -              |
| 2006.....  | 2,867    | -            | -         | 1          | 17          | 70          | 189         | 409         | 504         | 573         | 664         | 440               | -              |
| 2005.....  | 2,998    | -            | -         | 2          | 17          | 70          | 205         | 436         | 537         | 557         | 728         | 446               | -              |
| 2004.....  | 2,766    | -            | -         | -          | 19          | 75          | 207         | 402         | 477         | 543         | 660         | 383               | -              |
| 2003.....  | 2,781    | -            | 1         | 1          | 13          | 70          | 218         | 412         | 488         | 527         | 661         | 390               | -              |
| 2002.....  | 2,709    | -            | 1         | -          | 19          | 73          | 231         | 374         | 427         | 533         | 652         | 399               | -              |
| 2001.....  | 2,709    | -            | -         | -          | 15          | 79          | 234         | 440         | 430         | 524         | 599         | 388               | -              |
| 2000.....  | 2,773    | -            | -         | -          | 19          | 75          | 262         | 421         | 429         | 557         | 604         | 406               | -              |
| 1999.....  | 2,624    | -            | -         | -          | 15          | 83          | 223         | 396         | 400         | 544         | 618         | 345               | -              |
| <b>Non-Hispanic white, both sexes</b>  |          |              |           |            |             |             |             |             |             |             |             |                   |                |
| 2007 2/.....   | 8,063    | -            | -         | 2          | 28          | 165         | 425         | 1,109       | 1,676       | 1,658       | 1,953       | 1,047             | -              |
| 2006 2/.....   | 8,045    | -            | 1         | -          | 42          | 169         | 468         | 1,114       | 1,568       | 1,715       | 1,951       | 1,017             | -              |
| 2005 2/.....   | 7,973    | -            | 1         | 1          | 34          | 197         | 491         | 1,137       | 1,498       | 1,677       | 1,967       | 970               | -              |
| 2004 2/.....   | 7,654    | -            | 1         | -          | 32          | 185         | 500         | 1,112       | 1,494       | 1,651       | 1,845       | 834               | -              |
| 2003 2/.....   | 7,471    | -            | 1         | 1          | 34          | 178         | 533         | 1,116       | 1,479       | 1,526       | 1,805       | 798               | -              |
| 2002.....  | 7,190    | -            | 3         | 1          | 37          | 184         | 568         | 1,085       | 1,291       | 1,554       | 1,687       | 780               | -              |
| 2001.....  | 7,250    | -            | -         | -          | 38          | 177         | 590         | 1,168       | 1,286       | 1,616       | 1,614       | 761               | -              |
| 2000.....  | 7,090    | -            | -         | 1          | 38          | 175         | 579         | 1,147       | 1,247       | 1,570       | 1,566       | 767               | -              |
| 1999.....  | 6,936    | -            | -         | -          | 34          | 183         | 604         | 1,081       | 1,213       | 1,593       | 1,577       | 651               | -              |

Worktable Orig290F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2007

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data - mortality"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, sex, and year | All ages | Under 1 year | 1-4 years | 5-14 years | 15-24 years | 25-34 years | 35-44 years | 45-54 years | 55-64 years | 65-74 years | 75-84 years | 85 years and over | Age not stated |
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|
| <b>Malignant melanoma of skin (C43)</b>  |          |              |           |            |             |             |             |             |             |             |             |                   |                |
| <b>Non-Hispanic white, male</b>  |          |              |           |            |             |             |             |             |             |             |             |                   |                |
| 2007 2/.....   | 5,294    | -            | -         | -          | 19          | 89          | 247         | 718         | 1,175       | 1,157       | 1,279       | 610               | -              |
| 2006 2/.....   | 5,269    | -            | 1         | -          | 26          | 100         | 290         | 715         | 1,077       | 1,157       | 1,310       | 593               | -              |
| 2005 2/.....   | 5,074    | -            | 1         | -          | 19          | 127         | 290         | 714         | 980         | 1,141       | 1,259       | 543               | -              |
| 2004 2/.....   | 4,967    | -            | 1         | -          | 15          | 111         | 297         | 718         | 1,026       | 1,131       | 1,205       | 463               | -              |
| 2003 2/.....   | 4,784    | -            | -         | -          | 23          | 111         | 323         | 718         | 1,007       | 1,016       | 1,165       | 421               | -              |
| 2002.....  | 4,555    | -            | 2         | 1          | 18          | 111         | 344         | 719         | 876         | 1,039       | 1,050       | 395               | -              |
| 2001.....  | 4,618    | -            | -         | -          | 23          | 98          | 359         | 737         | 867         | 1,116       | 1,034       | 384               | -              |
| 2000.....  | 4,414    | -            | -         | 1          | 20          | 104         | 327         | 737         | 833         | 1,032       | 981         | 379               | -              |
| 1999.....  | 4,370    | -            | -         | -          | 19          | 102         | 385         | 689         | 819         | 1,064       | 976         | 316               | -              |
| <b>Non-Hispanic white, female</b>  |          |              |           |            |             |             |             |             |             |             |             |                   |                |
| 2007 2/.....   | 2,769    | -            | -         | 2          | 9           | 76          | 178         | 391         | 501         | 501         | 674         | 437               | -              |
| 2006 2/.....   | 2,776    | -            | -         | -          | 16          | 69          | 178         | 399         | 491         | 558         | 641         | 424               | -              |
| 2005 2/.....   | 2,899    | -            | -         | 1          | 15          | 70          | 201         | 423         | 518         | 536         | 708         | 427               | -              |
| 2004 2/.....   | 2,687    | -            | -         | -          | 17          | 74          | 203         | 394         | 468         | 520         | 640         | 371               | -              |
| 2003 2/.....   | 2,687    | -            | 1         | 1          | 11          | 67          | 210         | 398         | 472         | 510         | 640         | 377               | -              |
| 2002.....  | 2,635    | -            | 1         | -          | 19          | 73          | 224         | 366         | 415         | 515         | 637         | 385               | -              |
| 2001.....  | 2,632    | -            | -         | -          | 15          | 79          | 231         | 431         | 419         | 500         | 580         | 377               | -              |
| 2000.....  | 2,676    | -            | -         | -          | 18          | 71          | 252         | 410         | 414         | 538         | 585         | 388               | -              |
| 1999.....  | 2,566    | -            | -         | -          | 15          | 81          | 219         | 392         | 394         | 529         | 601         | 335               | -              |

Worktable Orig290F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2007

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data - mortality"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, sex, and year | All ages | Under 1 year | 1-4 years | 5-14 years | 15-24 years | 25-34 years | 35-44 years | 45-54 years | 55-64 years | 65-74 years | 75-84 years | 85 years and over | Age not stated |
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|

Malignant melanoma of skin (C43)

Non-Hispanic black, both sexes

|              |     |   |   |   |   |   |    |    |    |    |    |    |   |
|--------------|-----|---|---|---|---|---|----|----|----|----|----|----|---|
| 2007 2/..... | 133 | - | - | - | 1 | 2 | 10 | 18 | 25 | 21 | 33 | 23 | - |
| 2006 2/..... | 124 | - | - | 1 | 1 | 3 | 11 | 12 | 26 | 16 | 34 | 20 | - |
| 2005 2/..... | 123 | - | - | 1 | 2 | 3 | 10 | 13 | 26 | 19 | 29 | 20 | - |
| 2004 2/..... | 118 | - | 1 | - | 3 | 2 | 8  | 12 | 16 | 27 | 33 | 16 | - |
| 2003 2/..... | 120 | - | - | - | 1 | 3 | 10 | 16 | 23 | 26 | 28 | 13 | - |
| 2002.....    | 102 | - | - | - | 1 | 1 | 9  | 12 | 21 | 25 | 18 | 15 | - |
| 2001.....    | 102 | - | - | - | 1 | 1 | 7  | 9  | 13 | 36 | 24 | 11 | - |
| 2000.....    | 134 | - | - | - | 1 | 3 | 15 | 13 | 19 | 30 | 32 | 21 | - |
| 1999.....    | 94  | - | - | - | 1 | 4 | 4  | 9  | 14 | 23 | 25 | 14 | - |

Non-Hispanic black, male

|              |    |   |   |   |   |   |   |    |    |    |    |    |   |
|--------------|----|---|---|---|---|---|---|----|----|----|----|----|---|
| 2007 2/..... | 57 | - | - | - | - | 2 | 4 | 10 | 13 | 6  | 12 | 10 | - |
| 2006 2/..... | 66 | - | - | 1 | 1 | 2 | 5 | 7  | 17 | 6  | 17 | 10 | - |
| 2005 2/..... | 57 | - | - | - | 1 | 3 | 8 | 7  | 15 | 5  | 13 | 5  | - |
| 2004 2/..... | 56 | - | 1 | - | 1 | 1 | 5 | 6  | 10 | 9  | 17 | 6  | - |
| 2003 2/..... | 49 | - | - | - | - | 2 | 3 | 8  | 12 | 12 | 10 | 2  | - |
| 2002.....    | 52 | - | - | - | 1 | 1 | 4 | 7  | 13 | 12 | 8  | 6  | - |
| 2001.....    | 36 | - | - | - | 1 | 1 | 4 | 3  | 4  | 16 | 6  | 1  | - |
| 2000.....    | 59 | - | - | - | - | 2 | 9 | 6  | 10 | 14 | 15 | 3  | - |
| 1999.....    | 47 | - | - | - | 1 | 2 | 1 | 6  | 10 | 9  | 12 | 6  | - |

Worktable Orig290F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2007

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data - mortality"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, sex, and year | All ages | Under 1 year | 1-4 years | 5-14 years | 15-24 years | 25-34 years | 35-44 years | 45-54 years | 55-64 years | 65-74 years | 75-84 years | 85 years and over | Age not stated |
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|
| <b>Malignant melanoma of skin (C43)</b>  |          |              |           |            |             |             |             |             |             |             |             |                   |                |
| <b>Non-Hispanic black, female</b>  |          |              |           |            |             |             |             |             |             |             |             |                   |                |
| 2007 2/.....   | 76       | -            | -         | -          | 1           | -           | 6           | 8           | 12          | 15          | 21          | 13                | -              |
| 2006 2/.....   | 58       | -            | -         | -          | -           | 1           | 6           | 5           | 9           | 10          | 17          | 10                | -              |
| 2005 2/.....   | 66       | -            | -         | 1          | 1           | -           | 2           | 6           | 11          | 14          | 16          | 15                | -              |
| 2004 2/.....   | 62       | -            | -         | -          | 2           | 1           | 3           | 6           | 6           | 18          | 16          | 10                | -              |
| 2003 2/.....   | 71       | -            | -         | -          | 1           | 1           | 7           | 8           | 11          | 14          | 18          | 11                | -              |
| 2002.....  | 50       | -            | -         | -          | -           | -           | 5           | 5           | 8           | 13          | 10          | 9                 | -              |
| 2001.....  | 66       | -            | -         | -          | -           | -           | 3           | 6           | 9           | 20          | 18          | 10                | -              |
| 2000.....  | 75       | -            | -         | -          | 1           | 1           | 6           | 7           | 9           | 16          | 17          | 18                | -              |
| 1999.....  | 47       | -            | -         | -          | -           | 2           | 3           | 3           | 4           | 14          | 13          | 8                 | -              |
| <b>Origin not stated 3/, both sexes</b>  |          |              |           |            |             |             |             |             |             |             |             |                   |                |
| 2007.....  | 5        | -            | -         | -          | -           | -           | 3           | -           | -           | -           | 2           | -                 | -              |
| 2006.....  | 5        | -            | -         | -          | -           | -           | -           | -           | -           | 2           | 2           | 1                 | -              |
| 2005.....  | 8        | -            | -         | -          | -           | -           | -           | 1           | 2           | 1           | 3           | 1                 | -              |
| 2004.....  | 10       | -            | -         | -          | -           | -           | -           | 4           | 1           | 2           | 3           | -                 | -              |
| 2003.....  | 19       | -            | -         | -          | -           | 2           | 2           | 2           | 5           | 1           | 4           | 3                 | -              |
| 2002.....  | 18       | -            | -         | -          | 1           | 1           | 2           | 2           | 4           | 1           | 5           | 1                 | 1              |
| 2001.....  | 10       | -            | -         | -          | -           | 1           | 1           | 1           | 1           | 1           | 4           | 1                 | -              |
| 2000.....  | 13       | -            | -         | -          | -           | -           | 1           | 4           | -           | 3           | 3           | 2                 | -              |
| 1999.....  | 20       | -            | -         | -          | -           | -           | -           | 4           | 2           | 5           | 7           | 2                 | -              |

Worktable Orig290F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2007

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data - mortality"]

---

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, sex, and year

|  | All ages | Under 1 year | 1-4 years | 5-14 years | 15-24 years | 25-34 years | 35-44 years | 45-54 years | 55-64 years | 65-74 years | 75-84 years | 85 years and over | Age not stated |
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|

---

Malignant melanoma of skin (C43)

Origin not stated 3/, male

|           |    |   |   |   |   |   |   |   |   |   |   |   |   |
|-----------|----|---|---|---|---|---|---|---|---|---|---|---|---|
| 2007..... | 4  | - | - | - | - | - | 2 | - | - | - | 2 | - | - |
| 2006..... | 2  | - | - | - | - | - | - | - | - | - | 1 | 1 | - |
| 2005..... | 7  | - | - | - | - | - | - | 1 | 2 | - | 3 | 1 | - |
| 2004..... | 8  | - | - | - | - | - | - | 3 | 1 | 2 | 2 | - | - |
| 2003..... | 13 | - | - | - | - | 2 | 2 | 2 | 1 | 1 | 3 | 2 | - |
| 2002..... | 8  | - | - | - | - | - | - | 1 | 3 | 1 | 3 | - | - |
| 2001..... | 7  | - | - | - | - | 1 | - | 1 | 1 | 1 | 3 | - | - |
| 2000..... | 10 | - | - | - | - | - | 1 | 4 | - | 2 | 2 | 1 | - |
| 1999..... | 12 | - | - | - | - | - | - | 3 | 1 | 3 | 3 | 2 | - |

Origin not stated 3/, female

|           |    |   |   |   |   |   |   |   |   |   |   |   |   |
|-----------|----|---|---|---|---|---|---|---|---|---|---|---|---|
| 2007..... | 1  | - | - | - | - | - | 1 | - | - | - | - | - | - |
| 2006..... | 3  | - | - | - | - | - | - | - | - | 2 | 1 | - | - |
| 2005..... | 1  | - | - | - | - | - | - | - | - | 1 | - | - | - |
| 2004..... | 2  | - | - | - | - | - | - | 1 | - | - | 1 | - | - |
| 2003..... | 6  | - | - | - | - | - | - | - | 4 | - | 1 | 1 | - |
| 2002..... | 10 | - | - | - | 1 | 1 | 2 | 1 | 1 | - | 2 | 1 | 1 |
| 2001..... | 3  | - | - | - | - | - | 1 | - | - | - | 1 | 1 | - |
| 2000..... | 3  | - | - | - | - | - | - | - | - | 1 | 1 | 1 | - |
| 1999..... | 8  | - | - | - | - | - | - | 1 | 1 | 2 | 4 | - | - |

Worktable Orig290F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2007

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data - mortality"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, sex, and year | All ages | Under 1 year | 1-4 years | 5-14 years | 15-24 years | 25-34 years | 35-44 years | 45-54 years | 55-64 years | 65-74 years | 75-84 years | 85 years and over | Age not stated |
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|
| <b>Malignant neoplasm of breast (C50)</b>  |          |              |           |            |             |             |             |             |             |             |             |                   |                |
| <b>All origins, both sexes</b>   |          |              |           |            |             |             |             |             |             |             |             |                   |                |
| 2007.....  | 40,970   | -            | -         | -          | 15          | 344         | 2,184       | 5,990       | 8,756       | 8,179       | 9,075       | 6,426             | 1              |
| 2006.....  | 41,210   | -            | 1         | -          | 13          | 368         | 2,352       | 6,115       | 8,871       | 7,961       | 9,346       | 6,182             | 1              |
| 2005.....  | 41,491   | 1            | -         | -          | 12          | 356         | 2,497       | 6,232       | 8,646       | 8,113       | 9,382       | 6,252             | -              |
| 2004.....  | 41,316   | -            | -         | -          | 11          | 396         | 2,511       | 6,232       | 8,474       | 8,285       | 9,371       | 6,036             | -              |
| 2003.....  | 42,000   | -            | -         | -          | 16          | 407         | 2,716       | 6,365       | 8,267       | 8,338       | 9,644       | 6,245             | 2              |
| 2002.....  | 41,883   | -            | -         | -          | 10          | 425         | 2,722       | 6,454       | 7,838       | 8,505       | 9,748       | 6,181             | -              |
| 2001.....  | 41,809   | -            | -         | -          | 9           | 463         | 2,823       | 6,593       | 7,632       | 8,715       | 9,663       | 5,911             | -              |
| 2000.....  | 42,300   | -            | -         | -          | 11          | 467         | 2,841       | 6,385       | 7,573       | 9,024       | 9,750       | 6,249             | -              |
| 1999.....  | 41,528   | -            | 1         | 1          | 13          | 439         | 2,741       | 6,174       | 7,399       | 9,109       | 9,651       | 6,000             | -              |
| <b>All origins, male</b>   |          |              |           |            |             |             |             |             |             |             |             |                   |                |
| 2007.....  | 371      | -            | -         | -          | -           | -           | 10          | 36          | 70          | 91          | 104         | 60                | -              |
| 2006.....  | 389      | -            | -         | -          | 1           | 3           | 6           | 43          | 88          | 86          | 111         | 51                | -              |
| 2005.....  | 375      | 1            | -         | -          | -           | -           | 9           | 33          | 73          | 109         | 111         | 39                | -              |
| 2004.....  | 362      | -            | -         | -          | 1           | 1           | 10          | 33          | 67          | 91          | 109         | 50                | -              |
| 2003.....  | 380      | -            | -         | -          | -           | 2           | 9           | 48          | 71          | 89          | 104         | 56                | 1              |
| 2002.....  | 369      | -            | -         | -          | -           | 3           | 12          | 44          | 67          | 84          | 112         | 47                | -              |
| 2001.....  | 415      | -            | -         | -          | -           | 2           | 14          | 46          | 72          | 120         | 115         | 46                | -              |
| 2000.....  | 428      | -            | -         | -          | -           | 3           | 19          | 46          | 85          | 115         | 109         | 51                | -              |
| 1999.....  | 384      | -            | -         | -          | -           | 3           | 15          | 41          | 70          | 103         | 98          | 54                | -              |

Worktable Orig290F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2007

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data - mortality"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, sex, and year | All ages | Under 1 year | 1-4 years | 5-14 years | 15-24 years | 25-34 years | 35-44 years | 45-54 years | 55-64 years | 65-74 years | 75-84 years | 85 years and over | Age not stated |
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|
| <b>Malignant neoplasm of breast (C50)</b>  |          |              |           |            |             |             |             |             |             |             |             |                   |                |
| <b>All origins, female</b>   |          |              |           |            |             |             |             |             |             |             |             |                   |                |
| 2007.....  | 40,599   | -            | -         | -          | 15          | 344         | 2,174       | 5,954       | 8,686       | 8,088       | 8,971       | 6,366             | 1              |
| 2006.....  | 40,821   | -            | 1         | -          | 12          | 365         | 2,346       | 6,072       | 8,783       | 7,875       | 9,235       | 6,131             | 1              |
| 2005.....  | 41,116   | -            | -         | -          | 12          | 356         | 2,488       | 6,199       | 8,573       | 8,004       | 9,271       | 6,213             | -              |
| 2004.....  | 40,954   | -            | -         | -          | 10          | 395         | 2,501       | 6,199       | 8,407       | 8,194       | 9,262       | 5,986             | -              |
| 2003.....  | 41,620   | -            | -         | -          | 16          | 405         | 2,707       | 6,317       | 8,196       | 8,249       | 9,540       | 6,189             | 1              |
| 2002.....  | 41,514   | -            | -         | -          | 10          | 422         | 2,710       | 6,410       | 7,771       | 8,421       | 9,636       | 6,134             | -              |
| 2001.....  | 41,394   | -            | -         | -          | 9           | 461         | 2,809       | 6,547       | 7,560       | 8,595       | 9,548       | 5,865             | -              |
| 2000.....  | 41,872   | -            | -         | -          | 11          | 464         | 2,822       | 6,339       | 7,488       | 8,909       | 9,641       | 6,198             | -              |
| 1999.....  | 41,144   | -            | 1         | 1          | 13          | 436         | 2,726       | 6,133       | 7,329       | 9,006       | 9,553       | 5,946             | -              |
| <b>Hispanic, both sexes</b>  |          |              |           |            |             |             |             |             |             |             |             |                   |                |
| 2007.....  | 2,092    | -            | -         | -          | 6           | 52          | 239         | 454         | 479         | 384         | 318         | 160               | -              |
| 2006.....  | 2,064    | -            | -         | -          | 1           | 64          | 249         | 440         | 483         | 362         | 315         | 150               | -              |
| 2005.....  | 1,942    | -            | -         | -          | 1           | 37          | 241         | 423         | 433         | 344         | 317         | 146               | -              |
| 2004.....  | 1,926    | -            | -         | -          | 1           | 48          | 225         | 397         | 448         | 373         | 282         | 152               | -              |
| 2003.....  | 1,893    | -            | -         | -          | 2           | 55          | 256         | 402         | 428         | 331         | 269         | 150               | -              |
| 2002.....  | 1,736    | -            | -         | -          | 2           | 54          | 218         | 401         | 348         | 323         | 262         | 128               | -              |
| 2001.....  | 1,760    | -            | -         | -          | 1           | 53          | 244         | 408         | 407         | 318         | 219         | 110               | -              |
| 2000.....  | 1,689    | -            | -         | -          | 1           | 54          | 218         | 381         | 359         | 337         | 231         | 108               | -              |
| 1999.....  | 1,551    | -            | -         | -          | 2           | 47          | 197         | 362         | 321         | 290         | 209         | 123               | -              |

Worktable Orig290F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2007

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data - mortality"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, sex, and year | All ages | Under 1 year | 1-4 years | 5-14 years | 15-24 years | 25-34 years | 35-44 years | 45-54 years | 55-64 years | 65-74 years | 75-84 years | 85 years and over | Age not stated |
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|
| <b>Malignant neoplasm of breast (C50)</b>  |          |              |           |            |             |             |             |             |             |             |             |                   |                |
| <b>Hispanic, male</b>  |          |              |           |            |             |             |             |             |             |             |             |                   |                |
| 2007.....  | 16       | -            | -         | -          | -           | -           | 1           | 1           | 5           | 4           | 5           | -                 | -              |
| 2006.....  | 10       | -            | -         | -          | -           | -           | -           | 2           | 1           | 3           | 4           | -                 | -              |
| 2005.....  | 6        | -            | -         | -          | -           | -           | -           | 1           | 2           | 1           | 2           | -                 | -              |
| 2004.....  | 17       | -            | -         | -          | -           | -           | -           | 5           | 3           | 6           | 2           | 1                 | -              |
| 2003.....  | 9        | -            | -         | -          | -           | -           | -           | 2           | 2           | 2           | -           | 3                 | -              |
| 2002.....  | 12       | -            | -         | -          | -           | 1           | -           | 5           | -           | 3           | 2           | 1                 | -              |
| 2001.....  | 14       | -            | -         | -          | -           | -           | 2           | 1           | 1           | 5           | 5           | -                 | -              |
| 2000.....  | 19       | -            | -         | -          | -           | -           | 2           | 2           | 4           | 6           | 4           | 1                 | -              |
| 1999.....  | 13       | -            | -         | -          | -           | -           | -           | 3           | 3           | 5           | 2           | -                 | -              |
| <b>Hispanic, female</b>  |          |              |           |            |             |             |             |             |             |             |             |                   |                |
| 2007.....  | 2,076    | -            | -         | -          | 6           | 52          | 238         | 453         | 474         | 380         | 313         | 160               | -              |
| 2006.....  | 2,054    | -            | -         | -          | 1           | 64          | 249         | 438         | 482         | 359         | 311         | 150               | -              |
| 2005.....  | 1,936    | -            | -         | -          | 1           | 37          | 241         | 422         | 431         | 343         | 315         | 146               | -              |
| 2004.....  | 1,909    | -            | -         | -          | 1           | 48          | 225         | 392         | 445         | 367         | 280         | 151               | -              |
| 2003.....  | 1,884    | -            | -         | -          | 2           | 55          | 256         | 400         | 426         | 329         | 269         | 147               | -              |
| 2002.....  | 1,724    | -            | -         | -          | 2           | 53          | 218         | 396         | 348         | 320         | 260         | 127               | -              |
| 2001.....  | 1,746    | -            | -         | -          | 1           | 53          | 242         | 407         | 406         | 313         | 214         | 110               | -              |
| 2000.....  | 1,670    | -            | -         | -          | 1           | 54          | 216         | 379         | 355         | 331         | 227         | 107               | -              |
| 1999.....  | 1,538    | -            | -         | -          | 2           | 47          | 197         | 359         | 318         | 285         | 207         | 123               | -              |



Worktable Orig290F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2007

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data - mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, sex, and year

|  | All ages | Under 1 year | 1-4 years | 5-14 years | 15-24 years | 25-34 years | 35-44 years | 45-54 years | 55-64 years | 65-74 years | 75-84 years | 85 years and over | Age not stated |
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|

Malignant neoplasm of breast (C50)

Non-Hispanic 1/, both sexes

|           |        |   |   |   |    |     |       |       |       |       |       |       |   |
|-----------|--------|---|---|---|----|-----|-------|-------|-------|-------|-------|-------|---|
| 2007..... | 38,842 | - | - | - | 8  | 292 | 1,942 | 5,529 | 8,270 | 7,792 | 8,749 | 6,259 | 1 |
| 2006..... | 39,087 | - | 1 | - | 12 | 304 | 2,100 | 5,669 | 8,372 | 7,586 | 9,021 | 6,021 | 1 |
| 2005..... | 39,490 | 1 | - | - | 11 | 319 | 2,256 | 5,798 | 8,201 | 7,755 | 9,050 | 6,099 | - |
| 2004..... | 39,329 | - | - | - | 10 | 347 | 2,282 | 5,828 | 8,017 | 7,897 | 9,077 | 5,871 | - |
| 2003..... | 40,003 | - | - | - | 14 | 351 | 2,453 | 5,950 | 7,813 | 7,987 | 9,345 | 6,088 | 2 |
| 2002..... | 40,037 | - | - | - | 8  | 368 | 2,495 | 6,033 | 7,470 | 8,161 | 9,464 | 6,038 | - |
| 2001..... | 39,957 | - | - | - | 8  | 409 | 2,576 | 6,170 | 7,208 | 8,379 | 9,418 | 5,789 | - |
| 2000..... | 40,506 | - | - | - | 10 | 413 | 2,615 | 5,989 | 7,192 | 8,670 | 9,494 | 6,123 | - |
| 1999..... | 39,881 | - | 1 | 1 | 11 | 390 | 2,537 | 5,800 | 7,056 | 8,803 | 9,419 | 5,863 | - |

Non-Hispanic 1/, male

|           |     |   |   |   |   |   |    |    |    |     |     |    |   |
|-----------|-----|---|---|---|---|---|----|----|----|-----|-----|----|---|
| 2007..... | 355 | - | - | - | - | - | 9  | 35 | 65 | 87  | 99  | 60 | - |
| 2006..... | 378 | - | - | - | 1 | 3 | 6  | 41 | 87 | 82  | 107 | 51 | - |
| 2005..... | 369 | 1 | - | - | - | - | 9  | 32 | 71 | 108 | 109 | 39 | - |
| 2004..... | 343 | - | - | - | 1 | 1 | 10 | 28 | 64 | 85  | 107 | 47 | - |
| 2003..... | 371 | - | - | - | - | 2 | 9  | 46 | 69 | 87  | 104 | 53 | 1 |
| 2002..... | 355 | - | - | - | - | 2 | 12 | 38 | 66 | 81  | 110 | 46 | - |
| 2001..... | 399 | - | - | - | - | 2 | 12 | 45 | 70 | 114 | 110 | 46 | - |
| 2000..... | 409 | - | - | - | - | 3 | 17 | 44 | 81 | 109 | 105 | 50 | - |
| 1999..... | 370 | - | - | - | - | 3 | 15 | 38 | 67 | 97  | 96  | 54 | - |

Worktable Orig290F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2007

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data - mortality"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, sex, and year | All ages | Under 1 year | 1-4 years | 5-14 years | 15-24 years | 25-34 years | 35-44 years | 45-54 years | 55-64 years | 65-74 years | 75-84 years | 85 years and over | Age not stated |
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|
| <b>Malignant neoplasm of breast (C50)</b>  |          |              |           |            |             |             |             |             |             |             |             |                   |                |
| <b>Non-Hispanic 1/, female</b>   |          |              |           |            |             |             |             |             |             |             |             |                   |                |
| 2007.....  | 38,487   | -            | -         | -          | 8           | 292         | 1,933       | 5,494       | 8,205       | 7,705       | 8,650       | 6,199             | 1              |
| 2006.....  | 38,709   | -            | 1         | -          | 11          | 301         | 2,094       | 5,628       | 8,285       | 7,504       | 8,914       | 5,970             | 1              |
| 2005.....  | 39,121   | -            | -         | -          | 11          | 319         | 2,247       | 5,766       | 8,130       | 7,647       | 8,941       | 6,060             | -              |
| 2004.....  | 38,986   | -            | -         | -          | 9           | 346         | 2,272       | 5,800       | 7,953       | 7,812       | 8,970       | 5,824             | -              |
| 2003.....  | 39,632   | -            | -         | -          | 14          | 349         | 2,444       | 5,904       | 7,744       | 7,900       | 9,241       | 6,035             | 1              |
| 2002.....  | 39,682   | -            | -         | -          | 8           | 366         | 2,483       | 5,995       | 7,404       | 8,080       | 9,354       | 5,992             | -              |
| 2001.....  | 39,558   | -            | -         | -          | 8           | 407         | 2,564       | 6,125       | 7,138       | 8,265       | 9,308       | 5,743             | -              |
| 2000.....  | 40,097   | -            | -         | -          | 10          | 410         | 2,598       | 5,945       | 7,111       | 8,561       | 9,389       | 6,073             | -              |
| 1999.....  | 39,511   | -            | 1         | 1          | 11          | 387         | 2,522       | 5,762       | 6,989       | 8,706       | 9,323       | 5,809             | -              |
| <b>Non-Hispanic white, both sexes</b>  |          |              |           |            |             |             |             |             |             |             |             |                   |                |
| 2007 2/.....   | 32,106   | -            | -         | -          | 2           | 167         | 1,317       | 4,064       | 6,595       | 6,588       | 7,720       | 5,653             | -              |
| 2006 2/.....   | 32,430   | -            | 1         | -          | 5           | 182         | 1,444       | 4,191       | 6,749       | 6,447       | 8,001       | 5,410             | -              |
| 2005 2/.....   | 32,736   | 1            | -         | -          | 6           | 200         | 1,553       | 4,227       | 6,573       | 6,594       | 8,073       | 5,509             | -              |
| 2004 2/.....   | 32,833   | -            | -         | -          | 6           | 215         | 1,560       | 4,305       | 6,523       | 6,763       | 8,157       | 5,304             | -              |
| 2003 2/.....   | 33,451   | -            | -         | -          | 9           | 216         | 1,728       | 4,475       | 6,354       | 6,824       | 8,356       | 5,488             | 1              |
| 2002.....  | 33,611   | -            | -         | -          | 4           | 230         | 1,733       | 4,559       | 6,145       | 7,001       | 8,456       | 5,483             | -              |
| 2001.....  | 33,629   | -            | -         | -          | 3           | 255         | 1,828       | 4,737       | 5,895       | 7,185       | 8,472       | 5,254             | -              |
| 2000.....  | 34,386   | -            | -         | -          | 4           | 275         | 1,877       | 4,620       | 5,911       | 7,581       | 8,591       | 5,527             | -              |
| 1999.....  | 33,790   | -            | -         | 1          | 6           | 257         | 1,802       | 4,470       | 5,779       | 7,623       | 8,488       | 5,364             | -              |

Worktable Orig290F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2007

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data - mortality"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, sex, and year | All ages | Under 1 year | 1-4 years | 5-14 years | 15-24 years | 25-34 years | 35-44 years | 45-54 years | 55-64 years | 65-74 years | 75-84 years | 85 years and over | Age not stated |
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|
| <b>Malignant neoplasm of breast (C50)</b>  |          |              |           |            |             |             |             |             |             |             |             |                   |                |
| <b>Non-Hispanic white, male</b>  |          |              |           |            |             |             |             |             |             |             |             |                   |                |
| 2007 2/.....   | 300      | -            | -         | -          | -           | -           | 8           | 27          | 51          | 74          | 86          | 54                | -              |
| 2006 2/.....   | 316      | -            | -         | -          | -           | 3           | 4           | 26          | 71          | 69          | 95          | 48                | -              |
| 2005 2/.....   | 305      | 1            | -         | -          | -           | -           | 5           | 25          | 58          | 87          | 94          | 35                | -              |
| 2004 2/.....   | 282      | -            | -         | -          | -           | -           | 6           | 20          | 50          | 70          | 98          | 38                | -              |
| 2003 2/.....   | 317      | -            | -         | -          | -           | 1           | 4           | 37          | 57          | 74          | 95          | 48                | 1              |
| 2002.....  | 288      | -            | -         | -          | -           | 1           | 9           | 27          | 51          | 65          | 94          | 41                | -              |
| 2001.....  | 329      | -            | -         | -          | -           | 1           | 6           | 33          | 59          | 95          | 96          | 39                | -              |
| 2000.....  | 341      | -            | -         | -          | -           | 1           | 9           | 35          | 63          | 97          | 94          | 42                | -              |
| 1999.....  | 299      | -            | -         | -          | -           | 2           | 8           | 28          | 51          | 79          | 84          | 47                | -              |
| <b>Non-Hispanic white, female</b>  |          |              |           |            |             |             |             |             |             |             |             |                   |                |
| 2007 2/.....   | 31,806   | -            | -         | -          | 2           | 167         | 1,309       | 4,037       | 6,544       | 6,514       | 7,634       | 5,599             | -              |
| 2006 2/.....   | 32,114   | -            | 1         | -          | 5           | 179         | 1,440       | 4,165       | 6,678       | 6,378       | 7,906       | 5,362             | -              |
| 2005 2/.....   | 32,431   | -            | -         | -          | 6           | 200         | 1,548       | 4,202       | 6,515       | 6,507       | 7,979       | 5,474             | -              |
| 2004 2/.....   | 32,551   | -            | -         | -          | 6           | 215         | 1,554       | 4,285       | 6,473       | 6,693       | 8,059       | 5,266             | -              |
| 2003 2/.....   | 33,134   | -            | -         | -          | 9           | 215         | 1,724       | 4,438       | 6,297       | 6,750       | 8,261       | 5,440             | -              |
| 2002.....  | 33,323   | -            | -         | -          | 4           | 229         | 1,724       | 4,532       | 6,094       | 6,936       | 8,362       | 5,442             | -              |
| 2001.....  | 33,300   | -            | -         | -          | 3           | 254         | 1,822       | 4,704       | 5,836       | 7,090       | 8,376       | 5,215             | -              |
| 2000.....  | 34,045   | -            | -         | -          | 4           | 274         | 1,868       | 4,585       | 5,848       | 7,484       | 8,497       | 5,485             | -              |
| 1999.....  | 33,491   | -            | -         | 1          | 6           | 255         | 1,794       | 4,442       | 5,728       | 7,544       | 8,404       | 5,317             | -              |

Worktable Orig290F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2007

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data - mortality"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, sex, and year | All ages | Under 1 year | 1-4 years | 5-14 years | 15-24 years | 25-34 years | 35-44 years | 45-54 years | 55-64 years | 65-74 years | 75-84 years | 85 years and over | Age not stated |
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|
| <b>Malignant neoplasm of breast (C50)</b>  |          |              |           |            |             |             |             |             |             |             |             |                   |                |
| <b>Non-Hispanic black, both sexes</b>  |          |              |           |            |             |             |             |             |             |             |             |                   |                |
| 2007 2/.....   | 5,800    | -            | -         | -          | 6           | 107         | 542         | 1,263       | 1,416       | 1,033       | 889         | 543               | 1              |
| 2006 2/.....   | 5,689    | -            | -         | -          | 6           | 108         | 574         | 1,246       | 1,352       | 956         | 902         | 545               | -              |
| 2005 2/.....   | 5,804    | -            | -         | -          | 5           | 103         | 609         | 1,360       | 1,374       | 998         | 820         | 535               | -              |
| 2004 2/.....   | 5,546    | -            | -         | -          | 2           | 115         | 619         | 1,272       | 1,258       | 967         | 807         | 506               | -              |
| 2003 2/.....   | 5,677    | -            | -         | -          | 5           | 117         | 632         | 1,258       | 1,238       | 1,001       | 877         | 549               | -              |
| 2002.....  | 5,579    | -            | -         | -          | 3           | 123         | 670         | 1,247       | 1,122       | 1,005       | 900         | 509               | -              |
| 2001.....  | 5,528    | -            | -         | -          | 5           | 140         | 641         | 1,209       | 1,125       | 1,053       | 862         | 493               | -              |
| 2000.....  | 5,384    | -            | -         | -          | 5           | 120         | 641         | 1,167       | 1,103       | 961         | 825         | 562               | -              |
| 1999.....  | 5,386    | -            | 1         | -          | 5           | 124         | 661         | 1,150       | 1,095       | 1,037       | 852         | 461               | -              |
| <b>Non-Hispanic black, male</b>  |          |              |           |            |             |             |             |             |             |             |             |                   |                |
| 2007 2/.....   | 52       | -            | -         | -          | -           | -           | 1           | 8           | 14          | 13          | 11          | 5                 | -              |
| 2006 2/.....   | 58       | -            | -         | -          | 1           | -           | 2           | 15          | 14          | 13          | 10          | 3                 | -              |
| 2005 2/.....   | 56       | -            | -         | -          | -           | -           | 2           | 6           | 12          | 21          | 13          | 2                 | -              |
| 2004 2/.....   | 56       | -            | -         | -          | -           | 1           | 3           | 8           | 12          | 14          | 9           | 9                 | -              |
| 2003 2/.....   | 51       | -            | -         | -          | -           | 1           | 5           | 8           | 12          | 13          | 7           | 5                 | -              |
| 2002.....  | 62       | -            | -         | -          | -           | 1           | 3           | 10          | 14          | 16          | 13          | 5                 | -              |
| 2001.....  | 64       | -            | -         | -          | -           | 1           | 5           | 12          | 10          | 17          | 13          | 6                 | -              |
| 2000.....  | 63       | -            | -         | -          | -           | 2           | 8           | 8           | 16          | 11          | 10          | 8                 | -              |
| 1999.....  | 67       | -            | -         | -          | -           | 1           | 7           | 9           | 16          | 16          | 11          | 7                 | -              |

Worktable Orig290F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2007

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data - mortality"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, sex, and year | All ages | Under 1 year | 1-4 years | 5-14 years | 15-24 years | 25-34 years | 35-44 years | 45-54 years | 55-64 years | 65-74 years | 75-84 years | 85 years and over | Age not stated |
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|
| <b>Malignant neoplasm of breast (C50)</b>  |          |              |           |            |             |             |             |             |             |             |             |                   |                |
| <b>Non-Hispanic black, female</b>  |          |              |           |            |             |             |             |             |             |             |             |                   |                |
| 2007 2/.....   | 5,748    | -            | -         | -          | 6           | 107         | 541         | 1,255       | 1,402       | 1,020       | 878         | 538               | 1              |
| 2006 2/.....   | 5,631    | -            | -         | -          | 5           | 108         | 572         | 1,231       | 1,338       | 943         | 892         | 542               | -              |
| 2005 2/.....   | 5,748    | -            | -         | -          | 5           | 103         | 607         | 1,354       | 1,362       | 977         | 807         | 533               | -              |
| 2004 2/.....   | 5,490    | -            | -         | -          | 2           | 114         | 616         | 1,264       | 1,246       | 953         | 798         | 497               | -              |
| 2003 2/.....   | 5,626    | -            | -         | -          | 5           | 116         | 627         | 1,250       | 1,226       | 988         | 870         | 544               | -              |
| 2002.....  | 5,517    | -            | -         | -          | 3           | 122         | 667         | 1,237       | 1,108       | 989         | 887         | 504               | -              |
| 2001.....  | 5,464    | -            | -         | -          | 5           | 139         | 636         | 1,197       | 1,115       | 1,036       | 849         | 487               | -              |
| 2000.....  | 5,321    | -            | -         | -          | 5           | 118         | 633         | 1,159       | 1,087       | 950         | 815         | 554               | -              |
| 1999.....  | 5,319    | -            | 1         | -          | 5           | 123         | 654         | 1,141       | 1,079       | 1,021       | 841         | 454               | -              |
| <b>Origin not stated 3/, both sexes</b>  |          |              |           |            |             |             |             |             |             |             |             |                   |                |
| 2007.....  | 36       | -            | -         | -          | 1           | -           | 3           | 7           | 7           | 3           | 8           | 7                 | -              |
| 2006.....  | 59       | -            | -         | -          | -           | -           | 3           | 6           | 16          | 13          | 10          | 11                | -              |
| 2005.....  | 59       | -            | -         | -          | -           | -           | -           | 11          | 12          | 14          | 15          | 7                 | -              |
| 2004.....  | 61       | -            | -         | -          | -           | 1           | 4           | 7           | 9           | 15          | 12          | 13                | -              |
| 2003.....  | 104      | -            | -         | -          | -           | 1           | 7           | 13          | 26          | 20          | 30          | 7                 | -              |
| 2002.....  | 110      | -            | -         | -          | -           | 3           | 9           | 20          | 20          | 21          | 22          | 15                | -              |
| 2001.....  | 92       | -            | -         | -          | -           | 1           | 3           | 15          | 17          | 18          | 26          | 12                | -              |
| 2000.....  | 105      | -            | -         | -          | -           | -           | 8           | 15          | 22          | 17          | 25          | 18                | -              |
| 1999.....  | 96       | -            | -         | -          | -           | 2           | 7           | 12          | 22          | 16          | 23          | 14                | -              |

Worktable Orig290F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2007

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data - mortality"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, sex, and year | All ages | Under 1 year | 1-4 years | 5-14 years | 15-24 years | 25-34 years | 35-44 years | 45-54 years | 55-64 years | 65-74 years | 75-84 years | 85 years and over | Age not stated |
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|
| <b>Malignant neoplasm of breast (C50)</b>  |          |              |           |            |             |             |             |             |             |             |             |                   |                |
| Origin not stated 3/, male   |          |              |           |            |             |             |             |             |             |             |             |                   |                |
| 2007.....  | -        | -            | -         | -          | -           | -           | -           | -           | -           | -           | -           | -                 | -              |
| 2006.....  | 1        | -            | -         | -          | -           | -           | -           | -           | -           | 1           | -           | -                 | -              |
| 2005.....  | -        | -            | -         | -          | -           | -           | -           | -           | -           | -           | -           | -                 | -              |
| 2004.....  | 2        | -            | -         | -          | -           | -           | -           | -           | -           | -           | -           | 2                 | -              |
| 2003.....  | -        | -            | -         | -          | -           | -           | -           | -           | -           | -           | -           | -                 | -              |
| 2002.....  | 2        | -            | -         | -          | -           | -           | -           | 1           | 1           | -           | -           | -                 | -              |
| 2001.....  | 2        | -            | -         | -          | -           | -           | -           | -           | 1           | 1           | -           | -                 | -              |
| 2000.....  | -        | -            | -         | -          | -           | -           | -           | -           | -           | -           | -           | -                 | -              |
| 1999.....  | 1        | -            | -         | -          | -           | -           | -           | -           | -           | 1           | -           | -                 | -              |
| Origin not stated 3/, female   |          |              |           |            |             |             |             |             |             |             |             |                   |                |
| 2007.....  | 36       | -            | -         | -          | 1           | -           | 3           | 7           | 7           | 3           | 8           | 7                 | -              |
| 2006.....  | 58       | -            | -         | -          | -           | -           | 3           | 6           | 16          | 12          | 10          | 11                | -              |
| 2005.....  | 59       | -            | -         | -          | -           | -           | -           | 11          | 12          | 14          | 15          | 7                 | -              |
| 2004.....  | 59       | -            | -         | -          | -           | 1           | 4           | 7           | 9           | 15          | 12          | 11                | -              |
| 2003.....  | 104      | -            | -         | -          | -           | 1           | 7           | 13          | 26          | 20          | 30          | 7                 | -              |
| 2002.....  | 108      | -            | -         | -          | -           | 3           | 9           | 19          | 19          | 21          | 22          | 15                | -              |
| 2001.....  | 90       | -            | -         | -          | -           | 1           | 3           | 15          | 16          | 17          | 26          | 12                | -              |
| 2000.....  | 105      | -            | -         | -          | -           | -           | 8           | 15          | 22          | 17          | 25          | 18                | -              |
| 1999.....  | 95       | -            | -         | -          | -           | 2           | 7           | 12          | 22          | 15          | 23          | 14                | -              |



Worktable Orig290F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2007

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data - mortality"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, sex, and year | All ages | Under 1 year | 1-4 years | 5-14 years | 15-24 years | 25-34 years | 35-44 years | 45-54 years | 55-64 years | 65-74 years | 75-84 years | 85 years and over | Age not stated |
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|
| Malignant neoplasm of cervix uteri (C53)   |          |              |           |            |             |             |             |             |             |             |             |                   |                |
| All origins, female  |          |              |           |            |             |             |             |             |             |             |             |                   |                |
| 2007.....  | 4,021    | -            | -         | -          | 8           | 183         | 645         | 915         | 892         | 611         | 506         | 261               | -              |
| 2006.....  | 3,976    | -            | -         | 1          | 8           | 181         | 627         | 963         | 821         | 604         | 493         | 278               | -              |
| 2005.....  | 3,924    | -            | -         | -          | 14          | 168         | 622         | 958         | 796         | 575         | 518         | 273               | -              |
| 2004.....  | 3,850    | -            | -         | -          | 19          | 213         | 622         | 850         | 815         | 601         | 484         | 246               | -              |
| 2003.....  | 3,919    | -            | -         | -          | 16          | 201         | 633         | 890         | 793         | 564         | 552         | 270               | -              |
| 2002.....  | 3,952    | -            | -         | -          | 17          | 208         | 666         | 894         | 725         | 630         | 528         | 284               | -              |
| 2001.....  | 4,092    | -            | -         | 1          | 12          | 209         | 711         | 953         | 723         | 585         | 583         | 315               | -              |
| 2000.....  | 4,200    | -            | -         | 1          | 17          | 230         | 694         | 915         | 748         | 686         | 599         | 310               | -              |
| 1999.....  | 4,205    | -            | -         | -          | 12          | 217         | 699         | 914         | 769         | 696         | 568         | 329               | 1              |
| Hispanic, both sexes   |          |              |           |            |             |             |             |             |             |             |             |                   |                |
| 2007.....  | 473      | -            | -         | -          | 3           | 39          | 90          | 126         | 107         | 51          | 42          | 15                | -              |
| 2006.....  | 465      | -            | -         | -          | 3           | 35          | 91          | 128         | 83          | 60          | 51          | 14                | -              |
| 2005.....  | 447      | -            | -         | -          | 3           | 20          | 103         | 120         | 90          | 64          | 33          | 14                | -              |
| 2004.....  | 430      | -            | -         | -          | 3           | 32          | 97          | 96          | 95          | 54          | 39          | 14                | -              |
| 2003.....  | 391      | -            | -         | -          | 3           | 31          | 85          | 109         | 65          | 43          | 42          | 13                | -              |
| 2002.....  | 388      | -            | -         | -          | 2           | 30          | 86          | 87          | 71          | 55          | 40          | 17                | -              |
| 2001.....  | 412      | -            | -         | -          | 3           | 36          | 102         | 102         | 75          | 39          | 39          | 16                | -              |
| 2000.....  | 434      | -            | -         | -          | 4           | 33          | 108         | 87          | 78          | 60          | 43          | 21                | -              |
| 1999.....  | 378      | -            | -         | -          | 2           | 31          | 87          | 99          | 64          | 51          | 31          | 13                | -              |



Worktable Orig290F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2007

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data - mortality"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, sex, and year | All ages | Under 1 year | 1-4 years | 5-14 years | 15-24 years | 25-34 years | 35-44 years | 45-54 years | 55-64 years | 65-74 years | 75-84 years | 85 years and over | Age not stated |
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|
| <b>Malignant neoplasm of cervix uteri (C53)</b>  |          |              |           |            |             |             |             |             |             |             |             |                   |                |
| <b>Hispanic, male</b>  |          |              |           |            |             |             |             |             |             |             |             |                   |                |
| 2007.....  | ...      | ...          | ...       | ...        | ...         | ...         | ...         | ...         | ...         | ...         | ...         | ...               | ...            |
| 2006.....  | ...      | ...          | ...       | ...        | ...         | ...         | ...         | ...         | ...         | ...         | ...         | ...               | ...            |
| 2005.....  | ...      | ...          | ...       | ...        | ...         | ...         | ...         | ...         | ...         | ...         | ...         | ...               | ...            |
| 2004.....  | ...      | ...          | ...       | ...        | ...         | ...         | ...         | ...         | ...         | ...         | ...         | ...               | ...            |
| 2003.....  | ...      | ...          | ...       | ...        | ...         | ...         | ...         | ...         | ...         | ...         | ...         | ...               | ...            |
| 2002.....  | ...      | ...          | ...       | ...        | ...         | ...         | ...         | ...         | ...         | ...         | ...         | ...               | ...            |
| 2001.....  | ...      | ...          | ...       | ...        | ...         | ...         | ...         | ...         | ...         | ...         | ...         | ...               | ...            |
| 2000.....  | ...      | ...          | ...       | ...        | ...         | ...         | ...         | ...         | ...         | ...         | ...         | ...               | ...            |
| 1999.....  | ...      | ...          | ...       | ...        | ...         | ...         | ...         | ...         | ...         | ...         | ...         | ...               | ...            |
| <b>Hispanic, female</b>  |          |              |           |            |             |             |             |             |             |             |             |                   |                |
| 2007.....  | 473      | -            | -         | -          | 3           | 39          | 90          | 126         | 107         | 51          | 42          | 15                | -              |
| 2006.....  | 465      | -            | -         | -          | 3           | 35          | 91          | 128         | 83          | 60          | 51          | 14                | -              |
| 2005.....  | 447      | -            | -         | -          | 3           | 20          | 103         | 120         | 90          | 64          | 33          | 14                | -              |
| 2004.....  | 430      | -            | -         | -          | 3           | 32          | 97          | 96          | 95          | 54          | 39          | 14                | -              |
| 2003.....  | 391      | -            | -         | -          | 3           | 31          | 85          | 109         | 65          | 43          | 42          | 13                | -              |
| 2002.....  | 388      | -            | -         | -          | 2           | 30          | 86          | 87          | 71          | 55          | 40          | 17                | -              |
| 2001.....  | 412      | -            | -         | -          | 3           | 36          | 102         | 102         | 75          | 39          | 39          | 16                | -              |
| 2000.....  | 434      | -            | -         | -          | 4           | 33          | 108         | 87          | 78          | 60          | 43          | 21                | -              |
| 1999.....  | 378      | -            | -         | -          | 2           | 31          | 87          | 99          | 64          | 51          | 31          | 13                | -              |



Worktable Orig290F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2007

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data - mortality"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, sex, and year | All ages | Under 1 year | 1-4 years | 5-14 years | 15-24 years | 25-34 years | 35-44 years | 45-54 years | 55-64 years | 65-74 years | 75-84 years | 85 years and over | Age not stated |
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|
| <b>Malignant neoplasm of cervix uteri (C53)</b>  |          |              |           |            |             |             |             |             |             |             |             |                   |                |
| <b>Non-Hispanic 1/, female</b>   |          |              |           |            |             |             |             |             |             |             |             |                   |                |
| 2007.....  | 3,546    | -            | -         | -          | 5           | 144         | 555         | 789         | 783         | 560         | 464         | 246               | -              |
| 2006.....  | 3,509    | -            | -         | 1          | 5           | 146         | 536         | 834         | 738         | 544         | 442         | 263               | -              |
| 2005.....  | 3,469    | -            | -         | -          | 11          | 147         | 518         | 837         | 704         | 509         | 485         | 258               | -              |
| 2004.....  | 3,415    | -            | -         | -          | 16          | 181         | 523         | 753         | 720         | 547         | 443         | 232               | -              |
| 2003.....  | 3,519    | -            | -         | -          | 13          | 170         | 546         | 777         | 727         | 519         | 510         | 257               | -              |
| 2002.....  | 3,551    | -            | -         | -          | 15          | 177         | 577         | 805         | 650         | 573         | 487         | 267               | -              |
| 2001.....  | 3,669    | -            | -         | 1          | 9           | 172         | 606         | 846         | 646         | 546         | 544         | 299               | -              |
| 2000.....  | 3,755    | -            | -         | 1          | 13          | 197         | 583         | 825         | 668         | 625         | 554         | 289               | -              |
| 1999.....  | 3,817    | -            | -         | -          | 10          | 186         | 611         | 813         | 702         | 644         | 535         | 315               | 1              |
| <b>Non-Hispanic white, both sexes</b>  |          |              |           |            |             |             |             |             |             |             |             |                   |                |
| 2007 2/.....   | 2,576    | -            | -         | -          | 4           | 91          | 393         | 566         | 579         | 411         | 349         | 183               | -              |
| 2006 2/.....   | 2,561    | -            | -         | 1          | 2           | 94          | 380         | 608         | 574         | 383         | 332         | 187               | -              |
| 2005 2/.....   | 2,538    | -            | -         | -          | 7           | 113         | 369         | 595         | 506         | 378         | 367         | 203               | -              |
| 2004 2/.....   | 2,474    | -            | -         | -          | 11          | 128         | 372         | 539         | 540         | 385         | 335         | 164               | -              |
| 2003 2/.....   | 2,564    | -            | -         | -          | 10          | 110         | 392         | 565         | 549         | 371         | 370         | 197               | -              |
| 2002.....  | 2,580    | -            | -         | -          | 10          | 129         | 417         | 581         | 480         | 399         | 370         | 194               | -              |
| 2001.....  | 2,725    | -            | -         | -          | 8           | 125         | 448         | 632         | 478         | 392         | 409         | 233               | -              |
| 2000.....  | 2,725    | -            | -         | -          | 9           | 141         | 403         | 600         | 479         | 438         | 434         | 221               | -              |
| 1999.....  | 2,854    | -            | -         | -          | 7           | 147         | 451         | 630         | 508         | 454         | 414         | 242               | 1              |

Worktable Orig290F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2007

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data - mortality"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, sex, and year | All ages | Under 1 year | 1-4 years | 5-14 years | 15-24 years | 25-34 years | 35-44 years | 45-54 years | 55-64 years | 65-74 years | 75-84 years | 85 years and over | Age not stated |
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|
| <b>Malignant neoplasm of cervix uteri (C53)</b>  |          |              |           |            |             |             |             |             |             |             |             |                   |                |
| <b>Non-Hispanic white, male</b>  |          |              |           |            |             |             |             |             |             |             |             |                   |                |
| 2007 2/.....   | ...      | ...          | ...       | ...        | ...         | ...         | ...         | ...         | ...         | ...         | ...         | ...               | ...            |
| 2006 2/.....   | ...      | ...          | ...       | ...        | ...         | ...         | ...         | ...         | ...         | ...         | ...         | ...               | ...            |
| 2005 2/.....   | ...      | ...          | ...       | ...        | ...         | ...         | ...         | ...         | ...         | ...         | ...         | ...               | ...            |
| 2004 2/.....   | ...      | ...          | ...       | ...        | ...         | ...         | ...         | ...         | ...         | ...         | ...         | ...               | ...            |
| 2003 2/.....   | ...      | ...          | ...       | ...        | ...         | ...         | ...         | ...         | ...         | ...         | ...         | ...               | ...            |
| 2002.....  | ...      | ...          | ...       | ...        | ...         | ...         | ...         | ...         | ...         | ...         | ...         | ...               | ...            |
| 2001.....  | ...      | ...          | ...       | ...        | ...         | ...         | ...         | ...         | ...         | ...         | ...         | ...               | ...            |
| 2000.....  | ...      | ...          | ...       | ...        | ...         | ...         | ...         | ...         | ...         | ...         | ...         | ...               | ...            |
| 1999.....  | ...      | ...          | ...       | ...        | ...         | ...         | ...         | ...         | ...         | ...         | ...         | ...               | ...            |
| <b>Non-Hispanic white, female</b>  |          |              |           |            |             |             |             |             |             |             |             |                   |                |
| 2007 2/.....   | 2,576    | -            | -         | -          | 4           | 91          | 393         | 566         | 579         | 411         | 349         | 183               | -              |
| 2006 2/.....   | 2,561    | -            | -         | 1          | 2           | 94          | 380         | 608         | 574         | 383         | 332         | 187               | -              |
| 2005 2/.....   | 2,538    | -            | -         | -          | 7           | 113         | 369         | 595         | 506         | 378         | 367         | 203               | -              |
| 2004 2/.....   | 2,474    | -            | -         | -          | 11          | 128         | 372         | 539         | 540         | 385         | 335         | 164               | -              |
| 2003 2/.....   | 2,564    | -            | -         | -          | 10          | 110         | 392         | 565         | 549         | 371         | 370         | 197               | -              |
| 2002.....  | 2,580    | -            | -         | -          | 10          | 129         | 417         | 581         | 480         | 399         | 370         | 194               | -              |
| 2001.....  | 2,725    | -            | -         | -          | 8           | 125         | 448         | 632         | 478         | 392         | 409         | 233               | -              |
| 2000.....  | 2,725    | -            | -         | -          | 9           | 141         | 403         | 600         | 479         | 438         | 434         | 221               | -              |
| 1999.....  | 2,854    | -            | -         | -          | 7           | 147         | 451         | 630         | 508         | 454         | 414         | 242               | 1              |



Worktable Orig290F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2007

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data - mortality"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, sex, and year | All ages | Under 1 year | 1-4 years | 5-14 years | 15-24 years | 25-34 years | 35-44 years | 45-54 years | 55-64 years | 65-74 years | 75-84 years | 85 years and over | Age not stated |
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|
| <b>Malignant neoplasm of cervix uteri (C53)</b>  |          |              |           |            |             |             |             |             |             |             |             |                   |                |
| <b>Non-Hispanic black, female</b>  |          |              |           |            |             |             |             |             |             |             |             |                   |                |
| 2007 2/.....   | 796      | -            | -         | -          | 1           | 49          | 136         | 183         | 157         | 124         | 95          | 51                | -              |
| 2006 2/.....   | 777      | -            | -         | -          | 3           | 41          | 135         | 183         | 127         | 135         | 87          | 66                | -              |
| 2005 2/.....   | 776      | -            | -         | -          | 4           | 29          | 132         | 188         | 156         | 112         | 106         | 49                | -              |
| 2004 2/.....   | 782      | -            | -         | -          | 4           | 43          | 125         | 182         | 153         | 130         | 88          | 57                | -              |
| 2003 2/.....   | 788      | -            | -         | -          | 2           | 49          | 126         | 173         | 152         | 125         | 111         | 50                | -              |
| 2002.....  | 820      | -            | -         | -          | 3           | 43          | 144         | 188         | 131         | 152         | 101         | 58                | -              |
| 2001.....  | 778      | -            | -         | 1          | 1           | 42          | 137         | 165         | 131         | 129         | 111         | 61                | -              |
| 2000.....  | 860      | -            | -         | 1          | 4           | 51          | 147         | 177         | 152         | 158         | 108         | 62                | -              |
| 1999.....  | 825      | -            | -         | -          | 3           | 34          | 140         | 140         | 167         | 173         | 101         | 67                | -              |
| <b>Origin not stated 3/, both sexes</b>  |          |              |           |            |             |             |             |             |             |             |             |                   |                |
| 2007.....  | 2        | -            | -         | -          | -           | -           | -           | -           | 2           | -           | -           | -                 | -              |
| 2006.....  | 2        | -            | -         | -          | -           | -           | -           | 1           | -           | -           | -           | 1                 | -              |
| 2005.....  | 8        | -            | -         | -          | -           | 1           | 1           | 1           | 2           | 2           | -           | 1                 | -              |
| 2004.....  | 5        | -            | -         | -          | -           | -           | 2           | 1           | -           | -           | 2           | -                 | -              |
| 2003.....  | 9        | -            | -         | -          | -           | -           | 2           | 4           | 1           | 2           | -           | -                 | -              |
| 2002.....  | 13       | -            | -         | -          | -           | 1           | 3           | 2           | 4           | 2           | 1           | -                 | -              |
| 2001.....  | 11       | -            | -         | -          | -           | 1           | 3           | 5           | 2           | -           | -           | -                 | -              |
| 2000.....  | 11       | -            | -         | -          | -           | -           | 3           | 3           | 2           | 1           | 2           | -                 | -              |
| 1999.....  | 10       | -            | -         | -          | -           | -           | 1           | 2           | 3           | 1           | 2           | 1                 | -              |

Worktable Orig290F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2007

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data - mortality"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, sex, and year | All ages | Under 1 year | 1-4 years | 5-14 years | 15-24 years | 25-34 years | 35-44 years | 45-54 years | 55-64 years | 65-74 years | 75-84 years | 85 years and over | Age not stated |
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|

Malignant neoplasm of cervix uteri (C53)

Origin not stated 3/, male

|           |     |     |     |     |     |     |     |     |     |     |     |     |     |
|-----------|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|
| 2007..... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| 2006..... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| 2005..... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| 2004..... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| 2003..... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| 2002..... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| 2001..... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| 2000..... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| 1999..... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |

Origin not stated 3/, female

|           |    |   |   |   |   |   |   |   |   |   |   |   |   |
|-----------|----|---|---|---|---|---|---|---|---|---|---|---|---|
| 2007..... | 2  | - | - | - | - | - | - | - | 2 | - | - | - | - |
| 2006..... | 2  | - | - | - | - | - | - | 1 | - | - | - | 1 | - |
| 2005..... | 8  | - | - | - | - | 1 | 1 | 1 | 2 | 2 | - | 1 | - |
| 2004..... | 5  | - | - | - | - | - | 2 | 1 | - | - | 2 | - | - |
| 2003..... | 9  | - | - | - | - | - | 2 | 4 | 1 | 2 | - | - | - |
| 2002..... | 13 | - | - | - | - | 1 | 3 | 2 | 4 | 2 | 1 | - | - |
| 2001..... | 11 | - | - | - | - | 1 | 3 | 5 | 2 | - | - | - | - |
| 2000..... | 11 | - | - | - | - | - | 3 | 3 | 2 | 1 | 2 | - | - |
| 1999..... | 10 | - | - | - | - | - | 1 | 2 | 3 | 1 | 2 | 1 | - |





Worktable Orig290F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2007

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data - mortality"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, sex, and year | All ages | Under 1 year | 1-4 years | 5-14 years | 15-24 years | 25-34 years | 35-44 years | 45-54 years | 55-64 years | 65-74 years | 75-84 years | 85 years and over | Age not stated |
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|

Malignant neoplasms of corpus uteri and uterus, part unspecified (C54-C55)

All origins, female

|           |       |   |   |   |   |    |     |     |       |       |       |       |   |
|-----------|-------|---|---|---|---|----|-----|-----|-------|-------|-------|-------|---|
| 2007..... | 7,456 | - | - | - | 2 | 31 | 168 | 584 | 1,583 | 2,021 | 1,960 | 1,107 | - |
| 2006..... | 7,384 | 1 | - | - | 2 | 27 | 145 | 599 | 1,522 | 1,897 | 2,049 | 1,142 | - |
| 2005..... | 7,096 | - | - | - | 4 | 22 | 146 | 568 | 1,468 | 1,808 | 1,955 | 1,125 | - |
| 2004..... | 6,990 | - | - | - | 5 | 20 | 168 | 557 | 1,290 | 1,856 | 2,011 | 1,083 | - |
| 2003..... | 6,899 | - | - | - | 4 | 27 | 154 | 534 | 1,301 | 1,851 | 1,951 | 1,077 | - |
| 2002..... | 6,853 | - | - | - | - | 23 | 146 | 565 | 1,199 | 1,835 | 1,957 | 1,128 | - |
| 2001..... | 6,784 | - | - | - | - | 38 | 139 | 566 | 1,105 | 1,784 | 2,063 | 1,088 | 1 |
| 2000..... | 6,586 | - | - | - | 3 | 27 | 138 | 507 | 1,122 | 1,781 | 1,958 | 1,049 | 1 |
| 1999..... | 6,468 | - | - | - | 2 | 23 | 142 | 468 | 1,019 | 1,807 | 2,008 | 999   | - |

Hispanic, both sexes

|           |     |   |   |   |   |    |    |    |    |     |    |    |   |
|-----------|-----|---|---|---|---|----|----|----|----|-----|----|----|---|
| 2007..... | 397 | - | - | - | - | 12 | 28 | 51 | 97 | 119 | 67 | 23 | - |
| 2006..... | 388 | - | - | - | - | 5  | 22 | 54 | 89 | 90  | 89 | 39 | - |
| 2005..... | 389 | - | - | - | - | 2  | 25 | 65 | 81 | 103 | 87 | 26 | - |
| 2004..... | 325 | - | - | - | - | 3  | 17 | 35 | 78 | 100 | 72 | 20 | - |
| 2003..... | 321 | - | - | - | 1 | 3  | 24 | 44 | 61 | 85  | 63 | 40 | - |
| 2002..... | 337 | - | - | - | - | 5  | 20 | 39 | 64 | 106 | 66 | 37 | - |
| 2001..... | 319 | - | - | - | - | 7  | 13 | 48 | 71 | 85  | 65 | 30 | - |
| 2000..... | 277 | - | - | - | - | 2  | 19 | 35 | 62 | 75  | 54 | 30 | - |
| 1999..... | 272 | - | - | - | 1 | 3  | 15 | 33 | 61 | 86  | 51 | 22 | - |

Worktable Orig290F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2007

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data - mortality"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, sex, and year | All ages | Under 1 year | 1-4 years | 5-14 years | 15-24 years | 25-34 years | 35-44 years | 45-54 years | 55-64 years | 65-74 years | 75-84 years | 85 years and over | Age not stated |
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|

Malignant neoplasms of corpus uteri and uterus, part unspecified (C54-C55)

Hispanic, male

|           |     |     |     |     |     |     |     |     |     |     |     |     |     |
|-----------|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|
| 2007..... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| 2006..... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| 2005..... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| 2004..... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| 2003..... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| 2002..... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| 2001..... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| 2000..... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| 1999..... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |

Hispanic, female

|           |     |   |   |   |   |    |    |    |    |     |    |    |   |
|-----------|-----|---|---|---|---|----|----|----|----|-----|----|----|---|
| 2007..... | 397 | - | - | - | - | 12 | 28 | 51 | 97 | 119 | 67 | 23 | - |
| 2006..... | 388 | - | - | - | - | 5  | 22 | 54 | 89 | 90  | 89 | 39 | - |
| 2005..... | 389 | - | - | - | - | 2  | 25 | 65 | 81 | 103 | 87 | 26 | - |
| 2004..... | 325 | - | - | - | - | 3  | 17 | 35 | 78 | 100 | 72 | 20 | - |
| 2003..... | 321 | - | - | - | 1 | 3  | 24 | 44 | 61 | 85  | 63 | 40 | - |
| 2002..... | 337 | - | - | - | - | 5  | 20 | 39 | 64 | 106 | 66 | 37 | - |
| 2001..... | 319 | - | - | - | - | 7  | 13 | 48 | 71 | 85  | 65 | 30 | - |
| 2000..... | 277 | - | - | - | - | 2  | 19 | 35 | 62 | 75  | 54 | 30 | - |
| 1999..... | 272 | - | - | - | 1 | 3  | 15 | 33 | 61 | 86  | 51 | 22 | - |



Worktable Orig290F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2007

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data - mortality"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, sex, and year | All ages | Under 1 year | 1-4 years | 5-14 years | 15-24 years | 25-34 years | 35-44 years | 45-54 years | 55-64 years | 65-74 years | 75-84 years | 85 years and over | Age not stated |
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|

Malignant neoplasms of corpus uteri and uterus, part unspecified (C54-C55)

Non-Hispanic 1/, female

|           |       |   |   |   |   |    |     |     |       |       |       |       |   |
|-----------|-------|---|---|---|---|----|-----|-----|-------|-------|-------|-------|---|
| 2007..... | 7,049 | - | - | - | 2 | 19 | 140 | 533 | 1,485 | 1,898 | 1,889 | 1,083 | - |
| 2006..... | 6,986 | 1 | - | - | 2 | 22 | 123 | 545 | 1,432 | 1,803 | 1,955 | 1,103 | - |
| 2005..... | 6,693 | - | - | - | 4 | 20 | 121 | 502 | 1,380 | 1,703 | 1,866 | 1,097 | - |
| 2004..... | 6,654 | - | - | - | 5 | 17 | 151 | 519 | 1,210 | 1,753 | 1,938 | 1,061 | - |
| 2003..... | 6,561 | - | - | - | 3 | 24 | 130 | 488 | 1,237 | 1,761 | 1,881 | 1,037 | - |
| 2002..... | 6,487 | - | - | - | - | 17 | 126 | 524 | 1,124 | 1,725 | 1,884 | 1,087 | - |
| 2001..... | 6,449 | - | - | - | - | 31 | 126 | 517 | 1,029 | 1,697 | 1,996 | 1,052 | 1 |
| 2000..... | 6,294 | - | - | - | 3 | 25 | 119 | 469 | 1,057 | 1,702 | 1,901 | 1,017 | 1 |
| 1999..... | 6,188 | - | - | - | 1 | 20 | 127 | 435 | 956   | 1,719 | 1,954 | 976   | - |

Non-Hispanic white, both sexes

|              |       |   |   |   |   |    |     |     |       |       |       |     |   |
|--------------|-------|---|---|---|---|----|-----|-----|-------|-------|-------|-----|---|
| 2007 2/..... | 5,570 | - | - | - | 1 | 12 | 92  | 414 | 1,150 | 1,399 | 1,540 | 962 | - |
| 2006 2/..... | 5,576 | 1 | - | - | - | 15 | 97  | 420 | 1,073 | 1,343 | 1,634 | 993 | - |
| 2005 2/..... | 5,360 | - | - | - | 2 | 11 | 86  | 387 | 1,035 | 1,313 | 1,557 | 969 | - |
| 2004 2/..... | 5,392 | - | - | - | 3 | 13 | 115 | 397 | 934   | 1,314 | 1,654 | 962 | - |
| 2003 2/..... | 5,321 | - | - | - | 2 | 13 | 86  | 386 | 955   | 1,366 | 1,584 | 929 | - |
| 2002.....    | 5,213 | - | - | - | - | 11 | 97  | 403 | 861   | 1,312 | 1,580 | 949 | - |
| 2001.....    | 5,283 | - | - | - | - | 19 | 94  | 398 | 802   | 1,319 | 1,712 | 939 | - |
| 2000.....    | 5,113 | - | - | - | 1 | 18 | 88  | 383 | 827   | 1,298 | 1,594 | 904 | - |
| 1999.....    | 5,114 | - | - | - | 1 | 15 | 96  | 353 | 753   | 1,351 | 1,687 | 858 | - |

Worktable Orig290F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2007

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data - mortality"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, sex, and year | All ages | Under 1 year | 1-4 years | 5-14 years | 15-24 years | 25-34 years | 35-44 years | 45-54 years | 55-64 years | 65-74 years | 75-84 years | 85 years and over | Age not stated |
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|

Malignant neoplasms of corpus uteri and uterus, part unspecified (C54-C55)

Non-Hispanic white, male

|              |     |     |     |     |     |     |     |     |     |     |     |     |     |
|--------------|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|
| 2007 2/..... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| 2006 2/..... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| 2005 2/..... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| 2004 2/..... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| 2003 2/..... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| 2002.....    | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| 2001.....    | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| 2000.....    | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| 1999.....    | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |

Non-Hispanic white, female

|              |       |   |   |   |   |    |     |     |       |       |       |     |   |
|--------------|-------|---|---|---|---|----|-----|-----|-------|-------|-------|-----|---|
| 2007 2/..... | 5,570 | - | - | - | 1 | 12 | 92  | 414 | 1,150 | 1,399 | 1,540 | 962 | - |
| 2006 2/..... | 5,576 | 1 | - | - | - | 15 | 97  | 420 | 1,073 | 1,343 | 1,634 | 993 | - |
| 2005 2/..... | 5,360 | - | - | - | 2 | 11 | 86  | 387 | 1,035 | 1,313 | 1,557 | 969 | - |
| 2004 2/..... | 5,392 | - | - | - | 3 | 13 | 115 | 397 | 934   | 1,314 | 1,654 | 962 | - |
| 2003 2/..... | 5,321 | - | - | - | 2 | 13 | 86  | 386 | 955   | 1,366 | 1,584 | 929 | - |
| 2002.....    | 5,213 | - | - | - | - | 11 | 97  | 403 | 861   | 1,312 | 1,580 | 949 | - |
| 2001.....    | 5,283 | - | - | - | - | 19 | 94  | 398 | 802   | 1,319 | 1,712 | 939 | - |
| 2000.....    | 5,113 | - | - | - | 1 | 18 | 88  | 383 | 827   | 1,298 | 1,594 | 904 | - |
| 1999.....    | 5,114 | - | - | - | 1 | 15 | 96  | 353 | 753   | 1,351 | 1,687 | 858 | - |



Worktable Orig290F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2007

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data - mortality"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, sex, and year | All ages | Under 1 year | 1-4 years | 5-14 years | 15-24 years | 25-34 years | 35-44 years | 45-54 years | 55-64 years | 65-74 years | 75-84 years | 85 years and over | Age not stated |
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|

Malignant neoplasms of corpus uteri and uterus, part unspecified (C54-C55)

Non-Hispanic black, female

|              |       |   |   |   |   |   |    |    |     |     |     |     |   |
|--------------|-------|---|---|---|---|---|----|----|-----|-----|-----|-----|---|
| 2007 2/..... | 1,283 | - | - | - | 1 | 6 | 33 | 95 | 285 | 449 | 307 | 107 | - |
| 2006 2/..... | 1,223 | - | - | - | 1 | 7 | 19 | 89 | 312 | 406 | 290 | 99  | - |
| 2005 2/..... | 1,165 | - | - | - | 2 | 7 | 24 | 93 | 298 | 353 | 271 | 117 | - |
| 2004 2/..... | 1,102 | - | - | - | 2 | 4 | 29 | 93 | 229 | 395 | 258 | 92  | - |
| 2003 2/..... | 1,092 | - | - | - | 1 | 8 | 30 | 80 | 245 | 357 | 269 | 102 | - |
| 2002.....    | 1,107 | - | - | - | - | 5 | 21 | 88 | 221 | 373 | 268 | 131 | - |
| 2001.....    | 1,037 | - | - | - | - | 9 | 22 | 93 | 190 | 352 | 265 | 105 | 1 |
| 2000.....    | 1,055 | - | - | - | 1 | 6 | 21 | 68 | 201 | 371 | 280 | 106 | 1 |
| 1999.....    | 980   | - | - | - | - | 5 | 27 | 57 | 189 | 346 | 245 | 111 | - |

Origin not stated 3/, both sexes

|           |    |   |   |   |   |   |   |   |    |   |   |   |   |
|-----------|----|---|---|---|---|---|---|---|----|---|---|---|---|
| 2007..... | 10 | - | - | - | - | - | - | - | 1  | 4 | 4 | 1 | - |
| 2006..... | 10 | - | - | - | - | - | - | - | 1  | 4 | 5 | - | - |
| 2005..... | 14 | - | - | - | - | - | - | 1 | 7  | 2 | 2 | 2 | - |
| 2004..... | 11 | - | - | - | - | - | - | 3 | 2  | 3 | 1 | 2 | - |
| 2003..... | 17 | - | - | - | - | - | - | 2 | 3  | 5 | 7 | - | - |
| 2002..... | 29 | - | - | - | - | 1 | - | 2 | 11 | 4 | 7 | 4 | - |
| 2001..... | 16 | - | - | - | - | - | - | 1 | 5  | 2 | 2 | 6 | - |
| 2000..... | 15 | - | - | - | - | - | - | 3 | 3  | 4 | 3 | 2 | - |
| 1999..... | 8  | - | - | - | - | - | - | - | 2  | 2 | 3 | 1 | - |

Worktable Orig290F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2007

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data - mortality"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, sex, and year | All ages | Under 1 year | 1-4 years | 5-14 years | 15-24 years | 25-34 years | 35-44 years | 45-54 years | 55-64 years | 65-74 years | 75-84 years | 85 years and over | Age not stated |
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|

Malignant neoplasms of corpus uteri and uterus, part unspecified (C54-C55)

Origin not stated 3/, male

|           |     |     |     |     |     |     |     |     |     |     |     |     |     |
|-----------|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|
| 2007..... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| 2006..... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| 2005..... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| 2004..... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| 2003..... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| 2002..... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| 2001..... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| 2000..... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| 1999..... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |

Origin not stated 3/, female

|           |    |   |   |   |   |   |   |   |    |   |   |   |   |
|-----------|----|---|---|---|---|---|---|---|----|---|---|---|---|
| 2007..... | 10 | - | - | - | - | - | - | - | 1  | 4 | 4 | 1 | - |
| 2006..... | 10 | - | - | - | - | - | - | - | 1  | 4 | 5 | - | - |
| 2005..... | 14 | - | - | - | - | - | - | 1 | 7  | 2 | 2 | 2 | - |
| 2004..... | 11 | - | - | - | - | - | - | 3 | 2  | 3 | 1 | 2 | - |
| 2003..... | 17 | - | - | - | - | - | - | 2 | 3  | 5 | 7 | - | - |
| 2002..... | 29 | - | - | - | - | 1 | - | 2 | 11 | 4 | 7 | 4 | - |
| 2001..... | 16 | - | - | - | - | - | - | 1 | 5  | 2 | 2 | 6 | - |
| 2000..... | 15 | - | - | - | - | - | - | 3 | 3  | 4 | 3 | 2 | - |
| 1999..... | 8  | - | - | - | - | - | - | - | 2  | 2 | 3 | 1 | - |





Worktable Orig290F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2007

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data - mortality"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, sex, and year | All ages | Under 1 year | 1-4 years | 5-14 years | 15-24 years | 25-34 years | 35-44 years | 45-54 years | 55-64 years | 65-74 years | 75-84 years | 85 years and over | Age not stated |
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|
| <b>Malignant neoplasm of ovary (C56)</b>   |          |              |           |            |             |             |             |             |             |             |             |                   |                |
| <b>All origins, female</b>   |          |              |           |            |             |             |             |             |             |             |             |                   |                |
| 2007.....  | 14,621   | -            | -         | -          | 28          | 79          | 352         | 1,532       | 2,997       | 3,616       | 3,946       | 2,071             | -              |
| 2006.....  | 14,857   | 1            | 1         | 3          | 23          | 79          | 401         | 1,666       | 3,048       | 3,573       | 4,061       | 2,001             | -              |
| 2005.....  | 14,787   | -            | -         | 3          | 18          | 83          | 413         | 1,682       | 3,048       | 3,569       | 4,031       | 1,940             | -              |
| 2004.....  | 14,716   | -            | -         | 2          | 29          | 94          | 454         | 1,654       | 2,794       | 3,693       | 4,165       | 1,831             | -              |
| 2003.....  | 14,657   | -            | -         | -          | 28          | 84          | 452         | 1,629       | 2,891       | 3,569       | 4,194       | 1,810             | -              |
| 2002.....  | 14,682   | 1            | 1         | 2          | 37          | 97          | 469         | 1,717       | 2,748       | 3,601       | 4,259       | 1,750             | -              |
| 2001.....  | 14,414   | -            | -         | 2          | 21          | 102         | 472         | 1,626       | 2,612       | 3,666       | 4,170       | 1,743             | -              |
| 2000.....  | 14,060   | -            | -         | 2          | 23          | 101         | 472         | 1,583       | 2,444       | 3,601       | 4,098       | 1,736             | -              |
| 1999.....  | 13,627   | -            | 1         | 2          | 27          | 77          | 496         | 1,549       | 2,426       | 3,612       | 3,875       | 1,562             | -              |
| <b>Hispanic, both sexes</b>  |          |              |           |            |             |             |             |             |             |             |             |                   |                |
| 2007.....  | 773      | -            | -         | -          | 6           | 16          | 48          | 128         | 165         | 173         | 173         | 64                | -              |
| 2006.....  | 758      | -            | -         | -          | 6           | 6           | 44          | 117         | 154         | 176         | 184         | 71                | -              |
| 2005.....  | 739      | -            | -         | -          | 3           | 12          | 41          | 132         | 169         | 173         | 145         | 64                | -              |
| 2004.....  | 689      | -            | -         | 1          | 4           | 11          | 51          | 111         | 145         | 164         | 143         | 59                | -              |
| 2003.....  | 645      | -            | -         | -          | 3           | 5           | 48          | 104         | 134         | 155         | 141         | 55                | -              |
| 2002.....  | 622      | -            | -         | 2          | 3           | 10          | 47          | 116         | 111         | 145         | 145         | 43                | -              |
| 2001.....  | 603      | -            | -         | 1          | -           | 13          | 43          | 91          | 131         | 164         | 111         | 49                | -              |
| 2000.....  | 578      | -            | -         | 1          | 4           | 9           | 30          | 94          | 111         | 154         | 126         | 49                | -              |
| 1999.....  | 478      | -            | 1         | -          | 2           | 6           | 29          | 80          | 100         | 126         | 100         | 34                | -              |

Worktable Orig290F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2007

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data - mortality"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, sex, and year | All ages | Under 1 year | 1-4 years | 5-14 years | 15-24 years | 25-34 years | 35-44 years | 45-54 years | 55-64 years | 65-74 years | 75-84 years | 85 years and over | Age not stated |
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|
| <b>Malignant neoplasm of ovary (C56)</b>   |          |              |           |            |             |             |             |             |             |             |             |                   |                |
| <b>Hispanic, male</b>  |          |              |           |            |             |             |             |             |             |             |             |                   |                |
| 2007.....  | ...      | ...          | ...       | ...        | ...         | ...         | ...         | ...         | ...         | ...         | ...         | ...               | ...            |
| 2006.....  | ...      | ...          | ...       | ...        | ...         | ...         | ...         | ...         | ...         | ...         | ...         | ...               | ...            |
| 2005.....  | ...      | ...          | ...       | ...        | ...         | ...         | ...         | ...         | ...         | ...         | ...         | ...               | ...            |
| 2004.....  | ...      | ...          | ...       | ...        | ...         | ...         | ...         | ...         | ...         | ...         | ...         | ...               | ...            |
| 2003.....  | ...      | ...          | ...       | ...        | ...         | ...         | ...         | ...         | ...         | ...         | ...         | ...               | ...            |
| 2002.....  | ...      | ...          | ...       | ...        | ...         | ...         | ...         | ...         | ...         | ...         | ...         | ...               | ...            |
| 2001.....  | ...      | ...          | ...       | ...        | ...         | ...         | ...         | ...         | ...         | ...         | ...         | ...               | ...            |
| 2000.....  | ...      | ...          | ...       | ...        | ...         | ...         | ...         | ...         | ...         | ...         | ...         | ...               | ...            |
| 1999.....  | ...      | ...          | ...       | ...        | ...         | ...         | ...         | ...         | ...         | ...         | ...         | ...               | ...            |
| <b>Hispanic, female</b>  |          |              |           |            |             |             |             |             |             |             |             |                   |                |
| 2007.....  | 773      | -            | -         | -          | 6           | 16          | 48          | 128         | 165         | 173         | 173         | 64                | -              |
| 2006.....  | 758      | -            | -         | -          | 6           | 6           | 44          | 117         | 154         | 176         | 184         | 71                | -              |
| 2005.....  | 739      | -            | -         | -          | 3           | 12          | 41          | 132         | 169         | 173         | 145         | 64                | -              |
| 2004.....  | 689      | -            | -         | 1          | 4           | 11          | 51          | 111         | 145         | 164         | 143         | 59                | -              |
| 2003.....  | 645      | -            | -         | -          | 3           | 5           | 48          | 104         | 134         | 155         | 141         | 55                | -              |
| 2002.....  | 622      | -            | -         | 2          | 3           | 10          | 47          | 116         | 111         | 145         | 145         | 43                | -              |
| 2001.....  | 603      | -            | -         | 1          | -           | 13          | 43          | 91          | 131         | 164         | 111         | 49                | -              |
| 2000.....  | 578      | -            | -         | 1          | 4           | 9           | 30          | 94          | 111         | 154         | 126         | 49                | -              |
| 1999.....  | 478      | -            | 1         | -          | 2           | 6           | 29          | 80          | 100         | 126         | 100         | 34                | -              |



Worktable Orig290F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2007

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data - mortality"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, sex, and year | All ages | Under 1 year | 1-4 years | 5-14 years | 15-24 years | 25-34 years | 35-44 years | 45-54 years | 55-64 years | 65-74 years | 75-84 years | 85 years and over | Age not stated |
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|
| <b>Malignant neoplasm of ovary (C56)</b>   |          |              |           |            |             |             |             |             |             |             |             |                   |                |
| <b>Non-Hispanic 1/, female</b>   |          |              |           |            |             |             |             |             |             |             |             |                   |                |
| 2007.....  | 13,837   | -            | -         | -          | 22          | 63          | 303         | 1,402       | 2,830       | 3,441       | 3,770       | 2,006             | -              |
| 2006.....  | 14,081   | 1            | 1         | 3          | 17          | 73          | 356         | 1,548       | 2,891       | 3,390       | 3,872       | 1,929             | -              |
| 2005.....  | 14,041   | -            | -         | 3          | 15          | 71          | 372         | 1,549       | 2,877       | 3,394       | 3,884       | 1,876             | -              |
| 2004.....  | 14,008   | -            | -         | 1          | 25          | 83          | 402         | 1,541       | 2,644       | 3,522       | 4,020       | 1,770             | -              |
| 2003.....  | 13,985   | -            | -         | -          | 25          | 79          | 403         | 1,519       | 2,749       | 3,406       | 4,050       | 1,754             | -              |
| 2002.....  | 14,031   | 1            | 1         | -          | 34          | 87          | 421         | 1,596       | 2,633       | 3,445       | 4,107       | 1,706             | -              |
| 2001.....  | 13,783   | -            | -         | 1          | 21          | 89          | 428         | 1,533       | 2,475       | 3,495       | 4,052       | 1,689             | -              |
| 2000.....  | 13,454   | -            | -         | 1          | 19          | 92          | 441         | 1,484       | 2,329       | 3,440       | 3,964       | 1,684             | -              |
| 1999.....  | 13,103   | -            | -         | 2          | 25          | 71          | 466         | 1,466       | 2,316       | 3,474       | 3,756       | 1,527             | -              |
| <b>Non-Hispanic white, both sexes</b>  |          |              |           |            |             |             |             |             |             |             |             |                   |                |
| 2007 2/.....   | 12,330   | -            | -         | -          | 17          | 45          | 255         | 1,180       | 2,467       | 3,067       | 3,440       | 1,859             | -              |
| 2006 2/.....   | 12,536   | 1            | -         | 3          | 14          | 61          | 291         | 1,297       | 2,533       | 3,035       | 3,526       | 1,775             | -              |
| 2005 2/.....   | 12,472   | -            | -         | 2          | 15          | 56          | 293         | 1,316       | 2,529       | 2,980       | 3,538       | 1,743             | -              |
| 2004 2/.....   | 12,432   | -            | -         | 1          | 16          | 60          | 326         | 1,280       | 2,312       | 3,103       | 3,701       | 1,633             | -              |
| 2003 2/.....   | 12,477   | -            | -         | -          | 18          | 64          | 329         | 1,282       | 2,432       | 3,024       | 3,720       | 1,608             | -              |
| 2002.....  | 12,560   | 1            | 1         | -          | 27          | 67          | 343         | 1,369       | 2,329       | 3,082       | 3,766       | 1,575             | -              |
| 2001.....  | 12,338   | -            | -         | -          | 14          | 68          | 347         | 1,335       | 2,151       | 3,125       | 3,741       | 1,557             | -              |
| 2000.....  | 12,138   | -            | -         | -          | 13          | 75          | 367         | 1,284       | 2,072       | 3,087       | 3,680       | 1,560             | -              |
| 1999.....  | 11,795   | -            | -         | 2          | 20          | 51          | 394         | 1,268       | 2,061       | 3,119       | 3,456       | 1,424             | -              |

Worktable Orig290F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2007

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data - mortality"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, sex, and year | All ages | Under 1 year | 1-4 years | 5-14 years | 15-24 years | 25-34 years | 35-44 years | 45-54 years | 55-64 years | 65-74 years | 75-84 years | 85 years and over | Age not stated |
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|
| <b>Malignant neoplasm of ovary (C56)</b>   |          |              |           |            |             |             |             |             |             |             |             |                   |                |
| <b>Non-Hispanic white, male</b>  |          |              |           |            |             |             |             |             |             |             |             |                   |                |
| 2007 2/.....   | ...      | ...          | ...       | ...        | ...         | ...         | ...         | ...         | ...         | ...         | ...         | ...               | ...            |
| 2006 2/.....   | ...      | ...          | ...       | ...        | ...         | ...         | ...         | ...         | ...         | ...         | ...         | ...               | ...            |
| 2005 2/.....   | ...      | ...          | ...       | ...        | ...         | ...         | ...         | ...         | ...         | ...         | ...         | ...               | ...            |
| 2004 2/.....   | ...      | ...          | ...       | ...        | ...         | ...         | ...         | ...         | ...         | ...         | ...         | ...               | ...            |
| 2003 2/.....   | ...      | ...          | ...       | ...        | ...         | ...         | ...         | ...         | ...         | ...         | ...         | ...               | ...            |
| 2002.....  | ...      | ...          | ...       | ...        | ...         | ...         | ...         | ...         | ...         | ...         | ...         | ...               | ...            |
| 2001.....  | ...      | ...          | ...       | ...        | ...         | ...         | ...         | ...         | ...         | ...         | ...         | ...               | ...            |
| 2000.....  | ...      | ...          | ...       | ...        | ...         | ...         | ...         | ...         | ...         | ...         | ...         | ...               | ...            |
| 1999.....  | ...      | ...          | ...       | ...        | ...         | ...         | ...         | ...         | ...         | ...         | ...         | ...               | ...            |
| <b>Non-Hispanic white, female</b>  |          |              |           |            |             |             |             |             |             |             |             |                   |                |
| 2007 2/.....   | 12,330   | -            | -         | -          | 17          | 45          | 255         | 1,180       | 2,467       | 3,067       | 3,440       | 1,859             | -              |
| 2006 2/.....   | 12,536   | 1            | -         | 3          | 14          | 61          | 291         | 1,297       | 2,533       | 3,035       | 3,526       | 1,775             | -              |
| 2005 2/.....   | 12,472   | -            | -         | 2          | 15          | 56          | 293         | 1,316       | 2,529       | 2,980       | 3,538       | 1,743             | -              |
| 2004 2/.....   | 12,432   | -            | -         | 1          | 16          | 60          | 326         | 1,280       | 2,312       | 3,103       | 3,701       | 1,633             | -              |
| 2003 2/.....   | 12,477   | -            | -         | -          | 18          | 64          | 329         | 1,282       | 2,432       | 3,024       | 3,720       | 1,608             | -              |
| 2002.....  | 12,560   | 1            | 1         | -          | 27          | 67          | 343         | 1,369       | 2,329       | 3,082       | 3,766       | 1,575             | -              |
| 2001.....  | 12,338   | -            | -         | -          | 14          | 68          | 347         | 1,335       | 2,151       | 3,125       | 3,741       | 1,557             | -              |
| 2000.....  | 12,138   | -            | -         | -          | 13          | 75          | 367         | 1,284       | 2,072       | 3,087       | 3,680       | 1,560             | -              |
| 1999.....  | 11,795   | -            | -         | 2          | 20          | 51          | 394         | 1,268       | 2,061       | 3,119       | 3,456       | 1,424             | -              |



Worktable Orig290F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2007

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data - mortality"]

---

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, sex, and year

|  | All ages | Under 1 year | 1-4 years | 5-14 years | 15-24 years | 25-34 years | 35-44 years | 45-54 years | 55-64 years | 65-74 years | 75-84 years | 85 years and over | Age not stated |
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|

---

Malignant neoplasm of ovary (C56)

Non-Hispanic black, female

|              |       |   |   |   |   |    |    |     |     |     |     |     |   |
|--------------|-------|---|---|---|---|----|----|-----|-----|-----|-----|-----|---|
| 2007 2/..... | 1,150 | - | - | - | 3 | 17 | 35 | 154 | 275 | 299 | 258 | 109 | - |
| 2006 2/..... | 1,168 | - | 1 | - | 2 | 8  | 49 | 177 | 268 | 282 | 254 | 127 | - |
| 2005 2/..... | 1,204 | - | - | 1 | - | 14 | 54 | 158 | 261 | 324 | 278 | 114 | - |
| 2004 2/..... | 1,247 | - | - | - | 7 | 17 | 52 | 192 | 248 | 346 | 272 | 113 | - |
| 2003 2/..... | 1,180 | - | - | - | 6 | 12 | 56 | 181 | 236 | 297 | 267 | 125 | - |
| 2002.....    | 1,155 | - | - | - | 7 | 13 | 59 | 158 | 237 | 287 | 277 | 117 | - |
| 2001.....    | 1,140 | - | - | 1 | 4 | 15 | 65 | 134 | 251 | 301 | 252 | 117 | - |
| 2000.....    | 1,065 | - | - | 1 | 2 | 12 | 59 | 138 | 205 | 295 | 244 | 109 | - |
| 1999.....    | 1,065 | - | - | - | 4 | 13 | 47 | 143 | 211 | 301 | 256 | 90  | - |

Origin not stated 3/, both sexes

|           |    |   |   |   |   |   |   |   |    |    |    |   |   |
|-----------|----|---|---|---|---|---|---|---|----|----|----|---|---|
| 2007..... | 11 | - | - | - | - | - | 1 | 2 | 2  | 2  | 3  | 1 | - |
| 2006..... | 18 | - | - | - | - | - | 1 | 1 | 3  | 7  | 5  | 1 | - |
| 2005..... | 7  | - | - | - | - | - | - | 1 | 2  | 2  | 2  | - | - |
| 2004..... | 19 | - | - | - | - | - | 1 | 2 | 5  | 7  | 2  | 2 | - |
| 2003..... | 27 | - | - | - | - | - | 1 | 6 | 8  | 8  | 3  | 1 | - |
| 2002..... | 29 | - | - | - | - | - | 1 | 5 | 4  | 11 | 7  | 1 | - |
| 2001..... | 28 | - | - | - | - | - | 1 | 2 | 6  | 7  | 7  | 5 | - |
| 2000..... | 28 | - | - | - | - | - | 1 | 5 | 4  | 7  | 8  | 3 | - |
| 1999..... | 46 | - | - | - | - | - | 1 | 3 | 10 | 12 | 19 | 1 | - |



Worktable Orig290F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2007

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data - mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, sex, and year

|  | All ages | Under 1 year | 1-4 years | 5-14 years | 15-24 years | 25-34 years | 35-44 years | 45-54 years | 55-64 years | 65-74 years | 75-84 years | 85 years and over | Age not stated |
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|

Malignant neoplasm of ovary (C56)

Origin not stated 3/, male

|           |     |     |     |     |     |     |     |     |     |     |     |     |     |
|-----------|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|
| 2007..... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| 2006..... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| 2005..... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| 2004..... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| 2003..... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| 2002..... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| 2001..... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| 2000..... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| 1999..... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |

Origin not stated 3/, female

|           |    |   |   |   |   |   |   |   |    |    |    |   |   |
|-----------|----|---|---|---|---|---|---|---|----|----|----|---|---|
| 2007..... | 11 | - | - | - | - | - | 1 | 2 | 2  | 2  | 3  | 1 | - |
| 2006..... | 18 | - | - | - | - | - | 1 | 1 | 3  | 7  | 5  | 1 | - |
| 2005..... | 7  | - | - | - | - | - | - | 1 | 2  | 2  | 2  | - | - |
| 2004..... | 19 | - | - | - | - | - | 1 | 2 | 5  | 7  | 2  | 2 | - |
| 2003..... | 27 | - | - | - | - | - | 1 | 6 | 8  | 8  | 3  | 1 | - |
| 2002..... | 29 | - | - | - | - | - | 1 | 5 | 4  | 11 | 7  | 1 | - |
| 2001..... | 28 | - | - | - | - | - | 1 | 2 | 6  | 7  | 7  | 5 | - |
| 2000..... | 28 | - | - | - | - | - | 1 | 5 | 4  | 7  | 8  | 3 | - |
| 1999..... | 46 | - | - | - | - | - | 1 | 3 | 10 | 12 | 19 | 1 | - |

Worktable Orig290F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2007

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data - mortality"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, sex, and year | All ages | Under 1 year | 1-4 years | 5-14 years | 15-24 years | 25-34 years | 35-44 years | 45-54 years | 55-64 years | 65-74 years | 75-84 years | 85 years and over | Age not stated |
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|
| <b>Malignant neoplasm of prostate (C61)</b>  |          |              |           |            |             |             |             |             |             |             |             |                   |                |
| <b>All origins, both sexes</b>   |          |              |           |            |             |             |             |             |             |             |             |                   |                |
| 2007.....  | 29,093   | -            | 1         | -          | 1           | 1           | 21          | 428         | 2,271       | 5,716       | 11,257      | 9,397             | -              |
| 2006.....  | 28,372   | -            | -         | 1          | 1           | 5           | 40          | 405         | 2,273       | 5,603       | 11,157      | 8,887             | -              |
| 2005.....  | 28,905   | -            | 1         | -          | 1           | 3           | 24          | 395         | 2,154       | 5,764       | 11,666      | 8,897             | -              |
| 2004.....  | 29,004   | -            | 1         | 1          | 1           | 2           | 23          | 434         | 2,044       | 5,711       | 11,993      | 8,792             | 2              |
| 2003.....  | 29,554   | -            | -         | 1          | 1           | 1           | 25          | 418         | 2,074       | 6,033       | 12,284      | 8,717             | -              |
| 2002.....  | 30,446   | -            | -         | -          | 1           | 1           | 32          | 382         | 2,020       | 6,300       | 12,753      | 8,957             | -              |
| 2001.....  | 30,719   | -            | -         | -          | 1           | 1           | 30          | 412         | 1,907       | 6,543       | 12,976      | 8,849             | -              |
| 2000.....  | 31,078   | -            | -         | -          | -           | 1           | 25          | 371         | 1,929       | 6,808       | 13,071      | 8,873             | -              |
| 1999.....  | 31,729   | 1            | -         | -          | 1           | 2           | 33          | 374         | 1,946       | 7,316       | 13,435      | 8,620             | 1              |
| <b>All origins, male</b>   |          |              |           |            |             |             |             |             |             |             |             |                   |                |
| 2007.....  | 29,093   | -            | 1         | -          | 1           | 1           | 21          | 428         | 2,271       | 5,716       | 11,257      | 9,397             | -              |
| 2006.....  | 28,372   | -            | -         | 1          | 1           | 5           | 40          | 405         | 2,273       | 5,603       | 11,157      | 8,887             | -              |
| 2005.....  | 28,905   | -            | 1         | -          | 1           | 3           | 24          | 395         | 2,154       | 5,764       | 11,666      | 8,897             | -              |
| 2004.....  | 29,004   | -            | 1         | 1          | 1           | 2           | 23          | 434         | 2,044       | 5,711       | 11,993      | 8,792             | 2              |
| 2003.....  | 29,554   | -            | -         | 1          | 1           | 1           | 25          | 418         | 2,074       | 6,033       | 12,284      | 8,717             | -              |
| 2002.....  | 30,446   | -            | -         | -          | 1           | 1           | 32          | 382         | 2,020       | 6,300       | 12,753      | 8,957             | -              |
| 2001.....  | 30,719   | -            | -         | -          | 1           | 1           | 30          | 412         | 1,907       | 6,543       | 12,976      | 8,849             | -              |
| 2000.....  | 31,078   | -            | -         | -          | -           | 1           | 25          | 371         | 1,929       | 6,808       | 13,071      | 8,873             | -              |
| 1999.....  | 31,729   | 1            | -         | -          | 1           | 2           | 33          | 374         | 1,946       | 7,316       | 13,435      | 8,620             | 1              |

Worktable Orig290F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2007

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data - mortality"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, sex, and year | All ages | Under 1 year | 1-4 years | 5-14 years | 15-24 years | 25-34 years | 35-44 years | 45-54 years | 55-64 years | 65-74 years | 75-84 years | 85 years and over | Age not stated |
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|
| <b>Malignant neoplasm of prostate (C61)</b>  |          |              |           |            |             |             |             |             |             |             |             |                   |                |
| All origins, female  |          |              |           |            |             |             |             |             |             |             |             |                   |                |
| 2007.....  | ...      | ...          | ...       | ...        | ...         | ...         | ...         | ...         | ...         | ...         | ...         | ...               | ...            |
| 2006.....  | ...      | ...          | ...       | ...        | ...         | ...         | ...         | ...         | ...         | ...         | ...         | ...               | ...            |
| 2005.....  | ...      | ...          | ...       | ...        | ...         | ...         | ...         | ...         | ...         | ...         | ...         | ...               | ...            |
| 2004.....  | ...      | ...          | ...       | ...        | ...         | ...         | ...         | ...         | ...         | ...         | ...         | ...               | ...            |
| 2003.....  | ...      | ...          | ...       | ...        | ...         | ...         | ...         | ...         | ...         | ...         | ...         | ...               | ...            |
| 2002.....  | ...      | ...          | ...       | ...        | ...         | ...         | ...         | ...         | ...         | ...         | ...         | ...               | ...            |
| 2001.....  | ...      | ...          | ...       | ...        | ...         | ...         | ...         | ...         | ...         | ...         | ...         | ...               | ...            |
| 2000.....  | ...      | ...          | ...       | ...        | ...         | ...         | ...         | ...         | ...         | ...         | ...         | ...               | ...            |
| 1999.....  | ...      | ...          | ...       | ...        | ...         | ...         | ...         | ...         | ...         | ...         | ...         | ...               | ...            |
| Hispanic, both sexes   |          |              |           |            |             |             |             |             |             |             |             |                   |                |
| 2007.....  | 1,432    | -            | -         | -          | 1           | -           | 3           | 32          | 146         | 361         | 555         | 334               | -              |
| 2006.....  | 1,373    | -            | -         | -          | -           | -           | 3           | 31          | 144         | 339         | 518         | 338               | -              |
| 2005.....  | 1,300    | -            | 1         | -          | -           | -           | 3           | 25          | 125         | 319         | 494         | 333               | -              |
| 2004.....  | 1,239    | -            | -         | -          | -           | -           | -           | 25          | 109         | 284         | 546         | 274               | 1              |
| 2003.....  | 1,219    | -            | -         | -          | -           | -           | 1           | 25          | 111         | 312         | 477         | 293               | -              |
| 2002.....  | 1,209    | -            | -         | -          | -           | 1           | 1           | 29          | 106         | 292         | 472         | 308               | -              |
| 2001.....  | 1,226    | -            | -         | -          | -           | -           | -           | 27          | 108         | 332         | 487         | 272               | -              |
| 2000.....  | 1,033    | -            | -         | -          | -           | -           | 1           | 26          | 78          | 277         | 401         | 250               | -              |
| 1999.....  | 1,050    | -            | -         | -          | 1           | 1           | 2           | 22          | 92          | 295         | 386         | 251               | -              |



Worktable Orig290F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2007

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data - mortality"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, sex, and year | All ages | Under 1 year | 1-4 years | 5-14 years | 15-24 years | 25-34 years | 35-44 years | 45-54 years | 55-64 years | 65-74 years | 75-84 years | 85 years and over | Age not stated |
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|
| <b>Malignant neoplasm of prostate (C61)</b>  |          |              |           |            |             |             |             |             |             |             |             |                   |                |
| <b>Non-Hispanic 1/, both sexes</b>   |          |              |           |            |             |             |             |             |             |             |             |                   |                |
| 2007.....  | 27,633   | -            | 1         | -          | -           | 1           | 18          | 395         | 2,123       | 5,345       | 10,695      | 9,055             | -              |
| 2006.....  | 26,946   | -            | -         | 1          | 1           | 5           | 37          | 374         | 2,125       | 5,253       | 10,617      | 8,533             | -              |
| 2005.....  | 27,566   | -            | -         | -          | 1           | 3           | 21          | 370         | 2,025       | 5,430       | 11,158      | 8,558             | -              |
| 2004.....  | 27,723   | -            | 1         | 1          | 1           | 2           | 23          | 409         | 1,931       | 5,418       | 11,430      | 8,507             | -              |
| 2003.....  | 28,279   | -            | -         | 1          | 1           | 1           | 24          | 391         | 1,959       | 5,705       | 11,787      | 8,410             | -              |
| 2002.....  | 29,151   | -            | -         | -          | 1           | -           | 31          | 351         | 1,906       | 5,983       | 12,251      | 8,628             | -              |
| 2001.....  | 29,407   | -            | -         | -          | 1           | 1           | 29          | 385         | 1,790       | 6,197       | 12,449      | 8,555             | -              |
| 2000.....  | 29,964   | -            | -         | -          | -           | 1           | 24          | 344         | 1,846       | 6,512       | 12,634      | 8,603             | -              |
| 1999.....  | 30,614   | 1            | -         | -          | -           | 1           | 31          | 351         | 1,848       | 7,004       | 13,025      | 8,352             | 1              |
| <b>Non-Hispanic 1/, male</b>   |          |              |           |            |             |             |             |             |             |             |             |                   |                |
| 2007.....  | 27,633   | -            | 1         | -          | -           | 1           | 18          | 395         | 2,123       | 5,345       | 10,695      | 9,055             | -              |
| 2006.....  | 26,946   | -            | -         | 1          | 1           | 5           | 37          | 374         | 2,125       | 5,253       | 10,617      | 8,533             | -              |
| 2005.....  | 27,566   | -            | -         | -          | 1           | 3           | 21          | 370         | 2,025       | 5,430       | 11,158      | 8,558             | -              |
| 2004.....  | 27,723   | -            | 1         | 1          | 1           | 2           | 23          | 409         | 1,931       | 5,418       | 11,430      | 8,507             | -              |
| 2003.....  | 28,279   | -            | -         | 1          | 1           | 1           | 24          | 391         | 1,959       | 5,705       | 11,787      | 8,410             | -              |
| 2002.....  | 29,151   | -            | -         | -          | 1           | -           | 31          | 351         | 1,906       | 5,983       | 12,251      | 8,628             | -              |
| 2001.....  | 29,407   | -            | -         | -          | 1           | 1           | 29          | 385         | 1,790       | 6,197       | 12,449      | 8,555             | -              |
| 2000.....  | 29,964   | -            | -         | -          | -           | 1           | 24          | 344         | 1,846       | 6,512       | 12,634      | 8,603             | -              |
| 1999.....  | 30,614   | 1            | -         | -          | -           | 1           | 31          | 351         | 1,848       | 7,004       | 13,025      | 8,352             | 1              |

Worktable Orig290F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2007

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data - mortality"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, sex, and year | All ages | Under 1 year | 1-4 years | 5-14 years | 15-24 years | 25-34 years | 35-44 years | 45-54 years | 55-64 years | 65-74 years | 75-84 years | 85 years and over | Age not stated |
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|
| <b>Malignant neoplasm of prostate (C61)</b>  |          |              |           |            |             |             |             |             |             |             |             |                   |                |
| <b>Non-Hispanic 1/, female</b>   |          |              |           |            |             |             |             |             |             |             |             |                   |                |
| 2007.....  | ...      | ...          | ...       | ...        | ...         | ...         | ...         | ...         | ...         | ...         | ...         | ...               | ...            |
| 2006.....  | ...      | ...          | ...       | ...        | ...         | ...         | ...         | ...         | ...         | ...         | ...         | ...               | ...            |
| 2005.....  | ...      | ...          | ...       | ...        | ...         | ...         | ...         | ...         | ...         | ...         | ...         | ...               | ...            |
| 2004.....  | ...      | ...          | ...       | ...        | ...         | ...         | ...         | ...         | ...         | ...         | ...         | ...               | ...            |
| 2003.....  | ...      | ...          | ...       | ...        | ...         | ...         | ...         | ...         | ...         | ...         | ...         | ...               | ...            |
| 2002.....  | ...      | ...          | ...       | ...        | ...         | ...         | ...         | ...         | ...         | ...         | ...         | ...               | ...            |
| 2001.....  | ...      | ...          | ...       | ...        | ...         | ...         | ...         | ...         | ...         | ...         | ...         | ...               | ...            |
| 2000.....  | ...      | ...          | ...       | ...        | ...         | ...         | ...         | ...         | ...         | ...         | ...         | ...               | ...            |
| 1999.....  | ...      | ...          | ...       | ...        | ...         | ...         | ...         | ...         | ...         | ...         | ...         | ...               | ...            |
| <b>Non-Hispanic white, both sexes</b>  |          |              |           |            |             |             |             |             |             |             |             |                   |                |
| 2007 2/.....   | 22,259   | -            | -         | -          | -           | 1           | 13          | 272         | 1,514       | 3,973       | 8,751       | 7,735             | -              |
| 2006 2/.....   | 21,835   | -            | -         | 1          | -           | 2           | 25          | 257         | 1,540       | 3,903       | 8,742       | 7,365             | -              |
| 2005 2/.....   | 22,319   | -            | -         | -          | 1           | 2           | 10          | 241         | 1,442       | 4,086       | 9,217       | 7,320             | -              |
| 2004 2/.....   | 22,509   | -            | 1         | 1          | 1           | 2           | 17          | 264         | 1,411       | 4,147       | 9,388       | 7,277             | -              |
| 2003 2/.....   | 23,015   | -            | -         | 1          | 1           | 1           | 16          | 264         | 1,390       | 4,383       | 9,700       | 7,259             | -              |
| 2002.....  | 23,690   | -            | -         | -          | -           | -           | 24          | 226         | 1,361       | 4,561       | 10,091      | 7,427             | -              |
| 2001.....  | 23,811   | -            | -         | -          | 1           | -           | 18          | 258         | 1,285       | 4,755       | 10,230      | 7,264             | -              |
| 2000.....  | 24,287   | -            | -         | -          | -           | 1           | 15          | 237         | 1,325       | 4,946       | 10,399      | 7,364             | -              |
| 1999.....  | 24,936   | 1            | -         | -          | -           | 1           | 23          | 244         | 1,310       | 5,413       | 10,850      | 7,093             | 1              |



Worktable Orig290F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2007

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data - mortality"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, sex, and year | All ages | Under 1 year | 1-4 years | 5-14 years | 15-24 years | 25-34 years | 35-44 years | 45-54 years | 55-64 years | 65-74 years | 75-84 years | 85 years and over | Age not stated |
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|
| <b>Malignant neoplasm of prostate (C61)</b>  |          |              |           |            |             |             |             |             |             |             |             |                   |                |
| <b>Non-Hispanic black, both sexes</b>  |          |              |           |            |             |             |             |             |             |             |             |                   |                |
| 2007 2/.....   | 4,865    | -            | 1         | -          | -           | -           | 5           | 118         | 570         | 1,265       | 1,739       | 1,167             | -              |
| 2006 2/.....   | 4,649    | -            | -         | -          | 1           | 3           | 12          | 116         | 539         | 1,240       | 1,700       | 1,038             | -              |
| 2005 2/.....   | 4,771    | -            | -         | -          | -           | -           | 10          | 119         | 542         | 1,249       | 1,754       | 1,097             | -              |
| 2004 2/.....   | 4,768    | -            | -         | -          | -           | -           | 4           | 140         | 493         | 1,187       | 1,854       | 1,090             | -              |
| 2003 2/.....   | 4,845    | -            | -         | -          | -           | -           | 8           | 123         | 539         | 1,242       | 1,909       | 1,024             | -              |
| 2002.....  | 5,085    | -            | -         | -          | 1           | -           | 7           | 118         | 500         | 1,352       | 2,005       | 1,102             | -              |
| 2001.....  | 5,215    | -            | -         | -          | -           | 1           | 11          | 124         | 481         | 1,372       | 2,054       | 1,172             | -              |
| 2000.....  | 5,292    | -            | -         | -          | -           | -           | 9           | 100         | 494         | 1,481       | 2,077       | 1,131             | -              |
| 1999.....  | 5,315    | -            | -         | -          | -           | -           | 7           | 105         | 512         | 1,524       | 2,027       | 1,140             | -              |
| <b>Non-Hispanic black, male</b>  |          |              |           |            |             |             |             |             |             |             |             |                   |                |
| 2007 2/.....   | 4,865    | -            | 1         | -          | -           | -           | 5           | 118         | 570         | 1,265       | 1,739       | 1,167             | -              |
| 2006 2/.....   | 4,649    | -            | -         | -          | 1           | 3           | 12          | 116         | 539         | 1,240       | 1,700       | 1,038             | -              |
| 2005 2/.....   | 4,771    | -            | -         | -          | -           | -           | 10          | 119         | 542         | 1,249       | 1,754       | 1,097             | -              |
| 2004 2/.....   | 4,768    | -            | -         | -          | -           | -           | 4           | 140         | 493         | 1,187       | 1,854       | 1,090             | -              |
| 2003 2/.....   | 4,845    | -            | -         | -          | -           | -           | 8           | 123         | 539         | 1,242       | 1,909       | 1,024             | -              |
| 2002.....  | 5,085    | -            | -         | -          | 1           | -           | 7           | 118         | 500         | 1,352       | 2,005       | 1,102             | -              |
| 2001.....  | 5,215    | -            | -         | -          | -           | 1           | 11          | 124         | 481         | 1,372       | 2,054       | 1,172             | -              |
| 2000.....  | 5,292    | -            | -         | -          | -           | -           | 9           | 100         | 494         | 1,481       | 2,077       | 1,131             | -              |
| 1999.....  | 5,315    | -            | -         | -          | -           | -           | 7           | 105         | 512         | 1,524       | 2,027       | 1,140             | -              |



Worktable Orig290F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2007

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data - mortality"]

---

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, sex, and year

|  | All ages | Under 1 year | 1-4 years | 5-14 years | 15-24 years | 25-34 years | 35-44 years | 45-54 years | 55-64 years | 65-74 years | 75-84 years | 85 years and over | Age not stated |
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|

---

Malignant neoplasm of prostate (C61)

Non-Hispanic black, female

|              |     |     |     |     |     |     |     |     |     |     |     |     |     |
|--------------|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|
| 2007 2/..... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| 2006 2/..... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| 2005 2/..... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| 2004 2/..... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| 2003 2/..... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| 2002.....    | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| 2001.....    | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| 2000.....    | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| 1999.....    | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |

Origin not stated 3/, both sexes

|           |    |   |   |   |   |   |   |   |   |    |    |    |   |
|-----------|----|---|---|---|---|---|---|---|---|----|----|----|---|
| 2007..... | 28 | - | - | - | - | - | - | 1 | 2 | 10 | 7  | 8  | - |
| 2006..... | 53 | - | - | - | - | - | - | - | 4 | 11 | 22 | 16 | - |
| 2005..... | 39 | - | - | - | - | - | - | - | 4 | 15 | 14 | 6  | - |
| 2004..... | 42 | - | - | - | - | - | - | - | 4 | 9  | 17 | 11 | 1 |
| 2003..... | 56 | - | - | - | - | - | - | 2 | 4 | 16 | 20 | 14 | - |
| 2002..... | 86 | - | - | - | - | - | - | 2 | 8 | 25 | 30 | 21 | - |
| 2001..... | 86 | - | - | - | - | - | 1 | - | 9 | 14 | 40 | 22 | - |
| 2000..... | 81 | - | - | - | - | - | - | 1 | 5 | 19 | 36 | 20 | - |
| 1999..... | 65 | - | - | - | - | - | - | 1 | 6 | 17 | 24 | 17 | - |



Worktable Orig290F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2007

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data - mortality"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, sex, and year | All ages | Under 1 year | 1-4 years | 5-14 years | 15-24 years | 25-34 years | 35-44 years | 45-54 years | 55-64 years | 65-74 years | 75-84 years | 85 years and over | Age not stated |
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|

Malignant neoplasms of kidney and renal pelvis (C64-C65)

All origins, both sexes

|           |        |   |    |    |    |    |     |       |       |       |       |       |   |
|-----------|--------|---|----|----|----|----|-----|-------|-------|-------|-------|-------|---|
| 2007..... | 12,703 | 2 | 9  | 25 | 34 | 50 | 240 | 1,243 | 2,584 | 3,159 | 3,539 | 1,818 | - |
| 2006..... | 12,379 | 2 | 11 | 30 | 20 | 59 | 267 | 1,216 | 2,462 | 3,085 | 3,412 | 1,815 | - |
| 2005..... | 12,517 | 8 | 16 | 30 | 17 | 49 | 294 | 1,277 | 2,514 | 3,143 | 3,510 | 1,659 | - |
| 2004..... | 12,313 | 4 | 18 | 29 | 16 | 49 | 268 | 1,256 | 2,534 | 3,075 | 3,474 | 1,590 | - |
| 2003..... | 12,286 | 1 | 14 | 39 | 24 | 56 | 321 | 1,201 | 2,498 | 3,090 | 3,475 | 1,567 | - |
| 2002..... | 12,165 | 4 | 8  | 30 | 20 | 48 | 306 | 1,322 | 2,340 | 3,239 | 3,355 | 1,493 | - |
| 2001..... | 12,078 | 1 | 22 | 35 | 20 | 52 | 358 | 1,311 | 2,328 | 3,221 | 3,306 | 1,424 | - |
| 2000..... | 11,736 | 2 | 15 | 29 | 20 | 42 | 334 | 1,239 | 2,195 | 3,146 | 3,282 | 1,432 | - |
| 1999..... | 11,116 | 2 | 19 | 33 | 17 | 54 | 342 | 1,147 | 2,111 | 3,076 | 3,010 | 1,305 | - |

All origins, male

|           |       |   |    |    |    |    |     |     |       |       |       |     |   |
|-----------|-------|---|----|----|----|----|-----|-----|-------|-------|-------|-----|---|
| 2007..... | 7,964 | 1 | 2  | 10 | 20 | 32 | 161 | 885 | 1,821 | 2,045 | 2,083 | 904 | - |
| 2006..... | 7,699 | 2 | 4  | 18 | 11 | 37 | 188 | 858 | 1,733 | 2,004 | 1,964 | 880 | - |
| 2005..... | 7,783 | 4 | 9  | 13 | 11 | 35 | 181 | 890 | 1,752 | 2,078 | 1,999 | 811 | - |
| 2004..... | 7,640 | 2 | 9  | 11 | 9  | 34 | 183 | 889 | 1,786 | 2,015 | 1,993 | 709 | - |
| 2003..... | 7,667 | 1 | 4  | 19 | 16 | 36 | 231 | 859 | 1,787 | 1,975 | 2,036 | 703 | - |
| 2002..... | 7,587 | 1 | -  | 19 | 7  | 31 | 217 | 947 | 1,658 | 2,087 | 1,924 | 696 | - |
| 2001..... | 7,524 | 1 | 10 | 9  | 16 | 27 | 240 | 941 | 1,634 | 2,093 | 1,866 | 687 | - |
| 2000..... | 7,249 | 1 | 8  | 15 | 10 | 26 | 228 | 880 | 1,530 | 2,010 | 1,865 | 676 | - |
| 1999..... | 6,867 | 1 | 11 | 16 | 11 | 37 | 236 | 816 | 1,474 | 1,958 | 1,717 | 590 | - |

Worktable Orig290F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2007

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data - mortality"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, sex, and year | All ages | Under 1 year | 1-4 years | 5-14 years | 15-24 years | 25-34 years | 35-44 years | 45-54 years | 55-64 years | 65-74 years | 75-84 years | 85 years and over | Age not stated |
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|
| Malignant neoplasms of kidney and renal pelvis (C64-C65)   |          |              |           |            |             |             |             |             |             |             |             |                   |                |
| All origins, female  |          |              |           |            |             |             |             |             |             |             |             |                   |                |
| 2007.....  | 4,739    | 1            | 7         | 15         | 14          | 18          | 79          | 358         | 763         | 1,114       | 1,456       | 914               | -              |
| 2006.....  | 4,680    | -            | 7         | 12         | 9           | 22          | 79          | 358         | 729         | 1,081       | 1,448       | 935               | -              |
| 2005.....  | 4,734    | 4            | 7         | 17         | 6           | 14          | 113         | 387         | 762         | 1,065       | 1,511       | 848               | -              |
| 2004.....  | 4,673    | 2            | 9         | 18         | 7           | 15          | 85          | 367         | 748         | 1,060       | 1,481       | 881               | -              |
| 2003.....  | 4,619    | -            | 10        | 20         | 8           | 20          | 90          | 342         | 711         | 1,115       | 1,439       | 864               | -              |
| 2002.....  | 4,578    | 3            | 8         | 11         | 13          | 17          | 89          | 375         | 682         | 1,152       | 1,431       | 797               | -              |
| 2001.....  | 4,554    | -            | 12        | 26         | 4           | 25          | 118         | 370         | 694         | 1,128       | 1,440       | 737               | -              |
| 2000.....  | 4,487    | 1            | 7         | 14         | 10          | 16          | 106         | 359         | 665         | 1,136       | 1,417       | 756               | -              |
| 1999.....  | 4,249    | 1            | 8         | 17         | 6           | 17          | 106         | 331         | 637         | 1,118       | 1,293       | 715               | -              |
| Hispanic, both sexes   |          |              |           |            |             |             |             |             |             |             |             |                   |                |
| 2007.....  | 867      | 1            | 1         | 5          | 3           | 7           | 32          | 129         | 194         | 201         | 223         | 71                | -              |
| 2006.....  | 733      | -            | 2         | 5          | -           | 6           | 29          | 105         | 175         | 181         | 170         | 60                | -              |
| 2005.....  | 780      | -            | 2         | 4          | 1           | 7           | 42          | 119         | 150         | 207         | 171         | 77                | -              |
| 2004.....  | 763      | 2            | 3         | 1          | 3           | 7           | 43          | 125         | 182         | 178         | 160         | 59                | -              |
| 2003.....  | 698      | -            | 2         | 4          | 6           | 3           | 30          | 82          | 170         | 198         | 151         | 52                | -              |
| 2002.....  | 659      | 2            | 3         | 2          | 1           | 6           | 37          | 103         | 160         | 152         | 146         | 47                | -              |
| 2001.....  | 640      | -            | 6         | 6          | -           | 8           | 38          | 112         | 127         | 163         | 129         | 51                | -              |
| 2000.....  | 567      | -            | 3         | 3          | 3           | 7           | 32          | 88          | 135         | 132         | 125         | 39                | -              |
| 1999.....  | 547      | -            | 1         | 4          | 1           | 4           | 31          | 84          | 129         | 144         | 108         | 41                | -              |

Worktable Orig290F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2007

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data - mortality"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, sex, and year | All ages | Under 1 year | 1-4 years | 5-14 years | 15-24 years | 25-34 years | 35-44 years | 45-54 years | 55-64 years | 65-74 years | 75-84 years | 85 years and over | Age not stated |
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|
| <b>Malignant neoplasms of kidney and renal pelvis (C64-C65)</b>  |          |              |           |            |             |             |             |             |             |             |             |                   |                |
| <b>Hispanic, male</b>  |          |              |           |            |             |             |             |             |             |             |             |                   |                |
| 2007.....  | 579      | -            | -         | -          | 2           | 5           | 20          | 100         | 138         | 130         | 146         | 38                | -              |
| 2006.....  | 468      | -            | -         | 3          | -           | 2           | 17          | 75          | 118         | 122         | 102         | 29                | -              |
| 2005.....  | 482      | -            | 1         | 2          | 1           | 5           | 25          | 73          | 106         | 133         | 99          | 37                | -              |
| 2004.....  | 507      | 1            | 2         | 1          | 2           | 6           | 27          | 90          | 118         | 132         | 97          | 31                | -              |
| 2003.....  | 426      | -            | -         | 2          | 5           | 3           | 23          | 54          | 109         | 121         | 84          | 25                | -              |
| 2002.....  | 426      | -            | -         | 2          | -           | 4           | 26          | 72          | 106         | 97          | 95          | 24                | -              |
| 2001.....  | 426      | -            | 1         | 4          | -           | 5           | 34          | 80          | 86          | 107         | 79          | 30                | -              |
| 2000.....  | 372      | -            | 1         | 3          | 2           | 4           | 27          | 60          | 92          | 85          | 78          | 20                | -              |
| 1999.....  | 353      | -            | 1         | 2          | -           | 2           | 23          | 63          | 91          | 96          | 57          | 18                | -              |
| <b>Hispanic, female</b>  |          |              |           |            |             |             |             |             |             |             |             |                   |                |
| 2007.....  | 288      | 1            | 1         | 5          | 1           | 2           | 12          | 29          | 56          | 71          | 77          | 33                | -              |
| 2006.....  | 265      | -            | 2         | 2          | -           | 4           | 12          | 30          | 57          | 59          | 68          | 31                | -              |
| 2005.....  | 298      | -            | 1         | 2          | -           | 2           | 17          | 46          | 44          | 74          | 72          | 40                | -              |
| 2004.....  | 256      | 1            | 1         | -          | 1           | 1           | 16          | 35          | 64          | 46          | 63          | 28                | -              |
| 2003.....  | 272      | -            | 2         | 2          | 1           | -           | 7           | 28          | 61          | 77          | 67          | 27                | -              |
| 2002.....  | 233      | 2            | 3         | -          | 1           | 2           | 11          | 31          | 54          | 55          | 51          | 23                | -              |
| 2001.....  | 214      | -            | 5         | 2          | -           | 3           | 4           | 32          | 41          | 56          | 50          | 21                | -              |
| 2000.....  | 195      | -            | 2         | -          | 1           | 3           | 5           | 28          | 43          | 47          | 47          | 19                | -              |
| 1999.....  | 194      | -            | -         | 2          | 1           | 2           | 8           | 21          | 38          | 48          | 51          | 23                | -              |

Worktable Orig290F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2007

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data - mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, sex, and year

|  | All ages | Under 1 year | 1-4 years | 5-14 years | 15-24 years | 25-34 years | 35-44 years | 45-54 years | 55-64 years | 65-74 years | 75-84 years | 85 years and over | Age not stated |
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|

Malignant neoplasms of kidney and renal pelvis (C64-C65)

Non-Hispanic 1/, both sexes

|           |        |   |    |    |    |    |     |       |       |       |       |       |   |
|-----------|--------|---|----|----|----|----|-----|-------|-------|-------|-------|-------|---|
| 2007..... | 11,824 | 1 | 8  | 20 | 31 | 43 | 206 | 1,112 | 2,386 | 2,957 | 3,313 | 1,747 | - |
| 2006..... | 11,627 | 2 | 9  | 25 | 20 | 53 | 237 | 1,110 | 2,281 | 2,898 | 3,238 | 1,754 | - |
| 2005..... | 11,719 | 8 | 14 | 25 | 16 | 42 | 252 | 1,153 | 2,362 | 2,931 | 3,336 | 1,580 | - |
| 2004..... | 11,531 | 2 | 15 | 28 | 13 | 42 | 225 | 1,130 | 2,346 | 2,891 | 3,310 | 1,529 | - |
| 2003..... | 11,566 | 1 | 12 | 35 | 17 | 53 | 291 | 1,117 | 2,325 | 2,884 | 3,320 | 1,511 | - |
| 2002..... | 11,477 | 2 | 5  | 28 | 19 | 42 | 268 | 1,216 | 2,173 | 3,079 | 3,200 | 1,445 | - |
| 2001..... | 11,415 | 1 | 16 | 29 | 20 | 44 | 319 | 1,196 | 2,198 | 3,051 | 3,172 | 1,369 | - |
| 2000..... | 11,124 | 2 | 12 | 26 | 17 | 35 | 302 | 1,147 | 2,053 | 2,994 | 3,150 | 1,386 | - |
| 1999..... | 10,542 | 2 | 18 | 29 | 16 | 49 | 309 | 1,060 | 1,979 | 2,927 | 2,892 | 1,261 | - |

Non-Hispanic 1/, male

|           |       |   |    |    |    |    |     |     |       |       |       |     |   |
|-----------|-------|---|----|----|----|----|-----|-----|-------|-------|-------|-----|---|
| 2007..... | 7,378 | 1 | 2  | 10 | 18 | 27 | 141 | 784 | 1,680 | 1,914 | 1,935 | 866 | - |
| 2006..... | 7,218 | 2 | 4  | 15 | 11 | 35 | 170 | 782 | 1,612 | 1,878 | 1,858 | 851 | - |
| 2005..... | 7,286 | 4 | 8  | 10 | 10 | 30 | 156 | 813 | 1,644 | 1,940 | 1,898 | 773 | - |
| 2004..... | 7,121 | 1 | 7  | 10 | 7  | 28 | 156 | 798 | 1,665 | 1,878 | 1,894 | 677 | - |
| 2003..... | 7,224 | 1 | 4  | 17 | 10 | 33 | 208 | 804 | 1,675 | 1,848 | 1,948 | 676 | - |
| 2002..... | 7,141 | 1 | -  | 17 | 7  | 27 | 190 | 873 | 1,546 | 1,984 | 1,825 | 671 | - |
| 2001..... | 7,084 | 1 | 9  | 5  | 16 | 22 | 205 | 859 | 1,546 | 1,981 | 1,784 | 656 | - |
| 2000..... | 6,847 | 1 | 7  | 12 | 8  | 22 | 201 | 818 | 1,433 | 1,911 | 1,782 | 652 | - |
| 1999..... | 6,501 | 1 | 10 | 14 | 11 | 35 | 212 | 751 | 1,381 | 1,858 | 1,657 | 571 | - |

Worktable Orig290F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2007

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data - mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, sex, and year

|  | All ages | Under 1 year | 1-4 years | 5-14 years | 15-24 years | 25-34 years | 35-44 years | 45-54 years | 55-64 years | 65-74 years | 75-84 years | 85 years and over | Age not stated |
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|

Malignant neoplasms of kidney and renal pelvis (C64-C65)

Non-Hispanic 1/, female

|           |       |   |   |    |    |    |     |     |     |       |       |     |   |
|-----------|-------|---|---|----|----|----|-----|-----|-----|-------|-------|-----|---|
| 2007..... | 4,446 | - | 6 | 10 | 13 | 16 | 65  | 328 | 706 | 1,043 | 1,378 | 881 | - |
| 2006..... | 4,409 | - | 5 | 10 | 9  | 18 | 67  | 328 | 669 | 1,020 | 1,380 | 903 | - |
| 2005..... | 4,433 | 4 | 6 | 15 | 6  | 12 | 96  | 340 | 718 | 991   | 1,438 | 807 | - |
| 2004..... | 4,410 | 1 | 8 | 18 | 6  | 14 | 69  | 332 | 681 | 1,013 | 1,416 | 852 | - |
| 2003..... | 4,342 | - | 8 | 18 | 7  | 20 | 83  | 313 | 650 | 1,036 | 1,372 | 835 | - |
| 2002..... | 4,336 | 1 | 5 | 11 | 12 | 15 | 78  | 343 | 627 | 1,095 | 1,375 | 774 | - |
| 2001..... | 4,331 | - | 7 | 24 | 4  | 22 | 114 | 337 | 652 | 1,070 | 1,388 | 713 | - |
| 2000..... | 4,277 | 1 | 5 | 14 | 9  | 13 | 101 | 329 | 620 | 1,083 | 1,368 | 734 | - |
| 1999..... | 4,041 | 1 | 8 | 15 | 5  | 14 | 97  | 309 | 598 | 1,069 | 1,235 | 690 | - |

Non-Hispanic white, both sexes

|              |        |   |    |    |    |    |     |       |       |       |       |       |   |
|--------------|--------|---|----|----|----|----|-----|-------|-------|-------|-------|-------|---|
| 2007 2/..... | 10,286 | - | 6  | 13 | 14 | 28 | 153 | 889   | 2,037 | 2,595 | 2,967 | 1,584 | - |
| 2006 2/..... | 10,234 | 2 | 8  | 18 | 11 | 25 | 173 | 901   | 1,992 | 2,553 | 2,949 | 1,602 | - |
| 2005 2/..... | 10,312 | 7 | 10 | 18 | 6  | 17 | 193 | 956   | 2,036 | 2,598 | 3,032 | 1,439 | - |
| 2004 2/..... | 10,218 | 2 | 10 | 23 | 8  | 22 | 170 | 952   | 2,067 | 2,551 | 2,999 | 1,414 | - |
| 2003 2/..... | 10,225 | 1 | 12 | 26 | 10 | 32 | 219 | 936   | 2,004 | 2,570 | 3,031 | 1,384 | - |
| 2002.....    | 10,179 | 2 | 5  | 23 | 15 | 24 | 211 | 1,011 | 1,898 | 2,754 | 2,903 | 1,333 | - |
| 2001.....    | 10,073 | - | 11 | 17 | 8  | 23 | 235 | 998   | 1,904 | 2,741 | 2,880 | 1,256 | - |
| 2000.....    | 9,884  | - | 7  | 16 | 11 | 24 | 239 | 977   | 1,794 | 2,665 | 2,871 | 1,280 | - |
| 1999.....    | 9,319  | 2 | 11 | 21 | 9  | 28 | 238 | 877   | 1,740 | 2,613 | 2,636 | 1,144 | - |

Worktable Orig290F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2007

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data - mortality"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, sex, and year | All ages | Under 1 year | 1-4 years | 5-14 years | 15-24 years | 25-34 years | 35-44 years | 45-54 years | 55-64 years | 65-74 years | 75-84 years | 85 years and over | Age not stated |
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|
| <b>Malignant neoplasms of kidney and renal pelvis (C64-C65)</b>  |          |              |           |            |             |             |             |             |             |             |             |                   |                |
| <b>Non-Hispanic white, male</b>  |          |              |           |            |             |             |             |             |             |             |             |                   |                |
| 2007 2/.....   | 6,422    | -            | 2         | 5          | 7           | 17          | 104         | 629         | 1,432       | 1,673       | 1,756       | 797               | -              |
| 2006 2/.....   | 6,346    | 2            | 4         | 9          | 5           | 12          | 125         | 642         | 1,397       | 1,658       | 1,708       | 784               | -              |
| 2005 2/.....   | 6,404    | 3            | 7         | 6          | 3           | 12          | 115         | 670         | 1,421       | 1,722       | 1,732       | 713               | -              |
| 2004 2/.....   | 6,329    | 1            | 4         | 8          | 5           | 12          | 120         | 680         | 1,477       | 1,664       | 1,729       | 629               | -              |
| 2003 2/.....   | 6,408    | 1            | 4         | 12         | 6           | 17          | 159         | 682         | 1,463       | 1,650       | 1,787       | 627               | -              |
| 2002.....  | 6,363    | 1            | -         | 14         | 5           | 15          | 150         | 741         | 1,355       | 1,785       | 1,668       | 629               | -              |
| 2001.....  | 6,263    | -            | 6         | 1          | 5           | 11          | 157         | 726         | 1,340       | 1,790       | 1,616       | 611               | -              |
| 2000.....  | 6,082    | -            | 4         | 6          | 6           | 13          | 165         | 701         | 1,258       | 1,697       | 1,628       | 604               | -              |
| 1999.....  | 5,754    | 1            | 7         | 9          | 7           | 18          | 165         | 618         | 1,220       | 1,662       | 1,528       | 519               | -              |
| <b>Non-Hispanic white, female</b>  |          |              |           |            |             |             |             |             |             |             |             |                   |                |
| 2007 2/.....   | 3,864    | -            | 4         | 8          | 7           | 11          | 49          | 260         | 605         | 922         | 1,211       | 787               | -              |
| 2006 2/.....   | 3,888    | -            | 4         | 9          | 6           | 13          | 48          | 259         | 595         | 895         | 1,241       | 818               | -              |
| 2005 2/.....   | 3,908    | 4            | 3         | 12         | 3           | 5           | 78          | 286         | 615         | 876         | 1,300       | 726               | -              |
| 2004 2/.....   | 3,889    | 1            | 6         | 15         | 3           | 10          | 50          | 272         | 590         | 887         | 1,270       | 785               | -              |
| 2003 2/.....   | 3,817    | -            | 8         | 14         | 4           | 15          | 60          | 254         | 541         | 920         | 1,244       | 757               | -              |
| 2002.....  | 3,816    | 1            | 5         | 9          | 10          | 9           | 61          | 270         | 543         | 969         | 1,235       | 704               | -              |
| 2001.....  | 3,810    | -            | 5         | 16         | 3           | 12          | 78          | 272         | 564         | 951         | 1,264       | 645               | -              |
| 2000.....  | 3,802    | -            | 3         | 10         | 5           | 11          | 74          | 276         | 536         | 968         | 1,243       | 676               | -              |
| 1999.....  | 3,565    | 1            | 4         | 12         | 2           | 10          | 73          | 259         | 520         | 951         | 1,108       | 625               | -              |



Worktable Orig290F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2007

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data - mortality"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, sex, and year | All ages | Under 1 year | 1-4 years | 5-14 years | 15-24 years | 25-34 years | 35-44 years | 45-54 years | 55-64 years | 65-74 years | 75-84 years | 85 years and over | Age not stated |
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|
| Malignant neoplasms of kidney and renal pelvis (C64-C65)   |          |              |           |            |             |             |             |             |             |             |             |                   |                |
| Non-Hispanic black, both sexes   |          |              |           |            |             |             |             |             |             |             |             |                   |                |
| 2007 2/.....   | 1,211    | 1            | 1         | 7          | 15          | 13          | 44          | 177         | 284         | 274         | 274         | 121               | -              |
| 2006 2/.....   | 1,125    | -            | -         | 7          | 8           | 24          | 55          | 182         | 234         | 264         | 224         | 127               | -              |
| 2005 2/.....   | 1,141    | -            | 2         | 7          | 10          | 21          | 48          | 163         | 270         | 266         | 241         | 113               | -              |
| 2004 2/.....   | 1,084    | -            | 4         | 4          | 5           | 19          | 44          | 151         | 231         | 270         | 256         | 100               | -              |
| 2003 2/.....   | 1,105    | -            | -         | 9          | 7           | 19          | 63          | 153         | 261         | 246         | 232         | 115               | -              |
| 2002.....  | 1,062    | -            | -         | 5          | 3           | 17          | 45          | 163         | 226         | 260         | 250         | 93                | -              |
| 2001.....  | 1,105    | -            | 3         | 12         | 10          | 19          | 72          | 163         | 240         | 249         | 241         | 96                | -              |
| 2000.....  | 1,033    | 1            | 5         | 8          | 6           | 10          | 51          | 142         | 213         | 271         | 233         | 93                | -              |
| 1999.....  | 1,028    | -            | 4         | 6          | 7           | 20          | 61          | 154         | 202         | 263         | 213         | 98                | -              |
| Non-Hispanic black, male   |          |              |           |            |             |             |             |             |             |             |             |                   |                |
| 2007 2/.....   | 739      | 1            | -         | 5          | 11          | 9           | 30          | 125         | 198         | 176         | 135         | 49                | -              |
| 2006 2/.....   | 705      | -            | -         | 6          | 5           | 20          | 42          | 122         | 171         | 167         | 118         | 54                | -              |
| 2005 2/.....   | 713      | -            | -         | 4          | 7           | 16          | 35          | 119         | 188         | 174         | 128         | 42                | -              |
| 2004 2/.....   | 649      | -            | 3         | 1          | 2           | 15          | 29          | 102         | 155         | 169         | 134         | 39                | -              |
| 2003 2/.....   | 667      | -            | -         | 5          | 4           | 14          | 43          | 107         | 169         | 154         | 129         | 42                | -              |
| 2002.....  | 626      | -            | -         | 3          | 2           | 11          | 31          | 103         | 164         | 151         | 125         | 36                | -              |
| 2001.....  | 673      | -            | 1         | 4          | 10          | 10          | 40          | 111         | 168         | 153         | 136         | 40                | -              |
| 2000.....  | 625      | -            | 3         | 4          | 2           | 8           | 27          | 94          | 142         | 179         | 124         | 42                | -              |
| 1999.....  | 618      | -            | 2         | 3          | 4           | 16          | 42          | 109         | 137         | 159         | 104         | 42                | -              |

Worktable Orig290F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2007

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data - mortality"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, sex, and year | All ages | Under 1 year | 1-4 years | 5-14 years | 15-24 years | 25-34 years | 35-44 years | 45-54 years | 55-64 years | 65-74 years | 75-84 years | 85 years and over | Age not stated |
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|

Malignant neoplasms of kidney and renal pelvis (C64-C65)

Non-Hispanic black, female

|              |     |   |   |   |   |   |    |    |    |     |     |    |   |
|--------------|-----|---|---|---|---|---|----|----|----|-----|-----|----|---|
| 2007 2/..... | 472 | - | 1 | 2 | 4 | 4 | 14 | 52 | 86 | 98  | 139 | 72 | - |
| 2006 2/..... | 420 | - | - | 1 | 3 | 4 | 13 | 60 | 63 | 97  | 106 | 73 | - |
| 2005 2/..... | 428 | - | 2 | 3 | 3 | 5 | 13 | 44 | 82 | 92  | 113 | 71 | - |
| 2004 2/..... | 435 | - | 1 | 3 | 3 | 4 | 15 | 49 | 76 | 101 | 122 | 61 | - |
| 2003 2/..... | 438 | - | - | 4 | 3 | 5 | 20 | 46 | 92 | 92  | 103 | 73 | - |
| 2002.....    | 436 | - | - | 2 | 1 | 6 | 14 | 60 | 62 | 109 | 125 | 57 | - |
| 2001.....    | 432 | - | 2 | 8 | - | 9 | 32 | 52 | 72 | 96  | 105 | 56 | - |
| 2000.....    | 408 | 1 | 2 | 4 | 4 | 2 | 24 | 48 | 71 | 92  | 109 | 51 | - |
| 1999.....    | 410 | - | 2 | 3 | 3 | 4 | 19 | 45 | 65 | 104 | 109 | 56 | - |

Origin not stated 3/, both sexes

|           |    |   |   |   |   |   |   |   |   |    |    |   |   |
|-----------|----|---|---|---|---|---|---|---|---|----|----|---|---|
| 2007..... | 12 | - | - | - | - | - | 2 | 2 | 4 | 1  | 3  | - | - |
| 2006..... | 19 | - | - | - | - | - | 1 | 1 | 6 | 6  | 4  | 1 | - |
| 2005..... | 18 | - | - | 1 | - | - | - | 5 | 2 | 5  | 3  | 2 | - |
| 2004..... | 19 | - | - | - | - | - | - | 1 | 6 | 6  | 4  | 2 | - |
| 2003..... | 22 | - | - | - | 1 | - | - | 2 | 3 | 8  | 4  | 4 | - |
| 2002..... | 29 | - | - | - | - | - | 1 | 3 | 7 | 8  | 9  | 1 | - |
| 2001..... | 23 | - | - | - | - | - | 1 | 3 | 3 | 7  | 5  | 4 | - |
| 2000..... | 45 | - | - | - | - | - | - | 4 | 7 | 20 | 7  | 7 | - |
| 1999..... | 27 | - | - | - | - | 1 | 2 | 3 | 3 | 5  | 10 | 3 | - |

Worktable Orig290F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2007

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data - mortality"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, sex, and year | All ages | Under 1 year | 1-4 years | 5-14 years | 15-24 years | 25-34 years | 35-44 years | 45-54 years | 55-64 years | 65-74 years | 75-84 years | 85 years and over | Age not stated |
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|

Malignant neoplasms of kidney and renal pelvis (C64-C65)

Origin not stated 3/, male

|           |    |   |   |   |   |   |   |   |   |    |   |   |   |
|-----------|----|---|---|---|---|---|---|---|---|----|---|---|---|
| 2007..... | 7  | - | - | - | - | - | - | 1 | 3 | 1  | 2 | - | - |
| 2006..... | 13 | - | - | - | - | - | 1 | 1 | 3 | 4  | 4 | - | - |
| 2005..... | 15 | - | - | 1 | - | - | - | 4 | 2 | 5  | 2 | 1 | - |
| 2004..... | 12 | - | - | - | - | - | - | 1 | 3 | 5  | 2 | 1 | - |
| 2003..... | 17 | - | - | - | 1 | - | - | 1 | 3 | 6  | 4 | 2 | - |
| 2002..... | 20 | - | - | - | - | - | 1 | 2 | 6 | 6  | 4 | 1 | - |
| 2001..... | 14 | - | - | - | - | - | 1 | 2 | 2 | 5  | 3 | 1 | - |
| 2000..... | 30 | - | - | - | - | - | - | 2 | 5 | 14 | 5 | 4 | - |
| 1999..... | 13 | - | - | - | - | - | 1 | 2 | 2 | 4  | 3 | 1 | - |

Origin not stated 3/, female

|           |    |   |   |   |   |   |   |   |   |   |   |   |   |
|-----------|----|---|---|---|---|---|---|---|---|---|---|---|---|
| 2007..... | 5  | - | - | - | - | - | 2 | 1 | 1 | - | 1 | - | - |
| 2006..... | 6  | - | - | - | - | - | - | - | 3 | 2 | - | 1 | - |
| 2005..... | 3  | - | - | - | - | - | - | 1 | - | - | 1 | 1 | - |
| 2004..... | 7  | - | - | - | - | - | - | - | 3 | 1 | 2 | 1 | - |
| 2003..... | 5  | - | - | - | - | - | - | 1 | - | 2 | - | 2 | - |
| 2002..... | 9  | - | - | - | - | - | - | 1 | 1 | 2 | 5 | - | - |
| 2001..... | 9  | - | - | - | - | - | - | 1 | 1 | 2 | 2 | 3 | - |
| 2000..... | 15 | - | - | - | - | - | - | 2 | 2 | 6 | 2 | 3 | - |
| 1999..... | 14 | - | - | - | - | 1 | 1 | 1 | 1 | 1 | 7 | 2 | - |

Worktable Orig290F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2007

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data - mortality"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, sex, and year | All ages | Under 1 year | 1-4 years | 5-14 years | 15-24 years | 25-34 years | 35-44 years | 45-54 years | 55-64 years | 65-74 years | 75-84 years | 85 years and over | Age not stated |
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|
| <b>Malignant neoplasm of bladder (C67)</b>   |          |              |           |            |             |             |             |             |             |             |             |                   |                |
| <b>All origins, both sexes</b>   |          |              |           |            |             |             |             |             |             |             |             |                   |                |
| 2007.....  | 13,843   | 1            | -         | -          | -           | 7           | 93          | 570         | 1,564       | 2,817       | 5,009       | 3,782             | -              |
| 2006.....  | 13,474   | -            | -         | -          | 1           | 18          | 104         | 528         | 1,568       | 2,810       | 4,874       | 3,571             | -              |
| 2005.....  | 13,253   | -            | -         | -          | -           | 15          | 122         | 523         | 1,482       | 2,772       | 4,859       | 3,480             | -              |
| 2004.....  | 13,030   | -            | -         | 1          | 1           | 12          | 120         | 545         | 1,452       | 2,753       | 4,847       | 3,299             | -              |
| 2003.....  | 12,483   | -            | -         | -          | 1           | 4           | 98          | 522         | 1,391       | 2,736       | 4,679       | 3,052             | -              |
| 2002.....  | 12,628   | -            | -         | 3          | 1           | 14          | 123         | 503         | 1,310       | 2,907       | 4,707       | 3,059             | 1              |
| 2001.....  | 12,225   | -            | -         | 1          | 3           | 15          | 128         | 475         | 1,265       | 2,814       | 4,488       | 3,036             | -              |
| 2000.....  | 12,002   | -            | -         | 1          | 3           | 10          | 111         | 440         | 1,223       | 2,855       | 4,407       | 2,952             | -              |
| 1999.....  | 11,911   | -            | -         | 1          | 1           | 16          | 100         | 463         | 1,244       | 2,923       | 4,317       | 2,845             | 1              |
| <b>All origins, male</b>   |          |              |           |            |             |             |             |             |             |             |             |                   |                |
| 2007.....  | 9,644    | 1            | -         | -          | -           | 4           | 57          | 406         | 1,176       | 2,103       | 3,540       | 2,357             | -              |
| 2006.....  | 9,412    | -            | -         | -          | 1           | 11          | 69          | 387         | 1,192       | 2,059       | 3,472       | 2,221             | -              |
| 2005.....  | 9,190    | -            | -         | -          | -           | 9           | 81          | 358         | 1,115       | 2,072       | 3,436       | 2,119             | -              |
| 2004.....  | 8,995    | -            | -         | 1          | 1           | 7           | 69          | 411         | 1,103       | 2,021       | 3,376       | 2,006             | -              |
| 2003.....  | 8,576    | -            | -         | -          | 1           | 2           | 64          | 401         | 1,049       | 1,998       | 3,254       | 1,807             | -              |
| 2002.....  | 8,504    | -            | -         | 1          | -           | 9           | 78          | 352         | 984         | 2,089       | 3,199       | 1,791             | 1              |
| 2001.....  | 8,343    | -            | -         | -          | 3           | 8           | 70          | 351         | 956         | 2,088       | 3,116       | 1,751             | -              |
| 2000.....  | 8,163    | -            | -         | -          | 3           | 2           | 62          | 322         | 916         | 2,094       | 3,054       | 1,710             | -              |
| 1999.....  | 8,105    | -            | -         | 1          | -           | 9           | 63          | 350         | 933         | 2,132       | 3,008       | 1,608             | 1              |

Worktable Orig290F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2007

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data - mortality"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, sex, and year | All ages | Under 1 year | 1-4 years | 5-14 years | 15-24 years | 25-34 years | 35-44 years | 45-54 years | 55-64 years | 65-74 years | 75-84 years | 85 years and over | Age not stated |
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|
| <b>Malignant neoplasm of bladder (C67)</b>   |          |              |           |            |             |             |             |             |             |             |             |                   |                |
| <b>All origins, female</b>   |          |              |           |            |             |             |             |             |             |             |             |                   |                |
| 2007.....  | 4,199    | -            | -         | -          | -           | 3           | 36          | 164         | 388         | 714         | 1,469       | 1,425             | -              |
| 2006.....  | 4,062    | -            | -         | -          | -           | 7           | 35          | 141         | 376         | 751         | 1,402       | 1,350             | -              |
| 2005.....  | 4,063    | -            | -         | -          | -           | 6           | 41          | 165         | 367         | 700         | 1,423       | 1,361             | -              |
| 2004.....  | 4,035    | -            | -         | -          | -           | 5           | 51          | 134         | 349         | 732         | 1,471       | 1,293             | -              |
| 2003.....  | 3,907    | -            | -         | -          | -           | 2           | 34          | 121         | 342         | 738         | 1,425       | 1,245             | -              |
| 2002.....  | 4,124    | -            | -         | 2          | 1           | 5           | 45          | 151         | 326         | 818         | 1,508       | 1,268             | -              |
| 2001.....  | 3,882    | -            | -         | 1          | -           | 7           | 58          | 124         | 309         | 726         | 1,372       | 1,285             | -              |
| 2000.....  | 3,839    | -            | -         | 1          | -           | 8           | 49          | 118         | 307         | 761         | 1,353       | 1,242             | -              |
| 1999.....  | 3,806    | -            | -         | -          | 1           | 7           | 37          | 113         | 311         | 791         | 1,309       | 1,237             | -              |
| <b>Hispanic, both sexes</b>  |          |              |           |            |             |             |             |             |             |             |             |                   |                |
| 2007.....  | 477      | -            | -         | -          | -           | 2           | 7           | 24          | 69          | 107         | 176         | 92                | -              |
| 2006.....  | 431      | -            | -         | -          | -           | 3           | 5           | 17          | 58          | 112         | 151         | 85                | -              |
| 2005.....  | 435      | -            | -         | -          | -           | 1           | 10          | 22          | 52          | 107         | 151         | 92                | -              |
| 2004.....  | 397      | -            | -         | -          | -           | 1           | 6           | 26          | 61          | 93          | 142         | 68                | -              |
| 2003.....  | 394      | -            | -         | -          | -           | 1           | 4           | 25          | 54          | 96          | 133         | 81                | -              |
| 2002.....  | 387      | -            | -         | 1          | -           | -           | 5           | 24          | 57          | 91          | 110         | 99                | -              |
| 2001.....  | 336      | -            | -         | -          | 2           | -           | 4           | 21          | 41          | 90          | 104         | 74                | -              |
| 2000.....  | 307      | -            | -         | -          | -           | 1           | 8           | 17          | 50          | 71          | 89          | 71                | -              |
| 1999.....  | 301      | -            | -         | -          | -           | 2           | 4           | 22          | 51          | 88          | 79          | 55                | -              |

Worktable Orig290F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2007

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data - mortality"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, sex, and year | All ages | Under 1 year | 1-4 years | 5-14 years | 15-24 years | 25-34 years | 35-44 years | 45-54 years | 55-64 years | 65-74 years | 75-84 years | 85 years and over | Age not stated |
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|
| <b>Malignant neoplasm of bladder (C67)</b>   |          |              |           |            |             |             |             |             |             |             |             |                   |                |
| <b>Hispanic, male</b>  |          |              |           |            |             |             |             |             |             |             |             |                   |                |
| 2007.....  | 348      | -            | -         | -          | -           | 1           | 4           | 18          | 54          | 80          | 136         | 55                | -              |
| 2006.....  | 283      | -            | -         | -          | -           | 1           | 3           | 9           | 43          | 68          | 111         | 48                | -              |
| 2005.....  | 317      | -            | -         | -          | -           | 1           | 7           | 18          | 42          | 80          | 102         | 67                | -              |
| 2004.....  | 253      | -            | -         | -          | -           | -           | 2           | 22          | 45          | 62          | 80          | 42                | -              |
| 2003.....  | 265      | -            | -         | -          | -           | -           | 2           | 15          | 40          | 71          | 87          | 50                | -              |
| 2002.....  | 252      | -            | -         | -          | -           | -           | 2           | 16          | 39          | 67          | 68          | 60                | -              |
| 2001.....  | 223      | -            | -         | -          | 2           | -           | 1           | 11          | 37          | 59          | 67          | 46                | -              |
| 2000.....  | 216      | -            | -         | -          | -           | -           | 6           | 12          | 37          | 50          | 69          | 42                | -              |
| 1999.....  | 222      | -            | -         | -          | -           | 2           | 4           | 16          | 43          | 69          | 52          | 36                | -              |
| <b>Hispanic, female</b>  |          |              |           |            |             |             |             |             |             |             |             |                   |                |
| 2007.....  | 129      | -            | -         | -          | -           | 1           | 3           | 6           | 15          | 27          | 40          | 37                | -              |
| 2006.....  | 148      | -            | -         | -          | -           | 2           | 2           | 8           | 15          | 44          | 40          | 37                | -              |
| 2005.....  | 118      | -            | -         | -          | -           | -           | 3           | 4           | 10          | 27          | 49          | 25                | -              |
| 2004.....  | 144      | -            | -         | -          | -           | 1           | 4           | 4           | 16          | 31          | 62          | 26                | -              |
| 2003.....  | 129      | -            | -         | -          | -           | 1           | 2           | 10          | 14          | 25          | 46          | 31                | -              |
| 2002.....  | 135      | -            | -         | 1          | -           | -           | 3           | 8           | 18          | 24          | 42          | 39                | -              |
| 2001.....  | 113      | -            | -         | -          | -           | -           | 3           | 10          | 4           | 31          | 37          | 28                | -              |
| 2000.....  | 91       | -            | -         | -          | -           | 1           | 2           | 5           | 13          | 21          | 20          | 29                | -              |
| 1999.....  | 79       | -            | -         | -          | -           | -           | -           | 6           | 8           | 19          | 27          | 19                | -              |

Worktable Orig290F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2007

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data - mortality"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, sex, and year | All ages | Under 1 year | 1-4 years | 5-14 years | 15-24 years | 25-34 years | 35-44 years | 45-54 years | 55-64 years | 65-74 years | 75-84 years | 85 years and over | Age not stated |
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|
| <b>Malignant neoplasm of bladder (C67)</b>   |          |              |           |            |             |             |             |             |             |             |             |                   |                |
| <b>Non-Hispanic 1/, both sexes</b>   |          |              |           |            |             |             |             |             |             |             |             |                   |                |
| 2007.....  | 13,355   | 1            | -         | -          | -           | 5           | 86          | 544         | 1,492       | 2,706       | 4,832       | 3,689             | -              |
| 2006.....  | 13,020   | -            | -         | -          | 1           | 15          | 99          | 509         | 1,506       | 2,695       | 4,716       | 3,479             | -              |
| 2005.....  | 12,803   | -            | -         | -          | -           | 14          | 112         | 499         | 1,428       | 2,662       | 4,703       | 3,385             | -              |
| 2004.....  | 12,608   | -            | -         | 1          | 1           | 10          | 114         | 518         | 1,385       | 2,656       | 4,696       | 3,227             | -              |
| 2003.....  | 12,067   | -            | -         | -          | 1           | 3           | 94          | 495         | 1,336       | 2,637       | 4,534       | 2,967             | -              |
| 2002.....  | 12,211   | -            | -         | 2          | 1           | 14          | 118         | 476         | 1,248       | 2,809       | 4,591       | 2,952             | -              |
| 2001.....  | 11,858   | -            | -         | 1          | 1           | 15          | 124         | 452         | 1,220       | 2,718       | 4,372       | 2,955             | -              |
| 2000.....  | 11,665   | -            | -         | 1          | 3           | 9           | 102         | 423         | 1,169       | 2,780       | 4,304       | 2,874             | -              |
| 1999.....  | 11,582   | -            | -         | 1          | 1           | 14          | 96          | 439         | 1,190       | 2,832       | 4,228       | 2,780             | 1              |
| <b>Non-Hispanic 1/, male</b>   |          |              |           |            |             |             |             |             |             |             |             |                   |                |
| 2007.....  | 9,288    | 1            | -         | -          | -           | 3           | 53          | 387         | 1,120       | 2,020       | 3,403       | 2,301             | -              |
| 2006.....  | 9,113    | -            | -         | -          | 1           | 10          | 66          | 376         | 1,145       | 1,990       | 3,357       | 2,168             | -              |
| 2005.....  | 8,861    | -            | -         | -          | -           | 8           | 74          | 338         | 1,071       | 1,989       | 3,330       | 2,051             | -              |
| 2004.....  | 8,724    | -            | -         | 1          | 1           | 6           | 67          | 388         | 1,052       | 1,957       | 3,291       | 1,961             | -              |
| 2003.....  | 8,294    | -            | -         | -          | 1           | 2           | 62          | 384         | 1,008       | 1,925       | 3,157       | 1,755             | -              |
| 2002.....  | 8,235    | -            | -         | 1          | -           | 9           | 76          | 335         | 941         | 2,019       | 3,128       | 1,726             | -              |
| 2001.....  | 8,100    | -            | -         | -          | 1           | 8           | 69          | 339         | 917         | 2,025       | 3,041       | 1,700             | -              |
| 2000.....  | 7,925    | -            | -         | -          | 3           | 2           | 56          | 310         | 876         | 2,040       | 2,974       | 1,664             | -              |
| 1999.....  | 7,865    | -            | -         | 1          | -           | 7           | 59          | 332         | 888         | 2,060       | 2,950       | 1,567             | 1              |

Worktable Orig290F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2007

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data - mortality"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, sex, and year | All ages | Under 1 year | 1-4 years | 5-14 years | 15-24 years | 25-34 years | 35-44 years | 45-54 years | 55-64 years | 65-74 years | 75-84 years | 85 years and over | Age not stated |
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|
| <b>Malignant neoplasm of bladder (C67)</b>   |          |              |           |            |             |             |             |             |             |             |             |                   |                |
| <b>Non-Hispanic 1/, female</b>   |          |              |           |            |             |             |             |             |             |             |             |                   |                |
| 2007.....  | 4,067    | -            | -         | -          | -           | 2           | 33          | 157         | 372         | 686         | 1,429       | 1,388             | -              |
| 2006.....  | 3,907    | -            | -         | -          | -           | 5           | 33          | 133         | 361         | 705         | 1,359       | 1,311             | -              |
| 2005.....  | 3,942    | -            | -         | -          | -           | 6           | 38          | 161         | 357         | 673         | 1,373       | 1,334             | -              |
| 2004.....  | 3,884    | -            | -         | -          | -           | 4           | 47          | 130         | 333         | 699         | 1,405       | 1,266             | -              |
| 2003.....  | 3,773    | -            | -         | -          | -           | 1           | 32          | 111         | 328         | 712         | 1,377       | 1,212             | -              |
| 2002.....  | 3,976    | -            | -         | 1          | 1           | 5           | 42          | 141         | 307         | 790         | 1,463       | 1,226             | -              |
| 2001.....  | 3,758    | -            | -         | 1          | -           | 7           | 55          | 113         | 303         | 693         | 1,331       | 1,255             | -              |
| 2000.....  | 3,740    | -            | -         | 1          | -           | 7           | 46          | 113         | 293         | 740         | 1,330       | 1,210             | -              |
| 1999.....  | 3,717    | -            | -         | -          | 1           | 7           | 37          | 107         | 302         | 772         | 1,278       | 1,213             | -              |
| <b>Non-Hispanic white, both sexes</b>  |          |              |           |            |             |             |             |             |             |             |             |                   |                |
| 2007 2/.....   | 12,139   | -            | -         | -          | -           | 3           | 66          | 450         | 1,300       | 2,456       | 4,436       | 3,428             | -              |
| 2006 2/.....   | 11,845   | -            | -         | -          | 1           | 10          | 77          | 440         | 1,333       | 2,412       | 4,341       | 3,231             | -              |
| 2005 2/.....   | 11,669   | -            | -         | -          | -           | 12          | 100         | 417         | 1,269       | 2,405       | 4,347       | 3,119             | -              |
| 2004 2/.....   | 11,544   | -            | -         | 1          | -           | 8           | 79          | 433         | 1,253       | 2,420       | 4,375       | 2,975             | -              |
| 2003 2/.....   | 11,003   | -            | -         | -          | 1           | 3           | 72          | 407         | 1,198       | 2,399       | 4,168       | 2,755             | -              |
| 2002.....  | 11,109   | -            | -         | 2          | -           | 10          | 100         | 416         | 1,112       | 2,531       | 4,232       | 2,706             | -              |
| 2001.....  | 10,823   | -            | -         | 1          | 1           | 14          | 100         | 386         | 1,076       | 2,479       | 4,026       | 2,740             | -              |
| 2000.....  | 10,712   | -            | -         | 1          | 2           | 8           | 91          | 374         | 1,056       | 2,533       | 3,957       | 2,690             | -              |
| 1999.....  | 10,548   | -            | -         | 1          | -           | 8           | 77          | 375         | 1,042       | 2,556       | 3,921       | 2,567             | 1              |



Worktable Orig290F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2007

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data - mortality"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, sex, and year | All ages | Under 1 year | 1-4 years | 5-14 years | 15-24 years | 25-34 years | 35-44 years | 45-54 years | 55-64 years | 65-74 years | 75-84 years | 85 years and over | Age not stated |
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|
| <b>Malignant neoplasm of bladder (C67)</b>   |          |              |           |            |             |             |             |             |             |             |             |                   |                |
| <b>Non-Hispanic white, male</b>  |          |              |           |            |             |             |             |             |             |             |             |                   |                |
| 2007 2/.....   | 8,600    | -            | -         | -          | -           | 2           | 44          | 335         | 989         | 1,858       | 3,191       | 2,181             | -              |
| 2006 2/.....   | 8,444    | -            | -         | -          | 1           | 7           | 53          | 330         | 1,022       | 1,829       | 3,158       | 2,044             | -              |
| 2005 2/.....   | 8,207    | -            | -         | -          | -           | 7           | 67          | 295         | 969         | 1,828       | 3,122       | 1,919             | -              |
| 2004 2/.....   | 8,140    | -            | -         | 1          | -           | 5           | 46          | 331         | 965         | 1,825       | 3,116       | 1,851             | -              |
| 2003 2/.....   | 7,692    | -            | -         | -          | 1           | 2           | 48          | 328         | 921         | 1,777       | 2,952       | 1,663             | -              |
| 2002.....  | 7,649    | -            | -         | 1          | -           | 6           | 66          | 302         | 866         | 1,864       | 2,921       | 1,623             | -              |
| 2001.....  | 7,541    | -            | -         | -          | 1           | 8           | 56          | 296         | 830         | 1,884       | 2,856       | 1,610             | -              |
| 2000.....  | 7,390    | -            | -         | -          | 2           | 2           | 52          | 279         | 803         | 1,897       | 2,784       | 1,571             | -              |
| 1999.....  | 7,290    | -            | -         | 1          | -           | 3           | 46          | 281         | 800         | 1,907       | 2,771       | 1,480             | 1              |
| <b>Non-Hispanic white, female</b>  |          |              |           |            |             |             |             |             |             |             |             |                   |                |
| 2007 2/.....   | 3,539    | -            | -         | -          | -           | 1           | 22          | 115         | 311         | 598         | 1,245       | 1,247             | -              |
| 2006 2/.....   | 3,401    | -            | -         | -          | -           | 3           | 24          | 110         | 311         | 583         | 1,183       | 1,187             | -              |
| 2005 2/.....   | 3,462    | -            | -         | -          | -           | 5           | 33          | 122         | 300         | 577         | 1,225       | 1,200             | -              |
| 2004 2/.....   | 3,404    | -            | -         | -          | -           | 3           | 33          | 102         | 288         | 595         | 1,259       | 1,124             | -              |
| 2003 2/.....   | 3,311    | -            | -         | -          | -           | 1           | 24          | 79          | 277         | 622         | 1,216       | 1,092             | -              |
| 2002.....  | 3,460    | -            | -         | 1          | -           | 4           | 34          | 114         | 246         | 667         | 1,311       | 1,083             | -              |
| 2001.....  | 3,282    | -            | -         | 1          | -           | 6           | 44          | 90          | 246         | 595         | 1,170       | 1,130             | -              |
| 2000.....  | 3,322    | -            | -         | 1          | -           | 6           | 39          | 95          | 253         | 636         | 1,173       | 1,119             | -              |
| 1999.....  | 3,258    | -            | -         | -          | -           | 5           | 31          | 94          | 242         | 649         | 1,150       | 1,087             | -              |

Worktable Orig290F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2007

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data - mortality"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, sex, and year | All ages | Under 1 year | 1-4 years | 5-14 years | 15-24 years | 25-34 years | 35-44 years | 45-54 years | 55-64 years | 65-74 years | 75-84 years | 85 years and over | Age not stated |
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|
| <b>Malignant neoplasm of bladder (C67)</b>   |          |              |           |            |             |             |             |             |             |             |             |                   |                |
| <b>Non-Hispanic black, both sexes</b>  |          |              |           |            |             |             |             |             |             |             |             |                   |                |
| 2007 2/.....   | 1,030    | 1            | -         | -          | -           | 1           | 17          | 84          | 164         | 217         | 330         | 216               | -              |
| 2006 2/.....   | 1,001    | -            | -         | -          | -           | 4           | 17          | 63          | 153         | 239         | 315         | 210               | -              |
| 2005 2/.....   | 947      | -            | -         | -          | -           | 2           | 12          | 74          | 139         | 215         | 294         | 211               | -              |
| 2004 2/.....   | 904      | -            | -         | -          | 1           | 2           | 27          | 76          | 117         | 200         | 268         | 213               | -              |
| 2003 2/.....   | 907      | -            | -         | -          | -           | -           | 20          | 78          | 109         | 204         | 315         | 181               | -              |
| 2002.....  | 931      | -            | -         | -          | -           | 4           | 13          | 49          | 116         | 242         | 295         | 212               | -              |
| 2001.....  | 870      | -            | -         | -          | -           | 1           | 23          | 55          | 125         | 197         | 291         | 178               | -              |
| 2000.....  | 842      | -            | -         | -          | 1           | -           | 10          | 44          | 99          | 218         | 314         | 156               | -              |
| 1999.....  | 906      | -            | -         | -          | 1           | 4           | 17          | 60          | 130         | 244         | 262         | 188               | -              |
| <b>Non-Hispanic black, male</b>  |          |              |           |            |             |             |             |             |             |             |             |                   |                |
| 2007 2/.....   | 562      | 1            | -         | -          | -           | 1           | 8           | 46          | 108         | 137         | 168         | 93                | -              |
| 2006 2/.....   | 554      | -            | -         | -          | -           | 2           | 11          | 43          | 107         | 133         | 154         | 104               | -              |
| 2005 2/.....   | 536      | -            | -         | -          | -           | 1           | 7           | 39          | 88          | 131         | 163         | 107               | -              |
| 2004 2/.....   | 474      | -            | -         | -          | 1           | 1           | 18          | 51          | 75          | 105         | 141         | 82                | -              |
| 2003 2/.....   | 496      | -            | -         | -          | -           | -           | 12          | 48          | 66          | 123         | 172         | 75                | -              |
| 2002.....  | 475      | -            | -         | -          | -           | 3           | 7           | 26          | 63          | 128         | 164         | 84                | -              |
| 2001.....  | 444      | -            | -         | -          | -           | -           | 13          | 36          | 72          | 111         | 144         | 68                | -              |
| 2000.....  | 460      | -            | -         | -          | 1           | -           | 4           | 27          | 63          | 119         | 171         | 75                | -              |
| 1999.....  | 487      | -            | -         | -          | -           | 2           | 12          | 47          | 76          | 128         | 149         | 73                | -              |

Worktable Orig290F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2007

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data - mortality"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, sex, and year | All ages | Under 1 year | 1-4 years | 5-14 years | 15-24 years | 25-34 years | 35-44 years | 45-54 years | 55-64 years | 65-74 years | 75-84 years | 85 years and over | Age not stated |
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|
| <b>Malignant neoplasm of bladder (C67)</b>   |          |              |           |            |             |             |             |             |             |             |             |                   |                |
| <b>Non-Hispanic black, female</b>  |          |              |           |            |             |             |             |             |             |             |             |                   |                |
| 2007 2/.....   | 468      | -            | -         | -          | -           | -           | 9           | 38          | 56          | 80          | 162         | 123               | -              |
| 2006 2/.....   | 447      | -            | -         | -          | -           | 2           | 6           | 20          | 46          | 106         | 161         | 106               | -              |
| 2005 2/.....   | 411      | -            | -         | -          | -           | 1           | 5           | 35          | 51          | 84          | 131         | 104               | -              |
| 2004 2/.....   | 430      | -            | -         | -          | -           | 1           | 9           | 25          | 42          | 95          | 127         | 131               | -              |
| 2003 2/.....   | 411      | -            | -         | -          | -           | -           | 8           | 30          | 43          | 81          | 143         | 106               | -              |
| 2002.....  | 456      | -            | -         | -          | -           | 1           | 6           | 23          | 53          | 114         | 131         | 128               | -              |
| 2001.....  | 426      | -            | -         | -          | -           | 1           | 10          | 19          | 53          | 86          | 147         | 110               | -              |
| 2000.....  | 382      | -            | -         | -          | -           | -           | 6           | 17          | 36          | 99          | 143         | 81                | -              |
| 1999.....  | 419      | -            | -         | -          | 1           | 2           | 5           | 13          | 54          | 116         | 113         | 115               | -              |
| <b>Origin not stated 3/, both sexes</b>  |          |              |           |            |             |             |             |             |             |             |             |                   |                |
| 2007.....  | 11       | -            | -         | -          | -           | -           | -           | 2           | 3           | 4           | 1           | 1                 | -              |
| 2006.....  | 23       | -            | -         | -          | -           | -           | -           | 2           | 4           | 3           | 7           | 7                 | -              |
| 2005.....  | 15       | -            | -         | -          | -           | -           | -           | 2           | 2           | 3           | 5           | 3                 | -              |
| 2004.....  | 25       | -            | -         | -          | -           | 1           | -           | 1           | 6           | 4           | 9           | 4                 | -              |
| 2003.....  | 22       | -            | -         | -          | -           | -           | -           | 2           | 1           | 3           | 12          | 4                 | -              |
| 2002.....  | 30       | -            | -         | -          | -           | -           | -           | 3           | 5           | 7           | 6           | 8                 | 1              |
| 2001.....  | 31       | -            | -         | -          | -           | -           | -           | 2           | 4           | 6           | 12          | 7                 | -              |
| 2000.....  | 30       | -            | -         | -          | -           | -           | 1           | -           | 4           | 4           | 14          | 7                 | -              |
| 1999.....  | 28       | -            | -         | -          | -           | -           | -           | 2           | 3           | 3           | 10          | 10                | -              |

Worktable Orig290F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2007

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data - mortality"]

---

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, sex, and year

|  | All ages | Under 1 year | 1-4 years | 5-14 years | 15-24 years | 25-34 years | 35-44 years | 45-54 years | 55-64 years | 65-74 years | 75-84 years | 85 years and over | Age not stated |
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|

---

Malignant neoplasm of bladder (C67)

Origin not stated 3/, male

|           |    |   |   |   |   |   |   |   |   |   |    |   |   |
|-----------|----|---|---|---|---|---|---|---|---|---|----|---|---|
| 2007..... | 8  | - | - | - | - | - | - | 1 | 2 | 3 | 1  | 1 | - |
| 2006..... | 16 | - | - | - | - | - | - | 2 | 4 | 1 | 4  | 5 | - |
| 2005..... | 12 | - | - | - | - | - | - | 2 | 2 | 3 | 4  | 1 | - |
| 2004..... | 18 | - | - | - | - | 1 | - | 1 | 6 | 2 | 5  | 3 | - |
| 2003..... | 17 | - | - | - | - | - | - | 2 | 1 | 2 | 10 | 2 | - |
| 2002..... | 17 | - | - | - | - | - | - | 1 | 4 | 3 | 3  | 5 | 1 |
| 2001..... | 20 | - | - | - | - | - | - | 1 | 2 | 4 | 8  | 5 | - |
| 2000..... | 22 | - | - | - | - | - | - | - | 3 | 4 | 11 | 4 | - |
| 1999..... | 18 | - | - | - | - | - | - | 2 | 2 | 3 | 6  | 5 | - |

Origin not stated 3/, female

|           |    |   |   |   |   |   |   |   |   |   |   |   |   |
|-----------|----|---|---|---|---|---|---|---|---|---|---|---|---|
| 2007..... | 3  | - | - | - | - | - | - | 1 | 1 | 1 | - | - | - |
| 2006..... | 7  | - | - | - | - | - | - | - | - | 2 | 3 | 2 | - |
| 2005..... | 3  | - | - | - | - | - | - | - | - | - | 1 | 2 | - |
| 2004..... | 7  | - | - | - | - | - | - | - | - | 2 | 4 | 1 | - |
| 2003..... | 5  | - | - | - | - | - | - | - | - | 1 | 2 | 2 | - |
| 2002..... | 13 | - | - | - | - | - | - | 2 | 1 | 4 | 3 | 3 | - |
| 2001..... | 11 | - | - | - | - | - | - | 1 | 2 | 2 | 4 | 2 | - |
| 2000..... | 8  | - | - | - | - | - | 1 | - | 1 | - | 3 | 3 | - |
| 1999..... | 10 | - | - | - | - | - | - | - | 1 | - | 4 | 5 | - |

Worktable Orig290F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2007

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data - mortality"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, sex, and year | All ages | Under 1 year | 1-4 years | 5-14 years | 15-24 years | 25-34 years | 35-44 years | 45-54 years | 55-64 years | 65-74 years | 75-84 years | 85 years and over | Age not stated |
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|

Malignant neoplasms of meninges, brain and other parts of central nervous system (C70-C72)

All origins, both sexes

|           |        |    |     |     |     |     |       |       |       |       |       |     |   |
|-----------|--------|----|-----|-----|-----|-----|-------|-------|-------|-------|-------|-----|---|
| 2007..... | 13,234 | 15 | 109 | 302 | 204 | 369 | 845   | 1,916 | 2,975 | 3,002 | 2,608 | 889 | - |
| 2006..... | 12,886 | 16 | 101 | 305 | 206 | 377 | 863   | 1,951 | 2,925 | 2,781 | 2,476 | 885 | - |
| 2005..... | 13,152 | 18 | 84  | 324 | 234 | 379 | 948   | 1,943 | 2,839 | 2,943 | 2,633 | 807 | - |
| 2004..... | 12,829 | 19 | 102 | 325 | 223 | 359 | 904   | 1,902 | 2,750 | 2,895 | 2,543 | 807 | - |
| 2003..... | 12,901 | 18 | 104 | 336 | 236 | 405 | 1,079 | 1,962 | 2,698 | 2,836 | 2,510 | 717 | - |
| 2002..... | 12,830 | 12 | 114 | 337 | 210 | 388 | 1,009 | 2,058 | 2,560 | 2,954 | 2,435 | 753 | - |
| 2001..... | 12,609 | 16 | 100 | 300 | 224 | 416 | 1,028 | 1,951 | 2,464 | 2,823 | 2,566 | 721 | - |
| 2000..... | 12,655 | 20 | 104 | 316 | 225 | 406 | 1,096 | 1,924 | 2,337 | 3,032 | 2,478 | 717 | - |
| 1999..... | 12,765 | 10 | 113 | 308 | 218 | 444 | 1,065 | 1,880 | 2,453 | 3,119 | 2,492 | 663 | - |

All origins, male

|           |       |    |    |     |     |     |     |       |       |       |       |     |   |
|-----------|-------|----|----|-----|-----|-----|-----|-------|-------|-------|-------|-----|---|
| 2007..... | 7,315 | 6  | 62 | 144 | 113 | 229 | 527 | 1,150 | 1,782 | 1,645 | 1,282 | 375 | - |
| 2006..... | 7,198 | 5  | 56 | 166 | 118 | 215 | 535 | 1,161 | 1,737 | 1,575 | 1,272 | 358 | - |
| 2005..... | 7,317 | 12 | 38 | 171 | 144 | 248 | 604 | 1,160 | 1,653 | 1,643 | 1,335 | 309 | - |
| 2004..... | 7,074 | 10 | 56 | 173 | 133 | 218 | 560 | 1,191 | 1,653 | 1,551 | 1,237 | 292 | - |
| 2003..... | 7,122 | 9  | 56 | 175 | 136 | 232 | 639 | 1,233 | 1,530 | 1,556 | 1,267 | 289 | - |
| 2002..... | 7,125 | 8  | 63 | 191 | 136 | 223 | 618 | 1,225 | 1,494 | 1,678 | 1,210 | 279 | - |
| 2001..... | 7,015 | 8  | 52 | 145 | 129 | 262 | 638 | 1,173 | 1,470 | 1,589 | 1,288 | 261 | - |
| 2000..... | 7,011 | 10 | 58 | 176 | 132 | 264 | 704 | 1,148 | 1,379 | 1,678 | 1,187 | 275 | - |
| 1999..... | 7,001 | 8  | 56 | 154 | 131 | 276 | 638 | 1,120 | 1,417 | 1,728 | 1,226 | 247 | - |

Worktable Orig290F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2007

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data - mortality"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, sex, and year | All ages | Under 1 year | 1-4 years | 5-14 years | 15-24 years | 25-34 years | 35-44 years | 45-54 years | 55-64 years | 65-74 years | 75-84 years | 85 years and over | Age not stated |
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|

Malignant neoplasms of meninges, brain and other parts of central nervous system (C70-C72)

All origins, female

|           |       |    |    |     |     |     |     |     |       |       |       |     |   |
|-----------|-------|----|----|-----|-----|-----|-----|-----|-------|-------|-------|-----|---|
| 2007..... | 5,919 | 9  | 47 | 158 | 91  | 140 | 318 | 766 | 1,193 | 1,357 | 1,326 | 514 | - |
| 2006..... | 5,688 | 11 | 45 | 139 | 88  | 162 | 328 | 790 | 1,188 | 1,206 | 1,204 | 527 | - |
| 2005..... | 5,835 | 6  | 46 | 153 | 90  | 131 | 344 | 783 | 1,186 | 1,300 | 1,298 | 498 | - |
| 2004..... | 5,755 | 9  | 46 | 152 | 90  | 141 | 344 | 711 | 1,097 | 1,344 | 1,306 | 515 | - |
| 2003..... | 5,779 | 9  | 48 | 161 | 100 | 173 | 440 | 729 | 1,168 | 1,280 | 1,243 | 428 | - |
| 2002..... | 5,705 | 4  | 51 | 146 | 74  | 165 | 391 | 833 | 1,066 | 1,276 | 1,225 | 474 | - |
| 2001..... | 5,594 | 8  | 48 | 155 | 95  | 154 | 390 | 778 | 994   | 1,234 | 1,278 | 460 | - |
| 2000..... | 5,644 | 10 | 46 | 140 | 93  | 142 | 392 | 776 | 958   | 1,354 | 1,291 | 442 | - |
| 1999..... | 5,764 | 2  | 57 | 154 | 87  | 168 | 427 | 760 | 1,036 | 1,391 | 1,266 | 416 | - |

Hispanic, both sexes

|           |     |   |    |    |    |    |    |     |     |     |     |    |   |
|-----------|-----|---|----|----|----|----|----|-----|-----|-----|-----|----|---|
| 2007..... | 815 | 3 | 21 | 56 | 41 | 42 | 79 | 144 | 155 | 128 | 115 | 31 | - |
| 2006..... | 728 | 3 | 25 | 57 | 20 | 47 | 76 | 129 | 137 | 103 | 100 | 31 | - |
| 2005..... | 771 | 6 | 21 | 54 | 37 | 36 | 83 | 124 | 141 | 135 | 98  | 36 | - |
| 2004..... | 671 | 6 | 16 | 57 | 38 | 33 | 66 | 95  | 131 | 114 | 85  | 30 | - |
| 2003..... | 669 | 5 | 20 | 62 | 23 | 44 | 63 | 97  | 123 | 116 | 98  | 18 | - |
| 2002..... | 649 | 2 | 21 | 52 | 24 | 33 | 55 | 123 | 115 | 118 | 82  | 24 | - |
| 2001..... | 617 | 4 | 20 | 37 | 28 | 38 | 77 | 87  | 109 | 117 | 82  | 18 | - |
| 2000..... | 631 | 4 | 16 | 63 | 28 | 45 | 76 | 92  | 106 | 105 | 72  | 24 | - |
| 1999..... | 568 | 4 | 27 | 48 | 18 | 31 | 65 | 88  | 99  | 104 | 67  | 17 | - |

Worktable Orig290F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2007

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data - mortality"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, sex, and year | All ages | Under 1 year | 1-4 years | 5-14 years | 15-24 years | 25-34 years | 35-44 years | 45-54 years | 55-64 years | 65-74 years | 75-84 years | 85 years and over | Age not stated |
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|
| Malignant neoplasms of meninges, brain and other parts of central nervous system (C70-C72)   |          |              |           |            |             |             |             |             |             |             |             |                   |                |
| Hispanic, male   |          |              |           |            |             |             |             |             |             |             |             |                   |                |
| 2007.....  | 437      | 1            | 15        | 26         | 25          | 26          | 47          | 80          | 86          | 61          | 59          | 11                | -              |
| 2006.....  | 401      | -            | 17        | 31         | 12          | 24          | 53          | 76          | 73          | 57          | 51          | 7                 | -              |
| 2005.....  | 431      | 2            | 9         | 21         | 23          | 26          | 54          | 77          | 84          | 68          | 54          | 13                | -              |
| 2004.....  | 365      | 2            | 8         | 25         | 23          | 19          | 44          | 59          | 76          | 57          | 43          | 9                 | -              |
| 2003.....  | 368      | 2            | 10        | 36         | 15          | 26          | 38          | 61          | 62          | 64          | 43          | 11                | -              |
| 2002.....  | 359      | 2            | 12        | 27         | 16          | 16          | 30          | 80          | 62          | 65          | 39          | 10                | -              |
| 2001.....  | 335      | 1            | 10        | 16         | 19          | 21          | 41          | 50          | 59          | 72          | 40          | 6                 | -              |
| 2000.....  | 346      | 1            | 10        | 41         | 16          | 27          | 40          | 41          | 62          | 59          | 38          | 11                | -              |
| 1999.....  | 293      | 4            | 11        | 22         | 10          | 17          | 45          | 42          | 60          | 48          | 31          | 3                 | -              |
| Hispanic, female   |          |              |           |            |             |             |             |             |             |             |             |                   |                |
| 2007.....  | 378      | 2            | 6         | 30         | 16          | 16          | 32          | 64          | 69          | 67          | 56          | 20                | -              |
| 2006.....  | 327      | 3            | 8         | 26         | 8           | 23          | 23          | 53          | 64          | 46          | 49          | 24                | -              |
| 2005.....  | 340      | 4            | 12        | 33         | 14          | 10          | 29          | 47          | 57          | 67          | 44          | 23                | -              |
| 2004.....  | 306      | 4            | 8         | 32         | 15          | 14          | 22          | 36          | 55          | 57          | 42          | 21                | -              |
| 2003.....  | 301      | 3            | 10        | 26         | 8           | 18          | 25          | 36          | 61          | 52          | 55          | 7                 | -              |
| 2002.....  | 290      | -            | 9         | 25         | 8           | 17          | 25          | 43          | 53          | 53          | 43          | 14                | -              |
| 2001.....  | 282      | 3            | 10        | 21         | 9           | 17          | 36          | 37          | 50          | 45          | 42          | 12                | -              |
| 2000.....  | 285      | 3            | 6         | 22         | 12          | 18          | 36          | 51          | 44          | 46          | 34          | 13                | -              |
| 1999.....  | 275      | -            | 16        | 26         | 8           | 14          | 20          | 46          | 39          | 56          | 36          | 14                | -              |

Worktable Orig290F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2007

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data - mortality"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, sex, and year | All ages | Under 1 year | 1-4 years | 5-14 years | 15-24 years | 25-34 years | 35-44 years | 45-54 years | 55-64 years | 65-74 years | 75-84 years | 85 years and over | Age not stated |
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|
| Malignant neoplasms of meninges, brain and other parts of central nervous system (C70-C72)   |          |              |           |            |             |             |             |             |             |             |             |                   |                |
| Non-Hispanic 1/, both sexes  |          |              |           |            |             |             |             |             |             |             |             |                   |                |
| 2007.....  | 12,407   | 12           | 88        | 246        | 163         | 327         | 765         | 1,770       | 2,818       | 2,872       | 2,489       | 857               | -              |
| 2006.....  | 12,141   | 13           | 76        | 247        | 185         | 329         | 786         | 1,818       | 2,787       | 2,674       | 2,372       | 854               | -              |
| 2005.....  | 12,364   | 12           | 62        | 270        | 196         | 340         | 864         | 1,816       | 2,695       | 2,805       | 2,533       | 771               | -              |
| 2004.....  | 12,137   | 13           | 86        | 267        | 183         | 326         | 835         | 1,806       | 2,612       | 2,777       | 2,455       | 777               | -              |
| 2003.....  | 12,213   | 13           | 84        | 273        | 213         | 361         | 1,012       | 1,863       | 2,573       | 2,715       | 2,408       | 698               | -              |
| 2002.....  | 12,152   | 10           | 93        | 284        | 184         | 355         | 951         | 1,929       | 2,438       | 2,831       | 2,349       | 728               | -              |
| 2001.....  | 11,967   | 12           | 79        | 261        | 196         | 377         | 950         | 1,862       | 2,346       | 2,703       | 2,479       | 702               | -              |
| 2000.....  | 11,995   | 16           | 87        | 253        | 197         | 361         | 1,019       | 1,828       | 2,222       | 2,923       | 2,398       | 691               | -              |
| 1999.....  | 12,173   | 6            | 86        | 260        | 199         | 413         | 1,000       | 1,789       | 2,348       | 3,010       | 2,418       | 644               | -              |
| Non-Hispanic 1/, male  |          |              |           |            |             |             |             |             |             |             |             |                   |                |
| 2007.....  | 6,873    | 5            | 47        | 118        | 88          | 203         | 480         | 1,069       | 1,695       | 1,583       | 1,221       | 364               | -              |
| 2006.....  | 6,787    | 5            | 39        | 135        | 105         | 190         | 481         | 1,082       | 1,663       | 1,518       | 1,218       | 351               | -              |
| 2005.....  | 6,877    | 10           | 29        | 150        | 120         | 220         | 550         | 1,080       | 1,567       | 1,574       | 1,281       | 296               | -              |
| 2004.....  | 6,699    | 8            | 48        | 148        | 109         | 199         | 513         | 1,131       | 1,573       | 1,493       | 1,194       | 283               | -              |
| 2003.....  | 6,746    | 7            | 46        | 139        | 121         | 206         | 598         | 1,171       | 1,468       | 1,489       | 1,223       | 278               | -              |
| 2002.....  | 6,752    | 6            | 51        | 164        | 120         | 207         | 586         | 1,142       | 1,427       | 1,612       | 1,168       | 269               | -              |
| 2001.....  | 6,667    | 7            | 41        | 128        | 110         | 241         | 596         | 1,122       | 1,406       | 1,516       | 1,245       | 255               | -              |
| 2000.....  | 6,646    | 9            | 47        | 135        | 116         | 237         | 663         | 1,103       | 1,313       | 1,615       | 1,145       | 263               | -              |
| 1999.....  | 6,696    | 4            | 45        | 132        | 121         | 259         | 593         | 1,076       | 1,353       | 1,678       | 1,191       | 244               | -              |



Worktable Orig290F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2007

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data - mortality"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, sex, and year | All ages | Under 1 year | 1-4 years | 5-14 years | 15-24 years | 25-34 years | 35-44 years | 45-54 years | 55-64 years | 65-74 years | 75-84 years | 85 years and over | Age not stated |
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|

Malignant neoplasms of meninges, brain and other parts of central nervous system (C70-C72)

Non-Hispanic 1/, female

|           |       |   |    |     |    |     |     |     |       |       |       |     |   |
|-----------|-------|---|----|-----|----|-----|-----|-----|-------|-------|-------|-----|---|
| 2007..... | 5,534 | 7 | 41 | 128 | 75 | 124 | 285 | 701 | 1,123 | 1,289 | 1,268 | 493 | - |
| 2006..... | 5,354 | 8 | 37 | 112 | 80 | 139 | 305 | 736 | 1,124 | 1,156 | 1,154 | 503 | - |
| 2005..... | 5,487 | 2 | 33 | 120 | 76 | 120 | 314 | 736 | 1,128 | 1,231 | 1,252 | 475 | - |
| 2004..... | 5,438 | 5 | 38 | 119 | 74 | 127 | 322 | 675 | 1,039 | 1,284 | 1,261 | 494 | - |
| 2003..... | 5,467 | 6 | 38 | 134 | 92 | 155 | 414 | 692 | 1,105 | 1,226 | 1,185 | 420 | - |
| 2002..... | 5,400 | 4 | 42 | 120 | 64 | 148 | 365 | 787 | 1,011 | 1,219 | 1,181 | 459 | - |
| 2001..... | 5,300 | 5 | 38 | 133 | 86 | 136 | 354 | 740 | 940   | 1,187 | 1,234 | 447 | - |
| 2000..... | 5,349 | 7 | 40 | 118 | 81 | 124 | 356 | 725 | 909   | 1,308 | 1,253 | 428 | - |
| 1999..... | 5,477 | 2 | 41 | 128 | 78 | 154 | 407 | 713 | 995   | 1,332 | 1,227 | 400 | - |

Non-Hispanic white, both sexes

|              |        |    |    |     |     |     |     |       |       |       |       |     |   |
|--------------|--------|----|----|-----|-----|-----|-----|-------|-------|-------|-------|-----|---|
| 2007 2/..... | 11,375 | 10 | 74 | 199 | 132 | 276 | 677 | 1,575 | 2,595 | 2,662 | 2,370 | 805 | - |
| 2006 2/..... | 11,119 | 11 | 54 | 189 | 144 | 279 | 695 | 1,657 | 2,569 | 2,477 | 2,244 | 800 | - |
| 2005 2/..... | 11,313 | 9  | 47 | 208 | 161 | 293 | 767 | 1,643 | 2,481 | 2,609 | 2,374 | 721 | - |
| 2004 2/..... | 11,121 | 12 | 68 | 194 | 145 | 274 | 737 | 1,616 | 2,427 | 2,598 | 2,321 | 729 | - |
| 2003 2/..... | 11,179 | 10 | 65 | 209 | 174 | 314 | 911 | 1,678 | 2,373 | 2,520 | 2,276 | 649 | - |
| 2002.....    | 11,139 | 5  | 59 | 214 | 150 | 305 | 865 | 1,756 | 2,243 | 2,646 | 2,209 | 687 | - |
| 2001.....    | 11,004 | 8  | 63 | 205 | 155 | 335 | 864 | 1,695 | 2,155 | 2,509 | 2,356 | 659 | - |
| 2000.....    | 11,026 | 12 | 65 | 194 | 156 | 315 | 896 | 1,678 | 2,047 | 2,756 | 2,260 | 647 | - |
| 1999.....    | 11,238 | 3  | 70 | 195 | 152 | 372 | 902 | 1,635 | 2,171 | 2,839 | 2,293 | 606 | - |

Worktable Orig290F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2007

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data - mortality"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, sex, and year | All ages | Under 1 year | 1-4 years | 5-14 years | 15-24 years | 25-34 years | 35-44 years | 45-54 years | 55-64 years | 65-74 years | 75-84 years | 85 years and over | Age not stated |
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|
| <b>Malignant neoplasms of meninges, brain and other parts of central nervous system (C70-C72)</b>  |          |              |           |            |             |             |             |             |             |             |             |                   |                |
| <b>Non-Hispanic white, male</b>  |          |              |           |            |             |             |             |             |             |             |             |                   |                |
| 2007 2/.....   | 6,328    | 4            | 38        | 97         | 75          | 168         | 425         | 962         | 1,562       | 1,475       | 1,173       | 349               | -              |
| 2006 2/.....   | 6,245    | 5            | 31        | 109        | 81          | 167         | 432         | 990         | 1,537       | 1,411       | 1,153       | 329               | -              |
| 2005 2/.....   | 6,289    | 8            | 20        | 114        | 98          | 189         | 496         | 977         | 1,441       | 1,471       | 1,196       | 279               | -              |
| 2004 2/.....   | 6,139    | 7            | 37        | 110        | 89          | 168         | 447         | 1,009       | 1,462       | 1,416       | 1,122       | 272               | -              |
| 2003 2/.....   | 6,178    | 6            | 38        | 103        | 97          | 181         | 533         | 1,059       | 1,362       | 1,385       | 1,153       | 261               | -              |
| 2002.....  | 6,195    | 3            | 34        | 116        | 101         | 175         | 540         | 1,051       | 1,306       | 1,515       | 1,097       | 257               | -              |
| 2001.....  | 6,154    | 5            | 35        | 96         | 88          | 217         | 547         | 1,030       | 1,293       | 1,427       | 1,181       | 235               | -              |
| 2000.....  | 6,128    | 8            | 35        | 101        | 93          | 200         | 591         | 1,015       | 1,219       | 1,531       | 1,086       | 249               | -              |
| 1999.....  | 6,193    | 2            | 39        | 104        | 91          | 233         | 533         | 980         | 1,252       | 1,591       | 1,136       | 232               | -              |
| <b>Non-Hispanic white, female</b>  |          |              |           |            |             |             |             |             |             |             |             |                   |                |
| 2007 2/.....   | 5,047    | 6            | 36        | 102        | 57          | 108         | 252         | 613         | 1,033       | 1,187       | 1,197       | 456               | -              |
| 2006 2/.....   | 4,874    | 6            | 23        | 80         | 63          | 112         | 263         | 667         | 1,032       | 1,066       | 1,091       | 471               | -              |
| 2005 2/.....   | 5,024    | 1            | 27        | 94         | 63          | 104         | 271         | 666         | 1,040       | 1,138       | 1,178       | 442               | -              |
| 2004 2/.....   | 4,982    | 5            | 31        | 84         | 56          | 106         | 290         | 607         | 965         | 1,182       | 1,199       | 457               | -              |
| 2003 2/.....   | 5,001    | 4            | 27        | 106        | 77          | 133         | 378         | 619         | 1,011       | 1,135       | 1,123       | 388               | -              |
| 2002.....  | 4,944    | 2            | 25        | 98         | 49          | 130         | 325         | 705         | 937         | 1,131       | 1,112       | 430               | -              |
| 2001.....  | 4,850    | 3            | 28        | 109        | 67          | 118         | 317         | 665         | 862         | 1,082       | 1,175       | 424               | -              |
| 2000.....  | 4,898    | 4            | 30        | 93         | 63          | 115         | 305         | 663         | 828         | 1,225       | 1,174       | 398               | -              |
| 1999.....  | 5,045    | 1            | 31        | 91         | 61          | 139         | 369         | 655         | 919         | 1,248       | 1,157       | 374               | -              |

Worktable Orig290F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2007

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data - mortality"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, sex, and year | All ages | Under 1 year | 1-4 years | 5-14 years | 15-24 years | 25-34 years | 35-44 years | 45-54 years | 55-64 years | 65-74 years | 75-84 years | 85 years and over | Age not stated |
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|

Malignant neoplasms of meninges, brain and other parts of central nervous system (C70-C72)

Non-Hispanic black, both sexes

|              |     |   |    |    |    |    |    |     |     |     |     |    |   |
|--------------|-----|---|----|----|----|----|----|-----|-----|-----|-----|----|---|
| 2007 2/..... | 773 | 2 | 7  | 37 | 20 | 32 | 54 | 152 | 174 | 172 | 88  | 35 | - |
| 2006 2/..... | 754 | 2 | 17 | 46 | 29 | 25 | 64 | 128 | 169 | 143 | 95  | 36 | - |
| 2005 2/..... | 781 | 3 | 13 | 48 | 23 | 28 | 64 | 136 | 164 | 146 | 121 | 35 | - |
| 2004 2/..... | 750 | - | 17 | 48 | 32 | 36 | 70 | 137 | 141 | 134 | 98  | 37 | - |
| 2003 2/..... | 799 | 2 | 17 | 48 | 34 | 33 | 82 | 145 | 151 | 149 | 102 | 36 | - |
| 2002.....    | 766 | 3 | 27 | 54 | 26 | 33 | 68 | 125 | 144 | 142 | 112 | 32 | - |
| 2001.....    | 736 | 1 | 10 | 44 | 29 | 28 | 63 | 133 | 145 | 153 | 92  | 38 | - |
| 2000.....    | 762 | 2 | 18 | 51 | 35 | 36 | 88 | 119 | 138 | 133 | 109 | 33 | - |
| 1999.....    | 754 | 3 | 11 | 54 | 37 | 36 | 76 | 128 | 142 | 132 | 104 | 31 | - |

Non-Hispanic black, male

|              |     |   |    |    |    |    |    |    |     |    |    |    |   |
|--------------|-----|---|----|----|----|----|----|----|-----|----|----|----|---|
| 2007 2/..... | 397 | 1 | 4  | 14 | 5  | 20 | 35 | 85 | 103 | 85 | 35 | 10 | - |
| 2006 2/..... | 405 | - | 7  | 20 | 20 | 13 | 38 | 74 | 100 | 76 | 45 | 12 | - |
| 2005 2/..... | 434 | 2 | 8  | 26 | 14 | 21 | 35 | 84 | 95  | 76 | 64 | 9  | - |
| 2004 2/..... | 406 | - | 10 | 24 | 14 | 19 | 48 | 88 | 87  | 57 | 51 | 8  | - |
| 2003 2/..... | 440 | 1 | 6  | 27 | 21 | 18 | 55 | 88 | 81  | 82 | 54 | 7  | - |
| 2002.....    | 400 | 2 | 12 | 35 | 14 | 22 | 35 | 56 | 92  | 70 | 55 | 7  | - |
| 2001.....    | 378 | - | 3  | 25 | 16 | 14 | 33 | 75 | 87  | 70 | 40 | 15 | - |
| 2000.....    | 407 | 1 | 10 | 30 | 21 | 28 | 52 | 71 | 76  | 66 | 43 | 9  | - |
| 1999.....    | 399 | 2 | 4  | 24 | 24 | 23 | 47 | 81 | 76  | 68 | 40 | 10 | - |

Worktable Orig290F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2007

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data - mortality"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, sex, and year | All ages | Under 1 year | 1-4 years | 5-14 years | 15-24 years | 25-34 years | 35-44 years | 45-54 years | 55-64 years | 65-74 years | 75-84 years | 85 years and over | Age not stated |
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|

Malignant neoplasms of meninges, brain and other parts of central nervous system (C70-C72)

Non-Hispanic black, female

|              |     |   |    |    |    |    |    |    |    |    |    |    |   |
|--------------|-----|---|----|----|----|----|----|----|----|----|----|----|---|
| 2007 2/..... | 376 | 1 | 3  | 23 | 15 | 12 | 19 | 67 | 71 | 87 | 53 | 25 | - |
| 2006 2/..... | 349 | 2 | 10 | 26 | 9  | 12 | 26 | 54 | 69 | 67 | 50 | 24 | - |
| 2005 2/..... | 347 | 1 | 5  | 22 | 9  | 7  | 29 | 52 | 69 | 70 | 57 | 26 | - |
| 2004 2/..... | 344 | - | 7  | 24 | 18 | 17 | 22 | 49 | 54 | 77 | 47 | 29 | - |
| 2003 2/..... | 359 | 1 | 11 | 21 | 13 | 15 | 27 | 57 | 70 | 67 | 48 | 29 | - |
| 2002.....    | 366 | 1 | 15 | 19 | 12 | 11 | 33 | 69 | 52 | 72 | 57 | 25 | - |
| 2001.....    | 358 | 1 | 7  | 19 | 13 | 14 | 30 | 58 | 58 | 83 | 52 | 23 | - |
| 2000.....    | 355 | 1 | 8  | 21 | 14 | 8  | 36 | 48 | 62 | 67 | 66 | 24 | - |
| 1999.....    | 355 | 1 | 7  | 30 | 13 | 13 | 29 | 47 | 66 | 64 | 64 | 21 | - |

Origin not stated 3/, both sexes

|           |    |   |   |   |   |   |   |   |   |   |   |   |   |
|-----------|----|---|---|---|---|---|---|---|---|---|---|---|---|
| 2007..... | 12 | - | - | - | - | - | 1 | 2 | 2 | 2 | 4 | 1 | - |
| 2006..... | 17 | - | - | 1 | 1 | 1 | 1 | 4 | 1 | 4 | 4 | - | - |
| 2005..... | 17 | - | 1 | - | 1 | 3 | 1 | 3 | 3 | 3 | 2 | - | - |
| 2004..... | 21 | - | - | 1 | 2 | - | 3 | 1 | 7 | 4 | 3 | - | - |
| 2003..... | 19 | - | - | 1 | - | - | 4 | 2 | 2 | 5 | 4 | 1 | - |
| 2002..... | 29 | - | - | 1 | 2 | - | 3 | 6 | 7 | 5 | 4 | 1 | - |
| 2001..... | 25 | - | 1 | 2 | - | 1 | 1 | 2 | 9 | 3 | 5 | 1 | - |
| 2000..... | 29 | - | 1 | - | - | - | 1 | 4 | 9 | 4 | 8 | 2 | - |
| 1999..... | 24 | - | - | - | 1 | - | - | 3 | 6 | 5 | 7 | 2 | - |

Worktable Orig290F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2007

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data - mortality"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, sex, and year | All ages | Under 1 year | 1-4 years | 5-14 years | 15-24 years | 25-34 years | 35-44 years | 45-54 years | 55-64 years | 65-74 years | 75-84 years | 85 years and over | Age not stated |
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|

Malignant neoplasms of meninges, brain and other parts of central nervous system (C70-C72)

Origin not stated 3/, male

|           |    |   |   |   |   |   |   |   |   |   |   |   |   |
|-----------|----|---|---|---|---|---|---|---|---|---|---|---|---|
| 2007..... | 5  | - | - | - | - | - | - | 1 | 1 | 1 | 2 | - | - |
| 2006..... | 10 | - | - | - | 1 | 1 | 1 | 3 | 1 | - | 3 | - | - |
| 2005..... | 9  | - | - | - | 1 | 2 | - | 3 | 2 | 1 | - | - | - |
| 2004..... | 10 | - | - | - | 1 | - | 3 | 1 | 4 | 1 | - | - | - |
| 2003..... | 8  | - | - | - | - | - | 3 | 1 | - | 3 | 1 | - | - |
| 2002..... | 14 | - | - | - | - | - | 2 | 3 | 5 | 1 | 3 | - | - |
| 2001..... | 13 | - | 1 | 1 | - | - | 1 | 1 | 5 | 1 | 3 | - | - |
| 2000..... | 19 | - | 1 | - | - | - | 1 | 4 | 4 | 4 | 4 | 1 | - |
| 1999..... | 12 | - | - | - | - | - | - | 2 | 4 | 2 | 4 | - | - |

Origin not stated 3/, female

|           |    |   |   |   |   |   |   |   |   |   |   |   |   |
|-----------|----|---|---|---|---|---|---|---|---|---|---|---|---|
| 2007..... | 7  | - | - | - | - | - | 1 | 1 | 1 | 1 | 2 | 1 | - |
| 2006..... | 7  | - | - | 1 | - | - | - | 1 | - | 4 | 1 | - | - |
| 2005..... | 8  | - | 1 | - | - | 1 | 1 | - | 1 | 2 | 2 | - | - |
| 2004..... | 11 | - | - | 1 | 1 | - | - | - | 3 | 3 | 3 | - | - |
| 2003..... | 11 | - | - | 1 | - | - | 1 | 1 | 2 | 2 | 3 | 1 | - |
| 2002..... | 15 | - | - | 1 | 2 | - | 1 | 3 | 2 | 4 | 1 | 1 | - |
| 2001..... | 12 | - | - | 1 | - | 1 | - | 1 | 4 | 2 | 2 | 1 | - |
| 2000..... | 10 | - | - | - | - | - | - | - | 5 | - | 4 | 1 | - |
| 1999..... | 12 | - | - | - | 1 | - | - | 1 | 2 | 3 | 3 | 2 | - |

Worktable Orig290F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2007

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data - mortality"]

---

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, sex, and year

|  | All ages | Under 1 year | 1-4 years | 5-14 years | 15-24 years | 25-34 years | 35-44 years | 45-54 years | 55-64 years | 65-74 years | 75-84 years | 85 years and over | Age not stated |
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|

---

Malignant neoplasms of lymphoid, hematopoietic and related tissue (C81-C96)

All origins, both sexes

|           |        |    |     |     |     |     |       |       |       |        |        |        |   |
|-----------|--------|----|-----|-----|-----|-----|-------|-------|-------|--------|--------|--------|---|
| 2007..... | 54,991 | 26 | 111 | 352 | 630 | 771 | 1,464 | 3,606 | 7,694 | 12,223 | 17,884 | 10,228 | 2 |
| 2006..... | 55,045 | 32 | 132 | 298 | 662 | 828 | 1,536 | 3,696 | 7,695 | 12,335 | 17,974 | 9,856  | 1 |
| 2005..... | 55,028 | 24 | 128 | 335 | 655 | 811 | 1,498 | 3,687 | 7,623 | 12,487 | 18,109 | 9,671  | - |
| 2004..... | 54,645 | 25 | 122 | 359 | 645 | 822 | 1,514 | 3,741 | 7,491 | 12,588 | 18,132 | 9,206  | - |
| 2003..... | 55,679 | 31 | 138 | 394 | 606 | 865 | 1,728 | 3,785 | 7,471 | 12,885 | 18,442 | 9,334  | - |
| 2002..... | 56,225 | 28 | 119 | 379 | 703 | 916 | 1,751 | 3,960 | 7,500 | 13,508 | 18,289 | 9,072  | - |
| 2001..... | 56,341 | 27 | 157 | 367 | 705 | 988 | 1,857 | 4,064 | 7,455 | 13,659 | 18,257 | 8,805  | - |
| 2000..... | 56,518 | 39 | 146 | 372 | 718 | 918 | 1,853 | 4,025 | 7,284 | 14,041 | 18,448 | 8,674  | - |
| 1999..... | 56,318 | 30 | 137 | 351 | 720 | 960 | 1,913 | 3,950 | 7,554 | 14,332 | 18,089 | 8,282  | - |

All origins, male

|           |        |    |    |     |     |     |       |       |       |       |       |       |   |
|-----------|--------|----|----|-----|-----|-----|-------|-------|-------|-------|-------|-------|---|
| 2007..... | 30,198 | 18 | 56 | 207 | 377 | 461 | 889   | 2,199 | 4,631 | 7,175 | 9,681 | 4,503 | 1 |
| 2006..... | 30,007 | 18 | 71 | 177 | 435 | 500 | 906   | 2,234 | 4,694 | 7,141 | 9,699 | 4,131 | 1 |
| 2005..... | 30,031 | 12 | 84 | 206 | 411 | 464 | 880   | 2,175 | 4,543 | 7,385 | 9,662 | 4,209 | - |
| 2004..... | 29,522 | 10 | 72 | 214 | 399 | 489 | 915   | 2,253 | 4,497 | 7,368 | 9,462 | 3,843 | - |
| 2003..... | 30,076 | 10 | 80 | 225 | 375 | 535 | 1,043 | 2,294 | 4,557 | 7,550 | 9,524 | 3,883 | - |
| 2002..... | 30,302 | 15 | 63 | 217 | 417 | 545 | 1,038 | 2,341 | 4,470 | 7,903 | 9,553 | 3,740 | - |
| 2001..... | 30,060 | 12 | 82 | 217 | 426 | 574 | 1,133 | 2,442 | 4,412 | 7,859 | 9,327 | 3,576 | - |
| 2000..... | 29,888 | 21 | 76 | 223 | 455 | 539 | 1,075 | 2,399 | 4,205 | 8,038 | 9,399 | 3,458 | - |
| 1999..... | 29,721 | 12 | 75 | 206 | 437 | 557 | 1,144 | 2,368 | 4,426 | 8,067 | 9,100 | 3,329 | - |

Worktable Orig290F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2007

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data - mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, sex, and year

|  | All ages | Under 1 year | 1-4 years | 5-14 years | 15-24 years | 25-34 years | 35-44 years | 45-54 years | 55-64 years | 65-74 years | 75-84 years | 85 years and over | Age not stated |
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|

Malignant neoplasms of lymphoid, hematopoietic and related tissue (C81-C96)

All origins, female

|           |        |    |    |     |     |     |     |       |       |       |       |       |   |
|-----------|--------|----|----|-----|-----|-----|-----|-------|-------|-------|-------|-------|---|
| 2007..... | 24,793 | 8  | 55 | 145 | 253 | 310 | 575 | 1,407 | 3,063 | 5,048 | 8,203 | 5,725 | 1 |
| 2006..... | 25,038 | 14 | 61 | 121 | 227 | 328 | 630 | 1,462 | 3,001 | 5,194 | 8,275 | 5,725 | - |
| 2005..... | 24,997 | 12 | 44 | 129 | 244 | 347 | 618 | 1,512 | 3,080 | 5,102 | 8,447 | 5,462 | - |
| 2004..... | 25,123 | 15 | 50 | 145 | 246 | 333 | 599 | 1,488 | 2,994 | 5,220 | 8,670 | 5,363 | - |
| 2003..... | 25,603 | 21 | 58 | 169 | 231 | 330 | 685 | 1,491 | 2,914 | 5,335 | 8,918 | 5,451 | - |
| 2002..... | 25,923 | 13 | 56 | 162 | 286 | 371 | 713 | 1,619 | 3,030 | 5,605 | 8,736 | 5,332 | - |
| 2001..... | 26,281 | 15 | 75 | 150 | 279 | 414 | 724 | 1,622 | 3,043 | 5,800 | 8,930 | 5,229 | - |
| 2000..... | 26,630 | 18 | 70 | 149 | 263 | 379 | 778 | 1,626 | 3,079 | 6,003 | 9,049 | 5,216 | - |
| 1999..... | 26,597 | 18 | 62 | 145 | 283 | 403 | 769 | 1,582 | 3,128 | 6,265 | 8,989 | 4,953 | - |

Hispanic, both sexes

|           |       |   |    |     |     |     |     |     |     |     |     |     |   |
|-----------|-------|---|----|-----|-----|-----|-----|-----|-----|-----|-----|-----|---|
| 2007..... | 3,289 | 4 | 20 | 108 | 151 | 167 | 224 | 348 | 562 | 699 | 740 | 266 | - |
| 2006..... | 3,094 | 8 | 27 | 64  | 148 | 160 | 209 | 322 | 473 | 706 | 719 | 258 | - |
| 2005..... | 3,110 | 7 | 28 | 87  | 155 | 150 | 182 | 344 | 497 | 696 | 712 | 252 | - |
| 2004..... | 2,866 | 8 | 26 | 109 | 141 | 149 | 197 | 312 | 441 | 613 | 653 | 217 | - |
| 2003..... | 2,836 | 6 | 44 | 97  | 131 | 147 | 202 | 323 | 425 | 576 | 635 | 250 | - |
| 2002..... | 2,829 | 3 | 28 | 93  | 145 | 139 | 225 | 282 | 437 | 634 | 604 | 239 | - |
| 2001..... | 2,747 | 7 | 38 | 87  | 144 | 154 | 211 | 279 | 442 | 597 | 573 | 215 | - |
| 2000..... | 2,643 | 8 | 29 | 74  | 129 | 124 | 200 | 280 | 427 | 633 | 523 | 216 | - |
| 1999..... | 2,538 | 8 | 28 | 75  | 128 | 135 | 190 | 299 | 396 | 606 | 485 | 188 | - |

Worktable Orig290F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2007

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data - mortality"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, sex, and year | All ages | Under 1 year | 1-4 years | 5-14 years | 15-24 years | 25-34 years | 35-44 years | 45-54 years | 55-64 years | 65-74 years | 75-84 years | 85 years and over | Age not stated |
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|
| Malignant neoplasms of lymphoid, hematopoietic and related tissue (C81-C96)  |          |              |           |            |             |             |             |             |             |             |             |                   |                |
| Hispanic, male   |          |              |           |            |             |             |             |             |             |             |             |                   |                |
| 2007.....  | 1,760    | 2            | 10        | 56         | 86          | 91          | 131         | 211         | 296         | 379         | 367         | 131               | -              |
| 2006.....  | 1,685    | 5            | 16        | 33         | 99          | 94          | 122         | 189         | 273         | 373         | 366         | 115               | -              |
| 2005.....  | 1,719    | 2            | 20        | 51         | 105         | 94          | 111         | 195         | 269         | 382         | 374         | 116               | -              |
| 2004.....  | 1,619    | 3            | 12        | 69         | 100         | 93          | 133         | 200         | 253         | 344         | 327         | 85                | -              |
| 2003.....  | 1,528    | 1            | 26        | 56         | 89          | 96          | 130         | 182         | 241         | 311         | 299         | 97                | -              |
| 2002.....  | 1,518    | 1            | 12        | 47         | 97          | 92          | 132         | 163         | 245         | 331         | 290         | 108               | -              |
| 2001.....  | 1,577    | 2            | 21        | 48         | 99          | 99          | 142         | 164         | 251         | 338         | 318         | 95                | -              |
| 2000.....  | 1,460    | 5            | 14        | 47         | 83          | 83          | 115         | 172         | 247         | 338         | 258         | 98                | -              |
| 1999.....  | 1,319    | 3            | 16        | 42         | 73          | 75          | 108         | 175         | 226         | 312         | 226         | 63                | -              |
| Hispanic, female   |          |              |           |            |             |             |             |             |             |             |             |                   |                |
| 2007.....  | 1,529    | 2            | 10        | 52         | 65          | 76          | 93          | 137         | 266         | 320         | 373         | 135               | -              |
| 2006.....  | 1,409    | 3            | 11        | 31         | 49          | 66          | 87          | 133         | 200         | 333         | 353         | 143               | -              |
| 2005.....  | 1,391    | 5            | 8         | 36         | 50          | 56          | 71          | 149         | 228         | 314         | 338         | 136               | -              |
| 2004.....  | 1,247    | 5            | 14        | 40         | 41          | 56          | 64          | 112         | 188         | 269         | 326         | 132               | -              |
| 2003.....  | 1,308    | 5            | 18        | 41         | 42          | 51          | 72          | 141         | 184         | 265         | 336         | 153               | -              |
| 2002.....  | 1,311    | 2            | 16        | 46         | 48          | 47          | 93          | 119         | 192         | 303         | 314         | 131               | -              |
| 2001.....  | 1,170    | 5            | 17        | 39         | 45          | 55          | 69          | 115         | 191         | 259         | 255         | 120               | -              |
| 2000.....  | 1,183    | 3            | 15        | 27         | 46          | 41          | 85          | 108         | 180         | 295         | 265         | 118               | -              |
| 1999.....  | 1,219    | 5            | 12        | 33         | 55          | 60          | 82          | 124         | 170         | 294         | 259         | 125               | -              |



Worktable Orig290F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2007

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data - mortality"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, sex, and year | All ages | Under 1 year | 1-4 years | 5-14 years | 15-24 years | 25-34 years | 35-44 years | 45-54 years | 55-64 years | 65-74 years | 75-84 years | 85 years and over | Age not stated |
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|
| <b>Malignant neoplasms of lymphoid, hematopoietic and related tissue (C81-C96)</b>   |          |              |           |            |             |             |             |             |             |             |             |                   |                |
| <b>Non-Hispanic 1/, both sexes</b>   |          |              |           |            |             |             |             |             |             |             |             |                   |                |
| 2007.....  | 51,639   | 22           | 91        | 244        | 479         | 604         | 1,238       | 3,252       | 7,122       | 11,512      | 17,121      | 9,953             | 1              |
| 2006.....  | 51,882   | 24           | 105       | 232        | 513         | 668         | 1,325       | 3,370       | 7,209       | 11,614      | 17,236      | 9,585             | 1              |
| 2005.....  | 51,861   | 17           | 100       | 246        | 499         | 659         | 1,312       | 3,334       | 7,115       | 11,782      | 17,382      | 9,415             | -              |
| 2004.....  | 51,695   | 17           | 96        | 247        | 501         | 673         | 1,312       | 3,423       | 7,038       | 11,959      | 17,455      | 8,974             | -              |
| 2003.....  | 52,736   | 25           | 94        | 296        | 474         | 717         | 1,525       | 3,450       | 7,029       | 12,284      | 17,777      | 9,065             | -              |
| 2002.....  | 53,249   | 24           | 91        | 286        | 554         | 775         | 1,518       | 3,663       | 7,048       | 12,839      | 17,636      | 8,815             | -              |
| 2001.....  | 53,458   | 20           | 117       | 279        | 559         | 828         | 1,640       | 3,772       | 6,994       | 13,027      | 17,645      | 8,577             | -              |
| 2000.....  | 53,749   | 31           | 116       | 295        | 586         | 793         | 1,645       | 3,735       | 6,833       | 13,379      | 17,893      | 8,443             | -              |
| 1999.....  | 53,669   | 22           | 108       | 276        | 592         | 823         | 1,719       | 3,642       | 7,143       | 13,704      | 17,561      | 8,079             | -              |
| <b>Non-Hispanic 1/, male</b>   |          |              |           |            |             |             |             |             |             |             |             |                   |                |
| 2007.....  | 28,412   | 16           | 46        | 151        | 291         | 370         | 757         | 1,984       | 4,330       | 6,792       | 9,305       | 4,369             | 1              |
| 2006.....  | 28,283   | 13           | 55        | 142        | 335         | 406         | 783         | 2,042       | 4,415       | 6,760       | 9,320       | 4,011             | 1              |
| 2005.....  | 28,283   | 10           | 64        | 154        | 305         | 369         | 767         | 1,976       | 4,269       | 7,000       | 9,279       | 4,090             | -              |
| 2004.....  | 27,865   | 7            | 60        | 143        | 297         | 396         | 780         | 2,047       | 4,237       | 7,020       | 9,127       | 3,751             | -              |
| 2003.....  | 28,485   | 9            | 54        | 168        | 285         | 438         | 912         | 2,103       | 4,304       | 7,229       | 9,208       | 3,775             | -              |
| 2002.....  | 28,698   | 13           | 51        | 170        | 317         | 452         | 900         | 2,168       | 4,217       | 7,546       | 9,236       | 3,628             | -              |
| 2001.....  | 28,410   | 10           | 60        | 169        | 326         | 473         | 987         | 2,269       | 4,151       | 7,505       | 8,985       | 3,475             | -              |
| 2000.....  | 28,358   | 16           | 61        | 175        | 371         | 455         | 956         | 2,219       | 3,941       | 7,682       | 9,127       | 3,355             | -              |
| 1999.....  | 28,347   | 9            | 58        | 164        | 364         | 481         | 1,032       | 2,190       | 4,195       | 7,740       | 8,853       | 3,261             | -              |

Worktable Orig290F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2007

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data - mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, sex, and year

|  | All ages | Under 1 year | 1-4 years | 5-14 years | 15-24 years | 25-34 years | 35-44 years | 45-54 years | 55-64 years | 65-74 years | 75-84 years | 85 years and over | Age not stated |
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|

Malignant neoplasms of lymphoid, hematopoietic and related tissue (C81-C96)

Non-Hispanic 1/, female

|           |        |    |    |     |     |     |     |       |       |       |       |       |   |
|-----------|--------|----|----|-----|-----|-----|-----|-------|-------|-------|-------|-------|---|
| 2007..... | 23,227 | 6  | 45 | 93  | 188 | 234 | 481 | 1,268 | 2,792 | 4,720 | 7,816 | 5,584 | - |
| 2006..... | 23,599 | 11 | 50 | 90  | 178 | 262 | 542 | 1,328 | 2,794 | 4,854 | 7,916 | 5,574 | - |
| 2005..... | 23,578 | 7  | 36 | 92  | 194 | 290 | 545 | 1,358 | 2,846 | 4,782 | 8,103 | 5,325 | - |
| 2004..... | 23,830 | 10 | 36 | 104 | 204 | 277 | 532 | 1,376 | 2,801 | 4,939 | 8,328 | 5,223 | - |
| 2003..... | 24,251 | 16 | 40 | 128 | 189 | 279 | 613 | 1,347 | 2,725 | 5,055 | 8,569 | 5,290 | - |
| 2002..... | 24,551 | 11 | 40 | 116 | 237 | 323 | 618 | 1,495 | 2,831 | 5,293 | 8,400 | 5,187 | - |
| 2001..... | 25,048 | 10 | 57 | 110 | 233 | 355 | 653 | 1,503 | 2,843 | 5,522 | 8,660 | 5,102 | - |
| 2000..... | 25,391 | 15 | 55 | 120 | 215 | 338 | 689 | 1,516 | 2,892 | 5,697 | 8,766 | 5,088 | - |
| 1999..... | 25,322 | 13 | 50 | 112 | 228 | 342 | 687 | 1,452 | 2,948 | 5,964 | 8,708 | 4,818 | - |

Non-Hispanic white, both sexes

|              |        |    |    |     |     |     |       |       |       |        |        |       |   |
|--------------|--------|----|----|-----|-----|-----|-------|-------|-------|--------|--------|-------|---|
| 2007 2/..... | 45,120 | 17 | 65 | 181 | 342 | 435 | 888   | 2,510 | 5,877 | 9,979  | 15,560 | 9,265 | 1 |
| 2006 2/..... | 45,471 | 18 | 82 | 171 | 379 | 490 | 981   | 2,639 | 5,973 | 10,113 | 15,743 | 8,881 | 1 |
| 2005 2/..... | 45,619 | 14 | 66 | 186 | 370 | 434 | 994   | 2,570 | 5,967 | 10,276 | 15,954 | 8,788 | - |
| 2004 2/..... | 45,383 | 13 | 69 | 183 | 373 | 479 | 1,002 | 2,705 | 5,933 | 10,394 | 15,920 | 8,312 | - |
| 2003 2/..... | 46,553 | 23 | 72 | 218 | 355 | 524 | 1,166 | 2,727 | 5,996 | 10,779 | 16,253 | 8,440 | - |
| 2002.....    | 47,058 | 15 | 72 | 213 | 430 | 570 | 1,183 | 2,897 | 5,930 | 11,327 | 16,202 | 8,219 | - |
| 2001.....    | 47,190 | 17 | 97 | 198 | 422 | 595 | 1,255 | 3,057 | 5,878 | 11,492 | 16,199 | 7,980 | - |
| 2000.....    | 47,695 | 30 | 92 | 232 | 420 | 585 | 1,283 | 3,017 | 5,812 | 11,911 | 16,528 | 7,785 | - |
| 1999.....    | 47,608 | 16 | 91 | 199 | 437 | 618 | 1,352 | 2,980 | 6,042 | 12,208 | 16,172 | 7,493 | - |

Worktable Orig290F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2007

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data - mortality"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, sex, and year | All ages | Under 1 year | 1-4 years | 5-14 years | 15-24 years | 25-34 years | 35-44 years | 45-54 years | 55-64 years | 65-74 years | 75-84 years | 85 years and over | Age not stated |
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|
| Malignant neoplasms of lymphoid, hematopoietic and related tissue (C81-C96)  |          |              |           |            |             |             |             |             |             |             |             |                   |                |
| Non-Hispanic white, male   |          |              |           |            |             |             |             |             |             |             |             |                   |                |
| 2007 2/.....   | 25,020   | 12           | 30        | 112        | 210         | 275         | 557         | 1,556       | 3,656       | 5,976       | 8,553       | 4,082             | 1              |
| 2006 2/.....   | 24,843   | 9            | 42        | 103        | 252         | 304         | 580         | 1,614       | 3,698       | 5,941       | 8,585       | 3,714             | 1              |
| 2005 2/.....   | 25,000   | 8            | 40        | 113        | 229         | 241         | 592         | 1,536       | 3,628       | 6,191       | 8,563       | 3,859             | -              |
| 2004 2/.....   | 24,604   | 6            | 41        | 109        | 219         | 295         | 607         | 1,627       | 3,630       | 6,160       | 8,406       | 3,504             | -              |
| 2003 2/.....   | 25,390   | 7            | 42        | 127        | 214         | 324         | 708         | 1,682       | 3,719       | 6,471       | 8,552       | 3,544             | -              |
| 2002.....  | 25,523   | 9            | 42        | 125        | 254         | 333         | 701         | 1,755       | 3,597       | 6,746       | 8,557       | 3,404             | -              |
| 2001.....  | 25,162   | 8            | 47        | 111        | 252         | 352         | 748         | 1,873       | 3,519       | 6,693       | 8,307       | 3,252             | -              |
| 2000.....  | 25,272   | 16           | 50        | 134        | 268         | 338         | 775         | 1,803       | 3,379       | 6,899       | 8,491       | 3,119             | -              |
| 1999.....  | 25,219   | 9            | 48        | 120        | 277         | 357         | 816         | 1,812       | 3,591       | 6,967       | 8,202       | 3,020             | -              |
| Non-Hispanic white, female   |          |              |           |            |             |             |             |             |             |             |             |                   |                |
| 2007 2/.....   | 20,100   | 5            | 35        | 69         | 132         | 160         | 331         | 954         | 2,221       | 4,003       | 7,007       | 5,183             | -              |
| 2006 2/.....   | 20,628   | 9            | 40        | 68         | 127         | 186         | 401         | 1,025       | 2,275       | 4,172       | 7,158       | 5,167             | -              |
| 2005 2/.....   | 20,619   | 6            | 26        | 73         | 141         | 193         | 402         | 1,034       | 2,339       | 4,085       | 7,391       | 4,929             | -              |
| 2004 2/.....   | 20,779   | 7            | 28        | 74         | 154         | 184         | 395         | 1,078       | 2,303       | 4,234       | 7,514       | 4,808             | -              |
| 2003 2/.....   | 21,163   | 16           | 30        | 91         | 141         | 200         | 458         | 1,045       | 2,277       | 4,308       | 7,701       | 4,896             | -              |
| 2002.....  | 21,535   | 6            | 30        | 88         | 176         | 237         | 482         | 1,142       | 2,333       | 4,581       | 7,645       | 4,815             | -              |
| 2001.....  | 22,028   | 9            | 50        | 87         | 170         | 243         | 507         | 1,184       | 2,359       | 4,799       | 7,892       | 4,728             | -              |
| 2000.....  | 22,423   | 14           | 42        | 98         | 152         | 247         | 508         | 1,214       | 2,433       | 5,012       | 8,037       | 4,666             | -              |
| 1999.....  | 22,389   | 7            | 43        | 79         | 160         | 261         | 536         | 1,168       | 2,451       | 5,241       | 7,970       | 4,473             | -              |

Worktable Orig290F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2007

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data - mortality"]

---

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, sex, and year

|  | All ages | Under 1 year | 1-4 years | 5-14 years | 15-24 years | 25-34 years | 35-44 years | 45-54 years | 55-64 years | 65-74 years | 75-84 years | 85 years and over | Age not stated |
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|

---

Malignant neoplasms of lymphoid, hematopoietic and related tissue (C81-C96)

Non-Hispanic black, both sexes

|              |       |   |    |    |     |     |     |     |       |       |       |     |   |
|--------------|-------|---|----|----|-----|-----|-----|-----|-------|-------|-------|-----|---|
| 2007 2/..... | 5,189 | 3 | 20 | 47 | 98  | 131 | 288 | 613 | 1,021 | 1,239 | 1,180 | 549 | - |
| 2006 2/..... | 5,212 | 4 | 17 | 47 | 104 | 134 | 286 | 622 | 1,047 | 1,224 | 1,179 | 548 | - |
| 2005 2/..... | 4,988 | 3 | 26 | 44 | 101 | 180 | 255 | 618 | 921   | 1,199 | 1,131 | 510 | - |
| 2004 2/..... | 5,163 | 3 | 18 | 46 | 104 | 163 | 253 | 609 | 926   | 1,281 | 1,217 | 543 | - |
| 2003 2/..... | 5,059 | 1 | 14 | 57 | 88  | 155 | 299 | 620 | 853   | 1,237 | 1,223 | 512 | - |
| 2002.....    | 5,080 | 5 | 14 | 51 | 87  | 156 | 266 | 624 | 935   | 1,268 | 1,166 | 508 | - |
| 2001.....    | 5,162 | 3 | 13 | 62 | 107 | 181 | 322 | 584 | 915   | 1,288 | 1,183 | 504 | - |
| 2000.....    | 5,026 | 1 | 19 | 43 | 130 | 158 | 302 | 615 | 868   | 1,232 | 1,101 | 557 | - |
| 1999.....    | 5,038 | 4 | 14 | 61 | 133 | 157 | 307 | 554 | 917   | 1,247 | 1,142 | 502 | - |

Non-Hispanic black, male

|              |       |   |    |    |    |    |     |     |     |     |     |     |   |
|--------------|-------|---|----|----|----|----|-----|-----|-----|-----|-----|-----|---|
| 2007 2/..... | 2,638 | 2 | 13 | 31 | 56 | 72 | 166 | 353 | 545 | 641 | 547 | 212 | - |
| 2006 2/..... | 2,784 | 2 | 10 | 31 | 63 | 75 | 172 | 365 | 612 | 676 | 561 | 217 | - |
| 2005 2/..... | 2,604 | 2 | 18 | 31 | 61 | 99 | 140 | 361 | 520 | 644 | 551 | 177 | - |
| 2004 2/..... | 2,608 | - | 13 | 24 | 61 | 86 | 139 | 352 | 505 | 698 | 536 | 194 | - |
| 2003 2/..... | 2,517 | 1 | 8  | 31 | 52 | 87 | 170 | 366 | 491 | 613 | 521 | 177 | - |
| 2002.....    | 2,593 | 2 | 6  | 32 | 44 | 93 | 162 | 342 | 517 | 679 | 530 | 186 | - |
| 2001.....    | 2,642 | 2 | 9  | 43 | 57 | 98 | 199 | 326 | 512 | 679 | 538 | 179 | - |
| 2000.....    | 2,535 | - | 8  | 26 | 79 | 90 | 149 | 346 | 481 | 653 | 510 | 193 | - |
| 1999.....    | 2,566 | - | 8  | 38 | 73 | 97 | 180 | 318 | 500 | 645 | 521 | 186 | - |

Worktable Orig290F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2007

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data - mortality"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, sex, and year | All ages | Under 1 year | 1-4 years | 5-14 years | 15-24 years | 25-34 years | 35-44 years | 45-54 years | 55-64 years | 65-74 years | 75-84 years | 85 years and over | Age not stated |
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|
| Malignant neoplasms of lymphoid, hematopoietic and related tissue (C81-C96)  |          |              |           |            |             |             |             |             |             |             |             |                   |                |
| Non-Hispanic black, female   |          |              |           |            |             |             |             |             |             |             |             |                   |                |
| 2007 2/.....   | 2,551    | 1            | 7         | 16         | 42          | 59          | 122         | 260         | 476         | 598         | 633         | 337               | -              |
| 2006 2/.....   | 2,428    | 2            | 7         | 16         | 41          | 59          | 114         | 257         | 435         | 548         | 618         | 331               | -              |
| 2005 2/.....   | 2,384    | 1            | 8         | 13         | 40          | 81          | 115         | 257         | 401         | 555         | 580         | 333               | -              |
| 2004 2/.....   | 2,555    | 3            | 5         | 22         | 43          | 77          | 114         | 257         | 421         | 583         | 681         | 349               | -              |
| 2003 2/.....   | 2,542    | -            | 6         | 26         | 36          | 68          | 129         | 254         | 362         | 624         | 702         | 335               | -              |
| 2002.....  | 2,487    | 3            | 8         | 19         | 43          | 63          | 104         | 282         | 418         | 589         | 636         | 322               | -              |
| 2001.....  | 2,520    | 1            | 4         | 19         | 50          | 83          | 123         | 258         | 403         | 609         | 645         | 325               | -              |
| 2000.....  | 2,491    | 1            | 11        | 17         | 51          | 68          | 153         | 269         | 387         | 579         | 591         | 364               | -              |
| 1999.....  | 2,472    | 4            | 6         | 23         | 60          | 60          | 127         | 236         | 417         | 602         | 621         | 316               | -              |
| Origin not stated 3/, both sexes   |          |              |           |            |             |             |             |             |             |             |             |                   |                |
| 2007.....  | 63       | -            | -         | -          | -           | -           | 2           | 6           | 10          | 12          | 23          | 9                 | 1              |
| 2006.....  | 69       | -            | -         | 2          | 1           | -           | 2           | 4           | 13          | 15          | 19          | 13                | -              |
| 2005.....  | 57       | -            | -         | 2          | 1           | 2           | 4           | 9           | 11          | 9           | 15          | 4                 | -              |
| 2004.....  | 84       | -            | -         | 3          | 3           | -           | 5           | 6           | 12          | 16          | 24          | 15                | -              |
| 2003.....  | 107      | -            | -         | 1          | 1           | 1           | 1           | 12          | 17          | 25          | 30          | 19                | -              |
| 2002.....  | 147      | 1            | -         | -          | 4           | 2           | 8           | 15          | 15          | 35          | 49          | 18                | -              |
| 2001.....  | 136      | -            | 2         | 1          | 2           | 6           | 6           | 13          | 19          | 35          | 39          | 13                | -              |
| 2000.....  | 126      | -            | 1         | 3          | 3           | 1           | 8           | 10          | 24          | 29          | 32          | 15                | -              |
| 1999.....  | 111      | -            | 1         | -          | -           | 2           | 4           | 9           | 15          | 22          | 43          | 15                | -              |

Worktable Orig290F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2007

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data - mortality"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, sex, and year | All ages | Under 1 year | 1-4 years | 5-14 years | 15-24 years | 25-34 years | 35-44 years | 45-54 years | 55-64 years | 65-74 years | 75-84 years | 85 years and over | Age not stated |
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|

Malignant neoplasms of lymphoid, hematopoietic and related tissue (C81-C96)

Origin not stated 3/, male

|           |    |   |   |   |   |   |   |    |    |    |    |    |   |
|-----------|----|---|---|---|---|---|---|----|----|----|----|----|---|
| 2007..... | 26 | - | - | - | - | - | 1 | 4  | 5  | 4  | 9  | 3  | - |
| 2006..... | 39 | - | - | 2 | 1 | - | 1 | 3  | 6  | 8  | 13 | 5  | - |
| 2005..... | 29 | - | - | 1 | 1 | 1 | 2 | 4  | 5  | 3  | 9  | 3  | - |
| 2004..... | 38 | - | - | 2 | 2 | - | 2 | 6  | 7  | 4  | 8  | 7  | - |
| 2003..... | 63 | - | - | 1 | 1 | 1 | 1 | 9  | 12 | 10 | 17 | 11 | - |
| 2002..... | 86 | 1 | - | - | 3 | 1 | 6 | 10 | 8  | 26 | 27 | 4  | - |
| 2001..... | 73 | - | 1 | - | 1 | 2 | 4 | 9  | 10 | 16 | 24 | 6  | - |
| 2000..... | 70 | - | 1 | 1 | 1 | 1 | 4 | 8  | 17 | 18 | 14 | 5  | - |
| 1999..... | 55 | - | 1 | - | - | 1 | 4 | 3  | 5  | 15 | 21 | 5  | - |

Origin not stated 3/, female

|           |    |   |   |   |   |   |   |   |    |    |    |    |   |
|-----------|----|---|---|---|---|---|---|---|----|----|----|----|---|
| 2007..... | 37 | - | - | - | - | - | 1 | 2 | 5  | 8  | 14 | 6  | 1 |
| 2006..... | 30 | - | - | - | - | - | 1 | 1 | 7  | 7  | 6  | 8  | - |
| 2005..... | 28 | - | - | 1 | - | 1 | 2 | 5 | 6  | 6  | 6  | 1  | - |
| 2004..... | 46 | - | - | 1 | 1 | - | 3 | - | 5  | 12 | 16 | 8  | - |
| 2003..... | 44 | - | - | - | - | - | - | 3 | 5  | 15 | 13 | 8  | - |
| 2002..... | 61 | - | - | - | 1 | 1 | 2 | 5 | 7  | 9  | 22 | 14 | - |
| 2001..... | 63 | - | 1 | 1 | 1 | 4 | 2 | 4 | 9  | 19 | 15 | 7  | - |
| 2000..... | 56 | - | - | 2 | 2 | - | 4 | 2 | 7  | 11 | 18 | 10 | - |
| 1999..... | 56 | - | - | - | - | 1 | - | 6 | 10 | 7  | 22 | 10 | - |

Worktable Orig290F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2007

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data - mortality"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, sex, and year | All ages | Under 1 year | 1-4 years | 5-14 years | 15-24 years | 25-34 years | 35-44 years | 45-54 years | 55-64 years | 65-74 years | 75-84 years | 85 years and over | Age not stated |
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|
| Hodgkin's disease (C81)  |          |              |           |            |             |             |             |             |             |             |             |                   |                |
| All origins, both sexes  |          |              |           |            |             |             |             |             |             |             |             |                   |                |
| 2007.....  | 1,271    | -            | -         | 3          | 65          | 120         | 135         | 145         | 176         | 209         | 286         | 132               | -              |
| 2006.....  | 1,327    | -            | -         | 5          | 65          | 136         | 154         | 148         | 188         | 205         | 288         | 138               | -              |
| 2005.....  | 1,272    | -            | -         | 11         | 61          | 116         | 118         | 168         | 184         | 205         | 304         | 105               | -              |
| 2004.....  | 1,276    | -            | -         | 6          | 65          | 134         | 120         | 168         | 205         | 222         | 249         | 107               | -              |
| 2003.....  | 1,347    | -            | -         | 5          | 64          | 167         | 154         | 154         | 198         | 216         | 277         | 112               | -              |
| 2002.....  | 1,352    | -            | -         | 6          | 86          | 152         | 159         | 177         | 168         | 232         | 247         | 125               | -              |
| 2001.....  | 1,323    | -            | -         | 6          | 78          | 167         | 161         | 182         | 143         | 211         | 278         | 97                | -              |
| 2000.....  | 1,287    | -            | -         | 8          | 73          | 145         | 151         | 161         | 158         | 232         | 255         | 104               | -              |
| 1999.....  | 1,403    | -            | 1         | 9          | 94          | 148         | 165         | 165         | 178         | 283         | 262         | 98                | -              |
| All origins, male  |          |              |           |            |             |             |             |             |             |             |             |                   |                |
| 2007.....  | 706      | -            | -         | 1          | 36          | 75          | 88          | 103         | 99          | 115         | 140         | 49                | -              |
| 2006.....  | 770      | -            | -         | 3          | 42          | 83          | 103         | 97          | 125         | 119         | 136         | 62                | -              |
| 2005.....  | 684      | -            | -         | 7          | 27          | 65          | 71          | 94          | 121         | 118         | 131         | 50                | -              |
| 2004.....  | 730      | -            | -         | 4          | 37          | 70          | 70          | 103         | 132         | 136         | 129         | 49                | -              |
| 2003.....  | 725      | -            | -         | 4          | 30          | 88          | 95          | 91          | 119         | 128         | 132         | 38                | -              |
| 2002.....  | 751      | -            | -         | 5          | 41          | 81          | 92          | 105         | 106         | 146         | 125         | 50                | -              |
| 2001.....  | 725      | -            | -         | 3          | 43          | 90          | 101         | 110         | 85          | 129         | 130         | 34                | -              |
| 2000.....  | 686      | -            | -         | 4          | 35          | 79          | 82          | 99          | 87          | 134         | 121         | 45                | -              |
| 1999.....  | 785      | -            | 1         | 3          | 55          | 86          | 103         | 98          | 115         | 160         | 119         | 45                | -              |

Worktable Orig290F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2007

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data - mortality"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, sex, and year | All ages | Under 1 year | 1-4 years | 5-14 years | 15-24 years | 25-34 years | 35-44 years | 45-54 years | 55-64 years | 65-74 years | 75-84 years | 85 years and over | Age not stated |
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|
| Hodgkin's disease (C81)  |          |              |           |            |             |             |             |             |             |             |             |                   |                |
| All origins, female  |          |              |           |            |             |             |             |             |             |             |             |                   |                |
| 2007.....  | 565      | -            | -         | 2          | 29          | 45          | 47          | 42          | 77          | 94          | 146         | 83                | -              |
| 2006.....  | 557      | -            | -         | 2          | 23          | 53          | 51          | 51          | 63          | 86          | 152         | 76                | -              |
| 2005.....  | 588      | -            | -         | 4          | 34          | 51          | 47          | 74          | 63          | 87          | 173         | 55                | -              |
| 2004.....  | 546      | -            | -         | 2          | 28          | 64          | 50          | 65          | 73          | 86          | 120         | 58                | -              |
| 2003.....  | 622      | -            | -         | 1          | 34          | 79          | 59          | 63          | 79          | 88          | 145         | 74                | -              |
| 2002.....  | 601      | -            | -         | 1          | 45          | 71          | 67          | 72          | 62          | 86          | 122         | 75                | -              |
| 2001.....  | 598      | -            | -         | 3          | 35          | 77          | 60          | 72          | 58          | 82          | 148         | 63                | -              |
| 2000.....  | 601      | -            | -         | 4          | 38          | 66          | 69          | 62          | 71          | 98          | 134         | 59                | -              |
| 1999.....  | 618      | -            | -         | 6          | 39          | 62          | 62          | 67          | 63          | 123         | 143         | 53                | -              |
| Hispanic, both sexes   |          |              |           |            |             |             |             |             |             |             |             |                   |                |
| 2007.....  | 126      | -            | -         | 1          | 11          | 17          | 18          | 10          | 21          | 22          | 18          | 8                 | -              |
| 2006.....  | 102      | -            | -         | -          | 8           | 16          | 15          | 9           | 13          | 18          | 18          | 5                 | -              |
| 2005.....  | 126      | -            | -         | 4          | 6           | 11          | 9           | 18          | 19          | 29          | 24          | 6                 | -              |
| 2004.....  | 95       | -            | -         | 2          | 8           | 12          | 8           | 11          | 12          | 17          | 15          | 10                | -              |
| 2003.....  | 91       | -            | -         | 1          | 8           | 16          | 6           | 15          | 8           | 19          | 12          | 6                 | -              |
| 2002.....  | 99       | -            | -         | 4          | 9           | 15          | 12          | 15          | 10          | 13          | 18          | 3                 | -              |
| 2001.....  | 99       | -            | -         | 1          | 7           | 13          | 13          | 14          | 14          | 21          | 11          | 5                 | -              |
| 2000.....  | 95       | -            | -         | -          | 9           | 14          | 8           | 13          | 13          | 11          | 23          | 4                 | -              |
| 1999.....  | 113      | -            | -         | 3          | 8           | 7           | 12          | 17          | 17          | 26          | 18          | 5                 | -              |



Worktable Orig290F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2007

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data - mortality"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, sex, and year | All ages | Under 1 year | 1-4 years | 5-14 years | 15-24 years | 25-34 years | 35-44 years | 45-54 years | 55-64 years | 65-74 years | 75-84 years | 85 years and over | Age not stated |
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|
| Hodgkin's disease (C81)  |          |              |           |            |             |             |             |             |             |             |             |                   |                |
| Hispanic, male   |          |              |           |            |             |             |             |             |             |             |             |                   |                |
| 2007.....  | 66       | -            | -         | -          | 3           | 8           | 14          | 6           | 12          | 12          | 7           | 4                 | -              |
| 2006.....  | 61       | -            | -         | -          | 7           | 8           | 12          | 7           | 7           | 10          | 9           | 1                 | -              |
| 2005.....  | 78       | -            | -         | 3          | 2           | 6           | 7           | 13          | 15          | 16          | 12          | 4                 | -              |
| 2004.....  | 57       | -            | -         | 1          | 6           | 7           | 6           | 8           | 6           | 13          | 5           | 5                 | -              |
| 2003.....  | 52       | -            | -         | 1          | 5           | 8           | 5           | 8           | 5           | 11          | 8           | 1                 | -              |
| 2002.....  | 53       | -            | -         | 3          | 4           | 7           | 8           | 9           | 7           | 6           | 8           | 1                 | -              |
| 2001.....  | 66       | -            | -         | 1          | 4           | 8           | 8           | 11          | 11          | 15          | 5           | 3                 | -              |
| 2000.....  | 63       | -            | -         | -          | 7           | 7           | 6           | 11          | 8           | 10          | 12          | 2                 | -              |
| 1999.....  | 65       | -            | -         | 2          | 6           | 3           | 8           | 11          | 9           | 13          | 11          | 2                 | -              |
| Hispanic, female   |          |              |           |            |             |             |             |             |             |             |             |                   |                |
| 2007.....  | 60       | -            | -         | 1          | 8           | 9           | 4           | 4           | 9           | 10          | 11          | 4                 | -              |
| 2006.....  | 41       | -            | -         | -          | 1           | 8           | 3           | 2           | 6           | 8           | 9           | 4                 | -              |
| 2005.....  | 48       | -            | -         | 1          | 4           | 5           | 2           | 5           | 4           | 13          | 12          | 2                 | -              |
| 2004.....  | 38       | -            | -         | 1          | 2           | 5           | 2           | 3           | 6           | 4           | 10          | 5                 | -              |
| 2003.....  | 39       | -            | -         | -          | 3           | 8           | 1           | 7           | 3           | 8           | 4           | 5                 | -              |
| 2002.....  | 46       | -            | -         | 1          | 5           | 8           | 4           | 6           | 3           | 7           | 10          | 2                 | -              |
| 2001.....  | 33       | -            | -         | -          | 3           | 5           | 5           | 3           | 3           | 6           | 6           | 2                 | -              |
| 2000.....  | 32       | -            | -         | -          | 2           | 7           | 2           | 2           | 5           | 1           | 11          | 2                 | -              |
| 1999.....  | 48       | -            | -         | 1          | 2           | 4           | 4           | 6           | 8           | 13          | 7           | 3                 | -              |

Worktable Orig290F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2007

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data - mortality"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, sex, and year | All ages | Under 1 year | 1-4 years | 5-14 years | 15-24 years | 25-34 years | 35-44 years | 45-54 years | 55-64 years | 65-74 years | 75-84 years | 85 years and over | Age not stated |
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|
| <b>Hodgkin's disease (C81)</b>   |          |              |           |            |             |             |             |             |             |             |             |                   |                |
| <b>Non-Hispanic 1/, both sexes</b>   |          |              |           |            |             |             |             |             |             |             |             |                   |                |
| 2007.....  | 1,144    | -            | -         | 2          | 54          | 103         | 117         | 135         | 155         | 187         | 267         | 124               | -              |
| 2006.....  | 1,222    | -            | -         | 5          | 57          | 120         | 139         | 139         | 175         | 186         | 269         | 132               | -              |
| 2005.....  | 1,141    | -            | -         | 6          | 55          | 104         | 108         | 149         | 165         | 176         | 280         | 98                | -              |
| 2004.....  | 1,176    | -            | -         | 4          | 56          | 122         | 110         | 157         | 193         | 205         | 233         | 96                | -              |
| 2003.....  | 1,253    | -            | -         | 4          | 56          | 151         | 147         | 138         | 190         | 197         | 264         | 106               | -              |
| 2002.....  | 1,248    | -            | -         | 2          | 76          | 136         | 146         | 161         | 158         | 219         | 228         | 122               | -              |
| 2001.....  | 1,221    | -            | -         | 5          | 71          | 154         | 147         | 167         | 129         | 189         | 267         | 92                | -              |
| 2000.....  | 1,189    | -            | -         | 8          | 64          | 131         | 143         | 148         | 143         | 221         | 231         | 100               | -              |
| 1999.....  | 1,286    | -            | 1         | 6          | 86          | 141         | 153         | 147         | 159         | 257         | 243         | 93                | -              |
| <b>Non-Hispanic 1/, male</b>   |          |              |           |            |             |             |             |             |             |             |             |                   |                |
| 2007.....  | 640      | -            | -         | 1          | 33          | 67          | 74          | 97          | 87          | 103         | 133         | 45                | -              |
| 2006.....  | 707      | -            | -         | 3          | 35          | 75          | 91          | 90          | 118         | 108         | 126         | 61                | -              |
| 2005.....  | 602      | -            | -         | 4          | 25          | 58          | 63          | 80          | 106         | 102         | 119         | 45                | -              |
| 2004.....  | 669      | -            | -         | 3          | 30          | 63          | 62          | 95          | 126         | 123         | 123         | 44                | -              |
| 2003.....  | 672      | -            | -         | 3          | 25          | 80          | 89          | 83          | 114         | 117         | 124         | 37                | -              |
| 2002.....  | 693      | -            | -         | 2          | 36          | 73          | 83          | 95          | 99          | 140         | 116         | 49                | -              |
| 2001.....  | 657      | -            | -         | 2          | 39          | 82          | 92          | 98          | 74          | 114         | 125         | 31                | -              |
| 2000.....  | 621      | -            | -         | 4          | 28          | 72          | 76          | 88          | 78          | 124         | 108         | 43                | -              |
| 1999.....  | 719      | -            | 1         | 1          | 49          | 83          | 95          | 87          | 105         | 147         | 108         | 43                | -              |

Worktable Orig290F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2007

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data - mortality"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, sex, and year | All ages | Under 1 year | 1-4 years | 5-14 years | 15-24 years | 25-34 years | 35-44 years | 45-54 years | 55-64 years | 65-74 years | 75-84 years | 85 years and over | Age not stated |
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|
| <b>Hodgkin's disease (C81)</b>   |          |              |           |            |             |             |             |             |             |             |             |                   |                |
| <b>Non-Hispanic 1/, female</b>   |          |              |           |            |             |             |             |             |             |             |             |                   |                |
| 2007.....  | 504      | -            | -         | 1          | 21          | 36          | 43          | 38          | 68          | 84          | 134         | 79                | -              |
| 2006.....  | 515      | -            | -         | 2          | 22          | 45          | 48          | 49          | 57          | 78          | 143         | 71                | -              |
| 2005.....  | 539      | -            | -         | 2          | 30          | 46          | 45          | 69          | 59          | 74          | 161         | 53                | -              |
| 2004.....  | 507      | -            | -         | 1          | 26          | 59          | 48          | 62          | 67          | 82          | 110         | 52                | -              |
| 2003.....  | 581      | -            | -         | 1          | 31          | 71          | 58          | 55          | 76          | 80          | 140         | 69                | -              |
| 2002.....  | 555      | -            | -         | -          | 40          | 63          | 63          | 66          | 59          | 79          | 112         | 73                | -              |
| 2001.....  | 564      | -            | -         | 3          | 32          | 72          | 55          | 69          | 55          | 75          | 142         | 61                | -              |
| 2000.....  | 568      | -            | -         | 4          | 36          | 59          | 67          | 60          | 65          | 97          | 123         | 57                | -              |
| 1999.....  | 567      | -            | -         | 5          | 37          | 58          | 58          | 60          | 54          | 110         | 135         | 50                | -              |
| <b>Non-Hispanic white, both sexes</b>  |          |              |           |            |             |             |             |             |             |             |             |                   |                |
| 2007 2/.....   | 997      | -            | -         | 2          | 40          | 85          | 91          | 106         | 126         | 170         | 258         | 119               | -              |
| 2006 2/.....   | 1,059    | -            | -         | 5          | 44          | 92          | 116         | 114         | 152         | 164         | 251         | 121               | -              |
| 2005 2/.....   | 968      | -            | -         | 6          | 42          | 61          | 79          | 119         | 145         | 160         | 266         | 90                | -              |
| 2004 2/.....   | 1,020    | -            | -         | 3          | 43          | 86          | 91          | 135         | 169         | 184         | 220         | 89                | -              |
| 2003 2/.....   | 1,099    | -            | -         | 4          | 43          | 118         | 125         | 123         | 162         | 177         | 246         | 101               | -              |
| 2002.....  | 1,093    | -            | -         | 1          | 63          | 112         | 118         | 135         | 132         | 200         | 215         | 117               | -              |
| 2001.....  | 1,069    | -            | -         | 4          | 55          | 113         | 124         | 146         | 110         | 178         | 249         | 90                | -              |
| 2000.....  | 1,059    | -            | -         | 5          | 48          | 117         | 119         | 128         | 123         | 200         | 224         | 95                | -              |
| 1999.....  | 1,149    | -            | 1         | 5          | 67          | 116         | 134         | 129         | 144         | 234         | 235         | 84                | -              |

Worktable Orig290F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2007

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data - mortality"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, sex, and year | All ages | Under 1 year | 1-4 years | 5-14 years | 15-24 years | 25-34 years | 35-44 years | 45-54 years | 55-64 years | 65-74 years | 75-84 years | 85 years and over | Age not stated |
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|
| <b>Hodgkin's disease (C81)</b>   |          |              |           |            |             |             |             |             |             |             |             |                   |                |
| <b>Non-Hispanic white, male</b>  |          |              |           |            |             |             |             |             |             |             |             |                   |                |
| 2007 2/.....   | 555      | -            | -         | 1          | 26          | 58          | 59          | 75          | 70          | 95          | 128         | 43                | -              |
| 2006 2/.....   | 606      | -            | -         | 3          | 29          | 56          | 75          | 74          | 102         | 94          | 117         | 56                | -              |
| 2005 2/.....   | 504      | -            | -         | 4          | 20          | 31          | 48          | 63          | 89          | 92          | 113         | 44                | -              |
| 2004 2/.....   | 587      | -            | -         | 3          | 23          | 49          | 51          | 82          | 110         | 109         | 117         | 43                | -              |
| 2003 2/.....   | 585      | -            | -         | 3          | 19          | 66          | 78          | 73          | 96          | 101         | 115         | 34                | -              |
| 2002.....  | 599      | -            | -         | 1          | 32          | 57          | 65          | 75          | 80          | 130         | 111         | 48                | -              |
| 2001.....  | 577      | -            | -         | 2          | 34          | 62          | 76          | 85          | 63          | 109         | 117         | 29                | -              |
| 2000.....  | 551      | -            | -         | 2          | 23          | 63          | 64          | 76          | 65          | 112         | 105         | 41                | -              |
| 1999.....  | 643      | -            | 1         | 1          | 39          | 69          | 84          | 73          | 97          | 135         | 105         | 39                | -              |
| <b>Non-Hispanic white, female</b>  |          |              |           |            |             |             |             |             |             |             |             |                   |                |
| 2007 2/.....   | 442      | -            | -         | 1          | 14          | 27          | 32          | 31          | 56          | 75          | 130         | 76                | -              |
| 2006 2/.....   | 453      | -            | -         | 2          | 15          | 36          | 41          | 40          | 50          | 70          | 134         | 65                | -              |
| 2005 2/.....   | 464      | -            | -         | 2          | 22          | 30          | 31          | 56          | 56          | 68          | 153         | 46                | -              |
| 2004 2/.....   | 433      | -            | -         | -          | 20          | 37          | 40          | 53          | 59          | 75          | 103         | 46                | -              |
| 2003 2/.....   | 514      | -            | -         | 1          | 24          | 52          | 47          | 50          | 66          | 76          | 131         | 67                | -              |
| 2002.....  | 494      | -            | -         | -          | 31          | 55          | 53          | 60          | 52          | 70          | 104         | 69                | -              |
| 2001.....  | 492      | -            | -         | 2          | 21          | 51          | 48          | 61          | 47          | 69          | 132         | 61                | -              |
| 2000.....  | 508      | -            | -         | 3          | 25          | 54          | 55          | 52          | 58          | 88          | 119         | 54                | -              |
| 1999.....  | 506      | -            | -         | 4          | 28          | 47          | 50          | 56          | 47          | 99          | 130         | 45                | -              |

Worktable Orig290F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2007

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data - mortality"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, sex, and year | All ages | Under 1 year | 1-4 years | 5-14 years | 15-24 years | 25-34 years | 35-44 years | 45-54 years | 55-64 years | 65-74 years | 75-84 years | 85 years and over | Age not stated |
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|
| Hodgkin's disease (C81)  |          |              |           |            |             |             |             |             |             |             |             |                   |                |
| Non-Hispanic black, both sexes   |          |              |           |            |             |             |             |             |             |             |             |                   |                |
| 2007 2/.....   | 127      | -            | -         | -          | 10          | 17          | 22          | 27          | 27          | 12          | 8           | 4                 | -              |
| 2006 2/.....   | 135      | -            | -         | -          | 8           | 23          | 21          | 24          | 19          | 18          | 14          | 8                 | -              |
| 2005 2/.....   | 141      | -            | -         | -          | 9           | 36          | 25          | 27          | 16          | 13          | 10          | 5                 | -              |
| 2004 2/.....   | 133      | -            | -         | 1          | 13          | 32          | 17          | 20          | 18          | 18          | 11          | 3                 | -              |
| 2003 2/.....   | 119      | -            | -         | -          | 10          | 31          | 18          | 14          | 21          | 17          | 8           | -                 | -              |
| 2002.....  | 126      | -            | -         | 1          | 10          | 23          | 25          | 20          | 20          | 15          | 9           | 3                 | -              |
| 2001.....  | 136      | -            | -         | 1          | 15          | 39          | 21          | 17          | 18          | 11          | 12          | 2                 | -              |
| 2000.....  | 109      | -            | -         | 2          | 14          | 12          | 24          | 17          | 17          | 15          | 5           | 3                 | -              |
| 1999.....  | 125      | -            | -         | -          | 19          | 25          | 18          | 18          | 14          | 18          | 6           | 7                 | -              |
| Non-Hispanic black, male   |          |              |           |            |             |             |             |             |             |             |             |                   |                |
| 2007 2/.....   | 74       | -            | -         | -          | 5           | 8           | 13          | 21          | 17          | 4           | 4           | 2                 | -              |
| 2006 2/.....   | 81       | -            | -         | -          | 4           | 15          | 14          | 15          | 12          | 11          | 7           | 3                 | -              |
| 2005 2/.....   | 81       | -            | -         | -          | 4           | 22          | 13          | 14          | 14          | 8           | 5           | 1                 | -              |
| 2004 2/.....   | 70       | -            | -         | -          | 7           | 13          | 9           | 13          | 12          | 11          | 5           | -                 | -              |
| 2003 2/.....   | 68       | -            | -         | -          | 5           | 12          | 10          | 9           | 15          | 13          | 4           | -                 | -              |
| 2002.....  | 80       | -            | -         | 1          | 4           | 15          | 17          | 15          | 15          | 8           | 4           | 1                 | -              |
| 2001.....  | 72       | -            | -         | -          | 4           | 20          | 15          | 11          | 10          | 5           | 5           | 2                 | -              |
| 2000.....  | 57       | -            | -         | 1          | 5           | 8           | 12          | 9           | 11          | 7           | 3           | 1                 | -              |
| 1999.....  | 74       | -            | -         | -          | 10          | 14          | 11          | 14          | 8           | 12          | 3           | 2                 | -              |

Worktable Orig290F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2007

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data - mortality"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, sex, and year | All ages | Under 1 year | 1-4 years | 5-14 years | 15-24 years | 25-34 years | 35-44 years | 45-54 years | 55-64 years | 65-74 years | 75-84 years | 85 years and over | Age not stated |
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|
| <b>Hodgkin's disease (C81)</b>   |          |              |           |            |             |             |             |             |             |             |             |                   |                |
| <b>Non-Hispanic black, female</b>  |          |              |           |            |             |             |             |             |             |             |             |                   |                |
| 2007 2/.....   | 53       | -            | -         | -          | 5           | 9           | 9           | 6           | 10          | 8           | 4           | 2                 | -              |
| 2006 2/.....   | 54       | -            | -         | -          | 4           | 8           | 7           | 9           | 7           | 7           | 7           | 5                 | -              |
| 2005 2/.....   | 60       | -            | -         | -          | 5           | 14          | 12          | 13          | 2           | 5           | 5           | 4                 | -              |
| 2004 2/.....   | 63       | -            | -         | 1          | 6           | 19          | 8           | 7           | 6           | 7           | 6           | 3                 | -              |
| 2003 2/.....   | 51       | -            | -         | -          | 5           | 19          | 8           | 5           | 6           | 4           | 4           | -                 | -              |
| 2002.....  | 46       | -            | -         | -          | 6           | 8           | 8           | 5           | 5           | 7           | 5           | 2                 | -              |
| 2001.....  | 64       | -            | -         | 1          | 11          | 19          | 6           | 6           | 8           | 6           | 7           | -                 | -              |
| 2000.....  | 52       | -            | -         | 1          | 9           | 4           | 12          | 8           | 6           | 8           | 2           | 2                 | -              |
| 1999.....  | 51       | -            | -         | -          | 9           | 11          | 7           | 4           | 6           | 6           | 3           | 5                 | -              |
| <b>Origin not stated 3/, both sexes</b>  |          |              |           |            |             |             |             |             |             |             |             |                   |                |
| 2007.....  | 1        | -            | -         | -          | -           | -           | -           | -           | -           | -           | 1           | -                 | -              |
| 2006.....  | 3        | -            | -         | -          | -           | -           | -           | -           | -           | 1           | 1           | 1                 | -              |
| 2005.....  | 5        | -            | -         | 1          | -           | 1           | 1           | 1           | -           | -           | -           | 1                 | -              |
| 2004.....  | 5        | -            | -         | -          | 1           | -           | 2           | -           | -           | -           | 1           | 1                 | -              |
| 2003.....  | 3        | -            | -         | -          | -           | -           | 1           | 1           | -           | -           | 1           | -                 | -              |
| 2002.....  | 5        | -            | -         | -          | 1           | 1           | 1           | 1           | -           | -           | 1           | -                 | -              |
| 2001.....  | 3        | -            | -         | -          | -           | -           | 1           | 1           | -           | 1           | -           | -                 | -              |
| 2000.....  | 3        | -            | -         | -          | -           | -           | -           | -           | 2           | -           | 1           | -                 | -              |
| 1999.....  | 4        | -            | -         | -          | -           | -           | -           | 1           | 2           | -           | 1           | -                 | -              |

Worktable Orig290F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2007

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data - mortality"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, sex, and year | All ages | Under 1 year | 1-4 years | 5-14 years | 15-24 years | 25-34 years | 35-44 years | 45-54 years | 55-64 years | 65-74 years | 75-84 years | 85 years and over | Age not stated |
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|
| <b>Hodgkin's disease (C81)</b>   |          |              |           |            |             |             |             |             |             |             |             |                   |                |
| Origin not stated 3/, male   |          |              |           |            |             |             |             |             |             |             |             |                   |                |
| 2007.....  | -        | -            | -         | -          | -           | -           | -           | -           | -           | -           | -           | -                 | -              |
| 2006.....  | 2        | -            | -         | -          | -           | -           | -           | -           | -           | 1           | 1           | -                 | -              |
| 2005.....  | 4        | -            | -         | -          | -           | 1           | 1           | 1           | -           | -           | -           | 1                 | -              |
| 2004.....  | 4        | -            | -         | -          | 1           | -           | 2           | -           | -           | -           | 1           | -                 | -              |
| 2003.....  | 1        | -            | -         | -          | -           | -           | 1           | -           | -           | -           | -           | -                 | -              |
| 2002.....  | 5        | -            | -         | -          | 1           | 1           | 1           | 1           | -           | -           | 1           | -                 | -              |
| 2001.....  | 2        | -            | -         | -          | -           | -           | 1           | 1           | -           | -           | -           | -                 | -              |
| 2000.....  | 2        | -            | -         | -          | -           | -           | -           | -           | 1           | -           | 1           | -                 | -              |
| 1999.....  | 1        | -            | -         | -          | -           | -           | -           | -           | 1           | -           | -           | -                 | -              |
| Origin not stated 3/, female   |          |              |           |            |             |             |             |             |             |             |             |                   |                |
| 2007.....  | 1        | -            | -         | -          | -           | -           | -           | -           | -           | -           | 1           | -                 | -              |
| 2006.....  | 1        | -            | -         | -          | -           | -           | -           | -           | -           | -           | -           | 1                 | -              |
| 2005.....  | 1        | -            | -         | 1          | -           | -           | -           | -           | -           | -           | -           | -                 | -              |
| 2004.....  | 1        | -            | -         | -          | -           | -           | -           | -           | -           | -           | -           | 1                 | -              |
| 2003.....  | 2        | -            | -         | -          | -           | -           | -           | 1           | -           | -           | 1           | -                 | -              |
| 2002.....  | -        | -            | -         | -          | -           | -           | -           | -           | -           | -           | -           | -                 | -              |
| 2001.....  | 1        | -            | -         | -          | -           | -           | -           | -           | -           | 1           | -           | -                 | -              |
| 2000.....  | 1        | -            | -         | -          | -           | -           | -           | -           | 1           | -           | -           | -                 | -              |
| 1999.....  | 3        | -            | -         | -          | -           | -           | -           | 1           | 1           | -           | 1           | -                 | -              |

Worktable Orig290F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2007

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data - mortality"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, sex, and year | All ages | Under 1 year | 1-4 years | 5-14 years | 15-24 years | 25-34 years | 35-44 years | 45-54 years | 55-64 years | 65-74 years | 75-84 years | 85 years and over | Age not stated |
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|
| Non-Hodgkin's lymphoma (C82-C85)   |          |              |           |            |             |             |             |             |             |             |             |                   |                |
| All origins, both sexes  |          |              |           |            |             |             |             |             |             |             |             |                   |                |
| 2007.....  | 20,528   | 2            | 5         | 33         | 133         | 206         | 516         | 1,392       | 2,922       | 4,476       | 6,868       | 3,975             | -              |
| 2006.....  | 20,594   | 1            | 7         | 36         | 131         | 219         | 515         | 1,417       | 2,886       | 4,543       | 7,007       | 3,831             | 1              |
| 2005.....  | 20,873   | 1            | 6         | 48         | 127         | 222         | 566         | 1,410       | 2,925       | 4,626       | 7,111       | 3,831             | -              |
| 2004.....  | 20,938   | 1            | 2         | 41         | 144         | 256         | 543         | 1,538       | 2,866       | 4,820       | 7,080       | 3,647             | -              |
| 2003.....  | 21,475   | -            | 5         | 45         | 140         | 252         | 630         | 1,548       | 3,007       | 4,919       | 7,217       | 3,712             | -              |
| 2002.....  | 21,910   | 2            | 15        | 57         | 142         | 281         | 687         | 1,581       | 3,049       | 5,264       | 7,283       | 3,549             | -              |
| 2001.....  | 22,305   | 1            | 1         | 38         | 148         | 298         | 756         | 1,732       | 3,098       | 5,358       | 7,369       | 3,506             | -              |
| 2000.....  | 22,729   | 1            | 7         | 47         | 180         | 293         | 751         | 1,745       | 3,170       | 5,598       | 7,535       | 3,402             | -              |
| 1999.....  | 22,802   | 2            | 16        | 37         | 144         | 289         | 789         | 1,741       | 3,154       | 5,848       | 7,554       | 3,228             | -              |
| All origins, male  |          |              |           |            |             |             |             |             |             |             |             |                   |                |
| 2007.....  | 11,004   | 1            | 3         | 23         | 87          | 131         | 340         | 884         | 1,788       | 2,629       | 3,490       | 1,628             | -              |
| 2006.....  | 10,933   | 1            | 6         | 28         | 94          | 134         | 320         | 918         | 1,795       | 2,577       | 3,546       | 1,513             | 1              |
| 2005.....  | 11,131   | -            | 2         | 40         | 90          | 134         | 365         | 909         | 1,745       | 2,677       | 3,557       | 1,612             | -              |
| 2004.....  | 11,056   | -            | 2         | 28         | 93          | 164         | 367         | 983         | 1,725       | 2,738       | 3,511       | 1,445             | -              |
| 2003.....  | 11,399   | -            | 5         | 26         | 88          | 165         | 406         | 972         | 1,848       | 2,829       | 3,563       | 1,497             | -              |
| 2002.....  | 11,538   | 1            | 6         | 40         | 93          | 178         | 439         | 978         | 1,838       | 2,986       | 3,594       | 1,385             | -              |
| 2001.....  | 11,710   | 1            | 1         | 29         | 94          | 179         | 500         | 1,113       | 1,825       | 3,025       | 3,558       | 1,385             | -              |
| 2000.....  | 11,812   | -            | 5         | 28         | 126         | 172         | 482         | 1,112       | 1,849       | 3,105       | 3,634       | 1,299             | -              |
| 1999.....  | 11,794   | -            | 9         | 30         | 91          | 178         | 510         | 1,111       | 1,847       | 3,176       | 3,596       | 1,246             | -              |



Worktable Orig290F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2007

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data - mortality"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, sex, and year | All ages | Under 1 year | 1-4 years | 5-14 years | 15-24 years | 25-34 years | 35-44 years | 45-54 years | 55-64 years | 65-74 years | 75-84 years | 85 years and over | Age not stated |
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|
| Non-Hodgkin's lymphoma (C82-C85)   |          |              |           |            |             |             |             |             |             |             |             |                   |                |
| All origins, female  |          |              |           |            |             |             |             |             |             |             |             |                   |                |
| 2007.....  | 9,524    | 1            | 2         | 10         | 46          | 75          | 176         | 508         | 1,134       | 1,847       | 3,378       | 2,347             | -              |
| 2006.....  | 9,661    | -            | 1         | 8          | 37          | 85          | 195         | 499         | 1,091       | 1,966       | 3,461       | 2,318             | -              |
| 2005.....  | 9,742    | 1            | 4         | 8          | 37          | 88          | 201         | 501         | 1,180       | 1,949       | 3,554       | 2,219             | -              |
| 2004.....  | 9,882    | 1            | -         | 13         | 51          | 92          | 176         | 555         | 1,141       | 2,082       | 3,569       | 2,202             | -              |
| 2003.....  | 10,076   | -            | -         | 19         | 52          | 87          | 224         | 576         | 1,159       | 2,090       | 3,654       | 2,215             | -              |
| 2002.....  | 10,372   | 1            | 9         | 17         | 49          | 103         | 248         | 603         | 1,211       | 2,278       | 3,689       | 2,164             | -              |
| 2001.....  | 10,595   | -            | -         | 9          | 54          | 119         | 256         | 619         | 1,273       | 2,333       | 3,811       | 2,121             | -              |
| 2000.....  | 10,917   | 1            | 2         | 19         | 54          | 121         | 269         | 633         | 1,321       | 2,493       | 3,901       | 2,103             | -              |
| 1999.....  | 11,008   | 2            | 7         | 7          | 53          | 111         | 279         | 630         | 1,307       | 2,672       | 3,958       | 1,982             | -              |
| Hispanic, both sexes   |          |              |           |            |             |             |             |             |             |             |             |                   |                |
| 2007.....  | 1,224    | -            | 1         | 9          | 29          | 37          | 77          | 138         | 219         | 260         | 321         | 133               | -              |
| 2006.....  | 1,136    | -            | 2         | 6          | 28          | 37          | 62          | 122         | 208         | 260         | 308         | 103               | -              |
| 2005.....  | 1,118    | -            | 1         | 4          | 23          | 34          | 65          | 122         | 182         | 257         | 326         | 104               | -              |
| 2004.....  | 1,062    | -            | -         | 9          | 25          | 47          | 75          | 131         | 167         | 238         | 278         | 92                | -              |
| 2003.....  | 1,057    | -            | 3         | 10         | 27          | 46          | 82          | 116         | 176         | 233         | 259         | 105               | -              |
| 2002.....  | 1,068    | -            | 2         | 7          | 25          | 41          | 78          | 108         | 186         | 268         | 262         | 91                | -              |
| 2001.....  | 1,008    | -            | -         | 6          | 22          | 37          | 77          | 122         | 201         | 208         | 240         | 95                | -              |
| 2000.....  | 1,026    | -            | 2         | 2          | 21          | 38          | 83          | 113         | 190         | 277         | 210         | 90                | -              |
| 1999.....  | 958      | -            | 1         | 3          | 19          | 37          | 68          | 131         | 153         | 261         | 205         | 80                | -              |

Worktable Orig290F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2007

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data - mortality"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, sex, and year | All ages | Under 1 year | 1-4 years | 5-14 years | 15-24 years | 25-34 years | 35-44 years | 45-54 years | 55-64 years | 65-74 years | 75-84 years | 85 years and over | Age not stated |
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|
| Non-Hodgkin's lymphoma (C82-C85)   |          |              |           |            |             |             |             |             |             |             |             |                   |                |
| Hispanic, male   |          |              |           |            |             |             |             |             |             |             |             |                   |                |
| 2007.....  | 655      | -            | 1         | 5          | 18          | 18          | 46          | 89          | 114         | 150         | 162         | 52                | -              |
| 2006.....  | 625      | -            | 2         | 4          | 23          | 23          | 42          | 72          | 124         | 136         | 151         | 48                | -              |
| 2005.....  | 593      | -            | -         | 3          | 17          | 21          | 40          | 70          | 101         | 141         | 158         | 42                | -              |
| 2004.....  | 605      | -            | -         | 6          | 17          | 28          | 58          | 99          | 93          | 136         | 132         | 36                | -              |
| 2003.....  | 569      | -            | 3         | 5          | 19          | 33          | 56          | 65          | 104         | 129         | 118         | 37                | -              |
| 2002.....  | 549      | -            | -         | 3          | 19          | 25          | 45          | 65          | 109         | 136         | 111         | 36                | -              |
| 2001.....  | 579      | -            | -         | 6          | 15          | 24          | 56          | 74          | 115         | 122         | 131         | 36                | -              |
| 2000.....  | 560      | -            | 2         | 1          | 17          | 23          | 51          | 72          | 112         | 143         | 98          | 41                | -              |
| 1999.....  | 493      | -            | -         | 2          | 10          | 18          | 43          | 84          | 91          | 125         | 92          | 28                | -              |
| Hispanic, female   |          |              |           |            |             |             |             |             |             |             |             |                   |                |
| 2007.....  | 569      | -            | -         | 4          | 11          | 19          | 31          | 49          | 105         | 110         | 159         | 81                | -              |
| 2006.....  | 511      | -            | -         | 2          | 5           | 14          | 20          | 50          | 84          | 124         | 157         | 55                | -              |
| 2005.....  | 525      | -            | 1         | 1          | 6           | 13          | 25          | 52          | 81          | 116         | 168         | 62                | -              |
| 2004.....  | 457      | -            | -         | 3          | 8           | 19          | 17          | 32          | 74          | 102         | 146         | 56                | -              |
| 2003.....  | 488      | -            | -         | 5          | 8           | 13          | 26          | 51          | 72          | 104         | 141         | 68                | -              |
| 2002.....  | 519      | -            | 2         | 4          | 6           | 16          | 33          | 43          | 77          | 132         | 151         | 55                | -              |
| 2001.....  | 429      | -            | -         | -          | 7           | 13          | 21          | 48          | 86          | 86          | 109         | 59                | -              |
| 2000.....  | 466      | -            | -         | 1          | 4           | 15          | 32          | 41          | 78          | 134         | 112         | 49                | -              |
| 1999.....  | 465      | -            | 1         | 1          | 9           | 19          | 25          | 47          | 62          | 136         | 113         | 52                | -              |

Worktable Orig290F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2007

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data - mortality"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, sex, and year | All ages | Under 1 year | 1-4 years | 5-14 years | 15-24 years | 25-34 years | 35-44 years | 45-54 years | 55-64 years | 65-74 years | 75-84 years | 85 years and over | Age not stated |
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|
| <b>Non-Hodgkin's lymphoma (C82-C85)</b>  |          |              |           |            |             |             |             |             |             |             |             |                   |                |
| <b>Non-Hispanic 1/, both sexes</b>   |          |              |           |            |             |             |             |             |             |             |             |                   |                |
| 2007.....  | 19,283   | 2            | 4         | 24         | 104         | 169         | 438         | 1,250       | 2,700       | 4,213       | 6,537       | 3,842             | -              |
| 2006.....  | 19,435   | 1            | 5         | 29         | 102         | 182         | 452         | 1,293       | 2,673       | 4,277       | 6,694       | 3,726             | 1              |
| 2005.....  | 19,734   | 1            | 5         | 44         | 103         | 188         | 501         | 1,285       | 2,739       | 4,365       | 6,778       | 3,725             | -              |
| 2004.....  | 19,842   | 1            | 2         | 31         | 119         | 209         | 465         | 1,404       | 2,694       | 4,575       | 6,793       | 3,549             | -              |
| 2003.....  | 20,379   | -            | 2         | 35         | 112         | 206         | 548         | 1,427       | 2,823       | 4,679       | 6,947       | 3,600             | -              |
| 2002.....  | 20,780   | 2            | 13        | 50         | 115         | 240         | 603         | 1,466       | 2,857       | 4,983       | 6,999       | 3,452             | -              |
| 2001.....  | 21,246   | 1            | 1         | 32         | 125         | 258         | 678         | 1,605       | 2,892       | 5,134       | 7,113       | 3,407             | -              |
| 2000.....  | 21,657   | 1            | 5         | 45         | 159         | 254         | 668         | 1,626       | 2,970       | 5,311       | 7,312       | 3,306             | -              |
| 1999.....  | 21,792   | 2            | 15        | 34         | 125         | 252         | 718         | 1,606       | 2,996       | 5,575       | 7,327       | 3,142             | -              |
| <b>Non-Hispanic 1/, male</b>   |          |              |           |            |             |             |             |             |             |             |             |                   |                |
| 2007.....  | 10,339   | 1            | 2         | 18         | 69          | 113         | 293         | 793         | 1,672       | 2,478       | 3,324       | 1,576             | -              |
| 2006.....  | 10,293   | 1            | 4         | 23         | 70          | 111         | 278         | 844         | 1,668       | 2,438       | 3,391       | 1,464             | 1              |
| 2005.....  | 10,529   | -            | 2         | 37         | 72          | 113         | 325         | 838         | 1,642       | 2,535       | 3,396       | 1,569             | -              |
| 2004.....  | 10,437   | -            | 2         | 22         | 76          | 136         | 309         | 881         | 1,628       | 2,601       | 3,377       | 1,405             | -              |
| 2003.....  | 10,810   | -            | 2         | 21         | 68          | 132         | 350         | 904         | 1,739       | 2,697       | 3,440       | 1,457             | -              |
| 2002.....  | 10,953   | 1            | 6         | 37         | 73          | 153         | 389         | 910         | 1,725       | 2,838       | 3,472       | 1,349             | -              |
| 2001.....  | 11,105   | 1            | 1         | 23         | 79          | 153         | 443         | 1,036       | 1,708       | 2,897       | 3,416       | 1,348             | -              |
| 2000.....  | 11,225   | -            | 3         | 27         | 109         | 148         | 431         | 1,036       | 1,728       | 2,954       | 3,533       | 1,256             | -              |
| 1999.....  | 11,271   | -            | 9         | 28         | 81          | 160         | 464         | 1,025       | 1,754       | 3,044       | 3,490       | 1,216             | -              |

Worktable Orig290F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2007

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data - mortality"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, sex, and year | All ages | Under 1 year | 1-4 years | 5-14 years | 15-24 years | 25-34 years | 35-44 years | 45-54 years | 55-64 years | 65-74 years | 75-84 years | 85 years and over | Age not stated |
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|
| <b>Non-Hodgkin's lymphoma (C82-C85)</b>  |          |              |           |            |             |             |             |             |             |             |             |                   |                |
| <b>Non-Hispanic 1/, female</b>   |          |              |           |            |             |             |             |             |             |             |             |                   |                |
| 2007.....  | 8,944    | 1            | 2         | 6          | 35          | 56          | 145         | 457         | 1,028       | 1,735       | 3,213       | 2,266             | -              |
| 2006.....  | 9,142    | -            | 1         | 6          | 32          | 71          | 174         | 449         | 1,005       | 1,839       | 3,303       | 2,262             | -              |
| 2005.....  | 9,205    | 1            | 3         | 7          | 31          | 75          | 176         | 447         | 1,097       | 1,830       | 3,382       | 2,156             | -              |
| 2004.....  | 9,405    | 1            | -         | 9          | 43          | 73          | 156         | 523         | 1,066       | 1,974       | 3,416       | 2,144             | -              |
| 2003.....  | 9,569    | -            | -         | 14         | 44          | 74          | 198         | 523         | 1,084       | 1,982       | 3,507       | 2,143             | -              |
| 2002.....  | 9,827    | 1            | 7         | 13         | 42          | 87          | 214         | 556         | 1,132       | 2,145       | 3,527       | 2,103             | -              |
| 2001.....  | 10,141   | -            | -         | 9          | 46          | 105         | 235         | 569         | 1,184       | 2,237       | 3,697       | 2,059             | -              |
| 2000.....  | 10,432   | 1            | 2         | 18         | 50          | 106         | 237         | 590         | 1,242       | 2,357       | 3,779       | 2,050             | -              |
| 1999.....  | 10,521   | 2            | 6         | 6          | 44          | 92          | 254         | 581         | 1,242       | 2,531       | 3,837       | 1,926             | -              |
| <b>Non-Hispanic white, both sexes</b>  |          |              |           |            |             |             |             |             |             |             |             |                   |                |
| 2007 2/.....   | 17,356   | 2            | 1         | 19         | 72          | 108         | 317         | 989         | 2,302       | 3,799       | 6,090       | 3,657             | -              |
| 2006 2/.....   | 17,496   | 1            | 3         | 21         | 65          | 125         | 308         | 1,026       | 2,282       | 3,854       | 6,278       | 3,532             | 1              |
| 2005 2/.....   | 17,852   | 1            | 4         | 34         | 70          | 118         | 369         | 1,016       | 2,369       | 3,948       | 6,377       | 3,546             | -              |
| 2004 2/.....   | 17,970   | 1            | 2         | 20         | 85          | 139         | 362         | 1,125       | 2,360       | 4,142       | 6,379       | 3,355             | -              |
| 2003 2/.....   | 18,526   | -            | 2         | 22         | 85          | 132         | 417         | 1,158       | 2,500       | 4,242       | 6,533       | 3,435             | -              |
| 2002.....  | 18,901   | 1            | 12        | 38         | 80          | 162         | 463         | 1,198       | 2,517       | 4,523       | 6,597       | 3,310             | -              |
| 2001.....  | 19,300   | 1            | 1         | 26         | 87          | 182         | 523         | 1,337       | 2,535       | 4,683       | 6,702       | 3,223             | -              |
| 2000.....  | 19,843   | -            | 2         | 38         | 110         | 181         | 531         | 1,367       | 2,655       | 4,878       | 6,938       | 3,143             | -              |
| 1999.....  | 19,956   | -            | 12        | 23         | 91          | 177         | 559         | 1,372       | 2,667       | 5,145       | 6,935       | 2,975             | -              |

Worktable Orig290F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2007

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data - mortality"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, sex, and year | All ages | Under 1 year | 1-4 years | 5-14 years | 15-24 years | 25-34 years | 35-44 years | 45-54 years | 55-64 years | 65-74 years | 75-84 years | 85 years and over | Age not stated |
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|
| Non-Hodgkin's lymphoma (C82-C85)   |          |              |           |            |             |             |             |             |             |             |             |                   |                |
| Non-Hispanic white, male   |          |              |           |            |             |             |             |             |             |             |             |                   |                |
| 2007 2/.....   | 9,284    | 1            | -         | 14         | 48          | 78          | 214         | 635         | 1,447       | 2,232       | 3,117       | 1,498             | -              |
| 2006 2/.....   | 9,240    | 1            | 2         | 18         | 46          | 78          | 193         | 669         | 1,435       | 2,209       | 3,207       | 1,381             | 1              |
| 2005 2/.....   | 9,527    | -            | 1         | 27         | 54          | 68          | 252         | 662         | 1,430       | 2,310       | 3,220       | 1,503             | -              |
| 2004 2/.....   | 9,440    | -            | 2         | 16         | 52          | 95          | 248         | 710         | 1,431       | 2,361       | 3,186       | 1,339             | -              |
| 2003 2/.....   | 9,871    | -            | 2         | 12         | 53          | 88          | 271         | 738         | 1,556       | 2,490       | 3,267       | 1,394             | -              |
| 2002.....  | 9,961    | -            | 6         | 29         | 55          | 106         | 297         | 763         | 1,526       | 2,600       | 3,287       | 1,292             | -              |
| 2001.....  | 10,052   | 1            | 1         | 17         | 54          | 115         | 339         | 873         | 1,497       | 2,655       | 3,226       | 1,274             | -              |
| 2000.....  | 10,264   | -            | 2         | 23         | 79          | 109         | 353         | 870         | 1,538       | 2,725       | 3,365       | 1,200             | -              |
| 1999.....  | 10,259   | -            | 8         | 21         | 61          | 112         | 362         | 879         | 1,554       | 2,822       | 3,302       | 1,138             | -              |
| Non-Hispanic white, female   |          |              |           |            |             |             |             |             |             |             |             |                   |                |
| 2007 2/.....   | 8,072    | 1            | 1         | 5          | 24          | 30          | 103         | 354         | 855         | 1,567       | 2,973       | 2,159             | -              |
| 2006 2/.....   | 8,256    | -            | 1         | 3          | 19          | 47          | 115         | 357         | 847         | 1,645       | 3,071       | 2,151             | -              |
| 2005 2/.....   | 8,325    | 1            | 3         | 7          | 16          | 50          | 117         | 354         | 939         | 1,638       | 3,157       | 2,043             | -              |
| 2004 2/.....   | 8,530    | 1            | -         | 4          | 33          | 44          | 114         | 415         | 929         | 1,781       | 3,193       | 2,016             | -              |
| 2003 2/.....   | 8,655    | -            | -         | 10         | 32          | 44          | 146         | 420         | 944         | 1,752       | 3,266       | 2,041             | -              |
| 2002.....  | 8,940    | 1            | 6         | 9          | 25          | 56          | 166         | 435         | 991         | 1,923       | 3,310       | 2,018             | -              |
| 2001.....  | 9,248    | -            | -         | 9          | 33          | 67          | 184         | 464         | 1,038       | 2,028       | 3,476       | 1,949             | -              |
| 2000.....  | 9,579    | -            | -         | 15         | 31          | 72          | 178         | 497         | 1,117       | 2,153       | 3,573       | 1,943             | -              |
| 1999.....  | 9,697    | -            | 4         | 2          | 30          | 65          | 197         | 493         | 1,113       | 2,323       | 3,633       | 1,837             | -              |

Worktable Orig290F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2007

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data - mortality"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, sex, and year | All ages | Under 1 year | 1-4 years | 5-14 years | 15-24 years | 25-34 years | 35-44 years | 45-54 years | 55-64 years | 65-74 years | 75-84 years | 85 years and over | Age not stated |
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|
| Non-Hodgkin's lymphoma (C82-C85)   |          |              |           |            |             |             |             |             |             |             |             |                   |                |
| Non-Hispanic black, both sexes   |          |              |           |            |             |             |             |             |             |             |             |                   |                |
| 2007 2/.....   | 1,379    | -            | 2         | 5          | 24          | 50          | 103         | 204         | 306         | 299         | 262         | 124               | -              |
| 2006 2/.....   | 1,464    | -            | 2         | 6          | 29          | 46          | 120         | 228         | 319         | 303         | 281         | 130               | -              |
| 2005 2/.....   | 1,379    | -            | 1         | 9          | 28          | 57          | 109         | 214         | 274         | 295         | 266         | 126               | -              |
| 2004 2/.....   | 1,391    | -            | -         | 8          | 30          | 59          | 84          | 231         | 257         | 311         | 274         | 137               | -              |
| 2003 2/.....   | 1,359    | -            | -         | 10         | 23          | 58          | 108         | 229         | 244         | 307         | 275         | 105               | -              |
| 2002.....  | 1,446    | 1            | 1         | 10         | 24          | 63          | 112         | 215         | 277         | 356         | 284         | 103               | -              |
| 2001.....  | 1,478    | -            | -         | 5          | 32          | 62          | 129         | 221         | 269         | 348         | 284         | 128               | -              |
| 2000.....  | 1,355    | 1            | 2         | 5          | 35          | 55          | 118         | 206         | 256         | 318         | 244         | 115               | -              |
| 1999.....  | 1,427    | 2            | 2         | 9          | 32          | 58          | 135         | 189         | 259         | 330         | 286         | 125               | -              |
| Non-Hispanic black, male   |          |              |           |            |             |             |             |             |             |             |             |                   |                |
| 2007 2/.....   | 745      | -            | 2         | 4          | 15          | 29          | 67          | 123         | 174         | 176         | 112         | 43                | -              |
| 2006 2/.....   | 796      | -            | 2         | 4          | 18          | 26          | 74          | 152         | 194         | 161         | 118         | 47                | -              |
| 2005 2/.....   | 744      | -            | 1         | 9          | 15          | 34          | 60          | 143         | 163         | 165         | 111         | 43                | -              |
| 2004 2/.....   | 728      | -            | -         | 3          | 20          | 36          | 50          | 145         | 150         | 165         | 117         | 42                | -              |
| 2003 2/.....   | 682      | -            | -         | 8          | 12          | 34          | 63          | 143         | 138         | 143         | 108         | 33                | -              |
| 2002.....  | 767      | 1            | -         | 7          | 10          | 40          | 76          | 119         | 159         | 193         | 122         | 40                | -              |
| 2001.....  | 795      | -            | -         | 5          | 22          | 32          | 88          | 135         | 151         | 190         | 124         | 48                | -              |
| 2000.....  | 719      | -            | -         | 3          | 19          | 30          | 68          | 133         | 157         | 169         | 103         | 37                | -              |
| 1999.....  | 778      | -            | 1         | 6          | 18          | 39          | 86          | 120         | 153         | 174         | 131         | 50                | -              |

Worktable Orig290F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2007

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data - mortality"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, sex, and year | All ages | Under 1 year | 1-4 years | 5-14 years | 15-24 years | 25-34 years | 35-44 years | 45-54 years | 55-64 years | 65-74 years | 75-84 years | 85 years and over | Age not stated |
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|
| Non-Hodgkin's lymphoma (C82-C85)   |          |              |           |            |             |             |             |             |             |             |             |                   |                |
| Non-Hispanic black, female   |          |              |           |            |             |             |             |             |             |             |             |                   |                |
| 2007 2/.....   | 634      | -            | -         | 1          | 9           | 21          | 36          | 81          | 132         | 123         | 150         | 81                | -              |
| 2006 2/.....   | 668      | -            | -         | 2          | 11          | 20          | 46          | 76          | 125         | 142         | 163         | 83                | -              |
| 2005 2/.....   | 635      | -            | -         | -          | 13          | 23          | 49          | 71          | 111         | 130         | 155         | 83                | -              |
| 2004 2/.....   | 663      | -            | -         | 5          | 10          | 23          | 34          | 86          | 107         | 146         | 157         | 95                | -              |
| 2003 2/.....   | 677      | -            | -         | 2          | 11          | 24          | 45          | 86          | 106         | 164         | 167         | 72                | -              |
| 2002.....  | 679      | -            | 1         | 3          | 14          | 23          | 36          | 96          | 118         | 163         | 162         | 63                | -              |
| 2001.....  | 683      | -            | -         | -          | 10          | 30          | 41          | 86          | 118         | 158         | 160         | 80                | -              |
| 2000.....  | 636      | 1            | 2         | 2          | 16          | 25          | 50          | 73          | 99          | 149         | 141         | 78                | -              |
| 1999.....  | 649      | 2            | 1         | 3          | 14          | 19          | 49          | 69          | 106         | 156         | 155         | 75                | -              |
| Origin not stated 3/, both sexes   |          |              |           |            |             |             |             |             |             |             |             |                   |                |
| 2007.....  | 21       | -            | -         | -          | -           | -           | 1           | 4           | 3           | 3           | 10          | -                 | -              |
| 2006.....  | 23       | -            | -         | 1          | 1           | -           | 1           | 2           | 5           | 6           | 5           | 2                 | -              |
| 2005.....  | 21       | -            | -         | -          | 1           | -           | -           | 3           | 4           | 4           | 7           | 2                 | -              |
| 2004.....  | 34       | -            | -         | 1          | -           | -           | 3           | 3           | 5           | 7           | 9           | 6                 | -              |
| 2003.....  | 39       | -            | -         | -          | 1           | -           | -           | 5           | 8           | 7           | 11          | 7                 | -              |
| 2002.....  | 62       | -            | -         | -          | 2           | -           | 6           | 7           | 6           | 13          | 22          | 6                 | -              |
| 2001.....  | 51       | -            | -         | -          | 1           | 3           | 1           | 5           | 5           | 16          | 16          | 4                 | -              |
| 2000.....  | 46       | -            | -         | -          | -           | 1           | -           | 6           | 10          | 10          | 13          | 6                 | -              |
| 1999.....  | 52       | -            | -         | -          | -           | -           | 3           | 4           | 5           | 12          | 22          | 6                 | -              |

Worktable Orig290F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2007

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data - mortality"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, sex, and year | All ages | Under 1 year | 1-4 years | 5-14 years | 15-24 years | 25-34 years | 35-44 years | 45-54 years | 55-64 years | 65-74 years | 75-84 years | 85 years and over | Age not stated |
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|
| <b>Non-Hodgkin's lymphoma (C82-C85)</b>  |          |              |           |            |             |             |             |             |             |             |             |                   |                |
| Origin not stated 3/, male   |          |              |           |            |             |             |             |             |             |             |             |                   |                |
| 2007.....  | 10       | -            | -         | -          | -           | -           | 1           | 2           | 2           | 1           | 4           | -                 | -              |
| 2006.....  | 15       | -            | -         | 1          | 1           | -           | -           | 2           | 3           | 3           | 4           | 1                 | -              |
| 2005.....  | 9        | -            | -         | -          | 1           | -           | -           | 1           | 2           | 1           | 3           | 1                 | -              |
| 2004.....  | 14       | -            | -         | -          | -           | -           | -           | 3           | 4           | 1           | 2           | 4                 | -              |
| 2003.....  | 20       | -            | -         | -          | 1           | -           | -           | 3           | 5           | 3           | 5           | 3                 | -              |
| 2002.....  | 36       | -            | -         | -          | 1           | -           | 5           | 3           | 4           | 12          | 11          | -                 | -              |
| 2001.....  | 26       | -            | -         | -          | -           | 2           | 1           | 3           | 2           | 6           | 11          | 1                 | -              |
| 2000.....  | 27       | -            | -         | -          | -           | 1           | -           | 4           | 9           | 8           | 3           | 2                 | -              |
| 1999.....  | 30       | -            | -         | -          | -           | -           | 3           | 2           | 2           | 7           | 14          | 2                 | -              |
| Origin not stated 3/, female   |          |              |           |            |             |             |             |             |             |             |             |                   |                |
| 2007.....  | 11       | -            | -         | -          | -           | -           | -           | 2           | 1           | 2           | 6           | -                 | -              |
| 2006.....  | 8        | -            | -         | -          | -           | -           | 1           | -           | 2           | 3           | 1           | 1                 | -              |
| 2005.....  | 12       | -            | -         | -          | -           | -           | -           | 2           | 2           | 3           | 4           | 1                 | -              |
| 2004.....  | 20       | -            | -         | 1          | -           | -           | 3           | -           | 1           | 6           | 7           | 2                 | -              |
| 2003.....  | 19       | -            | -         | -          | -           | -           | -           | 2           | 3           | 4           | 6           | 4                 | -              |
| 2002.....  | 26       | -            | -         | -          | 1           | -           | 1           | 4           | 2           | 1           | 11          | 6                 | -              |
| 2001.....  | 25       | -            | -         | -          | 1           | 1           | -           | 2           | 3           | 10          | 5           | 3                 | -              |
| 2000.....  | 19       | -            | -         | -          | -           | -           | -           | 2           | 1           | 2           | 10          | 4                 | -              |
| 1999.....  | 22       | -            | -         | -          | -           | -           | -           | 2           | 3           | 5           | 8           | 4                 | -              |



Worktable Orig290F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2007

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data - mortality"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, sex, and year | All ages | Under 1 year | 1-4 years | 5-14 years | 15-24 years | 25-34 years | 35-44 years | 45-54 years | 55-64 years | 65-74 years | 75-84 years | 85 years and over | Age not stated |
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|
| <b>Leukemia (C91-C95)</b>  |          |              |           |            |             |             |             |             |             |             |             |                   |                |
| <b>All origins, both sexes</b>   |          |              |           |            |             |             |             |             |             |             |             |                   |                |
| 2007.....  | 21,825   | 21           | 106       | 314        | 428         | 438         | 657         | 1,362       | 2,801       | 4,611       | 6,858       | 4,228             | 1              |
| 2006.....  | 21,944   | 31           | 124       | 256        | 465         | 460         | 715         | 1,398       | 2,823       | 4,735       | 6,863       | 4,074             | -              |
| 2005.....  | 21,623   | 22           | 120       | 275        | 466         | 461         | 680         | 1,419       | 2,662       | 4,673       | 6,832       | 4,013             | -              |
| 2004.....  | 21,395   | 23           | 120       | 312        | 435         | 416         | 713         | 1,367       | 2,688       | 4,694       | 6,797       | 3,830             | -              |
| 2003.....  | 21,535   | 30           | 133       | 342        | 402         | 433         | 796         | 1,365       | 2,605       | 4,706       | 6,937       | 3,786             | -              |
| 2002.....  | 21,498   | 21           | 104       | 316        | 472         | 471         | 767         | 1,459       | 2,611       | 4,818       | 6,763       | 3,696             | -              |
| 2001.....  | 21,451   | 25           | 155       | 323        | 479         | 513         | 779         | 1,475       | 2,535       | 4,886       | 6,696       | 3,585             | -              |
| 2000.....  | 21,339   | 38           | 137       | 315        | 464         | 473         | 801         | 1,411       | 2,414       | 5,010       | 6,733       | 3,543             | -              |
| 1999.....  | 21,014   | 27           | 119       | 305        | 482         | 500         | 799         | 1,370       | 2,516       | 5,012       | 6,460       | 3,424             | -              |
| <b>All origins, male</b>   |          |              |           |            |             |             |             |             |             |             |             |                   |                |
| 2007.....  | 12,388   | 14           | 53        | 181        | 251         | 251         | 364         | 786         | 1,715       | 2,809       | 4,020       | 1,943             | 1              |
| 2006.....  | 12,385   | 17           | 64        | 146        | 298         | 274         | 393         | 796         | 1,733       | 2,869       | 4,021       | 1,774             | -              |
| 2005.....  | 12,231   | 11           | 81        | 159        | 293         | 257         | 358         | 762         | 1,649       | 2,902       | 3,957       | 1,802             | -              |
| 2004.....  | 12,007   | 9            | 70        | 182        | 268         | 242         | 398         | 782         | 1,663       | 2,903       | 3,821       | 1,669             | -              |
| 2003.....  | 12,073   | 9            | 75        | 195        | 257         | 274         | 444         | 801         | 1,593       | 2,930       | 3,880       | 1,615             | -              |
| 2002.....  | 12,016   | 11           | 57        | 172        | 282         | 280         | 429         | 821         | 1,558       | 3,010       | 3,804       | 1,592             | -              |
| 2001.....  | 11,850   | 10           | 81        | 185        | 289         | 300         | 432         | 813         | 1,552       | 2,962       | 3,699       | 1,527             | -              |
| 2000.....  | 11,777   | 21           | 69        | 190        | 293         | 283         | 423         | 791         | 1,452       | 3,090       | 3,695       | 1,470             | -              |
| 1999.....  | 11,519   | 11           | 65        | 173        | 291         | 276         | 435         | 777         | 1,489       | 3,054       | 3,525       | 1,423             | -              |

Worktable Orig290F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2007

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data - mortality"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, sex, and year | All ages | Under 1 year | 1-4 years | 5-14 years | 15-24 years | 25-34 years | 35-44 years | 45-54 years | 55-64 years | 65-74 years | 75-84 years | 85 years and over | Age not stated |
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|
| <b>Leukemia (C91-C95)</b>  |          |              |           |            |             |             |             |             |             |             |             |                   |                |
| <b>All origins, female</b>   |          |              |           |            |             |             |             |             |             |             |             |                   |                |
| 2007.....  | 9,437    | 7            | 53        | 133        | 177         | 187         | 293         | 576         | 1,086       | 1,802       | 2,838       | 2,285             | -              |
| 2006.....  | 9,559    | 14           | 60        | 110        | 167         | 186         | 322         | 602         | 1,090       | 1,866       | 2,842       | 2,300             | -              |
| 2005.....  | 9,392    | 11           | 39        | 116        | 173         | 204         | 322         | 657         | 1,013       | 1,771       | 2,875       | 2,211             | -              |
| 2004.....  | 9,388    | 14           | 50        | 130        | 167         | 174         | 315         | 585         | 1,025       | 1,791       | 2,976       | 2,161             | -              |
| 2003.....  | 9,462    | 21           | 58        | 147        | 145         | 159         | 352         | 564         | 1,012       | 1,776       | 3,057       | 2,171             | -              |
| 2002.....  | 9,482    | 10           | 47        | 144        | 190         | 191         | 338         | 638         | 1,053       | 1,808       | 2,959       | 2,104             | -              |
| 2001.....  | 9,601    | 15           | 74        | 138        | 190         | 213         | 347         | 662         | 983         | 1,924       | 2,997       | 2,058             | -              |
| 2000.....  | 9,562    | 17           | 68        | 125        | 171         | 190         | 378         | 620         | 962         | 1,920       | 3,038       | 2,073             | -              |
| 1999.....  | 9,495    | 16           | 54        | 132        | 191         | 224         | 364         | 593         | 1,027       | 1,958       | 2,935       | 2,001             | -              |
| <b>Hispanic, both sexes</b>  |          |              |           |            |             |             |             |             |             |             |             |                   |                |
| 2007.....  | 1,279    | 4            | 19        | 98         | 111         | 110         | 109         | 136         | 179         | 203         | 225         | 85                | -              |
| 2006.....  | 1,241    | 8            | 25        | 58         | 112         | 104         | 111         | 124         | 150         | 233         | 226         | 90                | -              |
| 2005.....  | 1,272    | 7            | 25        | 79         | 125         | 102         | 97          | 137         | 166         | 233         | 206         | 95                | -              |
| 2004.....  | 1,150    | 8            | 26        | 98         | 108         | 86          | 95          | 119         | 139         | 199         | 196         | 76                | -              |
| 2003.....  | 1,156    | 6            | 41        | 86         | 96          | 84          | 100         | 139         | 132         | 170         | 211         | 91                | -              |
| 2002.....  | 1,088    | 2            | 26        | 82         | 109         | 80          | 121         | 93          | 143         | 183         | 164         | 85                | -              |
| 2001.....  | 1,114    | 7            | 38        | 80         | 115         | 101         | 103         | 100         | 120         | 197         | 185         | 68                | -              |
| 2000.....  | 1,038    | 8            | 27        | 72         | 99          | 71          | 97          | 110         | 133         | 182         | 165         | 74                | -              |
| 1999.....  | 994      | 8            | 26        | 69         | 101         | 86          | 98          | 100         | 115         | 179         | 149         | 63                | -              |

Worktable Orig290F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2007

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data - mortality"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, sex, and year | All ages | Under 1 year | 1-4 years | 5-14 years | 15-24 years | 25-34 years | 35-44 years | 45-54 years | 55-64 years | 65-74 years | 75-84 years | 85 years and over | Age not stated |
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|
| <b>Leukemia (C91-C95)</b>  |          |              |           |            |             |             |             |             |             |             |             |                   |                |
| <b>Hispanic, male</b>  |          |              |           |            |             |             |             |             |             |             |             |                   |                |
| 2007.....  | 696      | 2            | 9         | 51         | 65          | 63          | 60          | 72          | 99          | 109         | 115         | 51                | -              |
| 2006.....  | 686      | 5            | 14        | 29         | 69          | 62          | 57          | 69          | 86          | 129         | 128         | 38                | -              |
| 2005.....  | 747      | 2            | 19        | 45         | 85          | 64          | 58          | 73          | 95          | 135         | 125         | 46                | -              |
| 2004.....  | 669      | 3            | 12        | 62         | 77          | 54          | 57          | 67          | 86          | 114         | 106         | 31                | -              |
| 2003.....  | 649      | 1            | 23        | 50         | 65          | 54          | 58          | 78          | 75          | 99          | 106         | 40                | -              |
| 2002.....  | 601      | 1            | 12        | 41         | 73          | 57          | 69          | 51          | 67          | 97          | 94          | 39                | -              |
| 2001.....  | 640      | 2            | 21        | 41         | 80          | 66          | 65          | 56          | 73          | 98          | 102         | 36                | -              |
| 2000.....  | 595      | 5            | 12        | 46         | 59          | 52          | 52          | 64          | 82          | 98          | 87          | 38                | -              |
| 1999.....  | 534      | 3            | 16        | 38         | 57          | 49          | 48          | 52          | 66          | 107         | 75          | 23                | -              |
| <b>Hispanic, female</b>  |          |              |           |            |             |             |             |             |             |             |             |                   |                |
| 2007.....  | 583      | 2            | 10        | 47         | 46          | 47          | 49          | 64          | 80          | 94          | 110         | 34                | -              |
| 2006.....  | 555      | 3            | 11        | 29         | 43          | 42          | 54          | 55          | 64          | 104         | 98          | 52                | -              |
| 2005.....  | 525      | 5            | 6         | 34         | 40          | 38          | 39          | 64          | 71          | 98          | 81          | 49                | -              |
| 2004.....  | 481      | 5            | 14        | 36         | 31          | 32          | 38          | 52          | 53          | 85          | 90          | 45                | -              |
| 2003.....  | 507      | 5            | 18        | 36         | 31          | 30          | 42          | 61          | 57          | 71          | 105         | 51                | -              |
| 2002.....  | 487      | 1            | 14        | 41         | 36          | 23          | 52          | 42          | 76          | 86          | 70          | 46                | -              |
| 2001.....  | 474      | 5            | 17        | 39         | 35          | 35          | 38          | 44          | 47          | 99          | 83          | 32                | -              |
| 2000.....  | 443      | 3            | 15        | 26         | 40          | 19          | 45          | 46          | 51          | 84          | 78          | 36                | -              |
| 1999.....  | 460      | 5            | 10        | 31         | 44          | 37          | 50          | 48          | 49          | 72          | 74          | 40                | -              |

Worktable Orig290F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2007

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data - mortality"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, sex, and year | All ages | Under 1 year | 1-4 years | 5-14 years | 15-24 years | 25-34 years | 35-44 years | 45-54 years | 55-64 years | 65-74 years | 75-84 years | 85 years and over | Age not stated |
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|
| <b>Leukemia (C91-C95)</b>  |          |              |           |            |             |             |             |             |             |             |             |                   |                |
| <b>Non-Hispanic 1/, both sexes</b>   |          |              |           |            |             |             |             |             |             |             |             |                   |                |
| 2007.....  | 20,521   | 17           | 87        | 216        | 317         | 328         | 547         | 1,225       | 2,620       | 4,403       | 6,624       | 4,136             | 1              |
| 2006.....  | 20,674   | 23           | 99        | 197        | 353         | 356         | 603         | 1,272       | 2,666       | 4,499       | 6,630       | 3,976             | -              |
| 2005.....  | 20,329   | 15           | 95        | 195        | 341         | 358         | 580         | 1,277       | 2,493       | 4,436       | 6,621       | 3,918             | -              |
| 2004.....  | 20,214   | 15           | 94        | 212        | 325         | 330         | 618         | 1,246       | 2,543       | 4,487       | 6,596       | 3,748             | -              |
| 2003.....  | 20,340   | 24           | 92        | 255        | 306         | 348         | 696         | 1,221       | 2,467       | 4,526       | 6,718       | 3,687             | -              |
| 2002.....  | 20,363   | 18           | 78        | 234        | 362         | 390         | 645         | 1,360       | 2,464       | 4,622       | 6,586       | 3,604             | -              |
| 2001.....  | 20,285   | 18           | 115       | 242        | 363         | 409         | 673         | 1,371       | 2,406       | 4,677       | 6,501       | 3,510             | -              |
| 2000.....  | 20,248   | 30           | 109       | 240        | 362         | 402         | 697         | 1,299       | 2,274       | 4,817       | 6,555       | 3,463             | -              |
| 1999.....  | 19,981   | 19           | 92        | 236        | 381         | 412         | 700         | 1,266       | 2,395       | 4,826       | 6,298       | 3,356             | -              |
| <b>Non-Hispanic 1/, male</b>   |          |              |           |            |             |             |             |             |             |             |             |                   |                |
| 2007.....  | 11,679   | 12           | 44        | 130        | 186         | 188         | 304         | 713         | 1,614       | 2,697       | 3,900       | 1,890             | 1              |
| 2006.....  | 11,684   | 12           | 50        | 116        | 229         | 212         | 335         | 726         | 1,645       | 2,738       | 3,889       | 1,732             | -              |
| 2005.....  | 11,471   | 9            | 62        | 113        | 208         | 193         | 299         | 687         | 1,551       | 2,765       | 3,828       | 1,756             | -              |
| 2004.....  | 11,322   | 6            | 58        | 118        | 190         | 188         | 341         | 713         | 1,574       | 2,787       | 3,711       | 1,636             | -              |
| 2003.....  | 11,394   | 8            | 52        | 144        | 192         | 219         | 386         | 718         | 1,513       | 2,825       | 3,768       | 1,569             | -              |
| 2002.....  | 11,386   | 9            | 45        | 131        | 208         | 223         | 360         | 765         | 1,489       | 2,904       | 3,702       | 1,550             | -              |
| 2001.....  | 11,180   | 8            | 59        | 144        | 208         | 234         | 365         | 754         | 1,474       | 2,857       | 3,590       | 1,487             | -              |
| 2000.....  | 11,155   | 16           | 56        | 143        | 233         | 231         | 367         | 725         | 1,366       | 2,987       | 3,601       | 1,430             | -              |
| 1999.....  | 10,968   | 8            | 48        | 135        | 234         | 226         | 386         | 724         | 1,421       | 2,940       | 3,446       | 1,400             | -              |

Worktable Orig290F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2007

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data - mortality"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, sex, and year | All ages | Under 1 year | 1-4 years | 5-14 years | 15-24 years | 25-34 years | 35-44 years | 45-54 years | 55-64 years | 65-74 years | 75-84 years | 85 years and over | Age not stated |
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|
| <b>Leukemia (C91-C95)</b>  |          |              |           |            |             |             |             |             |             |             |             |                   |                |
| <b>Non-Hispanic 1/, female</b>   |          |              |           |            |             |             |             |             |             |             |             |                   |                |
| 2007.....  | 8,842    | 5            | 43        | 86         | 131         | 140         | 243         | 512         | 1,006       | 1,706       | 2,724       | 2,246             | -              |
| 2006.....  | 8,990    | 11           | 49        | 81         | 124         | 144         | 268         | 546         | 1,021       | 1,761       | 2,741       | 2,244             | -              |
| 2005.....  | 8,858    | 6            | 33        | 82         | 133         | 165         | 281         | 590         | 942         | 1,671       | 2,793       | 2,162             | -              |
| 2004.....  | 8,892    | 9            | 36        | 94         | 135         | 142         | 277         | 533         | 969         | 1,700       | 2,885       | 2,112             | -              |
| 2003.....  | 8,946    | 16           | 40        | 111        | 114         | 129         | 310         | 503         | 954         | 1,701       | 2,950       | 2,118             | -              |
| 2002.....  | 8,977    | 9            | 33        | 103        | 154         | 167         | 285         | 595         | 975         | 1,718       | 2,884       | 2,054             | -              |
| 2001.....  | 9,105    | 10           | 56        | 98         | 155         | 175         | 308         | 617         | 932         | 1,820       | 2,911       | 2,023             | -              |
| 2000.....  | 9,093    | 14           | 53        | 97         | 129         | 171         | 330         | 574         | 908         | 1,830       | 2,954       | 2,033             | -              |
| 1999.....  | 9,013    | 11           | 44        | 101        | 147         | 186         | 314         | 542         | 974         | 1,886       | 2,852       | 1,956             | -              |
| <b>Non-Hispanic white, both sexes</b>  |          |              |           |            |             |             |             |             |             |             |             |                   |                |
| 2007 2/.....   | 18,213   | 15           | 64        | 159        | 228         | 239         | 401         | 992         | 2,245       | 3,879       | 6,111       | 3,879             | 1              |
| 2006 2/.....   | 18,413   | 17           | 78        | 145        | 270         | 268         | 469         | 1,061       | 2,292       | 4,008       | 6,101       | 3,704             | -              |
| 2005 2/.....   | 18,152   | 12           | 62        | 145        | 258         | 250         | 462         | 1,024       | 2,167       | 3,962       | 6,127       | 3,683             | -              |
| 2004 2/.....   | 17,936   | 11           | 67        | 160        | 244         | 246         | 470         | 1,018       | 2,194       | 3,956       | 6,074       | 3,496             | -              |
| 2003 2/.....   | 18,190   | 22           | 70        | 190        | 227         | 265         | 534         | 1,004       | 2,151       | 4,054       | 6,221       | 3,452             | -              |
| 2002.....  | 18,162   | 13           | 60        | 174        | 286         | 289         | 524         | 1,102       | 2,099       | 4,169       | 6,087       | 3,359             | -              |
| 2001.....  | 18,105   | 15           | 95        | 168        | 280         | 298         | 524         | 1,123       | 2,084       | 4,185       | 6,031       | 3,302             | -              |
| 2000.....  | 18,128   | 30           | 88        | 187        | 262         | 284         | 546         | 1,059       | 1,952       | 4,372       | 6,121       | 3,227             | -              |
| 1999.....  | 17,885   | 15           | 78        | 171        | 279         | 315         | 564         | 1,040       | 2,075       | 4,348       | 5,848       | 3,152             | -              |

Worktable Orig290F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2007

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data - mortality"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, sex, and year | All ages | Under 1 year | 1-4 years | 5-14 years | 15-24 years | 25-34 years | 35-44 years | 45-54 years | 55-64 years | 65-74 years | 75-84 years | 85 years and over | Age not stated |
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|
| <b>Leukemia (C91-C95)</b>  |          |              |           |            |             |             |             |             |             |             |             |                   |                |
| <b>Non-Hispanic white, male</b>  |          |              |           |            |             |             |             |             |             |             |             |                   |                |
| 2007 2/.....   | 10,454   | 11           | 30        | 96         | 134         | 138         | 227         | 582         | 1,414       | 2,405       | 3,639       | 1,777             | 1              |
| 2006 2/.....   | 10,427   | 8            | 39        | 82         | 177         | 166         | 256         | 609         | 1,429       | 2,454       | 3,597       | 1,610             | -              |
| 2005 2/.....   | 10,289   | 7            | 39        | 82         | 155         | 140         | 232         | 558         | 1,366       | 2,495       | 3,546       | 1,669             | -              |
| 2004 2/.....   | 10,098   | 5            | 39        | 90         | 143         | 145         | 260         | 580         | 1,383       | 2,466       | 3,450       | 1,537             | -              |
| 2003 2/.....   | 10,278   | 6            | 40        | 112        | 142         | 164         | 296         | 601         | 1,335       | 2,560       | 3,540       | 1,482             | -              |
| 2002.....  | 10,218   | 8            | 36        | 95         | 167         | 168         | 294         | 626         | 1,290       | 2,631       | 3,446       | 1,457             | -              |
| 2001.....  | 10,018   | 6            | 46        | 92         | 164         | 173         | 277         | 632         | 1,289       | 2,579       | 3,349       | 1,411             | -              |
| 2000.....  | 10,009   | 16           | 46        | 108        | 166         | 164         | 298         | 593         | 1,183       | 2,726       | 3,377       | 1,332             | -              |
| 1999.....  | 9,853    | 8            | 39        | 98         | 177         | 170         | 313         | 593         | 1,246       | 2,673       | 3,220       | 1,316             | -              |
| <b>Non-Hispanic white, female</b>  |          |              |           |            |             |             |             |             |             |             |             |                   |                |
| 2007 2/.....   | 7,759    | 4            | 34        | 63         | 94          | 101         | 174         | 410         | 831         | 1,474       | 2,472       | 2,102             | -              |
| 2006 2/.....   | 7,986    | 9            | 39        | 63         | 93          | 102         | 213         | 452         | 863         | 1,554       | 2,504       | 2,094             | -              |
| 2005 2/.....   | 7,863    | 5            | 23        | 63         | 103         | 110         | 230         | 466         | 801         | 1,467       | 2,581       | 2,014             | -              |
| 2004 2/.....   | 7,838    | 6            | 28        | 70         | 101         | 101         | 210         | 438         | 811         | 1,490       | 2,624       | 1,959             | -              |
| 2003 2/.....   | 7,912    | 16           | 30        | 78         | 85          | 101         | 238         | 403         | 816         | 1,494       | 2,681       | 1,970             | -              |
| 2002.....  | 7,944    | 5            | 24        | 79         | 119         | 121         | 230         | 476         | 809         | 1,538       | 2,641       | 1,902             | -              |
| 2001.....  | 8,087    | 9            | 49        | 76         | 116         | 125         | 247         | 491         | 795         | 1,606       | 2,682       | 1,891             | -              |
| 2000.....  | 8,119    | 14           | 42        | 79         | 96          | 120         | 248         | 466         | 769         | 1,646       | 2,744       | 1,895             | -              |
| 1999.....  | 8,032    | 7            | 39        | 73         | 102         | 145         | 251         | 447         | 829         | 1,675       | 2,628       | 1,836             | -              |

Worktable Orig290F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2007

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data - mortality"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, sex, and year | All ages | Under 1 year | 1-4 years | 5-14 years | 15-24 years | 25-34 years | 35-44 years | 45-54 years | 55-64 years | 65-74 years | 75-84 years | 85 years and over | Age not stated |
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|
| Leukemia (C91-C95)   |          |              |           |            |             |             |             |             |             |             |             |                   |                |
| Non-Hispanic black, both sexes   |          |              |           |            |             |             |             |             |             |             |             |                   |                |
| 2007 2/.....   | 1,805    | 1            | 18        | 41         | 64          | 63          | 112         | 188         | 302         | 410         | 399         | 207               | -              |
| 2006 2/.....   | 1,788    | 4            | 15        | 40         | 66          | 61          | 104         | 169         | 304         | 404         | 407         | 214               | -              |
| 2005 2/.....   | 1,697    | 3            | 25        | 35         | 64          | 83          | 87          | 198         | 254         | 369         | 385         | 194               | -              |
| 2004 2/.....   | 1,831    | 3            | 18        | 37         | 61          | 70          | 113         | 190         | 294         | 429         | 405         | 211               | -              |
| 2003 2/.....   | 1,745    | 1            | 14        | 47         | 55          | 64          | 130         | 176         | 262         | 389         | 404         | 203               | -              |
| 2002.....  | 1,752    | 4            | 13        | 40         | 53          | 68          | 89          | 197         | 295         | 372         | 405         | 216               | -              |
| 2001.....  | 1,741    | 3            | 13        | 56         | 60          | 75          | 118         | 187         | 248         | 408         | 390         | 183               | -              |
| 2000.....  | 1,729    | -            | 17        | 36         | 80          | 88          | 116         | 204         | 258         | 373         | 349         | 208               | -              |
| 1999.....  | 1,694    | 2            | 12        | 52         | 82          | 67          | 104         | 174         | 252         | 405         | 371         | 173               | -              |
| Non-Hispanic black, male   |          |              |           |            |             |             |             |             |             |             |             |                   |                |
| 2007 2/.....   | 940      | -            | 11        | 26         | 36          | 34          | 61          | 108         | 157         | 224         | 193         | 90                | -              |
| 2006 2/.....   | 988      | 2            | 8         | 27         | 40          | 30          | 63          | 90          | 178         | 237         | 218         | 95                | -              |
| 2005 2/.....   | 902      | 2            | 17        | 22         | 42          | 40          | 48          | 101         | 143         | 209         | 211         | 67                | -              |
| 2004 2/.....   | 959      | -            | 13        | 21         | 34          | 36          | 60          | 107         | 161         | 262         | 185         | 80                | -              |
| 2003 2/.....   | 908      | 1            | 8         | 23         | 35          | 40          | 73          | 99          | 150         | 218         | 187         | 74                | -              |
| 2002.....  | 914      | 1            | 6         | 24         | 30          | 37          | 48          | 109         | 161         | 220         | 198         | 80                | -              |
| 2001.....  | 915      | 2            | 9         | 38         | 31          | 44          | 67          | 93          | 147         | 232         | 187         | 65                | -              |
| 2000.....  | 923      | -            | 8         | 22         | 54          | 50          | 52          | 107         | 149         | 216         | 181         | 84                | -              |
| 1999.....  | 887      | -            | 7         | 32         | 45          | 38          | 54          | 103         | 142         | 222         | 178         | 66                | -              |

Worktable Orig290F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2007

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data - mortality"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, sex, and year | All ages | Under 1 year | 1-4 years | 5-14 years | 15-24 years | 25-34 years | 35-44 years | 45-54 years | 55-64 years | 65-74 years | 75-84 years | 85 years and over | Age not stated |
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|
| <b>Leukemia (C91-C95)</b>  |          |              |           |            |             |             |             |             |             |             |             |                   |                |
| <b>Non-Hispanic black, female</b>  |          |              |           |            |             |             |             |             |             |             |             |                   |                |
| 2007 2/.....   | 865      | 1            | 7         | 15         | 28          | 29          | 51          | 80          | 145         | 186         | 206         | 117               | -              |
| 2006 2/.....   | 800      | 2            | 7         | 13         | 26          | 31          | 41          | 79          | 126         | 167         | 189         | 119               | -              |
| 2005 2/.....   | 795      | 1            | 8         | 13         | 22          | 43          | 39          | 97          | 111         | 160         | 174         | 127               | -              |
| 2004 2/.....   | 872      | 3            | 5         | 16         | 27          | 34          | 53          | 83          | 133         | 167         | 220         | 131               | -              |
| 2003 2/.....   | 837      | -            | 6         | 24         | 20          | 24          | 57          | 77          | 112         | 171         | 217         | 129               | -              |
| 2002.....  | 838      | 3            | 7         | 16         | 23          | 31          | 41          | 88          | 134         | 152         | 207         | 136               | -              |
| 2001.....  | 826      | 1            | 4         | 18         | 29          | 31          | 51          | 94          | 101         | 176         | 203         | 118               | -              |
| 2000.....  | 806      | -            | 9         | 14         | 26          | 38          | 64          | 97          | 109         | 157         | 168         | 124               | -              |
| 1999.....  | 807      | 2            | 5         | 20         | 37          | 29          | 50          | 71          | 110         | 183         | 193         | 107               | -              |
| <b>Origin not stated 3/, both sexes</b>  |          |              |           |            |             |             |             |             |             |             |             |                   |                |
| 2007.....  | 25       | -            | -         | -          | -           | -           | 1           | 1           | 2           | 5           | 9           | 7                 | -              |
| 2006.....  | 29       | -            | -         | 1          | -           | -           | 1           | 2           | 7           | 3           | 7           | 8                 | -              |
| 2005.....  | 22       | -            | -         | 1          | -           | 1           | 3           | 5           | 3           | 4           | 5           | -                 | -              |
| 2004.....  | 31       | -            | -         | 2          | 2           | -           | -           | 2           | 6           | 8           | 5           | 6                 | -              |
| 2003.....  | 39       | -            | -         | 1          | -           | 1           | -           | 5           | 6           | 10          | 8           | 8                 | -              |
| 2002.....  | 47       | 1            | -         | -          | 1           | 1           | 1           | 6           | 4           | 13          | 13          | 7                 | -              |
| 2001.....  | 52       | -            | 2         | 1          | 1           | 3           | 3           | 4           | 9           | 12          | 10          | 7                 | -              |
| 2000.....  | 53       | -            | 1         | 3          | 3           | -           | 7           | 2           | 7           | 11          | 13          | 6                 | -              |
| 1999.....  | 39       | -            | 1         | -          | -           | 2           | 1           | 4           | 6           | 7           | 13          | 5                 | -              |



Worktable Orig290F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2007

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data - mortality"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, sex, and year | All ages | Under 1 year | 1-4 years | 5-14 years | 15-24 years | 25-34 years | 35-44 years | 45-54 years | 55-64 years | 65-74 years | 75-84 years | 85 years and over | Age not stated |
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|
| <b>Leukemia (C91-C95)</b>  |          |              |           |            |             |             |             |             |             |             |             |                   |                |
| Origin not stated 3/, male   |          |              |           |            |             |             |             |             |             |             |             |                   |                |
| 2007.....  | 13       | -            | -         | -          | -           | -           | -           | 1           | 2           | 3           | 5           | 2                 | -              |
| 2006.....  | 15       | -            | -         | 1          | -           | -           | 1           | 1           | 2           | 2           | 4           | 4                 | -              |
| 2005.....  | 13       | -            | -         | 1          | -           | -           | 1           | 2           | 3           | 2           | 4           | -                 | -              |
| 2004.....  | 16       | -            | -         | 2          | 1           | -           | -           | 2           | 3           | 2           | 4           | 2                 | -              |
| 2003.....  | 30       | -            | -         | 1          | -           | 1           | -           | 5           | 5           | 6           | 6           | 6                 | -              |
| 2002.....  | 29       | 1            | -         | -          | 1           | -           | -           | 5           | 2           | 9           | 8           | 3                 | -              |
| 2001.....  | 30       | -            | 1         | -          | 1           | -           | 2           | 3           | 5           | 7           | 7           | 4                 | -              |
| 2000.....  | 27       | -            | 1         | 1          | 1           | -           | 4           | 2           | 4           | 5           | 7           | 2                 | -              |
| 1999.....  | 17       | -            | 1         | -          | -           | 1           | 1           | 1           | 2           | 7           | 4           | -                 | -              |
| Origin not stated 3/, female   |          |              |           |            |             |             |             |             |             |             |             |                   |                |
| 2007.....  | 12       | -            | -         | -          | -           | -           | 1           | -           | -           | 2           | 4           | 5                 | -              |
| 2006.....  | 14       | -            | -         | -          | -           | -           | -           | 1           | 5           | 1           | 3           | 4                 | -              |
| 2005.....  | 9        | -            | -         | -          | -           | 1           | 2           | 3           | -           | 2           | 1           | -                 | -              |
| 2004.....  | 15       | -            | -         | -          | 1           | -           | -           | -           | 3           | 6           | 1           | 4                 | -              |
| 2003.....  | 9        | -            | -         | -          | -           | -           | -           | -           | 1           | 4           | 2           | 2                 | -              |
| 2002.....  | 18       | -            | -         | -          | -           | 1           | 1           | 1           | 2           | 4           | 5           | 4                 | -              |
| 2001.....  | 22       | -            | 1         | 1          | -           | 3           | 1           | 1           | 4           | 5           | 3           | 3                 | -              |
| 2000.....  | 26       | -            | -         | 2          | 2           | -           | 3           | -           | 3           | 6           | 6           | 4                 | -              |
| 1999.....  | 22       | -            | -         | -          | -           | 1           | -           | 3           | 4           | -           | 9           | 5                 | -              |

Worktable Orig290F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2007

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data - mortality"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, sex, and year | All ages | Under 1 year | 1-4 years | 5-14 years | 15-24 years | 25-34 years | 35-44 years | 45-54 years | 55-64 years | 65-74 years | 75-84 years | 85 years and over | Age not stated |
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|

Multiple myeloma and immunoproliferative neoplasms (C88,C90)

All origins, both sexes

|           |        |   |   |   |   |    |     |     |       |       |       |       |   |
|-----------|--------|---|---|---|---|----|-----|-----|-------|-------|-------|-------|---|
| 2007..... | 11,307 | - | - | - | 2 | 7  | 155 | 705 | 1,788 | 2,917 | 3,853 | 1,879 | 1 |
| 2006..... | 11,111 | - | - | - | 1 | 12 | 150 | 731 | 1,789 | 2,843 | 3,793 | 1,792 | - |
| 2005..... | 11,200 | - | - | - | 1 | 11 | 131 | 688 | 1,842 | 2,969 | 3,846 | 1,712 | - |
| 2004..... | 10,965 | 1 | - | - | 1 | 14 | 136 | 663 | 1,720 | 2,840 | 3,980 | 1,610 | - |
| 2003..... | 11,267 | - | - | 1 | - | 12 | 147 | 711 | 1,659 | 3,029 | 3,997 | 1,711 | - |
| 2002..... | 11,392 | 2 | - | - | 2 | 12 | 138 | 736 | 1,669 | 3,176 | 3,971 | 1,686 | - |
| 2001..... | 11,172 | - | - | - | - | 9  | 157 | 671 | 1,671 | 3,181 | 3,886 | 1,597 | - |
| 2000..... | 11,063 | - | - | 1 | - | 7  | 146 | 700 | 1,530 | 3,179 | 3,896 | 1,604 | - |
| 1999..... | 11,016 | - | - | - | - | 22 | 156 | 665 | 1,694 | 3,172 | 3,788 | 1,519 | - |

All origins, male

|           |       |   |   |   |   |    |    |     |       |       |       |     |   |
|-----------|-------|---|---|---|---|----|----|-----|-------|-------|-------|-----|---|
| 2007..... | 6,066 | - | - | - | 1 | 4  | 96 | 425 | 1,024 | 1,617 | 2,021 | 878 | - |
| 2006..... | 5,882 | - | - | - | 1 | 8  | 89 | 422 | 1,035 | 1,569 | 1,985 | 773 | - |
| 2005..... | 5,945 | - | - | - | 1 | 8  | 83 | 409 | 1,021 | 1,678 | 2,006 | 739 | - |
| 2004..... | 5,694 | 1 | - | - | 1 | 11 | 78 | 381 | 972   | 1,587 | 1,990 | 673 | - |
| 2003..... | 5,848 | - | - | - | - | 7  | 97 | 426 | 995   | 1,654 | 1,941 | 728 | - |
| 2002..... | 5,953 | - | - | - | - | 6  | 78 | 433 | 966   | 1,746 | 2,018 | 706 | - |
| 2001..... | 5,724 | - | - | - | - | 4  | 97 | 403 | 945   | 1,725 | 1,926 | 624 | - |
| 2000..... | 5,553 | - | - | - | - | 5  | 85 | 391 | 808   | 1,697 | 1,932 | 635 | - |
| 1999..... | 5,584 | - | - | - | - | 16 | 95 | 378 | 968   | 1,669 | 1,846 | 612 | - |

Worktable Orig290F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2007

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data - mortality"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, sex, and year | All ages | Under 1 year | 1-4 years | 5-14 years | 15-24 years | 25-34 years | 35-44 years | 45-54 years | 55-64 years | 65-74 years | 75-84 years | 85 years and over | Age not stated |
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|
| Multiple myeloma and immunoproliferative neoplasms (C88,C90)   |          |              |           |            |             |             |             |             |             |             |             |                   |                |
| All origins, female  |          |              |           |            |             |             |             |             |             |             |             |                   |                |
| 2007.....  | 5,241    | -            | -         | -          | 1           | 3           | 59          | 280         | 764         | 1,300       | 1,832       | 1,001             | 1              |
| 2006.....  | 5,229    | -            | -         | -          | -           | 4           | 61          | 309         | 754         | 1,274       | 1,808       | 1,019             | -              |
| 2005.....  | 5,255    | -            | -         | -          | -           | 3           | 48          | 279         | 821         | 1,291       | 1,840       | 973               | -              |
| 2004.....  | 5,271    | -            | -         | -          | -           | 3           | 58          | 282         | 748         | 1,253       | 1,990       | 937               | -              |
| 2003.....  | 5,419    | -            | -         | 1          | -           | 5           | 50          | 285         | 664         | 1,375       | 2,056       | 983               | -              |
| 2002.....  | 5,439    | 2            | -         | -          | 2           | 6           | 60          | 303         | 703         | 1,430       | 1,953       | 980               | -              |
| 2001.....  | 5,448    | -            | -         | -          | -           | 5           | 60          | 268         | 726         | 1,456       | 1,960       | 973               | -              |
| 2000.....  | 5,510    | -            | -         | 1          | -           | 2           | 61          | 309         | 722         | 1,482       | 1,964       | 969               | -              |
| 1999.....  | 5,432    | -            | -         | -          | -           | 6           | 61          | 287         | 726         | 1,503       | 1,942       | 907               | -              |
| Hispanic, both sexes   |          |              |           |            |             |             |             |             |             |             |             |                   |                |
| 2007.....  | 660      | -            | -         | -          | -           | 3           | 20          | 64          | 143         | 214         | 176         | 40                | -              |
| 2006.....  | 610      | -            | -         | -          | -           | 3           | 20          | 67          | 101         | 195         | 166         | 58                | -              |
| 2005.....  | 588      | -            | -         | -          | 1           | 3           | 10          | 66          | 128         | 177         | 156         | 47                | -              |
| 2004.....  | 558      | -            | -         | -          | -           | 4           | 19          | 51          | 123         | 158         | 164         | 39                | -              |
| 2003.....  | 531      | -            | -         | -          | -           | -           | 14          | 53          | 109         | 154         | 153         | 48                | -              |
| 2002.....  | 572      | 1            | -         | -          | 1           | 3           | 14          | 66          | 98          | 169         | 160         | 60                | -              |
| 2001.....  | 524      | -            | -         | -          | -           | 3           | 18          | 43          | 107         | 169         | 137         | 47                | -              |
| 2000.....  | 478      | -            | -         | -          | -           | 1           | 12          | 43          | 90          | 161         | 124         | 47                | -              |
| 1999.....  | 468      | -            | -         | -          | -           | 4           | 12          | 51          | 111         | 139         | 111         | 40                | -              |

Worktable Orig290F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2007

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data - mortality"]

---

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, sex, and year

|  | All ages | Under 1 year | 1-4 years | 5-14 years | 15-24 years | 25-34 years | 35-44 years | 45-54 years | 55-64 years | 65-74 years | 75-84 years | 85 years and over | Age not stated |
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|

---

Multiple myeloma and immunoproliferative neoplasms (C88,C90)

Hispanic, male

|           |     |   |   |   |   |   |    |    |    |     |    |    |   |
|-----------|-----|---|---|---|---|---|----|----|----|-----|----|----|---|
| 2007..... | 343 | - | - | - | - | 2 | 11 | 44 | 71 | 108 | 83 | 24 | - |
| 2006..... | 312 | - | - | - | - | 1 | 11 | 41 | 56 | 98  | 78 | 27 | - |
| 2005..... | 296 | - | - | - | 1 | 3 | 5  | 38 | 56 | 90  | 79 | 24 | - |
| 2004..... | 287 | - | - | - | - | 4 | 12 | 26 | 68 | 80  | 84 | 13 | - |
| 2003..... | 257 | - | - | - | - | - | 11 | 31 | 57 | 72  | 67 | 19 | - |
| 2002..... | 314 | - | - | - | - | 3 | 10 | 38 | 62 | 92  | 77 | 32 | - |
| 2001..... | 291 | - | - | - | - | 1 | 13 | 23 | 52 | 102 | 80 | 20 | - |
| 2000..... | 239 | - | - | - | - | 1 | 6  | 24 | 44 | 87  | 61 | 16 | - |
| 1999..... | 225 | - | - | - | - | 4 | 9  | 28 | 60 | 67  | 47 | 10 | - |

Hispanic, female

|           |     |   |   |   |   |   |   |    |    |     |    |    |   |
|-----------|-----|---|---|---|---|---|---|----|----|-----|----|----|---|
| 2007..... | 317 | - | - | - | - | 1 | 9 | 20 | 72 | 106 | 93 | 16 | - |
| 2006..... | 298 | - | - | - | - | 2 | 9 | 26 | 45 | 97  | 88 | 31 | - |
| 2005..... | 292 | - | - | - | - | - | 5 | 28 | 72 | 87  | 77 | 23 | - |
| 2004..... | 271 | - | - | - | - | - | 7 | 25 | 55 | 78  | 80 | 26 | - |
| 2003..... | 274 | - | - | - | - | - | 3 | 22 | 52 | 82  | 86 | 29 | - |
| 2002..... | 258 | 1 | - | - | 1 | - | 4 | 28 | 36 | 77  | 83 | 28 | - |
| 2001..... | 233 | - | - | - | - | 2 | 5 | 20 | 55 | 67  | 57 | 27 | - |
| 2000..... | 239 | - | - | - | - | - | 6 | 19 | 46 | 74  | 63 | 31 | - |
| 1999..... | 243 | - | - | - | - | - | 3 | 23 | 51 | 72  | 64 | 30 | - |

Worktable Orig290F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2007

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data - mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, sex, and year

|  | All ages | Under 1 year | 1-4 years | 5-14 years | 15-24 years | 25-34 years | 35-44 years | 45-54 years | 55-64 years | 65-74 years | 75-84 years | 85 years and over | Age not stated |
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|

Multiple myeloma and immunoproliferative neoplasms (C88,C90)

Non-Hispanic 1/, both sexes

|           |        |   |   |   |   |    |     |     |       |       |       |       |   |
|-----------|--------|---|---|---|---|----|-----|-----|-------|-------|-------|-------|---|
| 2007..... | 10,631 | - | - | - | 2 | 4  | 135 | 640 | 1,640 | 2,699 | 3,674 | 1,837 | - |
| 2006..... | 10,487 | - | - | - | 1 | 9  | 130 | 664 | 1,687 | 2,643 | 3,621 | 1,732 | - |
| 2005..... | 10,603 | - | - | - | - | 8  | 121 | 622 | 1,710 | 2,791 | 3,687 | 1,664 | - |
| 2004..... | 10,393 | 1 | - | - | 1 | 10 | 117 | 611 | 1,596 | 2,681 | 3,807 | 1,569 | - |
| 2003..... | 10,710 | - | - | 1 | - | 12 | 133 | 657 | 1,547 | 2,867 | 3,834 | 1,659 | - |
| 2002..... | 10,787 | 1 | - | - | 1 | 9  | 124 | 669 | 1,566 | 2,998 | 3,798 | 1,621 | - |
| 2001..... | 10,618 | - | - | - | - | 6  | 138 | 625 | 1,559 | 3,006 | 3,736 | 1,548 | - |
| 2000..... | 10,561 | - | - | 1 | - | 6  | 133 | 655 | 1,435 | 3,010 | 3,767 | 1,554 | - |
| 1999..... | 10,532 | - | - | - | - | 18 | 144 | 614 | 1,581 | 3,030 | 3,670 | 1,475 | - |

Non-Hispanic 1/, male

|           |       |   |   |   |   |    |    |     |     |       |       |     |   |
|-----------|-------|---|---|---|---|----|----|-----|-----|-------|-------|-----|---|
| 2007..... | 5,720 | - | - | - | 1 | 2  | 85 | 380 | 952 | 1,509 | 1,938 | 853 | - |
| 2006..... | 5,563 | - | - | - | 1 | 7  | 78 | 381 | 978 | 1,469 | 1,903 | 746 | - |
| 2005..... | 5,646 | - | - | - | - | 5  | 78 | 371 | 965 | 1,588 | 1,925 | 714 | - |
| 2004..... | 5,403 | 1 | - | - | 1 | 7  | 66 | 354 | 904 | 1,506 | 1,905 | 659 | - |
| 2003..... | 5,579 | - | - | - | - | 7  | 86 | 394 | 936 | 1,581 | 1,868 | 707 | - |
| 2002..... | 5,623 | - | - | - | - | 3  | 68 | 394 | 902 | 1,649 | 1,934 | 673 | - |
| 2001..... | 5,418 | - | - | - | - | 3  | 84 | 378 | 890 | 1,620 | 1,840 | 603 | - |
| 2000..... | 5,300 | - | - | - | - | 4  | 79 | 365 | 761 | 1,605 | 1,868 | 618 | - |
| 1999..... | 5,352 | - | - | - | - | 12 | 86 | 350 | 908 | 1,601 | 1,796 | 599 | - |

Worktable Orig290F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2007

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data - mortality"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, sex, and year | All ages | Under 1 year | 1-4 years | 5-14 years | 15-24 years | 25-34 years | 35-44 years | 45-54 years | 55-64 years | 65-74 years | 75-84 years | 85 years and over | Age not stated |
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|

Multiple myeloma and immunoproliferative neoplasms (C88,C90)

Non-Hispanic 1/, female

|           |       |   |   |   |   |   |    |     |     |       |       |     |   |
|-----------|-------|---|---|---|---|---|----|-----|-----|-------|-------|-----|---|
| 2007..... | 4,911 | - | - | - | 1 | 2 | 50 | 260 | 688 | 1,190 | 1,736 | 984 | - |
| 2006..... | 4,924 | - | - | - | - | 2 | 52 | 283 | 709 | 1,174 | 1,718 | 986 | - |
| 2005..... | 4,957 | - | - | - | - | 3 | 43 | 251 | 745 | 1,203 | 1,762 | 950 | - |
| 2004..... | 4,990 | - | - | - | - | 3 | 51 | 257 | 692 | 1,175 | 1,902 | 910 | - |
| 2003..... | 5,131 | - | - | 1 | - | 5 | 47 | 263 | 611 | 1,286 | 1,966 | 952 | - |
| 2002..... | 5,164 | 1 | - | - | 1 | 6 | 56 | 275 | 664 | 1,349 | 1,864 | 948 | - |
| 2001..... | 5,200 | - | - | - | - | 3 | 54 | 247 | 669 | 1,386 | 1,896 | 945 | - |
| 2000..... | 5,261 | - | - | 1 | - | 2 | 54 | 290 | 674 | 1,405 | 1,899 | 936 | - |
| 1999..... | 5,180 | - | - | - | - | 6 | 58 | 264 | 673 | 1,429 | 1,874 | 876 | - |

Non-Hispanic white, both sexes

|              |       |   |   |   |   |    |    |     |       |       |       |       |   |
|--------------|-------|---|---|---|---|----|----|-----|-------|-------|-------|-------|---|
| 2007 2/..... | 8,508 | - | - | - | 1 | 3  | 79 | 422 | 1,198 | 2,122 | 3,084 | 1,599 | - |
| 2006 2/..... | 8,446 | - | - | - | - | 5  | 88 | 437 | 1,241 | 2,079 | 3,091 | 1,505 | - |
| 2005 2/..... | 8,599 | - | - | - | - | 4  | 82 | 410 | 1,279 | 2,194 | 3,170 | 1,460 | - |
| 2004 2/..... | 8,397 | 1 | - | - | 1 | 7  | 77 | 423 | 1,200 | 2,101 | 3,225 | 1,362 | - |
| 2003 2/..... | 8,689 | - | - | 1 | - | 9  | 89 | 437 | 1,181 | 2,292 | 3,240 | 1,440 | - |
| 2002.....    | 8,843 | - | - | - | 1 | 7  | 78 | 456 | 1,179 | 2,419 | 3,283 | 1,420 | - |
| 2001.....    | 8,641 | - | - | - | - | 2  | 81 | 447 | 1,144 | 2,427 | 3,194 | 1,346 | - |
| 2000.....    | 8,582 | - | - | 1 | - | 3  | 84 | 458 | 1,072 | 2,442 | 3,220 | 1,302 | - |
| 1999.....    | 8,547 | - | - | - | - | 10 | 92 | 432 | 1,145 | 2,465 | 3,133 | 1,270 | - |

Worktable Orig290F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2007

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data - mortality"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, sex, and year | All ages | Under 1 year | 1-4 years | 5-14 years | 15-24 years | 25-34 years | 35-44 years | 45-54 years | 55-64 years | 65-74 years | 75-84 years | 85 years and over | Age not stated |
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|
| Multiple myeloma and immunoproliferative neoplasms (C88,C90)   |          |              |           |            |             |             |             |             |             |             |             |                   |                |
| Non-Hispanic white, male   |          |              |           |            |             |             |             |             |             |             |             |                   |                |
| 2007 2/.....   | 4,703    | -            | -         | -          | 1           | 1           | 57          | 263         | 721         | 1,240       | 1,659       | 761               | -              |
| 2006 2/.....   | 4,539    | -            | -         | -          | -           | 4           | 56          | 262         | 727         | 1,178       | 1,653       | 659               | -              |
| 2005 2/.....   | 4,649    | -            | -         | -          | -           | 2           | 58          | 253         | 739         | 1,286       | 1,674       | 637               | -              |
| 2004 2/.....   | 4,448    | 1            | -         | -          | 1           | 5           | 46          | 251         | 701         | 1,221       | 1,643       | 579               | -              |
| 2003 2/.....   | 4,629    | -            | -         | -          | -           | 6           | 62          | 268         | 730         | 1,311       | 1,623       | 629               | -              |
| 2002.....  | 4,708    | -            | -         | -          | -           | 2           | 45          | 287         | 699         | 1,371       | 1,703       | 601               | -              |
| 2001.....  | 4,472    | -            | -         | -          | -           | 2           | 54          | 280         | 666         | 1,334       | 1,603       | 533               | -              |
| 2000.....  | 4,400    | -            | -         | -          | -           | 2           | 58          | 261         | 586         | 1,325       | 1,628       | 540               | -              |
| 1999.....  | 4,430    | -            | -         | -          | -           | 6           | 56          | 264         | 688         | 1,329       | 1,563       | 524               | -              |
| Non-Hispanic white, female   |          |              |           |            |             |             |             |             |             |             |             |                   |                |
| 2007 2/.....   | 3,805    | -            | -         | -          | -           | 2           | 22          | 159         | 477         | 882         | 1,425       | 838               | -              |
| 2006 2/.....   | 3,907    | -            | -         | -          | -           | 1           | 32          | 175         | 514         | 901         | 1,438       | 846               | -              |
| 2005 2/.....   | 3,950    | -            | -         | -          | -           | 2           | 24          | 157         | 540         | 908         | 1,496       | 823               | -              |
| 2004 2/.....   | 3,949    | -            | -         | -          | -           | 2           | 31          | 172         | 499         | 880         | 1,582       | 783               | -              |
| 2003 2/.....   | 4,060    | -            | -         | 1          | -           | 3           | 27          | 169         | 451         | 981         | 1,617       | 811               | -              |
| 2002.....  | 4,135    | -            | -         | -          | 1           | 5           | 33          | 169         | 480         | 1,048       | 1,580       | 819               | -              |
| 2001.....  | 4,169    | -            | -         | -          | -           | -           | 27          | 167         | 478         | 1,093       | 1,591       | 813               | -              |
| 2000.....  | 4,182    | -            | -         | 1          | -           | 1           | 26          | 197         | 486         | 1,117       | 1,592       | 762               | -              |
| 1999.....  | 4,117    | -            | -         | -          | -           | 4           | 36          | 168         | 457         | 1,136       | 1,570       | 746               | -              |

Worktable Orig290F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2007

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data - mortality"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, sex, and year | All ages | Under 1 year | 1-4 years | 5-14 years | 15-24 years | 25-34 years | 35-44 years | 45-54 years | 55-64 years | 65-74 years | 75-84 years | 85 years and over | Age not stated |
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|

Multiple myeloma and immunoproliferative neoplasms (C88,C90)

Non-Hispanic black, both sexes

|              |       |   |   |   |   |   |    |     |     |     |     |     |   |
|--------------|-------|---|---|---|---|---|----|-----|-----|-----|-----|-----|---|
| 2007 2/..... | 1,867 | - | - | - | - | 1 | 51 | 193 | 385 | 517 | 509 | 211 | - |
| 2006 2/..... | 1,818 | - | - | - | 1 | 3 | 40 | 200 | 403 | 498 | 477 | 196 | - |
| 2005 2/..... | 1,766 | - | - | - | - | 4 | 34 | 179 | 376 | 520 | 469 | 184 | - |
| 2004 2/..... | 1,800 | - | - | - | - | 2 | 39 | 167 | 355 | 523 | 524 | 190 | - |
| 2003 2/..... | 1,833 | - | - | - | - | 2 | 43 | 200 | 326 | 523 | 536 | 203 | - |
| 2002.....    | 1,750 | - | - | - | - | 2 | 40 | 192 | 343 | 524 | 465 | 184 | - |
| 2001.....    | 1,795 | - | - | - | - | 4 | 53 | 159 | 377 | 519 | 493 | 190 | - |
| 2000.....    | 1,824 | - | - | - | - | 3 | 44 | 186 | 336 | 526 | 500 | 229 | - |
| 1999.....    | 1,786 | - | - | - | - | 7 | 49 | 171 | 391 | 494 | 478 | 196 | - |

Non-Hispanic black, male

|              |     |   |   |   |   |   |    |     |     |     |     |    |   |
|--------------|-----|---|---|---|---|---|----|-----|-----|-----|-----|----|---|
| 2007 2/..... | 872 | - | - | - | - | 1 | 25 | 101 | 196 | 236 | 238 | 75 | - |
| 2006 2/..... | 914 | - | - | - | 1 | 3 | 20 | 107 | 227 | 266 | 218 | 72 | - |
| 2005 2/..... | 874 | - | - | - | - | 3 | 19 | 103 | 199 | 260 | 224 | 66 | - |
| 2004 2/..... | 850 | - | - | - | - | 1 | 20 | 87  | 182 | 260 | 229 | 71 | - |
| 2003 2/..... | 858 | - | - | - | - | 1 | 24 | 114 | 188 | 239 | 222 | 70 | - |
| 2002.....    | 830 | - | - | - | - | 1 | 21 | 99  | 182 | 257 | 205 | 65 | - |
| 2001.....    | 853 | - | - | - | - | 1 | 28 | 87  | 203 | 251 | 220 | 63 | - |
| 2000.....    | 829 | - | - | - | - | 2 | 17 | 95  | 163 | 261 | 222 | 69 | - |
| 1999.....    | 824 | - | - | - | - | 6 | 29 | 80  | 196 | 237 | 208 | 68 | - |



Worktable Orig290F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2007

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data - mortality"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, sex, and year | All ages | Under 1 year | 1-4 years | 5-14 years | 15-24 years | 25-34 years | 35-44 years | 45-54 years | 55-64 years | 65-74 years | 75-84 years | 85 years and over | Age not stated |
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|

Multiple myeloma and immunoproliferative neoplasms (C88,C90)

Non-Hispanic black, female

|              |     |   |   |   |   |   |    |    |     |     |     |     |   |
|--------------|-----|---|---|---|---|---|----|----|-----|-----|-----|-----|---|
| 2007 2/..... | 995 | - | - | - | - | - | 26 | 92 | 189 | 281 | 271 | 136 | - |
| 2006 2/..... | 904 | - | - | - | - | - | 20 | 93 | 176 | 232 | 259 | 124 | - |
| 2005 2/..... | 892 | - | - | - | - | 1 | 15 | 76 | 177 | 260 | 245 | 118 | - |
| 2004 2/..... | 950 | - | - | - | - | 1 | 19 | 80 | 173 | 263 | 295 | 119 | - |
| 2003 2/..... | 975 | - | - | - | - | 1 | 19 | 86 | 138 | 284 | 314 | 133 | - |
| 2002.....    | 920 | - | - | - | - | 1 | 19 | 93 | 161 | 267 | 260 | 119 | - |
| 2001.....    | 942 | - | - | - | - | 3 | 25 | 72 | 174 | 268 | 273 | 127 | - |
| 2000.....    | 995 | - | - | - | - | 1 | 27 | 91 | 173 | 265 | 278 | 160 | - |
| 1999.....    | 962 | - | - | - | - | 1 | 20 | 91 | 195 | 257 | 270 | 128 | - |

Origin not stated 3/, both sexes

|           |    |   |   |   |   |   |   |   |   |   |    |   |   |
|-----------|----|---|---|---|---|---|---|---|---|---|----|---|---|
| 2007..... | 16 | - | - | - | - | - | - | 1 | 5 | 4 | 3  | 2 | 1 |
| 2006..... | 14 | - | - | - | - | - | - | - | 1 | 5 | 6  | 2 | - |
| 2005..... | 9  | - | - | - | - | - | - | - | 4 | 1 | 3  | 1 | - |
| 2004..... | 14 | - | - | - | - | - | - | 1 | 1 | 1 | 9  | 2 | - |
| 2003..... | 26 | - | - | - | - | - | - | 1 | 3 | 8 | 10 | 4 | - |
| 2002..... | 33 | - | - | - | - | - | - | 1 | 5 | 9 | 13 | 5 | - |
| 2001..... | 30 | - | - | - | - | - | 1 | 3 | 5 | 6 | 13 | 2 | - |
| 2000..... | 24 | - | - | - | - | - | 1 | 2 | 5 | 8 | 5  | 3 | - |
| 1999..... | 16 | - | - | - | - | - | - | - | 2 | 3 | 7  | 4 | - |

Worktable Orig290F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2007

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data - mortality"]

---

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, sex, and year

|  | All ages | Under 1 year | 1-4 years | 5-14 years | 15-24 years | 25-34 years | 35-44 years | 45-54 years | 55-64 years | 65-74 years | 75-84 years | 85 years and over | Age not stated |
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|

---

Multiple myeloma and immunoproliferative neoplasms (C88,C90)

Origin not stated 3/, male

|           |    |   |   |   |   |   |   |   |   |   |   |   |   |
|-----------|----|---|---|---|---|---|---|---|---|---|---|---|---|
| 2007..... | 3  | - | - | - | - | - | - | 1 | 1 | - | - | 1 | - |
| 2006..... | 7  | - | - | - | - | - | - | - | 1 | 2 | 4 | - | - |
| 2005..... | 3  | - | - | - | - | - | - | - | - | - | 2 | 1 | - |
| 2004..... | 4  | - | - | - | - | - | - | 1 | - | 1 | 1 | 1 | - |
| 2003..... | 12 | - | - | - | - | - | - | 1 | 2 | 1 | 6 | 2 | - |
| 2002..... | 16 | - | - | - | - | - | - | 1 | 2 | 5 | 7 | 1 | - |
| 2001..... | 15 | - | - | - | - | - | - | 2 | 3 | 3 | 6 | 1 | - |
| 2000..... | 14 | - | - | - | - | - | - | 2 | 3 | 5 | 3 | 1 | - |
| 1999..... | 7  | - | - | - | - | - | - | - | - | 1 | 3 | 3 | - |

Origin not stated 3/, female

|           |    |   |   |   |   |   |   |   |   |   |   |   |   |
|-----------|----|---|---|---|---|---|---|---|---|---|---|---|---|
| 2007..... | 13 | - | - | - | - | - | - | - | 4 | 4 | 3 | 1 | 1 |
| 2006..... | 7  | - | - | - | - | - | - | - | - | 3 | 2 | 2 | - |
| 2005..... | 6  | - | - | - | - | - | - | - | 4 | 1 | 1 | - | - |
| 2004..... | 10 | - | - | - | - | - | - | - | 1 | - | 8 | 1 | - |
| 2003..... | 14 | - | - | - | - | - | - | - | 1 | 7 | 4 | 2 | - |
| 2002..... | 17 | - | - | - | - | - | - | - | 3 | 4 | 6 | 4 | - |
| 2001..... | 15 | - | - | - | - | - | 1 | 1 | 2 | 3 | 7 | 1 | - |
| 2000..... | 10 | - | - | - | - | - | 1 | - | 2 | 3 | 2 | 2 | - |
| 1999..... | 9  | - | - | - | - | - | - | - | 2 | 2 | 4 | 1 | - |

Worktable Orig290F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2007

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data - mortality"]

---

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, sex, and year

|  | All ages | Under 1 year | 1-4 years | 5-14 years | 15-24 years | 25-34 years | 35-44 years | 45-54 years | 55-64 years | 65-74 years | 75-84 years | 85 years and over | Age not stated |
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|

---

Other and unspecified malignant neoplasms of lymphoid, hematopoietic and related tissue (C96)

All origins, both sexes

|           |     |   |   |   |   |   |   |   |    |    |    |    |   |
|-----------|-----|---|---|---|---|---|---|---|----|----|----|----|---|
| 2007..... | 60  | 3 | - | 2 | 2 | - | 1 | 2 | 7  | 10 | 19 | 14 | - |
| 2006..... | 69  | - | 1 | 1 | - | 1 | 2 | 2 | 9  | 9  | 23 | 21 | - |
| 2005..... | 60  | 1 | 2 | 1 | - | 1 | 3 | 2 | 10 | 14 | 16 | 10 | - |
| 2004..... | 71  | - | - | - | - | 2 | 2 | 5 | 12 | 12 | 26 | 12 | - |
| 2003..... | 55  | 1 | - | 1 | - | 1 | 1 | 7 | 2  | 15 | 14 | 13 | - |
| 2002..... | 73  | 3 | - | - | 1 | - | - | 7 | 3  | 18 | 25 | 16 | - |
| 2001..... | 90  | 1 | 1 | - | - | 1 | 4 | 4 | 8  | 23 | 28 | 20 | - |
| 2000..... | 100 | - | 2 | 1 | 1 | - | 4 | 8 | 12 | 22 | 29 | 21 | - |
| 1999..... | 83  | 1 | 1 | - | - | 1 | 4 | 9 | 12 | 17 | 25 | 13 | - |

All origins, male

|           |    |   |   |   |   |   |   |   |   |    |    |   |   |
|-----------|----|---|---|---|---|---|---|---|---|----|----|---|---|
| 2007..... | 34 | 3 | - | 2 | 2 | - | 1 | 1 | 5 | 5  | 10 | 5 | - |
| 2006..... | 37 | - | 1 | - | - | 1 | 1 | 1 | 6 | 7  | 11 | 9 | - |
| 2005..... | 40 | 1 | 1 | - | - | - | 3 | 1 | 7 | 10 | 11 | 6 | - |
| 2004..... | 35 | - | - | - | - | 2 | 2 | 4 | 5 | 4  | 11 | 7 | - |
| 2003..... | 31 | 1 | - | - | - | 1 | 1 | 4 | 2 | 9  | 8  | 5 | - |
| 2002..... | 44 | 3 | - | - | 1 | - | - | 4 | 2 | 15 | 12 | 7 | - |
| 2001..... | 51 | 1 | - | - | - | 1 | 3 | 3 | 5 | 18 | 14 | 6 | - |
| 2000..... | 60 | - | 2 | 1 | 1 | - | 3 | 6 | 9 | 12 | 17 | 9 | - |
| 1999..... | 39 | 1 | - | - | - | 1 | 1 | 4 | 7 | 8  | 14 | 3 | - |

Worktable Orig290F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2007

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data - mortality"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, sex, and year | All ages | Under 1 year | 1-4 years | 5-14 years | 15-24 years | 25-34 years | 35-44 years | 45-54 years | 55-64 years | 65-74 years | 75-84 years | 85 years and over | Age not stated |
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|

Other and unspecified malignant neoplasms of lymphoid, hematopoietic and related tissue (C96)

All origins, female

|           |    |   |   |   |   |   |   |   |   |    |    |    |   |
|-----------|----|---|---|---|---|---|---|---|---|----|----|----|---|
| 2007..... | 26 | - | - | - | - | - | - | 1 | 2 | 5  | 9  | 9  | - |
| 2006..... | 32 | - | - | 1 | - | - | 1 | 1 | 3 | 2  | 12 | 12 | - |
| 2005..... | 20 | - | 1 | 1 | - | 1 | - | 1 | 3 | 4  | 5  | 4  | - |
| 2004..... | 36 | - | - | - | - | - | - | 1 | 7 | 8  | 15 | 5  | - |
| 2003..... | 24 | - | - | 1 | - | - | - | 3 | - | 6  | 6  | 8  | - |
| 2002..... | 29 | - | - | - | - | - | - | 3 | 1 | 3  | 13 | 9  | - |
| 2001..... | 39 | - | 1 | - | - | - | 1 | 1 | 3 | 5  | 14 | 14 | - |
| 2000..... | 40 | - | - | - | - | - | 1 | 2 | 3 | 10 | 12 | 12 | - |
| 1999..... | 44 | - | 1 | - | - | - | 3 | 5 | 5 | 9  | 11 | 10 | - |

Hispanic, both sexes

|           |   |   |   |   |   |   |   |   |   |   |   |   |   |
|-----------|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 2007..... | - | - | - | - | - | - | - | - | - | - | - | - | - |
| 2006..... | 5 | - | - | - | - | - | 1 | - | 1 | - | 1 | 2 | - |
| 2005..... | 6 | - | 2 | - | - | - | 1 | 1 | 2 | - | - | - | - |
| 2004..... | 1 | - | - | - | - | - | - | - | - | 1 | - | - | - |
| 2003..... | 1 | - | - | - | - | 1 | - | - | - | - | - | - | - |
| 2002..... | 2 | - | - | - | 1 | - | - | - | - | 1 | - | - | - |
| 2001..... | 2 | - | - | - | - | - | - | - | - | 2 | - | - | - |
| 2000..... | 6 | - | - | - | - | - | - | 1 | 1 | 2 | 1 | 1 | - |
| 1999..... | 5 | - | 1 | - | - | 1 | - | - | - | 1 | 2 | - | - |

Worktable Orig290F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2007

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data - mortality"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, sex, and year | All ages | Under 1 year | 1-4 years | 5-14 years | 15-24 years | 25-34 years | 35-44 years | 45-54 years | 55-64 years | 65-74 years | 75-84 years | 85 years and over | Age not stated |
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|

Other and unspecified malignant neoplasms of lymphoid, hematopoietic and related tissue (C96)

Hispanic, male

|           |   |   |   |   |   |   |   |   |   |   |   |   |   |
|-----------|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 2007..... | - | - | - | - | - | - | - | - | - | - | - | - | - |
| 2006..... | 1 | - | - | - | - | - | - | - | - | - | - | 1 | - |
| 2005..... | 5 | - | 1 | - | - | - | 1 | 1 | 2 | - | - | - | - |
| 2004..... | 1 | - | - | - | - | - | - | - | - | 1 | - | - | - |
| 2003..... | 1 | - | - | - | - | 1 | - | - | - | - | - | - | - |
| 2002..... | 1 | - | - | - | 1 | - | - | - | - | - | - | - | - |
| 2001..... | 1 | - | - | - | - | - | - | - | - | 1 | - | - | - |
| 2000..... | 3 | - | - | - | - | - | - | 1 | 1 | - | - | 1 | - |
| 1999..... | 2 | - | - | - | - | 1 | - | - | - | - | 1 | - | - |

Hispanic, female

|           |   |   |   |   |   |   |   |   |   |   |   |   |   |
|-----------|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 2007..... | - | - | - | - | - | - | - | - | - | - | - | - | - |
| 2006..... | 4 | - | - | - | - | - | 1 | - | 1 | - | 1 | 1 | - |
| 2005..... | 1 | - | 1 | - | - | - | - | - | - | - | - | - | - |
| 2004..... | - | - | - | - | - | - | - | - | - | - | - | - | - |
| 2003..... | - | - | - | - | - | - | - | - | - | - | - | - | - |
| 2002..... | 1 | - | - | - | - | - | - | - | - | 1 | - | - | - |
| 2001..... | 1 | - | - | - | - | - | - | - | - | 1 | - | - | - |
| 2000..... | 3 | - | - | - | - | - | - | - | - | 2 | 1 | - | - |
| 1999..... | 3 | - | 1 | - | - | - | - | - | - | 1 | 1 | - | - |

Worktable Orig290F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2007

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data - mortality"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, sex, and year | All ages | Under 1 year | 1-4 years | 5-14 years | 15-24 years | 25-34 years | 35-44 years | 45-54 years | 55-64 years | 65-74 years | 75-84 years | 85 years and over | Age not stated |
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|

Other and unspecified malignant neoplasms of lymphoid, hematopoietic and related tissue (C96)

Non-Hispanic 1/, both sexes

|           |    |   |   |   |   |   |   |   |    |    |    |    |   |
|-----------|----|---|---|---|---|---|---|---|----|----|----|----|---|
| 2007..... | 60 | 3 | - | 2 | 2 | - | 1 | 2 | 7  | 10 | 19 | 14 | - |
| 2006..... | 64 | - | 1 | 1 | - | 1 | 1 | 2 | 8  | 9  | 22 | 19 | - |
| 2005..... | 54 | 1 | - | 1 | - | 1 | 2 | 1 | 8  | 14 | 16 | 10 | - |
| 2004..... | 70 | - | - | - | - | 2 | 2 | 5 | 12 | 11 | 26 | 12 | - |
| 2003..... | 54 | 1 | - | 1 | - | - | 1 | 7 | 2  | 15 | 14 | 13 | - |
| 2002..... | 71 | 3 | - | - | - | - | - | 7 | 3  | 17 | 25 | 16 | - |
| 2001..... | 88 | 1 | 1 | - | - | 1 | 4 | 4 | 8  | 21 | 28 | 20 | - |
| 2000..... | 94 | - | 2 | 1 | 1 | - | 4 | 7 | 11 | 20 | 28 | 20 | - |
| 1999..... | 78 | 1 | - | - | - | - | 4 | 9 | 12 | 16 | 23 | 13 | - |

Non-Hispanic 1/, male

|           |    |   |   |   |   |   |   |   |   |    |    |   |   |
|-----------|----|---|---|---|---|---|---|---|---|----|----|---|---|
| 2007..... | 34 | 3 | - | 2 | 2 | - | 1 | 1 | 5 | 5  | 10 | 5 | - |
| 2006..... | 36 | - | 1 | - | - | 1 | 1 | 1 | 6 | 7  | 11 | 8 | - |
| 2005..... | 35 | 1 | - | - | - | - | 2 | - | 5 | 10 | 11 | 6 | - |
| 2004..... | 34 | - | - | - | - | 2 | 2 | 4 | 5 | 3  | 11 | 7 | - |
| 2003..... | 30 | 1 | - | - | - | - | 1 | 4 | 2 | 9  | 8  | 5 | - |
| 2002..... | 43 | 3 | - | - | - | - | - | 4 | 2 | 15 | 12 | 7 | - |
| 2001..... | 50 | 1 | - | - | - | 1 | 3 | 3 | 5 | 17 | 14 | 6 | - |
| 2000..... | 57 | - | 2 | 1 | 1 | - | 3 | 5 | 8 | 12 | 17 | 8 | - |
| 1999..... | 37 | 1 | - | - | - | - | 1 | 4 | 7 | 8  | 13 | 3 | - |

Worktable Orig290F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2007

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data - mortality"]

---

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, sex, and year

|  | All ages | Under 1 year | 1-4 years | 5-14 years | 15-24 years | 25-34 years | 35-44 years | 45-54 years | 55-64 years | 65-74 years | 75-84 years | 85 years and over | Age not stated |
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|

---

Other and unspecified malignant neoplasms of lymphoid, hematopoietic and related tissue (C96)

Non-Hispanic 1/, female

|           |    |   |   |   |   |   |   |   |   |   |    |    |   |
|-----------|----|---|---|---|---|---|---|---|---|---|----|----|---|
| 2007..... | 26 | - | - | - | - | - | - | 1 | 2 | 5 | 9  | 9  | - |
| 2006..... | 28 | - | - | 1 | - | - | - | 1 | 2 | 2 | 11 | 11 | - |
| 2005..... | 19 | - | - | 1 | - | 1 | - | 1 | 3 | 4 | 5  | 4  | - |
| 2004..... | 36 | - | - | - | - | - | - | 1 | 7 | 8 | 15 | 5  | - |
| 2003..... | 24 | - | - | 1 | - | - | - | 3 | - | 6 | 6  | 8  | - |
| 2002..... | 28 | - | - | - | - | - | - | 3 | 1 | 2 | 13 | 9  | - |
| 2001..... | 38 | - | 1 | - | - | - | 1 | 1 | 3 | 4 | 14 | 14 | - |
| 2000..... | 37 | - | - | - | - | - | 1 | 2 | 3 | 8 | 11 | 12 | - |
| 1999..... | 41 | - | - | - | - | - | 3 | 5 | 5 | 8 | 10 | 10 | - |

Non-Hispanic white, both sexes

|              |    |   |   |   |   |   |   |   |    |    |    |    |   |
|--------------|----|---|---|---|---|---|---|---|----|----|----|----|---|
| 2007 2/..... | 46 | - | - | 1 | 1 | - | - | 1 | 6  | 9  | 17 | 11 | - |
| 2006 2/..... | 57 | - | 1 | - | - | - | - | 1 | 6  | 8  | 22 | 19 | - |
| 2005 2/..... | 48 | 1 | - | 1 | - | 1 | 2 | 1 | 7  | 12 | 14 | 9  | - |
| 2004 2/..... | 60 | - | - | - | - | 1 | 2 | 4 | 10 | 11 | 22 | 10 | - |
| 2003 2/..... | 49 | 1 | - | 1 | - | - | 1 | 5 | 2  | 14 | 13 | 12 | - |
| 2002.....    | 59 | 1 | - | - | - | - | - | 6 | 3  | 16 | 20 | 13 | - |
| 2001.....    | 75 | 1 | 1 | - | - | - | 3 | 4 | 5  | 19 | 23 | 19 | - |
| 2000.....    | 83 | - | 2 | 1 | - | - | 3 | 5 | 10 | 19 | 25 | 18 | - |
| 1999.....    | 71 | 1 | - | - | - | - | 3 | 7 | 11 | 16 | 21 | 12 | - |

Worktable Orig290F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2007

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data - mortality"]

---

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, sex, and year

|  | All ages | Under 1 year | 1-4 years | 5-14 years | 15-24 years | 25-34 years | 35-44 years | 45-54 years | 55-64 years | 65-74 years | 75-84 years | 85 years and over | Age not stated |
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|

---

Other and unspecified malignant neoplasms of lymphoid, hematopoietic and related tissue (C96)

Non-Hispanic white, male

|              |    |   |   |   |   |   |   |   |   |    |    |   |   |
|--------------|----|---|---|---|---|---|---|---|---|----|----|---|---|
| 2007 2/..... | 24 | - | - | 1 | 1 | - | - | 1 | 4 | 4  | 10 | 3 | - |
| 2006 2/..... | 31 | - | 1 | - | - | - | - | - | 5 | 6  | 11 | 8 | - |
| 2005 2/..... | 31 | 1 | - | - | - | - | 2 | - | 4 | 8  | 10 | 6 | - |
| 2004 2/..... | 31 | - | - | - | - | 1 | 2 | 4 | 5 | 3  | 10 | 6 | - |
| 2003 2/..... | 27 | 1 | - | - | - | - | 1 | 2 | 2 | 9  | 7  | 5 | - |
| 2002.....    | 37 | 1 | - | - | - | - | - | 4 | 2 | 14 | 10 | 6 | - |
| 2001.....    | 43 | 1 | - | - | - | - | 2 | 3 | 4 | 16 | 12 | 5 | - |
| 2000.....    | 48 | - | 2 | 1 | - | - | 2 | 3 | 7 | 11 | 16 | 6 | - |
| 1999.....    | 34 | 1 | - | - | - | - | 1 | 3 | 6 | 8  | 12 | 3 | - |

Non-Hispanic white, female

|              |    |   |   |   |   |   |   |   |   |   |    |    |   |
|--------------|----|---|---|---|---|---|---|---|---|---|----|----|---|
| 2007 2/..... | 22 | - | - | - | - | - | - | - | 2 | 5 | 7  | 8  | - |
| 2006 2/..... | 26 | - | - | - | - | - | - | 1 | 1 | 2 | 11 | 11 | - |
| 2005 2/..... | 17 | - | - | 1 | - | 1 | - | 1 | 3 | 4 | 4  | 3  | - |
| 2004 2/..... | 29 | - | - | - | - | - | - | - | 5 | 8 | 12 | 4  | - |
| 2003 2/..... | 22 | - | - | 1 | - | - | - | 3 | - | 5 | 6  | 7  | - |
| 2002.....    | 22 | - | - | - | - | - | - | 2 | 1 | 2 | 10 | 7  | - |
| 2001.....    | 32 | - | 1 | - | - | - | 1 | 1 | 1 | 3 | 11 | 14 | - |
| 2000.....    | 35 | - | - | - | - | - | 1 | 2 | 3 | 8 | 9  | 12 | - |
| 1999.....    | 37 | - | - | - | - | - | 2 | 4 | 5 | 8 | 9  | 9  | - |



Worktable Orig290F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2007

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data - mortality"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, sex, and year | All ages | Under 1 year | 1-4 years | 5-14 years | 15-24 years | 25-34 years | 35-44 years | 45-54 years | 55-64 years | 65-74 years | 75-84 years | 85 years and over | Age not stated |
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|

Other and unspecified malignant neoplasms of lymphoid, hematopoietic and related tissue (C96)

Non-Hispanic black, both sexes

|              |    |   |   |   |   |   |   |   |   |   |   |   |   |
|--------------|----|---|---|---|---|---|---|---|---|---|---|---|---|
| 2007 2/..... | 11 | 2 | - | 1 | - | - | - | 1 | 1 | 1 | 2 | 3 | - |
| 2006 2/..... | 7  | - | - | 1 | - | 1 | 1 | 1 | 2 | 1 | - | - | - |
| 2005 2/..... | 5  | - | - | - | - | - | - | - | 1 | 2 | 1 | 1 | - |
| 2004 2/..... | 8  | - | - | - | - | - | - | 1 | 2 | - | 3 | 2 | - |
| 2003 2/..... | 3  | - | - | - | - | - | - | 1 | - | 1 | - | 1 | - |
| 2002.....    | 6  | - | - | - | - | - | - | - | - | 1 | 3 | 2 | - |
| 2001.....    | 12 | - | - | - | - | 1 | 1 | - | 3 | 2 | 4 | 1 | - |
| 2000.....    | 9  | - | - | - | 1 | - | - | 2 | 1 | - | 3 | 2 | - |
| 1999.....    | 6  | - | - | - | - | - | 1 | 2 | 1 | - | 1 | 1 | - |

Non-Hispanic black, male

|              |   |   |   |   |   |   |   |   |   |   |   |   |   |
|--------------|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 2007 2/..... | 7 | 2 | - | 1 | - | - | - | - | 1 | 1 | - | 2 | - |
| 2006 2/..... | 5 | - | - | - | - | 1 | 1 | 1 | 1 | 1 | - | - | - |
| 2005 2/..... | 3 | - | - | - | - | - | - | - | 1 | 2 | - | - | - |
| 2004 2/..... | 1 | - | - | - | - | - | - | - | - | - | - | 1 | - |
| 2003 2/..... | 1 | - | - | - | - | - | - | 1 | - | - | - | - | - |
| 2002.....    | 2 | - | - | - | - | - | - | - | - | 1 | 1 | - | - |
| 2001.....    | 7 | - | - | - | - | 1 | 1 | - | 1 | 1 | 2 | 1 | - |
| 2000.....    | 7 | - | - | - | 1 | - | - | 2 | 1 | - | 1 | 2 | - |
| 1999.....    | 3 | - | - | - | - | - | - | 1 | 1 | - | 1 | - | - |





Worktable Orig290F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2007

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data - mortality"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, sex, and year | All ages | Under 1 year | 1-4 years | 5-14 years | 15-24 years | 25-34 years | 35-44 years | 45-54 years | 55-64 years | 65-74 years | 75-84 years | 85 years and over | Age not stated |
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|

All other and unspecified malignant neoplasms (C17,C23-C24,C26-C31,C37-C41,C44-C49,C51-C52,C57-C60,C62-C63,C66,C68-C69,C73-C80,C97)

All origins, both sexes

|           |        |    |     |     |     |     |       |       |        |        |        |        |   |
|-----------|--------|----|-----|-----|-----|-----|-------|-------|--------|--------|--------|--------|---|
| 2007..... | 63,192 | 20 | 113 | 245 | 558 | 700 | 1,742 | 5,436 | 10,942 | 13,854 | 18,188 | 11,394 | - |
| 2006..... | 63,100 | 20 | 111 | 244 | 521 | 717 | 1,783 | 5,516 | 10,584 | 14,193 | 18,283 | 11,127 | 1 |
| 2005..... | 62,851 | 15 | 122 | 279 | 579 | 701 | 1,827 | 5,558 | 10,422 | 14,019 | 18,480 | 10,848 | 1 |
| 2004..... | 61,911 | 23 | 126 | 275 | 548 | 696 | 1,876 | 5,276 | 9,997  | 14,187 | 18,549 | 10,356 | 2 |
| 2003..... | 62,639 | 19 | 106 | 274 | 516 | 690 | 1,885 | 5,611 | 9,820  | 14,277 | 18,880 | 10,556 | 5 |
| 2002..... | 62,969 | 24 | 124 | 288 | 527 | 734 | 2,043 | 5,493 | 9,723  | 14,757 | 18,685 | 10,570 | 1 |
| 2001..... | 62,708 | 17 | 117 | 279 | 516 | 728 | 2,055 | 5,506 | 9,441  | 15,023 | 18,700 | 10,326 | - |
| 2000..... | 63,060 | 24 | 129 | 260 | 511 | 701 | 2,090 | 5,307 | 9,293  | 15,716 | 18,860 | 10,165 | 4 |
| 1999..... | 66,251 | 14 | 116 | 291 | 519 | 762 | 2,314 | 5,477 | 9,863  | 16,834 | 19,656 | 10,403 | 2 |

All origins, male

|           |        |    |    |     |     |     |       |       |       |       |       |       |   |
|-----------|--------|----|----|-----|-----|-----|-------|-------|-------|-------|-------|-------|---|
| 2007..... | 32,887 | 8  | 56 | 117 | 371 | 437 | 908   | 3,076 | 6,329 | 7,704 | 9,245 | 4,636 | - |
| 2006..... | 32,364 | 10 | 62 | 132 | 345 | 449 | 934   | 3,039 | 6,083 | 7,713 | 9,214 | 4,382 | 1 |
| 2005..... | 32,194 | 9  | 68 | 151 | 362 | 440 | 1,001 | 3,111 | 6,002 | 7,687 | 9,137 | 4,226 | - |
| 2004..... | 31,654 | 13 | 59 | 158 | 357 | 420 | 1,014 | 2,945 | 5,679 | 7,798 | 9,281 | 3,929 | 1 |
| 2003..... | 31,845 | 12 | 66 | 152 | 329 | 427 | 1,046 | 3,143 | 5,573 | 7,800 | 9,321 | 3,973 | 3 |
| 2002..... | 32,122 | 15 | 65 | 152 | 340 | 459 | 1,110 | 3,131 | 5,521 | 8,141 | 9,146 | 4,041 | 1 |
| 2001..... | 31,663 | 7  | 73 | 153 | 346 | 442 | 1,108 | 3,164 | 5,326 | 8,177 | 9,032 | 3,835 | - |
| 2000..... | 31,728 | 13 | 75 | 140 | 319 | 432 | 1,141 | 2,959 | 5,223 | 8,572 | 9,161 | 3,689 | 4 |
| 1999..... | 33,449 | 8  | 64 | 160 | 329 | 490 | 1,300 | 3,098 | 5,597 | 9,157 | 9,439 | 3,806 | 1 |

Worktable Orig290F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2007

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data - mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, sex, and year

|  | All ages | Under 1 year | 1-4 years | 5-14 years | 15-24 years | 25-34 years | 35-44 years | 45-54 years | 55-64 years | 65-74 years | 75-84 years | 85 years and over | Age not stated |
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|

All other and unspecified malignant neoplasms (C17,C23-C24,C26-C31,C37-C41,C44-C49,C51-C52,C57-C60,C62-C63,C66,C68-C69,C73-C80,C97)

All origins, female

|           |        |    |    |     |     |     |       |       |       |       |        |       |   |
|-----------|--------|----|----|-----|-----|-----|-------|-------|-------|-------|--------|-------|---|
| 2007..... | 30,305 | 12 | 57 | 128 | 187 | 263 | 834   | 2,360 | 4,613 | 6,150 | 8,943  | 6,758 | - |
| 2006..... | 30,736 | 10 | 49 | 112 | 176 | 268 | 849   | 2,477 | 4,501 | 6,480 | 9,069  | 6,745 | - |
| 2005..... | 30,657 | 6  | 54 | 128 | 217 | 261 | 826   | 2,447 | 4,420 | 6,332 | 9,343  | 6,622 | 1 |
| 2004..... | 30,257 | 10 | 67 | 117 | 191 | 276 | 862   | 2,331 | 4,318 | 6,389 | 9,268  | 6,427 | 1 |
| 2003..... | 30,794 | 7  | 40 | 122 | 187 | 263 | 839   | 2,468 | 4,247 | 6,477 | 9,559  | 6,583 | 2 |
| 2002..... | 30,847 | 9  | 59 | 136 | 187 | 275 | 933   | 2,362 | 4,202 | 6,616 | 9,539  | 6,529 | - |
| 2001..... | 31,045 | 10 | 44 | 126 | 170 | 286 | 947   | 2,342 | 4,115 | 6,846 | 9,668  | 6,491 | - |
| 2000..... | 31,332 | 11 | 54 | 120 | 192 | 269 | 949   | 2,348 | 4,070 | 7,144 | 9,699  | 6,476 | - |
| 1999..... | 32,802 | 6  | 52 | 131 | 190 | 272 | 1,014 | 2,379 | 4,266 | 7,677 | 10,217 | 6,597 | 1 |

Hispanic, both sexes

|           |       |    |    |    |     |     |     |     |     |     |     |     |   |
|-----------|-------|----|----|----|-----|-----|-----|-----|-----|-----|-----|-----|---|
| 2007..... | 3,427 | 9  | 18 | 51 | 109 | 127 | 212 | 445 | 611 | 698 | 766 | 381 | - |
| 2006..... | 3,413 | 7  | 21 | 51 | 108 | 107 | 205 | 425 | 619 | 748 | 750 | 372 | - |
| 2005..... | 3,238 | 4  | 23 | 43 | 97  | 135 | 196 | 343 | 540 | 737 | 794 | 326 | - |
| 2004..... | 2,973 | 2  | 21 | 41 | 90  | 102 | 163 | 357 | 503 | 669 | 729 | 296 | - |
| 2003..... | 3,085 | 2  | 21 | 51 | 94  | 110 | 193 | 375 | 494 | 717 | 701 | 326 | 1 |
| 2002..... | 3,005 | 11 | 17 | 55 | 107 | 107 | 176 | 346 | 502 | 712 | 676 | 296 | - |
| 2001..... | 2,844 | 2  | 15 | 42 | 85  | 82  | 188 | 334 | 481 | 690 | 615 | 310 | - |
| 2000..... | 2,753 | 3  | 24 | 47 | 82  | 100 | 141 | 290 | 455 | 690 | 631 | 290 | - |
| 1999..... | 2,747 | 2  | 11 | 45 | 84  | 99  | 175 | 314 | 471 | 671 | 587 | 288 | - |

Worktable Orig290F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2007

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data - mortality"]

---

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, sex, and year

|  | All ages | Under 1 year | 1-4 years | 5-14 years | 15-24 years | 25-34 years | 35-44 years | 45-54 years | 55-64 years | 65-74 years | 75-84 years | 85 years and over | Age not stated |
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|

---

All other and unspecified malignant neoplasms (C17,C23-C24,C26-C31,C37-C41,C44-C49,C51-C52,C57-C60,C62-C63,C66,C68-C69,C73-C80,C97)

| Hispanic, male   |          |              |           |            |             |             |             |             |             |             |             |                   |                |
|------------------|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|
|                  | All ages | Under 1 year | 1-4 years | 5-14 years | 15-24 years | 25-34 years | 35-44 years | 45-54 years | 55-64 years | 65-74 years | 75-84 years | 85 years and over | Age not stated |
| 2007.....        | 1,784    | 3            | 9         | 26         | 81          | 81          | 118         | 251         | 328         | 371         | 361         | 155               | -              |
| 2006.....        | 1,744    | 5            | 11        | 25         | 75          | 75          | 94          | 211         | 329         | 414         | 360         | 145               | -              |
| 2005.....        | 1,715    | 2            | 16        | 21         | 63          | 86          | 117         | 183         | 315         | 396         | 388         | 128               | -              |
| 2004.....        | 1,521    | -            | 6         | 22         | 70          | 65          | 93          | 189         | 268         | 336         | 367         | 105               | -              |
| 2003.....        | 1,621    | 1            | 15        | 27         | 60          | 84          | 103         | 214         | 274         | 385         | 332         | 126               | -              |
| 2002.....        | 1,566    | 7            | 9         | 30         | 69          | 69          | 94          | 189         | 277         | 362         | 338         | 122               | -              |
| 2001.....        | 1,455    | -            | 9         | 22         | 64          | 56          | 95          | 181         | 262         | 339         | 315         | 112               | -              |
| 2000.....        | 1,394    | 2            | 16        | 26         | 49          | 67          | 78          | 148         | 235         | 349         | 309         | 115               | -              |
| 1999.....        | 1,399    | 2            | 3         | 23         | 62          | 63          | 90          | 162         | 256         | 351         | 278         | 109               | -              |
| Hispanic, female |          |              |           |            |             |             |             |             |             |             |             |                   |                |
|                  | All ages | Under 1 year | 1-4 years | 5-14 years | 15-24 years | 25-34 years | 35-44 years | 45-54 years | 55-64 years | 65-74 years | 75-84 years | 85 years and over | Age not stated |
| 2007.....        | 1,643    | 6            | 9         | 25         | 28          | 46          | 94          | 194         | 283         | 327         | 405         | 226               | -              |
| 2006.....        | 1,669    | 2            | 10        | 26         | 33          | 32          | 111         | 214         | 290         | 334         | 390         | 227               | -              |
| 2005.....        | 1,523    | 2            | 7         | 22         | 34          | 49          | 79          | 160         | 225         | 341         | 406         | 198               | -              |
| 2004.....        | 1,452    | 2            | 15        | 19         | 20          | 37          | 70          | 168         | 235         | 333         | 362         | 191               | -              |
| 2003.....        | 1,464    | 1            | 6         | 24         | 34          | 26          | 90          | 161         | 220         | 332         | 369         | 200               | 1              |
| 2002.....        | 1,439    | 4            | 8         | 25         | 38          | 38          | 82          | 157         | 225         | 350         | 338         | 174               | -              |
| 2001.....        | 1,389    | 2            | 6         | 20         | 21          | 26          | 93          | 153         | 219         | 351         | 300         | 198               | -              |
| 2000.....        | 1,359    | 1            | 8         | 21         | 33          | 33          | 63          | 142         | 220         | 341         | 322         | 175               | -              |
| 1999.....        | 1,348    | -            | 8         | 22         | 22          | 36          | 85          | 152         | 215         | 320         | 309         | 179               | -              |

Worktable Orig290F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2007

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data - mortality"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, sex, and year | All ages | Under 1 year | 1-4 years | 5-14 years | 15-24 years | 25-34 years | 35-44 years | 45-54 years | 55-64 years | 65-74 years | 75-84 years | 85 years and over | Age not stated |
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|

All other and unspecified malignant neoplasms (C17,C23-C24,C26-C31,C37-C41,C44-C49,C51-C52,C57-C60,C62-C63,C66,C68-C69,C73-C80,C97)

Non-Hispanic 1/, both sexes

|           |        |    |     |     |     |     |       |       |        |        |        |        |   |
|-----------|--------|----|-----|-----|-----|-----|-------|-------|--------|--------|--------|--------|---|
| 2007..... | 59,687 | 11 | 95  | 194 | 449 | 573 | 1,528 | 4,982 | 10,309 | 13,136 | 17,405 | 11,005 | - |
| 2006..... | 59,583 | 13 | 90  | 192 | 413 | 608 | 1,574 | 5,079 | 9,941  | 13,419 | 17,511 | 10,742 | 1 |
| 2005..... | 59,519 | 10 | 99  | 235 | 482 | 563 | 1,627 | 5,203 | 9,862  | 13,258 | 17,668 | 10,511 | 1 |
| 2004..... | 58,818 | 20 | 104 | 234 | 457 | 590 | 1,712 | 4,910 | 9,467  | 13,490 | 17,792 | 10,040 | 2 |
| 2003..... | 59,402 | 17 | 84  | 223 | 420 | 578 | 1,686 | 5,216 | 9,289  | 13,529 | 18,150 | 10,206 | 4 |
| 2002..... | 59,797 | 13 | 106 | 233 | 419 | 625 | 1,867 | 5,129 | 9,192  | 14,005 | 17,965 | 10,242 | 1 |
| 2001..... | 59,685 | 15 | 102 | 237 | 431 | 645 | 1,858 | 5,155 | 8,935  | 14,278 | 18,042 | 9,987  | - |
| 2000..... | 60,117 | 21 | 103 | 212 | 427 | 596 | 1,939 | 4,997 | 8,813  | 14,980 | 18,172 | 9,853  | 4 |
| 1999..... | 63,328 | 12 | 105 | 245 | 434 | 655 | 2,130 | 5,149 | 9,361  | 16,121 | 19,020 | 10,094 | 2 |

Non-Hispanic 1/, male

|           |        |    |    |     |     |     |       |       |       |       |       |       |   |
|-----------|--------|----|----|-----|-----|-----|-------|-------|-------|-------|-------|-------|---|
| 2007..... | 31,052 | 5  | 47 | 91  | 290 | 356 | 790   | 2,820 | 5,986 | 7,318 | 8,872 | 4,477 | - |
| 2006..... | 30,558 | 5  | 51 | 107 | 270 | 372 | 839   | 2,821 | 5,737 | 7,283 | 8,839 | 4,233 | 1 |
| 2005..... | 30,420 | 7  | 52 | 129 | 299 | 352 | 881   | 2,918 | 5,674 | 7,277 | 8,738 | 4,093 | - |
| 2004..... | 30,066 | 12 | 52 | 136 | 287 | 353 | 921   | 2,748 | 5,393 | 7,444 | 8,902 | 3,817 | 1 |
| 2003..... | 30,140 | 11 | 50 | 125 | 268 | 341 | 940   | 2,916 | 5,275 | 7,396 | 8,976 | 3,839 | 3 |
| 2002..... | 30,463 | 8  | 56 | 122 | 270 | 389 | 1,016 | 2,929 | 5,225 | 7,755 | 8,782 | 3,910 | 1 |
| 2001..... | 30,107 | 7  | 64 | 131 | 282 | 385 | 1,006 | 2,971 | 5,046 | 7,800 | 8,701 | 3,714 | - |
| 2000..... | 30,237 | 11 | 57 | 114 | 269 | 362 | 1,059 | 2,803 | 4,972 | 8,195 | 8,823 | 3,568 | 4 |
| 1999..... | 31,956 | 6  | 61 | 137 | 266 | 423 | 1,206 | 2,928 | 5,325 | 8,779 | 9,132 | 3,692 | 1 |

Worktable Orig290F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2007

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data - mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, sex, and year

|  | All ages | Under 1 year | 1-4 years | 5-14 years | 15-24 years | 25-34 years | 35-44 years | 45-54 years | 55-64 years | 65-74 years | 75-84 years | 85 years and over | Age not stated |
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|

All other and unspecified malignant neoplasms (C17,C23-C24,C26-C31,C37-C41,C44-C49,C51-C52,C57-C60,C62-C63,C66,C68-C69,C73-C80,C97)

Non-Hispanic 1/, female

|           |        |    |    |     |     |     |     |       |       |       |       |       |   |
|-----------|--------|----|----|-----|-----|-----|-----|-------|-------|-------|-------|-------|---|
| 2007..... | 28,635 | 6  | 48 | 103 | 159 | 217 | 738 | 2,162 | 4,323 | 5,818 | 8,533 | 6,528 | - |
| 2006..... | 29,025 | 8  | 39 | 85  | 143 | 236 | 735 | 2,258 | 4,204 | 6,136 | 8,672 | 6,509 | - |
| 2005..... | 29,099 | 3  | 47 | 106 | 183 | 211 | 746 | 2,285 | 4,188 | 5,981 | 8,930 | 6,418 | 1 |
| 2004..... | 28,752 | 8  | 52 | 98  | 170 | 237 | 791 | 2,162 | 4,074 | 6,046 | 8,890 | 6,223 | 1 |
| 2003..... | 29,262 | 6  | 34 | 98  | 152 | 237 | 746 | 2,300 | 4,014 | 6,133 | 9,174 | 6,367 | 1 |
| 2002..... | 29,334 | 5  | 50 | 111 | 149 | 236 | 851 | 2,200 | 3,967 | 6,250 | 9,183 | 6,332 | - |
| 2001..... | 29,578 | 8  | 38 | 106 | 149 | 260 | 852 | 2,184 | 3,889 | 6,478 | 9,341 | 6,273 | - |
| 2000..... | 29,880 | 10 | 46 | 98  | 158 | 234 | 880 | 2,194 | 3,841 | 6,785 | 9,349 | 6,285 | - |
| 1999..... | 31,372 | 6  | 44 | 108 | 168 | 232 | 924 | 2,221 | 4,036 | 7,342 | 9,888 | 6,402 | 1 |

Non-Hispanic white, both sexes

|              |        |    |    |     |     |     |       |       |       |        |        |        |   |
|--------------|--------|----|----|-----|-----|-----|-------|-------|-------|--------|--------|--------|---|
| 2007 2/..... | 51,383 | 9  | 70 | 145 | 338 | 419 | 1,140 | 3,838 | 8,454 | 11,243 | 15,609 | 10,118 | - |
| 2006 2/..... | 51,403 | 13 | 56 | 145 | 307 | 452 | 1,204 | 3,949 | 8,185 | 11,537 | 15,750 | 9,804  | 1 |
| 2005 2/..... | 51,380 | 8  | 73 | 166 | 372 | 401 | 1,254 | 4,029 | 8,150 | 11,386 | 15,908 | 9,633  | - |
| 2004 2/..... | 50,810 | 16 | 75 | 167 | 332 | 465 | 1,308 | 3,785 | 7,818 | 11,615 | 16,001 | 9,226  | 2 |
| 2003 2/..... | 51,534 | 13 | 58 | 165 | 328 | 424 | 1,287 | 4,066 | 7,743 | 11,712 | 16,368 | 9,366  | 4 |
| 2002.....    | 51,731 | 11 | 73 | 171 | 319 | 465 | 1,433 | 4,032 | 7,635 | 12,071 | 16,159 | 9,361  | 1 |
| 2001.....    | 51,581 | 13 | 83 | 176 | 338 | 492 | 1,430 | 4,024 | 7,342 | 12,292 | 16,233 | 9,158  | - |
| 2000.....    | 52,223 | 16 | 75 | 168 | 328 | 479 | 1,452 | 3,908 | 7,330 | 13,019 | 16,395 | 9,050  | 3 |
| 1999.....    | 54,977 | 10 | 87 | 178 | 324 | 513 | 1,626 | 4,077 | 7,722 | 14,076 | 17,158 | 9,204  | 2 |



Worktable Orig290F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2007

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data - mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, sex, and year

|  | All ages | Under 1 year | 1-4 years | 5-14 years | 15-24 years | 25-34 years | 35-44 years | 45-54 years | 55-64 years | 65-74 years | 75-84 years | 85 years and over | Age not stated |
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|

All other and unspecified malignant neoplasms (C17,C23-C24,C26-C31,C37-C41,C44-C49,C51-C52,C57-C60,C62-C63,C66,C68-C69,C73-C80,C97)

Non-Hispanic white, male

|              |        |   |    |     |     |     |     |       |       |       |       |       |   |
|--------------|--------|---|----|-----|-----|-----|-----|-------|-------|-------|-------|-------|---|
| 2007 2/..... | 26,886 | 5 | 34 | 68  | 221 | 261 | 586 | 2,196 | 4,967 | 6,330 | 8,066 | 4,152 | - |
| 2006 2/..... | 26,572 | 5 | 33 | 81  | 206 | 287 | 663 | 2,204 | 4,806 | 6,357 | 8,025 | 3,904 | 1 |
| 2005 2/..... | 26,332 | 5 | 40 | 89  | 231 | 258 | 697 | 2,285 | 4,722 | 6,274 | 7,952 | 3,779 | - |
| 2004 2/..... | 26,000 | 9 | 40 | 102 | 209 | 296 | 705 | 2,114 | 4,457 | 6,442 | 8,101 | 3,524 | 1 |
| 2003 2/..... | 26,189 | 9 | 31 | 94  | 209 | 261 | 729 | 2,281 | 4,419 | 6,440 | 8,169 | 3,544 | 3 |
| 2002.....    | 26,457 | 8 | 40 | 88  | 201 | 295 | 769 | 2,332 | 4,362 | 6,790 | 7,966 | 3,605 | 1 |
| 2001.....    | 26,007 | 6 | 50 | 96  | 220 | 296 | 792 | 2,326 | 4,139 | 6,789 | 7,882 | 3,411 | - |
| 2000.....    | 26,258 | 9 | 46 | 89  | 204 | 303 | 797 | 2,213 | 4,111 | 7,208 | 7,989 | 3,286 | 3 |
| 1999.....    | 27,780 | 5 | 52 | 104 | 190 | 338 | 943 | 2,305 | 4,423 | 7,714 | 8,322 | 3,383 | 1 |

Non-Hispanic white, female

|              |        |   |    |    |     |     |     |       |       |       |       |       |   |
|--------------|--------|---|----|----|-----|-----|-----|-------|-------|-------|-------|-------|---|
| 2007 2/..... | 24,497 | 4 | 36 | 77 | 117 | 158 | 554 | 1,642 | 3,487 | 4,913 | 7,543 | 5,966 | - |
| 2006 2/..... | 24,831 | 8 | 23 | 64 | 101 | 165 | 541 | 1,745 | 3,379 | 5,180 | 7,725 | 5,900 | - |
| 2005 2/..... | 25,048 | 3 | 33 | 77 | 141 | 143 | 557 | 1,744 | 3,428 | 5,112 | 7,956 | 5,854 | - |
| 2004 2/..... | 24,810 | 7 | 35 | 65 | 123 | 169 | 603 | 1,671 | 3,361 | 5,173 | 7,900 | 5,702 | 1 |
| 2003 2/..... | 25,345 | 4 | 27 | 71 | 119 | 163 | 558 | 1,785 | 3,324 | 5,272 | 8,199 | 5,822 | 1 |
| 2002.....    | 25,274 | 3 | 33 | 83 | 118 | 170 | 664 | 1,700 | 3,273 | 5,281 | 8,193 | 5,756 | - |
| 2001.....    | 25,574 | 7 | 33 | 80 | 118 | 196 | 638 | 1,698 | 3,203 | 5,503 | 8,351 | 5,747 | - |
| 2000.....    | 25,965 | 7 | 29 | 79 | 124 | 176 | 655 | 1,695 | 3,219 | 5,811 | 8,406 | 5,764 | - |
| 1999.....    | 27,197 | 5 | 35 | 74 | 134 | 175 | 683 | 1,772 | 3,299 | 6,362 | 8,836 | 5,821 | 1 |

Worktable Orig290F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2007

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data - mortality"]

---

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, sex, and year

|  | All ages | Under 1 year | 1-4 years | 5-14 years | 15-24 years | 25-34 years | 35-44 years | 45-54 years | 55-64 years | 65-74 years | 75-84 years | 85 years and over | Age not stated |
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|

---

All other and unspecified malignant neoplasms (C17,C23-C24,C26-C31,C37-C41,C44-C49,C51-C52,C57-C60,C62-C63,C66,C68-C69,C73-C80,C97)

Non-Hispanic black, both sexes

|              |       |   |    |    |     |     |     |     |       |       |       |     |   |
|--------------|-------|---|----|----|-----|-----|-----|-----|-------|-------|-------|-----|---|
| 2007 2/..... | 6,599 | 1 | 19 | 39 | 83  | 115 | 303 | 966 | 1,529 | 1,499 | 1,366 | 679 | - |
| 2006 2/..... | 6,607 | - | 25 | 36 | 80  | 119 | 295 | 941 | 1,483 | 1,531 | 1,386 | 711 | - |
| 2005 2/..... | 6,591 | 2 | 19 | 61 | 80  | 127 | 303 | 976 | 1,404 | 1,497 | 1,445 | 676 | 1 |
| 2004 2/..... | 6,582 | 3 | 19 | 60 | 101 | 96  | 339 | 944 | 1,367 | 1,550 | 1,449 | 654 | - |
| 2003 2/..... | 6,537 | 2 | 22 | 51 | 70  | 122 | 326 | 978 | 1,316 | 1,498 | 1,458 | 694 | - |
| 2002.....    | 6,756 | 2 | 26 | 52 | 79  | 125 | 362 | 924 | 1,329 | 1,612 | 1,507 | 738 | - |
| 2001.....    | 6,725 | 1 | 16 | 46 | 76  | 124 | 339 | 963 | 1,333 | 1,659 | 1,468 | 700 | - |
| 2000.....    | 6,617 | 4 | 22 | 39 | 83  | 87  | 427 | 927 | 1,255 | 1,636 | 1,472 | 664 | 1 |
| 1999.....    | 7,009 | 1 | 14 | 49 | 83  | 106 | 421 | 928 | 1,407 | 1,704 | 1,539 | 757 | - |

Non-Hispanic black, male

|              |       |   |    |    |    |    |     |     |     |     |     |     |   |
|--------------|-------|---|----|----|----|----|-----|-----|-----|-----|-----|-----|---|
| 2007 2/..... | 3,314 | - | 11 | 18 | 47 | 71 | 157 | 534 | 863 | 766 | 606 | 241 | - |
| 2006 2/..... | 3,265 | - | 16 | 20 | 46 | 64 | 143 | 531 | 802 | 758 | 649 | 236 | - |
| 2005 2/..... | 3,311 | 2 | 9  | 36 | 47 | 75 | 151 | 526 | 798 | 808 | 626 | 233 | - |
| 2004 2/..... | 3,347 | 2 | 7  | 29 | 61 | 47 | 174 | 545 | 784 | 827 | 651 | 220 | - |
| 2003 2/..... | 3,274 | 2 | 15 | 27 | 45 | 60 | 171 | 542 | 743 | 786 | 658 | 225 | - |
| 2002.....    | 3,340 | - | 12 | 28 | 54 | 67 | 200 | 509 | 739 | 813 | 675 | 243 | - |
| 2001.....    | 3,392 | - | 13 | 26 | 51 | 69 | 166 | 543 | 759 | 866 | 650 | 249 | - |
| 2000.....    | 3,337 | 1 | 9  | 24 | 56 | 46 | 227 | 510 | 733 | 827 | 687 | 216 | 1 |
| 1999.....    | 3,514 | - | 8  | 22 | 56 | 60 | 219 | 539 | 801 | 895 | 667 | 247 | - |

Worktable Orig290F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2007

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data - mortality"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, sex, and year | All ages | Under 1 year | 1-4 years | 5-14 years | 15-24 years | 25-34 years | 35-44 years | 45-54 years | 55-64 years | 65-74 years | 75-84 years | 85 years and over | Age not stated |
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|

All other and unspecified malignant neoplasms (C17,C23-C24,C26-C31,C37-C41,C44-C49,C51-C52,C57-C60,C62-C63,C66,C68-C69,C73-C80,C97)

Non-Hispanic black, female

|              |       |   |    |    |    |    |     |     |     |     |     |     |   |
|--------------|-------|---|----|----|----|----|-----|-----|-----|-----|-----|-----|---|
| 2007 2/..... | 3,285 | 1 | 8  | 21 | 36 | 44 | 146 | 432 | 666 | 733 | 760 | 438 | - |
| 2006 2/..... | 3,342 | - | 9  | 16 | 34 | 55 | 152 | 410 | 681 | 773 | 737 | 475 | - |
| 2005 2/..... | 3,280 | - | 10 | 25 | 33 | 52 | 152 | 450 | 606 | 689 | 819 | 443 | 1 |
| 2004 2/..... | 3,235 | 1 | 12 | 31 | 40 | 49 | 165 | 399 | 583 | 723 | 798 | 434 | - |
| 2003 2/..... | 3,263 | - | 7  | 24 | 25 | 62 | 155 | 436 | 573 | 712 | 800 | 469 | - |
| 2002.....    | 3,416 | 2 | 14 | 24 | 25 | 58 | 162 | 415 | 590 | 799 | 832 | 495 | - |
| 2001.....    | 3,333 | 1 | 3  | 20 | 25 | 55 | 173 | 420 | 574 | 793 | 818 | 451 | - |
| 2000.....    | 3,280 | 3 | 13 | 15 | 27 | 41 | 200 | 417 | 522 | 809 | 785 | 448 | - |
| 1999.....    | 3,495 | 1 | 6  | 27 | 27 | 46 | 202 | 389 | 606 | 809 | 872 | 510 | - |

Origin not stated 3/, both sexes

|           |     |   |   |   |   |   |    |    |    |    |    |    |   |
|-----------|-----|---|---|---|---|---|----|----|----|----|----|----|---|
| 2007..... | 78  | - | - | - | - | - | 2  | 9  | 22 | 20 | 17 | 8  | - |
| 2006..... | 104 | - | - | 1 | - | 2 | 4  | 12 | 24 | 26 | 22 | 13 | - |
| 2005..... | 94  | 1 | - | 1 | - | 3 | 4  | 12 | 20 | 24 | 18 | 11 | - |
| 2004..... | 120 | 1 | 1 | - | 1 | 4 | 1  | 9  | 27 | 28 | 28 | 20 | - |
| 2003..... | 152 | - | 1 | - | 2 | 2 | 6  | 20 | 37 | 31 | 29 | 24 | - |
| 2002..... | 167 | - | 1 | - | 1 | 2 | -  | 18 | 29 | 40 | 44 | 32 | - |
| 2001..... | 179 | - | - | - | - | 1 | 9  | 17 | 25 | 55 | 43 | 29 | - |
| 2000..... | 190 | - | 2 | 1 | 2 | 5 | 10 | 20 | 25 | 46 | 57 | 22 | - |
| 1999..... | 176 | - | - | 1 | 1 | 8 | 9  | 14 | 31 | 42 | 49 | 21 | - |

Worktable Orig290F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2007

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data - mortality"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, sex, and year | All ages | Under 1 year | 1-4 years | 5-14 years | 15-24 years | 25-34 years | 35-44 years | 45-54 years | 55-64 years | 65-74 years | 75-84 years | 85 years and over | Age not stated |
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|

All other and unspecified malignant neoplasms (C17,C23-C24,C26-C31,C37-C41,C44-C49,C51-C52,C57-C60,C62-C63,C66,C68-C69,C73-C80,C97)

Origin not stated 3/, male

|           |     |   |   |   |   |   |   |    |    |    |    |   |   |
|-----------|-----|---|---|---|---|---|---|----|----|----|----|---|---|
| 2007..... | 51  | - | - | - | - | - | - | 5  | 15 | 15 | 12 | 4 | - |
| 2006..... | 62  | - | - | - | - | 2 | 1 | 7  | 17 | 16 | 15 | 4 | - |
| 2005..... | 59  | - | - | 1 | - | 2 | 3 | 10 | 13 | 14 | 11 | 5 | - |
| 2004..... | 67  | 1 | 1 | - | - | 2 | - | 8  | 18 | 18 | 12 | 7 | - |
| 2003..... | 84  | - | 1 | - | 1 | 2 | 3 | 13 | 24 | 19 | 13 | 8 | - |
| 2002..... | 93  | - | - | - | 1 | 1 | - | 13 | 19 | 24 | 26 | 9 | - |
| 2001..... | 101 | - | - | - | - | 1 | 7 | 12 | 18 | 38 | 16 | 9 | - |
| 2000..... | 97  | - | 2 | - | 1 | 3 | 4 | 8  | 16 | 28 | 29 | 6 | - |
| 1999..... | 94  | - | - | - | 1 | 4 | 4 | 8  | 16 | 27 | 29 | 5 | - |

Origin not stated 3/, female

|           |    |   |   |   |   |   |   |    |    |    |    |    |   |
|-----------|----|---|---|---|---|---|---|----|----|----|----|----|---|
| 2007..... | 27 | - | - | - | - | - | 2 | 4  | 7  | 5  | 5  | 4  | - |
| 2006..... | 42 | - | - | 1 | - | - | 3 | 5  | 7  | 10 | 7  | 9  | - |
| 2005..... | 35 | 1 | - | - | - | 1 | 1 | 2  | 7  | 10 | 7  | 6  | - |
| 2004..... | 53 | - | - | - | 1 | 2 | 1 | 1  | 9  | 10 | 16 | 13 | - |
| 2003..... | 68 | - | - | - | 1 | - | 3 | 7  | 13 | 12 | 16 | 16 | - |
| 2002..... | 74 | - | 1 | - | - | 1 | - | 5  | 10 | 16 | 18 | 23 | - |
| 2001..... | 78 | - | - | - | - | - | 2 | 5  | 7  | 17 | 27 | 20 | - |
| 2000..... | 93 | - | - | 1 | 1 | 2 | 6 | 12 | 9  | 18 | 28 | 16 | - |
| 1999..... | 82 | - | - | 1 | - | 4 | 5 | 6  | 15 | 15 | 20 | 16 | - |

Worktable Orig290F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2007

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data - mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, sex, and year

|  | All ages | Under 1 year | 1-4 years | 5-14 years | 15-24 years | 25-34 years | 35-44 years | 45-54 years | 55-64 years | 65-74 years | 75-84 years | 85 years and over | Age not stated |
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|

In situ neoplasms, benign neoplasms and neoplasms of uncertain or unknown behavior (D00-D48)

| All origins, both sexes |        |    |    |     |     |     |     |     |       |       |       |       |   |
|-------------------------|--------|----|----|-----|-----|-----|-----|-----|-------|-------|-------|-------|---|
| 2007.....               | 14,204 | 59 | 59 | 84  | 81  | 138 | 340 | 699 | 1,416 | 2,402 | 4,717 | 4,209 | - |
| 2006.....               | 14,122 | 65 | 60 | 76  | 100 | 143 | 316 | 794 | 1,315 | 2,369 | 4,750 | 4,134 | - |
| 2005.....               | 13,710 | 59 | 52 | 76  | 93  | 162 | 368 | 729 | 1,318 | 2,350 | 4,594 | 3,909 | - |
| 2004.....               | 13,580 | 71 | 53 | 84  | 110 | 173 | 318 | 698 | 1,310 | 2,343 | 4,644 | 3,774 | 2 |
| 2003.....               | 13,563 | 62 | 51 | 79  | 96  | 178 | 339 | 682 | 1,238 | 2,354 | 4,689 | 3,795 | - |
| 2002.....               | 13,299 | 69 | 60 | 89  | 87  | 163 | 366 | 714 | 1,193 | 2,348 | 4,597 | 3,613 | - |
| 2001.....               | 13,676 | 51 | 58 | 105 | 102 | 151 | 366 | 719 | 1,253 | 2,574 | 4,654 | 3,643 | - |
| 2000.....               | 13,546 | 60 | 53 | 99  | 95  | 165 | 368 | 690 | 1,224 | 2,546 | 4,645 | 3,600 | 1 |
| 1999.....               | 13,227 | 58 | 63 | 101 | 98  | 171 | 342 | 662 | 1,133 | 2,684 | 4,472 | 3,443 | - |
| All origins, male       |        |    |    |     |     |     |     |     |       |       |       |       |   |
| 2007.....               | 7,256  | 24 | 28 | 47  | 43  | 89  | 181 | 382 | 838   | 1,354 | 2,570 | 1,700 | - |
| 2006.....               | 6,984  | 33 | 24 | 41  | 51  | 67  | 167 | 432 | 732   | 1,360 | 2,519 | 1,558 | - |
| 2005.....               | 6,820  | 22 | 31 | 36  | 54  | 86  | 186 | 404 | 754   | 1,342 | 2,419 | 1,486 | - |
| 2004.....               | 6,764  | 35 | 28 | 46  | 63  | 94  | 172 | 382 | 750   | 1,322 | 2,378 | 1,492 | 2 |
| 2003.....               | 6,687  | 32 | 31 | 43  | 54  | 98  | 195 | 366 | 685   | 1,334 | 2,379 | 1,470 | - |
| 2002.....               | 6,536  | 30 | 30 | 49  | 50  | 84  | 196 | 365 | 680   | 1,315 | 2,332 | 1,405 | - |
| 2001.....               | 6,735  | 26 | 30 | 52  | 53  | 77  | 193 | 391 | 673   | 1,439 | 2,403 | 1,398 | - |
| 2000.....               | 6,559  | 32 | 33 | 49  | 62  | 82  | 188 | 385 | 657   | 1,415 | 2,319 | 1,336 | 1 |
| 1999.....               | 6,520  | 30 | 33 | 49  | 54  | 96  | 197 | 362 | 656   | 1,522 | 2,218 | 1,303 | - |

Worktable Orig290F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2007

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data - mortality"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, sex, and year | All ages | Under 1 year | 1-4 years | 5-14 years | 15-24 years | 25-34 years | 35-44 years | 45-54 years | 55-64 years | 65-74 years | 75-84 years | 85 years and over | Age not stated |
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|

In situ neoplasms, benign neoplasms and neoplasms of uncertain or unknown behavior (D00-D48)

| All origins, female  |       |    |    |    |    |    |     |     |     |       |       |       |   |
|----------------------|-------|----|----|----|----|----|-----|-----|-----|-------|-------|-------|---|
| 2007.....            | 6,948 | 35 | 31 | 37 | 38 | 49 | 159 | 317 | 578 | 1,048 | 2,147 | 2,509 | - |
| 2006.....            | 7,138 | 32 | 36 | 35 | 49 | 76 | 149 | 362 | 583 | 1,009 | 2,231 | 2,576 | - |
| 2005.....            | 6,890 | 37 | 21 | 40 | 39 | 76 | 182 | 325 | 564 | 1,008 | 2,175 | 2,423 | - |
| 2004.....            | 6,816 | 36 | 25 | 38 | 47 | 79 | 146 | 316 | 560 | 1,021 | 2,266 | 2,282 | - |
| 2003.....            | 6,876 | 30 | 20 | 36 | 42 | 80 | 144 | 316 | 553 | 1,020 | 2,310 | 2,325 | - |
| 2002.....            | 6,763 | 39 | 30 | 40 | 37 | 79 | 170 | 349 | 513 | 1,033 | 2,265 | 2,208 | - |
| 2001.....            | 6,941 | 25 | 28 | 53 | 49 | 74 | 173 | 328 | 580 | 1,135 | 2,251 | 2,245 | - |
| 2000.....            | 6,987 | 28 | 20 | 50 | 33 | 83 | 180 | 305 | 567 | 1,131 | 2,326 | 2,264 | - |
| 1999.....            | 6,707 | 28 | 30 | 52 | 44 | 75 | 145 | 300 | 477 | 1,162 | 2,254 | 2,140 | - |
|                      |       |    |    |    |    |    |     |     |     |       |       |       |   |
| Hispanic, both sexes |       |    |    |    |    |    |     |     |     |       |       |       |   |
| 2007.....            | 696   | 20 | 17 | 17 | 17 | 20 | 32  | 56  | 83  | 106   | 198   | 130   | - |
| 2006.....            | 717   | 18 | 7  | 18 | 22 | 27 | 35  | 62  | 90  | 122   | 192   | 124   | - |
| 2005.....            | 572   | 16 | 12 | 10 | 13 | 24 | 28  | 55  | 75  | 107   | 152   | 80    | - |
| 2004.....            | 617   | 18 | 5  | 8  | 15 | 29 | 32  | 54  | 84  | 110   | 160   | 102   | - |
| 2003.....            | 603   | 15 | 7  | 13 | 21 | 32 | 25  | 42  | 64  | 106   | 185   | 93    | - |
| 2002.....            | 563   | 17 | 7  | 26 | 8  | 16 | 34  | 54  | 60  | 105   | 148   | 88    | - |
| 2001.....            | 543   | 5  | 13 | 21 | 8  | 20 | 39  | 50  | 67  | 100   | 128   | 92    | - |
| 2000.....            | 521   | 6  | 7  | 13 | 10 | 25 | 37  | 43  | 53  | 98    | 123   | 106   | - |
| 1999.....            | 497   | 8  | 12 | 17 | 12 | 25 | 30  | 39  | 60  | 109   | 111   | 74    | - |

Worktable Orig290F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2007

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data - mortality"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, sex, and year | All ages | Under 1 year | 1-4 years | 5-14 years | 15-24 years | 25-34 years | 35-44 years | 45-54 years | 55-64 years | 65-74 years | 75-84 years | 85 years and over | Age not stated |
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|

In situ neoplasms, benign neoplasms and neoplasms of uncertain or unknown behavior (D00-D48)

| Hispanic, male   |     |    |    |    |    |    |    |    |    |    |     |    |   |
|------------------|-----|----|----|----|----|----|----|----|----|----|-----|----|---|
| 2007.....        | 329 | 9  | 7  | 11 | 10 | 16 | 15 | 32 | 47 | 53 | 84  | 45 | - |
| 2006.....        | 363 | 7  | 3  | 9  | 10 | 14 | 17 | 41 | 50 | 69 | 96  | 47 | - |
| 2005.....        | 306 | 7  | 7  | 7  | 8  | 14 | 11 | 33 | 44 | 63 | 82  | 30 | - |
| 2004.....        | 311 | 11 | 2  | 4  | 11 | 15 | 18 | 33 | 43 | 55 | 78  | 41 | - |
| 2003.....        | 301 | 6  | 3  | 7  | 13 | 21 | 14 | 22 | 39 | 54 | 88  | 34 | - |
| 2002.....        | 282 | 9  | 4  | 15 | 5  | 8  | 15 | 26 | 35 | 54 | 77  | 34 | - |
| 2001.....        | 276 | 2  | 7  | 12 | 6  | 6  | 24 | 30 | 35 | 50 | 67  | 37 | - |
| 2000.....        | 237 | 4  | 2  | 8  | 8  | 15 | 14 | 18 | 25 | 46 | 54  | 43 | - |
| 1999.....        | 233 | 5  | 4  | 8  | 8  | 14 | 21 | 26 | 30 | 47 | 47  | 23 | - |
| Hispanic, female |     |    |    |    |    |    |    |    |    |    |     |    |   |
| 2007.....        | 367 | 11 | 10 | 6  | 7  | 4  | 17 | 24 | 36 | 53 | 114 | 85 | - |
| 2006.....        | 354 | 11 | 4  | 9  | 12 | 13 | 18 | 21 | 40 | 53 | 96  | 77 | - |
| 2005.....        | 266 | 9  | 5  | 3  | 5  | 10 | 17 | 22 | 31 | 44 | 70  | 50 | - |
| 2004.....        | 306 | 7  | 3  | 4  | 4  | 14 | 14 | 21 | 41 | 55 | 82  | 61 | - |
| 2003.....        | 302 | 9  | 4  | 6  | 8  | 11 | 11 | 20 | 25 | 52 | 97  | 59 | - |
| 2002.....        | 281 | 8  | 3  | 11 | 3  | 8  | 19 | 28 | 25 | 51 | 71  | 54 | - |
| 2001.....        | 267 | 3  | 6  | 9  | 2  | 14 | 15 | 20 | 32 | 50 | 61  | 55 | - |
| 2000.....        | 284 | 2  | 5  | 5  | 2  | 10 | 23 | 25 | 28 | 52 | 69  | 63 | - |
| 1999.....        | 264 | 3  | 8  | 9  | 4  | 11 | 9  | 13 | 30 | 62 | 64  | 51 | - |

Worktable Orig290F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2007

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data - mortality"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, sex, and year | All ages | Under 1 year | 1-4 years | 5-14 years | 15-24 years | 25-34 years | 35-44 years | 45-54 years | 55-64 years | 65-74 years | 75-84 years | 85 years and over | Age not stated |
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|

In situ neoplasms, benign neoplasms and neoplasms of uncertain or unknown behavior (D00-D48)

| Non-Hispanic 1/, both sexes |        |    |    |    |    |     |     |     |       |       |       |       |   |
|-----------------------------|--------|----|----|----|----|-----|-----|-----|-------|-------|-------|-------|---|
| 2007.....                   | 13,495 | 39 | 42 | 66 | 64 | 118 | 308 | 640 | 1,331 | 2,295 | 4,515 | 4,077 | - |
| 2006.....                   | 13,389 | 47 | 53 | 58 | 78 | 116 | 280 | 731 | 1,225 | 2,244 | 4,550 | 4,007 | - |
| 2005.....                   | 13,118 | 42 | 40 | 66 | 80 | 138 | 340 | 673 | 1,241 | 2,240 | 4,434 | 3,824 | - |
| 2004.....                   | 12,939 | 53 | 48 | 76 | 95 | 144 | 286 | 643 | 1,222 | 2,225 | 4,477 | 3,669 | 1 |
| 2003.....                   | 12,938 | 46 | 44 | 66 | 75 | 146 | 313 | 640 | 1,170 | 2,241 | 4,499 | 3,698 | - |
| 2002.....                   | 12,708 | 52 | 53 | 63 | 78 | 147 | 328 | 659 | 1,131 | 2,241 | 4,436 | 3,520 | - |
| 2001.....                   | 13,098 | 46 | 45 | 84 | 94 | 131 | 327 | 667 | 1,182 | 2,468 | 4,510 | 3,544 | - |
| 2000.....                   | 12,990 | 53 | 46 | 85 | 85 | 140 | 330 | 645 | 1,167 | 2,445 | 4,511 | 3,482 | 1 |
| 1999.....                   | 12,699 | 50 | 51 | 83 | 85 | 146 | 311 | 620 | 1,070 | 2,572 | 4,349 | 3,362 | - |
| Non-Hispanic 1/, male       |        |    |    |    |    |     |     |     |       |       |       |       |   |
| 2007.....                   | 6,918  | 15 | 21 | 35 | 33 | 73  | 166 | 349 | 789   | 1,300 | 2,483 | 1,654 | - |
| 2006.....                   | 6,611  | 26 | 21 | 32 | 41 | 53  | 150 | 390 | 682   | 1,288 | 2,417 | 1,511 | - |
| 2005.....                   | 6,501  | 14 | 24 | 29 | 46 | 72  | 175 | 370 | 708   | 1,278 | 2,332 | 1,453 | - |
| 2004.....                   | 6,440  | 24 | 26 | 42 | 52 | 79  | 154 | 349 | 704   | 1,263 | 2,295 | 1,451 | 1 |
| 2003.....                   | 6,372  | 26 | 28 | 36 | 41 | 77  | 180 | 344 | 645   | 1,275 | 2,286 | 1,434 | - |
| 2002.....                   | 6,237  | 21 | 26 | 34 | 44 | 76  | 179 | 339 | 645   | 1,260 | 2,245 | 1,368 | - |
| 2001.....                   | 6,442  | 24 | 23 | 40 | 47 | 71  | 169 | 360 | 636   | 1,385 | 2,328 | 1,359 | - |
| 2000.....                   | 6,302  | 28 | 31 | 41 | 54 | 67  | 173 | 365 | 629   | 1,367 | 2,258 | 1,288 | 1 |
| 1999.....                   | 6,276  | 25 | 29 | 41 | 46 | 82  | 176 | 334 | 623   | 1,474 | 2,168 | 1,278 | - |



Worktable Orig290F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2007

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data - mortality"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, sex, and year | All ages | Under 1 year | 1-4 years | 5-14 years | 15-24 years | 25-34 years | 35-44 years | 45-54 years | 55-64 years | 65-74 years | 75-84 years | 85 years and over | Age not stated |
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|

In situ neoplasms, benign neoplasms and neoplasms of uncertain or unknown behavior (D00-D48)

| Non-Hispanic 1/, female        |        |    |    |    |    |     |     |     |       |       |       |       |   |
|--------------------------------|--------|----|----|----|----|-----|-----|-----|-------|-------|-------|-------|---|
| 2007.....                      | 6,577  | 24 | 21 | 31 | 31 | 45  | 142 | 291 | 542   | 995   | 2,032 | 2,423 | - |
| 2006.....                      | 6,778  | 21 | 32 | 26 | 37 | 63  | 130 | 341 | 543   | 956   | 2,133 | 2,496 | - |
| 2005.....                      | 6,617  | 28 | 16 | 37 | 34 | 66  | 165 | 303 | 533   | 962   | 2,102 | 2,371 | - |
| 2004.....                      | 6,499  | 29 | 22 | 34 | 43 | 65  | 132 | 294 | 518   | 962   | 2,182 | 2,218 | - |
| 2003.....                      | 6,566  | 20 | 16 | 30 | 34 | 69  | 133 | 296 | 525   | 966   | 2,213 | 2,264 | - |
| 2002.....                      | 6,471  | 31 | 27 | 29 | 34 | 71  | 149 | 320 | 486   | 981   | 2,191 | 2,152 | - |
| 2001.....                      | 6,656  | 22 | 22 | 44 | 47 | 60  | 158 | 307 | 546   | 1,083 | 2,182 | 2,185 | - |
| 2000.....                      | 6,688  | 25 | 15 | 44 | 31 | 73  | 157 | 280 | 538   | 1,078 | 2,253 | 2,194 | - |
| 1999.....                      | 6,423  | 25 | 22 | 42 | 39 | 64  | 135 | 286 | 447   | 1,098 | 2,181 | 2,084 | - |
| Non-Hispanic white, both sexes |        |    |    |    |    |     |     |     |       |       |       |       |   |
| 2007 2/.....                   | 11,965 | 28 | 32 | 43 | 44 | 84  | 233 | 511 | 1,106 | 1,980 | 4,106 | 3,798 | - |
| 2006 2/.....                   | 11,838 | 34 | 44 | 41 | 49 | 80  | 198 | 580 | 1,020 | 1,969 | 4,138 | 3,685 | - |
| 2005 2/.....                   | 11,670 | 28 | 31 | 47 | 63 | 105 | 254 | 524 | 1,034 | 1,958 | 4,062 | 3,564 | - |
| 2004 2/.....                   | 11,469 | 41 | 39 | 52 | 72 | 100 | 210 | 503 | 1,008 | 1,949 | 4,081 | 3,413 | 1 |
| 2003 2/.....                   | 11,572 | 33 | 32 | 43 | 58 | 113 | 236 | 508 | 995   | 1,970 | 4,147 | 3,437 | - |
| 2002.....                      | 11,332 | 42 | 36 | 41 | 59 | 105 | 251 | 530 | 962   | 1,985 | 4,063 | 3,258 | - |
| 2001.....                      | 11,701 | 32 | 36 | 56 | 66 | 106 | 252 | 561 | 1,006 | 2,185 | 4,150 | 3,251 | - |
| 2000.....                      | 11,636 | 41 | 37 | 63 | 63 | 105 | 255 | 516 | 1,004 | 2,144 | 4,171 | 3,237 | - |
| 1999.....                      | 11,335 | 34 | 36 | 66 | 58 | 99  | 239 | 494 | 899   | 2,276 | 4,001 | 3,133 | - |

Worktable Orig290F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2007

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data - mortality"]

---

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, sex, and year

|  | All ages | Under 1 year | 1-4 years | 5-14 years | 15-24 years | 25-34 years | 35-44 years | 45-54 years | 55-64 years | 65-74 years | 75-84 years | 85 years and over | Age not stated |
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|

---

In situ neoplasms, benign neoplasms and neoplasms of uncertain or unknown behavior (D00-D48)

| Non-Hispanic white, male   |       |    |    |    |    |    |     |     |     |       |       |       |   |
|----------------------------|-------|----|----|----|----|----|-----|-----|-----|-------|-------|-------|---|
| 2007 2/.....               | 6,141 | 10 | 18 | 20 | 22 | 51 | 127 | 286 | 656 | 1,124 | 2,285 | 1,542 | - |
| 2006 2/.....               | 5,890 | 19 | 16 | 24 | 29 | 38 | 114 | 323 | 579 | 1,147 | 2,222 | 1,379 | - |
| 2005 2/.....               | 5,850 | 10 | 20 | 22 | 39 | 55 | 135 | 294 | 599 | 1,143 | 2,165 | 1,368 | - |
| 2004 2/.....               | 5,754 | 19 | 21 | 29 | 41 | 59 | 115 | 279 | 585 | 1,128 | 2,111 | 1,366 | 1 |
| 2003 2/.....               | 5,732 | 20 | 19 | 24 | 34 | 57 | 143 | 281 | 544 | 1,142 | 2,125 | 1,343 | - |
| 2002.....                  | 5,607 | 18 | 17 | 22 | 32 | 62 | 149 | 283 | 547 | 1,135 | 2,069 | 1,273 | - |
| 2001.....                  | 5,801 | 18 | 18 | 25 | 31 | 58 | 135 | 312 | 547 | 1,250 | 2,152 | 1,255 | - |
| 2000.....                  | 5,653 | 21 | 23 | 31 | 40 | 55 | 132 | 301 | 539 | 1,202 | 2,108 | 1,201 | - |
| 1999.....                  | 5,653 | 17 | 18 | 32 | 30 | 53 | 143 | 276 | 536 | 1,326 | 2,013 | 1,209 | - |
| Non-Hispanic white, female |       |    |    |    |    |    |     |     |     |       |       |       |   |
| 2007 2/.....               | 5,824 | 18 | 14 | 23 | 22 | 33 | 106 | 225 | 450 | 856   | 1,821 | 2,256 | - |
| 2006 2/.....               | 5,948 | 15 | 28 | 17 | 20 | 42 | 84  | 257 | 441 | 822   | 1,916 | 2,306 | - |
| 2005 2/.....               | 5,820 | 18 | 11 | 25 | 24 | 50 | 119 | 230 | 435 | 815   | 1,897 | 2,196 | - |
| 2004 2/.....               | 5,715 | 22 | 18 | 23 | 31 | 41 | 95  | 224 | 423 | 821   | 1,970 | 2,047 | - |
| 2003 2/.....               | 5,840 | 13 | 13 | 19 | 24 | 56 | 93  | 227 | 451 | 828   | 2,022 | 2,094 | - |
| 2002.....                  | 5,725 | 24 | 19 | 19 | 27 | 43 | 102 | 247 | 415 | 850   | 1,994 | 1,985 | - |
| 2001.....                  | 5,900 | 14 | 18 | 31 | 35 | 48 | 117 | 249 | 459 | 935   | 1,998 | 1,996 | - |
| 2000.....                  | 5,983 | 20 | 14 | 32 | 23 | 50 | 123 | 215 | 465 | 942   | 2,063 | 2,036 | - |
| 1999.....                  | 5,682 | 17 | 18 | 34 | 28 | 46 | 96  | 218 | 363 | 950   | 1,988 | 1,924 | - |

Worktable Orig290F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2007

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data - mortality"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, sex, and year | All ages | Under 1 year | 1-4 years | 5-14 years | 15-24 years | 25-34 years | 35-44 years | 45-54 years | 55-64 years | 65-74 years | 75-84 years | 85 years and over | Age not stated |
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|

In situ neoplasms, benign neoplasms and neoplasms of uncertain or unknown behavior (D00-D48)

| Non-Hispanic black, both sexes |       |    |    |    |    |    |    |     |     |     |     |     |   |
|--------------------------------|-------|----|----|----|----|----|----|-----|-----|-----|-----|-----|---|
| 2007 2/.....                   | 1,178 | 7  | 9  | 20 | 17 | 29 | 64 | 105 | 174 | 249 | 306 | 198 | - |
| 2006 2/.....                   | 1,222 | 11 | 9  | 15 | 24 | 31 | 63 | 128 | 174 | 208 | 320 | 239 | - |
| 2005 2/.....                   | 1,142 | 12 | 5  | 14 | 11 | 27 | 77 | 123 | 164 | 225 | 280 | 204 | - |
| 2004 2/.....                   | 1,181 | 10 | 7  | 21 | 19 | 38 | 66 | 111 | 177 | 220 | 311 | 201 | - |
| 2003 2/.....                   | 1,111 | 11 | 9  | 17 | 15 | 28 | 67 | 117 | 143 | 222 | 284 | 198 | - |
| 2002.....                      | 1,134 | 9  | 14 | 18 | 15 | 31 | 67 | 112 | 144 | 211 | 300 | 213 | - |
| 2001.....                      | 1,143 | 11 | 5  | 26 | 21 | 18 | 61 | 89  | 147 | 236 | 296 | 233 | - |
| 2000.....                      | 1,122 | 9  | 9  | 18 | 16 | 33 | 62 | 112 | 133 | 245 | 282 | 202 | 1 |
| 1999.....                      | 1,161 | 14 | 13 | 17 | 25 | 30 | 65 | 104 | 148 | 256 | 295 | 194 | - |
| Non-Hispanic black, male       |       |    |    |    |    |    |    |     |     |     |     |     |   |
| 2007 2/.....                   | 586   | 3  | 3  | 14 | 9  | 19 | 32 | 53  | 105 | 135 | 140 | 73  | - |
| 2006 2/.....                   | 564   | 6  | 5  | 7  | 11 | 13 | 24 | 56  | 90  | 110 | 152 | 90  | - |
| 2005 2/.....                   | 493   | 4  | 2  | 4  | 5  | 13 | 35 | 62  | 84  | 102 | 123 | 59  | - |
| 2004 2/.....                   | 547   | 4  | 4  | 12 | 10 | 16 | 33 | 57  | 100 | 110 | 140 | 61  | - |
| 2003 2/.....                   | 516   | 5  | 8  | 8  | 6  | 17 | 31 | 54  | 82  | 114 | 127 | 64  | - |
| 2002.....                      | 496   | 2  | 8  | 9  | 9  | 8  | 25 | 46  | 83  | 98  | 134 | 74  | - |
| 2001.....                      | 522   | 5  | 3  | 13 | 13 | 11 | 30 | 38  | 73  | 119 | 141 | 76  | - |
| 2000.....                      | 514   | 4  | 8  | 8  | 9  | 11 | 32 | 54  | 74  | 130 | 118 | 65  | 1 |
| 1999.....                      | 516   | 7  | 10 | 9  | 15 | 20 | 30 | 44  | 75  | 128 | 124 | 54  | - |

Worktable Orig290F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2007

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data - mortality"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, sex, and year | All ages | Under 1 year | 1-4 years | 5-14 years | 15-24 years | 25-34 years | 35-44 years | 45-54 years | 55-64 years | 65-74 years | 75-84 years | 85 years and over | Age not stated |
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|

In situ neoplasms, benign neoplasms and neoplasms of uncertain or unknown behavior (D00-D48)

| Non-Hispanic black, female       |     |   |   |    |    |    |    |    |    |     |     |     |   |
|----------------------------------|-----|---|---|----|----|----|----|----|----|-----|-----|-----|---|
| 2007 2/.....                     | 592 | 4 | 6 | 6  | 8  | 10 | 32 | 52 | 69 | 114 | 166 | 125 | - |
| 2006 2/.....                     | 658 | 5 | 4 | 8  | 13 | 18 | 39 | 72 | 84 | 98  | 168 | 149 | - |
| 2005 2/.....                     | 649 | 8 | 3 | 10 | 6  | 14 | 42 | 61 | 80 | 123 | 157 | 145 | - |
| 2004 2/.....                     | 634 | 6 | 3 | 9  | 9  | 22 | 33 | 54 | 77 | 110 | 171 | 140 | - |
| 2003 2/.....                     | 595 | 6 | 1 | 9  | 9  | 11 | 36 | 63 | 61 | 108 | 157 | 134 | - |
| 2002.....                        | 638 | 7 | 6 | 9  | 6  | 23 | 42 | 66 | 61 | 113 | 166 | 139 | - |
| 2001.....                        | 621 | 6 | 2 | 13 | 8  | 7  | 31 | 51 | 74 | 117 | 155 | 157 | - |
| 2000.....                        | 608 | 5 | 1 | 10 | 7  | 22 | 30 | 58 | 59 | 115 | 164 | 137 | - |
| 1999.....                        | 645 | 7 | 3 | 8  | 10 | 10 | 35 | 60 | 73 | 128 | 171 | 140 | - |
| Origin not stated 3/, both sexes |     |   |   |    |    |    |    |    |    |     |     |     |   |
| 2007.....                        | 13  | - | - | 1  | -  | -  | -  | 3  | 2  | 1   | 4   | 2   | - |
| 2006.....                        | 16  | - | - | -  | -  | -  | 1  | 1  | -  | 3   | 8   | 3   | - |
| 2005.....                        | 20  | 1 | - | -  | -  | -  | -  | 1  | 2  | 3   | 8   | 5   | - |
| 2004.....                        | 24  | - | - | -  | -  | -  | -  | 1  | 4  | 8   | 7   | 3   | 1 |
| 2003.....                        | 22  | 1 | - | -  | -  | -  | 1  | -  | 4  | 7   | 5   | 4   | - |
| 2002.....                        | 28  | - | - | -  | 1  | -  | 4  | 1  | 2  | 2   | 13  | 5   | - |
| 2001.....                        | 35  | - | - | -  | -  | -  | -  | 2  | 4  | 6   | 16  | 7   | - |
| 2000.....                        | 35  | 1 | - | 1  | -  | -  | 1  | 2  | 4  | 3   | 11  | 12  | - |
| 1999.....                        | 31  | - | - | 1  | 1  | -  | 1  | 3  | 3  | 3   | 12  | 7   | - |

Worktable Orig290F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2007

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data - mortality"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, sex, and year | All ages | Under 1 year | 1-4 years | 5-14 years | 15-24 years | 25-34 years | 35-44 years | 45-54 years | 55-64 years | 65-74 years | 75-84 years | 85 years and over | Age not stated |
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|

In situ neoplasms, benign neoplasms and neoplasms of uncertain or unknown behavior (D00-D48)

| Origin not stated 3/, male   |    |   |   |   |   |   |   |   |   |   |    |   |   |
|------------------------------|----|---|---|---|---|---|---|---|---|---|----|---|---|
| 2007.....                    | 9  | - | - | 1 | - | - | - | 1 | 2 | 1 | 3  | 1 | - |
| 2006.....                    | 10 | - | - | - | - | - | - | 1 | - | 3 | 6  | - | - |
| 2005.....                    | 13 | 1 | - | - | - | - | - | 1 | 2 | 1 | 5  | 3 | - |
| 2004.....                    | 13 | - | - | - | - | - | - | - | 3 | 4 | 5  | - | 1 |
| 2003.....                    | 14 | - | - | - | - | - | 1 | - | 1 | 5 | 5  | 2 | - |
| 2002.....                    | 17 | - | - | - | 1 | - | 2 | - | - | 1 | 10 | 3 | - |
| 2001.....                    | 17 | - | - | - | - | - | - | 1 | 2 | 4 | 8  | 2 | - |
| 2000.....                    | 20 | - | - | - | - | - | 1 | 2 | 3 | 2 | 7  | 5 | - |
| 1999.....                    | 11 | - | - | - | - | - | - | 2 | 3 | 1 | 3  | 2 | - |
| Origin not stated 3/, female |    |   |   |   |   |   |   |   |   |   |    |   |   |
| 2007.....                    | 4  | - | - | - | - | - | - | 2 | - | - | 1  | 1 | - |
| 2006.....                    | 6  | - | - | - | - | - | 1 | - | - | - | 2  | 3 | - |
| 2005.....                    | 7  | - | - | - | - | - | - | - | - | 2 | 3  | 2 | - |
| 2004.....                    | 11 | - | - | - | - | - | - | 1 | 1 | 4 | 2  | 3 | - |
| 2003.....                    | 8  | 1 | - | - | - | - | - | - | 3 | 2 | -  | 2 | - |
| 2002.....                    | 11 | - | - | - | - | - | 2 | 1 | 2 | 1 | 3  | 2 | - |
| 2001.....                    | 18 | - | - | - | - | - | - | 1 | 2 | 2 | 8  | 5 | - |
| 2000.....                    | 15 | 1 | - | 1 | - | - | - | - | 1 | 1 | 4  | 7 | - |
| 1999.....                    | 20 | - | - | 1 | 1 | - | 1 | 1 | - | 2 | 9  | 5 | - |

Worktable Orig290F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2007

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data - mortality"]

---

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, sex, and year

|  | All ages | Under 1 year | 1-4 years | 5-14 years | 15-24 years | 25-34 years | 35-44 years | 45-54 years | 55-64 years | 65-74 years | 75-84 years | 85 years and over | Age not stated |
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|

---

Anemias (D50-D64)

| All origins, both sexes |       |    |    |    |     |     |     |     |     |     |       |       |   |
|-------------------------|-------|----|----|----|-----|-----|-----|-----|-----|-----|-------|-------|---|
| 2007.....               | 4,829 | 17 | 17 | 32 | 90  | 136 | 187 | 255 | 322 | 560 | 1,224 | 1,989 | - |
| 2006.....               | 3,996 | 11 | 26 | 34 | 93  | 141 | 192 | 232 | 304 | 401 | 975   | 1,587 | - |
| 2005.....               | 4,624 | 19 | 23 | 26 | 103 | 157 | 189 | 253 | 304 | 494 | 1,193 | 1,863 | - |
| 2004.....               | 4,575 | 15 | 33 | 46 | 128 | 164 | 201 | 236 | 309 | 473 | 1,119 | 1,850 | 1 |
| 2003.....               | 4,594 | 22 | 24 | 47 | 105 | 157 | 183 | 241 | 276 | 484 | 1,136 | 1,919 | - |
| 2002.....               | 4,614 | 18 | 21 | 53 | 111 | 180 | 196 | 250 | 264 | 508 | 1,161 | 1,852 | - |
| 2001.....               | 4,627 | 16 | 22 | 55 | 109 | 160 | 215 | 232 | 249 | 492 | 1,226 | 1,851 | - |
| 2000.....               | 4,494 | 10 | 35 | 52 | 85  | 153 | 190 | 227 | 260 | 515 | 1,171 | 1,796 | - |
| 1999.....               | 4,503 | 12 | 30 | 53 | 121 | 160 | 194 | 232 | 231 | 486 | 1,164 | 1,820 | - |
| All origins, male       |       |    |    |    |     |     |     |     |     |     |       |       |   |
| 2007.....               | 1,940 | 6  | 6  | 21 | 49  | 71  | 98  | 125 | 154 | 264 | 536   | 610   | - |
| 2006.....               | 1,592 | 5  | 15 | 16 | 55  | 71  | 89  | 99  | 143 | 179 | 421   | 499   | - |
| 2005.....               | 1,787 | 13 | 9  | 14 | 57  | 85  | 97  | 108 | 141 | 224 | 502   | 537   | - |
| 2004.....               | 1,833 | 9  | 18 | 21 | 69  | 90  | 107 | 112 | 164 | 226 | 466   | 550   | 1 |
| 2003.....               | 1,832 | 11 | 14 | 23 | 52  | 83  | 91  | 125 | 156 | 251 | 477   | 549   | - |
| 2002.....               | 1,781 | 12 | 9  | 26 | 67  | 101 | 96  | 109 | 131 | 244 | 454   | 532   | - |
| 2001.....               | 1,774 | 11 | 12 | 27 | 59  | 95  | 91  | 115 | 111 | 237 | 496   | 520   | - |
| 2000.....               | 1,669 | 6  | 16 | 29 | 39  | 70  | 78  | 108 | 130 | 236 | 465   | 492   | - |
| 1999.....               | 1,746 | 8  | 17 | 23 | 67  | 81  | 101 | 116 | 105 | 226 | 484   | 518   | - |

Worktable Orig290F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2007

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data - mortality"]

---

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, sex, and year

|  | All ages | Under 1 year | 1-4 years | 5-14 years | 15-24 years | 25-34 years | 35-44 years | 45-54 years | 55-64 years | 65-74 years | 75-84 years | 85 years and over | Age not stated |
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|

---

Anemias (D50-D64)

All origins, female

|           |       |    |    |    |    |    |     |     |     |     |     |       |   |
|-----------|-------|----|----|----|----|----|-----|-----|-----|-----|-----|-------|---|
| 2007..... | 2,889 | 11 | 11 | 11 | 41 | 65 | 89  | 130 | 168 | 296 | 688 | 1,379 | - |
| 2006..... | 2,404 | 6  | 11 | 18 | 38 | 70 | 103 | 133 | 161 | 222 | 554 | 1,088 | - |
| 2005..... | 2,837 | 6  | 14 | 12 | 46 | 72 | 92  | 145 | 163 | 270 | 691 | 1,326 | - |
| 2004..... | 2,742 | 6  | 15 | 25 | 59 | 74 | 94  | 124 | 145 | 247 | 653 | 1,300 | - |
| 2003..... | 2,762 | 11 | 10 | 24 | 53 | 74 | 92  | 116 | 120 | 233 | 659 | 1,370 | - |
| 2002..... | 2,833 | 6  | 12 | 27 | 44 | 79 | 100 | 141 | 133 | 264 | 707 | 1,320 | - |
| 2001..... | 2,853 | 5  | 10 | 28 | 50 | 65 | 124 | 117 | 138 | 255 | 730 | 1,331 | - |
| 2000..... | 2,825 | 4  | 19 | 23 | 46 | 83 | 112 | 119 | 130 | 279 | 706 | 1,304 | - |
| 1999..... | 2,757 | 4  | 13 | 30 | 54 | 79 | 93  | 116 | 126 | 260 | 680 | 1,302 | - |

Hispanic, both sexes

|           |     |   |   |   |    |    |    |    |    |    |    |    |   |
|-----------|-----|---|---|---|----|----|----|----|----|----|----|----|---|
| 2007..... | 217 | 2 | 2 | 5 | 9  | 9  | 9  | 10 | 27 | 26 | 69 | 49 | - |
| 2006..... | 191 | 2 | 4 | 3 | 6  | 9  | 13 | 15 | 18 | 20 | 47 | 54 | - |
| 2005..... | 184 | 6 | 4 | 4 | 7  | 8  | 7  | 10 | 9  | 32 | 47 | 50 | - |
| 2004..... | 193 | 2 | 5 | 3 | 9  | 12 | 10 | 17 | 15 | 18 | 43 | 59 | - |
| 2003..... | 191 | 2 | 5 | 4 | 5  | 7  | 9  | 12 | 18 | 25 | 48 | 56 | - |
| 2002..... | 208 | 2 | 3 | 4 | 8  | 11 | 11 | 12 | 14 | 37 | 44 | 62 | - |
| 2001..... | 185 | - | 3 | 5 | 11 | 12 | 12 | 11 | 17 | 25 | 43 | 46 | - |
| 2000..... | 144 | 1 | 1 | 7 | 5  | 13 | 8  | 10 | 13 | 24 | 36 | 26 | - |
| 1999..... | 164 | - | 6 | 3 | 6  | 8  | 10 | 9  | 10 | 27 | 35 | 50 | - |

Worktable Orig290F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2007

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data - mortality"]

---

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, sex, and year

|  | All ages | Under 1 year | 1-4 years | 5-14 years | 15-24 years | 25-34 years | 35-44 years | 45-54 years | 55-64 years | 65-74 years | 75-84 years | 85 years and over | Age not stated |
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|

---

Anemias (D50-D64)

Hispanic, male

|           |     |   |   |   |   |   |   |    |    |    |    |    |   |
|-----------|-----|---|---|---|---|---|---|----|----|----|----|----|---|
| 2007..... | 106 | - | 1 | 4 | 4 | 4 | 5 | 4  | 15 | 14 | 34 | 21 | - |
| 2006..... | 75  | 2 | 2 | 1 | 3 | 5 | 5 | 9  | 7  | 7  | 19 | 15 | - |
| 2005..... | 81  | 4 | 1 | 4 | 5 | 7 | 3 | 3  | 6  | 10 | 21 | 17 | - |
| 2004..... | 75  | 1 | 3 | 2 | 1 | 5 | 4 | 10 | 8  | 4  | 20 | 17 | - |
| 2003..... | 84  | 2 | 2 | 2 | 2 | 5 | 3 | 6  | 11 | 12 | 19 | 20 | - |
| 2002..... | 106 | 1 | 1 | 3 | 5 | 5 | 9 | 7  | 8  | 17 | 18 | 32 | - |
| 2001..... | 82  | - | 2 | 5 | 6 | 8 | 6 | 4  | 7  | 12 | 21 | 11 | - |
| 2000..... | 55  | 1 | - | 3 | 1 | 5 | 1 | 4  | 4  | 12 | 15 | 9  | - |
| 1999..... | 79  | - | 4 | 1 | 3 | 5 | 6 | 4  | 3  | 17 | 17 | 19 | - |

Hispanic, female

|           |     |   |   |   |   |   |   |   |    |    |    |    |   |
|-----------|-----|---|---|---|---|---|---|---|----|----|----|----|---|
| 2007..... | 111 | 2 | 1 | 1 | 5 | 5 | 4 | 6 | 12 | 12 | 35 | 28 | - |
| 2006..... | 116 | - | 2 | 2 | 3 | 4 | 8 | 6 | 11 | 13 | 28 | 39 | - |
| 2005..... | 103 | 2 | 3 | - | 2 | 1 | 4 | 7 | 3  | 22 | 26 | 33 | - |
| 2004..... | 118 | 1 | 2 | 1 | 8 | 7 | 6 | 7 | 7  | 14 | 23 | 42 | - |
| 2003..... | 107 | - | 3 | 2 | 3 | 2 | 6 | 6 | 7  | 13 | 29 | 36 | - |
| 2002..... | 102 | 1 | 2 | 1 | 3 | 6 | 2 | 5 | 6  | 20 | 26 | 30 | - |
| 2001..... | 103 | - | 1 | - | 5 | 4 | 6 | 7 | 10 | 13 | 22 | 35 | - |
| 2000..... | 89  | - | 1 | 4 | 4 | 8 | 7 | 6 | 9  | 12 | 21 | 17 | - |
| 1999..... | 85  | - | 2 | 2 | 3 | 3 | 4 | 5 | 7  | 10 | 18 | 31 | - |



Worktable Orig290F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2007

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data - mortality"]

---

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, sex, and year

|  | All ages | Under 1 year | 1-4 years | 5-14 years | 15-24 years | 25-34 years | 35-44 years | 45-54 years | 55-64 years | 65-74 years | 75-84 years | 85 years and over | Age not stated |
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|

---

Anemias (D50-D64)

| Non-Hispanic 1/, both sexes |       |    |    |    |     |     |     |     |     |     |       |       |   |
|-----------------------------|-------|----|----|----|-----|-----|-----|-----|-----|-----|-------|-------|---|
| 2007.....                   | 4,604 | 15 | 15 | 27 | 81  | 127 | 174 | 244 | 295 | 533 | 1,155 | 1,938 | - |
| 2006.....                   | 3,797 | 8  | 22 | 31 | 87  | 131 | 178 | 216 | 286 | 381 | 927   | 1,530 | - |
| 2005.....                   | 4,431 | 13 | 19 | 22 | 96  | 149 | 181 | 243 | 292 | 462 | 1,145 | 1,809 | - |
| 2004.....                   | 4,371 | 13 | 28 | 43 | 119 | 152 | 190 | 219 | 292 | 454 | 1,071 | 1,790 | - |
| 2003.....                   | 4,395 | 20 | 19 | 43 | 99  | 150 | 173 | 228 | 258 | 457 | 1,087 | 1,861 | - |
| 2002.....                   | 4,391 | 14 | 17 | 49 | 103 | 167 | 182 | 237 | 250 | 470 | 1,114 | 1,788 | - |
| 2001.....                   | 4,424 | 15 | 19 | 50 | 97  | 146 | 202 | 219 | 231 | 466 | 1,177 | 1,802 | - |
| 2000.....                   | 4,336 | 8  | 34 | 44 | 79  | 140 | 181 | 215 | 246 | 489 | 1,132 | 1,768 | - |
| 1999.....                   | 4,321 | 12 | 24 | 50 | 115 | 152 | 183 | 221 | 220 | 455 | 1,125 | 1,764 | - |
| Non-Hispanic 1/, male       |       |    |    |    |     |     |     |     |     |     |       |       |   |
| 2007.....                   | 1,828 | 6  | 5  | 17 | 45  | 67  | 90  | 120 | 139 | 249 | 502   | 588   | - |
| 2006.....                   | 1,515 | 3  | 13 | 15 | 52  | 66  | 84  | 89  | 136 | 172 | 402   | 483   | - |
| 2005.....                   | 1,703 | 9  | 8  | 10 | 52  | 78  | 94  | 105 | 133 | 214 | 481   | 519   | - |
| 2004.....                   | 1,751 | 8  | 15 | 19 | 68  | 85  | 102 | 102 | 154 | 222 | 443   | 533   | - |
| 2003.....                   | 1,745 | 9  | 12 | 21 | 49  | 78  | 87  | 118 | 145 | 239 | 458   | 529   | - |
| 2002.....                   | 1,671 | 9  | 8  | 23 | 62  | 96  | 86  | 102 | 123 | 227 | 435   | 500   | - |
| 2001.....                   | 1,687 | 10 | 10 | 22 | 53  | 86  | 84  | 110 | 104 | 225 | 474   | 509   | - |
| 2000.....                   | 1,608 | 4  | 16 | 26 | 37  | 65  | 77  | 104 | 126 | 222 | 448   | 483   | - |
| 1999.....                   | 1,659 | 8  | 13 | 22 | 64  | 76  | 95  | 111 | 101 | 207 | 465   | 497   | - |

Worktable Orig290F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2007

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data - mortality"]

---

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, sex, and year

|  | All ages | Under 1 year | 1-4 years | 5-14 years | 15-24 years | 25-34 years | 35-44 years | 45-54 years | 55-64 years | 65-74 years | 75-84 years | 85 years and over | Age not stated |
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|

---

Anemias (D50-D64)

| Non-Hispanic 1/, female        |       |    |    |    |    |    |     |     |     |     |       |       |   |
|--------------------------------|-------|----|----|----|----|----|-----|-----|-----|-----|-------|-------|---|
| 2007.....                      | 2,776 | 9  | 10 | 10 | 36 | 60 | 84  | 124 | 156 | 284 | 653   | 1,350 | - |
| 2006.....                      | 2,282 | 5  | 9  | 16 | 35 | 65 | 94  | 127 | 150 | 209 | 525   | 1,047 | - |
| 2005.....                      | 2,728 | 4  | 11 | 12 | 44 | 71 | 87  | 138 | 159 | 248 | 664   | 1,290 | - |
| 2004.....                      | 2,620 | 5  | 13 | 24 | 51 | 67 | 88  | 117 | 138 | 232 | 628   | 1,257 | - |
| 2003.....                      | 2,650 | 11 | 7  | 22 | 50 | 72 | 86  | 110 | 113 | 218 | 629   | 1,332 | - |
| 2002.....                      | 2,720 | 5  | 9  | 26 | 41 | 71 | 96  | 135 | 127 | 243 | 679   | 1,288 | - |
| 2001.....                      | 2,737 | 5  | 9  | 28 | 44 | 60 | 118 | 109 | 127 | 241 | 703   | 1,293 | - |
| 2000.....                      | 2,728 | 4  | 18 | 18 | 42 | 75 | 104 | 111 | 120 | 267 | 684   | 1,285 | - |
| 1999.....                      | 2,662 | 4  | 11 | 28 | 51 | 76 | 88  | 110 | 119 | 248 | 660   | 1,267 | - |
| Non-Hispanic white, both sexes |       |    |    |    |    |    |     |     |     |     |       |       |   |
| 2007 2/.....                   | 3,523 | 3  | 3  | 13 | 14 | 23 | 32  | 95  | 184 | 412 | 993   | 1,751 | - |
| 2006 2/.....                   | 2,800 | 1  | 9  | 11 | 19 | 14 | 32  | 79  | 180 | 300 | 802   | 1,353 | - |
| 2005 2/.....                   | 3,314 | 3  | 7  | 7  | 15 | 17 | 32  | 105 | 192 | 340 | 975   | 1,621 | - |
| 2004 2/.....                   | 3,269 | 6  | 8  | 17 | 29 | 24 | 45  | 82  | 169 | 362 | 935   | 1,592 | - |
| 2003 2/.....                   | 3,287 | 7  | 5  | 17 | 18 | 32 | 36  | 80  | 135 | 348 | 939   | 1,670 | - |
| 2002.....                      | 3,253 | 5  | 10 | 19 | 23 | 33 | 34  | 90  | 147 | 361 | 944   | 1,587 | - |
| 2001.....                      | 3,350 | 5  | 8  | 22 | 22 | 27 | 41  | 81  | 150 | 368 | 1,013 | 1,613 | - |
| 2000.....                      | 3,299 | 3  | 14 | 14 | 16 | 16 | 36  | 82  | 155 | 384 | 994   | 1,585 | - |
| 1999.....                      | 3,222 | 6  | 4  | 17 | 28 | 10 | 37  | 86  | 112 | 360 | 995   | 1,567 | - |

Worktable Orig290F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2007

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data - mortality"]

---

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, sex, and year

|  | All ages | Under 1 year | 1-4 years | 5-14 years | 15-24 years | 25-34 years | 35-44 years | 45-54 years | 55-64 years | 65-74 years | 75-84 years | 85 years and over | Age not stated |
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|

---

Anemias (D50-D64)

|                            | All ages | Under 1 year | 1-4 years | 5-14 years | 15-24 years | 25-34 years | 35-44 years | 45-54 years | 55-64 years | 65-74 years | 75-84 years | 85 years and over | Age not stated |
|----------------------------|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|
| Non-Hispanic white, male   |          |              |           |            |             |             |             |             |             |             |             |                   |                |
| 2007 2/.....               | 1,343    | 2            | 1         | 9          | 8           | 10          | 14          | 46          | 88          | 198         | 437         | 530               | -              |
| 2006 2/.....               | 1,089    | 1            | 3         | 5          | 13          | 8           | 18          | 33          | 81          | 138         | 350         | 439               | -              |
| 2005 2/.....               | 1,208    | 2            | 3         | 1          | 5           | 9           | 14          | 47          | 89          | 161         | 408         | 469               | -              |
| 2004 2/.....               | 1,247    | 3            | 3         | 6          | 18          | 14          | 26          | 45          | 87          | 183         | 380         | 482               | -              |
| 2003 2/.....               | 1,236    | 2            | 3         | 9          | 9           | 17          | 19          | 45          | 74          | 178         | 405         | 475               | -              |
| 2002.....                  | 1,164    | 2            | 4         | 8          | 13          | 20          | 18          | 45          | 75          | 172         | 371         | 436               | -              |
| 2001.....                  | 1,220    | 4            | 3         | 11         | 12          | 12          | 15          | 37          | 68          | 175         | 419         | 464               | -              |
| 2000.....                  | 1,178    | 1            | 8         | 9          | 7           | 10          | 20          | 39          | 83          | 185         | 392         | 424               | -              |
| 1999.....                  | 1,162    | 4            | 2         | 6          | 11          | 2           | 18          | 46          | 45          | 163         | 416         | 449               | -              |
| Non-Hispanic white, female |          |              |           |            |             |             |             |             |             |             |             |                   |                |
| 2007 2/.....               | 2,180    | 1            | 2         | 4          | 6           | 13          | 18          | 49          | 96          | 214         | 556         | 1,221             | -              |
| 2006 2/.....               | 1,711    | -            | 6         | 6          | 6           | 6           | 14          | 46          | 99          | 162         | 452         | 914               | -              |
| 2005 2/.....               | 2,106    | 1            | 4         | 6          | 10          | 8           | 18          | 58          | 103         | 179         | 567         | 1,152             | -              |
| 2004 2/.....               | 2,022    | 3            | 5         | 11         | 11          | 10          | 19          | 37          | 82          | 179         | 555         | 1,110             | -              |
| 2003 2/.....               | 2,051    | 5            | 2         | 8          | 9           | 15          | 17          | 35          | 61          | 170         | 534         | 1,195             | -              |
| 2002.....                  | 2,089    | 3            | 6         | 11         | 10          | 13          | 16          | 45          | 72          | 189         | 573         | 1,151             | -              |
| 2001.....                  | 2,130    | 1            | 5         | 11         | 10          | 15          | 26          | 44          | 82          | 193         | 594         | 1,149             | -              |
| 2000.....                  | 2,121    | 2            | 6         | 5          | 9           | 6           | 16          | 43          | 72          | 199         | 602         | 1,161             | -              |
| 1999.....                  | 2,060    | 2            | 2         | 11         | 17          | 8           | 19          | 40          | 67          | 197         | 579         | 1,118             | -              |

Worktable Orig290F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2007

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data - mortality"]

---

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, sex, and year

|  | All ages | Under 1 year | 1-4 years | 5-14 years | 15-24 years | 25-34 years | 35-44 years | 45-54 years | 55-64 years | 65-74 years | 75-84 years | 85 years and over | Age not stated |
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|

---

Anemias (D50-D64)

| Non-Hispanic black, both sexes |       |   |    |    |    |     |     |     |     |     |     |     |   |
|--------------------------------|-------|---|----|----|----|-----|-----|-----|-----|-----|-----|-----|---|
| 2007 2/.....                   | 958   | 6 | 12 | 13 | 66 | 101 | 139 | 139 | 100 | 108 | 133 | 141 | - |
| 2006 2/.....                   | 909   | 3 | 12 | 19 | 64 | 111 | 143 | 131 | 100 | 74  | 104 | 148 | - |
| 2005 2/.....                   | 1,024 | 6 | 11 | 15 | 77 | 131 | 144 | 135 | 90  | 109 | 147 | 159 | - |
| 2004 2/.....                   | 1,013 | 4 | 19 | 23 | 90 | 126 | 139 | 132 | 114 | 81  | 115 | 170 | - |
| 2003 2/.....                   | 1,029 | 6 | 12 | 25 | 78 | 114 | 133 | 143 | 116 | 94  | 139 | 169 | - |
| 2002.....                      | 1,048 | 5 | 7  | 26 | 78 | 127 | 142 | 141 | 94  | 100 | 153 | 175 | - |
| 2001.....                      | 993   | 6 | 11 | 26 | 72 | 117 | 154 | 135 | 75  | 90  | 149 | 158 | - |
| 2000.....                      | 961   | 4 | 19 | 30 | 61 | 124 | 139 | 128 | 83  | 89  | 121 | 163 | - |
| 1999.....                      | 1,010 | 3 | 20 | 33 | 84 | 139 | 142 | 125 | 100 | 81  | 119 | 164 | - |
| Non-Hispanic black, male       |       |   |    |    |    |     |     |     |     |     |     |     |   |
| 2007 2/.....                   | 430   | 2 | 4  | 8  | 36 | 55  | 75  | 68  | 46  | 44  | 53  | 39  | - |
| 2006 2/.....                   | 386   | - | 9  | 9  | 37 | 55  | 64  | 55  | 51  | 30  | 43  | 33  | - |
| 2005 2/.....                   | 452   | 6 | 5  | 9  | 45 | 69  | 77  | 58  | 34  | 47  | 62  | 40  | - |
| 2004 2/.....                   | 465   | 3 | 12 | 12 | 50 | 70  | 74  | 55  | 62  | 35  | 49  | 43  | - |
| 2003 2/.....                   | 483   | 4 | 7  | 12 | 39 | 58  | 68  | 73  | 67  | 55  | 53  | 47  | - |
| 2002.....                      | 472   | 4 | 4  | 14 | 49 | 72  | 66  | 55  | 46  | 51  | 58  | 53  | - |
| 2001.....                      | 443   | 4 | 7  | 10 | 41 | 73  | 66  | 73  | 35  | 46  | 51  | 37  | - |
| 2000.....                      | 392   | 3 | 8  | 17 | 29 | 55  | 55  | 64  | 37  | 31  | 45  | 48  | - |
| 1999.....                      | 453   | 2 | 11 | 16 | 50 | 72  | 73  | 61  | 53  | 37  | 41  | 37  | - |

Worktable Orig290F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2007

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data - mortality"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, sex, and year | All ages | Under 1 year | 1-4 years | 5-14 years | 15-24 years | 25-34 years | 35-44 years | 45-54 years | 55-64 years | 65-74 years | 75-84 years | 85 years and over | Age not stated |
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|

Anemias (D50-D64)

Non-Hispanic black, female

|              |     |   |    |    |    |    |    |    |    |    |    |     |   |
|--------------|-----|---|----|----|----|----|----|----|----|----|----|-----|---|
| 2007 2/..... | 528 | 4 | 8  | 5  | 30 | 46 | 64 | 71 | 54 | 64 | 80 | 102 | - |
| 2006 2/..... | 523 | 3 | 3  | 10 | 27 | 56 | 79 | 76 | 49 | 44 | 61 | 115 | - |
| 2005 2/..... | 572 | - | 6  | 6  | 32 | 62 | 67 | 77 | 56 | 62 | 85 | 119 | - |
| 2004 2/..... | 548 | 1 | 7  | 11 | 40 | 56 | 65 | 77 | 52 | 46 | 66 | 127 | - |
| 2003 2/..... | 546 | 2 | 5  | 13 | 39 | 56 | 65 | 70 | 49 | 39 | 86 | 122 | - |
| 2002.....    | 576 | 1 | 3  | 12 | 29 | 55 | 76 | 86 | 48 | 49 | 95 | 122 | - |
| 2001.....    | 550 | 2 | 4  | 16 | 31 | 44 | 88 | 62 | 40 | 44 | 98 | 121 | - |
| 2000.....    | 569 | 1 | 11 | 13 | 32 | 69 | 84 | 64 | 46 | 58 | 76 | 115 | - |
| 1999.....    | 557 | 1 | 9  | 17 | 34 | 67 | 69 | 64 | 47 | 44 | 78 | 127 | - |

Origin not stated 3/, both sexes

|           |    |   |   |   |   |   |   |   |   |   |   |   |   |
|-----------|----|---|---|---|---|---|---|---|---|---|---|---|---|
| 2007..... | 8  | - | - | - | - | - | 4 | 1 | - | 1 | - | 2 | - |
| 2006..... | 8  | 1 | - | - | - | 1 | 1 | 1 | - | - | 1 | 3 | - |
| 2005..... | 9  | - | - | - | - | - | 1 | - | 3 | - | 1 | 4 | - |
| 2004..... | 11 | - | - | - | - | - | 1 | - | 2 | 1 | 5 | 1 | 1 |
| 2003..... | 8  | - | - | - | 1 | - | 1 | 1 | - | 2 | 1 | 2 | - |
| 2002..... | 15 | 2 | 1 | - | - | 2 | 3 | 1 | - | 1 | 3 | 2 | - |
| 2001..... | 18 | 1 | - | - | 1 | 2 | 1 | 2 | 1 | 1 | 6 | 3 | - |
| 2000..... | 14 | 1 | - | 1 | 1 | - | 1 | 2 | 1 | 2 | 3 | 2 | - |
| 1999..... | 18 | - | - | - | - | - | 1 | 2 | 1 | 4 | 4 | 6 | - |

Worktable Orig290F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2007

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data - mortality"]

---

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, sex, and year

|  | All ages | Under 1 year | 1-4 years | 5-14 years | 15-24 years | 25-34 years | 35-44 years | 45-54 years | 55-64 years | 65-74 years | 75-84 years | 85 years and over | Age not stated |
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|

---

Anemias (D50-D64)

| Origin not stated 3/, male   |    |   |   |   |   |   |   |   |   |   |   |   |   |
|------------------------------|----|---|---|---|---|---|---|---|---|---|---|---|---|
| 2007.....                    | 6  | - | - | - | - | - | 3 | 1 | - | 1 | - | 1 | - |
| 2006.....                    | 2  | - | - | - | - | - | - | 1 | - | - | - | 1 | - |
| 2005.....                    | 3  | - | - | - | - | - | - | - | 2 | - | - | 1 | - |
| 2004.....                    | 7  | - | - | - | - | - | 1 | - | 2 | - | 3 | - | 1 |
| 2003.....                    | 3  | - | - | - | 1 | - | 1 | 1 | - | - | - | - | - |
| 2002.....                    | 4  | 2 | - | - | - | - | 1 | - | - | - | 1 | - | - |
| 2001.....                    | 5  | 1 | - | - | - | 1 | 1 | 1 | - | - | 1 | - | - |
| 2000.....                    | 6  | 1 | - | - | 1 | - | - | - | - | 2 | 2 | - | - |
| 1999.....                    | 8  | - | - | - | - | - | - | 1 | 1 | 2 | 2 | 2 | - |
| Origin not stated 3/, female |    |   |   |   |   |   |   |   |   |   |   |   |   |
| 2007.....                    | 2  | - | - | - | - | - | 1 | - | - | - | - | 1 | - |
| 2006.....                    | 6  | 1 | - | - | - | 1 | 1 | - | - | - | 1 | 2 | - |
| 2005.....                    | 6  | - | - | - | - | - | 1 | - | 1 | - | 1 | 3 | - |
| 2004.....                    | 4  | - | - | - | - | - | - | - | - | 1 | 2 | 1 | - |
| 2003.....                    | 5  | - | - | - | - | - | - | - | - | 2 | 1 | 2 | - |
| 2002.....                    | 11 | - | 1 | - | - | 2 | 2 | 1 | - | 1 | 2 | 2 | - |
| 2001.....                    | 13 | - | - | - | 1 | 1 | - | 1 | 1 | 1 | 5 | 3 | - |
| 2000.....                    | 8  | - | - | 1 | - | - | 1 | 2 | 1 | - | 1 | 2 | - |
| 1999.....                    | 10 | - | - | - | - | - | 1 | 1 | - | 2 | 2 | 4 | - |

Worktable Orig290F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2007

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data - mortality"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, sex, and year | All ages | Under 1 year | 1-4 years | 5-14 years | 15-24 years | 25-34 years | 35-44 years | 45-54 years | 55-64 years | 65-74 years | 75-84 years | 85 years and over | Age not stated |
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|
| <b>Diabetes mellitus (E10-E14)</b>   |          |              |           |            |             |             |             |             |             |             |             |                   |                |
| All origins, both sexes  |          |              |           |            |             |             |             |             |             |             |             |                   |                |
| 2007.....  | 71,382   | 7            | 5         | 21         | 168         | 610         | 1,984       | 5,753       | 11,304      | 15,112      | 21,189      | 15,227            | 2              |
| 2006.....  | 72,449   | 6            | 7         | 28         | 165         | 673         | 2,094       | 5,692       | 11,432      | 15,483      | 21,763      | 15,105            | 1              |
| 2005.....  | 75,119   | 1            | 2         | 38         | 202         | 617         | 2,045       | 5,691       | 11,301      | 16,183      | 23,136      | 15,903            | -              |
| 2004.....  | 73,138   | 1            | 8         | 37         | 161         | 599         | 2,026       | 5,567       | 10,780      | 16,093      | 22,945      | 14,918            | 3              |
| 2003.....  | 74,219   | 3            | 8         | 31         | 160         | 657         | 2,049       | 5,658       | 10,731      | 16,656      | 23,299      | 14,964            | 3              |
| 2002.....  | 73,249   | 1            | 3         | 34         | 171         | 642         | 2,164       | 5,496       | 10,022      | 16,709      | 23,282      | 14,724            | 1              |
| 2001.....  | 71,372   | 2            | 6         | 39         | 151         | 595         | 1,958       | 5,343       | 9,570       | 16,731      | 22,805      | 14,171            | 1              |
| 2000.....  | 69,301   | 4            | 6         | 26         | 162         | 623         | 1,926       | 4,954       | 9,186       | 16,674      | 22,184      | 13,556            | -              |
| 1999.....  | 68,399   | 2            | 8         | 32         | 155         | 582         | 1,942       | 4,735       | 9,097       | 16,908      | 21,757      | 13,178            | 3              |
| All origins, male  |          |              |           |            |             |             |             |             |             |             |             |                   |                |
| 2007.....  | 35,478   | 5            | 3         | 11         | 98          | 359         | 1,228       | 3,513       | 6,644       | 8,279       | 9,874       | 5,462             | 2              |
| 2006.....  | 36,006   | 4            | 3         | 13         | 96          | 376         | 1,279       | 3,515       | 6,670       | 8,344       | 10,286      | 5,419             | 1              |
| 2005.....  | 36,538   | -            | -         | 15         | 115         | 372         | 1,270       | 3,467       | 6,570       | 8,505       | 10,701      | 5,523             | -              |
| 2004.....  | 35,267   | 1            | 5         | 16         | 83          | 340         | 1,258       | 3,376       | 6,153       | 8,430       | 10,569      | 5,035             | 1              |
| 2003.....  | 35,438   | -            | 6         | 16         | 96          | 379         | 1,264       | 3,341       | 6,044       | 8,687       | 10,679      | 4,923             | 3              |
| 2002.....  | 34,301   | -            | 1         | 22         | 98          | 385         | 1,330       | 3,225       | 5,683       | 8,417       | 10,295      | 4,844             | 1              |
| 2001.....  | 32,841   | 1            | 2         | 23         | 85          | 341         | 1,181       | 3,154       | 5,241       | 8,437       | 9,918       | 4,457             | 1              |
| 2000.....  | 31,602   | 4            | 2         | 13         | 94          | 376         | 1,151       | 2,821       | 4,943       | 8,226       | 9,738       | 4,234             | -              |
| 1999.....  | 31,150   | -            | 4         | 16         | 80          | 319         | 1,139       | 2,791       | 4,856       | 8,279       | 9,539       | 4,125             | 2              |

Worktable Orig290F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2007

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data - mortality"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, sex, and year | All ages | Under 1 year | 1-4 years | 5-14 years | 15-24 years | 25-34 years | 35-44 years | 45-54 years | 55-64 years | 65-74 years | 75-84 years | 85 years and over | Age not stated |
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|
| <b>Diabetes mellitus (E10-E14)</b>   |          |              |           |            |             |             |             |             |             |             |             |                   |                |
| All origins, female  |          |              |           |            |             |             |             |             |             |             |             |                   |                |
| 2007.....  | 35,904   | 2            | 2         | 10         | 70          | 251         | 756         | 2,240       | 4,660       | 6,833       | 11,315      | 9,765             | -              |
| 2006.....  | 36,443   | 2            | 4         | 15         | 69          | 297         | 815         | 2,177       | 4,762       | 7,139       | 11,477      | 9,686             | -              |
| 2005.....  | 38,581   | 1            | 2         | 23         | 87          | 245         | 775         | 2,224       | 4,731       | 7,678       | 12,435      | 10,380            | -              |
| 2004.....  | 37,871   | -            | 3         | 21         | 78          | 259         | 768         | 2,191       | 4,627       | 7,663       | 12,376      | 9,883             | 2              |
| 2003.....  | 38,781   | 3            | 2         | 15         | 64          | 278         | 785         | 2,317       | 4,687       | 7,969       | 12,620      | 10,041            | -              |
| 2002.....  | 38,948   | 1            | 2         | 12         | 73          | 257         | 834         | 2,271       | 4,339       | 8,292       | 12,987      | 9,880             | -              |
| 2001.....  | 38,531   | 1            | 4         | 16         | 66          | 254         | 777         | 2,189       | 4,329       | 8,294       | 12,887      | 9,714             | -              |
| 2000.....  | 37,699   | -            | 4         | 13         | 68          | 247         | 775         | 2,133       | 4,243       | 8,448       | 12,446      | 9,322             | -              |
| 1999.....  | 37,249   | 2            | 4         | 16         | 75          | 263         | 803         | 1,944       | 4,241       | 8,629       | 12,218      | 9,053             | 1              |
| Hispanic, both sexes   |          |              |           |            |             |             |             |             |             |             |             |                   |                |
| 2007.....  | 6,417    | 3            | 1         | 3          | 18          | 59          | 228         | 631         | 1,131       | 1,535       | 1,864       | 944               | -              |
| 2006.....  | 6,287    | 1            | 1         | 6          | 18          | 74          | 185         | 595         | 1,081       | 1,623       | 1,758       | 945               | -              |
| 2005.....  | 6,665    | -            | -         | 3          | 14          | 69          | 216         | 632         | 1,168       | 1,670       | 1,947       | 946               | -              |
| 2004.....  | 5,999    | -            | 2         | -          | 13          | 64          | 187         | 535         | 1,073       | 1,587       | 1,769       | 769               | -              |
| 2003.....  | 6,179    | -            | 1         | 3          | 19          | 64          | 197         | 593         | 1,121       | 1,611       | 1,743       | 826               | 1              |
| 2002.....  | 5,912    | -            | -         | 1          | 15          | 56          | 205         | 513         | 1,029       | 1,591       | 1,712       | 790               | -              |
| 2001.....  | 5,663    | 1            | 1         | 2          | 19          | 49          | 167         | 507         | 982         | 1,604       | 1,548       | 783               | -              |
| 2000.....  | 5,328    | 1            | -         | 4          | 13          | 64          | 154         | 439         | 950         | 1,592       | 1,410       | 701               | -              |
| 1999.....  | 5,182    | -            | -         | 4          | 14          | 43          | 157         | 413         | 927         | 1,551       | 1,369       | 704               | -              |



Worktable Orig290F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2007

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data - mortality"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, sex, and year | All ages | Under 1 year | 1-4 years | 5-14 years | 15-24 years | 25-34 years | 35-44 years | 45-54 years | 55-64 years | 65-74 years | 75-84 years | 85 years and over | Age not stated |
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|
| <b>Diabetes mellitus (E10-E14)</b>   |          |              |           |            |             |             |             |             |             |             |             |                   |                |
| <b>Hispanic, male</b>  |          |              |           |            |             |             |             |             |             |             |             |                   |                |
| 2007.....  | 3,199    | 1            | 1         | 1          | 14          | 39          | 152         | 383         | 661         | 818         | 810         | 319               | -              |
| 2006.....  | 3,140    | 1            | 1         | 3          | 14          | 36          | 118         | 370         | 608         | 836         | 815         | 338               | -              |
| 2005.....  | 3,296    | -            | -         | 2          | 9           | 40          | 153         | 378         | 662         | 850         | 877         | 325               | -              |
| 2004.....  | 2,855    | -            | 2         | -          | 8           | 37          | 111         | 323         | 602         | 759         | 781         | 232               | -              |
| 2003.....  | 2,976    | -            | 1         | 1          | 11          | 33          | 121         | 345         | 618         | 793         | 775         | 277               | 1              |
| 2002.....  | 2,779    | -            | -         | 1          | 10          | 34          | 124         | 305         | 551         | 752         | 748         | 254               | -              |
| 2001.....  | 2,590    | -            | 1         | 2          | 11          | 28          | 109         | 311         | 510         | 758         | 638         | 222               | -              |
| 2000.....  | 2,507    | 1            | -         | 2          | 7           | 48          | 95          | 240         | 520         | 762         | 609         | 223               | -              |
| 1999.....  | 2,335    | -            | -         | 2          | 8           | 21          | 84          | 252         | 480         | 709         | 562         | 217               | -              |
| <b>Hispanic, female</b>  |          |              |           |            |             |             |             |             |             |             |             |                   |                |
| 2007.....  | 3,218    | 2            | -         | 2          | 4           | 20          | 76          | 248         | 470         | 717         | 1,054       | 625               | -              |
| 2006.....  | 3,147    | -            | -         | 3          | 4           | 38          | 67          | 225         | 473         | 787         | 943         | 607               | -              |
| 2005.....  | 3,369    | -            | -         | 1          | 5           | 29          | 63          | 254         | 506         | 820         | 1,070       | 621               | -              |
| 2004.....  | 3,144    | -            | -         | -          | 5           | 27          | 76          | 212         | 471         | 828         | 988         | 537               | -              |
| 2003.....  | 3,203    | -            | -         | 2          | 8           | 31          | 76          | 248         | 503         | 818         | 968         | 549               | -              |
| 2002.....  | 3,133    | -            | -         | -          | 5           | 22          | 81          | 208         | 478         | 839         | 964         | 536               | -              |
| 2001.....  | 3,073    | 1            | -         | -          | 8           | 21          | 58          | 196         | 472         | 846         | 910         | 561               | -              |
| 2000.....  | 2,821    | -            | -         | 2          | 6           | 16          | 59          | 199         | 430         | 830         | 801         | 478               | -              |
| 1999.....  | 2,847    | -            | -         | 2          | 6           | 22          | 73          | 161         | 447         | 842         | 807         | 487               | -              |

Worktable Orig290F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2007

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data - mortality"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, sex, and year | All ages | Under 1 year | 1-4 years | 5-14 years | 15-24 years | 25-34 years | 35-44 years | 45-54 years | 55-64 years | 65-74 years | 75-84 years | 85 years and over | Age not stated |
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|
| <b>Diabetes mellitus (E10-E14)</b>   |          |              |           |            |             |             |             |             |             |             |             |                   |                |
| <b>Non-Hispanic 1/, both sexes</b>   |          |              |           |            |             |             |             |             |             |             |             |                   |                |
| 2007.....  | 64,863   | 4            | 4         | 18         | 150         | 550         | 1,749       | 5,107       | 10,154      | 13,558      | 19,298      | 14,270            | 1              |
| 2006.....  | 66,008   | 5            | 6         | 22         | 147         | 597         | 1,902       | 5,080       | 10,312      | 13,832      | 19,965      | 14,139            | 1              |
| 2005.....  | 68,325   | 1            | 2         | 35         | 188         | 548         | 1,823       | 5,045       | 10,104      | 14,491      | 21,149      | 14,939            | -              |
| 2004.....  | 66,953   | 1            | 6         | 37         | 148         | 532         | 1,833       | 5,014       | 9,669       | 14,471      | 21,128      | 14,111            | 3              |
| 2003.....  | 67,862   | 3            | 7         | 27         | 138         | 592         | 1,847       | 5,046       | 9,583       | 15,014      | 21,498      | 14,105            | 2              |
| 2002.....  | 67,112   | 1            | 3         | 33         | 155         | 584         | 1,946       | 4,961       | 8,958       | 15,070      | 21,499      | 13,901            | 1              |
| 2001.....  | 65,498   | 1            | 5         | 37         | 131         | 542         | 1,787       | 4,810       | 8,562       | 15,066      | 21,198      | 13,358            | 1              |
| 2000.....  | 63,769   | 3            | 6         | 22         | 149         | 557         | 1,762       | 4,501       | 8,207       | 15,031      | 20,717      | 12,814            | -              |
| 1999.....  | 63,017   | 2            | 8         | 28         | 140         | 534         | 1,781       | 4,305       | 8,138       | 15,318      | 20,325      | 12,436            | 2              |
| <b>Non-Hispanic 1/, male</b>   |          |              |           |            |             |             |             |             |             |             |             |                   |                |
| 2007.....  | 32,226   | 4            | 2         | 10         | 84          | 320         | 1,070       | 3,120       | 5,971       | 7,451       | 9,051       | 5,142             | 1              |
| 2006.....  | 32,782   | 3            | 2         | 10         | 82          | 339         | 1,157       | 3,131       | 6,037       | 7,490       | 9,460       | 5,070             | 1              |
| 2005.....  | 33,178   | -            | -         | 13         | 106         | 332         | 1,113       | 3,079       | 5,892       | 7,645       | 9,805       | 5,193             | -              |
| 2004.....  | 32,315   | 1            | 3         | 16         | 75          | 301         | 1,143       | 3,041       | 5,527       | 7,653       | 9,763       | 4,791             | 1              |
| 2003.....  | 32,368   | -            | 5         | 15         | 82          | 345         | 1,139       | 2,986       | 5,408       | 7,876       | 9,875       | 4,635             | 2              |
| 2002.....  | 31,399   | -            | 1         | 21         | 87          | 349         | 1,196       | 2,906       | 5,112       | 7,639       | 9,511       | 4,576             | 1              |
| 2001.....  | 30,144   | 1            | 1         | 21         | 74          | 311         | 1,069       | 2,828       | 4,715       | 7,643       | 9,255       | 4,225             | 1              |
| 2000.....  | 28,994   | 3            | 2         | 11         | 87          | 328         | 1,048       | 2,574       | 4,408       | 7,436       | 9,098       | 3,999             | -              |
| 1999.....  | 28,719   | -            | 4         | 14         | 72          | 295         | 1,053       | 2,525       | 4,358       | 7,548       | 8,955       | 3,894             | 1              |

Worktable Orig290F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2007

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data - mortality"]

---

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, sex, and year

|  | All ages | Under 1 year | 1-4 years | 5-14 years | 15-24 years | 25-34 years | 35-44 years | 45-54 years | 55-64 years | 65-74 years | 75-84 years | 85 years and over | Age not stated |
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|

---

Diabetes mellitus (E10-E14)

Non-Hispanic 1/, female

|           |        |   |   |    |    |     |     |       |       |       |        |       |   |
|-----------|--------|---|---|----|----|-----|-----|-------|-------|-------|--------|-------|---|
| 2007..... | 32,637 | - | 2 | 8  | 66 | 230 | 679 | 1,987 | 4,183 | 6,107 | 10,247 | 9,128 | - |
| 2006..... | 33,226 | 2 | 4 | 12 | 65 | 258 | 745 | 1,949 | 4,275 | 6,342 | 10,505 | 9,069 | - |
| 2005..... | 35,147 | 1 | 2 | 22 | 82 | 216 | 710 | 1,966 | 4,212 | 6,846 | 11,344 | 9,746 | - |
| 2004..... | 34,638 | - | 3 | 21 | 73 | 231 | 690 | 1,973 | 4,142 | 6,818 | 11,365 | 9,320 | 2 |
| 2003..... | 35,494 | 3 | 2 | 12 | 56 | 247 | 708 | 2,060 | 4,175 | 7,138 | 11,623 | 9,470 | - |
| 2002..... | 35,713 | 1 | 2 | 12 | 68 | 235 | 750 | 2,055 | 3,846 | 7,431 | 11,988 | 9,325 | - |
| 2001..... | 35,354 | - | 4 | 16 | 57 | 231 | 718 | 1,982 | 3,847 | 7,423 | 11,943 | 9,133 | - |
| 2000..... | 34,775 | - | 4 | 11 | 62 | 229 | 714 | 1,927 | 3,799 | 7,595 | 11,619 | 8,815 | - |
| 1999..... | 34,298 | 2 | 4 | 14 | 68 | 239 | 728 | 1,780 | 3,780 | 7,770 | 11,370 | 8,542 | 1 |

Non-Hispanic white, both sexes

|              |        |   |   |    |     |     |       |       |       |        |        |        |   |
|--------------|--------|---|---|----|-----|-----|-------|-------|-------|--------|--------|--------|---|
| 2007 2/..... | 50,046 | 2 | 3 | 12 | 92  | 321 | 1,118 | 3,505 | 7,272 | 10,128 | 15,567 | 12,025 | 1 |
| 2006 2/..... | 50,950 | 4 | 4 | 13 | 89  | 334 | 1,257 | 3,465 | 7,398 | 10,305 | 16,147 | 11,933 | 1 |
| 2005 2/..... | 53,159 | 1 | 1 | 22 | 110 | 306 | 1,215 | 3,454 | 7,293 | 10,826 | 17,293 | 12,638 | - |
| 2004 2/..... | 52,101 | - | 4 | 19 | 87  | 333 | 1,238 | 3,462 | 6,965 | 10,875 | 17,220 | 11,896 | 2 |
| 2003 2/..... | 52,894 | 2 | 5 | 19 | 90  | 366 | 1,240 | 3,412 | 6,873 | 11,316 | 17,601 | 11,968 | 2 |
| 2002.....    | 52,463 | 1 | 3 | 19 | 95  | 382 | 1,345 | 3,385 | 6,403 | 11,337 | 17,692 | 11,801 | - |
| 2001.....    | 51,482 | - | 5 | 19 | 66  | 335 | 1,233 | 3,332 | 6,118 | 11,464 | 17,507 | 11,402 | 1 |
| 2000.....    | 50,163 | 2 | 6 | 13 | 92  | 357 | 1,260 | 3,078 | 5,923 | 11,475 | 17,040 | 10,917 | - |
| 1999.....    | 49,347 | 2 | 6 | 19 | 94  | 363 | 1,231 | 2,940 | 5,674 | 11,664 | 16,821 | 10,533 | - |

Worktable Orig290F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2007

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data - mortality"]

---

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, sex, and year

|  | All ages | Under 1 year | 1-4 years | 5-14 years | 15-24 years | 25-34 years | 35-44 years | 45-54 years | 55-64 years | 65-74 years | 75-84 years | 85 years and over | Age not stated |
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|

---

Diabetes mellitus (E10-E14)

Non-Hispanic white, male

|              |        |   |   |    |    |     |     |       |       |       |       |       |   |
|--------------|--------|---|---|----|----|-----|-----|-------|-------|-------|-------|-------|---|
| 2007 2/..... | 25,584 | 2 | 2 | 8  | 60 | 196 | 709 | 2,214 | 4,443 | 5,840 | 7,625 | 4,484 | 1 |
| 2006 2/..... | 25,931 | 3 | 2 | 8  | 47 | 189 | 777 | 2,211 | 4,486 | 5,830 | 7,971 | 4,406 | 1 |
| 2005 2/..... | 26,365 | - | - | 9  | 64 | 189 | 760 | 2,179 | 4,384 | 5,941 | 8,302 | 4,537 | - |
| 2004 2/..... | 25,773 | - | 2 | 7  | 45 | 191 | 795 | 2,184 | 4,128 | 5,984 | 8,276 | 4,161 | - |
| 2003 2/..... | 25,940 | - | 4 | 12 | 54 | 212 | 794 | 2,122 | 4,041 | 6,206 | 8,417 | 4,076 | 2 |
| 2002.....    | 25,273 | - | 1 | 16 | 51 | 231 | 849 | 2,054 | 3,815 | 6,041 | 8,151 | 4,064 | - |
| 2001.....    | 24,302 | - | 1 | 13 | 42 | 184 | 767 | 2,014 | 3,524 | 6,142 | 7,874 | 3,740 | 1 |
| 2000.....    | 23,465 | 2 | 2 | 7  | 57 | 220 | 766 | 1,842 | 3,298 | 5,967 | 7,796 | 3,508 | - |
| 1999.....    | 23,177 | - | 3 | 9  | 52 | 203 | 747 | 1,801 | 3,200 | 6,066 | 7,722 | 3,374 | - |

Non-Hispanic white, female

|              |        |   |   |    |    |     |     |       |       |       |       |       |   |
|--------------|--------|---|---|----|----|-----|-----|-------|-------|-------|-------|-------|---|
| 2007 2/..... | 24,462 | - | 1 | 4  | 32 | 125 | 409 | 1,291 | 2,829 | 4,288 | 7,942 | 7,541 | - |
| 2006 2/..... | 25,019 | 1 | 2 | 5  | 42 | 145 | 480 | 1,254 | 2,912 | 4,475 | 8,176 | 7,527 | - |
| 2005 2/..... | 26,794 | 1 | 1 | 13 | 46 | 117 | 455 | 1,275 | 2,909 | 4,885 | 8,991 | 8,101 | - |
| 2004 2/..... | 26,328 | - | 2 | 12 | 42 | 142 | 443 | 1,278 | 2,837 | 4,891 | 8,944 | 7,735 | 2 |
| 2003 2/..... | 26,954 | 2 | 1 | 7  | 36 | 154 | 446 | 1,290 | 2,832 | 5,110 | 9,184 | 7,892 | - |
| 2002.....    | 27,190 | 1 | 2 | 3  | 44 | 151 | 496 | 1,331 | 2,588 | 5,296 | 9,541 | 7,737 | - |
| 2001.....    | 27,180 | - | 4 | 6  | 24 | 151 | 466 | 1,318 | 2,594 | 5,322 | 9,633 | 7,662 | - |
| 2000.....    | 26,698 | - | 4 | 6  | 35 | 137 | 494 | 1,236 | 2,625 | 5,508 | 9,244 | 7,409 | - |
| 1999.....    | 26,170 | 2 | 3 | 10 | 42 | 160 | 484 | 1,139 | 2,474 | 5,598 | 9,099 | 7,159 | - |

Worktable Orig290F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2007

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data - mortality"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, sex, and year | All ages | Under 1 year | 1-4 years | 5-14 years | 15-24 years | 25-34 years | 35-44 years | 45-54 years | 55-64 years | 65-74 years | 75-84 years | 85 years and over | Age not stated |
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|
| <b>Diabetes mellitus (E10-E14)</b>   |          |              |           |            |             |             |             |             |             |             |             |                   |                |
| <b>Non-Hispanic black, both sexes</b>  |          |              |           |            |             |             |             |             |             |             |             |                   |                |
| 2007 2/.....   | 12,343   | 2            | 1         | 6          | 55          | 212         | 554         | 1,412       | 2,460       | 2,843       | 3,031       | 1,767             | -              |
| 2006 2/.....   | 12,671   | 1            | 2         | 9          | 54          | 237         | 578         | 1,402       | 2,475       | 2,977       | 3,143       | 1,793             | -              |
| 2005 2/.....   | 12,835   | -            | 1         | 12         | 73          | 218         | 534         | 1,396       | 2,415       | 3,101       | 3,205       | 1,880             | -              |
| 2004 2/.....   | 12,685   | 1            | 1         | 16         | 60          | 180         | 540         | 1,371       | 2,304       | 3,078       | 3,269       | 1,864             | 1              |
| 2003 2/.....   | 12,787   | 1            | 2         | 7          | 45          | 208         | 547         | 1,431       | 2,347       | 3,145       | 3,265       | 1,789             | -              |
| 2002.....  | 12,583   | -            | -         | 14         | 57          | 194         | 554         | 1,393       | 2,204       | 3,152       | 3,213       | 1,801             | 1              |
| 2001.....  | 12,167   | 1            | -         | 15         | 56          | 198         | 506         | 1,306       | 2,133       | 3,110       | 3,132       | 1,710             | -              |
| 2000.....  | 11,918   | 1            | -         | 9          | 55          | 187         | 458         | 1,270       | 1,995       | 3,083       | 3,193       | 1,667             | -              |
| 1999.....  | 11,830   | -            | 2         | 9          | 43          | 160         | 502         | 1,219       | 2,136       | 3,120       | 2,995       | 1,642             | 2              |
| <b>Non-Hispanic black, male</b>  |          |              |           |            |             |             |             |             |             |             |             |                   |                |
| 2007 2/.....   | 5,434    | 2            | -         | 2          | 21          | 116         | 309         | 784         | 1,276       | 1,308       | 1,153       | 463               | -              |
| 2006 2/.....   | 5,701    | -            | -         | 2          | 31          | 135         | 343         | 792         | 1,289       | 1,396       | 1,202       | 511               | -              |
| 2005 2/.....   | 5,666    | -            | -         | 3          | 39          | 127         | 307         | 772         | 1,274       | 1,413       | 1,236       | 495               | -              |
| 2004 2/.....   | 5,498    | 1            | -         | 8          | 30          | 101         | 314         | 748         | 1,171       | 1,417       | 1,207       | 500               | 1              |
| 2003 2/.....   | 5,380    | -            | 1         | 3          | 26          | 122         | 309         | 741         | 1,169       | 1,392       | 1,188       | 429               | -              |
| 2002.....  | 5,158    | -            | -         | 5          | 34          | 112         | 316         | 744         | 1,104       | 1,320       | 1,135       | 387               | 1              |
| 2001.....  | 4,983    | 1            | -         | 6          | 27          | 122         | 275         | 701         | 1,031       | 1,278       | 1,150       | 392               | -              |
| 2000.....  | 4,720    | 1            | -         | 4          | 28          | 98          | 252         | 648         | 952         | 1,248       | 1,100       | 389               | -              |
| 1999.....  | 4,718    | -            | 1         | 5          | 19          | 85          | 276         | 641         | 986         | 1,262       | 1,016       | 426               | 1              |

Worktable Orig290F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2007

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data - mortality"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, sex, and year | All ages | Under 1 year | 1-4 years | 5-14 years | 15-24 years | 25-34 years | 35-44 years | 45-54 years | 55-64 years | 65-74 years | 75-84 years | 85 years and over | Age not stated |
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|

#### Diabetes mellitus (E10-E14)

##### Non-Hispanic black, female

|              |       |   |   |   |    |     |     |     |       |       |       |       |   |
|--------------|-------|---|---|---|----|-----|-----|-----|-------|-------|-------|-------|---|
| 2007 2/..... | 6,909 | - | 1 | 4 | 34 | 96  | 245 | 628 | 1,184 | 1,535 | 1,878 | 1,304 | - |
| 2006 2/..... | 6,970 | 1 | 2 | 7 | 23 | 102 | 235 | 610 | 1,186 | 1,581 | 1,941 | 1,282 | - |
| 2005 2/..... | 7,169 | - | 1 | 9 | 34 | 91  | 227 | 624 | 1,141 | 1,688 | 1,969 | 1,385 | - |
| 2004 2/..... | 7,187 | - | 1 | 8 | 30 | 79  | 226 | 623 | 1,133 | 1,661 | 2,062 | 1,364 | - |
| 2003 2/..... | 7,407 | 1 | 1 | 4 | 19 | 86  | 238 | 690 | 1,178 | 1,753 | 2,077 | 1,360 | - |
| 2002.....    | 7,425 | - | - | 9 | 23 | 82  | 238 | 649 | 1,100 | 1,832 | 2,078 | 1,414 | - |
| 2001.....    | 7,184 | - | - | 9 | 29 | 76  | 231 | 605 | 1,102 | 1,832 | 1,982 | 1,318 | - |
| 2000.....    | 7,198 | - | - | 5 | 27 | 89  | 206 | 622 | 1,043 | 1,835 | 2,093 | 1,278 | - |
| 1999.....    | 7,112 | - | 1 | 4 | 24 | 75  | 226 | 578 | 1,150 | 1,858 | 1,979 | 1,216 | 1 |

##### Origin not stated 3/, both sexes

|           |     |   |   |   |   |   |    |    |    |    |    |    |   |
|-----------|-----|---|---|---|---|---|----|----|----|----|----|----|---|
| 2007..... | 102 | - | - | - | - | 1 | 7  | 15 | 19 | 19 | 27 | 13 | 1 |
| 2006..... | 154 | - | - | - | - | 2 | 7  | 17 | 39 | 28 | 40 | 21 | - |
| 2005..... | 129 | - | - | - | - | - | 6  | 14 | 29 | 22 | 40 | 18 | - |
| 2004..... | 186 | - | - | - | - | 3 | 6  | 18 | 38 | 35 | 48 | 38 | - |
| 2003..... | 178 | - | - | 1 | 3 | 1 | 5  | 19 | 27 | 31 | 58 | 33 | - |
| 2002..... | 225 | - | - | - | 1 | 2 | 13 | 22 | 35 | 48 | 71 | 33 | - |
| 2001..... | 211 | - | - | - | 1 | 4 | 4  | 26 | 26 | 61 | 59 | 30 | - |
| 2000..... | 204 | - | - | - | - | 2 | 10 | 14 | 29 | 51 | 57 | 41 | - |
| 1999..... | 200 | - | - | - | 1 | 5 | 4  | 17 | 32 | 39 | 63 | 38 | 1 |

Worktable Orig290F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2007

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data - mortality"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, sex, and year | All ages | Under 1 year | 1-4 years | 5-14 years | 15-24 years | 25-34 years | 35-44 years | 45-54 years | 55-64 years | 65-74 years | 75-84 years | 85 years and over | Age not stated |
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|

Diabetes mellitus (E10-E14)

| Origin not stated 3/, male   |     |   |   |   |   |   |    |    |    |    |    |    |   |
|------------------------------|-----|---|---|---|---|---|----|----|----|----|----|----|---|
| 2007.....                    | 53  | - | - | - | - | - | 6  | 10 | 12 | 10 | 13 | 1  | 1 |
| 2006.....                    | 84  | - | - | - | - | 1 | 4  | 14 | 25 | 18 | 11 | 11 | - |
| 2005.....                    | 64  | - | - | - | - | - | 4  | 10 | 16 | 10 | 19 | 5  | - |
| 2004.....                    | 97  | - | - | - | - | 2 | 4  | 12 | 24 | 18 | 25 | 12 | - |
| 2003.....                    | 94  | - | - | - | 3 | 1 | 4  | 10 | 18 | 18 | 29 | 11 | - |
| 2002.....                    | 123 | - | - | - | 1 | 2 | 10 | 14 | 20 | 26 | 36 | 14 | - |
| 2001.....                    | 107 | - | - | - | - | 2 | 3  | 15 | 16 | 36 | 25 | 10 | - |
| 2000.....                    | 101 | - | - | - | - | - | 8  | 7  | 15 | 28 | 31 | 12 | - |
| 1999.....                    | 96  | - | - | - | - | 3 | 2  | 14 | 18 | 22 | 22 | 14 | 1 |
| Origin not stated 3/, female |     |   |   |   |   |   |    |    |    |    |    |    |   |
| 2007.....                    | 49  | - | - | - | - | 1 | 1  | 5  | 7  | 9  | 14 | 12 | - |
| 2006.....                    | 70  | - | - | - | - | 1 | 3  | 3  | 14 | 10 | 29 | 10 | - |
| 2005.....                    | 65  | - | - | - | - | - | 2  | 4  | 13 | 12 | 21 | 13 | - |
| 2004.....                    | 89  | - | - | - | - | 1 | 2  | 6  | 14 | 17 | 23 | 26 | - |
| 2003.....                    | 84  | - | - | 1 | - | - | 1  | 9  | 9  | 13 | 29 | 22 | - |
| 2002.....                    | 102 | - | - | - | - | - | 3  | 8  | 15 | 22 | 35 | 19 | - |
| 2001.....                    | 104 | - | - | - | 1 | 2 | 1  | 11 | 10 | 25 | 34 | 20 | - |
| 2000.....                    | 103 | - | - | - | - | 2 | 2  | 7  | 14 | 23 | 26 | 29 | - |
| 1999.....                    | 104 | - | - | - | 1 | 2 | 2  | 3  | 14 | 17 | 41 | 24 | - |

Worktable Orig290F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2007

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data - mortality"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, sex, and year | All ages | Under 1 year | 1-4 years | 5-14 years | 15-24 years | 25-34 years | 35-44 years | 45-54 years | 55-64 years | 65-74 years | 75-84 years | 85 years and over | Age not stated |
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|

Nutritional deficiencies (E40-E64)

All origins, both sexes

|           |       |    |   |   |    |    |    |     |     |     |       |       |   |
|-----------|-------|----|---|---|----|----|----|-----|-----|-----|-------|-------|---|
| 2007..... | 2,852 | 7  | 5 | 3 | 4  | 19 | 36 | 93  | 201 | 333 | 808   | 1,343 | - |
| 2006..... | 2,556 | 9  | 2 | 4 | 6  | 11 | 46 | 98  | 185 | 275 | 720   | 1,200 | - |
| 2005..... | 3,183 | 5  | 3 | 4 | 3  | 19 | 38 | 118 | 157 | 353 | 915   | 1,568 | - |
| 2004..... | 3,019 | 7  | 2 | 3 | 6  | 13 | 39 | 117 | 162 | 298 | 897   | 1,474 | 1 |
| 2003..... | 3,338 | 10 | 2 | 2 | 7  | 10 | 35 | 100 | 168 | 340 | 992   | 1,672 | - |
| 2002..... | 3,779 | 4  | 1 | 1 | 7  | 16 | 60 | 102 | 168 | 382 | 1,132 | 1,906 | - |
| 2001..... | 3,704 | 4  | 4 | 2 | 10 | 14 | 44 | 110 | 153 | 374 | 1,100 | 1,889 | - |
| 2000..... | 4,242 | 14 | 2 | 5 | 10 | 18 | 56 | 99  | 173 | 460 | 1,285 | 2,120 | - |
| 1999..... | 4,289 | 9  | 2 | 1 | 8  | 12 | 64 | 106 | 170 | 429 | 1,248 | 2,240 | - |

All origins, male

|           |       |    |   |   |   |    |    |    |    |     |     |     |   |
|-----------|-------|----|---|---|---|----|----|----|----|-----|-----|-----|---|
| 2007..... | 1,071 | 5  | 3 | 2 | 1 | 12 | 13 | 45 | 97 | 168 | 333 | 392 | - |
| 2006..... | 913   | 7  | - | 2 | 3 | 7  | 20 | 45 | 82 | 133 | 299 | 315 | - |
| 2005..... | 1,116 | 3  | 1 | 1 | 1 | 7  | 14 | 56 | 88 | 157 | 341 | 447 | - |
| 2004..... | 1,087 | 5  | 1 | 2 | 5 | 6  | 15 | 50 | 87 | 145 | 357 | 413 | 1 |
| 2003..... | 1,176 | 7  | 2 | 2 | 4 | 7  | 19 | 48 | 79 | 166 | 400 | 442 | - |
| 2002..... | 1,321 | 3  | 1 | - | 4 | 7  | 31 | 48 | 93 | 186 | 434 | 514 | - |
| 2001..... | 1,233 | 4  | 1 | 2 | 7 | 4  | 21 | 56 | 81 | 174 | 426 | 457 | - |
| 2000..... | 1,412 | 10 | 2 | 2 | 2 | 9  | 16 | 46 | 97 | 221 | 471 | 536 | - |
| 1999..... | 1,486 | 4  | 2 | 1 | 5 | 4  | 28 | 52 | 98 | 221 | 494 | 577 | - |



Worktable Orig290F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2007

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data - mortality"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, sex, and year | All ages | Under 1 year | 1-4 years | 5-14 years | 15-24 years | 25-34 years | 35-44 years | 45-54 years | 55-64 years | 65-74 years | 75-84 years | 85 years and over | Age not stated |
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|

Nutritional deficiencies (E40-E64)

| All origins, female  |          |              |           |            |             |             |             |             |             |             |             |                   |                |
|----------------------|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|
| Year                 | All ages | Under 1 year | 1-4 years | 5-14 years | 15-24 years | 25-34 years | 35-44 years | 45-54 years | 55-64 years | 65-74 years | 75-84 years | 85 years and over | Age not stated |
| 2007                 | 1,781    | 2            | 2         | 1          | 3           | 7           | 23          | 48          | 104         | 165         | 475         | 951               | -              |
| 2006                 | 1,643    | 2            | 2         | 2          | 3           | 4           | 26          | 53          | 103         | 142         | 421         | 885               | -              |
| 2005                 | 2,067    | 2            | 2         | 3          | 2           | 12          | 24          | 62          | 69          | 196         | 574         | 1,121             | -              |
| 2004                 | 1,932    | 2            | 1         | 1          | 1           | 7           | 24          | 67          | 75          | 153         | 540         | 1,061             | -              |
| 2003                 | 2,162    | 3            | -         | -          | 3           | 3           | 16          | 52          | 89          | 174         | 592         | 1,230             | -              |
| 2002                 | 2,458    | 1            | -         | 1          | 3           | 9           | 29          | 54          | 75          | 196         | 698         | 1,392             | -              |
| 2001                 | 2,471    | -            | 3         | -          | 3           | 10          | 23          | 54          | 72          | 200         | 674         | 1,432             | -              |
| 2000                 | 2,830    | 4            | -         | 3          | 8           | 9           | 40          | 53          | 76          | 239         | 814         | 1,584             | -              |
| 1999                 | 2,803    | 5            | -         | -          | 3           | 8           | 36          | 54          | 72          | 208         | 754         | 1,663             | -              |
|                      |          |              |           |            |             |             |             |             |             |             |             |                   |                |
| Hispanic, both sexes |          |              |           |            |             |             |             |             |             |             |             |                   |                |
| Year                 | All ages | Under 1 year | 1-4 years | 5-14 years | 15-24 years | 25-34 years | 35-44 years | 45-54 years | 55-64 years | 65-74 years | 75-84 years | 85 years and over | Age not stated |
| 2007                 | 115      | 2            | 1         | -          | 3           | -           | 2           | 6           | 12          | 11          | 32          | 46                | -              |
| 2006                 | 126      | 2            | 1         | 2          | 1           | 1           | 2           | 6           | 8           | 10          | 44          | 49                | -              |
| 2005                 | 139      | -            | -         | -          | -           | 1           | 2           | 7           | 5           | 20          | 50          | 54                | -              |
| 2004                 | 107      | 1            | -         | 1          | -           | 1           | 2           | 4           | 8           | 17          | 32          | 41                | -              |
| 2003                 | 126      | 2            | 2         | -          | -           | 1           | 1           | 3           | 7           | 19          | 36          | 55                | -              |
| 2002                 | 141      | 2            | -         | -          | 3           | 1           | 3           | 5           | 4           | 21          | 49          | 53                | -              |
| 2001                 | 136      | -            | 1         | 1          | -           | -           | 7           | 3           | 5           | 12          | 45          | 62                | -              |
| 2000                 | 147      | -            | -         | -          | 1           | 3           | 4           | 5           | 7           | 24          | 43          | 60                | -              |
| 1999                 | 138      | -            | -         | -          | -           | -           | 4           | 6           | 7           | 17          | 31          | 73                | -              |

Worktable Orig290F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2007

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data - mortality"]

---

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, sex, and year

|  | All ages | Under 1 year | 1-4 years | 5-14 years | 15-24 years | 25-34 years | 35-44 years | 45-54 years | 55-64 years | 65-74 years | 75-84 years | 85 years and over | Age not stated |
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|

---

Nutritional deficiencies (E40-E64)

| Hispanic, male   |          |              |           |            |             |             |             |             |             |             |             |                   |                |
|------------------|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|
|                  | All ages | Under 1 year | 1-4 years | 5-14 years | 15-24 years | 25-34 years | 35-44 years | 45-54 years | 55-64 years | 65-74 years | 75-84 years | 85 years and over | Age not stated |
| 2007.....        | 40       | 1            | -         | -          | 1           | -           | -           | 5           | 3           | 5           | 13          | 12                | -              |
| 2006.....        | 46       | 1            | -         | 1          | -           | -           | 1           | 4           | 4           | 5           | 19          | 11                | -              |
| 2005.....        | 59       | -            | -         | -          | -           | 1           | 1           | 3           | 2           | 12          | 21          | 19                | -              |
| 2004.....        | 36       | -            | -         | 1          | -           | -           | -           | 2           | 3           | 9           | 11          | 10                | -              |
| 2003.....        | 54       | 2            | 2         | -          | -           | 1           | -           | 2           | 6           | 10          | 13          | 18                | -              |
| 2002.....        | 61       | 1            | -         | -          | 1           | 1           | 3           | 3           | 2           | 13          | 19          | 18                | -              |
| 2001.....        | 53       | -            | -         | 1          | -           | -           | 2           | 1           | 4           | 2           | 20          | 23                | -              |
| 2000.....        | 57       | -            | -         | -          | -           | 2           | 1           | 3           | 3           | 13          | 17          | 18                | -              |
| 1999.....        | 54       | -            | -         | -          | -           | -           | 2           | 5           | 2           | 8           | 13          | 24                | -              |
|                  |          |              |           |            |             |             |             |             |             |             |             |                   |                |
| Hispanic, female |          |              |           |            |             |             |             |             |             |             |             |                   |                |
|                  | All ages | Under 1 year | 1-4 years | 5-14 years | 15-24 years | 25-34 years | 35-44 years | 45-54 years | 55-64 years | 65-74 years | 75-84 years | 85 years and over | Age not stated |
| 2007.....        | 75       | 1            | 1         | -          | 2           | -           | 2           | 1           | 9           | 6           | 19          | 34                | -              |
| 2006.....        | 80       | 1            | 1         | 1          | 1           | 1           | 1           | 2           | 4           | 5           | 25          | 38                | -              |
| 2005.....        | 80       | -            | -         | -          | -           | -           | 1           | 4           | 3           | 8           | 29          | 35                | -              |
| 2004.....        | 71       | 1            | -         | -          | -           | 1           | 2           | 2           | 5           | 8           | 21          | 31                | -              |
| 2003.....        | 72       | -            | -         | -          | -           | -           | 1           | 1           | 1           | 9           | 23          | 37                | -              |
| 2002.....        | 80       | 1            | -         | -          | 2           | -           | -           | 2           | 2           | 8           | 30          | 35                | -              |
| 2001.....        | 83       | -            | 1         | -          | -           | -           | 5           | 2           | 1           | 10          | 25          | 39                | -              |
| 2000.....        | 90       | -            | -         | -          | 1           | 1           | 3           | 2           | 4           | 11          | 26          | 42                | -              |
| 1999.....        | 84       | -            | -         | -          | -           | -           | 2           | 1           | 5           | 9           | 18          | 49                | -              |

Worktable Orig290F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2007

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data - mortality"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, sex, and year | All ages | Under 1 year | 1-4 years | 5-14 years | 15-24 years | 25-34 years | 35-44 years | 45-54 years | 55-64 years | 65-74 years | 75-84 years | 85 years and over | Age not stated |
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|

#### Nutritional deficiencies (E40-E64)

| Non-Hispanic 1/, both sexes |       |    |   |   |   |    |    |     |     |     |       |       |   |
|-----------------------------|-------|----|---|---|---|----|----|-----|-----|-----|-------|-------|---|
| 2007.....                   | 2,734 | 5  | 4 | 3 | 1 | 19 | 34 | 87  | 187 | 322 | 776   | 1,296 | - |
| 2006.....                   | 2,427 | 7  | 1 | 2 | 5 | 10 | 43 | 92  | 177 | 265 | 676   | 1,149 | - |
| 2005.....                   | 3,034 | 5  | 3 | 4 | 3 | 18 | 36 | 111 | 152 | 328 | 862   | 1,512 | - |
| 2004.....                   | 2,906 | 6  | 2 | 2 | 6 | 12 | 37 | 113 | 153 | 281 | 862   | 1,432 | - |
| 2003.....                   | 3,204 | 8  | - | 2 | 7 | 9  | 34 | 96  | 161 | 320 | 952   | 1,615 | - |
| 2002.....                   | 3,621 | 2  | 1 | 1 | 4 | 15 | 56 | 97  | 164 | 358 | 1,077 | 1,846 | - |
| 2001.....                   | 3,563 | 4  | 3 | 1 | 9 | 14 | 37 | 107 | 148 | 362 | 1,054 | 1,824 | - |
| 2000.....                   | 4,080 | 14 | 2 | 5 | 9 | 15 | 52 | 94  | 166 | 435 | 1,233 | 2,055 | - |
| 1999.....                   | 4,142 | 9  | 2 | 1 | 8 | 12 | 60 | 100 | 162 | 411 | 1,215 | 2,162 | - |
| Non-Hispanic 1/, male       |       |    |   |   |   |    |    |     |     |     |       |       |   |
| 2007.....                   | 1,029 | 4  | 3 | 2 | - | 12 | 13 | 40  | 92  | 163 | 320   | 380   | - |
| 2006.....                   | 866   | 6  | - | 1 | 3 | 7  | 19 | 41  | 78  | 128 | 280   | 303   | - |
| 2005.....                   | 1,052 | 3  | 1 | 1 | 1 | 6  | 13 | 53  | 86  | 143 | 318   | 427   | - |
| 2004.....                   | 1,047 | 5  | 1 | 1 | 5 | 6  | 15 | 48  | 83  | 136 | 345   | 402   | - |
| 2003.....                   | 1,118 | 5  | - | 2 | 4 | 6  | 19 | 45  | 73  | 155 | 385   | 424   | - |
| 2002.....                   | 1,255 | 2  | 1 | - | 3 | 6  | 28 | 45  | 91  | 173 | 412   | 494   | - |
| 2001.....                   | 1,178 | 4  | 1 | 1 | 6 | 4  | 19 | 55  | 77  | 172 | 405   | 434   | - |
| 2000.....                   | 1,348 | 10 | 2 | 2 | 2 | 7  | 15 | 43  | 94  | 208 | 448   | 517   | - |
| 1999.....                   | 1,428 | 4  | 2 | 1 | 5 | 4  | 26 | 47  | 95  | 213 | 479   | 552   | - |

Worktable Orig290F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2007

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data - mortality"]

---

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, sex, and year

|  | All ages | Under 1 year | 1-4 years | 5-14 years | 15-24 years | 25-34 years | 35-44 years | 45-54 years | 55-64 years | 65-74 years | 75-84 years | 85 years and over | Age not stated |
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|

---

Nutritional deficiencies (E40-E64)

| Non-Hispanic 1/, female        |          |              |           |            |             |             |             |             |             |             |             |                   |                |
|--------------------------------|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|
|                                | All ages | Under 1 year | 1-4 years | 5-14 years | 15-24 years | 25-34 years | 35-44 years | 45-54 years | 55-64 years | 65-74 years | 75-84 years | 85 years and over | Age not stated |
| 2007.....                      | 1,705    | 1            | 1         | 1          | 1           | 7           | 21          | 47          | 95          | 159         | 456         | 916               | -              |
| 2006.....                      | 1,561    | 1            | 1         | 1          | 2           | 3           | 24          | 51          | 99          | 137         | 396         | 846               | -              |
| 2005.....                      | 1,982    | 2            | 2         | 3          | 2           | 12          | 23          | 58          | 66          | 185         | 544         | 1,085             | -              |
| 2004.....                      | 1,859    | 1            | 1         | 1          | 1           | 6           | 22          | 65          | 70          | 145         | 517         | 1,030             | -              |
| 2003.....                      | 2,086    | 3            | -         | -          | 3           | 3           | 15          | 51          | 88          | 165         | 567         | 1,191             | -              |
| 2002.....                      | 2,366    | -            | -         | 1          | 1           | 9           | 28          | 52          | 73          | 185         | 665         | 1,352             | -              |
| 2001.....                      | 2,385    | -            | 2         | -          | 3           | 10          | 18          | 52          | 71          | 190         | 649         | 1,390             | -              |
| 2000.....                      | 2,732    | 4            | -         | 3          | 7           | 8           | 37          | 51          | 72          | 227         | 785         | 1,538             | -              |
| 1999.....                      | 2,714    | 5            | -         | -          | 3           | 8           | 34          | 53          | 67          | 198         | 736         | 1,610             | -              |
|                                |          |              |           |            |             |             |             |             |             |             |             |                   |                |
| Non-Hispanic white, both sexes |          |              |           |            |             |             |             |             |             |             |             |                   |                |
|                                | All ages | Under 1 year | 1-4 years | 5-14 years | 15-24 years | 25-34 years | 35-44 years | 45-54 years | 55-64 years | 65-74 years | 75-84 years | 85 years and over | Age not stated |
| 2007 2/.....                   | 2,260    | 2            | 2         | 3          | 1           | 11          | 24          | 68          | 151         | 241         | 649         | 1,108             | -              |
| 2006 2/.....                   | 2,033    | 5            | 1         | 2          | 1           | 6           | 32          | 65          | 140         | 209         | 570         | 1,002             | -              |
| 2005 2/.....                   | 2,537    | 2            | 2         | 3          | 1           | 10          | 26          | 81          | 117         | 260         | 712         | 1,323             | -              |
| 2004 2/.....                   | 2,421    | 4            | 1         | 1          | 3           | 9           | 23          | 78          | 116         | 217         | 732         | 1,237             | -              |
| 2003 2/.....                   | 2,699    | 4            | -         | 2          | 5           | 7           | 28          | 62          | 122         | 257         | 811         | 1,401             | -              |
| 2002.....                      | 3,064    | 1            | 1         | -          | 3           | 12          | 37          | 76          | 117         | 280         | 922         | 1,615             | -              |
| 2001.....                      | 3,015    | 3            | 3         | -          | 7           | 10          | 22          | 70          | 113         | 291         | 878         | 1,618             | -              |
| 2000.....                      | 3,469    | 8            | 1         | 2          | 7           | 6           | 36          | 68          | 123         | 345         | 1,062       | 1,811             | -              |
| 1999.....                      | 3,486    | 5            | 1         | -          | 5           | 9           | 45          | 70          | 110         | 307         | 1,018       | 1,916             | -              |

Worktable Orig290F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2007

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data - mortality"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, sex, and year | All ages | Under 1 year | 1-4 years | 5-14 years | 15-24 years | 25-34 years | 35-44 years | 45-54 years | 55-64 years | 65-74 years | 75-84 years | 85 years and over | Age not stated |
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|

#### Nutritional deficiencies (E40-E64)

| Non-Hispanic white, male   |       |   |   |   |   |   |    |    |    |     |     |       |   |
|----------------------------|-------|---|---|---|---|---|----|----|----|-----|-----|-------|---|
| 2007 2/.....               | 834   | 1 | 2 | 2 | - | 8 | 10 | 29 | 70 | 119 | 267 | 326   | - |
| 2006 2/.....               | 693   | 4 | - | 1 | 1 | 4 | 12 | 28 | 56 | 98  | 225 | 264   | - |
| 2005 2/.....               | 865   | 1 | - | - | - | 3 | 10 | 39 | 62 | 115 | 260 | 375   | - |
| 2004 2/.....               | 847   | 3 | - | - | 3 | 5 | 7  | 31 | 60 | 101 | 289 | 348   | - |
| 2003 2/.....               | 915   | 3 | - | 2 | 3 | 5 | 16 | 29 | 50 | 121 | 317 | 369   | - |
| 2002.....                  | 1,039 | 1 | 1 | - | 2 | 5 | 19 | 31 | 57 | 137 | 348 | 438   | - |
| 2001.....                  | 948   | 3 | 1 | - | 6 | 3 | 10 | 27 | 52 | 131 | 340 | 375   | - |
| 2000.....                  | 1,112 | 6 | 1 | 2 | 2 | 2 | 10 | 30 | 62 | 159 | 382 | 456   | - |
| 1999.....                  | 1,142 | 2 | 1 | - | 3 | 3 | 18 | 34 | 61 | 150 | 392 | 478   | - |
| Non-Hispanic white, female |       |   |   |   |   |   |    |    |    |     |     |       |   |
| 2007 2/.....               | 1,426 | 1 | - | 1 | 1 | 3 | 14 | 39 | 81 | 122 | 382 | 782   | - |
| 2006 2/.....               | 1,340 | 1 | 1 | 1 | - | 2 | 20 | 37 | 84 | 111 | 345 | 738   | - |
| 2005 2/.....               | 1,672 | 1 | 2 | 3 | 1 | 7 | 16 | 42 | 55 | 145 | 452 | 948   | - |
| 2004 2/.....               | 1,574 | 1 | 1 | 1 | - | 4 | 16 | 47 | 56 | 116 | 443 | 889   | - |
| 2003 2/.....               | 1,784 | 1 | - | - | 2 | 2 | 12 | 33 | 72 | 136 | 494 | 1,032 | - |
| 2002.....                  | 2,025 | - | - | - | 1 | 7 | 18 | 45 | 60 | 143 | 574 | 1,177 | - |
| 2001.....                  | 2,067 | - | 2 | - | 1 | 7 | 12 | 43 | 61 | 160 | 538 | 1,243 | - |
| 2000.....                  | 2,357 | 2 | - | - | 5 | 4 | 26 | 38 | 61 | 186 | 680 | 1,355 | - |
| 1999.....                  | 2,344 | 3 | - | - | 2 | 6 | 27 | 36 | 49 | 157 | 626 | 1,438 | - |

Worktable Orig290F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2007

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data - mortality"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, sex, and year | All ages | Under 1 year | 1-4 years | 5-14 years | 15-24 years | 25-34 years | 35-44 years | 45-54 years | 55-64 years | 65-74 years | 75-84 years | 85 years and over | Age not stated |
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|

Nutritional deficiencies (E40-E64)

Non-Hispanic black, both sexes

|              |     |   |   |   |   |   |    |    |    |    |     |     |   |
|--------------|-----|---|---|---|---|---|----|----|----|----|-----|-----|---|
| 2007 2/..... | 391 | 3 | 2 | - | - | 7 | 9  | 17 | 31 | 70 | 107 | 145 | - |
| 2006 2/..... | 341 | 2 | - | - | 4 | 4 | 11 | 27 | 35 | 53 | 87  | 118 | - |
| 2005 2/..... | 426 | 3 | 1 | 1 | 1 | 7 | 9  | 28 | 34 | 58 | 126 | 158 | - |
| 2004 2/..... | 412 | 1 | 1 | 1 | 2 | 3 | 12 | 32 | 34 | 58 | 104 | 164 | - |
| 2003 2/..... | 448 | 3 | - | - | 1 | 2 | 4  | 32 | 37 | 54 | 127 | 188 | - |
| 2002.....    | 495 | - | - | 1 | 1 | 3 | 16 | 20 | 46 | 70 | 139 | 199 | - |
| 2001.....    | 472 | 1 | - | 1 | 2 | 4 | 15 | 33 | 29 | 61 | 149 | 177 | - |
| 2000.....    | 537 | 5 | 1 | 3 | 2 | 8 | 16 | 24 | 41 | 78 | 147 | 212 | - |
| 1999.....    | 585 | 4 | 1 | 1 | 3 | 3 | 15 | 27 | 47 | 90 | 175 | 219 | - |

Non-Hispanic black, male

|              |     |   |   |   |   |   |   |    |    |    |    |    |   |
|--------------|-----|---|---|---|---|---|---|----|----|----|----|----|---|
| 2007 2/..... | 163 | 3 | 1 | - | - | 4 | 3 | 10 | 20 | 36 | 47 | 39 | - |
| 2006 2/..... | 153 | 2 | - | - | 2 | 3 | 7 | 13 | 20 | 30 | 44 | 32 | - |
| 2005 2/..... | 153 | 2 | 1 | 1 | 1 | 2 | 3 | 14 | 23 | 22 | 45 | 39 | - |
| 2004 2/..... | 170 | 1 | 1 | 1 | 2 | 1 | 7 | 16 | 21 | 32 | 43 | 45 | - |
| 2003 2/..... | 181 | 1 | - | - | - | 1 | 2 | 16 | 22 | 31 | 62 | 46 | - |
| 2002.....    | 185 | - | - | - | 1 | 1 | 7 | 14 | 33 | 31 | 56 | 42 | - |
| 2001.....    | 202 | 1 | - | 1 | - | 1 | 9 | 25 | 21 | 38 | 55 | 51 | - |
| 2000.....    | 214 | 3 | 1 | - | - | 5 | 5 | 13 | 30 | 44 | 58 | 55 | - |
| 1999.....    | 250 | 2 | 1 | 1 | 2 | 1 | 8 | 12 | 30 | 55 | 74 | 64 | - |

Worktable Orig290F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2007

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data - mortality"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, sex, and year | All ages | Under 1 year | 1-4 years | 5-14 years | 15-24 years | 25-34 years | 35-44 years | 45-54 years | 55-64 years | 65-74 years | 75-84 years | 85 years and over | Age not stated |
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|

Nutritional deficiencies (E40-E64)

Non-Hispanic black, female

|              |     |   |   |   |   |   |    |    |    |    |     |     |   |
|--------------|-----|---|---|---|---|---|----|----|----|----|-----|-----|---|
| 2007 2/..... | 228 | - | 1 | - | - | 3 | 6  | 7  | 11 | 34 | 60  | 106 | - |
| 2006 2/..... | 188 | - | - | - | 2 | 1 | 4  | 14 | 15 | 23 | 43  | 86  | - |
| 2005 2/..... | 273 | 1 | - | - | - | 5 | 6  | 14 | 11 | 36 | 81  | 119 | - |
| 2004 2/..... | 242 | - | - | - | - | 2 | 5  | 16 | 13 | 26 | 61  | 119 | - |
| 2003 2/..... | 267 | 2 | - | - | 1 | 1 | 2  | 16 | 15 | 23 | 65  | 142 | - |
| 2002.....    | 310 | - | - | 1 | - | 2 | 9  | 6  | 13 | 39 | 83  | 157 | - |
| 2001.....    | 270 | - | - | - | 2 | 3 | 6  | 8  | 8  | 23 | 94  | 126 | - |
| 2000.....    | 323 | 2 | - | 3 | 2 | 3 | 11 | 11 | 11 | 34 | 89  | 157 | - |
| 1999.....    | 335 | 2 | - | - | 1 | 2 | 7  | 15 | 17 | 35 | 101 | 155 | - |

Origin not stated 3/, both sexes

|           |    |   |   |   |   |   |   |   |   |   |   |   |   |
|-----------|----|---|---|---|---|---|---|---|---|---|---|---|---|
| 2007..... | 3  | - | - | - | - | - | - | - | 2 | - | - | 1 | - |
| 2006..... | 3  | - | - | - | - | - | 1 | - | - | - | - | 2 | - |
| 2005..... | 10 | - | - | - | - | - | - | - | - | 5 | 3 | 2 | - |
| 2004..... | 6  | - | - | - | - | - | - | - | 1 | - | 3 | 1 | 1 |
| 2003..... | 8  | - | - | - | - | - | - | 1 | - | 1 | 4 | 2 | - |
| 2002..... | 17 | - | - | - | - | - | 1 | - | - | 3 | 6 | 7 | - |
| 2001..... | 5  | - | - | - | 1 | - | - | - | - | - | 1 | 3 | - |
| 2000..... | 15 | - | - | - | - | - | - | - | - | 1 | 9 | 5 | - |
| 1999..... | 9  | - | - | - | - | - | - | - | 1 | 1 | 2 | 5 | - |

Worktable Orig290F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2007

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data - mortality"]

---

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, sex, and year

|  | All ages | Under 1 year | 1-4 years | 5-14 years | 15-24 years | 25-34 years | 35-44 years | 45-54 years | 55-64 years | 65-74 years | 75-84 years | 85 years and over | Age not stated |
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|

---

Nutritional deficiencies (E40-E64)

|                              | All ages | Under 1 year | 1-4 years | 5-14 years | 15-24 years | 25-34 years | 35-44 years | 45-54 years | 55-64 years | 65-74 years | 75-84 years | 85 years and over | Age not stated |
|------------------------------|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|
| Origin not stated 3/, male   |          |              |           |            |             |             |             |             |             |             |             |                   |                |
| 2007.....                    | 2        | -            | -         | -          | -           | -           | -           | -           | 2           | -           | -           | -                 | -              |
| 2006.....                    | 1        | -            | -         | -          | -           | -           | -           | -           | -           | -           | -           | 1                 | -              |
| 2005.....                    | 5        | -            | -         | -          | -           | -           | -           | -           | -           | 2           | 2           | 1                 | -              |
| 2004.....                    | 4        | -            | -         | -          | -           | -           | -           | -           | 1           | -           | 1           | 1                 | 1              |
| 2003.....                    | 4        | -            | -         | -          | -           | -           | -           | 1           | -           | 1           | 2           | -                 | -              |
| 2002.....                    | 5        | -            | -         | -          | -           | -           | -           | -           | -           | -           | 3           | 2                 | -              |
| 2001.....                    | 2        | -            | -         | -          | 1           | -           | -           | -           | -           | -           | 1           | -                 | -              |
| 2000.....                    | 7        | -            | -         | -          | -           | -           | -           | -           | -           | -           | 6           | 1                 | -              |
| 1999.....                    | 4        | -            | -         | -          | -           | -           | -           | -           | 1           | -           | 2           | 1                 | -              |
| Origin not stated 3/, female |          |              |           |            |             |             |             |             |             |             |             |                   |                |
| 2007.....                    | 1        | -            | -         | -          | -           | -           | -           | -           | -           | -           | -           | 1                 | -              |
| 2006.....                    | 2        | -            | -         | -          | -           | -           | 1           | -           | -           | -           | -           | 1                 | -              |
| 2005.....                    | 5        | -            | -         | -          | -           | -           | -           | -           | -           | 3           | 1           | 1                 | -              |
| 2004.....                    | 2        | -            | -         | -          | -           | -           | -           | -           | -           | -           | 2           | -                 | -              |
| 2003.....                    | 4        | -            | -         | -          | -           | -           | -           | -           | -           | -           | 2           | 2                 | -              |
| 2002.....                    | 12       | -            | -         | -          | -           | -           | 1           | -           | -           | 3           | 3           | 5                 | -              |
| 2001.....                    | 3        | -            | -         | -          | -           | -           | -           | -           | -           | -           | -           | 3                 | -              |
| 2000.....                    | 8        | -            | -         | -          | -           | -           | -           | -           | -           | 1           | 3           | 4                 | -              |
| 1999.....                    | 5        | -            | -         | -          | -           | -           | -           | -           | -           | 1           | -           | 4                 | -              |



Worktable Orig290F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2007

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data - mortality"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, sex, and year | All ages | Under 1 year | 1-4 years | 5-14 years | 15-24 years | 25-34 years | 35-44 years | 45-54 years | 55-64 years | 65-74 years | 75-84 years | 85 years and over | Age not stated |
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|
| <b>Malnutrition (E40-E46)</b>  |          |              |           |            |             |             |             |             |             |             |             |                   |                |
| <b>All origins, both sexes</b>   |          |              |           |            |             |             |             |             |             |             |             |                   |                |
| 2007.....  | 2,644    | 6            | 2         | 3          | 4           | 18          | 35          | 87          | 188         | 314         | 755         | 1,232             | -              |
| 2006.....  | 2,377    | 7            | 2         | 2          | 5           | 11          | 44          | 93          | 173         | 262         | 673         | 1,105             | -              |
| 2005.....  | 3,003    | 5            | 2         | 3          | 3           | 18          | 36          | 113         | 149         | 333         | 866         | 1,475             | -              |
| 2004.....  | 2,847    | 6            | 1         | 2          | 5           | 11          | 35          | 109         | 152         | 288         | 864         | 1,373             | 1              |
| 2003.....  | 3,153    | 5            | 1         | 1          | 6           | 8           | 33          | 94          | 160         | 320         | 952         | 1,573             | -              |
| 2002.....  | 3,510    | 2            | 1         | 1          | 6           | 13          | 55          | 91          | 156         | 354         | 1,067       | 1,764             | -              |
| 2001.....  | 3,454    | 2            | -         | 2          | 9           | 13          | 39          | 99          | 146         | 347         | 1,025       | 1,772             | -              |
| 2000.....  | 3,926    | 11           | 1         | 3          | 8           | 16          | 53          | 90          | 158         | 423         | 1,199       | 1,964             | -              |
| 1999.....  | 3,985    | 7            | 2         | 1          | 7           | 11          | 61          | 99          | 154         | 407         | 1,159       | 2,077             | -              |
| <b>All origins, male</b>   |          |              |           |            |             |             |             |             |             |             |             |                   |                |
| 2007.....  | 991      | 4            | 2         | 2          | 1           | 11          | 12          | 43          | 89          | 154         | 313         | 360               | -              |
| 2006.....  | 848      | 5            | -         | 1          | 3           | 7           | 18          | 43          | 76          | 123         | 276         | 296               | -              |
| 2005.....  | 1,059    | 3            | -         | 1          | 1           | 6           | 14          | 53          | 83          | 149         | 327         | 422               | -              |
| 2004.....  | 1,026    | 5            | 1         | 2          | 5           | 6           | 13          | 48          | 81          | 141         | 342         | 381               | 1              |
| 2003.....  | 1,098    | 4            | 1         | 1          | 3           | 6           | 19          | 47          | 75          | 155         | 379         | 408               | -              |
| 2002.....  | 1,233    | 1            | 1         | -          | 4           | 5           | 28          | 42          | 84          | 174         | 406         | 488               | -              |
| 2001.....  | 1,148    | 2            | -         | 2          | 6           | 4           | 19          | 47          | 75          | 157         | 400         | 436               | -              |
| 2000.....  | 1,302    | 8            | 1         | 1          | 2           | 8           | 15          | 41          | 86          | 207         | 434         | 499               | -              |
| 1999.....  | 1,371    | 4            | 2         | 1          | 4           | 4           | 27          | 48          | 92          | 207         | 452         | 530               | -              |

Worktable Orig290F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2007

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data - mortality"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, sex, and year | All ages | Under 1 year | 1-4 years | 5-14 years | 15-24 years | 25-34 years | 35-44 years | 45-54 years | 55-64 years | 65-74 years | 75-84 years | 85 years and over | Age not stated |
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|
| <b>Malnutrition (E40-E46)</b>  |          |              |           |            |             |             |             |             |             |             |             |                   |                |
| <b>All origins, female</b>   |          |              |           |            |             |             |             |             |             |             |             |                   |                |
| 2007.....  | 1,653    | 2            | -         | 1          | 3           | 7           | 23          | 44          | 99          | 160         | 442         | 872               | -              |
| 2006.....  | 1,529    | 2            | 2         | 1          | 2           | 4           | 26          | 50          | 97          | 139         | 397         | 809               | -              |
| 2005.....  | 1,944    | 2            | 2         | 2          | 2           | 12          | 22          | 60          | 66          | 184         | 539         | 1,053             | -              |
| 2004.....  | 1,821    | 1            | -         | -          | -           | 5           | 22          | 61          | 71          | 147         | 522         | 992               | -              |
| 2003.....  | 2,055    | 1            | -         | -          | 3           | 2           | 14          | 47          | 85          | 165         | 573         | 1,165             | -              |
| 2002.....  | 2,277    | 1            | -         | 1          | 2           | 8           | 27          | 49          | 72          | 180         | 661         | 1,276             | -              |
| 2001.....  | 2,306    | -            | -         | -          | 3           | 9           | 20          | 52          | 71          | 190         | 625         | 1,336             | -              |
| 2000.....  | 2,624    | 3            | -         | 2          | 6           | 8           | 38          | 49          | 72          | 216         | 765         | 1,465             | -              |
| 1999.....  | 2,614    | 3            | -         | -          | 3           | 7           | 34          | 51          | 62          | 200         | 707         | 1,547             | -              |
| <b>Hispanic, both sexes</b>  |          |              |           |            |             |             |             |             |             |             |             |                   |                |
| 2007.....  | 108      | 2            | -         | -          | 3           | -           | 2           | 5           | 11          | 9           | 31          | 45                | -              |
| 2006.....  | 117      | 1            | 1         | 1          | -           | 1           | 2           | 6           | 7           | 10          | 43          | 45                | -              |
| 2005.....  | 132      | -            | -         | -          | -           | 1           | 2           | 7           | 5           | 18          | 48          | 51                | -              |
| 2004.....  | 104      | 1            | -         | 1          | -           | 1           | 2           | 3           | 8           | 17          | 30          | 41                | -              |
| 2003.....  | 112      | 1            | 1         | -          | -           | 1           | -           | 3           | 7           | 19          | 30          | 50                | -              |
| 2002.....  | 136      | 1            | -         | -          | 2           | 1           | 3           | 4           | 4           | 21          | 49          | 51                | -              |
| 2001.....  | 132      | -            | -         | 1          | -           | -           | 6           | 3           | 5           | 12          | 44          | 61                | -              |
| 2000.....  | 137      | -            | -         | -          | 1           | 2           | 4           | 4           | 7           | 22          | 39          | 58                | -              |
| 1999.....  | 132      | -            | -         | -          | -           | -           | 4           | 6           | 7           | 17          | 30          | 68                | -              |

Worktable Orig290F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2007

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data - mortality"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, sex, and year | All ages | Under 1 year | 1-4 years | 5-14 years | 15-24 years | 25-34 years | 35-44 years | 45-54 years | 55-64 years | 65-74 years | 75-84 years | 85 years and over | Age not stated |
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|
| <b>Malnutrition (E40-E46)</b>  |          |              |           |            |             |             |             |             |             |             |             |                   |                |
| <b>Hispanic, male</b>  |          |              |           |            |             |             |             |             |             |             |             |                   |                |
| 2007.....  | 38       | 1            | -         | -          | 1           | -           | -           | 4           | 3           | 4           | 13          | 12                | -              |
| 2006.....  | 41       | -            | -         | -          | -           | -           | 1           | 4           | 3           | 5           | 18          | 10                | -              |
| 2005.....  | 57       | -            | -         | -          | -           | 1           | 1           | 3           | 2           | 12          | 20          | 18                | -              |
| 2004.....  | 36       | -            | -         | 1          | -           | -           | -           | 2           | 3           | 9           | 11          | 10                | -              |
| 2003.....  | 47       | 1            | 1         | -          | -           | 1           | -           | 2           | 6           | 10          | 10          | 16                | -              |
| 2002.....  | 58       | -            | -         | -          | 1           | 1           | 3           | 2           | 2           | 13          | 19          | 17                | -              |
| 2001.....  | 52       | -            | -         | 1          | -           | -           | 2           | 1           | 4           | 2           | 20          | 22                | -              |
| 2000.....  | 52       | -            | -         | -          | -           | 2           | 1           | 2           | 3           | 12          | 16          | 16                | -              |
| 1999.....  | 50       | -            | -         | -          | -           | -           | 2           | 5           | 2           | 8           | 12          | 21                | -              |
| <b>Hispanic, female</b>  |          |              |           |            |             |             |             |             |             |             |             |                   |                |
| 2007.....  | 70       | 1            | -         | -          | 2           | -           | 2           | 1           | 8           | 5           | 18          | 33                | -              |
| 2006.....  | 76       | 1            | 1         | 1          | -           | 1           | 1           | 2           | 4           | 5           | 25          | 35                | -              |
| 2005.....  | 75       | -            | -         | -          | -           | -           | 1           | 4           | 3           | 6           | 28          | 33                | -              |
| 2004.....  | 68       | 1            | -         | -          | -           | 1           | 2           | 1           | 5           | 8           | 19          | 31                | -              |
| 2003.....  | 65       | -            | -         | -          | -           | -           | -           | 1           | 1           | 9           | 20          | 34                | -              |
| 2002.....  | 78       | 1            | -         | -          | 1           | -           | -           | 2           | 2           | 8           | 30          | 34                | -              |
| 2001.....  | 80       | -            | -         | -          | -           | -           | 4           | 2           | 1           | 10          | 24          | 39                | -              |
| 2000.....  | 85       | -            | -         | -          | 1           | -           | 3           | 2           | 4           | 10          | 23          | 42                | -              |
| 1999.....  | 82       | -            | -         | -          | -           | -           | 2           | 1           | 5           | 9           | 18          | 47                | -              |

Worktable Orig290F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2007

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data - mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, sex, and year

|  | All ages | Under 1 year | 1-4 years | 5-14 years | 15-24 years | 25-34 years | 35-44 years | 45-54 years | 55-64 years | 65-74 years | 75-84 years | 85 years and over | Age not stated |
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|

Malnutrition (E40-E46)

Non-Hispanic 1/, both sexes

|           |       |    |   |   |   |    |    |     |     |     |       |       |   |
|-----------|-------|----|---|---|---|----|----|-----|-----|-----|-------|-------|---|
| 2007..... | 2,533 | 4  | 2 | 3 | 1 | 18 | 33 | 82  | 175 | 305 | 724   | 1,186 | - |
| 2006..... | 2,258 | 6  | 1 | 1 | 5 | 10 | 41 | 87  | 166 | 252 | 630   | 1,059 | - |
| 2005..... | 2,861 | 5  | 2 | 3 | 3 | 17 | 34 | 106 | 144 | 310 | 815   | 1,422 | - |
| 2004..... | 2,737 | 5  | 1 | 1 | 5 | 10 | 33 | 106 | 143 | 271 | 831   | 1,331 | - |
| 2003..... | 3,034 | 4  | - | 1 | 6 | 7  | 33 | 90  | 153 | 300 | 918   | 1,522 | - |
| 2002..... | 3,358 | 1  | 1 | 1 | 4 | 12 | 51 | 87  | 152 | 330 | 1,013 | 1,706 | - |
| 2001..... | 3,317 | 2  | - | 1 | 8 | 13 | 33 | 96  | 141 | 335 | 980   | 1,708 | - |
| 2000..... | 3,774 | 11 | 1 | 3 | 7 | 14 | 49 | 86  | 151 | 400 | 1,151 | 1,901 | - |
| 1999..... | 3,844 | 7  | 2 | 1 | 7 | 11 | 57 | 93  | 146 | 389 | 1,127 | 2,004 | - |

Non-Hispanic 1/, male

|           |       |   |   |   |   |    |    |    |    |     |     |     |   |
|-----------|-------|---|---|---|---|----|----|----|----|-----|-----|-----|---|
| 2007..... | 951   | 3 | 2 | 2 | - | 11 | 12 | 39 | 84 | 150 | 300 | 348 | - |
| 2006..... | 807   | 5 | - | 1 | 3 | 7  | 17 | 39 | 73 | 118 | 258 | 286 | - |
| 2005..... | 997   | 3 | - | 1 | 1 | 5  | 13 | 50 | 81 | 135 | 305 | 403 | - |
| 2004..... | 986   | 5 | 1 | 1 | 5 | 6  | 13 | 46 | 77 | 132 | 330 | 370 | - |
| 2003..... | 1,047 | 3 | - | 1 | 3 | 5  | 19 | 44 | 69 | 144 | 367 | 392 | - |
| 2002..... | 1,171 | 1 | 1 | - | 3 | 4  | 25 | 40 | 82 | 161 | 385 | 469 | - |
| 2001..... | 1,094 | 2 | - | 1 | 5 | 4  | 17 | 46 | 71 | 155 | 379 | 414 | - |
| 2000..... | 1,243 | 8 | 1 | 1 | 2 | 6  | 14 | 39 | 83 | 195 | 412 | 482 | - |
| 1999..... | 1,317 | 4 | 2 | 1 | 4 | 4  | 25 | 43 | 89 | 199 | 438 | 508 | - |

Worktable Orig290F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2007

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data - mortality"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, sex, and year | All ages | Under 1 year | 1-4 years | 5-14 years | 15-24 years | 25-34 years | 35-44 years | 45-54 years | 55-64 years | 65-74 years | 75-84 years | 85 years and over | Age not stated |
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|
| <b>Malnutrition (E40-E46)</b>  |          |              |           |            |             |             |             |             |             |             |             |                   |                |
| <b>Non-Hispanic 1/, female</b>   |          |              |           |            |             |             |             |             |             |             |             |                   |                |
| 2007.....  | 1,582    | 1            | -         | 1          | 1           | 7           | 21          | 43          | 91          | 155         | 424         | 838               | -              |
| 2006.....  | 1,451    | 1            | 1         | -          | 2           | 3           | 24          | 48          | 93          | 134         | 372         | 773               | -              |
| 2005.....  | 1,864    | 2            | 2         | 2          | 2           | 12          | 21          | 56          | 63          | 175         | 510         | 1,019             | -              |
| 2004.....  | 1,751    | -            | -         | -          | -           | 4           | 20          | 60          | 66          | 139         | 501         | 961               | -              |
| 2003.....  | 1,987    | 1            | -         | -          | 3           | 2           | 14          | 46          | 84          | 156         | 551         | 1,130             | -              |
| 2002.....  | 2,187    | -            | -         | 1          | 1           | 8           | 26          | 47          | 70          | 169         | 628         | 1,237             | -              |
| 2001.....  | 2,223    | -            | -         | -          | 3           | 9           | 16          | 50          | 70          | 180         | 601         | 1,294             | -              |
| 2000.....  | 2,531    | 3            | -         | 2          | 5           | 8           | 35          | 47          | 68          | 205         | 739         | 1,419             | -              |
| 1999.....  | 2,527    | 3            | -         | -          | 3           | 7           | 32          | 50          | 57          | 190         | 689         | 1,496             | -              |
| <b>Non-Hispanic white, both sexes</b>  |          |              |           |            |             |             |             |             |             |             |             |                   |                |
| 2007 2/.....   | 2,084    | 1            | 1         | 3          | 1           | 11          | 23          | 65          | 141         | 225         | 602         | 1,011             | -              |
| 2006 2/.....   | 1,882    | 5            | 1         | 1          | 1           | 6           | 30          | 60          | 133         | 196         | 531         | 918               | -              |
| 2005 2/.....   | 2,385    | 2            | 2         | 2          | 1           | 10          | 25          | 77          | 110         | 243         | 670         | 1,243             | -              |
| 2004 2/.....   | 2,268    | 3            | -         | -          | 3           | 7           | 21          | 73          | 109         | 209         | 703         | 1,140             | -              |
| 2003 2/.....   | 2,545    | 1            | -         | 1          | 5           | 5           | 28          | 57          | 115         | 239         | 779         | 1,315             | -              |
| 2002.....  | 2,836    | 1            | 1         | -          | 3           | 9           | 34          | 67          | 108         | 262         | 864         | 1,487             | -              |
| 2001.....  | 2,806    | 1            | -         | -          | 6           | 9           | 19          | 64          | 109         | 270         | 816         | 1,512             | -              |
| 2000.....  | 3,204    | 7            | -         | 1          | 6           | 6           | 33          | 62          | 112         | 312         | 993         | 1,672             | -              |
| 1999.....  | 3,232    | 4            | 1         | -          | 5           | 8           | 43          | 67          | 99          | 287         | 945         | 1,773             | -              |

Worktable Orig290F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2007

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data - mortality"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, sex, and year | All ages | Under 1 year | 1-4 years | 5-14 years | 15-24 years | 25-34 years | 35-44 years | 45-54 years | 55-64 years | 65-74 years | 75-84 years | 85 years and over | Age not stated |
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|
| <b>Malnutrition (E40-E46)</b>  |          |              |           |            |             |             |             |             |             |             |             |                   |                |
| <b>Non-Hispanic white, male</b>  |          |              |           |            |             |             |             |             |             |             |             |                   |                |
| 2007 2/.....   | 763      | -            | 1         | 2          | -           | 8           | 9           | 28          | 64          | 106         | 248         | 297               | -              |
| 2006 2/.....   | 641      | 4            | -         | 1          | 1           | 4           | 10          | 26          | 53          | 88          | 207         | 247               | -              |
| 2005 2/.....   | 818      | 1            | -         | -          | -           | 3           | 10          | 36          | 58          | 107         | 249         | 354               | -              |
| 2004 2/.....   | 792      | 3            | -         | -          | 3           | 5           | 6           | 29          | 55          | 98          | 275         | 318               | -              |
| 2003 2/.....   | 852      | 1            | -         | 1          | 3           | 4           | 16          | 28          | 47          | 111         | 301         | 340               | -              |
| 2002.....  | 970      | 1            | 1         | -          | 2           | 3           | 17          | 27          | 51          | 129         | 325         | 414               | -              |
| 2001.....  | 881      | 1            | -         | -          | 5           | 3           | 8           | 23          | 49          | 119         | 316         | 357               | -              |
| 2000.....  | 1,021    | 5            | -         | 1          | 2           | 2           | 9           | 27          | 55          | 147         | 350         | 423               | -              |
| 1999.....  | 1,047    | 2            | 1         | -          | 3           | 3           | 17          | 31          | 58          | 138         | 359         | 435               | -              |
| <b>Non-Hispanic white, female</b>  |          |              |           |            |             |             |             |             |             |             |             |                   |                |
| 2007 2/.....   | 1,321    | 1            | -         | 1          | 1           | 3           | 14          | 37          | 77          | 119         | 354         | 714               | -              |
| 2006 2/.....   | 1,241    | 1            | 1         | -          | -           | 2           | 20          | 34          | 80          | 108         | 324         | 671               | -              |
| 2005 2/.....   | 1,567    | 1            | 2         | 2          | 1           | 7           | 15          | 41          | 52          | 136         | 421         | 889               | -              |
| 2004 2/.....   | 1,476    | -            | -         | -          | -           | 2           | 15          | 44          | 54          | 111         | 428         | 822               | -              |
| 2003 2/.....   | 1,693    | -            | -         | -          | 2           | 1           | 12          | 29          | 68          | 128         | 478         | 975               | -              |
| 2002.....  | 1,866    | -            | -         | -          | 1           | 6           | 17          | 40          | 57          | 133         | 539         | 1,073             | -              |
| 2001.....  | 1,925    | -            | -         | -          | 1           | 6           | 11          | 41          | 60          | 151         | 500         | 1,155             | -              |
| 2000.....  | 2,183    | 2            | -         | -          | 4           | 4           | 24          | 35          | 57          | 165         | 643         | 1,249             | -              |
| 1999.....  | 2,185    | 2            | -         | -          | 2           | 5           | 26          | 36          | 41          | 149         | 586         | 1,338             | -              |

Worktable Orig290F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2007

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data - mortality"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, sex, and year | All ages | Under 1 year | 1-4 years | 5-14 years | 15-24 years | 25-34 years | 35-44 years | 45-54 years | 55-64 years | 65-74 years | 75-84 years | 85 years and over | Age not stated |
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|
| <b>Malnutrition (E40-E46)</b>  |          |              |           |            |             |             |             |             |             |             |             |                   |                |
| <b>Non-Hispanic black, both sexes</b>  |          |              |           |            |             |             |             |             |             |             |             |                   |                |
| 2007 2/.....   | 373      | 3            | 1         | -          | -           | 6           | 9           | 15          | 29          | 69          | 102         | 139               | -              |
| 2006 2/.....   | 325      | 1            | -         | -          | 4           | 4           | 11          | 27          | 31          | 53          | 81          | 113               | -              |
| 2005 2/.....   | 408      | 3            | -         | 1          | 1           | 7           | 8           | 27          | 33          | 57          | 121         | 150               | -              |
| 2004 2/.....   | 398      | 1            | 1         | 1          | 2           | 3           | 10          | 30          | 31          | 56          | 102         | 161               | -              |
| 2003 2/.....   | 435      | 2            | -         | -          | 1           | 2           | 4           | 31          | 36          | 52          | 125         | 182               | -              |
| 2002.....  | 465      | -            | -         | 1          | 1           | 3           | 14          | 19          | 44          | 60          | 134         | 189               | -              |
| 2001.....  | 438      | 1            | -         | 1          | 2           | 4           | 14          | 28          | 26          | 56          | 139         | 167               | -              |
| 2000.....  | 505      | 3            | 1         | 2          | 1           | 7           | 16          | 23          | 37          | 77          | 136         | 202               | -              |
| 1999.....  | 543      | 3            | 1         | 1          | 2           | 3           | 14          | 24          | 42          | 88          | 161         | 204               | -              |
| <b>Non-Hispanic black, male</b>  |          |              |           |            |             |             |             |             |             |             |             |                   |                |
| 2007 2/.....   | 159      | 3            | 1         | -          | -           | 3           | 3           | 10          | 18          | 36          | 46          | 39                | -              |
| 2006 2/.....   | 146      | 1            | -         | -          | 2           | 3           | 7           | 13          | 18          | 30          | 40          | 32                | -              |
| 2005 2/.....   | 146      | 2            | -         | 1          | 1           | 2           | 3           | 14          | 22          | 22          | 43          | 36                | -              |
| 2004 2/.....   | 164      | 1            | 1         | 1          | 2           | 1           | 6           | 16          | 20          | 31          | 42          | 43                | -              |
| 2003 2/.....   | 175      | 1            | -         | -          | -           | 1           | 2           | 16          | 21          | 30          | 60          | 44                | -              |
| 2002.....  | 172      | -            | -         | -          | 1           | 1           | 6           | 13          | 31          | 27          | 52          | 41                | -              |
| 2001.....  | 186      | 1            | -         | 1          | -           | 1           | 9           | 20          | 18          | 34          | 53          | 49                | -              |
| 2000.....  | 202      | 2            | 1         | -          | -           | 4           | 5           | 12          | 26          | 43          | 56          | 53                | -              |
| 1999.....  | 234      | 2            | 1         | 1          | 1           | 1           | 8           | 11          | 27          | 53          | 66          | 63                | -              |

Worktable Orig290F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2007

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data - mortality"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, sex, and year | All ages | Under 1 year | 1-4 years | 5-14 years | 15-24 years | 25-34 years | 35-44 years | 45-54 years | 55-64 years | 65-74 years | 75-84 years | 85 years and over | Age not stated |
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|
| <b>Malnutrition (E40-E46)</b>  |          |              |           |            |             |             |             |             |             |             |             |                   |                |
| <b>Non-Hispanic black, female</b>  |          |              |           |            |             |             |             |             |             |             |             |                   |                |
| 2007 2/.....   | 214      | -            | -         | -          | -           | 3           | 6           | 5           | 11          | 33          | 56          | 100               | -              |
| 2006 2/.....   | 179      | -            | -         | -          | 2           | 1           | 4           | 14          | 13          | 23          | 41          | 81                | -              |
| 2005 2/.....   | 262      | 1            | -         | -          | -           | 5           | 5           | 13          | 11          | 35          | 78          | 114               | -              |
| 2004 2/.....   | 234      | -            | -         | -          | -           | 2           | 4           | 14          | 11          | 25          | 60          | 118               | -              |
| 2003 2/.....   | 260      | 1            | -         | -          | 1           | 1           | 2           | 15          | 15          | 22          | 65          | 138               | -              |
| 2002.....  | 293      | -            | -         | 1          | -           | 2           | 8           | 6           | 13          | 33          | 82          | 148               | -              |
| 2001.....  | 252      | -            | -         | -          | 2           | 3           | 5           | 8           | 8           | 22          | 86          | 118               | -              |
| 2000.....  | 303      | 1            | -         | 2          | 1           | 3           | 11          | 11          | 11          | 34          | 80          | 149               | -              |
| 1999.....  | 309      | 1            | -         | -          | 1           | 2           | 6           | 13          | 15          | 35          | 95          | 141               | -              |
| <b>Origin not stated 3/, both sexes</b>  |          |              |           |            |             |             |             |             |             |             |             |                   |                |
| 2007.....  | 3        | -            | -         | -          | -           | -           | -           | -           | 2           | -           | -           | 1                 | -              |
| 2006.....  | 2        | -            | -         | -          | -           | -           | 1           | -           | -           | -           | -           | 1                 | -              |
| 2005.....  | 10       | -            | -         | -          | -           | -           | -           | -           | -           | 5           | 3           | 2                 | -              |
| 2004.....  | 6        | -            | -         | -          | -           | -           | -           | -           | 1           | -           | 3           | 1                 | 1              |
| 2003.....  | 7        | -            | -         | -          | -           | -           | -           | 1           | -           | 1           | 4           | 1                 | -              |
| 2002.....  | 16       | -            | -         | -          | -           | -           | 1           | -           | -           | 3           | 5           | 7                 | -              |
| 2001.....  | 5        | -            | -         | -          | 1           | -           | -           | -           | -           | -           | 1           | 3                 | -              |
| 2000.....  | 15       | -            | -         | -          | -           | -           | -           | -           | -           | 1           | 9           | 5                 | -              |
| 1999.....  | 9        | -            | -         | -          | -           | -           | -           | -           | 1           | 1           | 2           | 5                 | -              |



Worktable Orig290F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2007

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data - mortality"]

---

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, sex, and year

|  | All ages | Under 1 year | 1-4 years | 5-14 years | 15-24 years | 25-34 years | 35-44 years | 45-54 years | 55-64 years | 65-74 years | 75-84 years | 85 years and over | Age not stated |
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|

---

Malnutrition (E40-E46)

Origin not stated 3/, male

|           |   |   |   |   |   |   |   |   |   |   |   |   |   |
|-----------|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 2007..... | 2 | - | - | - | - | - | - | - | 2 | - | - | - | - |
| 2006..... | - | - | - | - | - | - | - | - | - | - | - | - | - |
| 2005..... | 5 | - | - | - | - | - | - | - | - | 2 | 2 | 1 | - |
| 2004..... | 4 | - | - | - | - | - | - | - | 1 | - | 1 | 1 | 1 |
| 2003..... | 4 | - | - | - | - | - | - | 1 | - | 1 | 2 | - | - |
| 2002..... | 4 | - | - | - | - | - | - | - | - | - | 2 | 2 | - |
| 2001..... | 2 | - | - | - | 1 | - | - | - | - | - | 1 | - | - |
| 2000..... | 7 | - | - | - | - | - | - | - | - | - | 6 | 1 | - |
| 1999..... | 4 | - | - | - | - | - | - | - | 1 | - | 2 | 1 | - |

Origin not stated 3/, female

|           |    |   |   |   |   |   |   |   |   |   |   |   |   |
|-----------|----|---|---|---|---|---|---|---|---|---|---|---|---|
| 2007..... | 1  | - | - | - | - | - | - | - | - | - | - | 1 | - |
| 2006..... | 2  | - | - | - | - | - | 1 | - | - | - | - | 1 | - |
| 2005..... | 5  | - | - | - | - | - | - | - | - | 3 | 1 | 1 | - |
| 2004..... | 2  | - | - | - | - | - | - | - | - | - | 2 | - | - |
| 2003..... | 3  | - | - | - | - | - | - | - | - | - | 2 | 1 | - |
| 2002..... | 12 | - | - | - | - | - | 1 | - | - | 3 | 3 | 5 | - |
| 2001..... | 3  | - | - | - | - | - | - | - | - | - | - | 3 | - |
| 2000..... | 8  | - | - | - | - | - | - | - | - | 1 | 3 | 4 | - |
| 1999..... | 5  | - | - | - | - | - | - | - | - | 1 | - | 4 | - |

Worktable Orig290F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2007

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data - mortality"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, sex, and year | All ages | Under 1 year | 1-4 years | 5-14 years | 15-24 years | 25-34 years | 35-44 years | 45-54 years | 55-64 years | 65-74 years | 75-84 years | 85 years and over | Age not stated |
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|
| Other nutritional deficiencies (E50-E64)   |          |              |           |            |             |             |             |             |             |             |             |                   |                |
| All origins, both sexes  |          |              |           |            |             |             |             |             |             |             |             |                   |                |
| 2007.....  | 208      | 1            | 3         | -          | -           | 1           | 1           | 6           | 13          | 19          | 53          | 111               | -              |
| 2006.....  | 179      | 2            | -         | 2          | 1           | -           | 2           | 5           | 12          | 13          | 47          | 95                | -              |
| 2005.....  | 180      | -            | 1         | 1          | -           | 1           | 2           | 5           | 8           | 20          | 49          | 93                | -              |
| 2004.....  | 172      | 1            | 1         | 1          | 1           | 2           | 4           | 8           | 10          | 10          | 33          | 101               | -              |
| 2003.....  | 185      | 5            | 1         | 1          | 1           | 2           | 2           | 6           | 8           | 20          | 40          | 99                | -              |
| 2002.....  | 269      | 2            | -         | -          | 1           | 3           | 5           | 11          | 12          | 28          | 65          | 142               | -              |
| 2001.....  | 250      | 2            | 4         | -          | 1           | 1           | 5           | 11          | 7           | 27          | 75          | 117               | -              |
| 2000.....  | 316      | 3            | 1         | 2          | 2           | 2           | 3           | 9           | 15          | 37          | 86          | 156               | -              |
| 1999.....  | 304      | 2            | -         | -          | 1           | 1           | 3           | 7           | 16          | 22          | 89          | 163               | -              |
| All origins, male  |          |              |           |            |             |             |             |             |             |             |             |                   |                |
| 2007.....  | 80       | 1            | 1         | -          | -           | 1           | 1           | 2           | 8           | 14          | 20          | 32                | -              |
| 2006.....  | 65       | 2            | -         | 1          | -           | -           | 2           | 2           | 6           | 10          | 23          | 19                | -              |
| 2005.....  | 57       | -            | 1         | -          | -           | 1           | -           | 3           | 5           | 8           | 14          | 25                | -              |
| 2004.....  | 61       | -            | -         | -          | -           | -           | 2           | 2           | 6           | 4           | 15          | 32                | -              |
| 2003.....  | 78       | 3            | 1         | 1          | 1           | 1           | -           | 1           | 4           | 11          | 21          | 34                | -              |
| 2002.....  | 88       | 2            | -         | -          | -           | 2           | 3           | 6           | 9           | 12          | 28          | 26                | -              |
| 2001.....  | 85       | 2            | 1         | -          | 1           | -           | 2           | 9           | 6           | 17          | 26          | 21                | -              |
| 2000.....  | 110      | 2            | 1         | 1          | -           | 1           | 1           | 5           | 11          | 14          | 37          | 37                | -              |
| 1999.....  | 115      | -            | -         | -          | 1           | -           | 1           | 4           | 6           | 14          | 42          | 47                | -              |

Worktable Orig290F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2007

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data - mortality"]

---

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, sex, and year

|  | All ages | Under 1 year | 1-4 years | 5-14 years | 15-24 years | 25-34 years | 35-44 years | 45-54 years | 55-64 years | 65-74 years | 75-84 years | 85 years and over | Age not stated |
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|

---

Other nutritional deficiencies (E50-E64)

All origins, female

|           |     |   |   |   |   |   |   |   |    |    |    |     |   |
|-----------|-----|---|---|---|---|---|---|---|----|----|----|-----|---|
| 2007..... | 128 | - | 2 | - | - | - | - | 4 | 5  | 5  | 33 | 79  | - |
| 2006..... | 114 | - | - | 1 | 1 | - | - | 3 | 6  | 3  | 24 | 76  | - |
| 2005..... | 123 | - | - | 1 | - | - | 2 | 2 | 3  | 12 | 35 | 68  | - |
| 2004..... | 111 | 1 | 1 | 1 | 1 | 2 | 2 | 6 | 4  | 6  | 18 | 69  | - |
| 2003..... | 107 | 2 | - | - | - | 1 | 2 | 5 | 4  | 9  | 19 | 65  | - |
| 2002..... | 181 | - | - | - | 1 | 1 | 2 | 5 | 3  | 16 | 37 | 116 | - |
| 2001..... | 165 | - | 3 | - | - | 1 | 3 | 2 | 1  | 10 | 49 | 96  | - |
| 2000..... | 206 | 1 | - | 1 | 2 | 1 | 2 | 4 | 4  | 23 | 49 | 119 | - |
| 1999..... | 189 | 2 | - | - | - | 1 | 2 | 3 | 10 | 8  | 47 | 116 | - |

Hispanic, both sexes

|           |    |   |   |   |   |   |   |   |   |   |   |   |   |
|-----------|----|---|---|---|---|---|---|---|---|---|---|---|---|
| 2007..... | 7  | - | 1 | - | - | - | - | 1 | 1 | 2 | 1 | 1 | - |
| 2006..... | 9  | 1 | - | 1 | 1 | - | - | - | 1 | - | 1 | 4 | - |
| 2005..... | 7  | - | - | - | - | - | - | - | - | 2 | 2 | 3 | - |
| 2004..... | 3  | - | - | - | - | - | - | 1 | - | - | 2 | - | - |
| 2003..... | 14 | 1 | 1 | - | - | - | 1 | - | - | - | 6 | 5 | - |
| 2002..... | 5  | 1 | - | - | 1 | - | - | 1 | - | - | - | 2 | - |
| 2001..... | 4  | - | 1 | - | - | - | 1 | - | - | - | 1 | 1 | - |
| 2000..... | 10 | - | - | - | - | 1 | - | 1 | - | 2 | 4 | 2 | - |
| 1999..... | 6  | - | - | - | - | - | - | - | - | - | 1 | 5 | - |



Worktable Orig290F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2007

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data - mortality"]

---

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, sex, and year

|  | All ages | Under 1 year | 1-4 years | 5-14 years | 15-24 years | 25-34 years | 35-44 years | 45-54 years | 55-64 years | 65-74 years | 75-84 years | 85 years and over | Age not stated |
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|

---

Other nutritional deficiencies (E50-E64)

Non-Hispanic 1/, both sexes

|           |     |   |   |   |   |   |   |    |    |    |    |     |   |
|-----------|-----|---|---|---|---|---|---|----|----|----|----|-----|---|
| 2007..... | 201 | 1 | 2 | - | - | 1 | 1 | 5  | 12 | 17 | 52 | 110 | - |
| 2006..... | 169 | 1 | - | 1 | - | - | 2 | 5  | 11 | 13 | 46 | 90  | - |
| 2005..... | 173 | - | 1 | 1 | - | 1 | 2 | 5  | 8  | 18 | 47 | 90  | - |
| 2004..... | 169 | 1 | 1 | 1 | 1 | 2 | 4 | 7  | 10 | 10 | 31 | 101 | - |
| 2003..... | 170 | 4 | - | 1 | 1 | 2 | 1 | 6  | 8  | 20 | 34 | 93  | - |
| 2002..... | 263 | 1 | - | - | - | 3 | 5 | 10 | 12 | 28 | 64 | 140 | - |
| 2001..... | 246 | 2 | 3 | - | 1 | 1 | 4 | 11 | 7  | 27 | 74 | 116 | - |
| 2000..... | 306 | 3 | 1 | 2 | 2 | 1 | 3 | 8  | 15 | 35 | 82 | 154 | - |
| 1999..... | 298 | 2 | - | - | 1 | 1 | 3 | 7  | 16 | 22 | 88 | 158 | - |

Non-Hispanic 1/, male

|           |     |   |   |   |   |   |   |   |    |    |    |    |   |
|-----------|-----|---|---|---|---|---|---|---|----|----|----|----|---|
| 2007..... | 78  | 1 | 1 | - | - | 1 | 1 | 1 | 8  | 13 | 20 | 32 | - |
| 2006..... | 59  | 1 | - | - | - | - | 2 | 2 | 5  | 10 | 22 | 17 | - |
| 2005..... | 55  | - | 1 | - | - | 1 | - | 3 | 5  | 8  | 13 | 24 | - |
| 2004..... | 61  | - | - | - | - | - | 2 | 2 | 6  | 4  | 15 | 32 | - |
| 2003..... | 71  | 2 | - | 1 | 1 | 1 | - | 1 | 4  | 11 | 18 | 32 | - |
| 2002..... | 84  | 1 | - | - | - | 2 | 3 | 5 | 9  | 12 | 27 | 25 | - |
| 2001..... | 84  | 2 | 1 | - | 1 | - | 2 | 9 | 6  | 17 | 26 | 20 | - |
| 2000..... | 105 | 2 | 1 | 1 | - | 1 | 1 | 4 | 11 | 13 | 36 | 35 | - |
| 1999..... | 111 | - | - | - | 1 | - | 1 | 4 | 6  | 14 | 41 | 44 | - |

Worktable Orig290F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2007

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data - mortality"]

---

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, sex, and year

|  | All ages | Under 1 year | 1-4 years | 5-14 years | 15-24 years | 25-34 years | 35-44 years | 45-54 years | 55-64 years | 65-74 years | 75-84 years | 85 years and over | Age not stated |
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|

---

Other nutritional deficiencies (E50-E64)

Non-Hispanic 1/, female

|           |     |   |   |   |   |   |   |   |    |    |    |     |   |
|-----------|-----|---|---|---|---|---|---|---|----|----|----|-----|---|
| 2007..... | 123 | - | 1 | - | - | - | - | 4 | 4  | 4  | 32 | 78  | - |
| 2006..... | 110 | - | - | 1 | - | - | - | 3 | 6  | 3  | 24 | 73  | - |
| 2005..... | 118 | - | - | 1 | - | - | 2 | 2 | 3  | 10 | 34 | 66  | - |
| 2004..... | 108 | 1 | 1 | 1 | 1 | 2 | 2 | 5 | 4  | 6  | 16 | 69  | - |
| 2003..... | 99  | 2 | - | - | - | 1 | 1 | 5 | 4  | 9  | 16 | 61  | - |
| 2002..... | 179 | - | - | - | - | 1 | 2 | 5 | 3  | 16 | 37 | 115 | - |
| 2001..... | 162 | - | 2 | - | - | 1 | 2 | 2 | 1  | 10 | 48 | 96  | - |
| 2000..... | 201 | 1 | - | 1 | 2 | - | 2 | 4 | 4  | 22 | 46 | 119 | - |
| 1999..... | 187 | 2 | - | - | - | 1 | 2 | 3 | 10 | 8  | 47 | 114 | - |

Non-Hispanic white, both sexes

|              |     |   |   |   |   |   |   |   |    |    |    |     |   |
|--------------|-----|---|---|---|---|---|---|---|----|----|----|-----|---|
| 2007 2/..... | 176 | 1 | 1 | - | - | - | 1 | 3 | 10 | 16 | 47 | 97  | - |
| 2006 2/..... | 151 | - | - | 1 | - | - | 2 | 5 | 7  | 13 | 39 | 84  | - |
| 2005 2/..... | 152 | - | - | 1 | - | - | 1 | 4 | 7  | 17 | 42 | 80  | - |
| 2004 2/..... | 153 | 1 | 1 | 1 | - | 2 | 2 | 5 | 7  | 8  | 29 | 97  | - |
| 2003 2/..... | 154 | 3 | - | 1 | - | 2 | - | 5 | 7  | 18 | 32 | 86  | - |
| 2002.....    | 228 | - | - | - | - | 3 | 3 | 9 | 9  | 18 | 58 | 128 | - |
| 2001.....    | 209 | 2 | 3 | - | 1 | 1 | 3 | 6 | 4  | 21 | 62 | 106 | - |
| 2000.....    | 265 | 1 | 1 | 1 | 1 | - | 3 | 6 | 11 | 33 | 69 | 139 | - |
| 1999.....    | 254 | 1 | - | - | - | 1 | 2 | 3 | 11 | 20 | 73 | 143 | - |

Worktable Orig290F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2007

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data - mortality"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, sex, and year | All ages | Under 1 year | 1-4 years | 5-14 years | 15-24 years | 25-34 years | 35-44 years | 45-54 years | 55-64 years | 65-74 years | 75-84 years | 85 years and over | Age not stated |
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|
| Other nutritional deficiencies (E50-E64)   |          |              |           |            |             |             |             |             |             |             |             |                   |                |
| Non-Hispanic white, male   |          |              |           |            |             |             |             |             |             |             |             |                   |                |
| 2007 2/.....   | 71       | 1            | 1         | -          | -           | -           | 1           | 1           | 6           | 13          | 19          | 29                | -              |
| 2006 2/.....   | 52       | -            | -         | -          | -           | -           | 2           | 2           | 3           | 10          | 18          | 17                | -              |
| 2005 2/.....   | 47       | -            | -         | -          | -           | -           | -           | 3           | 4           | 8           | 11          | 21                | -              |
| 2004 2/.....   | 55       | -            | -         | -          | -           | -           | 1           | 2           | 5           | 3           | 14          | 30                | -              |
| 2003 2/.....   | 63       | 2            | -         | 1          | -           | 1           | -           | 1           | 3           | 10          | 16          | 29                | -              |
| 2002.....  | 69       | -            | -         | -          | -           | 2           | 2           | 4           | 6           | 8           | 23          | 24                | -              |
| 2001.....  | 67       | 2            | 1         | -          | 1           | -           | 2           | 4           | 3           | 12          | 24          | 18                | -              |
| 2000.....  | 91       | 1            | 1         | 1          | -           | -           | 1           | 3           | 7           | 12          | 32          | 33                | -              |
| 1999.....  | 95       | -            | -         | -          | -           | -           | 1           | 3           | 3           | 12          | 33          | 43                | -              |
| Non-Hispanic white, female   |          |              |           |            |             |             |             |             |             |             |             |                   |                |
| 2007 2/.....   | 105      | -            | -         | -          | -           | -           | -           | 2           | 4           | 3           | 28          | 68                | -              |
| 2006 2/.....   | 99       | -            | -         | 1          | -           | -           | -           | 3           | 4           | 3           | 21          | 67                | -              |
| 2005 2/.....   | 105      | -            | -         | 1          | -           | -           | 1           | 1           | 3           | 9           | 31          | 59                | -              |
| 2004 2/.....   | 98       | 1            | 1         | 1          | -           | 2           | 1           | 3           | 2           | 5           | 15          | 67                | -              |
| 2003 2/.....   | 91       | 1            | -         | -          | -           | 1           | -           | 4           | 4           | 8           | 16          | 57                | -              |
| 2002.....  | 159      | -            | -         | -          | -           | 1           | 1           | 5           | 3           | 10          | 35          | 104               | -              |
| 2001.....  | 142      | -            | 2         | -          | -           | 1           | 1           | 2           | 1           | 9           | 38          | 88                | -              |
| 2000.....  | 174      | -            | -         | -          | 1           | -           | 2           | 3           | 4           | 21          | 37          | 106               | -              |
| 1999.....  | 159      | 1            | -         | -          | -           | 1           | 1           | -           | 8           | 8           | 40          | 100               | -              |

Worktable Orig290F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2007

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data - mortality"]

---

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, sex, and year

|  | All ages | Under 1 year | 1-4 years | 5-14 years | 15-24 years | 25-34 years | 35-44 years | 45-54 years | 55-64 years | 65-74 years | 75-84 years | 85 years and over | Age not stated |
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|

---

Other nutritional deficiencies (E50-E64)

Non-Hispanic black, both sexes

|              |    |   |   |   |   |   |   |   |   |    |    |    |   |
|--------------|----|---|---|---|---|---|---|---|---|----|----|----|---|
| 2007 2/..... | 18 | - | 1 | - | - | 1 | - | 2 | 2 | 1  | 5  | 6  | - |
| 2006 2/..... | 16 | 1 | - | - | - | - | - | - | 4 | -  | 6  | 5  | - |
| 2005 2/..... | 18 | - | 1 | - | - | - | 1 | 1 | 1 | 1  | 5  | 8  | - |
| 2004 2/..... | 14 | - | - | - | - | - | 2 | 2 | 3 | 2  | 2  | 3  | - |
| 2003 2/..... | 13 | 1 | - | - | - | - | - | 1 | 1 | 2  | 2  | 6  | - |
| 2002.....    | 30 | - | - | - | - | - | 2 | 1 | 2 | 10 | 5  | 10 | - |
| 2001.....    | 34 | - | - | - | - | - | 1 | 5 | 3 | 5  | 10 | 10 | - |
| 2000.....    | 32 | 2 | - | 1 | 1 | 1 | - | 1 | 4 | 1  | 11 | 10 | - |
| 1999.....    | 42 | 1 | - | - | 1 | - | 1 | 3 | 5 | 2  | 14 | 15 | - |

Non-Hispanic black, male

|              |    |   |   |   |   |   |   |   |   |   |   |   |   |
|--------------|----|---|---|---|---|---|---|---|---|---|---|---|---|
| 2007 2/..... | 4  | - | - | - | - | 1 | - | - | 2 | - | 1 | - | - |
| 2006 2/..... | 7  | 1 | - | - | - | - | - | - | 2 | - | 4 | - | - |
| 2005 2/..... | 7  | - | 1 | - | - | - | - | - | 1 | - | 2 | 3 | - |
| 2004 2/..... | 6  | - | - | - | - | - | 1 | - | 1 | 1 | 1 | 2 | - |
| 2003 2/..... | 6  | - | - | - | - | - | - | - | 1 | 1 | 2 | 2 | - |
| 2002.....    | 13 | - | - | - | - | - | 1 | 1 | 2 | 4 | 4 | 1 | - |
| 2001.....    | 16 | - | - | - | - | - | - | 5 | 3 | 4 | 2 | 2 | - |
| 2000.....    | 12 | 1 | - | - | - | 1 | - | 1 | 4 | 1 | 2 | 2 | - |
| 1999.....    | 16 | - | - | - | 1 | - | - | 1 | 3 | 2 | 8 | 1 | - |







Worktable Orig290F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2007

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data - mortality"]

---

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, sex, and year

|  | All ages | Under 1 year | 1-4 years | 5-14 years | 15-24 years | 25-34 years | 35-44 years | 45-54 years | 55-64 years | 65-74 years | 75-84 years | 85 years and over | Age not stated |
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|

---

Meningitis (G00,G03)

All origins, both sexes

|           |     |     |    |    |    |    |    |     |     |     |     |    |   |
|-----------|-----|-----|----|----|----|----|----|-----|-----|-----|-----|----|---|
| 2007..... | 655 | 82  | 16 | 25 | 35 | 34 | 66 | 111 | 89  | 72  | 88  | 37 | - |
| 2006..... | 634 | 61  | 20 | 15 | 25 | 35 | 80 | 108 | 77  | 76  | 89  | 48 | - |
| 2005..... | 669 | 57  | 32 | 26 | 28 | 32 | 74 | 118 | 106 | 74  | 76  | 45 | 1 |
| 2004..... | 674 | 66  | 25 | 25 | 26 | 37 | 67 | 117 | 92  | 92  | 85  | 42 | - |
| 2003..... | 730 | 77  | 24 | 17 | 37 | 44 | 67 | 117 | 108 | 96  | 90  | 52 | 1 |
| 2002..... | 700 | 74  | 19 | 31 | 26 | 36 | 61 | 116 | 88  | 109 | 84  | 55 | 1 |
| 2001..... | 727 | 78  | 26 | 24 | 40 | 41 | 69 | 105 | 113 | 94  | 96  | 41 | - |
| 2000..... | 758 | 91  | 36 | 30 | 15 | 43 | 72 | 100 | 90  | 108 | 123 | 50 | - |
| 1999..... | 850 | 116 | 45 | 27 | 41 | 48 | 76 | 108 | 90  | 115 | 122 | 62 | - |

All origins, male

|           |     |    |    |    |    |    |    |    |    |    |    |    |   |
|-----------|-----|----|----|----|----|----|----|----|----|----|----|----|---|
| 2007..... | 346 | 35 | 10 | 12 | 18 | 17 | 42 | 68 | 51 | 41 | 40 | 12 | - |
| 2006..... | 315 | 29 | 6  | 8  | 15 | 20 | 43 | 63 | 40 | 33 | 39 | 19 | - |
| 2005..... | 353 | 29 | 21 | 15 | 15 | 24 | 44 | 68 | 53 | 37 | 32 | 14 | 1 |
| 2004..... | 349 | 32 | 15 | 13 | 10 | 22 | 46 | 73 | 48 | 33 | 38 | 19 | - |
| 2003..... | 387 | 38 | 12 | 10 | 20 | 28 | 40 | 73 | 61 | 45 | 40 | 19 | 1 |
| 2002..... | 389 | 41 | 13 | 16 | 15 | 19 | 43 | 71 | 48 | 62 | 41 | 19 | 1 |
| 2001..... | 394 | 39 | 16 | 15 | 23 | 25 | 42 | 60 | 61 | 51 | 47 | 15 | - |
| 2000..... | 405 | 48 | 20 | 16 | 4  | 20 | 46 | 56 | 54 | 60 | 62 | 19 | - |
| 1999..... | 442 | 61 | 26 | 18 | 26 | 24 | 45 | 68 | 45 | 60 | 49 | 20 | - |

Worktable Orig290F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2007

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data - mortality"]

---

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, sex, and year

|  | All ages | Under 1 year | 1-4 years | 5-14 years | 15-24 years | 25-34 years | 35-44 years | 45-54 years | 55-64 years | 65-74 years | 75-84 years | 85 years and over | Age not stated |
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|

---

Meningitis (G00,G03)

All origins, female

|           |     |    |    |    |    |    |    |    |    |    |    |    |   |
|-----------|-----|----|----|----|----|----|----|----|----|----|----|----|---|
| 2007..... | 309 | 47 | 6  | 13 | 17 | 17 | 24 | 43 | 38 | 31 | 48 | 25 | - |
| 2006..... | 319 | 32 | 14 | 7  | 10 | 15 | 37 | 45 | 37 | 43 | 50 | 29 | - |
| 2005..... | 316 | 28 | 11 | 11 | 13 | 8  | 30 | 50 | 53 | 37 | 44 | 31 | - |
| 2004..... | 325 | 34 | 10 | 12 | 16 | 15 | 21 | 44 | 44 | 59 | 47 | 23 | - |
| 2003..... | 343 | 39 | 12 | 7  | 17 | 16 | 27 | 44 | 47 | 51 | 50 | 33 | - |
| 2002..... | 311 | 33 | 6  | 15 | 11 | 17 | 18 | 45 | 40 | 47 | 43 | 36 | - |
| 2001..... | 333 | 39 | 10 | 9  | 17 | 16 | 27 | 45 | 52 | 43 | 49 | 26 | - |
| 2000..... | 353 | 43 | 16 | 14 | 11 | 23 | 26 | 44 | 36 | 48 | 61 | 31 | - |
| 1999..... | 408 | 55 | 19 | 9  | 15 | 24 | 31 | 40 | 45 | 55 | 73 | 42 | - |

Hispanic, both sexes

|           |    |    |   |   |   |    |   |    |    |    |   |   |   |
|-----------|----|----|---|---|---|----|---|----|----|----|---|---|---|
| 2007..... | 71 | 17 | 2 | 3 | 6 | 7  | 9 | 9  | 4  | 2  | 6 | 6 | - |
| 2006..... | 62 | 10 | 6 | 1 | 6 | 5  | 6 | 5  | 8  | 7  | 5 | 3 | - |
| 2005..... | 63 | 10 | 8 | 2 | 4 | 2  | 8 | 10 | 5  | 6  | 5 | 3 | - |
| 2004..... | 74 | 8  | 3 | 2 | 5 | 5  | 8 | 15 | 11 | 11 | 4 | 2 | - |
| 2003..... | 82 | 18 | 4 | 3 | 7 | 11 | 7 | 11 | 11 | 5  | 2 | 3 | - |
| 2002..... | 70 | 8  | 5 | - | 6 | 5  | 9 | 8  | 8  | 11 | 9 | 1 | - |
| 2001..... | 58 | 8  | 4 | 3 | 3 | 4  | 7 | 6  | 7  | 6  | 8 | 2 | - |
| 2000..... | 52 | 9  | 4 | 3 | 3 | 5  | 8 | 6  | 5  | 5  | 4 | - | - |
| 1999..... | 76 | 17 | 7 | 1 | 5 | 6  | 4 | 12 | 7  | 9  | 4 | 4 | - |

Worktable Orig290F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2007

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data - mortality"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, sex, and year | All ages | Under 1 year | 1-4 years | 5-14 years | 15-24 years | 25-34 years | 35-44 years | 45-54 years | 55-64 years | 65-74 years | 75-84 years | 85 years and over | Age not stated |
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|
| <b>Meningitis (G00,G03)</b>  |          |              |           |            |             |             |             |             |             |             |             |                   |                |
| <b>Hispanic, male</b>  |          |              |           |            |             |             |             |             |             |             |             |                   |                |
| 2007.....  | 36       | 7            | 1         | 1          | 3           | 3           | 5           | 7           | 4           | 1           | 2           | 2                 | -              |
| 2006.....  | 29       | 2            | 2         | 1          | 6           | 3           | 3           | 5           | 4           | 2           | -           | 1                 | -              |
| 2005.....  | 33       | 5            | 2         | -          | 3           | 2           | 7           | 8           | 1           | 2           | 3           | -                 | -              |
| 2004.....  | 40       | 3            | 2         | 2          | 2           | 5           | 6           | 8           | 6           | 4           | 2           | -                 | -              |
| 2003.....  | 46       | 12           | 2         | 3          | 5           | 6           | 4           | 7           | 4           | 2           | -           | 1                 | -              |
| 2002.....  | 42       | 6            | 4         | -          | 5           | 3           | 5           | 5           | 4           | 6           | 3           | 1                 | -              |
| 2001.....  | 33       | 5            | 3         | 2          | 1           | 1           | 6           | 3           | 3           | 5           | 4           | -                 | -              |
| 2000.....  | 32       | 6            | 2         | 1          | 2           | 3           | 5           | 5           | 3           | 1           | 4           | -                 | -              |
| 1999.....  | 41       | 13           | 5         | 1          | 1           | 3           | 3           | 6           | 3           | 5           | -           | 1                 | -              |
| <b>Hispanic, female</b>  |          |              |           |            |             |             |             |             |             |             |             |                   |                |
| 2007.....  | 35       | 10           | 1         | 2          | 3           | 4           | 4           | 2           | -           | 1           | 4           | 4                 | -              |
| 2006.....  | 33       | 8            | 4         | -          | -           | 2           | 3           | -           | 4           | 5           | 5           | 2                 | -              |
| 2005.....  | 30       | 5            | 6         | 2          | 1           | -           | 1           | 2           | 4           | 4           | 2           | 3                 | -              |
| 2004.....  | 34       | 5            | 1         | -          | 3           | -           | 2           | 7           | 5           | 7           | 2           | 2                 | -              |
| 2003.....  | 36       | 6            | 2         | -          | 2           | 5           | 3           | 4           | 7           | 3           | 2           | 2                 | -              |
| 2002.....  | 28       | 2            | 1         | -          | 1           | 2           | 4           | 3           | 4           | 5           | 6           | -                 | -              |
| 2001.....  | 25       | 3            | 1         | 1          | 2           | 3           | 1           | 3           | 4           | 1           | 4           | 2                 | -              |
| 2000.....  | 20       | 3            | 2         | 2          | 1           | 2           | 3           | 1           | 2           | 4           | -           | -                 | -              |
| 1999.....  | 35       | 4            | 2         | -          | 4           | 3           | 1           | 6           | 4           | 4           | 4           | 3                 | -              |

Worktable Orig290F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2007

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data - mortality"]

---

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, sex, and year

|  | All ages | Under 1 year | 1-4 years | 5-14 years | 15-24 years | 25-34 years | 35-44 years | 45-54 years | 55-64 years | 65-74 years | 75-84 years | 85 years and over | Age not stated |
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|

---

Meningitis (G00,G03)

Non-Hispanic 1/, both sexes

|           |     |    |    |    |    |    |    |     |     |     |     |    |   |
|-----------|-----|----|----|----|----|----|----|-----|-----|-----|-----|----|---|
| 2007..... | 583 | 65 | 14 | 22 | 29 | 26 | 57 | 102 | 85  | 70  | 82  | 31 | - |
| 2006..... | 569 | 51 | 14 | 14 | 19 | 30 | 73 | 103 | 69  | 69  | 82  | 45 | - |
| 2005..... | 602 | 47 | 24 | 24 | 24 | 30 | 66 | 105 | 100 | 68  | 71  | 42 | 1 |
| 2004..... | 600 | 58 | 22 | 23 | 21 | 32 | 59 | 102 | 81  | 81  | 81  | 40 | - |
| 2003..... | 646 | 59 | 20 | 14 | 30 | 33 | 60 | 105 | 97  | 91  | 88  | 49 | - |
| 2002..... | 625 | 66 | 14 | 31 | 20 | 31 | 51 | 107 | 79  | 98  | 73  | 54 | 1 |
| 2001..... | 666 | 70 | 22 | 21 | 37 | 37 | 62 | 98  | 106 | 88  | 88  | 37 | - |
| 2000..... | 705 | 82 | 32 | 27 | 12 | 37 | 64 | 94  | 85  | 103 | 119 | 50 | - |
| 1999..... | 767 | 97 | 38 | 25 | 34 | 42 | 71 | 96  | 82  | 106 | 118 | 58 | - |

Non-Hispanic 1/, male

|           |     |    |    |    |    |    |    |    |    |    |    |    |   |
|-----------|-----|----|----|----|----|----|----|----|----|----|----|----|---|
| 2007..... | 310 | 28 | 9  | 11 | 15 | 14 | 37 | 61 | 47 | 40 | 38 | 10 | - |
| 2006..... | 284 | 27 | 4  | 7  | 9  | 17 | 39 | 58 | 36 | 31 | 38 | 18 | - |
| 2005..... | 317 | 24 | 19 | 15 | 12 | 22 | 37 | 58 | 51 | 35 | 29 | 14 | 1 |
| 2004..... | 309 | 29 | 13 | 11 | 8  | 17 | 40 | 65 | 42 | 29 | 36 | 19 | - |
| 2003..... | 339 | 26 | 10 | 7  | 15 | 22 | 36 | 65 | 57 | 43 | 40 | 18 | - |
| 2002..... | 344 | 35 | 9  | 16 | 10 | 16 | 37 | 66 | 43 | 56 | 37 | 18 | 1 |
| 2001..... | 361 | 34 | 13 | 13 | 22 | 24 | 36 | 57 | 58 | 46 | 43 | 15 | - |
| 2000..... | 372 | 42 | 18 | 15 | 2  | 16 | 41 | 51 | 51 | 59 | 58 | 19 | - |
| 1999..... | 396 | 48 | 21 | 16 | 23 | 21 | 41 | 62 | 41 | 55 | 49 | 19 | - |

Worktable Orig290F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2007

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data - mortality"]

---

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, sex, and year

|  | All ages | Under 1 year | 1-4 years | 5-14 years | 15-24 years | 25-34 years | 35-44 years | 45-54 years | 55-64 years | 65-74 years | 75-84 years | 85 years and over | Age not stated |
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|

---

Meningitis (G00,G03)

Non-Hispanic 1/, female

|           |     |    |    |    |    |    |    |    |    |    |    |    |   |
|-----------|-----|----|----|----|----|----|----|----|----|----|----|----|---|
| 2007..... | 273 | 37 | 5  | 11 | 14 | 12 | 20 | 41 | 38 | 30 | 44 | 21 | - |
| 2006..... | 285 | 24 | 10 | 7  | 10 | 13 | 34 | 45 | 33 | 38 | 44 | 27 | - |
| 2005..... | 285 | 23 | 5  | 9  | 12 | 8  | 29 | 47 | 49 | 33 | 42 | 28 | - |
| 2004..... | 291 | 29 | 9  | 12 | 13 | 15 | 19 | 37 | 39 | 52 | 45 | 21 | - |
| 2003..... | 307 | 33 | 10 | 7  | 15 | 11 | 24 | 40 | 40 | 48 | 48 | 31 | - |
| 2002..... | 281 | 31 | 5  | 15 | 10 | 15 | 14 | 41 | 36 | 42 | 36 | 36 | - |
| 2001..... | 305 | 36 | 9  | 8  | 15 | 13 | 26 | 41 | 48 | 42 | 45 | 22 | - |
| 2000..... | 333 | 40 | 14 | 12 | 10 | 21 | 23 | 43 | 34 | 44 | 61 | 31 | - |
| 1999..... | 371 | 49 | 17 | 9  | 11 | 21 | 30 | 34 | 41 | 51 | 69 | 39 | - |

Non-Hispanic white, both sexes

|              |     |    |    |    |    |    |    |    |    |    |     |    |   |
|--------------|-----|----|----|----|----|----|----|----|----|----|-----|----|---|
| 2007 2/..... | 428 | 35 | 10 | 16 | 17 | 22 | 43 | 68 | 59 | 55 | 74  | 29 | - |
| 2006 2/..... | 425 | 35 | 10 | 6  | 11 | 23 | 42 | 80 | 48 | 58 | 70  | 42 | - |
| 2005 2/..... | 433 | 26 | 12 | 16 | 17 | 18 | 41 | 76 | 77 | 54 | 58  | 37 | 1 |
| 2004 2/..... | 417 | 38 | 16 | 17 | 14 | 14 | 41 | 62 | 57 | 58 | 65  | 35 | - |
| 2003 2/..... | 444 | 35 | 14 | 10 | 18 | 15 | 36 | 68 | 61 | 71 | 77  | 39 | - |
| 2002.....    | 427 | 44 | 10 | 20 | 12 | 15 | 30 | 62 | 49 | 77 | 58  | 49 | 1 |
| 2001.....    | 469 | 39 | 15 | 15 | 24 | 25 | 33 | 66 | 77 | 73 | 74  | 28 | - |
| 2000.....    | 486 | 47 | 19 | 18 | 7  | 20 | 36 | 65 | 60 | 74 | 100 | 40 | - |
| 1999.....    | 524 | 51 | 26 | 18 | 15 | 28 | 45 | 60 | 63 | 80 | 92  | 46 | - |

Worktable Orig290F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2007

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data - mortality"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, sex, and year | All ages | Under 1 year | 1-4 years | 5-14 years | 15-24 years | 25-34 years | 35-44 years | 45-54 years | 55-64 years | 65-74 years | 75-84 years | 85 years and over | Age not stated |
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|
| <b>Meningitis (G00,G03)</b>  |          |              |           |            |             |             |             |             |             |             |             |                   |                |
| <b>Non-Hispanic white, male</b>  |          |              |           |            |             |             |             |             |             |             |             |                   |                |
| 2007 2/.....   | 222      | 13           | 6         | 6          | 9           | 11          | 25          | 42          | 34          | 32          | 34          | 10                | -              |
| 2006 2/.....   | 212      | 18           | 3         | 4          | 7           | 13          | 21          | 44          | 22          | 26          | 37          | 17                | -              |
| 2005 2/.....   | 228      | 13           | 11        | 9          | 10          | 12          | 23          | 45          | 39          | 28          | 25          | 12                | 1              |
| 2004 2/.....   | 220      | 22           | 10        | 9          | 5           | 8           | 28          | 43          | 26          | 21          | 30          | 18                | -              |
| 2003 2/.....   | 247      | 21           | 7         | 6          | 11          | 11          | 22          | 43          | 39          | 35          | 37          | 15                | -              |
| 2002.....  | 227      | 23           | 6         | 11         | 5           | 6           | 20          | 37          | 27          | 45          | 32          | 14                | 1              |
| 2001.....  | 243      | 17           | 10        | 8          | 12          | 17          | 18          | 38          | 42          | 37          | 35          | 9                 | -              |
| 2000.....  | 264      | 27           | 12        | 9          | 1           | 7           | 22          | 38          | 39          | 47          | 48          | 14                | -              |
| 1999.....  | 265      | 33           | 15        | 11         | 10          | 10          | 24          | 35          | 33          | 41          | 38          | 15                | -              |
| <b>Non-Hispanic white, female</b>  |          |              |           |            |             |             |             |             |             |             |             |                   |                |
| 2007 2/.....   | 206      | 22           | 4         | 10         | 8           | 11          | 18          | 26          | 25          | 23          | 40          | 19                | -              |
| 2006 2/.....   | 213      | 17           | 7         | 2          | 4           | 10          | 21          | 36          | 26          | 32          | 33          | 25                | -              |
| 2005 2/.....   | 205      | 13           | 1         | 7          | 7           | 6           | 18          | 31          | 38          | 26          | 33          | 25                | -              |
| 2004 2/.....   | 197      | 16           | 6         | 8          | 9           | 6           | 13          | 19          | 31          | 37          | 35          | 17                | -              |
| 2003 2/.....   | 197      | 14           | 7         | 4          | 7           | 4           | 14          | 25          | 22          | 36          | 40          | 24                | -              |
| 2002.....  | 200      | 21           | 4         | 9          | 7           | 9           | 10          | 25          | 22          | 32          | 26          | 35                | -              |
| 2001.....  | 226      | 22           | 5         | 7          | 12          | 8           | 15          | 28          | 35          | 36          | 39          | 19                | -              |
| 2000.....  | 222      | 20           | 7         | 9          | 6           | 13          | 14          | 27          | 21          | 27          | 52          | 26                | -              |
| 1999.....  | 259      | 18           | 11        | 7          | 5           | 18          | 21          | 25          | 30          | 39          | 54          | 31                | -              |



Worktable Orig290F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2007

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data - mortality"]

---

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, sex, and year

|  | All ages | Under 1 year | 1-4 years | 5-14 years | 15-24 years | 25-34 years | 35-44 years | 45-54 years | 55-64 years | 65-74 years | 75-84 years | 85 years and over | Age not stated |
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|

---

Meningitis (G00,G03)

Non-Hispanic black, both sexes

|              |     |    |    |    |    |    |    |    |    |    |    |    |   |
|--------------|-----|----|----|----|----|----|----|----|----|----|----|----|---|
| 2007 2/..... | 132 | 23 | 3  | 5  | 9  | 4  | 13 | 29 | 23 | 14 | 7  | 2  | - |
| 2006 2/..... | 128 | 15 | 3  | 8  | 8  | 7  | 25 | 20 | 21 | 8  | 10 | 3  | - |
| 2005 2/..... | 141 | 17 | 6  | 7  | 5  | 11 | 22 | 28 | 19 | 13 | 8  | 5  | - |
| 2004 2/..... | 158 | 17 | 5  | 6  | 5  | 15 | 18 | 36 | 21 | 19 | 13 | 3  | - |
| 2003 2/..... | 183 | 22 | 5  | 3  | 12 | 18 | 22 | 31 | 35 | 18 | 8  | 9  | - |
| 2002.....    | 175 | 20 | 4  | 10 | 6  | 15 | 19 | 40 | 23 | 21 | 13 | 4  | - |
| 2001.....    | 172 | 29 | 5  | 4  | 10 | 11 | 26 | 30 | 25 | 13 | 11 | 8  | - |
| 2000.....    | 202 | 34 | 13 | 9  | 5  | 17 | 27 | 26 | 22 | 27 | 13 | 9  | - |
| 1999.....    | 217 | 40 | 11 | 7  | 17 | 11 | 21 | 35 | 18 | 21 | 24 | 12 | - |

Non-Hispanic black, male

|              |     |    |   |   |    |    |    |    |    |    |    |   |   |
|--------------|-----|----|---|---|----|----|----|----|----|----|----|---|---|
| 2007 2/..... | 77  | 12 | 3 | 4 | 5  | 3  | 11 | 17 | 12 | 7  | 3  | - | - |
| 2006 2/..... | 64  | 9  | - | 3 | 2  | 4  | 15 | 12 | 14 | 3  | 1  | 1 | - |
| 2005 2/..... | 75  | 8  | 3 | 6 | 1  | 9  | 13 | 13 | 10 | 7  | 3  | 2 | - |
| 2004 2/..... | 76  | 7  | 2 | 2 | 2  | 7  | 12 | 20 | 13 | 6  | 5  | - | - |
| 2003 2/..... | 82  | 5  | 2 | 1 | 4  | 11 | 12 | 17 | 18 | 8  | 2  | 2 | - |
| 2002.....    | 105 | 11 | 3 | 5 | 5  | 9  | 15 | 26 | 12 | 11 | 5  | 3 | - |
| 2001.....    | 104 | 16 | 2 | 3 | 8  | 6  | 17 | 18 | 14 | 8  | 6  | 6 | - |
| 2000.....    | 100 | 15 | 6 | 6 | 1  | 9  | 18 | 11 | 11 | 11 | 7  | 5 | - |
| 1999.....    | 119 | 13 | 6 | 5 | 11 | 9  | 14 | 27 | 8  | 12 | 10 | 4 | - |

Worktable Orig290F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2007

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data - mortality"]

---

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, sex, and year

|  | All ages | Under 1 year | 1-4 years | 5-14 years | 15-24 years | 25-34 years | 35-44 years | 45-54 years | 55-64 years | 65-74 years | 75-84 years | 85 years and over | Age not stated |
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|

---

Meningitis (G00,G03)

Non-Hispanic black, female

|              |     |    |   |   |   |   |    |    |    |    |    |   |   |
|--------------|-----|----|---|---|---|---|----|----|----|----|----|---|---|
| 2007 2/..... | 55  | 11 | - | 1 | 4 | 1 | 2  | 12 | 11 | 7  | 4  | 2 | - |
| 2006 2/..... | 64  | 6  | 3 | 5 | 6 | 3 | 10 | 8  | 7  | 5  | 9  | 2 | - |
| 2005 2/..... | 66  | 9  | 3 | 1 | 4 | 2 | 9  | 15 | 9  | 6  | 5  | 3 | - |
| 2004 2/..... | 82  | 10 | 3 | 4 | 3 | 8 | 6  | 16 | 8  | 13 | 8  | 3 | - |
| 2003 2/..... | 101 | 17 | 3 | 2 | 8 | 7 | 10 | 14 | 17 | 10 | 6  | 7 | - |
| 2002.....    | 70  | 9  | 1 | 5 | 1 | 6 | 4  | 14 | 11 | 10 | 8  | 1 | - |
| 2001.....    | 68  | 13 | 3 | 1 | 2 | 5 | 9  | 12 | 11 | 5  | 5  | 2 | - |
| 2000.....    | 102 | 19 | 7 | 3 | 4 | 8 | 9  | 15 | 11 | 16 | 6  | 4 | - |
| 1999.....    | 98  | 27 | 5 | 2 | 6 | 2 | 7  | 8  | 10 | 9  | 14 | 8 | - |

Origin not stated 3/, both sexes

|           |   |   |   |   |   |   |   |   |   |   |   |   |   |
|-----------|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 2007..... | 1 | - | - | - | - | 1 | - | - | - | - | - | - | - |
| 2006..... | 3 | - | - | - | - | - | 1 | - | - | - | 2 | - | - |
| 2005..... | 4 | - | - | - | - | - | - | 3 | 1 | - | - | - | - |
| 2004..... | - | - | - | - | - | - | - | - | - | - | - | - | - |
| 2003..... | 2 | - | - | - | - | - | - | 1 | - | - | - | - | 1 |
| 2002..... | 5 | - | - | - | - | - | 1 | 1 | 1 | - | 2 | - | - |
| 2001..... | 3 | - | - | - | - | - | - | 1 | - | - | - | 2 | - |
| 2000..... | 1 | - | - | - | - | 1 | - | - | - | - | - | - | - |
| 1999..... | 7 | 2 | - | 1 | 2 | - | 1 | - | 1 | - | - | - | - |



Worktable Orig290F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2007

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data - mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, sex, and year

|                               | All ages | Under 1 year | 1-4 years | 5-14 years | 15-24 years | 25-34 years | 35-44 years | 45-54 years | 55-64 years | 65-74 years | 75-84 years | 85 years and over | Age not stated |
|-------------------------------|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|
| Parkinson's disease (G20-G21) |          |              |           |            |             |             |             |             |             |             |             |                   |                |
| All origins, both sexes       |          |              |           |            |             |             |             |             |             |             |             |                   |                |
| 2007.....                     | 20,058   | -            | -         | -          | 2           | 2           | 12          | 60          | 396         | 2,310       | 9,363       | 7,911             | 2              |
| 2006.....                     | 19,566   | 1            | 1         | -          | 2           | 4           | 15          | 66          | 397         | 2,310       | 9,101       | 7,669             | -              |
| 2005.....                     | 19,544   | -            | -         | -          | 3           | 4           | 7           | 66          | 434         | 2,414       | 9,294       | 7,322             | -              |
| 2004.....                     | 17,989   | -            | 1         | -          | 1           | 2           | 8           | 64          | 349         | 2,214       | 8,752       | 6,598             | -              |
| 2003.....                     | 17,997   | 1            | -         | 1          | -           | 2           | 11          | 64          | 352         | 2,330       | 8,723       | 6,513             | -              |
| 2002.....                     | 16,959   | -            | -         | -          | -           | -           | 6           | 58          | 318         | 2,226       | 8,139       | 6,212             | -              |
| 2001.....                     | 16,544   | -            | -         | -          | -           | 2           | 15          | 45          | 301         | 2,147       | 8,125       | 5,909             | -              |
| 2000.....                     | 15,682   | -            | 1         | -          | -           | 4           | 7           | 49          | 270         | 2,108       | 7,652       | 5,590             | 1              |
| 1999.....                     | 14,593   | 1            | -         | -          | 2           | 2           | 5           | 43          | 242         | 2,020       | 7,110       | 5,168             | -              |
| All origins, male             |          |              |           |            |             |             |             |             |             |             |             |                   |                |
| 2007.....                     | 11,554   | -            | -         | -          | 1           | 1           | 9           | 38          | 251         | 1,507       | 5,694       | 4,051             | 2              |
| 2006.....                     | 11,300   | 1            | -         | -          | 1           | 2           | 10          | 45          | 262         | 1,522       | 5,546       | 3,911             | -              |
| 2005.....                     | 11,247   | -            | -         | -          | 3           | 2           | 3           | 44          | 275         | 1,596       | 5,658       | 3,666             | -              |
| 2004.....                     | 10,366   | -            | -         | -          | 1           | 2           | 6           | 49          | 227         | 1,457       | 5,306       | 3,318             | -              |
| 2003.....                     | 10,180   | 1            | -         | -          | -           | -           | 6           | 33          | 219         | 1,517       | 5,191       | 3,213             | -              |
| 2002.....                     | 9,593    | -            | -         | -          | -           | -           | 3           | 40          | 193         | 1,487       | 4,811       | 3,059             | -              |
| 2001.....                     | 9,405    | -            | -         | -          | -           | 1           | 11          | 33          | 214         | 1,394       | 4,837       | 2,915             | -              |
| 2000.....                     | 8,804    | -            | -         | -          | -           | 3           | 5           | 29          | 170         | 1,338       | 4,530       | 2,728             | 1              |
| 1999.....                     | 8,262    | -            | -         | -          | 2           | 2           | 3           | 30          | 161         | 1,303       | 4,307       | 2,454             | -              |

Worktable Orig290F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2007

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data - mortality"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, sex, and year | All ages | Under 1 year | 1-4 years | 5-14 years | 15-24 years | 25-34 years | 35-44 years | 45-54 years | 55-64 years | 65-74 years | 75-84 years | 85 years and over | Age not stated |
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|
| Parkinson's disease (G20-G21)  |          |              |           |            |             |             |             |             |             |             |             |                   |                |
| All origins, female  |          |              |           |            |             |             |             |             |             |             |             |                   |                |
| 2007.....  | 8,504    | -            | -         | -          | 1           | 1           | 3           | 22          | 145         | 803         | 3,669       | 3,860             | -              |
| 2006.....  | 8,266    | -            | 1         | -          | 1           | 2           | 5           | 21          | 135         | 788         | 3,555       | 3,758             | -              |
| 2005.....  | 8,297    | -            | -         | -          | -           | 2           | 4           | 22          | 159         | 818         | 3,636       | 3,656             | -              |
| 2004.....  | 7,623    | -            | 1         | -          | -           | -           | 2           | 15          | 122         | 757         | 3,446       | 3,280             | -              |
| 2003.....  | 7,817    | -            | -         | 1          | -           | 2           | 5           | 31          | 133         | 813         | 3,532       | 3,300             | -              |
| 2002.....  | 7,366    | -            | -         | -          | -           | -           | 3           | 18          | 125         | 739         | 3,328       | 3,153             | -              |
| 2001.....  | 7,139    | -            | -         | -          | -           | 1           | 4           | 12          | 87          | 753         | 3,288       | 2,994             | -              |
| 2000.....  | 6,878    | -            | 1         | -          | -           | 1           | 2           | 20          | 100         | 770         | 3,122       | 2,862             | -              |
| 1999.....  | 6,331    | 1            | -         | -          | -           | -           | 2           | 13          | 81          | 717         | 2,803       | 2,714             | -              |
| Hispanic, both sexes   |          |              |           |            |             |             |             |             |             |             |             |                   |                |
| 2007.....  | 771      | -            | -         | -          | 1           | -           | -           | 3           | 24          | 118         | 411         | 214               | -              |
| 2006.....  | 705      | -            | -         | -          | -           | -           | 1           | 4           | 19          | 122         | 319         | 240               | -              |
| 2005.....  | 726      | -            | -         | -          | 2           | -           | 1           | 7           | 21          | 119         | 354         | 222               | -              |
| 2004.....  | 594      | -            | -         | -          | -           | 1           | -           | 2           | 23          | 87          | 302         | 179               | -              |
| 2003.....  | 521      | -            | -         | -          | -           | -           | 1           | 1           | 15          | 96          | 258         | 150               | -              |
| 2002.....  | 491      | -            | -         | -          | -           | -           | 1           | 6           | 21          | 102         | 223         | 138               | -              |
| 2001.....  | 483      | -            | -         | -          | -           | 1           | -           | 3           | 13          | 98          | 230         | 138               | -              |
| 2000.....  | 425      | -            | -         | -          | -           | -           | -           | 5           | 15          | 84          | 191         | 130               | -              |
| 1999.....  | 389      | -            | -         | -          | -           | -           | 1           | 2           | 8           | 84          | 184         | 110               | -              |

Worktable Orig290F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2007

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data - mortality"]

---

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, sex, and year

|  | All ages | Under 1 year | 1-4 years | 5-14 years | 15-24 years | 25-34 years | 35-44 years | 45-54 years | 55-64 years | 65-74 years | 75-84 years | 85 years and over | Age not stated |
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|

---

Parkinson's disease (G20-G21)

| Hispanic, male   |     |   |   |   |   |   |   |   |    |    |     |     |   |
|------------------|-----|---|---|---|---|---|---|---|----|----|-----|-----|---|
| 2007.....        | 442 | - | - | - | 1 | - | - | 2 | 19 | 70 | 245 | 105 | - |
| 2006.....        | 423 | - | - | - | - | - | 1 | 3 | 11 | 72 | 202 | 134 | - |
| 2005.....        | 418 | - | - | - | 2 | - | 1 | 2 | 9  | 80 | 213 | 111 | - |
| 2004.....        | 348 | - | - | - | - | 1 | - | 2 | 15 | 54 | 186 | 90  | - |
| 2003.....        | 313 | - | - | - | - | - | 1 | - | 9  | 67 | 152 | 84  | - |
| 2002.....        | 281 | - | - | - | - | - | 1 | 3 | 16 | 71 | 122 | 68  | - |
| 2001.....        | 274 | - | - | - | - | 1 | - | 2 | 7  | 56 | 141 | 67  | - |
| 2000.....        | 240 | - | - | - | - | - | - | 2 | 9  | 46 | 112 | 71  | - |
| 1999.....        | 222 | - | - | - | - | - | 1 | 2 | 5  | 52 | 113 | 49  | - |
| Hispanic, female |     |   |   |   |   |   |   |   |    |    |     |     |   |
| 2007.....        | 329 | - | - | - | - | - | - | 1 | 5  | 48 | 166 | 109 | - |
| 2006.....        | 282 | - | - | - | - | - | - | 1 | 8  | 50 | 117 | 106 | - |
| 2005.....        | 308 | - | - | - | - | - | - | 5 | 12 | 39 | 141 | 111 | - |
| 2004.....        | 246 | - | - | - | - | - | - | - | 8  | 33 | 116 | 89  | - |
| 2003.....        | 208 | - | - | - | - | - | - | 1 | 6  | 29 | 106 | 66  | - |
| 2002.....        | 210 | - | - | - | - | - | - | 3 | 5  | 31 | 101 | 70  | - |
| 2001.....        | 209 | - | - | - | - | - | - | 1 | 6  | 42 | 89  | 71  | - |
| 2000.....        | 185 | - | - | - | - | - | - | 3 | 6  | 38 | 79  | 59  | - |
| 1999.....        | 167 | - | - | - | - | - | - | - | 3  | 32 | 71  | 61  | - |

Worktable Orig290F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2007

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data - mortality"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, sex, and year | All ages | Under 1 year | 1-4 years | 5-14 years | 15-24 years | 25-34 years | 35-44 years | 45-54 years | 55-64 years | 65-74 years | 75-84 years | 85 years and over | Age not stated |
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|

Parkinson's disease (G20-G21)

| Non-Hispanic 1/, both sexes |        |   |   |   |   |   |    |    |     |       |       |       |   |
|-----------------------------|--------|---|---|---|---|---|----|----|-----|-------|-------|-------|---|
| 2007.....                   | 19,276 | - | - | - | 1 | 2 | 12 | 57 | 371 | 2,191 | 8,948 | 7,692 | 2 |
| 2006.....                   | 18,841 | 1 | 1 | - | 2 | 4 | 14 | 62 | 376 | 2,184 | 8,775 | 7,422 | - |
| 2005.....                   | 18,804 | - | - | - | 1 | 4 | 6  | 59 | 411 | 2,294 | 8,934 | 7,095 | - |
| 2004.....                   | 17,368 | - | 1 | - | 1 | 1 | 8  | 62 | 324 | 2,126 | 8,434 | 6,411 | - |
| 2003.....                   | 17,443 | - | - | 1 | - | 2 | 10 | 63 | 336 | 2,232 | 8,444 | 6,355 | - |
| 2002.....                   | 16,435 | - | - | - | - | - | 5  | 52 | 296 | 2,120 | 7,899 | 6,063 | - |
| 2001.....                   | 16,019 | - | - | - | - | 1 | 15 | 41 | 288 | 2,046 | 7,873 | 5,755 | - |
| 2000.....                   | 15,223 | - | 1 | - | - | 4 | 7  | 43 | 255 | 2,020 | 7,442 | 5,450 | 1 |
| 1999.....                   | 14,177 | 1 | - | - | 2 | 2 | 4  | 41 | 234 | 1,930 | 6,917 | 5,046 | - |
| Non-Hispanic 1/, male       |        |   |   |   |   |   |    |    |     |       |       |       |   |
| 2007.....                   | 11,109 | - | - | - | - | 1 | 9  | 36 | 232 | 1,437 | 5,447 | 3,945 | 2 |
| 2006.....                   | 10,864 | 1 | - | - | 1 | 2 | 9  | 42 | 249 | 1,448 | 5,339 | 3,773 | - |
| 2005.....                   | 10,823 | - | - | - | 1 | 2 | 2  | 42 | 266 | 1,516 | 5,442 | 3,552 | - |
| 2004.....                   | 10,000 | - | - | - | 1 | 1 | 6  | 47 | 210 | 1,402 | 5,109 | 3,224 | - |
| 2003.....                   | 9,846  | - | - | - | - | - | 5  | 33 | 209 | 1,448 | 5,025 | 3,126 | - |
| 2002.....                   | 9,290  | - | - | - | - | - | 2  | 37 | 176 | 1,413 | 4,677 | 2,985 | - |
| 2001.....                   | 9,104  | - | - | - | - | - | 11 | 30 | 207 | 1,335 | 4,681 | 2,840 | - |
| 2000.....                   | 8,544  | - | - | - | - | 3 | 5  | 26 | 161 | 1,290 | 4,407 | 2,651 | 1 |
| 1999.....                   | 8,029  | - | - | - | 2 | 2 | 2  | 28 | 156 | 1,248 | 4,189 | 2,402 | - |

Worktable Orig290F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2007

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data - mortality"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, sex, and year | All ages | Under 1 year | 1-4 years | 5-14 years | 15-24 years | 25-34 years | 35-44 years | 45-54 years | 55-64 years | 65-74 years | 75-84 years | 85 years and over | Age not stated |
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|
| <b>Parkinson's disease (G20-G21)</b>   |          |              |           |            |             |             |             |             |             |             |             |                   |                |
| <b>Non-Hispanic 1/, female</b>   |          |              |           |            |             |             |             |             |             |             |             |                   |                |
| 2007.....  | 8,167    | -            | -         | -          | 1           | 1           | 3           | 21          | 139         | 754         | 3,501       | 3,747             | -              |
| 2006.....  | 7,977    | -            | 1         | -          | 1           | 2           | 5           | 20          | 127         | 736         | 3,436       | 3,649             | -              |
| 2005.....  | 7,981    | -            | -         | -          | -           | 2           | 4           | 17          | 145         | 778         | 3,492       | 3,543             | -              |
| 2004.....  | 7,368    | -            | 1         | -          | -           | -           | 2           | 15          | 114         | 724         | 3,325       | 3,187             | -              |
| 2003.....  | 7,597    | -            | -         | 1          | -           | 2           | 5           | 30          | 127         | 784         | 3,419       | 3,229             | -              |
| 2002.....  | 7,145    | -            | -         | -          | -           | -           | 3           | 15          | 120         | 707         | 3,222       | 3,078             | -              |
| 2001.....  | 6,915    | -            | -         | -          | -           | 1           | 4           | 11          | 81          | 711         | 3,192       | 2,915             | -              |
| 2000.....  | 6,679    | -            | 1         | -          | -           | 1           | 2           | 17          | 94          | 730         | 3,035       | 2,799             | -              |
| 1999.....  | 6,148    | 1            | -         | -          | -           | -           | 2           | 13          | 78          | 682         | 2,728       | 2,644             | -              |
| <b>Non-Hispanic white, both sexes</b>  |          |              |           |            |             |             |             |             |             |             |             |                   |                |
| 2007 2/.....   | 18,098   | -            | -         | -          | 1           | 1           | 11          | 51          | 327         | 2,001       | 8,421       | 7,284             | 1              |
| 2006 2/.....   | 17,806   | 1            | -         | -          | 2           | 3           | 12          | 47          | 333         | 1,996       | 8,322       | 7,090             | -              |
| 2005 2/.....   | 17,767   | -            | -         | -          | 1           | 4           | 6           | 53          | 372         | 2,105       | 8,445       | 6,781             | -              |
| 2004 2/.....   | 16,428   | -            | 1         | -          | -           | 1           | 7           | 53          | 296         | 1,988       | 7,999       | 6,083             | -              |
| 2003 2/.....   | 16,499   | -            | -         | -          | -           | 2           | 9           | 54          | 292         | 2,061       | 8,020       | 6,061             | -              |
| 2002.....  | 15,626   | -            | -         | -          | -           | -           | 2           | 48          | 269         | 1,959       | 7,545       | 5,803             | -              |
| 2001.....  | 15,239   | -            | -         | -          | -           | 1           | 11          | 36          | 257         | 1,911       | 7,521       | 5,502             | -              |
| 2000.....  | 14,497   | -            | -         | -          | -           | 3           | 4           | 36          | 236         | 1,895       | 7,106       | 5,216             | 1              |
| 1999.....  | 13,475   | 1            | -         | -          | 2           | 1           | 4           | 37          | 207         | 1,807       | 6,594       | 4,822             | -              |



Worktable Orig290F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2007

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data - mortality"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, sex, and year | All ages | Under 1 year | 1-4 years | 5-14 years | 15-24 years | 25-34 years | 35-44 years | 45-54 years | 55-64 years | 65-74 years | 75-84 years | 85 years and over | Age not stated |
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|
| Parkinson's disease (G20-G21)  |          |              |           |            |             |             |             |             |             |             |             |                   |                |
| Non-Hispanic white, male   |          |              |           |            |             |             |             |             |             |             |             |                   |                |
| 2007 2/.....   | 10,457   | -            | -         | -          | -           | -           | 9           | 33          | 209         | 1,306       | 5,154       | 3,745             | 1              |
| 2006 2/.....   | 10,277   | 1            | -         | -          | 1           | 1           | 8           | 35          | 222         | 1,324       | 5,060       | 3,625             | -              |
| 2005 2/.....   | 10,232   | -            | -         | -          | 1           | 2           | 2           | 37          | 241         | 1,392       | 5,164       | 3,393             | -              |
| 2004 2/.....   | 9,469    | -            | -         | -          | -           | 1           | 5           | 40          | 190         | 1,313       | 4,864       | 3,056             | -              |
| 2003 2/.....   | 9,303    | -            | -         | -          | -           | -           | 5           | 29          | 180         | 1,343       | 4,784       | 2,962             | -              |
| 2002.....  | 8,838    | -            | -         | -          | -           | -           | 1           | 33          | 163         | 1,312       | 4,473       | 2,856             | -              |
| 2001.....  | 8,685    | -            | -         | -          | -           | -           | 8           | 27          | 190         | 1,252       | 4,486       | 2,722             | -              |
| 2000.....  | 8,116    | -            | -         | -          | -           | 3           | 3           | 22          | 149         | 1,214       | 4,191       | 2,533             | 1              |
| 1999.....  | 7,648    | -            | -         | -          | 2           | 1           | 2           | 27          | 142         | 1,182       | 4,005       | 2,287             | -              |
| Non-Hispanic white, female   |          |              |           |            |             |             |             |             |             |             |             |                   |                |
| 2007 2/.....   | 7,641    | -            | -         | -          | 1           | 1           | 2           | 18          | 118         | 695         | 3,267       | 3,539             | -              |
| 2006 2/.....   | 7,529    | -            | -         | -          | 1           | 2           | 4           | 12          | 111         | 672         | 3,262       | 3,465             | -              |
| 2005 2/.....   | 7,535    | -            | -         | -          | -           | 2           | 4           | 16          | 131         | 713         | 3,281       | 3,388             | -              |
| 2004 2/.....   | 6,959    | -            | 1         | -          | -           | -           | 2           | 13          | 106         | 675         | 3,135       | 3,027             | -              |
| 2003 2/.....   | 7,196    | -            | -         | -          | -           | 2           | 4           | 25          | 112         | 718         | 3,236       | 3,099             | -              |
| 2002.....  | 6,788    | -            | -         | -          | -           | -           | 1           | 15          | 106         | 647         | 3,072       | 2,947             | -              |
| 2001.....  | 6,554    | -            | -         | -          | -           | 1           | 3           | 9           | 67          | 659         | 3,035       | 2,780             | -              |
| 2000.....  | 6,381    | -            | -         | -          | -           | -           | 1           | 14          | 87          | 681         | 2,915       | 2,683             | -              |
| 1999.....  | 5,827    | 1            | -         | -          | -           | -           | 2           | 10          | 65          | 625         | 2,589       | 2,535             | -              |

Worktable Orig290F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2007

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data - mortality"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, sex, and year | All ages | Under 1 year | 1-4 years | 5-14 years | 15-24 years | 25-34 years | 35-44 years | 45-54 years | 55-64 years | 65-74 years | 75-84 years | 85 years and over | Age not stated |
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|

Parkinson's disease (G20-G21)

| Non-Hispanic black, both sexes |     |   |   |   |   |   |   |    |    |     |     |     |   |
|--------------------------------|-----|---|---|---|---|---|---|----|----|-----|-----|-----|---|
| 2007 2/.....                   | 789 | - | - | - | - | 1 | - | 4  | 35 | 131 | 358 | 259 | 1 |
| 2006 2/.....                   | 676 | - | 1 | - | - | 1 | 2 | 10 | 31 | 132 | 304 | 195 | - |
| 2005 2/.....                   | 705 | - | - | - | - | - | - | 5  | 25 | 126 | 339 | 210 | - |
| 2004 2/.....                   | 623 | - | - | - | - | - | 1 | 5  | 21 | 92  | 290 | 214 | - |
| 2003 2/.....                   | 624 | - | - | 1 | - | - | 1 | 7  | 33 | 120 | 282 | 180 | - |
| 2002.....                      | 547 | - | - | - | - | - | 1 | 3  | 18 | 111 | 243 | 171 | - |
| 2001.....                      | 547 | - | - | - | - | - | 4 | 5  | 20 | 91  | 238 | 189 | - |
| 2000.....                      | 528 | - | - | - | - | 1 | 3 | 6  | 14 | 93  | 246 | 165 | - |
| 1999.....                      | 502 | - | - | - | - | - | - | 4  | 22 | 95  | 221 | 160 | - |
| Non-Hispanic black, male       |     |   |   |   |   |   |   |    |    |     |     |     |   |
| 2007 2/.....                   | 431 | - | - | - | - | 1 | - | 2  | 20 | 93  | 199 | 115 | 1 |
| 2006 2/.....                   | 378 | - | - | - | - | 1 | 1 | 6  | 19 | 88  | 185 | 78  | - |
| 2005 2/.....                   | 409 | - | - | - | - | - | - | 4  | 15 | 90  | 196 | 104 | - |
| 2004 2/.....                   | 342 | - | - | - | - | - | 1 | 5  | 15 | 60  | 156 | 105 | - |
| 2003 2/.....                   | 348 | - | - | - | - | - | - | 3  | 21 | 73  | 158 | 93  | - |
| 2002.....                      | 306 | - | - | - | - | - | - | 3  | 9  | 76  | 138 | 80  | - |
| 2001.....                      | 291 | - | - | - | - | - | 3 | 3  | 13 | 59  | 127 | 86  | - |
| 2000.....                      | 304 | - | - | - | - | - | 2 | 4  | 9  | 60  | 154 | 75  | - |
| 1999.....                      | 269 | - | - | - | - | - | - | 1  | 13 | 58  | 123 | 74  | - |

Worktable Orig290F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2007

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data - mortality"]

---

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, sex, and year

|  | All ages | Under 1 year | 1-4 years | 5-14 years | 15-24 years | 25-34 years | 35-44 years | 45-54 years | 55-64 years | 65-74 years | 75-84 years | 85 years and over | Age not stated |
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|

---

Parkinson's disease (G20-G21)

Non-Hispanic black, female

|              |     |   |   |   |   |   |   |   |    |    |     |     |   |
|--------------|-----|---|---|---|---|---|---|---|----|----|-----|-----|---|
| 2007 2/..... | 358 | - | - | - | - | - | - | 2 | 15 | 38 | 159 | 144 | - |
| 2006 2/..... | 298 | - | 1 | - | - | - | 1 | 4 | 12 | 44 | 119 | 117 | - |
| 2005 2/..... | 296 | - | - | - | - | - | - | 1 | 10 | 36 | 143 | 106 | - |
| 2004 2/..... | 281 | - | - | - | - | - | - | - | 6  | 32 | 134 | 109 | - |
| 2003 2/..... | 276 | - | - | 1 | - | - | 1 | 4 | 12 | 47 | 124 | 87  | - |
| 2002.....    | 241 | - | - | - | - | - | 1 | - | 9  | 35 | 105 | 91  | - |
| 2001.....    | 256 | - | - | - | - | - | 1 | 2 | 7  | 32 | 111 | 103 | - |
| 2000.....    | 224 | - | - | - | - | 1 | 1 | 2 | 5  | 33 | 92  | 90  | - |
| 1999.....    | 233 | - | - | - | - | - | - | 3 | 9  | 37 | 98  | 86  | - |

Origin not stated 3/, both sexes

|           |    |   |   |   |   |   |   |   |   |   |    |    |   |
|-----------|----|---|---|---|---|---|---|---|---|---|----|----|---|
| 2007..... | 11 | - | - | - | - | - | - | - | 1 | 1 | 4  | 5  | - |
| 2006..... | 20 | - | - | - | - | - | - | - | 2 | 4 | 7  | 7  | - |
| 2005..... | 14 | - | - | - | - | - | - | - | 2 | 1 | 6  | 5  | - |
| 2004..... | 27 | - | - | - | - | - | - | - | 2 | 1 | 16 | 8  | - |
| 2003..... | 33 | 1 | - | - | - | - | - | - | 1 | 2 | 21 | 8  | - |
| 2002..... | 33 | - | - | - | - | - | - | - | 1 | 4 | 17 | 11 | - |
| 2001..... | 42 | - | - | - | - | - | - | 1 | - | 3 | 22 | 16 | - |
| 2000..... | 34 | - | - | - | - | - | - | 1 | - | 4 | 19 | 10 | - |
| 1999..... | 27 | - | - | - | - | - | - | - | - | 6 | 9  | 12 | - |

Worktable Orig290F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2007

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data - mortality"]

---

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, sex, and year

|  | All ages | Under 1 year | 1-4 years | 5-14 years | 15-24 years | 25-34 years | 35-44 years | 45-54 years | 55-64 years | 65-74 years | 75-84 years | 85 years and over | Age not stated |
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|

---

Parkinson's disease (G20-G21)

| Origin not stated 3/, male |    |   |   |   |   |   |   |   |   |   |    |   |   |
|----------------------------|----|---|---|---|---|---|---|---|---|---|----|---|---|
| 2007.....                  | 3  | - | - | - | - | - | - | - | - | - | 2  | 1 | - |
| 2006.....                  | 13 | - | - | - | - | - | - | - | 2 | 2 | 5  | 4 | - |
| 2005.....                  | 6  | - | - | - | - | - | - | - | - | - | 3  | 3 | - |
| 2004.....                  | 18 | - | - | - | - | - | - | - | 2 | 1 | 11 | 4 | - |
| 2003.....                  | 21 | 1 | - | - | - | - | - | - | 1 | 2 | 14 | 3 | - |
| 2002.....                  | 22 | - | - | - | - | - | - | - | 1 | 3 | 12 | 6 | - |
| 2001.....                  | 27 | - | - | - | - | - | - | 1 | - | 3 | 15 | 8 | - |
| 2000.....                  | 20 | - | - | - | - | - | - | 1 | - | 2 | 11 | 6 | - |
| 1999.....                  | 11 | - | - | - | - | - | - | - | - | 3 | 5  | 3 | - |

  

| Origin not stated 3/, female |    |   |   |   |   |   |   |   |   |   |   |   |   |
|------------------------------|----|---|---|---|---|---|---|---|---|---|---|---|---|
| 2007.....                    | 8  | - | - | - | - | - | - | - | 1 | 1 | 2 | 4 | - |
| 2006.....                    | 7  | - | - | - | - | - | - | - | - | 2 | 2 | 3 | - |
| 2005.....                    | 8  | - | - | - | - | - | - | - | 2 | 1 | 3 | 2 | - |
| 2004.....                    | 9  | - | - | - | - | - | - | - | - | - | 5 | 4 | - |
| 2003.....                    | 12 | - | - | - | - | - | - | - | - | - | 7 | 5 | - |
| 2002.....                    | 11 | - | - | - | - | - | - | - | - | 1 | 5 | 5 | - |
| 2001.....                    | 15 | - | - | - | - | - | - | - | - | - | 7 | 8 | - |
| 2000.....                    | 14 | - | - | - | - | - | - | - | - | 2 | 8 | 4 | - |
| 1999.....                    | 16 | - | - | - | - | - | - | - | - | 3 | 4 | 9 | - |

Worktable Orig290F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2007

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data - mortality"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, sex, and year | All ages | Under 1 year | 1-4 years | 5-14 years | 15-24 years | 25-34 years | 35-44 years | 45-54 years | 55-64 years | 65-74 years | 75-84 years | 85 years and over | Age not stated |
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|
| Alzheimer's disease (G30)  |          |              |           |            |             |             |             |             |             |             |             |                   |                |
| All origins, both sexes  |          |              |           |            |             |             |             |             |             |             |             |                   |                |
| 2007.....  | 74,632   | -            | -         | -          | -           | 1           | 8           | 95          | 728         | 3,984       | 23,009      | 46,804            | 3              |
| 2006.....  | 72,432   | -            | -         | -          | -           | 1           | 12          | 104         | 655         | 3,812       | 22,915      | 44,933            | -              |
| 2005.....  | 71,599   | -            | -         | -          | -           | 2           | 10          | 80          | 648         | 3,813       | 23,139      | 43,906            | 1              |
| 2004.....  | 65,965   | -            | -         | -          | 1           | 1           | 7           | 101         | 542         | 3,641       | 21,882      | 39,790            | -              |
| 2003.....  | 63,457   | -            | -         | -          | -           | -           | 11          | 78          | 554         | 3,836       | 21,157      | 37,821            | -              |
| 2002.....  | 58,866   | -            | -         | 1          | -           | 2           | 12          | 52          | 510         | 3,602       | 20,135      | 34,552            | -              |
| 2001.....  | 53,852   | -            | -         | -          | -           | 2           | 3           | 73          | 529         | 3,422       | 18,542      | 31,281            | -              |
| 2000.....  | 49,558   | -            | -         | -          | -           | 2           | 6           | 64          | 491         | 3,431       | 17,253      | 28,309            | 2              |
| 1999.....  | 44,536   | -            | -         | -          | 1           | -           | 7           | 60          | 448         | 3,204       | 15,836      | 24,980            | -              |
| All origins, male  |          |              |           |            |             |             |             |             |             |             |             |                   |                |
| 2007.....  | 21,800   | -            | -         | -          | -           | -           | 3           | 43          | 330         | 1,694       | 8,250       | 11,479            | 1              |
| 2006.....  | 21,151   | -            | -         | -          | -           | -           | 8           | 53          | 304         | 1,709       | 8,295       | 10,782            | -              |
| 2005.....  | 20,559   | -            | -         | -          | -           | -           | 6           | 30          | 287         | 1,648       | 8,326       | 10,262            | -              |
| 2004.....  | 18,974   | -            | -         | -          | -           | 1           | 4           | 38          | 253         | 1,558       | 7,777       | 9,343             | -              |
| 2003.....  | 18,335   | -            | -         | -          | -           | -           | 4           | 34          | 243         | 1,684       | 7,606       | 8,764             | -              |
| 2002.....  | 16,989   | -            | -         | -          | -           | 2           | 8           | 27          | 228         | 1,547       | 7,227       | 7,950             | -              |
| 2001.....  | 15,762   | -            | -         | -          | -           | 2           | 3           | 38          | 228         | 1,472       | 6,795       | 7,224             | -              |
| 2000.....  | 14,438   | -            | -         | -          | -           | 1           | 4           | 34          | 210         | 1,554       | 6,228       | 6,406             | 1              |
| 1999.....  | 13,391   | -            | -         | -          | 1           | -           | 3           | 28          | 222         | 1,437       | 5,904       | 5,796             | -              |

Worktable Orig290F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2007

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data - mortality"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, sex, and year | All ages | Under 1 year | 1-4 years | 5-14 years | 15-24 years | 25-34 years | 35-44 years | 45-54 years | 55-64 years | 65-74 years | 75-84 years | 85 years and over | Age not stated |
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|
| Alzheimer's disease (G30)  |          |              |           |            |             |             |             |             |             |             |             |                   |                |
| All origins, female  |          |              |           |            |             |             |             |             |             |             |             |                   |                |
| 2007.....  | 52,832   | -            | -         | -          | -           | 1           | 5           | 52          | 398         | 2,290       | 14,759      | 35,325            | 2              |
| 2006.....  | 51,281   | -            | -         | -          | -           | 1           | 4           | 51          | 351         | 2,103       | 14,620      | 34,151            | -              |
| 2005.....  | 51,040   | -            | -         | -          | -           | 2           | 4           | 50          | 361         | 2,165       | 14,813      | 33,644            | 1              |
| 2004.....  | 46,991   | -            | -         | -          | 1           | -           | 3           | 63          | 289         | 2,083       | 14,105      | 30,447            | -              |
| 2003.....  | 45,122   | -            | -         | -          | -           | -           | 7           | 44          | 311         | 2,152       | 13,551      | 29,057            | -              |
| 2002.....  | 41,877   | -            | -         | 1          | -           | -           | 4           | 25          | 282         | 2,055       | 12,908      | 26,602            | -              |
| 2001.....  | 38,090   | -            | -         | -          | -           | -           | -           | 35          | 301         | 1,950       | 11,747      | 24,057            | -              |
| 2000.....  | 35,120   | -            | -         | -          | -           | 1           | 2           | 30          | 281         | 1,877       | 11,025      | 21,903            | 1              |
| 1999.....  | 31,145   | -            | -         | -          | -           | -           | 4           | 32          | 226         | 1,767       | 9,932       | 19,184            | -              |
| Hispanic, both sexes   |          |              |           |            |             |             |             |             |             |             |             |                   |                |
| 2007.....  | 2,471    | -            | -         | -          | -           | -           | -           | 5           | 46          | 181         | 867         | 1,372             | -              |
| 2006.....  | 2,399    | -            | -         | -          | -           | -           | 2           | 15          | 47          | 172         | 848         | 1,315             | -              |
| 2005.....  | 2,201    | -            | -         | -          | -           | -           | 2           | 7           | 32          | 172         | 801         | 1,187             | -              |
| 2004.....  | 1,897    | -            | -         | -          | 1           | -           | -           | 8           | 22          | 153         | 681         | 1,032             | -              |
| 2003.....  | 1,835    | -            | -         | -          | -           | -           | 1           | 12          | 27          | 179         | 664         | 952               | -              |
| 2002.....  | 1,474    | -            | -         | -          | -           | -           | 1           | -           | 20          | 127         | 535         | 791               | -              |
| 2001.....  | 1,239    | -            | -         | -          | -           | -           | 1           | 3           | 19          | 112         | 465         | 639               | -              |
| 2000.....  | 1,127    | -            | -         | -          | -           | -           | -           | 6           | 19          | 128         | 401         | 573               | -              |
| 1999.....  | 981      | -            | -         | -          | 1           | -           | -           | 3           | 14          | 100         | 362         | 501               | -              |

Worktable Orig290F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2007

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data - mortality"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, sex, and year | All ages | Under 1 year | 1-4 years | 5-14 years | 15-24 years | 25-34 years | 35-44 years | 45-54 years | 55-64 years | 65-74 years | 75-84 years | 85 years and over | Age not stated |
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|
| Alzheimer's disease (G30)  |          |              |           |            |             |             |             |             |             |             |             |                   |                |
| Hispanic, male   |          |              |           |            |             |             |             |             |             |             |             |                   |                |
| 2007.....  | 801      | -            | -         | -          | -           | -           | -           | 1           | 16          | 85          | 315         | 384               | -              |
| 2006.....  | 812      | -            | -         | -          | -           | -           | 2           | 5           | 26          | 81          | 339         | 359               | -              |
| 2005.....  | 764      | -            | -         | -          | -           | -           | 1           | 1           | 12          | 82          | 337         | 331               | -              |
| 2004.....  | 606      | -            | -         | -          | -           | -           | -           | 4           | 10          | 65          | 260         | 267               | -              |
| 2003.....  | 633      | -            | -         | -          | -           | -           | -           | 6           | 11          | 75          | 264         | 277               | -              |
| 2002.....  | 464      | -            | -         | -          | -           | -           | 1           | -           | 8           | 55          | 196         | 204               | -              |
| 2001.....  | 401      | -            | -         | -          | -           | -           | 1           | 3           | 6           | 44          | 186         | 161               | -              |
| 2000.....  | 383      | -            | -         | -          | -           | -           | -           | 4           | 9           | 63          | 166         | 141               | -              |
| 1999.....  | 314      | -            | -         | -          | 1           | -           | -           | -           | 5           | 51          | 128         | 129               | -              |
| Hispanic, female   |          |              |           |            |             |             |             |             |             |             |             |                   |                |
| 2007.....  | 1,670    | -            | -         | -          | -           | -           | -           | 4           | 30          | 96          | 552         | 988               | -              |
| 2006.....  | 1,587    | -            | -         | -          | -           | -           | -           | 10          | 21          | 91          | 509         | 956               | -              |
| 2005.....  | 1,437    | -            | -         | -          | -           | -           | 1           | 6           | 20          | 90          | 464         | 856               | -              |
| 2004.....  | 1,291    | -            | -         | -          | 1           | -           | -           | 4           | 12          | 88          | 421         | 765               | -              |
| 2003.....  | 1,202    | -            | -         | -          | -           | -           | 1           | 6           | 16          | 104         | 400         | 675               | -              |
| 2002.....  | 1,010    | -            | -         | -          | -           | -           | -           | -           | 12          | 72          | 339         | 587               | -              |
| 2001.....  | 838      | -            | -         | -          | -           | -           | -           | -           | 13          | 68          | 279         | 478               | -              |
| 2000.....  | 744      | -            | -         | -          | -           | -           | -           | 2           | 10          | 65          | 235         | 432               | -              |
| 1999.....  | 667      | -            | -         | -          | -           | -           | -           | 3           | 9           | 49          | 234         | 372               | -              |

Worktable Orig290F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2007

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data - mortality"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, sex, and year | All ages | Under 1 year | 1-4 years | 5-14 years | 15-24 years | 25-34 years | 35-44 years | 45-54 years | 55-64 years | 65-74 years | 75-84 years | 85 years and over | Age not stated |
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|
| <b>Alzheimer's disease (G30)</b>   |          |              |           |            |             |             |             |             |             |             |             |                   |                |
| <b>Non-Hispanic 1/, both sexes</b>   |          |              |           |            |             |             |             |             |             |             |             |                   |                |
| 2007.....  | 72,101   | -            | -         | -          | -           | 1           | 8           | 90          | 682         | 3,797       | 22,128      | 45,392            | 3              |
| 2006.....  | 69,948   | -            | -         | -          | -           | 1           | 10          | 89          | 608         | 3,630       | 22,040      | 43,570            | -              |
| 2005.....  | 69,315   | -            | -         | -          | -           | 2           | 8           | 73          | 613         | 3,637       | 22,314      | 42,667            | 1              |
| 2004.....  | 63,981   | -            | -         | -          | -           | 1           | 7           | 93          | 519         | 3,477       | 21,173      | 38,711            | -              |
| 2003.....  | 61,506   | -            | -         | -          | -           | -           | 10          | 66          | 525         | 3,647       | 20,459      | 36,799            | -              |
| 2002.....  | 57,246   | -            | -         | 1          | -           | 2           | 11          | 52          | 488         | 3,463       | 19,552      | 33,677            | -              |
| 2001.....  | 52,516   | -            | -         | -          | -           | 2           | 2           | 70          | 509         | 3,305       | 18,051      | 30,577            | -              |
| 2000.....  | 48,331   | -            | -         | -          | -           | 2           | 6           | 58          | 469         | 3,296       | 16,829      | 27,670            | 1              |
| 1999.....  | 43,471   | -            | -         | -          | -           | -           | 7           | 57          | 434         | 3,099       | 15,447      | 24,427            | -              |
| <b>Non-Hispanic 1/, male</b>   |          |              |           |            |             |             |             |             |             |             |             |                   |                |
| 2007.....  | 20,976   | -            | -         | -          | -           | -           | 3           | 42          | 314         | 1,605       | 7,928       | 11,083            | 1              |
| 2006.....  | 20,315   | -            | -         | -          | -           | -           | 6           | 48          | 278         | 1,623       | 7,945       | 10,415            | -              |
| 2005.....  | 19,764   | -            | -         | -          | -           | -           | 5           | 29          | 274         | 1,562       | 7,977       | 9,917             | -              |
| 2004.....  | 18,345   | -            | -         | -          | -           | 1           | 4           | 34          | 242         | 1,490       | 7,507       | 9,067             | -              |
| 2003.....  | 17,666   | -            | -         | -          | -           | -           | 4           | 28          | 231         | 1,603       | 7,332       | 8,468             | -              |
| 2002.....  | 16,491   | -            | -         | -          | -           | 2           | 7           | 27          | 220         | 1,487       | 7,015       | 7,733             | -              |
| 2001.....  | 15,334   | -            | -         | -          | -           | 2           | 2           | 35          | 222         | 1,427       | 6,600       | 7,046             | -              |
| 2000.....  | 14,034   | -            | -         | -          | -           | 1           | 4           | 30          | 200         | 1,489       | 6,058       | 6,252             | -              |
| 1999.....  | 13,052   | -            | -         | -          | -           | -           | 3           | 28          | 217         | 1,384       | 5,768       | 5,652             | -              |



Worktable Orig290F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2007

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data - mortality"]

---

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, sex, and year

|  | All ages | Under 1 year | 1-4 years | 5-14 years | 15-24 years | 25-34 years | 35-44 years | 45-54 years | 55-64 years | 65-74 years | 75-84 years | 85 years and over | Age not stated |
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|

---

Alzheimer's disease (G30)

Non-Hispanic 1/, female

|           |        |   |   |   |   |   |   |    |     |       |        |        |   |
|-----------|--------|---|---|---|---|---|---|----|-----|-------|--------|--------|---|
| 2007..... | 51,125 | - | - | - | - | 1 | 5 | 48 | 368 | 2,192 | 14,200 | 34,309 | 2 |
| 2006..... | 49,633 | - | - | - | - | 1 | 4 | 41 | 330 | 2,007 | 14,095 | 33,155 | - |
| 2005..... | 49,551 | - | - | - | - | 2 | 3 | 44 | 339 | 2,075 | 14,337 | 32,750 | 1 |
| 2004..... | 45,636 | - | - | - | - | - | 3 | 59 | 277 | 1,987 | 13,666 | 29,644 | - |
| 2003..... | 43,840 | - | - | - | - | - | 6 | 38 | 294 | 2,044 | 13,127 | 28,331 | - |
| 2002..... | 40,755 | - | - | 1 | - | - | 4 | 25 | 268 | 1,976 | 12,537 | 25,944 | - |
| 2001..... | 37,182 | - | - | - | - | - | - | 35 | 287 | 1,878 | 11,451 | 23,531 | - |
| 2000..... | 34,297 | - | - | - | - | 1 | 2 | 28 | 269 | 1,807 | 10,771 | 21,418 | 1 |
| 1999..... | 30,419 | - | - | - | - | - | 4 | 29 | 217 | 1,715 | 9,679  | 18,775 | - |

Non-Hispanic white, both sexes

|              |        |   |   |   |   |   |    |    |     |       |        |        |   |
|--------------|--------|---|---|---|---|---|----|----|-----|-------|--------|--------|---|
| 2007 2/..... | 66,453 | - | - | - | - | 1 | 6  | 81 | 630 | 3,380 | 20,248 | 42,105 | 2 |
| 2006 2/..... | 64,660 | - | - | - | - | 1 | 7  | 79 | 553 | 3,253 | 20,273 | 40,494 | - |
| 2005 2/..... | 63,958 | - | - | - | - | 2 | 8  | 66 | 559 | 3,208 | 20,469 | 39,646 | - |
| 2004 2/..... | 59,153 | - | - | - | - | 1 | 6  | 89 | 472 | 3,107 | 19,438 | 36,040 | - |
| 2003 2/..... | 57,268 | - | - | - | - | - | 10 | 62 | 489 | 3,269 | 18,937 | 34,501 | - |
| 2002.....    | 53,486 | - | - | 1 | - | 1 | 6  | 49 | 448 | 3,149 | 18,227 | 31,605 | - |
| 2001.....    | 49,030 | - | - | - | - | 2 | 2  | 64 | 480 | 3,020 | 16,742 | 28,720 | - |
| 2000.....    | 45,246 | - | - | - | - | 2 | 6  | 50 | 428 | 3,004 | 15,704 | 26,052 | - |
| 1999.....    | 40,835 | - | - | - | - | - | 5  | 51 | 399 | 2,821 | 14,453 | 23,106 | - |

Worktable Orig290F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2007

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data - mortality"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, sex, and year | All ages | Under 1 year | 1-4 years | 5-14 years | 15-24 years | 25-34 years | 35-44 years | 45-54 years | 55-64 years | 65-74 years | 75-84 years | 85 years and over | Age not stated |
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|
| Alzheimer's disease (G30)  |          |              |           |            |             |             |             |             |             |             |             |                   |                |
| Non-Hispanic white, male   |          |              |           |            |             |             |             |             |             |             |             |                   |                |
| 2007 2/.....   | 19,378   | -            | -         | -          | -           | -           | 3           | 39          | 286         | 1,436       | 7,290       | 10,324            | -              |
| 2006 2/.....   | 18,844   | -            | -         | -          | -           | -           | 5           | 45          | 254         | 1,462       | 7,363       | 9,715             | -              |
| 2005 2/.....   | 18,208   | -            | -         | -          | -           | -           | 5           | 25          | 253         | 1,380       | 7,326       | 9,219             | -              |
| 2004 2/.....   | 16,989   | -            | -         | -          | -           | 1           | 3           | 33          | 221         | 1,335       | 6,945       | 8,451             | -              |
| 2003 2/.....   | 16,427   | -            | -         | -          | -           | -           | 4           | 26          | 212         | 1,443       | 6,796       | 7,946             | -              |
| 2002.....  | 15,399   | -            | -         | -          | -           | 1           | 4           | 24          | 203         | 1,353       | 6,544       | 7,270             | -              |
| 2001.....  | 14,295   | -            | -         | -          | -           | 2           | 2           | 31          | 205         | 1,305       | 6,137       | 6,613             | -              |
| 2000.....  | 13,123   | -            | -         | -          | -           | 1           | 4           | 25          | 183         | 1,367       | 5,686       | 5,857             | -              |
| 1999.....  | 12,253   | -            | -         | -          | -           | -           | 2           | 26          | 200         | 1,263       | 5,432       | 5,330             | -              |
| Non-Hispanic white, female   |          |              |           |            |             |             |             |             |             |             |             |                   |                |
| 2007 2/.....   | 47,075   | -            | -         | -          | -           | 1           | 3           | 42          | 344         | 1,944       | 12,958      | 31,781            | 2              |
| 2006 2/.....   | 45,816   | -            | -         | -          | -           | 1           | 2           | 34          | 299         | 1,791       | 12,910      | 30,779            | -              |
| 2005 2/.....   | 45,750   | -            | -         | -          | -           | 2           | 3           | 41          | 306         | 1,828       | 13,143      | 30,427            | -              |
| 2004 2/.....   | 42,164   | -            | -         | -          | -           | -           | 3           | 56          | 251         | 1,772       | 12,493      | 27,589            | -              |
| 2003 2/.....   | 40,841   | -            | -         | -          | -           | -           | 6           | 36          | 277         | 1,826       | 12,141      | 26,555            | -              |
| 2002.....  | 38,087   | -            | -         | 1          | -           | -           | 2           | 25          | 245         | 1,796       | 11,683      | 24,335            | -              |
| 2001.....  | 34,735   | -            | -         | -          | -           | -           | -           | 33          | 275         | 1,715       | 10,605      | 22,107            | -              |
| 2000.....  | 32,123   | -            | -         | -          | -           | 1           | 2           | 25          | 245         | 1,637       | 10,018      | 20,195            | -              |
| 1999.....  | 28,582   | -            | -         | -          | -           | -           | 3           | 25          | 199         | 1,558       | 9,021       | 17,776            | -              |

Worktable Orig290F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2007

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data - mortality"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, sex, and year | All ages | Under 1 year | 1-4 years | 5-14 years | 15-24 years | 25-34 years | 35-44 years | 45-54 years | 55-64 years | 65-74 years | 75-84 years | 85 years and over | Age not stated |
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|

Alzheimer's disease (G30)

| Non-Hispanic black, both sexes |       |   |   |   |   |   |   |   |    |     |       |       |   |
|--------------------------------|-------|---|---|---|---|---|---|---|----|-----|-------|-------|---|
| 2007 2/.....                   | 4,729 | - | - | - | - | - | 2 | 8 | 38 | 357 | 1,620 | 2,703 | 1 |
| 2006 2/.....                   | 4,422 | - | - | - | - | - | 3 | 9 | 52 | 334 | 1,483 | 2,541 | - |
| 2005 2/.....                   | 4,579 | - | - | - | - | - | - | 5 | 45 | 390 | 1,579 | 2,559 | 1 |
| 2004 2/.....                   | 4,196 | - | - | - | - | - | 1 | 4 | 37 | 327 | 1,510 | 2,317 | - |
| 2003 2/.....                   | 3,693 | - | - | - | - | - | - | 4 | 29 | 326 | 1,347 | 1,987 | - |
| 2002.....                      | 3,303 | - | - | - | - | 1 | 4 | 3 | 31 | 277 | 1,173 | 1,814 | - |
| 2001.....                      | 3,104 | - | - | - | - | - | - | 5 | 26 | 253 | 1,176 | 1,644 | - |
| 2000.....                      | 2,719 | - | - | - | - | - | - | 5 | 30 | 261 | 1,004 | 1,418 | 1 |
| 1999.....                      | 2,325 | - | - | - | - | - | 1 | 4 | 29 | 249 | 883   | 1,159 | - |
| Non-Hispanic black, male       |       |   |   |   |   |   |   |   |    |     |       |       |   |
| 2007 2/.....                   | 1,293 | - | - | - | - | - | - | 3 | 17 | 150 | 537   | 585   | 1 |
| 2006 2/.....                   | 1,176 | - | - | - | - | - | 1 | 3 | 24 | 141 | 485   | 522   | - |
| 2005 2/.....                   | 1,283 | - | - | - | - | - | - | 4 | 17 | 163 | 545   | 554   | - |
| 2004 2/.....                   | 1,138 | - | - | - | - | - | 1 | 1 | 15 | 136 | 486   | 499   | - |
| 2003 2/.....                   | 1,079 | - | - | - | - | - | - | 2 | 17 | 142 | 481   | 437   | - |
| 2002.....                      | 940   | - | - | - | - | 1 | 3 | 3 | 14 | 122 | 418   | 379   | - |
| 2001.....                      | 906   | - | - | - | - | - | - | 3 | 17 | 110 | 412   | 364   | - |
| 2000.....                      | 774   | - | - | - | - | - | - | 3 | 16 | 113 | 320   | 322   | - |
| 1999.....                      | 689   | - | - | - | - | - | - | 2 | 15 | 112 | 290   | 270   | - |

Worktable Orig290F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2007

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data - mortality"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, sex, and year | All ages | Under 1 year | 1-4 years | 5-14 years | 15-24 years | 25-34 years | 35-44 years | 45-54 years | 55-64 years | 65-74 years | 75-84 years | 85 years and over | Age not stated |
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|
| Alzheimer's disease (G30)  |          |              |           |            |             |             |             |             |             |             |             |                   |                |
| Non-Hispanic black, female   |          |              |           |            |             |             |             |             |             |             |             |                   |                |
| 2007 2/.....   | 3,436    | -            | -         | -          | -           | -           | 2           | 5           | 21          | 207         | 1,083       | 2,118             | -              |
| 2006 2/.....   | 3,246    | -            | -         | -          | -           | -           | 2           | 6           | 28          | 193         | 998         | 2,019             | -              |
| 2005 2/.....   | 3,296    | -            | -         | -          | -           | -           | -           | 1           | 28          | 227         | 1,034       | 2,005             | 1              |
| 2004 2/.....   | 3,058    | -            | -         | -          | -           | -           | -           | 3           | 22          | 191         | 1,024       | 1,818             | -              |
| 2003 2/.....   | 2,614    | -            | -         | -          | -           | -           | -           | 2           | 12          | 184         | 866         | 1,550             | -              |
| 2002.....  | 2,363    | -            | -         | -          | -           | -           | 1           | -           | 17          | 155         | 755         | 1,435             | -              |
| 2001.....  | 2,198    | -            | -         | -          | -           | -           | -           | 2           | 9           | 143         | 764         | 1,280             | -              |
| 2000.....  | 1,945    | -            | -         | -          | -           | -           | -           | 2           | 14          | 148         | 684         | 1,096             | 1              |
| 1999.....  | 1,636    | -            | -         | -          | -           | -           | 1           | 2           | 14          | 137         | 593         | 889               | -              |
| Origin not stated 3/, both sexes   |          |              |           |            |             |             |             |             |             |             |             |                   |                |
| 2007.....  | 60       | -            | -         | -          | -           | -           | -           | -           | -           | 6           | 14          | 40                | -              |
| 2006.....  | 85       | -            | -         | -          | -           | -           | -           | -           | -           | 10          | 27          | 48                | -              |
| 2005.....  | 83       | -            | -         | -          | -           | -           | -           | -           | 3           | 4           | 24          | 52                | -              |
| 2004.....  | 87       | -            | -         | -          | -           | -           | -           | -           | 1           | 11          | 28          | 47                | -              |
| 2003.....  | 116      | -            | -         | -          | -           | -           | -           | -           | 2           | 10          | 34          | 70                | -              |
| 2002.....  | 146      | -            | -         | -          | -           | -           | -           | -           | 2           | 12          | 48          | 84                | -              |
| 2001.....  | 97       | -            | -         | -          | -           | -           | -           | -           | 1           | 5           | 26          | 65                | -              |
| 2000.....  | 100      | -            | -         | -          | -           | -           | -           | -           | 3           | 7           | 23          | 66                | 1              |
| 1999.....  | 84       | -            | -         | -          | -           | -           | -           | -           | -           | 5           | 27          | 52                | -              |

Worktable Orig290F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2007

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data - mortality"]

---

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, sex, and year

|  | All ages | Under 1 year | 1-4 years | 5-14 years | 15-24 years | 25-34 years | 35-44 years | 45-54 years | 55-64 years | 65-74 years | 75-84 years | 85 years and over | Age not stated |
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|

---

Alzheimer's disease (G30)

| Origin not stated 3/, male   |     |   |   |   |   |   |   |   |   |   |    |    |   |
|------------------------------|-----|---|---|---|---|---|---|---|---|---|----|----|---|
| 2007.....                    | 23  | - | - | - | - | - | - | - | - | 4 | 7  | 12 | - |
| 2006.....                    | 24  | - | - | - | - | - | - | - | - | 5 | 11 | 8  | - |
| 2005.....                    | 31  | - | - | - | - | - | - | - | 1 | 4 | 12 | 14 | - |
| 2004.....                    | 23  | - | - | - | - | - | - | - | 1 | 3 | 10 | 9  | - |
| 2003.....                    | 36  | - | - | - | - | - | - | - | 1 | 6 | 10 | 19 | - |
| 2002.....                    | 34  | - | - | - | - | - | - | - | - | 5 | 16 | 13 | - |
| 2001.....                    | 27  | - | - | - | - | - | - | - | - | 1 | 9  | 17 | - |
| 2000.....                    | 21  | - | - | - | - | - | - | - | 1 | 2 | 4  | 13 | 1 |
| 1999.....                    | 25  | - | - | - | - | - | - | - | - | 2 | 8  | 15 | - |
| Origin not stated 3/, female |     |   |   |   |   |   |   |   |   |   |    |    |   |
| 2007.....                    | 37  | - | - | - | - | - | - | - | - | 2 | 7  | 28 | - |
| 2006.....                    | 61  | - | - | - | - | - | - | - | - | 5 | 16 | 40 | - |
| 2005.....                    | 52  | - | - | - | - | - | - | - | 2 | - | 12 | 38 | - |
| 2004.....                    | 64  | - | - | - | - | - | - | - | - | 8 | 18 | 38 | - |
| 2003.....                    | 80  | - | - | - | - | - | - | - | 1 | 4 | 24 | 51 | - |
| 2002.....                    | 112 | - | - | - | - | - | - | - | 2 | 7 | 32 | 71 | - |
| 2001.....                    | 70  | - | - | - | - | - | - | - | 1 | 4 | 17 | 48 | - |
| 2000.....                    | 79  | - | - | - | - | - | - | - | 2 | 5 | 19 | 53 | - |
| 1999.....                    | 59  | - | - | - | - | - | - | - | - | 3 | 19 | 37 | - |

Worktable Orig290F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2007

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data - mortality"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, sex, and year | All ages | Under 1 year | 1-4 years | 5-14 years | 15-24 years | 25-34 years | 35-44 years | 45-54 years | 55-64 years | 65-74 years | 75-84 years | 85 years and over | Age not stated |
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|

#### Major cardiovascular diseases (I00-I78)

| All origins, both sexes |         |     |     |     |       |       |        |        |        |         |         |         |    |
|-------------------------|---------|-----|-----|-----|-------|-------|--------|--------|--------|---------|---------|---------|----|
| 2007.....               | 806,156 | 571 | 230 | 338 | 1,369 | 3,950 | 14,867 | 46,280 | 80,797 | 115,623 | 229,050 | 313,044 | 37 |
| 2006.....               | 823,746 | 508 | 218 | 363 | 1,376 | 4,099 | 15,420 | 47,037 | 80,714 | 119,102 | 240,862 | 314,006 | 41 |
| 2005.....               | 856,030 | 503 | 217 | 367 | 1,391 | 4,041 | 15,852 | 46,928 | 79,896 | 124,366 | 256,362 | 326,066 | 41 |
| 2004.....               | 861,190 | 564 | 234 | 336 | 1,333 | 4,006 | 16,138 | 46,153 | 77,984 | 128,816 | 264,037 | 321,544 | 45 |
| 2003.....               | 902,443 | 555 | 234 | 347 | 1,447 | 4,089 | 16,930 | 46,279 | 79,497 | 137,220 | 279,358 | 336,449 | 38 |
| 2002.....               | 918,628 | 640 | 223 | 358 | 1,283 | 3,986 | 16,962 | 45,800 | 78,430 | 144,071 | 287,415 | 339,409 | 51 |
| 2001.....               | 922,334 | 600 | 285 | 365 | 1,280 | 4,038 | 16,686 | 44,450 | 76,224 | 148,409 | 291,995 | 337,930 | 72 |
| 2000.....               | 936,923 | 636 | 234 | 362 | 1,309 | 3,792 | 16,624 | 43,583 | 77,482 | 156,187 | 296,202 | 340,450 | 62 |
| 1999.....               | 950,314 | 644 | 234 | 354 | 1,315 | 3,873 | 17,010 | 42,512 | 77,833 | 163,428 | 302,552 | 340,510 | 49 |
| All origins, male       |         |     |     |     |       |       |        |        |        |         |         |         |    |
| 2007.....               | 388,049 | 323 | 104 | 181 | 874   | 2,567 | 10,107 | 32,038 | 54,646 | 69,432  | 113,012 | 104,737 | 28 |
| 2006.....               | 394,840 | 283 | 115 | 207 | 882   | 2,765 | 10,370 | 32,633 | 54,055 | 71,210  | 118,431 | 103,859 | 30 |
| 2005.....               | 405,780 | 282 | 126 | 200 | 914   | 2,657 | 10,664 | 32,548 | 53,484 | 73,733  | 125,037 | 106,106 | 29 |
| 2004.....               | 406,458 | 307 | 120 | 170 | 867   | 2,602 | 10,806 | 32,057 | 52,014 | 76,179  | 128,490 | 102,808 | 38 |
| 2003.....               | 423,810 | 310 | 116 | 204 | 893   | 2,609 | 11,302 | 32,260 | 52,804 | 81,512  | 135,868 | 105,903 | 29 |
| 2002.....               | 429,682 | 343 | 122 | 194 | 845   | 2,568 | 11,356 | 31,928 | 52,037 | 85,319  | 138,770 | 106,164 | 36 |
| 2001.....               | 428,065 | 315 | 149 | 184 | 807   | 2,555 | 11,180 | 30,860 | 50,320 | 87,756  | 140,789 | 103,097 | 53 |
| 2000.....               | 435,912 | 341 | 128 | 206 | 783   | 2,378 | 11,110 | 30,535 | 51,423 | 92,510  | 142,797 | 103,658 | 43 |
| 1999.....               | 441,827 | 347 | 127 | 199 | 799   | 2,442 | 11,471 | 29,745 | 51,525 | 96,904  | 145,567 | 102,663 | 38 |

Worktable Orig290F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2007

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data - mortality"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, sex, and year | All ages | Under 1 year | 1-4 years | 5-14 years | 15-24 years | 25-34 years | 35-44 years | 45-54 years | 55-64 years | 65-74 years | 75-84 years | 85 years and over | Age not stated |
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|

Major cardiovascular diseases (I00-I78)

All origins, female

|           |         |     |     |     |     |       |       |        |        |        |         |         |    |
|-----------|---------|-----|-----|-----|-----|-------|-------|--------|--------|--------|---------|---------|----|
| 2007..... | 418,107 | 248 | 126 | 157 | 495 | 1,383 | 4,760 | 14,242 | 26,151 | 46,191 | 116,038 | 208,307 | 9  |
| 2006..... | 428,906 | 225 | 103 | 156 | 494 | 1,334 | 5,050 | 14,404 | 26,659 | 47,892 | 122,431 | 210,147 | 11 |
| 2005..... | 450,250 | 221 | 91  | 167 | 477 | 1,384 | 5,188 | 14,380 | 26,412 | 50,633 | 131,325 | 219,960 | 12 |
| 2004..... | 454,732 | 257 | 114 | 166 | 466 | 1,404 | 5,332 | 14,096 | 25,970 | 52,637 | 135,547 | 218,736 | 7  |
| 2003..... | 478,633 | 245 | 118 | 143 | 554 | 1,480 | 5,628 | 14,019 | 26,693 | 55,708 | 143,490 | 230,546 | 9  |
| 2002..... | 488,946 | 297 | 101 | 164 | 438 | 1,418 | 5,606 | 13,872 | 26,393 | 58,752 | 148,645 | 233,245 | 15 |
| 2001..... | 494,269 | 285 | 136 | 181 | 473 | 1,483 | 5,506 | 13,590 | 25,904 | 60,653 | 151,206 | 234,833 | 19 |
| 2000..... | 501,011 | 295 | 106 | 156 | 526 | 1,414 | 5,514 | 13,048 | 26,059 | 63,677 | 153,405 | 236,792 | 19 |
| 1999..... | 508,487 | 297 | 107 | 155 | 516 | 1,431 | 5,539 | 12,767 | 26,308 | 66,524 | 156,985 | 237,847 | 11 |

Hispanic, both sexes

|           |        |     |    |    |     |     |       |       |       |       |        |        |   |
|-----------|--------|-----|----|----|-----|-----|-------|-------|-------|-------|--------|--------|---|
| 2007..... | 38,694 | 123 | 47 | 58 | 197 | 513 | 1,348 | 3,158 | 4,946 | 6,653 | 10,894 | 10,755 | 2 |
| 2006..... | 38,348 | 99  | 40 | 64 | 202 | 507 | 1,327 | 3,180 | 4,785 | 6,835 | 10,834 | 10,471 | 4 |
| 2005..... | 39,010 | 98  | 40 | 59 | 198 | 465 | 1,339 | 3,037 | 4,706 | 7,205 | 11,411 | 10,447 | 5 |
| 2004..... | 36,900 | 104 | 43 | 46 | 179 | 424 | 1,304 | 2,874 | 4,494 | 7,058 | 10,733 | 9,636  | 5 |
| 2003..... | 37,266 | 95  | 43 | 46 | 176 | 470 | 1,211 | 2,747 | 4,431 | 7,269 | 10,783 | 9,989  | 6 |
| 2002..... | 36,543 | 109 | 36 | 51 | 176 | 445 | 1,184 | 2,690 | 4,460 | 7,342 | 10,362 | 9,687  | 1 |
| 2001..... | 35,565 | 98  | 44 | 56 | 162 | 442 | 1,081 | 2,561 | 3,996 | 7,325 | 10,139 | 9,654  | 7 |
| 2000..... | 34,059 | 106 | 37 | 47 | 169 | 419 | 1,094 | 2,351 | 4,041 | 7,114 | 9,380  | 9,296  | 5 |
| 1999..... | 33,665 | 115 | 41 | 47 | 160 | 408 | 1,057 | 2,386 | 3,973 | 7,150 | 9,291  | 9,031  | 6 |

Worktable Orig290F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2007

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data - mortality"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, sex, and year | All ages | Under 1 year | 1-4 years | 5-14 years | 15-24 years | 25-34 years | 35-44 years | 45-54 years | 55-64 years | 65-74 years | 75-84 years | 85 years and over | Age not stated |
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|
| Major cardiovascular diseases (I00-I78)  |          |              |           |            |             |             |             |             |             |             |             |                   |                |
| Hispanic, male   |          |              |           |            |             |             |             |             |             |             |             |                   |                |
| 2007.....  | 20,236   | 63           | 21        | 32         | 134         | 360         | 1,003       | 2,286       | 3,347       | 3,927       | 5,299       | 3,764             | -              |
| 2006.....  | 19,974   | 55           | 25        | 41         | 140         | 378         | 965         | 2,234       | 3,148       | 3,978       | 5,369       | 3,639             | 2              |
| 2005.....  | 20,368   | 54           | 27        | 34         | 127         | 340         | 970         | 2,167       | 3,106       | 4,206       | 5,673       | 3,659             | 5              |
| 2004.....  | 19,348   | 54           | 28        | 21         | 132         | 323         | 948         | 2,044       | 2,986       | 4,132       | 5,391       | 3,284             | 5              |
| 2003.....  | 19,066   | 54           | 26        | 27         | 123         | 315         | 864         | 1,964       | 2,928       | 4,224       | 5,236       | 3,300             | 5              |
| 2002.....  | 18,824   | 52           | 16        | 21         | 122         | 322         | 829         | 1,876       | 2,958       | 4,304       | 5,039       | 3,284             | 1              |
| 2001.....  | 18,138   | 53           | 21        | 29         | 108         | 308         | 758         | 1,806       | 2,582       | 4,269       | 4,966       | 3,232             | 6              |
| 2000.....  | 17,442   | 54           | 21        | 30         | 110         | 283         | 739         | 1,671       | 2,657       | 4,123       | 4,622       | 3,128             | 4              |
| 1999.....  | 17,304   | 49           | 21        | 29         | 103         | 292         | 755         | 1,700       | 2,560       | 4,212       | 4,519       | 3,058             | 6              |
| Hispanic, female   |          |              |           |            |             |             |             |             |             |             |             |                   |                |
| 2007.....  | 18,458   | 60           | 26        | 26         | 63          | 153         | 345         | 872         | 1,599       | 2,726       | 5,595       | 6,991             | 2              |
| 2006.....  | 18,374   | 44           | 15        | 23         | 62          | 129         | 362         | 946         | 1,637       | 2,857       | 5,465       | 6,832             | 2              |
| 2005.....  | 18,642   | 44           | 13        | 25         | 71          | 125         | 369         | 870         | 1,600       | 2,999       | 5,738       | 6,788             | -              |
| 2004.....  | 17,552   | 50           | 15        | 25         | 47          | 101         | 356         | 830         | 1,508       | 2,926       | 5,342       | 6,352             | -              |
| 2003.....  | 18,200   | 41           | 17        | 19         | 53          | 155         | 347         | 783         | 1,503       | 3,045       | 5,547       | 6,689             | 1              |
| 2002.....  | 17,719   | 57           | 20        | 30         | 54          | 123         | 355         | 814         | 1,502       | 3,038       | 5,323       | 6,403             | -              |
| 2001.....  | 17,427   | 45           | 23        | 27         | 54          | 134         | 323         | 755         | 1,414       | 3,056       | 5,173       | 6,422             | 1              |
| 2000.....  | 16,617   | 52           | 16        | 17         | 59          | 136         | 355         | 680         | 1,384       | 2,991       | 4,758       | 6,168             | 1              |
| 1999.....  | 16,361   | 66           | 20        | 18         | 57          | 116         | 302         | 686         | 1,413       | 2,938       | 4,772       | 5,973             | -              |



Worktable Orig290F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2007

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data - mortality"]

---

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, sex, and year

|  | All ages | Under 1 year | 1-4 years | 5-14 years | 15-24 years | 25-34 years | 35-44 years | 45-54 years | 55-64 years | 65-74 years | 75-84 years | 85 years and over | Age not stated |
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|

---

Major cardiovascular diseases (I00-I78)

| Non-Hispanic 1/, both sexes |         |     |     |     |       |       |        |        |        |         |         |         |    |
|-----------------------------|---------|-----|-----|-----|-------|-------|--------|--------|--------|---------|---------|---------|----|
| 2007.....                   | 766,265 | 444 | 183 | 280 | 1,172 | 3,429 | 13,490 | 43,004 | 75,612 | 108,724 | 217,878 | 302,020 | 29 |
| 2006.....                   | 783,795 | 408 | 178 | 298 | 1,171 | 3,580 | 14,046 | 43,723 | 75,675 | 111,937 | 229,610 | 303,138 | 31 |
| 2005.....                   | 815,443 | 405 | 177 | 306 | 1,192 | 3,570 | 14,479 | 43,746 | 74,953 | 116,875 | 244,492 | 315,216 | 32 |
| 2004.....                   | 822,392 | 457 | 191 | 288 | 1,149 | 3,575 | 14,778 | 43,114 | 73,224 | 121,373 | 252,787 | 311,423 | 33 |
| 2003.....                   | 862,744 | 456 | 190 | 300 | 1,265 | 3,602 | 15,647 | 43,350 | 74,723 | 129,500 | 267,904 | 325,786 | 21 |
| 2002.....                   | 879,170 | 528 | 187 | 307 | 1,105 | 3,522 | 15,707 | 42,913 | 73,650 | 136,175 | 276,232 | 328,806 | 38 |
| 2001.....                   | 883,949 | 499 | 239 | 308 | 1,108 | 3,578 | 15,536 | 41,695 | 71,875 | 140,618 | 281,026 | 327,420 | 47 |
| 2000.....                   | 899,801 | 526 | 196 | 313 | 1,137 | 3,357 | 15,433 | 41,021 | 73,064 | 148,517 | 285,960 | 330,234 | 43 |
| 1999.....                   | 913,476 | 528 | 192 | 306 | 1,152 | 3,453 | 15,869 | 39,935 | 73,473 | 155,643 | 292,354 | 330,537 | 34 |
| Non-Hispanic 1/, male       |         |     |     |     |       |       |        |        |        |         |         |         |    |
| 2007.....                   | 367,072 | 258 | 83  | 149 | 740   | 2,201 | 9,080  | 29,661 | 51,125 | 65,324  | 107,552 | 100,877 | 22 |
| 2006.....                   | 373,933 | 228 | 90  | 166 | 742   | 2,380 | 9,375  | 30,293 | 50,723 | 67,004  | 112,840 | 100,069 | 23 |
| 2005.....                   | 384,533 | 228 | 99  | 165 | 787   | 2,313 | 9,669  | 30,277 | 50,202 | 69,329  | 119,110 | 102,332 | 22 |
| 2004.....                   | 386,042 | 252 | 92  | 147 | 732   | 2,273 | 9,822  | 29,889 | 48,830 | 71,787  | 122,820 | 99,372  | 26 |
| 2003.....                   | 403,411 | 255 | 90  | 176 | 766   | 2,283 | 10,387 | 30,161 | 49,614 | 77,001  | 130,276 | 102,387 | 15 |
| 2002.....                   | 409,343 | 289 | 106 | 173 | 721   | 2,234 | 10,477 | 29,901 | 48,851 | 80,666  | 133,303 | 102,597 | 25 |
| 2001.....                   | 408,437 | 260 | 128 | 155 | 692   | 2,231 | 10,366 | 28,916 | 47,469 | 83,178  | 135,395 | 99,611  | 36 |
| 2000.....                   | 416,837 | 284 | 107 | 176 | 672   | 2,088 | 10,294 | 28,702 | 48,495 | 88,005  | 137,754 | 100,232 | 28 |
| 1999.....                   | 422,824 | 298 | 106 | 169 | 694   | 2,142 | 10,649 | 27,907 | 48,675 | 92,273  | 140,588 | 99,298  | 25 |

Worktable Orig290F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2007

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data - mortality"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, sex, and year | All ages | Under 1 year | 1-4 years | 5-14 years | 15-24 years | 25-34 years | 35-44 years | 45-54 years | 55-64 years | 65-74 years | 75-84 years | 85 years and over | Age not stated |
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|

Major cardiovascular diseases (I00-I78)

| Non-Hispanic 1/, female |         |     |     |     |     |       |       |        |        |        |         |         |    |
|-------------------------|---------|-----|-----|-----|-----|-------|-------|--------|--------|--------|---------|---------|----|
| 2007.....               | 399,193 | 186 | 100 | 131 | 432 | 1,228 | 4,410 | 13,343 | 24,487 | 43,400 | 110,326 | 201,143 | 7  |
| 2006.....               | 409,862 | 180 | 88  | 132 | 429 | 1,200 | 4,671 | 13,430 | 24,952 | 44,933 | 116,770 | 203,069 | 8  |
| 2005.....               | 430,910 | 177 | 78  | 141 | 405 | 1,257 | 4,810 | 13,469 | 24,751 | 47,546 | 125,382 | 212,884 | 10 |
| 2004.....               | 436,350 | 205 | 99  | 141 | 417 | 1,302 | 4,956 | 13,225 | 24,394 | 49,586 | 129,967 | 212,051 | 7  |
| 2003.....               | 459,333 | 201 | 100 | 124 | 499 | 1,319 | 5,260 | 13,189 | 25,109 | 52,499 | 137,628 | 223,399 | 6  |
| 2002.....               | 469,827 | 239 | 81  | 134 | 384 | 1,288 | 5,230 | 13,012 | 24,799 | 55,509 | 142,929 | 226,209 | 13 |
| 2001.....               | 475,512 | 239 | 111 | 153 | 416 | 1,347 | 5,170 | 12,779 | 24,406 | 57,440 | 145,631 | 227,809 | 11 |
| 2000.....               | 482,964 | 242 | 89  | 137 | 465 | 1,269 | 5,139 | 12,319 | 24,569 | 60,512 | 148,206 | 230,002 | 15 |
| 1999.....               | 490,652 | 230 | 86  | 137 | 458 | 1,311 | 5,220 | 12,028 | 24,798 | 63,370 | 151,766 | 231,239 | 9  |

  

| Non-Hispanic white, both sexes |         |     |     |     |     |       |        |        |        |         |         |         |    |
|--------------------------------|---------|-----|-----|-----|-----|-------|--------|--------|--------|---------|---------|---------|----|
| 2007 2/.....                   | 652,763 | 241 | 106 | 183 | 713 | 2,039 | 8,994  | 30,661 | 57,477 | 87,357  | 190,034 | 274,937 | 21 |
| 2006 2/.....                   | 668,937 | 217 | 113 | 189 | 761 | 2,140 | 9,454  | 31,077 | 57,724 | 90,169  | 200,667 | 276,401 | 25 |
| 2005 2/.....                   | 698,139 | 227 | 101 | 183 | 733 | 2,124 | 9,763  | 30,953 | 57,249 | 94,862  | 214,270 | 287,655 | 19 |
| 2004 2/.....                   | 705,435 | 277 | 109 | 182 | 721 | 2,157 | 10,113 | 30,593 | 56,141 | 98,940  | 222,269 | 283,914 | 19 |
| 2003 2/.....                   | 741,886 | 250 | 107 | 191 | 780 | 2,207 | 10,600 | 30,708 | 57,448 | 105,736 | 236,254 | 297,588 | 17 |
| 2002.....                      | 758,738 | 314 | 125 | 195 | 695 | 2,121 | 10,838 | 30,798 | 56,865 | 112,288 | 244,074 | 300,399 | 26 |
| 2001.....                      | 764,021 | 289 | 140 | 204 | 671 | 2,240 | 10,524 | 29,967 | 55,480 | 116,098 | 248,922 | 299,458 | 28 |
| 2000.....                      | 780,445 | 330 | 126 | 195 | 690 | 2,084 | 10,556 | 29,780 | 56,666 | 123,708 | 254,089 | 302,192 | 29 |
| 1999.....                      | 793,945 | 324 | 121 | 203 | 730 | 2,184 | 10,807 | 29,134 | 57,094 | 130,111 | 260,395 | 302,824 | 18 |

Worktable Orig290F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2007

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data - mortality"]

---

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, sex, and year

|  | All ages | Under 1 year | 1-4 years | 5-14 years | 15-24 years | 25-34 years | 35-44 years | 45-54 years | 55-64 years | 65-74 years | 75-84 years | 85 years and over | Age not stated |
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|

---

Major cardiovascular diseases (I00-I78)

| Non-Hispanic white, male   |         |     |    |     |     |       |       |        |        |        |         |         |    |
|----------------------------|---------|-----|----|-----|-----|-------|-------|--------|--------|--------|---------|---------|----|
| 2007 2/.....               | 311,345 | 139 | 44 | 100 | 429 | 1,337 | 6,216 | 21,973 | 39,831 | 53,521 | 95,045  | 92,692  | 18 |
| 2006 2/.....               | 317,568 | 119 | 53 | 116 | 501 | 1,466 | 6,579 | 22,350 | 39,559 | 54,919 | 99,991  | 91,897  | 18 |
| 2005 2/.....               | 328,004 | 127 | 59 | 104 | 487 | 1,418 | 6,796 | 22,291 | 39,316 | 57,345 | 105,876 | 94,172  | 13 |
| 2004 2/.....               | 330,160 | 154 | 54 | 96  | 463 | 1,421 | 7,039 | 22,122 | 38,358 | 59,798 | 109,504 | 91,136  | 15 |
| 2003 2/.....               | 345,832 | 133 | 43 | 115 | 476 | 1,446 | 7,382 | 22,301 | 39,261 | 64,254 | 116,254 | 94,156  | 11 |
| 2002.....                  | 352,520 | 177 | 77 | 111 | 462 | 1,387 | 7,559 | 22,435 | 38,736 | 68,016 | 119,331 | 94,211  | 18 |
| 2001.....                  | 352,013 | 160 | 75 | 108 | 425 | 1,441 | 7,379 | 21,723 | 37,726 | 70,213 | 121,332 | 91,409  | 22 |
| 2000.....                  | 360,757 | 180 | 75 | 118 | 418 | 1,361 | 7,422 | 21,785 | 38,681 | 75,026 | 123,834 | 91,837  | 20 |
| 1999.....                  | 366,310 | 189 | 70 | 110 | 430 | 1,400 | 7,606 | 21,200 | 38,851 | 78,853 | 126,770 | 90,818  | 13 |
| Non-Hispanic white, female |         |     |    |     |     |       |       |        |        |        |         |         |    |
| 2007 2/.....               | 341,418 | 102 | 62 | 83  | 284 | 702   | 2,778 | 8,688  | 17,646 | 33,836 | 94,989  | 182,245 | 3  |
| 2006 2/.....               | 351,369 | 98  | 60 | 73  | 260 | 674   | 2,875 | 8,727  | 18,165 | 35,250 | 100,676 | 184,504 | 7  |
| 2005 2/.....               | 370,135 | 100 | 42 | 79  | 246 | 706   | 2,967 | 8,662  | 17,933 | 37,517 | 108,394 | 193,483 | 6  |
| 2004 2/.....               | 375,275 | 123 | 55 | 86  | 258 | 736   | 3,074 | 8,471  | 17,783 | 39,142 | 112,765 | 192,778 | 4  |
| 2003 2/.....               | 396,054 | 117 | 64 | 76  | 304 | 761   | 3,218 | 8,407  | 18,187 | 41,482 | 120,000 | 203,432 | 6  |
| 2002.....                  | 406,218 | 137 | 48 | 84  | 233 | 734   | 3,279 | 8,363  | 18,129 | 44,272 | 124,743 | 206,188 | 8  |
| 2001.....                  | 412,008 | 129 | 65 | 96  | 246 | 799   | 3,145 | 8,244  | 17,754 | 45,885 | 127,590 | 208,049 | 6  |
| 2000.....                  | 419,688 | 150 | 51 | 77  | 272 | 723   | 3,134 | 7,995  | 17,985 | 48,682 | 130,255 | 210,355 | 9  |
| 1999.....                  | 427,635 | 135 | 51 | 93  | 300 | 784   | 3,201 | 7,934  | 18,243 | 51,258 | 133,625 | 212,006 | 5  |

Worktable Orig290F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2007

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data - mortality"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, sex, and year | All ages | Under 1 year | 1-4 years | 5-14 years | 15-24 years | 25-34 years | 35-44 years | 45-54 years | 55-64 years | 65-74 years | 75-84 years | 85 years and over | Age not stated |
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|

#### Major cardiovascular diseases (I00-I78)

| Non-Hispanic black, both sexes |         |     |    |     |     |       |       |        |        |        |        |        |    |
|--------------------------------|---------|-----|----|-----|-----|-------|-------|--------|--------|--------|--------|--------|----|
| 2007 2/.....                   | 95,059  | 171 | 58 | 78  | 413 | 1,208 | 3,930 | 11,065 | 15,920 | 18,123 | 22,567 | 21,519 | 7  |
| 2006 2/.....                   | 96,353  | 167 | 56 | 85  | 366 | 1,271 | 4,060 | 11,302 | 15,696 | 18,409 | 23,625 | 21,310 | 6  |
| 2005 2/.....                   | 99,000  | 148 | 60 | 101 | 403 | 1,269 | 4,177 | 11,435 | 15,507 | 18,626 | 24,967 | 22,295 | 12 |
| 2004 2/.....                   | 99,408  | 142 | 74 | 98  | 372 | 1,246 | 4,216 | 11,254 | 15,073 | 19,232 | 25,325 | 22,363 | 13 |
| 2003 2/.....                   | 103,027 | 168 | 70 | 95  | 428 | 1,231 | 4,489 | 11,349 | 15,174 | 20,382 | 26,363 | 23,276 | 2  |
| 2002.....                      | 103,054 | 183 | 50 | 93  | 356 | 1,252 | 4,363 | 10,923 | 14,834 | 20,461 | 26,932 | 23,596 | 11 |
| 2001.....                      | 103,213 | 184 | 86 | 85  | 395 | 1,209 | 4,506 | 10,539 | 14,483 | 21,084 | 27,025 | 23,600 | 17 |
| 2000.....                      | 103,239 | 166 | 60 | 95  | 396 | 1,160 | 4,396 | 10,109 | 14,502 | 21,561 | 26,954 | 23,826 | 14 |
| 1999.....                      | 103,629 | 172 | 60 | 93  | 388 | 1,131 | 4,610 | 9,721  | 14,487 | 22,242 | 27,129 | 23,581 | 15 |
| Non-Hispanic black, male       |         |     |    |     |     |       |       |        |        |        |        |        |    |
| 2007 2/.....                   | 46,159  | 106 | 32 | 40  | 280 | 734   | 2,460 | 6,770  | 9,841  | 9,909  | 9,957  | 6,027  | 3  |
| 2006 2/.....                   | 46,717  | 96  | 34 | 41  | 213 | 792   | 2,417 | 6,997  | 9,669  | 10,144 | 10,313 | 5,996  | 5  |
| 2005 2/.....                   | 47,004  | 86  | 30 | 51  | 265 | 770   | 2,500 | 7,046  | 9,471  | 10,022 | 10,682 | 6,073  | 8  |
| 2004 2/.....                   | 46,787  | 80  | 37 | 47  | 242 | 725   | 2,467 | 6,873  | 9,157  | 10,200 | 10,768 | 6,181  | 10 |
| 2003 2/.....                   | 48,237  | 102 | 41 | 53  | 262 | 721   | 2,628 | 6,959  | 9,006  | 10,809 | 11,435 | 6,219  | 2  |
| 2002.....                      | 47,656  | 96  | 24 | 50  | 217 | 739   | 2,551 | 6,635  | 8,862  | 10,770 | 11,323 | 6,383  | 6  |
| 2001.....                      | 47,646  | 93  | 45 | 39  | 240 | 706   | 2,625 | 6,386  | 8,489  | 11,055 | 11,536 | 6,419  | 13 |
| 2000.....                      | 47,408  | 88  | 27 | 47  | 218 | 652   | 2,544 | 6,143  | 8,568  | 11,074 | 11,434 | 6,605  | 8  |
| 1999.....                      | 47,982  | 91  | 32 | 53  | 240 | 659   | 2,716 | 5,984  | 8,609  | 11,567 | 11,329 | 6,691  | 11 |

Worktable Orig290F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2007

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data - mortality"]

---

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, sex, and year

|  | All ages | Under 1 year | 1-4 years | 5-14 years | 15-24 years | 25-34 years | 35-44 years | 45-54 years | 55-64 years | 65-74 years | 75-84 years | 85 years and over | Age not stated |
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|

---

Major cardiovascular diseases (I00-I78)

| Non-Hispanic black, female       |        |    |    |    |     |     |       |       |       |        |        |        |    |
|----------------------------------|--------|----|----|----|-----|-----|-------|-------|-------|--------|--------|--------|----|
| 2007 2/.....                     | 48,900 | 65 | 26 | 38 | 133 | 474 | 1,470 | 4,295 | 6,079 | 8,214  | 12,610 | 15,492 | 4  |
| 2006 2/.....                     | 49,636 | 71 | 22 | 44 | 153 | 479 | 1,643 | 4,305 | 6,027 | 8,265  | 13,312 | 15,314 | 1  |
| 2005 2/.....                     | 51,996 | 62 | 30 | 50 | 138 | 499 | 1,677 | 4,389 | 6,036 | 8,604  | 14,285 | 16,222 | 4  |
| 2004 2/.....                     | 52,621 | 62 | 37 | 51 | 130 | 521 | 1,749 | 4,381 | 5,916 | 9,032  | 14,557 | 16,182 | 3  |
| 2003 2/.....                     | 54,790 | 66 | 29 | 42 | 166 | 510 | 1,861 | 4,390 | 6,168 | 9,573  | 14,928 | 17,057 | -  |
| 2002.....                        | 55,398 | 87 | 26 | 43 | 139 | 513 | 1,812 | 4,288 | 5,972 | 9,691  | 15,609 | 17,213 | 5  |
| 2001.....                        | 55,567 | 91 | 41 | 46 | 155 | 503 | 1,881 | 4,153 | 5,994 | 10,029 | 15,489 | 17,181 | 4  |
| 2000.....                        | 55,831 | 78 | 33 | 48 | 178 | 508 | 1,852 | 3,966 | 5,934 | 10,487 | 15,520 | 17,221 | 6  |
| 1999.....                        | 55,647 | 81 | 28 | 40 | 148 | 472 | 1,894 | 3,737 | 5,878 | 10,675 | 15,800 | 16,890 | 4  |
| Origin not stated 3/, both sexes |        |    |    |    |     |     |       |       |       |        |        |        |    |
| 2007.....                        | 1,197  | 4  | -  | -  | -   | 8   | 29    | 118   | 239   | 246    | 278    | 269    | 6  |
| 2006.....                        | 1,603  | 1  | -  | 1  | 3   | 12  | 47    | 134   | 254   | 330    | 418    | 397    | 6  |
| 2005.....                        | 1,577  | -  | -  | 2  | 1   | 6   | 34    | 145   | 237   | 286    | 459    | 403    | 4  |
| 2004.....                        | 1,898  | 3  | -  | 2  | 5   | 7   | 56    | 165   | 266   | 385    | 517    | 485    | 7  |
| 2003.....                        | 2,433  | 4  | 1  | 1  | 6   | 17  | 72    | 182   | 343   | 451    | 671    | 674    | 11 |
| 2002.....                        | 2,915  | 3  | -  | -  | 2   | 19  | 71    | 197   | 320   | 554    | 821    | 916    | 12 |
| 2001.....                        | 2,820  | 3  | 2  | 1  | 10  | 18  | 69    | 194   | 353   | 466    | 830    | 856    | 18 |
| 2000.....                        | 3,063  | 4  | 1  | 2  | 3   | 16  | 97    | 211   | 377   | 556    | 862    | 920    | 14 |
| 1999.....                        | 3,173  | 1  | 1  | 1  | 3   | 12  | 84    | 191   | 387   | 635    | 907    | 942    | 9  |

Worktable Orig290F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2007

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data - mortality"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, sex, and year | All ages | Under 1 year | 1-4 years | 5-14 years | 15-24 years | 25-34 years | 35-44 years | 45-54 years | 55-64 years | 65-74 years | 75-84 years | 85 years and over | Age not stated |
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|

Major cardiovascular diseases (I00-I78)

Origin not stated 3/, male

|           |       |   |   |   |   |    |    |     |     |     |     |     |    |
|-----------|-------|---|---|---|---|----|----|-----|-----|-----|-----|-----|----|
| 2007..... | 741   | 2 | - | - | - | 6  | 24 | 91  | 174 | 181 | 161 | 96  | 6  |
| 2006..... | 933   | - | - | - | - | 7  | 30 | 106 | 184 | 228 | 222 | 151 | 5  |
| 2005..... | 879   | - | - | 1 | - | 4  | 25 | 104 | 176 | 198 | 254 | 115 | 2  |
| 2004..... | 1,068 | 1 | - | 2 | 3 | 6  | 36 | 124 | 198 | 260 | 279 | 152 | 7  |
| 2003..... | 1,333 | 1 | - | 1 | 4 | 11 | 51 | 135 | 262 | 287 | 356 | 216 | 9  |
| 2002..... | 1,515 | 2 | - | - | 2 | 12 | 50 | 151 | 228 | 349 | 428 | 283 | 10 |
| 2001..... | 1,490 | 2 | - | - | 7 | 16 | 56 | 138 | 269 | 309 | 428 | 254 | 11 |
| 2000..... | 1,633 | 3 | - | - | 1 | 7  | 77 | 162 | 271 | 382 | 421 | 298 | 11 |
| 1999..... | 1,699 | - | - | 1 | 2 | 8  | 67 | 138 | 290 | 419 | 460 | 307 | 7  |

Origin not stated 3/, female

|           |       |   |   |   |   |   |    |    |     |     |     |     |   |
|-----------|-------|---|---|---|---|---|----|----|-----|-----|-----|-----|---|
| 2007..... | 456   | 2 | - | - | - | 2 | 5  | 27 | 65  | 65  | 117 | 173 | - |
| 2006..... | 670   | 1 | - | 1 | 3 | 5 | 17 | 28 | 70  | 102 | 196 | 246 | 1 |
| 2005..... | 698   | - | - | 1 | 1 | 2 | 9  | 41 | 61  | 88  | 205 | 288 | 2 |
| 2004..... | 830   | 2 | - | - | 2 | 1 | 20 | 41 | 68  | 125 | 238 | 333 | - |
| 2003..... | 1,100 | 3 | 1 | - | 2 | 6 | 21 | 47 | 81  | 164 | 315 | 458 | 2 |
| 2002..... | 1,400 | 1 | - | - | - | 7 | 21 | 46 | 92  | 205 | 393 | 633 | 2 |
| 2001..... | 1,330 | 1 | 2 | 1 | 3 | 2 | 13 | 56 | 84  | 157 | 402 | 602 | 7 |
| 2000..... | 1,430 | 1 | 1 | 2 | 2 | 9 | 20 | 49 | 106 | 174 | 441 | 622 | 3 |
| 1999..... | 1,474 | 1 | 1 | - | 1 | 4 | 17 | 53 | 97  | 216 | 447 | 635 | 2 |

Worktable Orig290F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2007

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data - mortality"]

---

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, sex, and year

|  | All ages | Under 1 year | 1-4 years | 5-14 years | 15-24 years | 25-34 years | 35-44 years | 45-54 years | 55-64 years | 65-74 years | 75-84 years | 85 years and over | Age not stated |
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|

---

Diseases of heart (I00-I09,I11,I13,I20-I51)

| All origins, both sexes |         |     |     |     |       |       |        |        |        |         |         |         |    |
|-------------------------|---------|-----|-----|-----|-------|-------|--------|--------|--------|---------|---------|---------|----|
| 2007.....               | 616,067 | 424 | 173 | 241 | 1,084 | 3,223 | 11,839 | 37,434 | 65,527 | 89,589  | 171,257 | 235,249 | 27 |
| 2006.....               | 631,636 | 346 | 161 | 253 | 1,076 | 3,307 | 12,339 | 38,095 | 65,477 | 92,752  | 180,451 | 237,339 | 40 |
| 2005.....               | 652,091 | 358 | 151 | 252 | 1,119 | 3,249 | 12,688 | 38,103 | 65,208 | 96,729  | 190,693 | 243,504 | 37 |
| 2004.....               | 652,486 | 421 | 187 | 245 | 1,038 | 3,163 | 12,925 | 37,556 | 63,613 | 99,999  | 195,379 | 237,924 | 36 |
| 2003.....               | 685,089 | 439 | 186 | 264 | 1,133 | 3,250 | 13,600 | 37,732 | 65,060 | 107,263 | 207,331 | 248,796 | 35 |
| 2002.....               | 696,947 | 500 | 165 | 255 | 1,022 | 3,165 | 13,688 | 37,570 | 64,234 | 112,547 | 213,581 | 250,173 | 47 |
| 2001.....               | 700,142 | 479 | 225 | 272 | 999   | 3,160 | 13,326 | 36,399 | 62,486 | 116,299 | 216,992 | 249,439 | 66 |
| 2000.....               | 710,760 | 493 | 181 | 271 | 1,031 | 2,958 | 13,181 | 35,480 | 63,399 | 122,405 | 220,060 | 251,242 | 59 |
| 1999.....               | 725,192 | 524 | 183 | 277 | 1,069 | 3,066 | 13,600 | 34,994 | 64,167 | 129,253 | 226,152 | 251,860 | 47 |
| All origins, male       |         |     |     |     |       |       |        |        |        |         |         |         |    |
| 2007.....               | 309,821 | 237 | 82  | 133 | 700   | 2,177 | 8,345  | 26,911 | 45,558 | 55,532  | 88,005  | 82,120  | 21 |
| 2006.....               | 315,706 | 187 | 89  | 140 | 711   | 2,298 | 8,625  | 27,433 | 45,177 | 57,265  | 92,378  | 81,373  | 30 |
| 2005.....               | 322,841 | 197 | 81  | 131 | 770   | 2,206 | 8,931  | 27,486 | 44,895 | 59,050  | 96,580  | 82,489  | 25 |
| 2004.....               | 321,973 | 228 | 94  | 122 | 691   | 2,143 | 9,011  | 27,050 | 43,788 | 61,000  | 98,812  | 79,002  | 32 |
| 2003.....               | 336,095 | 247 | 89  | 155 | 718   | 2,129 | 9,463  | 27,304 | 44,522 | 65,568  | 104,646 | 81,227  | 27 |
| 2002.....               | 340,933 | 267 | 87  | 141 | 686   | 2,131 | 9,638  | 27,239 | 43,900 | 68,658  | 107,217 | 80,935  | 34 |
| 2001.....               | 339,095 | 243 | 121 | 138 | 647   | 2,068 | 9,346  | 26,280 | 42,519 | 70,637  | 108,576 | 78,473  | 47 |
| 2000.....               | 344,807 | 260 | 107 | 163 | 638   | 1,922 | 9,286  | 25,927 | 43,285 | 74,589  | 109,693 | 78,896  | 41 |
| 1999.....               | 351,617 | 270 | 104 | 157 | 664   | 1,988 | 9,640  | 25,489 | 43,662 | 78,836  | 112,470 | 78,300  | 37 |

Worktable Orig290F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2007

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data - mortality"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, sex, and year | All ages | Under 1 year | 1-4 years | 5-14 years | 15-24 years | 25-34 years | 35-44 years | 45-54 years | 55-64 years | 65-74 years | 75-84 years | 85 years and over | Age not stated |
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|
| Diseases of heart (I00-I09,I11,I13,I20-I51)  |          |              |           |            |             |             |             |             |             |             |             |                   |                |
| All origins, female  |          |              |           |            |             |             |             |             |             |             |             |                   |                |
| 2007.....  | 306,246  | 187          | 91        | 108        | 384         | 1,046       | 3,494       | 10,523      | 19,969      | 34,057      | 83,252      | 153,129           | 6              |
| 2006.....  | 315,930  | 159          | 72        | 113        | 365         | 1,009       | 3,714       | 10,662      | 20,300      | 35,487      | 88,073      | 155,966           | 10             |
| 2005.....  | 329,250  | 161          | 70        | 121        | 349         | 1,043       | 3,757       | 10,617      | 20,313      | 37,679      | 94,113      | 161,015           | 12             |
| 2004.....  | 330,513  | 193          | 93        | 123        | 347         | 1,020       | 3,914       | 10,506      | 19,825      | 38,999      | 96,567      | 158,922           | 4              |
| 2003.....  | 348,994  | 192          | 97        | 109        | 415         | 1,121       | 4,137       | 10,428      | 20,538      | 41,695      | 102,685     | 167,569           | 8              |
| 2002.....  | 356,014  | 233          | 78        | 114        | 336         | 1,034       | 4,050       | 10,331      | 20,334      | 43,889      | 106,364     | 169,238           | 13             |
| 2001.....  | 361,047  | 236          | 104       | 134        | 352         | 1,092       | 3,980       | 10,119      | 19,967      | 45,662      | 108,416     | 170,966           | 19             |
| 2000.....  | 365,953  | 233          | 74        | 108        | 393         | 1,036       | 3,895       | 9,553       | 20,114      | 47,816      | 110,367     | 172,346           | 18             |
| 1999.....  | 373,575  | 254          | 79        | 120        | 405         | 1,078       | 3,960       | 9,505       | 20,505      | 50,417      | 113,682     | 173,560           | 10             |
| Hispanic, both sexes   |          |              |           |            |             |             |             |             |             |             |             |                   |                |
| 2007.....  | 29,021   | 91           | 39        | 40         | 145         | 378         | 962         | 2,317       | 3,751       | 5,033       | 8,114       | 8,149             | 2              |
| 2006.....  | 28,921   | 63           | 31        | 45         | 130         | 374         | 930         | 2,337       | 3,612       | 5,189       | 8,180       | 8,027             | 3              |
| 2005.....  | 29,555   | 71           | 23        | 34         | 137         | 354         | 957         | 2,233       | 3,642       | 5,551       | 8,583       | 7,965             | 5              |
| 2004.....  | 27,788   | 81           | 39        | 34         | 129         | 302         | 934         | 2,110       | 3,460       | 5,389       | 8,061       | 7,246             | 3              |
| 2003.....  | 28,298   | 75           | 35        | 31         | 135         | 347         | 879         | 2,035       | 3,454       | 5,635       | 8,077       | 7,589             | 6              |
| 2002.....  | 27,887   | 85           | 24        | 30         | 128         | 321         | 852         | 2,020       | 3,492       | 5,719       | 7,779       | 7,436             | 1              |
| 2001.....  | 27,090   | 79           | 33        | 38         | 112         | 314         | 750         | 1,875       | 3,152       | 5,730       | 7,632       | 7,369             | 6              |
| 2000.....  | 25,819   | 86           | 29        | 38         | 125         | 280         | 760         | 1,754       | 3,136       | 5,453       | 7,067       | 7,086             | 5              |
| 1999.....  | 25,866   | 96           | 33        | 36         | 116         | 286         | 761         | 1,806       | 3,155       | 5,557       | 7,046       | 6,968             | 6              |



Worktable Orig290F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2007

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data - mortality"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, sex, and year | All ages | Under 1 year | 1-4 years | 5-14 years | 15-24 years | 25-34 years | 35-44 years | 45-54 years | 55-64 years | 65-74 years | 75-84 years | 85 years and over | Age not stated |
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|
| <b>Diseases of heart (I00-I09,I11,I13,I20-I51)</b>   |          |              |           |            |             |             |             |             |             |             |             |                   |                |
| <b>Hispanic, male</b>  |          |              |           |            |             |             |             |             |             |             |             |                   |                |
| 2007.....  | 15,657   | 49           | 17        | 23         | 104         | 277         | 743         | 1,770       | 2,614       | 3,067       | 4,080       | 2,913             | -              |
| 2006.....  | 15,518   | 35           | 19        | 27         | 99          | 291         | 709         | 1,729       | 2,463       | 3,117       | 4,138       | 2,889             | 2              |
| 2005.....  | 15,900   | 38           | 17        | 21         | 91          | 272         | 733         | 1,679       | 2,492       | 3,316       | 4,398       | 2,838             | 5              |
| 2004.....  | 14,983   | 41           | 24        | 15         | 101         | 244         | 715         | 1,569       | 2,376       | 3,236       | 4,163       | 2,496             | 3              |
| 2003.....  | 14,867   | 42           | 19        | 19         | 101         | 244         | 654         | 1,520       | 2,334       | 3,387       | 4,025       | 2,517             | 5              |
| 2002.....  | 14,798   | 41           | 11        | 14         | 94          | 242         | 625         | 1,467       | 2,393       | 3,441       | 3,898       | 2,571             | 1              |
| 2001.....  | 14,195   | 43           | 16        | 19         | 76          | 226         | 565         | 1,397       | 2,104       | 3,424       | 3,808       | 2,512             | 5              |
| 2000.....  | 13,566   | 44           | 21        | 26         | 87          | 199         | 550         | 1,307       | 2,128       | 3,245       | 3,525       | 2,430             | 4              |
| 1999.....  | 13,554   | 40           | 20        | 23         | 73          | 219         | 572         | 1,348       | 2,091       | 3,355       | 3,483       | 2,324             | 6              |
| <b>Hispanic, female</b>  |          |              |           |            |             |             |             |             |             |             |             |                   |                |
| 2007.....  | 13,364   | 42           | 22        | 17         | 41          | 101         | 219         | 547         | 1,137       | 1,966       | 4,034       | 5,236             | 2              |
| 2006.....  | 13,403   | 28           | 12        | 18         | 31          | 83          | 221         | 608         | 1,149       | 2,072       | 4,042       | 5,138             | 1              |
| 2005.....  | 13,655   | 33           | 6         | 13         | 46          | 82          | 224         | 554         | 1,150       | 2,235       | 4,185       | 5,127             | -              |
| 2004.....  | 12,805   | 40           | 15        | 19         | 28          | 58          | 219         | 541         | 1,084       | 2,153       | 3,898       | 4,750             | -              |
| 2003.....  | 13,431   | 33           | 16        | 12         | 34          | 103         | 225         | 515         | 1,120       | 2,248       | 4,052       | 5,072             | 1              |
| 2002.....  | 13,089   | 44           | 13        | 16         | 34          | 79          | 227         | 553         | 1,099       | 2,278       | 3,881       | 4,865             | -              |
| 2001.....  | 12,895   | 36           | 17        | 19         | 36          | 88          | 185         | 478         | 1,048       | 2,306       | 3,824       | 4,857             | 1              |
| 2000.....  | 12,253   | 42           | 8         | 12         | 38          | 81          | 210         | 447         | 1,008       | 2,208       | 3,542       | 4,656             | 1              |
| 1999.....  | 12,312   | 56           | 13        | 13         | 43          | 67          | 189         | 458         | 1,064       | 2,202       | 3,563       | 4,644             | -              |

Worktable Orig290F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2007

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data - mortality"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, sex, and year | All ages | Under 1 year | 1-4 years | 5-14 years | 15-24 years | 25-34 years | 35-44 years | 45-54 years | 55-64 years | 65-74 years | 75-84 years | 85 years and over | Age not stated |
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|
| <b>Diseases of heart (I00-I09,I11,I13,I20-I51)</b>   |          |              |           |            |             |             |             |             |             |             |             |                   |                |
| <b>Non-Hispanic 1/, both sexes</b>   |          |              |           |            |             |             |             |             |             |             |             |                   |                |
| 2007.....  | 586,077  | 330          | 134       | 201        | 939         | 2,839       | 10,849      | 35,020      | 61,569      | 84,357      | 162,930     | 226,889           | 20             |
| 2006.....  | 601,431  | 282          | 130       | 207        | 945         | 2,924       | 11,369      | 35,650      | 61,651      | 87,293      | 171,953     | 228,996           | 31             |
| 2005.....  | 621,260  | 287          | 128       | 217        | 982         | 2,889       | 11,702      | 35,740      | 61,359      | 90,945      | 181,756     | 235,227           | 28             |
| 2004.....  | 623,165  | 338          | 148       | 209        | 904         | 2,855       | 11,942      | 35,311      | 59,930      | 94,288      | 186,908     | 230,305           | 27             |
| 2003.....  | 654,828  | 362          | 150       | 232        | 993         | 2,891       | 12,662      | 35,545      | 61,305      | 101,261     | 198,713     | 240,694           | 20             |
| 2002.....  | 666,690  | 413          | 141       | 225        | 892         | 2,827       | 12,780      | 35,376      | 60,465      | 106,351     | 205,156     | 242,030           | 34             |
| 2001.....  | 670,787  | 397          | 191       | 234        | 877         | 2,834       | 12,515      | 34,359      | 59,038      | 110,181     | 208,704     | 241,415           | 42             |
| 2000.....  | 682,470  | 403          | 151       | 232        | 904         | 2,664       | 12,341      | 33,551      | 59,943      | 116,476     | 212,328     | 243,436           | 41             |
| 1999.....  | 696,719  | 427          | 149       | 240        | 950         | 2,770       | 12,767      | 33,029      | 60,684      | 123,161     | 218,359     | 244,151           | 32             |
| <b>Non-Hispanic 1/, male</b>   |          |              |           |            |             |             |             |             |             |             |             |                   |                |
| 2007.....  | 293,547  | 187          | 65        | 110        | 596         | 1,895       | 7,579       | 25,065      | 42,792      | 52,313      | 83,799      | 79,130            | 16             |
| 2006.....  | 299,415  | 152          | 70        | 113        | 612         | 2,000       | 7,890       | 25,617      | 42,553      | 53,955      | 88,065      | 78,365            | 23             |
| 2005.....  | 306,197  | 159          | 64        | 110        | 679         | 1,930       | 8,175       | 25,711      | 42,247      | 55,566      | 91,981      | 79,557            | 18             |
| 2004.....  | 306,083  | 186          | 70        | 105        | 587         | 1,893       | 8,263       | 25,378      | 41,242      | 57,539      | 94,418      | 76,379            | 23             |
| 2003.....  | 320,095  | 205          | 70        | 135        | 614         | 1,878       | 8,765       | 25,665      | 41,957      | 61,943      | 100,321     | 78,528            | 14             |
| 2002.....  | 324,848  | 225          | 76        | 127        | 590         | 1,878       | 8,972       | 25,636      | 41,305      | 64,912      | 102,972     | 78,132            | 23             |
| 2001.....  | 323,673  | 198          | 105       | 119        | 564         | 1,832       | 8,733       | 24,759      | 40,188      | 66,949      | 104,429     | 75,766            | 31             |
| 2000.....  | 329,888  | 213          | 86        | 137        | 550         | 1,716       | 8,673       | 24,487      | 40,924      | 71,010      | 105,834     | 76,231            | 27             |
| 1999.....  | 336,615  | 230          | 84        | 133        | 589         | 1,762       | 9,009       | 24,019      | 41,321      | 75,118      | 108,605     | 75,721            | 24             |

Worktable Orig290F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2007

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data - mortality"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, sex, and year | All ages | Under 1 year | 1-4 years | 5-14 years | 15-24 years | 25-34 years | 35-44 years | 45-54 years | 55-64 years | 65-74 years | 75-84 years | 85 years and over | Age not stated |
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|
| <b>Diseases of heart (I00-I09,I11,I13,I20-I51)</b>   |          |              |           |            |             |             |             |             |             |             |             |                   |                |
| <b>Non-Hispanic 1/, female</b>   |          |              |           |            |             |             |             |             |             |             |             |                   |                |
| 2007.....  | 292,530  | 143          | 69        | 91         | 343         | 944         | 3,270       | 9,955       | 18,777      | 32,044      | 79,131      | 147,759           | 4              |
| 2006.....  | 302,016  | 130          | 60        | 94         | 333         | 924         | 3,479       | 10,033      | 19,098      | 33,338      | 83,888      | 150,631           | 8              |
| 2005.....  | 315,063  | 128          | 64        | 107        | 303         | 959         | 3,527       | 10,029      | 19,112      | 35,379      | 89,775      | 155,670           | 10             |
| 2004.....  | 317,082  | 152          | 78        | 104        | 317         | 962         | 3,679       | 9,933       | 18,688      | 36,749      | 92,490      | 153,926           | 4              |
| 2003.....  | 334,733  | 157          | 80        | 97         | 379         | 1,013       | 3,897       | 9,880       | 19,348      | 39,318      | 98,392      | 162,166           | 6              |
| 2002.....  | 341,842  | 188          | 65        | 98         | 302         | 949         | 3,808       | 9,740       | 19,160      | 41,439      | 102,184     | 163,898           | 11             |
| 2001.....  | 347,114  | 199          | 86        | 115        | 313         | 1,002       | 3,782       | 9,600       | 18,850      | 43,232      | 104,275     | 165,649           | 11             |
| 2000.....  | 352,582  | 190          | 65        | 95         | 354         | 948         | 3,668       | 9,064       | 19,019      | 45,466      | 106,494     | 167,205           | 14             |
| 1999.....  | 360,104  | 197          | 65        | 107        | 361         | 1,008       | 3,758       | 9,010       | 19,363      | 48,043      | 109,754     | 168,430           | 8              |
| <b>Non-Hispanic white, both sexes</b>  |          |              |           |            |             |             |             |             |             |             |             |                   |                |
| 2007 2/.....   | 502,683  | 168          | 75        | 127        | 565         | 1,708       | 7,458       | 25,823      | 47,803      | 68,564      | 142,967     | 207,410           | 15             |
| 2006 2/.....   | 516,883  | 148          | 79        | 128        | 608         | 1,774       | 7,960       | 26,138      | 48,053      | 71,146      | 151,129     | 209,695           | 25             |
| 2005 2/.....   | 535,101  | 162          | 70        | 127        | 604         | 1,742       | 8,153       | 26,135      | 47,744      | 74,716      | 160,084     | 215,545           | 19             |
| 2004 2/.....   | 537,512  | 210          | 80        | 125        | 553         | 1,745       | 8,411       | 25,858      | 46,934      | 77,652      | 165,259     | 210,669           | 16             |
| 2003 2/.....   | 565,808  | 200          | 83        | 146        | 605         | 1,788       | 8,894       | 25,982      | 48,091      | 83,479      | 176,035     | 220,489           | 16             |
| 2002.....  | 577,761  | 249          | 91        | 146        | 547         | 1,718       | 9,114       | 26,206      | 47,494      | 88,528      | 181,975     | 221,670           | 23             |
| 2001.....  | 582,349  | 234          | 108       | 152        | 522         | 1,775       | 8,734       | 25,544      | 46,433      | 91,855      | 185,536     | 221,430           | 26             |
| 2000.....  | 594,465  | 258          | 98        | 140        | 531         | 1,653       | 8,743       | 25,153      | 47,292      | 97,748      | 189,366     | 223,454           | 29             |
| 1999.....  | 607,704  | 259          | 92        | 156        | 585         | 1,755       | 8,936       | 24,823      | 47,950      | 103,750     | 195,187     | 224,193           | 18             |

Worktable Orig290F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2007

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data - mortality"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, sex, and year | All ages | Under 1 year | 1-4 years | 5-14 years | 15-24 years | 25-34 years | 35-44 years | 45-54 years | 55-64 years | 65-74 years | 75-84 years | 85 years and over | Age not stated |
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|
| <b>Diseases of heart (I00-I09,I11,I13,I20-I51)</b>   |          |              |           |            |             |             |             |             |             |             |             |                   |                |
| <b>Non-Hispanic white, male</b>  |          |              |           |            |             |             |             |             |             |             |             |                   |                |
| 2007 2/.....   | 251,229  | 96           | 30        | 68         | 343         | 1,163       | 5,318       | 19,107      | 34,001      | 43,414      | 74,600      | 73,076            | 13             |
| 2006 2/.....   | 256,459  | 80           | 41        | 73         | 410         | 1,250       | 5,738       | 19,439      | 33,901      | 44,772      | 78,455      | 72,282            | 18             |
| 2005 2/.....   | 263,311  | 89           | 38        | 70         | 422         | 1,206       | 5,920       | 19,485      | 33,711      | 46,538      | 82,264      | 73,555            | 13             |
| 2004 2/.....   | 263,638  | 116          | 37        | 67         | 363         | 1,194       | 6,080       | 19,329      | 33,078      | 48,417      | 84,694      | 70,250            | 13             |
| 2003 2/.....   | 276,241  | 110          | 34        | 88         | 368         | 1,212       | 6,429       | 19,504      | 33,871      | 52,148      | 89,985      | 72,482            | 10             |
| 2002.....  | 281,442  | 139          | 54        | 85         | 370         | 1,177       | 6,657       | 19,774      | 33,313      | 55,265      | 92,616      | 71,976            | 16             |
| 2001.....  | 280,713  | 127          | 59        | 80         | 336         | 1,184       | 6,395       | 19,178      | 32,504      | 57,059      | 93,996      | 69,775            | 20             |
| 2000.....  | 287,210  | 139          | 59        | 87         | 326         | 1,115       | 6,446       | 19,101      | 33,179      | 61,024      | 95,576      | 70,138            | 20             |
| 1999.....  | 293,206  | 145          | 55        | 84         | 357         | 1,152       | 6,590       | 18,747      | 33,466      | 64,699      | 98,422      | 69,476            | 13             |
| <b>Non-Hispanic white, female</b>  |          |              |           |            |             |             |             |             |             |             |             |                   |                |
| 2007 2/.....   | 251,454  | 72           | 45        | 59         | 222         | 545         | 2,140       | 6,716       | 13,802      | 25,150      | 68,367      | 134,334           | 2              |
| 2006 2/.....   | 260,424  | 68           | 38        | 55         | 198         | 524         | 2,222       | 6,699       | 14,152      | 26,374      | 72,674      | 137,413           | 7              |
| 2005 2/.....   | 271,790  | 73           | 32        | 57         | 182         | 536         | 2,233       | 6,650       | 14,033      | 28,178      | 77,820      | 141,990           | 6              |
| 2004 2/.....   | 273,874  | 94           | 43        | 58         | 190         | 551         | 2,331       | 6,529       | 13,856      | 29,235      | 80,565      | 140,419           | 3              |
| 2003 2/.....   | 289,567  | 90           | 49        | 58         | 237         | 576         | 2,465       | 6,478       | 14,220      | 31,331      | 86,050      | 148,007           | 6              |
| 2002.....  | 296,319  | 110          | 37        | 61         | 177         | 541         | 2,457       | 6,432       | 14,181      | 33,263      | 89,359      | 149,694           | 7              |
| 2001.....  | 301,636  | 107          | 49        | 72         | 186         | 591         | 2,339       | 6,366       | 13,929      | 34,796      | 91,540      | 151,655           | 6              |
| 2000.....  | 307,255  | 119          | 39        | 53         | 205         | 538         | 2,297       | 6,052       | 14,113      | 36,724      | 93,790      | 153,316           | 9              |
| 1999.....  | 314,498  | 114          | 37        | 72         | 228         | 603         | 2,346       | 6,076       | 14,484      | 39,051      | 96,765      | 154,717           | 5              |

Worktable Orig290F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2007

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data - mortality"]

---

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, sex, and year

|  | All ages | Under 1 year | 1-4 years | 5-14 years | 15-24 years | 25-34 years | 35-44 years | 45-54 years | 55-64 years | 65-74 years | 75-84 years | 85 years and over | Age not stated |
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|

---

Diseases of heart (I00-I09,I11,I13,I20-I51)

| Non-Hispanic black, both sexes |        |     |    |    |     |       |       |       |        |        |        |        |    |
|--------------------------------|--------|-----|----|----|-----|-------|-------|-------|--------|--------|--------|--------|----|
| 2007 2/.....                   | 70,443 | 135 | 42 | 63 | 344 | 985   | 2,962 | 8,285 | 12,156 | 13,507 | 16,359 | 15,601 | 4  |
| 2006 2/.....                   | 71,461 | 114 | 44 | 63 | 302 | 1,020 | 3,037 | 8,520 | 11,942 | 13,768 | 17,184 | 15,461 | 6  |
| 2005 2/.....                   | 73,302 | 104 | 45 | 75 | 333 | 1,008 | 3,165 | 8,613 | 11,977 | 13,840 | 18,118 | 16,016 | 8  |
| 2004 2/.....                   | 73,373 | 99  | 61 | 78 | 310 | 971   | 3,202 | 8,572 | 11,541 | 14,372 | 18,139 | 16,018 | 10 |
| 2003 2/.....                   | 76,452 | 129 | 55 | 76 | 346 | 974   | 3,392 | 8,625 | 11,664 | 15,409 | 19,046 | 16,734 | 2  |
| 2002.....                      | 76,694 | 142 | 40 | 65 | 299 | 993   | 3,312 | 8,318 | 11,554 | 15,411 | 19,520 | 17,030 | 10 |
| 2001.....                      | 76,794 | 140 | 73 | 70 | 322 | 961   | 3,424 | 7,956 | 11,209 | 15,940 | 19,681 | 17,004 | 14 |
| 2000.....                      | 76,706 | 118 | 47 | 75 | 331 | 929   | 3,259 | 7,606 | 11,257 | 16,413 | 19,600 | 17,059 | 12 |
| 1999.....                      | 77,713 | 141 | 49 | 77 | 336 | 913   | 3,506 | 7,448 | 11,346 | 17,019 | 19,808 | 17,056 | 14 |
| Non-Hispanic black, male       |        |     |    |    |     |       |       |       |        |        |        |        |    |
| 2007 2/.....                   | 35,243 | 79  | 28 | 35 | 233 | 623   | 1,929 | 5,251 | 7,673  | 7,505  | 7,379  | 4,506  | 2  |
| 2006 2/.....                   | 35,787 | 61  | 27 | 34 | 180 | 653   | 1,864 | 5,434 | 7,485  | 7,754  | 7,783  | 4,507  | 5  |
| 2005 2/.....                   | 35,874 | 61  | 19 | 35 | 228 | 624   | 1,969 | 5,497 | 7,404  | 7,586  | 7,952  | 4,495  | 4  |
| 2004 2/.....                   | 35,749 | 55  | 32 | 35 | 202 | 588   | 1,936 | 5,393 | 7,149  | 7,798  | 7,931  | 4,621  | 9  |
| 2003 2/.....                   | 36,962 | 79  | 31 | 42 | 225 | 572   | 2,066 | 5,443 | 7,040  | 8,377  | 8,488  | 4,597  | 2  |
| 2002.....                      | 36,596 | 76  | 18 | 33 | 185 | 612   | 2,031 | 5,214 | 7,028  | 8,247  | 8,428  | 4,718  | 6  |
| 2001.....                      | 36,541 | 65  | 40 | 34 | 205 | 578   | 2,071 | 4,955 | 6,713  | 8,491  | 8,621  | 4,758  | 10 |
| 2000.....                      | 36,282 | 59  | 24 | 41 | 192 | 543   | 1,972 | 4,787 | 6,786  | 8,560  | 8,476  | 4,835  | 7  |
| 1999.....                      | 37,077 | 71  | 27 | 45 | 212 | 546   | 2,165 | 4,716 | 6,907  | 9,016  | 8,416  | 4,945  | 11 |

Worktable Orig290F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2007

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data - mortality"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, sex, and year | All ages | Under 1 year | 1-4 years | 5-14 years | 15-24 years | 25-34 years | 35-44 years | 45-54 years | 55-64 years | 65-74 years | 75-84 years | 85 years and over | Age not stated |
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|
| <b>Diseases of heart (I00-I09,I11,I13,I20-I51)</b>   |          |              |           |            |             |             |             |             |             |             |             |                   |                |
| <b>Non-Hispanic black, female</b>  |          |              |           |            |             |             |             |             |             |             |             |                   |                |
| 2007 2/.....   | 35,200   | 56           | 14        | 28         | 111         | 362         | 1,033       | 3,034       | 4,483       | 6,002       | 8,980       | 11,095            | 2              |
| 2006 2/.....   | 35,674   | 53           | 17        | 29         | 122         | 367         | 1,173       | 3,086       | 4,457       | 6,014       | 9,401       | 10,954            | 1              |
| 2005 2/.....   | 37,428   | 43           | 26        | 40         | 105         | 384         | 1,196       | 3,116       | 4,573       | 6,254       | 10,166      | 11,521            | 4              |
| 2004 2/.....   | 37,624   | 44           | 29        | 43         | 108         | 383         | 1,266       | 3,179       | 4,392       | 6,574       | 10,208      | 11,397            | 1              |
| 2003 2/.....   | 39,490   | 50           | 24        | 34         | 121         | 402         | 1,326       | 3,182       | 4,624       | 7,032       | 10,558      | 12,137            | -              |
| 2002.....  | 40,098   | 66           | 22        | 32         | 114         | 381         | 1,281       | 3,104       | 4,526       | 7,164       | 11,092      | 12,312            | 4              |
| 2001.....  | 40,253   | 75           | 33        | 36         | 117         | 383         | 1,353       | 3,001       | 4,496       | 7,449       | 11,060      | 12,246            | 4              |
| 2000.....  | 40,424   | 59           | 23        | 34         | 139         | 386         | 1,287       | 2,819       | 4,471       | 7,853       | 11,124      | 12,224            | 5              |
| 1999.....  | 40,636   | 70           | 22        | 32         | 124         | 367         | 1,341       | 2,732       | 4,439       | 8,003       | 11,392      | 12,111            | 3              |
| <b>Origin not stated 3/, both sexes</b>  |          |              |           |            |             |             |             |             |             |             |             |                   |                |
| 2007.....  | 969      | 3            | -         | -          | -           | 6           | 28          | 97          | 207         | 199         | 213         | 211               | 5              |
| 2006.....  | 1,284    | 1            | -         | 1          | 1           | 9           | 40          | 108         | 214         | 270         | 318         | 316               | 6              |
| 2005.....  | 1,276    | -            | -         | 1          | -           | 6           | 29          | 130         | 207         | 233         | 354         | 312               | 4              |
| 2004.....  | 1,533    | 2            | -         | 2          | 5           | 6           | 49          | 135         | 223         | 322         | 410         | 373               | 6              |
| 2003.....  | 1,963    | 2            | 1         | 1          | 5           | 12          | 59          | 152         | 301         | 367         | 541         | 513               | 9              |
| 2002.....  | 2,370    | 2            | -         | -          | 2           | 17          | 56          | 174         | 277         | 477         | 646         | 707               | 12             |
| 2001.....  | 2,265    | 3            | 1         | -          | 10          | 12          | 61          | 165         | 296         | 388         | 656         | 655               | 18             |
| 2000.....  | 2,471    | 4            | 1         | 1          | 2           | 14          | 80          | 175         | 320         | 476         | 665         | 720               | 13             |
| 1999.....  | 2,607    | 1            | 1         | 1          | 3           | 10          | 72          | 159         | 328         | 535         | 747         | 741               | 9              |

Worktable Orig290F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2007

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data - mortality"]

---

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, sex, and year

|  | All ages | Under 1 year | 1-4 years | 5-14 years | 15-24 years | 25-34 years | 35-44 years | 45-54 years | 55-64 years | 65-74 years | 75-84 years | 85 years and over | Age not stated |
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|

---

Diseases of heart (I00-I09,I11,I13,I20-I51)

| Origin not stated 3/, male |       |   |   |   |   |    |    |     |     |     |     |     |    |
|----------------------------|-------|---|---|---|---|----|----|-----|-----|-----|-----|-----|----|
| 2007.....                  | 617   | 1 | - | - | - | 5  | 23 | 76  | 152 | 152 | 126 | 77  | 5  |
| 2006.....                  | 773   | - | - | - | - | 7  | 26 | 87  | 161 | 193 | 175 | 119 | 5  |
| 2005.....                  | 744   | - | - | - | - | 4  | 23 | 96  | 156 | 168 | 201 | 94  | 2  |
| 2004.....                  | 907   | 1 | - | 2 | 3 | 6  | 33 | 103 | 170 | 225 | 231 | 127 | 6  |
| 2003.....                  | 1,133 | - | - | 1 | 3 | 7  | 44 | 119 | 231 | 238 | 300 | 182 | 8  |
| 2002.....                  | 1,287 | 1 | - | - | 2 | 11 | 41 | 136 | 202 | 305 | 347 | 232 | 10 |
| 2001.....                  | 1,227 | 2 | - | - | 7 | 10 | 48 | 124 | 227 | 264 | 339 | 195 | 11 |
| 2000.....                  | 1,353 | 3 | - | - | 1 | 7  | 63 | 133 | 233 | 334 | 334 | 235 | 10 |
| 1999.....                  | 1,448 | - | - | 1 | 2 | 7  | 59 | 122 | 250 | 363 | 382 | 255 | 7  |

  

| Origin not stated 3/, female |       |   |   |   |   |   |    |    |    |     |     |     |   |
|------------------------------|-------|---|---|---|---|---|----|----|----|-----|-----|-----|---|
| 2007.....                    | 352   | 2 | - | - | - | 1 | 5  | 21 | 55 | 47  | 87  | 134 | - |
| 2006.....                    | 511   | 1 | - | 1 | 1 | 2 | 14 | 21 | 53 | 77  | 143 | 197 | 1 |
| 2005.....                    | 532   | - | - | 1 | - | 2 | 6  | 34 | 51 | 65  | 153 | 218 | 2 |
| 2004.....                    | 626   | 1 | - | - | 2 | - | 16 | 32 | 53 | 97  | 179 | 246 | - |
| 2003.....                    | 830   | 2 | 1 | - | 2 | 5 | 15 | 33 | 70 | 129 | 241 | 331 | 1 |
| 2002.....                    | 1,083 | 1 | - | - | - | 6 | 15 | 38 | 75 | 172 | 299 | 475 | 2 |
| 2001.....                    | 1,038 | 1 | 1 | - | 3 | 2 | 13 | 41 | 69 | 124 | 317 | 460 | 7 |
| 2000.....                    | 1,118 | 1 | 1 | 1 | 1 | 7 | 17 | 42 | 87 | 142 | 331 | 485 | 3 |
| 1999.....                    | 1,159 | 1 | 1 | - | 1 | 3 | 13 | 37 | 78 | 172 | 365 | 486 | 2 |

Worktable Orig290F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2007

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data - mortality"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, sex, and year | All ages | Under 1 year | 1-4 years | 5-14 years | 15-24 years | 25-34 years | 35-44 years | 45-54 years | 55-64 years | 65-74 years | 75-84 years | 85 years and over | Age not stated |
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|
| Acute rheumatic fever and chronic rheumatic heart diseases (I00-I09)   |          |              |           |            |             |             |             |             |             |             |             |                   |                |
| All origins, both sexes  |          |              |           |            |             |             |             |             |             |             |             |                   |                |
| 2007.....  | 3,201    | 2            | 1         | 1          | 12          | 28          | 70          | 177         | 337         | 529         | 1,055       | 989               | -              |
| 2006.....  | 3,257    | 3            | -         | 7          | 7           | 31          | 66          | 176         | 352         | 608         | 1,123       | 884               | -              |
| 2005.....  | 3,365    | 1            | 1         | 4          | 9           | 27          | 82          | 191         | 354         | 613         | 1,114       | 969               | -              |
| 2004.....  | 3,254    | 2            | 3         | 4          | 7           | 27          | 96          | 207         | 321         | 612         | 1,146       | 829               | -              |
| 2003.....  | 3,624    | 1            | 1         | 6          | 11          | 25          | 99          | 224         | 367         | 693         | 1,233       | 964               | -              |
| 2002.....  | 3,579    | 4            | 1         | 6          | 18          | 36          | 95          | 237         | 433         | 703         | 1,227       | 819               | -              |
| 2001.....  | 3,489    | 3            | 1         | 5          | 11          | 34          | 130         | 232         | 361         | 744         | 1,188       | 780               | -              |
| 2000.....  | 3,582    | 6            | 2         | 4          | 17          | 33          | 141         | 252         | 420         | 819         | 1,176       | 712               | -              |
| 1999.....  | 3,676    | 6            | 1         | 5          | 13          | 42          | 124         | 245         | 411         | 854         | 1,227       | 748               | -              |
| All origins, male  |          |              |           |            |             |             |             |             |             |             |             |                   |                |
| 2007.....  | 1,026    | -            | 1         | -          | 6           | 14          | 27          | 78          | 133         | 178         | 334         | 255               | -              |
| 2006.....  | 1,008    | 2            | -         | 2          | 5           | 17          | 28          | 81          | 135         | 208         | 327         | 203               | -              |
| 2005.....  | 1,044    | 1            | -         | 2          | 7           | 14          | 38          | 81          | 141         | 210         | 326         | 224               | -              |
| 2004.....  | 1,009    | 2            | 3         | 2          | 4           | 9           | 38          | 88          | 107         | 202         | 380         | 174               | -              |
| 2003.....  | 1,153    | 1            | -         | 4          | 7           | 14          | 44          | 78          | 146         | 241         | 384         | 234               | -              |
| 2002.....  | 1,078    | 3            | 1         | 2          | 8           | 18          | 45          | 95          | 156         | 245         | 341         | 164               | -              |
| 2001.....  | 1,031    | 3            | 1         | 2          | 7           | 15          | 54          | 87          | 135         | 231         | 330         | 166               | -              |
| 2000.....  | 1,072    | 5            | 2         | 3          | 11          | 12          | 61          | 104         | 166         | 237         | 321         | 150               | -              |
| 1999.....  | 1,042    | 2            | 1         | 2          | 10          | 17          | 49          | 90          | 133         | 290         | 325         | 123               | -              |



Worktable Orig290F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2007

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data - mortality"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, sex, and year | All ages | Under 1 year | 1-4 years | 5-14 years | 15-24 years | 25-34 years | 35-44 years | 45-54 years | 55-64 years | 65-74 years | 75-84 years | 85 years and over | Age not stated |
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|
| Acute rheumatic fever and chronic rheumatic heart diseases (I00-I09)   |          |              |           |            |             |             |             |             |             |             |             |                   |                |
| All origins, female  |          |              |           |            |             |             |             |             |             |             |             |                   |                |
| 2007.....  | 2,175    | 2            | -         | 1          | 6           | 14          | 43          | 99          | 204         | 351         | 721         | 734               | -              |
| 2006.....  | 2,249    | 1            | -         | 5          | 2           | 14          | 38          | 95          | 217         | 400         | 796         | 681               | -              |
| 2005.....  | 2,321    | -            | 1         | 2          | 2           | 13          | 44          | 110         | 213         | 403         | 788         | 745               | -              |
| 2004.....  | 2,245    | -            | -         | 2          | 3           | 18          | 58          | 119         | 214         | 410         | 766         | 655               | -              |
| 2003.....  | 2,471    | -            | 1         | 2          | 4           | 11          | 55          | 146         | 221         | 452         | 849         | 730               | -              |
| 2002.....  | 2,501    | 1            | -         | 4          | 10          | 18          | 50          | 142         | 277         | 458         | 886         | 655               | -              |
| 2001.....  | 2,458    | -            | -         | 3          | 4           | 19          | 76          | 145         | 226         | 513         | 858         | 614               | -              |
| 2000.....  | 2,510    | 1            | -         | 1          | 6           | 21          | 80          | 148         | 254         | 582         | 855         | 562               | -              |
| 1999.....  | 2,634    | 4            | -         | 3          | 3           | 25          | 75          | 155         | 278         | 564         | 902         | 625               | -              |
| Hispanic, both sexes   |          |              |           |            |             |             |             |             |             |             |             |                   |                |
| 2007.....  | 155      | 1            | 1         | -          | 1           | 7           | 11          | 22          | 30          | 13          | 47          | 22                | -              |
| 2006.....  | 169      | -            | -         | 1          | 1           | 4           | 7           | 17          | 27          | 35          | 51          | 26                | -              |
| 2005.....  | 162      | -            | -         | 1          | -           | 6           | 8           | 21          | 25          | 40          | 41          | 20                | -              |
| 2004.....  | 158      | -            | 1         | 1          | 1           | 2           | 14          | 15          | 29          | 44          | 43          | 8                 | -              |
| 2003.....  | 159      | 1            | -         | 1          | 2           | 7           | 7           | 21          | 21          | 40          | 43          | 16                | -              |
| 2002.....  | 198      | -            | -         | -          | 2           | 11          | 11          | 24          | 35          | 54          | 42          | 19                | -              |
| 2001.....  | 156      | -            | 1         | 1          | 2           | 2           | 12          | 16          | 27          | 48          | 30          | 17                | -              |
| 2000.....  | 154      | 1            | -         | -          | 1           | 6           | 13          | 19          | 30          | 47          | 27          | 10                | -              |
| 1999.....  | 166      | 2            | -         | -          | 3           | 4           | 16          | 23          | 26          | 44          | 35          | 13                | -              |

Worktable Orig290F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2007

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data - mortality"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, sex, and year | All ages | Under 1 year | 1-4 years | 5-14 years | 15-24 years | 25-34 years | 35-44 years | 45-54 years | 55-64 years | 65-74 years | 75-84 years | 85 years and over | Age not stated |
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|

Acute rheumatic fever and chronic rheumatic heart diseases (I00-I09)

Hispanic, male

|           |    |   |   |   |   |   |   |    |    |    |    |   |   |
|-----------|----|---|---|---|---|---|---|----|----|----|----|---|---|
| 2007..... | 52 | - | 1 | - | - | 3 | 5 | 13 | 6  | 3  | 15 | 6 | - |
| 2006..... | 59 | - | - | - | 1 | 3 | 4 | 10 | 9  | 15 | 11 | 6 | - |
| 2005..... | 47 | - | - | 1 | - | 4 | 4 | 9  | 8  | 13 | 6  | 2 | - |
| 2004..... | 56 | - | 1 | 1 | 1 | 1 | 3 | 6  | 5  | 18 | 17 | 3 | - |
| 2003..... | 57 | 1 | - | 1 | 2 | 4 | 4 | 8  | 8  | 13 | 11 | 5 | - |
| 2002..... | 55 | - | - | - | 1 | 5 | 4 | 9  | 13 | 15 | 4  | 4 | - |
| 2001..... | 51 | - | 1 | 1 | 1 | 2 | 5 | 5  | 7  | 15 | 11 | 3 | - |
| 2000..... | 49 | 1 | - | - | - | 1 | 4 | 9  | 12 | 13 | 6  | 3 | - |
| 1999..... | 38 | - | - | - | 3 | 3 | 3 | 6  | 8  | 10 | 5  | - | - |

Hispanic, female

|           |     |   |   |   |   |   |    |    |    |    |    |    |   |
|-----------|-----|---|---|---|---|---|----|----|----|----|----|----|---|
| 2007..... | 103 | 1 | - | - | 1 | 4 | 6  | 9  | 24 | 10 | 32 | 16 | - |
| 2006..... | 110 | - | - | 1 | - | 1 | 3  | 7  | 18 | 20 | 40 | 20 | - |
| 2005..... | 115 | - | - | - | - | 2 | 4  | 12 | 17 | 27 | 35 | 18 | - |
| 2004..... | 102 | - | - | - | - | 1 | 11 | 9  | 24 | 26 | 26 | 5  | - |
| 2003..... | 102 | - | - | - | - | 3 | 3  | 13 | 13 | 27 | 32 | 11 | - |
| 2002..... | 143 | - | - | - | 1 | 6 | 7  | 15 | 22 | 39 | 38 | 15 | - |
| 2001..... | 105 | - | - | - | 1 | - | 7  | 11 | 20 | 33 | 19 | 14 | - |
| 2000..... | 105 | - | - | - | 1 | 5 | 9  | 10 | 18 | 34 | 21 | 7  | - |
| 1999..... | 128 | 2 | - | - | - | 1 | 13 | 17 | 18 | 34 | 30 | 13 | - |

Worktable Orig290F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2007

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data - mortality"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, sex, and year | All ages | Under 1 year | 1-4 years | 5-14 years | 15-24 years | 25-34 years | 35-44 years | 45-54 years | 55-64 years | 65-74 years | 75-84 years | 85 years and over | Age not stated |
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|

Acute rheumatic fever and chronic rheumatic heart diseases (I00-I09)

Non-Hispanic 1/, both sexes

|           |       |   |   |   |    |    |     |     |     |     |       |     |   |
|-----------|-------|---|---|---|----|----|-----|-----|-----|-----|-------|-----|---|
| 2007..... | 3,042 | 1 | - | 1 | 11 | 21 | 59  | 155 | 304 | 515 | 1,008 | 967 | - |
| 2006..... | 3,085 | 3 | - | 6 | 6  | 27 | 59  | 159 | 325 | 573 | 1,069 | 858 | - |
| 2005..... | 3,200 | 1 | 1 | 3 | 9  | 21 | 74  | 168 | 329 | 572 | 1,073 | 949 | - |
| 2004..... | 3,091 | 2 | 2 | 3 | 6  | 25 | 81  | 192 | 291 | 568 | 1,100 | 821 | - |
| 2003..... | 3,460 | - | 1 | 5 | 9  | 18 | 92  | 203 | 344 | 653 | 1,190 | 945 | - |
| 2002..... | 3,375 | 4 | 1 | 6 | 16 | 25 | 84  | 212 | 397 | 647 | 1,183 | 800 | - |
| 2001..... | 3,327 | 3 | - | 4 | 8  | 32 | 118 | 214 | 333 | 696 | 1,157 | 762 | - |
| 2000..... | 3,424 | 5 | 2 | 4 | 16 | 27 | 128 | 233 | 388 | 772 | 1,149 | 700 | - |
| 1999..... | 3,498 | 4 | 1 | 5 | 10 | 38 | 106 | 221 | 383 | 806 | 1,190 | 734 | - |

Non-Hispanic 1/, male

|           |       |   |   |   |    |    |    |    |     |     |     |     |   |
|-----------|-------|---|---|---|----|----|----|----|-----|-----|-----|-----|---|
| 2007..... | 971   | - | - | - | 6  | 11 | 22 | 65 | 125 | 174 | 319 | 249 | - |
| 2006..... | 948   | 2 | - | 2 | 4  | 14 | 24 | 71 | 126 | 193 | 315 | 197 | - |
| 2005..... | 995   | 1 | - | 1 | 7  | 10 | 34 | 71 | 133 | 196 | 320 | 222 | - |
| 2004..... | 950   | 2 | 2 | 1 | 3  | 8  | 34 | 82 | 101 | 184 | 362 | 171 | - |
| 2003..... | 1,095 | - | - | 3 | 5  | 10 | 40 | 70 | 137 | 228 | 373 | 229 | - |
| 2002..... | 1,021 | 3 | 1 | 2 | 7  | 13 | 41 | 85 | 142 | 230 | 337 | 160 | - |
| 2001..... | 978   | 3 | - | 1 | 5  | 13 | 49 | 81 | 128 | 216 | 319 | 163 | - |
| 2000..... | 1,022 | 4 | 2 | 3 | 11 | 11 | 57 | 95 | 153 | 224 | 315 | 147 | - |
| 1999..... | 999   | 2 | 1 | 2 | 7  | 14 | 45 | 83 | 123 | 279 | 320 | 123 | - |

Worktable Orig290F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2007

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data - mortality"]

---

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, sex, and year

|  | All ages | Under 1 year | 1-4 years | 5-14 years | 15-24 years | 25-34 years | 35-44 years | 45-54 years | 55-64 years | 65-74 years | 75-84 years | 85 years and over | Age not stated |
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|

---

Acute rheumatic fever and chronic rheumatic heart diseases (I00-I09)

Non-Hispanic 1/, female

|           |       |   |   |   |   |    |    |     |     |     |     |     |   |
|-----------|-------|---|---|---|---|----|----|-----|-----|-----|-----|-----|---|
| 2007..... | 2,071 | 1 | - | 1 | 5 | 10 | 37 | 90  | 179 | 341 | 689 | 718 | - |
| 2006..... | 2,137 | 1 | - | 4 | 2 | 13 | 35 | 88  | 199 | 380 | 754 | 661 | - |
| 2005..... | 2,205 | - | 1 | 2 | 2 | 11 | 40 | 97  | 196 | 376 | 753 | 727 | - |
| 2004..... | 2,141 | - | - | 2 | 3 | 17 | 47 | 110 | 190 | 384 | 738 | 650 | - |
| 2003..... | 2,365 | - | 1 | 2 | 4 | 8  | 52 | 133 | 207 | 425 | 817 | 716 | - |
| 2002..... | 2,354 | 1 | - | 4 | 9 | 12 | 43 | 127 | 255 | 417 | 846 | 640 | - |
| 2001..... | 2,349 | - | - | 3 | 3 | 19 | 69 | 133 | 205 | 480 | 838 | 599 | - |
| 2000..... | 2,402 | 1 | - | 1 | 5 | 16 | 71 | 138 | 235 | 548 | 834 | 553 | - |
| 1999..... | 2,499 | 2 | - | 3 | 3 | 24 | 61 | 138 | 260 | 527 | 870 | 611 | - |

Non-Hispanic white, both sexes

|              |       |   |   |   |   |    |    |     |     |     |       |     |   |
|--------------|-------|---|---|---|---|----|----|-----|-----|-----|-------|-----|---|
| 2007 2/..... | 2,698 | - | - | - | 8 | 11 | 40 | 103 | 229 | 444 | 943   | 920 | - |
| 2006 2/..... | 2,736 | 3 | - | 1 | 2 | 16 | 35 | 107 | 251 | 494 | 995   | 832 | - |
| 2005 2/..... | 2,866 | 1 | 1 | 3 | 4 | 11 | 49 | 112 | 259 | 506 | 1,003 | 917 | - |
| 2004 2/..... | 2,754 | 2 | 1 | 1 | 3 | 14 | 43 | 139 | 228 | 499 | 1,034 | 790 | - |
| 2003 2/..... | 3,066 | - | 1 | 3 | 3 | 12 | 55 | 128 | 254 | 571 | 1,129 | 910 | - |
| 2002.....    | 3,007 | 4 | 1 | 3 | 8 | 14 | 57 | 156 | 313 | 575 | 1,109 | 767 | - |
| 2001.....    | 2,924 | 1 | - | 2 | 7 | 13 | 73 | 139 | 265 | 601 | 1,094 | 729 | - |
| 2000.....    | 3,073 | 4 | 2 | 4 | 9 | 19 | 83 | 178 | 320 | 687 | 1,102 | 665 | - |
| 1999.....    | 3,130 | 2 | 1 | 3 | 5 | 21 | 68 | 163 | 314 | 730 | 1,125 | 698 | - |

Worktable Orig290F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2007

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data - mortality"]

---

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, sex, and year

|  | All ages | Under 1 year | 1-4 years | 5-14 years | 15-24 years | 25-34 years | 35-44 years | 45-54 years | 55-64 years | 65-74 years | 75-84 years | 85 years and over | Age not stated |
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|

---

Acute rheumatic fever and chronic rheumatic heart diseases (I00-I09)

Non-Hispanic white, male

|              |     |   |   |   |   |   |    |    |     |     |     |     |   |
|--------------|-----|---|---|---|---|---|----|----|-----|-----|-----|-----|---|
| 2007 2/..... | 853 | - | - | - | 5 | 6 | 15 | 45 | 96  | 154 | 292 | 240 | - |
| 2006 2/..... | 831 | 2 | - | - | 2 | 8 | 18 | 49 | 97  | 166 | 299 | 190 | - |
| 2005 2/..... | 878 | 1 | - | 1 | 2 | 7 | 24 | 50 | 108 | 175 | 299 | 211 | - |
| 2004 2/..... | 840 | 2 | 1 | - | 2 | 1 | 19 | 59 | 77  | 167 | 346 | 166 | - |
| 2003 2/..... | 967 | - | - | 2 | 2 | 6 | 23 | 48 | 98  | 203 | 364 | 221 | - |
| 2002.....    | 897 | 3 | 1 | 2 | 3 | 7 | 26 | 63 | 113 | 205 | 319 | 155 | - |
| 2001.....    | 857 | 1 | - | - | 5 | 7 | 35 | 58 | 108 | 187 | 302 | 154 | - |
| 2000.....    | 917 | 3 | 2 | 3 | 6 | 9 | 42 | 78 | 136 | 197 | 303 | 138 | - |
| 1999.....    | 892 | 1 | 1 | - | 2 | 9 | 31 | 65 | 102 | 260 | 301 | 120 | - |

Non-Hispanic white, female

|              |       |   |   |   |   |    |    |     |     |     |     |     |   |
|--------------|-------|---|---|---|---|----|----|-----|-----|-----|-----|-----|---|
| 2007 2/..... | 1,845 | - | - | - | 3 | 5  | 25 | 58  | 133 | 290 | 651 | 680 | - |
| 2006 2/..... | 1,905 | 1 | - | 1 | - | 8  | 17 | 58  | 154 | 328 | 696 | 642 | - |
| 2005 2/..... | 1,988 | - | 1 | 2 | 2 | 4  | 25 | 62  | 151 | 331 | 704 | 706 | - |
| 2004 2/..... | 1,914 | - | - | 1 | 1 | 13 | 24 | 80  | 151 | 332 | 688 | 624 | - |
| 2003 2/..... | 2,099 | - | 1 | 1 | 1 | 6  | 32 | 80  | 156 | 368 | 765 | 689 | - |
| 2002.....    | 2,110 | 1 | - | 1 | 5 | 7  | 31 | 93  | 200 | 370 | 790 | 612 | - |
| 2001.....    | 2,067 | - | - | 2 | 2 | 6  | 38 | 81  | 157 | 414 | 792 | 575 | - |
| 2000.....    | 2,156 | 1 | - | 1 | 3 | 10 | 41 | 100 | 184 | 490 | 799 | 527 | - |
| 1999.....    | 2,238 | 1 | - | 3 | 3 | 12 | 37 | 98  | 212 | 470 | 824 | 578 | - |

Worktable Orig290F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2007

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data - mortality"]

---

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, sex, and year

|  | All ages | Under 1 year | 1-4 years | 5-14 years | 15-24 years | 25-34 years | 35-44 years | 45-54 years | 55-64 years | 65-74 years | 75-84 years | 85 years and over | Age not stated |
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|

---

Acute rheumatic fever and chronic rheumatic heart diseases (I00-I09)

Non-Hispanic black, both sexes

|              |     |   |   |   |   |    |    |    |    |    |    |    |   |
|--------------|-----|---|---|---|---|----|----|----|----|----|----|----|---|
| 2007 2/..... | 242 | - | - | 1 | 3 | 4  | 14 | 43 | 54 | 43 | 46 | 34 | - |
| 2006 2/..... | 247 | - | - | 3 | 2 | 7  | 20 | 39 | 54 | 53 | 52 | 17 | - |
| 2005 2/..... | 225 | - | - | - | 2 | 8  | 16 | 47 | 44 | 41 | 44 | 23 | - |
| 2004 2/..... | 245 | - | 1 | 2 | 3 | 6  | 33 | 48 | 46 | 45 | 40 | 21 | - |
| 2003 2/..... | 305 | - | - | 2 | 4 | 5  | 29 | 63 | 72 | 66 | 40 | 24 | - |
| 2002.....    | 249 | - | - | 2 | 5 | 9  | 20 | 44 | 62 | 48 | 42 | 17 | - |
| 2001.....    | 302 | 2 | - | 1 | 1 | 13 | 41 | 60 | 53 | 69 | 40 | 22 | - |
| 2000.....    | 263 | 1 | - | - | 7 | 8  | 35 | 43 | 48 | 58 | 36 | 27 | - |
| 1999.....    | 269 | 1 | - | 2 | 4 | 13 | 30 | 49 | 51 | 54 | 39 | 26 | - |

Non-Hispanic black, male

|              |     |   |   |   |   |   |    |    |    |    |    |   |   |
|--------------|-----|---|---|---|---|---|----|----|----|----|----|---|---|
| 2007 2/..... | 83  | - | - | - | 1 | 2 | 4  | 16 | 23 | 11 | 19 | 7 | - |
| 2006 2/..... | 86  | - | - | 1 | 1 | 4 | 6  | 16 | 23 | 19 | 13 | 3 | - |
| 2005 2/..... | 80  | - | - | - | 2 | 2 | 8  | 18 | 17 | 12 | 15 | 6 | - |
| 2004 2/..... | 83  | - | 1 | 1 | 1 | 4 | 14 | 20 | 19 | 12 | 8  | 3 | - |
| 2003 2/..... | 109 | - | - | 1 | 2 | 3 | 15 | 20 | 33 | 21 | 8  | 6 | - |
| 2002.....    | 91  | - | - | - | 3 | 4 | 12 | 17 | 21 | 20 | 11 | 3 | - |
| 2001.....    | 86  | 2 | - | - | - | 3 | 13 | 20 | 17 | 17 | 8  | 6 | - |
| 2000.....    | 77  | 1 | - | - | 5 | 2 | 12 | 13 | 12 | 16 | 8  | 8 | - |
| 1999.....    | 86  | 1 | - | 2 | 4 | 3 | 12 | 18 | 16 | 15 | 14 | 1 | - |

Worktable Orig290F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2007

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data - mortality"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, sex, and year | All ages | Under 1 year | 1-4 years | 5-14 years | 15-24 years | 25-34 years | 35-44 years | 45-54 years | 55-64 years | 65-74 years | 75-84 years | 85 years and over | Age not stated |
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|

Acute rheumatic fever and chronic rheumatic heart diseases (I00-I09)

Non-Hispanic black, female

|              |     |   |   |   |   |    |    |    |    |    |    |    |   |
|--------------|-----|---|---|---|---|----|----|----|----|----|----|----|---|
| 2007 2/..... | 159 | - | - | 1 | 2 | 2  | 10 | 27 | 31 | 32 | 27 | 27 | - |
| 2006 2/..... | 161 | - | - | 2 | 1 | 3  | 14 | 23 | 31 | 34 | 39 | 14 | - |
| 2005 2/..... | 145 | - | - | - | - | 6  | 8  | 29 | 27 | 29 | 29 | 17 | - |
| 2004 2/..... | 162 | - | - | 1 | 2 | 2  | 19 | 28 | 27 | 33 | 32 | 18 | - |
| 2003 2/..... | 196 | - | - | 1 | 2 | 2  | 14 | 43 | 39 | 45 | 32 | 18 | - |
| 2002.....    | 158 | - | - | 2 | 2 | 5  | 8  | 27 | 41 | 28 | 31 | 14 | - |
| 2001.....    | 216 | - | - | 1 | 1 | 10 | 28 | 40 | 36 | 52 | 32 | 16 | - |
| 2000.....    | 186 | - | - | - | 2 | 6  | 23 | 30 | 36 | 42 | 28 | 19 | - |
| 1999.....    | 183 | - | - | - | - | 10 | 18 | 31 | 35 | 39 | 25 | 25 | - |

Origin not stated 3/, both sexes

|           |    |   |   |   |   |   |   |   |   |   |   |   |   |
|-----------|----|---|---|---|---|---|---|---|---|---|---|---|---|
| 2007..... | 4  | - | - | - | - | - | - | - | 3 | 1 | - | - | - |
| 2006..... | 3  | - | - | - | - | - | - | - | - | - | 3 | - | - |
| 2005..... | 3  | - | - | - | - | - | - | 2 | - | 1 | - | - | - |
| 2004..... | 5  | - | - | - | - | - | 1 | - | 1 | - | 3 | - | - |
| 2003..... | 5  | - | - | - | - | - | - | - | 2 | - | - | 3 | - |
| 2002..... | 6  | - | - | - | - | - | - | 1 | 1 | 2 | 2 | - | - |
| 2001..... | 6  | - | - | - | 1 | - | - | 2 | 1 | - | 1 | 1 | - |
| 2000..... | 4  | - | - | - | - | - | - | - | 2 | - | - | 2 | - |
| 1999..... | 12 | - | - | - | - | - | 2 | 1 | 2 | 4 | 2 | 1 | - |

Worktable Orig290F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2007

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data - mortality"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, sex, and year | All ages | Under 1 year | 1-4 years | 5-14 years | 15-24 years | 25-34 years | 35-44 years | 45-54 years | 55-64 years | 65-74 years | 75-84 years | 85 years and over | Age not stated |
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|

Acute rheumatic fever and chronic rheumatic heart diseases (I00-I09)

Origin not stated 3/, male

|           |   |   |   |   |   |   |   |   |   |   |   |   |   |
|-----------|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 2007..... | 3 | - | - | - | - | - | - | - | 2 | 1 | - | - | - |
| 2006..... | 1 | - | - | - | - | - | - | - | - | - | 1 | - | - |
| 2005..... | 2 | - | - | - | - | - | - | 1 | - | 1 | - | - | - |
| 2004..... | 3 | - | - | - | - | - | 1 | - | 1 | - | 1 | - | - |
| 2003..... | 1 | - | - | - | - | - | - | - | 1 | - | - | - | - |
| 2002..... | 2 | - | - | - | - | - | - | 1 | 1 | - | - | - | - |
| 2001..... | 2 | - | - | - | 1 | - | - | 1 | - | - | - | - | - |
| 2000..... | 1 | - | - | - | - | - | - | - | 1 | - | - | - | - |
| 1999..... | 5 | - | - | - | - | - | 1 | 1 | 2 | 1 | - | - | - |

Origin not stated 3/, female

|           |   |   |   |   |   |   |   |   |   |   |   |   |   |
|-----------|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 2007..... | 1 | - | - | - | - | - | - | - | 1 | - | - | - | - |
| 2006..... | 2 | - | - | - | - | - | - | - | - | - | 2 | - | - |
| 2005..... | 1 | - | - | - | - | - | - | 1 | - | - | - | - | - |
| 2004..... | 2 | - | - | - | - | - | - | - | - | - | 2 | - | - |
| 2003..... | 4 | - | - | - | - | - | - | - | 1 | - | - | 3 | - |
| 2002..... | 4 | - | - | - | - | - | - | - | - | 2 | 2 | - | - |
| 2001..... | 4 | - | - | - | - | - | - | 1 | 1 | - | 1 | 1 | - |
| 2000..... | 3 | - | - | - | - | - | - | - | 1 | - | - | 2 | - |
| 1999..... | 7 | - | - | - | - | - | 1 | - | - | 3 | 2 | 1 | - |



Worktable Orig290F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2007

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data - mortality"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, sex, and year | All ages | Under 1 year | 1-4 years | 5-14 years | 15-24 years | 25-34 years | 35-44 years | 45-54 years | 55-64 years | 65-74 years | 75-84 years | 85 years and over | Age not stated |
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|
| <b>Hypertensive heart disease (I11)</b>  |          |              |           |            |             |             |             |             |             |             |             |                   |                |
| <b>All origins, both sexes</b>   |          |              |           |            |             |             |             |             |             |             |             |                   |                |
| 2007.....  | 30,780   | 1            | 1         | -          | 44          | 338         | 1,372       | 3,604       | 4,487       | 4,009       | 6,324       | 10,598            | 2              |
| 2006.....  | 29,788   | 1            | -         | 2          | 52          | 288         | 1,358       | 3,586       | 4,130       | 3,860       | 6,232       | 10,277            | 2              |
| 2005.....  | 29,282   | 2            | -         | 3          | 36          | 328         | 1,368       | 3,293       | 3,954       | 3,806       | 6,370       | 10,119            | 3              |
| 2004.....  | 28,585   | -            | -         | 2          | 44          | 302         | 1,317       | 3,265       | 3,885       | 4,001       | 6,398       | 9,368             | 3              |
| 2003.....  | 28,345   | -            | 1         | -          | 53          | 305         | 1,306       | 3,230       | 3,651       | 4,045       | 6,565       | 9,189             | -              |
| 2002.....  | 26,551   | -            | -         | 2          | 30          | 297         | 1,213       | 2,882       | 3,320       | 3,895       | 6,321       | 8,587             | 4              |
| 2001.....  | 24,689   | -            | -         | 1          | 24          | 246         | 1,091       | 2,464       | 2,769       | 3,619       | 6,119       | 8,345             | 11             |
| 2000.....  | 23,761   | -            | 1         | 2          | 32          | 213         | 981         | 2,104       | 2,672       | 3,605       | 5,962       | 8,186             | 3              |
| 1999.....  | 22,702   | 1            | -         | -          | 33          | 210         | 964         | 1,930       | 2,537       | 3,517       | 5,830       | 7,679             | 1              |
| <b>All origins, male</b>   |          |              |           |            |             |             |             |             |             |             |             |                   |                |
| 2007.....  | 14,249   | 1            | 1         | -          | 34          | 237         | 953         | 2,473       | 3,009       | 2,266       | 2,673       | 2,600             | 2              |
| 2006.....  | 13,677   | 1            | -         | 1          | 42          | 211         | 925         | 2,486       | 2,737       | 2,226       | 2,631       | 2,415             | 2              |
| 2005.....  | 13,219   | 1            | -         | 2          | 24          | 222         | 958         | 2,278       | 2,649       | 2,147       | 2,570       | 2,365             | 3              |
| 2004.....  | 12,929   | -            | -         | -          | 32          | 223         | 896         | 2,192       | 2,584       | 2,303       | 2,504       | 2,192             | 3              |
| 2003.....  | 12,536   | -            | 1         | -          | 40          | 208         | 877         | 2,157       | 2,308       | 2,264       | 2,627       | 2,054             | -              |
| 2002.....  | 11,660   | -            | -         | 1          | 26          | 215         | 849         | 1,938       | 2,159       | 2,088       | 2,509       | 1,871             | 4              |
| 2001.....  | 10,451   | -            | -         | -          | 17          | 169         | 740         | 1,646       | 1,749       | 1,961       | 2,414       | 1,746             | 9              |
| 2000.....  | 9,876    | -            | -         | 1          | 24          | 139         | 643         | 1,436       | 1,684       | 1,971       | 2,269       | 1,707             | 2              |
| 1999.....  | 9,316    | -            | -         | -          | 25          | 149         | 660         | 1,259       | 1,560       | 1,816       | 2,252       | 1,594             | 1              |

Worktable Orig290F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2007

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data - mortality"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, sex, and year | All ages | Under 1 year | 1-4 years | 5-14 years | 15-24 years | 25-34 years | 35-44 years | 45-54 years | 55-64 years | 65-74 years | 75-84 years | 85 years and over | Age not stated |
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|
| Hypertensive heart disease (I11)   |          |              |           |            |             |             |             |             |             |             |             |                   |                |
| All origins, female  |          |              |           |            |             |             |             |             |             |             |             |                   |                |
| 2007.....  | 16,531   | -            | -         | -          | 10          | 101         | 419         | 1,131       | 1,478       | 1,743       | 3,651       | 7,998             | -              |
| 2006.....  | 16,111   | -            | -         | 1          | 10          | 77          | 433         | 1,100       | 1,393       | 1,634       | 3,601       | 7,862             | -              |
| 2005.....  | 16,063   | 1            | -         | 1          | 12          | 106         | 410         | 1,015       | 1,305       | 1,659       | 3,800       | 7,754             | -              |
| 2004.....  | 15,656   | -            | -         | 2          | 12          | 79          | 421         | 1,073       | 1,301       | 1,698       | 3,894       | 7,176             | -              |
| 2003.....  | 15,809   | -            | -         | -          | 13          | 97          | 429         | 1,073       | 1,343       | 1,781       | 3,938       | 7,135             | -              |
| 2002.....  | 14,891   | -            | -         | 1          | 4           | 82          | 364         | 944         | 1,161       | 1,807       | 3,812       | 6,716             | -              |
| 2001.....  | 14,238   | -            | -         | 1          | 7           | 77          | 351         | 818         | 1,020       | 1,658       | 3,705       | 6,599             | 2              |
| 2000.....  | 13,885   | -            | 1         | 1          | 8           | 74          | 338         | 668         | 988         | 1,634       | 3,693       | 6,479             | 1              |
| 1999.....  | 13,386   | 1            | -         | -          | 8           | 61          | 304         | 671         | 977         | 1,701       | 3,578       | 6,085             | -              |
| Hispanic, both sexes   |          |              |           |            |             |             |             |             |             |             |             |                   |                |
| 2007.....  | 1,710    | -            | -         | -          | 5           | 39          | 122         | 245         | 287         | 263         | 347         | 402               | -              |
| 2006.....  | 1,604    | -            | -         | -          | 3           | 30          | 121         | 221         | 242         | 253         | 331         | 403               | -              |
| 2005.....  | 1,483    | -            | -         | 1          | 3           | 34          | 111         | 209         | 256         | 218         | 312         | 339               | -              |
| 2004.....  | 1,491    | -            | -         | 1          | 4           | 24          | 105         | 193         | 244         | 282         | 322         | 316               | -              |
| 2003.....  | 1,586    | -            | -         | -          | 12          | 27          | 109         | 218         | 247         | 280         | 347         | 346               | -              |
| 2002.....  | 1,424    | -            | -         | -          | 4           | 31          | 97          | 180         | 241         | 264         | 308         | 299               | -              |
| 2001.....  | 1,211    | -            | -         | -          | 5           | 22          | 93          | 165         | 184         | 239         | 260         | 243               | -              |
| 2000.....  | 991      | -            | -         | -          | 1           | 20          | 64          | 118         | 141         | 198         | 233         | 216               | -              |
| 1999.....  | 933      | -            | -         | -          | 3           | 18          | 61          | 99          | 146         | 174         | 215         | 217               | -              |

Worktable Orig290F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2007

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data - mortality"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, sex, and year | All ages | Under 1 year | 1-4 years | 5-14 years | 15-24 years | 25-34 years | 35-44 years | 45-54 years | 55-64 years | 65-74 years | 75-84 years | 85 years and over | Age not stated |
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|
| <b>Hypertensive heart disease (I11)</b>  |          |              |           |            |             |             |             |             |             |             |             |                   |                |
| <b>Hispanic, male</b>  |          |              |           |            |             |             |             |             |             |             |             |                   |                |
| 2007.....  | 919      | -            | -         | -          | 5           | 32          | 99          | 174         | 196         | 149         | 156         | 108               | -              |
| 2006.....  | 844      | -            | -         | -          | 3           | 25          | 96          | 162         | 159         | 147         | 141         | 111               | -              |
| 2005.....  | 772      | -            | -         | 1          | 2           | 27          | 83          | 150         | 162         | 115         | 137         | 95                | -              |
| 2004.....  | 806      | -            | -         | -          | 2           | 19          | 86          | 124         | 169         | 157         | 155         | 94                | -              |
| 2003.....  | 876      | -            | -         | -          | 10          | 22          | 91          | 158         | 168         | 167         | 166         | 94                | -              |
| 2002.....  | 781      | -            | -         | -          | 4           | 25          | 78          | 135         | 159         | 149         | 149         | 82                | -              |
| 2001.....  | 648      | -            | -         | -          | 4           | 15          | 75          | 118         | 120         | 132         | 108         | 76                | -              |
| 2000.....  | 495      | -            | -         | -          | 1           | 16          | 43          | 84          | 86          | 106         | 103         | 56                | -              |
| 1999.....  | 455      | -            | -         | -          | 2           | 16          | 45          | 69          | 96          | 95          | 82          | 50                | -              |
| <b>Hispanic, female</b>  |          |              |           |            |             |             |             |             |             |             |             |                   |                |
| 2007.....  | 791      | -            | -         | -          | -           | 7           | 23          | 71          | 91          | 114         | 191         | 294               | -              |
| 2006.....  | 760      | -            | -         | -          | -           | 5           | 25          | 59          | 83          | 106         | 190         | 292               | -              |
| 2005.....  | 711      | -            | -         | -          | 1           | 7           | 28          | 59          | 94          | 103         | 175         | 244               | -              |
| 2004.....  | 685      | -            | -         | 1          | 2           | 5           | 19          | 69          | 75          | 125         | 167         | 222               | -              |
| 2003.....  | 710      | -            | -         | -          | 2           | 5           | 18          | 60          | 79          | 113         | 181         | 252               | -              |
| 2002.....  | 643      | -            | -         | -          | -           | 6           | 19          | 45          | 82          | 115         | 159         | 217               | -              |
| 2001.....  | 563      | -            | -         | -          | 1           | 7           | 18          | 47          | 64          | 107         | 152         | 167               | -              |
| 2000.....  | 496      | -            | -         | -          | -           | 4           | 21          | 34          | 55          | 92          | 130         | 160               | -              |
| 1999.....  | 478      | -            | -         | -          | 1           | 2           | 16          | 30          | 50          | 79          | 133         | 167               | -              |

Worktable Orig290F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2007

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data - mortality"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, sex, and year | All ages | Under 1 year | 1-4 years | 5-14 years | 15-24 years | 25-34 years | 35-44 years | 45-54 years | 55-64 years | 65-74 years | 75-84 years | 85 years and over | Age not stated |
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|
| <b>Hypertensive heart disease (I11)</b>  |          |              |           |            |             |             |             |             |             |             |             |                   |                |
| <b>Non-Hispanic 1/, both sexes</b>   |          |              |           |            |             |             |             |             |             |             |             |                   |                |
| 2007.....  | 28,991   | 1            | 1         | -          | 39          | 298         | 1,248       | 3,341       | 4,178       | 3,728       | 5,970       | 10,185            | 2              |
| 2006.....  | 28,091   | 1            | -         | 1          | 49          | 256         | 1,229       | 3,352       | 3,863       | 3,595       | 5,884       | 9,860             | 1              |
| 2005.....  | 27,701   | 2            | -         | 2          | 33          | 294         | 1,251       | 3,071       | 3,681       | 3,571       | 6,035       | 9,759             | 2              |
| 2004.....  | 26,972   | -            | -         | 1          | 39          | 278         | 1,204       | 3,049       | 3,618       | 3,690       | 6,059       | 9,032             | 2              |
| 2003.....  | 26,632   | -            | 1         | -          | 41          | 277         | 1,189       | 2,990       | 3,378       | 3,741       | 6,199       | 8,816             | -              |
| 2002.....  | 24,976   | -            | -         | 2          | 26          | 265         | 1,109       | 2,679       | 3,060       | 3,591       | 5,985       | 8,257             | 2              |
| 2001.....  | 23,343   | -            | -         | 1          | 18          | 222         | 991         | 2,270       | 2,554       | 3,364       | 5,837       | 8,077             | 9              |
| 2000.....  | 22,646   | -            | 1         | 2          | 31          | 193         | 905         | 1,968       | 2,518       | 3,374       | 5,706       | 7,946             | 2              |
| 1999.....  | 21,639   | 1            | -         | -          | 30          | 192         | 898         | 1,815       | 2,363       | 3,315       | 5,591       | 7,433             | 1              |
| <b>Non-Hispanic 1/, male</b>   |          |              |           |            |             |             |             |             |             |             |             |                   |                |
| 2007.....  | 13,276   | 1            | 1         | -          | 29          | 204         | 852         | 2,286       | 2,798       | 2,103       | 2,513       | 2,487             | 2              |
| 2006.....  | 12,774   | 1            | -         | 1          | 39          | 184         | 823         | 2,315       | 2,559       | 2,071       | 2,479       | 2,301             | 1              |
| 2005.....  | 12,389   | 1            | -         | 1          | 22          | 195         | 870         | 2,119       | 2,473       | 2,018       | 2,423       | 2,265             | 2              |
| 2004.....  | 12,051   | -            | -         | -          | 29          | 204         | 806         | 2,050       | 2,396       | 2,129       | 2,343       | 2,092             | 2              |
| 2003.....  | 11,588   | -            | 1         | -          | 30          | 186         | 780         | 1,981       | 2,121       | 2,082       | 2,452       | 1,955             | -              |
| 2002.....  | 10,790   | -            | -         | 1          | 22          | 190         | 765         | 1,784       | 1,988       | 1,916       | 2,344       | 1,778             | 2              |
| 2001.....  | 9,725    | -            | -         | -          | 12          | 152         | 660         | 1,509       | 1,608       | 1,815       | 2,299       | 1,663             | 7              |
| 2000.....  | 9,298    | -            | -         | 1          | 23          | 123         | 591         | 1,338       | 1,586       | 1,839       | 2,152       | 1,644             | 1              |
| 1999.....  | 8,790    | -            | -         | -          | 23          | 133         | 610         | 1,180       | 1,445       | 1,702       | 2,157       | 1,539             | 1              |

Worktable Orig290F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2007

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data - mortality"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, sex, and year | All ages | Under 1 year | 1-4 years | 5-14 years | 15-24 years | 25-34 years | 35-44 years | 45-54 years | 55-64 years | 65-74 years | 75-84 years | 85 years and over | Age not stated |
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|
| <b>Hypertensive heart disease (I11)</b>  |          |              |           |            |             |             |             |             |             |             |             |                   |                |
| <b>Non-Hispanic 1/, female</b>   |          |              |           |            |             |             |             |             |             |             |             |                   |                |
| 2007.....  | 15,715   | -            | -         | -          | 10          | 94          | 396         | 1,055       | 1,380       | 1,625       | 3,457       | 7,698             | -              |
| 2006.....  | 15,317   | -            | -         | -          | 10          | 72          | 406         | 1,037       | 1,304       | 1,524       | 3,405       | 7,559             | -              |
| 2005.....  | 15,312   | 1            | -         | 1          | 11          | 99          | 381         | 952         | 1,208       | 1,553       | 3,612       | 7,494             | -              |
| 2004.....  | 14,921   | -            | -         | 1          | 10          | 74          | 398         | 999         | 1,222       | 1,561       | 3,716       | 6,940             | -              |
| 2003.....  | 15,044   | -            | -         | -          | 11          | 91          | 409         | 1,009       | 1,257       | 1,659       | 3,747       | 6,861             | -              |
| 2002.....  | 14,186   | -            | -         | 1          | 4           | 75          | 344         | 895         | 1,072       | 1,675       | 3,641       | 6,479             | -              |
| 2001.....  | 13,618   | -            | -         | 1          | 6           | 70          | 331         | 761         | 946         | 1,549       | 3,538       | 6,414             | 2              |
| 2000.....  | 13,348   | -            | 1         | 1          | 8           | 70          | 314         | 630         | 932         | 1,535       | 3,554       | 6,302             | 1              |
| 1999.....  | 12,849   | 1            | -         | -          | 7           | 59          | 288         | 635         | 918         | 1,613       | 3,434       | 5,894             | -              |
| <b>Non-Hispanic white, both sexes</b>  |          |              |           |            |             |             |             |             |             |             |             |                   |                |
| 2007 2/.....   | 21,244   | 1            | 1         | -          | 11          | 126         | 651         | 2,008       | 2,623       | 2,510       | 4,582       | 8,730             | 1              |
| 2006 2/.....   | 20,610   | -            | -         | -          | 31          | 109         | 694         | 1,969       | 2,446       | 2,325       | 4,544       | 8,491             | 1              |
| 2005 2/.....   | 20,219   | 1            | -         | 1          | 9           | 140         | 666         | 1,735       | 2,355       | 2,381       | 4,616       | 8,313             | 2              |
| 2004 2/.....   | 19,630   | -            | -         | -          | 19          | 121         | 652         | 1,718       | 2,229       | 2,508       | 4,661       | 7,720             | 2              |
| 2003 2/.....   | 19,286   | -            | -         | -          | 15          | 133         | 623         | 1,606       | 2,087       | 2,465       | 4,823       | 7,534             | -              |
| 2002.....  | 18,060   | -            | -         | 1          | 10          | 110         | 587         | 1,519       | 1,832       | 2,380       | 4,574       | 7,046             | 1              |
| 2001.....  | 16,991   | -            | -         | -          | 5           | 102         | 493         | 1,213       | 1,520       | 2,198       | 4,540       | 6,915             | 5              |
| 2000.....  | 16,373   | -            | -         | 2          | 14          | 75          | 476         | 1,042       | 1,441       | 2,193       | 4,386       | 6,744             | -              |
| 1999.....  | 15,654   | 1            | -         | -          | 9           | 91          | 428         | 954         | 1,371       | 2,147       | 4,294       | 6,359             | -              |

Worktable Orig290F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2007

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data - mortality"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, sex, and year | All ages | Under 1 year | 1-4 years | 5-14 years | 15-24 years | 25-34 years | 35-44 years | 45-54 years | 55-64 years | 65-74 years | 75-84 years | 85 years and over | Age not stated |
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|
| <b>Hypertensive heart disease (I11)</b>  |          |              |           |            |             |             |             |             |             |             |             |                   |                |
| <b>Non-Hispanic white, male</b>  |          |              |           |            |             |             |             |             |             |             |             |                   |                |
| 2007 2/.....   | 9,292    | 1            | 1         | -          | 10          | 86          | 468         | 1,452       | 1,816       | 1,435       | 1,916       | 2,106             | 1              |
| 2006 2/.....   | 8,908    | -            | -         | -          | 25          | 82          | 505         | 1,464       | 1,674       | 1,343       | 1,880       | 1,934             | 1              |
| 2005 2/.....   | 8,644    | 1            | -         | 1          | 6           | 106         | 497         | 1,275       | 1,638       | 1,367       | 1,868       | 1,883             | 2              |
| 2004 2/.....   | 8,401    | -            | -         | -          | 16          | 102         | 473         | 1,258       | 1,507       | 1,475       | 1,810       | 1,758             | 2              |
| 2003 2/.....   | 8,056    | -            | -         | -          | 11          | 101         | 463         | 1,172       | 1,383       | 1,389       | 1,908       | 1,629             | -              |
| 2002.....  | 7,427    | -            | -         | 1          | 9           | 83          | 436         | 1,088       | 1,239       | 1,294       | 1,793       | 1,483             | 1              |
| 2001.....  | 6,728    | -            | -         | -          | 3           | 80          | 367         | 866         | 1,016       | 1,237       | 1,781       | 1,374             | 4              |
| 2000.....  | 6,390    | -            | -         | 1          | 11          | 53          | 341         | 771         | 956         | 1,242       | 1,640       | 1,375             | -              |
| 1999.....  | 6,013    | -            | -         | -          | 7           | 75          | 323         | 676         | 882         | 1,122       | 1,647       | 1,281             | -              |
| <b>Non-Hispanic white, female</b>  |          |              |           |            |             |             |             |             |             |             |             |                   |                |
| 2007 2/.....   | 11,952   | -            | -         | -          | 1           | 40          | 183         | 556         | 807         | 1,075       | 2,666       | 6,624             | -              |
| 2006 2/.....   | 11,702   | -            | -         | -          | 6           | 27          | 189         | 505         | 772         | 982         | 2,664       | 6,557             | -              |
| 2005 2/.....   | 11,575   | -            | -         | -          | 3           | 34          | 169         | 460         | 717         | 1,014       | 2,748       | 6,430             | -              |
| 2004 2/.....   | 11,229   | -            | -         | -          | 3           | 19          | 179         | 460         | 722         | 1,033       | 2,851       | 5,962             | -              |
| 2003 2/.....   | 11,230   | -            | -         | -          | 4           | 32          | 160         | 434         | 704         | 1,076       | 2,915       | 5,905             | -              |
| 2002.....  | 10,633   | -            | -         | -          | 1           | 27          | 151         | 431         | 593         | 1,086       | 2,781       | 5,563             | -              |
| 2001.....  | 10,263   | -            | -         | -          | 2           | 22          | 126         | 347         | 504         | 961         | 2,759       | 5,541             | 1              |
| 2000.....  | 9,983    | -            | -         | 1          | 3           | 22          | 135         | 271         | 485         | 951         | 2,746       | 5,369             | -              |
| 1999.....  | 9,641    | 1            | -         | -          | 2           | 16          | 105         | 278         | 489         | 1,025       | 2,647       | 5,078             | -              |

Worktable Orig290F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2007

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data - mortality"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, sex, and year | All ages | Under 1 year | 1-4 years | 5-14 years | 15-24 years | 25-34 years | 35-44 years | 45-54 years | 55-64 years | 65-74 years | 75-84 years | 85 years and over | Age not stated |
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|
| <b>Hypertensive heart disease (I11)</b>  |          |              |           |            |             |             |             |             |             |             |             |                   |                |
| <b>Non-Hispanic black, both sexes</b>  |          |              |           |            |             |             |             |             |             |             |             |                   |                |
| 2007 2/.....   | 7,023    | -            | -         | -          | 28          | 161         | 561         | 1,257       | 1,445       | 1,116       | 1,220       | 1,234             | 1              |
| 2006 2/.....   | 6,772    | 1            | -         | 1          | 17          | 138         | 499         | 1,297       | 1,332       | 1,159       | 1,182       | 1,146             | -              |
| 2005 2/.....   | 6,825    | 1            | -         | 1          | 23          | 138         | 537         | 1,256       | 1,246       | 1,099       | 1,272       | 1,252             | -              |
| 2004 2/.....   | 6,718    | -            | -         | 1          | 20          | 147         | 524         | 1,273       | 1,290       | 1,102       | 1,254       | 1,107             | -              |
| 2003 2/.....   | 6,759    | -            | 1         | -          | 25          | 134         | 539         | 1,321       | 1,210       | 1,170       | 1,233       | 1,126             | -              |
| 2002.....  | 6,385    | -            | -         | 1          | 15          | 149         | 491         | 1,115       | 1,158       | 1,124       | 1,267       | 1,065             | -              |
| 2001.....  | 5,880    | -            | -         | 1          | 13          | 114         | 474         | 1,007       | 972         | 1,078       | 1,164       | 1,053             | 4              |
| 2000.....  | 5,828    | -            | 1         | -          | 17          | 114         | 414         | 886         | 1,025       | 1,093       | 1,194       | 1,082             | 2              |
| 1999.....  | 5,556    | -            | -         | -          | 20          | 98          | 447         | 838         | 932         | 1,084       | 1,182       | 954               | 1              |
| <b>Non-Hispanic black, male</b>  |          |              |           |            |             |             |             |             |             |             |             |                   |                |
| 2007 2/.....   | 3,618    | -            | -         | -          | 19          | 108         | 361         | 779         | 908         | 612         | 522         | 308               | 1              |
| 2006 2/.....   | 3,511    | 1            | -         | 1          | 14          | 95          | 288         | 792         | 829         | 658         | 529         | 304               | -              |
| 2005 2/.....   | 3,402    | -            | -         | -          | 15          | 76          | 338         | 785         | 782         | 591         | 495         | 320               | -              |
| 2004 2/.....   | 3,336    | -            | -         | -          | 13          | 92          | 312         | 749         | 820         | 614         | 469         | 267               | -              |
| 2003 2/.....   | 3,248    | -            | 1         | -          | 19          | 78          | 299         | 762         | 687         | 646         | 482         | 274               | -              |
| 2002.....  | 3,089    | -            | -         | -          | 12          | 101         | 307         | 662         | 707         | 574         | 484         | 242               | -              |
| 2001.....  | 2,760    | -            | -         | -          | 9           | 67          | 275         | 609         | 551         | 538         | 458         | 250               | 3              |
| 2000.....  | 2,685    | -            | -         | -          | 12          | 66          | 240         | 538         | 594         | 547         | 452         | 235               | 1              |
| 1999.....  | 2,571    | -            | -         | -          | 15          | 55          | 267         | 487         | 528         | 536         | 458         | 224               | 1              |

Worktable Orig290F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2007

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data - mortality"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, sex, and year | All ages | Under 1 year | 1-4 years | 5-14 years | 15-24 years | 25-34 years | 35-44 years | 45-54 years | 55-64 years | 65-74 years | 75-84 years | 85 years and over | Age not stated |
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|
| <b>Hypertensive heart disease (I11)</b>  |          |              |           |            |             |             |             |             |             |             |             |                   |                |
| <b>Non-Hispanic black, female</b>  |          |              |           |            |             |             |             |             |             |             |             |                   |                |
| 2007 2/.....   | 3,405    | -            | -         | -          | 9           | 53          | 200         | 478         | 537         | 504         | 698         | 926               | -              |
| 2006 2/.....   | 3,261    | -            | -         | -          | 3           | 43          | 211         | 505         | 503         | 501         | 653         | 842               | -              |
| 2005 2/.....   | 3,423    | 1            | -         | 1          | 8           | 62          | 199         | 471         | 464         | 508         | 777         | 932               | -              |
| 2004 2/.....   | 3,382    | -            | -         | 1          | 7           | 55          | 212         | 524         | 470         | 488         | 785         | 840               | -              |
| 2003 2/.....   | 3,511    | -            | -         | -          | 6           | 56          | 240         | 559         | 523         | 524         | 751         | 852               | -              |
| 2002.....  | 3,296    | -            | -         | 1          | 3           | 48          | 184         | 453         | 451         | 550         | 783         | 823               | -              |
| 2001.....  | 3,120    | -            | -         | 1          | 4           | 47          | 199         | 398         | 421         | 540         | 706         | 803               | 1              |
| 2000.....  | 3,143    | -            | 1         | -          | 5           | 48          | 174         | 348         | 431         | 546         | 742         | 847               | 1              |
| 1999.....  | 2,985    | -            | -         | -          | 5           | 43          | 180         | 351         | 404         | 548         | 724         | 730               | -              |
| <b>Origin not stated 3/, both sexes</b>  |          |              |           |            |             |             |             |             |             |             |             |                   |                |
| 2007.....  | 79       | -            | -         | -          | -           | 1           | 2           | 18          | 22          | 18          | 7           | 11                | -              |
| 2006.....  | 93       | -            | -         | 1          | -           | 2           | 8           | 13          | 25          | 12          | 17          | 14                | 1              |
| 2005.....  | 98       | -            | -         | -          | -           | -           | 6           | 13          | 17          | 17          | 23          | 21                | 1              |
| 2004.....  | 122      | -            | -         | -          | 1           | -           | 8           | 23          | 23          | 29          | 17          | 20                | 1              |
| 2003.....  | 127      | -            | -         | -          | -           | 1           | 8           | 22          | 26          | 24          | 19          | 27                | -              |
| 2002.....  | 151      | -            | -         | -          | -           | 1           | 7           | 23          | 19          | 40          | 28          | 31                | 2              |
| 2001.....  | 135      | -            | -         | -          | 1           | 2           | 7           | 29          | 31          | 16          | 22          | 25                | 2              |
| 2000.....  | 124      | -            | -         | -          | -           | -           | 12          | 18          | 13          | 33          | 23          | 24                | 1              |
| 1999.....  | 130      | -            | -         | -          | -           | -           | 5           | 16          | 28          | 28          | 24          | 29                | -              |



Worktable Orig290F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2007

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data - mortality"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, sex, and year | All ages | Under 1 year | 1-4 years | 5-14 years | 15-24 years | 25-34 years | 35-44 years | 45-54 years | 55-64 years | 65-74 years | 75-84 years | 85 years and over | Age not stated |
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|
| Hypertensive heart disease (I11)   |          |              |           |            |             |             |             |             |             |             |             |                   |                |
| Origin not stated 3/, male   |          |              |           |            |             |             |             |             |             |             |             |                   |                |
| 2007.....  | 54       | -            | -         | -          | -           | 1           | 2           | 13          | 15          | 14          | 4           | 5                 | -              |
| 2006.....  | 59       | -            | -         | -          | -           | 2           | 6           | 9           | 19          | 8           | 11          | 3                 | 1              |
| 2005.....  | 58       | -            | -         | -          | -           | -           | 5           | 9           | 14          | 14          | 10          | 5                 | 1              |
| 2004.....  | 72       | -            | -         | -          | 1           | -           | 4           | 18          | 19          | 17          | 6           | 6                 | 1              |
| 2003.....  | 72       | -            | -         | -          | -           | -           | 6           | 18          | 19          | 15          | 9           | 5                 | -              |
| 2002.....  | 89       | -            | -         | -          | -           | -           | 6           | 19          | 12          | 23          | 16          | 11                | 2              |
| 2001.....  | 78       | -            | -         | -          | 1           | 2           | 5           | 19          | 21          | 14          | 7           | 7                 | 2              |
| 2000.....  | 83       | -            | -         | -          | -           | -           | 9           | 14          | 12          | 26          | 14          | 7                 | 1              |
| 1999.....  | 71       | -            | -         | -          | -           | -           | 5           | 10          | 19          | 19          | 13          | 5                 | -              |
| Origin not stated 3/, female   |          |              |           |            |             |             |             |             |             |             |             |                   |                |
| 2007.....  | 25       | -            | -         | -          | -           | -           | -           | 5           | 7           | 4           | 3           | 6                 | -              |
| 2006.....  | 34       | -            | -         | 1          | -           | -           | 2           | 4           | 6           | 4           | 6           | 11                | -              |
| 2005.....  | 40       | -            | -         | -          | -           | -           | 1           | 4           | 3           | 3           | 13          | 16                | -              |
| 2004.....  | 50       | -            | -         | -          | -           | -           | 4           | 5           | 4           | 12          | 11          | 14                | -              |
| 2003.....  | 55       | -            | -         | -          | -           | 1           | 2           | 4           | 7           | 9           | 10          | 22                | -              |
| 2002.....  | 62       | -            | -         | -          | -           | 1           | 1           | 4           | 7           | 17          | 12          | 20                | -              |
| 2001.....  | 57       | -            | -         | -          | -           | -           | 2           | 10          | 10          | 2           | 15          | 18                | -              |
| 2000.....  | 41       | -            | -         | -          | -           | -           | 3           | 4           | 1           | 7           | 9           | 17                | -              |
| 1999.....  | 59       | -            | -         | -          | -           | -           | -           | 6           | 9           | 9           | 11          | 24                | -              |

Worktable Orig290F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2007

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data - mortality"]

---

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, sex, and year

|  | All ages | Under 1 year | 1-4 years | 5-14 years | 15-24 years | 25-34 years | 35-44 years | 45-54 years | 55-64 years | 65-74 years | 75-84 years | 85 years and over | Age not stated |
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|

---

Hypertensive heart and renal disease (I13)

| All origins, both sexes |       |   |   |   |   |    |     |     |     |     |       |       |   |
|-------------------------|-------|---|---|---|---|----|-----|-----|-----|-----|-------|-------|---|
| 2007.....               | 2,987 | - | - | - | 5 | 32 | 77  | 178 | 293 | 379 | 792   | 1,231 | - |
| 2006.....               | 2,918 | - | - | - | 6 | 31 | 81  | 179 | 259 | 359 | 806   | 1,197 | - |
| 2005.....               | 3,172 | - | - | - | 5 | 33 | 83  | 189 | 240 | 426 | 908   | 1,288 | - |
| 2004.....               | 3,046 | - | - | 1 | 7 | 23 | 96  | 209 | 271 | 379 | 854   | 1,206 | - |
| 2003.....               | 3,108 | - | 1 | - | 5 | 28 | 93  | 201 | 267 | 401 | 903   | 1,209 | - |
| 2002.....               | 2,895 | - | - | - | 5 | 28 | 77  | 165 | 273 | 402 | 866   | 1,079 | - |
| 2001.....               | 2,826 | 1 | - | - | 7 | 28 | 99  | 146 | 247 | 417 | 855   | 1,026 | - |
| 2000.....               | 2,785 | - | - | 1 | 6 | 28 | 83  | 147 | 208 | 417 | 863   | 1,032 | - |
| 1999.....               | 3,327 | - | - | 2 | 6 | 21 | 114 | 156 | 262 | 470 | 1,087 | 1,209 | - |
| All origins, male       |       |   |   |   |   |    |     |     |     |     |       |       |   |
| 2007.....               | 1,318 | - | - | - | 4 | 17 | 56  | 120 | 178 | 191 | 344   | 408   | - |
| 2006.....               | 1,290 | - | - | - | 3 | 24 | 57  | 101 | 162 | 177 | 365   | 401   | - |
| 2005.....               | 1,369 | - | - | - | 4 | 20 | 52  | 125 | 142 | 209 | 378   | 439   | - |
| 2004.....               | 1,301 | - | - | - | 4 | 14 | 69  | 123 | 158 | 189 | 377   | 367   | - |
| 2003.....               | 1,326 | - | 1 | - | 4 | 13 | 62  | 130 | 159 | 189 | 382   | 386   | - |
| 2002.....               | 1,205 | - | - | - | 3 | 19 | 44  | 105 | 158 | 198 | 357   | 321   | - |
| 2001.....               | 1,169 | 1 | - | - | 4 | 17 | 63  | 99  | 126 | 206 | 339   | 314   | - |
| 2000.....               | 1,163 | - | - | - | 4 | 18 | 49  | 87  | 108 | 206 | 350   | 341   | - |
| 1999.....               | 1,390 | - | - | 1 | 3 | 16 | 67  | 100 | 146 | 223 | 460   | 374   | - |

Worktable Orig290F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2007

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data - mortality"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, sex, and year | All ages | Under 1 year | 1-4 years | 5-14 years | 15-24 years | 25-34 years | 35-44 years | 45-54 years | 55-64 years | 65-74 years | 75-84 years | 85 years and over | Age not stated |
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|
| Hypertensive heart and renal disease (I13)   |          |              |           |            |             |             |             |             |             |             |             |                   |                |
| All origins, female  |          |              |           |            |             |             |             |             |             |             |             |                   |                |
| 2007.....  | 1,669    | -            | -         | -          | 1           | 15          | 21          | 58          | 115         | 188         | 448         | 823               | -              |
| 2006.....  | 1,628    | -            | -         | -          | 3           | 7           | 24          | 78          | 97          | 182         | 441         | 796               | -              |
| 2005.....  | 1,803    | -            | -         | -          | 1           | 13          | 31          | 64          | 98          | 217         | 530         | 849               | -              |
| 2004.....  | 1,745    | -            | -         | 1          | 3           | 9           | 27          | 86          | 113         | 190         | 477         | 839               | -              |
| 2003.....  | 1,782    | -            | -         | -          | 1           | 15          | 31          | 71          | 108         | 212         | 521         | 823               | -              |
| 2002.....  | 1,690    | -            | -         | -          | 2           | 9           | 33          | 60          | 115         | 204         | 509         | 758               | -              |
| 2001.....  | 1,657    | -            | -         | -          | 3           | 11          | 36          | 47          | 121         | 211         | 516         | 712               | -              |
| 2000.....  | 1,622    | -            | -         | 1          | 2           | 10          | 34          | 60          | 100         | 211         | 513         | 691               | -              |
| 1999.....  | 1,937    | -            | -         | 1          | 3           | 5           | 47          | 56          | 116         | 247         | 627         | 835               | -              |
| Hispanic, both sexes   |          |              |           |            |             |             |             |             |             |             |             |                   |                |
| 2007.....  | 193      | -            | -         | -          | 1           | 6           | 3           | 20          | 28          | 36          | 42          | 57                | -              |
| 2006.....  | 155      | -            | -         | -          | 1           | 6           | 9           | 13          | 24          | 31          | 38          | 33                | -              |
| 2005.....  | 199      | -            | -         | -          | 1           | 1           | 9           | 13          | 28          | 43          | 52          | 52                | -              |
| 2004.....  | 190      | -            | -         | -          | 1           | 4           | 12          | 18          | 29          | 23          | 61          | 42                | -              |
| 2003.....  | 158      | -            | 1         | -          | 1           | -           | 6           | 11          | 19          | 33          | 38          | 49                | -              |
| 2002.....  | 172      | -            | -         | -          | 2           | 3           | 4           | 11          | 26          | 34          | 51          | 41                | -              |
| 2001.....  | 160      | -            | -         | -          | 1           | 2           | 9           | 10          | 21          | 34          | 41          | 42                | -              |
| 2000.....  | 138      | -            | -         | -          | 1           | 3           | 8           | 14          | 15          | 27          | 32          | 38                | -              |
| 1999.....  | 144      | -            | -         | -          | -           | 1           | 9           | 11          | 19          | 32          | 39          | 33                | -              |

Worktable Orig290F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2007

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data - mortality"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, sex, and year | All ages | Under 1 year | 1-4 years | 5-14 years | 15-24 years | 25-34 years | 35-44 years | 45-54 years | 55-64 years | 65-74 years | 75-84 years | 85 years and over | Age not stated |
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|
| Hypertensive heart and renal disease (I13)   |          |              |           |            |             |             |             |             |             |             |             |                   |                |
| Hispanic, male   |          |              |           |            |             |             |             |             |             |             |             |                   |                |
| 2007.....  | 97       | -            | -         | -          | 1           | 2           | 3           | 17          | 18          | 20          | 14          | 22                | -              |
| 2006.....  | 81       | -            | -         | -          | 1           | 4           | 8           | 6           | 17          | 14          | 19          | 12                | -              |
| 2005.....  | 96       | -            | -         | -          | 1           | -           | 7           | 10          | 17          | 19          | 25          | 17                | -              |
| 2004.....  | 96       | -            | -         | -          | 1           | 4           | 8           | 10          | 16          | 11          | 29          | 17                | -              |
| 2003.....  | 75       | -            | 1         | -          | 1           | -           | 1           | 7           | 11          | 12          | 19          | 23                | -              |
| 2002.....  | 80       | -            | -         | -          | 1           | 1           | 2           | 5           | 18          | 18          | 20          | 15                | -              |
| 2001.....  | 76       | -            | -         | -          | 1           | -           | 5           | 6           | 14          | 17          | 17          | 16                | -              |
| 2000.....  | 67       | -            | -         | -          | 1           | 2           | 4           | 7           | 5           | 19          | 18          | 11                | -              |
| 1999.....  | 65       | -            | -         | -          | -           | -           | 6           | 6           | 12          | 14          | 14          | 13                | -              |
| Hispanic, female   |          |              |           |            |             |             |             |             |             |             |             |                   |                |
| 2007.....  | 96       | -            | -         | -          | -           | 4           | -           | 3           | 10          | 16          | 28          | 35                | -              |
| 2006.....  | 74       | -            | -         | -          | -           | 2           | 1           | 7           | 7           | 17          | 19          | 21                | -              |
| 2005.....  | 103      | -            | -         | -          | -           | 1           | 2           | 3           | 11          | 24          | 27          | 35                | -              |
| 2004.....  | 94       | -            | -         | -          | -           | -           | 4           | 8           | 13          | 12          | 32          | 25                | -              |
| 2003.....  | 83       | -            | -         | -          | -           | -           | 5           | 4           | 8           | 21          | 19          | 26                | -              |
| 2002.....  | 92       | -            | -         | -          | 1           | 2           | 2           | 6           | 8           | 16          | 31          | 26                | -              |
| 2001.....  | 84       | -            | -         | -          | -           | 2           | 4           | 4           | 7           | 17          | 24          | 26                | -              |
| 2000.....  | 71       | -            | -         | -          | -           | 1           | 4           | 7           | 10          | 8           | 14          | 27                | -              |
| 1999.....  | 79       | -            | -         | -          | -           | 1           | 3           | 5           | 7           | 18          | 25          | 20                | -              |

Worktable Orig290F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2007

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data - mortality"]

---

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, sex, and year

|  | All ages | Under 1 year | 1-4 years | 5-14 years | 15-24 years | 25-34 years | 35-44 years | 45-54 years | 55-64 years | 65-74 years | 75-84 years | 85 years and over | Age not stated |
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|

---

Hypertensive heart and renal disease (I13)

Non-Hispanic 1/, both sexes

|           |       |   |   |   |   |    |     |     |     |     |       |       |   |
|-----------|-------|---|---|---|---|----|-----|-----|-----|-----|-------|-------|---|
| 2007..... | 2,792 | - | - | - | 4 | 26 | 74  | 157 | 265 | 342 | 750   | 1,174 | - |
| 2006..... | 2,758 | - | - | - | 5 | 25 | 72  | 165 | 235 | 328 | 767   | 1,161 | - |
| 2005..... | 2,963 | - | - | - | 4 | 32 | 74  | 174 | 210 | 380 | 854   | 1,235 | - |
| 2004..... | 2,845 | - | - | 1 | 6 | 19 | 83  | 189 | 241 | 353 | 793   | 1,160 | - |
| 2003..... | 2,944 | - | - | - | 4 | 28 | 86  | 190 | 247 | 368 | 863   | 1,158 | - |
| 2002..... | 2,714 | - | - | - | 3 | 25 | 73  | 153 | 247 | 365 | 812   | 1,036 | - |
| 2001..... | 2,650 | 1 | - | - | 6 | 26 | 87  | 135 | 225 | 380 | 810   | 980   | - |
| 2000..... | 2,637 | - | - | 1 | 5 | 25 | 75  | 133 | 192 | 389 | 826   | 991   | - |
| 1999..... | 3,171 | - | - | 2 | 6 | 20 | 102 | 142 | 242 | 436 | 1,047 | 1,174 | - |

Non-Hispanic 1/, male

|           |       |   |   |   |   |    |    |     |     |     |     |     |   |
|-----------|-------|---|---|---|---|----|----|-----|-----|-----|-----|-----|---|
| 2007..... | 1,220 | - | - | - | 3 | 15 | 53 | 103 | 160 | 170 | 330 | 386 | - |
| 2006..... | 1,208 | - | - | - | 2 | 20 | 49 | 95  | 145 | 163 | 346 | 388 | - |
| 2005..... | 1,266 | - | - | - | 3 | 20 | 45 | 114 | 123 | 188 | 351 | 422 | - |
| 2004..... | 1,199 | - | - | - | 3 | 10 | 60 | 112 | 141 | 175 | 348 | 350 | - |
| 2003..... | 1,248 | - | - | - | 3 | 13 | 60 | 123 | 147 | 177 | 362 | 363 | - |
| 2002..... | 1,120 | - | - | - | 2 | 18 | 42 | 99  | 140 | 178 | 336 | 305 | - |
| 2001..... | 1,086 | 1 | - | - | 3 | 17 | 56 | 92  | 111 | 188 | 321 | 297 | - |
| 2000..... | 1,089 | - | - | - | 3 | 16 | 45 | 80  | 102 | 186 | 329 | 328 | - |
| 1999..... | 1,318 | - | - | 1 | 3 | 16 | 59 | 91  | 134 | 208 | 446 | 360 | - |

Worktable Orig290F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2007

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data - mortality"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, sex, and year | All ages | Under 1 year | 1-4 years | 5-14 years | 15-24 years | 25-34 years | 35-44 years | 45-54 years | 55-64 years | 65-74 years | 75-84 years | 85 years and over | Age not stated |
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|
| Hypertensive heart and renal disease (I13)   |          |              |           |            |             |             |             |             |             |             |             |                   |                |
| Non-Hispanic 1/, female  |          |              |           |            |             |             |             |             |             |             |             |                   |                |
| 2007.....  | 1,572    | -            | -         | -          | 1           | 11          | 21          | 54          | 105         | 172         | 420         | 788               | -              |
| 2006.....  | 1,550    | -            | -         | -          | 3           | 5           | 23          | 70          | 90          | 165         | 421         | 773               | -              |
| 2005.....  | 1,697    | -            | -         | -          | 1           | 12          | 29          | 60          | 87          | 192         | 503         | 813               | -              |
| 2004.....  | 1,646    | -            | -         | 1          | 3           | 9           | 23          | 77          | 100         | 178         | 445         | 810               | -              |
| 2003.....  | 1,696    | -            | -         | -          | 1           | 15          | 26          | 67          | 100         | 191         | 501         | 795               | -              |
| 2002.....  | 1,594    | -            | -         | -          | 1           | 7           | 31          | 54          | 107         | 187         | 476         | 731               | -              |
| 2001.....  | 1,564    | -            | -         | -          | 3           | 9           | 31          | 43          | 114         | 192         | 489         | 683               | -              |
| 2000.....  | 1,548    | -            | -         | 1          | 2           | 9           | 30          | 53          | 90          | 203         | 497         | 663               | -              |
| 1999.....  | 1,853    | -            | -         | 1          | 3           | 4           | 43          | 51          | 108         | 228         | 601         | 814               | -              |
| Non-Hispanic white, both sexes   |          |              |           |            |             |             |             |             |             |             |             |                   |                |
| 2007 2/.....   | 1,874    | -            | -         | -          | -           | 6           | 18          | 47          | 105         | 176         | 542         | 980               | -              |
| 2006 2/.....   | 1,833    | -            | -         | -          | -           | 7           | 19          | 50          | 87          | 160         | 550         | 960               | -              |
| 2005 2/.....   | 1,989    | -            | -         | -          | 1           | 6           | 19          | 50          | 67          | 195         | 605         | 1,046             | -              |
| 2004 2/.....   | 1,878    | -            | -         | 1          | 1           | 4           | 16          | 41          | 90          | 187         | 576         | 962               | -              |
| 2003 2/.....   | 1,942    | -            | -         | -          | 1           | 7           | 14          | 42          | 92          | 196         | 646         | 944               | -              |
| 2002.....  | 1,752    | -            | -         | -          | -           | 8           | 17          | 29          | 82          | 184         | 604         | 828               | -              |
| 2001.....  | 1,759    | -            | -         | -          | 2           | 5           | 16          | 43          | 95          | 204         | 601         | 793               | -              |
| 2000.....  | 1,769    | -            | -         | -          | -           | 5           | 30          | 40          | 75          | 220         | 593         | 806               | -              |
| 1999.....  | 2,091    | -            | -         | 1          | -           | 6           | 19          | 43          | 91          | 215         | 768         | 948               | -              |

Worktable Orig290F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2007

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data - mortality"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, sex, and year | All ages | Under 1 year | 1-4 years | 5-14 years | 15-24 years | 25-34 years | 35-44 years | 45-54 years | 55-64 years | 65-74 years | 75-84 years | 85 years and over | Age not stated |
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|
| <b>Hypertensive heart and renal disease (I13)</b>  |          |              |           |            |             |             |             |             |             |             |             |                   |                |
| <b>Non-Hispanic white, male</b>  |          |              |           |            |             |             |             |             |             |             |             |                   |                |
| 2007 2/.....   | 769      | -            | -         | -          | -           | 4           | 12          | 35          | 58          | 90          | 247         | 323               | -              |
| 2006 2/.....   | 758      | -            | -         | -          | -           | 7           | 15          | 29          | 53          | 75          | 250         | 329               | -              |
| 2005 2/.....   | 791      | -            | -         | -          | 1           | 4           | 12          | 36          | 41          | 96          | 249         | 352               | -              |
| 2004 2/.....   | 748      | -            | -         | -          | 1           | 3           | 10          | 25          | 57          | 100         | 257         | 295               | -              |
| 2003 2/.....   | 789      | -            | -         | -          | -           | 2           | 12          | 30          | 57          | 106         | 288         | 294               | -              |
| 2002.....  | 679      | -            | -         | -          | -           | 5           | 13          | 19          | 47          | 96          | 256         | 243               | -              |
| 2001.....  | 687      | -            | -         | -          | 2           | 3           | 12          | 27          | 42          | 101         | 250         | 250               | -              |
| 2000.....  | 710      | -            | -         | -          | -           | 4           | 18          | 24          | 41          | 109         | 256         | 258               | -              |
| 1999.....  | 843      | -            | -         | 1          | -           | 6           | 11          | 26          | 48          | 108         | 346         | 297               | -              |
| <b>Non-Hispanic white, female</b>  |          |              |           |            |             |             |             |             |             |             |             |                   |                |
| 2007 2/.....   | 1,105    | -            | -         | -          | -           | 2           | 6           | 12          | 47          | 86          | 295         | 657               | -              |
| 2006 2/.....   | 1,075    | -            | -         | -          | -           | -           | 4           | 21          | 34          | 85          | 300         | 631               | -              |
| 2005 2/.....   | 1,198    | -            | -         | -          | -           | 2           | 7           | 14          | 26          | 99          | 356         | 694               | -              |
| 2004 2/.....   | 1,130    | -            | -         | 1          | -           | 1           | 6           | 16          | 33          | 87          | 319         | 667               | -              |
| 2003 2/.....   | 1,153    | -            | -         | -          | 1           | 5           | 2           | 12          | 35          | 90          | 358         | 650               | -              |
| 2002.....  | 1,073    | -            | -         | -          | -           | 3           | 4           | 10          | 35          | 88          | 348         | 585               | -              |
| 2001.....  | 1,072    | -            | -         | -          | -           | 2           | 4           | 16          | 53          | 103         | 351         | 543               | -              |
| 2000.....  | 1,059    | -            | -         | -          | -           | 1           | 12          | 16          | 34          | 111         | 337         | 548               | -              |
| 1999.....  | 1,248    | -            | -         | -          | -           | -           | 8           | 17          | 43          | 107         | 422         | 651               | -              |

Worktable Orig290F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2007

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data - mortality"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, sex, and year | All ages | Under 1 year | 1-4 years | 5-14 years | 15-24 years | 25-34 years | 35-44 years | 45-54 years | 55-64 years | 65-74 years | 75-84 years | 85 years and over | Age not stated |
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|
| <b>Hypertensive heart and renal disease (I13)</b>  |          |              |           |            |             |             |             |             |             |             |             |                   |                |
| <b>Non-Hispanic black, both sexes</b>  |          |              |           |            |             |             |             |             |             |             |             |                   |                |
| 2007 2/.....   | 820      | -            | -         | -          | 4           | 18          | 55          | 105         | 152         | 152         | 177         | 157               | -              |
| 2006 2/.....   | 817      | -            | -         | -          | 3           | 16          | 50          | 109         | 140         | 152         | 187         | 160               | -              |
| 2005 2/.....   | 879      | -            | -         | -          | 3           | 25          | 54          | 121         | 136         | 168         | 215         | 157               | -              |
| 2004 2/.....   | 877      | -            | -         | -          | 5           | 15          | 65          | 139         | 142         | 146         | 194         | 171               | -              |
| 2003 2/.....   | 910      | -            | -         | -          | 3           | 20          | 71          | 142         | 148         | 154         | 191         | 181               | -              |
| 2002.....  | 897      | -            | -         | -          | 2           | 17          | 54          | 124         | 159         | 165         | 187         | 189               | -              |
| 2001.....  | 821      | 1            | -         | -          | 4           | 21          | 65          | 92          | 125         | 164         | 187         | 162               | -              |
| 2000.....  | 797      | -            | -         | 1          | 5           | 19          | 45          | 91          | 112         | 161         | 203         | 160               | -              |
| 1999.....  | 989      | -            | -         | 1          | 6           | 13          | 82          | 92          | 143         | 205         | 243         | 204               | -              |
| <b>Non-Hispanic black, male</b>  |          |              |           |            |             |             |             |             |             |             |             |                   |                |
| 2007 2/.....   | 409      | -            | -         | -          | 3           | 10          | 41          | 63          | 98          | 73          | 72          | 49                | -              |
| 2006 2/.....   | 400      | -            | -         | -          | 1           | 11          | 32          | 63          | 87          | 78          | 84          | 44                | -              |
| 2005 2/.....   | 426      | -            | -         | -          | 2           | 16          | 33          | 77          | 80          | 81          | 84          | 53                | -              |
| 2004 2/.....   | 404      | -            | -         | -          | 2           | 7           | 49          | 80          | 79          | 62          | 83          | 42                | -              |
| 2003 2/.....   | 411      | -            | -         | -          | 3           | 10          | 47          | 88          | 86          | 63          | 66          | 48                | -              |
| 2002.....  | 402      | -            | -         | -          | 1           | 13          | 27          | 80          | 88          | 70          | 66          | 57                | -              |
| 2001.....  | 370      | 1            | -         | -          | 1           | 14          | 41          | 65          | 66          | 81          | 62          | 39                | -              |
| 2000.....  | 348      | -            | -         | -          | 3           | 12          | 27          | 55          | 57          | 74          | 65          | 55                | -              |
| 1999.....  | 426      | -            | -         | -          | 3           | 9           | 47          | 60          | 81          | 92          | 83          | 51                | -              |



Worktable Orig290F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2007

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data - mortality"]

---

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, sex, and year

|  | All ages | Under 1 year | 1-4 years | 5-14 years | 15-24 years | 25-34 years | 35-44 years | 45-54 years | 55-64 years | 65-74 years | 75-84 years | 85 years and over | Age not stated |
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|

---

Hypertensive heart and renal disease (I13)

Non-Hispanic black, female

|              |     |   |   |   |   |    |    |    |    |     |     |     |   |
|--------------|-----|---|---|---|---|----|----|----|----|-----|-----|-----|---|
| 2007 2/..... | 411 | - | - | - | 1 | 8  | 14 | 42 | 54 | 79  | 105 | 108 | - |
| 2006 2/..... | 417 | - | - | - | 2 | 5  | 18 | 46 | 53 | 74  | 103 | 116 | - |
| 2005 2/..... | 453 | - | - | - | 1 | 9  | 21 | 44 | 56 | 87  | 131 | 104 | - |
| 2004 2/..... | 473 | - | - | - | 3 | 8  | 16 | 59 | 63 | 84  | 111 | 129 | - |
| 2003 2/..... | 499 | - | - | - | - | 10 | 24 | 54 | 62 | 91  | 125 | 133 | - |
| 2002.....    | 495 | - | - | - | 1 | 4  | 27 | 44 | 71 | 95  | 121 | 132 | - |
| 2001.....    | 451 | - | - | - | 3 | 7  | 24 | 27 | 59 | 83  | 125 | 123 | - |
| 2000.....    | 449 | - | - | 1 | 2 | 7  | 18 | 36 | 55 | 87  | 138 | 105 | - |
| 1999.....    | 563 | - | - | 1 | 3 | 4  | 35 | 32 | 62 | 113 | 160 | 153 | - |

Origin not stated 3/, both sexes

|           |    |   |   |   |   |   |   |   |   |   |   |   |   |
|-----------|----|---|---|---|---|---|---|---|---|---|---|---|---|
| 2007..... | 2  | - | - | - | - | - | - | 1 | - | 1 | - | - | - |
| 2006..... | 5  | - | - | - | - | - | - | 1 | - | - | 1 | 3 | - |
| 2005..... | 10 | - | - | - | - | - | - | 2 | 2 | 3 | 2 | 1 | - |
| 2004..... | 11 | - | - | - | - | - | 1 | 2 | 1 | 3 | - | 4 | - |
| 2003..... | 6  | - | - | - | - | - | 1 | - | 1 | - | 2 | 2 | - |
| 2002..... | 9  | - | - | - | - | - | - | 1 | - | 3 | 3 | 2 | - |
| 2001..... | 16 | - | - | - | - | - | 3 | 1 | 1 | 3 | 4 | 4 | - |
| 2000..... | 10 | - | - | - | - | - | - | - | 1 | 1 | 5 | 3 | - |
| 1999..... | 12 | - | - | - | - | - | 3 | 3 | 1 | 2 | 1 | 2 | - |

Worktable Orig290F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2007

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data - mortality"]

---

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, sex, and year

|  | All ages | Under 1 year | 1-4 years | 5-14 years | 15-24 years | 25-34 years | 35-44 years | 45-54 years | 55-64 years | 65-74 years | 75-84 years | 85 years and over | Age not stated |
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|

---

Hypertensive heart and renal disease (I13)

Origin not stated 3/, male

|           |   |   |   |   |   |   |   |   |   |   |   |   |   |
|-----------|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 2007..... | 1 | - | - | - | - | - | - | - | - | 1 | - | - | - |
| 2006..... | 1 | - | - | - | - | - | - | - | - | - | - | 1 | - |
| 2005..... | 7 | - | - | - | - | - | - | 1 | 2 | 2 | 2 | - | - |
| 2004..... | 6 | - | - | - | - | - | 1 | 1 | 1 | 3 | - | - | - |
| 2003..... | 3 | - | - | - | - | - | 1 | - | 1 | - | 1 | - | - |
| 2002..... | 5 | - | - | - | - | - | - | 1 | - | 2 | 1 | 1 | - |
| 2001..... | 7 | - | - | - | - | - | 2 | 1 | 1 | 1 | 1 | 1 | - |
| 2000..... | 7 | - | - | - | - | - | - | - | 1 | 1 | 3 | 2 | - |
| 1999..... | 7 | - | - | - | - | - | 2 | 3 | - | 1 | - | 1 | - |

Origin not stated 3/, female

|           |   |   |   |   |   |   |   |   |   |   |   |   |   |
|-----------|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 2007..... | 1 | - | - | - | - | - | - | 1 | - | - | - | - | - |
| 2006..... | 4 | - | - | - | - | - | - | 1 | - | - | 1 | 2 | - |
| 2005..... | 3 | - | - | - | - | - | - | 1 | - | 1 | - | 1 | - |
| 2004..... | 5 | - | - | - | - | - | - | 1 | - | - | - | 4 | - |
| 2003..... | 3 | - | - | - | - | - | - | - | - | - | 1 | 2 | - |
| 2002..... | 4 | - | - | - | - | - | - | - | - | 1 | 2 | 1 | - |
| 2001..... | 9 | - | - | - | - | - | 1 | - | - | 2 | 3 | 3 | - |
| 2000..... | 3 | - | - | - | - | - | - | - | - | - | 2 | 1 | - |
| 1999..... | 5 | - | - | - | - | - | 1 | - | 1 | 1 | 1 | 1 | - |

Worktable Orig290F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2007

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data - mortality"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, sex, and year | All ages | Under 1 year | 1-4 years | 5-14 years | 15-24 years | 25-34 years | 35-44 years | 45-54 years | 55-64 years | 65-74 years | 75-84 years | 85 years and over | Age not stated |
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|
| Ischemic heart diseases (I20-I25)  |          |              |           |            |             |             |             |             |             |             |             |                   |                |
| All origins, both sexes  |          |              |           |            |             |             |             |             |             |             |             |                   |                |
| 2007.....  | 406,351  | 24           | 8         | 21         | 151         | 1,048       | 6,219       | 24,390      | 46,164      | 63,027      | 116,152     | 149,126           | 21             |
| 2006.....  | 425,425  | 22           | 7         | 13         | 138         | 1,054       | 6,699       | 24,990      | 46,706      | 66,685      | 125,225     | 153,855           | 31             |
| 2005.....  | 445,687  | 13           | 7         | 14         | 151         | 1,014       | 6,860       | 25,310      | 46,799      | 70,121      | 134,435     | 160,935           | 28             |
| 2004.....  | 451,326  | 13           | 10        | 17         | 125         | 1,092       | 7,132       | 24,923      | 46,002      | 73,102      | 139,128     | 159,756           | 26             |
| 2003.....  | 480,028  | 22           | 12        | 24         | 160         | 1,082       | 7,547       | 25,361      | 47,377      | 78,880      | 149,370     | 170,164           | 29             |
| 2002.....  | 494,382  | 23           | 7         | 20         | 133         | 996         | 7,683       | 25,575      | 47,262      | 83,867      | 155,391     | 173,388           | 37             |
| 2001.....  | 502,189  | 26           | 9         | 20         | 163         | 1,116       | 7,534       | 25,073      | 46,574      | 87,463      | 159,854     | 174,309           | 48             |
| 2000.....  | 515,204  | 30           | 10        | 16         | 123         | 935         | 7,519       | 24,890      | 47,737      | 92,885      | 163,692     | 177,319           | 48             |
| 1999.....  | 529,659  | 27           | 5         | 22         | 137         | 1,014       | 7,751       | 24,775      | 48,377      | 98,840      | 169,296     | 179,376           | 39             |
| All origins, male  |          |              |           |            |             |             |             |             |             |             |             |                   |                |
| 2007.....  | 216,050  | 11           | 3         | 12         | 107         | 809         | 4,732       | 18,526      | 33,476      | 40,777      | 62,693      | 54,889            | 15             |
| 2006.....  | 224,510  | 15           | 5         | 7          | 106         | 829         | 5,075       | 18,972      | 33,593      | 42,848      | 67,275      | 55,763            | 22             |
| 2005.....  | 232,115  | 7            | 4         | 9          | 121         | 774         | 5,188       | 19,233      | 33,548      | 44,497      | 71,352      | 57,364            | 18             |
| 2004.....  | 233,538  | 8            | 1         | 9          | 96          | 822         | 5,366       | 18,986      | 32,868      | 46,273      | 73,591      | 55,495            | 23             |
| 2003.....  | 246,342  | 13           | 6         | 10         | 107         | 813         | 5,679       | 19,481      | 33,767      | 49,999      | 78,573      | 57,872            | 22             |
| 2002.....  | 252,760  | 15           | 4         | 13         | 92          | 741         | 5,840       | 19,551      | 33,656      | 53,136      | 81,239      | 58,446            | 27             |
| 2001.....  | 254,005  | 17           | 3         | 13         | 119         | 830         | 5,712       | 19,141      | 33,006      | 55,072      | 82,953      | 57,106            | 33             |
| 2000.....  | 260,574  | 17           | 7         | 9          | 81          | 704         | 5,787       | 19,149      | 33,795      | 58,554      | 84,747      | 57,690            | 34             |
| 1999.....  | 267,268  | 13           | 3         | 17         | 93          | 739         | 5,970       | 19,061      | 34,123      | 62,187      | 87,305      | 57,726            | 31             |

Worktable Orig290F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2007

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data - mortality"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, sex, and year | All ages | Under 1 year | 1-4 years | 5-14 years | 15-24 years | 25-34 years | 35-44 years | 45-54 years | 55-64 years | 65-74 years | 75-84 years | 85 years and over | Age not stated |
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|
| Ischemic heart diseases (I20-I25)  |          |              |           |            |             |             |             |             |             |             |             |                   |                |
| All origins, female  |          |              |           |            |             |             |             |             |             |             |             |                   |                |
| 2007.....  | 190,301  | 13           | 5         | 9          | 44          | 239         | 1,487       | 5,864       | 12,688      | 22,250      | 53,459      | 94,237            | 6              |
| 2006.....  | 200,915  | 7            | 2         | 6          | 32          | 225         | 1,624       | 6,018       | 13,113      | 23,837      | 57,950      | 98,092            | 9              |
| 2005.....  | 213,572  | 6            | 3         | 5          | 30          | 240         | 1,672       | 6,077       | 13,251      | 25,624      | 63,083      | 103,571           | 10             |
| 2004.....  | 217,788  | 5            | 9         | 8          | 29          | 270         | 1,766       | 5,937       | 13,134      | 26,829      | 65,537      | 104,261           | 3              |
| 2003.....  | 233,686  | 9            | 6         | 14         | 53          | 269         | 1,868       | 5,880       | 13,610      | 28,881      | 70,797      | 112,292           | 7              |
| 2002.....  | 241,622  | 8            | 3         | 7          | 41          | 255         | 1,843       | 6,024       | 13,606      | 30,731      | 74,152      | 114,942           | 10             |
| 2001.....  | 248,184  | 9            | 6         | 7          | 44          | 286         | 1,822       | 5,932       | 13,568      | 32,391      | 76,901      | 117,203           | 15             |
| 2000.....  | 254,630  | 13           | 3         | 7          | 42          | 231         | 1,732       | 5,741       | 13,942      | 34,331      | 78,945      | 119,629           | 14             |
| 1999.....  | 262,391  | 14           | 2         | 5          | 44          | 275         | 1,781       | 5,714       | 14,254      | 36,653      | 81,991      | 121,650           | 8              |
| Hispanic, both sexes   |          |              |           |            |             |             |             |             |             |             |             |                   |                |
| 2007.....  | 20,452   | 6            | 1         | 4          | 13          | 110         | 458         | 1,509       | 2,758       | 3,760       | 6,008       | 5,823             | 2              |
| 2006.....  | 20,939   | 2            | 1         | 5          | 23          | 106         | 478         | 1,550       | 2,712       | 3,942       | 6,247       | 5,870             | 3              |
| 2005.....  | 21,774   | 1            | 2         | 4          | 22          | 99          | 503         | 1,526       | 2,745       | 4,317       | 6,641       | 5,910             | 4              |
| 2004.....  | 20,482   | 4            | 2         | 4          | 15          | 95          | 477         | 1,424       | 2,609       | 4,147       | 6,208       | 5,494             | 3              |
| 2003.....  | 20,783   | 2            | 1         | 4          | 22          | 104         | 446         | 1,352       | 2,546       | 4,337       | 6,232       | 5,731             | 6              |
| 2002.....  | 20,941   | 4            | 1         | 3          | 18          | 88          | 442         | 1,389       | 2,683       | 4,510       | 6,060       | 5,742             | 1              |
| 2001.....  | 20,664   | 4            | 1         | 4          | 18          | 109         | 368         | 1,314       | 2,404       | 4,553       | 6,095       | 5,790             | 4              |
| 2000.....  | 19,744   | 6            | 1         | 1          | 12          | 69          | 392         | 1,240       | 2,457       | 4,364       | 5,626       | 5,572             | 4              |
| 1999.....  | 19,936   | 2            | -         | 2          | 11          | 87          | 366         | 1,328       | 2,463       | 4,492       | 5,655       | 5,525             | 5              |

Worktable Orig290F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2007

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data - mortality"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, sex, and year | All ages | Under 1 year | 1-4 years | 5-14 years | 15-24 years | 25-34 years | 35-44 years | 45-54 years | 55-64 years | 65-74 years | 75-84 years | 85 years and over | Age not stated |
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|
| Ischemic heart diseases (I20-I25)  |          |              |           |            |             |             |             |             |             |             |             |                   |                |
| Hispanic, male   |          |              |           |            |             |             |             |             |             |             |             |                   |                |
| 2007.....  | 11,303   | 3            | -         | 2          | 10          | 93          | 373         | 1,212       | 2,001       | 2,378       | 3,122       | 2,109             | -              |
| 2006.....  | 11,449   | 1            | 1         | 3          | 19          | 85          | 386         | 1,205       | 1,906       | 2,430       | 3,235       | 2,176             | 2              |
| 2005.....  | 11,953   | -            | 2         | 4          | 16          | 80          | 406         | 1,189       | 1,944       | 2,655       | 3,489       | 2,164             | 4              |
| 2004.....  | 11,245   | 2            | -         | 3          | 14          | 81          | 387         | 1,116       | 1,852       | 2,577       | 3,286       | 1,924             | 3              |
| 2003.....  | 11,054   | 1            | 1         | 3          | 20          | 83          | 341         | 1,066       | 1,780       | 2,680       | 3,168       | 1,906             | 5              |
| 2002.....  | 11,295   | 2            | -         | 2          | 12          | 76          | 346         | 1,058       | 1,907       | 2,775       | 3,099       | 2,017             | 1              |
| 2001.....  | 11,019   | 3            | 1         | 1          | 13          | 90          | 295         | 1,016       | 1,667       | 2,804       | 3,116       | 2,010             | 3              |
| 2000.....  | 10,562   | 4            | 1         | 1          | 9           | 56          | 322         | 973         | 1,726       | 2,661       | 2,888       | 1,918             | 3              |
| 1999.....  | 10,604   | -            | -         | 2          | 8           | 72          | 310         | 1,042       | 1,677       | 2,770       | 2,869       | 1,849             | 5              |
| Hispanic, female   |          |              |           |            |             |             |             |             |             |             |             |                   |                |
| 2007.....  | 9,149    | 3            | 1         | 2          | 3           | 17          | 85          | 297         | 757         | 1,382       | 2,886       | 3,714             | 2              |
| 2006.....  | 9,490    | 1            | -         | 2          | 4           | 21          | 92          | 345         | 806         | 1,512       | 3,012       | 3,694             | 1              |
| 2005.....  | 9,821    | 1            | -         | -          | 6           | 19          | 97          | 337         | 801         | 1,662       | 3,152       | 3,746             | -              |
| 2004.....  | 9,237    | 2            | 2         | 1          | 1           | 14          | 90          | 308         | 757         | 1,570       | 2,922       | 3,570             | -              |
| 2003.....  | 9,729    | 1            | -         | 1          | 2           | 21          | 105         | 286         | 766         | 1,657       | 3,064       | 3,825             | 1              |
| 2002.....  | 9,646    | 2            | 1         | 1          | 6           | 12          | 96          | 331         | 776         | 1,735       | 2,961       | 3,725             | -              |
| 2001.....  | 9,645    | 1            | -         | 3          | 5           | 19          | 73          | 298         | 737         | 1,749       | 2,979       | 3,780             | 1              |
| 2000.....  | 9,182    | 2            | -         | -          | 3           | 13          | 70          | 267         | 731         | 1,703       | 2,738       | 3,654             | 1              |
| 1999.....  | 9,332    | 2            | -         | -          | 3           | 15          | 56          | 286         | 786         | 1,722       | 2,786       | 3,676             | -              |

Worktable Orig290F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2007

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data - mortality"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, sex, and year | All ages | Under 1 year | 1-4 years | 5-14 years | 15-24 years | 25-34 years | 35-44 years | 45-54 years | 55-64 years | 65-74 years | 75-84 years | 85 years and over | Age not stated |
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|
| <b>Ischemic heart diseases (I20-I25)</b>   |          |              |           |            |             |             |             |             |             |             |             |                   |                |
| <b>Non-Hispanic 1/, both sexes</b>   |          |              |           |            |             |             |             |             |             |             |             |                   |                |
| 2007.....  | 385,210  | 18           | 7         | 17         | 138         | 936         | 5,743       | 22,826      | 43,254      | 59,117      | 109,972     | 143,167           | 15             |
| 2006.....  | 403,588  | 20           | 6         | 8          | 115         | 944         | 6,205       | 23,370      | 43,837      | 62,536      | 118,755     | 147,768           | 24             |
| 2005.....  | 423,007  | 12           | 5         | 10         | 129         | 914         | 6,346       | 23,703      | 43,905      | 65,631      | 127,530     | 154,801           | 21             |
| 2004.....  | 429,713  | 9            | 8         | 13         | 110         | 995         | 6,629       | 23,414      | 43,225      | 68,698      | 132,602     | 153,992           | 18             |
| 2003.....  | 457,794  | 20           | 11        | 20         | 137         | 974         | 7,070       | 23,913      | 44,605      | 74,256      | 142,711     | 164,061           | 16             |
| 2002.....  | 471,655  | 19           | 6         | 17         | 114         | 900         | 7,214       | 24,069      | 44,359      | 78,987      | 148,834     | 167,107           | 29             |
| 2001.....  | 479,842  | 21           | 8         | 16         | 144         | 1,004       | 7,135       | 23,663      | 43,946      | 82,604      | 153,239     | 168,032           | 30             |
| 2000.....  | 493,541  | 23           | 9         | 15         | 111         | 861         | 7,082       | 23,523      | 45,022      | 88,137      | 157,523     | 171,202           | 33             |
| 1999.....  | 507,700  | 25           | 5         | 20         | 125         | 926         | 7,344       | 23,331      | 45,666      | 93,919      | 163,035     | 173,278           | 26             |
| <b>Non-Hispanic 1/, male</b>   |          |              |           |            |             |             |             |             |             |             |             |                   |                |
| 2007.....  | 204,295  | 8            | 3         | 10         | 97          | 714         | 4,344       | 17,268      | 31,363      | 38,282      | 59,467      | 52,728            | 11             |
| 2006.....  | 212,497  | 14           | 4         | 4          | 87          | 741         | 4,678       | 17,707      | 31,564      | 40,266      | 63,916      | 53,499            | 17             |
| 2005.....  | 219,626  | 7            | 2         | 5          | 105         | 693         | 4,773       | 17,980      | 31,494      | 41,719      | 67,707      | 55,128            | 13             |
| 2004.....  | 221,607  | 6            | 1         | 6          | 82          | 739         | 4,960       | 17,804      | 30,891      | 43,510      | 70,118      | 53,475            | 15             |
| 2003.....  | 234,433  | 12           | 5         | 7          | 86          | 727         | 5,316       | 18,341      | 31,813      | 47,124      | 75,165      | 55,826            | 11             |
| 2002.....  | 240,462  | 13           | 4         | 11         | 79          | 658         | 5,475       | 18,400      | 31,581      | 50,116      | 77,866      | 56,240            | 19             |
| 2001.....  | 242,054  | 13           | 2         | 12         | 105         | 737         | 5,392       | 18,047      | 31,160      | 52,059      | 79,549      | 54,956            | 22             |
| 2000.....  | 248,932  | 12           | 6         | 8          | 72          | 645         | 5,426       | 18,074      | 31,880      | 55,623      | 81,578      | 55,585            | 23             |
| 1999.....  | 255,524  | 13           | 3         | 15         | 85          | 666         | 5,623       | 17,928      | 32,249      | 59,117      | 84,127      | 55,678            | 20             |

Worktable Orig290F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2007

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data - mortality"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, sex, and year | All ages | Under 1 year | 1-4 years | 5-14 years | 15-24 years | 25-34 years | 35-44 years | 45-54 years | 55-64 years | 65-74 years | 75-84 years | 85 years and over | Age not stated |
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|
| <b>Ischemic heart diseases (I20-I25)</b>   |          |              |           |            |             |             |             |             |             |             |             |                   |                |
| <b>Non-Hispanic 1/, female</b>   |          |              |           |            |             |             |             |             |             |             |             |                   |                |
| 2007.....  | 180,915  | 10           | 4         | 7          | 41          | 222         | 1,399       | 5,558       | 11,891      | 20,835      | 50,505      | 90,439            | 4              |
| 2006.....  | 191,091  | 6            | 2         | 4          | 28          | 203         | 1,527       | 5,663       | 12,273      | 22,270      | 54,839      | 94,269            | 7              |
| 2005.....  | 203,381  | 5            | 3         | 5          | 24          | 221         | 1,573       | 5,723       | 12,411      | 23,912      | 59,823      | 99,673            | 8              |
| 2004.....  | 208,106  | 3            | 7         | 7          | 28          | 256         | 1,669       | 5,610       | 12,334      | 25,188      | 62,484      | 100,517           | 3              |
| 2003.....  | 223,361  | 8            | 6         | 13         | 51          | 247         | 1,754       | 5,572       | 12,792      | 27,132      | 67,546      | 108,235           | 5              |
| 2002.....  | 231,193  | 6            | 2         | 6          | 35          | 242         | 1,739       | 5,669       | 12,778      | 28,871      | 70,968      | 110,867           | 10             |
| 2001.....  | 237,788  | 8            | 6         | 4          | 39          | 267         | 1,743       | 5,616       | 12,786      | 30,545      | 73,690      | 113,076           | 8              |
| 2000.....  | 244,609  | 11           | 3         | 7          | 39          | 216         | 1,656       | 5,449       | 13,142      | 32,514      | 75,945      | 115,617           | 10             |
| 1999.....  | 252,176  | 12           | 2         | 5          | 40          | 260         | 1,721       | 5,403       | 13,417      | 34,802      | 78,908      | 117,600           | 6              |
| <b>Non-Hispanic white, both sexes</b>  |          |              |           |            |             |             |             |             |             |             |             |                   |                |
| 2007 2/.....   | 334,047  | 13           | 3         | 14         | 85          | 637         | 4,350       | 17,763      | 34,684      | 48,807      | 96,907      | 130,773           | 11             |
| 2006 2/.....   | 350,356  | 13           | 4         | 5          | 84          | 663         | 4,738       | 18,058      | 35,155      | 51,731      | 104,729     | 135,156           | 20             |
| 2005 2/.....   | 368,505  | 6            | 3         | 8          | 85          | 641         | 4,826       | 18,307      | 35,153      | 54,742      | 112,817     | 141,904           | 13             |
| 2004 2/.....   | 374,900  | 6            | 5         | 7          | 57          | 690         | 5,128       | 18,140      | 34,877      | 57,266      | 117,816     | 140,898           | 10             |
| 2003 2/.....   | 400,101  | 14           | 5         | 11         | 91          | 695         | 5,434       | 18,508      | 36,009      | 62,110      | 126,817     | 150,394           | 13             |
| 2002.....  | 413,230  | 11           | 4         | 12         | 76          | 650         | 5,565       | 18,799      | 35,799      | 66,553      | 132,548     | 153,193           | 20             |
| 2001.....  | 420,959  | 14           | 5         | 10         | 86          | 718         | 5,456       | 18,518      | 35,421      | 69,681      | 136,815     | 154,217           | 18             |
| 2000.....  | 434,505  | 16           | 9         | 12         | 80          | 606         | 5,437       | 18,531      | 36,367      | 74,867      | 141,111     | 157,445           | 24             |
| 1999.....  | 447,960  | 16           | 4         | 12         | 76          | 665         | 5,607       | 18,425      | 37,066      | 80,129      | 146,594     | 159,351           | 15             |

Worktable Orig290F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2007

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data - mortality"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, sex, and year | All ages | Under 1 year | 1-4 years | 5-14 years | 15-24 years | 25-34 years | 35-44 years | 45-54 years | 55-64 years | 65-74 years | 75-84 years | 85 years and over | Age not stated |
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|
| <b>Ischemic heart diseases (I20-I25)</b>   |          |              |           |            |             |             |             |             |             |             |             |                   |                |
| <b>Non-Hispanic white, male</b>  |          |              |           |            |             |             |             |             |             |             |             |                   |                |
| 2007 2/.....   | 177,716  | 7            | 1         | 7          | 60          | 486         | 3,348       | 13,792      | 25,698      | 32,292      | 53,269      | 48,747            | 9              |
| 2006 2/.....   | 184,810  | 11           | 2         | 4          | 68          | 535         | 3,684       | 14,085      | 25,825      | 33,952      | 57,207      | 49,423            | 14             |
| 2005 2/.....   | 191,862  | 5            | -         | 5          | 74          | 485         | 3,735       | 14,273      | 25,811      | 35,525      | 60,849      | 51,092            | 8              |
| 2004 2/.....   | 193,976  | 4            | 1         | 4          | 43          | 527         | 3,956       | 14,218      | 25,505      | 37,062      | 63,313      | 49,335            | 8              |
| 2003 2/.....   | 205,310  | 8            | 2         | 4          | 57          | 527         | 4,194       | 14,610      | 26,363      | 40,216      | 67,652      | 51,669            | 8              |
| 2002.....  | 211,391  | 8            | 2         | 8          | 54          | 493         | 4,346       | 14,856      | 26,108      | 43,205      | 70,370      | 51,928            | 13             |
| 2001.....  | 212,928  | 10           | 1         | 8          | 65          | 539         | 4,250       | 14,590      | 25,776      | 44,881      | 72,036      | 50,758            | 14             |
| 2000.....  | 219,732  | 9            | 6         | 6          | 52          | 473         | 4,319       | 14,723      | 26,398      | 48,374      | 74,042      | 51,313            | 17             |
| 1999.....  | 225,909  | 8            | 3         | 10         | 57          | 482         | 4,416       | 14,585      | 26,754      | 51,553      | 76,763      | 51,267            | 11             |
| <b>Non-Hispanic white, female</b>  |          |              |           |            |             |             |             |             |             |             |             |                   |                |
| 2007 2/.....   | 156,331  | 6            | 2         | 7          | 25          | 151         | 1,002       | 3,971       | 8,986       | 16,515      | 43,638      | 82,026            | 2              |
| 2006 2/.....   | 165,546  | 2            | 2         | 1          | 16          | 128         | 1,054       | 3,973       | 9,330       | 17,779      | 47,522      | 85,733            | 6              |
| 2005 2/.....   | 176,643  | 1            | 3         | 3          | 11          | 156         | 1,091       | 4,034       | 9,342       | 19,217      | 51,968      | 90,812            | 5              |
| 2004 2/.....   | 180,924  | 2            | 4         | 3          | 14          | 163         | 1,172       | 3,922       | 9,372       | 20,204      | 54,503      | 91,563            | 2              |
| 2003 2/.....   | 194,791  | 6            | 3         | 7          | 34          | 168         | 1,240       | 3,898       | 9,646       | 21,894      | 59,165      | 98,725            | 5              |
| 2002.....  | 201,839  | 3            | 2         | 4          | 22          | 157         | 1,219       | 3,943       | 9,691       | 23,348      | 62,178      | 101,265           | 7              |
| 2001.....  | 208,031  | 4            | 4         | 2          | 21          | 179         | 1,206       | 3,928       | 9,645       | 24,800      | 64,779      | 103,459           | 4              |
| 2000.....  | 214,773  | 7            | 3         | 6          | 28          | 133         | 1,118       | 3,808       | 9,969       | 26,493      | 67,069      | 106,132           | 7              |
| 1999.....  | 222,051  | 8            | 1         | 2          | 19          | 183         | 1,191       | 3,840       | 10,312      | 28,576      | 69,831      | 108,084           | 4              |



Worktable Orig290F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2007

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data - mortality"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, sex, and year | All ages | Under 1 year | 1-4 years | 5-14 years | 15-24 years | 25-34 years | 35-44 years | 45-54 years | 55-64 years | 65-74 years | 75-84 years | 85 years and over | Age not stated |
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|
| <b>Ischemic heart diseases (I20-I25)</b>   |          |              |           |            |             |             |             |             |             |             |             |                   |                |
| <b>Non-Hispanic black, both sexes</b>  |          |              |           |            |             |             |             |             |             |             |             |                   |                |
| 2007 2/.....   | 42,152   | 3            | 2         | 2          | 50          | 250         | 1,134       | 4,427       | 7,413       | 8,617       | 10,495      | 9,756             | 3              |
| 2006 2/.....   | 43,992   | 6            | 2         | 2          | 31          | 231         | 1,260       | 4,650       | 7,451       | 9,048       | 11,358      | 9,949             | 4              |
| 2005 2/.....   | 45,435   | 5            | 1         | 2          | 35          | 218         | 1,310       | 4,718       | 7,576       | 9,103       | 12,096      | 10,364            | 7              |
| 2004 2/.....   | 46,064   | 2            | 1         | 6          | 46          | 257         | 1,315       | 4,664       | 7,292       | 9,717       | 12,200      | 10,557            | 7              |
| 2003 2/.....   | 48,617   | 4            | 5         | 8          | 41          | 229         | 1,407       | 4,726       | 7,439       | 10,360      | 13,207      | 11,190            | 1              |
| 2002.....  | 49,522   | 7            | 2         | 5          | 31          | 210         | 1,441       | 4,665       | 7,504       | 10,598      | 13,541      | 11,509            | 9              |
| 2001.....  | 50,295   | 7            | 3         | 5          | 52          | 246         | 1,474       | 4,533       | 7,451       | 11,107      | 13,782      | 11,625            | 10             |
| 2000.....  | 50,659   | 4            | -         | 2          | 24          | 229         | 1,451       | 4,418       | 7,587       | 11,485      | 13,809      | 11,641            | 9              |
| 1999.....  | 51,368   | 8            | 1         | 8          | 44          | 213         | 1,552       | 4,362       | 7,542       | 11,929      | 13,890      | 11,808            | 11             |
| <b>Non-Hispanic black, male</b>  |          |              |           |            |             |             |             |             |             |             |             |                   |                |
| 2007 2/.....   | 21,473   | 1            | 1         | 2          | 35          | 187         | 783         | 2,961       | 4,823       | 4,917       | 4,864       | 2,898             | 1              |
| 2006 2/.....   | 22,412   | 2            | 2         | -          | 19          | 163         | 822         | 3,094       | 4,832       | 5,233       | 5,311       | 2,931             | 3              |
| 2005 2/.....   | 22,608   | 2            | 1         | -          | 25          | 160         | 862         | 3,172       | 4,826       | 5,101       | 5,503       | 2,952             | 4              |
| 2004 2/.....   | 22,720   | 2            | -         | 2          | 36          | 169         | 848         | 3,107       | 4,615       | 5,410       | 5,441       | 3,084             | 6              |
| 2003 2/.....   | 23,919   | 3            | 3         | 3          | 26          | 159         | 938         | 3,178       | 4,624       | 5,784       | 6,094       | 3,106             | 1              |
| 2002.....  | 23,976   | 4            | 2         | 3          | 18          | 131         | 947         | 3,053       | 4,722       | 5,811       | 6,013       | 3,266             | 6              |
| 2001.....  | 24,255   | 3            | 1         | 3          | 35          | 167         | 974         | 2,982       | 4,596       | 6,089       | 6,115       | 3,283             | 7              |
| 2000.....  | 24,289   | 2            | -         | 2          | 14          | 150         | 946         | 2,886       | 4,713       | 6,121       | 6,118       | 3,331             | 6              |
| 1999.....  | 24,736   | 4            | -         | 5          | 24          | 148         | 1,042       | 2,904       | 4,737       | 6,437       | 5,991       | 3,435             | 9              |

Worktable Orig290F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2007

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data - mortality"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, sex, and year | All ages | Under 1 year | 1-4 years | 5-14 years | 15-24 years | 25-34 years | 35-44 years | 45-54 years | 55-64 years | 65-74 years | 75-84 years | 85 years and over | Age not stated |
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|
| Ischemic heart diseases (I20-I25)  |          |              |           |            |             |             |             |             |             |             |             |                   |                |
| Non-Hispanic black, female   |          |              |           |            |             |             |             |             |             |             |             |                   |                |
| 2007 2/.....   | 20,679   | 2            | 1         | -          | 15          | 63          | 351         | 1,466       | 2,590       | 3,700       | 5,631       | 6,858             | 2              |
| 2006 2/.....   | 21,580   | 4            | -         | 2          | 12          | 68          | 438         | 1,556       | 2,619       | 3,815       | 6,047       | 7,018             | 1              |
| 2005 2/.....   | 22,827   | 3            | -         | 2          | 10          | 58          | 448         | 1,546       | 2,750       | 4,002       | 6,593       | 7,412             | 3              |
| 2004 2/.....   | 23,344   | -            | 1         | 4          | 10          | 88          | 467         | 1,557       | 2,677       | 4,307       | 6,759       | 7,473             | 1              |
| 2003 2/.....   | 24,698   | 1            | 2         | 5          | 15          | 70          | 469         | 1,548       | 2,815       | 4,576       | 7,113       | 8,084             | -              |
| 2002.....  | 25,546   | 3            | -         | 2          | 13          | 79          | 494         | 1,612       | 2,782       | 4,787       | 7,528       | 8,243             | 3              |
| 2001.....  | 26,040   | 4            | 2         | 2          | 17          | 79          | 500         | 1,551       | 2,855       | 5,018       | 7,667       | 8,342             | 3              |
| 2000.....  | 26,370   | 2            | -         | -          | 10          | 79          | 505         | 1,532       | 2,874       | 5,364       | 7,691       | 8,310             | 3              |
| 1999.....  | 26,632   | 4            | 1         | 3          | 20          | 65          | 510         | 1,458       | 2,805       | 5,492       | 7,899       | 8,373             | 2              |
| Origin not stated 3/, both sexes   |          |              |           |            |             |             |             |             |             |             |             |                   |                |
| 2007.....  | 689      | -            | -         | -          | -           | 2           | 18          | 55          | 152         | 150         | 172         | 136               | 4              |
| 2006.....  | 898      | -            | -         | -          | -           | 4           | 16          | 70          | 157         | 207         | 223         | 217               | 4              |
| 2005.....  | 906      | -            | -         | -          | -           | 1           | 11          | 81          | 149         | 173         | 264         | 224               | 3              |
| 2004.....  | 1,131    | -            | -         | -          | -           | 2           | 26          | 85          | 168         | 257         | 318         | 270               | 5              |
| 2003.....  | 1,451    | -            | -         | -          | 1           | 4           | 31          | 96          | 226         | 287         | 427         | 372               | 7              |
| 2002.....  | 1,786    | -            | -         | -          | 1           | 8           | 27          | 117         | 220         | 370         | 497         | 539               | 7              |
| 2001.....  | 1,683    | 1            | -         | -          | 1           | 3           | 31          | 96          | 224         | 306         | 520         | 487               | 14             |
| 2000.....  | 1,919    | 1            | -         | -          | -           | 5           | 45          | 127         | 258         | 384         | 543         | 545               | 11             |
| 1999.....  | 2,023    | -            | -         | -          | 1           | 1           | 41          | 116         | 248         | 429         | 606         | 573               | 8              |

Worktable Orig290F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2007

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data - mortality"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, sex, and year | All ages | Under 1 year | 1-4 years | 5-14 years | 15-24 years | 25-34 years | 35-44 years | 45-54 years | 55-64 years | 65-74 years | 75-84 years | 85 years and over | Age not stated |
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|
| <b>Ischemic heart diseases (I20-I25)</b>   |          |              |           |            |             |             |             |             |             |             |             |                   |                |
| <b>Origin not stated 3/, male</b>  |          |              |           |            |             |             |             |             |             |             |             |                   |                |
| 2007.....  | 452      | -            | -         | -          | -           | 2           | 15          | 46          | 112         | 117         | 104         | 52                | 4              |
| 2006.....  | 564      | -            | -         | -          | -           | 3           | 11          | 60          | 123         | 152         | 124         | 88                | 3              |
| 2005.....  | 536      | -            | -         | -          | -           | 1           | 9           | 64          | 110         | 123         | 156         | 72                | 1              |
| 2004.....  | 686      | -            | -         | -          | -           | 2           | 19          | 66          | 125         | 186         | 187         | 96                | 5              |
| 2003.....  | 855      | -            | -         | -          | 1           | 3           | 22          | 74          | 174         | 195         | 240         | 140               | 6              |
| 2002.....  | 1,003    | -            | -         | -          | 1           | 7           | 19          | 93          | 168         | 245         | 274         | 189               | 7              |
| 2001.....  | 932      | 1            | -         | -          | 1           | 3           | 25          | 78          | 179         | 209         | 288         | 140               | 8              |
| 2000.....  | 1,080    | 1            | -         | -          | -           | 3           | 39          | 102         | 189         | 270         | 281         | 187               | 8              |
| 1999.....  | 1,140    | -            | -         | -          | -           | 1           | 37          | 91          | 197         | 300         | 309         | 199               | 6              |
| <b>Origin not stated 3/, female</b>  |          |              |           |            |             |             |             |             |             |             |             |                   |                |
| 2007.....  | 237      | -            | -         | -          | -           | -           | 3           | 9           | 40          | 33          | 68          | 84                | -              |
| 2006.....  | 334      | -            | -         | -          | -           | 1           | 5           | 10          | 34          | 55          | 99          | 129               | 1              |
| 2005.....  | 370      | -            | -         | -          | -           | -           | 2           | 17          | 39          | 50          | 108         | 152               | 2              |
| 2004.....  | 445      | -            | -         | -          | -           | -           | 7           | 19          | 43          | 71          | 131         | 174               | -              |
| 2003.....  | 596      | -            | -         | -          | -           | 1           | 9           | 22          | 52          | 92          | 187         | 232               | 1              |
| 2002.....  | 783      | -            | -         | -          | -           | 1           | 8           | 24          | 52          | 125         | 223         | 350               | -              |
| 2001.....  | 751      | -            | -         | -          | -           | -           | 6           | 18          | 45          | 97          | 232         | 347               | 6              |
| 2000.....  | 839      | -            | -         | -          | -           | 2           | 6           | 25          | 69          | 114         | 262         | 358               | 3              |
| 1999.....  | 883      | -            | -         | -          | 1           | -           | 4           | 25          | 51          | 129         | 297         | 374               | 2              |

Worktable Orig290F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2007

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data - mortality"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, sex, and year | All ages | Under 1 year | 1-4 years | 5-14 years | 15-24 years | 25-34 years | 35-44 years | 45-54 years | 55-64 years | 65-74 years | 75-84 years | 85 years and over | Age not stated |
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|
| Acute myocardial infarction (I21-I22)  |          |              |           |            |             |             |             |             |             |             |             |                   |                |
| All origins, both sexes  |          |              |           |            |             |             |             |             |             |             |             |                   |                |
| 2007.....  | 132,968  | 10           | 4         | 11         | 54          | 400         | 2,402       | 9,467       | 17,835      | 23,441      | 37,629      | 41,711            | 4              |
| 2006.....  | 141,462  | 11           | 5         | 6          | 60          | 422         | 2,676       | 9,746       | 18,373      | 24,795      | 41,624      | 43,739            | 5              |
| 2005.....  | 151,004  | 11           | 2         | 7          | 68          | 392         | 2,734       | 10,070      | 18,553      | 26,674      | 45,449      | 47,041            | 3              |
| 2004.....  | 156,816  | 9            | 2         | 5          | 51          | 447         | 2,838       | 10,084      | 18,758      | 28,327      | 48,037      | 48,252            | 6              |
| 2003.....  | 170,564  | 9            | 6         | 12         | 73          | 413         | 3,094       | 10,420      | 19,767      | 30,923      | 53,108      | 52,734            | 5              |
| 2002.....  | 179,514  | 11           | 5         | 7          | 62          | 400         | 3,161       | 10,619      | 19,933      | 34,003      | 56,590      | 54,718            | 5              |
| 2001.....  | 184,757  | 15           | 2         | 7          | 64          | 475         | 3,176       | 10,817      | 19,830      | 35,380      | 59,254      | 55,727            | 10             |
| 2000.....  | 192,898  | 20           | 1         | 6          | 52          | 375         | 3,132       | 10,877      | 21,013      | 38,459      | 62,210      | 56,745            | 8              |
| 1999.....  | 199,454  | 13           | 2         | 11         | 60          | 434         | 3,249       | 10,823      | 21,406      | 41,441      | 64,711      | 57,297            | 7              |
| All origins, male  |          |              |           |            |             |             |             |             |             |             |             |                   |                |
| 2007.....  | 71,712   | 5            | -         | 5          | 33          | 297         | 1,768       | 7,129       | 12,744      | 14,824      | 19,698      | 15,206            | 3              |
| 2006.....  | 76,089   | 8            | 4         | 3          | 42          | 315         | 2,011       | 7,278       | 13,031      | 15,767      | 21,819      | 15,807            | 4              |
| 2005.....  | 80,079   | 6            | 2         | 3          | 54          | 297         | 2,025       | 7,563       | 13,151      | 16,676      | 23,540      | 16,759            | 3              |
| 2004.....  | 82,909   | 7            | -         | 4          | 39          | 322         | 2,113       | 7,632       | 13,342      | 17,658      | 24,893      | 16,895            | 4              |
| 2003.....  | 89,515   | 4            | 2         | 6          | 46          | 300         | 2,301       | 7,984       | 13,972      | 19,290      | 27,350      | 18,256            | 4              |
| 2002.....  | 93,830   | 7            | 2         | 2          | 41          | 292         | 2,347       | 7,995       | 13,966      | 21,264      | 28,919      | 18,991            | 4              |
| 2001.....  | 95,875   | 10           | 2         | 4          | 48          | 333         | 2,384       | 8,158       | 13,858      | 21,963      | 30,125      | 18,984            | 6              |
| 2000.....  | 100,306  | 10           | 1         | 4          | 30          | 269         | 2,387       | 8,265       | 14,638      | 23,823      | 31,631      | 19,243            | 5              |
| 1999.....  | 104,169  | 6            | 1         | 7          | 40          | 306         | 2,470       | 8,300       | 15,029      | 25,708      | 32,943      | 19,357            | 2              |

Worktable Orig290F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2007

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data - mortality"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, sex, and year | All ages | Under 1 year | 1-4 years | 5-14 years | 15-24 years | 25-34 years | 35-44 years | 45-54 years | 55-64 years | 65-74 years | 75-84 years | 85 years and over | Age not stated |
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|
| Acute myocardial infarction (I21-I22)  |          |              |           |            |             |             |             |             |             |             |             |                   |                |
| All origins, female  |          |              |           |            |             |             |             |             |             |             |             |                   |                |
| 2007.....  | 61,256   | 5            | 4         | 6          | 21          | 103         | 634         | 2,338       | 5,091       | 8,617       | 17,931      | 26,505            | 1              |
| 2006.....  | 65,373   | 3            | 1         | 3          | 18          | 107         | 665         | 2,468       | 5,342       | 9,028       | 19,805      | 27,932            | 1              |
| 2005.....  | 70,925   | 5            | -         | 4          | 14          | 95          | 709         | 2,507       | 5,402       | 9,998       | 21,909      | 30,282            | -              |
| 2004.....  | 73,907   | 2            | 2         | 1          | 12          | 125         | 725         | 2,452       | 5,416       | 10,669      | 23,144      | 31,357            | 2              |
| 2003.....  | 81,049   | 5            | 4         | 6          | 27          | 113         | 793         | 2,436       | 5,795       | 11,633      | 25,758      | 34,478            | 1              |
| 2002.....  | 85,684   | 4            | 3         | 5          | 21          | 108         | 814         | 2,624       | 5,967       | 12,739      | 27,671      | 35,727            | 1              |
| 2001.....  | 88,882   | 5            | -         | 3          | 16          | 142         | 792         | 2,659       | 5,972       | 13,417      | 29,129      | 36,743            | 4              |
| 2000.....  | 92,592   | 10           | -         | 2          | 22          | 106         | 745         | 2,612       | 6,375       | 14,636      | 30,579      | 37,502            | 3              |
| 1999.....  | 95,285   | 7            | 1         | 4          | 20          | 128         | 779         | 2,523       | 6,377       | 15,733      | 31,768      | 37,940            | 5              |
| Hispanic, both sexes   |          |              |           |            |             |             |             |             |             |             |             |                   |                |
| 2007.....  | 6,792    | 4            | 1         | 3          | 4           | 32          | 159         | 542         | 962         | 1,284       | 2,020       | 1,781             | -              |
| 2006.....  | 6,972    | -            | 1         | 2          | 12          | 40          | 182         | 521         | 958         | 1,383       | 2,102       | 1,771             | -              |
| 2005.....  | 7,529    | 1            | -         | 2          | 11          | 36          | 175         | 535         | 1,028       | 1,577       | 2,324       | 1,840             | -              |
| 2004.....  | 7,132    | 2            | 1         | 2          | 5           | 35          | 178         | 518         | 982         | 1,530       | 2,161       | 1,717             | 1              |
| 2003.....  | 7,370    | -            | -         | 2          | 11          | 37          | 175         | 508         | 929         | 1,683       | 2,188       | 1,837             | -              |
| 2002.....  | 7,631    | 3            | 1         | 1          | 7           | 34          | 177         | 518         | 1,089       | 1,726       | 2,184       | 1,891             | -              |
| 2001.....  | 7,403    | 4            | 1         | 1          | 6           | 46          | 139         | 503         | 914         | 1,701       | 2,190       | 1,896             | 2              |
| 2000.....  | 7,106    | 5            | -         | -          | 5           | 31          | 154         | 486         | 941         | 1,661       | 2,049       | 1,774             | -              |
| 1999.....  | 7,158    | 2            | -         | -          | 4           | 32          | 142         | 528         | 919         | 1,699       | 2,082       | 1,750             | -              |

Worktable Orig290F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2007

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data - mortality"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, sex, and year | All ages | Under 1 year | 1-4 years | 5-14 years | 15-24 years | 25-34 years | 35-44 years | 45-54 years | 55-64 years | 65-74 years | 75-84 years | 85 years and over | Age not stated |
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|
| <b>Acute myocardial infarction (I21-I22)</b>   |          |              |           |            |             |             |             |             |             |             |             |                   |                |
| <b>Hispanic, male</b>  |          |              |           |            |             |             |             |             |             |             |             |                   |                |
| 2007.....  | 3,767    | 2            | -         | 1          | 2           | 24          | 123         | 439         | 668         | 793         | 1,073       | 642               | -              |
| 2006.....  | 3,780    | -            | 1         | 1          | 9           | 29          | 137         | 383         | 642         | 849         | 1,071       | 658               | -              |
| 2005.....  | 4,145    | -            | -         | 2          | 7           | 25          | 127         | 408         | 707         | 950         | 1,216       | 703               | -              |
| 2004.....  | 3,931    | 2            | -         | 2          | 4           | 27          | 141         | 406         | 692         | 928         | 1,128       | 600               | 1              |
| 2003.....  | 3,903    | -            | -         | 1          | 10          | 27          | 127         | 394         | 635         | 1,016       | 1,067       | 626               | -              |
| 2002.....  | 4,125    | 2            | -         | -          | 5           | 29          | 126         | 382         | 755         | 1,043       | 1,121       | 662               | -              |
| 2001.....  | 3,972    | 3            | 1         | -          | 6           | 37          | 110         | 383         | 603         | 1,036       | 1,093       | 699               | 1              |
| 2000.....  | 3,825    | 3            | -         | -          | 4           | 24          | 125         | 363         | 643         | 984         | 1,047       | 632               | -              |
| 1999.....  | 3,836    | -            | -         | -          | 3           | 27          | 116         | 391         | 607         | 1,028       | 1,072       | 592               | -              |
| <b>Hispanic, female</b>  |          |              |           |            |             |             |             |             |             |             |             |                   |                |
| 2007.....  | 3,025    | 2            | 1         | 2          | 2           | 8           | 36          | 103         | 294         | 491         | 947         | 1,139             | -              |
| 2006.....  | 3,192    | -            | -         | 1          | 3           | 11          | 45          | 138         | 316         | 534         | 1,031       | 1,113             | -              |
| 2005.....  | 3,384    | 1            | -         | -          | 4           | 11          | 48          | 127         | 321         | 627         | 1,108       | 1,137             | -              |
| 2004.....  | 3,201    | -            | 1         | -          | 1           | 8           | 37          | 112         | 290         | 602         | 1,033       | 1,117             | -              |
| 2003.....  | 3,467    | -            | -         | 1          | 1           | 10          | 48          | 114         | 294         | 667         | 1,121       | 1,211             | -              |
| 2002.....  | 3,506    | 1            | 1         | 1          | 2           | 5           | 51          | 136         | 334         | 683         | 1,063       | 1,229             | -              |
| 2001.....  | 3,431    | 1            | -         | 1          | -           | 9           | 29          | 120         | 311         | 665         | 1,097       | 1,197             | 1              |
| 2000.....  | 3,281    | 2            | -         | -          | 1           | 7           | 29          | 123         | 298         | 677         | 1,002       | 1,142             | -              |
| 1999.....  | 3,322    | 2            | -         | -          | 1           | 5           | 26          | 137         | 312         | 671         | 1,010       | 1,158             | -              |

Worktable Orig290F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2007

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data - mortality"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, sex, and year | All ages | Under 1 year | 1-4 years | 5-14 years | 15-24 years | 25-34 years | 35-44 years | 45-54 years | 55-64 years | 65-74 years | 75-84 years | 85 years and over | Age not stated |
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|
| <b>Acute myocardial infarction (I21-I22)</b>   |          |              |           |            |             |             |             |             |             |             |             |                   |                |
| <b>Non-Hispanic 1/, both sexes</b>   |          |              |           |            |             |             |             |             |             |             |             |                   |                |
| 2007.....  | 126,005  | 6            | 3         | 8          | 50          | 367         | 2,239       | 8,908       | 16,834      | 22,118      | 35,565      | 39,903            | 4              |
| 2006.....  | 134,203  | 11           | 4         | 4          | 48          | 381         | 2,488       | 9,202       | 17,367      | 23,347      | 39,451      | 41,895            | 5              |
| 2005.....  | 143,235  | 10           | 2         | 5          | 57          | 356         | 2,558       | 9,500       | 17,481      | 25,052      | 43,068      | 45,143            | 3              |
| 2004.....  | 149,368  | 7            | 1         | 3          | 46          | 411         | 2,653       | 9,543       | 17,730      | 26,726      | 45,786      | 46,457            | 5              |
| 2003.....  | 162,813  | 9            | 6         | 10         | 62          | 375         | 2,909       | 9,886       | 18,788      | 29,159      | 50,806      | 50,800            | 3              |
| 2002.....  | 171,441  | 8            | 4         | 6          | 55          | 365         | 2,975       | 10,076      | 18,801      | 32,172      | 54,285      | 52,689            | 5              |
| 2001.....  | 176,895  | 11           | 1         | 6          | 58          | 428         | 3,023       | 10,294      | 18,844      | 33,604      | 56,923      | 53,696            | 7              |
| 2000.....  | 185,283  | 14           | 1         | 6          | 47          | 344         | 2,963       | 10,363      | 20,000      | 36,695      | 60,020      | 54,823            | 7              |
| 1999.....  | 191,729  | 11           | 2         | 11         | 56          | 402         | 3,090       | 10,264      | 20,409      | 39,614      | 62,466      | 55,400            | 4              |
| <b>Non-Hispanic 1/, male</b>   |          |              |           |            |             |             |             |             |             |             |             |                   |                |
| 2007.....  | 67,829   | 3            | -         | 4          | 31          | 272         | 1,642       | 6,675       | 12,050      | 13,997      | 18,597      | 14,555            | 3              |
| 2006.....  | 72,135   | 8            | 3         | 2          | 33          | 285         | 1,869       | 6,875       | 12,351      | 14,868      | 20,718      | 15,119            | 4              |
| 2005.....  | 75,793   | 6            | 2         | 1          | 47          | 272         | 1,897       | 7,129       | 12,408      | 15,700      | 22,288      | 16,040            | 3              |
| 2004.....  | 78,788   | 5            | -         | 2          | 35          | 294         | 1,965       | 7,207       | 12,617      | 16,675      | 23,716      | 16,269            | 3              |
| 2003.....  | 85,386   | 4            | 2         | 5          | 36          | 272         | 2,168       | 7,571       | 13,297      | 18,224      | 26,216      | 17,588            | 3              |
| 2002.....  | 89,480   | 5            | 2         | 2          | 36          | 262         | 2,215       | 7,597       | 13,183      | 20,161      | 27,736      | 18,277            | 4              |
| 2001.....  | 91,655   | 7            | 1         | 4          | 42          | 295         | 2,261       | 7,758       | 13,202      | 20,875      | 28,956      | 18,249            | 5              |
| 2000.....  | 96,218   | 6            | 1         | 4          | 26          | 245         | 2,250       | 7,886       | 13,950      | 22,772      | 30,516      | 18,558            | 4              |
| 1999.....  | 100,014  | 6            | 1         | 7          | 37          | 279         | 2,338       | 7,887       | 14,363      | 24,598      | 31,785      | 18,712            | 1              |

Worktable Orig290F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2007

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data - mortality"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, sex, and year | All ages | Under 1 year | 1-4 years | 5-14 years | 15-24 years | 25-34 years | 35-44 years | 45-54 years | 55-64 years | 65-74 years | 75-84 years | 85 years and over | Age not stated |
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|
| <b>Acute myocardial infarction (I21-I22)</b>   |          |              |           |            |             |             |             |             |             |             |             |                   |                |
| <b>Non-Hispanic 1/, female</b>   |          |              |           |            |             |             |             |             |             |             |             |                   |                |
| 2007.....  | 58,176   | 3            | 3         | 4          | 19          | 95          | 597         | 2,233       | 4,784       | 8,121       | 16,968      | 25,348            | 1              |
| 2006.....  | 62,068   | 3            | 1         | 2          | 15          | 96          | 619         | 2,327       | 5,016       | 8,479       | 18,733      | 26,776            | 1              |
| 2005.....  | 67,442   | 4            | -         | 4          | 10          | 84          | 661         | 2,371       | 5,073       | 9,352       | 20,780      | 29,103            | -              |
| 2004.....  | 70,580   | 2            | 1         | 1          | 11          | 117         | 688         | 2,336       | 5,113       | 10,051      | 22,070      | 30,188            | 2              |
| 2003.....  | 77,427   | 5            | 4         | 5          | 26          | 103         | 741         | 2,315       | 5,491       | 10,935      | 24,590      | 33,212            | -              |
| 2002.....  | 81,961   | 3            | 2         | 4          | 19          | 103         | 760         | 2,479       | 5,618       | 12,011      | 26,549      | 34,412            | 1              |
| 2001.....  | 85,240   | 4            | -         | 2          | 16          | 133         | 762         | 2,536       | 5,642       | 12,729      | 27,967      | 35,447            | 2              |
| 2000.....  | 89,065   | 8            | -         | 2          | 21          | 99          | 713         | 2,477       | 6,050       | 13,923      | 29,504      | 36,265            | 3              |
| 1999.....  | 91,715   | 5            | 1         | 4          | 19          | 123         | 752         | 2,377       | 6,046       | 15,016      | 30,681      | 36,688            | 3              |
| <b>Non-Hispanic white, both sexes</b>  |          |              |           |            |             |             |             |             |             |             |             |                   |                |
| 2007 2/.....   | 109,134  | 5            | 1         | 7          | 32          | 253         | 1,748       | 7,152       | 13,917      | 18,566      | 31,304      | 36,147            | 2              |
| 2006 2/.....   | 116,517  | 10           | 2         | 2          | 37          | 276         | 1,962       | 7,360       | 14,371      | 19,661      | 34,830      | 38,002            | 4              |
| 2005 2/.....   | 124,831  | 5            | -         | 3          | 39          | 244         | 1,989       | 7,626       | 14,459      | 21,282      | 38,105      | 41,077            | 2              |
| 2004 2/.....   | 130,419  | 4            | 1         | 1          | 22          | 303         | 2,089       | 7,605       | 14,748      | 22,566      | 40,840      | 42,237            | 3              |
| 2003 2/.....   | 142,402  | 7            | 3         | 7          | 43          | 273         | 2,277       | 7,840       | 15,624      | 24,791      | 45,199      | 46,335            | 3              |
| 2002.....  | 150,051  | 6            | 4         | 4          | 36          | 267         | 2,345       | 8,094       | 15,624      | 27,467      | 48,317      | 47,883            | 4              |
| 2001.....  | 155,312  | 8            | 1         | 1          | 36          | 313         | 2,367       | 8,302       | 15,677      | 28,749      | 50,908      | 48,946            | 4              |
| 2000.....  | 163,203  | 10           | 1         | 4          | 34          | 243         | 2,336       | 8,410       | 16,678      | 31,568      | 53,840      | 50,073            | 6              |
| 1999.....  | 169,545  | 7            | 2         | 6          | 35          | 293         | 2,446       | 8,404       | 17,116      | 34,339      | 56,289      | 50,606            | 2              |



Worktable Orig290F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2007

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data - mortality"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, sex, and year | All ages | Under 1 year | 1-4 years | 5-14 years | 15-24 years | 25-34 years | 35-44 years | 45-54 years | 55-64 years | 65-74 years | 75-84 years | 85 years and over | Age not stated |
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|
| Acute myocardial infarction (I21-I22)  |          |              |           |            |             |             |             |             |             |             |             |                   |                |
| Non-Hispanic white, male   |          |              |           |            |             |             |             |             |             |             |             |                   |                |
| 2007 2/.....   | 59,246   | 3            | -         | 3          | 20          | 190         | 1,307       | 5,513       | 10,205      | 12,001      | 16,644      | 13,358            | 2              |
| 2006 2/.....   | 63,106   | 8            | 1         | 2          | 29          | 211         | 1,515       | 5,665       | 10,423      | 12,815      | 18,580      | 13,854            | 3              |
| 2005 2/.....   | 66,629   | 4            | -         | 1          | 35          | 190         | 1,522       | 5,894       | 10,504      | 13,662      | 20,062      | 14,753            | 2              |
| 2004 2/.....   | 69,443   | 3            | -         | 1          | 17          | 229         | 1,603       | 5,916       | 10,768      | 14,388      | 21,556      | 14,960            | 2              |
| 2003 2/.....   | 75,157   | 3            | 1         | 3          | 26          | 201         | 1,748       | 6,186       | 11,352      | 15,828      | 23,607      | 16,199            | 3              |
| 2002.....  | 79,037   | 4            | 2         | 2          | 25          | 200         | 1,793       | 6,306       | 11,266      | 17,673      | 25,036      | 16,727            | 3              |
| 2001.....  | 81,175   | 6            | 1         | 1          | 28          | 219         | 1,834       | 6,491       | 11,303      | 18,302      | 26,282      | 16,704            | 4              |
| 2000.....  | 85,412   | 5            | 1         | 2          | 20          | 183         | 1,839       | 6,635       | 11,919      | 20,062      | 27,749      | 16,994            | 3              |
| 1999.....  | 89,142   | 3            | 1         | 4          | 26          | 202         | 1,907       | 6,671       | 12,319      | 21,791      | 29,104      | 17,114            | -              |
| Non-Hispanic white, female   |          |              |           |            |             |             |             |             |             |             |             |                   |                |
| 2007 2/.....   | 49,888   | 2            | 1         | 4          | 12          | 63          | 441         | 1,639       | 3,712       | 6,565       | 14,660      | 22,789            | -              |
| 2006 2/.....   | 53,411   | 2            | 1         | -          | 8           | 65          | 447         | 1,695       | 3,948       | 6,846       | 16,250      | 24,148            | 1              |
| 2005 2/.....   | 58,202   | 1            | -         | 2          | 4           | 54          | 467         | 1,732       | 3,955       | 7,620       | 18,043      | 26,324            | -              |
| 2004 2/.....   | 60,976   | 1            | 1         | -          | 5           | 74          | 486         | 1,689       | 3,980       | 8,178       | 19,284      | 27,277            | 1              |
| 2003 2/.....   | 67,245   | 4            | 2         | 4          | 17          | 72          | 529         | 1,654       | 4,272       | 8,963       | 21,592      | 30,136            | -              |
| 2002.....  | 71,014   | 2            | 2         | 2          | 11          | 67          | 552         | 1,788       | 4,358       | 9,794       | 23,281      | 31,156            | 1              |
| 2001.....  | 74,137   | 2            | -         | -          | 8           | 94          | 533         | 1,811       | 4,374       | 10,447      | 24,626      | 32,242            | -              |
| 2000.....  | 77,791   | 5            | -         | 2          | 14          | 60          | 497         | 1,775       | 4,759       | 11,506      | 26,091      | 33,079            | 3              |
| 1999.....  | 80,403   | 4            | 1         | 2          | 9           | 91          | 539         | 1,733       | 4,797       | 12,548      | 27,185      | 33,492            | 2              |

Worktable Orig290F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2007

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data - mortality"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, sex, and year | All ages | Under 1 year | 1-4 years | 5-14 years | 15-24 years | 25-34 years | 35-44 years | 45-54 years | 55-64 years | 65-74 years | 75-84 years | 85 years and over | Age not stated |
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|
| <b>Acute myocardial infarction (I21-I22)</b>   |          |              |           |            |             |             |             |             |             |             |             |                   |                |
| <b>Non-Hispanic black, both sexes</b>  |          |              |           |            |             |             |             |             |             |             |             |                   |                |
| 2007 2/.....   | 13,967   | 1            | 1         | 1          | 18          | 95          | 411         | 1,515       | 2,532       | 2,973       | 3,434       | 2,984             | 2              |
| 2006 2/.....   | 14,622   | 1            | 2         | 2          | 11          | 91          | 463         | 1,624       | 2,575       | 3,077       | 3,717       | 3,058             | 1              |
| 2005 2/.....   | 15,359   | 4            | 1         | 2          | 16          | 94          | 497         | 1,647       | 2,581       | 3,139       | 4,077       | 3,300             | 1              |
| 2004 2/.....   | 16,035   | 2            | -         | 2          | 21          | 93          | 497         | 1,725       | 2,616       | 3,511       | 4,123       | 3,444             | 1              |
| 2003 2/.....   | 17,268   | 1            | 2         | 3          | 18          | 87          | 573         | 1,790       | 2,699       | 3,714       | 4,671       | 3,710             | -              |
| 2002.....  | 18,162   | 2            | -         | 2          | 15          | 88          | 556         | 1,756       | 2,800       | 3,993       | 4,939       | 4,010             | 1              |
| 2001.....  | 18,399   | 3            | -         | 4          | 21          | 97          | 572         | 1,740       | 2,752       | 4,173       | 5,039       | 3,995             | 3              |
| 2000.....  | 18,934   | 2            | -         | 2          | 11          | 93          | 560         | 1,720       | 2,910       | 4,415       | 5,189       | 4,031             | 1              |
| 1999.....  | 19,120   | 4            | -         | 5          | 19          | 88          | 580         | 1,653       | 2,862       | 4,542       | 5,256       | 4,109             | 2              |
| <b>Non-Hispanic black, male</b>  |          |              |           |            |             |             |             |             |             |             |             |                   |                |
| 2007 2/.....   | 6,923    | -            | -         | 1          | 11          | 68          | 274         | 975         | 1,568       | 1,631       | 1,514       | 880               | 1              |
| 2006 2/.....   | 7,315    | -            | 2         | -          | 4           | 63          | 304         | 1,042       | 1,632       | 1,700       | 1,667       | 900               | 1              |
| 2005 2/.....   | 7,437    | 2            | 1         | -          | 12          | 67          | 314         | 1,055       | 1,591       | 1,669       | 1,781       | 944               | 1              |
| 2004 2/.....   | 7,721    | 2            | -         | 1          | 17          | 53          | 309         | 1,135       | 1,582       | 1,894       | 1,724       | 1,004             | -              |
| 2003 2/.....   | 8,381    | -            | 1         | 2          | 10          | 59          | 371         | 1,172       | 1,624       | 1,986       | 2,103       | 1,053             | -              |
| 2002.....  | 8,607    | 1            | -         | -          | 7           | 54          | 359         | 1,109       | 1,651       | 2,086       | 2,154       | 1,185             | 1              |
| 2001.....  | 8,628    | 1            | -         | 2          | 13          | 62          | 354         | 1,068       | 1,606       | 2,163       | 2,155       | 1,203             | 1              |
| 2000.....  | 8,959    | 1            | -         | 2          | 5           | 55          | 355         | 1,068       | 1,731       | 2,279       | 2,247       | 1,215             | 1              |
| 1999.....  | 9,106    | 3            | -         | 3          | 10          | 61          | 374         | 1,055       | 1,743       | 2,375       | 2,211       | 1,270             | 1              |

Worktable Orig290F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2007

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data - mortality"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, sex, and year | All ages | Under 1 year | 1-4 years | 5-14 years | 15-24 years | 25-34 years | 35-44 years | 45-54 years | 55-64 years | 65-74 years | 75-84 years | 85 years and over | Age not stated |
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|
| Acute myocardial infarction (I21-I22)  |          |              |           |            |             |             |             |             |             |             |             |                   |                |
| Non-Hispanic black, female   |          |              |           |            |             |             |             |             |             |             |             |                   |                |
| 2007 2/.....   | 7,044    | 1            | 1         | -          | 7           | 27          | 137         | 540         | 964         | 1,342       | 1,920       | 2,104             | 1              |
| 2006 2/.....   | 7,307    | 1            | -         | 2          | 7           | 28          | 159         | 582         | 943         | 1,377       | 2,050       | 2,158             | -              |
| 2005 2/.....   | 7,922    | 2            | -         | 2          | 4           | 27          | 183         | 592         | 990         | 1,470       | 2,296       | 2,356             | -              |
| 2004 2/.....   | 8,314    | -            | -         | 1          | 4           | 40          | 188         | 590         | 1,034       | 1,617       | 2,399       | 2,440             | 1              |
| 2003 2/.....   | 8,887    | 1            | 1         | 1          | 8           | 28          | 202         | 618         | 1,075       | 1,728       | 2,568       | 2,657             | -              |
| 2002.....  | 9,555    | 1            | -         | 2          | 8           | 34          | 197         | 647         | 1,149       | 1,907       | 2,785       | 2,825             | -              |
| 2001.....  | 9,771    | 2            | -         | 2          | 8           | 35          | 218         | 672         | 1,146       | 2,010       | 2,884       | 2,792             | 2              |
| 2000.....  | 9,975    | 1            | -         | -          | 6           | 38          | 205         | 652         | 1,179       | 2,136       | 2,942       | 2,816             | -              |
| 1999.....  | 10,014   | 1            | -         | 2          | 9           | 27          | 206         | 598         | 1,119       | 2,167       | 3,045       | 2,839             | 1              |
| Origin not stated 3/, both sexes   |          |              |           |            |             |             |             |             |             |             |             |                   |                |
| 2007.....  | 171      | -            | -         | -          | -           | 1           | 4           | 17          | 39          | 39          | 44          | 27                | -              |
| 2006.....  | 287      | -            | -         | -          | -           | 1           | 6           | 23          | 48          | 65          | 71          | 73                | -              |
| 2005.....  | 240      | -            | -         | -          | -           | -           | 1           | 35          | 44          | 45          | 57          | 58                | -              |
| 2004.....  | 316      | -            | -         | -          | -           | 1           | 7           | 23          | 46          | 71          | 90          | 78                | -              |
| 2003.....  | 381      | -            | -         | -          | -           | 1           | 10          | 26          | 50          | 81          | 114         | 97                | 2              |
| 2002.....  | 442      | -            | -         | -          | -           | 1           | 9           | 25          | 43          | 105         | 121         | 138               | -              |
| 2001.....  | 459      | -            | -         | -          | -           | 1           | 14          | 20          | 72          | 75          | 141         | 135               | 1              |
| 2000.....  | 509      | 1            | -         | -          | -           | -           | 15          | 28          | 72          | 103         | 141         | 148               | 1              |
| 1999.....  | 567      | -            | -         | -          | -           | -           | 17          | 31          | 78          | 128         | 163         | 147               | 3              |

Worktable Orig290F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2007

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data - mortality"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, sex, and year | All ages | Under 1 year | 1-4 years | 5-14 years | 15-24 years | 25-34 years | 35-44 years | 45-54 years | 55-64 years | 65-74 years | 75-84 years | 85 years and over | Age not stated |
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|
| <b>Acute myocardial infarction (I21-I22)</b>   |          |              |           |            |             |             |             |             |             |             |             |                   |                |
| Origin not stated 3/, male   |          |              |           |            |             |             |             |             |             |             |             |                   |                |
| 2007.....  | 116      | -            | -         | -          | -           | 1           | 3           | 15          | 26          | 34          | 28          | 9                 | -              |
| 2006.....  | 174      | -            | -         | -          | -           | 1           | 5           | 20          | 38          | 50          | 30          | 30                | -              |
| 2005.....  | 141      | -            | -         | -          | -           | -           | 1           | 26          | 36          | 26          | 36          | 16                | -              |
| 2004.....  | 190      | -            | -         | -          | -           | 1           | 7           | 19          | 33          | 55          | 49          | 26                | -              |
| 2003.....  | 226      | -            | -         | -          | -           | 1           | 6           | 19          | 40          | 50          | 67          | 42                | 1              |
| 2002.....  | 225      | -            | -         | -          | -           | 1           | 6           | 16          | 28          | 60          | 62          | 52                | -              |
| 2001.....  | 248      | -            | -         | -          | -           | 1           | 13          | 17          | 53          | 52          | 76          | 36                | -              |
| 2000.....  | 263      | 1            | -         | -          | -           | -           | 12          | 16          | 45          | 67          | 68          | 53                | 1              |
| 1999.....  | 319      | -            | -         | -          | -           | -           | 16          | 22          | 59          | 82          | 86          | 53                | 1              |
| Origin not stated 3/, female   |          |              |           |            |             |             |             |             |             |             |             |                   |                |
| 2007.....  | 55       | -            | -         | -          | -           | -           | 1           | 2           | 13          | 5           | 16          | 18                | -              |
| 2006.....  | 113      | -            | -         | -          | -           | -           | 1           | 3           | 10          | 15          | 41          | 43                | -              |
| 2005.....  | 99       | -            | -         | -          | -           | -           | -           | 9           | 8           | 19          | 21          | 42                | -              |
| 2004.....  | 126      | -            | -         | -          | -           | -           | -           | 4           | 13          | 16          | 41          | 52                | -              |
| 2003.....  | 155      | -            | -         | -          | -           | -           | 4           | 7           | 10          | 31          | 47          | 55                | 1              |
| 2002.....  | 217      | -            | -         | -          | -           | -           | 3           | 9           | 15          | 45          | 59          | 86                | -              |
| 2001.....  | 211      | -            | -         | -          | -           | -           | 1           | 3           | 19          | 23          | 65          | 99                | 1              |
| 2000.....  | 246      | -            | -         | -          | -           | -           | 3           | 12          | 27          | 36          | 73          | 95                | -              |
| 1999.....  | 248      | -            | -         | -          | -           | -           | 1           | 9           | 19          | 46          | 77          | 94                | 2              |

Worktable Orig290F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2007

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data - mortality"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, sex, and year | All ages | Under 1 year | 1-4 years | 5-14 years | 15-24 years | 25-34 years | 35-44 years | 45-54 years | 55-64 years | 65-74 years | 75-84 years | 85 years and over | Age not stated |
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|
| Other acute ischemic heart diseases (I24)  |          |              |           |            |             |             |             |             |             |             |             |                   |                |
| All origins, both sexes  |          |              |           |            |             |             |             |             |             |             |             |                   |                |
| 2007.....  | 4,092    | 2            | -         | -          | 3           | 17          | 109         | 376         | 679         | 740         | 1,021       | 1,145             | -              |
| 2006.....  | 3,932    | 2            | 1         | -          | 7           | 21          | 92          | 354         | 596         | 676         | 1,041       | 1,139             | 3              |
| 2005.....  | 3,565    | -            | 1         | 1          | 3           | 11          | 82          | 351         | 515         | 606         | 935         | 1,060             | -              |
| 2004.....  | 2,462    | 1            | 2         | 1          | 5           | 10          | 80          | 217         | 359         | 399         | 670         | 717               | 1              |
| 2003.....  | 3,158    | 4            | 1         | 1          | 5           | 11          | 98          | 277         | 403         | 579         | 837         | 941               | 1              |
| 2002.....  | 3,407    | 2            | -         | 1          | 4           | 18          | 77          | 345         | 460         | 631         | 898         | 971               | -              |
| 2001.....  | 3,351    | 3            | -         | 2          | 7           | 14          | 94          | 307         | 463         | 645         | 871         | 945               | -              |
| 2000.....  | 3,363    | 1            | 1         | -          | 8           | 16          | 92          | 282         | 484         | 644         | 906         | 928               | 1              |
| 1999.....  | 3,232    | 3            | 1         | 1          | 3           | 6           | 81          | 252         | 448         | 674         | 855         | 908               | -              |
| All origins, male  |          |              |           |            |             |             |             |             |             |             |             |                   |                |
| 2007.....  | 2,159    | 1            | -         | -          | 2           | 14          | 76          | 268         | 487         | 479         | 500         | 332               | -              |
| 2006.....  | 2,016    | 1            | -         | -          | 6           | 17          | 54          | 254         | 400         | 402         | 511         | 368               | 3              |
| 2005.....  | 1,823    | -            | -         | 1          | 2           | 7           | 59          | 245         | 371         | 364         | 450         | 324               | -              |
| 2004.....  | 1,301    | -            | -         | -          | 4           | 6           | 59          | 151         | 251         | 254         | 329         | 246               | 1              |
| 2003.....  | 1,621    | 2            | 1         | -          | 5           | 7           | 73          | 197         | 278         | 361         | 414         | 282               | 1              |
| 2002.....  | 1,767    | 1            | -         | 1          | 1           | 12          | 50          | 250         | 320         | 390         | 444         | 298               | -              |
| 2001.....  | 1,720    | 2            | -         | 1          | 6           | 10          | 65          | 230         | 320         | 393         | 424         | 269               | -              |
| 2000.....  | 1,749    | 1            | 1         | -          | 6           | 13          | 71          | 217         | 341         | 398         | 446         | 254               | 1              |
| 1999.....  | 1,665    | 1            | 1         | 1          | 3           | 4           | 63          | 178         | 315         | 410         | 423         | 266               | -              |

Worktable Orig290F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2007

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data - mortality"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, sex, and year | All ages | Under 1 year | 1-4 years | 5-14 years | 15-24 years | 25-34 years | 35-44 years | 45-54 years | 55-64 years | 65-74 years | 75-84 years | 85 years and over | Age not stated |
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|
| Other acute ischemic heart diseases (I24)  |          |              |           |            |             |             |             |             |             |             |             |                   |                |
| All origins, female  |          |              |           |            |             |             |             |             |             |             |             |                   |                |
| 2007.....  | 1,933    | 1            | -         | -          | 1           | 3           | 33          | 108         | 192         | 261         | 521         | 813               | -              |
| 2006.....  | 1,916    | 1            | 1         | -          | 1           | 4           | 38          | 100         | 196         | 274         | 530         | 771               | -              |
| 2005.....  | 1,742    | -            | 1         | -          | 1           | 4           | 23          | 106         | 144         | 242         | 485         | 736               | -              |
| 2004.....  | 1,161    | 1            | 2         | 1          | 1           | 4           | 21          | 66          | 108         | 145         | 341         | 471               | -              |
| 2003.....  | 1,537    | 2            | -         | 1          | -           | 4           | 25          | 80          | 125         | 218         | 423         | 659               | -              |
| 2002.....  | 1,640    | 1            | -         | -          | 3           | 6           | 27          | 95          | 140         | 241         | 454         | 673               | -              |
| 2001.....  | 1,631    | 1            | -         | 1          | 1           | 4           | 29          | 77          | 143         | 252         | 447         | 676               | -              |
| 2000.....  | 1,614    | -            | -         | -          | 2           | 3           | 21          | 65          | 143         | 246         | 460         | 674               | -              |
| 1999.....  | 1,567    | 2            | -         | -          | -           | 2           | 18          | 74          | 133         | 264         | 432         | 642               | -              |
| Hispanic, both sexes   |          |              |           |            |             |             |             |             |             |             |             |                   |                |
| 2007.....  | 113      | -            | -         | -          | -           | -           | 5           | 5           | 20          | 30          | 30          | 23                | -              |
| 2006.....  | 98       | 1            | -         | -          | 1           | 3           | 3           | 6           | 13          | 20          | 28          | 22                | 1              |
| 2005.....  | 90       | -            | -         | -          | 1           | 1           | 2           | 11          | 8           | 19          | 23          | 25                | -              |
| 2004.....  | 35       | 1            | 1         | 1          | -           | 1           | 2           | 3           | 6           | 6           | 11          | 2                 | 1              |
| 2003.....  | 47       | -            | -         | -          | 1           | 1           | 1           | 5           | 6           | 10          | 12          | 10                | 1              |
| 2002.....  | 64       | -            | -         | 1          | 1           | 1           | 1           | 10          | 12          | 14          | 15          | 9                 | -              |
| 2001.....  | 63       | -            | -         | -          | -           | -           | 1           | 4           | 12          | 19          | 14          | 13                | -              |
| 2000.....  | 69       | -            | 1         | -          | 1           | 1           | 1           | 6           | 10          | 15          | 17          | 17                | -              |
| 1999.....  | 53       | -            | -         | 1          | -           | -           | 1           | 7           | 13          | 8           | 12          | 11                | -              |

Worktable Orig290F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2007

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data - mortality"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, sex, and year | All ages | Under 1 year | 1-4 years | 5-14 years | 15-24 years | 25-34 years | 35-44 years | 45-54 years | 55-64 years | 65-74 years | 75-84 years | 85 years and over | Age not stated |
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|
| Other acute ischemic heart diseases (I24)  |          |              |           |            |             |             |             |             |             |             |             |                   |                |
| Hispanic, male   |          |              |           |            |             |             |             |             |             |             |             |                   |                |
| 2007.....  | 65       | -            | -         | -          | -           | -           | 3           | 3           | 16          | 18          | 16          | 9                 | -              |
| 2006.....  | 46       | -            | -         | -          | 1           | 2           | 1           | 5           | 7           | 12          | 11          | 6                 | 1              |
| 2005.....  | 46       | -            | -         | -          | 1           | 1           | 2           | 6           | 6           | 9           | 15          | 6                 | -              |
| 2004.....  | 21       | -            | -         | -          | -           | 1           | 2           | 3           | 4           | 3           | 6           | 1                 | 1              |
| 2003.....  | 21       | -            | -         | -          | 1           | 1           | 1           | 2           | 3           | 5           | 4           | 3                 | 1              |
| 2002.....  | 40       | -            | -         | 1          | -           | 1           | 1           | 8           | 9           | 10          | 7           | 3                 | -              |
| 2001.....  | 42       | -            | -         | -          | -           | -           | 1           | 2           | 9           | 14          | 7           | 9                 | -              |
| 2000.....  | 39       | -            | 1         | -          | 1           | 1           | 1           | 3           | 5           | 11          | 9           | 7                 | -              |
| 1999.....  | 26       | -            | -         | 1          | -           | -           | 1           | 4           | 6           | 4           | 8           | 2                 | -              |
| Hispanic, female   |          |              |           |            |             |             |             |             |             |             |             |                   |                |
| 2007.....  | 48       | -            | -         | -          | -           | -           | 2           | 2           | 4           | 12          | 14          | 14                | -              |
| 2006.....  | 52       | 1            | -         | -          | -           | 1           | 2           | 1           | 6           | 8           | 17          | 16                | -              |
| 2005.....  | 44       | -            | -         | -          | -           | -           | -           | 5           | 2           | 10          | 8           | 19                | -              |
| 2004.....  | 14       | 1            | 1         | 1          | -           | -           | -           | -           | 2           | 3           | 5           | 1                 | -              |
| 2003.....  | 26       | -            | -         | -          | -           | -           | -           | 3           | 3           | 5           | 8           | 7                 | -              |
| 2002.....  | 24       | -            | -         | -          | 1           | -           | -           | 2           | 3           | 4           | 8           | 6                 | -              |
| 2001.....  | 21       | -            | -         | -          | -           | -           | -           | 2           | 3           | 5           | 7           | 4                 | -              |
| 2000.....  | 30       | -            | -         | -          | -           | -           | -           | 3           | 5           | 4           | 8           | 10                | -              |
| 1999.....  | 27       | -            | -         | -          | -           | -           | -           | 3           | 7           | 4           | 4           | 9                 | -              |

Worktable Orig290F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2007

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data - mortality"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, sex, and year | All ages | Under 1 year | 1-4 years | 5-14 years | 15-24 years | 25-34 years | 35-44 years | 45-54 years | 55-64 years | 65-74 years | 75-84 years | 85 years and over | Age not stated |
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|
| Other acute ischemic heart diseases (I24)  |          |              |           |            |             |             |             |             |             |             |             |                   |                |
| Non-Hispanic 1/, both sexes  |          |              |           |            |             |             |             |             |             |             |             |                   |                |
| 2007.....  | 3,970    | 2            | -         | -          | 3           | 17          | 104         | 371         | 652         | 709         | 990         | 1,122             | -              |
| 2006.....  | 3,830    | 1            | 1         | -          | 6           | 18          | 89          | 348         | 582         | 655         | 1,012       | 1,116             | 2              |
| 2005.....  | 3,461    | -            | 1         | 1          | 2           | 10          | 80          | 335         | 506         | 583         | 910         | 1,033             | -              |
| 2004.....  | 2,419    | -            | 1         | -          | 5           | 9           | 78          | 211         | 352         | 392         | 658         | 713               | -              |
| 2003.....  | 3,104    | 4            | 1         | 1          | 4           | 10          | 97          | 272         | 395         | 566         | 824         | 930               | -              |
| 2002.....  | 3,339    | 2            | -         | -          | 2           | 17          | 75          | 335         | 447         | 617         | 883         | 961               | -              |
| 2001.....  | 3,284    | 3            | -         | 2          | 7           | 14          | 93          | 303         | 450         | 625         | 855         | 932               | -              |
| 2000.....  | 3,282    | 1            | -         | -          | 7           | 15          | 90          | 273         | 473         | 626         | 887         | 909               | 1              |
| 1999.....  | 3,167    | 3            | 1         | -          | 3           | 6           | 80          | 245         | 433         | 664         | 841         | 891               | -              |
| Non-Hispanic 1/, male  |          |              |           |            |             |             |             |             |             |             |             |                   |                |
| 2007.....  | 2,086    | 1            | -         | -          | 2           | 14          | 73          | 265         | 464         | 460         | 484         | 323               | -              |
| 2006.....  | 1,967    | 1            | -         | -          | 5           | 15          | 53          | 249         | 392         | 389         | 499         | 362               | 2              |
| 2005.....  | 1,769    | -            | -         | 1          | 1           | 6           | 57          | 236         | 364         | 351         | 435         | 318               | -              |
| 2004.....  | 1,275    | -            | -         | -          | 4           | 5           | 57          | 146         | 246         | 250         | 323         | 244               | -              |
| 2003.....  | 1,595    | 2            | 1         | -          | 4           | 6           | 72          | 195         | 273         | 354         | 409         | 279               | -              |
| 2002.....  | 1,725    | 1            | -         | -          | -           | 11          | 49          | 242         | 311         | 380         | 437         | 294               | -              |
| 2001.....  | 1,675    | 2            | -         | 1          | 6           | 10          | 64          | 228         | 310         | 378         | 416         | 260               | -              |
| 2000.....  | 1,705    | 1            | -         | -          | 5           | 12          | 69          | 212         | 336         | 386         | 436         | 247               | 1              |
| 1999.....  | 1,635    | 1            | 1         | -          | 3           | 4           | 62          | 174         | 307         | 406         | 414         | 263               | -              |



Worktable Orig290F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2007

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data - mortality"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, sex, and year | All ages | Under 1 year | 1-4 years | 5-14 years | 15-24 years | 25-34 years | 35-44 years | 45-54 years | 55-64 years | 65-74 years | 75-84 years | 85 years and over | Age not stated |
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|
| Other acute ischemic heart diseases (I24)  |          |              |           |            |             |             |             |             |             |             |             |                   |                |
| Non-Hispanic 1/, female  |          |              |           |            |             |             |             |             |             |             |             |                   |                |
| 2007.....  | 1,884    | 1            | -         | -          | 1           | 3           | 31          | 106         | 188         | 249         | 506         | 799               | -              |
| 2006.....  | 1,863    | -            | 1         | -          | 1           | 3           | 36          | 99          | 190         | 266         | 513         | 754               | -              |
| 2005.....  | 1,692    | -            | 1         | -          | 1           | 4           | 23          | 99          | 142         | 232         | 475         | 715               | -              |
| 2004.....  | 1,144    | -            | 1         | -          | 1           | 4           | 21          | 65          | 106         | 142         | 335         | 469               | -              |
| 2003.....  | 1,509    | 2            | -         | 1          | -           | 4           | 25          | 77          | 122         | 212         | 415         | 651               | -              |
| 2002.....  | 1,614    | 1            | -         | -          | 2           | 6           | 26          | 93          | 136         | 237         | 446         | 667               | -              |
| 2001.....  | 1,609    | 1            | -         | 1          | 1           | 4           | 29          | 75          | 140         | 247         | 439         | 672               | -              |
| 2000.....  | 1,577    | -            | -         | -          | 2           | 3           | 21          | 61          | 137         | 240         | 451         | 662               | -              |
| 1999.....  | 1,532    | 2            | -         | -          | -           | 2           | 18          | 71          | 126         | 258         | 427         | 628               | -              |
| Non-Hispanic white, both sexes   |          |              |           |            |             |             |             |             |             |             |             |                   |                |
| 2007 2/.....   | 3,331    | 2            | -         | -          | 1           | 8           | 73          | 281         | 518         | 575         | 861         | 1,012             | -              |
| 2006 2/.....   | 3,193    | 1            | 1         | -          | 4           | 12          | 57          | 244         | 460         | 529         | 875         | 1,009             | 1              |
| 2005 2/.....   | 2,829    | -            | 1         | 1          | 2           | 6           | 58          | 225         | 375         | 471         | 779         | 911               | -              |
| 2004 2/.....   | 1,988    | -            | 1         | -          | 3           | 2           | 58          | 140         | 262         | 311         | 559         | 652               | -              |
| 2003 2/.....   | 2,613    | 2            | -         | 1          | 3           | 5           | 68          | 200         | 304         | 463         | 716         | 851               | -              |
| 2002.....  | 2,843    | 1            | -         | -          | 1           | 11          | 54          | 251         | 356         | 510         | 782         | 877               | -              |
| 2001.....  | 2,756    | 3            | -         | 2          | 4           | 11          | 62          | 222         | 342         | 511         | 757         | 842               | -              |
| 2000.....  | 2,767    | 1            | -         | -          | 5           | 11          | 66          | 207         | 357         | 514         | 774         | 832               | -              |
| 1999.....  | 2,689    | 1            | 1         | -          | 3           | 5           | 52          | 169         | 344         | 553         | 736         | 825               | -              |

Worktable Orig290F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2007

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data - mortality"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, sex, and year | All ages | Under 1 year | 1-4 years | 5-14 years | 15-24 years | 25-34 years | 35-44 years | 45-54 years | 55-64 years | 65-74 years | 75-84 years | 85 years and over | Age not stated |
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|
| <b>Other acute ischemic heart diseases (I24)</b>   |          |              |           |            |             |             |             |             |             |             |             |                   |                |
| <b>Non-Hispanic white, male</b>  |          |              |           |            |             |             |             |             |             |             |             |                   |                |
| 2007 2/.....   | 1,728    | 1            | -         | -          | 1           | 7           | 56          | 203         | 368         | 379         | 421         | 292               | -              |
| 2006 2/.....   | 1,618    | 1            | -         | -          | 3           | 11          | 35          | 183         | 312         | 320         | 426         | 326               | 1              |
| 2005 2/.....   | 1,431    | -            | -         | 1          | 1           | 3           | 43          | 176         | 273         | 284         | 372         | 278               | -              |
| 2004 2/.....   | 1,019    | -            | -         | -          | 2           | 2           | 44          | 99          | 184         | 191         | 279         | 218               | -              |
| 2003 2/.....   | 1,314    | 1            | -         | -          | 3           | 4           | 55          | 146         | 209         | 296         | 346         | 254               | -              |
| 2002.....  | 1,454    | 1            | -         | -          | -           | 7           | 41          | 179         | 251         | 313         | 390         | 272               | -              |
| 2001.....  | 1,386    | 2            | -         | 1          | 3           | 9           | 45          | 170         | 240         | 307         | 374         | 235               | -              |
| 2000.....  | 1,412    | 1            | -         | -          | 3           | 8           | 52          | 165         | 261         | 314         | 382         | 226               | -              |
| 1999.....  | 1,361    | 1            | 1         | -          | 3           | 4           | 40          | 123         | 240         | 339         | 366         | 244               | -              |
| <b>Non-Hispanic white, female</b>  |          |              |           |            |             |             |             |             |             |             |             |                   |                |
| 2007 2/.....   | 1,603    | 1            | -         | -          | -           | 1           | 17          | 78          | 150         | 196         | 440         | 720               | -              |
| 2006 2/.....   | 1,575    | -            | 1         | -          | 1           | 1           | 22          | 61          | 148         | 209         | 449         | 683               | -              |
| 2005 2/.....   | 1,398    | -            | 1         | -          | 1           | 3           | 15          | 49          | 102         | 187         | 407         | 633               | -              |
| 2004 2/.....   | 969      | -            | 1         | -          | 1           | -           | 14          | 41          | 78          | 120         | 280         | 434               | -              |
| 2003 2/.....   | 1,299    | 1            | -         | 1          | -           | 1           | 13          | 54          | 95          | 167         | 370         | 597               | -              |
| 2002.....  | 1,389    | -            | -         | -          | 1           | 4           | 13          | 72          | 105         | 197         | 392         | 605               | -              |
| 2001.....  | 1,370    | 1            | -         | 1          | 1           | 2           | 17          | 52          | 102         | 204         | 383         | 607               | -              |
| 2000.....  | 1,355    | -            | -         | -          | 2           | 3           | 14          | 42          | 96          | 200         | 392         | 606               | -              |
| 1999.....  | 1,328    | -            | -         | -          | -           | 1           | 12          | 46          | 104         | 214         | 370         | 581               | -              |

Worktable Orig290F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2007

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data - mortality"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, sex, and year | All ages | Under 1 year | 1-4 years | 5-14 years | 15-24 years | 25-34 years | 35-44 years | 45-54 years | 55-64 years | 65-74 years | 75-84 years | 85 years and over | Age not stated |
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|
| <b>Other acute ischemic heart diseases (I24)</b>   |          |              |           |            |             |             |             |             |             |             |             |                   |                |
| <b>Non-Hispanic black, both sexes</b>  |          |              |           |            |             |             |             |             |             |             |             |                   |                |
| 2007 2/.....   | 530      | -            | -         | -          | 2           | 7           | 24          | 75          | 112         | 111         | 113         | 86                | -              |
| 2006 2/.....   | 530      | -            | -         | -          | 2           | 6           | 28          | 86          | 109         | 107         | 112         | 79                | 1              |
| 2005 2/.....   | 551      | -            | -         | -          | -           | 4           | 19          | 97          | 115         | 98          | 116         | 102               | -              |
| 2004 2/.....   | 389      | -            | -         | -          | 1           | 7           | 18          | 66          | 85          | 70          | 88          | 54                | -              |
| 2003 2/.....   | 432      | 1            | 1         | -          | 1           | 3           | 27          | 62          | 81          | 91          | 97          | 68                | -              |
| 2002.....  | 443      | 1            | -         | -          | 1           | 6           | 19          | 78          | 78          | 100         | 89          | 71                | -              |
| 2001.....  | 453      | -            | -         | -          | 3           | 2           | 29          | 69          | 98          | 95          | 79          | 78                | -              |
| 2000.....  | 449      | -            | -         | -          | 1           | 4           | 22          | 61          | 103         | 91          | 97          | 69                | 1              |
| 1999.....  | 429      | 2            | -         | -          | -           | 1           | 26          | 73          | 83          | 93          | 97          | 54                | -              |
| <b>Non-Hispanic black, male</b>  |          |              |           |            |             |             |             |             |             |             |             |                   |                |
| 2007 2/.....   | 296      | -            | -         | -          | 1           | 5           | 15          | 52          | 79          | 67          | 53          | 24                | -              |
| 2006 2/.....   | 290      | -            | -         | -          | 2           | 4           | 15          | 54          | 73          | 59          | 56          | 26                | 1              |
| 2005 2/.....   | 292      | -            | -         | -          | -           | 3           | 12          | 54          | 79          | 58          | 56          | 30                | -              |
| 2004 2/.....   | 232      | -            | -         | -          | 1           | 3           | 12          | 42          | 59          | 50          | 42          | 23                | -              |
| 2003 2/.....   | 254      | 1            | 1         | -          | 1           | 1           | 16          | 43          | 58          | 53          | 57          | 23                | -              |
| 2002.....  | 242      | -            | -         | -          | -           | 4           | 6           | 58          | 50          | 64          | 40          | 20                | -              |
| 2001.....  | 249      | -            | -         | -          | 3           | -           | 19          | 50          | 62          | 59          | 35          | 21                | -              |
| 2000.....  | 255      | -            | -         | -          | 1           | 4           | 16          | 44          | 67          | 58          | 46          | 18                | 1              |
| 1999.....  | 246      | -            | -         | -          | -           | -           | 20          | 49          | 63          | 56          | 41          | 17                | -              |

Worktable Orig290F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2007

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data - mortality"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, sex, and year | All ages | Under 1 year | 1-4 years | 5-14 years | 15-24 years | 25-34 years | 35-44 years | 45-54 years | 55-64 years | 65-74 years | 75-84 years | 85 years and over | Age not stated |
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|
| Other acute ischemic heart diseases (I24)  |          |              |           |            |             |             |             |             |             |             |             |                   |                |
| Non-Hispanic black, female   |          |              |           |            |             |             |             |             |             |             |             |                   |                |
| 2007 2/.....   | 234      | -            | -         | -          | 1           | 2           | 9           | 23          | 33          | 44          | 60          | 62                | -              |
| 2006 2/.....   | 240      | -            | -         | -          | -           | 2           | 13          | 32          | 36          | 48          | 56          | 53                | -              |
| 2005 2/.....   | 259      | -            | -         | -          | -           | 1           | 7           | 43          | 36          | 40          | 60          | 72                | -              |
| 2004 2/.....   | 157      | -            | -         | -          | -           | 4           | 6           | 24          | 26          | 20          | 46          | 31                | -              |
| 2003 2/.....   | 178      | -            | -         | -          | -           | 2           | 11          | 19          | 23          | 38          | 40          | 45                | -              |
| 2002.....  | 201      | 1            | -         | -          | 1           | 2           | 13          | 20          | 28          | 36          | 49          | 51                | -              |
| 2001.....  | 204      | -            | -         | -          | -           | 2           | 10          | 19          | 36          | 36          | 44          | 57                | -              |
| 2000.....  | 194      | -            | -         | -          | -           | -           | 6           | 17          | 36          | 33          | 51          | 51                | -              |
| 1999.....  | 183      | 2            | -         | -          | -           | 1           | 6           | 24          | 20          | 37          | 56          | 37                | -              |
| Origin not stated 3/, both sexes   |          |              |           |            |             |             |             |             |             |             |             |                   |                |
| 2007.....  | 9        | -            | -         | -          | -           | -           | -           | -           | 7           | 1           | 1           | -                 | -              |
| 2006.....  | 4        | -            | -         | -          | -           | -           | -           | -           | 1           | 1           | 1           | 1                 | -              |
| 2005.....  | 14       | -            | -         | -          | -           | -           | -           | 5           | 1           | 4           | 2           | 2                 | -              |
| 2004.....  | 8        | -            | -         | -          | -           | -           | -           | 3           | 1           | 1           | 1           | 2                 | -              |
| 2003.....  | 7        | -            | -         | -          | -           | -           | -           | -           | 2           | 3           | 1           | 1                 | -              |
| 2002.....  | 4        | -            | -         | -          | 1           | -           | 1           | -           | 1           | -           | -           | 1                 | -              |
| 2001.....  | 4        | -            | -         | -          | -           | -           | -           | -           | 1           | 1           | 2           | -                 | -              |
| 2000.....  | 12       | -            | -         | -          | -           | -           | 1           | 3           | 1           | 3           | 2           | 2                 | -              |
| 1999.....  | 12       | -            | -         | -          | -           | -           | -           | -           | 2           | 2           | 2           | 6                 | -              |

Worktable Orig290F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2007

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data - mortality"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, sex, and year | All ages | Under 1 year | 1-4 years | 5-14 years | 15-24 years | 25-34 years | 35-44 years | 45-54 years | 55-64 years | 65-74 years | 75-84 years | 85 years and over | Age not stated |
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|
| Other acute ischemic heart diseases (I24)  |          |              |           |            |             |             |             |             |             |             |             |                   |                |
| Origin not stated 3/, male   |          |              |           |            |             |             |             |             |             |             |             |                   |                |
| 2007.....  | 8        | -            | -         | -          | -           | -           | -           | -           | 7           | 1           | -           | -                 | -              |
| 2006.....  | 3        | -            | -         | -          | -           | -           | -           | -           | 1           | 1           | 1           | -                 | -              |
| 2005.....  | 8        | -            | -         | -          | -           | -           | -           | 3           | 1           | 4           | -           | -                 | -              |
| 2004.....  | 5        | -            | -         | -          | -           | -           | -           | 2           | 1           | 1           | -           | 1                 | -              |
| 2003.....  | 5        | -            | -         | -          | -           | -           | -           | -           | 2           | 2           | 1           | -                 | -              |
| 2002.....  | 2        | -            | -         | -          | 1           | -           | -           | -           | -           | -           | -           | 1                 | -              |
| 2001.....  | 3        | -            | -         | -          | -           | -           | -           | -           | 1           | 1           | 1           | -                 | -              |
| 2000.....  | 5        | -            | -         | -          | -           | -           | 1           | 2           | -           | 1           | 1           | -                 | -              |
| 1999.....  | 4        | -            | -         | -          | -           | -           | -           | -           | 2           | -           | 1           | 1                 | -              |
| Origin not stated 3/, female   |          |              |           |            |             |             |             |             |             |             |             |                   |                |
| 2007.....  | 1        | -            | -         | -          | -           | -           | -           | -           | -           | -           | 1           | -                 | -              |
| 2006.....  | 1        | -            | -         | -          | -           | -           | -           | -           | -           | -           | -           | 1                 | -              |
| 2005.....  | 6        | -            | -         | -          | -           | -           | -           | 2           | -           | -           | 2           | 2                 | -              |
| 2004.....  | 3        | -            | -         | -          | -           | -           | -           | 1           | -           | -           | 1           | 1                 | -              |
| 2003.....  | 2        | -            | -         | -          | -           | -           | -           | -           | -           | 1           | -           | 1                 | -              |
| 2002.....  | 2        | -            | -         | -          | -           | -           | 1           | -           | 1           | -           | -           | -                 | -              |
| 2001.....  | 1        | -            | -         | -          | -           | -           | -           | -           | -           | -           | 1           | -                 | -              |
| 2000.....  | 7        | -            | -         | -          | -           | -           | -           | 1           | 1           | 2           | 1           | 2                 | -              |
| 1999.....  | 8        | -            | -         | -          | -           | -           | -           | -           | -           | 2           | 1           | 5                 | -              |

Worktable Orig290F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2007

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data - mortality"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, sex, and year | All ages | Under 1 year | 1-4 years | 5-14 years | 15-24 years | 25-34 years | 35-44 years | 45-54 years | 55-64 years | 65-74 years | 75-84 years | 85 years and over | Age not stated |
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|
| Other forms of chronic ischemic heart disease (I20,I25)  |          |              |           |            |             |             |             |             |             |             |             |                   |                |
| All origins, both sexes  |          |              |           |            |             |             |             |             |             |             |             |                   |                |
| 2007.....  | 269,291  | 12           | 4         | 10         | 94          | 631         | 3,708       | 14,547      | 27,650      | 38,846      | 77,502      | 106,270           | 17             |
| 2006.....  | 280,031  | 9            | 1         | 7          | 71          | 611         | 3,931       | 14,890      | 27,737      | 41,214      | 82,560      | 108,977           | 23             |
| 2005.....  | 291,118  | 2            | 4         | 6          | 80          | 611         | 4,044       | 14,889      | 27,731      | 42,841      | 88,051      | 112,834           | 25             |
| 2004.....  | 292,048  | 3            | 6         | 11         | 69          | 635         | 4,214       | 14,622      | 26,885      | 44,376      | 90,421      | 110,787           | 19             |
| 2003.....  | 306,306  | 9            | 5         | 11         | 82          | 658         | 4,355       | 14,664      | 27,207      | 47,378      | 95,425      | 116,489           | 23             |
| 2002.....  | 311,461  | 10           | 2         | 12         | 67          | 578         | 4,445       | 14,611      | 26,869      | 49,233      | 97,903      | 117,699           | 32             |
| 2001.....  | 314,081  | 8            | 7         | 11         | 92          | 627         | 4,264       | 13,949      | 26,281      | 51,438      | 99,729      | 117,637           | 38             |
| 2000.....  | 318,943  | 9            | 8         | 10         | 63          | 544         | 4,295       | 13,731      | 26,240      | 53,782      | 100,576     | 119,646           | 39             |
| 1999.....  | 326,973  | 11           | 2         | 10         | 74          | 574         | 4,421       | 13,700      | 26,523      | 56,725      | 103,730     | 121,171           | 32             |
| All origins, male  |          |              |           |            |             |             |             |             |             |             |             |                   |                |
| 2007.....  | 142,179  | 5            | 3         | 7          | 72          | 498         | 2,888       | 11,129      | 20,245      | 25,474      | 42,495      | 39,351            | 12             |
| 2006.....  | 146,405  | 6            | 1         | 4          | 58          | 497         | 3,010       | 11,440      | 20,162      | 26,679      | 44,945      | 39,588            | 15             |
| 2005.....  | 150,213  | 1            | 2         | 5          | 65          | 470         | 3,104       | 11,425      | 20,026      | 27,457      | 47,362      | 40,281            | 15             |
| 2004.....  | 149,328  | 1            | 1         | 5          | 53          | 494         | 3,194       | 11,203      | 19,275      | 28,361      | 48,369      | 38,354            | 18             |
| 2003.....  | 155,206  | 7            | 3         | 4          | 56          | 506         | 3,305       | 11,300      | 19,517      | 30,348      | 50,809      | 39,334            | 17             |
| 2002.....  | 157,163  | 7            | 2         | 10         | 50          | 437         | 3,443       | 11,306      | 19,370      | 31,482      | 51,876      | 39,157            | 23             |
| 2001.....  | 156,410  | 5            | 1         | 8          | 65          | 487         | 3,263       | 10,753      | 18,828      | 32,716      | 52,404      | 37,853            | 27             |
| 2000.....  | 158,519  | 6            | 5         | 5          | 45          | 422         | 3,329       | 10,667      | 18,816      | 34,333      | 52,670      | 38,193            | 28             |
| 1999.....  | 161,434  | 6            | 1         | 9          | 50          | 429         | 3,437       | 10,583      | 18,779      | 36,069      | 53,939      | 38,103            | 29             |

Worktable Orig290F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2007

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data - mortality"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, sex, and year | All ages | Under 1 year | 1-4 years | 5-14 years | 15-24 years | 25-34 years | 35-44 years | 45-54 years | 55-64 years | 65-74 years | 75-84 years | 85 years and over | Age not stated |
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|
| Other forms of chronic ischemic heart disease (I20,I25)  |          |              |           |            |             |             |             |             |             |             |             |                   |                |
| All origins, female  |          |              |           |            |             |             |             |             |             |             |             |                   |                |
| 2007.....  | 127,112  | 7            | 1         | 3          | 22          | 133         | 820         | 3,418       | 7,405       | 13,372      | 35,007      | 66,919            | 5              |
| 2006.....  | 133,626  | 3            | -         | 3          | 13          | 114         | 921         | 3,450       | 7,575       | 14,535      | 37,615      | 69,389            | 8              |
| 2005.....  | 140,905  | 1            | 2         | 1          | 15          | 141         | 940         | 3,464       | 7,705       | 15,384      | 40,689      | 72,553            | 10             |
| 2004.....  | 142,720  | 2            | 5         | 6          | 16          | 141         | 1,020       | 3,419       | 7,610       | 16,015      | 42,052      | 72,433            | 1              |
| 2003.....  | 151,100  | 2            | 2         | 7          | 26          | 152         | 1,050       | 3,364       | 7,690       | 17,030      | 44,616      | 77,155            | 6              |
| 2002.....  | 154,298  | 3            | -         | 2          | 17          | 141         | 1,002       | 3,305       | 7,499       | 17,751      | 46,027      | 78,542            | 9              |
| 2001.....  | 157,671  | 3            | 6         | 3          | 27          | 140         | 1,001       | 3,196       | 7,453       | 18,722      | 47,325      | 79,784            | 11             |
| 2000.....  | 160,424  | 3            | 3         | 5          | 18          | 122         | 966         | 3,064       | 7,424       | 19,449      | 47,906      | 81,453            | 11             |
| 1999.....  | 165,539  | 5            | 1         | 1          | 24          | 145         | 984         | 3,117       | 7,744       | 20,656      | 49,791      | 83,068            | 3              |
| Hispanic, both sexes   |          |              |           |            |             |             |             |             |             |             |             |                   |                |
| 2007.....  | 13,547   | 2            | -         | 1          | 9           | 78          | 294         | 962         | 1,776       | 2,446       | 3,958       | 4,019             | 2              |
| 2006.....  | 13,869   | 1            | -         | 3          | 10          | 63          | 293         | 1,023       | 1,741       | 2,539       | 4,117       | 4,077             | 2              |
| 2005.....  | 14,155   | -            | 2         | 2          | 10          | 62          | 326         | 980         | 1,709       | 2,721       | 4,294       | 4,045             | 4              |
| 2004.....  | 13,315   | 1            | -         | 1          | 10          | 59          | 297         | 903         | 1,621       | 2,611       | 4,036       | 3,775             | 1              |
| 2003.....  | 13,366   | 2            | 1         | 2          | 10          | 66          | 270         | 839         | 1,611       | 2,644       | 4,032       | 3,884             | 5              |
| 2002.....  | 13,246   | 1            | -         | 1          | 10          | 53          | 264         | 861         | 1,582       | 2,770       | 3,861       | 3,842             | 1              |
| 2001.....  | 13,198   | -            | -         | 3          | 12          | 63          | 228         | 807         | 1,478       | 2,833       | 3,891       | 3,881             | 2              |
| 2000.....  | 12,569   | 1            | -         | 1          | 6           | 37          | 237         | 748         | 1,506       | 2,688       | 3,560       | 3,781             | 4              |
| 1999.....  | 12,725   | -            | -         | 1          | 7           | 55          | 223         | 793         | 1,531       | 2,785       | 3,561       | 3,764             | 5              |

Worktable Orig290F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2007

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data - mortality"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, sex, and year | All ages | Under 1 year | 1-4 years | 5-14 years | 15-24 years | 25-34 years | 35-44 years | 45-54 years | 55-64 years | 65-74 years | 75-84 years | 85 years and over | Age not stated |
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|
| Other forms of chronic ischemic heart disease (I20,I25)  |          |              |           |            |             |             |             |             |             |             |             |                   |                |
| Hispanic, male   |          |              |           |            |             |             |             |             |             |             |             |                   |                |
| 2007.....  | 7,471    | 1            | -         | 1          | 8           | 69          | 247         | 770         | 1,317       | 1,567       | 2,033       | 1,458             | -              |
| 2006.....  | 7,623    | 1            | -         | 2          | 9           | 54          | 248         | 817         | 1,257       | 1,569       | 2,153       | 1,512             | 1              |
| 2005.....  | 7,762    | -            | 2         | 2          | 8           | 54          | 277         | 775         | 1,231       | 1,696       | 2,258       | 1,455             | 4              |
| 2004.....  | 7,293    | -            | -         | 1          | 10          | 53          | 244         | 707         | 1,156       | 1,646       | 2,152       | 1,323             | 1              |
| 2003.....  | 7,130    | 1            | 1         | 2          | 9           | 55          | 213         | 670         | 1,142       | 1,659       | 2,097       | 1,277             | 4              |
| 2002.....  | 7,130    | -            | -         | 1          | 7           | 46          | 219         | 668         | 1,143       | 1,722       | 1,971       | 1,352             | 1              |
| 2001.....  | 7,005    | -            | -         | 1          | 7           | 53          | 184         | 631         | 1,055       | 1,754       | 2,016       | 1,302             | 2              |
| 2000.....  | 6,698    | 1            | -         | 1          | 4           | 31          | 196         | 607         | 1,078       | 1,666       | 1,832       | 1,279             | 3              |
| 1999.....  | 6,742    | -            | -         | 1          | 5           | 45          | 193         | 647         | 1,064       | 1,738       | 1,789       | 1,255             | 5              |
| Hispanic, female   |          |              |           |            |             |             |             |             |             |             |             |                   |                |
| 2007.....  | 6,076    | 1            | -         | -          | 1           | 9           | 47          | 192         | 459         | 879         | 1,925       | 2,561             | 2              |
| 2006.....  | 6,246    | -            | -         | 1          | 1           | 9           | 45          | 206         | 484         | 970         | 1,964       | 2,565             | 1              |
| 2005.....  | 6,393    | -            | -         | -          | 2           | 8           | 49          | 205         | 478         | 1,025       | 2,036       | 2,590             | -              |
| 2004.....  | 6,022    | 1            | -         | -          | -           | 6           | 53          | 196         | 465         | 965         | 1,884       | 2,452             | -              |
| 2003.....  | 6,236    | 1            | -         | -          | 1           | 11          | 57          | 169         | 469         | 985         | 1,935       | 2,607             | 1              |
| 2002.....  | 6,116    | 1            | -         | -          | 3           | 7           | 45          | 193         | 439         | 1,048       | 1,890       | 2,490             | -              |
| 2001.....  | 6,193    | -            | -         | 2          | 5           | 10          | 44          | 176         | 423         | 1,079       | 1,875       | 2,579             | -              |
| 2000.....  | 5,871    | -            | -         | -          | 2           | 6           | 41          | 141         | 428         | 1,022       | 1,728       | 2,502             | 1              |
| 1999.....  | 5,983    | -            | -         | -          | 2           | 10          | 30          | 146         | 467         | 1,047       | 1,772       | 2,509             | -              |



Worktable Orig290F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2007

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data - mortality"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, sex, and year | All ages | Under 1 year | 1-4 years | 5-14 years | 15-24 years | 25-34 years | 35-44 years | 45-54 years | 55-64 years | 65-74 years | 75-84 years | 85 years and over | Age not stated |
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|
| Other forms of chronic ischemic heart disease (I20,I25)  |          |              |           |            |             |             |             |             |             |             |             |                   |                |
| Non-Hispanic 1/, both sexes  |          |              |           |            |             |             |             |             |             |             |             |                   |                |
| 2007.....  | 255,235  | 10           | 4         | 9          | 85          | 552         | 3,400       | 13,547      | 25,768      | 36,290      | 73,417      | 102,142           | 11             |
| 2006.....  | 265,555  | 8            | 1         | 4          | 61          | 545         | 3,628       | 13,820      | 25,888      | 38,534      | 78,292      | 104,757           | 17             |
| 2005.....  | 276,311  | 2            | 2         | 4          | 70          | 548         | 3,708       | 13,868      | 25,918      | 39,996      | 83,552      | 108,625           | 18             |
| 2004.....  | 277,926  | 2            | 6         | 10         | 59          | 575         | 3,898       | 13,660      | 25,143      | 41,580      | 86,158      | 106,822           | 13             |
| 2003.....  | 291,877  | 7            | 4         | 9          | 71          | 589         | 4,064       | 13,755      | 25,422      | 44,531      | 91,081      | 112,331           | 13             |
| 2002.....  | 296,875  | 9            | 2         | 11         | 57          | 518         | 4,164       | 13,658      | 25,111      | 46,198      | 93,666      | 113,457           | 24             |
| 2001.....  | 299,663  | 7            | 7         | 8          | 79          | 562         | 4,019       | 13,066      | 24,652      | 48,375      | 95,461      | 113,404           | 23             |
| 2000.....  | 304,976  | 8            | 8         | 9          | 57          | 502         | 4,029       | 12,887      | 24,549      | 50,816      | 96,616      | 115,470           | 25             |
| 1999.....  | 312,804  | 11           | 2         | 9          | 66          | 518         | 4,174       | 12,822      | 24,824      | 53,641      | 99,728      | 116,987           | 22             |
| Non-Hispanic 1/, male  |          |              |           |            |             |             |             |             |             |             |             |                   |                |
| 2007.....  | 134,380  | 4            | 3         | 6          | 64          | 428         | 2,629       | 10,328      | 18,849      | 23,825      | 40,386      | 37,850            | 8              |
| 2006.....  | 138,395  | 5            | 1         | 2          | 49          | 441         | 2,756       | 10,583      | 18,821      | 25,009      | 42,699      | 38,018            | 11             |
| 2005.....  | 142,064  | 1            | -         | 3          | 57          | 415         | 2,819       | 10,615      | 18,722      | 25,668      | 44,984      | 38,770            | 10             |
| 2004.....  | 141,544  | 1            | 1         | 4          | 43          | 440         | 2,938       | 10,451      | 18,028      | 26,585      | 46,079      | 36,962            | 12             |
| 2003.....  | 147,452  | 6            | 2         | 2          | 46          | 449         | 3,076       | 10,575      | 18,243      | 28,546      | 48,540      | 37,959            | 8              |
| 2002.....  | 149,257  | 7            | 2         | 9          | 43          | 385         | 3,211       | 10,561      | 18,087      | 29,575      | 49,693      | 37,669            | 15             |
| 2001.....  | 148,724  | 4            | 1         | 7          | 57          | 432         | 3,067       | 10,061      | 17,648      | 30,806      | 50,177      | 36,447            | 17             |
| 2000.....  | 151,009  | 5            | 5         | 4          | 41          | 388         | 3,107       | 9,976       | 17,594      | 32,465      | 50,626      | 36,780            | 18             |
| 1999.....  | 153,875  | 6            | 1         | 8          | 45          | 383         | 3,223       | 9,867       | 17,579      | 34,113      | 51,928      | 36,703            | 19             |

Worktable Orig290F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2007

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data - mortality"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, sex, and year | All ages | Under 1 year | 1-4 years | 5-14 years | 15-24 years | 25-34 years | 35-44 years | 45-54 years | 55-64 years | 65-74 years | 75-84 years | 85 years and over | Age not stated |
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|
| Other forms of chronic ischemic heart disease (I20,I25)  |          |              |           |            |             |             |             |             |             |             |             |                   |                |
| Non-Hispanic 1/, female  |          |              |           |            |             |             |             |             |             |             |             |                   |                |
| 2007.....  | 120,855  | 6            | 1         | 3          | 21          | 124         | 771         | 3,219       | 6,919       | 12,465      | 33,031      | 64,292            | 3              |
| 2006.....  | 127,160  | 3            | -         | 2          | 12          | 104         | 872         | 3,237       | 7,067       | 13,525      | 35,593      | 66,739            | 6              |
| 2005.....  | 134,247  | 1            | 2         | 1          | 13          | 133         | 889         | 3,253       | 7,196       | 14,328      | 38,568      | 69,855            | 8              |
| 2004.....  | 136,382  | 1            | 5         | 6          | 16          | 135         | 960         | 3,209       | 7,115       | 14,995      | 40,079      | 69,860            | 1              |
| 2003.....  | 144,425  | 1            | 2         | 7          | 25          | 140         | 988         | 3,180       | 7,179       | 15,985      | 42,541      | 74,372            | 5              |
| 2002.....  | 147,618  | 2            | -         | 2          | 14          | 133         | 953         | 3,097       | 7,024       | 16,623      | 43,973      | 75,788            | 9              |
| 2001.....  | 150,939  | 3            | 6         | 1          | 22          | 130         | 952         | 3,005       | 7,004       | 17,569      | 45,284      | 76,957            | 6              |
| 2000.....  | 153,967  | 3            | 3         | 5          | 16          | 114         | 922         | 2,911       | 6,955       | 18,351      | 45,990      | 78,690            | 7              |
| 1999.....  | 158,929  | 5            | 1         | 1          | 21          | 135         | 951         | 2,955       | 7,245       | 19,528      | 47,800      | 80,284            | 3              |
| Non-Hispanic white, both sexes   |          |              |           |            |             |             |             |             |             |             |             |                   |                |
| 2007 2/.....   | 221,582  | 6            | 2         | 7          | 52          | 376         | 2,529       | 10,330      | 20,249      | 29,666      | 64,742      | 93,614            | 9              |
| 2006 2/.....   | 230,646  | 2            | 1         | 3          | 43          | 375         | 2,719       | 10,454      | 20,324      | 31,541      | 69,024      | 96,145            | 15             |
| 2005 2/.....   | 240,845  | 1            | 2         | 4          | 44          | 391         | 2,779       | 10,456      | 20,319      | 32,989      | 73,933      | 99,916            | 11             |
| 2004 2/.....   | 242,493  | 2            | 3         | 6          | 32          | 385         | 2,981       | 10,395      | 19,867      | 34,389      | 76,417      | 98,009            | 7              |
| 2003 2/.....   | 255,086  | 5            | 2         | 3          | 45          | 417         | 3,089       | 10,468      | 20,081      | 36,856      | 80,902      | 103,208           | 10             |
| 2002.....  | 260,336  | 4            | -         | 8          | 39          | 372         | 3,166       | 10,454      | 19,819      | 38,576      | 83,449      | 104,433           | 16             |
| 2001.....  | 262,891  | 3            | 4         | 7          | 46          | 394         | 3,027       | 9,994       | 19,402      | 40,421      | 85,150      | 104,429           | 14             |
| 2000.....  | 268,535  | 5            | 8         | 8          | 41          | 352         | 3,035       | 9,914       | 19,332      | 42,785      | 86,497      | 106,540           | 18             |
| 1999.....  | 275,726  | 8            | 1         | 6          | 38          | 367         | 3,109       | 9,852       | 19,606      | 45,237      | 89,569      | 107,920           | 13             |

Worktable Orig290F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2007

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data - mortality"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, sex, and year | All ages | Under 1 year | 1-4 years | 5-14 years | 15-24 years | 25-34 years | 35-44 years | 45-54 years | 55-64 years | 65-74 years | 75-84 years | 85 years and over | Age not stated |
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|
| Other forms of chronic ischemic heart disease (I20,I25)  |          |              |           |            |             |             |             |             |             |             |             |                   |                |
| Non-Hispanic white, male   |          |              |           |            |             |             |             |             |             |             |             |                   |                |
| 2007 2/.....   | 116,742  | 3            | 1         | 4          | 39          | 289         | 1,985       | 8,076       | 15,125      | 19,912      | 36,204      | 35,097            | 7              |
| 2006 2/.....   | 120,086  | 2            | 1         | 2          | 36          | 313         | 2,134       | 8,237       | 15,090      | 20,817      | 38,201      | 35,243            | 10             |
| 2005 2/.....   | 123,802  | 1            | -         | 3          | 38          | 292         | 2,170       | 8,203       | 15,034      | 21,579      | 40,415      | 36,061            | 6              |
| 2004 2/.....   | 123,514  | 1            | 1         | 3          | 24          | 296         | 2,309       | 8,203       | 14,553      | 22,483      | 41,478      | 34,157            | 6              |
| 2003 2/.....   | 128,839  | 4            | 1         | 1          | 28          | 322         | 2,391       | 8,278       | 14,802      | 24,092      | 43,699      | 35,216            | 5              |
| 2002.....  | 130,900  | 3            | -         | 6          | 29          | 286         | 2,512       | 8,371       | 14,591      | 25,219      | 44,944      | 34,929            | 10             |
| 2001.....  | 130,367  | 2            | -         | 6          | 34          | 311         | 2,371       | 7,929       | 14,233      | 26,272      | 45,380      | 33,819            | 10             |
| 2000.....  | 132,908  | 3            | 5         | 4          | 29          | 282         | 2,428       | 7,923       | 14,218      | 27,998      | 45,911      | 34,093            | 14             |
| 1999.....  | 135,406  | 4            | 1         | 6          | 28          | 276         | 2,469       | 7,791       | 14,195      | 29,423      | 47,293      | 33,909            | 11             |
| Non-Hispanic white, female   |          |              |           |            |             |             |             |             |             |             |             |                   |                |
| 2007 2/.....   | 104,840  | 3            | 1         | 3          | 13          | 87          | 544         | 2,254       | 5,124       | 9,754       | 28,538      | 58,517            | 2              |
| 2006 2/.....   | 110,560  | -            | -         | 1          | 7           | 62          | 585         | 2,217       | 5,234       | 10,724      | 30,823      | 60,902            | 5              |
| 2005 2/.....   | 117,043  | -            | 2         | 1          | 6           | 99          | 609         | 2,253       | 5,285       | 11,410      | 33,518      | 63,855            | 5              |
| 2004 2/.....   | 118,979  | 1            | 2         | 3          | 8           | 89          | 672         | 2,192       | 5,314       | 11,906      | 34,939      | 63,852            | 1              |
| 2003 2/.....   | 126,247  | 1            | 1         | 2          | 17          | 95          | 698         | 2,190       | 5,279       | 12,764      | 37,203      | 67,992            | 5              |
| 2002.....  | 129,436  | 1            | -         | 2          | 10          | 86          | 654         | 2,083       | 5,228       | 13,357      | 38,505      | 69,504            | 6              |
| 2001.....  | 132,524  | 1            | 4         | 1          | 12          | 83          | 656         | 2,065       | 5,169       | 14,149      | 39,770      | 70,610            | 4              |
| 2000.....  | 135,627  | 2            | 3         | 4          | 12          | 70          | 607         | 1,991       | 5,114       | 14,787      | 40,586      | 72,447            | 4              |
| 1999.....  | 140,320  | 4            | -         | -          | 10          | 91          | 640         | 2,061       | 5,411       | 15,814      | 42,276      | 74,011            | 2              |

Worktable Orig290F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2007

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data - mortality"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, sex, and year | All ages | Under 1 year | 1-4 years | 5-14 years | 15-24 years | 25-34 years | 35-44 years | 45-54 years | 55-64 years | 65-74 years | 75-84 years | 85 years and over | Age not stated |
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|
| Other forms of chronic ischemic heart disease (I20,I25)  |          |              |           |            |             |             |             |             |             |             |             |                   |                |
| Non-Hispanic black, both sexes   |          |              |           |            |             |             |             |             |             |             |             |                   |                |
| 2007 2/.....   | 27,655   | 2            | 1         | 1          | 30          | 148         | 699         | 2,837       | 4,769       | 5,533       | 6,948       | 6,686             | 1              |
| 2006 2/.....   | 28,840   | 5            | -         | -          | 18          | 134         | 769         | 2,940       | 4,767       | 5,864       | 7,529       | 6,812             | 2              |
| 2005 2/.....   | 29,525   | 1            | -         | -          | 19          | 120         | 794         | 2,974       | 4,880       | 5,866       | 7,903       | 6,962             | 6              |
| 2004 2/.....   | 29,640   | -            | 1         | 4          | 24          | 157         | 800         | 2,873       | 4,591       | 6,136       | 7,989       | 7,059             | 6              |
| 2003 2/.....   | 30,917   | 2            | 2         | 5          | 22          | 139         | 807         | 2,874       | 4,659       | 6,555       | 8,439       | 7,412             | 1              |
| 2002.....  | 30,917   | 4            | 2         | 3          | 15          | 116         | 866         | 2,831       | 4,626       | 6,505       | 8,513       | 7,428             | 8              |
| 2001.....  | 31,443   | 4            | 3         | 1          | 28          | 147         | 873         | 2,724       | 4,601       | 6,839       | 8,664       | 7,552             | 7              |
| 2000.....  | 31,276   | 2            | -         | -          | 12          | 132         | 869         | 2,637       | 4,574       | 6,979       | 8,523       | 7,541             | 7              |
| 1999.....  | 31,819   | 2            | 1         | 3          | 25          | 124         | 946         | 2,636       | 4,597       | 7,294       | 8,537       | 7,645             | 9              |
| Non-Hispanic black, male   |          |              |           |            |             |             |             |             |             |             |             |                   |                |
| 2007 2/.....   | 14,254   | 1            | 1         | 1          | 23          | 114         | 494         | 1,934       | 3,176       | 3,219       | 3,297       | 1,994             | -              |
| 2006 2/.....   | 14,807   | 2            | -         | -          | 13          | 96          | 503         | 1,998       | 3,127       | 3,474       | 3,588       | 2,005             | 1              |
| 2005 2/.....   | 14,879   | -            | -         | -          | 13          | 90          | 536         | 2,063       | 3,156       | 3,374       | 3,666       | 1,978             | 3              |
| 2004 2/.....   | 14,767   | -            | -         | 1          | 18          | 113         | 527         | 1,930       | 2,974       | 3,466       | 3,675       | 2,057             | 6              |
| 2003 2/.....   | 15,284   | 2            | 1         | 1          | 15          | 99          | 551         | 1,963       | 2,942       | 3,745       | 3,934       | 2,030             | 1              |
| 2002.....  | 15,127   | 3            | 2         | 3          | 11          | 73          | 582         | 1,886       | 3,021       | 3,661       | 3,819       | 2,061             | 5              |
| 2001.....  | 15,378   | 2            | 1         | 1          | 19          | 105         | 601         | 1,864       | 2,928       | 3,867       | 3,925       | 2,059             | 6              |
| 2000.....  | 15,075   | 1            | -         | -          | 8           | 91          | 575         | 1,774       | 2,915       | 3,784       | 3,825       | 2,098             | 4              |
| 1999.....  | 15,384   | 1            | -         | 2          | 14          | 87          | 648         | 1,800       | 2,931       | 4,006       | 3,739       | 2,148             | 8              |

Worktable Orig290F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2007

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data - mortality"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, sex, and year | All ages | Under 1 year | 1-4 years | 5-14 years | 15-24 years | 25-34 years | 35-44 years | 45-54 years | 55-64 years | 65-74 years | 75-84 years | 85 years and over | Age not stated |
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|
| Other forms of chronic ischemic heart disease (I20,I25)  |          |              |           |            |             |             |             |             |             |             |             |                   |                |
| Non-Hispanic black, female   |          |              |           |            |             |             |             |             |             |             |             |                   |                |
| 2007 2/.....   | 13,401   | 1            | -         | -          | 7           | 34          | 205         | 903         | 1,593       | 2,314       | 3,651       | 4,692             | 1              |
| 2006 2/.....   | 14,033   | 3            | -         | -          | 5           | 38          | 266         | 942         | 1,640       | 2,390       | 3,941       | 4,807             | 1              |
| 2005 2/.....   | 14,646   | 1            | -         | -          | 6           | 30          | 258         | 911         | 1,724       | 2,492       | 4,237       | 4,984             | 3              |
| 2004 2/.....   | 14,873   | -            | 1         | 3          | 6           | 44          | 273         | 943         | 1,617       | 2,670       | 4,314       | 5,002             | -              |
| 2003 2/.....   | 15,633   | -            | 1         | 4          | 7           | 40          | 256         | 911         | 1,717       | 2,810       | 4,505       | 5,382             | -              |
| 2002.....  | 15,790   | 1            | -         | -          | 4           | 43          | 284         | 945         | 1,605       | 2,844       | 4,694       | 5,367             | 3              |
| 2001.....  | 16,065   | 2            | 2         | -          | 9           | 42          | 272         | 860         | 1,673       | 2,972       | 4,739       | 5,493             | 1              |
| 2000.....  | 16,201   | 1            | -         | -          | 4           | 41          | 294         | 863         | 1,659       | 3,195       | 4,698       | 5,443             | 3              |
| 1999.....  | 16,435   | 1            | 1         | 1          | 11          | 37          | 298         | 836         | 1,666       | 3,288       | 4,798       | 5,497             | 1              |
| Origin not stated 3/, both sexes   |          |              |           |            |             |             |             |             |             |             |             |                   |                |
| 2007.....  | 509      | -            | -         | -          | -           | 1           | 14          | 38          | 106         | 110         | 127         | 109               | 4              |
| 2006.....  | 607      | -            | -         | -          | -           | 3           | 10          | 47          | 108         | 141         | 151         | 143               | 4              |
| 2005.....  | 652      | -            | -         | -          | -           | 1           | 10          | 41          | 104         | 124         | 205         | 164               | 3              |
| 2004.....  | 807      | -            | -         | -          | -           | 1           | 19          | 59          | 121         | 185         | 227         | 190               | 5              |
| 2003.....  | 1,063    | -            | -         | -          | 1           | 3           | 21          | 70          | 174         | 203         | 312         | 274               | 5              |
| 2002.....  | 1,340    | -            | -         | -          | -           | 7           | 17          | 92          | 176         | 265         | 376         | 400               | 7              |
| 2001.....  | 1,220    | 1            | -         | -          | 1           | 2           | 17          | 76          | 151         | 230         | 377         | 352               | 13             |
| 2000.....  | 1,398    | -            | -         | -          | -           | 5           | 29          | 96          | 185         | 278         | 400         | 395               | 10             |
| 1999.....  | 1,444    | -            | -         | -          | 1           | 1           | 24          | 85          | 168         | 299         | 441         | 420               | 5              |

Worktable Orig290F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2007

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data - mortality"]

---

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, sex, and year

|  | All ages | Under 1 year | 1-4 years | 5-14 years | 15-24 years | 25-34 years | 35-44 years | 45-54 years | 55-64 years | 65-74 years | 75-84 years | 85 years and over | Age not stated |
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|

---

Other forms of chronic ischemic heart disease (I20,I25)

Origin not stated 3/, male

|           |     |   |   |   |   |   |    |    |     |     |     |     |   |
|-----------|-----|---|---|---|---|---|----|----|-----|-----|-----|-----|---|
| 2007..... | 328 | - | - | - | - | 1 | 12 | 31 | 79  | 82  | 76  | 43  | 4 |
| 2006..... | 387 | - | - | - | - | 2 | 6  | 40 | 84  | 101 | 93  | 58  | 3 |
| 2005..... | 387 | - | - | - | - | 1 | 8  | 35 | 73  | 93  | 120 | 56  | 1 |
| 2004..... | 491 | - | - | - | - | 1 | 12 | 45 | 91  | 130 | 138 | 69  | 5 |
| 2003..... | 624 | - | - | - | 1 | 2 | 16 | 55 | 132 | 143 | 172 | 98  | 5 |
| 2002..... | 776 | - | - | - | - | 6 | 13 | 77 | 140 | 185 | 212 | 136 | 7 |
| 2001..... | 681 | 1 | - | - | 1 | 2 | 12 | 61 | 125 | 156 | 211 | 104 | 8 |
| 2000..... | 812 | - | - | - | - | 3 | 26 | 84 | 144 | 202 | 212 | 134 | 7 |
| 1999..... | 817 | - | - | - | - | 1 | 21 | 69 | 136 | 218 | 222 | 145 | 5 |

Origin not stated 3/, female

|           |     |   |   |   |   |   |   |    |    |    |     |     |   |
|-----------|-----|---|---|---|---|---|---|----|----|----|-----|-----|---|
| 2007..... | 181 | - | - | - | - | - | 2 | 7  | 27 | 28 | 51  | 66  | - |
| 2006..... | 220 | - | - | - | - | 1 | 4 | 7  | 24 | 40 | 58  | 85  | 1 |
| 2005..... | 265 | - | - | - | - | - | 2 | 6  | 31 | 31 | 85  | 108 | 2 |
| 2004..... | 316 | - | - | - | - | - | 7 | 14 | 30 | 55 | 89  | 121 | - |
| 2003..... | 439 | - | - | - | - | 1 | 5 | 15 | 42 | 60 | 140 | 176 | - |
| 2002..... | 564 | - | - | - | - | 1 | 4 | 15 | 36 | 80 | 164 | 264 | - |
| 2001..... | 539 | - | - | - | - | - | 5 | 15 | 26 | 74 | 166 | 248 | 5 |
| 2000..... | 586 | - | - | - | - | 2 | 3 | 12 | 41 | 76 | 188 | 261 | 3 |
| 1999..... | 627 | - | - | - | 1 | - | 3 | 16 | 32 | 81 | 219 | 275 | - |

Worktable Orig290F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2007

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data - mortality"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, sex, and year | All ages | Under 1 year | 1-4 years | 5-14 years | 15-24 years | 25-34 years | 35-44 years | 45-54 years | 55-64 years | 65-74 years | 75-84 years | 85 years and over | Age not stated |
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|
| Atherosclerotic cardiovascular disease, so described (I25.0)   |          |              |           |            |             |             |             |             |             |             |             |                   |                |
| All origins, both sexes  |          |              |           |            |             |             |             |             |             |             |             |                   |                |
| 2007.....  | 59,051   | 1            | -         | -          | 17          | 211         | 1,395       | 5,910       | 10,055      | 9,884       | 14,221      | 17,347            | 10             |
| 2006.....  | 61,030   | -            | -         | -          | 20          | 210         | 1,441       | 5,820       | 9,900       | 10,420      | 14,905      | 18,298            | 16             |
| 2005.....  | 62,799   | 1            | -         | -          | 16          | 182         | 1,420       | 5,884       | 9,565       | 10,246      | 16,286      | 19,182            | 17             |
| 2004.....  | 63,661   | -            | 1         | -          | 9           | 193         | 1,463       | 5,665       | 9,297       | 10,830      | 16,730      | 19,459            | 14             |
| 2003.....  | 67,232   | 2            | -         | -          | 16          | 211         | 1,488       | 5,684       | 9,110       | 11,494      | 18,339      | 20,874            | 14             |
| 2002.....  | 68,129   | 2            | -         | 1          | 17          | 181         | 1,515       | 5,366       | 8,793       | 11,817      | 18,618      | 21,796            | 23             |
| 2001.....  | 68,103   | -            | -         | -          | 20          | 179         | 1,457       | 5,047       | 8,438       | 12,005      | 19,196      | 21,736            | 25             |
| 2000.....  | 69,554   | 1            | -         | 1          | 15          | 144         | 1,376       | 4,980       | 8,242       | 12,567      | 19,545      | 22,664            | 19             |
| 1999.....  | 71,926   | -            | 1         | 1          | 13          | 160         | 1,488       | 4,737       | 8,383       | 13,395      | 20,321      | 23,403            | 24             |
| All origins, male  |          |              |           |            |             |             |             |             |             |             |             |                   |                |
| 2007.....  | 33,401   | 1            | -         | -          | 12          | 176         | 1,109       | 4,618       | 7,583       | 6,549       | 7,552       | 5,794             | 7              |
| 2006.....  | 34,157   | -            | -         | -          | 17          | 173         | 1,119       | 4,612       | 7,427       | 6,854       | 7,777       | 6,168             | 10             |
| 2005.....  | 34,453   | -            | -         | -          | 15          | 146         | 1,120       | 4,643       | 7,160       | 6,709       | 8,384       | 6,266             | 10             |
| 2004.....  | 34,574   | -            | -         | -          | 8           | 157         | 1,143       | 4,495       | 6,864       | 7,046       | 8,606       | 6,242             | 13             |
| 2003.....  | 36,042   | 2            | -         | -          | 12          | 181         | 1,157       | 4,552       | 6,694       | 7,422       | 9,333       | 6,677             | 12             |
| 2002.....  | 36,047   | 1            | -         | -          | 13          | 144         | 1,216       | 4,239       | 6,549       | 7,617       | 9,416       | 6,835             | 17             |
| 2001.....  | 35,440   | -            | -         | -          | 16          | 133         | 1,130       | 4,037       | 6,245       | 7,668       | 9,671       | 6,521             | 19             |
| 2000.....  | 35,896   | -            | -         | 1          | 12          | 115         | 1,099       | 3,977       | 6,125       | 8,069       | 9,725       | 6,758             | 15             |
| 1999.....  | 36,633   | -            | -         | 1          | 10          | 119         | 1,192       | 3,752       | 6,123       | 8,546       | 9,963       | 6,905             | 22             |

Worktable Orig290F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2007

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data - mortality"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, sex, and year | All ages | Under 1 year | 1-4 years | 5-14 years | 15-24 years | 25-34 years | 35-44 years | 45-54 years | 55-64 years | 65-74 years | 75-84 years | 85 years and over | Age not stated |
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|
| Atherosclerotic cardiovascular disease, so described (I25.0)   |          |              |           |            |             |             |             |             |             |             |             |                   |                |
| All origins, female  |          |              |           |            |             |             |             |             |             |             |             |                   |                |
| 2007.....  | 25,650   | -            | -         | -          | 5           | 35          | 286         | 1,292       | 2,472       | 3,335       | 6,669       | 11,553            | 3              |
| 2006.....  | 26,873   | -            | -         | -          | 3           | 37          | 322         | 1,208       | 2,473       | 3,566       | 7,128       | 12,130            | 6              |
| 2005.....  | 28,346   | 1            | -         | -          | 1           | 36          | 300         | 1,241       | 2,405       | 3,537       | 7,902       | 12,916            | 7              |
| 2004.....  | 29,087   | -            | 1         | -          | 1           | 36          | 320         | 1,170       | 2,433       | 3,784       | 8,124       | 13,217            | 1              |
| 2003.....  | 31,190   | -            | -         | -          | 4           | 30          | 331         | 1,132       | 2,416       | 4,072       | 9,006       | 14,197            | 2              |
| 2002.....  | 32,082   | 1            | -         | 1          | 4           | 37          | 299         | 1,127       | 2,244       | 4,200       | 9,202       | 14,961            | 6              |
| 2001.....  | 32,663   | -            | -         | -          | 4           | 46          | 327         | 1,010       | 2,193       | 4,337       | 9,525       | 15,215            | 6              |
| 2000.....  | 33,658   | 1            | -         | -          | 3           | 29          | 277         | 1,003       | 2,117       | 4,498       | 9,820       | 15,906            | 4              |
| 1999.....  | 35,293   | -            | 1         | -          | 3           | 41          | 296         | 985         | 2,260       | 4,849       | 10,358      | 16,498            | 2              |
| Hispanic, both sexes   |          |              |           |            |             |             |             |             |             |             |             |                   |                |
| 2007.....  | 3,233    | -            | -         | -          | 1           | 27          | 114         | 404         | 718         | 670         | 709         | 589               | 1              |
| 2006.....  | 3,426    | -            | -         | -          | 2           | 17          | 111         | 411         | 717         | 742         | 759         | 665               | 2              |
| 2005.....  | 3,491    | -            | -         | -          | 4           | 18          | 111         | 464         | 691         | 729         | 830         | 642               | 2              |
| 2004.....  | 3,277    | -            | -         | -          | 3           | 17          | 102         | 392         | 652         | 709         | 814         | 588               | -              |
| 2003.....  | 3,295    | -            | -         | -          | 3           | 21          | 93          | 374         | 614         | 700         | 798         | 689               | 3              |
| 2002.....  | 3,166    | 1            | -         | -          | 4           | 26          | 108         | 327         | 586         | 722         | 744         | 647               | 1              |
| 2001.....  | 3,150    | -            | -         | -          | 1           | 25          | 81          | 343         | 548         | 748         | 735         | 667               | 2              |
| 2000.....  | 2,953    | -            | -         | -          | 2           | 7           | 83          | 299         | 522         | 707         | 649         | 682               | 2              |
| 1999.....  | 3,063    | -            | -         | -          | 1           | 14          | 73          | 308         | 540         | 747         | 708         | 669               | 3              |



Worktable Orig290F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2007

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data - mortality"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, sex, and year | All ages | Under 1 year | 1-4 years | 5-14 years | 15-24 years | 25-34 years | 35-44 years | 45-54 years | 55-64 years | 65-74 years | 75-84 years | 85 years and over | Age not stated |
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|
| Atherosclerotic cardiovascular disease, so described (I25.0)   |          |              |           |            |             |             |             |             |             |             |             |                   |                |
| Hispanic, male   |          |              |           |            |             |             |             |             |             |             |             |                   |                |
| 2007.....  | 2,059    | -            | -         | -          | 1           | 24          | 97          | 319         | 554         | 479         | 362         | 223               | -              |
| 2006.....  | 2,175    | -            | -         | -          | 2           | 14          | 96          | 350         | 565         | 500         | 401         | 246               | 1              |
| 2005.....  | 2,246    | -            | -         | -          | 3           | 16          | 93          | 385         | 543         | 489         | 467         | 248               | 2              |
| 2004.....  | 2,098    | -            | -         | -          | 3           | 16          | 88          | 336         | 498         | 471         | 474         | 212               | -              |
| 2003.....  | 2,094    | -            | -         | -          | 3           | 20          | 80          | 327         | 482         | 480         | 442         | 258               | 2              |
| 2002.....  | 1,946    | -            | -         | -          | 3           | 24          | 89          | 270         | 461         | 475         | 375         | 248               | 1              |
| 2001.....  | 1,928    | -            | -         | -          | -           | 21          | 63          | 288         | 416         | 502         | 405         | 231               | 2              |
| 2000.....  | 1,794    | -            | -         | -          | 2           | 6           | 71          | 257         | 406         | 438         | 368         | 245               | 1              |
| 1999.....  | 1,847    | -            | -         | -          | 1           | 12          | 63          | 260         | 384         | 527         | 372         | 225               | 3              |
| Hispanic, female   |          |              |           |            |             |             |             |             |             |             |             |                   |                |
| 2007.....  | 1,174    | -            | -         | -          | -           | 3           | 17          | 85          | 164         | 191         | 347         | 366               | 1              |
| 2006.....  | 1,251    | -            | -         | -          | -           | 3           | 15          | 61          | 152         | 242         | 358         | 419               | 1              |
| 2005.....  | 1,245    | -            | -         | -          | 1           | 2           | 18          | 79          | 148         | 240         | 363         | 394               | -              |
| 2004.....  | 1,179    | -            | -         | -          | -           | 1           | 14          | 56          | 154         | 238         | 340         | 376               | -              |
| 2003.....  | 1,201    | -            | -         | -          | -           | 1           | 13          | 47          | 132         | 220         | 356         | 431               | 1              |
| 2002.....  | 1,220    | 1            | -         | -          | 1           | 2           | 19          | 57          | 125         | 247         | 369         | 399               | -              |
| 2001.....  | 1,222    | -            | -         | -          | 1           | 4           | 18          | 55          | 132         | 246         | 330         | 436               | -              |
| 2000.....  | 1,159    | -            | -         | -          | -           | 1           | 12          | 42          | 116         | 269         | 281         | 437               | 1              |
| 1999.....  | 1,216    | -            | -         | -          | -           | 2           | 10          | 48          | 156         | 220         | 336         | 444               | -              |

Worktable Orig290F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2007

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data - mortality"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, sex, and year | All ages | Under 1 year | 1-4 years | 5-14 years | 15-24 years | 25-34 years | 35-44 years | 45-54 years | 55-64 years | 65-74 years | 75-84 years | 85 years and over | Age not stated |
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|
| Atherosclerotic cardiovascular disease, so described (I25.0)   |          |              |           |            |             |             |             |             |             |             |             |                   |                |
| Non-Hispanic 1/, both sexes  |          |              |           |            |             |             |             |             |             |             |             |                   |                |
| 2007.....  | 55,559   | 1            | -         | -          | 16          | 184         | 1,276       | 5,482       | 9,274       | 9,146       | 13,452      | 16,721            | 7              |
| 2006.....  | 57,349   | -            | -         | -          | 18          | 190         | 1,323       | 5,384       | 9,119       | 9,606       | 14,088      | 17,610            | 11             |
| 2005.....  | 59,053   | 1            | -         | -          | 12          | 163         | 1,306       | 5,401       | 8,815       | 9,450       | 15,386      | 18,507            | 12             |
| 2004.....  | 60,067   | -            | 1         | -          | 6           | 176         | 1,354       | 5,248       | 8,587       | 10,032      | 15,836      | 18,817            | 10             |
| 2003.....  | 63,550   | 2            | -         | -          | 13          | 189         | 1,385       | 5,269       | 8,403       | 10,715      | 17,436      | 20,132            | 6              |
| 2002.....  | 64,528   | 1            | -         | 1          | 13          | 152         | 1,403       | 4,987       | 8,109       | 10,992      | 17,771      | 21,082            | 17             |
| 2001.....  | 64,534   | -            | -         | -          | 19          | 154         | 1,366       | 4,664       | 7,816       | 11,159      | 18,346      | 20,999            | 11             |
| 2000.....  | 66,141   | 1            | -         | 1          | 13          | 137         | 1,283       | 4,631       | 7,627       | 11,756      | 18,769      | 21,912            | 11             |
| 1999.....  | 68,373   | -            | 1         | 1          | 12          | 146         | 1,404       | 4,387       | 7,754       | 12,524      | 19,465      | 22,661            | 18             |
| Non-Hispanic 1/, male  |          |              |           |            |             |             |             |             |             |             |             |                   |                |
| 2007.....  | 31,155   | 1            | -         | -          | 11          | 152         | 1,008       | 4,278       | 6,978       | 6,018       | 7,151       | 5,553             | 5              |
| 2006.....  | 31,795   | -            | -         | -          | 15          | 157         | 1,018       | 4,241       | 6,808       | 6,301       | 7,336       | 5,912             | 7              |
| 2005.....  | 32,029   | -            | -         | -          | 12          | 129         | 1,024       | 4,241       | 6,570       | 6,167       | 7,876       | 6,003             | 7              |
| 2004.....  | 32,271   | -            | -         | -          | 5           | 141         | 1,050       | 4,140       | 6,323       | 6,511       | 8,083       | 6,009             | 9              |
| 2003.....  | 33,677   | 2            | -         | -          | 9           | 160         | 1,067       | 4,193       | 6,136       | 6,883       | 8,828       | 6,394             | 5              |
| 2002.....  | 33,809   | 1            | -         | -          | 10          | 118         | 1,124       | 3,927       | 6,004       | 7,076       | 8,977       | 6,561             | 11             |
| 2001.....  | 33,247   | -            | -         | -          | 16          | 112         | 1,059       | 3,717       | 5,770       | 7,093       | 9,200       | 6,270             | 10             |
| 2000.....  | 33,786   | -            | -         | 1          | 10          | 109         | 1,019       | 3,674       | 5,646       | 7,549       | 9,281       | 6,487             | 10             |
| 1999.....  | 34,451   | -            | -         | 1          | 9           | 107         | 1,118       | 3,457       | 5,663       | 7,922       | 9,504       | 6,654             | 16             |

Worktable Orig290F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2007

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data - mortality"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, sex, and year | All ages | Under 1 year | 1-4 years | 5-14 years | 15-24 years | 25-34 years | 35-44 years | 45-54 years | 55-64 years | 65-74 years | 75-84 years | 85 years and over | Age not stated |
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|
| Atherosclerotic cardiovascular disease, so described (I25.0)   |          |              |           |            |             |             |             |             |             |             |             |                   |                |
| Non-Hispanic 1/, female  |          |              |           |            |             |             |             |             |             |             |             |                   |                |
| 2007.....  | 24,404   | -            | -         | -          | 5           | 32          | 268         | 1,204       | 2,296       | 3,128       | 6,301       | 11,168            | 2              |
| 2006.....  | 25,554   | -            | -         | -          | 3           | 33          | 305         | 1,143       | 2,311       | 3,305       | 6,752       | 11,698            | 4              |
| 2005.....  | 27,024   | 1            | -         | -          | -           | 34          | 282         | 1,160       | 2,245       | 3,283       | 7,510       | 12,504            | 5              |
| 2004.....  | 27,796   | -            | 1         | -          | 1           | 35          | 304         | 1,108       | 2,264       | 3,521       | 7,753       | 12,808            | 1              |
| 2003.....  | 29,873   | -            | -         | -          | 4           | 29          | 318         | 1,076       | 2,267       | 3,832       | 8,608       | 13,738            | 1              |
| 2002.....  | 30,719   | -            | -         | 1          | 3           | 34          | 279         | 1,060       | 2,105       | 3,916       | 8,794       | 14,521            | 6              |
| 2001.....  | 31,287   | -            | -         | -          | 3           | 42          | 307         | 947         | 2,046       | 4,066       | 9,146       | 14,729            | 1              |
| 2000.....  | 32,355   | 1            | -         | -          | 3           | 28          | 264         | 957         | 1,981       | 4,207       | 9,488       | 15,425            | 1              |
| 1999.....  | 33,922   | -            | 1         | -          | 3           | 39          | 286         | 930         | 2,091       | 4,602       | 9,961       | 16,007            | 2              |
| Non-Hispanic white, both sexes   |          |              |           |            |             |             |             |             |             |             |             |                   |                |
| 2007 2/.....   | 45,326   | 1            | -         | -          | 9           | 117         | 939         | 4,080       | 7,034       | 7,035       | 11,262      | 14,842            | 7              |
| 2006 2/.....   | 46,634   | -            | -         | -          | 14          | 119         | 959         | 3,935       | 6,840       | 7,341       | 11,754      | 15,663            | 9              |
| 2005 2/.....   | 48,146   | -            | -         | -          | 10          | 106         | 961         | 3,948       | 6,498       | 7,273       | 12,868      | 16,475            | 7              |
| 2004 2/.....   | 49,197   | -            | -         | -          | 4           | 115         | 1,036       | 3,856       | 6,443       | 7,739       | 13,280      | 16,720            | 4              |
| 2003 2/.....   | 52,268   | 1            | -         | -          | 9           | 136         | 1,047       | 3,870       | 6,273       | 8,237       | 14,706      | 17,985            | 4              |
| 2002.....  | 53,161   | 1            | -         | 1          | 11          | 105         | 1,020       | 3,703       | 6,043       | 8,444       | 14,972      | 18,851            | 10             |
| 2001.....  | 53,031   | -            | -         | -          | 11          | 108         | 999         | 3,421       | 5,649       | 8,504       | 15,521      | 18,811            | 7              |
| 2000.....  | 54,544   | -            | -         | 1          | 11          | 95          | 944         | 3,407       | 5,537       | 9,079       | 15,871      | 19,591            | 8              |
| 1999.....  | 56,375   | -            | -         | 1          | 5           | 96          | 1,017       | 3,155       | 5,626       | 9,665       | 16,517      | 20,283            | 10             |

Worktable Orig290F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2007

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data - mortality"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, sex, and year | All ages | Under 1 year | 1-4 years | 5-14 years | 15-24 years | 25-34 years | 35-44 years | 45-54 years | 55-64 years | 65-74 years | 75-84 years | 85 years and over | Age not stated |
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|
| Atherosclerotic cardiovascular disease, so described (I25.0)   |          |              |           |            |             |             |             |             |             |             |             |                   |                |
| Non-Hispanic white, male   |          |              |           |            |             |             |             |             |             |             |             |                   |                |
| 2007 2/.....   | 25,224   | 1            | -         | -          | 6           | 93          | 757         | 3,263       | 5,386       | 4,711       | 6,038       | 4,964             | 5              |
| 2006 2/.....   | 25,538   | -            | -         | -          | 11          | 106         | 760         | 3,187       | 5,179       | 4,852       | 6,171       | 5,266             | 6              |
| 2005 2/.....   | 25,849   | -            | -         | -          | 10          | 81          | 782         | 3,191       | 4,948       | 4,791       | 6,621       | 5,422             | 3              |
| 2004 2/.....   | 26,188   | -            | -         | -          | 3           | 91          | 826         | 3,166       | 4,804       | 5,133       | 6,825       | 5,337             | 3              |
| 2003 2/.....   | 27,329   | 1            | -         | -          | 6           | 114         | 814         | 3,161       | 4,680       | 5,338       | 7,490       | 5,722             | 3              |
| 2002.....  | 27,493   | 1            | -         | -          | 8           | 84          | 844         | 3,008       | 4,559       | 5,526       | 7,583       | 5,874             | 6              |
| 2001.....  | 26,960   | -            | -         | -          | 8           | 82          | 794         | 2,809       | 4,291       | 5,496       | 7,849       | 5,625             | 6              |
| 2000.....  | 27,461   | -            | -         | 1          | 8           | 77          | 775         | 2,786       | 4,210       | 5,949       | 7,864       | 5,783             | 8              |
| 1999.....  | 27,943   | -            | -         | 1          | 5           | 73          | 838         | 2,558       | 4,208       | 6,227       | 8,097       | 5,928             | 8              |
| Non-Hispanic white, female   |          |              |           |            |             |             |             |             |             |             |             |                   |                |
| 2007 2/.....   | 20,102   | -            | -         | -          | 3           | 24          | 182         | 817         | 1,648       | 2,324       | 5,224       | 9,878             | 2              |
| 2006 2/.....   | 21,096   | -            | -         | -          | 3           | 13          | 199         | 748         | 1,661       | 2,489       | 5,583       | 10,397            | 3              |
| 2005 2/.....   | 22,297   | -            | -         | -          | -           | 25          | 179         | 757         | 1,550       | 2,482       | 6,247       | 11,053            | 4              |
| 2004 2/.....   | 23,009   | -            | -         | -          | 1           | 24          | 210         | 690         | 1,639       | 2,606       | 6,455       | 11,383            | 1              |
| 2003 2/.....   | 24,939   | -            | -         | -          | 3           | 22          | 233         | 709         | 1,593       | 2,899       | 7,216       | 12,263            | 1              |
| 2002.....  | 25,668   | -            | -         | 1          | 3           | 21          | 176         | 695         | 1,484       | 2,918       | 7,389       | 12,977            | 4              |
| 2001.....  | 26,071   | -            | -         | -          | 3           | 26          | 205         | 612         | 1,358       | 3,008       | 7,672       | 13,186            | 1              |
| 2000.....  | 27,083   | -            | -         | -          | 3           | 18          | 169         | 621         | 1,327       | 3,130       | 8,007       | 13,808            | -              |
| 1999.....  | 28,432   | -            | -         | -          | -           | 23          | 179         | 597         | 1,418       | 3,438       | 8,420       | 14,355            | 2              |

Worktable Orig290F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2007

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data - mortality"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, sex, and year | All ages | Under 1 year | 1-4 years | 5-14 years | 15-24 years | 25-34 years | 35-44 years | 45-54 years | 55-64 years | 65-74 years | 75-84 years | 85 years and over | Age not stated |
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|
| Atherosclerotic cardiovascular disease, so described (I25.0)   |          |              |           |            |             |             |             |             |             |             |             |                   |                |
| Non-Hispanic black, both sexes   |          |              |           |            |             |             |             |             |             |             |             |                   |                |
| 2007 2/.....   | 8,796    | -            | -         | -          | 6           | 54          | 272         | 1,240       | 1,974       | 1,848       | 1,827       | 1,575             | -              |
| 2006 2/.....   | 9,230    | -            | -         | -          | 4           | 57          | 314         | 1,277       | 1,988       | 1,955       | 1,999       | 1,634             | 2              |
| 2005 2/.....   | 9,442    | 1            | -         | -          | 1           | 41          | 296         | 1,278       | 2,036       | 1,893       | 2,152       | 1,740             | 4              |
| 2004 2/.....   | 9,497    | -            | 1         | -          | 2           | 49          | 271         | 1,244       | 1,893       | 2,036       | 2,226       | 1,769             | 6              |
| 2003 2/.....   | 9,764    | 1            | -         | -          | 3           | 46          | 281         | 1,213       | 1,880       | 2,157       | 2,344       | 1,838             | 1              |
| 2002.....  | 10,024   | -            | -         | -          | 2           | 39          | 333         | 1,156       | 1,844       | 2,258       | 2,466       | 1,919             | 7              |
| 2001.....  | 10,156   | -            | -         | -          | 7           | 38          | 324         | 1,115       | 1,927       | 2,361       | 2,472       | 1,909             | 3              |
| 2000.....  | 10,283   | 1            | -         | -          | 1           | 36          | 292         | 1,120       | 1,877       | 2,380       | 2,522       | 2,051             | 3              |
| 1999.....  | 10,643   | -            | 1         | -          | 7           | 41          | 358         | 1,105       | 1,904       | 2,553       | 2,593       | 2,073             | 8              |
| Non-Hispanic black, male   |          |              |           |            |             |             |             |             |             |             |             |                   |                |
| 2007 2/.....   | 5,070    | -            | -         | -          | 5           | 47          | 197         | 875         | 1,386       | 1,149       | 935         | 476               | -              |
| 2006 2/.....   | 5,314    | -            | -         | -          | 4           | 39          | 214         | 900         | 1,403       | 1,247       | 992         | 514               | 1              |
| 2005 2/.....   | 5,281    | -            | -         | -          | 1           | 33          | 202         | 901         | 1,404       | 1,203       | 1,059       | 475               | 3              |
| 2004 2/.....   | 5,231    | -            | -         | -          | 2           | 39          | 182         | 848         | 1,324       | 1,215       | 1,083       | 532               | 6              |
| 2003 2/.....   | 5,431    | 1            | -         | -          | 2           | 39          | 203         | 881         | 1,267       | 1,327       | 1,158       | 552               | 1              |
| 2002.....  | 5,483    | -            | -         | -          | 2           | 27          | 233         | 806         | 1,278       | 1,357       | 1,223       | 552               | 5              |
| 2001.....  | 5,476    | -            | -         | -          | 7           | 24          | 230         | 799         | 1,299       | 1,412       | 1,174       | 528               | 3              |
| 2000.....  | 5,528    | -            | -         | -          | 1           | 26          | 207         | 802         | 1,282       | 1,398       | 1,204       | 606               | 2              |
| 1999.....  | 5,692    | -            | -         | -          | 4           | 27          | 254         | 792         | 1,278       | 1,518       | 1,210       | 601               | 8              |

Worktable Orig290F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2007

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data - mortality"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, sex, and year | All ages | Under 1 year | 1-4 years | 5-14 years | 15-24 years | 25-34 years | 35-44 years | 45-54 years | 55-64 years | 65-74 years | 75-84 years | 85 years and over | Age not stated |
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|
| Atherosclerotic cardiovascular disease, so described (I25.0)   |          |              |           |            |             |             |             |             |             |             |             |                   |                |
| Non-Hispanic black, female   |          |              |           |            |             |             |             |             |             |             |             |                   |                |
| 2007 2/.....   | 3,726    | -            | -         | -          | 1           | 7           | 75          | 365         | 588         | 699         | 892         | 1,099             | -              |
| 2006 2/.....   | 3,916    | -            | -         | -          | -           | 18          | 100         | 377         | 585         | 708         | 1,007       | 1,120             | 1              |
| 2005 2/.....   | 4,161    | 1            | -         | -          | -           | 8           | 94          | 377         | 632         | 690         | 1,093       | 1,265             | 1              |
| 2004 2/.....   | 4,266    | -            | 1         | -          | -           | 10          | 89          | 396         | 569         | 821         | 1,143       | 1,237             | -              |
| 2003 2/.....   | 4,333    | -            | -         | -          | 1           | 7           | 78          | 332         | 613         | 830         | 1,186       | 1,286             | -              |
| 2002.....  | 4,541    | -            | -         | -          | -           | 12          | 100         | 350         | 566         | 901         | 1,243       | 1,367             | 2              |
| 2001.....  | 4,680    | -            | -         | -          | -           | 14          | 94          | 316         | 628         | 949         | 1,298       | 1,381             | -              |
| 2000.....  | 4,755    | 1            | -         | -          | -           | 10          | 85          | 318         | 595         | 982         | 1,318       | 1,445             | 1              |
| 1999.....  | 4,951    | -            | 1         | -          | 3           | 14          | 104         | 313         | 626         | 1,035       | 1,383       | 1,472             | -              |
| Origin not stated 3/, both sexes   |          |              |           |            |             |             |             |             |             |             |             |                   |                |
| 2007.....  | 259      | -            | -         | -          | -           | -           | 5           | 24          | 63          | 68          | 60          | 37                | 2              |
| 2006.....  | 255      | -            | -         | -          | -           | 3           | 7           | 25          | 64          | 72          | 58          | 23                | 3              |
| 2005.....  | 255      | -            | -         | -          | -           | 1           | 3           | 19          | 59          | 67          | 70          | 33                | 3              |
| 2004.....  | 317      | -            | -         | -          | -           | -           | 7           | 25          | 58          | 89          | 80          | 54                | 4              |
| 2003.....  | 387      | -            | -         | -          | -           | 1           | 10          | 41          | 93          | 79          | 105         | 53                | 5              |
| 2002.....  | 435      | -            | -         | -          | -           | 3           | 4           | 52          | 98          | 103         | 103         | 67                | 5              |
| 2001.....  | 419      | -            | -         | -          | -           | -           | 10          | 40          | 74          | 98          | 115         | 70                | 12             |
| 2000.....  | 460      | -            | -         | -          | -           | -           | 10          | 50          | 93          | 104         | 127         | 70                | 6              |
| 1999.....  | 490      | -            | -         | -          | -           | -           | 11          | 42          | 89          | 124         | 148         | 73                | 3              |

Worktable Orig290F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2007

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data - mortality"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, sex, and year | All ages | Under 1 year | 1-4 years | 5-14 years | 15-24 years | 25-34 years | 35-44 years | 45-54 years | 55-64 years | 65-74 years | 75-84 years | 85 years and over | Age not stated |
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|
| Atherosclerotic cardiovascular disease, so described (I25.0)   |          |              |           |            |             |             |             |             |             |             |             |                   |                |
| Origin not stated 3/, male   |          |              |           |            |             |             |             |             |             |             |             |                   |                |
| 2007.....  | 187      | -            | -         | -          | -           | -           | 4           | 21          | 51          | 52          | 39          | 18                | 2              |
| 2006.....  | 187      | -            | -         | -          | -           | 2           | 5           | 21          | 54          | 53          | 40          | 10                | 2              |
| 2005.....  | 178      | -            | -         | -          | -           | 1           | 3           | 17          | 47          | 53          | 41          | 15                | 1              |
| 2004.....  | 205      | -            | -         | -          | -           | -           | 5           | 19          | 43          | 64          | 49          | 21                | 4              |
| 2003.....  | 271      | -            | -         | -          | -           | 1           | 10          | 32          | 76          | 59          | 63          | 25                | 5              |
| 2002.....  | 292      | -            | -         | -          | -           | 2           | 3           | 42          | 84          | 66          | 64          | 26                | 5              |
| 2001.....  | 265      | -            | -         | -          | -           | -           | 8           | 32          | 59          | 73          | 66          | 20                | 7              |
| 2000.....  | 316      | -            | -         | -          | -           | -           | 9           | 46          | 73          | 82          | 76          | 26                | 4              |
| 1999.....  | 335      | -            | -         | -          | -           | -           | 11          | 35          | 76          | 97          | 87          | 26                | 3              |
| Origin not stated 3/, female   |          |              |           |            |             |             |             |             |             |             |             |                   |                |
| 2007.....  | 72       | -            | -         | -          | -           | -           | 1           | 3           | 12          | 16          | 21          | 19                | -              |
| 2006.....  | 68       | -            | -         | -          | -           | 1           | 2           | 4           | 10          | 19          | 18          | 13                | 1              |
| 2005.....  | 77       | -            | -         | -          | -           | -           | -           | 2           | 12          | 14          | 29          | 18                | 2              |
| 2004.....  | 112      | -            | -         | -          | -           | -           | 2           | 6           | 15          | 25          | 31          | 33                | -              |
| 2003.....  | 116      | -            | -         | -          | -           | -           | -           | 9           | 17          | 20          | 42          | 28                | -              |
| 2002.....  | 143      | -            | -         | -          | -           | 1           | 1           | 10          | 14          | 37          | 39          | 41                | -              |
| 2001.....  | 154      | -            | -         | -          | -           | -           | 2           | 8           | 15          | 25          | 49          | 50                | 5              |
| 2000.....  | 144      | -            | -         | -          | -           | -           | 1           | 4           | 20          | 22          | 51          | 44                | 2              |
| 1999.....  | 155      | -            | -         | -          | -           | -           | -           | 7           | 13          | 27          | 61          | 47                | -              |

Worktable Orig290F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2007

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data - mortality"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, sex, and year | All ages | Under 1 year | 1-4 years | 5-14 years | 15-24 years | 25-34 years | 35-44 years | 45-54 years | 55-64 years | 65-74 years | 75-84 years | 85 years and over | Age not stated |
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|
| All other forms of chronic ischemic heart disease (I20,I25.1-I25.9)  |          |              |           |            |             |             |             |             |             |             |             |                   |                |
| All origins, both sexes  |          |              |           |            |             |             |             |             |             |             |             |                   |                |
| 2007.....  | 210,240  | 11           | 4         | 10         | 77          | 420         | 2,313       | 8,637       | 17,595      | 28,962      | 63,281      | 88,923            | 7              |
| 2006.....  | 219,001  | 9            | 1         | 7          | 51          | 401         | 2,490       | 9,070       | 17,837      | 30,794      | 67,655      | 90,679            | 7              |
| 2005.....  | 228,319  | 1            | 4         | 6          | 64          | 429         | 2,624       | 9,005       | 18,166      | 32,595      | 71,765      | 93,652            | 8              |
| 2004.....  | 228,387  | 3            | 5         | 11         | 60          | 442         | 2,751       | 8,957       | 17,588      | 33,546      | 73,691      | 91,328            | 5              |
| 2003.....  | 239,074  | 7            | 5         | 11         | 66          | 447         | 2,867       | 8,980       | 18,097      | 35,884      | 77,086      | 95,615            | 9              |
| 2002.....  | 243,332  | 8            | 2         | 11         | 50          | 397         | 2,930       | 9,245       | 18,076      | 37,416      | 79,285      | 95,903            | 9              |
| 2001.....  | 245,978  | 8            | 7         | 11         | 72          | 448         | 2,807       | 8,902       | 17,843      | 39,433      | 80,533      | 95,901            | 13             |
| 2000.....  | 249,389  | 8            | 8         | 9          | 48          | 400         | 2,919       | 8,751       | 17,998      | 41,215      | 81,031      | 96,982            | 20             |
| 1999.....  | 255,047  | 11           | 1         | 9          | 61          | 414         | 2,933       | 8,963       | 18,140      | 43,330      | 83,409      | 97,768            | 8              |
| All origins, male  |          |              |           |            |             |             |             |             |             |             |             |                   |                |
| 2007.....  | 108,778  | 4            | 3         | 7          | 60          | 322         | 1,779       | 6,511       | 12,662      | 18,925      | 34,943      | 33,557            | 5              |
| 2006.....  | 112,248  | 6            | 1         | 4          | 41          | 324         | 1,891       | 6,828       | 12,735      | 19,825      | 37,168      | 33,420            | 5              |
| 2005.....  | 115,760  | 1            | 2         | 5          | 50          | 324         | 1,984       | 6,782       | 12,866      | 20,748      | 38,978      | 34,015            | 5              |
| 2004.....  | 114,754  | 1            | 1         | 5          | 45          | 337         | 2,051       | 6,708       | 12,411      | 21,315      | 39,763      | 32,112            | 5              |
| 2003.....  | 119,164  | 5            | 3         | 4          | 44          | 325         | 2,148       | 6,748       | 12,823      | 22,926      | 41,476      | 32,657            | 5              |
| 2002.....  | 121,116  | 6            | 2         | 10         | 37          | 293         | 2,227       | 7,067       | 12,821      | 23,865      | 42,460      | 32,322            | 6              |
| 2001.....  | 120,970  | 5            | 1         | 8          | 49          | 354         | 2,133       | 6,716       | 12,583      | 25,048      | 42,733      | 31,332            | 8              |
| 2000.....  | 122,623  | 6            | 5         | 4          | 33          | 307         | 2,230       | 6,690       | 12,691      | 26,264      | 42,945      | 31,435            | 13             |
| 1999.....  | 124,801  | 6            | 1         | 8          | 40          | 310         | 2,245       | 6,831       | 12,656      | 27,523      | 43,976      | 31,198            | 7              |



Worktable Orig290F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2007

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data - mortality"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, sex, and year | All ages | Under 1 year | 1-4 years | 5-14 years | 15-24 years | 25-34 years | 35-44 years | 45-54 years | 55-64 years | 65-74 years | 75-84 years | 85 years and over | Age not stated |
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|
| All other forms of chronic ischemic heart disease (I20,I25.1-I25.9)  |          |              |           |            |             |             |             |             |             |             |             |                   |                |
| All origins, female  |          |              |           |            |             |             |             |             |             |             |             |                   |                |
| 2007.....  | 101,462  | 7            | 1         | 3          | 17          | 98          | 534         | 2,126       | 4,933       | 10,037      | 28,338      | 55,366            | 2              |
| 2006.....  | 106,753  | 3            | -         | 3          | 10          | 77          | 599         | 2,242       | 5,102       | 10,969      | 30,487      | 57,259            | 2              |
| 2005.....  | 112,559  | -            | 2         | 1          | 14          | 105         | 640         | 2,223       | 5,300       | 11,847      | 32,787      | 59,637            | 3              |
| 2004.....  | 113,633  | 2            | 4         | 6          | 15          | 105         | 700         | 2,249       | 5,177       | 12,231      | 33,928      | 59,216            | -              |
| 2003.....  | 119,910  | 2            | 2         | 7          | 22          | 122         | 719         | 2,232       | 5,274       | 12,958      | 35,610      | 62,958            | 4              |
| 2002.....  | 122,216  | 2            | -         | 1          | 13          | 104         | 703         | 2,178       | 5,255       | 13,551      | 36,825      | 63,581            | 3              |
| 2001.....  | 125,008  | 3            | 6         | 3          | 23          | 94          | 674         | 2,186       | 5,260       | 14,385      | 37,800      | 64,569            | 5              |
| 2000.....  | 126,766  | 2            | 3         | 5          | 15          | 93          | 689         | 2,061       | 5,307       | 14,951      | 38,086      | 65,547            | 7              |
| 1999.....  | 130,246  | 5            | -         | 1          | 21          | 104         | 688         | 2,132       | 5,484       | 15,807      | 39,433      | 66,570            | 1              |
| Hispanic, both sexes   |          |              |           |            |             |             |             |             |             |             |             |                   |                |
| 2007.....  | 10,314   | 2            | -         | 1          | 8           | 51          | 180         | 558         | 1,058       | 1,776       | 3,249       | 3,430             | 1              |
| 2006.....  | 10,443   | 1            | -         | 3          | 8           | 46          | 182         | 612         | 1,024       | 1,797       | 3,358       | 3,412             | -              |
| 2005.....  | 10,664   | -            | 2         | 2          | 6           | 44          | 215         | 516         | 1,018       | 1,992       | 3,464       | 3,403             | 2              |
| 2004.....  | 10,038   | 1            | -         | 1          | 7           | 42          | 195         | 511         | 969         | 1,902       | 3,222       | 3,187             | 1              |
| 2003.....  | 10,071   | 2            | 1         | 2          | 7           | 45          | 177         | 465         | 997         | 1,944       | 3,234       | 3,195             | 2              |
| 2002.....  | 10,080   | -            | -         | 1          | 6           | 27          | 156         | 534         | 996         | 2,048       | 3,117       | 3,195             | -              |
| 2001.....  | 10,048   | -            | -         | 3          | 11          | 38          | 147         | 464         | 930         | 2,085       | 3,156       | 3,214             | -              |
| 2000.....  | 9,616    | 1            | -         | 1          | 4           | 30          | 154         | 449         | 984         | 1,981       | 2,911       | 3,099             | 2              |
| 1999.....  | 9,662    | -            | -         | 1          | 6           | 41          | 150         | 485         | 991         | 2,038       | 2,853       | 3,095             | 2              |

Worktable Orig290F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2007

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data - mortality"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, sex, and year | All ages | Under 1 year | 1-4 years | 5-14 years | 15-24 years | 25-34 years | 35-44 years | 45-54 years | 55-64 years | 65-74 years | 75-84 years | 85 years and over | Age not stated |
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|
| All other forms of chronic ischemic heart disease (I20,I25.1-I25.9)  |          |              |           |            |             |             |             |             |             |             |             |                   |                |
| Hispanic, male   |          |              |           |            |             |             |             |             |             |             |             |                   |                |
| 2007.....  | 5,412    | 1            | -         | 1          | 7           | 45          | 150         | 451         | 763         | 1,088       | 1,671       | 1,235             | -              |
| 2006.....  | 5,448    | 1            | -         | 2          | 7           | 40          | 152         | 467         | 692         | 1,069       | 1,752       | 1,266             | -              |
| 2005.....  | 5,516    | -            | 2         | 2          | 5           | 38          | 184         | 390         | 688         | 1,207       | 1,791       | 1,207             | 2              |
| 2004.....  | 5,195    | -            | -         | 1          | 7           | 37          | 156         | 371         | 658         | 1,175       | 1,678       | 1,111             | 1              |
| 2003.....  | 5,036    | 1            | 1         | 2          | 6           | 35          | 133         | 343         | 660         | 1,179       | 1,655       | 1,019             | 2              |
| 2002.....  | 5,184    | -            | -         | 1          | 4           | 22          | 130         | 398         | 682         | 1,247       | 1,596       | 1,104             | -              |
| 2001.....  | 5,077    | -            | -         | 1          | 7           | 32          | 121         | 343         | 639         | 1,252       | 1,611       | 1,071             | -              |
| 2000.....  | 4,904    | 1            | -         | 1          | 2           | 25          | 125         | 350         | 672         | 1,228       | 1,464       | 1,034             | 2              |
| 1999.....  | 4,895    | -            | -         | 1          | 4           | 33          | 130         | 387         | 680         | 1,211       | 1,417       | 1,030             | 2              |
| Hispanic, female   |          |              |           |            |             |             |             |             |             |             |             |                   |                |
| 2007.....  | 4,902    | 1            | -         | -          | 1           | 6           | 30          | 107         | 295         | 688         | 1,578       | 2,195             | 1              |
| 2006.....  | 4,995    | -            | -         | 1          | 1           | 6           | 30          | 145         | 332         | 728         | 1,606       | 2,146             | -              |
| 2005.....  | 5,148    | -            | -         | -          | 1           | 6           | 31          | 126         | 330         | 785         | 1,673       | 2,196             | -              |
| 2004.....  | 4,843    | 1            | -         | -          | -           | 5           | 39          | 140         | 311         | 727         | 1,544       | 2,076             | -              |
| 2003.....  | 5,035    | 1            | -         | -          | 1           | 10          | 44          | 122         | 337         | 765         | 1,579       | 2,176             | -              |
| 2002.....  | 4,896    | -            | -         | -          | 2           | 5           | 26          | 136         | 314         | 801         | 1,521       | 2,091             | -              |
| 2001.....  | 4,971    | -            | -         | 2          | 4           | 6           | 26          | 121         | 291         | 833         | 1,545       | 2,143             | -              |
| 2000.....  | 4,712    | -            | -         | -          | 2           | 5           | 29          | 99          | 312         | 753         | 1,447       | 2,065             | -              |
| 1999.....  | 4,767    | -            | -         | -          | 2           | 8           | 20          | 98          | 311         | 827         | 1,436       | 2,065             | -              |

Worktable Orig290F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2007

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data - mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, sex, and year

|  | All ages | Under 1 year | 1-4 years | 5-14 years | 15-24 years | 25-34 years | 35-44 years | 45-54 years | 55-64 years | 65-74 years | 75-84 years | 85 years and over | Age not stated |
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|

All other forms of chronic ischemic heart disease (I20,I25.1-I25.9)

| Non-Hispanic 1/, both sexes |         |    |   |    |    |     |       |       |        |        |        |        |    |
|-----------------------------|---------|----|---|----|----|-----|-------|-------|--------|--------|--------|--------|----|
| 2007.....                   | 199,676 | 9  | 4 | 9  | 69 | 368 | 2,124 | 8,065 | 16,494 | 27,144 | 59,965 | 85,421 | 4  |
| 2006.....                   | 208,206 | 8  | 1 | 4  | 43 | 355 | 2,305 | 8,436 | 16,769 | 28,928 | 64,204 | 87,147 | 6  |
| 2005.....                   | 217,258 | 1  | 2 | 4  | 58 | 385 | 2,402 | 8,467 | 17,103 | 30,546 | 68,166 | 90,118 | 6  |
| 2004.....                   | 217,859 | 2  | 5 | 10 | 53 | 399 | 2,544 | 8,412 | 16,556 | 31,548 | 70,322 | 88,005 | 3  |
| 2003.....                   | 228,327 | 5  | 4 | 9  | 58 | 400 | 2,679 | 8,486 | 17,019 | 33,816 | 73,645 | 92,199 | 7  |
| 2002.....                   | 232,347 | 8  | 2 | 10 | 44 | 366 | 2,761 | 8,671 | 17,002 | 35,206 | 75,895 | 92,375 | 7  |
| 2001.....                   | 235,129 | 7  | 7 | 8  | 60 | 408 | 2,653 | 8,402 | 16,836 | 37,216 | 77,115 | 92,405 | 12 |
| 2000.....                   | 238,835 | 7  | 8 | 8  | 44 | 365 | 2,746 | 8,256 | 16,922 | 39,060 | 77,847 | 93,558 | 14 |
| 1999.....                   | 244,431 | 11 | 1 | 8  | 54 | 372 | 2,770 | 8,435 | 17,070 | 41,117 | 80,263 | 94,326 | 4  |
| Non-Hispanic 1/, male       |         |    |   |    |    |     |       |       |        |        |        |        |    |
| 2007.....                   | 103,225 | 3  | 3 | 6  | 53 | 276 | 1,621 | 6,050 | 11,871 | 17,807 | 33,235 | 32,297 | 3  |
| 2006.....                   | 106,600 | 5  | 1 | 2  | 34 | 284 | 1,738 | 6,342 | 12,013 | 18,708 | 35,363 | 32,106 | 4  |
| 2005.....                   | 110,035 | 1  | - | 3  | 45 | 286 | 1,795 | 6,374 | 12,152 | 19,501 | 37,108 | 32,767 | 3  |
| 2004.....                   | 109,273 | 1  | 1 | 4  | 38 | 299 | 1,888 | 6,311 | 11,705 | 20,074 | 37,996 | 30,953 | 3  |
| 2003.....                   | 113,775 | 4  | 2 | 2  | 37 | 289 | 2,009 | 6,382 | 12,107 | 21,663 | 39,712 | 31,565 | 3  |
| 2002.....                   | 115,448 | 6  | 2 | 9  | 33 | 267 | 2,087 | 6,634 | 12,083 | 22,499 | 40,716 | 31,108 | 4  |
| 2001.....                   | 115,477 | 4  | 1 | 7  | 41 | 320 | 2,008 | 6,344 | 11,878 | 23,713 | 40,977 | 30,177 | 7  |
| 2000.....                   | 117,223 | 5  | 5 | 3  | 31 | 279 | 2,088 | 6,302 | 11,948 | 24,916 | 41,345 | 30,293 | 8  |
| 1999.....                   | 119,424 | 6  | 1 | 7  | 36 | 276 | 2,105 | 6,410 | 11,916 | 26,191 | 42,424 | 30,049 | 3  |

Worktable Orig290F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2007

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data - mortality"]

---

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, sex, and year

|  | All ages | Under 1 year | 1-4 years | 5-14 years | 15-24 years | 25-34 years | 35-44 years | 45-54 years | 55-64 years | 65-74 years | 75-84 years | 85 years and over | Age not stated |
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|

---

All other forms of chronic ischemic heart disease (I20,I25.1-I25.9)

| Non-Hispanic 1/, female |         |   |   |   |    |     |     |       |       |        |        |        |   |
|-------------------------|---------|---|---|---|----|-----|-----|-------|-------|--------|--------|--------|---|
| 2007.....               | 96,451  | 6 | 1 | 3 | 16 | 92  | 503 | 2,015 | 4,623 | 9,337  | 26,730 | 53,124 | 1 |
| 2006.....               | 101,606 | 3 | - | 2 | 9  | 71  | 567 | 2,094 | 4,756 | 10,220 | 28,841 | 55,041 | 2 |
| 2005.....               | 107,223 | - | 2 | 1 | 13 | 99  | 607 | 2,093 | 4,951 | 11,045 | 31,058 | 57,351 | 3 |
| 2004.....               | 108,586 | 1 | 4 | 6 | 15 | 100 | 656 | 2,101 | 4,851 | 11,474 | 32,326 | 57,052 | - |
| 2003.....               | 114,552 | 1 | 2 | 7 | 21 | 111 | 670 | 2,104 | 4,912 | 12,153 | 33,933 | 60,634 | 4 |
| 2002.....               | 116,899 | 2 | - | 1 | 11 | 99  | 674 | 2,037 | 4,919 | 12,707 | 35,179 | 61,267 | 3 |
| 2001.....               | 119,652 | 3 | 6 | 1 | 19 | 88  | 645 | 2,058 | 4,958 | 13,503 | 36,138 | 62,228 | 5 |
| 2000.....               | 121,612 | 2 | 3 | 5 | 13 | 86  | 658 | 1,954 | 4,974 | 14,144 | 36,502 | 63,265 | 6 |
| 1999.....               | 125,007 | 5 | - | 1 | 18 | 96  | 665 | 2,025 | 5,154 | 14,926 | 37,839 | 64,277 | 1 |

  

| Non-Hispanic white, both sexes |         |   |   |   |    |     |       |       |        |        |        |        |    |
|--------------------------------|---------|---|---|---|----|-----|-------|-------|--------|--------|--------|--------|----|
| 2007 2/.....                   | 176,256 | 5 | 2 | 7 | 43 | 259 | 1,590 | 6,250 | 13,215 | 22,631 | 53,480 | 78,772 | 2  |
| 2006 2/.....                   | 184,012 | 2 | 1 | 3 | 29 | 256 | 1,760 | 6,519 | 13,484 | 24,200 | 57,270 | 80,482 | 6  |
| 2005 2/.....                   | 192,699 | 1 | 2 | 4 | 34 | 285 | 1,818 | 6,508 | 13,821 | 25,716 | 61,065 | 83,441 | 4  |
| 2004 2/.....                   | 193,296 | 2 | 3 | 6 | 28 | 270 | 1,945 | 6,539 | 13,424 | 26,650 | 63,137 | 81,289 | 3  |
| 2003 2/.....                   | 202,818 | 4 | 2 | 3 | 36 | 281 | 2,042 | 6,598 | 13,808 | 28,619 | 66,196 | 85,223 | 6  |
| 2002.....                      | 207,175 | 3 | - | 7 | 28 | 267 | 2,146 | 6,751 | 13,776 | 30,132 | 68,477 | 85,582 | 6  |
| 2001.....                      | 209,860 | 3 | 4 | 7 | 35 | 286 | 2,028 | 6,573 | 13,753 | 31,917 | 69,629 | 85,618 | 7  |
| 2000.....                      | 213,991 | 5 | 8 | 7 | 30 | 257 | 2,091 | 6,507 | 13,795 | 33,706 | 70,626 | 86,949 | 10 |
| 1999.....                      | 219,351 | 8 | 1 | 5 | 33 | 271 | 2,092 | 6,697 | 13,980 | 35,572 | 73,052 | 87,637 | 3  |

Worktable Orig290F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2007

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data - mortality"]

---

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, sex, and year

|  | All ages | Under 1 year | 1-4 years | 5-14 years | 15-24 years | 25-34 years | 35-44 years | 45-54 years | 55-64 years | 65-74 years | 75-84 years | 85 years and over | Age not stated |
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|

---

All other forms of chronic ischemic heart disease (I20,I25.1-I25.9)

| Non-Hispanic white, male   |         |   |   |   |    |     |       |       |        |        |        |        |   |
|----------------------------|---------|---|---|---|----|-----|-------|-------|--------|--------|--------|--------|---|
| 2007 2/.....               | 91,518  | 2 | 1 | 4 | 33 | 196 | 1,228 | 4,813 | 9,739  | 15,201 | 30,166 | 30,133 | 2 |
| 2006 2/.....               | 94,548  | 2 | 1 | 2 | 25 | 207 | 1,374 | 5,050 | 9,911  | 15,965 | 32,030 | 29,977 | 4 |
| 2005 2/.....               | 97,953  | 1 | - | 3 | 28 | 211 | 1,388 | 5,012 | 10,086 | 16,788 | 33,794 | 30,639 | 3 |
| 2004 2/.....               | 97,326  | 1 | 1 | 3 | 21 | 205 | 1,483 | 5,037 | 9,749  | 17,350 | 34,653 | 28,820 | 3 |
| 2003 2/.....               | 101,510 | 3 | 1 | 1 | 22 | 208 | 1,577 | 5,117 | 10,122 | 18,754 | 36,209 | 29,494 | 2 |
| 2002.....                  | 103,407 | 2 | - | 6 | 21 | 202 | 1,668 | 5,363 | 10,032 | 19,693 | 37,361 | 29,055 | 4 |
| 2001.....                  | 103,407 | 2 | - | 6 | 26 | 229 | 1,577 | 5,120 | 9,942  | 20,776 | 37,531 | 28,194 | 4 |
| 2000.....                  | 105,447 | 3 | 5 | 3 | 21 | 205 | 1,653 | 5,137 | 10,008 | 22,049 | 38,047 | 28,310 | 6 |
| 1999.....                  | 107,463 | 4 | 1 | 5 | 23 | 203 | 1,631 | 5,233 | 9,987  | 23,196 | 39,196 | 27,981 | 3 |
| Non-Hispanic white, female |         |   |   |   |    |     |       |       |        |        |        |        |   |
| 2007 2/.....               | 84,738  | 3 | 1 | 3 | 10 | 63  | 362   | 1,437 | 3,476  | 7,430  | 23,314 | 48,639 | - |
| 2006 2/.....               | 89,464  | - | - | 1 | 4  | 49  | 386   | 1,469 | 3,573  | 8,235  | 25,240 | 50,505 | 2 |
| 2005 2/.....               | 94,746  | - | 2 | 1 | 6  | 74  | 430   | 1,496 | 3,735  | 8,928  | 27,271 | 52,802 | 1 |
| 2004 2/.....               | 95,970  | 1 | 2 | 3 | 7  | 65  | 462   | 1,502 | 3,675  | 9,300  | 28,484 | 52,469 | - |
| 2003 2/.....               | 101,308 | 1 | 1 | 2 | 14 | 73  | 465   | 1,481 | 3,686  | 9,865  | 29,987 | 55,729 | 4 |
| 2002.....                  | 103,768 | 1 | - | 1 | 7  | 65  | 478   | 1,388 | 3,744  | 10,439 | 31,116 | 56,527 | 2 |
| 2001.....                  | 106,453 | 1 | 4 | 1 | 9  | 57  | 451   | 1,453 | 3,811  | 11,141 | 32,098 | 57,424 | 3 |
| 2000.....                  | 108,544 | 2 | 3 | 4 | 9  | 52  | 438   | 1,370 | 3,787  | 11,657 | 32,579 | 58,639 | 4 |
| 1999.....                  | 111,888 | 4 | - | - | 10 | 68  | 461   | 1,464 | 3,993  | 12,376 | 33,856 | 59,656 | - |

Worktable Orig290F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2007

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data - mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, sex, and year

|  | All ages | Under 1 year | 1-4 years | 5-14 years | 15-24 years | 25-34 years | 35-44 years | 45-54 years | 55-64 years | 65-74 years | 75-84 years | 85 years and over | Age not stated |
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|

All other forms of chronic ischemic heart disease (I20,I25.1-I25.9)

| Non-Hispanic black, both sexes |        |   |   |   |    |     |     |       |       |       |       |       |   |
|--------------------------------|--------|---|---|---|----|-----|-----|-------|-------|-------|-------|-------|---|
| 2007 2/.....                   | 18,859 | 2 | 1 | 1 | 24 | 94  | 427 | 1,597 | 2,795 | 3,685 | 5,121 | 5,111 | 1 |
| 2006 2/.....                   | 19,610 | 5 | - | - | 14 | 77  | 455 | 1,663 | 2,779 | 3,909 | 5,530 | 5,178 | - |
| 2005 2/.....                   | 20,083 | - | - | - | 18 | 79  | 498 | 1,696 | 2,844 | 3,973 | 5,751 | 5,222 | 2 |
| 2004 2/.....                   | 20,143 | - | - | 4 | 22 | 108 | 529 | 1,629 | 2,698 | 4,100 | 5,763 | 5,290 | - |
| 2003 2/.....                   | 21,153 | 1 | 2 | 5 | 19 | 93  | 526 | 1,661 | 2,779 | 4,398 | 6,095 | 5,574 | - |
| 2002.....                      | 20,893 | 4 | 2 | 3 | 13 | 77  | 533 | 1,675 | 2,782 | 4,247 | 6,047 | 5,509 | 1 |
| 2001.....                      | 21,287 | 4 | 3 | 1 | 21 | 109 | 549 | 1,609 | 2,674 | 4,478 | 6,192 | 5,643 | 4 |
| 2000.....                      | 20,993 | 1 | - | - | 11 | 96  | 577 | 1,517 | 2,697 | 4,599 | 6,001 | 5,490 | 4 |
| 1999.....                      | 21,176 | 2 | - | 3 | 18 | 83  | 588 | 1,531 | 2,693 | 4,741 | 5,944 | 5,572 | 1 |
| Non-Hispanic black, male       |        |   |   |   |    |     |     |       |       |       |       |       |   |
| 2007 2/.....                   | 9,184  | 1 | 1 | 1 | 18 | 67  | 297 | 1,059 | 1,790 | 2,070 | 2,362 | 1,518 | - |
| 2006 2/.....                   | 9,493  | 2 | - | - | 9  | 57  | 289 | 1,098 | 1,724 | 2,227 | 2,596 | 1,491 | - |
| 2005 2/.....                   | 9,598  | - | - | - | 12 | 57  | 334 | 1,162 | 1,752 | 2,171 | 2,607 | 1,503 | - |
| 2004 2/.....                   | 9,536  | - | - | 1 | 16 | 74  | 345 | 1,082 | 1,650 | 2,251 | 2,592 | 1,525 | - |
| 2003 2/.....                   | 9,853  | 1 | 1 | 1 | 13 | 60  | 348 | 1,082 | 1,675 | 2,418 | 2,776 | 1,478 | - |
| 2002.....                      | 9,644  | 3 | 2 | 3 | 9  | 46  | 349 | 1,080 | 1,743 | 2,304 | 2,596 | 1,509 | - |
| 2001.....                      | 9,902  | 2 | 1 | 1 | 12 | 81  | 371 | 1,065 | 1,629 | 2,455 | 2,751 | 1,531 | 3 |
| 2000.....                      | 9,547  | 1 | - | - | 7  | 65  | 368 | 972   | 1,633 | 2,386 | 2,621 | 1,492 | 2 |
| 1999.....                      | 9,692  | 1 | - | 2 | 10 | 60  | 394 | 1,008 | 1,653 | 2,488 | 2,529 | 1,547 | - |

Worktable Orig290F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2007

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data - mortality"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, sex, and year | All ages | Under 1 year | 1-4 years | 5-14 years | 15-24 years | 25-34 years | 35-44 years | 45-54 years | 55-64 years | 65-74 years | 75-84 years | 85 years and over | Age not stated |
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|

All other forms of chronic ischemic heart disease (I20,I25.1-I25.9)

| Non-Hispanic black, female       |        |   |   |   |   |    |     |     |       |       |       |       |   |
|----------------------------------|--------|---|---|---|---|----|-----|-----|-------|-------|-------|-------|---|
| 2007 2/.....                     | 9,675  | 1 | - | - | 6 | 27 | 130 | 538 | 1,005 | 1,615 | 2,759 | 3,593 | 1 |
| 2006 2/.....                     | 10,117 | 3 | - | - | 5 | 20 | 166 | 565 | 1,055 | 1,682 | 2,934 | 3,687 | - |
| 2005 2/.....                     | 10,485 | - | - | - | 6 | 22 | 164 | 534 | 1,092 | 1,802 | 3,144 | 3,719 | 2 |
| 2004 2/.....                     | 10,607 | - | - | 3 | 6 | 34 | 184 | 547 | 1,048 | 1,849 | 3,171 | 3,765 | - |
| 2003 2/.....                     | 11,300 | - | 1 | 4 | 6 | 33 | 178 | 579 | 1,104 | 1,980 | 3,319 | 4,096 | - |
| 2002.....                        | 11,249 | 1 | - | - | 4 | 31 | 184 | 595 | 1,039 | 1,943 | 3,451 | 4,000 | 1 |
| 2001.....                        | 11,385 | 2 | 2 | - | 9 | 28 | 178 | 544 | 1,045 | 2,023 | 3,441 | 4,112 | 1 |
| 2000.....                        | 11,446 | - | - | - | 4 | 31 | 209 | 545 | 1,064 | 2,213 | 3,380 | 3,998 | 2 |
| 1999.....                        | 11,484 | 1 | - | 1 | 8 | 23 | 194 | 523 | 1,040 | 2,253 | 3,415 | 4,025 | 1 |
| Origin not stated 3/, both sexes |        |   |   |   |   |    |     |     |       |       |       |       |   |
| 2007.....                        | 250    | - | - | - | - | 1  | 9   | 14  | 43    | 42    | 67    | 72    | 2 |
| 2006.....                        | 352    | - | - | - | - | -  | 3   | 22  | 44    | 69    | 93    | 120   | 1 |
| 2005.....                        | 397    | - | - | - | - | -  | 7   | 22  | 45    | 57    | 135   | 131   | - |
| 2004.....                        | 490    | - | - | - | - | 1  | 12  | 34  | 63    | 96    | 147   | 136   | 1 |
| 2003.....                        | 676    | - | - | - | 1 | 2  | 11  | 29  | 81    | 124   | 207   | 221   | - |
| 2002.....                        | 905    | - | - | - | - | 4  | 13  | 40  | 78    | 162   | 273   | 333   | 2 |
| 2001.....                        | 801    | 1 | - | - | 1 | 2  | 7   | 36  | 77    | 132   | 262   | 282   | 1 |
| 2000.....                        | 938    | - | - | - | - | 5  | 19  | 46  | 92    | 174   | 273   | 325   | 4 |
| 1999.....                        | 954    | - | - | - | 1 | 1  | 13  | 43  | 79    | 175   | 293   | 347   | 2 |

Worktable Orig290F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2007

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data - mortality"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, sex, and year | All ages | Under 1 year | 1-4 years | 5-14 years | 15-24 years | 25-34 years | 35-44 years | 45-54 years | 55-64 years | 65-74 years | 75-84 years | 85 years and over | Age not stated |
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|

All other forms of chronic ischemic heart disease (I20,I25.1-I25.9)

Origin not stated 3/, male

|           |     |   |   |   |   |   |    |    |    |     |     |     |   |
|-----------|-----|---|---|---|---|---|----|----|----|-----|-----|-----|---|
| 2007..... | 141 | - | - | - | - | 1 | 8  | 10 | 28 | 30  | 37  | 25  | 2 |
| 2006..... | 200 | - | - | - | - | - | 1  | 19 | 30 | 48  | 53  | 48  | 1 |
| 2005..... | 209 | - | - | - | - | - | 5  | 18 | 26 | 40  | 79  | 41  | - |
| 2004..... | 286 | - | - | - | - | 1 | 7  | 26 | 48 | 66  | 89  | 48  | 1 |
| 2003..... | 353 | - | - | - | 1 | 1 | 6  | 23 | 56 | 84  | 109 | 73  | - |
| 2002..... | 484 | - | - | - | - | 4 | 10 | 35 | 56 | 119 | 148 | 110 | 2 |
| 2001..... | 416 | 1 | - | - | 1 | 2 | 4  | 29 | 66 | 83  | 145 | 84  | 1 |
| 2000..... | 496 | - | - | - | - | 3 | 17 | 38 | 71 | 120 | 136 | 108 | 3 |
| 1999..... | 482 | - | - | - | - | 1 | 10 | 34 | 60 | 121 | 135 | 119 | 2 |

Origin not stated 3/, female

|           |     |   |   |   |   |   |   |   |    |    |     |     |   |
|-----------|-----|---|---|---|---|---|---|---|----|----|-----|-----|---|
| 2007..... | 109 | - | - | - | - | - | 1 | 4 | 15 | 12 | 30  | 47  | - |
| 2006..... | 152 | - | - | - | - | - | 2 | 3 | 14 | 21 | 40  | 72  | - |
| 2005..... | 188 | - | - | - | - | - | 2 | 4 | 19 | 17 | 56  | 90  | - |
| 2004..... | 204 | - | - | - | - | - | 5 | 8 | 15 | 30 | 58  | 88  | - |
| 2003..... | 323 | - | - | - | - | 1 | 5 | 6 | 25 | 40 | 98  | 148 | - |
| 2002..... | 421 | - | - | - | - | - | 3 | 5 | 22 | 43 | 125 | 223 | - |
| 2001..... | 385 | - | - | - | - | - | 3 | 7 | 11 | 49 | 117 | 198 | - |
| 2000..... | 442 | - | - | - | - | 2 | 2 | 8 | 21 | 54 | 137 | 217 | 1 |
| 1999..... | 472 | - | - | - | 1 | - | 3 | 9 | 19 | 54 | 158 | 228 | - |



Worktable Orig290F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2007

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data - mortality"]

---

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, sex, and year

|  | All ages | Under 1 year | 1-4 years | 5-14 years | 15-24 years | 25-34 years | 35-44 years | 45-54 years | 55-64 years | 65-74 years | 75-84 years | 85 years and over | Age not stated |
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|

---

Other heart diseases (I26-I51)

| All origins, both sexes |         |     |     |     |     |       |       |       |        |        |        |        |   |
|-------------------------|---------|-----|-----|-----|-----|-------|-------|-------|--------|--------|--------|--------|---|
| 2007.....               | 172,748 | 397 | 163 | 219 | 872 | 1,777 | 4,101 | 9,085 | 14,246 | 21,645 | 46,934 | 73,305 | 4 |
| 2006.....               | 170,248 | 320 | 154 | 231 | 873 | 1,903 | 4,135 | 9,164 | 14,030 | 21,240 | 47,065 | 71,126 | 7 |
| 2005.....               | 170,585 | 342 | 143 | 231 | 918 | 1,847 | 4,295 | 9,120 | 13,861 | 21,763 | 47,866 | 70,193 | 6 |
| 2004.....               | 166,275 | 406 | 174 | 221 | 855 | 1,719 | 4,284 | 8,952 | 13,134 | 21,905 | 47,853 | 66,765 | 7 |
| 2003.....               | 169,984 | 416 | 171 | 234 | 904 | 1,810 | 4,555 | 8,716 | 13,398 | 23,244 | 49,260 | 67,270 | 6 |
| 2002.....               | 169,540 | 473 | 157 | 227 | 836 | 1,808 | 4,620 | 8,711 | 12,946 | 23,680 | 49,776 | 66,300 | 6 |
| 2001.....               | 166,949 | 449 | 215 | 246 | 794 | 1,736 | 4,472 | 8,484 | 12,535 | 24,056 | 48,976 | 64,979 | 7 |
| 2000.....               | 165,428 | 457 | 168 | 248 | 853 | 1,749 | 4,457 | 8,087 | 12,362 | 24,679 | 48,367 | 63,993 | 8 |
| 1999.....               | 165,828 | 490 | 177 | 248 | 880 | 1,779 | 4,647 | 7,888 | 12,580 | 25,572 | 48,712 | 62,848 | 7 |

  

| All origins, male |        |     |     |     |     |       |       |       |       |        |        |        |   |
|-------------------|--------|-----|-----|-----|-----|-------|-------|-------|-------|--------|--------|--------|---|
| 2007.....         | 77,178 | 225 | 77  | 121 | 549 | 1,100 | 2,577 | 5,714 | 8,762 | 12,120 | 21,961 | 23,968 | 4 |
| 2006.....         | 75,221 | 169 | 84  | 130 | 555 | 1,217 | 2,540 | 5,793 | 8,550 | 11,806 | 21,780 | 22,591 | 6 |
| 2005.....         | 75,094 | 188 | 77  | 118 | 614 | 1,176 | 2,695 | 5,769 | 8,415 | 11,987 | 21,954 | 22,097 | 4 |
| 2004.....         | 73,196 | 218 | 90  | 111 | 555 | 1,075 | 2,642 | 5,661 | 8,071 | 12,033 | 21,960 | 20,774 | 6 |
| 2003.....         | 74,738 | 233 | 81  | 141 | 560 | 1,081 | 2,801 | 5,458 | 8,142 | 12,875 | 22,680 | 20,681 | 5 |
| 2002.....         | 74,230 | 249 | 82  | 125 | 557 | 1,138 | 2,860 | 5,550 | 7,771 | 12,991 | 22,771 | 20,133 | 3 |
| 2001.....         | 72,439 | 222 | 117 | 123 | 500 | 1,037 | 2,777 | 5,307 | 7,503 | 13,167 | 22,540 | 19,141 | 5 |
| 2000.....         | 72,122 | 238 | 98  | 150 | 518 | 1,049 | 2,746 | 5,151 | 7,532 | 13,621 | 22,006 | 19,008 | 5 |
| 1999.....         | 72,601 | 255 | 100 | 137 | 533 | 1,067 | 2,894 | 4,979 | 7,700 | 14,320 | 22,128 | 18,483 | 5 |

Worktable Orig290F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2007

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data - mortality"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, sex, and year | All ages | Under 1 year | 1-4 years | 5-14 years | 15-24 years | 25-34 years | 35-44 years | 45-54 years | 55-64 years | 65-74 years | 75-84 years | 85 years and over | Age not stated |
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|
| Other heart diseases (I26-I51)   |          |              |           |            |             |             |             |             |             |             |             |                   |                |
| All origins, female  |          |              |           |            |             |             |             |             |             |             |             |                   |                |
| 2007.....  | 95,570   | 172          | 86        | 98         | 323         | 677         | 1,524       | 3,371       | 5,484       | 9,525       | 24,973      | 49,337            | -              |
| 2006.....  | 95,027   | 151          | 70        | 101        | 318         | 686         | 1,595       | 3,371       | 5,480       | 9,434       | 25,285      | 48,535            | 1              |
| 2005.....  | 95,491   | 154          | 66        | 113        | 304         | 671         | 1,600       | 3,351       | 5,446       | 9,776       | 25,912      | 48,096            | 2              |
| 2004.....  | 93,079   | 188          | 84        | 110        | 300         | 644         | 1,642       | 3,291       | 5,063       | 9,872       | 25,893      | 45,991            | 1              |
| 2003.....  | 95,246   | 183          | 90        | 93         | 344         | 729         | 1,754       | 3,258       | 5,256       | 10,369      | 26,580      | 46,589            | 1              |
| 2002.....  | 95,310   | 224          | 75        | 102        | 279         | 670         | 1,760       | 3,161       | 5,175       | 10,689      | 27,005      | 46,167            | 3              |
| 2001.....  | 94,510   | 227          | 98        | 123        | 294         | 699         | 1,695       | 3,177       | 5,032       | 10,889      | 26,436      | 45,838            | 2              |
| 2000.....  | 93,306   | 219          | 70        | 98         | 335         | 700         | 1,711       | 2,936       | 4,830       | 11,058      | 26,361      | 44,985            | 3              |
| 1999.....  | 93,227   | 235          | 77        | 111        | 347         | 712         | 1,753       | 2,909       | 4,880       | 11,252      | 26,584      | 44,365            | 2              |
| Hispanic, both sexes   |          |              |           |            |             |             |             |             |             |             |             |                   |                |
| 2007.....  | 6,511    | 84           | 37        | 36         | 125         | 216         | 368         | 521         | 648         | 961         | 1,670       | 1,845             | -              |
| 2006.....  | 6,054    | 61           | 30        | 39         | 102         | 228         | 315         | 536         | 607         | 928         | 1,513       | 1,695             | -              |
| 2005.....  | 5,937    | 70           | 21        | 28         | 111         | 214         | 326         | 464         | 588         | 933         | 1,537       | 1,644             | 1              |
| 2004.....  | 5,467    | 77           | 36        | 28         | 108         | 177         | 326         | 460         | 549         | 893         | 1,427       | 1,386             | -              |
| 2003.....  | 5,612    | 72           | 33        | 26         | 98          | 209         | 311         | 433         | 621         | 945         | 1,417       | 1,447             | -              |
| 2002.....  | 5,152    | 81           | 23        | 27         | 102         | 188         | 298         | 416         | 507         | 857         | 1,318       | 1,335             | -              |
| 2001.....  | 4,899    | 75           | 31        | 33         | 86          | 179         | 268         | 370         | 516         | 856         | 1,206       | 1,277             | 2              |
| 2000.....  | 4,792    | 79           | 28        | 37         | 110         | 182         | 283         | 363         | 493         | 817         | 1,149       | 1,250             | 1              |
| 1999.....  | 4,687    | 92           | 33        | 34         | 99          | 176         | 309         | 345         | 501         | 815         | 1,102       | 1,180             | 1              |

Worktable Orig290F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2007

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data - mortality"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, sex, and year | All ages | Under 1 year | 1-4 years | 5-14 years | 15-24 years | 25-34 years | 35-44 years | 45-54 years | 55-64 years | 65-74 years | 75-84 years | 85 years and over | Age not stated |
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|
| <b>Other heart diseases (I26-I51)</b>  |          |              |           |            |             |             |             |             |             |             |             |                   |                |
| <b>Hispanic, male</b>  |          |              |           |            |             |             |             |             |             |             |             |                   |                |
| 2007.....  | 3,286    | 46           | 16        | 21         | 88          | 147         | 263         | 354         | 393         | 517         | 773         | 668               | -              |
| 2006.....  | 3,085    | 34           | 18        | 24         | 75          | 174         | 215         | 346         | 372         | 511         | 732         | 584               | -              |
| 2005.....  | 3,032    | 38           | 15        | 15         | 72          | 161         | 233         | 321         | 361         | 514         | 741         | 560               | 1              |
| 2004.....  | 2,780    | 39           | 23        | 11         | 83          | 139         | 231         | 313         | 334         | 473         | 676         | 458               | -              |
| 2003.....  | 2,805    | 40           | 17        | 15         | 68          | 135         | 217         | 281         | 367         | 515         | 661         | 489               | -              |
| 2002.....  | 2,587    | 39           | 11        | 12         | 76          | 135         | 195         | 260         | 296         | 484         | 626         | 453               | -              |
| 2001.....  | 2,401    | 40           | 14        | 17         | 57          | 119         | 185         | 252         | 296         | 456         | 556         | 407               | 2              |
| 2000.....  | 2,393    | 39           | 20        | 25         | 76          | 124         | 177         | 234         | 299         | 446         | 510         | 442               | 1              |
| 1999.....  | 2,392    | 40           | 20        | 21         | 60          | 128         | 208         | 225         | 298         | 466         | 513         | 412               | 1              |
| <b>Hispanic, female</b>  |          |              |           |            |             |             |             |             |             |             |             |                   |                |
| 2007.....  | 3,225    | 38           | 21        | 15         | 37          | 69          | 105         | 167         | 255         | 444         | 897         | 1,177             | -              |
| 2006.....  | 2,969    | 27           | 12        | 15         | 27          | 54          | 100         | 190         | 235         | 417         | 781         | 1,111             | -              |
| 2005.....  | 2,905    | 32           | 6         | 13         | 39          | 53          | 93          | 143         | 227         | 419         | 796         | 1,084             | -              |
| 2004.....  | 2,687    | 38           | 13        | 17         | 25          | 38          | 95          | 147         | 215         | 420         | 751         | 928               | -              |
| 2003.....  | 2,807    | 32           | 16        | 11         | 30          | 74          | 94          | 152         | 254         | 430         | 756         | 958               | -              |
| 2002.....  | 2,565    | 42           | 12        | 15         | 26          | 53          | 103         | 156         | 211         | 373         | 692         | 882               | -              |
| 2001.....  | 2,498    | 35           | 17        | 16         | 29          | 60          | 83          | 118         | 220         | 400         | 650         | 870               | -              |
| 2000.....  | 2,399    | 40           | 8         | 12         | 34          | 58          | 106         | 129         | 194         | 371         | 639         | 808               | -              |
| 1999.....  | 2,295    | 52           | 13        | 13         | 39          | 48          | 101         | 120         | 203         | 349         | 589         | 768               | -              |

Worktable Orig290F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2007

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data - mortality"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, sex, and year | All ages | Under 1 year | 1-4 years | 5-14 years | 15-24 years | 25-34 years | 35-44 years | 45-54 years | 55-64 years | 65-74 years | 75-84 years | 85 years and over | Age not stated |
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|
| <b>Other heart diseases (I26-I51)</b>  |          |              |           |            |             |             |             |             |             |             |             |                   |                |
| <b>Non-Hispanic 1/, both sexes</b>   |          |              |           |            |             |             |             |             |             |             |             |                   |                |
| 2007.....  | 166,042  | 310          | 126       | 183        | 747         | 1,558       | 3,725       | 8,541       | 13,568      | 20,655      | 45,230      | 71,396            | 3              |
| 2006.....  | 163,909  | 258          | 124       | 192        | 770         | 1,672       | 3,804       | 8,604       | 13,391      | 20,261      | 45,478      | 69,349            | 6              |
| 2005.....  | 164,389  | 272          | 122       | 202        | 807         | 1,628       | 3,957       | 8,624       | 13,234      | 20,791      | 46,264      | 68,483            | 5              |
| 2004.....  | 160,544  | 327          | 138       | 191        | 743         | 1,538       | 3,945       | 8,467       | 12,555      | 20,979      | 46,354      | 65,300            | 7              |
| 2003.....  | 163,998  | 342          | 137       | 207        | 802         | 1,594       | 4,225       | 8,249       | 12,731      | 22,243      | 47,750      | 65,714            | 4              |
| 2002.....  | 163,970  | 390          | 134       | 200        | 733         | 1,612       | 4,300       | 8,263       | 12,402      | 22,761      | 48,342      | 64,830            | 3              |
| 2001.....  | 161,625  | 372          | 183       | 213        | 701         | 1,550       | 4,184       | 8,077       | 11,980      | 23,137      | 47,661      | 63,564            | 3              |
| 2000.....  | 160,222  | 375          | 139       | 210        | 741         | 1,558       | 4,151       | 7,694       | 11,823      | 23,804      | 47,124      | 62,597            | 6              |
| 1999.....  | 160,711  | 397          | 143       | 213        | 779         | 1,594       | 4,317       | 7,520       | 12,030      | 24,685      | 47,496      | 61,532            | 5              |
| <b>Non-Hispanic 1/, male</b>   |          |              |           |            |             |             |             |             |             |             |             |                   |                |
| 2007.....  | 73,785   | 178          | 61        | 100        | 461         | 951         | 2,308       | 5,343       | 8,346       | 11,584      | 21,170      | 23,280            | 3              |
| 2006.....  | 71,988   | 135          | 66        | 106        | 480         | 1,041       | 2,316       | 5,429       | 8,159       | 11,262      | 21,009      | 21,980            | 5              |
| 2005.....  | 71,921   | 150          | 62        | 103        | 542         | 1,012       | 2,453       | 5,427       | 8,024       | 11,445      | 21,180      | 21,520            | 3              |
| 2004.....  | 70,276   | 178          | 67        | 98         | 470         | 932         | 2,403       | 5,330       | 7,713       | 11,541      | 21,247      | 20,291            | 6              |
| 2003.....  | 71,731   | 193          | 64        | 125        | 490         | 942         | 2,569       | 5,150       | 7,739       | 12,332      | 21,969      | 20,155            | 3              |
| 2002.....  | 71,455   | 209          | 71        | 113        | 480         | 999         | 2,649       | 5,268       | 7,454       | 12,472      | 22,089      | 19,649            | 2              |
| 2001.....  | 69,830   | 181          | 103       | 106        | 439         | 913         | 2,576       | 5,030       | 7,181       | 12,671      | 21,941      | 18,687            | 2              |
| 2000.....  | 69,547   | 197          | 78        | 125        | 441         | 921         | 2,554       | 4,900       | 7,203       | 13,138      | 21,460      | 18,527            | 3              |
| 1999.....  | 69,984   | 215          | 80        | 115        | 471         | 933         | 2,672       | 4,737       | 7,370       | 13,812      | 21,555      | 18,021            | 3              |

Worktable Orig290F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2007

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data - mortality"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, sex, and year | All ages | Under 1 year | 1-4 years | 5-14 years | 15-24 years | 25-34 years | 35-44 years | 45-54 years | 55-64 years | 65-74 years | 75-84 years | 85 years and over | Age not stated |
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|
| <b>Other heart diseases (I26-I51)</b>  |          |              |           |            |             |             |             |             |             |             |             |                   |                |
| <b>Non-Hispanic 1/, female</b>   |          |              |           |            |             |             |             |             |             |             |             |                   |                |
| 2007.....  | 92,257   | 132          | 65        | 83         | 286         | 607         | 1,417       | 3,198       | 5,222       | 9,071       | 24,060      | 48,116            | -              |
| 2006.....  | 91,921   | 123          | 58        | 86         | 290         | 631         | 1,488       | 3,175       | 5,232       | 8,999       | 24,469      | 47,369            | 1              |
| 2005.....  | 92,468   | 122          | 60        | 99         | 265         | 616         | 1,504       | 3,197       | 5,210       | 9,346       | 25,084      | 46,963            | 2              |
| 2004.....  | 90,268   | 149          | 71        | 93         | 273         | 606         | 1,542       | 3,137       | 4,842       | 9,438       | 25,107      | 45,009            | 1              |
| 2003.....  | 92,267   | 149          | 73        | 82         | 312         | 652         | 1,656       | 3,099       | 4,992       | 9,911       | 25,781      | 45,559            | 1              |
| 2002.....  | 92,515   | 181          | 63        | 87         | 253         | 613         | 1,651       | 2,995       | 4,948       | 10,289      | 26,253      | 45,181            | 1              |
| 2001.....  | 91,795   | 191          | 80        | 107        | 262         | 637         | 1,608       | 3,047       | 4,799       | 10,466      | 25,720      | 44,877            | 1              |
| 2000.....  | 90,675   | 178          | 61        | 85         | 300         | 637         | 1,597       | 2,794       | 4,620       | 10,666      | 25,664      | 44,070            | 3              |
| 1999.....  | 90,727   | 182          | 63        | 98         | 308         | 661         | 1,645       | 2,783       | 4,660       | 10,873      | 25,941      | 43,511            | 2              |
| <b>Non-Hispanic white, both sexes</b>  |          |              |           |            |             |             |             |             |             |             |             |                   |                |
| 2007 2/.....   | 142,820  | 154          | 71        | 113        | 461         | 928         | 2,399       | 5,902       | 10,162      | 16,627      | 39,993      | 66,007            | 3              |
| 2006 2/.....   | 141,348  | 132          | 75        | 122        | 491         | 979         | 2,474       | 5,954       | 10,114      | 16,436      | 40,311      | 64,256            | 4              |
| 2005 2/.....   | 141,522  | 154          | 66        | 115        | 505         | 944         | 2,593       | 5,931       | 9,910       | 16,892      | 41,043      | 63,365            | 4              |
| 2004 2/.....   | 138,350  | 202          | 74        | 116        | 473         | 916         | 2,572       | 5,820       | 9,510       | 17,192      | 41,172      | 60,299            | 4              |
| 2003 2/.....   | 141,413  | 186          | 77        | 132        | 495         | 941         | 2,768       | 5,698       | 9,649       | 18,137      | 42,620      | 60,707            | 3              |
| 2002.....  | 141,712  | 234          | 86        | 130        | 453         | 936         | 2,888       | 5,703       | 9,468       | 18,836      | 43,140      | 59,836            | 2              |
| 2001.....  | 139,716  | 219          | 103       | 140        | 422         | 937         | 2,696       | 5,631       | 9,132       | 19,171      | 42,486      | 58,776            | 3              |
| 2000.....  | 138,745  | 238          | 87        | 122        | 428         | 948         | 2,717       | 5,362       | 9,089       | 19,781      | 42,174      | 57,794            | 5              |
| 1999.....  | 138,869  | 240          | 87        | 140        | 495         | 972         | 2,814       | 5,238       | 9,108       | 20,529      | 42,406      | 56,837            | 3              |

Worktable Orig290F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2007

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data - mortality"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, sex, and year | All ages | Under 1 year | 1-4 years | 5-14 years | 15-24 years | 25-34 years | 35-44 years | 45-54 years | 55-64 years | 65-74 years | 75-84 years | 85 years and over | Age not stated |
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|
| <b>Other heart diseases (I26-I51)</b>  |          |              |           |            |             |             |             |             |             |             |             |                   |                |
| <b>Non-Hispanic white, male</b>  |          |              |           |            |             |             |             |             |             |             |             |                   |                |
| 2007 2/.....   | 62,599   | 88           | 28        | 61         | 268         | 581         | 1,475       | 3,783       | 6,333       | 9,443       | 18,876      | 21,660            | 3              |
| 2006 2/.....   | 61,152   | 67           | 39        | 69         | 315         | 618         | 1,516       | 3,812       | 6,252       | 9,236       | 18,819      | 20,406            | 3              |
| 2005 2/.....   | 61,136   | 82           | 38        | 63         | 339         | 604         | 1,652       | 3,851       | 6,113       | 9,375       | 18,999      | 20,017            | 3              |
| 2004 2/.....   | 59,673   | 110          | 35        | 63         | 301         | 561         | 1,622       | 3,769       | 5,932       | 9,613       | 18,968      | 18,696            | 3              |
| 2003 2/.....   | 61,119   | 102          | 32        | 82         | 298         | 576         | 1,737       | 3,644       | 5,970       | 10,234      | 19,773      | 18,669            | 2              |
| 2002.....  | 61,048   | 128          | 51        | 74         | 304         | 589         | 1,836       | 3,748       | 5,806       | 10,465      | 19,878      | 18,167            | 2              |
| 2001.....  | 59,513   | 116          | 58        | 72         | 261         | 555         | 1,731       | 3,637       | 5,562       | 10,653      | 19,627      | 17,239            | 2              |
| 2000.....  | 59,461   | 127          | 51        | 77         | 257         | 576         | 1,726       | 3,505       | 5,648       | 11,102      | 19,335      | 17,054            | 3              |
| 1999.....  | 59,549   | 136          | 51        | 73         | 291         | 580         | 1,809       | 3,395       | 5,680       | 11,656      | 19,365      | 16,511            | 2              |
| <b>Non-Hispanic white, female</b>  |          |              |           |            |             |             |             |             |             |             |             |                   |                |
| 2007 2/.....   | 80,221   | 66           | 43        | 52         | 193         | 347         | 924         | 2,119       | 3,829       | 7,184       | 21,117      | 44,347            | -              |
| 2006 2/.....   | 80,196   | 65           | 36        | 53         | 176         | 361         | 958         | 2,142       | 3,862       | 7,200       | 21,492      | 43,850            | 1              |
| 2005 2/.....   | 80,386   | 72           | 28        | 52         | 166         | 340         | 941         | 2,080       | 3,797       | 7,517       | 22,044      | 43,348            | 1              |
| 2004 2/.....   | 78,677   | 92           | 39        | 53         | 172         | 355         | 950         | 2,051       | 3,578       | 7,579       | 22,204      | 41,603            | 1              |
| 2003 2/.....   | 80,294   | 84           | 45        | 50         | 197         | 365         | 1,031       | 2,054       | 3,679       | 7,903       | 22,847      | 42,038            | 1              |
| 2002.....  | 80,664   | 106          | 35        | 56         | 149         | 347         | 1,052       | 1,955       | 3,662       | 8,371       | 23,262      | 41,669            | -              |
| 2001.....  | 80,203   | 103          | 45        | 68         | 161         | 382         | 965         | 1,994       | 3,570       | 8,518       | 22,859      | 41,537            | 1              |
| 2000.....  | 79,284   | 111          | 36        | 45         | 171         | 372         | 991         | 1,857       | 3,441       | 8,679       | 22,839      | 40,740            | 2              |
| 1999.....  | 79,320   | 104          | 36        | 67         | 204         | 392         | 1,005       | 1,843       | 3,428       | 8,873       | 23,041      | 40,326            | 1              |

Worktable Orig290F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2007

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data - mortality"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, sex, and year | All ages | Under 1 year | 1-4 years | 5-14 years | 15-24 years | 25-34 years | 35-44 years | 45-54 years | 55-64 years | 65-74 years | 75-84 years | 85 years and over | Age not stated |
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|
| <b>Other heart diseases (I26-I51)</b>  |          |              |           |            |             |             |             |             |             |             |             |                   |                |
| <b>Non-Hispanic black, both sexes</b>  |          |              |           |            |             |             |             |             |             |             |             |                   |                |
| 2007 2/.....   | 20,206   | 132          | 40        | 60         | 259         | 552         | 1,198       | 2,453       | 3,092       | 3,579       | 4,421       | 4,420             | -              |
| 2006 2/.....   | 19,633   | 107          | 42        | 57         | 249         | 628         | 1,208       | 2,425       | 2,965       | 3,356       | 4,405       | 4,189             | 2              |
| 2005 2/.....   | 19,938   | 98           | 44        | 72         | 270         | 619         | 1,248       | 2,471       | 2,975       | 3,429       | 4,491       | 4,220             | 1              |
| 2004 2/.....   | 19,469   | 97           | 59        | 69         | 236         | 546         | 1,265       | 2,448       | 2,771       | 3,362       | 4,451       | 4,162             | 3              |
| 2003 2/.....   | 19,861   | 125          | 49        | 66         | 273         | 586         | 1,346       | 2,373       | 2,795       | 3,659       | 4,375       | 4,213             | 1              |
| 2002.....  | 19,641   | 135          | 38        | 57         | 246         | 608         | 1,306       | 2,370       | 2,671       | 3,476       | 4,483       | 4,250             | 1              |
| 2001.....  | 19,496   | 130          | 70        | 63         | 252         | 567         | 1,370       | 2,264       | 2,608       | 3,522       | 4,508       | 4,142             | -              |
| 2000.....  | 19,159   | 113          | 46        | 72         | 278         | 559         | 1,314       | 2,168       | 2,485       | 3,616       | 4,358       | 4,149             | 1              |
| 1999.....  | 19,531   | 132          | 48        | 66         | 262         | 576         | 1,395       | 2,107       | 2,678       | 3,747       | 4,454       | 4,064             | 2              |
| <b>Non-Hispanic black, male</b>  |          |              |           |            |             |             |             |             |             |             |             |                   |                |
| 2007 2/.....   | 9,660    | 78           | 27        | 33         | 175         | 316         | 740         | 1,432       | 1,821       | 1,892       | 1,902       | 1,244             | -              |
| 2006 2/.....   | 9,378    | 58           | 25        | 32         | 145         | 380         | 716         | 1,469       | 1,714       | 1,766       | 1,846       | 1,225             | 2              |
| 2005 2/.....   | 9,358    | 59           | 18        | 35         | 184         | 370         | 728         | 1,445       | 1,699       | 1,801       | 1,855       | 1,164             | -              |
| 2004 2/.....   | 9,206    | 53           | 31        | 32         | 150         | 316         | 713         | 1,437       | 1,616       | 1,700       | 1,930       | 1,225             | 3              |
| 2003 2/.....   | 9,275    | 76           | 27        | 38         | 175         | 322         | 767         | 1,395       | 1,610       | 1,863       | 1,838       | 1,163             | 1              |
| 2002.....  | 9,038    | 72           | 16        | 30         | 151         | 363         | 738         | 1,402       | 1,490       | 1,772       | 1,854       | 1,150             | -              |
| 2001.....  | 9,070    | 59           | 39        | 31         | 160         | 327         | 768         | 1,279       | 1,483       | 1,766       | 1,978       | 1,180             | -              |
| 2000.....  | 8,883    | 56           | 24        | 39         | 158         | 313         | 747         | 1,295       | 1,410       | 1,802       | 1,833       | 1,206             | -              |
| 1999.....  | 9,258    | 66           | 27        | 38         | 166         | 331         | 797         | 1,247       | 1,545       | 1,936       | 1,870       | 1,234             | 1              |

Worktable Orig290F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2007

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data - mortality"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, sex, and year | All ages | Under 1 year | 1-4 years | 5-14 years | 15-24 years | 25-34 years | 35-44 years | 45-54 years | 55-64 years | 65-74 years | 75-84 years | 85 years and over | Age not stated |
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|
| <b>Other heart diseases (I26-I51)</b>  |          |              |           |            |             |             |             |             |             |             |             |                   |                |
| <b>Non-Hispanic black, female</b>  |          |              |           |            |             |             |             |             |             |             |             |                   |                |
| 2007 2/.....   | 10,546   | 54           | 13        | 27         | 84          | 236         | 458         | 1,021       | 1,271       | 1,687       | 2,519       | 3,176             | -              |
| 2006 2/.....   | 10,255   | 49           | 17        | 25         | 104         | 248         | 492         | 956         | 1,251       | 1,590       | 2,559       | 2,964             | -              |
| 2005 2/.....   | 10,580   | 39           | 26        | 37         | 86          | 249         | 520         | 1,026       | 1,276       | 1,628       | 2,636       | 3,056             | 1              |
| 2004 2/.....   | 10,263   | 44           | 28        | 37         | 86          | 230         | 552         | 1,011       | 1,155       | 1,662       | 2,521       | 2,937             | -              |
| 2003 2/.....   | 10,586   | 49           | 22        | 28         | 98          | 264         | 579         | 978         | 1,185       | 1,796       | 2,537       | 3,050             | -              |
| 2002.....  | 10,603   | 63           | 22        | 27         | 95          | 245         | 568         | 968         | 1,181       | 1,704       | 2,629       | 3,100             | 1              |
| 2001.....  | 10,426   | 71           | 31        | 32         | 92          | 240         | 602         | 985         | 1,125       | 1,756       | 2,530       | 2,962             | -              |
| 2000.....  | 10,276   | 57           | 22        | 33         | 120         | 246         | 567         | 873         | 1,075       | 1,814       | 2,525       | 2,943             | 1              |
| 1999.....  | 10,273   | 66           | 21        | 28         | 96          | 245         | 598         | 860         | 1,133       | 1,811       | 2,584       | 2,830             | 1              |
| <b>Origin not stated 3/, both sexes</b>  |          |              |           |            |             |             |             |             |             |             |             |                   |                |
| 2007.....  | 195      | 3            | -         | -          | -           | 3           | 8           | 23          | 30          | 29          | 34          | 64                | 1              |
| 2006.....  | 285      | 1            | -         | -          | 1           | 3           | 16          | 24          | 32          | 51          | 74          | 82                | 1              |
| 2005.....  | 259      | -            | -         | 1          | -           | 5           | 12          | 32          | 39          | 39          | 65          | 66                | -              |
| 2004.....  | 264      | 2            | -         | 2          | 4           | 4           | 13          | 25          | 30          | 33          | 72          | 79                | -              |
| 2003.....  | 374      | 2            | 1         | 1          | 4           | 7           | 19          | 34          | 46          | 56          | 93          | 109               | 2              |
| 2002.....  | 418      | 2            | -         | -          | 1           | 8           | 22          | 32          | 37          | 62          | 116         | 135               | 3              |
| 2001.....  | 425      | 2            | 1         | -          | 7           | 7           | 20          | 37          | 39          | 63          | 109         | 138               | 2              |
| 2000.....  | 414      | 3            | 1         | 1          | 2           | 9           | 23          | 30          | 46          | 58          | 94          | 146               | 1              |
| 1999.....  | 430      | 1            | 1         | 1          | 2           | 9           | 21          | 23          | 49          | 72          | 114         | 136               | 1              |



Worktable Orig290F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2007

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data - mortality"]

---

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, sex, and year

|  | All ages | Under 1 year | 1-4 years | 5-14 years | 15-24 years | 25-34 years | 35-44 years | 45-54 years | 55-64 years | 65-74 years | 75-84 years | 85 years and over | Age not stated |
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|

---

Other heart diseases (I26-I51)

| Origin not stated 3/, male |     |   |   |   |   |   |    |    |    |    |    |    |   |
|----------------------------|-----|---|---|---|---|---|----|----|----|----|----|----|---|
| 2007.....                  | 107 | 1 | - | - | - | 2 | 6  | 17 | 23 | 19 | 18 | 20 | 1 |
| 2006.....                  | 148 | - | - | - | - | 2 | 9  | 18 | 19 | 33 | 39 | 27 | 1 |
| 2005.....                  | 141 | - | - | - | - | 3 | 9  | 21 | 30 | 28 | 33 | 17 | - |
| 2004.....                  | 140 | 1 | - | 2 | 2 | 4 | 8  | 18 | 24 | 19 | 37 | 25 | - |
| 2003.....                  | 202 | - | - | 1 | 2 | 4 | 15 | 27 | 36 | 28 | 50 | 37 | 2 |
| 2002.....                  | 188 | 1 | - | - | 1 | 4 | 16 | 22 | 21 | 35 | 56 | 31 | 1 |
| 2001.....                  | 208 | 1 | - | - | 4 | 5 | 16 | 25 | 26 | 40 | 43 | 47 | 1 |
| 2000.....                  | 182 | 2 | - | - | 1 | 4 | 15 | 17 | 30 | 37 | 36 | 39 | 1 |
| 1999.....                  | 225 | - | - | 1 | 2 | 6 | 14 | 17 | 32 | 42 | 60 | 50 | 1 |

  

| Origin not stated 3/, female |     |   |   |   |   |   |   |    |    |    |    |     |   |
|------------------------------|-----|---|---|---|---|---|---|----|----|----|----|-----|---|
| 2007.....                    | 88  | 2 | - | - | - | 1 | 2 | 6  | 7  | 10 | 16 | 44  | - |
| 2006.....                    | 137 | 1 | - | - | 1 | 1 | 7 | 6  | 13 | 18 | 35 | 55  | - |
| 2005.....                    | 118 | - | - | 1 | - | 2 | 3 | 11 | 9  | 11 | 32 | 49  | - |
| 2004.....                    | 124 | 1 | - | - | 2 | - | 5 | 7  | 6  | 14 | 35 | 54  | - |
| 2003.....                    | 172 | 2 | 1 | - | 2 | 3 | 4 | 7  | 10 | 28 | 43 | 72  | - |
| 2002.....                    | 230 | 1 | - | - | - | 4 | 6 | 10 | 16 | 27 | 60 | 104 | 2 |
| 2001.....                    | 217 | 1 | 1 | - | 3 | 2 | 4 | 12 | 13 | 23 | 66 | 91  | 1 |
| 2000.....                    | 232 | 1 | 1 | 1 | 1 | 5 | 8 | 13 | 16 | 21 | 58 | 107 | - |
| 1999.....                    | 205 | 1 | 1 | - | - | 3 | 7 | 6  | 17 | 30 | 54 | 86  | - |

Worktable Orig290F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2007

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data - mortality"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, sex, and year | All ages | Under 1 year | 1-4 years | 5-14 years | 15-24 years | 25-34 years | 35-44 years | 45-54 years | 55-64 years | 65-74 years | 75-84 years | 85 years and over | Age not stated |
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|
| <b>Acute and subacute endocarditis (I33)</b>   |          |              |           |            |             |             |             |             |             |             |             |                   |                |
| <b>All origins, both sexes</b>   |          |              |           |            |             |             |             |             |             |             |             |                   |                |
| 2007.....  | 1,225    | 3            | 1         | 1          | 9           | 32          | 95          | 198         | 207         | 236         | 308         | 134               | 1              |
| 2006.....  | 1,216    | -            | 1         | 2          | 10          | 33          | 85          | 203         | 228         | 219         | 319         | 116               | -              |
| 2005.....  | 1,209    | 4            | -         | 3          | 8           | 28          | 78          | 173         | 198         | 234         | 328         | 155               | -              |
| 2004.....  | 1,196    | 1            | 1         | -          | 12          | 35          | 84          | 190         | 165         | 234         | 318         | 155               | 1              |
| 2003.....  | 1,245    | 1            | -         | 1          | 16          | 33          | 112         | 183         | 209         | 232         | 318         | 140               | -              |
| 2002.....  | 1,154    | 2            | 2         | 2          | 7           | 44          | 90          | 174         | 168         | 238         | 306         | 121               | -              |
| 2001.....  | 1,178    | 1            | -         | 3          | 8           | 29          | 117         | 186         | 160         | 247         | 316         | 111               | -              |
| 2000.....  | 1,172    | 3            | 1         | 3          | 13          | 40          | 116         | 186         | 165         | 224         | 302         | 119               | -              |
| 1999.....  | 1,116    | 2            | 1         | -          | 7           | 30          | 114         | 143         | 171         | 240         | 289         | 119               | -              |
| <b>All origins, male</b>   |          |              |           |            |             |             |             |             |             |             |             |                   |                |
| 2007.....  | 718      | 2            | 1         | 1          | 4           | 28          | 65          | 124         | 132         | 127         | 172         | 61                | 1              |
| 2006.....  | 660      | -            | -         | 1          | 4           | 18          | 51          | 140         | 142         | 120         | 145         | 39                | -              |
| 2005.....  | 695      | 3            | -         | -          | 5           | 20          | 51          | 113         | 125         | 124         | 173         | 81                | -              |
| 2004.....  | 659      | -            | -         | -          | 8           | 22          | 55          | 122         | 98          | 119         | 162         | 72                | 1              |
| 2003.....  | 682      | 1            | -         | 1          | 6           | 19          | 63          | 125         | 123         | 119         | 166         | 59                | -              |
| 2002.....  | 643      | 1            | 1         | 1          | 6           | 31          | 60          | 117         | 91          | 133         | 153         | 49                | -              |
| 2001.....  | 668      | 1            | -         | 1          | 5           | 17          | 62          | 129         | 95          | 132         | 177         | 49                | -              |
| 2000.....  | 665      | 2            | -         | 1          | 7           | 24          | 73          | 120         | 96          | 122         | 169         | 51                | -              |
| 1999.....  | 639      | 2            | 1         | -          | 3           | 24          | 75          | 103         | 103         | 118         | 154         | 56                | -              |

Worktable Orig290F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2007

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data - mortality"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, sex, and year | All ages | Under 1 year | 1-4 years | 5-14 years | 15-24 years | 25-34 years | 35-44 years | 45-54 years | 55-64 years | 65-74 years | 75-84 years | 85 years and over | Age not stated |
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|
| Acute and subacute endocarditis (I33)  |          |              |           |            |             |             |             |             |             |             |             |                   |                |
| All origins, female  |          |              |           |            |             |             |             |             |             |             |             |                   |                |
| 2007.....  | 507      | 1            | -         | -          | 5           | 4           | 30          | 74          | 75          | 109         | 136         | 73                | -              |
| 2006.....  | 556      | -            | 1         | 1          | 6           | 15          | 34          | 63          | 86          | 99          | 174         | 77                | -              |
| 2005.....  | 514      | 1            | -         | 3          | 3           | 8           | 27          | 60          | 73          | 110         | 155         | 74                | -              |
| 2004.....  | 537      | 1            | 1         | -          | 4           | 13          | 29          | 68          | 67          | 115         | 156         | 83                | -              |
| 2003.....  | 563      | -            | -         | -          | 10          | 14          | 49          | 58          | 86          | 113         | 152         | 81                | -              |
| 2002.....  | 511      | 1            | 1         | 1          | 1           | 13          | 30          | 57          | 77          | 105         | 153         | 72                | -              |
| 2001.....  | 510      | -            | -         | 2          | 3           | 12          | 55          | 57          | 65          | 115         | 139         | 62                | -              |
| 2000.....  | 507      | 1            | 1         | 2          | 6           | 16          | 43          | 66          | 69          | 102         | 133         | 68                | -              |
| 1999.....  | 477      | -            | -         | -          | 4           | 6           | 39          | 40          | 68          | 122         | 135         | 63                | -              |
| Hispanic, both sexes   |          |              |           |            |             |             |             |             |             |             |             |                   |                |
| 2007.....  | 79       | 1            | -         | -          | 2           | 3           | 17          | 22          | 11          | 6           | 15          | 2                 | -              |
| 2006.....  | 81       | -            | -         | 1          | 3           | 6           | 8           | 18          | 9           | 10          | 18          | 8                 | -              |
| 2005.....  | 80       | 1            | -         | -          | 3           | 5           | 12          | 8           | 18          | 15          | 15          | 3                 | -              |
| 2004.....  | 98       | -            | -         | -          | 2           | 6           | 19          | 18          | 18          | 15          | 16          | 4                 | -              |
| 2003.....  | 80       | 1            | -         | 1          | 3           | 4           | 10          | 17          | 12          | 16          | 13          | 3                 | -              |
| 2002.....  | 69       | 1            | 1         | -          | -           | 7           | 5           | 13          | 12          | 14          | 13          | 3                 | -              |
| 2001.....  | 56       | -            | -         | 1          | 1           | 6           | 8           | 10          | 9           | 9           | 10          | 2                 | -              |
| 2000.....  | 70       | -            | 1         | 1          | -           | 6           | 11          | 16          | 8           | 18          | 7           | 2                 | -              |
| 1999.....  | 63       | -            | 1         | -          | 2           | 6           | 10          | 7           | 10          | 13          | 12          | 2                 | -              |

Worktable Orig290F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2007

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data - mortality"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, sex, and year | All ages | Under 1 year | 1-4 years | 5-14 years | 15-24 years | 25-34 years | 35-44 years | 45-54 years | 55-64 years | 65-74 years | 75-84 years | 85 years and over | Age not stated |
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|
| Acute and subacute endocarditis (I33)  |          |              |           |            |             |             |             |             |             |             |             |                   |                |
| Hispanic, male   |          |              |           |            |             |             |             |             |             |             |             |                   |                |
| 2007.....  | 54       | 1            | -         | -          | 1           | 2           | 16          | 16          | 7           | 2           | 8           | 1                 | -              |
| 2006.....  | 50       | -            | -         | 1          | 3           | 3           | 6           | 14          | 7           | 8           | 6           | 2                 | -              |
| 2005.....  | 58       | 1            | -         | -          | 3           | 4           | 9           | 7           | 12          | 12          | 9           | 1                 | -              |
| 2004.....  | 68       | -            | -         | -          | 1           | 6           | 15          | 15          | 13          | 8           | 7           | 3                 | -              |
| 2003.....  | 42       | 1            | -         | 1          | 1           | 3           | 7           | 9           | 6           | 9           | 3           | 2                 | -              |
| 2002.....  | 45       | -            | -         | -          | -           | 6           | 5           | 11          | 7           | 9           | 6           | 1                 | -              |
| 2001.....  | 34       | -            | -         | -          | 1           | 5           | 6           | 8           | 4           | 5           | 4           | 1                 | -              |
| 2000.....  | 39       | -            | -         | -          | -           | 4           | 7           | 10          | 4           | 11          | 2           | 1                 | -              |
| 1999.....  | 42       | -            | 1         | -          | -           | 5           | 6           | 6           | 5           | 9           | 8           | 2                 | -              |
| Hispanic, female   |          |              |           |            |             |             |             |             |             |             |             |                   |                |
| 2007.....  | 25       | -            | -         | -          | 1           | 1           | 1           | 6           | 4           | 4           | 7           | 1                 | -              |
| 2006.....  | 31       | -            | -         | -          | -           | 3           | 2           | 4           | 2           | 2           | 12          | 6                 | -              |
| 2005.....  | 22       | -            | -         | -          | -           | 1           | 3           | 1           | 6           | 3           | 6           | 2                 | -              |
| 2004.....  | 30       | -            | -         | -          | 1           | -           | 4           | 3           | 5           | 7           | 9           | 1                 | -              |
| 2003.....  | 38       | -            | -         | -          | 2           | 1           | 3           | 8           | 6           | 7           | 10          | 1                 | -              |
| 2002.....  | 24       | 1            | 1         | -          | -           | 1           | -           | 2           | 5           | 5           | 7           | 2                 | -              |
| 2001.....  | 22       | -            | -         | 1          | -           | 1           | 2           | 2           | 5           | 4           | 6           | 1                 | -              |
| 2000.....  | 31       | -            | 1         | 1          | -           | 2           | 4           | 6           | 4           | 7           | 5           | 1                 | -              |
| 1999.....  | 21       | -            | -         | -          | 2           | 1           | 4           | 1           | 5           | 4           | 4           | -                 | -              |

Worktable Orig290F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2007

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data - mortality"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, sex, and year | All ages | Under 1 year | 1-4 years | 5-14 years | 15-24 years | 25-34 years | 35-44 years | 45-54 years | 55-64 years | 65-74 years | 75-84 years | 85 years and over | Age not stated |
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|
| <b>Acute and subacute endocarditis (I33)</b>   |          |              |           |            |             |             |             |             |             |             |             |                   |                |
| <b>Non-Hispanic 1/, both sexes</b>   |          |              |           |            |             |             |             |             |             |             |             |                   |                |
| 2007.....  | 1,145    | 2            | 1         | 1          | 7           | 29          | 78          | 176         | 196         | 229         | 293         | 132               | 1              |
| 2006.....  | 1,134    | -            | 1         | 1          | 7           | 27          | 77          | 185         | 219         | 208         | 301         | 108               | -              |
| 2005.....  | 1,127    | 3            | -         | 2          | 5           | 23          | 66          | 165         | 179         | 219         | 313         | 152               | -              |
| 2004.....  | 1,097    | 1            | 1         | -          | 10          | 29          | 65          | 172         | 146         | 219         | 302         | 151               | 1              |
| 2003.....  | 1,163    | -            | -         | -          | 13          | 29          | 102         | 164         | 197         | 216         | 305         | 137               | -              |
| 2002.....  | 1,082    | 1            | 1         | 2          | 7           | 37          | 85          | 159         | 155         | 224         | 293         | 118               | -              |
| 2001.....  | 1,117    | 1            | -         | 2          | 7           | 23          | 108         | 174         | 150         | 238         | 305         | 109               | -              |
| 2000.....  | 1,096    | 3            | -         | 2          | 13          | 34          | 102         | 170         | 157         | 205         | 293         | 117               | -              |
| 1999.....  | 1,049    | 2            | -         | -          | 5           | 23          | 104         | 135         | 160         | 226         | 277         | 117               | -              |
| <b>Non-Hispanic 1/, male</b>   |          |              |           |            |             |             |             |             |             |             |             |                   |                |
| 2007.....  | 663      | 1            | 1         | 1          | 3           | 26          | 49          | 108         | 125         | 124         | 164         | 60                | 1              |
| 2006.....  | 609      | -            | -         | -          | 1           | 15          | 45          | 126         | 135         | 111         | 139         | 37                | -              |
| 2005.....  | 636      | 2            | -         | -          | 2           | 16          | 42          | 106         | 112         | 112         | 164         | 80                | -              |
| 2004.....  | 591      | -            | -         | -          | 7           | 16          | 40          | 107         | 85          | 111         | 155         | 69                | 1              |
| 2003.....  | 638      | -            | -         | -          | 5           | 16          | 56          | 114         | 117         | 110         | 163         | 57                | -              |
| 2002.....  | 596      | 1            | 1         | 1          | 6           | 25          | 55          | 105         | 83          | 124         | 147         | 48                | -              |
| 2001.....  | 631      | 1            | -         | 1          | 4           | 12          | 55          | 120         | 90          | 127         | 173         | 48                | -              |
| 2000.....  | 625      | 2            | -         | 1          | 7           | 20          | 65          | 110         | 92          | 111         | 167         | 50                | -              |
| 1999.....  | 594      | 2            | -         | -          | 3           | 18          | 69          | 96          | 97          | 109         | 146         | 54                | -              |

Worktable Orig290F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2007

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data - mortality"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, sex, and year | All ages | Under 1 year | 1-4 years | 5-14 years | 15-24 years | 25-34 years | 35-44 years | 45-54 years | 55-64 years | 65-74 years | 75-84 years | 85 years and over | Age not stated |
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|
| <b>Acute and subacute endocarditis (I33)</b>   |          |              |           |            |             |             |             |             |             |             |             |                   |                |
| <b>Non-Hispanic 1/, female</b>   |          |              |           |            |             |             |             |             |             |             |             |                   |                |
| 2007.....  | 482      | 1            | -         | -          | 4           | 3           | 29          | 68          | 71          | 105         | 129         | 72                | -              |
| 2006.....  | 525      | -            | 1         | 1          | 6           | 12          | 32          | 59          | 84          | 97          | 162         | 71                | -              |
| 2005.....  | 491      | 1            | -         | 2          | 3           | 7           | 24          | 59          | 67          | 107         | 149         | 72                | -              |
| 2004.....  | 506      | 1            | 1         | -          | 3           | 13          | 25          | 65          | 61          | 108         | 147         | 82                | -              |
| 2003.....  | 525      | -            | -         | -          | 8           | 13          | 46          | 50          | 80          | 106         | 142         | 80                | -              |
| 2002.....  | 486      | -            | -         | 1          | 1           | 12          | 30          | 54          | 72          | 100         | 146         | 70                | -              |
| 2001.....  | 486      | -            | -         | 1          | 3           | 11          | 53          | 54          | 60          | 111         | 132         | 61                | -              |
| 2000.....  | 471      | 1            | -         | 1          | 6           | 14          | 37          | 60          | 65          | 94          | 126         | 67                | -              |
| 1999.....  | 455      | -            | -         | -          | 2           | 5           | 35          | 39          | 63          | 117         | 131         | 63                | -              |
| <b>Non-Hispanic white, both sexes</b>  |          |              |           |            |             |             |             |             |             |             |             |                   |                |
| 2007 2/.....   | 889      | 1            | -         | 1          | 7           | 20          | 53          | 110         | 140         | 175         | 263         | 118               | 1              |
| 2006 2/.....   | 880      | -            | 1         | 1          | 6           | 16          | 54          | 125         | 150         | 174         | 260         | 93                | -              |
| 2005 2/.....   | 870      | 2            | -         | 1          | 3           | 15          | 35          | 105         | 116         | 182         | 271         | 140               | -              |
| 2004 2/.....   | 859      | 1            | -         | -          | 8           | 21          | 47          | 96          | 107         | 180         | 263         | 136               | -              |
| 2003 2/.....   | 912      | -            | -         | -          | 11          | 22          | 68          | 100         | 137         | 172         | 271         | 131               | -              |
| 2002.....  | 862      | -            | 1         | -          | 6           | 27          | 62          | 95          | 113         | 179         | 270         | 109               | -              |
| 2001.....  | 859      | 1            | -         | 2          | 5           | 15          | 65          | 114         | 107         | 182         | 265         | 103               | -              |
| 2000.....  | 852      | 1            | -         | 1          | 6           | 21          | 66          | 106         | 114         | 173         | 261         | 103               | -              |
| 1999.....  | 814      | 1            | -         | -          | 4           | 17          | 59          | 82          | 107         | 182         | 252         | 110               | -              |

Worktable Orig290F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2007

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data - mortality"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, sex, and year | All ages | Under 1 year | 1-4 years | 5-14 years | 15-24 years | 25-34 years | 35-44 years | 45-54 years | 55-64 years | 65-74 years | 75-84 years | 85 years and over | Age not stated |
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|
| <b>Acute and subacute endocarditis (I33)</b>   |          |              |           |            |             |             |             |             |             |             |             |                   |                |
| <b>Non-Hispanic white, male</b>  |          |              |           |            |             |             |             |             |             |             |             |                   |                |
| 2007 2/.....   | 500      | -            | -         | 1          | 3           | 18          | 34          | 62          | 87          | 94          | 146         | 54                | 1              |
| 2006 2/.....   | 471      | -            | -         | -          | 1           | 9           | 30          | 85          | 94          | 94          | 122         | 36                | -              |
| 2005 2/.....   | 496      | 1            | -         | -          | 1           | 10          | 23          | 68          | 71          | 96          | 150         | 76                | -              |
| 2004 2/.....   | 468      | -            | -         | -          | 5           | 10          | 32          | 60          | 66          | 93          | 138         | 64                | -              |
| 2003 2/.....   | 500      | -            | -         | -          | 5           | 11          | 39          | 67          | 85          | 89          | 148         | 56                | -              |
| 2002.....  | 481      | -            | 1         | -          | 5           | 20          | 41          | 68          | 61          | 102         | 139         | 44                | -              |
| 2001.....  | 482      | 1            | -         | 1          | 3           | 7           | 34          | 79          | 65          | 93          | 154         | 45                | -              |
| 2000.....  | 496      | 1            | -         | -          | 3           | 15          | 42          | 73          | 72          | 93          | 151         | 46                | -              |
| 1999.....  | 466      | 1            | -         | -          | 2           | 12          | 39          | 59          | 68          | 93          | 139         | 53                | -              |
| <b>Non-Hispanic white, female</b>  |          |              |           |            |             |             |             |             |             |             |             |                   |                |
| 2007 2/.....   | 389      | 1            | -         | -          | 4           | 2           | 19          | 48          | 53          | 81          | 117         | 64                | -              |
| 2006 2/.....   | 409      | -            | 1         | 1          | 5           | 7           | 24          | 40          | 56          | 80          | 138         | 57                | -              |
| 2005 2/.....   | 374      | 1            | -         | 1          | 2           | 5           | 12          | 37          | 45          | 86          | 121         | 64                | -              |
| 2004 2/.....   | 391      | 1            | -         | -          | 3           | 11          | 15          | 36          | 41          | 87          | 125         | 72                | -              |
| 2003 2/.....   | 412      | -            | -         | -          | 6           | 11          | 29          | 33          | 52          | 83          | 123         | 75                | -              |
| 2002.....  | 381      | -            | -         | -          | 1           | 7           | 21          | 27          | 52          | 77          | 131         | 65                | -              |
| 2001.....  | 377      | -            | -         | 1          | 2           | 8           | 31          | 35          | 42          | 89          | 111         | 58                | -              |
| 2000.....  | 356      | -            | -         | 1          | 3           | 6           | 24          | 33          | 42          | 80          | 110         | 57                | -              |
| 1999.....  | 348      | -            | -         | -          | 2           | 5           | 20          | 23          | 39          | 89          | 113         | 57                | -              |

Worktable Orig290F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2007

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data - mortality"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, sex, and year | All ages | Under 1 year | 1-4 years | 5-14 years | 15-24 years | 25-34 years | 35-44 years | 45-54 years | 55-64 years | 65-74 years | 75-84 years | 85 years and over | Age not stated |
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|
| <b>Acute and subacute endocarditis (I33)</b>   |          |              |           |            |             |             |             |             |             |             |             |                   |                |
| <b>Non-Hispanic black, both sexes</b>  |          |              |           |            |             |             |             |             |             |             |             |                   |                |
| 2007 2/.....   | 222      | 1            | 1         | -          | -           | 5           | 23          | 58          | 50          | 49          | 24          | 11                | -              |
| 2006 2/.....   | 225      | -            | -         | -          | 1           | 11          | 20          | 54          | 62          | 29          | 35          | 13                | -              |
| 2005 2/.....   | 226      | 1            | -         | 1          | 2           | 6           | 27          | 54          | 58          | 31          | 36          | 10                | -              |
| 2004 2/.....   | 203      | -            | 1         | -          | 1           | 6           | 14          | 68          | 35          | 35          | 27          | 15                | 1              |
| 2003 2/.....   | 222      | -            | -         | -          | 2           | 5           | 32          | 60          | 53          | 37          | 29          | 4                 | -              |
| 2002.....  | 197      | -            | -         | 1          | 1           | 10          | 22          | 57          | 41          | 38          | 19          | 8                 | -              |
| 2001.....  | 233      | -            | -         | -          | 1           | 8           | 41          | 57          | 41          | 43          | 37          | 5                 | -              |
| 2000.....  | 213      | 2            | -         | -          | 6           | 11          | 31          | 57          | 39          | 30          | 26          | 11                | -              |
| 1999.....  | 208      | -            | -         | -          | 1           | 6           | 41          | 48          | 47          | 42          | 17          | 6                 | -              |
| <b>Non-Hispanic black, male</b>  |          |              |           |            |             |             |             |             |             |             |             |                   |                |
| 2007 2/.....   | 143      | 1            | 1         | -          | -           | 5           | 14          | 41          | 35          | 28          | 13          | 5                 | -              |
| 2006 2/.....   | 119      | -            | -         | -          | -           | 6           | 12          | 35          | 37          | 14          | 15          | -                 | -              |
| 2005 2/.....   | 122      | 1            | -         | -          | 1           | 5           | 18          | 33          | 37          | 13          | 11          | 3                 | -              |
| 2004 2/.....   | 104      | -            | -         | -          | 1           | 4           | 7           | 42          | 18          | 16          | 10          | 5                 | 1              |
| 2003 2/.....   | 119      | -            | -         | -          | -           | 4           | 15          | 43          | 27          | 17          | 13          | -                 | -              |
| 2002.....  | 104      | -            | -         | -          | 1           | 5           | 14          | 33          | 22          | 19          | 6           | 4                 | -              |
| 2001.....  | 134      | -            | -         | -          | -           | 5           | 20          | 39          | 24          | 26          | 18          | 2                 | -              |
| 2000.....  | 111      | 1            | -         | -          | 4           | 3           | 21          | 35          | 18          | 16          | 11          | 2                 | -              |
| 1999.....  | 115      | -            | -         | -          | 1           | 6           | 27          | 34          | 26          | 15          | 5           | 1                 | -              |



Worktable Orig290F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2007

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data - mortality"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, sex, and year | All ages | Under 1 year | 1-4 years | 5-14 years | 15-24 years | 25-34 years | 35-44 years | 45-54 years | 55-64 years | 65-74 years | 75-84 years | 85 years and over | Age not stated |
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|
| <b>Acute and subacute endocarditis (I33)</b>   |          |              |           |            |             |             |             |             |             |             |             |                   |                |
| <b>Non-Hispanic black, female</b>  |          |              |           |            |             |             |             |             |             |             |             |                   |                |
| 2007 2/.....   | 79       | -            | -         | -          | -           | -           | 9           | 17          | 15          | 21          | 11          | 6                 | -              |
| 2006 2/.....   | 106      | -            | -         | -          | 1           | 5           | 8           | 19          | 25          | 15          | 20          | 13                | -              |
| 2005 2/.....   | 104      | -            | -         | 1          | 1           | 1           | 9           | 21          | 21          | 18          | 25          | 7                 | -              |
| 2004 2/.....   | 99       | -            | 1         | -          | -           | 2           | 7           | 26          | 17          | 19          | 17          | 10                | -              |
| 2003 2/.....   | 103      | -            | -         | -          | 2           | 1           | 17          | 17          | 26          | 20          | 16          | 4                 | -              |
| 2002.....  | 93       | -            | -         | 1          | -           | 5           | 8           | 24          | 19          | 19          | 13          | 4                 | -              |
| 2001.....  | 99       | -            | -         | -          | 1           | 3           | 21          | 18          | 17          | 17          | 19          | 3                 | -              |
| 2000.....  | 102      | 1            | -         | -          | 2           | 8           | 10          | 22          | 21          | 14          | 15          | 9                 | -              |
| 1999.....  | 93       | -            | -         | -          | -           | -           | 14          | 14          | 21          | 27          | 12          | 5                 | -              |
| <b>Origin not stated 3/, both sexes</b>  |          |              |           |            |             |             |             |             |             |             |             |                   |                |
| 2007.....  | 1        | -            | -         | -          | -           | -           | -           | -           | -           | 1           | -           | -                 | -              |
| 2006.....  | 1        | -            | -         | -          | -           | -           | -           | -           | -           | 1           | -           | -                 | -              |
| 2005.....  | 2        | -            | -         | 1          | -           | -           | -           | -           | 1           | -           | -           | -                 | -              |
| 2004.....  | 1        | -            | -         | -          | -           | -           | -           | -           | 1           | -           | -           | -                 | -              |
| 2003.....  | 2        | -            | -         | -          | -           | -           | -           | 2           | -           | -           | -           | -                 | -              |
| 2002.....  | 3        | -            | -         | -          | -           | -           | -           | 2           | 1           | -           | -           | -                 | -              |
| 2001.....  | 5        | -            | -         | -          | -           | -           | 1           | 2           | 1           | -           | 1           | -                 | -              |
| 2000.....  | 6        | -            | -         | -          | -           | -           | 3           | -           | -           | 1           | 2           | -                 | -              |
| 1999.....  | 4        | -            | -         | -          | -           | 1           | -           | 1           | 1           | 1           | -           | -                 | -              |

Worktable Orig290F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2007

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data - mortality"]

---

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, sex, and year

|  | All ages | Under 1 year | 1-4 years | 5-14 years | 15-24 years | 25-34 years | 35-44 years | 45-54 years | 55-64 years | 65-74 years | 75-84 years | 85 years and over | Age not stated |
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|

---

Acute and subacute endocarditis (I33)

Origin not stated 3/, male

|           |   |   |   |   |   |   |   |   |   |   |   |   |   |
|-----------|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 2007..... | 1 | - | - | - | - | - | - | - | - | 1 | - | - | - |
| 2006..... | 1 | - | - | - | - | - | - | - | - | 1 | - | - | - |
| 2005..... | 1 | - | - | - | - | - | - | - | 1 | - | - | - | - |
| 2004..... | - | - | - | - | - | - | - | - | - | - | - | - | - |
| 2003..... | 2 | - | - | - | - | - | - | 2 | - | - | - | - | - |
| 2002..... | 2 | - | - | - | - | - | - | 1 | 1 | - | - | - | - |
| 2001..... | 3 | - | - | - | - | - | 1 | 1 | 1 | - | - | - | - |
| 2000..... | 1 | - | - | - | - | - | 1 | - | - | - | - | - | - |
| 1999..... | 3 | - | - | - | - | 1 | - | 1 | 1 | - | - | - | - |

Origin not stated 3/, female

|           |   |   |   |   |   |   |   |   |   |   |   |   |   |
|-----------|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 2007..... | - | - | - | - | - | - | - | - | - | - | - | - | - |
| 2006..... | - | - | - | - | - | - | - | - | - | - | - | - | - |
| 2005..... | 1 | - | - | 1 | - | - | - | - | - | - | - | - | - |
| 2004..... | 1 | - | - | - | - | - | - | - | 1 | - | - | - | - |
| 2003..... | - | - | - | - | - | - | - | - | - | - | - | - | - |
| 2002..... | 1 | - | - | - | - | - | - | 1 | - | - | - | - | - |
| 2001..... | 2 | - | - | - | - | - | - | 1 | - | - | 1 | - | - |
| 2000..... | 5 | - | - | - | - | - | 2 | - | - | 1 | 2 | - | - |
| 1999..... | 1 | - | - | - | - | - | - | - | - | 1 | - | - | - |

Worktable Orig290F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2007

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data - mortality"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, sex, and year | All ages | Under 1 year | 1-4 years | 5-14 years | 15-24 years | 25-34 years | 35-44 years | 45-54 years | 55-64 years | 65-74 years | 75-84 years | 85 years and over | Age not stated |
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|

Diseases of pericardium and acute myocarditis (I30-I31,I40)

All origins, both sexes

|           |     |    |    |    |    |    |     |     |     |     |     |     |   |
|-----------|-----|----|----|----|----|----|-----|-----|-----|-----|-----|-----|---|
| 2007..... | 867 | 25 | 19 | 24 | 48 | 53 | 87  | 116 | 123 | 119 | 137 | 116 | - |
| 2006..... | 816 | 18 | 24 | 21 | 36 | 48 | 78  | 107 | 122 | 116 | 151 | 95  | - |
| 2005..... | 864 | 21 | 17 | 30 | 34 | 53 | 84  | 132 | 110 | 132 | 155 | 96  | - |
| 2004..... | 779 | 21 | 25 | 17 | 31 | 39 | 67  | 107 | 111 | 115 | 159 | 87  | - |
| 2003..... | 868 | 33 | 22 | 28 | 55 | 48 | 86  | 111 | 104 | 151 | 153 | 77  | - |
| 2002..... | 848 | 26 | 22 | 22 | 36 | 46 | 75  | 107 | 118 | 143 | 157 | 96  | - |
| 2001..... | 839 | 32 | 26 | 21 | 40 | 50 | 93  | 111 | 106 | 120 | 154 | 85  | 1 |
| 2000..... | 767 | 20 | 24 | 20 | 38 | 53 | 86  | 85  | 89  | 131 | 145 | 76  | - |
| 1999..... | 890 | 27 | 25 | 21 | 32 | 50 | 114 | 105 | 125 | 146 | 160 | 85  | - |

All origins, male

|           |     |    |    |    |    |    |    |    |    |    |    |    |   |
|-----------|-----|----|----|----|----|----|----|----|----|----|----|----|---|
| 2007..... | 454 | 16 | 13 | 17 | 26 | 32 | 57 | 57 | 71 | 66 | 59 | 40 | - |
| 2006..... | 431 | 12 | 14 | 8  | 19 | 30 | 45 | 68 | 71 | 63 | 71 | 30 | - |
| 2005..... | 439 | 9  | 10 | 9  | 21 | 31 | 46 | 77 | 57 | 71 | 78 | 30 | - |
| 2004..... | 404 | 11 | 15 | 10 | 18 | 18 | 40 | 63 | 65 | 62 | 68 | 34 | - |
| 2003..... | 449 | 15 | 8  | 12 | 34 | 29 | 52 | 71 | 57 | 84 | 65 | 22 | - |
| 2002..... | 434 | 9  | 11 | 7  | 24 | 32 | 49 | 69 | 69 | 71 | 60 | 33 | - |
| 2001..... | 401 | 18 | 15 | 7  | 22 | 33 | 41 | 59 | 61 | 59 | 61 | 24 | 1 |
| 2000..... | 404 | 10 | 13 | 9  | 21 | 29 | 58 | 46 | 52 | 67 | 73 | 26 | - |
| 1999..... | 442 | 13 | 14 | 7  | 20 | 34 | 64 | 56 | 70 | 69 | 65 | 30 | - |

Worktable Orig290F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2007

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data - mortality"]

---

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, sex, and year

|  | All ages | Under 1 year | 1-4 years | 5-14 years | 15-24 years | 25-34 years | 35-44 years | 45-54 years | 55-64 years | 65-74 years | 75-84 years | 85 years and over | Age not stated |
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|

---

Diseases of pericardium and acute myocarditis (I30-I31,I40)

All origins, female

|           |     |    |    |    |    |    |    |    |    |    |    |    |   |
|-----------|-----|----|----|----|----|----|----|----|----|----|----|----|---|
| 2007..... | 413 | 9  | 6  | 7  | 22 | 21 | 30 | 59 | 52 | 53 | 78 | 76 | - |
| 2006..... | 385 | 6  | 10 | 13 | 17 | 18 | 33 | 39 | 51 | 53 | 80 | 65 | - |
| 2005..... | 425 | 12 | 7  | 21 | 13 | 22 | 38 | 55 | 53 | 61 | 77 | 66 | - |
| 2004..... | 375 | 10 | 10 | 7  | 13 | 21 | 27 | 44 | 46 | 53 | 91 | 53 | - |
| 2003..... | 419 | 18 | 14 | 16 | 21 | 19 | 34 | 40 | 47 | 67 | 88 | 55 | - |
| 2002..... | 414 | 17 | 11 | 15 | 12 | 14 | 26 | 38 | 49 | 72 | 97 | 63 | - |
| 2001..... | 438 | 14 | 11 | 14 | 18 | 17 | 52 | 52 | 45 | 61 | 93 | 61 | - |
| 2000..... | 363 | 10 | 11 | 11 | 17 | 24 | 28 | 39 | 37 | 64 | 72 | 50 | - |
| 1999..... | 448 | 14 | 11 | 14 | 12 | 16 | 50 | 49 | 55 | 77 | 95 | 55 | - |

Hispanic, both sexes

|           |    |   |   |   |    |    |    |    |    |    |   |   |   |
|-----------|----|---|---|---|----|----|----|----|----|----|---|---|---|
| 2007..... | 66 | 4 | 2 | 8 | 8  | 7  | 10 | 5  | 6  | 7  | 8 | 1 | - |
| 2006..... | 64 | 7 | 5 | 3 | 6  | 8  | 6  | 8  | 12 | 7  | - | 2 | - |
| 2005..... | 74 | 4 | 1 | 4 | 6  | 11 | 10 | 15 | 5  | 10 | 5 | 3 | - |
| 2004..... | 64 | 7 | 8 | 3 | 4  | 3  | 6  | 7  | 11 | 4  | 9 | 2 | - |
| 2003..... | 57 | 5 | 5 | 4 | 7  | 6  | 5  | 6  | 7  | 7  | 5 | - | - |
| 2002..... | 64 | 4 | 2 | 3 | 5  | 3  | 6  | 10 | 14 | 7  | 5 | 5 | - |
| 2001..... | 58 | 2 | 4 | 2 | 4  | 11 | 5  | 6  | 6  | 6  | 7 | 5 | - |
| 2000..... | 61 | 5 | 4 | 1 | 5  | 9  | 10 | 4  | 9  | 5  | 7 | 2 | - |
| 1999..... | 64 | 2 | 3 | 4 | 10 | 8  | 9  | 9  | 2  | 7  | 8 | 2 | - |

Worktable Orig290F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2007

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data - mortality"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, sex, and year | All ages | Under 1 year | 1-4 years | 5-14 years | 15-24 years | 25-34 years | 35-44 years | 45-54 years | 55-64 years | 65-74 years | 75-84 years | 85 years and over | Age not stated |
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|
| <b>Diseases of pericardium and acute myocarditis (I30-I31,I40)</b>   |          |              |           |            |             |             |             |             |             |             |             |                   |                |
| <b>Hispanic, male</b>  |          |              |           |            |             |             |             |             |             |             |             |                   |                |
| 2007.....  | 42       | 1            | 2         | 4          | 7           | 6           | 7           | 2           | 5           | 3           | 5           | -                 | -              |
| 2006.....  | 39       | 4            | 3         | 2          | 4           | 7           | 2           | 6           | 6           | 4           | -           | 1                 | -              |
| 2005.....  | 40       | 1            | 1         | 1          | 3           | 8           | 5           | 10          | 2           | 7           | 2           | -                 | -              |
| 2004.....  | 38       | 3            | 7         | 1          | 3           | 1           | 4           | 6           | 8           | 1           | 4           | -                 | -              |
| 2003.....  | 33       | 3            | 1         | 2          | 4           | 4           | 3           | 5           | 4           | 6           | 1           | -                 | -              |
| 2002.....  | 35       | 3            | -         | -          | 3           | 3           | 3           | 7           | 9           | 3           | 1           | 3                 | -              |
| 2001.....  | 25       | 1            | 2         | 1          | 2           | 6           | 3           | 1           | 3           | 3           | 2           | 1                 | -              |
| 2000.....  | 29       | 2            | 4         | -          | 1           | 4           | 6           | 2           | 3           | -           | 6           | 1                 | -              |
| 1999.....  | 30       | 1            | 1         | 4          | 5           | 6           | 7           | 2           | 1           | 1           | 2           | -                 | -              |
| <b>Hispanic, female</b>  |          |              |           |            |             |             |             |             |             |             |             |                   |                |
| 2007.....  | 24       | 3            | -         | 4          | 1           | 1           | 3           | 3           | 1           | 4           | 3           | 1                 | -              |
| 2006.....  | 25       | 3            | 2         | 1          | 2           | 1           | 4           | 2           | 6           | 3           | -           | 1                 | -              |
| 2005.....  | 34       | 3            | -         | 3          | 3           | 3           | 5           | 5           | 3           | 3           | 3           | 3                 | -              |
| 2004.....  | 26       | 4            | 1         | 2          | 1           | 2           | 2           | 1           | 3           | 3           | 5           | 2                 | -              |
| 2003.....  | 24       | 2            | 4         | 2          | 3           | 2           | 2           | 1           | 3           | 1           | 4           | -                 | -              |
| 2002.....  | 29       | 1            | 2         | 3          | 2           | -           | 3           | 3           | 5           | 4           | 4           | 2                 | -              |
| 2001.....  | 33       | 1            | 2         | 1          | 2           | 5           | 2           | 5           | 3           | 3           | 5           | 4                 | -              |
| 2000.....  | 32       | 3            | -         | 1          | 4           | 5           | 4           | 2           | 6           | 5           | 1           | 1                 | -              |
| 1999.....  | 34       | 1            | 2         | -          | 5           | 2           | 2           | 7           | 1           | 6           | 6           | 2                 | -              |

Worktable Orig290F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2007

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data - mortality"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, sex, and year | All ages | Under 1 year | 1-4 years | 5-14 years | 15-24 years | 25-34 years | 35-44 years | 45-54 years | 55-64 years | 65-74 years | 75-84 years | 85 years and over | Age not stated |
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|
| <b>Diseases of pericardium and acute myocarditis (I30-I31,I40)</b>   |          |              |           |            |             |             |             |             |             |             |             |                   |                |
| <b>Non-Hispanic 1/, both sexes</b>   |          |              |           |            |             |             |             |             |             |             |             |                   |                |
| 2007.....  | 800      | 21           | 17        | 16         | 40          | 46          | 77          | 110         | 117         | 112         | 129         | 115               | -              |
| 2006.....  | 752      | 11           | 19        | 18         | 30          | 40          | 72          | 99          | 110         | 109         | 151         | 93                | -              |
| 2005.....  | 789      | 17           | 16        | 26         | 28          | 42          | 74          | 117         | 105         | 122         | 149         | 93                | -              |
| 2004.....  | 715      | 14           | 17        | 14         | 27          | 36          | 61          | 100         | 100         | 111         | 150         | 85                | -              |
| 2003.....  | 806      | 28           | 17        | 24         | 48          | 41          | 81          | 102         | 97          | 144         | 148         | 76                | -              |
| 2002.....  | 783      | 22           | 20        | 19         | 31          | 43          | 69          | 97          | 103         | 136         | 152         | 91                | -              |
| 2001.....  | 779      | 30           | 22        | 19         | 36          | 38          | 87          | 105         | 100         | 114         | 147         | 80                | 1              |
| 2000.....  | 700      | 15           | 19        | 19         | 32          | 44          | 76          | 81          | 78          | 126         | 136         | 74                | -              |
| 1999.....  | 824      | 25           | 22        | 17         | 22          | 41          | 104         | 96          | 123         | 139         | 152         | 83                | -              |
| <b>Non-Hispanic 1/, male</b>   |          |              |           |            |             |             |             |             |             |             |             |                   |                |
| 2007.....  | 412      | 15           | 11        | 13         | 19          | 26          | 50          | 55          | 66          | 63          | 54          | 40                | -              |
| 2006.....  | 392      | 8            | 11        | 6          | 15          | 23          | 43          | 62          | 65          | 59          | 71          | 29                | -              |
| 2005.....  | 399      | 8            | 9         | 8          | 18          | 23          | 41          | 67          | 55          | 64          | 76          | 30                | -              |
| 2004.....  | 366      | 8            | 8         | 9          | 15          | 17          | 36          | 57          | 57          | 61          | 64          | 34                | -              |
| 2003.....  | 414      | 12           | 7         | 10         | 30          | 25          | 49          | 64          | 53          | 78          | 64          | 22                | -              |
| 2002.....  | 398      | 6            | 11        | 7          | 21          | 29          | 46          | 62          | 59          | 68          | 59          | 30                | -              |
| 2001.....  | 375      | 17           | 13        | 6          | 20          | 26          | 38          | 58          | 58          | 56          | 59          | 23                | 1              |
| 2000.....  | 374      | 8            | 9         | 9          | 20          | 25          | 52          | 44          | 48          | 67          | 67          | 25                | -              |
| 1999.....  | 410      | 12           | 13        | 3          | 15          | 27          | 56          | 54          | 69          | 68          | 63          | 30                | -              |

Worktable Orig290F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2007

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data - mortality"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, sex, and year | All ages | Under 1 year | 1-4 years | 5-14 years | 15-24 years | 25-34 years | 35-44 years | 45-54 years | 55-64 years | 65-74 years | 75-84 years | 85 years and over | Age not stated |
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|
| <b>Diseases of pericardium and acute myocarditis (I30-I31,I40)</b>   |          |              |           |            |             |             |             |             |             |             |             |                   |                |
| <b>Non-Hispanic 1/, female</b>   |          |              |           |            |             |             |             |             |             |             |             |                   |                |
| 2007.....  | 388      | 6            | 6         | 3          | 21          | 20          | 27          | 55          | 51          | 49          | 75          | 75                | -              |
| 2006.....  | 360      | 3            | 8         | 12         | 15          | 17          | 29          | 37          | 45          | 50          | 80          | 64                | -              |
| 2005.....  | 390      | 9            | 7         | 18         | 10          | 19          | 33          | 50          | 50          | 58          | 73          | 63                | -              |
| 2004.....  | 349      | 6            | 9         | 5          | 12          | 19          | 25          | 43          | 43          | 50          | 86          | 51                | -              |
| 2003.....  | 392      | 16           | 10        | 14         | 18          | 16          | 32          | 38          | 44          | 66          | 84          | 54                | -              |
| 2002.....  | 385      | 16           | 9         | 12         | 10          | 14          | 23          | 35          | 44          | 68          | 93          | 61                | -              |
| 2001.....  | 404      | 13           | 9         | 13         | 16          | 12          | 49          | 47          | 42          | 58          | 88          | 57                | -              |
| 2000.....  | 326      | 7            | 10        | 10         | 12          | 19          | 24          | 37          | 30          | 59          | 69          | 49                | -              |
| 1999.....  | 414      | 13           | 9         | 14         | 7           | 14          | 48          | 42          | 54          | 71          | 89          | 53                | -              |
| <b>Non-Hispanic white, both sexes</b>  |          |              |           |            |             |             |             |             |             |             |             |                   |                |
| 2007 2/.....   | 633      | 9            | 12        | 10         | 29          | 34          | 54          | 83          | 89          | 93          | 119         | 101               | -              |
| 2006 2/.....   | 616      | 4            | 14        | 9          | 22          | 30          | 53          | 74          | 92          | 94          | 138         | 86                | -              |
| 2005 2/.....   | 591      | 5            | 3         | 12         | 20          | 23          | 51          | 88          | 77          | 104         | 125         | 83                | -              |
| 2004 2/.....   | 533      | 4            | 5         | 6          | 14          | 20          | 34          | 73          | 83          | 92          | 126         | 76                | -              |
| 2003 2/.....   | 616      | 10           | 8         | 13         | 31          | 18          | 50          | 75          | 83          | 126         | 131         | 71                | -              |
| 2002.....  | 601      | 9            | 11        | 9          | 21          | 30          | 49          | 69          | 76          | 116         | 126         | 85                | -              |
| 2001.....  | 600      | 13           | 10        | 14         | 23          | 26          | 55          | 75          | 79          | 98          | 134         | 72                | 1              |
| 2000.....  | 528      | 6            | 11        | 9          | 20          | 25          | 49          | 55          | 62          | 103         | 122         | 66                | -              |
| 1999.....  | 639      | 10           | 10        | 9          | 14          | 26          | 70          | 73          | 104         | 115         | 134         | 74                | -              |

Worktable Orig290F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2007

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data - mortality"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, sex, and year | All ages | Under 1 year | 1-4 years | 5-14 years | 15-24 years | 25-34 years | 35-44 years | 45-54 years | 55-64 years | 65-74 years | 75-84 years | 85 years and over | Age not stated |
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|
| Diseases of pericardium and acute myocarditis (I30-I31,I40)  |          |              |           |            |             |             |             |             |             |             |             |                   |                |
| Non-Hispanic white, male   |          |              |           |            |             |             |             |             |             |             |             |                   |                |
| 2007 2/.....   | 324      | 7            | 8         | 8          | 12          | 22          | 36          | 41          | 52          | 53          | 49          | 36                | -              |
| 2006 2/.....   | 327      | 3            | 8         | 4          | 11          | 18          | 30          | 47          | 58          | 53          | 68          | 27                | -              |
| 2005 2/.....   | 306      | 2            | 3         | 5          | 15          | 12          | 28          | 53          | 40          | 56          | 64          | 28                | -              |
| 2004 2/.....   | 268      | 4            | -         | 4          | 11          | 9           | 22          | 38          | 48          | 47          | 55          | 30                | -              |
| 2003 2/.....   | 324      | 6            | 3         | 5          | 21          | 9           | 33          | 49          | 45          | 71          | 60          | 22                | -              |
| 2002.....  | 308      | 3            | 7         | 3          | 14          | 21          | 33          | 43          | 45          | 60          | 51          | 28                | -              |
| 2001.....  | 286      | 10           | 6         | 5          | 10          | 18          | 27          | 41          | 45          | 48          | 53          | 22                | 1              |
| 2000.....  | 280      | 4            | 7         | 5          | 12          | 14          | 34          | 30          | 41          | 52          | 59          | 22                | -              |
| 1999.....  | 320      | 6            | 4         | 2          | 10          | 17          | 40          | 40          | 60          | 56          | 58          | 27                | -              |
| Non-Hispanic white, female   |          |              |           |            |             |             |             |             |             |             |             |                   |                |
| 2007 2/.....   | 309      | 2            | 4         | 2          | 17          | 12          | 18          | 42          | 37          | 40          | 70          | 65                | -              |
| 2006 2/.....   | 289      | 1            | 6         | 5          | 11          | 12          | 23          | 27          | 34          | 41          | 70          | 59                | -              |
| 2005 2/.....   | 285      | 3            | -         | 7          | 5           | 11          | 23          | 35          | 37          | 48          | 61          | 55                | -              |
| 2004 2/.....   | 265      | -            | 5         | 2          | 3           | 11          | 12          | 35          | 35          | 45          | 71          | 46                | -              |
| 2003 2/.....   | 292      | 4            | 5         | 8          | 10          | 9           | 17          | 26          | 38          | 55          | 71          | 49                | -              |
| 2002.....  | 293      | 6            | 4         | 6          | 7           | 9           | 16          | 26          | 31          | 56          | 75          | 57                | -              |
| 2001.....  | 314      | 3            | 4         | 9          | 13          | 8           | 28          | 34          | 34          | 50          | 81          | 50                | -              |
| 2000.....  | 248      | 2            | 4         | 4          | 8           | 11          | 15          | 25          | 21          | 51          | 63          | 44                | -              |
| 1999.....  | 319      | 4            | 6         | 7          | 4           | 9           | 30          | 33          | 44          | 59          | 76          | 47                | -              |



Worktable Orig290F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2007

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data - mortality"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, sex, and year | All ages | Under 1 year | 1-4 years | 5-14 years | 15-24 years | 25-34 years | 35-44 years | 45-54 years | 55-64 years | 65-74 years | 75-84 years | 85 years and over | Age not stated |
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|
| <b>Diseases of pericardium and acute myocarditis (I30-I31,I40)</b>   |          |              |           |            |             |             |             |             |             |             |             |                   |                |
| <b>Non-Hispanic black, both sexes</b>  |          |              |           |            |             |             |             |             |             |             |             |                   |                |
| 2007 2/.....   | 143      | 11           | 3         | 4          | 10          | 11          | 19          | 25          | 26          | 16          | 8           | 10                | -              |
| 2006 2/.....   | 106      | 5            | 4         | 4          | 7           | 9           | 14          | 22          | 15          | 11          | 11          | 4                 | -              |
| 2005 2/.....   | 161      | 10           | 11        | 9          | 5           | 14          | 17          | 27          | 25          | 14          | 21          | 8                 | -              |
| 2004 2/.....   | 162      | 8            | 11        | 8          | 10          | 12          | 26          | 26          | 16          | 17          | 22          | 6                 | -              |
| 2003 2/.....   | 168      | 14           | 9         | 9          | 15          | 22          | 30          | 23          | 12          | 16          | 13          | 5                 | -              |
| 2002.....  | 154      | 12           | 7         | 8          | 8           | 10          | 17          | 26          | 22          | 19          | 20          | 5                 | -              |
| 2001.....  | 157      | 14           | 12        | 4          | 13          | 10          | 24          | 30          | 19          | 13          | 11          | 7                 | -              |
| 2000.....  | 140      | 7            | 7         | 8          | 7           | 16          | 24          | 21          | 15          | 18          | 10          | 7                 | -              |
| 1999.....  | 158      | 10           | 11        | 8          | 6           | 14          | 30          | 20          | 17          | 20          | 16          | 6                 | -              |
| <b>Non-Hispanic black, male</b>  |          |              |           |            |             |             |             |             |             |             |             |                   |                |
| 2007 2/.....   | 74       | 7            | 2         | 4          | 7           | 3           | 12          | 12          | 13          | 8           | 4           | 2                 | -              |
| 2006 2/.....   | 53       | 3            | 3         | 1          | 3           | 4           | 10          | 14          | 6           | 6           | 2           | 1                 | -              |
| 2005 2/.....   | 72       | 5            | 5         | 1          | 3           | 9           | 7           | 13          | 12          | 5           | 11          | 1                 | -              |
| 2004 2/.....   | 88       | 3            | 7         | 5          | 4           | 6           | 14          | 18          | 8           | 13          | 9           | 1                 | -              |
| 2003 2/.....   | 81       | 4            | 4         | 5          | 9           | 15          | 16          | 13          | 7           | 5           | 3           | -                 | -              |
| 2002.....  | 75       | 3            | 3         | 3          | 5           | 6           | 10          | 17          | 13          | 7           | 7           | 1                 | -              |
| 2001.....  | 78       | 5            | 7         | 1          | 10          | 7           | 7           | 17          | 11          | 8           | 5           | -                 | -              |
| 2000.....  | 72       | 4            | 2         | 3          | 3           | 10          | 16          | 10          | 6           | 11          | 5           | 2                 | -              |
| 1999.....  | 76       | 4            | 9         | 1          | 3           | 10          | 13          | 12          | 9           | 11          | 4           | -                 | -              |

Worktable Orig290F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2007

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data - mortality"]

---

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, sex, and year

|  | All ages | Under 1 year | 1-4 years | 5-14 years | 15-24 years | 25-34 years | 35-44 years | 45-54 years | 55-64 years | 65-74 years | 75-84 years | 85 years and over | Age not stated |
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|

---

Diseases of pericardium and acute myocarditis (I30-I31,I40)

Non-Hispanic black, female

|              |    |    |   |   |   |   |    |    |    |    |    |   |   |
|--------------|----|----|---|---|---|---|----|----|----|----|----|---|---|
| 2007 2/..... | 69 | 4  | 1 | - | 3 | 8 | 7  | 13 | 13 | 8  | 4  | 8 | - |
| 2006 2/..... | 53 | 2  | 1 | 3 | 4 | 5 | 4  | 8  | 9  | 5  | 9  | 3 | - |
| 2005 2/..... | 89 | 5  | 6 | 8 | 2 | 5 | 10 | 14 | 13 | 9  | 10 | 7 | - |
| 2004 2/..... | 74 | 5  | 4 | 3 | 6 | 6 | 12 | 8  | 8  | 4  | 13 | 5 | - |
| 2003 2/..... | 87 | 10 | 5 | 4 | 6 | 7 | 14 | 10 | 5  | 11 | 10 | 5 | - |
| 2002.....    | 79 | 9  | 4 | 5 | 3 | 4 | 7  | 9  | 9  | 12 | 13 | 4 | - |
| 2001.....    | 79 | 9  | 5 | 3 | 3 | 3 | 17 | 13 | 8  | 5  | 6  | 7 | - |
| 2000.....    | 68 | 3  | 5 | 5 | 4 | 6 | 8  | 11 | 9  | 7  | 5  | 5 | - |
| 1999.....    | 82 | 6  | 2 | 7 | 3 | 4 | 17 | 8  | 8  | 9  | 12 | 6 | - |

Origin not stated 3/, both sexes

|           |   |   |   |   |   |   |   |   |   |   |   |   |   |
|-----------|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 2007..... | 1 | - | - | - | - | - | - | 1 | - | - | - | - | - |
| 2006..... | - | - | - | - | - | - | - | - | - | - | - | - | - |
| 2005..... | 1 | - | - | - | - | - | - | - | - | - | 1 | - | - |
| 2004..... | - | - | - | - | - | - | - | - | - | - | - | - | - |
| 2003..... | 5 | - | - | - | - | 1 | - | 3 | - | - | - | 1 | - |
| 2002..... | 1 | - | - | - | - | - | - | - | 1 | - | - | - | - |
| 2001..... | 2 | - | - | - | - | 1 | 1 | - | - | - | - | - | - |
| 2000..... | 6 | - | 1 | - | 1 | - | - | - | 2 | - | 2 | - | - |
| 1999..... | 2 | - | - | - | - | 1 | 1 | - | - | - | - | - | - |



Worktable Orig290F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2007

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data - mortality"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, sex, and year | All ages | Under 1 year | 1-4 years | 5-14 years | 15-24 years | 25-34 years | 35-44 years | 45-54 years | 55-64 years | 65-74 years | 75-84 years | 85 years and over | Age not stated |
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|
| Heart failure (I50)  |          |              |           |            |             |             |             |             |             |             |             |                   |                |
| All origins, both sexes  |          |              |           |            |             |             |             |             |             |             |             |                   |                |
| 2007.....  | 56,565   | 21           | 11        | 12         | 43          | 87          | 317         | 1,073       | 2,758       | 5,749       | 15,935      | 30,558            | 1              |
| 2006.....  | 60,337   | 19           | 9         | 12         | 37          | 86          | 332         | 1,225       | 2,801       | 5,960       | 17,309      | 32,544            | 3              |
| 2005.....  | 58,933   | 27           | 6         | 11         | 42          | 94          | 316         | 1,087       | 2,610       | 5,888       | 17,331      | 31,521            | -              |
| 2004.....  | 57,120   | 30           | 11        | 10         | 33          | 90          | 313         | 1,039       | 2,444       | 5,951       | 17,012      | 30,186            | 1              |
| 2003.....  | 57,448   | 38           | 5         | 12         | 38          | 97          | 315         | 981         | 2,469       | 6,138       | 17,136      | 30,219            | -              |
| 2002.....  | 56,494   | 23           | 11        | 10         | 27          | 101         | 282         | 993         | 2,342       | 6,168       | 16,910      | 29,627            | -              |
| 2001.....  | 56,934   | 24           | 17        | 15         | 34          | 92          | 307         | 954         | 2,374       | 6,274       | 17,134      | 29,708            | 1              |
| 2000.....  | 55,704   | 31           | 9         | 21         | 34          | 63          | 262         | 811         | 2,211       | 6,403       | 16,820      | 29,035            | 4              |
| 1999.....  | 54,913   | 11           | 10        | 12         | 31          | 65          | 272         | 782         | 2,107       | 6,524       | 16,771      | 28,327            | 1              |
| All origins, male  |          |              |           |            |             |             |             |             |             |             |             |                   |                |
| 2007.....  | 22,914   | 11           | 3         | 6          | 25          | 54          | 207         | 655         | 1,643       | 3,201       | 7,286       | 9,822             | 1              |
| 2006.....  | 23,918   | 11           | 5         | 5          | 22          | 56          | 199         | 780         | 1,648       | 3,202       | 7,875       | 10,113            | 2              |
| 2005.....  | 23,026   | 14           | 4         | 5          | 27          | 61          | 207         | 653         | 1,509       | 3,069       | 7,804       | 9,673             | -              |
| 2004.....  | 22,292   | 16           | 4         | 7          | 19          | 59          | 186         | 615         | 1,420       | 3,163       | 7,673       | 9,130             | -              |
| 2003.....  | 22,427   | 28           | 3         | 7          | 24          | 60          | 193         | 587         | 1,454       | 3,313       | 7,658       | 9,100             | -              |
| 2002.....  | 21,698   | 14           | 6         | 5          | 15          | 60          | 173         | 617         | 1,345       | 3,254       | 7,573       | 8,636             | -              |
| 2001.....  | 21,632   | 16           | 5         | 8          | 16          | 56          | 182         | 588         | 1,347       | 3,344       | 7,672       | 8,398             | -              |
| 2000.....  | 21,175   | 22           | 7         | 9          | 20          | 36          | 159         | 496         | 1,264       | 3,414       | 7,498       | 8,248             | 2              |
| 1999.....  | 20,755   | 5            | 7         | 6          | 23          | 32          | 164         | 486         | 1,228       | 3,526       | 7,318       | 7,959             | 1              |

Worktable Orig290F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2007

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data - mortality"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, sex, and year | All ages | Under 1 year | 1-4 years | 5-14 years | 15-24 years | 25-34 years | 35-44 years | 45-54 years | 55-64 years | 65-74 years | 75-84 years | 85 years and over | Age not stated |
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|
| <b>Heart failure (I50)</b>   |          |              |           |            |             |             |             |             |             |             |             |                   |                |
| <b>All origins, female</b>   |          |              |           |            |             |             |             |             |             |             |             |                   |                |
| 2007.....  | 33,651   | 10           | 8         | 6          | 18          | 33          | 110         | 418         | 1,115       | 2,548       | 8,649       | 20,736            | -              |
| 2006.....  | 36,419   | 8            | 4         | 7          | 15          | 30          | 133         | 445         | 1,153       | 2,758       | 9,434       | 22,431            | 1              |
| 2005.....  | 35,907   | 13           | 2         | 6          | 15          | 33          | 109         | 434         | 1,101       | 2,819       | 9,527       | 21,848            | -              |
| 2004.....  | 34,828   | 14           | 7         | 3          | 14          | 31          | 127         | 424         | 1,024       | 2,788       | 9,339       | 21,056            | 1              |
| 2003.....  | 35,021   | 10           | 2         | 5          | 14          | 37          | 122         | 394         | 1,015       | 2,825       | 9,478       | 21,119            | -              |
| 2002.....  | 34,796   | 9            | 5         | 5          | 12          | 41          | 109         | 376         | 997         | 2,914       | 9,337       | 20,991            | -              |
| 2001.....  | 35,302   | 8            | 12        | 7          | 18          | 36          | 125         | 366         | 1,027       | 2,930       | 9,462       | 21,310            | 1              |
| 2000.....  | 34,529   | 9            | 2         | 12         | 14          | 27          | 103         | 315         | 947         | 2,989       | 9,322       | 20,787            | 2              |
| 1999.....  | 34,158   | 6            | 3         | 6          | 8           | 33          | 108         | 296         | 879         | 2,998       | 9,453       | 20,368            | -              |
| <b>Hispanic, both sexes</b>  |          |              |           |            |             |             |             |             |             |             |             |                   |                |
| 2007.....  | 1,890    | 3            | -         | 1          | 5           | 11          | 25          | 60          | 135         | 280         | 587         | 783               | -              |
| 2006.....  | 1,830    | 3            | 4         | 3          | 4           | 7           | 19          | 67          | 113         | 259         | 572         | 779               | -              |
| 2005.....  | 1,721    | 5            | 1         | -          | 3           | 6           | 16          | 49          | 106         | 244         | 551         | 740               | -              |
| 2004.....  | 1,545    | 5            | 5         | -          | 3           | 5           | 22          | 54          | 104         | 244         | 499         | 604               | -              |
| 2003.....  | 1,606    | 7            | -         | 1          | 4           | 10          | 12          | 48          | 118         | 275         | 494         | 637               | -              |
| 2002.....  | 1,412    | 4            | -         | 2          | -           | 3           | 13          | 43          | 91          | 235         | 451         | 570               | -              |
| 2001.....  | 1,364    | 8            | 3         | -          | 1           | 9           | 21          | 43          | 103         | 213         | 404         | 559               | -              |
| 2000.....  | 1,270    | 7            | 1         | 2          | -           | 3           | 10          | 22          | 100         | 203         | 365         | 557               | -              |
| 1999.....  | 1,242    | 3            | 4         | 1          | 3           | 4           | 18          | 29          | 87          | 202         | 353         | 538               | -              |

Worktable Orig290F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2007

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data - mortality"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, sex, and year | All ages | Under 1 year | 1-4 years | 5-14 years | 15-24 years | 25-34 years | 35-44 years | 45-54 years | 55-64 years | 65-74 years | 75-84 years | 85 years and over | Age not stated |
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|
| Heart failure (I50)  |          |              |           |            |             |             |             |             |             |             |             |                   |                |
| Hispanic, male   |          |              |           |            |             |             |             |             |             |             |             |                   |                |
| 2007.....  | 844      | 2            | -         | 1          | 4           | 6           | 17          | 42          | 81          | 156         | 251         | 284               | -              |
| 2006.....  | 798      | 1            | 2         | 1          | 2           | 3           | 12          | 47          | 60          | 141         | 284         | 245               | -              |
| 2005.....  | 735      | 3            | 1         | -          | 2           | 5           | 12          | 30          | 48          | 127         | 270         | 237               | -              |
| 2004.....  | 668      | 4            | 3         | -          | 2           | 3           | 10          | 34          | 64          | 125         | 235         | 188               | -              |
| 2003.....  | 714      | 5            | -         | -          | 4           | 7           | 10          | 25          | 77          | 141         | 242         | 203               | -              |
| 2002.....  | 593      | 2            | -         | 2          | -           | 2           | 6           | 20          | 54          | 121         | 209         | 177               | -              |
| 2001.....  | 565      | 6            | 1         | -          | 1           | 6           | 15          | 31          | 52          | 109         | 169         | 175               | -              |
| 2000.....  | 535      | 5            | 1         | 1          | -           | 2           | 6           | 9           | 62          | 109         | 151         | 189               | -              |
| 1999.....  | 522      | 1            | 3         | -          | 3           | 3           | 12          | 16          | 47          | 112         | 159         | 166               | -              |
| Hispanic, female   |          |              |           |            |             |             |             |             |             |             |             |                   |                |
| 2007.....  | 1,046    | 1            | -         | -          | 1           | 5           | 8           | 18          | 54          | 124         | 336         | 499               | -              |
| 2006.....  | 1,032    | 2            | 2         | 2          | 2           | 4           | 7           | 20          | 53          | 118         | 288         | 534               | -              |
| 2005.....  | 986      | 2            | -         | -          | 1           | 1           | 4           | 19          | 58          | 117         | 281         | 503               | -              |
| 2004.....  | 877      | 1            | 2         | -          | 1           | 2           | 12          | 20          | 40          | 119         | 264         | 416               | -              |
| 2003.....  | 892      | 2            | -         | 1          | -           | 3           | 2           | 23          | 41          | 134         | 252         | 434               | -              |
| 2002.....  | 819      | 2            | -         | -          | -           | 1           | 7           | 23          | 37          | 114         | 242         | 393               | -              |
| 2001.....  | 799      | 2            | 2         | -          | -           | 3           | 6           | 12          | 51          | 104         | 235         | 384               | -              |
| 2000.....  | 735      | 2            | -         | 1          | -           | 1           | 4           | 13          | 38          | 94          | 214         | 368               | -              |
| 1999.....  | 720      | 2            | 1         | 1          | -           | 1           | 6           | 13          | 40          | 90          | 194         | 372               | -              |

Worktable Orig290F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2007

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data - mortality"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, sex, and year | All ages | Under 1 year | 1-4 years | 5-14 years | 15-24 years | 25-34 years | 35-44 years | 45-54 years | 55-64 years | 65-74 years | 75-84 years | 85 years and over | Age not stated |
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|
| <b>Heart failure (I50)</b>   |          |              |           |            |             |             |             |             |             |             |             |                   |                |
| <b>Non-Hispanic 1/, both sexes</b>   |          |              |           |            |             |             |             |             |             |             |             |                   |                |
| 2007.....  | 54,628   | 18           | 11        | 11         | 38          | 76          | 292         | 1,010       | 2,616       | 5,460       | 15,343      | 29,752            | 1              |
| 2006.....  | 58,413   | 16           | 5         | 9          | 33          | 79          | 312         | 1,157       | 2,682       | 5,684       | 16,711      | 31,722            | 3              |
| 2005.....  | 57,140   | 22           | 5         | 11         | 39          | 88          | 299         | 1,033       | 2,499       | 5,635       | 16,756      | 30,753            | -              |
| 2004.....  | 55,488   | 25           | 6         | 10         | 30          | 85          | 291         | 981         | 2,334       | 5,698       | 16,487      | 29,540            | 1              |
| 2003.....  | 55,732   | 31           | 5         | 11         | 34          | 87          | 302         | 933         | 2,345       | 5,843       | 16,614      | 29,527            | -              |
| 2002.....  | 54,932   | 19           | 11        | 8          | 27          | 97          | 268         | 943         | 2,245       | 5,914       | 16,416      | 28,984            | -              |
| 2001.....  | 55,437   | 16           | 14        | 15         | 33          | 82          | 286         | 906         | 2,258       | 6,044       | 16,688      | 29,094            | 1              |
| 2000.....  | 54,307   | 24           | 8         | 19         | 34          | 60          | 252         | 789         | 2,105       | 6,185       | 16,417      | 28,411            | 3              |
| 1999.....  | 53,528   | 8            | 6         | 11         | 28          | 61          | 253         | 750         | 2,007       | 6,308       | 16,377      | 27,718            | 1              |
| <b>Non-Hispanic 1/, male</b>   |          |              |           |            |             |             |             |             |             |             |             |                   |                |
| 2007.....  | 22,047   | 9            | 3         | 5          | 21          | 48          | 190         | 611         | 1,556       | 3,039       | 7,033       | 9,531             | 1              |
| 2006.....  | 23,081   | 10           | 3         | 4          | 20          | 53          | 187         | 732         | 1,584       | 3,051       | 7,577       | 9,858             | 2              |
| 2005.....  | 22,255   | 11           | 3         | 5          | 25          | 56          | 194         | 618         | 1,457       | 2,936       | 7,522       | 9,428             | -              |
| 2004.....  | 21,580   | 12           | 1         | 7          | 17          | 56          | 176         | 579         | 1,350       | 3,032       | 7,425       | 8,925             | -              |
| 2003.....  | 21,658   | 23           | 3         | 7          | 20          | 53          | 182         | 562         | 1,371       | 3,161       | 7,400       | 8,876             | -              |
| 2002.....  | 21,050   | 12           | 6         | 3          | 15          | 58          | 166         | 592         | 1,288       | 3,124       | 7,344       | 8,442             | -              |
| 2001.....  | 21,012   | 10           | 4         | 8          | 15          | 49          | 167         | 555         | 1,287       | 3,225       | 7,489       | 8,203             | -              |
| 2000.....  | 20,599   | 17           | 6         | 8          | 20          | 34          | 153         | 487         | 1,197       | 3,296       | 7,335       | 8,045             | 1              |
| 1999.....  | 20,170   | 4            | 4         | 6          | 20          | 29          | 152         | 469         | 1,173       | 3,406       | 7,140       | 7,766             | 1              |

Worktable Orig290F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2007

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data - mortality"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, sex, and year | All ages | Under 1 year | 1-4 years | 5-14 years | 15-24 years | 25-34 years | 35-44 years | 45-54 years | 55-64 years | 65-74 years | 75-84 years | 85 years and over | Age not stated |
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|
| <b>Heart failure (I50)</b>   |          |              |           |            |             |             |             |             |             |             |             |                   |                |
| <b>Non-Hispanic 1/, female</b>   |          |              |           |            |             |             |             |             |             |             |             |                   |                |
| 2007.....  | 32,581   | 9            | 8         | 6          | 17          | 28          | 102         | 399         | 1,060       | 2,421       | 8,310       | 20,221            | -              |
| 2006.....  | 35,332   | 6            | 2         | 5          | 13          | 26          | 125         | 425         | 1,098       | 2,633       | 9,134       | 21,864            | 1              |
| 2005.....  | 34,885   | 11           | 2         | 6          | 14          | 32          | 105         | 415         | 1,042       | 2,699       | 9,234       | 21,325            | -              |
| 2004.....  | 33,908   | 13           | 5         | 3          | 13          | 29          | 115         | 402         | 984         | 2,666       | 9,062       | 20,615            | 1              |
| 2003.....  | 34,074   | 8            | 2         | 4          | 14          | 34          | 120         | 371         | 974         | 2,682       | 9,214       | 20,651            | -              |
| 2002.....  | 33,882   | 7            | 5         | 5          | 12          | 39          | 102         | 351         | 957         | 2,790       | 9,072       | 20,542            | -              |
| 2001.....  | 34,425   | 6            | 10        | 7          | 18          | 33          | 119         | 351         | 971         | 2,819       | 9,199       | 20,891            | 1              |
| 2000.....  | 33,708   | 7            | 2         | 11         | 14          | 26          | 99          | 302         | 908         | 2,889       | 9,082       | 20,366            | 2              |
| 1999.....  | 33,358   | 4            | 2         | 5          | 8           | 32          | 101         | 281         | 834         | 2,902       | 9,237       | 19,952            | -              |
| <b>Non-Hispanic white, both sexes</b>  |          |              |           |            |             |             |             |             |             |             |             |                   |                |
| 2007 2/.....   | 48,480   | 7            | 8         | 8          | 21          | 37          | 152         | 623         | 1,892       | 4,450       | 13,663      | 27,618            | 1              |
| 2006 2/.....   | 52,125   | 5            | 4         | 5          | 15          | 32          | 174         | 691         | 2,007       | 4,674       | 14,989      | 29,526            | 3              |
| 2005 2/.....   | 50,835   | 11           | 2         | 4          | 22          | 42          | 161         | 640         | 1,835       | 4,601       | 14,914      | 28,603            | -              |
| 2004 2/.....   | 49,628   | 15           | 5         | 5          | 18          | 46          | 171         | 601         | 1,719       | 4,767       | 14,804      | 27,476            | 1              |
| 2003 2/.....   | 49,788   | 13           | 4         | 6          | 17          | 48          | 165         | 588         | 1,743       | 4,832       | 14,932      | 27,440            | -              |
| 2002.....  | 49,162   | 11           | 8         | 5          | 16          | 49          | 160         | 593         | 1,719       | 4,914       | 14,725      | 26,962            | -              |
| 2001.....  | 49,788   | 11           | 12        | 11         | 17          | 49          | 167         | 608         | 1,730       | 5,052       | 15,033      | 27,097            | 1              |
| 2000.....  | 48,782   | 13           | 4         | 14         | 17          | 35          | 154         | 536         | 1,611       | 5,176       | 14,827      | 26,392            | 3              |
| 1999.....  | 47,977   | 5            | 4         | 8          | 15          | 30          | 156         | 480         | 1,537       | 5,302       | 14,702      | 25,738            | -              |



Worktable Orig290F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2007

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data - mortality"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, sex, and year | All ages | Under 1 year | 1-4 years | 5-14 years | 15-24 years | 25-34 years | 35-44 years | 45-54 years | 55-64 years | 65-74 years | 75-84 years | 85 years and over | Age not stated |
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|
| <b>Heart failure (I50)</b>   |          |              |           |            |             |             |             |             |             |             |             |                   |                |
| <b>Non-Hispanic white, male</b>  |          |              |           |            |             |             |             |             |             |             |             |                   |                |
| 2007 2/.....   | 19,413   | 4            | 1         | 3          | 9           | 24          | 97          | 386         | 1,132       | 2,522       | 6,322       | 8,912             | 1              |
| 2006 2/.....   | 20,425   | 3            | 2         | 2          | 8           | 24          | 98          | 443         | 1,221       | 2,530       | 6,875       | 9,217             | 2              |
| 2005 2/.....   | 19,666   | 5            | 2         | 1          | 16          | 28          | 98          | 391         | 1,083       | 2,415       | 6,774       | 8,853             | -              |
| 2004 2/.....   | 19,125   | 6            | 1         | 4          | 11          | 28          | 110         | 362         | 995         | 2,580       | 6,711       | 8,317             | -              |
| 2003 2/.....   | 19,239   | 8            | 2         | 4          | 9           | 31          | 105         | 366         | 1,033       | 2,672       | 6,725       | 8,284             | -              |
| 2002.....  | 18,705   | 8            | 5         | 2          | 7           | 28          | 105         | 387         | 1,000       | 2,620       | 6,663       | 7,880             | -              |
| 2001.....  | 18,730   | 6            | 4         | 5          | 9           | 25          | 103         | 392         | 1,019       | 2,734       | 6,785       | 7,648             | -              |
| 2000.....  | 18,386   | 10           | 4         | 6          | 10          | 20          | 103         | 342         | 942         | 2,828       | 6,671       | 7,449             | 1              |
| 1999.....  | 17,903   | 2            | 2         | 5          | 11          | 14          | 100         | 306         | 922         | 2,920       | 6,472       | 7,149             | -              |
| <b>Non-Hispanic white, female</b>  |          |              |           |            |             |             |             |             |             |             |             |                   |                |
| 2007 2/.....   | 29,067   | 3            | 7         | 5          | 12          | 13          | 55          | 237         | 760         | 1,928       | 7,341       | 18,706            | -              |
| 2006 2/.....   | 31,700   | 2            | 2         | 3          | 7           | 8           | 76          | 248         | 786         | 2,144       | 8,114       | 20,309            | 1              |
| 2005 2/.....   | 31,169   | 6            | -         | 3          | 6           | 14          | 63          | 249         | 752         | 2,186       | 8,140       | 19,750            | -              |
| 2004 2/.....   | 30,503   | 9            | 4         | 1          | 7           | 18          | 61          | 239         | 724         | 2,187       | 8,093       | 19,159            | 1              |
| 2003 2/.....   | 30,549   | 5            | 2         | 2          | 8           | 17          | 60          | 222         | 710         | 2,160       | 8,207       | 19,156            | -              |
| 2002.....  | 30,457   | 3            | 3         | 3          | 9           | 21          | 55          | 206         | 719         | 2,294       | 8,062       | 19,082            | -              |
| 2001.....  | 31,058   | 5            | 8         | 6          | 8           | 24          | 64          | 216         | 711         | 2,318       | 8,248       | 19,449            | 1              |
| 2000.....  | 30,396   | 3            | -         | 8          | 7           | 15          | 51          | 194         | 669         | 2,348       | 8,156       | 18,943            | 2              |
| 1999.....  | 30,074   | 3            | 2         | 3          | 4           | 16          | 56          | 174         | 615         | 2,382       | 8,230       | 18,589            | -              |

Worktable Orig290F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2007

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data - mortality"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, sex, and year | All ages | Under 1 year | 1-4 years | 5-14 years | 15-24 years | 25-34 years | 35-44 years | 45-54 years | 55-64 years | 65-74 years | 75-84 years | 85 years and over | Age not stated |
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|
| <b>Heart failure (I50)</b>   |          |              |           |            |             |             |             |             |             |             |             |                   |                |
| <b>Non-Hispanic black, both sexes</b>  |          |              |           |            |             |             |             |             |             |             |             |                   |                |
| 2007 2/.....   | 5,464    | 8            | 3         | 2          | 16          | 37          | 133         | 375         | 677         | 914         | 1,469       | 1,830             | -              |
| 2006 2/.....   | 5,524    | 11           | 1         | 4          | 16          | 43          | 127         | 434         | 624         | 919         | 1,489       | 1,856             | -              |
| 2005 2/.....   | 5,570    | 7            | 3         | 6          | 16          | 45          | 131         | 366         | 616         | 941         | 1,616       | 1,823             | -              |
| 2004 2/.....   | 5,198    | 8            | 1         | 4          | 11          | 36          | 111         | 367         | 561         | 829         | 1,487       | 1,783             | -              |
| 2003 2/.....   | 5,294    | 15           | -         | 5          | 17          | 37          | 131         | 328         | 563         | 921         | 1,466       | 1,811             | -              |
| 2002.....  | 5,143    | 8            | 3         | 3          | 9           | 45          | 104         | 331         | 487         | 891         | 1,495       | 1,767             | -              |
| 2001.....  | 5,094    | 5            | 2         | 3          | 16          | 32          | 112         | 284         | 494         | 905         | 1,475       | 1,766             | -              |
| 2000.....  | 4,936    | 11           | 4         | 4          | 13          | 24          | 94          | 241         | 453         | 909         | 1,407       | 1,776             | -              |
| 1999.....  | 4,961    | 3            | 2         | 3          | 12          | 30          | 93          | 257         | 446         | 922         | 1,468       | 1,724             | 1              |
| <b>Non-Hispanic black, male</b>  |          |              |           |            |             |             |             |             |             |             |             |                   |                |
| 2007 2/.....   | 2,328    | 4            | 2         | 1          | 12          | 22          | 86          | 218         | 400         | 465         | 611         | 507               | -              |
| 2006 2/.....   | 2,323    | 7            | 1         | 2          | 12          | 26          | 78          | 267         | 336         | 471         | 606         | 517               | -              |
| 2005 2/.....   | 2,261    | 4            | 1         | 3          | 9           | 28          | 90          | 212         | 344         | 465         | 652         | 453               | -              |
| 2004 2/.....   | 2,154    | 5            | -         | 3          | 6           | 25          | 59          | 210         | 321         | 397         | 626         | 502               | -              |
| 2003 2/.....   | 2,132    | 13           | -         | 3          | 11          | 20          | 73          | 183         | 320         | 445         | 575         | 489               | -              |
| 2002.....  | 2,055    | 4            | 1         | 1          | 6           | 27          | 59          | 192         | 266         | 450         | 602         | 447               | -              |
| 2001.....  | 2,036    | 4            | -         | 2          | 6           | 23          | 61          | 153         | 248         | 447         | 618         | 474               | -              |
| 2000.....  | 1,942    | 7            | 2         | 2          | 8           | 13          | 47          | 138         | 231         | 420         | 572         | 502               | -              |
| 1999.....  | 2,005    | 2            | 2         | 1          | 8           | 15          | 50          | 156         | 238         | 442         | 577         | 513               | 1              |

Worktable Orig290F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2007

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data - mortality"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, sex, and year | All ages | Under 1 year | 1-4 years | 5-14 years | 15-24 years | 25-34 years | 35-44 years | 45-54 years | 55-64 years | 65-74 years | 75-84 years | 85 years and over | Age not stated |
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|
| <b>Heart failure (I50)</b>   |          |              |           |            |             |             |             |             |             |             |             |                   |                |
| <b>Non-Hispanic black, female</b>  |          |              |           |            |             |             |             |             |             |             |             |                   |                |
| 2007 2/.....   | 3,136    | 4            | 1         | 1          | 4           | 15          | 47          | 157         | 277         | 449         | 858         | 1,323             | -              |
| 2006 2/.....   | 3,201    | 4            | -         | 2          | 4           | 17          | 49          | 167         | 288         | 448         | 883         | 1,339             | -              |
| 2005 2/.....   | 3,309    | 3            | 2         | 3          | 7           | 17          | 41          | 154         | 272         | 476         | 964         | 1,370             | -              |
| 2004 2/.....   | 3,044    | 3            | 1         | 1          | 5           | 11          | 52          | 157         | 240         | 432         | 861         | 1,281             | -              |
| 2003 2/.....   | 3,162    | 2            | -         | 2          | 6           | 17          | 58          | 145         | 243         | 476         | 891         | 1,322             | -              |
| 2002.....  | 3,088    | 4            | 2         | 2          | 3           | 18          | 45          | 139         | 221         | 441         | 893         | 1,320             | -              |
| 2001.....  | 3,058    | 1            | 2         | 1          | 10          | 9           | 51          | 131         | 246         | 458         | 857         | 1,292             | -              |
| 2000.....  | 2,994    | 4            | 2         | 2          | 5           | 11          | 47          | 103         | 222         | 489         | 835         | 1,274             | -              |
| 1999.....  | 2,956    | 1            | -         | 2          | 4           | 15          | 43          | 101         | 208         | 480         | 891         | 1,211             | -              |
| <b>Origin not stated 3/, both sexes</b>  |          |              |           |            |             |             |             |             |             |             |             |                   |                |
| 2007.....  | 47       | -            | -         | -          | -           | -           | -           | 3           | 7           | 9           | 5           | 23                | -              |
| 2006.....  | 94       | -            | -         | -          | -           | -           | 1           | 1           | 6           | 17          | 26          | 43                | -              |
| 2005.....  | 72       | -            | -         | -          | -           | -           | 1           | 5           | 5           | 9           | 24          | 28                | -              |
| 2004.....  | 87       | -            | -         | -          | -           | -           | -           | 4           | 6           | 9           | 26          | 42                | -              |
| 2003.....  | 110      | -            | -         | -          | -           | -           | 1           | -           | 6           | 20          | 28          | 55                | -              |
| 2002.....  | 150      | -            | -         | -          | -           | 1           | 1           | 7           | 6           | 19          | 43          | 73                | -              |
| 2001.....  | 133      | -            | -         | -          | -           | 1           | -           | 5           | 13          | 17          | 42          | 55                | -              |
| 2000.....  | 127      | -            | -         | -          | -           | -           | -           | -           | 6           | 15          | 38          | 67                | 1              |
| 1999.....  | 143      | -            | -         | -          | -           | -           | 1           | 3           | 13          | 14          | 41          | 71                | -              |

Worktable Orig290F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2007

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data - mortality"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, sex, and year | All ages | Under 1 year | 1-4 years | 5-14 years | 15-24 years | 25-34 years | 35-44 years | 45-54 years | 55-64 years | 65-74 years | 75-84 years | 85 years and over | Age not stated |
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|
| <b>Heart failure (I50)</b>   |          |              |           |            |             |             |             |             |             |             |             |                   |                |
| <b>Origin not stated 3/, male</b>  |          |              |           |            |             |             |             |             |             |             |             |                   |                |
| 2007.....  | 23       | -            | -         | -          | -           | -           | -           | 2           | 6           | 6           | 2           | 7                 | -              |
| 2006.....  | 39       | -            | -         | -          | -           | -           | -           | 1           | 4           | 10          | 14          | 10                | -              |
| 2005.....  | 36       | -            | -         | -          | -           | -           | 1           | 5           | 4           | 6           | 12          | 8                 | -              |
| 2004.....  | 44       | -            | -         | -          | -           | -           | -           | 2           | 6           | 6           | 13          | 17                | -              |
| 2003.....  | 55       | -            | -         | -          | -           | -           | 1           | -           | 6           | 11          | 16          | 21                | -              |
| 2002.....  | 55       | -            | -         | -          | -           | -           | 1           | 5           | 3           | 9           | 20          | 17                | -              |
| 2001.....  | 55       | -            | -         | -          | -           | 1           | -           | 2           | 8           | 10          | 14          | 20                | -              |
| 2000.....  | 41       | -            | -         | -          | -           | -           | -           | -           | 5           | 9           | 12          | 14                | 1              |
| 1999.....  | 63       | -            | -         | -          | -           | -           | -           | 1           | 8           | 8           | 19          | 27                | -              |
| <b>Origin not stated 3/, female</b>  |          |              |           |            |             |             |             |             |             |             |             |                   |                |
| 2007.....  | 24       | -            | -         | -          | -           | -           | -           | 1           | 1           | 3           | 3           | 16                | -              |
| 2006.....  | 55       | -            | -         | -          | -           | -           | 1           | -           | 2           | 7           | 12          | 33                | -              |
| 2005.....  | 36       | -            | -         | -          | -           | -           | -           | -           | 1           | 3           | 12          | 20                | -              |
| 2004.....  | 43       | -            | -         | -          | -           | -           | -           | 2           | -           | 3           | 13          | 25                | -              |
| 2003.....  | 55       | -            | -         | -          | -           | -           | -           | -           | -           | 9           | 12          | 34                | -              |
| 2002.....  | 95       | -            | -         | -          | -           | 1           | -           | 2           | 3           | 10          | 23          | 56                | -              |
| 2001.....  | 78       | -            | -         | -          | -           | -           | -           | 3           | 5           | 7           | 28          | 35                | -              |
| 2000.....  | 86       | -            | -         | -          | -           | -           | -           | -           | 1           | 6           | 26          | 53                | -              |
| 1999.....  | 80       | -            | -         | -          | -           | -           | 1           | 2           | 5           | 6           | 22          | 44                | -              |

Worktable Orig290F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2007

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data - mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, sex, and year

|  | All ages | Under 1 year | 1-4 years | 5-14 years | 15-24 years | 25-34 years | 35-44 years | 45-54 years | 55-64 years | 65-74 years | 75-84 years | 85 years and over | Age not stated |
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|

All other forms of heart disease (I26-I28,I34-I38,I42-I49,I51)

All origins, both sexes

|           |         |     |     |     |     |       |       |       |        |        |        |        |   |
|-----------|---------|-----|-----|-----|-----|-------|-------|-------|--------|--------|--------|--------|---|
| 2007..... | 114,091 | 348 | 132 | 182 | 772 | 1,605 | 3,602 | 7,698 | 11,158 | 15,541 | 30,554 | 42,497 | 2 |
| 2006..... | 107,879 | 283 | 120 | 196 | 790 | 1,736 | 3,640 | 7,629 | 10,879 | 14,945 | 29,286 | 38,371 | 4 |
| 2005..... | 109,579 | 290 | 120 | 187 | 834 | 1,672 | 3,817 | 7,728 | 10,943 | 15,509 | 30,052 | 38,421 | 6 |
| 2004..... | 107,180 | 354 | 137 | 194 | 779 | 1,555 | 3,820 | 7,616 | 10,414 | 15,605 | 30,364 | 36,337 | 5 |
| 2003..... | 110,423 | 344 | 144 | 193 | 795 | 1,632 | 4,042 | 7,441 | 10,616 | 16,723 | 31,653 | 36,834 | 6 |
| 2002..... | 111,044 | 422 | 122 | 193 | 766 | 1,617 | 4,173 | 7,437 | 10,318 | 17,131 | 32,403 | 36,456 | 6 |
| 2001..... | 107,998 | 392 | 172 | 207 | 712 | 1,565 | 3,955 | 7,233 | 9,895  | 17,415 | 31,372 | 35,075 | 5 |
| 2000..... | 107,785 | 403 | 134 | 204 | 768 | 1,593 | 3,993 | 7,005 | 9,897  | 17,921 | 31,100 | 34,763 | 4 |
| 1999..... | 108,909 | 450 | 141 | 215 | 810 | 1,634 | 4,147 | 6,858 | 10,177 | 18,662 | 31,492 | 34,317 | 6 |

All origins, male

|           |        |     |    |     |     |       |       |       |       |        |        |        |   |
|-----------|--------|-----|----|-----|-----|-------|-------|-------|-------|--------|--------|--------|---|
| 2007..... | 53,092 | 196 | 60 | 97  | 494 | 986   | 2,248 | 4,878 | 6,916 | 8,726  | 14,444 | 14,045 | 2 |
| 2006..... | 50,212 | 146 | 65 | 116 | 510 | 1,113 | 2,245 | 4,805 | 6,689 | 8,421  | 13,689 | 12,409 | 4 |
| 2005..... | 50,934 | 162 | 63 | 104 | 561 | 1,064 | 2,391 | 4,926 | 6,724 | 8,723  | 13,899 | 12,313 | 4 |
| 2004..... | 49,841 | 191 | 71 | 94  | 510 | 976   | 2,361 | 4,861 | 6,488 | 8,689  | 14,057 | 11,538 | 5 |
| 2003..... | 51,180 | 189 | 70 | 121 | 496 | 973   | 2,493 | 4,675 | 6,508 | 9,359  | 14,791 | 11,500 | 5 |
| 2002..... | 51,455 | 225 | 64 | 112 | 512 | 1,015 | 2,578 | 4,747 | 6,266 | 9,533  | 14,985 | 11,415 | 3 |
| 2001..... | 49,738 | 187 | 97 | 107 | 457 | 931   | 2,492 | 4,531 | 6,000 | 9,632  | 14,630 | 10,670 | 4 |
| 2000..... | 49,878 | 204 | 78 | 131 | 470 | 960   | 2,456 | 4,489 | 6,120 | 10,018 | 14,266 | 10,683 | 3 |
| 1999..... | 50,765 | 235 | 78 | 124 | 487 | 977   | 2,591 | 4,334 | 6,299 | 10,607 | 14,591 | 10,438 | 4 |

Worktable Orig290F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2007

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data - mortality"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, sex, and year | All ages | Under 1 year | 1-4 years | 5-14 years | 15-24 years | 25-34 years | 35-44 years | 45-54 years | 55-64 years | 65-74 years | 75-84 years | 85 years and over | Age not stated |
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|

All other forms of heart disease (I26-I28,I34-I38,I42-I49,I51)

All origins, female

|           |        |     |    |     |     |     |       |       |       |       |        |        |   |
|-----------|--------|-----|----|-----|-----|-----|-------|-------|-------|-------|--------|--------|---|
| 2007..... | 60,999 | 152 | 72 | 85  | 278 | 619 | 1,354 | 2,820 | 4,242 | 6,815 | 16,110 | 28,452 | - |
| 2006..... | 57,667 | 137 | 55 | 80  | 280 | 623 | 1,395 | 2,824 | 4,190 | 6,524 | 15,597 | 25,962 | - |
| 2005..... | 58,645 | 128 | 57 | 83  | 273 | 608 | 1,426 | 2,802 | 4,219 | 6,786 | 16,153 | 26,108 | 2 |
| 2004..... | 57,339 | 163 | 66 | 100 | 269 | 579 | 1,459 | 2,755 | 3,926 | 6,916 | 16,307 | 24,799 | - |
| 2003..... | 59,243 | 155 | 74 | 72  | 299 | 659 | 1,549 | 2,766 | 4,108 | 7,364 | 16,862 | 25,334 | 1 |
| 2002..... | 59,589 | 197 | 58 | 81  | 254 | 602 | 1,595 | 2,690 | 4,052 | 7,598 | 17,418 | 25,041 | 3 |
| 2001..... | 58,260 | 205 | 75 | 100 | 255 | 634 | 1,463 | 2,702 | 3,895 | 7,783 | 16,742 | 24,405 | 1 |
| 2000..... | 57,907 | 199 | 56 | 73  | 298 | 633 | 1,537 | 2,516 | 3,777 | 7,903 | 16,834 | 24,080 | 1 |
| 1999..... | 58,144 | 215 | 63 | 91  | 323 | 657 | 1,556 | 2,524 | 3,878 | 8,055 | 16,901 | 23,879 | 2 |

Hispanic, both sexes

|           |       |    |    |    |     |     |     |     |     |     |       |       |   |
|-----------|-------|----|----|----|-----|-----|-----|-----|-----|-----|-------|-------|---|
| 2007..... | 4,476 | 76 | 35 | 27 | 110 | 195 | 316 | 434 | 496 | 668 | 1,060 | 1,059 | - |
| 2006..... | 4,079 | 51 | 21 | 32 | 89  | 207 | 282 | 443 | 473 | 652 | 923   | 906   | - |
| 2005..... | 4,062 | 60 | 19 | 24 | 99  | 192 | 288 | 392 | 459 | 664 | 966   | 898   | 1 |
| 2004..... | 3,760 | 65 | 23 | 25 | 99  | 163 | 279 | 381 | 416 | 630 | 903   | 776   | - |
| 2003..... | 3,869 | 59 | 28 | 20 | 84  | 189 | 284 | 362 | 484 | 647 | 905   | 807   | - |
| 2002..... | 3,607 | 72 | 20 | 22 | 97  | 175 | 274 | 350 | 390 | 601 | 849   | 757   | - |
| 2001..... | 3,421 | 65 | 24 | 30 | 80  | 153 | 234 | 311 | 398 | 628 | 785   | 711   | 2 |
| 2000..... | 3,391 | 67 | 22 | 33 | 105 | 164 | 252 | 321 | 376 | 591 | 770   | 689   | 1 |
| 1999..... | 3,318 | 87 | 25 | 29 | 84  | 158 | 272 | 300 | 402 | 593 | 729   | 638   | 1 |

Worktable Orig290F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2007

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data - mortality"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, sex, and year | All ages | Under 1 year | 1-4 years | 5-14 years | 15-24 years | 25-34 years | 35-44 years | 45-54 years | 55-64 years | 65-74 years | 75-84 years | 85 years and over | Age not stated |
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|
| All other forms of heart disease (I26-I28,I34-I38,I42-I49,I51)   |          |              |           |            |             |             |             |             |             |             |             |                   |                |
| Hispanic, male   |          |              |           |            |             |             |             |             |             |             |             |                   |                |
| 2007.....  | 2,346    | 42           | 14        | 16         | 76          | 133         | 223         | 294         | 300         | 356         | 509         | 383               | -              |
| 2006.....  | 2,198    | 29           | 13        | 20         | 66          | 161         | 195         | 279         | 299         | 358         | 442         | 336               | -              |
| 2005.....  | 2,199    | 33           | 13        | 14         | 64          | 144         | 207         | 274         | 299         | 368         | 460         | 322               | 1              |
| 2004.....  | 2,006    | 32           | 13        | 10         | 77          | 129         | 202         | 258         | 249         | 339         | 430         | 267               | -              |
| 2003.....  | 2,016    | 31           | 16        | 12         | 59          | 121         | 197         | 242         | 280         | 359         | 415         | 284               | -              |
| 2002.....  | 1,914    | 34           | 11        | 10         | 73          | 124         | 181         | 222         | 226         | 351         | 410         | 272               | -              |
| 2001.....  | 1,777    | 33           | 11        | 16         | 53          | 102         | 161         | 212         | 237         | 339         | 381         | 230               | 2              |
| 2000.....  | 1,790    | 32           | 15        | 24         | 75          | 114         | 158         | 213         | 230         | 326         | 351         | 251               | 1              |
| 1999.....  | 1,798    | 38           | 15        | 17         | 52          | 114         | 183         | 201         | 245         | 344         | 344         | 244               | 1              |
| Hispanic, female   |          |              |           |            |             |             |             |             |             |             |             |                   |                |
| 2007.....  | 2,130    | 34           | 21        | 11         | 34          | 62          | 93          | 140         | 196         | 312         | 551         | 676               | -              |
| 2006.....  | 1,881    | 22           | 8         | 12         | 23          | 46          | 87          | 164         | 174         | 294         | 481         | 570               | -              |
| 2005.....  | 1,863    | 27           | 6         | 10         | 35          | 48          | 81          | 118         | 160         | 296         | 506         | 576               | -              |
| 2004.....  | 1,754    | 33           | 10        | 15         | 22          | 34          | 77          | 123         | 167         | 291         | 473         | 509               | -              |
| 2003.....  | 1,853    | 28           | 12        | 8          | 25          | 68          | 87          | 120         | 204         | 288         | 490         | 523               | -              |
| 2002.....  | 1,693    | 38           | 9         | 12         | 24          | 51          | 93          | 128         | 164         | 250         | 439         | 485               | -              |
| 2001.....  | 1,644    | 32           | 13        | 14         | 27          | 51          | 73          | 99          | 161         | 289         | 404         | 481               | -              |
| 2000.....  | 1,601    | 35           | 7         | 9          | 30          | 50          | 94          | 108         | 146         | 265         | 419         | 438               | -              |
| 1999.....  | 1,520    | 49           | 10        | 12         | 32          | 44          | 89          | 99          | 157         | 249         | 385         | 394               | -              |

Worktable Orig290F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2007

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data - mortality"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, sex, and year | All ages | Under 1 year | 1-4 years | 5-14 years | 15-24 years | 25-34 years | 35-44 years | 45-54 years | 55-64 years | 65-74 years | 75-84 years | 85 years and over | Age not stated |
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|

All other forms of heart disease (I26-I28,I34-I38,I42-I49,I51)

Non-Hispanic 1/, both sexes

|           |         |     |     |     |     |       |       |       |        |        |        |        |   |
|-----------|---------|-----|-----|-----|-----|-------|-------|-------|--------|--------|--------|--------|---|
| 2007..... | 109,469 | 269 | 97  | 155 | 662 | 1,407 | 3,278 | 7,245 | 10,639 | 14,854 | 29,465 | 41,397 | 1 |
| 2006..... | 103,610 | 231 | 99  | 164 | 700 | 1,526 | 3,343 | 7,163 | 10,380 | 14,260 | 28,315 | 37,426 | 3 |
| 2005..... | 105,333 | 230 | 101 | 163 | 735 | 1,475 | 3,518 | 7,309 | 10,451 | 14,815 | 29,046 | 37,485 | 5 |
| 2004..... | 103,244 | 287 | 114 | 167 | 676 | 1,388 | 3,528 | 7,214 | 9,975  | 14,951 | 29,415 | 35,524 | 5 |
| 2003..... | 106,297 | 283 | 115 | 172 | 707 | 1,437 | 3,740 | 7,050 | 10,092 | 16,040 | 30,683 | 35,974 | 4 |
| 2002..... | 107,173 | 348 | 102 | 171 | 668 | 1,435 | 3,878 | 7,064 | 9,899  | 16,487 | 31,481 | 35,637 | 3 |
| 2001..... | 104,292 | 325 | 147 | 177 | 625 | 1,407 | 3,703 | 6,892 | 9,472  | 16,741 | 30,521 | 34,281 | 1 |
| 2000..... | 104,119 | 333 | 112 | 170 | 662 | 1,420 | 3,721 | 6,654 | 9,483  | 17,288 | 30,278 | 33,995 | 3 |
| 1999..... | 105,310 | 362 | 115 | 185 | 724 | 1,469 | 3,856 | 6,539 | 9,740  | 18,012 | 30,690 | 33,614 | 4 |

Non-Hispanic 1/, male

|           |        |     |    |     |     |     |       |       |       |        |        |        |   |
|-----------|--------|-----|----|-----|-----|-----|-------|-------|-------|--------|--------|--------|---|
| 2007..... | 50,663 | 153 | 46 | 81  | 418 | 851 | 2,019 | 4,569 | 6,599 | 8,358  | 13,919 | 13,649 | 1 |
| 2006..... | 47,906 | 117 | 52 | 96  | 444 | 950 | 2,041 | 4,509 | 6,375 | 8,041  | 13,222 | 12,056 | 3 |
| 2005..... | 48,631 | 129 | 50 | 90  | 497 | 917 | 2,176 | 4,636 | 6,400 | 8,333  | 13,418 | 11,982 | 3 |
| 2004..... | 47,739 | 158 | 58 | 82  | 431 | 843 | 2,151 | 4,587 | 6,221 | 8,337  | 13,603 | 11,263 | 5 |
| 2003..... | 49,021 | 158 | 54 | 108 | 435 | 848 | 2,282 | 4,410 | 6,198 | 8,983  | 14,342 | 11,200 | 3 |
| 2002..... | 49,411 | 190 | 53 | 102 | 438 | 887 | 2,382 | 4,509 | 6,024 | 9,156  | 14,539 | 11,129 | 2 |
| 2001..... | 47,812 | 153 | 86 | 91  | 400 | 826 | 2,316 | 4,297 | 5,746 | 9,263  | 14,220 | 10,413 | 1 |
| 2000..... | 47,949 | 170 | 63 | 107 | 394 | 842 | 2,284 | 4,259 | 5,866 | 9,664  | 13,891 | 10,407 | 2 |
| 1999..... | 48,810 | 197 | 63 | 106 | 433 | 859 | 2,395 | 4,118 | 6,031 | 10,229 | 14,206 | 10,171 | 2 |



Worktable Orig290F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2007

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data - mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, sex, and year

|  | All ages | Under 1 year | 1-4 years | 5-14 years | 15-24 years | 25-34 years | 35-44 years | 45-54 years | 55-64 years | 65-74 years | 75-84 years | 85 years and over | Age not stated |
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|

All other forms of heart disease (I26-I28,I34-I38,I42-I49,I51)

Non-Hispanic 1/, female

|           |        |     |    |    |     |     |       |       |       |       |        |        |   |
|-----------|--------|-----|----|----|-----|-----|-------|-------|-------|-------|--------|--------|---|
| 2007..... | 58,806 | 116 | 51 | 74 | 244 | 556 | 1,259 | 2,676 | 4,040 | 6,496 | 15,546 | 27,748 | - |
| 2006..... | 55,704 | 114 | 47 | 68 | 256 | 576 | 1,302 | 2,654 | 4,005 | 6,219 | 15,093 | 25,370 | - |
| 2005..... | 56,702 | 101 | 51 | 73 | 238 | 558 | 1,342 | 2,673 | 4,051 | 6,482 | 15,628 | 25,503 | 2 |
| 2004..... | 55,505 | 129 | 56 | 85 | 245 | 545 | 1,377 | 2,627 | 3,754 | 6,614 | 15,812 | 24,261 | - |
| 2003..... | 57,276 | 125 | 61 | 64 | 272 | 589 | 1,458 | 2,640 | 3,894 | 7,057 | 16,341 | 24,774 | 1 |
| 2002..... | 57,762 | 158 | 49 | 69 | 230 | 548 | 1,496 | 2,555 | 3,875 | 7,331 | 16,942 | 24,508 | 1 |
| 2001..... | 56,480 | 172 | 61 | 86 | 225 | 581 | 1,387 | 2,595 | 3,726 | 7,478 | 16,301 | 23,868 | - |
| 2000..... | 56,170 | 163 | 49 | 63 | 268 | 578 | 1,437 | 2,395 | 3,617 | 7,624 | 16,387 | 23,588 | 1 |
| 1999..... | 56,500 | 165 | 52 | 79 | 291 | 610 | 1,461 | 2,421 | 3,709 | 7,783 | 16,484 | 23,443 | 2 |

Non-Hispanic white, both sexes

|              |        |     |    |     |     |     |       |       |       |        |        |        |   |
|--------------|--------|-----|----|-----|-----|-----|-------|-------|-------|--------|--------|--------|---|
| 2007 2/..... | 92,818 | 137 | 51 | 94  | 404 | 837 | 2,140 | 5,086 | 8,041 | 11,909 | 25,948 | 38,170 | 1 |
| 2006 2/..... | 87,727 | 123 | 56 | 107 | 448 | 901 | 2,193 | 5,064 | 7,865 | 11,494 | 24,924 | 34,551 | 1 |
| 2005 2/..... | 89,226 | 136 | 61 | 98  | 460 | 864 | 2,346 | 5,098 | 7,882 | 12,005 | 25,733 | 34,539 | 4 |
| 2004 2/..... | 87,330 | 182 | 64 | 105 | 433 | 829 | 2,320 | 5,050 | 7,601 | 12,153 | 25,979 | 32,611 | 3 |
| 2003 2/..... | 90,097 | 163 | 65 | 113 | 436 | 853 | 2,485 | 4,935 | 7,686 | 13,007 | 27,286 | 33,065 | 3 |
| 2002.....    | 91,087 | 214 | 66 | 116 | 410 | 830 | 2,617 | 4,946 | 7,560 | 13,627 | 28,019 | 32,680 | 2 |
| 2001.....    | 88,469 | 194 | 81 | 113 | 377 | 847 | 2,409 | 4,834 | 7,216 | 13,839 | 27,054 | 31,504 | 1 |
| 2000.....    | 88,583 | 218 | 72 | 98  | 385 | 867 | 2,448 | 4,665 | 7,302 | 14,329 | 26,964 | 31,233 | 2 |
| 1999.....    | 89,439 | 224 | 73 | 123 | 462 | 899 | 2,529 | 4,603 | 7,360 | 14,930 | 27,318 | 30,915 | 3 |

Worktable Orig290F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2007

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data - mortality"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, sex, and year | All ages | Under 1 year | 1-4 years | 5-14 years | 15-24 years | 25-34 years | 35-44 years | 45-54 years | 55-64 years | 65-74 years | 75-84 years | 85 years and over | Age not stated |
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|
| All other forms of heart disease (I26-I28,I34-I38,I42-I49,I51)   |          |              |           |            |             |             |             |             |             |             |             |                   |                |
| Non-Hispanic white, male   |          |              |           |            |             |             |             |             |             |             |             |                   |                |
| 2007 2/.....   | 42,362   | 77           | 19        | 49         | 244         | 517         | 1,308       | 3,294       | 5,062       | 6,774       | 12,359      | 12,658            | 1              |
| 2006 2/.....   | 39,929   | 61           | 29        | 63         | 295         | 567         | 1,358       | 3,237       | 4,879       | 6,559       | 11,754      | 11,126            | 1              |
| 2005 2/.....   | 40,668   | 74           | 33        | 57         | 307         | 554         | 1,503       | 3,339       | 4,919       | 6,808       | 12,011      | 11,060            | 3              |
| 2004 2/.....   | 39,812   | 100          | 34        | 55         | 274         | 514         | 1,458       | 3,309       | 4,823       | 6,893       | 12,064      | 10,285            | 3              |
| 2003 2/.....   | 41,056   | 88           | 27        | 73         | 263         | 525         | 1,560       | 3,162       | 4,807       | 7,402       | 12,840      | 10,307            | 2              |
| 2002.....  | 41,554   | 117          | 38        | 69         | 278         | 520         | 1,657       | 3,250       | 4,700       | 7,683       | 13,025      | 10,215            | 2              |
| 2001.....  | 40,015   | 99           | 48        | 61         | 239         | 505         | 1,567       | 3,125       | 4,433       | 7,778       | 12,635      | 9,524             | 1              |
| 2000.....  | 40,299   | 112          | 40        | 66         | 232         | 527         | 1,547       | 3,060       | 4,593       | 8,129       | 12,454      | 9,537             | 2              |
| 1999.....  | 40,860   | 127          | 45        | 66         | 268         | 537         | 1,630       | 2,990       | 4,630       | 8,587       | 12,696      | 9,282             | 2              |
| Non-Hispanic white, female   |          |              |           |            |             |             |             |             |             |             |             |                   |                |
| 2007 2/.....   | 50,456   | 60           | 32        | 45         | 160         | 320         | 832         | 1,792       | 2,979       | 5,135       | 13,589      | 25,512            | -              |
| 2006 2/.....   | 47,798   | 62           | 27        | 44         | 153         | 334         | 835         | 1,827       | 2,986       | 4,935       | 13,170      | 23,425            | -              |
| 2005 2/.....   | 48,558   | 62           | 28        | 41         | 153         | 310         | 843         | 1,759       | 2,963       | 5,197       | 13,722      | 23,479            | 1              |
| 2004 2/.....   | 47,518   | 82           | 30        | 50         | 159         | 315         | 862         | 1,741       | 2,778       | 5,260       | 13,915      | 22,326            | -              |
| 2003 2/.....   | 49,041   | 75           | 38        | 40         | 173         | 328         | 925         | 1,773       | 2,879       | 5,605       | 14,446      | 22,758            | 1              |
| 2002.....  | 49,533   | 97           | 28        | 47         | 132         | 310         | 960         | 1,696       | 2,860       | 5,944       | 14,994      | 22,465            | -              |
| 2001.....  | 48,454   | 95           | 33        | 52         | 138         | 342         | 842         | 1,709       | 2,783       | 6,061       | 14,419      | 21,980            | -              |
| 2000.....  | 48,284   | 106          | 32        | 32         | 153         | 340         | 901         | 1,605       | 2,709       | 6,200       | 14,510      | 21,696            | -              |
| 1999.....  | 48,579   | 97           | 28        | 57         | 194         | 362         | 899         | 1,613       | 2,730       | 6,343       | 14,622      | 21,633            | 1              |

Worktable Orig290F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2007

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data - mortality"]

---

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, sex, and year

|  | All ages | Under 1 year | 1-4 years | 5-14 years | 15-24 years | 25-34 years | 35-44 years | 45-54 years | 55-64 years | 65-74 years | 75-84 years | 85 years and over | Age not stated |
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|

---

All other forms of heart disease (I26-I28,I34-I38,I42-I49,I51)

Non-Hispanic black, both sexes

|              |        |     |    |    |     |     |       |       |       |       |       |       |   |
|--------------|--------|-----|----|----|-----|-----|-------|-------|-------|-------|-------|-------|---|
| 2007 2/..... | 14,377 | 112 | 33 | 54 | 233 | 499 | 1,023 | 1,995 | 2,339 | 2,600 | 2,920 | 2,569 | - |
| 2006 2/..... | 13,778 | 91  | 37 | 49 | 225 | 565 | 1,047 | 1,915 | 2,264 | 2,397 | 2,870 | 2,316 | 2 |
| 2005 2/..... | 13,981 | 80  | 30 | 56 | 247 | 554 | 1,073 | 2,024 | 2,276 | 2,443 | 2,818 | 2,379 | 1 |
| 2004 2/..... | 13,906 | 81  | 46 | 57 | 214 | 492 | 1,114 | 1,987 | 2,159 | 2,481 | 2,915 | 2,358 | 2 |
| 2003 2/..... | 14,177 | 96  | 40 | 52 | 239 | 522 | 1,153 | 1,962 | 2,167 | 2,685 | 2,867 | 2,393 | 1 |
| 2002.....    | 14,147 | 115 | 28 | 45 | 228 | 543 | 1,163 | 1,956 | 2,121 | 2,528 | 2,949 | 2,470 | 1 |
| 2001.....    | 14,012 | 111 | 56 | 56 | 222 | 517 | 1,193 | 1,893 | 2,054 | 2,561 | 2,985 | 2,364 | - |
| 2000.....    | 13,870 | 93  | 35 | 60 | 252 | 508 | 1,165 | 1,849 | 1,978 | 2,659 | 2,915 | 2,355 | 1 |
| 1999.....    | 14,204 | 119 | 35 | 55 | 243 | 526 | 1,231 | 1,782 | 2,168 | 2,763 | 2,953 | 2,328 | 1 |

Non-Hispanic black, male

|              |       |    |    |    |     |     |     |       |       |       |       |     |   |
|--------------|-------|----|----|----|-----|-----|-----|-------|-------|-------|-------|-----|---|
| 2007 2/..... | 7,115 | 66 | 22 | 28 | 156 | 286 | 628 | 1,161 | 1,373 | 1,391 | 1,274 | 730 | - |
| 2006 2/..... | 6,883 | 48 | 21 | 29 | 130 | 344 | 616 | 1,153 | 1,335 | 1,275 | 1,223 | 707 | 2 |
| 2005 2/..... | 6,903 | 49 | 12 | 31 | 171 | 328 | 613 | 1,187 | 1,306 | 1,318 | 1,181 | 707 | - |
| 2004 2/..... | 6,860 | 45 | 24 | 24 | 139 | 281 | 633 | 1,167 | 1,269 | 1,274 | 1,285 | 717 | 2 |
| 2003 2/..... | 6,943 | 59 | 23 | 30 | 155 | 283 | 663 | 1,156 | 1,256 | 1,396 | 1,247 | 674 | 1 |
| 2002.....    | 6,804 | 65 | 12 | 26 | 139 | 325 | 655 | 1,160 | 1,189 | 1,296 | 1,239 | 698 | - |
| 2001.....    | 6,822 | 50 | 32 | 28 | 144 | 292 | 680 | 1,070 | 1,200 | 1,285 | 1,337 | 704 | - |
| 2000.....    | 6,758 | 44 | 20 | 34 | 143 | 287 | 663 | 1,112 | 1,155 | 1,355 | 1,245 | 700 | - |
| 1999.....    | 7,062 | 60 | 16 | 36 | 154 | 300 | 707 | 1,045 | 1,272 | 1,468 | 1,284 | 720 | - |

Worktable Orig290F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2007

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data - mortality"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, sex, and year | All ages | Under 1 year | 1-4 years | 5-14 years | 15-24 years | 25-34 years | 35-44 years | 45-54 years | 55-64 years | 65-74 years | 75-84 years | 85 years and over | Age not stated |
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|

All other forms of heart disease (I26-I28,I34-I38,I42-I49,I51)

Non-Hispanic black, female

|              |       |    |    |    |     |     |     |     |     |       |       |       |   |
|--------------|-------|----|----|----|-----|-----|-----|-----|-----|-------|-------|-------|---|
| 2007 2/..... | 7,262 | 46 | 11 | 26 | 77  | 213 | 395 | 834 | 966 | 1,209 | 1,646 | 1,839 | - |
| 2006 2/..... | 6,895 | 43 | 16 | 20 | 95  | 221 | 431 | 762 | 929 | 1,122 | 1,647 | 1,609 | - |
| 2005 2/..... | 7,078 | 31 | 18 | 25 | 76  | 226 | 460 | 837 | 970 | 1,125 | 1,637 | 1,672 | 1 |
| 2004 2/..... | 7,046 | 36 | 22 | 33 | 75  | 211 | 481 | 820 | 890 | 1,207 | 1,630 | 1,641 | - |
| 2003 2/..... | 7,234 | 37 | 17 | 22 | 84  | 239 | 490 | 806 | 911 | 1,289 | 1,620 | 1,719 | - |
| 2002.....    | 7,343 | 50 | 16 | 19 | 89  | 218 | 508 | 796 | 932 | 1,232 | 1,710 | 1,772 | 1 |
| 2001.....    | 7,190 | 61 | 24 | 28 | 78  | 225 | 513 | 823 | 854 | 1,276 | 1,648 | 1,660 | - |
| 2000.....    | 7,112 | 49 | 15 | 26 | 109 | 221 | 502 | 737 | 823 | 1,304 | 1,670 | 1,655 | 1 |
| 1999.....    | 7,142 | 59 | 19 | 19 | 89  | 226 | 524 | 737 | 896 | 1,295 | 1,669 | 1,608 | 1 |

Origin not stated 3/, both sexes

|           |     |   |   |   |   |   |    |    |    |    |    |    |   |
|-----------|-----|---|---|---|---|---|----|----|----|----|----|----|---|
| 2007..... | 146 | 3 | - | - | - | 3 | 8  | 19 | 23 | 19 | 29 | 41 | 1 |
| 2006..... | 190 | 1 | - | - | 1 | 3 | 15 | 23 | 26 | 33 | 48 | 39 | 1 |
| 2005..... | 184 | - | - | - | - | 5 | 11 | 27 | 33 | 30 | 40 | 38 | - |
| 2004..... | 176 | 2 | - | 2 | 4 | 4 | 13 | 21 | 23 | 24 | 46 | 37 | - |
| 2003..... | 257 | 2 | 1 | 1 | 4 | 6 | 18 | 29 | 40 | 36 | 65 | 53 | 2 |
| 2002..... | 264 | 2 | - | - | 1 | 7 | 21 | 23 | 29 | 43 | 73 | 62 | 3 |
| 2001..... | 285 | 2 | 1 | - | 7 | 5 | 18 | 30 | 25 | 46 | 66 | 83 | 2 |
| 2000..... | 275 | 3 | - | 1 | 1 | 9 | 20 | 30 | 38 | 42 | 52 | 79 | - |
| 1999..... | 281 | 1 | 1 | 1 | 2 | 7 | 19 | 19 | 35 | 57 | 73 | 65 | 1 |

Worktable Orig290F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2007

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data - mortality"]

---

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, sex, and year

|  | All ages | Under 1 year | 1-4 years | 5-14 years | 15-24 years | 25-34 years | 35-44 years | 45-54 years | 55-64 years | 65-74 years | 75-84 years | 85 years and over | Age not stated |
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|

---

All other forms of heart disease (I26-I28,I34-I38,I42-I49,I51)

Origin not stated 3/, male

|           |     |   |   |   |   |   |    |    |    |    |    |    |   |
|-----------|-----|---|---|---|---|---|----|----|----|----|----|----|---|
| 2007..... | 83  | 1 | - | - | - | 2 | 6  | 15 | 17 | 12 | 16 | 13 | 1 |
| 2006..... | 108 | - | - | - | - | 2 | 9  | 17 | 15 | 22 | 25 | 17 | 1 |
| 2005..... | 104 | - | - | - | - | 3 | 8  | 16 | 25 | 22 | 21 | 9  | - |
| 2004..... | 96  | 1 | - | 2 | 2 | 4 | 8  | 16 | 18 | 13 | 24 | 8  | - |
| 2003..... | 143 | - | - | 1 | 2 | 4 | 14 | 23 | 30 | 17 | 34 | 16 | 2 |
| 2002..... | 130 | 1 | - | - | 1 | 4 | 15 | 16 | 16 | 26 | 36 | 14 | 1 |
| 2001..... | 149 | 1 | - | - | 4 | 3 | 15 | 22 | 17 | 30 | 29 | 27 | 1 |
| 2000..... | 139 | 2 | - | - | 1 | 4 | 14 | 17 | 24 | 28 | 24 | 25 | - |
| 1999..... | 157 | - | - | 1 | 2 | 4 | 13 | 15 | 23 | 34 | 41 | 23 | 1 |

Origin not stated 3/, female

|           |     |   |   |   |   |   |   |    |    |    |    |    |   |
|-----------|-----|---|---|---|---|---|---|----|----|----|----|----|---|
| 2007..... | 63  | 2 | - | - | - | 1 | 2 | 4  | 6  | 7  | 13 | 28 | - |
| 2006..... | 82  | 1 | - | - | 1 | 1 | 6 | 6  | 11 | 11 | 23 | 22 | - |
| 2005..... | 80  | - | - | - | - | 2 | 3 | 11 | 8  | 8  | 19 | 29 | - |
| 2004..... | 80  | 1 | - | - | 2 | - | 5 | 5  | 5  | 11 | 22 | 29 | - |
| 2003..... | 114 | 2 | 1 | - | 2 | 2 | 4 | 6  | 10 | 19 | 31 | 37 | - |
| 2002..... | 134 | 1 | - | - | - | 3 | 6 | 7  | 13 | 17 | 37 | 48 | 2 |
| 2001..... | 136 | 1 | 1 | - | 3 | 2 | 3 | 8  | 8  | 16 | 37 | 56 | 1 |
| 2000..... | 136 | 1 | - | 1 | - | 5 | 6 | 13 | 14 | 14 | 28 | 54 | - |
| 1999..... | 124 | 1 | 1 | - | - | 3 | 6 | 4  | 12 | 23 | 32 | 42 | - |

Worktable Orig290F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2007

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data - mortality"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, sex, and year | All ages | Under 1 year | 1-4 years | 5-14 years | 15-24 years | 25-34 years | 35-44 years | 45-54 years | 55-64 years | 65-74 years | 75-84 years | 85 years and over | Age not stated |
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|

Essential hypertension and hypertensive renal disease (I10,I12,I15)

| All origins, both sexes |        |   |   |   |    |     |     |       |       |       |       |        |   |
|-------------------------|--------|---|---|---|----|-----|-----|-------|-------|-------|-------|--------|---|
| 2007.....               | 23,965 | 1 | 1 | - | 23 | 85  | 384 | 1,235 | 2,124 | 3,133 | 6,442 | 10,536 | 1 |
| 2006.....               | 23,855 | - | 1 | 3 | 21 | 110 | 385 | 1,299 | 2,178 | 3,174 | 6,654 | 10,030 | - |
| 2005.....               | 24,902 | 2 | - | 3 | 22 | 84  | 406 | 1,166 | 1,954 | 3,306 | 7,256 | 10,703 | - |
| 2004.....               | 23,076 | 2 | 1 | 1 | 21 | 103 | 348 | 1,138 | 1,839 | 3,152 | 6,819 | 9,648  | 4 |
| 2003.....               | 21,940 | 1 | 2 | 2 | 22 | 98  | 372 | 1,031 | 1,755 | 3,104 | 6,649 | 8,904  | - |
| 2002.....               | 20,261 | 5 | 1 | 1 | 21 | 85  | 354 | 923   | 1,526 | 2,922 | 6,138 | 8,285  | - |
| 2001.....               | 19,250 | - | 1 | 1 | 23 | 104 | 331 | 931   | 1,462 | 2,832 | 5,993 | 7,572  | - |
| 2000.....               | 18,073 | 1 | 1 | 4 | 17 | 70  | 348 | 878   | 1,440 | 2,784 | 5,623 | 6,907  | - |
| 1999.....               | 16,968 | 3 | 3 | 1 | 13 | 78  | 313 | 799   | 1,318 | 2,799 | 5,324 | 6,317  | - |
| All origins, male       |        |   |   |   |    |     |     |       |       |       |       |        |   |
| 2007.....               | 9,417  | 1 | 1 | - | 13 | 46  | 250 | 760   | 1,273 | 1,601 | 2,667 | 2,805  | - |
| 2006.....               | 9,415  | - | - | 2 | 11 | 66  | 242 | 813   | 1,273 | 1,606 | 2,714 | 2,688  | - |
| 2005.....               | 9,458  | 1 | - | 1 | 12 | 45  | 243 | 733   | 1,151 | 1,639 | 2,917 | 2,716  | - |
| 2004.....               | 8,869  | 1 | 1 | - | 13 | 59  | 222 | 714   | 1,036 | 1,535 | 2,782 | 2,503  | 3 |
| 2003.....               | 8,213  | 1 | 2 | 1 | 12 | 58  | 215 | 660   | 989   | 1,535 | 2,522 | 2,218  | - |
| 2002.....               | 7,647  | 2 | 1 | 1 | 11 | 47  | 219 | 560   | 850   | 1,419 | 2,405 | 2,132  | - |
| 2001.....               | 7,254  | - | - | - | 16 | 59  | 206 | 569   | 784   | 1,379 | 2,282 | 1,959  | - |
| 2000.....               | 6,895  | 1 | - | 3 | 4  | 39  | 216 | 555   | 818   | 1,308 | 2,204 | 1,747  | - |
| 1999.....               | 6,488  | 2 | 1 | 1 | 8  | 48  | 195 | 482   | 732   | 1,372 | 2,067 | 1,580  | - |

Worktable Orig290F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2007

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data - mortality"]

---

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, sex, and year

|  | All ages | Under 1 year | 1-4 years | 5-14 years | 15-24 years | 25-34 years | 35-44 years | 45-54 years | 55-64 years | 65-74 years | 75-84 years | 85 years and over | Age not stated |
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|

---

Essential hypertension and hypertensive renal disease (I10,I12,I15)

|                      | All ages | Under 1 year | 1-4 years | 5-14 years | 15-24 years | 25-34 years | 35-44 years | 45-54 years | 55-64 years | 65-74 years | 75-84 years | 85 years and over | Age not stated |
|----------------------|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|
| All origins, female  |          |              |           |            |             |             |             |             |             |             |             |                   |                |
| 2007.....            | 14,548   | -            | -         | -          | 10          | 39          | 134         | 475         | 851         | 1,532       | 3,775       | 7,731             | 1              |
| 2006.....            | 14,440   | -            | 1         | 1          | 10          | 44          | 143         | 486         | 905         | 1,568       | 3,940       | 7,342             | -              |
| 2005.....            | 15,444   | 1            | -         | 2          | 10          | 39          | 163         | 433         | 803         | 1,667       | 4,339       | 7,987             | -              |
| 2004.....            | 14,207   | 1            | -         | 1          | 8           | 44          | 126         | 424         | 803         | 1,617       | 4,037       | 7,145             | 1              |
| 2003.....            | 13,727   | -            | -         | 1          | 10          | 40          | 157         | 371         | 766         | 1,569       | 4,127       | 6,686             | -              |
| 2002.....            | 12,614   | 3            | -         | -          | 10          | 38          | 135         | 363         | 676         | 1,503       | 3,733       | 6,153             | -              |
| 2001.....            | 11,996   | -            | 1         | 1          | 7           | 45          | 125         | 362         | 678         | 1,453       | 3,711       | 5,613             | -              |
| 2000.....            | 11,178   | -            | 1         | 1          | 13          | 31          | 132         | 323         | 622         | 1,476       | 3,419       | 5,160             | -              |
| 1999.....            | 10,480   | 1            | 2         | -          | 5           | 30          | 118         | 317         | 586         | 1,427       | 3,257       | 4,737             | -              |
| Hispanic, both sexes |          |              |           |            |             |             |             |             |             |             |             |                   |                |
| 2007.....            | 1,395    | -            | -         | -          | 4           | 8           | 38          | 112         | 170         | 239         | 385         | 439               | -              |
| 2006.....            | 1,249    | -            | -         | 1          | 4           | 10          | 30          | 106         | 181         | 233         | 308         | 376               | -              |
| 2005.....            | 1,314    | 1            | -         | 2          | 3           | 11          | 37          | 82          | 150         | 246         | 386         | 396               | -              |
| 2004.....            | 1,116    | -            | 1         | -          | 4           | 9           | 22          | 89          | 121         | 205         | 303         | 362               | -              |
| 2003.....            | 1,053    | -            | -         | -          | 4           | 11          | 23          | 75          | 121         | 204         | 285         | 330               | -              |
| 2002.....            | 942      | 2            | -         | -          | 5           | 9           | 30          | 39          | 123         | 183         | 283         | 268               | -              |
| 2001.....            | 889      | -            | -         | -          | 3           | 10          | 19          | 60          | 83          | 187         | 271         | 256               | -              |
| 2000.....            | 821      | 1            | 1         | -          | 4           | 7           | 27          | 55          | 109         | 162         | 232         | 223               | -              |
| 1999.....            | 753      | 1            | 1         | -          | 3           | 8           | 19          | 64          | 82          | 158         | 232         | 185               | -              |

Worktable Orig290F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2007

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data - mortality"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, sex, and year | All ages | Under 1 year | 1-4 years | 5-14 years | 15-24 years | 25-34 years | 35-44 years | 45-54 years | 55-64 years | 65-74 years | 75-84 years | 85 years and over | Age not stated |
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|

Essential hypertension and hypertensive renal disease (I10,I12,I15)

| Hispanic, male   |     |   |   |   |   |   |    |    |     |     |     |     |   |
|------------------|-----|---|---|---|---|---|----|----|-----|-----|-----|-----|---|
| 2007.....        | 639 | - | - | - | 1 | 5 | 26 | 67 | 101 | 130 | 160 | 149 | - |
| 2006.....        | 552 | - | - | 1 | 2 | 5 | 22 | 63 | 102 | 117 | 123 | 117 | - |
| 2005.....        | 547 | 1 | - | 1 | 3 | 4 | 27 | 46 | 69  | 121 | 162 | 113 | - |
| 2004.....        | 492 | - | 1 | - | 3 | 6 | 11 | 58 | 68  | 104 | 136 | 105 | - |
| 2003.....        | 437 | - | - | - | 2 | 5 | 17 | 53 | 73  | 84  | 116 | 87  | - |
| 2002.....        | 385 | 1 | - | - | 1 | 5 | 18 | 22 | 66  | 80  | 113 | 79  | - |
| 2001.....        | 365 | - | - | - | 2 | 8 | 16 | 39 | 34  | 84  | 114 | 68  | - |
| 2000.....        | 386 | 1 | - | - | 2 | 5 | 20 | 44 | 65  | 72  | 107 | 70  | - |
| 1999.....        | 340 | - | - | - | 2 | 5 | 14 | 35 | 40  | 84  | 99  | 61  | - |
| Hispanic, female |     |   |   |   |   |   |    |    |     |     |     |     |   |
| 2007.....        | 756 | - | - | - | 3 | 3 | 12 | 45 | 69  | 109 | 225 | 290 | - |
| 2006.....        | 697 | - | - | - | 2 | 5 | 8  | 43 | 79  | 116 | 185 | 259 | - |
| 2005.....        | 767 | - | - | 1 | - | 7 | 10 | 36 | 81  | 125 | 224 | 283 | - |
| 2004.....        | 624 | - | - | - | 1 | 3 | 11 | 31 | 53  | 101 | 167 | 257 | - |
| 2003.....        | 616 | - | - | - | 2 | 6 | 6  | 22 | 48  | 120 | 169 | 243 | - |
| 2002.....        | 557 | 1 | - | - | 4 | 4 | 12 | 17 | 57  | 103 | 170 | 189 | - |
| 2001.....        | 524 | - | - | - | 1 | 2 | 3  | 21 | 49  | 103 | 157 | 188 | - |
| 2000.....        | 435 | - | 1 | - | 2 | 2 | 7  | 11 | 44  | 90  | 125 | 153 | - |
| 1999.....        | 413 | 1 | 1 | - | 1 | 3 | 5  | 29 | 42  | 74  | 133 | 124 | - |



Worktable Orig290F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2007

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data - mortality"]

---

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, sex, and year

|  | All ages | Under 1 year | 1-4 years | 5-14 years | 15-24 years | 25-34 years | 35-44 years | 45-54 years | 55-64 years | 65-74 years | 75-84 years | 85 years and over | Age not stated |
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|

---

Essential hypertension and hypertensive renal disease (I10,I12,I15)

| Non-Hispanic 1/, both sexes |        |   |   |   |    |     |     |       |       |       |       |        |   |
|-----------------------------|--------|---|---|---|----|-----|-----|-------|-------|-------|-------|--------|---|
| 2007.....                   | 22,542 | 1 | 1 | - | 19 | 77  | 346 | 1,120 | 1,952 | 2,887 | 6,048 | 10,090 | 1 |
| 2006.....                   | 22,565 | - | 1 | 2 | 17 | 100 | 355 | 1,192 | 1,989 | 2,935 | 6,335 | 9,639  | - |
| 2005.....                   | 23,543 | 1 | - | 1 | 18 | 73  | 369 | 1,081 | 1,792 | 3,051 | 6,857 | 10,300 | - |
| 2004.....                   | 21,905 | 2 | - | 1 | 17 | 94  | 325 | 1,045 | 1,709 | 2,933 | 6,505 | 9,270  | 4 |
| 2003.....                   | 20,831 | 1 | 2 | 2 | 18 | 85  | 349 | 953   | 1,628 | 2,883 | 6,350 | 8,560  | - |
| 2002.....                   | 19,254 | 3 | 1 | 1 | 16 | 75  | 322 | 881   | 1,400 | 2,725 | 5,840 | 7,990  | - |
| 2001.....                   | 18,306 | - | 1 | 1 | 20 | 94  | 310 | 868   | 1,370 | 2,636 | 5,706 | 7,300  | - |
| 2000.....                   | 17,182 | - | - | 4 | 13 | 63  | 318 | 815   | 1,320 | 2,616 | 5,373 | 6,660  | - |
| 1999.....                   | 16,158 | 2 | 2 | 1 | 10 | 69  | 292 | 734   | 1,232 | 2,633 | 5,073 | 6,110  | - |
| Non-Hispanic 1/, male       |        |   |   |   |    |     |     |       |       |       |       |        |   |
| 2007.....                   | 8,768  | 1 | 1 | - | 12 | 41  | 224 | 691   | 1,171 | 1,469 | 2,502 | 2,656  | - |
| 2006.....                   | 8,846  | - | - | 1 | 9  | 61  | 220 | 749   | 1,169 | 1,485 | 2,585 | 2,567  | - |
| 2005.....                   | 8,890  | - | - | - | 9  | 41  | 216 | 685   | 1,074 | 1,511 | 2,753 | 2,601  | - |
| 2004.....                   | 8,353  | 1 | - | - | 10 | 53  | 210 | 653   | 963   | 1,422 | 2,643 | 2,395  | 3 |
| 2003.....                   | 7,751  | 1 | 2 | 1 | 10 | 51  | 198 | 605   | 911   | 1,441 | 2,401 | 2,130  | - |
| 2002.....                   | 7,232  | 1 | 1 | 1 | 10 | 42  | 200 | 536   | 781   | 1,328 | 2,285 | 2,047  | - |
| 2001.....                   | 6,856  | - | - | - | 14 | 51  | 188 | 528   | 743   | 1,288 | 2,160 | 1,884  | - |
| 2000.....                   | 6,475  | - | - | 3 | 2  | 34  | 194 | 504   | 746   | 1,232 | 2,088 | 1,672  | - |
| 1999.....                   | 6,123  | 2 | 1 | 1 | 6  | 42  | 179 | 447   | 689   | 1,285 | 1,958 | 1,513  | - |

Worktable Orig290F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2007

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data - mortality"]

---

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, sex, and year

|  | All ages | Under 1 year | 1-4 years | 5-14 years | 15-24 years | 25-34 years | 35-44 years | 45-54 years | 55-64 years | 65-74 years | 75-84 years | 85 years and over | Age not stated |
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|

---

Essential hypertension and hypertensive renal disease (I10,I12,I15)

| Non-Hispanic 1/, female        |        |   |   |   |    |     |     |     |       |       |       |       |   |
|--------------------------------|--------|---|---|---|----|-----|-----|-----|-------|-------|-------|-------|---|
| 2007.....                      | 13,774 | - | - | - | 7  | 36  | 122 | 429 | 781   | 1,418 | 3,546 | 7,434 | 1 |
| 2006.....                      | 13,719 | - | 1 | 1 | 8  | 39  | 135 | 443 | 820   | 1,450 | 3,750 | 7,072 | - |
| 2005.....                      | 14,653 | 1 | - | 1 | 9  | 32  | 153 | 396 | 718   | 1,540 | 4,104 | 7,699 | - |
| 2004.....                      | 13,552 | 1 | - | 1 | 7  | 41  | 115 | 392 | 746   | 1,511 | 3,862 | 6,875 | 1 |
| 2003.....                      | 13,080 | - | - | 1 | 8  | 34  | 151 | 348 | 717   | 1,442 | 3,949 | 6,430 | - |
| 2002.....                      | 12,022 | 2 | - | - | 6  | 33  | 122 | 345 | 619   | 1,397 | 3,555 | 5,943 | - |
| 2001.....                      | 11,450 | - | 1 | 1 | 6  | 43  | 122 | 340 | 627   | 1,348 | 3,546 | 5,416 | - |
| 2000.....                      | 10,707 | - | - | 1 | 11 | 29  | 124 | 311 | 574   | 1,384 | 3,285 | 4,988 | - |
| 1999.....                      | 10,035 | - | 1 | - | 4  | 27  | 113 | 287 | 543   | 1,348 | 3,115 | 4,597 | - |
| Non-Hispanic white, both sexes |        |   |   |   |    |     |     |     |       |       |       |       |   |
| 2007 2/.....                   | 17,216 | 1 | 1 | - | 9  | 26  | 166 | 558 | 1,149 | 1,955 | 4,735 | 8,616 | - |
| 2006 2/.....                   | 17,034 | - | 1 | 2 | 7  | 34  | 135 | 591 | 1,185 | 1,953 | 4,961 | 8,165 | - |
| 2005 2/.....                   | 17,949 | - | - | 1 | 6  | 19  | 160 | 523 | 1,059 | 1,978 | 5,415 | 8,788 | - |
| 2004 2/.....                   | 16,569 | - | - | - | 9  | 35  | 139 | 510 | 960   | 1,940 | 5,098 | 7,875 | 3 |
| 2003 2/.....                   | 15,878 | - | 1 | 1 | 8  | 32  | 165 | 493 | 918   | 1,862 | 5,026 | 7,372 | - |
| 2002.....                      | 14,617 | 2 | 1 | 1 | 9  | 26  | 126 | 449 | 805   | 1,838 | 4,570 | 6,790 | - |
| 2001.....                      | 13,837 | - | 1 | 1 | 35 | 121 | 404 | 776 | 1,747 | 4,499 | 6,242 | -     | - |
| 2000.....                      | 12,917 | - | - | 3 | 3  | 25  | 132 | 381 | 736   | 1,744 | 4,252 | 5,641 | - |
| 1999.....                      | 12,048 | 1 | - | - | 5  | 28  | 112 | 343 | 686   | 1,788 | 3,940 | 5,145 | - |

Worktable Orig290F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2007

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data - mortality"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, sex, and year | All ages | Under 1 year | 1-4 years | 5-14 years | 15-24 years | 25-34 years | 35-44 years | 45-54 years | 55-64 years | 65-74 years | 75-84 years | 85 years and over | Age not stated |
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|

Essential hypertension and hypertensive renal disease (I10,I12,I15)

| Non-Hispanic white, male   |        |   |   |   |   |    |     |     |     |       |       |       |   |
|----------------------------|--------|---|---|---|---|----|-----|-----|-----|-------|-------|-------|---|
| 2007 2/.....               | 6,480  | 1 | 1 | - | 6 | 17 | 121 | 365 | 731 | 1,003 | 1,981 | 2,254 | - |
| 2006 2/.....               | 6,451  | - | - | 1 | 3 | 23 | 88  | 398 | 730 | 986   | 2,039 | 2,183 | - |
| 2005 2/.....               | 6,474  | - | - | - | 4 | 11 | 104 | 353 | 658 | 980   | 2,163 | 2,201 | - |
| 2004 2/.....               | 6,147  | - | - | - | 7 | 23 | 100 | 336 | 572 | 968   | 2,075 | 2,064 | 2 |
| 2003 2/.....               | 5,673  | - | 1 | - | 5 | 16 | 102 | 319 | 527 | 976   | 1,916 | 1,811 | - |
| 2002.....                  | 5,325  | 1 | 1 | 1 | 7 | 16 | 82  | 290 | 477 | 920   | 1,784 | 1,746 | - |
| 2001.....                  | 4,970  | - | - | - | 7 | 20 | 77  | 253 | 439 | 873   | 1,701 | 1,600 | - |
| 2000.....                  | 4,721  | - | - | 3 | 1 | 17 | 89  | 255 | 434 | 852   | 1,671 | 1,399 | - |
| 1999.....                  | 4,395  | 1 | - | - | 2 | 22 | 77  | 220 | 410 | 897   | 1,526 | 1,240 | - |
| Non-Hispanic white, female |        |   |   |   |   |    |     |     |     |       |       |       |   |
| 2007 2/.....               | 10,736 | - | - | - | 3 | 9  | 45  | 193 | 418 | 952   | 2,754 | 6,362 | - |
| 2006 2/.....               | 10,583 | - | 1 | 1 | 4 | 11 | 47  | 193 | 455 | 967   | 2,922 | 5,982 | - |
| 2005 2/.....               | 11,475 | - | - | 1 | 2 | 8  | 56  | 170 | 401 | 998   | 3,252 | 6,587 | - |
| 2004 2/.....               | 10,422 | - | - | - | 2 | 12 | 39  | 174 | 388 | 972   | 3,023 | 5,811 | 1 |
| 2003 2/.....               | 10,205 | - | - | 1 | 3 | 16 | 63  | 174 | 391 | 886   | 3,110 | 5,561 | - |
| 2002.....                  | 9,292  | 1 | - | - | 2 | 10 | 44  | 159 | 328 | 918   | 2,786 | 5,044 | - |
| 2001.....                  | 8,867  | - | 1 | 1 | 4 | 15 | 44  | 151 | 337 | 874   | 2,798 | 4,642 | - |
| 2000.....                  | 8,196  | - | - | - | 2 | 8  | 43  | 126 | 302 | 892   | 2,581 | 4,242 | - |
| 1999.....                  | 7,653  | - | - | - | 3 | 6  | 35  | 123 | 276 | 891   | 2,414 | 3,905 | - |

Worktable Orig290F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2007

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data - mortality"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, sex, and year | All ages | Under 1 year | 1-4 years | 5-14 years | 15-24 years | 25-34 years | 35-44 years | 45-54 years | 55-64 years | 65-74 years | 75-84 years | 85 years and over | Age not stated |
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|

Essential hypertension and hypertensive renal disease (I10,I12,I15)

| Non-Hispanic black, both sexes |       |   |   |   |    |    |     |     |     |     |       |       |   |
|--------------------------------|-------|---|---|---|----|----|-----|-----|-----|-----|-------|-------|---|
| 2007 2/.....                   | 4,597 | - | - | - | 10 | 49 | 174 | 531 | 745 | 822 | 1,085 | 1,180 | 1 |
| 2006 2/.....                   | 4,851 | - | - | - | 9  | 64 | 208 | 565 | 730 | 878 | 1,181 | 1,216 | - |
| 2005 2/.....                   | 4,906 | 1 | - | - | 11 | 51 | 194 | 527 | 684 | 948 | 1,226 | 1,264 | - |
| 2004 2/.....                   | 4,709 | 2 | - | 1 | 7  | 55 | 177 | 497 | 685 | 890 | 1,214 | 1,180 | 1 |
| 2003 2/.....                   | 4,445 | 1 | 1 | - | 10 | 51 | 174 | 441 | 664 | 918 | 1,162 | 1,023 | - |
| 2002.....                      | 4,165 | 1 | - | - | 7  | 44 | 189 | 413 | 550 | 795 | 1,133 | 1,033 | - |
| 2001.....                      | 4,012 | - | - | - | 9  | 55 | 177 | 439 | 553 | 789 | 1,056 | 934   | - |
| 2000.....                      | 3,862 | - | - | 1 | 10 | 35 | 176 | 405 | 555 | 801 | 980   | 899   | - |
| 1999.....                      | 3,708 | 1 | 1 | 1 | 5  | 37 | 175 | 370 | 506 | 764 | 1,006 | 842   | - |
| Non-Hispanic black, male       |       |   |   |   |    |    |     |     |     |     |       |       |   |
| 2007 2/.....                   | 1,963 | - | - | - | 6  | 23 | 100 | 305 | 402 | 408 | 431   | 288   | - |
| 2006 2/.....                   | 2,100 | - | - | - | 5  | 36 | 126 | 328 | 399 | 442 | 464   | 300   | - |
| 2005 2/.....                   | 2,108 | - | - | - | 5  | 28 | 103 | 307 | 395 | 465 | 496   | 309   | - |
| 2004 2/.....                   | 1,945 | 1 | - | - | 3  | 29 | 103 | 291 | 361 | 404 | 488   | 264   | 1 |
| 2003 2/.....                   | 1,875 | 1 | 1 | - | 5  | 33 | 92  | 278 | 359 | 424 | 419   | 263   | - |
| 2002.....                      | 1,701 | - | - | - | 3  | 24 | 112 | 234 | 274 | 359 | 442   | 253   | - |
| 2001.....                      | 1,698 | - | - | - | 7  | 29 | 102 | 263 | 284 | 374 | 399   | 240   | - |
| 2000.....                      | 1,576 | - | - | - | 1  | 16 | 98  | 229 | 301 | 344 | 358   | 229   | - |
| 1999.....                      | 1,550 | 1 | 1 | 1 | 4  | 17 | 97  | 218 | 256 | 348 | 381   | 226   | - |

Worktable Orig290F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2007

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data - mortality"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, sex, and year | All ages | Under 1 year | 1-4 years | 5-14 years | 15-24 years | 25-34 years | 35-44 years | 45-54 years | 55-64 years | 65-74 years | 75-84 years | 85 years and over | Age not stated |
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|

Essential hypertension and hypertensive renal disease (I10,I12,I15)

| Non-Hispanic black, female       |       |   |   |   |   |    |    |     |     |     |     |     |   |
|----------------------------------|-------|---|---|---|---|----|----|-----|-----|-----|-----|-----|---|
| 2007 2/.....                     | 2,634 | - | - | - | 4 | 26 | 74 | 226 | 343 | 414 | 654 | 892 | 1 |
| 2006 2/.....                     | 2,751 | - | - | - | 4 | 28 | 82 | 237 | 331 | 436 | 717 | 916 | - |
| 2005 2/.....                     | 2,798 | 1 | - | - | 6 | 23 | 91 | 220 | 289 | 483 | 730 | 955 | - |
| 2004 2/.....                     | 2,764 | 1 | - | 1 | 4 | 26 | 74 | 206 | 324 | 486 | 726 | 916 | - |
| 2003 2/.....                     | 2,570 | - | - | - | 5 | 18 | 82 | 163 | 305 | 494 | 743 | 760 | - |
| 2002.....                        | 2,464 | 1 | - | - | 4 | 20 | 77 | 179 | 276 | 436 | 691 | 780 | - |
| 2001.....                        | 2,314 | - | - | - | 2 | 26 | 75 | 176 | 269 | 415 | 657 | 694 | - |
| 2000.....                        | 2,286 | - | - | 1 | 9 | 19 | 78 | 176 | 254 | 457 | 622 | 670 | - |
| 1999.....                        | 2,158 | - | - | - | 1 | 20 | 78 | 152 | 250 | 416 | 625 | 616 | - |
| Origin not stated 3/, both sexes |       |   |   |   |   |    |    |     |     |     |     |     |   |
| 2007.....                        | 28    | - | - | - | - | -  | -  | 3   | 2   | 7   | 9   | 7   | - |
| 2006.....                        | 41    | - | - | - | - | -  | -  | 1   | 8   | 6   | 11  | 15  | - |
| 2005.....                        | 45    | - | - | - | 1 | -  | -  | 3   | 12  | 9   | 13  | 7   | - |
| 2004.....                        | 55    | - | - | - | - | -  | 1  | 4   | 9   | 14  | 11  | 16  | - |
| 2003.....                        | 56    | - | - | - | - | 2  | -  | 3   | 6   | 17  | 14  | 14  | - |
| 2002.....                        | 65    | - | - | - | - | 1  | 2  | 3   | 3   | 14  | 15  | 27  | - |
| 2001.....                        | 55    | - | - | - | - | -  | 2  | 3   | 9   | 9   | 16  | 16  | - |
| 2000.....                        | 70    | - | - | - | - | -  | 3  | 8   | 11  | 6   | 18  | 24  | - |
| 1999.....                        | 57    | - | - | - | - | 1  | 2  | 1   | 4   | 8   | 19  | 22  | - |

Worktable Orig290F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2007

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data - mortality"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, sex, and year | All ages | Under 1 year | 1-4 years | 5-14 years | 15-24 years | 25-34 years | 35-44 years | 45-54 years | 55-64 years | 65-74 years | 75-84 years | 85 years and over | Age not stated |
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|

Essential hypertension and hypertensive renal disease (I10,I12,I15)

| Origin not stated 3/, male   |    |   |   |   |   |   |   |   |   |    |    |    |   |
|------------------------------|----|---|---|---|---|---|---|---|---|----|----|----|---|
| 2007.....                    | 10 | - | - | - | - | - | - | 2 | 1 | 2  | 5  | -  | - |
| 2006.....                    | 17 | - | - | - | - | - | - | 1 | 2 | 4  | 6  | 4  | - |
| 2005.....                    | 21 | - | - | - | - | - | - | 2 | 8 | 7  | 2  | 2  | - |
| 2004.....                    | 24 | - | - | - | - | - | 1 | 3 | 5 | 9  | 3  | 3  | - |
| 2003.....                    | 25 | - | - | - | - | 2 | - | 2 | 5 | 10 | 5  | 1  | - |
| 2002.....                    | 30 | - | - | - | - | - | 1 | 2 | 3 | 11 | 7  | 6  | - |
| 2001.....                    | 33 | - | - | - | - | - | 2 | 2 | 7 | 7  | 8  | 7  | - |
| 2000.....                    | 34 | - | - | - | - | - | 2 | 7 | 7 | 4  | 9  | 5  | - |
| 1999.....                    | 25 | - | - | - | - | 1 | 2 | - | 3 | 3  | 10 | 6  | - |
| Origin not stated 3/, female |    |   |   |   |   |   |   |   |   |    |    |    |   |
| 2007.....                    | 18 | - | - | - | - | - | - | 1 | 1 | 5  | 4  | 7  | - |
| 2006.....                    | 24 | - | - | - | - | - | - | - | 6 | 2  | 5  | 11 | - |
| 2005.....                    | 24 | - | - | - | 1 | - | - | 1 | 4 | 2  | 11 | 5  | - |
| 2004.....                    | 31 | - | - | - | - | - | - | 1 | 4 | 5  | 8  | 13 | - |
| 2003.....                    | 31 | - | - | - | - | - | - | 1 | 1 | 7  | 9  | 13 | - |
| 2002.....                    | 35 | - | - | - | - | 1 | 1 | 1 | - | 3  | 8  | 21 | - |
| 2001.....                    | 22 | - | - | - | - | - | - | 1 | 2 | 2  | 8  | 9  | - |
| 2000.....                    | 36 | - | - | - | - | - | 1 | 1 | 4 | 2  | 9  | 19 | - |
| 1999.....                    | 32 | - | - | - | - | - | - | 1 | 1 | 5  | 9  | 16 | - |

Worktable Orig290F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2007

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data - mortality"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, sex, and year | All ages | Under 1 year | 1-4 years | 5-14 years | 15-24 years | 25-34 years | 35-44 years | 45-54 years | 55-64 years | 65-74 years | 75-84 years | 85 years and over | Age not stated |
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|
| <b>Cerebrovascular diseases (I60-I69)</b>  |          |              |           |            |             |             |             |             |             |             |             |                   |                |
| All origins, both sexes  |          |              |           |            |             |             |             |             |             |             |             |                   |                |
| 2007.....  | 135,952  | 132          | 52        | 83         | 195         | 505         | 2,133       | 6,385       | 10,500      | 18,007      | 41,979      | 55,975            | 6              |
| 2006.....  | 137,119  | 142          | 54        | 95         | 210         | 527         | 2,221       | 6,341       | 10,518      | 18,223      | 43,719      | 55,068            | 1              |
| 2005.....  | 143,579  | 126          | 62        | 95         | 196         | 546         | 2,260       | 6,381       | 10,028      | 18,839      | 46,859      | 58,183            | 4              |
| 2004.....  | 150,074  | 127          | 41        | 77         | 211         | 567         | 2,361       | 6,181       | 9,966       | 19,901      | 50,092      | 60,545            | 5              |
| 2003.....  | 157,689  | 101          | 46        | 69         | 221         | 583         | 2,460       | 6,127       | 9,946       | 20,708      | 52,847      | 64,579            | 2              |
| 2002.....  | 162,672  | 117          | 53        | 91         | 171         | 567         | 2,425       | 6,055       | 9,897       | 21,992      | 54,889      | 66,412            | 3              |
| 2001.....  | 163,538  | 108          | 54        | 80         | 196         | 601         | 2,491       | 5,910       | 9,608       | 22,598      | 55,822      | 66,066            | 4              |
| 2000.....  | 167,661  | 124          | 47        | 76         | 199         | 602         | 2,599       | 6,011       | 9,956       | 23,649      | 57,020      | 67,376            | 2              |
| 1999.....  | 167,366  | 103          | 46        | 65         | 182         | 580         | 2,574       | 5,563       | 9,652       | 24,092      | 57,427      | 67,080            | 2              |
| All origins, male  |          |              |           |            |             |             |             |             |             |             |             |                   |                |
| 2007.....  | 54,111   | 77           | 20        | 37         | 113         | 252         | 1,143       | 3,507       | 5,992       | 9,351       | 17,700      | 15,915            | 4              |
| 2006.....  | 54,524   | 83           | 26        | 56         | 115         | 290         | 1,163       | 3,482       | 5,897       | 9,363       | 18,307      | 15,742            | -              |
| 2005.....  | 56,586   | 73           | 41        | 55         | 94          | 301         | 1,148       | 3,446       | 5,636       | 9,688       | 19,688      | 16,412            | 4              |
| 2004.....  | 58,800   | 71           | 23        | 40         | 116         | 284         | 1,240       | 3,409       | 5,523       | 10,207      | 21,025      | 16,859            | 3              |
| 2003.....  | 61,426   | 57           | 25        | 41         | 116         | 314         | 1,283       | 3,350       | 5,478       | 10,668      | 22,234      | 17,859            | 1              |
| 2002.....  | 62,622   | 67           | 30        | 47         | 103         | 284         | 1,178       | 3,278       | 5,456       | 11,207      | 22,655      | 18,316            | 1              |
| 2001.....  | 63,177   | 63           | 25        | 42         | 103         | 311         | 1,267       | 3,205       | 5,277       | 11,649      | 23,301      | 17,930            | 4              |
| 2000.....  | 64,769   | 74           | 19        | 33         | 106         | 308         | 1,297       | 3,235       | 5,496       | 12,042      | 23,946      | 18,212            | 1              |
| 1999.....  | 64,485   | 65           | 22        | 34         | 95          | 299         | 1,308       | 2,996       | 5,305       | 12,220      | 24,088      | 18,052            | 1              |

Worktable Orig290F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2007

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data - mortality"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, sex, and year | All ages | Under 1 year | 1-4 years | 5-14 years | 15-24 years | 25-34 years | 35-44 years | 45-54 years | 55-64 years | 65-74 years | 75-84 years | 85 years and over | Age not stated |
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|
| <b>Cerebrovascular diseases (I60-I69)</b>  |          |              |           |            |             |             |             |             |             |             |             |                   |                |
| All origins, female  |          |              |           |            |             |             |             |             |             |             |             |                   |                |
| 2007.....  | 81,841   | 55           | 32        | 46         | 82          | 253         | 990         | 2,878       | 4,508       | 8,656       | 24,279      | 40,060            | 2              |
| 2006.....  | 82,595   | 59           | 28        | 39         | 95          | 237         | 1,058       | 2,859       | 4,621       | 8,860       | 25,412      | 39,326            | 1              |
| 2005.....  | 86,993   | 53           | 21        | 40         | 102         | 245         | 1,112       | 2,935       | 4,392       | 9,151       | 27,171      | 41,771            | -              |
| 2004.....  | 91,274   | 56           | 18        | 37         | 95          | 283         | 1,121       | 2,772       | 4,443       | 9,694       | 29,067      | 43,686            | 2              |
| 2003.....  | 96,263   | 44           | 21        | 28         | 105         | 269         | 1,177       | 2,777       | 4,468       | 10,040      | 30,613      | 46,720            | 1              |
| 2002.....  | 100,050  | 50           | 23        | 44         | 68          | 283         | 1,247       | 2,777       | 4,441       | 10,785      | 32,234      | 48,096            | 2              |
| 2001.....  | 100,361  | 45           | 29        | 38         | 93          | 290         | 1,224       | 2,705       | 4,331       | 10,949      | 32,521      | 48,136            | -              |
| 2000.....  | 102,892  | 50           | 28        | 43         | 93          | 294         | 1,302       | 2,776       | 4,460       | 11,607      | 33,074      | 49,164            | 1              |
| 1999.....  | 102,881  | 38           | 24        | 31         | 87          | 281         | 1,266       | 2,567       | 4,347       | 11,872      | 33,339      | 49,028            | 1              |
| Hispanic, both sexes   |          |              |           |            |             |             |             |             |             |             |             |                   |                |
| 2007.....  | 7,078    | 29           | 8         | 16         | 37          | 100         | 301         | 656         | 911         | 1,172       | 2,022       | 1,826             | -              |
| 2006.....  | 7,005    | 33           | 9         | 17         | 52          | 94          | 308         | 652         | 869         | 1,201       | 2,013       | 1,756             | 1              |
| 2005.....  | 6,830    | 24           | 15        | 19         | 44          | 82          | 296         | 639         | 795         | 1,181       | 2,009       | 1,726             | -              |
| 2004.....  | 6,781    | 20           | 3         | 10         | 36          | 93          | 304         | 590         | 776         | 1,232       | 2,006       | 1,709             | 2              |
| 2003.....  | 6,658    | 17           | 8         | 14         | 28          | 89          | 267         | 569         | 736         | 1,202       | 2,029       | 1,699             | -              |
| 2002.....  | 6,451    | 20           | 12        | 20         | 29          | 93          | 256         | 560         | 708         | 1,215       | 1,918       | 1,620             | -              |
| 2001.....  | 6,416    | 17           | 10        | 16         | 40          | 99          | 275         | 539         | 654         | 1,206       | 1,892       | 1,668             | -              |
| 2000.....  | 6,187    | 16           | 6         | 8          | 31          | 108         | 267         | 477         | 681         | 1,219       | 1,742       | 1,632             | -              |
| 1999.....  | 5,907    | 16           | 7         | 9          | 32          | 102         | 241         | 464         | 617         | 1,211       | 1,672       | 1,536             | -              |



Worktable Orig290F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2007

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data - mortality"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, sex, and year | All ages | Under 1 year | 1-4 years | 5-14 years | 15-24 years | 25-34 years | 35-44 years | 45-54 years | 55-64 years | 65-74 years | 75-84 years | 85 years and over | Age not stated |
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|
| <b>Cerebrovascular diseases (I60-I69)</b>  |          |              |           |            |             |             |             |             |             |             |             |                   |                |
| <b>Hispanic, male</b>  |          |              |           |            |             |             |             |             |             |             |             |                   |                |
| 2007.....  | 3,319    | 13           | 4         | 8          | 20          | 60          | 194         | 399         | 556         | 608         | 872         | 585               | -              |
| 2006.....  | 3,269    | 17           | 6         | 12         | 31          | 61          | 193         | 389         | 501         | 617         | 926         | 516               | -              |
| 2005.....  | 3,188    | 14           | 8         | 9          | 25          | 50          | 177         | 384         | 458         | 627         | 880         | 556               | -              |
| 2004.....  | 3,207    | 11           | 3         | 5          | 20          | 61          | 190         | 354         | 454         | 647         | 904         | 556               | 2              |
| 2003.....  | 3,070    | 11           | 7         | 8          | 15          | 51          | 162         | 345         | 431         | 617         | 879         | 544               | -              |
| 2002.....  | 3,003    | 9            | 5         | 7          | 17          | 61          | 154         | 340         | 421         | 652         | 825         | 512               | -              |
| 2001.....  | 2,982    | 9            | 4         | 10         | 26          | 60          | 151         | 315         | 378         | 637         | 864         | 528               | -              |
| 2000.....  | 2,865    | 8            | -         | 3          | 17          | 65          | 145         | 280         | 392         | 645         | 799         | 511               | -              |
| 1999.....  | 2,809    | 8            | 1         | 6          | 21          | 62          | 146         | 285         | 354         | 641         | 758         | 527               | -              |
| <b>Hispanic, female</b>  |          |              |           |            |             |             |             |             |             |             |             |                   |                |
| 2007.....  | 3,759    | 16           | 4         | 8          | 17          | 40          | 107         | 257         | 355         | 564         | 1,150       | 1,241             | -              |
| 2006.....  | 3,736    | 16           | 3         | 5          | 21          | 33          | 115         | 263         | 368         | 584         | 1,087       | 1,240             | 1              |
| 2005.....  | 3,642    | 10           | 7         | 10         | 19          | 32          | 119         | 255         | 337         | 554         | 1,129       | 1,170             | -              |
| 2004.....  | 3,574    | 9            | -         | 5          | 16          | 32          | 114         | 236         | 322         | 585         | 1,102       | 1,153             | -              |
| 2003.....  | 3,588    | 6            | 1         | 6          | 13          | 38          | 105         | 224         | 305         | 585         | 1,150       | 1,155             | -              |
| 2002.....  | 3,448    | 11           | 7         | 13         | 12          | 32          | 102         | 220         | 287         | 563         | 1,093       | 1,108             | -              |
| 2001.....  | 3,434    | 8            | 6         | 6          | 14          | 39          | 124         | 224         | 276         | 569         | 1,028       | 1,140             | -              |
| 2000.....  | 3,322    | 8            | 6         | 5          | 14          | 43          | 122         | 197         | 289         | 574         | 943         | 1,121             | -              |
| 1999.....  | 3,098    | 8            | 6         | 3          | 11          | 40          | 95          | 179         | 263         | 570         | 914         | 1,009             | -              |

Worktable Orig290F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2007

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data - mortality"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, sex, and year | All ages | Under 1 year | 1-4 years | 5-14 years | 15-24 years | 25-34 years | 35-44 years | 45-54 years | 55-64 years | 65-74 years | 75-84 years | 85 years and over | Age not stated |
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|
| <b>Cerebrovascular diseases (I60-I69)</b>  |          |              |           |            |             |             |             |             |             |             |             |                   |                |
| <b>Non-Hispanic 1/, both sexes</b>   |          |              |           |            |             |             |             |             |             |             |             |                   |                |
| 2007.....  | 128,705  | 102          | 44        | 67         | 158         | 404         | 1,832       | 5,712       | 9,563       | 16,799      | 39,913      | 54,106            | 5              |
| 2006.....  | 129,892  | 109          | 45        | 78         | 156         | 431         | 1,907       | 5,670       | 9,623       | 16,979      | 41,635      | 53,259            | -              |
| 2005.....  | 136,548  | 102          | 47        | 75         | 152         | 464         | 1,960       | 5,732       | 9,222       | 17,620      | 44,778      | 56,392            | 4              |
| 2004.....  | 143,044  | 106          | 38        | 67         | 175         | 473         | 2,051       | 5,571       | 9,163       | 18,631      | 48,009      | 58,758            | 2              |
| 2003.....  | 150,719  | 82           | 38        | 55         | 192         | 491         | 2,182       | 5,536       | 9,179       | 19,458      | 50,742      | 62,763            | 1              |
| 2002.....  | 155,852  | 96           | 41        | 71         | 142         | 474         | 2,161       | 5,477       | 9,160       | 20,731      | 52,850      | 64,646            | 3              |
| 2001.....  | 156,741  | 91           | 43        | 63         | 156         | 498         | 2,211       | 5,350       | 8,916       | 21,346      | 53,810      | 64,253            | 4              |
| 2000.....  | 161,057  | 108          | 41        | 67         | 167         | 493         | 2,323       | 5,509       | 9,238       | 22,373      | 55,129      | 65,608            | 1              |
| 1999.....  | 161,057  | 87           | 39        | 56         | 150         | 477         | 2,323       | 5,071       | 8,991       | 22,814      | 55,643      | 65,404            | 2              |
| <b>Non-Hispanic 1/, male</b>   |          |              |           |            |             |             |             |             |             |             |             |                   |                |
| 2007.....  | 50,697   | 63           | 16        | 29         | 93          | 192         | 949         | 3,095       | 5,419       | 8,720       | 16,803      | 15,315            | 3              |
| 2006.....  | 51,145   | 66           | 20        | 44         | 84          | 229         | 966         | 3,080       | 5,380       | 8,723       | 17,350      | 15,203            | -              |
| 2005.....  | 53,319   | 59           | 33        | 45         | 69          | 251         | 970         | 3,057       | 5,172       | 9,044       | 18,773      | 15,842            | 4              |
| 2004.....  | 55,489   | 60           | 20        | 35         | 96          | 223         | 1,048       | 3,041       | 5,053       | 9,541       | 20,086      | 16,286            | -              |
| 2003.....  | 58,226   | 45           | 18        | 33         | 100         | 261         | 1,115       | 2,993       | 5,026       | 10,023      | 21,322      | 17,289            | 1              |
| 2002.....  | 59,470   | 57           | 25        | 40         | 86          | 223         | 1,019       | 2,926       | 5,018       | 10,532      | 21,773      | 17,770            | 1              |
| 2001.....  | 60,030   | 54           | 21        | 32         | 77          | 247         | 1,111       | 2,882       | 4,872       | 10,989      | 22,377      | 17,364            | 4              |
| 2000.....  | 61,715   | 66           | 19        | 30         | 89          | 243         | 1,145       | 2,936       | 5,079       | 11,364      | 23,084      | 17,660            | -              |
| 1999.....  | 61,499   | 57           | 21        | 28         | 74          | 237         | 1,156       | 2,697       | 4,922       | 11,542      | 23,275      | 17,489            | 1              |

Worktable Orig290F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2007

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data - mortality"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, sex, and year | All ages | Under 1 year | 1-4 years | 5-14 years | 15-24 years | 25-34 years | 35-44 years | 45-54 years | 55-64 years | 65-74 years | 75-84 years | 85 years and over | Age not stated |
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|

Cerebrovascular diseases (I60-I69)

| Non-Hispanic 1/, female        |         |    |    |    |     |     |       |       |       |        |        |        |   |
|--------------------------------|---------|----|----|----|-----|-----|-------|-------|-------|--------|--------|--------|---|
| 2007.....                      | 78,008  | 39 | 28 | 38 | 65  | 212 | 883   | 2,617 | 4,144 | 8,079  | 23,110 | 38,791 | 2 |
| 2006.....                      | 78,747  | 43 | 25 | 34 | 72  | 202 | 941   | 2,590 | 4,243 | 8,256  | 24,285 | 38,056 | - |
| 2005.....                      | 83,229  | 43 | 14 | 30 | 83  | 213 | 990   | 2,675 | 4,050 | 8,576  | 26,005 | 40,550 | - |
| 2004.....                      | 87,555  | 46 | 18 | 32 | 79  | 250 | 1,003 | 2,530 | 4,110 | 9,090  | 27,923 | 42,472 | 2 |
| 2003.....                      | 92,493  | 37 | 20 | 22 | 92  | 230 | 1,067 | 2,543 | 4,153 | 9,435  | 29,420 | 45,474 | - |
| 2002.....                      | 96,382  | 39 | 16 | 31 | 56  | 251 | 1,142 | 2,551 | 4,142 | 10,199 | 31,077 | 46,876 | 2 |
| 2001.....                      | 96,711  | 37 | 22 | 31 | 79  | 251 | 1,100 | 2,468 | 4,044 | 10,357 | 31,433 | 46,889 | - |
| 2000.....                      | 99,342  | 42 | 22 | 37 | 78  | 250 | 1,178 | 2,573 | 4,159 | 11,009 | 32,045 | 47,948 | 1 |
| 1999.....                      | 99,558  | 30 | 18 | 28 | 76  | 240 | 1,167 | 2,374 | 4,069 | 11,272 | 32,368 | 47,915 | 1 |
| Non-Hispanic white, both sexes |         |    |    |    |     |     |       |       |       |        |        |        |   |
| 2007 2/.....                   | 107,678 | 64 | 26 | 47 | 102 | 231 | 1,068 | 3,493 | 6,533 | 12,861 | 34,331 | 48,918 | 4 |
| 2006 2/.....                   | 108,886 | 56 | 32 | 51 | 105 | 251 | 1,086 | 3,495 | 6,555 | 13,037 | 35,968 | 48,250 | - |
| 2005 2/.....                   | 115,074 | 56 | 30 | 45 | 92  | 274 | 1,158 | 3,461 | 6,351 | 13,674 | 38,830 | 51,103 | - |
| 2004 2/.....                   | 121,065 | 59 | 25 | 48 | 117 | 280 | 1,256 | 3,355 | 6,321 | 14,563 | 41,670 | 53,371 | - |
| 2003 2/.....                   | 127,969 | 46 | 23 | 37 | 124 | 298 | 1,239 | 3,294 | 6,293 | 15,259 | 44,277 | 57,078 | 1 |
| 2002.....                      | 133,118 | 51 | 29 | 44 | 101 | 285 | 1,288 | 3,320 | 6,432 | 16,355 | 46,327 | 58,884 | 2 |
| 2001.....                      | 133,879 | 46 | 28 | 42 | 98  | 320 | 1,333 | 3,200 | 6,208 | 16,838 | 47,304 | 58,461 | 1 |
| 2000.....                      | 138,210 | 59 | 25 | 46 | 118 | 313 | 1,378 | 3,433 | 6,555 | 17,989 | 48,556 | 59,738 | - |
| 1999.....                      | 138,716 | 55 | 27 | 40 | 105 | 301 | 1,406 | 3,143 | 6,311 | 18,332 | 49,178 | 59,818 | - |

Worktable Orig290F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2007

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data - mortality"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, sex, and year | All ages | Under 1 year | 1-4 years | 5-14 years | 15-24 years | 25-34 years | 35-44 years | 45-54 years | 55-64 years | 65-74 years | 75-84 years | 85 years and over | Age not stated |
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|
| <b>Cerebrovascular diseases (I60-I69)</b>  |          |              |           |            |             |             |             |             |             |             |             |                   |                |
| <b>Non-Hispanic white, male</b>  |          |              |           |            |             |             |             |             |             |             |             |                   |                |
| 2007 2/.....   | 41,416   | 37           | 12        | 24         | 56          | 107         | 562         | 1,936       | 3,692       | 6,668       | 14,446      | 13,873            | 3              |
| 2006 2/.....   | 41,941   | 31           | 12        | 34         | 60          | 134         | 558         | 1,893       | 3,612       | 6,704       | 15,113      | 13,790            | -              |
| 2005 2/.....   | 44,038   | 33           | 20        | 26         | 40          | 147         | 581         | 1,868       | 3,534       | 7,032       | 16,379      | 14,378            | -              |
| 2004 2/.....   | 46,087   | 34           | 15        | 24         | 63          | 137         | 653         | 1,841       | 3,447       | 7,505       | 17,553      | 14,815            | -              |
| 2003 2/.....   | 48,549   | 22           | 8         | 23         | 72          | 159         | 637         | 1,813       | 3,427       | 7,947       | 18,699      | 15,741            | 1              |
| 2002.....  | 49,908   | 32           | 18        | 23         | 62          | 136         | 617         | 1,797       | 3,511       | 8,368       | 19,181      | 16,162            | 1              |
| 2001.....  | 50,382   | 27           | 14        | 24         | 55          | 161         | 684         | 1,745       | 3,400       | 8,753       | 19,762      | 15,756            | 1              |
| 2000.....  | 52,000   | 38           | 14        | 23         | 67          | 161         | 694         | 1,856       | 3,605       | 9,176       | 20,379      | 15,987            | -              |
| 1999.....  | 51,968   | 36           | 15        | 21         | 51          | 151         | 712         | 1,662       | 3,479       | 9,337       | 20,618      | 15,886            | -              |
| <b>Non-Hispanic white, female</b>  |          |              |           |            |             |             |             |             |             |             |             |                   |                |
| 2007 2/.....   | 66,262   | 27           | 14        | 23         | 46          | 124         | 506         | 1,557       | 2,841       | 6,193       | 19,885      | 35,045            | 1              |
| 2006 2/.....   | 66,945   | 25           | 20        | 17         | 45          | 117         | 528         | 1,602       | 2,943       | 6,333       | 20,855      | 34,460            | -              |
| 2005 2/.....   | 71,036   | 23           | 10        | 19         | 52          | 127         | 577         | 1,593       | 2,817       | 6,642       | 22,451      | 36,725            | -              |
| 2004 2/.....   | 74,978   | 25           | 10        | 24         | 54          | 143         | 603         | 1,514       | 2,874       | 7,058       | 24,117      | 38,556            | -              |
| 2003 2/.....   | 79,420   | 24           | 15        | 14         | 52          | 139         | 602         | 1,481       | 2,866       | 7,312       | 25,578      | 41,337            | -              |
| 2002.....  | 83,210   | 19           | 11        | 21         | 39          | 149         | 671         | 1,523       | 2,921       | 7,987       | 27,146      | 42,722            | 1              |
| 2001.....  | 83,497   | 19           | 14        | 18         | 43          | 159         | 649         | 1,455       | 2,808       | 8,085       | 27,542      | 42,705            | -              |
| 2000.....  | 86,210   | 21           | 11        | 23         | 51          | 152         | 684         | 1,577       | 2,950       | 8,813       | 28,177      | 43,751            | -              |
| 1999.....  | 86,748   | 19           | 12        | 19         | 54          | 150         | 694         | 1,481       | 2,832       | 8,995       | 28,560      | 43,932            | -              |

Worktable Orig290F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2007

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data - mortality"]

---

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, sex, and year

|  | All ages | Under 1 year | 1-4 years | 5-14 years | 15-24 years | 25-34 years | 35-44 years | 45-54 years | 55-64 years | 65-74 years | 75-84 years | 85 years and over | Age not stated |
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|

---

Cerebrovascular diseases (I60-I69)

| Non-Hispanic black, both sexes |        |    |    |    |    |     |     |       |       |       |       |       |   |
|--------------------------------|--------|----|----|----|----|-----|-----|-------|-------|-------|-------|-------|---|
| 2007 2/.....                   | 16,934 | 34 | 16 | 13 | 45 | 148 | 648 | 1,926 | 2,572 | 3,224 | 4,346 | 3,961 | 1 |
| 2006 2/.....                   | 16,882 | 49 | 11 | 20 | 44 | 149 | 691 | 1,898 | 2,592 | 3,176 | 4,398 | 3,854 | - |
| 2005 2/.....                   | 17,378 | 39 | 14 | 23 | 51 | 163 | 683 | 1,986 | 2,420 | 3,194 | 4,691 | 4,110 | 4 |
| 2004 2/.....                   | 17,980 | 39 | 12 | 17 | 48 | 173 | 698 | 1,905 | 2,420 | 3,362 | 5,044 | 4,260 | 2 |
| 2003 2/.....                   | 18,649 | 31 | 14 | 16 | 58 | 167 | 786 | 1,949 | 2,449 | 3,411 | 5,176 | 4,592 | - |
| 2002.....                      | 18,691 | 36 | 10 | 23 | 38 | 166 | 741 | 1,874 | 2,303 | 3,600 | 5,277 | 4,622 | 1 |
| 2001.....                      | 18,844 | 42 | 12 | 14 | 51 | 153 | 758 | 1,886 | 2,289 | 3,684 | 5,257 | 4,695 | 3 |
| 2000.....                      | 19,053 | 46 | 13 | 15 | 42 | 158 | 829 | 1,819 | 2,265 | 3,660 | 5,344 | 4,861 | 1 |
| 1999.....                      | 18,731 | 27 | 10 | 15 | 40 | 149 | 808 | 1,662 | 2,269 | 3,792 | 5,314 | 4,644 | 1 |
| Non-Hispanic black, male       |        |    |    |    |    |     |     |       |       |       |       |       |   |
| 2007 2/.....                   | 7,470  | 25 | 4  | 3  | 30 | 71  | 330 | 994   | 1,486 | 1,692 | 1,823 | 1,012 | - |
| 2006 2/.....                   | 7,349  | 33 | 7  | 7  | 20 | 75  | 339 | 1,032 | 1,511 | 1,625 | 1,724 | 976   | - |
| 2005 2/.....                   | 7,448  | 22 | 10 | 14 | 24 | 89  | 329 | 1,039 | 1,411 | 1,636 | 1,821 | 1,049 | 4 |
| 2004 2/.....                   | 7,586  | 23 | 5  | 10 | 30 | 77  | 344 | 1,012 | 1,381 | 1,685 | 1,959 | 1,060 | - |
| 2003 2/.....                   | 7,798  | 19 | 9  | 9  | 25 | 86  | 385 | 1,031 | 1,363 | 1,673 | 2,071 | 1,127 | - |
| 2002.....                      | 7,754  | 19 | 6  | 15 | 22 | 72  | 331 | 986   | 1,288 | 1,826 | 2,031 | 1,158 | - |
| 2001.....                      | 7,828  | 26 | 5  | 5  | 20 | 75  | 355 | 998   | 1,252 | 1,844 | 2,068 | 1,177 | 3 |
| 2000.....                      | 7,945  | 27 | 3  | 5  | 19 | 70  | 394 | 955   | 1,240 | 1,817 | 2,155 | 1,260 | - |
| 1999.....                      | 7,823  | 17 | 4  | 7  | 19 | 72  | 387 | 900   | 1,235 | 1,857 | 2,100 | 1,225 | - |

Worktable Orig290F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2007

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data - mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, sex, and year

|  | All ages | Under 1 year | 1-4 years | 5-14 years | 15-24 years | 25-34 years | 35-44 years | 45-54 years | 55-64 years | 65-74 years | 75-84 years | 85 years and over | Age not stated |
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|

Cerebrovascular diseases (I60-I69)

Non-Hispanic black, female

|              |        |    |    |    |    |    |     |     |       |       |       |       |   |
|--------------|--------|----|----|----|----|----|-----|-----|-------|-------|-------|-------|---|
| 2007 2/..... | 9,464  | 9  | 12 | 10 | 15 | 77 | 318 | 932 | 1,086 | 1,532 | 2,523 | 2,949 | 1 |
| 2006 2/..... | 9,533  | 16 | 4  | 13 | 24 | 74 | 352 | 866 | 1,081 | 1,551 | 2,674 | 2,878 | - |
| 2005 2/..... | 9,930  | 17 | 4  | 9  | 27 | 74 | 354 | 947 | 1,009 | 1,558 | 2,870 | 3,061 | - |
| 2004 2/..... | 10,394 | 16 | 7  | 7  | 18 | 96 | 354 | 893 | 1,039 | 1,677 | 3,085 | 3,200 | 2 |
| 2003 2/..... | 10,851 | 12 | 5  | 7  | 33 | 81 | 401 | 918 | 1,086 | 1,738 | 3,105 | 3,465 | - |
| 2002.....    | 10,937 | 17 | 4  | 8  | 16 | 94 | 410 | 888 | 1,015 | 1,774 | 3,246 | 3,464 | 1 |
| 2001.....    | 11,016 | 16 | 7  | 9  | 31 | 78 | 403 | 888 | 1,037 | 1,840 | 3,189 | 3,518 | - |
| 2000.....    | 11,108 | 19 | 10 | 10 | 23 | 88 | 435 | 864 | 1,025 | 1,843 | 3,189 | 3,601 | 1 |
| 1999.....    | 10,908 | 10 | 6  | 8  | 21 | 77 | 421 | 762 | 1,034 | 1,935 | 3,214 | 3,419 | 1 |

Origin not stated 3/, both sexes

|           |     |   |   |   |   |   |    |    |    |    |     |     |   |
|-----------|-----|---|---|---|---|---|----|----|----|----|-----|-----|---|
| 2007..... | 169 | 1 | - | - | - | 1 | -  | 17 | 26 | 36 | 44  | 43  | 1 |
| 2006..... | 222 | - | - | - | 2 | 2 | 6  | 19 | 26 | 43 | 71  | 53  | - |
| 2005..... | 201 | - | - | 1 | - | - | 4  | 10 | 11 | 38 | 72  | 65  | - |
| 2004..... | 249 | 1 | - | - | - | 1 | 6  | 20 | 27 | 38 | 77  | 78  | 1 |
| 2003..... | 312 | 2 | - | - | 1 | 3 | 11 | 22 | 31 | 48 | 76  | 117 | 1 |
| 2002..... | 369 | 1 | - | - | - | - | 8  | 18 | 29 | 46 | 121 | 146 | - |
| 2001..... | 381 | - | 1 | 1 | - | 4 | 5  | 21 | 38 | 46 | 120 | 145 | - |
| 2000..... | 417 | - | - | 1 | 1 | 1 | 9  | 25 | 37 | 57 | 149 | 136 | 1 |
| 1999..... | 402 | - | - | - | - | 1 | 10 | 28 | 44 | 67 | 112 | 140 | - |

Worktable Orig290F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2007

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data - mortality"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, sex, and year | All ages | Under 1 year | 1-4 years | 5-14 years | 15-24 years | 25-34 years | 35-44 years | 45-54 years | 55-64 years | 65-74 years | 75-84 years | 85 years and over | Age not stated |
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|

Cerebrovascular diseases (I60-I69)

| Origin not stated 3/, male   |     |   |   |   |   |   |   |    |    |    |    |     |   |
|------------------------------|-----|---|---|---|---|---|---|----|----|----|----|-----|---|
| 2007.....                    | 95  | 1 | - | - | - | - | - | 13 | 17 | 23 | 25 | 15  | 1 |
| 2006.....                    | 110 | - | - | - | - | - | 4 | 13 | 16 | 23 | 31 | 23  | - |
| 2005.....                    | 79  | - | - | 1 | - | - | 1 | 5  | 6  | 17 | 35 | 14  | - |
| 2004.....                    | 104 | - | - | - | - | - | 2 | 14 | 16 | 19 | 35 | 17  | 1 |
| 2003.....                    | 130 | 1 | - | - | 1 | 2 | 6 | 12 | 21 | 28 | 33 | 26  | - |
| 2002.....                    | 149 | 1 | - | - | - | - | 5 | 12 | 17 | 23 | 57 | 34  | - |
| 2001.....                    | 165 | - | - | - | - | 4 | 5 | 8  | 27 | 23 | 60 | 38  | - |
| 2000.....                    | 189 | - | - | - | - | - | 7 | 19 | 25 | 33 | 63 | 41  | 1 |
| 1999.....                    | 177 | - | - | - | - | - | 6 | 14 | 29 | 37 | 55 | 36  | - |
| Origin not stated 3/, female |     |   |   |   |   |   |   |    |    |    |    |     |   |
| 2007.....                    | 74  | - | - | - | - | 1 | - | 4  | 9  | 13 | 19 | 28  | - |
| 2006.....                    | 112 | - | - | - | 2 | 2 | 2 | 6  | 10 | 20 | 40 | 30  | - |
| 2005.....                    | 122 | - | - | - | - | - | 3 | 5  | 5  | 21 | 37 | 51  | - |
| 2004.....                    | 145 | 1 | - | - | - | 1 | 4 | 6  | 11 | 19 | 42 | 61  | - |
| 2003.....                    | 182 | 1 | - | - | - | 1 | 5 | 10 | 10 | 20 | 43 | 91  | 1 |
| 2002.....                    | 220 | - | - | - | - | - | 3 | 6  | 12 | 23 | 64 | 112 | - |
| 2001.....                    | 216 | - | 1 | 1 | - | - | - | 13 | 11 | 23 | 60 | 107 | - |
| 2000.....                    | 228 | - | - | 1 | 1 | 1 | 2 | 6  | 12 | 24 | 86 | 95  | - |
| 1999.....                    | 225 | - | - | - | - | 1 | 4 | 14 | 15 | 30 | 57 | 104 | - |

Worktable Orig290F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2007

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data - mortality"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, sex, and year | All ages | Under 1 year | 1-4 years | 5-14 years | 15-24 years | 25-34 years | 35-44 years | 45-54 years | 55-64 years | 65-74 years | 75-84 years | 85 years and over | Age not stated |
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|
| <b>Atherosclerosis (I70)</b>   |          |              |           |            |             |             |             |             |             |             |             |                   |                |
| All origins, both sexes  |          |              |           |            |             |             |             |             |             |             |             |                   |                |
| 2007.....  | 8,232    | 1            | -         | -          | 2           | 1           | 27          | 134         | 350         | 829         | 2,298       | 4,590             | -              |
| 2006.....  | 8,652    | 2            | 1         | -          | 1           | 7           | 31          | 140         | 388         | 849         | 2,469       | 4,764             | -              |
| 2005.....  | 11,841   | -            | 1         | -          | 2           | 6           | 31          | 193         | 440         | 1,008       | 3,387       | 6,773             | -              |
| 2004.....  | 11,861   | -            | 1         | -          | 2           | 6           | 43          | 153         | 459         | 1,132       | 3,406       | 6,659             | -              |
| 2003.....  | 13,053   | 3            | -         | -          | 3           | 7           | 47          | 190         | 466         | 1,211       | 3,837       | 7,288             | 1              |
| 2002.....  | 13,821   | 4            | -         | -          | 3           | 9           | 50          | 182         | 487         | 1,300       | 4,062       | 7,723             | 1              |
| 2001.....  | 14,086   | 1            | 1         | 1          | 1           | 3           | 40          | 186         | 473         | 1,335       | 4,156       | 7,888             | 1              |
| 2000.....  | 14,393   | 2            | -         | -          | 3           | 8           | 48          | 176         | 451         | 1,423       | 4,277       | 8,005             | -              |
| 1999.....  | 14,979   | 2            | -         | -          | 2           | 8           | 45          | 185         | 486         | 1,476       | 4,385       | 8,390             | -              |
| All origins, male  |          |              |           |            |             |             |             |             |             |             |             |                   |                |
| 2007.....  | 3,220    | 1            | -         | -          | -           | 1           | 19          | 95          | 243         | 474         | 1,027       | 1,360             | -              |
| 2006.....  | 3,359    | 1            | -         | -          | 1           | 5           | 21          | 99          | 244         | 463         | 1,085       | 1,440             | -              |
| 2005.....  | 4,472    | -            | 1         | -          | 1           | 3           | 20          | 134         | 269         | 560         | 1,532       | 1,952             | -              |
| 2004.....  | 4,510    | -            | -         | -          | 2           | 3           | 25          | 104         | 275         | 619         | 1,549       | 1,933             | -              |
| 2003.....  | 4,859    | 2            | -         | -          | 2           | 5           | 35          | 131         | 298         | 649         | 1,734       | 2,002             | 1              |
| 2002.....  | 5,171    | 1            | -         | -          | 2           | 5           | 30          | 119         | 305         | 728         | 1,803       | 2,177             | 1              |
| 2001.....  | 5,143    | 1            | 1         | 1          | 1           | 2           | 26          | 118         | 286         | 743         | 1,791       | 2,172             | 1              |
| 2000.....  | 5,357    | -            | -         | -          | 2           | 6           | 35          | 119         | 294         | 800         | 1,935       | 2,166             | -              |
| 1999.....  | 5,443    | 1            | -         | -          | -           | 5           | 32          | 121         | 307         | 795         | 1,927       | 2,255             | -              |



Worktable Orig290F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2007

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data - mortality"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, sex, and year | All ages | Under 1 year | 1-4 years | 5-14 years | 15-24 years | 25-34 years | 35-44 years | 45-54 years | 55-64 years | 65-74 years | 75-84 years | 85 years and over | Age not stated |
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|
| <b>Atherosclerosis (I70)</b>   |          |              |           |            |             |             |             |             |             |             |             |                   |                |
| All origins, female  |          |              |           |            |             |             |             |             |             |             |             |                   |                |
| 2007.....  | 5,012    | -            | -         | -          | 2           | -           | 8           | 39          | 107         | 355         | 1,271       | 3,230             | -              |
| 2006.....  | 5,293    | 1            | 1         | -          | -           | 2           | 10          | 41          | 144         | 386         | 1,384       | 3,324             | -              |
| 2005.....  | 7,369    | -            | -         | -          | 1           | 3           | 11          | 59          | 171         | 448         | 1,855       | 4,821             | -              |
| 2004.....  | 7,351    | -            | 1         | -          | -           | 3           | 18          | 49          | 184         | 513         | 1,857       | 4,726             | -              |
| 2003.....  | 8,194    | 1            | -         | -          | 1           | 2           | 12          | 59          | 168         | 562         | 2,103       | 5,286             | -              |
| 2002.....  | 8,650    | 3            | -         | -          | 1           | 4           | 20          | 63          | 182         | 572         | 2,259       | 5,546             | -              |
| 2001.....  | 8,943    | -            | -         | -          | -           | 1           | 14          | 68          | 187         | 592         | 2,365       | 5,716             | -              |
| 2000.....  | 9,036    | 2            | -         | -          | 1           | 2           | 13          | 57          | 157         | 623         | 2,342       | 5,839             | -              |
| 1999.....  | 9,536    | 1            | -         | -          | 2           | 3           | 13          | 64          | 179         | 681         | 2,458       | 6,135             | -              |
| Hispanic, both sexes   |          |              |           |            |             |             |             |             |             |             |             |                   |                |
| 2007.....  | 326      | -            | -         | -          | 1           | 1           | 1           | 9           | 12          | 41          | 120         | 141               | -              |
| 2006.....  | 281      | -            | -         | -          | 1           | -           | 3           | 8           | 16          | 36          | 88          | 129               | -              |
| 2005.....  | 397      | -            | -         | -          | 1           | -           | -           | 8           | 22          | 51          | 129         | 186               | -              |
| 2004.....  | 369      | -            | -         | -          | -           | -           | 3           | 5           | 22          | 55          | 127         | 157               | -              |
| 2003.....  | 379      | 1            | -         | -          | -           | 1           | 3           | 7           | 24          | 56          | 121         | 166               | -              |
| 2002.....  | 416      | 1            | -         | -          | 2           | -           | 2           | 9           | 20          | 50          | 136         | 196               | -              |
| 2001.....  | 416      | -            | -         | -          | -           | -           | -           | 14          | 19          | 46          | 128         | 209               | -              |
| 2000.....  | 414      | -            | -         | -          | -           | -           | 2           | 9           | 16          | 63          | 124         | 200               | -              |
| 1999.....  | 410      | -            | -         | -          | -           | -           | 3           | 14          | 25          | 54          | 130         | 184               | -              |

Worktable Orig290F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2007

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data - mortality"]

---

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, sex, and year

|  | All ages | Under 1 year | 1-4 years | 5-14 years | 15-24 years | 25-34 years | 35-44 years | 45-54 years | 55-64 years | 65-74 years | 75-84 years | 85 years and over | Age not stated |
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|

---

Atherosclerosis (I70)

| Hispanic, male   |     |   |   |   |   |   |   |   |    |    |    |     |   |
|------------------|-----|---|---|---|---|---|---|---|----|----|----|-----|---|
| 2007.....        | 138 | - | - | - | - | 1 | - | 6 | 8  | 24 | 57 | 42  | - |
| 2006.....        | 118 | - | - | - | 1 | - | 2 | 6 | 9  | 21 | 39 | 40  | - |
| 2005.....        | 175 | - | - | - | - | - | - | 3 | 13 | 31 | 61 | 67  | - |
| 2004.....        | 172 | - | - | - | - | - | 2 | 3 | 11 | 29 | 64 | 63  | - |
| 2003.....        | 182 | - | - | - | - | - | 3 | 4 | 17 | 33 | 63 | 62  | - |
| 2002.....        | 175 | 1 | - | - | 2 | - | 1 | 6 | 12 | 27 | 65 | 61  | - |
| 2001.....        | 172 | - | - | - | - | - | - | 9 | 11 | 24 | 61 | 67  | - |
| 2000.....        | 173 | - | - | - | - | - | 2 | 7 | 8  | 39 | 65 | 52  | - |
| 1999.....        | 185 | - | - | - | - | - | 1 | 7 | 16 | 31 | 60 | 70  | - |
| Hispanic, female |     |   |   |   |   |   |   |   |    |    |    |     |   |
| 2007.....        | 188 | - | - | - | 1 | - | 1 | 3 | 4  | 17 | 63 | 99  | - |
| 2006.....        | 163 | - | - | - | - | - | 1 | 2 | 7  | 15 | 49 | 89  | - |
| 2005.....        | 222 | - | - | - | 1 | - | - | 5 | 9  | 20 | 68 | 119 | - |
| 2004.....        | 197 | - | - | - | - | - | 1 | 2 | 11 | 26 | 63 | 94  | - |
| 2003.....        | 197 | 1 | - | - | - | 1 | - | 3 | 7  | 23 | 58 | 104 | - |
| 2002.....        | 241 | - | - | - | - | - | 1 | 3 | 8  | 23 | 71 | 135 | - |
| 2001.....        | 244 | - | - | - | - | - | - | 5 | 8  | 22 | 67 | 142 | - |
| 2000.....        | 241 | - | - | - | - | - | - | 2 | 8  | 24 | 59 | 148 | - |
| 1999.....        | 225 | - | - | - | - | - | 2 | 7 | 9  | 23 | 70 | 114 | - |

Worktable Orig290F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2007

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data - mortality"]

---

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, sex, and year

|  | All ages | Under 1 year | 1-4 years | 5-14 years | 15-24 years | 25-34 years | 35-44 years | 45-54 years | 55-64 years | 65-74 years | 75-84 years | 85 years and over | Age not stated |
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|

---

Atherosclerosis (I70)

| Non-Hispanic 1/, both sexes |        |   |   |   |   |   |    |     |     |       |       |       |   |
|-----------------------------|--------|---|---|---|---|---|----|-----|-----|-------|-------|-------|---|
| 2007.....                   | 7,898  | 1 | - | - | 1 | - | 26 | 125 | 338 | 787   | 2,176 | 4,444 | - |
| 2006.....                   | 8,357  | 2 | 1 | - | - | 7 | 28 | 131 | 370 | 813   | 2,376 | 4,629 | - |
| 2005.....                   | 11,431 | - | 1 | - | 1 | 6 | 31 | 185 | 417 | 957   | 3,255 | 6,578 | - |
| 2004.....                   | 11,478 | - | 1 | - | 2 | 6 | 40 | 148 | 435 | 1,075 | 3,275 | 6,496 | - |
| 2003.....                   | 12,627 | 2 | - | - | 3 | 6 | 44 | 182 | 440 | 1,152 | 3,696 | 7,102 | - |
| 2002.....                   | 13,369 | 3 | - | - | 1 | 9 | 48 | 173 | 466 | 1,248 | 3,911 | 7,509 | 1 |
| 2001.....                   | 13,626 | 1 | 1 | 1 | 1 | 3 | 40 | 172 | 452 | 1,285 | 4,011 | 7,658 | 1 |
| 2000.....                   | 13,945 | 2 | - | - | 3 | 8 | 46 | 167 | 434 | 1,357 | 4,145 | 7,783 | - |
| 1999.....                   | 14,519 | 2 | - | - | 2 | 8 | 42 | 169 | 457 | 1,416 | 4,242 | 8,181 | - |
| Non-Hispanic 1/, male       |        |   |   |   |   |   |    |     |     |       |       |       |   |
| 2007.....                   | 3,078  | 1 | - | - | - | - | 19 | 89  | 235 | 449   | 969   | 1,316 | - |
| 2006.....                   | 3,235  | 1 | - | - | - | 5 | 19 | 92  | 234 | 442   | 1,043 | 1,399 | - |
| 2005.....                   | 4,295  | - | 1 | - | 1 | 3 | 20 | 131 | 256 | 529   | 1,469 | 1,885 | - |
| 2004.....                   | 4,331  | - | - | - | 2 | 3 | 23 | 101 | 262 | 589   | 1,482 | 1,869 | - |
| 2003.....                   | 4,660  | 2 | - | - | 2 | 5 | 32 | 126 | 279 | 615   | 1,663 | 1,936 | - |
| 2002.....                   | 4,984  | - | - | - | - | 5 | 29 | 113 | 292 | 700   | 1,733 | 2,111 | 1 |
| 2001.....                   | 4,952  | 1 | 1 | 1 | 1 | 2 | 26 | 109 | 274 | 718   | 1,721 | 2,097 | 1 |
| 2000.....                   | 5,166  | - | - | - | 2 | 6 | 33 | 112 | 285 | 759   | 1,865 | 2,104 | - |
| 1999.....                   | 5,236  | 1 | - | - | - | 5 | 31 | 112 | 287 | 761   | 1,861 | 2,178 | - |

Worktable Orig290F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2007

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data - mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, sex, and year

|  | All ages | Under 1 year | 1-4 years | 5-14 years | 15-24 years | 25-34 years | 35-44 years | 45-54 years | 55-64 years | 65-74 years | 75-84 years | 85 years and over | Age not stated |
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|

Atherosclerosis (I70)

Non-Hispanic 1/, female

|           |       |   |   |   |   |   |    |    |     |     |       |       |   |
|-----------|-------|---|---|---|---|---|----|----|-----|-----|-------|-------|---|
| 2007..... | 4,820 | - | - | - | 1 | - | 7  | 36 | 103 | 338 | 1,207 | 3,128 | - |
| 2006..... | 5,122 | 1 | 1 | - | - | 2 | 9  | 39 | 136 | 371 | 1,333 | 3,230 | - |
| 2005..... | 7,136 | - | - | - | - | 3 | 11 | 54 | 161 | 428 | 1,786 | 4,693 | - |
| 2004..... | 7,147 | - | 1 | - | - | 3 | 17 | 47 | 173 | 486 | 1,793 | 4,627 | - |
| 2003..... | 7,967 | - | - | - | 1 | 1 | 12 | 56 | 161 | 537 | 2,033 | 5,166 | - |
| 2002..... | 8,385 | 3 | - | - | 1 | 4 | 19 | 60 | 174 | 548 | 2,178 | 5,398 | - |
| 2001..... | 8,674 | - | - | - | - | 1 | 14 | 63 | 178 | 567 | 2,290 | 5,561 | - |
| 2000..... | 8,779 | 2 | - | - | 1 | 2 | 13 | 55 | 149 | 598 | 2,280 | 5,679 | - |
| 1999..... | 9,283 | 1 | - | - | 2 | 3 | 11 | 57 | 170 | 655 | 2,381 | 6,003 | - |

Non-Hispanic white, both sexes

|              |        |   |   |   |   |   |    |     |     |       |       |       |   |
|--------------|--------|---|---|---|---|---|----|-----|-----|-------|-------|-------|---|
| 2007 2/..... | 7,119  | 1 | - | - | - | - | 19 | 93  | 273 | 665   | 1,956 | 4,112 | - |
| 2006 2/..... | 7,530  | 2 | - | - | - | 5 | 18 | 96  | 298 | 684   | 2,125 | 4,302 | - |
| 2005 2/..... | 10,443 | - | - | - | - | 5 | 26 | 140 | 345 | 806   | 2,959 | 6,162 | - |
| 2004 2/..... | 10,514 | - | 1 | - | 2 | 5 | 28 | 120 | 366 | 921   | 3,007 | 6,064 | - |
| 2003 2/..... | 11,475 | - | - | - | 2 | 4 | 36 | 141 | 359 | 978   | 3,349 | 6,606 | - |
| 2002.....    | 12,191 | 2 | - | - | 1 | 6 | 38 | 121 | 376 | 1,082 | 3,518 | 7,046 | 1 |
| 2001.....    | 12,517 | 1 | 1 | 1 | - | 2 | 33 | 137 | 361 | 1,119 | 3,675 | 7,186 | 1 |
| 2000.....    | 12,740 | 2 | - | - | 3 | 5 | 34 | 114 | 349 | 1,181 | 3,782 | 7,270 | - |
| 1999.....    | 13,286 | 1 | - | - | 2 | 6 | 30 | 135 | 374 | 1,241 | 3,880 | 7,617 | - |

Worktable Orig290F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2007

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data - mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, sex, and year

|  | All ages | Under 1 year | 1-4 years | 5-14 years | 15-24 years | 25-34 years | 35-44 years | 45-54 years | 55-64 years | 65-74 years | 75-84 years | 85 years and over | Age not stated |
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|

Atherosclerosis (I70)

| Non-Hispanic white, male   |       |   |   |   |   |   |    |     |     |     |       |       |   |
|----------------------------|-------|---|---|---|---|---|----|-----|-----|-----|-------|-------|---|
| 2007 2/.....               | 2,758 | 1 | - | - | - | - | 14 | 66  | 184 | 381 | 889   | 1,223 | - |
| 2006 2/.....               | 2,869 | 1 | - | - | - | 3 | 11 | 71  | 189 | 368 | 929   | 1,297 | - |
| 2005 2/.....               | 3,920 | - | - | - | - | 2 | 17 | 104 | 213 | 449 | 1,348 | 1,787 | - |
| 2004 2/.....               | 3,980 | - | - | - | 2 | 3 | 18 | 88  | 221 | 518 | 1,361 | 1,769 | - |
| 2003 2/.....               | 4,181 | - | - | - | 1 | 4 | 25 | 98  | 230 | 520 | 1,495 | 1,808 | - |
| 2002.....                  | 4,508 | - | - | - | - | 4 | 23 | 79  | 237 | 613 | 1,561 | 1,990 | 1 |
| 2001.....                  | 4,511 | 1 | 1 | 1 | - | 2 | 21 | 85  | 225 | 631 | 1,570 | 1,973 | 1 |
| 2000.....                  | 4,688 | - | - | - | 2 | 5 | 26 | 79  | 238 | 673 | 1,716 | 1,949 | - |
| 1999.....                  | 4,727 | 1 | - | - | - | 4 | 23 | 93  | 235 | 667 | 1,690 | 2,014 | - |
| Non-Hispanic white, female |       |   |   |   |   |   |    |     |     |     |       |       |   |
| 2007 2/.....               | 4,361 | - | - | - | - | - | 5  | 27  | 89  | 284 | 1,067 | 2,889 | - |
| 2006 2/.....               | 4,661 | 1 | - | - | - | 2 | 7  | 25  | 109 | 316 | 1,196 | 3,005 | - |
| 2005 2/.....               | 6,523 | - | - | - | - | 3 | 9  | 36  | 132 | 357 | 1,611 | 4,375 | - |
| 2004 2/.....               | 6,534 | - | 1 | - | - | 2 | 10 | 32  | 145 | 403 | 1,646 | 4,295 | - |
| 2003 2/.....               | 7,294 | - | - | - | 1 | - | 11 | 43  | 129 | 458 | 1,854 | 4,798 | - |
| 2002.....                  | 7,683 | 2 | - | - | 1 | 2 | 15 | 42  | 139 | 469 | 1,957 | 5,056 | - |
| 2001.....                  | 8,006 | - | - | - | - | - | 12 | 52  | 136 | 488 | 2,105 | 5,213 | - |
| 2000.....                  | 8,052 | 2 | - | - | 1 | - | 8  | 35  | 111 | 508 | 2,066 | 5,321 | - |
| 1999.....                  | 8,559 | - | - | - | 2 | 2 | 7  | 42  | 139 | 574 | 2,190 | 5,603 | - |

Worktable Orig290F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2007

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data - mortality"]

---

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, sex, and year

|  | All ages | Under 1 year | 1-4 years | 5-14 years | 15-24 years | 25-34 years | 35-44 years | 45-54 years | 55-64 years | 65-74 years | 75-84 years | 85 years and over | Age not stated |
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|

---

Atherosclerosis (I70)

| Non-Hispanic black, both sexes |       |   |   |   |   |   |    |    |    |     |     |     |   |
|--------------------------------|-------|---|---|---|---|---|----|----|----|-----|-----|-----|---|
| 2007 2/.....                   | 643   | - | - | - | 1 | - | 5  | 30 | 54 | 99  | 177 | 277 | - |
| 2006 2/.....                   | 705   | - | 1 | - | - | 2 | 9  | 29 | 67 | 115 | 208 | 274 | - |
| 2005 2/.....                   | 840   | - | 1 | - | 1 | 1 | 5  | 38 | 62 | 130 | 237 | 365 | - |
| 2004 2/.....                   | 823   | - | - | - | - | 1 | 11 | 26 | 63 | 126 | 236 | 360 | - |
| 2003 2/.....                   | 981   | 2 | - | - | 1 | 2 | 5  | 38 | 72 | 152 | 296 | 413 | - |
| 2002.....                      | 1,009 | 1 | - | - | - | 3 | 9  | 46 | 77 | 134 | 349 | 390 | - |
| 2001.....                      | 957   | - | - | - | 1 | 1 | 6  | 31 | 84 | 145 | 285 | 404 | - |
| 2000.....                      | 1,049 | - | - | - | - | 3 | 12 | 47 | 79 | 147 | 320 | 441 | - |
| 1999.....                      | 1,061 | 1 | - | - | - | 2 | 9  | 29 | 76 | 150 | 312 | 482 | - |
| Non-Hispanic black, male       |       |   |   |   |   |   |    |    |    |     |     |     |   |
| 2007 2/.....                   | 259   | - | - | - | - | - | 4  | 22 | 42 | 54  | 63  | 74  | - |
| 2006 2/.....                   | 311   | - | - | - | - | 2 | 7  | 17 | 43 | 65  | 94  | 83  | - |
| 2005 2/.....                   | 310   | - | 1 | - | 1 | 1 | 3  | 21 | 37 | 70  | 95  | 81  | - |
| 2004 2/.....                   | 296   | - | - | - | - | - | 4  | 12 | 37 | 60  | 106 | 77  | - |
| 2003 2/.....                   | 400   | 2 | - | - | 1 | 1 | 4  | 26 | 44 | 83  | 140 | 99  | - |
| 2002.....                      | 409   | - | - | - | - | 1 | 6  | 30 | 49 | 70  | 153 | 100 | - |
| 2001.....                      | 365   | - | - | - | 1 | - | 4  | 21 | 43 | 74  | 124 | 98  | - |
| 2000.....                      | 412   | - | - | - | - | 1 | 7  | 28 | 43 | 74  | 131 | 128 | - |
| 1999.....                      | 430   | - | - | - | - | 1 | 6  | 15 | 46 | 80  | 142 | 140 | - |

Worktable Orig290F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2007

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data - mortality"]

---

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, sex, and year

|  | All ages | Under 1 year | 1-4 years | 5-14 years | 15-24 years | 25-34 years | 35-44 years | 45-54 years | 55-64 years | 65-74 years | 75-84 years | 85 years and over | Age not stated |
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|

---

Atherosclerosis (I70)

Non-Hispanic black, female

|              |     |   |   |   |   |   |   |    |    |    |     |     |   |
|--------------|-----|---|---|---|---|---|---|----|----|----|-----|-----|---|
| 2007 2/..... | 384 | - | - | - | 1 | - | 1 | 8  | 12 | 45 | 114 | 203 | - |
| 2006 2/..... | 394 | - | 1 | - | - | - | 2 | 12 | 24 | 50 | 114 | 191 | - |
| 2005 2/..... | 530 | - | - | - | - | - | 2 | 17 | 25 | 60 | 142 | 284 | - |
| 2004 2/..... | 527 | - | - | - | - | 1 | 7 | 14 | 26 | 66 | 130 | 283 | - |
| 2003 2/..... | 581 | - | - | - | - | 1 | 1 | 12 | 28 | 69 | 156 | 314 | - |
| 2002.....    | 600 | 1 | - | - | - | 2 | 3 | 16 | 28 | 64 | 196 | 290 | - |
| 2001.....    | 592 | - | - | - | - | 1 | 2 | 10 | 41 | 71 | 161 | 306 | - |
| 2000.....    | 637 | - | - | - | - | 2 | 5 | 19 | 36 | 73 | 189 | 313 | - |
| 1999.....    | 631 | 1 | - | - | - | 1 | 3 | 14 | 30 | 70 | 170 | 342 | - |

Origin not stated 3/, both sexes

|           |    |   |   |   |   |   |   |   |   |   |    |    |   |
|-----------|----|---|---|---|---|---|---|---|---|---|----|----|---|
| 2007..... | 8  | - | - | - | - | - | - | - | - | 1 | 2  | 5  | - |
| 2006..... | 14 | - | - | - | - | - | - | 1 | 2 | - | 5  | 6  | - |
| 2005..... | 13 | - | - | - | - | - | - | - | 1 | - | 3  | 9  | - |
| 2004..... | 14 | - | - | - | - | - | - | - | 2 | 2 | 4  | 6  | - |
| 2003..... | 47 | - | - | - | - | - | - | 1 | 2 | 3 | 20 | 20 | 1 |
| 2002..... | 36 | - | - | - | - | - | - | - | 1 | 2 | 15 | 18 | - |
| 2001..... | 44 | - | - | - | - | - | - | - | 2 | 4 | 17 | 21 | - |
| 2000..... | 34 | - | - | - | - | - | - | - | 1 | 3 | 8  | 22 | - |
| 1999..... | 50 | - | - | - | - | - | - | 2 | 4 | 6 | 13 | 25 | - |

Worktable Orig290F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2007

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data - mortality"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, sex, and year | All ages | Under 1 year | 1-4 years | 5-14 years | 15-24 years | 25-34 years | 35-44 years | 45-54 years | 55-64 years | 65-74 years | 75-84 years | 85 years and over | Age not stated |
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|

Atherosclerosis (I70)

Origin not stated 3/, male

|           |    |   |   |   |   |   |   |   |   |   |   |    |   |
|-----------|----|---|---|---|---|---|---|---|---|---|---|----|---|
| 2007..... | 4  | - | - | - | - | - | - | - | - | 1 | 1 | 2  | - |
| 2006..... | 6  | - | - | - | - | - | - | 1 | 1 | - | 3 | 1  | - |
| 2005..... | 2  | - | - | - | - | - | - | - | - | - | 2 | -  | - |
| 2004..... | 7  | - | - | - | - | - | - | - | 2 | 1 | 3 | 1  | - |
| 2003..... | 17 | - | - | - | - | - | - | 1 | 2 | 1 | 8 | 4  | 1 |
| 2002..... | 12 | - | - | - | - | - | - | - | 1 | 1 | 5 | 5  | - |
| 2001..... | 19 | - | - | - | - | - | - | - | 1 | 1 | 9 | 8  | - |
| 2000..... | 18 | - | - | - | - | - | - | - | 1 | 2 | 5 | 10 | - |
| 1999..... | 22 | - | - | - | - | - | - | 2 | 4 | 3 | 6 | 7  | - |

Origin not stated 3/, female

|           |    |   |   |   |   |   |   |   |   |   |    |    |   |
|-----------|----|---|---|---|---|---|---|---|---|---|----|----|---|
| 2007..... | 4  | - | - | - | - | - | - | - | - | - | 1  | 3  | - |
| 2006..... | 8  | - | - | - | - | - | - | - | 1 | - | 2  | 5  | - |
| 2005..... | 11 | - | - | - | - | - | - | - | 1 | - | 1  | 9  | - |
| 2004..... | 7  | - | - | - | - | - | - | - | - | 1 | 1  | 5  | - |
| 2003..... | 30 | - | - | - | - | - | - | - | - | 2 | 12 | 16 | - |
| 2002..... | 24 | - | - | - | - | - | - | - | - | 1 | 10 | 13 | - |
| 2001..... | 25 | - | - | - | - | - | - | - | 1 | 3 | 8  | 13 | - |
| 2000..... | 16 | - | - | - | - | - | - | - | - | 1 | 3  | 12 | - |
| 1999..... | 28 | - | - | - | - | - | - | - | - | 3 | 7  | 18 | - |



Worktable Orig290F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2007

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data - mortality"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, sex, and year | All ages | Under 1 year | 1-4 years | 5-14 years | 15-24 years | 25-34 years | 35-44 years | 45-54 years | 55-64 years | 65-74 years | 75-84 years | 85 years and over | Age not stated |
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|

Other diseases of circulatory system (I71-I78)

| All origins, both sexes |        |    |   |    |    |     |     |       |       |       |       |       |   |
|-------------------------|--------|----|---|----|----|-----|-----|-------|-------|-------|-------|-------|---|
| 2007.....               | 21,940 | 13 | 4 | 14 | 65 | 136 | 484 | 1,092 | 2,296 | 4,065 | 7,074 | 6,694 | 3 |
| 2006.....               | 22,484 | 18 | 1 | 12 | 68 | 148 | 444 | 1,162 | 2,153 | 4,104 | 7,569 | 6,805 | - |
| 2005.....               | 23,617 | 17 | 3 | 17 | 52 | 156 | 467 | 1,085 | 2,266 | 4,484 | 8,167 | 6,903 | - |
| 2004.....               | 23,693 | 14 | 4 | 13 | 61 | 167 | 461 | 1,125 | 2,107 | 4,632 | 8,341 | 6,768 | - |
| 2003.....               | 24,672 | 11 | - | 12 | 68 | 151 | 451 | 1,199 | 2,270 | 4,934 | 8,694 | 6,882 | - |
| 2002.....               | 24,927 | 14 | 4 | 11 | 66 | 160 | 445 | 1,070 | 2,286 | 5,310 | 8,745 | 6,816 | - |
| 2001.....               | 25,318 | 12 | 4 | 11 | 61 | 170 | 498 | 1,024 | 2,195 | 5,345 | 9,032 | 6,965 | 1 |
| 2000.....               | 26,036 | 16 | 5 | 11 | 59 | 154 | 448 | 1,038 | 2,236 | 5,926 | 9,222 | 6,920 | 1 |
| 1999.....               | 25,809 | 12 | 2 | 11 | 49 | 141 | 478 | 971   | 2,210 | 5,808 | 9,264 | 6,863 | - |
| All origins, male       |        |    |   |    |    |     |     |       |       |       |       |       |   |
| 2007.....               | 11,480 | 7  | 1 | 11 | 48 | 91  | 350 | 765   | 1,580 | 2,474 | 3,613 | 2,537 | 3 |
| 2006.....               | 11,836 | 12 | - | 9  | 44 | 106 | 319 | 806   | 1,464 | 2,513 | 3,947 | 2,616 | - |
| 2005.....               | 12,423 | 11 | 3 | 13 | 37 | 102 | 322 | 749   | 1,533 | 2,796 | 4,320 | 2,537 | - |
| 2004.....               | 12,306 | 7  | 2 | 8  | 45 | 113 | 308 | 780   | 1,392 | 2,818 | 4,322 | 2,511 | - |
| 2003.....               | 13,217 | 3  | - | 7  | 45 | 103 | 306 | 815   | 1,517 | 3,092 | 4,732 | 2,597 | - |
| 2002.....               | 13,309 | 6  | 4 | 5  | 43 | 101 | 291 | 732   | 1,526 | 3,307 | 4,690 | 2,604 | - |
| 2001.....               | 13,396 | 8  | 2 | 3  | 40 | 115 | 335 | 688   | 1,454 | 3,348 | 4,839 | 2,563 | 1 |
| 2000.....               | 14,084 | 6  | 2 | 7  | 33 | 103 | 276 | 699   | 1,530 | 3,771 | 5,019 | 2,637 | 1 |
| 1999.....               | 13,794 | 9  | - | 7  | 32 | 102 | 296 | 657   | 1,519 | 3,681 | 5,015 | 2,476 | - |

Worktable Orig290F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2007

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data - mortality"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, sex, and year | All ages | Under 1 year | 1-4 years | 5-14 years | 15-24 years | 25-34 years | 35-44 years | 45-54 years | 55-64 years | 65-74 years | 75-84 years | 85 years and over | Age not stated |
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|

Other diseases of circulatory system (I71-I78)

All origins, female

|           |        |    |   |   |    |    |     |     |     |       |       |       |   |
|-----------|--------|----|---|---|----|----|-----|-----|-----|-------|-------|-------|---|
| 2007..... | 10,460 | 6  | 3 | 3 | 17 | 45 | 134 | 327 | 716 | 1,591 | 3,461 | 4,157 | - |
| 2006..... | 10,648 | 6  | 1 | 3 | 24 | 42 | 125 | 356 | 689 | 1,591 | 3,622 | 4,189 | - |
| 2005..... | 11,194 | 6  | - | 4 | 15 | 54 | 145 | 336 | 733 | 1,688 | 3,847 | 4,366 | - |
| 2004..... | 11,387 | 7  | 2 | 5 | 16 | 54 | 153 | 345 | 715 | 1,814 | 4,019 | 4,257 | - |
| 2003..... | 11,455 | 8  | - | 5 | 23 | 48 | 145 | 384 | 753 | 1,842 | 3,962 | 4,285 | - |
| 2002..... | 11,618 | 8  | - | 6 | 23 | 59 | 154 | 338 | 760 | 2,003 | 4,055 | 4,212 | - |
| 2001..... | 11,922 | 4  | 2 | 8 | 21 | 55 | 163 | 336 | 741 | 1,997 | 4,193 | 4,402 | - |
| 2000..... | 11,952 | 10 | 3 | 4 | 26 | 51 | 172 | 339 | 706 | 2,155 | 4,203 | 4,283 | - |
| 1999..... | 12,015 | 3  | 2 | 4 | 17 | 39 | 182 | 314 | 691 | 2,127 | 4,249 | 4,387 | - |

Hispanic, both sexes

|           |     |   |   |   |    |    |    |    |     |     |     |     |   |
|-----------|-----|---|---|---|----|----|----|----|-----|-----|-----|-----|---|
| 2007..... | 874 | 3 | - | 2 | 10 | 26 | 46 | 64 | 102 | 168 | 253 | 200 | - |
| 2006..... | 892 | 3 | - | 1 | 15 | 29 | 56 | 77 | 107 | 176 | 245 | 183 | - |
| 2005..... | 914 | 2 | 2 | 4 | 13 | 18 | 49 | 75 | 97  | 176 | 304 | 174 | - |
| 2004..... | 846 | 3 | - | 2 | 10 | 20 | 41 | 80 | 115 | 177 | 236 | 162 | - |
| 2003..... | 878 | 2 | - | 1 | 9  | 22 | 39 | 61 | 96  | 172 | 271 | 205 | - |
| 2002..... | 847 | 1 | - | 1 | 12 | 22 | 44 | 62 | 117 | 175 | 246 | 167 | - |
| 2001..... | 754 | 2 | 1 | 2 | 7  | 19 | 37 | 73 | 88  | 156 | 216 | 152 | 1 |
| 2000..... | 818 | 3 | 1 | 1 | 9  | 24 | 38 | 56 | 99  | 217 | 215 | 155 | - |
| 1999..... | 729 | 2 | - | 2 | 9  | 12 | 33 | 38 | 94  | 170 | 211 | 158 | - |

Worktable Orig290F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2007

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data - mortality"]

---

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, sex, and year

|  | All ages | Under 1 year | 1-4 years | 5-14 years | 15-24 years | 25-34 years | 35-44 years | 45-54 years | 55-64 years | 65-74 years | 75-84 years | 85 years and over | Age not stated |
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|

---

Other diseases of circulatory system (I71-I78)

| Hispanic, male   |     |   |   |   |   |    |    |    |    |     |     |     |   |
|------------------|-----|---|---|---|---|----|----|----|----|-----|-----|-----|---|
| 2007.....        | 483 | 1 | - | 1 | 9 | 17 | 40 | 44 | 68 | 98  | 130 | 75  | - |
| 2006.....        | 517 | 3 | - | 1 | 7 | 21 | 39 | 47 | 73 | 106 | 143 | 77  | - |
| 2005.....        | 558 | 1 | 2 | 3 | 8 | 14 | 33 | 55 | 74 | 111 | 172 | 85  | - |
| 2004.....        | 494 | 2 | - | 1 | 8 | 12 | 30 | 60 | 77 | 116 | 124 | 64  | - |
| 2003.....        | 510 | 1 | - | - | 5 | 15 | 28 | 42 | 73 | 103 | 153 | 90  | - |
| 2002.....        | 463 | - | - | - | 8 | 14 | 31 | 41 | 66 | 104 | 138 | 61  | - |
| 2001.....        | 424 | 1 | 1 | - | 4 | 14 | 26 | 46 | 55 | 100 | 119 | 57  | 1 |
| 2000.....        | 452 | 1 | - | 1 | 4 | 14 | 22 | 33 | 64 | 122 | 126 | 65  | - |
| 1999.....        | 416 | 1 | - | - | 7 | 6  | 22 | 25 | 59 | 101 | 119 | 76  | - |
|                  |     |   |   |   |   |    |    |    |    |     |     |     |   |
| Hispanic, female |     |   |   |   |   |    |    |    |    |     |     |     |   |
| 2007.....        | 391 | 2 | - | 1 | 1 | 9  | 6  | 20 | 34 | 70  | 123 | 125 | - |
| 2006.....        | 375 | - | - | - | 8 | 8  | 17 | 30 | 34 | 70  | 102 | 106 | - |
| 2005.....        | 356 | 1 | - | 1 | 5 | 4  | 16 | 20 | 23 | 65  | 132 | 89  | - |
| 2004.....        | 352 | 1 | - | 1 | 2 | 8  | 11 | 20 | 38 | 61  | 112 | 98  | - |
| 2003.....        | 368 | 1 | - | 1 | 4 | 7  | 11 | 19 | 23 | 69  | 118 | 115 | - |
| 2002.....        | 384 | 1 | - | 1 | 4 | 8  | 13 | 21 | 51 | 71  | 108 | 106 | - |
| 2001.....        | 330 | 1 | - | 2 | 3 | 5  | 11 | 27 | 33 | 56  | 97  | 95  | - |
| 2000.....        | 366 | 2 | 1 | - | 5 | 10 | 16 | 23 | 35 | 95  | 89  | 90  | - |
| 1999.....        | 313 | 1 | - | 2 | 2 | 6  | 11 | 13 | 35 | 69  | 92  | 82  | - |

Worktable Orig290F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2007

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data - mortality"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, sex, and year | All ages | Under 1 year | 1-4 years | 5-14 years | 15-24 years | 25-34 years | 35-44 years | 45-54 years | 55-64 years | 65-74 years | 75-84 years | 85 years and over | Age not stated |
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|

Other diseases of circulatory system (I71-I78)

| Non-Hispanic 1/, both sexes |        |    |   |    |    |     |     |       |       |       |       |       |   |
|-----------------------------|--------|----|---|----|----|-----|-----|-------|-------|-------|-------|-------|---|
| 2007.....                   | 21,043 | 10 | 4 | 12 | 55 | 109 | 437 | 1,027 | 2,190 | 3,894 | 6,811 | 6,491 | 3 |
| 2006.....                   | 21,550 | 15 | 1 | 11 | 53 | 118 | 387 | 1,080 | 2,042 | 3,917 | 7,311 | 6,615 | - |
| 2005.....                   | 22,661 | 15 | 1 | 13 | 39 | 138 | 417 | 1,008 | 2,163 | 4,302 | 7,846 | 6,719 | - |
| 2004.....                   | 22,800 | 11 | 4 | 11 | 51 | 147 | 420 | 1,039 | 1,987 | 4,446 | 8,090 | 6,594 | - |
| 2003.....                   | 23,739 | 9  | - | 11 | 59 | 129 | 410 | 1,134 | 2,171 | 4,746 | 8,403 | 6,667 | - |
| 2002.....                   | 24,005 | 13 | 4 | 10 | 54 | 137 | 396 | 1,006 | 2,159 | 5,120 | 8,475 | 6,631 | - |
| 2001.....                   | 24,489 | 10 | 3 | 9  | 54 | 149 | 460 | 946   | 2,099 | 5,170 | 8,795 | 6,794 | - |
| 2000.....                   | 25,147 | 13 | 4 | 10 | 50 | 129 | 405 | 979   | 2,129 | 5,695 | 8,985 | 6,747 | 1 |
| 1999.....                   | 25,023 | 10 | 2 | 9  | 40 | 129 | 445 | 932   | 2,109 | 5,619 | 9,037 | 6,691 | - |
| Non-Hispanic 1/, male       |        |    |   |    |    |     |     |       |       |       |       |       |   |
| 2007.....                   | 10,982 | 6  | 1 | 10 | 39 | 73  | 309 | 721   | 1,508 | 2,373 | 3,479 | 2,460 | 3 |
| 2006.....                   | 11,292 | 9  | - | 8  | 37 | 85  | 280 | 755   | 1,387 | 2,399 | 3,797 | 2,535 | - |
| 2005.....                   | 11,832 | 10 | 1 | 10 | 29 | 88  | 288 | 693   | 1,453 | 2,679 | 4,134 | 2,447 | - |
| 2004.....                   | 11,786 | 5  | 2 | 7  | 37 | 101 | 278 | 716   | 1,310 | 2,696 | 4,191 | 2,443 | - |
| 2003.....                   | 12,679 | 2  | - | 7  | 40 | 88  | 277 | 772   | 1,441 | 2,979 | 4,569 | 2,504 | - |
| 2002.....                   | 12,809 | 6  | 4 | 5  | 35 | 86  | 257 | 690   | 1,455 | 3,194 | 4,540 | 2,537 | - |
| 2001.....                   | 12,926 | 7  | 1 | 3  | 36 | 99  | 308 | 638   | 1,392 | 3,234 | 4,708 | 2,500 | - |
| 2000.....                   | 13,593 | 5  | 2 | 6  | 29 | 89  | 249 | 663   | 1,461 | 3,640 | 4,883 | 2,565 | 1 |
| 1999.....                   | 13,351 | 8  | - | 7  | 25 | 96  | 274 | 632   | 1,456 | 3,567 | 4,889 | 2,397 | - |

Worktable Orig290F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2007

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data - mortality"]

---

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, sex, and year

|  | All ages | Under 1 year | 1-4 years | 5-14 years | 15-24 years | 25-34 years | 35-44 years | 45-54 years | 55-64 years | 65-74 years | 75-84 years | 85 years and over | Age not stated |
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|

---

Other diseases of circulatory system (I71-I78)

| Non-Hispanic 1/, female        |        |    |   |    |    |     |     |     |       |       |       |       |   |
|--------------------------------|--------|----|---|----|----|-----|-----|-----|-------|-------|-------|-------|---|
| 2007.....                      | 10,061 | 4  | 3 | 2  | 16 | 36  | 128 | 306 | 682   | 1,521 | 3,332 | 4,031 | - |
| 2006.....                      | 10,258 | 6  | 1 | 3  | 16 | 33  | 107 | 325 | 655   | 1,518 | 3,514 | 4,080 | - |
| 2005.....                      | 10,829 | 5  | - | 3  | 10 | 50  | 129 | 315 | 710   | 1,623 | 3,712 | 4,272 | - |
| 2004.....                      | 11,014 | 6  | 2 | 4  | 14 | 46  | 142 | 323 | 677   | 1,750 | 3,899 | 4,151 | - |
| 2003.....                      | 11,060 | 7  | - | 4  | 19 | 41  | 133 | 362 | 730   | 1,767 | 3,834 | 4,163 | - |
| 2002.....                      | 11,196 | 7  | - | 5  | 19 | 51  | 139 | 316 | 704   | 1,926 | 3,935 | 4,094 | - |
| 2001.....                      | 11,563 | 3  | 2 | 6  | 18 | 50  | 152 | 308 | 707   | 1,936 | 4,087 | 4,294 | - |
| 2000.....                      | 11,554 | 8  | 2 | 4  | 21 | 40  | 156 | 316 | 668   | 2,055 | 4,102 | 4,182 | - |
| 1999.....                      | 11,672 | 2  | 2 | 2  | 15 | 33  | 171 | 300 | 653   | 2,052 | 4,148 | 4,294 | - |
|                                |        |    |   |    |    |     |     |     |       |       |       |       |   |
| Non-Hispanic white, both sexes |        |    |   |    |    |     |     |     |       |       |       |       |   |
| 2007 2/.....                   | 18,067 | 7  | 4 | 9  | 37 | 74  | 283 | 694 | 1,719 | 3,312 | 6,045 | 5,881 | 2 |
| 2006 2/.....                   | 18,604 | 11 | 1 | 8  | 41 | 76  | 255 | 757 | 1,633 | 3,349 | 6,484 | 5,989 | - |
| 2005 2/.....                   | 19,572 | 9  | 1 | 10 | 31 | 84  | 266 | 694 | 1,750 | 3,688 | 6,982 | 6,057 | - |
| 2004 2/.....                   | 19,775 | 8  | 3 | 9  | 40 | 92  | 279 | 750 | 1,560 | 3,864 | 7,235 | 5,935 | - |
| 2003 2/.....                   | 20,756 | 4  | - | 7  | 41 | 85  | 266 | 798 | 1,787 | 4,158 | 7,567 | 6,043 | - |
| 2002.....                      | 21,051 | 10 | 4 | 4  | 37 | 86  | 272 | 702 | 1,758 | 4,485 | 7,684 | 6,009 | - |
| 2001.....                      | 21,439 | 8  | 2 | 8  | 40 | 108 | 303 | 682 | 1,702 | 4,539 | 7,908 | 6,139 | - |
| 2000.....                      | 22,113 | 11 | 3 | 6  | 35 | 88  | 269 | 699 | 1,734 | 5,046 | 8,133 | 6,089 | - |
| 1999.....                      | 22,191 | 8  | 2 | 7  | 33 | 94  | 323 | 690 | 1,773 | 5,000 | 8,210 | 6,051 | - |

Worktable Orig290F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2007

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data - mortality"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, sex, and year | All ages | Under 1 year | 1-4 years | 5-14 years | 15-24 years | 25-34 years | 35-44 years | 45-54 years | 55-64 years | 65-74 years | 75-84 years | 85 years and over | Age not stated |
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|

Other diseases of circulatory system (I71-I78)

| Non-Hispanic white, male   |        |   |   |   |    |    |     |     |       |       |       |       |   |
|----------------------------|--------|---|---|---|----|----|-----|-----|-------|-------|-------|-------|---|
| 2007 2/.....               | 9,462  | 4 | 1 | 8 | 24 | 50 | 201 | 499 | 1,223 | 2,055 | 3,129 | 2,266 | 2 |
| 2006 2/.....               | 9,848  | 7 | - | 8 | 28 | 56 | 184 | 549 | 1,127 | 2,089 | 3,455 | 2,345 | - |
| 2005 2/.....               | 10,261 | 5 | 1 | 8 | 21 | 52 | 174 | 481 | 1,200 | 2,346 | 3,722 | 2,251 | - |
| 2004 2/.....               | 10,308 | 4 | 2 | 5 | 28 | 64 | 188 | 528 | 1,040 | 2,390 | 3,821 | 2,238 | - |
| 2003 2/.....               | 11,188 | 1 | - | 4 | 30 | 55 | 189 | 567 | 1,206 | 2,663 | 4,159 | 2,314 | - |
| 2002.....                  | 11,337 | 5 | 4 | 2 | 23 | 54 | 180 | 495 | 1,198 | 2,850 | 4,189 | 2,337 | - |
| 2001.....                  | 11,437 | 5 | 1 | 3 | 27 | 74 | 202 | 462 | 1,158 | 2,897 | 4,303 | 2,305 | - |
| 2000.....                  | 12,138 | 3 | 2 | 5 | 22 | 63 | 167 | 494 | 1,225 | 3,301 | 4,492 | 2,364 | - |
| 1999.....                  | 12,014 | 6 | - | 5 | 20 | 71 | 204 | 478 | 1,261 | 3,253 | 4,514 | 2,202 | - |
| Non-Hispanic white, female |        |   |   |   |    |    |     |     |       |       |       |       |   |
| 2007 2/.....               | 8,605  | 3 | 3 | 1 | 13 | 24 | 82  | 195 | 496   | 1,257 | 2,916 | 3,615 | - |
| 2006 2/.....               | 8,756  | 4 | 1 | - | 13 | 20 | 71  | 208 | 506   | 1,260 | 3,029 | 3,644 | - |
| 2005 2/.....               | 9,311  | 4 | - | 2 | 10 | 32 | 92  | 213 | 550   | 1,342 | 3,260 | 3,806 | - |
| 2004 2/.....               | 9,467  | 4 | 1 | 4 | 12 | 28 | 91  | 222 | 520   | 1,474 | 3,414 | 3,697 | - |
| 2003 2/.....               | 9,568  | 3 | - | 3 | 11 | 30 | 77  | 231 | 581   | 1,495 | 3,408 | 3,729 | - |
| 2002.....                  | 9,714  | 5 | - | 2 | 14 | 32 | 92  | 207 | 560   | 1,635 | 3,495 | 3,672 | - |
| 2001.....                  | 10,002 | 3 | 1 | 5 | 13 | 34 | 101 | 220 | 544   | 1,642 | 3,605 | 3,834 | - |
| 2000.....                  | 9,975  | 8 | 1 | 1 | 13 | 25 | 102 | 205 | 509   | 1,745 | 3,641 | 3,725 | - |
| 1999.....                  | 10,177 | 2 | 2 | 2 | 13 | 23 | 119 | 212 | 512   | 1,747 | 3,696 | 3,849 | - |

Worktable Orig290F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2007

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data - mortality"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, sex, and year | All ages | Under 1 year | 1-4 years | 5-14 years | 15-24 years | 25-34 years | 35-44 years | 45-54 years | 55-64 years | 65-74 years | 75-84 years | 85 years and over | Age not stated |
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|

Other diseases of circulatory system (I71-I78)

| Non-Hispanic black, both sexes |       |   |   |   |    |    |     |     |     |     |     |     |   |
|--------------------------------|-------|---|---|---|----|----|-----|-----|-----|-----|-----|-----|---|
| 2007 2/.....                   | 2,442 | 2 | - | 2 | 13 | 26 | 141 | 293 | 393 | 471 | 600 | 500 | 1 |
| 2006 2/.....                   | 2,454 | 4 | - | 2 | 11 | 36 | 115 | 290 | 365 | 472 | 654 | 505 | - |
| 2005 2/.....                   | 2,574 | 4 | - | 3 | 7  | 46 | 130 | 271 | 364 | 514 | 695 | 540 | - |
| 2004 2/.....                   | 2,523 | 2 | 1 | 2 | 7  | 46 | 128 | 254 | 364 | 482 | 692 | 545 | - |
| 2003 2/.....                   | 2,500 | 5 | - | 3 | 13 | 37 | 132 | 296 | 325 | 492 | 683 | 514 | - |
| 2002.....                      | 2,495 | 3 | - | 5 | 12 | 46 | 112 | 272 | 350 | 521 | 653 | 521 | - |
| 2001.....                      | 2,606 | 2 | 1 | 1 | 12 | 39 | 141 | 227 | 348 | 526 | 746 | 563 | - |
| 2000.....                      | 2,569 | 2 | - | 4 | 13 | 35 | 120 | 232 | 346 | 540 | 710 | 566 | 1 |
| 1999.....                      | 2,416 | 2 | - | - | 7  | 30 | 112 | 212 | 290 | 517 | 689 | 557 | - |
| Non-Hispanic black, male       |       |   |   |   |    |    |     |     |     |     |     |     |   |
| 2007 2/.....                   | 1,224 | 2 | - | 2 | 11 | 17 | 97  | 198 | 238 | 250 | 261 | 147 | 1 |
| 2006 2/.....                   | 1,170 | 2 | - | - | 8  | 26 | 81  | 186 | 231 | 258 | 248 | 130 | - |
| 2005 2/.....                   | 1,264 | 3 | - | 2 | 7  | 28 | 96  | 182 | 224 | 265 | 318 | 139 | - |
| 2004 2/.....                   | 1,211 | 1 | - | 2 | 7  | 31 | 80  | 165 | 229 | 253 | 284 | 159 | - |
| 2003 2/.....                   | 1,202 | 1 | - | 2 | 6  | 29 | 81  | 181 | 200 | 252 | 317 | 133 | - |
| 2002.....                      | 1,196 | 1 | - | 2 | 7  | 30 | 71  | 171 | 223 | 268 | 269 | 154 | - |
| 2001.....                      | 1,214 | 2 | - | - | 7  | 24 | 93  | 149 | 197 | 272 | 324 | 146 | - |
| 2000.....                      | 1,193 | 2 | - | 1 | 6  | 22 | 73  | 144 | 198 | 279 | 314 | 153 | 1 |
| 1999.....                      | 1,102 | 2 | - | - | 5  | 23 | 61  | 135 | 165 | 266 | 290 | 155 | - |

Worktable Orig290F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2007

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data - mortality"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, sex, and year | All ages | Under 1 year | 1-4 years | 5-14 years | 15-24 years | 25-34 years | 35-44 years | 45-54 years | 55-64 years | 65-74 years | 75-84 years | 85 years and over | Age not stated |
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|

Other diseases of circulatory system (I71-I78)

Non-Hispanic black, female

|              |       |   |   |   |   |    |    |     |     |     |     |     |   |
|--------------|-------|---|---|---|---|----|----|-----|-----|-----|-----|-----|---|
| 2007 2/..... | 1,218 | - | - | - | 2 | 9  | 44 | 95  | 155 | 221 | 339 | 353 | - |
| 2006 2/..... | 1,284 | 2 | - | 2 | 3 | 10 | 34 | 104 | 134 | 214 | 406 | 375 | - |
| 2005 2/..... | 1,310 | 1 | - | 1 | - | 18 | 34 | 89  | 140 | 249 | 377 | 401 | - |
| 2004 2/..... | 1,312 | 1 | 1 | - | - | 15 | 48 | 89  | 135 | 229 | 408 | 386 | - |
| 2003 2/..... | 1,298 | 4 | - | 1 | 7 | 8  | 51 | 115 | 125 | 240 | 366 | 381 | - |
| 2002.....    | 1,299 | 2 | - | 3 | 5 | 16 | 41 | 101 | 127 | 253 | 384 | 367 | - |
| 2001.....    | 1,392 | - | 1 | 1 | 5 | 15 | 48 | 78  | 151 | 254 | 422 | 417 | - |
| 2000.....    | 1,376 | - | - | 3 | 7 | 13 | 47 | 88  | 148 | 261 | 396 | 413 | - |
| 1999.....    | 1,314 | - | - | - | 2 | 7  | 51 | 77  | 125 | 251 | 399 | 402 | - |

Origin not stated 3/, both sexes

|           |    |   |   |   |   |   |   |   |    |    |    |    |   |
|-----------|----|---|---|---|---|---|---|---|----|----|----|----|---|
| 2007..... | 23 | - | - | - | - | 1 | 1 | 1 | 4  | 3  | 10 | 3  | - |
| 2006..... | 42 | - | - | - | - | 1 | 1 | 5 | 4  | 11 | 13 | 7  | - |
| 2005..... | 42 | - | - | - | - | - | 1 | 2 | 6  | 6  | 17 | 10 | - |
| 2004..... | 47 | - | - | - | - | - | - | 6 | 5  | 9  | 15 | 12 | - |
| 2003..... | 55 | - | - | - | - | - | 2 | 4 | 3  | 16 | 20 | 10 | - |
| 2002..... | 75 | - | - | - | - | 1 | 5 | 2 | 10 | 15 | 24 | 18 | - |
| 2001..... | 75 | - | - | - | - | 2 | 1 | 5 | 8  | 19 | 21 | 19 | - |
| 2000..... | 71 | - | - | - | - | 1 | 5 | 3 | 8  | 14 | 22 | 18 | - |
| 1999..... | 57 | - | - | - | - | - | - | 1 | 7  | 19 | 16 | 14 | - |



Worktable Orig290F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2007

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data - mortality"]

---

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, sex, and year

|  | All ages | Under 1 year | 1-4 years | 5-14 years | 15-24 years | 25-34 years | 35-44 years | 45-54 years | 55-64 years | 65-74 years | 75-84 years | 85 years and over | Age not stated |
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|

---

Other diseases of circulatory system (I71-I78)

| Origin not stated 3/, male |    |   |   |   |   |   |   |   |   |    |    |   |   |
|----------------------------|----|---|---|---|---|---|---|---|---|----|----|---|---|
| 2007.....                  | 15 | - | - | - | - | 1 | 1 | - | 4 | 3  | 4  | 2 | - |
| 2006.....                  | 27 | - | - | - | - | - | - | 4 | 4 | 8  | 7  | 4 | - |
| 2005.....                  | 33 | - | - | - | - | - | 1 | 1 | 6 | 6  | 14 | 5 | - |
| 2004.....                  | 26 | - | - | - | - | - | - | 4 | 5 | 6  | 7  | 4 | - |
| 2003.....                  | 28 | - | - | - | - | - | 1 | 1 | 3 | 10 | 10 | 3 | - |
| 2002.....                  | 37 | - | - | - | - | 1 | 3 | 1 | 5 | 9  | 12 | 6 | - |
| 2001.....                  | 46 | - | - | - | - | 2 | 1 | 4 | 7 | 14 | 12 | 6 | - |
| 2000.....                  | 39 | - | - | - | - | - | 5 | 3 | 5 | 9  | 10 | 7 | - |
| 1999.....                  | 27 | - | - | - | - | - | - | - | 4 | 13 | 7  | 3 | - |

  

| Origin not stated 3/, female |    |   |   |   |   |   |   |   |   |   |    |    |   |
|------------------------------|----|---|---|---|---|---|---|---|---|---|----|----|---|
| 2007.....                    | 8  | - | - | - | - | - | - | 1 | - | - | 6  | 1  | - |
| 2006.....                    | 15 | - | - | - | - | 1 | 1 | 1 | - | 3 | 6  | 3  | - |
| 2005.....                    | 9  | - | - | - | - | - | - | 1 | - | - | 3  | 5  | - |
| 2004.....                    | 21 | - | - | - | - | - | - | 2 | - | 3 | 8  | 8  | - |
| 2003.....                    | 27 | - | - | - | - | - | 1 | 3 | - | 6 | 10 | 7  | - |
| 2002.....                    | 38 | - | - | - | - | - | 2 | 1 | 5 | 6 | 12 | 12 | - |
| 2001.....                    | 29 | - | - | - | - | - | - | 1 | 1 | 5 | 9  | 13 | - |
| 2000.....                    | 32 | - | - | - | - | 1 | - | - | 3 | 5 | 12 | 11 | - |
| 1999.....                    | 30 | - | - | - | - | - | - | 1 | 3 | 6 | 9  | 11 | - |

Worktable Orig290F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2007

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data - mortality"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, sex, and year | All ages | Under 1 year | 1-4 years | 5-14 years | 15-24 years | 25-34 years | 35-44 years | 45-54 years | 55-64 years | 65-74 years | 75-84 years | 85 years and over | Age not stated |
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|
| <b>Aortic aneurysm and dissection (I71)</b>  |          |              |           |            |             |             |             |             |             |             |             |                   |                |
| <b>All origins, both sexes</b>   |          |              |           |            |             |             |             |             |             |             |             |                   |                |
| 2007.....  | 12,986   | 1            | -         | 7          | 38          | 99          | 364         | 752         | 1,483       | 2,616       | 4,346       | 3,279             | 1              |
| 2006.....  | 13,238   | 2            | -         | 7          | 43          | 107         | 340         | 795         | 1,366       | 2,635       | 4,622       | 3,321             | -              |
| 2005.....  | 13,843   | 1            | -         | 4          | 34          | 114         | 329         | 758         | 1,456       | 2,870       | 4,971       | 3,306             | -              |
| 2004.....  | 13,753   | 1            | 1         | 5          | 45          | 126         | 318         | 729         | 1,318       | 2,932       | 5,131       | 3,147             | -              |
| 2003.....  | 14,810   | 1            | -         | 3          | 41          | 112         | 316         | 820         | 1,477       | 3,271       | 5,471       | 3,298             | -              |
| 2002.....  | 14,818   | 2            | -         | 5          | 39          | 110         | 305         | 710         | 1,460       | 3,482       | 5,518       | 3,187             | -              |
| 2001.....  | 15,234   | -            | 2         | 4          | 43          | 117         | 332         | 661         | 1,394       | 3,517       | 5,751       | 3,412             | 1              |
| 2000.....  | 15,810   | -            | -         | 5          | 36          | 107         | 303         | 662         | 1,493       | 4,012       | 5,835       | 3,357             | -              |
| 1999.....  | 15,807   | 1            | 1         | 3          | 31          | 93          | 329         | 638         | 1,437       | 4,001       | 5,936       | 3,337             | -              |
| <b>All origins, male</b>   |          |              |           |            |             |             |             |             |             |             |             |                   |                |
| 2007.....  | 7,543    | -            | -         | 6          | 32          | 74          | 278         | 567         | 1,093       | 1,698       | 2,341       | 1,453             | 1              |
| 2006.....  | 7,732    | 1            | -         | 7          | 32          | 87          | 269         | 600         | 1,004       | 1,687       | 2,566       | 1,479             | -              |
| 2005.....  | 8,168    | 1            | -         | 4          | 26          | 83          | 265         | 577         | 1,063       | 1,911       | 2,778       | 1,460             | -              |
| 2004.....  | 8,140    | 1            | -         | 3          | 36          | 93          | 246         | 552         | 972         | 1,946       | 2,859       | 1,432             | -              |
| 2003.....  | 8,976    | -            | -         | 2          | 31          | 83          | 246         | 616         | 1,107       | 2,174       | 3,192       | 1,525             | -              |
| 2002.....  | 9,013    | -            | -         | 3          | 32          | 82          | 229         | 540         | 1,092       | 2,369       | 3,185       | 1,481             | -              |
| 2001.....  | 9,114    | -            | 2         | 3          | 31          | 90          | 264         | 506         | 1,031       | 2,382       | 3,313       | 1,491             | 1              |
| 2000.....  | 9,661    | -            | -         | 3          | 23          | 78          | 219         | 492         | 1,111       | 2,730       | 3,443       | 1,562             | -              |
| 1999.....  | 9,615    | 1            | -         | 2          | 20          | 78          | 232         | 486         | 1,088       | 2,712       | 3,501       | 1,495             | -              |

Worktable Orig290F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2007

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data - mortality"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, sex, and year | All ages | Under 1 year | 1-4 years | 5-14 years | 15-24 years | 25-34 years | 35-44 years | 45-54 years | 55-64 years | 65-74 years | 75-84 years | 85 years and over | Age not stated |
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|
| Aortic aneurysm and dissection (I71)   |          |              |           |            |             |             |             |             |             |             |             |                   |                |
| All origins, female  |          |              |           |            |             |             |             |             |             |             |             |                   |                |
| 2007.....  | 5,443    | 1            | -         | 1          | 6           | 25          | 86          | 185         | 390         | 918         | 2,005       | 1,826             | -              |
| 2006.....  | 5,506    | 1            | -         | -          | 11          | 20          | 71          | 195         | 362         | 948         | 2,056       | 1,842             | -              |
| 2005.....  | 5,675    | -            | -         | -          | 8           | 31          | 64          | 181         | 393         | 959         | 2,193       | 1,846             | -              |
| 2004.....  | 5,613    | -            | 1         | 2          | 9           | 33          | 72          | 177         | 346         | 986         | 2,272       | 1,715             | -              |
| 2003.....  | 5,834    | 1            | -         | 1          | 10          | 29          | 70          | 204         | 370         | 1,097       | 2,279       | 1,773             | -              |
| 2002.....  | 5,805    | 2            | -         | 2          | 7           | 28          | 76          | 170         | 368         | 1,113       | 2,333       | 1,706             | -              |
| 2001.....  | 6,120    | -            | -         | 1          | 12          | 27          | 68          | 155         | 363         | 1,135       | 2,438       | 1,921             | -              |
| 2000.....  | 6,149    | -            | -         | 2          | 13          | 29          | 84          | 170         | 382         | 1,282       | 2,392       | 1,795             | -              |
| 1999.....  | 6,192    | -            | 1         | 1          | 11          | 15          | 97          | 152         | 349         | 1,289       | 2,435       | 1,842             | -              |
| Hispanic, both sexes   |          |              |           |            |             |             |             |             |             |             |             |                   |                |
| 2007.....  | 472      | -            | -         | 2          | 6           | 20          | 30          | 43          | 53          | 92          | 130         | 96                | -              |
| 2006.....  | 477      | -            | -         | -          | 9           | 17          | 38          | 47          | 62          | 98          | 125         | 81                | -              |
| 2005.....  | 477      | 1            | -         | -          | 9           | 14          | 33          | 48          | 63          | 96          | 145         | 68                | -              |
| 2004.....  | 465      | 1            | -         | 1          | 8           | 16          | 26          | 52          | 74          | 100         | 123         | 64                | -              |
| 2003.....  | 515      | -            | -         | -          | 6           | 16          | 25          | 36          | 64          | 102         | 171         | 95                | -              |
| 2002.....  | 431      | -            | -         | -          | 8           | 16          | 24          | 36          | 75          | 89          | 127         | 56                | -              |
| 2001.....  | 403      | -            | 1         | -          | 4           | 14          | 24          | 41          | 47          | 93          | 127         | 51                | 1              |
| 2000.....  | 465      | -            | -         | 1          | 8           | 15          | 21          | 41          | 58          | 121         | 137         | 63                | -              |
| 1999.....  | 384      | -            | -         | 1          | 4           | 6           | 23          | 27          | 55          | 95          | 115         | 58                | -              |

Worktable Orig290F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2007

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data - mortality"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, sex, and year | All ages | Under 1 year | 1-4 years | 5-14 years | 15-24 years | 25-34 years | 35-44 years | 45-54 years | 55-64 years | 65-74 years | 75-84 years | 85 years and over | Age not stated |
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|
| Aortic aneurysm and dissection (I71)   |          |              |           |            |             |             |             |             |             |             |             |                   |                |
| Hispanic, male   |          |              |           |            |             |             |             |             |             |             |             |                   |                |
| 2007.....  | 295      | -            | -         | 1          | 6           | 15          | 26          | 31          | 39          | 57          | 75          | 45                | -              |
| 2006.....  | 321      | -            | -         | -          | 5           | 16          | 34          | 34          | 47          | 67          | 76          | 42                | -              |
| 2005.....  | 328      | 1            | -         | -          | 6           | 11          | 26          | 40          | 54          | 63          | 92          | 35                | -              |
| 2004.....  | 315      | 1            | -         | -          | 7           | 10          | 24          | 44          | 58          | 71          | 71          | 29                | -              |
| 2003.....  | 333      | -            | -         | -          | 4           | 12          | 19          | 27          | 51          | 68          | 100         | 52                | -              |
| 2002.....  | 284      | -            | -         | -          | 5           | 12          | 20          | 29          | 51          | 63          | 78          | 26                | -              |
| 2001.....  | 279      | -            | 1         | -          | 2           | 14          | 20          | 31          | 33          | 71          | 78          | 28                | 1              |
| 2000.....  | 294      | -            | -         | 1          | 4           | 11          | 14          | 28          | 42          | 76          | 86          | 32                | -              |
| 1999.....  | 256      | -            | -         | -          | 3           | 4           | 17          | 22          | 41          | 67          | 65          | 37                | -              |
| Hispanic, female   |          |              |           |            |             |             |             |             |             |             |             |                   |                |
| 2007.....  | 177      | -            | -         | 1          | -           | 5           | 4           | 12          | 14          | 35          | 55          | 51                | -              |
| 2006.....  | 156      | -            | -         | -          | 4           | 1           | 4           | 13          | 15          | 31          | 49          | 39                | -              |
| 2005.....  | 149      | -            | -         | -          | 3           | 3           | 7           | 8           | 9           | 33          | 53          | 33                | -              |
| 2004.....  | 150      | -            | -         | 1          | 1           | 6           | 2           | 8           | 16          | 29          | 52          | 35                | -              |
| 2003.....  | 182      | -            | -         | -          | 2           | 4           | 6           | 9           | 13          | 34          | 71          | 43                | -              |
| 2002.....  | 147      | -            | -         | -          | 3           | 4           | 4           | 7           | 24          | 26          | 49          | 30                | -              |
| 2001.....  | 124      | -            | -         | -          | 2           | -           | 4           | 10          | 14          | 22          | 49          | 23                | -              |
| 2000.....  | 171      | -            | -         | -          | 4           | 4           | 7           | 13          | 16          | 45          | 51          | 31                | -              |
| 1999.....  | 128      | -            | -         | 1          | 1           | 2           | 6           | 5           | 14          | 28          | 50          | 21                | -              |

Worktable Orig290F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2007

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data - mortality"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, sex, and year | All ages | Under 1 year | 1-4 years | 5-14 years | 15-24 years | 25-34 years | 35-44 years | 45-54 years | 55-64 years | 65-74 years | 75-84 years | 85 years and over | Age not stated |
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|
| <b>Aortic aneurysm and dissection (I71)</b>  |          |              |           |            |             |             |             |             |             |             |             |                   |                |
| <b>Non-Hispanic 1/, both sexes</b>   |          |              |           |            |             |             |             |             |             |             |             |                   |                |
| 2007.....  | 12,505   | 1            | -         | 5          | 32          | 79          | 333         | 709         | 1,427       | 2,523       | 4,212       | 3,183             | 1              |
| 2006.....  | 12,735   | 2            | -         | 7          | 34          | 89          | 301         | 743         | 1,301       | 2,532       | 4,489       | 3,237             | -              |
| 2005.....  | 13,344   | -            | -         | 4          | 25          | 100         | 295         | 708         | 1,389       | 2,770       | 4,820       | 3,233             | -              |
| 2004.....  | 13,266   | -            | 1         | 4          | 37          | 110         | 292         | 675         | 1,239       | 2,826       | 5,003       | 3,079             | -              |
| 2003.....  | 14,259   | 1            | -         | 3          | 35          | 96          | 289         | 781         | 1,411       | 3,159       | 5,286       | 3,198             | -              |
| 2002.....  | 14,341   | 2            | -         | 5          | 31          | 93          | 277         | 672         | 1,379       | 3,384       | 5,373       | 3,125             | -              |
| 2001.....  | 14,782   | -            | 1         | 4          | 39          | 102         | 307         | 617         | 1,341       | 3,408       | 5,610       | 3,353             | -              |
| 2000.....  | 15,296   | -            | -         | 4          | 28          | 91          | 277         | 618         | 1,431       | 3,881       | 5,682       | 3,284             | -              |
| 1999.....  | 15,393   | 1            | 1         | 2          | 27          | 87          | 306         | 611         | 1,378       | 3,893       | 5,811       | 3,276             | -              |
| <b>Non-Hispanic 1/, male</b>   |          |              |           |            |             |             |             |             |             |             |             |                   |                |
| 2007.....  | 7,241    | -            | -         | 5          | 26          | 59          | 251         | 536         | 1,051       | 1,640       | 2,264       | 1,408             | 1              |
| 2006.....  | 7,395    | 1            | -         | 7          | 27          | 71          | 235         | 562         | 954         | 1,617       | 2,485       | 1,436             | -              |
| 2005.....  | 7,822    | -            | -         | 4          | 20          | 72          | 238         | 536         | 1,005       | 1,844       | 2,681       | 1,422             | -              |
| 2004.....  | 7,807    | -            | -         | 3          | 29          | 83          | 222         | 506         | 909         | 1,870       | 2,785       | 1,400             | -              |
| 2003.....  | 8,622    | -            | -         | 2          | 27          | 71          | 226         | 588         | 1,054       | 2,098       | 3,085       | 1,471             | -              |
| 2002.....  | 8,701    | -            | -         | 3          | 27          | 69          | 207         | 510         | 1,036       | 2,299       | 3,099       | 1,451             | -              |
| 2001.....  | 8,798    | -            | 1         | 3          | 29          | 75          | 243         | 472         | 992         | 2,299       | 3,225       | 1,459             | -              |
| 2000.....  | 9,338    | -            | -         | 2          | 19          | 67          | 200         | 461         | 1,066       | 2,648       | 3,349       | 1,526             | -              |
| 1999.....  | 9,342    | 1            | -         | 2          | 17          | 74          | 215         | 464         | 1,045       | 2,635       | 3,432       | 1,457             | -              |

Worktable Orig290F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2007

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data - mortality"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, sex, and year | All ages | Under 1 year | 1-4 years | 5-14 years | 15-24 years | 25-34 years | 35-44 years | 45-54 years | 55-64 years | 65-74 years | 75-84 years | 85 years and over | Age not stated |
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|
| <b>Aortic aneurysm and dissection (I71)</b>  |          |              |           |            |             |             |             |             |             |             |             |                   |                |
| <b>Non-Hispanic 1/, female</b>   |          |              |           |            |             |             |             |             |             |             |             |                   |                |
| 2007.....  | 5,264    | 1            | -         | -          | 6           | 20          | 82          | 173         | 376         | 883         | 1,948       | 1,775             | -              |
| 2006.....  | 5,340    | 1            | -         | -          | 7           | 18          | 66          | 181         | 347         | 915         | 2,004       | 1,801             | -              |
| 2005.....  | 5,522    | -            | -         | -          | 5           | 28          | 57          | 172         | 384         | 926         | 2,139       | 1,811             | -              |
| 2004.....  | 5,459    | -            | 1         | 1          | 8           | 27          | 70          | 169         | 330         | 956         | 2,218       | 1,679             | -              |
| 2003.....  | 5,637    | 1            | -         | 1          | 8           | 25          | 63          | 193         | 357         | 1,061       | 2,201       | 1,727             | -              |
| 2002.....  | 5,640    | 2            | -         | 2          | 4           | 24          | 70          | 162         | 343         | 1,085       | 2,274       | 1,674             | -              |
| 2001.....  | 5,984    | -            | -         | 1          | 10          | 27          | 64          | 145         | 349         | 1,109       | 2,385       | 1,894             | -              |
| 2000.....  | 5,958    | -            | -         | 2          | 9           | 24          | 77          | 157         | 365         | 1,233       | 2,333       | 1,758             | -              |
| 1999.....  | 6,051    | -            | 1         | -          | 10          | 13          | 91          | 147         | 333         | 1,258       | 2,379       | 1,819             | -              |
| <b>Non-Hispanic white, both sexes</b>  |          |              |           |            |             |             |             |             |             |             |             |                   |                |
| 2007 2/.....   | 10,890   | 1            | -         | 4          | 20          | 53          | 204         | 474         | 1,141       | 2,208       | 3,831       | 2,953             | 1              |
| 2006 2/.....   | 11,138   | -            | -         | 7          | 28          | 57          | 202         | 514         | 1,061       | 2,203       | 4,087       | 2,979             | -              |
| 2005 2/.....   | 11,684   | -            | -         | 3          | 22          | 63          | 179         | 473         | 1,148       | 2,443       | 4,390       | 2,963             | -              |
| 2004 2/.....   | 11,719   | -            | -         | 4          | 28          | 69          | 189         | 479         | 985         | 2,533       | 4,573       | 2,859             | -              |
| 2003 2/.....   | 12,712   | -            | -         | 1          | 27          | 61          | 188         | 548         | 1,178       | 2,844       | 4,883       | 2,982             | -              |
| 2002.....  | 12,831   | 2            | -         | 2          | 23          | 57          | 192         | 457         | 1,156       | 3,057       | 4,988       | 2,897             | -              |
| 2001.....  | 13,217   | -            | 1         | 4          | 28          | 77          | 203         | 435         | 1,117       | 3,079       | 5,155       | 3,118             | -              |
| 2000.....  | 13,722   | -            | -         | 1          | 18          | 61          | 182         | 454         | 1,201       | 3,526       | 5,250       | 3,029             | -              |
| 1999.....  | 13,934   | 1            | 1         | 1          | 23          | 64          | 217         | 440         | 1,195       | 3,548       | 5,407       | 3,037             | -              |

Worktable Orig290F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2007

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data - mortality"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, sex, and year | All ages | Under 1 year | 1-4 years | 5-14 years | 15-24 years | 25-34 years | 35-44 years | 45-54 years | 55-64 years | 65-74 years | 75-84 years | 85 years and over | Age not stated |
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|
| Aortic aneurysm and dissection (I71)   |          |              |           |            |             |             |             |             |             |             |             |                   |                |
| Non-Hispanic white, male   |          |              |           |            |             |             |             |             |             |             |             |                   |                |
| 2007 2/.....   | 6,325    | -            | -         | 4          | 15          | 39          | 154         | 368         | 872         | 1,462       | 2,084       | 1,326             | 1              |
| 2006 2/.....   | 6,512    | -            | -         | 7          | 22          | 46          | 160         | 409         | 796         | 1,431       | 2,308       | 1,333             | -              |
| 2005 2/.....   | 6,877    | -            | -         | 3          | 17          | 43          | 141         | 370         | 849         | 1,659       | 2,472       | 1,323             | -              |
| 2004 2/.....   | 6,906    | -            | -         | 3          | 22          | 52          | 146         | 367         | 730         | 1,695       | 2,579       | 1,312             | -              |
| 2003 2/.....   | 7,731    | -            | -         | -          | 21          | 42          | 155         | 428         | 897         | 1,926       | 2,877       | 1,385             | -              |
| 2002.....  | 7,834    | -            | -         | 1          | 19          | 43          | 142         | 355         | 875         | 2,105       | 2,917       | 1,377             | -              |
| 2001.....  | 7,924    | -            | 1         | 3          | 21          | 58          | 163         | 342         | 841         | 2,109       | 3,002       | 1,384             | -              |
| 2000.....  | 8,488    | -            | -         | 1          | 14          | 45          | 134         | 355         | 914         | 2,453       | 3,136       | 1,436             | -              |
| 1999.....  | 8,551    | 1            | -         | 1          | 14          | 54          | 155         | 340         | 928         | 2,451       | 3,243       | 1,364             | -              |
| Non-Hispanic white, female   |          |              |           |            |             |             |             |             |             |             |             |                   |                |
| 2007 2/.....   | 4,565    | 1            | -         | -          | 5           | 14          | 50          | 106         | 269         | 746         | 1,747       | 1,627             | -              |
| 2006 2/.....   | 4,626    | -            | -         | -          | 6           | 11          | 42          | 105         | 265         | 772         | 1,779       | 1,646             | -              |
| 2005 2/.....   | 4,807    | -            | -         | -          | 5           | 20          | 38          | 103         | 299         | 784         | 1,918       | 1,640             | -              |
| 2004 2/.....   | 4,813    | -            | -         | 1          | 6           | 17          | 43          | 112         | 255         | 838         | 1,994       | 1,547             | -              |
| 2003 2/.....   | 4,981    | -            | -         | 1          | 6           | 19          | 33          | 120         | 281         | 918         | 2,006       | 1,597             | -              |
| 2002.....  | 4,997    | 2            | -         | 1          | 4           | 14          | 50          | 102         | 281         | 952         | 2,071       | 1,520             | -              |
| 2001.....  | 5,293    | -            | -         | 1          | 7           | 19          | 40          | 93          | 276         | 970         | 2,153       | 1,734             | -              |
| 2000.....  | 5,234    | -            | -         | -          | 4           | 16          | 48          | 99          | 287         | 1,073       | 2,114       | 1,593             | -              |
| 1999.....  | 5,383    | -            | 1         | -          | 9           | 10          | 62          | 100         | 267         | 1,097       | 2,164       | 1,673             | -              |

Worktable Orig290F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2007

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data - mortality"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, sex, and year | All ages | Under 1 year | 1-4 years | 5-14 years | 15-24 years | 25-34 years | 35-44 years | 45-54 years | 55-64 years | 65-74 years | 75-84 years | 85 years and over | Age not stated |
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|
| <b>Aortic aneurysm and dissection (I71)</b>  |          |              |           |            |             |             |             |             |             |             |             |                   |                |
| <b>Non-Hispanic black, both sexes</b>  |          |              |           |            |             |             |             |             |             |             |             |                   |                |
| 2007 2/.....   | 1,241    | -            | -         | 1          | 8           | 18          | 117         | 207         | 227         | 236         | 267         | 160               | -              |
| 2006 2/.....   | 1,248    | 2            | -         | -          | 6           | 27          | 84          | 203         | 210         | 255         | 281         | 180               | -              |
| 2005 2/.....   | 1,288    | -            | -         | 1          | 3           | 29          | 98          | 201         | 207         | 254         | 307         | 188               | -              |
| 2004 2/.....   | 1,215    | -            | 1         | -          | 6           | 33          | 93          | 173         | 215         | 224         | 315         | 155               | -              |
| 2003 2/.....   | 1,220    | 1            | -         | 1          | 4           | 29          | 94          | 202         | 196         | 242         | 292         | 159               | -              |
| 2002.....  | 1,200    | -            | -         | 3          | 5           | 33          | 79          | 192         | 192         | 244         | 285         | 167               | -              |
| 2001.....  | 1,238    | -            | -         | -          | 10          | 23          | 91          | 154         | 189         | 240         | 352         | 179               | -              |
| 2000.....  | 1,262    | -            | -         | 3          | 9           | 25          | 86          | 135         | 196         | 279         | 331         | 198               | -              |
| 1999.....  | 1,172    | -            | -         | -          | 4           | 21          | 80          | 152         | 152         | 271         | 303         | 189               | -              |
| <b>Non-Hispanic black, male</b>  |          |              |           |            |             |             |             |             |             |             |             |                   |                |
| 2007 2/.....   | 694      | -            | -         | 1          | 8           | 14          | 86          | 149         | 144         | 127         | 116         | 49                | -              |
| 2006 2/.....   | 670      | 1            | -         | -          | 5           | 22          | 62          | 137         | 136         | 141         | 109         | 57                | -              |
| 2005 2/.....   | 707      | -            | -         | 1          | 3           | 21          | 81          | 140         | 134         | 132         | 140         | 55                | -              |
| 2004 2/.....   | 688      | -            | -         | -          | 6           | 26          | 68          | 122         | 148         | 130         | 131         | 57                | -              |
| 2003 2/.....   | 678      | -            | -         | 1          | 3           | 26          | 65          | 140         | 132         | 124         | 138         | 49                | -              |
| 2002.....  | 664      | -            | -         | 2          | 5           | 24          | 61          | 138         | 138         | 132         | 119         | 45                | -              |
| 2001.....  | 659      | -            | -         | -          | 7           | 16          | 69          | 108         | 124         | 134         | 158         | 43                | -              |
| 2000.....  | 661      | -            | -         | 1          | 5           | 19          | 60          | 89          | 123         | 151         | 153         | 60                | -              |
| 1999.....  | 615      | -            | -         | -          | 3           | 19          | 52          | 109         | 96          | 147         | 124         | 65                | -              |



Worktable Orig290F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2007

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data - mortality"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, sex, and year | All ages | Under 1 year | 1-4 years | 5-14 years | 15-24 years | 25-34 years | 35-44 years | 45-54 years | 55-64 years | 65-74 years | 75-84 years | 85 years and over | Age not stated |
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|

Aortic aneurysm and dissection (I71)

Non-Hispanic black, female

|              |     |   |   |   |   |   |    |    |    |     |     |     |   |
|--------------|-----|---|---|---|---|---|----|----|----|-----|-----|-----|---|
| 2007 2/..... | 547 | - | - | - | - | 4 | 31 | 58 | 83 | 109 | 151 | 111 | - |
| 2006 2/..... | 578 | 1 | - | - | 1 | 5 | 22 | 66 | 74 | 114 | 172 | 123 | - |
| 2005 2/..... | 581 | - | - | - | - | 8 | 17 | 61 | 73 | 122 | 167 | 133 | - |
| 2004 2/..... | 527 | - | 1 | - | - | 7 | 25 | 51 | 67 | 94  | 184 | 98  | - |
| 2003 2/..... | 542 | 1 | - | - | 1 | 3 | 29 | 62 | 64 | 118 | 154 | 110 | - |
| 2002.....    | 536 | - | - | 1 | - | 9 | 18 | 54 | 54 | 112 | 166 | 122 | - |
| 2001.....    | 579 | - | - | - | 3 | 7 | 22 | 46 | 65 | 106 | 194 | 136 | - |
| 2000.....    | 601 | - | - | 2 | 4 | 6 | 26 | 46 | 73 | 128 | 178 | 138 | - |
| 1999.....    | 557 | - | - | - | 1 | 2 | 28 | 43 | 56 | 124 | 179 | 124 | - |

Origin not stated 3/, both sexes

|           |    |   |   |   |   |   |   |   |   |    |    |    |   |
|-----------|----|---|---|---|---|---|---|---|---|----|----|----|---|
| 2007..... | 9  | - | - | - | - | - | 1 | - | 3 | 1  | 4  | -  | - |
| 2006..... | 26 | - | - | - | - | 1 | 1 | 5 | 3 | 5  | 8  | 3  | - |
| 2005..... | 22 | - | - | - | - | - | 1 | 2 | 4 | 4  | 6  | 5  | - |
| 2004..... | 22 | - | - | - | - | - | - | 2 | 5 | 6  | 5  | 4  | - |
| 2003..... | 36 | - | - | - | - | - | 2 | 3 | 2 | 10 | 14 | 5  | - |
| 2002..... | 46 | - | - | - | - | 1 | 4 | 2 | 6 | 9  | 18 | 6  | - |
| 2001..... | 49 | - | - | - | - | 1 | 1 | 3 | 6 | 16 | 14 | 8  | - |
| 2000..... | 49 | - | - | - | - | 1 | 5 | 3 | 4 | 10 | 16 | 10 | - |
| 1999..... | 30 | - | - | - | - | - | - | - | 4 | 13 | 10 | 3  | - |

Worktable Orig290F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2007

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data - mortality"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, sex, and year | All ages | Under 1 year | 1-4 years | 5-14 years | 15-24 years | 25-34 years | 35-44 years | 45-54 years | 55-64 years | 65-74 years | 75-84 years | 85 years and over | Age not stated |
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|

Aortic aneurysm and dissection (I71)

Origin not stated 3/, male

|           |    |   |   |   |   |   |   |   |   |    |    |   |   |
|-----------|----|---|---|---|---|---|---|---|---|----|----|---|---|
| 2007..... | 7  | - | - | - | - | - | 1 | - | 3 | 1  | 2  | - | - |
| 2006..... | 16 | - | - | - | - | - | - | 4 | 3 | 3  | 5  | 1 | - |
| 2005..... | 18 | - | - | - | - | - | 1 | 1 | 4 | 4  | 5  | 3 | - |
| 2004..... | 18 | - | - | - | - | - | - | 2 | 5 | 5  | 3  | 3 | - |
| 2003..... | 21 | - | - | - | - | - | 1 | 1 | 2 | 8  | 7  | 2 | - |
| 2002..... | 28 | - | - | - | - | 1 | 2 | 1 | 5 | 7  | 8  | 4 | - |
| 2001..... | 37 | - | - | - | - | 1 | 1 | 3 | 6 | 12 | 10 | 4 | - |
| 2000..... | 29 | - | - | - | - | - | 5 | 3 | 3 | 6  | 8  | 4 | - |
| 1999..... | 17 | - | - | - | - | - | - | - | 2 | 10 | 4  | 1 | - |

Origin not stated 3/, female

|           |    |   |   |   |   |   |   |   |   |   |    |   |   |
|-----------|----|---|---|---|---|---|---|---|---|---|----|---|---|
| 2007..... | 2  | - | - | - | - | - | - | - | - | - | 2  | - | - |
| 2006..... | 10 | - | - | - | - | 1 | 1 | 1 | - | 2 | 3  | 2 | - |
| 2005..... | 4  | - | - | - | - | - | - | 1 | - | - | 1  | 2 | - |
| 2004..... | 4  | - | - | - | - | - | - | - | - | 1 | 2  | 1 | - |
| 2003..... | 15 | - | - | - | - | - | 1 | 2 | - | 2 | 7  | 3 | - |
| 2002..... | 18 | - | - | - | - | - | 2 | 1 | 1 | 2 | 10 | 2 | - |
| 2001..... | 12 | - | - | - | - | - | - | - | - | 4 | 4  | 4 | - |
| 2000..... | 20 | - | - | - | - | 1 | - | - | 1 | 4 | 8  | 6 | - |
| 1999..... | 13 | - | - | - | - | - | - | - | 2 | 3 | 6  | 2 | - |

Worktable Orig290F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2007

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data - mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, sex, and year

|  | All ages | Under 1 year | 1-4 years | 5-14 years | 15-24 years | 25-34 years | 35-44 years | 45-54 years | 55-64 years | 65-74 years | 75-84 years | 85 years and over | Age not stated |
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|

Other diseases of arteries, arterioles and capillaries (I72-I78)

All origins, both sexes

|           |        |    |   |    |    |    |     |     |     |       |       |       |   |
|-----------|--------|----|---|----|----|----|-----|-----|-----|-------|-------|-------|---|
| 2007..... | 8,954  | 12 | 4 | 7  | 27 | 37 | 120 | 340 | 813 | 1,449 | 2,728 | 3,415 | 2 |
| 2006..... | 9,246  | 16 | 1 | 5  | 25 | 41 | 104 | 367 | 787 | 1,469 | 2,947 | 3,484 | - |
| 2005..... | 9,774  | 16 | 3 | 13 | 18 | 42 | 138 | 327 | 810 | 1,614 | 3,196 | 3,597 | - |
| 2004..... | 9,940  | 13 | 3 | 8  | 16 | 41 | 143 | 396 | 789 | 1,700 | 3,210 | 3,621 | - |
| 2003..... | 9,862  | 10 | - | 9  | 27 | 39 | 135 | 379 | 793 | 1,663 | 3,223 | 3,584 | - |
| 2002..... | 10,109 | 12 | 4 | 6  | 27 | 50 | 140 | 360 | 826 | 1,828 | 3,227 | 3,629 | - |
| 2001..... | 10,084 | 12 | 2 | 7  | 18 | 53 | 166 | 363 | 801 | 1,828 | 3,281 | 3,553 | - |
| 2000..... | 10,226 | 16 | 5 | 6  | 23 | 47 | 145 | 376 | 743 | 1,914 | 3,387 | 3,563 | 1 |
| 1999..... | 10,002 | 11 | 1 | 8  | 18 | 48 | 149 | 333 | 773 | 1,807 | 3,328 | 3,526 | - |

All origins, male

|           |       |    |   |   |    |    |    |     |     |       |       |       |   |
|-----------|-------|----|---|---|----|----|----|-----|-----|-------|-------|-------|---|
| 2007..... | 3,937 | 7  | 1 | 5 | 16 | 17 | 72 | 198 | 487 | 776   | 1,272 | 1,084 | 2 |
| 2006..... | 4,104 | 11 | - | 2 | 12 | 19 | 50 | 206 | 460 | 826   | 1,381 | 1,137 | - |
| 2005..... | 4,255 | 10 | 3 | 9 | 11 | 19 | 57 | 172 | 470 | 885   | 1,542 | 1,077 | - |
| 2004..... | 4,166 | 6  | 2 | 5 | 9  | 20 | 62 | 228 | 420 | 872   | 1,463 | 1,079 | - |
| 2003..... | 4,241 | 3  | - | 5 | 14 | 20 | 60 | 199 | 410 | 918   | 1,540 | 1,072 | - |
| 2002..... | 4,296 | 6  | 4 | 2 | 11 | 19 | 62 | 192 | 434 | 938   | 1,505 | 1,123 | - |
| 2001..... | 4,282 | 8  | - | - | 9  | 25 | 71 | 182 | 423 | 966   | 1,526 | 1,072 | - |
| 2000..... | 4,423 | 6  | 2 | 4 | 10 | 25 | 57 | 207 | 419 | 1,041 | 1,576 | 1,075 | 1 |
| 1999..... | 4,179 | 8  | - | 5 | 12 | 24 | 64 | 171 | 431 | 969   | 1,514 | 981   | - |

Worktable Orig290F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2007

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data - mortality"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, sex, and year | All ages | Under 1 year | 1-4 years | 5-14 years | 15-24 years | 25-34 years | 35-44 years | 45-54 years | 55-64 years | 65-74 years | 75-84 years | 85 years and over | Age not stated |
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|
| Other diseases of arteries, arterioles and capillaries (I72-I78)   |          |              |           |            |             |             |             |             |             |             |             |                   |                |
| All origins, female  |          |              |           |            |             |             |             |             |             |             |             |                   |                |
| 2007.....  | 5,017    | 5            | 3         | 2          | 11          | 20          | 48          | 142         | 326         | 673         | 1,456       | 2,331             | -              |
| 2006.....  | 5,142    | 5            | 1         | 3          | 13          | 22          | 54          | 161         | 327         | 643         | 1,566       | 2,347             | -              |
| 2005.....  | 5,519    | 6            | -         | 4          | 7           | 23          | 81          | 155         | 340         | 729         | 1,654       | 2,520             | -              |
| 2004.....  | 5,774    | 7            | 1         | 3          | 7           | 21          | 81          | 168         | 369         | 828         | 1,747       | 2,542             | -              |
| 2003.....  | 5,621    | 7            | -         | 4          | 13          | 19          | 75          | 180         | 383         | 745         | 1,683       | 2,512             | -              |
| 2002.....  | 5,813    | 6            | -         | 4          | 16          | 31          | 78          | 168         | 392         | 890         | 1,722       | 2,506             | -              |
| 2001.....  | 5,802    | 4            | 2         | 7          | 9           | 28          | 95          | 181         | 378         | 862         | 1,755       | 2,481             | -              |
| 2000.....  | 5,803    | 10           | 3         | 2          | 13          | 22          | 88          | 169         | 324         | 873         | 1,811       | 2,488             | -              |
| 1999.....  | 5,823    | 3            | 1         | 3          | 6           | 24          | 85          | 162         | 342         | 838         | 1,814       | 2,545             | -              |
| Hispanic, both sexes   |          |              |           |            |             |             |             |             |             |             |             |                   |                |
| 2007.....  | 402      | 3            | -         | -          | 4           | 6           | 16          | 21          | 49          | 76          | 123         | 104               | -              |
| 2006.....  | 415      | 3            | -         | 1          | 6           | 12          | 18          | 30          | 45          | 78          | 120         | 102               | -              |
| 2005.....  | 437      | 1            | 2         | 4          | 4           | 4           | 16          | 27          | 34          | 80          | 159         | 106               | -              |
| 2004.....  | 381      | 2            | -         | 1          | 2           | 4           | 15          | 28          | 41          | 77          | 113         | 98                | -              |
| 2003.....  | 363      | 2            | -         | 1          | 3           | 6           | 14          | 25          | 32          | 70          | 100         | 110               | -              |
| 2002.....  | 416      | 1            | -         | 1          | 4           | 6           | 20          | 26          | 42          | 86          | 119         | 111               | -              |
| 2001.....  | 351      | 2            | -         | 2          | 3           | 5           | 13          | 32          | 41          | 63          | 89          | 101               | -              |
| 2000.....  | 353      | 3            | 1         | -          | 1           | 9           | 17          | 15          | 41          | 96          | 78          | 92                | -              |
| 1999.....  | 345      | 2            | -         | 1          | 5           | 6           | 10          | 11          | 39          | 75          | 96          | 100               | -              |

Worktable Orig290F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2007

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data - mortality"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, sex, and year | All ages | Under 1 year | 1-4 years | 5-14 years | 15-24 years | 25-34 years | 35-44 years | 45-54 years | 55-64 years | 65-74 years | 75-84 years | 85 years and over | Age not stated |
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|
| Other diseases of arteries, arterioles and capillaries (I72-I78)   |          |              |           |            |             |             |             |             |             |             |             |                   |                |
| Hispanic, male   |          |              |           |            |             |             |             |             |             |             |             |                   |                |
| 2007.....  | 188      | 1            | -         | -          | 3           | 2           | 14          | 13          | 29          | 41          | 55          | 30                | -              |
| 2006.....  | 196      | 3            | -         | 1          | 2           | 5           | 5           | 13          | 26          | 39          | 67          | 35                | -              |
| 2005.....  | 230      | -            | 2         | 3          | 2           | 3           | 7           | 15          | 20          | 48          | 80          | 50                | -              |
| 2004.....  | 179      | 1            | -         | 1          | 1           | 2           | 6           | 16          | 19          | 45          | 53          | 35                | -              |
| 2003.....  | 177      | 1            | -         | -          | 1           | 3           | 9           | 15          | 22          | 35          | 53          | 38                | -              |
| 2002.....  | 179      | -            | -         | -          | 3           | 2           | 11          | 12          | 15          | 41          | 60          | 35                | -              |
| 2001.....  | 145      | 1            | -         | -          | 2           | -           | 6           | 15          | 22          | 29          | 41          | 29                | -              |
| 2000.....  | 158      | 1            | -         | -          | -           | 3           | 8           | 5           | 22          | 46          | 40          | 33                | -              |
| 1999.....  | 160      | 1            | -         | -          | 4           | 2           | 5           | 3           | 18          | 34          | 54          | 39                | -              |
| Hispanic, female   |          |              |           |            |             |             |             |             |             |             |             |                   |                |
| 2007.....  | 214      | 2            | -         | -          | 1           | 4           | 2           | 8           | 20          | 35          | 68          | 74                | -              |
| 2006.....  | 219      | -            | -         | -          | 4           | 7           | 13          | 17          | 19          | 39          | 53          | 67                | -              |
| 2005.....  | 207      | 1            | -         | 1          | 2           | 1           | 9           | 12          | 14          | 32          | 79          | 56                | -              |
| 2004.....  | 202      | 1            | -         | -          | 1           | 2           | 9           | 12          | 22          | 32          | 60          | 63                | -              |
| 2003.....  | 186      | 1            | -         | 1          | 2           | 3           | 5           | 10          | 10          | 35          | 47          | 72                | -              |
| 2002.....  | 237      | 1            | -         | 1          | 1           | 4           | 9           | 14          | 27          | 45          | 59          | 76                | -              |
| 2001.....  | 206      | 1            | -         | 2          | 1           | 5           | 7           | 17          | 19          | 34          | 48          | 72                | -              |
| 2000.....  | 195      | 2            | 1         | -          | 1           | 6           | 9           | 10          | 19          | 50          | 38          | 59                | -              |
| 1999.....  | 185      | 1            | -         | 1          | 1           | 4           | 5           | 8           | 21          | 41          | 42          | 61                | -              |

Worktable Orig290F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2007

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data - mortality"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, sex, and year | All ages | Under 1 year | 1-4 years | 5-14 years | 15-24 years | 25-34 years | 35-44 years | 45-54 years | 55-64 years | 65-74 years | 75-84 years | 85 years and over | Age not stated |
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|
| Other diseases of arteries, arterioles and capillaries (I72-I78)   |          |              |           |            |             |             |             |             |             |             |             |                   |                |
| Non-Hispanic 1/, both sexes  |          |              |           |            |             |             |             |             |             |             |             |                   |                |
| 2007.....  | 8,538    | 9            | 4         | 7          | 23          | 30          | 104         | 318         | 763         | 1,371       | 2,599       | 3,308             | 2              |
| 2006.....  | 8,815    | 13           | 1         | 4          | 19          | 29          | 86          | 337         | 741         | 1,385       | 2,822       | 3,378             | -              |
| 2005.....  | 9,317    | 15           | 1         | 9          | 14          | 38          | 122         | 300         | 774         | 1,532       | 3,026       | 3,486             | -              |
| 2004.....  | 9,534    | 11           | 3         | 7          | 14          | 37          | 128         | 364         | 748         | 1,620       | 3,087       | 3,515             | -              |
| 2003.....  | 9,480    | 8            | -         | 8          | 24          | 33          | 121         | 353         | 760         | 1,587       | 3,117       | 3,469             | -              |
| 2002.....  | 9,664    | 11           | 4         | 5          | 23          | 44          | 119         | 334         | 780         | 1,736       | 3,102       | 3,506             | -              |
| 2001.....  | 9,707    | 10           | 2         | 5          | 15          | 47          | 153         | 329         | 758         | 1,762       | 3,185       | 3,441             | -              |
| 2000.....  | 9,851    | 13           | 4         | 6          | 22          | 38          | 128         | 361         | 698         | 1,814       | 3,303       | 3,463             | 1              |
| 1999.....  | 9,630    | 9            | 1         | 7          | 13          | 42          | 139         | 321         | 731         | 1,726       | 3,226       | 3,415             | -              |
| Non-Hispanic 1/, male  |          |              |           |            |             |             |             |             |             |             |             |                   |                |
| 2007.....  | 3,741    | 6            | 1         | 5          | 13          | 14          | 58          | 185         | 457         | 733         | 1,215       | 1,052             | 2              |
| 2006.....  | 3,897    | 8            | -         | 1          | 10          | 14          | 45          | 193         | 433         | 782         | 1,312       | 1,099             | -              |
| 2005.....  | 4,010    | 10           | 1         | 6          | 9           | 16          | 50          | 157         | 448         | 835         | 1,453       | 1,025             | -              |
| 2004.....  | 3,979    | 5            | 2         | 4          | 8           | 18          | 56          | 210         | 401         | 826         | 1,406       | 1,043             | -              |
| 2003.....  | 4,057    | 2            | -         | 5          | 13          | 17          | 51          | 184         | 387         | 881         | 1,484       | 1,033             | -              |
| 2002.....  | 4,108    | 6            | 4         | 2          | 8           | 17          | 50          | 180         | 419         | 895         | 1,441       | 1,086             | -              |
| 2001.....  | 4,128    | 7            | -         | -          | 7           | 24          | 65          | 166         | 400         | 935         | 1,483       | 1,041             | -              |
| 2000.....  | 4,255    | 5            | 2         | 4          | 10          | 22          | 49          | 202         | 395         | 992         | 1,534       | 1,039             | 1              |
| 1999.....  | 4,009    | 7            | -         | 5          | 8           | 22          | 59          | 168         | 411         | 932         | 1,457       | 940               | -              |

Worktable Orig290F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2007

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data - mortality"]

---

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, sex, and year

|  | All ages | Under 1 year | 1-4 years | 5-14 years | 15-24 years | 25-34 years | 35-44 years | 45-54 years | 55-64 years | 65-74 years | 75-84 years | 85 years and over | Age not stated |
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|

---

Other diseases of arteries, arterioles and capillaries (I72-I78)

Non-Hispanic 1/, female

|           |       |   |   |   |    |    |    |     |     |     |       |       |   |
|-----------|-------|---|---|---|----|----|----|-----|-----|-----|-------|-------|---|
| 2007..... | 4,797 | 3 | 3 | 2 | 10 | 16 | 46 | 133 | 306 | 638 | 1,384 | 2,256 | - |
| 2006..... | 4,918 | 5 | 1 | 3 | 9  | 15 | 41 | 144 | 308 | 603 | 1,510 | 2,279 | - |
| 2005..... | 5,307 | 5 | - | 3 | 5  | 22 | 72 | 143 | 326 | 697 | 1,573 | 2,461 | - |
| 2004..... | 5,555 | 6 | 1 | 3 | 6  | 19 | 72 | 154 | 347 | 794 | 1,681 | 2,472 | - |
| 2003..... | 5,423 | 6 | - | 3 | 11 | 16 | 70 | 169 | 373 | 706 | 1,633 | 2,436 | - |
| 2002..... | 5,556 | 5 | - | 3 | 15 | 27 | 69 | 154 | 361 | 841 | 1,661 | 2,420 | - |
| 2001..... | 5,579 | 3 | 2 | 5 | 8  | 23 | 88 | 163 | 358 | 827 | 1,702 | 2,400 | - |
| 2000..... | 5,596 | 8 | 2 | 2 | 12 | 16 | 79 | 159 | 303 | 822 | 1,769 | 2,424 | - |
| 1999..... | 5,621 | 2 | 1 | 2 | 5  | 20 | 80 | 153 | 320 | 794 | 1,769 | 2,475 | - |

Non-Hispanic white, both sexes

|              |       |    |   |   |    |    |     |     |     |       |       |       |   |
|--------------|-------|----|---|---|----|----|-----|-----|-----|-------|-------|-------|---|
| 2007 2/..... | 7,177 | 6  | 4 | 5 | 17 | 21 | 79  | 220 | 578 | 1,104 | 2,214 | 2,928 | 1 |
| 2006 2/..... | 7,466 | 11 | 1 | 1 | 13 | 19 | 53  | 243 | 572 | 1,146 | 2,397 | 3,010 | - |
| 2005 2/..... | 7,888 | 9  | 1 | 7 | 9  | 21 | 87  | 221 | 602 | 1,245 | 2,592 | 3,094 | - |
| 2004 2/..... | 8,056 | 8  | 3 | 5 | 12 | 23 | 90  | 271 | 575 | 1,331 | 2,662 | 3,076 | - |
| 2003 2/..... | 8,044 | 4  | - | 6 | 14 | 24 | 78  | 250 | 609 | 1,314 | 2,684 | 3,061 | - |
| 2002.....    | 8,220 | 8  | 4 | 2 | 14 | 29 | 80  | 245 | 602 | 1,428 | 2,696 | 3,112 | - |
| 2001.....    | 8,222 | 8  | 1 | 4 | 12 | 31 | 100 | 247 | 585 | 1,460 | 2,753 | 3,021 | - |
| 2000.....    | 8,391 | 11 | 3 | 5 | 17 | 27 | 87  | 245 | 533 | 1,520 | 2,883 | 3,060 | - |
| 1999.....    | 8,257 | 7  | 1 | 6 | 10 | 30 | 106 | 250 | 578 | 1,452 | 2,803 | 3,014 | - |

Worktable Orig290F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2007

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data - mortality"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, sex, and year | All ages | Under 1 year | 1-4 years | 5-14 years | 15-24 years | 25-34 years | 35-44 years | 45-54 years | 55-64 years | 65-74 years | 75-84 years | 85 years and over | Age not stated |
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|

Other diseases of arteries, arterioles and capillaries (I72-I78)

Non-Hispanic white, male

|              |       |   |   |   |   |    |    |     |     |     |       |       |   |
|--------------|-------|---|---|---|---|----|----|-----|-----|-----|-------|-------|---|
| 2007 2/..... | 3,137 | 4 | 1 | 4 | 9 | 11 | 47 | 131 | 351 | 593 | 1,045 | 940   | 1 |
| 2006 2/..... | 3,336 | 7 | - | 1 | 6 | 10 | 24 | 140 | 331 | 658 | 1,147 | 1,012 | - |
| 2005 2/..... | 3,384 | 5 | 1 | 5 | 4 | 9  | 33 | 111 | 351 | 687 | 1,250 | 928   | - |
| 2004 2/..... | 3,402 | 4 | 2 | 2 | 6 | 12 | 42 | 161 | 310 | 695 | 1,242 | 926   | - |
| 2003 2/..... | 3,457 | 1 | - | 4 | 9 | 13 | 34 | 139 | 309 | 737 | 1,282 | 929   | - |
| 2002.....    | 3,503 | 5 | 4 | 1 | 4 | 11 | 38 | 140 | 323 | 745 | 1,272 | 960   | - |
| 2001.....    | 3,513 | 5 | - | - | 6 | 16 | 39 | 120 | 317 | 788 | 1,301 | 921   | - |
| 2000.....    | 3,650 | 3 | 2 | 4 | 8 | 18 | 33 | 139 | 311 | 848 | 1,356 | 928   | - |
| 1999.....    | 3,463 | 5 | - | 4 | 6 | 17 | 49 | 138 | 333 | 802 | 1,271 | 838   | - |

Non-Hispanic white, female

|              |       |   |   |   |    |    |    |     |     |     |       |       |   |
|--------------|-------|---|---|---|----|----|----|-----|-----|-----|-------|-------|---|
| 2007 2/..... | 4,040 | 2 | 3 | 1 | 8  | 10 | 32 | 89  | 227 | 511 | 1,169 | 1,988 | - |
| 2006 2/..... | 4,130 | 4 | 1 | - | 7  | 9  | 29 | 103 | 241 | 488 | 1,250 | 1,998 | - |
| 2005 2/..... | 4,504 | 4 | - | 2 | 5  | 12 | 54 | 110 | 251 | 558 | 1,342 | 2,166 | - |
| 2004 2/..... | 4,654 | 4 | 1 | 3 | 6  | 11 | 48 | 110 | 265 | 636 | 1,420 | 2,150 | - |
| 2003 2/..... | 4,587 | 3 | - | 2 | 5  | 11 | 44 | 111 | 300 | 577 | 1,402 | 2,132 | - |
| 2002.....    | 4,717 | 3 | - | 1 | 10 | 18 | 42 | 105 | 279 | 683 | 1,424 | 2,152 | - |
| 2001.....    | 4,709 | 3 | 1 | 4 | 6  | 15 | 61 | 127 | 268 | 672 | 1,452 | 2,100 | - |
| 2000.....    | 4,741 | 8 | 1 | 1 | 9  | 9  | 54 | 106 | 222 | 672 | 1,527 | 2,132 | - |
| 1999.....    | 4,794 | 2 | 1 | 2 | 4  | 13 | 57 | 112 | 245 | 650 | 1,532 | 2,176 | - |



Worktable Orig290F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2007

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data - mortality"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, sex, and year | All ages | Under 1 year | 1-4 years | 5-14 years | 15-24 years | 25-34 years | 35-44 years | 45-54 years | 55-64 years | 65-74 years | 75-84 years | 85 years and over | Age not stated |
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|

Other diseases of arteries, arterioles and capillaries (I72-I78)

Non-Hispanic black, both sexes

|              |       |   |   |   |   |    |    |    |     |     |     |     |   |
|--------------|-------|---|---|---|---|----|----|----|-----|-----|-----|-----|---|
| 2007 2/..... | 1,201 | 2 | - | 1 | 5 | 8  | 24 | 86 | 166 | 235 | 333 | 340 | 1 |
| 2006 2/..... | 1,206 | 2 | - | 2 | 5 | 9  | 31 | 87 | 155 | 217 | 373 | 325 | - |
| 2005 2/..... | 1,286 | 4 | - | 2 | 4 | 17 | 32 | 70 | 157 | 260 | 388 | 352 | - |
| 2004 2/..... | 1,308 | 2 | - | 2 | 1 | 13 | 35 | 81 | 149 | 258 | 377 | 390 | - |
| 2003 2/..... | 1,280 | 4 | - | 2 | 9 | 8  | 38 | 94 | 129 | 250 | 391 | 355 | - |
| 2002.....    | 1,295 | 3 | - | 2 | 7 | 13 | 33 | 80 | 158 | 277 | 368 | 354 | - |
| 2001.....    | 1,368 | 2 | 1 | 1 | 2 | 16 | 50 | 73 | 159 | 286 | 394 | 384 | - |
| 2000.....    | 1,307 | 2 | - | 1 | 4 | 10 | 34 | 97 | 150 | 261 | 379 | 368 | 1 |
| 1999.....    | 1,244 | 2 | - | - | 3 | 9  | 32 | 60 | 138 | 246 | 386 | 368 | - |

Non-Hispanic black, male

|              |     |   |   |   |   |   |    |    |    |     |     |     |   |
|--------------|-----|---|---|---|---|---|----|----|----|-----|-----|-----|---|
| 2007 2/..... | 530 | 2 | - | 1 | 3 | 3 | 11 | 49 | 94 | 123 | 145 | 98  | 1 |
| 2006 2/..... | 500 | 1 | - | - | 3 | 4 | 19 | 49 | 95 | 117 | 139 | 73  | - |
| 2005 2/..... | 557 | 3 | - | 1 | 4 | 7 | 15 | 42 | 90 | 133 | 178 | 84  | - |
| 2004 2/..... | 523 | 1 | - | 2 | 1 | 5 | 12 | 43 | 81 | 123 | 153 | 102 | - |
| 2003 2/..... | 524 | 1 | - | 1 | 3 | 3 | 16 | 41 | 68 | 128 | 179 | 84  | - |
| 2002.....    | 532 | 1 | - | - | 2 | 6 | 10 | 33 | 85 | 136 | 150 | 109 | - |
| 2001.....    | 555 | 2 | - | - | - | 8 | 24 | 41 | 73 | 138 | 166 | 103 | - |
| 2000.....    | 532 | 2 | - | - | 1 | 3 | 13 | 55 | 75 | 128 | 161 | 93  | 1 |
| 1999.....    | 487 | 2 | - | - | 2 | 4 | 9  | 26 | 69 | 119 | 166 | 90  | - |

Worktable Orig290F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2007

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data - mortality"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, sex, and year | All ages | Under 1 year | 1-4 years | 5-14 years | 15-24 years | 25-34 years | 35-44 years | 45-54 years | 55-64 years | 65-74 years | 75-84 years | 85 years and over | Age not stated |
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|

Other diseases of arteries, arterioles and capillaries (I72-I78)

| Non-Hispanic black, female |     |   |   |   |   |    |    |    |    |     |     |     |   |
|----------------------------|-----|---|---|---|---|----|----|----|----|-----|-----|-----|---|
| 2007 2/.....               | 671 | - | - | - | 2 | 5  | 13 | 37 | 72 | 112 | 188 | 242 | - |
| 2006 2/.....               | 706 | 1 | - | 2 | 2 | 5  | 12 | 38 | 60 | 100 | 234 | 252 | - |
| 2005 2/.....               | 729 | 1 | - | 1 | - | 10 | 17 | 28 | 67 | 127 | 210 | 268 | - |
| 2004 2/.....               | 785 | 1 | - | - | - | 8  | 23 | 38 | 68 | 135 | 224 | 288 | - |
| 2003 2/.....               | 756 | 3 | - | 1 | 6 | 5  | 22 | 53 | 61 | 122 | 212 | 271 | - |
| 2002.....                  | 763 | 2 | - | 2 | 5 | 7  | 23 | 47 | 73 | 141 | 218 | 245 | - |
| 2001.....                  | 813 | - | 1 | 1 | 2 | 8  | 26 | 32 | 86 | 148 | 228 | 281 | - |
| 2000.....                  | 775 | - | - | 1 | 3 | 7  | 21 | 42 | 75 | 133 | 218 | 275 | - |
| 1999.....                  | 757 | - | - | - | 1 | 5  | 23 | 34 | 69 | 127 | 220 | 278 | - |

| Origin not stated 3/, both sexes |    |   |   |   |   |   |   |   |   |   |    |    |   |
|----------------------------------|----|---|---|---|---|---|---|---|---|---|----|----|---|
| 2007.....                        | 14 | - | - | - | - | 1 | - | 1 | 1 | 2 | 6  | 3  | - |
| 2006.....                        | 16 | - | - | - | - | - | - | - | 1 | 6 | 5  | 4  | - |
| 2005.....                        | 20 | - | - | - | - | - | - | - | 2 | 2 | 11 | 5  | - |
| 2004.....                        | 25 | - | - | - | - | - | - | 4 | - | 3 | 10 | 8  | - |
| 2003.....                        | 19 | - | - | - | - | - | - | 1 | 1 | 6 | 6  | 5  | - |
| 2002.....                        | 29 | - | - | - | - | - | 1 | - | 4 | 6 | 6  | 12 | - |
| 2001.....                        | 26 | - | - | - | - | 1 | - | 2 | 2 | 3 | 7  | 11 | - |
| 2000.....                        | 22 | - | - | - | - | - | - | - | 4 | 4 | 6  | 8  | - |
| 1999.....                        | 27 | - | - | - | - | - | - | 1 | 3 | 6 | 6  | 11 | - |

Worktable Orig290F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2007

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data - mortality"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, sex, and year | All ages | Under 1 year | 1-4 years | 5-14 years | 15-24 years | 25-34 years | 35-44 years | 45-54 years | 55-64 years | 65-74 years | 75-84 years | 85 years and over | Age not stated |
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|

Other diseases of arteries, arterioles and capillaries (I72-I78)

| Origin not stated 3/, male   |    |   |   |   |   |   |   |   |   |   |   |    |   |
|------------------------------|----|---|---|---|---|---|---|---|---|---|---|----|---|
| 2007.....                    | 8  | - | - | - | - | 1 | - | - | 1 | 2 | 2 | 2  | - |
| 2006.....                    | 11 | - | - | - | - | - | - | - | 1 | 5 | 2 | 3  | - |
| 2005.....                    | 15 | - | - | - | - | - | - | - | 2 | 2 | 9 | 2  | - |
| 2004.....                    | 8  | - | - | - | - | - | - | 2 | - | 1 | 4 | 1  | - |
| 2003.....                    | 7  | - | - | - | - | - | - | - | 1 | 2 | 3 | 1  | - |
| 2002.....                    | 9  | - | - | - | - | - | 1 | - | - | 2 | 4 | 2  | - |
| 2001.....                    | 9  | - | - | - | - | 1 | - | 1 | 1 | 2 | 2 | 2  | - |
| 2000.....                    | 10 | - | - | - | - | - | - | - | 2 | 3 | 2 | 3  | - |
| 1999.....                    | 10 | - | - | - | - | - | - | - | 2 | 3 | 3 | 2  | - |
| Origin not stated 3/, female |    |   |   |   |   |   |   |   |   |   |   |    |   |
| 2007.....                    | 6  | - | - | - | - | - | - | 1 | - | - | 4 | 1  | - |
| 2006.....                    | 5  | - | - | - | - | - | - | - | - | 1 | 3 | 1  | - |
| 2005.....                    | 5  | - | - | - | - | - | - | - | - | - | 2 | 3  | - |
| 2004.....                    | 17 | - | - | - | - | - | - | 2 | - | 2 | 6 | 7  | - |
| 2003.....                    | 12 | - | - | - | - | - | - | 1 | - | 4 | 3 | 4  | - |
| 2002.....                    | 20 | - | - | - | - | - | - | - | 4 | 4 | 2 | 10 | - |
| 2001.....                    | 17 | - | - | - | - | - | - | 1 | 1 | 1 | 5 | 9  | - |
| 2000.....                    | 12 | - | - | - | - | - | - | - | 2 | 1 | 4 | 5  | - |
| 1999.....                    | 17 | - | - | - | - | - | - | 1 | 1 | 3 | 3 | 9  | - |

Worktable Orig290F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2007

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data - mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, sex, and year

|  | All ages | Under 1 year | 1-4 years | 5-14 years | 15-24 years | 25-34 years | 35-44 years | 45-54 years | 55-64 years | 65-74 years | 75-84 years | 85 years and over | Age not stated |
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|

Other disorders of circulatory system (I80-I99)

All origins, both sexes

|           |       |    |   |    |    |     |     |     |     |     |       |       |   |
|-----------|-------|----|---|----|----|-----|-----|-----|-----|-----|-------|-------|---|
| 2007..... | 4,101 | 53 | 3 | 6  | 40 | 120 | 322 | 570 | 586 | 552 | 888   | 960   | 1 |
| 2006..... | 3,995 | 35 | 3 | 5  | 46 | 114 | 278 | 537 | 540 | 553 | 908   | 976   | - |
| 2005..... | 4,813 | 26 | 6 | 5  | 36 | 132 | 332 | 620 | 641 | 713 | 1,128 | 1,174 | - |
| 2004..... | 4,673 | 29 | 2 | 5  | 35 | 137 | 313 | 559 | 623 | 672 | 1,165 | 1,133 | - |
| 2003..... | 4,737 | 36 | 4 | 4  | 50 | 139 | 342 | 555 | 569 | 744 | 1,161 | 1,133 | - |
| 2002..... | 4,711 | 27 | 4 | 2  | 35 | 139 | 305 | 531 | 595 | 697 | 1,253 | 1,123 | - |
| 2001..... | 4,665 | 22 | 5 | -  | 38 | 124 | 285 | 454 | 563 | 841 | 1,183 | 1,149 | 1 |
| 2000..... | 4,603 | 27 | 4 | 12 | 37 | 133 | 319 | 515 | 516 | 795 | 1,161 | 1,084 | - |
| 1999..... | 4,025 | 23 | 1 | 2  | 30 | 93  | 271 | 378 | 445 | 692 | 1,117 | 972   | 1 |

All origins, male

|           |       |    |   |   |    |    |     |     |     |     |     |     |   |
|-----------|-------|----|---|---|----|----|-----|-----|-----|-----|-----|-----|---|
| 2007..... | 1,902 | 31 | 1 | 4 | 22 | 67 | 188 | 335 | 330 | 279 | 364 | 281 | - |
| 2006..... | 1,772 | 18 | 1 | 3 | 19 | 54 | 149 | 323 | 314 | 248 | 369 | 274 | - |
| 2005..... | 2,156 | 13 | 3 | 3 | 15 | 62 | 164 | 382 | 381 | 379 | 446 | 308 | - |
| 2004..... | 2,083 | 18 | - | 3 | 19 | 72 | 162 | 329 | 351 | 328 | 505 | 296 | - |
| 2003..... | 1,966 | 21 | 3 | 2 | 20 | 60 | 167 | 312 | 320 | 348 | 437 | 276 | - |
| 2002..... | 1,944 | 15 | 1 | - | 21 | 69 | 154 | 284 | 309 | 323 | 483 | 285 | - |
| 2001..... | 1,981 | 11 | 5 | - | 17 | 53 | 149 | 262 | 304 | 405 | 488 | 286 | 1 |
| 2000..... | 1,981 | 16 | 2 | 6 | 16 | 57 | 190 | 295 | 264 | 390 | 472 | 273 | - |
| 1999..... | 1,714 | 13 | 1 | 1 | 13 | 44 | 159 | 198 | 224 | 350 | 463 | 248 | - |

Worktable Orig290F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2007

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data - mortality"]

---

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, sex, and year

|  | All ages | Under 1 year | 1-4 years | 5-14 years | 15-24 years | 25-34 years | 35-44 years | 45-54 years | 55-64 years | 65-74 years | 75-84 years | 85 years and over | Age not stated |
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|

---

Other disorders of circulatory system (I80-I99)

| All origins, female |       |    |   |   |    |    |     |     |     |     |     |     |   |
|---------------------|-------|----|---|---|----|----|-----|-----|-----|-----|-----|-----|---|
| 2007.....           | 2,199 | 22 | 2 | 2 | 18 | 53 | 134 | 235 | 256 | 273 | 524 | 679 | 1 |
| 2006.....           | 2,223 | 17 | 2 | 2 | 27 | 60 | 129 | 214 | 226 | 305 | 539 | 702 | - |
| 2005.....           | 2,657 | 13 | 3 | 2 | 21 | 70 | 168 | 238 | 260 | 334 | 682 | 866 | - |
| 2004.....           | 2,590 | 11 | 2 | 2 | 16 | 65 | 151 | 230 | 272 | 344 | 660 | 837 | - |
| 2003.....           | 2,771 | 15 | 1 | 2 | 30 | 79 | 175 | 243 | 249 | 396 | 724 | 857 | - |
| 2002.....           | 2,767 | 12 | 3 | 2 | 14 | 70 | 151 | 247 | 286 | 374 | 770 | 838 | - |
| 2001.....           | 2,684 | 11 | - | - | 21 | 71 | 136 | 192 | 259 | 436 | 695 | 863 | - |
| 2000.....           | 2,622 | 11 | 2 | 6 | 21 | 76 | 129 | 220 | 252 | 405 | 689 | 811 | - |
| 1999.....           | 2,311 | 10 | - | 1 | 17 | 49 | 112 | 180 | 221 | 342 | 654 | 724 | 1 |

  

| Hispanic, both sexes |     |    |   |   |   |    |    |    |    |    |    |    |   |
|----------------------|-----|----|---|---|---|----|----|----|----|----|----|----|---|
| 2007.....            | 241 | 16 | - | - | 9 | 14 | 22 | 37 | 42 | 31 | 43 | 27 | - |
| 2006.....            | 214 | 9  | 2 | 1 | 3 | 11 | 19 | 42 | 30 | 32 | 36 | 29 | - |
| 2005.....            | 281 | 2  | 2 | 1 | 3 | 16 | 38 | 43 | 36 | 46 | 59 | 35 | - |
| 2004.....            | 224 | 5  | 1 | - | 4 | 15 | 20 | 47 | 36 | 26 | 33 | 37 | - |
| 2003.....            | 239 | 11 | 2 | 1 | 7 | 15 | 26 | 41 | 29 | 32 | 41 | 34 | - |
| 2002.....            | 219 | 7  | 1 | - | 5 | 15 | 21 | 35 | 27 | 37 | 38 | 33 | - |
| 2001.....            | 219 | 5  | - | - | 3 | 7  | 15 | 32 | 16 | 48 | 41 | 52 | - |
| 2000.....            | 229 | 6  | - | 4 | 3 | 11 | 32 | 34 | 23 | 35 | 44 | 37 | - |
| 1999.....            | 186 | 2  | - | 1 | 4 | 6  | 12 | 34 | 24 | 42 | 26 | 35 | - |

Worktable Orig290F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2007

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data - mortality"]

---

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, sex, and year

|  | All ages | Under 1 year | 1-4 years | 5-14 years | 15-24 years | 25-34 years | 35-44 years | 45-54 years | 55-64 years | 65-74 years | 75-84 years | 85 years and over | Age not stated |
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|

---

Other disorders of circulatory system (I80-I99)

| Hispanic, male   |     |    |   |   |   |    |    |    |    |    |    |    |   |
|------------------|-----|----|---|---|---|----|----|----|----|----|----|----|---|
| 2007.....        | 123 | 10 | - | - | 3 | 10 | 12 | 23 | 25 | 18 | 14 | 8  | - |
| 2006.....        | 103 | 3  | 1 | - | - | 6  | 11 | 27 | 19 | 12 | 14 | 10 | - |
| 2005.....        | 126 | -  | 2 | 1 | - | 8  | 17 | 25 | 23 | 23 | 13 | 14 | - |
| 2004.....        | 106 | 3  | - | - | 1 | 9  | 11 | 29 | 23 | 13 | 13 | 4  | - |
| 2003.....        | 120 | 5  | 1 | 1 | 2 | 5  | 19 | 27 | 17 | 18 | 16 | 9  | - |
| 2002.....        | 95  | 5  | - | - | 3 | 8  | 9  | 17 | 16 | 16 | 16 | 5  | - |
| 2001.....        | 104 | 4  | - | - | 2 | 4  | 7  | 22 | 9  | 20 | 20 | 16 | - |
| 2000.....        | 116 | 3  | - | 2 | 1 | 7  | 20 | 19 | 13 | 16 | 22 | 13 | - |
| 1999.....        | 83  | -  | - | 1 | 2 | 4  | 8  | 15 | 11 | 17 | 13 | 12 | - |
|                  |     |    |   |   |   |    |    |    |    |    |    |    |   |
| Hispanic, female |     |    |   |   |   |    |    |    |    |    |    |    |   |
| 2007.....        | 118 | 6  | - | - | 6 | 4  | 10 | 14 | 17 | 13 | 29 | 19 | - |
| 2006.....        | 111 | 6  | 1 | 1 | 3 | 5  | 8  | 15 | 11 | 20 | 22 | 19 | - |
| 2005.....        | 155 | 2  | - | - | 3 | 8  | 21 | 18 | 13 | 23 | 46 | 21 | - |
| 2004.....        | 118 | 2  | 1 | - | 3 | 6  | 9  | 18 | 13 | 13 | 20 | 33 | - |
| 2003.....        | 119 | 6  | 1 | - | 5 | 10 | 7  | 14 | 12 | 14 | 25 | 25 | - |
| 2002.....        | 124 | 2  | 1 | - | 2 | 7  | 12 | 18 | 11 | 21 | 22 | 28 | - |
| 2001.....        | 115 | 1  | - | - | 1 | 3  | 8  | 10 | 7  | 28 | 21 | 36 | - |
| 2000.....        | 113 | 3  | - | 2 | 2 | 4  | 12 | 15 | 10 | 19 | 22 | 24 | - |
| 1999.....        | 103 | 2  | - | - | 2 | 2  | 4  | 19 | 13 | 25 | 13 | 23 | - |

Worktable Orig290F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2007

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data - mortality"]

---

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, sex, and year

|  | All ages | Under 1 year | 1-4 years | 5-14 years | 15-24 years | 25-34 years | 35-44 years | 45-54 years | 55-64 years | 65-74 years | 75-84 years | 85 years and over | Age not stated |
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|

---

Other disorders of circulatory system (I80-I99)

| Non-Hispanic 1/, both sexes |       |    |   |   |    |     |     |     |     |     |       |       |   |
|-----------------------------|-------|----|---|---|----|-----|-----|-----|-----|-----|-------|-------|---|
| 2007.....                   | 3,847 | 37 | 3 | 6 | 31 | 105 | 297 | 532 | 541 | 519 | 843   | 932   | 1 |
| 2006.....                   | 3,776 | 26 | 1 | 4 | 43 | 103 | 259 | 493 | 508 | 520 | 872   | 947   | - |
| 2005.....                   | 4,520 | 24 | 4 | 4 | 33 | 116 | 293 | 575 | 601 | 666 | 1,066 | 1,138 | - |
| 2004.....                   | 4,439 | 24 | 1 | 5 | 31 | 122 | 293 | 512 | 584 | 644 | 1,130 | 1,093 | - |
| 2003.....                   | 4,485 | 25 | 2 | 3 | 43 | 123 | 315 | 513 | 537 | 709 | 1,117 | 1,098 | - |
| 2002.....                   | 4,479 | 20 | 3 | 2 | 30 | 124 | 281 | 494 | 566 | 659 | 1,212 | 1,088 | - |
| 2001.....                   | 4,425 | 17 | 5 | - | 35 | 117 | 269 | 418 | 544 | 788 | 1,136 | 1,095 | 1 |
| 2000.....                   | 4,359 | 20 | 4 | 8 | 34 | 120 | 283 | 479 | 491 | 758 | 1,117 | 1,045 | - |
| 1999.....                   | 3,825 | 21 | 1 | 1 | 26 | 86  | 256 | 343 | 420 | 648 | 1,088 | 934   | 1 |
| Non-Hispanic 1/, male       |       |    |   |   |    |     |     |     |     |     |       |       |   |
| 2007.....                   | 1,772 | 21 | 1 | 4 | 19 | 57  | 174 | 311 | 304 | 259 | 349   | 273   | - |
| 2006.....                   | 1,665 | 15 | - | 3 | 19 | 48  | 138 | 294 | 293 | 236 | 355   | 264   | - |
| 2005.....                   | 2,024 | 13 | 1 | 2 | 15 | 54  | 147 | 356 | 354 | 356 | 432   | 294   | - |
| 2004.....                   | 1,971 | 15 | - | 3 | 18 | 63  | 151 | 300 | 326 | 314 | 491   | 290   | - |
| 2003.....                   | 1,840 | 16 | 2 | 1 | 18 | 54  | 148 | 284 | 303 | 328 | 419   | 267   | - |
| 2002.....                   | 1,842 | 10 | 1 | - | 18 | 61  | 143 | 265 | 292 | 306 | 466   | 280   | - |
| 2001.....                   | 1,869 | 7  | 5 | - | 15 | 49  | 141 | 239 | 293 | 384 | 466   | 269   | 1 |
| 2000.....                   | 1,856 | 12 | 2 | 4 | 15 | 49  | 167 | 274 | 250 | 373 | 450   | 260   | - |
| 1999.....                   | 1,623 | 13 | 1 | - | 11 | 40  | 148 | 182 | 212 | 331 | 450   | 235   | - |

Worktable Orig290F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2007

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data - mortality"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, sex, and year | All ages | Under 1 year | 1-4 years | 5-14 years | 15-24 years | 25-34 years | 35-44 years | 45-54 years | 55-64 years | 65-74 years | 75-84 years | 85 years and over | Age not stated |
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|

Other disorders of circulatory system (I80-I99)

| Non-Hispanic 1/, female        |       |    |   |   |    |    |     |     |     |     |       |       |   |
|--------------------------------|-------|----|---|---|----|----|-----|-----|-----|-----|-------|-------|---|
| 2007.....                      | 2,075 | 16 | 2 | 2 | 12 | 48 | 123 | 221 | 237 | 260 | 494   | 659   | 1 |
| 2006.....                      | 2,111 | 11 | 1 | 1 | 24 | 55 | 121 | 199 | 215 | 284 | 517   | 683   | - |
| 2005.....                      | 2,496 | 11 | 3 | 2 | 18 | 62 | 146 | 219 | 247 | 310 | 634   | 844   | - |
| 2004.....                      | 2,468 | 9  | 1 | 2 | 13 | 59 | 142 | 212 | 258 | 330 | 639   | 803   | - |
| 2003.....                      | 2,645 | 9  | - | 2 | 25 | 69 | 167 | 229 | 234 | 381 | 698   | 831   | - |
| 2002.....                      | 2,637 | 10 | 2 | 2 | 12 | 63 | 138 | 229 | 274 | 353 | 746   | 808   | - |
| 2001.....                      | 2,556 | 10 | - | - | 20 | 68 | 128 | 179 | 251 | 404 | 670   | 826   | - |
| 2000.....                      | 2,503 | 8  | 2 | 4 | 19 | 71 | 116 | 205 | 241 | 385 | 667   | 785   | - |
| 1999.....                      | 2,202 | 8  | - | 1 | 15 | 46 | 108 | 161 | 208 | 317 | 638   | 699   | 1 |
| Non-Hispanic white, both sexes |       |    |   |   |    |    |     |     |     |     |       |       |   |
| 2007 2/.....                   | 3,092 | 24 | 3 | 5 | 18 | 65 | 194 | 376 | 406 | 428 | 740   | 832   | 1 |
| 2006 2/.....                   | 3,007 | 20 | 1 | 2 | 26 | 61 | 161 | 338 | 388 | 426 | 749   | 835   | - |
| 2005 2/.....                   | 3,659 | 19 | 1 | 4 | 18 | 71 | 185 | 415 | 455 | 539 | 910   | 1,042 | - |
| 2004 2/.....                   | 3,571 | 17 | 1 | 3 | 19 | 68 | 181 | 354 | 456 | 517 | 978   | 977   | - |
| 2003 2/.....                   | 3,607 | 18 | 2 | 2 | 23 | 72 | 198 | 381 | 413 | 575 | 952   | 971   | - |
| 2002.....                      | 3,630 | 13 | 2 | 1 | 16 | 69 | 180 | 363 | 430 | 538 | 1,041 | 977   | - |
| 2001.....                      | 3,617 | 12 | 3 | - | 18 | 73 | 175 | 306 | 414 | 642 | 987   | 987   | - |
| 2000.....                      | 3,554 | 13 | 3 | 5 | 19 | 70 | 195 | 358 | 373 | 602 | 975   | 941   | - |
| 1999.....                      | 3,149 | 17 | - | 1 | 12 | 57 | 168 | 243 | 342 | 524 | 949   | 835   | 1 |



Worktable Orig290F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2007

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data - mortality"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, sex, and year | All ages | Under 1 year | 1-4 years | 5-14 years | 15-24 years | 25-34 years | 35-44 years | 45-54 years | 55-64 years | 65-74 years | 75-84 years | 85 years and over | Age not stated |
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|

Other disorders of circulatory system (I80-I99)

| Non-Hispanic white, male   |       |    |   |   |    |    |     |     |     |     |     |     |   |
|----------------------------|-------|----|---|---|----|----|-----|-----|-----|-----|-----|-----|---|
| 2007 2/.....               | 1,398 | 12 | 1 | 4 | 7  | 37 | 118 | 222 | 222 | 220 | 308 | 247 | - |
| 2006 2/.....               | 1,314 | 11 | - | 2 | 9  | 27 | 94  | 207 | 230 | 199 | 301 | 234 | - |
| 2005 2/.....               | 1,603 | 11 | - | 2 | 8  | 33 | 97  | 262 | 271 | 284 | 370 | 265 | - |
| 2004 2/.....               | 1,576 | 12 | - | 2 | 9  | 32 | 98  | 216 | 264 | 256 | 425 | 262 | - |
| 2003 2/.....               | 1,449 | 11 | 2 | - | 9  | 31 | 110 | 202 | 236 | 266 | 349 | 233 | - |
| 2002.....                  | 1,450 | 8  | - | - | 9  | 33 | 92  | 194 | 224 | 248 | 396 | 246 | - |
| 2001.....                  | 1,496 | 4  | 3 | - | 8  | 30 | 92  | 182 | 220 | 313 | 405 | 239 | - |
| 2000.....                  | 1,496 | 9  | 1 | 3 | 8  | 26 | 118 | 207 | 188 | 307 | 398 | 231 | - |
| 1999.....                  | 1,310 | 9  | - | - | 7  | 26 | 95  | 127 | 180 | 268 | 388 | 210 | - |
| Non-Hispanic white, female |       |    |   |   |    |    |     |     |     |     |     |     |   |
| 2007 2/.....               | 1,694 | 12 | 2 | 1 | 11 | 28 | 76  | 154 | 184 | 208 | 432 | 585 | 1 |
| 2006 2/.....               | 1,693 | 9  | 1 | - | 17 | 34 | 67  | 131 | 158 | 227 | 448 | 601 | - |
| 2005 2/.....               | 2,056 | 8  | 1 | 2 | 10 | 38 | 88  | 153 | 184 | 255 | 540 | 777 | - |
| 2004 2/.....               | 1,995 | 5  | 1 | 1 | 10 | 36 | 83  | 138 | 192 | 261 | 553 | 715 | - |
| 2003 2/.....               | 2,158 | 7  | - | 2 | 14 | 41 | 88  | 179 | 177 | 309 | 603 | 738 | - |
| 2002.....                  | 2,180 | 5  | 2 | 1 | 7  | 36 | 88  | 169 | 206 | 290 | 645 | 731 | - |
| 2001.....                  | 2,121 | 8  | - | - | 10 | 43 | 83  | 124 | 194 | 329 | 582 | 748 | - |
| 2000.....                  | 2,058 | 4  | 2 | 2 | 11 | 44 | 77  | 151 | 185 | 295 | 577 | 710 | - |
| 1999.....                  | 1,839 | 8  | - | 1 | 5  | 31 | 73  | 116 | 162 | 256 | 561 | 625 | 1 |

Worktable Orig290F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2007

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data - mortality"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, sex, and year | All ages | Under 1 year | 1-4 years | 5-14 years | 15-24 years | 25-34 years | 35-44 years | 45-54 years | 55-64 years | 65-74 years | 75-84 years | 85 years and over | Age not stated |
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|

Other disorders of circulatory system (I80-I99)

| Non-Hispanic black, both sexes |     |    |   |   |    |    |     |     |     |     |     |     |   |
|--------------------------------|-----|----|---|---|----|----|-----|-----|-----|-----|-----|-----|---|
| 2007 2/.....                   | 692 | 12 | - | - | 11 | 39 | 99  | 143 | 124 | 82  | 92  | 90  | - |
| 2006 2/.....                   | 702 | 4  | - | 2 | 17 | 41 | 91  | 144 | 109 | 86  | 110 | 98  | - |
| 2005 2/.....                   | 785 | 4  | 2 | - | 15 | 42 | 98  | 149 | 136 | 112 | 138 | 89  | - |
| 2004 2/.....                   | 790 | 7  | - | 1 | 10 | 50 | 108 | 145 | 118 | 115 | 135 | 101 | - |
| 2003 2/.....                   | 812 | 6  | - | - | 19 | 48 | 111 | 124 | 118 | 124 | 149 | 113 | - |
| 2002.....                      | 789 | 7  | 1 | 1 | 13 | 54 | 94  | 120 | 128 | 113 | 159 | 99  | - |
| 2001.....                      | 729 | 5  | 2 | - | 14 | 43 | 87  | 98  | 122 | 129 | 133 | 95  | 1 |
| 2000.....                      | 751 | 5  | 1 | 3 | 14 | 48 | 86  | 116 | 109 | 145 | 130 | 94  | - |
| 1999.....                      | 613 | 3  | 1 | - | 14 | 28 | 81  | 95  | 69  | 109 | 125 | 88  | - |
| Non-Hispanic black, male       |     |    |   |   |    |    |     |     |     |     |     |     |   |
| 2007 2/.....                   | 344 | 9  | - | - | 10 | 20 | 53  | 80  | 76  | 37  | 36  | 23  | - |
| 2006 2/.....                   | 318 | 2  | - | 1 | 10 | 20 | 39  | 82  | 59  | 37  | 43  | 25  | - |
| 2005 2/.....                   | 380 | 2  | - | - | 7  | 18 | 44  | 87  | 76  | 64  | 57  | 25  | - |
| 2004 2/.....                   | 355 | 3  | - | - | 7  | 28 | 52  | 78  | 57  | 51  | 54  | 25  | - |
| 2003 2/.....                   | 363 | 5  | - | - | 9  | 22 | 36  | 76  | 64  | 58  | 62  | 31  | - |
| 2002.....                      | 359 | 2  | 1 | - | 9  | 27 | 48  | 63  | 64  | 53  | 63  | 29  | - |
| 2001.....                      | 335 | 3  | 2 | - | 5  | 18 | 46  | 48  | 72  | 62  | 53  | 25  | 1 |
| 2000.....                      | 333 | 2  | 1 | 1 | 7  | 22 | 48  | 66  | 56  | 61  | 43  | 26  | - |
| 1999.....                      | 281 | 3  | 1 | - | 4  | 14 | 49  | 52  | 28  | 56  | 55  | 19  | - |

Worktable Orig290F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2007

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data - mortality"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, sex, and year | All ages | Under 1 year | 1-4 years | 5-14 years | 15-24 years | 25-34 years | 35-44 years | 45-54 years | 55-64 years | 65-74 years | 75-84 years | 85 years and over | Age not stated |
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|

Other disorders of circulatory system (I80-I99)

Non-Hispanic black, female

|              |     |   |   |   |    |    |    |    |    |    |    |    |   |
|--------------|-----|---|---|---|----|----|----|----|----|----|----|----|---|
| 2007 2/..... | 348 | 3 | - | - | 1  | 19 | 46 | 63 | 48 | 45 | 56 | 67 | - |
| 2006 2/..... | 384 | 2 | - | 1 | 7  | 21 | 52 | 62 | 50 | 49 | 67 | 73 | - |
| 2005 2/..... | 405 | 2 | 2 | - | 8  | 24 | 54 | 62 | 60 | 48 | 81 | 64 | - |
| 2004 2/..... | 435 | 4 | - | 1 | 3  | 22 | 56 | 67 | 61 | 64 | 81 | 76 | - |
| 2003 2/..... | 449 | 1 | - | - | 10 | 26 | 75 | 48 | 54 | 66 | 87 | 82 | - |
| 2002.....    | 430 | 5 | - | 1 | 4  | 27 | 46 | 57 | 64 | 60 | 96 | 70 | - |
| 2001.....    | 394 | 2 | - | - | 9  | 25 | 41 | 50 | 50 | 67 | 80 | 70 | - |
| 2000.....    | 418 | 3 | - | 2 | 7  | 26 | 38 | 50 | 53 | 84 | 87 | 68 | - |
| 1999.....    | 332 | - | - | - | 10 | 14 | 32 | 43 | 41 | 53 | 70 | 69 | - |

Origin not stated 3/, both sexes

|           |    |   |   |   |   |   |   |   |   |   |   |   |   |
|-----------|----|---|---|---|---|---|---|---|---|---|---|---|---|
| 2007..... | 13 | - | - | - | - | 1 | 3 | 1 | 3 | 2 | 2 | 1 | - |
| 2006..... | 5  | - | - | - | - | - | - | 2 | 2 | 1 | - | - | - |
| 2005..... | 12 | - | - | - | - | - | 1 | 2 | 4 | 1 | 3 | 1 | - |
| 2004..... | 10 | - | - | - | - | - | - | - | 3 | 2 | 2 | 3 | - |
| 2003..... | 13 | - | - | - | - | 1 | 1 | 1 | 3 | 3 | 3 | 1 | - |
| 2002..... | 13 | - | - | - | - | - | 3 | 2 | 2 | 1 | 3 | 2 | - |
| 2001..... | 21 | - | - | - | - | - | 1 | 4 | 3 | 5 | 6 | 2 | - |
| 2000..... | 15 | 1 | - | - | - | 2 | 4 | 2 | 2 | 2 | - | 2 | - |
| 1999..... | 14 | - | - | - | - | 1 | 3 | 1 | 1 | 2 | 3 | 3 | - |

Worktable Orig290F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2007

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data - mortality"]

---

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, sex, and year

|  | All ages | Under 1 year | 1-4 years | 5-14 years | 15-24 years | 25-34 years | 35-44 years | 45-54 years | 55-64 years | 65-74 years | 75-84 years | 85 years and over | Age not stated |
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|

---

Other disorders of circulatory system (I80-I99)

|                              | All ages | Under 1 year | 1-4 years | 5-14 years | 15-24 years | 25-34 years | 35-44 years | 45-54 years | 55-64 years | 65-74 years | 75-84 years | 85 years and over | Age not stated |
|------------------------------|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|
| Origin not stated 3/, male   |          |              |           |            |             |             |             |             |             |             |             |                   |                |
| 2007.....                    | 7        | -            | -         | -          | -           | -           | 2           | 1           | 1           | 2           | 1           | -                 | -              |
| 2006.....                    | 4        | -            | -         | -          | -           | -           | -           | 2           | 2           | -           | -           | -                 | -              |
| 2005.....                    | 6        | -            | -         | -          | -           | -           | -           | 1           | 4           | -           | 1           | -                 | -              |
| 2004.....                    | 6        | -            | -         | -          | -           | -           | -           | -           | 2           | 1           | 1           | 2                 | -              |
| 2003.....                    | 6        | -            | -         | -          | -           | 1           | -           | 1           | -           | 2           | 2           | -                 | -              |
| 2002.....                    | 7        | -            | -         | -          | -           | -           | 2           | 2           | 1           | 1           | 1           | -                 | -              |
| 2001.....                    | 8        | -            | -         | -          | -           | -           | 1           | 1           | 2           | 1           | 2           | 1                 | -              |
| 2000.....                    | 9        | 1            | -         | -          | -           | 1           | 3           | 2           | 1           | 1           | -           | -                 | -              |
| 1999.....                    | 8        | -            | -         | -          | -           | -           | 3           | 1           | 1           | 2           | -           | 1                 | -              |
| Origin not stated 3/, female |          |              |           |            |             |             |             |             |             |             |             |                   |                |
| 2007.....                    | 6        | -            | -         | -          | -           | 1           | 1           | -           | 2           | -           | 1           | 1                 | -              |
| 2006.....                    | 1        | -            | -         | -          | -           | -           | -           | -           | -           | 1           | -           | -                 | -              |
| 2005.....                    | 6        | -            | -         | -          | -           | -           | 1           | 1           | -           | 1           | 2           | 1                 | -              |
| 2004.....                    | 4        | -            | -         | -          | -           | -           | -           | -           | 1           | 1           | 1           | 1                 | -              |
| 2003.....                    | 7        | -            | -         | -          | -           | -           | 1           | -           | 3           | 1           | 1           | 1                 | -              |
| 2002.....                    | 6        | -            | -         | -          | -           | -           | 1           | -           | 1           | -           | 2           | 2                 | -              |
| 2001.....                    | 13       | -            | -         | -          | -           | -           | -           | 3           | 1           | 4           | 4           | 1                 | -              |
| 2000.....                    | 6        | -            | -         | -          | -           | 1           | 1           | -           | 1           | 1           | -           | 2                 | -              |
| 1999.....                    | 6        | -            | -         | -          | -           | 1           | -           | -           | -           | -           | 3           | 2                 | -              |

Worktable Orig290F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2007

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data - mortality"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, sex, and year | All ages | Under 1 year | 1-4 years | 5-14 years | 15-24 years | 25-34 years | 35-44 years | 45-54 years | 55-64 years | 65-74 years | 75-84 years | 85 years and over | Age not stated |
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|

Influenza and pneumonia (J09-J18)

| All origins, both sexes |        |     |     |     |     |     |       |       |       |       |        |        |   |
|-------------------------|--------|-----|-----|-----|-----|-----|-------|-------|-------|-------|--------|--------|---|
| 2007.....               | 52,717 | 222 | 109 | 103 | 163 | 331 | 784   | 1,909 | 3,152 | 5,547 | 14,859 | 25,535 | 3 |
| 2006.....               | 56,326 | 263 | 125 | 68  | 184 | 335 | 841   | 2,007 | 3,154 | 6,061 | 16,668 | 26,617 | 3 |
| 2005.....               | 63,001 | 265 | 110 | 106 | 172 | 354 | 934   | 2,183 | 3,422 | 6,623 | 18,563 | 30,267 | 2 |
| 2004.....               | 59,664 | 273 | 119 | 82  | 185 | 303 | 891   | 1,897 | 3,154 | 6,382 | 18,066 | 28,312 | - |
| 2003.....               | 65,163 | 322 | 163 | 147 | 224 | 373 | 992   | 2,140 | 3,130 | 6,831 | 19,442 | 31,397 | 2 |
| 2002.....               | 65,681 | 263 | 110 | 91  | 167 | 345 | 971   | 1,918 | 2,987 | 6,847 | 19,984 | 31,995 | 3 |
| 2001.....               | 62,034 | 299 | 112 | 92  | 181 | 339 | 983   | 1,801 | 2,704 | 6,650 | 18,677 | 30,191 | 5 |
| 2000.....               | 65,313 | 289 | 103 | 87  | 189 | 364 | 1,068 | 1,774 | 2,879 | 7,189 | 19,821 | 31,547 | 3 |
| 1999.....               | 63,730 | 320 | 130 | 93  | 179 | 339 | 1,063 | 1,697 | 2,625 | 6,861 | 19,192 | 31,229 | 2 |
| All origins, male       |        |     |     |     |     |     |       |       |       |       |        |        |   |
| 2007.....               | 24,071 | 135 | 55  | 52  | 91  | 187 | 443   | 1,126 | 1,881 | 3,044 | 7,412  | 9,642  | 3 |
| 2006.....               | 25,650 | 163 | 63  | 35  | 101 | 175 | 462   | 1,186 | 1,877 | 3,371 | 8,315  | 9,900  | 2 |
| 2005.....               | 28,052 | 148 | 56  | 53  | 117 | 196 | 540   | 1,299 | 1,988 | 3,648 | 9,203  | 10,802 | 2 |
| 2004.....               | 26,861 | 166 | 47  | 47  | 118 | 194 | 494   | 1,142 | 1,823 | 3,605 | 9,013  | 10,212 | - |
| 2003.....               | 28,778 | 192 | 91  | 70  | 124 | 229 | 560   | 1,279 | 1,771 | 3,882 | 9,629  | 10,950 | 1 |
| 2002.....               | 28,918 | 162 | 63  | 38  | 97  | 190 | 546   | 1,138 | 1,738 | 3,850 | 9,895  | 11,199 | 2 |
| 2001.....               | 27,342 | 167 | 57  | 47  | 106 | 191 | 556   | 1,099 | 1,587 | 3,732 | 9,294  | 10,502 | 4 |
| 2000.....               | 28,658 | 163 | 54  | 48  | 102 | 204 | 630   | 1,066 | 1,680 | 4,013 | 9,751  | 10,945 | 2 |
| 1999.....               | 27,718 | 171 | 66  | 53  | 90  | 197 | 592   | 1,059 | 1,462 | 3,893 | 9,458  | 10,676 | 1 |

Worktable Orig290F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2007

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data - mortality"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, sex, and year | All ages | Under 1 year | 1-4 years | 5-14 years | 15-24 years | 25-34 years | 35-44 years | 45-54 years | 55-64 years | 65-74 years | 75-84 years | 85 years and over | Age not stated |
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|
| <b>Influenza and pneumonia (J09-J18)</b>   |          |              |           |            |             |             |             |             |             |             |             |                   |                |
| <b>All origins, female</b>   |          |              |           |            |             |             |             |             |             |             |             |                   |                |
| 2007.....  | 28,646   | 87           | 54        | 51         | 72          | 144         | 341         | 783         | 1,271       | 2,503       | 7,447       | 15,893            | -              |
| 2006.....  | 30,676   | 100          | 62        | 33         | 83          | 160         | 379         | 821         | 1,277       | 2,690       | 8,353       | 16,717            | 1              |
| 2005.....  | 34,949   | 117          | 54        | 53         | 55          | 158         | 394         | 884         | 1,434       | 2,975       | 9,360       | 19,465            | -              |
| 2004.....  | 32,803   | 107          | 72        | 35         | 67          | 109         | 397         | 755         | 1,331       | 2,777       | 9,053       | 18,100            | -              |
| 2003.....  | 36,385   | 130          | 72        | 77         | 100         | 144         | 432         | 861         | 1,359       | 2,949       | 9,813       | 20,447            | 1              |
| 2002.....  | 36,763   | 101          | 47        | 53         | 70          | 155         | 425         | 780         | 1,249       | 2,997       | 10,089      | 20,796            | 1              |
| 2001.....  | 34,692   | 132          | 55        | 45         | 75          | 148         | 427         | 702         | 1,117       | 2,918       | 9,383       | 19,689            | 1              |
| 2000.....  | 36,655   | 126          | 49        | 39         | 87          | 160         | 438         | 708         | 1,199       | 3,176       | 10,070      | 20,602            | 1              |
| 1999.....  | 36,012   | 149          | 64        | 40         | 89          | 142         | 471         | 638         | 1,163       | 2,968       | 9,734       | 20,553            | 1              |
| <b>Hispanic, both sexes</b>  |          |              |           |            |             |             |             |             |             |             |             |                   |                |
| 2007.....  | 2,735    | 47           | 24        | 20         | 13          | 38          | 85          | 130         | 226         | 393         | 806         | 952               | 1              |
| 2006.....  | 2,966    | 60           | 28        | 15         | 24          | 49          | 77          | 165         | 249         | 423         | 877         | 999               | -              |
| 2005.....  | 3,085    | 66           | 32        | 9          | 11          | 40          | 93          | 172         | 247         | 455         | 892         | 1,068             | -              |
| 2004.....  | 2,912    | 53           | 24        | 13         | 32          | 48          | 82          | 153         | 214         | 422         | 857         | 1,014             | -              |
| 2003.....  | 2,948    | 66           | 37        | 22         | 36          | 54          | 74          | 151         | 224         | 428         | 860         | 996               | -              |
| 2002.....  | 2,824    | 48           | 17        | 14         | 19          | 43          | 77          | 124         | 207         | 399         | 855         | 1,021             | -              |
| 2001.....  | 2,722    | 57           | 32        | 10         | 18          | 23          | 73          | 121         | 168         | 402         | 761         | 1,056             | 1              |
| 2000.....  | 2,625    | 60           | 17        | 21         | 21          | 48          | 82          | 120         | 191         | 405         | 690         | 970               | -              |
| 1999.....  | 2,246    | 64           | 17        | 10         | 25          | 24          | 74          | 104         | 155         | 328         | 569         | 876               | -              |

Worktable Orig290F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2007

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data - mortality"]

---

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, sex, and year

|  | All ages | Under 1 year | 1-4 years | 5-14 years | 15-24 years | 25-34 years | 35-44 years | 45-54 years | 55-64 years | 65-74 years | 75-84 years | 85 years and over | Age not stated |
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|

---

Influenza and pneumonia (J09-J18)

| Hispanic, male   |       |    |    |    |    |    |    |     |     |     |     |     |   |
|------------------|-------|----|----|----|----|----|----|-----|-----|-----|-----|-----|---|
| 2007.....        | 1,361 | 28 | 13 | 11 | 6  | 22 | 59 | 79  | 143 | 216 | 419 | 364 | 1 |
| 2006.....        | 1,439 | 36 | 13 | 6  | 13 | 33 | 50 | 102 | 153 | 226 | 416 | 391 | - |
| 2005.....        | 1,506 | 37 | 15 | 7  | 8  | 26 | 59 | 110 | 147 | 250 | 448 | 399 | - |
| 2004.....        | 1,403 | 37 | 9  | 10 | 24 | 31 | 48 | 100 | 122 | 220 | 425 | 377 | - |
| 2003.....        | 1,429 | 40 | 24 | 12 | 20 | 35 | 41 | 100 | 115 | 235 | 432 | 375 | - |
| 2002.....        | 1,398 | 33 | 11 | 6  | 11 | 26 | 52 | 86  | 130 | 229 | 422 | 392 | - |
| 2001.....        | 1,309 | 31 | 16 | 6  | 15 | 14 | 48 | 85  | 99  | 204 | 388 | 402 | 1 |
| 2000.....        | 1,303 | 30 | 5  | 10 | 10 | 27 | 56 | 82  | 119 | 218 | 367 | 379 | - |
| 1999.....        | 1,092 | 40 | 10 | 6  | 11 | 15 | 54 | 71  | 80  | 187 | 284 | 334 | - |
| Hispanic, female |       |    |    |    |    |    |    |     |     |     |     |     |   |
| 2007.....        | 1,374 | 19 | 11 | 9  | 7  | 16 | 26 | 51  | 83  | 177 | 387 | 588 | - |
| 2006.....        | 1,527 | 24 | 15 | 9  | 11 | 16 | 27 | 63  | 96  | 197 | 461 | 608 | - |
| 2005.....        | 1,579 | 29 | 17 | 2  | 3  | 14 | 34 | 62  | 100 | 205 | 444 | 669 | - |
| 2004.....        | 1,509 | 16 | 15 | 3  | 8  | 17 | 34 | 53  | 92  | 202 | 432 | 637 | - |
| 2003.....        | 1,519 | 26 | 13 | 10 | 16 | 19 | 33 | 51  | 109 | 193 | 428 | 621 | - |
| 2002.....        | 1,426 | 15 | 6  | 8  | 8  | 17 | 25 | 38  | 77  | 170 | 433 | 629 | - |
| 2001.....        | 1,413 | 26 | 16 | 4  | 3  | 9  | 25 | 36  | 69  | 198 | 373 | 654 | - |
| 2000.....        | 1,322 | 30 | 12 | 11 | 11 | 21 | 26 | 38  | 72  | 187 | 323 | 591 | - |
| 1999.....        | 1,154 | 24 | 7  | 4  | 14 | 9  | 20 | 33  | 75  | 141 | 285 | 542 | - |

Worktable Orig290F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2007

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data - mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, sex, and year

|  | All ages | Under 1 year | 1-4 years | 5-14 years | 15-24 years | 25-34 years | 35-44 years | 45-54 years | 55-64 years | 65-74 years | 75-84 years | 85 years and over | Age not stated |
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|

Influenza and pneumonia (J09-J18)

| Non-Hispanic 1/, both sexes |        |     |     |     |     |     |     |       |       |       |        |        |   |
|-----------------------------|--------|-----|-----|-----|-----|-----|-----|-------|-------|-------|--------|--------|---|
| 2007.....                   | 49,896 | 175 | 84  | 83  | 150 | 291 | 696 | 1,768 | 2,915 | 5,144 | 14,036 | 24,552 | 2 |
| 2006.....                   | 53,249 | 200 | 96  | 53  | 160 | 285 | 759 | 1,832 | 2,902 | 5,616 | 15,761 | 25,584 | 1 |
| 2005.....                   | 59,804 | 197 | 78  | 96  | 160 | 313 | 838 | 2,003 | 3,167 | 6,151 | 17,633 | 29,167 | 1 |
| 2004.....                   | 56,581 | 220 | 95  | 68  | 151 | 255 | 801 | 1,734 | 2,917 | 5,930 | 17,165 | 27,245 | - |
| 2003.....                   | 62,042 | 254 | 126 | 124 | 188 | 319 | 917 | 1,975 | 2,883 | 6,373 | 18,544 | 30,337 | 2 |
| 2002.....                   | 62,657 | 213 | 92  | 76  | 147 | 300 | 889 | 1,783 | 2,773 | 6,424 | 19,059 | 30,898 | 3 |
| 2001.....                   | 59,103 | 240 | 79  | 82  | 163 | 312 | 906 | 1,669 | 2,516 | 6,209 | 17,863 | 29,062 | 2 |
| 2000.....                   | 62,440 | 228 | 84  | 66  | 167 | 314 | 974 | 1,639 | 2,674 | 6,750 | 19,051 | 30,492 | 1 |
| 1999.....                   | 61,218 | 255 | 110 | 83  | 153 | 315 | 979 | 1,577 | 2,446 | 6,499 | 18,553 | 30,247 | 1 |
| Non-Hispanic 1/, male       |        |     |     |     |     |     |     |       |       |       |        |        |   |
| 2007.....                   | 22,662 | 107 | 42  | 41  | 85  | 164 | 382 | 1,037 | 1,731 | 2,822 | 6,981  | 9,268  | 2 |
| 2006.....                   | 24,154 | 126 | 49  | 29  | 88  | 142 | 407 | 1,077 | 1,724 | 3,130 | 7,883  | 9,499  | - |
| 2005.....                   | 26,482 | 109 | 41  | 46  | 108 | 169 | 479 | 1,184 | 1,834 | 3,385 | 8,733  | 10,393 | 1 |
| 2004.....                   | 25,359 | 129 | 38  | 37  | 93  | 163 | 441 | 1,033 | 1,683 | 3,360 | 8,568  | 9,814  | - |
| 2003.....                   | 27,255 | 150 | 67  | 58  | 104 | 194 | 518 | 1,167 | 1,641 | 3,626 | 9,178  | 10,551 | 1 |
| 2002.....                   | 27,417 | 128 | 52  | 32  | 85  | 162 | 491 | 1,043 | 1,603 | 3,600 | 9,437  | 10,782 | 2 |
| 2001.....                   | 25,926 | 135 | 41  | 41  | 91  | 175 | 504 | 1,007 | 1,475 | 3,500 | 8,881  | 10,075 | 1 |
| 2000.....                   | 27,218 | 132 | 47  | 38  | 91  | 175 | 566 | 972   | 1,549 | 3,772 | 9,339  | 10,536 | 1 |
| 1999.....                   | 26,489 | 131 | 55  | 47  | 79  | 182 | 531 | 974   | 1,367 | 3,687 | 9,138  | 10,298 | - |



Worktable Orig290F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2007

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data - mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, sex, and year

|  | All ages | Under 1 year | 1-4 years | 5-14 years | 15-24 years | 25-34 years | 35-44 years | 45-54 years | 55-64 years | 65-74 years | 75-84 years | 85 years and over | Age not stated |
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|

Influenza and pneumonia (J09-J18)

| Non-Hispanic 1/, female        |          |              |           |            |             |             |             |             |             |             |             |                   |                |
|--------------------------------|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|
|                                | All ages | Under 1 year | 1-4 years | 5-14 years | 15-24 years | 25-34 years | 35-44 years | 45-54 years | 55-64 years | 65-74 years | 75-84 years | 85 years and over | Age not stated |
| 2007.....                      | 27,234   | 68           | 42        | 42         | 65          | 127         | 314         | 731         | 1,184       | 2,322       | 7,055       | 15,284            | -              |
| 2006.....                      | 29,095   | 74           | 47        | 24         | 72          | 143         | 352         | 755         | 1,178       | 2,486       | 7,878       | 16,085            | 1              |
| 2005.....                      | 33,322   | 88           | 37        | 50         | 52          | 144         | 359         | 819         | 1,333       | 2,766       | 8,900       | 18,774            | -              |
| 2004.....                      | 31,222   | 91           | 57        | 31         | 58          | 92          | 360         | 701         | 1,234       | 2,570       | 8,597       | 17,431            | -              |
| 2003.....                      | 34,787   | 104          | 59        | 66         | 84          | 125         | 399         | 808         | 1,242       | 2,747       | 9,366       | 19,786            | 1              |
| 2002.....                      | 35,240   | 85           | 40        | 44         | 62          | 138         | 398         | 740         | 1,170       | 2,824       | 9,622       | 20,116            | 1              |
| 2001.....                      | 33,177   | 105          | 38        | 41         | 72          | 137         | 402         | 662         | 1,041       | 2,709       | 8,982       | 18,987            | 1              |
| 2000.....                      | 35,222   | 96           | 37        | 28         | 76          | 139         | 408         | 667         | 1,125       | 2,978       | 9,712       | 19,956            | -              |
| 1999.....                      | 34,729   | 124          | 55        | 36         | 74          | 133         | 448         | 603         | 1,079       | 2,812       | 9,415       | 19,949            | 1              |
| Non-Hispanic white, both sexes |          |              |           |            |             |             |             |             |             |             |             |                   |                |
|                                | All ages | Under 1 year | 1-4 years | 5-14 years | 15-24 years | 25-34 years | 35-44 years | 45-54 years | 55-64 years | 65-74 years | 75-84 years | 85 years and over | Age not stated |
| 2007 2/.....                   | 43,219   | 88           | 50        | 58         | 116         | 189         | 496         | 1,270       | 2,253       | 4,161       | 12,274      | 22,262            | 2              |
| 2006 2/.....                   | 46,419   | 102          | 54        | 39         | 114         | 189         | 549         | 1,327       | 2,313       | 4,629       | 13,870      | 23,232            | 1              |
| 2005 2/.....                   | 52,431   | 94           | 46        | 67         | 123         | 224         | 593         | 1,449       | 2,457       | 5,022       | 15,638      | 26,717            | 1              |
| 2004 2/.....                   | 49,456   | 112          | 55        | 43         | 108         | 183         | 552         | 1,242       | 2,295       | 4,894       | 15,143      | 24,829            | -              |
| 2003 2/.....                   | 54,617   | 143          | 80        | 86         | 137         | 206         | 637         | 1,424       | 2,210       | 5,262       | 16,545      | 27,886            | 1              |
| 2002.....                      | 55,419   | 114          | 46        | 55         | 103         | 207         | 617         | 1,329       | 2,152       | 5,419       | 17,001      | 28,373            | 3              |
| 2001.....                      | 51,952   | 117          | 48        | 57         | 108         | 207         | 605         | 1,193       | 1,963       | 5,214       | 15,837      | 26,602            | 1              |
| 2000.....                      | 55,135   | 114          | 51        | 49         | 116         | 213         | 678         | 1,165       | 2,061       | 5,546       | 17,068      | 28,073            | 1              |
| 1999.....                      | 54,280   | 121          | 58        | 62         | 95          | 199         | 637         | 1,109       | 1,894       | 5,481       | 16,785      | 27,838            | 1              |

Worktable Orig290F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2007

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data - mortality"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, sex, and year | All ages | Under 1 year | 1-4 years | 5-14 years | 15-24 years | 25-34 years | 35-44 years | 45-54 years | 55-64 years | 65-74 years | 75-84 years | 85 years and over | Age not stated |
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|
| Influenza and pneumonia (J09-J18)  |          |              |           |            |             |             |             |             |             |             |             |                   |                |
| Non-Hispanic white, male   |          |              |           |            |             |             |             |             |             |             |             |                   |                |
| 2007 2/.....   | 19,361   | 57           | 21        | 25         | 68          | 106         | 266         | 727         | 1,341       | 2,260       | 6,098       | 8,390             | 2              |
| 2006 2/.....   | 20,863   | 68           | 29        | 25         | 62          | 96          | 297         | 771         | 1,373       | 2,576       | 6,966       | 8,600             | -              |
| 2005 2/.....   | 22,903   | 60           | 23        | 29         | 82          | 117         | 334         | 847         | 1,399       | 2,753       | 7,767       | 9,491             | 1              |
| 2004 2/.....   | 21,905   | 65           | 23        | 22         | 73          | 115         | 300         | 741         | 1,328       | 2,750       | 7,549       | 8,939             | -              |
| 2003 2/.....   | 23,541   | 87           | 44        | 39         | 75          | 131         | 356         | 844         | 1,219       | 2,966       | 8,141       | 9,639             | -              |
| 2002.....  | 23,934   | 73           | 24        | 20         | 62          | 111         | 340         | 768         | 1,228       | 3,050       | 8,402       | 9,854             | 2              |
| 2001.....  | 22,389   | 71           | 26        | 28         | 64          | 112         | 333         | 707         | 1,132       | 2,919       | 7,830       | 9,166             | 1              |
| 2000.....  | 23,609   | 68           | 24        | 29         | 68          | 111         | 394         | 667         | 1,176       | 3,084       | 8,346       | 9,641             | 1              |
| 1999.....  | 23,097   | 64           | 22        | 36         | 51          | 119         | 334         | 670         | 1,049       | 3,087       | 8,255       | 9,410             | -              |
| Non-Hispanic white, female   |          |              |           |            |             |             |             |             |             |             |             |                   |                |
| 2007 2/.....   | 23,858   | 31           | 29        | 33         | 48          | 83          | 230         | 543         | 912         | 1,901       | 6,176       | 13,872            | -              |
| 2006 2/.....   | 25,556   | 34           | 25        | 14         | 52          | 93          | 252         | 556         | 940         | 2,053       | 6,904       | 14,632            | 1              |
| 2005 2/.....   | 29,528   | 34           | 23        | 38         | 41          | 107         | 259         | 602         | 1,058       | 2,269       | 7,871       | 17,226            | -              |
| 2004 2/.....   | 27,551   | 47           | 32        | 21         | 35          | 68          | 252         | 501         | 967         | 2,144       | 7,594       | 15,890            | -              |
| 2003 2/.....   | 31,076   | 56           | 36        | 47         | 62          | 75          | 281         | 580         | 991         | 2,296       | 8,404       | 18,247            | 1              |
| 2002.....  | 31,485   | 41           | 22        | 35         | 41          | 96          | 277         | 561         | 924         | 2,369       | 8,599       | 18,519            | 1              |
| 2001.....  | 29,563   | 46           | 22        | 29         | 44          | 95          | 272         | 486         | 831         | 2,295       | 8,007       | 17,436            | -              |
| 2000.....  | 31,526   | 46           | 27        | 20         | 48          | 102         | 284         | 498         | 885         | 2,462       | 8,722       | 18,432            | -              |
| 1999.....  | 31,183   | 57           | 36        | 26         | 44          | 80          | 303         | 439         | 845         | 2,394       | 8,530       | 18,428            | 1              |

Worktable Orig290F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2007

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data - mortality"]

---

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, sex, and year

|  | All ages | Under 1 year | 1-4 years | 5-14 years | 15-24 years | 25-34 years | 35-44 years | 45-54 years | 55-64 years | 65-74 years | 75-84 years | 85 years and over | Age not stated |
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|

---

Influenza and pneumonia (J09-J18)

| Non-Hispanic black, both sexes |       |     |    |    |    |     |     |     |     |     |       |       |   |
|--------------------------------|-------|-----|----|----|----|-----|-----|-----|-----|-----|-------|-------|---|
| 2007 2/.....                   | 5,091 | 74  | 28 | 21 | 23 | 92  | 175 | 434 | 567 | 791 | 1,298 | 1,588 | - |
| 2006 2/.....                   | 5,242 | 87  | 34 | 9  | 41 | 77  | 183 | 449 | 507 | 796 | 1,403 | 1,656 | - |
| 2005 2/.....                   | 5,716 | 95  | 28 | 22 | 31 | 77  | 214 | 494 | 603 | 914 | 1,497 | 1,741 | - |
| 2004 2/.....                   | 5,620 | 93  | 34 | 20 | 40 | 63  | 223 | 443 | 537 | 850 | 1,539 | 1,778 | - |
| 2003 2/.....                   | 5,798 | 91  | 27 | 28 | 42 | 101 | 251 | 487 | 565 | 915 | 1,514 | 1,776 | 1 |
| 2002.....                      | 5,803 | 86  | 40 | 18 | 38 | 80  | 250 | 399 | 554 | 837 | 1,584 | 1,917 | - |
| 2001.....                      | 5,686 | 103 | 24 | 17 | 45 | 87  | 274 | 430 | 471 | 796 | 1,571 | 1,868 | - |
| 2000.....                      | 5,920 | 101 | 29 | 11 | 44 | 92  | 254 | 423 | 531 | 984 | 1,550 | 1,901 | - |
| 1999.....                      | 5,794 | 114 | 40 | 15 | 49 | 107 | 305 | 425 | 486 | 880 | 1,410 | 1,963 | - |
| Non-Hispanic black, male       |       |     |    |    |    |     |     |     |     |     |       |       |   |
| 2007 2/.....                   | 2,464 | 42  | 15 | 13 | 12 | 51  | 100 | 267 | 328 | 451 | 634   | 551   | - |
| 2006 2/.....                   | 2,449 | 53  | 16 | 3  | 23 | 37  | 95  | 270 | 304 | 434 | 655   | 559   | - |
| 2005 2/.....                   | 2,697 | 45  | 16 | 13 | 23 | 44  | 127 | 299 | 372 | 510 | 683   | 565   | - |
| 2004 2/.....                   | 2,729 | 55  | 12 | 12 | 19 | 41  | 126 | 266 | 311 | 514 | 775   | 598   | - |
| 2003 2/.....                   | 2,861 | 52  | 13 | 15 | 24 | 58  | 142 | 285 | 356 | 547 | 765   | 603   | 1 |
| 2002.....                      | 2,734 | 47  | 22 | 10 | 20 | 43  | 136 | 239 | 338 | 454 | 789   | 636   | - |
| 2001.....                      | 2,769 | 52  | 13 | 9  | 23 | 52  | 155 | 270 | 293 | 472 | 808   | 622   | - |
| 2000.....                      | 2,880 | 55  | 20 | 7  | 21 | 58  | 151 | 271 | 322 | 562 | 763   | 650   | - |
| 1999.....                      | 2,786 | 58  | 25 | 8  | 23 | 58  | 173 | 277 | 282 | 518 | 688   | 676   | - |

Worktable Orig290F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2007

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data - mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, sex, and year

|  | All ages | Under 1 year | 1-4 years | 5-14 years | 15-24 years | 25-34 years | 35-44 years | 45-54 years | 55-64 years | 65-74 years | 75-84 years | 85 years and over | Age not stated |
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|

Influenza and pneumonia (J09-J18)

Non-Hispanic black, female

|              |       |    |    |    |    |    |     |     |     |     |     |       |   |
|--------------|-------|----|----|----|----|----|-----|-----|-----|-----|-----|-------|---|
| 2007 2/..... | 2,627 | 32 | 13 | 8  | 11 | 41 | 75  | 167 | 239 | 340 | 664 | 1,037 | - |
| 2006 2/..... | 2,793 | 34 | 18 | 6  | 18 | 40 | 88  | 179 | 203 | 362 | 748 | 1,097 | - |
| 2005 2/..... | 3,019 | 50 | 12 | 9  | 8  | 33 | 87  | 195 | 231 | 404 | 814 | 1,176 | - |
| 2004 2/..... | 2,891 | 38 | 22 | 8  | 21 | 22 | 97  | 177 | 226 | 336 | 764 | 1,180 | - |
| 2003 2/..... | 2,937 | 39 | 14 | 13 | 18 | 43 | 109 | 202 | 209 | 368 | 749 | 1,173 | - |
| 2002.....    | 3,069 | 39 | 18 | 8  | 18 | 37 | 114 | 160 | 216 | 383 | 795 | 1,281 | - |
| 2001.....    | 2,917 | 51 | 11 | 8  | 22 | 35 | 119 | 160 | 178 | 324 | 763 | 1,246 | - |
| 2000.....    | 3,040 | 46 | 9  | 4  | 23 | 34 | 103 | 152 | 209 | 422 | 787 | 1,251 | - |
| 1999.....    | 3,008 | 56 | 15 | 7  | 26 | 49 | 132 | 148 | 204 | 362 | 722 | 1,287 | - |

Origin not stated 3/, both sexes

|           |     |   |   |   |   |   |    |    |    |    |    |     |   |
|-----------|-----|---|---|---|---|---|----|----|----|----|----|-----|---|
| 2007..... | 86  | - | 1 | - | - | 2 | 3  | 11 | 11 | 10 | 17 | 31  | - |
| 2006..... | 111 | 3 | 1 | - | - | 1 | 5  | 10 | 3  | 22 | 30 | 34  | 2 |
| 2005..... | 112 | 2 | - | 1 | 1 | 1 | 3  | 8  | 8  | 17 | 38 | 32  | 1 |
| 2004..... | 171 | - | - | 1 | 2 | - | 8  | 10 | 23 | 30 | 44 | 53  | - |
| 2003..... | 173 | 2 | - | 1 | - | - | 1  | 14 | 23 | 30 | 38 | 64  | - |
| 2002..... | 200 | 2 | 1 | 1 | 1 | 2 | 5  | 11 | 7  | 24 | 70 | 76  | - |
| 2001..... | 209 | 2 | 1 | - | - | 4 | 4  | 11 | 20 | 39 | 53 | 73  | 2 |
| 2000..... | 248 | 1 | 2 | - | 1 | 2 | 12 | 15 | 14 | 34 | 80 | 85  | 2 |
| 1999..... | 266 | 1 | 3 | - | 1 | - | 10 | 16 | 24 | 34 | 70 | 106 | 1 |

Worktable Orig290F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2007

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data - mortality"]

---

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, sex, and year

|  | All ages | Under 1 year | 1-4 years | 5-14 years | 15-24 years | 25-34 years | 35-44 years | 45-54 years | 55-64 years | 65-74 years | 75-84 years | 85 years and over | Age not stated |
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|

---

Influenza and pneumonia (J09-J18)

| Origin not stated 3/, male |     |   |   |   |   |   |   |    |    |    |    |    |   |
|----------------------------|-----|---|---|---|---|---|---|----|----|----|----|----|---|
| 2007.....                  | 48  | - | - | - | - | 1 | 2 | 10 | 7  | 6  | 12 | 10 | - |
| 2006.....                  | 57  | 1 | 1 | - | - | - | 5 | 7  | -  | 15 | 16 | 10 | 2 |
| 2005.....                  | 64  | 2 | - | - | 1 | 1 | 2 | 5  | 7  | 13 | 22 | 10 | 1 |
| 2004.....                  | 99  | - | - | - | 1 | - | 5 | 9  | 18 | 25 | 20 | 21 | - |
| 2003.....                  | 94  | 2 | - | - | - | - | 1 | 12 | 15 | 21 | 19 | 24 | - |
| 2002.....                  | 103 | 1 | - | - | 1 | 2 | 3 | 9  | 5  | 21 | 36 | 25 | - |
| 2001.....                  | 107 | 1 | - | - | - | 2 | 4 | 7  | 13 | 28 | 25 | 25 | 2 |
| 2000.....                  | 137 | 1 | 2 | - | 1 | 2 | 8 | 12 | 12 | 23 | 45 | 30 | 1 |
| 1999.....                  | 137 | - | 1 | - | - | - | 7 | 14 | 15 | 19 | 36 | 44 | 1 |

  

| Origin not stated 3/, female |     |   |   |   |   |   |   |   |   |    |    |    |   |
|------------------------------|-----|---|---|---|---|---|---|---|---|----|----|----|---|
| 2007.....                    | 38  | - | 1 | - | - | 1 | 1 | 1 | 4 | 4  | 5  | 21 | - |
| 2006.....                    | 54  | 2 | - | - | - | 1 | - | 3 | 3 | 7  | 14 | 24 | - |
| 2005.....                    | 48  | - | - | 1 | - | - | 1 | 3 | 1 | 4  | 16 | 22 | - |
| 2004.....                    | 72  | - | - | 1 | 1 | - | 3 | 1 | 5 | 5  | 24 | 32 | - |
| 2003.....                    | 79  | - | - | 1 | - | - | - | 2 | 8 | 9  | 19 | 40 | - |
| 2002.....                    | 97  | 1 | 1 | 1 | - | - | 2 | 2 | 2 | 3  | 34 | 51 | - |
| 2001.....                    | 102 | 1 | 1 | - | - | 2 | - | 4 | 7 | 11 | 28 | 48 | - |
| 2000.....                    | 111 | - | - | - | - | - | 4 | 3 | 2 | 11 | 35 | 55 | 1 |
| 1999.....                    | 129 | 1 | 2 | - | 1 | - | 3 | 2 | 9 | 15 | 34 | 62 | - |

Worktable Orig290F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2007

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data - mortality"]

---

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, sex, and year

|  | All ages | Under 1 year | 1-4 years | 5-14 years | 15-24 years | 25-34 years | 35-44 years | 45-54 years | 55-64 years | 65-74 years | 75-84 years | 85 years and over | Age not stated |
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|

---

Influenza (J09-J11)

All origins, both sexes

|           |       |    |    |    |    |    |    |    |    |     |     |     |   |
|-----------|-------|----|----|----|----|----|----|----|----|-----|-----|-----|---|
| 2007..... | 411   | 13 | 19 | 35 | 10 | 9  | 13 | 19 | 37 | 38  | 79  | 139 | - |
| 2006..... | 849   | 18 | 19 | 25 | 13 | 6  | 10 | 26 | 43 | 81  | 236 | 372 | - |
| 2005..... | 1,812 | 19 | 19 | 20 | 12 | 11 | 19 | 45 | 66 | 137 | 482 | 982 | - |
| 2004..... | 1,100 | 18 | 18 | 13 | 7  | 4  | 16 | 25 | 55 | 99  | 291 | 554 | - |
| 2003..... | 1,792 | 31 | 59 | 46 | 30 | 13 | 24 | 61 | 85 | 183 | 457 | 803 | - |
| 2002..... | 727   | 7  | 5  | 12 | 7  | 4  | 8  | 17 | 30 | 56  | 177 | 404 | - |
| 2001..... | 257   | 7  | 6  | 12 | 7  | 10 | 6  | 15 | 21 | 21  | 56  | 96  | - |
| 2000..... | 1,765 | 9  | 10 | 11 | 13 | 13 | 22 | 48 | 93 | 199 | 492 | 855 | - |
| 1999..... | 1,665 | 13 | 12 | 11 | 11 | 9  | 16 | 26 | 71 | 164 | 451 | 881 | - |

All origins, male

|           |     |    |    |    |    |   |    |    |    |     |     |     |   |
|-----------|-----|----|----|----|----|---|----|----|----|-----|-----|-----|---|
| 2007..... | 187 | 9  | 13 | 17 | 1  | 1 | 6  | 11 | 20 | 19  | 37  | 53  | - |
| 2006..... | 362 | 11 | 12 | 11 | 5  | 4 | 4  | 13 | 20 | 42  | 104 | 136 | - |
| 2005..... | 657 | 9  | 10 | 10 | 6  | 3 | 11 | 26 | 37 | 61  | 192 | 292 | - |
| 2004..... | 421 | 10 | 8  | 8  | 2  | 2 | 7  | 8  | 25 | 58  | 125 | 168 | - |
| 2003..... | 699 | 18 | 33 | 19 | 12 | 9 | 10 | 33 | 42 | 89  | 189 | 245 | - |
| 2002..... | 289 | 5  | 3  | 2  | 4  | 2 | 4  | 12 | 20 | 32  | 81  | 124 | - |
| 2001..... | 101 | 6  | 2  | 4  | 6  | 6 | 2  | 9  | 9  | 8   | 20  | 29  | - |
| 2000..... | 664 | 5  | 4  | 5  | 6  | 5 | 14 | 25 | 44 | 106 | 196 | 254 | - |
| 1999..... | 602 | 6  | 9  | 5  | 2  | 5 | 9  | 15 | 37 | 74  | 202 | 238 | - |

Worktable Orig290F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2007

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data - mortality"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, sex, and year | All ages | Under 1 year | 1-4 years | 5-14 years | 15-24 years | 25-34 years | 35-44 years | 45-54 years | 55-64 years | 65-74 years | 75-84 years | 85 years and over | Age not stated |
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|
| <b>Influenza (J09-J11)</b>   |          |              |           |            |             |             |             |             |             |             |             |                   |                |
| <b>All origins, female</b>   |          |              |           |            |             |             |             |             |             |             |             |                   |                |
| 2007.....  | 224      | 4            | 6         | 18         | 9           | 8           | 7           | 8           | 17          | 19          | 42          | 86                | -              |
| 2006.....  | 487      | 7            | 7         | 14         | 8           | 2           | 6           | 13          | 23          | 39          | 132         | 236               | -              |
| 2005.....  | 1,155    | 10           | 9         | 10         | 6           | 8           | 8           | 19          | 29          | 76          | 290         | 690               | -              |
| 2004.....  | 679      | 8            | 10        | 5          | 5           | 2           | 9           | 17          | 30          | 41          | 166         | 386               | -              |
| 2003.....  | 1,093    | 13           | 26        | 27         | 18          | 4           | 14          | 28          | 43          | 94          | 268         | 558               | -              |
| 2002.....  | 438      | 2            | 2         | 10         | 3           | 2           | 4           | 5           | 10          | 24          | 96          | 280               | -              |
| 2001.....  | 156      | 1            | 4         | 8          | 1           | 4           | 4           | 6           | 12          | 13          | 36          | 67                | -              |
| 2000.....  | 1,101    | 4            | 6         | 6          | 7           | 8           | 8           | 23          | 49          | 93          | 296         | 601               | -              |
| 1999.....  | 1,063    | 7            | 3         | 6          | 9           | 4           | 7           | 11          | 34          | 90          | 249         | 643               | -              |
| <b>Hispanic, both sexes</b>  |          |              |           |            |             |             |             |             |             |             |             |                   |                |
| 2007.....  | 32       | 5            | 4         | 9          | -           | 1           | 1           | 3           | 3           | 2           | 1           | 3                 | -              |
| 2006.....  | 39       | 5            | 8         | 8          | 1           | 2           | -           | 3           | 3           | 1           | 3           | 5                 | -              |
| 2005.....  | 55       | 8            | 6         | 3          | -           | 2           | -           | 5           | 2           | 4           | 10          | 15                | -              |
| 2004.....  | 26       | 6            | 2         | 2          | 1           | -           | -           | 3           | -           | 4           | 2           | 6                 | -              |
| 2003.....  | 75       | 10           | 14        | 9          | 4           | 2           | 3           | 2           | 6           | 3           | 12          | 10                | -              |
| 2002.....  | 19       | 2            | -         | 4          | -           | 1           | 1           | 1           | -           | 2           | 3           | 5                 | -              |
| 2001.....  | 13       | -            | 3         | 1          | 1           | -           | 1           | 1           | -           | 1           | 5           | -                 | -              |
| 2000.....  | 47       | 2            | 1         | 3          | 1           | 4           | 2           | 2           | 2           | 4           | 10          | 16                | -              |
| 1999.....  | 45       | 4            | 3         | -          | 2           | -           | 2           | 2           | 5           | 8           | 9           | 10                | -              |

Worktable Orig290F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2007

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data - mortality"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, sex, and year | All ages | Under 1 year | 1-4 years | 5-14 years | 15-24 years | 25-34 years | 35-44 years | 45-54 years | 55-64 years | 65-74 years | 75-84 years | 85 years and over | Age not stated |
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|
| Influenza (J09-J11)  |          |              |           |            |             |             |             |             |             |             |             |                   |                |
| Hispanic, male   |          |              |           |            |             |             |             |             |             |             |             |                   |                |
| 2007.....  | 18       | 4            | 3         | 5          | -           | -           | -           | 3           | 2           | 1           | -           | -                 | -              |
| 2006.....  | 20       | 4            | 5         | 2          | 1           | 2           | -           | 2           | 1           | 1           | -           | 2                 | -              |
| 2005.....  | 26       | 5            | 2         | 2          | -           | 1           | -           | 4           | 1           | 2           | 2           | 7                 | -              |
| 2004.....  | 11       | 3            | -         | 2          | 1           | -           | -           | -           | -           | 2           | 2           | 1                 | -              |
| 2003.....  | 40       | 7            | 10        | 3          | 1           | 1           | 2           | -           | 2           | 3           | 7           | 4                 | -              |
| 2002.....  | 10       | 2            | -         | 2          | -           | 1           | 1           | 1           | -           | 1           | 1           | 1                 | -              |
| 2001.....  | 7        | -            | 2         | 1          | 1           | -           | -           | 1           | -           | -           | 2           | -                 | -              |
| 2000.....  | 21       | -            | 1         | 1          | 1           | 1           | 1           | 1           | 2           | 2           | 5           | 6                 | -              |
| 1999.....  | 21       | -            | 3         | -          | -           | -           | 2           | 2           | 4           | 7           | 2           | 1                 | -              |
| Hispanic, female   |          |              |           |            |             |             |             |             |             |             |             |                   |                |
| 2007.....  | 14       | 1            | 1         | 4          | -           | 1           | 1           | -           | 1           | 1           | 1           | 3                 | -              |
| 2006.....  | 19       | 1            | 3         | 6          | -           | -           | -           | 1           | 2           | -           | 3           | 3                 | -              |
| 2005.....  | 29       | 3            | 4         | 1          | -           | 1           | -           | 1           | 1           | 2           | 8           | 8                 | -              |
| 2004.....  | 15       | 3            | 2         | -          | -           | -           | -           | 3           | -           | 2           | -           | 5                 | -              |
| 2003.....  | 35       | 3            | 4         | 6          | 3           | 1           | 1           | 2           | 4           | -           | 5           | 6                 | -              |
| 2002.....  | 9        | -            | -         | 2          | -           | -           | -           | -           | -           | 1           | 2           | 4                 | -              |
| 2001.....  | 6        | -            | 1         | -          | -           | -           | 1           | -           | -           | 1           | 3           | -                 | -              |
| 2000.....  | 26       | 2            | -         | 2          | -           | 3           | 1           | 1           | -           | 2           | 5           | 10                | -              |
| 1999.....  | 24       | 4            | -         | -          | 2           | -           | -           | -           | 1           | 1           | 7           | 9                 | -              |



Worktable Orig290F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2007

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data - mortality"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, sex, and year | All ages | Under 1 year | 1-4 years | 5-14 years | 15-24 years | 25-34 years | 35-44 years | 45-54 years | 55-64 years | 65-74 years | 75-84 years | 85 years and over | Age not stated |
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|
| <b>Influenza (J09-J11)</b>   |          |              |           |            |             |             |             |             |             |             |             |                   |                |
| <b>Non-Hispanic 1/, both sexes</b>   |          |              |           |            |             |             |             |             |             |             |             |                   |                |
| 2007.....  | 378      | 8            | 15        | 26         | 10          | 8           | 12          | 16          | 34          | 36          | 78          | 135               | -              |
| 2006.....  | 808      | 13           | 11        | 17         | 12          | 4           | 10          | 22          | 40          | 80          | 233         | 366               | -              |
| 2005.....  | 1,752    | 11           | 13        | 17         | 12          | 9           | 19          | 40          | 63          | 133         | 472         | 963               | -              |
| 2004.....  | 1,071    | 12           | 16        | 10         | 6           | 4           | 16          | 22          | 55          | 95          | 288         | 547               | -              |
| 2003.....  | 1,714    | 21           | 45        | 37         | 26          | 11          | 21          | 59          | 78          | 180         | 443         | 793               | -              |
| 2002.....  | 704      | 5            | 5         | 8          | 7           | 3           | 7           | 16          | 30          | 54          | 173         | 396               | -              |
| 2001.....  | 244      | 7            | 3         | 11         | 6           | 10          | 5           | 14          | 21          | 20          | 51          | 96                | -              |
| 2000.....  | 1,716    | 7            | 9         | 8          | 12          | 9           | 20          | 46          | 91          | 195         | 481         | 838               | -              |
| 1999.....  | 1,612    | 9            | 9         | 11         | 9           | 9           | 14          | 24          | 66          | 154         | 439         | 868               | -              |
| <b>Non-Hispanic 1/, male</b>   |          |              |           |            |             |             |             |             |             |             |             |                   |                |
| 2007.....  | 168      | 5            | 10        | 12         | 1           | 1           | 6           | 8           | 18          | 18          | 37          | 52                | -              |
| 2006.....  | 342      | 7            | 7         | 9          | 4           | 2           | 4           | 11          | 19          | 41          | 104         | 134               | -              |
| 2005.....  | 631      | 4            | 8         | 8          | 6           | 2           | 11          | 22          | 36          | 59          | 190         | 285               | -              |
| 2004.....  | 410      | 7            | 8         | 6          | 1           | 2           | 7           | 8           | 25          | 56          | 123         | 167               | -              |
| 2003.....  | 657      | 11           | 23        | 16         | 11          | 8           | 8           | 33          | 39          | 86          | 181         | 241               | -              |
| 2002.....  | 277      | 3            | 3         | -          | 4           | 1           | 3           | 11          | 20          | 31          | 79          | 122               | -              |
| 2001.....  | 94       | 6            | -         | 3          | 5           | 6           | 2           | 8           | 9           | 8           | 18          | 29                | -              |
| 2000.....  | 642      | 5            | 3         | 4          | 5           | 4           | 13          | 24          | 42          | 104         | 190         | 248               | -              |
| 1999.....  | 580      | 6            | 6         | 5          | 2           | 5           | 7           | 13          | 33          | 66          | 200         | 237               | -              |

Worktable Orig290F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2007

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data - mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, sex, and year

|  | All ages | Under 1 year | 1-4 years | 5-14 years | 15-24 years | 25-34 years | 35-44 years | 45-54 years | 55-64 years | 65-74 years | 75-84 years | 85 years and over | Age not stated |
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|

Influenza (J09-J11)

Non-Hispanic 1/, female

|           |       |    |    |    |    |   |    |    |    |    |     |     |   |
|-----------|-------|----|----|----|----|---|----|----|----|----|-----|-----|---|
| 2007..... | 210   | 3  | 5  | 14 | 9  | 7 | 6  | 8  | 16 | 18 | 41  | 83  | - |
| 2006..... | 466   | 6  | 4  | 8  | 8  | 2 | 6  | 11 | 21 | 39 | 129 | 232 | - |
| 2005..... | 1,121 | 7  | 5  | 9  | 6  | 7 | 8  | 18 | 27 | 74 | 282 | 678 | - |
| 2004..... | 661   | 5  | 8  | 4  | 5  | 2 | 9  | 14 | 30 | 39 | 165 | 380 | - |
| 2003..... | 1,057 | 10 | 22 | 21 | 15 | 3 | 13 | 26 | 39 | 94 | 262 | 552 | - |
| 2002..... | 427   | 2  | 2  | 8  | 3  | 2 | 4  | 5  | 10 | 23 | 94  | 274 | - |
| 2001..... | 150   | 1  | 3  | 8  | 1  | 4 | 3  | 6  | 12 | 12 | 33  | 67  | - |
| 2000..... | 1,074 | 2  | 6  | 4  | 7  | 5 | 7  | 22 | 49 | 91 | 291 | 590 | - |
| 1999..... | 1,032 | 3  | 3  | 6  | 7  | 4 | 7  | 11 | 33 | 88 | 239 | 631 | - |

Non-Hispanic white, both sexes

|              |       |    |    |    |    |   |    |    |    |     |     |     |   |
|--------------|-------|----|----|----|----|---|----|----|----|-----|-----|-----|---|
| 2007 2/..... | 342   | 4  | 10 | 23 | 10 | 6 | 10 | 13 | 29 | 32  | 73  | 132 | - |
| 2006 2/..... | 749   | 8  | 3  | 13 | 8  | 2 | 8  | 20 | 38 | 74  | 222 | 353 | - |
| 2005 2/..... | 1,654 | 6  | 10 | 10 | 10 | 8 | 13 | 30 | 57 | 124 | 450 | 936 | - |
| 2004 2/..... | 1,004 | 6  | 12 | 8  | 5  | 3 | 14 | 17 | 50 | 88  | 268 | 533 | - |
| 2003 2/..... | 1,578 | 13 | 29 | 22 | 16 | 8 | 17 | 47 | 69 | 167 | 426 | 764 | - |
| 2002.....    | 663   | 3  | 2  | 6  | 5  | 3 | 7  | 15 | 25 | 45  | 168 | 384 | - |
| 2001.....    | 216   | 7  | 2  | 6  | 4  | 7 | 3  | 14 | 17 | 18  | 47  | 91  | - |
| 2000.....    | 1,613 | 5  | 8  | 6  | 11 | 7 | 16 | 38 | 85 | 176 | 458 | 803 | - |
| 1999.....    | 1,522 | 3  | 5  | 10 | 8  | 8 | 8  | 20 | 60 | 139 | 417 | 844 | - |

Worktable Orig290F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2007

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data - mortality"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, sex, and year | All ages | Under 1 year | 1-4 years | 5-14 years | 15-24 years | 25-34 years | 35-44 years | 45-54 years | 55-64 years | 65-74 years | 75-84 years | 85 years and over | Age not stated |
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|
| <b>Influenza (J09-J11)</b>   |          |              |           |            |             |             |             |             |             |             |             |                   |                |
| <b>Non-Hispanic white, male</b>  |          |              |           |            |             |             |             |             |             |             |             |                   |                |
| 2007 2/.....   | 151      | 2            | 6         | 10         | 1           | 1           | 5           | 8           | 16          | 17          | 34          | 51                | -              |
| 2006 2/.....   | 312      | 5            | 3         | 7          | 1           | 1           | 3           | 10          | 18          | 39          | 97          | 128               | -              |
| 2005 2/.....   | 585      | 4            | 7         | 5          | 4           | 2           | 8           | 15          | 31          | 56          | 181         | 272               | -              |
| 2004 2/.....   | 377      | 2            | 5         | 5          | 1           | 1           | 6           | 6           | 23          | 52          | 112         | 164               | -              |
| 2003 2/.....   | 599      | 7            | 15        | 9          | 6           | 7           | 4           | 27          | 33          | 81          | 175         | 235               | -              |
| 2002.....  | 258      | 1            | 1         | -          | 2           | 1           | 3           | 11          | 16          | 27          | 76          | 120               | -              |
| 2001.....  | 81       | 6            | -         | 2          | 3           | 3           | 2           | 8           | 6           | 6           | 18          | 27                | -              |
| 2000.....  | 595      | 5            | 3         | 3          | 4           | 2           | 9           | 18          | 39          | 97          | 181         | 234               | -              |
| 1999.....  | 547      | 1            | 3         | 5          | 2           | 5           | 4           | 11          | 32          | 59          | 192         | 233               | -              |
| <b>Non-Hispanic white, female</b>  |          |              |           |            |             |             |             |             |             |             |             |                   |                |
| 2007 2/.....   | 191      | 2            | 4         | 13         | 9           | 5           | 5           | 5           | 13          | 15          | 39          | 81                | -              |
| 2006 2/.....   | 437      | 3            | -         | 6          | 7           | 1           | 5           | 10          | 20          | 35          | 125         | 225               | -              |
| 2005 2/.....   | 1,069    | 2            | 3         | 5          | 6           | 6           | 5           | 15          | 26          | 68          | 269         | 664               | -              |
| 2004 2/.....   | 627      | 4            | 7         | 3          | 4           | 2           | 8           | 11          | 27          | 36          | 156         | 369               | -              |
| 2003 2/.....   | 979      | 6            | 14        | 13         | 10          | 1           | 13          | 20          | 36          | 86          | 251         | 529               | -              |
| 2002.....  | 405      | 2            | 1         | 6          | 3           | 2           | 4           | 4           | 9           | 18          | 92          | 264               | -              |
| 2001.....  | 135      | 1            | 2         | 4          | 1           | 4           | 1           | 6           | 11          | 12          | 29          | 64                | -              |
| 2000.....  | 1,018    | -            | 5         | 3          | 7           | 5           | 7           | 20          | 46          | 79          | 277         | 569               | -              |
| 1999.....  | 975      | 2            | 2         | 5          | 6           | 3           | 4           | 9           | 28          | 80          | 225         | 611               | -              |

Worktable Orig290F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2007

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data - mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, sex, and year

|  | All ages | Under 1 year | 1-4 years | 5-14 years | 15-24 years | 25-34 years | 35-44 years | 45-54 years | 55-64 years | 65-74 years | 75-84 years | 85 years and over | Age not stated |
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|

Influenza (J09-J11)

Non-Hispanic black, both sexes

|              |    |   |   |    |   |   |   |    |   |    |    |    |   |
|--------------|----|---|---|----|---|---|---|----|---|----|----|----|---|
| 2007 2/..... | 26 | 4 | 5 | 2  | - | 2 | 2 | 2  | 4 | 2  | 2  | 1  | - |
| 2006 2/..... | 40 | 5 | 4 | 1  | 3 | 2 | 1 | 2  | 2 | 3  | 10 | 7  | - |
| 2005 2/..... | 67 | 5 | 2 | 5  | 1 | 1 | 6 | 7  | 6 | 5  | 14 | 15 | - |
| 2004 2/..... | 50 | 4 | 3 | 1  | 1 | 1 | 1 | 3  | 4 | 7  | 16 | 9  | - |
| 2003 2/..... | 95 | 7 | 6 | 10 | 7 | 3 | 1 | 12 | 7 | 10 | 12 | 20 | - |
| 2002.....    | 30 | 1 | 3 | 2  | 2 | - | - | -  | 4 | 6  | 4  | 8  | - |
| 2001.....    | 20 | - | - | 2  | 1 | 2 | 1 | -  | 3 | 2  | 4  | 5  | - |
| 2000.....    | 81 | 2 | 1 | 1  | 1 | 1 | 3 | 7  | 6 | 16 | 13 | 30 | - |
| 1999.....    | 65 | 4 | 1 | -  | 1 | 1 | 5 | 3  | 5 | 12 | 15 | 18 | - |

Non-Hispanic black, male

|              |    |   |   |   |   |   |   |   |   |   |    |    |   |
|--------------|----|---|---|---|---|---|---|---|---|---|----|----|---|
| 2007 2/..... | 13 | 3 | 4 | 1 | - | - | 1 | - | 2 | 1 | 1  | -  | - |
| 2006 2/..... | 21 | 2 | 3 | 1 | 2 | 1 | - | 1 | 1 | 1 | 6  | 3  | - |
| 2005 2/..... | 31 | - | 1 | 3 | 1 | - | 3 | 5 | 5 | 2 | 3  | 8  | - |
| 2004 2/..... | 25 | 4 | 2 | - | - | 1 | - | 2 | 1 | 4 | 10 | 1  | - |
| 2003 2/..... | 36 | 3 | 3 | 4 | 3 | 1 | 1 | 6 | 5 | 4 | 3  | 3  | - |
| 2002.....    | 15 | 1 | 2 | - | 2 | - | - | - | 3 | 3 | 2  | 2  | - |
| 2001.....    | 10 | - | - | - | 1 | 2 | - | - | 3 | 2 | -  | 2  | - |
| 2000.....    | 35 | - | - | 1 | 1 | 1 | 3 | 5 | 3 | 5 | 5  | 11 | - |
| 1999.....    | 24 | 3 | 1 | - | - | - | 2 | 2 | 1 | 6 | 6  | 3  | - |

Worktable Orig290F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2007

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data - mortality"]

---

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, sex, and year

|  | All ages | Under 1 year | 1-4 years | 5-14 years | 15-24 years | 25-34 years | 35-44 years | 45-54 years | 55-64 years | 65-74 years | 75-84 years | 85 years and over | Age not stated |
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|

---

Influenza (J09-J11)

|                                  | All ages | Under 1 year | 1-4 years | 5-14 years | 15-24 years | 25-34 years | 35-44 years | 45-54 years | 55-64 years | 65-74 years | 75-84 years | 85 years and over | Age not stated |
|----------------------------------|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|
| Non-Hispanic black, female       |          |              |           |            |             |             |             |             |             |             |             |                   |                |
| 2007 2/.....                     | 13       | 1            | 1         | 1          | -           | 2           | 1           | 2           | 2           | 1           | 1           | 1                 | -              |
| 2006 2/.....                     | 19       | 3            | 1         | -          | 1           | 1           | 1           | 1           | 1           | 2           | 4           | 4                 | -              |
| 2005 2/.....                     | 36       | 5            | 1         | 2          | -           | 1           | 3           | 2           | 1           | 3           | 11          | 7                 | -              |
| 2004 2/.....                     | 25       | -            | 1         | 1          | 1           | -           | 1           | 1           | 3           | 3           | 6           | 8                 | -              |
| 2003 2/.....                     | 59       | 4            | 3         | 6          | 4           | 2           | -           | 6           | 2           | 6           | 9           | 17                | -              |
| 2002.....                        | 15       | -            | 1         | 2          | -           | -           | -           | -           | 1           | 3           | 2           | 6                 | -              |
| 2001.....                        | 10       | -            | -         | 2          | -           | -           | 1           | -           | -           | -           | 4           | 3                 | -              |
| 2000.....                        | 46       | 2            | 1         | -          | -           | -           | -           | 2           | 3           | 11          | 8           | 19                | -              |
| 1999.....                        | 41       | 1            | -         | -          | 1           | 1           | 3           | 1           | 4           | 6           | 9           | 15                | -              |
| Origin not stated 3/, both sexes |          |              |           |            |             |             |             |             |             |             |             |                   |                |
| 2007.....                        | 1        | -            | -         | -          | -           | -           | -           | -           | -           | -           | -           | 1                 | -              |
| 2006.....                        | 2        | -            | -         | -          | -           | -           | -           | 1           | -           | -           | -           | 1                 | -              |
| 2005.....                        | 5        | -            | -         | -          | -           | -           | -           | -           | 1           | -           | -           | 4                 | -              |
| 2004.....                        | 3        | -            | -         | 1          | -           | -           | -           | -           | -           | -           | 1           | 1                 | -              |
| 2003.....                        | 3        | -            | -         | -          | -           | -           | -           | -           | 1           | -           | 2           | -                 | -              |
| 2002.....                        | 4        | -            | -         | -          | -           | -           | -           | -           | -           | -           | 1           | 3                 | -              |
| 2001.....                        | -        | -            | -         | -          | -           | -           | -           | -           | -           | -           | -           | -                 | -              |
| 2000.....                        | 2        | -            | -         | -          | -           | -           | -           | -           | -           | -           | 1           | 1                 | -              |
| 1999.....                        | 8        | -            | -         | -          | -           | -           | -           | -           | -           | 2           | 3           | 3                 | -              |

Worktable Orig290F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2007

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data - mortality"]

---

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, sex, and year

|  | All ages | Under 1 year | 1-4 years | 5-14 years | 15-24 years | 25-34 years | 35-44 years | 45-54 years | 55-64 years | 65-74 years | 75-84 years | 85 years and over | Age not stated |
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|

---

Influenza (J09-J11)

Origin not stated 3/, male

|           |   |   |   |   |   |   |   |   |   |   |   |   |   |   |
|-----------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 2007..... | 1 | - | - | - | - | - | - | - | - | - | - | - | 1 | - |
| 2006..... | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| 2005..... | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| 2004..... | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| 2003..... | 2 | - | - | - | - | - | - | - | 1 | - | 1 | - | - | - |
| 2002..... | 2 | - | - | - | - | - | - | - | - | - | 1 | - | 1 | - |
| 2001..... | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| 2000..... | 1 | - | - | - | - | - | - | - | - | - | 1 | - | - | - |
| 1999..... | 1 | - | - | - | - | - | - | - | - | 1 | - | - | - | - |

Origin not stated 3/, female

|           |   |   |   |   |   |   |   |   |   |   |   |   |   |   |
|-----------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 2007..... | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| 2006..... | 2 | - | - | - | - | - | - | 1 | - | - | - | - | 1 | - |
| 2005..... | 5 | - | - | - | - | - | - | - | 1 | - | - | - | 4 | - |
| 2004..... | 3 | - | - | 1 | - | - | - | - | - | - | 1 | - | 1 | - |
| 2003..... | 1 | - | - | - | - | - | - | - | - | - | 1 | - | - | - |
| 2002..... | 2 | - | - | - | - | - | - | - | - | - | - | - | 2 | - |
| 2001..... | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| 2000..... | 1 | - | - | - | - | - | - | - | - | - | - | - | 1 | - |
| 1999..... | 7 | - | - | - | - | - | - | - | - | 1 | 3 | 3 | - | - |

Worktable Orig290F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2007

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data - mortality"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, sex, and year | All ages | Under 1 year | 1-4 years | 5-14 years | 15-24 years | 25-34 years | 35-44 years | 45-54 years | 55-64 years | 65-74 years | 75-84 years | 85 years and over | Age not stated |
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|
| <b>Pneumonia (J12-J18)</b>   |          |              |           |            |             |             |             |             |             |             |             |                   |                |
| All origins, both sexes  |          |              |           |            |             |             |             |             |             |             |             |                   |                |
| 2007.....  | 52,306   | 209          | 90        | 68         | 153         | 322         | 771         | 1,890       | 3,115       | 5,509       | 14,780      | 25,396            | 3              |
| 2006.....  | 55,477   | 245          | 106       | 43         | 171         | 329         | 831         | 1,981       | 3,111       | 5,980       | 16,432      | 26,245            | 3              |
| 2005.....  | 61,189   | 246          | 91        | 86         | 160         | 343         | 915         | 2,138       | 3,356       | 6,486       | 18,081      | 29,285            | 2              |
| 2004.....  | 58,564   | 255          | 101       | 69         | 178         | 299         | 875         | 1,872       | 3,099       | 6,283       | 17,775      | 27,758            | -              |
| 2003.....  | 63,371   | 291          | 104       | 101        | 194         | 360         | 968         | 2,079       | 3,045       | 6,648       | 18,985      | 30,594            | 2              |
| 2002.....  | 64,954   | 256          | 105       | 79         | 160         | 341         | 963         | 1,901       | 2,957       | 6,791       | 19,807      | 31,591            | 3              |
| 2001.....  | 61,777   | 292          | 106       | 80         | 174         | 329         | 977         | 1,786       | 2,683       | 6,629       | 18,621      | 30,095            | 5              |
| 2000.....  | 63,548   | 280          | 93        | 76         | 176         | 351         | 1,046       | 1,726       | 2,786       | 6,990       | 19,329      | 30,692            | 3              |
| 1999.....  | 62,065   | 307          | 118       | 82         | 168         | 330         | 1,047       | 1,671       | 2,554       | 6,697       | 18,741      | 30,348            | 2              |
| All origins, male  |          |              |           |            |             |             |             |             |             |             |             |                   |                |
| 2007.....  | 23,884   | 126          | 42        | 35         | 90          | 186         | 437         | 1,115       | 1,861       | 3,025       | 7,375       | 9,589             | 3              |
| 2006.....  | 25,288   | 152          | 51        | 24         | 96          | 171         | 458         | 1,173       | 1,857       | 3,329       | 8,211       | 9,764             | 2              |
| 2005.....  | 27,395   | 139          | 46        | 43         | 111         | 193         | 529         | 1,273       | 1,951       | 3,587       | 9,011       | 10,510            | 2              |
| 2004.....  | 26,440   | 156          | 39        | 39         | 116         | 192         | 487         | 1,134       | 1,798       | 3,547       | 8,888       | 10,044            | -              |
| 2003.....  | 28,079   | 174          | 58        | 51         | 112         | 220         | 550         | 1,246       | 1,729       | 3,793       | 9,440       | 10,705            | 1              |
| 2002.....  | 28,629   | 157          | 60        | 36         | 93          | 188         | 542         | 1,126       | 1,718       | 3,818       | 9,814       | 11,075            | 2              |
| 2001.....  | 27,241   | 161          | 55        | 43         | 100         | 185         | 554         | 1,090       | 1,578       | 3,724       | 9,274       | 10,473            | 4              |
| 2000.....  | 27,994   | 158          | 50        | 43         | 96          | 199         | 616         | 1,041       | 1,636       | 3,907       | 9,555       | 10,691            | 2              |
| 1999.....  | 27,116   | 165          | 57        | 48         | 88          | 192         | 583         | 1,044       | 1,425       | 3,819       | 9,256       | 10,438            | 1              |

Worktable Orig290F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2007

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data - mortality"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, sex, and year | All ages | Under 1 year | 1-4 years | 5-14 years | 15-24 years | 25-34 years | 35-44 years | 45-54 years | 55-64 years | 65-74 years | 75-84 years | 85 years and over | Age not stated |
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|
| <b>Pneumonia (J12-J18)</b>   |          |              |           |            |             |             |             |             |             |             |             |                   |                |
| <b>All origins, female</b>   |          |              |           |            |             |             |             |             |             |             |             |                   |                |
| 2007.....  | 28,422   | 83           | 48        | 33         | 63          | 136         | 334         | 775         | 1,254       | 2,484       | 7,405       | 15,807            | -              |
| 2006.....  | 30,189   | 93           | 55        | 19         | 75          | 158         | 373         | 808         | 1,254       | 2,651       | 8,221       | 16,481            | 1              |
| 2005.....  | 33,794   | 107          | 45        | 43         | 49          | 150         | 386         | 865         | 1,405       | 2,899       | 9,070       | 18,775            | -              |
| 2004.....  | 32,124   | 99           | 62        | 30         | 62          | 107         | 388         | 738         | 1,301       | 2,736       | 8,887       | 17,714            | -              |
| 2003.....  | 35,292   | 117          | 46        | 50         | 82          | 140         | 418         | 833         | 1,316       | 2,855       | 9,545       | 19,889            | 1              |
| 2002.....  | 36,325   | 99           | 45        | 43         | 67          | 153         | 421         | 775         | 1,239       | 2,973       | 9,993       | 20,516            | 1              |
| 2001.....  | 34,536   | 131          | 51        | 37         | 74          | 144         | 423         | 696         | 1,105       | 2,905       | 9,347       | 19,622            | 1              |
| 2000.....  | 35,554   | 122          | 43        | 33         | 80          | 152         | 430         | 685         | 1,150       | 3,083       | 9,774       | 20,001            | 1              |
| 1999.....  | 34,949   | 142          | 61        | 34         | 80          | 138         | 464         | 627         | 1,129       | 2,878       | 9,485       | 19,910            | 1              |
| <b>Hispanic, both sexes</b>  |          |              |           |            |             |             |             |             |             |             |             |                   |                |
| 2007.....  | 2,703    | 42           | 20        | 11         | 13          | 37          | 84          | 127         | 223         | 391         | 805         | 949               | 1              |
| 2006.....  | 2,927    | 55           | 20        | 7          | 23          | 47          | 77          | 162         | 246         | 422         | 874         | 994               | -              |
| 2005.....  | 3,030    | 58           | 26        | 6          | 11          | 38          | 93          | 167         | 245         | 451         | 882         | 1,053             | -              |
| 2004.....  | 2,886    | 47           | 22        | 11         | 31          | 48          | 82          | 150         | 214         | 418         | 855         | 1,008             | -              |
| 2003.....  | 2,873    | 56           | 23        | 13         | 32          | 52          | 71          | 149         | 218         | 425         | 848         | 986               | -              |
| 2002.....  | 2,805    | 46           | 17        | 10         | 19          | 42          | 76          | 123         | 207         | 397         | 852         | 1,016             | -              |
| 2001.....  | 2,709    | 57           | 29        | 9          | 17          | 23          | 72          | 120         | 168         | 401         | 756         | 1,056             | 1              |
| 2000.....  | 2,578    | 58           | 16        | 18         | 20          | 44          | 80          | 118         | 189         | 401         | 680         | 954               | -              |
| 1999.....  | 2,201    | 60           | 14        | 10         | 23          | 24          | 72          | 102         | 150         | 320         | 560         | 866               | -              |



Worktable Orig290F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2007

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data - mortality"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, sex, and year | All ages | Under 1 year | 1-4 years | 5-14 years | 15-24 years | 25-34 years | 35-44 years | 45-54 years | 55-64 years | 65-74 years | 75-84 years | 85 years and over | Age not stated |
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|
| <b>Pneumonia (J12-J18)</b>   |          |              |           |            |             |             |             |             |             |             |             |                   |                |
| <b>Hispanic, male</b>  |          |              |           |            |             |             |             |             |             |             |             |                   |                |
| 2007.....  | 1,343    | 24           | 10        | 6          | 6           | 22          | 59          | 76          | 141         | 215         | 419         | 364               | 1              |
| 2006.....  | 1,419    | 32           | 8         | 4          | 12          | 31          | 50          | 100         | 152         | 225         | 416         | 389               | -              |
| 2005.....  | 1,480    | 32           | 13        | 5          | 8           | 25          | 59          | 106         | 146         | 248         | 446         | 392               | -              |
| 2004.....  | 1,392    | 34           | 9         | 8          | 23          | 31          | 48          | 100         | 122         | 218         | 423         | 376               | -              |
| 2003.....  | 1,389    | 33           | 14        | 9          | 19          | 34          | 39          | 100         | 113         | 232         | 425         | 371               | -              |
| 2002.....  | 1,388    | 31           | 11        | 4          | 11          | 25          | 51          | 85          | 130         | 228         | 421         | 391               | -              |
| 2001.....  | 1,302    | 31           | 14        | 5          | 14          | 14          | 48          | 84          | 99          | 204         | 386         | 402               | 1              |
| 2000.....  | 1,282    | 30           | 4         | 9          | 9           | 26          | 55          | 81          | 117         | 216         | 362         | 373               | -              |
| 1999.....  | 1,071    | 40           | 7         | 6          | 11          | 15          | 52          | 69          | 76          | 180         | 282         | 333               | -              |
| <b>Hispanic, female</b>  |          |              |           |            |             |             |             |             |             |             |             |                   |                |
| 2007.....  | 1,360    | 18           | 10        | 5          | 7           | 15          | 25          | 51          | 82          | 176         | 386         | 585               | -              |
| 2006.....  | 1,508    | 23           | 12        | 3          | 11          | 16          | 27          | 62          | 94          | 197         | 458         | 605               | -              |
| 2005.....  | 1,550    | 26           | 13        | 1          | 3           | 13          | 34          | 61          | 99          | 203         | 436         | 661               | -              |
| 2004.....  | 1,494    | 13           | 13        | 3          | 8           | 17          | 34          | 50          | 92          | 200         | 432         | 632               | -              |
| 2003.....  | 1,484    | 23           | 9         | 4          | 13          | 18          | 32          | 49          | 105         | 193         | 423         | 615               | -              |
| 2002.....  | 1,417    | 15           | 6         | 6          | 8           | 17          | 25          | 38          | 77          | 169         | 431         | 625               | -              |
| 2001.....  | 1,407    | 26           | 15        | 4          | 3           | 9           | 24          | 36          | 69          | 197         | 370         | 654               | -              |
| 2000.....  | 1,296    | 28           | 12        | 9          | 11          | 18          | 25          | 37          | 72          | 185         | 318         | 581               | -              |
| 1999.....  | 1,130    | 20           | 7         | 4          | 12          | 9           | 20          | 33          | 74          | 140         | 278         | 533               | -              |

Worktable Orig290F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2007

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data - mortality"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, sex, and year | All ages | Under 1 year | 1-4 years | 5-14 years | 15-24 years | 25-34 years | 35-44 years | 45-54 years | 55-64 years | 65-74 years | 75-84 years | 85 years and over | Age not stated |
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|
| <b>Pneumonia (J12-J18)</b>   |          |              |           |            |             |             |             |             |             |             |             |                   |                |
| <b>Non-Hispanic 1/, both sexes</b>   |          |              |           |            |             |             |             |             |             |             |             |                   |                |
| 2007.....  | 49,518   | 167          | 69        | 57         | 140         | 283         | 684         | 1,752       | 2,881       | 5,108       | 13,958      | 24,417            | 2              |
| 2006.....  | 52,441   | 187          | 85        | 36         | 148         | 281         | 749         | 1,810       | 2,862       | 5,536       | 15,528      | 25,218            | 1              |
| 2005.....  | 58,052   | 186          | 65        | 79         | 148         | 304         | 819         | 1,963       | 3,104       | 6,018       | 17,161      | 28,204            | 1              |
| 2004.....  | 55,510   | 208          | 79        | 58         | 145         | 251         | 785         | 1,712       | 2,862       | 5,835       | 16,877      | 26,698            | -              |
| 2003.....  | 60,328   | 233          | 81        | 87         | 162         | 308         | 896         | 1,916       | 2,805       | 6,193       | 18,101      | 29,544            | 2              |
| 2002.....  | 61,953   | 208          | 87        | 68         | 140         | 297         | 882         | 1,767       | 2,743       | 6,370       | 18,886      | 30,502            | 3              |
| 2001.....  | 58,859   | 233          | 76        | 71         | 157         | 302         | 901         | 1,655       | 2,495       | 6,189       | 17,812      | 28,966            | 2              |
| 2000.....  | 60,724   | 221          | 75        | 58         | 155         | 305         | 954         | 1,593       | 2,583       | 6,555       | 18,570      | 29,654            | 1              |
| 1999.....  | 59,606   | 246          | 101       | 72         | 144         | 306         | 965         | 1,553       | 2,380       | 6,345       | 18,114      | 29,379            | 1              |
| <b>Non-Hispanic 1/, male</b>   |          |              |           |            |             |             |             |             |             |             |             |                   |                |
| 2007.....  | 22,494   | 102          | 32        | 29         | 84          | 163         | 376         | 1,029       | 1,713       | 2,804       | 6,944       | 9,216             | 2              |
| 2006.....  | 23,812   | 119          | 42        | 20         | 84          | 140         | 403         | 1,066       | 1,705       | 3,089       | 7,779       | 9,365             | -              |
| 2005.....  | 25,851   | 105          | 33        | 38         | 102         | 167         | 468         | 1,162       | 1,798       | 3,326       | 8,543       | 10,108            | 1              |
| 2004.....  | 24,949   | 122          | 30        | 31         | 92          | 161         | 434         | 1,025       | 1,658       | 3,304       | 8,445       | 9,647             | -              |
| 2003.....  | 26,598   | 139          | 44        | 42         | 93          | 186         | 510         | 1,134       | 1,602       | 3,540       | 8,997       | 10,310            | 1              |
| 2002.....  | 27,140   | 125          | 49        | 32         | 81          | 161         | 488         | 1,032       | 1,583       | 3,569       | 9,358       | 10,660            | 2              |
| 2001.....  | 25,832   | 129          | 41        | 38         | 86          | 169         | 502         | 999         | 1,466       | 3,492       | 8,863       | 10,046            | 1              |
| 2000.....  | 26,576   | 127          | 44        | 34         | 86          | 171         | 553         | 948         | 1,507       | 3,668       | 9,149       | 10,288            | 1              |
| 1999.....  | 25,909   | 125          | 49        | 42         | 77          | 177         | 524         | 961         | 1,334       | 3,621       | 8,938       | 10,061            | -              |

Worktable Orig290F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2007

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data - mortality"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, sex, and year | All ages | Under 1 year | 1-4 years | 5-14 years | 15-24 years | 25-34 years | 35-44 years | 45-54 years | 55-64 years | 65-74 years | 75-84 years | 85 years and over | Age not stated |
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|
| <b>Pneumonia (J12-J18)</b>   |          |              |           |            |             |             |             |             |             |             |             |                   |                |
| <b>Non-Hispanic 1/, female</b>   |          |              |           |            |             |             |             |             |             |             |             |                   |                |
| 2007.....  | 27,024   | 65           | 37        | 28         | 56          | 120         | 308         | 723         | 1,168       | 2,304       | 7,014       | 15,201            | -              |
| 2006.....  | 28,629   | 68           | 43        | 16         | 64          | 141         | 346         | 744         | 1,157       | 2,447       | 7,749       | 15,853            | 1              |
| 2005.....  | 32,201   | 81           | 32        | 41         | 46          | 137         | 351         | 801         | 1,306       | 2,692       | 8,618       | 18,096            | -              |
| 2004.....  | 30,561   | 86           | 49        | 27         | 53          | 90          | 351         | 687         | 1,204       | 2,531       | 8,432       | 17,051            | -              |
| 2003.....  | 33,730   | 94           | 37        | 45         | 69          | 122         | 386         | 782         | 1,203       | 2,653       | 9,104       | 19,234            | 1              |
| 2002.....  | 34,813   | 83           | 38        | 36         | 59          | 136         | 394         | 735         | 1,160       | 2,801       | 9,528       | 19,842            | 1              |
| 2001.....  | 33,027   | 104          | 35        | 33         | 71          | 133         | 399         | 656         | 1,029       | 2,697       | 8,949       | 18,920            | 1              |
| 2000.....  | 34,148   | 94           | 31        | 24         | 69          | 134         | 401         | 645         | 1,076       | 2,887       | 9,421       | 19,366            | -              |
| 1999.....  | 33,697   | 121          | 52        | 30         | 67          | 129         | 441         | 592         | 1,046       | 2,724       | 9,176       | 19,318            | 1              |
| <b>Non-Hispanic white, both sexes</b>  |          |              |           |            |             |             |             |             |             |             |             |                   |                |
| 2007 2/.....   | 42,877   | 84           | 40        | 35         | 106         | 183         | 486         | 1,257       | 2,224       | 4,129       | 12,201      | 22,130            | 2              |
| 2006 2/.....   | 45,670   | 94           | 51        | 26         | 106         | 187         | 541         | 1,307       | 2,275       | 4,555       | 13,648      | 22,879            | 1              |
| 2005 2/.....   | 50,777   | 88           | 36        | 57         | 113         | 216         | 580         | 1,419       | 2,400       | 4,898       | 15,188      | 25,781            | 1              |
| 2004 2/.....   | 48,452   | 106          | 43        | 35         | 103         | 180         | 538         | 1,225       | 2,245       | 4,806       | 14,875      | 24,296            | -              |
| 2003 2/.....   | 53,039   | 130          | 51        | 64         | 121         | 198         | 620         | 1,377       | 2,141       | 5,095       | 16,119      | 27,122            | 1              |
| 2002.....  | 54,756   | 111          | 44        | 49         | 98          | 204         | 610         | 1,314       | 2,127       | 5,374       | 16,833      | 27,989            | 3              |
| 2001.....  | 51,736   | 110          | 46        | 51         | 104         | 200         | 602         | 1,179       | 1,946       | 5,196       | 15,790      | 26,511            | 1              |
| 2000.....  | 53,522   | 109          | 43        | 43         | 105         | 206         | 662         | 1,127       | 1,976       | 5,370       | 16,610      | 27,270            | 1              |
| 1999.....  | 52,758   | 118          | 53        | 52         | 87          | 191         | 629         | 1,089       | 1,834       | 5,342       | 16,368      | 26,994            | 1              |

Worktable Orig290F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2007

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data - mortality"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, sex, and year | All ages | Under 1 year | 1-4 years | 5-14 years | 15-24 years | 25-34 years | 35-44 years | 45-54 years | 55-64 years | 65-74 years | 75-84 years | 85 years and over | Age not stated |
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|
| <b>Pneumonia (J12-J18)</b>   |          |              |           |            |             |             |             |             |             |             |             |                   |                |
| <b>Non-Hispanic white, male</b>  |          |              |           |            |             |             |             |             |             |             |             |                   |                |
| 2007 2/.....   | 19,210   | 55           | 15        | 15         | 67          | 105         | 261         | 719         | 1,325       | 2,243       | 6,064       | 8,339             | 2              |
| 2006 2/.....   | 20,551   | 63           | 26        | 18         | 61          | 95          | 294         | 761         | 1,355       | 2,537       | 6,869       | 8,472             | -              |
| 2005 2/.....   | 22,318   | 56           | 16        | 24         | 78          | 115         | 326         | 832         | 1,368       | 2,697       | 7,586       | 9,219             | 1              |
| 2004 2/.....   | 21,528   | 63           | 18        | 17         | 72          | 114         | 294         | 735         | 1,305       | 2,698       | 7,437       | 8,775             | -              |
| 2003 2/.....   | 22,942   | 80           | 29        | 30         | 69          | 124         | 352         | 817         | 1,186       | 2,885       | 7,966       | 9,404             | -              |
| 2002.....  | 23,676   | 72           | 23        | 20         | 60          | 110         | 337         | 757         | 1,212       | 3,023       | 8,326       | 9,734             | 2              |
| 2001.....  | 22,308   | 65           | 26        | 26         | 61          | 109         | 331         | 699         | 1,126       | 2,913       | 7,812       | 9,139             | 1              |
| 2000.....  | 23,014   | 63           | 21        | 26         | 64          | 109         | 385         | 649         | 1,137       | 2,987       | 8,165       | 9,407             | 1              |
| 1999.....  | 22,550   | 63           | 19        | 31         | 49          | 114         | 330         | 659         | 1,017       | 3,028       | 8,063       | 9,177             | -              |
| <b>Non-Hispanic white, female</b>  |          |              |           |            |             |             |             |             |             |             |             |                   |                |
| 2007 2/.....   | 23,667   | 29           | 25        | 20         | 39          | 78          | 225         | 538         | 899         | 1,886       | 6,137       | 13,791            | -              |
| 2006 2/.....   | 25,119   | 31           | 25        | 8          | 45          | 92          | 247         | 546         | 920         | 2,018       | 6,779       | 14,407            | 1              |
| 2005 2/.....   | 28,459   | 32           | 20        | 33         | 35          | 101         | 254         | 587         | 1,032       | 2,201       | 7,602       | 16,562            | -              |
| 2004 2/.....   | 26,924   | 43           | 25        | 18         | 31          | 66          | 244         | 490         | 940         | 2,108       | 7,438       | 15,521            | -              |
| 2003 2/.....   | 30,097   | 50           | 22        | 34         | 52          | 74          | 268         | 560         | 955         | 2,210       | 8,153       | 17,718            | 1              |
| 2002.....  | 31,080   | 39           | 21        | 29         | 38          | 94          | 273         | 557         | 915         | 2,351       | 8,507       | 18,255            | 1              |
| 2001.....  | 29,428   | 45           | 20        | 25         | 43          | 91          | 271         | 480         | 820         | 2,283       | 7,978       | 17,372            | -              |
| 2000.....  | 30,508   | 46           | 22        | 17         | 41          | 97          | 277         | 478         | 839         | 2,383       | 8,445       | 17,863            | -              |
| 1999.....  | 30,208   | 55           | 34        | 21         | 38          | 77          | 299         | 430         | 817         | 2,314       | 8,305       | 17,817            | 1              |

Worktable Orig290F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2007

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data - mortality"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, sex, and year | All ages | Under 1 year | 1-4 years | 5-14 years | 15-24 years | 25-34 years | 35-44 years | 45-54 years | 55-64 years | 65-74 years | 75-84 years | 85 years and over | Age not stated |
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|
| <b>Pneumonia (J12-J18)</b>   |          |              |           |            |             |             |             |             |             |             |             |                   |                |
| <b>Non-Hispanic black, both sexes</b>  |          |              |           |            |             |             |             |             |             |             |             |                   |                |
| 2007 2/.....   | 5,065    | 70           | 23        | 19         | 23          | 90          | 173         | 432         | 563         | 789         | 1,296       | 1,587             | -              |
| 2006 2/.....   | 5,202    | 82           | 30        | 8          | 38          | 75          | 182         | 447         | 505         | 793         | 1,393       | 1,649             | -              |
| 2005 2/.....   | 5,649    | 90           | 26        | 17         | 30          | 76          | 208         | 487         | 597         | 909         | 1,483       | 1,726             | -              |
| 2004 2/.....   | 5,570    | 89           | 31        | 19         | 39          | 62          | 222         | 440         | 533         | 843         | 1,523       | 1,769             | -              |
| 2003 2/.....   | 5,703    | 84           | 21        | 18         | 35          | 98          | 250         | 475         | 558         | 905         | 1,502       | 1,756             | 1              |
| 2002.....  | 5,773    | 85           | 37        | 16         | 36          | 80          | 250         | 399         | 550         | 831         | 1,580       | 1,909             | -              |
| 2001.....  | 5,666    | 103          | 24        | 15         | 44          | 85          | 273         | 430         | 468         | 794         | 1,567       | 1,863             | -              |
| 2000.....  | 5,839    | 99           | 28        | 10         | 43          | 91          | 251         | 416         | 525         | 968         | 1,537       | 1,871             | -              |
| 1999.....  | 5,729    | 110          | 39        | 15         | 48          | 106         | 300         | 422         | 481         | 868         | 1,395       | 1,945             | -              |
| <b>Non-Hispanic black, male</b>  |          |              |           |            |             |             |             |             |             |             |             |                   |                |
| 2007 2/.....   | 2,451    | 39           | 11        | 12         | 12          | 51          | 99          | 267         | 326         | 450         | 633         | 551               | -              |
| 2006 2/.....   | 2,428    | 51           | 13        | 2          | 21          | 36          | 95          | 269         | 303         | 433         | 649         | 556               | -              |
| 2005 2/.....   | 2,666    | 45           | 15        | 10         | 22          | 44          | 124         | 294         | 367         | 508         | 680         | 557               | -              |
| 2004 2/.....   | 2,704    | 51           | 10        | 12         | 19          | 40          | 126         | 264         | 310         | 510         | 765         | 597               | -              |
| 2003 2/.....   | 2,825    | 49           | 10        | 11         | 21          | 57          | 141         | 279         | 351         | 543         | 762         | 600               | 1              |
| 2002.....  | 2,719    | 46           | 20        | 10         | 18          | 43          | 136         | 239         | 335         | 451         | 787         | 634               | -              |
| 2001.....  | 2,759    | 52           | 13        | 9          | 22          | 50          | 155         | 270         | 290         | 470         | 808         | 620               | -              |
| 2000.....  | 2,845    | 55           | 20        | 6          | 20          | 57          | 148         | 266         | 319         | 557         | 758         | 639               | -              |
| 1999.....  | 2,762    | 55           | 24        | 8          | 23          | 58          | 171         | 275         | 281         | 512         | 682         | 673               | -              |

Worktable Orig290F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2007

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data - mortality"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, sex, and year | All ages | Under 1 year | 1-4 years | 5-14 years | 15-24 years | 25-34 years | 35-44 years | 45-54 years | 55-64 years | 65-74 years | 75-84 years | 85 years and over | Age not stated |
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|
| <b>Pneumonia (J12-J18)</b>   |          |              |           |            |             |             |             |             |             |             |             |                   |                |
| <b>Non-Hispanic black, female</b>  |          |              |           |            |             |             |             |             |             |             |             |                   |                |
| 2007 2/.....   | 2,614    | 31           | 12        | 7          | 11          | 39          | 74          | 165         | 237         | 339         | 663         | 1,036             | -              |
| 2006 2/.....   | 2,774    | 31           | 17        | 6          | 17          | 39          | 87          | 178         | 202         | 360         | 744         | 1,093             | -              |
| 2005 2/.....   | 2,983    | 45           | 11        | 7          | 8           | 32          | 84          | 193         | 230         | 401         | 803         | 1,169             | -              |
| 2004 2/.....   | 2,866    | 38           | 21        | 7          | 20          | 22          | 96          | 176         | 223         | 333         | 758         | 1,172             | -              |
| 2003 2/.....   | 2,878    | 35           | 11        | 7          | 14          | 41          | 109         | 196         | 207         | 362         | 740         | 1,156             | -              |
| 2002.....  | 3,054    | 39           | 17        | 6          | 18          | 37          | 114         | 160         | 215         | 380         | 793         | 1,275             | -              |
| 2001.....  | 2,907    | 51           | 11        | 6          | 22          | 35          | 118         | 160         | 178         | 324         | 759         | 1,243             | -              |
| 2000.....  | 2,994    | 44           | 8         | 4          | 23          | 34          | 103         | 150         | 206         | 411         | 779         | 1,232             | -              |
| 1999.....  | 2,967    | 55           | 15        | 7          | 25          | 48          | 129         | 147         | 200         | 356         | 713         | 1,272             | -              |
| <b>Origin not stated 3/, both sexes</b>  |          |              |           |            |             |             |             |             |             |             |             |                   |                |
| 2007.....  | 85       | -            | 1         | -          | -           | 2           | 3           | 11          | 11          | 10          | 17          | 30                | -              |
| 2006.....  | 109      | 3            | 1         | -          | -           | 1           | 5           | 9           | 3           | 22          | 30          | 33                | 2              |
| 2005.....  | 107      | 2            | -         | 1          | 1           | 1           | 3           | 8           | 7           | 17          | 38          | 28                | 1              |
| 2004.....  | 168      | -            | -         | -          | 2           | -           | 8           | 10          | 23          | 30          | 43          | 52                | -              |
| 2003.....  | 170      | 2            | -         | 1          | -           | -           | 1           | 14          | 22          | 30          | 36          | 64                | -              |
| 2002.....  | 196      | 2            | 1         | 1          | 1           | 2           | 5           | 11          | 7           | 24          | 69          | 73                | -              |
| 2001.....  | 209      | 2            | 1         | -          | -           | 4           | 4           | 11          | 20          | 39          | 53          | 73                | 2              |
| 2000.....  | 246      | 1            | 2         | -          | 1           | 2           | 12          | 15          | 14          | 34          | 79          | 84                | 2              |
| 1999.....  | 258      | 1            | 3         | -          | 1           | -           | 10          | 16          | 24          | 32          | 67          | 103               | 1              |

Worktable Orig290F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2007

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data - mortality"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, sex, and year | All ages | Under 1 year | 1-4 years | 5-14 years | 15-24 years | 25-34 years | 35-44 years | 45-54 years | 55-64 years | 65-74 years | 75-84 years | 85 years and over | Age not stated |
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|
| <b>Pneumonia (J12-J18)</b>   |          |              |           |            |             |             |             |             |             |             |             |                   |                |
| Origin not stated 3/, male   |          |              |           |            |             |             |             |             |             |             |             |                   |                |
| 2007.....  | 47       | -            | -         | -          | -           | 1           | 2           | 10          | 7           | 6           | 12          | 9                 | -              |
| 2006.....  | 57       | 1            | 1         | -          | -           | -           | 5           | 7           | -           | 15          | 16          | 10                | 2              |
| 2005.....  | 64       | 2            | -         | -          | 1           | 1           | 2           | 5           | 7           | 13          | 22          | 10                | 1              |
| 2004.....  | 99       | -            | -         | -          | 1           | -           | 5           | 9           | 18          | 25          | 20          | 21                | -              |
| 2003.....  | 92       | 2            | -         | -          | -           | -           | 1           | 12          | 14          | 21          | 18          | 24                | -              |
| 2002.....  | 101      | 1            | -         | -          | 1           | 2           | 3           | 9           | 5           | 21          | 35          | 24                | -              |
| 2001.....  | 107      | 1            | -         | -          | -           | 2           | 4           | 7           | 13          | 28          | 25          | 25                | 2              |
| 2000.....  | 136      | 1            | 2         | -          | 1           | 2           | 8           | 12          | 12          | 23          | 44          | 30                | 1              |
| 1999.....  | 136      | -            | 1         | -          | -           | -           | 7           | 14          | 15          | 18          | 36          | 44                | 1              |
| Origin not stated 3/, female   |          |              |           |            |             |             |             |             |             |             |             |                   |                |
| 2007.....  | 38       | -            | 1         | -          | -           | 1           | 1           | 1           | 4           | 4           | 5           | 21                | -              |
| 2006.....  | 52       | 2            | -         | -          | -           | 1           | -           | 2           | 3           | 7           | 14          | 23                | -              |
| 2005.....  | 43       | -            | -         | 1          | -           | -           | 1           | 3           | -           | 4           | 16          | 18                | -              |
| 2004.....  | 69       | -            | -         | -          | 1           | -           | 3           | 1           | 5           | 5           | 23          | 31                | -              |
| 2003.....  | 78       | -            | -         | 1          | -           | -           | -           | 2           | 8           | 9           | 18          | 40                | -              |
| 2002.....  | 95       | 1            | 1         | 1          | -           | -           | 2           | 2           | 2           | 3           | 34          | 49                | -              |
| 2001.....  | 102      | 1            | 1         | -          | -           | 2           | -           | 4           | 7           | 11          | 28          | 48                | -              |
| 2000.....  | 110      | -            | -         | -          | -           | -           | 4           | 3           | 2           | 11          | 35          | 54                | 1              |
| 1999.....  | 122      | 1            | 2         | -          | 1           | -           | 3           | 2           | 9           | 14          | 31          | 59                | -              |

Worktable Orig290F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2007

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data - mortality"]

---

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, sex, and year

|  | All ages | Under 1 year | 1-4 years | 5-14 years | 15-24 years | 25-34 years | 35-44 years | 45-54 years | 55-64 years | 65-74 years | 75-84 years | 85 years and over | Age not stated |
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|

---

Other acute lower respiratory infections (J20-J22,U04)

| All origins, both sexes |     |    |    |   |   |   |    |    |    |    |     |     |   |
|-------------------------|-----|----|----|---|---|---|----|----|----|----|-----|-----|---|
| 2007.....               | 255 | 46 | 17 | 3 | 2 | 5 | 5  | 14 | 19 | 27 | 36  | 81  | - |
| 2006.....               | 297 | 52 | 14 | 3 | 4 | - | 8  | 10 | 13 | 24 | 61  | 108 | - |
| 2005.....               | 404 | 51 | 16 | 4 | 4 | 6 | 15 | 15 | 19 | 26 | 78  | 170 | - |
| 2004.....               | 319 | 60 | 16 | 1 | 4 | 3 | 9  | 10 | 14 | 21 | 54  | 127 | - |
| 2003.....               | 421 | 54 | 28 | 6 | 6 | 2 | 11 | 19 | 21 | 30 | 80  | 164 | - |
| 2002.....               | 386 | 52 | 23 | 8 | 3 | 5 | 8  | 18 | 18 | 33 | 66  | 152 | - |
| 2001.....               | 347 | 50 | 18 | 3 | 1 | 2 | 12 | 14 | 16 | 28 | 58  | 145 | - |
| 2000.....               | 425 | 43 | 11 | 7 | 5 | 8 | 12 | 12 | 10 | 43 | 82  | 192 | - |
| 1999.....               | 540 | 63 | 25 | 5 | 5 | 4 | 11 | 15 | 21 | 35 | 107 | 249 | - |
| All origins, male       |     |    |    |   |   |   |    |    |    |    |     |     |   |
| 2007.....               | 121 | 32 | 8  | 2 | 2 | 3 | 3  | 8  | 12 | 17 | 17  | 17  | - |
| 2006.....               | 119 | 30 | 6  | - | 4 | - | 4  | 7  | 6  | 8  | 23  | 31  | - |
| 2005.....               | 172 | 30 | 10 | 4 | 3 | 2 | 6  | 12 | 5  | 10 | 41  | 49  | - |
| 2004.....               | 137 | 34 | 9  | 1 | 3 | 2 | 6  | 8  | 6  | 12 | 18  | 38  | - |
| 2003.....               | 170 | 35 | 17 | 2 | 2 | 1 | 6  | 8  | 12 | 17 | 35  | 35  | - |
| 2002.....               | 154 | 39 | 9  | 7 | - | 1 | 3  | 10 | 6  | 13 | 27  | 39  | - |
| 2001.....               | 117 | 26 | 8  | 2 | 1 | - | 7  | 7  | 6  | 10 | 20  | 30  | - |
| 2000.....               | 160 | 25 | 4  | 3 | 4 | 6 | 7  | 4  | 3  | 22 | 35  | 47  | - |
| 1999.....               | 196 | 36 | 15 | 2 | 1 | 3 | 5  | 8  | 10 | 17 | 51  | 48  | - |



Worktable Orig290F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2007

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data - mortality"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, sex, and year | All ages | Under 1 year | 1-4 years | 5-14 years | 15-24 years | 25-34 years | 35-44 years | 45-54 years | 55-64 years | 65-74 years | 75-84 years | 85 years and over | Age not stated |
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|

Other acute lower respiratory infections (J20-J22,U04)

All origins, female

|           |     |    |    |   |   |   |   |    |    |    |    |     |   |
|-----------|-----|----|----|---|---|---|---|----|----|----|----|-----|---|
| 2007..... | 134 | 14 | 9  | 1 | - | 2 | 2 | 6  | 7  | 10 | 19 | 64  | - |
| 2006..... | 178 | 22 | 8  | 3 | - | - | 4 | 3  | 7  | 16 | 38 | 77  | - |
| 2005..... | 232 | 21 | 6  | - | 1 | 4 | 9 | 3  | 14 | 16 | 37 | 121 | - |
| 2004..... | 182 | 26 | 7  | - | 1 | 1 | 3 | 2  | 8  | 9  | 36 | 89  | - |
| 2003..... | 251 | 19 | 11 | 4 | 4 | 1 | 5 | 11 | 9  | 13 | 45 | 129 | - |
| 2002..... | 232 | 13 | 14 | 1 | 3 | 4 | 5 | 8  | 12 | 20 | 39 | 113 | - |
| 2001..... | 230 | 24 | 10 | 1 | - | 2 | 5 | 7  | 10 | 18 | 38 | 115 | - |
| 2000..... | 265 | 18 | 7  | 4 | 1 | 2 | 5 | 8  | 7  | 21 | 47 | 145 | - |
| 1999..... | 344 | 27 | 10 | 3 | 4 | 1 | 6 | 7  | 11 | 18 | 56 | 201 | - |

Hispanic, both sexes

|           |    |    |   |   |   |   |   |   |   |   |   |   |   |
|-----------|----|----|---|---|---|---|---|---|---|---|---|---|---|
| 2007..... | 23 | 15 | 4 | - | 1 | - | - | 1 | - | 2 | - | - | - |
| 2006..... | 14 | 7  | 2 | - | 1 | - | - | - | - | 2 | 2 | - | - |
| 2005..... | 19 | 8  | 3 | - | - | 1 | - | - | 2 | 1 | 1 | 3 | - |
| 2004..... | 32 | 15 | 5 | 1 | - | 1 | 1 | - | 2 | 2 | 1 | 4 | - |
| 2003..... | 31 | 17 | 6 | - | - | - | 1 | - | 1 | 1 | 2 | 3 | - |
| 2002..... | 21 | 10 | 2 | 2 | - | 1 | - | - | 2 | - | - | 4 | - |
| 2001..... | 22 | 8  | 1 | - | - | 1 | - | 2 | - | 2 | 4 | 4 | - |
| 2000..... | 24 | 9  | 2 | - | - | 1 | - | 1 | - | 1 | 2 | 8 | - |
| 1999..... | 21 | 10 | 3 | 1 | - | - | - | 1 | - | 1 | - | 5 | - |

Worktable Orig290F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2007

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data - mortality"]

---

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, sex, and year

|  | All ages | Under 1 year | 1-4 years | 5-14 years | 15-24 years | 25-34 years | 35-44 years | 45-54 years | 55-64 years | 65-74 years | 75-84 years | 85 years and over | Age not stated |
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|

---

Other acute lower respiratory infections (J20-J22,U04)

| Hispanic, male   |    |    |   |   |   |   |   |   |   |   |   |   |   |
|------------------|----|----|---|---|---|---|---|---|---|---|---|---|---|
| 2007.....        | 12 | 10 | - | - | 1 | - | - | - | - | 1 | - | - | - |
| 2006.....        | 8  | 6  | - | - | 1 | - | - | - | - | - | 1 | - | - |
| 2005.....        | 7  | 3  | 2 | - | - | - | - | - | - | - | 1 | 1 | - |
| 2004.....        | 15 | 8  | 2 | 1 | - | - | - | - | 2 | - | - | 2 | - |
| 2003.....        | 20 | 12 | 4 | - | - | - | - | - | 1 | - | 1 | 2 | - |
| 2002.....        | 9  | 5  | 1 | 1 | - | - | - | - | 1 | - | - | 1 | - |
| 2001.....        | 9  | 6  | - | - | - | - | - | 1 | - | 1 | 1 | - | - |
| 2000.....        | 15 | 6  | 1 | - | - | 1 | - | 1 | - | 1 | 2 | 3 | - |
| 1999.....        | 10 | 5  | 2 | 1 | - | - | - | - | - | 1 | - | 1 | - |
|                  |    |    |   |   |   |   |   |   |   |   |   |   |   |
| Hispanic, female |    |    |   |   |   |   |   |   |   |   |   |   |   |
| 2007.....        | 11 | 5  | 4 | - | - | - | - | 1 | - | 1 | - | - | - |
| 2006.....        | 6  | 1  | 2 | - | - | - | - | - | - | 2 | 1 | - | - |
| 2005.....        | 12 | 5  | 1 | - | - | 1 | - | - | 2 | 1 | - | 2 | - |
| 2004.....        | 17 | 7  | 3 | - | - | 1 | 1 | - | - | 2 | 1 | 2 | - |
| 2003.....        | 11 | 5  | 2 | - | - | - | 1 | - | - | 1 | 1 | 1 | - |
| 2002.....        | 12 | 5  | 1 | 1 | - | 1 | - | - | 1 | - | - | 3 | - |
| 2001.....        | 13 | 2  | 1 | - | - | 1 | - | 1 | - | 1 | 3 | 4 | - |
| 2000.....        | 9  | 3  | 1 | - | - | - | - | - | - | - | - | 5 | - |
| 1999.....        | 11 | 5  | 1 | - | - | - | - | 1 | - | - | - | 4 | - |

Worktable Orig290F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2007

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data - mortality"]

---

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, sex, and year

|  | All ages | Under 1 year | 1-4 years | 5-14 years | 15-24 years | 25-34 years | 35-44 years | 45-54 years | 55-64 years | 65-74 years | 75-84 years | 85 years and over | Age not stated |
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|

---

Other acute lower respiratory infections (J20-J22,U04)

| Non-Hispanic 1/, both sexes |     |    |    |   |   |   |    |    |    |    |     |     |   |
|-----------------------------|-----|----|----|---|---|---|----|----|----|----|-----|-----|---|
| 2007.....                   | 232 | 31 | 13 | 3 | 1 | 5 | 5  | 13 | 19 | 25 | 36  | 81  | - |
| 2006.....                   | 282 | 45 | 12 | 3 | 3 | - | 8  | 10 | 13 | 21 | 59  | 108 | - |
| 2005.....                   | 385 | 43 | 13 | 4 | 4 | 5 | 15 | 15 | 17 | 25 | 77  | 167 | - |
| 2004.....                   | 286 | 45 | 11 | - | 4 | 2 | 8  | 9  | 12 | 19 | 53  | 123 | - |
| 2003.....                   | 388 | 37 | 22 | 6 | 6 | 2 | 10 | 19 | 19 | 29 | 77  | 161 | - |
| 2002.....                   | 365 | 42 | 21 | 6 | 3 | 4 | 8  | 18 | 16 | 33 | 66  | 148 | - |
| 2001.....                   | 325 | 42 | 17 | 3 | 1 | 1 | 12 | 12 | 16 | 26 | 54  | 141 | - |
| 2000.....                   | 398 | 33 | 9  | 7 | 5 | 7 | 12 | 11 | 10 | 42 | 79  | 183 | - |
| 1999.....                   | 518 | 53 | 22 | 4 | 5 | 4 | 10 | 14 | 21 | 34 | 107 | 244 | - |
| Non-Hispanic 1/, male       |     |    |    |   |   |   |    |    |    |    |     |     |   |
| 2007.....                   | 109 | 22 | 8  | 2 | 1 | 3 | 3  | 8  | 12 | 16 | 17  | 17  | - |
| 2006.....                   | 111 | 24 | 6  | - | 3 | - | 4  | 7  | 6  | 8  | 22  | 31  | - |
| 2005.....                   | 165 | 27 | 8  | 4 | 3 | 2 | 6  | 12 | 5  | 10 | 40  | 48  | - |
| 2004.....                   | 121 | 26 | 7  | - | 3 | 2 | 6  | 7  | 4  | 12 | 18  | 36  | - |
| 2003.....                   | 148 | 23 | 13 | 2 | 2 | 1 | 6  | 8  | 10 | 17 | 33  | 33  | - |
| 2002.....                   | 145 | 34 | 8  | 6 | - | 1 | 3  | 10 | 5  | 13 | 27  | 38  | - |
| 2001.....                   | 108 | 20 | 8  | 2 | 1 | - | 7  | 6  | 6  | 9  | 19  | 30  | - |
| 2000.....                   | 144 | 19 | 3  | 3 | 4 | 5 | 7  | 3  | 3  | 21 | 32  | 44  | - |
| 1999.....                   | 185 | 31 | 13 | 1 | 1 | 3 | 4  | 8  | 10 | 16 | 51  | 47  | - |

Worktable Orig290F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2007

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data - mortality"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, sex, and year | All ages | Under 1 year | 1-4 years | 5-14 years | 15-24 years | 25-34 years | 35-44 years | 45-54 years | 55-64 years | 65-74 years | 75-84 years | 85 years and over | Age not stated |
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|

Other acute lower respiratory infections (J20-J22,U04)

| Non-Hispanic 1/, female        |     |    |    |   |   |   |    |    |    |    |    |     |   |
|--------------------------------|-----|----|----|---|---|---|----|----|----|----|----|-----|---|
| 2007.....                      | 123 | 9  | 5  | 1 | - | 2 | 2  | 5  | 7  | 9  | 19 | 64  | - |
| 2006.....                      | 171 | 21 | 6  | 3 | - | - | 4  | 3  | 7  | 13 | 37 | 77  | - |
| 2005.....                      | 220 | 16 | 5  | - | 1 | 3 | 9  | 3  | 12 | 15 | 37 | 119 | - |
| 2004.....                      | 165 | 19 | 4  | - | 1 | - | 2  | 2  | 8  | 7  | 35 | 87  | - |
| 2003.....                      | 240 | 14 | 9  | 4 | 4 | 1 | 4  | 11 | 9  | 12 | 44 | 128 | - |
| 2002.....                      | 220 | 8  | 13 | - | 3 | 3 | 5  | 8  | 11 | 20 | 39 | 110 | - |
| 2001.....                      | 217 | 22 | 9  | 1 | - | 1 | 5  | 6  | 10 | 17 | 35 | 111 | - |
| 2000.....                      | 254 | 14 | 6  | 4 | 1 | 2 | 5  | 8  | 7  | 21 | 47 | 139 | - |
| 1999.....                      | 333 | 22 | 9  | 3 | 4 | 1 | 6  | 6  | 11 | 18 | 56 | 197 | - |
| Non-Hispanic white, both sexes |     |    |    |   |   |   |    |    |    |    |    |     |   |
| 2007 2/.....                   | 195 | 14 | 6  | 3 | 1 | 5 | 4  | 11 | 17 | 24 | 35 | 75  | - |
| 2006 2/.....                   | 236 | 28 | 6  | 2 | 2 | - | 6  | 6  | 8  | 19 | 55 | 104 | - |
| 2005 2/.....                   | 334 | 23 | 11 | 3 | 4 | 4 | 12 | 11 | 16 | 21 | 71 | 158 | - |
| 2004 2/.....                   | 246 | 28 | 4  | - | 3 | 2 | 8  | 7  | 11 | 17 | 48 | 118 | - |
| 2003 2/.....                   | 342 | 25 | 11 | 5 | 3 | 1 | 10 | 17 | 16 | 25 | 73 | 156 | - |
| 2002.....                      | 314 | 25 | 18 | 6 | 2 | 3 | 7  | 14 | 12 | 28 | 59 | 140 | - |
| 2001.....                      | 278 | 24 | 12 | 3 | 1 | - | 12 | 8  | 14 | 20 | 50 | 134 | - |
| 2000.....                      | 345 | 15 | 6  | 3 | 5 | 4 | 8  | 8  | 10 | 40 | 74 | 172 | - |
| 1999.....                      | 440 | 26 | 12 | 3 | 4 | 3 | 8  | 10 | 17 | 26 | 99 | 232 | - |

Worktable Orig290F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2007

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data - mortality"]

---

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, sex, and year

|  | All ages | Under 1 year | 1-4 years | 5-14 years | 15-24 years | 25-34 years | 35-44 years | 45-54 years | 55-64 years | 65-74 years | 75-84 years | 85 years and over | Age not stated |
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|

---

Other acute lower respiratory infections (J20-J22,U04)

| Non-Hispanic white, male   |     |    |    |   |   |   |   |   |    |    |    |     |   |
|----------------------------|-----|----|----|---|---|---|---|---|----|----|----|-----|---|
| 2007 2/.....               | 90  | 13 | 4  | 2 | 1 | 3 | 3 | 7 | 10 | 15 | 16 | 16  | - |
| 2006 2/.....               | 85  | 15 | 3  | - | 2 | - | 3 | 4 | 3  | 7  | 19 | 29  | - |
| 2005 2/.....               | 141 | 16 | 7  | 3 | 3 | 2 | 4 | 8 | 5  | 8  | 39 | 46  | - |
| 2004 2/.....               | 99  | 16 | 2  | - | 2 | 2 | 6 | 5 | 4  | 11 | 17 | 34  | - |
| 2003 2/.....               | 125 | 15 | 6  | 2 | - | 1 | 6 | 8 | 8  | 15 | 31 | 33  | - |
| 2002.....                  | 122 | 22 | 6  | 6 | - | - | 3 | 9 | 3  | 12 | 25 | 36  | - |
| 2001.....                  | 86  | 11 | 5  | 2 | 1 | - | 7 | 3 | 5  | 7  | 17 | 28  | - |
| 2000.....                  | 118 | 6  | 3  | 2 | 4 | 3 | 6 | 3 | 3  | 19 | 30 | 39  | - |
| 1999.....                  | 145 | 14 | 6  | 1 | 1 | 2 | 3 | 8 | 9  | 11 | 48 | 42  | - |
| Non-Hispanic white, female |     |    |    |   |   |   |   |   |    |    |    |     |   |
| 2007 2/.....               | 105 | 1  | 2  | 1 | - | 2 | 1 | 4 | 7  | 9  | 19 | 59  | - |
| 2006 2/.....               | 151 | 13 | 3  | 2 | - | - | 3 | 2 | 5  | 12 | 36 | 75  | - |
| 2005 2/.....               | 193 | 7  | 4  | - | 1 | 2 | 8 | 3 | 11 | 13 | 32 | 112 | - |
| 2004 2/.....               | 147 | 12 | 2  | - | 1 | - | 2 | 2 | 7  | 6  | 31 | 84  | - |
| 2003 2/.....               | 217 | 10 | 5  | 3 | 3 | - | 4 | 9 | 8  | 10 | 42 | 123 | - |
| 2002.....                  | 192 | 3  | 12 | - | 2 | 3 | 4 | 5 | 9  | 16 | 34 | 104 | - |
| 2001.....                  | 192 | 13 | 7  | 1 | - | - | 5 | 5 | 9  | 13 | 33 | 106 | - |
| 2000.....                  | 227 | 9  | 3  | 1 | 1 | 1 | 2 | 5 | 7  | 21 | 44 | 133 | - |
| 1999.....                  | 295 | 12 | 6  | 2 | 3 | 1 | 5 | 2 | 8  | 15 | 51 | 190 | - |

Worktable Orig290F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2007

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data - mortality"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, sex, and year | All ages | Under 1 year | 1-4 years | 5-14 years | 15-24 years | 25-34 years | 35-44 years | 45-54 years | 55-64 years | 65-74 years | 75-84 years | 85 years and over | Age not stated |
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|

Other acute lower respiratory infections (J20-J22,U04)

| Non-Hispanic black, both sexes |    |    |   |   |   |   |   |   |   |   |   |    |   |
|--------------------------------|----|----|---|---|---|---|---|---|---|---|---|----|---|
| 2007 2/.....                   | 32 | 15 | 5 | - | - | - | 1 | 2 | 2 | 1 | 1 | 5  | - |
| 2006 2/.....                   | 37 | 14 | 5 | 1 | 1 | - | 2 | 3 | 5 | 2 | 2 | 2  | - |
| 2005 2/.....                   | 40 | 18 | 1 | 1 | - | 1 | 3 | 2 | 1 | 3 | 4 | 6  | - |
| 2004 2/.....                   | 31 | 13 | 6 | - | 1 | - | - | 1 | - | 2 | 5 | 3  | - |
| 2003 2/.....                   | 40 | 12 | 7 | 1 | 3 | 1 | - | 2 | 2 | 4 | 3 | 5  | - |
| 2002.....                      | 44 | 15 | 2 | - | 1 | 1 | 1 | 4 | 3 | 5 | 7 | 5  | - |
| 2001.....                      | 33 | 14 | 2 | - | - | 1 | - | 4 | 1 | 4 | - | 7  | - |
| 2000.....                      | 46 | 14 | 3 | 3 | - | 2 | 4 | 3 | - | 2 | 5 | 10 | - |
| 1999.....                      | 64 | 24 | 6 | - | 1 | 1 | 2 | 4 | 2 | 8 | 6 | 10 | - |
| Non-Hispanic black, male       |    |    |   |   |   |   |   |   |   |   |   |    |   |
| 2007 2/.....                   | 16 | 7  | 3 | - | - | - | - | 1 | 2 | 1 | 1 | 1  | - |
| 2006 2/.....                   | 22 | 7  | 3 | - | 1 | - | 1 | 2 | 3 | 1 | 2 | 2  | - |
| 2005 2/.....                   | 17 | 9  | - | 1 | - | - | 2 | 2 | - | 1 | - | 2  | - |
| 2004 2/.....                   | 15 | 6  | 4 | - | 1 | - | - | 1 | - | 1 | 1 | 1  | - |
| 2003 2/.....                   | 21 | 8  | 6 | - | 2 | - | - | - | 1 | 2 | 2 | -  | - |
| 2002.....                      | 22 | 12 | 1 | - | - | 1 | - | 1 | 2 | 1 | 2 | 2  | - |
| 2001.....                      | 15 | 8  | 1 | - | - | - | - | 3 | - | 1 | - | 2  | - |
| 2000.....                      | 22 | 10 | - | 1 | - | 2 | 1 | - | - | 2 | 2 | 4  | - |
| 1999.....                      | 30 | 15 | 3 | - | - | 1 | 1 | - | 1 | 5 | 1 | 3  | - |

Worktable Orig290F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2007

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data - mortality"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, sex, and year | All ages | Under 1 year | 1-4 years | 5-14 years | 15-24 years | 25-34 years | 35-44 years | 45-54 years | 55-64 years | 65-74 years | 75-84 years | 85 years and over | Age not stated |
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|

Other acute lower respiratory infections (J20-J22,U04)

| Non-Hispanic black, female       |    |   |   |   |   |   |   |   |   |   |   |   |   |
|----------------------------------|----|---|---|---|---|---|---|---|---|---|---|---|---|
| 2007 2/.....                     | 16 | 8 | 2 | - | - | - | 1 | 1 | - | - | - | 4 | - |
| 2006 2/.....                     | 15 | 7 | 2 | 1 | - | - | 1 | 1 | 2 | 1 | - | - | - |
| 2005 2/.....                     | 23 | 9 | 1 | - | - | 1 | 1 | - | 1 | 2 | 4 | 4 | - |
| 2004 2/.....                     | 16 | 7 | 2 | - | - | - | - | - | - | 1 | 4 | 2 | - |
| 2003 2/.....                     | 19 | 4 | 1 | 1 | 1 | 1 | - | 2 | 1 | 2 | 1 | 5 | - |
| 2002.....                        | 22 | 3 | 1 | - | 1 | - | 1 | 3 | 1 | 4 | 5 | 3 | - |
| 2001.....                        | 18 | 6 | 1 | - | - | 1 | - | 1 | 1 | 3 | - | 5 | - |
| 2000.....                        | 24 | 4 | 3 | 2 | - | - | 3 | 3 | - | - | 3 | 6 | - |
| 1999.....                        | 34 | 9 | 3 | - | 1 | - | 1 | 4 | 1 | 3 | 5 | 7 | - |
| Origin not stated 3/, both sexes |    |   |   |   |   |   |   |   |   |   |   |   |   |
| 2007.....                        | -  | - | - | - | - | - | - | - | - | - | - | - | - |
| 2006.....                        | 1  | - | - | - | - | - | - | - | - | 1 | - | - | - |
| 2005.....                        | -  | - | - | - | - | - | - | - | - | - | - | - | - |
| 2004.....                        | 1  | - | - | - | - | - | - | 1 | - | - | - | - | - |
| 2003.....                        | 2  | - | - | - | - | - | - | - | 1 | - | 1 | - | - |
| 2002.....                        | -  | - | - | - | - | - | - | - | - | - | - | - | - |
| 2001.....                        | -  | - | - | - | - | - | - | - | - | - | - | - | - |
| 2000.....                        | 3  | 1 | - | - | - | - | - | - | - | - | 1 | 1 | - |
| 1999.....                        | 1  | - | - | - | - | - | 1 | - | - | - | - | - | - |





Worktable Orig290F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2007

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data - mortality"]

---

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, sex, and year

|  | All ages | Under 1 year | 1-4 years | 5-14 years | 15-24 years | 25-34 years | 35-44 years | 45-54 years | 55-64 years | 65-74 years | 75-84 years | 85 years and over | Age not stated |
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|

---

Acute bronchitis and bronchiolitis (J20-J21)

All origins, both sexes

|           |     |    |    |   |   |   |    |    |    |    |    |     |   |
|-----------|-----|----|----|---|---|---|----|----|----|----|----|-----|---|
| 2007..... | 213 | 45 | 16 | 3 | 1 | 5 | 5  | 11 | 18 | 22 | 28 | 59  | - |
| 2006..... | 214 | 52 | 14 | 3 | 4 | - | 7  | 9  | 9  | 18 | 40 | 58  | - |
| 2005..... | 283 | 50 | 14 | 4 | 3 | 3 | 13 | 15 | 13 | 17 | 53 | 98  | - |
| 2004..... | 226 | 58 | 16 | 1 | 4 | 3 | 8  | 7  | 10 | 18 | 32 | 69  | - |
| 2003..... | 304 | 53 | 27 | 6 | 6 | 2 | 9  | 16 | 17 | 22 | 45 | 101 | - |
| 2002..... | 279 | 49 | 23 | 8 | 2 | 5 | 6  | 17 | 13 | 23 | 39 | 94  | - |
| 2001..... | 263 | 49 | 18 | 3 | 1 | 2 | 11 | 12 | 14 | 23 | 39 | 91  | - |
| 2000..... | 290 | 42 | 11 | 6 | 4 | 6 | 10 | 9  | 7  | 31 | 53 | 111 | - |
| 1999..... | 388 | 62 | 24 | 4 | 5 | 3 | 10 | 14 | 18 | 29 | 69 | 150 | - |

All origins, male

|           |     |    |    |   |   |   |   |    |    |    |    |    |   |
|-----------|-----|----|----|---|---|---|---|----|----|----|----|----|---|
| 2007..... | 104 | 32 | 8  | 2 | 1 | 3 | 3 | 5  | 11 | 13 | 14 | 12 | - |
| 2006..... | 96  | 30 | 6  | - | 4 | - | 4 | 6  | 5  | 7  | 14 | 20 | - |
| 2005..... | 123 | 29 | 8  | 4 | 2 | - | 5 | 12 | 3  | 7  | 26 | 27 | - |
| 2004..... | 108 | 33 | 9  | 1 | 3 | 2 | 5 | 5  | 6  | 10 | 7  | 27 | - |
| 2003..... | 126 | 34 | 16 | 2 | 2 | 1 | 5 | 7  | 11 | 12 | 17 | 19 | - |
| 2002..... | 122 | 37 | 9  | 7 | - | 1 | 3 | 9  | 5  | 10 | 18 | 23 | - |
| 2001..... | 89  | 25 | 8  | 2 | 1 | - | 6 | 6  | 6  | 8  | 10 | 17 | - |
| 2000..... | 119 | 24 | 4  | 2 | 3 | 4 | 6 | 3  | 3  | 14 | 27 | 29 | - |
| 1999..... | 154 | 36 | 14 | 2 | 1 | 2 | 4 | 7  | 8  | 15 | 34 | 31 | - |

Worktable Orig290F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2007

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data - mortality"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, sex, and year | All ages | Under 1 year | 1-4 years | 5-14 years | 15-24 years | 25-34 years | 35-44 years | 45-54 years | 55-64 years | 65-74 years | 75-84 years | 85 years and over | Age not stated |
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|

Acute bronchitis and bronchiolitis (J20-J21)

All origins, female

|           |     |    |    |   |   |   |   |   |    |    |    |     |   |
|-----------|-----|----|----|---|---|---|---|---|----|----|----|-----|---|
| 2007..... | 109 | 13 | 8  | 1 | - | 2 | 2 | 6 | 7  | 9  | 14 | 47  | - |
| 2006..... | 118 | 22 | 8  | 3 | - | - | 3 | 3 | 4  | 11 | 26 | 38  | - |
| 2005..... | 160 | 21 | 6  | - | 1 | 3 | 8 | 3 | 10 | 10 | 27 | 71  | - |
| 2004..... | 118 | 25 | 7  | - | 1 | 1 | 3 | 2 | 4  | 8  | 25 | 42  | - |
| 2003..... | 178 | 19 | 11 | 4 | 4 | 1 | 4 | 9 | 6  | 10 | 28 | 82  | - |
| 2002..... | 157 | 12 | 14 | 1 | 2 | 4 | 3 | 8 | 8  | 13 | 21 | 71  | - |
| 2001..... | 174 | 24 | 10 | 1 | - | 2 | 5 | 6 | 8  | 15 | 29 | 74  | - |
| 2000..... | 171 | 18 | 7  | 4 | 1 | 2 | 4 | 6 | 4  | 17 | 26 | 82  | - |
| 1999..... | 234 | 26 | 10 | 2 | 4 | 1 | 6 | 7 | 10 | 14 | 35 | 119 | - |

Hispanic, both sexes

|           |    |    |   |   |   |   |   |   |   |   |   |   |   |
|-----------|----|----|---|---|---|---|---|---|---|---|---|---|---|
| 2007..... | 23 | 15 | 4 | - | 1 | - | - | 1 | - | 2 | - | - | - |
| 2006..... | 14 | 7  | 2 | - | 1 | - | - | - | - | 2 | 2 | - | - |
| 2005..... | 17 | 8  | 3 | - | - | - | - | - | 2 | 1 | - | 3 | - |
| 2004..... | 30 | 14 | 5 | 1 | - | 1 | 1 | - | 2 | 2 | 1 | 3 | - |
| 2003..... | 31 | 17 | 6 | - | - | - | 1 | - | 1 | 1 | 2 | 3 | - |
| 2002..... | 19 | 9  | 2 | 2 | - | 1 | - | - | 2 | - | - | 3 | - |
| 2001..... | 17 | 8  | 1 | - | - | 1 | - | 2 | - | 1 | 2 | 2 | - |
| 2000..... | 22 | 9  | 2 | - | - | 1 | - | 1 | - | 1 | 2 | 6 | - |
| 1999..... | 20 | 10 | 3 | 1 | - | - | - | 1 | - | 1 | - | 4 | - |

Worktable Orig290F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2007

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data - mortality"]

---

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, sex, and year

|  | All ages | Under 1 year | 1-4 years | 5-14 years | 15-24 years | 25-34 years | 35-44 years | 45-54 years | 55-64 years | 65-74 years | 75-84 years | 85 years and over | Age not stated |
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|

---

Acute bronchitis and bronchiolitis (J20-J21)

Hispanic, male

|           |    |    |   |   |   |   |   |   |   |   |   |   |   |
|-----------|----|----|---|---|---|---|---|---|---|---|---|---|---|
| 2007..... | 12 | 10 | - | - | 1 | - | - | - | - | 1 | - | - | - |
| 2006..... | 8  | 6  | - | - | 1 | - | - | - | - | - | 1 | - | - |
| 2005..... | 6  | 3  | 2 | - | - | - | - | - | - | - | - | 1 | - |
| 2004..... | 14 | 7  | 2 | 1 | - | - | - | - | 2 | - | - | 2 | - |
| 2003..... | 20 | 12 | 4 | - | - | - | - | - | 1 | - | 1 | 2 | - |
| 2002..... | 9  | 5  | 1 | 1 | - | - | - | - | 1 | - | - | 1 | - |
| 2001..... | 7  | 6  | - | - | - | - | - | 1 | - | - | - | - | - |
| 2000..... | 15 | 6  | 1 | - | - | 1 | - | 1 | - | 1 | 2 | 3 | - |
| 1999..... | 10 | 5  | 2 | 1 | - | - | - | - | - | 1 | - | 1 | - |

Hispanic, female

|           |    |   |   |   |   |   |   |   |   |   |   |   |   |
|-----------|----|---|---|---|---|---|---|---|---|---|---|---|---|
| 2007..... | 11 | 5 | 4 | - | - | - | - | 1 | - | 1 | - | - | - |
| 2006..... | 6  | 1 | 2 | - | - | - | - | - | - | 2 | 1 | - | - |
| 2005..... | 11 | 5 | 1 | - | - | - | - | - | 2 | 1 | - | 2 | - |
| 2004..... | 16 | 7 | 3 | - | - | 1 | 1 | - | - | 2 | 1 | 1 | - |
| 2003..... | 11 | 5 | 2 | - | - | - | 1 | - | - | 1 | 1 | 1 | - |
| 2002..... | 10 | 4 | 1 | 1 | - | 1 | - | - | 1 | - | - | 2 | - |
| 2001..... | 10 | 2 | 1 | - | - | 1 | - | 1 | - | 1 | 2 | 2 | - |
| 2000..... | 7  | 3 | 1 | - | - | - | - | - | - | - | - | 3 | - |
| 1999..... | 10 | 5 | 1 | - | - | - | - | 1 | - | - | - | 3 | - |

Worktable Orig290F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2007

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data - mortality"]

---

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, sex, and year

|  | All ages | Under 1 year | 1-4 years | 5-14 years | 15-24 years | 25-34 years | 35-44 years | 45-54 years | 55-64 years | 65-74 years | 75-84 years | 85 years and over | Age not stated |
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|

---

Acute bronchitis and bronchiolitis (J20-J21)

Non-Hispanic 1/, both sexes

|           |     |    |    |   |   |   |    |    |    |    |    |     |   |
|-----------|-----|----|----|---|---|---|----|----|----|----|----|-----|---|
| 2007..... | 190 | 30 | 12 | 3 | - | 5 | 5  | 10 | 18 | 20 | 28 | 59  | - |
| 2006..... | 200 | 45 | 12 | 3 | 3 | - | 7  | 9  | 9  | 16 | 38 | 58  | - |
| 2005..... | 266 | 42 | 11 | 4 | 3 | 3 | 13 | 15 | 11 | 16 | 53 | 95  | - |
| 2004..... | 195 | 44 | 11 | - | 4 | 2 | 7  | 6  | 8  | 16 | 31 | 66  | - |
| 2003..... | 272 | 36 | 21 | 6 | 6 | 2 | 8  | 16 | 15 | 21 | 43 | 98  | - |
| 2002..... | 260 | 40 | 21 | 6 | 2 | 4 | 6  | 17 | 11 | 23 | 39 | 91  | - |
| 2001..... | 246 | 41 | 17 | 3 | 1 | 1 | 11 | 10 | 14 | 22 | 37 | 89  | - |
| 2000..... | 267 | 32 | 9  | 6 | 4 | 5 | 10 | 8  | 7  | 30 | 51 | 105 | - |
| 1999..... | 367 | 52 | 21 | 3 | 5 | 3 | 9  | 13 | 18 | 28 | 69 | 146 | - |

Non-Hispanic 1/, male

|           |     |    |    |   |   |   |   |    |    |    |    |    |   |
|-----------|-----|----|----|---|---|---|---|----|----|----|----|----|---|
| 2007..... | 92  | 22 | 8  | 2 | - | 3 | 3 | 5  | 11 | 12 | 14 | 12 | - |
| 2006..... | 88  | 24 | 6  | - | 3 | - | 4 | 6  | 5  | 7  | 13 | 20 | - |
| 2005..... | 117 | 26 | 6  | 4 | 2 | - | 5 | 12 | 3  | 7  | 26 | 26 | - |
| 2004..... | 93  | 26 | 7  | - | 3 | 2 | 5 | 4  | 4  | 10 | 7  | 25 | - |
| 2003..... | 105 | 22 | 12 | 2 | 2 | 1 | 5 | 7  | 9  | 12 | 16 | 17 | - |
| 2002..... | 113 | 32 | 8  | 6 | - | 1 | 3 | 9  | 4  | 10 | 18 | 22 | - |
| 2001..... | 82  | 19 | 8  | 2 | 1 | - | 6 | 5  | 6  | 8  | 10 | 17 | - |
| 2000..... | 104 | 18 | 3  | 2 | 3 | 3 | 6 | 2  | 3  | 13 | 25 | 26 | - |
| 1999..... | 143 | 31 | 12 | 1 | 1 | 2 | 3 | 7  | 8  | 14 | 34 | 30 | - |

Worktable Orig290F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2007

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data - mortality"]

---

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, sex, and year

|  | All ages | Under 1 year | 1-4 years | 5-14 years | 15-24 years | 25-34 years | 35-44 years | 45-54 years | 55-64 years | 65-74 years | 75-84 years | 85 years and over | Age not stated |
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|

---

Acute bronchitis and bronchiolitis (J20-J21)

Non-Hispanic 1/, female

|           |     |    |    |   |   |   |   |   |    |    |    |     |   |
|-----------|-----|----|----|---|---|---|---|---|----|----|----|-----|---|
| 2007..... | 98  | 8  | 4  | 1 | - | 2 | 2 | 5 | 7  | 8  | 14 | 47  | - |
| 2006..... | 112 | 21 | 6  | 3 | - | - | 3 | 3 | 4  | 9  | 25 | 38  | - |
| 2005..... | 149 | 16 | 5  | - | 1 | 3 | 8 | 3 | 8  | 9  | 27 | 69  | - |
| 2004..... | 102 | 18 | 4  | - | 1 | - | 2 | 2 | 4  | 6  | 24 | 41  | - |
| 2003..... | 167 | 14 | 9  | 4 | 4 | 1 | 3 | 9 | 6  | 9  | 27 | 81  | - |
| 2002..... | 147 | 8  | 13 | - | 2 | 3 | 3 | 8 | 7  | 13 | 21 | 69  | - |
| 2001..... | 164 | 22 | 9  | 1 | - | 1 | 5 | 5 | 8  | 14 | 27 | 72  | - |
| 2000..... | 163 | 14 | 6  | 4 | 1 | 2 | 4 | 6 | 4  | 17 | 26 | 79  | - |
| 1999..... | 224 | 21 | 9  | 2 | 4 | 1 | 6 | 6 | 10 | 14 | 35 | 116 | - |

Non-Hispanic white, both sexes

|              |     |    |    |   |   |   |    |    |    |    |    |     |   |
|--------------|-----|----|----|---|---|---|----|----|----|----|----|-----|---|
| 2007 2/..... | 158 | 14 | 5  | 3 | - | 5 | 4  | 8  | 16 | 19 | 27 | 57  | - |
| 2006 2/..... | 159 | 28 | 6  | 2 | 2 | - | 6  | 6  | 5  | 14 | 35 | 55  | - |
| 2005 2/..... | 225 | 22 | 10 | 3 | 3 | 2 | 11 | 11 | 11 | 13 | 50 | 89  | - |
| 2004 2/..... | 159 | 28 | 4  | - | 3 | 2 | 7  | 5  | 7  | 14 | 27 | 62  | - |
| 2003 2/..... | 231 | 24 | 10 | 5 | 3 | 1 | 8  | 15 | 12 | 17 | 41 | 95  | - |
| 2002.....    | 219 | 23 | 18 | 6 | 1 | 3 | 6  | 13 | 8  | 21 | 36 | 84  | - |
| 2001.....    | 202 | 23 | 12 | 3 | 1 | - | 11 | 6  | 12 | 17 | 34 | 83  | - |
| 2000.....    | 221 | 15 | 6  | 2 | 4 | 2 | 6  | 5  | 7  | 28 | 47 | 99  | - |
| 1999.....    | 299 | 25 | 12 | 2 | 4 | 3 | 7  | 9  | 14 | 20 | 63 | 140 | - |

Worktable Orig290F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2007

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data - mortality"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, sex, and year | All ages | Under 1 year | 1-4 years | 5-14 years | 15-24 years | 25-34 years | 35-44 years | 45-54 years | 55-64 years | 65-74 years | 75-84 years | 85 years and over | Age not stated |
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|
| Acute bronchitis and bronchiolitis (J20-J21)   |          |              |           |            |             |             |             |             |             |             |             |                   |                |
| Non-Hispanic white, male   |          |              |           |            |             |             |             |             |             |             |             |                   |                |
| 2007 2/.....   | 74       | 13           | 4         | 2          | -           | 3           | 3           | 4           | 9           | 11          | 13          | 12                | -              |
| 2006 2/.....   | 65       | 15           | 3         | -          | 2           | -           | 3           | 4           | 2           | 6           | 11          | 19                | -              |
| 2005 2/.....   | 96       | 15           | 6         | 3          | 2           | -           | 4           | 8           | 3           | 6           | 25          | 24                | -              |
| 2004 2/.....   | 72       | 16           | 2         | -          | 2           | 2           | 5           | 3           | 4           | 9           | 6           | 23                | -              |
| 2003 2/.....   | 83       | 14           | 5         | 2          | -           | 1           | 5           | 7           | 7           | 10          | 15          | 17                | -              |
| 2002.....  | 92       | 20           | 6         | 6          | -           | -           | 3           | 8           | 3           | 9           | 17          | 20                | -              |
| 2001.....  | 61       | 10           | 5         | 2          | 1           | -           | 6           | 2           | 5           | 6           | 8           | 16                | -              |
| 2000.....  | 83       | 6            | 3         | 1          | 3           | 1           | 5           | 2           | 3           | 11          | 24          | 24                | -              |
| 1999.....  | 108      | 14           | 6         | 1          | 1           | 2           | 2           | 7           | 7           | 9           | 32          | 27                | -              |
| Non-Hispanic white, female   |          |              |           |            |             |             |             |             |             |             |             |                   |                |
| 2007 2/.....   | 84       | 1            | 1         | 1          | -           | 2           | 1           | 4           | 7           | 8           | 14          | 45                | -              |
| 2006 2/.....   | 94       | 13           | 3         | 2          | -           | -           | 3           | 2           | 3           | 8           | 24          | 36                | -              |
| 2005 2/.....   | 129      | 7            | 4         | -          | 1           | 2           | 7           | 3           | 8           | 7           | 25          | 65                | -              |
| 2004 2/.....   | 87       | 12           | 2         | -          | 1           | -           | 2           | 2           | 3           | 5           | 21          | 39                | -              |
| 2003 2/.....   | 148      | 10           | 5         | 3          | 3           | -           | 3           | 8           | 5           | 7           | 26          | 78                | -              |
| 2002.....  | 127      | 3            | 12        | -          | 1           | 3           | 3           | 5           | 5           | 12          | 19          | 64                | -              |
| 2001.....  | 141      | 13           | 7         | 1          | -           | -           | 5           | 4           | 7           | 11          | 26          | 67                | -              |
| 2000.....  | 138      | 9            | 3         | 1          | 1           | 1           | 1           | 3           | 4           | 17          | 23          | 75                | -              |
| 1999.....  | 191      | 11           | 6         | 1          | 3           | 1           | 5           | 2           | 7           | 11          | 31          | 113               | -              |

Worktable Orig290F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2007

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data - mortality"]

---

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, sex, and year

|  | All ages | Under 1 year | 1-4 years | 5-14 years | 15-24 years | 25-34 years | 35-44 years | 45-54 years | 55-64 years | 65-74 years | 75-84 years | 85 years and over | Age not stated |
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|

---

Acute bronchitis and bronchiolitis (J20-J21)

Non-Hispanic black, both sexes

|              |    |    |   |   |   |   |   |   |   |   |   |   |   |
|--------------|----|----|---|---|---|---|---|---|---|---|---|---|---|
| 2007 2/..... | 28 | 14 | 5 | - | - | - | 1 | 2 | 2 | 1 | 1 | 2 | - |
| 2006 2/..... | 34 | 14 | 5 | 1 | 1 | - | 1 | 3 | 4 | 2 | 2 | 1 | - |
| 2005 2/..... | 31 | 18 | 1 | 1 | - | 1 | 2 | 2 | - | 2 | 1 | 3 | - |
| 2004 2/..... | 28 | 12 | 6 | - | 1 | - | - | 1 | - | 2 | 4 | 2 | - |
| 2003 2/..... | 35 | 12 | 7 | 1 | 3 | 1 | - | 1 | 2 | 4 | 1 | 3 | - |
| 2002.....    | 35 | 15 | 2 | - | 1 | 1 | - | 4 | 2 | 2 | 3 | 5 | - |
| 2001.....    | 31 | 14 | 2 | - | - | 1 | - | 4 | 1 | 3 | - | 6 | - |
| 2000.....    | 40 | 13 | 3 | 3 | - | 2 | 4 | 3 | - | 2 | 4 | 6 | - |
| 1999.....    | 55 | 24 | 5 | - | 1 | - | 2 | 4 | 2 | 8 | 4 | 5 | - |

Non-Hispanic black, male

|              |    |    |   |   |   |   |   |   |   |   |   |   |   |
|--------------|----|----|---|---|---|---|---|---|---|---|---|---|---|
| 2007 2/..... | 15 | 7  | 3 | - | - | - | - | 1 | 2 | 1 | 1 | - | - |
| 2006 2/..... | 21 | 7  | 3 | - | 1 | - | 1 | 2 | 3 | 1 | 2 | 1 | - |
| 2005 2/..... | 15 | 9  | - | 1 | - | - | 1 | 2 | - | - | - | 2 | - |
| 2004 2/..... | 15 | 6  | 4 | - | 1 | - | - | 1 | - | 1 | 1 | 1 | - |
| 2003 2/..... | 20 | 8  | 6 | - | 2 | - | - | - | 1 | 2 | 1 | - | - |
| 2002.....    | 20 | 12 | 1 | - | - | 1 | - | 1 | 1 | 1 | 1 | 2 | - |
| 2001.....    | 14 | 8  | 1 | - | - | - | - | 3 | - | 1 | - | 1 | - |
| 2000.....    | 18 | 9  | - | 1 | - | 2 | 1 | - | - | 2 | 1 | 2 | - |
| 1999.....    | 26 | 15 | 2 | - | - | - | 1 | - | 1 | 5 | - | 2 | - |

Worktable Orig290F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2007

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data - mortality"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, sex, and year | All ages | Under 1 year | 1-4 years | 5-14 years | 15-24 years | 25-34 years | 35-44 years | 45-54 years | 55-64 years | 65-74 years | 75-84 years | 85 years and over | Age not stated |
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|

Acute bronchitis and bronchiolitis (J20-J21)

Non-Hispanic black, female

|              |    |   |   |   |   |   |   |   |   |   |   |   |   |
|--------------|----|---|---|---|---|---|---|---|---|---|---|---|---|
| 2007 2/..... | 13 | 7 | 2 | - | - | - | 1 | 1 | - | - | - | 2 | - |
| 2006 2/..... | 13 | 7 | 2 | 1 | - | - | - | 1 | 1 | 1 | - | - | - |
| 2005 2/..... | 16 | 9 | 1 | - | - | 1 | 1 | - | - | 2 | 1 | 1 | - |
| 2004 2/..... | 13 | 6 | 2 | - | - | - | - | - | - | 1 | 3 | 1 | - |
| 2003 2/..... | 15 | 4 | 1 | 1 | 1 | 1 | - | 1 | 1 | 2 | - | 3 | - |
| 2002.....    | 15 | 3 | 1 | - | 1 | - | - | 3 | 1 | 1 | 2 | 3 | - |
| 2001.....    | 17 | 6 | 1 | - | - | 1 | - | 1 | 1 | 2 | - | 5 | - |
| 2000.....    | 22 | 4 | 3 | 2 | - | - | 3 | 3 | - | - | 3 | 4 | - |
| 1999.....    | 29 | 9 | 3 | - | 1 | - | 1 | 4 | 1 | 3 | 4 | 3 | - |

Origin not stated 3/, both sexes

|           |   |   |   |   |   |   |   |   |   |   |   |   |   |
|-----------|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 2007..... | - | - | - | - | - | - | - | - | - | - | - | - | - |
| 2006..... | - | - | - | - | - | - | - | - | - | - | - | - | - |
| 2005..... | - | - | - | - | - | - | - | - | - | - | - | - | - |
| 2004..... | 1 | - | - | - | - | - | - | 1 | - | - | - | - | - |
| 2003..... | 1 | - | - | - | - | - | - | - | 1 | - | - | - | - |
| 2002..... | - | - | - | - | - | - | - | - | - | - | - | - | - |
| 2001..... | - | - | - | - | - | - | - | - | - | - | - | - | - |
| 2000..... | 1 | 1 | - | - | - | - | - | - | - | - | - | - | - |
| 1999..... | 1 | - | - | - | - | - | 1 | - | - | - | - | - | - |





Worktable Orig290F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2007

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data - mortality"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, sex, and year | All ages | Under 1 year | 1-4 years | 5-14 years | 15-24 years | 25-34 years | 35-44 years | 45-54 years | 55-64 years | 65-74 years | 75-84 years | 85 years and over | Age not stated |
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|
| Other and unspecified acute lower respiratory infection (J22,U04)  |          |              |           |            |             |             |             |             |             |             |             |                   |                |
| All origins, both sexes  |          |              |           |            |             |             |             |             |             |             |             |                   |                |
| 2007.....  | 42       | 1            | 1         | -          | 1           | -           | -           | 3           | 1           | 5           | 8           | 22                | -              |
| 2006.....  | 83       | -            | -         | -          | -           | -           | 1           | 1           | 4           | 6           | 21          | 50                | -              |
| 2005.....  | 121      | 1            | 2         | -          | 1           | 3           | 2           | -           | 6           | 9           | 25          | 72                | -              |
| 2004.....  | 93       | 2            | -         | -          | -           | -           | 1           | 3           | 4           | 3           | 22          | 58                | -              |
| 2003.....  | 117      | 1            | 1         | -          | -           | -           | 2           | 3           | 4           | 8           | 35          | 63                | -              |
| 2002.....  | 107      | 3            | -         | -          | 1           | -           | 2           | 1           | 5           | 10          | 27          | 58                | -              |
| 2001.....  | 84       | 1            | -         | -          | -           | -           | 1           | 2           | 2           | 5           | 19          | 54                | -              |
| 2000.....  | 135      | 1            | -         | 1          | 1           | 2           | 2           | 3           | 3           | 12          | 29          | 81                | -              |
| 1999.....  | 152      | 1            | 1         | 1          | -           | 1           | 1           | 1           | 3           | 6           | 38          | 99                | -              |
| All origins, male  |          |              |           |            |             |             |             |             |             |             |             |                   |                |
| 2007.....  | 17       | -            | -         | -          | 1           | -           | -           | 3           | 1           | 4           | 3           | 5                 | -              |
| 2006.....  | 23       | -            | -         | -          | -           | -           | -           | 1           | 1           | 1           | 9           | 11                | -              |
| 2005.....  | 49       | 1            | 2         | -          | 1           | 2           | 1           | -           | 2           | 3           | 15          | 22                | -              |
| 2004.....  | 29       | 1            | -         | -          | -           | -           | 1           | 3           | -           | 2           | 11          | 11                | -              |
| 2003.....  | 44       | 1            | 1         | -          | -           | -           | 1           | 1           | 1           | 5           | 18          | 16                | -              |
| 2002.....  | 32       | 2            | -         | -          | -           | -           | -           | 1           | 1           | 3           | 9           | 16                | -              |
| 2001.....  | 28       | 1            | -         | -          | -           | -           | 1           | 1           | -           | 2           | 10          | 13                | -              |
| 2000.....  | 41       | 1            | -         | 1          | 1           | 2           | 1           | 1           | -           | 8           | 8           | 18                | -              |
| 1999.....  | 42       | -            | 1         | -          | -           | 1           | 1           | 1           | 2           | 2           | 17          | 17                | -              |





Worktable Orig290F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2007

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data - mortality"]

---

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, sex, and year

|  | All ages | Under 1 year | 1-4 years | 5-14 years | 15-24 years | 25-34 years | 35-44 years | 45-54 years | 55-64 years | 65-74 years | 75-84 years | 85 years and over | Age not stated |
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|

---

Other and unspecified acute lower respiratory infection (J22,U04)

Non-Hispanic 1/, both sexes

|           |     |   |   |   |   |   |   |   |   |    |    |    |   |
|-----------|-----|---|---|---|---|---|---|---|---|----|----|----|---|
| 2007..... | 42  | 1 | 1 | - | 1 | - | - | 3 | 1 | 5  | 8  | 22 | - |
| 2006..... | 82  | - | - | - | - | - | 1 | 1 | 4 | 5  | 21 | 50 | - |
| 2005..... | 119 | 1 | 2 | - | 1 | 2 | 2 | - | 6 | 9  | 24 | 72 | - |
| 2004..... | 91  | 1 | - | - | - | - | 1 | 3 | 4 | 3  | 22 | 57 | - |
| 2003..... | 116 | 1 | 1 | - | - | - | 2 | 3 | 4 | 8  | 34 | 63 | - |
| 2002..... | 105 | 2 | - | - | 1 | - | 2 | 1 | 5 | 10 | 27 | 57 | - |
| 2001..... | 79  | 1 | - | - | - | - | 1 | 2 | 2 | 4  | 17 | 52 | - |
| 2000..... | 131 | 1 | - | 1 | 1 | 2 | 2 | 3 | 3 | 12 | 28 | 78 | - |
| 1999..... | 151 | 1 | 1 | 1 | - | 1 | 1 | 1 | 3 | 6  | 38 | 98 | - |

Non-Hispanic 1/, male

|           |    |   |   |   |   |   |   |   |   |   |    |    |   |
|-----------|----|---|---|---|---|---|---|---|---|---|----|----|---|
| 2007..... | 17 | - | - | - | 1 | - | - | 3 | 1 | 4 | 3  | 5  | - |
| 2006..... | 23 | - | - | - | - | - | - | 1 | 1 | 1 | 9  | 11 | - |
| 2005..... | 48 | 1 | 2 | - | 1 | 2 | 1 | - | 2 | 3 | 14 | 22 | - |
| 2004..... | 28 | - | - | - | - | - | 1 | 3 | - | 2 | 11 | 11 | - |
| 2003..... | 43 | 1 | 1 | - | - | - | 1 | 1 | 1 | 5 | 17 | 16 | - |
| 2002..... | 32 | 2 | - | - | - | - | - | 1 | 1 | 3 | 9  | 16 | - |
| 2001..... | 26 | 1 | - | - | - | - | 1 | 1 | - | 1 | 9  | 13 | - |
| 2000..... | 40 | 1 | - | 1 | 1 | 2 | 1 | 1 | - | 8 | 7  | 18 | - |
| 1999..... | 42 | - | 1 | - | - | 1 | 1 | 1 | 2 | 2 | 17 | 17 | - |

Worktable Orig290F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2007

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data - mortality"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, sex, and year | All ages | Under 1 year | 1-4 years | 5-14 years | 15-24 years | 25-34 years | 35-44 years | 45-54 years | 55-64 years | 65-74 years | 75-84 years | 85 years and over | Age not stated |
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|

Other and unspecified acute lower respiratory infection (J22,U04)

Non-Hispanic 1/, female

|           |     |   |   |   |   |   |   |   |   |   |    |    |   |
|-----------|-----|---|---|---|---|---|---|---|---|---|----|----|---|
| 2007..... | 25  | 1 | 1 | - | - | - | - | - | - | 1 | 5  | 17 | - |
| 2006..... | 59  | - | - | - | - | - | 1 | - | 3 | 4 | 12 | 39 | - |
| 2005..... | 71  | - | - | - | - | - | 1 | - | 4 | 6 | 10 | 50 | - |
| 2004..... | 63  | 1 | - | - | - | - | - | - | 4 | 1 | 11 | 46 | - |
| 2003..... | 73  | - | - | - | - | - | 1 | 2 | 3 | 3 | 17 | 47 | - |
| 2002..... | 73  | - | - | - | 1 | - | 2 | - | 4 | 7 | 18 | 41 | - |
| 2001..... | 53  | - | - | - | - | - | - | 1 | 2 | 3 | 8  | 39 | - |
| 2000..... | 91  | - | - | - | - | - | 1 | 2 | 3 | 4 | 21 | 60 | - |
| 1999..... | 109 | 1 | - | 1 | - | - | - | - | 1 | 4 | 21 | 81 | - |

Non-Hispanic white, both sexes

|              |     |   |   |   |   |   |   |   |   |    |    |    |   |
|--------------|-----|---|---|---|---|---|---|---|---|----|----|----|---|
| 2007 2/..... | 37  | - | 1 | - | 1 | - | - | 3 | 1 | 5  | 8  | 18 | - |
| 2006 2/..... | 77  | - | - | - | - | - | - | - | 3 | 5  | 20 | 49 | - |
| 2005 2/..... | 109 | 1 | 1 | - | 1 | 2 | 1 | - | 5 | 8  | 21 | 69 | - |
| 2004 2/..... | 87  | - | - | - | - | - | 1 | 2 | 4 | 3  | 21 | 56 | - |
| 2003 2/..... | 111 | 1 | 1 | - | - | - | 2 | 2 | 4 | 8  | 32 | 61 | - |
| 2002.....    | 95  | 2 | - | - | 1 | - | 1 | 1 | 4 | 7  | 23 | 56 | - |
| 2001.....    | 76  | 1 | - | - | - | - | 1 | 2 | 2 | 3  | 16 | 51 | - |
| 2000.....    | 124 | - | - | 1 | 1 | 2 | 2 | 3 | 3 | 12 | 27 | 73 | - |
| 1999.....    | 141 | 1 | - | 1 | - | - | 1 | 1 | 3 | 6  | 36 | 92 | - |

Worktable Orig290F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2007

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data - mortality"]

---

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, sex, and year

|  | All ages | Under 1 year | 1-4 years | 5-14 years | 15-24 years | 25-34 years | 35-44 years | 45-54 years | 55-64 years | 65-74 years | 75-84 years | 85 years and over | Age not stated |
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|

---

Other and unspecified acute lower respiratory infection (J22,U04)

| Non-Hispanic white, male   |     |   |   |   |   |   |   |   |   |   |    |    |   |
|----------------------------|-----|---|---|---|---|---|---|---|---|---|----|----|---|
| 2007 2/.....               | 16  | - | - | - | 1 | - | - | 3 | 1 | 4 | 3  | 4  | - |
| 2006 2/.....               | 20  | - | - | - | - | - | - | - | 1 | 1 | 8  | 10 | - |
| 2005 2/.....               | 45  | 1 | 1 | - | 1 | 2 | - | - | 2 | 2 | 14 | 22 | - |
| 2004 2/.....               | 27  | - | - | - | - | - | 1 | 2 | - | 2 | 11 | 11 | - |
| 2003 2/.....               | 42  | 1 | 1 | - | - | - | 1 | 1 | 1 | 5 | 16 | 16 | - |
| 2002.....                  | 30  | 2 | - | - | - | - | - | 1 | - | 3 | 8  | 16 | - |
| 2001.....                  | 25  | 1 | - | - | - | - | 1 | 1 | - | 1 | 9  | 12 | - |
| 2000.....                  | 35  | - | - | 1 | 1 | 2 | 1 | 1 | - | 8 | 6  | 15 | - |
| 1999.....                  | 37  | - | - | - | - | - | 1 | 1 | 2 | 2 | 16 | 15 | - |
| Non-Hispanic white, female |     |   |   |   |   |   |   |   |   |   |    |    |   |
| 2007 2/.....               | 21  | - | 1 | - | - | - | - | - | - | 1 | 5  | 14 | - |
| 2006 2/.....               | 57  | - | - | - | - | - | - | - | 2 | 4 | 12 | 39 | - |
| 2005 2/.....               | 64  | - | - | - | - | - | 1 | - | 3 | 6 | 7  | 47 | - |
| 2004 2/.....               | 60  | - | - | - | - | - | - | - | 4 | 1 | 10 | 45 | - |
| 2003 2/.....               | 69  | - | - | - | - | - | 1 | 1 | 3 | 3 | 16 | 45 | - |
| 2002.....                  | 65  | - | - | - | 1 | - | 1 | - | 4 | 4 | 15 | 40 | - |
| 2001.....                  | 51  | - | - | - | - | - | - | 1 | 2 | 2 | 7  | 39 | - |
| 2000.....                  | 89  | - | - | - | - | - | 1 | 2 | 3 | 4 | 21 | 58 | - |
| 1999.....                  | 104 | 1 | - | 1 | - | - | - | - | 1 | 4 | 20 | 77 | - |

Worktable Orig290F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2007

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data - mortality"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, sex, and year | All ages | Under 1 year | 1-4 years | 5-14 years | 15-24 years | 25-34 years | 35-44 years | 45-54 years | 55-64 years | 65-74 years | 75-84 years | 85 years and over | Age not stated |
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|

Other and unspecified acute lower respiratory infection (J22,U04)

Non-Hispanic black, both sexes

|              |   |   |   |   |   |   |   |   |   |   |   |   |   |
|--------------|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 2007 2/..... | 4 | 1 | - | - | - | - | - | - | - | - | - | 3 | - |
| 2006 2/..... | 3 | - | - | - | - | - | 1 | - | 1 | - | - | 1 | - |
| 2005 2/..... | 9 | - | - | - | - | - | 1 | - | 1 | 1 | 3 | 3 | - |
| 2004 2/..... | 3 | 1 | - | - | - | - | - | - | - | - | 1 | 1 | - |
| 2003 2/..... | 5 | - | - | - | - | - | - | 1 | - | - | 2 | 2 | - |
| 2002.....    | 9 | - | - | - | - | - | 1 | - | 1 | 3 | 4 | - | - |
| 2001.....    | 2 | - | - | - | - | - | - | - | - | 1 | - | 1 | - |
| 2000.....    | 6 | 1 | - | - | - | - | - | - | - | - | 1 | 4 | - |
| 1999.....    | 9 | - | 1 | - | - | 1 | - | - | - | - | 2 | 5 | - |

Non-Hispanic black, male

|              |   |   |   |   |   |   |   |   |   |   |   |   |   |
|--------------|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 2007 2/..... | 1 | - | - | - | - | - | - | - | - | - | - | 1 | - |
| 2006 2/..... | 1 | - | - | - | - | - | - | - | - | - | - | 1 | - |
| 2005 2/..... | 2 | - | - | - | - | - | 1 | - | - | 1 | - | - | - |
| 2004 2/..... | - | - | - | - | - | - | - | - | - | - | - | - | - |
| 2003 2/..... | 1 | - | - | - | - | - | - | - | - | - | 1 | - | - |
| 2002.....    | 2 | - | - | - | - | - | - | - | 1 | - | 1 | - | - |
| 2001.....    | 1 | - | - | - | - | - | - | - | - | - | - | 1 | - |
| 2000.....    | 4 | 1 | - | - | - | - | - | - | - | - | 1 | 2 | - |
| 1999.....    | 4 | - | 1 | - | - | 1 | - | - | - | - | 1 | 1 | - |







Worktable Orig290F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2007

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data - mortality"]

---

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, sex, and year

|  | All ages | Under 1 year | 1-4 years | 5-14 years | 15-24 years | 25-34 years | 35-44 years | 45-54 years | 55-64 years | 65-74 years | 75-84 years | 85 years and over | Age not stated |
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|

---

Chronic lower respiratory diseases (J40-J47)

| All origins, both sexes |         |    |    |     |     |     |       |       |        |        |        |        |   |
|-------------------------|---------|----|----|-----|-----|-----|-------|-------|--------|--------|--------|--------|---|
| 2007.....               | 127,924 | 43 | 57 | 118 | 149 | 263 | 796   | 4,153 | 12,777 | 28,664 | 48,041 | 32,857 | 6 |
| 2006.....               | 124,583 | 30 | 43 | 115 | 151 | 255 | 841   | 3,924 | 12,375 | 28,236 | 47,406 | 31,203 | 4 |
| 2005.....               | 130,933 | 33 | 56 | 104 | 148 | 258 | 890   | 3,977 | 12,747 | 29,910 | 50,333 | 32,473 | 4 |
| 2004.....               | 121,987 | 35 | 48 | 120 | 179 | 255 | 887   | 3,511 | 11,754 | 28,390 | 47,568 | 29,239 | 1 |
| 2003.....               | 126,382 | 31 | 55 | 118 | 191 | 282 | 950   | 3,537 | 12,077 | 29,919 | 49,286 | 29,934 | 2 |
| 2002.....               | 124,816 | 39 | 65 | 136 | 192 | 301 | 1,008 | 3,475 | 11,280 | 29,788 | 49,241 | 29,284 | 7 |
| 2001.....               | 123,013 | 41 | 43 | 104 | 171 | 290 | 969   | 3,324 | 11,166 | 30,751 | 47,762 | 28,391 | 1 |
| 2000.....               | 122,009 | 36 | 51 | 139 | 190 | 296 | 930   | 3,251 | 10,739 | 31,157 | 47,722 | 27,496 | 2 |
| 1999.....               | 124,181 | 36 | 54 | 139 | 209 | 330 | 890   | 3,110 | 11,297 | 32,644 | 48,635 | 26,833 | 4 |
| All origins, male       |         |    |    |     |     |     |       |       |        |        |        |        |   |
| 2007.....               | 61,235  | 27 | 30 | 78  | 96  | 150 | 392   | 2,125 | 6,733  | 14,679 | 23,439 | 13,480 | 6 |
| 2006.....               | 59,260  | 20 | 29 | 78  | 93  | 137 | 396   | 1,958 | 6,382  | 14,152 | 23,167 | 12,845 | 3 |
| 2005.....               | 62,435  | 19 | 33 | 63  | 95  | 130 | 426   | 2,034 | 6,589  | 15,414 | 24,479 | 13,150 | 3 |
| 2004.....               | 58,646  | 24 | 30 | 75  | 110 | 151 | 431   | 1,806 | 6,029  | 14,503 | 23,255 | 12,231 | 1 |
| 2003.....               | 60,714  | 23 | 38 | 75  | 114 | 156 | 429   | 1,826 | 6,243  | 15,333 | 23,963 | 12,512 | 2 |
| 2002.....               | 60,713  | 23 | 44 | 74  | 120 | 165 | 497   | 1,795 | 5,783  | 15,339 | 24,432 | 12,436 | 5 |
| 2001.....               | 59,697  | 22 | 29 | 61  | 99  | 146 | 455   | 1,702 | 5,702  | 15,877 | 23,691 | 11,912 | 1 |
| 2000.....               | 60,004  | 23 | 28 | 80  | 120 | 165 | 437   | 1,661 | 5,564  | 16,210 | 23,838 | 11,876 | 2 |
| 1999.....               | 62,415  | 19 | 30 | 93  | 123 | 152 | 410   | 1,551 | 5,958  | 17,477 | 24,705 | 11,894 | 3 |

Worktable Orig290F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2007

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data - mortality"]

---

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, sex, and year

|  | All ages | Under 1 year | 1-4 years | 5-14 years | 15-24 years | 25-34 years | 35-44 years | 45-54 years | 55-64 years | 65-74 years | 75-84 years | 85 years and over | Age not stated |
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|

---

Chronic lower respiratory diseases (J40-J47)

| All origins, female  |        |    |    |    |    |     |     |       |       |        |        |        |   |
|----------------------|--------|----|----|----|----|-----|-----|-------|-------|--------|--------|--------|---|
| 2007.....            | 66,689 | 16 | 27 | 40 | 53 | 113 | 404 | 2,028 | 6,044 | 13,985 | 24,602 | 19,377 | - |
| 2006.....            | 65,323 | 10 | 14 | 37 | 58 | 118 | 445 | 1,966 | 5,993 | 14,084 | 24,239 | 18,358 | 1 |
| 2005.....            | 68,498 | 14 | 23 | 41 | 53 | 128 | 464 | 1,943 | 6,158 | 14,496 | 25,854 | 19,323 | 1 |
| 2004.....            | 63,341 | 11 | 18 | 45 | 69 | 104 | 456 | 1,705 | 5,725 | 13,887 | 24,313 | 17,008 | - |
| 2003.....            | 65,668 | 8  | 17 | 43 | 77 | 126 | 521 | 1,711 | 5,834 | 14,586 | 25,323 | 17,422 | - |
| 2002.....            | 64,103 | 16 | 21 | 62 | 72 | 136 | 511 | 1,680 | 5,497 | 14,449 | 24,809 | 16,848 | 2 |
| 2001.....            | 63,316 | 19 | 14 | 43 | 72 | 144 | 514 | 1,622 | 5,464 | 14,874 | 24,071 | 16,479 | - |
| 2000.....            | 62,005 | 13 | 23 | 59 | 70 | 131 | 493 | 1,590 | 5,175 | 14,947 | 23,884 | 15,620 | - |
| 1999.....            | 61,766 | 17 | 24 | 46 | 86 | 178 | 480 | 1,559 | 5,339 | 15,167 | 23,930 | 14,939 | 1 |
|                      |        |    |    |    |    |     |     |       |       |        |        |        |   |
| Hispanic, both sexes |        |    |    |    |    |     |     |       |       |        |        |        |   |
| 2007.....            | 3,531  | 11 | 6  | 17 | 20 | 35  | 38  | 141   | 297   | 645    | 1,321  | 999    | 1 |
| 2006.....            | 3,310  | 6  | 11 | 16 | 15 | 28  | 49  | 118   | 305   | 626    | 1,179  | 957    | - |
| 2005.....            | 3,457  | 9  | 5  | 15 | 8  | 25  | 53  | 151   | 298   | 668    | 1,254  | 969    | 2 |
| 2004.....            | 3,107  | 9  | 11 | 12 | 17 | 30  | 66  | 124   | 272   | 657    | 1,086  | 823    | - |
| 2003.....            | 3,174  | 7  | 11 | 15 | 20 | 29  | 58  | 134   | 266   | 651    | 1,095  | 888    | - |
| 2002.....            | 3,058  | 4  | 9  | 13 | 15 | 31  | 70  | 127   | 274   | 635    | 1,055  | 825    | - |
| 2001.....            | 2,832  | 7  | 8  | 9  | 10 | 22  | 52  | 124   | 258   | 634    | 940    | 768    | - |
| 2000.....            | 2,689  | 7  | 9  | 15 | 16 | 20  | 55  | 105   | 244   | 572    | 921    | 725    | - |
| 1999.....            | 2,859  | 6  | 8  | 18 | 15 | 31  | 79  | 115   | 239   | 649    | 935    | 764    | - |

Worktable Orig290F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2007

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data - mortality"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, sex, and year | All ages | Under 1 year | 1-4 years | 5-14 years | 15-24 years | 25-34 years | 35-44 years | 45-54 years | 55-64 years | 65-74 years | 75-84 years | 85 years and over | Age not stated |
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|

Chronic lower respiratory diseases (J40-J47)

| Hispanic, male   |       |   |   |    |    |    |    |    |     |     |     |     |   |
|------------------|-------|---|---|----|----|----|----|----|-----|-----|-----|-----|---|
| 2007.....        | 1,894 | 8 | 3 | 10 | 11 | 24 | 21 | 84 | 173 | 387 | 718 | 454 | 1 |
| 2006.....        | 1,708 | 4 | 7 | 13 | 10 | 14 | 26 | 63 | 171 | 349 | 621 | 430 | - |
| 2005.....        | 1,839 | 6 | 3 | 9  | 7  | 16 | 34 | 77 | 180 | 381 | 701 | 423 | 2 |
| 2004.....        | 1,631 | 6 | 7 | 7  | 11 | 20 | 45 | 56 | 145 | 387 | 577 | 370 | - |
| 2003.....        | 1,697 | 5 | 8 | 10 | 12 | 15 | 30 | 61 | 164 | 369 | 603 | 420 | - |
| 2002.....        | 1,625 | 2 | 4 | 8  | 12 | 19 | 31 | 70 | 164 | 362 | 593 | 360 | - |
| 2001.....        | 1,482 | 4 | 4 | 6  | 6  | 13 | 21 | 54 | 140 | 378 | 501 | 355 | - |
| 2000.....        | 1,451 | 4 | 5 | 9  | 13 | 12 | 24 | 53 | 146 | 343 | 509 | 333 | - |
| 1999.....        | 1,547 | 4 | 3 | 11 | 9  | 13 | 36 | 52 | 135 | 373 | 523 | 388 | - |
| Hispanic, female |       |   |   |    |    |    |    |    |     |     |     |     |   |
| 2007.....        | 1,637 | 3 | 3 | 7  | 9  | 11 | 17 | 57 | 124 | 258 | 603 | 545 | - |
| 2006.....        | 1,602 | 2 | 4 | 3  | 5  | 14 | 23 | 55 | 134 | 277 | 558 | 527 | - |
| 2005.....        | 1,618 | 3 | 2 | 6  | 1  | 9  | 19 | 74 | 118 | 287 | 553 | 546 | - |
| 2004.....        | 1,476 | 3 | 4 | 5  | 6  | 10 | 21 | 68 | 127 | 270 | 509 | 453 | - |
| 2003.....        | 1,477 | 2 | 3 | 5  | 8  | 14 | 28 | 73 | 102 | 282 | 492 | 468 | - |
| 2002.....        | 1,433 | 2 | 5 | 5  | 3  | 12 | 39 | 57 | 110 | 273 | 462 | 465 | - |
| 2001.....        | 1,350 | 3 | 4 | 3  | 4  | 9  | 31 | 70 | 118 | 256 | 439 | 413 | - |
| 2000.....        | 1,238 | 3 | 4 | 6  | 3  | 8  | 31 | 52 | 98  | 229 | 412 | 392 | - |
| 1999.....        | 1,312 | 2 | 5 | 7  | 6  | 18 | 43 | 63 | 104 | 276 | 412 | 376 | - |

Worktable Orig290F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2007

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data - mortality"]

---

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, sex, and year

|  | All ages | Under 1 year | 1-4 years | 5-14 years | 15-24 years | 25-34 years | 35-44 years | 45-54 years | 55-64 years | 65-74 years | 75-84 years | 85 years and over | Age not stated |
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|

---

Chronic lower respiratory diseases (J40-J47)

| Non-Hispanic 1/, both sexes |         |    |    |     |     |     |     |       |        |        |        |        |   |
|-----------------------------|---------|----|----|-----|-----|-----|-----|-------|--------|--------|--------|--------|---|
| 2007.....                   | 124,217 | 32 | 51 | 101 | 129 | 228 | 756 | 4,001 | 12,446 | 27,982 | 46,655 | 31,831 | 5 |
| 2006.....                   | 121,035 | 24 | 32 | 99  | 135 | 227 | 786 | 3,794 | 12,019 | 27,555 | 46,152 | 30,210 | 2 |
| 2005.....                   | 127,253 | 24 | 51 | 88  | 140 | 233 | 833 | 3,814 | 12,416 | 29,189 | 49,003 | 31,461 | 1 |
| 2004.....                   | 118,650 | 26 | 37 | 108 | 162 | 224 | 818 | 3,375 | 11,455 | 27,656 | 46,413 | 28,375 | 1 |
| 2003.....                   | 122,896 | 24 | 43 | 102 | 170 | 253 | 890 | 3,382 | 11,761 | 29,192 | 48,093 | 28,985 | 1 |
| 2002.....                   | 121,424 | 34 | 56 | 121 | 176 | 267 | 930 | 3,335 | 10,975 | 29,069 | 48,058 | 28,397 | 6 |
| 2001.....                   | 119,839 | 34 | 35 | 94  | 161 | 267 | 909 | 3,180 | 10,860 | 30,028 | 46,713 | 27,558 | - |
| 2000.....                   | 118,963 | 29 | 42 | 123 | 173 | 272 | 872 | 3,122 | 10,447 | 30,486 | 46,687 | 26,709 | 1 |
| 1999.....                   | 120,968 | 30 | 46 | 121 | 194 | 296 | 807 | 2,978 | 11,018 | 31,902 | 47,578 | 25,995 | 3 |

  

| Non-Hispanic 1/, male |        |    |    |    |     |     |     |       |       |        |        |        |   |
|-----------------------|--------|----|----|----|-----|-----|-----|-------|-------|--------|--------|--------|---|
| 2007.....             | 59,234 | 19 | 27 | 68 | 85  | 126 | 370 | 2,033 | 6,535 | 14,271 | 22,683 | 13,012 | 5 |
| 2006.....             | 57,420 | 16 | 22 | 65 | 82  | 123 | 367 | 1,887 | 6,179 | 13,770 | 22,508 | 12,400 | 1 |
| 2005.....             | 60,462 | 13 | 30 | 53 | 88  | 114 | 389 | 1,951 | 6,386 | 14,998 | 23,736 | 12,704 | - |
| 2004.....             | 56,884 | 18 | 23 | 68 | 99  | 131 | 386 | 1,742 | 5,867 | 14,066 | 22,638 | 11,845 | 1 |
| 2003.....             | 58,848 | 18 | 29 | 65 | 101 | 141 | 397 | 1,753 | 6,050 | 14,920 | 23,304 | 12,069 | 1 |
| 2002.....             | 58,896 | 20 | 40 | 64 | 107 | 143 | 460 | 1,719 | 5,604 | 14,924 | 23,761 | 12,050 | 4 |
| 2001.....             | 58,028 | 18 | 25 | 55 | 93  | 133 | 428 | 1,635 | 5,530 | 15,449 | 23,134 | 11,528 | - |
| 2000.....             | 58,349 | 19 | 23 | 71 | 107 | 150 | 411 | 1,593 | 5,388 | 15,805 | 23,266 | 11,515 | 1 |
| 1999.....             | 60,669 | 15 | 27 | 82 | 114 | 138 | 372 | 1,486 | 5,797 | 17,040 | 24,124 | 11,472 | 2 |

Worktable Orig290F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2007

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data - mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, sex, and year

|  | All ages | Under 1 year | 1-4 years | 5-14 years | 15-24 years | 25-34 years | 35-44 years | 45-54 years | 55-64 years | 65-74 years | 75-84 years | 85 years and over | Age not stated |
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|

Chronic lower respiratory diseases (J40-J47)

| Non-Hispanic 1/, female        |          |              |           |            |             |             |             |             |             |             |             |                   |                |
|--------------------------------|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|
|                                | All ages | Under 1 year | 1-4 years | 5-14 years | 15-24 years | 25-34 years | 35-44 years | 45-54 years | 55-64 years | 65-74 years | 75-84 years | 85 years and over | Age not stated |
| 2007.....                      | 64,983   | 13           | 24        | 33         | 44          | 102         | 386         | 1,968       | 5,911       | 13,711      | 23,972      | 18,819            | -              |
| 2006.....                      | 63,615   | 8            | 10        | 34         | 53          | 104         | 419         | 1,907       | 5,840       | 13,785      | 23,644      | 17,810            | 1              |
| 2005.....                      | 66,791   | 11           | 21        | 35         | 52          | 119         | 444         | 1,863       | 6,030       | 14,191      | 25,267      | 18,757            | 1              |
| 2004.....                      | 61,766   | 8            | 14        | 40         | 63          | 93          | 432         | 1,633       | 5,588       | 13,590      | 23,775      | 16,530            | -              |
| 2003.....                      | 64,048   | 6            | 14        | 37         | 69          | 112         | 493         | 1,629       | 5,711       | 14,272      | 24,789      | 16,916            | -              |
| 2002.....                      | 62,528   | 14           | 16        | 57         | 69          | 124         | 470         | 1,616       | 5,371       | 14,145      | 24,297      | 16,347            | 2              |
| 2001.....                      | 61,811   | 16           | 10        | 39         | 68          | 134         | 481         | 1,545       | 5,330       | 14,579      | 23,579      | 16,030            | -              |
| 2000.....                      | 60,614   | 10           | 19        | 52         | 66          | 122         | 461         | 1,529       | 5,059       | 14,681      | 23,421      | 15,194            | -              |
| 1999.....                      | 60,299   | 15           | 19        | 39         | 80          | 158         | 435         | 1,492       | 5,221       | 14,862      | 23,454      | 14,523            | 1              |
| Non-Hispanic white, both sexes |          |              |           |            |             |             |             |             |             |             |             |                   |                |
|                                | All ages | Under 1 year | 1-4 years | 5-14 years | 15-24 years | 25-34 years | 35-44 years | 45-54 years | 55-64 years | 65-74 years | 75-84 years | 85 years and over | Age not stated |
| 2007 2/.....                   | 114,480  | 16           | 18        | 39         | 59          | 129         | 539         | 3,246       | 11,100      | 25,720      | 43,637      | 29,973            | 4              |
| 2006 2/.....                   | 111,559  | 9            | 15        | 30         | 54          | 115         | 539         | 3,113       | 10,666      | 25,397      | 43,173      | 28,446            | 2              |
| 2005 2/.....                   | 117,337  | 11           | 20        | 31         | 64          | 129         | 593         | 3,054       | 11,058      | 26,824      | 45,941      | 29,611            | 1              |
| 2004 2/.....                   | 109,670  | 14           | 12        | 41         | 75          | 120         | 583         | 2,695       | 10,190      | 25,565      | 43,613      | 26,761            | 1              |
| 2003 2/.....                   | 113,541  | 17           | 15        | 39         | 82          | 140         | 617         | 2,725       | 10,465      | 26,902      | 45,177      | 27,361            | 1              |
| 2002.....                      | 112,128  | 20           | 23        | 42         | 94          | 157         | 624         | 2,686       | 9,757       | 26,808      | 45,117      | 26,796            | 4              |
| 2001.....                      | 110,753  | 16           | 13        | 39         | 75          | 134         | 613         | 2,570       | 9,678       | 27,693      | 43,972      | 25,950            | -              |
| 2000.....                      | 109,901  | 16           | 19        | 47         | 87          | 144         | 570         | 2,463       | 9,253       | 28,122      | 44,024      | 25,155            | 1              |
| 1999.....                      | 111,620  | 10           | 23        | 55         | 110         | 146         | 533         | 2,372       | 9,786       | 29,400      | 44,662      | 24,521            | 2              |

Worktable Orig290F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2007

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data - mortality"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, sex, and year | All ages | Under 1 year | 1-4 years | 5-14 years | 15-24 years | 25-34 years | 35-44 years | 45-54 years | 55-64 years | 65-74 years | 75-84 years | 85 years and over | Age not stated |
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|

Chronic lower respiratory diseases (J40-J47)

| Non-Hispanic white, male   |        |    |    |    |    |    |     |       |       |        |        |        |   |
|----------------------------|--------|----|----|----|----|----|-----|-------|-------|--------|--------|--------|---|
| 2007 2/.....               | 53,989 | 6  | 11 | 26 | 38 | 65 | 256 | 1,686 | 5,771 | 12,998 | 20,997 | 12,131 | 4 |
| 2006 2/.....               | 52,270 | 6  | 10 | 22 | 30 | 56 | 254 | 1,538 | 5,407 | 12,546 | 20,850 | 11,550 | 1 |
| 2005 2/.....               | 55,015 | 7  | 9  | 17 | 40 | 57 | 274 | 1,562 | 5,629 | 13,650 | 21,973 | 11,797 | - |
| 2004 2/.....               | 51,909 | 7  | 8  | 23 | 45 | 63 | 270 | 1,398 | 5,126 | 12,865 | 21,076 | 11,027 | 1 |
| 2003 2/.....               | 53,593 | 16 | 7  | 21 | 48 | 64 | 275 | 1,426 | 5,327 | 13,604 | 21,553 | 11,251 | 1 |
| 2002.....                  | 53,662 | 13 | 17 | 23 | 48 | 81 | 304 | 1,383 | 4,909 | 13,615 | 22,034 | 11,232 | 3 |
| 2001.....                  | 52,952 | 10 | 9  | 22 | 39 | 62 | 293 | 1,331 | 4,885 | 14,089 | 21,496 | 10,716 | - |
| 2000.....                  | 53,231 | 12 | 8  | 24 | 52 | 71 | 267 | 1,259 | 4,728 | 14,398 | 21,703 | 10,708 | 1 |
| 1999.....                  | 55,314 | 6  | 11 | 36 | 59 | 66 | 239 | 1,174 | 5,091 | 15,559 | 22,377 | 10,695 | 1 |
| Non-Hispanic white, female |        |    |    |    |    |    |     |       |       |        |        |        |   |
| 2007 2/.....               | 60,491 | 10 | 7  | 13 | 21 | 64 | 283 | 1,560 | 5,329 | 12,722 | 22,640 | 17,842 | - |
| 2006 2/.....               | 59,289 | 3  | 5  | 8  | 24 | 59 | 285 | 1,575 | 5,259 | 12,851 | 22,323 | 16,896 | 1 |
| 2005 2/.....               | 62,322 | 4  | 11 | 14 | 24 | 72 | 319 | 1,492 | 5,429 | 13,174 | 23,968 | 17,814 | 1 |
| 2004 2/.....               | 57,761 | 7  | 4  | 18 | 30 | 57 | 313 | 1,297 | 5,064 | 12,700 | 22,537 | 15,734 | - |
| 2003 2/.....               | 59,948 | 1  | 8  | 18 | 34 | 76 | 342 | 1,299 | 5,138 | 13,298 | 23,624 | 16,110 | - |
| 2002.....                  | 58,466 | 7  | 6  | 19 | 46 | 76 | 320 | 1,303 | 4,848 | 13,193 | 23,083 | 15,564 | 1 |
| 2001.....                  | 57,801 | 6  | 4  | 17 | 36 | 72 | 320 | 1,239 | 4,793 | 13,604 | 22,476 | 15,234 | - |
| 2000.....                  | 56,670 | 4  | 11 | 23 | 35 | 73 | 303 | 1,204 | 4,525 | 13,724 | 22,321 | 14,447 | - |
| 1999.....                  | 56,306 | 4  | 12 | 19 | 51 | 80 | 294 | 1,198 | 4,695 | 13,841 | 22,285 | 13,826 | 1 |



Worktable Orig290F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2007

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data - mortality"]

---

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, sex, and year

|  | All ages | Under 1 year | 1-4 years | 5-14 years | 15-24 years | 25-34 years | 35-44 years | 45-54 years | 55-64 years | 65-74 years | 75-84 years | 85 years and over | Age not stated |
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|

---

Chronic lower respiratory diseases (J40-J47)

| Non-Hispanic black, both sexes |       |    |    |    |    |     |     |     |       |       |       |       |   |
|--------------------------------|-------|----|----|----|----|-----|-----|-----|-------|-------|-------|-------|---|
| 2007 2/.....                   | 7,830 | 14 | 29 | 59 | 65 | 93  | 193 | 669 | 1,166 | 1,886 | 2,315 | 1,341 | - |
| 2006 2/.....                   | 7,657 | 11 | 15 | 66 | 74 | 106 | 224 | 614 | 1,190 | 1,802 | 2,284 | 1,271 | - |
| 2005 2/.....                   | 8,136 | 12 | 30 | 51 | 74 | 96  | 217 | 697 | 1,195 | 1,998 | 2,414 | 1,352 | - |
| 2004 2/.....                   | 7,331 | 11 | 21 | 64 | 79 | 101 | 220 | 621 | 1,101 | 1,751 | 2,195 | 1,167 | - |
| 2003 2/.....                   | 7,632 | 7  | 24 | 62 | 81 | 104 | 245 | 597 | 1,109 | 1,920 | 2,290 | 1,193 | - |
| 2002.....                      | 7,730 | 14 | 29 | 74 | 78 | 102 | 292 | 589 | 1,067 | 1,892 | 2,366 | 1,226 | 1 |
| 2001.....                      | 7,504 | 16 | 22 | 53 | 77 | 128 | 273 | 549 | 1,019 | 1,962 | 2,190 | 1,215 | - |
| 2000.....                      | 7,528 | 11 | 21 | 70 | 80 | 114 | 272 | 593 | 1,063 | 1,993 | 2,128 | 1,183 | - |
| 1999.....                      | 7,840 | 18 | 18 | 66 | 78 | 140 | 258 | 556 | 1,085 | 2,090 | 2,364 | 1,166 | 1 |
| Non-Hispanic black, male       |       |    |    |    |    |     |     |     |       |       |       |       |   |
| 2007 2/.....                   | 4,167 | 12 | 13 | 40 | 44 | 56  | 99  | 303 | 663   | 1,055 | 1,283 | 599   | - |
| 2006 2/.....                   | 4,091 | 6  | 12 | 41 | 46 | 61  | 102 | 314 | 679   | 1,019 | 1,241 | 570   | - |
| 2005 2/.....                   | 4,406 | 6  | 21 | 33 | 47 | 52  | 103 | 351 | 660   | 1,146 | 1,360 | 627   | - |
| 2004 2/.....                   | 4,010 | 10 | 14 | 44 | 48 | 66  | 107 | 317 | 644   | 1,000 | 1,200 | 560   | - |
| 2003 2/.....                   | 4,202 | 2  | 19 | 43 | 48 | 72  | 106 | 293 | 615   | 1,093 | 1,340 | 571   | - |
| 2002.....                      | 4,282 | 7  | 20 | 39 | 58 | 56  | 150 | 304 | 607   | 1,093 | 1,350 | 597   | 1 |
| 2001.....                      | 4,143 | 6  | 16 | 32 | 48 | 69  | 124 | 271 | 554   | 1,147 | 1,285 | 591   | - |
| 2000.....                      | 4,184 | 6  | 14 | 43 | 51 | 70  | 129 | 289 | 587   | 1,195 | 1,207 | 593   | - |
| 1999.....                      | 4,452 | 9  | 13 | 46 | 52 | 67  | 121 | 284 | 624   | 1,238 | 1,402 | 595   | 1 |

Worktable Orig290F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2007

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data - mortality"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, sex, and year | All ages | Under 1 year | 1-4 years | 5-14 years | 15-24 years | 25-34 years | 35-44 years | 45-54 years | 55-64 years | 65-74 years | 75-84 years | 85 years and over | Age not stated |
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|

Chronic lower respiratory diseases (J40-J47)

| Non-Hispanic black, female       |          |              |           |            |             |             |             |             |             |             |             |                   |                |
|----------------------------------|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|
| Year                             | All ages | Under 1 year | 1-4 years | 5-14 years | 15-24 years | 25-34 years | 35-44 years | 45-54 years | 55-64 years | 65-74 years | 75-84 years | 85 years and over | Age not stated |
| 2007 2/.....                     | 3,663    | 2            | 16        | 19         | 21          | 37          | 94          | 366         | 503         | 831         | 1,032       | 742               | -              |
| 2006 2/.....                     | 3,566    | 5            | 3         | 25         | 28          | 45          | 122         | 300         | 511         | 783         | 1,043       | 701               | -              |
| 2005 2/.....                     | 3,730    | 6            | 9         | 18         | 27          | 44          | 114         | 346         | 535         | 852         | 1,054       | 725               | -              |
| 2004 2/.....                     | 3,321    | 1            | 7         | 20         | 31          | 35          | 113         | 304         | 457         | 751         | 995         | 607               | -              |
| 2003 2/.....                     | 3,430    | 5            | 5         | 19         | 33          | 32          | 139         | 304         | 494         | 827         | 950         | 622               | -              |
| 2002.....                        | 3,448    | 7            | 9         | 35         | 20          | 46          | 142         | 285         | 460         | 799         | 1,016       | 629               | -              |
| 2001.....                        | 3,361    | 10           | 6         | 21         | 29          | 59          | 149         | 278         | 465         | 815         | 905         | 624               | -              |
| 2000.....                        | 3,344    | 5            | 7         | 27         | 29          | 44          | 143         | 304         | 476         | 798         | 921         | 590               | -              |
| 1999.....                        | 3,388    | 9            | 5         | 20         | 26          | 73          | 137         | 272         | 461         | 852         | 962         | 571               | -              |
| Origin not stated 3/, both sexes |          |              |           |            |             |             |             |             |             |             |             |                   |                |
| 2007.....                        | 176      | -            | -         | -          | -           | -           | 2           | 11          | 34          | 37          | 65          | 27                | -              |
| 2006.....                        | 238      | -            | -         | -          | 1           | -           | 6           | 12          | 51          | 55          | 75          | 36                | 2              |
| 2005.....                        | 223      | -            | -         | 1          | -           | -           | 4           | 12          | 33          | 53          | 76          | 43                | 1              |
| 2004.....                        | 230      | -            | -         | -          | -           | 1           | 3           | 12          | 27          | 77          | 69          | 41                | -              |
| 2003.....                        | 312      | -            | 1         | 1          | 1           | -           | 2           | 21          | 50          | 76          | 98          | 61                | 1              |
| 2002.....                        | 334      | 1            | -         | 2          | 1           | 3           | 8           | 13          | 31          | 84          | 128         | 62                | 1              |
| 2001.....                        | 342      | -            | -         | 1          | -           | 1           | 8           | 20          | 48          | 89          | 109         | 65                | 1              |
| 2000.....                        | 357      | -            | -         | 1          | 1           | 4           | 3           | 24          | 48          | 99          | 114         | 62                | 1              |
| 1999.....                        | 354      | -            | -         | -          | -           | 3           | 4           | 17          | 40          | 93          | 122         | 74                | 1              |

Worktable Orig290F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2007

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data - mortality"]

---

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, sex, and year

|  | All ages | Under 1 year | 1-4 years | 5-14 years | 15-24 years | 25-34 years | 35-44 years | 45-54 years | 55-64 years | 65-74 years | 75-84 years | 85 years and over | Age not stated |
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|

---

Chronic lower respiratory diseases (J40-J47)

| Origin not stated 3/, male |     |   |   |   |   |   |   |    |    |    |    |    |   |
|----------------------------|-----|---|---|---|---|---|---|----|----|----|----|----|---|
| 2007.....                  | 107 | - | - | - | - | - | 1 | 8  | 25 | 21 | 38 | 14 | - |
| 2006.....                  | 132 | - | - | - | 1 | - | 3 | 8  | 32 | 33 | 38 | 15 | 2 |
| 2005.....                  | 134 | - | - | 1 | - | - | 3 | 6  | 23 | 35 | 42 | 23 | 1 |
| 2004.....                  | 131 | - | - | - | - | - | - | 8  | 17 | 50 | 40 | 16 | - |
| 2003.....                  | 169 | - | 1 | - | 1 | - | 2 | 12 | 29 | 44 | 56 | 23 | 1 |
| 2002.....                  | 192 | 1 | - | 2 | 1 | 3 | 6 | 6  | 15 | 53 | 78 | 26 | 1 |
| 2001.....                  | 187 | - | - | - | - | - | 6 | 13 | 32 | 50 | 56 | 29 | 1 |
| 2000.....                  | 204 | - | - | - | - | 3 | 2 | 15 | 30 | 62 | 63 | 28 | 1 |
| 1999.....                  | 199 | - | - | - | - | 1 | 2 | 13 | 26 | 64 | 58 | 34 | 1 |

  

| Origin not stated 3/, female |     |   |   |   |   |   |   |   |    |    |    |    |   |
|------------------------------|-----|---|---|---|---|---|---|---|----|----|----|----|---|
| 2007.....                    | 69  | - | - | - | - | - | 1 | 3 | 9  | 16 | 27 | 13 | - |
| 2006.....                    | 106 | - | - | - | - | - | 3 | 4 | 19 | 22 | 37 | 21 | - |
| 2005.....                    | 89  | - | - | - | - | - | 1 | 6 | 10 | 18 | 34 | 20 | - |
| 2004.....                    | 99  | - | - | - | - | 1 | 3 | 4 | 10 | 27 | 29 | 25 | - |
| 2003.....                    | 143 | - | - | 1 | - | - | - | 9 | 21 | 32 | 42 | 38 | - |
| 2002.....                    | 142 | - | - | - | - | - | 2 | 7 | 16 | 31 | 50 | 36 | - |
| 2001.....                    | 155 | - | - | 1 | - | 1 | 2 | 7 | 16 | 39 | 53 | 36 | - |
| 2000.....                    | 153 | - | - | 1 | 1 | 1 | 1 | 9 | 18 | 37 | 51 | 34 | - |
| 1999.....                    | 155 | - | - | - | - | 2 | 2 | 4 | 14 | 29 | 64 | 40 | - |

Worktable Orig290F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2007

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data - mortality"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, sex, and year | All ages | Under 1 year | 1-4 years | 5-14 years | 15-24 years | 25-34 years | 35-44 years | 45-54 years | 55-64 years | 65-74 years | 75-84 years | 85 years and over | Age not stated |
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|
| Bronchitis, chronic and unspecified (J40-J42)  |          |              |           |            |             |             |             |             |             |             |             |                   |                |
| All origins, both sexes  |          |              |           |            |             |             |             |             |             |             |             |                   |                |
| 2007.....  | 667      | 24           | 10        | 2          | 1           | 5           | 14          | 24          | 52          | 88          | 181         | 266               | -              |
| 2006.....  | 740      | 19           | 12        | 2          | 9           | 5           | 10          | 27          | 49          | 89          | 200         | 318               | -              |
| 2005.....  | 866      | 25           | 12        | 3          | 5           | 6           | 15          | 27          | 73          | 119         | 205         | 376               | -              |
| 2004.....  | 773      | 17           | 12        | 4          | 7           | 5           | 12          | 35          | 67          | 97          | 199         | 318               | -              |
| 2003.....  | 850      | 20           | 13        | 6          | 7           | 10          | 17          | 35          | 47          | 104         | 246         | 345               | -              |
| 2002.....  | 955      | 24           | 13        | 5          | 6           | 6           | 18          | 36          | 54          | 135         | 286         | 372               | -              |
| 2001.....  | 959      | 21           | 8         | -          | 5           | 6           | 21          | 42          | 61          | 133         | 261         | 401               | -              |
| 2000.....  | 1,167    | 18           | 14        | 5          | 5           | 8           | 20          | 38          | 67          | 158         | 333         | 501               | -              |
| 1999.....  | 1,172    | 20           | 19        | 4          | 7           | 11          | 18          | 38          | 97          | 173         | 339         | 446               | -              |
| All origins, male  |          |              |           |            |             |             |             |             |             |             |             |                   |                |
| 2007.....  | 273      | 13           | 6         | 1          | 1           | 4           | 5           | 13          | 22          | 34          | 86          | 88                | -              |
| 2006.....  | 299      | 12           | 9         | 1          | 6           | 4           | 9           | 13          | 23          | 40          | 82          | 100               | -              |
| 2005.....  | 361      | 16           | 5         | 2          | 3           | 3           | 10          | 18          | 35          | 52          | 100         | 117               | -              |
| 2004.....  | 338      | 12           | 9         | 4          | 4           | 4           | 5           | 22          | 35          | 54          | 83          | 106               | -              |
| 2003.....  | 351      | 15           | 6         | 3          | 6           | 3           | 9           | 23          | 26          | 46          | 113         | 101               | -              |
| 2002.....  | 420      | 15           | 8         | 2          | 3           | 2           | 12          | 27          | 28          | 74          | 127         | 122               | -              |
| 2001.....  | 396      | 11           | 5         | -          | 3           | 2           | 8           | 21          | 36          | 76          | 115         | 119               | -              |
| 2000.....  | 503      | 9            | 7         | 3          | 4           | 7           | 14          | 16          | 32          | 79          | 174         | 158               | -              |
| 1999.....  | 498      | 9            | 11        | 3          | 4           | 3           | 5           | 19          | 51          | 94          | 157         | 142               | -              |

Worktable Orig290F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2007

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data - mortality"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, sex, and year | All ages | Under 1 year | 1-4 years | 5-14 years | 15-24 years | 25-34 years | 35-44 years | 45-54 years | 55-64 years | 65-74 years | 75-84 years | 85 years and over | Age not stated |
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|
| Bronchitis, chronic and unspecified (J40-J42)  |          |              |           |            |             |             |             |             |             |             |             |                   |                |
| All origins, female  |          |              |           |            |             |             |             |             |             |             |             |                   |                |
| 2007.....  | 394      | 11           | 4         | 1          | -           | 1           | 9           | 11          | 30          | 54          | 95          | 178               | -              |
| 2006.....  | 441      | 7            | 3         | 1          | 3           | 1           | 1           | 14          | 26          | 49          | 118         | 218               | -              |
| 2005.....  | 505      | 9            | 7         | 1          | 2           | 3           | 5           | 9           | 38          | 67          | 105         | 259               | -              |
| 2004.....  | 435      | 5            | 3         | -          | 3           | 1           | 7           | 13          | 32          | 43          | 116         | 212               | -              |
| 2003.....  | 499      | 5            | 7         | 3          | 1           | 7           | 8           | 12          | 21          | 58          | 133         | 244               | -              |
| 2002.....  | 535      | 9            | 5         | 3          | 3           | 4           | 6           | 9           | 26          | 61          | 159         | 250               | -              |
| 2001.....  | 563      | 10           | 3         | -          | 2           | 4           | 13          | 21          | 25          | 57          | 146         | 282               | -              |
| 2000.....  | 664      | 9            | 7         | 2          | 1           | 1           | 6           | 22          | 35          | 79          | 159         | 343               | -              |
| 1999.....  | 674      | 11           | 8         | 1          | 3           | 8           | 13          | 19          | 46          | 79          | 182         | 304               | -              |
| Hispanic, both sexes   |          |              |           |            |             |             |             |             |             |             |             |                   |                |
| 2007.....  | 37       | 4            | -         | -          | -           | 1           | 1           | -           | 2           | 6           | 9           | 14                | -              |
| 2006.....  | 39       | 3            | 4         | -          | 2           | 2           | 1           | -           | 1           | 2           | 10          | 14                | -              |
| 2005.....  | 44       | 5            | 1         | -          | -           | 2           | -           | 1           | 1           | 3           | 12          | 19                | -              |
| 2004.....  | 38       | 4            | 2         | 1          | -           | -           | -           | 2           | 3           | 3           | 13          | 10                | -              |
| 2003.....  | 40       | 5            | 5         | -          | 1           | 1           | -           | 1           | 1           | 3           | 9           | 14                | -              |
| 2002.....  | 51       | 3            | 1         | -          | 2           | 1           | 3           | 3           | 2           | 2           | 14          | 20                | -              |
| 2001.....  | 37       | 4            | 1         | -          | 1           | 1           | 2           | 1           | 2           | 3           | 9           | 13                | -              |
| 2000.....  | 52       | 4            | 3         | -          | -           | 2           | 3           | 1           | 1           | 9           | 13          | 16                | -              |
| 1999.....  | 52       | 3            | 3         | 1          | -           | 2           | 7           | -           | 2           | 4           | 13          | 17                | -              |

Worktable Orig290F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2007

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data - mortality"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, sex, and year | All ages | Under 1 year | 1-4 years | 5-14 years | 15-24 years | 25-34 years | 35-44 years | 45-54 years | 55-64 years | 65-74 years | 75-84 years | 85 years and over | Age not stated |
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|
| Bronchitis, chronic and unspecified (J40-J42)  |          |              |           |            |             |             |             |             |             |             |             |                   |                |
| Hispanic, male   |          |              |           |            |             |             |             |             |             |             |             |                   |                |
| 2007.....  | 21       | 3            | -         | -          | -           | 1           | 1           | -           | 1           | 3           | 7           | 5                 | -              |
| 2006.....  | 18       | 2            | 3         | -          | 2           | 2           | 1           | -           | -           | 1           | 4           | 3                 | -              |
| 2005.....  | 19       | 4            | 1         | -          | -           | 1           | -           | 1           | 1           | 1           | 6           | 4                 | -              |
| 2004.....  | 19       | 3            | 2         | 1          | -           | -           | -           | 1           | 2           | -           | 6           | 4                 | -              |
| 2003.....  | 20       | 3            | 3         | -          | 1           | -           | -           | -           | -           | 2           | 5           | 6                 | -              |
| 2002.....  | 20       | 1            | 1         | -          | 1           | 1           | 2           | 3           | 1           | 1           | 4           | 5                 | -              |
| 2001.....  | 15       | 2            | -         | -          | -           | 1           | 1           | -           | 1           | 1           | 6           | 3                 | -              |
| 2000.....  | 28       | 2            | 2         | -          | -           | 2           | 2           | -           | 1           | 7           | 6           | 6                 | -              |
| 1999.....  | 17       | 1            | 2         | 1          | -           | -           | 2           | -           | -           | 3           | 3           | 5                 | -              |
| Hispanic, female   |          |              |           |            |             |             |             |             |             |             |             |                   |                |
| 2007.....  | 16       | 1            | -         | -          | -           | -           | -           | -           | 1           | 3           | 2           | 9                 | -              |
| 2006.....  | 21       | 1            | 1         | -          | -           | -           | -           | -           | 1           | 1           | 6           | 11                | -              |
| 2005.....  | 25       | 1            | -         | -          | -           | 1           | -           | -           | -           | 2           | 6           | 15                | -              |
| 2004.....  | 19       | 1            | -         | -          | -           | -           | -           | 1           | 1           | 3           | 7           | 6                 | -              |
| 2003.....  | 20       | 2            | 2         | -          | -           | 1           | -           | 1           | 1           | 1           | 4           | 8                 | -              |
| 2002.....  | 31       | 2            | -         | -          | 1           | -           | 1           | -           | 1           | 1           | 10          | 15                | -              |
| 2001.....  | 22       | 2            | 1         | -          | 1           | -           | 1           | 1           | 1           | 2           | 3           | 10                | -              |
| 2000.....  | 24       | 2            | 1         | -          | -           | -           | 1           | 1           | -           | 2           | 7           | 10                | -              |
| 1999.....  | 35       | 2            | 1         | -          | -           | 2           | 5           | -           | 2           | 1           | 10          | 12                | -              |

Worktable Orig290F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2007

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data - mortality"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, sex, and year | All ages | Under 1 year | 1-4 years | 5-14 years | 15-24 years | 25-34 years | 35-44 years | 45-54 years | 55-64 years | 65-74 years | 75-84 years | 85 years and over | Age not stated |
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|
| Bronchitis, chronic and unspecified (J40-J42)  |          |              |           |            |             |             |             |             |             |             |             |                   |                |
| Non-Hispanic 1/, both sexes  |          |              |           |            |             |             |             |             |             |             |             |                   |                |
| 2007.....  | 629      | 20           | 10        | 2          | 1           | 4           | 13          | 24          | 50          | 82          | 171         | 252               | -              |
| 2006.....  | 701      | 16           | 8         | 2          | 7           | 3           | 9           | 27          | 48          | 87          | 190         | 304               | -              |
| 2005.....  | 820      | 20           | 11        | 3          | 5           | 4           | 15          | 26          | 72          | 116         | 193         | 355               | -              |
| 2004.....  | 733      | 13           | 10        | 3          | 7           | 5           | 12          | 33          | 64          | 94          | 186         | 306               | -              |
| 2003.....  | 808      | 15           | 8         | 6          | 6           | 9           | 17          | 34          | 46          | 101         | 235         | 331               | -              |
| 2002.....  | 900      | 20           | 12        | 5          | 4           | 5           | 15          | 33          | 52          | 132         | 271         | 351               | -              |
| 2001.....  | 919      | 17           | 7         | -          | 4           | 5           | 19          | 40          | 58          | 130         | 251         | 388               | -              |
| 2000.....  | 1,112    | 14           | 11        | 5          | 5           | 6           | 17          | 37          | 66          | 149         | 320         | 482               | -              |
| 1999.....  | 1,117    | 17           | 16        | 3          | 7           | 9           | 11          | 38          | 94          | 168         | 326         | 428               | -              |
| Non-Hispanic 1/, male  |          |              |           |            |             |             |             |             |             |             |             |                   |                |
| 2007.....  | 251      | 10           | 6         | 1          | 1           | 3           | 4           | 13          | 21          | 31          | 78          | 83                | -              |
| 2006.....  | 281      | 10           | 6         | 1          | 4           | 2           | 8           | 13          | 23          | 39          | 78          | 97                | -              |
| 2005.....  | 342      | 12           | 4         | 2          | 3           | 2           | 10          | 17          | 34          | 51          | 94          | 113               | -              |
| 2004.....  | 318      | 9            | 7         | 3          | 4           | 4           | 5           | 21          | 33          | 54          | 77          | 101               | -              |
| 2003.....  | 330      | 12           | 3         | 3          | 5           | 3           | 9           | 23          | 26          | 44          | 107         | 95                | -              |
| 2002.....  | 398      | 13           | 7         | 2          | 2           | 1           | 10          | 24          | 27          | 73          | 122         | 117               | -              |
| 2001.....  | 380      | 9            | 5         | -          | 3           | 1           | 7           | 21          | 34          | 75          | 109         | 116               | -              |
| 2000.....  | 474      | 7            | 5         | 3          | 4           | 5           | 12          | 16          | 31          | 72          | 168         | 151               | -              |
| 1999.....  | 478      | 8            | 9         | 2          | 4           | 3           | 3           | 19          | 50          | 90          | 154         | 136               | -              |

Worktable Orig290F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2007

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data - mortality"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, sex, and year | All ages | Under 1 year | 1-4 years | 5-14 years | 15-24 years | 25-34 years | 35-44 years | 45-54 years | 55-64 years | 65-74 years | 75-84 years | 85 years and over | Age not stated |
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|
| Bronchitis, chronic and unspecified (J40-J42)  |          |              |           |            |             |             |             |             |             |             |             |                   |                |
| Non-Hispanic 1/, female  |          |              |           |            |             |             |             |             |             |             |             |                   |                |
| 2007.....  | 378      | 10           | 4         | 1          | -           | 1           | 9           | 11          | 29          | 51          | 93          | 169               | -              |
| 2006.....  | 420      | 6            | 2         | 1          | 3           | 1           | 1           | 14          | 25          | 48          | 112         | 207               | -              |
| 2005.....  | 478      | 8            | 7         | 1          | 2           | 2           | 5           | 9           | 38          | 65          | 99          | 242               | -              |
| 2004.....  | 415      | 4            | 3         | -          | 3           | 1           | 7           | 12          | 31          | 40          | 109         | 205               | -              |
| 2003.....  | 478      | 3            | 5         | 3          | 1           | 6           | 8           | 11          | 20          | 57          | 128         | 236               | -              |
| 2002.....  | 502      | 7            | 5         | 3          | 2           | 4           | 5           | 9           | 25          | 59          | 149         | 234               | -              |
| 2001.....  | 539      | 8            | 2         | -          | 1           | 4           | 12          | 19          | 24          | 55          | 142         | 272               | -              |
| 2000.....  | 638      | 7            | 6         | 2          | 1           | 1           | 5           | 21          | 35          | 77          | 152         | 331               | -              |
| 1999.....  | 639      | 9            | 7         | 1          | 3           | 6           | 8           | 19          | 44          | 78          | 172         | 292               | -              |
| Non-Hispanic white, both sexes   |          |              |           |            |             |             |             |             |             |             |             |                   |                |
| 2007 2/.....   | 554      | 9            | 6         | 1          | -           | 2           | 10          | 22          | 42          | 70          | 161         | 231               | -              |
| 2006 2/.....   | 618      | 6            | 5         | 1          | 6           | 2           | 7           | 21          | 41          | 78          | 168         | 283               | -              |
| 2005 2/.....   | 738      | 10           | 9         | 3          | 4           | 4           | 11          | 22          | 57          | 103         | 176         | 339               | -              |
| 2004 2/.....   | 653      | 8            | 4         | 2          | 5           | 5           | 8           | 24          | 53          | 88          | 174         | 282               | -              |
| 2003 2/.....   | 712      | 11           | 4         | 3          | 5           | 5           | 13          | 23          | 37          | 92          | 214         | 305               | -              |
| 2002.....  | 821      | 12           | 6         | 3          | 2           | 4           | 13          | 26          | 44          | 124         | 252         | 335               | -              |
| 2001.....  | 839      | 7            | 5         | -          | 3           | 4           | 16          | 35          | 54          | 113         | 232         | 370               | -              |
| 2000.....  | 1,018    | 5            | 4         | 4          | 4           | 4           | 11          | 31          | 60          | 131         | 297         | 467               | -              |
| 1999.....  | 1,002    | 8            | 12        | 3          | 6           | 6           | 9           | 24          | 86          | 150         | 293         | 405               | -              |



Worktable Orig290F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2007

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data - mortality"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, sex, and year | All ages | Under 1 year | 1-4 years | 5-14 years | 15-24 years | 25-34 years | 35-44 years | 45-54 years | 55-64 years | 65-74 years | 75-84 years | 85 years and over | Age not stated |
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|
| Bronchitis, chronic and unspecified (J40-J42)  |          |              |           |            |             |             |             |             |             |             |             |                   |                |
| Non-Hispanic white, male   |          |              |           |            |             |             |             |             |             |             |             |                   |                |
| 2007 2/.....   | 216      | 2            | 4         | 1          | -           | 2           | 3           | 12          | 18          | 25          | 73          | 76                | -              |
| 2006 2/.....   | 241      | 4            | 4         | -          | 3           | 2           | 6           | 9           | 18          | 35          | 67          | 93                | -              |
| 2005 2/.....   | 296      | 6            | 3         | 2          | 2           | 2           | 7           | 15          | 30          | 43          | 83          | 103               | -              |
| 2004 2/.....   | 276      | 4            | 3         | 2          | 3           | 4           | 2           | 13          | 28          | 51          | 73          | 93                | -              |
| 2003 2/.....   | 290      | 10           | 2         | 1          | 4           | 2           | 7           | 17          | 23          | 39          | 96          | 89                | -              |
| 2002.....  | 354      | 9            | 2         | 2          | 1           | 1           | 8           | 17          | 22          | 67          | 113         | 112               | -              |
| 2001.....  | 338      | 5            | 5         | -          | 2           | -           | 6           | 17          | 32          | 66          | 97          | 108               | -              |
| 2000.....  | 429      | 3            | 1         | 2          | 3           | 3           | 6           | 15          | 27          | 64          | 159         | 146               | -              |
| 1999.....  | 421      | 5            | 6         | 2          | 3           | 2           | 3           | 11          | 45          | 81          | 135         | 128               | -              |
| Non-Hispanic white, female   |          |              |           |            |             |             |             |             |             |             |             |                   |                |
| 2007 2/.....   | 338      | 7            | 2         | -          | -           | -           | 7           | 10          | 24          | 45          | 88          | 155               | -              |
| 2006 2/.....   | 377      | 2            | 1         | 1          | 3           | -           | 1           | 12          | 23          | 43          | 101         | 190               | -              |
| 2005 2/.....   | 442      | 4            | 6         | 1          | 2           | 2           | 4           | 7           | 27          | 60          | 93          | 236               | -              |
| 2004 2/.....   | 377      | 4            | 1         | -          | 2           | 1           | 6           | 11          | 25          | 37          | 101         | 189               | -              |
| 2003 2/.....   | 422      | 1            | 2         | 2          | 1           | 3           | 6           | 6           | 14          | 53          | 118         | 216               | -              |
| 2002.....  | 467      | 3            | 4         | 1          | 1           | 3           | 5           | 9           | 22          | 57          | 139         | 223               | -              |
| 2001.....  | 501      | 2            | -         | -          | 1           | 4           | 10          | 18          | 22          | 47          | 135         | 262               | -              |
| 2000.....  | 589      | 2            | 3         | 2          | 1           | 1           | 5           | 16          | 33          | 67          | 138         | 321               | -              |
| 1999.....  | 581      | 3            | 6         | 1          | 3           | 4           | 6           | 13          | 41          | 69          | 158         | 277               | -              |

Worktable Orig290F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2007

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data - mortality"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, sex, and year | All ages | Under 1 year | 1-4 years | 5-14 years | 15-24 years | 25-34 years | 35-44 years | 45-54 years | 55-64 years | 65-74 years | 75-84 years | 85 years and over | Age not stated |
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|
| <b>Bronchitis, chronic and unspecified (J40-J42)</b>   |          |              |           |            |             |             |             |             |             |             |             |                   |                |
| <b>Non-Hispanic black, both sexes</b>  |          |              |           |            |             |             |             |             |             |             |             |                   |                |
| 2007 2/.....   | 56       | 9            | 3         | 1          | 1           | 2           | 1           | 2           | 4           | 10          | 9           | 14                | -              |
| 2006 2/.....   | 66       | 8            | 3         | 1          | -           | 1           | 2           | 5           | 7           | 9           | 16          | 14                | -              |
| 2005 2/.....   | 54       | 9            | 1         | -          | 1           | -           | 3           | 4           | 11          | 9           | 10          | 6                 | -              |
| 2004 2/.....   | 64       | 5            | 5         | 1          | 2           | -           | 4           | 9           | 9           | 5           | 8           | 16                | -              |
| 2003 2/.....   | 74       | 4            | 3         | 3          | 1           | 3           | 4           | 11          | 8           | 6           | 12          | 19                | -              |
| 2002.....  | 66       | 8            | 6         | 2          | 2           | 1           | 2           | 7           | 5           | 6           | 13          | 14                | -              |
| 2001.....  | 62       | 10           | 2         | -          | 1           | 1           | 3           | 4           | 4           | 15          | 11          | 11                | -              |
| 2000.....  | 80       | 7            | 6         | 1          | 1           | 1           | 6           | 6           | 4           | 16          | 20          | 12                | -              |
| 1999.....  | 88       | 7            | 1         | -          | 1           | 3           | 2           | 12          | 7           | 15          | 26          | 14                | -              |
| <b>Non-Hispanic black, male</b>  |          |              |           |            |             |             |             |             |             |             |             |                   |                |
| 2007 2/.....   | 24       | 7            | 1         | -          | 1           | 1           | -           | 1           | -           | 5           | 4           | 4                 | -              |
| 2006 2/.....   | 31       | 4            | 2         | 1          | -           | -           | 2           | 3           | 5           | 4           | 8           | 2                 | -              |
| 2005 2/.....   | 33       | 6            | 1         | -          | 1           | -           | 2           | 2           | 4           | 6           | 7           | 4                 | -              |
| 2004 2/.....   | 34       | 5            | 4         | 1          | 1           | -           | 3           | 8           | 3           | 3           | 2           | 4                 | -              |
| 2003 2/.....   | 29       | 2            | -         | 2          | 1           | 1           | 2           | 6           | 3           | 2           | 7           | 3                 | -              |
| 2002.....  | 35       | 4            | 5         | -          | 1           | -           | 2           | 7           | 2           | 4           | 5           | 5                 | -              |
| 2001.....  | 32       | 4            | -         | -          | 1           | 1           | 1           | 4           | 2           | 8           | 6           | 5                 | -              |
| 2000.....  | 35       | 3            | 3         | 1          | 1           | 1           | 6           | 1           | 3           | 6           | 7           | 3                 | -              |
| 1999.....  | 43       | 3            | 1         | -          | 1           | 1           | -           | 7           | 4           | 7           | 16          | 3                 | -              |

Worktable Orig290F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2007

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data - mortality"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, sex, and year | All ages | Under 1 year | 1-4 years | 5-14 years | 15-24 years | 25-34 years | 35-44 years | 45-54 years | 55-64 years | 65-74 years | 75-84 years | 85 years and over | Age not stated |
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|
| Bronchitis, chronic and unspecified (J40-J42)  |          |              |           |            |             |             |             |             |             |             |             |                   |                |
| Non-Hispanic black, female   |          |              |           |            |             |             |             |             |             |             |             |                   |                |
| 2007 2/.....   | 32       | 2            | 2         | 1          | -           | 1           | 1           | 1           | 4           | 5           | 5           | 10                | -              |
| 2006 2/.....   | 35       | 4            | 1         | -          | -           | 1           | -           | 2           | 2           | 5           | 8           | 12                | -              |
| 2005 2/.....   | 21       | 3            | -         | -          | -           | -           | 1           | 2           | 7           | 3           | 3           | 2                 | -              |
| 2004 2/.....   | 30       | -            | 1         | -          | 1           | -           | 1           | 1           | 6           | 2           | 6           | 12                | -              |
| 2003 2/.....   | 45       | 2            | 3         | 1          | -           | 2           | 2           | 5           | 5           | 4           | 5           | 16                | -              |
| 2002.....  | 31       | 4            | 1         | 2          | 1           | 1           | -           | -           | 3           | 2           | 8           | 9                 | -              |
| 2001.....  | 30       | 6            | 2         | -          | -           | -           | 2           | -           | 2           | 7           | 5           | 6                 | -              |
| 2000.....  | 45       | 4            | 3         | -          | -           | -           | -           | 5           | 1           | 10          | 13          | 9                 | -              |
| 1999.....  | 45       | 4            | -         | -          | -           | 2           | 2           | 5           | 3           | 8           | 10          | 11                | -              |
| Origin not stated 3/, both sexes   |          |              |           |            |             |             |             |             |             |             |             |                   |                |
| 2007.....  | 1        | -            | -         | -          | -           | -           | -           | -           | -           | -           | 1           | -                 | -              |
| 2006.....  | -        | -            | -         | -          | -           | -           | -           | -           | -           | -           | -           | -                 | -              |
| 2005.....  | 2        | -            | -         | -          | -           | -           | -           | -           | -           | -           | -           | 2                 | -              |
| 2004.....  | 2        | -            | -         | -          | -           | -           | -           | -           | -           | -           | -           | 2                 | -              |
| 2003.....  | 2        | -            | -         | -          | -           | -           | -           | -           | -           | -           | 2           | -                 | -              |
| 2002.....  | 4        | 1            | -         | -          | -           | -           | -           | -           | -           | 1           | 1           | 1                 | -              |
| 2001.....  | 3        | -            | -         | -          | -           | -           | -           | 1           | 1           | -           | 1           | -                 | -              |
| 2000.....  | 3        | -            | -         | -          | -           | -           | -           | -           | -           | -           | -           | 3                 | -              |
| 1999.....  | 3        | -            | -         | -          | -           | -           | -           | -           | 1           | 1           | -           | 1                 | -              |



Worktable Orig290F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2007

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data - mortality"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, sex, and year | All ages | Under 1 year | 1-4 years | 5-14 years | 15-24 years | 25-34 years | 35-44 years | 45-54 years | 55-64 years | 65-74 years | 75-84 years | 85 years and over | Age not stated |
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|
| Empysemata (J43)   |          |              |           |            |             |             |             |             |             |             |             |                   |                |
| All origins, both sexes  |          |              |           |            |             |             |             |             |             |             |             |                   |                |
| 2007.....  | 12,790   | 3            | -         | 1          | 1           | 10          | 60          | 486         | 1,590       | 3,294       | 4,835       | 2,509             | 1              |
| 2006.....  | 12,551   | 2            | -         | 2          | 1           | 9           | 86          | 454         | 1,523       | 3,273       | 4,799       | 2,400             | 2              |
| 2005.....  | 14,002   | 2            | 1         | -          | -           | 8           | 77          | 444         | 1,677       | 3,749       | 5,400       | 2,643             | 1              |
| 2004.....  | 13,639   | 3            | 2         | 1          | 3           | 10          | 80          | 413         | 1,583       | 3,793       | 5,324       | 2,427             | -              |
| 2003.....  | 14,861   | -            | 1         | -          | 4           | 5           | 87          | 450         | 1,755       | 4,063       | 5,920       | 2,574             | 2              |
| 2002.....  | 15,489   | 1            | 3         | -          | 2           | 10          | 94          | 454         | 1,703       | 4,388       | 6,109       | 2,724             | 1              |
| 2001.....  | 16,242   | 3            | -         | 1          | 2           | 7           | 75          | 448         | 1,829       | 4,804       | 6,337       | 2,736             | -              |
| 2000.....  | 16,700   | 3            | 2         | -          | 5           | 11          | 82          | 474         | 1,807       | 5,120       | 6,511       | 2,685             | -              |
| 1999.....  | 17,787   | 1            | -         | 1          | 1           | 9           | 97          | 468         | 2,019       | 5,656       | 6,955       | 2,580             | -              |
| All origins, male  |          |              |           |            |             |             |             |             |             |             |             |                   |                |
| 2007.....  | 6,598    | 2            | -         | -          | -           | 5           | 41          | 305         | 903         | 1,789       | 2,457       | 1,095             | 1              |
| 2006.....  | 6,318    | 2            | -         | 1          | -           | 6           | 49          | 267         | 811         | 1,697       | 2,408       | 1,075             | 2              |
| 2005.....  | 7,264    | -            | 1         | -          | -           | 5           | 54          | 277         | 973         | 2,039       | 2,767       | 1,147             | 1              |
| 2004.....  | 7,075    | 2            | -         | 1          | 3           | 5           | 49          | 244         | 873         | 2,051       | 2,725       | 1,122             | -              |
| 2003.....  | 7,549    | -            | 1         | -          | 2           | 3           | 49          | 279         | 932         | 2,141       | 2,995       | 1,145             | 2              |
| 2002.....  | 8,084    | -            | 3         | -          | -           | 8           | 66          | 267         | 925         | 2,335       | 3,228       | 1,251             | 1              |
| 2001.....  | 8,415    | 1            | -         | 1          | 1           | 4           | 52          | 266         | 966         | 2,554       | 3,255       | 1,315             | -              |
| 2000.....  | 8,671    | 3            | -         | -          | 5           | 5           | 46          | 280         | 943         | 2,738       | 3,373       | 1,278             | -              |
| 1999.....  | 9,480    | -            | -         | -          | 1           | 6           | 49          | 268         | 1,085       | 3,136       | 3,677       | 1,258             | -              |

Worktable Orig290F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2007

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data - mortality"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, sex, and year | All ages | Under 1 year | 1-4 years | 5-14 years | 15-24 years | 25-34 years | 35-44 years | 45-54 years | 55-64 years | 65-74 years | 75-84 years | 85 years and over | Age not stated |
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|
| <b>Empysema (J43)</b>  |          |              |           |            |             |             |             |             |             |             |             |                   |                |
| <b>All origins, female</b>   |          |              |           |            |             |             |             |             |             |             |             |                   |                |
| 2007.....  | 6,192    | 1            | -         | 1          | 1           | 5           | 19          | 181         | 687         | 1,505       | 2,378       | 1,414             | -              |
| 2006.....  | 6,233    | -            | -         | 1          | 1           | 3           | 37          | 187         | 712         | 1,576       | 2,391       | 1,325             | -              |
| 2005.....  | 6,738    | 2            | -         | -          | -           | 3           | 23          | 167         | 704         | 1,710       | 2,633       | 1,496             | -              |
| 2004.....  | 6,564    | 1            | 2         | -          | -           | 5           | 31          | 169         | 710         | 1,742       | 2,599       | 1,305             | -              |
| 2003.....  | 7,312    | -            | -         | -          | 2           | 2           | 38          | 171         | 823         | 1,922       | 2,925       | 1,429             | -              |
| 2002.....  | 7,405    | 1            | -         | -          | 2           | 2           | 28          | 187         | 778         | 2,053       | 2,881       | 1,473             | -              |
| 2001.....  | 7,827    | 2            | -         | -          | 1           | 3           | 23          | 182         | 863         | 2,250       | 3,082       | 1,421             | -              |
| 2000.....  | 8,029    | -            | 2         | -          | -           | 6           | 36          | 194         | 864         | 2,382       | 3,138       | 1,407             | -              |
| 1999.....  | 8,307    | 1            | -         | 1          | -           | 3           | 48          | 200         | 934         | 2,520       | 3,278       | 1,322             | -              |
| <b>Hispanic, both sexes</b>  |          |              |           |            |             |             |             |             |             |             |             |                   |                |
| 2007.....  | 294      | 1            | -         | -          | 1           | 3           | 2           | 13          | 30          | 73          | 110         | 60                | 1              |
| 2006.....  | 286      | -            | -         | -          | -           | 1           | -           | 15          | 42          | 55          | 120         | 53                | -              |
| 2005.....  | 301      | 1            | -         | -          | -           | 2           | 4           | 12          | 30          | 72          | 121         | 58                | 1              |
| 2004.....  | 269      | 1            | 1         | -          | -           | 1           | 4           | 6           | 20          | 63          | 110         | 63                | -              |
| 2003.....  | 312      | -            | -         | -          | -           | -           | 6           | 8           | 30          | 73          | 128         | 67                | -              |
| 2002.....  | 295      | -            | -         | -          | -           | 2           | 1           | 5           | 29          | 79          | 113         | 66                | -              |
| 2001.....  | 286      | 1            | -         | -          | -           | -           | -           | 8           | 26          | 75          | 113         | 63                | -              |
| 2000.....  | 266      | -            | -         | -          | 1           | -           | 3           | 11          | 26          | 65          | 113         | 47                | -              |
| 1999.....  | 292      | -            | -         | 1          | -           | 2           | 6           | 12          | 21          | 74          | 113         | 63                | -              |

Worktable Orig290F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2007

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data - mortality"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, sex, and year | All ages | Under 1 year | 1-4 years | 5-14 years | 15-24 years | 25-34 years | 35-44 years | 45-54 years | 55-64 years | 65-74 years | 75-84 years | 85 years and over | Age not stated |
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|
| <b>Empysema (J43)</b>  |          |              |           |            |             |             |             |             |             |             |             |                   |                |
| <b>Hispanic, male</b>  |          |              |           |            |             |             |             |             |             |             |             |                   |                |
| 2007.....  | 181      | -            | -         | -          | -           | 2           | 2           | 8           | 24          | 46          | 66          | 32                | 1              |
| 2006.....  | 174      | -            | -         | -          | -           | 1           | -           | 11          | 27          | 38          | 69          | 28                | -              |
| 2005.....  | 181      | -            | -         | -          | -           | 2           | 3           | 5           | 20          | 51          | 68          | 31                | 1              |
| 2004.....  | 152      | -            | -         | -          | -           | 1           | 4           | 4           | 15          | 37          | 57          | 34                | -              |
| 2003.....  | 184      | -            | -         | -          | -           | -           | 5           | 6           | 21          | 41          | 76          | 35                | -              |
| 2002.....  | 168      | -            | -         | -          | -           | 1           | 1           | 4           | 17          | 48          | 65          | 32                | -              |
| 2001.....  | 175      | -            | -         | -          | -           | -           | -           | 5           | 16          | 46          | 76          | 32                | -              |
| 2000.....  | 167      | -            | -         | -          | 1           | -           | 3           | 8           | 17          | 43          | 66          | 29                | -              |
| 1999.....  | 183      | -            | -         | -          | -           | 1           | 2           | 8           | 16          | 51          | 69          | 36                | -              |
| <b>Hispanic, female</b>  |          |              |           |            |             |             |             |             |             |             |             |                   |                |
| 2007.....  | 113      | 1            | -         | -          | 1           | 1           | -           | 5           | 6           | 27          | 44          | 28                | -              |
| 2006.....  | 112      | -            | -         | -          | -           | -           | -           | 4           | 15          | 17          | 51          | 25                | -              |
| 2005.....  | 120      | 1            | -         | -          | -           | -           | 1           | 7           | 10          | 21          | 53          | 27                | -              |
| 2004.....  | 117      | 1            | 1         | -          | -           | -           | -           | 2           | 5           | 26          | 53          | 29                | -              |
| 2003.....  | 128      | -            | -         | -          | -           | -           | 1           | 2           | 9           | 32          | 52          | 32                | -              |
| 2002.....  | 127      | -            | -         | -          | -           | 1           | -           | 1           | 12          | 31          | 48          | 34                | -              |
| 2001.....  | 111      | 1            | -         | -          | -           | -           | -           | 3           | 10          | 29          | 37          | 31                | -              |
| 2000.....  | 99       | -            | -         | -          | -           | -           | -           | 3           | 9           | 22          | 47          | 18                | -              |
| 1999.....  | 109      | -            | -         | 1          | -           | 1           | 4           | 4           | 5           | 23          | 44          | 27                | -              |

Worktable Orig290F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2007

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data - mortality"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, sex, and year | All ages | Under 1 year | 1-4 years | 5-14 years | 15-24 years | 25-34 years | 35-44 years | 45-54 years | 55-64 years | 65-74 years | 75-84 years | 85 years and over | Age not stated |
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|
| <b>Empysemata (J43)</b>  |          |              |           |            |             |             |             |             |             |             |             |                   |                |
| <b>Non-Hispanic 1/, both sexes</b>   |          |              |           |            |             |             |             |             |             |             |             |                   |                |
| 2007.....  | 12,473   | 2            | -         | 1          | -           | 7           | 57          | 471         | 1,555       | 3,215       | 4,720       | 2,445             | -              |
| 2006.....  | 12,243   | 2            | -         | 2          | 1           | 8           | 86          | 437         | 1,472       | 3,214       | 4,675       | 2,345             | 1              |
| 2005.....  | 13,678   | 1            | 1         | -          | -           | 6           | 72          | 430         | 1,645       | 3,671       | 5,271       | 2,581             | -              |
| 2004.....  | 13,348   | 2            | 1         | 1          | 3           | 9           | 76          | 405         | 1,560       | 3,724       | 5,209       | 2,358             | -              |
| 2003.....  | 14,514   | -            | 1         | -          | 4           | 5           | 81          | 438         | 1,716       | 3,982       | 5,781       | 2,505             | 1              |
| 2002.....  | 15,161   | 1            | 3         | -          | 2           | 8           | 93          | 448         | 1,672       | 4,298       | 5,986       | 2,650             | -              |
| 2001.....  | 15,914   | 2            | -         | 1          | 2           | 7           | 74          | 439         | 1,794       | 4,718       | 6,210       | 2,667             | -              |
| 2000.....  | 16,382   | 3            | 2         | -          | 4           | 11          | 79          | 457         | 1,777       | 5,036       | 6,382       | 2,631             | -              |
| 1999.....  | 17,441   | 1            | -         | -          | 1           | 7           | 88          | 450         | 1,992       | 5,571       | 6,825       | 2,506             | -              |
| <b>Non-Hispanic 1/, male</b>   |          |              |           |            |             |             |             |             |             |             |             |                   |                |
| 2007.....  | 6,403    | 2            | -         | -          | -           | 3           | 38          | 296         | 876         | 1,740       | 2,388       | 1,060             | -              |
| 2006.....  | 6,131    | 2            | -         | 1          | -           | 5           | 49          | 255         | 778         | 1,658       | 2,337       | 1,045             | 1              |
| 2005.....  | 7,067    | -            | 1         | -          | -           | 3           | 50          | 271         | 951         | 1,983       | 2,695       | 1,113             | -              |
| 2004.....  | 6,909    | 2            | -         | 1          | 3           | 4           | 45          | 238         | 856         | 2,009       | 2,666       | 1,085             | -              |
| 2003.....  | 7,342    | -            | 1         | -          | 2           | 3           | 44          | 270         | 908         | 2,094       | 2,910       | 1,109             | 1              |
| 2002.....  | 7,895    | -            | 3         | -          | -           | 7           | 65          | 262         | 907         | 2,281       | 3,156       | 1,214             | -              |
| 2001.....  | 8,213    | 1            | -         | 1          | 1           | 4           | 51          | 260         | 943         | 2,500       | 3,172       | 1,280             | -              |
| 2000.....  | 8,483    | 3            | -         | -          | 4           | 5           | 43          | 268         | 925         | 2,685       | 3,303       | 1,247             | -              |
| 1999.....  | 9,260    | -            | -         | -          | 1           | 5           | 45          | 255         | 1,063       | 3,076       | 3,598       | 1,217             | -              |



Worktable Orig290F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2007

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data - mortality"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, sex, and year | All ages | Under 1 year | 1-4 years | 5-14 years | 15-24 years | 25-34 years | 35-44 years | 45-54 years | 55-64 years | 65-74 years | 75-84 years | 85 years and over | Age not stated |
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|
| <b>Empysema (J43)</b>  |          |              |           |            |             |             |             |             |             |             |             |                   |                |
| <b>Non-Hispanic 1/, female</b>   |          |              |           |            |             |             |             |             |             |             |             |                   |                |
| 2007.....  | 6,070    | -            | -         | 1          | -           | 4           | 19          | 175         | 679         | 1,475       | 2,332       | 1,385             | -              |
| 2006.....  | 6,112    | -            | -         | 1          | 1           | 3           | 37          | 182         | 694         | 1,556       | 2,338       | 1,300             | -              |
| 2005.....  | 6,611    | 1            | -         | -          | -           | 3           | 22          | 159         | 694         | 1,688       | 2,576       | 1,468             | -              |
| 2004.....  | 6,439    | -            | 1         | -          | -           | 5           | 31          | 167         | 704         | 1,715       | 2,543       | 1,273             | -              |
| 2003.....  | 7,172    | -            | -         | -          | 2           | 2           | 37          | 168         | 808         | 1,888       | 2,871       | 1,396             | -              |
| 2002.....  | 7,266    | 1            | -         | -          | 2           | 1           | 28          | 186         | 765         | 2,017       | 2,830       | 1,436             | -              |
| 2001.....  | 7,701    | 1            | -         | -          | 1           | 3           | 23          | 179         | 851         | 2,218       | 3,038       | 1,387             | -              |
| 2000.....  | 7,899    | -            | 2         | -          | -           | 6           | 36          | 189         | 852         | 2,351       | 3,079       | 1,384             | -              |
| 1999.....  | 8,181    | 1            | -         | -          | -           | 2           | 43          | 195         | 929         | 2,495       | 3,227       | 1,289             | -              |
| <b>Non-Hispanic white, both sexes</b>  |          |              |           |            |             |             |             |             |             |             |             |                   |                |
| 2007 2/.....   | 11,575   | 1            | -         | 1          | -           | 3           | 47          | 397         | 1,407       | 2,984       | 4,417       | 2,318             | -              |
| 2006 2/.....   | 11,391   | 1            | -         | 1          | 1           | 6           | 66          | 382         | 1,331       | 2,990       | 4,389       | 2,223             | 1              |
| 2005 2/.....   | 12,675   | -            | 1         | -          | -           | 4           | 53          | 353         | 1,492       | 3,404       | 4,930       | 2,438             | -              |
| 2004 2/.....   | 12,471   | -            | -         | 1          | 2           | 6           | 58          | 334         | 1,408       | 3,491       | 4,938       | 2,233             | -              |
| 2003 2/.....   | 13,518   | -            | 1         | -          | 4           | 3           | 64          | 376         | 1,557       | 3,717       | 5,438       | 2,357             | 1              |
| 2002.....  | 14,157   | 1            | 1         | -          | 1           | 6           | 66          | 385         | 1,529       | 3,992       | 5,663       | 2,513             | -              |
| 2001.....  | 14,930   | 1            | -         | -          | 1           | 4           | 64          | 374         | 1,633       | 4,414       | 5,913       | 2,526             | -              |
| 2000.....  | 15,301   | 3            | -         | -          | 1           | 10          | 60          | 367         | 1,616       | 4,704       | 6,068       | 2,472             | -              |
| 1999.....  | 16,338   | -            | -         | -          | -           | 5           | 64          | 372         | 1,825       | 5,238       | 6,469       | 2,365             | -              |

Worktable Orig290F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2007

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data - mortality"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, sex, and year | All ages | Under 1 year | 1-4 years | 5-14 years | 15-24 years | 25-34 years | 35-44 years | 45-54 years | 55-64 years | 65-74 years | 75-84 years | 85 years and over | Age not stated |
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|
| <b>Empysema (J43)</b>  |          |              |           |            |             |             |             |             |             |             |             |                   |                |
| <b>Non-Hispanic white, male</b>  |          |              |           |            |             |             |             |             |             |             |             |                   |                |
| 2007 2/.....   | 5,840    | 1            | -         | -          | -           | 1           | 29          | 247         | 775         | 1,598       | 2,202       | 987               | -              |
| 2006 2/.....   | 5,605    | 1            | -         | 1          | -           | 3           | 38          | 211         | 678         | 1,528       | 2,161       | 983               | 1              |
| 2005 2/.....   | 6,430    | -            | 1         | -          | -           | 2           | 35          | 219         | 842         | 1,814       | 2,484       | 1,033             | -              |
| 2004 2/.....   | 6,348    | -            | -         | 1          | 2           | 2           | 32          | 190         | 755         | 1,855       | 2,499       | 1,012             | -              |
| 2003 2/.....   | 6,714    | -            | 1         | -          | 2           | 1           | 34          | 226         | 808         | 1,935       | 2,690       | 1,016             | 1              |
| 2002.....  | 7,241    | -            | 1         | -          | -           | 5           | 47          | 219         | 810         | 2,081       | 2,946       | 1,132             | -              |
| 2001.....  | 7,607    | -            | -         | -          | 1           | 2           | 44          | 222         | 841         | 2,310       | 2,986       | 1,201             | -              |
| 2000.....  | 7,805    | 3            | -         | -          | 1           | 4           | 31          | 206         | 830         | 2,470       | 3,121       | 1,139             | -              |
| 1999.....  | 8,540    | -            | -         | -          | -           | 3           | 33          | 199         | 953         | 2,843       | 3,371       | 1,138             | -              |
| <b>Non-Hispanic white, female</b>  |          |              |           |            |             |             |             |             |             |             |             |                   |                |
| 2007 2/.....   | 5,735    | -            | -         | 1          | -           | 2           | 18          | 150         | 632         | 1,386       | 2,215       | 1,331             | -              |
| 2006 2/.....   | 5,786    | -            | -         | -          | 1           | 3           | 28          | 171         | 653         | 1,462       | 2,228       | 1,240             | -              |
| 2005 2/.....   | 6,245    | -            | -         | -          | -           | 2           | 18          | 134         | 650         | 1,590       | 2,446       | 1,405             | -              |
| 2004 2/.....   | 6,123    | -            | -         | -          | -           | 4           | 26          | 144         | 653         | 1,636       | 2,439       | 1,221             | -              |
| 2003 2/.....   | 6,804    | -            | -         | -          | 2           | 2           | 30          | 150         | 749         | 1,782       | 2,748       | 1,341             | -              |
| 2002.....  | 6,916    | 1            | -         | -          | 1           | 1           | 19          | 166         | 719         | 1,911       | 2,717       | 1,381             | -              |
| 2001.....  | 7,323    | 1            | -         | -          | -           | 2           | 20          | 152         | 792         | 2,104       | 2,927       | 1,325             | -              |
| 2000.....  | 7,496    | -            | -         | -          | -           | 6           | 29          | 161         | 786         | 2,234       | 2,947       | 1,333             | -              |
| 1999.....  | 7,798    | -            | -         | -          | -           | 2           | 31          | 173         | 872         | 2,395       | 3,098       | 1,227             | -              |

Worktable Orig290F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2007

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data - mortality"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, sex, and year | All ages | Under 1 year | 1-4 years | 5-14 years | 15-24 years | 25-34 years | 35-44 years | 45-54 years | 55-64 years | 65-74 years | 75-84 years | 85 years and over | Age not stated |
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|
| <b>Empysema (J43)</b>  |          |              |           |            |             |             |             |             |             |             |             |                   |                |
| <b>Non-Hispanic black, both sexes</b>  |          |              |           |            |             |             |             |             |             |             |             |                   |                |
| 2007 2/.....   | 728      | 1            | -         | -          | -           | 4           | 8           | 67          | 129         | 192         | 232         | 95                | -              |
| 2006 2/.....   | 700      | 1            | -         | -          | -           | 1           | 20          | 48          | 133         | 181         | 225         | 91                | -              |
| 2005 2/.....   | 810      | 1            | -         | -          | -           | 2           | 17          | 69          | 137         | 221         | 263         | 100               | -              |
| 2004 2/.....   | 716      | 2            | -         | -          | 1           | 2           | 15          | 64          | 131         | 185         | 219         | 97                | -              |
| 2003 2/.....   | 805      | -            | -         | -          | -           | 2           | 15          | 55          | 142         | 220         | 266         | 105               | -              |
| 2002.....  | 842      | -            | 1         | -          | 1           | 2           | 26          | 56          | 117         | 267         | 266         | 106               | -              |
| 2001.....  | 800      | 1            | -         | 1          | 1           | 3           | 9           | 59          | 138         | 254         | 219         | 115               | -              |
| 2000.....  | 889      | -            | 1         | -          | 3           | 1           | 17          | 84          | 146         | 276         | 243         | 118               | -              |
| 1999.....  | 923      | 1            | -         | -          | -           | -           | 22          | 75          | 146         | 279         | 283         | 117               | -              |
| <b>Non-Hispanic black, male</b>  |          |              |           |            |             |             |             |             |             |             |             |                   |                |
| 2007 2/.....   | 455      | 1            | -         | -          | -           | 2           | 7           | 42          | 88          | 123         | 138         | 54                | -              |
| 2006 2/.....   | 425      | 1            | -         | -          | -           | 1           | 11          | 38          | 94          | 104         | 132         | 44                | -              |
| 2005 2/.....   | 505      | -            | -         | -          | -           | 1           | 13          | 47          | 99          | 139         | 153         | 53                | -              |
| 2004 2/.....   | 458      | 2            | -         | -          | 1           | 1           | 11          | 45          | 89          | 122         | 130         | 57                | -              |
| 2003 2/.....   | 495      | -            | -         | -          | -           | 2           | 8           | 37          | 90          | 129         | 162         | 67                | -              |
| 2002.....  | 538      | -            | 1         | -          | -           | 2           | 18          | 38          | 77          | 173         | 169         | 60                | -              |
| 2001.....  | 480      | 1            | -         | 1          | -           | 2           | 7           | 33          | 87          | 155         | 134         | 60                | -              |
| 2000.....  | 551      | -            | -         | -          | 3           | 1           | 11          | 56          | 87          | 183         | 134         | 76                | -              |
| 1999.....  | 594      | -            | -         | -          | -           | -           | 11          | 54          | 94          | 195         | 178         | 62                | -              |

Worktable Orig290F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2007

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data - mortality"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, sex, and year | All ages | Under 1 year | 1-4 years | 5-14 years | 15-24 years | 25-34 years | 35-44 years | 45-54 years | 55-64 years | 65-74 years | 75-84 years | 85 years and over | Age not stated |
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|
| <b>Empysema (J43)</b>  |          |              |           |            |             |             |             |             |             |             |             |                   |                |
| <b>Non-Hispanic black, female</b>  |          |              |           |            |             |             |             |             |             |             |             |                   |                |
| 2007 2/.....   | 273      | -            | -         | -          | -           | 2           | 1           | 25          | 41          | 69          | 94          | 41                | -              |
| 2006 2/.....   | 275      | -            | -         | -          | -           | -           | 9           | 10          | 39          | 77          | 93          | 47                | -              |
| 2005 2/.....   | 305      | 1            | -         | -          | -           | 1           | 4           | 22          | 38          | 82          | 110         | 47                | -              |
| 2004 2/.....   | 258      | -            | -         | -          | -           | 1           | 4           | 19          | 42          | 63          | 89          | 40                | -              |
| 2003 2/.....   | 310      | -            | -         | -          | -           | -           | 7           | 18          | 52          | 91          | 104         | 38                | -              |
| 2002.....  | 304      | -            | -         | -          | 1           | -           | 8           | 18          | 40          | 94          | 97          | 46                | -              |
| 2001.....  | 320      | -            | -         | -          | 1           | 1           | 2           | 26          | 51          | 99          | 85          | 55                | -              |
| 2000.....  | 338      | -            | 1         | -          | -           | -           | 6           | 28          | 59          | 93          | 109         | 42                | -              |
| 1999.....  | 329      | 1            | -         | -          | -           | -           | 11          | 21          | 52          | 84          | 105         | 55                | -              |
| <b>Origin not stated 3/, both sexes</b>  |          |              |           |            |             |             |             |             |             |             |             |                   |                |
| 2007.....  | 23       | -            | -         | -          | -           | -           | 1           | 2           | 5           | 6           | 5           | 4                 | -              |
| 2006.....  | 22       | -            | -         | -          | -           | -           | -           | 2           | 9           | 4           | 4           | 2                 | 1              |
| 2005.....  | 23       | -            | -         | -          | -           | -           | 1           | 2           | 2           | 6           | 8           | 4                 | -              |
| 2004.....  | 22       | -            | -         | -          | -           | -           | -           | 2           | 3           | 6           | 5           | 6                 | -              |
| 2003.....  | 35       | -            | -         | -          | -           | -           | -           | 4           | 9           | 8           | 11          | 2                 | 1              |
| 2002.....  | 33       | -            | -         | -          | -           | -           | -           | 1           | 2           | 11          | 10          | 8                 | 1              |
| 2001.....  | 42       | -            | -         | -          | -           | -           | 1           | 1           | 9           | 11          | 14          | 6                 | -              |
| 2000.....  | 52       | -            | -         | -          | -           | -           | -           | 6           | 4           | 19          | 16          | 7                 | -              |
| 1999.....  | 54       | -            | -         | -          | -           | -           | 3           | 6           | 6           | 11          | 17          | 11                | -              |

Worktable Orig290F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2007

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data - mortality"]

---

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, sex, and year

|  | All ages | Under 1 year | 1-4 years | 5-14 years | 15-24 years | 25-34 years | 35-44 years | 45-54 years | 55-64 years | 65-74 years | 75-84 years | 85 years and over | Age not stated |
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|

---

Empysema (J43)

|                              | All ages | Under 1 year | 1-4 years | 5-14 years | 15-24 years | 25-34 years | 35-44 years | 45-54 years | 55-64 years | 65-74 years | 75-84 years | 85 years and over | Age not stated |
|------------------------------|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|
| Origin not stated 3/, male   |          |              |           |            |             |             |             |             |             |             |             |                   |                |
| 2007.....                    | 14       | -            | -         | -          | -           | -           | 1           | 1           | 3           | 3           | 3           | 3                 | -              |
| 2006.....                    | 13       | -            | -         | -          | -           | -           | -           | 1           | 6           | 1           | 2           | 2                 | 1              |
| 2005.....                    | 16       | -            | -         | -          | -           | -           | 1           | 1           | 2           | 5           | 4           | 3                 | -              |
| 2004.....                    | 14       | -            | -         | -          | -           | -           | -           | 2           | 2           | 5           | 2           | 3                 | -              |
| 2003.....                    | 23       | -            | -         | -          | -           | -           | -           | 3           | 3           | 6           | 9           | 1                 | 1              |
| 2002.....                    | 21       | -            | -         | -          | -           | -           | -           | 1           | 1           | 6           | 7           | 5                 | 1              |
| 2001.....                    | 27       | -            | -         | -          | -           | -           | 1           | 1           | 7           | 8           | 7           | 3                 | -              |
| 2000.....                    | 21       | -            | -         | -          | -           | -           | -           | 4           | 1           | 10          | 4           | 2                 | -              |
| 1999.....                    | 37       | -            | -         | -          | -           | -           | 2           | 5           | 6           | 9           | 10          | 5                 | -              |
| Origin not stated 3/, female |          |              |           |            |             |             |             |             |             |             |             |                   |                |
| 2007.....                    | 9        | -            | -         | -          | -           | -           | -           | 1           | 2           | 3           | 2           | 1                 | -              |
| 2006.....                    | 9        | -            | -         | -          | -           | -           | -           | 1           | 3           | 3           | 2           | -                 | -              |
| 2005.....                    | 7        | -            | -         | -          | -           | -           | -           | 1           | -           | 1           | 4           | 1                 | -              |
| 2004.....                    | 8        | -            | -         | -          | -           | -           | -           | -           | 1           | 1           | 3           | 3                 | -              |
| 2003.....                    | 12       | -            | -         | -          | -           | -           | -           | 1           | 6           | 2           | 2           | 1                 | -              |
| 2002.....                    | 12       | -            | -         | -          | -           | -           | -           | -           | 1           | 5           | 3           | 3                 | -              |
| 2001.....                    | 15       | -            | -         | -          | -           | -           | -           | -           | 2           | 3           | 7           | 3                 | -              |
| 2000.....                    | 31       | -            | -         | -          | -           | -           | -           | 2           | 3           | 9           | 12          | 5                 | -              |
| 1999.....                    | 17       | -            | -         | -          | -           | -           | 1           | 1           | -           | 2           | 7           | 6                 | -              |

Worktable Orig290F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2007

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data - mortality"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, sex, and year | All ages | Under 1 year | 1-4 years | 5-14 years | 15-24 years | 25-34 years | 35-44 years | 45-54 years | 55-64 years | 65-74 years | 75-84 years | 85 years and over | Age not stated |
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|
| Asthma (J45-J46)   |          |              |           |            |             |             |             |             |             |             |             |                   |                |
| All origins, both sexes  |          |              |           |            |             |             |             |             |             |             |             |                   |                |
| 2007.....  | 3,447    | 4            | 41        | 107        | 133         | 201         | 320         | 538         | 461         | 412         | 569         | 659               | 2              |
| 2006.....  | 3,613    | 6            | 26        | 99         | 135         | 194         | 373         | 566         | 492         | 443         | 626         | 653               | -              |
| 2005.....  | 3,884    | 4            | 37        | 97         | 131         | 207         | 369         | 595         | 520         | 475         | 709         | 740               | -              |
| 2004.....  | 3,816    | 7            | 29        | 105        | 159         | 197         | 376         | 562         | 520         | 504         | 673         | 684               | -              |
| 2003.....  | 4,099    | 7            | 37        | 110        | 158         | 227         | 411         | 632         | 562         | 532         | 752         | 671               | -              |
| 2002.....  | 4,261    | 4            | 43        | 123        | 169         | 235         | 472         | 608         | 536         | 583         | 812         | 675               | 1              |
| 2001.....  | 4,269    | 10           | 31        | 99         | 140         | 233         | 455         | 603         | 553         | 634         | 802         | 709               | -              |
| 2000.....  | 4,487    | 8            | 32        | 129        | 167         | 249         | 458         | 614         | 540         | 734         | 849         | 707               | -              |
| 1999.....  | 4,657    | 5            | 27        | 126        | 182         | 262         | 447         | 607         | 583         | 773         | 925         | 720               | -              |
| All origins, male  |          |              |           |            |             |             |             |             |             |             |             |                   |                |
| 2007.....  | 1,274    | 2            | 21        | 70         | 89          | 119         | 134         | 209         | 194         | 135         | 172         | 127               | 2              |
| 2006.....  | 1,296    | 3            | 17        | 71         | 82          | 105         | 155         | 211         | 168         | 146         | 185         | 153               | -              |
| 2005.....  | 1,315    | 1            | 25        | 61         | 83          | 101         | 151         | 215         | 170         | 150         | 218         | 140               | -              |
| 2004.....  | 1,386    | 7            | 19        | 64         | 99          | 113         | 158         | 213         | 187         | 178         | 181         | 167               | -              |
| 2003.....  | 1,493    | 4            | 29        | 71         | 91          | 127         | 160         | 236         | 214         | 173         | 234         | 154               | -              |
| 2002.....  | 1,580    | 3            | 30        | 69         | 110         | 129         | 198         | 233         | 202         | 198         | 256         | 152               | -              |
| 2001.....  | 1,479    | 6            | 22        | 57         | 80          | 116         | 195         | 219         | 182         | 220         | 225         | 157               | -              |
| 2000.....  | 1,632    | 6            | 20        | 74         | 102         | 142         | 196         | 238         | 200         | 253         | 243         | 158               | -              |
| 1999.....  | 1,620    | 3            | 16        | 85         | 108         | 128         | 184         | 197         | 207         | 267         | 273         | 152               | -              |

Worktable Orig290F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2007

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data - mortality"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, sex, and year | All ages | Under 1 year | 1-4 years | 5-14 years | 15-24 years | 25-34 years | 35-44 years | 45-54 years | 55-64 years | 65-74 years | 75-84 years | 85 years and over | Age not stated |
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|
| Asthma (J45-J46)   |          |              |           |            |             |             |             |             |             |             |             |                   |                |
| All origins, female  |          |              |           |            |             |             |             |             |             |             |             |                   |                |
| 2007.....  | 2,173    | 2            | 20        | 37         | 44          | 82          | 186         | 329         | 267         | 277         | 397         | 532               | -              |
| 2006.....  | 2,317    | 3            | 9         | 28         | 53          | 89          | 218         | 355         | 324         | 297         | 441         | 500               | -              |
| 2005.....  | 2,569    | 3            | 12        | 36         | 48          | 106         | 218         | 380         | 350         | 325         | 491         | 600               | -              |
| 2004.....  | 2,430    | -            | 10        | 41         | 60          | 84          | 218         | 349         | 333         | 326         | 492         | 517               | -              |
| 2003.....  | 2,606    | 3            | 8         | 39         | 67          | 100         | 251         | 396         | 348         | 359         | 518         | 517               | -              |
| 2002.....  | 2,681    | 1            | 13        | 54         | 59          | 106         | 274         | 375         | 334         | 385         | 556         | 523               | 1              |
| 2001.....  | 2,790    | 4            | 9         | 42         | 60          | 117         | 260         | 384         | 371         | 414         | 577         | 552               | -              |
| 2000.....  | 2,855    | 2            | 12        | 55         | 65          | 107         | 262         | 376         | 340         | 481         | 606         | 549               | -              |
| 1999.....  | 3,037    | 2            | 11        | 41         | 74          | 134         | 263         | 410         | 376         | 506         | 652         | 568               | -              |
| Hispanic, both sexes   |          |              |           |            |             |             |             |             |             |             |             |                   |                |
| 2007.....  | 239      | 1            | 5         | 15         | 18          | 26          | 20          | 32          | 34          | 24          | 37          | 27                | -              |
| 2006.....  | 257      | 2            | 4         | 14         | 12          | 21          | 30          | 29          | 36          | 33          | 34          | 42                | -              |
| 2005.....  | 248      | 2            | 3         | 14         | 7           | 17          | 30          | 33          | 37          | 38          | 35          | 32                | -              |
| 2004.....  | 281      | 3            | 7         | 11         | 14          | 23          | 33          | 46          | 42          | 42          | 36          | 24                | -              |
| 2003.....  | 299      | -            | 6         | 15         | 14          | 23          | 27          | 61          | 45          | 41          | 39          | 28                | -              |
| 2002.....  | 287      | 1            | 6         | 13         | 11          | 23          | 42          | 44          | 38          | 45          | 42          | 22                | -              |
| 2001.....  | 274      | 2            | 5         | 8          | 8           | 17          | 31          | 49          | 45          | 43          | 44          | 22                | -              |
| 2000.....  | 292      | 1            | 5         | 13         | 14          | 16          | 29          | 41          | 48          | 60          | 40          | 25                | -              |
| 1999.....  | 320      | -            | 3         | 14         | 14          | 21          | 46          | 48          | 39          | 60          | 50          | 25                | -              |

Worktable Orig290F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2007

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data - mortality"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, sex, and year | All ages | Under 1 year | 1-4 years | 5-14 years | 15-24 years | 25-34 years | 35-44 years | 45-54 years | 55-64 years | 65-74 years | 75-84 years | 85 years and over | Age not stated |
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|
| <b>Asthma (J45-J46)</b>  |          |              |           |            |             |             |             |             |             |             |             |                   |                |
| <b>Hispanic, male</b>  |          |              |           |            |             |             |             |             |             |             |             |                   |                |
| 2007.....  | 109      | -            | 3         | 8          | 10          | 18          | 9           | 16          | 16          | 11          | 11          | 7                 | -              |
| 2006.....  | 94       | 1            | 2         | 11         | 7           | 9           | 13          | 10          | 14          | 8           | 10          | 9                 | -              |
| 2005.....  | 106      | 1            | 2         | 9          | 6           | 9           | 18          | 14          | 11          | 13          | 11          | 12                | -              |
| 2004.....  | 111      | 3            | 4         | 6          | 9           | 15          | 19          | 16          | 9           | 15          | 8           | 7                 | -              |
| 2003.....  | 131      | -            | 5         | 10         | 8           | 12          | 13          | 27          | 22          | 13          | 15          | 6                 | -              |
| 2002.....  | 114      | 1            | 3         | 8          | 9           | 14          | 14          | 22          | 15          | 10          | 15          | 3                 | -              |
| 2001.....  | 103      | 2            | 3         | 5          | 6           | 10          | 13          | 14          | 17          | 18          | 13          | 2                 | -              |
| 2000.....  | 129      | 1            | 2         | 8          | 11          | 9           | 14          | 20          | 19          | 25          | 12          | 8                 | -              |
| 1999.....  | 119      | -            | -         | 9          | 8           | 11          | 22          | 20          | 12          | 19          | 12          | 6                 | -              |
| <b>Hispanic, female</b>  |          |              |           |            |             |             |             |             |             |             |             |                   |                |
| 2007.....  | 130      | 1            | 2         | 7          | 8           | 8           | 11          | 16          | 18          | 13          | 26          | 20                | -              |
| 2006.....  | 163      | 1            | 2         | 3          | 5           | 12          | 17          | 19          | 22          | 25          | 24          | 33                | -              |
| 2005.....  | 142      | 1            | 1         | 5          | 1           | 8           | 12          | 19          | 26          | 25          | 24          | 20                | -              |
| 2004.....  | 170      | -            | 3         | 5          | 5           | 8           | 14          | 30          | 33          | 27          | 28          | 17                | -              |
| 2003.....  | 168      | -            | 1         | 5          | 6           | 11          | 14          | 34          | 23          | 28          | 24          | 22                | -              |
| 2002.....  | 173      | -            | 3         | 5          | 2           | 9           | 28          | 22          | 23          | 35          | 27          | 19                | -              |
| 2001.....  | 171      | -            | 2         | 3          | 2           | 7           | 18          | 35          | 28          | 25          | 31          | 20                | -              |
| 2000.....  | 163      | -            | 3         | 5          | 3           | 7           | 15          | 21          | 29          | 35          | 28          | 17                | -              |
| 1999.....  | 201      | -            | 3         | 5          | 6           | 10          | 24          | 28          | 27          | 41          | 38          | 19                | -              |



Worktable Orig290F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2007

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data - mortality"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, sex, and year | All ages | Under 1 year | 1-4 years | 5-14 years | 15-24 years | 25-34 years | 35-44 years | 45-54 years | 55-64 years | 65-74 years | 75-84 years | 85 years and over | Age not stated |
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|
| <b>Asthma (J45-J46)</b>  |          |              |           |            |             |             |             |             |             |             |             |                   |                |
| <b>Non-Hispanic 1/, both sexes</b>   |          |              |           |            |             |             |             |             |             |             |             |                   |                |
| 2007.....  | 3,207    | 3            | 36        | 92         | 115         | 175         | 300         | 505         | 427         | 388         | 532         | 632               | 2              |
| 2006.....  | 3,343    | 4            | 22        | 85         | 122         | 173         | 339         | 536         | 454         | 406         | 591         | 611               | -              |
| 2005.....  | 3,626    | 2            | 34        | 82         | 124         | 190         | 338         | 561         | 481         | 435         | 672         | 707               | -              |
| 2004.....  | 3,524    | 4            | 22        | 94         | 145         | 173         | 341         | 516         | 477         | 460         | 634         | 658               | -              |
| 2003.....  | 3,786    | 7            | 30        | 94         | 143         | 204         | 382         | 568         | 516         | 491         | 713         | 638               | -              |
| 2002.....  | 3,950    | 3            | 37        | 108        | 157         | 210         | 425         | 561         | 495         | 536         | 767         | 650               | 1              |
| 2001.....  | 3,976    | 8            | 26        | 90         | 132         | 215         | 421         | 550         | 507         | 587         | 756         | 684               | -              |
| 2000.....  | 4,164    | 7            | 27        | 115        | 152         | 229         | 428         | 568         | 486         | 668         | 805         | 679               | -              |
| 1999.....  | 4,324    | 5            | 24        | 112        | 168         | 238         | 400         | 557         | 543         | 711         | 874         | 692               | -              |
| <b>Non-Hispanic 1/, male</b>   |          |              |           |            |             |             |             |             |             |             |             |                   |                |
| 2007.....  | 1,164    | 2            | 18        | 62         | 79          | 101         | 125         | 192         | 178         | 124         | 161         | 120               | 2              |
| 2006.....  | 1,196    | 2            | 15        | 60         | 74          | 96          | 140         | 200         | 153         | 137         | 175         | 144               | -              |
| 2005.....  | 1,205    | -            | 23        | 51         | 77          | 92          | 133         | 200         | 159         | 136         | 206         | 128               | -              |
| 2004.....  | 1,272    | 4            | 15        | 58         | 90          | 98          | 139         | 197         | 177         | 163         | 172         | 159               | -              |
| 2003.....  | 1,356    | 4            | 23        | 61         | 82          | 115         | 145         | 208         | 192         | 160         | 219         | 147               | -              |
| 2002.....  | 1,448    | 2            | 27        | 59         | 100         | 113         | 179         | 209         | 187         | 186         | 239         | 147               | -              |
| 2001.....  | 1,365    | 4            | 19        | 52         | 74          | 106         | 180         | 202         | 165         | 200         | 211         | 152               | -              |
| 2000.....  | 1,486    | 5            | 18        | 66         | 91          | 130         | 181         | 215         | 176         | 226         | 229         | 149               | -              |
| 1999.....  | 1,495    | 3            | 16        | 76         | 100         | 116         | 162         | 176         | 195         | 246         | 260         | 145               | -              |

Worktable Orig290F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2007

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data - mortality"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, sex, and year | All ages | Under 1 year | 1-4 years | 5-14 years | 15-24 years | 25-34 years | 35-44 years | 45-54 years | 55-64 years | 65-74 years | 75-84 years | 85 years and over | Age not stated |
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|
| <b>Asthma (J45-J46)</b>  |          |              |           |            |             |             |             |             |             |             |             |                   |                |
| <b>Non-Hispanic 1/, female</b>   |          |              |           |            |             |             |             |             |             |             |             |                   |                |
| 2007.....  | 2,043    | 1            | 18        | 30         | 36          | 74          | 175         | 313         | 249         | 264         | 371         | 512               | -              |
| 2006.....  | 2,147    | 2            | 7         | 25         | 48          | 77          | 199         | 336         | 301         | 269         | 416         | 467               | -              |
| 2005.....  | 2,421    | 2            | 11        | 31         | 47          | 98          | 205         | 361         | 322         | 299         | 466         | 579               | -              |
| 2004.....  | 2,252    | -            | 7         | 36         | 55          | 75          | 202         | 319         | 300         | 297         | 462         | 499               | -              |
| 2003.....  | 2,430    | 3            | 7         | 33         | 61          | 89          | 237         | 360         | 324         | 331         | 494         | 491               | -              |
| 2002.....  | 2,502    | 1            | 10        | 49         | 57          | 97          | 246         | 352         | 308         | 350         | 528         | 503               | 1              |
| 2001.....  | 2,611    | 4            | 7         | 38         | 58          | 109         | 241         | 348         | 342         | 387         | 545         | 532               | -              |
| 2000.....  | 2,678    | 2            | 9         | 49         | 61          | 99          | 247         | 353         | 310         | 442         | 576         | 530               | -              |
| 1999.....  | 2,829    | 2            | 8         | 36         | 68          | 122         | 238         | 381         | 348         | 465         | 614         | 547               | -              |
| <b>Non-Hispanic white, both sexes</b>  |          |              |           |            |             |             |             |             |             |             |             |                   |                |
| 2007 2/.....   | 2,151    | 1            | 8         | 32         | 50          | 94          | 167         | 278         | 263         | 275         | 426         | 556               | 1              |
| 2006 2/.....   | 2,246    | 2            | 9         | 23         | 43          | 79          | 189         | 313         | 276         | 285         | 492         | 535               | -              |
| 2005 2/.....   | 2,475    | -            | 7         | 26         | 52          | 101         | 196         | 329         | 307         | 286         | 539         | 632               | -              |
| 2004 2/.....   | 2,377    | 2            | 7         | 34         | 63          | 80          | 195         | 274         | 296         | 342         | 507         | 577               | -              |
| 2003 2/.....   | 2,589    | 4            | 8         | 34         | 64          | 108         | 215         | 318         | 334         | 348         | 581         | 575               | -              |
| 2002.....  | 2,720    | 1            | 14        | 34         | 79          | 121         | 222         | 316         | 311         | 377         | 659         | 586               | -              |
| 2001.....  | 2,717    | 4            | 7         | 37         | 59          | 97          | 219         | 326         | 306         | 432         | 628         | 602               | -              |
| 2000.....  | 2,836    | 4            | 13        | 40         | 75          | 114         | 227         | 317         | 296         | 484         | 683         | 583               | -              |
| 1999.....  | 3,011    | 1            | 8         | 47         | 92          | 107         | 222         | 327         | 351         | 511         | 747         | 598               | -              |

Worktable Orig290F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2007

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data - mortality"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, sex, and year | All ages | Under 1 year | 1-4 years | 5-14 years | 15-24 years | 25-34 years | 35-44 years | 45-54 years | 55-64 years | 65-74 years | 75-84 years | 85 years and over | Age not stated |
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|
| <b>Asthma (J45-J46)</b>  |          |              |           |            |             |             |             |             |             |             |             |                   |                |
| <b>Non-Hispanic white, male</b>  |          |              |           |            |             |             |             |             |             |             |             |                   |                |
| 2007 2/.....   | 686      | -            | 5         | 21         | 35          | 48          | 64          | 110         | 102         | 81          | 119         | 100               | 1              |
| 2006 2/.....   | 715      | 1            | 5         | 19         | 24          | 39          | 76          | 106         | 82          | 90          | 144         | 129               | -              |
| 2005 2/.....   | 743      | -            | 3         | 15         | 32          | 45          | 73          | 120         | 100         | 87          | 156         | 112               | -              |
| 2004 2/.....   | 743      | 2            | 5         | 18         | 39          | 37          | 74          | 99          | 97          | 114         | 124         | 134               | -              |
| 2003 2/.....   | 831      | 4            | 4         | 19         | 36          | 48          | 78          | 113         | 114         | 114         | 169         | 132               | -              |
| 2002.....  | 895      | -            | 12        | 20         | 43          | 59          | 80          | 117         | 113         | 125         | 196         | 130               | -              |
| 2001.....  | 834      | 3            | 4         | 21         | 29          | 42          | 91          | 113         | 95          | 141         | 167         | 128               | -              |
| 2000.....  | 920      | 2            | 7         | 20         | 44          | 60          | 90          | 130         | 97          | 159         | 193         | 118               | -              |
| 1999.....  | 930      | 1            | 5         | 31         | 52          | 48          | 80          | 97          | 124         | 164         | 218         | 110               | -              |
| <b>Non-Hispanic white, female</b>  |          |              |           |            |             |             |             |             |             |             |             |                   |                |
| 2007 2/.....   | 1,465    | 1            | 3         | 11         | 15          | 46          | 103         | 168         | 161         | 194         | 307         | 456               | -              |
| 2006 2/.....   | 1,531    | 1            | 4         | 4          | 19          | 40          | 113         | 207         | 194         | 195         | 348         | 406               | -              |
| 2005 2/.....   | 1,732    | -            | 4         | 11         | 20          | 56          | 123         | 209         | 207         | 199         | 383         | 520               | -              |
| 2004 2/.....   | 1,634    | -            | 2         | 16         | 24          | 43          | 121         | 175         | 199         | 228         | 383         | 443               | -              |
| 2003 2/.....   | 1,758    | -            | 4         | 15         | 28          | 60          | 137         | 205         | 220         | 234         | 412         | 443               | -              |
| 2002.....  | 1,825    | 1            | 2         | 14         | 36          | 62          | 142         | 199         | 198         | 252         | 463         | 456               | -              |
| 2001.....  | 1,883    | 1            | 3         | 16         | 30          | 55          | 128         | 213         | 211         | 291         | 461         | 474               | -              |
| 2000.....  | 1,916    | 2            | 6         | 20         | 31          | 54          | 137         | 187         | 199         | 325         | 490         | 465               | -              |
| 1999.....  | 2,081    | -            | 3         | 16         | 40          | 59          | 142         | 230         | 227         | 347         | 529         | 488               | -              |

Worktable Orig290F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2007

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data - mortality"]

---

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, sex, and year

|  | All ages | Under 1 year | 1-4 years | 5-14 years | 15-24 years | 25-34 years | 35-44 years | 45-54 years | 55-64 years | 65-74 years | 75-84 years | 85 years and over | Age not stated |
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|

---

Asthma (J45-J46)

Non-Hispanic black, both sexes

|              |       |   |    |    |    |     |     |     |     |     |    |    |   |
|--------------|-------|---|----|----|----|-----|-----|-----|-----|-----|----|----|---|
| 2007 2/..... | 893   | 2 | 26 | 57 | 60 | 76  | 121 | 204 | 144 | 92  | 65 | 46 | - |
| 2006 2/..... | 943   | 2 | 12 | 60 | 73 | 89  | 137 | 202 | 162 | 97  | 61 | 48 | - |
| 2005 2/..... | 1,002 | 2 | 27 | 50 | 70 | 84  | 131 | 210 | 162 | 124 | 98 | 44 | - |
| 2004 2/..... | 1,001 | 2 | 13 | 57 | 74 | 91  | 139 | 221 | 162 | 98  | 91 | 53 | - |
| 2003 2/..... | 1,019 | 3 | 20 | 59 | 74 | 90  | 155 | 229 | 140 | 120 | 89 | 40 | - |
| 2002.....    | 1,083 | 2 | 21 | 69 | 74 | 84  | 196 | 222 | 169 | 132 | 75 | 39 | - |
| 2001.....    | 1,092 | 3 | 19 | 51 | 67 | 115 | 186 | 203 | 170 | 126 | 99 | 53 | - |
| 2000.....    | 1,145 | 3 | 14 | 69 | 73 | 102 | 178 | 225 | 165 | 152 | 94 | 70 | - |
| 1999.....    | 1,134 | 4 | 14 | 65 | 71 | 126 | 166 | 211 | 162 | 157 | 94 | 64 | - |

Non-Hispanic black, male

|              |     |   |    |    |    |    |    |    |    |    |    |    |   |
|--------------|-----|---|----|----|----|----|----|----|----|----|----|----|---|
| 2007 2/..... | 402 | 2 | 12 | 39 | 41 | 49 | 55 | 71 | 65 | 36 | 25 | 7  | - |
| 2006 2/..... | 414 | 1 | 10 | 39 | 45 | 52 | 61 | 82 | 66 | 35 | 16 | 7  | - |
| 2005 2/..... | 403 | - | 20 | 33 | 44 | 44 | 56 | 68 | 54 | 38 | 38 | 8  | - |
| 2004 2/..... | 452 | 2 | 9  | 39 | 45 | 60 | 60 | 89 | 66 | 40 | 31 | 11 | - |
| 2003 2/..... | 439 | - | 18 | 41 | 42 | 63 | 61 | 86 | 52 | 38 | 31 | 7  | - |
| 2002.....    | 488 | 2 | 14 | 37 | 56 | 50 | 96 | 83 | 67 | 51 | 23 | 9  | - |
| 2001.....    | 450 | - | 15 | 30 | 41 | 62 | 79 | 83 | 52 | 46 | 29 | 13 | - |
| 2000.....    | 472 | 3 | 11 | 42 | 44 | 62 | 79 | 71 | 65 | 53 | 21 | 21 | - |
| 1999.....    | 474 | 2 | 10 | 45 | 46 | 66 | 72 | 72 | 57 | 61 | 27 | 16 | - |

Worktable Orig290F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2007

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data - mortality"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, sex, and year | All ages | Under 1 year | 1-4 years | 5-14 years | 15-24 years | 25-34 years | 35-44 years | 45-54 years | 55-64 years | 65-74 years | 75-84 years | 85 years and over | Age not stated |
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|
| <b>Asthma (J45-J46)</b>  |          |              |           |            |             |             |             |             |             |             |             |                   |                |
| <b>Non-Hispanic black, female</b>  |          |              |           |            |             |             |             |             |             |             |             |                   |                |
| 2007 2/.....   | 491      | -            | 14        | 18         | 19          | 27          | 66          | 133         | 79          | 56          | 40          | 39                | -              |
| 2006 2/.....   | 529      | 1            | 2         | 21         | 28          | 37          | 76          | 120         | 96          | 62          | 45          | 41                | -              |
| 2005 2/.....   | 599      | 2            | 7         | 17         | 26          | 40          | 75          | 142         | 108         | 86          | 60          | 36                | -              |
| 2004 2/.....   | 549      | -            | 4         | 18         | 29          | 31          | 79          | 132         | 96          | 58          | 60          | 42                | -              |
| 2003 2/.....   | 580      | 3            | 2         | 18         | 32          | 27          | 94          | 143         | 88          | 82          | 58          | 33                | -              |
| 2002.....  | 595      | -            | 7         | 32         | 18          | 34          | 100         | 139         | 102         | 81          | 52          | 30                | -              |
| 2001.....  | 642      | 3            | 4         | 21         | 26          | 53          | 107         | 120         | 118         | 80          | 70          | 40                | -              |
| 2000.....  | 673      | -            | 3         | 27         | 29          | 40          | 99          | 154         | 100         | 99          | 73          | 49                | -              |
| 1999.....  | 660      | 2            | 4         | 20         | 25          | 60          | 94          | 139         | 105         | 96          | 67          | 48                | -              |
| <b>Origin not stated 3/, both sexes</b>  |          |              |           |            |             |             |             |             |             |             |             |                   |                |
| 2007.....  | 1        | -            | -         | -          | -           | -           | -           | 1           | -           | -           | -           | -                 | -              |
| 2006.....  | 13       | -            | -         | -          | 1           | -           | 4           | 1           | 2           | 4           | 1           | -                 | -              |
| 2005.....  | 10       | -            | -         | 1          | -           | -           | 1           | 1           | 2           | 2           | 2           | 1                 | -              |
| 2004.....  | 11       | -            | -         | -          | -           | 1           | 2           | -           | 1           | 2           | 3           | 2                 | -              |
| 2003.....  | 14       | -            | 1         | 1          | 1           | -           | 2           | 3           | 1           | -           | -           | 5                 | -              |
| 2002.....  | 24       | -            | -         | 2          | 1           | 2           | 5           | 3           | 3           | 2           | 3           | 3                 | -              |
| 2001.....  | 19       | -            | -         | 1          | -           | 1           | 3           | 4           | 1           | 4           | 2           | 3                 | -              |
| 2000.....  | 31       | -            | -         | 1          | 1           | 4           | 1           | 5           | 6           | 6           | 4           | 3                 | -              |
| 1999.....  | 13       | -            | -         | -          | -           | 3           | 1           | 2           | 1           | 2           | 1           | 3                 | -              |

Worktable Orig290F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2007

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data - mortality"]

---

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, sex, and year

|  | All ages | Under 1 year | 1-4 years | 5-14 years | 15-24 years | 25-34 years | 35-44 years | 45-54 years | 55-64 years | 65-74 years | 75-84 years | 85 years and over | Age not stated |
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|

---

Asthma (J45-J46)

|                              | All ages | Under 1 year | 1-4 years | 5-14 years | 15-24 years | 25-34 years | 35-44 years | 45-54 years | 55-64 years | 65-74 years | 75-84 years | 85 years and over | Age not stated |
|------------------------------|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|
| Origin not stated 3/, male   |          |              |           |            |             |             |             |             |             |             |             |                   |                |
| 2007.....                    | 1        | -            | -         | -          | -           | -           | -           | 1           | -           | -           | -           | -                 | -              |
| 2006.....                    | 6        | -            | -         | -          | 1           | -           | 2           | 1           | 1           | 1           | -           | -                 | -              |
| 2005.....                    | 4        | -            | -         | 1          | -           | -           | -           | 1           | -           | 1           | 1           | -                 | -              |
| 2004.....                    | 3        | -            | -         | -          | -           | -           | -           | -           | 1           | -           | 1           | 1                 | -              |
| 2003.....                    | 6        | -            | 1         | -          | 1           | -           | 2           | 1           | -           | -           | -           | 1                 | -              |
| 2002.....                    | 18       | -            | -         | 2          | 1           | 2           | 5           | 2           | -           | 2           | 2           | 2                 | -              |
| 2001.....                    | 11       | -            | -         | -          | -           | -           | 2           | 3           | -           | 2           | 1           | 3                 | -              |
| 2000.....                    | 17       | -            | -         | -          | -           | 3           | 1           | 3           | 5           | 2           | 2           | 1                 | -              |
| 1999.....                    | 6        | -            | -         | -          | -           | 1           | -           | 1           | -           | 2           | 1           | 1                 | -              |
| Origin not stated 3/, female |          |              |           |            |             |             |             |             |             |             |             |                   |                |
| 2007.....                    | -        | -            | -         | -          | -           | -           | -           | -           | -           | -           | -           | -                 | -              |
| 2006.....                    | 7        | -            | -         | -          | -           | -           | 2           | -           | 1           | 3           | 1           | -                 | -              |
| 2005.....                    | 6        | -            | -         | -          | -           | -           | 1           | -           | 2           | 1           | 1           | 1                 | -              |
| 2004.....                    | 8        | -            | -         | -          | -           | 1           | 2           | -           | -           | 2           | 2           | 1                 | -              |
| 2003.....                    | 8        | -            | -         | 1          | -           | -           | -           | 2           | 1           | -           | -           | 4                 | -              |
| 2002.....                    | 6        | -            | -         | -          | -           | -           | -           | 1           | 3           | -           | 1           | 1                 | -              |
| 2001.....                    | 8        | -            | -         | 1          | -           | 1           | 1           | 1           | 1           | 2           | 1           | -                 | -              |
| 2000.....                    | 14       | -            | -         | 1          | 1           | 1           | -           | 2           | 1           | 4           | 2           | 2                 | -              |
| 1999.....                    | 7        | -            | -         | -          | -           | 2           | 1           | 1           | 1           | -           | -           | 2                 | -              |

Worktable Orig290F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2007

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data - mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, sex, and year

|  | All ages | Under 1 year | 1-4 years | 5-14 years | 15-24 years | 25-34 years | 35-44 years | 45-54 years | 55-64 years | 65-74 years | 75-84 years | 85 years and over | Age not stated |
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|

Other chronic lower respiratory diseases (J44,J47)

All origins, both sexes

|           |         |    |   |    |    |    |     |       |        |        |        |        |   |
|-----------|---------|----|---|----|----|----|-----|-------|--------|--------|--------|--------|---|
| 2007..... | 111,020 | 12 | 6 | 8  | 14 | 47 | 402 | 3,105 | 10,674 | 24,870 | 42,456 | 29,423 | 3 |
| 2006..... | 107,679 | 3  | 5 | 12 | 6  | 47 | 372 | 2,877 | 10,311 | 24,431 | 41,781 | 27,832 | 2 |
| 2005..... | 112,181 | 2  | 6 | 4  | 12 | 37 | 429 | 2,911 | 10,477 | 25,567 | 44,019 | 28,714 | 3 |
| 2004..... | 103,759 | 8  | 5 | 10 | 10 | 43 | 419 | 2,501 | 9,584  | 23,996 | 41,372 | 25,810 | 1 |
| 2003..... | 106,572 | 4  | 4 | 2  | 22 | 40 | 435 | 2,420 | 9,713  | 25,220 | 42,368 | 26,344 | - |
| 2002..... | 104,111 | 10 | 6 | 8  | 15 | 50 | 424 | 2,377 | 8,987  | 24,682 | 42,034 | 25,513 | 5 |
| 2001..... | 101,543 | 7  | 4 | 4  | 24 | 44 | 418 | 2,231 | 8,723  | 25,180 | 40,362 | 24,545 | 1 |
| 2000..... | 99,655  | 7  | 3 | 5  | 13 | 28 | 370 | 2,125 | 8,325  | 25,145 | 40,029 | 23,603 | 2 |
| 1999..... | 100,565 | 10 | 8 | 8  | 19 | 48 | 328 | 1,997 | 8,598  | 26,042 | 40,416 | 23,087 | 4 |

All origins, male

|           |        |    |   |   |    |    |     |       |       |        |        |        |   |
|-----------|--------|----|---|---|----|----|-----|-------|-------|--------|--------|--------|---|
| 2007..... | 53,090 | 10 | 3 | 7 | 6  | 22 | 212 | 1,598 | 5,614 | 12,721 | 20,724 | 12,170 | 3 |
| 2006..... | 51,347 | 3  | 3 | 5 | 5  | 22 | 183 | 1,467 | 5,380 | 12,269 | 20,492 | 11,517 | 1 |
| 2005..... | 53,495 | 2  | 2 | - | 9  | 21 | 211 | 1,524 | 5,411 | 13,173 | 21,394 | 11,746 | 2 |
| 2004..... | 49,847 | 3  | 2 | 6 | 4  | 29 | 219 | 1,327 | 4,934 | 12,220 | 20,266 | 10,836 | 1 |
| 2003..... | 51,321 | 4  | 2 | 1 | 15 | 23 | 211 | 1,288 | 5,071 | 12,973 | 20,621 | 11,112 | - |
| 2002..... | 50,629 | 5  | 3 | 3 | 7  | 26 | 221 | 1,268 | 4,628 | 12,732 | 20,821 | 10,911 | 4 |
| 2001..... | 49,407 | 4  | 2 | 3 | 15 | 24 | 200 | 1,196 | 4,518 | 13,027 | 20,096 | 10,321 | 1 |
| 2000..... | 49,198 | 5  | 1 | 3 | 9  | 11 | 181 | 1,127 | 4,389 | 13,140 | 20,048 | 10,282 | 2 |
| 1999..... | 50,817 | 7  | 3 | 5 | 10 | 15 | 172 | 1,067 | 4,615 | 13,980 | 20,598 | 10,342 | 3 |

Worktable Orig290F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2007

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data - mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, sex, and year

|  | All ages | Under 1 year | 1-4 years | 5-14 years | 15-24 years | 25-34 years | 35-44 years | 45-54 years | 55-64 years | 65-74 years | 75-84 years | 85 years and over | Age not stated |
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|

Other chronic lower respiratory diseases (J44,J47)

|                      | All ages | Under 1 year | 1-4 years | 5-14 years | 15-24 years | 25-34 years | 35-44 years | 45-54 years | 55-64 years | 65-74 years | 75-84 years | 85 years and over | Age not stated |
|----------------------|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|
| All origins, female  |          |              |           |            |             |             |             |             |             |             |             |                   |                |
| 2007.....            | 57,930   | 2            | 3         | 1          | 8           | 25          | 190         | 1,507       | 5,060       | 12,149      | 21,732      | 17,253            | -              |
| 2006.....            | 56,332   | -            | 2         | 7          | 1           | 25          | 189         | 1,410       | 4,931       | 12,162      | 21,289      | 16,315            | 1              |
| 2005.....            | 58,686   | -            | 4         | 4          | 3           | 16          | 218         | 1,387       | 5,066       | 12,394      | 22,625      | 16,968            | 1              |
| 2004.....            | 53,912   | 5            | 3         | 4          | 6           | 14          | 200         | 1,174       | 4,650       | 11,776      | 21,106      | 14,974            | -              |
| 2003.....            | 55,251   | -            | 2         | 1          | 7           | 17          | 224         | 1,132       | 4,642       | 12,247      | 21,747      | 15,232            | -              |
| 2002.....            | 53,482   | 5            | 3         | 5          | 8           | 24          | 203         | 1,109       | 4,359       | 11,950      | 21,213      | 14,602            | 1              |
| 2001.....            | 52,136   | 3            | 2         | 1          | 9           | 20          | 218         | 1,035       | 4,205       | 12,153      | 20,266      | 14,224            | -              |
| 2000.....            | 50,457   | 2            | 2         | 2          | 4           | 17          | 189         | 998         | 3,936       | 12,005      | 19,981      | 13,321            | -              |
| 1999.....            | 49,748   | 3            | 5         | 3          | 9           | 33          | 156         | 930         | 3,983       | 12,062      | 19,818      | 12,745            | 1              |
| Hispanic, both sexes |          |              |           |            |             |             |             |             |             |             |             |                   |                |
| 2007.....            | 2,961    | 5            | 1         | 2          | 1           | 5           | 15          | 96          | 231         | 542         | 1,165       | 898               | -              |
| 2006.....            | 2,728    | 1            | 3         | 2          | 1           | 4           | 18          | 74          | 226         | 536         | 1,015       | 848               | -              |
| 2005.....            | 2,864    | 1            | 1         | 1          | 1           | 4           | 19          | 105         | 230         | 555         | 1,086       | 860               | 1              |
| 2004.....            | 2,519    | 1            | 1         | -          | 3           | 6           | 29          | 70          | 207         | 549         | 927         | 726               | -              |
| 2003.....            | 2,523    | 2            | -         | -          | 5           | 5           | 25          | 64          | 190         | 534         | 919         | 779               | -              |
| 2002.....            | 2,425    | -            | 2         | -          | 2           | 5           | 24          | 75          | 205         | 509         | 886         | 717               | -              |
| 2001.....            | 2,235    | -            | 2         | 1          | 1           | 4           | 19          | 66          | 185         | 513         | 774         | 670               | -              |
| 2000.....            | 2,079    | 2            | 1         | 2          | 1           | 2           | 20          | 52          | 169         | 438         | 755         | 637               | -              |
| 1999.....            | 2,195    | 3            | 2         | 2          | 1           | 6           | 20          | 55          | 177         | 511         | 759         | 659               | -              |



Worktable Orig290F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2007

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data - mortality"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, sex, and year | All ages | Under 1 year | 1-4 years | 5-14 years | 15-24 years | 25-34 years | 35-44 years | 45-54 years | 55-64 years | 65-74 years | 75-84 years | 85 years and over | Age not stated |
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|
| Other chronic lower respiratory diseases (J44,J47)   |          |              |           |            |             |             |             |             |             |             |             |                   |                |
| Hispanic, male   |          |              |           |            |             |             |             |             |             |             |             |                   |                |
| 2007.....  | 1,583    | 5            | -         | 2          | 1           | 3           | 9           | 60          | 132         | 327         | 634         | 410               | -              |
| 2006.....  | 1,422    | 1            | 2         | 2          | 1           | 2           | 12          | 42          | 130         | 302         | 538         | 390               | -              |
| 2005.....  | 1,533    | 1            | -         | -          | 1           | 4           | 13          | 57          | 148         | 316         | 616         | 376               | 1              |
| 2004.....  | 1,349    | -            | 1         | -          | 2           | 4           | 22          | 35          | 119         | 335         | 506         | 325               | -              |
| 2003.....  | 1,362    | 2            | -         | -          | 3           | 3           | 12          | 28          | 121         | 313         | 507         | 373               | -              |
| 2002.....  | 1,323    | -            | -         | -          | 2           | 3           | 14          | 41          | 131         | 303         | 509         | 320               | -              |
| 2001.....  | 1,189    | -            | 1         | 1          | -           | 2           | 7           | 35          | 106         | 313         | 406         | 318               | -              |
| 2000.....  | 1,127    | 1            | 1         | 1          | 1           | 1           | 5           | 25          | 109         | 268         | 425         | 290               | -              |
| 1999.....  | 1,228    | 3            | 1         | 1          | 1           | 1           | 10          | 24          | 107         | 300         | 439         | 341               | -              |
| Hispanic, female   |          |              |           |            |             |             |             |             |             |             |             |                   |                |
| 2007.....  | 1,378    | -            | 1         | -          | -           | 2           | 6           | 36          | 99          | 215         | 531         | 488               | -              |
| 2006.....  | 1,306    | -            | 1         | -          | -           | 2           | 6           | 32          | 96          | 234         | 477         | 458               | -              |
| 2005.....  | 1,331    | -            | 1         | 1          | -           | -           | 6           | 48          | 82          | 239         | 470         | 484               | -              |
| 2004.....  | 1,170    | 1            | -         | -          | 1           | 2           | 7           | 35          | 88          | 214         | 421         | 401               | -              |
| 2003.....  | 1,161    | -            | -         | -          | 2           | 2           | 13          | 36          | 69          | 221         | 412         | 406               | -              |
| 2002.....  | 1,102    | -            | 2         | -          | -           | 2           | 10          | 34          | 74          | 206         | 377         | 397               | -              |
| 2001.....  | 1,046    | -            | 1         | -          | 1           | 2           | 12          | 31          | 79          | 200         | 368         | 352               | -              |
| 2000.....  | 952      | 1            | -         | 1          | -           | 1           | 15          | 27          | 60          | 170         | 330         | 347               | -              |
| 1999.....  | 967      | -            | 1         | 1          | -           | 5           | 10          | 31          | 70          | 211         | 320         | 318               | -              |

Worktable Orig290F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2007

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data - mortality"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, sex, and year | All ages | Under 1 year | 1-4 years | 5-14 years | 15-24 years | 25-34 years | 35-44 years | 45-54 years | 55-64 years | 65-74 years | 75-84 years | 85 years and over | Age not stated |
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|
| Other chronic lower respiratory diseases (J44,J47)   |          |              |           |            |             |             |             |             |             |             |             |                   |                |
| Non-Hispanic 1/, both sexes  |          |              |           |            |             |             |             |             |             |             |             |                   |                |
| 2007.....  | 107,908  | 7            | 5         | 6          | 13          | 42          | 386         | 3,001       | 10,414      | 24,297      | 41,232      | 28,502            | 3              |
| 2006.....  | 104,748  | 2            | 2         | 10         | 5           | 43          | 352         | 2,794       | 10,045      | 23,848      | 40,696      | 26,950            | 1              |
| 2005.....  | 109,129  | 1            | 5         | 3          | 11          | 33          | 408         | 2,797       | 10,218      | 24,967      | 42,867      | 27,818            | 1              |
| 2004.....  | 101,045  | 7            | 4         | 10         | 7           | 37          | 389         | 2,421       | 9,354       | 23,378      | 40,384      | 25,053            | 1              |
| 2003.....  | 103,788  | 2            | 4         | 2          | 17          | 35          | 410         | 2,342       | 9,483       | 24,618      | 41,364      | 25,511            | -              |
| 2002.....  | 101,413  | 10           | 4         | 8          | 13          | 44          | 397         | 2,293       | 8,756       | 24,103      | 41,034      | 24,746            | 5              |
| 2001.....  | 99,030   | 7            | 2         | 3          | 23          | 40          | 395         | 2,151       | 8,501       | 24,593      | 39,496      | 23,819            | -              |
| 2000.....  | 97,305   | 5            | 2         | 3          | 12          | 26          | 348         | 2,060       | 8,118       | 24,633      | 39,180      | 22,917            | 1              |
| 1999.....  | 98,086   | 7            | 6         | 6          | 18          | 42          | 308         | 1,933       | 8,389       | 25,452      | 39,553      | 22,369            | 3              |
| Non-Hispanic 1/, male  |          |              |           |            |             |             |             |             |             |             |             |                   |                |
| 2007.....  | 51,416   | 5            | 3         | 5          | 5           | 19          | 203         | 1,532       | 5,460       | 12,376      | 20,056      | 11,749            | 3              |
| 2006.....  | 49,812   | 2            | 1         | 3          | 4           | 20          | 170         | 1,419       | 5,225       | 11,936      | 19,918      | 11,114            | -              |
| 2005.....  | 51,848   | 1            | 2         | -          | 8           | 17          | 196         | 1,463       | 5,242       | 12,828      | 20,741      | 11,350            | -              |
| 2004.....  | 48,385   | 3            | 1         | 6          | 2           | 25          | 197         | 1,286       | 4,801       | 11,840      | 19,723      | 10,500            | 1              |
| 2003.....  | 49,820   | 2            | 2         | 1          | 12          | 20          | 199         | 1,252       | 4,924       | 12,622      | 20,068      | 10,718            | -              |
| 2002.....  | 49,155   | 5            | 3         | 3          | 5           | 22          | 206         | 1,224       | 4,483       | 12,384      | 20,244      | 10,572            | 4              |
| 2001.....  | 48,070   | 4            | 1         | 2          | 15          | 22          | 190         | 1,152       | 4,388       | 12,674      | 19,642      | 9,980             | -              |
| 2000.....  | 47,906   | 4            | -         | 2          | 8           | 10          | 175         | 1,094       | 4,256       | 12,822      | 19,566      | 9,968             | 1              |
| 1999.....  | 49,436   | 4            | 2         | 4          | 9           | 14          | 162         | 1,036       | 4,489       | 13,628      | 20,112      | 9,974             | 2              |

Worktable Orig290F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2007

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data - mortality"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, sex, and year | All ages | Under 1 year | 1-4 years | 5-14 years | 15-24 years | 25-34 years | 35-44 years | 45-54 years | 55-64 years | 65-74 years | 75-84 years | 85 years and over | Age not stated |
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|
| Other chronic lower respiratory diseases (J44,J47)   |          |              |           |            |             |             |             |             |             |             |             |                   |                |
| Non-Hispanic 1/, female  |          |              |           |            |             |             |             |             |             |             |             |                   |                |
| 2007.....  | 56,492   | 2            | 2         | 1          | 8           | 23          | 183         | 1,469       | 4,954       | 11,921      | 21,176      | 16,753            | -              |
| 2006.....  | 54,936   | -            | 1         | 7          | 1           | 23          | 182         | 1,375       | 4,820       | 11,912      | 20,778      | 15,836            | 1              |
| 2005.....  | 57,281   | -            | 3         | 3          | 3           | 16          | 212         | 1,334       | 4,976       | 12,139      | 22,126      | 16,468            | 1              |
| 2004.....  | 52,660   | 4            | 3         | 4          | 5           | 12          | 192         | 1,135       | 4,553       | 11,538      | 20,661      | 14,553            | -              |
| 2003.....  | 53,968   | -            | 2         | 1          | 5           | 15          | 211         | 1,090       | 4,559       | 11,996      | 21,296      | 14,793            | -              |
| 2002.....  | 52,258   | 5            | 1         | 5          | 8           | 22          | 191         | 1,069       | 4,273       | 11,719      | 20,790      | 14,174            | 1              |
| 2001.....  | 50,960   | 3            | 1         | 1          | 8           | 18          | 205         | 999         | 4,113       | 11,919      | 19,854      | 13,839            | -              |
| 2000.....  | 49,399   | 1            | 2         | 1          | 4           | 16          | 173         | 966         | 3,862       | 11,811      | 19,614      | 12,949            | -              |
| 1999.....  | 48,650   | 3            | 4         | 2          | 9           | 28          | 146         | 897         | 3,900       | 11,824      | 19,441      | 12,395            | 1              |
| Non-Hispanic white, both sexes   |          |              |           |            |             |             |             |             |             |             |             |                   |                |
| 2007 2/.....   | 100,200  | 5            | 4         | 5          | 9           | 30          | 315         | 2,549       | 9,388       | 22,391      | 38,633      | 26,868            | 3              |
| 2006 2/.....   | 97,304   | -            | 1         | 5          | 4           | 28          | 277         | 2,397       | 9,018       | 22,044      | 38,124      | 25,405            | 1              |
| 2005 2/.....   | 101,449  | 1            | 3         | 2          | 8           | 20          | 333         | 2,350       | 9,202       | 23,031      | 40,296      | 26,202            | 1              |
| 2004 2/.....   | 94,169   | 4            | 1         | 4          | 5           | 29          | 322         | 2,063       | 8,433       | 21,644      | 37,994      | 23,669            | 1              |
| 2003 2/.....   | 96,722   | 2            | 2         | 2          | 9           | 24          | 325         | 2,008       | 8,537       | 22,745      | 38,944      | 24,124            | -              |
| 2002.....  | 94,430   | 6            | 2         | 5          | 12          | 26          | 323         | 1,959       | 7,873       | 22,315      | 38,543      | 23,362            | 4              |
| 2001.....  | 92,267   | 4            | 1         | 2          | 12          | 29          | 314         | 1,835       | 7,685       | 22,734      | 37,199      | 22,452            | -              |
| 2000.....  | 90,746   | 4            | 2         | 3          | 7           | 16          | 272         | 1,748       | 7,281       | 22,803      | 36,976      | 21,633            | 1              |
| 1999.....  | 91,269   | 1            | 3         | 5          | 12          | 28          | 238         | 1,649       | 7,524       | 23,501      | 37,153      | 21,153            | 2              |

Worktable Orig290F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2007

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data - mortality"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, sex, and year | All ages | Under 1 year | 1-4 years | 5-14 years | 15-24 years | 25-34 years | 35-44 years | 45-54 years | 55-64 years | 65-74 years | 75-84 years | 85 years and over | Age not stated |
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|
| Other chronic lower respiratory diseases (J44,J47)   |          |              |           |            |             |             |             |             |             |             |             |                   |                |
| Non-Hispanic white, male   |          |              |           |            |             |             |             |             |             |             |             |                   |                |
| 2007 2/.....   | 47,247   | 3            | 2         | 4          | 3           | 14          | 160         | 1,317       | 4,876       | 11,294      | 18,603      | 10,968            | 3              |
| 2006 2/.....   | 45,709   | -            | 1         | 2          | 3           | 12          | 134         | 1,212       | 4,629       | 10,893      | 18,478      | 10,345            | -              |
| 2005 2/.....   | 47,546   | 1            | 2         | -          | 6           | 8           | 159         | 1,208       | 4,657       | 11,706      | 19,250      | 10,549            | -              |
| 2004 2/.....   | 44,542   | 1            | -         | 2          | 1           | 20          | 162         | 1,096       | 4,246       | 10,845      | 18,380      | 9,788             | 1              |
| 2003 2/.....   | 45,758   | 2            | -         | 1          | 6           | 13          | 156         | 1,070       | 4,382       | 11,516      | 18,598      | 10,014            | -              |
| 2002.....  | 45,172   | 4            | 2         | 1          | 4           | 16          | 169         | 1,030       | 3,964       | 11,342      | 18,779      | 9,858             | 3              |
| 2001.....  | 44,173   | 2            | -         | 1          | 7           | 18          | 152         | 979         | 3,917       | 11,572      | 18,246      | 9,279             | -              |
| 2000.....  | 44,077   | 4            | -         | 2          | 4           | 4           | 140         | 908         | 3,774       | 11,705      | 18,230      | 9,305             | 1              |
| 1999.....  | 45,423   | -            | -         | 3          | 4           | 13          | 123         | 867         | 3,969       | 12,471      | 18,653      | 9,319             | 1              |
| Non-Hispanic white, female   |          |              |           |            |             |             |             |             |             |             |             |                   |                |
| 2007 2/.....   | 52,953   | 2            | 2         | 1          | 6           | 16          | 155         | 1,232       | 4,512       | 11,097      | 20,030      | 15,900            | -              |
| 2006 2/.....   | 51,595   | -            | -         | 3          | 1           | 16          | 143         | 1,185       | 4,389       | 11,151      | 19,646      | 15,060            | 1              |
| 2005 2/.....   | 53,903   | -            | 1         | 2          | 2           | 12          | 174         | 1,142       | 4,545       | 11,325      | 21,046      | 15,653            | 1              |
| 2004 2/.....   | 49,627   | 3            | 1         | 2          | 4           | 9           | 160         | 967         | 4,187       | 10,799      | 19,614      | 13,881            | -              |
| 2003 2/.....   | 50,964   | -            | 2         | 1          | 3           | 11          | 169         | 938         | 4,155       | 11,229      | 20,346      | 14,110            | -              |
| 2002.....  | 49,258   | 2            | -         | 4          | 8           | 10          | 154         | 929         | 3,909       | 10,973      | 19,764      | 13,504            | 1              |
| 2001.....  | 48,094   | 2            | 1         | 1          | 5           | 11          | 162         | 856         | 3,768       | 11,162      | 18,953      | 13,173            | -              |
| 2000.....  | 46,669   | -            | 2         | 1          | 3           | 12          | 132         | 840         | 3,507       | 11,098      | 18,746      | 12,328            | -              |
| 1999.....  | 45,846   | 1            | 3         | 2          | 8           | 15          | 115         | 782         | 3,555       | 11,030      | 18,500      | 11,834            | 1              |

Worktable Orig290F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2007

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data - mortality"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, sex, and year | All ages | Under 1 year | 1-4 years | 5-14 years | 15-24 years | 25-34 years | 35-44 years | 45-54 years | 55-64 years | 65-74 years | 75-84 years | 85 years and over | Age not stated |
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|

Other chronic lower respiratory diseases (J44,J47)

Non-Hispanic black, both sexes

|              |       |   |   |   |   |    |    |     |     |       |       |       |   |
|--------------|-------|---|---|---|---|----|----|-----|-----|-------|-------|-------|---|
| 2007 2/..... | 6,153 | 2 | - | 1 | 4 | 11 | 63 | 396 | 889 | 1,592 | 2,009 | 1,186 | - |
| 2006 2/..... | 5,948 | - | - | 5 | 1 | 15 | 65 | 359 | 888 | 1,515 | 1,982 | 1,118 | - |
| 2005 2/..... | 6,270 | - | 2 | 1 | 3 | 10 | 66 | 414 | 885 | 1,644 | 2,043 | 1,202 | - |
| 2004 2/..... | 5,550 | 2 | 3 | 6 | 2 | 8  | 62 | 327 | 799 | 1,463 | 1,877 | 1,001 | - |
| 2003 2/..... | 5,734 | - | 1 | - | 6 | 9  | 71 | 302 | 819 | 1,574 | 1,923 | 1,029 | - |
| 2002.....    | 5,739 | 4 | 1 | 3 | 1 | 15 | 68 | 304 | 776 | 1,487 | 2,012 | 1,067 | 1 |
| 2001.....    | 5,550 | 2 | 1 | 1 | 8 | 9  | 75 | 283 | 707 | 1,567 | 1,861 | 1,036 | - |
| 2000.....    | 5,414 | 1 | - | - | 3 | 10 | 71 | 278 | 748 | 1,549 | 1,771 | 983   | - |
| 1999.....    | 5,695 | 6 | 3 | 1 | 6 | 11 | 68 | 258 | 770 | 1,639 | 1,961 | 971   | 1 |

Non-Hispanic black, male

|              |       |   |   |   |   |   |    |     |     |     |       |     |   |
|--------------|-------|---|---|---|---|---|----|-----|-----|-----|-------|-----|---|
| 2007 2/..... | 3,286 | 2 | - | 1 | 2 | 4 | 37 | 189 | 510 | 891 | 1,116 | 534 | - |
| 2006 2/..... | 3,221 | - | - | 1 | 1 | 8 | 28 | 191 | 514 | 876 | 1,085 | 517 | - |
| 2005 2/..... | 3,465 | - | - | - | 2 | 7 | 32 | 234 | 503 | 963 | 1,162 | 562 | - |
| 2004 2/..... | 3,066 | 1 | 1 | 4 | 1 | 5 | 33 | 175 | 486 | 835 | 1,037 | 488 | - |
| 2003 2/..... | 3,239 | - | 1 | - | 5 | 6 | 35 | 164 | 470 | 924 | 1,140 | 494 | - |
| 2002.....    | 3,221 | 1 | - | 2 | 1 | 4 | 34 | 176 | 461 | 865 | 1,153 | 523 | 1 |
| 2001.....    | 3,181 | 1 | 1 | 1 | 6 | 4 | 37 | 151 | 413 | 938 | 1,116 | 513 | - |
| 2000.....    | 3,126 | - | - | - | 3 | 6 | 33 | 161 | 432 | 953 | 1,045 | 493 | - |
| 1999.....    | 3,341 | 4 | 2 | 1 | 5 | - | 38 | 151 | 469 | 975 | 1,181 | 514 | 1 |

Worktable Orig290F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2007

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data - mortality"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, sex, and year | All ages | Under 1 year | 1-4 years | 5-14 years | 15-24 years | 25-34 years | 35-44 years | 45-54 years | 55-64 years | 65-74 years | 75-84 years | 85 years and over | Age not stated |
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|
| Other chronic lower respiratory diseases (J44,J47)   |          |              |           |            |             |             |             |             |             |             |             |                   |                |
| Non-Hispanic black, female   |          |              |           |            |             |             |             |             |             |             |             |                   |                |
| 2007 2/.....   | 2,867    | -            | -         | -          | 2           | 7           | 26          | 207         | 379         | 701         | 893         | 652               | -              |
| 2006 2/.....   | 2,727    | -            | -         | 4          | -           | 7           | 37          | 168         | 374         | 639         | 897         | 601               | -              |
| 2005 2/.....   | 2,805    | -            | 2         | 1          | 1           | 3           | 34          | 180         | 382         | 681         | 881         | 640               | -              |
| 2004 2/.....   | 2,484    | 1            | 2         | 2          | 1           | 3           | 29          | 152         | 313         | 628         | 840         | 513               | -              |
| 2003 2/.....   | 2,495    | -            | -         | -          | 1           | 3           | 36          | 138         | 349         | 650         | 783         | 535               | -              |
| 2002.....  | 2,518    | 3            | 1         | 1          | -           | 11          | 34          | 128         | 315         | 622         | 859         | 544               | -              |
| 2001.....  | 2,369    | 1            | -         | -          | 2           | 5           | 38          | 132         | 294         | 629         | 745         | 523               | -              |
| 2000.....  | 2,288    | 1            | -         | -          | -           | 4           | 38          | 117         | 316         | 596         | 726         | 490               | -              |
| 1999.....  | 2,354    | 2            | 1         | -          | 1           | 11          | 30          | 107         | 301         | 664         | 780         | 457               | -              |
| Origin not stated 3/, both sexes   |          |              |           |            |             |             |             |             |             |             |             |                   |                |
| 2007.....  | 151      | -            | -         | -          | -           | -           | 1           | 8           | 29          | 31          | 59          | 23                | -              |
| 2006.....  | 203      | -            | -         | -          | -           | -           | 2           | 9           | 40          | 47          | 70          | 34                | 1              |
| 2005.....  | 188      | -            | -         | -          | -           | -           | 2           | 9           | 29          | 45          | 66          | 36                | 1              |
| 2004.....  | 195      | -            | -         | -          | -           | -           | 1           | 10          | 23          | 69          | 61          | 31                | -              |
| 2003.....  | 261      | -            | -         | -          | -           | -           | -           | 14          | 40          | 68          | 85          | 54                | -              |
| 2002.....  | 273      | -            | -         | -          | -           | 1           | 3           | 9           | 26          | 70          | 114         | 50                | -              |
| 2001.....  | 278      | -            | -         | -          | -           | -           | 4           | 14          | 37          | 74          | 92          | 56                | 1              |
| 2000.....  | 271      | -            | -         | -          | -           | -           | 2           | 13          | 38          | 74          | 94          | 49                | 1              |
| 1999.....  | 284      | -            | -         | -          | -           | -           | -           | 9           | 32          | 79          | 104         | 59                | 1              |

Worktable Orig290F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2007

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data - mortality"]

---

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, sex, and year

|  | All ages | Under 1 year | 1-4 years | 5-14 years | 15-24 years | 25-34 years | 35-44 years | 45-54 years | 55-64 years | 65-74 years | 75-84 years | 85 years and over | Age not stated |
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|

---

Other chronic lower respiratory diseases (J44,J47)

Origin not stated 3/, male

|           |     |   |   |   |   |   |   |   |    |    |    |    |   |
|-----------|-----|---|---|---|---|---|---|---|----|----|----|----|---|
| 2007..... | 91  | - | - | - | - | - | - | 6 | 22 | 18 | 34 | 11 | - |
| 2006..... | 113 | - | - | - | - | - | 1 | 6 | 25 | 31 | 36 | 13 | 1 |
| 2005..... | 114 | - | - | - | - | - | 2 | 4 | 21 | 29 | 37 | 20 | 1 |
| 2004..... | 113 | - | - | - | - | - | - | 6 | 14 | 45 | 37 | 11 | - |
| 2003..... | 139 | - | - | - | - | - | - | 8 | 26 | 38 | 46 | 21 | - |
| 2002..... | 151 | - | - | - | - | 1 | 1 | 3 | 14 | 45 | 68 | 19 | - |
| 2001..... | 148 | - | - | - | - | - | 3 | 9 | 24 | 40 | 48 | 23 | 1 |
| 2000..... | 165 | - | - | - | - | - | 1 | 8 | 24 | 50 | 57 | 24 | 1 |
| 1999..... | 153 | - | - | - | - | - | - | 7 | 19 | 52 | 47 | 27 | 1 |

Origin not stated 3/, female

|           |     |   |   |   |   |   |   |   |    |    |    |    |   |
|-----------|-----|---|---|---|---|---|---|---|----|----|----|----|---|
| 2007..... | 60  | - | - | - | - | - | 1 | 2 | 7  | 13 | 25 | 12 | - |
| 2006..... | 90  | - | - | - | - | - | 1 | 3 | 15 | 16 | 34 | 21 | - |
| 2005..... | 74  | - | - | - | - | - | - | 5 | 8  | 16 | 29 | 16 | - |
| 2004..... | 82  | - | - | - | - | - | 1 | 4 | 9  | 24 | 24 | 20 | - |
| 2003..... | 122 | - | - | - | - | - | - | 6 | 14 | 30 | 39 | 33 | - |
| 2002..... | 122 | - | - | - | - | - | 2 | 6 | 12 | 25 | 46 | 31 | - |
| 2001..... | 130 | - | - | - | - | - | 1 | 5 | 13 | 34 | 44 | 33 | - |
| 2000..... | 106 | - | - | - | - | - | 1 | 5 | 14 | 24 | 37 | 25 | - |
| 1999..... | 131 | - | - | - | - | - | - | 2 | 13 | 27 | 57 | 32 | - |

Worktable Orig290F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2007

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data - mortality"]

---

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, sex, and year

|  | All ages | Under 1 year | 1-4 years | 5-14 years | 15-24 years | 25-34 years | 35-44 years | 45-54 years | 55-64 years | 65-74 years | 75-84 years | 85 years and over | Age not stated |
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|

---

Pneumoconioses and chemical effects (J60-J66,J68)

All origins, both sexes

|           |       |   |   |   |   |   |   |    |    |     |     |     |   |
|-----------|-------|---|---|---|---|---|---|----|----|-----|-----|-----|---|
| 2007..... | 915   | - | - | - | - | 3 | 2 | 20 | 59 | 175 | 384 | 272 | - |
| 2006..... | 924   | 2 | 1 | - | 1 | 1 | 3 | 20 | 50 | 183 | 392 | 271 | - |
| 2005..... | 1,007 | - | 1 | 1 | - | - | 3 | 22 | 69 | 175 | 447 | 288 | 1 |
| 2004..... | 1,033 | - | - | - | 1 | - | 4 | 17 | 70 | 209 | 442 | 290 | - |
| 2003..... | 1,114 | - | - | - | 1 | 1 | 7 | 14 | 70 | 233 | 487 | 301 | - |
| 2002..... | 1,114 | 2 | - | - | - | - | 5 | 17 | 75 | 223 | 480 | 312 | - |
| 2001..... | 1,136 | - | 1 | - | - | 1 | 5 | 11 | 64 | 266 | 516 | 272 | - |
| 2000..... | 1,161 | - | - | - | - | 3 | 7 | 12 | 57 | 281 | 484 | 317 | - |
| 1999..... | 1,113 | - | 3 | - | 1 | - | 7 | 15 | 57 | 274 | 503 | 253 | - |

All origins, male

|           |       |   |   |   |   |   |   |    |    |     |     |     |   |
|-----------|-------|---|---|---|---|---|---|----|----|-----|-----|-----|---|
| 2007..... | 875   | - | - | - | - | 3 | 2 | 18 | 53 | 169 | 372 | 258 | - |
| 2006..... | 887   | 2 | 1 | - | - | 1 | 2 | 16 | 50 | 174 | 383 | 258 | - |
| 2005..... | 965   | - | - | 1 | - | - | 3 | 19 | 65 | 173 | 428 | 275 | 1 |
| 2004..... | 993   | - | - | - | 1 | - | 4 | 14 | 68 | 204 | 425 | 277 | - |
| 2003..... | 1,065 | - | - | - | 1 | 1 | 6 | 13 | 67 | 222 | 469 | 286 | - |
| 2002..... | 1,057 | - | - | - | - | - | 4 | 13 | 69 | 214 | 457 | 300 | - |
| 2001..... | 1,095 | - | 1 | - | - | 1 | 5 | 9  | 62 | 261 | 494 | 262 | - |
| 2000..... | 1,113 | - | - | - | - | 3 | 6 | 12 | 54 | 265 | 467 | 306 | - |
| 1999..... | 1,079 | - | 3 | - | 1 | - | 5 | 15 | 57 | 269 | 486 | 243 | - |



Worktable Orig290F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2007

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data - mortality"]

---

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, sex, and year

|  | All ages | Under 1 year | 1-4 years | 5-14 years | 15-24 years | 25-34 years | 35-44 years | 45-54 years | 55-64 years | 65-74 years | 75-84 years | 85 years and over | Age not stated |
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|

---

Pneumoconioses and chemical effects (J60-J66,J68)

| All origins, female  |    |   |   |   |   |   |   |   |   |    |    |    |   |
|----------------------|----|---|---|---|---|---|---|---|---|----|----|----|---|
| 2007.....            | 40 | - | - | - | - | - | - | 2 | 6 | 6  | 12 | 14 | - |
| 2006.....            | 37 | - | - | - | 1 | - | 1 | 4 | - | 9  | 9  | 13 | - |
| 2005.....            | 42 | - | 1 | - | - | - | - | 3 | 4 | 2  | 19 | 13 | - |
| 2004.....            | 40 | - | - | - | - | - | - | 3 | 2 | 5  | 17 | 13 | - |
| 2003.....            | 49 | - | - | - | - | - | 1 | 1 | 3 | 11 | 18 | 15 | - |
| 2002.....            | 57 | 2 | - | - | - | - | 1 | 4 | 6 | 9  | 23 | 12 | - |
| 2001.....            | 41 | - | - | - | - | - | - | 2 | 2 | 5  | 22 | 10 | - |
| 2000.....            | 48 | - | - | - | - | - | 1 | - | 3 | 16 | 17 | 11 | - |
| 1999.....            | 34 | - | - | - | - | - | 2 | - | - | 5  | 17 | 10 | - |
|                      |    |   |   |   |   |   |   |   |   |    |    |    |   |
| Hispanic, both sexes |    |   |   |   |   |   |   |   |   |    |    |    |   |
| 2007.....            | 21 | - | - | - | - | - | - | 2 | 1 | 4  | 7  | 7  | - |
| 2006.....            | 17 | - | - | - | - | - | - | 4 | 2 | 2  | 5  | 4  | - |
| 2005.....            | 21 | - | 1 | - | - | - | - | 1 | 1 | 8  | 6  | 4  | - |
| 2004.....            | 25 | - | - | - | - | - | 2 | 1 | 2 | 4  | 10 | 6  | - |
| 2003.....            | 20 | - | - | - | 1 | - | - | - | 3 | 3  | 12 | 1  | - |
| 2002.....            | 33 | - | - | - | - | - | 1 | 2 | 4 | 12 | 5  | 9  | - |
| 2001.....            | 26 | - | 1 | - | - | - | 2 | 2 | 2 | 7  | 6  | 6  | - |
| 2000.....            | 27 | - | - | - | - | 1 | 1 | 1 | 1 | 5  | 13 | 5  | - |
| 1999.....            | 13 | - | - | - | - | - | 1 | 1 | 1 | 5  | 2  | 3  | - |



Worktable Orig290F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2007

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data - mortality"]

---

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, sex, and year

|  | All ages | Under 1 year | 1-4 years | 5-14 years | 15-24 years | 25-34 years | 35-44 years | 45-54 years | 55-64 years | 65-74 years | 75-84 years | 85 years and over | Age not stated |
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|

---

Pneumoconioses and chemical effects (J60-J66,J68)

Non-Hispanic 1/, both sexes

|           |       |   |   |   |   |   |   |    |    |     |     |     |   |
|-----------|-------|---|---|---|---|---|---|----|----|-----|-----|-----|---|
| 2007..... | 893   | - | - | - | - | 3 | 2 | 18 | 58 | 171 | 376 | 265 | - |
| 2006..... | 907   | 2 | 1 | - | 1 | 1 | 3 | 16 | 48 | 181 | 387 | 267 | - |
| 2005..... | 985   | - | - | 1 | - | - | 3 | 21 | 68 | 166 | 441 | 284 | 1 |
| 2004..... | 1,007 | - | - | - | 1 | - | 2 | 16 | 68 | 205 | 431 | 284 | - |
| 2003..... | 1,093 | - | - | - | - | 1 | 7 | 14 | 67 | 230 | 474 | 300 | - |
| 2002..... | 1,078 | 2 | - | - | - | - | 4 | 15 | 70 | 211 | 473 | 303 | - |
| 2001..... | 1,108 | - | - | - | - | 1 | 3 | 9  | 62 | 259 | 509 | 265 | - |
| 2000..... | 1,133 | - | - | - | - | 2 | 6 | 11 | 56 | 276 | 470 | 312 | - |
| 1999..... | 1,100 | - | 3 | - | 1 | - | 6 | 14 | 56 | 269 | 501 | 250 | - |

Non-Hispanic 1/, male

|           |       |   |   |   |   |   |   |    |    |     |     |     |   |
|-----------|-------|---|---|---|---|---|---|----|----|-----|-----|-----|---|
| 2007..... | 855   | - | - | - | - | 3 | 2 | 16 | 52 | 165 | 365 | 252 | - |
| 2006..... | 873   | 2 | 1 | - | - | 1 | 2 | 13 | 48 | 172 | 378 | 256 | - |
| 2005..... | 945   | - | - | 1 | - | - | 3 | 18 | 64 | 165 | 422 | 271 | 1 |
| 2004..... | 967   | - | - | - | 1 | - | 2 | 13 | 66 | 200 | 414 | 271 | - |
| 2003..... | 1,045 | - | - | - | - | 1 | 6 | 13 | 64 | 219 | 456 | 286 | - |
| 2002..... | 1,023 | - | - | - | - | - | 3 | 12 | 64 | 203 | 450 | 291 | - |
| 2001..... | 1,068 | - | - | - | - | 1 | 3 | 7  | 60 | 254 | 487 | 256 | - |
| 2000..... | 1,086 | - | - | - | - | 2 | 5 | 11 | 53 | 260 | 453 | 302 | - |
| 1999..... | 1,068 | - | 3 | - | 1 | - | 4 | 14 | 56 | 264 | 484 | 242 | - |

Worktable Orig290F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2007

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data - mortality"]

---

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, sex, and year

|  | All ages | Under 1 year | 1-4 years | 5-14 years | 15-24 years | 25-34 years | 35-44 years | 45-54 years | 55-64 years | 65-74 years | 75-84 years | 85 years and over | Age not stated |
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|

---

Pneumoconioses and chemical effects (J60-J66,J68)

Non-Hispanic 1/, female

|           |    |   |   |   |   |   |   |   |   |    |    |    |   |
|-----------|----|---|---|---|---|---|---|---|---|----|----|----|---|
| 2007..... | 38 | - | - | - | - | - | - | 2 | 6 | 6  | 11 | 13 | - |
| 2006..... | 34 | - | - | - | 1 | - | 1 | 3 | - | 9  | 9  | 11 | - |
| 2005..... | 40 | - | - | - | - | - | - | 3 | 4 | 1  | 19 | 13 | - |
| 2004..... | 40 | - | - | - | - | - | - | 3 | 2 | 5  | 17 | 13 | - |
| 2003..... | 48 | - | - | - | - | - | 1 | 1 | 3 | 11 | 18 | 14 | - |
| 2002..... | 55 | 2 | - | - | - | - | 1 | 3 | 6 | 8  | 23 | 12 | - |
| 2001..... | 40 | - | - | - | - | - | - | 2 | 2 | 5  | 22 | 9  | - |
| 2000..... | 47 | - | - | - | - | - | 1 | - | 3 | 16 | 17 | 10 | - |
| 1999..... | 32 | - | - | - | - | - | 2 | - | - | 5  | 17 | 8  | - |

Non-Hispanic white, both sexes

|              |       |   |   |   |   |   |   |    |    |     |     |     |   |
|--------------|-------|---|---|---|---|---|---|----|----|-----|-----|-----|---|
| 2007 2/..... | 846   | - | - | - | - | 2 | 1 | 14 | 54 | 163 | 352 | 260 | - |
| 2006 2/..... | 852   | 1 | 1 | - | - | 1 | 3 | 13 | 41 | 171 | 365 | 256 | - |
| 2005 2/..... | 931   | - | - | 1 | - | - | 2 | 19 | 61 | 160 | 418 | 269 | 1 |
| 2004 2/..... | 951   | - | - | - | 1 | - | 2 | 15 | 63 | 190 | 415 | 265 | - |
| 2003 2/..... | 1,037 | - | - | - | - | - | 5 | 12 | 64 | 218 | 447 | 291 | - |
| 2002.....    | 1,014 | 1 | - | - | - | - | 3 | 13 | 62 | 201 | 445 | 289 | - |
| 2001.....    | 1,046 | - | - | - | - | 1 | 3 | 5  | 53 | 245 | 487 | 252 | - |
| 2000.....    | 1,072 | - | - | - | - | 2 | 3 | 11 | 54 | 261 | 442 | 299 | - |
| 1999.....    | 1,024 | - | - | - | - | - | 3 | 10 | 46 | 250 | 482 | 233 | - |

Worktable Orig290F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2007

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data - mortality"]

---

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, sex, and year

|  | All ages | Under 1 year | 1-4 years | 5-14 years | 15-24 years | 25-34 years | 35-44 years | 45-54 years | 55-64 years | 65-74 years | 75-84 years | 85 years and over | Age not stated |
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|

---

Pneumoconioses and chemical effects (J60-J66,J68)

| Non-Hispanic white, male   |       |   |   |   |   |   |   |    |    |     |     |     |   |
|----------------------------|-------|---|---|---|---|---|---|----|----|-----|-----|-----|---|
| 2007 2/.....               | 812   | - | - | - | - | 2 | 1 | 12 | 49 | 157 | 344 | 247 | - |
| 2006 2/.....               | 822   | 1 | 1 | - | - | 1 | 2 | 10 | 41 | 162 | 358 | 246 | - |
| 2005 2/.....               | 895   | - | - | 1 | - | - | 2 | 16 | 59 | 159 | 401 | 256 | 1 |
| 2004 2/.....               | 912   | - | - | - | 1 | - | 2 | 12 | 61 | 185 | 398 | 253 | - |
| 2003 2/.....               | 992   | - | - | - | - | - | 5 | 11 | 61 | 207 | 430 | 278 | - |
| 2002.....                  | 966   | - | - | - | - | - | 2 | 10 | 59 | 193 | 424 | 278 | - |
| 2001.....                  | 1,008 | - | - | - | - | 1 | 3 | 5  | 51 | 240 | 465 | 243 | - |
| 2000.....                  | 1,027 | - | - | - | - | 2 | 2 | 11 | 51 | 245 | 427 | 289 | - |
| 1999.....                  | 995   | - | - | - | - | - | 2 | 10 | 46 | 246 | 465 | 226 | - |
| Non-Hispanic white, female |       |   |   |   |   |   |   |    |    |     |     |     |   |
| 2007 2/.....               | 34    | - | - | - | - | - | - | 2  | 5  | 6   | 8   | 13  | - |
| 2006 2/.....               | 30    | - | - | - | - | - | 1 | 3  | -  | 9   | 7   | 10  | - |
| 2005 2/.....               | 36    | - | - | - | - | - | - | 3  | 2  | 1   | 17  | 13  | - |
| 2004 2/.....               | 39    | - | - | - | - | - | - | 3  | 2  | 5   | 17  | 12  | - |
| 2003 2/.....               | 45    | - | - | - | - | - | - | 1  | 3  | 11  | 17  | 13  | - |
| 2002.....                  | 48    | 1 | - | - | - | - | 1 | 3  | 3  | 8   | 21  | 11  | - |
| 2001.....                  | 38    | - | - | - | - | - | - | -  | 2  | 5   | 22  | 9   | - |
| 2000.....                  | 45    | - | - | - | - | - | 1 | -  | 3  | 16  | 15  | 10  | - |
| 1999.....                  | 29    | - | - | - | - | - | 1 | -  | -  | 4   | 17  | 7   | - |

Worktable Orig290F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2007

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data - mortality"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, sex, and year | All ages | Under 1 year | 1-4 years | 5-14 years | 15-24 years | 25-34 years | 35-44 years | 45-54 years | 55-64 years | 65-74 years | 75-84 years | 85 years and over | Age not stated |
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|

Pneumoconioses and chemical effects (J60-J66,J68)

| Non-Hispanic black, both sexes |    |   |   |   |   |   |   |   |   |    |    |    |   |
|--------------------------------|----|---|---|---|---|---|---|---|---|----|----|----|---|
| 2007 2/.....                   | 45 | - | - | - | - | 1 | 1 | 4 | 4 | 8  | 22 | 5  | - |
| 2006 2/.....                   | 48 | 1 | - | - | 1 | - | - | 3 | 6 | 8  | 19 | 10 | - |
| 2005 2/.....                   | 47 | - | - | - | - | - | 1 | 2 | 6 | 5  | 19 | 14 | - |
| 2004 2/.....                   | 54 | - | - | - | - | - | - | 1 | 5 | 14 | 16 | 18 | - |
| 2003 2/.....                   | 48 | - | - | - | - | 1 | 1 | 2 | 1 | 11 | 23 | 9  | - |
| 2002.....                      | 56 | 1 | - | - | - | - | 1 | 2 | 6 | 10 | 22 | 14 | - |
| 2001.....                      | 56 | - | - | - | - | - | - | 4 | 8 | 12 | 20 | 12 | - |
| 2000.....                      | 54 | - | - | - | - | - | 3 | - | 2 | 15 | 23 | 11 | - |
| 1999.....                      | 67 | - | 3 | - | 1 | - | 3 | 4 | 8 | 16 | 16 | 16 | - |
| Non-Hispanic black, male       |    |   |   |   |   |   |   |   |   |    |    |    |   |
| 2007 2/.....                   | 42 | - | - | - | - | 1 | 1 | 4 | 3 | 8  | 20 | 5  | - |
| 2006 2/.....                   | 45 | 1 | - | - | - | - | - | 3 | 6 | 8  | 18 | 9  | - |
| 2005 2/.....                   | 43 | - | - | - | - | - | 1 | 2 | 4 | 5  | 17 | 14 | - |
| 2004 2/.....                   | 54 | - | - | - | - | - | - | 1 | 5 | 14 | 16 | 18 | - |
| 2003 2/.....                   | 45 | - | - | - | - | 1 | - | 2 | 1 | 11 | 22 | 8  | - |
| 2002.....                      | 50 | - | - | - | - | - | 1 | 2 | 4 | 10 | 20 | 13 | - |
| 2001.....                      | 54 | - | - | - | - | - | - | 2 | 8 | 12 | 20 | 12 | - |
| 2000.....                      | 52 | - | - | - | - | - | 3 | - | 2 | 15 | 21 | 11 | - |
| 1999.....                      | 64 | - | 3 | - | 1 | - | 2 | 4 | 8 | 15 | 16 | 15 | - |







Worktable Orig290F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2007

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data - mortality"]

---

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, sex, and year

|  | All ages | Under 1 year | 1-4 years | 5-14 years | 15-24 years | 25-34 years | 35-44 years | 45-54 years | 55-64 years | 65-74 years | 75-84 years | 85 years and over | Age not stated |
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|

---

Pneumonitis due to solids and liquids (J69)

| All origins, both sexes |        |    |    |    |    |    |     |     |     |       |       |       |   |
|-------------------------|--------|----|----|----|----|----|-----|-----|-----|-------|-------|-------|---|
| 2007.....               | 16,988 | 10 | 8  | 16 | 47 | 70 | 154 | 436 | 884 | 1,724 | 5,187 | 8,451 | 1 |
| 2006.....               | 16,887 | 11 | 9  | 13 | 30 | 78 | 166 | 437 | 855 | 1,750 | 5,284 | 8,254 | - |
| 2005.....               | 17,279 | 17 | 8  | 13 | 43 | 66 | 172 | 476 | 833 | 1,741 | 5,558 | 8,352 | - |
| 2004.....               | 16,780 | 12 | 9  | 11 | 39 | 68 | 159 | 394 | 743 | 1,767 | 5,564 | 8,014 | - |
| 2003.....               | 17,335 | 13 | 10 | 16 | 46 | 69 | 166 | 392 | 773 | 1,754 | 5,789 | 8,307 | - |
| 2002.....               | 17,593 | 2  | 7  | 16 | 44 | 74 | 192 | 351 | 671 | 1,793 | 5,900 | 8,543 | - |
| 2001.....               | 17,301 | 12 | 14 | 15 | 34 | 79 | 179 | 378 | 659 | 1,830 | 5,759 | 8,342 | - |
| 2000.....               | 16,636 | 10 | 11 | 13 | 37 | 62 | 181 | 366 | 598 | 1,899 | 5,505 | 7,954 | - |
| 1999.....               | 15,268 | 16 | 12 | 16 | 32 | 78 | 166 | 284 | 586 | 1,754 | 5,030 | 7,294 | - |
| All origins, male       |        |    |    |    |    |    |     |     |     |       |       |       |   |
| 2007.....               | 8,934  | 5  | 5  | 12 | 31 | 43 | 98  | 278 | 549 | 1,042 | 2,926 | 3,944 | 1 |
| 2006.....               | 8,916  | 5  | 3  | 11 | 15 | 53 | 103 | 272 | 537 | 1,092 | 3,029 | 3,796 | - |
| 2005.....               | 8,760  | 10 | 3  | 8  | 23 | 43 | 88  | 280 | 506 | 1,065 | 3,057 | 3,677 | - |
| 2004.....               | 8,593  | 4  | 5  | 6  | 20 | 40 | 97  | 250 | 451 | 1,085 | 3,059 | 3,576 | - |
| 2003.....               | 8,702  | 8  | 5  | 9  | 31 | 42 | 89  | 239 | 471 | 1,069 | 3,181 | 3,558 | - |
| 2002.....               | 8,876  | -  | 3  | 9  | 27 | 42 | 119 | 226 | 393 | 1,083 | 3,243 | 3,731 | - |
| 2001.....               | 8,576  | 6  | 6  | 7  | 22 | 40 | 117 | 232 | 384 | 1,106 | 3,145 | 3,511 | - |
| 2000.....               | 8,390  | 4  | 5  | 9  | 23 | 35 | 115 | 225 | 354 | 1,195 | 3,038 | 3,387 | - |
| 1999.....               | 7,755  | 9  | 3  | 6  | 22 | 47 | 97  | 165 | 365 | 1,083 | 2,875 | 3,083 | - |

Worktable Orig290F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2007

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data - mortality"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, sex, and year | All ages | Under 1 year | 1-4 years | 5-14 years | 15-24 years | 25-34 years | 35-44 years | 45-54 years | 55-64 years | 65-74 years | 75-84 years | 85 years and over | Age not stated |
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|
| Pneumonitis due to solids and liquids (J69)  |          |              |           |            |             |             |             |             |             |             |             |                   |                |
| All origins, female  |          |              |           |            |             |             |             |             |             |             |             |                   |                |
| 2007.....  | 8,054    | 5            | 3         | 4          | 16          | 27          | 56          | 158         | 335         | 682         | 2,261       | 4,507             | -              |
| 2006.....  | 7,971    | 6            | 6         | 2          | 15          | 25          | 63          | 165         | 318         | 658         | 2,255       | 4,458             | -              |
| 2005.....  | 8,519    | 7            | 5         | 5          | 20          | 23          | 84          | 196         | 327         | 676         | 2,501       | 4,675             | -              |
| 2004.....  | 8,187    | 8            | 4         | 5          | 19          | 28          | 62          | 144         | 292         | 682         | 2,505       | 4,438             | -              |
| 2003.....  | 8,633    | 5            | 5         | 7          | 15          | 27          | 77          | 153         | 302         | 685         | 2,608       | 4,749             | -              |
| 2002.....  | 8,717    | 2            | 4         | 7          | 17          | 32          | 73          | 125         | 278         | 710         | 2,657       | 4,812             | -              |
| 2001.....  | 8,725    | 6            | 8         | 8          | 12          | 39          | 62          | 146         | 275         | 724         | 2,614       | 4,831             | -              |
| 2000.....  | 8,246    | 6            | 6         | 4          | 14          | 27          | 66          | 141         | 244         | 704         | 2,467       | 4,567             | -              |
| 1999.....  | 7,513    | 7            | 9         | 10         | 10          | 31          | 69          | 119         | 221         | 671         | 2,155       | 4,211             | -              |
| Hispanic, both sexes   |          |              |           |            |             |             |             |             |             |             |             |                   |                |
| 2007.....  | 545      | 3            | 5         | 1          | 7           | 2           | 14          | 19          | 54          | 75          | 155         | 210               | -              |
| 2006.....  | 561      | 2            | 1         | 3          | 1           | 7           | 15          | 24          | 33          | 78          | 199         | 198               | -              |
| 2005.....  | 591      | 3            | 2         | 3          | 1           | 8           | 8           | 28          | 34          | 70          | 177         | 257               | -              |
| 2004.....  | 536      | 2            | 3         | 1          | 8           | 5           | 6           | 18          | 35          | 65          | 180         | 213               | -              |
| 2003.....  | 524      | 2            | 3         | 2          | 6           | 5           | 9           | 18          | 35          | 80          | 146         | 218               | -              |
| 2002.....  | 547      | 1            | -         | 3          | 7           | 3           | 10          | 15          | 35          | 62          | 174         | 237               | -              |
| 2001.....  | 555      | -            | 3         | 5          | 3           | 4           | 10          | 18          | 33          | 69          | 152         | 258               | -              |
| 2000.....  | 496      | 3            | 2         | 1          | 3           | 7           | 15          | 20          | 33          | 64          | 141         | 207               | -              |
| 1999.....  | 413      | 2            | 2         | 5          | 2           | 4           | 3           | 8           | 26          | 57          | 118         | 186               | -              |

Worktable Orig290F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2007

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data - mortality"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, sex, and year | All ages | Under 1 year | 1-4 years | 5-14 years | 15-24 years | 25-34 years | 35-44 years | 45-54 years | 55-64 years | 65-74 years | 75-84 years | 85 years and over | Age not stated |
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|
| Pneumonitis due to solids and liquids (J69)  |          |              |           |            |             |             |             |             |             |             |             |                   |                |
| Hispanic, male   |          |              |           |            |             |             |             |             |             |             |             |                   |                |
| 2007.....  | 291      | 2            | 4         | 1          | 2           | 1           | 9           | 14          | 27          | 45          | 87          | 99                | -              |
| 2006.....  | 288      | -            | -         | 3          | 1           | 5           | 11          | 19          | 26          | 45          | 101         | 77                | -              |
| 2005.....  | 317      | 2            | 1         | 2          | 1           | 7           | 4           | 19          | 25          | 36          | 96          | 124               | -              |
| 2004.....  | 268      | 2            | 2         | 1          | 5           | 2           | 3           | 10          | 25          | 42          | 89          | 87                | -              |
| 2003.....  | 263      | 2            | 2         | 1          | 5           | 3           | 6           | 13          | 20          | 47          | 84          | 80                | -              |
| 2002.....  | 282      | -            | -         | 1          | 5           | 2           | 5           | 8           | 24          | 32          | 105         | 100               | -              |
| 2001.....  | 283      | -            | 1         | 2          | 1           | 3           | 5           | 10          | 22          | 42          | 81          | 116               | -              |
| 2000.....  | 253      | -            | -         | -          | 2           | 2           | 8           | 15          | 20          | 35          | 87          | 84                | -              |
| 1999.....  | 195      | 1            | 1         | 1          | -           | 3           | 1           | 4           | 14          | 31          | 65          | 74                | -              |
| Hispanic, female   |          |              |           |            |             |             |             |             |             |             |             |                   |                |
| 2007.....  | 254      | 1            | 1         | -          | 5           | 1           | 5           | 5           | 27          | 30          | 68          | 111               | -              |
| 2006.....  | 273      | 2            | 1         | -          | -           | 2           | 4           | 5           | 7           | 33          | 98          | 121               | -              |
| 2005.....  | 274      | 1            | 1         | 1          | -           | 1           | 4           | 9           | 9           | 34          | 81          | 133               | -              |
| 2004.....  | 268      | -            | 1         | -          | 3           | 3           | 3           | 8           | 10          | 23          | 91          | 126               | -              |
| 2003.....  | 261      | -            | 1         | 1          | 1           | 2           | 3           | 5           | 15          | 33          | 62          | 138               | -              |
| 2002.....  | 265      | 1            | -         | 2          | 2           | 1           | 5           | 7           | 11          | 30          | 69          | 137               | -              |
| 2001.....  | 272      | -            | 2         | 3          | 2           | 1           | 5           | 8           | 11          | 27          | 71          | 142               | -              |
| 2000.....  | 243      | 3            | 2         | 1          | 1           | 5           | 7           | 5           | 13          | 29          | 54          | 123               | -              |
| 1999.....  | 218      | 1            | 1         | 4          | 2           | 1           | 2           | 4           | 12          | 26          | 53          | 112               | -              |

Worktable Orig290F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2007

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data - mortality"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, sex, and year | All ages | Under 1 year | 1-4 years | 5-14 years | 15-24 years | 25-34 years | 35-44 years | 45-54 years | 55-64 years | 65-74 years | 75-84 years | 85 years and over | Age not stated |
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|

Pneumonitis due to solids and liquids (J69)

| Non-Hispanic 1/, both sexes |        |    |    |    |    |    |     |     |     |       |       |       |   |
|-----------------------------|--------|----|----|----|----|----|-----|-----|-----|-------|-------|-------|---|
| 2007.....                   | 16,420 | 7  | 3  | 15 | 40 | 68 | 140 | 413 | 827 | 1,647 | 5,025 | 8,234 | 1 |
| 2006.....                   | 16,299 | 9  | 8  | 10 | 29 | 71 | 149 | 410 | 819 | 1,667 | 5,082 | 8,045 | - |
| 2005.....                   | 16,660 | 14 | 6  | 10 | 41 | 58 | 164 | 447 | 797 | 1,666 | 5,370 | 8,087 | - |
| 2004.....                   | 16,213 | 10 | 6  | 10 | 31 | 63 | 153 | 376 | 706 | 1,698 | 5,375 | 7,785 | - |
| 2003.....                   | 16,769 | 10 | 7  | 14 | 40 | 64 | 157 | 373 | 736 | 1,668 | 5,630 | 8,070 | - |
| 2002.....                   | 17,006 | 1  | 7  | 13 | 36 | 71 | 182 | 336 | 634 | 1,723 | 5,717 | 8,286 | - |
| 2001.....                   | 16,700 | 12 | 11 | 10 | 31 | 75 | 167 | 358 | 624 | 1,756 | 5,593 | 8,063 | - |
| 2000.....                   | 16,094 | 7  | 9  | 12 | 34 | 55 | 166 | 343 | 562 | 1,833 | 5,346 | 7,727 | - |
| 1999.....                   | 14,812 | 14 | 10 | 11 | 30 | 74 | 162 | 274 | 559 | 1,691 | 4,895 | 7,092 | - |
| Non-Hispanic 1/, male       |        |    |    |    |    |    |     |     |     |       |       |       |   |
| 2007.....                   | 8,628  | 3  | 1  | 11 | 29 | 42 | 89  | 262 | 519 | 997   | 2,833 | 3,841 | 1 |
| 2006.....                   | 8,619  | 5  | 3  | 8  | 14 | 48 | 90  | 252 | 510 | 1,045 | 2,928 | 3,716 | - |
| 2005.....                   | 8,423  | 8  | 2  | 6  | 21 | 36 | 84  | 260 | 480 | 1,024 | 2,955 | 3,547 | - |
| 2004.....                   | 8,312  | 2  | 3  | 5  | 15 | 38 | 94  | 240 | 424 | 1,039 | 2,966 | 3,486 | - |
| 2003.....                   | 8,415  | 5  | 3  | 8  | 26 | 39 | 83  | 225 | 449 | 1,018 | 3,089 | 3,470 | - |
| 2002.....                   | 8,565  | -  | 3  | 8  | 21 | 40 | 114 | 218 | 367 | 1,045 | 3,130 | 3,619 | - |
| 2001.....                   | 8,270  | 6  | 5  | 5  | 21 | 37 | 110 | 221 | 361 | 1,061 | 3,057 | 3,386 | - |
| 2000.....                   | 8,107  | 4  | 5  | 9  | 21 | 33 | 107 | 207 | 333 | 1,158 | 2,937 | 3,293 | - |
| 1999.....                   | 7,534  | 8  | 2  | 5  | 22 | 44 | 95  | 159 | 350 | 1,046 | 2,803 | 3,000 | - |

Worktable Orig290F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2007

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data - mortality"]

---

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, sex, and year

|  | All ages | Under 1 year | 1-4 years | 5-14 years | 15-24 years | 25-34 years | 35-44 years | 45-54 years | 55-64 years | 65-74 years | 75-84 years | 85 years and over | Age not stated |
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|

---

Pneumonitis due to solids and liquids (J69)

| Non-Hispanic 1/, female |       |   |   |   |    |    |    |     |     |     |       |       |   |
|-------------------------|-------|---|---|---|----|----|----|-----|-----|-----|-------|-------|---|
| 2007.....               | 7,792 | 4 | 2 | 4 | 11 | 26 | 51 | 151 | 308 | 650 | 2,192 | 4,393 | - |
| 2006.....               | 7,680 | 4 | 5 | 2 | 15 | 23 | 59 | 158 | 309 | 622 | 2,154 | 4,329 | - |
| 2005.....               | 8,237 | 6 | 4 | 4 | 20 | 22 | 80 | 187 | 317 | 642 | 2,415 | 4,540 | - |
| 2004.....               | 7,901 | 8 | 3 | 5 | 16 | 25 | 59 | 136 | 282 | 659 | 2,409 | 4,299 | - |
| 2003.....               | 8,354 | 5 | 4 | 6 | 14 | 25 | 74 | 148 | 287 | 650 | 2,541 | 4,600 | - |
| 2002.....               | 8,441 | 1 | 4 | 5 | 15 | 31 | 68 | 118 | 267 | 678 | 2,587 | 4,667 | - |
| 2001.....               | 8,430 | 6 | 6 | 5 | 10 | 38 | 57 | 137 | 263 | 695 | 2,536 | 4,677 | - |
| 2000.....               | 7,987 | 3 | 4 | 3 | 13 | 22 | 59 | 136 | 229 | 675 | 2,409 | 4,434 | - |
| 1999.....               | 7,278 | 6 | 8 | 6 | 8  | 30 | 67 | 115 | 209 | 645 | 2,092 | 4,092 | - |

| Non-Hispanic white, both sexes |        |    |   |    |    |    |     |     |     |       |       |       |   |
|--------------------------------|--------|----|---|----|----|----|-----|-----|-----|-------|-------|-------|---|
| 2007 2/.....                   | 14,680 | 4  | 2 | 11 | 30 | 50 | 112 | 333 | 661 | 1,408 | 4,489 | 7,579 | 1 |
| 2006 2/.....                   | 14,563 | 5  | 5 | 7  | 18 | 50 | 111 | 334 | 686 | 1,384 | 4,552 | 7,411 | - |
| 2005 2/.....                   | 14,739 | 10 | 1 | 6  | 31 | 45 | 135 | 354 | 646 | 1,391 | 4,750 | 7,370 | - |
| 2004 2/.....                   | 14,411 | 3  | 4 | 8  | 20 | 47 | 116 | 297 | 551 | 1,430 | 4,811 | 7,124 | - |
| 2003 2/.....                   | 14,845 | 4  | 6 | 11 | 23 | 51 | 115 | 307 | 579 | 1,397 | 4,978 | 7,374 | - |
| 2002.....                      | 15,203 | 1  | 5 | 11 | 27 | 56 | 138 | 262 | 519 | 1,437 | 5,131 | 7,616 | - |
| 2001.....                      | 14,843 | 9  | 9 | 6  | 22 | 58 | 131 | 280 | 518 | 1,469 | 5,012 | 7,329 | - |
| 2000.....                      | 14,343 | 6  | 7 | 11 | 24 | 40 | 128 | 259 | 449 | 1,515 | 4,793 | 7,111 | - |
| 1999.....                      | 13,139 | 11 | 6 | 7  | 20 | 53 | 118 | 209 | 446 | 1,400 | 4,361 | 6,508 | - |

Worktable Orig290F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2007

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data - mortality"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, sex, and year | All ages | Under 1 year | 1-4 years | 5-14 years | 15-24 years | 25-34 years | 35-44 years | 45-54 years | 55-64 years | 65-74 years | 75-84 years | 85 years and over | Age not stated |
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|
| <b>Pneumonitis due to solids and liquids (J69)</b>   |          |              |           |            |             |             |             |             |             |             |             |                   |                |
| <b>Non-Hispanic white, male</b>  |          |              |           |            |             |             |             |             |             |             |             |                   |                |
| 2007 2/.....   | 7,713    | 1            | 1         | 8          | 22          | 29          | 71          | 217         | 413         | 853         | 2,534       | 3,563             | 1              |
| 2006 2/.....   | 7,694    | 2            | 1         | 5          | 9           | 33          | 68          | 209         | 427         | 869         | 2,626       | 3,445             | -              |
| 2005 2/.....   | 7,430    | 6            | -         | 5          | 16          | 25          | 71          | 201         | 387         | 853         | 2,611       | 3,255             | -              |
| 2004 2/.....   | 7,367    | -            | 2         | 4          | 10          | 30          | 74          | 194         | 321         | 868         | 2,664       | 3,200             | -              |
| 2003 2/.....   | 7,454    | 1            | 3         | 6          | 16          | 30          | 65          | 187         | 354         | 857         | 2,741       | 3,194             | -              |
| 2002.....  | 7,654    | -            | 3         | 7          | 15          | 33          | 86          | 168         | 303         | 874         | 2,822       | 3,343             | -              |
| 2001.....  | 7,411    | 6            | 3         | 3          | 17          | 32          | 87          | 179         | 298         | 902         | 2,765       | 3,119             | -              |
| 2000.....  | 7,214    | 4            | 4         | 8          | 16          | 21          | 85          | 154         | 270         | 945         | 2,648       | 3,059             | -              |
| 1999.....  | 6,642    | 6            | 1         | 4          | 14          | 30          | 70          | 122         | 276         | 860         | 2,492       | 2,767             | -              |
| <b>Non-Hispanic white, female</b>  |          |              |           |            |             |             |             |             |             |             |             |                   |                |
| 2007 2/.....   | 6,967    | 3            | 1         | 3          | 8           | 21          | 41          | 116         | 248         | 555         | 1,955       | 4,016             | -              |
| 2006 2/.....   | 6,869    | 3            | 4         | 2          | 9           | 17          | 43          | 125         | 259         | 515         | 1,926       | 3,966             | -              |
| 2005 2/.....   | 7,309    | 4            | 1         | 1          | 15          | 20          | 64          | 153         | 259         | 538         | 2,139       | 4,115             | -              |
| 2004 2/.....   | 7,044    | 3            | 2         | 4          | 10          | 17          | 42          | 103         | 230         | 562         | 2,147       | 3,924             | -              |
| 2003 2/.....   | 7,391    | 3            | 3         | 5          | 7           | 21          | 50          | 120         | 225         | 540         | 2,237       | 4,180             | -              |
| 2002.....  | 7,549    | 1            | 2         | 4          | 12          | 23          | 52          | 94          | 216         | 563         | 2,309       | 4,273             | -              |
| 2001.....  | 7,432    | 3            | 6         | 3          | 5           | 26          | 44          | 101         | 220         | 567         | 2,247       | 4,210             | -              |
| 2000.....  | 7,129    | 2            | 3         | 3          | 8           | 19          | 43          | 105         | 179         | 570         | 2,145       | 4,052             | -              |
| 1999.....  | 6,497    | 5            | 5         | 3          | 6           | 23          | 48          | 87          | 170         | 540         | 1,869       | 3,741             | -              |

Worktable Orig290F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2007

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data - mortality"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, sex, and year | All ages | Under 1 year | 1-4 years | 5-14 years | 15-24 years | 25-34 years | 35-44 years | 45-54 years | 55-64 years | 65-74 years | 75-84 years | 85 years and over | Age not stated |
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|
| Pneumonitis due to solids and liquids (J69)  |          |              |           |            |             |             |             |             |             |             |             |                   |                |
| Non-Hispanic black, both sexes   |          |              |           |            |             |             |             |             |             |             |             |                   |                |
| 2007 2/.....   | 1,418    | 3            | 1         | 3          | 6           | 16          | 24          | 70          | 155         | 205         | 436         | 499               | -              |
| 2006 2/.....   | 1,428    | 4            | -         | 3          | 9           | 20          | 36          | 72          | 118         | 247         | 426         | 493               | -              |
| 2005 2/.....   | 1,606    | 3            | 5         | 3          | 9           | 12          | 26          | 86          | 136         | 232         | 525         | 569               | -              |
| 2004 2/.....   | 1,488    | 6            | 2         | 1          | 11          | 14          | 35          | 65          | 140         | 239         | 463         | 512               | -              |
| 2003 2/.....   | 1,598    | 4            | 1         | 3          | 14          | 12          | 41          | 61          | 141         | 231         | 533         | 557               | -              |
| 2002.....  | 1,528    | -            | 2         | 2          | 8           | 14          | 38          | 64          | 98          | 250         | 499         | 553               | -              |
| 2001.....  | 1,584    | 3            | 2         | 4          | 7           | 16          | 33          | 71          | 100         | 251         | 497         | 600               | -              |
| 2000.....  | 1,507    | 1            | 2         | 1          | 9           | 14          | 37          | 79          | 102         | 289         | 468         | 505               | -              |
| 1999.....  | 1,495    | 2            | 4         | 3          | 10          | 18          | 40          | 59          | 105         | 264         | 469         | 521               | -              |
| Non-Hispanic black, male   |          |              |           |            |             |             |             |             |             |             |             |                   |                |
| 2007 2/.....   | 732      | 2            | -         | 2          | 4           | 13          | 16          | 40          | 97          | 129         | 242         | 187               | -              |
| 2006 2/.....   | 753      | 3            | -         | 3          | 4           | 14          | 21          | 39          | 74          | 155         | 246         | 194               | -              |
| 2005 2/.....   | 819      | 2            | 2         | 1          | 4           | 11          | 12          | 56          | 83          | 143         | 289         | 216               | -              |
| 2004 2/.....   | 762      | 1            | 1         | -          | 5           | 8           | 20          | 39          | 92          | 151         | 241         | 204               | -              |
| 2003 2/.....   | 776      | 3            | -         | 2          | 8           | 9           | 17          | 36          | 86          | 137         | 276         | 202               | -              |
| 2002.....  | 755      | -            | -         | 1          | 5           | 6           | 23          | 42          | 56          | 152         | 253         | 217               | -              |
| 2001.....  | 731      | -            | 2         | 2          | 2           | 4           | 20          | 38          | 60          | 140         | 252         | 211               | -              |
| 2000.....  | 757      | -            | 1         | 1          | 4           | 11          | 21          | 52          | 55          | 190         | 243         | 179               | -              |
| 1999.....  | 768      | 1            | 1         | 1          | 8           | 12          | 22          | 33          | 68          | 168         | 261         | 193               | -              |

Worktable Orig290F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2007

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data - mortality"]

---

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, sex, and year

|  | All ages | Under 1 year | 1-4 years | 5-14 years | 15-24 years | 25-34 years | 35-44 years | 45-54 years | 55-64 years | 65-74 years | 75-84 years | 85 years and over | Age not stated |
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|

---

Pneumonitis due to solids and liquids (J69)

Non-Hispanic black, female

|              |     |   |   |   |   |    |    |    |    |     |     |     |   |
|--------------|-----|---|---|---|---|----|----|----|----|-----|-----|-----|---|
| 2007 2/..... | 686 | 1 | 1 | 1 | 2 | 3  | 8  | 30 | 58 | 76  | 194 | 312 | - |
| 2006 2/..... | 675 | 1 | - | - | 5 | 6  | 15 | 33 | 44 | 92  | 180 | 299 | - |
| 2005 2/..... | 787 | 1 | 3 | 2 | 5 | 1  | 14 | 30 | 53 | 89  | 236 | 353 | - |
| 2004 2/..... | 726 | 5 | 1 | 1 | 6 | 6  | 15 | 26 | 48 | 88  | 222 | 308 | - |
| 2003 2/..... | 822 | 1 | 1 | 1 | 6 | 3  | 24 | 25 | 55 | 94  | 257 | 355 | - |
| 2002.....    | 773 | - | 2 | 1 | 3 | 8  | 15 | 22 | 42 | 98  | 246 | 336 | - |
| 2001.....    | 853 | 3 | - | 2 | 5 | 12 | 13 | 33 | 40 | 111 | 245 | 389 | - |
| 2000.....    | 750 | 1 | 1 | - | 5 | 3  | 16 | 27 | 47 | 99  | 225 | 326 | - |
| 1999.....    | 727 | 1 | 3 | 2 | 2 | 6  | 18 | 26 | 37 | 96  | 208 | 328 | - |

Origin not stated 3/, both sexes

|           |    |   |   |   |   |   |   |   |   |   |    |    |   |
|-----------|----|---|---|---|---|---|---|---|---|---|----|----|---|
| 2007..... | 23 | - | - | - | - | - | - | 4 | 3 | 2 | 7  | 7  | - |
| 2006..... | 27 | - | - | - | - | - | 2 | 3 | 3 | 5 | 3  | 11 | - |
| 2005..... | 28 | - | - | - | 1 | - | - | 1 | 2 | 5 | 11 | 8  | - |
| 2004..... | 31 | - | - | - | - | - | - | - | 2 | 4 | 9  | 16 | - |
| 2003..... | 42 | 1 | - | - | - | - | - | 1 | 2 | 6 | 13 | 19 | - |
| 2002..... | 40 | - | - | - | 1 | - | - | - | 2 | 8 | 9  | 20 | - |
| 2001..... | 46 | - | - | - | - | - | 2 | 2 | 2 | 5 | 14 | 21 | - |
| 2000..... | 46 | - | - | - | - | - | - | 3 | 3 | 2 | 18 | 20 | - |
| 1999..... | 43 | - | - | - | - | - | 1 | 2 | 1 | 6 | 17 | 16 | - |



Worktable Orig290F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2007

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data - mortality"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, sex, and year | All ages | Under 1 year | 1-4 years | 5-14 years | 15-24 years | 25-34 years | 35-44 years | 45-54 years | 55-64 years | 65-74 years | 75-84 years | 85 years and over | Age not stated |
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|

Pneumonitis due to solids and liquids (J69)

Origin not stated 3/, male

|           |    |   |   |   |   |   |   |   |   |   |    |    |   |
|-----------|----|---|---|---|---|---|---|---|---|---|----|----|---|
| 2007..... | 15 | - | - | - | - | - | - | 2 | 3 | - | 6  | 4  | - |
| 2006..... | 9  | - | - | - | - | - | 2 | 1 | 1 | 2 | -  | 3  | - |
| 2005..... | 20 | - | - | - | 1 | - | - | 1 | 1 | 5 | 6  | 6  | - |
| 2004..... | 13 | - | - | - | - | - | - | - | 2 | 4 | 4  | 3  | - |
| 2003..... | 24 | 1 | - | - | - | - | - | 1 | 2 | 4 | 8  | 8  | - |
| 2002..... | 29 | - | - | - | 1 | - | - | - | 2 | 6 | 8  | 12 | - |
| 2001..... | 23 | - | - | - | - | - | 2 | 1 | 1 | 3 | 7  | 9  | - |
| 2000..... | 30 | - | - | - | - | - | - | 3 | 1 | 2 | 14 | 10 | - |
| 1999..... | 26 | - | - | - | - | - | 1 | 2 | 1 | 6 | 7  | 9  | - |

Origin not stated 3/, female

|           |    |   |   |   |   |   |   |   |   |   |    |    |   |
|-----------|----|---|---|---|---|---|---|---|---|---|----|----|---|
| 2007..... | 8  | - | - | - | - | - | - | 2 | - | 2 | 1  | 3  | - |
| 2006..... | 18 | - | - | - | - | - | - | 2 | 2 | 3 | 3  | 8  | - |
| 2005..... | 8  | - | - | - | - | - | - | - | 1 | - | 5  | 2  | - |
| 2004..... | 18 | - | - | - | - | - | - | - | - | - | 5  | 13 | - |
| 2003..... | 18 | - | - | - | - | - | - | - | - | 2 | 5  | 11 | - |
| 2002..... | 11 | - | - | - | - | - | - | - | - | 2 | 1  | 8  | - |
| 2001..... | 23 | - | - | - | - | - | - | 1 | 1 | 2 | 7  | 12 | - |
| 2000..... | 16 | - | - | - | - | - | - | - | 2 | - | 4  | 10 | - |
| 1999..... | 17 | - | - | - | - | - | - | - | - | - | 10 | 7  | - |

Worktable Orig290F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2007

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data - mortality"]

---

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, sex, and year

|  | All ages | Under 1 year | 1-4 years | 5-14 years | 15-24 years | 25-34 years | 35-44 years | 45-54 years | 55-64 years | 65-74 years | 75-84 years | 85 years and over | Age not stated |
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|

---

Other diseases of respiratory system (J00-J06,J30-J39,J67,J70-J98)

| All origins, both sexes |        |     |     |    |     |     |     |       |       |       |       |       |   |
|-------------------------|--------|-----|-----|----|-----|-----|-----|-------|-------|-------|-------|-------|---|
| 2007.....               | 28,508 | 319 | 100 | 66 | 152 | 216 | 493 | 1,376 | 3,038 | 5,556 | 9,535 | 7,657 | - |
| 2006.....               | 27,644 | 334 | 97  | 70 | 103 | 204 | 523 | 1,354 | 2,805 | 5,344 | 9,572 | 7,238 | - |
| 2005.....               | 27,056 | 303 | 94  | 61 | 110 | 181 | 474 | 1,360 | 2,676 | 5,373 | 9,466 | 6,955 | 3 |
| 2004.....               | 27,310 | 266 | 105 | 62 | 123 | 174 | 537 | 1,349 | 2,769 | 5,523 | 9,629 | 6,773 | - |
| 2003.....               | 25,520 | 279 | 86  | 60 | 136 | 210 | 495 | 1,335 | 2,442 | 5,156 | 8,810 | 6,510 | 1 |
| 2002.....               | 25,039 | 278 | 85  | 84 | 126 | 185 | 528 | 1,288 | 2,440 | 5,237 | 8,658 | 6,130 | - |
| 2001.....               | 26,178 | 294 | 93  | 78 | 141 | 216 | 570 | 1,356 | 2,432 | 5,510 | 9,202 | 6,283 | 3 |
| 2000.....               | 25,535 | 273 | 87  | 74 | 131 | 253 | 615 | 1,332 | 2,411 | 5,448 | 8,900 | 6,008 | 3 |
| 1999.....               | 25,031 | 252 | 91  | 76 | 115 | 257 | 576 | 1,219 | 2,260 | 5,409 | 8,646 | 6,130 | - |
| All origins, male       |        |     |     |    |     |     |     |       |       |       |       |       |   |
| 2007.....               | 14,291 | 190 | 66  | 31 | 90  | 116 | 252 | 789   | 1,703 | 3,122 | 4,925 | 3,007 | - |
| 2006.....               | 13,728 | 195 | 61  | 38 | 66  | 96  | 269 | 699   | 1,573 | 3,033 | 4,934 | 2,764 | - |
| 2005.....               | 13,168 | 187 | 57  | 33 | 60  | 91  | 226 | 737   | 1,486 | 2,974 | 4,787 | 2,529 | 1 |
| 2004.....               | 13,434 | 138 | 59  | 35 | 61  | 90  | 269 | 723   | 1,509 | 3,106 | 4,898 | 2,546 | - |
| 2003.....               | 12,391 | 163 | 49  | 38 | 76  | 115 | 251 | 704   | 1,367 | 2,849 | 4,395 | 2,384 | - |
| 2002.....               | 12,057 | 164 | 56  | 39 | 68  | 88  | 281 | 656   | 1,339 | 2,929 | 4,261 | 2,176 | - |
| 2001.....               | 12,495 | 186 | 47  | 43 | 76  | 104 | 304 | 737   | 1,322 | 3,025 | 4,453 | 2,197 | 1 |
| 2000.....               | 12,391 | 154 | 45  | 38 | 73  | 127 | 335 | 712   | 1,324 | 2,961 | 4,415 | 2,205 | 2 |
| 1999.....               | 12,110 | 145 | 55  | 39 | 69  | 127 | 317 | 637   | 1,213 | 3,005 | 4,328 | 2,175 | - |

Worktable Orig290F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2007

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data - mortality"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, sex, and year | All ages | Under 1 year | 1-4 years | 5-14 years | 15-24 years | 25-34 years | 35-44 years | 45-54 years | 55-64 years | 65-74 years | 75-84 years | 85 years and over | Age not stated |
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|

Other diseases of respiratory system (J00-J06,J30-J39,J67,J70-J98)

| All origins, female  |        |     |    |    |    |     |     |     |       |       |       |       |   |
|----------------------|--------|-----|----|----|----|-----|-----|-----|-------|-------|-------|-------|---|
| 2007.....            | 14,217 | 129 | 34 | 35 | 62 | 100 | 241 | 587 | 1,335 | 2,434 | 4,610 | 4,650 | - |
| 2006.....            | 13,916 | 139 | 36 | 32 | 37 | 108 | 254 | 655 | 1,232 | 2,311 | 4,638 | 4,474 | - |
| 2005.....            | 13,888 | 116 | 37 | 28 | 50 | 90  | 248 | 623 | 1,190 | 2,399 | 4,679 | 4,426 | 2 |
| 2004.....            | 13,876 | 128 | 46 | 27 | 62 | 84  | 268 | 626 | 1,260 | 2,417 | 4,731 | 4,227 | - |
| 2003.....            | 13,129 | 116 | 37 | 22 | 60 | 95  | 244 | 631 | 1,075 | 2,307 | 4,415 | 4,126 | 1 |
| 2002.....            | 12,982 | 114 | 29 | 45 | 58 | 97  | 247 | 632 | 1,101 | 2,308 | 4,397 | 3,954 | - |
| 2001.....            | 13,683 | 108 | 46 | 35 | 65 | 112 | 266 | 619 | 1,110 | 2,485 | 4,749 | 4,086 | 2 |
| 2000.....            | 13,144 | 119 | 42 | 36 | 58 | 126 | 280 | 620 | 1,087 | 2,487 | 4,485 | 3,803 | 1 |
| 1999.....            | 12,921 | 107 | 36 | 37 | 46 | 130 | 259 | 582 | 1,047 | 2,404 | 4,318 | 3,955 | - |
|                      |        |     |    |    |    |     |     |     |       |       |       |       |   |
| Hispanic, both sexes |        |     |    |    |    |     |     |     |       |       |       |       |   |
| 2007.....            | 1,721  | 56  | 21 | 14 | 16 | 31  | 50  | 118 | 224   | 385   | 512   | 294   | - |
| 2006.....            | 1,574  | 61  | 13 | 13 | 20 | 26  | 49  | 119 | 193   | 350   | 457   | 273   | - |
| 2005.....            | 1,591  | 54  | 16 | 9  | 20 | 32  | 47  | 111 | 209   | 356   | 494   | 243   | - |
| 2004.....            | 1,508  | 53  | 16 | 11 | 17 | 18  | 54  | 97  | 173   | 346   | 486   | 237   | - |
| 2003.....            | 1,374  | 57  | 14 | 16 | 16 | 27  | 52  | 94  | 185   | 311   | 373   | 229   | - |
| 2002.....            | 1,273  | 43  | 18 | 14 | 11 | 27  | 39  | 99  | 164   | 308   | 348   | 202   | - |
| 2001.....            | 1,275  | 41  | 17 | 7  | 18 | 17  | 39  | 106 | 165   | 287   | 363   | 215   | - |
| 2000.....            | 1,225  | 43  | 17 | 10 | 15 | 34  | 56  | 81  | 167   | 273   | 325   | 204   | - |
| 1999.....            | 1,157  | 38  | 10 | 8  | 15 | 23  | 45  | 94  | 157   | 269   | 307   | 191   | - |

Worktable Orig290F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2007

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data - mortality"]

---

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, sex, and year

|  | All ages | Under 1 year | 1-4 years | 5-14 years | 15-24 years | 25-34 years | 35-44 years | 45-54 years | 55-64 years | 65-74 years | 75-84 years | 85 years and over | Age not stated |
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|

---

Other diseases of respiratory system (J00-J06,J30-J39,J67,J70-J98)

| Hispanic, male   |     |    |    |    |    |    |    |    |     |     |     |     |   |
|------------------|-----|----|----|----|----|----|----|----|-----|-----|-----|-----|---|
| 2007.....        | 892 | 38 | 14 | 4  | 11 | 20 | 28 | 82 | 127 | 205 | 237 | 126 | - |
| 2006.....        | 783 | 35 | 8  | 6  | 13 | 14 | 31 | 62 | 123 | 178 | 213 | 100 | - |
| 2005.....        | 779 | 30 | 5  | 5  | 11 | 20 | 23 | 64 | 112 | 172 | 245 | 92  | - |
| 2004.....        | 725 | 26 | 9  | 7  | 8  | 8  | 27 | 58 | 96  | 176 | 230 | 80  | - |
| 2003.....        | 686 | 29 | 8  | 9  | 9  | 12 | 33 | 59 | 112 | 167 | 165 | 83  | - |
| 2002.....        | 635 | 21 | 14 | 8  | 9  | 18 | 23 | 48 | 92  | 181 | 156 | 65  | - |
| 2001.....        | 643 | 21 | 8  | 3  | 9  | 12 | 26 | 58 | 92  | 151 | 175 | 88  | - |
| 2000.....        | 608 | 23 | 8  | 4  | 8  | 19 | 34 | 46 | 96  | 139 | 165 | 66  | - |
| 1999.....        | 583 | 20 | 6  | 3  | 7  | 12 | 29 | 45 | 89  | 139 | 158 | 75  | - |
|                  |     |    |    |    |    |    |    |    |     |     |     |     |   |
| Hispanic, female |     |    |    |    |    |    |    |    |     |     |     |     |   |
| 2007.....        | 829 | 18 | 7  | 10 | 5  | 11 | 22 | 36 | 97  | 180 | 275 | 168 | - |
| 2006.....        | 791 | 26 | 5  | 7  | 7  | 12 | 18 | 57 | 70  | 172 | 244 | 173 | - |
| 2005.....        | 812 | 24 | 11 | 4  | 9  | 12 | 24 | 47 | 97  | 184 | 249 | 151 | - |
| 2004.....        | 783 | 27 | 7  | 4  | 9  | 10 | 27 | 39 | 77  | 170 | 256 | 157 | - |
| 2003.....        | 688 | 28 | 6  | 7  | 7  | 15 | 19 | 35 | 73  | 144 | 208 | 146 | - |
| 2002.....        | 638 | 22 | 4  | 6  | 2  | 9  | 16 | 51 | 72  | 127 | 192 | 137 | - |
| 2001.....        | 632 | 20 | 9  | 4  | 9  | 5  | 13 | 48 | 73  | 136 | 188 | 127 | - |
| 2000.....        | 617 | 20 | 9  | 6  | 7  | 15 | 22 | 35 | 71  | 134 | 160 | 138 | - |
| 1999.....        | 574 | 18 | 4  | 5  | 8  | 11 | 16 | 49 | 68  | 130 | 149 | 116 | - |

Worktable Orig290F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2007

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data - mortality"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, sex, and year | All ages | Under 1 year | 1-4 years | 5-14 years | 15-24 years | 25-34 years | 35-44 years | 45-54 years | 55-64 years | 65-74 years | 75-84 years | 85 years and over | Age not stated |
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|

Other diseases of respiratory system (J00-J06,J30-J39,J67,J70-J98)

| Non-Hispanic 1/, both sexes |        |     |    |    |     |     |     |       |       |       |       |       |   |
|-----------------------------|--------|-----|----|----|-----|-----|-----|-------|-------|-------|-------|-------|---|
| 2007.....                   | 26,757 | 260 | 78 | 52 | 135 | 185 | 442 | 1,254 | 2,808 | 5,170 | 9,014 | 7,359 | - |
| 2006.....                   | 26,035 | 272 | 84 | 57 | 82  | 178 | 471 | 1,233 | 2,610 | 4,986 | 9,102 | 6,960 | - |
| 2005.....                   | 25,434 | 248 | 78 | 52 | 90  | 147 | 427 | 1,248 | 2,463 | 5,010 | 8,959 | 6,709 | 3 |
| 2004.....                   | 25,769 | 212 | 89 | 51 | 106 | 156 | 482 | 1,252 | 2,590 | 5,168 | 9,131 | 6,532 | - |
| 2003.....                   | 24,094 | 221 | 72 | 43 | 120 | 180 | 443 | 1,237 | 2,251 | 4,833 | 8,425 | 6,268 | 1 |
| 2002.....                   | 23,706 | 235 | 67 | 70 | 115 | 158 | 487 | 1,177 | 2,268 | 4,916 | 8,296 | 5,917 | - |
| 2001.....                   | 24,835 | 251 | 76 | 71 | 123 | 198 | 528 | 1,245 | 2,265 | 5,203 | 8,815 | 6,057 | 3 |
| 2000.....                   | 24,236 | 228 | 69 | 64 | 115 | 218 | 556 | 1,246 | 2,238 | 5,158 | 8,552 | 5,790 | 2 |
| 1999.....                   | 23,802 | 211 | 81 | 68 | 100 | 233 | 529 | 1,120 | 2,092 | 5,127 | 8,315 | 5,926 | - |
| Non-Hispanic 1/, male       |        |     |    |    |     |     |     |       |       |       |       |       |   |
| 2007.....                   | 13,380 | 149 | 52 | 27 | 78  | 96  | 223 | 704   | 1,573 | 2,916 | 4,682 | 2,880 | - |
| 2006.....                   | 12,931 | 159 | 53 | 32 | 53  | 82  | 237 | 636   | 1,448 | 2,851 | 4,718 | 2,662 | - |
| 2005.....                   | 12,369 | 156 | 52 | 28 | 49  | 70  | 203 | 672   | 1,370 | 2,799 | 4,533 | 2,436 | 1 |
| 2004.....                   | 12,687 | 112 | 50 | 28 | 53  | 82  | 241 | 665   | 1,408 | 2,923 | 4,660 | 2,465 | - |
| 2003.....                   | 11,675 | 133 | 41 | 29 | 67  | 101 | 218 | 642   | 1,250 | 2,674 | 4,222 | 2,298 | - |
| 2002.....                   | 11,397 | 143 | 42 | 31 | 59  | 70  | 258 | 602   | 1,243 | 2,743 | 4,098 | 2,108 | - |
| 2001.....                   | 11,818 | 165 | 39 | 40 | 67  | 92  | 276 | 677   | 1,228 | 2,860 | 4,265 | 2,108 | 1 |
| 2000.....                   | 11,752 | 130 | 37 | 34 | 65  | 108 | 298 | 663   | 1,227 | 2,815 | 4,239 | 2,135 | 1 |
| 1999.....                   | 11,483 | 123 | 49 | 36 | 62  | 115 | 286 | 589   | 1,117 | 2,857 | 4,153 | 2,096 | - |

Worktable Orig290F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2007

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data - mortality"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, sex, and year | All ages | Under 1 year | 1-4 years | 5-14 years | 15-24 years | 25-34 years | 35-44 years | 45-54 years | 55-64 years | 65-74 years | 75-84 years | 85 years and over | Age not stated |
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|

Other diseases of respiratory system (J00-J06,J30-J39,J67,J70-J98)

| Non-Hispanic 1/, female        |        |     |    |    |    |     |     |     |       |       |       |       |   |
|--------------------------------|--------|-----|----|----|----|-----|-----|-----|-------|-------|-------|-------|---|
| 2007.....                      | 13,377 | 111 | 26 | 25 | 57 | 89  | 219 | 550 | 1,235 | 2,254 | 4,332 | 4,479 | - |
| 2006.....                      | 13,104 | 113 | 31 | 25 | 29 | 96  | 234 | 597 | 1,162 | 2,135 | 4,384 | 4,298 | - |
| 2005.....                      | 13,065 | 92  | 26 | 24 | 41 | 77  | 224 | 576 | 1,093 | 2,211 | 4,426 | 4,273 | 2 |
| 2004.....                      | 13,082 | 100 | 39 | 23 | 53 | 74  | 241 | 587 | 1,182 | 2,245 | 4,471 | 4,067 | - |
| 2003.....                      | 12,419 | 88  | 31 | 14 | 53 | 79  | 225 | 595 | 1,001 | 2,159 | 4,203 | 3,970 | 1 |
| 2002.....                      | 12,309 | 92  | 25 | 39 | 56 | 88  | 229 | 575 | 1,025 | 2,173 | 4,198 | 3,809 | - |
| 2001.....                      | 13,017 | 86  | 37 | 31 | 56 | 106 | 252 | 568 | 1,037 | 2,343 | 4,550 | 3,949 | 2 |
| 2000.....                      | 12,484 | 98  | 32 | 30 | 50 | 110 | 258 | 583 | 1,011 | 2,343 | 4,313 | 3,655 | 1 |
| 1999.....                      | 12,319 | 88  | 32 | 32 | 38 | 118 | 243 | 531 | 975   | 2,270 | 4,162 | 3,830 | - |
| Non-Hispanic white, both sexes |        |     |    |    |    |     |     |     |       |       |       |       |   |
| 2007 2/.....                   | 23,453 | 137 | 44 | 33 | 92 | 122 | 307 | 910 | 2,277 | 4,468 | 8,244 | 6,819 | - |
| 2006 2/.....                   | 22,902 | 124 | 54 | 37 | 50 | 132 | 332 | 893 | 2,105 | 4,376 | 8,344 | 6,455 | - |
| 2005 2/.....                   | 22,272 | 140 | 50 | 41 | 57 | 92  | 298 | 889 | 2,003 | 4,349 | 8,166 | 6,185 | 2 |
| 2004 2/.....                   | 22,756 | 104 | 52 | 32 | 76 | 100 | 322 | 904 | 2,140 | 4,559 | 8,389 | 6,078 | - |
| 2003 2/.....                   | 21,311 | 113 | 39 | 30 | 73 | 120 | 284 | 896 | 1,858 | 4,285 | 7,759 | 5,853 | 1 |
| 2002.....                      | 20,879 | 109 | 39 | 43 | 70 | 105 | 339 | 859 | 1,850 | 4,329 | 7,619 | 5,517 | - |
| 2001.....                      | 21,835 | 116 | 44 | 52 | 82 | 122 | 350 | 883 | 1,860 | 4,597 | 8,133 | 5,595 | 1 |
| 2000.....                      | 21,397 | 122 | 46 | 43 | 71 | 148 | 385 | 928 | 1,847 | 4,557 | 7,866 | 5,384 | - |
| 1999.....                      | 20,959 | 111 | 52 | 47 | 75 | 155 | 351 | 826 | 1,718 | 4,511 | 7,642 | 5,471 | - |

Worktable Orig290F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2007

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data - mortality"]

---

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, sex, and year

|  | All ages | Under 1 year | 1-4 years | 5-14 years | 15-24 years | 25-34 years | 35-44 years | 45-54 years | 55-64 years | 65-74 years | 75-84 years | 85 years and over | Age not stated |
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|

---

Other diseases of respiratory system (J00-J06,J30-J39,J67,J70-J98)

| Non-Hispanic white, male   |        |    |    |    |    |    |     |     |       |       |       |       |   |
|----------------------------|--------|----|----|----|----|----|-----|-----|-------|-------|-------|-------|---|
| 2007 2/.....               | 11,754 | 81 | 26 | 14 | 56 | 64 | 158 | 512 | 1,285 | 2,552 | 4,324 | 2,682 | - |
| 2006 2/.....               | 11,406 | 66 | 35 | 20 | 31 | 58 | 168 | 479 | 1,203 | 2,525 | 4,358 | 2,463 | - |
| 2005 2/.....               | 10,794 | 86 | 33 | 21 | 32 | 46 | 149 | 487 | 1,111 | 2,477 | 4,131 | 2,220 | 1 |
| 2004 2/.....               | 11,218 | 54 | 30 | 17 | 40 | 53 | 155 | 492 | 1,178 | 2,603 | 4,302 | 2,294 | - |
| 2003 2/.....               | 10,314 | 64 | 20 | 20 | 37 | 70 | 149 | 486 | 1,038 | 2,391 | 3,897 | 2,142 | - |
| 2002.....                  | 10,043 | 67 | 26 | 19 | 39 | 45 | 178 | 446 | 1,023 | 2,448 | 3,782 | 1,970 | - |
| 2001.....                  | 10,433 | 76 | 20 | 31 | 46 | 52 | 202 | 498 | 1,018 | 2,574 | 3,963 | 1,953 | - |
| 2000.....                  | 10,349 | 77 | 22 | 24 | 38 | 74 | 205 | 493 | 1,021 | 2,508 | 3,913 | 1,974 | - |
| 1999.....                  | 10,154 | 66 | 28 | 26 | 51 | 86 | 200 | 443 | 919   | 2,561 | 3,848 | 1,926 | - |
| Non-Hispanic white, female |        |    |    |    |    |    |     |     |       |       |       |       |   |
| 2007 2/.....               | 11,699 | 56 | 18 | 19 | 36 | 58 | 149 | 398 | 992   | 1,916 | 3,920 | 4,137 | - |
| 2006 2/.....               | 11,496 | 58 | 19 | 17 | 19 | 74 | 164 | 414 | 902   | 1,851 | 3,986 | 3,992 | - |
| 2005 2/.....               | 11,478 | 54 | 17 | 20 | 25 | 46 | 149 | 402 | 892   | 1,872 | 4,035 | 3,965 | 1 |
| 2004 2/.....               | 11,538 | 50 | 22 | 15 | 36 | 47 | 167 | 412 | 962   | 1,956 | 4,087 | 3,784 | - |
| 2003 2/.....               | 10,997 | 49 | 19 | 10 | 36 | 50 | 135 | 410 | 820   | 1,894 | 3,862 | 3,711 | 1 |
| 2002.....                  | 10,836 | 42 | 13 | 24 | 31 | 60 | 161 | 413 | 827   | 1,881 | 3,837 | 3,547 | - |
| 2001.....                  | 11,402 | 40 | 24 | 21 | 36 | 70 | 148 | 385 | 842   | 2,023 | 4,170 | 3,642 | 1 |
| 2000.....                  | 11,048 | 45 | 24 | 19 | 33 | 74 | 180 | 435 | 826   | 2,049 | 3,953 | 3,410 | - |
| 1999.....                  | 10,805 | 45 | 24 | 21 | 24 | 69 | 151 | 383 | 799   | 1,950 | 3,794 | 3,545 | - |

Worktable Orig290F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2007

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data - mortality"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, sex, and year | All ages | Under 1 year | 1-4 years | 5-14 years | 15-24 years | 25-34 years | 35-44 years | 45-54 years | 55-64 years | 65-74 years | 75-84 years | 85 years and over | Age not stated |
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|

Other diseases of respiratory system (J00-J06,J30-J39,J67,J70-J98)

| Non-Hispanic black, both sexes |       |     |    |    |    |    |     |     |     |     |     |     |   |
|--------------------------------|-------|-----|----|----|----|----|-----|-----|-----|-----|-----|-----|---|
| 2007 2/.....                   | 2,561 | 108 | 29 | 17 | 38 | 56 | 115 | 304 | 445 | 531 | 542 | 376 | - |
| 2006 2/.....                   | 2,414 | 129 | 22 | 17 | 29 | 43 | 121 | 301 | 417 | 455 | 516 | 364 | - |
| 2005 2/.....                   | 2,459 | 99  | 23 | 10 | 28 | 49 | 120 | 311 | 366 | 508 | 563 | 381 | 1 |
| 2004 2/.....                   | 2,374 | 97  | 28 | 15 | 23 | 49 | 150 | 306 | 384 | 470 | 524 | 328 | - |
| 2003 2/.....                   | 2,207 | 97  | 27 | 7  | 41 | 54 | 139 | 304 | 329 | 410 | 493 | 306 | - |
| 2002.....                      | 2,257 | 112 | 28 | 25 | 41 | 47 | 133 | 278 | 353 | 446 | 494 | 300 | - |
| 2001.....                      | 2,462 | 116 | 26 | 17 | 38 | 67 | 163 | 326 | 343 | 482 | 527 | 355 | 2 |
| 2000.....                      | 2,336 | 102 | 20 | 18 | 39 | 58 | 152 | 284 | 325 | 495 | 527 | 314 | 2 |
| 1999.....                      | 2,339 | 90  | 26 | 19 | 21 | 73 | 160 | 258 | 317 | 503 | 523 | 349 | - |
| Non-Hispanic black, male       |       |     |    |    |    |    |     |     |     |     |     |     |   |
| 2007 2/.....                   | 1,244 | 61  | 22 | 12 | 20 | 25 | 58  | 167 | 241 | 261 | 244 | 133 | - |
| 2006 2/.....                   | 1,157 | 80  | 15 | 10 | 20 | 21 | 60  | 134 | 200 | 244 | 243 | 130 | - |
| 2005 2/.....                   | 1,195 | 66  | 15 | 6  | 15 | 21 | 52  | 156 | 204 | 246 | 273 | 141 | - |
| 2004 2/.....                   | 1,147 | 53  | 15 | 9  | 11 | 27 | 82  | 151 | 194 | 244 | 245 | 116 | - |
| 2003 2/.....                   | 1,083 | 60  | 18 | 6  | 27 | 27 | 59  | 138 | 183 | 217 | 239 | 109 | - |
| 2002.....                      | 1,076 | 67  | 16 | 10 | 19 | 23 | 73  | 136 | 187 | 222 | 229 | 94  | - |
| 2001.....                      | 1,116 | 76  | 14 | 8  | 19 | 34 | 68  | 157 | 173 | 222 | 230 | 114 | 1 |
| 2000.....                      | 1,126 | 50  | 14 | 10 | 23 | 30 | 84  | 151 | 166 | 242 | 240 | 115 | 1 |
| 1999.....                      | 1,081 | 52  | 19 | 9  | 9  | 27 | 74  | 132 | 164 | 237 | 235 | 123 | - |



Worktable Orig290F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2007

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data - mortality"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, sex, and year | All ages | Under 1 year | 1-4 years | 5-14 years | 15-24 years | 25-34 years | 35-44 years | 45-54 years | 55-64 years | 65-74 years | 75-84 years | 85 years and over | Age not stated |
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|

Other diseases of respiratory system (J00-J06,J30-J39,J67,J70-J98)

| Non-Hispanic black, female       |       |    |    |    |    |    |    |     |     |     |     |     |   |
|----------------------------------|-------|----|----|----|----|----|----|-----|-----|-----|-----|-----|---|
| 2007 2/.....                     | 1,317 | 47 | 7  | 5  | 18 | 31 | 57 | 137 | 204 | 270 | 298 | 243 | - |
| 2006 2/.....                     | 1,257 | 49 | 7  | 7  | 9  | 22 | 61 | 167 | 217 | 211 | 273 | 234 | - |
| 2005 2/.....                     | 1,264 | 33 | 8  | 4  | 13 | 28 | 68 | 155 | 162 | 262 | 290 | 240 | 1 |
| 2004 2/.....                     | 1,227 | 44 | 13 | 6  | 12 | 22 | 68 | 155 | 190 | 226 | 279 | 212 | - |
| 2003 2/.....                     | 1,124 | 37 | 9  | 1  | 14 | 27 | 80 | 166 | 146 | 193 | 254 | 197 | - |
| 2002.....                        | 1,181 | 45 | 12 | 15 | 22 | 24 | 60 | 142 | 166 | 224 | 265 | 206 | - |
| 2001.....                        | 1,346 | 40 | 12 | 9  | 19 | 33 | 95 | 169 | 170 | 260 | 297 | 241 | 1 |
| 2000.....                        | 1,210 | 52 | 6  | 8  | 16 | 28 | 68 | 133 | 159 | 253 | 287 | 199 | 1 |
| 1999.....                        | 1,258 | 38 | 7  | 10 | 12 | 46 | 86 | 126 | 153 | 266 | 288 | 226 | - |
| Origin not stated 3/, both sexes |       |    |    |    |    |    |    |     |     |     |     |     |   |
| 2007.....                        | 30    | 3  | 1  | -  | 1  | -  | 1  | 4   | 6   | 1   | 9   | 4   | - |
| 2006.....                        | 35    | 1  | -  | -  | 1  | -  | 3  | 2   | 2   | 8   | 13  | 5   | - |
| 2005.....                        | 31    | 1  | -  | -  | -  | 2  | -  | 1   | 4   | 7   | 13  | 3   | - |
| 2004.....                        | 33    | 1  | -  | -  | -  | -  | 1  | -   | 6   | 9   | 12  | 4   | - |
| 2003.....                        | 52    | 1  | -  | 1  | -  | 3  | -  | 4   | 6   | 12  | 12  | 13  | - |
| 2002.....                        | 60    | -  | -  | -  | -  | -  | 2  | 12  | 8   | 13  | 14  | 11  | - |
| 2001.....                        | 68    | 2  | -  | -  | -  | 1  | 3  | 5   | 2   | 20  | 24  | 11  | - |
| 2000.....                        | 74    | 2  | 1  | -  | 1  | 1  | 3  | 5   | 6   | 17  | 23  | 14  | 1 |
| 1999.....                        | 72    | 3  | -  | -  | -  | 1  | 2  | 5   | 11  | 13  | 24  | 13  | - |

Worktable Orig290F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2007

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data - mortality"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, sex, and year | All ages | Under 1 year | 1-4 years | 5-14 years | 15-24 years | 25-34 years | 35-44 years | 45-54 years | 55-64 years | 65-74 years | 75-84 years | 85 years and over | Age not stated |
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|

Other diseases of respiratory system (J00-J06,J30-J39,J67,J70-J98)

| Origin not stated 3/, male   |    |   |   |   |   |   |   |   |   |    |    |    |   |
|------------------------------|----|---|---|---|---|---|---|---|---|----|----|----|---|
| 2007.....                    | 19 | 3 | - | - | 1 | - | 1 | 3 | 3 | 1  | 6  | 1  | - |
| 2006.....                    | 14 | 1 | - | - | - | - | 1 | 1 | 2 | 4  | 3  | 2  | - |
| 2005.....                    | 20 | 1 | - | - | - | 1 | - | 1 | 4 | 3  | 9  | 1  | - |
| 2004.....                    | 22 | - | - | - | - | - | 1 | - | 5 | 7  | 8  | 1  | - |
| 2003.....                    | 30 | 1 | - | - | - | 2 | - | 3 | 5 | 8  | 8  | 3  | - |
| 2002.....                    | 25 | - | - | - | - | - | - | 6 | 4 | 5  | 7  | 3  | - |
| 2001.....                    | 34 | - | - | - | - | - | 2 | 2 | 2 | 14 | 13 | 1  | - |
| 2000.....                    | 31 | 1 | - | - | - | - | 3 | 3 | 1 | 7  | 11 | 4  | 1 |
| 1999.....                    | 44 | 2 | - | - | - | - | 2 | 3 | 7 | 9  | 17 | 4  | - |
| Origin not stated 3/, female |    |   |   |   |   |   |   |   |   |    |    |    |   |
| 2007.....                    | 11 | - | 1 | - | - | - | - | 1 | 3 | -  | 3  | 3  | - |
| 2006.....                    | 21 | - | - | - | 1 | - | 2 | 1 | - | 4  | 10 | 3  | - |
| 2005.....                    | 11 | - | - | - | - | 1 | - | - | - | 4  | 4  | 2  | - |
| 2004.....                    | 11 | 1 | - | - | - | - | - | - | 1 | 2  | 4  | 3  | - |
| 2003.....                    | 22 | - | - | 1 | - | 1 | - | 1 | 1 | 4  | 4  | 10 | - |
| 2002.....                    | 35 | - | - | - | - | - | 2 | 6 | 4 | 8  | 7  | 8  | - |
| 2001.....                    | 34 | 2 | - | - | - | 1 | 1 | 3 | - | 6  | 11 | 10 | - |
| 2000.....                    | 43 | 1 | 1 | - | 1 | 1 | - | 2 | 5 | 10 | 12 | 10 | - |
| 1999.....                    | 28 | 1 | - | - | - | 1 | - | 2 | 4 | 4  | 7  | 9  | - |

Worktable Orig290F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2007

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data - mortality"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, sex, and year | All ages | Under 1 year | 1-4 years | 5-14 years | 15-24 years | 25-34 years | 35-44 years | 45-54 years | 55-64 years | 65-74 years | 75-84 years | 85 years and over | Age not stated |
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|
| Peptic ulcer (K25-K28)   |          |              |           |            |             |             |             |             |             |             |             |                   |                |
| All origins, both sexes  |          |              |           |            |             |             |             |             |             |             |             |                   |                |
| 2007.....  | 3,045    | 2            | -         | 2          | 6           | 20          | 78          | 293         | 378         | 487         | 828         | 951               | -              |
| 2006.....  | 3,323    | 1            | -         | 1          | 8           | 18          | 73          | 285         | 383         | 520         | 937         | 1,097             | -              |
| 2005.....  | 3,478    | 2            | 1         | 1          | 8           | 25          | 108         | 281         | 376         | 544         | 1,040       | 1,092             | -              |
| 2004.....  | 3,682    | 2            | 3         | 2          | 10          | 17          | 90          | 269         | 374         | 582         | 1,148       | 1,185             | -              |
| 2003.....  | 3,913    | 2            | 1         | 3          | 7           | 25          | 101         | 281         | 383         | 587         | 1,279       | 1,244             | -              |
| 2002.....  | 4,079    | 1            | 1         | 1          | -           | 22          | 113         | 272         | 411         | 665         | 1,291       | 1,302             | -              |
| 2001.....  | 4,491    | -            | 1         | 5          | 6           | 32          | 118         | 284         | 418         | 718         | 1,438       | 1,470             | 1              |
| 2000.....  | 4,558    | -            | -         | -          | 9           | 14          | 113         | 307         | 443         | 748         | 1,415       | 1,509             | -              |
| 1999.....  | 4,604    | 2            | 2         | -          | 2           | 21          | 123         | 255         | 422         | 836         | 1,500       | 1,439             | 2              |
| All origins, male  |          |              |           |            |             |             |             |             |             |             |             |                   |                |
| 2007.....  | 1,469    | 2            | -         | 1          | 5           | 13          | 49          | 200         | 231         | 268         | 381         | 319               | -              |
| 2006.....  | 1,591    | -            | -         | -          | 5           | 10          | 43          | 196         | 250         | 280         | 436         | 371               | -              |
| 2005.....  | 1,722    | 1            | -         | 1          | 6           | 17          | 73          | 203         | 244         | 305         | 512         | 360               | -              |
| 2004.....  | 1,690    | 1            | 2         | 1          | 6           | 14          | 57          | 176         | 228         | 304         | 530         | 371               | -              |
| 2003.....  | 1,880    | -            | 1         | 1          | 6           | 13          | 60          | 192         | 237         | 346         | 606         | 418               | -              |
| 2002.....  | 1,951    | -            | 1         | 1          | -           | 14          | 72          | 177         | 247         | 378         | 622         | 439               | -              |
| 2001.....  | 2,074    | -            | 1         | 2          | 3           | 21          | 87          | 186         | 273         | 397         | 649         | 454               | 1              |
| 2000.....  | 2,201    | -            | -         | -          | 7           | 6           | 79          | 217         | 284         | 442         | 667         | 499               | -              |
| 1999.....  | 2,189    | -            | -         | -          | 2           | 12          | 76          | 169         | 265         | 504         | 712         | 448               | 1              |

Worktable Orig290F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2007

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data - mortality"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, sex, and year | All ages | Under 1 year | 1-4 years | 5-14 years | 15-24 years | 25-34 years | 35-44 years | 45-54 years | 55-64 years | 65-74 years | 75-84 years | 85 years and over | Age not stated |
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|
| Peptic ulcer (K25-K28)   |          |              |           |            |             |             |             |             |             |             |             |                   |                |
| All origins, female  |          |              |           |            |             |             |             |             |             |             |             |                   |                |
| 2007.....  | 1,576    | -            | -         | 1          | 1           | 7           | 29          | 93          | 147         | 219         | 447         | 632               | -              |
| 2006.....  | 1,732    | 1            | -         | 1          | 3           | 8           | 30          | 89          | 133         | 240         | 501         | 726               | -              |
| 2005.....  | 1,756    | 1            | 1         | -          | 2           | 8           | 35          | 78          | 132         | 239         | 528         | 732               | -              |
| 2004.....  | 1,992    | 1            | 1         | 1          | 4           | 3           | 33          | 93          | 146         | 278         | 618         | 814               | -              |
| 2003.....  | 2,033    | 2            | -         | 2          | 1           | 12          | 41          | 89          | 146         | 241         | 673         | 826               | -              |
| 2002.....  | 2,128    | 1            | -         | -          | -           | 8           | 41          | 95          | 164         | 287         | 669         | 863               | -              |
| 2001.....  | 2,417    | -            | -         | 3          | 3           | 11          | 31          | 98          | 145         | 321         | 789         | 1,016             | -              |
| 2000.....  | 2,357    | -            | -         | -          | 2           | 8           | 34          | 90          | 159         | 306         | 748         | 1,010             | -              |
| 1999.....  | 2,415    | 2            | 2         | -          | -           | 9           | 47          | 86          | 157         | 332         | 788         | 991               | 1              |
| Hispanic, both sexes   |          |              |           |            |             |             |             |             |             |             |             |                   |                |
| 2007.....  | 152      | -            | -         | -          | 2           | 3           | 10          | 19          | 28          | 30          | 33          | 27                | -              |
| 2006.....  | 180      | -            | -         | -          | 3           | 2           | 6           | 22          | 20          | 34          | 43          | 50                | -              |
| 2005.....  | 175      | -            | -         | -          | 2           | 3           | 4           | 26          | 21          | 29          | 51          | 39                | -              |
| 2004.....  | 169      | -            | -         | -          | 1           | 2           | 4           | 18          | 30          | 30          | 49          | 35                | -              |
| 2003.....  | 200      | 1            | -         | -          | 1           | 5           | 6           | 30          | 26          | 42          | 56          | 33                | -              |
| 2002.....  | 187      | -            | -         | -          | -           | 1           | 5           | 20          | 32          | 39          | 53          | 37                | -              |
| 2001.....  | 166      | -            | -         | -          | 1           | -           | 1           | 16          | 22          | 33          | 54          | 38                | 1              |
| 2000.....  | 186      | -            | -         | -          | -           | -           | 9           | 17          | 28          | 36          | 50          | 46                | -              |
| 1999.....  | 172      | -            | 1         | -          | -           | 8           | 4           | 15          | 25          | 37          | 44          | 38                | -              |

Worktable Orig290F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2007

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data - mortality"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, sex, and year | All ages | Under 1 year | 1-4 years | 5-14 years | 15-24 years | 25-34 years | 35-44 years | 45-54 years | 55-64 years | 65-74 years | 75-84 years | 85 years and over | Age not stated |
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|
| Peptic ulcer (K25-K28)   |          |              |           |            |             |             |             |             |             |             |             |                   |                |
| Hispanic, male   |          |              |           |            |             |             |             |             |             |             |             |                   |                |
| 2007.....  | 90       | -            | -         | -          | 2           | 2           | 7           | 16          | 17          | 18          | 17          | 11                | -              |
| 2006.....  | 102      | -            | -         | -          | 2           | 2           | 5           | 18          | 15          | 23          | 22          | 15                | -              |
| 2005.....  | 92       | -            | -         | -          | 2           | 2           | 4           | 19          | 14          | 13          | 28          | 10                | -              |
| 2004.....  | 93       | -            | -         | -          | 1           | 2           | 4           | 12          | 19          | 15          | 27          | 13                | -              |
| 2003.....  | 114      | -            | -         | -          | 1           | 3           | 6           | 21          | 16          | 30          | 30          | 7                 | -              |
| 2002.....  | 115      | -            | -         | -          | -           | 1           | 3           | 17          | 23          | 28          | 27          | 16                | -              |
| 2001.....  | 99       | -            | -         | -          | 1           | -           | 1           | 11          | 19          | 18          | 37          | 11                | 1              |
| 2000.....  | 97       | -            | -         | -          | -           | -           | 6           | 14          | 23          | 21          | 17          | 16                | -              |
| 1999.....  | 101      | -            | -         | -          | -           | 5           | 3           | 10          | 18          | 22          | 27          | 16                | -              |
| Hispanic, female   |          |              |           |            |             |             |             |             |             |             |             |                   |                |
| 2007.....  | 62       | -            | -         | -          | -           | 1           | 3           | 3           | 11          | 12          | 16          | 16                | -              |
| 2006.....  | 78       | -            | -         | -          | 1           | -           | 1           | 4           | 5           | 11          | 21          | 35                | -              |
| 2005.....  | 83       | -            | -         | -          | -           | 1           | -           | 7           | 7           | 16          | 23          | 29                | -              |
| 2004.....  | 76       | -            | -         | -          | -           | -           | -           | 6           | 11          | 15          | 22          | 22                | -              |
| 2003.....  | 86       | 1            | -         | -          | -           | 2           | -           | 9           | 10          | 12          | 26          | 26                | -              |
| 2002.....  | 72       | -            | -         | -          | -           | -           | 2           | 3           | 9           | 11          | 26          | 21                | -              |
| 2001.....  | 67       | -            | -         | -          | -           | -           | -           | 5           | 3           | 15          | 17          | 27                | -              |
| 2000.....  | 89       | -            | -         | -          | -           | -           | 3           | 3           | 5           | 15          | 33          | 30                | -              |
| 1999.....  | 71       | -            | 1         | -          | -           | 3           | 1           | 5           | 7           | 15          | 17          | 22                | -              |

Worktable Orig290F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2007

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data - mortality"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, sex, and year | All ages | Under 1 year | 1-4 years | 5-14 years | 15-24 years | 25-34 years | 35-44 years | 45-54 years | 55-64 years | 65-74 years | 75-84 years | 85 years and over | Age not stated |
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|

Peptic ulcer (K25-K28)

Non-Hispanic 1/, both sexes

|           |       |   |   |   |   |    |     |     |     |     |       |       |   |
|-----------|-------|---|---|---|---|----|-----|-----|-----|-----|-------|-------|---|
| 2007..... | 2,890 | 2 | - | 2 | 4 | 17 | 68  | 274 | 350 | 454 | 795   | 924   | - |
| 2006..... | 3,134 | 1 | - | 1 | 5 | 16 | 67  | 262 | 361 | 484 | 892   | 1,045 | - |
| 2005..... | 3,293 | 2 | 1 | 1 | 6 | 22 | 103 | 253 | 353 | 513 | 988   | 1,051 | - |
| 2004..... | 3,506 | 2 | 3 | 2 | 9 | 15 | 85  | 250 | 344 | 551 | 1,099 | 1,146 | - |
| 2003..... | 3,692 | 1 | 1 | 3 | 6 | 20 | 94  | 246 | 354 | 544 | 1,215 | 1,208 | - |
| 2002..... | 3,879 | 1 | 1 | 1 | - | 21 | 108 | 251 | 374 | 625 | 1,235 | 1,262 | - |
| 2001..... | 4,308 | - | 1 | 5 | 5 | 32 | 117 | 267 | 393 | 681 | 1,380 | 1,427 | - |
| 2000..... | 4,357 | - | - | - | 9 | 14 | 102 | 290 | 414 | 709 | 1,361 | 1,458 | - |
| 1999..... | 4,415 | 2 | 1 | - | 2 | 13 | 118 | 239 | 393 | 796 | 1,451 | 1,398 | 2 |

Non-Hispanic 1/, male

|           |       |   |   |   |   |    |    |     |     |     |     |     |   |
|-----------|-------|---|---|---|---|----|----|-----|-----|-----|-----|-----|---|
| 2007..... | 1,377 | 2 | - | 1 | 3 | 11 | 42 | 184 | 214 | 248 | 364 | 308 | - |
| 2006..... | 1,483 | - | - | - | 3 | 8  | 38 | 177 | 233 | 255 | 414 | 355 | - |
| 2005..... | 1,624 | 1 | - | 1 | 4 | 15 | 68 | 182 | 229 | 291 | 483 | 350 | - |
| 2004..... | 1,592 | 1 | 2 | 1 | 5 | 12 | 52 | 163 | 209 | 288 | 503 | 356 | - |
| 2003..... | 1,753 | - | 1 | 1 | 5 | 10 | 53 | 166 | 219 | 315 | 574 | 409 | - |
| 2002..... | 1,829 | - | 1 | 1 | - | 13 | 69 | 159 | 222 | 349 | 594 | 421 | - |
| 2001..... | 1,966 | - | 1 | 2 | 2 | 21 | 86 | 175 | 252 | 375 | 609 | 443 | - |
| 2000..... | 2,099 | - | - | - | 7 | 6  | 72 | 203 | 261 | 419 | 648 | 483 | - |
| 1999..... | 2,079 | - | - | - | 2 | 7  | 72 | 158 | 244 | 481 | 682 | 432 | 1 |

Worktable Orig290F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2007

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data - mortality"]

---

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, sex, and year

|  | All ages | Under 1 year | 1-4 years | 5-14 years | 15-24 years | 25-34 years | 35-44 years | 45-54 years | 55-64 years | 65-74 years | 75-84 years | 85 years and over | Age not stated |
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|

---

Peptic ulcer (K25-K28)

Non-Hispanic 1/, female

|           |       |   |   |   |   |    |    |    |     |     |     |     |   |
|-----------|-------|---|---|---|---|----|----|----|-----|-----|-----|-----|---|
| 2007..... | 1,513 | - | - | 1 | 1 | 6  | 26 | 90 | 136 | 206 | 431 | 616 | - |
| 2006..... | 1,651 | 1 | - | 1 | 2 | 8  | 29 | 85 | 128 | 229 | 478 | 690 | - |
| 2005..... | 1,669 | 1 | 1 | - | 2 | 7  | 35 | 71 | 124 | 222 | 505 | 701 | - |
| 2004..... | 1,914 | 1 | 1 | 1 | 4 | 3  | 33 | 87 | 135 | 263 | 596 | 790 | - |
| 2003..... | 1,939 | 1 | - | 2 | 1 | 10 | 41 | 80 | 135 | 229 | 641 | 799 | - |
| 2002..... | 2,050 | 1 | - | - | - | 8  | 39 | 92 | 152 | 276 | 641 | 841 | - |
| 2001..... | 2,342 | - | - | 3 | 3 | 11 | 31 | 92 | 141 | 306 | 771 | 984 | - |
| 2000..... | 2,258 | - | - | - | 2 | 8  | 30 | 87 | 153 | 290 | 713 | 975 | - |
| 1999..... | 2,336 | 2 | 1 | - | - | 6  | 46 | 81 | 149 | 315 | 769 | 966 | 1 |

Non-Hispanic white, both sexes

|              |       |   |   |   |   |    |    |     |     |     |       |       |   |
|--------------|-------|---|---|---|---|----|----|-----|-----|-----|-------|-------|---|
| 2007 2/..... | 2,476 | 2 | - | 2 | 4 | 16 | 53 | 198 | 268 | 385 | 699   | 849   | - |
| 2006 2/..... | 2,672 | 1 | - | - | 3 | 11 | 43 | 184 | 285 | 394 | 793   | 958   | - |
| 2005 2/..... | 2,818 | 1 | - | 1 | 2 | 14 | 72 | 182 | 292 | 429 | 874   | 951   | - |
| 2004 2/..... | 3,045 | 1 | 1 | 1 | 8 | 8  | 57 | 181 | 279 | 462 | 983   | 1,064 | - |
| 2003 2/..... | 3,197 | - | 1 | 2 | 3 | 15 | 65 | 174 | 287 | 472 | 1,067 | 1,111 | - |
| 2002.....    | 3,394 | 1 | 1 | - | - | 11 | 72 | 192 | 288 | 537 | 1,123 | 1,169 | - |
| 2001.....    | 3,766 | - | 1 | 4 | 2 | 16 | 77 | 197 | 308 | 583 | 1,248 | 1,330 | - |
| 2000.....    | 3,825 | - | - | - | 9 | 9  | 70 | 210 | 343 | 609 | 1,233 | 1,342 | - |
| 1999.....    | 3,859 | 1 | 1 | - | 2 | 7  | 73 | 171 | 322 | 677 | 1,313 | 1,291 | 1 |

Worktable Orig290F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2007

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data - mortality"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, sex, and year | All ages | Under 1 year | 1-4 years | 5-14 years | 15-24 years | 25-34 years | 35-44 years | 45-54 years | 55-64 years | 65-74 years | 75-84 years | 85 years and over | Age not stated |
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|
| Peptic ulcer (K25-K28)   |          |              |           |            |             |             |             |             |             |             |             |                   |                |
| Non-Hispanic white, male   |          |              |           |            |             |             |             |             |             |             |             |                   |                |
| 2007 2/.....   | 1,142    | 2            | -         | 1          | 3           | 10          | 35          | 129         | 161         | 205         | 317         | 279               | -              |
| 2006 2/.....   | 1,215    | -            | -         | -          | 2           | 4           | 20          | 117         | 186         | 201         | 366         | 319               | -              |
| 2005 2/.....   | 1,361    | 1            | -         | 1          | 1           | 10          | 45          | 126         | 189         | 240         | 432         | 316               | -              |
| 2004 2/.....   | 1,356    | -            | 1         | 1          | 4           | 6           | 35          | 120         | 168         | 246         | 442         | 333               | -              |
| 2003 2/.....   | 1,471    | -            | 1         | 1          | 2           | 7           | 35          | 114         | 175         | 269         | 496         | 371               | -              |
| 2002.....  | 1,569    | -            | 1         | -          | -           | 9           | 47          | 116         | 169         | 296         | 539         | 392               | -              |
| 2001.....  | 1,649    | -            | 1         | 2          | 1           | 11          | 55          | 122         | 194         | 311         | 543         | 409               | -              |
| 2000.....  | 1,799    | -            | -         | -          | 7           | 4           | 49          | 150         | 217         | 357         | 580         | 435               | -              |
| 1999.....  | 1,783    | -            | -         | -          | 2           | 3           | 41          | 111         | 195         | 409         | 622         | 399               | 1              |
| Non-Hispanic white, female   |          |              |           |            |             |             |             |             |             |             |             |                   |                |
| 2007 2/.....   | 1,334    | -            | -         | 1          | 1           | 6           | 18          | 69          | 107         | 180         | 382         | 570               | -              |
| 2006 2/.....   | 1,457    | 1            | -         | -          | 1           | 7           | 23          | 67          | 99          | 193         | 427         | 639               | -              |
| 2005 2/.....   | 1,457    | -            | -         | -          | 1           | 4           | 27          | 56          | 103         | 189         | 442         | 635               | -              |
| 2004 2/.....   | 1,689    | 1            | -         | -          | 4           | 2           | 22          | 61          | 111         | 216         | 541         | 731               | -              |
| 2003 2/.....   | 1,726    | -            | -         | 1          | 1           | 8           | 30          | 60          | 112         | 203         | 571         | 740               | -              |
| 2002.....  | 1,825    | 1            | -         | -          | -           | 2           | 25          | 76          | 119         | 241         | 584         | 777               | -              |
| 2001.....  | 2,117    | -            | -         | 2          | 1           | 5           | 22          | 75          | 114         | 272         | 705         | 921               | -              |
| 2000.....  | 2,026    | -            | -         | -          | 2           | 5           | 21          | 60          | 126         | 252         | 653         | 907               | -              |
| 1999.....  | 2,076    | 1            | 1         | -          | -           | 4           | 32          | 60          | 127         | 268         | 691         | 892               | -              |



Worktable Orig290F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2007

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data - mortality"]

---

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, sex, and year

|  | All ages | Under 1 year | 1-4 years | 5-14 years | 15-24 years | 25-34 years | 35-44 years | 45-54 years | 55-64 years | 65-74 years | 75-84 years | 85 years and over | Age not stated |
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|

---

Peptic ulcer (K25-K28)

| Non-Hispanic black, both sexes |     |   |   |   |   |    |    |    |    |    |     |    |   |
|--------------------------------|-----|---|---|---|---|----|----|----|----|----|-----|----|---|
| 2007 2/.....                   | 302 | - | - | - | - | 1  | 13 | 66 | 69 | 51 | 57  | 45 | - |
| 2006 2/.....                   | 358 | - | - | 1 | 2 | 4  | 22 | 68 | 66 | 66 | 73  | 56 | - |
| 2005 2/.....                   | 358 | 1 | 1 | - | 4 | 8  | 28 | 62 | 49 | 69 | 72  | 64 | - |
| 2004 2/.....                   | 362 | - | 1 | 1 | 1 | 6  | 28 | 61 | 59 | 73 | 76  | 56 | - |
| 2003 2/.....                   | 376 | 1 | - | 1 | 1 | 5  | 23 | 68 | 59 | 53 | 107 | 58 | - |
| 2002.....                      | 376 | - | - | 1 | - | 10 | 35 | 56 | 68 | 69 | 75  | 62 | - |
| 2001.....                      | 403 | - | - | 1 | 2 | 15 | 35 | 59 | 68 | 73 | 83  | 67 | - |
| 2000.....                      | 420 | - | - | - | - | 4  | 29 | 70 | 63 | 79 | 91  | 84 | - |
| 1999.....                      | 443 | 1 | - | - | - | 4  | 43 | 60 | 65 | 92 | 98  | 79 | 1 |
| Non-Hispanic black, male       |     |   |   |   |   |    |    |    |    |    |     |    |   |
| 2007 2/.....                   | 172 | - | - | - | - | 1  | 5  | 48 | 44 | 32 | 28  | 14 | - |
| 2006 2/.....                   | 207 | - | - | - | 1 | 3  | 16 | 53 | 40 | 42 | 34  | 18 | - |
| 2005 2/.....                   | 207 | - | - | - | 3 | 5  | 20 | 50 | 36 | 42 | 30  | 21 | - |
| 2004 2/.....                   | 187 | - | 1 | - | 1 | 5  | 17 | 39 | 38 | 33 | 39  | 14 | - |
| 2003 2/.....                   | 219 | - | - | - | 1 | 3  | 13 | 49 | 41 | 36 | 57  | 19 | - |
| 2002.....                      | 209 | - | - | 1 | - | 4  | 21 | 41 | 45 | 41 | 38  | 18 | - |
| 2001.....                      | 238 | - | - | - | 1 | 10 | 27 | 46 | 47 | 47 | 39  | 21 | - |
| 2000.....                      | 228 | - | - | - | - | 2  | 21 | 45 | 40 | 48 | 45  | 27 | - |
| 1999.....                      | 240 | - | - | - | - | 3  | 30 | 43 | 46 | 55 | 39  | 24 | - |

Worktable Orig290F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2007

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data - mortality"]

---

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, sex, and year

|  | All ages | Under 1 year | 1-4 years | 5-14 years | 15-24 years | 25-34 years | 35-44 years | 45-54 years | 55-64 years | 65-74 years | 75-84 years | 85 years and over | Age not stated |
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|

---

Peptic ulcer (K25-K28)

Non-Hispanic black, female

|              |     |   |   |   |   |   |    |    |    |    |    |    |   |
|--------------|-----|---|---|---|---|---|----|----|----|----|----|----|---|
| 2007 2/..... | 130 | - | - | - | - | - | 8  | 18 | 25 | 19 | 29 | 31 | - |
| 2006 2/..... | 151 | - | - | 1 | 1 | 1 | 6  | 15 | 26 | 24 | 39 | 38 | - |
| 2005 2/..... | 151 | 1 | 1 | - | 1 | 3 | 8  | 12 | 13 | 27 | 42 | 43 | - |
| 2004 2/..... | 175 | - | - | 1 | - | 1 | 11 | 22 | 21 | 40 | 37 | 42 | - |
| 2003 2/..... | 157 | 1 | - | 1 | - | 2 | 10 | 19 | 18 | 17 | 50 | 39 | - |
| 2002.....    | 167 | - | - | - | - | 6 | 14 | 15 | 23 | 28 | 37 | 44 | - |
| 2001.....    | 165 | - | - | 1 | 1 | 5 | 8  | 13 | 21 | 26 | 44 | 46 | - |
| 2000.....    | 192 | - | - | - | - | 2 | 8  | 25 | 23 | 31 | 46 | 57 | - |
| 1999.....    | 203 | 1 | - | - | - | 1 | 13 | 17 | 19 | 37 | 59 | 55 | 1 |

Origin not stated 3/, both sexes

|           |    |   |   |   |   |   |   |   |   |   |   |   |   |
|-----------|----|---|---|---|---|---|---|---|---|---|---|---|---|
| 2007..... | 3  | - | - | - | - | - | - | - | - | 3 | - | - | - |
| 2006..... | 9  | - | - | - | - | - | - | 1 | 2 | 2 | 2 | 2 | - |
| 2005..... | 10 | - | - | - | - | - | 1 | 2 | 2 | 2 | 1 | 2 | - |
| 2004..... | 7  | - | - | - | - | - | 1 | 1 | - | 1 | - | 4 | - |
| 2003..... | 21 | - | - | - | - | - | 1 | 5 | 3 | 1 | 8 | 3 | - |
| 2002..... | 13 | - | - | - | - | - | - | 1 | 5 | 1 | 3 | 3 | - |
| 2001..... | 17 | - | - | - | - | - | - | 1 | 3 | 4 | 4 | 5 | - |
| 2000..... | 15 | - | - | - | - | - | 2 | - | 1 | 3 | 4 | 5 | - |
| 1999..... | 17 | - | - | - | - | - | 1 | 1 | 4 | 3 | 5 | 3 | - |

Worktable Orig290F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2007

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data - mortality"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, sex, and year | All ages | Under 1 year | 1-4 years | 5-14 years | 15-24 years | 25-34 years | 35-44 years | 45-54 years | 55-64 years | 65-74 years | 75-84 years | 85 years and over | Age not stated |
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|

Peptic ulcer (K25-K28)

| Origin not stated 3/, male   |    |   |   |   |   |   |   |   |   |   |   |   |   |
|------------------------------|----|---|---|---|---|---|---|---|---|---|---|---|---|
| 2007.....                    | 2  | - | - | - | - | - | - | - | - | 2 | - | - | - |
| 2006.....                    | 6  | - | - | - | - | - | - | 1 | 2 | 2 | - | 1 | - |
| 2005.....                    | 6  | - | - | - | - | - | 1 | 2 | 1 | 1 | 1 | - | - |
| 2004.....                    | 5  | - | - | - | - | - | 1 | 1 | - | 1 | - | 2 | - |
| 2003.....                    | 13 | - | - | - | - | - | 1 | 5 | 2 | 1 | 2 | 2 | - |
| 2002.....                    | 7  | - | - | - | - | - | - | 1 | 2 | 1 | 1 | 2 | - |
| 2001.....                    | 9  | - | - | - | - | - | - | - | 2 | 4 | 3 | - | - |
| 2000.....                    | 5  | - | - | - | - | - | 1 | - | - | 2 | 2 | - | - |
| 1999.....                    | 9  | - | - | - | - | - | 1 | 1 | 3 | 1 | 3 | - | - |
| Origin not stated 3/, female |    |   |   |   |   |   |   |   |   |   |   |   |   |
| 2007.....                    | 1  | - | - | - | - | - | - | - | - | 1 | - | - | - |
| 2006.....                    | 3  | - | - | - | - | - | - | - | - | - | 2 | 1 | - |
| 2005.....                    | 4  | - | - | - | - | - | - | - | 1 | 1 | - | 2 | - |
| 2004.....                    | 2  | - | - | - | - | - | - | - | - | - | - | 2 | - |
| 2003.....                    | 8  | - | - | - | - | - | - | - | 1 | - | 6 | 1 | - |
| 2002.....                    | 6  | - | - | - | - | - | - | - | 3 | - | 2 | 1 | - |
| 2001.....                    | 8  | - | - | - | - | - | - | 1 | 1 | - | 1 | 5 | - |
| 2000.....                    | 10 | - | - | - | - | - | 1 | - | 1 | 1 | 2 | 5 | - |
| 1999.....                    | 8  | - | - | - | - | - | - | - | 1 | 2 | 2 | 3 | - |

Worktable Orig290F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2007

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data - mortality"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, sex, and year | All ages | Under 1 year | 1-4 years | 5-14 years | 15-24 years | 25-34 years | 35-44 years | 45-54 years | 55-64 years | 65-74 years | 75-84 years | 85 years and over | Age not stated |
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|

Diseases of appendix (K35-K38)

| All origins, both sexes |     |   |   |    |    |    |    |    |    |    |     |     |   |
|-------------------------|-----|---|---|----|----|----|----|----|----|----|-----|-----|---|
| 2007.....               | 426 | 1 | 2 | 10 | 16 | 9  | 19 | 40 | 56 | 82 | 110 | 81  | - |
| 2006.....               | 424 | 3 | 4 | 10 | 8  | 11 | 24 | 33 | 58 | 83 | 99  | 91  | - |
| 2005.....               | 439 | 2 | 4 | 12 | 9  | 9  | 19 | 33 | 57 | 76 | 110 | 108 | - |
| 2004.....               | 452 | 3 | 4 | 13 | 8  | 9  | 14 | 45 | 52 | 81 | 138 | 85  | - |
| 2003.....               | 439 | 4 | 5 | 11 | 11 | 16 | 25 | 50 | 43 | 64 | 132 | 78  | - |
| 2002.....               | 480 | 3 | - | 7  | 12 | 10 | 27 | 54 | 64 | 89 | 120 | 94  | - |
| 2001.....               | 428 | 1 | 8 | 6  | 15 | 15 | 26 | 40 | 45 | 89 | 90  | 93  | - |
| 2000.....               | 435 | 3 | 5 | 15 | 11 | 11 | 27 | 43 | 60 | 71 | 121 | 68  | - |
| 1999.....               | 390 | 3 | 2 | 26 | 5  | 6  | 24 | 49 | 48 | 69 | 96  | 62  | - |
| All origins, male       |     |   |   |    |    |    |    |    |    |    |     |     |   |
| 2007.....               | 259 | 1 | 1 | 5  | 12 | 6  | 16 | 27 | 42 | 46 | 65  | 38  | - |
| 2006.....               | 253 | 1 | 1 | 6  | 6  | 6  | 19 | 21 | 33 | 57 | 65  | 38  | - |
| 2005.....               | 247 | - | 2 | 9  | 7  | 4  | 15 | 18 | 37 | 53 | 57  | 45  | - |
| 2004.....               | 253 | 3 | 4 | 11 | 4  | 7  | 13 | 32 | 29 | 43 | 70  | 37  | - |
| 2003.....               | 258 | 2 | 2 | 5  | 9  | 9  | 16 | 30 | 30 | 46 | 75  | 34  | - |
| 2002.....               | 275 | 1 | - | 3  | 7  | 9  | 17 | 39 | 45 | 56 | 67  | 31  | - |
| 2001.....               | 252 | - | 7 | 5  | 8  | 11 | 17 | 28 | 30 | 57 | 52  | 37  | - |
| 2000.....               | 237 | 2 | 2 | 4  | 7  | 10 | 16 | 29 | 43 | 40 | 60  | 24  | - |
| 1999.....               | 236 | 1 | 2 | 15 | 5  | 5  | 17 | 37 | 34 | 38 | 47  | 35  | - |

Worktable Orig290F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2007

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data - mortality"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, sex, and year | All ages | Under 1 year | 1-4 years | 5-14 years | 15-24 years | 25-34 years | 35-44 years | 45-54 years | 55-64 years | 65-74 years | 75-84 years | 85 years and over | Age not stated |
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|

Diseases of appendix (K35-K38)

All origins, female

|           |     |   |   |    |   |   |    |    |    |    |    |    |   |
|-----------|-----|---|---|----|---|---|----|----|----|----|----|----|---|
| 2007..... | 167 | - | 1 | 5  | 4 | 3 | 3  | 13 | 14 | 36 | 45 | 43 | - |
| 2006..... | 171 | 2 | 3 | 4  | 2 | 5 | 5  | 12 | 25 | 26 | 34 | 53 | - |
| 2005..... | 192 | 2 | 2 | 3  | 2 | 5 | 4  | 15 | 20 | 23 | 53 | 63 | - |
| 2004..... | 199 | - | - | 2  | 4 | 2 | 1  | 13 | 23 | 38 | 68 | 48 | - |
| 2003..... | 181 | 2 | 3 | 6  | 2 | 7 | 9  | 20 | 13 | 18 | 57 | 44 | - |
| 2002..... | 205 | 2 | - | 4  | 5 | 1 | 10 | 15 | 19 | 33 | 53 | 63 | - |
| 2001..... | 176 | 1 | 1 | 1  | 7 | 4 | 9  | 12 | 15 | 32 | 38 | 56 | - |
| 2000..... | 198 | 1 | 3 | 11 | 4 | 1 | 11 | 14 | 17 | 31 | 61 | 44 | - |
| 1999..... | 154 | 2 | - | 11 | - | 1 | 7  | 12 | 14 | 31 | 49 | 27 | - |

Hispanic, both sexes

|           |    |   |   |   |   |   |   |   |   |   |   |   |   |
|-----------|----|---|---|---|---|---|---|---|---|---|---|---|---|
| 2007..... | 28 | 1 | 2 | - | 1 | - | 5 | 4 | 6 | 4 | 4 | 1 | - |
| 2006..... | 35 | - | 1 | 3 | 3 | 3 | 4 | 5 | 5 | 2 | 6 | 3 | - |
| 2005..... | 25 | 1 | 1 | 2 | 1 | 2 | 2 | 2 | 5 | 3 | 4 | 2 | - |
| 2004..... | 33 | 1 | - | 2 | 2 | 2 | 3 | 8 | 4 | 8 | 1 | 2 | - |
| 2003..... | 31 | 1 | - | 5 | 1 | 2 | 1 | 8 | 1 | 4 | 4 | 4 | - |
| 2002..... | 28 | 1 | - | 2 | 3 | 1 | 5 | 1 | 6 | 3 | 4 | 2 | - |
| 2001..... | 30 | 1 | 4 | 1 | 2 | 1 | 1 | 5 | 2 | 5 | 7 | 1 | - |
| 2000..... | 25 | 1 | 1 | 4 | 5 | 2 | 1 | 1 | 5 | 2 | 3 | - | - |
| 1999..... | 29 | 1 | - | 8 | 2 | - | 4 | 4 | 3 | 3 | 3 | 1 | - |

Worktable Orig290F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2007

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data - mortality"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, sex, and year | All ages | Under 1 year | 1-4 years | 5-14 years | 15-24 years | 25-34 years | 35-44 years | 45-54 years | 55-64 years | 65-74 years | 75-84 years | 85 years and over | Age not stated |
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|

Diseases of appendix (K35-K38)

| Hispanic, male   |    |   |   |   |   |   |   |   |   |   |   |   |   |
|------------------|----|---|---|---|---|---|---|---|---|---|---|---|---|
| 2007.....        | 17 | 1 | 1 | - | 1 | - | 4 | 2 | 4 | 1 | 3 | - | - |
| 2006.....        | 23 | - | - | 1 | 2 | 2 | 4 | 5 | 3 | 1 | 4 | 1 | - |
| 2005.....        | 12 | - | - | 2 | 1 | 2 | 1 | 2 | 1 | 1 | 2 | - | - |
| 2004.....        | 21 | 1 | - | 2 | 1 | 1 | 3 | 7 | 2 | 3 | - | 1 | - |
| 2003.....        | 20 | 1 | - | 1 | 1 | 2 | 1 | 4 | 1 | 3 | 3 | 3 | - |
| 2002.....        | 16 | - | - | 2 | 1 | 1 | 2 | 1 | 5 | 2 | 2 | - | - |
| 2001.....        | 16 | - | 3 | 1 | - | - | - | 3 | 1 | 5 | 3 | - | - |
| 2000.....        | 16 | - | 1 | 3 | 3 | 2 | - | 1 | 4 | - | 2 | - | - |
| 1999.....        | 20 | 1 | - | 4 | 2 | - | 4 | 3 | 2 | 2 | 1 | 1 | - |
| Hispanic, female |    |   |   |   |   |   |   |   |   |   |   |   |   |
| 2007.....        | 11 | - | 1 | - | - | - | 1 | 2 | 2 | 3 | 1 | 1 | - |
| 2006.....        | 12 | - | 1 | 2 | 1 | 1 | - | - | 2 | 1 | 2 | 2 | - |
| 2005.....        | 13 | 1 | 1 | - | - | - | 1 | - | 4 | 2 | 2 | 2 | - |
| 2004.....        | 12 | - | - | - | 1 | 1 | - | 1 | 2 | 5 | 1 | 1 | - |
| 2003.....        | 11 | - | - | 4 | - | - | - | 4 | - | 1 | 1 | 1 | - |
| 2002.....        | 12 | 1 | - | - | 2 | - | 3 | - | 1 | 1 | 2 | 2 | - |
| 2001.....        | 14 | 1 | 1 | - | 2 | 1 | 1 | 2 | 1 | - | 4 | 1 | - |
| 2000.....        | 9  | 1 | - | 1 | 2 | - | 1 | - | 1 | 2 | 1 | - | - |
| 1999.....        | 9  | - | - | 4 | - | - | - | 1 | 1 | 1 | 2 | - | - |

Worktable Orig290F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2007

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data - mortality"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, sex, and year | All ages | Under 1 year | 1-4 years | 5-14 years | 15-24 years | 25-34 years | 35-44 years | 45-54 years | 55-64 years | 65-74 years | 75-84 years | 85 years and over | Age not stated |
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|

Diseases of appendix (K35-K38)

Non-Hispanic 1/, both sexes

|           |     |   |   |    |    |    |    |    |    |    |     |     |   |
|-----------|-----|---|---|----|----|----|----|----|----|----|-----|-----|---|
| 2007..... | 397 | - | - | 10 | 15 | 9  | 14 | 36 | 50 | 78 | 106 | 79  | - |
| 2006..... | 387 | 3 | 3 | 7  | 5  | 8  | 20 | 28 | 53 | 81 | 92  | 87  | - |
| 2005..... | 413 | 1 | 3 | 9  | 8  | 7  | 17 | 31 | 52 | 73 | 106 | 106 | - |
| 2004..... | 418 | 2 | 4 | 11 | 6  | 7  | 11 | 37 | 47 | 73 | 137 | 83  | - |
| 2003..... | 407 | 3 | 5 | 6  | 10 | 14 | 24 | 41 | 42 | 60 | 128 | 74  | - |
| 2002..... | 451 | 2 | - | 5  | 9  | 9  | 22 | 53 | 57 | 86 | 116 | 92  | - |
| 2001..... | 398 | - | 4 | 5  | 13 | 14 | 25 | 35 | 43 | 84 | 83  | 92  | - |
| 2000..... | 410 | 2 | 4 | 11 | 6  | 9  | 26 | 42 | 55 | 69 | 118 | 68  | - |
| 1999..... | 358 | 2 | 2 | 17 | 3  | 6  | 20 | 44 | 45 | 65 | 93  | 61  | - |

Non-Hispanic 1/, male

|           |     |   |   |    |    |    |    |    |    |    |    |    |   |
|-----------|-----|---|---|----|----|----|----|----|----|----|----|----|---|
| 2007..... | 241 | - | - | 5  | 11 | 6  | 12 | 25 | 38 | 45 | 62 | 37 | - |
| 2006..... | 230 | 1 | 1 | 5  | 4  | 4  | 15 | 16 | 30 | 56 | 61 | 37 | - |
| 2005..... | 234 | - | 2 | 6  | 6  | 2  | 14 | 16 | 36 | 52 | 55 | 45 | - |
| 2004..... | 231 | 2 | 4 | 9  | 3  | 6  | 10 | 25 | 26 | 40 | 70 | 36 | - |
| 2003..... | 237 | 1 | 2 | 4  | 8  | 7  | 15 | 25 | 29 | 43 | 72 | 31 | - |
| 2002..... | 258 | 1 | - | 1  | 6  | 8  | 15 | 38 | 39 | 54 | 65 | 31 | - |
| 2001..... | 236 | - | 4 | 4  | 8  | 11 | 17 | 25 | 29 | 52 | 49 | 37 | - |
| 2000..... | 221 | 2 | 1 | 1  | 4  | 8  | 16 | 28 | 39 | 40 | 58 | 24 | - |
| 1999..... | 213 | - | 2 | 10 | 3  | 5  | 13 | 33 | 32 | 35 | 46 | 34 | - |

Worktable Orig290F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2007

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data - mortality"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, sex, and year | All ages | Under 1 year | 1-4 years | 5-14 years | 15-24 years | 25-34 years | 35-44 years | 45-54 years | 55-64 years | 65-74 years | 75-84 years | 85 years and over | Age not stated |
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|

Diseases of appendix (K35-K38)

Non-Hispanic 1/, female

|           |     |   |   |    |   |   |    |    |    |    |    |    |   |
|-----------|-----|---|---|----|---|---|----|----|----|----|----|----|---|
| 2007..... | 156 | - | - | 5  | 4 | 3 | 2  | 11 | 12 | 33 | 44 | 42 | - |
| 2006..... | 157 | 2 | 2 | 2  | 1 | 4 | 5  | 12 | 23 | 25 | 31 | 50 | - |
| 2005..... | 179 | 1 | 1 | 3  | 2 | 5 | 3  | 15 | 16 | 21 | 51 | 61 | - |
| 2004..... | 187 | - | - | 2  | 3 | 1 | 1  | 12 | 21 | 33 | 67 | 47 | - |
| 2003..... | 170 | 2 | 3 | 2  | 2 | 7 | 9  | 16 | 13 | 17 | 56 | 43 | - |
| 2002..... | 193 | 1 | - | 4  | 3 | 1 | 7  | 15 | 18 | 32 | 51 | 61 | - |
| 2001..... | 162 | - | - | 1  | 5 | 3 | 8  | 10 | 14 | 32 | 34 | 55 | - |
| 2000..... | 189 | - | 3 | 10 | 2 | 1 | 10 | 14 | 16 | 29 | 60 | 44 | - |
| 1999..... | 145 | 2 | - | 7  | - | 1 | 7  | 11 | 13 | 30 | 47 | 27 | - |

Non-Hispanic white, both sexes

|              |     |   |   |    |   |   |    |    |    |    |     |     |   |
|--------------|-----|---|---|----|---|---|----|----|----|----|-----|-----|---|
| 2007 2/..... | 315 | - | - | 5  | 8 | 4 | 9  | 23 | 34 | 67 | 91  | 74  | - |
| 2006 2/..... | 314 | 2 | 2 | 2  | 4 | 4 | 16 | 18 | 36 | 70 | 79  | 81  | - |
| 2005 2/..... | 348 | 1 | 3 | 4  | 3 | 6 | 12 | 22 | 41 | 62 | 94  | 100 | - |
| 2004 2/..... | 344 | 2 | 3 | 6  | 3 | 3 | 7  | 27 | 39 | 62 | 116 | 76  | - |
| 2003 2/..... | 323 | 2 | 3 | 1  | 6 | 8 | 13 | 29 | 31 | 49 | 113 | 68  | - |
| 2002.....    | 377 | 1 | - | 2  | 4 | 7 | 13 | 39 | 50 | 69 | 108 | 84  | - |
| 2001.....    | 313 | - | 1 | 3  | 8 | 7 | 16 | 24 | 27 | 75 | 70  | 82  | - |
| 2000.....    | 323 | 2 | 3 | 9  | 3 | 2 | 17 | 28 | 45 | 52 | 97  | 65  | - |
| 1999.....    | 284 | 2 | - | 10 | 1 | 4 | 15 | 33 | 27 | 54 | 81  | 57  | - |



Worktable Orig290F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2007

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data - mortality"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, sex, and year | All ages | Under 1 year | 1-4 years | 5-14 years | 15-24 years | 25-34 years | 35-44 years | 45-54 years | 55-64 years | 65-74 years | 75-84 years | 85 years and over | Age not stated |
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|
| Diseases of appendix (K35-K38)   |          |              |           |            |             |             |             |             |             |             |             |                   |                |
| Non-Hispanic white, male   |          |              |           |            |             |             |             |             |             |             |             |                   |                |
| 2007 2/.....   | 193      | -            | -         | 2          | 6           | 4           | 9           | 15          | 27          | 41          | 55          | 34                | -              |
| 2006 2/.....   | 185      | -            | 1         | 1          | 4           | 2           | 13          | 10          | 22          | 47          | 51          | 34                | -              |
| 2005 2/.....   | 196      | -            | 2         | 3          | 2           | 2           | 9           | 11          | 30          | 45          | 50          | 42                | -              |
| 2004 2/.....   | 189      | 2            | 3         | 6          | 2           | 2           | 6           | 18          | 23          | 34          | 63          | 30                | -              |
| 2003 2/.....   | 192      | 1            | 2         | -          | 5           | 3           | 11          | 19          | 22          | 35          | 64          | 30                | -              |
| 2002.....  | 210      | -            | -         | -          | 2           | 6           | 11          | 28          | 35          | 43          | 60          | 25                | -              |
| 2001.....  | 182      | -            | 1         | 2          | 5           | 5           | 12          | 17          | 21          | 47          | 43          | 29                | -              |
| 2000.....  | 167      | 2            | 1         | 1          | 2           | 2           | 9           | 18          | 30          | 31          | 49          | 22                | -              |
| 1999.....  | 163      | -            | -         | 6          | 1           | 3           | 9           | 24          | 22          | 28          | 38          | 32                | -              |
| Non-Hispanic white, female   |          |              |           |            |             |             |             |             |             |             |             |                   |                |
| 2007 2/.....   | 122      | -            | -         | 3          | 2           | -           | -           | 8           | 7           | 26          | 36          | 40                | -              |
| 2006 2/.....   | 129      | 2            | 1         | 1          | -           | 2           | 3           | 8           | 14          | 23          | 28          | 47                | -              |
| 2005 2/.....   | 152      | 1            | 1         | 1          | 1           | 4           | 3           | 11          | 11          | 17          | 44          | 58                | -              |
| 2004 2/.....   | 155      | -            | -         | -          | 1           | 1           | 1           | 9           | 16          | 28          | 53          | 46                | -              |
| 2003 2/.....   | 131      | 1            | 1         | 1          | 1           | 5           | 2           | 10          | 9           | 14          | 49          | 38                | -              |
| 2002.....  | 167      | 1            | -         | 2          | 2           | 1           | 2           | 11          | 15          | 26          | 48          | 59                | -              |
| 2001.....  | 131      | -            | -         | 1          | 3           | 2           | 4           | 7           | 6           | 28          | 27          | 53                | -              |
| 2000.....  | 156      | -            | 2         | 8          | 1           | -           | 8           | 10          | 15          | 21          | 48          | 43                | -              |
| 1999.....  | 121      | 2            | -         | 4          | -           | 1           | 6           | 9           | 5           | 26          | 43          | 25                | -              |

Worktable Orig290F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2007

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data - mortality"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, sex, and year | All ages | Under 1 year | 1-4 years | 5-14 years | 15-24 years | 25-34 years | 35-44 years | 45-54 years | 55-64 years | 65-74 years | 75-84 years | 85 years and over | Age not stated |
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|

Diseases of appendix (K35-K38)

| Non-Hispanic black, both sexes |    |   |   |   |   |   |    |    |    |    |    |   |   |
|--------------------------------|----|---|---|---|---|---|----|----|----|----|----|---|---|
| 2007 2/.....                   | 64 | - | - | 5 | 5 | 4 | 5  | 12 | 14 | 7  | 8  | 4 | - |
| 2006 2/.....                   | 58 | - | 1 | 2 | 1 | 4 | 4  | 8  | 16 | 7  | 11 | 4 | - |
| 2005 2/.....                   | 55 | - | - | 4 | 5 | 1 | 5  | 9  | 9  | 9  | 9  | 4 | - |
| 2004 2/.....                   | 58 | - | 1 | 3 | 2 | 4 | 3  | 8  | 7  | 9  | 16 | 5 | - |
| 2003 2/.....                   | 70 | - | 2 | 5 | 4 | 5 | 11 | 8  | 10 | 9  | 11 | 5 | - |
| 2002.....                      | 61 | 1 | - | 3 | 5 | 2 | 5  | 13 | 6  | 13 | 5  | 8 | - |
| 2001.....                      | 72 | - | 2 | 2 | 5 | 6 | 8  | 9  | 16 | 7  | 11 | 6 | - |
| 2000.....                      | 77 | - | - | 2 | 2 | 7 | 9  | 12 | 10 | 16 | 16 | 3 | - |
| 1999.....                      | 67 | - | 2 | 7 | 1 | 2 | 5  | 10 | 17 | 9  | 11 | 3 | - |
| Non-Hispanic black, male       |    |   |   |   |   |   |    |    |    |    |    |   |   |
| 2007 2/.....                   | 39 | - | - | 3 | 5 | 1 | 3  | 10 | 9  | 3  | 2  | 3 | - |
| 2006 2/.....                   | 33 | - | - | 2 | - | 2 | 2  | 5  | 7  | 5  | 9  | 1 | - |
| 2005 2/.....                   | 33 | - | - | 3 | 4 | - | 5  | 5  | 5  | 6  | 4  | 1 | - |
| 2004 2/.....                   | 38 | - | 1 | 2 | 1 | 4 | 3  | 7  | 3  | 6  | 6  | 5 | - |
| 2003 2/.....                   | 37 | - | - | 4 | 3 | 3 | 4  | 4  | 6  | 7  | 5  | 1 | - |
| 2002.....                      | 40 | 1 | - | 1 | 4 | 2 | 1  | 10 | 3  | 8  | 4  | 6 | - |
| 2001.....                      | 47 | - | 2 | 2 | 3 | 6 | 5  | 7  | 8  | 4  | 5  | 5 | - |
| 2000.....                      | 48 | - | - | - | 1 | 6 | 7  | 8  | 9  | 9  | 6  | 2 | - |
| 1999.....                      | 47 | - | 2 | 4 | 1 | 2 | 4  | 9  | 9  | 6  | 8  | 2 | - |

Worktable Orig290F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2007

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data - mortality"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, sex, and year | All ages | Under 1 year | 1-4 years | 5-14 years | 15-24 years | 25-34 years | 35-44 years | 45-54 years | 55-64 years | 65-74 years | 75-84 years | 85 years and over | Age not stated |
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|

Diseases of appendix (K35-K38)

| Non-Hispanic black, female       |    |   |   |   |   |   |   |   |   |   |    |   |   |
|----------------------------------|----|---|---|---|---|---|---|---|---|---|----|---|---|
| 2007 2/.....                     | 25 | - | - | 2 | - | 3 | 2 | 2 | 5 | 4 | 6  | 1 | - |
| 2006 2/.....                     | 25 | - | 1 | - | 1 | 2 | 2 | 3 | 9 | 2 | 2  | 3 | - |
| 2005 2/.....                     | 22 | - | - | 1 | 1 | 1 | - | 4 | 4 | 3 | 5  | 3 | - |
| 2004 2/.....                     | 20 | - | - | 1 | 1 | - | - | 1 | 4 | 3 | 10 | - | - |
| 2003 2/.....                     | 33 | - | 2 | 1 | 1 | 2 | 7 | 4 | 4 | 2 | 6  | 4 | - |
| 2002.....                        | 21 | - | - | 2 | 1 | - | 4 | 3 | 3 | 5 | 1  | 2 | - |
| 2001.....                        | 25 | - | - | - | 2 | - | 3 | 2 | 8 | 3 | 6  | 1 | - |
| 2000.....                        | 29 | - | - | 2 | 1 | 1 | 2 | 4 | 1 | 7 | 10 | 1 | - |
| 1999.....                        | 20 | - | - | 3 | - | - | 1 | 1 | 8 | 3 | 3  | 1 | - |
| Origin not stated 3/, both sexes |    |   |   |   |   |   |   |   |   |   |    |   |   |
| 2007.....                        | 1  | - | - | - | - | - | - | - | - | - | -  | 1 | - |
| 2006.....                        | 2  | - | - | - | - | - | - | - | - | - | 1  | 1 | - |
| 2005.....                        | 1  | - | - | 1 | - | - | - | - | - | - | -  | - | - |
| 2004.....                        | 1  | - | - | - | - | - | - | - | 1 | - | -  | - | - |
| 2003.....                        | 1  | - | - | - | - | - | - | 1 | - | - | -  | - | - |
| 2002.....                        | 1  | - | - | - | - | - | - | - | 1 | - | -  | - | - |
| 2001.....                        | -  | - | - | - | - | - | - | - | - | - | -  | - | - |
| 2000.....                        | -  | - | - | - | - | - | - | - | - | - | -  | - | - |
| 1999.....                        | 3  | - | - | 1 | - | - | - | 1 | - | 1 | -  | - | - |



Worktable Orig290F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2007

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data - mortality"]

---

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, sex, and year

|  | All ages | Under 1 year | 1-4 years | 5-14 years | 15-24 years | 25-34 years | 35-44 years | 45-54 years | 55-64 years | 65-74 years | 75-84 years | 85 years and over | Age not stated |
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|

---

Hernia (K40-K46)

All origins, both sexes

|           |       |    |   |   |   |    |    |     |     |     |     |     |   |
|-----------|-------|----|---|---|---|----|----|-----|-----|-----|-----|-----|---|
| 2007..... | 1,698 | 35 | 5 | 2 | 2 | 8  | 35 | 98  | 170 | 244 | 474 | 625 | - |
| 2006..... | 1,744 | 34 | 3 | 2 | 7 | 9  | 40 | 87  | 178 | 234 | 510 | 640 | - |
| 2005..... | 1,639 | 43 | 4 | 2 | 2 | 5  | 39 | 83  | 181 | 210 | 454 | 616 | - |
| 2004..... | 1,602 | 40 | 4 | 4 | 9 | 10 | 36 | 88  | 130 | 239 | 509 | 533 | - |
| 2003..... | 1,613 | 37 | 6 | 6 | 3 | 5  | 28 | 105 | 161 | 237 | 462 | 563 | - |
| 2002..... | 1,595 | 29 | 3 | 7 | 5 | 11 | 35 | 77  | 126 | 225 | 489 | 588 | - |
| 2001..... | 1,522 | 43 | 2 | 3 | 3 | 15 | 34 | 82  | 131 | 213 | 443 | 553 | - |
| 2000..... | 1,522 | 46 | 4 | 3 | 5 | 5  | 31 | 84  | 113 | 210 | 466 | 555 | - |
| 1999..... | 1,464 | 44 | 3 | 2 | 3 | 16 | 39 | 55  | 107 | 215 | 451 | 529 | - |

All origins, male

|           |     |    |   |   |   |    |    |    |    |     |     |     |   |
|-----------|-----|----|---|---|---|----|----|----|----|-----|-----|-----|---|
| 2007..... | 708 | 21 | 3 | 1 | 1 | 2  | 18 | 55 | 91 | 111 | 191 | 214 | - |
| 2006..... | 739 | 20 | 2 | 1 | 5 | 6  | 22 | 45 | 83 | 112 | 215 | 228 | - |
| 2005..... | 646 | 28 | 1 | 1 | - | 1  | 15 | 45 | 91 | 86  | 175 | 203 | - |
| 2004..... | 652 | 20 | 1 | 2 | 5 | 7  | 22 | 45 | 62 | 120 | 198 | 170 | - |
| 2003..... | 668 | 20 | 4 | 4 | 1 | 4  | 16 | 59 | 72 | 111 | 199 | 178 | - |
| 2002..... | 599 | 18 | 3 | 5 | 4 | 7  | 17 | 35 | 56 | 103 | 189 | 162 | - |
| 2001..... | 587 | 28 | 1 | - | 1 | 10 | 16 | 44 | 64 | 94  | 173 | 156 | - |
| 2000..... | 586 | 28 | 3 | 3 | 3 | 1  | 13 | 45 | 49 | 92  | 195 | 154 | - |
| 1999..... | 597 | 26 | 2 | 1 | 3 | 8  | 23 | 32 | 60 | 93  | 192 | 157 | - |

Worktable Orig290F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2007

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data - mortality"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, sex, and year | All ages | Under 1 year | 1-4 years | 5-14 years | 15-24 years | 25-34 years | 35-44 years | 45-54 years | 55-64 years | 65-74 years | 75-84 years | 85 years and over | Age not stated |
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|

#### Hernia (K40-K46)

##### All origins, female

|           |       |    |   |   |   |   |    |    |    |     |     |     |   |
|-----------|-------|----|---|---|---|---|----|----|----|-----|-----|-----|---|
| 2007..... | 990   | 14 | 2 | 1 | 1 | 6 | 17 | 43 | 79 | 133 | 283 | 411 | - |
| 2006..... | 1,005 | 14 | 1 | 1 | 2 | 3 | 18 | 42 | 95 | 122 | 295 | 412 | - |
| 2005..... | 993   | 15 | 3 | 1 | 2 | 4 | 24 | 38 | 90 | 124 | 279 | 413 | - |
| 2004..... | 950   | 20 | 3 | 2 | 4 | 3 | 14 | 43 | 68 | 119 | 311 | 363 | - |
| 2003..... | 945   | 17 | 2 | 2 | 2 | 1 | 12 | 46 | 89 | 126 | 263 | 385 | - |
| 2002..... | 996   | 11 | - | 2 | 1 | 4 | 18 | 42 | 70 | 122 | 300 | 426 | - |
| 2001..... | 935   | 15 | 1 | 3 | 2 | 5 | 18 | 38 | 67 | 119 | 270 | 397 | - |
| 2000..... | 936   | 18 | 1 | - | 2 | 4 | 18 | 39 | 64 | 118 | 271 | 401 | - |
| 1999..... | 867   | 18 | 1 | 1 | - | 8 | 16 | 23 | 47 | 122 | 259 | 372 | - |

##### Hispanic, both sexes

|           |    |    |   |   |   |   |   |    |    |    |    |    |   |
|-----------|----|----|---|---|---|---|---|----|----|----|----|----|---|
| 2007..... | 97 | 6  | 1 | - | - | - | 5 | 14 | 9  | 14 | 20 | 28 | - |
| 2006..... | 97 | 6  | 2 | - | 2 | 5 | 7 | 6  | 8  | 17 | 27 | 17 | - |
| 2005..... | 86 | 9  | 1 | - | 1 | - | 6 | 3  | 9  | 13 | 18 | 26 | - |
| 2004..... | 88 | 11 | - | 1 | - | 2 | 2 | 7  | 8  | 19 | 24 | 14 | - |
| 2003..... | 88 | 3  | 2 | - | - | - | 2 | 14 | 15 | 15 | 23 | 14 | - |
| 2002..... | 81 | 3  | - | 2 | 2 | 1 | 5 | 6  | 14 | 14 | 19 | 15 | - |
| 2001..... | 92 | 9  | - | - | 2 | 1 | 7 | 8  | 9  | 12 | 24 | 20 | - |
| 2000..... | 85 | 9  | - | 1 | 1 | 1 | 1 | 7  | 9  | 14 | 23 | 19 | - |
| 1999..... | 66 | 3  | 1 | - | - | - | 3 | 4  | 5  | 16 | 17 | 17 | - |

Worktable Orig290F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2007

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data - mortality"]

---

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, sex, and year

|  | All ages | Under 1 year | 1-4 years | 5-14 years | 15-24 years | 25-34 years | 35-44 years | 45-54 years | 55-64 years | 65-74 years | 75-84 years | 85 years and over | Age not stated |
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|

---

Hernia (K40-K46)

|                  | All ages | Under 1 year | 1-4 years | 5-14 years | 15-24 years | 25-34 years | 35-44 years | 45-54 years | 55-64 years | 65-74 years | 75-84 years | 85 years and over | Age not stated |
|------------------|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|
| Hispanic, male   |          |              |           |            |             |             |             |             |             |             |             |                   |                |
| 2007.....        | 37       | 5            | 1         | -          | -           | -           | 1           | 6           | 5           | 3           | 8           | 8                 | -              |
| 2006.....        | 49       | 4            | 1         | -          | 2           | 4           | 4           | 5           | 3           | 8           | 13          | 5                 | -              |
| 2005.....        | 28       | 3            | -         | -          | -           | -           | 2           | 1           | 5           | 5           | 4           | 8                 | -              |
| 2004.....        | 31       | 4            | -         | -          | -           | 2           | 2           | 4           | 1           | 8           | 6           | 4                 | -              |
| 2003.....        | 38       | 2            | 2         | -          | -           | -           | 1           | 8           | 5           | 7           | 7           | 6                 | -              |
| 2002.....        | 35       | 2            | -         | 2          | 2           | 1           | 2           | 4           | 7           | 4           | 7           | 4                 | -              |
| 2001.....        | 32       | 7            | -         | -          | 1           | -           | 3           | 3           | 3           | 4           | 6           | 5                 | -              |
| 2000.....        | 33       | 6            | -         | 1          | -           | 1           | 1           | 5           | 3           | 3           | 10          | 3                 | -              |
| 1999.....        | 27       | 2            | 1         | -          | -           | -           | 2           | 3           | 4           | 6           | 6           | 3                 | -              |
| Hispanic, female |          |              |           |            |             |             |             |             |             |             |             |                   |                |
| 2007.....        | 60       | 1            | -         | -          | -           | -           | 4           | 8           | 4           | 11          | 12          | 20                | -              |
| 2006.....        | 48       | 2            | 1         | -          | -           | 1           | 3           | 1           | 5           | 9           | 14          | 12                | -              |
| 2005.....        | 58       | 6            | 1         | -          | 1           | -           | 4           | 2           | 4           | 8           | 14          | 18                | -              |
| 2004.....        | 57       | 7            | -         | 1          | -           | -           | -           | 3           | 7           | 11          | 18          | 10                | -              |
| 2003.....        | 50       | 1            | -         | -          | -           | -           | 1           | 6           | 10          | 8           | 16          | 8                 | -              |
| 2002.....        | 46       | 1            | -         | -          | -           | -           | 3           | 2           | 7           | 10          | 12          | 11                | -              |
| 2001.....        | 60       | 2            | -         | -          | 1           | 1           | 4           | 5           | 6           | 8           | 18          | 15                | -              |
| 2000.....        | 52       | 3            | -         | -          | 1           | -           | -           | 2           | 6           | 11          | 13          | 16                | -              |
| 1999.....        | 39       | 1            | -         | -          | -           | -           | 1           | 1           | 1           | 10          | 11          | 14                | -              |

Worktable Orig290F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2007

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data - mortality"]

---

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, sex, and year

|  | All ages | Under 1 year | 1-4 years | 5-14 years | 15-24 years | 25-34 years | 35-44 years | 45-54 years | 55-64 years | 65-74 years | 75-84 years | 85 years and over | Age not stated |
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|

---

Hernia (K40-K46)

| Non-Hispanic 1/, both sexes |       |    |   |   |   |    |    |    |     |     |     |     |   |
|-----------------------------|-------|----|---|---|---|----|----|----|-----|-----|-----|-----|---|
| 2007.....                   | 1,597 | 29 | 4 | 2 | 2 | 8  | 30 | 83 | 161 | 228 | 453 | 597 | - |
| 2006.....                   | 1,642 | 28 | 1 | 2 | 5 | 4  | 33 | 81 | 167 | 217 | 483 | 621 | - |
| 2005.....                   | 1,553 | 34 | 3 | 2 | 1 | 5  | 33 | 80 | 172 | 197 | 436 | 590 | - |
| 2004.....                   | 1,510 | 29 | 4 | 3 | 9 | 8  | 34 | 79 | 121 | 220 | 484 | 519 | - |
| 2003.....                   | 1,518 | 34 | 4 | 6 | 3 | 5  | 26 | 90 | 146 | 221 | 435 | 548 | - |
| 2002.....                   | 1,504 | 26 | 3 | 5 | 3 | 10 | 29 | 71 | 111 | 209 | 465 | 572 | - |
| 2001.....                   | 1,425 | 33 | 2 | 3 | 1 | 14 | 27 | 74 | 121 | 201 | 417 | 532 | - |
| 2000.....                   | 1,431 | 37 | 4 | 2 | 4 | 4  | 30 | 76 | 103 | 194 | 442 | 535 | - |
| 1999.....                   | 1,390 | 41 | 2 | 2 | 3 | 16 | 36 | 50 | 102 | 198 | 431 | 509 | - |
| Non-Hispanic 1/, male       |       |    |   |   |   |    |    |    |     |     |     |     |   |
| 2007.....                   | 669   | 16 | 2 | 1 | 1 | 2  | 17 | 48 | 86  | 107 | 183 | 206 | - |
| 2006.....                   | 688   | 16 | 1 | 1 | 3 | 2  | 18 | 40 | 78  | 104 | 202 | 223 | - |
| 2005.....                   | 618   | 25 | 1 | 1 | - | 1  | 13 | 44 | 86  | 81  | 171 | 195 | - |
| 2004.....                   | 617   | 16 | 1 | 2 | 5 | 5  | 20 | 39 | 60  | 112 | 191 | 166 | - |
| 2003.....                   | 626   | 18 | 2 | 4 | 1 | 4  | 15 | 50 | 67  | 103 | 190 | 172 | - |
| 2002.....                   | 558   | 16 | 3 | 3 | 2 | 6  | 14 | 31 | 49  | 98  | 178 | 158 | - |
| 2001.....                   | 552   | 20 | 1 | - | - | 10 | 13 | 41 | 60  | 90  | 166 | 151 | - |
| 2000.....                   | 550   | 22 | 3 | 2 | 3 | -  | 12 | 40 | 45  | 88  | 184 | 151 | - |
| 1999.....                   | 566   | 24 | 1 | 1 | 3 | 8  | 21 | 28 | 56  | 86  | 185 | 153 | - |



Worktable Orig290F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2007

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data - mortality"]

---

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, sex, and year

|  | All ages | Under 1 year | 1-4 years | 5-14 years | 15-24 years | 25-34 years | 35-44 years | 45-54 years | 55-64 years | 65-74 years | 75-84 years | 85 years and over | Age not stated |
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|

---

Hernia (K40-K46)

|                                | All ages | Under 1 year | 1-4 years | 5-14 years | 15-24 years | 25-34 years | 35-44 years | 45-54 years | 55-64 years | 65-74 years | 75-84 years | 85 years and over | Age not stated |
|--------------------------------|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|
| Non-Hispanic 1/, female        |          |              |           |            |             |             |             |             |             |             |             |                   |                |
| 2007.....                      | 928      | 13           | 2         | 1          | 1           | 6           | 13          | 35          | 75          | 121         | 270         | 391               | -              |
| 2006.....                      | 954      | 12           | -         | 1          | 2           | 2           | 15          | 41          | 89          | 113         | 281         | 398               | -              |
| 2005.....                      | 935      | 9            | 2         | 1          | 1           | 4           | 20          | 36          | 86          | 116         | 265         | 395               | -              |
| 2004.....                      | 893      | 13           | 3         | 1          | 4           | 3           | 14          | 40          | 61          | 108         | 293         | 353               | -              |
| 2003.....                      | 892      | 16           | 2         | 2          | 2           | 1           | 11          | 40          | 79          | 118         | 245         | 376               | -              |
| 2002.....                      | 946      | 10           | -         | 2          | 1           | 4           | 15          | 40          | 62          | 111         | 287         | 414               | -              |
| 2001.....                      | 873      | 13           | 1         | 3          | 1           | 4           | 14          | 33          | 61          | 111         | 251         | 381               | -              |
| 2000.....                      | 881      | 15           | 1         | -          | 1           | 4           | 18          | 36          | 58          | 106         | 258         | 384               | -              |
| 1999.....                      | 824      | 17           | 1         | 1          | -           | 8           | 15          | 22          | 46          | 112         | 246         | 356               | -              |
| Non-Hispanic white, both sexes |          |              |           |            |             |             |             |             |             |             |             |                   |                |
| 2007 2/.....                   | 1,407    | 22           | 2         | 1          | 2           | 5           | 20          | 59          | 135         | 190         | 402         | 569               | -              |
| 2006 2/.....                   | 1,448    | 21           | 1         | 1          | 4           | 2           | 23          | 63          | 145         | 184         | 425         | 579               | -              |
| 2005 2/.....                   | 1,372    | 26           | 3         | 1          | -           | 4           | 23          | 62          | 140         | 169         | 398         | 546               | -              |
| 2004 2/.....                   | 1,335    | 22           | 2         | 3          | 7           | 7           | 23          | 61          | 99          | 189         | 444         | 478               | -              |
| 2003 2/.....                   | 1,327    | 26           | 1         | 3          | 2           | 3           | 18          | 70          | 116         | 192         | 389         | 507               | -              |
| 2002.....                      | 1,343    | 21           | 2         | 5          | 3           | 5           | 20          | 52          | 88          | 176         | 431         | 540               | -              |
| 2001.....                      | 1,248    | 22           | 2         | 1          | -           | 12          | 18          | 59          | 97          | 173         | 374         | 490               | -              |
| 2000.....                      | 1,266    | 27           | 2         | 2          | 2           | 3           | 21          | 59          | 90          | 169         | 399         | 492               | -              |
| 1999.....                      | 1,227    | 31           | 2         | 2          | 2           | 10          | 27          | 36          | 89          | 167         | 390         | 471               | -              |

Worktable Orig290F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2007

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data - mortality"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, sex, and year | All ages | Under 1 year | 1-4 years | 5-14 years | 15-24 years | 25-34 years | 35-44 years | 45-54 years | 55-64 years | 65-74 years | 75-84 years | 85 years and over | Age not stated |
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|
| <b>Hernia (K40-K46)</b>  |          |              |           |            |             |             |             |             |             |             |             |                   |                |
| <b>Non-Hispanic white, male</b>  |          |              |           |            |             |             |             |             |             |             |             |                   |                |
| 2007 2/.....   | 571      | 13           | 1         | 1          | 1           | -           | 13          | 35          | 68          | 91          | 155         | 193               | -              |
| 2006 2/.....   | 606      | 12           | 1         | -          | 3           | 2           | 14          | 33          | 68          | 89          | 176         | 208               | -              |
| 2005 2/.....   | 540      | 19           | 1         | -          | -           | 1           | 10          | 37          | 71          | 71          | 153         | 177               | -              |
| 2004 2/.....   | 540      | 12           | -         | 2          | 4           | 4           | 13          | 33          | 51          | 95          | 175         | 151               | -              |
| 2003 2/.....   | 544      | 14           | 1         | 2          | 1           | 2           | 10          | 40          | 57          | 88          | 172         | 157               | -              |
| 2002.....  | 493      | 12           | 2         | 3          | 2           | 2           | 11          | 26          | 41          | 81          | 167         | 146               | -              |
| 2001.....  | 469      | 11           | 1         | -          | -           | 8           | 10          | 29          | 46          | 81          | 149         | 134               | -              |
| 2000.....  | 486      | 17           | 2         | 2          | 1           | -           | 9           | 29          | 40          | 78          | 170         | 138               | -              |
| 1999.....  | 505      | 18           | 1         | 1          | 2           | 5           | 18          | 22          | 53          | 79          | 171         | 135               | -              |
| <b>Non-Hispanic white, female</b>  |          |              |           |            |             |             |             |             |             |             |             |                   |                |
| 2007 2/.....   | 836      | 9            | 1         | -          | 1           | 5           | 7           | 24          | 67          | 99          | 247         | 376               | -              |
| 2006 2/.....   | 842      | 9            | -         | 1          | 1           | -           | 9           | 30          | 77          | 95          | 249         | 371               | -              |
| 2005 2/.....   | 832      | 7            | 2         | 1          | -           | 3           | 13          | 25          | 69          | 98          | 245         | 369               | -              |
| 2004 2/.....   | 795      | 10           | 2         | 1          | 3           | 3           | 10          | 28          | 48          | 94          | 269         | 327               | -              |
| 2003 2/.....   | 783      | 12           | -         | 1          | 1           | 1           | 8           | 30          | 59          | 104         | 217         | 350               | -              |
| 2002.....  | 850      | 9            | -         | 2          | 1           | 3           | 9           | 26          | 47          | 95          | 264         | 394               | -              |
| 2001.....  | 779      | 11           | 1         | 1          | -           | 4           | 8           | 30          | 51          | 92          | 225         | 356               | -              |
| 2000.....  | 780      | 10           | -         | -          | 1           | 3           | 12          | 30          | 50          | 91          | 229         | 354               | -              |
| 1999.....  | 722      | 13           | 1         | 1          | -           | 5           | 9           | 14          | 36          | 88          | 219         | 336               | -              |

Worktable Orig290F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2007

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data - mortality"]

---

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, sex, and year

|  | All ages | Under 1 year | 1-4 years | 5-14 years | 15-24 years | 25-34 years | 35-44 years | 45-54 years | 55-64 years | 65-74 years | 75-84 years | 85 years and over | Age not stated |
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|

---

Hernia (K40-K46)

| Non-Hispanic black, both sexes |     |    |   |   |   |   |    |    |    |    |    |    |   |
|--------------------------------|-----|----|---|---|---|---|----|----|----|----|----|----|---|
| 2007 2/.....                   | 164 | 7  | 2 | - | - | 3 | 8  | 19 | 24 | 36 | 41 | 24 | - |
| 2006 2/.....                   | 170 | 4  | - | 1 | - | 2 | 10 | 18 | 22 | 31 | 46 | 36 | - |
| 2005 2/.....                   | 151 | 5  | - | 1 | 1 | 1 | 8  | 16 | 28 | 25 | 32 | 34 | - |
| 2004 2/.....                   | 148 | 6  | 2 | - | 2 | 1 | 9  | 16 | 20 | 28 | 31 | 33 | - |
| 2003 2/.....                   | 163 | 8  | 3 | 3 | - | 2 | 8  | 18 | 28 | 24 | 38 | 31 | - |
| 2002.....                      | 137 | 4  | 1 | - | - | 3 | 8  | 17 | 21 | 27 | 30 | 26 | - |
| 2001.....                      | 155 | 10 | - | 1 | 1 | 2 | 9  | 15 | 23 | 25 | 33 | 36 | - |
| 2000.....                      | 142 | 7  | 2 | - | 2 | 1 | 8  | 13 | 12 | 21 | 36 | 40 | - |
| 1999.....                      | 139 | 9  | - | - | 1 | 4 | 9  | 12 | 12 | 24 | 37 | 31 | - |
| Non-Hispanic black, male       |     |    |   |   |   |   |    |    |    |    |    |    |   |
| 2007 2/.....                   | 84  | 3  | 1 | - | - | 2 | 3  | 10 | 17 | 14 | 22 | 12 | - |
| 2006 2/.....                   | 70  | 2  | - | 1 | - | - | 4  | 7  | 10 | 14 | 19 | 13 | - |
| 2005 2/.....                   | 66  | 4  | - | 1 | - | - | 3  | 7  | 12 | 10 | 16 | 13 | - |
| 2004 2/.....                   | 65  | 4  | 1 | - | 1 | 1 | 5  | 6  | 9  | 16 | 11 | 11 | - |
| 2003 2/.....                   | 71  | 4  | 1 | 2 | - | 2 | 5  | 9  | 10 | 13 | 14 | 11 | - |
| 2002.....                      | 56  | 3  | 1 | - | - | 2 | 3  | 5  | 7  | 15 | 11 | 9  | - |
| 2001.....                      | 74  | 8  | - | - | - | 2 | 3  | 12 | 13 | 7  | 14 | 15 | - |
| 2000.....                      | 52  | 3  | 1 | - | 2 | - | 2  | 9  | 4  | 9  | 11 | 11 | - |
| 1999.....                      | 53  | 6  | - | - | 1 | 1 | 3  | 6  | 2  | 7  | 13 | 14 | - |

Worktable Orig290F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2007

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data - mortality"]

---

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, sex, and year

|  | All ages | Under 1 year | 1-4 years | 5-14 years | 15-24 years | 25-34 years | 35-44 years | 45-54 years | 55-64 years | 65-74 years | 75-84 years | 85 years and over | Age not stated |
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|

---

Hernia (K40-K46)

Non-Hispanic black, female

|              |     |   |   |   |   |   |   |    |    |    |    |    |   |
|--------------|-----|---|---|---|---|---|---|----|----|----|----|----|---|
| 2007 2/..... | 80  | 4 | 1 | - | - | 1 | 5 | 9  | 7  | 22 | 19 | 12 | - |
| 2006 2/..... | 100 | 2 | - | - | - | 2 | 6 | 11 | 12 | 17 | 27 | 23 | - |
| 2005 2/..... | 85  | 1 | - | - | 1 | 1 | 5 | 9  | 16 | 15 | 16 | 21 | - |
| 2004 2/..... | 83  | 2 | 1 | - | 1 | - | 4 | 10 | 11 | 12 | 20 | 22 | - |
| 2003 2/..... | 92  | 4 | 2 | 1 | - | - | 3 | 9  | 18 | 11 | 24 | 20 | - |
| 2002.....    | 81  | 1 | - | - | - | 1 | 5 | 12 | 14 | 12 | 19 | 17 | - |
| 2001.....    | 81  | 2 | - | 1 | 1 | - | 6 | 3  | 10 | 18 | 19 | 21 | - |
| 2000.....    | 90  | 4 | 1 | - | - | 1 | 6 | 4  | 8  | 12 | 25 | 29 | - |
| 1999.....    | 86  | 3 | - | - | - | 3 | 6 | 6  | 10 | 17 | 24 | 17 | - |

Origin not stated 3/, both sexes

|           |    |   |   |   |   |   |   |   |   |   |   |   |   |
|-----------|----|---|---|---|---|---|---|---|---|---|---|---|---|
| 2007..... | 4  | - | - | - | - | - | - | 1 | - | 2 | 1 | - | - |
| 2006..... | 5  | - | - | - | - | - | - | - | 3 | - | - | 2 | - |
| 2005..... | -  | - | - | - | - | - | - | - | - | - | - | - | - |
| 2004..... | 4  | - | - | - | - | - | - | 2 | 1 | - | 1 | - | - |
| 2003..... | 7  | - | - | - | - | - | - | 1 | - | 1 | 4 | 1 | - |
| 2002..... | 10 | - | - | - | - | - | 1 | - | 1 | 2 | 5 | 1 | - |
| 2001..... | 5  | 1 | - | - | - | - | - | - | 1 | - | 2 | 1 | - |
| 2000..... | 6  | - | - | - | - | - | - | 1 | 1 | 2 | 1 | 1 | - |
| 1999..... | 8  | - | - | - | - | - | - | 1 | - | 1 | 3 | 3 | - |

Worktable Orig290F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2007

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data - mortality"]

---

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, sex, and year

|  | All ages | Under 1 year | 1-4 years | 5-14 years | 15-24 years | 25-34 years | 35-44 years | 45-54 years | 55-64 years | 65-74 years | 75-84 years | 85 years and over | Age not stated |
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|

---

Hernia (K40-K46)

|                              | All ages | Under 1 year | 1-4 years | 5-14 years | 15-24 years | 25-34 years | 35-44 years | 45-54 years | 55-64 years | 65-74 years | 75-84 years | 85 years and over | Age not stated |
|------------------------------|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|
| Origin not stated 3/, male   |          |              |           |            |             |             |             |             |             |             |             |                   |                |
| 2007.....                    | 2        | -            | -         | -          | -           | -           | -           | 1           | -           | 1           | -           | -                 | -              |
| 2006.....                    | 2        | -            | -         | -          | -           | -           | -           | -           | 2           | -           | -           | -                 | -              |
| 2005.....                    | -        | -            | -         | -          | -           | -           | -           | -           | -           | -           | -           | -                 | -              |
| 2004.....                    | 4        | -            | -         | -          | -           | -           | -           | 2           | 1           | -           | 1           | -                 | -              |
| 2003.....                    | 4        | -            | -         | -          | -           | -           | -           | 1           | -           | 1           | 2           | -                 | -              |
| 2002.....                    | 6        | -            | -         | -          | -           | -           | 1           | -           | -           | 1           | 4           | -                 | -              |
| 2001.....                    | 3        | 1            | -         | -          | -           | -           | -           | -           | 1           | -           | 1           | -                 | -              |
| 2000.....                    | 3        | -            | -         | -          | -           | -           | -           | -           | 1           | 1           | 1           | -                 | -              |
| 1999.....                    | 4        | -            | -         | -          | -           | -           | -           | 1           | -           | 1           | 1           | 1                 | -              |
| Origin not stated 3/, female |          |              |           |            |             |             |             |             |             |             |             |                   |                |
| 2007.....                    | 2        | -            | -         | -          | -           | -           | -           | -           | -           | 1           | 1           | -                 | -              |
| 2006.....                    | 3        | -            | -         | -          | -           | -           | -           | -           | 1           | -           | -           | 2                 | -              |
| 2005.....                    | -        | -            | -         | -          | -           | -           | -           | -           | -           | -           | -           | -                 | -              |
| 2004.....                    | -        | -            | -         | -          | -           | -           | -           | -           | -           | -           | -           | -                 | -              |
| 2003.....                    | 3        | -            | -         | -          | -           | -           | -           | -           | -           | -           | 2           | 1                 | -              |
| 2002.....                    | 4        | -            | -         | -          | -           | -           | -           | -           | 1           | 1           | 1           | 1                 | -              |
| 2001.....                    | 2        | -            | -         | -          | -           | -           | -           | -           | -           | -           | 1           | 1                 | -              |
| 2000.....                    | 3        | -            | -         | -          | -           | -           | -           | 1           | -           | 1           | -           | 1                 | -              |
| 1999.....                    | 4        | -            | -         | -          | -           | -           | -           | -           | -           | -           | 2           | 2                 | -              |

Worktable Orig290F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2007

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data - mortality"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, sex, and year | All ages | Under 1 year | 1-4 years | 5-14 years | 15-24 years | 25-34 years | 35-44 years | 45-54 years | 55-64 years | 65-74 years | 75-84 years | 85 years and over | Age not stated |
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|
| Chronic liver disease and cirrhosis (K70,K73-K74)  |          |              |           |            |             |             |             |             |             |             |             |                   |                |
| All origins, both sexes  |          |              |           |            |             |             |             |             |             |             |             |                   |                |
| 2007.....  | 29,165   | 4            | 4         | -          | 30          | 384         | 2,570       | 8,212       | 8,004       | 5,167       | 3,694       | 1,093             | 3              |
| 2006.....  | 27,555   | 5            | 3         | -          | 26          | 316         | 2,551       | 7,712       | 7,217       | 4,917       | 3,778       | 1,026             | 4              |
| 2005.....  | 27,530   | 10           | 1         | 2          | 23          | 311         | 2,688       | 7,517       | 7,126       | 5,066       | 3,781       | 1,002             | 3              |
| 2004.....  | 27,013   | 9            | 1         | 1          | 19          | 309         | 2,799       | 7,496       | 6,569       | 5,119       | 3,733       | 957               | 1              |
| 2003.....  | 27,503   | 2            | -         | -          | 16          | 358         | 3,020       | 7,466       | 6,428       | 5,406       | 3,858       | 946               | 3              |
| 2002.....  | 27,257   | 6            | 3         | 6          | 31          | 374         | 3,154       | 7,216       | 6,097       | 5,381       | 4,000       | 985               | 4              |
| 2001.....  | 27,035   | 3            | -         | 2          | 26          | 387         | 3,336       | 7,259       | 5,750       | 5,486       | 3,801       | 979               | 6              |
| 2000.....  | 26,552   | 3            | 3         | 3          | 36          | 415         | 3,371       | 6,654       | 5,774       | 5,482       | 3,829       | 979               | 3              |
| 1999.....  | 26,259   | 5            | 2         | 2          | 26          | 407         | 3,302       | 6,368       | 5,637       | 5,642       | 3,901       | 965               | 2              |
| All origins, male  |          |              |           |            |             |             |             |             |             |             |             |                   |                |
| 2007.....  | 19,151   | 3            | 2         | -          | 14          | 261         | 1,722       | 5,788       | 5,732       | 3,219       | 1,949       | 458               | 3              |
| 2006.....  | 17,866   | 2            | 3         | -          | 14          | 215         | 1,666       | 5,517       | 5,095       | 3,008       | 1,902       | 441               | 3              |
| 2005.....  | 17,937   | 6            | 1         | 1          | 13          | 196         | 1,786       | 5,423       | 5,094       | 3,052       | 1,920       | 442               | 3              |
| 2004.....  | 17,545   | 6            | -         | -          | 9           | 221         | 1,916       | 5,382       | 4,587       | 3,122       | 1,917       | 385               | -              |
| 2003.....  | 17,912   | 2            | -         | -          | 8           | 252         | 2,033       | 5,514       | 4,537       | 3,265       | 1,901       | 397               | 3              |
| 2002.....  | 17,401   | 6            | 1         | 3          | 14          | 236         | 2,079       | 5,285       | 4,228       | 3,197       | 1,953       | 395               | 4              |
| 2001.....  | 17,393   | 1            | -         | 2          | 12          | 259         | 2,206       | 5,295       | 4,028       | 3,335       | 1,833       | 416               | 6              |
| 2000.....  | 17,214   | 3            | 1         | 2          | 19          | 280         | 2,314       | 4,975       | 4,005       | 3,317       | 1,874       | 421               | 3              |
| 1999.....  | 17,115   | 4            | -         | 1          | 11          | 257         | 2,314       | 4,829       | 3,943       | 3,454       | 1,905       | 395               | 2              |

Worktable Orig290F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2007

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data - mortality"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, sex, and year | All ages | Under 1 year | 1-4 years | 5-14 years | 15-24 years | 25-34 years | 35-44 years | 45-54 years | 55-64 years | 65-74 years | 75-84 years | 85 years and over | Age not stated |
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|
| Chronic liver disease and cirrhosis (K70,K73-K74)  |          |              |           |            |             |             |             |             |             |             |             |                   |                |
| All origins, female  |          |              |           |            |             |             |             |             |             |             |             |                   |                |
| 2007.....  | 10,014   | 1            | 2         | -          | 16          | 123         | 848         | 2,424       | 2,272       | 1,948       | 1,745       | 635               | -              |
| 2006.....  | 9,689    | 3            | -         | -          | 12          | 101         | 885         | 2,195       | 2,122       | 1,909       | 1,876       | 585               | 1              |
| 2005.....  | 9,593    | 4            | -         | 1          | 10          | 115         | 902         | 2,094       | 2,032       | 2,014       | 1,861       | 560               | -              |
| 2004.....  | 9,468    | 3            | 1         | 1          | 10          | 88          | 883         | 2,114       | 1,982       | 1,997       | 1,816       | 572               | 1              |
| 2003.....  | 9,591    | -            | -         | -          | 8           | 106         | 987         | 1,952       | 1,891       | 2,141       | 1,957       | 549               | -              |
| 2002.....  | 9,856    | -            | 2         | 3          | 17          | 138         | 1,075       | 1,931       | 1,869       | 2,184       | 2,047       | 590               | -              |
| 2001.....  | 9,642    | 2            | -         | -          | 14          | 128         | 1,130       | 1,964       | 1,722       | 2,151       | 1,968       | 563               | -              |
| 2000.....  | 9,338    | -            | 2         | 1          | 17          | 135         | 1,057       | 1,679       | 1,769       | 2,165       | 1,955       | 558               | -              |
| 1999.....  | 9,144    | 1            | 2         | 1          | 15          | 150         | 988         | 1,539       | 1,694       | 2,188       | 1,996       | 570               | -              |
| Hispanic, both sexes   |          |              |           |            |             |             |             |             |             |             |             |                   |                |
| 2007.....  | 3,913    | 2            | 1         | -          | 3           | 103         | 462         | 1,167       | 954         | 700         | 420         | 100               | 1              |
| 2006.....  | 3,592    | 2            | -         | -          | 5           | 85          | 444         | 1,072       | 870         | 591         | 418         | 103               | 2              |
| 2005.....  | 3,555    | 4            | 1         | -          | 3           | 78          | 467         | 1,003       | 877         | 645         | 394         | 81                | 2              |
| 2004.....  | 3,383    | 1            | -         | 1          | 5           | 73          | 468         | 998         | 769         | 601         | 412         | 55                | -              |
| 2003.....  | 3,382    | 1            | -         | -          | 2           | 100         | 469         | 927         | 802         | 624         | 397         | 60                | -              |
| 2002.....  | 3,409    | 1            | 1         | 2          | 9           | 81          | 507         | 983         | 758         | 663         | 321         | 82                | 1              |
| 2001.....  | 3,301    | -            | -         | -          | 5           | 81          | 530         | 951         | 721         | 618         | 335         | 59                | 1              |
| 2000.....  | 3,187    | -            | 1         | -          | 7           | 92          | 501         | 854         | 708         | 628         | 323         | 73                | -              |
| 1999.....  | 2,972    | -            | -         | -          | 8           | 80          | 518         | 787         | 638         | 583         | 285         | 73                | -              |

Worktable Orig290F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2007

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data - mortality"]

---

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, sex, and year

|  | All ages | Under 1 year | 1-4 years | 5-14 years | 15-24 years | 25-34 years | 35-44 years | 45-54 years | 55-64 years | 65-74 years | 75-84 years | 85 years and over | Age not stated |
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|

---

Chronic liver disease and cirrhosis (K70,K73-K74)

| Hispanic, male   |       |   |   |   |   |    |     |     |     |     |     |    |   |
|------------------|-------|---|---|---|---|----|-----|-----|-----|-----|-----|----|---|
| 2007.....        | 2,799 | 2 | 1 | - | 1 | 81 | 382 | 929 | 723 | 441 | 195 | 43 | 1 |
| 2006.....        | 2,527 | 2 | - | - | 5 | 64 | 350 | 855 | 659 | 351 | 193 | 46 | 2 |
| 2005.....        | 2,561 | 3 | 1 | - | 3 | 62 | 369 | 814 | 664 | 408 | 206 | 29 | 2 |
| 2004.....        | 2,376 | 1 | - | - | 3 | 61 | 377 | 825 | 554 | 336 | 198 | 21 | - |
| 2003.....        | 2,387 | 1 | - | - | 2 | 79 | 380 | 768 | 616 | 332 | 186 | 23 | - |
| 2002.....        | 2,437 | 1 | - | 1 | 5 | 62 | 410 | 805 | 561 | 407 | 157 | 27 | 1 |
| 2001.....        | 2,410 | - | - | - | 2 | 67 | 425 | 782 | 555 | 386 | 170 | 22 | 1 |
| 2000.....        | 2,312 | - | - | - | 5 | 82 | 399 | 707 | 531 | 395 | 163 | 30 | - |
| 1999.....        | 2,143 | - | - | - | 5 | 62 | 421 | 647 | 481 | 360 | 136 | 31 | - |
|                  |       |   |   |   |   |    |     |     |     |     |     |    |   |
| Hispanic, female |       |   |   |   |   |    |     |     |     |     |     |    |   |
| 2007.....        | 1,114 | - | - | - | 2 | 22 | 80  | 238 | 231 | 259 | 225 | 57 | - |
| 2006.....        | 1,065 | - | - | - | - | 21 | 94  | 217 | 211 | 240 | 225 | 57 | - |
| 2005.....        | 994   | 1 | - | - | - | 16 | 98  | 189 | 213 | 237 | 188 | 52 | - |
| 2004.....        | 1,007 | - | - | 1 | 2 | 12 | 91  | 173 | 215 | 265 | 214 | 34 | - |
| 2003.....        | 995   | - | - | - | - | 21 | 89  | 159 | 186 | 292 | 211 | 37 | - |
| 2002.....        | 972   | - | 1 | 1 | 4 | 19 | 97  | 178 | 197 | 256 | 164 | 55 | - |
| 2001.....        | 891   | - | - | - | 3 | 14 | 105 | 169 | 166 | 232 | 165 | 37 | - |
| 2000.....        | 875   | - | 1 | - | 2 | 10 | 102 | 147 | 177 | 233 | 160 | 43 | - |
| 1999.....        | 829   | - | - | - | 3 | 18 | 97  | 140 | 157 | 223 | 149 | 42 | - |



Worktable Orig290F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2007

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data - mortality"]

---

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, sex, and year

|  | All ages | Under 1 year | 1-4 years | 5-14 years | 15-24 years | 25-34 years | 35-44 years | 45-54 years | 55-64 years | 65-74 years | 75-84 years | 85 years and over | Age not stated |
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|

---

Chronic liver disease and cirrhosis (K70,K73-K74)

| Non-Hispanic 1/, both sexes |        |   |   |   |    |     |       |       |       |       |       |     |   |
|-----------------------------|--------|---|---|---|----|-----|-------|-------|-------|-------|-------|-----|---|
| 2007.....                   | 25,190 | 2 | 3 | - | 25 | 276 | 2,104 | 7,026 | 7,029 | 4,461 | 3,270 | 992 | 2 |
| 2006.....                   | 23,892 | 3 | 3 | - | 21 | 229 | 2,098 | 6,620 | 6,322 | 4,318 | 3,354 | 922 | 2 |
| 2005.....                   | 23,882 | 6 | - | 2 | 20 | 232 | 2,207 | 6,480 | 6,226 | 4,408 | 3,379 | 921 | 1 |
| 2004.....                   | 23,542 | 8 | 1 | - | 14 | 236 | 2,325 | 6,455 | 5,779 | 4,505 | 3,317 | 901 | 1 |
| 2003.....                   | 24,030 | 1 | - | - | 14 | 257 | 2,541 | 6,508 | 5,596 | 4,771 | 3,454 | 886 | 2 |
| 2002.....                   | 23,733 | 5 | 2 | 4 | 22 | 291 | 2,632 | 6,198 | 5,307 | 4,700 | 3,668 | 902 | 2 |
| 2001.....                   | 23,629 | 3 | - | 1 | 21 | 305 | 2,796 | 6,280 | 5,002 | 4,846 | 3,455 | 917 | 3 |
| 2000.....                   | 23,251 | 3 | 2 | 3 | 29 | 319 | 2,856 | 5,762 | 5,041 | 4,833 | 3,498 | 903 | 2 |
| 1999.....                   | 23,185 | 5 | 2 | 2 | 18 | 326 | 2,767 | 5,547 | 4,978 | 5,044 | 3,606 | 888 | 2 |
| Non-Hispanic 1/, male       |        |   |   |   |    |     |       |       |       |       |       |     |   |
| 2007.....                   | 16,299 | 1 | 1 | - | 12 | 175 | 1,336 | 4,840 | 4,991 | 2,774 | 1,753 | 414 | 2 |
| 2006.....                   | 15,282 | - | 3 | - | 9  | 149 | 1,309 | 4,648 | 4,417 | 2,649 | 1,703 | 394 | 1 |
| 2005.....                   | 15,302 | 3 | - | 1 | 10 | 134 | 1,406 | 4,579 | 4,411 | 2,633 | 1,711 | 413 | 1 |
| 2004.....                   | 15,104 | 5 | - | - | 6  | 160 | 1,535 | 4,527 | 4,016 | 2,775 | 1,717 | 363 | - |
| 2003.....                   | 15,452 | 1 | - | - | 6  | 172 | 1,646 | 4,719 | 3,894 | 2,925 | 1,713 | 374 | 2 |
| 2002.....                   | 14,876 | 5 | 1 | 2 | 9  | 172 | 1,658 | 4,452 | 3,641 | 2,778 | 1,788 | 368 | 2 |
| 2001.....                   | 14,914 | 1 | - | 1 | 10 | 192 | 1,777 | 4,493 | 3,450 | 2,934 | 1,661 | 392 | 3 |
| 2000.....                   | 14,814 | 3 | 1 | 2 | 14 | 195 | 1,903 | 4,237 | 3,452 | 2,908 | 1,708 | 389 | 2 |
| 1999.....                   | 14,896 | 4 | - | 1 | 6  | 194 | 1,881 | 4,155 | 3,444 | 3,081 | 1,765 | 363 | 2 |

Worktable Orig290F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2007

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data - mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, sex, and year

|  | All ages | Under 1 year | 1-4 years | 5-14 years | 15-24 years | 25-34 years | 35-44 years | 45-54 years | 55-64 years | 65-74 years | 75-84 years | 85 years and over | Age not stated |
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|

Chronic liver disease and cirrhosis (K70,K73-K74)

Non-Hispanic 1/, female

|           |       |   |   |   |    |     |       |       |       |       |       |     |   |
|-----------|-------|---|---|---|----|-----|-------|-------|-------|-------|-------|-----|---|
| 2007..... | 8,891 | 1 | 2 | - | 13 | 101 | 768   | 2,186 | 2,038 | 1,687 | 1,517 | 578 | - |
| 2006..... | 8,610 | 3 | - | - | 12 | 80  | 789   | 1,972 | 1,905 | 1,669 | 1,651 | 528 | 1 |
| 2005..... | 8,580 | 3 | - | 1 | 10 | 98  | 801   | 1,901 | 1,815 | 1,775 | 1,668 | 508 | - |
| 2004..... | 8,438 | 3 | 1 | - | 8  | 76  | 790   | 1,928 | 1,763 | 1,730 | 1,600 | 538 | 1 |
| 2003..... | 8,578 | - | - | - | 8  | 85  | 895   | 1,789 | 1,702 | 1,846 | 1,741 | 512 | - |
| 2002..... | 8,857 | - | 1 | 2 | 13 | 119 | 974   | 1,746 | 1,666 | 1,922 | 1,880 | 534 | - |
| 2001..... | 8,715 | 2 | - | - | 11 | 113 | 1,019 | 1,787 | 1,552 | 1,912 | 1,794 | 525 | - |
| 2000..... | 8,437 | - | 1 | 1 | 15 | 124 | 953   | 1,525 | 1,589 | 1,925 | 1,790 | 514 | - |
| 1999..... | 8,289 | 1 | 2 | 1 | 12 | 132 | 886   | 1,392 | 1,534 | 1,963 | 1,841 | 525 | - |

Non-Hispanic white, both sexes

|              |        |   |   |   |    |     |       |       |       |       |       |     |   |
|--------------|--------|---|---|---|----|-----|-------|-------|-------|-------|-------|-----|---|
| 2007 2/..... | 21,598 | 1 | 3 | - | 16 | 206 | 1,726 | 5,851 | 5,927 | 3,930 | 3,015 | 921 | 2 |
| 2006 2/..... | 20,605 | 1 | 2 | - | 12 | 166 | 1,693 | 5,541 | 5,408 | 3,839 | 3,084 | 857 | 2 |
| 2005 2/..... | 20,428 | 4 | - | 2 | 12 | 156 | 1,814 | 5,323 | 5,258 | 3,929 | 3,079 | 851 | - |
| 2004 2/..... | 20,144 | 6 | 1 | - | 7  | 178 | 1,863 | 5,330 | 4,838 | 4,003 | 3,084 | 833 | 1 |
| 2003 2/..... | 20,602 | - | - | - | 7  | 186 | 2,068 | 5,310 | 4,706 | 4,256 | 3,239 | 828 | 2 |
| 2002.....    | 20,353 | 4 | 2 | 3 | 17 | 204 | 2,148 | 5,023 | 4,483 | 4,205 | 3,417 | 845 | 2 |
| 2001.....    | 20,065 | 3 | - | 1 | 5  | 227 | 2,212 | 5,035 | 4,189 | 4,307 | 3,222 | 862 | 2 |
| 2000.....    | 19,739 | - | 2 | 2 | 14 | 217 | 2,240 | 4,637 | 4,235 | 4,285 | 3,264 | 842 | 1 |
| 1999.....    | 19,602 | 4 | - | 1 | 7  | 243 | 2,148 | 4,430 | 4,117 | 4,482 | 3,347 | 821 | 2 |

Worktable Orig290F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2007

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data - mortality"]

---

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, sex, and year

|  | All ages | Under 1 year | 1-4 years | 5-14 years | 15-24 years | 25-34 years | 35-44 years | 45-54 years | 55-64 years | 65-74 years | 75-84 years | 85 years and over | Age not stated |
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|

---

Chronic liver disease and cirrhosis (K70,K73-K74)

| Non-Hispanic white, male   |        |   |   |   |    |     |       |       |       |       |       |     |   |
|----------------------------|--------|---|---|---|----|-----|-------|-------|-------|-------|-------|-----|---|
| 2007 2/.....               | 14,007 | - | 1 | - | 5  | 135 | 1,097 | 4,081 | 4,242 | 2,435 | 1,617 | 392 | 2 |
| 2006 2/.....               | 13,212 | - | 2 | - | 5  | 110 | 1,072 | 3,924 | 3,799 | 2,359 | 1,573 | 367 | 1 |
| 2005 2/.....               | 13,088 | 2 | - | 1 | 4  | 92  | 1,167 | 3,799 | 3,738 | 2,348 | 1,552 | 385 | - |
| 2004 2/.....               | 12,931 | 3 | - | - | 4  | 121 | 1,240 | 3,765 | 3,387 | 2,463 | 1,606 | 342 | - |
| 2003 2/.....               | 13,254 | - | - | - | 3  | 126 | 1,366 | 3,894 | 3,285 | 2,627 | 1,603 | 348 | 2 |
| 2002.....                  | 12,800 | 4 | 1 | 2 | 8  | 130 | 1,371 | 3,670 | 3,097 | 2,489 | 1,681 | 345 | 2 |
| 2001.....                  | 12,609 | 1 | - | 1 | 4  | 145 | 1,403 | 3,645 | 2,875 | 2,606 | 1,557 | 370 | 2 |
| 2000.....                  | 12,640 | - | 1 | 1 | 6  | 140 | 1,518 | 3,477 | 2,935 | 2,602 | 1,597 | 362 | 1 |
| 1999.....                  | 12,613 | 4 | - | - | 3  | 151 | 1,478 | 3,365 | 2,885 | 2,746 | 1,641 | 338 | 2 |
| Non-Hispanic white, female |        |   |   |   |    |     |       |       |       |       |       |     |   |
| 2007 2/.....               | 7,591  | 1 | 2 | - | 11 | 71  | 629   | 1,770 | 1,685 | 1,495 | 1,398 | 529 | - |
| 2006 2/.....               | 7,393  | 1 | - | - | 7  | 56  | 621   | 1,617 | 1,609 | 1,480 | 1,511 | 490 | 1 |
| 2005 2/.....               | 7,340  | 2 | - | 1 | 8  | 64  | 647   | 1,524 | 1,520 | 1,581 | 1,527 | 466 | - |
| 2004 2/.....               | 7,213  | 3 | 1 | - | 3  | 57  | 623   | 1,565 | 1,451 | 1,540 | 1,478 | 491 | 1 |
| 2003 2/.....               | 7,348  | - | - | - | 4  | 60  | 702   | 1,416 | 1,421 | 1,629 | 1,636 | 480 | - |
| 2002.....                  | 7,553  | - | 1 | 1 | 9  | 74  | 777   | 1,353 | 1,386 | 1,716 | 1,736 | 500 | - |
| 2001.....                  | 7,456  | 2 | - | - | 1  | 82  | 809   | 1,390 | 1,314 | 1,701 | 1,665 | 492 | - |
| 2000.....                  | 7,099  | - | 1 | 1 | 8  | 77  | 722   | 1,160 | 1,300 | 1,683 | 1,667 | 480 | - |
| 1999.....                  | 6,989  | - | - | 1 | 4  | 92  | 670   | 1,065 | 1,232 | 1,736 | 1,706 | 483 | - |

Worktable Orig290F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2007

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data - mortality"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, sex, and year | All ages | Under 1 year | 1-4 years | 5-14 years | 15-24 years | 25-34 years | 35-44 years | 45-54 years | 55-64 years | 65-74 years | 75-84 years | 85 years and over | Age not stated |
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|

Chronic liver disease and cirrhosis (K70,K73-K74)

Non-Hispanic black, both sexes

|              |       |   |   |   |    |    |     |     |     |     |     |    |   |
|--------------|-------|---|---|---|----|----|-----|-----|-----|-----|-----|----|---|
| 2007 2/..... | 2,525 | - | - | - | 6  | 26 | 200 | 843 | 857 | 399 | 155 | 39 | - |
| 2006 2/..... | 2,310 | 2 | 1 | - | 6  | 22 | 251 | 792 | 700 | 333 | 162 | 41 | - |
| 2005 2/..... | 2,495 | 2 | - | - | 4  | 33 | 234 | 884 | 751 | 352 | 190 | 44 | 1 |
| 2004 2/..... | 2,506 | 2 | - | - | 4  | 22 | 307 | 890 | 728 | 371 | 140 | 42 | - |
| 2003 2/..... | 2,582 | 1 | - | - | 3  | 41 | 323 | 936 | 700 | 401 | 135 | 42 | - |
| 2002.....    | 2,545 | 1 | - | 1 | 5  | 49 | 313 | 956 | 649 | 358 | 173 | 40 | - |
| 2001.....    | 2,733 | - | - | - | 10 | 45 | 420 | 993 | 649 | 412 | 169 | 34 | 1 |
| 2000.....    | 2,705 | 2 | - | 1 | 12 | 56 | 446 | 929 | 622 | 429 | 163 | 44 | 1 |
| 1999.....    | 2,793 | - | 2 | 1 | 10 | 54 | 453 | 905 | 691 | 432 | 193 | 52 | - |

Non-Hispanic black, male

|              |       |   |   |   |   |    |     |     |     |     |     |    |   |
|--------------|-------|---|---|---|---|----|-----|-----|-----|-----|-----|----|---|
| 2007 2/..... | 1,662 | - | - | - | 5 | 14 | 121 | 552 | 598 | 271 | 90  | 11 | - |
| 2006 2/..... | 1,485 | - | 1 | - | 3 | 9  | 151 | 530 | 472 | 214 | 88  | 17 | - |
| 2005 2/..... | 1,634 | 1 | - | - | 4 | 14 | 141 | 599 | 528 | 225 | 105 | 16 | 1 |
| 2004 2/..... | 1,650 | 2 | - | - | - | 14 | 197 | 608 | 501 | 242 | 72  | 14 | - |
| 2003 2/..... | 1,696 | 1 | - | - | 2 | 25 | 188 | 664 | 492 | 233 | 70  | 21 | - |
| 2002.....    | 1,592 | 1 | - | - | 1 | 26 | 180 | 637 | 436 | 221 | 75  | 15 | - |
| 2001.....    | 1,819 | - | - | - | 2 | 25 | 273 | 702 | 462 | 268 | 75  | 11 | 1 |
| 2000.....    | 1,709 | 2 | - | 1 | 6 | 26 | 279 | 633 | 408 | 255 | 81  | 17 | 1 |
| 1999.....    | 1,812 | - | - | 1 | 3 | 27 | 293 | 649 | 453 | 273 | 96  | 17 | - |

Worktable Orig290F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2007

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data - mortality"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, sex, and year | All ages | Under 1 year | 1-4 years | 5-14 years | 15-24 years | 25-34 years | 35-44 years | 45-54 years | 55-64 years | 65-74 years | 75-84 years | 85 years and over | Age not stated |
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|

Chronic liver disease and cirrhosis (K70,K73-K74)

Non-Hispanic black, female

|              |     |   |   |   |   |    |     |     |     |     |    |    |   |
|--------------|-----|---|---|---|---|----|-----|-----|-----|-----|----|----|---|
| 2007 2/..... | 863 | - | - | - | 1 | 12 | 79  | 291 | 259 | 128 | 65 | 28 | - |
| 2006 2/..... | 825 | 2 | - | - | 3 | 13 | 100 | 262 | 228 | 119 | 74 | 24 | - |
| 2005 2/..... | 861 | 1 | - | - | - | 19 | 93  | 285 | 223 | 127 | 85 | 28 | - |
| 2004 2/..... | 856 | - | - | - | 4 | 8  | 110 | 282 | 227 | 129 | 68 | 28 | - |
| 2003 2/..... | 886 | - | - | - | 1 | 16 | 135 | 272 | 208 | 168 | 65 | 21 | - |
| 2002.....    | 953 | - | - | 1 | 4 | 23 | 133 | 319 | 213 | 137 | 98 | 25 | - |
| 2001.....    | 914 | - | - | - | 8 | 20 | 147 | 291 | 187 | 144 | 94 | 23 | - |
| 2000.....    | 996 | - | - | - | 6 | 30 | 167 | 296 | 214 | 174 | 82 | 27 | - |
| 1999.....    | 981 | - | 2 | - | 7 | 27 | 160 | 256 | 238 | 159 | 97 | 35 | - |

Origin not stated 3/, both sexes

|           |     |   |   |   |   |   |    |    |    |    |    |   |   |
|-----------|-----|---|---|---|---|---|----|----|----|----|----|---|---|
| 2007..... | 62  | - | - | - | 2 | 5 | 4  | 19 | 21 | 6  | 4  | 1 | - |
| 2006..... | 71  | - | - | - | - | 2 | 9  | 20 | 25 | 8  | 6  | 1 | - |
| 2005..... | 93  | - | - | - | - | 1 | 14 | 34 | 23 | 13 | 8  | - | - |
| 2004..... | 88  | - | - | - | - | - | 6  | 43 | 21 | 13 | 4  | 1 | - |
| 2003..... | 91  | - | - | - | - | 1 | 10 | 31 | 30 | 11 | 7  | - | 1 |
| 2002..... | 115 | - | - | - | - | 2 | 15 | 35 | 32 | 18 | 11 | 1 | 1 |
| 2001..... | 105 | - | - | 1 | - | 1 | 10 | 28 | 27 | 22 | 11 | 3 | 2 |
| 2000..... | 114 | - | - | - | - | 4 | 14 | 38 | 25 | 21 | 8  | 3 | 1 |
| 1999..... | 102 | - | - | - | - | 1 | 17 | 34 | 21 | 15 | 10 | 4 | - |

Worktable Orig290F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2007

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data - mortality"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, sex, and year | All ages | Under 1 year | 1-4 years | 5-14 years | 15-24 years | 25-34 years | 35-44 years | 45-54 years | 55-64 years | 65-74 years | 75-84 years | 85 years and over | Age not stated |
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|

Chronic liver disease and cirrhosis (K70,K73-K74)

| Origin not stated 3/, male   |    |   |   |   |   |   |    |    |    |    |   |   |   |
|------------------------------|----|---|---|---|---|---|----|----|----|----|---|---|---|
| 2007.....                    | 53 | - | - | - | 1 | 5 | 4  | 19 | 18 | 4  | 1 | 1 | - |
| 2006.....                    | 57 | - | - | - | - | 2 | 7  | 14 | 19 | 8  | 6 | 1 | - |
| 2005.....                    | 74 | - | - | - | - | - | 11 | 30 | 19 | 11 | 3 | - | - |
| 2004.....                    | 65 | - | - | - | - | - | 4  | 30 | 17 | 11 | 2 | 1 | - |
| 2003.....                    | 73 | - | - | - | - | 1 | 7  | 27 | 27 | 8  | 2 | - | 1 |
| 2002.....                    | 88 | - | - | - | - | 2 | 11 | 28 | 26 | 12 | 8 | - | 1 |
| 2001.....                    | 69 | - | - | 1 | - | - | 4  | 20 | 23 | 15 | 2 | 2 | 2 |
| 2000.....                    | 88 | - | - | - | - | 3 | 12 | 31 | 22 | 14 | 3 | 2 | 1 |
| 1999.....                    | 76 | - | - | - | - | 1 | 12 | 27 | 18 | 13 | 4 | 1 | - |
| Origin not stated 3/, female |    |   |   |   |   |   |    |    |    |    |   |   |   |
| 2007.....                    | 9  | - | - | - | 1 | - | -  | -  | 3  | 2  | 3 | - | - |
| 2006.....                    | 14 | - | - | - | - | - | 2  | 6  | 6  | -  | - | - | - |
| 2005.....                    | 19 | - | - | - | - | 1 | 3  | 4  | 4  | 2  | 5 | - | - |
| 2004.....                    | 23 | - | - | - | - | - | 2  | 13 | 4  | 2  | 2 | - | - |
| 2003.....                    | 18 | - | - | - | - | - | 3  | 4  | 3  | 3  | 5 | - | - |
| 2002.....                    | 27 | - | - | - | - | - | 4  | 7  | 6  | 6  | 3 | 1 | - |
| 2001.....                    | 36 | - | - | - | - | 1 | 6  | 8  | 4  | 7  | 9 | 1 | - |
| 2000.....                    | 26 | - | - | - | - | 1 | 2  | 7  | 3  | 7  | 5 | 1 | - |
| 1999.....                    | 26 | - | - | - | - | - | 5  | 7  | 3  | 2  | 6 | 3 | - |

Worktable Orig290F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2007

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data - mortality"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, sex, and year | All ages | Under 1 year | 1-4 years | 5-14 years | 15-24 years | 25-34 years | 35-44 years | 45-54 years | 55-64 years | 65-74 years | 75-84 years | 85 years and over | Age not stated |
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|
| Alcoholic liver disease (K70)  |          |              |           |            |             |             |             |             |             |             |             |                   |                |
| All origins, both sexes  |          |              |           |            |             |             |             |             |             |             |             |                   |                |
| 2007.....  | 14,406   | -            | -         | -          | 17          | 293         | 1,834       | 5,126       | 4,309       | 1,959       | 747         | 118               | 3              |
| 2006.....  | 13,050   | -            | -         | -          | 14          | 245         | 1,732       | 4,562       | 3,823       | 1,783       | 773         | 117               | 1              |
| 2005.....  | 12,928   | -            | -         | -          | 7           | 217         | 1,806       | 4,490       | 3,721       | 1,844       | 747         | 94                | 2              |
| 2004.....  | 12,548   | -            | -         | -          | 11          | 228         | 1,871       | 4,392       | 3,393       | 1,841       | 709         | 102               | 1              |
| 2003.....  | 12,360   | -            | -         | -          | 6           | 243         | 1,971       | 4,288       | 3,247       | 1,788       | 729         | 86                | 2              |
| 2002.....  | 12,121   | -            | 1         | -          | 8           | 242         | 1,971       | 4,137       | 3,083       | 1,849       | 730         | 98                | 2              |
| 2001.....  | 12,207   | -            | -         | -          | 8           | 264         | 2,145       | 4,203       | 2,913       | 1,848       | 717         | 104               | 5              |
| 2000.....  | 12,109   | -            | -         | -          | 8           | 279         | 2,226       | 3,888       | 2,969       | 1,891       | 751         | 95                | 2              |
| 1999.....  | 11,958   | -            | -         | -          | 8           | 259         | 2,186       | 3,802       | 2,859       | 1,935       | 789         | 118               | 2              |
| All origins, male  |          |              |           |            |             |             |             |             |             |             |             |                   |                |
| 2007.....  | 10,549   | -            | -         | -          | 8           | 201         | 1,220       | 3,680       | 3,294       | 1,505       | 554         | 84                | 3              |
| 2006.....  | 9,443    | -            | -         | -          | 6           | 175         | 1,122       | 3,295       | 2,870       | 1,357       | 538         | 79                | 1              |
| 2005.....  | 9,425    | -            | -         | -          | 6           | 147         | 1,189       | 3,274       | 2,850       | 1,352       | 537         | 68                | 2              |
| 2004.....  | 9,155    | -            | -         | -          | 8           | 167         | 1,267       | 3,176       | 2,549       | 1,392       | 527         | 69                | -              |
| 2003.....  | 9,104    | -            | -         | -          | 3           | 182         | 1,317       | 3,228       | 2,459       | 1,343       | 518         | 52                | 2              |
| 2002.....  | 8,814    | -            | 1         | -          | 6           | 162         | 1,305       | 3,074       | 2,337       | 1,367       | 495         | 65                | 2              |
| 2001.....  | 8,932    | -            | -         | -          | 5           | 179         | 1,446       | 3,099       | 2,242       | 1,379       | 505         | 72                | 5              |
| 2000.....  | 8,985    | -            | -         | -          | 5           | 202         | 1,533       | 2,968       | 2,216       | 1,433       | 561         | 65                | 2              |
| 1999.....  | 8,922    | -            | -         | -          | 6           | 165         | 1,520       | 2,927       | 2,194       | 1,497       | 538         | 73                | 2              |

Worktable Orig290F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2007

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data - mortality"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, sex, and year | All ages | Under 1 year | 1-4 years | 5-14 years | 15-24 years | 25-34 years | 35-44 years | 45-54 years | 55-64 years | 65-74 years | 75-84 years | 85 years and over | Age not stated |
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|
| Alcoholic liver disease (K70)  |          |              |           |            |             |             |             |             |             |             |             |                   |                |
| All origins, female  |          |              |           |            |             |             |             |             |             |             |             |                   |                |
| 2007.....  | 3,857    | -            | -         | -          | 9           | 92          | 614         | 1,446       | 1,015       | 454         | 193         | 34                | -              |
| 2006.....  | 3,607    | -            | -         | -          | 8           | 70          | 610         | 1,267       | 953         | 426         | 235         | 38                | -              |
| 2005.....  | 3,503    | -            | -         | -          | 1           | 70          | 617         | 1,216       | 871         | 492         | 210         | 26                | -              |
| 2004.....  | 3,393    | -            | -         | -          | 3           | 61          | 604         | 1,216       | 844         | 449         | 182         | 33                | 1              |
| 2003.....  | 3,256    | -            | -         | -          | 3           | 61          | 654         | 1,060       | 788         | 445         | 211         | 34                | -              |
| 2002.....  | 3,307    | -            | -         | -          | 2           | 80          | 666         | 1,063       | 746         | 482         | 235         | 33                | -              |
| 2001.....  | 3,275    | -            | -         | -          | 3           | 85          | 699         | 1,104       | 671         | 469         | 212         | 32                | -              |
| 2000.....  | 3,124    | -            | -         | -          | 3           | 77          | 693         | 920         | 753         | 458         | 190         | 30                | -              |
| 1999.....  | 3,036    | -            | -         | -          | 2           | 94          | 666         | 875         | 665         | 438         | 251         | 45                | -              |
| Hispanic, both sexes   |          |              |           |            |             |             |             |             |             |             |             |                   |                |
| 2007.....  | 2,129    | -            | -         | -          | 2           | 77          | 323         | 764         | 544         | 284         | 114         | 20                | 1              |
| 2006.....  | 1,917    | -            | -         | -          | 1           | 70          | 309         | 683         | 491         | 233         | 111         | 19                | -              |
| 2005.....  | 1,805    | -            | -         | -          | 1           | 61          | 316         | 615         | 450         | 267         | 83          | 10                | 2              |
| 2004.....  | 1,685    | -            | -         | -          | 2           | 55          | 325         | 611         | 383         | 205         | 100         | 4                 | -              |
| 2003.....  | 1,712    | -            | -         | -          | 1           | 67          | 332         | 551         | 447         | 216         | 90          | 8                 | -              |
| 2002.....  | 1,679    | -            | -         | -          | 4           | 53          | 321         | 587         | 392         | 246         | 63          | 12                | 1              |
| 2001.....  | 1,729    | -            | -         | -          | -           | 65          | 341         | 582         | 396         | 240         | 94          | 10                | 1              |
| 2000.....  | 1,680    | -            | -         | -          | 4           | 66          | 353         | 526         | 400         | 247         | 78          | 6                 | -              |
| 1999.....  | 1,547    | -            | -         | -          | 2           | 50          | 342         | 499         | 356         | 213         | 69          | 16                | -              |



Worktable Orig290F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2007

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data - mortality"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, sex, and year | All ages | Under 1 year | 1-4 years | 5-14 years | 15-24 years | 25-34 years | 35-44 years | 45-54 years | 55-64 years | 65-74 years | 75-84 years | 85 years and over | Age not stated |
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|
| <b>Alcoholic liver disease (K70)</b>   |          |              |           |            |             |             |             |             |             |             |             |                   |                |
| <b>Hispanic, male</b>  |          |              |           |            |             |             |             |             |             |             |             |                   |                |
| 2007.....  | 1,776    | -            | -         | -          | 1           | 62          | 272         | 630         | 465         | 241         | 86          | 18                | 1              |
| 2006.....  | 1,577    | -            | -         | -          | 1           | 56          | 243         | 565         | 412         | 198         | 86          | 16                | -              |
| 2005.....  | 1,508    | -            | -         | -          | 1           | 50          | 255         | 514         | 380         | 225         | 71          | 10                | 2              |
| 2004.....  | 1,414    | -            | -         | -          | 2           | 48          | 266         | 539         | 314         | 162         | 79          | 4                 | -              |
| 2003.....  | 1,425    | -            | -         | -          | 1           | 53          | 273         | 487         | 380         | 157         | 69          | 5                 | -              |
| 2002.....  | 1,418    | -            | -         | -          | 4           | 47          | 271         | 493         | 339         | 211         | 44          | 8                 | 1              |
| 2001.....  | 1,457    | -            | -         | -          | -           | 55          | 282         | 494         | 338         | 210         | 68          | 9                 | 1              |
| 2000.....  | 1,442    | -            | -         | -          | 4           | 62          | 282         | 455         | 344         | 221         | 69          | 5                 | -              |
| 1999.....  | 1,294    | -            | -         | -          | 2           | 41          | 276         | 426         | 307         | 180         | 52          | 10                | -              |
| <b>Hispanic, female</b>  |          |              |           |            |             |             |             |             |             |             |             |                   |                |
| 2007.....  | 353      | -            | -         | -          | 1           | 15          | 51          | 134         | 79          | 43          | 28          | 2                 | -              |
| 2006.....  | 340      | -            | -         | -          | -           | 14          | 66          | 118         | 79          | 35          | 25          | 3                 | -              |
| 2005.....  | 297      | -            | -         | -          | -           | 11          | 61          | 101         | 70          | 42          | 12          | -                 | -              |
| 2004.....  | 271      | -            | -         | -          | -           | 7           | 59          | 72          | 69          | 43          | 21          | -                 | -              |
| 2003.....  | 287      | -            | -         | -          | -           | 14          | 59          | 64          | 67          | 59          | 21          | 3                 | -              |
| 2002.....  | 261      | -            | -         | -          | -           | 6           | 50          | 94          | 53          | 35          | 19          | 4                 | -              |
| 2001.....  | 272      | -            | -         | -          | -           | 10          | 59          | 88          | 58          | 30          | 26          | 1                 | -              |
| 2000.....  | 238      | -            | -         | -          | -           | 4           | 71          | 71          | 56          | 26          | 9           | 1                 | -              |
| 1999.....  | 253      | -            | -         | -          | -           | 9           | 66          | 73          | 49          | 33          | 17          | 6                 | -              |

Worktable Orig290F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2007

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data - mortality"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, sex, and year | All ages | Under 1 year | 1-4 years | 5-14 years | 15-24 years | 25-34 years | 35-44 years | 45-54 years | 55-64 years | 65-74 years | 75-84 years | 85 years and over | Age not stated |
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|
| Alcoholic liver disease (K70)  |          |              |           |            |             |             |             |             |             |             |             |                   |                |
| Non-Hispanic 1/, both sexes  |          |              |           |            |             |             |             |             |             |             |             |                   |                |
| 2007.....  | 12,240   | -            | -         | -          | 13          | 211         | 1,509       | 4,349       | 3,753       | 1,672       | 633         | 98                | 2              |
| 2006.....  | 11,101   | -            | -         | -          | 13          | 175         | 1,418       | 3,870       | 3,321       | 1,545       | 661         | 97                | 1              |
| 2005.....  | 11,067   | -            | -         | -          | 6           | 156         | 1,480       | 3,853       | 3,257       | 1,567       | 664         | 84                | -              |
| 2004.....  | 10,814   | -            | -         | -          | 9           | 173         | 1,545       | 3,753       | 2,997       | 1,630       | 608         | 98                | 1              |
| 2003.....  | 10,599   | -            | -         | -          | 5           | 176         | 1,633       | 3,718       | 2,783       | 1,566       | 638         | 78                | 2              |
| 2002.....  | 10,377   | -            | 1         | -          | 4           | 188         | 1,639       | 3,527       | 2,671       | 1,597       | 663         | 86                | 1              |
| 2001.....  | 10,423   | -            | -         | -          | 8           | 198         | 1,801       | 3,603       | 2,499       | 1,596       | 622         | 94                | 2              |
| 2000.....  | 10,370   | -            | -         | -          | 4           | 211         | 1,865       | 3,337       | 2,554       | 1,639       | 671         | 88                | 1              |
| 1999.....  | 10,353   | -            | -         | -          | 6           | 208         | 1,831       | 3,283       | 2,491       | 1,713       | 717         | 102               | 2              |
| Non-Hispanic 1/, male  |          |              |           |            |             |             |             |             |             |             |             |                   |                |
| 2007.....  | 8,740    | -            | -         | -          | 6           | 134         | 946         | 3,037       | 2,819       | 1,262       | 468         | 66                | 2              |
| 2006.....  | 7,837    | -            | -         | -          | 5           | 119         | 875         | 2,721       | 2,449       | 1,154       | 451         | 62                | 1              |
| 2005.....  | 7,870    | -            | -         | -          | 5           | 97          | 927         | 2,742       | 2,457       | 1,118       | 466         | 58                | -              |
| 2004.....  | 7,700    | -            | -         | -          | 6           | 119         | 1,000       | 2,615       | 2,223       | 1,225       | 447         | 65                | -              |
| 2003.....  | 7,638    | -            | -         | -          | 2           | 129         | 1,041       | 2,725       | 2,063       | 1,181       | 448         | 47                | 2              |
| 2002.....  | 7,342    | -            | 1         | -          | 2           | 114         | 1,027       | 2,562       | 1,981       | 1,150       | 447         | 57                | 1              |
| 2001.....  | 7,431    | -            | -         | -          | 5           | 124         | 1,162       | 2,592       | 1,888       | 1,158       | 437         | 63                | 2              |
| 2000.....  | 7,492    | -            | -         | -          | 1           | 139         | 1,243       | 2,492       | 1,859       | 1,208       | 490         | 59                | 1              |
| 1999.....  | 7,580    | -            | -         | -          | 4           | 123         | 1,235       | 2,485       | 1,877       | 1,308       | 483         | 63                | 2              |

Worktable Orig290F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2007

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data - mortality"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, sex, and year | All ages | Under 1 year | 1-4 years | 5-14 years | 15-24 years | 25-34 years | 35-44 years | 45-54 years | 55-64 years | 65-74 years | 75-84 years | 85 years and over | Age not stated |
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|
| <b>Alcoholic liver disease (K70)</b>   |          |              |           |            |             |             |             |             |             |             |             |                   |                |
| <b>Non-Hispanic 1/, female</b>   |          |              |           |            |             |             |             |             |             |             |             |                   |                |
| 2007.....  | 3,500    | -            | -         | -          | 7           | 77          | 563         | 1,312       | 934         | 410         | 165         | 32                | -              |
| 2006.....  | 3,264    | -            | -         | -          | 8           | 56          | 543         | 1,149       | 872         | 391         | 210         | 35                | -              |
| 2005.....  | 3,197    | -            | -         | -          | 1           | 59          | 553         | 1,111       | 800         | 449         | 198         | 26                | -              |
| 2004.....  | 3,114    | -            | -         | -          | 3           | 54          | 545         | 1,138       | 774         | 405         | 161         | 33                | 1              |
| 2003.....  | 2,961    | -            | -         | -          | 3           | 47          | 592         | 993         | 720         | 385         | 190         | 31                | -              |
| 2002.....  | 3,035    | -            | -         | -          | 2           | 74          | 612         | 965         | 690         | 447         | 216         | 29                | -              |
| 2001.....  | 2,992    | -            | -         | -          | 3           | 74          | 639         | 1,011       | 611         | 438         | 185         | 31                | -              |
| 2000.....  | 2,878    | -            | -         | -          | 3           | 72          | 622         | 845         | 695         | 431         | 181         | 29                | -              |
| 1999.....  | 2,773    | -            | -         | -          | 2           | 85          | 596         | 798         | 614         | 405         | 234         | 39                | -              |
| <b>Non-Hispanic white, both sexes</b>  |          |              |           |            |             |             |             |             |             |             |             |                   |                |
| 2007 2/.....   | 10,423   | -            | -         | -          | 9           | 156         | 1,245       | 3,678       | 3,222       | 1,446       | 575         | 90                | 2              |
| 2006 2/.....   | 9,512    | -            | -         | -          | 7           | 124         | 1,160       | 3,282       | 2,891       | 1,350       | 605         | 92                | 1              |
| 2005 2/.....   | 9,372    | -            | -         | -          | 3           | 105         | 1,204       | 3,229       | 2,785       | 1,368       | 600         | 78                | -              |
| 2004 2/.....   | 9,153    | -            | -         | -          | 5           | 134         | 1,261       | 3,153       | 2,524       | 1,429       | 555         | 91                | 1              |
| 2003 2/.....   | 8,902    | -            | -         | -          | 3           | 131         | 1,325       | 3,068       | 2,342       | 1,368       | 592         | 71                | 2              |
| 2002.....  | 8,713    | -            | 1         | -          | 1           | 133         | 1,335       | 2,907       | 2,255       | 1,403       | 601         | 76                | 1              |
| 2001.....  | 8,635    | -            | -         | -          | 2           | 146         | 1,431       | 2,935       | 2,092       | 1,381       | 566         | 80                | 2              |
| 2000.....  | 8,556    | -            | -         | -          | 2           | 150         | 1,454       | 2,703       | 2,126       | 1,439       | 601         | 81                | -              |
| 1999.....  | 8,470    | -            | -         | -          | 3           | 155         | 1,414       | 2,649       | 2,045       | 1,480       | 636         | 86                | 2              |

Worktable Orig290F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2007

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data - mortality"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, sex, and year | All ages | Under 1 year | 1-4 years | 5-14 years | 15-24 years | 25-34 years | 35-44 years | 45-54 years | 55-64 years | 65-74 years | 75-84 years | 85 years and over | Age not stated |
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|
| <b>Alcoholic liver disease (K70)</b>   |          |              |           |            |             |             |             |             |             |             |             |                   |                |
| <b>Non-Hispanic white, male</b>  |          |              |           |            |             |             |             |             |             |             |             |                   |                |
| 2007 2/.....   | 7,494    | -            | -         | -          | 4           | 103         | 779         | 2,591       | 2,443       | 1,085       | 426         | 61                | 2              |
| 2006 2/.....   | 6,778    | -            | -         | -          | 2           | 86          | 734         | 2,326       | 2,145       | 1,011       | 415         | 58                | 1              |
| 2005 2/.....   | 6,714    | -            | -         | -          | 2           | 67          | 768         | 2,307       | 2,119       | 977         | 420         | 54                | -              |
| 2004 2/.....   | 6,558    | -            | -         | -          | 4           | 92          | 818         | 2,219       | 1,883       | 1,073       | 408         | 61                | -              |
| 2003 2/.....   | 6,467    | -            | -         | -          | 1           | 96          | 858         | 2,262       | 1,753       | 1,039       | 413         | 43                | 2              |
| 2002.....  | 6,242    | -            | 1         | -          | 1           | 87          | 838         | 2,143       | 1,701       | 1,012       | 409         | 49                | 1              |
| 2001.....  | 6,209    | -            | -         | -          | 2           | 96          | 922         | 2,152       | 1,583       | 997         | 401         | 54                | 2              |
| 2000.....  | 6,296    | -            | -         | -          | -           | 105         | 979         | 2,068       | 1,579       | 1,065       | 446         | 54                | -              |
| 1999.....  | 6,288    | -            | -         | -          | 2           | 95          | 967         | 2,041       | 1,566       | 1,131       | 431         | 53                | 2              |
| <b>Non-Hispanic white, female</b>  |          |              |           |            |             |             |             |             |             |             |             |                   |                |
| 2007 2/.....   | 2,929    | -            | -         | -          | 5           | 53          | 466         | 1,087       | 779         | 361         | 149         | 29                | -              |
| 2006 2/.....   | 2,734    | -            | -         | -          | 5           | 38          | 426         | 956         | 746         | 339         | 190         | 34                | -              |
| 2005 2/.....   | 2,658    | -            | -         | -          | 1           | 38          | 436         | 922         | 666         | 391         | 180         | 24                | -              |
| 2004 2/.....   | 2,595    | -            | -         | -          | 1           | 42          | 443         | 934         | 641         | 356         | 147         | 30                | 1              |
| 2003 2/.....   | 2,435    | -            | -         | -          | 2           | 35          | 467         | 806         | 589         | 329         | 179         | 28                | -              |
| 2002.....  | 2,471    | -            | -         | -          | -           | 46          | 497         | 764         | 554         | 391         | 192         | 27                | -              |
| 2001.....  | 2,426    | -            | -         | -          | -           | 50          | 509         | 783         | 509         | 384         | 165         | 26                | -              |
| 2000.....  | 2,260    | -            | -         | -          | 2           | 45          | 475         | 635         | 547         | 374         | 155         | 27                | -              |
| 1999.....  | 2,182    | -            | -         | -          | 1           | 60          | 447         | 608         | 479         | 349         | 205         | 33                | -              |

Worktable Orig290F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2007

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data - mortality"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, sex, and year | All ages | Under 1 year | 1-4 years | 5-14 years | 15-24 years | 25-34 years | 35-44 years | 45-54 years | 55-64 years | 65-74 years | 75-84 years | 85 years and over | Age not stated |
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|
| <b>Alcoholic liver disease (K70)</b>   |          |              |           |            |             |             |             |             |             |             |             |                   |                |
| <b>Non-Hispanic black, both sexes</b>  |          |              |           |            |             |             |             |             |             |             |             |                   |                |
| 2007 2/.....   | 1,191    | -            | -         | -          | 3           | 19          | 126         | 430         | 394         | 174         | 39          | 6                 | -              |
| 2006 2/.....   | 1,021    | -            | -         | -          | 3           | 17          | 139         | 385         | 297         | 136         | 41          | 3                 | -              |
| 2005 2/.....   | 1,154    | -            | -         | -          | 2           | 15          | 149         | 445         | 342         | 151         | 45          | 5                 | -              |
| 2004 2/.....   | 1,160    | -            | -         | -          | 2           | 9           | 164         | 437         | 360         | 154         | 31          | 3                 | -              |
| 2003 2/.....   | 1,206    | -            | -         | -          | -           | 19          | 187         | 465         | 340         | 157         | 33          | 5                 | -              |
| 2002.....  | 1,173    | -            | -         | -          | 3           | 26          | 169         | 461         | 315         | 143         | 48          | 8                 | -              |
| 2001.....  | 1,331    | -            | -         | -          | 1           | 26          | 244         | 508         | 324         | 176         | 43          | 9                 | -              |
| 2000.....  | 1,370    | -            | -         | -          | -           | 34          | 285         | 505         | 321         | 169         | 50          | 5                 | 1              |
| 1999.....  | 1,445    | -            | -         | -          | 2           | 28          | 281         | 507         | 358         | 191         | 64          | 14                | -              |
| <b>Non-Hispanic black, male</b>  |          |              |           |            |             |             |             |             |             |             |             |                   |                |
| 2007 2/.....   | 843      | -            | -         | -          | 2           | 10          | 76          | 294         | 289         | 139         | 30          | 3                 | -              |
| 2006 2/.....   | 690      | -            | -         | -          | 2           | 8           | 80          | 261         | 209         | 100         | 27          | 3                 | -              |
| 2005 2/.....   | 790      | -            | -         | -          | 2           | 6           | 82          | 309         | 246         | 110         | 32          | 3                 | -              |
| 2004 2/.....   | 805      | -            | -         | -          | -           | 7           | 106         | 290         | 260         | 121         | 19          | 2                 | -              |
| 2003 2/.....   | 850      | -            | -         | -          | -           | 14          | 110         | 344         | 242         | 112         | 24          | 4                 | -              |
| 2002.....  | 783      | -            | -         | -          | 1           | 14          | 103         | 314         | 212         | 103         | 30          | 6                 | -              |
| 2001.....  | 926      | -            | -         | -          | -           | 12          | 160         | 349         | 239         | 135         | 26          | 5                 | -              |
| 2000.....  | 910      | -            | -         | -          | -           | 17          | 185         | 339         | 208         | 123         | 33          | 4                 | 1              |
| 1999.....  | 1,001    | -            | -         | -          | 2           | 14          | 178         | 358         | 254         | 146         | 41          | 8                 | -              |

Worktable Orig290F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2007

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data - mortality"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, sex, and year | All ages | Under 1 year | 1-4 years | 5-14 years | 15-24 years | 25-34 years | 35-44 years | 45-54 years | 55-64 years | 65-74 years | 75-84 years | 85 years and over | Age not stated |
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|
| Alcoholic liver disease (K70)  |          |              |           |            |             |             |             |             |             |             |             |                   |                |
| Non-Hispanic black, female   |          |              |           |            |             |             |             |             |             |             |             |                   |                |
| 2007 2/.....   | 348      | -            | -         | -          | 1           | 9           | 50          | 136         | 105         | 35          | 9           | 3                 | -              |
| 2006 2/.....   | 331      | -            | -         | -          | 1           | 9           | 59          | 124         | 88          | 36          | 14          | -                 | -              |
| 2005 2/.....   | 364      | -            | -         | -          | -           | 9           | 67          | 136         | 96          | 41          | 13          | 2                 | -              |
| 2004 2/.....   | 355      | -            | -         | -          | 2           | 2           | 58          | 147         | 100         | 33          | 12          | 1                 | -              |
| 2003 2/.....   | 356      | -            | -         | -          | -           | 5           | 77          | 121         | 98          | 45          | 9           | 1                 | -              |
| 2002.....  | 390      | -            | -         | -          | 2           | 12          | 66          | 147         | 103         | 40          | 18          | 2                 | -              |
| 2001.....  | 405      | -            | -         | -          | 1           | 14          | 84          | 159         | 85          | 41          | 17          | 4                 | -              |
| 2000.....  | 460      | -            | -         | -          | -           | 17          | 100         | 166         | 113         | 46          | 17          | 1                 | -              |
| 1999.....  | 444      | -            | -         | -          | -           | 14          | 103         | 149         | 104         | 45          | 23          | 6                 | -              |
| Origin not stated 3/, both sexes   |          |              |           |            |             |             |             |             |             |             |             |                   |                |
| 2007.....  | 37       | -            | -         | -          | 2           | 5           | 2           | 13          | 12          | 3           | -           | -                 | -              |
| 2006.....  | 32       | -            | -         | -          | -           | -           | 5           | 9           | 11          | 5           | 1           | 1                 | -              |
| 2005.....  | 56       | -            | -         | -          | -           | -           | 10          | 22          | 14          | 10          | -           | -                 | -              |
| 2004.....  | 49       | -            | -         | -          | -           | -           | 1           | 28          | 13          | 6           | 1           | -                 | -              |
| 2003.....  | 49       | -            | -         | -          | -           | -           | 6           | 19          | 17          | 6           | 1           | -                 | -              |
| 2002.....  | 65       | -            | -         | -          | -           | 1           | 11          | 23          | 20          | 6           | 4           | -                 | -              |
| 2001.....  | 55       | -            | -         | -          | -           | 1           | 3           | 18          | 18          | 12          | 1           | -                 | 2              |
| 2000.....  | 59       | -            | -         | -          | -           | 2           | 8           | 25          | 15          | 5           | 2           | 1                 | 1              |
| 1999.....  | 58       | -            | -         | -          | -           | 1           | 13          | 20          | 12          | 9           | 3           | -                 | -              |

Worktable Orig290F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2007

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data - mortality"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, sex, and year | All ages | Under 1 year | 1-4 years | 5-14 years | 15-24 years | 25-34 years | 35-44 years | 45-54 years | 55-64 years | 65-74 years | 75-84 years | 85 years and over | Age not stated |
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|
| <b>Alcoholic liver disease (K70)</b>   |          |              |           |            |             |             |             |             |             |             |             |                   |                |
| Origin not stated 3/, male   |          |              |           |            |             |             |             |             |             |             |             |                   |                |
| 2007.....  | 33       | -            | -         | -          | 1           | 5           | 2           | 13          | 10          | 2           | -           | -                 | -              |
| 2006.....  | 29       | -            | -         | -          | -           | -           | 4           | 9           | 9           | 5           | 1           | 1                 | -              |
| 2005.....  | 47       | -            | -         | -          | -           | -           | 7           | 18          | 13          | 9           | -           | -                 | -              |
| 2004.....  | 41       | -            | -         | -          | -           | -           | 1           | 22          | 12          | 5           | 1           | -                 | -              |
| 2003.....  | 41       | -            | -         | -          | -           | -           | 3           | 16          | 16          | 5           | 1           | -                 | -              |
| 2002.....  | 54       | -            | -         | -          | -           | 1           | 7           | 19          | 17          | 6           | 4           | -                 | -              |
| 2001.....  | 44       | -            | -         | -          | -           | -           | 2           | 13          | 16          | 11          | -           | -                 | 2              |
| 2000.....  | 51       | -            | -         | -          | -           | 1           | 8           | 21          | 13          | 4           | 2           | 1                 | 1              |
| 1999.....  | 48       | -            | -         | -          | -           | 1           | 9           | 16          | 10          | 9           | 3           | -                 | -              |
| Origin not stated 3/, female   |          |              |           |            |             |             |             |             |             |             |             |                   |                |
| 2007.....  | 4        | -            | -         | -          | 1           | -           | -           | -           | 2           | 1           | -           | -                 | -              |
| 2006.....  | 3        | -            | -         | -          | -           | -           | 1           | -           | 2           | -           | -           | -                 | -              |
| 2005.....  | 9        | -            | -         | -          | -           | -           | 3           | 4           | 1           | 1           | -           | -                 | -              |
| 2004.....  | 8        | -            | -         | -          | -           | -           | -           | 6           | 1           | 1           | -           | -                 | -              |
| 2003.....  | 8        | -            | -         | -          | -           | -           | 3           | 3           | 1           | 1           | -           | -                 | -              |
| 2002.....  | 11       | -            | -         | -          | -           | -           | 4           | 4           | 3           | -           | -           | -                 | -              |
| 2001.....  | 11       | -            | -         | -          | -           | 1           | 1           | 5           | 2           | 1           | 1           | -                 | -              |
| 2000.....  | 8        | -            | -         | -          | -           | 1           | -           | 4           | 2           | 1           | -           | -                 | -              |
| 1999.....  | 10       | -            | -         | -          | -           | -           | 4           | 4           | 2           | -           | -           | -                 | -              |

Worktable Orig290F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2007

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data - mortality"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, sex, and year | All ages | Under 1 year | 1-4 years | 5-14 years | 15-24 years | 25-34 years | 35-44 years | 45-54 years | 55-64 years | 65-74 years | 75-84 years | 85 years and over | Age not stated |
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|
| Other chronic liver disease and cirrhosis (K73-K74)  |          |              |           |            |             |             |             |             |             |             |             |                   |                |
| All origins, both sexes  |          |              |           |            |             |             |             |             |             |             |             |                   |                |
| 2007.....  | 14,759   | 4            | 4         | -          | 13          | 91          | 736         | 3,086       | 3,695       | 3,208       | 2,947       | 975               | -              |
| 2006.....  | 14,505   | 5            | 3         | -          | 12          | 71          | 819         | 3,150       | 3,394       | 3,134       | 3,005       | 909               | 3              |
| 2005.....  | 14,602   | 10           | 1         | 2          | 16          | 94          | 882         | 3,027       | 3,405       | 3,222       | 3,034       | 908               | 1              |
| 2004.....  | 14,465   | 9            | 1         | 1          | 8           | 81          | 928         | 3,104       | 3,176       | 3,278       | 3,024       | 855               | -              |
| 2003.....  | 15,143   | 2            | -         | -          | 10          | 115         | 1,049       | 3,178       | 3,181       | 3,618       | 3,129       | 860               | 1              |
| 2002.....  | 15,136   | 6            | 2         | 6          | 23          | 132         | 1,183       | 3,079       | 3,014       | 3,532       | 3,270       | 887               | 2              |
| 2001.....  | 14,828   | 3            | -         | 2          | 18          | 123         | 1,191       | 3,056       | 2,837       | 3,638       | 3,084       | 875               | 1              |
| 2000.....  | 14,443   | 3            | 3         | 3          | 28          | 136         | 1,145       | 2,766       | 2,805       | 3,591       | 3,078       | 884               | 1              |
| 1999.....  | 14,301   | 5            | 2         | 2          | 18          | 148         | 1,116       | 2,566       | 2,778       | 3,707       | 3,112       | 847               | -              |
| All origins, male  |          |              |           |            |             |             |             |             |             |             |             |                   |                |
| 2007.....  | 8,602    | 3            | 2         | -          | 6           | 60          | 502         | 2,108       | 2,438       | 1,714       | 1,395       | 374               | -              |
| 2006.....  | 8,423    | 2            | 3         | -          | 8           | 40          | 544         | 2,222       | 2,225       | 1,651       | 1,364       | 362               | 2              |
| 2005.....  | 8,512    | 6            | 1         | 1          | 7           | 49          | 597         | 2,149       | 2,244       | 1,700       | 1,383       | 374               | 1              |
| 2004.....  | 8,390    | 6            | -         | -          | 1           | 54          | 649         | 2,206       | 2,038       | 1,730       | 1,390       | 316               | -              |
| 2003.....  | 8,808    | 2            | -         | -          | 5           | 70          | 716         | 2,286       | 2,078       | 1,922       | 1,383       | 345               | 1              |
| 2002.....  | 8,587    | 6            | -         | 3          | 8           | 74          | 774         | 2,211       | 1,891       | 1,830       | 1,458       | 330               | 2              |
| 2001.....  | 8,461    | 1            | -         | 2          | 7           | 80          | 760         | 2,196       | 1,786       | 1,956       | 1,328       | 344               | 1              |
| 2000.....  | 8,229    | 3            | 1         | 2          | 14          | 78          | 781         | 2,007       | 1,789       | 1,884       | 1,313       | 356               | 1              |
| 1999.....  | 8,193    | 4            | -         | 1          | 5           | 92          | 794         | 1,902       | 1,749       | 1,957       | 1,367       | 322               | -              |



Worktable Orig290F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2007

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data - mortality"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, sex, and year | All ages | Under 1 year | 1-4 years | 5-14 years | 15-24 years | 25-34 years | 35-44 years | 45-54 years | 55-64 years | 65-74 years | 75-84 years | 85 years and over | Age not stated |
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|
| Other chronic liver disease and cirrhosis (K73-K74)  |          |              |           |            |             |             |             |             |             |             |             |                   |                |
| All origins, female  |          |              |           |            |             |             |             |             |             |             |             |                   |                |
| 2007.....  | 6,157    | 1            | 2         | -          | 7           | 31          | 234         | 978         | 1,257       | 1,494       | 1,552       | 601               | -              |
| 2006.....  | 6,082    | 3            | -         | -          | 4           | 31          | 275         | 928         | 1,169       | 1,483       | 1,641       | 547               | 1              |
| 2005.....  | 6,090    | 4            | -         | 1          | 9           | 45          | 285         | 878         | 1,161       | 1,522       | 1,651       | 534               | -              |
| 2004.....  | 6,075    | 3            | 1         | 1          | 7           | 27          | 279         | 898         | 1,138       | 1,548       | 1,634       | 539               | -              |
| 2003.....  | 6,335    | -            | -         | -          | 5           | 45          | 333         | 892         | 1,103       | 1,696       | 1,746       | 515               | -              |
| 2002.....  | 6,549    | -            | 2         | 3          | 15          | 58          | 409         | 868         | 1,123       | 1,702       | 1,812       | 557               | -              |
| 2001.....  | 6,367    | 2            | -         | -          | 11          | 43          | 431         | 860         | 1,051       | 1,682       | 1,756       | 531               | -              |
| 2000.....  | 6,214    | -            | 2         | 1          | 14          | 58          | 364         | 759         | 1,016       | 1,707       | 1,765       | 528               | -              |
| 1999.....  | 6,108    | 1            | 2         | 1          | 13          | 56          | 322         | 664         | 1,029       | 1,750       | 1,745       | 525               | -              |
| Hispanic, both sexes   |          |              |           |            |             |             |             |             |             |             |             |                   |                |
| 2007.....  | 1,784    | 2            | 1         | -          | 1           | 26          | 139         | 403         | 410         | 416         | 306         | 80                | -              |
| 2006.....  | 1,675    | 2            | -         | -          | 4           | 15          | 135         | 389         | 379         | 358         | 307         | 84                | 2              |
| 2005.....  | 1,750    | 4            | 1         | -          | 2           | 17          | 151         | 388         | 427         | 378         | 311         | 71                | -              |
| 2004.....  | 1,698    | 1            | -         | 1          | 3           | 18          | 143         | 387         | 386         | 396         | 312         | 51                | -              |
| 2003.....  | 1,670    | 1            | -         | -          | 1           | 33          | 137         | 376         | 355         | 408         | 307         | 52                | -              |
| 2002.....  | 1,730    | 1            | 1         | 2          | 5           | 28          | 186         | 396         | 366         | 417         | 258         | 70                | -              |
| 2001.....  | 1,572    | -            | -         | -          | 5           | 16          | 189         | 369         | 325         | 378         | 241         | 49                | -              |
| 2000.....  | 1,507    | -            | 1         | -          | 3           | 26          | 148         | 328         | 308         | 381         | 245         | 67                | -              |
| 1999.....  | 1,425    | -            | -         | -          | 6           | 30          | 176         | 288         | 282         | 370         | 216         | 57                | -              |

Worktable Orig290F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2007

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data - mortality"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, sex, and year | All ages | Under 1 year | 1-4 years | 5-14 years | 15-24 years | 25-34 years | 35-44 years | 45-54 years | 55-64 years | 65-74 years | 75-84 years | 85 years and over | Age not stated |
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|
| Other chronic liver disease and cirrhosis (K73-K74)  |          |              |           |            |             |             |             |             |             |             |             |                   |                |
| Hispanic, male   |          |              |           |            |             |             |             |             |             |             |             |                   |                |
| 2007.....  | 1,023    | 2            | 1         | -          | -           | 19          | 110         | 299         | 258         | 200         | 109         | 25                | -              |
| 2006.....  | 950      | 2            | -         | -          | 4           | 8           | 107         | 290         | 247         | 153         | 107         | 30                | 2              |
| 2005.....  | 1,053    | 3            | 1         | -          | 2           | 12          | 114         | 300         | 284         | 183         | 135         | 19                | -              |
| 2004.....  | 962      | 1            | -         | -          | 1           | 13          | 111         | 286         | 240         | 174         | 119         | 17                | -              |
| 2003.....  | 962      | 1            | -         | -          | 1           | 26          | 107         | 281         | 236         | 175         | 117         | 18                | -              |
| 2002.....  | 1,019    | 1            | -         | 1          | 1           | 15          | 139         | 312         | 222         | 196         | 113         | 19                | -              |
| 2001.....  | 953      | -            | -         | -          | 2           | 12          | 143         | 288         | 217         | 176         | 102         | 13                | -              |
| 2000.....  | 870      | -            | -         | -          | 1           | 20          | 117         | 252         | 187         | 174         | 94          | 25                | -              |
| 1999.....  | 849      | -            | -         | -          | 3           | 21          | 145         | 221         | 174         | 180         | 84          | 21                | -              |
| Hispanic, female   |          |              |           |            |             |             |             |             |             |             |             |                   |                |
| 2007.....  | 761      | -            | -         | -          | 1           | 7           | 29          | 104         | 152         | 216         | 197         | 55                | -              |
| 2006.....  | 725      | -            | -         | -          | -           | 7           | 28          | 99          | 132         | 205         | 200         | 54                | -              |
| 2005.....  | 697      | 1            | -         | -          | -           | 5           | 37          | 88          | 143         | 195         | 176         | 52                | -              |
| 2004.....  | 736      | -            | -         | 1          | 2           | 5           | 32          | 101         | 146         | 222         | 193         | 34                | -              |
| 2003.....  | 708      | -            | -         | -          | -           | 7           | 30          | 95          | 119         | 233         | 190         | 34                | -              |
| 2002.....  | 711      | -            | 1         | 1          | 4           | 13          | 47          | 84          | 144         | 221         | 145         | 51                | -              |
| 2001.....  | 619      | -            | -         | -          | 3           | 4           | 46          | 81          | 108         | 202         | 139         | 36                | -              |
| 2000.....  | 637      | -            | 1         | -          | 2           | 6           | 31          | 76          | 121         | 207         | 151         | 42                | -              |
| 1999.....  | 576      | -            | -         | -          | 3           | 9           | 31          | 67          | 108         | 190         | 132         | 36                | -              |

Worktable Orig290F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2007

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data - mortality"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, sex, and year | All ages | Under 1 year | 1-4 years | 5-14 years | 15-24 years | 25-34 years | 35-44 years | 45-54 years | 55-64 years | 65-74 years | 75-84 years | 85 years and over | Age not stated |
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|
| Other chronic liver disease and cirrhosis (K73-K74)  |          |              |           |            |             |             |             |             |             |             |             |                   |                |
| Non-Hispanic 1/, both sexes  |          |              |           |            |             |             |             |             |             |             |             |                   |                |
| 2007.....  | 12,950   | 2            | 3         | -          | 12          | 65          | 595         | 2,677       | 3,276       | 2,789       | 2,637       | 894               | -              |
| 2006.....  | 12,791   | 3            | 3         | -          | 8           | 54          | 680         | 2,750       | 3,001       | 2,773       | 2,693       | 825               | 1              |
| 2005.....  | 12,815   | 6            | -         | 2          | 14          | 76          | 727         | 2,627       | 2,969       | 2,841       | 2,715       | 837               | 1              |
| 2004.....  | 12,728   | 8            | 1         | -          | 5           | 63          | 780         | 2,702       | 2,782       | 2,875       | 2,709       | 803               | -              |
| 2003.....  | 13,431   | 1            | -         | -          | 9           | 81          | 908         | 2,790       | 2,813       | 3,205       | 2,816       | 808               | -              |
| 2002.....  | 13,356   | 5            | 1         | 4          | 18          | 103         | 993         | 2,671       | 2,636       | 3,103       | 3,005       | 816               | 1              |
| 2001.....  | 13,206   | 3            | -         | 1          | 13          | 107         | 995         | 2,677       | 2,503       | 3,250       | 2,833       | 823               | 1              |
| 2000.....  | 12,881   | 3            | 2         | 3          | 25          | 108         | 991         | 2,425       | 2,487       | 3,194       | 2,827       | 815               | 1              |
| 1999.....  | 12,832   | 5            | 2         | 2          | 12          | 118         | 936         | 2,264       | 2,487       | 3,331       | 2,889       | 786               | -              |
| Non-Hispanic 1/, male  |          |              |           |            |             |             |             |             |             |             |             |                   |                |
| 2007.....  | 7,559    | 1            | 1         | -          | 6           | 41          | 390         | 1,803       | 2,172       | 1,512       | 1,285       | 348               | -              |
| 2006.....  | 7,445    | -            | 3         | -          | 4           | 30          | 434         | 1,927       | 1,968       | 1,495       | 1,252       | 332               | -              |
| 2005.....  | 7,432    | 3            | -         | 1          | 5           | 37          | 479         | 1,837       | 1,954       | 1,515       | 1,245       | 355               | 1              |
| 2004.....  | 7,404    | 5            | -         | -          | -           | 41          | 535         | 1,912       | 1,793       | 1,550       | 1,270       | 298               | -              |
| 2003.....  | 7,814    | 1            | -         | -          | 4           | 43          | 605         | 1,994       | 1,831       | 1,744       | 1,265       | 327               | -              |
| 2002.....  | 7,534    | 5            | -         | 2          | 7           | 58          | 631         | 1,890       | 1,660       | 1,628       | 1,341       | 311               | 1              |
| 2001.....  | 7,483    | 1            | -         | 1          | 5           | 68          | 615         | 1,901       | 1,562       | 1,776       | 1,224       | 329               | 1              |
| 2000.....  | 7,322    | 3            | 1         | 2          | 13          | 56          | 660         | 1,745       | 1,593       | 1,700       | 1,218       | 330               | 1              |
| 1999.....  | 7,316    | 4            | -         | 1          | 2           | 71          | 646         | 1,670       | 1,567       | 1,773       | 1,282       | 300               | -              |

Worktable Orig290F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2007

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data - mortality"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, sex, and year | All ages | Under 1 year | 1-4 years | 5-14 years | 15-24 years | 25-34 years | 35-44 years | 45-54 years | 55-64 years | 65-74 years | 75-84 years | 85 years and over | Age not stated |
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|
| Other chronic liver disease and cirrhosis (K73-K74)  |          |              |           |            |             |             |             |             |             |             |             |                   |                |
| Non-Hispanic 1/, female  |          |              |           |            |             |             |             |             |             |             |             |                   |                |
| 2007.....  | 5,391    | 1            | 2         | -          | 6           | 24          | 205         | 874         | 1,104       | 1,277       | 1,352       | 546               | -              |
| 2006.....  | 5,346    | 3            | -         | -          | 4           | 24          | 246         | 823         | 1,033       | 1,278       | 1,441       | 493               | 1              |
| 2005.....  | 5,383    | 3            | -         | 1          | 9           | 39          | 248         | 790         | 1,015       | 1,326       | 1,470       | 482               | -              |
| 2004.....  | 5,324    | 3            | 1         | -          | 5           | 22          | 245         | 790         | 989         | 1,325       | 1,439       | 505               | -              |
| 2003.....  | 5,617    | -            | -         | -          | 5           | 38          | 303         | 796         | 982         | 1,461       | 1,551       | 481               | -              |
| 2002.....  | 5,822    | -            | 1         | 2          | 11          | 45          | 362         | 781         | 976         | 1,475       | 1,664       | 505               | -              |
| 2001.....  | 5,723    | 2            | -         | -          | 8           | 39          | 380         | 776         | 941         | 1,474       | 1,609       | 494               | -              |
| 2000.....  | 5,559    | -            | 1         | 1          | 12          | 52          | 331         | 680         | 894         | 1,494       | 1,609       | 485               | -              |
| 1999.....  | 5,516    | 1            | 2         | 1          | 10          | 47          | 290         | 594         | 920         | 1,558       | 1,607       | 486               | -              |
| Non-Hispanic white, both sexes   |          |              |           |            |             |             |             |             |             |             |             |                   |                |
| 2007 2/.....   | 11,175   | 1            | 3         | -          | 7           | 50          | 481         | 2,173       | 2,705       | 2,484       | 2,440       | 831               | -              |
| 2006 2/.....   | 11,093   | 1            | 2         | -          | 5           | 42          | 533         | 2,259       | 2,517       | 2,489       | 2,479       | 765               | 1              |
| 2005 2/.....   | 11,056   | 4            | -         | 2          | 9           | 51          | 610         | 2,094       | 2,473       | 2,561       | 2,479       | 773               | -              |
| 2004 2/.....   | 10,991   | 6            | 1         | -          | 2           | 44          | 602         | 2,177       | 2,314       | 2,574       | 2,529       | 742               | -              |
| 2003 2/.....   | 11,700   | -            | -         | -          | 4           | 55          | 743         | 2,242       | 2,364       | 2,888       | 2,647       | 757               | -              |
| 2002.....  | 11,640   | 4            | 1         | 3          | 16          | 71          | 813         | 2,116       | 2,228       | 2,802       | 2,816       | 769               | 1              |
| 2001.....  | 11,430   | 3            | -         | 1          | 3           | 81          | 781         | 2,100       | 2,097       | 2,926       | 2,656       | 782               | -              |
| 2000.....  | 11,183   | -            | 2         | 2          | 12          | 67          | 786         | 1,934       | 2,109       | 2,846       | 2,663       | 761               | 1              |
| 1999.....  | 11,132   | 4            | -         | 1          | 4           | 88          | 734         | 1,781       | 2,072       | 3,002       | 2,711       | 735               | -              |

Worktable Orig290F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2007

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data - mortality"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, sex, and year | All ages | Under 1 year | 1-4 years | 5-14 years | 15-24 years | 25-34 years | 35-44 years | 45-54 years | 55-64 years | 65-74 years | 75-84 years | 85 years and over | Age not stated |
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|
| Other chronic liver disease and cirrhosis (K73-K74)  |          |              |           |            |             |             |             |             |             |             |             |                   |                |
| Non-Hispanic white, male   |          |              |           |            |             |             |             |             |             |             |             |                   |                |
| 2007 2/.....   | 6,513    | -            | 1         | -          | 1           | 32          | 318         | 1,490       | 1,799       | 1,350       | 1,191       | 331               | -              |
| 2006 2/.....   | 6,434    | -            | 2         | -          | 3           | 24          | 338         | 1,598       | 1,654       | 1,348       | 1,158       | 309               | -              |
| 2005 2/.....   | 6,374    | 2            | -         | 1          | 2           | 25          | 399         | 1,492       | 1,619       | 1,371       | 1,132       | 331               | -              |
| 2004 2/.....   | 6,373    | 3            | -         | -          | -           | 29          | 422         | 1,546       | 1,504       | 1,390       | 1,198       | 281               | -              |
| 2003 2/.....   | 6,787    | -            | -         | -          | 2           | 30          | 508         | 1,632       | 1,532       | 1,588       | 1,190       | 305               | -              |
| 2002.....  | 6,558    | 4            | -         | 2          | 7           | 43          | 533         | 1,527       | 1,396       | 1,477       | 1,272       | 296               | 1              |
| 2001.....  | 6,400    | 1            | -         | 1          | 2           | 49          | 481         | 1,493       | 1,292       | 1,609       | 1,156       | 316               | -              |
| 2000.....  | 6,344    | -            | 1         | 1          | 6           | 35          | 539         | 1,409       | 1,356       | 1,537       | 1,151       | 308               | 1              |
| 1999.....  | 6,325    | 4            | -         | -          | 1           | 56          | 511         | 1,324       | 1,319       | 1,615       | 1,210       | 285               | -              |
| Non-Hispanic white, female   |          |              |           |            |             |             |             |             |             |             |             |                   |                |
| 2007 2/.....   | 4,662    | 1            | 2         | -          | 6           | 18          | 163         | 683         | 906         | 1,134       | 1,249       | 500               | -              |
| 2006 2/.....   | 4,659    | 1            | -         | -          | 2           | 18          | 195         | 661         | 863         | 1,141       | 1,321       | 456               | 1              |
| 2005 2/.....   | 4,682    | 2            | -         | 1          | 7           | 26          | 211         | 602         | 854         | 1,190       | 1,347       | 442               | -              |
| 2004 2/.....   | 4,618    | 3            | 1         | -          | 2           | 15          | 180         | 631         | 810         | 1,184       | 1,331       | 461               | -              |
| 2003 2/.....   | 4,913    | -            | -         | -          | 2           | 25          | 235         | 610         | 832         | 1,300       | 1,457       | 452               | -              |
| 2002.....  | 5,082    | -            | 1         | 1          | 9           | 28          | 280         | 589         | 832         | 1,325       | 1,544       | 473               | -              |
| 2001.....  | 5,030    | 2            | -         | -          | 1           | 32          | 300         | 607         | 805         | 1,317       | 1,500       | 466               | -              |
| 2000.....  | 4,839    | -            | 1         | 1          | 6           | 32          | 247         | 525         | 753         | 1,309       | 1,512       | 453               | -              |
| 1999.....  | 4,807    | -            | -         | 1          | 3           | 32          | 223         | 457         | 753         | 1,387       | 1,501       | 450               | -              |

Worktable Orig290F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2007

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data - mortality"]

---

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, sex, and year

|  | All ages | Under 1 year | 1-4 years | 5-14 years | 15-24 years | 25-34 years | 35-44 years | 45-54 years | 55-64 years | 65-74 years | 75-84 years | 85 years and over | Age not stated |
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|

---

Other chronic liver disease and cirrhosis (K73-K74)

Non-Hispanic black, both sexes

|              |       |   |   |   |    |    |     |     |     |     |     |    |   |
|--------------|-------|---|---|---|----|----|-----|-----|-----|-----|-----|----|---|
| 2007 2/..... | 1,334 | - | - | - | 3  | 7  | 74  | 413 | 463 | 225 | 116 | 33 | - |
| 2006 2/..... | 1,289 | 2 | 1 | - | 3  | 5  | 112 | 407 | 403 | 197 | 121 | 38 | - |
| 2005 2/..... | 1,341 | 2 | - | - | 2  | 18 | 85  | 439 | 409 | 201 | 145 | 39 | 1 |
| 2004 2/..... | 1,346 | 2 | - | - | 2  | 13 | 143 | 453 | 368 | 217 | 109 | 39 | - |
| 2003 2/..... | 1,376 | 1 | - | - | 3  | 22 | 136 | 471 | 360 | 244 | 102 | 37 | - |
| 2002.....    | 1,372 | 1 | - | 1 | 2  | 23 | 144 | 495 | 334 | 215 | 125 | 32 | - |
| 2001.....    | 1,402 | - | - | - | 9  | 19 | 176 | 485 | 325 | 236 | 126 | 25 | 1 |
| 2000.....    | 1,335 | 2 | - | 1 | 12 | 22 | 161 | 424 | 301 | 260 | 113 | 39 | - |
| 1999.....    | 1,348 | - | 2 | 1 | 8  | 26 | 172 | 398 | 333 | 241 | 129 | 38 | - |

Non-Hispanic black, male

|              |     |   |   |   |   |    |     |     |     |     |    |    |   |
|--------------|-----|---|---|---|---|----|-----|-----|-----|-----|----|----|---|
| 2007 2/..... | 819 | - | - | - | 3 | 4  | 45  | 258 | 309 | 132 | 60 | 8  | - |
| 2006 2/..... | 795 | - | 1 | - | 1 | 1  | 71  | 269 | 263 | 114 | 61 | 14 | - |
| 2005 2/..... | 844 | 1 | - | - | 2 | 8  | 59  | 290 | 282 | 115 | 73 | 13 | 1 |
| 2004 2/..... | 845 | 2 | - | - | - | 7  | 91  | 318 | 241 | 121 | 53 | 12 | - |
| 2003 2/..... | 846 | 1 | - | - | 2 | 11 | 78  | 320 | 250 | 121 | 46 | 17 | - |
| 2002.....    | 809 | 1 | - | - | - | 12 | 77  | 323 | 224 | 118 | 45 | 9  | - |
| 2001.....    | 893 | - | - | - | 2 | 13 | 113 | 353 | 223 | 133 | 49 | 6  | 1 |
| 2000.....    | 799 | 2 | - | 1 | 6 | 9  | 94  | 294 | 200 | 132 | 48 | 13 | - |
| 1999.....    | 811 | - | - | 1 | 1 | 13 | 115 | 291 | 199 | 127 | 55 | 9  | - |

Worktable Orig290F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2007

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data - mortality"]

---

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, sex, and year

|  | All ages | Under 1 year | 1-4 years | 5-14 years | 15-24 years | 25-34 years | 35-44 years | 45-54 years | 55-64 years | 65-74 years | 75-84 years | 85 years and over | Age not stated |
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|

---

Other chronic liver disease and cirrhosis (K73-K74)

Non-Hispanic black, female

|              |     |   |   |   |   |    |    |     |     |     |    |    |   |
|--------------|-----|---|---|---|---|----|----|-----|-----|-----|----|----|---|
| 2007 2/..... | 515 | - | - | - | - | 3  | 29 | 155 | 154 | 93  | 56 | 25 | - |
| 2006 2/..... | 494 | 2 | - | - | 2 | 4  | 41 | 138 | 140 | 83  | 60 | 24 | - |
| 2005 2/..... | 497 | 1 | - | - | - | 10 | 26 | 149 | 127 | 86  | 72 | 26 | - |
| 2004 2/..... | 501 | - | - | - | 2 | 6  | 52 | 135 | 127 | 96  | 56 | 27 | - |
| 2003 2/..... | 530 | - | - | - | 1 | 11 | 58 | 151 | 110 | 123 | 56 | 20 | - |
| 2002.....    | 563 | - | - | 1 | 2 | 11 | 67 | 172 | 110 | 97  | 80 | 23 | - |
| 2001.....    | 509 | - | - | - | 7 | 6  | 63 | 132 | 102 | 103 | 77 | 19 | - |
| 2000.....    | 536 | - | - | - | 6 | 13 | 67 | 130 | 101 | 128 | 65 | 26 | - |
| 1999.....    | 537 | - | 2 | - | 7 | 13 | 57 | 107 | 134 | 114 | 74 | 29 | - |

Origin not stated 3/, both sexes

|           |    |   |   |   |   |   |   |    |    |    |    |   |   |
|-----------|----|---|---|---|---|---|---|----|----|----|----|---|---|
| 2007..... | 25 | - | - | - | - | - | 2 | 6  | 9  | 3  | 4  | 1 | - |
| 2006..... | 39 | - | - | - | - | 2 | 4 | 11 | 14 | 3  | 5  | - | - |
| 2005..... | 37 | - | - | - | - | 1 | 4 | 12 | 9  | 3  | 8  | - | - |
| 2004..... | 39 | - | - | - | - | - | 5 | 15 | 8  | 7  | 3  | 1 | - |
| 2003..... | 42 | - | - | - | - | 1 | 4 | 12 | 13 | 5  | 6  | - | 1 |
| 2002..... | 50 | - | - | - | - | 1 | 4 | 12 | 12 | 12 | 7  | 1 | 1 |
| 2001..... | 50 | - | - | 1 | - | - | 7 | 10 | 9  | 10 | 10 | 3 | - |
| 2000..... | 55 | - | - | - | - | 2 | 6 | 13 | 10 | 16 | 6  | 2 | - |
| 1999..... | 44 | - | - | - | - | - | 4 | 14 | 9  | 6  | 7  | 4 | - |

Worktable Orig290F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2007

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data - mortality"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, sex, and year | All ages | Under 1 year | 1-4 years | 5-14 years | 15-24 years | 25-34 years | 35-44 years | 45-54 years | 55-64 years | 65-74 years | 75-84 years | 85 years and over | Age not stated |
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|

Other chronic liver disease and cirrhosis (K73-K74)

| Origin not stated 3/, male   |    |   |   |   |   |   |   |    |    |    |   |   |   |
|------------------------------|----|---|---|---|---|---|---|----|----|----|---|---|---|
| 2007.....                    | 20 | - | - | - | - | - | 2 | 6  | 8  | 2  | 1 | 1 | - |
| 2006.....                    | 28 | - | - | - | - | 2 | 3 | 5  | 10 | 3  | 5 | - | - |
| 2005.....                    | 27 | - | - | - | - | - | 4 | 12 | 6  | 2  | 3 | - | - |
| 2004.....                    | 24 | - | - | - | - | - | 3 | 8  | 5  | 6  | 1 | 1 | - |
| 2003.....                    | 32 | - | - | - | - | 1 | 4 | 11 | 11 | 3  | 1 | - | 1 |
| 2002.....                    | 34 | - | - | - | - | 1 | 4 | 9  | 9  | 6  | 4 | - | 1 |
| 2001.....                    | 25 | - | - | 1 | - | - | 2 | 7  | 7  | 4  | 2 | 2 | - |
| 2000.....                    | 37 | - | - | - | - | 2 | 4 | 10 | 9  | 10 | 1 | 1 | - |
| 1999.....                    | 28 | - | - | - | - | - | 3 | 11 | 8  | 4  | 1 | 1 | - |
| Origin not stated 3/, female |    |   |   |   |   |   |   |    |    |    |   |   |   |
| 2007.....                    | 5  | - | - | - | - | - | - | -  | 1  | 1  | 3 | - | - |
| 2006.....                    | 11 | - | - | - | - | - | 1 | 6  | 4  | -  | - | - | - |
| 2005.....                    | 10 | - | - | - | - | 1 | - | -  | 3  | 1  | 5 | - | - |
| 2004.....                    | 15 | - | - | - | - | - | 2 | 7  | 3  | 1  | 2 | - | - |
| 2003.....                    | 10 | - | - | - | - | - | - | 1  | 2  | 2  | 5 | - | - |
| 2002.....                    | 16 | - | - | - | - | - | - | 3  | 3  | 6  | 3 | 1 | - |
| 2001.....                    | 25 | - | - | - | - | - | 5 | 3  | 2  | 6  | 8 | 1 | - |
| 2000.....                    | 18 | - | - | - | - | - | 2 | 3  | 1  | 6  | 5 | 1 | - |
| 1999.....                    | 16 | - | - | - | - | - | 1 | 3  | 1  | 2  | 6 | 3 | - |



Worktable Orig290F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2007

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data - mortality"]

---

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, sex, and year

|  | All ages | Under 1 year | 1-4 years | 5-14 years | 15-24 years | 25-34 years | 35-44 years | 45-54 years | 55-64 years | 65-74 years | 75-84 years | 85 years and over | Age not stated |
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|

---

Cholelithiasis and other disorders of gallbladder (K80-K82)

| All origins, both sexes |       |   |   |   |    |    |    |     |     |     |       |       |   |
|-------------------------|-------|---|---|---|----|----|----|-----|-----|-----|-------|-------|---|
| 2007.....               | 3,237 | 1 | 2 | 1 | 7  | 23 | 54 | 132 | 240 | 482 | 1,011 | 1,284 | - |
| 2006.....               | 3,114 | - | - | 1 | 9  | 20 | 44 | 125 | 270 | 467 | 1,022 | 1,156 | - |
| 2005.....               | 3,072 | - | - | 4 | 8  | 16 | 42 | 113 | 217 | 448 | 1,055 | 1,169 | - |
| 2004.....               | 3,086 | - | - | - | 8  | 17 | 55 | 138 | 247 | 458 | 1,008 | 1,155 | - |
| 2003.....               | 2,948 | - | - | 1 | 4  | 25 | 40 | 126 | 182 | 489 | 1,054 | 1,027 | - |
| 2002.....               | 2,979 | - | - | - | 9  | 21 | 54 | 129 | 216 | 504 | 992   | 1,054 | - |
| 2001.....               | 2,965 | 1 | - | 1 | 7  | 19 | 44 | 137 | 242 | 526 | 945   | 1,043 | - |
| 2000.....               | 2,810 | - | - | 2 | 9  | 19 | 53 | 109 | 189 | 450 | 926   | 1,053 | - |
| 1999.....               | 2,830 | 2 | - | 1 | 10 | 16 | 59 | 124 | 203 | 475 | 948   | 992   | - |
| All origins, male       |       |   |   |   |    |    |    |     |     |     |       |       |   |
| 2007.....               | 1,441 | 1 | 2 | - | 1  | 8  | 29 | 71  | 131 | 269 | 507   | 422   | - |
| 2006.....               | 1,376 | - | - | 1 | 2  | 8  | 22 | 68  | 133 | 266 | 510   | 366   | - |
| 2005.....               | 1,363 | - | - | 1 | 5  | 8  | 17 | 59  | 118 | 271 | 495   | 389   | - |
| 2004.....               | 1,370 | - | - | - | 3  | 10 | 30 | 73  | 138 | 248 | 483   | 385   | - |
| 2003.....               | 1,318 | - | - | - | 4  | 11 | 21 | 64  | 106 | 265 | 519   | 328   | - |
| 2002.....               | 1,341 | - | - | - | 3  | 11 | 29 | 83  | 122 | 258 | 500   | 335   | - |
| 2001.....               | 1,341 | 1 | - | - | 3  | 9  | 25 | 79  | 142 | 269 | 464   | 349   | - |
| 2000.....               | 1,244 | - | - | 1 | 4  | 7  | 27 | 53  | 110 | 242 | 461   | 339   | - |
| 1999.....               | 1,248 | 1 | - | 1 | 5  | 4  | 30 | 58  | 120 | 252 | 447   | 330   | - |

Worktable Orig290F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2007

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data - mortality"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, sex, and year | All ages | Under 1 year | 1-4 years | 5-14 years | 15-24 years | 25-34 years | 35-44 years | 45-54 years | 55-64 years | 65-74 years | 75-84 years | 85 years and over | Age not stated |
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|

Cholelithiasis and other disorders of gallbladder (K80-K82)

All origins, female

|           |       |   |   |   |   |    |    |    |     |     |     |     |   |
|-----------|-------|---|---|---|---|----|----|----|-----|-----|-----|-----|---|
| 2007..... | 1,796 | - | - | 1 | 6 | 15 | 25 | 61 | 109 | 213 | 504 | 862 | - |
| 2006..... | 1,738 | - | - | - | 7 | 12 | 22 | 57 | 137 | 201 | 512 | 790 | - |
| 2005..... | 1,709 | - | - | 3 | 3 | 8  | 25 | 54 | 99  | 177 | 560 | 780 | - |
| 2004..... | 1,716 | - | - | - | 5 | 7  | 25 | 65 | 109 | 210 | 525 | 770 | - |
| 2003..... | 1,630 | - | - | 1 | - | 14 | 19 | 62 | 76  | 224 | 535 | 699 | - |
| 2002..... | 1,638 | - | - | - | 6 | 10 | 25 | 46 | 94  | 246 | 492 | 719 | - |
| 2001..... | 1,624 | - | - | 1 | 4 | 10 | 19 | 58 | 100 | 257 | 481 | 694 | - |
| 2000..... | 1,566 | - | - | 1 | 5 | 12 | 26 | 56 | 79  | 208 | 465 | 714 | - |
| 1999..... | 1,582 | 1 | - | - | 5 | 12 | 29 | 66 | 83  | 223 | 501 | 662 | - |

Hispanic, both sexes

|           |     |   |   |   |   |   |    |    |    |    |    |    |   |
|-----------|-----|---|---|---|---|---|----|----|----|----|----|----|---|
| 2007..... | 237 | - | 1 | - | 1 | 3 | 9  | 15 | 27 | 46 | 68 | 67 | - |
| 2006..... | 196 | - | - | - | 3 | 2 | 8  | 9  | 22 | 35 | 66 | 51 | - |
| 2005..... | 225 | - | - | 1 | 1 | 2 | 10 | 16 | 24 | 45 | 56 | 70 | - |
| 2004..... | 215 | - | - | - | 4 | 1 | 10 | 18 | 23 | 36 | 66 | 57 | - |
| 2003..... | 178 | - | - | - | 2 | 2 | 6  | 13 | 14 | 44 | 61 | 36 | - |
| 2002..... | 196 | - | - | - | 2 | 6 | 11 | 11 | 25 | 42 | 55 | 44 | - |
| 2001..... | 197 | - | - | - | 2 | 3 | 8  | 13 | 23 | 51 | 47 | 50 | - |
| 2000..... | 183 | - | - | - | 2 | 3 | 5  | 18 | 19 | 41 | 51 | 44 | - |
| 1999..... | 185 | - | - | - | - | 3 | 11 | 14 | 20 | 34 | 57 | 46 | - |

Worktable Orig290F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2007

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data - mortality"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, sex, and year | All ages | Under 1 year | 1-4 years | 5-14 years | 15-24 years | 25-34 years | 35-44 years | 45-54 years | 55-64 years | 65-74 years | 75-84 years | 85 years and over | Age not stated |
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|

Cholelithiasis and other disorders of gallbladder (K80-K82)

| Hispanic, male   |     |   |   |   |   |   |   |    |    |    |    |    |   |
|------------------|-----|---|---|---|---|---|---|----|----|----|----|----|---|
| 2007.....        | 121 | - | 1 | - | - | 2 | 5 | 10 | 19 | 27 | 32 | 25 | - |
| 2006.....        | 79  | - | - | - | - | 1 | 4 | 5  | 8  | 18 | 30 | 13 | - |
| 2005.....        | 102 | - | - | 1 | 1 | 2 | 5 | 6  | 9  | 24 | 31 | 23 | - |
| 2004.....        | 97  | - | - | - | 2 | 1 | 5 | 9  | 16 | 16 | 34 | 14 | - |
| 2003.....        | 94  | - | - | - | 2 | - | 3 | 11 | 7  | 24 | 36 | 11 | - |
| 2002.....        | 93  | - | - | - | - | 2 | 7 | 10 | 14 | 21 | 23 | 16 | - |
| 2001.....        | 92  | - | - | - | - | 1 | 3 | 5  | 16 | 25 | 25 | 17 | - |
| 2000.....        | 99  | - | - | - | - | 1 | 5 | 9  | 15 | 25 | 32 | 12 | - |
| 1999.....        | 84  | - | - | - | - | 1 | 6 | 6  | 12 | 15 | 29 | 15 | - |
| Hispanic, female |     |   |   |   |   |   |   |    |    |    |    |    |   |
| 2007.....        | 116 | - | - | - | 1 | 1 | 4 | 5  | 8  | 19 | 36 | 42 | - |
| 2006.....        | 117 | - | - | - | 3 | 1 | 4 | 4  | 14 | 17 | 36 | 38 | - |
| 2005.....        | 123 | - | - | - | - | - | 5 | 10 | 15 | 21 | 25 | 47 | - |
| 2004.....        | 118 | - | - | - | 2 | - | 5 | 9  | 7  | 20 | 32 | 43 | - |
| 2003.....        | 84  | - | - | - | - | 2 | 3 | 2  | 7  | 20 | 25 | 25 | - |
| 2002.....        | 103 | - | - | - | 2 | 4 | 4 | 1  | 11 | 21 | 32 | 28 | - |
| 2001.....        | 105 | - | - | - | 2 | 2 | 5 | 8  | 7  | 26 | 22 | 33 | - |
| 2000.....        | 84  | - | - | - | 2 | 2 | - | 9  | 4  | 16 | 19 | 32 | - |
| 1999.....        | 101 | - | - | - | - | 2 | 5 | 8  | 8  | 19 | 28 | 31 | - |

Worktable Orig290F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2007

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data - mortality"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, sex, and year | All ages | Under 1 year | 1-4 years | 5-14 years | 15-24 years | 25-34 years | 35-44 years | 45-54 years | 55-64 years | 65-74 years | 75-84 years | 85 years and over | Age not stated |
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|

Cholelithiasis and other disorders of gallbladder (K80-K82)

| Non-Hispanic 1/, both sexes |       |   |   |   |    |    |    |     |     |     |     |       |   |
|-----------------------------|-------|---|---|---|----|----|----|-----|-----|-----|-----|-------|---|
| 2007.....                   | 2,997 | 1 | 1 | 1 | 6  | 20 | 45 | 117 | 212 | 436 | 943 | 1,215 | - |
| 2006.....                   | 2,913 | - | - | 1 | 6  | 18 | 35 | 116 | 248 | 431 | 954 | 1,104 | - |
| 2005.....                   | 2,841 | - | - | 3 | 6  | 14 | 32 | 97  | 191 | 402 | 999 | 1,097 | - |
| 2004.....                   | 2,867 | - | - | - | 4  | 16 | 45 | 120 | 224 | 421 | 941 | 1,096 | - |
| 2003.....                   | 2,765 | - | - | 1 | 2  | 23 | 34 | 112 | 168 | 445 | 990 | 990   | - |
| 2002.....                   | 2,776 | - | - | - | 7  | 15 | 43 | 118 | 190 | 460 | 935 | 1,008 | - |
| 2001.....                   | 2,764 | 1 | - | 1 | 5  | 16 | 36 | 124 | 219 | 473 | 896 | 993   | - |
| 2000.....                   | 2,619 | - | - | 2 | 7  | 16 | 48 | 91  | 170 | 405 | 873 | 1,007 | - |
| 1999.....                   | 2,639 | 2 | - | 1 | 10 | 13 | 48 | 110 | 183 | 438 | 889 | 945   | - |
| Non-Hispanic 1/, male       |       |   |   |   |    |    |    |     |     |     |     |       |   |
| 2007.....                   | 1,319 | 1 | 1 | - | 1  | 6  | 24 | 61  | 112 | 242 | 475 | 396   | - |
| 2006.....                   | 1,294 | - | - | 1 | 2  | 7  | 18 | 63  | 125 | 247 | 479 | 352   | - |
| 2005.....                   | 1,257 | - | - | - | 3  | 6  | 12 | 53  | 107 | 246 | 464 | 366   | - |
| 2004.....                   | 1,272 | - | - | - | 1  | 9  | 25 | 64  | 122 | 231 | 449 | 371   | - |
| 2003.....                   | 1,223 | - | - | - | 2  | 11 | 18 | 52  | 99  | 241 | 483 | 317   | - |
| 2002.....                   | 1,244 | - | - | - | 3  | 9  | 22 | 73  | 107 | 236 | 476 | 318   | - |
| 2001.....                   | 1,248 | 1 | - | - | 3  | 8  | 22 | 74  | 126 | 243 | 439 | 332   | - |
| 2000.....                   | 1,141 | - | - | 1 | 4  | 6  | 22 | 44  | 95  | 215 | 428 | 326   | - |
| 1999.....                   | 1,163 | 1 | - | 1 | 5  | 3  | 24 | 52  | 108 | 236 | 418 | 315   | - |

Worktable Orig290F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2007

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data - mortality"]

---

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, sex, and year

|  | All ages | Under 1 year | 1-4 years | 5-14 years | 15-24 years | 25-34 years | 35-44 years | 45-54 years | 55-64 years | 65-74 years | 75-84 years | 85 years and over | Age not stated |
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|

---

Cholelithiasis and other disorders of gallbladder (K80-K82)

| Non-Hispanic 1/, female |       |   |   |   |   |    |    |    |     |     |     |     |   |
|-------------------------|-------|---|---|---|---|----|----|----|-----|-----|-----|-----|---|
| 2007.....               | 1,678 | - | - | 1 | 5 | 14 | 21 | 56 | 100 | 194 | 468 | 819 | - |
| 2006.....               | 1,619 | - | - | - | 4 | 11 | 17 | 53 | 123 | 184 | 475 | 752 | - |
| 2005.....               | 1,584 | - | - | 3 | 3 | 8  | 20 | 44 | 84  | 156 | 535 | 731 | - |
| 2004.....               | 1,595 | - | - | - | 3 | 7  | 20 | 56 | 102 | 190 | 492 | 725 | - |
| 2003.....               | 1,542 | - | - | 1 | - | 12 | 16 | 60 | 69  | 204 | 507 | 673 | - |
| 2002.....               | 1,532 | - | - | - | 4 | 6  | 21 | 45 | 83  | 224 | 459 | 690 | - |
| 2001.....               | 1,516 | - | - | 1 | 2 | 8  | 14 | 50 | 93  | 230 | 457 | 661 | - |
| 2000.....               | 1,478 | - | - | 1 | 3 | 10 | 26 | 47 | 75  | 190 | 445 | 681 | - |
| 1999.....               | 1,476 | 1 | - | - | 5 | 10 | 24 | 58 | 75  | 202 | 471 | 630 | - |

  

| Non-Hispanic white, both sexes |       |   |   |   |   |    |    |    |     |     |     |       |   |
|--------------------------------|-------|---|---|---|---|----|----|----|-----|-----|-----|-------|---|
| 2007 2/.....                   | 2,606 | 1 | 1 | 1 | 5 | 15 | 28 | 81 | 163 | 366 | 825 | 1,120 | - |
| 2006 2/.....                   | 2,475 | - | - | 1 | 4 | 14 | 23 | 79 | 186 | 325 | 833 | 1,010 | - |
| 2005 2/.....                   | 2,427 | - | - | 3 | 4 | 11 | 19 | 59 | 149 | 313 | 881 | 988   | - |
| 2004 2/.....                   | 2,460 | - | - | - | 2 | 9  | 35 | 78 | 170 | 338 | 823 | 1,005 | - |
| 2003 2/.....                   | 2,391 | - | - | 1 | 1 | 16 | 22 | 72 | 128 | 377 | 878 | 896   | - |
| 2002.....                      | 2,420 | - | - | - | 5 | 10 | 33 | 82 | 152 | 390 | 818 | 930   | - |
| 2001.....                      | 2,368 | 1 | - | 1 | 3 | 12 | 25 | 86 | 168 | 381 | 787 | 904   | - |
| 2000.....                      | 2,272 | - | - | 1 | 5 | 7  | 33 | 58 | 132 | 325 | 775 | 936   | - |
| 1999.....                      | 2,299 | - | - | 1 | 6 | 10 | 26 | 85 | 134 | 361 | 805 | 871   | - |

Worktable Orig290F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2007

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data - mortality"]

---

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, sex, and year

|  | All ages | Under 1 year | 1-4 years | 5-14 years | 15-24 years | 25-34 years | 35-44 years | 45-54 years | 55-64 years | 65-74 years | 75-84 years | 85 years and over | Age not stated |
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|

---

Cholelithiasis and other disorders of gallbladder (K80-K82)

| Non-Hispanic white, male   |       |   |   |   |   |    |    |    |    |     |     |     |   |
|----------------------------|-------|---|---|---|---|----|----|----|----|-----|-----|-----|---|
| 2007 2/.....               | 1,160 | 1 | 1 | - | 1 | 5  | 14 | 44 | 93 | 210 | 427 | 364 | - |
| 2006 2/.....               | 1,114 | - | - | 1 | 1 | 5  | 15 | 46 | 93 | 194 | 426 | 333 | - |
| 2005 2/.....               | 1,087 | - | - | - | 2 | 6  | 8  | 31 | 85 | 198 | 422 | 335 | - |
| 2004 2/.....               | 1,110 | - | - | - | 1 | 6  | 19 | 41 | 98 | 195 | 401 | 349 | - |
| 2003 2/.....               | 1,056 | - | - | - | 1 | 6  | 10 | 36 | 75 | 208 | 430 | 290 | - |
| 2002.....                  | 1,087 | - | - | - | 3 | 6  | 17 | 49 | 87 | 207 | 424 | 294 | - |
| 2001.....                  | 1,065 | 1 | - | - | 2 | 5  | 17 | 52 | 96 | 200 | 395 | 297 | - |
| 2000.....                  | 1,012 | - | - | 1 | 3 | 4  | 17 | 31 | 77 | 181 | 391 | 307 | - |
| 1999.....                  | 1,017 | - | - | 1 | 4 | 1  | 14 | 40 | 79 | 201 | 389 | 288 | - |
| Non-Hispanic white, female |       |   |   |   |   |    |    |    |    |     |     |     |   |
| 2007 2/.....               | 1,446 | - | - | 1 | 4 | 10 | 14 | 37 | 70 | 156 | 398 | 756 | - |
| 2006 2/.....               | 1,361 | - | - | - | 3 | 9  | 8  | 33 | 93 | 131 | 407 | 677 | - |
| 2005 2/.....               | 1,340 | - | - | 3 | 2 | 5  | 11 | 28 | 64 | 115 | 459 | 653 | - |
| 2004 2/.....               | 1,350 | - | - | - | 1 | 3  | 16 | 37 | 72 | 143 | 422 | 656 | - |
| 2003 2/.....               | 1,335 | - | - | 1 | - | 10 | 12 | 36 | 53 | 169 | 448 | 606 | - |
| 2002.....                  | 1,333 | - | - | - | 2 | 4  | 16 | 33 | 65 | 183 | 394 | 636 | - |
| 2001.....                  | 1,303 | - | - | 1 | 1 | 7  | 8  | 34 | 72 | 181 | 392 | 607 | - |
| 2000.....                  | 1,260 | - | - | - | 2 | 3  | 16 | 27 | 55 | 144 | 384 | 629 | - |
| 1999.....                  | 1,282 | - | - | - | 2 | 9  | 12 | 45 | 55 | 160 | 416 | 583 | - |

Worktable Orig290F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2007

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data - mortality"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, sex, and year | All ages | Under 1 year | 1-4 years | 5-14 years | 15-24 years | 25-34 years | 35-44 years | 45-54 years | 55-64 years | 65-74 years | 75-84 years | 85 years and over | Age not stated |
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|

Cholelithiasis and other disorders of gallbladder (K80-K82)

| Non-Hispanic black, both sexes |     |   |   |   |   |   |    |    |    |    |    |    |   |
|--------------------------------|-----|---|---|---|---|---|----|----|----|----|----|----|---|
| 2007 2/.....                   | 294 | - | - | - | 1 | 5 | 11 | 27 | 42 | 51 | 86 | 71 | - |
| 2006 2/.....                   | 321 | - | - | - | 2 | 2 | 12 | 31 | 45 | 71 | 92 | 66 | - |
| 2005 2/.....                   | 324 | - | - | - | 2 | 3 | 11 | 31 | 35 | 72 | 93 | 77 | - |
| 2004 2/.....                   | 313 | - | - | - | - | 4 | 9  | 36 | 45 | 61 | 90 | 68 | - |
| 2003 2/.....                   | 285 | - | - | - | 1 | 7 | 11 | 34 | 33 | 50 | 78 | 71 | - |
| 2002.....                      | 266 | - | - | - | 1 | 5 | 8  | 29 | 28 | 54 | 91 | 50 | - |
| 2001.....                      | 309 | - | - | - | 2 | 4 | 11 | 31 | 42 | 78 | 77 | 64 | - |
| 2000.....                      | 274 | - | - | 1 | 2 | 8 | 14 | 27 | 29 | 61 | 75 | 57 | - |
| 1999.....                      | 257 | 2 | - | - | 4 | 3 | 20 | 21 | 35 | 59 | 65 | 48 | - |
| Non-Hispanic black, male       |     |   |   |   |   |   |    |    |    |    |    |    |   |
| 2007 2/.....                   | 117 | - | - | - | - | 1 | 7  | 11 | 16 | 22 | 37 | 23 | - |
| 2006 2/.....                   | 116 | - | - | - | 1 | 1 | 3  | 14 | 22 | 28 | 35 | 12 | - |
| 2005 2/.....                   | 135 | - | - | - | 1 | - | 4  | 17 | 17 | 38 | 37 | 21 | - |
| 2004 2/.....                   | 120 | - | - | - | - | 2 | 5  | 21 | 20 | 26 | 32 | 14 | - |
| 2003 2/.....                   | 126 | - | - | - | 1 | 5 | 8  | 14 | 18 | 23 | 37 | 20 | - |
| 2002.....                      | 106 | - | - | - | - | 3 | 4  | 18 | 16 | 17 | 37 | 11 | - |
| 2001.....                      | 130 | - | - | - | 1 | 3 | 5  | 18 | 24 | 34 | 21 | 24 | - |
| 2000.....                      | 92  | - | - | - | 1 | 2 | 4  | 10 | 14 | 23 | 26 | 12 | - |
| 1999.....                      | 102 | 1 | - | - | 1 | 2 | 9  | 9  | 19 | 25 | 23 | 13 | - |

Worktable Orig290F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2007

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data - mortality"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, sex, and year | All ages | Under 1 year | 1-4 years | 5-14 years | 15-24 years | 25-34 years | 35-44 years | 45-54 years | 55-64 years | 65-74 years | 75-84 years | 85 years and over | Age not stated |
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|

Cholelithiasis and other disorders of gallbladder (K80-K82)

| Non-Hispanic black, female       |     |   |   |   |   |   |    |    |    |    |    |    |   |
|----------------------------------|-----|---|---|---|---|---|----|----|----|----|----|----|---|
| 2007 2/.....                     | 177 | - | - | - | 1 | 4 | 4  | 16 | 26 | 29 | 49 | 48 | - |
| 2006 2/.....                     | 205 | - | - | - | 1 | 1 | 9  | 17 | 23 | 43 | 57 | 54 | - |
| 2005 2/.....                     | 189 | - | - | - | 1 | 3 | 7  | 14 | 18 | 34 | 56 | 56 | - |
| 2004 2/.....                     | 193 | - | - | - | - | 2 | 4  | 15 | 25 | 35 | 58 | 54 | - |
| 2003 2/.....                     | 159 | - | - | - | - | 2 | 3  | 20 | 15 | 27 | 41 | 51 | - |
| 2002.....                        | 160 | - | - | - | 1 | 2 | 4  | 11 | 12 | 37 | 54 | 39 | - |
| 2001.....                        | 179 | - | - | - | 1 | 1 | 6  | 13 | 18 | 44 | 56 | 40 | - |
| 2000.....                        | 182 | - | - | 1 | 1 | 6 | 10 | 17 | 15 | 38 | 49 | 45 | - |
| 1999.....                        | 155 | 1 | - | - | 3 | 1 | 11 | 12 | 16 | 34 | 42 | 35 | - |
| Origin not stated 3/, both sexes |     |   |   |   |   |   |    |    |    |    |    |    |   |
| 2007.....                        | 3   | - | - | - | - | - | -  | -  | 1  | -  | -  | 2  | - |
| 2006.....                        | 5   | - | - | - | - | - | 1  | -  | -  | 1  | 2  | 1  | - |
| 2005.....                        | 6   | - | - | - | 1 | - | -  | -  | 2  | 1  | -  | 2  | - |
| 2004.....                        | 4   | - | - | - | - | - | -  | -  | -  | 1  | 1  | 2  | - |
| 2003.....                        | 5   | - | - | - | - | - | -  | 1  | -  | -  | 3  | 1  | - |
| 2002.....                        | 7   | - | - | - | - | - | -  | -  | 1  | 2  | 2  | 2  | - |
| 2001.....                        | 4   | - | - | - | - | - | -  | -  | -  | 2  | 2  | -  | - |
| 2000.....                        | 8   | - | - | - | - | - | -  | -  | -  | 4  | 2  | 2  | - |
| 1999.....                        | 6   | - | - | - | - | - | -  | -  | -  | 3  | 2  | 1  | - |



Worktable Orig290F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2007

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data - mortality"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, sex, and year | All ages | Under 1 year | 1-4 years | 5-14 years | 15-24 years | 25-34 years | 35-44 years | 45-54 years | 55-64 years | 65-74 years | 75-84 years | 85 years and over | Age not stated |
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|

Cholelithiasis and other disorders of gallbladder (K80-K82)

Origin not stated 3/, male

|           |   |   |   |   |   |   |   |   |   |   |   |   |   |
|-----------|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 2007..... | 1 | - | - | - | - | - | - | - | - | - | - | 1 | - |
| 2006..... | 3 | - | - | - | - | - | - | - | - | 1 | 1 | 1 | - |
| 2005..... | 4 | - | - | - | 1 | - | - | - | 2 | 1 | - | - | - |
| 2004..... | 1 | - | - | - | - | - | - | - | - | 1 | - | - | - |
| 2003..... | 1 | - | - | - | - | - | - | 1 | - | - | - | - | - |
| 2002..... | 4 | - | - | - | - | - | - | - | 1 | 1 | 1 | 1 | - |
| 2001..... | 1 | - | - | - | - | - | - | - | - | 1 | - | - | - |
| 2000..... | 4 | - | - | - | - | - | - | - | - | 2 | 1 | 1 | - |
| 1999..... | 1 | - | - | - | - | - | - | - | - | 1 | - | - | - |

Origin not stated 3/, female

|           |   |   |   |   |   |   |   |   |   |   |   |   |   |
|-----------|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 2007..... | 2 | - | - | - | - | - | - | - | 1 | - | - | 1 | - |
| 2006..... | 2 | - | - | - | - | - | 1 | - | - | - | 1 | - | - |
| 2005..... | 2 | - | - | - | - | - | - | - | - | - | - | 2 | - |
| 2004..... | 3 | - | - | - | - | - | - | - | - | - | 1 | 2 | - |
| 2003..... | 4 | - | - | - | - | - | - | - | - | - | 3 | 1 | - |
| 2002..... | 3 | - | - | - | - | - | - | - | - | 1 | 1 | 1 | - |
| 2001..... | 3 | - | - | - | - | - | - | - | - | 1 | 2 | - | - |
| 2000..... | 4 | - | - | - | - | - | - | - | - | 2 | 1 | 1 | - |
| 1999..... | 5 | - | - | - | - | - | - | - | - | 2 | 2 | 1 | - |

Worktable Orig290F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2007

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data - mortality"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, sex, and year | All ages | Under 1 year | 1-4 years | 5-14 years | 15-24 years | 25-34 years | 35-44 years | 45-54 years | 55-64 years | 65-74 years | 75-84 years | 85 years and over | Age not stated |
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|

Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)

| All origins, both sexes |        |     |    |    |    |     |     |       |       |       |        |        |   |
|-------------------------|--------|-----|----|----|----|-----|-----|-------|-------|-------|--------|--------|---|
| 2007.....               | 46,448 | 144 | 22 | 24 | 86 | 261 | 754 | 2,233 | 4,440 | 7,752 | 14,711 | 16,021 | - |
| 2006.....               | 45,344 | 162 | 14 | 18 | 99 | 276 | 785 | 2,245 | 4,368 | 7,453 | 14,536 | 15,388 | - |
| 2005.....               | 43,901 | 159 | 16 | 23 | 91 | 285 | 742 | 2,028 | 4,141 | 7,320 | 14,403 | 14,693 | - |
| 2004.....               | 42,480 | 174 | 14 | 21 | 87 | 246 | 801 | 2,067 | 3,963 | 7,119 | 14,058 | 13,928 | 2 |
| 2003.....               | 42,453 | 181 | 14 | 22 | 95 | 282 | 796 | 2,001 | 3,806 | 7,345 | 14,093 | 13,816 | 2 |
| 2002.....               | 40,974 | 173 | 14 | 21 | 84 | 269 | 749 | 1,893 | 3,455 | 7,164 | 13,896 | 13,256 | - |
| 2001.....               | 39,480 | 133 | 16 | 18 | 92 | 225 | 768 | 1,822 | 3,284 | 7,356 | 13,097 | 12,668 | 1 |
| 2000.....               | 37,251 | 162 | 14 | 25 | 88 | 244 | 740 | 1,651 | 3,100 | 6,990 | 12,458 | 11,777 | 2 |
| 1999.....               | 35,525 | 166 | 15 | 31 | 72 | 252 | 707 | 1,480 | 2,864 | 6,841 | 11,927 | 11,170 | - |
| All origins, male       |        |     |    |    |    |     |     |       |       |       |        |        |   |
| 2007.....               | 22,616 | 78  | 11 | 13 | 42 | 141 | 428 | 1,260 | 2,478 | 4,044 | 7,435  | 6,686  | - |
| 2006.....               | 22,094 | 101 | 9  | 12 | 56 | 157 | 458 | 1,338 | 2,442 | 3,909 | 7,246  | 6,366  | - |
| 2005.....               | 21,268 | 88  | 12 | 10 | 45 | 153 | 423 | 1,237 | 2,352 | 3,733 | 7,177  | 6,038  | - |
| 2004.....               | 20,370 | 110 | 10 | 11 | 50 | 113 | 451 | 1,208 | 2,120 | 3,677 | 7,007  | 5,612  | 1 |
| 2003.....               | 20,481 | 106 | 7  | 9  | 59 | 147 | 459 | 1,193 | 2,065 | 3,785 | 7,049  | 5,600  | 2 |
| 2002.....               | 19,695 | 109 | 7  | 12 | 41 | 129 | 407 | 1,086 | 1,824 | 3,802 | 6,920  | 5,358  | - |
| 2001.....               | 18,852 | 76  | 7  | 6  | 45 | 112 | 414 | 1,053 | 1,714 | 3,826 | 6,485  | 5,114  | - |
| 2000.....               | 17,811 | 103 | 7  | 17 | 43 | 129 | 429 | 982   | 1,651 | 3,564 | 6,213  | 4,671  | 2 |
| 1999.....               | 17,016 | 90  | 9  | 18 | 33 | 125 | 402 | 846   | 1,530 | 3,504 | 6,031  | 4,428  | - |

Worktable Orig290F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2007

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data - mortality"]

---

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, sex, and year

|  | All ages | Under 1 year | 1-4 years | 5-14 years | 15-24 years | 25-34 years | 35-44 years | 45-54 years | 55-64 years | 65-74 years | 75-84 years | 85 years and over | Age not stated |
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|

---

Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)

| All origins, female  |        |    |    |    |    |     |     |     |       |       |       |       |   |
|----------------------|--------|----|----|----|----|-----|-----|-----|-------|-------|-------|-------|---|
| 2007.....            | 23,832 | 66 | 11 | 11 | 44 | 120 | 326 | 973 | 1,962 | 3,708 | 7,276 | 9,335 | - |
| 2006.....            | 23,250 | 61 | 5  | 6  | 43 | 119 | 327 | 907 | 1,926 | 3,544 | 7,290 | 9,022 | - |
| 2005.....            | 22,633 | 71 | 4  | 13 | 46 | 132 | 319 | 791 | 1,789 | 3,587 | 7,226 | 8,655 | - |
| 2004.....            | 22,110 | 64 | 4  | 10 | 37 | 133 | 350 | 859 | 1,843 | 3,442 | 7,051 | 8,316 | 1 |
| 2003.....            | 21,972 | 75 | 7  | 13 | 36 | 135 | 337 | 808 | 1,741 | 3,560 | 7,044 | 8,216 | - |
| 2002.....            | 21,279 | 64 | 7  | 9  | 43 | 140 | 342 | 807 | 1,631 | 3,362 | 6,976 | 7,898 | - |
| 2001.....            | 20,628 | 57 | 9  | 12 | 47 | 113 | 354 | 769 | 1,570 | 3,530 | 6,612 | 7,554 | 1 |
| 2000.....            | 19,440 | 59 | 7  | 8  | 45 | 115 | 311 | 669 | 1,449 | 3,426 | 6,245 | 7,106 | - |
| 1999.....            | 18,509 | 76 | 6  | 13 | 39 | 127 | 305 | 634 | 1,334 | 3,337 | 5,896 | 6,742 | - |
|                      |        |    |    |    |    |     |     |     |       |       |       |       |   |
| Hispanic, both sexes |        |    |    |    |    |     |     |     |       |       |       |       |   |
| 2007.....            | 2,691  | 36 | 2  | 3  | 16 | 29  | 74  | 230 | 371   | 611   | 787   | 532   | - |
| 2006.....            | 2,592  | 36 | 4  | 3  | 12 | 37  | 67  | 222 | 366   | 554   | 764   | 527   | - |
| 2005.....            | 2,329  | 34 | 4  | 5  | 15 | 30  | 68  | 165 | 351   | 506   | 699   | 452   | - |
| 2004.....            | 2,196  | 37 | 3  | 11 | 12 | 22  | 72  | 182 | 319   | 523   | 629   | 386   | - |
| 2003.....            | 2,170  | 35 | 1  | 4  | 19 | 30  | 76  | 174 | 318   | 484   | 578   | 450   | 1 |
| 2002.....            | 1,898  | 35 | 5  | 5  | 9  | 33  | 65  | 157 | 267   | 427   | 532   | 363   | - |
| 2001.....            | 1,857  | 18 | 2  | 4  | 16 | 25  | 74  | 132 | 237   | 470   | 524   | 355   | - |
| 2000.....            | 1,646  | 25 | 4  | 3  | 14 | 26  | 53  | 109 | 232   | 404   | 429   | 346   | 1 |
| 1999.....            | 1,584  | 20 | 3  | 9  | 6  | 21  | 62  | 107 | 230   | 369   | 426   | 331   | - |

Worktable Orig290F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2007

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data - mortality"]

---

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, sex, and year

|  | All ages | Under 1 year | 1-4 years | 5-14 years | 15-24 years | 25-34 years | 35-44 years | 45-54 years | 55-64 years | 65-74 years | 75-84 years | 85 years and over | Age not stated |
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|

---

Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)

| Hispanic, male   |       |    |   |   |    |    |    |     |     |     |     |     |   |
|------------------|-------|----|---|---|----|----|----|-----|-----|-----|-----|-----|---|
| 2007.....        | 1,363 | 23 | - | 2 | 7  | 13 | 45 | 144 | 207 | 311 | 391 | 220 | - |
| 2006.....        | 1,295 | 19 | 2 | 2 | 6  | 19 | 43 | 141 | 192 | 297 | 360 | 214 | - |
| 2005.....        | 1,186 | 18 | 3 | 1 | 8  | 16 | 37 | 112 | 201 | 244 | 338 | 208 | - |
| 2004.....        | 1,101 | 25 | 2 | 4 | 8  | 8  | 45 | 107 | 180 | 251 | 306 | 165 | - |
| 2003.....        | 1,069 | 19 | - | 1 | 13 | 16 | 49 | 107 | 160 | 230 | 280 | 193 | 1 |
| 2002.....        | 937   | 21 | 1 | 3 | 5  | 12 | 38 | 88  | 141 | 214 | 273 | 141 | - |
| 2001.....        | 892   | 13 | - | 2 | 9  | 10 | 46 | 64  | 132 | 217 | 251 | 148 | - |
| 2000.....        | 805   | 16 | 3 | 2 | 7  | 11 | 36 | 69  | 115 | 194 | 206 | 145 | 1 |
| 1999.....        | 814   | 15 | 2 | 7 | 2  | 10 | 31 | 64  | 137 | 178 | 212 | 156 | - |
|                  |       |    |   |   |    |    |    |     |     |     |     |     |   |
| Hispanic, female |       |    |   |   |    |    |    |     |     |     |     |     |   |
| 2007.....        | 1,328 | 13 | 2 | 1 | 9  | 16 | 29 | 86  | 164 | 300 | 396 | 312 | - |
| 2006.....        | 1,297 | 17 | 2 | 1 | 6  | 18 | 24 | 81  | 174 | 257 | 404 | 313 | - |
| 2005.....        | 1,143 | 16 | 1 | 4 | 7  | 14 | 31 | 53  | 150 | 262 | 361 | 244 | - |
| 2004.....        | 1,095 | 12 | 1 | 7 | 4  | 14 | 27 | 75  | 139 | 272 | 323 | 221 | - |
| 2003.....        | 1,101 | 16 | 1 | 3 | 6  | 14 | 27 | 67  | 158 | 254 | 298 | 257 | - |
| 2002.....        | 961   | 14 | 4 | 2 | 4  | 21 | 27 | 69  | 126 | 213 | 259 | 222 | - |
| 2001.....        | 965   | 5  | 2 | 2 | 7  | 15 | 28 | 68  | 105 | 253 | 273 | 207 | - |
| 2000.....        | 841   | 9  | 1 | 1 | 7  | 15 | 17 | 40  | 117 | 210 | 223 | 201 | - |
| 1999.....        | 770   | 5  | 1 | 2 | 4  | 11 | 31 | 43  | 93  | 191 | 214 | 175 | - |

Worktable Orig290F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2007

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data - mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, sex, and year

|  | All ages | Under 1 year | 1-4 years | 5-14 years | 15-24 years | 25-34 years | 35-44 years | 45-54 years | 55-64 years | 65-74 years | 75-84 years | 85 years and over | Age not stated |
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|

Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)

| Non-Hispanic 1/, both sexes |        |     |    |    |    |     |     |       |       |       |        |        |   |
|-----------------------------|--------|-----|----|----|----|-----|-----|-------|-------|-------|--------|--------|---|
| 2007.....                   | 43,694 | 108 | 20 | 21 | 70 | 231 | 680 | 1,993 | 4,056 | 7,129 | 13,917 | 15,469 | - |
| 2006.....                   | 42,668 | 126 | 10 | 15 | 87 | 239 | 716 | 2,016 | 3,989 | 6,883 | 13,748 | 14,839 | - |
| 2005.....                   | 41,510 | 124 | 12 | 17 | 76 | 254 | 672 | 1,856 | 3,784 | 6,804 | 13,690 | 14,221 | - |
| 2004.....                   | 40,192 | 137 | 10 | 10 | 75 | 223 | 729 | 1,876 | 3,637 | 6,579 | 13,392 | 13,523 | 1 |
| 2003.....                   | 40,172 | 143 | 13 | 18 | 76 | 252 | 717 | 1,821 | 3,472 | 6,848 | 13,481 | 13,330 | 1 |
| 2002.....                   | 38,933 | 138 | 9  | 16 | 75 | 235 | 681 | 1,725 | 3,171 | 6,710 | 13,322 | 12,851 | - |
| 2001.....                   | 37,511 | 113 | 14 | 14 | 76 | 198 | 691 | 1,677 | 3,036 | 6,866 | 12,538 | 12,288 | - |
| 2000.....                   | 35,509 | 134 | 10 | 22 | 73 | 217 | 686 | 1,536 | 2,854 | 6,567 | 12,000 | 11,410 | - |
| 1999.....                   | 33,830 | 145 | 12 | 22 | 66 | 231 | 643 | 1,368 | 2,621 | 6,451 | 11,474 | 10,797 | - |
| Non-Hispanic 1/, male       |        |     |    |    |    |     |     |       |       |       |        |        |   |
| 2007.....                   | 21,216 | 55  | 11 | 11 | 35 | 128 | 383 | 1,110 | 2,263 | 3,723 | 7,041  | 6,456  | - |
| 2006.....                   | 20,754 | 82  | 7  | 10 | 50 | 138 | 414 | 1,192 | 2,240 | 3,605 | 6,873  | 6,143  | - |
| 2005.....                   | 20,045 | 69  | 9  | 8  | 37 | 136 | 384 | 1,120 | 2,147 | 3,483 | 6,832  | 5,820  | - |
| 2004.....                   | 19,220 | 85  | 7  | 7  | 42 | 104 | 406 | 1,096 | 1,936 | 3,415 | 6,684  | 5,438  | - |
| 2003.....                   | 19,358 | 87  | 7  | 8  | 46 | 131 | 409 | 1,082 | 1,895 | 3,546 | 6,753  | 5,393  | 1 |
| 2002.....                   | 18,682 | 88  | 6  | 9  | 36 | 117 | 367 | 992   | 1,677 | 3,569 | 6,620  | 5,201  | - |
| 2001.....                   | 17,908 | 61  | 7  | 4  | 36 | 100 | 366 | 982   | 1,577 | 3,598 | 6,220  | 4,957  | - |
| 2000.....                   | 16,958 | 84  | 4  | 15 | 35 | 118 | 392 | 908   | 1,529 | 3,357 | 5,995  | 4,521  | - |
| 1999.....                   | 16,143 | 74  | 7  | 11 | 31 | 115 | 370 | 777   | 1,384 | 3,312 | 5,808  | 4,254  | - |

Worktable Orig290F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2007

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data - mortality"]

---

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, sex, and year

|  | All ages | Under 1 year | 1-4 years | 5-14 years | 15-24 years | 25-34 years | 35-44 years | 45-54 years | 55-64 years | 65-74 years | 75-84 years | 85 years and over | Age not stated |
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|

---

Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)

| Non-Hispanic 1/, female        |        |    |    |    |    |     |     |       |       |       |        |        |   |
|--------------------------------|--------|----|----|----|----|-----|-----|-------|-------|-------|--------|--------|---|
| 2007.....                      | 22,478 | 53 | 9  | 10 | 35 | 103 | 297 | 883   | 1,793 | 3,406 | 6,876  | 9,013  | - |
| 2006.....                      | 21,914 | 44 | 3  | 5  | 37 | 101 | 302 | 824   | 1,749 | 3,278 | 6,875  | 8,696  | - |
| 2005.....                      | 21,465 | 55 | 3  | 9  | 39 | 118 | 288 | 736   | 1,637 | 3,321 | 6,858  | 8,401  | - |
| 2004.....                      | 20,972 | 52 | 3  | 3  | 33 | 119 | 323 | 780   | 1,701 | 3,164 | 6,708  | 8,085  | 1 |
| 2003.....                      | 20,814 | 56 | 6  | 10 | 30 | 121 | 308 | 739   | 1,577 | 3,302 | 6,728  | 7,937  | - |
| 2002.....                      | 20,251 | 50 | 3  | 7  | 39 | 118 | 314 | 733   | 1,494 | 3,141 | 6,702  | 7,650  | - |
| 2001.....                      | 19,603 | 52 | 7  | 10 | 40 | 98  | 325 | 695   | 1,459 | 3,268 | 6,318  | 7,331  | - |
| 2000.....                      | 18,551 | 50 | 6  | 7  | 38 | 99  | 294 | 628   | 1,325 | 3,210 | 6,005  | 6,889  | - |
| 1999.....                      | 17,687 | 71 | 5  | 11 | 35 | 116 | 273 | 591   | 1,237 | 3,139 | 5,666  | 6,543  | - |
| Non-Hispanic white, both sexes |        |    |    |    |    |     |     |       |       |       |        |        |   |
| 2007 2/.....                   | 34,219 | 62 | 13 | 15 | 41 | 114 | 334 | 1,120 | 2,525 | 5,054 | 11,505 | 13,436 | - |
| 2006 2/.....                   | 33,208 | 77 | 8  | 10 | 54 | 123 | 347 | 1,113 | 2,512 | 4,807 | 11,294 | 12,863 | - |
| 2005 2/.....                   | 32,492 | 62 | 9  | 13 | 45 | 123 | 333 | 1,059 | 2,317 | 4,846 | 11,298 | 12,387 | - |
| 2004 2/.....                   | 31,508 | 61 | 6  | 7  | 41 | 108 | 394 | 1,005 | 2,238 | 4,745 | 11,106 | 11,796 | 1 |
| 2003 2/.....                   | 31,497 | 80 | 9  | 11 | 38 | 128 | 340 | 977   | 2,197 | 4,891 | 11,179 | 11,647 | - |
| 2002.....                      | 30,669 | 77 | 5  | 10 | 33 | 119 | 353 | 922   | 1,978 | 4,870 | 11,110 | 11,192 | - |
| 2001.....                      | 29,449 | 58 | 11 | 6  | 45 | 100 | 359 | 904   | 1,861 | 4,984 | 10,398 | 10,723 | - |
| 2000.....                      | 27,924 | 61 | 4  | 17 | 48 | 110 | 359 | 829   | 1,776 | 4,741 | 10,026 | 9,953  | - |
| 1999.....                      | 26,418 | 81 | 10 | 13 | 36 | 116 | 319 | 717   | 1,636 | 4,718 | 9,504  | 9,268  | - |

Worktable Orig290F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2007

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data - mortality"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, sex, and year | All ages | Under 1 year | 1-4 years | 5-14 years | 15-24 years | 25-34 years | 35-44 years | 45-54 years | 55-64 years | 65-74 years | 75-84 years | 85 years and over | Age not stated |
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|
| <b>Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)</b>   |          |              |           |            |             |             |             |             |             |             |             |                   |                |
| <b>Non-Hispanic white, male</b>  |          |              |           |            |             |             |             |             |             |             |             |                   |                |
| 2007 2/.....   | 16,896   | 28           | 6         | 6          | 20          | 64          | 199         | 647         | 1,449       | 2,718       | 6,013       | 5,746             | -              |
| 2006 2/.....   | 16,415   | 54           | 6         | 6          | 37          | 78          | 210         | 679         | 1,465       | 2,622       | 5,791       | 5,467             | -              |
| 2005 2/.....   | 15,953   | 32           | 6         | 6          | 24          | 67          | 201         | 656         | 1,345       | 2,625       | 5,802       | 5,189             | -              |
| 2004 2/.....   | 15,247   | 37           | 4         | 4          | 21          | 47          | 228         | 586         | 1,234       | 2,540       | 5,721       | 4,825             | -              |
| 2003 2/.....   | 15,323   | 52           | 5         | 6          | 24          | 64          | 205         | 577         | 1,216       | 2,614       | 5,750       | 4,810             | -              |
| 2002.....  | 14,883   | 49           | 3         | 6          | 17          | 64          | 191         | 533         | 1,045       | 2,694       | 5,687       | 4,594             | -              |
| 2001.....  | 14,331   | 31           | 4         | 3          | 21          | 45          | 211         | 543         | 1,012       | 2,729       | 5,310       | 4,422             | -              |
| 2000.....  | 13,567   | 41           | 2         | 12         | 25          | 62          | 206         | 491         | 990         | 2,574       | 5,141       | 4,023             | -              |
| 1999.....  | 12,793   | 46           | 5         | 8          | 17          | 60          | 188         | 406         | 903         | 2,532       | 4,907       | 3,721             | -              |
| <b>Non-Hispanic white, female</b>  |          |              |           |            |             |             |             |             |             |             |             |                   |                |
| 2007 2/.....   | 17,323   | 34           | 7         | 9          | 21          | 50          | 135         | 473         | 1,076       | 2,336       | 5,492       | 7,690             | -              |
| 2006 2/.....   | 16,793   | 23           | 2         | 4          | 17          | 45          | 137         | 434         | 1,047       | 2,185       | 5,503       | 7,396             | -              |
| 2005 2/.....   | 16,539   | 30           | 3         | 7          | 21          | 56          | 132         | 403         | 972         | 2,221       | 5,496       | 7,198             | -              |
| 2004 2/.....   | 16,261   | 24           | 2         | 3          | 20          | 61          | 166         | 419         | 1,004       | 2,205       | 5,385       | 6,971             | 1              |
| 2003 2/.....   | 16,174   | 28           | 4         | 5          | 14          | 64          | 135         | 400         | 981         | 2,277       | 5,429       | 6,837             | -              |
| 2002.....  | 15,786   | 28           | 2         | 4          | 16          | 55          | 162         | 389         | 933         | 2,176       | 5,423       | 6,598             | -              |
| 2001.....  | 15,118   | 27           | 7         | 3          | 24          | 55          | 148         | 361         | 849         | 2,255       | 5,088       | 6,301             | -              |
| 2000.....  | 14,357   | 20           | 2         | 5          | 23          | 48          | 153         | 338         | 786         | 2,167       | 4,885       | 5,930             | -              |
| 1999.....  | 13,625   | 35           | 5         | 5          | 19          | 56          | 131         | 311         | 733         | 2,186       | 4,597       | 5,547             | -              |

Worktable Orig290F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2007

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data - mortality"]

---

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, sex, and year

|  | All ages | Under 1 year | 1-4 years | 5-14 years | 15-24 years | 25-34 years | 35-44 years | 45-54 years | 55-64 years | 65-74 years | 75-84 years | 85 years and over | Age not stated |
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|

---

Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)

| Non-Hispanic black, both sexes |       |    |   |   |    |     |     |     |       |       |       |       |   |
|--------------------------------|-------|----|---|---|----|-----|-----|-----|-------|-------|-------|-------|---|
| 2007 2/.....                   | 8,318 | 44 | 6 | 3 | 28 | 110 | 329 | 815 | 1,377 | 1,824 | 2,046 | 1,736 | - |
| 2006 2/.....                   | 8,334 | 43 | 2 | 2 | 30 | 106 | 333 | 836 | 1,334 | 1,831 | 2,124 | 1,693 | - |
| 2005 2/.....                   | 8,017 | 57 | 3 | 3 | 29 | 120 | 312 | 745 | 1,340 | 1,744 | 2,090 | 1,574 | - |
| 2004 2/.....                   | 7,759 | 66 | 4 | 2 | 31 | 103 | 316 | 813 | 1,283 | 1,629 | 1,993 | 1,519 | - |
| 2003 2/.....                   | 7,804 | 60 | 3 | 7 | 34 | 118 | 355 | 780 | 1,172 | 1,758 | 2,015 | 1,501 | 1 |
| 2002.....                      | 7,410 | 55 | 4 | 5 | 36 | 108 | 306 | 745 | 1,072 | 1,670 | 1,941 | 1,468 | - |
| 2001.....                      | 7,214 | 52 | 3 | 7 | 27 | 93  | 306 | 702 | 1,048 | 1,698 | 1,891 | 1,387 | - |
| 2000.....                      | 6,853 | 69 | 5 | 4 | 24 | 99  | 305 | 664 | 980   | 1,637 | 1,776 | 1,290 | - |
| 1999.....                      | 6,659 | 58 | 1 | 8 | 30 | 103 | 310 | 615 | 879   | 1,554 | 1,750 | 1,351 | - |
| Non-Hispanic black, male       |       |    |   |   |    |     |     |     |       |       |       |       |   |
| 2007 2/.....                   | 3,730 | 26 | 4 | 2 | 14 | 59  | 176 | 430 | 723   | 865   | 857   | 574   | - |
| 2006 2/.....                   | 3,782 | 24 | 1 | 2 | 11 | 56  | 181 | 477 | 710   | 857   | 921   | 542   | - |
| 2005 2/.....                   | 3,612 | 36 | 3 | 1 | 11 | 60  | 164 | 438 | 746   | 750   | 891   | 512   | - |
| 2004 2/.....                   | 3,505 | 40 | 3 | 2 | 19 | 51  | 166 | 474 | 640   | 771   | 827   | 512   | - |
| 2003 2/.....                   | 3,614 | 32 | 1 | 2 | 20 | 64  | 191 | 467 | 627   | 853   | 862   | 494   | 1 |
| 2002.....                      | 3,389 | 35 | 3 | 2 | 15 | 49  | 161 | 428 | 573   | 794   | 809   | 520   | - |
| 2001.....                      | 3,158 | 28 | 3 | - | 12 | 54  | 139 | 399 | 509   | 782   | 784   | 448   | - |
| 2000.....                      | 3,045 | 40 | 2 | 2 | 10 | 50  | 175 | 394 | 484   | 706   | 759   | 423   | - |
| 1999.....                      | 2,984 | 25 | 1 | 3 | 14 | 47  | 173 | 353 | 426   | 691   | 803   | 448   | - |



Worktable Orig290F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2007

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data - mortality"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, sex, and year | All ages | Under 1 year | 1-4 years | 5-14 years | 15-24 years | 25-34 years | 35-44 years | 45-54 years | 55-64 years | 65-74 years | 75-84 years | 85 years and over | Age not stated |
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|

Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)

Non-Hispanic black, female

|              |       |    |   |   |    |    |     |     |     |     |       |       |   |
|--------------|-------|----|---|---|----|----|-----|-----|-----|-----|-------|-------|---|
| 2007 2/..... | 4,588 | 18 | 2 | 1 | 14 | 51 | 153 | 385 | 654 | 959 | 1,189 | 1,162 | - |
| 2006 2/..... | 4,552 | 19 | 1 | - | 19 | 50 | 152 | 359 | 624 | 974 | 1,203 | 1,151 | - |
| 2005 2/..... | 4,405 | 21 | - | 2 | 18 | 60 | 148 | 307 | 594 | 994 | 1,199 | 1,062 | - |
| 2004 2/..... | 4,254 | 26 | 1 | - | 12 | 52 | 150 | 339 | 643 | 858 | 1,166 | 1,007 | - |
| 2003 2/..... | 4,190 | 28 | 2 | 5 | 14 | 54 | 164 | 313 | 545 | 905 | 1,153 | 1,007 | - |
| 2002.....    | 4,021 | 20 | 1 | 3 | 21 | 59 | 145 | 317 | 499 | 876 | 1,132 | 948   | - |
| 2001.....    | 4,056 | 24 | - | 7 | 15 | 39 | 167 | 303 | 539 | 916 | 1,107 | 939   | - |
| 2000.....    | 3,808 | 29 | 3 | 2 | 14 | 49 | 130 | 270 | 496 | 931 | 1,017 | 867   | - |
| 1999.....    | 3,675 | 33 | - | 5 | 16 | 56 | 137 | 262 | 453 | 863 | 947   | 903   | - |

Origin not stated 3/, both sexes

|           |     |   |   |   |   |   |   |    |    |    |    |    |   |
|-----------|-----|---|---|---|---|---|---|----|----|----|----|----|---|
| 2007..... | 63  | - | - | - | - | 1 | - | 10 | 13 | 12 | 7  | 20 | - |
| 2006..... | 84  | - | - | - | - | - | 2 | 7  | 13 | 16 | 24 | 22 | - |
| 2005..... | 62  | 1 | - | 1 | - | 1 | 2 | 7  | 6  | 10 | 14 | 20 | - |
| 2004..... | 92  | - | 1 | - | - | 1 | - | 9  | 7  | 17 | 37 | 19 | 1 |
| 2003..... | 111 | 3 | - | - | - | - | 3 | 6  | 16 | 13 | 34 | 36 | - |
| 2002..... | 143 | - | - | - | - | 1 | 3 | 11 | 17 | 27 | 42 | 42 | - |
| 2001..... | 112 | 2 | - | - | - | 2 | 3 | 13 | 11 | 20 | 35 | 25 | 1 |
| 2000..... | 96  | 3 | - | - | 1 | 1 | 1 | 6  | 14 | 19 | 29 | 21 | 1 |
| 1999..... | 111 | 1 | - | - | - | - | 2 | 5  | 13 | 21 | 27 | 42 | - |

Worktable Orig290F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2007

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data - mortality"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, sex, and year | All ages | Under 1 year | 1-4 years | 5-14 years | 15-24 years | 25-34 years | 35-44 years | 45-54 years | 55-64 years | 65-74 years | 75-84 years | 85 years and over | Age not stated |
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|

Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)

| Origin not stated 3/, male   |    |   |   |   |   |   |   |   |    |    |    |    |   |
|------------------------------|----|---|---|---|---|---|---|---|----|----|----|----|---|
| 2007.....                    | 37 | - | - | - | - | - | - | 6 | 8  | 10 | 3  | 10 | - |
| 2006.....                    | 45 | - | - | - | - | - | 1 | 5 | 10 | 7  | 13 | 9  | - |
| 2005.....                    | 37 | 1 | - | 1 | - | 1 | 2 | 5 | 4  | 6  | 7  | 10 | - |
| 2004.....                    | 49 | - | 1 | - | - | 1 | - | 5 | 4  | 11 | 17 | 9  | 1 |
| 2003.....                    | 54 | - | - | - | - | - | 1 | 4 | 10 | 9  | 16 | 14 | - |
| 2002.....                    | 76 | - | - | - | - | - | 2 | 6 | 6  | 19 | 27 | 16 | - |
| 2001.....                    | 52 | 2 | - | - | - | 2 | 2 | 7 | 5  | 11 | 14 | 9  | - |
| 2000.....                    | 48 | 3 | - | - | 1 | - | 1 | 5 | 7  | 13 | 12 | 5  | 1 |
| 1999.....                    | 59 | 1 | - | - | - | - | 1 | 5 | 9  | 14 | 11 | 18 | - |
| Origin not stated 3/, female |    |   |   |   |   |   |   |   |    |    |    |    |   |
| 2007.....                    | 26 | - | - | - | - | 1 | - | 4 | 5  | 2  | 4  | 10 | - |
| 2006.....                    | 39 | - | - | - | - | - | 1 | 2 | 3  | 9  | 11 | 13 | - |
| 2005.....                    | 25 | - | - | - | - | - | - | 2 | 2  | 4  | 7  | 10 | - |
| 2004.....                    | 43 | - | - | - | - | - | - | 4 | 3  | 6  | 20 | 10 | - |
| 2003.....                    | 57 | 3 | - | - | - | - | 2 | 2 | 6  | 4  | 18 | 22 | - |
| 2002.....                    | 67 | - | - | - | - | 1 | 1 | 5 | 11 | 8  | 15 | 26 | - |
| 2001.....                    | 60 | - | - | - | - | - | 1 | 6 | 6  | 9  | 21 | 16 | 1 |
| 2000.....                    | 48 | - | - | - | - | 1 | - | 1 | 7  | 6  | 17 | 16 | - |
| 1999.....                    | 52 | - | - | - | - | - | 1 | - | 4  | 7  | 16 | 24 | - |

Worktable Orig290F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2007

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data - mortality"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, sex, and year | All ages | Under 1 year | 1-4 years | 5-14 years | 15-24 years | 25-34 years | 35-44 years | 45-54 years | 55-64 years | 65-74 years | 75-84 years | 85 years and over | Age not stated |
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|

Acute and rapidly progressive nephritic and nephrotic syndrome (N00-N01,N04)

All origins, both sexes

|           |     |   |   |   |   |   |   |    |    |    |    |    |   |
|-----------|-----|---|---|---|---|---|---|----|----|----|----|----|---|
| 2007..... | 206 | 5 | 3 | 3 | 1 | 7 | 6 | 13 | 22 | 35 | 62 | 49 | - |
| 2006..... | 138 | 5 | 4 | 4 | 4 | 4 | 4 | 11 | 10 | 17 | 41 | 34 | - |
| 2005..... | 137 | 6 | 2 | 2 | - | 3 | 4 | 6  | 15 | 17 | 43 | 39 | - |
| 2004..... | 157 | 7 | 5 | 1 | 2 | 1 | 2 | 16 | 9  | 27 | 49 | 38 | - |
| 2003..... | 148 | 8 | 2 | 1 | 4 | 2 | 4 | 7  | 14 | 30 | 50 | 26 | - |
| 2002..... | 166 | 6 | 5 | 2 | 3 | 1 | 4 | 9  | 16 | 27 | 51 | 42 | - |
| 2001..... | 156 | 8 | 4 | 1 | - | 3 | 8 | 6  | 13 | 27 | 48 | 38 | - |
| 2000..... | 177 | 8 | 3 | 2 | 1 | 4 | 3 | 16 | 10 | 29 | 52 | 49 | - |
| 1999..... | 182 | 3 | 2 | 5 | 2 | 5 | 5 | 11 | 16 | 37 | 62 | 34 | - |

All origins, male

|           |     |   |   |   |   |   |   |    |    |    |    |    |   |
|-----------|-----|---|---|---|---|---|---|----|----|----|----|----|---|
| 2007..... | 111 | 4 | - | 1 | - | 5 | 3 | 10 | 13 | 18 | 36 | 21 | - |
| 2006..... | 70  | 4 | 2 | 3 | 1 | 3 | 1 | 9  | 6  | 7  | 18 | 16 | - |
| 2005..... | 67  | 2 | 2 | - | - | 2 | 4 | 4  | 8  | 11 | 19 | 15 | - |
| 2004..... | 73  | 2 | 4 | - | 2 | 1 | 1 | 10 | 4  | 14 | 24 | 11 | - |
| 2003..... | 65  | 7 | 1 | - | 4 | 1 | 2 | 3  | 7  | 15 | 20 | 5  | - |
| 2002..... | 70  | 3 | 2 | 2 | 1 | 1 | - | 5  | 11 | 14 | 17 | 14 | - |
| 2001..... | 73  | 4 | 3 | - | - | 2 | 6 | 5  | 9  | 10 | 19 | 15 | - |
| 2000..... | 91  | 3 | 2 | 2 | 1 | 3 | 1 | 11 | 8  | 12 | 26 | 22 | - |
| 1999..... | 90  | 3 | 2 | 2 | 2 | 4 | 2 | 6  | 6  | 17 | 32 | 14 | - |

Worktable Orig290F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2007

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data - mortality"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, sex, and year | All ages | Under 1 year | 1-4 years | 5-14 years | 15-24 years | 25-34 years | 35-44 years | 45-54 years | 55-64 years | 65-74 years | 75-84 years | 85 years and over | Age not stated |
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|

Acute and rapidly progressive nephritic and nephrotic syndrome (N00-N01,N04)

| All origins, female  |    |   |   |   |   |   |   |   |    |    |    |    |   |
|----------------------|----|---|---|---|---|---|---|---|----|----|----|----|---|
| 2007.....            | 95 | 1 | 3 | 2 | 1 | 2 | 3 | 3 | 9  | 17 | 26 | 28 | - |
| 2006.....            | 68 | 1 | 2 | 1 | 3 | 1 | 3 | 2 | 4  | 10 | 23 | 18 | - |
| 2005.....            | 70 | 4 | - | 2 | - | 1 | - | 2 | 7  | 6  | 24 | 24 | - |
| 2004.....            | 84 | 5 | 1 | 1 | - | - | 1 | 6 | 5  | 13 | 25 | 27 | - |
| 2003.....            | 83 | 1 | 1 | 1 | - | 1 | 2 | 4 | 7  | 15 | 30 | 21 | - |
| 2002.....            | 96 | 3 | 3 | - | 2 | - | 4 | 4 | 5  | 13 | 34 | 28 | - |
| 2001.....            | 83 | 4 | 1 | 1 | - | 1 | 2 | 1 | 4  | 17 | 29 | 23 | - |
| 2000.....            | 86 | 5 | 1 | - | - | 1 | 2 | 5 | 2  | 17 | 26 | 27 | - |
| 1999.....            | 92 | - | - | 3 | - | 1 | 3 | 5 | 10 | 20 | 30 | 20 | - |
| Hispanic, both sexes |    |   |   |   |   |   |   |   |    |    |    |    |   |
| 2007.....            | 25 | 1 | 1 | 1 | 1 | 2 | 2 | 2 | 1  | 3  | 7  | 4  | - |
| 2006.....            | 9  | - | 1 | 1 | 1 | - | 1 | - | 1  | 1  | 2  | 1  | - |
| 2005.....            | 11 | - | 2 | 1 | - | - | - | - | 1  | 1  | 2  | 4  | - |
| 2004.....            | 15 | 1 | 2 | 1 | 1 | 1 | - | 1 | 2  | -  | 4  | 2  | - |
| 2003.....            | 13 | 1 | - | 1 | 3 | - | - | - | 1  | 3  | 2  | 2  | - |
| 2002.....            | 10 | - | 2 | - | - | - | 2 | - | 2  | 2  | 2  | -  | - |
| 2001.....            | 13 | 1 | - | - | - | 1 | 1 | 2 | 2  | 3  | 1  | 2  | - |
| 2000.....            | 9  | 2 | 1 | - | - | - | - | 2 | -  | 2  | 1  | 1  | - |
| 1999.....            | 12 | 1 | - | 2 | - | - | - | 1 | 2  | 4  | 1  | 1  | - |

Worktable Orig290F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2007

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data - mortality"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, sex, and year | All ages | Under 1 year | 1-4 years | 5-14 years | 15-24 years | 25-34 years | 35-44 years | 45-54 years | 55-64 years | 65-74 years | 75-84 years | 85 years and over | Age not stated |
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|

Acute and rapidly progressive nephritic and nephrotic syndrome (N00-N01,N04)

| Hispanic, male   |    |   |   |   |   |   |   |   |   |   |   |   |   |
|------------------|----|---|---|---|---|---|---|---|---|---|---|---|---|
| 2007.....        | 12 | 1 | - | - | - | 1 | 1 | 1 | - | 1 | 4 | 3 | - |
| 2006.....        | 4  | - | - | 1 | - | - | - | - | 1 | 1 | - | 1 | - |
| 2005.....        | 8  | - | 2 | - | - | - | - | - | 1 | 1 | 1 | 3 | - |
| 2004.....        | 8  | - | 2 | - | 1 | 1 | - | - | 1 | - | 2 | 1 | - |
| 2003.....        | 7  | 1 | - | - | 3 | - | - | - | - | - | 2 | 1 | - |
| 2002.....        | 4  | - | - | - | - | - | - | - | 2 | 1 | 1 | - | - |
| 2001.....        | 7  | - | - | - | - | - | 1 | 2 | 2 | 2 | - | - | - |
| 2000.....        | 4  | - | 1 | - | - | - | - | 1 | - | - | 1 | 1 | - |
| 1999.....        | 4  | 1 | - | 1 | - | - | - | - | 1 | - | - | 1 | - |
| Hispanic, female |    |   |   |   |   |   |   |   |   |   |   |   |   |
| 2007.....        | 13 | - | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 2 | 3 | 1 | - |
| 2006.....        | 5  | - | 1 | - | 1 | - | 1 | - | - | - | 2 | - | - |
| 2005.....        | 3  | - | - | 1 | - | - | - | - | - | - | 1 | 1 | - |
| 2004.....        | 7  | 1 | - | 1 | - | - | - | 1 | 1 | - | 2 | 1 | - |
| 2003.....        | 6  | - | - | 1 | - | - | - | - | 1 | 3 | - | 1 | - |
| 2002.....        | 6  | - | 2 | - | - | - | 2 | - | - | 1 | 1 | - | - |
| 2001.....        | 6  | 1 | - | - | - | 1 | - | - | - | 1 | 1 | 2 | - |
| 2000.....        | 5  | 2 | - | - | - | - | - | 1 | - | 2 | - | - | - |
| 1999.....        | 8  | - | - | 1 | - | - | - | 1 | 1 | 4 | 1 | - | - |

Worktable Orig290F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2007

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data - mortality"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, sex, and year | All ages | Under 1 year | 1-4 years | 5-14 years | 15-24 years | 25-34 years | 35-44 years | 45-54 years | 55-64 years | 65-74 years | 75-84 years | 85 years and over | Age not stated |
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|

Acute and rapidly progressive nephritic and nephrotic syndrome (N00-N01,N04)

Non-Hispanic 1/, both sexes

|           |     |   |   |   |   |   |   |    |    |    |    |    |   |
|-----------|-----|---|---|---|---|---|---|----|----|----|----|----|---|
| 2007..... | 181 | 4 | 2 | 2 | - | 5 | 4 | 11 | 21 | 32 | 55 | 45 | - |
| 2006..... | 129 | 5 | 3 | 3 | 3 | 4 | 3 | 11 | 9  | 16 | 39 | 33 | - |
| 2005..... | 126 | 6 | - | 1 | - | 3 | 4 | 6  | 14 | 16 | 41 | 35 | - |
| 2004..... | 142 | 6 | 3 | - | 1 | - | 2 | 15 | 7  | 27 | 45 | 36 | - |
| 2003..... | 135 | 7 | 2 | - | 1 | 2 | 4 | 7  | 13 | 27 | 48 | 24 | - |
| 2002..... | 155 | 6 | 3 | 2 | 3 | 1 | 2 | 9  | 14 | 25 | 49 | 41 | - |
| 2001..... | 142 | 7 | 4 | 1 | - | 2 | 7 | 4  | 11 | 24 | 46 | 36 | - |
| 2000..... | 168 | 6 | 2 | 2 | 1 | 4 | 3 | 14 | 10 | 27 | 51 | 48 | - |
| 1999..... | 170 | 2 | 2 | 3 | 2 | 5 | 5 | 10 | 14 | 33 | 61 | 33 | - |

Non-Hispanic 1/, male

|           |    |   |   |   |   |   |   |    |    |    |    |    |   |
|-----------|----|---|---|---|---|---|---|----|----|----|----|----|---|
| 2007..... | 99 | 3 | - | 1 | - | 4 | 2 | 9  | 13 | 17 | 32 | 18 | - |
| 2006..... | 66 | 4 | 2 | 2 | 1 | 3 | 1 | 9  | 5  | 6  | 18 | 15 | - |
| 2005..... | 59 | 2 | - | - | - | 2 | 4 | 4  | 7  | 10 | 18 | 12 | - |
| 2004..... | 65 | 2 | 2 | - | 1 | - | 1 | 10 | 3  | 14 | 22 | 10 | - |
| 2003..... | 58 | 6 | 1 | - | 1 | 1 | 2 | 3  | 7  | 15 | 18 | 4  | - |
| 2002..... | 66 | 3 | 2 | 2 | 1 | 1 | - | 5  | 9  | 13 | 16 | 14 | - |
| 2001..... | 65 | 4 | 3 | - | - | 2 | 5 | 3  | 7  | 8  | 18 | 15 | - |
| 2000..... | 87 | 3 | 1 | 2 | 1 | 3 | 1 | 10 | 8  | 12 | 25 | 21 | - |
| 1999..... | 86 | 2 | 2 | 1 | 2 | 4 | 2 | 6  | 5  | 17 | 32 | 13 | - |

Worktable Orig290F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2007

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data - mortality"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, sex, and year | All ages | Under 1 year | 1-4 years | 5-14 years | 15-24 years | 25-34 years | 35-44 years | 45-54 years | 55-64 years | 65-74 years | 75-84 years | 85 years and over | Age not stated |
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|

Acute and rapidly progressive nephritic and nephrotic syndrome (N00-N01,N04)

Non-Hispanic 1/, female

|           |    |   |   |   |   |   |   |   |   |    |    |    |   |
|-----------|----|---|---|---|---|---|---|---|---|----|----|----|---|
| 2007..... | 82 | 1 | 2 | 1 | - | 1 | 2 | 2 | 8 | 15 | 23 | 27 | - |
| 2006..... | 63 | 1 | 1 | 1 | 2 | 1 | 2 | 2 | 4 | 10 | 21 | 18 | - |
| 2005..... | 67 | 4 | - | 1 | - | 1 | - | 2 | 7 | 6  | 23 | 23 | - |
| 2004..... | 77 | 4 | 1 | - | - | - | 1 | 5 | 4 | 13 | 23 | 26 | - |
| 2003..... | 77 | 1 | 1 | - | - | 1 | 2 | 4 | 6 | 12 | 30 | 20 | - |
| 2002..... | 89 | 3 | 1 | - | 2 | - | 2 | 4 | 5 | 12 | 33 | 27 | - |
| 2001..... | 77 | 3 | 1 | 1 | - | - | 2 | 1 | 4 | 16 | 28 | 21 | - |
| 2000..... | 81 | 3 | 1 | - | - | 1 | 2 | 4 | 2 | 15 | 26 | 27 | - |
| 1999..... | 84 | - | - | 2 | - | 1 | 3 | 4 | 9 | 16 | 29 | 20 | - |

Non-Hispanic white, both sexes

|              |     |   |   |   |   |   |   |    |    |    |    |    |   |
|--------------|-----|---|---|---|---|---|---|----|----|----|----|----|---|
| 2007 2/..... | 144 | 3 | 2 | 1 | - | 2 | 3 | 7  | 16 | 24 | 46 | 40 | - |
| 2006 2/..... | 102 | 3 | 3 | 2 | 1 | 3 | 2 | 5  | 7  | 11 | 35 | 30 | - |
| 2005 2/..... | 103 | 4 | - | - | - | - | 3 | 4  | 14 | 14 | 36 | 28 | - |
| 2004 2/..... | 113 | 2 | 2 | - | - | - | - | 12 | 6  | 22 | 39 | 30 | - |
| 2003 2/..... | 107 | 5 | 1 | - | - | 1 | 3 | 7  | 8  | 23 | 40 | 19 | - |
| 2002.....    | 119 | 5 | 2 | 2 | 1 | - | 1 | 5  | 12 | 19 | 40 | 32 | - |
| 2001.....    | 116 | 6 | 3 | - | - | - | 7 | 3  | 9  | 18 | 41 | 29 | - |
| 2000.....    | 132 | 4 | - | 1 | 1 | 3 | 1 | 4  | 10 | 20 | 45 | 43 | - |
| 1999.....    | 132 | 2 | 2 | 2 | 1 | 2 | 3 | 6  | 7  | 28 | 51 | 28 | - |

Worktable Orig290F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2007

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data - mortality"]

---

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, sex, and year

|  | All ages | Under 1 year | 1-4 years | 5-14 years | 15-24 years | 25-34 years | 35-44 years | 45-54 years | 55-64 years | 65-74 years | 75-84 years | 85 years and over | Age not stated |
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|

---

Acute and rapidly progressive nephritic and nephrotic syndrome (N00-N01,N04)

| Non-Hispanic white, male   |    |   |   |   |   |   |   |   |    |    |    |    |   |
|----------------------------|----|---|---|---|---|---|---|---|----|----|----|----|---|
| 2007 2/.....               | 79 | 3 | - | - | - | 2 | 2 | 6 | 10 | 12 | 28 | 16 | - |
| 2006 2/.....               | 51 | 3 | 2 | 1 | 1 | 2 | 1 | 4 | 4  | 4  | 15 | 14 | - |
| 2005 2/.....               | 52 | 1 | - | - | - | - | 3 | 3 | 7  | 9  | 18 | 11 | - |
| 2004 2/.....               | 52 | - | 2 | - | - | - | - | 8 | 2  | 14 | 18 | 8  | - |
| 2003 2/.....               | 40 | 4 | - | - | - | - | 2 | 3 | 3  | 12 | 12 | 4  | - |
| 2002.....                  | 52 | 2 | 1 | 2 | 1 | - | - | 4 | 8  | 10 | 13 | 11 | - |
| 2001.....                  | 52 | 3 | 2 | - | - | - | 5 | 3 | 5  | 4  | 18 | 12 | - |
| 2000.....                  | 68 | 3 | - | 1 | 1 | 2 | 1 | 4 | 8  | 9  | 22 | 17 | - |
| 1999.....                  | 63 | 2 | 2 | 1 | 1 | 1 | 1 | 4 | 2  | 14 | 26 | 9  | - |
| Non-Hispanic white, female |    |   |   |   |   |   |   |   |    |    |    |    |   |
| 2007 2/.....               | 65 | - | 2 | 1 | - | - | 1 | 1 | 6  | 12 | 18 | 24 | - |
| 2006 2/.....               | 51 | - | 1 | 1 | - | 1 | 1 | 1 | 3  | 7  | 20 | 16 | - |
| 2005 2/.....               | 51 | 3 | - | - | - | - | - | 1 | 7  | 5  | 18 | 17 | - |
| 2004 2/.....               | 61 | 2 | - | - | - | - | - | 4 | 4  | 8  | 21 | 22 | - |
| 2003 2/.....               | 67 | 1 | 1 | - | - | 1 | 1 | 4 | 5  | 11 | 28 | 15 | - |
| 2002.....                  | 67 | 3 | 1 | - | - | - | 1 | 1 | 4  | 9  | 27 | 21 | - |
| 2001.....                  | 64 | 3 | 1 | - | - | - | 2 | - | 4  | 14 | 23 | 17 | - |
| 2000.....                  | 64 | 1 | - | - | - | 1 | - | - | 2  | 11 | 23 | 26 | - |
| 1999.....                  | 69 | - | - | 1 | - | 1 | 2 | 2 | 5  | 14 | 25 | 19 | - |



Worktable Orig290F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2007

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data - mortality"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, sex, and year | All ages | Under 1 year | 1-4 years | 5-14 years | 15-24 years | 25-34 years | 35-44 years | 45-54 years | 55-64 years | 65-74 years | 75-84 years | 85 years and over | Age not stated |
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|

Acute and rapidly progressive nephritic and nephrotic syndrome (N00-N01,N04)

Non-Hispanic black, both sexes

|              |    |   |   |   |   |   |   |    |   |   |   |   |   |
|--------------|----|---|---|---|---|---|---|----|---|---|---|---|---|
| 2007 2/..... | 35 | 1 | - | 1 | - | 3 | 1 | 4  | 5 | 8 | 7 | 5 | - |
| 2006 2/..... | 20 | 1 | - | - | 2 | 1 | 1 | 6  | 1 | 4 | 3 | 1 | - |
| 2005 2/..... | 18 | 1 | - | 1 | - | 3 | 1 | 2  | - | 2 | 4 | 4 | - |
| 2004 2/..... | 24 | 2 | 1 | - | 1 | - | 2 | 3  | 1 | 5 | 5 | 4 | - |
| 2003 2/..... | 18 | 1 | - | - | - | 1 | 1 | -  | 3 | 4 | 6 | 2 | - |
| 2002.....    | 29 | 1 | 1 | - | 2 | 1 | 1 | 4  | 1 | 5 | 6 | 7 | - |
| 2001.....    | 21 | - | 1 | 1 | - | 2 | - | 1  | 1 | 6 | 5 | 4 | - |
| 2000.....    | 30 | 2 | 2 | - | - | 1 | 2 | 10 | - | 6 | 5 | 2 | - |
| 1999.....    | 28 | - | - | 1 | 1 | 2 | 2 | 4  | 5 | 3 | 6 | 4 | - |

Non-Hispanic black, male

|              |    |   |   |   |   |   |   |   |   |   |   |   |   |
|--------------|----|---|---|---|---|---|---|---|---|---|---|---|---|
| 2007 2/..... | 18 | - | - | 1 | - | 2 | - | 3 | 3 | 5 | 2 | 2 | - |
| 2006 2/..... | 11 | 1 | - | - | - | 1 | - | 5 | - | 1 | 2 | 1 | - |
| 2005 2/..... | 6  | - | - | - | - | 2 | 1 | 1 | - | 1 | - | 1 | - |
| 2004 2/..... | 10 | 1 | - | - | 1 | - | 1 | 2 | 1 | - | 3 | 1 | - |
| 2003 2/..... | 12 | 1 | - | - | - | 1 | - | - | 2 | 3 | 5 | - | - |
| 2002.....    | 11 | 1 | 1 | - | - | 1 | - | 1 | 1 | 2 | 2 | 2 | - |
| 2001.....    | 9  | - | 1 | - | - | 2 | - | - | 1 | 4 | - | 1 | - |
| 2000.....    | 13 | - | 1 | - | - | 1 | - | 6 | - | 2 | 2 | 1 | - |
| 1999.....    | 16 | - | - | - | 1 | 2 | 1 | 2 | 2 | 2 | 3 | 3 | - |





Worktable Orig290F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2007

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data - mortality"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, sex, and year | All ages | Under 1 year | 1-4 years | 5-14 years | 15-24 years | 25-34 years | 35-44 years | 45-54 years | 55-64 years | 65-74 years | 75-84 years | 85 years and over | Age not stated |
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|

Chronic glomerulonephritis, nephritis and nephropathy not specified as acute or chronic, and renal sclerosis unspecified (N02-N03,N05-N07,N26)

All origins, both sexes

|           |       |   |   |   |    |    |    |     |     |     |     |       |   |
|-----------|-------|---|---|---|----|----|----|-----|-----|-----|-----|-------|---|
| 2007..... | 2,958 | 1 | 2 | 3 | 8  | 17 | 51 | 126 | 208 | 384 | 928 | 1,230 | - |
| 2006..... | 1,841 | 3 | - | 1 | 6  | 21 | 34 | 82  | 149 | 260 | 575 | 710   | - |
| 2005..... | 867   | 2 | 1 | 2 | 11 | 21 | 30 | 48  | 93  | 132 | 252 | 275   | - |
| 2004..... | 553   | 1 | - | 2 | 5  | 21 | 30 | 39  | 64  | 88  | 168 | 135   | - |
| 2003..... | 537   | 3 | - | - | 8  | 14 | 20 | 45  | 50  | 102 | 165 | 130   | - |
| 2002..... | 553   | 2 | - | 3 | 4  | 23 | 26 | 53  | 52  | 85  | 178 | 127   | - |
| 2001..... | 511   | - | 2 | 1 | 8  | 12 | 27 | 41  | 40  | 111 | 147 | 122   | - |
| 2000..... | 556   | 1 | - | 4 | 9  | 17 | 34 | 39  | 59  | 103 | 172 | 118   | - |
| 1999..... | 589   | - | 1 | 1 | 7  | 15 | 28 | 44  | 60  | 101 | 200 | 132   | - |

All origins, male

|           |       |   |   |   |   |    |    |    |     |     |     |     |   |
|-----------|-------|---|---|---|---|----|----|----|-----|-----|-----|-----|---|
| 2007..... | 1,452 | - | - | 1 | 5 | 11 | 24 | 73 | 126 | 217 | 463 | 532 | - |
| 2006..... | 897   | 3 | - | 1 | 3 | 14 | 19 | 44 | 89  | 132 | 302 | 290 | - |
| 2005..... | 444   | - | 1 | - | 4 | 15 | 23 | 32 | 53  | 67  | 129 | 120 | - |
| 2004..... | 275   | 1 | - | - | 1 | 6  | 17 | 20 | 40  | 46  | 84  | 60  | - |
| 2003..... | 269   | 1 | - | - | 5 | 5  | 14 | 35 | 22  | 48  | 80  | 59  | - |
| 2002..... | 278   | 1 | - | 1 | 3 | 13 | 14 | 25 | 27  | 49  | 92  | 53  | - |
| 2001..... | 264   | - | 1 | - | 5 | 1  | 13 | 24 | 25  | 63  | 84  | 48  | - |
| 2000..... | 284   | - | - | 1 | 2 | 11 | 20 | 27 | 31  | 54  | 83  | 55  | - |
| 1999..... | 304   | - | - | 1 | 6 | 10 | 18 | 25 | 32  | 45  | 107 | 60  | - |

Worktable Orig290F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2007

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data - mortality"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, sex, and year | All ages | Under 1 year | 1-4 years | 5-14 years | 15-24 years | 25-34 years | 35-44 years | 45-54 years | 55-64 years | 65-74 years | 75-84 years | 85 years and over | Age not stated |
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|

Chronic glomerulonephritis, nephritis and nephropathy not specified as acute or chronic, and renal sclerosis unspecified (N02-N03,N05-N07,N26)

All origins, female

|           |       |   |   |   |   |    |    |    |    |     |     |     |   |
|-----------|-------|---|---|---|---|----|----|----|----|-----|-----|-----|---|
| 2007..... | 1,506 | 1 | 2 | 2 | 3 | 6  | 27 | 53 | 82 | 167 | 465 | 698 | - |
| 2006..... | 944   | - | - | - | 3 | 7  | 15 | 38 | 60 | 128 | 273 | 420 | - |
| 2005..... | 423   | 2 | - | 2 | 7 | 6  | 7  | 16 | 40 | 65  | 123 | 155 | - |
| 2004..... | 278   | - | - | 2 | 4 | 15 | 13 | 19 | 24 | 42  | 84  | 75  | - |
| 2003..... | 268   | 2 | - | - | 3 | 9  | 6  | 10 | 28 | 54  | 85  | 71  | - |
| 2002..... | 275   | 1 | - | 2 | 1 | 10 | 12 | 28 | 25 | 36  | 86  | 74  | - |
| 2001..... | 247   | - | 1 | 1 | 3 | 11 | 14 | 17 | 15 | 48  | 63  | 74  | - |
| 2000..... | 272   | 1 | - | 3 | 7 | 6  | 14 | 12 | 28 | 49  | 89  | 63  | - |
| 1999..... | 285   | - | 1 | - | 1 | 5  | 10 | 19 | 28 | 56  | 93  | 72  | - |

Hispanic, both sexes

|           |     |   |   |   |   |   |   |    |    |    |    |    |   |
|-----------|-----|---|---|---|---|---|---|----|----|----|----|----|---|
| 2007..... | 170 | - | - | - | 1 | 3 | 5 | 16 | 16 | 29 | 61 | 39 | - |
| 2006..... | 103 | - | - | - | - | 5 | 3 | 7  | 14 | 20 | 32 | 22 | - |
| 2005..... | 63  | - | - | 2 | 4 | 6 | 6 | 4  | 6  | 10 | 15 | 10 | - |
| 2004..... | 30  | 1 | - | 1 | - | 1 | 1 | 3  | 5  | 9  | 2  | 7  | - |
| 2003..... | 35  | 1 | - | - | 1 | 2 | 2 | 5  | 7  | 5  | 9  | 3  | - |
| 2002..... | 32  | - | - | 2 | - | 3 | 2 | 3  | 5  | 3  | 9  | 5  | - |
| 2001..... | 34  | - | 1 | - | 1 | 1 | 6 | 4  | 4  | 6  | 6  | 5  | - |
| 2000..... | 28  | - | - | - | - | 2 | 1 | 4  | 4  | 5  | 7  | 5  | - |
| 1999..... | 33  | - | 1 | - | 1 | 3 | 2 | 2  | 6  | 8  | 5  | 5  | - |

Worktable Orig290F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2007

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data - mortality"]

---

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, sex, and year

|  | All ages | Under 1 year | 1-4 years | 5-14 years | 15-24 years | 25-34 years | 35-44 years | 45-54 years | 55-64 years | 65-74 years | 75-84 years | 85 years and over | Age not stated |
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|

---

Chronic glomerulonephritis, nephritis and nephropathy not specified as acute or chronic, and renal sclerosis unspecified (N02-N03,N05-N07,N26)

Hispanic, male

|           |    |   |   |   |   |   |   |    |    |    |    |    |   |
|-----------|----|---|---|---|---|---|---|----|----|----|----|----|---|
| 2007..... | 94 | - | - | - | 1 | 2 | 2 | 11 | 13 | 20 | 33 | 12 | - |
| 2006..... | 51 | - | - | - | - | 2 | 2 | 4  | 7  | 9  | 16 | 11 | - |
| 2005..... | 27 | - | - | - | 1 | 2 | 3 | 4  | 4  | 5  | 3  | 5  | - |
| 2004..... | 18 | 1 | - | - | - | 1 | - | 1  | 5  | 5  | 1  | 4  | - |
| 2003..... | 17 | - | - | - | - | 1 | 1 | 5  | 3  | 3  | 4  | -  | - |
| 2002..... | 15 | - | - | - | - | 3 | - | -  | 4  | -  | 6  | 2  | - |
| 2001..... | 17 | - | - | - | 1 | - | 5 | -  | 3  | 2  | 4  | 2  | - |
| 2000..... | 17 | - | - | - | - | 1 | - | 3  | 3  | 2  | 3  | 5  | - |
| 1999..... | 18 | - | - | - | 1 | 3 | 2 | 1  | 4  | 4  | 1  | 2  | - |

Hispanic, female

|           |    |   |   |   |   |   |   |   |   |    |    |    |   |
|-----------|----|---|---|---|---|---|---|---|---|----|----|----|---|
| 2007..... | 76 | - | - | - | - | 1 | 3 | 5 | 3 | 9  | 28 | 27 | - |
| 2006..... | 52 | - | - | - | - | 3 | 1 | 3 | 7 | 11 | 16 | 11 | - |
| 2005..... | 36 | - | - | 2 | 3 | 4 | 3 | - | 2 | 5  | 12 | 5  | - |
| 2004..... | 12 | - | - | 1 | - | - | 1 | 2 | - | 4  | 1  | 3  | - |
| 2003..... | 18 | 1 | - | - | 1 | 1 | 1 | - | 4 | 2  | 5  | 3  | - |
| 2002..... | 17 | - | - | 2 | - | - | 2 | 3 | 1 | 3  | 3  | 3  | - |
| 2001..... | 17 | - | 1 | - | - | 1 | 1 | 4 | 1 | 4  | 2  | 3  | - |
| 2000..... | 11 | - | - | - | - | 1 | 1 | 1 | 1 | 3  | 4  | -  | - |
| 1999..... | 15 | - | 1 | - | - | - | - | 1 | 2 | 4  | 4  | 3  | - |

Worktable Orig290F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2007

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data - mortality"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, sex, and year | All ages | Under 1 year | 1-4 years | 5-14 years | 15-24 years | 25-34 years | 35-44 years | 45-54 years | 55-64 years | 65-74 years | 75-84 years | 85 years and over | Age not stated |
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|

Chronic glomerulonephritis, nephritis and nephropathy not specified as acute or chronic, and renal sclerosis unspecified (N02-N03,N05-N07,N26)

Non-Hispanic 1/, both sexes

|           |       |   |   |   |   |    |    |     |     |     |     |       |   |
|-----------|-------|---|---|---|---|----|----|-----|-----|-----|-----|-------|---|
| 2007..... | 2,787 | 1 | 2 | 3 | 7 | 14 | 46 | 110 | 191 | 355 | 867 | 1,191 | - |
| 2006..... | 1,736 | 3 | - | 1 | 6 | 16 | 31 | 75  | 135 | 240 | 541 | 688   | - |
| 2005..... | 804   | 2 | 1 | - | 7 | 15 | 24 | 44  | 87  | 122 | 237 | 265   | - |
| 2004..... | 522   | - | - | 1 | 5 | 20 | 29 | 36  | 59  | 79  | 166 | 127   | - |
| 2003..... | 501   | 2 | - | - | 7 | 12 | 17 | 40  | 43  | 97  | 156 | 127   | - |
| 2002..... | 520   | 2 | - | 1 | 4 | 19 | 24 | 50  | 47  | 82  | 169 | 122   | - |
| 2001..... | 477   | - | 1 | 1 | 7 | 11 | 21 | 37  | 36  | 105 | 141 | 117   | - |
| 2000..... | 528   | 1 | - | 4 | 9 | 15 | 33 | 35  | 55  | 98  | 165 | 113   | - |
| 1999..... | 555   | - | - | 1 | 6 | 12 | 26 | 42  | 53  | 93  | 195 | 127   | - |

Non-Hispanic 1/, male

|           |       |   |   |   |   |    |    |    |     |     |     |     |   |
|-----------|-------|---|---|---|---|----|----|----|-----|-----|-----|-----|---|
| 2007..... | 1,357 | - | - | 1 | 4 | 9  | 22 | 62 | 112 | 197 | 430 | 520 | - |
| 2006..... | 845   | 3 | - | 1 | 3 | 12 | 17 | 40 | 82  | 123 | 285 | 279 | - |
| 2005..... | 417   | - | 1 | - | 3 | 13 | 20 | 28 | 49  | 62  | 126 | 115 | - |
| 2004..... | 256   | - | - | - | 1 | 5  | 17 | 19 | 35  | 41  | 83  | 55  | - |
| 2003..... | 251   | 1 | - | - | 5 | 4  | 12 | 30 | 19  | 45  | 76  | 59  | - |
| 2002..... | 263   | 1 | - | 1 | 3 | 10 | 14 | 25 | 23  | 49  | 86  | 51  | - |
| 2001..... | 247   | - | 1 | - | 4 | 1  | 8  | 24 | 22  | 61  | 80  | 46  | - |
| 2000..... | 267   | - | - | 1 | 2 | 10 | 20 | 24 | 28  | 52  | 80  | 50  | - |
| 1999..... | 285   | - | - | 1 | 5 | 7  | 16 | 24 | 27  | 41  | 106 | 58  | - |

Worktable Orig290F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2007

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data - mortality"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, sex, and year | All ages | Under 1 year | 1-4 years | 5-14 years | 15-24 years | 25-34 years | 35-44 years | 45-54 years | 55-64 years | 65-74 years | 75-84 years | 85 years and over | Age not stated |
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|

Chronic glomerulonephritis, nephritis and nephropathy not specified as acute or chronic, and renal sclerosis unspecified (N02-N03,N05-N07,N26)

Non-Hispanic 1/, female

|           |       |   |   |   |   |    |    |    |    |     |     |     |   |
|-----------|-------|---|---|---|---|----|----|----|----|-----|-----|-----|---|
| 2007..... | 1,430 | 1 | 2 | 2 | 3 | 5  | 24 | 48 | 79 | 158 | 437 | 671 | - |
| 2006..... | 891   | - | - | - | 3 | 4  | 14 | 35 | 53 | 117 | 256 | 409 | - |
| 2005..... | 387   | 2 | - | - | 4 | 2  | 4  | 16 | 38 | 60  | 111 | 150 | - |
| 2004..... | 266   | - | - | 1 | 4 | 15 | 12 | 17 | 24 | 38  | 83  | 72  | - |
| 2003..... | 250   | 1 | - | - | 2 | 8  | 5  | 10 | 24 | 52  | 80  | 68  | - |
| 2002..... | 257   | 1 | - | - | 1 | 9  | 10 | 25 | 24 | 33  | 83  | 71  | - |
| 2001..... | 230   | - | - | 1 | 3 | 10 | 13 | 13 | 14 | 44  | 61  | 71  | - |
| 2000..... | 261   | 1 | - | 3 | 7 | 5  | 13 | 11 | 27 | 46  | 85  | 63  | - |
| 1999..... | 270   | - | - | - | 1 | 5  | 10 | 18 | 26 | 52  | 89  | 69  | - |

Non-Hispanic white, both sexes

|              |       |   |   |   |   |    |    |    |     |     |     |       |   |
|--------------|-------|---|---|---|---|----|----|----|-----|-----|-----|-------|---|
| 2007 2/..... | 2,182 | 1 | 1 | 2 | 6 | 8  | 25 | 64 | 129 | 250 | 694 | 1,002 | - |
| 2006 2/..... | 1,321 | 3 | - | 1 | 5 | 5  | 12 | 40 | 84  | 163 | 433 | 575   | - |
| 2005 2/..... | 623   | 1 | - | - | 4 | 7  | 12 | 24 | 59  | 88  | 200 | 228   | - |
| 2004 2/..... | 416   | - | - | 1 | 3 | 12 | 19 | 23 | 42  | 63  | 142 | 111   | - |
| 2003 2/..... | 394   | 2 | - | - | 2 | 6  | 13 | 26 | 35  | 74  | 128 | 108   | - |
| 2002.....    | 419   | - | - | - | 3 | 12 | 20 | 31 | 34  | 76  | 141 | 102   | - |
| 2001.....    | 384   | - | 1 | - | 6 | 8  | 9  | 17 | 24  | 87  | 123 | 109   | - |
| 2000.....    | 411   | - | - | 3 | 7 | 9  | 19 | 22 | 39  | 80  | 143 | 89    | - |
| 1999.....    | 436   | - | - | 1 | 3 | 8  | 13 | 30 | 36  | 72  | 169 | 104   | - |



Worktable Orig290F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2007

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data - mortality"]

---

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, sex, and year

|  | All ages | Under 1 year | 1-4 years | 5-14 years | 15-24 years | 25-34 years | 35-44 years | 45-54 years | 55-64 years | 65-74 years | 75-84 years | 85 years and over | Age not stated |
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|

---

Chronic glomerulonephritis, nephritis and nephropathy not specified as acute or chronic, and renal sclerosis unspecified (N02-N03,N05-N07,N26)

Non-Hispanic white, male

|              |       |   |   |   |   |   |    |    |    |     |     |     |   |
|--------------|-------|---|---|---|---|---|----|----|----|-----|-----|-----|---|
| 2007 2/..... | 1,086 | - | - | - | 3 | 5 | 13 | 37 | 78 | 145 | 358 | 447 | - |
| 2006 2/..... | 643   | 3 | - | 1 | 3 | 5 | 8  | 22 | 48 | 88  | 233 | 232 | - |
| 2005 2/..... | 323   | - | - | - | 3 | 7 | 10 | 16 | 33 | 49  | 105 | 100 | - |
| 2004 2/..... | 202   | - | - | - | - | 4 | 12 | 14 | 23 | 31  | 72  | 46  | - |
| 2003 2/..... | 196   | 1 | - | - | 1 | 2 | 10 | 20 | 16 | 35  | 61  | 50  | - |
| 2002.....    | 218   | - | - | - | 2 | 7 | 11 | 16 | 19 | 45  | 72  | 46  | - |
| 2001.....    | 200   | - | 1 | - | 3 | 1 | 3  | 10 | 14 | 52  | 71  | 45  | - |
| 2000.....    | 209   | - | - | 1 | 1 | 6 | 12 | 15 | 20 | 43  | 72  | 39  | - |
| 1999.....    | 227   | - | - | 1 | 2 | 5 | 8  | 18 | 19 | 33  | 93  | 48  | - |

Non-Hispanic white, female

|              |       |   |   |   |   |   |    |    |    |     |     |     |   |
|--------------|-------|---|---|---|---|---|----|----|----|-----|-----|-----|---|
| 2007 2/..... | 1,096 | 1 | 1 | 2 | 3 | 3 | 12 | 27 | 51 | 105 | 336 | 555 | - |
| 2006 2/..... | 678   | - | - | - | 2 | - | 4  | 18 | 36 | 75  | 200 | 343 | - |
| 2005 2/..... | 300   | 1 | - | - | 1 | - | 2  | 8  | 26 | 39  | 95  | 128 | - |
| 2004 2/..... | 214   | - | - | 1 | 3 | 8 | 7  | 9  | 19 | 32  | 70  | 65  | - |
| 2003 2/..... | 198   | 1 | - | - | 1 | 4 | 3  | 6  | 19 | 39  | 67  | 58  | - |
| 2002.....    | 201   | - | - | - | 1 | 5 | 9  | 15 | 15 | 31  | 69  | 56  | - |
| 2001.....    | 184   | - | - | - | 3 | 7 | 6  | 7  | 10 | 35  | 52  | 64  | - |
| 2000.....    | 202   | - | - | 2 | 6 | 3 | 7  | 7  | 19 | 37  | 71  | 50  | - |
| 1999.....    | 209   | - | - | - | 1 | 3 | 5  | 12 | 17 | 39  | 76  | 56  | - |

Worktable Orig290F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2007

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data - mortality"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, sex, and year | All ages | Under 1 year | 1-4 years | 5-14 years | 15-24 years | 25-34 years | 35-44 years | 45-54 years | 55-64 years | 65-74 years | 75-84 years | 85 years and over | Age not stated |
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|

Chronic glomerulonephritis, nephritis and nephropathy not specified as acute or chronic, and renal sclerosis unspecified (N02-N03,N05-N07,N26)

Non-Hispanic black, both sexes

|              |     |   |   |   |   |   |    |    |    |    |     |     |   |
|--------------|-----|---|---|---|---|---|----|----|----|----|-----|-----|---|
| 2007 2/..... | 517 | - | 1 | - | 1 | 6 | 20 | 43 | 55 | 93 | 144 | 154 | - |
| 2006 2/..... | 345 | - | - | - | 1 | 9 | 12 | 32 | 49 | 69 | 83  | 90  | - |
| 2005 2/..... | 161 | 1 | 1 | - | 3 | 6 | 10 | 17 | 27 | 28 | 34  | 34  | - |
| 2004 2/..... | 90  | - | - | - | 2 | 8 | 10 | 10 | 15 | 15 | 18  | 12  | - |
| 2003 2/..... | 76  | - | - | - | 4 | 4 | 4  | 12 | 6  | 15 | 19  | 12  | - |
| 2002.....    | 80  | 2 | - | - | 1 | 6 | 3  | 18 | 8  | 5  | 20  | 17  | - |
| 2001.....    | 68  | - | - | 1 | - | 2 | 8  | 15 | 8  | 14 | 13  | 7   | - |
| 2000.....    | 90  | 1 | - | 1 | 2 | 4 | 10 | 12 | 12 | 14 | 19  | 15  | - |
| 1999.....    | 92  | - | - | - | 3 | 2 | 11 | 10 | 11 | 17 | 19  | 19  | - |

Non-Hispanic black, male

|              |     |   |   |   |   |   |   |    |    |    |    |    |   |
|--------------|-----|---|---|---|---|---|---|----|----|----|----|----|---|
| 2007 2/..... | 227 | - | - | - | 1 | 4 | 9 | 23 | 31 | 47 | 59 | 53 | - |
| 2006 2/..... | 166 | - | - | - | - | 7 | 4 | 16 | 33 | 32 | 38 | 36 | - |
| 2005 2/..... | 81  | - | 1 | - | - | 4 | 8 | 9  | 16 | 9  | 21 | 13 | - |
| 2004 2/..... | 42  | - | - | - | 1 | 1 | 5 | 4  | 10 | 9  | 7  | 5  | - |
| 2003 2/..... | 39  | - | - | - | 3 | 1 | 2 | 9  | 2  | 7  | 10 | 5  | - |
| 2002.....    | 37  | 1 | - | - | 1 | 3 | 2 | 8  | 3  | 4  | 11 | 4  | - |
| 2001.....    | 36  | - | - | - | - | - | 5 | 12 | 6  | 7  | 5  | 1  | - |
| 2000.....    | 44  | - | - | - | 1 | 2 | 5 | 8  | 7  | 8  | 6  | 7  | - |
| 1999.....    | 46  | - | - | - | 3 | 1 | 6 | 6  | 6  | 6  | 10 | 8  | - |

Worktable Orig290F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2007

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data - mortality"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, sex, and year | All ages | Under 1 year | 1-4 years | 5-14 years | 15-24 years | 25-34 years | 35-44 years | 45-54 years | 55-64 years | 65-74 years | 75-84 years | 85 years and over | Age not stated |
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|

Chronic glomerulonephritis, nephritis and nephropathy not specified as acute or chronic, and renal sclerosis unspecified (N02-N03,N05-N07,N26)

Non-Hispanic black, female

|              |     |   |   |   |   |   |    |    |    |    |    |     |   |
|--------------|-----|---|---|---|---|---|----|----|----|----|----|-----|---|
| 2007 2/..... | 290 | - | 1 | - | - | 2 | 11 | 20 | 24 | 46 | 85 | 101 | - |
| 2006 2/..... | 179 | - | - | - | 1 | 2 | 8  | 16 | 16 | 37 | 45 | 54  | - |
| 2005 2/..... | 80  | 1 | - | - | 3 | 2 | 2  | 8  | 11 | 19 | 13 | 21  | - |
| 2004 2/..... | 48  | - | - | - | 1 | 7 | 5  | 6  | 5  | 6  | 11 | 7   | - |
| 2003 2/..... | 37  | - | - | - | 1 | 3 | 2  | 3  | 4  | 8  | 9  | 7   | - |
| 2002.....    | 43  | 1 | - | - | - | 3 | 1  | 10 | 5  | 1  | 9  | 13  | - |
| 2001.....    | 32  | - | - | 1 | - | 2 | 3  | 3  | 2  | 7  | 8  | 6   | - |
| 2000.....    | 46  | 1 | - | 1 | 1 | 2 | 5  | 4  | 5  | 6  | 13 | 8   | - |
| 1999.....    | 46  | - | - | - | - | 1 | 5  | 4  | 5  | 11 | 9  | 11  | - |

Origin not stated 3/, both sexes

|           |   |   |   |   |   |   |   |   |   |   |   |   |   |
|-----------|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 2007..... | 1 | - | - | - | - | - | - | - | 1 | - | - | - | - |
| 2006..... | 2 | - | - | - | - | - | - | - | - | - | 2 | - | - |
| 2005..... | - | - | - | - | - | - | - | - | - | - | - | - | - |
| 2004..... | 1 | - | - | - | - | - | - | - | - | - | - | 1 | - |
| 2003..... | 1 | - | - | - | - | - | 1 | - | - | - | - | - | - |
| 2002..... | 1 | - | - | - | - | 1 | - | - | - | - | - | - | - |
| 2001..... | - | - | - | - | - | - | - | - | - | - | - | - | - |
| 2000..... | - | - | - | - | - | - | - | - | - | - | - | - | - |
| 1999..... | 1 | - | - | - | - | - | - | - | 1 | - | - | - | - |



Worktable Orig290F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2007

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data - mortality"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, sex, and year | All ages | Under 1 year | 1-4 years | 5-14 years | 15-24 years | 25-34 years | 35-44 years | 45-54 years | 55-64 years | 65-74 years | 75-84 years | 85 years and over | Age not stated |
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|
| Renal failure (N17-N19)  |          |              |           |            |             |             |             |             |             |             |             |                   |                |
| All origins, both sexes  |          |              |           |            |             |             |             |             |             |             |             |                   |                |
| 2007.....  | 43,263   | 138          | 16        | 18         | 77          | 237         | 696         | 2,091       | 4,205       | 7,330       | 13,718      | 14,737            | -              |
| 2006.....  | 43,344   | 154          | 10        | 12         | 89          | 250         | 745         | 2,151       | 4,207       | 7,171       | 13,915      | 14,640            | -              |
| 2005.....  | 42,868   | 151          | 13        | 19         | 79          | 261         | 705         | 1,973       | 4,025       | 7,165       | 14,102      | 14,375            | -              |
| 2004.....  | 41,732   | 165          | 9         | 18         | 79          | 223         | 767         | 2,009       | 3,883       | 6,997       | 13,830      | 13,750            | 2              |
| 2003.....  | 41,737   | 170          | 11        | 21         | 82          | 266         | 771         | 1,944       | 3,741       | 7,206       | 13,870      | 13,653            | 2              |
| 2002.....  | 40,222   | 165          | 9         | 15         | 77          | 243         | 718         | 1,829       | 3,383       | 7,046       | 13,657      | 13,080            | -              |
| 2001.....  | 38,784   | 125          | 9         | 16         | 82          | 209         | 732         | 1,770       | 3,226       | 7,211       | 12,898      | 12,505            | 1              |
| 2000.....  | 36,471   | 152          | 11        | 19         | 78          | 221         | 701         | 1,590       | 3,023       | 6,848       | 12,223      | 11,603            | 2              |
| 1999.....  | 34,719   | 163          | 12        | 25         | 63          | 230         | 673         | 1,422       | 2,784       | 6,697       | 11,652      | 10,998            | -              |
| All origins, male  |          |              |           |            |             |             |             |             |             |             |             |                   |                |
| 2007.....  | 21,038   | 74           | 11        | 11         | 37          | 125         | 400         | 1,174       | 2,336       | 3,807       | 6,933       | 6,130             | -              |
| 2006.....  | 21,115   | 94           | 7         | 7          | 52          | 139         | 436         | 1,285       | 2,346       | 3,767       | 6,924       | 6,058             | -              |
| 2005.....  | 20,745   | 86           | 9         | 10         | 41          | 136         | 395         | 1,201       | 2,288       | 3,650       | 7,027       | 5,902             | -              |
| 2004.....  | 20,006   | 106          | 6         | 11         | 46          | 105         | 433         | 1,175       | 2,072       | 3,616       | 6,895       | 5,540             | 1              |
| 2003.....  | 20,135   | 98           | 5         | 9          | 49          | 141         | 443         | 1,151       | 2,036       | 3,719       | 6,947       | 5,535             | 2              |
| 2002.....  | 19,341   | 105          | 5         | 8          | 37          | 114         | 393         | 1,055       | 1,786       | 3,739       | 6,808       | 5,291             | -              |
| 2001.....  | 18,509   | 72           | 3         | 6          | 40          | 109         | 394         | 1,022       | 1,680       | 3,752       | 6,381       | 5,050             | -              |
| 2000.....  | 17,416   | 100          | 5         | 14         | 40          | 115         | 407         | 941         | 1,607       | 3,492       | 6,102       | 4,591             | 2              |
| 1999.....  | 16,611   | 87           | 7         | 15         | 25          | 110         | 382         | 814         | 1,492       | 3,440       | 5,888       | 4,351             | -              |

Worktable Orig290F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2007

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data - mortality"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, sex, and year | All ages | Under 1 year | 1-4 years | 5-14 years | 15-24 years | 25-34 years | 35-44 years | 45-54 years | 55-64 years | 65-74 years | 75-84 years | 85 years and over | Age not stated |
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|
| Renal failure (N17-N19)  |          |              |           |            |             |             |             |             |             |             |             |                   |                |
| All origins, female  |          |              |           |            |             |             |             |             |             |             |             |                   |                |
| 2007.....  | 22,225   | 64           | 5         | 7          | 40          | 112         | 296         | 917         | 1,869       | 3,523       | 6,785       | 8,607             | -              |
| 2006.....  | 22,229   | 60           | 3         | 5          | 37          | 111         | 309         | 866         | 1,861       | 3,404       | 6,991       | 8,582             | -              |
| 2005.....  | 22,123   | 65           | 4         | 9          | 38          | 125         | 310         | 772         | 1,737       | 3,515       | 7,075       | 8,473             | -              |
| 2004.....  | 21,726   | 59           | 3         | 7          | 33          | 118         | 334         | 834         | 1,811       | 3,381       | 6,935       | 8,210             | 1              |
| 2003.....  | 21,602   | 72           | 6         | 12         | 33          | 125         | 328         | 793         | 1,705       | 3,487       | 6,923       | 8,118             | -              |
| 2002.....  | 20,881   | 60           | 4         | 7          | 40          | 129         | 325         | 774         | 1,597       | 3,307       | 6,849       | 7,789             | -              |
| 2001.....  | 20,275   | 53           | 6         | 10         | 42          | 100         | 338         | 748         | 1,546       | 3,459       | 6,517       | 7,455             | 1              |
| 2000.....  | 19,055   | 52           | 6         | 5          | 38          | 106         | 294         | 649         | 1,416       | 3,356       | 6,121       | 7,012             | -              |
| 1999.....  | 18,108   | 76           | 5         | 10         | 38          | 120         | 291         | 608         | 1,292       | 3,257       | 5,764       | 6,647             | -              |
| Hispanic, both sexes   |          |              |           |            |             |             |             |             |             |             |             |                   |                |
| 2007.....  | 2,495    | 35           | -         | 2          | 14          | 24          | 67          | 212         | 354         | 579         | 719         | 489               | -              |
| 2006.....  | 2,477    | 36           | 3         | 2          | 11          | 31          | 62          | 214         | 351         | 533         | 730         | 504               | -              |
| 2005.....  | 2,254    | 34           | 2         | 2          | 11          | 24          | 62          | 160         | 344         | 495         | 682         | 438               | -              |
| 2004.....  | 2,149    | 35           | 1         | 9          | 10          | 20          | 71          | 178         | 311         | 514         | 623         | 377               | -              |
| 2003.....  | 2,121    | 33           | 1         | 3          | 15          | 28          | 74          | 168         | 310         | 476         | 567         | 445               | 1              |
| 2002.....  | 1,856    | 35           | 3         | 3          | 9           | 30          | 61          | 154         | 260         | 422         | 521         | 358               | -              |
| 2001.....  | 1,806    | 17           | 1         | 4          | 15          | 23          | 66          | 125         | 230         | 460         | 517         | 348               | -              |
| 2000.....  | 1,605    | 22           | 3         | 3          | 14          | 24          | 51          | 103         | 227         | 397         | 420         | 340               | 1              |
| 1999.....  | 1,535    | 19           | 2         | 7          | 5           | 18          | 60          | 104         | 222         | 356         | 417         | 325               | -              |

Worktable Orig290F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2007

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data - mortality"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, sex, and year | All ages | Under 1 year | 1-4 years | 5-14 years | 15-24 years | 25-34 years | 35-44 years | 45-54 years | 55-64 years | 65-74 years | 75-84 years | 85 years and over | Age not stated |
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|
| <b>Renal failure (N17-N19)</b>   |          |              |           |            |             |             |             |             |             |             |             |                   |                |
| <b>Hispanic, male</b>  |          |              |           |            |             |             |             |             |             |             |             |                   |                |
| 2007.....  | 1,257    | 22           | -         | 2          | 6           | 10          | 42          | 132         | 194         | 290         | 354         | 205               | -              |
| 2006.....  | 1,238    | 19           | 2         | 1          | 6           | 16          | 40          | 137         | 184         | 287         | 344         | 202               | -              |
| 2005.....  | 1,151    | 18           | 1         | 1          | 7           | 14          | 34          | 108         | 196         | 238         | 334         | 200               | -              |
| 2004.....  | 1,073    | 24           | -         | 4          | 6           | 6           | 45          | 106         | 173         | 246         | 303         | 160               | -              |
| 2003.....  | 1,044    | 18           | -         | 1          | 10          | 15          | 48          | 101         | 157         | 227         | 274         | 192               | 1              |
| 2002.....  | 918      | 21           | 1         | 3          | 5           | 9           | 38          | 88          | 135         | 213         | 266         | 139               | -              |
| 2001.....  | 867      | 13           | -         | 2          | 8           | 10          | 39          | 62          | 127         | 213         | 247         | 146               | -              |
| 2000.....  | 782      | 16           | 2         | 2          | 7           | 10          | 35          | 65          | 111         | 192         | 202         | 139               | 1              |
| 1999.....  | 790      | 14           | 2         | 6          | 1           | 7           | 29          | 63          | 132         | 174         | 209         | 153               | -              |
| <b>Hispanic, female</b>  |          |              |           |            |             |             |             |             |             |             |             |                   |                |
| 2007.....  | 1,238    | 13           | -         | -          | 8           | 14          | 25          | 80          | 160         | 289         | 365         | 284               | -              |
| 2006.....  | 1,239    | 17           | 1         | 1          | 5           | 15          | 22          | 77          | 167         | 246         | 386         | 302               | -              |
| 2005.....  | 1,103    | 16           | 1         | 1          | 4           | 10          | 28          | 52          | 148         | 257         | 348         | 238               | -              |
| 2004.....  | 1,076    | 11           | 1         | 5          | 4           | 14          | 26          | 72          | 138         | 268         | 320         | 217               | -              |
| 2003.....  | 1,077    | 15           | 1         | 2          | 5           | 13          | 26          | 67          | 153         | 249         | 293         | 253               | -              |
| 2002.....  | 938      | 14           | 2         | -          | 4           | 21          | 23          | 66          | 125         | 209         | 255         | 219               | -              |
| 2001.....  | 939      | 4            | 1         | 2          | 7           | 13          | 27          | 63          | 103         | 247         | 270         | 202               | -              |
| 2000.....  | 823      | 6            | 1         | 1          | 7           | 14          | 16          | 38          | 116         | 205         | 218         | 201               | -              |
| 1999.....  | 745      | 5            | -         | 1          | 4           | 11          | 31          | 41          | 90          | 182         | 208         | 172               | -              |

Worktable Orig290F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2007

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data - mortality"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, sex, and year | All ages | Under 1 year | 1-4 years | 5-14 years | 15-24 years | 25-34 years | 35-44 years | 45-54 years | 55-64 years | 65-74 years | 75-84 years | 85 years and over | Age not stated |
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|
| <b>Renal failure (N17-N19)</b>   |          |              |           |            |             |             |             |             |             |             |             |                   |                |
| <b>Non-Hispanic 1/, both sexes</b>   |          |              |           |            |             |             |             |             |             |             |             |                   |                |
| 2007.....  | 40,706   | 103          | 16        | 16         | 63          | 212         | 629         | 1,869       | 3,839       | 6,739       | 12,992      | 14,228            | -              |
| 2006.....  | 40,785   | 118          | 7         | 10         | 78          | 219         | 681         | 1,930       | 3,843       | 6,622       | 13,163      | 14,114            | -              |
| 2005.....  | 40,552   | 116          | 11        | 16         | 68          | 236         | 641         | 1,806       | 3,675       | 6,660       | 13,406      | 13,917            | -              |
| 2004.....  | 39,492   | 130          | 7         | 9          | 69          | 202         | 696         | 1,822       | 3,565       | 6,466       | 13,170      | 13,355            | 1              |
| 2003.....  | 39,506   | 134          | 10        | 18         | 67          | 238         | 695         | 1,770       | 3,415       | 6,717       | 13,269      | 13,172            | 1              |
| 2002.....  | 38,225   | 130          | 6         | 12         | 68          | 213         | 654         | 1,664       | 3,106       | 6,597       | 13,094      | 12,681            | -              |
| 2001.....  | 36,867   | 106          | 8         | 12         | 67          | 184         | 663         | 1,632       | 2,985       | 6,731       | 12,347      | 12,132            | -              |
| 2000.....  | 34,771   | 127          | 8         | 16         | 63          | 196         | 649         | 1,481       | 2,783       | 6,432       | 11,774      | 11,242            | -              |
| 1999.....  | 33,074   | 143          | 10        | 18         | 58          | 212         | 611         | 1,313       | 2,550       | 6,320       | 11,208      | 10,631            | -              |
| <b>Non-Hispanic 1/, male</b>   |          |              |           |            |             |             |             |             |             |             |             |                   |                |
| 2007.....  | 19,745   | 52           | 11        | 9          | 31          | 115         | 358         | 1,036       | 2,135       | 3,507       | 6,576       | 5,915             | -              |
| 2006.....  | 19,833   | 75           | 5         | 6          | 46          | 123         | 395         | 1,143       | 2,152       | 3,473       | 6,568       | 5,847             | -              |
| 2005.....  | 19,557   | 67           | 8         | 8          | 34          | 121         | 359         | 1,088       | 2,088       | 3,406       | 6,686       | 5,692             | -              |
| 2004.....  | 18,885   | 82           | 5         | 7          | 40          | 98          | 388         | 1,064       | 1,895       | 3,359       | 6,575       | 5,372             | -              |
| 2003.....  | 19,038   | 80           | 5         | 8          | 39          | 126         | 395         | 1,046       | 1,869       | 3,483       | 6,657       | 5,329             | 1              |
| 2002.....  | 18,347   | 84           | 4         | 5          | 32          | 105         | 353         | 961         | 1,645       | 3,507       | 6,515       | 5,136             | -              |
| 2001.....  | 17,591   | 57           | 3         | 4          | 32          | 97          | 353         | 953         | 1,548       | 3,528       | 6,121       | 4,895             | -              |
| 2000.....  | 16,586   | 81           | 3         | 12         | 32          | 105         | 371         | 871         | 1,489       | 3,287       | 5,888       | 4,447             | -              |
| 1999.....  | 15,763   | 72           | 5         | 9          | 24          | 103         | 352         | 746         | 1,352       | 3,252       | 5,668       | 4,180             | -              |



Worktable Orig290F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2007

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data - mortality"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, sex, and year | All ages | Under 1 year | 1-4 years | 5-14 years | 15-24 years | 25-34 years | 35-44 years | 45-54 years | 55-64 years | 65-74 years | 75-84 years | 85 years and over | Age not stated |
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|
| <b>Renal failure (N17-N19)</b>   |          |              |           |            |             |             |             |             |             |             |             |                   |                |
| <b>Non-Hispanic 1/, female</b>   |          |              |           |            |             |             |             |             |             |             |             |                   |                |
| 2007.....  | 20,961   | 51           | 5         | 7          | 32          | 97          | 271         | 833         | 1,704       | 3,232       | 6,416       | 8,313             | -              |
| 2006.....  | 20,952   | 43           | 2         | 4          | 32          | 96          | 286         | 787         | 1,691       | 3,149       | 6,595       | 8,267             | -              |
| 2005.....  | 20,995   | 49           | 3         | 8          | 34          | 115         | 282         | 718         | 1,587       | 3,254       | 6,720       | 8,225             | -              |
| 2004.....  | 20,607   | 48           | 2         | 2          | 29          | 104         | 308         | 758         | 1,670       | 3,107       | 6,595       | 7,983             | 1              |
| 2003.....  | 20,468   | 54           | 5         | 10         | 28          | 112         | 300         | 724         | 1,546       | 3,234       | 6,612       | 7,843             | -              |
| 2002.....  | 19,878   | 46           | 2         | 7          | 36          | 108         | 301         | 703         | 1,461       | 3,090       | 6,579       | 7,545             | -              |
| 2001.....  | 19,276   | 49           | 5         | 8          | 35          | 87          | 310         | 679         | 1,437       | 3,203       | 6,226       | 7,237             | -              |
| 2000.....  | 18,185   | 46           | 5         | 4          | 31          | 91          | 278         | 610         | 1,294       | 3,145       | 5,886       | 6,795             | -              |
| 1999.....  | 17,311   | 71           | 5         | 9          | 34          | 109         | 259         | 567         | 1,198       | 3,068       | 5,540       | 6,451             | -              |
| <b>Non-Hispanic white, both sexes</b>  |          |              |           |            |             |             |             |             |             |             |             |                   |                |
| 2007 2/.....   | 31,878   | 58           | 10        | 12         | 35          | 104         | 305         | 1,046       | 2,378       | 4,777       | 10,762      | 12,391            | -              |
| 2006 2/.....   | 31,768   | 71           | 5         | 6          | 48          | 115         | 332         | 1,068       | 2,420       | 4,628       | 10,821      | 12,254            | -              |
| 2005 2/.....   | 31,743   | 57           | 9         | 13         | 40          | 116         | 316         | 1,031       | 2,236       | 4,739       | 11,057      | 12,129            | -              |
| 2004 2/.....   | 30,948   | 58           | 4         | 6          | 38          | 95          | 374         | 969         | 2,184       | 4,653       | 10,916      | 11,650            | 1              |
| 2003 2/.....   | 30,973   | 73           | 7         | 11         | 36          | 121         | 323         | 941         | 2,153       | 4,791       | 11,004      | 11,513            | -              |
| 2002.....  | 30,104   | 72           | 3         | 8          | 29          | 105         | 331         | 885         | 1,928       | 4,769       | 10,922      | 11,052            | -              |
| 2001.....  | 28,932   | 52           | 6         | 6          | 38          | 91          | 343         | 881         | 1,825       | 4,873       | 10,233      | 10,584            | -              |
| 2000.....  | 27,350   | 57           | 4         | 13         | 40          | 97          | 339         | 800         | 1,722       | 4,632       | 9,830       | 9,816             | -              |
| 1999.....  | 25,831   | 79           | 8         | 10         | 32          | 104         | 302         | 679         | 1,592       | 4,614       | 9,279       | 9,132             | -              |

Worktable Orig290F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2007

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data - mortality"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, sex, and year | All ages | Under 1 year | 1-4 years | 5-14 years | 15-24 years | 25-34 years | 35-44 years | 45-54 years | 55-64 years | 65-74 years | 75-84 years | 85 years and over | Age not stated |
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|
| <b>Renal failure (N17-N19)</b>   |          |              |           |            |             |             |             |             |             |             |             |                   |                |
| <b>Non-Hispanic white, male</b>  |          |              |           |            |             |             |             |             |             |             |             |                   |                |
| 2007 2/.....   | 15,720   | 25           | 6         | 6          | 17          | 57          | 183         | 601         | 1,361       | 2,559       | 5,624       | 5,281             | -              |
| 2006 2/.....   | 15,711   | 48           | 4         | 3          | 33          | 71          | 200         | 653         | 1,412       | 2,527       | 5,541       | 5,219             | -              |
| 2005 2/.....   | 15,566   | 31           | 6         | 6          | 21          | 60          | 187         | 637         | 1,302       | 2,562       | 5,677       | 5,077             | -              |
| 2004 2/.....   | 14,981   | 36           | 2         | 4          | 21          | 42          | 216         | 563         | 1,206       | 2,494       | 5,627       | 4,770             | -              |
| 2003 2/.....   | 15,080   | 47           | 4         | 6          | 23          | 62          | 193         | 552         | 1,197       | 2,566       | 5,675       | 4,755             | -              |
| 2002.....  | 14,610   | 47           | 2         | 4          | 14          | 56          | 180         | 513         | 1,018       | 2,639       | 5,600       | 4,537             | -              |
| 2001.....  | 14,076   | 28           | 1         | 3          | 18          | 44          | 203         | 528         | 993         | 2,672       | 5,221       | 4,365             | -              |
| 2000.....  | 13,275   | 38           | 2         | 10         | 23          | 54          | 193         | 471         | 959         | 2,516       | 5,045       | 3,964             | -              |
| 1999.....  | 12,496   | 44           | 3         | 6          | 14          | 53          | 179         | 383         | 882         | 2,484       | 4,787       | 3,661             | -              |
| <b>Non-Hispanic white, female</b>  |          |              |           |            |             |             |             |             |             |             |             |                   |                |
| 2007 2/.....   | 16,158   | 33           | 4         | 6          | 18          | 47          | 122         | 445         | 1,017       | 2,218       | 5,138       | 7,110             | -              |
| 2006 2/.....   | 16,057   | 23           | 1         | 3          | 15          | 44          | 132         | 415         | 1,008       | 2,101       | 5,280       | 7,035             | -              |
| 2005 2/.....   | 16,177   | 26           | 3         | 7          | 19          | 56          | 129         | 394         | 934         | 2,177       | 5,380       | 7,052             | -              |
| 2004 2/.....   | 15,967   | 22           | 2         | 2          | 17          | 53          | 158         | 406         | 978         | 2,159       | 5,289       | 6,880             | 1              |
| 2003 2/.....   | 15,893   | 26           | 3         | 5          | 13          | 59          | 130         | 389         | 956         | 2,225       | 5,329       | 6,758             | -              |
| 2002.....  | 15,494   | 25           | 1         | 4          | 15          | 49          | 151         | 372         | 910         | 2,130       | 5,322       | 6,515             | -              |
| 2001.....  | 14,856   | 24           | 5         | 3          | 20          | 47          | 140         | 353         | 832         | 2,201       | 5,012       | 6,219             | -              |
| 2000.....  | 14,075   | 19           | 2         | 3          | 17          | 43          | 146         | 329         | 763         | 2,116       | 4,785       | 5,852             | -              |
| 1999.....  | 13,335   | 35           | 5         | 4          | 18          | 51          | 123         | 296         | 710         | 2,130       | 4,492       | 5,471             | -              |

Worktable Orig290F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2007

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data - mortality"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, sex, and year | All ages | Under 1 year | 1-4 years | 5-14 years | 15-24 years | 25-34 years | 35-44 years | 45-54 years | 55-64 years | 65-74 years | 75-84 years | 85 years and over | Age not stated |
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|
| <b>Renal failure (N17-N19)</b>   |          |              |           |            |             |             |             |             |             |             |             |                   |                |
| <b>Non-Hispanic black, both sexes</b>  |          |              |           |            |             |             |             |             |             |             |             |                   |                |
| 2007 2/.....   | 7,761    | 43           | 5         | 2          | 27          | 101         | 308         | 768         | 1,314       | 1,723       | 1,895       | 1,575             | -              |
| 2006 2/.....   | 7,969    | 42           | 2         | 2          | 27          | 96          | 320         | 798         | 1,284       | 1,758       | 2,038       | 1,602             | -              |
| 2005 2/.....   | 7,834    | 55           | 2         | 2          | 26          | 111         | 301         | 726         | 1,313       | 1,713       | 2,051       | 1,534             | -              |
| 2004 2/.....   | 7,640    | 64           | 3         | 2          | 28          | 95          | 303         | 798         | 1,267       | 1,609       | 1,968       | 1,503             | -              |
| 2003 2/.....   | 7,704    | 59           | 3         | 7          | 29          | 113         | 350         | 767         | 1,163       | 1,736       | 1,989       | 1,487             | 1              |
| 2002.....  | 7,297    | 52           | 3         | 4          | 33          | 101         | 302         | 722         | 1,063       | 1,660       | 1,914       | 1,443             | -              |
| 2001.....  | 7,119    | 52           | 2         | 5          | 26          | 89          | 298         | 686         | 1,038       | 1,678       | 1,871       | 1,374             | -              |
| 2000.....  | 6,724    | 66           | 3         | 3          | 22          | 93          | 292         | 639         | 968         | 1,616       | 1,751       | 1,271             | -              |
| 1999.....  | 6,527    | 58           | 1         | 7          | 26          | 99          | 297         | 600         | 860         | 1,533       | 1,720       | 1,326             | -              |
| <b>Non-Hispanic black, male</b>  |          |              |           |            |             |             |             |             |             |             |             |                   |                |
| 2007 2/.....   | 3,481    | 26           | 4         | 1          | 13          | 53          | 167         | 404         | 686         | 813         | 796         | 518               | -              |
| 2006 2/.....   | 3,605    | 23           | 1         | 2          | 11          | 48          | 177         | 456         | 677         | 824         | 881         | 505               | -              |
| 2005 2/.....   | 3,525    | 36           | 2         | 1          | 11          | 54          | 155         | 428         | 730         | 740         | 870         | 498               | -              |
| 2004 2/.....   | 3,451    | 39           | 3         | 2          | 17          | 50          | 160         | 466         | 629         | 762         | 817         | 506               | -              |
| 2003 2/.....   | 3,559    | 31           | 1         | 2          | 16          | 62          | 189         | 457         | 623         | 841         | 847         | 489               | 1              |
| 2002.....  | 3,339    | 33           | 2         | 1          | 14          | 45          | 159         | 418         | 569         | 788         | 796         | 514               | -              |
| 2001.....  | 3,111    | 28           | 2         | -          | 12          | 52          | 134         | 387         | 502         | 771         | 778         | 445               | -              |
| 2000.....  | 2,986    | 40           | 1         | 2          | 9           | 47          | 170         | 378         | 477         | 696         | 751         | 415               | -              |
| 1999.....  | 2,920    | 25           | 1         | 3          | 10          | 44          | 166         | 345         | 418         | 682         | 789         | 437               | -              |

Worktable Orig290F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2007

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data - mortality"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, sex, and year | All ages | Under 1 year | 1-4 years | 5-14 years | 15-24 years | 25-34 years | 35-44 years | 45-54 years | 55-64 years | 65-74 years | 75-84 years | 85 years and over | Age not stated |
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|
| <b>Renal failure (N17-N19)</b>   |          |              |           |            |             |             |             |             |             |             |             |                   |                |
| <b>Non-Hispanic black, female</b>  |          |              |           |            |             |             |             |             |             |             |             |                   |                |
| 2007 2/.....   | 4,280    | 17           | 1         | 1          | 14          | 48          | 141         | 364         | 628         | 910         | 1,099       | 1,057             | -              |
| 2006 2/.....   | 4,364    | 19           | 1         | -          | 16          | 48          | 143         | 342         | 607         | 934         | 1,157       | 1,097             | -              |
| 2005 2/.....   | 4,309    | 19           | -         | 1          | 15          | 57          | 146         | 298         | 583         | 973         | 1,181       | 1,036             | -              |
| 2004 2/.....   | 4,189    | 25           | -         | -          | 11          | 45          | 143         | 332         | 638         | 847         | 1,151       | 997               | -              |
| 2003 2/.....   | 4,145    | 28           | 2         | 5          | 13          | 51          | 161         | 310         | 540         | 895         | 1,142       | 998               | -              |
| 2002.....  | 3,958    | 19           | 1         | 3          | 19          | 56          | 143         | 304         | 494         | 872         | 1,118       | 929               | -              |
| 2001.....  | 4,008    | 24           | -         | 5          | 14          | 37          | 164         | 299         | 536         | 907         | 1,093       | 929               | -              |
| 2000.....  | 3,738    | 26           | 2         | 1          | 13          | 46          | 122         | 261         | 491         | 920         | 1,000       | 856               | -              |
| 1999.....  | 3,607    | 33           | -         | 4          | 16          | 55          | 131         | 255         | 442         | 851         | 931         | 889               | -              |
| <b>Origin not stated 3/, both sexes</b>  |          |              |           |            |             |             |             |             |             |             |             |                   |                |
| 2007.....  | 62       | -            | -         | -          | -           | 1           | -           | 10          | 12          | 12          | 7           | 20                | -              |
| 2006.....  | 82       | -            | -         | -          | -           | -           | 2           | 7           | 13          | 16          | 22          | 22                | -              |
| 2005.....  | 62       | 1            | -         | 1          | -           | 1           | 2           | 7           | 6           | 10          | 14          | 20                | -              |
| 2004.....  | 91       | -            | 1         | -          | -           | 1           | -           | 9           | 7           | 17          | 37          | 18                | 1              |
| 2003.....  | 110      | 3            | -         | -          | -           | -           | 2           | 6           | 16          | 13          | 34          | 36                | -              |
| 2002.....  | 141      | -            | -         | -          | -           | -           | 3           | 11          | 17          | 27          | 42          | 41                | -              |
| 2001.....  | 111      | 2            | -         | -          | -           | 2           | 3           | 13          | 11          | 20          | 34          | 25                | 1              |
| 2000.....  | 95       | 3            | -         | -          | 1           | 1           | 1           | 6           | 13          | 19          | 29          | 21                | 1              |
| 1999.....  | 110      | 1            | -         | -          | -           | -           | 2           | 5           | 12          | 21          | 27          | 42                | -              |

Worktable Orig290F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2007

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data - mortality"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, sex, and year | All ages | Under 1 year | 1-4 years | 5-14 years | 15-24 years | 25-34 years | 35-44 years | 45-54 years | 55-64 years | 65-74 years | 75-84 years | 85 years and over | Age not stated |
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|
| Renal failure (N17-N19)  |          |              |           |            |             |             |             |             |             |             |             |                   |                |
| Origin not stated 3/, male   |          |              |           |            |             |             |             |             |             |             |             |                   |                |
| 2007.....  | 36       | -            | -         | -          | -           | -           | -           | 6           | 7           | 10          | 3           | 10                | -              |
| 2006.....  | 44       | -            | -         | -          | -           | -           | 1           | 5           | 10          | 7           | 12          | 9                 | -              |
| 2005.....  | 37       | 1            | -         | 1          | -           | 1           | 2           | 5           | 4           | 6           | 7           | 10                | -              |
| 2004.....  | 48       | -            | 1         | -          | -           | 1           | -           | 5           | 4           | 11          | 17          | 8                 | 1              |
| 2003.....  | 53       | -            | -         | -          | -           | -           | -           | 4           | 10          | 9           | 16          | 14                | -              |
| 2002.....  | 76       | -            | -         | -          | -           | -           | 2           | 6           | 6           | 19          | 27          | 16                | -              |
| 2001.....  | 51       | 2            | -         | -          | -           | 2           | 2           | 7           | 5           | 11          | 13          | 9                 | -              |
| 2000.....  | 48       | 3            | -         | -          | 1           | -           | 1           | 5           | 7           | 13          | 12          | 5                 | 1              |
| 1999.....  | 58       | 1            | -         | -          | -           | -           | 1           | 5           | 8           | 14          | 11          | 18                | -              |
| Origin not stated 3/, female   |          |              |           |            |             |             |             |             |             |             |             |                   |                |
| 2007.....  | 26       | -            | -         | -          | -           | 1           | -           | 4           | 5           | 2           | 4           | 10                | -              |
| 2006.....  | 38       | -            | -         | -          | -           | -           | 1           | 2           | 3           | 9           | 10          | 13                | -              |
| 2005.....  | 25       | -            | -         | -          | -           | -           | -           | 2           | 2           | 4           | 7           | 10                | -              |
| 2004.....  | 43       | -            | -         | -          | -           | -           | -           | 4           | 3           | 6           | 20          | 10                | -              |
| 2003.....  | 57       | 3            | -         | -          | -           | -           | 2           | 2           | 6           | 4           | 18          | 22                | -              |
| 2002.....  | 65       | -            | -         | -          | -           | -           | 1           | 5           | 11          | 8           | 15          | 25                | -              |
| 2001.....  | 60       | -            | -         | -          | -           | -           | 1           | 6           | 6           | 9           | 21          | 16                | 1              |
| 2000.....  | 47       | -            | -         | -          | -           | 1           | -           | 1           | 6           | 6           | 17          | 16                | -              |
| 1999.....  | 52       | -            | -         | -          | -           | -           | 1           | -           | 4           | 7           | 16          | 24                | -              |

Worktable Orig290F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2007

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data - mortality"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, sex, and year | All ages | Under 1 year | 1-4 years | 5-14 years | 15-24 years | 25-34 years | 35-44 years | 45-54 years | 55-64 years | 65-74 years | 75-84 years | 85 years and over | Age not stated |
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|
| Other disorders of kidney (N25,N27)  |          |              |           |            |             |             |             |             |             |             |             |                   |                |
| All origins, both sexes  |          |              |           |            |             |             |             |             |             |             |             |                   |                |
| 2007.....  | 21       | -            | 1         | -          | -           | -           | 1           | 3           | 5           | 3           | 3           | 5                 | -              |
| 2006.....  | 21       | -            | -         | 1          | -           | 1           | 2           | 1           | 2           | 5           | 5           | 4                 | -              |
| 2005.....  | 29       | -            | -         | -          | 1           | -           | 3           | 1           | 8           | 6           | 6           | 4                 | -              |
| 2004.....  | 38       | 1            | -         | -          | 1           | 1           | 2           | 3           | 7           | 7           | 11          | 5                 | -              |
| 2003.....  | 31       | -            | 1         | -          | 1           | -           | 1           | 5           | 1           | 7           | 8           | 7                 | -              |
| 2002.....  | 33       | -            | -         | 1          | -           | 2           | 1           | 2           | 4           | 6           | 10          | 7                 | -              |
| 2001.....  | 29       | -            | 1         | -          | 2           | 1           | 1           | 5           | 5           | 7           | 4           | 3                 | -              |
| 2000.....  | 47       | 1            | -         | -          | -           | 2           | 2           | 6           | 8           | 10          | 11          | 7                 | -              |
| 1999.....  | 35       | -            | -         | -          | -           | 2           | 1           | 3           | 4           | 6           | 13          | 6                 | -              |
| All origins, male  |          |              |           |            |             |             |             |             |             |             |             |                   |                |
| 2007.....  | 15       | -            | -         | -          | -           | -           | 1           | 3           | 3           | 2           | 3           | 3                 | -              |
| 2006.....  | 12       | -            | -         | 1          | -           | 1           | 2           | -           | 1           | 3           | 2           | 2                 | -              |
| 2005.....  | 12       | -            | -         | -          | -           | -           | 1           | -           | 3           | 5           | 2           | 1                 | -              |
| 2004.....  | 16       | 1            | -         | -          | 1           | 1           | -           | 3           | 4           | 1           | 4           | 1                 | -              |
| 2003.....  | 12       | -            | 1         | -          | 1           | -           | -           | 4           | -           | 3           | 2           | 1                 | -              |
| 2002.....  | 6        | -            | -         | 1          | -           | 1           | -           | 1           | -           | -           | 3           | -                 | -              |
| 2001.....  | 6        | -            | -         | -          | -           | -           | 1           | 2           | -           | 1           | 1           | 1                 | -              |
| 2000.....  | 20       | -            | -         | -          | -           | -           | 1           | 3           | 5           | 6           | 2           | 3                 | -              |
| 1999.....  | 11       | -            | -         | -          | -           | 1           | -           | 1           | -           | 2           | 4           | 3                 | -              |

Worktable Orig290F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2007

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data - mortality"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, sex, and year | All ages | Under 1 year | 1-4 years | 5-14 years | 15-24 years | 25-34 years | 35-44 years | 45-54 years | 55-64 years | 65-74 years | 75-84 years | 85 years and over | Age not stated |
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|
| Other disorders of kidney (N25,N27)  |          |              |           |            |             |             |             |             |             |             |             |                   |                |
| All origins, female  |          |              |           |            |             |             |             |             |             |             |             |                   |                |
| 2007.....  | 6        | -            | 1         | -          | -           | -           | -           | -           | 2           | 1           | -           | 2                 | -              |
| 2006.....  | 9        | -            | -         | -          | -           | -           | -           | 1           | 1           | 2           | 3           | 2                 | -              |
| 2005.....  | 17       | -            | -         | -          | 1           | -           | 2           | 1           | 5           | 1           | 4           | 3                 | -              |
| 2004.....  | 22       | -            | -         | -          | -           | -           | 2           | -           | 3           | 6           | 7           | 4                 | -              |
| 2003.....  | 19       | -            | -         | -          | -           | -           | 1           | 1           | 1           | 4           | 6           | 6                 | -              |
| 2002.....  | 27       | -            | -         | -          | -           | 1           | 1           | 1           | 4           | 6           | 7           | 7                 | -              |
| 2001.....  | 23       | -            | 1         | -          | 2           | 1           | -           | 3           | 5           | 6           | 3           | 2                 | -              |
| 2000.....  | 27       | 1            | -         | -          | -           | 2           | 1           | 3           | 3           | 4           | 9           | 4                 | -              |
| 1999.....  | 24       | -            | -         | -          | -           | 1           | 1           | 2           | 4           | 4           | 9           | 3                 | -              |
| Hispanic, both sexes   |          |              |           |            |             |             |             |             |             |             |             |                   |                |
| 2007.....  | 1        | -            | 1         | -          | -           | -           | -           | -           | -           | -           | -           | -                 | -              |
| 2006.....  | 3        | -            | -         | -          | -           | 1           | 1           | 1           | -           | -           | -           | -                 | -              |
| 2005.....  | 1        | -            | -         | -          | -           | -           | -           | 1           | -           | -           | -           | -                 | -              |
| 2004.....  | 2        | -            | -         | -          | 1           | -           | -           | -           | 1           | -           | -           | -                 | -              |
| 2003.....  | 1        | -            | -         | -          | -           | -           | -           | 1           | -           | -           | -           | -                 | -              |
| 2002.....  | -        | -            | -         | -          | -           | -           | -           | -           | -           | -           | -           | -                 | -              |
| 2001.....  | 4        | -            | -         | -          | -           | -           | 1           | 1           | 1           | 1           | -           | -                 | -              |
| 2000.....  | 4        | 1            | -         | -          | -           | -           | 1           | -           | 1           | -           | 1           | -                 | -              |
| 1999.....  | 4        | -            | -         | -          | -           | -           | -           | -           | -           | 1           | 3           | -                 | -              |

Worktable Orig290F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2007

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data - mortality"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, sex, and year | All ages | Under 1 year | 1-4 years | 5-14 years | 15-24 years | 25-34 years | 35-44 years | 45-54 years | 55-64 years | 65-74 years | 75-84 years | 85 years and over | Age not stated |
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|
| Other disorders of kidney (N25,N27)  |          |              |           |            |             |             |             |             |             |             |             |                   |                |
| Hispanic, male   |          |              |           |            |             |             |             |             |             |             |             |                   |                |
| 2007.....  | -        | -            | -         | -          | -           | -           | -           | -           | -           | -           | -           | -                 | -              |
| 2006.....  | 2        | -            | -         | -          | -           | 1           | 1           | -           | -           | -           | -           | -                 | -              |
| 2005.....  | -        | -            | -         | -          | -           | -           | -           | -           | -           | -           | -           | -                 | -              |
| 2004.....  | 2        | -            | -         | -          | 1           | -           | -           | -           | 1           | -           | -           | -                 | -              |
| 2003.....  | 1        | -            | -         | -          | -           | -           | -           | 1           | -           | -           | -           | -                 | -              |
| 2002.....  | -        | -            | -         | -          | -           | -           | -           | -           | -           | -           | -           | -                 | -              |
| 2001.....  | 1        | -            | -         | -          | -           | -           | 1           | -           | -           | -           | -           | -                 | -              |
| 2000.....  | 2        | -            | -         | -          | -           | -           | 1           | -           | 1           | -           | -           | -                 | -              |
| 1999.....  | 2        | -            | -         | -          | -           | -           | -           | -           | -           | -           | 2           | -                 | -              |
| Hispanic, female   |          |              |           |            |             |             |             |             |             |             |             |                   |                |
| 2007.....  | 1        | -            | 1         | -          | -           | -           | -           | -           | -           | -           | -           | -                 | -              |
| 2006.....  | 1        | -            | -         | -          | -           | -           | -           | 1           | -           | -           | -           | -                 | -              |
| 2005.....  | 1        | -            | -         | -          | -           | -           | -           | 1           | -           | -           | -           | -                 | -              |
| 2004.....  | -        | -            | -         | -          | -           | -           | -           | -           | -           | -           | -           | -                 | -              |
| 2003.....  | -        | -            | -         | -          | -           | -           | -           | -           | -           | -           | -           | -                 | -              |
| 2002.....  | -        | -            | -         | -          | -           | -           | -           | -           | -           | -           | -           | -                 | -              |
| 2001.....  | 3        | -            | -         | -          | -           | -           | -           | 1           | 1           | 1           | -           | -                 | -              |
| 2000.....  | 2        | 1            | -         | -          | -           | -           | -           | -           | -           | -           | 1           | -                 | -              |
| 1999.....  | 2        | -            | -         | -          | -           | -           | -           | -           | -           | 1           | 1           | -                 | -              |



Worktable Orig290F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2007

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data - mortality"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, sex, and year | All ages | Under 1 year | 1-4 years | 5-14 years | 15-24 years | 25-34 years | 35-44 years | 45-54 years | 55-64 years | 65-74 years | 75-84 years | 85 years and over | Age not stated |
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|
| Other disorders of kidney (N25,N27)  |          |              |           |            |             |             |             |             |             |             |             |                   |                |
| Non-Hispanic 1/, both sexes  |          |              |           |            |             |             |             |             |             |             |             |                   |                |
| 2007.....  | 20       | -            | -         | -          | -           | -           | 1           | 3           | 5           | 3           | 3           | 5                 | -              |
| 2006.....  | 18       | -            | -         | 1          | -           | -           | 1           | -           | 2           | 5           | 5           | 4                 | -              |
| 2005.....  | 28       | -            | -         | -          | 1           | -           | 3           | -           | 8           | 6           | 6           | 4                 | -              |
| 2004.....  | 36       | 1            | -         | -          | -           | 1           | 2           | 3           | 6           | 7           | 11          | 5                 | -              |
| 2003.....  | 30       | -            | 1         | -          | 1           | -           | 1           | 4           | 1           | 7           | 8           | 7                 | -              |
| 2002.....  | 33       | -            | -         | 1          | -           | 2           | 1           | 2           | 4           | 6           | 10          | 7                 | -              |
| 2001.....  | 25       | -            | 1         | -          | 2           | 1           | -           | 4           | 4           | 6           | 4           | 3                 | -              |
| 2000.....  | 42       | -            | -         | -          | -           | 2           | 1           | 6           | 6           | 10          | 10          | 7                 | -              |
| 1999.....  | 31       | -            | -         | -          | -           | 2           | 1           | 3           | 4           | 5           | 10          | 6                 | -              |
| Non-Hispanic 1/, male  |          |              |           |            |             |             |             |             |             |             |             |                   |                |
| 2007.....  | 15       | -            | -         | -          | -           | -           | 1           | 3           | 3           | 2           | 3           | 3                 | -              |
| 2006.....  | 10       | -            | -         | 1          | -           | -           | 1           | -           | 1           | 3           | 2           | 2                 | -              |
| 2005.....  | 12       | -            | -         | -          | -           | -           | 1           | -           | 3           | 5           | 2           | 1                 | -              |
| 2004.....  | 14       | 1            | -         | -          | -           | 1           | -           | 3           | 3           | 1           | 4           | 1                 | -              |
| 2003.....  | 11       | -            | 1         | -          | 1           | -           | -           | 3           | -           | 3           | 2           | 1                 | -              |
| 2002.....  | 6        | -            | -         | 1          | -           | 1           | -           | 1           | -           | -           | 3           | -                 | -              |
| 2001.....  | 5        | -            | -         | -          | -           | -           | -           | 2           | -           | 1           | 1           | 1                 | -              |
| 2000.....  | 18       | -            | -         | -          | -           | -           | -           | 3           | 4           | 6           | 2           | 3                 | -              |
| 1999.....  | 9        | -            | -         | -          | -           | 1           | -           | 1           | -           | 2           | 2           | 3                 | -              |

Worktable Orig290F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2007

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data - mortality"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, sex, and year | All ages | Under 1 year | 1-4 years | 5-14 years | 15-24 years | 25-34 years | 35-44 years | 45-54 years | 55-64 years | 65-74 years | 75-84 years | 85 years and over | Age not stated |
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|
| Other disorders of kidney (N25,N27)  |          |              |           |            |             |             |             |             |             |             |             |                   |                |
| Non-Hispanic 1/, female  |          |              |           |            |             |             |             |             |             |             |             |                   |                |
| 2007.....  | 5        | -            | -         | -          | -           | -           | -           | -           | 2           | 1           | -           | 2                 | -              |
| 2006.....  | 8        | -            | -         | -          | -           | -           | -           | -           | 1           | 2           | 3           | 2                 | -              |
| 2005.....  | 16       | -            | -         | -          | 1           | -           | 2           | -           | 5           | 1           | 4           | 3                 | -              |
| 2004.....  | 22       | -            | -         | -          | -           | -           | 2           | -           | 3           | 6           | 7           | 4                 | -              |
| 2003.....  | 19       | -            | -         | -          | -           | -           | 1           | 1           | 1           | 4           | 6           | 6                 | -              |
| 2002.....  | 27       | -            | -         | -          | -           | 1           | 1           | 1           | 4           | 6           | 7           | 7                 | -              |
| 2001.....  | 20       | -            | 1         | -          | 2           | 1           | -           | 2           | 4           | 5           | 3           | 2                 | -              |
| 2000.....  | 24       | -            | -         | -          | -           | 2           | 1           | 3           | 2           | 4           | 8           | 4                 | -              |
| 1999.....  | 22       | -            | -         | -          | -           | 1           | 1           | 2           | 4           | 3           | 8           | 3                 | -              |
| Non-Hispanic white, both sexes   |          |              |           |            |             |             |             |             |             |             |             |                   |                |
| 2007 2/.....   | 15       | -            | -         | -          | -           | -           | 1           | 3           | 2           | 3           | 3           | 3                 | -              |
| 2006 2/.....   | 17       | -            | -         | 1          | -           | -           | 1           | -           | 1           | 5           | 5           | 4                 | -              |
| 2005 2/.....   | 23       | -            | -         | -          | 1           | -           | 2           | -           | 8           | 5           | 5           | 2                 | -              |
| 2004 2/.....   | 31       | 1            | -         | -          | -           | 1           | 1           | 1           | 6           | 7           | 9           | 5                 | -              |
| 2003 2/.....   | 23       | -            | 1         | -          | -           | -           | 1           | 3           | 1           | 3           | 7           | 7                 | -              |
| 2002.....  | 27       | -            | -         | -          | -           | 2           | 1           | 1           | 4           | 6           | 7           | 6                 | -              |
| 2001.....  | 17       | -            | 1         | -          | 1           | 1           | -           | 3           | 3           | 6           | 1           | 1                 | -              |
| 2000.....  | 31       | -            | -         | -          | -           | 1           | -           | 3           | 5           | 9           | 8           | 5                 | -              |
| 1999.....  | 19       | -            | -         | -          | -           | 2           | 1           | 2           | 1           | 4           | 5           | 4                 | -              |

Worktable Orig290F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2007

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data - mortality"]

---

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, sex, and year

|  | All ages | Under 1 year | 1-4 years | 5-14 years | 15-24 years | 25-34 years | 35-44 years | 45-54 years | 55-64 years | 65-74 years | 75-84 years | 85 years and over | Age not stated |
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|

---

Other disorders of kidney (N25,N27)

Non-Hispanic white, male

|              |    |   |   |   |   |   |   |   |   |   |   |   |   |
|--------------|----|---|---|---|---|---|---|---|---|---|---|---|---|
| 2007 2/..... | 11 | - | - | - | - | - | 1 | 3 | - | 2 | 3 | 2 | - |
| 2006 2/..... | 10 | - | - | 1 | - | - | 1 | - | 1 | 3 | 2 | 2 | - |
| 2005 2/..... | 12 | - | - | - | - | - | 1 | - | 3 | 5 | 2 | 1 | - |
| 2004 2/..... | 12 | 1 | - | - | - | 1 | - | 1 | 3 | 1 | 4 | 1 | - |
| 2003 2/..... | 7  | - | 1 | - | - | - | - | 2 | - | 1 | 2 | 1 | - |
| 2002.....    | 3  | - | - | - | - | 1 | - | - | - | - | 2 | - | - |
| 2001.....    | 3  | - | - | - | - | - | - | 2 | - | 1 | - | - | - |
| 2000.....    | 15 | - | - | - | - | - | - | 1 | 3 | 6 | 2 | 3 | - |
| 1999.....    | 7  | - | - | - | - | 1 | - | 1 | - | 1 | 1 | 3 | - |

Non-Hispanic white, female

|              |    |   |   |   |   |   |   |   |   |   |   |   |   |
|--------------|----|---|---|---|---|---|---|---|---|---|---|---|---|
| 2007 2/..... | 4  | - | - | - | - | - | - | - | 2 | 1 | - | 1 | - |
| 2006 2/..... | 7  | - | - | - | - | - | - | - | - | 2 | 3 | 2 | - |
| 2005 2/..... | 11 | - | - | - | 1 | - | 1 | - | 5 | - | 3 | 1 | - |
| 2004 2/..... | 19 | - | - | - | - | - | 1 | - | 3 | 6 | 5 | 4 | - |
| 2003 2/..... | 16 | - | - | - | - | - | 1 | 1 | 1 | 2 | 5 | 6 | - |
| 2002.....    | 24 | - | - | - | - | 1 | 1 | 1 | 4 | 6 | 5 | 6 | - |
| 2001.....    | 14 | - | 1 | - | 1 | 1 | - | 1 | 3 | 5 | 1 | 1 | - |
| 2000.....    | 16 | - | - | - | - | 1 | - | 2 | 2 | 3 | 6 | 2 | - |
| 1999.....    | 12 | - | - | - | - | 1 | 1 | 1 | 1 | 3 | 4 | 1 | - |

Worktable Orig290F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2007

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data - mortality"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, sex, and year | All ages | Under 1 year | 1-4 years | 5-14 years | 15-24 years | 25-34 years | 35-44 years | 45-54 years | 55-64 years | 65-74 years | 75-84 years | 85 years and over | Age not stated |
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|

Other disorders of kidney (N25,N27)

Non-Hispanic black, both sexes

|              |    |   |   |   |   |   |   |   |   |   |   |   |   |
|--------------|----|---|---|---|---|---|---|---|---|---|---|---|---|
| 2007 2/..... | 5  | - | - | - | - | - | - | - | 3 | - | - | 2 | - |
| 2006 2/..... | -  | - | - | - | - | - | - | - | - | - | - | - | - |
| 2005 2/..... | 4  | - | - | - | - | - | - | - | - | 1 | 1 | 2 | - |
| 2004 2/..... | 5  | - | - | - | - | - | 1 | 2 | - | - | 2 | - | - |
| 2003 2/..... | 6  | - | - | - | 1 | - | - | 1 | - | 3 | 1 | - | - |
| 2002.....    | 4  | - | - | 1 | - | - | - | 1 | - | - | 1 | 1 | - |
| 2001.....    | 6  | - | - | - | 1 | - | - | - | 1 | - | 2 | 2 | - |
| 2000.....    | 9  | - | - | - | - | 1 | 1 | 3 | - | 1 | 1 | 2 | - |
| 1999.....    | 12 | - | - | - | - | - | - | 1 | 3 | 1 | 5 | 2 | - |

Non-Hispanic black, male

|              |   |   |   |   |   |   |   |   |   |   |   |   |   |
|--------------|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 2007 2/..... | 4 | - | - | - | - | - | - | - | 3 | - | - | 1 | - |
| 2006 2/..... | - | - | - | - | - | - | - | - | - | - | - | - | - |
| 2005 2/..... | - | - | - | - | - | - | - | - | - | - | - | - | - |
| 2004 2/..... | 2 | - | - | - | - | - | - | 2 | - | - | - | - | - |
| 2003 2/..... | 4 | - | - | - | 1 | - | - | 1 | - | 2 | - | - | - |
| 2002.....    | 2 | - | - | 1 | - | - | - | 1 | - | - | - | - | - |
| 2001.....    | 2 | - | - | - | - | - | - | - | - | - | 1 | 1 | - |
| 2000.....    | 2 | - | - | - | - | - | - | 2 | - | - | - | - | - |
| 1999.....    | 2 | - | - | - | - | - | - | - | - | 1 | 1 | - | - |





Worktable Orig290F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2007

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data - mortality"]

---

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, sex, and year

|  | All ages | Under 1 year | 1-4 years | 5-14 years | 15-24 years | 25-34 years | 35-44 years | 45-54 years | 55-64 years | 65-74 years | 75-84 years | 85 years and over | Age not stated |
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|

---

Infections of kidney (N10-N12,N13.6,N15.1)

| All origins, both sexes |          |              |           |            |             |             |             |             |             |             |             |                   |                |
|-------------------------|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|
|                         | All ages | Under 1 year | 1-4 years | 5-14 years | 15-24 years | 25-34 years | 35-44 years | 45-54 years | 55-64 years | 65-74 years | 75-84 years | 85 years and over | Age not stated |
| 2007.....               | 628      | 5            | 1         | 1          | 8           | 6           | 30          | 59          | 64          | 91          | 170         | 193               | -              |
| 2006.....               | 673      | 5            | 1         | 2          | 4           | 14          | 30          | 55          | 57          | 90          | 164         | 251               | -              |
| 2005.....               | 767      | 6            | 4         | 2          | 9           | 14          | 26          | 51          | 53          | 100         | 239         | 263               | -              |
| 2004.....               | 764      | 3            | 4         | -          | 4           | 15          | 34          | 47          | 65          | 104         | 237         | 251               | -              |
| 2003.....               | 823      | 4            | 2         | 1          | 10          | 16          | 36          | 62          | 62          | 105         | 247         | 278               | -              |
| 2002.....               | 788      | 2            | -         | 3          | 5           | 13          | 28          | 40          | 59          | 110         | 238         | 290               | -              |
| 2001.....               | 748      | 2            | 4         | -          | 5           | 11          | 33          | 46          | 46          | 87          | 249         | 265               | -              |
| 2000.....               | 813      | 5            | 3         | -          | 2           | 9           | 21          | 42          | 59          | 104         | 248         | 320               | -              |
| 1999.....               | 846      | 3            | 1         | 1          | 4           | 9           | 28          | 55          | 59          | 133         | 242         | 311               | -              |
| All origins, male       |          |              |           |            |             |             |             |             |             |             |             |                   |                |
|                         | All ages | Under 1 year | 1-4 years | 5-14 years | 15-24 years | 25-34 years | 35-44 years | 45-54 years | 55-64 years | 65-74 years | 75-84 years | 85 years and over | Age not stated |
| 2007.....               | 214      | -            | 1         | -          | 3           | 1           | 14          | 20          | 26          | 34          | 56          | 59                | -              |
| 2006.....               | 206      | 5            | -         | 2          | -           | 5           | 11          | 16          | 22          | 40          | 42          | 63                | -              |
| 2005.....               | 236      | 3            | 1         | -          | 2           | 5           | 7           | 18          | 22          | 37          | 83          | 58                | -              |
| 2004.....               | 237      | 2            | 1         | -          | 1           | 3           | 7           | 12          | 32          | 34          | 77          | 68                | -              |
| 2003.....               | 246      | 3            | -         | 1          | 2           | 1           | 10          | 25          | 21          | 31          | 74          | 78                | -              |
| 2002.....               | 251      | 2            | -         | 1          | 1           | 6           | 12          | 15          | 21          | 47          | 72          | 74                | -              |
| 2001.....               | 213      | 1            | 2         | -          | 2           | 3           | 10          | 11          | 12          | 40          | 76          | 56                | -              |
| 2000.....               | 214      | 3            | -         | -          | 1           | 3           | 8           | 15          | 15          | 26          | 74          | 69                | -              |
| 1999.....               | 263      | 1            | -         | -          | 1           | -           | 7           | 19          | 27          | 44          | 83          | 81                | -              |

Worktable Orig290F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2007

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data - mortality"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, sex, and year | All ages | Under 1 year | 1-4 years | 5-14 years | 15-24 years | 25-34 years | 35-44 years | 45-54 years | 55-64 years | 65-74 years | 75-84 years | 85 years and over | Age not stated |
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|

Infections of kidney (N10-N12,N13.6,N15.1)

All origins, female

|           |     |   |   |   |   |    |    |    |    |    |     |     |   |
|-----------|-----|---|---|---|---|----|----|----|----|----|-----|-----|---|
| 2007..... | 414 | 5 | - | 1 | 5 | 5  | 16 | 39 | 38 | 57 | 114 | 134 | - |
| 2006..... | 467 | - | 1 | - | 4 | 9  | 19 | 39 | 35 | 50 | 122 | 188 | - |
| 2005..... | 531 | 3 | 3 | 2 | 7 | 9  | 19 | 33 | 31 | 63 | 156 | 205 | - |
| 2004..... | 527 | 1 | 3 | - | 3 | 12 | 27 | 35 | 33 | 70 | 160 | 183 | - |
| 2003..... | 577 | 1 | 2 | - | 8 | 15 | 26 | 37 | 41 | 74 | 173 | 200 | - |
| 2002..... | 537 | - | - | 2 | 4 | 7  | 16 | 25 | 38 | 63 | 166 | 216 | - |
| 2001..... | 535 | 1 | 2 | - | 3 | 8  | 23 | 35 | 34 | 47 | 173 | 209 | - |
| 2000..... | 599 | 2 | 3 | - | 1 | 6  | 13 | 27 | 44 | 78 | 174 | 251 | - |
| 1999..... | 583 | 2 | 1 | 1 | 3 | 9  | 21 | 36 | 32 | 89 | 159 | 230 | - |

Hispanic, both sexes

|           |    |   |   |   |   |   |   |   |    |    |    |    |   |
|-----------|----|---|---|---|---|---|---|---|----|----|----|----|---|
| 2007..... | 48 | 1 | 1 | 1 | - | 1 | 1 | 7 | 13 | 6  | 6  | 11 | - |
| 2006..... | 50 | 2 | 1 | - | 1 | 2 | 4 | 9 | 6  | 7  | 10 | 8  | - |
| 2005..... | 50 | 2 | 1 | - | - | 3 | 2 | 3 | 6  | 6  | 15 | 12 | - |
| 2004..... | 52 | - | - | - | 1 | 2 | 5 | 5 | 8  | 10 | 15 | 6  | - |
| 2003..... | 46 | - | - | - | 1 | - | 2 | 2 | 8  | 11 | 13 | 9  | - |
| 2002..... | 47 | 1 | - | 2 | - | 3 | 2 | 3 | 2  | 12 | 14 | 8  | - |
| 2001..... | 33 | - | - | - | - | 1 | 3 | 5 | 1  | 8  | 9  | 6  | - |
| 2000..... | 39 | 1 | - | - | - | - | 2 | 4 | 4  | 7  | 10 | 11 | - |
| 1999..... | 55 | - | - | - | - | 1 | 7 | 6 | 9  | 8  | 15 | 9  | - |



Worktable Orig290F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2007

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data - mortality"]

---

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, sex, and year

|  | All ages | Under 1 year | 1-4 years | 5-14 years | 15-24 years | 25-34 years | 35-44 years | 45-54 years | 55-64 years | 65-74 years | 75-84 years | 85 years and over | Age not stated |
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|

---

Infections of kidney (N10-N12,N13.6,N15.1)

| Hispanic, male   |    |   |   |   |   |   |   |   |   |    |   |    |   |
|------------------|----|---|---|---|---|---|---|---|---|----|---|----|---|
| 2007.....        | 11 | - | 1 | - | - | - | 1 | 1 | 4 | -  | 3 | 1  | - |
| 2006.....        | 18 | 2 | - | - | - | 1 | 3 | 1 | 3 | 4  | 4 | -  | - |
| 2005.....        | 20 | 1 | - | - | - | 1 | - | - | 3 | 3  | 8 | 4  | - |
| 2004.....        | 17 | - | - | - | 1 | - | 1 | 1 | 4 | 2  | 6 | 2  | - |
| 2003.....        | 11 | - | - | - | - | - | - | 1 | 1 | 1  | 4 | 4  | - |
| 2002.....        | 19 | 1 | - | - | - | 2 | 1 | 2 | 1 | 4  | 5 | 3  | - |
| 2001.....        | 10 | - | - | - | - | - | - | 3 | - | 3  | 1 | 3  | - |
| 2000.....        | 11 | 1 | - | - | - | - | - | 3 | 1 | 3  | 2 | 1  | - |
| 1999.....        | 21 | - | - | - | - | - | 2 | 2 | 5 | 4  | 6 | 2  | - |
|                  |    |   |   |   |   |   |   |   |   |    |   |    |   |
| Hispanic, female |    |   |   |   |   |   |   |   |   |    |   |    |   |
| 2007.....        | 37 | 1 | - | 1 | - | 1 | - | 6 | 9 | 6  | 3 | 10 | - |
| 2006.....        | 32 | - | 1 | - | 1 | 1 | 1 | 8 | 3 | 3  | 6 | 8  | - |
| 2005.....        | 30 | 1 | 1 | - | - | 2 | 2 | 3 | 3 | 3  | 7 | 8  | - |
| 2004.....        | 35 | - | - | - | - | 2 | 4 | 4 | 4 | 8  | 9 | 4  | - |
| 2003.....        | 35 | - | - | - | 1 | - | 2 | 1 | 7 | 10 | 9 | 5  | - |
| 2002.....        | 28 | - | - | 2 | - | 1 | 1 | 1 | 1 | 8  | 9 | 5  | - |
| 2001.....        | 23 | - | - | - | - | 1 | 3 | 2 | 1 | 5  | 8 | 3  | - |
| 2000.....        | 28 | - | - | - | - | - | 2 | 1 | 3 | 4  | 8 | 10 | - |
| 1999.....        | 34 | - | - | - | - | 1 | 5 | 4 | 4 | 4  | 9 | 7  | - |

Worktable Orig290F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2007

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data - mortality"]

---

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, sex, and year

|  | All ages | Under 1 year | 1-4 years | 5-14 years | 15-24 years | 25-34 years | 35-44 years | 45-54 years | 55-64 years | 65-74 years | 75-84 years | 85 years and over | Age not stated |
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|

---

Infections of kidney (N10-N12,N13.6,N15.1)

| Non-Hispanic 1/, both sexes |     |   |   |   |   |    |    |    |    |     |     |     |   |
|-----------------------------|-----|---|---|---|---|----|----|----|----|-----|-----|-----|---|
| 2007.....                   | 579 | 4 | - | - | 8 | 5  | 29 | 51 | 51 | 85  | 164 | 182 | - |
| 2006.....                   | 623 | 3 | - | 2 | 3 | 12 | 26 | 46 | 51 | 83  | 154 | 243 | - |
| 2005.....                   | 716 | 4 | 3 | 2 | 9 | 11 | 24 | 48 | 47 | 93  | 224 | 251 | - |
| 2004.....                   | 711 | 3 | 4 | - | 3 | 12 | 29 | 42 | 57 | 94  | 222 | 245 | - |
| 2003.....                   | 774 | 4 | 2 | 1 | 9 | 16 | 33 | 59 | 54 | 94  | 233 | 269 | - |
| 2002.....                   | 740 | 1 | - | 1 | 5 | 10 | 26 | 37 | 57 | 98  | 224 | 281 | - |
| 2001.....                   | 714 | 2 | 4 | - | 5 | 10 | 30 | 41 | 45 | 79  | 239 | 259 | - |
| 2000.....                   | 771 | 4 | 3 | - | 2 | 9  | 19 | 38 | 55 | 96  | 236 | 309 | - |
| 1999.....                   | 786 | 3 | 1 | 1 | 4 | 8  | 20 | 49 | 49 | 125 | 225 | 301 | - |
| Non-Hispanic 1/, male       |     |   |   |   |   |    |    |    |    |     |     |     |   |
| 2007.....                   | 203 | - | - | - | 3 | 1  | 13 | 19 | 22 | 34  | 53  | 58  | - |
| 2006.....                   | 188 | 3 | - | 2 | - | 4  | 8  | 15 | 19 | 36  | 38  | 63  | - |
| 2005.....                   | 215 | 2 | 1 | - | 2 | 4  | 7  | 18 | 19 | 33  | 75  | 54  | - |
| 2004.....                   | 220 | 2 | 1 | - | - | 3  | 6  | 11 | 28 | 32  | 71  | 66  | - |
| 2003.....                   | 233 | 3 | - | 1 | 2 | 1  | 9  | 23 | 20 | 30  | 70  | 74  | - |
| 2002.....                   | 232 | 1 | - | 1 | 1 | 4  | 11 | 13 | 20 | 43  | 67  | 71  | - |
| 2001.....                   | 203 | 1 | 2 | - | 2 | 3  | 10 | 8  | 12 | 37  | 75  | 53  | - |
| 2000.....                   | 201 | 2 | - | - | 1 | 3  | 8  | 12 | 14 | 22  | 71  | 68  | - |
| 1999.....                   | 240 | 1 | - | - | 1 | -  | 4  | 17 | 22 | 40  | 76  | 79  | - |

Worktable Orig290F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2007

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data - mortality"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, sex, and year | All ages | Under 1 year | 1-4 years | 5-14 years | 15-24 years | 25-34 years | 35-44 years | 45-54 years | 55-64 years | 65-74 years | 75-84 years | 85 years and over | Age not stated |
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|

Infections of kidney (N10-N12,N13.6,N15.1)

| Non-Hispanic 1/, female        |     |   |   |   |   |    |    |    |    |     |     |     |   |
|--------------------------------|-----|---|---|---|---|----|----|----|----|-----|-----|-----|---|
| 2007.....                      | 376 | 4 | - | - | 5 | 4  | 16 | 32 | 29 | 51  | 111 | 124 | - |
| 2006.....                      | 435 | - | - | - | 3 | 8  | 18 | 31 | 32 | 47  | 116 | 180 | - |
| 2005.....                      | 501 | 2 | 2 | 2 | 7 | 7  | 17 | 30 | 28 | 60  | 149 | 197 | - |
| 2004.....                      | 491 | 1 | 3 | - | 3 | 9  | 23 | 31 | 29 | 62  | 151 | 179 | - |
| 2003.....                      | 541 | 1 | 2 | - | 7 | 15 | 24 | 36 | 34 | 64  | 163 | 195 | - |
| 2002.....                      | 508 | - | - | - | 4 | 6  | 15 | 24 | 37 | 55  | 157 | 210 | - |
| 2001.....                      | 511 | 1 | 2 | - | 3 | 7  | 20 | 33 | 33 | 42  | 164 | 206 | - |
| 2000.....                      | 570 | 2 | 3 | - | 1 | 6  | 11 | 26 | 41 | 74  | 165 | 241 | - |
| 1999.....                      | 546 | 2 | 1 | 1 | 3 | 8  | 16 | 32 | 27 | 85  | 149 | 222 | - |
| Non-Hispanic white, both sexes |     |   |   |   |   |    |    |    |    |     |     |     |   |
| 2007 2/.....                   | 505 | 1 | - | - | 4 | 4  | 25 | 39 | 43 | 69  | 148 | 172 | - |
| 2006 2/.....                   | 549 | 1 | - | 2 | 3 | 9  | 19 | 40 | 42 | 72  | 136 | 225 | - |
| 2005 2/.....                   | 610 | 3 | 3 | 2 | 7 | 6  | 14 | 36 | 36 | 77  | 200 | 226 | - |
| 2004 2/.....                   | 606 | 2 | 3 | - | 3 | 8  | 24 | 29 | 41 | 82  | 191 | 223 | - |
| 2003 2/.....                   | 656 | 1 | 1 | 1 | 7 | 11 | 25 | 44 | 38 | 82  | 201 | 245 | - |
| 2002.....                      | 645 | 1 | - | - | 1 | 7  | 20 | 23 | 44 | 89  | 203 | 257 | - |
| 2001.....                      | 614 | 1 | 2 | - | 2 | 7  | 23 | 29 | 36 | 65  | 210 | 239 | - |
| 2000.....                      | 647 | 4 | 3 | - | 1 | 7  | 10 | 26 | 44 | 74  | 198 | 280 | - |
| 1999.....                      | 689 | 1 | 1 | 1 | 2 | 7  | 12 | 38 | 38 | 102 | 206 | 281 | - |

Worktable Orig290F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2007

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data - mortality"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, sex, and year | All ages | Under 1 year | 1-4 years | 5-14 years | 15-24 years | 25-34 years | 35-44 years | 45-54 years | 55-64 years | 65-74 years | 75-84 years | 85 years and over | Age not stated |
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|
| Infections of kidney (N10-N12,N13.6,N15.1)   |          |              |           |            |             |             |             |             |             |             |             |                   |                |
| Non-Hispanic white, male   |          |              |           |            |             |             |             |             |             |             |             |                   |                |
| 2007 2/.....   | 175      | -            | -         | -          | 2           | 1           | 13          | 14          | 18          | 25          | 46          | 56                | -              |
| 2006 2/.....   | 162      | 1            | -         | 2          | -           | 3           | 5           | 12          | 14          | 33          | 35          | 57                | -              |
| 2005 2/.....   | 184      | 1            | 1         | -          | 2           | 3           | 5           | 14          | 14          | 28          | 69          | 47                | -              |
| 2004 2/.....   | 187      | 1            | -         | -          | -           | 1           | 5           | 8           | 21          | 25          | 64          | 62                | -              |
| 2003 2/.....   | 202      | -            | -         | 1          | 2           | 1           | 8           | 19          | 14          | 27          | 58          | 72                | -              |
| 2002.....  | 200      | 1            | -         | -          | 1           | 4           | 9           | 10          | 16          | 36          | 58          | 65                | -              |
| 2001.....  | 166      | -            | 1         | -          | 1           | 2           | 9           | 6           | 9           | 27          | 64          | 47                | -              |
| 2000.....  | 169      | 2            | -         | -          | -           | 3           | 4           | 9           | 12          | 13          | 62          | 64                | -              |
| 1999.....  | 209      | 1            | -         | -          | 1           | -           | 2           | 12          | 17          | 30          | 70          | 76                | -              |
| Non-Hispanic white, female   |          |              |           |            |             |             |             |             |             |             |             |                   |                |
| 2007 2/.....   | 330      | 1            | -         | -          | 2           | 3           | 12          | 25          | 25          | 44          | 102         | 116               | -              |
| 2006 2/.....   | 387      | -            | -         | -          | 3           | 6           | 14          | 28          | 28          | 39          | 101         | 168               | -              |
| 2005 2/.....   | 426      | 2            | 2         | 2          | 5           | 3           | 9           | 22          | 22          | 49          | 131         | 179               | -              |
| 2004 2/.....   | 419      | 1            | 3         | -          | 3           | 7           | 19          | 21          | 20          | 57          | 127         | 161               | -              |
| 2003 2/.....   | 454      | 1            | 1         | -          | 5           | 10          | 17          | 25          | 24          | 55          | 143         | 173               | -              |
| 2002.....  | 445      | -            | -         | -          | -           | 3           | 11          | 13          | 28          | 53          | 145         | 192               | -              |
| 2001.....  | 448      | 1            | 1         | -          | 1           | 5           | 14          | 23          | 27          | 38          | 146         | 192               | -              |
| 2000.....  | 478      | 2            | 3         | -          | 1           | 4           | 6           | 17          | 32          | 61          | 136         | 216               | -              |
| 1999.....  | 480      | -            | 1         | 1          | 1           | 7           | 10          | 26          | 21          | 72          | 136         | 205               | -              |

Worktable Orig290F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2007

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data - mortality"]

---

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, sex, and year

|  | All ages | Under 1 year | 1-4 years | 5-14 years | 15-24 years | 25-34 years | 35-44 years | 45-54 years | 55-64 years | 65-74 years | 75-84 years | 85 years and over | Age not stated |
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|

---

Infections of kidney (N10-N12,N13.6,N15.1)

| Non-Hispanic black, both sexes |     |   |   |   |   |   |    |    |    |    |    |    |   |
|--------------------------------|-----|---|---|---|---|---|----|----|----|----|----|----|---|
| 2007 2/.....                   | 52  | 3 | - | - | 4 | 1 | 3  | 8  | 7  | 11 | 8  | 7  | - |
| 2006 2/.....                   | 58  | 1 | - | - | - | 3 | 6  | 6  | 8  | 7  | 15 | 12 | - |
| 2005 2/.....                   | 89  | 1 | - | - | 2 | 4 | 10 | 10 | 10 | 14 | 19 | 19 | - |
| 2004 2/.....                   | 83  | 1 | 1 | - | - | 4 | 4  | 10 | 12 | 9  | 25 | 17 | - |
| 2003 2/.....                   | 95  | 3 | 1 | - | 2 | 2 | 7  | 12 | 14 | 10 | 24 | 20 | - |
| 2002.....                      | 73  | - | - | - | 3 | 2 | 6  | 8  | 10 | 8  | 15 | 21 | - |
| 2001.....                      | 80  | 1 | - | - | 1 | 3 | 7  | 10 | 7  | 13 | 22 | 16 | - |
| 2000.....                      | 101 | - | - | - | 1 | 2 | 7  | 11 | 8  | 19 | 28 | 25 | - |
| 1999.....                      | 85  | 1 | - | - | 2 | 1 | 6  | 10 | 11 | 20 | 16 | 18 | - |
| Non-Hispanic black, male       |     |   |   |   |   |   |    |    |    |    |    |    |   |
| 2007 2/.....                   | 20  | - | - | - | 1 | - | -  | 3  | 3  | 8  | 3  | 2  | - |
| 2006 2/.....                   | 21  | 1 | - | - | - | 1 | 2  | 3  | 5  | 3  | 1  | 5  | - |
| 2005 2/.....                   | 27  | 1 | - | - | - | 1 | 2  | 3  | 5  | 5  | 5  | 5  | - |
| 2004 2/.....                   | 27  | 1 | 1 | - | - | 2 | 1  | 2  | 6  | 6  | 5  | 3  | - |
| 2003 2/.....                   | 29  | 3 | - | - | - | - | 1  | 4  | 5  | 3  | 11 | 2  | - |
| 2002.....                      | 22  | - | - | - | - | - | 2  | 1  | 3  | 6  | 5  | 5  | - |
| 2001.....                      | 28  | 1 | - | - | 1 | 1 | 1  | 2  | 3  | 9  | 6  | 4  | - |
| 2000.....                      | 27  | - | - | - | 1 | - | 2  | 3  | 2  | 8  | 7  | 4  | - |
| 1999.....                      | 29  | - | - | - | - | - | 2  | 5  | 5  | 10 | 4  | 3  | - |

Worktable Orig290F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2007

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data - mortality"]

---

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, sex, and year

|  | All ages | Under 1 year | 1-4 years | 5-14 years | 15-24 years | 25-34 years | 35-44 years | 45-54 years | 55-64 years | 65-74 years | 75-84 years | 85 years and over | Age not stated |
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|

---

Infections of kidney (N10-N12,N13.6,N15.1)

Non-Hispanic black, female

|              |    |   |   |   |   |   |   |   |   |    |    |    |   |
|--------------|----|---|---|---|---|---|---|---|---|----|----|----|---|
| 2007 2/..... | 32 | 3 | - | - | 3 | 1 | 3 | 5 | 4 | 3  | 5  | 5  | - |
| 2006 2/..... | 37 | - | - | - | - | 2 | 4 | 3 | 3 | 4  | 14 | 7  | - |
| 2005 2/..... | 62 | - | - | - | 2 | 3 | 8 | 7 | 5 | 9  | 14 | 14 | - |
| 2004 2/..... | 56 | - | - | - | - | 2 | 3 | 8 | 6 | 3  | 20 | 14 | - |
| 2003 2/..... | 66 | - | 1 | - | 2 | 2 | 6 | 8 | 9 | 7  | 13 | 18 | - |
| 2002.....    | 51 | - | - | - | 3 | 2 | 4 | 7 | 7 | 2  | 10 | 16 | - |
| 2001.....    | 52 | - | - | - | - | 2 | 6 | 8 | 4 | 4  | 16 | 12 | - |
| 2000.....    | 74 | - | - | - | - | 2 | 5 | 8 | 6 | 11 | 21 | 21 | - |
| 1999.....    | 56 | 1 | - | - | 2 | 1 | 4 | 5 | 6 | 10 | 12 | 15 | - |

Origin not stated 3/, both sexes

|           |   |   |   |   |   |   |   |   |   |   |   |   |   |
|-----------|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 2007..... | 1 | - | - | - | - | - | - | 1 | - | - | - | - | - |
| 2006..... | - | - | - | - | - | - | - | - | - | - | - | - | - |
| 2005..... | 1 | - | - | - | - | - | - | - | - | 1 | - | - | - |
| 2004..... | 1 | - | - | - | - | 1 | - | - | - | - | - | - | - |
| 2003..... | 3 | - | - | - | - | - | 1 | 1 | - | - | 1 | - | - |
| 2002..... | 1 | - | - | - | - | - | - | - | - | - | - | 1 | - |
| 2001..... | 1 | - | - | - | - | - | - | - | - | - | 1 | - | - |
| 2000..... | 3 | - | - | - | - | - | - | - | - | 1 | 2 | - | - |
| 1999..... | 5 | - | - | - | - | - | 1 | - | 1 | - | 2 | 1 | - |

Worktable Orig290F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2007

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data - mortality"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, sex, and year | All ages | Under 1 year | 1-4 years | 5-14 years | 15-24 years | 25-34 years | 35-44 years | 45-54 years | 55-64 years | 65-74 years | 75-84 years | 85 years and over | Age not stated |
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|

Infections of kidney (N10-N12,N13.6,N15.1)

| Origin not stated 3/, male   |   |   |   |   |   |   |   |   |   |   |   |   |   |
|------------------------------|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 2007.....                    | - | - | - | - | - | - | - | - | - | - | - | - | - |
| 2006.....                    | - | - | - | - | - | - | - | - | - | - | - | - | - |
| 2005.....                    | 1 | - | - | - | - | - | - | - | - | 1 | - | - | - |
| 2004.....                    | - | - | - | - | - | - | - | - | - | - | - | - | - |
| 2003.....                    | 2 | - | - | - | - | - | 1 | 1 | - | - | - | - | - |
| 2002.....                    | - | - | - | - | - | - | - | - | - | - | - | - | - |
| 2001.....                    | - | - | - | - | - | - | - | - | - | - | - | - | - |
| 2000.....                    | 2 | - | - | - | - | - | - | - | - | 1 | 1 | - | - |
| 1999.....                    | 2 | - | - | - | - | - | 1 | - | - | - | 1 | - | - |
| Origin not stated 3/, female |   |   |   |   |   |   |   |   |   |   |   |   |   |
| 2007.....                    | 1 | - | - | - | - | - | - | 1 | - | - | - | - | - |
| 2006.....                    | - | - | - | - | - | - | - | - | - | - | - | - | - |
| 2005.....                    | - | - | - | - | - | - | - | - | - | - | - | - | - |
| 2004.....                    | 1 | - | - | - | - | 1 | - | - | - | - | - | - | - |
| 2003.....                    | 1 | - | - | - | - | - | - | - | - | - | 1 | - | - |
| 2002.....                    | 1 | - | - | - | - | - | - | - | - | - | - | 1 | - |
| 2001.....                    | 1 | - | - | - | - | - | - | - | - | - | 1 | - | - |
| 2000.....                    | 1 | - | - | - | - | - | - | - | - | - | 1 | - | - |
| 1999.....                    | 3 | - | - | - | - | - | - | - | 1 | - | 1 | 1 | - |

Worktable Orig290F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2007

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data - mortality"]

---

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, sex, and year

|  | All ages | Under 1 year | 1-4 years | 5-14 years | 15-24 years | 25-34 years | 35-44 years | 45-54 years | 55-64 years | 65-74 years | 75-84 years | 85 years and over | Age not stated |
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|

---

Hyperplasia of prostate (N40)

| All origins, both sexes |     |   |   |   |   |   |   |   |    |    |     |     |   |
|-------------------------|-----|---|---|---|---|---|---|---|----|----|-----|-----|---|
| 2007.....               | 491 | - | - | - | - | - | 1 | 1 | 12 | 47 | 147 | 283 | - |
| 2006.....               | 514 | - | - | - | - | - | - | - | 10 | 46 | 167 | 291 | - |
| 2005.....               | 525 | - | - | - | - | - | - | - | 10 | 52 | 171 | 292 | - |
| 2004.....               | 507 | - | - | - | - | - | - | 4 | 13 | 45 | 177 | 268 | - |
| 2003.....               | 477 | 1 | - | - | - | - | - | 1 | 12 | 50 | 165 | 248 | - |
| 2002.....               | 437 | - | - | - | - | - | 1 | - | 10 | 41 | 164 | 220 | 1 |
| 2001.....               | 439 | - | - | - | - | - | - | 2 | 9  | 45 | 141 | 242 | - |
| 2000.....               | 433 | - | - | - | - | - | 1 | 1 | 11 | 38 | 159 | 222 | 1 |
| 1999.....               | 430 | - | - | - | - | - | - | 1 | 13 | 47 | 160 | 209 | - |
| All origins, male       |     |   |   |   |   |   |   |   |    |    |     |     |   |
| 2007.....               | 491 | - | - | - | - | - | 1 | 1 | 12 | 47 | 147 | 283 | - |
| 2006.....               | 514 | - | - | - | - | - | - | - | 10 | 46 | 167 | 291 | - |
| 2005.....               | 525 | - | - | - | - | - | - | - | 10 | 52 | 171 | 292 | - |
| 2004.....               | 507 | - | - | - | - | - | - | 4 | 13 | 45 | 177 | 268 | - |
| 2003.....               | 477 | 1 | - | - | - | - | - | 1 | 12 | 50 | 165 | 248 | - |
| 2002.....               | 437 | - | - | - | - | - | 1 | - | 10 | 41 | 164 | 220 | 1 |
| 2001.....               | 439 | - | - | - | - | - | - | 2 | 9  | 45 | 141 | 242 | - |
| 2000.....               | 433 | - | - | - | - | - | 1 | 1 | 11 | 38 | 159 | 222 | 1 |
| 1999.....               | 430 | - | - | - | - | - | - | 1 | 13 | 47 | 160 | 209 | - |



Worktable Orig290F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2007

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data - mortality"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, sex, and year | All ages | Under 1 year | 1-4 years | 5-14 years | 15-24 years | 25-34 years | 35-44 years | 45-54 years | 55-64 years | 65-74 years | 75-84 years | 85 years and over | Age not stated |
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|

Hyperplasia of prostate (N40)

All origins, female

|           |     |     |     |     |     |     |     |     |     |     |     |     |     |
|-----------|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|
| 2007..... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| 2006..... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| 2005..... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| 2004..... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| 2003..... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| 2002..... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| 2001..... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| 2000..... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| 1999..... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |

Hispanic, both sexes

|           |    |   |   |   |   |   |   |   |   |   |    |    |   |
|-----------|----|---|---|---|---|---|---|---|---|---|----|----|---|
| 2007..... | 30 | - | - | - | - | - | - | - | 1 | 5 | 10 | 14 | - |
| 2006..... | 25 | - | - | - | - | - | - | - | 1 | 2 | 10 | 12 | - |
| 2005..... | 18 | - | - | - | - | - | - | - | 2 | 4 | 3  | 9  | - |
| 2004..... | 19 | - | - | - | - | - | - | - | 1 | 5 | 4  | 9  | - |
| 2003..... | 24 | - | - | - | - | - | - | - | - | 6 | 11 | 7  | - |
| 2002..... | 14 | - | - | - | - | - | - | - | 1 | 3 | 9  | 1  | - |
| 2001..... | 11 | - | - | - | - | - | - | - | 1 | 4 | 4  | 2  | - |
| 2000..... | 19 | - | - | - | - | - | - | - | 1 | 5 | 3  | 10 | - |
| 1999..... | 11 | - | - | - | - | - | - | - | 1 | 3 | 4  | 3  | - |



Worktable Orig290F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2007

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data - mortality"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, sex, and year | All ages | Under 1 year | 1-4 years | 5-14 years | 15-24 years | 25-34 years | 35-44 years | 45-54 years | 55-64 years | 65-74 years | 75-84 years | 85 years and over | Age not stated |
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|

Hyperplasia of prostate (N40)

Non-Hispanic 1/, both sexes

|           |     |   |   |   |   |   |   |   |    |    |     |     |   |
|-----------|-----|---|---|---|---|---|---|---|----|----|-----|-----|---|
| 2007..... | 458 | - | - | - | - | - | 1 | 1 | 11 | 39 | 137 | 269 | - |
| 2006..... | 488 | - | - | - | - | - | - | - | 9  | 44 | 156 | 279 | - |
| 2005..... | 506 | - | - | - | - | - | - | - | 8  | 48 | 168 | 282 | - |
| 2004..... | 486 | - | - | - | - | - | - | 4 | 12 | 40 | 172 | 258 | - |
| 2003..... | 449 | 1 | - | - | - | - | - | 1 | 11 | 42 | 153 | 241 | - |
| 2002..... | 417 | - | - | - | - | - | 1 | - | 8  | 36 | 155 | 216 | 1 |
| 2001..... | 423 | - | - | - | - | - | - | 2 | 8  | 39 | 134 | 240 | - |
| 2000..... | 414 | - | - | - | - | - | 1 | 1 | 10 | 33 | 156 | 212 | 1 |
| 1999..... | 417 | - | - | - | - | - | - | - | 12 | 43 | 156 | 206 | - |

Non-Hispanic 1/, male

|           |     |   |   |   |   |   |   |   |    |    |     |     |   |
|-----------|-----|---|---|---|---|---|---|---|----|----|-----|-----|---|
| 2007..... | 458 | - | - | - | - | - | 1 | 1 | 11 | 39 | 137 | 269 | - |
| 2006..... | 488 | - | - | - | - | - | - | - | 9  | 44 | 156 | 279 | - |
| 2005..... | 506 | - | - | - | - | - | - | - | 8  | 48 | 168 | 282 | - |
| 2004..... | 486 | - | - | - | - | - | - | 4 | 12 | 40 | 172 | 258 | - |
| 2003..... | 449 | 1 | - | - | - | - | - | 1 | 11 | 42 | 153 | 241 | - |
| 2002..... | 417 | - | - | - | - | - | 1 | - | 8  | 36 | 155 | 216 | 1 |
| 2001..... | 423 | - | - | - | - | - | - | 2 | 8  | 39 | 134 | 240 | - |
| 2000..... | 414 | - | - | - | - | - | 1 | 1 | 10 | 33 | 156 | 212 | 1 |
| 1999..... | 417 | - | - | - | - | - | - | - | 12 | 43 | 156 | 206 | - |

Worktable Orig290F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2007

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data - mortality"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, sex, and year | All ages | Under 1 year | 1-4 years | 5-14 years | 15-24 years | 25-34 years | 35-44 years | 45-54 years | 55-64 years | 65-74 years | 75-84 years | 85 years and over | Age not stated |
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|

Hyperplasia of prostate (N40)

| Non-Hispanic 1/, female        |     |     |     |     |     |     |     |     |     |     |     |     |     |
|--------------------------------|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|
| 2007.....                      | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| 2006.....                      | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| 2005.....                      | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| 2004.....                      | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| 2003.....                      | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| 2002.....                      | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| 2001.....                      | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| 2000.....                      | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| 1999.....                      | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Non-Hispanic white, both sexes |     |     |     |     |     |     |     |     |     |     |     |     |     |
| 2007 2/.....                   | 402 | -   | -   | -   | -   | -   | 1   | 1   | 6   | 33  | 125 | 236 | -   |
| 2006 2/.....                   | 437 | -   | -   | -   | -   | -   | -   | -   | 7   | 34  | 140 | 256 | -   |
| 2005 2/.....                   | 464 | -   | -   | -   | -   | -   | -   | -   | 5   | 41  | 156 | 262 | -   |
| 2004 2/.....                   | 438 | -   | -   | -   | -   | -   | -   | 2   | 11  | 35  | 151 | 239 | -   |
| 2003 2/.....                   | 414 | -   | -   | -   | -   | -   | -   | -   | 9   | 37  | 138 | 230 | -   |
| 2002.....                      | 370 | -   | -   | -   | -   | -   | -   | -   | 5   | 29  | 137 | 199 | -   |
| 2001.....                      | 388 | -   | -   | -   | -   | -   | -   | 1   | 4   | 35  | 122 | 226 | -   |
| 2000.....                      | 370 | -   | -   | -   | -   | -   | -   | 1   | 6   | 30  | 142 | 191 | -   |
| 1999.....                      | 377 | -   | -   | -   | -   | -   | -   | -   | 8   | 36  | 143 | 190 | -   |



Worktable Orig290F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2007

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data - mortality"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, sex, and year | All ages | Under 1 year | 1-4 years | 5-14 years | 15-24 years | 25-34 years | 35-44 years | 45-54 years | 55-64 years | 65-74 years | 75-84 years | 85 years and over | Age not stated |
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|

Hyperplasia of prostate (N40)

| Non-Hispanic black, both sexes |    |   |   |   |   |   |   |   |   |   |    |    |   |
|--------------------------------|----|---|---|---|---|---|---|---|---|---|----|----|---|
| 2007 2/.....                   | 42 | - | - | - | - | - | - | - | 4 | 5 | 10 | 23 | - |
| 2006 2/.....                   | 38 | - | - | - | - | - | - | - | 2 | 9 | 13 | 14 | - |
| 2005 2/.....                   | 30 | - | - | - | - | - | - | - | 3 | 5 | 8  | 14 | - |
| 2004 2/.....                   | 34 | - | - | - | - | - | - | 2 | 1 | 5 | 13 | 13 | - |
| 2003 2/.....                   | 28 | 1 | - | - | - | - | - | 1 | 2 | 4 | 11 | 9  | - |
| 2002.....                      | 38 | - | - | - | - | - | 1 | - | 3 | 7 | 13 | 13 | 1 |
| 2001.....                      | 31 | - | - | - | - | - | - | 1 | 4 | 3 | 12 | 11 | - |
| 2000.....                      | 37 | - | - | - | - | - | 1 | - | 4 | 2 | 14 | 15 | 1 |
| 1999.....                      | 38 | - | - | - | - | - | - | - | 4 | 6 | 13 | 15 | - |
| Non-Hispanic black, male       |    |   |   |   |   |   |   |   |   |   |    |    |   |
| 2007 2/.....                   | 42 | - | - | - | - | - | - | - | 4 | 5 | 10 | 23 | - |
| 2006 2/.....                   | 38 | - | - | - | - | - | - | - | 2 | 9 | 13 | 14 | - |
| 2005 2/.....                   | 30 | - | - | - | - | - | - | - | 3 | 5 | 8  | 14 | - |
| 2004 2/.....                   | 34 | - | - | - | - | - | - | 2 | 1 | 5 | 13 | 13 | - |
| 2003 2/.....                   | 28 | 1 | - | - | - | - | - | 1 | 2 | 4 | 11 | 9  | - |
| 2002.....                      | 38 | - | - | - | - | - | 1 | - | 3 | 7 | 13 | 13 | 1 |
| 2001.....                      | 31 | - | - | - | - | - | - | 1 | 4 | 3 | 12 | 11 | - |
| 2000.....                      | 37 | - | - | - | - | - | 1 | - | 4 | 2 | 14 | 15 | 1 |
| 1999.....                      | 38 | - | - | - | - | - | - | - | 4 | 6 | 13 | 15 | - |

Worktable Orig290F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2007

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data - mortality"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, sex, and year | All ages | Under 1 year | 1-4 years | 5-14 years | 15-24 years | 25-34 years | 35-44 years | 45-54 years | 55-64 years | 65-74 years | 75-84 years | 85 years and over | Age not stated |
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|

Hyperplasia of prostate (N40)

Non-Hispanic black, female

|              |     |     |     |     |     |     |     |     |     |     |     |     |     |
|--------------|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|
| 2007 2/..... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| 2006 2/..... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| 2005 2/..... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| 2004 2/..... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| 2003 2/..... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| 2002.....    | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| 2001.....    | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| 2000.....    | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| 1999.....    | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |

Origin not stated 3/, both sexes

|           |   |   |   |   |   |   |   |   |   |   |   |   |   |
|-----------|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 2007..... | 3 | - | - | - | - | - | - | - | - | 3 | - | - | - |
| 2006..... | 1 | - | - | - | - | - | - | - | - | - | 1 | - | - |
| 2005..... | 1 | - | - | - | - | - | - | - | - | - | - | 1 | - |
| 2004..... | 2 | - | - | - | - | - | - | - | - | - | 1 | 1 | - |
| 2003..... | 4 | - | - | - | - | - | - | - | 1 | 2 | 1 | - | - |
| 2002..... | 6 | - | - | - | - | - | - | - | 1 | 2 | - | 3 | - |
| 2001..... | 5 | - | - | - | - | - | - | - | - | 2 | 3 | - | - |
| 2000..... | - | - | - | - | - | - | - | - | - | - | - | - | - |
| 1999..... | 2 | - | - | - | - | - | - | 1 | - | 1 | - | - | - |







Worktable Orig290F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2007

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data - mortality"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, sex, and year | All ages | Under 1 year | 1-4 years | 5-14 years | 15-24 years | 25-34 years | 35-44 years | 45-54 years | 55-64 years | 65-74 years | 75-84 years | 85 years and over | Age not stated |
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|

Inflammatory diseases of female pelvic organs (N70-N76)

| All origins, female  |     |   |   |   |   |   |    |    |    |    |    |    |   |
|----------------------|-----|---|---|---|---|---|----|----|----|----|----|----|---|
| 2007.....            | 116 | 4 | - | - | 1 | 5 | 6  | 14 | 19 | 22 | 21 | 24 | - |
| 2006.....            | 112 | 1 | - | - | 2 | 3 | 7  | 13 | 12 | 12 | 35 | 27 | - |
| 2005.....            | 120 | - | - | - | 1 | 5 | 7  | 13 | 9  | 23 | 33 | 29 | - |
| 2004.....            | 112 | 1 | - | - | 2 | 4 | 8  | 11 | 15 | 16 | 21 | 34 | - |
| 2003.....            | 125 | 1 | - | 1 | 6 | 3 | 14 | 14 | 10 | 16 | 29 | 31 | - |
| 2002.....            | 114 | 1 | - | - | 2 | 4 | 17 | 11 | 6  | 8  | 29 | 36 | - |
| 2001.....            | 127 | 1 | - | - | 2 | 3 | 10 | 12 | 12 | 18 | 31 | 38 | - |
| 2000.....            | 120 | 2 | - | 1 | 2 | 6 | 15 | 9  | 8  | 21 | 29 | 27 | - |
| 1999.....            | 108 | 2 | 1 | - | 3 | 6 | 12 | 6  | 13 | 15 | 32 | 18 | - |
|                      |     |   |   |   |   |   |    |    |    |    |    |    |   |
| Hispanic, both sexes |     |   |   |   |   |   |    |    |    |    |    |    |   |
| 2007.....            | 6   | 1 | - | - | - | - | 2  | -  | 2  | -  | -  | 1  | - |
| 2006.....            | 7   | - | - | - | 1 | 1 | 1  | 1  | -  | -  | 2  | 1  | - |
| 2005.....            | 9   | - | - | - | - | 2 | 4  | -  | -  | 2  | 1  | -  | - |
| 2004.....            | 9   | 1 | - | - | 1 | 1 | -  | -  | -  | 2  | 3  | 1  | - |
| 2003.....            | 9   | - | - | - | 1 | 1 | 1  | 1  | -  | 3  | 1  | 1  | - |
| 2002.....            | 3   | - | - | - | - | 1 | 2  | -  | -  | -  | -  | -  | - |
| 2001.....            | 5   | - | - | - | - | - | -  | 2  | -  | 2  | -  | 1  | - |
| 2000.....            | 7   | - | - | - | - | 1 | 1  | -  | 2  | 2  | -  | 1  | - |
| 1999.....            | 7   | - | - | - | - | - | 1  | 2  | 1  | -  | 1  | 2  | - |

Worktable Orig290F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2007

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data - mortality"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, sex, and year | All ages | Under 1 year | 1-4 years | 5-14 years | 15-24 years | 25-34 years | 35-44 years | 45-54 years | 55-64 years | 65-74 years | 75-84 years | 85 years and over | Age not stated |
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|

Inflammatory diseases of female pelvic organs (N70-N76)

| Hispanic, male   |     |     |     |     |     |     |     |     |     |     |     |     |     |
|------------------|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|
| 2007.....        | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| 2006.....        | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| 2005.....        | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| 2004.....        | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| 2003.....        | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| 2002.....        | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| 2001.....        | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| 2000.....        | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| 1999.....        | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Hispanic, female |     |     |     |     |     |     |     |     |     |     |     |     |     |
| 2007.....        | 6   | 1   | -   | -   | -   | -   | 2   | -   | 2   | -   | -   | 1   | -   |
| 2006.....        | 7   | -   | -   | -   | 1   | 1   | 1   | 1   | -   | -   | 2   | 1   | -   |
| 2005.....        | 9   | -   | -   | -   | -   | 2   | 4   | -   | -   | 2   | 1   | -   | -   |
| 2004.....        | 9   | 1   | -   | -   | 1   | 1   | -   | -   | -   | 2   | 3   | 1   | -   |
| 2003.....        | 9   | -   | -   | -   | 1   | 1   | 1   | 1   | -   | 3   | 1   | 1   | -   |
| 2002.....        | 3   | -   | -   | -   | -   | 1   | 2   | -   | -   | -   | -   | -   | -   |
| 2001.....        | 5   | -   | -   | -   | -   | -   | -   | 2   | -   | 2   | -   | 1   | -   |
| 2000.....        | 7   | -   | -   | -   | -   | 1   | 1   | -   | 2   | 2   | -   | 1   | -   |
| 1999.....        | 7   | -   | -   | -   | -   | -   | 1   | 2   | 1   | -   | 1   | 2   | -   |



Worktable Orig290F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2007

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data - mortality"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, sex, and year | All ages | Under 1 year | 1-4 years | 5-14 years | 15-24 years | 25-34 years | 35-44 years | 45-54 years | 55-64 years | 65-74 years | 75-84 years | 85 years and over | Age not stated |
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|

Inflammatory diseases of female pelvic organs (N70-N76)

Non-Hispanic 1/, female

|           |     |   |   |   |   |   |    |    |    |    |    |    |   |
|-----------|-----|---|---|---|---|---|----|----|----|----|----|----|---|
| 2007..... | 110 | 3 | - | - | 1 | 5 | 4  | 14 | 17 | 22 | 21 | 23 | - |
| 2006..... | 104 | 1 | - | - | 1 | 2 | 6  | 12 | 11 | 12 | 33 | 26 | - |
| 2005..... | 111 | - | - | - | 1 | 3 | 3  | 13 | 9  | 21 | 32 | 29 | - |
| 2004..... | 102 | - | - | - | 1 | 3 | 8  | 11 | 14 | 14 | 18 | 33 | - |
| 2003..... | 115 | 1 | - | 1 | 5 | 2 | 13 | 12 | 10 | 13 | 28 | 30 | - |
| 2002..... | 110 | 1 | - | - | 2 | 3 | 15 | 11 | 6  | 8  | 28 | 36 | - |
| 2001..... | 122 | 1 | - | - | 2 | 3 | 10 | 10 | 12 | 16 | 31 | 37 | - |
| 2000..... | 111 | 2 | - | 1 | 2 | 5 | 14 | 7  | 6  | 19 | 29 | 26 | - |
| 1999..... | 101 | 2 | 1 | - | 3 | 6 | 11 | 4  | 12 | 15 | 31 | 16 | - |

Non-Hispanic white, both sexes

|              |    |   |   |   |   |   |   |    |    |    |    |    |   |
|--------------|----|---|---|---|---|---|---|----|----|----|----|----|---|
| 2007 2/..... | 85 | 2 | - | - | - | 2 | 2 | 10 | 13 | 15 | 21 | 20 | - |
| 2006 2/..... | 83 | - | - | - | 1 | - | 5 | 6  | 9  | 9  | 29 | 24 | - |
| 2005 2/..... | 89 | - | - | - | - | 1 | 2 | 7  | 7  | 17 | 30 | 25 | - |
| 2004 2/..... | 83 | - | - | - | 1 | 2 | 6 | 6  | 13 | 12 | 13 | 30 | - |
| 2003 2/..... | 93 | - | - | 1 | 3 | 1 | 9 | 8  | 8  | 10 | 24 | 29 | - |
| 2002.....    | 88 | 1 | - | - | - | 2 | 7 | 7  | 5  | 7  | 27 | 32 | - |
| 2001.....    | 98 | 1 | - | - | 2 | 3 | 6 | 6  | 8  | 12 | 27 | 33 | - |
| 2000.....    | 87 | 1 | - | - | 2 | 3 | 6 | 6  | 5  | 15 | 26 | 23 | - |
| 1999.....    | 73 | 1 | 1 | - | 2 | 3 | 3 | 2  | 11 | 10 | 25 | 15 | - |

Worktable Orig290F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2007

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data - mortality"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, sex, and year | All ages | Under 1 year | 1-4 years | 5-14 years | 15-24 years | 25-34 years | 35-44 years | 45-54 years | 55-64 years | 65-74 years | 75-84 years | 85 years and over | Age not stated |
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|

Inflammatory diseases of female pelvic organs (N70-N76)

| Non-Hispanic white, male   |     |     |     |     |     |     |     |     |     |     |     |     |     |
|----------------------------|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|
| 2007 2/.....               | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| 2006 2/.....               | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| 2005 2/.....               | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| 2004 2/.....               | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| 2003 2/.....               | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| 2002.....                  | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| 2001.....                  | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| 2000.....                  | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| 1999.....                  | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Non-Hispanic white, female |     |     |     |     |     |     |     |     |     |     |     |     |     |
| 2007 2/.....               | 85  | 2   | -   | -   | -   | 2   | 2   | 10  | 13  | 15  | 21  | 20  | -   |
| 2006 2/.....               | 83  | -   | -   | -   | 1   | -   | 5   | 6   | 9   | 9   | 29  | 24  | -   |
| 2005 2/.....               | 89  | -   | -   | -   | -   | 1   | 2   | 7   | 7   | 17  | 30  | 25  | -   |
| 2004 2/.....               | 83  | -   | -   | -   | 1   | 2   | 6   | 6   | 13  | 12  | 13  | 30  | -   |
| 2003 2/.....               | 93  | -   | -   | 1   | 3   | 1   | 9   | 8   | 8   | 10  | 24  | 29  | -   |
| 2002.....                  | 88  | 1   | -   | -   | -   | 2   | 7   | 7   | 5   | 7   | 27  | 32  | -   |
| 2001.....                  | 98  | 1   | -   | -   | 2   | 3   | 6   | 6   | 8   | 12  | 27  | 33  | -   |
| 2000.....                  | 87  | 1   | -   | -   | 2   | 3   | 6   | 6   | 5   | 15  | 26  | 23  | -   |
| 1999.....                  | 73  | 1   | 1   | -   | 2   | 3   | 3   | 2   | 11  | 10  | 25  | 15  | -   |











Worktable Orig290F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2007

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data - mortality"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, sex, and year | All ages | Under 1 year | 1-4 years | 5-14 years | 15-24 years | 25-34 years | 35-44 years | 45-54 years | 55-64 years | 65-74 years | 75-84 years | 85 years and over | Age not stated |
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|

Pregnancy, childbirth and the puerperium (000-099)

| All origins, female  |     |     |     |   |     |     |     |    |   |   |   |   |   |
|----------------------|-----|-----|-----|---|-----|-----|-----|----|---|---|---|---|---|
| 2007.....            | 769 | ... | ... | 1 | 160 | 326 | 220 | 59 | 2 | 1 | - | - | - |
| 2006.....            | 760 | ... | ... | 2 | 179 | 324 | 192 | 59 | 3 | - | - | 1 | - |
| 2005.....            | 760 | ... | ... | - | 183 | 312 | 207 | 54 | 3 | 1 | - | - | - |
| 2004.....            | 697 | ... | ... | 2 | 168 | 287 | 157 | 79 | 1 | 1 | 2 | - | - |
| 2003.....            | 545 | ... | ... | 1 | 116 | 229 | 166 | 30 | 2 | 1 | - | - | - |
| 2002.....            | 379 | ... | ... | 1 | 89  | 175 | 105 | 8  | - | - | - | 1 | - |
| 2001.....            | 416 | ... | ... | 3 | 110 | 190 | 106 | 6  | - | - | - | 1 | - |
| 2000.....            | 404 | ... | ... | - | 95  | 182 | 121 | 6  | - | - | - | - | - |
| 1999.....            | 406 | ... | ... | - | 97  | 181 | 121 | 7  | - | - | - | - | - |
| Hispanic, both sexes |     |     |     |   |     |     |     |    |   |   |   |   |   |
| 2007.....            | 134 | ... | ... | 1 | 28  | 58  | 39  | 7  | 1 | - | - | - | - |
| 2006.....            | 151 | ... | ... | 1 | 39  | 70  | 34  | 6  | 1 | - | - | - | - |
| 2005.....            | 129 | ... | ... | - | 35  | 60  | 32  | 2  | - | - | - | - | - |
| 2004.....            | 115 | ... | ... | - | 29  | 49  | 26  | 11 | - | - | - | - | - |
| 2003.....            | 104 | ... | ... | - | 24  | 46  | 28  | 4  | 1 | 1 | - | - | - |
| 2002.....            | 70  | ... | ... | - | 19  | 28  | 21  | 2  | - | - | - | - | - |
| 2001.....            | 83  | ... | ... | 1 | 26  | 38  | 17  | 1  | - | - | - | - | - |
| 2000.....            | 84  | ... | ... | - | 24  | 36  | 23  | 1  | - | - | - | - | - |
| 1999.....            | 70  | ... | ... | - | 19  | 26  | 25  | -  | - | - | - | - | - |

Worktable Orig290F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2007

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data - mortality"]

---

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, sex, and year

|  | All ages | Under 1 year | 1-4 years | 5-14 years | 15-24 years | 25-34 years | 35-44 years | 45-54 years | 55-64 years | 65-74 years | 75-84 years | 85 years and over | Age not stated |
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|

---

Pregnancy, childbirth and the puerperium (000-099)

Hispanic, male

|           |     |     |     |     |     |     |     |     |     |     |     |     |     |
|-----------|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|
| 2007..... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| 2006..... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| 2005..... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| 2004..... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| 2003..... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| 2002..... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| 2001..... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| 2000..... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| 1999..... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |

Hispanic, female

|           |     |     |     |   |    |    |    |    |   |   |   |   |   |
|-----------|-----|-----|-----|---|----|----|----|----|---|---|---|---|---|
| 2007..... | 134 | ... | ... | 1 | 28 | 58 | 39 | 7  | 1 | - | - | - | - |
| 2006..... | 151 | ... | ... | 1 | 39 | 70 | 34 | 6  | 1 | - | - | - | - |
| 2005..... | 129 | ... | ... | - | 35 | 60 | 32 | 2  | - | - | - | - | - |
| 2004..... | 115 | ... | ... | - | 29 | 49 | 26 | 11 | - | - | - | - | - |
| 2003..... | 104 | ... | ... | - | 24 | 46 | 28 | 4  | 1 | 1 | - | - | - |
| 2002..... | 70  | ... | ... | - | 19 | 28 | 21 | 2  | - | - | - | - | - |
| 2001..... | 83  | ... | ... | 1 | 26 | 38 | 17 | 1  | - | - | - | - | - |
| 2000..... | 84  | ... | ... | - | 24 | 36 | 23 | 1  | - | - | - | - | - |
| 1999..... | 70  | ... | ... | - | 19 | 26 | 25 | -  | - | - | - | - | - |



Worktable Orig290F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2007

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data - mortality"]

---

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, sex, and year

|  | All ages | Under 1 year | 1-4 years | 5-14 years | 15-24 years | 25-34 years | 35-44 years | 45-54 years | 55-64 years | 65-74 years | 75-84 years | 85 years and over | Age not stated |
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|

---

Pregnancy, childbirth and the puerperium (000-099)

Non-Hispanic 1/, female

|           |     |     |     |   |     |     |     |    |   |   |   |   |   |
|-----------|-----|-----|-----|---|-----|-----|-----|----|---|---|---|---|---|
| 2007..... | 634 | ... | ... | - | 132 | 267 | 181 | 52 | 1 | 1 | - | - | - |
| 2006..... | 609 | ... | ... | 1 | 140 | 254 | 158 | 53 | 2 | - | - | 1 | - |
| 2005..... | 630 | ... | ... | - | 148 | 252 | 175 | 51 | 3 | 1 | - | - | - |
| 2004..... | 581 | ... | ... | 2 | 139 | 238 | 130 | 68 | 1 | 1 | 2 | - | - |
| 2003..... | 437 | ... | ... | 1 | 89  | 182 | 138 | 26 | 1 | - | - | - | - |
| 2002..... | 305 | ... | ... | 1 | 69  | 145 | 83  | 6  | - | - | - | 1 | - |
| 2001..... | 332 | ... | ... | 2 | 84  | 151 | 89  | 5  | - | - | - | 1 | - |
| 2000..... | 319 | ... | ... | - | 71  | 146 | 97  | 5  | - | - | - | - | - |
| 1999..... | 333 | ... | ... | - | 76  | 154 | 96  | 7  | - | - | - | - | - |

Non-Hispanic white, both sexes

|              |     |     |     |   |    |     |    |    |   |   |   |   |   |
|--------------|-----|-----|-----|---|----|-----|----|----|---|---|---|---|---|
| 2007 2/..... | 334 | ... | ... | - | 59 | 136 | 99 | 38 | 1 | 1 | - | - | - |
| 2006 2/..... | 299 | ... | ... | - | 78 | 113 | 79 | 26 | 2 | - | - | 1 | - |
| 2005 2/..... | 327 | ... | ... | - | 76 | 121 | 94 | 33 | 2 | 1 | - | - | - |
| 2004 2/..... | 302 | ... | ... | - | 60 | 122 | 74 | 43 | 1 | 1 | 1 | - | - |
| 2003 2/..... | 213 | ... | ... | - | 41 | 87  | 66 | 19 | - | - | - | - | - |
| 2002.....    | 133 | ... | ... | - | 21 | 69  | 39 | 3  | - | - | - | 1 | - |
| 2001.....    | 156 | ... | ... | 1 | 38 | 77  | 37 | 2  | - | - | - | 1 | - |
| 2000.....    | 161 | ... | ... | - | 33 | 72  | 54 | 2  | - | - | - | - | - |
| 1999.....    | 152 | ... | ... | - | 26 | 74  | 48 | 4  | - | - | - | - | - |

Worktable Orig290F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2007

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data - mortality"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, sex, and year | All ages | Under 1 year | 1-4 years | 5-14 years | 15-24 years | 25-34 years | 35-44 years | 45-54 years | 55-64 years | 65-74 years | 75-84 years | 85 years and over | Age not stated |
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|

Pregnancy, childbirth and the puerperium (000-099)

Non-Hispanic white, male

|              |     |     |     |     |     |     |     |     |     |     |     |     |     |
|--------------|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|
| 2007 2/..... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| 2006 2/..... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| 2005 2/..... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| 2004 2/..... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| 2003 2/..... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| 2002.....    | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| 2001.....    | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| 2000.....    | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| 1999.....    | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |

Non-Hispanic white, female

|              |     |     |     |   |    |     |    |    |   |   |   |   |   |
|--------------|-----|-----|-----|---|----|-----|----|----|---|---|---|---|---|
| 2007 2/..... | 334 | ... | ... | - | 59 | 136 | 99 | 38 | 1 | 1 | - | - | - |
| 2006 2/..... | 299 | ... | ... | - | 78 | 113 | 79 | 26 | 2 | - | - | 1 | - |
| 2005 2/..... | 327 | ... | ... | - | 76 | 121 | 94 | 33 | 2 | 1 | - | - | - |
| 2004 2/..... | 302 | ... | ... | - | 60 | 122 | 74 | 43 | 1 | 1 | 1 | - | - |
| 2003 2/..... | 213 | ... | ... | - | 41 | 87  | 66 | 19 | - | - | - | - | - |
| 2002.....    | 133 | ... | ... | - | 21 | 69  | 39 | 3  | - | - | - | 1 | - |
| 2001.....    | 156 | ... | ... | 1 | 38 | 77  | 37 | 2  | - | - | - | 1 | - |
| 2000.....    | 161 | ... | ... | - | 33 | 72  | 54 | 2  | - | - | - | - | - |
| 1999.....    | 152 | ... | ... | - | 26 | 74  | 48 | 4  | - | - | - | - | - |





Worktable Orig290F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2007

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data - mortality"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, sex, and year | All ages | Under 1 year | 1-4 years | 5-14 years | 15-24 years | 25-34 years | 35-44 years | 45-54 years | 55-64 years | 65-74 years | 75-84 years | 85 years and over | Age not stated |
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|

Pregnancy, childbirth and the puerperium (000-099)

| Non-Hispanic black, female       |     |     |     |   |    |     |    |    |   |   |   |   |   |
|----------------------------------|-----|-----|-----|---|----|-----|----|----|---|---|---|---|---|
| 2007 2/.....                     | 248 | ... | ... | - | 68 | 106 | 61 | 13 | - | - | - | - | - |
| 2006 2/.....                     | 255 | ... | ... | 1 | 57 | 115 | 61 | 21 | - | - | - | - | - |
| 2005 2/.....                     | 265 | ... | ... | - | 69 | 115 | 65 | 15 | 1 | - | - | - | - |
| 2004 2/.....                     | 245 | ... | ... | - | 73 | 106 | 44 | 22 | - | - | - | - | - |
| 2003 2/.....                     | 190 | ... | ... | 1 | 42 | 82  | 58 | 7  | - | - | - | - | - |
| 2002.....                        | 153 | ... | ... | 1 | 45 | 64  | 41 | 2  | - | - | - | - | - |
| 2001.....                        | 154 | ... | ... | 1 | 45 | 65  | 40 | 3  | - | - | - | - | - |
| 2000.....                        | 139 | ... | ... | - | 34 | 65  | 37 | 3  | - | - | - | - | - |
| 1999.....                        | 158 | ... | ... | - | 46 | 70  | 40 | 2  | - | - | - | - | - |
| Origin not stated 3/, both sexes |     |     |     |   |    |     |    |    |   |   |   |   |   |
| 2007.....                        | 1   | ... | ... | - | -  | 1   | -  | -  | - | - | - | - | - |
| 2006.....                        | -   | ... | ... | - | -  | -   | -  | -  | - | - | - | - | - |
| 2005.....                        | 1   | ... | ... | - | -  | -   | -  | 1  | - | - | - | - | - |
| 2004.....                        | 1   | ... | ... | - | -  | -   | 1  | -  | - | - | - | - | - |
| 2003.....                        | 4   | ... | ... | - | 3  | 1   | -  | -  | - | - | - | - | - |
| 2002.....                        | 4   | ... | ... | - | 1  | 2   | 1  | -  | - | - | - | - | - |
| 2001.....                        | 1   | ... | ... | - | -  | 1   | -  | -  | - | - | - | - | - |
| 2000.....                        | 1   | ... | ... | - | -  | -   | 1  | -  | - | - | - | - | - |
| 1999.....                        | 3   | ... | ... | - | 2  | 1   | -  | -  | - | - | - | - | - |

Worktable Orig290F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2007

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data - mortality"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, sex, and year | All ages | Under 1 year | 1-4 years | 5-14 years | 15-24 years | 25-34 years | 35-44 years | 45-54 years | 55-64 years | 65-74 years | 75-84 years | 85 years and over | Age not stated |
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|

Pregnancy, childbirth and the puerperium (000-099)

Origin not stated 3/, male

|           |     |     |     |     |     |     |     |     |     |     |     |     |     |
|-----------|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|
| 2007..... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| 2006..... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| 2005..... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| 2004..... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| 2003..... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| 2002..... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| 2001..... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| 2000..... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| 1999..... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |

Origin not stated 3/, female

|           |   |     |     |   |   |   |   |   |   |   |   |   |   |
|-----------|---|-----|-----|---|---|---|---|---|---|---|---|---|---|
| 2007..... | 1 | ... | ... | - | - | 1 | - | - | - | - | - | - | - |
| 2006..... | - | ... | ... | - | - | - | - | - | - | - | - | - | - |
| 2005..... | 1 | ... | ... | - | - | - | - | 1 | - | - | - | - | - |
| 2004..... | 1 | ... | ... | - | - | - | 1 | - | - | - | - | - | - |
| 2003..... | 4 | ... | ... | - | 3 | 1 | - | - | - | - | - | - | - |
| 2002..... | 4 | ... | ... | - | 1 | 2 | 1 | - | - | - | - | - | - |
| 2001..... | 1 | ... | ... | - | - | 1 | - | - | - | - | - | - | - |
| 2000..... | 1 | ... | ... | - | - | - | 1 | - | - | - | - | - | - |
| 1999..... | 3 | ... | ... | - | 2 | 1 | - | - | - | - | - | - | - |



Worktable Orig290F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2007

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data - mortality"]

---

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, sex, and year

|  | All ages | Under 1 year | 1-4 years | 5-14 years | 15-24 years | 25-34 years | 35-44 years | 45-54 years | 55-64 years | 65-74 years | 75-84 years | 85 years and over | Age not stated |
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|

---

Pregnancy with abortive outcome (000-007)

All origins, female

|           |    |     |     |   |    |    |    |   |   |   |   |   |   |
|-----------|----|-----|-----|---|----|----|----|---|---|---|---|---|---|
| 2007..... | 31 | ... | ... | - | 7  | 16 | 6  | 2 | - | - | - | - | - |
| 2006..... | 26 | ... | ... | - | 6  | 15 | 4  | 1 | - | - | - | - | - |
| 2005..... | 33 | ... | ... | - | 6  | 14 | 11 | 2 | - | - | - | - | - |
| 2004..... | 32 | ... | ... | - | 14 | 11 | 6  | 1 | - | - | - | - | - |
| 2003..... | 40 | ... | ... | - | 11 | 19 | 9  | 1 | - | - | - | - | - |
| 2002..... | 22 | ... | ... | 1 | 4  | 9  | 7  | 1 | - | - | - | - | - |
| 2001..... | 38 | ... | ... | 2 | 13 | 14 | 9  | - | - | - | - | - | - |
| 2000..... | 37 | ... | ... | - | 6  | 17 | 14 | - | - | - | - | - | - |
| 1999..... | 31 | ... | ... | - | 8  | 15 | 8  | - | - | - | - | - | - |

Hispanic, both sexes

|           |   |     |     |   |   |   |   |   |   |   |   |   |   |
|-----------|---|-----|-----|---|---|---|---|---|---|---|---|---|---|
| 2007..... | 5 | ... | ... | - | 2 | 2 | 1 | - | - | - | - | - | - |
| 2006..... | 4 | ... | ... | - | 2 | 2 | - | - | - | - | - | - | - |
| 2005..... | 2 | ... | ... | - | 1 | 1 | - | - | - | - | - | - | - |
| 2004..... | 1 | ... | ... | - | - | 1 | - | - | - | - | - | - | - |
| 2003..... | 8 | ... | ... | - | 1 | 6 | 1 | - | - | - | - | - | - |
| 2002..... | 1 | ... | ... | - | - | 1 | - | - | - | - | - | - | - |
| 2001..... | 1 | ... | ... | 1 | - | - | - | - | - | - | - | - | - |
| 2000..... | 6 | ... | ... | - | 2 | 3 | 1 | - | - | - | - | - | - |
| 1999..... | 4 | ... | ... | - | 2 | - | 2 | - | - | - | - | - | - |

Worktable Orig290F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2007

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data - mortality"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, sex, and year | All ages | Under 1 year | 1-4 years | 5-14 years | 15-24 years | 25-34 years | 35-44 years | 45-54 years | 55-64 years | 65-74 years | 75-84 years | 85 years and over | Age not stated |
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|

Pregnancy with abortive outcome (000-007)

| Hispanic, male   |     |     |     |     |     |     |     |     |     |     |     |     |     |
|------------------|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|
| 2007.....        | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| 2006.....        | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| 2005.....        | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| 2004.....        | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| 2003.....        | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| 2002.....        | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| 2001.....        | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| 2000.....        | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| 1999.....        | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Hispanic, female |     |     |     |     |     |     |     |     |     |     |     |     |     |
| 2007.....        | 5   | ... | ... | -   | 2   | 2   | 1   | -   | -   | -   | -   | -   | -   |
| 2006.....        | 4   | ... | ... | -   | 2   | 2   | -   | -   | -   | -   | -   | -   | -   |
| 2005.....        | 2   | ... | ... | -   | 1   | 1   | -   | -   | -   | -   | -   | -   | -   |
| 2004.....        | 1   | ... | ... | -   | -   | 1   | -   | -   | -   | -   | -   | -   | -   |
| 2003.....        | 8   | ... | ... | -   | 1   | 6   | 1   | -   | -   | -   | -   | -   | -   |
| 2002.....        | 1   | ... | ... | -   | -   | 1   | -   | -   | -   | -   | -   | -   | -   |
| 2001.....        | 1   | ... | ... | 1   | -   | -   | -   | -   | -   | -   | -   | -   | -   |
| 2000.....        | 6   | ... | ... | -   | 2   | 3   | 1   | -   | -   | -   | -   | -   | -   |
| 1999.....        | 4   | ... | ... | -   | 2   | -   | 2   | -   | -   | -   | -   | -   | -   |



Worktable Orig290F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2007

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data - mortality"]

---

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, sex, and year

|  | All ages | Under 1 year | 1-4 years | 5-14 years | 15-24 years | 25-34 years | 35-44 years | 45-54 years | 55-64 years | 65-74 years | 75-84 years | 85 years and over | Age not stated |
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|

---

Pregnancy with abortive outcome (000-007)

Non-Hispanic 1/, female

|           |    |     |     |   |    |    |    |   |   |   |   |   |   |
|-----------|----|-----|-----|---|----|----|----|---|---|---|---|---|---|
| 2007..... | 26 | ... | ... | - | 5  | 14 | 5  | 2 | - | - | - | - | - |
| 2006..... | 22 | ... | ... | - | 4  | 13 | 4  | 1 | - | - | - | - | - |
| 2005..... | 31 | ... | ... | - | 5  | 13 | 11 | 2 | - | - | - | - | - |
| 2004..... | 31 | ... | ... | - | 14 | 10 | 6  | 1 | - | - | - | - | - |
| 2003..... | 32 | ... | ... | - | 10 | 13 | 8  | 1 | - | - | - | - | - |
| 2002..... | 20 | ... | ... | 1 | 4  | 8  | 6  | 1 | - | - | - | - | - |
| 2001..... | 37 | ... | ... | 1 | 13 | 14 | 9  | - | - | - | - | - | - |
| 2000..... | 30 | ... | ... | - | 4  | 14 | 12 | - | - | - | - | - | - |
| 1999..... | 26 | ... | ... | - | 5  | 15 | 6  | - | - | - | - | - | - |

Non-Hispanic white, both sexes

|              |    |     |     |   |   |   |   |   |   |   |   |   |   |
|--------------|----|-----|-----|---|---|---|---|---|---|---|---|---|---|
| 2007 2/..... | 8  | ... | ... | - | - | 5 | 2 | 1 | - | - | - | - | - |
| 2006 2/..... | 6  | ... | ... | - | 2 | 3 | - | 1 | - | - | - | - | - |
| 2005 2/..... | 14 | ... | ... | - | 4 | 3 | 5 | 2 | - | - | - | - | - |
| 2004 2/..... | 10 | ... | ... | - | 5 | 4 | - | 1 | - | - | - | - | - |
| 2003 2/..... | 11 | ... | ... | - | 2 | 6 | 3 | - | - | - | - | - | - |
| 2002.....    | 6  | ... | ... | - | 1 | 4 | 1 | - | - | - | - | - | - |
| 2001.....    | 19 | ... | ... | - | 7 | 8 | 4 | - | - | - | - | - | - |
| 2000.....    | 12 | ... | ... | - | - | 5 | 7 | - | - | - | - | - | - |
| 1999.....    | 11 | ... | ... | - | 2 | 6 | 3 | - | - | - | - | - | - |

Worktable Orig290F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2007

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data - mortality"]

---

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, sex, and year

|  | All ages | Under 1 year | 1-4 years | 5-14 years | 15-24 years | 25-34 years | 35-44 years | 45-54 years | 55-64 years | 65-74 years | 75-84 years | 85 years and over | Age not stated |
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|

---

Pregnancy with abortive outcome (000-007)

Non-Hispanic white, male

|              |     |     |     |     |     |     |     |     |     |     |     |     |     |
|--------------|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|
| 2007 2/..... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| 2006 2/..... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| 2005 2/..... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| 2004 2/..... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| 2003 2/..... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| 2002.....    | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| 2001.....    | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| 2000.....    | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| 1999.....    | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |

Non-Hispanic white, female

|              |    |     |     |   |   |   |   |   |   |   |   |   |   |
|--------------|----|-----|-----|---|---|---|---|---|---|---|---|---|---|
| 2007 2/..... | 8  | ... | ... | - | - | 5 | 2 | 1 | - | - | - | - | - |
| 2006 2/..... | 6  | ... | ... | - | 2 | 3 | - | 1 | - | - | - | - | - |
| 2005 2/..... | 14 | ... | ... | - | 4 | 3 | 5 | 2 | - | - | - | - | - |
| 2004 2/..... | 10 | ... | ... | - | 5 | 4 | - | 1 | - | - | - | - | - |
| 2003 2/..... | 11 | ... | ... | - | 2 | 6 | 3 | - | - | - | - | - | - |
| 2002.....    | 6  | ... | ... | - | 1 | 4 | 1 | - | - | - | - | - | - |
| 2001.....    | 19 | ... | ... | - | 7 | 8 | 4 | - | - | - | - | - | - |
| 2000.....    | 12 | ... | ... | - | - | 5 | 7 | - | - | - | - | - | - |
| 1999.....    | 11 | ... | ... | - | 2 | 6 | 3 | - | - | - | - | - | - |











Worktable Orig290F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2007

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data - mortality"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, sex, and year | All ages | Under 1 year | 1-4 years | 5-14 years | 15-24 years | 25-34 years | 35-44 years | 45-54 years | 55-64 years | 65-74 years | 75-84 years | 85 years and over | Age not stated |
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|

Other complications of pregnancy, childbirth and the puerperium (010-099)

| All origins, female  |     |     |     |   |     |     |     |    |   |   |   |   |   |
|----------------------|-----|-----|-----|---|-----|-----|-----|----|---|---|---|---|---|
| 2007.....            | 738 | ... | ... | 1 | 153 | 310 | 214 | 57 | 2 | 1 | - | - | - |
| 2006.....            | 734 | ... | ... | 2 | 173 | 309 | 188 | 58 | 3 | - | - | 1 | - |
| 2005.....            | 727 | ... | ... | - | 177 | 298 | 196 | 52 | 3 | 1 | - | - | - |
| 2004.....            | 665 | ... | ... | 2 | 154 | 276 | 151 | 78 | 1 | 1 | 2 | - | - |
| 2003.....            | 505 | ... | ... | 1 | 105 | 210 | 157 | 29 | 2 | 1 | - | - | - |
| 2002.....            | 357 | ... | ... | - | 85  | 166 | 98  | 7  | - | - | - | 1 | - |
| 2001.....            | 378 | ... | ... | 1 | 97  | 176 | 97  | 6  | - | - | - | 1 | - |
| 2000.....            | 367 | ... | ... | - | 89  | 165 | 107 | 6  | - | - | - | - | - |
| 1999.....            | 375 | ... | ... | - | 89  | 166 | 113 | 7  | - | - | - | - | - |
| Hispanic, both sexes |     |     |     |   |     |     |     |    |   |   |   |   |   |
| 2007.....            | 129 | ... | ... | 1 | 26  | 56  | 38  | 7  | 1 | - | - | - | - |
| 2006.....            | 147 | ... | ... | 1 | 37  | 68  | 34  | 6  | 1 | - | - | - | - |
| 2005.....            | 127 | ... | ... | - | 34  | 59  | 32  | 2  | - | - | - | - | - |
| 2004.....            | 114 | ... | ... | - | 29  | 48  | 26  | 11 | - | - | - | - | - |
| 2003.....            | 96  | ... | ... | - | 23  | 40  | 27  | 4  | 1 | 1 | - | - | - |
| 2002.....            | 69  | ... | ... | - | 19  | 27  | 21  | 2  | - | - | - | - | - |
| 2001.....            | 82  | ... | ... | - | 26  | 38  | 17  | 1  | - | - | - | - | - |
| 2000.....            | 78  | ... | ... | - | 22  | 33  | 22  | 1  | - | - | - | - | - |
| 1999.....            | 66  | ... | ... | - | 17  | 26  | 23  | -  | - | - | - | - | - |

Worktable Orig290F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2007

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data - mortality"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, sex, and year | All ages | Under 1 year | 1-4 years | 5-14 years | 15-24 years | 25-34 years | 35-44 years | 45-54 years | 55-64 years | 65-74 years | 75-84 years | 85 years and over | Age not stated |
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|

Other complications of pregnancy, childbirth and the puerperium (010-099)

Hispanic, male

|           |     |     |     |     |     |     |     |     |     |     |     |     |     |
|-----------|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|
| 2007..... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| 2006..... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| 2005..... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| 2004..... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| 2003..... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| 2002..... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| 2001..... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| 2000..... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| 1999..... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |

Hispanic, female

|           |     |     |     |   |    |    |    |    |   |   |   |   |   |
|-----------|-----|-----|-----|---|----|----|----|----|---|---|---|---|---|
| 2007..... | 129 | ... | ... | 1 | 26 | 56 | 38 | 7  | 1 | - | - | - | - |
| 2006..... | 147 | ... | ... | 1 | 37 | 68 | 34 | 6  | 1 | - | - | - | - |
| 2005..... | 127 | ... | ... | - | 34 | 59 | 32 | 2  | - | - | - | - | - |
| 2004..... | 114 | ... | ... | - | 29 | 48 | 26 | 11 | - | - | - | - | - |
| 2003..... | 96  | ... | ... | - | 23 | 40 | 27 | 4  | 1 | 1 | - | - | - |
| 2002..... | 69  | ... | ... | - | 19 | 27 | 21 | 2  | - | - | - | - | - |
| 2001..... | 82  | ... | ... | - | 26 | 38 | 17 | 1  | - | - | - | - | - |
| 2000..... | 78  | ... | ... | - | 22 | 33 | 22 | 1  | - | - | - | - | - |
| 1999..... | 66  | ... | ... | - | 17 | 26 | 23 | -  | - | - | - | - | - |



Worktable Orig290F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2007

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data - mortality"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, sex, and year | All ages | Under 1 year | 1-4 years | 5-14 years | 15-24 years | 25-34 years | 35-44 years | 45-54 years | 55-64 years | 65-74 years | 75-84 years | 85 years and over | Age not stated |
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|

Other complications of pregnancy, childbirth and the puerperium (010-099)

Non-Hispanic 1/, female

|           |     |     |     |   |     |     |     |    |   |   |   |   |   |
|-----------|-----|-----|-----|---|-----|-----|-----|----|---|---|---|---|---|
| 2007..... | 608 | ... | ... | - | 127 | 253 | 176 | 50 | 1 | 1 | - | - | - |
| 2006..... | 587 | ... | ... | 1 | 136 | 241 | 154 | 52 | 2 | - | - | 1 | - |
| 2005..... | 599 | ... | ... | - | 143 | 239 | 164 | 49 | 3 | 1 | - | - | - |
| 2004..... | 550 | ... | ... | 2 | 125 | 228 | 124 | 67 | 1 | 1 | 2 | - | - |
| 2003..... | 405 | ... | ... | 1 | 79  | 169 | 130 | 25 | 1 | - | - | - | - |
| 2002..... | 285 | ... | ... | - | 65  | 137 | 77  | 5  | - | - | - | 1 | - |
| 2001..... | 295 | ... | ... | 1 | 71  | 137 | 80  | 5  | - | - | - | 1 | - |
| 2000..... | 289 | ... | ... | - | 67  | 132 | 85  | 5  | - | - | - | - | - |
| 1999..... | 307 | ... | ... | - | 71  | 139 | 90  | 7  | - | - | - | - | - |

Non-Hispanic white, both sexes

|              |     |     |     |   |    |     |    |    |   |   |   |   |   |
|--------------|-----|-----|-----|---|----|-----|----|----|---|---|---|---|---|
| 2007 2/..... | 326 | ... | ... | - | 59 | 131 | 97 | 37 | 1 | 1 | - | - | - |
| 2006 2/..... | 293 | ... | ... | - | 76 | 110 | 79 | 25 | 2 | - | - | 1 | - |
| 2005 2/..... | 313 | ... | ... | - | 72 | 118 | 89 | 31 | 2 | 1 | - | - | - |
| 2004 2/..... | 292 | ... | ... | - | 55 | 118 | 74 | 42 | 1 | 1 | 1 | - | - |
| 2003 2/..... | 202 | ... | ... | - | 39 | 81  | 63 | 19 | - | - | - | - | - |
| 2002.....    | 127 | ... | ... | - | 20 | 65  | 38 | 3  | - | - | - | 1 | - |
| 2001.....    | 137 | ... | ... | 1 | 31 | 69  | 33 | 2  | - | - | - | 1 | - |
| 2000.....    | 149 | ... | ... | - | 33 | 67  | 47 | 2  | - | - | - | - | - |
| 1999.....    | 141 | ... | ... | - | 24 | 68  | 45 | 4  | - | - | - | - | - |



Worktable Orig290F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2007

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data - mortality"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, sex, and year | All ages | Under 1 year | 1-4 years | 5-14 years | 15-24 years | 25-34 years | 35-44 years | 45-54 years | 55-64 years | 65-74 years | 75-84 years | 85 years and over | Age not stated |
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|
| Other complications of pregnancy, childbirth and the puerperium (010-099)  |          |              |           |            |             |             |             |             |             |             |             |                   |                |
| Non-Hispanic white, male   |          |              |           |            |             |             |             |             |             |             |             |                   |                |
| 2007 2/.....   | ...      | ...          | ...       | ...        | ...         | ...         | ...         | ...         | ...         | ...         | ...         | ...               | ...            |
| 2006 2/.....   | ...      | ...          | ...       | ...        | ...         | ...         | ...         | ...         | ...         | ...         | ...         | ...               | ...            |
| 2005 2/.....   | ...      | ...          | ...       | ...        | ...         | ...         | ...         | ...         | ...         | ...         | ...         | ...               | ...            |
| 2004 2/.....   | ...      | ...          | ...       | ...        | ...         | ...         | ...         | ...         | ...         | ...         | ...         | ...               | ...            |
| 2003 2/.....   | ...      | ...          | ...       | ...        | ...         | ...         | ...         | ...         | ...         | ...         | ...         | ...               | ...            |
| 2002.....  | ...      | ...          | ...       | ...        | ...         | ...         | ...         | ...         | ...         | ...         | ...         | ...               | ...            |
| 2001.....  | ...      | ...          | ...       | ...        | ...         | ...         | ...         | ...         | ...         | ...         | ...         | ...               | ...            |
| 2000.....  | ...      | ...          | ...       | ...        | ...         | ...         | ...         | ...         | ...         | ...         | ...         | ...               | ...            |
| 1999.....  | ...      | ...          | ...       | ...        | ...         | ...         | ...         | ...         | ...         | ...         | ...         | ...               | ...            |
| Non-Hispanic white, female   |          |              |           |            |             |             |             |             |             |             |             |                   |                |
| 2007 2/.....   | 326      | ...          | ...       | -          | 59          | 131         | 97          | 37          | 1           | 1           | -           | -                 | -              |
| 2006 2/.....   | 293      | ...          | ...       | -          | 76          | 110         | 79          | 25          | 2           | -           | -           | 1                 | -              |
| 2005 2/.....   | 313      | ...          | ...       | -          | 72          | 118         | 89          | 31          | 2           | 1           | -           | -                 | -              |
| 2004 2/.....   | 292      | ...          | ...       | -          | 55          | 118         | 74          | 42          | 1           | 1           | 1           | -                 | -              |
| 2003 2/.....   | 202      | ...          | ...       | -          | 39          | 81          | 63          | 19          | -           | -           | -           | -                 | -              |
| 2002.....  | 127      | ...          | ...       | -          | 20          | 65          | 38          | 3           | -           | -           | -           | 1                 | -              |
| 2001.....  | 137      | ...          | ...       | 1          | 31          | 69          | 33          | 2           | -           | -           | -           | 1                 | -              |
| 2000.....  | 149      | ...          | ...       | -          | 33          | 67          | 47          | 2           | -           | -           | -           | -                 | -              |
| 1999.....  | 141      | ...          | ...       | -          | 24          | 68          | 45          | 4           | -           | -           | -           | -                 | -              |



Worktable Orig290F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2007

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data - mortality"]

---

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, sex, and year

|  | All ages | Under 1 year | 1-4 years | 5-14 years | 15-24 years | 25-34 years | 35-44 years | 45-54 years | 55-64 years | 65-74 years | 75-84 years | 85 years and over | Age not stated |
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|

---

Other complications of pregnancy, childbirth and the puerperium (010-099)

Non-Hispanic black, female

|              |     |     |     |   |    |     |    |    |   |   |   |   |   |
|--------------|-----|-----|-----|---|----|-----|----|----|---|---|---|---|---|
| 2007 2/..... | 231 | ... | ... | - | 63 | 98  | 58 | 12 | - | - | - | - | - |
| 2006 2/..... | 243 | ... | ... | 1 | 55 | 108 | 58 | 21 | - | - | - | - | - |
| 2005 2/..... | 252 | ... | ... | - | 68 | 107 | 61 | 15 | 1 | - | - | - | - |
| 2004 2/..... | 226 | ... | ... | - | 65 | 100 | 39 | 22 | - | - | - | - | - |
| 2003 2/..... | 172 | ... | ... | 1 | 34 | 77  | 54 | 6  | - | - | - | - | - |
| 2002.....    | 142 | ... | ... | - | 43 | 60  | 37 | 2  | - | - | - | - | - |
| 2001.....    | 138 | ... | ... | - | 39 | 60  | 36 | 3  | - | - | - | - | - |
| 2000.....    | 121 | ... | ... | - | 30 | 56  | 32 | 3  | - | - | - | - | - |
| 1999.....    | 144 | ... | ... | - | 43 | 62  | 37 | 2  | - | - | - | - | - |

Origin not stated 3/, both sexes

|           |   |     |     |   |   |   |   |   |   |   |   |   |   |
|-----------|---|-----|-----|---|---|---|---|---|---|---|---|---|---|
| 2007..... | 1 | ... | ... | - | - | 1 | - | - | - | - | - | - | - |
| 2006..... | - | ... | ... | - | - | - | - | - | - | - | - | - | - |
| 2005..... | 1 | ... | ... | - | - | - | - | 1 | - | - | - | - | - |
| 2004..... | 1 | ... | ... | - | - | - | 1 | - | - | - | - | - | - |
| 2003..... | 4 | ... | ... | - | 3 | 1 | - | - | - | - | - | - | - |
| 2002..... | 3 | ... | ... | - | 1 | 2 | - | - | - | - | - | - | - |
| 2001..... | 1 | ... | ... | - | - | 1 | - | - | - | - | - | - | - |
| 2000..... | - | ... | ... | - | - | - | - | - | - | - | - | - | - |
| 1999..... | 2 | ... | ... | - | 1 | 1 | - | - | - | - | - | - | - |

Worktable Orig290F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2007

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data - mortality"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, sex, and year | All ages | Under 1 year | 1-4 years | 5-14 years | 15-24 years | 25-34 years | 35-44 years | 45-54 years | 55-64 years | 65-74 years | 75-84 years | 85 years and over | Age not stated |
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|

Other complications of pregnancy, childbirth and the puerperium (010-099)

Origin not stated 3/, male

|           |     |     |     |     |     |     |     |     |     |     |     |     |     |
|-----------|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|
| 2007..... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| 2006..... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| 2005..... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| 2004..... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| 2003..... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| 2002..... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| 2001..... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| 2000..... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| 1999..... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |

Origin not stated 3/, female

|           |   |     |     |   |   |   |   |   |   |   |   |   |   |
|-----------|---|-----|-----|---|---|---|---|---|---|---|---|---|---|
| 2007..... | 1 | ... | ... | - | - | 1 | - | - | - | - | - | - | - |
| 2006..... | - | ... | ... | - | - | - | - | - | - | - | - | - | - |
| 2005..... | 1 | ... | ... | - | - | - | - | 1 | - | - | - | - | - |
| 2004..... | 1 | ... | ... | - | - | - | 1 | - | - | - | - | - | - |
| 2003..... | 4 | ... | ... | - | 3 | 1 | - | - | - | - | - | - | - |
| 2002..... | 3 | ... | ... | - | 1 | 2 | - | - | - | - | - | - | - |
| 2001..... | 1 | ... | ... | - | - | 1 | - | - | - | - | - | - | - |
| 2000..... | - | ... | ... | - | - | - | - | - | - | - | - | - | - |
| 1999..... | 2 | ... | ... | - | 1 | 1 | - | - | - | - | - | - | - |

Worktable Orig290F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2007

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data - mortality"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, sex, and year | All ages | Under 1 year | 1-4 years | 5-14 years | 15-24 years | 25-34 years | 35-44 years | 45-54 years | 55-64 years | 65-74 years | 75-84 years | 85 years and over | Age not stated |
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|

Certain conditions originating in the perinatal period (P00-P96)

All origins, both sexes

|           |        |        |    |    |    |    |    |   |   |   |   |   |   |
|-----------|--------|--------|----|----|----|----|----|---|---|---|---|---|---|
| 2007..... | 14,599 | 14,466 | 70 | 22 | 17 | 3  | 4  | 5 | 3 | 3 | 1 | - | 5 |
| 2006..... | 14,442 | 14,321 | 65 | 24 | 14 | 4  | 4  | 4 | 1 | - | 2 | - | 3 |
| 2005..... | 14,549 | 14,423 | 58 | 26 | 18 | 6  | 6  | 6 | 2 | - | 1 | - | 3 |
| 2004..... | 14,213 | 14,079 | 61 | 37 | 11 | 10 | 6  | 3 | 3 | 1 | 1 | 1 | - |
| 2003..... | 14,378 | 14,254 | 79 | 19 | 16 | 3  | 3  | 2 | - | 2 | - | - | - |
| 2002..... | 14,254 | 14,106 | 65 | 31 | 21 | 10 | 10 | 2 | 1 | 3 | 2 | 1 | 2 |
| 2001..... | 13,887 | 13,734 | 72 | 36 | 17 | 6  | 9  | 5 | 2 | 3 | 1 | 1 | 1 |
| 2000..... | 14,069 | 13,918 | 79 | 41 | 15 | 7  | 4  | 2 | 2 | - | - | - | 1 |
| 1999..... | 14,259 | 14,084 | 92 | 43 | 16 | 7  | 3  | 2 | 3 | 2 | 1 | 1 | 5 |

All origins, male

|           |       |       |    |    |    |   |   |   |   |   |   |   |   |
|-----------|-------|-------|----|----|----|---|---|---|---|---|---|---|---|
| 2007..... | 8,218 | 8,140 | 34 | 14 | 10 | 3 | 3 | 4 | 3 | 3 | 1 | - | 3 |
| 2006..... | 8,097 | 8,025 | 37 | 14 | 11 | 3 | 2 | 2 | 1 | - | 1 | - | 1 |
| 2005..... | 8,187 | 8,113 | 36 | 11 | 12 | 3 | 4 | 5 | 1 | - | 1 | - | 1 |
| 2004..... | 8,093 | 8,013 | 38 | 23 | 5  | 3 | 5 | 1 | 3 | 1 | 1 | - | - |
| 2003..... | 8,197 | 8,129 | 43 | 11 | 8  | 2 | 1 | 1 | - | 2 | - | - | - |
| 2002..... | 8,047 | 7,960 | 40 | 19 | 12 | 4 | 5 | 2 | 1 | 1 | 1 | - | 2 |
| 2001..... | 7,868 | 7,775 | 44 | 24 | 7  | 2 | 6 | 5 | 1 | 2 | 1 | - | 1 |
| 2000..... | 7,968 | 7,872 | 52 | 23 | 11 | 6 | 2 | 2 | - | - | - | - | - |
| 1999..... | 8,044 | 7,941 | 56 | 23 | 10 | 2 | 2 | 2 | 1 | 1 | 1 | 1 | 4 |

Worktable Orig290F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2007

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data - mortality"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, sex, and year | All ages | Under 1 year | 1-4 years | 5-14 years | 15-24 years | 25-34 years | 35-44 years | 45-54 years | 55-64 years | 65-74 years | 75-84 years | 85 years and over | Age not stated |
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|

Certain conditions originating in the perinatal period (P00-P96)

All origins, female

|           |       |       |    |    |    |   |   |   |   |   |   |   |   |
|-----------|-------|-------|----|----|----|---|---|---|---|---|---|---|---|
| 2007..... | 6,381 | 6,326 | 36 | 8  | 7  | - | 1 | 1 | - | - | - | - | 2 |
| 2006..... | 6,345 | 6,296 | 28 | 10 | 3  | 1 | 2 | 2 | - | - | 1 | - | 2 |
| 2005..... | 6,362 | 6,310 | 22 | 15 | 6  | 3 | 2 | 1 | 1 | - | - | - | 2 |
| 2004..... | 6,120 | 6,066 | 23 | 14 | 6  | 7 | 1 | 2 | - | - | - | 1 | - |
| 2003..... | 6,181 | 6,125 | 36 | 8  | 8  | 1 | 2 | 1 | - | - | - | - | - |
| 2002..... | 6,207 | 6,146 | 25 | 12 | 9  | 6 | 5 | - | - | 2 | 1 | 1 | - |
| 2001..... | 6,019 | 5,959 | 28 | 12 | 10 | 4 | 3 | - | 1 | 1 | - | 1 | - |
| 2000..... | 6,101 | 6,046 | 27 | 18 | 4  | 1 | 2 | - | 2 | - | - | - | 1 |
| 1999..... | 6,215 | 6,143 | 36 | 20 | 6  | 5 | 1 | - | 2 | 1 | - | - | 1 |

Hispanic, both sexes

|           |       |       |    |    |   |   |   |   |   |   |   |   |   |
|-----------|-------|-------|----|----|---|---|---|---|---|---|---|---|---|
| 2007..... | 2,946 | 2,921 | 16 | 5  | 3 | - | - | 1 | - | - | - | - | - |
| 2006..... | 2,804 | 2,781 | 12 | 10 | 1 | - | - | - | - | - | - | - | - |
| 2005..... | 2,816 | 2,802 | 6  | 3  | 4 | 1 | - | - | - | - | - | - | - |
| 2004..... | 2,681 | 2,660 | 10 | 8  | 2 | - | - | 1 | - | - | - | - | - |
| 2003..... | 2,628 | 2,599 | 15 | 8  | 3 | 1 | 1 | - | - | 1 | - | - | - |
| 2002..... | 2,402 | 2,375 | 14 | 6  | 3 | 1 | 2 | - | - | - | - | 1 | - |
| 2001..... | 2,227 | 2,203 | 14 | 3  | 2 | 4 | - | 1 | - | - | - | - | - |
| 2000..... | 2,145 | 2,120 | 12 | 10 | 2 | - | 1 | - | - | - | - | - | - |
| 1999..... | 2,153 | 2,127 | 18 | 2  | 4 | 1 | - | - | - | - | - | - | 1 |

Worktable Orig290F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2007

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data - mortality"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, sex, and year | All ages | Under 1 year | 1-4 years | 5-14 years | 15-24 years | 25-34 years | 35-44 years | 45-54 years | 55-64 years | 65-74 years | 75-84 years | 85 years and over | Age not stated |
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|

Certain conditions originating in the perinatal period (P00-P96)

| Hispanic, male   |       |       |    |   |   |   |   |   |   |   |   |   |   |
|------------------|-------|-------|----|---|---|---|---|---|---|---|---|---|---|
| 2007.....        | 1,643 | 1,633 | 5  | 3 | 2 | - | - | - | - | - | - | - | - |
| 2006.....        | 1,565 | 1,551 | 6  | 7 | 1 | - | - | - | - | - | - | - | - |
| 2005.....        | 1,612 | 1,604 | 2  | 2 | 3 | 1 | - | - | - | - | - | - | - |
| 2004.....        | 1,538 | 1,527 | 6  | 5 | - | - | - | - | - | - | - | - | - |
| 2003.....        | 1,459 | 1,442 | 8  | 4 | 2 | 1 | 1 | - | - | 1 | - | - | - |
| 2002.....        | 1,352 | 1,335 | 9  | 5 | 2 | 1 | - | - | - | - | - | - | - |
| 2001.....        | 1,268 | 1,258 | 6  | 2 | - | 1 | - | 1 | - | - | - | - | - |
| 2000.....        | 1,194 | 1,180 | 7  | 6 | 1 | - | - | - | - | - | - | - | - |
| 1999.....        | 1,192 | 1,181 | 5  | 2 | 3 | - | - | - | - | - | - | - | 1 |
| Hispanic, female |       |       |    |   |   |   |   |   |   |   |   |   |   |
| 2007.....        | 1,303 | 1,288 | 11 | 2 | 1 | - | - | 1 | - | - | - | - | - |
| 2006.....        | 1,239 | 1,230 | 6  | 3 | - | - | - | - | - | - | - | - | - |
| 2005.....        | 1,204 | 1,198 | 4  | 1 | 1 | - | - | - | - | - | - | - | - |
| 2004.....        | 1,143 | 1,133 | 4  | 3 | 2 | - | - | 1 | - | - | - | - | - |
| 2003.....        | 1,169 | 1,157 | 7  | 4 | 1 | - | - | - | - | - | - | - | - |
| 2002.....        | 1,050 | 1,040 | 5  | 1 | 1 | - | 2 | - | - | - | - | 1 | - |
| 2001.....        | 959   | 945   | 8  | 1 | 2 | 3 | - | - | - | - | - | - | - |
| 2000.....        | 951   | 940   | 5  | 4 | 1 | - | 1 | - | - | - | - | - | - |
| 1999.....        | 961   | 946   | 13 | - | 1 | 1 | - | - | - | - | - | - | - |

Worktable Orig290F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2007

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data - mortality"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, sex, and year | All ages | Under 1 year | 1-4 years | 5-14 years | 15-24 years | 25-34 years | 35-44 years | 45-54 years | 55-64 years | 65-74 years | 75-84 years | 85 years and over | Age not stated |
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|

Certain conditions originating in the perinatal period (P00-P96)

Non-Hispanic 1/, both sexes

|           |        |        |    |    |    |    |   |   |   |   |   |   |   |
|-----------|--------|--------|----|----|----|----|---|---|---|---|---|---|---|
| 2007..... | 11,525 | 11,417 | 54 | 17 | 14 | 3  | 4 | 4 | 3 | 3 | 1 | - | 5 |
| 2006..... | 11,494 | 11,397 | 53 | 14 | 13 | 4  | 4 | 4 | 1 | - | 2 | - | 2 |
| 2005..... | 11,594 | 11,482 | 52 | 23 | 14 | 5  | 6 | 6 | 2 | - | 1 | - | 3 |
| 2004..... | 11,371 | 11,258 | 51 | 29 | 9  | 10 | 6 | 2 | 3 | 1 | 1 | 1 | - |
| 2003..... | 11,559 | 11,464 | 64 | 11 | 13 | 2  | 2 | 2 | - | 1 | - | - | - |
| 2002..... | 11,673 | 11,553 | 50 | 25 | 18 | 9  | 8 | 2 | 1 | 3 | 2 | - | 2 |
| 2001..... | 11,500 | 11,371 | 58 | 33 | 15 | 2  | 9 | 4 | 2 | 3 | 1 | 1 | 1 |
| 2000..... | 11,672 | 11,546 | 67 | 31 | 13 | 7  | 3 | 2 | 2 | - | - | - | 1 |
| 1999..... | 11,815 | 11,668 | 73 | 41 | 12 | 6  | 3 | 2 | 3 | 2 | 1 | 1 | 3 |

Non-Hispanic 1/, male

|           |       |       |    |    |    |   |   |   |   |   |   |   |   |
|-----------|-------|-------|----|----|----|---|---|---|---|---|---|---|---|
| 2007..... | 6,502 | 6,434 | 29 | 11 | 8  | 3 | 3 | 4 | 3 | 3 | 1 | - | 3 |
| 2006..... | 6,457 | 6,399 | 31 | 7  | 10 | 3 | 2 | 2 | 1 | - | 1 | - | 1 |
| 2005..... | 6,503 | 6,437 | 34 | 9  | 9  | 2 | 4 | 5 | 1 | - | 1 | - | 1 |
| 2004..... | 6,469 | 6,400 | 32 | 18 | 5  | 3 | 5 | 1 | 3 | 1 | 1 | - | - |
| 2003..... | 6,622 | 6,571 | 35 | 7  | 6  | 1 | - | 1 | - | 1 | - | - | - |
| 2002..... | 6,596 | 6,527 | 30 | 14 | 10 | 3 | 5 | 2 | 1 | 1 | 1 | - | 2 |
| 2001..... | 6,511 | 6,428 | 38 | 22 | 7  | 1 | 6 | 4 | 1 | 2 | 1 | - | 1 |
| 2000..... | 6,637 | 6,555 | 45 | 17 | 10 | 6 | 2 | 2 | - | - | - | - | - |
| 1999..... | 6,680 | 6,589 | 50 | 21 | 7  | 2 | 2 | 2 | 1 | 1 | 1 | 1 | 3 |



Worktable Orig290F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2007

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data - mortality"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, sex, and year | All ages | Under 1 year | 1-4 years | 5-14 years | 15-24 years | 25-34 years | 35-44 years | 45-54 years | 55-64 years | 65-74 years | 75-84 years | 85 years and over | Age not stated |
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|

Certain conditions originating in the perinatal period (P00-P96)

Non-Hispanic 1/, female

|           |       |       |    |    |   |   |   |   |   |   |   |   |   |
|-----------|-------|-------|----|----|---|---|---|---|---|---|---|---|---|
| 2007..... | 5,023 | 4,983 | 25 | 6  | 6 | - | 1 | - | - | - | - | - | 2 |
| 2006..... | 5,037 | 4,998 | 22 | 7  | 3 | 1 | 2 | 2 | - | - | 1 | - | 1 |
| 2005..... | 5,091 | 5,045 | 18 | 14 | 5 | 3 | 2 | 1 | 1 | - | - | - | 2 |
| 2004..... | 4,902 | 4,858 | 19 | 11 | 4 | 7 | 1 | 1 | - | - | - | 1 | - |
| 2003..... | 4,937 | 4,893 | 29 | 4  | 7 | 1 | 2 | 1 | - | - | - | - | - |
| 2002..... | 5,077 | 5,026 | 20 | 11 | 8 | 6 | 3 | - | - | 2 | 1 | - | - |
| 2001..... | 4,989 | 4,943 | 20 | 11 | 8 | 1 | 3 | - | 1 | 1 | - | 1 | - |
| 2000..... | 5,035 | 4,991 | 22 | 14 | 3 | 1 | 1 | - | 2 | - | - | - | 1 |
| 1999..... | 5,135 | 5,079 | 23 | 20 | 5 | 4 | 1 | - | 2 | 1 | - | - | - |

Non-Hispanic white, both sexes

|              |       |       |    |    |    |   |   |   |   |   |   |   |   |
|--------------|-------|-------|----|----|----|---|---|---|---|---|---|---|---|
| 2007 2/..... | 6,064 | 5,999 | 25 | 11 | 12 | 3 | 2 | 4 | 2 | 1 | 1 | - | 4 |
| 2006 2/..... | 6,042 | 5,981 | 29 | 8  | 10 | 4 | 4 | 4 | 1 | - | - | - | 1 |
| 2005 2/..... | 6,216 | 6,138 | 29 | 19 | 12 | 4 | 5 | 6 | 2 | - | 1 | - | - |
| 2004 2/..... | 6,118 | 6,049 | 24 | 18 | 8  | 8 | 4 | 2 | 3 | - | 1 | 1 | - |
| 2003 2/..... | 6,359 | 6,303 | 31 | 8  | 12 | 2 | 2 | 1 | - | - | - | - | - |
| 2002.....    | 6,384 | 6,313 | 22 | 15 | 14 | 6 | 6 | 2 | 1 | 2 | 2 | - | 1 |
| 2001.....    | 6,323 | 6,239 | 34 | 18 | 11 | 2 | 8 | 4 | 1 | 3 | 1 | 1 | 1 |
| 2000.....    | 6,318 | 6,242 | 34 | 20 | 11 | 3 | 3 | 2 | 2 | - | - | - | 1 |
| 1999.....    | 6,384 | 6,286 | 37 | 31 | 11 | 6 | 3 | 2 | 3 | 2 | 1 | 1 | 1 |

Worktable Orig290F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2007

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data - mortality"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, sex, and year | All ages | Under 1 year | 1-4 years | 5-14 years | 15-24 years | 25-34 years | 35-44 years | 45-54 years | 55-64 years | 65-74 years | 75-84 years | 85 years and over | Age not stated |
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|

Certain conditions originating in the perinatal period (P00-P96)

| Non-Hispanic white, male   |       |       |    |    |   |   |   |   |   |   |   |   |   |
|----------------------------|-------|-------|----|----|---|---|---|---|---|---|---|---|---|
| 2007 2/.....               | 3,429 | 3,385 | 14 | 8  | 7 | 3 | 1 | 4 | 2 | 1 | 1 | - | 3 |
| 2006 2/.....               | 3,435 | 3,392 | 21 | 5  | 8 | 3 | 2 | 2 | 1 | - | - | - | 1 |
| 2005 2/.....               | 3,495 | 3,448 | 18 | 9  | 8 | 2 | 3 | 5 | 1 | - | 1 | - | - |
| 2004 2/.....               | 3,529 | 3,485 | 17 | 11 | 5 | 3 | 3 | 1 | 3 | - | 1 | - | - |
| 2003 2/.....               | 3,673 | 3,643 | 17 | 6  | 6 | 1 | - | - | - | - | - | - | - |
| 2002.....                  | 3,663 | 3,628 | 10 | 7  | 7 | 3 | 3 | 2 | 1 | - | 1 | - | 1 |
| 2001.....                  | 3,574 | 3,518 | 22 | 14 | 6 | 1 | 5 | 4 | - | 2 | 1 | - | 1 |
| 2000.....                  | 3,605 | 3,553 | 23 | 14 | 9 | 2 | 2 | 2 | - | - | - | - | - |
| 1999.....                  | 3,627 | 3,570 | 24 | 15 | 7 | 2 | 2 | 2 | 1 | 1 | 1 | 1 | 1 |
| Non-Hispanic white, female |       |       |    |    |   |   |   |   |   |   |   |   |   |
| 2007 2/.....               | 2,635 | 2,614 | 11 | 3  | 5 | - | 1 | - | - | - | - | - | 1 |
| 2006 2/.....               | 2,607 | 2,589 | 8  | 3  | 2 | 1 | 2 | 2 | - | - | - | - | - |
| 2005 2/.....               | 2,721 | 2,690 | 11 | 10 | 4 | 2 | 2 | 1 | 1 | - | - | - | - |
| 2004 2/.....               | 2,589 | 2,564 | 7  | 7  | 3 | 5 | 1 | 1 | - | - | - | 1 | - |
| 2003 2/.....               | 2,686 | 2,660 | 14 | 2  | 6 | 1 | 2 | 1 | - | - | - | - | - |
| 2002.....                  | 2,721 | 2,685 | 12 | 8  | 7 | 3 | 3 | - | - | 2 | 1 | - | - |
| 2001.....                  | 2,749 | 2,721 | 12 | 4  | 5 | 1 | 3 | - | 1 | 1 | - | 1 | - |
| 2000.....                  | 2,713 | 2,689 | 11 | 6  | 2 | 1 | 1 | - | 2 | - | - | - | 1 |
| 1999.....                  | 2,757 | 2,716 | 13 | 16 | 4 | 4 | 1 | - | 2 | 1 | - | - | - |







Worktable Orig290F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2007

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data - mortality"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, sex, and year | All ages | Under 1 year | 1-4 years | 5-14 years | 15-24 years | 25-34 years | 35-44 years | 45-54 years | 55-64 years | 65-74 years | 75-84 years | 85 years and over | Age not stated |
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|

Congenital malformations, deformations and chromosomal abnormalities (Q00-Q99)

| All origins, both sexes |        |       |     |     |     |     |     |     |     |     |     |     |   |
|-------------------------|--------|-------|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|---|
| 2007.....               | 10,421 | 5,785 | 546 | 374 | 402 | 417 | 513 | 685 | 686 | 341 | 406 | 265 | 1 |
| 2006.....               | 10,489 | 5,819 | 515 | 344 | 460 | 437 | 468 | 668 | 720 | 367 | 392 | 297 | 2 |
| 2005.....               | 10,410 | 5,552 | 522 | 396 | 504 | 436 | 517 | 693 | 716 | 338 | 408 | 327 | 1 |
| 2004.....               | 10,498 | 5,622 | 569 | 389 | 483 | 420 | 493 | 692 | 634 | 428 | 472 | 296 | - |
| 2003.....               | 10,518 | 5,621 | 541 | 386 | 451 | 426 | 564 | 667 | 666 | 413 | 464 | 319 | - |
| 2002.....               | 10,687 | 5,623 | 530 | 417 | 492 | 475 | 572 | 709 | 634 | 440 | 489 | 305 | 1 |
| 2001.....               | 10,442 | 5,513 | 557 | 376 | 505 | 458 | 586 | 636 | 581 | 448 | 465 | 317 | - |
| 2000.....               | 10,578 | 5,743 | 495 | 399 | 441 | 477 | 569 | 612 | 569 | 464 | 488 | 320 | 1 |
| 1999.....               | 10,393 | 5,473 | 549 | 428 | 434 | 465 | 552 | 647 | 557 | 469 | 491 | 326 | 2 |
| All origins, male       |        |       |     |     |     |     |     |     |     |     |     |     |   |
| 2007.....               | 5,455  | 3,066 | 286 | 194 | 241 | 243 | 257 | 359 | 376 | 166 | 178 | 88  | 1 |
| 2006.....               | 5,587  | 3,098 | 244 | 181 | 279 | 263 | 265 | 376 | 395 | 180 | 191 | 114 | 1 |
| 2005.....               | 5,447  | 2,965 | 264 | 195 | 326 | 244 | 272 | 356 | 370 | 153 | 191 | 111 | - |
| 2004.....               | 5,423  | 2,898 | 318 | 211 | 282 | 235 | 279 | 375 | 320 | 208 | 195 | 102 | - |
| 2003.....               | 5,460  | 3,020 | 275 | 198 | 272 | 233 | 304 | 349 | 336 | 198 | 178 | 97  | - |
| 2002.....               | 5,515  | 2,942 | 282 | 215 | 282 | 284 | 296 | 381 | 321 | 213 | 201 | 97  | 1 |
| 2001.....               | 5,448  | 2,954 | 282 | 210 | 306 | 249 | 317 | 323 | 276 | 228 | 203 | 100 | - |
| 2000.....               | 5,517  | 3,028 | 259 | 207 | 268 | 279 | 316 | 347 | 264 | 222 | 197 | 130 | - |
| 1999.....               | 5,346  | 2,875 | 310 | 215 | 262 | 242 | 296 | 347 | 283 | 209 | 204 | 102 | 1 |

Worktable Orig290F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2007

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data - mortality"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, sex, and year | All ages | Under 1 year | 1-4 years | 5-14 years | 15-24 years | 25-34 years | 35-44 years | 45-54 years | 55-64 years | 65-74 years | 75-84 years | 85 years and over | Age not stated |
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|

Congenital malformations, deformations and chromosomal abnormalities (Q00-Q99)

| All origins, female  |       |       |     |     |     |     |     |     |     |     |     |     |   |
|----------------------|-------|-------|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|---|
| 2007.....            | 4,966 | 2,719 | 260 | 180 | 161 | 174 | 256 | 326 | 310 | 175 | 228 | 177 | - |
| 2006.....            | 4,902 | 2,721 | 271 | 163 | 181 | 174 | 203 | 292 | 325 | 187 | 201 | 183 | 1 |
| 2005.....            | 4,963 | 2,587 | 258 | 201 | 178 | 192 | 245 | 337 | 346 | 185 | 217 | 216 | 1 |
| 2004.....            | 5,075 | 2,724 | 251 | 178 | 201 | 185 | 214 | 317 | 314 | 220 | 277 | 194 | - |
| 2003.....            | 5,058 | 2,601 | 266 | 188 | 179 | 193 | 260 | 318 | 330 | 215 | 286 | 222 | - |
| 2002.....            | 5,172 | 2,681 | 248 | 202 | 210 | 191 | 276 | 328 | 313 | 227 | 288 | 208 | - |
| 2001.....            | 4,994 | 2,559 | 275 | 166 | 199 | 209 | 269 | 313 | 305 | 220 | 262 | 217 | - |
| 2000.....            | 5,061 | 2,715 | 236 | 192 | 173 | 198 | 253 | 265 | 305 | 242 | 291 | 190 | 1 |
| 1999.....            | 5,047 | 2,598 | 239 | 213 | 172 | 223 | 256 | 300 | 274 | 260 | 287 | 224 | 1 |
| Hispanic, both sexes |       |       |     |     |     |     |     |     |     |     |     |     |   |
| 2007.....            | 1,991 | 1,520 | 132 | 73  | 55  | 56  | 44  | 45  | 29  | 16  | 11  | 10  | - |
| 2006.....            | 1,952 | 1,466 | 125 | 61  | 71  | 57  | 41  | 51  | 34  | 24  | 14  | 6   | 2 |
| 2005.....            | 1,896 | 1,382 | 119 | 85  | 74  | 52  | 47  | 51  | 41  | 17  | 23  | 5   | - |
| 2004.....            | 1,765 | 1,278 | 138 | 70  | 61  | 53  | 40  | 44  | 32  | 20  | 23  | 6   | - |
| 2003.....            | 1,787 | 1,324 | 122 | 65  | 57  | 58  | 44  | 38  | 35  | 17  | 13  | 14  | - |
| 2002.....            | 1,715 | 1,257 | 111 | 70  | 67  | 53  | 40  | 42  | 25  | 18  | 23  | 9   | - |
| 2001.....            | 1,632 | 1,195 | 103 | 58  | 73  | 45  | 42  | 36  | 24  | 22  | 24  | 10  | - |
| 2000.....            | 1,612 | 1,182 | 111 | 52  | 54  | 46  | 43  | 36  | 31  | 21  | 24  | 12  | - |
| 1999.....            | 1,498 | 1,072 | 101 | 57  | 56  | 54  | 34  | 42  | 27  | 30  | 16  | 9   | - |

Worktable Orig290F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2007

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data - mortality"]

---

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, sex, and year

|  | All ages | Under 1 year | 1-4 years | 5-14 years | 15-24 years | 25-34 years | 35-44 years | 45-54 years | 55-64 years | 65-74 years | 75-84 years | 85 years and over | Age not stated |
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|

---

Congenital malformations, deformations and chromosomal abnormalities (Q00-Q99)

| Hispanic, male   |          |              |           |            |             |             |             |             |             |             |             |                   |                |
|------------------|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|
|                  | All ages | Under 1 year | 1-4 years | 5-14 years | 15-24 years | 25-34 years | 35-44 years | 45-54 years | 55-64 years | 65-74 years | 75-84 years | 85 years and over | Age not stated |
| 2007.....        | 1,063    | 787          | 76        | 35         | 39          | 37          | 26          | 27          | 19          | 9           | 4           | 4                 | -              |
| 2006.....        | 1,046    | 761          | 69        | 34         | 48          | 39          | 24          | 23          | 19          | 13          | 10          | 5                 | 1              |
| 2005.....        | 996      | 720          | 65        | 47         | 43          | 30          | 26          | 24          | 23          | 6           | 11          | 1                 | -              |
| 2004.....        | 902      | 622          | 82        | 49         | 40          | 24          | 22          | 27          | 16          | 8           | 10          | 2                 | -              |
| 2003.....        | 937      | 693          | 62        | 28         | 30          | 37          | 25          | 22          | 19          | 10          | 6           | 5                 | -              |
| 2002.....        | 903      | 653          | 60        | 35         | 39          | 36          | 19          | 23          | 15          | 6           | 13          | 4                 | -              |
| 2001.....        | 892      | 639          | 54        | 36         | 39          | 26          | 27          | 25          | 14          | 14          | 13          | 5                 | -              |
| 2000.....        | 857      | 605          | 60        | 28         | 39          | 26          | 27          | 22          | 17          | 11          | 15          | 7                 | -              |
| 1999.....        | 756      | 534          | 63        | 29         | 30          | 25          | 15          | 24          | 9           | 17          | 7           | 3                 | -              |
| Hispanic, female |          |              |           |            |             |             |             |             |             |             |             |                   |                |
|                  | All ages | Under 1 year | 1-4 years | 5-14 years | 15-24 years | 25-34 years | 35-44 years | 45-54 years | 55-64 years | 65-74 years | 75-84 years | 85 years and over | Age not stated |
| 2007.....        | 928      | 733          | 56        | 38         | 16          | 19          | 18          | 18          | 10          | 7           | 7           | 6                 | -              |
| 2006.....        | 906      | 705          | 56        | 27         | 23          | 18          | 17          | 28          | 15          | 11          | 4           | 1                 | 1              |
| 2005.....        | 900      | 662          | 54        | 38         | 31          | 22          | 21          | 27          | 18          | 11          | 12          | 4                 | -              |
| 2004.....        | 863      | 656          | 56        | 21         | 21          | 29          | 18          | 17          | 16          | 12          | 13          | 4                 | -              |
| 2003.....        | 850      | 631          | 60        | 37         | 27          | 21          | 19          | 16          | 16          | 7           | 7           | 9                 | -              |
| 2002.....        | 812      | 604          | 51        | 35         | 28          | 17          | 21          | 19          | 10          | 12          | 10          | 5                 | -              |
| 2001.....        | 740      | 556          | 49        | 22         | 34          | 19          | 15          | 11          | 10          | 8           | 11          | 5                 | -              |
| 2000.....        | 755      | 577          | 51        | 24         | 15          | 20          | 16          | 14          | 14          | 10          | 9           | 5                 | -              |
| 1999.....        | 742      | 538          | 38        | 28         | 26          | 29          | 19          | 18          | 18          | 13          | 9           | 6                 | -              |



Worktable Orig290F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2007

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data - mortality"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, sex, and year | All ages | Under 1 year | 1-4 years | 5-14 years | 15-24 years | 25-34 years | 35-44 years | 45-54 years | 55-64 years | 65-74 years | 75-84 years | 85 years and over | Age not stated |
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|

Congenital malformations, deformations and chromosomal abnormalities (Q00-Q99)

| Non-Hispanic 1/, both sexes |       |       |     |     |     |     |     |     |     |     |     |     |   |
|-----------------------------|-------|-------|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|---|
| 2007.....                   | 8,392 | 4,240 | 411 | 300 | 346 | 361 | 468 | 635 | 655 | 325 | 395 | 255 | 1 |
| 2006.....                   | 8,500 | 4,323 | 389 | 282 | 387 | 379 | 426 | 617 | 686 | 342 | 378 | 291 | - |
| 2005.....                   | 8,479 | 4,139 | 403 | 310 | 430 | 384 | 470 | 640 | 675 | 321 | 384 | 322 | 1 |
| 2004.....                   | 8,686 | 4,309 | 430 | 316 | 421 | 366 | 452 | 647 | 599 | 408 | 449 | 289 | - |
| 2003.....                   | 8,687 | 4,269 | 418 | 317 | 393 | 367 | 516 | 628 | 629 | 395 | 451 | 304 | - |
| 2002.....                   | 8,904 | 4,316 | 415 | 347 | 422 | 422 | 530 | 662 | 608 | 421 | 465 | 295 | 1 |
| 2001.....                   | 8,748 | 4,271 | 452 | 317 | 432 | 412 | 542 | 596 | 557 | 422 | 441 | 306 | - |
| 2000.....                   | 8,900 | 4,514 | 384 | 345 | 386 | 427 | 525 | 574 | 532 | 443 | 462 | 307 | 1 |
| 1999.....                   | 8,825 | 4,349 | 447 | 370 | 378 | 410 | 516 | 601 | 529 | 435 | 473 | 315 | 2 |

  

| Non-Hispanic 1/, male |       |       |     |     |     |     |     |     |     |     |     |     |   |
|-----------------------|-------|-------|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|---|
| 2007.....             | 4,371 | 2,264 | 209 | 159 | 201 | 206 | 231 | 329 | 356 | 157 | 174 | 84  | 1 |
| 2006.....             | 4,521 | 2,322 | 174 | 146 | 229 | 223 | 241 | 353 | 376 | 167 | 181 | 109 | - |
| 2005.....             | 4,431 | 2,228 | 199 | 147 | 283 | 214 | 246 | 331 | 347 | 147 | 179 | 110 | - |
| 2004.....             | 4,493 | 2,256 | 235 | 159 | 242 | 210 | 256 | 347 | 303 | 200 | 185 | 100 | - |
| 2003.....             | 4,500 | 2,312 | 213 | 167 | 241 | 196 | 276 | 327 | 317 | 187 | 172 | 92  | - |
| 2002.....             | 4,577 | 2,262 | 221 | 180 | 241 | 248 | 276 | 355 | 306 | 206 | 188 | 93  | 1 |
| 2001.....             | 4,527 | 2,297 | 227 | 173 | 267 | 222 | 289 | 294 | 262 | 211 | 190 | 95  | - |
| 2000.....             | 4,623 | 2,400 | 199 | 177 | 229 | 250 | 288 | 323 | 243 | 211 | 181 | 122 | - |
| 1999.....             | 4,550 | 2,311 | 246 | 185 | 232 | 217 | 280 | 320 | 274 | 191 | 196 | 97  | 1 |

Worktable Orig290F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2007

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data - mortality"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, sex, and year | All ages | Under 1 year | 1-4 years | 5-14 years | 15-24 years | 25-34 years | 35-44 years | 45-54 years | 55-64 years | 65-74 years | 75-84 years | 85 years and over | Age not stated |
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|

Congenital malformations, deformations and chromosomal abnormalities (Q00-Q99)

| Non-Hispanic 1/, female        |       |       |     |     |     |     |     |     |     |     |     |     |   |
|--------------------------------|-------|-------|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|---|
| 2007.....                      | 4,021 | 1,976 | 202 | 141 | 145 | 155 | 237 | 306 | 299 | 168 | 221 | 171 | - |
| 2006.....                      | 3,979 | 2,001 | 215 | 136 | 158 | 156 | 185 | 264 | 310 | 175 | 197 | 182 | - |
| 2005.....                      | 4,048 | 1,911 | 204 | 163 | 147 | 170 | 224 | 309 | 328 | 174 | 205 | 212 | 1 |
| 2004.....                      | 4,193 | 2,053 | 195 | 157 | 179 | 156 | 196 | 300 | 296 | 208 | 264 | 189 | - |
| 2003.....                      | 4,187 | 1,957 | 205 | 150 | 152 | 171 | 240 | 301 | 312 | 208 | 279 | 212 | - |
| 2002.....                      | 4,327 | 2,054 | 194 | 167 | 181 | 174 | 254 | 307 | 302 | 215 | 277 | 202 | - |
| 2001.....                      | 4,221 | 1,974 | 225 | 144 | 165 | 190 | 253 | 302 | 295 | 211 | 251 | 211 | - |
| 2000.....                      | 4,277 | 2,114 | 185 | 168 | 157 | 177 | 237 | 251 | 289 | 232 | 281 | 185 | 1 |
| 1999.....                      | 4,275 | 2,038 | 201 | 185 | 146 | 193 | 236 | 281 | 255 | 244 | 277 | 218 | 1 |
| Non-Hispanic white, both sexes |       |       |     |     |     |     |     |     |     |     |     |     |   |
| 2007 2/.....                   | 6,202 | 2,871 | 266 | 202 | 245 | 267 | 376 | 524 | 584 | 279 | 354 | 233 | 1 |
| 2006 2/.....                   | 6,344 | 2,963 | 253 | 198 | 272 | 292 | 340 | 505 | 614 | 299 | 342 | 266 | - |
| 2005 2/.....                   | 6,412 | 2,848 | 270 | 207 | 313 | 287 | 381 | 553 | 605 | 299 | 355 | 293 | 1 |
| 2004 2/.....                   | 6,598 | 3,016 | 270 | 217 | 290 | 295 | 369 | 555 | 540 | 373 | 401 | 272 | - |
| 2003 2/.....                   | 6,594 | 2,977 | 272 | 222 | 285 | 285 | 430 | 530 | 560 | 342 | 411 | 280 | - |
| 2002.....                      | 6,830 | 3,068 | 281 | 253 | 315 | 331 | 423 | 562 | 527 | 374 | 420 | 275 | 1 |
| 2001.....                      | 6,709 | 3,053 | 287 | 226 | 302 | 330 | 439 | 503 | 503 | 378 | 405 | 283 | - |
| 2000.....                      | 6,792 | 3,199 | 240 | 240 | 279 | 344 | 419 | 501 | 460 | 390 | 431 | 288 | 1 |
| 1999.....                      | 6,782 | 3,127 | 284 | 244 | 277 | 334 | 426 | 514 | 473 | 383 | 427 | 291 | 2 |

Worktable Orig290F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2007

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data - mortality"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, sex, and year | All ages | Under 1 year | 1-4 years | 5-14 years | 15-24 years | 25-34 years | 35-44 years | 45-54 years | 55-64 years | 65-74 years | 75-84 years | 85 years and over | Age not stated |
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|

Congenital malformations, deformations and chromosomal abnormalities (Q00-Q99)

| Non-Hispanic white, male   |       |       |     |     |     |     |     |     |     |     |     |     |   |
|----------------------------|-------|-------|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|---|
| 2007 2/.....               | 3,248 | 1,559 | 136 | 111 | 136 | 148 | 188 | 272 | 320 | 142 | 157 | 78  | 1 |
| 2006 2/.....               | 3,377 | 1,584 | 122 | 113 | 158 | 173 | 195 | 288 | 335 | 146 | 165 | 98  | - |
| 2005 2/.....               | 3,352 | 1,540 | 139 | 101 | 210 | 163 | 195 | 287 | 310 | 140 | 169 | 98  | - |
| 2004 2/.....               | 3,375 | 1,572 | 145 | 111 | 156 | 168 | 205 | 303 | 271 | 184 | 164 | 96  | - |
| 2003 2/.....               | 3,353 | 1,596 | 136 | 117 | 175 | 152 | 233 | 271 | 279 | 158 | 151 | 85  | - |
| 2002.....                  | 3,510 | 1,643 | 151 | 125 | 178 | 195 | 223 | 295 | 263 | 183 | 165 | 88  | 1 |
| 2001.....                  | 3,487 | 1,664 | 144 | 135 | 183 | 186 | 236 | 251 | 235 | 196 | 174 | 83  | - |
| 2000.....                  | 3,519 | 1,720 | 124 | 119 | 163 | 203 | 233 | 276 | 217 | 177 | 172 | 115 | - |
| 1999.....                  | 3,498 | 1,693 | 154 | 119 | 175 | 178 | 230 | 271 | 248 | 169 | 171 | 89  | 1 |
| Non-Hispanic white, female |       |       |     |     |     |     |     |     |     |     |     |     |   |
| 2007 2/.....               | 2,954 | 1,312 | 130 | 91  | 109 | 119 | 188 | 252 | 264 | 137 | 197 | 155 | - |
| 2006 2/.....               | 2,967 | 1,379 | 131 | 85  | 114 | 119 | 145 | 217 | 279 | 153 | 177 | 168 | - |
| 2005 2/.....               | 3,060 | 1,308 | 131 | 106 | 103 | 124 | 186 | 266 | 295 | 159 | 186 | 195 | 1 |
| 2004 2/.....               | 3,223 | 1,444 | 125 | 106 | 134 | 127 | 164 | 252 | 269 | 189 | 237 | 176 | - |
| 2003 2/.....               | 3,241 | 1,381 | 136 | 105 | 110 | 133 | 197 | 259 | 281 | 184 | 260 | 195 | - |
| 2002.....                  | 3,320 | 1,425 | 130 | 128 | 137 | 136 | 200 | 267 | 264 | 191 | 255 | 187 | - |
| 2001.....                  | 3,222 | 1,389 | 143 | 91  | 119 | 144 | 203 | 252 | 268 | 182 | 231 | 200 | - |
| 2000.....                  | 3,273 | 1,479 | 116 | 121 | 116 | 141 | 186 | 225 | 243 | 213 | 259 | 173 | 1 |
| 1999.....                  | 3,284 | 1,434 | 130 | 125 | 102 | 156 | 196 | 243 | 225 | 214 | 256 | 202 | 1 |

Worktable Orig290F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2007

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data - mortality"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, sex, and year | All ages | Under 1 year | 1-4 years | 5-14 years | 15-24 years | 25-34 years | 35-44 years | 45-54 years | 55-64 years | 65-74 years | 75-84 years | 85 years and over | Age not stated |
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|

Congenital malformations, deformations and chromosomal abnormalities (Q00-Q99)

| Non-Hispanic black, both sexes |       |       |     |     |     |    |    |    |    |    |    |    |   |
|--------------------------------|-------|-------|-----|-----|-----|----|----|----|----|----|----|----|---|
| 2007 2/.....                   | 1,760 | 1,096 | 116 | 77  | 81  | 82 | 79 | 82 | 60 | 35 | 34 | 18 | - |
| 2006 2/.....                   | 1,749 | 1,107 | 106 | 67  | 87  | 72 | 74 | 95 | 62 | 28 | 30 | 21 | - |
| 2005 2/.....                   | 1,656 | 1,029 | 104 | 80  | 99  | 81 | 74 | 71 | 59 | 16 | 21 | 22 | - |
| 2004 2/.....                   | 1,697 | 1,041 | 127 | 82  | 111 | 59 | 69 | 82 | 47 | 27 | 39 | 13 | - |
| 2003 2/.....                   | 1,671 | 1,015 | 118 | 73  | 92  | 75 | 69 | 79 | 60 | 40 | 30 | 20 | - |
| 2002.....                      | 1,716 | 1,015 | 113 | 81  | 98  | 75 | 92 | 83 | 69 | 40 | 32 | 18 | - |
| 2001.....                      | 1,674 | 999   | 127 | 73  | 113 | 67 | 89 | 76 | 48 | 35 | 28 | 19 | - |
| 2000.....                      | 1,739 | 1,062 | 123 | 89  | 91  | 74 | 91 | 67 | 58 | 43 | 25 | 16 | - |
| 1999.....                      | 1,680 | 994   | 137 | 105 | 82  | 60 | 76 | 73 | 46 | 46 | 38 | 23 | - |
| Non-Hispanic black, male       |       |       |     |     |     |    |    |    |    |    |    |    |   |
| 2007 2/.....                   | 904   | 564   | 57  | 37  | 52  | 53 | 39 | 41 | 32 | 11 | 14 | 4  | - |
| 2006 2/.....                   | 921   | 591   | 41  | 29  | 52  | 43 | 38 | 55 | 33 | 16 | 14 | 9  | - |
| 2005 2/.....                   | 856   | 537   | 46  | 37  | 63  | 43 | 43 | 33 | 31 | 5  | 9  | 9  | - |
| 2004 2/.....                   | 914   | 551   | 74  | 38  | 73  | 36 | 42 | 39 | 25 | 14 | 18 | 4  | - |
| 2003 2/.....                   | 905   | 558   | 62  | 38  | 55  | 38 | 32 | 42 | 33 | 25 | 16 | 6  | - |
| 2002.....                      | 887   | 506   | 58  | 47  | 59  | 43 | 45 | 47 | 40 | 21 | 16 | 5  | - |
| 2001.....                      | 861   | 525   | 65  | 33  | 72  | 30 | 46 | 34 | 23 | 12 | 12 | 9  | - |
| 2000.....                      | 911   | 545   | 67  | 50  | 58  | 43 | 49 | 41 | 17 | 26 | 9  | 6  | - |
| 1999.....                      | 880   | 518   | 79  | 53  | 50  | 32 | 41 | 42 | 22 | 16 | 19 | 8  | - |

Worktable Orig290F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2007

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data - mortality"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, sex, and year | All ages | Under 1 year | 1-4 years | 5-14 years | 15-24 years | 25-34 years | 35-44 years | 45-54 years | 55-64 years | 65-74 years | 75-84 years | 85 years and over | Age not stated |
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|

Congenital malformations, deformations and chromosomal abnormalities (Q00-Q99)

| Non-Hispanic black, female       |     |     |    |    |    |    |    |    |    |    |    |    |   |
|----------------------------------|-----|-----|----|----|----|----|----|----|----|----|----|----|---|
| 2007 2/.....                     | 856 | 532 | 59 | 40 | 29 | 29 | 40 | 41 | 28 | 24 | 20 | 14 | - |
| 2006 2/.....                     | 828 | 516 | 65 | 38 | 35 | 29 | 36 | 40 | 29 | 12 | 16 | 12 | - |
| 2005 2/.....                     | 800 | 492 | 58 | 43 | 36 | 38 | 31 | 38 | 28 | 11 | 12 | 13 | - |
| 2004 2/.....                     | 783 | 490 | 53 | 44 | 38 | 23 | 27 | 43 | 22 | 13 | 21 | 9  | - |
| 2003 2/.....                     | 766 | 457 | 56 | 35 | 37 | 37 | 37 | 37 | 27 | 15 | 14 | 14 | - |
| 2002.....                        | 829 | 509 | 55 | 34 | 39 | 32 | 47 | 36 | 29 | 19 | 16 | 13 | - |
| 2001.....                        | 813 | 474 | 62 | 40 | 41 | 37 | 43 | 42 | 25 | 23 | 16 | 10 | - |
| 2000.....                        | 828 | 517 | 56 | 39 | 33 | 31 | 42 | 26 | 41 | 17 | 16 | 10 | - |
| 1999.....                        | 800 | 476 | 58 | 52 | 32 | 28 | 35 | 31 | 24 | 30 | 19 | 15 | - |
| Origin not stated 3/, both sexes |     |     |    |    |    |    |    |    |    |    |    |    |   |
| 2007.....                        | 38  | 25  | 3  | 1  | 1  | -  | 1  | 5  | 2  | -  | -  | -  | - |
| 2006.....                        | 37  | 30  | 1  | 1  | 2  | 1  | 1  | -  | -  | 1  | -  | -  | - |
| 2005.....                        | 35  | 31  | -  | 1  | -  | -  | -  | 2  | -  | -  | 1  | -  | - |
| 2004.....                        | 47  | 35  | 1  | 3  | 1  | 1  | 1  | 1  | 3  | -  | -  | 1  | - |
| 2003.....                        | 44  | 28  | 1  | 4  | 1  | 1  | 4  | 1  | 2  | 1  | -  | 1  | - |
| 2002.....                        | 68  | 50  | 4  | -  | 3  | -  | 2  | 5  | 1  | 1  | 1  | 1  | - |
| 2001.....                        | 62  | 47  | 2  | 1  | -  | 1  | 2  | 4  | -  | 4  | -  | 1  | - |
| 2000.....                        | 66  | 47  | -  | 2  | 1  | 4  | 1  | 2  | 6  | -  | 2  | 1  | - |
| 1999.....                        | 70  | 52  | 1  | 1  | -  | 1  | 2  | 4  | 1  | 4  | 2  | 2  | - |

Worktable Orig290F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2007

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data - mortality"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, sex, and year | All ages | Under 1 year | 1-4 years | 5-14 years | 15-24 years | 25-34 years | 35-44 years | 45-54 years | 55-64 years | 65-74 years | 75-84 years | 85 years and over | Age not stated |
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|

Congenital malformations, deformations and chromosomal abnormalities (Q00-Q99)

| Origin not stated 3/, male   |    |    |   |   |   |   |   |   |   |   |   |   |   |
|------------------------------|----|----|---|---|---|---|---|---|---|---|---|---|---|
| 2007.....                    | 21 | 15 | 1 | - | 1 | - | - | 3 | 1 | - | - | - | - |
| 2006.....                    | 20 | 15 | 1 | 1 | 2 | 1 | - | - | - | - | - | - | - |
| 2005.....                    | 20 | 17 | - | 1 | - | - | - | 1 | - | - | 1 | - | - |
| 2004.....                    | 28 | 20 | 1 | 3 | - | 1 | 1 | 1 | 1 | - | - | - | - |
| 2003.....                    | 23 | 15 | - | 3 | 1 | - | 3 | - | - | 1 | - | - | - |
| 2002.....                    | 35 | 27 | 1 | - | 2 | - | 1 | 3 | - | 1 | - | - | - |
| 2001.....                    | 29 | 18 | 1 | 1 | - | 1 | 1 | 4 | - | 3 | - | - | - |
| 2000.....                    | 37 | 23 | - | 2 | - | 3 | 1 | 2 | 4 | - | 1 | 1 | - |
| 1999.....                    | 40 | 30 | 1 | 1 | - | - | 1 | 3 | - | 1 | 1 | 2 | - |
| Origin not stated 3/, female |    |    |   |   |   |   |   |   |   |   |   |   |   |
| 2007.....                    | 17 | 10 | 2 | 1 | - | - | 1 | 2 | 1 | - | - | - | - |
| 2006.....                    | 17 | 15 | - | - | - | - | 1 | - | - | 1 | - | - | - |
| 2005.....                    | 15 | 14 | - | - | - | - | - | 1 | - | - | - | - | - |
| 2004.....                    | 19 | 15 | - | - | 1 | - | - | - | 2 | - | - | 1 | - |
| 2003.....                    | 21 | 13 | 1 | 1 | - | 1 | 1 | 1 | 2 | - | - | 1 | - |
| 2002.....                    | 33 | 23 | 3 | - | 1 | - | 1 | 2 | 1 | - | 1 | 1 | - |
| 2001.....                    | 33 | 29 | 1 | - | - | - | 1 | - | - | 1 | - | 1 | - |
| 2000.....                    | 29 | 24 | - | - | 1 | 1 | - | - | 2 | - | 1 | - | - |
| 1999.....                    | 30 | 22 | - | - | - | 1 | 1 | 1 | 1 | 3 | 1 | - | - |

Worktable Orig290F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2007

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data - mortality"]

---

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, sex, and year

|  | All ages | Under 1 year | 1-4 years | 5-14 years | 15-24 years | 25-34 years | 35-44 years | 45-54 years | 55-64 years | 65-74 years | 75-84 years | 85 years and over | Age not stated |
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|

---

Symptoms, signs and abnormal clinical and laboratory findings, not elsewhere classified (R00-R99)

| All origins, both sexes |        |       |     |     |     |       |       |       |       |       |       |        |     |
|-------------------------|--------|-------|-----|-----|-----|-------|-------|-------|-------|-------|-------|--------|-----|
| 2007.....               | 33,500 | 3,617 | 237 | 110 | 575 | 877   | 1,424 | 2,195 | 2,229 | 2,499 | 5,834 | 13,860 | 43  |
| 2006.....               | 31,725 | 3,462 | 239 | 126 | 659 | 1,013 | 1,627 | 2,266 | 2,039 | 2,307 | 5,435 | 12,508 | 44  |
| 2005.....               | 31,999 | 3,589 | 233 | 155 | 775 | 1,178 | 2,052 | 2,831 | 2,199 | 2,390 | 5,088 | 11,436 | 73  |
| 2004.....               | 30,126 | 3,361 | 189 | 120 | 658 | 1,092 | 1,900 | 2,402 | 2,041 | 2,323 | 5,159 | 10,762 | 119 |
| 2003.....               | 31,444 | 3,318 | 256 | 178 | 837 | 1,327 | 2,382 | 2,874 | 2,067 | 2,522 | 5,006 | 10,565 | 112 |
| 2002.....               | 29,975 | 3,456 | 248 | 139 | 740 | 1,319 | 2,402 | 2,672 | 2,002 | 2,398 | 4,936 | 9,554  | 109 |
| 2001.....               | 32,326 | 3,491 | 272 | 181 | 949 | 1,530 | 3,126 | 3,504 | 2,292 | 2,774 | 5,003 | 9,089  | 115 |
| 2000.....               | 31,876 | 3,639 | 248 | 177 | 868 | 1,554 | 2,987 | 3,142 | 2,253 | 3,040 | 5,029 | 8,824  | 115 |
| 1999.....               | 26,672 | 3,538 | 236 | 137 | 609 | 1,095 | 2,062 | 2,151 | 1,860 | 2,698 | 4,413 | 7,798  | 75  |

  

| All origins, male |        |       |     |    |     |       |       |       |       |       |       |       |    |
|-------------------|--------|-------|-----|----|-----|-------|-------|-------|-------|-------|-------|-------|----|
| 2007.....         | 14,282 | 2,098 | 133 | 63 | 396 | 586   | 890   | 1,369 | 1,394 | 1,377 | 2,435 | 3,511 | 30 |
| 2006.....         | 13,981 | 2,012 | 134 | 75 | 436 | 712   | 1,039 | 1,431 | 1,256 | 1,287 | 2,343 | 3,227 | 29 |
| 2005.....         | 14,647 | 2,139 | 132 | 94 | 546 | 807   | 1,263 | 1,822 | 1,367 | 1,321 | 2,150 | 2,949 | 57 |
| 2004.....         | 13,712 | 2,021 | 100 | 59 | 452 | 732   | 1,235 | 1,546 | 1,268 | 1,264 | 2,181 | 2,768 | 86 |
| 2003.....         | 14,583 | 1,974 | 143 | 92 | 563 | 907   | 1,526 | 1,840 | 1,294 | 1,431 | 2,160 | 2,570 | 83 |
| 2002.....         | 14,269 | 2,032 | 145 | 82 | 501 | 905   | 1,540 | 1,723 | 1,273 | 1,324 | 2,228 | 2,439 | 77 |
| 2001.....         | 15,779 | 2,041 | 162 | 99 | 654 | 1,040 | 2,007 | 2,286 | 1,457 | 1,497 | 2,184 | 2,274 | 78 |
| 2000.....         | 15,863 | 2,156 | 137 | 99 | 581 | 1,060 | 1,994 | 2,123 | 1,429 | 1,708 | 2,244 | 2,242 | 90 |
| 1999.....         | 12,877 | 2,072 | 136 | 77 | 422 | 721   | 1,339 | 1,446 | 1,181 | 1,513 | 1,930 | 1,984 | 56 |

Worktable Orig290F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2007

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data - mortality"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, sex, and year | All ages | Under 1 year | 1-4 years | 5-14 years | 15-24 years | 25-34 years | 35-44 years | 45-54 years | 55-64 years | 65-74 years | 75-84 years | 85 years and over | Age not stated |
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|

Symptoms, signs and abnormal clinical and laboratory findings, not elsewhere classified (R00-R99)

| All origins, female  |        |       |     |    |     |     |       |       |     |       |       |        |    |
|----------------------|--------|-------|-----|----|-----|-----|-------|-------|-----|-------|-------|--------|----|
| 2007.....            | 19,218 | 1,519 | 104 | 47 | 179 | 291 | 534   | 826   | 835 | 1,122 | 3,399 | 10,349 | 13 |
| 2006.....            | 17,744 | 1,450 | 105 | 51 | 223 | 301 | 588   | 835   | 783 | 1,020 | 3,092 | 9,281  | 15 |
| 2005.....            | 17,352 | 1,450 | 101 | 61 | 229 | 371 | 789   | 1,009 | 832 | 1,069 | 2,938 | 8,487  | 16 |
| 2004.....            | 16,414 | 1,340 | 89  | 61 | 206 | 360 | 665   | 856   | 773 | 1,059 | 2,978 | 7,994  | 33 |
| 2003.....            | 16,861 | 1,344 | 113 | 86 | 274 | 420 | 856   | 1,034 | 773 | 1,091 | 2,846 | 7,995  | 29 |
| 2002.....            | 15,706 | 1,424 | 103 | 57 | 239 | 414 | 862   | 949   | 729 | 1,074 | 2,708 | 7,115  | 32 |
| 2001.....            | 16,547 | 1,450 | 110 | 82 | 295 | 490 | 1,119 | 1,218 | 835 | 1,277 | 2,819 | 6,815  | 37 |
| 2000.....            | 16,013 | 1,483 | 111 | 78 | 287 | 494 | 993   | 1,019 | 824 | 1,332 | 2,785 | 6,582  | 25 |
| 1999.....            | 13,795 | 1,466 | 100 | 60 | 187 | 374 | 723   | 705   | 679 | 1,185 | 2,483 | 5,814  | 19 |
| Hispanic, both sexes |        |       |     |    |     |     |       |       |     |       |       |        |    |
| 2007.....            | 1,952  | 558   | 54  | 21 | 111 | 149 | 166   | 170   | 117 | 106   | 192   | 304    | 4  |
| 2006.....            | 1,762  | 510   | 44  | 14 | 99  | 154 | 167   | 135   | 97  | 95    | 144   | 299    | 4  |
| 2005.....            | 1,857  | 555   | 44  | 27 | 108 | 184 | 201   | 153   | 86  | 103   | 136   | 246    | 14 |
| 2004.....            | 1,621  | 457   | 37  | 18 | 115 | 161 | 192   | 147   | 87  | 79    | 112   | 209    | 7  |
| 2003.....            | 1,623  | 492   | 30  | 20 | 98  | 170 | 181   | 141   | 73  | 75    | 118   | 214    | 11 |
| 2002.....            | 1,548  | 472   | 40  | 11 | 91  | 149 | 177   | 144   | 95  | 83    | 112   | 165    | 9  |
| 2001.....            | 2,190  | 496   | 47  | 36 | 184 | 286 | 327   | 283   | 127 | 112   | 107   | 173    | 12 |
| 2000.....            | 2,071  | 506   | 51  | 31 | 140 | 260 | 342   | 251   | 114 | 107   | 104   | 154    | 11 |
| 1999.....            | 1,281  | 415   | 30  | 16 | 83  | 138 | 148   | 93    | 63  | 73    | 93    | 124    | 5  |



Worktable Orig290F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2007

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data - mortality"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, sex, and year | All ages | Under 1 year | 1-4 years | 5-14 years | 15-24 years | 25-34 years | 35-44 years | 45-54 years | 55-64 years | 65-74 years | 75-84 years | 85 years and over | Age not stated |
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|

Symptoms, signs and abnormal clinical and laboratory findings, not elsewhere classified (R00-R99)

| Hispanic, male   |          |              |           |            |             |             |             |             |             |             |             |                   |                |
|------------------|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|
| Year             | All ages | Under 1 year | 1-4 years | 5-14 years | 15-24 years | 25-34 years | 35-44 years | 45-54 years | 55-64 years | 65-74 years | 75-84 years | 85 years and over | Age not stated |
| 2007             | 1,134    | 324          | 28        | 12         | 93          | 115         | 126         | 120         | 74          | 61          | 87          | 90                | 4              |
| 2006             | 1,040    | 308          | 21        | 10         | 75          | 129         | 137         | 96          | 66          | 60          | 55          | 80                | 3              |
| 2005             | 1,135    | 328          | 23        | 17         | 76          | 153         | 146         | 119         | 58          | 60          | 63          | 80                | 12             |
| 2004             | 971      | 278          | 21        | 11         | 88          | 116         | 145         | 99          | 61          | 40          | 44          | 62                | 6              |
| 2003             | 998      | 309          | 16        | 12         | 65          | 135         | 135         | 108         | 55          | 44          | 49          | 62                | 8              |
| 2002             | 926      | 283          | 26        | 7          | 62          | 116         | 120         | 85          | 59          | 50          | 57          | 53                | 8              |
| 2001             | 1,410    | 280          | 28        | 15         | 139         | 221         | 239         | 212         | 92          | 71          | 56          | 46                | 11             |
| 2000             | 1,369    | 310          | 31        | 16         | 102         | 201         | 262         | 192         | 72          | 68          | 52          | 53                | 10             |
| 1999             | 768      | 237          | 14        | 10         | 64          | 99          | 110         | 68          | 42          | 38          | 46          | 36                | 4              |
| Hispanic, female |          |              |           |            |             |             |             |             |             |             |             |                   |                |
| Year             | All ages | Under 1 year | 1-4 years | 5-14 years | 15-24 years | 25-34 years | 35-44 years | 45-54 years | 55-64 years | 65-74 years | 75-84 years | 85 years and over | Age not stated |
| 2007             | 818      | 234          | 26        | 9          | 18          | 34          | 40          | 50          | 43          | 45          | 105         | 214               | -              |
| 2006             | 722      | 202          | 23        | 4          | 24          | 25          | 30          | 39          | 31          | 35          | 89          | 219               | 1              |
| 2005             | 722      | 227          | 21        | 10         | 32          | 31          | 55          | 34          | 28          | 43          | 73          | 166               | 2              |
| 2004             | 650      | 179          | 16        | 7          | 27          | 45          | 47          | 48          | 26          | 39          | 68          | 147               | 1              |
| 2003             | 625      | 183          | 14        | 8          | 33          | 35          | 46          | 33          | 18          | 31          | 69          | 152               | 3              |
| 2002             | 622      | 189          | 14        | 4          | 29          | 33          | 57          | 59          | 36          | 33          | 55          | 112               | 1              |
| 2001             | 780      | 216          | 19        | 21         | 45          | 65          | 88          | 71          | 35          | 41          | 51          | 127               | 1              |
| 2000             | 702      | 196          | 20        | 15         | 38          | 59          | 80          | 59          | 42          | 39          | 52          | 101               | 1              |
| 1999             | 513      | 178          | 16        | 6          | 19          | 39          | 38          | 25          | 21          | 35          | 47          | 88                | 1              |

Worktable Orig290F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2007

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data - mortality"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, sex, and year | All ages | Under 1 year | 1-4 years | 5-14 years | 15-24 years | 25-34 years | 35-44 years | 45-54 years | 55-64 years | 65-74 years | 75-84 years | 85 years and over | Age not stated |
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|

Symptoms, signs and abnormal clinical and laboratory findings, not elsewhere classified (R00-R99)

| Non-Hispanic 1/, both sexes |        |       |     |     |     |       |       |       |       |       |       |        |    |
|-----------------------------|--------|-------|-----|-----|-----|-------|-------|-------|-------|-------|-------|--------|----|
| 2007.....                   | 31,464 | 3,047 | 182 | 89  | 463 | 721   | 1,250 | 2,017 | 2,106 | 2,384 | 5,635 | 13,548 | 22 |
| 2006.....                   | 29,835 | 2,929 | 194 | 112 | 559 | 850   | 1,451 | 2,110 | 1,930 | 2,201 | 5,284 | 12,194 | 21 |
| 2005.....                   | 29,884 | 2,999 | 184 | 125 | 655 | 986   | 1,829 | 2,638 | 2,085 | 2,272 | 4,922 | 11,166 | 23 |
| 2004.....                   | 28,297 | 2,881 | 150 | 101 | 538 | 923   | 1,690 | 2,230 | 1,935 | 2,235 | 5,028 | 10,541 | 45 |
| 2003.....                   | 29,617 | 2,805 | 226 | 157 | 731 | 1,151 | 2,181 | 2,708 | 1,975 | 2,439 | 4,876 | 10,324 | 44 |
| 2002.....                   | 28,211 | 2,968 | 207 | 126 | 643 | 1,162 | 2,206 | 2,504 | 1,890 | 2,307 | 4,804 | 9,351  | 43 |
| 2001.....                   | 29,931 | 2,978 | 225 | 144 | 757 | 1,227 | 2,782 | 3,193 | 2,154 | 2,653 | 4,886 | 8,896  | 36 |
| 2000.....                   | 29,514 | 3,108 | 196 | 144 | 720 | 1,279 | 2,604 | 2,849 | 2,109 | 2,908 | 4,908 | 8,654  | 35 |
| 1999.....                   | 25,181 | 3,097 | 204 | 121 | 521 | 951   | 1,885 | 2,023 | 1,780 | 2,601 | 4,310 | 7,658  | 30 |
| Non-Hispanic 1/, male       |        |       |     |     |     |       |       |       |       |       |       |        |    |
| 2007.....                   | 13,099 | 1,769 | 105 | 51  | 303 | 467   | 759   | 1,241 | 1,317 | 1,312 | 2,344 | 3,417  | 14 |
| 2006.....                   | 12,856 | 1,687 | 112 | 65  | 361 | 576   | 897   | 1,322 | 1,180 | 1,218 | 2,285 | 3,140  | 13 |
| 2005.....                   | 13,353 | 1,790 | 107 | 77  | 460 | 649   | 1,101 | 1,677 | 1,293 | 1,256 | 2,073 | 2,856  | 14 |
| 2004.....                   | 12,607 | 1,730 | 78  | 48  | 361 | 609   | 1,076 | 1,431 | 1,192 | 1,218 | 2,130 | 2,701  | 33 |
| 2003.....                   | 13,448 | 1,650 | 127 | 80  | 495 | 767   | 1,375 | 1,711 | 1,225 | 1,379 | 2,102 | 2,499  | 38 |
| 2002.....                   | 13,206 | 1,739 | 119 | 74  | 434 | 783   | 1,408 | 1,619 | 1,198 | 1,267 | 2,156 | 2,376  | 33 |
| 2001.....                   | 14,246 | 1,750 | 134 | 84  | 510 | 807   | 1,754 | 2,058 | 1,355 | 1,422 | 2,125 | 2,221  | 26 |
| 2000.....                   | 14,288 | 1,834 | 106 | 82  | 474 | 848   | 1,700 | 1,901 | 1,331 | 1,621 | 2,178 | 2,183  | 30 |
| 1999.....                   | 11,962 | 1,817 | 121 | 67  | 355 | 619   | 1,209 | 1,347 | 1,125 | 1,463 | 1,876 | 1,944  | 19 |

Worktable Orig290F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2007

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data - mortality"]

---

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, sex, and year

|  | All ages | Under 1 year | 1-4 years | 5-14 years | 15-24 years | 25-34 years | 35-44 years | 45-54 years | 55-64 years | 65-74 years | 75-84 years | 85 years and over | Age not stated |
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|

---

Symptoms, signs and abnormal clinical and laboratory findings, not elsewhere classified (R00-R99)

| Non-Hispanic 1/, female        |          |              |           |            |             |             |             |             |             |             |             |                   |                |
|--------------------------------|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|
|                                | All ages | Under 1 year | 1-4 years | 5-14 years | 15-24 years | 25-34 years | 35-44 years | 45-54 years | 55-64 years | 65-74 years | 75-84 years | 85 years and over | Age not stated |
| 2007.....                      | 18,365   | 1,278        | 77        | 38         | 160         | 254         | 491         | 776         | 789         | 1,072       | 3,291       | 10,131            | 8              |
| 2006.....                      | 16,979   | 1,242        | 82        | 47         | 198         | 274         | 554         | 788         | 750         | 983         | 2,999       | 9,054             | 8              |
| 2005.....                      | 16,531   | 1,209        | 77        | 48         | 195         | 337         | 728         | 961         | 792         | 1,016       | 2,849       | 8,310             | 9              |
| 2004.....                      | 15,690   | 1,151        | 72        | 53         | 177         | 314         | 614         | 799         | 743         | 1,017       | 2,898       | 7,840             | 12             |
| 2003.....                      | 16,169   | 1,155        | 99        | 77         | 236         | 384         | 806         | 997         | 750         | 1,060       | 2,774       | 7,825             | 6              |
| 2002.....                      | 15,005   | 1,229        | 88        | 52         | 209         | 379         | 798         | 885         | 692         | 1,040       | 2,648       | 6,975             | 10             |
| 2001.....                      | 15,685   | 1,228        | 91        | 60         | 247         | 420         | 1,028       | 1,135       | 799         | 1,231       | 2,761       | 6,675             | 10             |
| 2000.....                      | 15,226   | 1,274        | 90        | 62         | 246         | 431         | 904         | 948         | 778         | 1,287       | 2,730       | 6,471             | 5              |
| 1999.....                      | 13,219   | 1,280        | 83        | 54         | 166         | 332         | 676         | 676         | 655         | 1,138       | 2,434       | 5,714             | 11             |
| Non-Hispanic white, both sexes |          |              |           |            |             |             |             |             |             |             |             |                   |                |
|                                | All ages | Under 1 year | 1-4 years | 5-14 years | 15-24 years | 25-34 years | 35-44 years | 45-54 years | 55-64 years | 65-74 years | 75-84 years | 85 years and over | Age not stated |
| 2007 2/.....                   | 26,199   | 1,837        | 120       | 59         | 330         | 491         | 914         | 1,473       | 1,661       | 1,955       | 4,956       | 12,392            | 11             |
| 2006 2/.....                   | 24,895   | 1,763        | 112       | 73         | 414         | 629         | 1,097       | 1,621       | 1,544       | 1,814       | 4,641       | 11,173            | 14             |
| 2005 2/.....                   | 24,697   | 1,804        | 109       | 64         | 479         | 729         | 1,400       | 2,023       | 1,632       | 1,850       | 4,346       | 10,244            | 17             |
| 2004 2/.....                   | 23,344   | 1,654        | 91        | 60         | 404         | 673         | 1,281       | 1,725       | 1,518       | 1,841       | 4,447       | 9,617             | 33             |
| 2003 2/.....                   | 24,452   | 1,665        | 136       | 99         | 562         | 843         | 1,661       | 2,022       | 1,562       | 2,013       | 4,367       | 9,487             | 35             |
| 2002.....                      | 23,099   | 1,777        | 124       | 71         | 468         | 849         | 1,664       | 1,822       | 1,493       | 1,934       | 4,275       | 8,591             | 31             |
| 2001.....                      | 24,596   | 1,752        | 139       | 89         | 563         | 907         | 2,175       | 2,510       | 1,713       | 2,191       | 4,350       | 8,178             | 29             |
| 2000.....                      | 24,064   | 1,805        | 134       | 88         | 518         | 918         | 2,027       | 2,173       | 1,652       | 2,394       | 4,358       | 7,975             | 22             |
| 1999.....                      | 20,200   | 1,812        | 129       | 81         | 348         | 660         | 1,341       | 1,459       | 1,374       | 2,166       | 3,775       | 7,033             | 22             |

Worktable Orig290F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2007

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data - mortality"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, sex, and year | All ages | Under 1 year | 1-4 years | 5-14 years | 15-24 years | 25-34 years | 35-44 years | 45-54 years | 55-64 years | 65-74 years | 75-84 years | 85 years and over | Age not stated |
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|

Symptoms, signs and abnormal clinical and laboratory findings, not elsewhere classified (R00-R99)

| Non-Hispanic white, male   |          |              |           |            |             |             |             |             |             |             |             |                   |                |
|----------------------------|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|
| Year                       | All ages | Under 1 year | 1-4 years | 5-14 years | 15-24 years | 25-34 years | 35-44 years | 45-54 years | 55-64 years | 65-74 years | 75-84 years | 85 years and over | Age not stated |
| 2007 2/                    | 10,525   | 1,098        | 73        | 34         | 214         | 321         | 550         | 907         | 1,039       | 1,083       | 2,075       | 3,123             | 8              |
| 2006 2/                    | 10,361   | 1,043        | 65        | 44         | 270         | 430         | 678         | 1,009       | 958         | 988         | 2,002       | 2,864             | 10             |
| 2005 2/                    | 10,691   | 1,122        | 66        | 42         | 340         | 491         | 863         | 1,304       | 1,008       | 1,022       | 1,823       | 2,598             | 12             |
| 2004 2/                    | 10,064   | 984          | 47        | 31         | 275         | 458         | 832         | 1,103       | 930         | 1,015       | 1,893       | 2,470             | 26             |
| 2003 2/                    | 10,752   | 1,025        | 75        | 51         | 389         | 570         | 1,050       | 1,297       | 958         | 1,143       | 1,881       | 2,282             | 31             |
| 2002                       | 10,432   | 1,056        | 66        | 44         | 326         | 581         | 1,071       | 1,177       | 945         | 1,065       | 1,897       | 2,180             | 24             |
| 2001                       | 11,404   | 1,046        | 79        | 52         | 376         | 614         | 1,387       | 1,634       | 1,058       | 1,184       | 1,920       | 2,032             | 22             |
| 2000                       | 11,351   | 1,067        | 79        | 52         | 356         | 625         | 1,366       | 1,465       | 1,036       | 1,328       | 1,945       | 2,013             | 19             |
| 1999                       | 9,249    | 1,083        | 82        | 45         | 244         | 431         | 884         | 963         | 870         | 1,222       | 1,638       | 1,771             | 16             |
| Non-Hispanic white, female |          |              |           |            |             |             |             |             |             |             |             |                   |                |
| Year                       | All ages | Under 1 year | 1-4 years | 5-14 years | 15-24 years | 25-34 years | 35-44 years | 45-54 years | 55-64 years | 65-74 years | 75-84 years | 85 years and over | Age not stated |
| 2007 2/                    | 15,674   | 739          | 47        | 25         | 116         | 170         | 364         | 566         | 622         | 872         | 2,881       | 9,269             | 3              |
| 2006 2/                    | 14,534   | 720          | 47        | 29         | 144         | 199         | 419         | 612         | 586         | 826         | 2,639       | 8,309             | 4              |
| 2005 2/                    | 14,006   | 682          | 43        | 22         | 139         | 238         | 537         | 719         | 624         | 828         | 2,523       | 7,646             | 5              |
| 2004 2/                    | 13,280   | 670          | 44        | 29         | 129         | 215         | 449         | 622         | 588         | 826         | 2,554       | 7,147             | 7              |
| 2003 2/                    | 13,700   | 640          | 61        | 48         | 173         | 273         | 611         | 725         | 604         | 870         | 2,486       | 7,205             | 4              |
| 2002                       | 12,667   | 721          | 58        | 27         | 142         | 268         | 593         | 645         | 548         | 869         | 2,378       | 6,411             | 7              |
| 2001                       | 13,192   | 706          | 60        | 37         | 187         | 293         | 788         | 876         | 655         | 1,007       | 2,430       | 6,146             | 7              |
| 2000                       | 12,713   | 738          | 55        | 36         | 162         | 293         | 661         | 708         | 616         | 1,066       | 2,413       | 5,962             | 3              |
| 1999                       | 10,951   | 729          | 47        | 36         | 104         | 229         | 457         | 496         | 504         | 944         | 2,137       | 5,262             | 6              |

Worktable Orig290F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2007

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data - mortality"]

---

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, sex, and year

|  | All ages | Under 1 year | 1-4 years | 5-14 years | 15-24 years | 25-34 years | 35-44 years | 45-54 years | 55-64 years | 65-74 years | 75-84 years | 85 years and over | Age not stated |
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|

---

Symptoms, signs and abnormal clinical and laboratory findings, not elsewhere classified (R00-R99)

| Non-Hispanic black, both sexes |       |       |    |    |     |     |     |     |     |     |     |     |    |
|--------------------------------|-------|-------|----|----|-----|-----|-----|-----|-----|-----|-----|-----|----|
| 2007 2/.....                   | 4,580 | 1,065 | 47 | 24 | 115 | 209 | 297 | 488 | 394 | 378 | 595 | 959 | 9  |
| 2006 2/.....                   | 4,300 | 1,025 | 69 | 35 | 118 | 185 | 313 | 446 | 340 | 343 | 565 | 855 | 6  |
| 2005 2/.....                   | 4,612 | 1,073 | 62 | 54 | 156 | 222 | 381 | 572 | 414 | 380 | 511 | 781 | 6  |
| 2004 2/.....                   | 4,376 | 1,106 | 49 | 35 | 111 | 216 | 364 | 465 | 376 | 351 | 516 | 776 | 11 |
| 2003 2/.....                   | 4,628 | 1,022 | 80 | 49 | 150 | 267 | 476 | 632 | 385 | 400 | 439 | 721 | 7  |
| 2002.....                      | 4,556 | 1,070 | 66 | 50 | 152 | 275 | 490 | 626 | 356 | 335 | 471 | 655 | 10 |
| 2001.....                      | 4,606 | 1,081 | 69 | 42 | 158 | 266 | 518 | 605 | 373 | 401 | 466 | 622 | 5  |
| 2000.....                      | 4,892 | 1,186 | 54 | 46 | 179 | 308 | 514 | 609 | 411 | 472 | 505 | 595 | 13 |
| 1999.....                      | 4,508 | 1,149 | 67 | 33 | 152 | 260 | 504 | 520 | 371 | 395 | 488 | 563 | 6  |
| Non-Hispanic black, male       |       |       |    |    |     |     |     |     |     |     |     |     |    |
| 2007 2/.....                   | 2,223 | 583   | 24 | 13 | 77  | 131 | 180 | 298 | 251 | 210 | 236 | 215 | 5  |
| 2006 2/.....                   | 2,158 | 558   | 39 | 21 | 74  | 121 | 187 | 290 | 195 | 204 | 253 | 214 | 2  |
| 2005 2/.....                   | 2,366 | 601   | 34 | 30 | 109 | 136 | 209 | 345 | 260 | 211 | 223 | 206 | 2  |
| 2004 2/.....                   | 2,244 | 673   | 28 | 16 | 72  | 132 | 210 | 304 | 237 | 178 | 208 | 180 | 6  |
| 2003 2/.....                   | 2,404 | 554   | 44 | 25 | 92  | 173 | 290 | 383 | 247 | 223 | 183 | 185 | 5  |
| 2002.....                      | 2,482 | 615   | 44 | 28 | 92  | 174 | 305 | 407 | 229 | 180 | 234 | 167 | 7  |
| 2001.....                      | 2,414 | 614   | 44 | 26 | 109 | 150 | 300 | 364 | 262 | 207 | 174 | 161 | 3  |
| 2000.....                      | 2,614 | 694   | 26 | 28 | 105 | 191 | 283 | 390 | 266 | 267 | 214 | 139 | 11 |
| 1999.....                      | 2,460 | 658   | 35 | 20 | 100 | 172 | 299 | 352 | 238 | 218 | 214 | 152 | 2  |

Worktable Orig290F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2007

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data - mortality"]

---

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, sex, and year

|  | All ages | Under 1 year | 1-4 years | 5-14 years | 15-24 years | 25-34 years | 35-44 years | 45-54 years | 55-64 years | 65-74 years | 75-84 years | 85 years and over | Age not stated |
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|

---

Symptoms, signs and abnormal clinical and laboratory findings, not elsewhere classified (R00-R99)

Non-Hispanic black, female

|              |       |     |    |    |    |     |     |     |     |     |     |     |   |
|--------------|-------|-----|----|----|----|-----|-----|-----|-----|-----|-----|-----|---|
| 2007 2/..... | 2,357 | 482 | 23 | 11 | 38 | 78  | 117 | 190 | 143 | 168 | 359 | 744 | 4 |
| 2006 2/..... | 2,142 | 467 | 30 | 14 | 44 | 64  | 126 | 156 | 145 | 139 | 312 | 641 | 4 |
| 2005 2/..... | 2,246 | 472 | 28 | 24 | 47 | 86  | 172 | 227 | 154 | 169 | 288 | 575 | 4 |
| 2004 2/..... | 2,132 | 433 | 21 | 19 | 39 | 84  | 154 | 161 | 139 | 173 | 308 | 596 | 5 |
| 2003 2/..... | 2,224 | 468 | 36 | 24 | 58 | 94  | 186 | 249 | 138 | 177 | 256 | 536 | 2 |
| 2002.....    | 2,074 | 455 | 22 | 22 | 60 | 101 | 185 | 219 | 127 | 155 | 237 | 488 | 3 |
| 2001.....    | 2,192 | 467 | 25 | 16 | 49 | 116 | 218 | 241 | 111 | 194 | 292 | 461 | 2 |
| 2000.....    | 2,278 | 492 | 28 | 18 | 74 | 117 | 231 | 219 | 145 | 205 | 291 | 456 | 2 |
| 1999.....    | 2,048 | 491 | 32 | 13 | 52 | 88  | 205 | 168 | 133 | 177 | 274 | 411 | 4 |

  

Origin not stated 3/, both sexes

|           |     |    |   |   |    |    |    |    |    |    |    |    |    |
|-----------|-----|----|---|---|----|----|----|----|----|----|----|----|----|
| 2007..... | 84  | 12 | 1 | - | 1  | 7  | 8  | 8  | 6  | 9  | 7  | 8  | 17 |
| 2006..... | 128 | 23 | 1 | - | 1  | 9  | 9  | 21 | 12 | 11 | 7  | 15 | 19 |
| 2005..... | 258 | 35 | 5 | 3 | 12 | 8  | 22 | 40 | 28 | 15 | 30 | 24 | 36 |
| 2004..... | 208 | 23 | 2 | 1 | 5  | 8  | 18 | 25 | 19 | 9  | 19 | 12 | 67 |
| 2003..... | 204 | 21 | - | 1 | 8  | 6  | 20 | 25 | 19 | 8  | 12 | 27 | 57 |
| 2002..... | 216 | 16 | 1 | 2 | 6  | 8  | 19 | 24 | 17 | 8  | 20 | 38 | 57 |
| 2001..... | 205 | 17 | - | 1 | 8  | 17 | 17 | 28 | 11 | 9  | 10 | 20 | 67 |
| 2000..... | 291 | 25 | 1 | 2 | 8  | 15 | 41 | 42 | 30 | 25 | 17 | 16 | 69 |
| 1999..... | 210 | 26 | 2 | - | 5  | 6  | 29 | 35 | 17 | 24 | 10 | 16 | 40 |

Worktable Orig290F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2007

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data - mortality"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, sex, and year | All ages | Under 1 year | 1-4 years | 5-14 years | 15-24 years | 25-34 years | 35-44 years | 45-54 years | 55-64 years | 65-74 years | 75-84 years | 85 years and over | Age not stated |
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|

Symptoms, signs and abnormal clinical and laboratory findings, not elsewhere classified (R00-R99)

| Origin not stated 3/, male   |     |    |   |   |    |    |    |    |    |    |    |    |    |
|------------------------------|-----|----|---|---|----|----|----|----|----|----|----|----|----|
| 2007.....                    | 49  | 5  | - | - | -  | 4  | 5  | 8  | 3  | 4  | 4  | 4  | 12 |
| 2006.....                    | 85  | 17 | 1 | - | -  | 7  | 5  | 13 | 10 | 9  | 3  | 7  | 13 |
| 2005.....                    | 159 | 21 | 2 | - | 10 | 5  | 16 | 26 | 16 | 5  | 14 | 13 | 31 |
| 2004.....                    | 134 | 13 | 1 | - | 3  | 7  | 14 | 16 | 15 | 6  | 7  | 5  | 47 |
| 2003.....                    | 137 | 15 | - | - | 3  | 5  | 16 | 21 | 14 | 8  | 9  | 9  | 37 |
| 2002.....                    | 137 | 10 | - | 1 | 5  | 6  | 12 | 19 | 16 | 7  | 15 | 10 | 36 |
| 2001.....                    | 123 | 11 | - | - | 5  | 12 | 14 | 16 | 10 | 4  | 3  | 7  | 41 |
| 2000.....                    | 206 | 12 | - | 1 | 5  | 11 | 32 | 30 | 26 | 19 | 14 | 6  | 50 |
| 1999.....                    | 147 | 18 | 1 | - | 3  | 3  | 20 | 31 | 14 | 12 | 8  | 4  | 33 |
| Origin not stated 3/, female |     |    |   |   |    |    |    |    |    |    |    |    |    |
| 2007.....                    | 35  | 7  | 1 | - | 1  | 3  | 3  | -  | 3  | 5  | 3  | 4  | 5  |
| 2006.....                    | 43  | 6  | - | - | 1  | 2  | 4  | 8  | 2  | 2  | 4  | 8  | 6  |
| 2005.....                    | 99  | 14 | 3 | 3 | 2  | 3  | 6  | 14 | 12 | 10 | 16 | 11 | 5  |
| 2004.....                    | 74  | 10 | 1 | 1 | 2  | 1  | 4  | 9  | 4  | 3  | 12 | 7  | 20 |
| 2003.....                    | 67  | 6  | - | 1 | 5  | 1  | 4  | 4  | 5  | -  | 3  | 18 | 20 |
| 2002.....                    | 79  | 6  | 1 | 1 | 1  | 2  | 7  | 5  | 1  | 1  | 5  | 28 | 21 |
| 2001.....                    | 82  | 6  | - | 1 | 3  | 5  | 3  | 12 | 1  | 5  | 7  | 13 | 26 |
| 2000.....                    | 85  | 13 | 1 | 1 | 3  | 4  | 9  | 12 | 4  | 6  | 3  | 10 | 19 |
| 1999.....                    | 63  | 8  | 1 | - | 2  | 3  | 9  | 4  | 3  | 12 | 2  | 12 | 7  |

Worktable Orig290F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2007

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data - mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, sex, and year

|  | All ages | Under 1 year | 1-4 years | 5-14 years | 15-24 years | 25-34 years | 35-44 years | 45-54 years | 55-64 years | 65-74 years | 75-84 years | 85 years and over | Age not stated |
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|

All other diseases (Residual) (D65-E07,E15-E34,E65-F99,G04-G12,G23-G25,G31-H93,K00-K22,K29-K31,K50-K66,K71-K72,K75-K76,K83-M99,N13.0-N13.5,N13.7-N13.9,N14,N15.0,N15.8-N15.9,N20-N23,N28-N39,N41-N64,N80-N98)

All origins, both sexes

|           |         |       |     |     |       |       |       |        |        |        |        |        |    |
|-----------|---------|-------|-----|-----|-------|-------|-------|--------|--------|--------|--------|--------|----|
| 2007..... | 238,192 | 1,337 | 599 | 876 | 1,957 | 3,149 | 7,068 | 16,499 | 22,895 | 28,838 | 61,153 | 93,813 | 8  |
| 2006..... | 237,421 | 1,173 | 548 | 792 | 2,120 | 3,364 | 8,029 | 17,354 | 22,624 | 28,683 | 61,387 | 91,329 | 18 |
| 2005..... | 217,632 | 1,198 | 612 | 857 | 2,060 | 3,159 | 8,118 | 17,122 | 21,108 | 27,236 | 56,700 | 79,449 | 13 |
| 2004..... | 201,914 | 1,192 | 611 | 893 | 1,956 | 3,232 | 8,072 | 16,205 | 19,486 | 26,104 | 53,123 | 71,028 | 12 |
| 2003..... | 201,676 | 1,190 | 635 | 927 | 2,023 | 3,330 | 8,407 | 15,883 | 18,734 | 26,475 | 52,955 | 71,100 | 17 |
| 2002..... | 194,591 | 1,144 | 661 | 868 | 1,853 | 3,136 | 8,506 | 15,151 | 17,378 | 25,689 | 51,618 | 68,574 | 13 |
| 2001..... | 186,406 | 1,131 | 646 | 860 | 1,799 | 3,072 | 8,084 | 14,203 | 16,048 | 25,803 | 49,711 | 65,032 | 17 |
| 2000..... | 178,378 | 1,105 | 609 | 879 | 1,764 | 3,097 | 8,113 | 13,326 | 15,156 | 25,007 | 48,019 | 61,292 | 11 |
| 1999..... | 171,683 | 1,148 | 647 | 921 | 1,771 | 3,062 | 7,989 | 12,383 | 14,390 | 25,165 | 45,598 | 58,599 | 10 |

All origins, male

|           |        |     |     |     |       |       |       |        |        |        |        |        |    |
|-----------|--------|-----|-----|-----|-------|-------|-------|--------|--------|--------|--------|--------|----|
| 2007..... | 96,447 | 779 | 326 | 518 | 1,154 | 1,787 | 4,038 | 9,787  | 12,722 | 14,363 | 25,221 | 25,747 | 5  |
| 2006..... | 96,201 | 687 | 299 | 433 | 1,263 | 1,954 | 4,682 | 10,280 | 12,597 | 14,291 | 25,135 | 24,564 | 16 |
| 2005..... | 88,869 | 732 | 352 | 474 | 1,245 | 1,821 | 4,837 | 10,253 | 11,828 | 13,311 | 23,071 | 20,934 | 11 |
| 2004..... | 82,725 | 704 | 328 | 490 | 1,158 | 1,861 | 4,739 | 9,767  | 10,796 | 12,805 | 21,422 | 18,646 | 9  |
| 2003..... | 81,907 | 711 | 342 | 541 | 1,189 | 1,885 | 4,932 | 9,456  | 10,274 | 12,993 | 21,393 | 18,178 | 13 |
| 2002..... | 79,007 | 690 | 363 | 486 | 1,072 | 1,837 | 5,019 | 9,115  | 9,528  | 12,667 | 20,667 | 17,552 | 11 |
| 2001..... | 75,162 | 649 | 358 | 454 | 1,064 | 1,729 | 4,774 | 8,397  | 8,652  | 12,732 | 19,817 | 16,520 | 16 |
| 2000..... | 72,227 | 629 | 338 | 474 | 1,057 | 1,811 | 4,801 | 7,911  | 8,236  | 12,321 | 19,102 | 15,536 | 11 |
| 1999..... | 69,784 | 680 | 354 | 483 | 1,045 | 1,790 | 4,835 | 7,272  | 7,870  | 12,332 | 18,495 | 14,623 | 5  |



Worktable Orig290F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2007

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data - mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, sex, and year

|  | All ages | Under 1 year | 1-4 years | 5-14 years | 15-24 years | 25-34 years | 35-44 years | 45-54 years | 55-64 years | 65-74 years | 75-84 years | 85 years and over | Age not stated |
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|

All other diseases (Residual) (D65-E07,E15-E34,E65-F99,G04-G12,G23-G25,G31-H93,K00-K22,K29-K31,K50-K66,K71-K72,K75-K76,K83-M99,N13.0-N13.5,N13.7-N13.9,N14,N15.0,N15.8-N15.9,N20-N23,N28-N39,N41-N64,N80-N98)

All origins, female

|           |         |     |     |     |     |       |       |       |        |        |        |        |   |
|-----------|---------|-----|-----|-----|-----|-------|-------|-------|--------|--------|--------|--------|---|
| 2007..... | 141,745 | 558 | 273 | 358 | 803 | 1,362 | 3,030 | 6,712 | 10,173 | 14,475 | 35,932 | 68,066 | 3 |
| 2006..... | 141,220 | 486 | 249 | 359 | 857 | 1,410 | 3,347 | 7,074 | 10,027 | 14,392 | 36,252 | 66,765 | 2 |
| 2005..... | 128,763 | 466 | 260 | 383 | 815 | 1,338 | 3,281 | 6,869 | 9,280  | 13,925 | 33,629 | 58,515 | 2 |
| 2004..... | 119,189 | 488 | 283 | 403 | 798 | 1,371 | 3,333 | 6,438 | 8,690  | 13,299 | 31,701 | 52,382 | 3 |
| 2003..... | 119,769 | 479 | 293 | 386 | 834 | 1,445 | 3,475 | 6,427 | 8,460  | 13,482 | 31,562 | 52,922 | 4 |
| 2002..... | 115,584 | 454 | 298 | 382 | 781 | 1,299 | 3,487 | 6,036 | 7,850  | 13,022 | 30,951 | 51,022 | 2 |
| 2001..... | 111,244 | 482 | 288 | 406 | 735 | 1,343 | 3,310 | 5,806 | 7,396  | 13,071 | 29,894 | 48,512 | 1 |
| 2000..... | 106,151 | 476 | 271 | 405 | 707 | 1,286 | 3,312 | 5,415 | 6,920  | 12,686 | 28,917 | 45,756 | - |
| 1999..... | 101,899 | 468 | 293 | 438 | 726 | 1,272 | 3,154 | 5,111 | 6,520  | 12,833 | 27,103 | 43,976 | 5 |

Hispanic, both sexes

|           |        |     |     |     |     |     |     |       |       |       |       |       |   |
|-----------|--------|-----|-----|-----|-----|-----|-----|-------|-------|-------|-------|-------|---|
| 2007..... | 11,711 | 298 | 121 | 163 | 288 | 413 | 755 | 1,275 | 1,382 | 1,523 | 2,555 | 2,936 | 2 |
| 2006..... | 11,717 | 239 | 125 | 146 | 328 | 496 | 921 | 1,306 | 1,343 | 1,574 | 2,506 | 2,729 | 4 |
| 2005..... | 10,250 | 271 | 146 | 125 | 291 | 480 | 851 | 1,209 | 1,249 | 1,420 | 2,120 | 2,082 | 6 |
| 2004..... | 9,217  | 237 | 115 | 148 | 260 | 412 | 807 | 1,118 | 1,090 | 1,283 | 1,894 | 1,851 | 2 |
| 2003..... | 9,218  | 235 | 140 | 159 | 287 | 452 | 829 | 1,156 | 1,117 | 1,306 | 1,822 | 1,712 | 3 |
| 2002..... | 8,377  | 209 | 120 | 151 | 250 | 409 | 757 | 1,006 | 958   | 1,313 | 1,632 | 1,571 | 1 |
| 2001..... | 7,847  | 187 | 112 | 122 | 246 | 354 | 671 | 892   | 918   | 1,218 | 1,539 | 1,585 | 3 |
| 2000..... | 7,325  | 196 | 109 | 113 | 214 | 381 | 706 | 862   | 813   | 1,113 | 1,438 | 1,376 | 4 |
| 1999..... | 7,291  | 200 | 106 | 107 | 218 | 409 | 690 | 837   | 842   | 1,133 | 1,265 | 1,482 | 2 |

Worktable Orig290F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2007

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data - mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, sex, and year

|  | All ages | Under 1 year | 1-4 years | 5-14 years | 15-24 years | 25-34 years | 35-44 years | 45-54 years | 55-64 years | 65-74 years | 75-84 years | 85 years and over | Age not stated |
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|

All other diseases (Residual) (D65-E07,E15-E34,E65-F99,G04-G12,G23-G25,G31-H93,K00-K22,K29-K31,K50-K66,K71-K72,K75-K76,K83-M99,N13.0-N13.5,N13.7-N13.9,N14,N15.0,N15.8-N15.9,N20-N23,N28-N39,N41-N64,N80-N98)

| Hispanic, male   |          |              |           |            |             |             |             |             |             |             |             |                   |                |
|------------------|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|
|                  | All ages | Under 1 year | 1-4 years | 5-14 years | 15-24 years | 25-34 years | 35-44 years | 45-54 years | 55-64 years | 65-74 years | 75-84 years | 85 years and over | Age not stated |
| 2007.....        | 5,534    | 176          | 61        | 91         | 161         | 253         | 479         | 817         | 777         | 762         | 1,056       | 899               | 2              |
| 2006.....        | 5,713    | 139          | 62        | 77         | 207         | 329         | 622         | 852         | 782         | 787         | 1,057       | 796               | 3              |
| 2005.....        | 5,110    | 165          | 78        | 65         | 184         | 309         | 561         | 790         | 738         | 682         | 898         | 634               | 6              |
| 2004.....        | 4,541    | 133          | 62        | 81         | 169         | 260         | 556         | 759         | 609         | 620         | 740         | 550               | 2              |
| 2003.....        | 4,571    | 144          | 75        | 87         | 165         | 295         | 519         | 734         | 640         | 631         | 787         | 492               | 2              |
| 2002.....        | 4,221    | 116          | 66        | 89         | 148         | 261         | 517         | 647         | 527         | 659         | 707         | 483               | 1              |
| 2001.....        | 3,849    | 106          | 66        | 65         | 147         | 222         | 451         | 584         | 513         | 587         | 612         | 493               | 3              |
| 2000.....        | 3,663    | 100          | 54        | 63         | 140         | 246         | 483         | 552         | 464         | 568         | 557         | 432               | 4              |
| 1999.....        | 3,655    | 124          | 50        | 54         | 128         | 275         | 479         | 541         | 481         | 564         | 530         | 428               | 1              |
| Hispanic, female |          |              |           |            |             |             |             |             |             |             |             |                   |                |
|                  | All ages | Under 1 year | 1-4 years | 5-14 years | 15-24 years | 25-34 years | 35-44 years | 45-54 years | 55-64 years | 65-74 years | 75-84 years | 85 years and over | Age not stated |
| 2007.....        | 6,177    | 122          | 60        | 72         | 127         | 160         | 276         | 458         | 605         | 761         | 1,499       | 2,037             | -              |
| 2006.....        | 6,004    | 100          | 63        | 69         | 121         | 167         | 299         | 454         | 561         | 787         | 1,449       | 1,933             | 1              |
| 2005.....        | 5,140    | 106          | 68        | 60         | 107         | 171         | 290         | 419         | 511         | 738         | 1,222       | 1,448             | -              |
| 2004.....        | 4,676    | 104          | 53        | 67         | 91          | 152         | 251         | 359         | 481         | 663         | 1,154       | 1,301             | -              |
| 2003.....        | 4,647    | 91           | 65        | 72         | 122         | 157         | 310         | 422         | 477         | 675         | 1,035       | 1,220             | 1              |
| 2002.....        | 4,156    | 93           | 54        | 62         | 102         | 148         | 240         | 359         | 431         | 654         | 925         | 1,088             | -              |
| 2001.....        | 3,998    | 81           | 46        | 57         | 99          | 132         | 220         | 308         | 405         | 631         | 927         | 1,092             | -              |
| 2000.....        | 3,662    | 96           | 55        | 50         | 74          | 135         | 223         | 310         | 349         | 545         | 881         | 944               | -              |
| 1999.....        | 3,636    | 76           | 56        | 53         | 90          | 134         | 211         | 296         | 361         | 569         | 735         | 1,054             | 1              |

Worktable Orig290F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2007

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data - mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, sex, and year

|  | All ages | Under 1 year | 1-4 years | 5-14 years | 15-24 years | 25-34 years | 35-44 years | 45-54 years | 55-64 years | 65-74 years | 75-84 years | 85 years and over | Age not stated |
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|

All other diseases (Residual) (D65-E07,E15-E34,E65-F99,G04-G12,G23-G25,G31-H93,K00-K22,K29-K31,K50-K66,K71-K72,K75-K76,K83-M99,N13.0-N13.5,N13.7-N13.9,N14,N15.0,N15.8-N15.9,N20-N23,N28-N39,N41-N64,N80-N98)

Non-Hispanic 1/, both sexes

|           |         |       |     |     |       |       |       |        |        |        |        |        |    |
|-----------|---------|-------|-----|-----|-------|-------|-------|--------|--------|--------|--------|--------|----|
| 2007..... | 226,142 | 1,035 | 478 | 713 | 1,667 | 2,729 | 6,294 | 15,170 | 21,446 | 27,270 | 58,537 | 90,798 | 5  |
| 2006..... | 225,283 | 931   | 422 | 644 | 1,787 | 2,860 | 7,085 | 15,976 | 21,225 | 27,055 | 58,806 | 88,485 | 7  |
| 2005..... | 207,024 | 917   | 463 | 731 | 1,766 | 2,670 | 7,247 | 15,865 | 19,807 | 25,770 | 54,509 | 77,274 | 5  |
| 2004..... | 192,252 | 950   | 494 | 741 | 1,691 | 2,811 | 7,238 | 15,018 | 18,340 | 24,761 | 51,148 | 69,054 | 6  |
| 2003..... | 191,961 | 946   | 493 | 765 | 1,727 | 2,865 | 7,544 | 14,662 | 17,558 | 25,109 | 51,044 | 69,241 | 7  |
| 2002..... | 185,608 | 927   | 538 | 715 | 1,600 | 2,714 | 7,711 | 14,060 | 16,347 | 24,307 | 49,835 | 66,846 | 8  |
| 2001..... | 177,985 | 934   | 532 | 736 | 1,545 | 2,709 | 7,370 | 13,230 | 15,063 | 24,506 | 48,059 | 63,290 | 11 |
| 2000..... | 170,462 | 898   | 497 | 762 | 1,541 | 2,697 | 7,366 | 12,376 | 14,283 | 23,799 | 46,458 | 59,780 | 5  |
| 1999..... | 163,832 | 935   | 537 | 814 | 1,547 | 2,645 | 7,247 | 11,467 | 13,479 | 23,956 | 44,232 | 56,968 | 5  |

Non-Hispanic 1/, male

|           |        |     |     |     |       |       |       |       |        |        |        |        |    |
|-----------|--------|-----|-----|-----|-------|-------|-------|-------|--------|--------|--------|--------|----|
| 2007..... | 90,742 | 600 | 265 | 427 | 992   | 1,529 | 3,553 | 8,937 | 11,897 | 13,577 | 24,131 | 24,832 | 2  |
| 2006..... | 90,259 | 546 | 237 | 356 | 1,053 | 1,618 | 4,043 | 9,380 | 11,776 | 13,465 | 24,041 | 23,738 | 6  |
| 2005..... | 83,561 | 560 | 271 | 408 | 1,060 | 1,508 | 4,261 | 9,427 | 11,049 | 12,599 | 22,139 | 20,275 | 4  |
| 2004..... | 77,963 | 567 | 265 | 408 | 986   | 1,595 | 4,166 | 8,959 | 10,148 | 12,153 | 20,649 | 18,064 | 3  |
| 2003..... | 77,081 | 561 | 266 | 452 | 1,016 | 1,580 | 4,393 | 8,680 | 9,595  | 12,326 | 20,567 | 17,640 | 5  |
| 2002..... | 74,500 | 572 | 294 | 396 | 923   | 1,568 | 4,475 | 8,410 | 8,953  | 11,964 | 19,905 | 17,033 | 7  |
| 2001..... | 71,014 | 539 | 291 | 388 | 912   | 1,499 | 4,293 | 7,751 | 8,087  | 12,104 | 19,155 | 15,985 | 10 |
| 2000..... | 68,263 | 522 | 282 | 411 | 911   | 1,556 | 4,287 | 7,294 | 7,734  | 11,700 | 18,493 | 15,068 | 5  |
| 1999..... | 65,835 | 546 | 302 | 429 | 913   | 1,509 | 4,316 | 6,676 | 7,341  | 11,723 | 17,924 | 14,153 | 3  |

Worktable Orig290F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2007

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data - mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, sex, and year

|  | All ages | Under 1 year | 1-4 years | 5-14 years | 15-24 years | 25-34 years | 35-44 years | 45-54 years | 55-64 years | 65-74 years | 75-84 years | 85 years and over | Age not stated |
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|

All other diseases (Residual) (D65-E07,E15-E34,E65-F99,G04-G12,G23-G25,G31-H93,K00-K22,K29-K31,K50-K66,K71-K72,K75-K76,K83-M99,N13.0-N13.5,N13.7-N13.9,N14,N15.0,N15.8-N15.9,N20-N23,N28-N39,N41-N64,N80-N98)

| Non-Hispanic 1/, female        |          |              |           |            |             |             |             |             |             |             |             |                   |                |
|--------------------------------|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|
|                                | All ages | Under 1 year | 1-4 years | 5-14 years | 15-24 years | 25-34 years | 35-44 years | 45-54 years | 55-64 years | 65-74 years | 75-84 years | 85 years and over | Age not stated |
| 2007.....                      | 135,400  | 435          | 213       | 286        | 675         | 1,200       | 2,741       | 6,233       | 9,549       | 13,693      | 34,406      | 65,966            | 3              |
| 2006.....                      | 135,024  | 385          | 185       | 288        | 734         | 1,242       | 3,042       | 6,596       | 9,449       | 13,590      | 34,765      | 64,747            | 1              |
| 2005.....                      | 123,463  | 357          | 192       | 323        | 706         | 1,162       | 2,986       | 6,438       | 8,758       | 13,171      | 32,370      | 56,999            | 1              |
| 2004.....                      | 114,289  | 383          | 229       | 333        | 705         | 1,216       | 3,072       | 6,059       | 8,192       | 12,608      | 30,499      | 50,990            | 3              |
| 2003.....                      | 114,880  | 385          | 227       | 313        | 711         | 1,285       | 3,151       | 5,982       | 7,963       | 12,783      | 30,477      | 51,601            | 2              |
| 2002.....                      | 111,108  | 355          | 244       | 319        | 677         | 1,146       | 3,236       | 5,650       | 7,394       | 12,343      | 29,930      | 49,813            | 1              |
| 2001.....                      | 106,971  | 395          | 241       | 348        | 633         | 1,210       | 3,077       | 5,479       | 6,976       | 12,402      | 28,904      | 47,305            | 1              |
| 2000.....                      | 102,199  | 376          | 215       | 351        | 630         | 1,141       | 3,079       | 5,082       | 6,549       | 12,099      | 27,965      | 44,712            | -              |
| 1999.....                      | 97,997   | 389          | 235       | 385        | 634         | 1,136       | 2,931       | 4,791       | 6,138       | 12,233      | 26,308      | 42,815            | 2              |
| Non-Hispanic white, both sexes |          |              |           |            |             |             |             |             |             |             |             |                   |                |
|                                | All ages | Under 1 year | 1-4 years | 5-14 years | 15-24 years | 25-34 years | 35-44 years | 45-54 years | 55-64 years | 65-74 years | 75-84 years | 85 years and over | Age not stated |
| 2007 2/.....                   | 195,259  | 553          | 285       | 487        | 1,196       | 1,838       | 4,444       | 11,537      | 17,257      | 22,830      | 51,926      | 82,903            | 3              |
| 2006 2/.....                   | 194,608  | 532          | 273       | 451        | 1,272       | 1,969       | 5,066       | 12,120      | 17,050      | 22,702      | 52,281      | 80,887            | 5              |
| 2005 2/.....                   | 178,181  | 536          | 305       | 478        | 1,275       | 1,815       | 5,238       | 11,976      | 15,959      | 21,617      | 48,408      | 70,571            | 3              |
| 2004 2/.....                   | 165,312  | 573          | 322       | 516        | 1,188       | 1,843       | 5,211       | 11,337      | 14,723      | 20,787      | 45,589      | 63,218            | 5              |
| 2003 2/.....                   | 165,261  | 565          | 324       | 531        | 1,245       | 1,910       | 5,404       | 10,965      | 14,071      | 21,224      | 45,510      | 63,507            | 5              |
| 2002.....                      | 159,945  | 578          | 352       | 505        | 1,102       | 1,831       | 5,545       | 10,567      | 13,116      | 20,530      | 44,489      | 61,325            | 5              |
| 2001.....                      | 153,156  | 556          | 362       | 541        | 1,089       | 1,808       | 5,201       | 9,814       | 11,982      | 20,807      | 42,990      | 58,000            | 6              |
| 2000.....                      | 146,518  | 544          | 316       | 537        | 1,113       | 1,807       | 5,202       | 9,186       | 11,332      | 20,188      | 41,562      | 54,729            | 2              |
| 1999.....                      | 141,002  | 554          | 375       | 569        | 1,100       | 1,845       | 5,036       | 8,437       | 10,749      | 20,267      | 39,663      | 52,406            | 1              |

Worktable Orig290F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2007

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data - mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, sex, and year

|  | All ages | Under 1 year | 1-4 years | 5-14 years | 15-24 years | 25-34 years | 35-44 years | 45-54 years | 55-64 years | 65-74 years | 75-84 years | 85 years and over | Age not stated |
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|

All other diseases (Residual) (D65-E07,E15-E34,E65-F99,G04-G12,G23-G25,G31-H93,K00-K22,K29-K31,K50-K66,K71-K72,K75-K76,K83-M99,N13.0-N13.5,N13.7-N13.9,N14,N15.0,N15.8-N15.9,N20-N23,N28-N39,N41-N64,N80-N98)

Non-Hispanic white, male

|              |        |     |     |     |     |       |       |       |       |        |        |        |   |
|--------------|--------|-----|-----|-----|-----|-------|-------|-------|-------|--------|--------|--------|---|
| 2007 2/..... | 77,408 | 316 | 162 | 288 | 736 | 1,083 | 2,600 | 6,955 | 9,648 | 11,393 | 21,484 | 22,742 | 1 |
| 2006 2/..... | 77,081 | 314 | 155 | 250 | 798 | 1,196 | 3,002 | 7,324 | 9,530 | 11,381 | 21,406 | 21,720 | 5 |
| 2005 2/..... | 71,058 | 328 | 180 | 275 | 797 | 1,086 | 3,238 | 7,332 | 8,987 | 10,621 | 19,668 | 18,544 | 2 |
| 2004 2/..... | 66,039 | 350 | 176 | 296 | 722 | 1,102 | 3,156 | 6,942 | 8,221 | 10,233 | 18,367 | 16,472 | 2 |
| 2003 2/..... | 65,306 | 357 | 168 | 319 | 788 | 1,119 | 3,280 | 6,649 | 7,742 | 10,416 | 18,274 | 16,191 | 3 |
| 2002.....    | 63,109 | 376 | 191 | 279 | 677 | 1,113 | 3,386 | 6,464 | 7,230 | 10,109 | 17,748 | 15,531 | 5 |
| 2001.....    | 60,022 | 311 | 209 | 286 | 677 | 1,040 | 3,130 | 5,873 | 6,476 | 10,312 | 17,140 | 14,563 | 5 |
| 2000.....    | 57,565 | 310 | 183 | 307 | 683 | 1,105 | 3,128 | 5,569 | 6,149 | 9,933  | 16,519 | 13,677 | 2 |
| 1999.....    | 55,517 | 321 | 214 | 291 | 681 | 1,110 | 3,144 | 5,029 | 5,906 | 9,977  | 16,013 | 12,830 | 1 |

Non-Hispanic white, female

|              |         |     |     |     |     |     |       |       |       |        |        |        |   |
|--------------|---------|-----|-----|-----|-----|-----|-------|-------|-------|--------|--------|--------|---|
| 2007 2/..... | 117,851 | 237 | 123 | 199 | 460 | 755 | 1,844 | 4,582 | 7,609 | 11,437 | 30,442 | 60,161 | 2 |
| 2006 2/..... | 117,527 | 218 | 118 | 201 | 474 | 773 | 2,064 | 4,796 | 7,520 | 11,321 | 30,875 | 59,167 | - |
| 2005 2/..... | 107,123 | 208 | 125 | 203 | 478 | 729 | 2,000 | 4,644 | 6,972 | 10,996 | 28,740 | 52,027 | 1 |
| 2004 2/..... | 99,273  | 223 | 146 | 220 | 466 | 741 | 2,055 | 4,395 | 6,502 | 10,554 | 27,222 | 46,746 | 3 |
| 2003 2/..... | 99,955  | 208 | 156 | 212 | 457 | 791 | 2,124 | 4,316 | 6,329 | 10,808 | 27,236 | 47,316 | 2 |
| 2002.....    | 96,836  | 202 | 161 | 226 | 425 | 718 | 2,159 | 4,103 | 5,886 | 10,421 | 26,741 | 45,794 | - |
| 2001.....    | 93,134  | 245 | 153 | 255 | 412 | 768 | 2,071 | 3,941 | 5,506 | 10,495 | 25,850 | 43,437 | 1 |
| 2000.....    | 88,953  | 234 | 133 | 230 | 430 | 702 | 2,074 | 3,617 | 5,183 | 10,255 | 25,043 | 41,052 | - |
| 1999.....    | 85,485  | 233 | 161 | 278 | 419 | 735 | 1,892 | 3,408 | 4,843 | 10,290 | 23,650 | 39,576 | - |

Worktable Orig290F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2007

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data - mortality"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, sex, and year | All ages | Under 1 year | 1-4 years | 5-14 years | 15-24 years | 25-34 years | 35-44 years | 45-54 years | 55-64 years | 65-74 years | 75-84 years | 85 years and over | Age not stated |
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|

All other diseases (Residual) (D65-E07,E15-E34,E65-F99,G04-G12,G23-G25,G31-H93,K00-K22,K29-K31,K50-K66,K71-K72,K75-K76,K83-M99,N13.0-N13.5,N13.7-N13.9,N14,N15.0,N15.8-N15.9,N20-N23,N28-N39,N41-N64,N80-N98)

| Non-Hispanic black, both sexes |        |     |     |     |     |     |       |       |       |       |       |       |   |
|--------------------------------|--------|-----|-----|-----|-----|-----|-------|-------|-------|-------|-------|-------|---|
| 2007 2/.....                   | 26,130 | 408 | 151 | 186 | 395 | 763 | 1,618 | 3,220 | 3,667 | 3,737 | 5,503 | 6,480 | 2 |
| 2006 2/.....                   | 25,926 | 342 | 115 | 163 | 428 | 753 | 1,692 | 3,427 | 3,646 | 3,675 | 5,430 | 6,254 | 1 |
| 2005 2/.....                   | 24,604 | 321 | 123 | 214 | 418 | 733 | 1,736 | 3,425 | 3,368 | 3,512 | 5,166 | 5,586 | 2 |
| 2004 2/.....                   | 23,295 | 320 | 134 | 181 | 428 | 836 | 1,750 | 3,306 | 3,185 | 3,443 | 4,758 | 4,953 | 1 |
| 2003 2/.....                   | 22,997 | 333 | 133 | 182 | 401 | 813 | 1,880 | 3,308 | 3,048 | 3,335 | 4,682 | 4,880 | 2 |
| 2002.....                      | 22,297 | 298 | 146 | 172 | 416 | 775 | 1,935 | 3,147 | 2,827 | 3,247 | 4,559 | 4,772 | 3 |
| 2001.....                      | 21,752 | 329 | 131 | 165 | 386 | 758 | 1,944 | 3,106 | 2,691 | 3,236 | 4,415 | 4,586 | 5 |
| 2000.....                      | 21,081 | 296 | 144 | 189 | 373 | 810 | 1,948 | 2,897 | 2,607 | 3,153 | 4,248 | 4,413 | 3 |
| 1999.....                      | 20,137 | 332 | 129 | 201 | 385 | 704 | 1,997 | 2,728 | 2,437 | 3,251 | 3,963 | 4,006 | 4 |
| Non-Hispanic black, male       |        |     |     |     |     |     |       |       |       |       |       |       |   |
| 2007 2/.....                   | 11,166 | 239 | 78  | 115 | 209 | 375 | 813   | 1,737 | 1,976 | 1,845 | 2,186 | 1,592 | 1 |
| 2006 2/.....                   | 11,066 | 198 | 64  | 95  | 220 | 344 | 850   | 1,819 | 1,961 | 1,775 | 2,171 | 1,569 | - |
| 2005 2/.....                   | 10,478 | 205 | 74  | 118 | 222 | 354 | 857   | 1,824 | 1,787 | 1,665 | 2,044 | 1,326 | 2 |
| 2004 2/.....                   | 10,222 | 184 | 73  | 86  | 219 | 421 | 853   | 1,794 | 1,696 | 1,675 | 1,924 | 1,296 | 1 |
| 2003 2/.....                   | 10,019 | 183 | 78  | 99  | 182 | 386 | 952   | 1,802 | 1,610 | 1,643 | 1,915 | 1,167 | 2 |
| 2002.....                      | 9,722  | 167 | 80  | 95  | 205 | 388 | 948   | 1,733 | 1,501 | 1,591 | 1,795 | 1,217 | 2 |
| 2001.....                      | 9,561  | 192 | 62  | 83  | 196 | 381 | 1,030 | 1,713 | 1,411 | 1,570 | 1,767 | 1,151 | 5 |
| 2000.....                      | 9,351  | 180 | 77  | 87  | 197 | 400 | 1,033 | 1,562 | 1,411 | 1,548 | 1,711 | 1,142 | 3 |
| 1999.....                      | 8,967  | 192 | 67  | 118 | 202 | 344 | 1,040 | 1,487 | 1,270 | 1,518 | 1,630 | 1,097 | 2 |

Worktable Orig290F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2007

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data - mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, sex, and year

|  | All ages | Under 1 year | 1-4 years | 5-14 years | 15-24 years | 25-34 years | 35-44 years | 45-54 years | 55-64 years | 65-74 years | 75-84 years | 85 years and over | Age not stated |
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|

All other diseases (Residual) (D65-E07,E15-E34,E65-F99,G04-G12,G23-G25,G31-H93,K00-K22,K29-K31,K50-K66,K71-K72,K75-K76,K83-M99,N13.0-N13.5,N13.7-N13.9,N14,N15.0,N15.8-N15.9,N20-N23,N28-N39,N41-N64,N80-N98)

Non-Hispanic black, female

|              |        |     |    |     |     |     |     |       |       |       |       |       |   |
|--------------|--------|-----|----|-----|-----|-----|-----|-------|-------|-------|-------|-------|---|
| 2007 2/..... | 14,964 | 169 | 73 | 71  | 186 | 388 | 805 | 1,483 | 1,691 | 1,892 | 3,317 | 4,888 | 1 |
| 2006 2/..... | 14,860 | 144 | 51 | 68  | 208 | 409 | 842 | 1,608 | 1,685 | 1,900 | 3,259 | 4,685 | 1 |
| 2005 2/..... | 14,126 | 116 | 49 | 96  | 196 | 379 | 879 | 1,601 | 1,581 | 1,847 | 3,122 | 4,260 | - |
| 2004 2/..... | 13,073 | 136 | 61 | 95  | 209 | 415 | 897 | 1,512 | 1,489 | 1,768 | 2,834 | 3,657 | - |
| 2003 2/..... | 12,978 | 150 | 55 | 83  | 219 | 427 | 928 | 1,506 | 1,438 | 1,692 | 2,767 | 3,713 | - |
| 2002.....    | 12,575 | 131 | 66 | 77  | 211 | 387 | 987 | 1,414 | 1,326 | 1,656 | 2,764 | 3,555 | 1 |
| 2001.....    | 12,191 | 137 | 69 | 82  | 190 | 377 | 914 | 1,393 | 1,280 | 1,666 | 2,648 | 3,435 | - |
| 2000.....    | 11,730 | 116 | 67 | 102 | 176 | 410 | 915 | 1,335 | 1,196 | 1,605 | 2,537 | 3,271 | - |
| 1999.....    | 11,170 | 140 | 62 | 83  | 183 | 360 | 957 | 1,241 | 1,167 | 1,733 | 2,333 | 2,909 | 2 |

Origin not stated 3/, both sexes

|           |     |    |   |   |   |    |    |    |    |    |     |     |   |
|-----------|-----|----|---|---|---|----|----|----|----|----|-----|-----|---|
| 2007..... | 339 | 4  | - | - | 2 | 7  | 19 | 54 | 67 | 45 | 61  | 79  | 1 |
| 2006..... | 421 | 3  | 1 | 2 | 5 | 8  | 23 | 72 | 56 | 54 | 75  | 115 | 7 |
| 2005..... | 358 | 10 | 3 | 1 | 3 | 9  | 20 | 48 | 52 | 46 | 71  | 93  | 2 |
| 2004..... | 445 | 5  | 2 | 4 | 5 | 9  | 27 | 69 | 56 | 60 | 81  | 123 | 4 |
| 2003..... | 497 | 9  | 2 | 3 | 9 | 13 | 34 | 65 | 59 | 60 | 89  | 147 | 7 |
| 2002..... | 606 | 8  | 3 | 2 | 3 | 13 | 38 | 85 | 73 | 69 | 151 | 157 | 4 |
| 2001..... | 574 | 10 | 2 | 2 | 8 | 9  | 43 | 81 | 67 | 79 | 113 | 157 | 3 |
| 2000..... | 591 | 11 | 3 | 4 | 9 | 19 | 41 | 88 | 60 | 95 | 123 | 136 | 2 |
| 1999..... | 560 | 13 | 4 | - | 6 | 8  | 52 | 79 | 69 | 76 | 101 | 149 | 3 |

Worktable Orig290F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2007

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data - mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, sex, and year

|  | All ages | Under 1 year | 1-4 years | 5-14 years | 15-24 years | 25-34 years | 35-44 years | 45-54 years | 55-64 years | 65-74 years | 75-84 years | 85 years and over | Age not stated |
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|

All other diseases (Residual) (D65-E07,E15-E34,E65-F99,G04-G12,G23-G25,G31-H93,K00-K22,K29-K31,K50-K66,K71-K72,K75-K76,K83-M99,N13.0-N13.5,N13.7-N13.9,N14,N15.0,N15.8-N15.9,N20-N23,N28-N39,N41-N64,N80-N98)

Origin not stated 3/, male

|           |     |    |   |   |   |    |    |    |    |    |    |    |   |
|-----------|-----|----|---|---|---|----|----|----|----|----|----|----|---|
| 2007..... | 171 | 3  | - | - | 1 | 5  | 6  | 33 | 48 | 24 | 34 | 16 | 1 |
| 2006..... | 229 | 2  | - | - | 3 | 7  | 17 | 48 | 39 | 39 | 37 | 30 | 7 |
| 2005..... | 198 | 7  | 3 | 1 | 1 | 4  | 15 | 36 | 41 | 30 | 34 | 25 | 1 |
| 2004..... | 221 | 4  | 1 | 1 | 3 | 6  | 17 | 49 | 39 | 32 | 33 | 32 | 4 |
| 2003..... | 255 | 6  | 1 | 2 | 8 | 10 | 20 | 42 | 39 | 36 | 39 | 46 | 6 |
| 2002..... | 286 | 2  | 3 | 1 | 1 | 8  | 27 | 58 | 48 | 44 | 55 | 36 | 3 |
| 2001..... | 299 | 4  | 1 | 1 | 5 | 8  | 30 | 62 | 52 | 41 | 50 | 42 | 3 |
| 2000..... | 301 | 7  | 2 | - | 6 | 9  | 31 | 65 | 38 | 53 | 52 | 36 | 2 |
| 1999..... | 294 | 10 | 2 | - | 4 | 6  | 40 | 55 | 48 | 45 | 41 | 42 | 1 |

Origin not stated 3/, female

|           |     |   |   |   |   |    |    |    |    |    |    |     |   |
|-----------|-----|---|---|---|---|----|----|----|----|----|----|-----|---|
| 2007..... | 168 | 1 | - | - | 1 | 2  | 13 | 21 | 19 | 21 | 27 | 63  | - |
| 2006..... | 192 | 1 | 1 | 2 | 2 | 1  | 6  | 24 | 17 | 15 | 38 | 85  | - |
| 2005..... | 160 | 3 | - | - | 2 | 5  | 5  | 12 | 11 | 16 | 37 | 68  | 1 |
| 2004..... | 224 | 1 | 1 | 3 | 2 | 3  | 10 | 20 | 17 | 28 | 48 | 91  | - |
| 2003..... | 242 | 3 | 1 | 1 | 1 | 3  | 14 | 23 | 20 | 24 | 50 | 101 | 1 |
| 2002..... | 320 | 6 | - | 1 | 2 | 5  | 11 | 27 | 25 | 25 | 96 | 121 | 1 |
| 2001..... | 275 | 6 | 1 | 1 | 3 | 1  | 13 | 19 | 15 | 38 | 63 | 115 | - |
| 2000..... | 290 | 4 | 1 | 4 | 3 | 10 | 10 | 23 | 22 | 42 | 71 | 100 | - |
| 1999..... | 266 | 3 | 2 | - | 2 | 2  | 12 | 24 | 21 | 31 | 60 | 107 | 2 |



Worktable Orig290F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2007

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data - mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, sex, and year

|  | All ages | Under 1 year | 1-4 years | 5-14 years | 15-24 years | 25-34 years | 35-44 years | 45-54 years | 55-64 years | 65-74 years | 75-84 years | 85 years and over | Age not stated |
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|

Accidents (unintentional injuries) (V01-X59,Y85-Y86)

| All origins, both sexes |         |       |       |       |        |        |        |        |        |       |        |        |     |
|-------------------------|---------|-------|-------|-------|--------|--------|--------|--------|--------|-------|--------|--------|-----|
| 2007.....               | 123,706 | 1,285 | 1,588 | 2,194 | 15,897 | 14,977 | 16,931 | 20,315 | 12,193 | 8,753 | 13,736 | 15,803 | 34  |
| 2006.....               | 121,599 | 1,147 | 1,610 | 2,258 | 16,229 | 14,954 | 17,534 | 19,675 | 11,446 | 8,420 | 13,708 | 14,561 | 57  |
| 2005.....               | 117,809 | 1,083 | 1,664 | 2,415 | 15,753 | 13,997 | 16,919 | 18,339 | 10,853 | 8,632 | 13,854 | 14,243 | 57  |
| 2004.....               | 112,012 | 1,052 | 1,641 | 2,666 | 15,449 | 13,032 | 16,471 | 16,942 | 9,651  | 8,116 | 13,457 | 13,447 | 88  |
| 2003.....               | 109,277 | 945   | 1,717 | 2,618 | 15,272 | 12,541 | 16,766 | 15,837 | 9,170  | 8,081 | 13,108 | 13,146 | 76  |
| 2002.....               | 106,742 | 946   | 1,641 | 2,718 | 15,412 | 12,569 | 16,710 | 14,675 | 8,345  | 8,086 | 12,904 | 12,651 | 85  |
| 2001.....               | 101,537 | 976   | 1,714 | 2,836 | 14,411 | 11,839 | 15,945 | 13,344 | 7,658  | 7,835 | 12,688 | 12,171 | 120 |
| 2000.....               | 97,900  | 881   | 1,826 | 2,979 | 14,113 | 11,769 | 15,413 | 12,278 | 7,505  | 7,698 | 11,758 | 11,595 | 85  |
| 1999.....               | 97,860  | 845   | 1,898 | 3,091 | 13,656 | 11,890 | 15,231 | 11,639 | 7,285  | 8,208 | 12,282 | 11,729 | 106 |
| All origins, male       |         |       |       |       |        |        |        |        |        |       |        |        |     |
| 2007.....               | 79,827  | 715   | 987   | 1,346 | 11,905 | 11,384 | 12,022 | 14,017 | 8,357  | 5,593 | 7,268  | 6,201  | 32  |
| 2006.....               | 78,941  | 667   | 927   | 1,385 | 12,234 | 11,466 | 12,431 | 13,837 | 7,848  | 5,212 | 7,194  | 5,692  | 48  |
| 2005.....               | 76,375  | 578   | 1,027 | 1,493 | 11,827 | 10,665 | 12,026 | 13,002 | 7,507  | 5,343 | 7,337  | 5,521  | 49  |
| 2004.....               | 72,050  | 604   | 964   | 1,661 | 11,423 | 9,871  | 11,671 | 11,988 | 6,562  | 4,992 | 7,030  | 5,210  | 74  |
| 2003.....               | 70,532  | 539   | 1,048 | 1,662 | 11,291 | 9,534  | 12,003 | 11,196 | 6,324  | 4,921 | 6,851  | 5,093  | 70  |
| 2002.....               | 69,257  | 553   | 1,024 | 1,713 | 11,438 | 9,635  | 12,012 | 10,492 | 5,781  | 5,031 | 6,687  | 4,817  | 74  |
| 2001.....               | 66,060  | 541   | 1,045 | 1,803 | 10,832 | 9,092  | 11,612 | 9,743  | 5,228  | 4,751 | 6,652  | 4,657  | 104 |
| 2000.....               | 63,817  | 501   | 1,098 | 1,861 | 10,460 | 9,059  | 11,444 | 9,063  | 5,133  | 4,639 | 6,063  | 4,413  | 83  |
| 1999.....               | 63,535  | 494   | 1,127 | 1,974 | 10,040 | 9,097  | 11,248 | 8,602  | 5,015  | 4,992 | 6,372  | 4,480  | 94  |

Worktable Orig290F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2007

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data - mortality"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, sex, and year | All ages | Under 1 year | 1-4 years | 5-14 years | 15-24 years | 25-34 years | 35-44 years | 45-54 years | 55-64 years | 65-74 years | 75-84 years | 85 years and over | Age not stated |
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|

Accidents (unintentional injuries) (V01-X59,Y85-Y86)

| All origins, female  |        |     |     |       |       |       |       |       |       |       |       |       |    |
|----------------------|--------|-----|-----|-------|-------|-------|-------|-------|-------|-------|-------|-------|----|
| 2007.....            | 43,879 | 570 | 601 | 848   | 3,992 | 3,593 | 4,909 | 6,298 | 3,836 | 3,160 | 6,468 | 9,602 | 2  |
| 2006.....            | 42,658 | 480 | 683 | 873   | 3,995 | 3,488 | 5,103 | 5,838 | 3,598 | 3,208 | 6,514 | 8,869 | 9  |
| 2005.....            | 41,434 | 505 | 637 | 922   | 3,926 | 3,332 | 4,893 | 5,337 | 3,346 | 3,289 | 6,517 | 8,722 | 8  |
| 2004.....            | 39,962 | 448 | 677 | 1,005 | 4,026 | 3,161 | 4,800 | 4,954 | 3,089 | 3,124 | 6,427 | 8,237 | 14 |
| 2003.....            | 38,745 | 406 | 669 | 956   | 3,981 | 3,007 | 4,763 | 4,641 | 2,846 | 3,160 | 6,257 | 8,053 | 6  |
| 2002.....            | 37,485 | 393 | 617 | 1,005 | 3,974 | 2,934 | 4,698 | 4,183 | 2,564 | 3,055 | 6,217 | 7,834 | 11 |
| 2001.....            | 35,477 | 435 | 669 | 1,033 | 3,579 | 2,747 | 4,333 | 3,601 | 2,430 | 3,084 | 6,036 | 7,514 | 16 |
| 2000.....            | 34,083 | 380 | 728 | 1,118 | 3,653 | 2,710 | 3,969 | 3,215 | 2,372 | 3,059 | 5,695 | 7,182 | 2  |
| 1999.....            | 34,325 | 351 | 771 | 1,117 | 3,616 | 2,793 | 3,983 | 3,037 | 2,270 | 3,216 | 5,910 | 7,249 | 12 |
| Hispanic, both sexes |        |     |     |       |       |       |       |       |       |       |       |       |    |
| 2007.....            | 11,723 | 167 | 348 | 387   | 2,511 | 2,321 | 1,958 | 1,659 | 795   | 527   | 616   | 425   | 9  |
| 2006.....            | 12,052 | 189 | 361 | 412   | 2,662 | 2,400 | 2,102 | 1,609 | 844   | 517   | 575   | 365   | 16 |
| 2005.....            | 11,464 | 172 | 380 | 370   | 2,670 | 2,302 | 1,920 | 1,455 | 720   | 520   | 581   | 359   | 15 |
| 2004.....            | 10,408 | 159 | 313 | 391   | 2,372 | 2,086 | 1,823 | 1,249 | 678   | 473   | 508   | 338   | 18 |
| 2003.....            | 10,418 | 131 | 325 | 431   | 2,366 | 2,167 | 1,877 | 1,254 | 639   | 466   | 454   | 293   | 15 |
| 2002.....            | 10,106 | 127 | 341 | 389   | 2,413 | 2,027 | 1,841 | 1,168 | 566   | 466   | 464   | 276   | 28 |
| 2001.....            | 9,523  | 154 | 310 | 379   | 2,182 | 1,938 | 1,760 | 1,078 | 564   | 454   | 409   | 266   | 29 |
| 2000.....            | 8,830  | 118 | 306 | 383   | 2,095 | 1,776 | 1,618 | 953   | 492   | 418   | 365   | 278   | 28 |
| 1999.....            | 8,650  | 134 | 341 | 362   | 1,946 | 1,790 | 1,607 | 926   | 466   | 440   | 334   | 260   | 44 |

Worktable Orig290F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2007

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data - mortality"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, sex, and year | All ages | Under 1 year | 1-4 years | 5-14 years | 15-24 years | 25-34 years | 35-44 years | 45-54 years | 55-64 years | 65-74 years | 75-84 years | 85 years and over | Age not stated |
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|

Accidents (unintentional injuries) (V01-X59,Y85-Y86)

| Hispanic, male   |       |     |     |     |       |       |       |       |     |     |     |     |    |
|------------------|-------|-----|-----|-----|-------|-------|-------|-------|-----|-----|-----|-----|----|
| 2007.....        | 8,844 | 92  | 225 | 244 | 2,035 | 1,939 | 1,558 | 1,315 | 556 | 352 | 336 | 183 | 9  |
| 2006.....        | 9,102 | 103 | 215 | 259 | 2,169 | 2,000 | 1,691 | 1,236 | 623 | 334 | 303 | 155 | 14 |
| 2005.....        | 8,612 | 87  | 244 | 222 | 2,133 | 1,930 | 1,513 | 1,141 | 530 | 345 | 318 | 135 | 14 |
| 2004.....        | 7,796 | 87  | 186 | 241 | 1,926 | 1,733 | 1,454 | 968   | 474 | 294 | 278 | 138 | 17 |
| 2003.....        | 7,899 | 77  | 200 | 289 | 1,905 | 1,827 | 1,488 | 966   | 449 | 289 | 267 | 127 | 15 |
| 2002.....        | 7,698 | 83  | 215 | 244 | 1,958 | 1,709 | 1,468 | 888   | 407 | 307 | 258 | 134 | 27 |
| 2001.....        | 7,157 | 75  | 195 | 224 | 1,773 | 1,619 | 1,418 | 822   | 391 | 275 | 235 | 104 | 26 |
| 2000.....        | 6,696 | 67  | 174 | 210 | 1,717 | 1,499 | 1,317 | 750   | 347 | 271 | 191 | 125 | 28 |
| 1999.....        | 6,578 | 80  | 197 | 227 | 1,575 | 1,494 | 1,307 | 734   | 334 | 288 | 182 | 120 | 40 |
| Hispanic, female |       |     |     |     |       |       |       |       |     |     |     |     |    |
| 2007.....        | 2,879 | 75  | 123 | 143 | 476   | 382   | 400   | 344   | 239 | 175 | 280 | 242 | -  |
| 2006.....        | 2,950 | 86  | 146 | 153 | 493   | 400   | 411   | 373   | 221 | 183 | 272 | 210 | 2  |
| 2005.....        | 2,852 | 85  | 136 | 148 | 537   | 372   | 407   | 314   | 190 | 175 | 263 | 224 | 1  |
| 2004.....        | 2,612 | 72  | 127 | 150 | 446   | 353   | 369   | 281   | 204 | 179 | 230 | 200 | 1  |
| 2003.....        | 2,519 | 54  | 125 | 142 | 461   | 340   | 389   | 288   | 190 | 177 | 187 | 166 | -  |
| 2002.....        | 2,408 | 44  | 126 | 145 | 455   | 318   | 373   | 280   | 159 | 159 | 206 | 142 | 1  |
| 2001.....        | 2,366 | 79  | 115 | 155 | 409   | 319   | 342   | 256   | 173 | 179 | 174 | 162 | 3  |
| 2000.....        | 2,134 | 51  | 132 | 173 | 378   | 277   | 301   | 203   | 145 | 147 | 174 | 153 | -  |
| 1999.....        | 2,072 | 54  | 144 | 135 | 371   | 296   | 300   | 192   | 132 | 152 | 152 | 140 | 4  |

Worktable Orig290F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2007

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data - mortality"]

---

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, sex, and year

|  | All ages | Under 1 year | 1-4 years | 5-14 years | 15-24 years | 25-34 years | 35-44 years | 45-54 years | 55-64 years | 65-74 years | 75-84 years | 85 years and over | Age not stated |
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|

---

Accidents (unintentional injuries) (V01-X59,Y85-Y86)

| Non-Hispanic 1/, both sexes |         |       |       |       |        |        |        |        |        |       |        |        |    |
|-----------------------------|---------|-------|-------|-------|--------|--------|--------|--------|--------|-------|--------|--------|----|
| 2007.....                   | 111,641 | 1,114 | 1,236 | 1,804 | 13,362 | 12,615 | 14,922 | 18,573 | 11,345 | 8,204 | 13,092 | 15,363 | 11 |
| 2006.....                   | 109,172 | 954   | 1,234 | 1,841 | 13,528 | 12,509 | 15,370 | 17,984 | 10,562 | 7,883 | 13,098 | 14,182 | 27 |
| 2005.....                   | 105,967 | 905   | 1,281 | 2,043 | 13,056 | 11,645 | 14,933 | 16,797 | 10,087 | 8,087 | 13,250 | 13,860 | 23 |
| 2004.....                   | 101,235 | 891   | 1,323 | 2,263 | 13,045 | 10,901 | 14,597 | 15,607 | 8,938  | 7,619 | 12,924 | 13,089 | 38 |
| 2003.....                   | 98,406  | 812   | 1,386 | 2,183 | 12,866 | 10,326 | 14,813 | 14,488 | 8,485  | 7,580 | 12,620 | 12,824 | 23 |
| 2002.....                   | 96,175  | 816   | 1,296 | 2,318 | 12,956 | 10,489 | 14,792 | 13,422 | 7,728  | 7,584 | 12,394 | 12,347 | 33 |
| 2001.....                   | 91,522  | 817   | 1,399 | 2,445 | 12,187 | 9,857  | 14,089 | 12,184 | 7,042  | 7,347 | 12,245 | 11,874 | 36 |
| 2000.....                   | 88,558  | 759   | 1,512 | 2,585 | 11,968 | 9,935  | 13,706 | 11,219 | 6,966  | 7,247 | 11,361 | 11,288 | 12 |
| 1999.....                   | 88,669  | 710   | 1,550 | 2,721 | 11,658 | 10,034 | 13,529 | 10,622 | 6,753  | 7,738 | 11,896 | 11,432 | 26 |
| Non-Hispanic 1/, male       |         |       |       |       |        |        |        |        |        |       |        |        |    |
| 2007.....                   | 70,739  | 619   | 760   | 1,099 | 9,851  | 9,416  | 10,433 | 12,639 | 7,763  | 5,226 | 6,913  | 6,009  | 11 |
| 2006.....                   | 69,564  | 561   | 701   | 1,124 | 10,034 | 9,433  | 10,692 | 12,541 | 7,192  | 4,864 | 6,866  | 5,533  | 23 |
| 2005.....                   | 67,494  | 488   | 781   | 1,271 | 9,674  | 8,696  | 10,468 | 11,795 | 6,942  | 4,980 | 7,005  | 5,377  | 17 |
| 2004.....                   | 63,982  | 516   | 775   | 1,415 | 9,476  | 8,103  | 10,179 | 10,948 | 6,061  | 4,677 | 6,738  | 5,063  | 31 |
| 2003.....                   | 62,290  | 460   | 844   | 1,369 | 9,355  | 7,670  | 10,454 | 10,158 | 5,839  | 4,604 | 6,564  | 4,953  | 20 |
| 2002.....                   | 61,201  | 468   | 806   | 1,461 | 9,448  | 7,882  | 10,482 | 9,537  | 5,325  | 4,693 | 6,398  | 4,671  | 30 |
| 2001.....                   | 58,528  | 462   | 845   | 1,570 | 9,024  | 7,438  | 10,117 | 8,852  | 4,795  | 4,455 | 6,397  | 4,544  | 29 |
| 2000.....                   | 56,736  | 431   | 921   | 1,648 | 8,707  | 7,512  | 10,054 | 8,231  | 4,747  | 4,344 | 5,855  | 4,275  | 11 |
| 1999.....                   | 56,551  | 414   | 926   | 1,739 | 8,428  | 7,550  | 9,871  | 7,791  | 4,627  | 4,681 | 6,158  | 4,343  | 23 |

Worktable Orig290F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2007

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data - mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, sex, and year

|  | All ages | Under 1 year | 1-4 years | 5-14 years | 15-24 years | 25-34 years | 35-44 years | 45-54 years | 55-64 years | 65-74 years | 75-84 years | 85 years and over | Age not stated |
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|

Accidents (unintentional injuries) (V01-X59,Y85-Y86)

| Non-Hispanic 1/, female        |          |              |           |            |             |             |             |             |             |             |             |                   |                |
|--------------------------------|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|
|                                | All ages | Under 1 year | 1-4 years | 5-14 years | 15-24 years | 25-34 years | 35-44 years | 45-54 years | 55-64 years | 65-74 years | 75-84 years | 85 years and over | Age not stated |
| 2007.....                      | 40,902   | 495          | 476       | 705        | 3,511       | 3,199       | 4,489       | 5,934       | 3,582       | 2,978       | 6,179       | 9,354             | -              |
| 2006.....                      | 39,608   | 393          | 533       | 717        | 3,494       | 3,076       | 4,678       | 5,443       | 3,370       | 3,019       | 6,232       | 8,649             | 4              |
| 2005.....                      | 38,473   | 417          | 500       | 772        | 3,382       | 2,949       | 4,465       | 5,002       | 3,145       | 3,107       | 6,245       | 8,483             | 6              |
| 2004.....                      | 37,253   | 375          | 548       | 848        | 3,569       | 2,798       | 4,418       | 4,659       | 2,877       | 2,942       | 6,186       | 8,026             | 7              |
| 2003.....                      | 36,116   | 352          | 542       | 814        | 3,511       | 2,656       | 4,359       | 4,330       | 2,646       | 2,976       | 6,056       | 7,871             | 3              |
| 2002.....                      | 34,974   | 348          | 490       | 857        | 3,508       | 2,607       | 4,310       | 3,885       | 2,403       | 2,891       | 5,996       | 7,676             | 3              |
| 2001.....                      | 32,994   | 355          | 554       | 875        | 3,163       | 2,419       | 3,972       | 3,332       | 2,247       | 2,892       | 5,848       | 7,330             | 7              |
| 2000.....                      | 31,822   | 328          | 591       | 937        | 3,261       | 2,423       | 3,652       | 2,988       | 2,219       | 2,903       | 5,506       | 7,013             | 1              |
| 1999.....                      | 32,118   | 296          | 624       | 982        | 3,230       | 2,484       | 3,658       | 2,831       | 2,126       | 3,057       | 5,738       | 7,089             | 3              |
| Non-Hispanic white, both sexes |          |              |           |            |             |             |             |             |             |             |             |                   |                |
|                                | All ages | Under 1 year | 1-4 years | 5-14 years | 15-24 years | 25-34 years | 35-44 years | 45-54 years | 55-64 years | 65-74 years | 75-84 years | 85 years and over | Age not stated |
| 2007 2/.....                   | 94,584   | 641          | 835       | 1,250      | 11,032      | 10,347      | 12,270      | 15,345      | 9,402       | 6,997       | 11,954      | 14,501            | 10             |
| 2006 2/.....                   | 91,830   | 555          | 814       | 1,267      | 11,203      | 10,085      | 12,559      | 14,619      | 8,653       | 6,745       | 11,943      | 13,363            | 24             |
| 2005 2/.....                   | 88,970   | 567          | 898       | 1,423      | 10,711      | 9,347       | 12,252      | 13,657      | 8,303       | 6,890       | 11,942      | 12,962            | 18             |
| 2004 2/.....                   | 85,466   | 557          | 933       | 1,573      | 10,847      | 8,712       | 12,025      | 12,744      | 7,390       | 6,532       | 11,774      | 12,344            | 35             |
| 2003 2/.....                   | 82,815   | 496          | 985       | 1,535      | 10,638      | 8,238       | 12,106      | 11,721      | 7,043       | 6,466       | 11,487      | 12,078            | 22             |
| 2002.....                      | 80,605   | 462          | 865       | 1,581      | 10,664      | 8,344       | 12,035      | 10,859      | 6,393       | 6,481       | 11,316      | 11,579            | 26             |
| 2001.....                      | 76,262   | 500          | 1,006     | 1,688      | 9,867       | 7,798       | 11,340      | 9,704       | 5,776       | 6,309       | 11,157      | 11,092            | 25             |
| 2000.....                      | 73,536   | 455          | 1,033     | 1,843      | 9,735       | 7,730       | 11,008      | 8,882       | 5,753       | 6,181       | 10,356      | 10,552            | 8              |
| 1999.....                      | 73,326   | 435          | 1,042     | 1,908      | 9,410       | 7,855       | 10,844      | 8,392       | 5,455       | 6,568       | 10,757      | 10,647            | 13             |

Worktable Orig290F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2007

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data - mortality"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, sex, and year | All ages | Under 1 year | 1-4 years | 5-14 years | 15-24 years | 25-34 years | 35-44 years | 45-54 years | 55-64 years | 65-74 years | 75-84 years | 85 years and over | Age not stated |
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|

Accidents (unintentional injuries) (V01-X59,Y85-Y86)

| Non-Hispanic white, male   |        |     |     |       |       |       |       |        |       |       |       |       |    |
|----------------------------|--------|-----|-----|-------|-------|-------|-------|--------|-------|-------|-------|-------|----|
| 2007 2/.....               | 59,274 | 365 | 521 | 763   | 8,137 | 7,709 | 8,537 | 10,398 | 6,410 | 4,447 | 6,317 | 5,660 | 10 |
| 2006 2/.....               | 57,758 | 323 | 458 | 766   | 8,290 | 7,578 | 8,714 | 10,124 | 5,847 | 4,164 | 6,269 | 5,203 | 22 |
| 2005 2/.....               | 56,021 | 303 | 557 | 886   | 7,942 | 6,966 | 8,585 | 9,562  | 5,649 | 4,232 | 6,311 | 5,014 | 14 |
| 2004 2/.....               | 53,465 | 335 | 553 | 991   | 7,885 | 6,458 | 8,412 | 8,935  | 4,955 | 4,027 | 6,140 | 4,745 | 29 |
| 2003 2/.....               | 51,888 | 283 | 610 | 954   | 7,698 | 6,138 | 8,574 | 8,219  | 4,841 | 3,952 | 5,957 | 4,643 | 19 |
| 2002.....                  | 50,652 | 279 | 527 | 997   | 7,746 | 6,273 | 8,550 | 7,745  | 4,374 | 3,991 | 5,805 | 4,342 | 23 |
| 2001.....                  | 48,180 | 281 | 624 | 1,066 | 7,297 | 5,906 | 8,188 | 7,034  | 3,905 | 3,837 | 5,800 | 4,220 | 22 |
| 2000.....                  | 46,470 | 266 | 638 | 1,176 | 7,065 | 5,861 | 8,113 | 6,521  | 3,871 | 3,692 | 5,292 | 3,968 | 7  |
| 1999.....                  | 46,113 | 258 | 617 | 1,205 | 6,749 | 5,932 | 7,949 | 6,142  | 3,730 | 3,962 | 5,551 | 4,006 | 12 |
| Non-Hispanic white, female |        |     |     |       |       |       |       |        |       |       |       |       |    |
| 2007 2/.....               | 35,310 | 276 | 314 | 487   | 2,895 | 2,638 | 3,733 | 4,947  | 2,992 | 2,550 | 5,637 | 8,841 | -  |
| 2006 2/.....               | 34,072 | 232 | 356 | 501   | 2,913 | 2,507 | 3,845 | 4,495  | 2,806 | 2,581 | 5,674 | 8,160 | 2  |
| 2005 2/.....               | 32,949 | 264 | 341 | 537   | 2,769 | 2,381 | 3,667 | 4,095  | 2,654 | 2,658 | 5,631 | 7,948 | 4  |
| 2004 2/.....               | 32,001 | 222 | 380 | 582   | 2,962 | 2,254 | 3,613 | 3,809  | 2,435 | 2,505 | 5,634 | 7,599 | 6  |
| 2003 2/.....               | 30,927 | 213 | 375 | 581   | 2,940 | 2,100 | 3,532 | 3,502  | 2,202 | 2,514 | 5,530 | 7,435 | 3  |
| 2002.....                  | 29,953 | 183 | 338 | 584   | 2,918 | 2,071 | 3,485 | 3,114  | 2,019 | 2,490 | 5,511 | 7,237 | 3  |
| 2001.....                  | 28,082 | 219 | 382 | 622   | 2,570 | 1,892 | 3,152 | 2,670  | 1,871 | 2,472 | 5,357 | 6,872 | 3  |
| 2000.....                  | 27,066 | 189 | 395 | 667   | 2,670 | 1,869 | 2,895 | 2,361  | 1,882 | 2,489 | 5,064 | 6,584 | 1  |
| 1999.....                  | 27,213 | 177 | 425 | 703   | 2,661 | 1,923 | 2,895 | 2,250  | 1,725 | 2,606 | 5,206 | 6,641 | 1  |

Worktable Orig290F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2007

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data - mortality"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, sex, and year | All ages | Under 1 year | 1-4 years | 5-14 years | 15-24 years | 25-34 years | 35-44 years | 45-54 years | 55-64 years | 65-74 years | 75-84 years | 85 years and over | Age not stated |
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|

Accidents (unintentional injuries) (V01-X59,Y85-Y86)

| Non-Hispanic black, both sexes |        |     |     |     |       |       |       |       |       |     |     |     |    |
|--------------------------------|--------|-----|-----|-----|-------|-------|-------|-------|-------|-----|-----|-----|----|
| 2007 2/.....                   | 13,332 | 422 | 318 | 452 | 1,699 | 1,748 | 2,118 | 2,724 | 1,584 | 900 | 756 | 611 | -  |
| 2006 2/.....                   | 13,684 | 348 | 355 | 460 | 1,703 | 1,903 | 2,307 | 2,817 | 1,544 | 853 | 815 | 577 | 2  |
| 2005 2/.....                   | 13,393 | 306 | 316 | 497 | 1,734 | 1,754 | 2,161 | 2,647 | 1,441 | 921 | 964 | 647 | 5  |
| 2004 2/.....                   | 12,446 | 298 | 317 | 557 | 1,614 | 1,704 | 2,072 | 2,418 | 1,251 | 818 | 857 | 539 | 1  |
| 2003 2/.....                   | 12,154 | 283 | 333 | 517 | 1,590 | 1,602 | 2,195 | 2,289 | 1,152 | 850 | 798 | 544 | 1  |
| 2002.....                      | 12,285 | 324 | 350 | 607 | 1,680 | 1,676 | 2,227 | 2,145 | 1,075 | 818 | 799 | 580 | 4  |
| 2001.....                      | 12,239 | 272 | 331 | 630 | 1,713 | 1,600 | 2,282 | 2,103 | 1,045 | 836 | 830 | 589 | 8  |
| 2000.....                      | 12,087 | 268 | 396 | 619 | 1,662 | 1,740 | 2,253 | 1,961 | 983   | 857 | 768 | 576 | 4  |
| 1999.....                      | 12,533 | 251 | 428 | 701 | 1,694 | 1,738 | 2,245 | 1,903 | 1,047 | 943 | 925 | 646 | 12 |
| Non-Hispanic black, male       |        |     |     |     |       |       |       |       |       |     |     |     |    |
| 2007 2/.....                   | 9,093  | 219 | 186 | 275 | 1,267 | 1,342 | 1,531 | 1,919 | 1,138 | 594 | 392 | 230 | -  |
| 2006 2/.....                   | 9,443  | 208 | 207 | 288 | 1,293 | 1,480 | 1,637 | 2,037 | 1,110 | 539 | 422 | 221 | 1  |
| 2005 2/.....                   | 9,130  | 168 | 179 | 312 | 1,301 | 1,332 | 1,521 | 1,897 | 1,071 | 589 | 518 | 239 | 3  |
| 2004 2/.....                   | 8,430  | 159 | 182 | 343 | 1,191 | 1,303 | 1,434 | 1,714 | 901   | 520 | 467 | 215 | 1  |
| 2003 2/.....                   | 8,237  | 158 | 197 | 330 | 1,205 | 1,197 | 1,539 | 1,625 | 824   | 518 | 429 | 214 | 1  |
| 2002.....                      | 8,428  | 172 | 231 | 391 | 1,260 | 1,279 | 1,562 | 1,523 | 791   | 527 | 448 | 240 | 4  |
| 2001.....                      | 8,381  | 158 | 188 | 432 | 1,285 | 1,192 | 1,608 | 1,574 | 750   | 505 | 461 | 222 | 6  |
| 2000.....                      | 8,380  | 145 | 232 | 406 | 1,233 | 1,316 | 1,649 | 1,454 | 736   | 537 | 432 | 236 | 4  |
| 1999.....                      | 8,629  | 140 | 260 | 467 | 1,281 | 1,313 | 1,628 | 1,441 | 742   | 596 | 483 | 268 | 10 |

Worktable Orig290F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2007

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data - mortality"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, sex, and year | All ages | Under 1 year | 1-4 years | 5-14 years | 15-24 years | 25-34 years | 35-44 years | 45-54 years | 55-64 years | 65-74 years | 75-84 years | 85 years and over | Age not stated |
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|

Accidents (unintentional injuries) (V01-X59,Y85-Y86)

| Non-Hispanic black, female |       |     |     |     |     |     |     |     |     |     |     |     |   |
|----------------------------|-------|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|---|
| 2007 2/.....               | 4,239 | 203 | 132 | 177 | 432 | 406 | 587 | 805 | 446 | 306 | 364 | 381 | - |
| 2006 2/.....               | 4,241 | 140 | 148 | 172 | 410 | 423 | 670 | 780 | 434 | 314 | 393 | 356 | 1 |
| 2005 2/.....               | 4,263 | 138 | 137 | 185 | 433 | 422 | 640 | 750 | 370 | 332 | 446 | 408 | 2 |
| 2004 2/.....               | 4,016 | 139 | 135 | 214 | 423 | 401 | 638 | 704 | 350 | 298 | 390 | 324 | - |
| 2003 2/.....               | 3,917 | 125 | 136 | 187 | 385 | 405 | 656 | 664 | 328 | 332 | 369 | 330 | - |
| 2002.....                  | 3,857 | 152 | 119 | 216 | 420 | 397 | 665 | 622 | 284 | 291 | 351 | 340 | - |
| 2001.....                  | 3,858 | 114 | 143 | 198 | 428 | 408 | 674 | 529 | 295 | 331 | 369 | 367 | 2 |
| 2000.....                  | 3,707 | 123 | 164 | 213 | 429 | 424 | 604 | 507 | 247 | 320 | 336 | 340 | - |
| 1999.....                  | 3,904 | 111 | 168 | 234 | 413 | 425 | 617 | 462 | 305 | 347 | 442 | 378 | 2 |

| Origin not stated 3/, both sexes |     |   |    |    |    |    |    |     |    |    |    |    |    |
|----------------------------------|-----|---|----|----|----|----|----|-----|----|----|----|----|----|
| 2007.....                        | 342 | 4 | 4  | 3  | 24 | 41 | 51 | 83  | 53 | 22 | 28 | 15 | 14 |
| 2006.....                        | 375 | 4 | 15 | 5  | 39 | 45 | 62 | 82  | 40 | 20 | 35 | 14 | 14 |
| 2005.....                        | 378 | 6 | 3  | 2  | 27 | 50 | 66 | 87  | 46 | 25 | 23 | 24 | 19 |
| 2004.....                        | 369 | 2 | 5  | 12 | 32 | 45 | 51 | 86  | 35 | 24 | 25 | 20 | 32 |
| 2003.....                        | 453 | 2 | 6  | 4  | 40 | 48 | 76 | 95  | 46 | 35 | 34 | 29 | 38 |
| 2002.....                        | 461 | 3 | 4  | 11 | 43 | 53 | 77 | 85  | 51 | 36 | 46 | 28 | 24 |
| 2001.....                        | 492 | 5 | 5  | 12 | 42 | 44 | 96 | 82  | 52 | 34 | 34 | 31 | 55 |
| 2000.....                        | 512 | 4 | 8  | 11 | 50 | 58 | 89 | 106 | 47 | 33 | 32 | 29 | 45 |
| 1999.....                        | 541 | 1 | 7  | 8  | 52 | 66 | 95 | 91  | 66 | 30 | 52 | 37 | 36 |



Worktable Orig290F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2007

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data - mortality"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, sex, and year | All ages | Under 1 year | 1-4 years | 5-14 years | 15-24 years | 25-34 years | 35-44 years | 45-54 years | 55-64 years | 65-74 years | 75-84 years | 85 years and over | Age not stated |
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|

Accidents (unintentional injuries) (V01-X59,Y85-Y86)

Origin not stated 3/, male

|           |     |   |    |   |    |    |    |    |    |    |    |    |    |
|-----------|-----|---|----|---|----|----|----|----|----|----|----|----|----|
| 2007..... | 244 | 4 | 2  | 3 | 19 | 29 | 31 | 63 | 38 | 15 | 19 | 9  | 12 |
| 2006..... | 275 | 3 | 11 | 2 | 31 | 33 | 48 | 60 | 33 | 14 | 25 | 4  | 11 |
| 2005..... | 269 | 3 | 2  | - | 20 | 39 | 45 | 66 | 35 | 18 | 14 | 9  | 18 |
| 2004..... | 272 | 1 | 3  | 5 | 21 | 35 | 38 | 72 | 27 | 21 | 14 | 9  | 26 |
| 2003..... | 343 | 2 | 4  | 4 | 31 | 37 | 61 | 72 | 36 | 28 | 20 | 13 | 35 |
| 2002..... | 358 | 2 | 3  | 8 | 32 | 44 | 62 | 67 | 49 | 31 | 31 | 12 | 17 |
| 2001..... | 375 | 4 | 5  | 9 | 35 | 35 | 77 | 69 | 42 | 21 | 20 | 9  | 49 |
| 2000..... | 385 | 3 | 3  | 3 | 36 | 48 | 73 | 82 | 39 | 24 | 17 | 13 | 44 |
| 1999..... | 406 | - | 4  | 8 | 37 | 53 | 70 | 77 | 54 | 23 | 32 | 17 | 31 |

Origin not stated 3/, female

|           |     |   |   |   |    |    |    |    |    |    |    |    |   |
|-----------|-----|---|---|---|----|----|----|----|----|----|----|----|---|
| 2007..... | 98  | - | 2 | - | 5  | 12 | 20 | 20 | 15 | 7  | 9  | 6  | 2 |
| 2006..... | 100 | 1 | 4 | 3 | 8  | 12 | 14 | 22 | 7  | 6  | 10 | 10 | 3 |
| 2005..... | 109 | 3 | 1 | 2 | 7  | 11 | 21 | 21 | 11 | 7  | 9  | 15 | 1 |
| 2004..... | 97  | 1 | 2 | 7 | 11 | 10 | 13 | 14 | 8  | 3  | 11 | 11 | 6 |
| 2003..... | 110 | - | 2 | - | 9  | 11 | 15 | 23 | 10 | 7  | 14 | 16 | 3 |
| 2002..... | 103 | 1 | 1 | 3 | 11 | 9  | 15 | 18 | 2  | 5  | 15 | 16 | 7 |
| 2001..... | 117 | 1 | - | 3 | 7  | 9  | 19 | 13 | 10 | 13 | 14 | 22 | 6 |
| 2000..... | 127 | 1 | 5 | 8 | 14 | 10 | 16 | 24 | 8  | 9  | 15 | 16 | 1 |
| 1999..... | 135 | 1 | 3 | - | 15 | 13 | 25 | 14 | 12 | 7  | 20 | 20 | 5 |

Worktable Orig290F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2007

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data - mortality"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, sex, and year | All ages | Under 1 year | 1-4 years | 5-14 years | 15-24 years | 25-34 years | 35-44 years | 45-54 years | 55-64 years | 65-74 years | 75-84 years | 85 years and over | Age not stated |
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|
| Transport accidents (V01-V99,Y85)  |          |              |           |            |             |             |             |             |             |             |             |                   |                |
| All origins, both sexes  |          |              |           |            |             |             |             |             |             |             |             |                   |                |
| 2007.....  | 46,844   | 127          | 581       | 1,374      | 10,928      | 7,452       | 6,829       | 7,199       | 4,838       | 3,194       | 2,983       | 1,326             | 13             |
| 2006.....  | 48,412   | 142          | 615       | 1,453      | 11,392      | 7,753       | 7,249       | 7,264       | 4,986       | 3,170       | 3,082       | 1,290             | 16             |
| 2005.....  | 48,441   | 147          | 646       | 1,547      | 11,288      | 7,638       | 7,295       | 7,101       | 4,918       | 3,353       | 3,168       | 1,329             | 11             |
| 2004.....  | 48,053   | 145          | 659       | 1,755      | 11,377      | 7,521       | 7,247       | 6,953       | 4,510       | 3,229       | 3,310       | 1,320             | 27             |
| 2003.....  | 48,071   | 148          | 649       | 1,765      | 11,432      | 7,280       | 7,594       | 6,754       | 4,441       | 3,210       | 3,377       | 1,401             | 20             |
| 2002.....  | 48,366   | 127          | 640       | 1,738      | 11,816      | 7,484       | 7,688       | 6,563       | 4,165       | 3,351       | 3,433       | 1,322             | 39             |
| 2001.....  | 47,288   | 151          | 678       | 1,823      | 11,139      | 7,454       | 7,827       | 6,251       | 3,861       | 3,282       | 3,507       | 1,272             | 43             |
| 2000.....  | 46,749   | 174          | 691       | 1,922      | 11,028      | 7,400       | 7,661       | 5,965       | 3,883       | 3,315       | 3,342       | 1,335             | 33             |
| 1999.....  | 46,423   | 189          | 712       | 1,975      | 10,689      | 7,434       | 7,553       | 5,645       | 3,812       | 3,579       | 3,468       | 1,330             | 37             |
| All origins, male  |          |              |           |            |             |             |             |             |             |             |             |                   |                |
| 2007.....  | 33,434   | 58           | 328       | 813        | 7,943       | 5,710       | 5,084       | 5,348       | 3,460       | 2,138       | 1,798       | 741               | 13             |
| 2006.....  | 34,065   | 70           | 329       | 849        | 8,281       | 5,951       | 5,233       | 5,347       | 3,483       | 2,026       | 1,758       | 724               | 14             |
| 2005.....  | 34,086   | 74           | 369       | 910        | 8,208       | 5,840       | 5,303       | 5,208       | 3,435       | 2,157       | 1,835       | 737               | 10             |
| 2004.....  | 33,311   | 81           | 359       | 1,039      | 8,113       | 5,641       | 5,297       | 5,042       | 3,114       | 1,998       | 1,905       | 701               | 21             |
| 2003.....  | 33,291   | 81           | 366       | 1,084      | 8,171       | 5,511       | 5,497       | 4,865       | 3,087       | 1,975       | 1,885       | 751               | 18             |
| 2002.....  | 33,533   | 72           | 381       | 1,039      | 8,471       | 5,676       | 5,499       | 4,727       | 2,877       | 2,101       | 1,917       | 737               | 36             |
| 2001.....  | 32,794   | 68           | 392       | 1,115      | 8,111       | 5,661       | 5,613       | 4,484       | 2,631       | 2,015       | 1,983       | 684               | 37             |
| 2000.....  | 32,166   | 94           | 391       | 1,138      | 7,890       | 5,570       | 5,560       | 4,260       | 2,617       | 2,021       | 1,858       | 734               | 33             |
| 1999.....  | 31,642   | 101          | 400       | 1,206      | 7,558       | 5,511       | 5,376       | 4,016       | 2,561       | 2,162       | 1,959       | 758               | 34             |

Worktable Orig290F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2007

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data - mortality"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, sex, and year | All ages | Under 1 year | 1-4 years | 5-14 years | 15-24 years | 25-34 years | 35-44 years | 45-54 years | 55-64 years | 65-74 years | 75-84 years | 85 years and over | Age not stated |
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|
| Transport accidents (V01-V99,Y85)  |          |              |           |            |             |             |             |             |             |             |             |                   |                |
| All origins, female  |          |              |           |            |             |             |             |             |             |             |             |                   |                |
| 2007.....  | 13,410   | 69           | 253       | 561        | 2,985       | 1,742       | 1,745       | 1,851       | 1,378       | 1,056       | 1,185       | 585               | -              |
| 2006.....  | 14,347   | 72           | 286       | 604        | 3,111       | 1,802       | 2,016       | 1,917       | 1,503       | 1,144       | 1,324       | 566               | 2              |
| 2005.....  | 14,355   | 73           | 277       | 637        | 3,080       | 1,798       | 1,992       | 1,893       | 1,483       | 1,196       | 1,333       | 592               | 1              |
| 2004.....  | 14,742   | 64           | 300       | 716        | 3,264       | 1,880       | 1,950       | 1,911       | 1,396       | 1,231       | 1,405       | 619               | 6              |
| 2003.....  | 14,780   | 67           | 283       | 681        | 3,261       | 1,769       | 2,097       | 1,889       | 1,354       | 1,235       | 1,492       | 650               | 2              |
| 2002.....  | 14,833   | 55           | 259       | 699        | 3,345       | 1,808       | 2,189       | 1,836       | 1,288       | 1,250       | 1,516       | 585               | 3              |
| 2001.....  | 14,494   | 83           | 286       | 708        | 3,028       | 1,793       | 2,214       | 1,767       | 1,230       | 1,267       | 1,524       | 588               | 6              |
| 2000.....  | 14,583   | 80           | 300       | 784        | 3,138       | 1,830       | 2,101       | 1,705       | 1,266       | 1,294       | 1,484       | 601               | -              |
| 1999.....  | 14,781   | 88           | 312       | 769        | 3,131       | 1,923       | 2,177       | 1,629       | 1,251       | 1,417       | 1,509       | 572               | 3              |
| Hispanic, both sexes   |          |              |           |            |             |             |             |             |             |             |             |                   |                |
| 2007.....  | 6,117    | 31           | 166       | 269        | 1,849       | 1,395       | 922         | 690         | 347         | 225         | 168         | 49                | 6              |
| 2006.....  | 6,556    | 45           | 174       | 291        | 2,052       | 1,439       | 1,022       | 707         | 392         | 239         | 159         | 28                | 8              |
| 2005.....  | 6,358    | 44           | 192       | 285        | 2,046       | 1,431       | 950         | 637         | 341         | 215         | 176         | 36                | 5              |
| 2004.....  | 6,010    | 40           | 164       | 302        | 1,866       | 1,381       | 915         | 575         | 353         | 216         | 150         | 42                | 6              |
| 2003.....  | 6,045    | 39           | 139       | 308        | 1,834       | 1,412       | 973         | 577         | 329         | 227         | 151         | 48                | 8              |
| 2002.....  | 5,921    | 26           | 182       | 277        | 1,875       | 1,340       | 930         | 554         | 300         | 217         | 157         | 46                | 17             |
| 2001.....  | 5,774    | 43           | 159       | 265        | 1,740       | 1,293       | 942         | 557         | 331         | 229         | 167         | 38                | 10             |
| 2000.....  | 5,217    | 42           | 154       | 279        | 1,616       | 1,126       | 831         | 508         | 268         | 220         | 121         | 38                | 14             |
| 1999.....  | 4,880    | 40           | 157       | 250        | 1,457       | 1,125       | 758         | 445         | 253         | 228         | 120         | 36                | 11             |

Worktable Orig290F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2007

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data - mortality"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, sex, and year | All ages | Under 1 year | 1-4 years | 5-14 years | 15-24 years | 25-34 years | 35-44 years | 45-54 years | 55-64 years | 65-74 years | 75-84 years | 85 years and over | Age not stated |
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|
| Transport accidents (V01-V99,Y85)  |          |              |           |            |             |             |             |             |             |             |             |                   |                |
| Hispanic, male   |          |              |           |            |             |             |             |             |             |             |             |                   |                |
| 2007.....  | 4,641    | 15           | 96        | 169        | 1,457       | 1,141       | 695         | 533         | 241         | 158         | 101         | 29                | 6              |
| 2006.....  | 4,981    | 23           | 101       | 176        | 1,640       | 1,182       | 791         | 526         | 276         | 149         | 93          | 17                | 7              |
| 2005.....  | 4,787    | 21           | 119       | 168        | 1,588       | 1,177       | 717         | 479         | 238         | 152         | 106         | 17                | 5              |
| 2004.....  | 4,551    | 18           | 95        | 181        | 1,492       | 1,123       | 720         | 436         | 229         | 135         | 97          | 20                | 5              |
| 2003.....  | 4,574    | 25           | 77        | 209        | 1,437       | 1,175       | 740         | 427         | 212         | 142         | 92          | 30                | 8              |
| 2002.....  | 4,481    | 16           | 113       | 173        | 1,479       | 1,094       | 722         | 394         | 207         | 149         | 91          | 27                | 16             |
| 2001.....  | 4,334    | 16           | 92        | 155        | 1,383       | 1,067       | 731         | 390         | 214         | 141         | 114         | 23                | 8              |
| 2000.....  | 3,921    | 24           | 85        | 155        | 1,285       | 921         | 639         | 373         | 189         | 140         | 74          | 22                | 14             |
| 1999.....  | 3,630    | 22           | 85        | 151        | 1,136       | 904         | 590         | 330         | 161         | 144         | 77          | 19                | 11             |
| Hispanic, female   |          |              |           |            |             |             |             |             |             |             |             |                   |                |
| 2007.....  | 1,476    | 16           | 70        | 100        | 392         | 254         | 227         | 157         | 106         | 67          | 67          | 20                | -              |
| 2006.....  | 1,575    | 22           | 73        | 115        | 412         | 257         | 231         | 181         | 116         | 90          | 66          | 11                | 1              |
| 2005.....  | 1,571    | 23           | 73        | 117        | 458         | 254         | 233         | 158         | 103         | 63          | 70          | 19                | -              |
| 2004.....  | 1,459    | 22           | 69        | 121        | 374         | 258         | 195         | 139         | 124         | 81          | 53          | 22                | 1              |
| 2003.....  | 1,471    | 14           | 62        | 99         | 397         | 237         | 233         | 150         | 117         | 85          | 59          | 18                | -              |
| 2002.....  | 1,440    | 10           | 69        | 104        | 396         | 246         | 208         | 160         | 93          | 68          | 66          | 19                | 1              |
| 2001.....  | 1,440    | 27           | 67        | 110        | 357         | 226         | 211         | 167         | 117         | 88          | 53          | 15                | 2              |
| 2000.....  | 1,296    | 18           | 69        | 124        | 331         | 205         | 192         | 135         | 79          | 80          | 47          | 16                | -              |
| 1999.....  | 1,250    | 18           | 72        | 99         | 321         | 221         | 168         | 115         | 92          | 84          | 43          | 17                | -              |

Worktable Orig290F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2007

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data - mortality"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, sex, and year | All ages | Under 1 year | 1-4 years | 5-14 years | 15-24 years | 25-34 years | 35-44 years | 45-54 years | 55-64 years | 65-74 years | 75-84 years | 85 years and over | Age not stated |
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|
| <b>Transport accidents (V01-V99,Y85)</b>   |          |              |           |            |             |             |             |             |             |             |             |                   |                |
| <b>Non-Hispanic 1/, both sexes</b>   |          |              |           |            |             |             |             |             |             |             |             |                   |                |
| 2007.....  | 40,604   | 96           | 414       | 1,102      | 9,066       | 6,033       | 5,886       | 6,483       | 4,474       | 2,961       | 2,807       | 1,277             | 5              |
| 2006.....  | 41,727   | 97           | 439       | 1,160      | 9,313       | 6,299       | 6,201       | 6,531       | 4,581       | 2,923       | 2,913       | 1,262             | 8              |
| 2005.....  | 41,957   | 103          | 453       | 1,261      | 9,222       | 6,179       | 6,325       | 6,440       | 4,564       | 3,131       | 2,986       | 1,288             | 5              |
| 2004.....  | 41,892   | 104          | 494       | 1,444      | 9,488       | 6,117       | 6,312       | 6,346       | 4,146       | 3,004       | 3,151       | 1,277             | 9              |
| 2003.....  | 41,856   | 109          | 505       | 1,454      | 9,570       | 5,846       | 6,597       | 6,150       | 4,090       | 2,966       | 3,217       | 1,348             | 4              |
| 2002.....  | 42,268   | 101          | 457       | 1,456      | 9,912       | 6,120       | 6,730       | 5,975       | 3,844       | 3,120       | 3,264       | 1,274             | 15             |
| 2001.....  | 41,339   | 108          | 517       | 1,554      | 9,371       | 6,141       | 6,848       | 5,668       | 3,513       | 3,044       | 3,330       | 1,230             | 15             |
| 2000.....  | 41,341   | 132          | 533       | 1,637      | 9,375       | 6,244       | 6,801       | 5,430       | 3,595       | 3,082       | 3,214       | 1,295             | 3              |
| 1999.....  | 41,330   | 149          | 553       | 1,719      | 9,192       | 6,272       | 6,766       | 5,175       | 3,535       | 3,338       | 3,329       | 1,291             | 11             |
| <b>Non-Hispanic 1/, male</b>   |          |              |           |            |             |             |             |             |             |             |             |                   |                |
| 2007.....  | 28,695   | 43           | 231       | 641        | 6,475       | 4,549       | 4,377       | 4,793       | 3,204       | 1,975       | 1,690       | 712               | 5              |
| 2006.....  | 28,988   | 47           | 227       | 672        | 6,620       | 4,756       | 4,424       | 4,802       | 3,197       | 1,872       | 1,657       | 707               | 7              |
| 2005.....  | 29,209   | 53           | 249       | 742        | 6,606       | 4,641       | 4,573       | 4,712       | 3,187       | 2,000       | 1,725       | 717               | 4              |
| 2004.....  | 28,652   | 63           | 263       | 854        | 6,608       | 4,501       | 4,564       | 4,580       | 2,876       | 1,855       | 1,801       | 680               | 7              |
| 2003.....  | 28,591   | 56           | 286       | 872        | 6,713       | 4,320       | 4,737       | 4,418       | 2,858       | 1,820       | 1,789       | 718               | 4              |
| 2002.....  | 28,906   | 56           | 267       | 862        | 6,970       | 4,562       | 4,755       | 4,305       | 2,651       | 1,940       | 1,816       | 708               | 14             |
| 2001.....  | 28,327   | 52           | 298       | 957        | 6,706       | 4,578       | 4,855       | 4,071       | 2,405       | 1,869       | 1,865       | 659               | 12             |
| 2000.....  | 28,096   | 70           | 304       | 982        | 6,580       | 4,624       | 4,896       | 3,865       | 2,411       | 1,871       | 1,779       | 711               | 3              |
| 1999.....  | 27,850   | 79           | 313       | 1,049      | 6,396       | 4,578       | 4,764       | 3,666       | 2,379       | 2,009       | 1,869       | 738               | 10             |

Worktable Orig290F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2007

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data - mortality"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, sex, and year | All ages | Under 1 year | 1-4 years | 5-14 years | 15-24 years | 25-34 years | 35-44 years | 45-54 years | 55-64 years | 65-74 years | 75-84 years | 85 years and over | Age not stated |
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|
| Transport accidents (V01-V99,Y85)  |          |              |           |            |             |             |             |             |             |             |             |                   |                |
| Non-Hispanic 1/, female  |          |              |           |            |             |             |             |             |             |             |             |                   |                |
| 2007.....  | 11,909   | 53           | 183       | 461        | 2,591       | 1,484       | 1,509       | 1,690       | 1,270       | 986         | 1,117       | 565               | -              |
| 2006.....  | 12,739   | 50           | 212       | 488        | 2,693       | 1,543       | 1,777       | 1,729       | 1,384       | 1,051       | 1,256       | 555               | 1              |
| 2005.....  | 12,748   | 50           | 204       | 519        | 2,616       | 1,538       | 1,752       | 1,728       | 1,377       | 1,131       | 1,261       | 571               | 1              |
| 2004.....  | 13,240   | 41           | 231       | 590        | 2,880       | 1,616       | 1,748       | 1,766       | 1,270       | 1,149       | 1,350       | 597               | 2              |
| 2003.....  | 13,265   | 53           | 219       | 582        | 2,857       | 1,526       | 1,860       | 1,732       | 1,232       | 1,146       | 1,428       | 630               | -              |
| 2002.....  | 13,362   | 45           | 190       | 594        | 2,942       | 1,558       | 1,975       | 1,670       | 1,193       | 1,180       | 1,448       | 566               | 1              |
| 2001.....  | 13,012   | 56           | 219       | 597        | 2,665       | 1,563       | 1,993       | 1,597       | 1,108       | 1,175       | 1,465       | 571               | 3              |
| 2000.....  | 13,245   | 62           | 229       | 655        | 2,795       | 1,620       | 1,905       | 1,565       | 1,184       | 1,211       | 1,435       | 584               | -              |
| 1999.....  | 13,480   | 70           | 240       | 670        | 2,796       | 1,694       | 2,002       | 1,509       | 1,156       | 1,329       | 1,460       | 553               | 1              |
| Non-Hispanic white, both sexes   |          |              |           |            |             |             |             |             |             |             |             |                   |                |
| 2007 2/.....   | 33,035   | 63           | 263       | 816        | 7,317       | 4,623       | 4,637       | 5,334       | 3,767       | 2,534       | 2,510       | 1,166             | 5              |
| 2006 2/.....   | 33,930   | 59           | 277       | 839        | 7,584       | 4,768       | 4,955       | 5,346       | 3,795       | 2,523       | 2,603       | 1,175             | 6              |
| 2005 2/.....   | 34,349   | 59           | 306       | 930        | 7,475       | 4,749       | 5,081       | 5,302       | 3,869       | 2,692       | 2,681       | 1,201             | 4              |
| 2004 2/.....   | 34,315   | 66           | 338       | 1,085      | 7,812       | 4,652       | 5,065       | 5,152       | 3,498       | 2,593       | 2,842       | 1,203             | 9              |
| 2003 2/.....   | 34,220   | 73           | 352       | 1,095      | 7,826       | 4,480       | 5,276       | 5,019       | 3,414       | 2,543       | 2,892       | 1,246             | 4              |
| 2002.....  | 34,689   | 59           | 300       | 1,076      | 8,146       | 4,703       | 5,389       | 4,909       | 3,246       | 2,695       | 2,974       | 1,182             | 10             |
| 2001.....  | 33,753   | 74           | 353       | 1,122      | 7,563       | 4,771       | 5,494       | 4,611       | 2,937       | 2,628       | 3,044       | 1,148             | 8              |
| 2000.....  | 33,808   | 79           | 357       | 1,246      | 7,669       | 4,759       | 5,471       | 4,402       | 3,039       | 2,649       | 2,937       | 1,197             | 3              |
| 1999.....  | 33,803   | 98           | 349       | 1,291      | 7,493       | 4,889       | 5,425       | 4,211       | 2,946       | 2,897       | 3,020       | 1,180             | 4              |

Worktable Orig290F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2007

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data - mortality"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, sex, and year | All ages | Under 1 year | 1-4 years | 5-14 years | 15-24 years | 25-34 years | 35-44 years | 45-54 years | 55-64 years | 65-74 years | 75-84 years | 85 years and over | Age not stated |
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|
| Transport accidents (V01-V99,Y85)  |          |              |           |            |             |             |             |             |             |             |             |                   |                |
| Non-Hispanic white, male   |          |              |           |            |             |             |             |             |             |             |             |                   |                |
| 2007 2/.....   | 23,270   | 32           | 152       | 473        | 5,210       | 3,464       | 3,437       | 3,950       | 2,706       | 1,698       | 1,501       | 642               | 5              |
| 2006 2/.....   | 23,493   | 30           | 135       | 475        | 5,372       | 3,588       | 3,530       | 3,940       | 2,666       | 1,614       | 1,485       | 652               | 6              |
| 2005 2/.....   | 23,830   | 33           | 163       | 549        | 5,340       | 3,541       | 3,662       | 3,902       | 2,708       | 1,714       | 1,548       | 667               | 3              |
| 2004 2/.....   | 23,403   | 39           | 177       | 656        | 5,437       | 3,396       | 3,677       | 3,732       | 2,418       | 1,603       | 1,620       | 641               | 7              |
| 2003 2/.....   | 23,332   | 39           | 208       | 648        | 5,439       | 3,319       | 3,796       | 3,620       | 2,411       | 1,584       | 1,606       | 658               | 4              |
| 2002.....  | 23,628   | 35           | 168       | 643        | 5,707       | 3,501       | 3,816       | 3,570       | 2,240       | 1,661       | 1,630       | 648               | 9              |
| 2001.....  | 23,047   | 36           | 208       | 686        | 5,401       | 3,561       | 3,887       | 3,326       | 2,009       | 1,617       | 1,698       | 611               | 7              |
| 2000.....  | 22,855   | 44           | 205       | 748        | 5,361       | 3,518       | 3,935       | 3,160       | 2,014       | 1,597       | 1,609       | 661               | 3              |
| 1999.....  | 22,682   | 58           | 192       | 782        | 5,181       | 3,561       | 3,827       | 2,992       | 1,986       | 1,745       | 1,686       | 668               | 4              |
| Non-Hispanic white, female   |          |              |           |            |             |             |             |             |             |             |             |                   |                |
| 2007 2/.....   | 9,765    | 31           | 111       | 343        | 2,107       | 1,159       | 1,200       | 1,384       | 1,061       | 836         | 1,009       | 524               | -              |
| 2006 2/.....   | 10,437   | 29           | 142       | 364        | 2,212       | 1,180       | 1,425       | 1,406       | 1,129       | 909         | 1,118       | 523               | -              |
| 2005 2/.....   | 10,519   | 26           | 143       | 381        | 2,135       | 1,208       | 1,419       | 1,400       | 1,161       | 978         | 1,133       | 534               | 1              |
| 2004 2/.....   | 10,912   | 27           | 161       | 429        | 2,375       | 1,256       | 1,388       | 1,420       | 1,080       | 990         | 1,222       | 562               | 2              |
| 2003 2/.....   | 10,888   | 34           | 144       | 447        | 2,387       | 1,161       | 1,480       | 1,399       | 1,003       | 959         | 1,286       | 588               | -              |
| 2002.....  | 11,061   | 24           | 132       | 433        | 2,439       | 1,202       | 1,573       | 1,339       | 1,006       | 1,034       | 1,344       | 534               | 1              |
| 2001.....  | 10,706   | 38           | 145       | 436        | 2,162       | 1,210       | 1,607       | 1,285       | 928         | 1,011       | 1,346       | 537               | 1              |
| 2000.....  | 10,953   | 35           | 152       | 498        | 2,308       | 1,241       | 1,536       | 1,242       | 1,025       | 1,052       | 1,328       | 536               | -              |
| 1999.....  | 11,121   | 40           | 157       | 509        | 2,312       | 1,328       | 1,598       | 1,219       | 960         | 1,152       | 1,334       | 512               | -              |

Worktable Orig290F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2007

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data - mortality"]

---

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, sex, and year

|  | All ages | Under 1 year | 1-4 years | 5-14 years | 15-24 years | 25-34 years | 35-44 years | 45-54 years | 55-64 years | 65-74 years | 75-84 years | 85 years and over | Age not stated |
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|

---

Transport accidents (V01-V99,Y85)

Non-Hispanic black, both sexes

|              |       |    |     |     |       |       |       |     |     |     |     |    |   |
|--------------|-------|----|-----|-----|-------|-------|-------|-----|-----|-----|-----|----|---|
| 2007 2/..... | 5,748 | 28 | 117 | 233 | 1,279 | 1,091 | 987   | 920 | 542 | 292 | 189 | 70 | - |
| 2006 2/..... | 5,871 | 31 | 130 | 250 | 1,244 | 1,195 | 976   | 913 | 597 | 274 | 200 | 60 | 1 |
| 2005 2/..... | 5,739 | 36 | 118 | 259 | 1,296 | 1,079 | 970   | 891 | 515 | 315 | 197 | 62 | 1 |
| 2004 2/..... | 5,744 | 32 | 129 | 284 | 1,228 | 1,134 | 956   | 946 | 496 | 276 | 211 | 52 | - |
| 2003 2/..... | 5,684 | 28 | 125 | 276 | 1,221 | 1,039 | 1,040 | 862 | 501 | 303 | 217 | 72 | - |
| 2002.....    | 5,665 | 36 | 121 | 302 | 1,275 | 1,089 | 1,033 | 810 | 444 | 284 | 206 | 62 | 3 |
| 2001.....    | 5,803 | 18 | 127 | 354 | 1,322 | 1,058 | 1,071 | 829 | 455 | 307 | 198 | 57 | 7 |
| 2000.....    | 5,757 | 40 | 139 | 309 | 1,262 | 1,152 | 1,059 | 809 | 417 | 322 | 179 | 69 | - |
| 1999.....    | 5,810 | 44 | 168 | 360 | 1,262 | 1,075 | 1,074 | 758 | 430 | 314 | 232 | 86 | 7 |

Non-Hispanic black, male

|              |       |    |    |     |     |     |     |     |     |     |     |    |   |
|--------------|-------|----|----|-----|-----|-----|-----|-----|-----|-----|-----|----|---|
| 2007 2/..... | 4,249 | 11 | 61 | 138 | 944 | 862 | 768 | 697 | 396 | 200 | 127 | 45 | - |
| 2006 2/..... | 4,255 | 15 | 74 | 154 | 915 | 934 | 724 | 678 | 418 | 187 | 114 | 41 | 1 |
| 2005 2/..... | 4,158 | 16 | 65 | 153 | 953 | 852 | 730 | 643 | 371 | 216 | 122 | 36 | 1 |
| 2004 2/..... | 4,109 | 20 | 68 | 158 | 884 | 880 | 704 | 693 | 353 | 185 | 135 | 29 | - |
| 2003 2/..... | 4,053 | 12 | 63 | 173 | 917 | 786 | 755 | 637 | 354 | 183 | 132 | 41 | - |
| 2002.....    | 4,051 | 18 | 79 | 177 | 917 | 837 | 733 | 582 | 327 | 196 | 139 | 43 | 3 |
| 2001.....    | 4,143 | 7  | 69 | 234 | 966 | 797 | 779 | 615 | 332 | 185 | 123 | 31 | 5 |
| 2000.....    | 4,127 | 21 | 77 | 191 | 907 | 875 | 796 | 571 | 314 | 218 | 118 | 39 | - |
| 1999.....    | 4,097 | 18 | 96 | 229 | 909 | 817 | 769 | 557 | 303 | 196 | 139 | 58 | 6 |



Worktable Orig290F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2007

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data - mortality"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, sex, and year | All ages | Under 1 year | 1-4 years | 5-14 years | 15-24 years | 25-34 years | 35-44 years | 45-54 years | 55-64 years | 65-74 years | 75-84 years | 85 years and over | Age not stated |
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|
| Transport accidents (V01-V99,Y85)  |          |              |           |            |             |             |             |             |             |             |             |                   |                |
| Non-Hispanic black, female   |          |              |           |            |             |             |             |             |             |             |             |                   |                |
| 2007 2/.....   | 1,499    | 17           | 56        | 95         | 335         | 229         | 219         | 223         | 146         | 92          | 62          | 25                | -              |
| 2006 2/.....   | 1,616    | 16           | 56        | 96         | 329         | 261         | 252         | 235         | 179         | 87          | 86          | 19                | -              |
| 2005 2/.....   | 1,581    | 20           | 53        | 106        | 343         | 227         | 240         | 248         | 144         | 99          | 75          | 26                | -              |
| 2004 2/.....   | 1,635    | 12           | 61        | 126        | 344         | 254         | 252         | 253         | 143         | 91          | 76          | 23                | -              |
| 2003 2/.....   | 1,631    | 16           | 62        | 103        | 304         | 253         | 285         | 225         | 147         | 120         | 85          | 31                | -              |
| 2002.....  | 1,614    | 18           | 42        | 125        | 358         | 252         | 300         | 228         | 117         | 88          | 67          | 19                | -              |
| 2001.....  | 1,660    | 11           | 58        | 120        | 356         | 261         | 292         | 214         | 123         | 122         | 75          | 26                | 2              |
| 2000.....  | 1,630    | 19           | 62        | 118        | 355         | 277         | 263         | 238         | 103         | 104         | 61          | 30                | -              |
| 1999.....  | 1,713    | 26           | 72        | 131        | 353         | 258         | 305         | 201         | 127         | 118         | 93          | 28                | 1              |
| Origin not stated 3/, both sexes   |          |              |           |            |             |             |             |             |             |             |             |                   |                |
| 2007.....  | 123      | -            | 1         | 3          | 13          | 24          | 21          | 26          | 17          | 8           | 8           | -                 | 2              |
| 2006.....  | 129      | -            | 2         | 2          | 27          | 15          | 26          | 26          | 13          | 8           | 10          | -                 | -              |
| 2005.....  | 126      | -            | 1         | 1          | 20          | 28          | 20          | 24          | 13          | 7           | 6           | 5                 | 1              |
| 2004.....  | 151      | 1            | 1         | 9          | 23          | 23          | 20          | 32          | 11          | 9           | 9           | 1                 | 12             |
| 2003.....  | 170      | -            | 5         | 3          | 28          | 22          | 24          | 27          | 22          | 17          | 9           | 5                 | 8              |
| 2002.....  | 177      | -            | 1         | 5          | 29          | 24          | 28          | 34          | 21          | 14          | 12          | 2                 | 7              |
| 2001.....  | 175      | -            | 2         | 4          | 28          | 20          | 37          | 26          | 17          | 9           | 10          | 4                 | 18             |
| 2000.....  | 191      | -            | 4         | 6          | 37          | 30          | 29          | 27          | 20          | 13          | 7           | 2                 | 16             |
| 1999.....  | 213      | -            | 2         | 6          | 40          | 37          | 29          | 25          | 24          | 13          | 19          | 3                 | 15             |

Worktable Orig290F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2007

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data - mortality"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, sex, and year | All ages | Under 1 year | 1-4 years | 5-14 years | 15-24 years | 25-34 years | 35-44 years | 45-54 years | 55-64 years | 65-74 years | 75-84 years | 85 years and over | Age not stated |
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|
| Transport accidents (V01-V99,Y85)  |          |              |           |            |             |             |             |             |             |             |             |                   |                |
| Origin not stated 3/, male   |          |              |           |            |             |             |             |             |             |             |             |                   |                |
| 2007.....  | 98       | -            | 1         | 3          | 11          | 20          | 12          | 22          | 15          | 5           | 7           | -                 | 2              |
| 2006.....  | 96       | -            | 1         | 1          | 21          | 13          | 18          | 19          | 10          | 5           | 8           | -                 | -              |
| 2005.....  | 90       | -            | 1         | -          | 14          | 22          | 13          | 17          | 10          | 5           | 4           | 3                 | 1              |
| 2004.....  | 108      | -            | 1         | 4          | 13          | 17          | 13          | 26          | 9           | 8           | 7           | 1                 | 9              |
| 2003.....  | 126      | -            | 3         | 3          | 21          | 16          | 20          | 20          | 17          | 13          | 4           | 3                 | 6              |
| 2002.....  | 146      | -            | 1         | 4          | 22          | 20          | 22          | 28          | 19          | 12          | 10          | 2                 | 6              |
| 2001.....  | 133      | -            | 2         | 3          | 22          | 16          | 27          | 23          | 12          | 5           | 4           | 2                 | 17             |
| 2000.....  | 149      | -            | 2         | 1          | 25          | 25          | 25          | 22          | 17          | 10          | 5           | 1                 | 16             |
| 1999.....  | 162      | -            | 2         | 6          | 26          | 29          | 22          | 20          | 21          | 9           | 13          | 1                 | 13             |
| Origin not stated 3/, female   |          |              |           |            |             |             |             |             |             |             |             |                   |                |
| 2007.....  | 25       | -            | -         | -          | 2           | 4           | 9           | 4           | 2           | 3           | 1           | -                 | -              |
| 2006.....  | 33       | -            | 1         | 1          | 6           | 2           | 8           | 7           | 3           | 3           | 2           | -                 | -              |
| 2005.....  | 36       | -            | -         | 1          | 6           | 6           | 7           | 7           | 3           | 2           | 2           | 2                 | -              |
| 2004.....  | 43       | 1            | -         | 5          | 10          | 6           | 7           | 6           | 2           | 1           | 2           | -                 | 3              |
| 2003.....  | 44       | -            | 2         | -          | 7           | 6           | 4           | 7           | 5           | 4           | 5           | 2                 | 2              |
| 2002.....  | 31       | -            | -         | 1          | 7           | 4           | 6           | 6           | 2           | 2           | 2           | -                 | 1              |
| 2001.....  | 42       | -            | -         | 1          | 6           | 4           | 10          | 3           | 5           | 4           | 6           | 2                 | 1              |
| 2000.....  | 42       | -            | 2         | 5          | 12          | 5           | 4           | 5           | 3           | 3           | 2           | 1                 | -              |
| 1999.....  | 51       | -            | -         | -          | 14          | 8           | 7           | 5           | 3           | 4           | 6           | 2                 | 2              |

Worktable Orig290F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2007

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data - mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, sex, and year

|  | All ages | Under 1 year | 1-4 years | 5-14 years | 15-24 years | 25-34 years | 35-44 years | 45-54 years | 55-64 years | 65-74 years | 75-84 years | 85 years and over | Age not stated |
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|

Motor vehicle accidents (V02-V04,V09.0,V09.2,V12-V14,V19.0-V19.2,V19.4-V19.6,V20-V79,V80.3-V80.5,V81.0-V81.1,V82.0-V82.1,V83-V86,V87.0-V87.8,V88.0-V88.8,V89.0,V89.2)

All origins, both sexes

|           |        |     |     |       |        |       |       |       |       |       |       |       |    |
|-----------|--------|-----|-----|-------|--------|-------|-------|-------|-------|-------|-------|-------|----|
| 2007..... | 43,945 | 124 | 551 | 1,285 | 10,568 | 7,087 | 6,370 | 6,530 | 4,359 | 2,940 | 2,845 | 1,277 | 9  |
| 2006..... | 45,316 | 140 | 588 | 1,339 | 11,015 | 7,348 | 6,677 | 6,615 | 4,518 | 2,916 | 2,906 | 1,240 | 14 |
| 2005..... | 45,343 | 146 | 617 | 1,447 | 10,908 | 7,239 | 6,748 | 6,397 | 4,454 | 3,110 | 2,991 | 1,280 | 6  |
| 2004..... | 44,933 | 143 | 635 | 1,653 | 10,987 | 7,036 | 6,663 | 6,276 | 4,093 | 2,974 | 3,180 | 1,267 | 26 |
| 2003..... | 44,757 | 145 | 621 | 1,642 | 10,972 | 6,833 | 6,961 | 6,074 | 3,958 | 2,967 | 3,210 | 1,358 | 16 |
| 2002..... | 45,380 | 123 | 610 | 1,614 | 11,459 | 7,092 | 7,077 | 5,937 | 3,764 | 3,113 | 3,271 | 1,285 | 35 |
| 2001..... | 43,788 | 144 | 626 | 1,686 | 10,725 | 6,937 | 7,083 | 5,564 | 3,465 | 2,990 | 3,312 | 1,223 | 33 |
| 2000..... | 43,354 | 168 | 651 | 1,772 | 10,560 | 6,884 | 6,927 | 5,361 | 3,506 | 3,038 | 3,173 | 1,288 | 26 |
| 1999..... | 42,401 | 184 | 650 | 1,771 | 10,128 | 6,778 | 6,738 | 4,972 | 3,370 | 3,276 | 3,243 | 1,261 | 30 |

All origins, male

|           |        |    |     |       |       |       |       |       |       |       |       |     |    |
|-----------|--------|----|-----|-------|-------|-------|-------|-------|-------|-------|-------|-----|----|
| 2007..... | 31,102 | 57 | 309 | 765   | 7,667 | 5,413 | 4,702 | 4,789 | 3,065 | 1,924 | 1,694 | 708 | 9  |
| 2006..... | 31,633 | 70 | 316 | 765   | 7,986 | 5,628 | 4,765 | 4,817 | 3,119 | 1,832 | 1,631 | 692 | 12 |
| 2005..... | 31,631 | 74 | 351 | 848   | 7,904 | 5,501 | 4,869 | 4,631 | 3,055 | 1,976 | 1,709 | 708 | 5  |
| 2004..... | 30,837 | 80 | 344 | 975   | 7,814 | 5,245 | 4,826 | 4,486 | 2,770 | 1,799 | 1,811 | 667 | 20 |
| 2003..... | 30,655 | 80 | 353 | 1,009 | 7,806 | 5,156 | 4,984 | 4,303 | 2,683 | 1,778 | 1,767 | 722 | 14 |
| 2002..... | 31,064 | 68 | 361 | 963   | 8,178 | 5,349 | 4,984 | 4,189 | 2,540 | 1,888 | 1,793 | 718 | 33 |
| 2001..... | 30,064 | 66 | 356 | 1,029 | 7,778 | 5,236 | 5,016 | 3,938 | 2,309 | 1,786 | 1,859 | 664 | 27 |
| 2000..... | 29,451 | 90 | 368 | 1,043 | 7,516 | 5,135 | 4,940 | 3,780 | 2,306 | 1,802 | 1,739 | 706 | 26 |
| 1999..... | 28,552 | 97 | 366 | 1,062 | 7,127 | 4,993 | 4,735 | 3,473 | 2,200 | 1,931 | 1,827 | 714 | 27 |

Worktable Orig290F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2007

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data - mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, sex, and year

|  | All ages | Under 1 year | 1-4 years | 5-14 years | 15-24 years | 25-34 years | 35-44 years | 45-54 years | 55-64 years | 65-74 years | 75-84 years | 85 years and over | Age not stated |
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|

Motor vehicle accidents (V02-V04,V09.0,V09.2,V12-V14,V19.0-V19.2,V19.4-V19.6,V20-V79,V80.3-V80.5,V81.0-V81.1,V82.0-V82.1,V83-V86,V87.0-V87.8,V88.0-V88.8,V89.0,V89.2)

All origins, female

|           |        |    |     |     |       |       |       |       |       |       |       |     |   |
|-----------|--------|----|-----|-----|-------|-------|-------|-------|-------|-------|-------|-----|---|
| 2007..... | 12,843 | 67 | 242 | 520 | 2,901 | 1,674 | 1,668 | 1,741 | 1,294 | 1,016 | 1,151 | 569 | - |
| 2006..... | 13,683 | 70 | 272 | 574 | 3,029 | 1,720 | 1,912 | 1,798 | 1,399 | 1,084 | 1,275 | 548 | 2 |
| 2005..... | 13,712 | 72 | 266 | 599 | 3,004 | 1,738 | 1,879 | 1,766 | 1,399 | 1,134 | 1,282 | 572 | 1 |
| 2004..... | 14,096 | 63 | 291 | 678 | 3,173 | 1,791 | 1,837 | 1,790 | 1,323 | 1,175 | 1,369 | 600 | 6 |
| 2003..... | 14,102 | 65 | 268 | 633 | 3,166 | 1,677 | 1,977 | 1,771 | 1,275 | 1,189 | 1,443 | 636 | 2 |
| 2002..... | 14,316 | 55 | 249 | 651 | 3,281 | 1,743 | 2,093 | 1,748 | 1,224 | 1,225 | 1,478 | 567 | 2 |
| 2001..... | 13,724 | 78 | 270 | 657 | 2,947 | 1,701 | 2,067 | 1,626 | 1,156 | 1,204 | 1,453 | 559 | 6 |
| 2000..... | 13,903 | 78 | 283 | 729 | 3,044 | 1,749 | 1,987 | 1,581 | 1,200 | 1,236 | 1,434 | 582 | - |
| 1999..... | 13,849 | 87 | 284 | 709 | 3,001 | 1,785 | 2,003 | 1,499 | 1,170 | 1,345 | 1,416 | 547 | 3 |

Hispanic, both sexes

|           |       |    |     |     |       |       |     |     |     |     |     |    |    |
|-----------|-------|----|-----|-----|-------|-------|-----|-----|-----|-----|-----|----|----|
| 2007..... | 5,824 | 30 | 159 | 261 | 1,806 | 1,344 | 867 | 630 | 314 | 209 | 157 | 43 | 4  |
| 2006..... | 6,288 | 45 | 172 | 277 | 2,008 | 1,388 | 953 | 661 | 374 | 227 | 149 | 27 | 7  |
| 2005..... | 6,103 | 44 | 187 | 271 | 1,995 | 1,384 | 904 | 589 | 322 | 205 | 164 | 35 | 3  |
| 2004..... | 5,739 | 40 | 159 | 292 | 1,820 | 1,309 | 859 | 532 | 330 | 205 | 146 | 41 | 6  |
| 2003..... | 5,753 | 39 | 134 | 295 | 1,782 | 1,332 | 911 | 541 | 304 | 213 | 148 | 47 | 7  |
| 2002..... | 5,659 | 26 | 176 | 259 | 1,810 | 1,294 | 885 | 509 | 283 | 211 | 146 | 45 | 15 |
| 2001..... | 5,272 | 40 | 142 | 246 | 1,677 | 1,197 | 834 | 470 | 279 | 201 | 146 | 32 | 8  |
| 2000..... | 4,900 | 40 | 144 | 260 | 1,557 | 1,066 | 756 | 472 | 246 | 198 | 113 | 34 | 14 |
| 1999..... | 4,525 | 40 | 148 | 231 | 1,384 | 1,035 | 684 | 405 | 238 | 204 | 113 | 33 | 10 |

Worktable Orig290F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2007

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data - mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, sex, and year

|  | All ages | Under 1 year | 1-4 years | 5-14 years | 15-24 years | 25-34 years | 35-44 years | 45-54 years | 55-64 years | 65-74 years | 75-84 years | 85 years and over | Age not stated |
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|

Motor vehicle accidents (V02-V04,V09.0,V09.2,V12-V14,V19.0-V19.2,V19.4-V19.6,V20-V79,V80.3-V80.5,V81.0-V81.1,V82.0-V82.1,V83-V86,V87.0-V87.8,V88.0-V88.8,V89.0,V89.2)

Hispanic, male

|           |       |    |     |     |       |       |     |     |     |     |    |    |    |
|-----------|-------|----|-----|-----|-------|-------|-----|-----|-----|-----|----|----|----|
| 2007..... | 4,390 | 15 | 91  | 165 | 1,420 | 1,095 | 647 | 479 | 212 | 142 | 93 | 27 | 4  |
| 2006..... | 4,756 | 23 | 101 | 165 | 1,604 | 1,139 | 727 | 487 | 262 | 141 | 85 | 16 | 6  |
| 2005..... | 4,570 | 21 | 115 | 159 | 1,542 | 1,131 | 681 | 440 | 220 | 145 | 96 | 17 | 3  |
| 2004..... | 4,318 | 18 | 93  | 172 | 1,455 | 1,058 | 673 | 397 | 208 | 126 | 93 | 20 | 5  |
| 2003..... | 4,340 | 25 | 73  | 198 | 1,397 | 1,109 | 685 | 397 | 196 | 134 | 89 | 30 | 7  |
| 2002..... | 4,262 | 16 | 108 | 163 | 1,421 | 1,052 | 683 | 358 | 192 | 144 | 84 | 26 | 15 |
| 2001..... | 3,987 | 15 | 82  | 144 | 1,330 | 992   | 653 | 340 | 184 | 123 | 99 | 19 | 6  |
| 2000..... | 3,658 | 24 | 78  | 142 | 1,236 | 869   | 574 | 341 | 170 | 123 | 68 | 19 | 14 |
| 1999..... | 3,337 | 22 | 82  | 136 | 1,077 | 828   | 530 | 294 | 146 | 124 | 71 | 17 | 10 |

Hispanic, female

|           |       |    |    |     |     |     |     |     |     |    |    |    |   |
|-----------|-------|----|----|-----|-----|-----|-----|-----|-----|----|----|----|---|
| 2007..... | 1,434 | 15 | 68 | 96  | 386 | 249 | 220 | 151 | 102 | 67 | 64 | 16 | - |
| 2006..... | 1,532 | 22 | 71 | 112 | 404 | 249 | 226 | 174 | 112 | 86 | 64 | 11 | 1 |
| 2005..... | 1,533 | 23 | 72 | 112 | 453 | 253 | 223 | 149 | 102 | 60 | 68 | 18 | - |
| 2004..... | 1,421 | 22 | 66 | 120 | 365 | 251 | 186 | 135 | 122 | 79 | 53 | 21 | 1 |
| 2003..... | 1,413 | 14 | 61 | 97  | 385 | 223 | 226 | 144 | 108 | 79 | 59 | 17 | - |
| 2002..... | 1,397 | 10 | 68 | 96  | 389 | 242 | 202 | 151 | 91  | 67 | 62 | 19 | - |
| 2001..... | 1,285 | 25 | 60 | 102 | 347 | 205 | 181 | 130 | 95  | 78 | 47 | 13 | 2 |
| 2000..... | 1,242 | 16 | 66 | 118 | 321 | 197 | 182 | 131 | 76  | 75 | 45 | 15 | - |
| 1999..... | 1,188 | 18 | 66 | 95  | 307 | 207 | 154 | 111 | 92  | 80 | 42 | 16 | - |

Worktable Orig290F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2007

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data - mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, sex, and year

|  | All ages | Under 1 year | 1-4 years | 5-14 years | 15-24 years | 25-34 years | 35-44 years | 45-54 years | 55-64 years | 65-74 years | 75-84 years | 85 years and over | Age not stated |
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|

Motor vehicle accidents (V02-V04,V09.0,V09.2,V12-V14,V19.0-V19.2,V19.4-V19.6,V20-V79,V80.3-V80.5,V81.0-V81.1,V82.0-V82.1,V83-V86,V87.0-V87.8,V88.0-V88.8,V89.0,V89.2)

Non-Hispanic 1/, both sexes

|           |        |     |     |       |       |       |       |       |       |       |       |       |    |
|-----------|--------|-----|-----|-------|-------|-------|-------|-------|-------|-------|-------|-------|----|
| 2007..... | 38,013 | 94  | 391 | 1,021 | 8,749 | 5,720 | 5,484 | 5,879 | 4,030 | 2,725 | 2,682 | 1,234 | 4  |
| 2006..... | 38,907 | 95  | 414 | 1,060 | 8,982 | 5,946 | 5,699 | 5,931 | 4,132 | 2,681 | 2,747 | 1,213 | 7  |
| 2005..... | 39,125 | 102 | 429 | 1,175 | 8,893 | 5,831 | 5,826 | 5,788 | 4,119 | 2,899 | 2,821 | 1,240 | 2  |
| 2004..... | 39,059 | 102 | 475 | 1,352 | 9,146 | 5,706 | 5,785 | 5,720 | 3,754 | 2,760 | 3,025 | 1,225 | 9  |
| 2003..... | 38,849 | 106 | 482 | 1,344 | 9,165 | 5,480 | 6,031 | 5,507 | 3,636 | 2,738 | 3,053 | 1,306 | 1  |
| 2002..... | 39,567 | 97  | 433 | 1,350 | 9,621 | 5,777 | 6,169 | 5,400 | 3,464 | 2,890 | 3,114 | 1,238 | 14 |
| 2001..... | 38,362 | 104 | 483 | 1,436 | 9,021 | 5,722 | 6,217 | 5,072 | 3,173 | 2,780 | 3,156 | 1,187 | 11 |
| 2000..... | 38,295 | 128 | 505 | 1,507 | 8,969 | 5,792 | 6,147 | 4,866 | 3,243 | 2,829 | 3,054 | 1,252 | 3  |
| 1999..... | 37,684 | 144 | 500 | 1,534 | 8,707 | 5,712 | 6,026 | 4,546 | 3,110 | 3,059 | 3,112 | 1,225 | 9  |

Non-Hispanic 1/, male

|           |        |    |     |     |       |       |       |       |       |       |       |     |    |
|-----------|--------|----|-----|-----|-------|-------|-------|-------|-------|-------|-------|-----|----|
| 2007..... | 26,626 | 42 | 217 | 597 | 6,236 | 4,298 | 4,045 | 4,292 | 2,840 | 1,778 | 1,596 | 681 | 4  |
| 2006..... | 26,787 | 47 | 214 | 599 | 6,363 | 4,477 | 4,020 | 4,313 | 2,848 | 1,686 | 1,538 | 676 | 6  |
| 2005..... | 26,982 | 53 | 235 | 689 | 6,348 | 4,352 | 4,177 | 4,178 | 2,825 | 1,827 | 1,609 | 688 | 1  |
| 2004..... | 26,427 | 62 | 250 | 799 | 6,348 | 4,172 | 4,141 | 4,071 | 2,555 | 1,665 | 1,711 | 646 | 7  |
| 2003..... | 26,202 | 55 | 277 | 808 | 6,391 | 4,032 | 4,283 | 3,887 | 2,473 | 1,632 | 1,674 | 689 | 1  |
| 2002..... | 26,677 | 52 | 252 | 796 | 6,735 | 4,280 | 4,284 | 3,808 | 2,333 | 1,734 | 1,700 | 690 | 13 |
| 2001..... | 25,962 | 51 | 273 | 882 | 6,426 | 4,230 | 4,340 | 3,579 | 2,116 | 1,658 | 1,756 | 643 | 8  |
| 2000..... | 25,670 | 66 | 288 | 900 | 6,257 | 4,243 | 4,346 | 3,421 | 2,122 | 1,671 | 1,667 | 686 | 3  |
| 1999..... | 25,072 | 75 | 282 | 920 | 6,027 | 4,141 | 4,184 | 3,163 | 2,034 | 1,798 | 1,744 | 696 | 8  |

Worktable Orig290F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2007

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data - mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, sex, and year

|  | All ages | Under 1 year | 1-4 years | 5-14 years | 15-24 years | 25-34 years | 35-44 years | 45-54 years | 55-64 years | 65-74 years | 75-84 years | 85 years and over | Age not stated |
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|

Motor vehicle accidents (V02-V04,V09.0,V09.2,V12-V14,V19.0-V19.2,V19.4-V19.6,V20-V79,V80.3-V80.5,V81.0-V81.1,V82.0-V82.1,V83-V86,V87.0-V87.8,V88.0-V88.8,V89.0,V89.2)

Non-Hispanic 1/, female

|           |        |    |     |     |       |       |       |       |       |       |       |     |   |
|-----------|--------|----|-----|-----|-------|-------|-------|-------|-------|-------|-------|-----|---|
| 2007..... | 11,387 | 52 | 174 | 424 | 2,513 | 1,422 | 1,439 | 1,587 | 1,190 | 947   | 1,086 | 553 | - |
| 2006..... | 12,120 | 48 | 200 | 461 | 2,619 | 1,469 | 1,679 | 1,618 | 1,284 | 995   | 1,209 | 537 | 1 |
| 2005..... | 12,143 | 49 | 194 | 486 | 2,545 | 1,479 | 1,649 | 1,610 | 1,294 | 1,072 | 1,212 | 552 | 1 |
| 2004..... | 12,632 | 40 | 225 | 553 | 2,798 | 1,534 | 1,644 | 1,649 | 1,199 | 1,095 | 1,314 | 579 | 2 |
| 2003..... | 12,647 | 51 | 205 | 536 | 2,774 | 1,448 | 1,748 | 1,620 | 1,163 | 1,106 | 1,379 | 617 | - |
| 2002..... | 12,890 | 45 | 181 | 554 | 2,886 | 1,497 | 1,885 | 1,592 | 1,131 | 1,156 | 1,414 | 548 | 1 |
| 2001..... | 12,400 | 53 | 210 | 554 | 2,595 | 1,492 | 1,877 | 1,493 | 1,057 | 1,122 | 1,400 | 544 | 3 |
| 2000..... | 12,625 | 62 | 217 | 607 | 2,712 | 1,549 | 1,801 | 1,445 | 1,121 | 1,158 | 1,387 | 566 | - |
| 1999..... | 12,612 | 69 | 218 | 614 | 2,680 | 1,571 | 1,842 | 1,383 | 1,076 | 1,261 | 1,368 | 529 | 1 |

Non-Hispanic white, both sexes

|              |        |    |     |       |       |       |       |       |       |       |       |       |   |
|--------------|--------|----|-----|-------|-------|-------|-------|-------|-------|-------|-------|-------|---|
| 2007 2/..... | 30,900 | 62 | 245 | 755   | 7,068 | 4,378 | 4,313 | 4,830 | 3,387 | 2,331 | 2,400 | 1,127 | 4 |
| 2006 2/..... | 31,541 | 58 | 260 | 755   | 7,302 | 4,491 | 4,541 | 4,841 | 3,398 | 2,303 | 2,453 | 1,134 | 5 |
| 2005 2/..... | 32,002 | 58 | 289 | 860   | 7,220 | 4,473 | 4,662 | 4,785 | 3,471 | 2,488 | 2,536 | 1,158 | 2 |
| 2004 2/..... | 31,931 | 65 | 324 | 1,007 | 7,535 | 4,321 | 4,622 | 4,633 | 3,155 | 2,376 | 2,730 | 1,154 | 9 |
| 2003 2/..... | 31,662 | 70 | 333 | 1,005 | 7,495 | 4,182 | 4,792 | 4,479 | 3,008 | 2,343 | 2,748 | 1,206 | 1 |
| 2002.....    | 32,405 | 56 | 280 | 1,000 | 7,897 | 4,412 | 4,923 | 4,421 | 2,918 | 2,496 | 2,844 | 1,149 | 9 |
| 2001.....    | 31,283 | 71 | 323 | 1,036 | 7,266 | 4,424 | 4,980 | 4,121 | 2,652 | 2,398 | 2,891 | 1,113 | 8 |
| 2000.....    | 31,219 | 75 | 340 | 1,136 | 7,330 | 4,379 | 4,923 | 3,925 | 2,728 | 2,431 | 2,791 | 1,158 | 3 |
| 1999.....    | 30,743 | 94 | 315 | 1,144 | 7,099 | 4,425 | 4,797 | 3,678 | 2,579 | 2,655 | 2,832 | 1,122 | 3 |

Worktable Orig290F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2007

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data - mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, sex, and year

|  | All ages | Under 1 year | 1-4 years | 5-14 years | 15-24 years | 25-34 years | 35-44 years | 45-54 years | 55-64 years | 65-74 years | 75-84 years | 85 years and over | Age not stated |
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|

Motor vehicle accidents (V02-V04,V09.0,V09.2,V12-V14,V19.0-V19.2,V19.4-V19.6,V20-V79,V80.3-V80.5,V81.0-V81.1,V82.0-V82.1,V83-V86,V87.0-V87.8,V88.0-V88.8,V89.0,V89.2)

| Non-Hispanic white, male   |          |              |           |            |             |             |             |             |             |             |             |                   |                |
|----------------------------|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|
|                            | All ages | Under 1 year | 1-4 years | 5-14 years | 15-24 years | 25-34 years | 35-44 years | 45-54 years | 55-64 years | 65-74 years | 75-84 years | 85 years and over | Age not stated |
| 2007 2/.....               | 21,564   | 32           | 141       | 442        | 5,019       | 3,267       | 3,167       | 3,537       | 2,395       | 1,530       | 1,417       | 613               | 4              |
| 2006 2/.....               | 21,633   | 30           | 126       | 415        | 5,153       | 3,369       | 3,198       | 3,532       | 2,361       | 1,446       | 1,372       | 626               | 5              |
| 2005 2/.....               | 21,992   | 33           | 152       | 508        | 5,148       | 3,310       | 3,332       | 3,475       | 2,386       | 1,562       | 1,446       | 639               | 1              |
| 2004 2/.....               | 21,540   | 39           | 168       | 608        | 5,235       | 3,137       | 3,325       | 3,307       | 2,137       | 1,430       | 1,538       | 609               | 7              |
| 2003 2/.....               | 21,309   | 38           | 200       | 602        | 5,177       | 3,085       | 3,408       | 3,176       | 2,067       | 1,419       | 1,505       | 631               | 1              |
| 2002.....                  | 21,743   | 32           | 155       | 594        | 5,505       | 3,262       | 3,423       | 3,148       | 1,968       | 1,484       | 1,532       | 632               | 8              |
| 2001.....                  | 21,073   | 35           | 185       | 631        | 5,164       | 3,270       | 3,468       | 2,915       | 1,764       | 1,436       | 1,600       | 598               | 7              |
| 2000.....                  | 20,789   | 40           | 197       | 680        | 5,094       | 3,196       | 3,473       | 2,781       | 1,759       | 1,424       | 1,505       | 637               | 3              |
| 1999.....                  | 20,362   | 55           | 175       | 683        | 4,884       | 3,201       | 3,338       | 2,565       | 1,689       | 1,561       | 1,575       | 633               | 3              |
| Non-Hispanic white, female |          |              |           |            |             |             |             |             |             |             |             |                   |                |
|                            | All ages | Under 1 year | 1-4 years | 5-14 years | 15-24 years | 25-34 years | 35-44 years | 45-54 years | 55-64 years | 65-74 years | 75-84 years | 85 years and over | Age not stated |
| 2007 2/.....               | 9,336    | 30           | 104       | 313        | 2,049       | 1,111       | 1,146       | 1,293       | 992         | 801         | 983         | 514               | -              |
| 2006 2/.....               | 9,908    | 28           | 134       | 340        | 2,149       | 1,122       | 1,343       | 1,309       | 1,037       | 857         | 1,081       | 508               | -              |
| 2005 2/.....               | 10,010   | 25           | 137       | 352        | 2,072       | 1,163       | 1,330       | 1,310       | 1,085       | 926         | 1,090       | 519               | 1              |
| 2004 2/.....               | 10,391   | 26           | 156       | 399        | 2,300       | 1,184       | 1,297       | 1,326       | 1,018       | 946         | 1,192       | 545               | 2              |
| 2003 2/.....               | 10,353   | 32           | 133       | 403        | 2,318       | 1,097       | 1,384       | 1,303       | 941         | 924         | 1,243       | 575               | -              |
| 2002.....                  | 10,662   | 24           | 125       | 406        | 2,392       | 1,150       | 1,500       | 1,273       | 950         | 1,012       | 1,312       | 517               | 1              |
| 2001.....                  | 10,210   | 36           | 138       | 405        | 2,102       | 1,154       | 1,512       | 1,206       | 888         | 962         | 1,291       | 515               | 1              |
| 2000.....                  | 10,430   | 35           | 143       | 456        | 2,236       | 1,183       | 1,450       | 1,144       | 969         | 1,007       | 1,286       | 521               | -              |
| 1999.....                  | 10,381   | 39           | 140       | 461        | 2,215       | 1,224       | 1,459       | 1,113       | 890         | 1,094       | 1,257       | 489               | -              |



Worktable Orig290F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2007

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data - mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, sex, and year

|  | All ages | Under 1 year | 1-4 years | 5-14 years | 15-24 years | 25-34 years | 35-44 years | 45-54 years | 55-64 years | 65-74 years | 75-84 years | 85 years and over | Age not stated |
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|

Motor vehicle accidents (V02-V04,V09.0,V09.2,V12-V14,V19.0-V19.2,V19.4-V19.6,V20-V79,V80.3-V80.5,V81.0-V81.1,V82.0-V82.1,V83-V86,V87.0-V87.8,V88.0-V88.8,V89.0,V89.2)

Non-Hispanic black, both sexes

|              |       |    |     |     |       |       |     |     |     |     |     |    |   |
|--------------|-------|----|-----|-----|-------|-------|-----|-----|-----|-----|-----|----|---|
| 2007 2/..... | 5,415 | 27 | 114 | 218 | 1,226 | 1,048 | 933 | 838 | 492 | 270 | 180 | 69 | - |
| 2006 2/..... | 5,555 | 30 | 126 | 239 | 1,213 | 1,139 | 910 | 837 | 557 | 260 | 189 | 54 | 1 |
| 2005 2/..... | 5,394 | 36 | 113 | 247 | 1,245 | 1,030 | 911 | 788 | 483 | 296 | 186 | 59 | - |
| 2004 2/..... | 5,395 | 31 | 125 | 272 | 1,174 | 1,075 | 892 | 864 | 452 | 260 | 198 | 52 | - |
| 2003 2/..... | 5,349 | 28 | 121 | 261 | 1,168 | 991   | 974 | 784 | 463 | 285 | 203 | 71 | - |
| 2002.....    | 5,338 | 35 | 118 | 278 | 1,243 | 1,049 | 959 | 734 | 404 | 263 | 191 | 61 | 3 |
| 2001.....    | 5,423 | 18 | 123 | 324 | 1,285 | 1,007 | 985 | 747 | 410 | 283 | 184 | 54 | 3 |
| 2000.....    | 5,424 | 40 | 132 | 294 | 1,216 | 1,095 | 977 | 750 | 388 | 298 | 169 | 65 | - |
| 1999.....    | 5,388 | 43 | 152 | 331 | 1,209 | 1,006 | 985 | 685 | 387 | 291 | 214 | 79 | 6 |

Non-Hispanic black, male

|              |       |    |    |     |     |     |     |     |     |     |     |    |   |
|--------------|-------|----|----|-----|-----|-----|-----|-----|-----|-----|-----|----|---|
| 2007 2/..... | 3,976 | 10 | 59 | 128 | 905 | 828 | 723 | 625 | 353 | 180 | 120 | 45 | - |
| 2006 2/..... | 3,995 | 15 | 73 | 145 | 890 | 886 | 670 | 610 | 384 | 175 | 109 | 37 | 1 |
| 2005 2/..... | 3,883 | 16 | 63 | 143 | 908 | 813 | 682 | 563 | 345 | 200 | 115 | 35 | - |
| 2004 2/..... | 3,821 | 19 | 65 | 152 | 836 | 827 | 649 | 627 | 317 | 173 | 127 | 29 | - |
| 2003 2/..... | 3,771 | 12 | 62 | 159 | 871 | 747 | 702 | 569 | 319 | 167 | 123 | 40 | - |
| 2002.....    | 3,774 | 17 | 77 | 163 | 891 | 802 | 673 | 516 | 290 | 175 | 125 | 42 | 3 |
| 2001.....    | 3,842 | 7  | 67 | 214 | 935 | 757 | 706 | 550 | 295 | 163 | 116 | 31 | 1 |
| 2000.....    | 3,857 | 21 | 72 | 179 | 868 | 828 | 727 | 524 | 289 | 199 | 112 | 38 | - |
| 1999.....    | 3,763 | 17 | 84 | 203 | 869 | 761 | 696 | 499 | 267 | 178 | 132 | 52 | 5 |

Worktable Orig290F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2007

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data - mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, sex, and year

|  | All ages | Under 1 year | 1-4 years | 5-14 years | 15-24 years | 25-34 years | 35-44 years | 45-54 years | 55-64 years | 65-74 years | 75-84 years | 85 years and over | Age not stated |
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|

Motor vehicle accidents (V02-V04,V09.0,V09.2,V12-V14,V19.0-V19.2,V19.4-V19.6,V20-V79,V80.3-V80.5,V81.0-V81.1,V82.0-V82.1,V83-V86,V87.0-V87.8,V88.0-V88.8,V89.0,V89.2)

Non-Hispanic black, female

|              |       |    |    |     |     |     |     |     |     |     |    |    |   |
|--------------|-------|----|----|-----|-----|-----|-----|-----|-----|-----|----|----|---|
| 2007 2/..... | 1,439 | 17 | 55 | 90  | 321 | 220 | 210 | 213 | 139 | 90  | 60 | 24 | - |
| 2006 2/..... | 1,560 | 15 | 53 | 94  | 323 | 253 | 240 | 227 | 173 | 85  | 80 | 17 | - |
| 2005 2/..... | 1,511 | 20 | 50 | 104 | 337 | 217 | 229 | 225 | 138 | 96  | 71 | 24 | - |
| 2004 2/..... | 1,574 | 12 | 60 | 120 | 338 | 248 | 243 | 237 | 135 | 87  | 71 | 23 | - |
| 2003 2/..... | 1,578 | 16 | 59 | 102 | 297 | 244 | 272 | 215 | 144 | 118 | 80 | 31 | - |
| 2002.....    | 1,564 | 18 | 41 | 115 | 352 | 247 | 286 | 218 | 114 | 88  | 66 | 19 | - |
| 2001.....    | 1,581 | 11 | 56 | 110 | 350 | 250 | 279 | 197 | 115 | 120 | 68 | 23 | 2 |
| 2000.....    | 1,567 | 19 | 60 | 115 | 348 | 267 | 250 | 226 | 99  | 99  | 57 | 27 | - |
| 1999.....    | 1,625 | 26 | 68 | 128 | 340 | 245 | 289 | 186 | 120 | 113 | 82 | 27 | 1 |

Origin not stated 3/, both sexes

|           |     |   |   |   |    |    |    |    |    |    |    |   |    |
|-----------|-----|---|---|---|----|----|----|----|----|----|----|---|----|
| 2007..... | 108 | - | 1 | 3 | 13 | 23 | 19 | 21 | 15 | 6  | 6  | - | 1  |
| 2006..... | 121 | - | 2 | 2 | 25 | 14 | 25 | 23 | 12 | 8  | 10 | - | -  |
| 2005..... | 115 | - | 1 | 1 | 20 | 24 | 18 | 20 | 13 | 6  | 6  | 5 | 1  |
| 2004..... | 135 | 1 | 1 | 9 | 21 | 21 | 19 | 24 | 9  | 9  | 9  | 1 | 11 |
| 2003..... | 155 | - | 5 | 3 | 25 | 21 | 19 | 26 | 18 | 16 | 9  | 5 | 8  |
| 2002..... | 154 | - | 1 | 5 | 28 | 21 | 23 | 28 | 17 | 12 | 11 | 2 | 6  |
| 2001..... | 154 | - | 1 | 4 | 27 | 18 | 32 | 22 | 13 | 9  | 10 | 4 | 14 |
| 2000..... | 159 | - | 2 | 5 | 34 | 26 | 24 | 23 | 17 | 11 | 6  | 2 | 9  |
| 1999..... | 192 | - | 2 | 6 | 37 | 31 | 28 | 21 | 22 | 13 | 18 | 3 | 11 |

Worktable Orig290F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2007

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data - mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, sex, and year

|  | All ages | Under 1 year | 1-4 years | 5-14 years | 15-24 years | 25-34 years | 35-44 years | 45-54 years | 55-64 years | 65-74 years | 75-84 years | 85 years and over | Age not stated |
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|

Motor vehicle accidents (V02-V04,V09.0,V09.2,V12-V14,V19.0-V19.2,V19.4-V19.6,V20-V79,V80.3-V80.5,V81.0-V81.1,V82.0-V82.1,V83-V86,V87.0-V87.8,V88.0-V88.8,V89.0,V89.2)

Origin not stated 3/, male

|           |     |   |   |   |    |    |    |    |    |    |    |   |    |
|-----------|-----|---|---|---|----|----|----|----|----|----|----|---|----|
| 2007..... | 86  | - | 1 | 3 | 11 | 20 | 10 | 18 | 13 | 4  | 5  | - | 1  |
| 2006..... | 90  | - | 1 | 1 | 19 | 12 | 18 | 17 | 9  | 5  | 8  | - | -  |
| 2005..... | 79  | - | 1 | - | 14 | 18 | 11 | 13 | 10 | 4  | 4  | 3 | 1  |
| 2004..... | 92  | - | 1 | 4 | 11 | 15 | 12 | 18 | 7  | 8  | 7  | 1 | 8  |
| 2003..... | 113 | - | 3 | 3 | 18 | 15 | 16 | 19 | 14 | 12 | 4  | 3 | 6  |
| 2002..... | 125 | - | 1 | 4 | 22 | 17 | 17 | 23 | 15 | 10 | 9  | 2 | 5  |
| 2001..... | 115 | - | 1 | 3 | 22 | 14 | 23 | 19 | 9  | 5  | 4  | 2 | 13 |
| 2000..... | 123 | - | 2 | 1 | 23 | 23 | 20 | 18 | 14 | 8  | 4  | 1 | 9  |
| 1999..... | 143 | - | 2 | 6 | 23 | 24 | 21 | 16 | 20 | 9  | 12 | 1 | 9  |

Origin not stated 3/, female

|           |    |   |   |   |    |   |   |   |   |   |   |   |   |
|-----------|----|---|---|---|----|---|---|---|---|---|---|---|---|
| 2007..... | 22 | - | - | - | 2  | 3 | 9 | 3 | 2 | 2 | 1 | - | - |
| 2006..... | 31 | - | 1 | 1 | 6  | 2 | 7 | 6 | 3 | 3 | 2 | - | - |
| 2005..... | 36 | - | - | 1 | 6  | 6 | 7 | 7 | 3 | 2 | 2 | 2 | - |
| 2004..... | 43 | 1 | - | 5 | 10 | 6 | 7 | 6 | 2 | 1 | 2 | - | 3 |
| 2003..... | 42 | - | 2 | - | 7  | 6 | 3 | 7 | 4 | 4 | 5 | 2 | 2 |
| 2002..... | 29 | - | - | 1 | 6  | 4 | 6 | 5 | 2 | 2 | 2 | - | 1 |
| 2001..... | 39 | - | - | 1 | 5  | 4 | 9 | 3 | 4 | 4 | 6 | 2 | 1 |
| 2000..... | 36 | - | - | 4 | 11 | 3 | 4 | 5 | 3 | 3 | 2 | 1 | - |
| 1999..... | 49 | - | - | - | 14 | 7 | 7 | 5 | 2 | 4 | 6 | 2 | 2 |

Worktable Orig290F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2007

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data - mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, sex, and year

|  | All ages | Under 1 year | 1-4 years | 5-14 years | 15-24 years | 25-34 years | 35-44 years | 45-54 years | 55-64 years | 65-74 years | 75-84 years | 85 years and over | Age not stated |
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|

Other land transport accidents (V01,V05-V06,V09.1,V09.3-V09.9,V10-V11,V15-V18,V19.3,V19.8-V19.9,V80.0-V80.2,V80.6-V80.9,V81.2-V81.9,V82.2-V82.9,V87.9,V88.9,V89.1,V89.3,V89.9)

All origins, both sexes

|           |       |   |    |     |     |     |     |     |     |     |     |    |    |
|-----------|-------|---|----|-----|-----|-----|-----|-----|-----|-----|-----|----|----|
| 2007..... | 1,083 | 1 | 19 | 53  | 174 | 134 | 181 | 235 | 123 | 81  | 61  | 18 | 3  |
| 2006..... | 1,181 | 1 | 12 | 50  | 168 | 136 | 217 | 244 | 151 | 95  | 78  | 27 | 2  |
| 2005..... | 1,241 | 1 | 27 | 50  | 192 | 162 | 210 | 267 | 138 | 81  | 84  | 25 | 4  |
| 2004..... | 1,199 | 1 | 19 | 57  | 190 | 184 | 211 | 222 | 132 | 92  | 63  | 27 | 1  |
| 2003..... | 1,357 | 2 | 17 | 60  | 264 | 204 | 239 | 234 | 147 | 81  | 80  | 25 | 4  |
| 2002..... | 1,086 | 2 | 17 | 70  | 159 | 138 | 223 | 211 | 109 | 70  | 66  | 17 | 4  |
| 2001..... | 1,405 | 3 | 28 | 80  | 198 | 177 | 285 | 247 | 133 | 117 | 98  | 29 | 10 |
| 2000..... | 1,492 | 2 | 31 | 98  | 243 | 212 | 317 | 234 | 122 | 100 | 91  | 35 | 7  |
| 1999..... | 2,118 | 4 | 48 | 128 | 362 | 317 | 408 | 304 | 182 | 145 | 159 | 54 | 7  |

All origins, male

|           |       |   |    |    |     |     |     |     |     |    |    |    |    |
|-----------|-------|---|----|----|-----|-----|-----|-----|-----|----|----|----|----|
| 2007..... | 856   | - | 13 | 27 | 129 | 114 | 150 | 197 | 102 | 68 | 40 | 13 | 3  |
| 2006..... | 921   | - | 5  | 40 | 134 | 104 | 182 | 196 | 112 | 72 | 55 | 19 | 2  |
| 2005..... | 957   | - | 17 | 35 | 156 | 136 | 160 | 212 | 110 | 54 | 58 | 15 | 4  |
| 2004..... | 926   | 1 | 12 | 38 | 152 | 150 | 168 | 182 | 102 | 58 | 46 | 16 | 1  |
| 2003..... | 1,044 | - | 9  | 38 | 205 | 166 | 186 | 192 | 113 | 63 | 52 | 16 | 4  |
| 2002..... | 882   | 2 | 10 | 47 | 134 | 108 | 187 | 185 | 92  | 56 | 50 | 8  | 3  |
| 2001..... | 1,067 | - | 20 | 49 | 158 | 152 | 235 | 189 | 104 | 84 | 56 | 10 | 10 |
| 2000..... | 1,125 | 2 | 17 | 61 | 194 | 171 | 258 | 166 | 98  | 75 | 57 | 19 | 7  |
| 1999..... | 1,559 | 4 | 26 | 91 | 279 | 244 | 319 | 234 | 135 | 97 | 88 | 35 | 7  |

Worktable Orig290F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2007

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data - mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, sex, and year

|  | All ages | Under 1 year | 1-4 years | 5-14 years | 15-24 years | 25-34 years | 35-44 years | 45-54 years | 55-64 years | 65-74 years | 75-84 years | 85 years and over | Age not stated |
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|

Other land transport accidents (V01,V05-V06,V09.1,V09.3-V09.9,V10-V11,V15-V18,V19.3,V19.8-V19.9,V80.0-V80.2,V80.6-V80.9,V81.2-V81.9,V82.2-V82.9,V87.9,V88.9,V89.1,V89.3,V89.9)

All origins, female

|           |     |   |    |    |    |    |    |    |    |    |    |    |   |
|-----------|-----|---|----|----|----|----|----|----|----|----|----|----|---|
| 2007..... | 227 | 1 | 6  | 26 | 45 | 20 | 31 | 38 | 21 | 13 | 21 | 5  | - |
| 2006..... | 260 | 1 | 7  | 10 | 34 | 32 | 35 | 48 | 39 | 23 | 23 | 8  | - |
| 2005..... | 284 | 1 | 10 | 15 | 36 | 26 | 50 | 55 | 28 | 27 | 26 | 10 | - |
| 2004..... | 273 | - | 7  | 19 | 38 | 34 | 43 | 40 | 30 | 34 | 17 | 11 | - |
| 2003..... | 313 | 2 | 8  | 22 | 59 | 38 | 53 | 42 | 34 | 18 | 28 | 9  | - |
| 2002..... | 204 | - | 7  | 23 | 25 | 30 | 36 | 26 | 17 | 14 | 16 | 9  | 1 |
| 2001..... | 338 | 3 | 8  | 31 | 40 | 25 | 50 | 58 | 29 | 33 | 42 | 19 | - |
| 2000..... | 367 | - | 14 | 37 | 49 | 41 | 59 | 68 | 24 | 25 | 34 | 16 | - |
| 1999..... | 559 | - | 22 | 37 | 83 | 73 | 89 | 70 | 47 | 48 | 71 | 19 | - |

Hispanic, both sexes

|           |     |   |    |    |    |    |    |    |    |    |    |   |   |
|-----------|-----|---|----|----|----|----|----|----|----|----|----|---|---|
| 2007..... | 167 | 1 | 6  | 7  | 27 | 27 | 33 | 23 | 20 | 12 | 7  | 2 | 2 |
| 2006..... | 150 | - | 2  | 8  | 27 | 24 | 38 | 31 | 6  | 6  | 6  | 1 | 1 |
| 2005..... | 153 | - | 5  | 10 | 34 | 28 | 27 | 21 | 11 | 5  | 9  | 1 | 2 |
| 2004..... | 161 | - | 4  | 10 | 25 | 40 | 34 | 24 | 11 | 8  | 4  | 1 | - |
| 2003..... | 167 | - | 3  | 10 | 32 | 48 | 34 | 17 | 13 | 7  | 1  | 1 | 1 |
| 2002..... | 144 | - | 2  | 10 | 42 | 21 | 28 | 22 | 7  | 2  | 8  | - | 2 |
| 2001..... | 200 | - | 8  | 7  | 39 | 38 | 42 | 29 | 14 | 5  | 13 | 3 | 2 |
| 2000..... | 201 | - | 10 | 15 | 34 | 36 | 44 | 25 | 14 | 14 | 5  | 4 | - |
| 1999..... | 264 | - | 8  | 14 | 55 | 60 | 57 | 31 | 8  | 21 | 7  | 2 | 1 |

Worktable Orig290F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2007

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data - mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, sex, and year

|  | All ages | Under 1 year | 1-4 years | 5-14 years | 15-24 years | 25-34 years | 35-44 years | 45-54 years | 55-64 years | 65-74 years | 75-84 years | 85 years and over | Age not stated |
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|

Other land transport accidents (V01,V05-V06,V09.1,V09.3-V09.9,V10-V11,V15-V18,V19.3,V19.8-V19.9,V80.0-V80.2,V80.6-V80.9,V81.2-V81.9,V82.2-V82.9,V87.9,V88.9,V89.1,V89.3,V89.9)

Hispanic, male

|           |     |   |   |    |    |    |    |    |    |    |    |   |   |
|-----------|-----|---|---|----|----|----|----|----|----|----|----|---|---|
| 2007..... | 144 | - | 4 | 3  | 23 | 25 | 30 | 22 | 19 | 12 | 4  | - | 2 |
| 2006..... | 128 | - | - | 8  | 25 | 19 | 35 | 26 | 6  | 3  | 4  | 1 | 1 |
| 2005..... | 134 | - | 4 | 7  | 33 | 28 | 23 | 16 | 10 | 4  | 7  | - | 2 |
| 2004..... | 141 | - | 2 | 9  | 20 | 38 | 29 | 23 | 10 | 6  | 4  | - | - |
| 2003..... | 139 | - | 2 | 8  | 24 | 43 | 32 | 15 | 9  | 4  | 1  | - | 1 |
| 2002..... | 119 | - | 1 | 6  | 38 | 18 | 25 | 17 | 6  | 2  | 5  | - | 1 |
| 2001..... | 173 | - | 6 | 4  | 37 | 35 | 39 | 22 | 12 | 4  | 10 | 2 | 2 |
| 2000..... | 166 | - | 7 | 11 | 31 | 32 | 36 | 22 | 11 | 10 | 3  | 3 | - |
| 1999..... | 220 | - | 3 | 12 | 45 | 53 | 47 | 27 | 8  | 17 | 6  | 1 | 1 |

Hispanic, female

|           |    |   |   |   |    |   |    |   |   |   |   |   |   |
|-----------|----|---|---|---|----|---|----|---|---|---|---|---|---|
| 2007..... | 23 | 1 | 2 | 4 | 4  | 2 | 3  | 1 | 1 | - | 3 | 2 | - |
| 2006..... | 22 | - | 2 | - | 2  | 5 | 3  | 5 | - | 3 | 2 | - | - |
| 2005..... | 19 | - | 1 | 3 | 1  | - | 4  | 5 | 1 | 1 | 2 | 1 | - |
| 2004..... | 20 | - | 2 | 1 | 5  | 2 | 5  | 1 | 1 | 2 | - | 1 | - |
| 2003..... | 28 | - | 1 | 2 | 8  | 5 | 2  | 2 | 4 | 3 | - | 1 | - |
| 2002..... | 25 | - | 1 | 4 | 4  | 3 | 3  | 5 | 1 | - | 3 | - | 1 |
| 2001..... | 27 | - | 2 | 3 | 2  | 3 | 3  | 7 | 2 | 1 | 3 | 1 | - |
| 2000..... | 35 | - | 3 | 4 | 3  | 4 | 8  | 3 | 3 | 4 | 2 | 1 | - |
| 1999..... | 44 | - | 5 | 2 | 10 | 7 | 10 | 4 | - | 4 | 1 | 1 | - |

Worktable Orig290F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2007

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data - mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, sex, and year

|  | All ages | Under 1 year | 1-4 years | 5-14 years | 15-24 years | 25-34 years | 35-44 years | 45-54 years | 55-64 years | 65-74 years | 75-84 years | 85 years and over | Age not stated |
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|

Other land transport accidents (V01,V05-V06,V09.1,V09.3-V09.9,V10-V11,V15-V18,V19.3,V19.8-V19.9,V80.0-V80.2,V80.6-V80.9,V81.2-V81.9,V82.2-V82.9,V87.9,V88.9,V89.1,V89.3,V89.9)

Non-Hispanic 1/, both sexes

|           |       |   |    |     |     |     |     |     |     |     |     |    |   |
|-----------|-------|---|----|-----|-----|-----|-----|-----|-----|-----|-----|----|---|
| 2007..... | 907   | - | 13 | 46  | 147 | 106 | 147 | 209 | 103 | 67  | 53  | 16 | - |
| 2006..... | 1,023 | 1 | 10 | 42  | 139 | 111 | 178 | 210 | 144 | 89  | 72  | 26 | 1 |
| 2005..... | 1,081 | 1 | 22 | 40  | 158 | 131 | 181 | 244 | 127 | 76  | 75  | 24 | 2 |
| 2004..... | 1,028 | 1 | 15 | 47  | 165 | 143 | 176 | 192 | 120 | 84  | 59  | 26 | - |
| 2003..... | 1,185 | 2 | 14 | 50  | 232 | 156 | 203 | 216 | 133 | 73  | 79  | 24 | 3 |
| 2002..... | 929   | 2 | 15 | 60  | 116 | 117 | 192 | 184 | 100 | 68  | 57  | 17 | 1 |
| 2001..... | 1,187 | 3 | 19 | 73  | 158 | 137 | 241 | 214 | 115 | 112 | 85  | 26 | 4 |
| 2000..... | 1,262 | 2 | 19 | 82  | 206 | 172 | 268 | 207 | 105 | 85  | 85  | 31 | - |
| 1999..... | 1,836 | 4 | 40 | 114 | 304 | 252 | 350 | 271 | 172 | 124 | 151 | 52 | 2 |

Non-Hispanic 1/, male

|           |       |   |    |    |     |     |     |     |     |    |    |    |   |
|-----------|-------|---|----|----|-----|-----|-----|-----|-----|----|----|----|---|
| 2007..... | 705   | - | 9  | 24 | 106 | 89  | 119 | 172 | 83  | 55 | 35 | 13 | - |
| 2006..... | 787   | - | 5  | 32 | 107 | 84  | 147 | 168 | 105 | 69 | 51 | 18 | 1 |
| 2005..... | 816   | - | 13 | 28 | 123 | 105 | 135 | 194 | 100 | 50 | 51 | 15 | 2 |
| 2004..... | 775   | 1 | 10 | 29 | 132 | 111 | 138 | 153 | 91  | 52 | 42 | 16 | - |
| 2003..... | 901   | - | 7  | 30 | 181 | 123 | 153 | 176 | 103 | 58 | 51 | 16 | 3 |
| 2002..... | 752   | 2 | 9  | 41 | 96  | 90  | 159 | 164 | 84  | 54 | 44 | 8  | 1 |
| 2001..... | 878   | - | 13 | 45 | 121 | 115 | 194 | 163 | 89  | 80 | 46 | 8  | 4 |
| 2000..... | 936   | 2 | 10 | 50 | 161 | 137 | 217 | 142 | 84  | 64 | 53 | 16 | - |
| 1999..... | 1,323 | 4 | 23 | 79 | 231 | 187 | 271 | 205 | 126 | 80 | 81 | 34 | 2 |

Worktable Orig290F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2007

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data - mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, sex, and year

|  | All ages | Under 1 year | 1-4 years | 5-14 years | 15-24 years | 25-34 years | 35-44 years | 45-54 years | 55-64 years | 65-74 years | 75-84 years | 85 years and over | Age not stated |
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|

Other land transport accidents (V01,V05-V06,V09.1,V09.3-V09.9,V10-V11,V15-V18,V19.3,V19.8-V19.9,V80.0-V80.2,V80.6-V80.9,V81.2-V81.9,V82.2-V82.9,V87.9,V88.9,V89.1,V89.3,V89.9)

Non-Hispanic 1/, female

|           |     |   |    |    |    |    |    |    |    |    |    |    |   |
|-----------|-----|---|----|----|----|----|----|----|----|----|----|----|---|
| 2007..... | 202 | - | 4  | 22 | 41 | 17 | 28 | 37 | 20 | 12 | 18 | 3  | - |
| 2006..... | 236 | 1 | 5  | 10 | 32 | 27 | 31 | 42 | 39 | 20 | 21 | 8  | - |
| 2005..... | 265 | 1 | 9  | 12 | 35 | 26 | 46 | 50 | 27 | 26 | 24 | 9  | - |
| 2004..... | 253 | - | 5  | 18 | 33 | 32 | 38 | 39 | 29 | 32 | 17 | 10 | - |
| 2003..... | 284 | 2 | 7  | 20 | 51 | 33 | 50 | 40 | 30 | 15 | 28 | 8  | - |
| 2002..... | 177 | - | 6  | 19 | 20 | 27 | 33 | 20 | 16 | 14 | 13 | 9  | - |
| 2001..... | 309 | 3 | 6  | 28 | 37 | 22 | 47 | 51 | 26 | 32 | 39 | 18 | - |
| 2000..... | 326 | - | 9  | 32 | 45 | 35 | 51 | 65 | 21 | 21 | 32 | 15 | - |
| 1999..... | 513 | - | 17 | 35 | 73 | 65 | 79 | 66 | 46 | 44 | 70 | 18 | - |

Non-Hispanic white, both sexes

|              |       |   |    |    |     |     |     |     |     |     |     |    |   |
|--------------|-------|---|----|----|-----|-----|-----|-----|-----|-----|-----|----|---|
| 2007 2/..... | 685   | - | 8  | 35 | 112 | 74  | 95  | 164 | 83  | 55  | 45  | 14 | - |
| 2006 2/..... | 809   | - | 5  | 34 | 114 | 79  | 131 | 160 | 120 | 78  | 63  | 24 | 1 |
| 2005 2/..... | 815   | 1 | 15 | 31 | 114 | 90  | 143 | 174 | 106 | 55  | 64  | 21 | 1 |
| 2004 2/..... | 782   | - | 11 | 39 | 118 | 97  | 143 | 132 | 96  | 71  | 51  | 24 | - |
| 2003 2/..... | 952   | 2 | 11 | 39 | 195 | 117 | 159 | 162 | 112 | 61  | 69  | 22 | 3 |
| 2002.....    | 719   | 1 | 11 | 44 | 95  | 94  | 140 | 141 | 74  | 55  | 48  | 15 | 1 |
| 2001.....    | 901   | 2 | 16 | 49 | 126 | 103 | 165 | 165 | 89  | 92  | 73  | 21 | - |
| 2000.....    | 997   | 2 | 9  | 67 | 168 | 132 | 201 | 161 | 84  | 70  | 75  | 28 | - |
| 1999.....    | 1,480 | 3 | 25 | 86 | 239 | 195 | 282 | 219 | 151 | 102 | 131 | 46 | 1 |



Worktable Orig290F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2007

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data - mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, sex, and year

|  | All ages | Under 1 year | 1-4 years | 5-14 years | 15-24 years | 25-34 years | 35-44 years | 45-54 years | 55-64 years | 65-74 years | 75-84 years | 85 years and over | Age not stated |
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|

Other land transport accidents (V01,V05-V06,V09.1,V09.3-V09.9,V10-V11,V15-V18,V19.3,V19.8-V19.9,V80.0-V80.2,V80.6-V80.9,V81.2-V81.9,V82.2-V82.9,V87.9,V88.9,V89.1,V89.3,V89.9)

Non-Hispanic white, male

|              |       |   |    |    |     |     |     |     |     |    |    |    |   |
|--------------|-------|---|----|----|-----|-----|-----|-----|-----|----|----|----|---|
| 2007 2/..... | 532   | - | 6  | 15 | 84  | 64  | 77  | 135 | 63  | 45 | 32 | 11 | - |
| 2006 2/..... | 620   | - | 3  | 24 | 89  | 60  | 111 | 124 | 84  | 60 | 48 | 16 | 1 |
| 2005 2/..... | 601   | - | 10 | 21 | 84  | 71  | 105 | 136 | 80  | 35 | 44 | 14 | 1 |
| 2004 2/..... | 580   | - | 7  | 25 | 91  | 72  | 110 | 104 | 73  | 46 | 37 | 15 | - |
| 2003 2/..... | 715   | - | 6  | 21 | 153 | 91  | 122 | 128 | 85  | 48 | 44 | 14 | 3 |
| 2002.....    | 582   | 1 | 7  | 32 | 81  | 71  | 116 | 124 | 63  | 43 | 36 | 7  | 1 |
| 2001.....    | 673   | - | 12 | 30 | 99  | 89  | 133 | 129 | 73  | 63 | 40 | 5  | - |
| 2000.....    | 741   | 2 | 3  | 41 | 130 | 106 | 165 | 110 | 68  | 51 | 49 | 16 | - |
| 1999.....    | 1,051 | 3 | 12 | 57 | 177 | 143 | 218 | 163 | 110 | 67 | 71 | 29 | 1 |

Non-Hispanic white, female

|              |     |   |    |    |    |    |    |    |    |    |    |    |   |
|--------------|-----|---|----|----|----|----|----|----|----|----|----|----|---|
| 2007 2/..... | 153 | - | 2  | 20 | 28 | 10 | 18 | 29 | 20 | 10 | 13 | 3  | - |
| 2006 2/..... | 189 | - | 2  | 10 | 25 | 19 | 20 | 36 | 36 | 18 | 15 | 8  | - |
| 2005 2/..... | 214 | 1 | 5  | 10 | 30 | 19 | 38 | 38 | 26 | 20 | 20 | 7  | - |
| 2004 2/..... | 202 | - | 4  | 14 | 27 | 25 | 33 | 28 | 23 | 25 | 14 | 9  | - |
| 2003 2/..... | 237 | 2 | 5  | 18 | 42 | 26 | 37 | 34 | 27 | 13 | 25 | 8  | - |
| 2002.....    | 137 | - | 4  | 12 | 14 | 23 | 24 | 17 | 11 | 12 | 12 | 8  | - |
| 2001.....    | 228 | 2 | 4  | 19 | 27 | 14 | 32 | 36 | 16 | 29 | 33 | 16 | - |
| 2000.....    | 256 | - | 6  | 26 | 38 | 26 | 36 | 51 | 16 | 19 | 26 | 12 | - |
| 1999.....    | 429 | - | 13 | 29 | 62 | 52 | 64 | 56 | 41 | 35 | 60 | 17 | - |

Worktable Orig290F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2007

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data - mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, sex, and year

|  | All ages | Under 1 year | 1-4 years | 5-14 years | 15-24 years | 25-34 years | 35-44 years | 45-54 years | 55-64 years | 65-74 years | 75-84 years | 85 years and over | Age not stated |
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|

Other land transport accidents (V01,V05-V06,V09.1,V09.3-V09.9,V10-V11,V15-V18,V19.3,V19.8-V19.9,V80.0-V80.2,V80.6-V80.9,V81.2-V81.9,V82.2-V82.9,V87.9,V88.9,V89.1,V89.3,V89.9)

Non-Hispanic black, both sexes

|              |     |   |    |    |    |    |    |    |    |    |    |   |   |
|--------------|-----|---|----|----|----|----|----|----|----|----|----|---|---|
| 2007 2/..... | 159 | - | 3  | 9  | 29 | 19 | 35 | 38 | 17 | 5  | 4  | - | - |
| 2006 2/..... | 146 | 1 | 2  | 5  | 17 | 22 | 31 | 39 | 17 | 7  | 4  | 1 | - |
| 2005 2/..... | 200 | - | 5  | 8  | 32 | 31 | 32 | 55 | 13 | 15 | 6  | 2 | 1 |
| 2004 2/..... | 194 | 1 | 3  | 7  | 41 | 34 | 28 | 43 | 22 | 7  | 8  | - | - |
| 2003 2/..... | 188 | - | 3  | 8  | 27 | 30 | 39 | 46 | 19 | 8  | 7  | 1 | - |
| 2002.....    | 168 | 1 | 3  | 13 | 17 | 19 | 40 | 41 | 18 | 9  | 7  | - | - |
| 2001.....    | 216 | - | 3  | 23 | 21 | 24 | 59 | 38 | 22 | 15 | 6  | 1 | 4 |
| 2000.....    | 203 | - | 7  | 11 | 30 | 32 | 54 | 34 | 15 | 10 | 7  | 3 | - |
| 1999.....    | 248 | 1 | 12 | 20 | 33 | 42 | 52 | 40 | 17 | 14 | 11 | 5 | 1 |

Non-Hispanic black, male

|              |     |   |   |    |    |    |    |    |    |    |   |   |   |
|--------------|-----|---|---|----|----|----|----|----|----|----|---|---|---|
| 2007 2/..... | 125 | - | 2 | 7  | 18 | 15 | 29 | 31 | 17 | 4  | 2 | - | - |
| 2006 2/..... | 118 | - | - | 5  | 12 | 17 | 24 | 36 | 15 | 6  | 2 | 1 | - |
| 2005 2/..... | 160 | - | 2 | 6  | 27 | 25 | 25 | 45 | 12 | 12 | 4 | 1 | 1 |
| 2004 2/..... | 158 | 1 | 2 | 4  | 36 | 30 | 25 | 34 | 16 | 5  | 5 | - | - |
| 2003 2/..... | 154 | - | 1 | 7  | 21 | 25 | 28 | 42 | 17 | 8  | 4 | 1 | - |
| 2002.....    | 143 | 1 | 2 | 7  | 12 | 17 | 34 | 39 | 16 | 9  | 6 | - | - |
| 2001.....    | 159 | - | 1 | 15 | 15 | 18 | 48 | 28 | 14 | 13 | 3 | - | 4 |
| 2000.....    | 155 | - | 5 | 8  | 24 | 25 | 43 | 26 | 12 | 9  | 3 | - | - |
| 1999.....    | 192 | 1 | 9 | 19 | 27 | 34 | 41 | 32 | 12 | 9  | 3 | 4 | 1 |

Worktable Orig290F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2007

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data - mortality"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, sex, and year | All ages | Under 1 year | 1-4 years | 5-14 years | 15-24 years | 25-34 years | 35-44 years | 45-54 years | 55-64 years | 65-74 years | 75-84 years | 85 years and over | Age not stated |
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|

Other land transport accidents (V01,V05-V06,V09.1,V09.3-V09.9,V10-V11,V15-V18,V19.3,V19.8-V19.9,V80.0-V80.2,V80.6-V80.9,V81.2-V81.9,V82.2-V82.9,V87.9,V88.9,V89.1,V89.3,V89.9)

Non-Hispanic black, female

|              |    |   |   |   |    |   |    |    |   |   |   |   |   |
|--------------|----|---|---|---|----|---|----|----|---|---|---|---|---|
| 2007 2/..... | 34 | - | 1 | 2 | 11 | 4 | 6  | 7  | - | 1 | 2 | - | - |
| 2006 2/..... | 28 | 1 | 2 | - | 5  | 5 | 7  | 3  | 2 | 1 | 2 | - | - |
| 2005 2/..... | 40 | - | 3 | 2 | 5  | 6 | 7  | 10 | 1 | 3 | 2 | 1 | - |
| 2004 2/..... | 36 | - | 1 | 3 | 5  | 4 | 3  | 9  | 6 | 2 | 3 | - | - |
| 2003 2/..... | 34 | - | 2 | 1 | 6  | 5 | 11 | 4  | 2 | - | 3 | - | - |
| 2002.....    | 25 | - | 1 | 6 | 5  | 2 | 6  | 2  | 2 | - | 1 | - | - |
| 2001.....    | 57 | - | 2 | 8 | 6  | 6 | 11 | 10 | 8 | 2 | 3 | 1 | - |
| 2000.....    | 48 | - | 2 | 3 | 6  | 7 | 11 | 8  | 3 | 1 | 4 | 3 | - |
| 1999.....    | 56 | - | 3 | 1 | 6  | 8 | 11 | 8  | 5 | 5 | 8 | 1 | - |

Origin not stated 3/, both sexes

|           |    |   |   |   |   |   |   |   |   |   |   |   |   |
|-----------|----|---|---|---|---|---|---|---|---|---|---|---|---|
| 2007..... | 9  | - | - | - | - | 1 | 1 | 3 | - | 2 | 1 | - | 1 |
| 2006..... | 8  | - | - | - | 2 | 1 | 1 | 3 | 1 | - | - | - | - |
| 2005..... | 7  | - | - | - | - | 3 | 2 | 2 | - | - | - | - | - |
| 2004..... | 10 | - | - | - | - | 1 | 1 | 6 | 1 | - | - | - | 1 |
| 2003..... | 5  | - | - | - | - | - | 2 | 1 | 1 | 1 | - | - | - |
| 2002..... | 13 | - | - | - | 1 | - | 3 | 5 | 2 | - | 1 | - | 1 |
| 2001..... | 18 | - | 1 | - | 1 | 2 | 2 | 4 | 4 | - | - | - | 4 |
| 2000..... | 29 | - | 2 | 1 | 3 | 4 | 5 | 2 | 3 | 1 | 1 | - | 7 |
| 1999..... | 18 | - | - | - | 3 | 5 | 1 | 2 | 2 | - | 1 | - | 4 |

Worktable Orig290F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2007

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data - mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, sex, and year

|  | All ages | Under 1 year | 1-4 years | 5-14 years | 15-24 years | 25-34 years | 35-44 years | 45-54 years | 55-64 years | 65-74 years | 75-84 years | 85 years and over | Age not stated |
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|

Other land transport accidents (V01,V05-V06,V09.1,V09.3-V09.9,V10-V11,V15-V18,V19.3,V19.8-V19.9,V80.0-V80.2,V80.6-V80.9,V81.2-V81.9,V82.2-V82.9,V87.9,V88.9,V89.1,V89.3,V89.9)

Origin not stated 3/, male

|           |    |   |   |   |   |   |   |   |   |   |   |   |   |
|-----------|----|---|---|---|---|---|---|---|---|---|---|---|---|
| 2007..... | 7  | - | - | - | - | - | 1 | 3 | - | 1 | 1 | - | 1 |
| 2006..... | 6  | - | - | - | 2 | 1 | - | 2 | 1 | - | - | - | - |
| 2005..... | 7  | - | - | - | - | 3 | 2 | 2 | - | - | - | - | - |
| 2004..... | 10 | - | - | - | - | 1 | 1 | 6 | 1 | - | - | - | 1 |
| 2003..... | 4  | - | - | - | - | - | 1 | 1 | 1 | 1 | - | - | - |
| 2002..... | 11 | - | - | - | - | - | 3 | 4 | 2 | - | 1 | - | 1 |
| 2001..... | 16 | - | 1 | - | - | 2 | 2 | 4 | 3 | - | - | - | 4 |
| 2000..... | 23 | - | - | - | 2 | 2 | 5 | 2 | 3 | 1 | 1 | - | 7 |
| 1999..... | 16 | - | - | - | 3 | 4 | 1 | 2 | 1 | - | 1 | - | 4 |

Origin not stated 3/, female

|           |   |   |   |   |   |   |   |   |   |   |   |   |   |
|-----------|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 2007..... | 2 | - | - | - | - | 1 | - | - | - | 1 | - | - | - |
| 2006..... | 2 | - | - | - | - | - | 1 | 1 | - | - | - | - | - |
| 2005..... | - | - | - | - | - | - | - | - | - | - | - | - | - |
| 2004..... | - | - | - | - | - | - | - | - | - | - | - | - | - |
| 2003..... | 1 | - | - | - | - | - | 1 | - | - | - | - | - | - |
| 2002..... | 2 | - | - | - | 1 | - | - | 1 | - | - | - | - | - |
| 2001..... | 2 | - | - | - | 1 | - | - | - | 1 | - | - | - | - |
| 2000..... | 6 | - | 2 | 1 | 1 | 2 | - | - | - | - | - | - | - |
| 1999..... | 2 | - | - | - | - | 1 | - | - | 1 | - | - | - | - |

Worktable Orig290F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2007

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data - mortality"]

---

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, sex, and year

|  | All ages | Under 1 year | 1-4 years | 5-14 years | 15-24 years | 25-34 years | 35-44 years | 45-54 years | 55-64 years | 65-74 years | 75-84 years | 85 years and over | Age not stated |
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|

---

Water, air and space, and other and unspecified transport accidents and their sequelae (V90-V99,Y85)

All origins, both sexes

|           |       |   |    |    |     |     |     |     |     |     |    |    |   |
|-----------|-------|---|----|----|-----|-----|-----|-----|-----|-----|----|----|---|
| 2007..... | 1,816 | 2 | 11 | 36 | 186 | 231 | 278 | 434 | 356 | 173 | 77 | 31 | 1 |
| 2006..... | 1,915 | 1 | 15 | 64 | 209 | 269 | 355 | 405 | 317 | 159 | 98 | 23 | - |
| 2005..... | 1,857 | - | 2  | 50 | 188 | 237 | 337 | 437 | 326 | 162 | 93 | 24 | 1 |
| 2004..... | 1,921 | 1 | 5  | 45 | 200 | 301 | 373 | 455 | 285 | 163 | 67 | 26 | - |
| 2003..... | 1,957 | 1 | 11 | 63 | 196 | 243 | 394 | 446 | 336 | 162 | 87 | 18 | - |
| 2002..... | 1,900 | 2 | 13 | 54 | 198 | 254 | 388 | 415 | 292 | 168 | 96 | 20 | - |
| 2001..... | 2,095 | 4 | 24 | 57 | 216 | 340 | 459 | 440 | 263 | 175 | 97 | 20 | - |
| 2000..... | 1,903 | 4 | 9  | 52 | 225 | 304 | 417 | 370 | 255 | 177 | 78 | 12 | - |
| 1999..... | 1,904 | 1 | 14 | 76 | 199 | 339 | 407 | 369 | 260 | 158 | 66 | 15 | - |

  

All origins, male

|           |       |   |    |    |     |     |     |     |     |     |    |    |   |
|-----------|-------|---|----|----|-----|-----|-----|-----|-----|-----|----|----|---|
| 2007..... | 1,476 | 1 | 6  | 21 | 147 | 183 | 232 | 362 | 293 | 146 | 64 | 20 | 1 |
| 2006..... | 1,511 | - | 8  | 44 | 161 | 219 | 286 | 334 | 252 | 122 | 72 | 13 | - |
| 2005..... | 1,498 | - | 1  | 27 | 148 | 203 | 274 | 365 | 270 | 127 | 68 | 14 | 1 |
| 2004..... | 1,548 | - | 3  | 26 | 147 | 246 | 303 | 374 | 242 | 141 | 48 | 18 | - |
| 2003..... | 1,592 | 1 | 4  | 37 | 160 | 189 | 327 | 370 | 291 | 134 | 66 | 13 | - |
| 2002..... | 1,587 | 2 | 10 | 29 | 159 | 219 | 328 | 353 | 245 | 157 | 74 | 11 | - |
| 2001..... | 1,663 | 2 | 16 | 37 | 175 | 273 | 362 | 357 | 218 | 145 | 68 | 10 | - |
| 2000..... | 1,590 | 2 | 6  | 34 | 180 | 264 | 362 | 314 | 213 | 144 | 62 | 9  | - |
| 1999..... | 1,531 | - | 8  | 53 | 152 | 274 | 322 | 309 | 226 | 134 | 44 | 9  | - |

Worktable Orig290F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2007

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data - mortality"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, sex, and year | All ages | Under 1 year | 1-4 years | 5-14 years | 15-24 years | 25-34 years | 35-44 years | 45-54 years | 55-64 years | 65-74 years | 75-84 years | 85 years and over | Age not stated |
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|

Water, air and space, and other and unspecified transport accidents and their sequelae (V90-V99,Y85)

All origins, female

|           |     |   |   |    |    |    |    |    |    |    |    |    |   |
|-----------|-----|---|---|----|----|----|----|----|----|----|----|----|---|
| 2007..... | 340 | 1 | 5 | 15 | 39 | 48 | 46 | 72 | 63 | 27 | 13 | 11 | - |
| 2006..... | 404 | 1 | 7 | 20 | 48 | 50 | 69 | 71 | 65 | 37 | 26 | 10 | - |
| 2005..... | 359 | - | 1 | 23 | 40 | 34 | 63 | 72 | 56 | 35 | 25 | 10 | - |
| 2004..... | 373 | 1 | 2 | 19 | 53 | 55 | 70 | 81 | 43 | 22 | 19 | 8  | - |
| 2003..... | 365 | - | 7 | 26 | 36 | 54 | 67 | 76 | 45 | 28 | 21 | 5  | - |
| 2002..... | 313 | - | 3 | 25 | 39 | 35 | 60 | 62 | 47 | 11 | 22 | 9  | - |
| 2001..... | 432 | 2 | 8 | 20 | 41 | 67 | 97 | 83 | 45 | 30 | 29 | 10 | - |
| 2000..... | 313 | 2 | 3 | 18 | 45 | 40 | 55 | 56 | 42 | 33 | 16 | 3  | - |
| 1999..... | 373 | 1 | 6 | 23 | 47 | 65 | 85 | 60 | 34 | 24 | 22 | 6  | - |

Hispanic, both sexes

|           |     |   |   |    |    |    |    |    |    |    |   |   |   |
|-----------|-----|---|---|----|----|----|----|----|----|----|---|---|---|
| 2007..... | 126 | - | 1 | 1  | 16 | 24 | 22 | 37 | 13 | 4  | 4 | 4 | - |
| 2006..... | 118 | - | - | 6  | 17 | 27 | 31 | 15 | 12 | 6  | 4 | - | - |
| 2005..... | 102 | - | - | 4  | 17 | 19 | 19 | 27 | 8  | 5  | 3 | - | - |
| 2004..... | 110 | - | 1 | -  | 21 | 32 | 22 | 19 | 12 | 3  | - | - | - |
| 2003..... | 125 | - | 2 | 3  | 20 | 32 | 28 | 19 | 12 | 7  | 2 | - | - |
| 2002..... | 118 | - | 4 | 8  | 23 | 25 | 17 | 23 | 10 | 4  | 3 | 1 | - |
| 2001..... | 302 | 3 | 9 | 12 | 24 | 58 | 66 | 58 | 38 | 23 | 8 | 3 | - |
| 2000..... | 116 | 2 | - | 4  | 25 | 24 | 31 | 11 | 8  | 8  | 3 | - | - |
| 1999..... | 91  | - | 1 | 5  | 18 | 30 | 17 | 9  | 7  | 3  | - | 1 | - |

Worktable Orig290F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2007

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data - mortality"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, sex, and year | All ages | Under 1 year | 1-4 years | 5-14 years | 15-24 years | 25-34 years | 35-44 years | 45-54 years | 55-64 years | 65-74 years | 75-84 years | 85 years and over | Age not stated |
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|

Water, air and space, and other and unspecified transport accidents and their sequelae (V90-V99,Y85)

Hispanic, male

|           |     |   |   |   |    |    |    |    |    |    |   |   |   |
|-----------|-----|---|---|---|----|----|----|----|----|----|---|---|---|
| 2007..... | 107 | - | 1 | 1 | 14 | 21 | 18 | 32 | 10 | 4  | 4 | 2 | - |
| 2006..... | 97  | - | - | 3 | 11 | 24 | 29 | 13 | 8  | 5  | 4 | - | - |
| 2005..... | 83  | - | - | 2 | 13 | 18 | 13 | 23 | 8  | 3  | 3 | - | - |
| 2004..... | 92  | - | - | - | 17 | 27 | 18 | 16 | 11 | 3  | - | - | - |
| 2003..... | 95  | - | 2 | 3 | 16 | 23 | 23 | 15 | 7  | 4  | 2 | - | - |
| 2002..... | 100 | - | 4 | 4 | 20 | 24 | 14 | 19 | 9  | 3  | 2 | 1 | - |
| 2001..... | 174 | 1 | 4 | 7 | 16 | 40 | 39 | 28 | 18 | 14 | 5 | 2 | - |
| 2000..... | 97  | - | - | 2 | 18 | 20 | 29 | 10 | 8  | 7  | 3 | - | - |
| 1999..... | 73  | - | - | 3 | 14 | 23 | 13 | 9  | 7  | 3  | - | 1 | - |

Hispanic, female

|           |     |   |   |   |   |    |    |    |    |   |   |   |   |
|-----------|-----|---|---|---|---|----|----|----|----|---|---|---|---|
| 2007..... | 19  | - | - | - | 2 | 3  | 4  | 5  | 3  | - | - | 2 | - |
| 2006..... | 21  | - | - | 3 | 6 | 3  | 2  | 2  | 4  | 1 | - | - | - |
| 2005..... | 19  | - | - | 2 | 4 | 1  | 6  | 4  | -  | 2 | - | - | - |
| 2004..... | 18  | - | 1 | - | 4 | 5  | 4  | 3  | 1  | - | - | - | - |
| 2003..... | 30  | - | - | - | 4 | 9  | 5  | 4  | 5  | 3 | - | - | - |
| 2002..... | 18  | - | - | 4 | 3 | 1  | 3  | 4  | 1  | 1 | 1 | - | - |
| 2001..... | 128 | 2 | 5 | 5 | 8 | 18 | 27 | 30 | 20 | 9 | 3 | 1 | - |
| 2000..... | 19  | 2 | - | 2 | 7 | 4  | 2  | 1  | -  | 1 | - | - | - |
| 1999..... | 18  | - | 1 | 2 | 4 | 7  | 4  | -  | -  | - | - | - | - |

Worktable Orig290F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2007

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data - mortality"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, sex, and year | All ages | Under 1 year | 1-4 years | 5-14 years | 15-24 years | 25-34 years | 35-44 years | 45-54 years | 55-64 years | 65-74 years | 75-84 years | 85 years and over | Age not stated |
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|

Water, air and space, and other and unspecified transport accidents and their sequelae (V90-V99,Y85)

Non-Hispanic 1/, both sexes

|           |       |   |    |    |     |     |     |     |     |     |    |    |   |
|-----------|-------|---|----|----|-----|-----|-----|-----|-----|-----|----|----|---|
| 2007..... | 1,684 | 2 | 10 | 35 | 170 | 207 | 255 | 395 | 341 | 169 | 72 | 27 | 1 |
| 2006..... | 1,797 | 1 | 15 | 58 | 192 | 242 | 324 | 390 | 305 | 153 | 94 | 23 | - |
| 2005..... | 1,751 | - | 2  | 46 | 171 | 217 | 318 | 408 | 318 | 156 | 90 | 24 | 1 |
| 2004..... | 1,805 | 1 | 4  | 45 | 177 | 268 | 351 | 434 | 272 | 160 | 67 | 26 | - |
| 2003..... | 1,822 | 1 | 9  | 60 | 173 | 210 | 363 | 427 | 321 | 155 | 85 | 18 | - |
| 2002..... | 1,772 | 2 | 9  | 46 | 175 | 226 | 369 | 391 | 280 | 162 | 93 | 19 | - |
| 2001..... | 1,790 | 1 | 15 | 45 | 192 | 282 | 390 | 382 | 225 | 152 | 89 | 17 | - |
| 2000..... | 1,784 | 2 | 9  | 48 | 200 | 280 | 386 | 357 | 247 | 168 | 75 | 12 | - |
| 1999..... | 1,810 | 1 | 13 | 71 | 181 | 308 | 390 | 358 | 253 | 155 | 66 | 14 | - |

Non-Hispanic 1/, male

|           |       |   |    |    |     |     |     |     |     |     |    |    |   |
|-----------|-------|---|----|----|-----|-----|-----|-----|-----|-----|----|----|---|
| 2007..... | 1,364 | 1 | 5  | 20 | 133 | 162 | 213 | 329 | 281 | 142 | 59 | 18 | 1 |
| 2006..... | 1,414 | - | 8  | 41 | 150 | 195 | 257 | 321 | 244 | 117 | 68 | 13 | - |
| 2005..... | 1,411 | - | 1  | 25 | 135 | 184 | 261 | 340 | 262 | 123 | 65 | 14 | 1 |
| 2004..... | 1,450 | - | 3  | 26 | 128 | 218 | 285 | 356 | 230 | 138 | 48 | 18 | - |
| 2003..... | 1,488 | 1 | 2  | 34 | 141 | 165 | 301 | 355 | 282 | 130 | 64 | 13 | - |
| 2002..... | 1,477 | 2 | 6  | 25 | 139 | 192 | 312 | 333 | 234 | 152 | 72 | 10 | - |
| 2001..... | 1,487 | 1 | 12 | 30 | 159 | 233 | 321 | 329 | 200 | 131 | 63 | 8  | - |
| 2000..... | 1,490 | 2 | 6  | 32 | 162 | 244 | 333 | 302 | 205 | 136 | 59 | 9  | - |
| 1999..... | 1,455 | - | 8  | 50 | 138 | 250 | 309 | 298 | 219 | 131 | 44 | 8  | - |



Worktable Orig290F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2007

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data - mortality"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, sex, and year | All ages | Under 1 year | 1-4 years | 5-14 years | 15-24 years | 25-34 years | 35-44 years | 45-54 years | 55-64 years | 65-74 years | 75-84 years | 85 years and over | Age not stated |
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|

Water, air and space, and other and unspecified transport accidents and their sequelae (V90-V99,Y85)

Non-Hispanic 1/, female

|           |     |   |   |    |    |    |    |    |    |    |    |    |   |
|-----------|-----|---|---|----|----|----|----|----|----|----|----|----|---|
| 2007..... | 320 | 1 | 5 | 15 | 37 | 45 | 42 | 66 | 60 | 27 | 13 | 9  | - |
| 2006..... | 383 | 1 | 7 | 17 | 42 | 47 | 67 | 69 | 61 | 36 | 26 | 10 | - |
| 2005..... | 340 | - | 1 | 21 | 36 | 33 | 57 | 68 | 56 | 33 | 25 | 10 | - |
| 2004..... | 355 | 1 | 1 | 19 | 49 | 50 | 66 | 78 | 42 | 22 | 19 | 8  | - |
| 2003..... | 334 | - | 7 | 26 | 32 | 45 | 62 | 72 | 39 | 25 | 21 | 5  | - |
| 2002..... | 295 | - | 3 | 21 | 36 | 34 | 57 | 58 | 46 | 10 | 21 | 9  | - |
| 2001..... | 303 | - | 3 | 15 | 33 | 49 | 69 | 53 | 25 | 21 | 26 | 9  | - |
| 2000..... | 294 | - | 3 | 16 | 38 | 36 | 53 | 55 | 42 | 32 | 16 | 3  | - |
| 1999..... | 355 | 1 | 5 | 21 | 43 | 58 | 81 | 60 | 34 | 24 | 22 | 6  | - |

Non-Hispanic white, both sexes

|              |       |   |    |    |     |     |     |     |     |     |    |    |   |
|--------------|-------|---|----|----|-----|-----|-----|-----|-----|-----|----|----|---|
| 2007 2/..... | 1,450 | 1 | 10 | 26 | 137 | 171 | 229 | 340 | 297 | 148 | 65 | 25 | 1 |
| 2006 2/..... | 1,580 | 1 | 12 | 50 | 168 | 198 | 283 | 345 | 277 | 142 | 87 | 17 | - |
| 2005 2/..... | 1,532 | - | 2  | 39 | 141 | 186 | 276 | 343 | 292 | 149 | 81 | 22 | 1 |
| 2004 2/..... | 1,602 | 1 | 3  | 39 | 159 | 234 | 300 | 387 | 247 | 146 | 61 | 25 | - |
| 2003 2/..... | 1,606 | 1 | 8  | 51 | 136 | 181 | 325 | 378 | 294 | 139 | 75 | 18 | - |
| 2002.....    | 1,565 | 2 | 9  | 32 | 154 | 197 | 326 | 347 | 254 | 144 | 82 | 18 | - |
| 2001.....    | 1,569 | 1 | 14 | 37 | 171 | 244 | 349 | 325 | 196 | 138 | 80 | 14 | - |
| 2000.....    | 1,592 | 2 | 8  | 43 | 171 | 248 | 347 | 316 | 227 | 148 | 71 | 11 | - |
| 1999.....    | 1,580 | 1 | 9  | 61 | 155 | 269 | 346 | 314 | 216 | 140 | 57 | 12 | - |

Worktable Orig290F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2007

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data - mortality"]

---

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, sex, and year

|  | All ages | Under 1 year | 1-4 years | 5-14 years | 15-24 years | 25-34 years | 35-44 years | 45-54 years | 55-64 years | 65-74 years | 75-84 years | 85 years and over | Age not stated |
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|

---

Water, air and space, and other and unspecified transport accidents and their sequelae (V90-V99,Y85)

Non-Hispanic white, male

|              |       |   |    |    |     |     |     |     |     |     |    |    |   |
|--------------|-------|---|----|----|-----|-----|-----|-----|-----|-----|----|----|---|
| 2007 2/..... | 1,174 | - | 5  | 16 | 107 | 133 | 193 | 278 | 248 | 123 | 52 | 18 | 1 |
| 2006 2/..... | 1,240 | - | 6  | 36 | 130 | 159 | 221 | 284 | 221 | 108 | 65 | 10 | - |
| 2005 2/..... | 1,237 | - | 1  | 20 | 108 | 160 | 225 | 291 | 242 | 117 | 58 | 14 | 1 |
| 2004 2/..... | 1,283 | - | 2  | 23 | 111 | 187 | 242 | 321 | 208 | 127 | 45 | 17 | - |
| 2003 2/..... | 1,308 | 1 | 2  | 25 | 109 | 143 | 266 | 316 | 259 | 117 | 57 | 13 | - |
| 2002.....    | 1,303 | 2 | 6  | 17 | 121 | 168 | 277 | 298 | 209 | 134 | 62 | 9  | - |
| 2001.....    | 1,301 | 1 | 11 | 25 | 138 | 202 | 286 | 282 | 172 | 118 | 58 | 8  | - |
| 2000.....    | 1,325 | 2 | 5  | 27 | 137 | 216 | 297 | 269 | 187 | 122 | 55 | 8  | - |
| 1999.....    | 1,269 | - | 5  | 42 | 120 | 217 | 271 | 264 | 187 | 117 | 40 | 6  | - |

Non-Hispanic white, female

|              |     |   |   |    |    |    |    |    |    |    |    |   |   |
|--------------|-----|---|---|----|----|----|----|----|----|----|----|---|---|
| 2007 2/..... | 276 | 1 | 5 | 10 | 30 | 38 | 36 | 62 | 49 | 25 | 13 | 7 | - |
| 2006 2/..... | 340 | 1 | 6 | 14 | 38 | 39 | 62 | 61 | 56 | 34 | 22 | 7 | - |
| 2005 2/..... | 295 | - | 1 | 19 | 33 | 26 | 51 | 52 | 50 | 32 | 23 | 8 | - |
| 2004 2/..... | 319 | 1 | 1 | 16 | 48 | 47 | 58 | 66 | 39 | 19 | 16 | 8 | - |
| 2003 2/..... | 298 | - | 6 | 26 | 27 | 38 | 59 | 62 | 35 | 22 | 18 | 5 | - |
| 2002.....    | 262 | - | 3 | 15 | 33 | 29 | 49 | 49 | 45 | 10 | 20 | 9 | - |
| 2001.....    | 268 | - | 3 | 12 | 33 | 42 | 63 | 43 | 24 | 20 | 22 | 6 | - |
| 2000.....    | 267 | - | 3 | 16 | 34 | 32 | 50 | 47 | 40 | 26 | 16 | 3 | - |
| 1999.....    | 311 | 1 | 4 | 19 | 35 | 52 | 75 | 50 | 29 | 23 | 17 | 6 | - |

Worktable Orig290F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2007

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data - mortality"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, sex, and year | All ages | Under 1 year | 1-4 years | 5-14 years | 15-24 years | 25-34 years | 35-44 years | 45-54 years | 55-64 years | 65-74 years | 75-84 years | 85 years and over | Age not stated |
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|

Water, air and space, and other and unspecified transport accidents and their sequelae (V90-V99,Y85)

Non-Hispanic black, both sexes

|              |     |   |   |    |    |    |    |    |    |    |   |   |   |
|--------------|-----|---|---|----|----|----|----|----|----|----|---|---|---|
| 2007 2/..... | 174 | 1 | - | 6  | 24 | 24 | 19 | 44 | 33 | 17 | 5 | 1 | - |
| 2006 2/..... | 170 | - | 2 | 6  | 14 | 34 | 35 | 37 | 23 | 7  | 7 | 5 | - |
| 2005 2/..... | 145 | - | - | 4  | 19 | 18 | 27 | 48 | 19 | 4  | 5 | 1 | - |
| 2004 2/..... | 155 | - | 1 | 5  | 13 | 25 | 36 | 39 | 22 | 9  | 5 | - | - |
| 2003 2/..... | 147 | - | 1 | 7  | 26 | 18 | 27 | 32 | 19 | 10 | 7 | - | - |
| 2002.....    | 159 | - | - | 11 | 15 | 21 | 34 | 35 | 22 | 12 | 8 | 1 | - |
| 2001.....    | 164 | - | 1 | 7  | 16 | 27 | 27 | 44 | 23 | 9  | 8 | 2 | - |
| 2000.....    | 130 | - | - | 4  | 16 | 25 | 28 | 25 | 14 | 14 | 3 | 1 | - |
| 1999.....    | 174 | - | 4 | 9  | 20 | 27 | 37 | 33 | 26 | 9  | 7 | 2 | - |

Non-Hispanic black, male

|              |     |   |   |   |    |    |    |    |    |    |   |   |   |
|--------------|-----|---|---|---|----|----|----|----|----|----|---|---|---|
| 2007 2/..... | 148 | 1 | - | 3 | 21 | 19 | 16 | 41 | 26 | 16 | 5 | - | - |
| 2006 2/..... | 142 | - | 1 | 4 | 13 | 31 | 30 | 32 | 19 | 6  | 3 | 3 | - |
| 2005 2/..... | 115 | - | - | 4 | 18 | 14 | 23 | 35 | 14 | 4  | 3 | - | - |
| 2004 2/..... | 130 | - | 1 | 2 | 12 | 23 | 30 | 32 | 20 | 7  | 3 | - | - |
| 2003 2/..... | 128 | - | - | 7 | 25 | 14 | 25 | 26 | 18 | 8  | 5 | - | - |
| 2002.....    | 134 | - | - | 7 | 14 | 18 | 26 | 27 | 21 | 12 | 8 | 1 | - |
| 2001.....    | 142 | - | 1 | 5 | 16 | 22 | 25 | 37 | 23 | 9  | 4 | - | - |
| 2000.....    | 115 | - | - | 4 | 15 | 22 | 26 | 21 | 13 | 10 | 3 | 1 | - |
| 1999.....    | 142 | - | 3 | 7 | 13 | 22 | 32 | 26 | 24 | 9  | 4 | 2 | - |

Worktable Orig290F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2007

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data - mortality"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, sex, and year | All ages | Under 1 year | 1-4 years | 5-14 years | 15-24 years | 25-34 years | 35-44 years | 45-54 years | 55-64 years | 65-74 years | 75-84 years | 85 years and over | Age not stated |
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|

Water, air and space, and other and unspecified transport accidents and their sequelae (V90-V99,Y85)

Non-Hispanic black, female

|              |    |   |   |   |   |   |   |    |   |   |   |   |   |
|--------------|----|---|---|---|---|---|---|----|---|---|---|---|---|
| 2007 2/..... | 26 | - | - | 3 | 3 | 5 | 3 | 3  | 7 | 1 | - | 1 | - |
| 2006 2/..... | 28 | - | 1 | 2 | 1 | 3 | 5 | 5  | 4 | 1 | 4 | 2 | - |
| 2005 2/..... | 30 | - | - | - | 1 | 4 | 4 | 13 | 5 | - | 2 | 1 | - |
| 2004 2/..... | 25 | - | - | 3 | 1 | 2 | 6 | 7  | 2 | 2 | 2 | - | - |
| 2003 2/..... | 19 | - | 1 | - | 1 | 4 | 2 | 6  | 1 | 2 | 2 | - | - |
| 2002.....    | 25 | - | - | 4 | 1 | 3 | 8 | 8  | 1 | - | - | - | - |
| 2001.....    | 22 | - | - | 2 | - | 5 | 2 | 7  | - | - | 4 | 2 | - |
| 2000.....    | 15 | - | - | - | 1 | 3 | 2 | 4  | 1 | 4 | - | - | - |
| 1999.....    | 32 | - | 1 | 2 | 7 | 5 | 5 | 7  | 2 | - | 3 | - | - |

Origin not stated 3/, both sexes

|           |    |   |   |   |   |   |   |   |   |   |   |   |   |
|-----------|----|---|---|---|---|---|---|---|---|---|---|---|---|
| 2007..... | 6  | - | - | - | - | - | 1 | 2 | 2 | - | 1 | - | - |
| 2006..... | -  | - | - | - | - | - | - | - | - | - | - | - | - |
| 2005..... | 4  | - | - | - | - | 1 | - | 2 | - | 1 | - | - | - |
| 2004..... | 6  | - | - | - | 2 | 1 | - | 2 | 1 | - | - | - | - |
| 2003..... | 10 | - | - | - | 3 | 1 | 3 | - | 3 | - | - | - | - |
| 2002..... | 10 | - | - | - | - | 3 | 2 | 1 | 2 | 2 | - | - | - |
| 2001..... | 3  | - | - | - | - | - | 3 | - | - | - | - | - | - |
| 2000..... | 3  | - | - | - | - | - | - | 2 | - | 1 | - | - | - |
| 1999..... | 3  | - | - | - | - | 1 | - | 2 | - | - | - | - | - |



Worktable Orig290F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2007

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data - mortality"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, sex, and year | All ages | Under 1 year | 1-4 years | 5-14 years | 15-24 years | 25-34 years | 35-44 years | 45-54 years | 55-64 years | 65-74 years | 75-84 years | 85 years and over | Age not stated |
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|
| Nontransport accidents (W00-X59,Y86)   |          |              |           |            |             |             |             |             |             |             |             |                   |                |
| All origins, both sexes  |          |              |           |            |             |             |             |             |             |             |             |                   |                |
| 2007.....  | 76,862   | 1,158        | 1,007     | 820        | 4,969       | 7,525       | 10,102      | 13,116      | 7,355       | 5,559       | 10,753      | 14,477            | 21             |
| 2006.....  | 73,187   | 1,005        | 995       | 805        | 4,837       | 7,201       | 10,285      | 12,411      | 6,460       | 5,250       | 10,626      | 13,271            | 41             |
| 2005.....  | 69,368   | 936          | 1,018     | 868        | 4,465       | 6,359       | 9,624       | 11,238      | 5,935       | 5,279       | 10,686      | 12,914            | 46             |
| 2004.....  | 63,959   | 907          | 982       | 911        | 4,072       | 5,511       | 9,224       | 9,989       | 5,141       | 4,887       | 10,147      | 12,127            | 61             |
| 2003.....  | 61,206   | 797          | 1,068     | 853        | 3,840       | 5,261       | 9,172       | 9,083       | 4,729       | 4,871       | 9,731       | 11,745            | 56             |
| 2002.....  | 58,376   | 819          | 1,001     | 980        | 3,596       | 5,085       | 9,022       | 8,112       | 4,180       | 4,735       | 9,471       | 11,329            | 46             |
| 2001.....  | 54,249   | 825          | 1,036     | 1,013      | 3,272       | 4,385       | 8,118       | 7,093       | 3,797       | 4,553       | 9,181       | 10,899            | 77             |
| 2000.....  | 51,151   | 707          | 1,135     | 1,057      | 3,085       | 4,369       | 7,752       | 6,313       | 3,622       | 4,383       | 8,416       | 10,260            | 52             |
| 1999.....  | 51,437   | 656          | 1,186     | 1,116      | 2,967       | 4,456       | 7,678       | 5,994       | 3,473       | 4,629       | 8,814       | 10,399            | 69             |
| All origins, male  |          |              |           |            |             |             |             |             |             |             |             |                   |                |
| 2007.....  | 46,393   | 657          | 659       | 533        | 3,962       | 5,674       | 6,938       | 8,669       | 4,897       | 3,455       | 5,470       | 5,460             | 19             |
| 2006.....  | 44,876   | 597          | 598       | 536        | 3,953       | 5,515       | 7,198       | 8,490       | 4,365       | 3,186       | 5,436       | 4,968             | 34             |
| 2005.....  | 42,289   | 504          | 658       | 583        | 3,619       | 4,825       | 6,723       | 7,794       | 4,072       | 3,186       | 5,502       | 4,784             | 39             |
| 2004.....  | 38,739   | 523          | 605       | 622        | 3,310       | 4,230       | 6,374       | 6,946       | 3,448       | 2,994       | 5,125       | 4,509             | 53             |
| 2003.....  | 37,241   | 458          | 682       | 578        | 3,120       | 4,023       | 6,506       | 6,331       | 3,237       | 2,946       | 4,966       | 4,342             | 52             |
| 2002.....  | 35,724   | 481          | 643       | 674        | 2,967       | 3,959       | 6,513       | 5,765       | 2,904       | 2,930       | 4,770       | 4,080             | 38             |
| 2001.....  | 33,266   | 473          | 653       | 688        | 2,721       | 3,431       | 5,999       | 5,259       | 2,597       | 2,736       | 4,669       | 3,973             | 67             |
| 2000.....  | 31,651   | 407          | 707       | 723        | 2,570       | 3,489       | 5,884       | 4,803       | 2,516       | 2,618       | 4,205       | 3,679             | 50             |
| 1999.....  | 31,893   | 393          | 727       | 768        | 2,482       | 3,586       | 5,872       | 4,586       | 2,454       | 2,830       | 4,413       | 3,722             | 60             |

Worktable Orig290F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2007

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data - mortality"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, sex, and year | All ages | Under 1 year | 1-4 years | 5-14 years | 15-24 years | 25-34 years | 35-44 years | 45-54 years | 55-64 years | 65-74 years | 75-84 years | 85 years and over | Age not stated |
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|
| <b>Nontransport accidents (W00-X59,Y86)</b>  |          |              |           |            |             |             |             |             |             |             |             |                   |                |
| <b>All origins, female</b>   |          |              |           |            |             |             |             |             |             |             |             |                   |                |
| 2007.....  | 30,469   | 501          | 348       | 287        | 1,007       | 1,851       | 3,164       | 4,447       | 2,458       | 2,104       | 5,283       | 9,017             | 2              |
| 2006.....  | 28,311   | 408          | 397       | 269        | 884         | 1,686       | 3,087       | 3,921       | 2,095       | 2,064       | 5,190       | 8,303             | 7              |
| 2005.....  | 27,079   | 432          | 360       | 285        | 846         | 1,534       | 2,901       | 3,444       | 1,863       | 2,093       | 5,184       | 8,130             | 7              |
| 2004.....  | 25,220   | 384          | 377       | 289        | 762         | 1,281       | 2,850       | 3,043       | 1,693       | 1,893       | 5,022       | 7,618             | 8              |
| 2003.....  | 23,965   | 339          | 386       | 275        | 720         | 1,238       | 2,666       | 2,752       | 1,492       | 1,925       | 4,765       | 7,403             | 4              |
| 2002.....  | 22,652   | 338          | 358       | 306        | 629         | 1,126       | 2,509       | 2,347       | 1,276       | 1,805       | 4,701       | 7,249             | 8              |
| 2001.....  | 20,983   | 352          | 383       | 325        | 551         | 954         | 2,119       | 1,834       | 1,200       | 1,817       | 4,512       | 6,926             | 10             |
| 2000.....  | 19,500   | 300          | 428       | 334        | 515         | 880         | 1,868       | 1,510       | 1,106       | 1,765       | 4,211       | 6,581             | 2              |
| 1999.....  | 19,544   | 263          | 459       | 348        | 485         | 870         | 1,806       | 1,408       | 1,019       | 1,799       | 4,401       | 6,677             | 9              |
| <b>Hispanic, both sexes</b>  |          |              |           |            |             |             |             |             |             |             |             |                   |                |
| 2007.....  | 5,606    | 136          | 182       | 118        | 662         | 926         | 1,036       | 969         | 448         | 302         | 448         | 376               | 3              |
| 2006.....  | 5,496    | 144          | 187       | 121        | 610         | 961         | 1,080       | 902         | 452         | 278         | 416         | 337               | 8              |
| 2005.....  | 5,106    | 128          | 188       | 85         | 624         | 871         | 970         | 818         | 379         | 305         | 405         | 323               | 10             |
| 2004.....  | 4,398    | 119          | 149       | 89         | 506         | 705         | 908         | 674         | 325         | 257         | 358         | 296               | 12             |
| 2003.....  | 4,373    | 92           | 186       | 123        | 532         | 755         | 904         | 677         | 310         | 239         | 303         | 245               | 7              |
| 2002.....  | 4,185    | 101          | 159       | 112        | 538         | 687         | 911         | 614         | 266         | 249         | 307         | 230               | 11             |
| 2001.....  | 3,749    | 111          | 151       | 114        | 442         | 645         | 818         | 521         | 233         | 225         | 242         | 228               | 19             |
| 2000.....  | 3,613    | 76           | 152       | 104        | 479         | 650         | 787         | 445         | 224         | 198         | 244         | 240               | 14             |
| 1999.....  | 3,770    | 94           | 184       | 112        | 489         | 665         | 849         | 481         | 213         | 212         | 214         | 224               | 33             |

Worktable Orig290F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2007

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data - mortality"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, sex, and year | All ages | Under 1 year | 1-4 years | 5-14 years | 15-24 years | 25-34 years | 35-44 years | 45-54 years | 55-64 years | 65-74 years | 75-84 years | 85 years and over | Age not stated |
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|
| Nontransport accidents (W00-X59,Y86)   |          |              |           |            |             |             |             |             |             |             |             |                   |                |
| Hispanic, male   |          |              |           |            |             |             |             |             |             |             |             |                   |                |
| 2007.....  | 4,203    | 77           | 129       | 75         | 578         | 798         | 863         | 782         | 315         | 194         | 235         | 154               | 3              |
| 2006.....  | 4,121    | 80           | 114       | 83         | 529         | 818         | 900         | 710         | 347         | 185         | 210         | 138               | 7              |
| 2005.....  | 3,825    | 66           | 125       | 54         | 545         | 753         | 796         | 662         | 292         | 193         | 212         | 118               | 9              |
| 2004.....  | 3,245    | 69           | 91        | 60         | 434         | 610         | 734         | 532         | 245         | 159         | 181         | 118               | 12             |
| 2003.....  | 3,325    | 52           | 123       | 80         | 468         | 652         | 748         | 539         | 237         | 147         | 175         | 97                | 7              |
| 2002.....  | 3,217    | 67           | 102       | 71         | 479         | 615         | 746         | 494         | 200         | 158         | 167         | 107               | 11             |
| 2001.....  | 2,823    | 59           | 103       | 69         | 390         | 552         | 687         | 432         | 177         | 134         | 121         | 81                | 18             |
| 2000.....  | 2,775    | 43           | 89        | 55         | 432         | 578         | 678         | 377         | 158         | 131         | 117         | 103               | 14             |
| 1999.....  | 2,948    | 58           | 112       | 76         | 439         | 590         | 717         | 404         | 173         | 144         | 105         | 101               | 29             |
| Hispanic, female   |          |              |           |            |             |             |             |             |             |             |             |                   |                |
| 2007.....  | 1,403    | 59           | 53        | 43         | 84          | 128         | 173         | 187         | 133         | 108         | 213         | 222               | -              |
| 2006.....  | 1,375    | 64           | 73        | 38         | 81          | 143         | 180         | 192         | 105         | 93          | 206         | 199               | 1              |
| 2005.....  | 1,281    | 62           | 63        | 31         | 79          | 118         | 174         | 156         | 87          | 112         | 193         | 205               | 1              |
| 2004.....  | 1,153    | 50           | 58        | 29         | 72          | 95          | 174         | 142         | 80          | 98          | 177         | 178               | -              |
| 2003.....  | 1,048    | 40           | 63        | 43         | 64          | 103         | 156         | 138         | 73          | 92          | 128         | 148               | -              |
| 2002.....  | 968      | 34           | 57        | 41         | 59          | 72          | 165         | 120         | 66          | 91          | 140         | 123               | -              |
| 2001.....  | 926      | 52           | 48        | 45         | 52          | 93          | 131         | 89          | 56          | 91          | 121         | 147               | 1              |
| 2000.....  | 838      | 33           | 63        | 49         | 47          | 72          | 109         | 68          | 66          | 67          | 127         | 137               | -              |
| 1999.....  | 822      | 36           | 72        | 36         | 50          | 75          | 132         | 77          | 40          | 68          | 109         | 123               | 4              |



Worktable Orig290F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2007

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data - mortality"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, sex, and year | All ages | Under 1 year | 1-4 years | 5-14 years | 15-24 years | 25-34 years | 35-44 years | 45-54 years | 55-64 years | 65-74 years | 75-84 years | 85 years and over | Age not stated |
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|
| <b>Nontransport accidents (W00-X59,Y86)</b>  |          |              |           |            |             |             |             |             |             |             |             |                   |                |
| <b>Non-Hispanic 1/, both sexes</b>   |          |              |           |            |             |             |             |             |             |             |             |                   |                |
| 2007.....  | 71,037   | 1,018        | 822       | 702        | 4,296       | 6,582       | 9,036       | 12,090      | 6,871       | 5,243       | 10,285      | 14,086            | 6              |
| 2006.....  | 67,445   | 857          | 795       | 681        | 4,215       | 6,210       | 9,169       | 11,453      | 5,981       | 4,960       | 10,185      | 12,920            | 19             |
| 2005.....  | 64,010   | 802          | 828       | 782        | 3,834       | 5,466       | 8,608       | 10,357      | 5,523       | 4,956       | 10,264      | 12,572            | 18             |
| 2004.....  | 59,343   | 787          | 829       | 819        | 3,557       | 4,784       | 8,285       | 9,261       | 4,792       | 4,615       | 9,773       | 11,812            | 29             |
| 2003.....  | 56,550   | 703          | 881       | 729        | 3,296       | 4,480       | 8,216       | 8,338       | 4,395       | 4,614       | 9,403       | 11,476            | 19             |
| 2002.....  | 53,907   | 715          | 839       | 862        | 3,044       | 4,369       | 8,062       | 7,447       | 3,884       | 4,464       | 9,130       | 11,073            | 18             |
| 2001.....  | 50,183   | 709          | 882       | 891        | 2,816       | 3,716       | 7,241       | 6,516       | 3,529       | 4,303       | 8,915       | 10,644            | 21             |
| 2000.....  | 47,217   | 627          | 979       | 948        | 2,593       | 3,691       | 6,905       | 5,789       | 3,371       | 4,165       | 8,147       | 9,993             | 9              |
| 1999.....  | 47,339   | 561          | 997       | 1,002      | 2,466       | 3,762       | 6,763       | 5,447       | 3,218       | 4,400       | 8,567       | 10,141            | 15             |
| <b>Non-Hispanic 1/, male</b>   |          |              |           |            |             |             |             |             |             |             |             |                   |                |
| 2007.....  | 42,044   | 576          | 529       | 458        | 3,376       | 4,867       | 6,056       | 7,846       | 4,559       | 3,251       | 5,223       | 5,297             | 6              |
| 2006.....  | 40,576   | 514          | 474       | 452        | 3,414       | 4,677       | 6,268       | 7,739       | 3,995       | 2,992       | 5,209       | 4,826             | 16             |
| 2005.....  | 38,285   | 435          | 532       | 529        | 3,068       | 4,055       | 5,895       | 7,083       | 3,755       | 2,980       | 5,280       | 4,660             | 13             |
| 2004.....  | 35,330   | 453          | 512       | 561        | 2,868       | 3,602       | 5,615       | 6,368       | 3,185       | 2,822       | 4,937       | 4,383             | 24             |
| 2003.....  | 33,699   | 404          | 558       | 497        | 2,642       | 3,350       | 5,717       | 5,740       | 2,981       | 2,784       | 4,775       | 4,235             | 16             |
| 2002.....  | 32,295   | 412          | 539       | 599        | 2,478       | 3,320       | 5,727       | 5,232       | 2,674       | 2,753       | 4,582       | 3,963             | 16             |
| 2001.....  | 30,201   | 410          | 547       | 613        | 2,318       | 2,860       | 5,262       | 4,781       | 2,390       | 2,586       | 4,532       | 3,885             | 17             |
| 2000.....  | 28,640   | 361          | 617       | 666        | 2,127       | 2,888       | 5,158       | 4,366       | 2,336       | 2,473       | 4,076       | 3,564             | 8              |
| 1999.....  | 28,701   | 335          | 613       | 690        | 2,032       | 2,972       | 5,107       | 4,125       | 2,248       | 2,672       | 4,289       | 3,605             | 13             |

Worktable Orig290F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2007

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data - mortality"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, sex, and year | All ages | Under 1 year | 1-4 years | 5-14 years | 15-24 years | 25-34 years | 35-44 years | 45-54 years | 55-64 years | 65-74 years | 75-84 years | 85 years and over | Age not stated |
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|
| <b>Nontransport accidents (W00-X59,Y86)</b>  |          |              |           |            |             |             |             |             |             |             |             |                   |                |
| <b>Non-Hispanic 1/, female</b>   |          |              |           |            |             |             |             |             |             |             |             |                   |                |
| 2007.....  | 28,993   | 442          | 293       | 244        | 920         | 1,715       | 2,980       | 4,244       | 2,312       | 1,992       | 5,062       | 8,789             | -              |
| 2006.....  | 26,869   | 343          | 321       | 229        | 801         | 1,533       | 2,901       | 3,714       | 1,986       | 1,968       | 4,976       | 8,094             | 3              |
| 2005.....  | 25,725   | 367          | 296       | 253        | 766         | 1,411       | 2,713       | 3,274       | 1,768       | 1,976       | 4,984       | 7,912             | 5              |
| 2004.....  | 24,013   | 334          | 317       | 258        | 689         | 1,182       | 2,670       | 2,893       | 1,607       | 1,793       | 4,836       | 7,429             | 5              |
| 2003.....  | 22,851   | 299          | 323       | 232        | 654         | 1,130       | 2,499       | 2,598       | 1,414       | 1,830       | 4,628       | 7,241             | 3              |
| 2002.....  | 21,612   | 303          | 300       | 263        | 566         | 1,049       | 2,335       | 2,215       | 1,210       | 1,711       | 4,548       | 7,110             | 2              |
| 2001.....  | 19,982   | 299          | 335       | 278        | 498         | 856         | 1,979       | 1,735       | 1,139       | 1,717       | 4,383       | 6,759             | 4              |
| 2000.....  | 18,577   | 266          | 362       | 282        | 466         | 803         | 1,747       | 1,423       | 1,035       | 1,692       | 4,071       | 6,429             | 1              |
| 1999.....  | 18,638   | 226          | 384       | 312        | 434         | 790         | 1,656       | 1,322       | 970         | 1,728       | 4,278       | 6,536             | 2              |
| <b>Non-Hispanic white, both sexes</b>  |          |              |           |            |             |             |             |             |             |             |             |                   |                |
| 2007 2/.....   | 61,549   | 578          | 572       | 434        | 3,715       | 5,724       | 7,633       | 10,011      | 5,635       | 4,463       | 9,444       | 13,335            | 5              |
| 2006 2/.....   | 57,900   | 496          | 537       | 428        | 3,619       | 5,317       | 7,604       | 9,273       | 4,858       | 4,222       | 9,340       | 12,188            | 18             |
| 2005 2/.....   | 54,621   | 508          | 592       | 493        | 3,236       | 4,598       | 7,171       | 8,355       | 4,434       | 4,198       | 9,261       | 11,761            | 14             |
| 2004 2/.....   | 51,151   | 491          | 595       | 488        | 3,035       | 4,060       | 6,960       | 7,592       | 3,892       | 3,939       | 8,932       | 11,141            | 26             |
| 2003 2/.....   | 48,595   | 423          | 633       | 440        | 2,812       | 3,758       | 6,830       | 6,702       | 3,629       | 3,923       | 8,595       | 10,832            | 18             |
| 2002.....  | 45,916   | 403          | 565       | 505        | 2,518       | 3,641       | 6,646       | 5,950       | 3,147       | 3,786       | 8,342       | 10,397            | 16             |
| 2001.....  | 42,509   | 426          | 653       | 566        | 2,304       | 3,027       | 5,846       | 5,093       | 2,839       | 3,681       | 8,113       | 9,944             | 17             |
| 2000.....  | 39,728   | 376          | 676       | 597        | 2,066       | 2,971       | 5,537       | 4,480       | 2,714       | 3,532       | 7,419       | 9,355             | 5              |
| 1999.....  | 39,523   | 337          | 693       | 617        | 1,917       | 2,966       | 5,419       | 4,181       | 2,509       | 3,671       | 7,737       | 9,467             | 9              |

Worktable Orig290F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2007

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data - mortality"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, sex, and year | All ages | Under 1 year | 1-4 years | 5-14 years | 15-24 years | 25-34 years | 35-44 years | 45-54 years | 55-64 years | 65-74 years | 75-84 years | 85 years and over | Age not stated |
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|
| <b>Nontransport accidents (W00-X59,Y86)</b>  |          |              |           |            |             |             |             |             |             |             |             |                   |                |
| <b>Non-Hispanic white, male</b>  |          |              |           |            |             |             |             |             |             |             |             |                   |                |
| 2007 2/.....   | 36,004   | 333          | 369       | 290        | 2,927       | 4,245       | 5,100       | 6,448       | 3,704       | 2,749       | 4,816       | 5,018             | 5              |
| 2006 2/.....   | 34,265   | 293          | 323       | 291        | 2,918       | 3,990       | 5,184       | 6,184       | 3,181       | 2,550       | 4,784       | 4,551             | 16             |
| 2005 2/.....   | 32,191   | 270          | 394       | 337        | 2,602       | 3,425       | 4,923       | 5,660       | 2,941       | 2,518       | 4,763       | 4,347             | 11             |
| 2004 2/.....   | 30,062   | 296          | 376       | 335        | 2,448       | 3,062       | 4,735       | 5,203       | 2,537       | 2,424       | 4,520       | 4,104             | 22             |
| 2003 2/.....   | 28,556   | 244          | 402       | 306        | 2,259       | 2,819       | 4,778       | 4,599       | 2,430       | 2,368       | 4,351       | 3,985             | 15             |
| 2002.....  | 27,024   | 244          | 359       | 354        | 2,039       | 2,772       | 4,734       | 4,175       | 2,134       | 2,330       | 4,175       | 3,694             | 14             |
| 2001.....  | 25,133   | 245          | 416       | 380        | 1,896       | 2,345       | 4,301       | 3,708       | 1,896       | 2,220       | 4,102       | 3,609             | 15             |
| 2000.....  | 23,615   | 222          | 433       | 428        | 1,704       | 2,343       | 4,178       | 3,361       | 1,857       | 2,095       | 3,683       | 3,307             | 4              |
| 1999.....  | 23,431   | 200          | 425       | 423        | 1,568       | 2,371       | 4,122       | 3,150       | 1,744       | 2,217       | 3,865       | 3,338             | 8              |
| <b>Non-Hispanic white, female</b>  |          |              |           |            |             |             |             |             |             |             |             |                   |                |
| 2007 2/.....   | 25,545   | 245          | 203       | 144        | 788         | 1,479       | 2,533       | 3,563       | 1,931       | 1,714       | 4,628       | 8,317             | -              |
| 2006 2/.....   | 23,635   | 203          | 214       | 137        | 701         | 1,327       | 2,420       | 3,089       | 1,677       | 1,672       | 4,556       | 7,637             | 2              |
| 2005 2/.....   | 22,430   | 238          | 198       | 156        | 634         | 1,173       | 2,248       | 2,695       | 1,493       | 1,680       | 4,498       | 7,414             | 3              |
| 2004 2/.....   | 21,089   | 195          | 219       | 153        | 587         | 998         | 2,225       | 2,389       | 1,355       | 1,515       | 4,412       | 7,037             | 4              |
| 2003 2/.....   | 20,039   | 179          | 231       | 134        | 553         | 939         | 2,052       | 2,103       | 1,199       | 1,555       | 4,244       | 6,847             | 3              |
| 2002.....  | 18,892   | 159          | 206       | 151        | 479         | 869         | 1,912       | 1,775       | 1,013       | 1,456       | 4,167       | 6,703             | 2              |
| 2001.....  | 17,376   | 181          | 237       | 186        | 408         | 682         | 1,545       | 1,385       | 943         | 1,461       | 4,011       | 6,335             | 2              |
| 2000.....  | 16,113   | 154          | 243       | 169        | 362         | 628         | 1,359       | 1,119       | 857         | 1,437       | 3,736       | 6,048             | 1              |
| 1999.....  | 16,092   | 137          | 268       | 194        | 349         | 595         | 1,297       | 1,031       | 765         | 1,454       | 3,872       | 6,129             | 1              |

Worktable Orig290F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2007

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data - mortality"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, sex, and year | All ages | Under 1 year | 1-4 years | 5-14 years | 15-24 years | 25-34 years | 35-44 years | 45-54 years | 55-64 years | 65-74 years | 75-84 years | 85 years and over | Age not stated |
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|
| Nontransport accidents (W00-X59,Y86)   |          |              |           |            |             |             |             |             |             |             |             |                   |                |
| Non-Hispanic black, both sexes   |          |              |           |            |             |             |             |             |             |             |             |                   |                |
| 2007 2/.....   | 7,584    | 394          | 201       | 219        | 420         | 657         | 1,131       | 1,804       | 1,042       | 608         | 567         | 541               | -              |
| 2006 2/.....   | 7,813    | 317          | 225       | 210        | 459         | 708         | 1,331       | 1,904       | 947         | 579         | 615         | 517               | 1              |
| 2005 2/.....   | 7,654    | 270          | 198       | 238        | 438         | 675         | 1,191       | 1,756       | 926         | 606         | 767         | 585               | 4              |
| 2004 2/.....   | 6,702    | 266          | 188       | 273        | 386         | 570         | 1,116       | 1,472       | 755         | 542         | 646         | 487               | 1              |
| 2003 2/.....   | 6,470    | 255          | 208       | 241        | 369         | 563         | 1,155       | 1,427       | 651         | 547         | 581         | 472               | 1              |
| 2002.....  | 6,620    | 288          | 229       | 305        | 405         | 587         | 1,194       | 1,335       | 631         | 534         | 593         | 518               | 1              |
| 2001.....  | 6,436    | 254          | 204       | 276        | 391         | 542         | 1,211       | 1,274       | 590         | 529         | 632         | 532               | 1              |
| 2000.....  | 6,330    | 228          | 257       | 310        | 400         | 588         | 1,194       | 1,152       | 566         | 535         | 589         | 507               | 4              |
| 1999.....  | 6,723    | 207          | 260       | 341        | 432         | 663         | 1,171       | 1,145       | 617         | 629         | 693         | 560               | 5              |
| Non-Hispanic black, male   |          |              |           |            |             |             |             |             |             |             |             |                   |                |
| 2007 2/.....   | 4,844    | 208          | 125       | 137        | 323         | 480         | 763         | 1,222       | 742         | 394         | 265         | 185               | -              |
| 2006 2/.....   | 5,188    | 193          | 133       | 134        | 378         | 546         | 913         | 1,359       | 692         | 352         | 308         | 180               | -              |
| 2005 2/.....   | 4,972    | 152          | 114       | 159        | 348         | 480         | 791         | 1,254       | 700         | 373         | 396         | 203               | 2              |
| 2004 2/.....   | 4,321    | 139          | 114       | 185        | 307         | 423         | 730         | 1,021       | 548         | 335         | 332         | 186               | 1              |
| 2003 2/.....   | 4,184    | 146          | 134       | 157        | 288         | 411         | 784         | 988         | 470         | 335         | 297         | 173               | 1              |
| 2002.....  | 4,377    | 154          | 152       | 214        | 343         | 442         | 829         | 941         | 464         | 331         | 309         | 197               | 1              |
| 2001.....  | 4,238    | 151          | 119       | 198        | 319         | 395         | 829         | 959         | 418         | 320         | 338         | 191               | 1              |
| 2000.....  | 4,253    | 124          | 155       | 215        | 326         | 441         | 853         | 883         | 422         | 319         | 314         | 197               | 4              |
| 1999.....  | 4,532    | 122          | 164       | 238        | 372         | 496         | 859         | 884         | 439         | 400         | 344         | 210               | 4              |

Worktable Orig290F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2007

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data - mortality"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, sex, and year | All ages | Under 1 year | 1-4 years | 5-14 years | 15-24 years | 25-34 years | 35-44 years | 45-54 years | 55-64 years | 65-74 years | 75-84 years | 85 years and over | Age not stated |
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|
| Nontransport accidents (W00-X59,Y86)   |          |              |           |            |             |             |             |             |             |             |             |                   |                |
| Non-Hispanic black, female   |          |              |           |            |             |             |             |             |             |             |             |                   |                |
| 2007 2/.....   | 2,740    | 186          | 76        | 82         | 97          | 177         | 368         | 582         | 300         | 214         | 302         | 356               | -              |
| 2006 2/.....   | 2,625    | 124          | 92        | 76         | 81          | 162         | 418         | 545         | 255         | 227         | 307         | 337               | 1              |
| 2005 2/.....   | 2,682    | 118          | 84        | 79         | 90          | 195         | 400         | 502         | 226         | 233         | 371         | 382               | 2              |
| 2004 2/.....   | 2,381    | 127          | 74        | 88         | 79          | 147         | 386         | 451         | 207         | 207         | 314         | 301               | -              |
| 2003 2/.....   | 2,286    | 109          | 74        | 84         | 81          | 152         | 371         | 439         | 181         | 212         | 284         | 299               | -              |
| 2002.....  | 2,243    | 134          | 77        | 91         | 62          | 145         | 365         | 394         | 167         | 203         | 284         | 321               | -              |
| 2001.....  | 2,198    | 103          | 85        | 78         | 72          | 147         | 382         | 315         | 172         | 209         | 294         | 341               | -              |
| 2000.....  | 2,077    | 104          | 102       | 95         | 74          | 147         | 341         | 269         | 144         | 216         | 275         | 310               | -              |
| 1999.....  | 2,191    | 85           | 96        | 103        | 60          | 167         | 312         | 261         | 178         | 229         | 349         | 350               | 1              |
| Origin not stated 3/, both sexes   |          |              |           |            |             |             |             |             |             |             |             |                   |                |
| 2007.....  | 219      | 4            | 3         | -          | 11          | 17          | 30          | 57          | 36          | 14          | 20          | 15                | 12             |
| 2006.....  | 246      | 4            | 13        | 3          | 12          | 30          | 36          | 56          | 27          | 12          | 25          | 14                | 14             |
| 2005.....  | 252      | 6            | 2         | 1          | 7           | 22          | 46          | 63          | 33          | 18          | 17          | 19                | 18             |
| 2004.....  | 218      | 1            | 4         | 3          | 9           | 22          | 31          | 54          | 24          | 15          | 16          | 19                | 20             |
| 2003.....  | 283      | 2            | 1         | 1          | 12          | 26          | 52          | 68          | 24          | 18          | 25          | 24                | 30             |
| 2002.....  | 284      | 3            | 3         | 6          | 14          | 29          | 49          | 51          | 30          | 22          | 34          | 26                | 17             |
| 2001.....  | 317      | 5            | 3         | 8          | 14          | 24          | 59          | 56          | 35          | 25          | 24          | 27                | 37             |
| 2000.....  | 321      | 4            | 4         | 5          | 13          | 28          | 60          | 79          | 27          | 20          | 25          | 27                | 29             |
| 1999.....  | 328      | 1            | 5         | 2          | 12          | 29          | 66          | 66          | 42          | 17          | 33          | 34                | 21             |

Worktable Orig290F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2007

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data - mortality"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, sex, and year | All ages | Under 1 year | 1-4 years | 5-14 years | 15-24 years | 25-34 years | 35-44 years | 45-54 years | 55-64 years | 65-74 years | 75-84 years | 85 years and over | Age not stated |
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|
| Nontransport accidents (W00-X59,Y86)   |          |              |           |            |             |             |             |             |             |             |             |                   |                |
| Origin not stated 3/, male   |          |              |           |            |             |             |             |             |             |             |             |                   |                |
| 2007.....  | 146      | 4            | 1         | -          | 8           | 9           | 19          | 41          | 23          | 10          | 12          | 9                 | 10             |
| 2006.....  | 179      | 3            | 10        | 1          | 10          | 20          | 30          | 41          | 23          | 9           | 17          | 4                 | 11             |
| 2005.....  | 179      | 3            | 1         | -          | 6           | 17          | 32          | 49          | 25          | 13          | 10          | 6                 | 17             |
| 2004.....  | 164      | 1            | 2         | 1          | 8           | 18          | 25          | 46          | 18          | 13          | 7           | 8                 | 17             |
| 2003.....  | 217      | 2            | 1         | 1          | 10          | 21          | 41          | 52          | 19          | 15          | 16          | 10                | 29             |
| 2002.....  | 212      | 2            | 2         | 4          | 10          | 24          | 40          | 39          | 30          | 19          | 21          | 10                | 11             |
| 2001.....  | 242      | 4            | 3         | 6          | 13          | 19          | 50          | 46          | 30          | 16          | 16          | 7                 | 32             |
| 2000.....  | 236      | 3            | 1         | 2          | 11          | 23          | 48          | 60          | 22          | 14          | 12          | 12                | 28             |
| 1999.....  | 244      | -            | 2         | 2          | 11          | 24          | 48          | 57          | 33          | 14          | 19          | 16                | 18             |
| Origin not stated 3/, female   |          |              |           |            |             |             |             |             |             |             |             |                   |                |
| 2007.....  | 73       | -            | 2         | -          | 3           | 8           | 11          | 16          | 13          | 4           | 8           | 6                 | 2              |
| 2006.....  | 67       | 1            | 3         | 2          | 2           | 10          | 6           | 15          | 4           | 3           | 8           | 10                | 3              |
| 2005.....  | 73       | 3            | 1         | 1          | 1           | 5           | 14          | 14          | 8           | 5           | 7           | 13                | 1              |
| 2004.....  | 54       | -            | 2         | 2          | 1           | 4           | 6           | 8           | 6           | 2           | 9           | 11                | 3              |
| 2003.....  | 66       | -            | -         | -          | 2           | 5           | 11          | 16          | 5           | 3           | 9           | 14                | 1              |
| 2002.....  | 72       | 1            | 1         | 2          | 4           | 5           | 9           | 12          | -           | 3           | 13          | 16                | 6              |
| 2001.....  | 75       | 1            | -         | 2          | 1           | 5           | 9           | 10          | 5           | 9           | 8           | 20                | 5              |
| 2000.....  | 85       | 1            | 3         | 3          | 2           | 5           | 12          | 19          | 5           | 6           | 13          | 15                | 1              |
| 1999.....  | 84       | 1            | 3         | -          | 1           | 5           | 18          | 9           | 9           | 3           | 14          | 18                | 3              |

Worktable Orig290F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2007

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data - mortality"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, sex, and year | All ages | Under 1 year | 1-4 years | 5-14 years | 15-24 years | 25-34 years | 35-44 years | 45-54 years | 55-64 years | 65-74 years | 75-84 years | 85 years and over | Age not stated |
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|
| <b>Falls (W00-W19)</b>   |          |              |           |            |             |             |             |             |             |             |             |                   |                |
| <b>All origins, both sexes</b>   |          |              |           |            |             |             |             |             |             |             |             |                   |                |
| 2007.....  | 22,631   | 24           | 36        | 32         | 233         | 334         | 593         | 1,304       | 1,739       | 2,594       | 6,552       | 9,188             | 2              |
| 2006.....  | 20,823   | 23           | 38        | 38         | 242         | 318         | 628         | 1,290       | 1,592       | 2,392       | 6,227       | 8,031             | 4              |
| 2005.....  | 19,656   | 16           | 34        | 32         | 236         | 295         | 607         | 1,181       | 1,451       | 2,319       | 5,957       | 7,526             | 2              |
| 2004.....  | 18,807   | 23           | 47        | 37         | 241         | 320         | 659         | 1,184       | 1,393       | 2,255       | 5,682       | 6,962             | 4              |
| 2003.....  | 17,229   | 14           | 54        | 45         | 230         | 285         | 636         | 1,043       | 1,220       | 2,048       | 5,249       | 6,404             | 1              |
| 2002.....  | 16,257   | 16           | 37        | 42         | 247         | 307         | 664         | 1,017       | 1,089       | 1,967       | 4,880       | 5,990             | 1              |
| 2001.....  | 15,019   | 23           | 32        | 66         | 256         | 340         | 647         | 1,024       | 1,004       | 1,833       | 4,440       | 5,350             | 4              |
| 2000.....  | 13,322   | 8            | 36        | 37         | 237         | 303         | 608         | 871         | 949         | 1,660       | 3,841       | 4,772             | -              |
| 1999.....  | 13,162   | 12           | 55        | 53         | 242         | 343         | 645         | 824         | 887         | 1,663       | 3,856       | 4,578             | 4              |
| <b>All origins, male</b>   |          |              |           |            |             |             |             |             |             |             |             |                   |                |
| 2007.....  | 11,597   | 14           | 24        | 23         | 197         | 288         | 476         | 982         | 1,183       | 1,582       | 3,331       | 3,495             | 2              |
| 2006.....  | 10,808   | 16           | 26        | 23         | 213         | 272         | 510         | 1,001       | 1,108       | 1,431       | 3,147       | 3,058             | 3              |
| 2005.....  | 10,154   | 6            | 20        | 24         | 198         | 256         | 489         | 897         | 1,023       | 1,384       | 3,051       | 2,804             | 2              |
| 2004.....  | 9,856    | 13           | 31        | 22         | 206         | 274         | 526         | 912         | 987         | 1,394       | 2,858       | 2,630             | 3              |
| 2003.....  | 8,910    | 9            | 39        | 30         | 186         | 237         | 525         | 800         | 827         | 1,209       | 2,661       | 2,386             | 1              |
| 2002.....  | 8,463    | 9            | 28        | 27         | 211         | 269         | 522         | 772         | 771         | 1,202       | 2,444       | 2,208             | -              |
| 2001.....  | 8,089    | 15           | 25        | 46         | 232         | 295         | 544         | 821         | 718         | 1,090       | 2,277       | 2,023             | 3              |
| 2000.....  | 7,122    | 6            | 23        | 30         | 203         | 272         | 496         | 690         | 680         | 991         | 1,947       | 1,784             | -              |
| 1999.....  | 7,109    | 8            | 37        | 40         | 209         | 294         | 528         | 661         | 650         | 1,027       | 1,950       | 1,701             | 4              |

Worktable Orig290F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2007

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data - mortality"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, sex, and year | All ages | Under 1 year | 1-4 years | 5-14 years | 15-24 years | 25-34 years | 35-44 years | 45-54 years | 55-64 years | 65-74 years | 75-84 years | 85 years and over | Age not stated |
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|
| Falls (W00-W19)  |          |              |           |            |             |             |             |             |             |             |             |                   |                |
| All origins, female  |          |              |           |            |             |             |             |             |             |             |             |                   |                |
| 2007.....  | 11,034   | 10           | 12        | 9          | 36          | 46          | 117         | 322         | 556         | 1,012       | 3,221       | 5,693             | -              |
| 2006.....  | 10,015   | 7            | 12        | 15         | 29          | 46          | 118         | 289         | 484         | 961         | 3,080       | 4,973             | 1              |
| 2005.....  | 9,502    | 10           | 14        | 8          | 38          | 39          | 118         | 284         | 428         | 935         | 2,906       | 4,722             | -              |
| 2004.....  | 8,951    | 10           | 16        | 15         | 35          | 46          | 133         | 272         | 406         | 861         | 2,824       | 4,332             | 1              |
| 2003.....  | 8,319    | 5            | 15        | 15         | 44          | 48          | 111         | 243         | 393         | 839         | 2,588       | 4,018             | -              |
| 2002.....  | 7,794    | 7            | 9         | 15         | 36          | 38          | 142         | 245         | 318         | 765         | 2,436       | 3,782             | 1              |
| 2001.....  | 6,930    | 8            | 7         | 20         | 24          | 45          | 103         | 203         | 286         | 743         | 2,163       | 3,327             | 1              |
| 2000.....  | 6,200    | 2            | 13        | 7          | 34          | 31          | 112         | 181         | 269         | 669         | 1,894       | 2,988             | -              |
| 1999.....  | 6,053    | 4            | 18        | 13         | 33          | 49          | 117         | 163         | 237         | 636         | 1,906       | 2,877             | -              |
| Hispanic, both sexes   |          |              |           |            |             |             |             |             |             |             |             |                   |                |
| 2007.....  | 1,212    | 4            | 7         | 7          | 50          | 93          | 97          | 138         | 133         | 141         | 281         | 259               | 2              |
| 2006.....  | 1,189    | 4            | 9         | 5          | 54          | 96          | 119         | 143         | 116         | 147         | 265         | 231               | -              |
| 2005.....  | 1,064    | -            | 6         | 1          | 49          | 73          | 84          | 115         | 112         | 156         | 254         | 214               | -              |
| 2004.....  | 978      | 6            | 7         | 2          | 44          | 80          | 112         | 94          | 109         | 130         | 211         | 183               | -              |
| 2003.....  | 840      | 1            | 11        | 10         | 38          | 60          | 83          | 100         | 105         | 113         | 163         | 156               | -              |
| 2002.....  | 832      | 4            | 9         | 6          | 51          | 69          | 94          | 90          | 87          | 118         | 175         | 129               | -              |
| 2001.....  | 757      | 7            | 6         | 14         | 44          | 73          | 100         | 88          | 78          | 103         | 131         | 112               | 1              |
| 2000.....  | 693      | 3            | 9         | 3          | 46          | 73          | 66          | 77          | 74          | 86          | 134         | 122               | -              |
| 1999.....  | 652      | 4            | 9         | 3          | 45          | 68          | 70          | 65          | 63          | 84          | 116         | 123               | 2              |



Worktable Orig290F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2007

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data - mortality"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, sex, and year | All ages | Under 1 year | 1-4 years | 5-14 years | 15-24 years | 25-34 years | 35-44 years | 45-54 years | 55-64 years | 65-74 years | 75-84 years | 85 years and over | Age not stated |
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|
| <b>Falls (W00-W19)</b>   |          |              |           |            |             |             |             |             |             |             |             |                   |                |
| <b>Hispanic, male</b>  |          |              |           |            |             |             |             |             |             |             |             |                   |                |
| 2007.....  | 762      | -            | 6         | 5          | 48          | 89          | 89          | 115         | 86          | 77          | 140         | 105               | 2              |
| 2006.....  | 800      | 3            | 6         | 5          | 51          | 92          | 109         | 125         | 94          | 93          | 131         | 91                | -              |
| 2005.....  | 689      | -            | 4         | 1          | 45          | 70          | 74          | 103         | 85          | 97          | 140         | 70                | -              |
| 2004.....  | 653      | 4            | 4         | 1          | 42          | 74          | 96          | 84          | 86          | 79          | 107         | 76                | -              |
| 2003.....  | 557      | 1            | 8         | 5          | 33          | 56          | 80          | 83          | 74          | 64          | 94          | 59                | -              |
| 2002.....  | 563      | 3            | 7         | 3          | 49          | 65          | 81          | 70          | 65          | 72          | 90          | 58                | -              |
| 2001.....  | 525      | 4            | 5         | 13         | 44          | 71          | 93          | 75          | 62          | 57          | 62          | 38                | 1              |
| 2000.....  | 485      | 2            | 8         | 3          | 44          | 70          | 62          | 69          | 53          | 60          | 62          | 52                | -              |
| 1999.....  | 464      | 4            | 6         | 3          | 43          | 65          | 62          | 56          | 55          | 52          | 60          | 56                | 2              |
| <b>Hispanic, female</b>  |          |              |           |            |             |             |             |             |             |             |             |                   |                |
| 2007.....  | 450      | 4            | 1         | 2          | 2           | 4           | 8           | 23          | 47          | 64          | 141         | 154               | -              |
| 2006.....  | 389      | 1            | 3         | -          | 3           | 4           | 10          | 18          | 22          | 54          | 134         | 140               | -              |
| 2005.....  | 375      | -            | 2         | -          | 4           | 3           | 10          | 12          | 27          | 59          | 114         | 144               | -              |
| 2004.....  | 325      | 2            | 3         | 1          | 2           | 6           | 16          | 10          | 23          | 51          | 104         | 107               | -              |
| 2003.....  | 283      | -            | 3         | 5          | 5           | 4           | 3           | 17          | 31          | 49          | 69          | 97                | -              |
| 2002.....  | 269      | 1            | 2         | 3          | 2           | 4           | 13          | 20          | 22          | 46          | 85          | 71                | -              |
| 2001.....  | 232      | 3            | 1         | 1          | -           | 2           | 7           | 13          | 16          | 46          | 69          | 74                | -              |
| 2000.....  | 208      | 1            | 1         | -          | 2           | 3           | 4           | 8           | 21          | 26          | 72          | 70                | -              |
| 1999.....  | 188      | -            | 3         | -          | 2           | 3           | 8           | 9           | 8           | 32          | 56          | 67                | -              |

Worktable Orig290F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2007

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data - mortality"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, sex, and year | All ages | Under 1 year | 1-4 years | 5-14 years | 15-24 years | 25-34 years | 35-44 years | 45-54 years | 55-64 years | 65-74 years | 75-84 years | 85 years and over | Age not stated |
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|
| <b>Falls (W00-W19)</b>   |          |              |           |            |             |             |             |             |             |             |             |                   |                |
| <b>Non-Hispanic 1/, both sexes</b>   |          |              |           |            |             |             |             |             |             |             |             |                   |                |
| 2007.....  | 21,374   | 20           | 29        | 25         | 183         | 240         | 493         | 1,163       | 1,600       | 2,446       | 6,258       | 8,917             | -              |
| 2006.....  | 19,592   | 19           | 29        | 33         | 186         | 221         | 508         | 1,138       | 1,471       | 2,244       | 5,949       | 7,792             | 2              |
| 2005.....  | 18,551   | 16           | 28        | 31         | 187         | 222         | 518         | 1,062       | 1,333       | 2,159       | 5,692       | 7,301             | 2              |
| 2004.....  | 17,780   | 17           | 40        | 34         | 196         | 237         | 546         | 1,079       | 1,279       | 2,120       | 5,464       | 6,764             | 4              |
| 2003.....  | 16,337   | 13           | 42        | 35         | 192         | 223         | 548         | 937         | 1,109       | 1,930       | 5,073       | 6,235             | -              |
| 2002.....  | 15,365   | 12           | 28        | 36         | 196         | 238         | 568         | 916         | 995         | 1,842       | 4,685       | 5,849             | -              |
| 2001.....  | 14,204   | 15           | 26        | 51         | 212         | 266         | 544         | 929         | 921         | 1,718       | 4,299       | 5,223             | -              |
| 2000.....  | 12,585   | 5            | 27        | 34         | 191         | 229         | 537         | 784         | 869         | 1,569       | 3,700       | 4,640             | -              |
| 1999.....  | 12,447   | 8            | 46        | 50         | 197         | 273         | 573         | 753         | 813         | 1,572       | 3,721       | 4,440             | 1              |
| <b>Non-Hispanic 1/, male</b>   |          |              |           |            |             |             |             |             |             |             |             |                   |                |
| 2007.....  | 10,803   | 14           | 18        | 18         | 149         | 198         | 385         | 864         | 1,093       | 1,500       | 3,182       | 3,382             | -              |
| 2006.....  | 9,984    | 13           | 20        | 18         | 160         | 179         | 400         | 870         | 1,011       | 1,338       | 3,008       | 2,966             | 1              |
| 2005.....  | 9,442    | 6            | 16        | 23         | 153         | 186         | 412         | 790         | 934         | 1,284       | 2,906       | 2,730             | 2              |
| 2004.....  | 9,170    | 9            | 27        | 21         | 163         | 198         | 429         | 818         | 896         | 1,312       | 2,748       | 2,546             | 3              |
| 2003.....  | 8,320    | 8            | 30        | 25         | 153         | 179         | 440         | 713         | 750         | 1,140       | 2,560       | 2,322             | -              |
| 2002.....  | 7,856    | 6            | 21        | 24         | 162         | 204         | 439         | 691         | 699         | 1,123       | 2,342       | 2,145             | -              |
| 2001.....  | 7,527    | 10           | 20        | 33         | 188         | 223         | 448         | 739         | 651         | 1,024       | 2,209       | 1,982             | -              |
| 2000.....  | 6,603    | 4            | 15        | 27         | 159         | 201         | 429         | 612         | 622         | 928         | 1,881       | 1,725             | -              |
| 1999.....  | 6,602    | 4            | 31        | 37         | 166         | 227         | 464         | 599         | 587         | 969         | 1,878       | 1,639             | 1              |

Worktable Orig290F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2007

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data - mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, sex, and year

|  | All ages | Under 1 year | 1-4 years | 5-14 years | 15-24 years | 25-34 years | 35-44 years | 45-54 years | 55-64 years | 65-74 years | 75-84 years | 85 years and over | Age not stated |
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|

Falls (W00-W19)

Non-Hispanic 1/, female

|           |        |    |    |    |    |    |     |     |     |     |       |       |   |
|-----------|--------|----|----|----|----|----|-----|-----|-----|-----|-------|-------|---|
| 2007..... | 10,571 | 6  | 11 | 7  | 34 | 42 | 108 | 299 | 507 | 946 | 3,076 | 5,535 | - |
| 2006..... | 9,608  | 6  | 9  | 15 | 26 | 42 | 108 | 268 | 460 | 906 | 2,941 | 4,826 | 1 |
| 2005..... | 9,109  | 10 | 12 | 8  | 34 | 36 | 106 | 272 | 399 | 875 | 2,786 | 4,571 | - |
| 2004..... | 8,610  | 8  | 13 | 13 | 33 | 39 | 117 | 261 | 383 | 808 | 2,716 | 4,218 | 1 |
| 2003..... | 8,017  | 5  | 12 | 10 | 39 | 44 | 108 | 224 | 359 | 790 | 2,513 | 3,913 | - |
| 2002..... | 7,509  | 6  | 7  | 12 | 34 | 34 | 129 | 225 | 296 | 719 | 2,343 | 3,704 | - |
| 2001..... | 6,677  | 5  | 6  | 18 | 24 | 43 | 96  | 190 | 270 | 694 | 2,090 | 3,241 | - |
| 2000..... | 5,982  | 1  | 12 | 7  | 32 | 28 | 108 | 172 | 247 | 641 | 1,819 | 2,915 | - |
| 1999..... | 5,845  | 4  | 15 | 13 | 31 | 46 | 109 | 154 | 226 | 603 | 1,843 | 2,801 | - |

Non-Hispanic white, both sexes

|              |        |    |    |    |     |     |     |     |       |       |       |       |   |
|--------------|--------|----|----|----|-----|-----|-----|-----|-------|-------|-------|-------|---|
| 2007 2/..... | 19,791 | 16 | 17 | 21 | 158 | 206 | 401 | 974 | 1,389 | 2,174 | 5,876 | 8,559 | - |
| 2006 2/..... | 17,996 | 14 | 13 | 22 | 161 | 182 | 418 | 942 | 1,248 | 1,995 | 5,568 | 7,432 | 1 |
| 2005 2/..... | 17,042 | 13 | 14 | 23 | 170 | 178 | 437 | 880 | 1,136 | 1,930 | 5,298 | 6,961 | 2 |
| 2004 2/..... | 16,379 | 12 | 26 | 28 | 173 | 191 | 443 | 896 | 1,081 | 1,891 | 5,147 | 6,487 | 4 |
| 2003 2/..... | 14,995 | 9  | 28 | 29 | 167 | 190 | 446 | 744 | 943   | 1,711 | 4,747 | 5,981 | - |
| 2002.....    | 14,157 | 8  | 15 | 28 | 168 | 203 | 466 | 762 | 853   | 1,644 | 4,419 | 5,591 | - |
| 2001.....    | 13,037 | 8  | 23 | 42 | 193 | 226 | 435 | 768 | 780   | 1,540 | 4,044 | 4,978 | - |
| 2000.....    | 11,537 | 2  | 15 | 27 | 172 | 192 | 438 | 646 | 725   | 1,393 | 3,487 | 4,440 | - |
| 1999.....    | 11,295 | 4  | 34 | 39 | 168 | 216 | 477 | 593 | 653   | 1,379 | 3,500 | 4,231 | 1 |

Worktable Orig290F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2007

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data - mortality"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, sex, and year | All ages | Under 1 year | 1-4 years | 5-14 years | 15-24 years | 25-34 years | 35-44 years | 45-54 years | 55-64 years | 65-74 years | 75-84 years | 85 years and over | Age not stated |
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|
| <b>Falls (W00-W19)</b>   |          |              |           |            |             |             |             |             |             |             |             |                   |                |
| <b>Non-Hispanic white, male</b>  |          |              |           |            |             |             |             |             |             |             |             |                   |                |
| 2007 2/.....   | 9,873    | 12           | 10        | 16         | 126         | 170         | 314         | 719         | 946         | 1,326       | 2,991       | 3,243             | -              |
| 2006 2/.....   | 9,028    | 9            | 9         | 12         | 136         | 148         | 330         | 715         | 853         | 1,188       | 2,810       | 2,817             | 1              |
| 2005 2/.....   | 8,560    | 5            | 9         | 17         | 140         | 152         | 348         | 649         | 793         | 1,155       | 2,707       | 2,583             | 2              |
| 2004 2/.....   | 8,318    | 7            | 19        | 16         | 145         | 161         | 361         | 679         | 739         | 1,179       | 2,592       | 2,417             | 3              |
| 2003 2/.....   | 7,531    | 5            | 22        | 20         | 136         | 154         | 362         | 566         | 638         | 1,008       | 2,395       | 2,225             | -              |
| 2002.....  | 7,107    | 3            | 11        | 19         | 137         | 175         | 359         | 574         | 596         | 1,002       | 2,199       | 2,032             | -              |
| 2001.....  | 6,785    | 5            | 17        | 27         | 173         | 191         | 360         | 603         | 551         | 921         | 2,067       | 1,870             | -              |
| 2000.....  | 5,949    | 1            | 6         | 22         | 144         | 169         | 354         | 505         | 519         | 829         | 1,764       | 1,636             | -              |
| 1999.....  | 5,860    | 3            | 23        | 29         | 144         | 181         | 380         | 474         | 471         | 846         | 1,759       | 1,549             | 1              |
| <b>Non-Hispanic white, female</b>  |          |              |           |            |             |             |             |             |             |             |             |                   |                |
| 2007 2/.....   | 9,918    | 4            | 7         | 5          | 32          | 36          | 87          | 255         | 443         | 848         | 2,885       | 5,316             | -              |
| 2006 2/.....   | 8,968    | 5            | 4         | 10         | 25          | 34          | 88          | 227         | 395         | 807         | 2,758       | 4,615             | -              |
| 2005 2/.....   | 8,482    | 8            | 5         | 6          | 30          | 26          | 89          | 231         | 343         | 775         | 2,591       | 4,378             | -              |
| 2004 2/.....   | 8,061    | 5            | 7         | 12         | 28          | 30          | 82          | 217         | 342         | 712         | 2,555       | 4,070             | 1              |
| 2003 2/.....   | 7,464    | 4            | 6         | 9          | 31          | 36          | 84          | 178         | 305         | 703         | 2,352       | 3,756             | -              |
| 2002.....  | 7,050    | 5            | 4         | 9          | 31          | 28          | 107         | 188         | 257         | 642         | 2,220       | 3,559             | -              |
| 2001.....  | 6,252    | 3            | 6         | 15         | 20          | 35          | 75          | 165         | 229         | 619         | 1,977       | 3,108             | -              |
| 2000.....  | 5,588    | 1            | 9         | 5          | 28          | 23          | 84          | 141         | 206         | 564         | 1,723       | 2,804             | -              |
| 1999.....  | 5,435    | 1            | 11        | 10         | 24          | 35          | 97          | 119         | 182         | 533         | 1,741       | 2,682             | -              |

Worktable Orig290F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2007

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data - mortality"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, sex, and year | All ages | Under 1 year | 1-4 years | 5-14 years | 15-24 years | 25-34 years | 35-44 years | 45-54 years | 55-64 years | 65-74 years | 75-84 years | 85 years and over | Age not stated |
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|

#### Falls (W00-W19)

##### Non-Hispanic black, both sexes

|              |       |   |    |    |    |    |    |     |     |     |     |     |   |
|--------------|-------|---|----|----|----|----|----|-----|-----|-----|-----|-----|---|
| 2007 2/..... | 1,001 | 4 | 5  | 3  | 14 | 22 | 60 | 148 | 150 | 169 | 206 | 220 | - |
| 2006 2/..... | 1,052 | 4 | 12 | 7  | 19 | 23 | 64 | 156 | 151 | 171 | 237 | 207 | 1 |
| 2005 2/..... | 1,001 | 2 | 11 | 6  | 10 | 28 | 52 | 152 | 139 | 154 | 253 | 194 | - |
| 2004 2/..... | 980   | 3 | 9  | 4  | 14 | 33 | 81 | 140 | 158 | 171 | 202 | 165 | - |
| 2003 2/..... | 898   | 2 | 11 | 3  | 17 | 25 | 74 | 150 | 131 | 150 | 185 | 150 | - |
| 2002.....    | 821   | 3 | 7  | 6  | 17 | 23 | 75 | 128 | 110 | 135 | 154 | 163 | - |
| 2001.....    | 837   | 6 | 3  | 6  | 13 | 26 | 90 | 128 | 108 | 143 | 173 | 141 | - |
| 2000.....    | 745   | 2 | 12 | 7  | 12 | 22 | 71 | 111 | 114 | 134 | 137 | 123 | - |
| 1999.....    | 865   | 2 | 11 | 10 | 21 | 42 | 73 | 136 | 127 | 150 | 153 | 140 | - |

##### Non-Hispanic black, male

|              |     |   |   |   |    |    |    |     |     |     |     |    |   |
|--------------|-----|---|---|---|----|----|----|-----|-----|-----|-----|----|---|
| 2007 2/..... | 589 | 2 | 3 | 2 | 12 | 18 | 45 | 114 | 109 | 112 | 97  | 75 | - |
| 2006 2/..... | 639 | 3 | 8 | 4 | 19 | 17 | 48 | 124 | 111 | 106 | 124 | 75 | - |
| 2005 2/..... | 583 | - | 4 | 4 | 8  | 19 | 42 | 120 | 102 | 90  | 127 | 67 | - |
| 2004 2/..... | 614 | - | 7 | 3 | 9  | 27 | 56 | 105 | 128 | 102 | 105 | 72 | - |
| 2003 2/..... | 519 | 1 | 7 | 3 | 10 | 18 | 57 | 112 | 86  | 87  | 85  | 53 | - |
| 2002.....    | 518 | 2 | 6 | 5 | 15 | 20 | 58 | 98  | 78  | 81  | 85  | 70 | - |
| 2001.....    | 537 | 4 | 3 | 4 | 9  | 19 | 72 | 109 | 76  | 85  | 97  | 59 | - |
| 2000.....    | 471 | 2 | 9 | 5 | 10 | 18 | 54 | 88  | 87  | 76  | 70  | 52 | - |
| 1999.....    | 554 | 1 | 8 | 7 | 16 | 34 | 65 | 107 | 90  | 100 | 77  | 49 | - |

Worktable Orig290F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2007

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data - mortality"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, sex, and year | All ages | Under 1 year | 1-4 years | 5-14 years | 15-24 years | 25-34 years | 35-44 years | 45-54 years | 55-64 years | 65-74 years | 75-84 years | 85 years and over | Age not stated |
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|
| <b>Falls (W00-W19)</b>   |          |              |           |            |             |             |             |             |             |             |             |                   |                |
| <b>Non-Hispanic black, female</b>  |          |              |           |            |             |             |             |             |             |             |             |                   |                |
| 2007 2/.....   | 412      | 2            | 2         | 1          | 2           | 4           | 15          | 34          | 41          | 57          | 109         | 145               | -              |
| 2006 2/.....   | 413      | 1            | 4         | 3          | -           | 6           | 16          | 32          | 40          | 65          | 113         | 132               | 1              |
| 2005 2/.....   | 418      | 2            | 7         | 2          | 2           | 9           | 10          | 32          | 37          | 64          | 126         | 127               | -              |
| 2004 2/.....   | 366      | 3            | 2         | 1          | 5           | 6           | 25          | 35          | 30          | 69          | 97          | 93                | -              |
| 2003 2/.....   | 379      | 1            | 4         | -          | 7           | 7           | 17          | 38          | 45          | 63          | 100         | 97                | -              |
| 2002.....  | 303      | 1            | 1         | 1          | 2           | 3           | 17          | 30          | 32          | 54          | 69          | 93                | -              |
| 2001.....  | 300      | 2            | -         | 2          | 4           | 7           | 18          | 19          | 32          | 58          | 76          | 82                | -              |
| 2000.....  | 274      | -            | 3         | 2          | 2           | 4           | 17          | 23          | 27          | 58          | 67          | 71                | -              |
| 1999.....  | 311      | 1            | 3         | 3          | 5           | 8           | 8           | 29          | 37          | 50          | 76          | 91                | -              |
| <b>Origin not stated 3/, both sexes</b>  |          |              |           |            |             |             |             |             |             |             |             |                   |                |
| 2007.....  | 45       | -            | -         | -          | -           | 1           | 3           | 3           | 6           | 7           | 13          | 12                | -              |
| 2006.....  | 42       | -            | -         | -          | 2           | 1           | 1           | 9           | 5           | 1           | 13          | 8                 | 2              |
| 2005.....  | 41       | -            | -         | -          | -           | -           | 5           | 4           | 6           | 4           | 11          | 11                | -              |
| 2004.....  | 49       | -            | -         | 1          | 1           | 3           | 1           | 11          | 5           | 5           | 7           | 15                | -              |
| 2003.....  | 52       | -            | 1         | -          | -           | 2           | 5           | 6           | 6           | 5           | 13          | 13                | 1              |
| 2002.....  | 60       | -            | -         | -          | -           | -           | 2           | 11          | 7           | 7           | 20          | 12                | 1              |
| 2001.....  | 58       | 1            | -         | 1          | -           | 1           | 3           | 7           | 5           | 12          | 10          | 15                | 3              |
| 2000.....  | 44       | -            | -         | -          | -           | 1           | 5           | 10          | 6           | 5           | 7           | 10                | -              |
| 1999.....  | 63       | -            | -         | -          | -           | 2           | 2           | 6           | 11          | 7           | 19          | 15                | 1              |

Worktable Orig290F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2007

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data - mortality"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, sex, and year | All ages | Under 1 year | 1-4 years | 5-14 years | 15-24 years | 25-34 years | 35-44 years | 45-54 years | 55-64 years | 65-74 years | 75-84 years | 85 years and over | Age not stated |
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|
| <b>Falls (W00-W19)</b>   |          |              |           |            |             |             |             |             |             |             |             |                   |                |
| <b>Origin not stated 3/, male</b>  |          |              |           |            |             |             |             |             |             |             |             |                   |                |
| 2007.....  | 32       | -            | -         | -          | -           | 1           | 2           | 3           | 4           | 5           | 9           | 8                 | -              |
| 2006.....  | 24       | -            | -         | -          | 2           | 1           | 1           | 6           | 3           | -           | 8           | 1                 | 2              |
| 2005.....  | 23       | -            | -         | -          | -           | -           | 3           | 4           | 4           | 3           | 5           | 4                 | -              |
| 2004.....  | 33       | -            | -         | -          | 1           | 2           | 1           | 10          | 5           | 3           | 3           | 8                 | -              |
| 2003.....  | 33       | -            | 1         | -          | -           | 2           | 5           | 4           | 3           | 5           | 7           | 5                 | 1              |
| 2002.....  | 44       | -            | -         | -          | -           | -           | 2           | 11          | 7           | 7           | 12          | 5                 | -              |
| 2001.....  | 37       | 1            | -         | -          | -           | 1           | 3           | 7           | 5           | 9           | 6           | 3                 | 2              |
| 2000.....  | 34       | -            | -         | -          | -           | 1           | 5           | 9           | 5           | 3           | 4           | 7                 | -              |
| 1999.....  | 43       | -            | -         | -          | -           | 2           | 2           | 6           | 8           | 6           | 12          | 6                 | 1              |
| <b>Origin not stated 3/, female</b>  |          |              |           |            |             |             |             |             |             |             |             |                   |                |
| 2007.....  | 13       | -            | -         | -          | -           | -           | 1           | -           | 2           | 2           | 4           | 4                 | -              |
| 2006.....  | 18       | -            | -         | -          | -           | -           | -           | 3           | 2           | 1           | 5           | 7                 | -              |
| 2005.....  | 18       | -            | -         | -          | -           | -           | 2           | -           | 2           | 1           | 6           | 7                 | -              |
| 2004.....  | 16       | -            | -         | 1          | -           | 1           | -           | 1           | -           | 2           | 4           | 7                 | -              |
| 2003.....  | 19       | -            | -         | -          | -           | -           | -           | 2           | 3           | -           | 6           | 8                 | -              |
| 2002.....  | 16       | -            | -         | -          | -           | -           | -           | -           | -           | -           | 8           | 7                 | 1              |
| 2001.....  | 21       | -            | -         | 1          | -           | -           | -           | -           | -           | 3           | 4           | 12                | 1              |
| 2000.....  | 10       | -            | -         | -          | -           | -           | -           | 1           | 1           | 2           | 3           | 3                 | -              |
| 1999.....  | 20       | -            | -         | -          | -           | -           | -           | -           | 3           | 1           | 7           | 9                 | -              |

Worktable Orig290F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2007

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data - mortality"]

---

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, sex, and year

|  | All ages | Under 1 year | 1-4 years | 5-14 years | 15-24 years | 25-34 years | 35-44 years | 45-54 years | 55-64 years | 65-74 years | 75-84 years | 85 years and over | Age not stated |
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|

---

Accidental discharge of firearms (W32-W34)

All origins, both sexes

|           |     |   |    |    |     |     |     |     |    |    |    |    |   |
|-----------|-----|---|----|----|-----|-----|-----|-----|----|----|----|----|---|
| 2007..... | 613 | 1 | 18 | 46 | 155 | 94  | 91  | 82  | 57 | 31 | 31 | 7  | - |
| 2006..... | 642 | - | 13 | 41 | 193 | 113 | 74  | 84  | 49 | 33 | 34 | 8  | - |
| 2005..... | 789 | 1 | 22 | 52 | 203 | 130 | 114 | 108 | 67 | 44 | 33 | 15 | - |
| 2004..... | 649 | 1 | 14 | 48 | 172 | 100 | 97  | 106 | 35 | 40 | 28 | 8  | - |
| 2003..... | 730 | - | 7  | 49 | 200 | 120 | 118 | 92  | 62 | 39 | 37 | 6  | - |
| 2002..... | 762 | 1 | 11 | 48 | 210 | 143 | 123 | 95  | 56 | 36 | 32 | 7  | - |
| 2001..... | 802 | - | 15 | 57 | 206 | 122 | 146 | 103 | 69 | 33 | 41 | 8  | 2 |
| 2000..... | 776 | 1 | 18 | 67 | 202 | 131 | 153 | 78  | 50 | 41 | 24 | 11 | - |
| 1999..... | 824 | - | 12 | 76 | 251 | 143 | 136 | 92  | 48 | 33 | 23 | 10 | - |

All origins, male

|           |     |   |    |    |     |     |     |    |    |    |    |    |   |
|-----------|-----|---|----|----|-----|-----|-----|----|----|----|----|----|---|
| 2007..... | 537 | 1 | 14 | 41 | 147 | 82  | 74  | 71 | 51 | 23 | 27 | 6  | - |
| 2006..... | 567 | - | 11 | 33 | 186 | 100 | 58  | 66 | 45 | 32 | 29 | 7  | - |
| 2005..... | 683 | 1 | 18 | 39 | 190 | 118 | 94  | 88 | 58 | 37 | 27 | 13 | - |
| 2004..... | 573 | - | 11 | 40 | 160 | 92  | 87  | 90 | 29 | 33 | 23 | 8  | - |
| 2003..... | 656 | - | 7  | 46 | 182 | 110 | 105 | 78 | 59 | 30 | 33 | 6  | - |
| 2002..... | 667 | 1 | 7  | 39 | 195 | 129 | 98  | 84 | 50 | 32 | 26 | 6  | - |
| 2001..... | 690 | - | 12 | 49 | 193 | 103 | 121 | 87 | 55 | 26 | 36 | 7  | 1 |
| 2000..... | 671 | - | 11 | 62 | 183 | 109 | 125 | 69 | 44 | 34 | 23 | 11 | - |
| 1999..... | 707 | - | 7  | 60 | 229 | 122 | 112 | 78 | 41 | 31 | 20 | 7  | - |



Worktable Orig290F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2007

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data - mortality"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, sex, and year | All ages | Under 1 year | 1-4 years | 5-14 years | 15-24 years | 25-34 years | 35-44 years | 45-54 years | 55-64 years | 65-74 years | 75-84 years | 85 years and over | Age not stated |
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|
| Accidental discharge of firearms (W32-W34)   |          |              |           |            |             |             |             |             |             |             |             |                   |                |
| All origins, female  |          |              |           |            |             |             |             |             |             |             |             |                   |                |
| 2007.....  | 76       | -            | 4         | 5          | 8           | 12          | 17          | 11          | 6           | 8           | 4           | 1                 | -              |
| 2006.....  | 75       | -            | 2         | 8          | 7           | 13          | 16          | 18          | 4           | 1           | 5           | 1                 | -              |
| 2005.....  | 106      | -            | 4         | 13         | 13          | 12          | 20          | 20          | 9           | 7           | 6           | 2                 | -              |
| 2004.....  | 76       | 1            | 3         | 8          | 12          | 8           | 10          | 16          | 6           | 7           | 5           | -                 | -              |
| 2003.....  | 74       | -            | -         | 3          | 18          | 10          | 13          | 14          | 3           | 9           | 4           | -                 | -              |
| 2002.....  | 95       | -            | 4         | 9          | 15          | 14          | 25          | 11          | 6           | 4           | 6           | 1                 | -              |
| 2001.....  | 112      | -            | 3         | 8          | 13          | 19          | 25          | 16          | 14          | 7           | 5           | 1                 | 1              |
| 2000.....  | 105      | 1            | 7         | 5          | 19          | 22          | 28          | 9           | 6           | 7           | 1           | -                 | -              |
| 1999.....  | 117      | -            | 5         | 16         | 22          | 21          | 24          | 14          | 7           | 2           | 3           | 3                 | -              |
| Hispanic, both sexes   |          |              |           |            |             |             |             |             |             |             |             |                   |                |
| 2007.....  | 65       | -            | 4         | 4          | 28          | 14          | 7           | 5           | 3           | -           | -           | -                 | -              |
| 2006.....  | 66       | -            | 2         | 2          | 31          | 13          | 9           | 5           | 4           | -           | -           | -                 | -              |
| 2005.....  | 95       | 1            | 1         | 3          | 37          | 25          | 9           | 14          | 1           | 2           | 2           | -                 | -              |
| 2004.....  | 56       | -            | -         | 5          | 23          | 13          | 5           | 9           | 1           | -           | -           | -                 | -              |
| 2003.....  | 71       | -            | -         | 8          | 33          | 14          | 8           | 3           | 3           | 1           | 1           | -                 | -              |
| 2002.....  | 60       | -            | 3         | 5          | 24          | 18          | 5           | 3           | 1           | -           | 1           | -                 | -              |
| 2001.....  | 86       | -            | 1         | 4          | 36          | 21          | 12          | 6           | 1           | 1           | 2           | 1                 | 1              |
| 2000.....  | 59       | -            | 2         | 6          | 25          | 12          | 11          | 2           | 1           | -           | -           | -                 | -              |
| 1999.....  | 66       | -            | -         | 3          | 31          | 17          | 8           | 4           | 1           | 2           | -           | -                 | -              |

Worktable Orig290F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2007

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data - mortality"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, sex, and year | All ages | Under 1 year | 1-4 years | 5-14 years | 15-24 years | 25-34 years | 35-44 years | 45-54 years | 55-64 years | 65-74 years | 75-84 years | 85 years and over | Age not stated |
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|
| Accidental discharge of firearms (W32-W34)   |          |              |           |            |             |             |             |             |             |             |             |                   |                |
| Hispanic, male   |          |              |           |            |             |             |             |             |             |             |             |                   |                |
| 2007.....  | 58       | -            | 3         | 4          | 28          | 12          | 6           | 4           | 1           | -           | -           | -                 | -              |
| 2006.....  | 63       | -            | 2         | 2          | 30          | 13          | 7           | 5           | 4           | -           | -           | -                 | -              |
| 2005.....  | 86       | 1            | 1         | 2          | 36          | 22          | 8           | 12          | 1           | 2           | 1           | -                 | -              |
| 2004.....  | 51       | -            | -         | 4          | 23          | 11          | 5           | 7           | 1           | -           | -           | -                 | -              |
| 2003.....  | 64       | -            | -         | 6          | 30          | 14          | 7           | 2           | 3           | 1           | 1           | -                 | -              |
| 2002.....  | 51       | -            | 1         | 3          | 21          | 18          | 3           | 3           | 1           | -           | 1           | -                 | -              |
| 2001.....  | 76       | -            | 1         | 3          | 33          | 16          | 12          | 5           | 1           | 1           | 2           | 1                 | 1              |
| 2000.....  | 50       | -            | 1         | 4          | 24          | 10          | 9           | 2           | -           | -           | -           | -                 | -              |
| 1999.....  | 61       | -            | -         | 3          | 29          | 16          | 7           | 3           | 1           | 2           | -           | -                 | -              |
| Hispanic, female   |          |              |           |            |             |             |             |             |             |             |             |                   |                |
| 2007.....  | 7        | -            | 1         | -          | -           | 2           | 1           | 1           | 2           | -           | -           | -                 | -              |
| 2006.....  | 3        | -            | -         | -          | 1           | -           | 2           | -           | -           | -           | -           | -                 | -              |
| 2005.....  | 9        | -            | -         | 1          | 1           | 3           | 1           | 2           | -           | -           | 1           | -                 | -              |
| 2004.....  | 5        | -            | -         | 1          | -           | 2           | -           | 2           | -           | -           | -           | -                 | -              |
| 2003.....  | 7        | -            | -         | 2          | 3           | -           | 1           | 1           | -           | -           | -           | -                 | -              |
| 2002.....  | 9        | -            | 2         | 2          | 3           | -           | 2           | -           | -           | -           | -           | -                 | -              |
| 2001.....  | 10       | -            | -         | 1          | 3           | 5           | -           | 1           | -           | -           | -           | -                 | -              |
| 2000.....  | 9        | -            | 1         | 2          | 1           | 2           | 2           | -           | 1           | -           | -           | -                 | -              |
| 1999.....  | 5        | -            | -         | -          | 2           | 1           | 1           | 1           | -           | -           | -           | -                 | -              |

Worktable Orig290F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2007

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data - mortality"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, sex, and year | All ages | Under 1 year | 1-4 years | 5-14 years | 15-24 years | 25-34 years | 35-44 years | 45-54 years | 55-64 years | 65-74 years | 75-84 years | 85 years and over | Age not stated |
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|

Accidental discharge of firearms (W32-W34)

Non-Hispanic 1/, both sexes

|           |     |   |    |    |     |     |     |    |    |    |    |    |   |
|-----------|-----|---|----|----|-----|-----|-----|----|----|----|----|----|---|
| 2007..... | 548 | 1 | 14 | 42 | 127 | 80  | 84  | 77 | 54 | 31 | 31 | 7  | - |
| 2006..... | 575 | - | 11 | 38 | 162 | 100 | 65  | 79 | 45 | 33 | 34 | 8  | - |
| 2005..... | 692 | - | 21 | 49 | 166 | 104 | 104 | 94 | 66 | 42 | 31 | 15 | - |
| 2004..... | 593 | 1 | 14 | 43 | 149 | 87  | 92  | 97 | 34 | 40 | 28 | 8  | - |
| 2003..... | 658 | - | 7  | 41 | 167 | 106 | 109 | 89 | 59 | 38 | 36 | 6  | - |
| 2002..... | 700 | 1 | 8  | 43 | 185 | 125 | 118 | 92 | 55 | 36 | 30 | 7  | - |
| 2001..... | 715 | - | 14 | 53 | 169 | 101 | 134 | 97 | 68 | 32 | 39 | 7  | 1 |
| 2000..... | 717 | 1 | 16 | 61 | 177 | 119 | 142 | 76 | 49 | 41 | 24 | 11 | - |
| 1999..... | 758 | - | 12 | 73 | 220 | 126 | 128 | 88 | 47 | 31 | 23 | 10 | - |

Non-Hispanic 1/, male

|           |     |   |    |    |     |     |     |    |    |    |    |    |   |
|-----------|-----|---|----|----|-----|-----|-----|----|----|----|----|----|---|
| 2007..... | 479 | 1 | 11 | 37 | 119 | 70  | 68  | 67 | 50 | 23 | 27 | 6  | - |
| 2006..... | 503 | - | 9  | 30 | 156 | 87  | 51  | 61 | 41 | 32 | 29 | 7  | - |
| 2005..... | 595 | - | 17 | 37 | 154 | 95  | 85  | 76 | 57 | 35 | 26 | 13 | - |
| 2004..... | 522 | - | 11 | 36 | 137 | 81  | 82  | 83 | 28 | 33 | 23 | 8  | - |
| 2003..... | 591 | - | 7  | 40 | 152 | 96  | 97  | 76 | 56 | 29 | 32 | 6  | - |
| 2002..... | 614 | 1 | 6  | 36 | 173 | 111 | 95  | 81 | 49 | 32 | 24 | 6  | - |
| 2001..... | 613 | - | 11 | 46 | 159 | 87  | 109 | 82 | 54 | 25 | 34 | 6  | - |
| 2000..... | 621 | - | 10 | 58 | 159 | 99  | 116 | 67 | 44 | 34 | 23 | 11 | - |
| 1999..... | 646 | - | 7  | 57 | 200 | 106 | 105 | 75 | 40 | 29 | 20 | 7  | - |

Worktable Orig290F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2007

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data - mortality"]

---

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, sex, and year

|  | All ages | Under 1 year | 1-4 years | 5-14 years | 15-24 years | 25-34 years | 35-44 years | 45-54 years | 55-64 years | 65-74 years | 75-84 years | 85 years and over | Age not stated |
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|

---

Accidental discharge of firearms (W32-W34)

Non-Hispanic 1/, female

|           |     |   |   |    |    |    |    |    |    |   |   |   |   |
|-----------|-----|---|---|----|----|----|----|----|----|---|---|---|---|
| 2007..... | 69  | - | 3 | 5  | 8  | 10 | 16 | 10 | 4  | 8 | 4 | 1 | - |
| 2006..... | 72  | - | 2 | 8  | 6  | 13 | 14 | 18 | 4  | 1 | 5 | 1 | - |
| 2005..... | 97  | - | 4 | 12 | 12 | 9  | 19 | 18 | 9  | 7 | 5 | 2 | - |
| 2004..... | 71  | 1 | 3 | 7  | 12 | 6  | 10 | 14 | 6  | 7 | 5 | - | - |
| 2003..... | 67  | - | - | 1  | 15 | 10 | 12 | 13 | 3  | 9 | 4 | - | - |
| 2002..... | 86  | - | 2 | 7  | 12 | 14 | 23 | 11 | 6  | 4 | 6 | 1 | - |
| 2001..... | 102 | - | 3 | 7  | 10 | 14 | 25 | 15 | 14 | 7 | 5 | 1 | 1 |
| 2000..... | 96  | 1 | 6 | 3  | 18 | 20 | 26 | 9  | 5  | 7 | 1 | - | - |
| 1999..... | 112 | - | 5 | 16 | 20 | 20 | 23 | 13 | 7  | 2 | 3 | 3 | - |

Non-Hispanic white, both sexes

|              |     |   |   |    |     |    |     |    |    |    |    |    |   |
|--------------|-----|---|---|----|-----|----|-----|----|----|----|----|----|---|
| 2007 2/..... | 404 | - | 8 | 28 | 72  | 47 | 65  | 68 | 51 | 27 | 31 | 7  | - |
| 2006 2/..... | 419 | - | 2 | 26 | 85  | 68 | 58  | 68 | 42 | 30 | 32 | 8  | - |
| 2005 2/..... | 508 | - | 9 | 34 | 103 | 57 | 82  | 79 | 64 | 39 | 29 | 12 | - |
| 2004 2/..... | 451 | 1 | 6 | 32 | 97  | 52 | 76  | 90 | 30 | 36 | 24 | 7  | - |
| 2003 2/..... | 515 | - | 4 | 30 | 115 | 69 | 95  | 77 | 56 | 33 | 32 | 4  | - |
| 2002.....    | 531 | 1 | 6 | 31 | 118 | 82 | 97  | 78 | 49 | 35 | 27 | 7  | - |
| 2001.....    | 591 | - | 9 | 41 | 117 | 82 | 116 | 92 | 61 | 29 | 36 | 7  | 1 |
| 2000.....    | 555 | 1 | 9 | 46 | 117 | 83 | 118 | 65 | 46 | 37 | 22 | 11 | - |
| 1999.....    | 585 | - | 5 | 54 | 145 | 98 | 108 | 77 | 40 | 28 | 20 | 10 | - |

Worktable Orig290F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2007

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data - mortality"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, sex, and year | All ages | Under 1 year | 1-4 years | 5-14 years | 15-24 years | 25-34 years | 35-44 years | 45-54 years | 55-64 years | 65-74 years | 75-84 years | 85 years and over | Age not stated |
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|
| Accidental discharge of firearms (W32-W34)   |          |              |           |            |             |             |             |             |             |             |             |                   |                |
| Non-Hispanic white, male   |          |              |           |            |             |             |             |             |             |             |             |                   |                |
| 2007 2/.....   | 349      | -            | 7         | 25         | 68          | 40          | 51          | 58          | 47          | 20          | 27          | 6                 | -              |
| 2006 2/.....   | 358      | -            | 1         | 22         | 80          | 57          | 44          | 53          | 38          | 29          | 27          | 7                 | -              |
| 2005 2/.....   | 432      | -            | 8         | 27         | 99          | 49          | 64          | 64          | 55          | 32          | 24          | 10                | -              |
| 2004 2/.....   | 395      | -            | 5         | 27         | 89          | 48          | 66          | 79          | 25          | 30          | 19          | 7                 | -              |
| 2003 2/.....   | 461      | -            | 4         | 29         | 103         | 61          | 87          | 65          | 54          | 26          | 28          | 4                 | -              |
| 2002.....  | 459      | 1            | 4         | 25         | 110         | 70          | 77          | 69          | 45          | 31          | 21          | 6                 | -              |
| 2001.....  | 506      | -            | 7         | 38         | 109         | 71          | 96          | 78          | 48          | 22          | 31          | 6                 | -              |
| 2000.....  | 483      | -            | 5         | 44         | 106         | 66          | 99          | 59          | 41          | 31          | 21          | 11                | -              |
| 1999.....  | 495      | -            | 3         | 43         | 131         | 80          | 87          | 65          | 36          | 26          | 17          | 7                 | -              |
| Non-Hispanic white, female   |          |              |           |            |             |             |             |             |             |             |             |                   |                |
| 2007 2/.....   | 55       | -            | 1         | 3          | 4           | 7           | 14          | 10          | 4           | 7           | 4           | 1                 | -              |
| 2006 2/.....   | 61       | -            | 1         | 4          | 5           | 11          | 14          | 15          | 4           | 1           | 5           | 1                 | -              |
| 2005 2/.....   | 76       | -            | 1         | 7          | 4           | 8           | 18          | 15          | 9           | 7           | 5           | 2                 | -              |
| 2004 2/.....   | 56       | 1            | 1         | 5          | 8           | 4           | 10          | 11          | 5           | 6           | 5           | -                 | -              |
| 2003 2/.....   | 54       | -            | -         | 1          | 12          | 8           | 8           | 12          | 2           | 7           | 4           | -                 | -              |
| 2002.....  | 72       | -            | 2         | 6          | 8           | 12          | 20          | 9           | 4           | 4           | 6           | 1                 | -              |
| 2001.....  | 85       | -            | 2         | 3          | 8           | 11          | 20          | 14          | 13          | 7           | 5           | 1                 | 1              |
| 2000.....  | 72       | 1            | 4         | 2          | 11          | 17          | 19          | 6           | 5           | 6           | 1           | -                 | -              |
| 1999.....  | 90       | -            | 2         | 11         | 14          | 18          | 21          | 12          | 4           | 2           | 3           | 3                 | -              |

Worktable Orig290F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2007

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data - mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, sex, and year

|  | All ages | Under 1 year | 1-4 years | 5-14 years | 15-24 years | 25-34 years | 35-44 years | 45-54 years | 55-64 years | 65-74 years | 75-84 years | 85 years and over | Age not stated |
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|

Accidental discharge of firearms (W32-W34)

Non-Hispanic black, both sexes

|              |     |   |    |    |    |    |    |    |   |   |   |   |   |
|--------------|-----|---|----|----|----|----|----|----|---|---|---|---|---|
| 2007 2/..... | 126 | 1 | 5  | 13 | 48 | 31 | 17 | 5  | 3 | 3 | - | - | - |
| 2006 2/..... | 140 | - | 8  | 9  | 70 | 30 | 6  | 10 | 3 | 3 | 1 | - | - |
| 2005 2/..... | 150 | - | 12 | 14 | 49 | 39 | 17 | 10 | 2 | 3 | 1 | 3 | - |
| 2004 2/..... | 127 | - | 7  | 9  | 45 | 33 | 13 | 7  | 4 | 4 | 4 | 1 | - |
| 2003 2/..... | 127 | - | 3  | 9  | 49 | 34 | 12 | 7  | 3 | 5 | 3 | 2 | - |
| 2002.....    | 153 | - | 2  | 9  | 60 | 40 | 20 | 13 | 6 | - | 3 | - | - |
| 2001.....    | 110 | - | 5  | 8  | 48 | 17 | 15 | 5  | 6 | 3 | 3 | - | - |
| 2000.....    | 137 | - | 5  | 12 | 52 | 32 | 19 | 10 | 3 | 3 | 1 | - | - |
| 1999.....    | 156 | - | 7  | 17 | 67 | 23 | 18 | 11 | 7 | 3 | 3 | - | - |

Non-Hispanic black, male

|              |     |   |   |    |    |    |    |    |   |   |   |   |   |
|--------------|-----|---|---|----|----|----|----|----|---|---|---|---|---|
| 2007 2/..... | 113 | 1 | 4 | 11 | 44 | 28 | 15 | 5  | 3 | 2 | - | - | - |
| 2006 2/..... | 132 | - | 7 | 7  | 69 | 28 | 6  | 8  | 3 | 3 | 1 | - | - |
| 2005 2/..... | 134 | - | 9 | 9  | 44 | 38 | 17 | 8  | 2 | 3 | 1 | 3 | - |
| 2004 2/..... | 115 | - | 6 | 7  | 43 | 31 | 13 | 4  | 3 | 3 | 4 | 1 | - |
| 2003 2/..... | 115 | - | 3 | 9  | 46 | 33 | 8  | 6  | 2 | 3 | 3 | 2 | - |
| 2002.....    | 140 | - | 2 | 8  | 57 | 38 | 17 | 11 | 4 | - | 3 | - | - |
| 2001.....    | 97  | - | 4 | 6  | 46 | 14 | 12 | 4  | 5 | 3 | 3 | - | - |
| 2000.....    | 117 | - | 3 | 12 | 46 | 29 | 14 | 7  | 3 | 2 | 1 | - | - |
| 1999.....    | 135 | - | 4 | 12 | 61 | 22 | 16 | 10 | 4 | 3 | 3 | - | - |







Worktable Orig290F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2007

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data - mortality"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, sex, and year | All ages | Under 1 year | 1-4 years | 5-14 years | 15-24 years | 25-34 years | 35-44 years | 45-54 years | 55-64 years | 65-74 years | 75-84 years | 85 years and over | Age not stated |
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|
| Accidental drowning and submersion (W65-W74)   |          |              |           |            |             |             |             |             |             |             |             |                   |                |
| All origins, both sexes  |          |              |           |            |             |             |             |             |             |             |             |                   |                |
| 2007.....  | 3,443    | 57           | 458       | 224        | 630         | 381         | 417         | 481         | 324         | 194         | 184         | 88                | 5              |
| 2006.....  | 3,579    | 51           | 458       | 256        | 616         | 436         | 466         | 491         | 310         | 217         | 194         | 73                | 11             |
| 2005.....  | 3,582    | 64           | 493       | 253        | 649         | 385         | 497         | 492         | 266         | 193         | 180         | 92                | 18             |
| 2004.....  | 3,308    | 62           | 430       | 269        | 574         | 385         | 435         | 444         | 271         | 188         | 158         | 78                | 14             |
| 2003.....  | 3,306    | 58           | 456       | 268        | 567         | 356         | 462         | 397         | 265         | 202         | 162         | 83                | 30             |
| 2002.....  | 3,447    | 63           | 454       | 321        | 629         | 433         | 526         | 374         | 212         | 169         | 167         | 79                | 20             |
| 2001.....  | 3,281    | 68           | 458       | 333        | 596         | 374         | 462         | 359         | 206         | 159         | 157         | 75                | 34             |
| 2000.....  | 3,482    | 75           | 493       | 375        | 646         | 419         | 480         | 354         | 217         | 179         | 156         | 64                | 24             |
| 1999.....  | 3,529    | 68           | 490       | 369        | 647         | 446         | 475         | 370         | 219         | 185         | 158         | 68                | 34             |
| All origins, male  |          |              |           |            |             |             |             |             |             |             |             |                   |                |
| 2007.....  | 2,681    | 31           | 310       | 157        | 555         | 330         | 334         | 385         | 254         | 148         | 118         | 54                | 5              |
| 2006.....  | 2,774    | 27           | 289       | 193        | 550         | 393         | 371         | 387         | 235         | 149         | 129         | 41                | 10             |
| 2005.....  | 2,818    | 27           | 336       | 184        | 588         | 328         | 410         | 393         | 218         | 135         | 121         | 62                | 16             |
| 2004.....  | 2,594    | 38           | 265       | 194        | 522         | 332         | 367         | 358         | 208         | 140         | 113         | 43                | 14             |
| 2003.....  | 2,632    | 34           | 301       | 199        | 525         | 323         | 392         | 320         | 211         | 145         | 104         | 48                | 30             |
| 2002.....  | 2,761    | 40           | 312       | 244        | 578         | 380         | 439         | 301         | 161         | 132         | 106         | 50                | 18             |
| 2001.....  | 2,560    | 30           | 291       | 237        | 544         | 328         | 376         | 299         | 155         | 124         | 102         | 45                | 29             |
| 2000.....  | 2,735    | 43           | 316       | 267        | 583         | 364         | 406         | 299         | 179         | 133         | 88          | 34                | 23             |
| 1999.....  | 2,794    | 39           | 310       | 275        | 592         | 397         | 402         | 311         | 170         | 129         | 111         | 28                | 30             |

Worktable Orig290F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2007

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data - mortality"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, sex, and year | All ages | Under 1 year | 1-4 years | 5-14 years | 15-24 years | 25-34 years | 35-44 years | 45-54 years | 55-64 years | 65-74 years | 75-84 years | 85 years and over | Age not stated |
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|
| Accidental drowning and submersion (W65-W74)   |          |              |           |            |             |             |             |             |             |             |             |                   |                |
| All origins, female  |          |              |           |            |             |             |             |             |             |             |             |                   |                |
| 2007.....  | 762      | 26           | 148       | 67         | 75          | 51          | 83          | 96          | 70          | 46          | 66          | 34                | -              |
| 2006.....  | 805      | 24           | 169       | 63         | 66          | 43          | 95          | 104         | 75          | 68          | 65          | 32                | 1              |
| 2005.....  | 764      | 37           | 157       | 69         | 61          | 57          | 87          | 99          | 48          | 58          | 59          | 30                | 2              |
| 2004.....  | 714      | 24           | 165       | 75         | 52          | 53          | 68          | 86          | 63          | 48          | 45          | 35                | -              |
| 2003.....  | 674      | 24           | 155       | 69         | 42          | 33          | 70          | 77          | 54          | 57          | 58          | 35                | -              |
| 2002.....  | 686      | 23           | 142       | 77         | 51          | 53          | 87          | 73          | 51          | 37          | 61          | 29                | 2              |
| 2001.....  | 721      | 38           | 167       | 96         | 52          | 46          | 86          | 60          | 51          | 35          | 55          | 30                | 5              |
| 2000.....  | 747      | 32           | 177       | 108        | 63          | 55          | 74          | 55          | 38          | 46          | 68          | 30                | 1              |
| 1999.....  | 735      | 29           | 180       | 94         | 55          | 49          | 73          | 59          | 49          | 56          | 47          | 40                | 4              |
| Hispanic, both sexes   |          |              |           |            |             |             |             |             |             |             |             |                   |                |
| 2007.....  | 480      | 13           | 83        | 36         | 145         | 78          | 47          | 35          | 16          | 11          | 10          | 5                 | 1              |
| 2006.....  | 506      | 15           | 92        | 39         | 149         | 93          | 48          | 28          | 16          | 11          | 10          | 2                 | 3              |
| 2005.....  | 518      | 15           | 104       | 29         | 159         | 77          | 54          | 34          | 22          | 9           | 3           | 4                 | 8              |
| 2004.....  | 427      | 17           | 78        | 31         | 102         | 73          | 61          | 30          | 10          | 9           | 6           | 4                 | 6              |
| 2003.....  | 458      | 12           | 82        | 45         | 112         | 85          | 51          | 27          | 15          | 14          | 6           | 2                 | 7              |
| 2002.....  | 464      | 18           | 65        | 29         | 143         | 80          | 55          | 30          | 15          | 12          | 10          | 2                 | 5              |
| 2001.....  | 421      | 16           | 78        | 40         | 101         | 74          | 57          | 25          | 7           | 5           | 4           | 2                 | 12             |
| 2000.....  | 433      | 9            | 75        | 43         | 147         | 62          | 41          | 20          | 11          | 12          | 4           | 1                 | 8              |
| 1999.....  | 480      | 16           | 78        | 46         | 145         | 79          | 45          | 25          | 8           | 7           | 6           | -                 | 25             |

Worktable Orig290F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2007

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data - mortality"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, sex, and year | All ages | Under 1 year | 1-4 years | 5-14 years | 15-24 years | 25-34 years | 35-44 years | 45-54 years | 55-64 years | 65-74 years | 75-84 years | 85 years and over | Age not stated |
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|
| Accidental drowning and submersion (W65-W74)   |          |              |           |            |             |             |             |             |             |             |             |                   |                |
| Hispanic, male   |          |              |           |            |             |             |             |             |             |             |             |                   |                |
| 2007.....  | 410      | 8            | 59        | 26         | 135         | 74          | 43          | 31          | 13          | 9           | 7           | 4                 | 1              |
| 2006.....  | 424      | 8            | 60        | 32         | 142         | 86          | 44          | 22          | 12          | 8           | 6           | 2                 | 2              |
| 2005.....  | 430      | 6            | 73        | 19         | 145         | 71          | 47          | 33          | 16          | 7           | 2           | 4                 | 7              |
| 2004.....  | 355      | 7            | 48        | 19         | 95          | 72          | 53          | 28          | 9           | 9           | 5           | 4                 | 6              |
| 2003.....  | 399      | 7            | 67        | 33         | 109         | 79          | 47          | 25          | 14          | 7           | 3           | 1                 | 7              |
| 2002.....  | 409      | 13           | 48        | 23         | 137         | 78          | 48          | 28          | 10          | 10          | 7           | 2                 | 5              |
| 2001.....  | 348      | 9            | 53        | 28         | 99          | 65          | 48          | 21          | 6           | 3           | 3           | 2                 | 11             |
| 2000.....  | 350      | 6            | 44        | 22         | 135         | 60          | 36          | 18          | 8           | 10          | 3           | -                 | 8              |
| 1999.....  | 405      | 12           | 43        | 35         | 140         | 75          | 38          | 23          | 7           | 7           | 4           | -                 | 21             |
| Hispanic, female   |          |              |           |            |             |             |             |             |             |             |             |                   |                |
| 2007.....  | 70       | 5            | 24        | 10         | 10          | 4           | 4           | 4           | 3           | 2           | 3           | 1                 | -              |
| 2006.....  | 82       | 7            | 32        | 7          | 7           | 7           | 4           | 6           | 4           | 3           | 4           | -                 | 1              |
| 2005.....  | 88       | 9            | 31        | 10         | 14          | 6           | 7           | 1           | 6           | 2           | 1           | -                 | 1              |
| 2004.....  | 72       | 10           | 30        | 12         | 7           | 1           | 8           | 2           | 1           | -           | 1           | -                 | -              |
| 2003.....  | 59       | 5            | 15        | 12         | 3           | 6           | 4           | 2           | 1           | 7           | 3           | 1                 | -              |
| 2002.....  | 55       | 5            | 17        | 6          | 6           | 2           | 7           | 2           | 5           | 2           | 3           | -                 | -              |
| 2001.....  | 73       | 7            | 25        | 12         | 2           | 9           | 9           | 4           | 1           | 2           | 1           | -                 | 1              |
| 2000.....  | 83       | 3            | 31        | 21         | 12          | 2           | 5           | 2           | 3           | 2           | 1           | 1                 | -              |
| 1999.....  | 75       | 4            | 35        | 11         | 5           | 4           | 7           | 2           | 1           | -           | 2           | -                 | 4              |

Worktable Orig290F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2007

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data - mortality"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, sex, and year | All ages | Under 1 year | 1-4 years | 5-14 years | 15-24 years | 25-34 years | 35-44 years | 45-54 years | 55-64 years | 65-74 years | 75-84 years | 85 years and over | Age not stated |
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|
| Accidental drowning and submersion (W65-W74)   |          |              |           |            |             |             |             |             |             |             |             |                   |                |
| Non-Hispanic 1/, both sexes  |          |              |           |            |             |             |             |             |             |             |             |                   |                |
| 2007.....  | 2,946    | 44           | 375       | 188        | 484         | 301         | 369         | 439         | 306         | 183         | 174         | 83                | -              |
| 2006.....  | 3,049    | 35           | 361       | 216        | 465         | 340         | 416         | 461         | 293         | 205         | 184         | 71                | 2              |
| 2005.....  | 3,047    | 49           | 388       | 223        | 488         | 307         | 443         | 456         | 244         | 184         | 176         | 88                | 1              |
| 2004.....  | 2,856    | 44           | 350       | 237        | 469         | 310         | 373         | 408         | 257         | 178         | 152         | 74                | 4              |
| 2003.....  | 2,816    | 46           | 374       | 222        | 452         | 271         | 407         | 364         | 248         | 187         | 156         | 81                | 8              |
| 2002.....  | 2,952    | 45           | 387       | 289        | 485         | 347         | 467         | 342         | 195         | 156         | 155         | 77                | 7              |
| 2001.....  | 2,832    | 51           | 380       | 291        | 493         | 300         | 403         | 329         | 198         | 153         | 153         | 73                | 8              |
| 2000.....  | 3,018    | 65           | 417       | 331        | 496         | 355         | 437         | 332         | 205         | 166         | 152         | 61                | 1              |
| 1999.....  | 3,029    | 52           | 409       | 323        | 500         | 363         | 429         | 343         | 210         | 178         | 152         | 67                | 3              |
| Non-Hispanic 1/, male  |          |              |           |            |             |             |             |             |             |             |             |                   |                |
| 2007.....  | 2,256    | 23           | 251       | 131        | 419         | 254         | 290         | 348         | 240         | 139         | 111         | 50                | -              |
| 2006.....  | 2,329    | 19           | 225       | 161        | 406         | 304         | 325         | 363         | 222         | 140         | 123         | 39                | 2              |
| 2005.....  | 2,375    | 21           | 263       | 165        | 441         | 256         | 363         | 359         | 202         | 128         | 119         | 58                | -              |
| 2004.....  | 2,220    | 30           | 217       | 174        | 425         | 258         | 313         | 325         | 197         | 130         | 108         | 39                | 4              |
| 2003.....  | 2,202    | 27           | 234       | 165        | 413         | 244         | 342         | 289         | 195         | 137         | 101         | 47                | 8              |
| 2002.....  | 2,326    | 27           | 262       | 219        | 440         | 298         | 387         | 271         | 149         | 121         | 97          | 48                | 7              |
| 2001.....  | 2,188    | 21           | 238       | 207        | 443         | 263         | 326         | 275         | 148         | 120         | 99          | 43                | 5              |
| 2000.....  | 2,358    | 37           | 272       | 244        | 445         | 302         | 368         | 279         | 170         | 122         | 85          | 33                | 1              |
| 1999.....  | 2,370    | 27           | 265       | 240        | 450         | 318         | 363         | 286         | 162         | 122         | 107         | 27                | 3              |

Worktable Orig290F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2007

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data - mortality"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, sex, and year | All ages | Under 1 year | 1-4 years | 5-14 years | 15-24 years | 25-34 years | 35-44 years | 45-54 years | 55-64 years | 65-74 years | 75-84 years | 85 years and over | Age not stated |
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|
| Accidental drowning and submersion (W65-W74)   |          |              |           |            |             |             |             |             |             |             |             |                   |                |
| Non-Hispanic 1/, female  |          |              |           |            |             |             |             |             |             |             |             |                   |                |
| 2007.....  | 690      | 21           | 124       | 57         | 65          | 47          | 79          | 91          | 66          | 44          | 63          | 33                | -              |
| 2006.....  | 720      | 16           | 136       | 55         | 59          | 36          | 91          | 98          | 71          | 65          | 61          | 32                | -              |
| 2005.....  | 672      | 28           | 125       | 58         | 47          | 51          | 80          | 97          | 42          | 56          | 57          | 30                | 1              |
| 2004.....  | 636      | 14           | 133       | 63         | 44          | 52          | 60          | 83          | 60          | 48          | 44          | 35                | -              |
| 2003.....  | 614      | 19           | 140       | 57         | 39          | 27          | 65          | 75          | 53          | 50          | 55          | 34                | -              |
| 2002.....  | 626      | 18           | 125       | 70         | 45          | 49          | 80          | 71          | 46          | 35          | 58          | 29                | -              |
| 2001.....  | 644      | 30           | 142       | 84         | 50          | 37          | 77          | 54          | 50          | 33          | 54          | 30                | 3              |
| 2000.....  | 660      | 28           | 145       | 87         | 51          | 53          | 69          | 53          | 35          | 44          | 67          | 28                | -              |
| 1999.....  | 659      | 25           | 144       | 83         | 50          | 45          | 66          | 57          | 48          | 56          | 45          | 40                | -              |
| Non-Hispanic white, both sexes   |          |              |           |            |             |             |             |             |             |             |             |                   |                |
| 2007 2/.....   | 2,243    | 27           | 304       | 101        | 321         | 199         | 285         | 367         | 257         | 152         | 155         | 75                | -              |
| 2006 2/.....   | 2,332    | 29           | 280       | 122        | 303         | 241         | 334         | 379         | 241         | 172         | 165         | 64                | 2              |
| 2005 2/.....   | 2,305    | 41           | 316       | 118        | 315         | 229         | 338         | 372         | 202         | 151         | 145         | 77                | 1              |
| 2004 2/.....   | 2,133    | 34           | 291       | 112        | 306         | 222         | 289         | 328         | 207         | 148         | 130         | 62                | 4              |
| 2003 2/.....   | 2,152    | 32           | 306       | 118        | 306         | 187         | 320         | 297         | 208         | 163         | 139         | 68                | 8              |
| 2002.....  | 2,143    | 32           | 303       | 134        | 316         | 245         | 360         | 260         | 165         | 126         | 131         | 64                | 7              |
| 2001.....  | 2,082    | 36           | 321       | 135        | 322         | 202         | 306         | 265         | 158         | 133         | 134         | 66                | 4              |
| 2000.....  | 2,235    | 38           | 342       | 176        | 316         | 258         | 344         | 255         | 175         | 144         | 134         | 53                | -              |
| 1999.....  | 2,230    | 30           | 337       | 142        | 317         | 250         | 349         | 291         | 174         | 147         | 132         | 59                | 2              |

Worktable Orig290F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2007

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data - mortality"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, sex, and year | All ages | Under 1 year | 1-4 years | 5-14 years | 15-24 years | 25-34 years | 35-44 years | 45-54 years | 55-64 years | 65-74 years | 75-84 years | 85 years and over | Age not stated |
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|
| Accidental drowning and submersion (W65-W74)   |          |              |           |            |             |             |             |             |             |             |             |                   |                |
| Non-Hispanic white, male   |          |              |           |            |             |             |             |             |             |             |             |                   |                |
| 2007 2/.....   | 1,688    | 12           | 195       | 73         | 273         | 166         | 218         | 289         | 197         | 118         | 100         | 47                | -              |
| 2006 2/.....   | 1,747    | 15           | 169       | 88         | 251         | 215         | 257         | 297         | 179         | 124         | 113         | 37                | 2              |
| 2005 2/.....   | 1,763    | 15           | 215       | 79         | 285         | 187         | 270         | 290         | 163         | 105         | 101         | 53                | -              |
| 2004 2/.....   | 1,646    | 21           | 179       | 84         | 275         | 181         | 242         | 261         | 158         | 111         | 96          | 34                | 4              |
| 2003 2/.....   | 1,656    | 17           | 187       | 86         | 279         | 166         | 267         | 230         | 160         | 121         | 93          | 42                | 8              |
| 2002.....  | 1,669    | 18           | 203       | 96         | 284         | 209         | 294         | 205         | 125         | 99          | 85          | 44                | 7              |
| 2001.....  | 1,577    | 16           | 205       | 87         | 284         | 171         | 245         | 220         | 114         | 105         | 88          | 39                | 3              |
| 2000.....  | 1,737    | 22           | 226       | 129        | 278         | 222         | 287         | 212         | 150         | 104         | 78          | 29                | -              |
| 1999.....  | 1,708    | 14           | 217       | 99         | 279         | 216         | 290         | 241         | 133         | 99          | 93          | 25                | 2              |
| Non-Hispanic white, female   |          |              |           |            |             |             |             |             |             |             |             |                   |                |
| 2007 2/.....   | 555      | 15           | 109       | 28         | 48          | 33          | 67          | 78          | 60          | 34          | 55          | 28                | -              |
| 2006 2/.....   | 585      | 14           | 111       | 34         | 52          | 26          | 77          | 82          | 62          | 48          | 52          | 27                | -              |
| 2005 2/.....   | 542      | 26           | 101       | 39         | 30          | 42          | 68          | 82          | 39          | 46          | 44          | 24                | 1              |
| 2004 2/.....   | 487      | 13           | 112       | 28         | 31          | 41          | 47          | 67          | 49          | 37          | 34          | 28                | -              |
| 2003 2/.....   | 496      | 15           | 119       | 32         | 27          | 21          | 53          | 67          | 48          | 42          | 46          | 26                | -              |
| 2002.....  | 474      | 14           | 100       | 38         | 32          | 36          | 66          | 55          | 40          | 27          | 46          | 20                | -              |
| 2001.....  | 505      | 20           | 116       | 48         | 38          | 31          | 61          | 45          | 44          | 28          | 46          | 27                | 1              |
| 2000.....  | 498      | 16           | 116       | 47         | 38          | 36          | 57          | 43          | 25          | 40          | 56          | 24                | -              |
| 1999.....  | 522      | 16           | 120       | 43         | 38          | 34          | 59          | 50          | 41          | 48          | 39          | 34                | -              |

Worktable Orig290F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2007

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data - mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, sex, and year

|  | All ages | Under 1 year | 1-4 years | 5-14 years | 15-24 years | 25-34 years | 35-44 years | 45-54 years | 55-64 years | 65-74 years | 75-84 years | 85 years and over | Age not stated |
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|

Accidental drowning and submersion (W65-W74)

Non-Hispanic black, both sexes

|              |     |    |    |     |     |    |    |    |    |    |    |    |   |
|--------------|-----|----|----|-----|-----|----|----|----|----|----|----|----|---|
| 2007 2/..... | 502 | 16 | 50 | 70  | 126 | 71 | 51 | 52 | 33 | 20 | 7  | 6  | - |
| 2006 2/..... | 522 | 5  | 64 | 78  | 125 | 65 | 55 | 55 | 38 | 24 | 7  | 6  | - |
| 2005 2/..... | 543 | 8  | 56 | 87  | 131 | 58 | 72 | 58 | 31 | 25 | 12 | 5  | - |
| 2004 2/..... | 519 | 8  | 46 | 103 | 115 | 59 | 61 | 64 | 28 | 19 | 9  | 7  | - |
| 2003 2/..... | 466 | 13 | 52 | 87  | 100 | 59 | 48 | 45 | 33 | 16 | 8  | 5  | - |
| 2002.....    | 604 | 10 | 62 | 134 | 126 | 74 | 74 | 57 | 21 | 18 | 17 | 11 | - |
| 2001.....    | 570 | 11 | 47 | 133 | 133 | 62 | 70 | 51 | 32 | 13 | 13 | 4  | 1 |
| 2000.....    | 580 | 25 | 54 | 134 | 128 | 58 | 77 | 52 | 17 | 15 | 12 | 7  | 1 |
| 1999.....    | 624 | 21 | 59 | 158 | 137 | 86 | 58 | 36 | 28 | 21 | 15 | 5  | - |

Non-Hispanic black, male

|              |     |    |    |     |     |    |    |    |    |    |    |   |   |
|--------------|-----|----|----|-----|-----|----|----|----|----|----|----|---|---|
| 2007 2/..... | 410 | 10 | 40 | 45  | 115 | 62 | 44 | 44 | 29 | 15 | 4  | 2 | - |
| 2006 2/..... | 439 | 4  | 47 | 60  | 120 | 61 | 49 | 48 | 31 | 12 | 5  | 2 | - |
| 2005 2/..... | 463 | 6  | 36 | 72  | 122 | 53 | 62 | 53 | 29 | 19 | 8  | 3 | - |
| 2004 2/..... | 416 | 7  | 35 | 74  | 106 | 49 | 52 | 50 | 22 | 14 | 6  | 1 | - |
| 2003 2/..... | 394 | 9  | 37 | 66  | 94  | 54 | 45 | 42 | 29 | 10 | 5  | 3 | - |
| 2002.....    | 502 | 6  | 43 | 107 | 122 | 65 | 66 | 47 | 18 | 15 | 9  | 4 | - |
| 2001.....    | 471 | 3  | 28 | 102 | 126 | 61 | 58 | 42 | 26 | 12 | 9  | 3 | 1 |
| 2000.....    | 470 | 14 | 33 | 101 | 123 | 52 | 67 | 45 | 13 | 13 | 4  | 4 | 1 |
| 1999.....    | 521 | 12 | 40 | 124 | 128 | 78 | 53 | 34 | 22 | 17 | 11 | 2 | - |

Worktable Orig290F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2007

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data - mortality"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, sex, and year | All ages | Under 1 year | 1-4 years | 5-14 years | 15-24 years | 25-34 years | 35-44 years | 45-54 years | 55-64 years | 65-74 years | 75-84 years | 85 years and over | Age not stated |
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|
| Accidental drowning and submersion (W65-W74)   |          |              |           |            |             |             |             |             |             |             |             |                   |                |
| Non-Hispanic black, female   |          |              |           |            |             |             |             |             |             |             |             |                   |                |
| 2007 2/.....   | 92       | 6            | 10        | 25         | 11          | 9           | 7           | 8           | 4           | 5           | 3           | 4                 | -              |
| 2006 2/.....   | 83       | 1            | 17        | 18         | 5           | 4           | 6           | 7           | 7           | 12          | 2           | 4                 | -              |
| 2005 2/.....   | 80       | 2            | 20        | 15         | 9           | 5           | 10          | 5           | 2           | 6           | 4           | 2                 | -              |
| 2004 2/.....   | 103      | 1            | 11        | 29         | 9           | 10          | 9           | 14          | 6           | 5           | 3           | 6                 | -              |
| 2003 2/.....   | 72       | 4            | 15        | 21         | 6           | 5           | 3           | 3           | 4           | 6           | 3           | 2                 | -              |
| 2002.....  | 102      | 4            | 19        | 27         | 4           | 9           | 8           | 10          | 3           | 3           | 8           | 7                 | -              |
| 2001.....  | 99       | 8            | 19        | 31         | 7           | 1           | 12          | 9           | 6           | 1           | 4           | 1                 | -              |
| 2000.....  | 110      | 11           | 21        | 33         | 5           | 6           | 10          | 7           | 4           | 2           | 8           | 3                 | -              |
| 1999.....  | 103      | 9            | 19        | 34         | 9           | 8           | 5           | 2           | 6           | 4           | 4           | 3                 | -              |
| Origin not stated 3/, both sexes   |          |              |           |            |             |             |             |             |             |             |             |                   |                |
| 2007.....  | 17       | -            | -         | -          | 1           | 2           | 1           | 7           | 2           | -           | -           | -                 | 4              |
| 2006.....  | 24       | 1            | 5         | 1          | 2           | 3           | 2           | 2           | 1           | 1           | -           | -                 | 6              |
| 2005.....  | 17       | -            | 1         | 1          | 2           | 1           | -           | 2           | -           | -           | 1           | -                 | 9              |
| 2004.....  | 25       | 1            | 2         | 1          | 3           | 2           | 1           | 6           | 4           | 1           | -           | -                 | 4              |
| 2003.....  | 32       | -            | -         | 1          | 3           | -           | 4           | 6           | 2           | 1           | -           | -                 | 15             |
| 2002.....  | 31       | -            | 2         | 3          | 1           | 6           | 4           | 2           | 2           | 1           | 2           | -                 | 8              |
| 2001.....  | 28       | 1            | -         | 2          | 2           | -           | 2           | 5           | 1           | 1           | -           | -                 | 14             |
| 2000.....  | 31       | 1            | 1         | 1          | 3           | 2           | 2           | 2           | 1           | 1           | -           | 2                 | 15             |
| 1999.....  | 20       | -            | 3         | -          | 2           | 4           | 1           | 2           | 1           | -           | -           | 1                 | 6              |





Worktable Orig290F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2007

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data - mortality"]

---

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, sex, and year

|  | All ages | Under 1 year | 1-4 years | 5-14 years | 15-24 years | 25-34 years | 35-44 years | 45-54 years | 55-64 years | 65-74 years | 75-84 years | 85 years and over | Age not stated |
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|

---

Accidental exposure to smoke, fire and flames (X00-X09)

All origins, both sexes

|           |       |    |     |     |     |     |     |     |     |     |     |     |   |
|-----------|-------|----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|---|
| 2007..... | 3,286 | 38 | 201 | 211 | 194 | 222 | 307 | 488 | 492 | 421 | 436 | 272 | 4 |
| 2006..... | 3,109 | 27 | 199 | 181 | 185 | 199 | 296 | 476 | 461 | 404 | 448 | 228 | 5 |
| 2005..... | 3,197 | 34 | 204 | 222 | 168 | 224 | 334 | 497 | 398 | 390 | 468 | 254 | 4 |
| 2004..... | 3,229 | 26 | 223 | 255 | 186 | 240 | 313 | 490 | 412 | 349 | 459 | 273 | 3 |
| 2003..... | 3,369 | 30 | 224 | 215 | 199 | 252 | 395 | 526 | 392 | 419 | 460 | 253 | 4 |
| 2002..... | 3,159 | 36 | 221 | 253 | 193 | 266 | 361 | 448 | 340 | 385 | 432 | 221 | 3 |
| 2001..... | 3,309 | 50 | 225 | 252 | 209 | 247 | 441 | 419 | 378 | 411 | 423 | 251 | 3 |
| 2000..... | 3,377 | 37 | 290 | 266 | 192 | 241 | 402 | 439 | 369 | 401 | 472 | 263 | 5 |
| 1999..... | 3,348 | 41 | 302 | 262 | 201 | 282 | 421 | 368 | 319 | 416 | 487 | 245 | 4 |

All origins, male

|           |       |    |     |     |     |     |     |     |     |     |     |     |   |
|-----------|-------|----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|---|
| 2007..... | 1,943 | 20 | 130 | 116 | 124 | 137 | 198 | 306 | 330 | 252 | 212 | 115 | 3 |
| 2006..... | 1,819 | 14 | 117 | 87  | 117 | 132 | 185 | 300 | 292 | 227 | 238 | 106 | 4 |
| 2005..... | 1,886 | 16 | 124 | 125 | 103 | 137 | 226 | 325 | 244 | 224 | 245 | 113 | 4 |
| 2004..... | 1,902 | 14 | 120 | 152 | 107 | 165 | 209 | 329 | 251 | 210 | 234 | 109 | 2 |
| 2003..... | 1,948 | 8  | 131 | 112 | 121 | 154 | 257 | 329 | 254 | 244 | 228 | 107 | 3 |
| 2002..... | 1,935 | 21 | 126 | 151 | 132 | 170 | 251 | 292 | 219 | 242 | 231 | 97  | 3 |
| 2001..... | 1,998 | 30 | 142 | 152 | 137 | 161 | 308 | 288 | 236 | 229 | 204 | 108 | 3 |
| 2000..... | 2,025 | 20 | 174 | 145 | 121 | 157 | 268 | 303 | 241 | 232 | 244 | 115 | 5 |
| 1999..... | 2,025 | 21 | 173 | 147 | 133 | 197 | 300 | 254 | 194 | 244 | 247 | 111 | 4 |

Worktable Orig290F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2007

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data - mortality"]

---

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, sex, and year

|  | All ages | Under 1 year | 1-4 years | 5-14 years | 15-24 years | 25-34 years | 35-44 years | 45-54 years | 55-64 years | 65-74 years | 75-84 years | 85 years and over | Age not stated |
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|

---

Accidental exposure to smoke, fire and flames (X00-X09)

All origins, female

|           |       |    |     |     |    |    |     |     |     |     |     |     |   |
|-----------|-------|----|-----|-----|----|----|-----|-----|-----|-----|-----|-----|---|
| 2007..... | 1,343 | 18 | 71  | 95  | 70 | 85 | 109 | 182 | 162 | 169 | 224 | 157 | 1 |
| 2006..... | 1,290 | 13 | 82  | 94  | 68 | 67 | 111 | 176 | 169 | 177 | 210 | 122 | 1 |
| 2005..... | 1,311 | 18 | 80  | 97  | 65 | 87 | 108 | 172 | 154 | 166 | 223 | 141 | - |
| 2004..... | 1,327 | 12 | 103 | 103 | 79 | 75 | 104 | 161 | 161 | 139 | 225 | 164 | 1 |
| 2003..... | 1,421 | 22 | 93  | 103 | 78 | 98 | 138 | 197 | 138 | 175 | 232 | 146 | 1 |
| 2002..... | 1,224 | 15 | 95  | 102 | 61 | 96 | 110 | 156 | 121 | 143 | 201 | 124 | - |
| 2001..... | 1,311 | 20 | 83  | 100 | 72 | 86 | 133 | 131 | 142 | 182 | 219 | 143 | - |
| 2000..... | 1,352 | 17 | 116 | 121 | 71 | 84 | 134 | 136 | 128 | 169 | 228 | 148 | - |
| 1999..... | 1,323 | 20 | 129 | 115 | 68 | 85 | 121 | 114 | 125 | 172 | 240 | 134 | - |

Hispanic, both sexes

|           |     |   |    |    |    |    |    |    |    |    |    |    |   |
|-----------|-----|---|----|----|----|----|----|----|----|----|----|----|---|
| 2007..... | 230 | 6 | 37 | 23 | 24 | 30 | 26 | 18 | 18 | 14 | 24 | 10 | - |
| 2006..... | 225 | 3 | 29 | 28 | 27 | 32 | 26 | 28 | 25 | 12 | 11 | 2  | 2 |
| 2005..... | 211 | 6 | 30 | 17 | 16 | 25 | 24 | 24 | 16 | 19 | 25 | 8  | 1 |
| 2004..... | 179 | 5 | 19 | 13 | 15 | 24 | 17 | 18 | 9  | 22 | 26 | 11 | - |
| 2003..... | 203 | 4 | 27 | 26 | 15 | 25 | 24 | 32 | 14 | 12 | 15 | 9  | - |
| 2002..... | 223 | 5 | 36 | 27 | 25 | 17 | 27 | 22 | 17 | 20 | 16 | 10 | 1 |
| 2001..... | 176 | 9 | 18 | 23 | 19 | 21 | 28 | 17 | 13 | 9  | 9  | 10 | - |
| 2000..... | 178 | 4 | 21 | 19 | 21 | 19 | 25 | 11 | 17 | 18 | 17 | 6  | - |
| 1999..... | 192 | 5 | 41 | 23 | 24 | 17 | 21 | 16 | 14 | 11 | 15 | 5  | - |

Worktable Orig290F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2007

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data - mortality"]

---

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, sex, and year

|  | All ages | Under 1 year | 1-4 years | 5-14 years | 15-24 years | 25-34 years | 35-44 years | 45-54 years | 55-64 years | 65-74 years | 75-84 years | 85 years and over | Age not stated |
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|

---

Accidental exposure to smoke, fire and flames (X00-X09)

Hispanic, male

|           |     |   |    |    |    |    |    |    |    |    |    |   |   |
|-----------|-----|---|----|----|----|----|----|----|----|----|----|---|---|
| 2007..... | 150 | 4 | 27 | 12 | 17 | 17 | 20 | 14 | 12 | 7  | 16 | 4 | - |
| 2006..... | 153 | - | 19 | 15 | 19 | 25 | 20 | 20 | 15 | 9  | 7  | 2 | 2 |
| 2005..... | 125 | 3 | 18 | 7  | 13 | 16 | 15 | 16 | 11 | 11 | 10 | 4 | 1 |
| 2004..... | 107 | 3 | 9  | 8  | 9  | 16 | 14 | 12 | 6  | 14 | 12 | 4 | - |
| 2003..... | 128 | 2 | 11 | 12 | 9  | 18 | 17 | 26 | 10 | 9  | 9  | 5 | - |
| 2002..... | 144 | 3 | 18 | 17 | 19 | 9  | 21 | 18 | 12 | 14 | 8  | 4 | 1 |
| 2001..... | 109 | 5 | 13 | 11 | 10 | 16 | 19 | 11 | 9  | 6  | 5  | 4 | - |
| 2000..... | 105 | 2 | 11 | 10 | 11 | 14 | 17 | 7  | 9  | 10 | 10 | 4 | - |
| 1999..... | 127 | 3 | 23 | 12 | 16 | 12 | 16 | 12 | 11 | 8  | 9  | 5 | - |

Hispanic, female

|           |    |   |    |    |    |    |   |   |    |   |    |   |   |
|-----------|----|---|----|----|----|----|---|---|----|---|----|---|---|
| 2007..... | 80 | 2 | 10 | 11 | 7  | 13 | 6 | 4 | 6  | 7 | 8  | 6 | - |
| 2006..... | 72 | 3 | 10 | 13 | 8  | 7  | 6 | 8 | 10 | 3 | 4  | - | - |
| 2005..... | 86 | 3 | 12 | 10 | 3  | 9  | 9 | 8 | 5  | 8 | 15 | 4 | - |
| 2004..... | 72 | 2 | 10 | 5  | 6  | 8  | 3 | 6 | 3  | 8 | 14 | 7 | - |
| 2003..... | 75 | 2 | 16 | 14 | 6  | 7  | 7 | 6 | 4  | 3 | 6  | 4 | - |
| 2002..... | 79 | 2 | 18 | 10 | 6  | 8  | 6 | 4 | 5  | 6 | 8  | 6 | - |
| 2001..... | 67 | 4 | 5  | 12 | 9  | 5  | 9 | 6 | 4  | 3 | 4  | 6 | - |
| 2000..... | 73 | 2 | 10 | 9  | 10 | 5  | 8 | 4 | 8  | 8 | 7  | 2 | - |
| 1999..... | 65 | 2 | 18 | 11 | 8  | 5  | 5 | 4 | 3  | 3 | 6  | - | - |

Worktable Orig290F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2007

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data - mortality"]

---

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, sex, and year

|  | All ages | Under 1 year | 1-4 years | 5-14 years | 15-24 years | 25-34 years | 35-44 years | 45-54 years | 55-64 years | 65-74 years | 75-84 years | 85 years and over | Age not stated |
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|

---

Accidental exposure to smoke, fire and flames (X00-X09)

Non-Hispanic 1/, both sexes

|           |       |    |     |     |     |     |     |     |     |     |     |     |   |
|-----------|-------|----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|---|
| 2007..... | 3,041 | 32 | 164 | 188 | 170 | 191 | 280 | 468 | 473 | 405 | 408 | 260 | 2 |
| 2006..... | 2,866 | 24 | 167 | 152 | 156 | 166 | 268 | 447 | 436 | 386 | 436 | 226 | 2 |
| 2005..... | 2,971 | 25 | 173 | 205 | 152 | 199 | 307 | 472 | 380 | 369 | 442 | 246 | 1 |
| 2004..... | 3,038 | 21 | 204 | 242 | 171 | 213 | 293 | 470 | 401 | 327 | 432 | 262 | 2 |
| 2003..... | 3,147 | 26 | 197 | 189 | 183 | 227 | 367 | 491 | 375 | 404 | 443 | 243 | 2 |
| 2002..... | 2,918 | 31 | 184 | 225 | 168 | 247 | 334 | 424 | 317 | 362 | 414 | 211 | 1 |
| 2001..... | 3,106 | 41 | 205 | 226 | 190 | 223 | 410 | 398 | 361 | 398 | 412 | 240 | 2 |
| 2000..... | 3,178 | 31 | 268 | 246 | 169 | 222 | 375 | 426 | 349 | 382 | 451 | 256 | 3 |
| 1999..... | 3,133 | 36 | 260 | 239 | 173 | 264 | 395 | 347 | 302 | 404 | 470 | 240 | 3 |

Non-Hispanic 1/, male

|           |       |    |     |     |     |     |     |     |     |     |     |     |   |
|-----------|-------|----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|---|
| 2007..... | 1,786 | 16 | 103 | 104 | 107 | 120 | 178 | 290 | 318 | 244 | 194 | 110 | 2 |
| 2006..... | 1,655 | 14 | 96  | 72  | 96  | 107 | 164 | 280 | 277 | 214 | 230 | 104 | 1 |
| 2005..... | 1,751 | 11 | 105 | 118 | 90  | 121 | 210 | 309 | 231 | 212 | 234 | 109 | 1 |
| 2004..... | 1,785 | 11 | 111 | 144 | 98  | 147 | 192 | 315 | 243 | 196 | 221 | 105 | 2 |
| 2003..... | 1,809 | 6  | 120 | 100 | 111 | 136 | 240 | 302 | 241 | 233 | 218 | 101 | 1 |
| 2002..... | 1,780 | 18 | 108 | 133 | 113 | 159 | 230 | 274 | 201 | 227 | 223 | 93  | 1 |
| 2001..... | 1,873 | 25 | 127 | 139 | 127 | 145 | 286 | 274 | 224 | 222 | 199 | 103 | 2 |
| 2000..... | 1,907 | 16 | 163 | 135 | 108 | 143 | 250 | 295 | 230 | 222 | 232 | 110 | 3 |
| 1999..... | 1,879 | 18 | 150 | 135 | 113 | 184 | 279 | 238 | 181 | 235 | 237 | 106 | 3 |

Worktable Orig290F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2007

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data - mortality"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, sex, and year | All ages | Under 1 year | 1-4 years | 5-14 years | 15-24 years | 25-34 years | 35-44 years | 45-54 years | 55-64 years | 65-74 years | 75-84 years | 85 years and over | Age not stated |
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|
| Accidental exposure to smoke, fire and flames (X00-X09)  |          |              |           |            |             |             |             |             |             |             |             |                   |                |
| Non-Hispanic 1/, female  |          |              |           |            |             |             |             |             |             |             |             |                   |                |
| 2007.....  | 1,255    | 16           | 61        | 84         | 63          | 71          | 102         | 178         | 155         | 161         | 214         | 150               | -              |
| 2006.....  | 1,211    | 10           | 71        | 80         | 60          | 59          | 104         | 167         | 159         | 172         | 206         | 122               | 1              |
| 2005.....  | 1,220    | 14           | 68        | 87         | 62          | 78          | 97          | 163         | 149         | 157         | 208         | 137               | -              |
| 2004.....  | 1,253    | 10           | 93        | 98         | 73          | 66          | 101         | 155         | 158         | 131         | 211         | 157               | -              |
| 2003.....  | 1,338    | 20           | 77        | 89         | 72          | 91          | 127         | 189         | 134         | 171         | 225         | 142               | 1              |
| 2002.....  | 1,138    | 13           | 76        | 92         | 55          | 88          | 104         | 150         | 116         | 135         | 191         | 118               | -              |
| 2001.....  | 1,233    | 16           | 78        | 87         | 63          | 78          | 124         | 124         | 137         | 176         | 213         | 137               | -              |
| 2000.....  | 1,271    | 15           | 105       | 111        | 61          | 79          | 125         | 131         | 119         | 160         | 219         | 146               | -              |
| 1999.....  | 1,254    | 18           | 110       | 104        | 60          | 80          | 116         | 109         | 121         | 169         | 233         | 134               | -              |
| Non-Hispanic white, both sexes   |          |              |           |            |             |             |             |             |             |             |             |                   |                |
| 2007 2/.....   | 2,188    | 17           | 74        | 92         | 129         | 132         | 196         | 356         | 372         | 305         | 321         | 192               | 2              |
| 2006 2/.....   | 2,116    | 15           | 86        | 82         | 114         | 114         | 201         | 341         | 342         | 307         | 336         | 176               | 2              |
| 2005 2/.....   | 2,147    | 15           | 96        | 110        | 108         | 138         | 233         | 366         | 268         | 284         | 341         | 187               | 1              |
| 2004 2/.....   | 2,151    | 10           | 120       | 123        | 126         | 154         | 215         | 338         | 296         | 232         | 331         | 205               | 1              |
| 2003 2/.....   | 2,313    | 18           | 118       | 89         | 141         | 170         | 292         | 362         | 286         | 305         | 340         | 190               | 2              |
| 2002.....  | 2,055    | 16           | 90        | 112        | 113         | 171         | 258         | 317         | 227         | 268         | 325         | 157               | 1              |
| 2001.....  | 2,204    | 26           | 124       | 136        | 139         | 153         | 297         | 284         | 261         | 291         | 311         | 180               | 2              |
| 2000.....  | 2,194    | 17           | 139       | 139        | 120         | 151         | 267         | 320         | 242         | 278         | 328         | 190               | 3              |
| 1999.....  | 2,172    | 21           | 137       | 136        | 125         | 199         | 286         | 253         | 218         | 281         | 343         | 171               | 2              |

Worktable Orig290F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2007

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data - mortality"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, sex, and year | All ages | Under 1 year | 1-4 years | 5-14 years | 15-24 years | 25-34 years | 35-44 years | 45-54 years | 55-64 years | 65-74 years | 75-84 years | 85 years and over | Age not stated |
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|
| Accidental exposure to smoke, fire and flames (X00-X09)  |          |              |           |            |             |             |             |             |             |             |             |                   |                |
| Non-Hispanic white, male   |          |              |           |            |             |             |             |             |             |             |             |                   |                |
| 2007 2/.....   | 1,276    | 7            | 51        | 48         | 83          | 86          | 120         | 221         | 246         | 178         | 154         | 80                | 2              |
| 2006 2/.....   | 1,232    | 8            | 56        | 40         | 73          | 72          | 120         | 211         | 215         | 169         | 178         | 89                | 1              |
| 2005 2/.....   | 1,270    | 6            | 64        | 68         | 65          | 89          | 156         | 237         | 157         | 160         | 184         | 83                | 1              |
| 2004 2/.....   | 1,265    | 6            | 67        | 72         | 74          | 108         | 137         | 222         | 182         | 139         | 173         | 84                | 1              |
| 2003 2/.....   | 1,344    | 5            | 74        | 46         | 91          | 102         | 197         | 227         | 183         | 178         | 159         | 81                | 1              |
| 2002.....  | 1,271    | 12           | 52        | 73         | 78          | 115         | 173         | 204         | 146         | 166         | 182         | 69                | 1              |
| 2001.....  | 1,322    | 14           | 82        | 82         | 96          | 105         | 207         | 190         | 160         | 157         | 149         | 78                | 2              |
| 2000.....  | 1,330    | 7            | 88        | 76         | 79          | 99          | 179         | 222         | 160         | 159         | 172         | 86                | 3              |
| 1999.....  | 1,325    | 11           | 80        | 76         | 83          | 145         | 204         | 173         | 136         | 160         | 174         | 81                | 2              |
| Non-Hispanic white, female   |          |              |           |            |             |             |             |             |             |             |             |                   |                |
| 2007 2/.....   | 912      | 10           | 23        | 44         | 46          | 46          | 76          | 135         | 126         | 127         | 167         | 112               | -              |
| 2006 2/.....   | 884      | 7            | 30        | 42         | 41          | 42          | 81          | 130         | 127         | 138         | 158         | 87                | 1              |
| 2005 2/.....   | 877      | 9            | 32        | 42         | 43          | 49          | 77          | 129         | 111         | 124         | 157         | 104               | -              |
| 2004 2/.....   | 886      | 4            | 53        | 51         | 52          | 46          | 78          | 116         | 114         | 93          | 158         | 121               | -              |
| 2003 2/.....   | 969      | 13           | 44        | 43         | 50          | 68          | 95          | 135         | 103         | 127         | 181         | 109               | 1              |
| 2002.....  | 784      | 4            | 38        | 39         | 35          | 56          | 85          | 113         | 81          | 102         | 143         | 88                | -              |
| 2001.....  | 882      | 12           | 42        | 54         | 43          | 48          | 90          | 94          | 101         | 134         | 162         | 102               | -              |
| 2000.....  | 864      | 10           | 51        | 63         | 41          | 52          | 88          | 98          | 82          | 119         | 156         | 104               | -              |
| 1999.....  | 847      | 10           | 57        | 60         | 42          | 54          | 82          | 80          | 82          | 121         | 169         | 90                | -              |

Worktable Orig290F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2007

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data - mortality"]

---

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, sex, and year

|  | All ages | Under 1 year | 1-4 years | 5-14 years | 15-24 years | 25-34 years | 35-44 years | 45-54 years | 55-64 years | 65-74 years | 75-84 years | 85 years and over | Age not stated |
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|

---

Accidental exposure to smoke, fire and flames (X00-X09)

Non-Hispanic black, both sexes

|              |     |    |     |     |    |    |     |     |     |     |     |    |   |
|--------------|-----|----|-----|-----|----|----|-----|-----|-----|-----|-----|----|---|
| 2007 2/..... | 764 | 15 | 80  | 87  | 35 | 53 | 72  | 100 | 91  | 90  | 80  | 61 | - |
| 2006 2/..... | 691 | 7  | 78  | 66  | 35 | 48 | 58  | 98  | 86  | 73  | 95  | 47 | - |
| 2005 2/..... | 731 | 9  | 69  | 81  | 36 | 52 | 63  | 98  | 102 | 75  | 93  | 53 | - |
| 2004 2/..... | 791 | 11 | 73  | 105 | 38 | 51 | 65  | 118 | 98  | 84  | 94  | 53 | 1 |
| 2003 2/..... | 767 | 7  | 75  | 94  | 38 | 47 | 66  | 122 | 79  | 90  | 99  | 50 | - |
| 2002.....    | 765 | 13 | 88  | 95  | 48 | 61 | 60  | 98  | 84  | 83  | 82  | 53 | - |
| 2001.....    | 829 | 14 | 80  | 85  | 42 | 63 | 103 | 105 | 89  | 99  | 92  | 57 | - |
| 2000.....    | 915 | 14 | 120 | 101 | 42 | 64 | 97  | 97  | 100 | 98  | 117 | 65 | - |
| 1999.....    | 887 | 15 | 110 | 102 | 40 | 52 | 100 | 86  | 80  | 113 | 120 | 68 | 1 |

Non-Hispanic black, male

|              |     |    |    |    |    |    |    |    |    |    |    |    |   |
|--------------|-----|----|----|----|----|----|----|----|----|----|----|----|---|
| 2007 2/..... | 454 | 9  | 45 | 49 | 19 | 30 | 50 | 63 | 65 | 60 | 37 | 27 | - |
| 2006 2/..... | 383 | 5  | 40 | 29 | 17 | 32 | 37 | 61 | 56 | 41 | 50 | 15 | - |
| 2005 2/..... | 433 | 5  | 36 | 44 | 20 | 27 | 45 | 70 | 69 | 46 | 48 | 23 | - |
| 2004 2/..... | 468 | 5  | 38 | 64 | 21 | 33 | 44 | 85 | 57 | 54 | 47 | 19 | 1 |
| 2003 2/..... | 430 | 1  | 42 | 50 | 18 | 28 | 39 | 72 | 53 | 53 | 56 | 18 | - |
| 2002.....    | 454 | 6  | 53 | 53 | 31 | 35 | 45 | 64 | 52 | 53 | 38 | 24 | - |
| 2001.....    | 501 | 10 | 44 | 53 | 24 | 34 | 73 | 79 | 56 | 61 | 44 | 23 | - |
| 2000.....    | 539 | 9  | 70 | 57 | 25 | 39 | 63 | 67 | 67 | 60 | 58 | 24 | - |
| 1999.....    | 507 | 7  | 63 | 58 | 24 | 29 | 69 | 59 | 44 | 69 | 59 | 25 | 1 |



Worktable Orig290F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2007

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data - mortality"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, sex, and year | All ages | Under 1 year | 1-4 years | 5-14 years | 15-24 years | 25-34 years | 35-44 years | 45-54 years | 55-64 years | 65-74 years | 75-84 years | 85 years and over | Age not stated |
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|
| Accidental exposure to smoke, fire and flames (X00-X09)  |          |              |           |            |             |             |             |             |             |             |             |                   |                |
| Non-Hispanic black, female   |          |              |           |            |             |             |             |             |             |             |             |                   |                |
| 2007 2/.....   | 310      | 6            | 35        | 38         | 16          | 23          | 22          | 37          | 26          | 30          | 43          | 34                | -              |
| 2006 2/.....   | 308      | 2            | 38        | 37         | 18          | 16          | 21          | 37          | 30          | 32          | 45          | 32                | -              |
| 2005 2/.....   | 298      | 4            | 33        | 37         | 16          | 25          | 18          | 28          | 33          | 29          | 45          | 30                | -              |
| 2004 2/.....   | 323      | 6            | 35        | 41         | 17          | 18          | 21          | 33          | 41          | 30          | 47          | 34                | -              |
| 2003 2/.....   | 337      | 6            | 33        | 44         | 20          | 19          | 27          | 50          | 26          | 37          | 43          | 32                | -              |
| 2002.....  | 311      | 7            | 35        | 42         | 17          | 26          | 15          | 34          | 32          | 30          | 44          | 29                | -              |
| 2001.....  | 328      | 4            | 36        | 32         | 18          | 29          | 30          | 26          | 33          | 38          | 48          | 34                | -              |
| 2000.....  | 376      | 5            | 50        | 44         | 17          | 25          | 34          | 30          | 33          | 38          | 59          | 41                | -              |
| 1999.....  | 380      | 8            | 47        | 44         | 16          | 23          | 31          | 27          | 36          | 44          | 61          | 43                | -              |
| Origin not stated 3/, both sexes   |          |              |           |            |             |             |             |             |             |             |             |                   |                |
| 2007.....  | 15       | -            | -         | -          | -           | 1           | 1           | 2           | 1           | 2           | 4           | 2                 | 2              |
| 2006.....  | 18       | -            | 3         | 1          | 2           | 1           | 2           | 1           | -           | 6           | 1           | -                 | 1              |
| 2005.....  | 15       | 3            | 1         | -          | -           | -           | 3           | 1           | 2           | 2           | 1           | -                 | 2              |
| 2004.....  | 12       | -            | -         | -          | -           | 3           | 3           | 2           | 2           | -           | 1           | -                 | 1              |
| 2003.....  | 19       | -            | -         | -          | 1           | -           | 4           | 3           | 3           | 3           | 2           | 1                 | 2              |
| 2002.....  | 18       | -            | 1         | 1          | -           | 2           | -           | 2           | 6           | 3           | 2           | -                 | 1              |
| 2001.....  | 27       | -            | 2         | 3          | -           | 3           | 3           | 4           | 4           | 4           | 2           | 1                 | 1              |
| 2000.....  | 21       | 2            | 1         | 1          | 2           | -           | 2           | 2           | 3           | 1           | 4           | 1                 | 2              |
| 1999.....  | 23       | -            | 1         | -          | 4           | 1           | 5           | 5           | 3           | 1           | 2           | -                 | 1              |

Worktable Orig290F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2007

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data - mortality"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, sex, and year | All ages | Under 1 year | 1-4 years | 5-14 years | 15-24 years | 25-34 years | 35-44 years | 45-54 years | 55-64 years | 65-74 years | 75-84 years | 85 years and over | Age not stated |
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|

Accidental exposure to smoke, fire and flames (X00-X09)

Origin not stated 3/, male

|           |    |   |   |   |   |   |   |   |   |   |   |   |   |
|-----------|----|---|---|---|---|---|---|---|---|---|---|---|---|
| 2007..... | 7  | - | - | - | - | - | - | 2 | - | 1 | 2 | 1 | 1 |
| 2006..... | 11 | - | 2 | - | 2 | - | 1 | - | - | 4 | 1 | - | 1 |
| 2005..... | 10 | 2 | 1 | - | - | - | 1 | - | 2 | 1 | 1 | - | 2 |
| 2004..... | 10 | - | - | - | - | 2 | 3 | 2 | 2 | - | 1 | - | - |
| 2003..... | 11 | - | - | - | 1 | - | - | 1 | 3 | 2 | 1 | 1 | 2 |
| 2002..... | 11 | - | - | 1 | - | 2 | - | - | 6 | 1 | - | - | 1 |
| 2001..... | 16 | - | 2 | 2 | - | - | 3 | 3 | 3 | 1 | - | 1 | 1 |
| 2000..... | 13 | 2 | - | - | 2 | - | 1 | 1 | 2 | - | 2 | 1 | 2 |
| 1999..... | 19 | - | - | - | 4 | 1 | 5 | 4 | 2 | 1 | 1 | - | 1 |

Origin not stated 3/, female

|           |    |   |   |   |   |   |   |   |   |   |   |   |   |
|-----------|----|---|---|---|---|---|---|---|---|---|---|---|---|
| 2007..... | 8  | - | - | - | - | 1 | 1 | - | 1 | 1 | 2 | 1 | 1 |
| 2006..... | 7  | - | 1 | 1 | - | 1 | 1 | 1 | - | 2 | - | - | - |
| 2005..... | 5  | 1 | - | - | - | - | 2 | 1 | - | 1 | - | - | - |
| 2004..... | 2  | - | - | - | - | 1 | - | - | - | - | - | - | 1 |
| 2003..... | 8  | - | - | - | - | - | 4 | 2 | - | 1 | 1 | - | - |
| 2002..... | 7  | - | 1 | - | - | - | - | 2 | - | 2 | 2 | - | - |
| 2001..... | 11 | - | - | 1 | - | 3 | - | 1 | 1 | 3 | 2 | - | - |
| 2000..... | 8  | - | 1 | 1 | - | - | 1 | 1 | 1 | 1 | 2 | - | - |
| 1999..... | 4  | - | 1 | - | - | - | - | 1 | 1 | - | 1 | - | - |

Worktable Orig290F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2007

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data - mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, sex, and year

|  | All ages | Under 1 year | 1-4 years | 5-14 years | 15-24 years | 25-34 years | 35-44 years | 45-54 years | 55-64 years | 65-74 years | 75-84 years | 85 years and over | Age not stated |
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|

Accidental poisoning and exposure to noxious substances (X40-X49)

All origins, both sexes

|           |        |    |    |    |       |       |       |       |       |     |     |     |    |
|-----------|--------|----|----|----|-------|-------|-------|-------|-------|-----|-----|-----|----|
| 2007..... | 29,846 | 19 | 34 | 81 | 3,159 | 5,700 | 7,575 | 9,006 | 3,120 | 602 | 355 | 192 | 3  |
| 2006..... | 27,531 | 16 | 27 | 58 | 2,936 | 5,267 | 7,542 | 8,234 | 2,415 | 483 | 340 | 202 | 11 |
| 2005..... | 23,618 | 20 | 21 | 51 | 2,484 | 4,386 | 6,729 | 6,983 | 2,007 | 435 | 317 | 179 | 6  |
| 2004..... | 20,950 | 13 | 18 | 55 | 2,259 | 3,641 | 6,444 | 6,033 | 1,577 | 421 | 315 | 165 | 9  |
| 2003..... | 19,457 | 20 | 49 | 61 | 1,999 | 3,435 | 6,230 | 5,434 | 1,370 | 403 | 284 | 166 | 6  |
| 2002..... | 17,550 | 26 | 31 | 43 | 1,679 | 3,116 | 6,007 | 4,682 | 1,098 | 383 | 295 | 181 | 9  |
| 2001..... | 14,078 | 15 | 31 | 50 | 1,362 | 2,507 | 5,036 | 3,547 | 798   | 291 | 279 | 152 | 10 |
| 2000..... | 12,757 | 14 | 32 | 45 | 1,160 | 2,380 | 4,663 | 3,061 | 688   | 278 | 245 | 184 | 7  |
| 1999..... | 12,186 | 12 | 34 | 40 | 964   | 2,355 | 4,549 | 2,844 | 668   | 300 | 265 | 143 | 12 |

All origins, male

|           |        |    |    |    |       |       |       |       |       |     |     |    |    |
|-----------|--------|----|----|----|-------|-------|-------|-------|-------|-----|-----|----|----|
| 2007..... | 19,644 | 13 | 17 | 50 | 2,430 | 4,171 | 4,947 | 5,535 | 1,905 | 354 | 154 | 65 | 3  |
| 2006..... | 18,581 | 7  | 16 | 35 | 2,319 | 3,894 | 5,020 | 5,291 | 1,512 | 249 | 152 | 78 | 8  |
| 2005..... | 15,884 | 11 | 12 | 31 | 1,940 | 3,193 | 4,423 | 4,537 | 1,269 | 228 | 161 | 74 | 5  |
| 2004..... | 13,934 | 5  | 13 | 30 | 1,765 | 2,673 | 4,176 | 3,910 | 929   | 222 | 143 | 64 | 4  |
| 2003..... | 13,176 | 9  | 27 | 31 | 1,562 | 2,514 | 4,166 | 3,598 | 841   | 223 | 142 | 58 | 5  |
| 2002..... | 12,059 | 21 | 14 | 28 | 1,306 | 2,319 | 4,122 | 3,136 | 690   | 209 | 136 | 71 | 7  |
| 2001..... | 9,885  | 8  | 21 | 23 | 1,080 | 1,862 | 3,522 | 2,503 | 500   | 170 | 137 | 49 | 10 |
| 2000..... | 9,138  | 11 | 21 | 27 | 920   | 1,820 | 3,384 | 2,223 | 401   | 147 | 102 | 76 | 6  |
| 1999..... | 8,887  | 11 | 17 | 25 | 754   | 1,828 | 3,349 | 2,106 | 448   | 172 | 116 | 53 | 8  |

Worktable Orig290F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2007

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data - mortality"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, sex, and year | All ages | Under 1 year | 1-4 years | 5-14 years | 15-24 years | 25-34 years | 35-44 years | 45-54 years | 55-64 years | 65-74 years | 75-84 years | 85 years and over | Age not stated |
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|
| Accidental poisoning and exposure to noxious substances (X40-X49)  |          |              |           |            |             |             |             |             |             |             |             |                   |                |
| All origins, female  |          |              |           |            |             |             |             |             |             |             |             |                   |                |
| 2007.....  | 10,202   | 6            | 17        | 31         | 729         | 1,529       | 2,628       | 3,471       | 1,215       | 248         | 201         | 127               | -              |
| 2006.....  | 8,950    | 9            | 11        | 23         | 617         | 1,373       | 2,522       | 2,943       | 903         | 234         | 188         | 124               | 3              |
| 2005.....  | 7,734    | 9            | 9         | 20         | 544         | 1,193       | 2,306       | 2,446       | 738         | 207         | 156         | 105               | 1              |
| 2004.....  | 7,016    | 8            | 5         | 25         | 494         | 968         | 2,268       | 2,123       | 648         | 199         | 172         | 101               | 5              |
| 2003.....  | 6,281    | 11           | 22        | 30         | 437         | 921         | 2,064       | 1,836       | 529         | 180         | 142         | 108               | 1              |
| 2002.....  | 5,491    | 5            | 17        | 15         | 373         | 797         | 1,885       | 1,546       | 408         | 174         | 159         | 110               | 2              |
| 2001.....  | 4,193    | 7            | 10        | 27         | 282         | 645         | 1,514       | 1,044       | 298         | 121         | 142         | 103               | -              |
| 2000.....  | 3,619    | 3            | 11        | 18         | 240         | 560         | 1,279       | 838         | 287         | 131         | 143         | 108               | 1              |
| 1999.....  | 3,299    | 1            | 17        | 15         | 210         | 527         | 1,200       | 738         | 220         | 128         | 149         | 90                | 4              |
| Hispanic, both sexes   |          |              |           |            |             |             |             |             |             |             |             |                   |                |
| 2007.....  | 2,436    | 4            | 4         | 14         | 306         | 556         | 694         | 628         | 175         | 40          | 11          | 4                 | -              |
| 2006.....  | 2,310    | 2            | 2         | 11         | 242         | 563         | 709         | 557         | 179         | 20          | 17          | 7                 | 1              |
| 2005.....  | 2,018    | 3            | 3         | 7          | 243         | 482         | 635         | 467         | 130         | 29          | 11          | 8                 | -              |
| 2004.....  | 1,716    | 2            | 3         | 10         | 202         | 372         | 567         | 390         | 119         | 30          | 15          | 5                 | 1              |
| 2003.....  | 1,802    | 4            | 13        | 5          | 219         | 421         | 610         | 401         | 91          | 22          | 10          | 6                 | -              |
| 2002.....  | 1,652    | 6            | 4         | 9          | 195         | 364         | 586         | 368         | 79          | 26          | 13          | 2                 | -              |
| 2001.....  | 1,324    | 1            | 5         | 10         | 144         | 334         | 475         | 263         | 64          | 19          | 7           | 1                 | 1              |
| 2000.....  | 1,308    | 2            | 4         | 4          | 132         | 344         | 493         | 251         | 53          | 15          | 5           | 5                 | -              |
| 1999.....  | 1,502    | 4            | 3         | 6          | 146         | 383         | 585         | 289         | 58          | 18          | 5           | 2                 | 3              |

Worktable Orig290F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2007

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data - mortality"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, sex, and year | All ages | Under 1 year | 1-4 years | 5-14 years | 15-24 years | 25-34 years | 35-44 years | 45-54 years | 55-64 years | 65-74 years | 75-84 years | 85 years and over | Age not stated |
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|
| Accidental poisoning and exposure to noxious substances (X40-X49)  |          |              |           |            |             |             |             |             |             |             |             |                   |                |
| Hispanic, male   |          |              |           |            |             |             |             |             |             |             |             |                   |                |
| 2007.....  | 1,943    | 3            | 2         | 6          | 253         | 463         | 559         | 497         | 120         | 31          | 6           | 3                 | -              |
| 2006.....  | 1,795    | 1            | 1         | 4          | 189         | 458         | 559         | 414         | 142         | 15          | 8           | 3                 | 1              |
| 2005.....  | 1,603    | 1            | 2         | 5          | 197         | 399         | 505         | 361         | 106         | 19          | 5           | 3                 | -              |
| 2004.....  | 1,327    | 1            | 2         | 5          | 158         | 316         | 439         | 287         | 89          | 18          | 8           | 3                 | 1              |
| 2003.....  | 1,428    | 2            | 5         | 3          | 179         | 347         | 483         | 313         | 73          | 17          | 3           | 3                 | -              |
| 2002.....  | 1,324    | 5            | -         | 4          | 161         | 312         | 466         | 288         | 60          | 18          | 9           | 1                 | -              |
| 2001.....  | 1,061    | 1            | 3         | 2          | 111         | 274         | 385         | 218         | 50          | 13          | 3           | -                 | 1              |
| 2000.....  | 1,090    | 2            | 2         | 2          | 113         | 295         | 415         | 211         | 35          | 10          | 2           | 3                 | -              |
| 1999.....  | 1,271    | 4            | 3         | 4          | 123         | 332         | 493         | 240         | 51          | 15          | 2           | 1                 | 3              |
| Hispanic, female   |          |              |           |            |             |             |             |             |             |             |             |                   |                |
| 2007.....  | 493      | 1            | 2         | 8          | 53          | 93          | 135         | 131         | 55          | 9           | 5           | 1                 | -              |
| 2006.....  | 515      | 1            | 1         | 7          | 53          | 105         | 150         | 143         | 37          | 5           | 9           | 4                 | -              |
| 2005.....  | 415      | 2            | 1         | 2          | 46          | 83          | 130         | 106         | 24          | 10          | 6           | 5                 | -              |
| 2004.....  | 389      | 1            | 1         | 5          | 44          | 56          | 128         | 103         | 30          | 12          | 7           | 2                 | -              |
| 2003.....  | 374      | 2            | 8         | 2          | 40          | 74          | 127         | 88          | 18          | 5           | 7           | 3                 | -              |
| 2002.....  | 328      | 1            | 4         | 5          | 34          | 52          | 120         | 80          | 19          | 8           | 4           | 1                 | -              |
| 2001.....  | 263      | -            | 2         | 8          | 33          | 60          | 90          | 45          | 14          | 6           | 4           | 1                 | -              |
| 2000.....  | 218      | -            | 2         | 2          | 19          | 49          | 78          | 40          | 18          | 5           | 3           | 2                 | -              |
| 1999.....  | 231      | -            | -         | 2          | 23          | 51          | 92          | 49          | 7           | 3           | 3           | 1                 | -              |

Worktable Orig290F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2007

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data - mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, sex, and year

|  | All ages | Under 1 year | 1-4 years | 5-14 years | 15-24 years | 25-34 years | 35-44 years | 45-54 years | 55-64 years | 65-74 years | 75-84 years | 85 years and over | Age not stated |
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|

Accidental poisoning and exposure to noxious substances (X40-X49)

Non-Hispanic 1/, both sexes

|           |        |    |    |    |       |       |       |       |       |     |     |     |   |
|-----------|--------|----|----|----|-------|-------|-------|-------|-------|-----|-----|-----|---|
| 2007..... | 27,307 | 15 | 30 | 67 | 2,845 | 5,133 | 6,861 | 8,340 | 2,923 | 559 | 344 | 188 | 2 |
| 2006..... | 25,118 | 13 | 24 | 47 | 2,690 | 4,688 | 6,807 | 7,642 | 2,220 | 463 | 321 | 195 | 8 |
| 2005..... | 21,488 | 17 | 18 | 44 | 2,236 | 3,889 | 6,064 | 6,472 | 1,864 | 402 | 306 | 170 | 6 |
| 2004..... | 19,153 | 11 | 14 | 45 | 2,054 | 3,259 | 5,852 | 5,615 | 1,450 | 390 | 299 | 160 | 4 |
| 2003..... | 17,537 | 16 | 36 | 56 | 1,776 | 2,994 | 5,590 | 4,986 | 1,269 | 377 | 273 | 160 | 4 |
| 2002..... | 15,789 | 20 | 27 | 34 | 1,476 | 2,735 | 5,382 | 4,290 | 1,011 | 351 | 280 | 179 | 4 |
| 2001..... | 12,631 | 14 | 26 | 40 | 1,210 | 2,157 | 4,519 | 3,250 | 719   | 270 | 271 | 151 | 4 |
| 2000..... | 11,311 | 12 | 27 | 38 | 1,022 | 2,018 | 4,131 | 2,758 | 624   | 259 | 240 | 179 | 3 |
| 1999..... | 10,542 | 8  | 31 | 33 | 814   | 1,955 | 3,907 | 2,516 | 596   | 280 | 258 | 139 | 5 |

Non-Hispanic 1/, male

|           |        |    |    |    |       |       |       |       |       |     |     |    |   |
|-----------|--------|----|----|----|-------|-------|-------|-------|-------|-----|-----|----|---|
| 2007..... | 17,640 | 10 | 15 | 44 | 2,172 | 3,703 | 4,377 | 5,015 | 1,771 | 321 | 148 | 62 | 2 |
| 2006..... | 16,710 | 5  | 14 | 31 | 2,127 | 3,428 | 4,440 | 4,851 | 1,355 | 234 | 143 | 75 | 7 |
| 2005..... | 14,198 | 10 | 10 | 26 | 1,739 | 2,783 | 3,896 | 4,142 | 1,153 | 207 | 156 | 71 | 5 |
| 2004..... | 12,541 | 4  | 10 | 25 | 1,604 | 2,349 | 3,718 | 3,599 | 834   | 203 | 134 | 61 | - |
| 2003..... | 11,655 | 7  | 22 | 28 | 1,381 | 2,151 | 3,659 | 3,250 | 759   | 202 | 138 | 55 | 3 |
| 2002..... | 10,649 | 16 | 14 | 24 | 1,140 | 1,993 | 3,626 | 2,831 | 622   | 185 | 125 | 70 | 3 |
| 2001..... | 8,720  | 7  | 18 | 21 | 962   | 1,574 | 3,103 | 2,257 | 437   | 155 | 133 | 49 | 4 |
| 2000..... | 7,944  | 9  | 18 | 24 | 802   | 1,512 | 2,938 | 1,975 | 357   | 134 | 100 | 73 | 2 |
| 1999..... | 7,510  | 7  | 14 | 20 | 627   | 1,482 | 2,817 | 1,833 | 387   | 155 | 114 | 51 | 3 |

Worktable Orig290F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2007

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data - mortality"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, sex, and year | All ages | Under 1 year | 1-4 years | 5-14 years | 15-24 years | 25-34 years | 35-44 years | 45-54 years | 55-64 years | 65-74 years | 75-84 years | 85 years and over | Age not stated |
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|
| Accidental poisoning and exposure to noxious substances (X40-X49)  |          |              |           |            |             |             |             |             |             |             |             |                   |                |
| Non-Hispanic 1/, female  |          |              |           |            |             |             |             |             |             |             |             |                   |                |
| 2007.....  | 9,667    | 5            | 15        | 23         | 673         | 1,430       | 2,484       | 3,325       | 1,152       | 238         | 196         | 126               | -              |
| 2006.....  | 8,408    | 8            | 10        | 16         | 563         | 1,260       | 2,367       | 2,791       | 865         | 229         | 178         | 120               | 1              |
| 2005.....  | 7,290    | 7            | 8         | 18         | 497         | 1,106       | 2,168       | 2,330       | 711         | 195         | 150         | 99                | 1              |
| 2004.....  | 6,612    | 7            | 4         | 20         | 450         | 910         | 2,134       | 2,016       | 616         | 187         | 165         | 99                | 4              |
| 2003.....  | 5,882    | 9            | 14        | 28         | 395         | 843         | 1,931       | 1,736       | 510         | 175         | 135         | 105               | 1              |
| 2002.....  | 5,140    | 4            | 13        | 10         | 336         | 742         | 1,756       | 1,459       | 389         | 166         | 155         | 109               | 1              |
| 2001.....  | 3,911    | 7            | 8         | 19         | 248         | 583         | 1,416       | 993         | 282         | 115         | 138         | 102               | -              |
| 2000.....  | 3,367    | 3            | 9         | 14         | 220         | 506         | 1,193       | 783         | 267         | 125         | 140         | 106               | 1              |
| 1999.....  | 3,032    | 1            | 17        | 13         | 187         | 473         | 1,090       | 683         | 209         | 125         | 144         | 88                | 2              |
| Non-Hispanic white, both sexes   |          |              |           |            |             |             |             |             |             |             |             |                   |                |
| 2007 2/.....   | 23,531   | 5            | 14        | 47         | 2,623       | 4,629       | 5,964       | 6,977       | 2,336       | 458         | 304         | 172               | 2              |
| 2006 2/.....   | 21,152   | 6            | 16        | 31         | 2,502       | 4,152       | 5,704       | 6,193       | 1,723       | 361         | 284         | 172               | 8              |
| 2005 2/.....   | 18,126   | 9            | 8         | 32         | 2,071       | 3,398       | 5,151       | 5,269       | 1,448       | 313         | 267         | 155               | 5              |
| 2004 2/.....   | 16,313   | 8            | 8         | 30         | 1,900       | 2,888       | 5,009       | 4,613       | 1,131       | 318         | 259         | 146               | 3              |
| 2003 2/.....   | 14,829   | 8            | 19        | 31         | 1,659       | 2,611       | 4,708       | 4,058       | 1,044       | 292         | 253         | 143               | 3              |
| 2002.....  | 13,165   | 7            | 15        | 28         | 1,357       | 2,375       | 4,496       | 3,402       | 772         | 299         | 250         | 162               | 2              |
| 2001.....  | 10,269   | 8            | 16        | 30         | 1,078       | 1,836       | 3,698       | 2,468       | 546         | 226         | 229         | 130               | 4              |
| 2000.....  | 9,124    | 8            | 15        | 24         | 916         | 1,683       | 3,331       | 2,071       | 482         | 216         | 224         | 152               | 2              |
| 1999.....  | 8,311    | 6            | 17        | 21         | 694         | 1,581       | 3,096       | 1,867       | 444         | 224         | 238         | 120               | 3              |

Worktable Orig290F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2007

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data - mortality"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, sex, and year | All ages | Under 1 year | 1-4 years | 5-14 years | 15-24 years | 25-34 years | 35-44 years | 45-54 years | 55-64 years | 65-74 years | 75-84 years | 85 years and over | Age not stated |
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|
| Accidental poisoning and exposure to noxious substances (X40-X49)  |          |              |           |            |             |             |             |             |             |             |             |                   |                |
| Non-Hispanic white, male   |          |              |           |            |             |             |             |             |             |             |             |                   |                |
| 2007 2/.....   | 15,204   | 4            | 10        | 30         | 2,021       | 3,359       | 3,823       | 4,154       | 1,362       | 250         | 130         | 59                | 2              |
| 2006 2/.....   | 13,983   | 3            | 10        | 20         | 1,990       | 3,025       | 3,720       | 3,865       | 981         | 166         | 127         | 69                | 7              |
| 2005 2/.....   | 11,949   | 6            | 3         | 21         | 1,626       | 2,448       | 3,334       | 3,327       | 838         | 142         | 132         | 67                | 5              |
| 2004 2/.....   | 10,684   | 2            | 4         | 20         | 1,493       | 2,099       | 3,204       | 2,937       | 602         | 155         | 112         | 56                | -              |
| 2003 2/.....   | 9,855    | 6            | 11        | 17         | 1,292       | 1,892       | 3,098       | 2,625       | 596         | 144         | 127         | 45                | 2              |
| 2002.....  | 8,849    | 7            | 6         | 21         | 1,048       | 1,737       | 3,045       | 2,225       | 436         | 150         | 108         | 65                | 1              |
| 2001.....  | 7,111    | 4            | 12        | 17         | 864         | 1,358       | 2,579       | 1,688       | 304         | 129         | 109         | 43                | 4              |
| 2000.....  | 6,413    | 6            | 9         | 16         | 736         | 1,272       | 2,399       | 1,464       | 251         | 104         | 93          | 62                | 1              |
| 1999.....  | 5,921    | 5            | 6         | 13         | 536         | 1,217       | 2,265       | 1,337       | 263         | 124         | 105         | 48                | 2              |
| Non-Hispanic white, female   |          |              |           |            |             |             |             |             |             |             |             |                   |                |
| 2007 2/.....   | 8,327    | 1            | 4         | 17         | 602         | 1,270       | 2,141       | 2,823       | 974         | 208         | 174         | 113               | -              |
| 2006 2/.....   | 7,169    | 3            | 6         | 11         | 512         | 1,127       | 1,984       | 2,328       | 742         | 195         | 157         | 103               | 1              |
| 2005 2/.....   | 6,177    | 3            | 5         | 11         | 445         | 950         | 1,817       | 1,942       | 610         | 171         | 135         | 88                | -              |
| 2004 2/.....   | 5,629    | 6            | 4         | 10         | 407         | 789         | 1,805       | 1,676       | 529         | 163         | 147         | 90                | 3              |
| 2003 2/.....   | 4,974    | 2            | 8         | 14         | 367         | 719         | 1,610       | 1,433       | 448         | 148         | 126         | 98                | 1              |
| 2002.....  | 4,316    | -            | 9         | 7          | 309         | 638         | 1,451       | 1,177       | 336         | 149         | 142         | 97                | 1              |
| 2001.....  | 3,158    | 4            | 4         | 13         | 214         | 478         | 1,119       | 780         | 242         | 97          | 120         | 87                | -              |
| 2000.....  | 2,711    | 2            | 6         | 8          | 180         | 411         | 932         | 607         | 231         | 112         | 131         | 90                | 1              |
| 1999.....  | 2,390    | 1            | 11        | 8          | 158         | 364         | 831         | 530         | 181         | 100         | 133         | 72                | 1              |



Worktable Orig290F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2007

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data - mortality"]

---

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, sex, and year

|  | All ages | Under 1 year | 1-4 years | 5-14 years | 15-24 years | 25-34 years | 35-44 years | 45-54 years | 55-64 years | 65-74 years | 75-84 years | 85 years and over | Age not stated |
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|

---

Accidental poisoning and exposure to noxious substances (X40-X49)

Non-Hispanic black, both sexes

|              |       |    |    |    |     |     |     |       |     |    |    |    |   |
|--------------|-------|----|----|----|-----|-----|-----|-------|-----|----|----|----|---|
| 2007 2/..... | 3,215 | 8  | 15 | 14 | 146 | 384 | 755 | 1,227 | 527 | 94 | 32 | 13 | - |
| 2006 2/..... | 3,474 | 6  | 8  | 7  | 140 | 441 | 977 | 1,308 | 456 | 82 | 28 | 21 | - |
| 2005 2/..... | 2,920 | 7  | 7  | 9  | 114 | 388 | 799 | 1,089 | 390 | 77 | 29 | 10 | 1 |
| 2004 2/..... | 2,460 | 3  | 6  | 11 | 113 | 288 | 733 | 915   | 281 | 64 | 33 | 13 | - |
| 2003 2/..... | 2,354 | 7  | 15 | 17 | 86  | 303 | 770 | 848   | 204 | 68 | 19 | 16 | 1 |
| 2002.....    | 2,326 | 12 | 11 | 6  | 86  | 299 | 786 | 825   | 221 | 41 | 26 | 12 | 1 |
| 2001.....    | 2,122 | 6  | 8  | 6  | 93  | 273 | 749 | 736   | 157 | 39 | 34 | 21 | - |
| 2000.....    | 1,985 | 4  | 11 | 8  | 76  | 294 | 732 | 645   | 132 | 41 | 15 | 26 | 1 |
| 1999.....    | 2,008 | 1  | 12 | 7  | 93  | 328 | 729 | 613   | 139 | 49 | 18 | 17 | 2 |

Non-Hispanic black, male

|              |       |   |   |    |     |     |     |     |     |    |    |    |   |
|--------------|-------|---|---|----|-----|-----|-----|-----|-----|----|----|----|---|
| 2007 2/..... | 2,107 | 4 | 5 | 11 | 100 | 269 | 468 | 789 | 377 | 67 | 14 | 3  | - |
| 2006 2/..... | 2,400 | 1 | 4 | 6  | 99  | 335 | 635 | 897 | 348 | 57 | 13 | 5  | - |
| 2005 2/..... | 1,959 | 4 | 6 | 4  | 77  | 264 | 488 | 739 | 297 | 59 | 18 | 3  | - |
| 2004 2/..... | 1,607 | 2 | 6 | 3  | 81  | 195 | 439 | 606 | 207 | 45 | 18 | 5  | - |
| 2003 2/..... | 1,579 | 1 | 9 | 7  | 64  | 204 | 497 | 570 | 154 | 52 | 10 | 10 | 1 |
| 2002.....    | 1,601 | 8 | 8 | 3  | 66  | 213 | 517 | 564 | 174 | 31 | 15 | 1  | 1 |
| 2001.....    | 1,452 | 3 | 5 | 2  | 67  | 186 | 477 | 540 | 121 | 25 | 20 | 6  | - |
| 2000.....    | 1,400 | 3 | 8 | 6  | 49  | 209 | 496 | 480 | 101 | 29 | 7  | 11 | 1 |
| 1999.....    | 1,450 | 1 | 7 | 5  | 76  | 231 | 503 | 471 | 114 | 29 | 9  | 3  | 1 |

Worktable Orig290F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2007

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data - mortality"]

---

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, sex, and year

|  | All ages | Under 1 year | 1-4 years | 5-14 years | 15-24 years | 25-34 years | 35-44 years | 45-54 years | 55-64 years | 65-74 years | 75-84 years | 85 years and over | Age not stated |
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|

---

Accidental poisoning and exposure to noxious substances (X40-X49)

Non-Hispanic black, female

|              |       |   |    |    |    |     |     |     |     |    |    |    |   |
|--------------|-------|---|----|----|----|-----|-----|-----|-----|----|----|----|---|
| 2007 2/..... | 1,108 | 4 | 10 | 3  | 46 | 115 | 287 | 438 | 150 | 27 | 18 | 10 | - |
| 2006 2/..... | 1,074 | 5 | 4  | 1  | 41 | 106 | 342 | 411 | 108 | 25 | 15 | 16 | - |
| 2005 2/..... | 961   | 3 | 1  | 5  | 37 | 124 | 311 | 350 | 93  | 18 | 11 | 7  | 1 |
| 2004 2/..... | 853   | 1 | -  | 8  | 32 | 93  | 294 | 309 | 74  | 19 | 15 | 8  | - |
| 2003 2/..... | 775   | 6 | 6  | 10 | 22 | 99  | 273 | 278 | 50  | 16 | 9  | 6  | - |
| 2002.....    | 725   | 4 | 3  | 3  | 20 | 86  | 269 | 261 | 47  | 10 | 11 | 11 | - |
| 2001.....    | 670   | 3 | 3  | 4  | 26 | 87  | 272 | 196 | 36  | 14 | 14 | 15 | - |
| 2000.....    | 585   | 1 | 3  | 2  | 27 | 85  | 236 | 165 | 31  | 12 | 8  | 15 | - |
| 1999.....    | 558   | - | 5  | 2  | 17 | 97  | 226 | 142 | 25  | 20 | 9  | 14 | 1 |

Origin not stated 3/, both sexes

|           |     |   |   |   |   |    |    |    |    |   |   |   |   |
|-----------|-----|---|---|---|---|----|----|----|----|---|---|---|---|
| 2007..... | 103 | - | - | - | 8 | 11 | 20 | 38 | 22 | 3 | - | - | 1 |
| 2006..... | 103 | 1 | 1 | - | 4 | 16 | 26 | 35 | 16 | - | 2 | - | 2 |
| 2005..... | 112 | - | - | - | 5 | 15 | 30 | 44 | 13 | 4 | - | 1 | - |
| 2004..... | 81  | - | 1 | - | 3 | 10 | 25 | 28 | 8  | 1 | 1 | - | 4 |
| 2003..... | 118 | - | - | - | 4 | 20 | 30 | 47 | 10 | 4 | 1 | - | 2 |
| 2002..... | 109 | - | - | - | 8 | 17 | 39 | 24 | 8  | 6 | 2 | - | 5 |
| 2001..... | 123 | - | - | - | 8 | 16 | 42 | 34 | 15 | 2 | 1 | - | 5 |
| 2000..... | 138 | - | 1 | 3 | 6 | 18 | 39 | 52 | 11 | 4 | - | - | 4 |
| 1999..... | 142 | - | - | 1 | 4 | 17 | 57 | 39 | 14 | 2 | 2 | 2 | 4 |

Worktable Orig290F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2007

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data - mortality"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, sex, and year | All ages | Under 1 year | 1-4 years | 5-14 years | 15-24 years | 25-34 years | 35-44 years | 45-54 years | 55-64 years | 65-74 years | 75-84 years | 85 years and over | Age not stated |
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|

Accidental poisoning and exposure to noxious substances (X40-X49)

Origin not stated 3/, male

|           |     |   |   |   |   |    |    |    |    |   |   |   |   |
|-----------|-----|---|---|---|---|----|----|----|----|---|---|---|---|
| 2007..... | 61  | - | - | - | 5 | 5  | 11 | 23 | 14 | 2 | - | - | 1 |
| 2006..... | 76  | 1 | 1 | - | 3 | 8  | 21 | 26 | 15 | - | 1 | - | - |
| 2005..... | 83  | - | - | - | 4 | 11 | 22 | 34 | 10 | 2 | - | - | - |
| 2004..... | 66  | - | 1 | - | 3 | 8  | 19 | 24 | 6  | 1 | 1 | - | 3 |
| 2003..... | 93  | - | - | - | 2 | 16 | 24 | 35 | 9  | 4 | 1 | - | 2 |
| 2002..... | 86  | - | - | - | 5 | 14 | 30 | 17 | 8  | 6 | 2 | - | 4 |
| 2001..... | 104 | - | - | - | 7 | 14 | 34 | 28 | 13 | 2 | 1 | - | 5 |
| 2000..... | 104 | - | 1 | 1 | 5 | 13 | 31 | 37 | 9  | 3 | - | - | 4 |
| 1999..... | 106 | - | - | 1 | 4 | 14 | 39 | 33 | 10 | 2 | - | 1 | 2 |

Origin not stated 3/, female

|           |    |   |   |   |   |   |    |    |   |   |   |   |   |
|-----------|----|---|---|---|---|---|----|----|---|---|---|---|---|
| 2007..... | 42 | - | - | - | 3 | 6 | 9  | 15 | 8 | 1 | - | - | - |
| 2006..... | 27 | - | - | - | 1 | 8 | 5  | 9  | 1 | - | 1 | - | 2 |
| 2005..... | 29 | - | - | - | 1 | 4 | 8  | 10 | 3 | 2 | - | 1 | - |
| 2004..... | 15 | - | - | - | - | 2 | 6  | 4  | 2 | - | - | - | 1 |
| 2003..... | 25 | - | - | - | 2 | 4 | 6  | 12 | 1 | - | - | - | - |
| 2002..... | 23 | - | - | - | 3 | 3 | 9  | 7  | - | - | - | - | 1 |
| 2001..... | 19 | - | - | - | 1 | 2 | 8  | 6  | 2 | - | - | - | - |
| 2000..... | 34 | - | - | 2 | 1 | 5 | 8  | 15 | 2 | 1 | - | - | - |
| 1999..... | 36 | - | - | - | - | 3 | 18 | 6  | 4 | - | 2 | 1 | 2 |

Worktable Orig290F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2007

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data - mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, sex, and year

|  | All ages | Under 1 year | 1-4 years | 5-14 years | 15-24 years | 25-34 years | 35-44 years | 45-54 years | 55-64 years | 65-74 years | 75-84 years | 85 years and over | Age not stated |
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|

Other and unspecified nontransport accidents and their sequelae (W20-W31,W35-W64,W75-W99,X10-X39,X50-X59,Y86)

All origins, both sexes

|           |        |       |     |     |     |     |       |       |       |       |       |       |    |
|-----------|--------|-------|-----|-----|-----|-----|-------|-------|-------|-------|-------|-------|----|
| 2007..... | 17,043 | 1,019 | 260 | 226 | 598 | 794 | 1,119 | 1,755 | 1,623 | 1,717 | 3,195 | 4,730 | 7  |
| 2006..... | 17,503 | 888   | 260 | 231 | 665 | 868 | 1,279 | 1,836 | 1,633 | 1,721 | 3,383 | 4,729 | 10 |
| 2005..... | 18,526 | 801   | 244 | 258 | 725 | 939 | 1,343 | 1,977 | 1,746 | 1,898 | 3,731 | 4,848 | 16 |
| 2004..... | 17,016 | 782   | 250 | 247 | 640 | 825 | 1,276 | 1,732 | 1,453 | 1,634 | 3,505 | 4,641 | 31 |
| 2003..... | 17,115 | 675   | 278 | 215 | 645 | 813 | 1,331 | 1,591 | 1,420 | 1,760 | 3,539 | 4,833 | 15 |
| 2002..... | 17,201 | 677   | 247 | 273 | 638 | 820 | 1,341 | 1,496 | 1,385 | 1,795 | 3,665 | 4,851 | 13 |
| 2001..... | 17,760 | 669   | 275 | 255 | 643 | 795 | 1,386 | 1,641 | 1,342 | 1,826 | 3,841 | 5,063 | 24 |
| 2000..... | 17,437 | 572   | 266 | 267 | 648 | 895 | 1,446 | 1,510 | 1,349 | 1,824 | 3,678 | 4,966 | 16 |
| 1999..... | 18,388 | 523   | 293 | 316 | 662 | 887 | 1,452 | 1,496 | 1,332 | 2,032 | 4,025 | 5,355 | 15 |

All origins, male

|           |        |     |     |     |     |     |       |       |       |       |       |       |    |
|-----------|--------|-----|-----|-----|-----|-----|-------|-------|-------|-------|-------|-------|----|
| 2007..... | 9,991  | 578 | 164 | 146 | 509 | 666 | 909   | 1,390 | 1,174 | 1,096 | 1,628 | 1,725 | 6  |
| 2006..... | 10,327 | 533 | 139 | 165 | 568 | 724 | 1,054 | 1,445 | 1,173 | 1,098 | 1,741 | 1,678 | 9  |
| 2005..... | 10,864 | 443 | 148 | 180 | 600 | 793 | 1,081 | 1,554 | 1,260 | 1,178 | 1,897 | 1,718 | 12 |
| 2004..... | 9,880  | 453 | 165 | 184 | 550 | 694 | 1,009 | 1,347 | 1,044 | 995   | 1,754 | 1,655 | 30 |
| 2003..... | 9,919  | 398 | 177 | 160 | 544 | 685 | 1,061 | 1,206 | 1,045 | 1,095 | 1,798 | 1,737 | 13 |
| 2002..... | 9,839  | 389 | 156 | 185 | 545 | 692 | 1,081 | 1,180 | 1,013 | 1,113 | 1,827 | 1,648 | 10 |
| 2001..... | 10,044 | 390 | 162 | 181 | 535 | 682 | 1,128 | 1,261 | 933   | 1,097 | 1,913 | 1,741 | 21 |
| 2000..... | 9,960  | 327 | 162 | 192 | 560 | 767 | 1,205 | 1,219 | 971   | 1,081 | 1,801 | 1,659 | 16 |
| 1999..... | 10,371 | 314 | 183 | 221 | 565 | 748 | 1,181 | 1,176 | 951   | 1,227 | 1,969 | 1,822 | 14 |

Worktable Orig290F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2007

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data - mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, sex, and year

|  | All ages | Under 1 year | 1-4 years | 5-14 years | 15-24 years | 25-34 years | 35-44 years | 45-54 years | 55-64 years | 65-74 years | 75-84 years | 85 years and over | Age not stated |
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|

Other and unspecified nontransport accidents and their sequelae (W20-W31,W35-W64,W75-W99,X10-X39,X50-X59,Y86)

All origins, female

|           |       |     |     |    |     |     |     |     |     |     |       |       |   |
|-----------|-------|-----|-----|----|-----|-----|-----|-----|-----|-----|-------|-------|---|
| 2007..... | 7,052 | 441 | 96  | 80 | 89  | 128 | 210 | 365 | 449 | 621 | 1,567 | 3,005 | 1 |
| 2006..... | 7,176 | 355 | 121 | 66 | 97  | 144 | 225 | 391 | 460 | 623 | 1,642 | 3,051 | 1 |
| 2005..... | 7,662 | 358 | 96  | 78 | 125 | 146 | 262 | 423 | 486 | 720 | 1,834 | 3,130 | 4 |
| 2004..... | 7,136 | 329 | 85  | 63 | 90  | 131 | 267 | 385 | 409 | 639 | 1,751 | 2,986 | 1 |
| 2003..... | 7,196 | 277 | 101 | 55 | 101 | 128 | 270 | 385 | 375 | 665 | 1,741 | 3,096 | 2 |
| 2002..... | 7,362 | 288 | 91  | 88 | 93  | 128 | 260 | 316 | 372 | 682 | 1,838 | 3,203 | 3 |
| 2001..... | 7,716 | 279 | 113 | 74 | 108 | 113 | 258 | 380 | 409 | 729 | 1,928 | 3,322 | 3 |
| 2000..... | 7,477 | 245 | 104 | 75 | 88  | 128 | 241 | 291 | 378 | 743 | 1,877 | 3,307 | - |
| 1999..... | 8,017 | 209 | 110 | 95 | 97  | 139 | 271 | 320 | 381 | 805 | 2,056 | 3,533 | 1 |

Hispanic, both sexes

|           |       |     |    |    |     |     |     |     |     |    |     |     |   |
|-----------|-------|-----|----|----|-----|-----|-----|-----|-----|----|-----|-----|---|
| 2007..... | 1,183 | 109 | 47 | 34 | 109 | 155 | 165 | 145 | 103 | 96 | 122 | 98  | - |
| 2006..... | 1,200 | 120 | 53 | 36 | 107 | 164 | 169 | 141 | 112 | 88 | 113 | 95  | 2 |
| 2005..... | 1,200 | 103 | 44 | 28 | 120 | 189 | 164 | 164 | 98  | 90 | 110 | 89  | 1 |
| 2004..... | 1,042 | 89  | 42 | 28 | 120 | 143 | 146 | 133 | 77  | 66 | 100 | 93  | 5 |
| 2003..... | 999   | 71  | 53 | 29 | 115 | 150 | 128 | 114 | 82  | 77 | 108 | 72  | - |
| 2002..... | 954   | 68  | 42 | 36 | 100 | 139 | 144 | 101 | 67  | 73 | 92  | 87  | 5 |
| 2001..... | 985   | 78  | 43 | 23 | 98  | 122 | 146 | 122 | 70  | 88 | 89  | 102 | 4 |
| 2000..... | 942   | 58  | 41 | 29 | 108 | 140 | 151 | 84  | 68  | 67 | 84  | 106 | 6 |
| 1999..... | 878   | 65  | 53 | 31 | 98  | 101 | 120 | 82  | 69  | 90 | 72  | 94  | 3 |

Worktable Orig290F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2007

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data - mortality"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, sex, and year | All ages | Under 1 year | 1-4 years | 5-14 years | 15-24 years | 25-34 years | 35-44 years | 45-54 years | 55-64 years | 65-74 years | 75-84 years | 85 years and over | Age not stated |
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|

Other and unspecified nontransport accidents and their sequelae (W20-W31,W35-W64,W75-W99,X10-X39,X50-X59,Y86)

Hispanic, male

|           |     |    |    |    |     |     |     |     |    |    |    |    |   |
|-----------|-----|----|----|----|-----|-----|-----|-----|----|----|----|----|---|
| 2007..... | 880 | 62 | 32 | 22 | 97  | 143 | 146 | 121 | 83 | 70 | 66 | 38 | - |
| 2006..... | 886 | 68 | 26 | 25 | 98  | 144 | 161 | 124 | 80 | 60 | 58 | 40 | 2 |
| 2005..... | 892 | 55 | 27 | 20 | 109 | 175 | 147 | 137 | 73 | 57 | 54 | 37 | 1 |
| 2004..... | 752 | 54 | 28 | 23 | 107 | 121 | 127 | 114 | 54 | 39 | 49 | 31 | 5 |
| 2003..... | 749 | 40 | 32 | 21 | 108 | 138 | 114 | 90  | 63 | 49 | 65 | 29 | - |
| 2002..... | 726 | 43 | 28 | 21 | 92  | 133 | 127 | 87  | 52 | 44 | 52 | 42 | 5 |
| 2001..... | 704 | 40 | 28 | 12 | 93  | 110 | 130 | 102 | 49 | 54 | 46 | 36 | 4 |
| 2000..... | 695 | 31 | 23 | 14 | 105 | 129 | 139 | 70  | 53 | 41 | 40 | 44 | 6 |
| 1999..... | 620 | 35 | 37 | 19 | 88  | 90  | 101 | 70  | 48 | 60 | 30 | 39 | 3 |

Hispanic, female

|           |     |    |    |    |    |    |    |    |    |    |    |    |   |
|-----------|-----|----|----|----|----|----|----|----|----|----|----|----|---|
| 2007..... | 303 | 47 | 15 | 12 | 12 | 12 | 19 | 24 | 20 | 26 | 56 | 60 | - |
| 2006..... | 314 | 52 | 27 | 11 | 9  | 20 | 8  | 17 | 32 | 28 | 55 | 55 | - |
| 2005..... | 308 | 48 | 17 | 8  | 11 | 14 | 17 | 27 | 25 | 33 | 56 | 52 | - |
| 2004..... | 290 | 35 | 14 | 5  | 13 | 22 | 19 | 19 | 23 | 27 | 51 | 62 | - |
| 2003..... | 250 | 31 | 21 | 8  | 7  | 12 | 14 | 24 | 19 | 28 | 43 | 43 | - |
| 2002..... | 228 | 25 | 14 | 15 | 8  | 6  | 17 | 14 | 15 | 29 | 40 | 45 | - |
| 2001..... | 281 | 38 | 15 | 11 | 5  | 12 | 16 | 20 | 21 | 34 | 43 | 66 | - |
| 2000..... | 247 | 27 | 18 | 15 | 3  | 11 | 12 | 14 | 15 | 26 | 44 | 62 | - |
| 1999..... | 258 | 30 | 16 | 12 | 10 | 11 | 19 | 12 | 21 | 30 | 42 | 55 | - |

Worktable Orig290F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2007

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data - mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, sex, and year

|  | All ages | Under 1 year | 1-4 years | 5-14 years | 15-24 years | 25-34 years | 35-44 years | 45-54 years | 55-64 years | 65-74 years | 75-84 years | 85 years and over | Age not stated |
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|

Other and unspecified nontransport accidents and their sequelae (W20-W31,W35-W64,W75-W99,X10-X39,X50-X59,Y86)

Non-Hispanic 1/, both sexes

|           |        |     |     |     |     |     |       |       |       |       |       |       |    |
|-----------|--------|-----|-----|-----|-----|-----|-------|-------|-------|-------|-------|-------|----|
| 2007..... | 15,821 | 906 | 210 | 192 | 487 | 637 | 949   | 1,603 | 1,515 | 1,619 | 3,070 | 4,631 | 2  |
| 2006..... | 16,245 | 766 | 203 | 195 | 556 | 695 | 1,105 | 1,686 | 1,516 | 1,629 | 3,261 | 4,628 | 5  |
| 2005..... | 17,261 | 695 | 200 | 230 | 605 | 745 | 1,172 | 1,801 | 1,636 | 1,800 | 3,617 | 4,752 | 8  |
| 2004..... | 15,923 | 693 | 207 | 218 | 518 | 678 | 1,129 | 1,592 | 1,371 | 1,560 | 3,398 | 4,544 | 15 |
| 2003..... | 16,055 | 602 | 225 | 186 | 526 | 659 | 1,195 | 1,471 | 1,335 | 1,678 | 3,422 | 4,751 | 5  |
| 2002..... | 16,183 | 606 | 205 | 235 | 534 | 677 | 1,193 | 1,383 | 1,311 | 1,717 | 3,566 | 4,750 | 6  |
| 2001..... | 16,695 | 588 | 231 | 230 | 542 | 669 | 1,231 | 1,513 | 1,262 | 1,732 | 3,741 | 4,950 | 6  |
| 2000..... | 16,408 | 513 | 224 | 238 | 538 | 748 | 1,283 | 1,413 | 1,275 | 1,748 | 3,580 | 4,846 | 2  |
| 1999..... | 17,430 | 457 | 239 | 284 | 562 | 781 | 1,331 | 1,400 | 1,250 | 1,935 | 3,943 | 5,245 | 3  |

Non-Hispanic 1/, male

|           |       |     |     |     |     |     |       |       |       |       |       |       |    |
|-----------|-------|-----|-----|-----|-----|-----|-------|-------|-------|-------|-------|-------|----|
| 2007..... | 9,080 | 512 | 131 | 124 | 410 | 522 | 758   | 1,262 | 1,087 | 1,024 | 1,561 | 1,687 | 2  |
| 2006..... | 9,395 | 463 | 110 | 140 | 469 | 572 | 888   | 1,314 | 1,089 | 1,034 | 1,676 | 1,635 | 5  |
| 2005..... | 9,924 | 387 | 121 | 160 | 491 | 614 | 929   | 1,407 | 1,178 | 1,114 | 1,839 | 1,679 | 5  |
| 2004..... | 9,092 | 399 | 136 | 161 | 441 | 569 | 881   | 1,228 | 987   | 948   | 1,703 | 1,624 | 15 |
| 2003..... | 9,122 | 356 | 145 | 139 | 432 | 544 | 939   | 1,110 | 980   | 1,043 | 1,726 | 1,704 | 4  |
| 2002..... | 9,070 | 344 | 128 | 163 | 450 | 555 | 950   | 1,084 | 954   | 1,065 | 1,771 | 1,601 | 5  |
| 2001..... | 9,280 | 347 | 133 | 167 | 439 | 568 | 990   | 1,154 | 876   | 1,040 | 1,858 | 1,702 | 6  |
| 2000..... | 9,207 | 295 | 139 | 178 | 454 | 631 | 1,057 | 1,138 | 913   | 1,033 | 1,755 | 1,612 | 2  |
| 1999..... | 9,694 | 279 | 146 | 201 | 476 | 655 | 1,079 | 1,094 | 891   | 1,162 | 1,933 | 1,775 | 3  |

Worktable Orig290F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2007

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data - mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, sex, and year

|  | All ages | Under 1 year | 1-4 years | 5-14 years | 15-24 years | 25-34 years | 35-44 years | 45-54 years | 55-64 years | 65-74 years | 75-84 years | 85 years and over | Age not stated |
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|

Other and unspecified nontransport accidents and their sequelae (W20-W31,W35-W64,W75-W99,X10-X39,X50-X59,Y86)

Non-Hispanic 1/, female

|           |       |     |    |    |     |     |     |     |     |     |       |       |   |
|-----------|-------|-----|----|----|-----|-----|-----|-----|-----|-----|-------|-------|---|
| 2007..... | 6,741 | 394 | 79 | 68 | 77  | 115 | 191 | 341 | 428 | 595 | 1,509 | 2,944 | - |
| 2006..... | 6,850 | 303 | 93 | 55 | 87  | 123 | 217 | 372 | 427 | 595 | 1,585 | 2,993 | - |
| 2005..... | 7,337 | 308 | 79 | 70 | 114 | 131 | 243 | 394 | 458 | 686 | 1,778 | 3,073 | 3 |
| 2004..... | 6,831 | 294 | 71 | 57 | 77  | 109 | 248 | 364 | 384 | 612 | 1,695 | 2,920 | - |
| 2003..... | 6,933 | 246 | 80 | 47 | 94  | 115 | 256 | 361 | 355 | 635 | 1,696 | 3,047 | 1 |
| 2002..... | 7,113 | 262 | 77 | 72 | 84  | 122 | 243 | 299 | 357 | 652 | 1,795 | 3,149 | 1 |
| 2001..... | 7,415 | 241 | 98 | 63 | 103 | 101 | 241 | 359 | 386 | 692 | 1,883 | 3,248 | - |
| 2000..... | 7,201 | 218 | 85 | 60 | 84  | 117 | 226 | 275 | 362 | 715 | 1,825 | 3,234 | - |
| 1999..... | 7,736 | 178 | 93 | 83 | 86  | 126 | 252 | 306 | 359 | 773 | 2,010 | 3,470 | - |

Non-Hispanic white, both sexes

|              |        |     |     |     |     |     |       |       |       |       |       |       |    |
|--------------|--------|-----|-----|-----|-----|-----|-------|-------|-------|-------|-------|-------|----|
| 2007 2/..... | 13,392 | 513 | 155 | 145 | 412 | 511 | 722   | 1,269 | 1,230 | 1,347 | 2,757 | 4,330 | 1  |
| 2006 2/..... | 13,885 | 432 | 140 | 145 | 454 | 560 | 889   | 1,350 | 1,262 | 1,357 | 2,955 | 4,336 | 5  |
| 2005 2/..... | 14,493 | 430 | 149 | 176 | 469 | 598 | 930   | 1,389 | 1,316 | 1,481 | 3,181 | 4,369 | 5  |
| 2004 2/..... | 13,724 | 426 | 144 | 163 | 433 | 553 | 928   | 1,327 | 1,147 | 1,314 | 3,041 | 4,234 | 14 |
| 2003 2/..... | 13,791 | 356 | 158 | 143 | 424 | 531 | 969   | 1,164 | 1,092 | 1,419 | 3,084 | 4,446 | 5  |
| 2002.....    | 13,865 | 339 | 136 | 172 | 446 | 565 | 969   | 1,131 | 1,081 | 1,414 | 3,190 | 4,416 | 6  |
| 2001.....    | 14,326 | 348 | 160 | 182 | 455 | 528 | 994   | 1,216 | 1,033 | 1,462 | 3,359 | 4,583 | 6  |
| 2000.....    | 14,083 | 310 | 156 | 185 | 425 | 604 | 1,039 | 1,123 | 1,044 | 1,464 | 3,224 | 4,509 | -  |
| 1999.....    | 14,930 | 276 | 163 | 225 | 468 | 622 | 1,103 | 1,100 | 980   | 1,612 | 3,504 | 4,876 | 1  |



Worktable Orig290F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2007

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data - mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, sex, and year

|  | All ages | Under 1 year | 1-4 years | 5-14 years | 15-24 years | 25-34 years | 35-44 years | 45-54 years | 55-64 years | 65-74 years | 75-84 years | 85 years and over | Age not stated |
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|

Other and unspecified nontransport accidents and their sequelae (W20-W31,W35-W64,W75-W99,X10-X39,X50-X59,Y86)

Non-Hispanic white, male

|              |       |     |     |     |     |     |     |       |     |     |       |       |    |
|--------------|-------|-----|-----|-----|-----|-----|-----|-------|-----|-----|-------|-------|----|
| 2007 2/..... | 7,614 | 298 | 96  | 98  | 356 | 424 | 574 | 1,007 | 906 | 857 | 1,414 | 1,583 | 1  |
| 2006 2/..... | 7,917 | 258 | 78  | 109 | 388 | 473 | 713 | 1,043 | 915 | 874 | 1,529 | 1,532 | 5  |
| 2005 2/..... | 8,217 | 238 | 95  | 125 | 387 | 500 | 751 | 1,093 | 935 | 924 | 1,615 | 1,551 | 3  |
| 2004 2/..... | 7,754 | 260 | 102 | 116 | 372 | 465 | 725 | 1,025 | 831 | 810 | 1,528 | 1,506 | 14 |
| 2003 2/..... | 7,709 | 211 | 104 | 108 | 358 | 444 | 767 | 886   | 799 | 891 | 1,549 | 1,588 | 4  |
| 2002.....    | 7,669 | 203 | 83  | 120 | 382 | 466 | 786 | 898   | 786 | 882 | 1,580 | 1,478 | 5  |
| 2001.....    | 7,832 | 206 | 93  | 129 | 370 | 449 | 814 | 929   | 719 | 886 | 1,658 | 1,573 | 6  |
| 2000.....    | 7,703 | 186 | 99  | 141 | 361 | 515 | 860 | 899   | 736 | 868 | 1,555 | 1,483 | -  |
| 1999.....    | 8,122 | 167 | 96  | 163 | 395 | 532 | 896 | 860   | 705 | 962 | 1,717 | 1,628 | 1  |

Non-Hispanic white, female

|              |       |     |    |    |    |    |     |     |     |     |       |       |   |
|--------------|-------|-----|----|----|----|----|-----|-----|-----|-----|-------|-------|---|
| 2007 2/..... | 5,778 | 215 | 59 | 47 | 56 | 87 | 148 | 262 | 324 | 490 | 1,343 | 2,747 | - |
| 2006 2/..... | 5,968 | 174 | 62 | 36 | 66 | 87 | 176 | 307 | 347 | 483 | 1,426 | 2,804 | - |
| 2005 2/..... | 6,276 | 192 | 54 | 51 | 82 | 98 | 179 | 296 | 381 | 557 | 1,566 | 2,818 | 2 |
| 2004 2/..... | 5,970 | 166 | 42 | 47 | 61 | 88 | 203 | 302 | 316 | 504 | 1,513 | 2,728 | - |
| 2003 2/..... | 6,082 | 145 | 54 | 35 | 66 | 87 | 202 | 278 | 293 | 528 | 1,535 | 2,858 | 1 |
| 2002.....    | 6,196 | 136 | 53 | 52 | 64 | 99 | 183 | 233 | 295 | 532 | 1,610 | 2,938 | 1 |
| 2001.....    | 6,494 | 142 | 67 | 53 | 85 | 79 | 180 | 287 | 314 | 576 | 1,701 | 3,010 | - |
| 2000.....    | 6,380 | 124 | 57 | 44 | 64 | 89 | 179 | 224 | 308 | 596 | 1,669 | 3,026 | - |
| 1999.....    | 6,808 | 109 | 67 | 62 | 73 | 90 | 207 | 240 | 275 | 650 | 1,787 | 3,248 | - |

Worktable Orig290F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2007

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data - mortality"]

---

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, sex, and year

|  | All ages | Under 1 year | 1-4 years | 5-14 years | 15-24 years | 25-34 years | 35-44 years | 45-54 years | 55-64 years | 65-74 years | 75-84 years | 85 years and over | Age not stated |
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|

---

Other and unspecified nontransport accidents and their sequelae (W20-W31,W35-W64,W75-W99,X10-X39,X50-X59,Y86)

Non-Hispanic black, both sexes

|              |       |     |    |    |    |     |     |     |     |     |     |     |   |
|--------------|-------|-----|----|----|----|-----|-----|-----|-----|-----|-----|-----|---|
| 2007 2/..... | 1,976 | 350 | 46 | 32 | 51 | 96  | 176 | 272 | 238 | 232 | 242 | 241 | - |
| 2006 2/..... | 1,934 | 295 | 55 | 43 | 70 | 101 | 171 | 277 | 213 | 226 | 247 | 236 | - |
| 2005 2/..... | 2,309 | 244 | 43 | 41 | 98 | 110 | 188 | 349 | 262 | 272 | 379 | 320 | 3 |
| 2004 2/..... | 1,825 | 241 | 47 | 41 | 61 | 106 | 163 | 228 | 186 | 200 | 304 | 248 | - |
| 2003 2/..... | 1,858 | 226 | 52 | 31 | 79 | 95  | 185 | 255 | 201 | 218 | 267 | 249 | - |
| 2002.....    | 1,951 | 250 | 59 | 55 | 68 | 90  | 179 | 214 | 189 | 257 | 311 | 279 | - |
| 2001.....    | 1,968 | 217 | 61 | 38 | 62 | 101 | 184 | 249 | 198 | 232 | 317 | 309 | - |
| 2000.....    | 1,968 | 183 | 55 | 48 | 90 | 118 | 198 | 237 | 200 | 244 | 307 | 286 | 2 |
| 1999.....    | 2,183 | 168 | 61 | 47 | 74 | 132 | 193 | 263 | 236 | 293 | 384 | 330 | 2 |

Non-Hispanic black, male

|              |       |     |    |    |    |     |     |     |     |     |     |     |   |
|--------------|-------|-----|----|----|----|-----|-----|-----|-----|-----|-----|-----|---|
| 2007 2/..... | 1,171 | 182 | 28 | 19 | 33 | 73  | 141 | 207 | 159 | 138 | 113 | 78  | - |
| 2006 2/..... | 1,195 | 180 | 27 | 28 | 54 | 73  | 138 | 221 | 143 | 133 | 115 | 83  | - |
| 2005 2/..... | 1,400 | 137 | 23 | 26 | 77 | 79  | 137 | 264 | 201 | 156 | 194 | 104 | 2 |
| 2004 2/..... | 1,101 | 125 | 22 | 34 | 47 | 88  | 126 | 171 | 131 | 117 | 152 | 88  | - |
| 2003 2/..... | 1,147 | 134 | 36 | 22 | 56 | 74  | 138 | 186 | 146 | 130 | 138 | 87  | - |
| 2002.....    | 1,162 | 132 | 40 | 38 | 52 | 71  | 126 | 157 | 138 | 151 | 159 | 98  | - |
| 2001.....    | 1,180 | 131 | 35 | 31 | 47 | 81  | 137 | 185 | 134 | 134 | 165 | 100 | - |
| 2000.....    | 1,256 | 96  | 32 | 34 | 73 | 94  | 159 | 196 | 151 | 139 | 174 | 106 | 2 |
| 1999.....    | 1,365 | 101 | 42 | 32 | 67 | 102 | 153 | 203 | 165 | 182 | 185 | 131 | 2 |

Worktable Orig290F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2007

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data - mortality"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, sex, and year | All ages | Under 1 year | 1-4 years | 5-14 years | 15-24 years | 25-34 years | 35-44 years | 45-54 years | 55-64 years | 65-74 years | 75-84 years | 85 years and over | Age not stated |
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|

Other and unspecified nontransport accidents and their sequelae (W20-W31,W35-W64,W75-W99,X10-X39,X50-X59,Y86)

Non-Hispanic black, female

|              |     |     |    |    |    |    |    |    |    |     |     |     |   |
|--------------|-----|-----|----|----|----|----|----|----|----|-----|-----|-----|---|
| 2007 2/..... | 805 | 168 | 18 | 13 | 18 | 23 | 35 | 65 | 79 | 94  | 129 | 163 | - |
| 2006 2/..... | 739 | 115 | 28 | 15 | 16 | 28 | 33 | 56 | 70 | 93  | 132 | 153 | - |
| 2005 2/..... | 909 | 107 | 20 | 15 | 21 | 31 | 51 | 85 | 61 | 116 | 185 | 216 | 1 |
| 2004 2/..... | 724 | 116 | 25 | 7  | 14 | 18 | 37 | 57 | 55 | 83  | 152 | 160 | - |
| 2003 2/..... | 711 | 92  | 16 | 9  | 23 | 21 | 47 | 69 | 55 | 88  | 129 | 162 | - |
| 2002.....    | 789 | 118 | 19 | 17 | 16 | 19 | 53 | 57 | 51 | 106 | 152 | 181 | - |
| 2001.....    | 788 | 86  | 26 | 7  | 15 | 20 | 47 | 64 | 64 | 98  | 152 | 209 | - |
| 2000.....    | 712 | 87  | 23 | 14 | 17 | 24 | 39 | 41 | 49 | 105 | 133 | 180 | - |
| 1999.....    | 818 | 67  | 19 | 15 | 7  | 30 | 40 | 60 | 71 | 111 | 199 | 199 | - |

Origin not stated 3/, both sexes

|           |    |   |   |   |   |   |    |    |    |   |    |    |    |
|-----------|----|---|---|---|---|---|----|----|----|---|----|----|----|
| 2007..... | 39 | 4 | 3 | - | 2 | 2 | 5  | 7  | 5  | 2 | 3  | 1  | 5  |
| 2006..... | 58 | 2 | 4 | - | 2 | 9 | 5  | 9  | 5  | 4 | 9  | 6  | 3  |
| 2005..... | 65 | 3 | - | - | - | 5 | 7  | 12 | 12 | 8 | 4  | 7  | 7  |
| 2004..... | 51 | - | 1 | 1 | 2 | 4 | 1  | 7  | 5  | 8 | 7  | 4  | 11 |
| 2003..... | 61 | 2 | - | - | 4 | 4 | 8  | 6  | 3  | 5 | 9  | 10 | 10 |
| 2002..... | 64 | 3 | - | 2 | 4 | 4 | 4  | 12 | 7  | 5 | 7  | 14 | 2  |
| 2001..... | 80 | 3 | 1 | 2 | 3 | 4 | 9  | 6  | 10 | 6 | 11 | 11 | 14 |
| 2000..... | 87 | 1 | 1 | - | 2 | 7 | 12 | 13 | 6  | 9 | 14 | 14 | 8  |
| 1999..... | 80 | 1 | 1 | 1 | 2 | 5 | 1  | 14 | 13 | 7 | 10 | 16 | 9  |

Worktable Orig290F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2007

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data - mortality"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, sex, and year | All ages | Under 1 year | 1-4 years | 5-14 years | 15-24 years | 25-34 years | 35-44 years | 45-54 years | 55-64 years | 65-74 years | 75-84 years | 85 years and over | Age not stated |
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|

Other and unspecified nontransport accidents and their sequelae (W20-W31,W35-W64,W75-W99,X10-X39,X50-X59,Y86)

Origin not stated 3/, male

|           |    |   |   |   |   |   |   |    |    |   |   |   |    |
|-----------|----|---|---|---|---|---|---|----|----|---|---|---|----|
| 2007..... | 31 | 4 | 1 | - | 2 | 1 | 5 | 7  | 4  | 2 | 1 | - | 4  |
| 2006..... | 46 | 2 | 3 | - | 1 | 8 | 5 | 7  | 4  | 4 | 7 | 3 | 2  |
| 2005..... | 48 | 1 | - | - | - | 4 | 5 | 10 | 9  | 7 | 4 | 2 | 6  |
| 2004..... | 36 | - | 1 | - | 2 | 4 | 1 | 5  | 3  | 8 | 2 | - | 10 |
| 2003..... | 48 | 2 | - | - | 4 | 3 | 8 | 6  | 2  | 3 | 7 | 4 | 9  |
| 2002..... | 43 | 2 | - | 1 | 3 | 4 | 4 | 9  | 7  | 4 | 4 | 5 | -  |
| 2001..... | 60 | 3 | 1 | 2 | 3 | 4 | 8 | 5  | 8  | 3 | 9 | 3 | 11 |
| 2000..... | 58 | 1 | - | - | 1 | 7 | 9 | 11 | 5  | 7 | 6 | 3 | 8  |
| 1999..... | 57 | - | - | 1 | 1 | 3 | 1 | 12 | 12 | 5 | 6 | 8 | 8  |

Origin not stated 3/, female

|           |    |   |   |   |   |   |   |   |   |   |   |    |   |
|-----------|----|---|---|---|---|---|---|---|---|---|---|----|---|
| 2007..... | 8  | - | 2 | - | - | 1 | - | - | 1 | - | 2 | 1  | 1 |
| 2006..... | 12 | - | 1 | - | 1 | 1 | - | 2 | 1 | - | 2 | 3  | 1 |
| 2005..... | 17 | 2 | - | - | - | 1 | 2 | 2 | 3 | 1 | - | 5  | 1 |
| 2004..... | 15 | - | - | 1 | - | - | - | 2 | 2 | - | 5 | 4  | 1 |
| 2003..... | 13 | - | - | - | - | 1 | - | - | 1 | 2 | 2 | 6  | 1 |
| 2002..... | 21 | 1 | - | 1 | 1 | - | - | 3 | - | 1 | 3 | 9  | 2 |
| 2001..... | 20 | - | - | - | - | - | 1 | 1 | 2 | 3 | 2 | 8  | 3 |
| 2000..... | 29 | - | 1 | - | 1 | - | 3 | 2 | 1 | 2 | 8 | 11 | - |
| 1999..... | 23 | 1 | 1 | - | 1 | 2 | - | 2 | 1 | 2 | 4 | 8  | 1 |

Worktable Orig290F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2007

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data - mortality"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, sex, and year | All ages | Under 1 year | 1-4 years | 5-14 years | 15-24 years | 25-34 years | 35-44 years | 45-54 years | 55-64 years | 65-74 years | 75-84 years | 85 years and over | Age not stated |
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|

Intentional self-harm (suicide) (\*U03,X60-X84,Y87.0)

| All origins, both sexes |        |     |     |     |       |       |       |       |       |       |       |     |    |
|-------------------------|--------|-----|-----|-----|-------|-------|-------|-------|-------|-------|-------|-----|----|
| 2007.....               | 34,598 | ... | ... | 184 | 4,140 | 5,278 | 6,722 | 7,778 | 5,069 | 2,444 | 2,119 | 858 | 6  |
| 2006.....               | 33,300 | ... | ... | 219 | 4,189 | 4,985 | 6,591 | 7,426 | 4,583 | 2,384 | 2,075 | 840 | 8  |
| 2005.....               | 32,637 | ... | ... | 272 | 4,212 | 4,990 | 6,550 | 6,991 | 4,210 | 2,344 | 2,200 | 860 | 8  |
| 2004.....               | 32,439 | ... | ... | 285 | 4,316 | 5,074 | 6,638 | 6,906 | 4,011 | 2,279 | 2,120 | 799 | 11 |
| 2003.....               | 31,484 | ... | ... | 250 | 3,988 | 5,065 | 6,602 | 6,481 | 3,843 | 2,335 | 2,115 | 798 | 7  |
| 2002.....               | 31,655 | ... | ... | 264 | 4,010 | 5,046 | 6,851 | 6,308 | 3,618 | 2,463 | 2,259 | 826 | 10 |
| 2001 4/.....            | 30,622 | ... | ... | 279 | 3,971 | 5,070 | 6,635 | 5,942 | 3,317 | 2,432 | 2,192 | 769 | 15 |
| 2000.....               | 29,350 | ... | ... | 307 | 3,994 | 4,792 | 6,562 | 5,437 | 2,945 | 2,292 | 2,181 | 833 | 7  |
| 1999.....               | 29,199 | ... | ... | 244 | 3,901 | 5,106 | 6,466 | 5,081 | 2,896 | 2,471 | 2,217 | 801 | 16 |
| All origins, male       |        |     |     |     |       |       |       |       |       |       |       |     |    |
| 2007.....               | 27,269 | ... | ... | 131 | 3,481 | 4,281 | 5,152 | 5,824 | 3,826 | 2,003 | 1,824 | 742 | 5  |
| 2006.....               | 26,308 | ... | ... | 153 | 3,528 | 4,053 | 5,065 | 5,576 | 3,463 | 1,968 | 1,765 | 729 | 8  |
| 2005.....               | 25,907 | ... | ... | 204 | 3,498 | 4,066 | 5,063 | 5,269 | 3,250 | 1,940 | 1,889 | 721 | 7  |
| 2004.....               | 25,566 | ... | ... | 187 | 3,596 | 4,142 | 5,067 | 5,078 | 3,088 | 1,901 | 1,817 | 679 | 11 |
| 2003.....               | 25,203 | ... | ... | 194 | 3,381 | 4,156 | 5,138 | 4,887 | 2,987 | 1,954 | 1,809 | 690 | 7  |
| 2002.....               | 25,409 | ... | ... | 199 | 3,432 | 4,135 | 5,305 | 4,796 | 2,837 | 2,053 | 1,938 | 704 | 10 |
| 2001 4/.....            | 24,672 | ... | ... | 214 | 3,409 | 4,199 | 5,180 | 4,504 | 2,563 | 2,040 | 1,885 | 664 | 14 |
| 2000.....               | 23,618 | ... | ... | 244 | 3,424 | 3,938 | 5,114 | 4,149 | 2,265 | 1,888 | 1,884 | 705 | 7  |
| 1999.....               | 23,458 | ... | ... | 194 | 3,326 | 4,194 | 5,019 | 3,854 | 2,255 | 2,051 | 1,868 | 681 | 16 |

Worktable Orig290F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2007

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data - mortality"]

---

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, sex, and year

|  | All ages | Under 1 year | 1-4 years | 5-14 years | 15-24 years | 25-34 years | 35-44 years | 45-54 years | 55-64 years | 65-74 years | 75-84 years | 85 years and over | Age not stated |
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|

---

Intentional self-harm (suicide) (\*U03,X60-X84,Y87.0)

| All origins, female  |       |     |     |    |     |     |       |       |       |     |     |     |   |
|----------------------|-------|-----|-----|----|-----|-----|-------|-------|-------|-----|-----|-----|---|
| 2007.....            | 7,329 | ... | ... | 53 | 659 | 997 | 1,570 | 1,954 | 1,243 | 441 | 295 | 116 | 1 |
| 2006.....            | 6,992 | ... | ... | 66 | 661 | 932 | 1,526 | 1,850 | 1,120 | 416 | 310 | 111 | - |
| 2005.....            | 6,730 | ... | ... | 68 | 714 | 924 | 1,487 | 1,722 | 960   | 404 | 311 | 139 | 1 |
| 2004.....            | 6,873 | ... | ... | 98 | 720 | 932 | 1,571 | 1,828 | 923   | 378 | 303 | 120 | - |
| 2003.....            | 6,281 | ... | ... | 56 | 607 | 909 | 1,464 | 1,594 | 856   | 381 | 306 | 108 | - |
| 2002.....            | 6,246 | ... | ... | 65 | 578 | 911 | 1,546 | 1,512 | 781   | 410 | 321 | 122 | - |
| 2001 4/.....         | 5,950 | ... | ... | 65 | 562 | 871 | 1,455 | 1,438 | 754   | 392 | 307 | 105 | 1 |
| 2000.....            | 5,732 | ... | ... | 63 | 570 | 854 | 1,448 | 1,288 | 680   | 404 | 297 | 128 | - |
| 1999.....            | 5,741 | ... | ... | 50 | 575 | 912 | 1,447 | 1,227 | 641   | 420 | 349 | 120 | - |
|                      |       |     |     |    |     |     |       |       |       |     |     |     |   |
| Hispanic, both sexes |       |     |     |    |     |     |       |       |       |     |     |     |   |
| 2007.....            | 2,465 | ... | ... | 19 | 527 | 649 | 499   | 391   | 191   | 99  | 68  | 22  | - |
| 2006.....            | 2,177 | ... | ... | 25 | 543 | 574 | 441   | 294   | 153   | 71  | 58  | 18  | - |
| 2005.....            | 2,188 | ... | ... | 39 | 553 | 534 | 472   | 283   | 142   | 78  | 64  | 21  | 2 |
| 2004.....            | 2,207 | ... | ... | 39 | 571 | 545 | 421   | 304   | 156   | 87  | 62  | 19  | 3 |
| 2003.....            | 2,007 | ... | ... | 43 | 491 | 499 | 402   | 275   | 145   | 80  | 51  | 21  | - |
| 2002.....            | 1,954 | ... | ... | 37 | 455 | 484 | 407   | 260   | 142   | 89  | 55  | 23  | 2 |
| 2001 4/.....         | 1,850 | ... | ... | 37 | 414 | 490 | 397   | 239   | 114   | 86  | 49  | 22  | 2 |
| 2000.....            | 1,787 | ... | ... | 29 | 447 | 420 | 385   | 244   | 102   | 84  | 59  | 16  | 1 |
| 1999.....            | 1,695 | ... | ... | 30 | 391 | 423 | 369   | 210   | 112   | 73  | 63  | 22  | 2 |

Worktable Orig290F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2007

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data - mortality"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, sex, and year | All ages | Under 1 year | 1-4 years | 5-14 years | 15-24 years | 25-34 years | 35-44 years | 45-54 years | 55-64 years | 65-74 years | 75-84 years | 85 years and over | Age not stated |
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|

Intentional self-harm (suicide) (\*U03,X60-X84,Y87.0)

| Hispanic, male   |       |     |     |    |     |     |     |     |     |    |    |    |   |
|------------------|-------|-----|-----|----|-----|-----|-----|-----|-----|----|----|----|---|
| 2007.....        | 2,078 | ... | ... | 13 | 451 | 548 | 417 | 317 | 162 | 88 | 64 | 18 | - |
| 2006.....        | 1,813 | ... | ... | 18 | 452 | 486 | 373 | 232 | 128 | 56 | 51 | 17 | - |
| 2005.....        | 1,841 | ... | ... | 27 | 462 | 461 | 399 | 237 | 116 | 63 | 56 | 18 | 2 |
| 2004.....        | 1,840 | ... | ... | 24 | 487 | 467 | 351 | 242 | 120 | 77 | 55 | 14 | 3 |
| 2003.....        | 1,711 | ... | ... | 31 | 421 | 434 | 341 | 220 | 129 | 71 | 47 | 17 | - |
| 2002.....        | 1,651 | ... | ... | 21 | 388 | 426 | 340 | 206 | 123 | 77 | 47 | 21 | 2 |
| 2001 4/.....     | 1,576 | ... | ... | 26 | 343 | 419 | 350 | 192 | 100 | 77 | 45 | 22 | 2 |
| 2000.....        | 1,525 | ... | ... | 22 | 387 | 370 | 320 | 194 | 89  | 74 | 53 | 15 | 1 |
| 1999.....        | 1,430 | ... | ... | 21 | 338 | 364 | 307 | 169 | 94  | 63 | 54 | 18 | 2 |
| Hispanic, female |       |     |     |    |     |     |     |     |     |    |    |    |   |
| 2007.....        | 387   | ... | ... | 6  | 76  | 101 | 82  | 74  | 29  | 11 | 4  | 4  | - |
| 2006.....        | 364   | ... | ... | 7  | 91  | 88  | 68  | 62  | 25  | 15 | 7  | 1  | - |
| 2005.....        | 347   | ... | ... | 12 | 91  | 73  | 73  | 46  | 26  | 15 | 8  | 3  | - |
| 2004.....        | 367   | ... | ... | 15 | 84  | 78  | 70  | 62  | 36  | 10 | 7  | 5  | - |
| 2003.....        | 296   | ... | ... | 12 | 70  | 65  | 61  | 55  | 16  | 9  | 4  | 4  | - |
| 2002.....        | 303   | ... | ... | 16 | 67  | 58  | 67  | 54  | 19  | 12 | 8  | 2  | - |
| 2001 4/.....     | 274   | ... | ... | 11 | 71  | 71  | 47  | 47  | 14  | 9  | 4  | -  | - |
| 2000.....        | 262   | ... | ... | 7  | 60  | 50  | 65  | 50  | 13  | 10 | 6  | 1  | - |
| 1999.....        | 265   | ... | ... | 9  | 53  | 59  | 62  | 41  | 18  | 10 | 9  | 4  | - |

Worktable Orig290F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2007

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data - mortality"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, sex, and year | All ages | Under 1 year | 1-4 years | 5-14 years | 15-24 years | 25-34 years | 35-44 years | 45-54 years | 55-64 years | 65-74 years | 75-84 years | 85 years and over | Age not stated |
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|

Intentional self-harm (suicide) (\*U03,X60-X84,Y87.0)

| Non-Hispanic 1/, both sexes |        |     |     |     |       |       |       |       |       |       |       |     |   |
|-----------------------------|--------|-----|-----|-----|-------|-------|-------|-------|-------|-------|-------|-----|---|
| 2007.....                   | 32,061 | ... | ... | 164 | 3,609 | 4,624 | 6,209 | 7,373 | 4,862 | 2,335 | 2,046 | 834 | 5 |
| 2006.....                   | 31,035 | ... | ... | 193 | 3,633 | 4,402 | 6,136 | 7,106 | 4,421 | 2,305 | 2,012 | 821 | 6 |
| 2005.....                   | 30,338 | ... | ... | 232 | 3,647 | 4,445 | 6,058 | 6,685 | 4,044 | 2,263 | 2,127 | 836 | 1 |
| 2004.....                   | 30,111 | ... | ... | 245 | 3,728 | 4,516 | 6,186 | 6,576 | 3,841 | 2,184 | 2,054 | 779 | 2 |
| 2003.....                   | 29,367 | ... | ... | 206 | 3,483 | 4,554 | 6,171 | 6,184 | 3,682 | 2,247 | 2,063 | 775 | 2 |
| 2002.....                   | 29,543 | ... | ... | 226 | 3,536 | 4,538 | 6,413 | 6,015 | 3,455 | 2,360 | 2,199 | 797 | 4 |
| 2001 4/.....                | 28,647 | ... | ... | 242 | 3,545 | 4,560 | 6,213 | 5,682 | 3,184 | 2,334 | 2,138 | 744 | 5 |
| 2000.....                   | 27,426 | ... | ... | 276 | 3,529 | 4,350 | 6,145 | 5,165 | 2,827 | 2,198 | 2,119 | 813 | 4 |
| 1999.....                   | 27,379 | ... | ... | 212 | 3,500 | 4,665 | 6,068 | 4,842 | 2,773 | 2,388 | 2,146 | 776 | 9 |
| Non-Hispanic 1/, male       |        |     |     |     |       |       |       |       |       |       |       |     |   |
| 2007.....                   | 25,133 | ... | ... | 117 | 3,026 | 3,729 | 4,724 | 5,497 | 3,650 | 1,907 | 1,756 | 723 | 4 |
| 2006.....                   | 24,424 | ... | ... | 134 | 3,066 | 3,560 | 4,681 | 5,324 | 3,327 | 1,906 | 1,709 | 711 | 6 |
| 2005.....                   | 23,974 | ... | ... | 176 | 3,026 | 3,595 | 4,649 | 5,014 | 3,115 | 1,874 | 1,825 | 700 | - |
| 2004.....                   | 23,633 | ... | ... | 162 | 3,095 | 3,666 | 4,692 | 4,818 | 2,956 | 1,818 | 1,760 | 664 | 2 |
| 2003.....                   | 23,406 | ... | ... | 162 | 2,950 | 3,712 | 4,775 | 4,651 | 2,844 | 1,878 | 1,761 | 671 | 2 |
| 2002.....                   | 23,623 | ... | ... | 177 | 3,026 | 3,689 | 4,941 | 4,563 | 2,696 | 1,963 | 1,887 | 677 | 4 |
| 2001 4/.....                | 22,983 | ... | ... | 188 | 3,055 | 3,762 | 4,809 | 4,292 | 2,446 | 1,952 | 1,835 | 639 | 5 |
| 2000.....                   | 21,981 | ... | ... | 221 | 3,023 | 3,553 | 4,767 | 3,931 | 2,161 | 1,805 | 1,828 | 688 | 4 |
| 1999.....                   | 21,929 | ... | ... | 171 | 2,983 | 3,816 | 4,689 | 3,663 | 2,152 | 1,978 | 1,807 | 661 | 9 |



Worktable Orig290F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2007

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data - mortality"]

---

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, sex, and year

|  | All ages | Under 1 year | 1-4 years | 5-14 years | 15-24 years | 25-34 years | 35-44 years | 45-54 years | 55-64 years | 65-74 years | 75-84 years | 85 years and over | Age not stated |
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|

---

Intentional self-harm (suicide) (\*U03,X60-X84,Y87.0)

Non-Hispanic 1/, female

|              |       |     |     |    |     |     |       |       |       |     |     |     |   |
|--------------|-------|-----|-----|----|-----|-----|-------|-------|-------|-----|-----|-----|---|
| 2007.....    | 6,928 | ... | ... | 47 | 583 | 895 | 1,485 | 1,876 | 1,212 | 428 | 290 | 111 | 1 |
| 2006.....    | 6,611 | ... | ... | 59 | 567 | 842 | 1,455 | 1,782 | 1,094 | 399 | 303 | 110 | - |
| 2005.....    | 6,364 | ... | ... | 56 | 621 | 850 | 1,409 | 1,671 | 929   | 389 | 302 | 136 | 1 |
| 2004.....    | 6,478 | ... | ... | 83 | 633 | 850 | 1,494 | 1,758 | 885   | 366 | 294 | 115 | - |
| 2003.....    | 5,961 | ... | ... | 44 | 533 | 842 | 1,396 | 1,533 | 838   | 369 | 302 | 104 | - |
| 2002.....    | 5,920 | ... | ... | 49 | 510 | 849 | 1,472 | 1,452 | 759   | 397 | 312 | 120 | - |
| 2001 4/..... | 5,664 | ... | ... | 54 | 490 | 798 | 1,404 | 1,390 | 738   | 382 | 303 | 105 | - |
| 2000.....    | 5,445 | ... | ... | 55 | 506 | 797 | 1,378 | 1,234 | 666   | 393 | 291 | 125 | - |
| 1999.....    | 5,450 | ... | ... | 41 | 517 | 849 | 1,379 | 1,179 | 621   | 410 | 339 | 115 | - |

Non-Hispanic white, both sexes

|              |        |     |     |     |       |       |       |       |       |       |       |     |   |
|--------------|--------|-----|-----|-----|-------|-------|-------|-------|-------|-------|-------|-----|---|
| 2007 2/..... | 28,897 | ... | ... | 107 | 2,932 | 3,892 | 5,535 | 6,866 | 4,593 | 2,211 | 1,946 | 811 | 4 |
| 2006 2/..... | 27,952 | ... | ... | 143 | 2,944 | 3,689 | 5,508 | 6,614 | 4,167 | 2,167 | 1,930 | 787 | 3 |
| 2005 2/..... | 27,305 | ... | ... | 170 | 2,992 | 3,708 | 5,434 | 6,208 | 3,822 | 2,137 | 2,037 | 796 | 1 |
| 2004 2/..... | 27,001 | ... | ... | 180 | 3,045 | 3,747 | 5,598 | 6,101 | 3,584 | 2,043 | 1,954 | 748 | 1 |
| 2003 2/..... | 26,434 | ... | ... | 151 | 2,832 | 3,811 | 5,563 | 5,774 | 3,462 | 2,110 | 1,980 | 749 | 2 |
| 2002.....    | 26,691 | ... | ... | 177 | 2,951 | 3,809 | 5,795 | 5,603 | 3,254 | 2,228 | 2,105 | 765 | 4 |
| 2001 4/..... | 25,813 | ... | ... | 183 | 2,926 | 3,871 | 5,604 | 5,292 | 2,979 | 2,187 | 2,049 | 718 | 4 |
| 2000.....    | 24,616 | ... | ... | 225 | 2,868 | 3,658 | 5,540 | 4,774 | 2,659 | 2,075 | 2,028 | 786 | 3 |
| 1999.....    | 24,534 | ... | ... | 174 | 2,830 | 3,927 | 5,469 | 4,487 | 2,580 | 2,249 | 2,058 | 754 | 6 |

Worktable Orig290F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2007

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data - mortality"]

---

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, sex, and year

|  | All ages | Under 1 year | 1-4 years | 5-14 years | 15-24 years | 25-34 years | 35-44 years | 45-54 years | 55-64 years | 65-74 years | 75-84 years | 85 years and over | Age not stated |
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|

---

Intentional self-harm (suicide) (\*U03,X60-X84,Y87.0)

| Non-Hispanic white, male   |        |     |     |     |       |       |       |       |       |       |       |     |   |
|----------------------------|--------|-----|-----|-----|-------|-------|-------|-------|-------|-------|-------|-----|---|
| 2007 2/                    | 22,660 | ... | ... | 78  | 2,460 | 3,143 | 4,209 | 5,119 | 3,450 | 1,808 | 1,684 | 706 | 3 |
| 2006 2/                    | 21,952 | ... | ... | 100 | 2,496 | 2,960 | 4,179 | 4,949 | 3,129 | 1,803 | 1,650 | 683 | 3 |
| 2005 2/                    | 21,605 | ... | ... | 133 | 2,487 | 2,995 | 4,164 | 4,656 | 2,953 | 1,785 | 1,756 | 676 | - |
| 2004 2/                    | 21,214 | ... | ... | 119 | 2,535 | 3,064 | 4,249 | 4,465 | 2,754 | 1,701 | 1,682 | 644 | 1 |
| 2003 2/                    | 21,085 | ... | ... | 122 | 2,412 | 3,099 | 4,296 | 4,357 | 2,678 | 1,769 | 1,696 | 654 | 2 |
| 2002                       | 21,323 | ... | ... | 138 | 2,527 | 3,065 | 4,462 | 4,252 | 2,546 | 1,865 | 1,812 | 652 | 4 |
| 2001 4/                    | 20,710 | ... | ... | 144 | 2,522 | 3,190 | 4,329 | 4,016 | 2,284 | 1,836 | 1,763 | 622 | 4 |
| 2000                       | 19,711 | ... | ... | 179 | 2,467 | 2,989 | 4,287 | 3,627 | 2,031 | 1,701 | 1,761 | 666 | 3 |
| 1999                       | 19,620 | ... | ... | 141 | 2,416 | 3,205 | 4,210 | 3,388 | 2,001 | 1,869 | 1,740 | 644 | 6 |
| Non-Hispanic white, female |        |     |     |     |       |       |       |       |       |       |       |     |   |
| 2007 2/                    | 6,237  | ... | ... | 29  | 472   | 749   | 1,326 | 1,747 | 1,143 | 403   | 262   | 105 | 1 |
| 2006 2/                    | 6,000  | ... | ... | 43  | 448   | 729   | 1,329 | 1,665 | 1,038 | 364   | 280   | 104 | - |
| 2005 2/                    | 5,700  | ... | ... | 37  | 505   | 713   | 1,270 | 1,552 | 869   | 352   | 281   | 120 | 1 |
| 2004 2/                    | 5,787  | ... | ... | 61  | 510   | 683   | 1,349 | 1,636 | 830   | 342   | 272   | 104 | - |
| 2003 2/                    | 5,349  | ... | ... | 29  | 420   | 712   | 1,267 | 1,417 | 784   | 341   | 284   | 95  | - |
| 2002                       | 5,368  | ... | ... | 39  | 424   | 744   | 1,333 | 1,351 | 708   | 363   | 293   | 113 | - |
| 2001 4/                    | 5,103  | ... | ... | 39  | 404   | 681   | 1,275 | 1,276 | 695   | 351   | 286   | 96  | - |
| 2000                       | 4,905  | ... | ... | 46  | 401   | 669   | 1,253 | 1,147 | 628   | 374   | 267   | 120 | - |
| 1999                       | 4,914  | ... | ... | 33  | 414   | 722   | 1,259 | 1,099 | 579   | 380   | 318   | 110 | - |

Worktable Orig290F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2007

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data - mortality"]

---

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, sex, and year

|  | All ages | Under 1 year | 1-4 years | 5-14 years | 15-24 years | 25-34 years | 35-44 years | 45-54 years | 55-64 years | 65-74 years | 75-84 years | 85 years and over | Age not stated |
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|

---

Intentional self-harm (suicide) (\*U03,X60-X84,Y87.0)

Non-Hispanic black, both sexes

|              |       |     |     |    |     |     |     |     |     |    |    |    |   |
|--------------|-------|-----|-----|----|-----|-----|-----|-----|-----|----|----|----|---|
| 2007 2/..... | 1,916 | ... | ... | 41 | 396 | 471 | 415 | 317 | 153 | 71 | 46 | 5  | 1 |
| 2006 2/..... | 1,909 | ... | ... | 35 | 407 | 466 | 406 | 303 | 153 | 73 | 44 | 22 | - |
| 2005 2/..... | 1,953 | ... | ... | 41 | 428 | 474 | 415 | 309 | 140 | 77 | 53 | 16 | - |
| 2004 2/..... | 1,970 | ... | ... | 49 | 450 | 510 | 369 | 279 | 164 | 76 | 60 | 12 | 1 |
| 2003 2/..... | 1,918 | ... | ... | 43 | 438 | 498 | 409 | 266 | 132 | 77 | 43 | 12 | - |
| 2002.....    | 1,896 | ... | ... | 35 | 392 | 497 | 432 | 265 | 125 | 80 | 51 | 19 | - |
| 2001 4/..... | 1,904 | ... | ... | 40 | 425 | 472 | 418 | 268 | 126 | 90 | 52 | 13 | - |
| 2000.....    | 1,923 | ... | ... | 39 | 471 | 469 | 427 | 266 | 101 | 85 | 53 | 12 | - |
| 1999.....    | 1,924 | ... | ... | 29 | 463 | 497 | 430 | 226 | 116 | 94 | 52 | 15 | 2 |

Non-Hispanic black, male

|              |       |     |     |    |     |     |     |     |     |    |    |    |   |
|--------------|-------|-----|-----|----|-----|-----|-----|-----|-----|----|----|----|---|
| 2007 2/..... | 1,571 | ... | ... | 29 | 343 | 399 | 329 | 242 | 121 | 64 | 40 | 3  | 1 |
| 2006 2/..... | 1,630 | ... | ... | 28 | 351 | 414 | 342 | 244 | 126 | 64 | 42 | 19 | - |
| 2005 2/..... | 1,592 | ... | ... | 27 | 375 | 394 | 333 | 238 | 106 | 60 | 45 | 14 | - |
| 2004 2/..... | 1,614 | ... | ... | 30 | 382 | 420 | 293 | 214 | 140 | 71 | 54 | 9  | 1 |
| 2003 2/..... | 1,566 | ... | ... | 34 | 377 | 424 | 324 | 199 | 102 | 59 | 39 | 8  | - |
| 2002.....    | 1,595 | ... | ... | 29 | 342 | 441 | 345 | 212 | 97  | 66 | 46 | 17 | - |
| 2001 4/..... | 1,578 | ... | ... | 31 | 388 | 406 | 329 | 196 | 102 | 73 | 44 | 9  | - |
| 2000.....    | 1,601 | ... | ... | 34 | 407 | 397 | 346 | 210 | 80  | 76 | 40 | 11 | - |
| 1999.....    | 1,630 | ... | ... | 22 | 408 | 432 | 353 | 183 | 95  | 78 | 45 | 12 | 2 |

Worktable Orig290F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2007

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data - mortality"]

---

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, sex, and year

|  | All ages | Under 1 year | 1-4 years | 5-14 years | 15-24 years | 25-34 years | 35-44 years | 45-54 years | 55-64 years | 65-74 years | 75-84 years | 85 years and over | Age not stated |
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|

---

Intentional self-harm (suicide) (\*U03,X60-X84,Y87.0)

Non-Hispanic black, female

|              |     |     |     |    |    |    |    |    |    |    |    |   |   |
|--------------|-----|-----|-----|----|----|----|----|----|----|----|----|---|---|
| 2007 2/..... | 345 | ... | ... | 12 | 53 | 72 | 86 | 75 | 32 | 7  | 6  | 2 | - |
| 2006 2/..... | 279 | ... | ... | 7  | 56 | 52 | 64 | 59 | 27 | 9  | 2  | 3 | - |
| 2005 2/..... | 361 | ... | ... | 14 | 53 | 80 | 82 | 71 | 34 | 17 | 8  | 2 | - |
| 2004 2/..... | 356 | ... | ... | 19 | 68 | 90 | 76 | 65 | 24 | 5  | 6  | 3 | - |
| 2003 2/..... | 352 | ... | ... | 9  | 61 | 74 | 85 | 67 | 30 | 18 | 4  | 4 | - |
| 2002.....    | 301 | ... | ... | 6  | 50 | 56 | 87 | 53 | 28 | 14 | 5  | 2 | - |
| 2001 4/..... | 326 | ... | ... | 9  | 37 | 66 | 89 | 72 | 24 | 17 | 8  | 4 | - |
| 2000.....    | 322 | ... | ... | 5  | 64 | 72 | 81 | 56 | 21 | 9  | 13 | 1 | - |
| 1999.....    | 294 | ... | ... | 7  | 55 | 65 | 77 | 43 | 21 | 16 | 7  | 3 | - |

Origin not stated 3/, both sexes

|              |     |     |     |   |    |    |    |    |    |    |   |   |   |
|--------------|-----|-----|-----|---|----|----|----|----|----|----|---|---|---|
| 2007.....    | 72  | ... | ... | 1 | 4  | 5  | 14 | 14 | 16 | 10 | 5 | 2 | 1 |
| 2006.....    | 88  | ... | ... | 1 | 13 | 9  | 14 | 26 | 9  | 8  | 5 | 1 | 2 |
| 2005.....    | 111 | ... | ... | 1 | 12 | 11 | 20 | 23 | 24 | 3  | 9 | 3 | 5 |
| 2004.....    | 121 | ... | ... | 1 | 17 | 13 | 31 | 26 | 14 | 8  | 4 | 1 | 6 |
| 2003.....    | 110 | ... | ... | 1 | 14 | 12 | 29 | 22 | 16 | 8  | 1 | 2 | 5 |
| 2002.....    | 158 | ... | ... | 1 | 19 | 24 | 31 | 33 | 21 | 14 | 5 | 6 | 4 |
| 2001 4/..... | 125 | ... | ... | - | 12 | 20 | 25 | 21 | 19 | 12 | 5 | 3 | 8 |
| 2000.....    | 137 | ... | ... | 2 | 18 | 22 | 32 | 28 | 16 | 10 | 3 | 4 | 2 |
| 1999.....    | 125 | ... | ... | 2 | 10 | 18 | 29 | 29 | 11 | 10 | 8 | 3 | 5 |

Worktable Orig290F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2007

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data - mortality"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, sex, and year | All ages | Under 1 year | 1-4 years | 5-14 years | 15-24 years | 25-34 years | 35-44 years | 45-54 years | 55-64 years | 65-74 years | 75-84 years | 85 years and over | Age not stated |
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|

Intentional self-harm (suicide) (\*U03,X60-X84,Y87.0)

| Origin not stated 3/, male   |     |     |     |   |    |    |    |    |    |    |   |   |   |
|------------------------------|-----|-----|-----|---|----|----|----|----|----|----|---|---|---|
| 2007.....                    | 58  | ... | ... | 1 | 4  | 4  | 11 | 10 | 14 | 8  | 4 | 1 | 1 |
| 2006.....                    | 71  | ... | ... | 1 | 10 | 7  | 11 | 20 | 8  | 6  | 5 | 1 | 2 |
| 2005.....                    | 92  | ... | ... | 1 | 10 | 10 | 15 | 18 | 19 | 3  | 8 | 3 | 5 |
| 2004.....                    | 93  | ... | ... | 1 | 14 | 9  | 24 | 18 | 12 | 6  | 2 | 1 | 6 |
| 2003.....                    | 86  | ... | ... | 1 | 10 | 10 | 22 | 16 | 14 | 5  | 1 | 2 | 5 |
| 2002.....                    | 135 | ... | ... | 1 | 18 | 20 | 24 | 27 | 18 | 13 | 4 | 6 | 4 |
| 2001 4/.....                 | 113 | ... | ... | - | 11 | 18 | 21 | 20 | 17 | 11 | 5 | 3 | 7 |
| 2000.....                    | 112 | ... | ... | 1 | 14 | 15 | 27 | 24 | 15 | 9  | 3 | 2 | 2 |
| 1999.....                    | 99  | ... | ... | 2 | 5  | 14 | 23 | 22 | 9  | 10 | 7 | 2 | 5 |
| Origin not stated 3/, female |     |     |     |   |    |    |    |    |    |    |   |   |   |
| 2007.....                    | 14  | ... | ... | - | -  | 1  | 3  | 4  | 2  | 2  | 1 | 1 | - |
| 2006.....                    | 17  | ... | ... | - | 3  | 2  | 3  | 6  | 1  | 2  | - | - | - |
| 2005.....                    | 19  | ... | ... | - | 2  | 1  | 5  | 5  | 5  | -  | 1 | - | - |
| 2004.....                    | 28  | ... | ... | - | 3  | 4  | 7  | 8  | 2  | 2  | 2 | - | - |
| 2003.....                    | 24  | ... | ... | - | 4  | 2  | 7  | 6  | 2  | 3  | - | - | - |
| 2002.....                    | 23  | ... | ... | - | 1  | 4  | 7  | 6  | 3  | 1  | 1 | - | - |
| 2001 4/.....                 | 12  | ... | ... | - | 1  | 2  | 4  | 1  | 2  | 1  | - | - | 1 |
| 2000.....                    | 25  | ... | ... | 1 | 4  | 7  | 5  | 4  | 1  | 1  | - | 2 | - |
| 1999.....                    | 26  | ... | ... | - | 5  | 4  | 6  | 7  | 2  | -  | 1 | 1 | - |

Worktable Orig290F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2007

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data - mortality"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, sex, and year | All ages | Under 1 year | 1-4 years | 5-14 years | 15-24 years | 25-34 years | 35-44 years | 45-54 years | 55-64 years | 65-74 years | 75-84 years | 85 years and over | Age not stated |
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|

Intentional self-harm (suicide) by discharge of firearms (X72-X74)

All origins, both sexes

|           |        |     |     |     |       |       |       |       |       |       |       |     |   |
|-----------|--------|-----|-----|-----|-------|-------|-------|-------|-------|-------|-------|-----|---|
| 2007..... | 17,352 | ... | ... | 53  | 1,900 | 2,306 | 2,879 | 3,531 | 2,786 | 1,700 | 1,589 | 606 | 2 |
| 2006..... | 16,883 | ... | ... | 62  | 1,978 | 2,150 | 2,821 | 3,481 | 2,562 | 1,689 | 1,562 | 577 | 1 |
| 2005..... | 17,002 | ... | ... | 84  | 1,962 | 2,269 | 2,855 | 3,472 | 2,470 | 1,669 | 1,649 | 571 | 1 |
| 2004..... | 16,750 | ... | ... | 59  | 2,104 | 2,283 | 2,868 | 3,349 | 2,328 | 1,631 | 1,588 | 537 | 3 |
| 2003..... | 16,907 | ... | ... | 74  | 2,075 | 2,381 | 2,927 | 3,279 | 2,317 | 1,700 | 1,595 | 559 | - |
| 2002..... | 17,108 | ... | ... | 86  | 2,088 | 2,399 | 3,157 | 3,136 | 2,234 | 1,776 | 1,680 | 550 | 2 |
| 2001..... | 16,869 | ... | ... | 90  | 2,130 | 2,564 | 3,030 | 3,023 | 2,083 | 1,758 | 1,648 | 537 | 6 |
| 2000..... | 16,586 | ... | ... | 110 | 2,267 | 2,453 | 3,191 | 2,858 | 1,833 | 1,700 | 1,611 | 558 | 5 |
| 1999..... | 16,599 | ... | ... | 103 | 2,315 | 2,621 | 3,097 | 2,677 | 1,860 | 1,791 | 1,606 | 524 | 5 |

All origins, male

|           |        |     |     |    |       |       |       |       |       |       |       |     |   |
|-----------|--------|-----|-----|----|-------|-------|-------|-------|-------|-------|-------|-----|---|
| 2007..... | 15,181 | ... | ... | 45 | 1,727 | 2,033 | 2,393 | 2,977 | 2,397 | 1,539 | 1,483 | 585 | 2 |
| 2006..... | 14,734 | ... | ... | 52 | 1,796 | 1,892 | 2,358 | 2,907 | 2,184 | 1,522 | 1,470 | 552 | 1 |
| 2005..... | 14,916 | ... | ... | 72 | 1,771 | 1,981 | 2,416 | 2,945 | 2,140 | 1,501 | 1,548 | 542 | - |
| 2004..... | 14,523 | ... | ... | 50 | 1,889 | 1,978 | 2,376 | 2,761 | 1,994 | 1,475 | 1,479 | 518 | 3 |
| 2003..... | 14,827 | ... | ... | 63 | 1,879 | 2,099 | 2,470 | 2,768 | 2,001 | 1,538 | 1,480 | 529 | - |
| 2002..... | 15,045 | ... | ... | 68 | 1,897 | 2,078 | 2,672 | 2,677 | 1,930 | 1,620 | 1,576 | 525 | 2 |
| 2001..... | 14,758 | ... | ... | 69 | 1,935 | 2,246 | 2,551 | 2,551 | 1,771 | 1,592 | 1,531 | 506 | 6 |
| 2000..... | 14,454 | ... | ... | 90 | 2,043 | 2,123 | 2,657 | 2,409 | 1,568 | 1,528 | 1,505 | 526 | 5 |
| 1999..... | 14,479 | ... | ... | 80 | 2,083 | 2,270 | 2,586 | 2,251 | 1,594 | 1,615 | 1,499 | 496 | 5 |

Worktable Orig290F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2007

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data - mortality"]

---

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, sex, and year

|  | All ages | Under 1 year | 1-4 years | 5-14 years | 15-24 years | 25-34 years | 35-44 years | 45-54 years | 55-64 years | 65-74 years | 75-84 years | 85 years and over | Age not stated |
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|

---

Intentional self-harm (suicide) by discharge of firearms (X72-X74)

| All origins, female  |       |     |     |    |     |     |     |     |     |     |     |    |   |
|----------------------|-------|-----|-----|----|-----|-----|-----|-----|-----|-----|-----|----|---|
| 2007.....            | 2,171 | ... | ... | 8  | 173 | 273 | 486 | 554 | 389 | 161 | 106 | 21 | - |
| 2006.....            | 2,149 | ... | ... | 10 | 182 | 258 | 463 | 574 | 378 | 167 | 92  | 25 | - |
| 2005.....            | 2,086 | ... | ... | 12 | 191 | 288 | 439 | 527 | 330 | 168 | 101 | 29 | 1 |
| 2004.....            | 2,227 | ... | ... | 9  | 215 | 305 | 492 | 588 | 334 | 156 | 109 | 19 | - |
| 2003.....            | 2,080 | ... | ... | 11 | 196 | 282 | 457 | 511 | 316 | 162 | 115 | 30 | - |
| 2002.....            | 2,063 | ... | ... | 18 | 191 | 321 | 485 | 459 | 304 | 156 | 104 | 25 | - |
| 2001.....            | 2,111 | ... | ... | 21 | 195 | 318 | 479 | 472 | 312 | 166 | 117 | 31 | - |
| 2000.....            | 2,132 | ... | ... | 20 | 224 | 330 | 534 | 449 | 265 | 172 | 106 | 32 | - |
| 1999.....            | 2,120 | ... | ... | 23 | 232 | 351 | 511 | 426 | 266 | 176 | 107 | 28 | - |
|                      |       |     |     |    |     |     |     |     |     |     |     |    |   |
| Hispanic, both sexes |       |     |     |    |     |     |     |     |     |     |     |    |   |
| 2007.....            | 931   | ... | ... | 2  | 211 | 236 | 169 | 136 | 71  | 50  | 43  | 13 | - |
| 2006.....            | 817   | ... | ... | 8  | 229 | 209 | 148 | 95  | 56  | 28  | 33  | 11 | - |
| 2005.....            | 824   | ... | ... | 6  | 224 | 203 | 165 | 100 | 48  | 33  | 33  | 12 | - |
| 2004.....            | 888   | ... | ... | 2  | 266 | 206 | 147 | 122 | 60  | 45  | 34  | 6  | - |
| 2003.....            | 835   | ... | ... | 9  | 228 | 208 | 145 | 113 | 57  | 38  | 26  | 11 | - |
| 2002.....            | 834   | ... | ... | 10 | 224 | 198 | 145 | 98  | 67  | 52  | 28  | 12 | - |
| 2001.....            | 798   | ... | ... | 5  | 193 | 224 | 135 | 102 | 59  | 45  | 26  | 8  | 1 |
| 2000.....            | 813   | ... | ... | 7  | 224 | 181 | 144 | 124 | 47  | 49  | 27  | 9  | 1 |
| 1999.....            | 794   | ... | ... | 13 | 219 | 182 | 148 | 96  | 48  | 37  | 39  | 11 | 1 |

Worktable Orig290F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2007

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data - mortality"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, sex, and year | All ages | Under 1 year | 1-4 years | 5-14 years | 15-24 years | 25-34 years | 35-44 years | 45-54 years | 55-64 years | 65-74 years | 75-84 years | 85 years and over | Age not stated |
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|

Intentional self-harm (suicide) by discharge of firearms (X72-X74)

Hispanic, male

|           |     |     |     |   |     |     |     |     |    |    |    |    |   |
|-----------|-----|-----|-----|---|-----|-----|-----|-----|----|----|----|----|---|
| 2007..... | 855 | ... | ... | 1 | 194 | 220 | 152 | 118 | 67 | 48 | 42 | 13 | - |
| 2006..... | 752 | ... | ... | 5 | 216 | 189 | 139 | 81  | 52 | 27 | 32 | 11 | - |
| 2005..... | 756 | ... | ... | 5 | 206 | 183 | 148 | 92  | 47 | 31 | 33 | 11 | - |
| 2004..... | 799 | ... | ... | 2 | 246 | 181 | 132 | 108 | 53 | 40 | 32 | 5  | - |
| 2003..... | 774 | ... | ... | 7 | 210 | 194 | 133 | 102 | 55 | 38 | 25 | 10 | - |
| 2002..... | 763 | ... | ... | 5 | 208 | 183 | 128 | 88  | 62 | 49 | 28 | 12 | - |
| 2001..... | 731 | ... | ... | 4 | 172 | 203 | 126 | 90  | 57 | 44 | 26 | 8  | 1 |
| 2000..... | 737 | ... | ... | 7 | 205 | 165 | 126 | 106 | 46 | 46 | 26 | 9  | 1 |
| 1999..... | 705 | ... | ... | 7 | 196 | 164 | 127 | 81  | 45 | 35 | 38 | 11 | 1 |

Hispanic, female

|           |    |     |     |   |    |    |    |    |   |   |   |   |   |
|-----------|----|-----|-----|---|----|----|----|----|---|---|---|---|---|
| 2007..... | 76 | ... | ... | 1 | 17 | 16 | 17 | 18 | 4 | 2 | 1 | - | - |
| 2006..... | 65 | ... | ... | 3 | 13 | 20 | 9  | 14 | 4 | 1 | 1 | - | - |
| 2005..... | 68 | ... | ... | 1 | 18 | 20 | 17 | 8  | 1 | 2 | - | 1 | - |
| 2004..... | 89 | ... | ... | - | 20 | 25 | 15 | 14 | 7 | 5 | 2 | 1 | - |
| 2003..... | 61 | ... | ... | 2 | 18 | 14 | 12 | 11 | 2 | - | 1 | 1 | - |
| 2002..... | 71 | ... | ... | 5 | 16 | 15 | 17 | 10 | 5 | 3 | - | - | - |
| 2001..... | 67 | ... | ... | 1 | 21 | 21 | 9  | 12 | 2 | 1 | - | - | - |
| 2000..... | 76 | ... | ... | - | 19 | 16 | 18 | 18 | 1 | 3 | 1 | - | - |
| 1999..... | 89 | ... | ... | 6 | 23 | 18 | 21 | 15 | 3 | 2 | 1 | - | - |



Worktable Orig290F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2007

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data - mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, sex, and year

|  | All ages | Under 1 year | 1-4 years | 5-14 years | 15-24 years | 25-34 years | 35-44 years | 45-54 years | 55-64 years | 65-74 years | 75-84 years | 85 years and over | Age not stated |
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|

Intentional self-harm (suicide) by discharge of firearms (X72-X74)

| Non-Hispanic 1/, both sexes |          |              |           |            |             |             |             |             |             |             |             |                   |                |
|-----------------------------|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|
| Year                        | All ages | Under 1 year | 1-4 years | 5-14 years | 15-24 years | 25-34 years | 35-44 years | 45-54 years | 55-64 years | 65-74 years | 75-84 years | 85 years and over | Age not stated |
| 2007                        | 16,386   | ...          | ...       | 50         | 1,686       | 2,067       | 2,704       | 3,390       | 2,706       | 1,645       | 1,544       | 593               | 1              |
| 2006                        | 16,024   | ...          | ...       | 53         | 1,745       | 1,937       | 2,665       | 3,377       | 2,501       | 1,655       | 1,525       | 566               | -              |
| 2005                        | 16,124   | ...          | ...       | 78         | 1,732       | 2,061       | 2,680       | 3,363       | 2,409       | 1,634       | 1,610       | 556               | 1              |
| 2004                        | 15,823   | ...          | ...       | 57         | 1,830       | 2,075       | 2,711       | 3,223       | 2,261       | 1,583       | 1,552       | 530               | 1              |
| 2003                        | 16,035   | ...          | ...       | 65         | 1,843       | 2,171       | 2,772       | 3,158       | 2,254       | 1,657       | 1,569       | 546               | -              |
| 2002                        | 16,213   | ...          | ...       | 76         | 1,855       | 2,195       | 3,002       | 3,024       | 2,159       | 1,716       | 1,649       | 536               | 1              |
| 2001                        | 16,020   | ...          | ...       | 85         | 1,933       | 2,335       | 2,887       | 2,916       | 2,011       | 1,706       | 1,617       | 526               | 4              |
| 2000                        | 15,717   | ...          | ...       | 103        | 2,035       | 2,264       | 3,036       | 2,722       | 1,779       | 1,645       | 1,583       | 547               | 3              |
| 1999                        | 15,755   | ...          | ...       | 90         | 2,092       | 2,431       | 2,937       | 2,573       | 1,806       | 1,749       | 1,563       | 511               | 3              |
| Non-Hispanic 1/, male       |          |              |           |            |             |             |             |             |             |             |             |                   |                |
| Year                        | All ages | Under 1 year | 1-4 years | 5-14 years | 15-24 years | 25-34 years | 35-44 years | 45-54 years | 55-64 years | 65-74 years | 75-84 years | 85 years and over | Age not stated |
| 2007                        | 14,295   | ...          | ...       | 43         | 1,530       | 1,810       | 2,236       | 2,856       | 2,322       | 1,486       | 1,439       | 572               | 1              |
| 2006                        | 13,946   | ...          | ...       | 46         | 1,577       | 1,699       | 2,214       | 2,818       | 2,127       | 1,490       | 1,434       | 541               | -              |
| 2005                        | 14,110   | ...          | ...       | 67         | 1,560       | 1,794       | 2,260       | 2,844       | 2,080       | 1,468       | 1,509       | 528               | -              |
| 2004                        | 13,691   | ...          | ...       | 48         | 1,636       | 1,795       | 2,235       | 2,651       | 1,936       | 1,432       | 1,445       | 512               | 1              |
| 2003                        | 14,025   | ...          | ...       | 56         | 1,667       | 1,903       | 2,330       | 2,660       | 1,940       | 1,497       | 1,455       | 517               | -              |
| 2002                        | 14,226   | ...          | ...       | 63         | 1,680       | 1,890       | 2,536       | 2,576       | 1,861       | 1,563       | 1,545       | 511               | 1              |
| 2001                        | 13,978   | ...          | ...       | 65         | 1,759       | 2,039       | 2,417       | 2,457       | 1,701       | 1,541       | 1,500       | 495               | 4              |
| 2000                        | 13,664   | ...          | ...       | 83         | 1,831       | 1,951       | 2,520       | 2,291       | 1,515       | 1,476       | 1,478       | 516               | 3              |
| 1999                        | 13,732   | ...          | ...       | 73         | 1,884       | 2,101       | 2,448       | 2,164       | 1,543       | 1,575       | 1,457       | 484               | 3              |

Worktable Orig290F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2007

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data - mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, sex, and year

|  | All ages | Under 1 year | 1-4 years | 5-14 years | 15-24 years | 25-34 years | 35-44 years | 45-54 years | 55-64 years | 65-74 years | 75-84 years | 85 years and over | Age not stated |
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|

Intentional self-harm (suicide) by discharge of firearms (X72-X74)

| Non-Hispanic 1/, female        |          |              |           |            |             |             |             |             |             |             |             |                   |                |
|--------------------------------|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|
| Year                           | All ages | Under 1 year | 1-4 years | 5-14 years | 15-24 years | 25-34 years | 35-44 years | 45-54 years | 55-64 years | 65-74 years | 75-84 years | 85 years and over | Age not stated |
| 2007                           | 2,091    | ...          | ...       | 7          | 156         | 257         | 468         | 534         | 384         | 159         | 105         | 21                | -              |
| 2006                           | 2,078    | ...          | ...       | 7          | 168         | 238         | 451         | 559         | 374         | 165         | 91          | 25                | -              |
| 2005                           | 2,014    | ...          | ...       | 11         | 172         | 267         | 420         | 519         | 329         | 166         | 101         | 28                | 1              |
| 2004                           | 2,132    | ...          | ...       | 9          | 194         | 280         | 476         | 572         | 325         | 151         | 107         | 18                | -              |
| 2003                           | 2,010    | ...          | ...       | 9          | 176         | 268         | 442         | 498         | 314         | 160         | 114         | 29                | -              |
| 2002                           | 1,987    | ...          | ...       | 13         | 175         | 305         | 466         | 448         | 298         | 153         | 104         | 25                | -              |
| 2001                           | 2,042    | ...          | ...       | 20         | 174         | 296         | 470         | 459         | 310         | 165         | 117         | 31                | -              |
| 2000                           | 2,053    | ...          | ...       | 20         | 204         | 313         | 516         | 431         | 264         | 169         | 105         | 31                | -              |
| 1999                           | 2,023    | ...          | ...       | 17         | 208         | 330         | 489         | 409         | 263         | 174         | 106         | 27                | -              |
| Non-Hispanic white, both sexes |          |              |           |            |             |             |             |             |             |             |             |                   |                |
| Year                           | All ages | Under 1 year | 1-4 years | 5-14 years | 15-24 years | 25-34 years | 35-44 years | 45-54 years | 55-64 years | 65-74 years | 75-84 years | 85 years and over | Age not stated |
| 2007 2/                        | 15,073   | ...          | ...       | 41         | 1,356       | 1,763       | 2,471       | 3,197       | 2,583       | 1,581       | 1,493       | 587               | 1              |
| 2006 2/                        | 14,721   | ...          | ...       | 48         | 1,416       | 1,610       | 2,431       | 3,202       | 2,395       | 1,591       | 1,484       | 544               | -              |
| 2005 2/                        | 14,829   | ...          | ...       | 69         | 1,414       | 1,741       | 2,440       | 3,171       | 2,315       | 1,568       | 1,563       | 547               | 1              |
| 2004 2/                        | 14,507   | ...          | ...       | 47         | 1,509       | 1,733       | 2,484       | 3,053       | 2,154       | 1,507       | 1,498       | 521               | 1              |
| 2003 2/                        | 14,737   | ...          | ...       | 56         | 1,503       | 1,813       | 2,564       | 2,996       | 2,158       | 1,589       | 1,520       | 538               | -              |
| 2002                           | 14,865   | ...          | ...       | 63         | 1,521       | 1,853       | 2,749       | 2,846       | 2,063       | 1,653       | 1,595       | 521               | 1              |
| 2001                           | 14,648   | ...          | ...       | 69         | 1,565       | 2,001       | 2,629       | 2,760       | 1,919       | 1,628       | 1,560       | 514               | 3              |
| 2000                           | 14,333   | ...          | ...       | 96         | 1,655       | 1,916       | 2,780       | 2,552       | 1,679       | 1,572       | 1,545       | 536               | 2              |
| 1999                           | 14,316   | ...          | ...       | 81         | 1,684       | 2,071       | 2,676       | 2,413       | 1,703       | 1,672       | 1,514       | 499               | 3              |

Worktable Orig290F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2007

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data - mortality"]

---

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, sex, and year

|  | All ages | Under 1 year | 1-4 years | 5-14 years | 15-24 years | 25-34 years | 35-44 years | 45-54 years | 55-64 years | 65-74 years | 75-84 years | 85 years and over | Age not stated |
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|

---

Intentional self-harm (suicide) by discharge of firearms (X72-X74)

| Non-Hispanic white, male   |        |     |     |    |       |       |       |       |       |       |       |     |   |
|----------------------------|--------|-----|-----|----|-------|-------|-------|-------|-------|-------|-------|-----|---|
| 2007 2/.....               | 13,129 | ... | ... | 35 | 1,222 | 1,540 | 2,034 | 2,693 | 2,215 | 1,428 | 1,394 | 567 | 1 |
| 2006 2/.....               | 12,777 | ... | ... | 42 | 1,281 | 1,402 | 2,005 | 2,670 | 2,030 | 1,431 | 1,394 | 522 | - |
| 2005 2/.....               | 12,947 | ... | ... | 60 | 1,270 | 1,504 | 2,043 | 2,674 | 1,999 | 1,414 | 1,464 | 519 | - |
| 2004 2/.....               | 12,534 | ... | ... | 39 | 1,349 | 1,491 | 2,042 | 2,511 | 1,844 | 1,360 | 1,393 | 504 | 1 |
| 2003 2/.....               | 12,865 | ... | ... | 49 | 1,361 | 1,573 | 2,145 | 2,521 | 1,857 | 1,438 | 1,411 | 510 | - |
| 2002.....                  | 13,014 | ... | ... | 53 | 1,375 | 1,573 | 2,319 | 2,423 | 1,774 | 1,507 | 1,493 | 496 | 1 |
| 2001.....                  | 12,771 | ... | ... | 55 | 1,414 | 1,739 | 2,199 | 2,333 | 1,619 | 1,474 | 1,451 | 484 | 3 |
| 2000.....                  | 12,448 | ... | ... | 79 | 1,489 | 1,648 | 2,296 | 2,151 | 1,427 | 1,405 | 1,446 | 505 | 2 |
| 1999.....                  | 12,441 | ... | ... | 65 | 1,514 | 1,776 | 2,213 | 2,029 | 1,451 | 1,505 | 1,412 | 473 | 3 |
| Non-Hispanic white, female |        |     |     |    |       |       |       |       |       |       |       |     |   |
| 2007 2/.....               | 1,944  | ... | ... | 6  | 134   | 223   | 437   | 504   | 368   | 153   | 99    | 20  | - |
| 2006 2/.....               | 1,944  | ... | ... | 6  | 135   | 208   | 426   | 532   | 365   | 160   | 90    | 22  | - |
| 2005 2/.....               | 1,882  | ... | ... | 9  | 144   | 237   | 397   | 497   | 316   | 154   | 99    | 28  | 1 |
| 2004 2/.....               | 1,973  | ... | ... | 8  | 160   | 242   | 442   | 542   | 310   | 147   | 105   | 17  | - |
| 2003 2/.....               | 1,872  | ... | ... | 7  | 142   | 240   | 419   | 475   | 301   | 151   | 109   | 28  | - |
| 2002.....                  | 1,851  | ... | ... | 10 | 146   | 280   | 430   | 423   | 289   | 146   | 102   | 25  | - |
| 2001.....                  | 1,877  | ... | ... | 14 | 151   | 262   | 430   | 427   | 300   | 154   | 109   | 30  | - |
| 2000.....                  | 1,885  | ... | ... | 17 | 166   | 268   | 484   | 401   | 252   | 167   | 99    | 31  | - |
| 1999.....                  | 1,875  | ... | ... | 16 | 170   | 295   | 463   | 384   | 252   | 167   | 102   | 26  | - |

Worktable Orig290F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2007

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data - mortality"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, sex, and year | All ages | Under 1 year | 1-4 years | 5-14 years | 15-24 years | 25-34 years | 35-44 years | 45-54 years | 55-64 years | 65-74 years | 75-84 years | 85 years and over | Age not stated |
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|

Intentional self-harm (suicide) by discharge of firearms (X72-X74)

| Non-Hispanic black, both sexes |       |     |     |    |     |     |     |     |    |    |    |    |   |
|--------------------------------|-------|-----|-----|----|-----|-----|-----|-----|----|----|----|----|---|
| 2007 2/.....                   | 975   | ... | ... | 8  | 233 | 247 | 176 | 141 | 82 | 46 | 38 | 4  | - |
| 2006 2/.....                   | 994   | ... | ... | 2  | 243 | 259 | 177 | 127 | 78 | 51 | 38 | 19 | - |
| 2005 2/.....                   | 997   | ... | ... | 6  | 244 | 247 | 187 | 137 | 72 | 56 | 39 | 9  | - |
| 2004 2/.....                   | 995   | ... | ... | 8  | 251 | 264 | 154 | 114 | 87 | 61 | 48 | 8  | - |
| 2003 2/.....                   | 993   | ... | ... | 7  | 264 | 279 | 150 | 117 | 75 | 56 | 38 | 7  | - |
| 2002.....                      | 1,041 | ... | ... | 9  | 250 | 272 | 199 | 130 | 71 | 54 | 41 | 15 | - |
| 2001.....                      | 1,069 | ... | ... | 12 | 293 | 258 | 198 | 122 | 67 | 62 | 47 | 10 | - |
| 2000.....                      | 1,073 | ... | ... | 4  | 304 | 268 | 193 | 131 | 71 | 62 | 32 | 8  | - |
| 1999.....                      | 1,112 | ... | ... | 5  | 323 | 268 | 197 | 118 | 81 | 65 | 43 | 12 | - |
| Non-Hispanic black, male       |       |     |     |    |     |     |     |     |    |    |    |    |   |
| 2007 2/.....                   | 870   | ... | ... | 7  | 218 | 220 | 152 | 118 | 74 | 44 | 34 | 3  | - |
| 2006 2/.....                   | 903   | ... | ... | 2  | 222 | 236 | 162 | 110 | 71 | 47 | 37 | 16 | - |
| 2005 2/.....                   | 901   | ... | ... | 5  | 227 | 224 | 170 | 122 | 61 | 46 | 37 | 9  | - |
| 2004 2/.....                   | 891   | ... | ... | 7  | 223 | 238 | 137 | 98  | 75 | 60 | 46 | 7  | - |
| 2003 2/.....                   | 892   | ... | ... | 5  | 243 | 260 | 131 | 103 | 63 | 47 | 34 | 6  | - |
| 2002.....                      | 945   | ... | ... | 8  | 229 | 258 | 170 | 115 | 63 | 48 | 39 | 15 | - |
| 2001.....                      | 949   | ... | ... | 9  | 277 | 233 | 169 | 98  | 61 | 53 | 40 | 9  | - |
| 2000.....                      | 949   | ... | ... | 4  | 277 | 237 | 168 | 107 | 61 | 60 | 27 | 8  | - |
| 1999.....                      | 1,007 | ... | ... | 4  | 294 | 247 | 178 | 102 | 73 | 59 | 39 | 11 | - |

Worktable Orig290F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2007

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data - mortality"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, sex, and year | All ages | Under 1 year | 1-4 years | 5-14 years | 15-24 years | 25-34 years | 35-44 years | 45-54 years | 55-64 years | 65-74 years | 75-84 years | 85 years and over | Age not stated |
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|

Intentional self-harm (suicide) by discharge of firearms (X72-X74)

Non-Hispanic black, female

|              |     |     |     |   |    |    |    |    |    |    |   |   |   |
|--------------|-----|-----|-----|---|----|----|----|----|----|----|---|---|---|
| 2007 2/..... | 105 | ... | ... | 1 | 15 | 27 | 24 | 23 | 8  | 2  | 4 | 1 | - |
| 2006 2/..... | 91  | ... | ... | - | 21 | 23 | 15 | 17 | 7  | 4  | 1 | 3 | - |
| 2005 2/..... | 96  | ... | ... | 1 | 17 | 23 | 17 | 15 | 11 | 10 | 2 | - | - |
| 2004 2/..... | 104 | ... | ... | 1 | 28 | 26 | 17 | 16 | 12 | 1  | 2 | 1 | - |
| 2003 2/..... | 101 | ... | ... | 2 | 21 | 19 | 19 | 14 | 12 | 9  | 4 | 1 | - |
| 2002.....    | 96  | ... | ... | 1 | 21 | 14 | 29 | 15 | 8  | 6  | 2 | - | - |
| 2001.....    | 120 | ... | ... | 3 | 16 | 25 | 29 | 24 | 6  | 9  | 7 | 1 | - |
| 2000.....    | 124 | ... | ... | - | 27 | 31 | 25 | 24 | 10 | 2  | 5 | - | - |
| 1999.....    | 105 | ... | ... | 1 | 29 | 21 | 19 | 16 | 8  | 6  | 4 | 1 | - |

Origin not stated 3/, both sexes

|           |    |     |     |   |   |   |    |    |    |   |   |   |   |
|-----------|----|-----|-----|---|---|---|----|----|----|---|---|---|---|
| 2007..... | 35 | ... | ... | 1 | 3 | 3 | 6  | 5  | 9  | 5 | 2 | - | 1 |
| 2006..... | 42 | ... | ... | 1 | 4 | 4 | 8  | 9  | 5  | 6 | 4 | - | 1 |
| 2005..... | 54 | ... | ... | - | 6 | 5 | 10 | 9  | 13 | 2 | 6 | 3 | - |
| 2004..... | 39 | ... | ... | - | 8 | 2 | 10 | 4  | 7  | 3 | 2 | 1 | 2 |
| 2003..... | 37 | ... | ... | - | 4 | 2 | 10 | 8  | 6  | 5 | - | 2 | - |
| 2002..... | 61 | ... | ... | - | 9 | 6 | 10 | 14 | 8  | 8 | 3 | 2 | 1 |
| 2001..... | 51 | ... | ... | - | 4 | 5 | 8  | 5  | 13 | 7 | 5 | 3 | 1 |
| 2000..... | 56 | ... | ... | - | 8 | 8 | 11 | 12 | 7  | 6 | 1 | 2 | 1 |
| 1999..... | 50 | ... | ... | - | 4 | 8 | 12 | 8  | 6  | 5 | 4 | 2 | 1 |

Worktable Orig290F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2007

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data - mortality"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, sex, and year | All ages | Under 1 year | 1-4 years | 5-14 years | 15-24 years | 25-34 years | 35-44 years | 45-54 years | 55-64 years | 65-74 years | 75-84 years | 85 years and over | Age not stated |
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|

Intentional self-harm (suicide) by discharge of firearms (X72-X74)

Origin not stated 3/, male

|           |    |     |     |   |   |   |    |    |    |   |   |   |   |
|-----------|----|-----|-----|---|---|---|----|----|----|---|---|---|---|
| 2007..... | 31 | ... | ... | 1 | 3 | 3 | 5  | 3  | 8  | 5 | 2 | - | 1 |
| 2006..... | 36 | ... | ... | 1 | 3 | 4 | 5  | 8  | 5  | 5 | 4 | - | 1 |
| 2005..... | 50 | ... | ... | - | 5 | 4 | 8  | 9  | 13 | 2 | 6 | 3 | - |
| 2004..... | 33 | ... | ... | - | 7 | 2 | 9  | 2  | 5  | 3 | 2 | 1 | 2 |
| 2003..... | 28 | ... | ... | - | 2 | 2 | 7  | 6  | 6  | 3 | - | 2 | - |
| 2002..... | 56 | ... | ... | - | 9 | 5 | 8  | 13 | 7  | 8 | 3 | 2 | 1 |
| 2001..... | 49 | ... | ... | - | 4 | 4 | 8  | 4  | 13 | 7 | 5 | 3 | 1 |
| 2000..... | 53 | ... | ... | - | 7 | 7 | 11 | 12 | 7  | 6 | 1 | 1 | 1 |
| 1999..... | 42 | ... | ... | - | 3 | 5 | 11 | 6  | 6  | 5 | 4 | 1 | 1 |

Origin not stated 3/, female

|           |   |     |     |   |   |   |   |   |   |   |   |   |   |
|-----------|---|-----|-----|---|---|---|---|---|---|---|---|---|---|
| 2007..... | 4 | ... | ... | - | - | - | 1 | 2 | 1 | - | - | - | - |
| 2006..... | 6 | ... | ... | - | 1 | - | 3 | 1 | - | 1 | - | - | - |
| 2005..... | 4 | ... | ... | - | 1 | 1 | 2 | - | - | - | - | - | - |
| 2004..... | 6 | ... | ... | - | 1 | - | 1 | 2 | 2 | - | - | - | - |
| 2003..... | 9 | ... | ... | - | 2 | - | 3 | 2 | - | 2 | - | - | - |
| 2002..... | 5 | ... | ... | - | - | 1 | 2 | 1 | 1 | - | - | - | - |
| 2001..... | 2 | ... | ... | - | - | 1 | - | 1 | - | - | - | - | - |
| 2000..... | 3 | ... | ... | - | 1 | 1 | - | - | - | - | - | 1 | - |
| 1999..... | 8 | ... | ... | - | 1 | 3 | 1 | 2 | - | - | - | 1 | - |

Worktable Orig290F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2007

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data - mortality"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, sex, and year | All ages | Under 1 year | 1-4 years | 5-14 years | 15-24 years | 25-34 years | 35-44 years | 45-54 years | 55-64 years | 65-74 years | 75-84 years | 85 years and over | Age not stated |
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|

Intentional self-harm (suicide) by other and unspecified means and their sequelae (\*U03,X60-X71,X75-X84,Y87.0)

All origins, both sexes

|              |        |     |     |     |       |       |       |       |       |     |     |     |    |
|--------------|--------|-----|-----|-----|-------|-------|-------|-------|-------|-----|-----|-----|----|
| 2007.....    | 17,246 | ... | ... | 131 | 2,240 | 2,972 | 3,843 | 4,247 | 2,283 | 744 | 530 | 252 | 4  |
| 2006.....    | 16,417 | ... | ... | 157 | 2,211 | 2,835 | 3,770 | 3,945 | 2,021 | 695 | 513 | 263 | 7  |
| 2005.....    | 15,635 | ... | ... | 188 | 2,250 | 2,721 | 3,695 | 3,519 | 1,740 | 675 | 551 | 289 | 7  |
| 2004.....    | 15,689 | ... | ... | 226 | 2,212 | 2,791 | 3,770 | 3,557 | 1,683 | 648 | 532 | 262 | 8  |
| 2003.....    | 14,577 | ... | ... | 176 | 1,913 | 2,684 | 3,675 | 3,202 | 1,526 | 635 | 520 | 239 | 7  |
| 2002.....    | 14,547 | ... | ... | 178 | 1,922 | 2,647 | 3,694 | 3,172 | 1,384 | 687 | 579 | 276 | 8  |
| 2001 4/..... | 13,753 | ... | ... | 189 | 1,841 | 2,506 | 3,605 | 2,919 | 1,234 | 674 | 544 | 232 | 9  |
| 2000.....    | 12,764 | ... | ... | 197 | 1,727 | 2,339 | 3,371 | 2,579 | 1,112 | 592 | 570 | 275 | 2  |
| 1999.....    | 12,600 | ... | ... | 141 | 1,586 | 2,485 | 3,369 | 2,404 | 1,036 | 680 | 611 | 277 | 11 |

All origins, male

|              |        |     |     |     |       |       |       |       |       |     |     |     |    |
|--------------|--------|-----|-----|-----|-------|-------|-------|-------|-------|-----|-----|-----|----|
| 2007.....    | 12,088 | ... | ... | 86  | 1,754 | 2,248 | 2,759 | 2,847 | 1,429 | 464 | 341 | 157 | 3  |
| 2006.....    | 11,574 | ... | ... | 101 | 1,732 | 2,161 | 2,707 | 2,669 | 1,279 | 446 | 295 | 177 | 7  |
| 2005.....    | 10,991 | ... | ... | 132 | 1,727 | 2,085 | 2,647 | 2,324 | 1,110 | 439 | 341 | 179 | 7  |
| 2004.....    | 11,043 | ... | ... | 137 | 1,707 | 2,164 | 2,691 | 2,317 | 1,094 | 426 | 338 | 161 | 8  |
| 2003.....    | 10,376 | ... | ... | 131 | 1,502 | 2,057 | 2,668 | 2,119 | 986   | 416 | 329 | 161 | 7  |
| 2002.....    | 10,364 | ... | ... | 131 | 1,535 | 2,057 | 2,633 | 2,119 | 907   | 433 | 362 | 179 | 8  |
| 2001 4/..... | 9,914  | ... | ... | 145 | 1,474 | 1,953 | 2,629 | 1,953 | 792   | 448 | 354 | 158 | 8  |
| 2000.....    | 9,164  | ... | ... | 154 | 1,381 | 1,815 | 2,457 | 1,740 | 697   | 360 | 379 | 179 | 2  |
| 1999.....    | 8,979  | ... | ... | 114 | 1,243 | 1,924 | 2,433 | 1,603 | 661   | 436 | 369 | 185 | 11 |

Worktable Orig290F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2007

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data - mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, sex, and year

|  | All ages | Under 1 year | 1-4 years | 5-14 years | 15-24 years | 25-34 years | 35-44 years | 45-54 years | 55-64 years | 65-74 years | 75-84 years | 85 years and over | Age not stated |
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|

Intentional self-harm (suicide) by other and unspecified means and their sequelae (\*U03,X60-X71,X75-X84,Y87.0)

All origins, female

|              |       |     |     |    |     |     |       |       |     |     |     |     |   |
|--------------|-------|-----|-----|----|-----|-----|-------|-------|-----|-----|-----|-----|---|
| 2007.....    | 5,158 | ... | ... | 45 | 486 | 724 | 1,084 | 1,400 | 854 | 280 | 189 | 95  | 1 |
| 2006.....    | 4,843 | ... | ... | 56 | 479 | 674 | 1,063 | 1,276 | 742 | 249 | 218 | 86  | - |
| 2005.....    | 4,644 | ... | ... | 56 | 523 | 636 | 1,048 | 1,195 | 630 | 236 | 210 | 110 | - |
| 2004.....    | 4,646 | ... | ... | 89 | 505 | 627 | 1,079 | 1,240 | 589 | 222 | 194 | 101 | - |
| 2003.....    | 4,201 | ... | ... | 45 | 411 | 627 | 1,007 | 1,083 | 540 | 219 | 191 | 78  | - |
| 2002.....    | 4,183 | ... | ... | 47 | 387 | 590 | 1,061 | 1,053 | 477 | 254 | 217 | 97  | - |
| 2001 4/..... | 3,839 | ... | ... | 44 | 367 | 553 | 976   | 966   | 442 | 226 | 190 | 74  | 1 |
| 2000.....    | 3,600 | ... | ... | 43 | 346 | 524 | 914   | 839   | 415 | 232 | 191 | 96  | - |
| 1999.....    | 3,621 | ... | ... | 27 | 343 | 561 | 936   | 801   | 375 | 244 | 242 | 92  | - |

Hispanic, both sexes

|              |       |     |     |    |     |     |     |     |     |    |    |    |   |
|--------------|-------|-----|-----|----|-----|-----|-----|-----|-----|----|----|----|---|
| 2007.....    | 1,534 | ... | ... | 17 | 316 | 413 | 330 | 255 | 120 | 49 | 25 | 9  | - |
| 2006.....    | 1,360 | ... | ... | 17 | 314 | 365 | 293 | 199 | 97  | 43 | 25 | 7  | - |
| 2005.....    | 1,364 | ... | ... | 33 | 329 | 331 | 307 | 183 | 94  | 45 | 31 | 9  | 2 |
| 2004.....    | 1,319 | ... | ... | 37 | 305 | 339 | 274 | 182 | 96  | 42 | 28 | 13 | 3 |
| 2003.....    | 1,172 | ... | ... | 34 | 263 | 291 | 257 | 162 | 88  | 42 | 25 | 10 | - |
| 2002.....    | 1,120 | ... | ... | 27 | 231 | 286 | 262 | 162 | 75  | 37 | 27 | 11 | 2 |
| 2001 4/..... | 1,052 | ... | ... | 32 | 221 | 266 | 262 | 137 | 55  | 41 | 23 | 14 | 1 |
| 2000.....    | 974   | ... | ... | 22 | 223 | 239 | 241 | 120 | 55  | 35 | 32 | 7  | - |
| 1999.....    | 901   | ... | ... | 17 | 172 | 241 | 221 | 114 | 64  | 36 | 24 | 11 | 1 |



Worktable Orig290F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2007

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data - mortality"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, sex, and year | All ages | Under 1 year | 1-4 years | 5-14 years | 15-24 years | 25-34 years | 35-44 years | 45-54 years | 55-64 years | 65-74 years | 75-84 years | 85 years and over | Age not stated |
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|

Intentional self-harm (suicide) by other and unspecified means and their sequelae (\*U03,X60-X71,X75-X84,Y87.0)

Hispanic, male

|              |       |     |     |    |     |     |     |     |    |    |    |    |   |
|--------------|-------|-----|-----|----|-----|-----|-----|-----|----|----|----|----|---|
| 2007.....    | 1,223 | ... | ... | 12 | 257 | 328 | 265 | 199 | 95 | 40 | 22 | 5  | - |
| 2006.....    | 1,061 | ... | ... | 13 | 236 | 297 | 234 | 151 | 76 | 29 | 19 | 6  | - |
| 2005.....    | 1,085 | ... | ... | 22 | 256 | 278 | 251 | 145 | 69 | 32 | 23 | 7  | 2 |
| 2004.....    | 1,041 | ... | ... | 22 | 241 | 286 | 219 | 134 | 67 | 37 | 23 | 9  | 3 |
| 2003.....    | 937   | ... | ... | 24 | 211 | 240 | 208 | 118 | 74 | 33 | 22 | 7  | - |
| 2002.....    | 888   | ... | ... | 16 | 180 | 243 | 212 | 118 | 61 | 28 | 19 | 9  | 2 |
| 2001 4/..... | 845   | ... | ... | 22 | 171 | 216 | 224 | 102 | 43 | 33 | 19 | 14 | 1 |
| 2000.....    | 788   | ... | ... | 15 | 182 | 205 | 194 | 88  | 43 | 28 | 27 | 6  | - |
| 1999.....    | 725   | ... | ... | 14 | 142 | 200 | 180 | 88  | 49 | 28 | 16 | 7  | 1 |

Hispanic, female

|              |     |     |     |    |    |    |    |    |    |    |   |   |   |
|--------------|-----|-----|-----|----|----|----|----|----|----|----|---|---|---|
| 2007.....    | 311 | ... | ... | 5  | 59 | 85 | 65 | 56 | 25 | 9  | 3 | 4 | - |
| 2006.....    | 299 | ... | ... | 4  | 78 | 68 | 59 | 48 | 21 | 14 | 6 | 1 | - |
| 2005.....    | 279 | ... | ... | 11 | 73 | 53 | 56 | 38 | 25 | 13 | 8 | 2 | - |
| 2004.....    | 278 | ... | ... | 15 | 64 | 53 | 55 | 48 | 29 | 5  | 5 | 4 | - |
| 2003.....    | 235 | ... | ... | 10 | 52 | 51 | 49 | 44 | 14 | 9  | 3 | 3 | - |
| 2002.....    | 232 | ... | ... | 11 | 51 | 43 | 50 | 44 | 14 | 9  | 8 | 2 | - |
| 2001 4/..... | 207 | ... | ... | 10 | 50 | 50 | 38 | 35 | 12 | 8  | 4 | - | - |
| 2000.....    | 186 | ... | ... | 7  | 41 | 34 | 47 | 32 | 12 | 7  | 5 | 1 | - |
| 1999.....    | 176 | ... | ... | 3  | 30 | 41 | 41 | 26 | 15 | 8  | 8 | 4 | - |

Worktable Orig290F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2007

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data - mortality"]

---

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, sex, and year

|  | All ages | Under 1 year | 1-4 years | 5-14 years | 15-24 years | 25-34 years | 35-44 years | 45-54 years | 55-64 years | 65-74 years | 75-84 years | 85 years and over | Age not stated |
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|

---

Intentional self-harm (suicide) by other and unspecified means and their sequelae (\*U03,X60-X71,X75-X84,Y87.0)

Non-Hispanic 1/, both sexes

|              |        |     |     |     |       |       |       |       |       |     |     |     |   |
|--------------|--------|-----|-----|-----|-------|-------|-------|-------|-------|-----|-----|-----|---|
| 2007.....    | 15,675 | ... | ... | 114 | 1,923 | 2,557 | 3,505 | 3,983 | 2,156 | 690 | 502 | 241 | 4 |
| 2006.....    | 15,011 | ... | ... | 140 | 1,888 | 2,465 | 3,471 | 3,729 | 1,920 | 650 | 487 | 255 | 6 |
| 2005.....    | 14,214 | ... | ... | 154 | 1,915 | 2,384 | 3,378 | 3,322 | 1,635 | 629 | 517 | 280 | - |
| 2004.....    | 14,288 | ... | ... | 188 | 1,898 | 2,441 | 3,475 | 3,353 | 1,580 | 601 | 502 | 249 | 1 |
| 2003.....    | 13,332 | ... | ... | 141 | 1,640 | 2,383 | 3,399 | 3,026 | 1,428 | 590 | 494 | 229 | 2 |
| 2002.....    | 13,330 | ... | ... | 150 | 1,681 | 2,343 | 3,411 | 2,991 | 1,296 | 644 | 550 | 261 | 3 |
| 2001 4/..... | 12,627 | ... | ... | 157 | 1,612 | 2,225 | 3,326 | 2,766 | 1,173 | 628 | 521 | 218 | 1 |
| 2000.....    | 11,709 | ... | ... | 173 | 1,494 | 2,086 | 3,109 | 2,443 | 1,048 | 553 | 536 | 266 | 1 |
| 1999.....    | 11,624 | ... | ... | 122 | 1,408 | 2,234 | 3,131 | 2,269 | 967   | 639 | 583 | 265 | 6 |

Non-Hispanic 1/, male

|              |        |     |     |     |       |       |       |       |       |     |     |     |   |
|--------------|--------|-----|-----|-----|-------|-------|-------|-------|-------|-----|-----|-----|---|
| 2007.....    | 10,838 | ... | ... | 74  | 1,496 | 1,919 | 2,488 | 2,641 | 1,328 | 421 | 317 | 151 | 3 |
| 2006.....    | 10,478 | ... | ... | 88  | 1,489 | 1,861 | 2,467 | 2,506 | 1,200 | 416 | 275 | 170 | 6 |
| 2005.....    | 9,864  | ... | ... | 109 | 1,466 | 1,801 | 2,389 | 2,170 | 1,035 | 406 | 316 | 172 | - |
| 2004.....    | 9,942  | ... | ... | 114 | 1,459 | 1,871 | 2,457 | 2,167 | 1,020 | 386 | 315 | 152 | 1 |
| 2003.....    | 9,381  | ... | ... | 106 | 1,283 | 1,809 | 2,445 | 1,991 | 904   | 381 | 306 | 154 | 2 |
| 2002.....    | 9,397  | ... | ... | 114 | 1,346 | 1,799 | 2,405 | 1,987 | 835   | 400 | 342 | 166 | 3 |
| 2001 4/..... | 9,005  | ... | ... | 123 | 1,296 | 1,723 | 2,392 | 1,835 | 745   | 411 | 335 | 144 | 1 |
| 2000.....    | 8,317  | ... | ... | 138 | 1,192 | 1,602 | 2,247 | 1,640 | 646   | 329 | 350 | 172 | 1 |
| 1999.....    | 8,197  | ... | ... | 98  | 1,099 | 1,715 | 2,241 | 1,499 | 609   | 403 | 350 | 177 | 6 |

Worktable Orig290F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2007

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data - mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, sex, and year

|  | All ages | Under 1 year | 1-4 years | 5-14 years | 15-24 years | 25-34 years | 35-44 years | 45-54 years | 55-64 years | 65-74 years | 75-84 years | 85 years and over | Age not stated |
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|

Intentional self-harm (suicide) by other and unspecified means and their sequelae (\*U03,X60-X71,X75-X84,Y87.0)

Non-Hispanic 1/, female

|              |       |     |     |    |     |     |       |       |     |     |     |     |   |
|--------------|-------|-----|-----|----|-----|-----|-------|-------|-----|-----|-----|-----|---|
| 2007.....    | 4,837 | ... | ... | 40 | 427 | 638 | 1,017 | 1,342 | 828 | 269 | 185 | 90  | 1 |
| 2006.....    | 4,533 | ... | ... | 52 | 399 | 604 | 1,004 | 1,223 | 720 | 234 | 212 | 85  | - |
| 2005.....    | 4,350 | ... | ... | 45 | 449 | 583 | 989   | 1,152 | 600 | 223 | 201 | 108 | - |
| 2004.....    | 4,346 | ... | ... | 74 | 439 | 570 | 1,018 | 1,186 | 560 | 215 | 187 | 97  | - |
| 2003.....    | 3,951 | ... | ... | 35 | 357 | 574 | 954   | 1,035 | 524 | 209 | 188 | 75  | - |
| 2002.....    | 3,933 | ... | ... | 36 | 335 | 544 | 1,006 | 1,004 | 461 | 244 | 208 | 95  | - |
| 2001 4/..... | 3,622 | ... | ... | 34 | 316 | 502 | 934   | 931   | 428 | 217 | 186 | 74  | - |
| 2000.....    | 3,392 | ... | ... | 35 | 302 | 484 | 862   | 803   | 402 | 224 | 186 | 94  | - |
| 1999.....    | 3,427 | ... | ... | 24 | 309 | 519 | 890   | 770   | 358 | 236 | 233 | 88  | - |

Non-Hispanic white, both sexes

|              |        |     |     |     |       |       |       |       |       |     |     |     |   |
|--------------|--------|-----|-----|-----|-------|-------|-------|-------|-------|-----|-----|-----|---|
| 2007 2/..... | 13,824 | ... | ... | 66  | 1,576 | 2,129 | 3,064 | 3,669 | 2,010 | 630 | 453 | 224 | 3 |
| 2006 2/..... | 13,231 | ... | ... | 95  | 1,528 | 2,079 | 3,077 | 3,412 | 1,772 | 576 | 446 | 243 | 3 |
| 2005 2/..... | 12,476 | ... | ... | 101 | 1,578 | 1,967 | 2,994 | 3,037 | 1,507 | 569 | 474 | 249 | - |
| 2004 2/..... | 12,494 | ... | ... | 133 | 1,536 | 2,014 | 3,114 | 3,048 | 1,430 | 536 | 456 | 227 | - |
| 2003 2/..... | 11,697 | ... | ... | 95  | 1,329 | 1,998 | 2,999 | 2,778 | 1,304 | 521 | 460 | 211 | 2 |
| 2002.....    | 11,826 | ... | ... | 114 | 1,430 | 1,956 | 3,046 | 2,757 | 1,191 | 575 | 510 | 244 | 3 |
| 2001 4/..... | 11,165 | ... | ... | 114 | 1,361 | 1,870 | 2,975 | 2,532 | 1,060 | 559 | 489 | 204 | 1 |
| 2000.....    | 10,283 | ... | ... | 129 | 1,213 | 1,742 | 2,760 | 2,222 | 980   | 503 | 483 | 250 | 1 |
| 1999.....    | 10,218 | ... | ... | 93  | 1,146 | 1,856 | 2,793 | 2,074 | 877   | 577 | 544 | 255 | 3 |

Worktable Orig290F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2007

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data - mortality"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, sex, and year | All ages | Under 1 year | 1-4 years | 5-14 years | 15-24 years | 25-34 years | 35-44 years | 45-54 years | 55-64 years | 65-74 years | 75-84 years | 85 years and over | Age not stated |
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|

Intentional self-harm (suicide) by other and unspecified means and their sequelae (\*U03,X60-X71,X75-X84,Y87.0)

| Non-Hispanic white, male   |       |     |     |     |       |       |       |       |       |     |     |     |   |
|----------------------------|-------|-----|-----|-----|-------|-------|-------|-------|-------|-----|-----|-----|---|
| 2007 2/.....               | 9,531 | ... | ... | 43  | 1,238 | 1,603 | 2,175 | 2,426 | 1,235 | 380 | 290 | 139 | 2 |
| 2006 2/.....               | 9,175 | ... | ... | 58  | 1,215 | 1,558 | 2,174 | 2,279 | 1,099 | 372 | 256 | 161 | 3 |
| 2005 2/.....               | 8,658 | ... | ... | 73  | 1,217 | 1,491 | 2,121 | 1,982 | 954   | 371 | 292 | 157 | - |
| 2004 2/.....               | 8,680 | ... | ... | 80  | 1,186 | 1,573 | 2,207 | 1,954 | 910   | 341 | 289 | 140 | - |
| 2003 2/.....               | 8,220 | ... | ... | 73  | 1,051 | 1,526 | 2,151 | 1,836 | 821   | 331 | 285 | 144 | 2 |
| 2002.....                  | 8,309 | ... | ... | 85  | 1,152 | 1,492 | 2,143 | 1,829 | 772   | 358 | 319 | 156 | 3 |
| 2001 4/.....               | 7,939 | ... | ... | 89  | 1,108 | 1,451 | 2,130 | 1,683 | 665   | 362 | 312 | 138 | 1 |
| 2000.....                  | 7,263 | ... | ... | 100 | 978   | 1,341 | 1,991 | 1,476 | 604   | 296 | 315 | 161 | 1 |
| 1999.....                  | 7,179 | ... | ... | 76  | 902   | 1,429 | 1,997 | 1,359 | 550   | 364 | 328 | 171 | 3 |
| Non-Hispanic white, female |       |     |     |     |       |       |       |       |       |     |     |     |   |
| 2007 2/.....               | 4,293 | ... | ... | 23  | 338   | 526   | 889   | 1,243 | 775   | 250 | 163 | 85  | 1 |
| 2006 2/.....               | 4,056 | ... | ... | 37  | 313   | 521   | 903   | 1,133 | 673   | 204 | 190 | 82  | - |
| 2005 2/.....               | 3,818 | ... | ... | 28  | 361   | 476   | 873   | 1,055 | 553   | 198 | 182 | 92  | - |
| 2004 2/.....               | 3,814 | ... | ... | 53  | 350   | 441   | 907   | 1,094 | 520   | 195 | 167 | 87  | - |
| 2003 2/.....               | 3,477 | ... | ... | 22  | 278   | 472   | 848   | 942   | 483   | 190 | 175 | 67  | - |
| 2002.....                  | 3,517 | ... | ... | 29  | 278   | 464   | 903   | 928   | 419   | 217 | 191 | 88  | - |
| 2001 4/.....               | 3,226 | ... | ... | 25  | 253   | 419   | 845   | 849   | 395   | 197 | 177 | 66  | - |
| 2000.....                  | 3,020 | ... | ... | 29  | 235   | 401   | 769   | 746   | 376   | 207 | 168 | 89  | - |
| 1999.....                  | 3,039 | ... | ... | 17  | 244   | 427   | 796   | 715   | 327   | 213 | 216 | 84  | - |

Worktable Orig290F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2007

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data - mortality"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, sex, and year | All ages | Under 1 year | 1-4 years | 5-14 years | 15-24 years | 25-34 years | 35-44 years | 45-54 years | 55-64 years | 65-74 years | 75-84 years | 85 years and over | Age not stated |
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|

Intentional self-harm (suicide) by other and unspecified means and their sequelae (\*U03,X60-X71,X75-X84,Y87.0)

| Non-Hispanic black, both sexes |     |     |     |    |     |     |     |     |    |    |    |   |   |
|--------------------------------|-----|-----|-----|----|-----|-----|-----|-----|----|----|----|---|---|
| 2007 2/.....                   | 941 | ... | ... | 33 | 163 | 224 | 239 | 176 | 71 | 25 | 8  | 1 | 1 |
| 2006 2/.....                   | 915 | ... | ... | 33 | 164 | 207 | 229 | 176 | 75 | 22 | 6  | 3 | - |
| 2005 2/.....                   | 956 | ... | ... | 35 | 184 | 227 | 228 | 172 | 68 | 21 | 14 | 7 | - |
| 2004 2/.....                   | 975 | ... | ... | 41 | 199 | 246 | 215 | 165 | 77 | 15 | 12 | 4 | 1 |
| 2003 2/.....                   | 925 | ... | ... | 36 | 174 | 219 | 259 | 149 | 57 | 21 | 5  | 5 | - |
| 2002.....                      | 855 | ... | ... | 26 | 142 | 225 | 233 | 135 | 54 | 26 | 10 | 4 | - |
| 2001 4/.....                   | 835 | ... | ... | 28 | 132 | 214 | 220 | 146 | 59 | 28 | 5  | 3 | - |
| 2000.....                      | 850 | ... | ... | 35 | 167 | 201 | 234 | 135 | 30 | 23 | 21 | 4 | - |
| 1999.....                      | 812 | ... | ... | 24 | 140 | 229 | 233 | 108 | 35 | 29 | 9  | 3 | 2 |
| Non-Hispanic black, male       |     |     |     |    |     |     |     |     |    |    |    |   |   |
| 2007 2/.....                   | 701 | ... | ... | 22 | 125 | 179 | 177 | 124 | 47 | 20 | 6  | - | 1 |
| 2006 2/.....                   | 727 | ... | ... | 26 | 129 | 178 | 180 | 134 | 55 | 17 | 5  | 3 | - |
| 2005 2/.....                   | 691 | ... | ... | 22 | 148 | 170 | 163 | 116 | 45 | 14 | 8  | 5 | - |
| 2004 2/.....                   | 723 | ... | ... | 23 | 159 | 182 | 156 | 116 | 65 | 11 | 8  | 2 | 1 |
| 2003 2/.....                   | 674 | ... | ... | 29 | 134 | 164 | 193 | 96  | 39 | 12 | 5  | 2 | - |
| 2002.....                      | 650 | ... | ... | 21 | 113 | 183 | 175 | 97  | 34 | 18 | 7  | 2 | - |
| 2001 4/.....                   | 629 | ... | ... | 22 | 111 | 173 | 160 | 98  | 41 | 20 | 4  | - | - |
| 2000.....                      | 652 | ... | ... | 30 | 130 | 160 | 178 | 103 | 19 | 16 | 13 | 3 | - |
| 1999.....                      | 623 | ... | ... | 18 | 114 | 185 | 175 | 81  | 22 | 19 | 6  | 1 | 2 |

Worktable Orig290F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2007

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data - mortality"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, sex, and year | All ages | Under 1 year | 1-4 years | 5-14 years | 15-24 years | 25-34 years | 35-44 years | 45-54 years | 55-64 years | 65-74 years | 75-84 years | 85 years and over | Age not stated |
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|

Intentional self-harm (suicide) by other and unspecified means and their sequelae (\*U03,X60-X71,X75-X84,Y87.0)

Non-Hispanic black, female

|              |     |     |     |    |    |    |    |    |    |    |   |   |   |
|--------------|-----|-----|-----|----|----|----|----|----|----|----|---|---|---|
| 2007 2/..... | 240 | ... | ... | 11 | 38 | 45 | 62 | 52 | 24 | 5  | 2 | 1 | - |
| 2006 2/..... | 188 | ... | ... | 7  | 35 | 29 | 49 | 42 | 20 | 5  | 1 | - | - |
| 2005 2/..... | 265 | ... | ... | 13 | 36 | 57 | 65 | 56 | 23 | 7  | 6 | 2 | - |
| 2004 2/..... | 252 | ... | ... | 18 | 40 | 64 | 59 | 49 | 12 | 4  | 4 | 2 | - |
| 2003 2/..... | 251 | ... | ... | 7  | 40 | 55 | 66 | 53 | 18 | 9  | - | 3 | - |
| 2002.....    | 205 | ... | ... | 5  | 29 | 42 | 58 | 38 | 20 | 8  | 3 | 2 | - |
| 2001 4/..... | 206 | ... | ... | 6  | 21 | 41 | 60 | 48 | 18 | 8  | 1 | 3 | - |
| 2000.....    | 198 | ... | ... | 5  | 37 | 41 | 56 | 32 | 11 | 7  | 8 | 1 | - |
| 1999.....    | 189 | ... | ... | 6  | 26 | 44 | 58 | 27 | 13 | 10 | 3 | 2 | - |

Origin not stated 3/, both sexes

|              |    |     |     |   |    |    |    |    |    |   |   |   |   |
|--------------|----|-----|-----|---|----|----|----|----|----|---|---|---|---|
| 2007.....    | 37 | ... | ... | - | 1  | 2  | 8  | 9  | 7  | 5 | 3 | 2 | - |
| 2006.....    | 46 | ... | ... | - | 9  | 5  | 6  | 17 | 4  | 2 | 1 | 1 | 1 |
| 2005.....    | 57 | ... | ... | 1 | 6  | 6  | 10 | 14 | 11 | 1 | 3 | - | 5 |
| 2004.....    | 82 | ... | ... | 1 | 9  | 11 | 21 | 22 | 7  | 5 | 2 | - | 4 |
| 2003.....    | 73 | ... | ... | 1 | 10 | 10 | 19 | 14 | 10 | 3 | 1 | - | 5 |
| 2002.....    | 97 | ... | ... | 1 | 10 | 18 | 21 | 19 | 13 | 6 | 2 | 4 | 3 |
| 2001 4/..... | 74 | ... | ... | - | 8  | 15 | 17 | 16 | 6  | 5 | - | - | 7 |
| 2000.....    | 81 | ... | ... | 2 | 10 | 14 | 21 | 16 | 9  | 4 | 2 | 2 | 1 |
| 1999.....    | 75 | ... | ... | 2 | 6  | 10 | 17 | 21 | 5  | 5 | 4 | 1 | 4 |

Worktable Orig290F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2007

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data - mortality"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, sex, and year | All ages | Under 1 year | 1-4 years | 5-14 years | 15-24 years | 25-34 years | 35-44 years | 45-54 years | 55-64 years | 65-74 years | 75-84 years | 85 years and over | Age not stated |
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|

Intentional self-harm (suicide) by other and unspecified means and their sequelae (\*U03,X60-X71,X75-X84,Y87.0)

| Origin not stated 3/, male   |    |     |     |   |   |    |    |    |    |   |   |   |   |
|------------------------------|----|-----|-----|---|---|----|----|----|----|---|---|---|---|
| 2007.....                    | 27 | ... | ... | - | 1 | 1  | 6  | 7  | 6  | 3 | 2 | 1 | - |
| 2006.....                    | 35 | ... | ... | - | 7 | 3  | 6  | 12 | 3  | 1 | 1 | 1 | 1 |
| 2005.....                    | 42 | ... | ... | 1 | 5 | 6  | 7  | 9  | 6  | 1 | 2 | - | 5 |
| 2004.....                    | 60 | ... | ... | 1 | 7 | 7  | 15 | 16 | 7  | 3 | - | - | 4 |
| 2003.....                    | 58 | ... | ... | 1 | 8 | 8  | 15 | 10 | 8  | 2 | 1 | - | 5 |
| 2002.....                    | 79 | ... | ... | 1 | 9 | 15 | 16 | 14 | 11 | 5 | 1 | 4 | 3 |
| 2001 4/.....                 | 64 | ... | ... | - | 7 | 14 | 13 | 16 | 4  | 4 | - | - | 6 |
| 2000.....                    | 59 | ... | ... | 1 | 7 | 8  | 16 | 12 | 8  | 3 | 2 | 1 | 1 |
| 1999.....                    | 57 | ... | ... | 2 | 2 | 9  | 12 | 16 | 3  | 5 | 3 | 1 | 4 |
| Origin not stated 3/, female |    |     |     |   |   |    |    |    |    |   |   |   |   |
| 2007.....                    | 10 | ... | ... | - | - | 1  | 2  | 2  | 1  | 2 | 1 | 1 | - |
| 2006.....                    | 11 | ... | ... | - | 2 | 2  | -  | 5  | 1  | 1 | - | - | - |
| 2005.....                    | 15 | ... | ... | - | 1 | -  | 3  | 5  | 5  | - | 1 | - | - |
| 2004.....                    | 22 | ... | ... | - | 2 | 4  | 6  | 6  | -  | 2 | 2 | - | - |
| 2003.....                    | 15 | ... | ... | - | 2 | 2  | 4  | 4  | 2  | 1 | - | - | - |
| 2002.....                    | 18 | ... | ... | - | 1 | 3  | 5  | 5  | 2  | 1 | 1 | - | - |
| 2001 4/.....                 | 10 | ... | ... | - | 1 | 1  | 4  | -  | 2  | 1 | - | - | 1 |
| 2000.....                    | 22 | ... | ... | 1 | 3 | 6  | 5  | 4  | 1  | 1 | - | 1 | - |
| 1999.....                    | 18 | ... | ... | - | 4 | 1  | 5  | 5  | 2  | - | 1 | - | - |

Worktable Orig290F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2007

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data - mortality"]

---

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, sex, and year

|  | All ages | Under 1 year | 1-4 years | 5-14 years | 15-24 years | 25-34 years | 35-44 years | 45-54 years | 55-64 years | 65-74 years | 75-84 years | 85 years and over | Age not stated |
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|

---

Assault (homicide) (\*U01-\*U02,X85-Y09,Y87.1)

| All origins, both sexes |        |     |     |     |       |       |       |       |       |     |     |     |    |
|-------------------------|--------|-----|-----|-----|-------|-------|-------|-------|-------|-----|-----|-----|----|
| 2007.....               | 18,361 | 352 | 398 | 346 | 5,551 | 4,758 | 3,052 | 2,140 | 980   | 411 | 268 | 80  | 25 |
| 2006.....               | 18,573 | 336 | 366 | 390 | 5,717 | 4,725 | 3,020 | 2,209 | 1,012 | 398 | 279 | 102 | 19 |
| 2005.....               | 18,124 | 306 | 375 | 341 | 5,466 | 4,752 | 3,109 | 2,060 | 862   | 440 | 283 | 109 | 21 |
| 2004.....               | 17,357 | 325 | 377 | 329 | 5,085 | 4,495 | 2,984 | 2,008 | 879   | 446 | 289 | 104 | 36 |
| 2003.....               | 17,732 | 341 | 376 | 324 | 5,368 | 4,516 | 3,110 | 2,017 | 786   | 432 | 317 | 104 | 41 |
| 2002.....               | 17,638 | 303 | 423 | 356 | 5,219 | 4,489 | 3,239 | 1,915 | 841   | 421 | 296 | 95  | 41 |
| 2001 4/.....            | 20,308 | 332 | 415 | 326 | 5,297 | 5,204 | 4,268 | 2,467 | 1,018 | 532 | 312 | 105 | 32 |
| 2000.....               | 16,765 | 349 | 356 | 371 | 4,939 | 4,164 | 3,219 | 1,755 | 738   | 443 | 301 | 100 | 30 |
| 1999.....               | 16,889 | 331 | 376 | 432 | 4,998 | 4,231 | 3,206 | 1,668 | 722   | 473 | 304 | 99  | 49 |

  

| All origins, male |        |     |     |     |       |       |       |       |     |     |     |    |    |
|-------------------|--------|-----|-----|-----|-------|-------|-------|-------|-----|-----|-----|----|----|
| 2007.....         | 14,538 | 206 | 213 | 210 | 4,829 | 4,019 | 2,289 | 1,572 | 727 | 279 | 149 | 26 | 19 |
| 2006.....         | 14,717 | 199 | 208 | 246 | 4,991 | 3,983 | 2,269 | 1,628 | 738 | 260 | 141 | 38 | 16 |
| 2005.....         | 14,376 | 173 | 214 | 204 | 4,765 | 4,008 | 2,317 | 1,579 | 636 | 282 | 138 | 44 | 16 |
| 2004.....         | 13,578 | 167 | 204 | 200 | 4,380 | 3,764 | 2,224 | 1,492 | 637 | 302 | 138 | 41 | 29 |
| 2003.....         | 13,882 | 205 | 202 | 215 | 4,624 | 3,741 | 2,308 | 1,488 | 568 | 285 | 171 | 46 | 29 |
| 2002.....         | 13,640 | 164 | 234 | 197 | 4,474 | 3,669 | 2,386 | 1,394 | 614 | 277 | 158 | 41 | 32 |
| 2001 4/.....      | 15,555 | 197 | 238 | 193 | 4,541 | 4,157 | 3,122 | 1,832 | 723 | 332 | 155 | 42 | 23 |
| 2000.....         | 12,820 | 203 | 198 | 227 | 4,203 | 3,361 | 2,319 | 1,284 | 537 | 279 | 154 | 40 | 15 |
| 1999.....         | 12,785 | 187 | 194 | 250 | 4,191 | 3,346 | 2,307 | 1,229 | 541 | 304 | 162 | 41 | 33 |



Worktable Orig290F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2007

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data - mortality"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, sex, and year | All ages | Under 1 year | 1-4 years | 5-14 years | 15-24 years | 25-34 years | 35-44 years | 45-54 years | 55-64 years | 65-74 years | 75-84 years | 85 years and over | Age not stated |
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|

Assault (homicide) (\*U01-\*U02,X85-Y09,Y87.1)

| All origins, female  |       |     |     |     |       |       |       |     |     |     |     |    |    |
|----------------------|-------|-----|-----|-----|-------|-------|-------|-----|-----|-----|-----|----|----|
| 2007.....            | 3,823 | 146 | 185 | 136 | 722   | 739   | 763   | 568 | 253 | 132 | 119 | 54 | 6  |
| 2006.....            | 3,856 | 137 | 158 | 144 | 726   | 742   | 751   | 581 | 274 | 138 | 138 | 64 | 3  |
| 2005.....            | 3,748 | 133 | 161 | 137 | 701   | 744   | 792   | 481 | 226 | 158 | 145 | 65 | 5  |
| 2004.....            | 3,779 | 158 | 173 | 129 | 705   | 731   | 760   | 516 | 242 | 144 | 151 | 63 | 7  |
| 2003.....            | 3,850 | 136 | 174 | 109 | 744   | 775   | 802   | 529 | 218 | 147 | 146 | 58 | 12 |
| 2002.....            | 3,998 | 139 | 189 | 159 | 745   | 820   | 853   | 521 | 227 | 144 | 138 | 54 | 9  |
| 2001 4/.....         | 4,753 | 135 | 177 | 133 | 756   | 1,047 | 1,146 | 635 | 295 | 200 | 157 | 63 | 9  |
| 2000.....            | 3,945 | 146 | 158 | 144 | 736   | 803   | 900   | 471 | 201 | 164 | 147 | 60 | 15 |
| 1999.....            | 4,104 | 144 | 182 | 182 | 807   | 885   | 899   | 439 | 181 | 169 | 142 | 58 | 16 |
| Hispanic, both sexes |       |     |     |     |       |       |       |     |     |     |     |    |    |
| 2007.....            | 3,466 | 81  | 76  | 76  | 1,295 | 1,028 | 502   | 253 | 95  | 35  | 16  | 3  | 6  |
| 2006.....            | 3,524 | 81  | 62  | 95  | 1,343 | 995   | 537   | 263 | 94  | 31  | 13  | 7  | 3  |
| 2005.....            | 3,520 | 60  | 82  | 62  | 1,307 | 1,085 | 520   | 264 | 71  | 36  | 23  | 3  | 7  |
| 2004.....            | 3,271 | 73  | 80  | 67  | 1,235 | 962   | 477   | 238 | 84  | 29  | 9   | 11 | 6  |
| 2003.....            | 3,355 | 60  | 82  | 53  | 1,286 | 971   | 502   | 246 | 75  | 46  | 23  | 5  | 6  |
| 2002.....            | 3,129 | 52  | 81  | 64  | 1,200 | 903   | 464   | 216 | 87  | 29  | 19  | 3  | 11 |
| 2001 4/.....         | 3,331 | 55  | 69  | 56  | 1,222 | 960   | 567   | 248 | 82  | 45  | 16  | 3  | 8  |
| 2000.....            | 2,917 | 54  | 57  | 76  | 1,126 | 810   | 447   | 211 | 77  | 36  | 16  | 4  | 3  |
| 1999.....            | 2,864 | 53  | 52  | 89  | 1,119 | 801   | 432   | 197 | 69  | 33  | 11  | 3  | 5  |

Worktable Orig290F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2007

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data - mortality"]

---

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, sex, and year

|  | All ages | Under 1 year | 1-4 years | 5-14 years | 15-24 years | 25-34 years | 35-44 years | 45-54 years | 55-64 years | 65-74 years | 75-84 years | 85 years and over | Age not stated |
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|

---

Assault (homicide) (\*U01-\*U02,X85-Y09,Y87.1)

| Hispanic, male   |       |    |    |    |       |     |     |     |    |    |    |   |    |
|------------------|-------|----|----|----|-------|-----|-----|-----|----|----|----|---|----|
| 2007.....        | 2,926 | 44 | 30 | 48 | 1,171 | 898 | 406 | 209 | 75 | 29 | 9  | 2 | 5  |
| 2006.....        | 3,004 | 50 | 35 | 63 | 1,210 | 880 | 440 | 209 | 82 | 20 | 8  | 4 | 3  |
| 2005.....        | 3,008 | 30 | 46 | 40 | 1,187 | 956 | 428 | 218 | 53 | 26 | 16 | 1 | 7  |
| 2004.....        | 2,782 | 42 | 45 | 40 | 1,125 | 844 | 384 | 193 | 69 | 23 | 5  | 6 | 6  |
| 2003.....        | 2,809 | 35 | 36 | 36 | 1,139 | 852 | 401 | 194 | 59 | 37 | 13 | 2 | 5  |
| 2002.....        | 2,635 | 28 | 49 | 37 | 1,081 | 789 | 367 | 166 | 72 | 25 | 9  | 2 | 10 |
| 2001 4/.....     | 2,756 | 33 | 38 | 38 | 1,099 | 800 | 451 | 190 | 59 | 33 | 8  | 2 | 5  |
| 2000.....        | 2,431 | 26 | 30 | 56 | 1,014 | 697 | 359 | 158 | 57 | 22 | 8  | 2 | 2  |
| 1999.....        | 2,399 | 26 | 25 | 59 | 990   | 698 | 354 | 150 | 56 | 26 | 8  | 2 | 5  |
| Hispanic, female |       |    |    |    |       |     |     |     |    |    |    |   |    |
| 2007.....        | 540   | 37 | 46 | 28 | 124   | 130 | 96  | 44  | 20 | 6  | 7  | 1 | 1  |
| 2006.....        | 520   | 31 | 27 | 32 | 133   | 115 | 97  | 54  | 12 | 11 | 5  | 3 | -  |
| 2005.....        | 512   | 30 | 36 | 22 | 120   | 129 | 92  | 46  | 18 | 10 | 7  | 2 | -  |
| 2004.....        | 489   | 31 | 35 | 27 | 110   | 118 | 93  | 45  | 15 | 6  | 4  | 5 | -  |
| 2003.....        | 546   | 25 | 46 | 17 | 147   | 119 | 101 | 52  | 16 | 9  | 10 | 3 | 1  |
| 2002.....        | 494   | 24 | 32 | 27 | 119   | 114 | 97  | 50  | 15 | 4  | 10 | 1 | 1  |
| 2001 4/.....     | 575   | 22 | 31 | 18 | 123   | 160 | 116 | 58  | 23 | 12 | 8  | 1 | 3  |
| 2000.....        | 486   | 28 | 27 | 20 | 112   | 113 | 88  | 53  | 20 | 14 | 8  | 2 | 1  |
| 1999.....        | 465   | 27 | 27 | 30 | 129   | 103 | 78  | 47  | 13 | 7  | 3  | 1 | -  |

Worktable Orig290F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2007

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data - mortality"]

---

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, sex, and year

|  | All ages | Under 1 year | 1-4 years | 5-14 years | 15-24 years | 25-34 years | 35-44 years | 45-54 years | 55-64 years | 65-74 years | 75-84 years | 85 years and over | Age not stated |
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|

---

Assault (homicide) (\*U01-\*U02,X85-Y09,Y87.1)

| Non-Hispanic 1/, both sexes |        |     |     |     |       |       |       |       |     |     |     |     |    |
|-----------------------------|--------|-----|-----|-----|-------|-------|-------|-------|-----|-----|-----|-----|----|
| 2007.....                   | 14,798 | 268 | 319 | 267 | 4,230 | 3,714 | 2,530 | 1,880 | 880 | 373 | 250 | 77  | 10 |
| 2006.....                   | 14,959 | 252 | 303 | 295 | 4,350 | 3,710 | 2,469 | 1,933 | 913 | 365 | 266 | 95  | 8  |
| 2005.....                   | 14,504 | 245 | 292 | 278 | 4,132 | 3,646 | 2,567 | 1,785 | 786 | 404 | 260 | 105 | 4  |
| 2004.....                   | 13,965 | 247 | 297 | 261 | 3,830 | 3,506 | 2,488 | 1,745 | 793 | 415 | 279 | 93  | 11 |
| 2003.....                   | 14,245 | 278 | 293 | 271 | 4,045 | 3,520 | 2,588 | 1,757 | 705 | 381 | 291 | 97  | 19 |
| 2002.....                   | 14,346 | 246 | 340 | 289 | 3,983 | 3,548 | 2,746 | 1,682 | 747 | 388 | 273 | 92  | 12 |
| 2001 4/.....                | 16,726 | 270 | 343 | 269 | 4,028 | 4,178 | 3,652 | 2,182 | 916 | 480 | 296 | 101 | 11 |
| 2000.....                   | 13,717 | 291 | 299 | 293 | 3,776 | 3,337 | 2,749 | 1,526 | 652 | 402 | 285 | 95  | 12 |
| 1999.....                   | 13,873 | 270 | 323 | 341 | 3,860 | 3,402 | 2,743 | 1,452 | 642 | 437 | 292 | 95  | 16 |
| Non-Hispanic 1/, male       |        |     |     |     |       |       |       |       |     |     |     |     |    |
| 2007.....                   | 11,529 | 159 | 182 | 159 | 3,635 | 3,105 | 1,868 | 1,358 | 647 | 248 | 139 | 24  | 5  |
| 2006.....                   | 11,639 | 147 | 172 | 183 | 3,759 | 3,087 | 1,817 | 1,411 | 651 | 239 | 133 | 34  | 6  |
| 2005.....                   | 11,288 | 143 | 168 | 164 | 3,555 | 3,033 | 1,870 | 1,352 | 578 | 256 | 122 | 43  | 4  |
| 2004.....                   | 10,699 | 121 | 159 | 159 | 3,240 | 2,898 | 1,824 | 1,278 | 566 | 277 | 133 | 35  | 9  |
| 2003.....                   | 10,969 | 168 | 166 | 179 | 3,455 | 2,868 | 1,894 | 1,282 | 503 | 243 | 156 | 42  | 13 |
| 2002.....                   | 10,881 | 131 | 184 | 157 | 3,362 | 2,852 | 2,002 | 1,213 | 536 | 248 | 148 | 39  | 9  |
| 2001 4/.....                | 12,608 | 161 | 199 | 154 | 3,401 | 3,309 | 2,632 | 1,612 | 651 | 294 | 147 | 39  | 9  |
| 2000.....                   | 10,290 | 174 | 168 | 170 | 3,159 | 2,650 | 1,939 | 1,115 | 473 | 254 | 146 | 37  | 5  |
| 1999.....                   | 10,275 | 158 | 168 | 191 | 3,188 | 2,624 | 1,930 | 1,063 | 476 | 275 | 153 | 39  | 10 |

Worktable Orig290F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2007

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data - mortality"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, sex, and year | All ages | Under 1 year | 1-4 years | 5-14 years | 15-24 years | 25-34 years | 35-44 years | 45-54 years | 55-64 years | 65-74 years | 75-84 years | 85 years and over | Age not stated |
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|

Assault (homicide) (\*U01-\*U02,X85-Y09,Y87.1)

| Non-Hispanic 1/, female        |       |     |     |     |       |       |       |       |     |     |     |    |    |
|--------------------------------|-------|-----|-----|-----|-------|-------|-------|-------|-----|-----|-----|----|----|
| 2007.....                      | 3,269 | 109 | 137 | 108 | 595   | 609   | 662   | 522   | 233 | 125 | 111 | 53 | 5  |
| 2006.....                      | 3,320 | 105 | 131 | 112 | 591   | 623   | 652   | 522   | 262 | 126 | 133 | 61 | 2  |
| 2005.....                      | 3,216 | 102 | 124 | 114 | 577   | 613   | 697   | 433   | 208 | 148 | 138 | 62 | -  |
| 2004.....                      | 3,266 | 126 | 138 | 102 | 590   | 608   | 664   | 467   | 227 | 138 | 146 | 58 | 2  |
| 2003.....                      | 3,276 | 110 | 127 | 92  | 590   | 652   | 694   | 475   | 202 | 138 | 135 | 55 | 6  |
| 2002.....                      | 3,465 | 115 | 156 | 132 | 621   | 696   | 744   | 469   | 211 | 140 | 125 | 53 | 3  |
| 2001 4/.....                   | 4,118 | 109 | 144 | 115 | 627   | 869   | 1,020 | 570   | 265 | 186 | 149 | 62 | 2  |
| 2000.....                      | 3,427 | 117 | 131 | 123 | 617   | 687   | 810   | 411   | 179 | 148 | 139 | 58 | 7  |
| 1999.....                      | 3,598 | 112 | 155 | 150 | 672   | 778   | 813   | 389   | 166 | 162 | 139 | 56 | 6  |
| Non-Hispanic white, both sexes |       |     |     |     |       |       |       |       |     |     |     |    |    |
| 2007 2/.....                   | 5,512 | 150 | 147 | 119 | 937   | 1,054 | 1,072 | 1,018 | 519 | 252 | 178 | 58 | 8  |
| 2006 2/.....                   | 5,408 | 145 | 133 | 134 | 900   | 931   | 1,039 | 1,021 | 563 | 245 | 213 | 77 | 7  |
| 2005 2/.....                   | 5,325 | 139 | 138 | 111 | 895   | 973   | 1,099 | 920   | 502 | 260 | 200 | 84 | 4  |
| 2004 2/.....                   | 5,427 | 137 | 131 | 119 | 917   | 976   | 1,124 | 933   | 504 | 292 | 210 | 75 | 9  |
| 2003 2/.....                   | 5,367 | 156 | 123 | 109 | 907   | 953   | 1,147 | 947   | 455 | 254 | 220 | 80 | 16 |
| 2002.....                      | 5,571 | 117 | 169 | 133 | 958   | 977   | 1,268 | 898   | 496 | 275 | 197 | 73 | 10 |
| 2001 4/.....                   | 7,928 | 139 | 160 | 164 | 1,058 | 1,642 | 2,081 | 1,373 | 652 | 342 | 225 | 85 | 7  |
| 2000.....                      | 5,429 | 141 | 144 | 164 | 874   | 1,023 | 1,273 | 834   | 415 | 264 | 211 | 78 | 8  |
| 1999.....                      | 5,748 | 143 | 156 | 176 | 962   | 1,135 | 1,327 | 814   | 418 | 319 | 214 | 76 | 8  |

Worktable Orig290F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2007

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data - mortality"]

---

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, sex, and year

|  | All ages | Under 1 year | 1-4 years | 5-14 years | 15-24 years | 25-34 years | 35-44 years | 45-54 years | 55-64 years | 65-74 years | 75-84 years | 85 years and over | Age not stated |
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|

---

Assault (homicide) (\*U01-\*U02,X85-Y09,Y87.1)

| Non-Hispanic white, male   |       |    |    |    |     |       |       |     |     |     |     |    |    |
|----------------------------|-------|----|----|----|-----|-------|-------|-----|-----|-----|-----|----|----|
| 2007 2/.....               | 3,669 | 86 | 87 | 57 | 658 | 755   | 711   | 696 | 352 | 159 | 89  | 15 | 4  |
| 2006 2/.....               | 3,575 | 76 | 77 | 68 | 638 | 664   | 700   | 703 | 377 | 143 | 98  | 26 | 5  |
| 2005 2/.....               | 3,515 | 82 | 74 | 61 | 639 | 664   | 710   | 664 | 355 | 151 | 84  | 27 | 4  |
| 2004 2/.....               | 3,561 | 72 | 73 | 70 | 624 | 672   | 751   | 649 | 343 | 180 | 95  | 25 | 7  |
| 2003 2/.....               | 3,550 | 94 | 61 | 72 | 665 | 648   | 747   | 645 | 303 | 153 | 115 | 36 | 11 |
| 2002.....                  | 3,661 | 70 | 89 | 61 | 685 | 660   | 874   | 586 | 332 | 166 | 99  | 32 | 7  |
| 2001 4/.....               | 5,453 | 84 | 95 | 83 | 729 | 1,177 | 1,498 | 990 | 454 | 197 | 110 | 31 | 5  |
| 2000.....                  | 3,510 | 96 | 86 | 93 | 588 | 677   | 836   | 560 | 288 | 153 | 101 | 28 | 4  |
| 1999.....                  | 3,747 | 94 | 83 | 93 | 644 | 753   | 881   | 579 | 293 | 188 | 109 | 27 | 3  |
| Non-Hispanic white, female |       |    |    |    |     |       |       |     |     |     |     |    |    |
| 2007 2/.....               | 1,843 | 64 | 60 | 62 | 279 | 299   | 361   | 322 | 167 | 93  | 89  | 43 | 4  |
| 2006 2/.....               | 1,833 | 69 | 56 | 66 | 262 | 267   | 339   | 318 | 186 | 102 | 115 | 51 | 2  |
| 2005 2/.....               | 1,810 | 57 | 64 | 50 | 256 | 309   | 389   | 256 | 147 | 109 | 116 | 57 | -  |
| 2004 2/.....               | 1,866 | 65 | 58 | 49 | 293 | 304   | 373   | 284 | 161 | 112 | 115 | 50 | 2  |
| 2003 2/.....               | 1,817 | 62 | 62 | 37 | 242 | 305   | 400   | 302 | 152 | 101 | 105 | 44 | 5  |
| 2002.....                  | 1,910 | 47 | 80 | 72 | 273 | 317   | 394   | 312 | 164 | 109 | 98  | 41 | 3  |
| 2001 4/.....               | 2,475 | 55 | 65 | 81 | 329 | 465   | 583   | 383 | 198 | 145 | 115 | 54 | 2  |
| 2000.....                  | 1,919 | 45 | 58 | 71 | 286 | 346   | 437   | 274 | 127 | 111 | 110 | 50 | 4  |
| 1999.....                  | 2,001 | 49 | 73 | 83 | 318 | 382   | 446   | 235 | 125 | 131 | 105 | 49 | 5  |

Worktable Orig290F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2007

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data - mortality"]

---

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, sex, and year

|  | All ages | Under 1 year | 1-4 years | 5-14 years | 15-24 years | 25-34 years | 35-44 years | 45-54 years | 55-64 years | 65-74 years | 75-84 years | 85 years and over | Age not stated |
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|

---

Assault (homicide) (\*U01-\*U02,X85-Y09,Y87.1)

| Non-Hispanic black, both sexes |       |     |     |     |       |       |       |     |     |     |    |    |   |
|--------------------------------|-------|-----|-----|-----|-------|-------|-------|-----|-----|-----|----|----|---|
| 2007 2/                        | 8,746 | 106 | 160 | 138 | 3,162 | 2,524 | 1,355 | 796 | 316 | 105 | 66 | 17 | 1 |
| 2006 2/                        | 8,902 | 101 | 150 | 147 | 3,253 | 2,635 | 1,331 | 812 | 304 | 106 | 45 | 17 | 1 |
| 2005 2/                        | 8,522 | 91  | 138 | 145 | 3,030 | 2,538 | 1,351 | 785 | 244 | 124 | 58 | 18 | - |
| 2004 2/                        | 8,000 | 100 | 154 | 130 | 2,771 | 2,405 | 1,276 | 732 | 247 | 104 | 62 | 17 | 2 |
| 2003 2/                        | 8,276 | 106 | 155 | 147 | 2,955 | 2,443 | 1,335 | 731 | 218 | 105 | 63 | 16 | 2 |
| 2002                           | 8,147 | 114 | 156 | 132 | 2,854 | 2,425 | 1,357 | 710 | 216 | 95  | 69 | 17 | 2 |
| 2001 4/                        | 8,077 | 119 | 166 | 92  | 2,817 | 2,335 | 1,427 | 704 | 219 | 117 | 63 | 14 | 4 |
| 2000                           | 7,748 | 139 | 143 | 122 | 2,771 | 2,193 | 1,359 | 615 | 201 | 123 | 64 | 14 | 4 |
| 1999                           | 7,536 | 114 | 151 | 145 | 2,752 | 2,122 | 1,305 | 557 | 194 | 103 | 67 | 18 | 8 |
| Non-Hispanic black, male       |       |     |     |     |       |       |       |     |     |     |    |    |   |
| 2007 2/                        | 7,477 | 67  | 88  | 94  | 2,871 | 2,249 | 1,090 | 617 | 266 | 78  | 49 | 8  | - |
| 2006 2/                        | 7,566 | 66  | 81  | 104 | 2,946 | 2,315 | 1,052 | 640 | 240 | 84  | 30 | 7  | 1 |
| 2005 2/                        | 7,288 | 51  | 88  | 93  | 2,750 | 2,270 | 1,075 | 624 | 193 | 93  | 37 | 14 | - |
| 2004 2/                        | 6,730 | 45  | 79  | 81  | 2,495 | 2,130 | 1,005 | 574 | 190 | 83  | 36 | 10 | 2 |
| 2003 2/                        | 6,980 | 60  | 96  | 98  | 2,642 | 2,128 | 1,078 | 576 | 178 | 78  | 39 | 6  | 1 |
| 2002                           | 6,780 | 54  | 89  | 84  | 2,540 | 2,092 | 1,042 | 572 | 180 | 72  | 47 | 6  | 2 |
| 2001 4/                        | 6,658 | 68  | 100 | 66  | 2,551 | 1,998 | 1,036 | 544 | 165 | 85  | 34 | 7  | 4 |
| 2000                           | 6,382 | 73  | 73  | 70  | 2,459 | 1,883 | 1,027 | 498 | 159 | 93  | 39 | 7  | 1 |
| 1999                           | 6,131 | 58  | 74  | 89  | 2,433 | 1,771 | 980   | 431 | 159 | 79  | 39 | 11 | 7 |

Worktable Orig290F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2007

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data - mortality"]

---

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, sex, and year

|  | All ages | Under 1 year | 1-4 years | 5-14 years | 15-24 years | 25-34 years | 35-44 years | 45-54 years | 55-64 years | 65-74 years | 75-84 years | 85 years and over | Age not stated |
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|

---

Assault (homicide) (\*U01-\*U02,X85-Y09,Y87.1)

Non-Hispanic black, female

|              |       |    |    |    |     |     |     |     |    |    |    |    |   |
|--------------|-------|----|----|----|-----|-----|-----|-----|----|----|----|----|---|
| 2007 2/..... | 1,269 | 39 | 72 | 44 | 291 | 275 | 265 | 179 | 50 | 27 | 17 | 9  | 1 |
| 2006 2/..... | 1,336 | 35 | 69 | 43 | 307 | 320 | 279 | 172 | 64 | 22 | 15 | 10 | - |
| 2005 2/..... | 1,234 | 40 | 50 | 52 | 280 | 268 | 276 | 161 | 51 | 31 | 21 | 4  | - |
| 2004 2/..... | 1,270 | 55 | 75 | 49 | 276 | 275 | 271 | 158 | 57 | 21 | 26 | 7  | - |
| 2003 2/..... | 1,296 | 46 | 59 | 49 | 313 | 315 | 257 | 155 | 40 | 27 | 24 | 10 | 1 |
| 2002.....    | 1,367 | 60 | 67 | 48 | 314 | 333 | 315 | 138 | 36 | 23 | 22 | 11 | - |
| 2001 4/..... | 1,419 | 51 | 66 | 26 | 266 | 337 | 391 | 160 | 54 | 32 | 29 | 7  | - |
| 2000.....    | 1,366 | 66 | 70 | 52 | 312 | 310 | 332 | 117 | 42 | 30 | 25 | 7  | 3 |
| 1999.....    | 1,405 | 56 | 77 | 56 | 319 | 351 | 325 | 126 | 35 | 24 | 28 | 7  | 1 |

Origin not stated 3/, both sexes

|              |     |   |   |   |    |    |    |    |    |   |   |   |    |
|--------------|-----|---|---|---|----|----|----|----|----|---|---|---|----|
| 2007.....    | 97  | 3 | 3 | 3 | 26 | 16 | 20 | 7  | 5  | 3 | 2 | - | 9  |
| 2006.....    | 90  | 3 | 1 | - | 24 | 20 | 14 | 13 | 5  | 2 | - | - | 8  |
| 2005.....    | 100 | 1 | 1 | 1 | 27 | 21 | 22 | 11 | 5  | - | - | 1 | 10 |
| 2004.....    | 121 | 5 | - | 1 | 20 | 27 | 19 | 25 | 2  | 2 | 1 | - | 19 |
| 2003.....    | 132 | 3 | 1 | - | 37 | 25 | 20 | 14 | 6  | 5 | 3 | 2 | 16 |
| 2002.....    | 163 | 5 | 2 | 3 | 36 | 38 | 29 | 17 | 7  | 4 | 4 | - | 18 |
| 2001 4/..... | 251 | 7 | 3 | 1 | 47 | 66 | 49 | 37 | 20 | 7 | - | 1 | 13 |
| 2000.....    | 131 | 4 | - | 2 | 37 | 17 | 23 | 18 | 9  | 5 | - | 1 | 15 |
| 1999.....    | 152 | 8 | 1 | 2 | 19 | 28 | 31 | 19 | 11 | 3 | 1 | 1 | 28 |

Worktable Orig290F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2007

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data - mortality"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, sex, and year | All ages | Under 1 year | 1-4 years | 5-14 years | 15-24 years | 25-34 years | 35-44 years | 45-54 years | 55-64 years | 65-74 years | 75-84 years | 85 years and over | Age not stated |
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|

Assault (homicide) (\*U01-\*U02,X85-Y09,Y87.1)

| Origin not stated 3/, male   |     |   |   |   |    |    |    |    |    |   |   |   |    |
|------------------------------|-----|---|---|---|----|----|----|----|----|---|---|---|----|
| 2007.....                    | 83  | 3 | 1 | 3 | 23 | 16 | 15 | 5  | 5  | 2 | 1 | - | 9  |
| 2006.....                    | 74  | 2 | 1 | - | 22 | 16 | 12 | 8  | 5  | 1 | - | - | 7  |
| 2005.....                    | 80  | - | - | - | 23 | 19 | 19 | 9  | 5  | - | - | - | 5  |
| 2004.....                    | 97  | 4 | - | 1 | 15 | 22 | 16 | 21 | 2  | 2 | - | - | 14 |
| 2003.....                    | 104 | 2 | - | - | 30 | 21 | 13 | 12 | 6  | 5 | 2 | 2 | 11 |
| 2002.....                    | 124 | 5 | 1 | 3 | 31 | 28 | 17 | 15 | 6  | 4 | 1 | - | 13 |
| 2001 4/.....                 | 191 | 3 | 1 | 1 | 41 | 48 | 39 | 30 | 13 | 5 | - | 1 | 9  |
| 2000.....                    | 99  | 3 | - | 1 | 30 | 14 | 21 | 11 | 7  | 3 | - | 1 | 8  |
| 1999.....                    | 111 | 3 | 1 | - | 13 | 24 | 23 | 16 | 9  | 3 | 1 | - | 18 |
| Origin not stated 3/, female |     |   |   |   |    |    |    |    |    |   |   |   |    |
| 2007.....                    | 14  | - | 2 | - | 3  | -  | 5  | 2  | -  | 1 | 1 | - | -  |
| 2006.....                    | 16  | 1 | - | - | 2  | 4  | 2  | 5  | -  | 1 | - | - | 1  |
| 2005.....                    | 20  | 1 | 1 | 1 | 4  | 2  | 3  | 2  | -  | - | - | 1 | 5  |
| 2004.....                    | 24  | 1 | - | - | 5  | 5  | 3  | 4  | -  | - | 1 | - | 5  |
| 2003.....                    | 28  | 1 | 1 | - | 7  | 4  | 7  | 2  | -  | - | 1 | - | 5  |
| 2002.....                    | 39  | - | 1 | - | 5  | 10 | 12 | 2  | 1  | - | 3 | - | 5  |
| 2001 4/.....                 | 60  | 4 | 2 | - | 6  | 18 | 10 | 7  | 7  | 2 | - | - | 4  |
| 2000.....                    | 32  | 1 | - | 1 | 7  | 3  | 2  | 7  | 2  | 2 | - | - | 7  |
| 1999.....                    | 41  | 5 | - | 2 | 6  | 4  | 8  | 3  | 2  | - | - | 1 | 10 |



Worktable Orig290F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2007

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data - mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, sex, and year

|  | All ages | Under 1 year | 1-4 years | 5-14 years | 15-24 years | 25-34 years | 35-44 years | 45-54 years | 55-64 years | 65-74 years | 75-84 years | 85 years and over | Age not stated |
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|

Assault (homicide) by discharge of firearms (\*U01.4,X93-X95)

| All origins, both sexes |        |    |    |     |       |       |       |       |     |     |     |    |    |
|-------------------------|--------|----|----|-----|-------|-------|-------|-------|-----|-----|-----|----|----|
| 2007.....               | 12,632 | 15 | 48 | 201 | 4,669 | 3,751 | 2,038 | 1,159 | 446 | 185 | 88  | 23 | 9  |
| 2006.....               | 12,791 | 6  | 42 | 237 | 4,827 | 3,767 | 1,987 | 1,185 | 468 | 158 | 84  | 22 | 8  |
| 2005.....               | 12,352 | 6  | 37 | 187 | 4,499 | 3,780 | 2,010 | 1,097 | 405 | 201 | 97  | 24 | 9  |
| 2004.....               | 11,624 | 6  | 36 | 184 | 4,127 | 3,503 | 1,895 | 1,062 | 468 | 193 | 100 | 29 | 21 |
| 2003.....               | 11,920 | 8  | 40 | 187 | 4,410 | 3,540 | 1,941 | 1,110 | 394 | 161 | 88  | 23 | 18 |
| 2002.....               | 11,829 | 9  | 49 | 205 | 4,317 | 3,465 | 2,042 | 1,025 | 409 | 161 | 115 | 19 | 13 |
| 2001.....               | 11,348 | 11 | 55 | 180 | 4,200 | 3,308 | 1,978 | 934   | 364 | 192 | 99  | 16 | 11 |
| 2000.....               | 10,801 | 12 | 28 | 187 | 3,963 | 3,074 | 1,906 | 959   | 367 | 184 | 81  | 28 | 12 |
| 1999.....               | 10,828 | 8  | 50 | 224 | 4,038 | 3,048 | 1,868 | 893   | 373 | 193 | 95  | 23 | 15 |
| All origins, male       |        |    |    |     |       |       |       |       |     |     |     |    |    |
| 2007.....               | 10,767 | 11 | 23 | 141 | 4,199 | 3,324 | 1,645 | 902   | 341 | 121 | 48  | 3  | 9  |
| 2006.....               | 10,886 | 2  | 25 | 167 | 4,375 | 3,322 | 1,586 | 909   | 339 | 104 | 41  | 8  | 8  |
| 2005.....               | 10,561 | 6  | 22 | 131 | 4,096 | 3,344 | 1,599 | 859   | 312 | 131 | 44  | 10 | 7  |
| 2004.....               | 9,921  | 2  | 18 | 134 | 3,718 | 3,111 | 1,556 | 821   | 347 | 138 | 41  | 15 | 20 |
| 2003.....               | 10,126 | 7  | 20 | 134 | 3,977 | 3,125 | 1,535 | 860   | 292 | 115 | 35  | 10 | 16 |
| 2002.....               | 9,899  | 3  | 30 | 127 | 3,851 | 3,017 | 1,623 | 761   | 301 | 101 | 64  | 9  | 12 |
| 2001.....               | 9,532  | 7  | 27 | 125 | 3,796 | 2,864 | 1,528 | 726   | 264 | 123 | 54  | 7  | 11 |
| 2000.....               | 9,006  | 9  | 17 | 138 | 3,548 | 2,650 | 1,487 | 730   | 266 | 108 | 37  | 9  | 7  |
| 1999.....               | 8,944  | 5  | 26 | 155 | 3,569 | 2,609 | 1,414 | 676   | 294 | 124 | 48  | 10 | 14 |

Worktable Orig290F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2007

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data - mortality"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, sex, and year | All ages | Under 1 year | 1-4 years | 5-14 years | 15-24 years | 25-34 years | 35-44 years | 45-54 years | 55-64 years | 65-74 years | 75-84 years | 85 years and over | Age not stated |
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|
| Assault (homicide) by discharge of firearms (*U01.4,X93-X95)   |          |              |           |            |             |             |             |             |             |             |             |                   |                |
| All origins, female  |          |              |           |            |             |             |             |             |             |             |             |                   |                |
| 2007.....  | 1,865    | 4            | 25        | 60         | 470         | 427         | 393         | 257         | 105         | 64          | 40          | 20                | -              |
| 2006.....  | 1,905    | 4            | 17        | 70         | 452         | 445         | 401         | 276         | 129         | 54          | 43          | 14                | -              |
| 2005.....  | 1,791    | -            | 15        | 56         | 403         | 436         | 411         | 238         | 93          | 70          | 53          | 14                | 2              |
| 2004.....  | 1,703    | 4            | 18        | 50         | 409         | 392         | 339         | 241         | 121         | 55          | 59          | 14                | 1              |
| 2003.....  | 1,794    | 1            | 20        | 53         | 433         | 415         | 406         | 250         | 102         | 46          | 53          | 13                | 2              |
| 2002.....  | 1,930    | 6            | 19        | 78         | 466         | 448         | 419         | 264         | 108         | 60          | 51          | 10                | 1              |
| 2001.....  | 1,816    | 4            | 28        | 55         | 404         | 444         | 450         | 208         | 100         | 69          | 45          | 9                 | -              |
| 2000.....  | 1,795    | 3            | 11        | 49         | 415         | 424         | 419         | 229         | 101         | 76          | 44          | 19                | 5              |
| 1999.....  | 1,884    | 3            | 24        | 69         | 469         | 439         | 454         | 217         | 79          | 69          | 47          | 13                | 1              |
| Hispanic, both sexes   |          |              |           |            |             |             |             |             |             |             |             |                   |                |
| 2007.....  | 2,385    | 6            | 8         | 45         | 1,052       | 753         | 321         | 142         | 39          | 11          | 4           | 1                 | 3              |
| 2006.....  | 2,472    | 1            | 10        | 61         | 1,110       | 756         | 343         | 137         | 40          | 7           | 3           | 2                 | 2              |
| 2005.....  | 2,453    | 1            | 6         | 38         | 1,040       | 829         | 338         | 143         | 31          | 20          | 4           | -                 | 3              |
| 2004.....  | 2,241    | 3            | 7         | 38         | 991         | 715         | 310         | 110         | 44          | 11          | 3           | 5                 | 4              |
| 2003.....  | 2,316    | 1            | 9         | 31         | 1,044       | 730         | 313         | 138         | 26          | 17          | 3           | -                 | 4              |
| 2002.....  | 2,168    | 2            | 12        | 40         | 976         | 679         | 294         | 116         | 31          | 9           | 4           | 1                 | 4              |
| 2001.....  | 2,123    | 4            | 12        | 30         | 974         | 654         | 306         | 102         | 20          | 14          | 3           | 1                 | 3              |
| 2000.....  | 1,958    | 1            | 5         | 41         | 904         | 581         | 249         | 126         | 34          | 14          | 1           | -                 | 2              |
| 1999.....  | 1,939    | 2            | 5         | 52         | 908         | 550         | 258         | 112         | 35          | 9           | 5           | 1                 | 2              |

Worktable Orig290F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2007

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data - mortality"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, sex, and year | All ages | Under 1 year | 1-4 years | 5-14 years | 15-24 years | 25-34 years | 35-44 years | 45-54 years | 55-64 years | 65-74 years | 75-84 years | 85 years and over | Age not stated |
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|

Assault (homicide) by discharge of firearms (\*U01.4,X93-X95)

| Hispanic, male   |       |   |   |    |       |     |     |     |    |    |   |   |   |
|------------------|-------|---|---|----|-------|-----|-----|-----|----|----|---|---|---|
| 2007.....        | 2,133 | 5 | 3 | 35 | 969   | 682 | 274 | 123 | 28 | 9  | 1 | 1 | 3 |
| 2006.....        | 2,223 | - | 7 | 47 | 1,032 | 690 | 290 | 113 | 34 | 4  | 3 | 1 | 2 |
| 2005.....        | 2,211 | 1 | 4 | 30 | 976   | 755 | 281 | 118 | 26 | 15 | 2 | - | 3 |
| 2004.....        | 2,031 | 1 | 4 | 26 | 924   | 660 | 268 | 92  | 37 | 10 | 1 | 4 | 4 |
| 2003.....        | 2,069 | 1 | 5 | 22 | 957   | 673 | 259 | 112 | 22 | 13 | 2 | - | 3 |
| 2002.....        | 1,942 | - | 8 | 29 | 909   | 619 | 245 | 91  | 26 | 7  | 3 | 1 | 4 |
| 2001.....        | 1,892 | 3 | 5 | 23 | 898   | 596 | 257 | 81  | 15 | 10 | - | 1 | 3 |
| 2000.....        | 1,738 | - | 3 | 34 | 837   | 524 | 207 | 99  | 26 | 7  | - | - | 1 |
| 1999.....        | 1,709 | 2 | 3 | 39 | 824   | 499 | 218 | 84  | 27 | 6  | 4 | 1 | 2 |
| Hispanic, female |       |   |   |    |       |     |     |     |    |    |   |   |   |
| 2007.....        | 252   | 1 | 5 | 10 | 83    | 71  | 47  | 19  | 11 | 2  | 3 | - | - |
| 2006.....        | 249   | 1 | 3 | 14 | 78    | 66  | 53  | 24  | 6  | 3  | - | 1 | - |
| 2005.....        | 242   | - | 2 | 8  | 64    | 74  | 57  | 25  | 5  | 5  | 2 | - | - |
| 2004.....        | 210   | 2 | 3 | 12 | 67    | 55  | 42  | 18  | 7  | 1  | 2 | 1 | - |
| 2003.....        | 247   | - | 4 | 9  | 87    | 57  | 54  | 26  | 4  | 4  | 1 | - | 1 |
| 2002.....        | 226   | 2 | 4 | 11 | 67    | 60  | 49  | 25  | 5  | 2  | 1 | - | - |
| 2001.....        | 231   | 1 | 7 | 7  | 76    | 58  | 49  | 21  | 5  | 4  | 3 | - | - |
| 2000.....        | 220   | 1 | 2 | 7  | 67    | 57  | 42  | 27  | 8  | 7  | 1 | - | 1 |
| 1999.....        | 230   | - | 2 | 13 | 84    | 51  | 40  | 28  | 8  | 3  | 1 | - | - |

Worktable Orig290F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2007

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data - mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, sex, and year

|  | All ages | Under 1 year | 1-4 years | 5-14 years | 15-24 years | 25-34 years | 35-44 years | 45-54 years | 55-64 years | 65-74 years | 75-84 years | 85 years and over | Age not stated |
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|

Assault (homicide) by discharge of firearms (\*U01.4,X93-X95)

| Non-Hispanic 1/, both sexes |          |              |           |            |             |             |             |             |             |             |             |                   |                |
|-----------------------------|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|
|                             | All ages | Under 1 year | 1-4 years | 5-14 years | 15-24 years | 25-34 years | 35-44 years | 45-54 years | 55-64 years | 65-74 years | 75-84 years | 85 years and over | Age not stated |
| 2007.....                   | 10,193   | 9            | 40        | 154        | 3,599       | 2,984       | 1,704       | 1,014       | 405         | 174         | 84          | 22                | 4              |
| 2006.....                   | 10,260   | 5            | 32        | 176        | 3,694       | 2,995       | 1,634       | 1,044       | 425         | 151         | 81          | 20                | 3              |
| 2005.....                   | 9,835    | 5            | 31        | 148        | 3,441       | 2,933       | 1,658       | 947         | 372         | 181         | 93          | 24                | 2              |
| 2004.....                   | 9,323    | 3            | 29        | 145        | 3,123       | 2,771       | 1,574       | 947         | 424         | 181         | 97          | 24                | 5              |
| 2003.....                   | 9,536    | 7            | 31        | 156        | 3,339       | 2,792       | 1,616       | 970         | 365         | 144         | 84          | 23                | 9              |
| 2002.....                   | 9,575    | 7            | 37        | 164        | 3,309       | 2,760       | 1,735       | 902         | 376         | 151         | 110         | 18                | 6              |
| 2001.....                   | 9,134    | 7            | 43        | 149        | 3,186       | 2,631       | 1,662       | 827         | 341         | 175         | 96          | 14                | 3              |
| 2000.....                   | 8,767    | 11           | 23        | 144        | 3,032       | 2,480       | 1,640       | 828         | 330         | 168         | 80          | 28                | 3              |
| 1999.....                   | 8,821    | 6            | 45        | 172        | 3,115       | 2,476       | 1,597       | 776         | 335         | 184         | 89          | 22                | 4              |
| Non-Hispanic 1/, male       |          |              |           |            |             |             |             |             |             |             |             |                   |                |
|                             | All ages | Under 1 year | 1-4 years | 5-14 years | 15-24 years | 25-34 years | 35-44 years | 45-54 years | 55-64 years | 65-74 years | 75-84 years | 85 years and over | Age not stated |
| 2007.....                   | 8,584    | 6            | 20        | 104        | 3,213       | 2,628       | 1,360       | 777         | 311         | 112         | 47          | 2                 | 4              |
| 2006.....                   | 8,613    | 2            | 18        | 120        | 3,322       | 2,620       | 1,288       | 793         | 302         | 100         | 38          | 7                 | 3              |
| 2005.....                   | 8,296    | 5            | 18        | 101        | 3,105       | 2,572       | 1,305       | 736         | 284         | 116         | 42          | 10                | 2              |
| 2004.....                   | 7,837    | 1            | 14        | 107        | 2,784       | 2,436       | 1,278       | 724         | 310         | 127         | 40          | 11                | 5              |
| 2003.....                   | 7,997    | 6            | 15        | 112        | 2,996       | 2,436       | 1,267       | 746         | 267         | 102         | 32          | 10                | 8              |
| 2002.....                   | 7,884    | 3            | 22        | 97         | 2,913       | 2,378       | 1,367       | 664         | 274         | 93          | 60          | 8                 | 5              |
| 2001.....                   | 7,559    | 4            | 22        | 101        | 2,863       | 2,246       | 1,264       | 641         | 246         | 110         | 54          | 5                 | 3              |
| 2000.....                   | 7,205    | 9            | 14        | 103        | 2,686       | 2,115       | 1,264       | 628         | 237         | 101         | 37          | 9                 | 2              |
| 1999.....                   | 7,177    | 3            | 23        | 116        | 2,734       | 2,091       | 1,184       | 588         | 264         | 118         | 43          | 9                 | 4              |

Worktable Orig290F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2007

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data - mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, sex, and year

|  | All ages | Under 1 year | 1-4 years | 5-14 years | 15-24 years | 25-34 years | 35-44 years | 45-54 years | 55-64 years | 65-74 years | 75-84 years | 85 years and over | Age not stated |
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|

Assault (homicide) by discharge of firearms (\*U01.4,X93-X95)

Non-Hispanic 1/, female

|           |       |   |    |    |     |     |     |     |     |    |    |    |   |
|-----------|-------|---|----|----|-----|-----|-----|-----|-----|----|----|----|---|
| 2007..... | 1,609 | 3 | 20 | 50 | 386 | 356 | 344 | 237 | 94  | 62 | 37 | 20 | - |
| 2006..... | 1,647 | 3 | 14 | 56 | 372 | 375 | 346 | 251 | 123 | 51 | 43 | 13 | - |
| 2005..... | 1,539 | - | 13 | 47 | 336 | 361 | 353 | 211 | 88  | 65 | 51 | 14 | - |
| 2004..... | 1,486 | 2 | 15 | 38 | 339 | 335 | 296 | 223 | 114 | 54 | 57 | 13 | - |
| 2003..... | 1,539 | 1 | 16 | 44 | 343 | 356 | 349 | 224 | 98  | 42 | 52 | 13 | 1 |
| 2002..... | 1,691 | 4 | 15 | 67 | 396 | 382 | 368 | 238 | 102 | 58 | 50 | 10 | 1 |
| 2001..... | 1,575 | 3 | 21 | 48 | 323 | 385 | 398 | 186 | 95  | 65 | 42 | 9  | - |
| 2000..... | 1,562 | 2 | 9  | 41 | 346 | 365 | 376 | 200 | 93  | 67 | 43 | 19 | 1 |
| 1999..... | 1,644 | 3 | 22 | 56 | 381 | 385 | 413 | 188 | 71  | 66 | 46 | 13 | - |

Non-Hispanic white, both sexes

|              |       |   |    |    |     |     |     |     |     |     |    |    |   |
|--------------|-------|---|----|----|-----|-----|-----|-----|-----|-----|----|----|---|
| 2007 2/..... | 3,053 | 4 | 19 | 57 | 645 | 724 | 654 | 514 | 230 | 122 | 63 | 18 | 3 |
| 2006 2/..... | 2,860 | 1 | 13 | 69 | 589 | 602 | 625 | 508 | 274 | 96  | 65 | 15 | 3 |
| 2005 2/..... | 2,871 | 3 | 17 | 51 | 563 | 633 | 655 | 489 | 241 | 120 | 78 | 19 | 2 |
| 2004 2/..... | 2,921 | - | 7  | 56 | 561 | 640 | 650 | 498 | 273 | 132 | 81 | 19 | 4 |
| 2003 2/..... | 2,883 | 1 | 11 | 51 | 610 | 613 | 649 | 516 | 242 | 99  | 65 | 20 | 6 |
| 2002.....    | 3,052 | 1 | 22 | 66 | 642 | 636 | 735 | 483 | 253 | 107 | 87 | 16 | 4 |
| 2001.....    | 3,085 | 4 | 21 | 90 | 618 | 681 | 759 | 460 | 235 | 126 | 75 | 14 | 2 |
| 2000.....    | 2,861 | 4 | 12 | 72 | 544 | 624 | 729 | 445 | 224 | 118 | 63 | 24 | 2 |
| 1999.....    | 2,995 | 2 | 21 | 80 | 591 | 694 | 749 | 416 | 215 | 140 | 67 | 20 | - |

Worktable Orig290F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2007

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data - mortality"]

---

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, sex, and year

|  | All ages | Under 1 year | 1-4 years | 5-14 years | 15-24 years | 25-34 years | 35-44 years | 45-54 years | 55-64 years | 65-74 years | 75-84 years | 85 years and over | Age not stated |
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|

---

Assault (homicide) by discharge of firearms (\*U01.4,X93-X95)

| Non-Hispanic white, male   |       |   |    |    |     |     |     |     |     |    |    |    |   |
|----------------------------|-------|---|----|----|-----|-----|-----|-----|-----|----|----|----|---|
| 2007 2/.....               | 2,165 | 3 | 11 | 30 | 474 | 549 | 473 | 358 | 162 | 71 | 30 | 1  | 3 |
| 2006 2/.....               | 2,008 | - | 8  | 39 | 454 | 460 | 447 | 338 | 179 | 54 | 23 | 3  | 3 |
| 2005 2/.....               | 2,018 | 3 | 9  | 33 | 437 | 462 | 444 | 351 | 174 | 68 | 30 | 5  | 2 |
| 2004 2/.....               | 2,083 | - | 3  | 39 | 416 | 492 | 471 | 353 | 186 | 80 | 32 | 7  | 4 |
| 2003 2/.....               | 2,068 | - | 3  | 37 | 489 | 456 | 445 | 366 | 166 | 68 | 23 | 9  | 6 |
| 2002.....                  | 2,139 | 1 | 12 | 34 | 488 | 465 | 531 | 321 | 174 | 58 | 44 | 8  | 3 |
| 2001.....                  | 2,172 | 2 | 12 | 56 | 468 | 495 | 536 | 335 | 155 | 69 | 37 | 5  | 2 |
| 2000.....                  | 1,967 | 2 | 6  | 47 | 401 | 444 | 510 | 311 | 149 | 63 | 25 | 8  | 1 |
| 1999.....                  | 2,119 | 2 | 11 | 50 | 443 | 515 | 514 | 308 | 157 | 84 | 27 | 8  | - |
| Non-Hispanic white, female |       |   |    |    |     |     |     |     |     |    |    |    |   |
| 2007 2/.....               | 888   | 1 | 8  | 27 | 171 | 175 | 181 | 156 | 68  | 51 | 33 | 17 | - |
| 2006 2/.....               | 852   | 1 | 5  | 30 | 135 | 142 | 178 | 170 | 95  | 42 | 42 | 12 | - |
| 2005 2/.....               | 853   | - | 8  | 18 | 126 | 171 | 211 | 138 | 67  | 52 | 48 | 14 | - |
| 2004 2/.....               | 838   | - | 4  | 17 | 145 | 148 | 179 | 145 | 87  | 52 | 49 | 12 | - |
| 2003 2/.....               | 815   | 1 | 8  | 14 | 121 | 157 | 204 | 150 | 76  | 31 | 42 | 11 | - |
| 2002.....                  | 913   | - | 10 | 32 | 154 | 171 | 204 | 162 | 79  | 49 | 43 | 8  | 1 |
| 2001.....                  | 913   | 2 | 9  | 34 | 150 | 186 | 223 | 125 | 80  | 57 | 38 | 9  | - |
| 2000.....                  | 894   | 2 | 6  | 25 | 143 | 180 | 219 | 134 | 75  | 55 | 38 | 16 | 1 |
| 1999.....                  | 876   | - | 10 | 30 | 148 | 179 | 235 | 108 | 58  | 56 | 40 | 12 | - |

Worktable Orig290F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2007

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data - mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, sex, and year

|  | All ages | Under 1 year | 1-4 years | 5-14 years | 15-24 years | 25-34 years | 35-44 years | 45-54 years | 55-64 years | 65-74 years | 75-84 years | 85 years and over | Age not stated |
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|

Assault (homicide) by discharge of firearms (\*U01.4,X93-X95)

Non-Hispanic black, both sexes

|              |       |   |    |    |       |       |     |     |     |    |    |   |   |
|--------------|-------|---|----|----|-------|-------|-----|-----|-----|----|----|---|---|
| 2007 2/..... | 6,867 | 5 | 19 | 91 | 2,872 | 2,186 | 999 | 463 | 162 | 46 | 20 | 4 | - |
| 2006 2/..... | 7,021 | 4 | 19 | 99 | 2,952 | 2,301 | 964 | 481 | 133 | 50 | 14 | 4 | - |
| 2005 2/..... | 6,600 | 2 | 13 | 86 | 2,726 | 2,216 | 949 | 426 | 108 | 54 | 15 | 5 | - |
| 2004 2/..... | 6,119 | 3 | 19 | 80 | 2,474 | 2,063 | 879 | 408 | 132 | 41 | 14 | 5 | 1 |
| 2003 2/..... | 6,319 | 6 | 19 | 95 | 2,606 | 2,100 | 909 | 415 | 106 | 42 | 16 | 3 | 2 |
| 2002.....    | 6,181 | 6 | 14 | 80 | 2,547 | 2,048 | 931 | 385 | 107 | 39 | 20 | 2 | 2 |
| 2001.....    | 5,790 | 2 | 18 | 56 | 2,490 | 1,874 | 864 | 332 | 92  | 43 | 18 | - | 1 |
| 2000.....    | 5,622 | 7 | 8  | 68 | 2,396 | 1,790 | 854 | 347 | 85  | 45 | 17 | 4 | 1 |
| 1999.....    | 5,508 | 2 | 18 | 81 | 2,426 | 1,695 | 796 | 320 | 104 | 39 | 21 | 2 | 4 |

Non-Hispanic black, male

|              |       |   |    |    |       |       |     |     |     |    |    |   |   |
|--------------|-------|---|----|----|-------|-------|-----|-----|-----|----|----|---|---|
| 2007 2/..... | 6,192 | 3 | 8  | 68 | 2,666 | 2,014 | 849 | 390 | 140 | 36 | 17 | 1 | - |
| 2006 2/..... | 6,292 | 2 | 10 | 74 | 2,727 | 2,085 | 813 | 413 | 111 | 41 | 13 | 3 | - |
| 2005 2/..... | 5,977 | 2 | 9  | 63 | 2,537 | 2,039 | 816 | 359 | 91  | 44 | 12 | 5 | - |
| 2004 2/..... | 5,518 | 1 | 9  | 61 | 2,292 | 1,889 | 767 | 341 | 107 | 39 | 7  | 4 | 1 |
| 2003 2/..... | 5,666 | 6 | 11 | 67 | 2,404 | 1,914 | 780 | 351 | 89  | 33 | 9  | 1 | 1 |
| 2002.....    | 5,482 | 2 | 9  | 54 | 2,325 | 1,854 | 784 | 317 | 88  | 32 | 15 | - | 2 |
| 2001.....    | 5,190 | 1 | 9  | 43 | 2,329 | 1,697 | 700 | 280 | 78  | 37 | 15 | - | 1 |
| 2000.....    | 5,011 | 7 | 5  | 52 | 2,206 | 1,616 | 715 | 290 | 69  | 37 | 12 | 1 | 1 |
| 1999.....    | 4,826 | 1 | 7  | 60 | 2,208 | 1,512 | 636 | 256 | 94  | 31 | 16 | 1 | 4 |

Worktable Orig290F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2007

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data - mortality"]

---

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, sex, and year

|  | All ages | Under 1 year | 1-4 years | 5-14 years | 15-24 years | 25-34 years | 35-44 years | 45-54 years | 55-64 years | 65-74 years | 75-84 years | 85 years and over | Age not stated |
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|

---

Assault (homicide) by discharge of firearms (\*U01.4,X93-X95)

| Non-Hispanic black, female       |          |              |           |            |             |             |             |             |             |             |             |                   |                |
|----------------------------------|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|
|                                  | All ages | Under 1 year | 1-4 years | 5-14 years | 15-24 years | 25-34 years | 35-44 years | 45-54 years | 55-64 years | 65-74 years | 75-84 years | 85 years and over | Age not stated |
| 2007 2/.....                     | 675      | 2            | 11        | 23         | 206         | 172         | 150         | 73          | 22          | 10          | 3           | 3                 | -              |
| 2006 2/.....                     | 729      | 2            | 9         | 25         | 225         | 216         | 151         | 68          | 22          | 9           | 1           | 1                 | -              |
| 2005 2/.....                     | 623      | -            | 4         | 23         | 189         | 177         | 133         | 67          | 17          | 10          | 3           | -                 | -              |
| 2004 2/.....                     | 601      | 2            | 10        | 19         | 182         | 174         | 112         | 67          | 25          | 2           | 7           | 1                 | -              |
| 2003 2/.....                     | 653      | -            | 8         | 28         | 202         | 186         | 129         | 64          | 17          | 9           | 7           | 2                 | 1              |
| 2002.....                        | 699      | 4            | 5         | 26         | 222         | 194         | 147         | 68          | 19          | 7           | 5           | 2                 | -              |
| 2001.....                        | 600      | 1            | 9         | 13         | 161         | 177         | 164         | 52          | 14          | 6           | 3           | -                 | -              |
| 2000.....                        | 611      | -            | 3         | 16         | 190         | 174         | 139         | 57          | 16          | 8           | 5           | 3                 | -              |
| 1999.....                        | 682      | 1            | 11        | 21         | 218         | 183         | 160         | 64          | 10          | 8           | 5           | 1                 | -              |
| Origin not stated 3/, both sexes |          |              |           |            |             |             |             |             |             |             |             |                   |                |
| 2007.....                        | 54       | -            | -         | 2          | 18          | 14          | 13          | 3           | 2           | -           | -           | -                 | 2              |
| 2006.....                        | 59       | -            | -         | -          | 23          | 16          | 10          | 4           | 3           | -           | -           | -                 | 3              |
| 2005.....                        | 64       | -            | -         | 1          | 18          | 18          | 14          | 7           | 2           | -           | -           | -                 | 4              |
| 2004.....                        | 60       | -            | -         | 1          | 13          | 17          | 11          | 5           | -           | 1           | -           | -                 | 12             |
| 2003.....                        | 68       | -            | -         | -          | 27          | 18          | 12          | 2           | 3           | -           | 1           | -                 | 5              |
| 2002.....                        | 86       | -            | -         | 1          | 32          | 26          | 13          | 7           | 2           | 1           | 1           | -                 | 3              |
| 2001.....                        | 91       | -            | -         | 1          | 40          | 23          | 10          | 5           | 3           | 3           | -           | 1                 | 5              |
| 2000.....                        | 76       | -            | -         | 2          | 27          | 13          | 17          | 5           | 3           | 2           | -           | -                 | 7              |
| 1999.....                        | 68       | -            | -         | -          | 15          | 22          | 13          | 5           | 3           | -           | 1           | -                 | 9              |



Worktable Orig290F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2007

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data - mortality"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, sex, and year | All ages | Under 1 year | 1-4 years | 5-14 years | 15-24 years | 25-34 years | 35-44 years | 45-54 years | 55-64 years | 65-74 years | 75-84 years | 85 years and over | Age not stated |
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|

Assault (homicide) by discharge of firearms (\*U01.4,X93-X95)

| Origin not stated 3/, male   |    |   |   |   |    |    |    |   |   |   |   |   |    |
|------------------------------|----|---|---|---|----|----|----|---|---|---|---|---|----|
| 2007.....                    | 50 | - | - | 2 | 17 | 14 | 11 | 2 | 2 | - | - | - | 2  |
| 2006.....                    | 50 | - | - | - | 21 | 12 | 8  | 3 | 3 | - | - | - | 3  |
| 2005.....                    | 54 | - | - | - | 15 | 17 | 13 | 5 | 2 | - | - | - | 2  |
| 2004.....                    | 53 | - | - | 1 | 10 | 15 | 10 | 5 | - | 1 | - | - | 11 |
| 2003.....                    | 60 | - | - | - | 24 | 16 | 9  | 2 | 3 | - | 1 | - | 5  |
| 2002.....                    | 73 | - | - | 1 | 29 | 20 | 11 | 6 | 1 | 1 | 1 | - | 3  |
| 2001.....                    | 81 | - | - | 1 | 35 | 22 | 7  | 4 | 3 | 3 | - | 1 | 5  |
| 2000.....                    | 63 | - | - | 1 | 25 | 11 | 16 | 3 | 3 | - | - | - | 4  |
| 1999.....                    | 58 | - | - | - | 11 | 19 | 12 | 4 | 3 | - | 1 | - | 8  |
| Origin not stated 3/, female |    |   |   |   |    |    |    |   |   |   |   |   |    |
| 2007.....                    | 4  | - | - | - | 1  | -  | 2  | 1 | - | - | - | - | -  |
| 2006.....                    | 9  | - | - | - | 2  | 4  | 2  | 1 | - | - | - | - | -  |
| 2005.....                    | 10 | - | - | 1 | 3  | 1  | 1  | 2 | - | - | - | - | 2  |
| 2004.....                    | 7  | - | - | - | 3  | 2  | 1  | - | - | - | - | - | 1  |
| 2003.....                    | 8  | - | - | - | 3  | 2  | 3  | - | - | - | - | - | -  |
| 2002.....                    | 13 | - | - | - | 3  | 6  | 2  | 1 | 1 | - | - | - | -  |
| 2001.....                    | 10 | - | - | - | 5  | 1  | 3  | 1 | - | - | - | - | -  |
| 2000.....                    | 13 | - | - | 1 | 2  | 2  | 1  | 2 | - | 2 | - | - | 3  |
| 1999.....                    | 10 | - | - | - | 4  | 3  | 1  | 1 | - | - | - | - | 1  |

Worktable Orig290F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2007

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data - mortality"]

---

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, sex, and year

|  | All ages | Under 1 year | 1-4 years | 5-14 years | 15-24 years | 25-34 years | 35-44 years | 45-54 years | 55-64 years | 65-74 years | 75-84 years | 85 years and over | Age not stated |
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|

---

Assault (homicide) by other and unspecified means and their sequelae (\*U01.0-\*U01.3,\*U01.5-\*U01.9,\*U02.X85-X92,X96-Y09,Y87.1)

All origins, both sexes

|              |       |     |     |     |       |       |       |       |     |     |     |    |    |
|--------------|-------|-----|-----|-----|-------|-------|-------|-------|-----|-----|-----|----|----|
| 2007.....    | 5,729 | 337 | 350 | 145 | 882   | 1,007 | 1,014 | 981   | 534 | 226 | 180 | 57 | 16 |
| 2006.....    | 5,782 | 330 | 324 | 153 | 890   | 958   | 1,033 | 1,024 | 544 | 240 | 195 | 80 | 11 |
| 2005.....    | 5,772 | 300 | 338 | 154 | 967   | 972   | 1,099 | 963   | 457 | 239 | 186 | 85 | 12 |
| 2004.....    | 5,733 | 319 | 341 | 145 | 958   | 992   | 1,089 | 946   | 411 | 253 | 189 | 75 | 15 |
| 2003.....    | 5,812 | 333 | 336 | 137 | 958   | 976   | 1,169 | 907   | 392 | 271 | 229 | 81 | 23 |
| 2002.....    | 5,809 | 294 | 374 | 151 | 902   | 1,024 | 1,197 | 890   | 432 | 260 | 181 | 76 | 28 |
| 2001 4/..... | 8,960 | 321 | 360 | 146 | 1,097 | 1,896 | 2,290 | 1,533 | 654 | 340 | 213 | 89 | 21 |
| 2000.....    | 5,964 | 337 | 328 | 184 | 976   | 1,090 | 1,313 | 796   | 371 | 259 | 220 | 72 | 18 |
| 1999.....    | 6,061 | 323 | 326 | 208 | 960   | 1,183 | 1,338 | 775   | 349 | 280 | 209 | 76 | 34 |

All origins, male

|              |       |     |     |    |     |       |       |       |     |     |     |    |    |
|--------------|-------|-----|-----|----|-----|-------|-------|-------|-----|-----|-----|----|----|
| 2007.....    | 3,771 | 195 | 190 | 69 | 630 | 695   | 644   | 670   | 386 | 158 | 101 | 23 | 10 |
| 2006.....    | 3,831 | 197 | 183 | 79 | 616 | 661   | 683   | 719   | 399 | 156 | 100 | 30 | 8  |
| 2005.....    | 3,815 | 167 | 192 | 73 | 669 | 664   | 718   | 720   | 324 | 151 | 94  | 34 | 9  |
| 2004.....    | 3,657 | 165 | 186 | 66 | 662 | 653   | 668   | 671   | 290 | 164 | 97  | 26 | 9  |
| 2003.....    | 3,756 | 198 | 182 | 81 | 647 | 616   | 773   | 628   | 276 | 170 | 136 | 36 | 13 |
| 2002.....    | 3,741 | 161 | 204 | 70 | 623 | 652   | 763   | 633   | 313 | 176 | 94  | 32 | 20 |
| 2001 4/..... | 6,023 | 190 | 211 | 68 | 745 | 1,293 | 1,594 | 1,106 | 459 | 209 | 101 | 35 | 12 |
| 2000.....    | 3,814 | 194 | 181 | 89 | 655 | 711   | 832   | 554   | 271 | 171 | 117 | 31 | 8  |
| 1999.....    | 3,841 | 182 | 168 | 95 | 622 | 737   | 893   | 553   | 247 | 180 | 114 | 31 | 19 |

Worktable Orig290F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2007

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data - mortality"]

---

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, sex, and year

|  | All ages | Under 1 year | 1-4 years | 5-14 years | 15-24 years | 25-34 years | 35-44 years | 45-54 years | 55-64 years | 65-74 years | 75-84 years | 85 years and over | Age not stated |
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|

---

Assault (homicide) by other and unspecified means and their sequelae (\*U01.0-\*U01.3,\*U01.5-\*U01.9,\*U02.X85-X92,X96-Y09,Y87.1)

All origins, female

|              |       |     |     |     |     |     |     |     |     |     |     |    |    |
|--------------|-------|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|----|----|
| 2007.....    | 1,958 | 142 | 160 | 76  | 252 | 312 | 370 | 311 | 148 | 68  | 79  | 34 | 6  |
| 2006.....    | 1,951 | 133 | 141 | 74  | 274 | 297 | 350 | 305 | 145 | 84  | 95  | 50 | 3  |
| 2005.....    | 1,957 | 133 | 146 | 81  | 298 | 308 | 381 | 243 | 133 | 88  | 92  | 51 | 3  |
| 2004.....    | 2,076 | 154 | 155 | 79  | 296 | 339 | 421 | 275 | 121 | 89  | 92  | 49 | 6  |
| 2003.....    | 2,056 | 135 | 154 | 56  | 311 | 360 | 396 | 279 | 116 | 101 | 93  | 45 | 10 |
| 2002.....    | 2,068 | 133 | 170 | 81  | 279 | 372 | 434 | 257 | 119 | 84  | 87  | 44 | 8  |
| 2001 4/..... | 2,937 | 131 | 149 | 78  | 352 | 603 | 696 | 427 | 195 | 131 | 112 | 54 | 9  |
| 2000.....    | 2,150 | 143 | 147 | 95  | 321 | 379 | 481 | 242 | 100 | 88  | 103 | 41 | 10 |
| 1999.....    | 2,220 | 141 | 158 | 113 | 338 | 446 | 445 | 222 | 102 | 100 | 95  | 45 | 15 |

Hispanic, both sexes

|              |       |    |    |    |     |     |     |     |    |    |    |   |   |
|--------------|-------|----|----|----|-----|-----|-----|-----|----|----|----|---|---|
| 2007.....    | 1,081 | 75 | 68 | 31 | 243 | 275 | 181 | 111 | 56 | 24 | 12 | 2 | 3 |
| 2006.....    | 1,052 | 80 | 52 | 34 | 233 | 239 | 194 | 126 | 54 | 24 | 10 | 5 | 1 |
| 2005.....    | 1,067 | 59 | 76 | 24 | 267 | 256 | 182 | 121 | 40 | 16 | 19 | 3 | 4 |
| 2004.....    | 1,030 | 70 | 73 | 29 | 244 | 247 | 167 | 128 | 40 | 18 | 6  | 6 | 2 |
| 2003.....    | 1,039 | 59 | 73 | 22 | 242 | 241 | 189 | 108 | 49 | 29 | 20 | 5 | 2 |
| 2002.....    | 961   | 50 | 69 | 24 | 224 | 224 | 170 | 100 | 56 | 20 | 15 | 2 | 7 |
| 2001 4/..... | 1,208 | 51 | 57 | 26 | 248 | 306 | 261 | 146 | 62 | 31 | 13 | 2 | 5 |
| 2000.....    | 959   | 53 | 52 | 35 | 222 | 229 | 198 | 85  | 43 | 22 | 15 | 4 | 1 |
| 1999.....    | 925   | 51 | 47 | 37 | 211 | 251 | 174 | 85  | 34 | 24 | 6  | 2 | 3 |

Worktable Orig290F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2007

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data - mortality"]

---

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, sex, and year

|  | All ages | Under 1 year | 1-4 years | 5-14 years | 15-24 years | 25-34 years | 35-44 years | 45-54 years | 55-64 years | 65-74 years | 75-84 years | 85 years and over | Age not stated |
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|

---

Assault (homicide) by other and unspecified means and their sequelae (\*U01.0-\*U01.3,\*U01.5-\*U01.9,\*U02,X85-X92,X96-Y09,Y87.1)

| Hispanic, male   |          |              |           |            |             |             |             |             |             |             |             |                   |                |
|------------------|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|
|                  | All ages | Under 1 year | 1-4 years | 5-14 years | 15-24 years | 25-34 years | 35-44 years | 45-54 years | 55-64 years | 65-74 years | 75-84 years | 85 years and over | Age not stated |
| 2007.....        | 793      | 39           | 27        | 13         | 202         | 216         | 132         | 86          | 47          | 20          | 8           | 1                 | 2              |
| 2006.....        | 781      | 50           | 28        | 16         | 178         | 190         | 150         | 96          | 48          | 16          | 5           | 3                 | 1              |
| 2005.....        | 797      | 29           | 42        | 10         | 211         | 201         | 147         | 100         | 27          | 11          | 14          | 1                 | 4              |
| 2004.....        | 751      | 41           | 41        | 14         | 201         | 184         | 116         | 101         | 32          | 13          | 4           | 2                 | 2              |
| 2003.....        | 740      | 34           | 31        | 14         | 182         | 179         | 142         | 82          | 37          | 24          | 11          | 2                 | 2              |
| 2002.....        | 693      | 28           | 41        | 8          | 172         | 170         | 122         | 75          | 46          | 18          | 6           | 1                 | 6              |
| 2001 4/.....     | 864      | 30           | 33        | 15         | 201         | 204         | 194         | 109         | 44          | 23          | 8           | 1                 | 2              |
| 2000.....        | 693      | 26           | 27        | 22         | 177         | 173         | 152         | 59          | 31          | 15          | 8           | 2                 | 1              |
| 1999.....        | 690      | 24           | 22        | 20         | 166         | 199         | 136         | 66          | 29          | 20          | 4           | 1                 | 3              |
| Hispanic, female |          |              |           |            |             |             |             |             |             |             |             |                   |                |
|                  | All ages | Under 1 year | 1-4 years | 5-14 years | 15-24 years | 25-34 years | 35-44 years | 45-54 years | 55-64 years | 65-74 years | 75-84 years | 85 years and over | Age not stated |
| 2007.....        | 288      | 36           | 41        | 18         | 41          | 59          | 49          | 25          | 9           | 4           | 4           | 1                 | 1              |
| 2006.....        | 271      | 30           | 24        | 18         | 55          | 49          | 44          | 30          | 6           | 8           | 5           | 2                 | -              |
| 2005.....        | 270      | 30           | 34        | 14         | 56          | 55          | 35          | 21          | 13          | 5           | 5           | 2                 | -              |
| 2004.....        | 279      | 29           | 32        | 15         | 43          | 63          | 51          | 27          | 8           | 5           | 2           | 4                 | -              |
| 2003.....        | 299      | 25           | 42        | 8          | 60          | 62          | 47          | 26          | 12          | 5           | 9           | 3                 | -              |
| 2002.....        | 268      | 22           | 28        | 16         | 52          | 54          | 48          | 25          | 10          | 2           | 9           | 1                 | 1              |
| 2001 4/.....     | 344      | 21           | 24        | 11         | 47          | 102         | 67          | 37          | 18          | 8           | 5           | 1                 | 3              |
| 2000.....        | 266      | 27           | 25        | 13         | 45          | 56          | 46          | 26          | 12          | 7           | 7           | 2                 | -              |
| 1999.....        | 235      | 27           | 25        | 17         | 45          | 52          | 38          | 19          | 5           | 4           | 2           | 1                 | -              |

Worktable Orig290F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2007

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data - mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, sex, and year

|  | All ages | Under 1 year | 1-4 years | 5-14 years | 15-24 years | 25-34 years | 35-44 years | 45-54 years | 55-64 years | 65-74 years | 75-84 years | 85 years and over | Age not stated |
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|

Assault (homicide) by other and unspecified means and their sequelae (\*U01.0-\*U01.3,\*U01.5-\*U01.9,\*U02.X85-X92,X96-Y09,Y87.1)

Non-Hispanic 1/, both sexes

|              |       |     |     |     |     |       |       |       |     |     |     |    |    |
|--------------|-------|-----|-----|-----|-----|-------|-------|-------|-----|-----|-----|----|----|
| 2007.....    | 4,605 | 259 | 279 | 113 | 631 | 730   | 826   | 866   | 475 | 199 | 166 | 55 | 6  |
| 2006.....    | 4,699 | 247 | 271 | 119 | 656 | 715   | 835   | 889   | 488 | 214 | 185 | 75 | 5  |
| 2005.....    | 4,669 | 240 | 261 | 130 | 691 | 713   | 909   | 838   | 414 | 223 | 167 | 81 | 2  |
| 2004.....    | 4,642 | 244 | 268 | 116 | 707 | 735   | 914   | 798   | 369 | 234 | 182 | 69 | 6  |
| 2003.....    | 4,709 | 271 | 262 | 115 | 706 | 728   | 972   | 787   | 340 | 237 | 207 | 74 | 10 |
| 2002.....    | 4,771 | 239 | 303 | 125 | 674 | 788   | 1,011 | 780   | 371 | 237 | 163 | 74 | 6  |
| 2001 4/..... | 7,592 | 263 | 300 | 120 | 842 | 1,547 | 1,990 | 1,355 | 575 | 305 | 200 | 87 | 8  |
| 2000.....    | 4,950 | 280 | 276 | 149 | 744 | 857   | 1,109 | 698   | 322 | 234 | 205 | 67 | 9  |
| 1999.....    | 5,052 | 264 | 278 | 169 | 745 | 926   | 1,146 | 676   | 307 | 253 | 203 | 73 | 12 |

Non-Hispanic 1/, male

|              |       |     |     |    |     |       |       |     |     |     |     |    |   |
|--------------|-------|-----|-----|----|-----|-------|-------|-----|-----|-----|-----|----|---|
| 2007.....    | 2,945 | 153 | 162 | 55 | 422 | 477   | 508   | 581 | 336 | 136 | 92  | 22 | 1 |
| 2006.....    | 3,026 | 145 | 154 | 63 | 437 | 467   | 529   | 618 | 349 | 139 | 95  | 27 | 3 |
| 2005.....    | 2,992 | 138 | 150 | 63 | 450 | 461   | 565   | 616 | 294 | 140 | 80  | 33 | 2 |
| 2004.....    | 2,862 | 120 | 145 | 52 | 456 | 462   | 546   | 554 | 256 | 150 | 93  | 24 | 4 |
| 2003.....    | 2,972 | 162 | 151 | 67 | 459 | 432   | 627   | 536 | 236 | 141 | 124 | 32 | 5 |
| 2002.....    | 2,997 | 128 | 162 | 60 | 449 | 474   | 635   | 549 | 262 | 155 | 88  | 31 | 4 |
| 2001 4/..... | 5,049 | 157 | 177 | 53 | 538 | 1,063 | 1,368 | 971 | 405 | 184 | 93  | 34 | 6 |
| 2000.....    | 3,085 | 165 | 154 | 67 | 473 | 535   | 675   | 487 | 236 | 153 | 109 | 28 | 3 |
| 1999.....    | 3,098 | 155 | 145 | 75 | 454 | 533   | 746   | 475 | 212 | 157 | 110 | 30 | 6 |

Worktable Orig290F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2007

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data - mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, sex, and year

|  | All ages | Under 1 year | 1-4 years | 5-14 years | 15-24 years | 25-34 years | 35-44 years | 45-54 years | 55-64 years | 65-74 years | 75-84 years | 85 years and over | Age not stated |
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|

Assault (homicide) by other and unspecified means and their sequelae (\*U01.0-\*U01.3,\*U01.5-\*U01.9,\*U02.X85-X92,X96-Y09,Y87.1)

Non-Hispanic 1/, female

|              |       |     |     |    |     |     |     |     |     |     |     |    |   |
|--------------|-------|-----|-----|----|-----|-----|-----|-----|-----|-----|-----|----|---|
| 2007.....    | 1,660 | 106 | 117 | 58 | 209 | 253 | 318 | 285 | 139 | 63  | 74  | 33 | 5 |
| 2006.....    | 1,673 | 102 | 117 | 56 | 219 | 248 | 306 | 271 | 139 | 75  | 90  | 48 | 2 |
| 2005.....    | 1,677 | 102 | 111 | 67 | 241 | 252 | 344 | 222 | 120 | 83  | 87  | 48 | - |
| 2004.....    | 1,780 | 124 | 123 | 64 | 251 | 273 | 368 | 244 | 113 | 84  | 89  | 45 | 2 |
| 2003.....    | 1,737 | 109 | 111 | 48 | 247 | 296 | 345 | 251 | 104 | 96  | 83  | 42 | 5 |
| 2002.....    | 1,774 | 111 | 141 | 65 | 225 | 314 | 376 | 231 | 109 | 82  | 75  | 43 | 2 |
| 2001 4/..... | 2,543 | 106 | 123 | 67 | 304 | 484 | 622 | 384 | 170 | 121 | 107 | 53 | 2 |
| 2000.....    | 1,865 | 115 | 122 | 82 | 271 | 322 | 434 | 211 | 86  | 81  | 96  | 39 | 6 |
| 1999.....    | 1,954 | 109 | 133 | 94 | 291 | 393 | 400 | 201 | 95  | 96  | 93  | 43 | 6 |

Non-Hispanic white, both sexes

|              |       |     |     |    |     |     |       |     |     |     |     |    |    |
|--------------|-------|-----|-----|----|-----|-----|-------|-----|-----|-----|-----|----|----|
| 2007 2/..... | 2,459 | 146 | 128 | 62 | 292 | 330 | 418   | 504 | 289 | 130 | 115 | 40 | 5  |
| 2006 2/..... | 2,548 | 144 | 120 | 65 | 311 | 329 | 414   | 513 | 289 | 149 | 148 | 62 | 4  |
| 2005 2/..... | 2,454 | 136 | 121 | 60 | 332 | 340 | 444   | 431 | 261 | 140 | 122 | 65 | 2  |
| 2004 2/..... | 2,506 | 137 | 124 | 63 | 356 | 336 | 474   | 435 | 231 | 160 | 129 | 56 | 5  |
| 2003 2/..... | 2,484 | 155 | 112 | 58 | 297 | 340 | 498   | 431 | 213 | 155 | 155 | 60 | 10 |
| 2002.....    | 2,519 | 116 | 147 | 67 | 316 | 341 | 533   | 415 | 243 | 168 | 110 | 57 | 6  |
| 2001 4/..... | 4,843 | 135 | 139 | 74 | 440 | 961 | 1,322 | 913 | 417 | 216 | 150 | 71 | 5  |
| 2000.....    | 2,568 | 137 | 132 | 92 | 330 | 399 | 544   | 389 | 191 | 146 | 148 | 54 | 6  |
| 1999.....    | 2,753 | 141 | 135 | 96 | 371 | 441 | 578   | 398 | 203 | 179 | 147 | 56 | 8  |

Worktable Orig290F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2007

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data - mortality"]

---

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, sex, and year

|  | All ages | Under 1 year | 1-4 years | 5-14 years | 15-24 years | 25-34 years | 35-44 years | 45-54 years | 55-64 years | 65-74 years | 75-84 years | 85 years and over | Age not stated |
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|

---

Assault (homicide) by other and unspecified means and their sequelae (\*U01.0-\*U01.3,\*U01.5-\*U01.9,\*U02.X85-X92,X96-Y09,Y87.1)

Non-Hispanic white, male

|              |       |    |    |    |     |     |     |     |     |     |    |    |   |
|--------------|-------|----|----|----|-----|-----|-----|-----|-----|-----|----|----|---|
| 2007 2/..... | 1,504 | 83 | 76 | 27 | 184 | 206 | 238 | 338 | 190 | 88  | 59 | 14 | 1 |
| 2006 2/..... | 1,567 | 76 | 69 | 29 | 184 | 204 | 253 | 365 | 198 | 89  | 75 | 23 | 2 |
| 2005 2/..... | 1,497 | 79 | 65 | 28 | 202 | 202 | 266 | 313 | 181 | 83  | 54 | 22 | 2 |
| 2004 2/..... | 1,478 | 72 | 70 | 31 | 208 | 180 | 280 | 296 | 157 | 100 | 63 | 18 | 3 |
| 2003 2/..... | 1,482 | 94 | 58 | 35 | 176 | 192 | 302 | 279 | 137 | 85  | 92 | 27 | 5 |
| 2002.....    | 1,522 | 69 | 77 | 27 | 197 | 195 | 343 | 265 | 158 | 108 | 55 | 24 | 4 |
| 2001 4/..... | 3,281 | 82 | 83 | 27 | 261 | 682 | 962 | 655 | 299 | 128 | 73 | 26 | 3 |
| 2000.....    | 1,543 | 94 | 80 | 46 | 187 | 233 | 326 | 249 | 139 | 90  | 76 | 20 | 3 |
| 1999.....    | 1,628 | 92 | 72 | 43 | 201 | 238 | 367 | 271 | 136 | 104 | 82 | 19 | 3 |

Non-Hispanic white, female

|              |       |    |    |    |     |     |     |     |     |    |    |    |   |
|--------------|-------|----|----|----|-----|-----|-----|-----|-----|----|----|----|---|
| 2007 2/..... | 955   | 63 | 52 | 35 | 108 | 124 | 180 | 166 | 99  | 42 | 56 | 26 | 4 |
| 2006 2/..... | 981   | 68 | 51 | 36 | 127 | 125 | 161 | 148 | 91  | 60 | 73 | 39 | 2 |
| 2005 2/..... | 957   | 57 | 56 | 32 | 130 | 138 | 178 | 118 | 80  | 57 | 68 | 43 | - |
| 2004 2/..... | 1,028 | 65 | 54 | 32 | 148 | 156 | 194 | 139 | 74  | 60 | 66 | 38 | 2 |
| 2003 2/..... | 1,002 | 61 | 54 | 23 | 121 | 148 | 196 | 152 | 76  | 70 | 63 | 33 | 5 |
| 2002.....    | 997   | 47 | 70 | 40 | 119 | 146 | 190 | 150 | 85  | 60 | 55 | 33 | 2 |
| 2001 4/..... | 1,562 | 53 | 56 | 47 | 179 | 279 | 360 | 258 | 118 | 88 | 77 | 45 | 2 |
| 2000.....    | 1,025 | 43 | 52 | 46 | 143 | 166 | 218 | 140 | 52  | 56 | 72 | 34 | 3 |
| 1999.....    | 1,125 | 49 | 63 | 53 | 170 | 203 | 211 | 127 | 67  | 75 | 65 | 37 | 5 |

Worktable Orig290F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2007

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data - mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, sex, and year

|  | All ages | Under 1 year | 1-4 years | 5-14 years | 15-24 years | 25-34 years | 35-44 years | 45-54 years | 55-64 years | 65-74 years | 75-84 years | 85 years and over | Age not stated |
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|

Assault (homicide) by other and unspecified means and their sequelae (\*U01.0-\*U01.3,\*U01.5-\*U01.9,\*U02.X85-X92,X96-Y09,Y87.1)

Non-Hispanic black, both sexes

|              |       |     |     |    |     |     |     |     |     |    |    |    |   |
|--------------|-------|-----|-----|----|-----|-----|-----|-----|-----|----|----|----|---|
| 2007 2/..... | 1,879 | 101 | 141 | 47 | 290 | 338 | 356 | 333 | 154 | 59 | 46 | 13 | 1 |
| 2006 2/..... | 1,881 | 97  | 131 | 48 | 301 | 334 | 367 | 331 | 171 | 56 | 31 | 13 | 1 |
| 2005 2/..... | 1,922 | 89  | 125 | 59 | 304 | 322 | 402 | 359 | 136 | 70 | 43 | 13 | - |
| 2004 2/..... | 1,881 | 97  | 135 | 50 | 297 | 342 | 397 | 324 | 115 | 63 | 48 | 12 | 1 |
| 2003 2/..... | 1,957 | 100 | 136 | 52 | 349 | 343 | 426 | 316 | 112 | 63 | 47 | 13 | - |
| 2002.....    | 1,966 | 108 | 142 | 52 | 307 | 377 | 426 | 325 | 109 | 56 | 49 | 15 | - |
| 2001 4/..... | 2,287 | 117 | 148 | 36 | 327 | 461 | 563 | 372 | 127 | 74 | 45 | 14 | 3 |
| 2000.....    | 2,126 | 132 | 135 | 54 | 375 | 403 | 505 | 268 | 116 | 78 | 47 | 10 | 3 |
| 1999.....    | 2,028 | 112 | 133 | 64 | 326 | 427 | 509 | 237 | 90  | 64 | 46 | 16 | 4 |

Non-Hispanic black, male

|              |       |    |    |    |     |     |     |     |     |    |    |    |   |
|--------------|-------|----|----|----|-----|-----|-----|-----|-----|----|----|----|---|
| 2007 2/..... | 1,285 | 64 | 80 | 26 | 205 | 235 | 241 | 227 | 126 | 42 | 32 | 7  | - |
| 2006 2/..... | 1,274 | 64 | 71 | 30 | 219 | 230 | 239 | 227 | 129 | 43 | 17 | 4  | 1 |
| 2005 2/..... | 1,311 | 49 | 79 | 30 | 213 | 231 | 259 | 265 | 102 | 49 | 25 | 9  | - |
| 2004 2/..... | 1,212 | 44 | 70 | 20 | 203 | 241 | 238 | 233 | 83  | 44 | 29 | 6  | 1 |
| 2003 2/..... | 1,314 | 54 | 85 | 31 | 238 | 214 | 298 | 225 | 89  | 45 | 30 | 5  | - |
| 2002.....    | 1,298 | 52 | 80 | 30 | 215 | 238 | 258 | 255 | 92  | 40 | 32 | 6  | - |
| 2001 4/..... | 1,468 | 67 | 91 | 23 | 222 | 301 | 336 | 264 | 87  | 48 | 19 | 7  | 3 |
| 2000.....    | 1,371 | 66 | 68 | 18 | 253 | 267 | 312 | 208 | 90  | 56 | 27 | 6  | - |
| 1999.....    | 1,305 | 57 | 67 | 29 | 225 | 259 | 344 | 175 | 65  | 48 | 23 | 10 | 3 |



Worktable Orig290F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2007

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data - mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, sex, and year

|  | All ages | Under 1 year | 1-4 years | 5-14 years | 15-24 years | 25-34 years | 35-44 years | 45-54 years | 55-64 years | 65-74 years | 75-84 years | 85 years and over | Age not stated |
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|

Assault (homicide) by other and unspecified means and their sequelae (\*U01.0-\*U01.3,\*U01.5-\*U01.9,\*U02.X85-X92,X96-Y09,Y87.1)

Non-Hispanic black, female

|              |     |    |    |    |     |     |     |     |    |    |    |   |   |
|--------------|-----|----|----|----|-----|-----|-----|-----|----|----|----|---|---|
| 2007 2/..... | 594 | 37 | 61 | 21 | 85  | 103 | 115 | 106 | 28 | 17 | 14 | 6 | 1 |
| 2006 2/..... | 607 | 33 | 60 | 18 | 82  | 104 | 128 | 104 | 42 | 13 | 14 | 9 | - |
| 2005 2/..... | 611 | 40 | 46 | 29 | 91  | 91  | 143 | 94  | 34 | 21 | 18 | 4 | - |
| 2004 2/..... | 669 | 53 | 65 | 30 | 94  | 101 | 159 | 91  | 32 | 19 | 19 | 6 | - |
| 2003 2/..... | 643 | 46 | 51 | 21 | 111 | 129 | 128 | 91  | 23 | 18 | 17 | 8 | - |
| 2002.....    | 668 | 56 | 62 | 22 | 92  | 139 | 168 | 70  | 17 | 16 | 17 | 9 | - |
| 2001 4/..... | 819 | 50 | 57 | 13 | 105 | 160 | 227 | 108 | 40 | 26 | 26 | 7 | - |
| 2000.....    | 755 | 66 | 67 | 36 | 122 | 136 | 193 | 60  | 26 | 22 | 20 | 4 | 3 |
| 1999.....    | 723 | 55 | 66 | 35 | 101 | 168 | 165 | 62  | 25 | 16 | 23 | 6 | 1 |

Origin not stated 3/, both sexes

|              |     |   |   |   |    |    |    |    |    |   |   |   |    |
|--------------|-----|---|---|---|----|----|----|----|----|---|---|---|----|
| 2007.....    | 43  | 3 | 3 | 1 | 8  | 2  | 7  | 4  | 3  | 3 | 2 | - | 7  |
| 2006.....    | 31  | 3 | 1 | - | 1  | 4  | 4  | 9  | 2  | 2 | - | - | 5  |
| 2005.....    | 36  | 1 | 1 | - | 9  | 3  | 8  | 4  | 3  | - | - | 1 | 6  |
| 2004.....    | 61  | 5 | - | - | 7  | 10 | 8  | 20 | 2  | 1 | 1 | - | 7  |
| 2003.....    | 64  | 3 | 1 | - | 10 | 7  | 8  | 12 | 3  | 5 | 2 | 2 | 11 |
| 2002.....    | 77  | 5 | 2 | 2 | 4  | 12 | 16 | 10 | 5  | 3 | 3 | - | 15 |
| 2001 4/..... | 160 | 7 | 3 | - | 7  | 43 | 39 | 32 | 17 | 4 | - | - | 8  |
| 2000.....    | 55  | 4 | - | - | 10 | 4  | 6  | 13 | 6  | 3 | - | 1 | 8  |
| 1999.....    | 84  | 8 | 1 | 2 | 4  | 6  | 18 | 14 | 8  | 3 | - | 1 | 19 |

Worktable Orig290F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2007

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data - mortality"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, sex, and year | All ages | Under 1 year | 1-4 years | 5-14 years | 15-24 years | 25-34 years | 35-44 years | 45-54 years | 55-64 years | 65-74 years | 75-84 years | 85 years and over | Age not stated |
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|

Assault (homicide) by other and unspecified means and their sequelae (\*U01.0-\*U01.3,\*U01.5-\*U01.9,\*U02.X85-X92,X96-Y09,Y87.1)

Origin not stated 3/, male

|              |     |   |   |   |   |    |    |    |    |   |   |   |    |
|--------------|-----|---|---|---|---|----|----|----|----|---|---|---|----|
| 2007.....    | 33  | 3 | 1 | 1 | 6 | 2  | 4  | 3  | 3  | 2 | 1 | - | 7  |
| 2006.....    | 24  | 2 | 1 | - | 1 | 4  | 4  | 5  | 2  | 1 | - | - | 4  |
| 2005.....    | 26  | - | - | - | 8 | 2  | 6  | 4  | 3  | - | - | - | 3  |
| 2004.....    | 44  | 4 | - | - | 5 | 7  | 6  | 16 | 2  | 1 | - | - | 3  |
| 2003.....    | 44  | 2 | - | - | 6 | 5  | 4  | 10 | 3  | 5 | 1 | 2 | 6  |
| 2002.....    | 51  | 5 | 1 | 2 | 2 | 8  | 6  | 9  | 5  | 3 | - | - | 10 |
| 2001 4/..... | 110 | 3 | 1 | - | 6 | 26 | 32 | 26 | 10 | 2 | - | - | 4  |
| 2000.....    | 36  | 3 | - | - | 5 | 3  | 5  | 8  | 4  | 3 | - | 1 | 4  |
| 1999.....    | 53  | 3 | 1 | - | 2 | 5  | 11 | 12 | 6  | 3 | - | - | 10 |

Origin not stated 3/, female

|              |    |   |   |   |   |    |    |   |   |   |   |   |   |
|--------------|----|---|---|---|---|----|----|---|---|---|---|---|---|
| 2007.....    | 10 | - | 2 | - | 2 | -  | 3  | 1 | - | 1 | 1 | - | - |
| 2006.....    | 7  | 1 | - | - | - | -  | -  | 4 | - | 1 | - | - | 1 |
| 2005.....    | 10 | 1 | 1 | - | 1 | 1  | 2  | - | - | - | - | 1 | 3 |
| 2004.....    | 17 | 1 | - | - | 2 | 3  | 2  | 4 | - | - | 1 | - | 4 |
| 2003.....    | 20 | 1 | 1 | - | 4 | 2  | 4  | 2 | - | - | 1 | - | 5 |
| 2002.....    | 26 | - | 1 | - | 2 | 4  | 10 | 1 | - | - | 3 | - | 5 |
| 2001 4/..... | 50 | 4 | 2 | - | 1 | 17 | 7  | 6 | 7 | 2 | - | - | 4 |
| 2000.....    | 19 | 1 | - | - | 5 | 1  | 1  | 5 | 2 | - | - | - | 4 |
| 1999.....    | 31 | 5 | - | 2 | 2 | 1  | 7  | 2 | 2 | - | - | 1 | 9 |

Worktable Orig290F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2007

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data - mortality"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, sex, and year | All ages | Under 1 year | 1-4 years | 5-14 years | 15-24 years | 25-34 years | 35-44 years | 45-54 years | 55-64 years | 65-74 years | 75-84 years | 85 years and over | Age not stated |
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|

Legal intervention (Y35,Y89.0)

All origins, both sexes

|           |     |   |   |   |    |     |     |    |    |   |   |   |   |
|-----------|-----|---|---|---|----|-----|-----|----|----|---|---|---|---|
| 2007..... | 412 | - | - | 1 | 97 | 127 | 96  | 64 | 19 | 5 | 2 | 1 | - |
| 2006..... | 434 | - | - | 1 | 85 | 141 | 115 | 66 | 17 | 7 | 1 | 1 | - |
| 2005..... | 414 | - | - | 1 | 83 | 110 | 124 | 56 | 30 | 7 | 3 | - | - |
| 2004..... | 372 | - | - | - | 80 | 106 | 104 | 58 | 12 | 7 | 5 | - | - |
| 2003..... | 423 | - | - | 2 | 93 | 135 | 117 | 51 | 19 | 4 | 2 | - | - |
| 2002..... | 384 | - | - | 3 | 91 | 102 | 109 | 56 | 16 | 6 | 1 | - | - |
| 2001..... | 396 | - | - | - | 88 | 107 | 115 | 51 | 24 | 6 | 4 | 1 | - |
| 2000..... | 359 | - | - | 3 | 73 | 110 | 101 | 55 | 10 | 5 | 1 | 1 | - |
| 1999..... | 398 | - | - | 1 | 67 | 136 | 121 | 50 | 20 | 2 | 1 | - | - |

All origins, male

|           |     |   |   |   |    |     |     |    |    |   |   |   |   |
|-----------|-----|---|---|---|----|-----|-----|----|----|---|---|---|---|
| 2007..... | 400 | - | - | 1 | 94 | 126 | 91  | 61 | 19 | 5 | 2 | 1 | - |
| 2006..... | 417 | - | - | 1 | 82 | 139 | 112 | 61 | 15 | 6 | 1 | - | - |
| 2005..... | 401 | - | - | 1 | 82 | 109 | 119 | 54 | 28 | 5 | 3 | - | - |
| 2004..... | 363 | - | - | - | 79 | 104 | 103 | 55 | 11 | 6 | 5 | - | - |
| 2003..... | 405 | - | - | 1 | 89 | 131 | 114 | 46 | 18 | 4 | 2 | - | - |
| 2002..... | 369 | - | - | 3 | 87 | 99  | 105 | 52 | 16 | 6 | 1 | - | - |
| 2001..... | 380 | - | - | - | 84 | 104 | 108 | 51 | 22 | 6 | 4 | 1 | - |
| 2000..... | 348 | - | - | 3 | 71 | 108 | 96  | 54 | 9  | 5 | 1 | 1 | - |
| 1999..... | 392 | - | - | 1 | 67 | 135 | 117 | 49 | 20 | 2 | 1 | - | - |

Worktable Orig290F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2007

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data - mortality"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, sex, and year | All ages | Under 1 year | 1-4 years | 5-14 years | 15-24 years | 25-34 years | 35-44 years | 45-54 years | 55-64 years | 65-74 years | 75-84 years | 85 years and over | Age not stated |
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|

Legal intervention (Y35,Y89.0)

All origins, female

|           |    |   |   |   |   |   |   |   |   |   |   |   |   |
|-----------|----|---|---|---|---|---|---|---|---|---|---|---|---|
| 2007..... | 12 | - | - | - | 3 | 1 | 5 | 3 | - | - | - | - | - |
| 2006..... | 17 | - | - | - | 3 | 2 | 3 | 5 | 2 | 1 | - | 1 | - |
| 2005..... | 13 | - | - | - | 1 | 1 | 5 | 2 | 2 | 2 | - | - | - |
| 2004..... | 9  | - | - | - | 1 | 2 | 1 | 3 | 1 | 1 | - | - | - |
| 2003..... | 18 | - | - | 1 | 4 | 4 | 3 | 5 | 1 | - | - | - | - |
| 2002..... | 15 | - | - | - | 4 | 3 | 4 | 4 | - | - | - | - | - |
| 2001..... | 16 | - | - | - | 4 | 3 | 7 | - | 2 | - | - | - | - |
| 2000..... | 11 | - | - | - | 2 | 2 | 5 | 1 | 1 | - | - | - | - |
| 1999..... | 6  | - | - | - | - | 1 | 4 | 1 | - | - | - | - | - |

Hispanic, both sexes

|           |    |   |   |   |    |    |    |    |   |   |   |   |   |
|-----------|----|---|---|---|----|----|----|----|---|---|---|---|---|
| 2007..... | 95 | - | - | 1 | 24 | 36 | 19 | 12 | 3 | - | - | - | - |
| 2006..... | 94 | - | - | - | 25 | 39 | 18 | 12 | - | - | - | - | - |
| 2005..... | 81 | - | - | - | 32 | 24 | 20 | 3  | 2 | - | - | - | - |
| 2004..... | 77 | - | - | - | 30 | 30 | 13 | 4  | - | - | - | - | - |
| 2003..... | 74 | - | - | 1 | 28 | 32 | 10 | 2  | - | 1 | - | - | - |
| 2002..... | 68 | - | - | 1 | 22 | 22 | 14 | 7  | 1 | 1 | - | - | - |
| 2001..... | 65 | - | - | - | 23 | 24 | 13 | 4  | 1 | - | - | - | - |
| 2000..... | 48 | - | - | 1 | 18 | 15 | 9  | 4  | 1 | - | - | - | - |
| 1999..... | 58 | - | - | - | 13 | 23 | 14 | 5  | 2 | 1 | - | - | - |



Worktable Orig290F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2007

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data - mortality"]

---

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, sex, and year

|  | All ages | Under 1 year | 1-4 years | 5-14 years | 15-24 years | 25-34 years | 35-44 years | 45-54 years | 55-64 years | 65-74 years | 75-84 years | 85 years and over | Age not stated |
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|

---

Legal intervention (Y35,Y89.0)

Non-Hispanic 1/, both sexes

|           |     |   |   |   |    |     |     |    |    |   |   |   |   |
|-----------|-----|---|---|---|----|-----|-----|----|----|---|---|---|---|
| 2007..... | 316 | - | - | - | 72 | 91  | 77  | 52 | 16 | 5 | 2 | 1 | - |
| 2006..... | 339 | - | - | 1 | 60 | 102 | 96  | 54 | 17 | 7 | 1 | 1 | - |
| 2005..... | 333 | - | - | 1 | 51 | 86  | 104 | 53 | 28 | 7 | 3 | - | - |
| 2004..... | 293 | - | - | - | 50 | 75  | 90  | 54 | 12 | 7 | 5 | - | - |
| 2003..... | 347 | - | - | 1 | 64 | 103 | 107 | 49 | 18 | 3 | 2 | - | - |
| 2002..... | 315 | - | - | 2 | 69 | 80  | 94  | 49 | 15 | 5 | 1 | - | - |
| 2001..... | 330 | - | - | - | 65 | 83  | 102 | 46 | 23 | 6 | 4 | 1 | - |
| 2000..... | 308 | - | - | 2 | 54 | 95  | 90  | 51 | 9  | 5 | 1 | 1 | - |
| 1999..... | 338 | - | - | 1 | 54 | 112 | 106 | 45 | 18 | 1 | 1 | - | - |

Non-Hispanic 1/, male

|           |     |   |   |   |    |     |     |    |    |   |   |   |   |
|-----------|-----|---|---|---|----|-----|-----|----|----|---|---|---|---|
| 2007..... | 304 | - | - | - | 69 | 90  | 72  | 49 | 16 | 5 | 2 | 1 | - |
| 2006..... | 324 | - | - | 1 | 57 | 101 | 94  | 49 | 15 | 6 | 1 | - | - |
| 2005..... | 320 | - | - | 1 | 50 | 85  | 99  | 51 | 26 | 5 | 3 | - | - |
| 2004..... | 284 | - | - | - | 49 | 73  | 89  | 51 | 11 | 6 | 5 | - | - |
| 2003..... | 330 | - | - | 1 | 60 | 99  | 104 | 44 | 17 | 3 | 2 | - | - |
| 2002..... | 301 | - | - | 2 | 65 | 78  | 90  | 45 | 15 | 5 | 1 | - | - |
| 2001..... | 314 | - | - | - | 61 | 80  | 95  | 46 | 21 | 6 | 4 | 1 | - |
| 2000..... | 298 | - | - | 2 | 53 | 93  | 85  | 50 | 8  | 5 | 1 | 1 | - |
| 1999..... | 332 | - | - | 1 | 54 | 111 | 102 | 44 | 18 | 1 | 1 | - | - |

Worktable Orig290F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2007

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data - mortality"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, sex, and year | All ages | Under 1 year | 1-4 years | 5-14 years | 15-24 years | 25-34 years | 35-44 years | 45-54 years | 55-64 years | 65-74 years | 75-84 years | 85 years and over | Age not stated |
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|

Legal intervention (Y35,Y89.0)

| Non-Hispanic 1/, female        |     |   |   |   |    |    |    |    |    |   |   |   |   |
|--------------------------------|-----|---|---|---|----|----|----|----|----|---|---|---|---|
| 2007.....                      | 12  | - | - | - | 3  | 1  | 5  | 3  | -  | - | - | - | - |
| 2006.....                      | 15  | - | - | - | 3  | 1  | 2  | 5  | 2  | 1 | - | 1 | - |
| 2005.....                      | 13  | - | - | - | 1  | 1  | 5  | 2  | 2  | 2 | - | - | - |
| 2004.....                      | 9   | - | - | - | 1  | 2  | 1  | 3  | 1  | 1 | - | - | - |
| 2003.....                      | 17  | - | - | - | 4  | 4  | 3  | 5  | 1  | - | - | - | - |
| 2002.....                      | 14  | - | - | - | 4  | 2  | 4  | 4  | -  | - | - | - | - |
| 2001.....                      | 16  | - | - | - | 4  | 3  | 7  | -  | 2  | - | - | - | - |
| 2000.....                      | 10  | - | - | - | 1  | 2  | 5  | 1  | 1  | - | - | - | - |
| 1999.....                      | 6   | - | - | - | -  | 1  | 4  | 1  | -  | - | - | - | - |
| Non-Hispanic white, both sexes |     |   |   |   |    |    |    |    |    |   |   |   |   |
| 2007 2/.....                   | 183 | - | - | - | 23 | 48 | 57 | 37 | 10 | 5 | 2 | 1 | - |
| 2006 2/.....                   | 208 | - | - | - | 30 | 52 | 63 | 41 | 14 | 7 | 1 | - | - |
| 2005 2/.....                   | 208 | - | - | - | 27 | 44 | 65 | 40 | 24 | 6 | 2 | - | - |
| 2004 2/.....                   | 187 | - | - | - | 27 | 37 | 67 | 38 | 8  | 5 | 5 | - | - |
| 2003 2/.....                   | 211 | - | - | - | 27 | 45 | 80 | 39 | 16 | 3 | 1 | - | - |
| 2002.....                      | 191 | - | - | - | 28 | 48 | 64 | 34 | 12 | 4 | 1 | - | - |
| 2001.....                      | 230 | - | - | - | 37 | 56 | 74 | 36 | 17 | 6 | 4 | - | - |
| 2000.....                      | 187 | - | - | - | 26 | 57 | 52 | 39 | 8  | 3 | 1 | 1 | - |
| 1999.....                      | 197 | - | - | - | 20 | 62 | 65 | 35 | 13 | 1 | 1 | - | - |

Worktable Orig290F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2007

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data - mortality"]

---

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, sex, and year

|  | All ages | Under 1 year | 1-4 years | 5-14 years | 15-24 years | 25-34 years | 35-44 years | 45-54 years | 55-64 years | 65-74 years | 75-84 years | 85 years and over | Age not stated |
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|

---

Legal intervention (Y35,Y89.0)

Non-Hispanic white, male

|              |     |   |   |   |    |    |    |    |    |   |   |   |   |
|--------------|-----|---|---|---|----|----|----|----|----|---|---|---|---|
| 2007 2/..... | 174 | - | - | - | 22 | 47 | 52 | 35 | 10 | 5 | 2 | 1 | - |
| 2006 2/..... | 196 | - | - | - | 28 | 51 | 61 | 37 | 12 | 6 | 1 | - | - |
| 2005 2/..... | 196 | - | - | - | 26 | 43 | 61 | 38 | 22 | 4 | 2 | - | - |
| 2004 2/..... | 181 | - | - | - | 26 | 36 | 66 | 36 | 8  | 4 | 5 | - | - |
| 2003 2/..... | 199 | - | - | - | 25 | 43 | 77 | 35 | 15 | 3 | 1 | - | - |
| 2002.....    | 181 | - | - | - | 25 | 47 | 62 | 30 | 12 | 4 | 1 | - | - |
| 2001.....    | 221 | - | - | - | 35 | 55 | 69 | 36 | 16 | 6 | 4 | - | - |
| 2000.....    | 182 | - | - | - | 25 | 55 | 51 | 39 | 7  | 3 | 1 | 1 | - |
| 1999.....    | 192 | - | - | - | 20 | 62 | 61 | 34 | 13 | 1 | 1 | - | - |

Non-Hispanic white, female

|              |    |   |   |   |   |   |   |   |   |   |   |   |   |
|--------------|----|---|---|---|---|---|---|---|---|---|---|---|---|
| 2007 2/..... | 9  | - | - | - | 1 | 1 | 5 | 2 | - | - | - | - | - |
| 2006 2/..... | 12 | - | - | - | 2 | 1 | 2 | 4 | 2 | 1 | - | - | - |
| 2005 2/..... | 12 | - | - | - | 1 | 1 | 4 | 2 | 2 | 2 | - | - | - |
| 2004 2/..... | 6  | - | - | - | 1 | 1 | 1 | 2 | - | 1 | - | - | - |
| 2003 2/..... | 12 | - | - | - | 2 | 2 | 3 | 4 | 1 | - | - | - | - |
| 2002.....    | 10 | - | - | - | 3 | 1 | 2 | 4 | - | - | - | - | - |
| 2001.....    | 9  | - | - | - | 2 | 1 | 5 | - | 1 | - | - | - | - |
| 2000.....    | 5  | - | - | - | 1 | 2 | 1 | - | 1 | - | - | - | - |
| 1999.....    | 5  | - | - | - | - | - | 4 | 1 | - | - | - | - | - |



Worktable Orig290F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2007

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data - mortality"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, sex, and year | All ages | Under 1 year | 1-4 years | 5-14 years | 15-24 years | 25-34 years | 35-44 years | 45-54 years | 55-64 years | 65-74 years | 75-84 years | 85 years and over | Age not stated |
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|

Legal intervention (Y35,Y89.0)

Non-Hispanic black, both sexes

|              |     |   |   |   |    |    |    |    |   |   |   |   |   |
|--------------|-----|---|---|---|----|----|----|----|---|---|---|---|---|
| 2007 2/..... | 124 | - | - | - | 47 | 41 | 17 | 13 | 6 | - | - | - | - |
| 2006 2/..... | 115 | - | - | 1 | 25 | 44 | 29 | 12 | 3 | - | - | 1 | - |
| 2005 2/..... | 112 | - | - | 1 | 24 | 39 | 31 | 13 | 2 | 1 | 1 | - | - |
| 2004 2/..... | 90  | - | - | - | 19 | 33 | 19 | 13 | 4 | 2 | - | - | - |
| 2003 2/..... | 117 | - | - | 1 | 33 | 52 | 22 | 7  | 1 | - | 1 | - | - |
| 2002.....    | 109 | - | - | 2 | 37 | 28 | 28 | 11 | 2 | 1 | - | - | - |
| 2001.....    | 82  | - | - | - | 26 | 21 | 22 | 9  | 3 | - | - | 1 | - |
| 2000.....    | 110 | - | - | 2 | 27 | 33 | 35 | 11 | - | 2 | - | - | - |
| 1999.....    | 125 | - | - | 1 | 31 | 42 | 36 | 10 | 5 | - | - | - | - |

Non-Hispanic black, male

|              |     |   |   |   |    |    |    |    |   |   |   |   |   |
|--------------|-----|---|---|---|----|----|----|----|---|---|---|---|---|
| 2007 2/..... | 121 | - | - | - | 45 | 41 | 17 | 12 | 6 | - | - | - | - |
| 2006 2/..... | 112 | - | - | 1 | 24 | 44 | 29 | 11 | 3 | - | - | - | - |
| 2005 2/..... | 111 | - | - | 1 | 24 | 39 | 30 | 13 | 2 | 1 | 1 | - | - |
| 2004 2/..... | 88  | - | - | - | 19 | 33 | 19 | 12 | 3 | 2 | - | - | - |
| 2003 2/..... | 114 | - | - | 1 | 31 | 51 | 22 | 7  | 1 | - | 1 | - | - |
| 2002.....    | 105 | - | - | 2 | 36 | 27 | 26 | 11 | 2 | 1 | - | - | - |
| 2001.....    | 77  | - | - | - | 24 | 20 | 20 | 9  | 3 | - | - | 1 | - |
| 2000.....    | 107 | - | - | 2 | 27 | 33 | 33 | 10 | - | 2 | - | - | - |
| 1999.....    | 124 | - | - | 1 | 31 | 41 | 36 | 10 | 5 | - | - | - | - |

Worktable Orig290F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2007

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data - mortality"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, sex, and year | All ages | Under 1 year | 1-4 years | 5-14 years | 15-24 years | 25-34 years | 35-44 years | 45-54 years | 55-64 years | 65-74 years | 75-84 years | 85 years and over | Age not stated |
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|

Legal intervention (Y35,Y89.0)

Non-Hispanic black, female

|              |   |   |   |   |   |   |   |   |   |   |   |   |   |
|--------------|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 2007 2/..... | 3 | - | - | - | 2 | - | - | 1 | - | - | - | - | - |
| 2006 2/..... | 3 | - | - | - | 1 | - | - | 1 | - | - | - | 1 | - |
| 2005 2/..... | 1 | - | - | - | - | - | 1 | - | - | - | - | - | - |
| 2004 2/..... | 2 | - | - | - | - | - | - | 1 | 1 | - | - | - | - |
| 2003 2/..... | 3 | - | - | - | 2 | 1 | - | - | - | - | - | - | - |
| 2002.....    | 4 | - | - | - | 1 | 1 | 2 | - | - | - | - | - | - |
| 2001.....    | 5 | - | - | - | 2 | 1 | 2 | - | - | - | - | - | - |
| 2000.....    | 3 | - | - | - | - | - | 2 | 1 | - | - | - | - | - |
| 1999.....    | 1 | - | - | - | - | 1 | - | - | - | - | - | - | - |

Origin not stated 3/, both sexes

|           |   |   |   |   |   |   |   |   |   |   |   |   |   |
|-----------|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 2007..... | 1 | - | - | - | 1 | - | - | - | - | - | - | - | - |
| 2006..... | 1 | - | - | - | - | - | 1 | - | - | - | - | - | - |
| 2005..... | - | - | - | - | - | - | - | - | - | - | - | - | - |
| 2004..... | 2 | - | - | - | - | 1 | 1 | - | - | - | - | - | - |
| 2003..... | 2 | - | - | - | 1 | - | - | - | 1 | - | - | - | - |
| 2002..... | 1 | - | - | - | - | - | 1 | - | - | - | - | - | - |
| 2001..... | 1 | - | - | - | - | - | - | 1 | - | - | - | - | - |
| 2000..... | 3 | - | - | - | 1 | - | 2 | - | - | - | - | - | - |
| 1999..... | 2 | - | - | - | - | 1 | 1 | - | - | - | - | - | - |



Worktable Orig290F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2007

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data - mortality"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, sex, and year | All ages | Under 1 year | 1-4 years | 5-14 years | 15-24 years | 25-34 years | 35-44 years | 45-54 years | 55-64 years | 65-74 years | 75-84 years | 85 years and over | Age not stated |
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|

Events of undetermined intent (Y10-Y34,Y87.2,Y89.9)

All origins, both sexes

|           |       |     |    |    |     |     |       |       |     |     |     |    |    |
|-----------|-------|-----|----|----|-----|-----|-------|-------|-----|-----|-----|----|----|
| 2007..... | 5,381 | 88  | 49 | 49 | 579 | 872 | 1,251 | 1,501 | 599 | 183 | 132 | 70 | 8  |
| 2006..... | 5,131 | 92  | 52 | 59 | 602 | 817 | 1,278 | 1,362 | 492 | 163 | 136 | 72 | 6  |
| 2005..... | 4,742 | 104 | 69 | 64 | 484 | 742 | 1,194 | 1,314 | 424 | 157 | 106 | 74 | 10 |
| 2004..... | 4,976 | 104 | 47 | 64 | 501 | 806 | 1,389 | 1,302 | 399 | 156 | 119 | 80 | 9  |
| 2003..... | 5,072 | 75  | 31 | 55 | 563 | 835 | 1,581 | 1,267 | 368 | 131 | 96  | 52 | 18 |
| 2002..... | 4,830 | 101 | 57 | 68 | 487 | 828 | 1,516 | 1,140 | 320 | 139 | 95  | 65 | 14 |
| 2001..... | 4,198 | 83  | 44 | 51 | 412 | 728 | 1,396 | 990   | 225 | 99  | 108 | 44 | 18 |
| 2000..... | 3,819 | 65  | 39 | 60 | 370 | 679 | 1,286 | 841   | 228 | 104 | 79  | 57 | 11 |
| 1999..... | 3,917 | 55  | 43 | 49 | 430 | 743 | 1,295 | 793   | 222 | 114 | 96  | 58 | 19 |

All origins, male

|           |       |    |    |    |     |     |       |     |     |     |    |    |    |
|-----------|-------|----|----|----|-----|-----|-------|-----|-----|-----|----|----|----|
| 2007..... | 3,351 | 55 | 26 | 31 | 445 | 569 | 787   | 859 | 357 | 109 | 78 | 28 | 7  |
| 2006..... | 3,249 | 57 | 29 | 43 | 452 | 569 | 767   | 832 | 289 | 92  | 76 | 37 | 6  |
| 2005..... | 2,861 | 67 | 44 | 43 | 355 | 478 | 695   | 758 | 245 | 91  | 49 | 26 | 10 |
| 2004..... | 3,164 | 65 | 26 | 43 | 380 | 559 | 872   | 808 | 231 | 91  | 52 | 28 | 9  |
| 2003..... | 3,295 | 50 | 17 | 41 | 412 | 580 | 1,013 | 811 | 222 | 65  | 49 | 21 | 14 |
| 2002..... | 3,114 | 52 | 28 | 38 | 358 | 585 | 981   | 696 | 203 | 83  | 46 | 31 | 13 |
| 2001..... | 2,833 | 49 | 19 | 38 | 316 | 515 | 931   | 662 | 146 | 64  | 57 | 20 | 16 |
| 2000..... | 2,635 | 27 | 26 | 50 | 285 | 489 | 885   | 570 | 152 | 70  | 49 | 21 | 11 |
| 1999..... | 2,692 | 33 | 21 | 38 | 345 | 523 | 887   | 532 | 148 | 72  | 55 | 25 | 13 |

Worktable Orig290F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2007

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data - mortality"]

---

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, sex, and year

|  | All ages | Under 1 year | 1-4 years | 5-14 years | 15-24 years | 25-34 years | 35-44 years | 45-54 years | 55-64 years | 65-74 years | 75-84 years | 85 years and over | Age not stated |
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|

---

Events of undetermined intent (Y10-Y34,Y87.2,Y89.9)

| All origins, female |       |    |    |    |     |     |     |     |     |    |    |    |   |
|---------------------|-------|----|----|----|-----|-----|-----|-----|-----|----|----|----|---|
| 2007.....           | 2,030 | 33 | 23 | 18 | 134 | 303 | 464 | 642 | 242 | 74 | 54 | 42 | 1 |
| 2006.....           | 1,882 | 35 | 23 | 16 | 150 | 248 | 511 | 530 | 203 | 71 | 60 | 35 | - |
| 2005.....           | 1,881 | 37 | 25 | 21 | 129 | 264 | 499 | 556 | 179 | 66 | 57 | 48 | - |
| 2004.....           | 1,812 | 39 | 21 | 21 | 121 | 247 | 517 | 494 | 168 | 65 | 67 | 52 | - |
| 2003.....           | 1,777 | 25 | 14 | 14 | 151 | 255 | 568 | 456 | 146 | 66 | 47 | 31 | 4 |
| 2002.....           | 1,716 | 49 | 29 | 30 | 129 | 243 | 535 | 444 | 117 | 56 | 49 | 34 | 1 |
| 2001.....           | 1,365 | 34 | 25 | 13 | 96  | 213 | 465 | 328 | 79  | 35 | 51 | 24 | 2 |
| 2000.....           | 1,184 | 38 | 13 | 10 | 85  | 190 | 401 | 271 | 76  | 34 | 30 | 36 | - |
| 1999.....           | 1,225 | 22 | 22 | 11 | 85  | 220 | 408 | 261 | 74  | 42 | 41 | 33 | 6 |

  

| Hispanic, both sexes |     |    |    |    |    |    |    |    |    |   |   |   |   |
|----------------------|-----|----|----|----|----|----|----|----|----|---|---|---|---|
| 2007.....            | 331 | 20 | 13 | 5  | 69 | 60 | 73 | 50 | 23 | 8 | 8 | 2 | - |
| 2006.....            | 340 | 18 | 9  | 5  | 55 | 56 | 93 | 66 | 28 | 4 | 2 | 4 | - |
| 2005.....            | 325 | 17 | 11 | 4  | 60 | 59 | 74 | 67 | 18 | 5 | 9 | - | 1 |
| 2004.....            | 329 | 13 | 5  | 6  | 51 | 75 | 80 | 57 | 24 | 7 | 4 | 6 | 1 |
| 2003.....            | 339 | 6  | 6  | 13 | 51 | 85 | 80 | 66 | 19 | 6 | 5 | 2 | - |
| 2002.....            | 320 | 14 | 11 | 4  | 51 | 73 | 90 | 49 | 15 | 9 | 2 | - | 2 |
| 2001.....            | 283 | 7  | 6  | 4  | 34 | 63 | 92 | 54 | 9  | 6 | 2 | 4 | 2 |
| 2000.....            | 215 | 5  | 5  | 1  | 34 | 61 | 64 | 25 | 12 | 5 | 2 | - | 1 |
| 1999.....            | 249 | 6  | 9  | 4  | 52 | 69 | 61 | 28 | 13 | 3 | 3 | - | 1 |

Worktable Orig290F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2007

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data - mortality"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, sex, and year | All ages | Under 1 year | 1-4 years | 5-14 years | 15-24 years | 25-34 years | 35-44 years | 45-54 years | 55-64 years | 65-74 years | 75-84 years | 85 years and over | Age not stated |
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|

Events of undetermined intent (Y10-Y34,Y87.2,Y89.9)

| Hispanic, male   |     |    |   |   |    |    |    |    |    |   |   |   |   |
|------------------|-----|----|---|---|----|----|----|----|----|---|---|---|---|
| 2007.....        | 232 | 8  | 5 | 4 | 51 | 45 | 55 | 35 | 17 | 8 | 3 | 1 | - |
| 2006.....        | 249 | 13 | 6 | 4 | 41 | 46 | 70 | 42 | 20 | 4 | 1 | 2 | - |
| 2005.....        | 219 | 9  | 8 | 2 | 40 | 44 | 53 | 39 | 14 | 4 | 5 | - | 1 |
| 2004.....        | 234 | 11 | 5 | 4 | 37 | 55 | 55 | 38 | 16 | 6 | 3 | 3 | 1 |
| 2003.....        | 258 | 1  | 4 | 9 | 36 | 69 | 65 | 50 | 13 | 5 | 4 | 2 | - |
| 2002.....        | 242 | 6  | 7 | 1 | 45 | 58 | 64 | 40 | 14 | 4 | 1 | - | 2 |
| 2001.....        | 216 | 4  | 3 | 4 | 26 | 52 | 73 | 36 | 7  | 5 | 1 | 3 | 2 |
| 2000.....        | 165 | 2  | 2 | 1 | 30 | 49 | 47 | 20 | 9  | 2 | 2 | - | 1 |
| 1999.....        | 200 | 3  | 6 | 3 | 46 | 54 | 49 | 23 | 11 | 2 | 2 | - | 1 |
| Hispanic, female |     |    |   |   |    |    |    |    |    |   |   |   |   |
| 2007.....        | 99  | 12 | 8 | 1 | 18 | 15 | 18 | 15 | 6  | - | 5 | 1 | - |
| 2006.....        | 91  | 5  | 3 | 1 | 14 | 10 | 23 | 24 | 8  | - | 1 | 2 | - |
| 2005.....        | 106 | 8  | 3 | 2 | 20 | 15 | 21 | 28 | 4  | 1 | 4 | - | - |
| 2004.....        | 95  | 2  | - | 2 | 14 | 20 | 25 | 19 | 8  | 1 | 1 | 3 | - |
| 2003.....        | 81  | 5  | 2 | 4 | 15 | 16 | 15 | 16 | 6  | 1 | 1 | - | - |
| 2002.....        | 78  | 8  | 4 | 3 | 6  | 15 | 26 | 9  | 1  | 5 | 1 | - | - |
| 2001.....        | 67  | 3  | 3 | - | 8  | 11 | 19 | 18 | 2  | 1 | 1 | 1 | - |
| 2000.....        | 50  | 3  | 3 | - | 4  | 12 | 17 | 5  | 3  | 3 | - | - | - |
| 1999.....        | 49  | 3  | 3 | 1 | 6  | 15 | 12 | 5  | 2  | 1 | 1 | - | - |

Worktable Orig290F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2007

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data - mortality"]

---

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, sex, and year

|  | All ages | Under 1 year | 1-4 years | 5-14 years | 15-24 years | 25-34 years | 35-44 years | 45-54 years | 55-64 years | 65-74 years | 75-84 years | 85 years and over | Age not stated |
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|

---

Events of undetermined intent (Y10-Y34,Y87.2,Y89.9)

| Non-Hispanic 1/, both sexes |       |    |    |    |     |     |       |       |     |     |     |    |    |
|-----------------------------|-------|----|----|----|-----|-----|-------|-------|-----|-----|-----|----|----|
| 2007.....                   | 5,030 | 67 | 36 | 44 | 510 | 809 | 1,177 | 1,446 | 573 | 174 | 123 | 67 | 4  |
| 2006.....                   | 4,770 | 73 | 43 | 54 | 546 | 761 | 1,182 | 1,290 | 462 | 156 | 134 | 68 | 1  |
| 2005.....                   | 4,388 | 87 | 58 | 60 | 423 | 680 | 1,115 | 1,237 | 403 | 150 | 97  | 74 | 4  |
| 2004.....                   | 4,625 | 89 | 42 | 58 | 449 | 729 | 1,305 | 1,239 | 375 | 149 | 114 | 74 | 2  |
| 2003.....                   | 4,701 | 68 | 25 | 42 | 512 | 748 | 1,491 | 1,196 | 346 | 124 | 91  | 50 | 8  |
| 2002.....                   | 4,470 | 87 | 44 | 63 | 432 | 749 | 1,420 | 1,086 | 301 | 128 | 93  | 62 | 5  |
| 2001.....                   | 3,876 | 76 | 38 | 47 | 377 | 661 | 1,298 | 927   | 210 | 91  | 105 | 40 | 6  |
| 2000.....                   | 3,571 | 58 | 34 | 59 | 336 | 614 | 1,214 | 812   | 211 | 96  | 77  | 56 | 4  |
| 1999.....                   | 3,630 | 49 | 34 | 45 | 376 | 666 | 1,230 | 757   | 207 | 107 | 93  | 56 | 10 |
| Non-Hispanic 1/, male       |       |    |    |    |     |     |       |       |     |     |     |    |    |
| 2007.....                   | 3,105 | 46 | 21 | 27 | 394 | 521 | 731   | 822   | 338 | 100 | 74  | 27 | 4  |
| 2006.....                   | 2,983 | 44 | 23 | 39 | 410 | 523 | 695   | 786   | 267 | 85  | 75  | 35 | 1  |
| 2005.....                   | 2,621 | 58 | 36 | 41 | 314 | 432 | 641   | 711   | 228 | 86  | 44  | 26 | 4  |
| 2004.....                   | 2,910 | 53 | 21 | 39 | 342 | 503 | 813   | 764   | 215 | 85  | 48  | 25 | 2  |
| 2003.....                   | 3,016 | 48 | 13 | 32 | 376 | 510 | 942   | 759   | 206 | 59  | 45  | 19 | 7  |
| 2002.....                   | 2,836 | 46 | 21 | 36 | 310 | 521 | 912   | 651   | 185 | 77  | 45  | 28 | 4  |
| 2001.....                   | 2,586 | 45 | 16 | 34 | 289 | 459 | 853   | 622   | 134 | 57  | 55  | 17 | 5  |
| 2000.....                   | 2,445 | 25 | 24 | 49 | 255 | 436 | 834   | 546   | 140 | 65  | 47  | 20 | 4  |
| 1999.....                   | 2,463 | 30 | 15 | 35 | 297 | 462 | 834   | 503   | 135 | 67  | 53  | 24 | 8  |

Worktable Orig290F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2007

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data - mortality"]

---

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, sex, and year

|  | All ages | Under 1 year | 1-4 years | 5-14 years | 15-24 years | 25-34 years | 35-44 years | 45-54 years | 55-64 years | 65-74 years | 75-84 years | 85 years and over | Age not stated |
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|

---

Events of undetermined intent (Y10-Y34,Y87.2,Y89.9)

| Non-Hispanic 1/, female |       |    |    |    |     |     |     |     |     |    |    |    |   |
|-------------------------|-------|----|----|----|-----|-----|-----|-----|-----|----|----|----|---|
| 2007.....               | 1,925 | 21 | 15 | 17 | 116 | 288 | 446 | 624 | 235 | 74 | 49 | 40 | - |
| 2006.....               | 1,787 | 29 | 20 | 15 | 136 | 238 | 487 | 504 | 195 | 71 | 59 | 33 | - |
| 2005.....               | 1,767 | 29 | 22 | 19 | 109 | 248 | 474 | 526 | 175 | 64 | 53 | 48 | - |
| 2004.....               | 1,715 | 36 | 21 | 19 | 107 | 226 | 492 | 475 | 160 | 64 | 66 | 49 | - |
| 2003.....               | 1,685 | 20 | 12 | 10 | 136 | 238 | 549 | 437 | 140 | 65 | 46 | 31 | 1 |
| 2002.....               | 1,634 | 41 | 23 | 27 | 122 | 228 | 508 | 435 | 116 | 51 | 48 | 34 | 1 |
| 2001.....               | 1,290 | 31 | 22 | 13 | 88  | 202 | 445 | 305 | 76  | 34 | 50 | 23 | 1 |
| 2000.....               | 1,126 | 33 | 10 | 10 | 81  | 178 | 380 | 266 | 71  | 31 | 30 | 36 | - |
| 1999.....               | 1,167 | 19 | 19 | 10 | 79  | 204 | 396 | 254 | 72  | 40 | 40 | 32 | 2 |

  

| Non-Hispanic white, both sexes |       |    |    |    |     |     |       |       |     |     |     |    |   |
|--------------------------------|-------|----|----|----|-----|-----|-------|-------|-----|-----|-----|----|---|
| 2007 2/.....                   | 4,122 | 35 | 24 | 32 | 412 | 698 | 971   | 1,188 | 456 | 143 | 99  | 62 | 2 |
| 2006 2/.....                   | 3,874 | 46 | 20 | 36 | 465 | 640 | 964   | 1,047 | 372 | 128 | 105 | 50 | 1 |
| 2005 2/.....                   | 3,583 | 52 | 33 | 43 | 349 | 570 | 898   | 1,021 | 341 | 128 | 79  | 67 | 2 |
| 2004 2/.....                   | 3,811 | 54 | 25 | 30 | 380 | 605 | 1,083 | 1,030 | 319 | 116 | 101 | 67 | 1 |
| 2003 2/.....                   | 3,898 | 45 | 15 | 24 | 439 | 635 | 1,247 | 986   | 277 | 96  | 80  | 48 | 6 |
| 2002.....                      | 3,627 | 43 | 33 | 44 | 370 | 607 | 1,160 | 873   | 253 | 105 | 77  | 58 | 4 |
| 2001.....                      | 3,155 | 40 | 25 | 35 | 318 | 549 | 1,054 | 749   | 176 | 75  | 93  | 37 | 4 |
| 2000.....                      | 2,823 | 35 | 22 | 37 | 271 | 490 | 965   | 647   | 161 | 76  | 70  | 47 | 2 |
| 1999.....                      | 2,848 | 30 | 15 | 38 | 290 | 531 | 960   | 578   | 172 | 92  | 86  | 50 | 6 |



Worktable Orig290F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2007

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data - mortality"]

---

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, sex, and year

|  | All ages | Under 1 year | 1-4 years | 5-14 years | 15-24 years | 25-34 years | 35-44 years | 45-54 years | 55-64 years | 65-74 years | 75-84 years | 85 years and over | Age not stated |
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|

---

Events of undetermined intent (Y10-Y34,Y87.2,Y89.9)

| Non-Hispanic white, male   |       |    |    |    |     |     |     |     |     |    |    |    |   |
|----------------------------|-------|----|----|----|-----|-----|-----|-----|-----|----|----|----|---|
| 2007 2/.....               | 2,490 | 26 | 12 | 16 | 315 | 449 | 594 | 653 | 262 | 78 | 57 | 26 | 2 |
| 2006 2/.....               | 2,359 | 28 | 7  | 25 | 349 | 433 | 549 | 614 | 206 | 65 | 54 | 28 | 1 |
| 2005 2/.....               | 2,099 | 36 | 21 | 30 | 261 | 356 | 513 | 569 | 182 | 71 | 33 | 25 | 2 |
| 2004 2/.....               | 2,365 | 32 | 11 | 20 | 291 | 417 | 667 | 619 | 175 | 66 | 42 | 24 | 1 |
| 2003 2/.....               | 2,441 | 28 | 7  | 20 | 316 | 422 | 780 | 604 | 155 | 45 | 41 | 18 | 5 |
| 2002.....                  | 2,265 | 23 | 16 | 24 | 264 | 419 | 739 | 504 | 151 | 57 | 38 | 27 | 3 |
| 2001.....                  | 2,054 | 25 | 10 | 25 | 238 | 377 | 673 | 485 | 106 | 45 | 51 | 16 | 3 |
| 2000.....                  | 1,900 | 16 | 15 | 31 | 201 | 341 | 661 | 425 | 101 | 48 | 43 | 16 | 2 |
| 1999.....                  | 1,887 | 19 | 8  | 30 | 232 | 357 | 646 | 363 | 101 | 57 | 47 | 22 | 5 |
| Non-Hispanic white, female |       |    |    |    |     |     |     |     |     |    |    |    |   |
| 2007 2/.....               | 1,632 | 9  | 12 | 16 | 97  | 249 | 377 | 535 | 194 | 65 | 42 | 36 | - |
| 2006 2/.....               | 1,515 | 18 | 13 | 11 | 116 | 207 | 415 | 433 | 166 | 63 | 51 | 22 | - |
| 2005 2/.....               | 1,484 | 16 | 12 | 13 | 88  | 214 | 385 | 452 | 159 | 57 | 46 | 42 | - |
| 2004 2/.....               | 1,446 | 22 | 14 | 10 | 89  | 188 | 416 | 411 | 144 | 50 | 59 | 43 | - |
| 2003 2/.....               | 1,457 | 17 | 8  | 4  | 123 | 213 | 467 | 382 | 122 | 51 | 39 | 30 | 1 |
| 2002.....                  | 1,362 | 20 | 17 | 20 | 106 | 188 | 421 | 369 | 102 | 48 | 39 | 31 | 1 |
| 2001.....                  | 1,101 | 15 | 15 | 10 | 80  | 172 | 381 | 264 | 70  | 30 | 42 | 21 | 1 |
| 2000.....                  | 923   | 19 | 7  | 6  | 70  | 149 | 304 | 222 | 60  | 28 | 27 | 31 | - |
| 1999.....                  | 961   | 11 | 7  | 8  | 58  | 174 | 314 | 215 | 71  | 35 | 39 | 28 | 1 |

Worktable Orig290F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2007

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data - mortality"]

---

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, sex, and year

|  | All ages | Under 1 year | 1-4 years | 5-14 years | 15-24 years | 25-34 years | 35-44 years | 45-54 years | 55-64 years | 65-74 years | 75-84 years | 85 years and over | Age not stated |
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|

---

Events of undetermined intent (Y10-Y34,Y87.2,Y89.9)

| Non-Hispanic black, both sexes |     |    |    |    |    |     |     |     |    |    |    |   |   |
|--------------------------------|-----|----|----|----|----|-----|-----|-----|----|----|----|---|---|
| 2007 2/.....                   | 747 | 28 | 11 | 11 | 69 | 86  | 167 | 228 | 98 | 27 | 18 | 2 | 2 |
| 2006 2/.....                   | 710 | 22 | 21 | 16 | 57 | 87  | 183 | 204 | 74 | 22 | 15 | 9 | - |
| 2005 2/.....                   | 675 | 31 | 22 | 11 | 55 | 90  | 188 | 188 | 50 | 18 | 13 | 7 | 2 |
| 2004 2/.....                   | 691 | 31 | 15 | 26 | 56 | 97  | 189 | 189 | 50 | 22 | 10 | 5 | 1 |
| 2003 2/.....                   | 675 | 21 | 9  | 14 | 50 | 93  | 213 | 190 | 53 | 21 | 7  | 2 | 2 |
| 2002.....                      | 738 | 37 | 7  | 15 | 52 | 118 | 240 | 195 | 39 | 16 | 16 | 3 | - |
| 2001.....                      | 629 | 36 | 13 | 11 | 43 | 90  | 222 | 163 | 30 | 12 | 5  | 3 | 1 |
| 2000.....                      | 654 | 14 | 11 | 21 | 50 | 103 | 230 | 153 | 42 | 15 | 6  | 7 | 2 |
| 1999.....                      | 686 | 18 | 15 | 7  | 70 | 119 | 239 | 166 | 28 | 12 | 5  | 3 | 4 |
| Non-Hispanic black, male       |     |    |    |    |    |     |     |     |    |    |    |   |   |
| 2007 2/.....                   | 517 | 17 | 9  | 10 | 60 | 56  | 113 | 148 | 70 | 19 | 13 | - | 2 |
| 2006 2/.....                   | 502 | 12 | 14 | 12 | 45 | 66  | 125 | 148 | 51 | 16 | 11 | 2 | - |
| 2005 2/.....                   | 447 | 19 | 13 | 8  | 41 | 62  | 114 | 129 | 38 | 12 | 8  | 1 | 2 |
| 2004 2/.....                   | 472 | 18 | 9  | 18 | 43 | 71  | 124 | 131 | 38 | 14 | 5  | - | 1 |
| 2003 2/.....                   | 487 | 19 | 5  | 8  | 42 | 74  | 141 | 141 | 40 | 12 | 2  | 1 | 2 |
| 2002.....                      | 504 | 18 | 3  | 11 | 39 | 84  | 161 | 136 | 30 | 15 | 7  | - | - |
| 2001.....                      | 467 | 20 | 6  | 8  | 37 | 65  | 165 | 127 | 26 | 10 | 1  | 1 | 1 |
| 2000.....                      | 478 | 3  | 8  | 17 | 45 | 78  | 160 | 113 | 32 | 13 | 4  | 3 | 2 |
| 1999.....                      | 514 | 10 | 7  | 5  | 55 | 91  | 170 | 132 | 27 | 9  | 4  | 1 | 3 |

Worktable Orig290F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2007

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data - mortality"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, sex, and year | All ages | Under 1 year | 1-4 years | 5-14 years | 15-24 years | 25-34 years | 35-44 years | 45-54 years | 55-64 years | 65-74 years | 75-84 years | 85 years and over | Age not stated |
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|

Events of undetermined intent (Y10-Y34,Y87.2,Y89.9)

| Non-Hispanic black, female       |     |    |   |   |    |    |    |    |    |   |   |   |    |
|----------------------------------|-----|----|---|---|----|----|----|----|----|---|---|---|----|
| 2007 2/.....                     | 230 | 11 | 2 | 1 | 9  | 30 | 54 | 80 | 28 | 8 | 5 | 2 | -  |
| 2006 2/.....                     | 208 | 10 | 7 | 4 | 12 | 21 | 58 | 56 | 23 | 6 | 4 | 7 | -  |
| 2005 2/.....                     | 228 | 12 | 9 | 3 | 14 | 28 | 74 | 59 | 12 | 6 | 5 | 6 | -  |
| 2004 2/.....                     | 219 | 13 | 6 | 8 | 13 | 26 | 65 | 58 | 12 | 8 | 5 | 5 | -  |
| 2003 2/.....                     | 188 | 2  | 4 | 6 | 8  | 19 | 72 | 49 | 13 | 9 | 5 | 1 | -  |
| 2002.....                        | 234 | 19 | 4 | 4 | 13 | 34 | 79 | 59 | 9  | 1 | 9 | 3 | -  |
| 2001.....                        | 162 | 16 | 7 | 3 | 6  | 25 | 57 | 36 | 4  | 2 | 4 | 2 | -  |
| 2000.....                        | 176 | 11 | 3 | 4 | 5  | 25 | 70 | 40 | 10 | 2 | 2 | 4 | -  |
| 1999.....                        | 172 | 8  | 8 | 2 | 15 | 28 | 69 | 34 | 1  | 3 | 1 | 2 | 1  |
| Origin not stated 3/, both sexes |     |    |   |   |    |    |    |    |    |   |   |   |    |
| 2007.....                        | 20  | 1  | - | - | -  | 3  | 1  | 5  | 3  | 1 | 1 | 1 | 4  |
| 2006.....                        | 21  | 1  | - | - | 1  | -  | 3  | 6  | 2  | 3 | - | - | 5  |
| 2005.....                        | 29  | -  | - | - | 1  | 3  | 5  | 10 | 3  | 2 | - | - | 5  |
| 2004.....                        | 22  | 2  | - | - | 1  | 2  | 4  | 6  | -  | - | 1 | - | 6  |
| 2003.....                        | 32  | 1  | - | - | -  | 2  | 10 | 5  | 3  | 1 | - | - | 10 |
| 2002.....                        | 40  | -  | 2 | 1 | 4  | 6  | 6  | 5  | 4  | 2 | - | 3 | 7  |
| 2001.....                        | 39  | -  | - | - | 1  | 4  | 6  | 9  | 6  | 2 | 1 | - | 10 |
| 2000.....                        | 33  | 2  | - | - | -  | 4  | 8  | 4  | 5  | 3 | - | 1 | 6  |
| 1999.....                        | 38  | -  | - | - | 2  | 8  | 4  | 8  | 2  | 4 | - | 2 | 8  |

Worktable Orig290F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2007

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data - mortality"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, sex, and year | All ages | Under 1 year | 1-4 years | 5-14 years | 15-24 years | 25-34 years | 35-44 years | 45-54 years | 55-64 years | 65-74 years | 75-84 years | 85 years and over | Age not stated |
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|

Events of undetermined intent (Y10-Y34,Y87.2,Y89.9)

| Origin not stated 3/, male   |    |   |   |   |   |   |   |   |   |   |   |   |   |
|------------------------------|----|---|---|---|---|---|---|---|---|---|---|---|---|
| 2007.....                    | 14 | 1 | - | - | - | 3 | 1 | 2 | 2 | 1 | 1 | - | 3 |
| 2006.....                    | 17 | - | - | - | 1 | - | 2 | 4 | 2 | 3 | - | - | 5 |
| 2005.....                    | 21 | - | - | - | 1 | 2 | 1 | 8 | 3 | 1 | - | - | 5 |
| 2004.....                    | 20 | 1 | - | - | 1 | 1 | 4 | 6 | - | - | 1 | - | 6 |
| 2003.....                    | 21 | 1 | - | - | - | 1 | 6 | 2 | 3 | 1 | - | - | 7 |
| 2002.....                    | 36 | - | - | 1 | 3 | 6 | 5 | 5 | 4 | 2 | - | 3 | 7 |
| 2001.....                    | 31 | - | - | - | 1 | 4 | 5 | 4 | 5 | 2 | 1 | - | 9 |
| 2000.....                    | 25 | - | - | - | - | 4 | 4 | 4 | 3 | 3 | - | 1 | 6 |
| 1999.....                    | 29 | - | - | - | 2 | 7 | 4 | 6 | 2 | 3 | - | 1 | 4 |
| Origin not stated 3/, female |    |   |   |   |   |   |   |   |   |   |   |   |   |
| 2007.....                    | 6  | - | - | - | - | - | - | 3 | 1 | - | - | 1 | 1 |
| 2006.....                    | 4  | 1 | - | - | - | - | 1 | 2 | - | - | - | - | - |
| 2005.....                    | 8  | - | - | - | - | 1 | 4 | 2 | - | 1 | - | - | - |
| 2004.....                    | 2  | 1 | - | - | - | 1 | - | - | - | - | - | - | - |
| 2003.....                    | 11 | - | - | - | - | 1 | 4 | 3 | - | - | - | - | 3 |
| 2002.....                    | 4  | - | 2 | - | 1 | - | 1 | - | - | - | - | - | - |
| 2001.....                    | 8  | - | - | - | - | - | 1 | 5 | 1 | - | - | - | 1 |
| 2000.....                    | 8  | 2 | - | - | - | - | 4 | - | 2 | - | - | - | - |
| 1999.....                    | 9  | - | - | - | - | 1 | - | 2 | - | 1 | - | 1 | 4 |

Worktable Orig290F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2007

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data - mortality"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, sex, and year | All ages | Under 1 year | 1-4 years | 5-14 years | 15-24 years | 25-34 years | 35-44 years | 45-54 years | 55-64 years | 65-74 years | 75-84 years | 85 years and over | Age not stated |
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|

Discharge of firearms, undetermined intent (Y22-Y24)

All origins, both sexes

|           |     |   |   |    |     |    |    |    |    |    |    |   |   |
|-----------|-----|---|---|----|-----|----|----|----|----|----|----|---|---|
| 2007..... | 276 | - | 3 | 12 | 82  | 44 | 36 | 40 | 35 | 17 | 6  | 1 | - |
| 2006..... | 220 | - | 2 | 5  | 76  | 45 | 39 | 22 | 20 | 8  | 3  | - | - |
| 2005..... | 221 | - | 3 | 12 | 77  | 35 | 28 | 28 | 23 | 10 | 3  | 2 | - |
| 2004..... | 235 | - | 1 | 9  | 58  | 45 | 44 | 29 | 20 | 16 | 8  | 2 | 3 |
| 2003..... | 232 | - | 1 | 12 | 69  | 38 | 43 | 31 | 20 | 8  | 9  | 1 | - |
| 2002..... | 243 | - | 1 | 6  | 79  | 46 | 50 | 29 | 12 | 15 | 5  | - | - |
| 2001..... | 231 | - | - | 6  | 64  | 48 | 50 | 29 | 12 | 10 | 11 | 1 | - |
| 2000..... | 230 | - | - | 10 | 71  | 52 | 39 | 23 | 15 | 11 | 6  | 2 | 1 |
| 1999..... | 324 | - | 3 | 12 | 127 | 51 | 57 | 28 | 14 | 15 | 13 | 4 | - |

All origins, male

|           |     |   |   |    |     |    |    |    |    |    |    |   |   |
|-----------|-----|---|---|----|-----|----|----|----|----|----|----|---|---|
| 2007..... | 223 | - | 2 | 9  | 71  | 36 | 29 | 30 | 27 | 13 | 5  | 1 | - |
| 2006..... | 181 | - | 2 | 5  | 68  | 37 | 31 | 16 | 14 | 5  | 3  | - | - |
| 2005..... | 178 | - | 2 | 10 | 68  | 29 | 21 | 22 | 14 | 7  | 3  | 2 | - |
| 2004..... | 179 | - | - | 7  | 50  | 33 | 30 | 22 | 14 | 13 | 6  | 1 | 3 |
| 2003..... | 186 | - | 1 | 12 | 60  | 33 | 26 | 22 | 16 | 7  | 8  | 1 | - |
| 2002..... | 199 | - | 1 | 5  | 71  | 39 | 39 | 23 | 7  | 10 | 4  | - | - |
| 2001..... | 190 | - | - | 6  | 59  | 42 | 33 | 21 | 11 | 8  | 9  | 1 | - |
| 2000..... | 190 | - | - | 9  | 62  | 43 | 30 | 18 | 11 | 9  | 5  | 2 | 1 |
| 1999..... | 277 | - | 3 | 12 | 111 | 44 | 45 | 21 | 11 | 14 | 12 | 4 | - |

Worktable Orig290F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2007

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data - mortality"]

---

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, sex, and year

|  | All ages | Under 1 year | 1-4 years | 5-14 years | 15-24 years | 25-34 years | 35-44 years | 45-54 years | 55-64 years | 65-74 years | 75-84 years | 85 years and over | Age not stated |
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|

---

Discharge of firearms, undetermined intent (Y22-Y24)

All origins, female

|           |    |   |   |   |    |    |    |    |   |   |   |   |   |
|-----------|----|---|---|---|----|----|----|----|---|---|---|---|---|
| 2007..... | 53 | - | 1 | 3 | 11 | 8  | 7  | 10 | 8 | 4 | 1 | - | - |
| 2006..... | 39 | - | - | - | 8  | 8  | 8  | 6  | 6 | 3 | - | - | - |
| 2005..... | 43 | - | 1 | 2 | 9  | 6  | 7  | 6  | 9 | 3 | - | - | - |
| 2004..... | 56 | - | 1 | 2 | 8  | 12 | 14 | 7  | 6 | 3 | 2 | 1 | - |
| 2003..... | 46 | - | - | - | 9  | 5  | 17 | 9  | 4 | 1 | 1 | - | - |
| 2002..... | 44 | - | - | 1 | 8  | 7  | 11 | 6  | 5 | 5 | 1 | - | - |
| 2001..... | 41 | - | - | - | 5  | 6  | 17 | 8  | 1 | 2 | 2 | - | - |
| 2000..... | 40 | - | - | 1 | 9  | 9  | 9  | 5  | 4 | 2 | 1 | - | - |
| 1999..... | 47 | - | - | - | 16 | 7  | 12 | 7  | 3 | 1 | 1 | - | - |

Hispanic, both sexes

|           |    |   |   |   |    |   |   |   |   |   |   |   |   |
|-----------|----|---|---|---|----|---|---|---|---|---|---|---|---|
| 2007..... | 31 | - | 1 | 2 | 16 | 6 | 3 | 1 | 1 | 1 | - | - | - |
| 2006..... | 28 | - | - | 1 | 13 | 8 | 5 | - | 1 | - | - | - | - |
| 2005..... | 27 | - | - | - | 17 | 8 | 2 | - | - | - | - | - | - |
| 2004..... | 20 | - | - | 1 | 5  | 8 | 2 | 3 | 1 | - | - | - | - |
| 2003..... | 31 | - | - | 3 | 13 | 6 | 5 | 3 | - | 1 | - | - | - |
| 2002..... | 23 | - | - | - | 14 | 6 | 3 | - | - | - | - | - | - |
| 2001..... | 21 | - | - | 1 | 8  | 4 | 4 | 3 | 1 | - | - | - | - |
| 2000..... | 20 | - | - | - | 13 | 4 | 2 | - | - | 1 | - | - | - |
| 1999..... | 31 | - | 1 | 1 | 18 | 3 | 3 | 2 | 1 | 2 | - | - | - |

Worktable Orig290F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2007

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data - mortality"]

---

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, sex, and year

|  | All ages | Under 1 year | 1-4 years | 5-14 years | 15-24 years | 25-34 years | 35-44 years | 45-54 years | 55-64 years | 65-74 years | 75-84 years | 85 years and over | Age not stated |
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|

---

Discharge of firearms, undetermined intent (Y22-Y24)

Hispanic, male

|           |    |   |   |   |    |   |   |   |   |   |   |   |   |
|-----------|----|---|---|---|----|---|---|---|---|---|---|---|---|
| 2007..... | 29 | - | 1 | 2 | 15 | 5 | 3 | 1 | 1 | 1 | - | - | - |
| 2006..... | 25 | - | - | 1 | 12 | 6 | 5 | - | 1 | - | - | - | - |
| 2005..... | 21 | - | - | - | 13 | 6 | 2 | - | - | - | - | - | - |
| 2004..... | 19 | - | - | 1 | 5  | 8 | 2 | 3 | - | - | - | - | - |
| 2003..... | 26 | - | - | 3 | 9  | 6 | 5 | 2 | - | 1 | - | - | - |
| 2002..... | 21 | - | - | - | 13 | 6 | 2 | - | - | - | - | - | - |
| 2001..... | 16 | - | - | 1 | 7  | 3 | 2 | 2 | 1 | - | - | - | - |
| 2000..... | 17 | - | - | - | 13 | 2 | 1 | - | - | 1 | - | - | - |
| 1999..... | 26 | - | 1 | 1 | 16 | 2 | 2 | 1 | 1 | 2 | - | - | - |

Hispanic, female

|           |   |   |   |   |   |   |   |   |   |   |   |   |   |
|-----------|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 2007..... | 2 | - | - | - | 1 | 1 | - | - | - | - | - | - | - |
| 2006..... | 3 | - | - | - | 1 | 2 | - | - | - | - | - | - | - |
| 2005..... | 6 | - | - | - | 4 | 2 | - | - | - | - | - | - | - |
| 2004..... | 1 | - | - | - | - | - | - | - | 1 | - | - | - | - |
| 2003..... | 5 | - | - | - | 4 | - | - | 1 | - | - | - | - | - |
| 2002..... | 2 | - | - | - | 1 | - | 1 | - | - | - | - | - | - |
| 2001..... | 5 | - | - | - | 1 | 1 | 2 | 1 | - | - | - | - | - |
| 2000..... | 3 | - | - | - | - | 2 | 1 | - | - | - | - | - | - |
| 1999..... | 5 | - | - | - | 2 | 1 | 1 | 1 | - | - | - | - | - |

Worktable Orig290F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2007

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data - mortality"]

---

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, sex, and year

|  | All ages | Under 1 year | 1-4 years | 5-14 years | 15-24 years | 25-34 years | 35-44 years | 45-54 years | 55-64 years | 65-74 years | 75-84 years | 85 years and over | Age not stated |
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|

---

Discharge of firearms, undetermined intent (Y22-Y24)

Non-Hispanic 1/, both sexes

|           |     |   |   |    |     |    |    |    |    |    |    |   |   |
|-----------|-----|---|---|----|-----|----|----|----|----|----|----|---|---|
| 2007..... | 244 | - | 2 | 10 | 66  | 38 | 33 | 38 | 34 | 16 | 6  | 1 | - |
| 2006..... | 192 | - | 2 | 4  | 63  | 37 | 34 | 22 | 19 | 8  | 3  | - | - |
| 2005..... | 192 | - | 3 | 12 | 60  | 27 | 26 | 26 | 23 | 10 | 3  | 2 | - |
| 2004..... | 212 | - | 1 | 8  | 53  | 37 | 42 | 26 | 19 | 16 | 8  | 2 | - |
| 2003..... | 201 | - | 1 | 9  | 56  | 32 | 38 | 28 | 20 | 7  | 9  | 1 | - |
| 2002..... | 215 | - | 1 | 5  | 63  | 39 | 47 | 29 | 11 | 15 | 5  | - | - |
| 2001..... | 208 | - | - | 5  | 56  | 43 | 46 | 26 | 11 | 9  | 11 | 1 | - |
| 2000..... | 209 | - | - | 10 | 58  | 48 | 37 | 23 | 15 | 10 | 6  | 2 | - |
| 1999..... | 293 | - | 2 | 11 | 109 | 48 | 54 | 26 | 13 | 13 | 13 | 4 | - |

Non-Hispanic 1/, male

|           |     |   |   |    |    |    |    |    |    |    |    |   |   |
|-----------|-----|---|---|----|----|----|----|----|----|----|----|---|---|
| 2007..... | 193 | - | 1 | 7  | 56 | 31 | 26 | 28 | 26 | 12 | 5  | 1 | - |
| 2006..... | 156 | - | 2 | 4  | 56 | 31 | 26 | 16 | 13 | 5  | 3  | - | - |
| 2005..... | 156 | - | 2 | 10 | 55 | 23 | 19 | 21 | 14 | 7  | 3  | 2 | - |
| 2004..... | 157 | - | - | 6  | 45 | 25 | 28 | 19 | 14 | 13 | 6  | 1 | - |
| 2003..... | 160 | - | 1 | 9  | 51 | 27 | 21 | 20 | 16 | 6  | 8  | 1 | - |
| 2002..... | 173 | - | 1 | 4  | 56 | 32 | 37 | 23 | 6  | 10 | 4  | - | - |
| 2001..... | 172 | - | - | 5  | 52 | 38 | 31 | 19 | 10 | 7  | 9  | 1 | - |
| 2000..... | 172 | - | - | 9  | 49 | 41 | 29 | 18 | 11 | 8  | 5  | 2 | - |
| 1999..... | 251 | - | 2 | 11 | 95 | 42 | 43 | 20 | 10 | 12 | 12 | 4 | - |



Worktable Orig290F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2007

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data - mortality"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, sex, and year | All ages | Under 1 year | 1-4 years | 5-14 years | 15-24 years | 25-34 years | 35-44 years | 45-54 years | 55-64 years | 65-74 years | 75-84 years | 85 years and over | Age not stated |
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|

Discharge of firearms, undetermined intent (Y22-Y24)

Non-Hispanic 1/, female

|           |    |   |   |   |    |    |    |    |   |   |   |   |   |
|-----------|----|---|---|---|----|----|----|----|---|---|---|---|---|
| 2007..... | 51 | - | 1 | 3 | 10 | 7  | 7  | 10 | 8 | 4 | 1 | - | - |
| 2006..... | 36 | - | - | - | 7  | 6  | 8  | 6  | 6 | 3 | - | - | - |
| 2005..... | 36 | - | 1 | 2 | 5  | 4  | 7  | 5  | 9 | 3 | - | - | - |
| 2004..... | 55 | - | 1 | 2 | 8  | 12 | 14 | 7  | 5 | 3 | 2 | 1 | - |
| 2003..... | 41 | - | - | - | 5  | 5  | 17 | 8  | 4 | 1 | 1 | - | - |
| 2002..... | 42 | - | - | 1 | 7  | 7  | 10 | 6  | 5 | 5 | 1 | - | - |
| 2001..... | 36 | - | - | - | 4  | 5  | 15 | 7  | 1 | 2 | 2 | - | - |
| 2000..... | 37 | - | - | 1 | 9  | 7  | 8  | 5  | 4 | 2 | 1 | - | - |
| 1999..... | 42 | - | - | - | 14 | 6  | 11 | 6  | 3 | 1 | 1 | - | - |

Non-Hispanic white, both sexes

|              |     |   |   |    |    |    |    |    |    |    |    |   |   |
|--------------|-----|---|---|----|----|----|----|----|----|----|----|---|---|
| 2007 2/..... | 178 | - | 1 | 7  | 29 | 28 | 30 | 32 | 31 | 14 | 5  | 1 | - |
| 2006 2/..... | 141 | - | 1 | 3  | 39 | 22 | 27 | 19 | 19 | 8  | 3  | - | - |
| 2005 2/..... | 148 | - | - | 10 | 42 | 20 | 20 | 22 | 21 | 9  | 2  | 2 | - |
| 2004 2/..... | 166 | - | - | 3  | 37 | 24 | 37 | 22 | 18 | 15 | 8  | 2 | - |
| 2003 2/..... | 152 | - | - | 4  | 34 | 21 | 33 | 26 | 17 | 7  | 9  | 1 | - |
| 2002.....    | 169 | - | - | 3  | 47 | 27 | 38 | 27 | 9  | 14 | 4  | - | - |
| 2001.....    | 166 | - | - | 3  | 36 | 35 | 41 | 23 | 8  | 9  | 10 | 1 | - |
| 2000.....    | 148 | - | - | 5  | 36 | 30 | 30 | 20 | 11 | 8  | 6  | 2 | - |
| 1999.....    | 217 | - | 1 | 10 | 67 | 33 | 47 | 21 | 11 | 11 | 12 | 4 | - |

Worktable Orig290F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2007

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data - mortality"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, sex, and year | All ages | Under 1 year | 1-4 years | 5-14 years | 15-24 years | 25-34 years | 35-44 years | 45-54 years | 55-64 years | 65-74 years | 75-84 years | 85 years and over | Age not stated |
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|

Discharge of firearms, undetermined intent (Y22-Y24)

Non-Hispanic white, male

|              |     |   |   |    |    |    |    |    |    |    |    |   |   |
|--------------|-----|---|---|----|----|----|----|----|----|----|----|---|---|
| 2007 2/..... | 138 | - | - | 4  | 24 | 22 | 23 | 25 | 24 | 11 | 4  | 1 | - |
| 2006 2/..... | 108 | - | 1 | 3  | 32 | 17 | 20 | 14 | 13 | 5  | 3  | - | - |
| 2005 2/..... | 121 | - | - | 8  | 38 | 16 | 15 | 19 | 14 | 7  | 2  | 2 | - |
| 2004 2/..... | 122 | - | - | 3  | 32 | 15 | 24 | 15 | 14 | 12 | 6  | 1 | - |
| 2003 2/..... | 118 | - | - | 4  | 31 | 17 | 17 | 19 | 15 | 6  | 8  | 1 | - |
| 2002.....    | 132 | - | - | 2  | 40 | 21 | 30 | 21 | 6  | 9  | 3  | - | - |
| 2001.....    | 133 | - | - | 3  | 33 | 31 | 27 | 16 | 7  | 7  | 8  | 1 | - |
| 2000.....    | 120 | - | - | 5  | 30 | 26 | 24 | 15 | 7  | 6  | 5  | 2 | - |
| 1999.....    | 187 | - | 1 | 10 | 60 | 29 | 39 | 15 | 8  | 10 | 11 | 4 | - |

Non-Hispanic white, female

|              |    |   |   |   |   |   |    |   |   |   |   |   |   |
|--------------|----|---|---|---|---|---|----|---|---|---|---|---|---|
| 2007 2/..... | 40 | - | 1 | 3 | 5 | 6 | 7  | 7 | 7 | 3 | 1 | - | - |
| 2006 2/..... | 33 | - | - | - | 7 | 5 | 7  | 5 | 6 | 3 | - | - | - |
| 2005 2/..... | 27 | - | - | 2 | 4 | 4 | 5  | 3 | 7 | 2 | - | - | - |
| 2004 2/..... | 44 | - | - | - | 5 | 9 | 13 | 7 | 4 | 3 | 2 | 1 | - |
| 2003 2/..... | 34 | - | - | - | 3 | 4 | 16 | 7 | 2 | 1 | 1 | - | - |
| 2002.....    | 37 | - | - | 1 | 7 | 6 | 8  | 6 | 3 | 5 | 1 | - | - |
| 2001.....    | 33 | - | - | - | 3 | 4 | 14 | 7 | 1 | 2 | 2 | - | - |
| 2000.....    | 28 | - | - | - | 6 | 4 | 6  | 5 | 4 | 2 | 1 | - | - |
| 1999.....    | 30 | - | - | - | 7 | 4 | 8  | 6 | 3 | 1 | 1 | - | - |

Worktable Orig290F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2007

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data - mortality"]

---

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, sex, and year

|  | All ages | Under 1 year | 1-4 years | 5-14 years | 15-24 years | 25-34 years | 35-44 years | 45-54 years | 55-64 years | 65-74 years | 75-84 years | 85 years and over | Age not stated |
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|

---

Discharge of firearms, undetermined intent (Y22-Y24)

Non-Hispanic black, both sexes

|              |    |   |   |   |    |    |   |   |   |   |   |   |   |
|--------------|----|---|---|---|----|----|---|---|---|---|---|---|---|
| 2007 2/..... | 57 | - | 1 | 2 | 33 | 9  | 1 | 6 | 2 | 2 | 1 | - | - |
| 2006 2/..... | 48 | - | 1 | 1 | 23 | 13 | 7 | 3 | - | - | - | - | - |
| 2005 2/..... | 36 | - | 2 | 1 | 16 | 6  | 5 | 3 | 2 | 1 | - | - | - |
| 2004 2/..... | 37 | - | 1 | 4 | 15 | 8  | 4 | 3 | 1 | 1 | - | - | - |
| 2003 2/..... | 35 | - | 1 | 4 | 17 | 7  | 3 | 2 | 1 | - | - | - | - |
| 2002.....    | 37 | - | 1 | 2 | 14 | 10 | 6 | 1 | 1 | 1 | 1 | - | - |
| 2001.....    | 31 | - | - | 2 | 15 | 5  | 2 | 3 | 3 | - | 1 | - | - |
| 2000.....    | 53 | - | - | 5 | 19 | 15 | 7 | 2 | 3 | 2 | - | - | - |
| 1999.....    | 65 | - | 1 | 1 | 35 | 14 | 6 | 4 | 1 | 2 | 1 | - | - |

Non-Hispanic black, male

|              |    |   |   |   |    |    |   |   |   |   |   |   |   |
|--------------|----|---|---|---|----|----|---|---|---|---|---|---|---|
| 2007 2/..... | 46 | - | 1 | 2 | 28 | 8  | 1 | 3 | 1 | 1 | 1 | - | - |
| 2006 2/..... | 45 | - | 1 | 1 | 23 | 12 | 6 | 2 | - | - | - | - | - |
| 2005 2/..... | 28 | - | 1 | 1 | 15 | 6  | 4 | 1 | - | - | - | - | - |
| 2004 2/..... | 29 | - | - | 3 | 12 | 7  | 3 | 3 | - | 1 | - | - | - |
| 2003 2/..... | 32 | - | 1 | 4 | 16 | 7  | 2 | 1 | 1 | - | - | - | - |
| 2002.....    | 35 | - | 1 | 2 | 14 | 10 | 5 | 1 | - | 1 | 1 | - | - |
| 2001.....    | 28 | - | - | 2 | 14 | 4  | 1 | 3 | 3 | - | 1 | - | - |
| 2000.....    | 46 | - | - | 4 | 18 | 12 | 5 | 2 | 3 | 2 | - | - | - |
| 1999.....    | 55 | - | 1 | 1 | 29 | 12 | 4 | 4 | 1 | 2 | 1 | - | - |





Worktable Orig290F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2007

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data - mortality"]

---

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, sex, and year

|  | All ages | Under 1 year | 1-4 years | 5-14 years | 15-24 years | 25-34 years | 35-44 years | 45-54 years | 55-64 years | 65-74 years | 75-84 years | 85 years and over | Age not stated |
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|

---

Other and unspecified events of undetermined intent and their sequelae (Y10-Y21,Y25-Y34,Y87.2,Y89.9)

All origins, both sexes

|           |       |     |    |    |     |     |       |       |     |     |     |    |    |
|-----------|-------|-----|----|----|-----|-----|-------|-------|-----|-----|-----|----|----|
| 2007..... | 5,105 | 88  | 46 | 37 | 497 | 828 | 1,215 | 1,461 | 564 | 166 | 126 | 69 | 8  |
| 2006..... | 4,911 | 92  | 50 | 54 | 526 | 772 | 1,239 | 1,340 | 472 | 155 | 133 | 72 | 6  |
| 2005..... | 4,521 | 104 | 66 | 52 | 407 | 707 | 1,166 | 1,286 | 401 | 147 | 103 | 72 | 10 |
| 2004..... | 4,741 | 104 | 46 | 55 | 443 | 761 | 1,345 | 1,273 | 379 | 140 | 111 | 78 | 6  |
| 2003..... | 4,840 | 75  | 30 | 43 | 494 | 797 | 1,538 | 1,236 | 348 | 123 | 87  | 51 | 18 |
| 2002..... | 4,587 | 101 | 56 | 62 | 408 | 782 | 1,466 | 1,111 | 308 | 124 | 90  | 65 | 14 |
| 2001..... | 3,967 | 83  | 44 | 45 | 348 | 680 | 1,346 | 961   | 213 | 89  | 97  | 43 | 18 |
| 2000..... | 3,589 | 65  | 39 | 50 | 299 | 627 | 1,247 | 818   | 213 | 93  | 73  | 55 | 10 |
| 1999..... | 3,593 | 55  | 40 | 37 | 303 | 692 | 1,238 | 765   | 208 | 99  | 83  | 54 | 19 |

All origins, male

|           |       |    |    |    |     |     |     |     |     |    |    |    |    |
|-----------|-------|----|----|----|-----|-----|-----|-----|-----|----|----|----|----|
| 2007..... | 3,128 | 55 | 24 | 22 | 374 | 533 | 758 | 829 | 330 | 96 | 73 | 27 | 7  |
| 2006..... | 3,068 | 57 | 27 | 38 | 384 | 532 | 736 | 816 | 275 | 87 | 73 | 37 | 6  |
| 2005..... | 2,683 | 67 | 42 | 33 | 287 | 449 | 674 | 736 | 231 | 84 | 46 | 24 | 10 |
| 2004..... | 2,985 | 65 | 26 | 36 | 330 | 526 | 842 | 786 | 217 | 78 | 46 | 27 | 6  |
| 2003..... | 3,109 | 50 | 16 | 29 | 352 | 547 | 987 | 789 | 206 | 58 | 41 | 20 | 14 |
| 2002..... | 2,915 | 52 | 27 | 33 | 287 | 546 | 942 | 673 | 196 | 73 | 42 | 31 | 13 |
| 2001..... | 2,643 | 49 | 19 | 32 | 257 | 473 | 898 | 641 | 135 | 56 | 48 | 19 | 16 |
| 2000..... | 2,445 | 27 | 26 | 41 | 223 | 446 | 855 | 552 | 141 | 61 | 44 | 19 | 10 |
| 1999..... | 2,415 | 33 | 18 | 26 | 234 | 479 | 842 | 511 | 137 | 58 | 43 | 21 | 13 |

Worktable Orig290F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2007

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data - mortality"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, sex, and year | All ages | Under 1 year | 1-4 years | 5-14 years | 15-24 years | 25-34 years | 35-44 years | 45-54 years | 55-64 years | 65-74 years | 75-84 years | 85 years and over | Age not stated |
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|

Other and unspecified events of undetermined intent and their sequelae (Y10-Y21,Y25-Y34,Y87.2,Y89.9)

All origins, female

|           |       |    |    |    |     |     |     |     |     |    |    |    |   |
|-----------|-------|----|----|----|-----|-----|-----|-----|-----|----|----|----|---|
| 2007..... | 1,977 | 33 | 22 | 15 | 123 | 295 | 457 | 632 | 234 | 70 | 53 | 42 | 1 |
| 2006..... | 1,843 | 35 | 23 | 16 | 142 | 240 | 503 | 524 | 197 | 68 | 60 | 35 | - |
| 2005..... | 1,838 | 37 | 24 | 19 | 120 | 258 | 492 | 550 | 170 | 63 | 57 | 48 | - |
| 2004..... | 1,756 | 39 | 20 | 19 | 113 | 235 | 503 | 487 | 162 | 62 | 65 | 51 | - |
| 2003..... | 1,731 | 25 | 14 | 14 | 142 | 250 | 551 | 447 | 142 | 65 | 46 | 31 | 4 |
| 2002..... | 1,672 | 49 | 29 | 29 | 121 | 236 | 524 | 438 | 112 | 51 | 48 | 34 | 1 |
| 2001..... | 1,324 | 34 | 25 | 13 | 91  | 207 | 448 | 320 | 78  | 33 | 49 | 24 | 2 |
| 2000..... | 1,144 | 38 | 13 | 9  | 76  | 181 | 392 | 266 | 72  | 32 | 29 | 36 | - |
| 1999..... | 1,178 | 22 | 22 | 11 | 69  | 213 | 396 | 254 | 71  | 41 | 40 | 33 | 6 |

Hispanic, both sexes

|           |     |    |    |    |    |    |    |    |    |   |   |   |   |
|-----------|-----|----|----|----|----|----|----|----|----|---|---|---|---|
| 2007..... | 300 | 20 | 12 | 3  | 53 | 54 | 70 | 49 | 22 | 7 | 8 | 2 | - |
| 2006..... | 312 | 18 | 9  | 4  | 42 | 48 | 88 | 66 | 27 | 4 | 2 | 4 | - |
| 2005..... | 298 | 17 | 11 | 4  | 43 | 51 | 72 | 67 | 18 | 5 | 9 | - | 1 |
| 2004..... | 309 | 13 | 5  | 5  | 46 | 67 | 78 | 54 | 23 | 7 | 4 | 6 | 1 |
| 2003..... | 308 | 6  | 6  | 10 | 38 | 79 | 75 | 63 | 19 | 5 | 5 | 2 | - |
| 2002..... | 297 | 14 | 11 | 4  | 37 | 67 | 87 | 49 | 15 | 9 | 2 | - | 2 |
| 2001..... | 262 | 7  | 6  | 3  | 26 | 59 | 88 | 51 | 8  | 6 | 2 | 4 | 2 |
| 2000..... | 195 | 5  | 5  | 1  | 21 | 57 | 62 | 25 | 12 | 4 | 2 | - | 1 |
| 1999..... | 218 | 6  | 8  | 3  | 34 | 66 | 58 | 26 | 12 | 1 | 3 | - | 1 |

Worktable Orig290F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2007

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data - mortality"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, sex, and year | All ages | Under 1 year | 1-4 years | 5-14 years | 15-24 years | 25-34 years | 35-44 years | 45-54 years | 55-64 years | 65-74 years | 75-84 years | 85 years and over | Age not stated |
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|

Other and unspecified events of undetermined intent and their sequelae (Y10-Y21,Y25-Y34,Y87.2,Y89.9)

| Hispanic, male   |     |    |   |   |    |    |    |    |    |   |   |   |   |
|------------------|-----|----|---|---|----|----|----|----|----|---|---|---|---|
| 2007.....        | 203 | 8  | 4 | 2 | 36 | 40 | 52 | 34 | 16 | 7 | 3 | 1 | - |
| 2006.....        | 224 | 13 | 6 | 3 | 29 | 40 | 65 | 42 | 19 | 4 | 1 | 2 | - |
| 2005.....        | 198 | 9  | 8 | 2 | 27 | 38 | 51 | 39 | 14 | 4 | 5 | - | 1 |
| 2004.....        | 215 | 11 | 5 | 3 | 32 | 47 | 53 | 35 | 16 | 6 | 3 | 3 | 1 |
| 2003.....        | 232 | 1  | 4 | 6 | 27 | 63 | 60 | 48 | 13 | 4 | 4 | 2 | - |
| 2002.....        | 221 | 6  | 7 | 1 | 32 | 52 | 62 | 40 | 14 | 4 | 1 | - | 2 |
| 2001.....        | 200 | 4  | 3 | 3 | 19 | 49 | 71 | 34 | 6  | 5 | 1 | 3 | 2 |
| 2000.....        | 148 | 2  | 2 | 1 | 17 | 47 | 46 | 20 | 9  | 1 | 2 | - | 1 |
| 1999.....        | 174 | 3  | 5 | 2 | 30 | 52 | 47 | 22 | 10 | - | 2 | - | 1 |
| Hispanic, female |     |    |   |   |    |    |    |    |    |   |   |   |   |
| 2007.....        | 97  | 12 | 8 | 1 | 17 | 14 | 18 | 15 | 6  | - | 5 | 1 | - |
| 2006.....        | 88  | 5  | 3 | 1 | 13 | 8  | 23 | 24 | 8  | - | 1 | 2 | - |
| 2005.....        | 100 | 8  | 3 | 2 | 16 | 13 | 21 | 28 | 4  | 1 | 4 | - | - |
| 2004.....        | 94  | 2  | - | 2 | 14 | 20 | 25 | 19 | 7  | 1 | 1 | 3 | - |
| 2003.....        | 76  | 5  | 2 | 4 | 11 | 16 | 15 | 15 | 6  | 1 | 1 | - | - |
| 2002.....        | 76  | 8  | 4 | 3 | 5  | 15 | 25 | 9  | 1  | 5 | 1 | - | - |
| 2001.....        | 62  | 3  | 3 | - | 7  | 10 | 17 | 17 | 2  | 1 | 1 | 1 | - |
| 2000.....        | 47  | 3  | 3 | - | 4  | 10 | 16 | 5  | 3  | 3 | - | - | - |
| 1999.....        | 44  | 3  | 3 | 1 | 4  | 14 | 11 | 4  | 2  | 1 | 1 | - | - |



Worktable Orig290F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2007

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data - mortality"]

---

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, sex, and year

|  | All ages | Under 1 year | 1-4 years | 5-14 years | 15-24 years | 25-34 years | 35-44 years | 45-54 years | 55-64 years | 65-74 years | 75-84 years | 85 years and over | Age not stated |
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|

---

Other and unspecified events of undetermined intent and their sequelae (Y10-Y21,Y25-Y34,Y87.2,Y89.9)

Non-Hispanic 1/, both sexes

|           |       |    |    |    |     |     |       |       |     |     |     |    |    |
|-----------|-------|----|----|----|-----|-----|-------|-------|-----|-----|-----|----|----|
| 2007..... | 4,786 | 67 | 34 | 34 | 444 | 771 | 1,144 | 1,408 | 539 | 158 | 117 | 66 | 4  |
| 2006..... | 4,578 | 73 | 41 | 50 | 483 | 724 | 1,148 | 1,268 | 443 | 148 | 131 | 68 | 1  |
| 2005..... | 4,196 | 87 | 55 | 48 | 363 | 653 | 1,089 | 1,211 | 380 | 140 | 94  | 72 | 4  |
| 2004..... | 4,413 | 89 | 41 | 50 | 396 | 692 | 1,263 | 1,213 | 356 | 133 | 106 | 72 | 2  |
| 2003..... | 4,500 | 68 | 24 | 33 | 456 | 716 | 1,453 | 1,168 | 326 | 117 | 82  | 49 | 8  |
| 2002..... | 4,255 | 87 | 43 | 58 | 369 | 710 | 1,373 | 1,057 | 290 | 113 | 88  | 62 | 5  |
| 2001..... | 3,668 | 76 | 38 | 42 | 321 | 618 | 1,252 | 901   | 199 | 82  | 94  | 39 | 6  |
| 2000..... | 3,362 | 58 | 34 | 49 | 278 | 566 | 1,177 | 789   | 196 | 86  | 71  | 54 | 4  |
| 1999..... | 3,337 | 49 | 32 | 34 | 267 | 618 | 1,176 | 731   | 194 | 94  | 80  | 52 | 10 |

Non-Hispanic 1/, male

|           |       |    |    |    |     |     |     |     |     |    |    |    |   |
|-----------|-------|----|----|----|-----|-----|-----|-----|-----|----|----|----|---|
| 2007..... | 2,912 | 46 | 20 | 20 | 338 | 490 | 705 | 794 | 312 | 88 | 69 | 26 | 4 |
| 2006..... | 2,827 | 44 | 21 | 35 | 354 | 492 | 669 | 770 | 254 | 80 | 72 | 35 | 1 |
| 2005..... | 2,465 | 58 | 34 | 31 | 259 | 409 | 622 | 690 | 214 | 79 | 41 | 24 | 4 |
| 2004..... | 2,753 | 53 | 21 | 33 | 297 | 478 | 785 | 745 | 201 | 72 | 42 | 24 | 2 |
| 2003..... | 2,856 | 48 | 12 | 23 | 325 | 483 | 921 | 739 | 190 | 53 | 37 | 18 | 7 |
| 2002..... | 2,663 | 46 | 20 | 32 | 254 | 489 | 875 | 628 | 179 | 67 | 41 | 28 | 4 |
| 2001..... | 2,414 | 45 | 16 | 29 | 237 | 421 | 822 | 603 | 124 | 50 | 46 | 16 | 5 |
| 2000..... | 2,273 | 25 | 24 | 40 | 206 | 395 | 805 | 528 | 129 | 57 | 42 | 18 | 4 |
| 1999..... | 2,212 | 30 | 13 | 24 | 202 | 420 | 791 | 483 | 125 | 55 | 41 | 20 | 8 |

Worktable Orig290F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2007

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data - mortality"]

---

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, sex, and year

|  | All ages | Under 1 year | 1-4 years | 5-14 years | 15-24 years | 25-34 years | 35-44 years | 45-54 years | 55-64 years | 65-74 years | 75-84 years | 85 years and over | Age not stated |
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|

---

Other and unspecified events of undetermined intent and their sequelae (Y10-Y21,Y25-Y34,Y87.2,Y89.9)

Non-Hispanic 1/, female

|           |       |    |    |    |     |     |     |     |     |    |    |    |   |
|-----------|-------|----|----|----|-----|-----|-----|-----|-----|----|----|----|---|
| 2007..... | 1,874 | 21 | 14 | 14 | 106 | 281 | 439 | 614 | 227 | 70 | 48 | 40 | - |
| 2006..... | 1,751 | 29 | 20 | 15 | 129 | 232 | 479 | 498 | 189 | 68 | 59 | 33 | - |
| 2005..... | 1,731 | 29 | 21 | 17 | 104 | 244 | 467 | 521 | 166 | 61 | 53 | 48 | - |
| 2004..... | 1,660 | 36 | 20 | 17 | 99  | 214 | 478 | 468 | 155 | 61 | 64 | 48 | - |
| 2003..... | 1,644 | 20 | 12 | 10 | 131 | 233 | 532 | 429 | 136 | 64 | 45 | 31 | 1 |
| 2002..... | 1,592 | 41 | 23 | 26 | 115 | 221 | 498 | 429 | 111 | 46 | 47 | 34 | 1 |
| 2001..... | 1,254 | 31 | 22 | 13 | 84  | 197 | 430 | 298 | 75  | 32 | 48 | 23 | 1 |
| 2000..... | 1,089 | 33 | 10 | 9  | 72  | 171 | 372 | 261 | 67  | 29 | 29 | 36 | - |
| 1999..... | 1,125 | 19 | 19 | 10 | 65  | 198 | 385 | 248 | 69  | 39 | 39 | 32 | 2 |

Non-Hispanic white, both sexes

|              |       |    |    |    |     |     |       |       |     |     |     |    |   |
|--------------|-------|----|----|----|-----|-----|-------|-------|-----|-----|-----|----|---|
| 2007 2/..... | 3,944 | 35 | 23 | 25 | 383 | 670 | 941   | 1,156 | 425 | 129 | 94  | 61 | 2 |
| 2006 2/..... | 3,733 | 46 | 19 | 33 | 426 | 618 | 937   | 1,028 | 353 | 120 | 102 | 50 | 1 |
| 2005 2/..... | 3,435 | 52 | 33 | 33 | 307 | 550 | 878   | 999   | 320 | 119 | 77  | 65 | 2 |
| 2004 2/..... | 3,645 | 54 | 25 | 27 | 343 | 581 | 1,046 | 1,008 | 301 | 101 | 93  | 65 | 1 |
| 2003 2/..... | 3,746 | 45 | 15 | 20 | 405 | 614 | 1,214 | 960   | 260 | 89  | 71  | 47 | 6 |
| 2002.....    | 3,458 | 43 | 33 | 41 | 323 | 580 | 1,122 | 846   | 244 | 91  | 73  | 58 | 4 |
| 2001.....    | 2,989 | 40 | 25 | 32 | 282 | 514 | 1,013 | 726   | 168 | 66  | 83  | 36 | 4 |
| 2000.....    | 2,675 | 35 | 22 | 32 | 235 | 460 | 935   | 627   | 150 | 68  | 64  | 45 | 2 |
| 1999.....    | 2,631 | 30 | 14 | 28 | 223 | 498 | 913   | 557   | 161 | 81  | 74  | 46 | 6 |

Worktable Orig290F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2007

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data - mortality"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, sex, and year | All ages | Under 1 year | 1-4 years | 5-14 years | 15-24 years | 25-34 years | 35-44 years | 45-54 years | 55-64 years | 65-74 years | 75-84 years | 85 years and over | Age not stated |
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|

Other and unspecified events of undetermined intent and their sequelae (Y10-Y21,Y25-Y34,Y87.2,Y89.9)

| Non-Hispanic white, male   |       |    |    |    |     |     |     |     |     |    |    |    |   |
|----------------------------|-------|----|----|----|-----|-----|-----|-----|-----|----|----|----|---|
| 2007 2/.....               | 2,352 | 26 | 12 | 12 | 291 | 427 | 571 | 628 | 238 | 67 | 53 | 25 | 2 |
| 2006 2/.....               | 2,251 | 28 | 6  | 22 | 317 | 416 | 529 | 600 | 193 | 60 | 51 | 28 | 1 |
| 2005 2/.....               | 1,978 | 36 | 21 | 22 | 223 | 340 | 498 | 550 | 168 | 64 | 31 | 23 | 2 |
| 2004 2/.....               | 2,243 | 32 | 11 | 17 | 259 | 402 | 643 | 604 | 161 | 54 | 36 | 23 | 1 |
| 2003 2/.....               | 2,323 | 28 | 7  | 16 | 285 | 405 | 763 | 585 | 140 | 39 | 33 | 17 | 5 |
| 2002.....                  | 2,133 | 23 | 16 | 22 | 224 | 398 | 709 | 483 | 145 | 48 | 35 | 27 | 3 |
| 2001.....                  | 1,921 | 25 | 10 | 22 | 205 | 346 | 646 | 469 | 99  | 38 | 43 | 15 | 3 |
| 2000.....                  | 1,780 | 16 | 15 | 26 | 171 | 315 | 637 | 410 | 94  | 42 | 38 | 14 | 2 |
| 1999.....                  | 1,700 | 19 | 7  | 20 | 172 | 328 | 607 | 348 | 93  | 47 | 36 | 18 | 5 |
| Non-Hispanic white, female |       |    |    |    |     |     |     |     |     |    |    |    |   |
| 2007 2/.....               | 1,592 | 9  | 11 | 13 | 92  | 243 | 370 | 528 | 187 | 62 | 41 | 36 | - |
| 2006 2/.....               | 1,482 | 18 | 13 | 11 | 109 | 202 | 408 | 428 | 160 | 60 | 51 | 22 | - |
| 2005 2/.....               | 1,457 | 16 | 12 | 11 | 84  | 210 | 380 | 449 | 152 | 55 | 46 | 42 | - |
| 2004 2/.....               | 1,402 | 22 | 14 | 10 | 84  | 179 | 403 | 404 | 140 | 47 | 57 | 42 | - |
| 2003 2/.....               | 1,423 | 17 | 8  | 4  | 120 | 209 | 451 | 375 | 120 | 50 | 38 | 30 | 1 |
| 2002.....                  | 1,325 | 20 | 17 | 19 | 99  | 182 | 413 | 363 | 99  | 43 | 38 | 31 | 1 |
| 2001.....                  | 1,068 | 15 | 15 | 10 | 77  | 168 | 367 | 257 | 69  | 28 | 40 | 21 | 1 |
| 2000.....                  | 895   | 19 | 7  | 6  | 64  | 145 | 298 | 217 | 56  | 26 | 26 | 31 | - |
| 1999.....                  | 931   | 11 | 7  | 8  | 51  | 170 | 306 | 209 | 68  | 34 | 38 | 28 | 1 |

Worktable Orig290F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2007

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data - mortality"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, sex, and year | All ages | Under 1 year | 1-4 years | 5-14 years | 15-24 years | 25-34 years | 35-44 years | 45-54 years | 55-64 years | 65-74 years | 75-84 years | 85 years and over | Age not stated |
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|

Other and unspecified events of undetermined intent and their sequelae (Y10-Y21,Y25-Y34,Y87.2,Y89.9)

Non-Hispanic black, both sexes

|              |     |    |    |    |    |     |     |     |    |    |    |   |   |
|--------------|-----|----|----|----|----|-----|-----|-----|----|----|----|---|---|
| 2007 2/..... | 690 | 28 | 10 | 9  | 36 | 77  | 166 | 222 | 96 | 25 | 17 | 2 | 2 |
| 2006 2/..... | 662 | 22 | 20 | 15 | 34 | 74  | 176 | 201 | 74 | 22 | 15 | 9 | - |
| 2005 2/..... | 639 | 31 | 20 | 10 | 39 | 84  | 183 | 185 | 48 | 17 | 13 | 7 | 2 |
| 2004 2/..... | 654 | 31 | 14 | 22 | 41 | 89  | 185 | 186 | 49 | 21 | 10 | 5 | 1 |
| 2003 2/..... | 640 | 21 | 8  | 10 | 33 | 86  | 210 | 188 | 52 | 21 | 7  | 2 | 2 |
| 2002.....    | 701 | 37 | 6  | 13 | 38 | 108 | 234 | 194 | 38 | 15 | 15 | 3 | - |
| 2001.....    | 598 | 36 | 13 | 9  | 28 | 85  | 220 | 160 | 27 | 12 | 4  | 3 | 1 |
| 2000.....    | 601 | 14 | 11 | 16 | 31 | 88  | 223 | 151 | 39 | 13 | 6  | 7 | 2 |
| 1999.....    | 621 | 18 | 14 | 6  | 35 | 105 | 233 | 162 | 27 | 10 | 4  | 3 | 4 |

Non-Hispanic black, male

|              |     |    |    |    |    |    |     |     |    |    |    |   |   |
|--------------|-----|----|----|----|----|----|-----|-----|----|----|----|---|---|
| 2007 2/..... | 471 | 17 | 8  | 8  | 32 | 48 | 112 | 145 | 69 | 18 | 12 | - | 2 |
| 2006 2/..... | 457 | 12 | 13 | 11 | 22 | 54 | 119 | 146 | 51 | 16 | 11 | 2 | - |
| 2005 2/..... | 419 | 19 | 12 | 7  | 26 | 56 | 110 | 128 | 38 | 12 | 8  | 1 | 2 |
| 2004 2/..... | 443 | 18 | 9  | 15 | 31 | 64 | 121 | 128 | 38 | 13 | 5  | - | 1 |
| 2003 2/..... | 455 | 19 | 4  | 4  | 26 | 67 | 139 | 140 | 39 | 12 | 2  | 1 | 2 |
| 2002.....    | 469 | 18 | 2  | 9  | 25 | 74 | 156 | 135 | 30 | 14 | 6  | - | - |
| 2001.....    | 439 | 20 | 6  | 6  | 23 | 61 | 164 | 124 | 23 | 10 | -  | 1 | 1 |
| 2000.....    | 432 | 3  | 8  | 13 | 27 | 66 | 155 | 111 | 29 | 11 | 4  | 3 | 2 |
| 1999.....    | 459 | 10 | 6  | 4  | 26 | 79 | 166 | 128 | 26 | 7  | 3  | 1 | 3 |

Worktable Orig290F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2007

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data - mortality"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, sex, and year | All ages | Under 1 year | 1-4 years | 5-14 years | 15-24 years | 25-34 years | 35-44 years | 45-54 years | 55-64 years | 65-74 years | 75-84 years | 85 years and over | Age not stated |
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|

Other and unspecified events of undetermined intent and their sequelae (Y10-Y21,Y25-Y34,Y87.2,Y89.9)

Non-Hispanic black, female

|              |     |    |   |   |    |    |    |    |    |   |   |   |   |
|--------------|-----|----|---|---|----|----|----|----|----|---|---|---|---|
| 2007 2/..... | 219 | 11 | 2 | 1 | 4  | 29 | 54 | 77 | 27 | 7 | 5 | 2 | - |
| 2006 2/..... | 205 | 10 | 7 | 4 | 12 | 20 | 57 | 55 | 23 | 6 | 4 | 7 | - |
| 2005 2/..... | 220 | 12 | 8 | 3 | 13 | 28 | 73 | 57 | 10 | 5 | 5 | 6 | - |
| 2004 2/..... | 211 | 13 | 5 | 7 | 10 | 25 | 64 | 58 | 11 | 8 | 5 | 5 | - |
| 2003 2/..... | 185 | 2  | 4 | 6 | 7  | 19 | 71 | 48 | 13 | 9 | 5 | 1 | - |
| 2002.....    | 232 | 19 | 4 | 4 | 13 | 34 | 78 | 59 | 8  | 1 | 9 | 3 | - |
| 2001.....    | 159 | 16 | 7 | 3 | 5  | 24 | 56 | 36 | 4  | 2 | 4 | 2 | - |
| 2000.....    | 169 | 11 | 3 | 3 | 4  | 22 | 68 | 40 | 10 | 2 | 2 | 4 | - |
| 1999.....    | 162 | 8  | 8 | 2 | 9  | 26 | 67 | 34 | 1  | 3 | 1 | 2 | 1 |

Origin not stated 3/, both sexes

|           |    |   |   |   |   |   |    |   |   |   |   |   |    |
|-----------|----|---|---|---|---|---|----|---|---|---|---|---|----|
| 2007..... | 19 | 1 | - | - | - | 3 | 1  | 4 | 3 | 1 | 1 | 1 | 4  |
| 2006..... | 21 | 1 | - | - | 1 | - | 3  | 6 | 2 | 3 | - | - | 5  |
| 2005..... | 27 | - | - | - | 1 | 3 | 5  | 8 | 3 | 2 | - | - | 5  |
| 2004..... | 19 | 2 | - | - | 1 | 2 | 4  | 6 | - | - | 1 | - | 3  |
| 2003..... | 32 | 1 | - | - | - | 2 | 10 | 5 | 3 | 1 | - | - | 10 |
| 2002..... | 35 | - | 2 | - | 2 | 5 | 6  | 5 | 3 | 2 | - | 3 | 7  |
| 2001..... | 37 | - | - | - | 1 | 3 | 6  | 9 | 6 | 1 | 1 | - | 10 |
| 2000..... | 32 | 2 | - | - | - | 4 | 8  | 4 | 5 | 3 | - | 1 | 5  |
| 1999..... | 38 | - | - | - | 2 | 8 | 4  | 8 | 2 | 4 | - | 2 | 8  |

Worktable Orig290F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2007

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data - mortality"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, sex, and year | All ages | Under 1 year | 1-4 years | 5-14 years | 15-24 years | 25-34 years | 35-44 years | 45-54 years | 55-64 years | 65-74 years | 75-84 years | 85 years and over | Age not stated |
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|

Other and unspecified events of undetermined intent and their sequelae (Y10-Y21,Y25-Y34,Y87.2,Y89.9)

Origin not stated 3/, male

|           |    |   |   |   |   |   |   |   |   |   |   |   |   |
|-----------|----|---|---|---|---|---|---|---|---|---|---|---|---|
| 2007..... | 13 | 1 | - | - | - | 3 | 1 | 1 | 2 | 1 | 1 | - | 3 |
| 2006..... | 17 | - | - | - | 1 | - | 2 | 4 | 2 | 3 | - | - | 5 |
| 2005..... | 20 | - | - | - | 1 | 2 | 1 | 7 | 3 | 1 | - | - | 5 |
| 2004..... | 17 | 1 | - | - | 1 | 1 | 4 | 6 | - | - | 1 | - | 3 |
| 2003..... | 21 | 1 | - | - | - | 1 | 6 | 2 | 3 | 1 | - | - | 7 |
| 2002..... | 31 | - | - | - | 1 | 5 | 5 | 5 | 3 | 2 | - | 3 | 7 |
| 2001..... | 29 | - | - | - | 1 | 3 | 5 | 4 | 5 | 1 | 1 | - | 9 |
| 2000..... | 24 | - | - | - | - | 4 | 4 | 4 | 3 | 3 | - | 1 | 5 |
| 1999..... | 29 | - | - | - | 2 | 7 | 4 | 6 | 2 | 3 | - | 1 | 4 |

Origin not stated 3/, female

|           |    |   |   |   |   |   |   |   |   |   |   |   |   |
|-----------|----|---|---|---|---|---|---|---|---|---|---|---|---|
| 2007..... | 6  | - | - | - | - | - | - | 3 | 1 | - | - | 1 | 1 |
| 2006..... | 4  | 1 | - | - | - | - | 1 | 2 | - | - | - | - | - |
| 2005..... | 7  | - | - | - | - | 1 | 4 | 1 | - | 1 | - | - | - |
| 2004..... | 2  | 1 | - | - | - | 1 | - | - | - | - | - | - | - |
| 2003..... | 11 | - | - | - | - | 1 | 4 | 3 | - | - | - | - | 3 |
| 2002..... | 4  | - | 2 | - | 1 | - | 1 | - | - | - | - | - | - |
| 2001..... | 8  | - | - | - | - | - | 1 | 5 | 1 | - | - | - | 1 |
| 2000..... | 8  | 2 | - | - | - | - | 4 | - | 2 | - | - | - | - |
| 1999..... | 9  | - | - | - | - | 1 | - | 2 | - | 1 | - | 1 | 4 |

Worktable Orig290F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2007

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data - mortality"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, sex, and year | All ages | Under 1 year | 1-4 years | 5-14 years | 15-24 years | 25-34 years | 35-44 years | 45-54 years | 55-64 years | 65-74 years | 75-84 years | 85 years and over | Age not stated |
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|

Operations of war and their sequelae (Y36,Y89.1)

All origins, both sexes

|           |    |   |   |   |    |   |   |   |   |   |    |   |   |
|-----------|----|---|---|---|----|---|---|---|---|---|----|---|---|
| 2007..... | 21 | - | - | - | 3  | 5 | - | - | 6 | 1 | 5  | 1 | - |
| 2006..... | 28 | - | - | - | 13 | 4 | 2 | 1 | 2 | 2 | 4  | - | - |
| 2005..... | 27 | - | - | - | 3  | 3 | 4 | 1 | 3 | 2 | 10 | 1 | - |
| 2004..... | 28 | - | - | - | 4  | 1 | 3 | - | 4 | 1 | 14 | 1 | - |
| 2003..... | 14 | - | - | - | 1  | - | - | 1 | 5 | 2 | 5  | - | - |
| 2002..... | 20 | - | - | - | -  | 1 | 1 | 1 | 3 | 3 | 10 | 1 | - |
| 2001..... | 17 | - | - | - | 1  | - | 1 | 2 | - | 4 | 8  | 1 | - |
| 2000..... | 16 | - | - | - | -  | - | - | 2 | 1 | 3 | 9  | 1 | - |
| 1999..... | 23 | - | - | - | -  | - | 1 | 2 | 1 | 8 | 8  | 3 | - |

All origins, male

|           |    |   |   |   |    |   |   |   |   |   |    |   |   |
|-----------|----|---|---|---|----|---|---|---|---|---|----|---|---|
| 2007..... | 21 | - | - | - | 3  | 5 | - | - | 6 | 1 | 5  | 1 | - |
| 2006..... | 28 | - | - | - | 13 | 4 | 2 | 1 | 2 | 2 | 4  | - | - |
| 2005..... | 27 | - | - | - | 3  | 3 | 4 | 1 | 3 | 2 | 10 | 1 | - |
| 2004..... | 28 | - | - | - | 4  | 1 | 3 | - | 4 | 1 | 14 | 1 | - |
| 2003..... | 14 | - | - | - | 1  | - | - | 1 | 5 | 2 | 5  | - | - |
| 2002..... | 20 | - | - | - | -  | 1 | 1 | 1 | 3 | 3 | 10 | 1 | - |
| 2001..... | 16 | - | - | - | 1  | - | 1 | 2 | - | 4 | 7  | 1 | - |
| 2000..... | 16 | - | - | - | -  | - | - | 2 | 1 | 3 | 9  | 1 | - |
| 1999..... | 22 | - | - | - | -  | - | 1 | 2 | 1 | 8 | 7  | 3 | - |

Worktable Orig290F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2007

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data - mortality"]

---

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, sex, and year

|  | All ages | Under 1 year | 1-4 years | 5-14 years | 15-24 years | 25-34 years | 35-44 years | 45-54 years | 55-64 years | 65-74 years | 75-84 years | 85 years and over | Age not stated |
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|

---

Operations of war and their sequelae (Y36,Y89.1)

All origins, female

|           |   |   |   |   |   |   |   |   |   |   |   |   |   |
|-----------|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 2007..... | - | - | - | - | - | - | - | - | - | - | - | - | - |
| 2006..... | - | - | - | - | - | - | - | - | - | - | - | - | - |
| 2005..... | - | - | - | - | - | - | - | - | - | - | - | - | - |
| 2004..... | - | - | - | - | - | - | - | - | - | - | - | - | - |
| 2003..... | - | - | - | - | - | - | - | - | - | - | - | - | - |
| 2002..... | - | - | - | - | - | - | - | - | - | - | - | - | - |
| 2001..... | 1 | - | - | - | - | - | - | - | - | - | 1 | - | - |
| 2000..... | - | - | - | - | - | - | - | - | - | - | - | - | - |
| 1999..... | 1 | - | - | - | - | - | - | - | - | - | 1 | - | - |

Hispanic, both sexes

|           |   |   |   |   |   |   |   |   |   |   |   |   |   |
|-----------|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 2007..... | 3 | - | - | - | - | 3 | - | - | - | - | - | - | - |
| 2006..... | 2 | - | - | - | 2 | - | - | - | - | - | - | - | - |
| 2005..... | 2 | - | - | - | 1 | - | 1 | - | - | - | - | - | - |
| 2004..... | 1 | - | - | - | - | - | - | - | - | - | 1 | - | - |
| 2003..... | - | - | - | - | - | - | - | - | - | - | - | - | - |
| 2002..... | 1 | - | - | - | - | 1 | - | - | - | - | - | - | - |
| 2001..... | 2 | - | - | - | 1 | - | - | - | - | - | 1 | - | - |
| 2000..... | 1 | - | - | - | - | - | - | - | - | 1 | - | - | - |
| 1999..... | 2 | - | - | - | - | - | - | - | - | - | 1 | 1 | - |





Worktable Orig290F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2007

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data - mortality"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, sex, and year | All ages | Under 1 year | 1-4 years | 5-14 years | 15-24 years | 25-34 years | 35-44 years | 45-54 years | 55-64 years | 65-74 years | 75-84 years | 85 years and over | Age not stated |
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|

Operations of war and their sequelae (Y36,Y89.1)

Non-Hispanic 1/, both sexes

|           |    |   |   |   |    |   |   |   |   |   |    |   |   |
|-----------|----|---|---|---|----|---|---|---|---|---|----|---|---|
| 2007..... | 18 | - | - | - | 3  | 2 | - | - | 6 | 1 | 5  | 1 | - |
| 2006..... | 26 | - | - | - | 11 | 4 | 2 | 1 | 2 | 2 | 4  | - | - |
| 2005..... | 25 | - | - | - | 2  | 3 | 3 | 1 | 3 | 2 | 10 | 1 | - |
| 2004..... | 27 | - | - | - | 4  | 1 | 3 | - | 4 | 1 | 13 | 1 | - |
| 2003..... | 14 | - | - | - | 1  | - | - | 1 | 5 | 2 | 5  | - | - |
| 2002..... | 19 | - | - | - | -  | - | 1 | 1 | 3 | 3 | 10 | 1 | - |
| 2001..... | 15 | - | - | - | -  | - | 1 | 2 | - | 4 | 7  | 1 | - |
| 2000..... | 15 | - | - | - | -  | - | - | 2 | 1 | 2 | 9  | 1 | - |
| 1999..... | 21 | - | - | - | -  | - | 1 | 2 | 1 | 8 | 7  | 2 | - |

Non-Hispanic 1/, male

|           |    |   |   |   |    |   |   |   |   |   |    |   |   |
|-----------|----|---|---|---|----|---|---|---|---|---|----|---|---|
| 2007..... | 18 | - | - | - | 3  | 2 | - | - | 6 | 1 | 5  | 1 | - |
| 2006..... | 26 | - | - | - | 11 | 4 | 2 | 1 | 2 | 2 | 4  | - | - |
| 2005..... | 25 | - | - | - | 2  | 3 | 3 | 1 | 3 | 2 | 10 | 1 | - |
| 2004..... | 27 | - | - | - | 4  | 1 | 3 | - | 4 | 1 | 13 | 1 | - |
| 2003..... | 14 | - | - | - | 1  | - | - | 1 | 5 | 2 | 5  | - | - |
| 2002..... | 19 | - | - | - | -  | - | 1 | 1 | 3 | 3 | 10 | 1 | - |
| 2001..... | 14 | - | - | - | -  | - | 1 | 2 | - | 4 | 6  | 1 | - |
| 2000..... | 15 | - | - | - | -  | - | - | 2 | 1 | 2 | 9  | 1 | - |
| 1999..... | 20 | - | - | - | -  | - | 1 | 2 | 1 | 8 | 6  | 2 | - |

Worktable Orig290F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2007

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data - mortality"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, sex, and year | All ages | Under 1 year | 1-4 years | 5-14 years | 15-24 years | 25-34 years | 35-44 years | 45-54 years | 55-64 years | 65-74 years | 75-84 years | 85 years and over | Age not stated |
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|

Operations of war and their sequelae (Y36,Y89.1)

Non-Hispanic 1/, female

|           |   |   |   |   |   |   |   |   |   |   |   |   |   |
|-----------|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 2007..... | - | - | - | - | - | - | - | - | - | - | - | - | - |
| 2006..... | - | - | - | - | - | - | - | - | - | - | - | - | - |
| 2005..... | - | - | - | - | - | - | - | - | - | - | - | - | - |
| 2004..... | - | - | - | - | - | - | - | - | - | - | - | - | - |
| 2003..... | - | - | - | - | - | - | - | - | - | - | - | - | - |
| 2002..... | - | - | - | - | - | - | - | - | - | - | - | - | - |
| 2001..... | 1 | - | - | - | - | - | - | - | - | - | 1 | - | - |
| 2000..... | - | - | - | - | - | - | - | - | - | - | - | - | - |
| 1999..... | 1 | - | - | - | - | - | - | - | - | - | 1 | - | - |

Non-Hispanic white, both sexes

|              |    |   |   |   |    |   |   |   |   |   |    |   |   |
|--------------|----|---|---|---|----|---|---|---|---|---|----|---|---|
| 2007 2/..... | 18 | - | - | - | 3  | 2 | - | - | 6 | 1 | 5  | 1 | - |
| 2006 2/..... | 25 | - | - | - | 11 | 4 | 1 | 1 | 2 | 2 | 4  | - | - |
| 2005 2/..... | 19 | - | - | - | 2  | 1 | 2 | - | 2 | 2 | 9  | 1 | - |
| 2004 2/..... | 25 | - | - | - | 3  | 1 | 2 | - | 4 | 1 | 13 | 1 | - |
| 2003 2/..... | 13 | - | - | - | 1  | - | - | 1 | 4 | 2 | 5  | - | - |
| 2002.....    | 14 | - | - | - | -  | - | - | - | 2 | 2 | 9  | 1 | - |
| 2001.....    | 14 | - | - | - | -  | - | 1 | 2 | - | 3 | 7  | 1 | - |
| 2000.....    | 14 | - | - | - | -  | - | - | 1 | 1 | 2 | 9  | 1 | - |
| 1999.....    | 20 | - | - | - | -  | - | 1 | 2 | 1 | 7 | 7  | 2 | - |

Worktable Orig290F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2007

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data - mortality"]

---

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, sex, and year

|  | All ages | Under 1 year | 1-4 years | 5-14 years | 15-24 years | 25-34 years | 35-44 years | 45-54 years | 55-64 years | 65-74 years | 75-84 years | 85 years and over | Age not stated |
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|

---

Operations of war and their sequelae (Y36,Y89.1)

Non-Hispanic white, male

|              |    |   |   |   |    |   |   |   |   |   |    |   |   |
|--------------|----|---|---|---|----|---|---|---|---|---|----|---|---|
| 2007 2/..... | 18 | - | - | - | 3  | 2 | - | - | 6 | 1 | 5  | 1 | - |
| 2006 2/..... | 25 | - | - | - | 11 | 4 | 1 | 1 | 2 | 2 | 4  | - | - |
| 2005 2/..... | 19 | - | - | - | 2  | 1 | 2 | - | 2 | 2 | 9  | 1 | - |
| 2004 2/..... | 25 | - | - | - | 3  | 1 | 2 | - | 4 | 1 | 13 | 1 | - |
| 2003 2/..... | 13 | - | - | - | 1  | - | - | 1 | 4 | 2 | 5  | - | - |
| 2002.....    | 14 | - | - | - | -  | - | - | - | 2 | 2 | 9  | 1 | - |
| 2001.....    | 13 | - | - | - | -  | - | 1 | 2 | - | 3 | 6  | 1 | - |
| 2000.....    | 14 | - | - | - | -  | - | - | 1 | 1 | 2 | 9  | 1 | - |
| 1999.....    | 19 | - | - | - | -  | - | 1 | 2 | 1 | 7 | 6  | 2 | - |

Non-Hispanic white, female

|              |   |   |   |   |   |   |   |   |   |   |   |   |   |
|--------------|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 2007 2/..... | - | - | - | - | - | - | - | - | - | - | - | - | - |
| 2006 2/..... | - | - | - | - | - | - | - | - | - | - | - | - | - |
| 2005 2/..... | - | - | - | - | - | - | - | - | - | - | - | - | - |
| 2004 2/..... | - | - | - | - | - | - | - | - | - | - | - | - | - |
| 2003 2/..... | - | - | - | - | - | - | - | - | - | - | - | - | - |
| 2002.....    | - | - | - | - | - | - | - | - | - | - | - | - | - |
| 2001.....    | 1 | - | - | - | - | - | - | - | - | - | 1 | - | - |
| 2000.....    | - | - | - | - | - | - | - | - | - | - | - | - | - |
| 1999.....    | 1 | - | - | - | - | - | - | - | - | - | 1 | - | - |

Worktable Orig290F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2007

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data - mortality"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, sex, and year | All ages | Under 1 year | 1-4 years | 5-14 years | 15-24 years | 25-34 years | 35-44 years | 45-54 years | 55-64 years | 65-74 years | 75-84 years | 85 years and over | Age not stated |
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|

Operations of war and their sequelae (Y36,Y89.1)

Non-Hispanic black, both sexes

|              |   |   |   |   |   |   |   |   |   |   |   |   |   |
|--------------|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 2007 2/..... | - | - | - | - | - | - | - | - | - | - | - | - | - |
| 2006 2/..... | - | - | - | - | - | - | - | - | - | - | - | - | - |
| 2005 2/..... | 6 | - | - | - | - | 2 | 1 | 1 | 1 | - | 1 | - | - |
| 2004 2/..... | 2 | - | - | - | 1 | - | 1 | - | - | - | - | - | - |
| 2003 2/..... | 1 | - | - | - | - | - | - | - | 1 | - | - | - | - |
| 2002.....    | 5 | - | - | - | - | - | 1 | 1 | 1 | 1 | 1 | - | - |
| 2001.....    | 1 | - | - | - | - | - | - | - | - | 1 | - | - | - |
| 2000.....    | 1 | - | - | - | - | - | - | 1 | - | - | - | - | - |
| 1999.....    | 1 | - | - | - | - | - | - | - | - | 1 | - | - | - |

Non-Hispanic black, male

|              |   |   |   |   |   |   |   |   |   |   |   |   |   |
|--------------|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 2007 2/..... | - | - | - | - | - | - | - | - | - | - | - | - | - |
| 2006 2/..... | - | - | - | - | - | - | - | - | - | - | - | - | - |
| 2005 2/..... | 6 | - | - | - | - | 2 | 1 | 1 | 1 | - | 1 | - | - |
| 2004 2/..... | 2 | - | - | - | 1 | - | 1 | - | - | - | - | - | - |
| 2003 2/..... | 1 | - | - | - | - | - | - | - | 1 | - | - | - | - |
| 2002.....    | 5 | - | - | - | - | - | 1 | 1 | 1 | 1 | 1 | - | - |
| 2001.....    | 1 | - | - | - | - | - | - | - | - | 1 | - | - | - |
| 2000.....    | 1 | - | - | - | - | - | - | 1 | - | - | - | - | - |
| 1999.....    | 1 | - | - | - | - | - | - | - | - | 1 | - | - | - |





Worktable Orig290F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2007

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data - mortality"]

---

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, sex, and year

|  | All ages | Under 1 year | 1-4 years | 5-14 years | 15-24 years | 25-34 years | 35-44 years | 45-54 years | 55-64 years | 65-74 years | 75-84 years | 85 years and over | Age not stated |
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|

---

Complications of medical and surgical care (Y40-Y84,Y88)

| All origins, both sexes |       |    |    |    |    |    |     |     |     |     |     |     |   |
|-------------------------|-------|----|----|----|----|----|-----|-----|-----|-----|-----|-----|---|
| 2007.....               | 2,597 | 22 | 23 | 21 | 30 | 72 | 150 | 250 | 398 | 486 | 712 | 433 | - |
| 2006.....               | 2,521 | 23 | 22 | 19 | 45 | 62 | 118 | 276 | 351 | 475 | 688 | 442 | - |
| 2005.....               | 2,653 | 19 | 16 | 16 | 29 | 70 | 144 | 287 | 364 | 487 | 759 | 462 | - |
| 2004.....               | 2,883 | 16 | 19 | 19 | 48 | 71 | 157 | 293 | 403 | 557 | 787 | 513 | - |
| 2003.....               | 2,855 | 15 | 24 | 12 | 44 | 69 | 179 | 273 | 380 | 534 | 794 | 530 | 1 |
| 2002.....               | 2,843 | 15 | 19 | 35 | 35 | 79 | 171 | 265 | 351 | 560 | 792 | 521 | - |
| 2001.....               | 3,021 | 26 | 24 | 14 | 43 | 79 | 172 | 283 | 384 | 567 | 864 | 564 | 1 |
| 2000.....               | 3,059 | 19 | 22 | 31 | 32 | 85 | 149 | 295 | 376 | 647 | 825 | 578 | - |
| 1999.....               | 2,823 | 54 | 30 | 18 | 36 | 78 | 152 | 214 | 315 | 586 | 811 | 529 | - |
| All origins, male       |       |    |    |    |    |    |     |     |     |     |     |     |   |
| 2007.....               | 1,224 | 10 | 9  | 10 | 19 | 30 | 68  | 119 | 203 | 244 | 338 | 174 | - |
| 2006.....               | 1,121 | 13 | 11 | 11 | 23 | 25 | 51  | 145 | 164 | 210 | 319 | 149 | - |
| 2005.....               | 1,220 | 16 | 10 | 9  | 16 | 26 | 62  | 131 | 192 | 250 | 335 | 173 | - |
| 2004.....               | 1,364 | 6  | 10 | 12 | 24 | 31 | 68  | 148 | 220 | 280 | 385 | 180 | - |
| 2003.....               | 1,333 | 8  | 16 | 4  | 26 | 36 | 96  | 146 | 195 | 264 | 355 | 186 | 1 |
| 2002.....               | 1,236 | 8  | 11 | 26 | 19 | 47 | 82  | 127 | 169 | 256 | 320 | 171 | - |
| 2001.....               | 1,357 | 15 | 14 | 8  | 19 | 42 | 83  | 143 | 196 | 265 | 383 | 189 | - |
| 2000.....               | 1,430 | 12 | 11 | 15 | 16 | 47 | 76  | 143 | 181 | 331 | 402 | 196 | - |
| 1999.....               | 1,308 | 31 | 12 | 9  | 21 | 43 | 78  | 98  | 165 | 279 | 375 | 197 | - |



Worktable Orig290F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2007

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data - mortality"]

---

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, sex, and year

|  | All ages | Under 1 year | 1-4 years | 5-14 years | 15-24 years | 25-34 years | 35-44 years | 45-54 years | 55-64 years | 65-74 years | 75-84 years | 85 years and over | Age not stated |
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|

---

Complications of medical and surgical care (Y40-Y84,Y88)

| All origins, female  |       |    |    |    |    |    |    |     |     |     |     |     |   |
|----------------------|-------|----|----|----|----|----|----|-----|-----|-----|-----|-----|---|
| 2007.....            | 1,373 | 12 | 14 | 11 | 11 | 42 | 82 | 131 | 195 | 242 | 374 | 259 | - |
| 2006.....            | 1,400 | 10 | 11 | 8  | 22 | 37 | 67 | 131 | 187 | 265 | 369 | 293 | - |
| 2005.....            | 1,433 | 3  | 6  | 7  | 13 | 44 | 82 | 156 | 172 | 237 | 424 | 289 | - |
| 2004.....            | 1,519 | 10 | 9  | 7  | 24 | 40 | 89 | 145 | 183 | 277 | 402 | 333 | - |
| 2003.....            | 1,522 | 7  | 8  | 8  | 18 | 33 | 83 | 127 | 185 | 270 | 439 | 344 | - |
| 2002.....            | 1,607 | 7  | 8  | 9  | 16 | 32 | 89 | 138 | 182 | 304 | 472 | 350 | - |
| 2001.....            | 1,664 | 11 | 10 | 6  | 24 | 37 | 89 | 140 | 188 | 302 | 481 | 375 | 1 |
| 2000.....            | 1,629 | 7  | 11 | 16 | 16 | 38 | 73 | 152 | 195 | 316 | 423 | 382 | - |
| 1999.....            | 1,515 | 23 | 18 | 9  | 15 | 35 | 74 | 116 | 150 | 307 | 436 | 332 | - |
|                      |       |    |    |    |    |    |    |     |     |     |     |     |   |
| Hispanic, both sexes |       |    |    |    |    |    |    |     |     |     |     |     |   |
| 2007.....            | 143   | 4  | 4  | 6  | 8  | 5  | 15 | 18  | 21  | 25  | 25  | 12  | - |
| 2006.....            | 129   | 6  | 4  | 1  | 7  | 5  | 7  | 18  | 16  | 31  | 25  | 9   | - |
| 2005.....            | 160   | 7  | 5  | 3  | 3  | 7  | 12 | 27  | 19  | 30  | 36  | 11  | - |
| 2004.....            | 172   | 6  | 5  | 6  | 5  | 15 | 15 | 25  | 24  | 29  | 32  | 10  | - |
| 2003.....            | 155   | 3  | 4  | 1  | 5  | 9  | 22 | 14  | 21  | 38  | 24  | 13  | 1 |
| 2002.....            | 137   | 2  | 7  | 5  | 6  | 8  | 13 | 14  | 19  | 28  | 29  | 6   | - |
| 2001.....            | 145   | 3  | 6  | 4  | 8  | 7  | 12 | 22  | 13  | 25  | 29  | 15  | 1 |
| 2000.....            | 136   | 3  | 4  | 6  | 7  | 4  | 11 | 13  | 11  | 35  | 26  | 16  | - |
| 1999.....            | 100   | 5  | 6  | 3  | 4  | 8  | 8  | 11  | 16  | 15  | 12  | 12  | - |

Worktable Orig290F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2007

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data - mortality"]

---

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, sex, and year

|  | All ages | Under 1 year | 1-4 years | 5-14 years | 15-24 years | 25-34 years | 35-44 years | 45-54 years | 55-64 years | 65-74 years | 75-84 years | 85 years and over | Age not stated |
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|

---

Complications of medical and surgical care (Y40-Y84,Y88)

| Hispanic, male   |    |   |   |   |   |   |    |    |    |    |    |    |   |
|------------------|----|---|---|---|---|---|----|----|----|----|----|----|---|
| 2007.....        | 67 | 1 | 1 | 2 | 5 | 3 | 6  | 12 | 11 | 10 | 12 | 4  | - |
| 2006.....        | 55 | 3 | 2 | - | 2 | 2 | 4  | 9  | 5  | 14 | 11 | 3  | - |
| 2005.....        | 61 | 5 | 2 | 1 | - | 3 | 6  | 9  | 9  | 12 | 12 | 2  | - |
| 2004.....        | 79 | 1 | 2 | 3 | 3 | 6 | 5  | 13 | 13 | 14 | 18 | 1  | - |
| 2003.....        | 76 | 1 | 4 | - | 3 | 2 | 15 | 10 | 9  | 17 | 10 | 4  | 1 |
| 2002.....        | 57 | 2 | 4 | 4 | 3 | 1 | 5  | 8  | 6  | 11 | 13 | -  | - |
| 2001.....        | 65 | - | 3 | 3 | 3 | 3 | 4  | 11 | 8  | 8  | 14 | 8  | - |
| 2000.....        | 70 | 2 | 2 | 4 | 6 | 2 | 5  | 4  | 8  | 16 | 15 | 6  | - |
| 1999.....        | 52 | 3 | 3 | 2 | 2 | 3 | 7  | 6  | 9  | 5  | 8  | 4  | - |
| Hispanic, female |    |   |   |   |   |   |    |    |    |    |    |    |   |
| 2007.....        | 76 | 3 | 3 | 4 | 3 | 2 | 9  | 6  | 10 | 15 | 13 | 8  | - |
| 2006.....        | 74 | 3 | 2 | 1 | 5 | 3 | 3  | 9  | 11 | 17 | 14 | 6  | - |
| 2005.....        | 99 | 2 | 3 | 2 | 3 | 4 | 6  | 18 | 10 | 18 | 24 | 9  | - |
| 2004.....        | 93 | 5 | 3 | 3 | 2 | 9 | 10 | 12 | 11 | 15 | 14 | 9  | - |
| 2003.....        | 79 | 2 | - | 1 | 2 | 7 | 7  | 4  | 12 | 21 | 14 | 9  | - |
| 2002.....        | 80 | - | 3 | 1 | 3 | 7 | 8  | 6  | 13 | 17 | 16 | 6  | - |
| 2001.....        | 80 | 3 | 3 | 1 | 5 | 4 | 8  | 11 | 5  | 17 | 15 | 7  | 1 |
| 2000.....        | 66 | 1 | 2 | 2 | 1 | 2 | 6  | 9  | 3  | 19 | 11 | 10 | - |
| 1999.....        | 48 | 2 | 3 | 1 | 2 | 5 | 1  | 5  | 7  | 10 | 4  | 8  | - |

Worktable Orig290F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2007

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data - mortality"]

---

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, sex, and year

|  | All ages | Under 1 year | 1-4 years | 5-14 years | 15-24 years | 25-34 years | 35-44 years | 45-54 years | 55-64 years | 65-74 years | 75-84 years | 85 years and over | Age not stated |
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|

---

Complications of medical and surgical care (Y40-Y84,Y88)

Non-Hispanic 1/, both sexes

|           |       |    |    |    |    |    |     |     |     |     |     |     |   |
|-----------|-------|----|----|----|----|----|-----|-----|-----|-----|-----|-----|---|
| 2007..... | 2,453 | 18 | 19 | 15 | 22 | 67 | 135 | 232 | 377 | 461 | 686 | 421 | - |
| 2006..... | 2,386 | 17 | 18 | 18 | 38 | 57 | 111 | 255 | 335 | 442 | 663 | 432 | - |
| 2005..... | 2,484 | 12 | 11 | 13 | 26 | 63 | 132 | 260 | 344 | 455 | 719 | 449 | - |
| 2004..... | 2,708 | 10 | 14 | 13 | 43 | 56 | 142 | 268 | 379 | 528 | 753 | 502 | - |
| 2003..... | 2,693 | 12 | 19 | 11 | 38 | 60 | 156 | 257 | 359 | 496 | 769 | 516 | - |
| 2002..... | 2,695 | 13 | 12 | 30 | 29 | 71 | 158 | 249 | 332 | 530 | 758 | 513 | - |
| 2001..... | 2,861 | 23 | 18 | 10 | 34 | 72 | 158 | 261 | 369 | 537 | 831 | 548 | - |
| 2000..... | 2,914 | 16 | 18 | 25 | 25 | 81 | 137 | 281 | 363 | 610 | 797 | 561 | - |
| 1999..... | 2,714 | 49 | 24 | 15 | 32 | 70 | 141 | 202 | 298 | 570 | 798 | 515 | - |

Non-Hispanic 1/, male

|           |       |    |    |    |    |    |    |     |     |     |     |     |   |
|-----------|-------|----|----|----|----|----|----|-----|-----|-----|-----|-----|---|
| 2007..... | 1,156 | 9  | 8  | 8  | 14 | 27 | 62 | 107 | 192 | 234 | 325 | 170 | - |
| 2006..... | 1,062 | 10 | 9  | 11 | 21 | 23 | 47 | 133 | 159 | 195 | 308 | 146 | - |
| 2005..... | 1,152 | 11 | 8  | 8  | 16 | 23 | 56 | 122 | 182 | 237 | 319 | 170 | - |
| 2004..... | 1,285 | 5  | 8  | 9  | 21 | 25 | 63 | 135 | 207 | 266 | 367 | 179 | - |
| 2003..... | 1,252 | 7  | 11 | 4  | 22 | 34 | 80 | 135 | 186 | 247 | 344 | 182 | - |
| 2002..... | 1,175 | 6  | 7  | 22 | 16 | 46 | 77 | 117 | 163 | 244 | 306 | 171 | - |
| 2001..... | 1,286 | 15 | 11 | 5  | 15 | 39 | 78 | 132 | 188 | 254 | 368 | 181 | - |
| 2000..... | 1,354 | 10 | 9  | 11 | 10 | 45 | 70 | 139 | 172 | 313 | 385 | 190 | - |
| 1999..... | 1,253 | 28 | 9  | 7  | 19 | 40 | 70 | 91  | 156 | 274 | 366 | 193 | - |

Worktable Orig290F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2007

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data - mortality"]

---

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, sex, and year

|  | All ages | Under 1 year | 1-4 years | 5-14 years | 15-24 years | 25-34 years | 35-44 years | 45-54 years | 55-64 years | 65-74 years | 75-84 years | 85 years and over | Age not stated |
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|

---

Complications of medical and surgical care (Y40-Y84,Y88)

Non-Hispanic 1/, female

|           |       |    |    |    |    |    |    |     |     |     |     |     |   |
|-----------|-------|----|----|----|----|----|----|-----|-----|-----|-----|-----|---|
| 2007..... | 1,297 | 9  | 11 | 7  | 8  | 40 | 73 | 125 | 185 | 227 | 361 | 251 | - |
| 2006..... | 1,324 | 7  | 9  | 7  | 17 | 34 | 64 | 122 | 176 | 247 | 355 | 286 | - |
| 2005..... | 1,332 | 1  | 3  | 5  | 10 | 40 | 76 | 138 | 162 | 218 | 400 | 279 | - |
| 2004..... | 1,423 | 5  | 6  | 4  | 22 | 31 | 79 | 133 | 172 | 262 | 386 | 323 | - |
| 2003..... | 1,441 | 5  | 8  | 7  | 16 | 26 | 76 | 122 | 173 | 249 | 425 | 334 | - |
| 2002..... | 1,520 | 7  | 5  | 8  | 13 | 25 | 81 | 132 | 169 | 286 | 452 | 342 | - |
| 2001..... | 1,575 | 8  | 7  | 5  | 19 | 33 | 80 | 129 | 181 | 283 | 463 | 367 | - |
| 2000..... | 1,560 | 6  | 9  | 14 | 15 | 36 | 67 | 142 | 191 | 297 | 412 | 371 | - |
| 1999..... | 1,461 | 21 | 15 | 8  | 13 | 30 | 71 | 111 | 142 | 296 | 432 | 322 | - |

Non-Hispanic white, both sexes

|              |       |    |    |    |    |    |     |     |     |     |     |     |   |
|--------------|-------|----|----|----|----|----|-----|-----|-----|-----|-----|-----|---|
| 2007 2/..... | 1,967 | 5  | 13 | 8  | 16 | 50 | 98  | 164 | 300 | 369 | 582 | 362 | - |
| 2006 2/..... | 1,916 | 10 | 13 | 13 | 28 | 39 | 77  | 182 | 241 | 364 | 564 | 385 | - |
| 2005 2/..... | 2,009 | 4  | 9  | 11 | 21 | 47 | 100 | 178 | 264 | 347 | 620 | 408 | - |
| 2004 2/..... | 2,219 | 5  | 11 | 10 | 28 | 42 | 98  | 201 | 300 | 431 | 649 | 444 | - |
| 2003 2/..... | 2,202 | 6  | 9  | 7  | 31 | 39 | 119 | 178 | 276 | 410 | 671 | 456 | - |
| 2002.....    | 2,188 | 6  | 7  | 16 | 21 | 49 | 107 | 169 | 252 | 440 | 664 | 457 | - |
| 2001.....    | 2,294 | 14 | 10 | 6  | 25 | 51 | 105 | 185 | 279 | 417 | 735 | 467 | - |
| 2000.....    | 2,378 | 12 | 8  | 17 | 17 | 56 | 103 | 218 | 272 | 498 | 691 | 486 | - |
| 1999.....    | 2,212 | 30 | 16 | 11 | 26 | 47 | 103 | 148 | 224 | 478 | 688 | 441 | - |

Worktable Orig290F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2007

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data - mortality"]

---

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, sex, and year

|  | All ages | Under 1 year | 1-4 years | 5-14 years | 15-24 years | 25-34 years | 35-44 years | 45-54 years | 55-64 years | 65-74 years | 75-84 years | 85 years and over | Age not stated |
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|

---

Complications of medical and surgical care (Y40-Y84,Y88)

| Non-Hispanic white, male   |       |    |   |    |    |    |    |     |     |     |     |     |   |
|----------------------------|-------|----|---|----|----|----|----|-----|-----|-----|-----|-----|---|
| 2007 2/.....               | 948   | 2  | 5 | 6  | 11 | 21 | 47 | 82  | 153 | 188 | 286 | 147 | - |
| 2006 2/.....               | 869   | 6  | 6 | 8  | 16 | 13 | 38 | 98  | 118 | 163 | 272 | 131 | - |
| 2005 2/.....               | 952   | 3  | 8 | 7  | 13 | 20 | 47 | 86  | 136 | 194 | 279 | 159 | - |
| 2004 2/.....               | 1,084 | 3  | 6 | 7  | 13 | 20 | 49 | 107 | 167 | 227 | 326 | 159 | - |
| 2003 2/.....               | 1,044 | 4  | 5 | 3  | 18 | 23 | 66 | 88  | 148 | 214 | 312 | 163 | - |
| 2002.....                  | 966   | 3  | 5 | 12 | 13 | 34 | 60 | 85  | 129 | 200 | 276 | 149 | - |
| 2001.....                  | 1,016 | 9  | 7 | 2  | 12 | 26 | 50 | 91  | 137 | 197 | 333 | 152 | - |
| 2000.....                  | 1,135 | 9  | 6 | 7  | 7  | 31 | 58 | 111 | 135 | 255 | 347 | 169 | - |
| 1999.....                  | 1,025 | 19 | 8 | 5  | 15 | 29 | 52 | 65  | 117 | 230 | 321 | 164 | - |
| Non-Hispanic white, female |       |    |   |    |    |    |    |     |     |     |     |     |   |
| 2007 2/.....               | 1,019 | 3  | 8 | 2  | 5  | 29 | 51 | 82  | 147 | 181 | 296 | 215 | - |
| 2006 2/.....               | 1,047 | 4  | 7 | 5  | 12 | 26 | 39 | 84  | 123 | 201 | 292 | 254 | - |
| 2005 2/.....               | 1,057 | 1  | 1 | 4  | 8  | 27 | 53 | 92  | 128 | 153 | 341 | 249 | - |
| 2004 2/.....               | 1,135 | 2  | 5 | 3  | 15 | 22 | 49 | 94  | 133 | 204 | 323 | 285 | - |
| 2003 2/.....               | 1,158 | 2  | 4 | 4  | 13 | 16 | 53 | 90  | 128 | 196 | 359 | 293 | - |
| 2002.....                  | 1,222 | 3  | 2 | 4  | 8  | 15 | 47 | 84  | 123 | 240 | 388 | 308 | - |
| 2001.....                  | 1,278 | 5  | 3 | 4  | 13 | 25 | 55 | 94  | 142 | 220 | 402 | 315 | - |
| 2000.....                  | 1,243 | 3  | 2 | 10 | 10 | 25 | 45 | 107 | 137 | 243 | 344 | 317 | - |
| 1999.....                  | 1,187 | 11 | 8 | 6  | 11 | 18 | 51 | 83  | 107 | 248 | 367 | 277 | - |

Worktable Orig290F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2007

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data - mortality"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, sex, and year | All ages | Under 1 year | 1-4 years | 5-14 years | 15-24 years | 25-34 years | 35-44 years | 45-54 years | 55-64 years | 65-74 years | 75-84 years | 85 years and over | Age not stated |
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|

Complications of medical and surgical care (Y40-Y84,Y88)

Non-Hispanic black, both sexes

|              |     |    |   |    |    |    |    |    |    |     |    |    |   |
|--------------|-----|----|---|----|----|----|----|----|----|-----|----|----|---|
| 2007 2/..... | 430 | 11 | 6 | 6  | 5  | 16 | 34 | 62 | 67 | 84  | 90 | 49 | - |
| 2006 2/..... | 423 | 7  | 4 | 4  | 7  | 17 | 31 | 68 | 85 | 72  | 89 | 39 | - |
| 2005 2/..... | 428 | 8  | 2 | 2  | 4  | 15 | 29 | 76 | 75 | 94  | 89 | 34 | - |
| 2004 2/..... | 435 | 2  | 3 | 3  | 13 | 10 | 43 | 60 | 74 | 86  | 92 | 49 | - |
| 2003 2/..... | 425 | 5  | 9 | 3  | 6  | 16 | 33 | 66 | 74 | 76  | 86 | 51 | - |
| 2002.....    | 445 | 7  | 5 | 14 | 5  | 17 | 48 | 75 | 70 | 77  | 80 | 47 | - |
| 2001.....    | 515 | 9  | 7 | 3  | 7  | 21 | 48 | 70 | 84 | 104 | 86 | 76 | - |
| 2000.....    | 484 | 4  | 8 | 5  | 7  | 23 | 31 | 57 | 86 | 101 | 95 | 67 | - |
| 1999.....    | 442 | 18 | 8 | 4  | 6  | 18 | 35 | 51 | 61 | 84  | 94 | 63 | - |

Non-Hispanic black, male

|              |     |   |   |    |   |    |    |    |    |    |    |    |   |
|--------------|-----|---|---|----|---|----|----|----|----|----|----|----|---|
| 2007 2/..... | 187 | 6 | 3 | 2  | 2 | 5  | 14 | 22 | 36 | 41 | 37 | 19 | - |
| 2006 2/..... | 177 | 4 | 3 | 2  | 3 | 10 | 9  | 33 | 37 | 29 | 35 | 12 | - |
| 2005 2/..... | 177 | 8 | - | 1  | 2 | 3  | 8  | 34 | 41 | 36 | 34 | 10 | - |
| 2004 2/..... | 172 | 1 | 2 | 2  | 6 | 3  | 14 | 23 | 37 | 33 | 36 | 15 | - |
| 2003 2/..... | 174 | 3 | 5 | 1  | 3 | 8  | 11 | 40 | 35 | 27 | 27 | 14 | - |
| 2002.....    | 182 | 3 | 2 | 10 | 2 | 9  | 16 | 29 | 30 | 37 | 25 | 19 | - |
| 2001.....    | 247 | 6 | 4 | 2  | 2 | 13 | 26 | 38 | 47 | 53 | 30 | 26 | - |
| 2000.....    | 192 | 1 | 2 | 2  | 2 | 13 | 12 | 25 | 34 | 52 | 33 | 16 | - |
| 1999.....    | 195 | 8 | 1 | 2  | 4 | 10 | 16 | 26 | 30 | 40 | 38 | 20 | - |

Worktable Orig290F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2007

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data - mortality"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, sex, and year | All ages | Under 1 year | 1-4 years | 5-14 years | 15-24 years | 25-34 years | 35-44 years | 45-54 years | 55-64 years | 65-74 years | 75-84 years | 85 years and over | Age not stated |
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|

Complications of medical and surgical care (Y40-Y84,Y88)

| Non-Hispanic black, female |     |    |   |   |   |    |    |    |    |    |    |    |   |
|----------------------------|-----|----|---|---|---|----|----|----|----|----|----|----|---|
| 2007 2/.....               | 243 | 5  | 3 | 4 | 3 | 11 | 20 | 40 | 31 | 43 | 53 | 30 | - |
| 2006 2/.....               | 246 | 3  | 1 | 2 | 4 | 7  | 22 | 35 | 48 | 43 | 54 | 27 | - |
| 2005 2/.....               | 251 | -  | 2 | 1 | 2 | 12 | 21 | 42 | 34 | 58 | 55 | 24 | - |
| 2004 2/.....               | 263 | 1  | 1 | 1 | 7 | 7  | 29 | 37 | 37 | 53 | 56 | 34 | - |
| 2003 2/.....               | 251 | 2  | 4 | 2 | 3 | 8  | 22 | 26 | 39 | 49 | 59 | 37 | - |
| 2002.....                  | 263 | 4  | 3 | 4 | 3 | 8  | 32 | 46 | 40 | 40 | 55 | 28 | - |
| 2001.....                  | 268 | 3  | 3 | 1 | 5 | 8  | 22 | 32 | 37 | 51 | 56 | 50 | - |
| 2000.....                  | 292 | 3  | 6 | 3 | 5 | 10 | 19 | 32 | 52 | 49 | 62 | 51 | - |
| 1999.....                  | 247 | 10 | 7 | 2 | 2 | 8  | 19 | 25 | 31 | 44 | 56 | 43 | - |

| Origin not stated 3/, both sexes |    |   |   |   |   |   |   |   |   |   |   |   |   |
|----------------------------------|----|---|---|---|---|---|---|---|---|---|---|---|---|
| 2007.....                        | 1  | - | - | - | - | - | - | - | - | - | 1 | - | - |
| 2006.....                        | 6  | - | - | - | - | - | - | 3 | - | 2 | - | 1 | - |
| 2005.....                        | 9  | - | - | - | - | - | - | - | 1 | 2 | 4 | 2 | - |
| 2004.....                        | 3  | - | - | - | - | - | - | - | - | - | 2 | 1 | - |
| 2003.....                        | 7  | - | 1 | - | 1 | - | 1 | 2 | - | - | 1 | 1 | - |
| 2002.....                        | 11 | - | - | - | - | - | - | 2 | - | 2 | 5 | 2 | - |
| 2001.....                        | 15 | - | - | - | 1 | - | 2 | - | 2 | 5 | 4 | 1 | - |
| 2000.....                        | 9  | - | - | - | - | - | 1 | 1 | 2 | 2 | 2 | 1 | - |
| 1999.....                        | 9  | - | - | - | - | - | 3 | 1 | 1 | 1 | 1 | 2 | - |

Worktable Orig290F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2007

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data - mortality"]

---

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, sex, and year

|  | All ages | Under 1 year | 1-4 years | 5-14 years | 15-24 years | 25-34 years | 35-44 years | 45-54 years | 55-64 years | 65-74 years | 75-84 years | 85 years and over | Age not stated |
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|

---

Complications of medical and surgical care (Y40-Y84,Y88)

Origin not stated 3/, male

|           |   |   |   |   |   |   |   |   |   |   |   |   |   |
|-----------|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 2007..... | 1 | - | - | - | - | - | - | - | - | - | 1 | - | - |
| 2006..... | 4 | - | - | - | - | - | - | 3 | - | 1 | - | - | - |
| 2005..... | 7 | - | - | - | - | - | - | - | 1 | 1 | 4 | 1 | - |
| 2004..... | - | - | - | - | - | - | - | - | - | - | - | - | - |
| 2003..... | 5 | - | 1 | - | 1 | - | 1 | 1 | - | - | 1 | - | - |
| 2002..... | 4 | - | - | - | - | - | - | 2 | - | 1 | 1 | - | - |
| 2001..... | 6 | - | - | - | 1 | - | 1 | - | - | 3 | 1 | - | - |
| 2000..... | 6 | - | - | - | - | - | 1 | - | 1 | 2 | 2 | - | - |
| 1999..... | 3 | - | - | - | - | - | 1 | 1 | - | - | 1 | - | - |

Origin not stated 3/, female

|           |   |   |   |   |   |   |   |   |   |   |   |   |   |
|-----------|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 2007..... | - | - | - | - | - | - | - | - | - | - | - | - | - |
| 2006..... | 2 | - | - | - | - | - | - | - | - | 1 | - | 1 | - |
| 2005..... | 2 | - | - | - | - | - | - | - | - | 1 | - | 1 | - |
| 2004..... | 3 | - | - | - | - | - | - | - | - | - | 2 | 1 | - |
| 2003..... | 2 | - | - | - | - | - | - | 1 | - | - | - | 1 | - |
| 2002..... | 7 | - | - | - | - | - | - | - | - | 1 | 4 | 2 | - |
| 2001..... | 9 | - | - | - | - | - | 1 | - | 2 | 2 | 3 | 1 | - |
| 2000..... | 3 | - | - | - | - | - | - | 1 | 1 | - | - | 1 | - |
| 1999..... | 6 | - | - | - | - | - | 2 | - | 1 | 1 | - | 2 | - |



Worktable Orig290F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2007

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data - mortality"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, sex, and year | All ages | Under 1 year | 1-4 years | 5-14 years | 15-24 years | 25-34 years | 35-44 years | 45-54 years | 55-64 years | 65-74 years | 75-84 years | 85 years and over | Age not stated |
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|

Alcohol-induced causes (E24.4,F10,G31.2,G62.1,G72.1,I42.6,K29.2,K70,K85.2,K86.0,R78.0,X45,X65,Y15) 5/

| All origins, both sexes |        |   |   |   |     |     |       |       |       |       |       |     |    |
|-------------------------|--------|---|---|---|-----|-----|-------|-------|-------|-------|-------|-----|----|
| 2007.....               | 23,199 | 2 | - | 4 | 194 | 735 | 3,138 | 8,017 | 6,597 | 2,993 | 1,260 | 253 | 6  |
| 2006.....               | 22,073 | - | - | 2 | 149 | 637 | 3,237 | 7,596 | 6,127 | 2,788 | 1,269 | 258 | 10 |
| 2005.....               | 21,634 | - | - | 2 | 149 | 541 | 3,281 | 7,463 | 5,930 | 2,822 | 1,201 | 236 | 9  |
| 2004.....               | 21,081 | - | - | 6 | 139 | 610 | 3,359 | 7,215 | 5,442 | 2,892 | 1,200 | 211 | 7  |
| 2003.....               | 20,687 | - | - | 5 | 124 | 596 | 3,572 | 7,063 | 5,168 | 2,771 | 1,183 | 194 | 11 |
| 2002.....               | 20,218 | 1 | 2 | 3 | 105 | 601 | 3,636 | 6,748 | 4,888 | 2,835 | 1,190 | 201 | 8  |
| 2001.....               | 20,114 | 2 | - | 2 | 106 | 645 | 3,746 | 6,727 | 4,599 | 2,846 | 1,204 | 221 | 16 |
| 2000.....               | 19,643 | 3 | 1 | 4 | 95  | 650 | 3,837 | 6,143 | 4,542 | 2,910 | 1,223 | 227 | 8  |
| 1999.....               | 19,469 | 1 | - | 2 | 100 | 641 | 3,829 | 6,002 | 4,439 | 2,926 | 1,291 | 230 | 8  |
| All origins, male       |        |   |   |   |     |     |       |       |       |       |       |     |    |
| 2007.....               | 17,428 | 2 | - | 3 | 146 | 553 | 2,210 | 5,911 | 5,134 | 2,349 | 945   | 170 | 5  |
| 2006.....               | 16,472 | - | - | 2 | 123 | 496 | 2,246 | 5,636 | 4,736 | 2,158 | 905   | 160 | 10 |
| 2005.....               | 16,238 | - | - | 1 | 127 | 405 | 2,336 | 5,569 | 4,616 | 2,133 | 895   | 149 | 7  |
| 2004.....               | 15,906 | - | - | 5 | 107 | 468 | 2,434 | 5,401 | 4,224 | 2,232 | 894   | 135 | 6  |
| 2003.....               | 15,630 | - | - | 3 | 101 | 472 | 2,534 | 5,414 | 3,997 | 2,120 | 866   | 113 | 10 |
| 2002.....               | 15,272 | - | 1 | 2 | 86  | 458 | 2,571 | 5,171 | 3,837 | 2,158 | 845   | 135 | 8  |
| 2001.....               | 15,149 | 2 | - | - | 88  | 466 | 2,665 | 5,116 | 3,607 | 2,181 | 858   | 151 | 15 |
| 2000.....               | 14,993 | 2 | - | 4 | 76  | 504 | 2,808 | 4,792 | 3,489 | 2,249 | 915   | 146 | 8  |
| 1999.....               | 14,894 | 1 | - | 1 | 80  | 459 | 2,816 | 4,702 | 3,481 | 2,270 | 936   | 141 | 7  |

Worktable Orig290F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2007

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data - mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, sex, and year

|  | All ages | Under 1 year | 1-4 years | 5-14 years | 15-24 years | 25-34 years | 35-44 years | 45-54 years | 55-64 years | 65-74 years | 75-84 years | 85 years and over | Age not stated |
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|

Alcohol-induced causes (E24.4,F10,G31.2,G62.1,G72.1,I42.6,K29.2,K70,K85.2,K86.0,R78.0,X45,X65,Y15) 5/

| All origins, female  |          |              |           |            |             |             |             |             |             |             |             |                   |                |
|----------------------|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|
|                      | All ages | Under 1 year | 1-4 years | 5-14 years | 15-24 years | 25-34 years | 35-44 years | 45-54 years | 55-64 years | 65-74 years | 75-84 years | 85 years and over | Age not stated |
| 2007.....            | 5,771    | -            | -         | 1          | 48          | 182         | 928         | 2,106       | 1,463       | 644         | 315         | 83                | 1              |
| 2006.....            | 5,601    | -            | -         | -          | 26          | 141         | 991         | 1,960       | 1,391       | 630         | 364         | 98                | -              |
| 2005.....            | 5,396    | -            | -         | 1          | 22          | 136         | 945         | 1,894       | 1,314       | 689         | 306         | 87                | 2              |
| 2004.....            | 5,175    | -            | -         | 1          | 32          | 142         | 925         | 1,814       | 1,218       | 660         | 306         | 76                | 1              |
| 2003.....            | 5,057    | -            | -         | 2          | 23          | 124         | 1,038       | 1,649       | 1,171       | 651         | 317         | 81                | 1              |
| 2002.....            | 4,946    | 1            | 1         | 1          | 19          | 143         | 1,065       | 1,577       | 1,051       | 677         | 345         | 66                | -              |
| 2001.....            | 4,965    | -            | -         | 2          | 18          | 179         | 1,081       | 1,611       | 992         | 665         | 346         | 70                | 1              |
| 2000.....            | 4,650    | 1            | 1         | -          | 19          | 146         | 1,029       | 1,351       | 1,053       | 661         | 308         | 81                | -              |
| 1999.....            | 4,575    | -            | -         | 1          | 20          | 182         | 1,013       | 1,300       | 958         | 656         | 355         | 89                | 1              |
|                      |          |              |           |            |             |             |             |             |             |             |             |                   |                |
| Hispanic, both sexes |          |              |           |            |             |             |             |             |             |             |             |                   |                |
|                      | All ages | Under 1 year | 1-4 years | 5-14 years | 15-24 years | 25-34 years | 35-44 years | 45-54 years | 55-64 years | 65-74 years | 75-84 years | 85 years and over | Age not stated |
| 2007.....            | 2,977    | -            | -         | 1          | 45          | 192         | 510         | 1,008       | 703         | 351         | 141         | 25                | 1              |
| 2006.....            | 2,804    | -            | -         | -          | 36          | 186         | 534         | 913         | 667         | 298         | 146         | 24                | -              |
| 2005.....            | 2,658    | -            | -         | -          | 46          | 159         | 534         | 854         | 595         | 342         | 105         | 19                | 4              |
| 2004.....            | 2,406    | -            | -         | 3          | 41          | 144         | 498         | 829         | 501         | 263         | 117         | 8                 | 2              |
| 2003.....            | 2,422    | -            | -         | 1          | 39          | 133         | 493         | 772         | 576         | 281         | 114         | 10                | 3              |
| 2002.....            | 2,408    | -            | -         | 1          | 33          | 147         | 506         | 774         | 521         | 319         | 87          | 19                | 1              |
| 2001.....            | 2,381    | -            | -         | -          | 31          | 146         | 493         | 766         | 522         | 296         | 113         | 10                | 4              |
| 2000.....            | 2,323    | -            | -         | 1          | 32          | 136         | 531         | 698         | 504         | 311         | 96          | 11                | 3              |
| 1999.....            | 2,184    | -            | -         | 1          | 27          | 131         | 505         | 668         | 470         | 271         | 90          | 20                | 1              |

Worktable Orig290F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2007

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data - mortality"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, sex, and year | All ages | Under 1 year | 1-4 years | 5-14 years | 15-24 years | 25-34 years | 35-44 years | 45-54 years | 55-64 years | 65-74 years | 75-84 years | 85 years and over | Age not stated |
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|

Alcohol-induced causes (E24.4,F10,G31.2,G62.1,G72.1,I42.6,K29.2,K70,K85.2,K86.0,R78.0,X45,X65,Y15) 5/

| Hispanic, male   |       |   |   |   |    |     |     |     |     |     |     |    |   |
|------------------|-------|---|---|---|----|-----|-----|-----|-----|-----|-----|----|---|
| 2007.....        | 2,539 | - | - | 1 | 39 | 169 | 438 | 853 | 602 | 303 | 110 | 23 | 1 |
| 2006.....        | 2,341 | - | - | - | 33 | 167 | 433 | 765 | 561 | 255 | 109 | 18 | - |
| 2005.....        | 2,265 | - | - | - | 42 | 137 | 442 | 727 | 512 | 294 | 89  | 18 | 4 |
| 2004.....        | 2,056 | - | - | 2 | 38 | 132 | 425 | 728 | 416 | 213 | 93  | 7  | 2 |
| 2003.....        | 2,048 | - | - | - | 34 | 113 | 410 | 673 | 500 | 219 | 91  | 6  | 2 |
| 2002.....        | 2,065 | - | - | - | 30 | 134 | 431 | 661 | 454 | 276 | 65  | 13 | 1 |
| 2001.....        | 2,026 | - | - | - | 25 | 122 | 417 | 652 | 450 | 262 | 85  | 9  | 4 |
| 2000.....        | 2,024 | - | - | 1 | 29 | 129 | 445 | 606 | 440 | 278 | 86  | 7  | 3 |
| 1999.....        | 1,864 | - | - | 1 | 25 | 114 | 426 | 575 | 406 | 233 | 69  | 14 | 1 |
| Hispanic, female |       |   |   |   |    |     |     |     |     |     |     |    |   |
| 2007.....        | 438   | - | - | - | 6  | 23  | 72  | 155 | 101 | 48  | 31  | 2  | - |
| 2006.....        | 463   | - | - | - | 3  | 19  | 101 | 148 | 106 | 43  | 37  | 6  | - |
| 2005.....        | 393   | - | - | - | 4  | 22  | 92  | 127 | 83  | 48  | 16  | 1  | - |
| 2004.....        | 350   | - | - | 1 | 3  | 12  | 73  | 101 | 85  | 50  | 24  | 1  | - |
| 2003.....        | 374   | - | - | 1 | 5  | 20  | 83  | 99  | 76  | 62  | 23  | 4  | 1 |
| 2002.....        | 343   | - | - | 1 | 3  | 13  | 75  | 113 | 67  | 43  | 22  | 6  | - |
| 2001.....        | 355   | - | - | - | 6  | 24  | 76  | 114 | 72  | 34  | 28  | 1  | - |
| 2000.....        | 299   | - | - | - | 3  | 7   | 86  | 92  | 64  | 33  | 10  | 4  | - |
| 1999.....        | 320   | - | - | - | 2  | 17  | 79  | 93  | 64  | 38  | 21  | 6  | - |

Worktable Orig290F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2007

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data - mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, sex, and year

|  | All ages | Under 1 year | 1-4 years | 5-14 years | 15-24 years | 25-34 years | 35-44 years | 45-54 years | 55-64 years | 65-74 years | 75-84 years | 85 years and over | Age not stated |
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|

Alcohol-induced causes (E24.4,F10,G31.2,G62.1,G72.1,I42.6,K29.2,K70,K85.2,K86.0,R78.0,X45,X65,Y15) 5/

| Non-Hispanic 1/, both sexes |        |   |   |   |     |     |       |       |       |       |       |     |   |
|-----------------------------|--------|---|---|---|-----|-----|-------|-------|-------|-------|-------|-----|---|
| 2007.....                   | 20,130 | 2 | - | 3 | 147 | 536 | 2,622 | 6,979 | 5,858 | 2,634 | 1,117 | 228 | 4 |
| 2006.....                   | 19,187 | - | - | 2 | 112 | 450 | 2,692 | 6,657 | 5,437 | 2,478 | 1,121 | 232 | 6 |
| 2005.....                   | 18,877 | - | - | 2 | 103 | 380 | 2,733 | 6,576 | 5,305 | 2,463 | 1,096 | 216 | 3 |
| 2004.....                   | 18,567 | - | - | 3 | 98  | 464 | 2,850 | 6,336 | 4,913 | 2,616 | 1,081 | 203 | 3 |
| 2003.....                   | 18,160 | - | - | 4 | 84  | 460 | 3,066 | 6,259 | 4,556 | 2,475 | 1,067 | 184 | 5 |
| 2002.....                   | 17,661 | 1 | 2 | 2 | 71  | 450 | 3,102 | 5,921 | 4,330 | 2,500 | 1,097 | 181 | 4 |
| 2001.....                   | 17,593 | 2 | - | 2 | 75  | 495 | 3,234 | 5,909 | 4,041 | 2,530 | 1,087 | 211 | 7 |
| 2000.....                   | 17,177 | 3 | 1 | 3 | 62  | 509 | 3,280 | 5,389 | 4,012 | 2,579 | 1,120 | 215 | 4 |
| 1999.....                   | 17,143 | 1 | - | 1 | 71  | 505 | 3,291 | 5,288 | 3,938 | 2,637 | 1,196 | 210 | 5 |
| Non-Hispanic 1/, male       |        |   |   |   |     |     |       |       |       |       |       |     |   |
| 2007.....                   | 14,811 | 2 | - | 2 | 106 | 377 | 1,767 | 5,032 | 4,503 | 2,039 | 833   | 147 | 3 |
| 2006.....                   | 14,055 | - | - | 2 | 89  | 329 | 1,804 | 4,846 | 4,154 | 1,891 | 794   | 140 | 6 |
| 2005.....                   | 13,890 | - | - | 1 | 85  | 267 | 1,884 | 4,815 | 4,075 | 1,824 | 806   | 131 | 2 |
| 2004.....                   | 13,761 | - | - | 3 | 69  | 334 | 2,000 | 4,632 | 3,784 | 2,010 | 799   | 128 | 2 |
| 2003.....                   | 13,490 | - | - | 3 | 66  | 356 | 2,114 | 4,714 | 3,463 | 1,889 | 773   | 107 | 5 |
| 2002.....                   | 13,078 | - | 1 | 2 | 55  | 320 | 2,120 | 4,463 | 3,351 | 1,866 | 775   | 121 | 4 |
| 2001.....                   | 13,009 | 2 | - | - | 63  | 341 | 2,231 | 4,422 | 3,128 | 1,904 | 770   | 142 | 6 |
| 2000.....                   | 12,843 | 2 | - | 3 | 46  | 371 | 2,338 | 4,137 | 3,027 | 1,955 | 822   | 138 | 4 |
| 1999.....                   | 12,905 | 1 | - | - | 53  | 340 | 2,363 | 4,087 | 3,047 | 2,020 | 862   | 127 | 5 |

Worktable Orig290F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2007

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data - mortality"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, sex, and year | All ages | Under 1 year | 1-4 years | 5-14 years | 15-24 years | 25-34 years | 35-44 years | 45-54 years | 55-64 years | 65-74 years | 75-84 years | 85 years and over | Age not stated |
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|

Alcohol-induced causes (E24.4,F10,G31.2,G62.1,G72.1,I42.6,K29.2,K70,K85.2,K86.0,R78.0,X45,X65,Y15) 5/

| Non-Hispanic 1/, female        |        |   |   |   |     |     |       |       |       |       |       |     |   |
|--------------------------------|--------|---|---|---|-----|-----|-------|-------|-------|-------|-------|-----|---|
| 2007.....                      | 5,319  | - | - | 1 | 41  | 159 | 855   | 1,947 | 1,355 | 595   | 284   | 81  | 1 |
| 2006.....                      | 5,132  | - | - | - | 23  | 121 | 888   | 1,811 | 1,283 | 587   | 327   | 92  | - |
| 2005.....                      | 4,987  | - | - | 1 | 18  | 113 | 849   | 1,761 | 1,230 | 639   | 290   | 85  | 1 |
| 2004.....                      | 4,806  | - | - | - | 29  | 130 | 850   | 1,704 | 1,129 | 606   | 282   | 75  | 1 |
| 2003.....                      | 4,670  | - | - | 1 | 18  | 104 | 952   | 1,545 | 1,093 | 586   | 294   | 77  | - |
| 2002.....                      | 4,583  | 1 | 1 | - | 16  | 130 | 982   | 1,458 | 979   | 634   | 322   | 60  | - |
| 2001.....                      | 4,584  | - | - | 2 | 12  | 154 | 1,003 | 1,487 | 913   | 626   | 317   | 69  | 1 |
| 2000.....                      | 4,334  | 1 | 1 | - | 16  | 138 | 942   | 1,252 | 985   | 624   | 298   | 77  | - |
| 1999.....                      | 4,238  | - | - | 1 | 18  | 165 | 928   | 1,201 | 891   | 617   | 334   | 83  | - |
| Non-Hispanic white, both sexes |        |   |   |   |     |     |       |       |       |       |       |     |   |
| 2007 2/.....                   | 16,935 | 1 | - | 2 | 121 | 400 | 2,142 | 5,849 | 4,968 | 2,253 | 993   | 202 | 4 |
| 2006 2/.....                   | 16,114 | - | - | - | 88  | 321 | 2,163 | 5,598 | 4,596 | 2,114 | 1,017 | 212 | 5 |
| 2005 2/.....                   | 15,729 | - | - | 1 | 73  | 276 | 2,206 | 5,433 | 4,477 | 2,100 | 967   | 194 | 2 |
| 2004 2/.....                   | 15,418 | - | - | 1 | 70  | 337 | 2,323 | 5,267 | 4,068 | 2,190 | 972   | 188 | 2 |
| 2003 2/.....                   | 14,977 | - | - | 3 | 57  | 347 | 2,465 | 5,105 | 3,746 | 2,124 | 959   | 167 | 4 |
| 2002.....                      | 14,494 | - | 1 | 1 | 53  | 327 | 2,505 | 4,834 | 3,518 | 2,119 | 972   | 161 | 3 |
| 2001.....                      | 14,186 | 1 | - | 2 | 47  | 360 | 2,533 | 4,691 | 3,267 | 2,131 | 967   | 182 | 5 |
| 2000.....                      | 13,815 | 3 | - | 2 | 44  | 365 | 2,555 | 4,259 | 3,219 | 2,182 | 992   | 192 | 2 |
| 1999.....                      | 13,633 | 1 | - | 1 | 49  | 380 | 2,507 | 4,142 | 3,129 | 2,200 | 1,038 | 181 | 5 |

Worktable Orig290F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2007

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data - mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, sex, and year

|  | All ages | Under 1 year | 1-4 years | 5-14 years | 15-24 years | 25-34 years | 35-44 years | 45-54 years | 55-64 years | 65-74 years | 75-84 years | 85 years and over | Age not stated |
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|

Alcohol-induced causes (E24.4,F10,G31.2,G62.1,G72.1,I42.6,K29.2,K70,K85.2,K86.0,R78.0,X45,X65,Y15) 5/

| Non-Hispanic white, male   |        |   |   |   |    |     |       |       |       |       |     |     |   |
|----------------------------|--------|---|---|---|----|-----|-------|-------|-------|-------|-----|-----|---|
| 2007 2/.....               | 12,474 | 1 | - | 2 | 89 | 288 | 1,442 | 4,225 | 3,831 | 1,726 | 734 | 133 | 3 |
| 2006 2/.....               | 11,837 | - | - | - | 70 | 242 | 1,473 | 4,088 | 3,503 | 1,604 | 724 | 128 | 5 |
| 2005 2/.....               | 11,610 | - | - | 1 | 64 | 194 | 1,542 | 3,983 | 3,451 | 1,547 | 708 | 119 | 1 |
| 2004 2/.....               | 11,428 | - | - | 1 | 51 | 242 | 1,633 | 3,860 | 3,133 | 1,668 | 719 | 120 | 1 |
| 2003 2/.....               | 11,133 | - | - | 3 | 48 | 267 | 1,718 | 3,837 | 2,845 | 1,628 | 687 | 96  | 4 |
| 2002.....                  | 10,783 | - | 1 | 1 | 43 | 236 | 1,730 | 3,678 | 2,736 | 1,564 | 687 | 104 | 3 |
| 2001.....                  | 10,497 | 1 | - | - | 41 | 254 | 1,740 | 3,553 | 2,512 | 1,585 | 685 | 122 | 4 |
| 2000.....                  | 10,408 | 2 | - | 2 | 34 | 269 | 1,840 | 3,317 | 2,444 | 1,648 | 729 | 121 | 2 |
| 1999.....                  | 10,337 | 1 | - | - | 37 | 261 | 1,830 | 3,243 | 2,431 | 1,669 | 751 | 109 | 5 |
| Non-Hispanic white, female |        |   |   |   |    |     |       |       |       |       |     |     |   |
| 2007 2/.....               | 4,461  | - | - | - | 32 | 112 | 700   | 1,624 | 1,137 | 527   | 259 | 69  | 1 |
| 2006 2/.....               | 4,277  | - | - | - | 18 | 79  | 690   | 1,510 | 1,093 | 510   | 293 | 84  | - |
| 2005 2/.....               | 4,119  | - | - | - | 9  | 82  | 664   | 1,450 | 1,026 | 553   | 259 | 75  | 1 |
| 2004 2/.....               | 3,990  | - | - | - | 19 | 95  | 690   | 1,407 | 935   | 522   | 253 | 68  | 1 |
| 2003 2/.....               | 3,844  | - | - | - | 9  | 80  | 747   | 1,268 | 901   | 496   | 272 | 71  | - |
| 2002.....                  | 3,711  | - | - | - | 10 | 91  | 775   | 1,156 | 782   | 555   | 285 | 57  | - |
| 2001.....                  | 3,689  | - | - | 2 | 6  | 106 | 793   | 1,138 | 755   | 546   | 282 | 60  | 1 |
| 2000.....                  | 3,407  | 1 | - | - | 10 | 96  | 715   | 942   | 775   | 534   | 263 | 71  | - |
| 1999.....                  | 3,296  | - | - | 1 | 12 | 119 | 677   | 899   | 698   | 531   | 287 | 72  | - |

Worktable Orig290F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2007

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data - mortality"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, sex, and year | All ages | Under 1 year | 1-4 years | 5-14 years | 15-24 years | 25-34 years | 35-44 years | 45-54 years | 55-64 years | 65-74 years | 75-84 years | 85 years and over | Age not stated |
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|

Alcohol-induced causes (E24.4,F10,G31.2,G62.1,G72.1,I42.6,K29.2,K70,K85.2,K86.0,R78.0,X45,X65,Y15) 5/

| Non-Hispanic black, both sexes |       |   |   |   |    |    |     |     |     |     |     |    |   |
|--------------------------------|-------|---|---|---|----|----|-----|-----|-----|-----|-----|----|---|
| 2007 2/.....                   | 2,210 | 1 | - | - | 11 | 54 | 259 | 772 | 693 | 307 | 91  | 22 | - |
| 2006 2/.....                   | 2,128 | - | - | 1 | 14 | 53 | 296 | 748 | 647 | 276 | 81  | 12 | - |
| 2005 2/.....                   | 2,282 | - | - | - | 16 | 46 | 315 | 848 | 652 | 286 | 98  | 20 | 1 |
| 2004 2/.....                   | 2,318 | - | - | - | 13 | 52 | 319 | 830 | 674 | 343 | 76  | 10 | 1 |
| 2003 2/.....                   | 2,367 | - | - | 1 | 7  | 60 | 388 | 867 | 657 | 285 | 87  | 14 | 1 |
| 2002.....                      | 2,396 | 1 | 1 | - | 10 | 70 | 384 | 853 | 653 | 303 | 104 | 16 | 1 |
| 2001.....                      | 2,677 | 1 | - | - | 17 | 70 | 496 | 986 | 645 | 337 | 104 | 19 | 2 |
| 2000.....                      | 2,672 | - | 1 | 1 | 8  | 92 | 516 | 946 | 639 | 343 | 104 | 20 | 2 |
| 1999.....                      | 2,794 | - | - | - | 10 | 72 | 559 | 933 | 687 | 377 | 132 | 24 | - |
| Non-Hispanic black, male       |       |   |   |   |    |    |     |     |     |     |     |    |   |
| 2007 2/.....                   | 1,674 | 1 | - | - | 9  | 38 | 172 | 566 | 541 | 259 | 76  | 12 | - |
| 2006 2/.....                   | 1,561 | - | - | 1 | 12 | 33 | 184 | 540 | 507 | 220 | 56  | 8  | - |
| 2005 2/.....                   | 1,670 | - | - | - | 11 | 31 | 201 | 626 | 493 | 222 | 75  | 10 | 1 |
| 2004 2/.....                   | 1,754 | - | - | - | 8  | 42 | 231 | 605 | 529 | 281 | 52  | 5  | 1 |
| 2003 2/.....                   | 1,787 | - | - | - | 5  | 48 | 258 | 677 | 507 | 214 | 67  | 10 | 1 |
| 2002.....                      | 1,768 | - | - | - | 8  | 52 | 252 | 623 | 499 | 246 | 74  | 13 | 1 |
| 2001.....                      | 2,016 | 1 | - | - | 13 | 47 | 355 | 725 | 515 | 273 | 74  | 11 | 2 |
| 2000.....                      | 1,959 | - | - | 1 | 7  | 63 | 356 | 693 | 474 | 269 | 79  | 15 | 2 |
| 1999.....                      | 2,066 | - | - | - | 8  | 45 | 380 | 690 | 533 | 304 | 92  | 14 | - |

Worktable Orig290F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2007

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data - mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, sex, and year

|  | All ages | Under 1 year | 1-4 years | 5-14 years | 15-24 years | 25-34 years | 35-44 years | 45-54 years | 55-64 years | 65-74 years | 75-84 years | 85 years and over | Age not stated |
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|

Alcohol-induced causes (E24.4,F10,G31.2,G62.1,G72.1,I42.6,K29.2,K70,K85.2,K86.0,R78.0,X45,X65,Y15) 5/

| Non-Hispanic black, female       |          |              |           |            |             |             |             |             |             |             |             |                   |                |
|----------------------------------|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|
|                                  | All ages | Under 1 year | 1-4 years | 5-14 years | 15-24 years | 25-34 years | 35-44 years | 45-54 years | 55-64 years | 65-74 years | 75-84 years | 85 years and over | Age not stated |
| 2007 2/.....                     | 536      | -            | -         | -          | 2           | 16          | 87          | 206         | 152         | 48          | 15          | 10                | -              |
| 2006 2/.....                     | 567      | -            | -         | -          | 2           | 20          | 112         | 208         | 140         | 56          | 25          | 4                 | -              |
| 2005 2/.....                     | 612      | -            | -         | -          | 5           | 15          | 114         | 222         | 159         | 64          | 23          | 10                | -              |
| 2004 2/.....                     | 564      | -            | -         | -          | 5           | 10          | 88          | 225         | 145         | 62          | 24          | 5                 | -              |
| 2003 2/.....                     | 580      | -            | -         | 1          | 2           | 12          | 130         | 190         | 150         | 71          | 20          | 4                 | -              |
| 2002.....                        | 628      | 1            | 1         | -          | 2           | 18          | 132         | 230         | 154         | 57          | 30          | 3                 | -              |
| 2001.....                        | 661      | -            | -         | -          | 4           | 23          | 141         | 261         | 130         | 64          | 30          | 8                 | -              |
| 2000.....                        | 713      | -            | 1         | -          | 1           | 29          | 160         | 253         | 165         | 74          | 25          | 5                 | -              |
| 1999.....                        | 728      | -            | -         | -          | 2           | 27          | 179         | 243         | 154         | 73          | 40          | 10                | -              |
| Origin not stated 3/, both sexes |          |              |           |            |             |             |             |             |             |             |             |                   |                |
|                                  | All ages | Under 1 year | 1-4 years | 5-14 years | 15-24 years | 25-34 years | 35-44 years | 45-54 years | 55-64 years | 65-74 years | 75-84 years | 85 years and over | Age not stated |
| 2007.....                        | 92       | -            | -         | -          | 2           | 7           | 6           | 30          | 36          | 8           | 2           | -                 | 1              |
| 2006.....                        | 82       | -            | -         | -          | 1           | 1           | 11          | 26          | 23          | 12          | 2           | 2                 | 4              |
| 2005.....                        | 99       | -            | -         | -          | -           | 2           | 14          | 33          | 30          | 17          | -           | 1                 | 2              |
| 2004.....                        | 108      | -            | -         | -          | -           | 2           | 11          | 50          | 28          | 13          | 2           | -                 | 2              |
| 2003.....                        | 105      | -            | -         | -          | 1           | 3           | 13          | 32          | 36          | 15          | 2           | -                 | 3              |
| 2002.....                        | 149      | -            | -         | -          | 1           | 4           | 28          | 53          | 37          | 16          | 6           | 1                 | 3              |
| 2001.....                        | 140      | -            | -         | -          | -           | 4           | 19          | 52          | 36          | 20          | 4           | -                 | 5              |
| 2000.....                        | 143      | -            | -         | -          | 1           | 5           | 26          | 56          | 26          | 20          | 7           | 1                 | 1              |
| 1999.....                        | 142      | -            | -         | -          | 2           | 5           | 33          | 46          | 31          | 18          | 5           | -                 | 2              |



Worktable Orig290F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2007

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data - mortality"]

---

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, sex, and year

|  | All ages | Under 1 year | 1-4 years | 5-14 years | 15-24 years | 25-34 years | 35-44 years | 45-54 years | 55-64 years | 65-74 years | 75-84 years | 85 years and over | Age not stated |
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|

---

Alcohol-induced causes (E24.4,F10,G31.2,G62.1,G72.1,I42.6,K29.2,K70,K85.2,K86.0,R78.0,X45,X65,Y15) 5/

| Origin not stated 3/, male |     |   |   |   |   |   |    |    |    |    |   |   |   |
|----------------------------|-----|---|---|---|---|---|----|----|----|----|---|---|---|
| 2007.....                  | 78  | - | - | - | 1 | 7 | 5  | 26 | 29 | 7  | 2 | - | 1 |
| 2006.....                  | 76  | - | - | - | 1 | - | 9  | 25 | 21 | 12 | 2 | 2 | 4 |
| 2005.....                  | 83  | - | - | - | - | 1 | 10 | 27 | 29 | 15 | - | - | 1 |
| 2004.....                  | 89  | - | - | - | - | 2 | 9  | 41 | 24 | 9  | 2 | - | 2 |
| 2003.....                  | 92  | - | - | - | 1 | 3 | 10 | 27 | 34 | 12 | 2 | - | 3 |
| 2002.....                  | 129 | - | - | - | 1 | 4 | 20 | 47 | 32 | 16 | 5 | 1 | 3 |
| 2001.....                  | 114 | - | - | - | - | 3 | 17 | 42 | 29 | 15 | 3 | - | 5 |
| 2000.....                  | 126 | - | - | - | 1 | 4 | 25 | 49 | 22 | 16 | 7 | 1 | 1 |
| 1999.....                  | 125 | - | - | - | 2 | 5 | 27 | 40 | 28 | 17 | 5 | - | 1 |

  

| Origin not stated 3/, female |    |   |   |   |   |   |   |    |   |   |   |   |   |
|------------------------------|----|---|---|---|---|---|---|----|---|---|---|---|---|
| 2007.....                    | 14 | - | - | - | 1 | - | 1 | 4  | 7 | 1 | - | - | - |
| 2006.....                    | 6  | - | - | - | - | 1 | 2 | 1  | 2 | - | - | - | - |
| 2005.....                    | 16 | - | - | - | - | 1 | 4 | 6  | 1 | 2 | - | 1 | 1 |
| 2004.....                    | 19 | - | - | - | - | - | 2 | 9  | 4 | 4 | - | - | - |
| 2003.....                    | 13 | - | - | - | - | - | 3 | 5  | 2 | 3 | - | - | - |
| 2002.....                    | 20 | - | - | - | - | - | 8 | 6  | 5 | - | 1 | - | - |
| 2001.....                    | 26 | - | - | - | - | 1 | 2 | 10 | 7 | 5 | 1 | - | - |
| 2000.....                    | 17 | - | - | - | - | 1 | 1 | 7  | 4 | 4 | - | - | - |
| 1999.....                    | 17 | - | - | - | - | - | 6 | 6  | 3 | 1 | - | - | 1 |

Worktable Orig290F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2007

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data - mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, sex, and year

|  | All ages | Under 1 year | 1-4 years | 5-14 years | 15-24 years | 25-34 years | 35-44 years | 45-54 years | 55-64 years | 65-74 years | 75-84 years | 85 years and over | Age not stated |
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|

Drug-induced causes (D52.1,D59.0,D59.2,D61.1,D64.2,E06.4,E16.0,E23.1,E24.2,E27.3,E66.1,F11.0-F11.5,F11.7-F11.9,F12.0-F12.5,F12.7-F12.9,F13.0-F13.5,F13.7-F13.9,F14.0-F14.5,F14.7-F14.9,F15.0-F15.5,F15.7-F15.9,F16.0-F16.5,F16.7-F16.9,F17.0,F17.3-F17.5,F17.7-F17.9,F18.0-F18.5,F18.7-F18.9,F19.0-F19.5,F19.7-F19.9,G21.1,G24.0,G25.1,G25.4,G25.6,G44.4,G62.0,G72.0,I95.2,J70.2-J70.4,K85.3,L10.5,L27.0-L27.1,M10.2,M32.0,M80.4,M81.4,M83.5,M87.1,R50.2,R78.1-R78.5,X40-X44,X60-X64,X85,Y10-Y14) 5/

All origins, both sexes

|           |        |    |    |    |       |       |        |        |       |       |     |     |    |
|-----------|--------|----|----|----|-------|-------|--------|--------|-------|-------|-----|-----|----|
| 2007..... | 38,371 | 33 | 44 | 75 | 3,675 | 6,950 | 9,671  | 11,792 | 4,453 | 905   | 505 | 264 | 4  |
| 2006..... | 38,396 | 44 | 36 | 58 | 3,652 | 6,787 | 10,166 | 11,545 | 3,868 | 1,008 | 788 | 428 | 16 |
| 2005..... | 33,541 | 35 | 30 | 51 | 3,095 | 5,730 | 9,333  | 10,041 | 3,240 | 887   | 706 | 388 | 5  |
| 2004..... | 30,711 | 30 | 24 | 63 | 2,913 | 5,061 | 9,228  | 9,021  | 2,651 | 785   | 619 | 304 | 12 |
| 2003..... | 28,723 | 25 | 35 | 41 | 2,619 | 4,845 | 9,158  | 8,174  | 2,239 | 755   | 537 | 283 | 12 |
| 2002..... | 26,040 | 29 | 30 | 42 | 2,215 | 4,449 | 8,858  | 7,182  | 1,828 | 653   | 484 | 260 | 10 |
| 2001..... | 21,705 | 22 | 26 | 45 | 1,813 | 3,739 | 7,669  | 5,796  | 1,361 | 553   | 439 | 226 | 16 |
| 2000..... | 19,720 | 18 | 15 | 44 | 1,567 | 3,527 | 7,206  | 4,986  | 1,187 | 486   | 430 | 240 | 14 |
| 1999..... | 19,128 | 21 | 25 | 30 | 1,351 | 3,579 | 7,095  | 4,624  | 1,161 | 556   | 467 | 201 | 18 |

All origins, male

|           |        |    |    |    |       |       |       |       |       |     |     |     |    |
|-----------|--------|----|----|----|-------|-------|-------|-------|-------|-----|-----|-----|----|
| 2007..... | 23,883 | 18 | 21 | 43 | 2,760 | 4,859 | 6,021 | 6,847 | 2,537 | 473 | 203 | 98  | 3  |
| 2006..... | 24,507 | 23 | 20 | 33 | 2,781 | 4,808 | 6,433 | 7,082 | 2,261 | 504 | 368 | 181 | 13 |
| 2005..... | 21,208 | 18 | 23 | 24 | 2,319 | 3,970 | 5,829 | 6,143 | 1,912 | 452 | 354 | 159 | 5  |
| 2004..... | 19,362 | 11 | 16 | 25 | 2,187 | 3,554 | 5,737 | 5,528 | 1,496 | 393 | 278 | 130 | 7  |
| 2003..... | 18,426 | 17 | 21 | 20 | 1,955 | 3,361 | 5,873 | 5,153 | 1,266 | 384 | 253 | 112 | 11 |
| 2002..... | 16,734 | 20 | 9  | 24 | 1,622 | 3,139 | 5,728 | 4,517 | 1,040 | 311 | 215 | 102 | 7  |
| 2001..... | 14,253 | 14 | 21 | 22 | 1,350 | 2,640 | 5,079 | 3,793 | 760   | 293 | 191 | 74  | 16 |
| 2000..... | 13,137 | 12 | 13 | 25 | 1,166 | 2,515 | 4,890 | 3,358 | 631   | 235 | 187 | 92  | 13 |
| 1999..... | 12,885 | 14 | 12 | 16 | 981   | 2,579 | 4,907 | 3,133 | 688   | 286 | 184 | 74  | 11 |

Worktable Orig290F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2007

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data - mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, sex, and year

|  | All ages | Under 1 year | 1-4 years | 5-14 years | 15-24 years | 25-34 years | 35-44 years | 45-54 years | 55-64 years | 65-74 years | 75-84 years | 85 years and over | Age not stated |
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|

Drug-induced causes (D52.1,D59.0,D59.2,D61.1,D64.2,E06.4,E16.0,E23.1,E24.2,E27.3,E66.1,F11.0-F11.5,F11.7-F11.9,F12.0-F12.5,F12.7-F12.9,F13.0-F13.5,F13.7-F13.9,F14.0-F14.5,F14.7-F14.9,F15.0-F15.5,F15.7-F15.9,F16.0-F16.5,F16.7-F16.9,F17.0,F17.3-F17.5,F17.7-F17.9,F18.0-F18.5,F18.7-F18.9,F19.0-F19.5,F19.7-F19.9,G21.1,G24.0,G25.1,G25.4,G25.6,G44.4,G62.0,G72.0,I95.2,J70.2-J70.4,K85.3,L10.5,L27.0-L27.1,M10.2,M32.0,M80.4,M81.4,M83.5,M87.1,R50.2,R78.1-R78.5,X40-X44,X60-X64,X85,Y10-Y14) 5/

All origins, female

|           |        |    |    |    |     |       |       |       |       |     |     |     |   |
|-----------|--------|----|----|----|-----|-------|-------|-------|-------|-----|-----|-----|---|
| 2007..... | 14,488 | 15 | 23 | 32 | 915 | 2,091 | 3,650 | 4,945 | 1,916 | 432 | 302 | 166 | 1 |
| 2006..... | 13,889 | 21 | 16 | 25 | 871 | 1,979 | 3,733 | 4,463 | 1,607 | 504 | 420 | 247 | 3 |
| 2005..... | 12,333 | 17 | 7  | 27 | 776 | 1,760 | 3,504 | 3,898 | 1,328 | 435 | 352 | 229 | - |
| 2004..... | 11,349 | 19 | 8  | 38 | 726 | 1,507 | 3,491 | 3,493 | 1,155 | 392 | 341 | 174 | 5 |
| 2003..... | 10,297 | 8  | 14 | 21 | 664 | 1,484 | 3,285 | 3,021 | 973   | 371 | 284 | 171 | 1 |
| 2002..... | 9,306  | 9  | 21 | 18 | 593 | 1,310 | 3,130 | 2,665 | 788   | 342 | 269 | 158 | 3 |
| 2001..... | 7,452  | 8  | 5  | 23 | 463 | 1,099 | 2,590 | 2,003 | 601   | 260 | 248 | 152 | - |
| 2000..... | 6,583  | 6  | 2  | 19 | 401 | 1,012 | 2,316 | 1,628 | 556   | 251 | 243 | 148 | 1 |
| 1999..... | 6,243  | 7  | 13 | 14 | 370 | 1,000 | 2,188 | 1,491 | 473   | 270 | 283 | 127 | 7 |

Hispanic, both sexes

|           |       |   |   |    |     |     |     |     |     |    |    |    |   |
|-----------|-------|---|---|----|-----|-----|-----|-----|-----|----|----|----|---|
| 2007..... | 2,723 | 7 | 4 | 11 | 306 | 592 | 783 | 718 | 238 | 45 | 14 | 5  | - |
| 2006..... | 2,871 | 9 | 2 | 8  | 269 | 655 | 877 | 736 | 229 | 44 | 27 | 13 | 2 |
| 2005..... | 2,596 | 5 | 4 | 5  | 284 | 578 | 800 | 644 | 186 | 49 | 29 | 12 | - |
| 2004..... | 2,257 | - | 1 | 7  | 233 | 482 | 746 | 527 | 185 | 39 | 24 | 12 | 1 |
| 2003..... | 2,358 | 4 | 5 | 7  | 243 | 533 | 789 | 570 | 135 | 38 | 24 | 10 | - |
| 2002..... | 2,137 | 5 | 4 | 4  | 217 | 456 | 777 | 505 | 111 | 36 | 20 | 2  | - |
| 2001..... | 1,731 | - | 4 | 5  | 162 | 408 | 644 | 373 | 88  | 29 | 12 | 4  | 2 |
| 2000..... | 1,700 | 2 | 2 | 4  | 148 | 449 | 651 | 332 | 79  | 20 | 8  | 5  | - |
| 1999..... | 1,965 | 7 | 4 | 3  | 172 | 514 | 741 | 398 | 84  | 28 | 7  | 2  | 5 |

Worktable Orig290F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2007

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data - mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, sex, and year

|  | All ages | Under 1 year | 1-4 years | 5-14 years | 15-24 years | 25-34 years | 35-44 years | 45-54 years | 55-64 years | 65-74 years | 75-84 years | 85 years and over | Age not stated |
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|

Drug-induced causes (D52.1,D59.0,D59.2,D61.1,D64.2,E06.4,E16.0,E23.1,E24.2,E27.3,E66.1,F11.0-F11.5,F11.7-F11.9,F12.0-F12.5,F12.7-F12.9,F13.0-F13.5,F13.7-F13.9,F14.0-F14.5,F14.7-F14.9,F15.0-F15.5,F15.7-F15.9,F16.0-F16.5,F16.7-F16.9,F17.0,F17.3-F17.5,F17.7-F17.9,F18.0-F18.5,F18.7-F18.9,F19.0-F19.5,F19.7-F19.9,G21.1,G24.0,G25.1,G25.4,G25.6,G44.4,G62.0,G72.0,I95.2,J70.2-J70.4,K85.3,L10.5,L27.0-L27.1,M10.2,M32.0,M80.4,M81.4,M83.5,M87.1,R50.2,R78.1-R78.5,X40-X44,X60-X64,X85,Y10-Y14) 5/

Hispanic, male

|           |       |   |   |   |     |     |     |     |     |    |    |   |   |
|-----------|-------|---|---|---|-----|-----|-----|-----|-----|----|----|---|---|
| 2007..... | 2,045 | 4 | 1 | 4 | 233 | 464 | 594 | 538 | 161 | 36 | 7  | 3 | - |
| 2006..... | 2,135 | 5 | 1 | 4 | 200 | 511 | 660 | 530 | 176 | 27 | 11 | 8 | 2 |
| 2005..... | 1,969 | 1 | 3 | 2 | 220 | 462 | 606 | 478 | 148 | 29 | 14 | 6 | - |
| 2004..... | 1,671 | - | 1 | 3 | 175 | 386 | 556 | 370 | 132 | 27 | 13 | 7 | 1 |
| 2003..... | 1,800 | 3 | 3 | 1 | 194 | 421 | 606 | 422 | 104 | 28 | 13 | 5 | - |
| 2002..... | 1,647 | 4 | - | 1 | 172 | 371 | 601 | 385 | 81  | 18 | 13 | 1 | - |
| 2001..... | 1,335 | - | 3 | 1 | 119 | 320 | 504 | 291 | 69  | 18 | 6  | 2 | 2 |
| 2000..... | 1,348 | 2 | 2 | - | 121 | 367 | 521 | 265 | 52  | 11 | 3  | 4 | - |
| 1999..... | 1,605 | 4 | 4 | 2 | 142 | 431 | 606 | 320 | 69  | 21 | 1  | 1 | 4 |

Hispanic, female

|           |     |   |   |   |    |     |     |     |    |    |    |   |   |
|-----------|-----|---|---|---|----|-----|-----|-----|----|----|----|---|---|
| 2007..... | 678 | 3 | 3 | 7 | 73 | 128 | 189 | 180 | 77 | 9  | 7  | 2 | - |
| 2006..... | 736 | 4 | 1 | 4 | 69 | 144 | 217 | 206 | 53 | 17 | 16 | 5 | - |
| 2005..... | 627 | 4 | 1 | 3 | 64 | 116 | 194 | 166 | 38 | 20 | 15 | 6 | - |
| 2004..... | 586 | - | - | 4 | 58 | 96  | 190 | 157 | 53 | 12 | 11 | 5 | - |
| 2003..... | 558 | 1 | 2 | 6 | 49 | 112 | 183 | 148 | 31 | 10 | 11 | 5 | - |
| 2002..... | 490 | 1 | 4 | 3 | 45 | 85  | 176 | 120 | 30 | 18 | 7  | 1 | - |
| 2001..... | 396 | - | 1 | 4 | 43 | 88  | 140 | 82  | 19 | 11 | 6  | 2 | - |
| 2000..... | 352 | - | - | 4 | 27 | 82  | 130 | 67  | 27 | 9  | 5  | 1 | - |
| 1999..... | 360 | 3 | - | 1 | 30 | 83  | 135 | 78  | 15 | 7  | 6  | 1 | 1 |

Worktable Orig290F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2007

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data - mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, sex, and year

|  | All ages | Under 1 year | 1-4 years | 5-14 years | 15-24 years | 25-34 years | 35-44 years | 45-54 years | 55-64 years | 65-74 years | 75-84 years | 85 years and over | Age not stated |
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|

Drug-induced causes (D52.1,D59.0,D59.2,D61.1,D64.2,E06.4,E16.0,E23.1,E24.2,E27.3,E66.1,F11.0-F11.5,F11.7-F11.9,F12.0-F12.5,F12.7-F12.9,F13.0-F13.5,F13.7-F13.9,F14.0-F14.5,F14.7-F14.9,F15.0-F15.5,F15.7-F15.9,F16.0-F16.5,F16.7-F16.9,F17.0,F17.3-F17.5,F17.7-F17.9,F18.0-F18.5,F18.7-F18.9,F19.0-F19.5,F19.7-F19.9,G21.1,G24.0,G25.1,G25.4,G25.6,G44.4,G62.0,G72.0,I95.2,J70.2-J70.4,K85.3,L10.5,L27.0-L27.1,M10.2,M32.0,M80.4,M81.4,M83.5,M87.1,R50.2,R78.1-R78.5,X40-X44,X60-X64,X85,Y10-Y14) 5/

Non-Hispanic 1/, both sexes

|           |        |    |    |    |       |       |       |        |       |     |     |     |   |
|-----------|--------|----|----|----|-------|-------|-------|--------|-------|-----|-----|-----|---|
| 2007..... | 35,532 | 26 | 40 | 64 | 3,361 | 6,344 | 8,864 | 11,031 | 4,193 | 856 | 491 | 259 | 3 |
| 2006..... | 35,379 | 34 | 34 | 50 | 3,379 | 6,112 | 9,251 | 10,760 | 3,617 | 961 | 757 | 415 | 9 |
| 2005..... | 30,809 | 30 | 26 | 46 | 2,804 | 5,136 | 8,498 | 9,341  | 3,037 | 834 | 677 | 375 | 5 |
| 2004..... | 28,339 | 29 | 22 | 56 | 2,674 | 4,568 | 8,447 | 8,451  | 2,458 | 744 | 592 | 292 | 6 |
| 2003..... | 26,199 | 21 | 30 | 34 | 2,371 | 4,287 | 8,321 | 7,546  | 2,087 | 711 | 511 | 273 | 7 |
| 2002..... | 23,756 | 24 | 26 | 38 | 1,989 | 3,973 | 8,029 | 6,639  | 1,705 | 608 | 461 | 257 | 7 |
| 2001..... | 19,799 | 22 | 22 | 40 | 1,642 | 3,313 | 6,969 | 5,367  | 1,252 | 520 | 426 | 221 | 5 |
| 2000..... | 17,835 | 16 | 12 | 39 | 1,410 | 3,053 | 6,509 | 4,578  | 1,091 | 462 | 422 | 235 | 8 |
| 1999..... | 16,966 | 14 | 21 | 27 | 1,174 | 3,046 | 6,279 | 4,168  | 1,052 | 524 | 458 | 197 | 6 |

Non-Hispanic 1/, male

|           |        |    |    |    |       |       |       |       |       |     |     |     |   |
|-----------|--------|----|----|----|-------|-------|-------|-------|-------|-----|-----|-----|---|
| 2007..... | 21,771 | 14 | 20 | 39 | 2,522 | 4,388 | 5,414 | 6,284 | 2,363 | 434 | 196 | 95  | 2 |
| 2006..... | 22,262 | 17 | 19 | 29 | 2,578 | 4,286 | 5,742 | 6,516 | 2,066 | 474 | 354 | 173 | 8 |
| 2005..... | 19,140 | 17 | 20 | 22 | 2,093 | 3,497 | 5,199 | 5,623 | 1,751 | 421 | 340 | 152 | 5 |
| 2004..... | 17,605 | 11 | 14 | 22 | 2,008 | 3,160 | 5,154 | 5,124 | 1,358 | 365 | 264 | 123 | 2 |
| 2003..... | 16,497 | 14 | 18 | 19 | 1,758 | 2,921 | 5,231 | 4,689 | 1,146 | 350 | 238 | 107 | 6 |
| 2002..... | 14,978 | 16 | 9  | 23 | 1,445 | 2,751 | 5,089 | 4,107 | 948   | 285 | 200 | 100 | 5 |
| 2001..... | 12,778 | 14 | 18 | 21 | 1,224 | 2,304 | 4,532 | 3,459 | 673   | 272 | 184 | 72  | 5 |
| 2000..... | 11,656 | 10 | 10 | 24 | 1,038 | 2,133 | 4,334 | 3,041 | 565   | 222 | 184 | 88  | 7 |
| 1999..... | 11,136 | 10 | 8  | 14 | 835   | 2,132 | 4,249 | 2,768 | 600   | 261 | 183 | 72  | 4 |

Worktable Orig290F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2007

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data - mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, sex, and year

|  | All ages | Under 1 year | 1-4 years | 5-14 years | 15-24 years | 25-34 years | 35-44 years | 45-54 years | 55-64 years | 65-74 years | 75-84 years | 85 years and over | Age not stated |
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|

Drug-induced causes (D52.1,D59.0,D59.2,D61.1,D64.2,E06.4,E16.0,E23.1,E24.2,E27.3,E66.1,F11.0-F11.5,F11.7-F11.9,F12.0-F12.5,F12.7-F12.9,F13.0-F13.5,F13.7-F13.9,F14.0-F14.5,F14.7-F14.9,F15.0-F15.5,F15.7-F15.9,F16.0-F16.5,F16.7-F16.9,F17.0,F17.3-F17.5,F17.7-F17.9,F18.0-F18.5,F18.7-F18.9,F19.0-F19.5,F19.7-F19.9,G21.1,G24.0,G25.1,G25.4,G25.6,G44.4,G62.0,G72.0,I95.2,J70.2-J70.4,K85.3,L10.5,L27.0-L27.1,M10.2,M32.0,M80.4,M81.4,M83.5,M87.1,R50.2,R78.1-R78.5,X40-X44,X60-X64,X85,Y10-Y14) 5/

Non-Hispanic 1/, female

|           |        |    |    |    |     |       |       |       |       |     |     |     |   |
|-----------|--------|----|----|----|-----|-------|-------|-------|-------|-----|-----|-----|---|
| 2007..... | 13,761 | 12 | 20 | 25 | 839 | 1,956 | 3,450 | 4,747 | 1,830 | 422 | 295 | 164 | 1 |
| 2006..... | 13,117 | 17 | 15 | 21 | 801 | 1,826 | 3,509 | 4,244 | 1,551 | 487 | 403 | 242 | 1 |
| 2005..... | 11,669 | 13 | 6  | 24 | 711 | 1,639 | 3,299 | 3,718 | 1,286 | 413 | 337 | 223 | - |
| 2004..... | 10,734 | 18 | 8  | 34 | 666 | 1,408 | 3,293 | 3,327 | 1,100 | 379 | 328 | 169 | 4 |
| 2003..... | 9,702  | 7  | 12 | 15 | 613 | 1,366 | 3,090 | 2,857 | 941   | 361 | 273 | 166 | 1 |
| 2002..... | 8,778  | 8  | 17 | 15 | 544 | 1,222 | 2,940 | 2,532 | 757   | 323 | 261 | 157 | 2 |
| 2001..... | 7,021  | 8  | 4  | 19 | 418 | 1,009 | 2,437 | 1,908 | 579   | 248 | 242 | 149 | - |
| 2000..... | 6,179  | 6  | 2  | 15 | 372 | 920   | 2,175 | 1,537 | 526   | 240 | 238 | 147 | 1 |
| 1999..... | 5,830  | 4  | 13 | 13 | 339 | 914   | 2,030 | 1,400 | 452   | 263 | 275 | 125 | 2 |

Non-Hispanic white, both sexes

|              |        |    |    |    |       |       |       |       |       |     |     |     |   |
|--------------|--------|----|----|----|-------|-------|-------|-------|-------|-----|-----|-----|---|
| 2007 2/..... | 30,755 | 11 | 19 | 51 | 3,107 | 5,746 | 7,672 | 9,293 | 3,431 | 736 | 446 | 241 | 2 |
| 2006 2/..... | 29,970 | 19 | 20 | 37 | 3,146 | 5,420 | 7,775 | 8,779 | 2,887 | 806 | 691 | 381 | 9 |
| 2005 2/..... | 26,186 | 20 | 11 | 33 | 2,600 | 4,490 | 7,221 | 7,634 | 2,473 | 726 | 619 | 354 | 5 |
| 2004 2/..... | 24,201 | 18 | 13 | 41 | 2,477 | 4,026 | 7,225 | 6,942 | 1,993 | 650 | 544 | 268 | 4 |
| 2003 2/..... | 22,245 | 12 | 17 | 25 | 2,208 | 3,739 | 6,994 | 6,158 | 1,730 | 612 | 488 | 258 | 4 |
| 2002.....    | 19,949 | 9  | 14 | 32 | 1,819 | 3,429 | 6,722 | 5,328 | 1,385 | 542 | 428 | 236 | 5 |
| 2001.....    | 16,367 | 10 | 13 | 33 | 1,484 | 2,835 | 5,730 | 4,190 | 1,019 | 456 | 394 | 198 | 5 |
| 2000.....    | 14,585 | 9  | 5  | 33 | 1,266 | 2,554 | 5,264 | 3,532 | 900   | 410 | 399 | 209 | 4 |
| 1999.....    | 13,644 | 6  | 10 | 22 | 1,019 | 2,493 | 5,001 | 3,179 | 840   | 461 | 433 | 178 | 2 |

Worktable Orig290F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2007

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data - mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, sex, and year

|  | All ages | Under 1 year | 1-4 years | 5-14 years | 15-24 years | 25-34 years | 35-44 years | 45-54 years | 55-64 years | 65-74 years | 75-84 years | 85 years and over | Age not stated |
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|

Drug-induced causes (D52.1,D59.0,D59.2,D61.1,D64.2,E06.4,E16.0,E23.1,E24.2,E27.3,E66.1,F11.0-F11.5,F11.7-F11.9,F12.0-F12.5,F12.7-F12.9,F13.0-F13.5,F13.7-F13.9,F14.0-F14.5,F14.7-F14.9,F15.0-F15.5,F15.7-F15.9,F16.0-F16.5,F16.7-F16.9,F17.0,F17.3-F17.5,F17.7-F17.9,F18.0-F18.5,F18.7-F18.9,F19.0-F19.5,F19.7-F19.9,G21.1,G24.0,G25.1,G25.4,G25.6,G44.4,G62.0,G72.0,I95.2,J70.2-J70.4,K85.3,L10.5,L27.0-L27.1,M10.2,M32.0,M80.4,M81.4,M83.5,M87.1,R50.2,R78.1-R78.5,X40-X44,X60-X64,X85,Y10-Y14) 5/

Non-Hispanic white, male

|              |        |    |    |    |       |       |       |       |       |     |     |     |   |
|--------------|--------|----|----|----|-------|-------|-------|-------|-------|-----|-----|-----|---|
| 2007 2/..... | 18,760 | 6  | 11 | 29 | 2,350 | 3,997 | 4,700 | 5,208 | 1,839 | 349 | 180 | 90  | 1 |
| 2006 2/..... | 18,634 | 11 | 11 | 20 | 2,418 | 3,783 | 4,807 | 5,192 | 1,529 | 366 | 326 | 163 | 8 |
| 2005 2/..... | 16,170 | 11 | 8  | 19 | 1,960 | 3,083 | 4,445 | 4,501 | 1,337 | 347 | 308 | 146 | 5 |
| 2004 2/..... | 14,952 | 7  | 6  | 20 | 1,871 | 2,808 | 4,419 | 4,155 | 1,020 | 296 | 237 | 112 | 1 |
| 2003 2/..... | 13,959 | 11 | 11 | 16 | 1,651 | 2,578 | 4,414 | 3,767 | 900   | 286 | 225 | 97  | 3 |
| 2002.....    | 12,478 | 7  | 3  | 19 | 1,325 | 2,393 | 4,276 | 3,230 | 708   | 241 | 179 | 94  | 3 |
| 2001.....    | 10,465 | 4  | 12 | 18 | 1,112 | 1,992 | 3,750 | 2,614 | 498   | 232 | 164 | 64  | 5 |
| 2000.....    | 9,439  | 5  | 3  | 21 | 944   | 1,790 | 3,525 | 2,284 | 428   | 185 | 175 | 76  | 3 |
| 1999.....    | 8,831  | 5  | 4  | 12 | 727   | 1,750 | 3,401 | 2,040 | 431   | 223 | 169 | 68  | 1 |

Non-Hispanic white, female

|              |        |    |    |    |     |       |       |       |       |     |     |     |   |
|--------------|--------|----|----|----|-----|-------|-------|-------|-------|-----|-----|-----|---|
| 2007 2/..... | 11,995 | 5  | 8  | 22 | 757 | 1,749 | 2,972 | 4,085 | 1,592 | 387 | 266 | 151 | 1 |
| 2006 2/..... | 11,336 | 8  | 9  | 17 | 728 | 1,637 | 2,968 | 3,587 | 1,358 | 440 | 365 | 218 | 1 |
| 2005 2/..... | 10,016 | 9  | 3  | 14 | 640 | 1,407 | 2,776 | 3,133 | 1,136 | 379 | 311 | 208 | - |
| 2004 2/..... | 9,249  | 11 | 7  | 21 | 606 | 1,218 | 2,806 | 2,787 | 973   | 354 | 307 | 156 | 3 |
| 2003 2/..... | 8,286  | 1  | 6  | 9  | 557 | 1,161 | 2,580 | 2,391 | 830   | 326 | 263 | 161 | 1 |
| 2002.....    | 7,471  | 2  | 11 | 13 | 494 | 1,036 | 2,446 | 2,098 | 677   | 301 | 249 | 142 | 2 |
| 2001.....    | 5,902  | 6  | 1  | 15 | 372 | 843   | 1,980 | 1,576 | 521   | 224 | 230 | 134 | - |
| 2000.....    | 5,146  | 4  | 2  | 12 | 322 | 764   | 1,739 | 1,248 | 472   | 225 | 224 | 133 | 1 |
| 1999.....    | 4,813  | 1  | 6  | 10 | 292 | 743   | 1,600 | 1,139 | 409   | 238 | 264 | 110 | 1 |

Worktable Orig290F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2007

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data - mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, sex, and year

|  | All ages | Under 1 year | 1-4 years | 5-14 years | 15-24 years | 25-34 years | 35-44 years | 45-54 years | 55-64 years | 65-74 years | 75-84 years | 85 years and over | Age not stated |
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|

Drug-induced causes (D52.1,D59.0,D59.2,D61.1,D64.2,E06.4,E16.0,E23.1,E24.2,E27.3,E66.1,F11.0-F11.5,F11.7-F11.9,F12.0-F12.5,F12.7-F12.9,F13.0-F13.5,F13.7-F13.9,F14.0-F14.5,F14.7-F14.9,F15.0-F15.5,F15.7-F15.9,F16.0-F16.5,F16.7-F16.9,F17.0,F17.3-F17.5,F17.7-F17.9,F18.0-F18.5,F18.7-F18.9,F19.0-F19.5,F19.7-F19.9,G21.1,G24.0,G25.1,G25.4,G25.6,G44.4,G62.0,G72.0,I95.2,J70.2-J70.4,K85.3,L10.5,L27.0-L27.1,M10.2,M32.0,M80.4,M81.4,M83.5,M87.1,R50.2,R78.1-R78.5,X40-X44,X60-X64,X85,Y10-Y14) 5/

Non-Hispanic black, both sexes

|              |       |    |    |    |     |     |       |       |     |     |    |    |   |
|--------------|-------|----|----|----|-----|-----|-------|-------|-----|-----|----|----|---|
| 2007 2/..... | 4,126 | 11 | 19 | 10 | 161 | 473 | 1,019 | 1,594 | 681 | 109 | 37 | 11 | 1 |
| 2006 2/..... | 4,722 | 14 | 12 | 11 | 167 | 559 | 1,298 | 1,797 | 671 | 124 | 44 | 25 | - |
| 2005 2/..... | 4,019 | 10 | 14 | 10 | 136 | 515 | 1,118 | 1,544 | 526 | 89  | 42 | 15 | - |
| 2004 2/..... | 3,577 | 11 | 9  | 12 | 137 | 429 | 1,062 | 1,366 | 414 | 80  | 37 | 19 | 1 |
| 2003 2/..... | 3,466 | 9  | 13 | 8  | 112 | 431 | 1,181 | 1,278 | 315 | 82  | 21 | 13 | 3 |
| 2002.....    | 3,404 | 13 | 10 | 5  | 127 | 451 | 1,181 | 1,229 | 301 | 48  | 25 | 13 | 1 |
| 2001.....    | 3,099 | 11 | 8  | 5  | 112 | 404 | 1,140 | 1,108 | 214 | 52  | 25 | 20 | - |
| 2000.....    | 2,977 | 6  | 5  | 4  | 113 | 440 | 1,143 | 990   | 178 | 48  | 22 | 24 | 4 |
| 1999.....    | 3,030 | 8  | 11 | 4  | 123 | 488 | 1,170 | 940   | 190 | 55  | 20 | 17 | 4 |

Non-Hispanic black, male

|              |       |   |    |   |     |     |     |       |     |    |    |    |   |
|--------------|-------|---|----|---|-----|-----|-----|-------|-----|----|----|----|---|
| 2007 2/..... | 2,662 | 6 | 9  | 8 | 114 | 314 | 620 | 1,010 | 483 | 82 | 12 | 3  | 1 |
| 2006 2/..... | 3,212 | 5 | 7  | 7 | 112 | 414 | 832 | 1,219 | 498 | 94 | 19 | 5  | - |
| 2005 2/..... | 2,612 | 6 | 11 | 3 | 92  | 335 | 658 | 1,024 | 392 | 64 | 23 | 4  | - |
| 2004 2/..... | 2,309 | 4 | 8  | 2 | 96  | 286 | 633 | 877   | 309 | 61 | 23 | 9  | 1 |
| 2003 2/..... | 2,256 | 3 | 7  | 3 | 77  | 270 | 736 | 851   | 227 | 58 | 12 | 9  | 3 |
| 2002.....    | 2,264 | 8 | 6  | 3 | 90  | 300 | 740 | 833   | 231 | 34 | 16 | 2  | 1 |
| 2001.....    | 2,113 | 9 | 5  | 2 | 85  | 269 | 721 | 802   | 163 | 35 | 15 | 7  | - |
| 2000.....    | 2,050 | 4 | 5  | 1 | 76  | 303 | 749 | 723   | 131 | 34 | 9  | 11 | 4 |
| 1999.....    | 2,134 | 5 | 4  | 2 | 93  | 341 | 786 | 695   | 155 | 35 | 11 | 4  | 3 |



Worktable Orig290F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2007

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data - mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, sex, and year

|  | All ages | Under 1 year | 1-4 years | 5-14 years | 15-24 years | 25-34 years | 35-44 years | 45-54 years | 55-64 years | 65-74 years | 75-84 years | 85 years and over | Age not stated |
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|

Drug-induced causes (D52.1,D59.0,D59.2,D61.1,D64.2,E06.4,E16.0,E23.1,E24.2,E27.3,E66.1,F11.0-F11.5,F11.7-F11.9,F12.0-F12.5,F12.7-F12.9,F13.0-F13.5,F13.7-F13.9,F14.0-F14.5,F14.7-F14.9,F15.0-F15.5,F15.7-F15.9,F16.0-F16.5,F16.7-F16.9,F17.0,F17.3-F17.5,F17.7-F17.9,F18.0-F18.5,F18.7-F18.9,F19.0-F19.5,F19.7-F19.9,G21.1,G24.0,G25.1,G25.4,G25.6,G44.4,G62.0,G72.0,I95.2,J70.2-J70.4,K85.3,L10.5,L27.0-L27.1,M10.2,M32.0,M80.4,M81.4,M83.5,M87.1,R50.2,R78.1-R78.5,X40-X44,X60-X64,X85,Y10-Y14) 5/

Non-Hispanic black, female

|              |       |   |    |    |    |     |     |     |     |    |    |    |   |
|--------------|-------|---|----|----|----|-----|-----|-----|-----|----|----|----|---|
| 2007 2/..... | 1,464 | 5 | 10 | 2  | 47 | 159 | 399 | 584 | 198 | 27 | 25 | 8  | - |
| 2006 2/..... | 1,510 | 9 | 5  | 4  | 55 | 145 | 466 | 578 | 173 | 30 | 25 | 20 | - |
| 2005 2/..... | 1,407 | 4 | 3  | 7  | 44 | 180 | 460 | 520 | 134 | 25 | 19 | 11 | - |
| 2004 2/..... | 1,268 | 7 | 1  | 10 | 41 | 143 | 429 | 489 | 105 | 19 | 14 | 10 | - |
| 2003 2/..... | 1,210 | 6 | 6  | 5  | 35 | 161 | 445 | 427 | 88  | 24 | 9  | 4  | - |
| 2002.....    | 1,140 | 5 | 4  | 2  | 37 | 151 | 441 | 396 | 70  | 14 | 9  | 11 | - |
| 2001.....    | 986   | 2 | 3  | 3  | 27 | 135 | 419 | 306 | 51  | 17 | 10 | 13 | - |
| 2000.....    | 927   | 2 | -  | 3  | 37 | 137 | 394 | 267 | 47  | 14 | 13 | 13 | - |
| 1999.....    | 896   | 3 | 7  | 2  | 30 | 147 | 384 | 245 | 35  | 20 | 9  | 13 | 1 |

Origin not stated 3/, both sexes

|           |     |   |   |   |   |    |    |    |    |   |   |   |   |
|-----------|-----|---|---|---|---|----|----|----|----|---|---|---|---|
| 2007..... | 116 | - | - | - | 8 | 14 | 24 | 43 | 22 | 4 | - | - | 1 |
| 2006..... | 146 | 1 | - | - | 4 | 20 | 38 | 49 | 22 | 3 | 4 | - | 5 |
| 2005..... | 136 | - | - | - | 7 | 16 | 35 | 56 | 17 | 4 | - | 1 | - |
| 2004..... | 115 | 1 | 1 | - | 6 | 11 | 35 | 43 | 8  | 2 | 3 | - | 5 |
| 2003..... | 166 | - | - | - | 5 | 25 | 48 | 58 | 17 | 6 | 2 | - | 5 |
| 2002..... | 147 | - | - | - | 9 | 20 | 52 | 38 | 12 | 9 | 3 | 1 | 3 |
| 2001..... | 175 | - | - | - | 9 | 18 | 56 | 56 | 21 | 4 | 1 | 1 | 9 |
| 2000..... | 185 | - | 1 | 1 | 9 | 25 | 46 | 76 | 17 | 4 | - | - | 6 |
| 1999..... | 197 | - | - | - | 5 | 19 | 75 | 58 | 25 | 4 | 2 | 2 | 7 |

Worktable Orig290F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2007

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data - mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, sex, and year

|  | All ages | Under 1 year | 1-4 years | 5-14 years | 15-24 years | 25-34 years | 35-44 years | 45-54 years | 55-64 years | 65-74 years | 75-84 years | 85 years and over | Age not stated |
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|

Drug-induced causes (D52.1,D59.0,D59.2,D61.1,D64.2,E06.4,E16.0,E23.1,E24.2,E27.3,E66.1,F11.0-F11.5,F11.7-F11.9,F12.0-F12.5,F12.7-F12.9,F13.0-F13.5,F13.7-F13.9,F14.0-F14.5,F14.7-F14.9,F15.0-F15.5,F15.7-F15.9,F16.0-F16.5,F16.7-F16.9,F17.0,F17.3-F17.5,F17.7-F17.9,F18.0-F18.5,F18.7-F18.9,F19.0-F19.5,F19.7-F19.9,G21.1,G24.0,G25.1,G25.4,G25.6,G44.4,G62.0,G72.0,I95.2,J70.2-J70.4,K85.3,L10.5,L27.0-L27.1,M10.2,M32.0,M80.4,M81.4,M83.5,M87.1,R50.2,R78.1-R78.5,X40-X44,X60-X64,X85,Y10-Y14) 5/

Origin not stated 3/, male

|           |     |   |   |   |   |    |    |    |    |   |   |   |   |
|-----------|-----|---|---|---|---|----|----|----|----|---|---|---|---|
| 2007..... | 67  | - | - | - | 5 | 7  | 13 | 25 | 13 | 3 | - | - | 1 |
| 2006..... | 110 | 1 | - | - | 3 | 11 | 31 | 36 | 19 | 3 | 3 | - | 3 |
| 2005..... | 99  | - | - | - | 6 | 11 | 24 | 42 | 13 | 2 | - | 1 | - |
| 2004..... | 86  | - | 1 | - | 4 | 8  | 27 | 34 | 6  | 1 | 1 | - | 4 |
| 2003..... | 129 | - | - | - | 3 | 19 | 36 | 42 | 16 | 6 | 2 | - | 5 |
| 2002..... | 109 | - | - | - | 5 | 17 | 38 | 25 | 11 | 8 | 2 | 1 | 2 |
| 2001..... | 140 | - | - | - | 7 | 16 | 43 | 43 | 18 | 3 | 1 | - | 9 |
| 2000..... | 133 | - | 1 | 1 | 7 | 15 | 35 | 52 | 14 | 2 | - | - | 6 |
| 1999..... | 144 | - | - | - | 4 | 16 | 52 | 45 | 19 | 4 | - | 1 | 3 |

Origin not stated 3/, female

|           |    |   |   |   |   |    |    |    |   |   |   |   |   |
|-----------|----|---|---|---|---|----|----|----|---|---|---|---|---|
| 2007..... | 49 | - | - | - | 3 | 7  | 11 | 18 | 9 | 1 | - | - | - |
| 2006..... | 36 | - | - | - | 1 | 9  | 7  | 13 | 3 | - | 1 | - | 2 |
| 2005..... | 37 | - | - | - | 1 | 5  | 11 | 14 | 4 | 2 | - | - | - |
| 2004..... | 29 | 1 | - | - | 2 | 3  | 8  | 9  | 2 | 1 | 2 | - | 1 |
| 2003..... | 37 | - | - | - | 2 | 6  | 12 | 16 | 1 | - | - | - | 1 |
| 2002..... | 38 | - | - | - | 4 | 3  | 14 | 13 | 1 | 1 | 1 | - | 1 |
| 2001..... | 35 | - | - | - | 2 | 2  | 13 | 13 | 3 | 1 | - | 1 | - |
| 2000..... | 52 | - | - | - | 2 | 10 | 11 | 24 | 3 | 2 | - | - | - |
| 1999..... | 53 | - | - | - | 1 | 3  | 23 | 13 | 6 | - | 2 | 1 | 4 |

Worktable Orig290F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2007

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data - mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, sex, and year

|  | All ages | Under 1 year | 1-4 years | 5-14 years | 15-24 years | 25-34 years | 35-44 years | 45-54 years | 55-64 years | 65-74 years | 75-84 years | 85 years and over | Age not stated |
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|

Injury by firearms (\*U01.4,W32-W34,X72-X74,X93-X95,Y22-Y24,Y35.0) 5/

| All origins, both sexes |        |    |    |     |       |       |       |       |       |       |       |     |    |
|-------------------------|--------|----|----|-----|-------|-------|-------|-------|-------|-------|-------|-----|----|
| 2007.....               | 31,224 | 16 | 69 | 313 | 6,902 | 6,302 | 5,120 | 4,861 | 3,338 | 1,938 | 1,716 | 638 | 11 |
| 2006.....               | 30,896 | 6  | 57 | 346 | 7,155 | 6,189 | 5,012 | 4,828 | 3,111 | 1,892 | 1,683 | 608 | 9  |
| 2005.....               | 30,694 | 7  | 62 | 335 | 6,821 | 6,302 | 5,101 | 4,744 | 2,987 | 1,929 | 1,784 | 612 | 10 |
| 2004.....               | 29,569 | 7  | 51 | 300 | 6,540 | 6,021 | 4,986 | 4,588 | 2,859 | 1,885 | 1,729 | 576 | 27 |
| 2003.....               | 30,136 | 8  | 48 | 324 | 6,846 | 6,188 | 5,118 | 4,550 | 2,804 | 1,912 | 1,731 | 589 | 18 |
| 2002.....               | 30,242 | 10 | 61 | 348 | 6,780 | 6,140 | 5,446 | 4,321 | 2,719 | 1,993 | 1,833 | 576 | 15 |
| 2001.....               | 29,573 | 11 | 70 | 333 | 6,687 | 6,137 | 5,288 | 4,120 | 2,544 | 1,998 | 1,803 | 563 | 19 |
| 2000.....               | 28,663 | 13 | 46 | 377 | 6,575 | 5,789 | 5,358 | 3,951 | 2,272 | 1,941 | 1,723 | 600 | 18 |
| 1999.....               | 28,874 | 8  | 65 | 416 | 6,795 | 5,975 | 5,234 | 3,722 | 2,306 | 2,034 | 1,738 | 561 | 20 |
| All origins, male       |        |    |    |     |       |       |       |       |       |       |       |     |    |
| 2007.....               | 27,047 | 12 | 39 | 237 | 6,237 | 5,581 | 4,212 | 4,026 | 2,830 | 1,701 | 1,565 | 596 | 11 |
| 2006.....               | 26,712 | 2  | 38 | 258 | 6,503 | 5,463 | 4,121 | 3,949 | 2,592 | 1,667 | 1,543 | 567 | 9  |
| 2005.....               | 26,657 | 7  | 42 | 252 | 6,204 | 5,559 | 4,221 | 3,951 | 2,544 | 1,679 | 1,624 | 567 | 7  |
| 2004.....               | 25,498 | 2  | 29 | 231 | 5,895 | 5,302 | 4,130 | 3,733 | 2,391 | 1,663 | 1,554 | 542 | 26 |
| 2003.....               | 26,124 | 7  | 28 | 256 | 6,186 | 5,472 | 4,222 | 3,761 | 2,378 | 1,694 | 1,558 | 546 | 16 |
| 2002.....               | 26,098 | 4  | 38 | 242 | 6,096 | 5,347 | 4,503 | 3,579 | 2,296 | 1,768 | 1,671 | 540 | 14 |
| 2001.....               | 25,480 | 7  | 39 | 249 | 6,066 | 5,347 | 4,312 | 3,416 | 2,116 | 1,754 | 1,634 | 522 | 18 |
| 2000.....               | 24,582 | 9  | 28 | 302 | 5,906 | 5,003 | 4,363 | 3,258 | 1,896 | 1,684 | 1,571 | 549 | 13 |
| 1999.....               | 24,700 | 5  | 36 | 308 | 6,056 | 5,156 | 4,229 | 3,057 | 1,951 | 1,786 | 1,580 | 517 | 19 |

Worktable Orig290F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2007

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data - mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, sex, and year

|  | All ages | Under 1 year | 1-4 years | 5-14 years | 15-24 years | 25-34 years | 35-44 years | 45-54 years | 55-64 years | 65-74 years | 75-84 years | 85 years and over | Age not stated |
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|

Injury by firearms (\*U01.4,W32-W34,X72-X74,X93-X95,Y22-Y24,Y35.0) 5/

| All origins, female  |          |              |           |            |             |             |             |             |             |             |             |                   |                |
|----------------------|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|
|                      | All ages | Under 1 year | 1-4 years | 5-14 years | 15-24 years | 25-34 years | 35-44 years | 45-54 years | 55-64 years | 65-74 years | 75-84 years | 85 years and over | Age not stated |
| 2007.....            | 4,177    | 4            | 30        | 76         | 665         | 721         | 908         | 835         | 508         | 237         | 151         | 42                | -              |
| 2006.....            | 4,184    | 4            | 19        | 88         | 652         | 726         | 891         | 879         | 519         | 225         | 140         | 41                | -              |
| 2005.....            | 4,037    | -            | 20        | 83         | 617         | 743         | 880         | 793         | 443         | 250         | 160         | 45                | 3              |
| 2004.....            | 4,071    | 5            | 22        | 69         | 645         | 719         | 856         | 855         | 468         | 222         | 175         | 34                | 1              |
| 2003.....            | 4,012    | 1            | 20        | 68         | 660         | 716         | 896         | 789         | 426         | 218         | 173         | 43                | 2              |
| 2002.....            | 4,144    | 6            | 23        | 106        | 684         | 793         | 943         | 742         | 423         | 225         | 162         | 36                | 1              |
| 2001.....            | 4,093    | 4            | 31        | 84         | 621         | 790         | 976         | 704         | 428         | 244         | 169         | 41                | 1              |
| 2000.....            | 4,081    | 4            | 18        | 75         | 669         | 786         | 995         | 693         | 376         | 257         | 152         | 51                | 5              |
| 1999.....            | 4,174    | 3            | 29        | 108        | 739         | 819         | 1,005       | 665         | 355         | 248         | 158         | 44                | 1              |
| Hispanic, both sexes |          |              |           |            |             |             |             |             |             |             |             |                   |                |
| 2007.....            | 3,492    | 6            | 13        | 54         | 1,330       | 1,038       | 515         | 293         | 117         | 62          | 47          | 14                | 3              |
| 2006.....            | 3,464    | 1            | 12        | 72         | 1,406       | 1,020       | 520         | 246         | 101         | 35          | 36          | 13                | 2              |
| 2005.....            | 3,469    | 2            | 7         | 47         | 1,350       | 1,084       | 529         | 259         | 82          | 55          | 39          | 12                | 3              |
| 2004.....            | 3,278    | 3            | 7         | 46         | 1,315       | 970         | 475         | 248         | 106         | 56          | 37          | 11                | 4              |
| 2003.....            | 3,319    | 1            | 9         | 52         | 1,346       | 985         | 478         | 259         | 86          | 58          | 30          | 11                | 4              |
| 2002.....            | 3,143    | 2            | 15        | 56         | 1,260       | 920         | 459         | 220         | 99          | 62          | 33          | 13                | 4              |
| 2001.....            | 3,087    | 4            | 13        | 40         | 1,233       | 926         | 468         | 215         | 82          | 60          | 31          | 10                | 5              |
| 2000.....            | 2,891    | 1            | 7         | 55         | 1,184       | 788         | 414         | 255         | 83          | 64          | 28          | 9                 | 3              |
| 1999.....            | 2,878    | 2            | 6         | 69         | 1,189       | 770         | 427         | 218         | 87          | 51          | 44          | 12                | 3              |

Worktable Orig290F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2007

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data - mortality"]

---

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, sex, and year

|  | All ages | Under 1 year | 1-4 years | 5-14 years | 15-24 years | 25-34 years | 35-44 years | 45-54 years | 55-64 years | 65-74 years | 75-84 years | 85 years and over | Age not stated |
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|

---

Injury by firearms (\*U01.4,W32-W34,X72-X74,X93-X95,Y22-Y24,Y35.0) 5/

| Hispanic, male   |       |   |   |    |       |     |     |     |     |    |    |    |   |
|------------------|-------|---|---|----|-------|-----|-----|-----|-----|----|----|----|---|
| 2007.....        | 3,155 | 5 | 7 | 43 | 1,229 | 948 | 450 | 255 | 100 | 58 | 43 | 14 | 3 |
| 2006.....        | 3,142 | - | 9 | 55 | 1,313 | 931 | 455 | 208 | 91  | 31 | 35 | 12 | 2 |
| 2005.....        | 3,144 | 2 | 5 | 37 | 1,263 | 985 | 454 | 224 | 76  | 48 | 36 | 11 | 3 |
| 2004.....        | 2,973 | 1 | 4 | 33 | 1,228 | 888 | 418 | 214 | 91  | 50 | 33 | 9  | 4 |
| 2003.....        | 2,998 | 1 | 5 | 38 | 1,234 | 914 | 411 | 220 | 80  | 54 | 28 | 10 | 3 |
| 2002.....        | 2,834 | - | 9 | 38 | 1,173 | 844 | 390 | 185 | 89  | 57 | 32 | 13 | 4 |
| 2001.....        | 2,774 | 3 | 6 | 31 | 1,132 | 841 | 408 | 180 | 75  | 55 | 28 | 10 | 5 |
| 2000.....        | 2,582 | - | 4 | 46 | 1,096 | 711 | 351 | 210 | 73  | 54 | 26 | 9  | 2 |
| 1999.....        | 2,549 | 2 | 4 | 50 | 1,078 | 699 | 364 | 173 | 76  | 46 | 42 | 12 | 3 |
|                  |       |   |   |    |       |     |     |     |     |    |    |    |   |
| Hispanic, female |       |   |   |    |       |     |     |     |     |    |    |    |   |
| 2007.....        | 337   | 1 | 6 | 11 | 101   | 90  | 65  | 38  | 17  | 4  | 4  | -  | - |
| 2006.....        | 322   | 1 | 3 | 17 | 93    | 89  | 65  | 38  | 10  | 4  | 1  | 1  | - |
| 2005.....        | 325   | - | 2 | 10 | 87    | 99  | 75  | 35  | 6   | 7  | 3  | 1  | - |
| 2004.....        | 305   | 2 | 3 | 13 | 87    | 82  | 57  | 34  | 15  | 6  | 4  | 2  | - |
| 2003.....        | 321   | - | 4 | 14 | 112   | 71  | 67  | 39  | 6   | 4  | 2  | 1  | 1 |
| 2002.....        | 309   | 2 | 6 | 18 | 87    | 76  | 69  | 35  | 10  | 5  | 1  | -  | - |
| 2001.....        | 313   | 1 | 7 | 9  | 101   | 85  | 60  | 35  | 7   | 5  | 3  | -  | - |
| 2000.....        | 309   | 1 | 3 | 9  | 88    | 77  | 63  | 45  | 10  | 10 | 2  | -  | 1 |
| 1999.....        | 329   | - | 2 | 19 | 111   | 71  | 63  | 45  | 11  | 5  | 2  | -  | - |

Worktable Orig290F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2007

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data - mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, sex, and year

|  | All ages | Under 1 year | 1-4 years | 5-14 years | 15-24 years | 25-34 years | 35-44 years | 45-54 years | 55-64 years | 65-74 years | 75-84 years | 85 years and over | Age not stated |
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|

Injury by firearms (\*U01.4,W32-W34,X72-X74,X93-X95,Y22-Y24,Y35.0) 5/

| Non-Hispanic 1/, both sexes |        |    |    |     |       |       |       |       |       |       |       |     |   |
|-----------------------------|--------|----|----|-----|-------|-------|-------|-------|-------|-------|-------|-----|---|
| 2007.....                   | 27,641 | 10 | 56 | 256 | 5,550 | 5,247 | 4,586 | 4,559 | 3,210 | 1,871 | 1,667 | 624 | 5 |
| 2006.....                   | 27,329 | 5  | 45 | 272 | 5,722 | 5,149 | 4,473 | 4,569 | 3,002 | 1,851 | 1,643 | 595 | 3 |
| 2005.....                   | 27,103 | 5  | 55 | 287 | 5,447 | 5,194 | 4,547 | 4,467 | 2,890 | 1,872 | 1,739 | 597 | 3 |
| 2004.....                   | 26,189 | 4  | 44 | 253 | 5,204 | 5,032 | 4,490 | 4,331 | 2,746 | 1,825 | 1,690 | 564 | 6 |
| 2003.....                   | 26,710 | 7  | 39 | 272 | 5,468 | 5,183 | 4,617 | 4,281 | 2,709 | 1,849 | 1,700 | 576 | 9 |
| 2002.....                   | 26,944 | 8  | 46 | 290 | 5,476 | 5,187 | 4,963 | 4,080 | 2,609 | 1,922 | 1,795 | 561 | 7 |
| 2001.....                   | 26,341 | 7  | 57 | 292 | 5,409 | 5,182 | 4,802 | 3,895 | 2,446 | 1,927 | 1,767 | 549 | 8 |
| 2000.....                   | 25,637 | 12 | 39 | 320 | 5,355 | 4,980 | 4,915 | 3,679 | 2,179 | 1,869 | 1,694 | 589 | 6 |
| 1999.....                   | 25,877 | 6  | 59 | 347 | 5,587 | 5,174 | 4,782 | 3,491 | 2,210 | 1,978 | 1,689 | 547 | 7 |
| Non-Hispanic 1/, male       |        |    |    |     |       |       |       |       |       |       |       |     |   |
| 2007.....                   | 23,809 | 7  | 32 | 191 | 4,987 | 4,616 | 3,746 | 3,765 | 2,720 | 1,638 | 1,520 | 582 | 5 |
| 2006.....                   | 23,482 | 2  | 29 | 201 | 5,166 | 4,516 | 3,652 | 3,730 | 2,493 | 1,631 | 1,504 | 555 | 3 |
| 2005.....                   | 23,406 | 5  | 37 | 215 | 4,921 | 4,552 | 3,745 | 3,712 | 2,453 | 1,629 | 1,582 | 553 | 2 |
| 2004.....                   | 22,436 | 1  | 25 | 197 | 4,650 | 4,397 | 3,693 | 3,512 | 2,295 | 1,609 | 1,519 | 532 | 6 |
| 2003.....                   | 23,036 | 6  | 23 | 218 | 4,925 | 4,540 | 3,794 | 3,533 | 2,289 | 1,637 | 1,529 | 534 | 8 |
| 2002.....                   | 23,127 | 4  | 29 | 202 | 4,882 | 4,477 | 4,093 | 3,375 | 2,198 | 1,702 | 1,634 | 525 | 6 |
| 2001.....                   | 22,573 | 4  | 33 | 217 | 4,894 | 4,479 | 3,889 | 3,228 | 2,025 | 1,688 | 1,601 | 508 | 7 |
| 2000.....                   | 21,881 | 9  | 24 | 255 | 4,777 | 4,274 | 3,984 | 3,033 | 1,813 | 1,624 | 1,544 | 539 | 5 |
| 1999.....                   | 22,050 | 3  | 32 | 258 | 4,964 | 4,432 | 3,842 | 2,874 | 1,866 | 1,735 | 1,533 | 504 | 7 |

Worktable Orig290F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2007

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data - mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, sex, and year

|  | All ages | Under 1 year | 1-4 years | 5-14 years | 15-24 years | 25-34 years | 35-44 years | 45-54 years | 55-64 years | 65-74 years | 75-84 years | 85 years and over | Age not stated |
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|

Injury by firearms (\*U01.4,W32-W34,X72-X74,X93-X95,Y22-Y24,Y35.0) 5/

Non-Hispanic 1/, female

|           |       |   |    |    |     |     |     |     |     |     |     |    |   |
|-----------|-------|---|----|----|-----|-----|-----|-----|-----|-----|-----|----|---|
| 2007..... | 3,832 | 3 | 24 | 65 | 563 | 631 | 840 | 794 | 490 | 233 | 147 | 42 | - |
| 2006..... | 3,847 | 3 | 16 | 71 | 556 | 633 | 821 | 839 | 509 | 220 | 139 | 40 | - |
| 2005..... | 3,697 | - | 18 | 72 | 526 | 642 | 802 | 755 | 437 | 243 | 157 | 44 | 1 |
| 2004..... | 3,753 | 3 | 19 | 56 | 554 | 635 | 797 | 819 | 451 | 216 | 171 | 32 | - |
| 2003..... | 3,674 | 1 | 16 | 54 | 543 | 643 | 823 | 748 | 420 | 212 | 171 | 42 | 1 |
| 2002..... | 3,817 | 4 | 17 | 88 | 594 | 710 | 870 | 705 | 411 | 220 | 161 | 36 | 1 |
| 2001..... | 3,768 | 3 | 24 | 75 | 515 | 703 | 913 | 667 | 421 | 239 | 166 | 41 | 1 |
| 2000..... | 3,756 | 3 | 15 | 65 | 578 | 706 | 931 | 646 | 366 | 245 | 150 | 50 | 1 |
| 1999..... | 3,827 | 3 | 27 | 89 | 623 | 742 | 940 | 617 | 344 | 243 | 156 | 43 | - |

Non-Hispanic white, both sexes

|              |        |   |    |     |       |       |       |       |       |       |       |     |   |
|--------------|--------|---|----|-----|-------|-------|-------|-------|-------|-------|-------|-----|---|
| 2007 2/..... | 18,861 | 4 | 28 | 133 | 2,125 | 2,600 | 3,265 | 3,842 | 2,903 | 1,749 | 1,594 | 614 | 4 |
| 2006 2/..... | 18,312 | 1 | 16 | 146 | 2,158 | 2,341 | 3,193 | 3,833 | 2,741 | 1,729 | 1,584 | 567 | 3 |
| 2005 2/..... | 18,521 | 3 | 26 | 164 | 2,147 | 2,487 | 3,248 | 3,792 | 2,657 | 1,741 | 1,673 | 580 | 3 |
| 2004 2/..... | 18,200 | 1 | 13 | 138 | 2,231 | 2,480 | 3,302 | 3,691 | 2,480 | 1,694 | 1,616 | 549 | 5 |
| 2003 2/..... | 18,457 | 1 | 15 | 141 | 2,289 | 2,552 | 3,404 | 3,645 | 2,483 | 1,731 | 1,627 | 563 | 6 |
| 2002.....    | 18,762 | 2 | 28 | 163 | 2,356 | 2,639 | 3,662 | 3,457 | 2,380 | 1,812 | 1,714 | 544 | 5 |
| 2001.....    | 18,676 | 4 | 30 | 203 | 2,373 | 2,847 | 3,601 | 3,361 | 2,233 | 1,797 | 1,685 | 536 | 6 |
| 2000.....    | 18,042 | 5 | 21 | 219 | 2,377 | 2,702 | 3,694 | 3,106 | 1,965 | 1,738 | 1,637 | 574 | 4 |
| 1999.....    | 18,260 | 2 | 27 | 225 | 2,504 | 2,949 | 3,624 | 2,951 | 1,976 | 1,852 | 1,614 | 533 | 3 |

Worktable Orig290F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2007

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data - mortality"]

---

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, sex, and year

|  | All ages | Under 1 year | 1-4 years | 5-14 years | 15-24 years | 25-34 years | 35-44 years | 45-54 years | 55-64 years | 65-74 years | 75-84 years | 85 years and over | Age not stated |
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|

---

Injury by firearms (\*U01.4,W32-W34,X72-X74,X93-X95,Y22-Y24,Y35.0) 5/

| Non-Hispanic white, male   |        |   |    |     |       |       |       |       |       |       |       |     |   |
|----------------------------|--------|---|----|-----|-------|-------|-------|-------|-------|-------|-------|-----|---|
| 2007 2/.....               | 15,925 | 3 | 18 | 94  | 1,810 | 2,188 | 2,621 | 3,163 | 2,456 | 1,535 | 1,457 | 576 | 4 |
| 2006 2/.....               | 15,411 | - | 10 | 106 | 1,874 | 1,974 | 2,566 | 3,107 | 2,269 | 1,523 | 1,447 | 532 | 3 |
| 2005 2/.....               | 15,672 | 3 | 17 | 128 | 1,868 | 2,066 | 2,614 | 3,137 | 2,256 | 1,524 | 1,521 | 536 | 2 |
| 2004 2/.....               | 15,283 | - | 8  | 108 | 1,912 | 2,076 | 2,657 | 2,984 | 2,074 | 1,485 | 1,455 | 519 | 5 |
| 2003 2/.....               | 15,670 | - | 7  | 119 | 2,009 | 2,141 | 2,754 | 2,997 | 2,101 | 1,541 | 1,471 | 524 | 6 |
| 2002.....                  | 15,881 | 2 | 16 | 114 | 2,038 | 2,169 | 2,998 | 2,855 | 2,005 | 1,608 | 1,562 | 510 | 4 |
| 2001.....                  | 15,760 | 2 | 19 | 152 | 2,059 | 2,383 | 2,910 | 2,788 | 1,838 | 1,577 | 1,531 | 496 | 5 |
| 2000.....                  | 15,160 | 2 | 11 | 175 | 2,050 | 2,232 | 2,965 | 2,560 | 1,629 | 1,508 | 1,498 | 527 | 3 |
| 1999.....                  | 15,384 | 2 | 15 | 168 | 2,165 | 2,453 | 2,893 | 2,440 | 1,659 | 1,626 | 1,468 | 492 | 3 |
| Non-Hispanic white, female |        |   |    |     |       |       |       |       |       |       |       |     |   |
| 2007 2/.....               | 2,936  | 1 | 10 | 39  | 315   | 412   | 644   | 679   | 447   | 214   | 137   | 38  | - |
| 2006 2/.....               | 2,901  | 1 | 6  | 40  | 284   | 367   | 627   | 726   | 472   | 206   | 137   | 35  | - |
| 2005 2/.....               | 2,849  | - | 9  | 36  | 279   | 421   | 634   | 655   | 401   | 217   | 152   | 44  | 1 |
| 2004 2/.....               | 2,917  | 1 | 5  | 30  | 319   | 404   | 645   | 707   | 406   | 209   | 161   | 30  | - |
| 2003 2/.....               | 2,787  | 1 | 8  | 22  | 280   | 411   | 650   | 648   | 382   | 190   | 156   | 39  | - |
| 2002.....                  | 2,881  | - | 12 | 49  | 318   | 470   | 664   | 602   | 375   | 204   | 152   | 34  | 1 |
| 2001.....                  | 2,916  | 2 | 11 | 51  | 314   | 464   | 691   | 573   | 395   | 220   | 154   | 40  | 1 |
| 2000.....                  | 2,882  | 3 | 10 | 44  | 327   | 470   | 729   | 546   | 336   | 230   | 139   | 47  | 1 |
| 1999.....                  | 2,876  | - | 12 | 57  | 339   | 496   | 731   | 511   | 317   | 226   | 146   | 41  | - |



Worktable Orig290F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2007

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data - mortality"]

---

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, sex, and year

|  | All ages | Under 1 year | 1-4 years | 5-14 years | 15-24 years | 25-34 years | 35-44 years | 45-54 years | 55-64 years | 65-74 years | 75-84 years | 85 years and over | Age not stated |
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|

---

Injury by firearms (\*U01.4,W32-W34,X72-X74,X93-X95,Y22-Y24,Y35.0) 5/

| Non-Hispanic black, both sexes |       |   |    |     |       |       |       |     |     |     |    |    |   |
|--------------------------------|-------|---|----|-----|-------|-------|-------|-----|-----|-----|----|----|---|
| 2007 2/.....                   | 8,133 | 6 | 25 | 114 | 3,233 | 2,511 | 1,206 | 622 | 252 | 97  | 59 | 8  | - |
| 2006 2/.....                   | 8,294 | 4 | 28 | 112 | 3,312 | 2,638 | 1,173 | 631 | 215 | 104 | 53 | 24 | - |
| 2005 2/.....                   | 7,865 | 2 | 27 | 107 | 3,058 | 2,538 | 1,178 | 582 | 186 | 114 | 56 | 17 | - |
| 2004 2/.....                   | 7,347 | 3 | 27 | 101 | 2,803 | 2,394 | 1,063 | 540 | 227 | 108 | 66 | 14 | 1 |
| 2003 2/.....                   | 7,566 | 6 | 23 | 116 | 2,968 | 2,460 | 1,088 | 544 | 186 | 103 | 58 | 12 | 2 |
| 2002.....                      | 7,494 | 6 | 17 | 102 | 2,904 | 2,393 | 1,172 | 535 | 186 | 95  | 65 | 17 | 2 |
| 2001.....                      | 7,063 | 2 | 23 | 78  | 2,872 | 2,172 | 1,092 | 464 | 171 | 108 | 69 | 11 | 1 |
| 2000.....                      | 6,958 | 7 | 13 | 91  | 2,798 | 2,121 | 1,093 | 496 | 162 | 114 | 50 | 12 | 1 |
| 1999.....                      | 6,933 | 2 | 26 | 105 | 2,882 | 2,034 | 1,037 | 457 | 195 | 109 | 68 | 14 | 4 |
| Non-Hispanic black, male       |       |   |    |     |       |       |       |     |     |     |    |    |   |
| 2007 2/.....                   | 7,326 | 4 | 13 | 88  | 3,001 | 2,308 | 1,030 | 522 | 221 | 83  | 52 | 4  | - |
| 2006 2/.....                   | 7,460 | 2 | 18 | 85  | 3,064 | 2,396 | 1,006 | 542 | 186 | 91  | 51 | 19 | - |
| 2005 2/.....                   | 7,122 | 2 | 19 | 78  | 2,846 | 2,337 | 1,027 | 496 | 156 | 93  | 51 | 17 | - |
| 2004 2/.....                   | 6,620 | 1 | 15 | 78  | 2,588 | 2,191 | 933   | 453 | 187 | 104 | 57 | 12 | 1 |
| 2003 2/.....                   | 6,794 | 6 | 15 | 86  | 2,739 | 2,253 | 935   | 464 | 156 | 83  | 47 | 9  | 1 |
| 2002.....                      | 6,681 | 2 | 12 | 74  | 2,657 | 2,182 | 991   | 450 | 156 | 82  | 58 | 15 | 2 |
| 2001.....                      | 6,323 | 1 | 13 | 60  | 2,690 | 1,965 | 894   | 387 | 150 | 93  | 59 | 10 | 1 |
| 2000.....                      | 6,193 | 7 | 8  | 74  | 2,574 | 1,910 | 920   | 411 | 136 | 103 | 40 | 9  | 1 |
| 1999.....                      | 6,114 | 1 | 12 | 78  | 2,623 | 1,826 | 854   | 376 | 174 | 95  | 59 | 12 | 4 |

Worktable Orig290F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2007

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data - mortality"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, sex, and year | All ages | Under 1 year | 1-4 years | 5-14 years | 15-24 years | 25-34 years | 35-44 years | 45-54 years | 55-64 years | 65-74 years | 75-84 years | 85 years and over | Age not stated |
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|

Injury by firearms (\*U01.4,W32-W34,X72-X74,X93-X95,Y22-Y24,Y35.0) 5/

| Non-Hispanic black, female       |          |              |           |            |             |             |             |             |             |             |             |                   |                |
|----------------------------------|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|
| Year                             | All ages | Under 1 year | 1-4 years | 5-14 years | 15-24 years | 25-34 years | 35-44 years | 45-54 years | 55-64 years | 65-74 years | 75-84 years | 85 years and over | Age not stated |
| 2007 2/.....                     | 807      | 2            | 12        | 26         | 232         | 203         | 176         | 100         | 31          | 14          | 7           | 4                 | -              |
| 2006 2/.....                     | 834      | 2            | 10        | 27         | 248         | 242         | 167         | 89          | 29          | 13          | 2           | 5                 | -              |
| 2005 2/.....                     | 743      | -            | 8         | 29         | 212         | 201         | 151         | 86          | 30          | 21          | 5           | -                 | -              |
| 2004 2/.....                     | 727      | 2            | 12        | 23         | 215         | 203         | 130         | 87          | 40          | 4           | 9           | 2                 | -              |
| 2003 2/.....                     | 772      | -            | 8         | 30         | 229         | 207         | 153         | 80          | 30          | 20          | 11          | 3                 | 1              |
| 2002.....                        | 813      | 4            | 5         | 28         | 247         | 211         | 181         | 85          | 30          | 13          | 7           | 2                 | -              |
| 2001.....                        | 740      | 1            | 10        | 18         | 182         | 207         | 198         | 77          | 21          | 15          | 10          | 1                 | -              |
| 2000.....                        | 765      | -            | 5         | 17         | 224         | 211         | 173         | 85          | 26          | 11          | 10          | 3                 | -              |
| 1999.....                        | 819      | 1            | 14        | 27         | 259         | 208         | 183         | 81          | 21          | 14          | 9           | 2                 | -              |
| Origin not stated 3/, both sexes |          |              |           |            |             |             |             |             |             |             |             |                   |                |
| Year                             | All ages | Under 1 year | 1-4 years | 5-14 years | 15-24 years | 25-34 years | 35-44 years | 45-54 years | 55-64 years | 65-74 years | 75-84 years | 85 years and over | Age not stated |
| 2007.....                        | 91       | -            | -         | 3          | 22          | 17          | 19          | 9           | 11          | 5           | 2           | -                 | 3              |
| 2006.....                        | 103      | -            | -         | 2          | 27          | 20          | 19          | 13          | 8           | 6           | 4           | -                 | 4              |
| 2005.....                        | 122      | -            | -         | 1          | 24          | 24          | 25          | 18          | 15          | 2           | 6           | 3                 | 4              |
| 2004.....                        | 102      | -            | -         | 1          | 21          | 19          | 21          | 9           | 7           | 4           | 2           | 1                 | 17             |
| 2003.....                        | 107      | -            | -         | -          | 32          | 20          | 23          | 10          | 9           | 5           | 1           | 2                 | 5              |
| 2002.....                        | 155      | -            | -         | 2          | 44          | 33          | 24          | 21          | 11          | 9           | 5           | 2                 | 4              |
| 2001.....                        | 145      | -            | -         | 1          | 45          | 29          | 18          | 10          | 16          | 11          | 5           | 4                 | 6              |
| 2000.....                        | 135      | -            | -         | 2          | 36          | 21          | 29          | 17          | 10          | 8           | 1           | 2                 | 9              |
| 1999.....                        | 119      | -            | -         | -          | 19          | 31          | 25          | 13          | 9           | 5           | 5           | 2                 | 10             |

Worktable Orig290F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2007

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data - mortality"]

---

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, sex, and year | All ages | Under 1 year | 1-4 years | 5-14 years | 15-24 years | 25-34 years | 35-44 years | 45-54 years | 55-64 years | 65-74 years | 75-84 years | 85 years and over | Age not stated |
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|

---

Injury by firearms (\*U01.4,W32-W34,X72-X74,X93-X95,Y22-Y24,Y35.0) 5/

| Origin not stated 3/, male |     |   |   |   |    |    |    |    |    |    |   |   |    |
|----------------------------|-----|---|---|---|----|----|----|----|----|----|---|---|----|
| 2007.....                  | 83  | - | - | 3 | 21 | 17 | 16 | 6  | 10 | 5  | 2 | - | 3  |
| 2006.....                  | 88  | - | - | 2 | 24 | 16 | 14 | 11 | 8  | 5  | 4 | - | 4  |
| 2005.....                  | 107 | - | - | - | 20 | 22 | 22 | 15 | 15 | 2  | 6 | 3 | 2  |
| 2004.....                  | 89  | - | - | 1 | 17 | 17 | 19 | 7  | 5  | 4  | 2 | 1 | 16 |
| 2003.....                  | 90  | - | - | - | 27 | 18 | 17 | 8  | 9  | 3  | 1 | 2 | 5  |
| 2002.....                  | 137 | - | - | 2 | 41 | 26 | 20 | 19 | 9  | 9  | 5 | 2 | 4  |
| 2001.....                  | 133 | - | - | 1 | 40 | 27 | 15 | 8  | 16 | 11 | 5 | 4 | 6  |
| 2000.....                  | 119 | - | - | 1 | 33 | 18 | 28 | 15 | 10 | 6  | 1 | 1 | 6  |
| 1999.....                  | 101 | - | - | - | 14 | 25 | 23 | 10 | 9  | 5  | 5 | 1 | 9  |

Worktable Orig290F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2007

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data - mortality"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), Hispanic origin, race for non-Hispanic population, sex, and year | All ages | Under 1 year | 1-4 years | 5-14 years | 15-24 years | 25-34 years | 35-44 years | 45-54 years | 55-64 years | 65-74 years | 75-84 years | 85 years and over | Age not stated |
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|
|--|----------|--------------|-----------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|----------------|

Injury by firearms (\*U01.4,W32-W34,X72-X74,X93-X95,Y22-Y24,Y35.0) 5/

Origin not stated 3/, female

|           |    |   |   |   |   |   |   |   |   |   |   |   |   |
|-----------|----|---|---|---|---|---|---|---|---|---|---|---|---|
| 2007..... | 8  | - | - | - | 1 | - | 3 | 3 | 1 | - | - | - | - |
| 2006..... | 15 | - | - | - | 3 | 4 | 5 | 2 | - | 1 | - | - | - |
| 2005..... | 15 | - | - | 1 | 4 | 2 | 3 | 3 | - | - | - | - | 2 |
| 2004..... | 13 | - | - | - | 4 | 2 | 2 | 2 | 2 | - | - | - | 1 |
| 2003..... | 17 | - | - | - | 5 | 2 | 6 | 2 | - | 2 | - | - | - |
| 2002..... | 18 | - | - | - | 3 | 7 | 4 | 2 | 2 | - | - | - | - |
| 2001..... | 12 | - | - | - | 5 | 2 | 3 | 2 | - | - | - | - | - |
| 2000..... | 16 | - | - | 1 | 3 | 3 | 1 | 2 | - | 2 | - | 1 | 3 |
| 1999..... | 18 | - | - | - | 5 | 6 | 2 | 3 | - | - | - | 1 | 1 |

- Quantity zero.

... Category not applicable.

1/ Includes races other than white and black.

2/ Multiple-race data were reported by California, Connecticut, Delaware, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Ohio, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming in 2007, by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming in 2006, by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming in 2005, by California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming in 2004, and by California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin in 2003. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data-mortality."

3/ Includes deaths for which Hispanic origin was not reported on the death certificate.

4/ Figures include September 11, 2001 related deaths for which death certificates were filed as of 10/24/02; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2001."

5/ Included in selected categories.

Source: CDC/NCHS, National Vital Statistics System, Mortality.