

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992) and age	All races		White		Black		American Indian 1/		Asian or Pacific Islander 2/						
	Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female			
Localized edema (R60.0)															
All ages.....	2	-	2	1	-	1	1	-	1	-	-	-	-	-	-
Under 1 year.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years.....	1	-	1	-	-	-	1	-	1	-	-	-	-	-	-
85-89 years.....	1	-	1	1	-	1	-	-	-	-	-	-	-	-	-
90-94 years.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
100 years & over.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Age not stated...	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992) and age	All races		White		Black		American Indian 1/		Asian or Pacific Islander 2/						
	Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female			
Other ill-defined and unspecified causes of mortality (R99)															
All ages.....	14,498	8,119	6,379	11,787	6,501	5,286	2,411	1,443	968	140	75	65	160	100	60
Under 1 year.....	1,081	639	442	680	408	272	363	209	154	18	7	11	20	15	5
1-4 years.....	171	100	71	110	61	49	50	32	18	5	3	2	6	4	2
5-9 years.....	45	27	18	26	17	9	17	9	8	1	-	1	1	1	-
10-14 years.....	52	28	24	29	17	12	20	10	10	-	-	-	3	1	2
15-19 years.....	192	130	62	153	107	46	35	22	13	3	1	2	1	-	1
20-24 years.....	385	268	117	306	219	87	62	37	25	6	5	1	11	7	4
25-29 years.....	433	306	127	329	241	88	87	51	36	6	5	1	11	9	2
30-34 years.....	578	398	180	464	322	142	99	66	33	11	6	5	4	4	-
35-39 years.....	811	550	261	634	431	203	160	108	52	8	4	4	9	7	2
40-44 years.....	1,149	737	412	912	586	326	213	134	79	15	11	4	9	6	3
45-49 years.....	1,101	740	361	834	560	274	242	164	78	13	7	6	12	9	3
50-54 years.....	1,010	666	344	749	492	257	245	164	81	10	5	5	6	5	1
55-59 years.....	803	519	284	640	412	228	145	96	49	6	3	3	12	8	4
60-64 years.....	660	441	219	546	366	180	102	69	33	9	5	4	3	1	2
65-69 years.....	606	361	245	491	292	199	101	61	40	4	2	2	10	6	4
70-74 years.....	717	425	292	628	374	254	78	47	31	8	4	4	3	-	3
75-79 years.....	949	478	471	838	418	420	100	53	47	3	3	-	8	4	4
80-84 years.....	1,059	491	568	958	436	522	89	50	39	1	-	1	11	5	6
85-89 years.....	1,080	403	677	995	380	615	75	20	55	2	1	1	8	2	6
90-94 years.....	891	233	658	815	216	599	64	15	49	6	-	6	6	2	4
95-99 years.....	468	84	384	432	74	358	33	9	24	1	-	1	2	1	1
100 years & over.	149	18	131	136	14	122	10	3	7	1	-	1	2	1	1
Age not stated...	108	77	31	82	58	24	21	14	7	3	3	-	2	2	-

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992) and age	All races		White		Black		American Indian 1/			Asian or Pacific Islander 2/					
	Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female			
Pedestrian injured in collision with car, pick-up truck, or van (V03)															
All ages.....	3,306	2,249	1,057	2,523	1,719	804	570	405	165	84	63	21	129	62	67
Under 1 year.....	7	4	3	5	3	2	2	1	1	-	-	-	-	-	-
1-4 years.....	150	104	46	108	74	34	31	22	9	5	4	1	6	4	2
5-9 years.....	108	65	43	73	48	25	29	14	15	3	2	1	3	1	2
10-14 years.....	102	64	38	76	47	29	21	16	5	-	-	-	5	1	4
15-19 years.....	188	135	53	138	100	38	39	26	13	6	5	1	5	4	1
20-24 years.....	202	158	44	161	126	35	28	21	7	6	6	-	7	5	2
25-29 years.....	179	137	42	130	104	26	36	25	11	9	6	3	4	2	2
30-34 years.....	202	153	49	153	118	35	37	28	9	7	5	2	5	2	3
35-39 years.....	258	178	80	174	122	52	66	45	21	13	8	5	5	3	2
40-44 years.....	292	203	89	219	154	65	51	35	16	11	8	3	11	6	5
45-49 years.....	277	209	68	208	156	52	62	49	13	4	4	-	3	-	3
50-54 years.....	229	167	62	175	126	49	42	32	10	7	6	1	5	3	2
55-59 years.....	178	131	47	143	106	37	28	23	5	2	1	1	5	1	4
60-64 years.....	148	95	53	114	75	39	25	18	7	3	1	2	6	1	5
65-69 years.....	163	103	60	123	79	44	21	13	8	2	2	-	17	9	8
70-74 years.....	171	100	71	145	82	63	14	10	4	2	2	-	10	6	4
75-79 years.....	160	83	77	131	68	63	12	9	3	1	1	-	16	5	11
80-84 years.....	141	76	65	119	62	57	15	11	4	1	1	-	6	2	4
85-89 years.....	97	48	49	82	40	42	6	3	3	1	-	1	8	5	3
90-94 years.....	36	22	14	32	19	13	2	1	1	1	1	-	1	1	-
95-99 years.....	8	5	3	8	5	3	-	-	-	-	-	-	-	-	-
100 years & over.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Age not stated...	10	9	1	6	5	1	3	3	-	-	-	-	1	1	-

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992) and age	All races		White		Black		American Indian 1/		Asian or Pacific Islander 2/						
	Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female			
Pedestrian injured in collision with car, pick-up truck, or van, traffic accident (V03.1)															
All ages.....	3,078	2,088	990	2,336	1,589	747	546	390	156	75	54	21	121	55	66
Under 1 year.....	4	1	3	3	1	2	1	-	1	-	-	-	-	-	-
1-4 years.....	102	69	33	71	47	24	26	19	7	1	-	1	4	3	1
5-9 years.....	98	57	41	63	40	23	29	14	15	3	2	1	3	1	2
10-14 years.....	98	63	35	73	46	27	20	16	4	-	-	-	5	1	4
15-19 years.....	179	128	51	130	94	36	39	26	13	5	4	1	5	4	1
20-24 years.....	190	146	44	152	117	35	28	21	7	6	6	-	4	2	2
25-29 years.....	170	129	41	122	97	25	35	24	11	9	6	3	4	2	2
30-34 years.....	191	143	48	144	110	34	37	28	9	5	3	2	5	2	3
35-39 years.....	247	169	78	167	117	50	63	42	21	13	8	5	4	2	2
40-44 years.....	284	197	87	213	149	64	49	34	15	11	8	3	11	6	5
45-49 years.....	262	197	65	198	148	50	58	46	12	3	3	-	3	-	3
50-54 years.....	220	161	59	168	121	47	40	31	9	7	6	1	5	3	2
55-59 years.....	167	124	43	134	101	33	27	22	5	1	-	1	5	1	4
60-64 years.....	142	90	52	110	71	39	23	17	6	3	1	2	6	1	5
65-69 years.....	151	98	53	114	75	39	19	13	6	2	2	-	16	8	8
70-74 years.....	160	94	66	135	77	58	14	10	4	2	2	-	9	5	4
75-79 years.....	142	75	67	113	60	53	12	9	3	1	1	-	16	5	11
80-84 years.....	132	69	63	110	55	55	15	11	4	1	1	-	6	2	4
85-89 years.....	91	44	47	76	36	40	6	3	3	1	-	1	8	5	3
90-94 years.....	32	21	11	28	18	10	2	1	1	1	1	-	1	1	-
95-99 years.....	7	4	3	7	4	3	-	-	-	-	-	-	-	-	-
100 years & over.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Age not stated...	9	9	-	5	5	-	3	3	-	-	-	-	1	1	-

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992) and age	All races		White		Black		American Indian 1/		Asian or Pacific Islander 2/						
	Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female			
Pedal cyclist injured in collision with car, pick-up truck, or van, driver injured in traffic accident (V13.4)															
All ages.....	194	171	23	158	139	19	32	28	4	1	1	-	3	3	-
Under 1 year.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years.....	1	1	-	1	1	-	-	-	-	-	-	-	-	-	-
5-9 years.....	9	5	4	3	2	1	6	3	3	-	-	-	-	-	-
10-14 years.....	23	21	2	18	17	1	5	4	1	-	-	-	-	-	-
15-19 years.....	25	22	3	21	18	3	3	3	-	-	-	-	1	1	-
20-24 years.....	7	4	3	7	4	3	-	-	-	-	-	-	-	-	-
25-29 years.....	7	7	-	7	7	-	-	-	-	-	-	-	-	-	-
30-34 years.....	13	11	2	10	8	2	3	3	-	-	-	-	-	-	-
35-39 years.....	13	12	1	11	10	1	2	2	-	-	-	-	-	-	-
40-44 years.....	26	24	2	21	19	2	4	4	-	1	1	-	-	-	-
45-49 years.....	26	24	2	21	19	2	4	4	-	-	-	-	1	1	-
50-54 years.....	9	9	-	7	7	-	1	1	-	-	-	-	1	1	-
55-59 years.....	13	11	2	11	9	2	2	2	-	-	-	-	-	-	-
60-64 years.....	4	3	1	4	3	1	-	-	-	-	-	-	-	-	-
65-69 years.....	8	8	-	7	7	-	1	1	-	-	-	-	-	-	-
70-74 years.....	5	4	1	4	3	1	1	1	-	-	-	-	-	-	-
75-79 years.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years.....	4	4	-	4	4	-	-	-	-	-	-	-	-	-	-
85-89 years.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
100 years & over.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Age not stated...	1	1	-	1	1	-	-	-	-	-	-	-	-	-	-

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992) and age	All races		White		Black		American Indian 1/		Asian or Pacific Islander 2/						
	Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female			
Occupant of pick-up truck or van injured in collision with heavy transport vehicle or bus, driver injured in traffic accident (V54.5)															
All ages.....	359	313	46	331	289	42	18	15	3	5	4	1	5	5	-
Under 1 year.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years.....	23	21	2	22	20	2	1	1	-	-	-	-	-	-	-
20-24 years.....	38	34	4	37	33	4	-	-	-	-	-	-	1	1	-
25-29 years.....	18	13	5	18	13	5	-	-	-	-	-	-	-	-	-
30-34 years.....	28	22	6	23	19	4	4	2	2	1	1	-	-	-	-
35-39 years.....	37	31	6	33	27	6	2	2	-	1	1	-	1	1	-
40-44 years.....	36	34	2	33	31	2	2	2	-	-	-	-	1	1	-
45-49 years.....	34	29	5	30	25	5	3	3	-	-	-	-	1	1	-
50-54 years.....	26	24	2	23	22	1	3	2	1	-	-	-	-	-	-
55-59 years.....	22	17	5	21	16	5	-	-	-	-	-	-	1	1	-
60-64 years.....	16	13	3	16	13	3	-	-	-	-	-	-	-	-	-
65-69 years.....	17	15	2	16	14	2	-	-	-	1	1	-	-	-	-
70-74 years.....	19	16	3	17	15	2	1	1	-	1	-	1	-	-	-
75-79 years.....	24	23	1	22	21	1	2	2	-	-	-	-	-	-	-
80-84 years.....	12	12	-	12	12	-	-	-	-	-	-	-	-	-	-
85-89 years.....	8	8	-	8	8	-	-	-	-	-	-	-	-	-	-
90-94 years.....	1	1	-	-	-	-	-	-	-	1	1	-	-	-	-
95-99 years.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
100 years & over.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Age not stated...	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992) and age	All races		White		Black		American Indian 1/			Asian or Pacific Islander 2/					
	Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female			
Occupant of pick-up truck or van injured in noncollision transport accident (V58)															
All ages.....	1,226	963	263	1,076	848	228	81	61	20	46	38	8	23	16	7
Under 1 year.....	5	2	3	5	2	3	-	-	-	-	-	-	-	-	-
1-4 years.....	13	9	4	11	7	4	2	2	-	-	-	-	-	-	-
5-9 years.....	13	6	7	11	5	6	2	1	1	-	-	-	-	-	-
10-14 years.....	37	21	16	30	17	13	6	3	3	1	1	-	-	-	-
15-19 years.....	167	130	37	153	123	30	5	2	3	5	3	2	4	2	2
20-24 years.....	168	149	19	147	131	16	11	9	2	8	7	1	2	2	-
25-29 years.....	122	94	28	113	85	28	4	4	-	3	3	-	2	2	-
30-34 years.....	118	94	24	105	83	22	7	6	1	5	4	1	1	1	-
35-39 years.....	134	100	34	117	87	30	9	6	3	6	5	1	2	2	-
40-44 years.....	103	81	22	85	66	19	11	9	2	4	3	1	3	3	-
45-49 years.....	95	75	20	83	67	16	6	4	2	3	2	1	3	2	1
50-54 years.....	72	55	17	54	40	14	9	7	2	7	7	-	2	1	1
55-59 years.....	64	56	8	58	51	7	4	4	-	2	1	1	-	-	-
60-64 years.....	40	33	7	36	30	6	2	2	-	1	1	-	1	-	1
65-69 years.....	22	17	5	22	17	5	-	-	-	-	-	-	-	-	-
70-74 years.....	24	18	6	21	16	5	2	2	-	-	-	-	1	-	1
75-79 years.....	13	10	3	11	10	1	1	-	1	-	-	-	1	-	1
80-84 years.....	7	6	1	6	5	1	-	-	-	1	1	-	-	-	-
85-89 years.....	5	3	2	5	3	2	-	-	-	-	-	-	-	-	-
90-94 years.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years.....	1	1	-	1	1	-	-	-	-	-	-	-	-	-	-
100 years & over.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Age not stated...	3	3	-	2	2	-	-	-	-	-	-	-	1	1	-

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992) and age	Both sexes	All races		Both sexes	White		Both sexes	Black		American Indian 1/		Asian or Pacific Islander 2/			
		Male	Female		Male	Female		Male	Female	Both sexes	Male	Female	Both sexes	Male	Female
Occupant of pick-up truck or van injured in noncollision transport accident, driver injured in traffic accident (V58.5)															
All ages.....	785	655	130	715	597	118	37	32	5	27	22	5	6	4	2
Under 1 year.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years.....	3	-	3	3	-	3	-	-	-	-	-	-	-	-	-
15-19 years.....	99	83	16	95	81	14	2	1	1	1	1	-	1	-	1
20-24 years.....	108	98	10	98	89	9	4	4	-	6	5	1	-	-	-
25-29 years.....	84	64	20	80	60	20	2	2	-	2	2	-	-	-	-
30-34 years.....	84	67	17	80	64	16	1	1	-	3	2	1	-	-	-
35-39 years.....	97	78	19	86	68	18	4	4	-	6	5	1	1	1	-
40-44 years.....	80	64	16	65	52	13	10	8	2	3	2	1	2	2	-
45-49 years.....	65	57	8	63	55	8	1	1	-	1	1	-	-	-	-
50-54 years.....	53	43	10	41	34	7	8	6	2	3	3	-	1	-	1
55-59 years.....	45	40	5	41	37	4	3	3	-	1	-	1	-	-	-
60-64 years.....	28	24	4	27	23	4	1	1	-	-	-	-	-	-	-
65-69 years.....	13	12	1	13	12	1	-	-	-	-	-	-	-	-	-
70-74 years.....	13	12	1	12	11	1	1	1	-	-	-	-	-	-	-
75-79 years.....	6	6	-	6	6	-	-	-	-	-	-	-	-	-	-
80-84 years.....	4	4	-	3	3	-	-	-	-	1	1	-	-	-	-
85-89 years.....	1	1	-	1	1	-	-	-	-	-	-	-	-	-	-
90-94 years.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years.....	1	1	-	1	1	-	-	-	-	-	-	-	-	-	-
100 years & over.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Age not stated...	1	1	-	-	-	-	-	-	-	-	-	-	1	1	-

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992) and age	All races		White		Black		American Indian 1/		Asian or Pacific Islander 2/			
	Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female
Person injured while boarding or alighting from railway train or railway vehicle (V81.4)												
All ages.....	4	3	1	4	3	1	-	-	-	-	-	-
Under 1 year.....	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years.....	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years.....	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years.....	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years.....	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years.....	1	1	-	1	1	-	-	-	-	-	-	-
25-29 years.....	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years.....	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years.....	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years.....	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years.....	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years.....	2	2	-	2	2	-	-	-	-	-	-	-
55-59 years.....	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years.....	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years.....	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years.....	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years.....	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years.....	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years.....	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years.....	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years.....	-	-	-	-	-	-	-	-	-	-	-	-
100 years & over.	-	-	-	-	-	-	-	-	-	-	-	-
Age not stated...	1	-	1	1	-	1	-	-	-	-	-	-

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992) and age	All races		White		Black		American Indian 1/			Asian or Pacific Islander 2/					
	Both sexes		Both sexes		Both sexes		Both sexes			Both sexes					
	Male	Female	Male	Female	Male	Female	Male	Female	Male	Female	Male	Female			
Accidental poisoning by and exposure to narcotics and psychodysleptics [hallucinogens], not elsewhere classified (X42)															
All ages.....	8,264	6,216	2,048	6,596	4,994	1,602	1,541	1,126	415	86	61	25	41	35	6
Under 1 year.....	3	2	1	1	1	-	2	1	1	-	-	-	-	-	-
1-4 years.....	8	2	6	6	-	6	2	2	-	-	-	-	-	-	-
5-9 years.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years.....	9	8	1	9	8	1	-	-	-	-	-	-	-	-	-
15-19 years.....	219	176	43	203	162	41	10	9	1	4	3	1	2	2	-
20-24 years.....	606	476	130	558	437	121	39	32	7	6	6	-	3	1	2
25-29 years.....	652	524	128	574	460	114	67	54	13	8	7	1	3	3	-
30-34 years.....	899	699	200	752	596	156	130	92	38	9	4	5	8	7	1
35-39 years.....	1,338	994	344	1,076	806	270	238	172	66	20	12	8	4	4	-
40-44 years.....	1,685	1,226	459	1,353	1,001	352	316	213	103	9	6	3	7	6	1
45-49 years.....	1,457	1,067	390	1,098	822	276	336	228	108	18	13	5	5	4	1
50-54 years.....	856	657	199	613	467	146	232	180	52	8	7	1	3	3	-
55-59 years.....	295	223	72	194	139	55	98	82	16	2	1	1	1	1	-
60-64 years.....	118	93	25	67	49	18	51	44	7	-	-	-	-	-	-
65-69 years.....	55	35	20	41	22	19	12	11	1	1	1	-	1	1	-
70-74 years.....	23	15	8	18	11	7	4	4	-	-	-	-	1	-	1
75-79 years.....	11	4	7	9	3	6	2	1	1	-	-	-	-	-	-
80-84 years.....	7	4	3	6	3	3	-	-	-	-	-	-	1	1	-
85-89 years.....	6	2	4	5	1	4	-	-	-	-	-	-	1	1	-
90-94 years.....	7	3	4	7	3	4	-	-	-	-	-	-	-	-	-
95-99 years.....	2	1	1	-	-	-	1	-	1	-	-	-	1	1	-
100 years & over.	1	-	1	1	-	1	-	-	-	-	-	-	-	-	-
Age not stated...	7	5	2	5	3	2	1	1	-	1	1	-	-	-	-

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992) and age	Both sexes	All races		Both sexes	White		Both sexes	Black		American Indian 1/			Asian or Pacific Islander 2/		
		Male	Female		Male	Female		Male	Female	Both sexes	Male	Female	Both sexes	Male	Female
Assault (homicide) by other and unspecified firearm discharge (X95)															
All ages.....	10,061	8,520	1,541	4,210	3,341	869	5,551	4,948	603	94	72	22	206	159	47
Under 1 year.....	9	3	6	3	1	2	6	2	4	-	-	-	-	-	-
1-4 years.....	42	27	15	26	17	9	14	9	5	1	-	1	1	1	-
5-9 years.....	37	20	17	23	14	9	10	5	5	1	-	1	3	1	2
10-14 years.....	104	70	34	48	31	17	50	35	15	2	1	1	4	3	1
15-19 years.....	1,338	1,178	160	530	450	80	763	687	76	16	13	3	29	28	1
20-24 years.....	2,416	2,178	238	813	710	103	1,538	1,416	122	21	16	5	44	36	8
25-29 years.....	1,751	1,567	184	613	521	92	1,106	1,020	86	13	9	4	19	17	2
30-34 years.....	1,231	1,058	173	456	368	88	739	663	76	11	9	2	25	18	7
35-39 years.....	970	795	175	430	324	106	508	444	64	9	7	2	23	20	3
40-44 years.....	740	586	154	385	301	84	327	268	59	9	7	2	19	10	9
45-49 years.....	495	371	124	268	184	84	213	177	36	3	3	-	11	7	4
50-54 years.....	361	274	87	216	158	58	129	103	26	4	4	-	12	9	3
55-59 years.....	220	169	51	155	112	43	56	51	5	1	1	-	8	5	3
60-64 years.....	122	89	33	77	57	20	41	29	12	1	1	-	3	2	1
65-69 years.....	66	48	18	43	30	13	19	16	3	1	-	1	3	2	1
70-74 years.....	53	30	23	41	20	21	11	9	2	1	1	-	-	-	-
75-79 years.....	49	28	21	36	20	16	12	8	4	-	-	-	1	-	1
80-84 years.....	31	13	18	25	9	16	5	4	1	-	-	-	1	-	1
85-89 years.....	10	5	5	9	5	4	1	-	1	-	-	-	-	-	-
90-94 years.....	4	-	4	3	-	3	1	-	1	-	-	-	-	-	-
95-99 years.....	1	1	-	1	1	-	-	-	-	-	-	-	-	-	-
100 years & over.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Age not stated...	11	10	1	9	8	1	2	2	-	-	-	-	-	-	-

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992) and age	All races		White		Black		American Indian 1/		Asian or Pacific Islander 2/						
	Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female			
Assault (homicide) by crashing of motor vehicle (Y03)															
All ages.....	60	44	16	46	34	12	10	8	2	3	1	2	1	1	-
Under 1 year.....	1	1	-	-	-	-	1	1	-	-	-	-	-	-	-
1-4 years.....	1	-	1	-	-	-	-	-	-	1	-	1	-	-	-
5-9 years.....	2	-	2	1	-	1	1	-	1	-	-	-	-	-	-
10-14 years.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years.....	6	5	1	2	1	1	3	3	-	-	-	-	1	1	-
20-24 years.....	5	4	1	5	4	1	-	-	-	-	-	-	-	-	-
25-29 years.....	6	6	-	4	4	-	2	2	-	-	-	-	-	-	-
30-34 years.....	5	4	1	4	3	1	1	1	-	-	-	-	-	-	-
35-39 years.....	5	3	2	5	3	2	-	-	-	-	-	-	-	-	-
40-44 years.....	7	5	2	6	5	1	1	-	1	-	-	-	-	-	-
45-49 years.....	5	3	2	4	2	2	-	-	-	1	1	-	-	-	-
50-54 years.....	4	4	-	3	3	-	1	1	-	-	-	-	-	-	-
55-59 years.....	1	1	-	1	1	-	-	-	-	-	-	-	-	-	-
60-64 years.....	2	2	-	2	2	-	-	-	-	-	-	-	-	-	-
65-69 years.....	3	2	1	3	2	1	-	-	-	-	-	-	-	-	-
70-74 years.....	1	1	-	1	1	-	-	-	-	-	-	-	-	-	-
75-79 years.....	3	1	2	3	1	2	-	-	-	-	-	-	-	-	-
80-84 years.....	1	1	-	1	1	-	-	-	-	-	-	-	-	-	-
85-89 years.....	1	1	-	1	1	-	-	-	-	-	-	-	-	-	-
90-94 years.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
100 years & over.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Age not stated...	1	-	1	-	-	-	-	-	-	1	-	1	-	-	-

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992) and age	All races		White		Black		American Indian 1/			Asian or Pacific Islander 2/					
	Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female			
Assault (homicide) by unspecified means (Y09)															
All ages.....	1,533	1,008	525	989	642	347	459	308	151	47	34	13	38	24	14
Under 1 year.....	122	69	53	64	40	24	51	24	27	5	3	2	2	2	-
1-4 years.....	149	85	64	80	49	31	60	33	27	5	3	2	4	-	4
5-9 years.....	9	3	6	5	-	5	4	3	1	-	-	-	-	-	-
10-14 years.....	14	7	7	9	5	4	3	2	1	1	-	1	1	-	1
15-19 years.....	65	42	23	43	28	15	16	9	7	2	2	-	4	3	1
20-24 years.....	120	78	42	81	54	27	33	21	12	4	3	1	2	-	2
25-29 years.....	87	57	30	52	34	18	27	17	10	6	5	1	2	1	1
30-34 years.....	118	77	41	69	46	23	41	26	15	4	4	-	4	1	3
35-39 years.....	141	91	50	89	54	35	45	31	14	4	3	1	3	3	-
40-44 years.....	150	105	45	107	74	33	39	29	10	3	1	2	1	1	-
45-49 years.....	151	116	35	99	71	28	48	41	7	3	3	-	1	1	-
50-54 years.....	95	63	32	57	33	24	31	24	7	3	2	1	4	4	-
55-59 years.....	75	58	17	57	43	14	14	12	2	-	-	-	4	3	1
60-64 years.....	58	46	12	44	33	11	12	11	1	1	1	-	1	1	-
65-69 years.....	47	32	15	30	20	10	9	7	2	5	3	2	3	2	1
70-74 years.....	38	28	10	34	24	10	3	3	-	-	-	-	1	1	-
75-79 years.....	29	19	10	21	14	7	8	5	3	-	-	-	-	-	-
80-84 years.....	23	11	12	16	4	12	6	6	-	1	1	-	-	-	-
85-89 years.....	17	6	11	11	4	7	6	2	4	-	-	-	-	-	-
90-94 years.....	10	5	5	8	3	5	2	2	-	-	-	-	-	-	-
95-99 years.....	1	1	-	1	1	-	-	-	-	-	-	-	-	-	-
100 years & over.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Age not stated...	14	9	5	12	8	4	1	-	1	-	-	-	1	1	-

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992) and age	All races		White		Black		American Indian 1/		Asian or Pacific Islander 2/						
	Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female			
Hanging, strangulation, and suffocation, undetermined intent (Y20)															
All ages.....	133	81	52	100	64	36	25	13	12	4	2	2	4	2	2
Under 1 year.....	56	25	31	34	16	18	20	8	12	1	-	1	1	1	-
1-4 years.....	7	6	1	5	4	1	1	1	-	1	1	-	-	-	-
5-9 years.....	6	3	3	5	2	3	1	1	-	-	-	-	-	-	-
10-14 years.....	14	11	3	11	9	2	2	2	-	1	-	1	-	-	-
15-19 years.....	6	4	2	5	4	1	-	-	-	-	-	-	1	-	1
20-24 years.....	8	7	1	8	7	1	-	-	-	-	-	-	-	-	-
25-29 years.....	5	5	-	4	4	-	-	-	-	-	-	-	1	1	-
30-34 years.....	6	4	2	5	3	2	1	1	-	-	-	-	-	-	-
35-39 years.....	7	5	2	7	5	2	-	-	-	-	-	-	-	-	-
40-44 years.....	8	6	2	8	6	2	-	-	-	-	-	-	-	-	-
45-49 years.....	2	1	1	2	1	1	-	-	-	-	-	-	-	-	-
50-54 years.....	3	2	1	3	2	1	-	-	-	-	-	-	-	-	-
55-59 years.....	2	1	1	2	1	1	-	-	-	-	-	-	-	-	-
60-64 years.....	1	-	1	-	-	-	-	-	-	-	-	-	1	-	1
65-69 years.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years.....	1	-	1	1	-	1	-	-	-	-	-	-	-	-	-
80-84 years.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
100 years & over.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Age not stated...	1	1	-	-	-	-	-	-	-	1	1	-	-	-	-

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992) and age	All races		White		Black		American Indian 1/		Asian or Pacific Islander 2/						
	Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female			
Drowning and submersion, undetermined intent (Y21)															
All ages.....	259	184	75	198	138	60	51	41	10	4	1	3	6	4	2
Under 1 year.....	5	3	2	3	2	1	-	-	-	2	1	1	-	-	-
1-4 years.....	16	7	9	12	6	6	2	-	2	-	-	-	2	1	1
5-9 years.....	4	2	2	3	1	2	1	1	-	-	-	-	-	-	-
10-14 years.....	3	2	1	2	1	1	1	1	-	-	-	-	-	-	-
15-19 years.....	5	5	-	4	4	-	1	1	-	-	-	-	-	-	-
20-24 years.....	25	19	6	14	12	2	11	7	4	-	-	-	-	-	-
25-29 years.....	10	8	2	3	3	-	5	4	1	1	-	1	1	1	-
30-34 years.....	24	20	4	21	17	4	2	2	-	-	-	-	1	1	-
35-39 years.....	38	31	7	29	23	6	8	8	-	1	-	1	-	-	-
40-44 years.....	29	16	13	24	13	11	5	3	2	-	-	-	-	2	-
45-49 years.....	29	21	8	24	18	6	4	3	1	-	-	-	1	-	1
50-54 years.....	13	11	2	11	9	2	1	1	-	-	-	-	1	1	-
55-59 years.....	18	11	7	17	10	7	1	1	-	-	-	-	-	-	-
60-64 years.....	9	6	3	7	4	3	2	2	-	-	-	-	-	-	-
65-69 years.....	5	5	-	4	4	-	1	1	-	-	-	-	-	-	-
70-74 years.....	4	3	1	2	1	1	2	2	-	-	-	-	-	-	-
75-79 years.....	5	4	1	4	3	1	1	1	-	-	-	-	-	-	-
80-84 years.....	2	1	1	1	-	1	1	1	-	-	-	-	-	-	-
85-89 years.....	7	3	4	7	3	4	-	-	-	-	-	-	-	-	-
90-94 years.....	1	-	1	1	-	1	-	-	-	-	-	-	-	-	-
95-99 years.....	2	1	1	1	-	1	1	1	-	-	-	-	-	-	-
100 years & over.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Age not stated...	5	5	-	4	4	-	1	1	-	-	-	-	-	-	-

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992) and age	All races		White		Black		American Indian 1/		Asian or Pacific Islander 2/			
	Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female
Sequelae of unspecified external cause (Y89.9)												
All ages.....	6	6	-	6	6	-	-	-	-	-	-	-
Under 1 year.....
1-4 years.....	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years.....	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years.....	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years.....	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years.....	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years.....	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years.....	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years.....	1	1	-	1	1	-	-	-	-	-	-	-
40-44 years.....	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years.....	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years.....	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years.....	1	1	-	1	1	-	-	-	-	-	-	-
60-64 years.....	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years.....	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years.....	1	1	-	1	1	-	-	-	-	-	-	-
75-79 years.....	1	1	-	1	1	-	-	-	-	-	-	-
80-84 years.....	1	1	-	1	1	-	-	-	-	-	-	-
85-89 years.....	1	1	-	1	1	-	-	-	-	-	-	-
90-94 years.....	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years.....	-	-	-	-	-	-	-	-	-	-	-	-
100 years & over.	-	-	-	-	-	-	-	-	-	-	-	-
Age not stated...	-	-	-	-	-	-	-	-	-	-	-	-

- Quantity zero.

... Category not applicable.

1/ Includes Aleuts and Eskimos.

2/ Includes Chinese, Filipino, Hawaiian, Japanese, and Other Asian or Pacific Islander.

Note: Complete confirmation of deaths from selected causes of death, considered to be of public health concern, were not provided by the following States: Alabama, California, Illinois, Minnesota, Mississippi, Nebraska, New York, Pennsylvania, Texas, and West Virginia.

Source: CDC/NCHS, National Vital Statistics System, Mortality.